



Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table T-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Any tobacco product	All	9.8%	5.5%	4.3%	90.2%
	Grade 4	5.4%	2.9%	2.5%	94.6%
	Grade 5	8.2%	4.3%	3.8%	91.8%
	Grade 6	15.7%	9.2%	6.5%	84.3%
Cigarettes	All	9.3%	5.2%	4.1%	90.7%
	Grade 4	4.8%	2.6%	2.2%	95.2%
	Grade 5	7.7%	4.0%	3.6%	92.3%
	Grade 6	15.2%	8.8%	6.4%	84.8%
Smokeless tobacco	All	1.3%	0.7%	0.5%	98.7%
	Grade 4	1.1%	0.5%	0.6%	98.9%
	Grade 5	1.1%	0.5%	0.5%	98.9%
	Grade 6	1.7%	1.1%	0.6%	98.3%

Table T-2: Average number of times selected tobacco products were used by those who reported use of ...

Any tobacco product

	School Year	Lifetime
All	3.2	3.1
Grade 4	2.6	2.8
Grade 5	2.9	2.7
Grade 6	3.4	3.4

Cigarettes

	School Year	Lifetime
All	3.0	2.9
Grade 4	2.4	2.5
Grade 5	2.8	2.6
Grade 6	3.2	3.2

Smokeless tobacco

	School Year	Lifetime
All	2.9	2.9
Grade 4	2.5	3.5
Grade 5	2.9	2.5
Grade 6	3.0	2.9

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table T-3: Average age of first use of tobacco:

	Grade 4	Grade 5	Grade 6
Tobacco	8.4	9.0	9.9

Table T-4: Average age of first use of tobacco by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	90.9%	2.0%	1.1%	1.4%	1.8%	1.8%	0.9%
Grade 4	95.0%	1.8%	0.9%	1.3%	0.7%	0.2%	0.1%
Grade 5	92.5%	2.0%	1.1%	1.2%	1.8%	1.2%	0.2%
Grade 6	85.5%	2.3%	1.3%	1.8%	2.9%	3.9%	2.3%

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	85.8%	2.9%	1.7%	2.3%	3.0%	2.8%	1.6%
Grade 4	91.8%	2.8%	1.7%	1.7%	1.6%	0.2%	0.1%
Grade 5	88.3%	3.0%	1.5%	2.3%	2.9%	1.7%	0.4%
Grade 6	78.2%	2.8%	1.9%	2.9%	4.1%	6.1%	4.0%

Table T-5: About how many of your close friends use ...

Any tobacco product?

	Never Heard of	None	Some	Most
All	3.5%	75.7%	18.5%	2.3%
Grade 4	4.9%	82.5%	11.4%	1.1%
Grade 5	3.1%	78.4%	16.8%	1.8%
Grade 6	2.6%	66.8%	26.8%	3.8%

Cigarettes?

	Never Heard of	None	Some	Most
All	4.5%	75.6%	17.9%	2.0%
Grade 4	6.4%	82.1%	10.7%	0.8%
Grade 5	4.0%	78.1%	16.3%	1.6%
Grade 6	3.2%	67.1%	26.1%	3.5%

Smokeless tobacco?

	Never Heard of	None	Some	Most
All	7.6%	87.0%	4.7%	0.7%
Grade 4	11.2%	85.4%	2.9%	0.5%
Grade 5	6.6%	89.1%	3.8%	0.5%
Grade 6	5.1%	86.4%	7.4%	1.1%

Table T-6: Have you ever been offered ...

Any tobacco product?

	Never Heard of	Yes	No
All	3.3%	17.3%	79.4%
Grade 4	4.5%	11.1%	84.5%
Grade 5	3.1%	15.4%	81.5%
Grade 6	2.4%	24.9%	72.7%

Cigarettes?

	Never Heard of	Yes	No
All	4.3%	16.5%	79.2%
Grade 4	5.7%	10.3%	84.0%
Grade 5	4.1%	14.7%	81.2%
Grade 6	3.2%	24.1%	72.8%

Smokeless tobacco?

	Never Heard of	Yes	No
All	7.6%	3.9%	88.5%
Grade 4	11.0%	2.6%	86.4%
Grade 5	7.1%	3.1%	89.8%
Grade 6	5.0%	5.8%	89.2%

Table T-7: How dangerous do you think it is for kids your age to use ...

Any tobacco product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	2.1%	72.5%	17.8%	1.5%	6.1%
Grade 4	3.1%	78.2%	12.0%	0.9%	5.8%
Grade 5	1.6%	74.3%	17.1%	1.2%	5.9%
Grade 6	1.6%	65.3%	24.1%	2.3%	6.7%

Cigarettes?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	3.2%	57.0%	29.4%	2.1%	8.3%
Grade 4	4.6%	65.3%	21.5%	1.2%	7.5%
Grade 5	2.7%	59.4%	28.3%	1.6%	8.1%
Grade 6	2.3%	46.8%	38.0%	3.6%	9.4%

Smokeless tobacco?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.0%	66.7%	18.4%	1.4%	8.5%
Grade 4	7.8%	71.5%	12.4%	0.9%	7.4%
Grade 5	4.1%	68.5%	18.2%	1.2%	8.0%

Grade 6

3.1%

60.4%

24.3%

2.1%

10.0%



Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table A-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Any alcohol product	All	27.7%	17.5%	10.1%	72.3%
	Grade 4	19.0%	11.7%	7.3%	81.0%
	Grade 5	25.3%	15.7%	9.5%	74.7%
	Grade 6	38.2%	24.8%	13.4%	61.8%
Beer	All	17.7%	10.1%	7.6%	82.3%
	Grade 4	12.4%	7.1%	5.4%	87.6%
	Grade 5	15.3%	8.5%	6.8%	84.7%
	Grade 6	25.0%	14.5%	10.5%	75.0%
Wine coolers	All	15.4%	9.8%	5.5%	84.6%
	Grade 4	8.0%	5.1%	2.9%	92.0%
	Grade 5	13.5%	8.4%	5.1%	86.5%
	Grade 6	24.1%	15.7%	8.4%	75.9%
Wine	All	12.5%	7.1%	5.4%	87.5%
	Grade 4	7.1%	4.1%	3.0%	92.9%
	Grade 5	10.9%	6.6%	4.4%	89.1%
	Grade 6	19.1%	10.5%	8.6%	80.9%
Liquor	All	6.0%	3.6%	2.4%	94.0%
	Grade 4	2.3%	1.3%	1.0%	97.7%
	Grade 5	4.6%	2.5%	2.1%	95.4%
	Grade 6	10.7%	6.6%	4.0%	89.3%

Table A-2: Average number of times selected alcohol products were used by those who reported use of ...

Any alcohol product

	School Year	Lifetime
All	4.7	5.0
Grade 4	3.4	3.5
Grade 5	4.1	4.3
Grade 6	5.5	6.0

Beer

	School Year	Lifetime
All	2.7	2.7
Grade 4	2.3	2.4
Grade 5	2.5	2.6
Grade 6	2.9	3.0

Liquor

	School Year	Lifetime
All	2.8	2.9
Grade 4	2.4	2.4
Grade 5	2.9	2.8
Grade 6	2.9	3.1

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Wine

	School Year	Lifetime
All	2.5	2.5
Grade 4	2.2	2.2
Grade 5	2.3	2.3
Grade 6	2.7	2.8

Wine coolers

	School Year	Lifetime
All	2.9	2.9
Grade 4	2.5	2.4
Grade 5	2.8	2.7
Grade 6	3.0	3.2

Table A-3: In the past year, how many times have you had two or more drinks at one time of ..

Beer?

	Never	1 Time	2 Times	3+ Times	Ever
All	83.9%	9.1%	3.9%	3.1%	16.1%
Grade 4	87.2%	8.2%	2.7%	2.0%	12.8%
Grade 5	85.5%	8.7%	3.3%	2.5%	14.5%
Grade 6	79.3%	10.4%	5.6%	4.7%	20.7%

Wine Coolers?

	Never	1 Time	2 Times	3+ Times	Ever
All	85.1%	7.7%	3.8%	3.3%	14.9%
Grade 4	91.7%	4.8%	1.9%	1.6%	8.3%
Grade 5	86.5%	7.4%	3.4%	2.6%	13.5%
Grade 6	77.7%	10.8%	5.8%	5.7%	22.3%

Wine?

	Never	1 Time	2 Times	3+ Times	Ever
All	88.7%	6.9%	2.6%	1.8%	11.3%
Grade 4	92.9%	4.6%	1.4%	1.0%	7.1%
Grade 5	89.8%	6.4%	2.3%	1.5%	10.2%
Grade 6	83.6%	9.6%	4.0%	2.9%	16.4%

Liquor?

	Never	1 Time	2 Times	3+ Times	Ever
All	94.5%	2.9%	1.2%	1.4%	5.5%
Grade 4	97.9%	1.3%	0.3%	0.5%	2.1%
Grade 5	95.8%	2.2%	0.9%	1.1%	4.2%
Grade 6	90.2%	5.0%	2.2%	2.6%	9.8%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table A-4: Average age of first use of alcohol:

	Grade 4	Grade 5	Grade 6
Alcohol	8.2	8.9	9.7
Beer	8.1	8.7	9.5
Wine Coolers	8.7	9.4	10.2
Wine	8.6	9.4	10.2
Liquor	8.7	9.4	10.4

Table A-5: Average age of first use of alcohol by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	74.5%	6.7%	3.0%	4.4%	5.2%	4.4%	1.9%
Grade 4	82.2%	6.8%	3.5%	4.6%	2.5%	0.3%	0.1%
Grade 5	76.4%	6.7%	2.7%	4.1%	6.1%	3.5%	0.6%
Grade 6	65.1%	6.6%	2.8%	4.6%	7.1%	9.1%	4.8%

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	66.6%	8.3%	3.9%	5.7%	6.7%	5.8%	3.0%
Grade 4	77.4%	8.4%	4.6%	6.2%	2.8%	0.6%	0.1%
Grade 5	69.7%	8.5%	3.3%	5.7%	7.5%	4.6%	0.7%
Grade 6	54.8%	8.1%	3.8%	5.3%	9.2%	11.2%	7.6%

Table A-6 a: Lifetime prevalence of use of alcohol by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Alcohol	19.8%	62.2%	43.9%	69.4%

Table A-6 b: Past School Year prevalence of use of alcohol by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Alcohol	13.2%	51.5%	32.7%	58.5%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table A-7: When you drink alcohol, do you get it from ...

Home?

	Don't Drink	Yes	No
All	70.2%	11.0%	18.9%
Grade 4	74.5%	7.8%	17.7%
Grade 5	71.9%	10.5%	17.7%
Grade 6	64.3%	14.6%	21.1%

Friends?

	Don't Drink	Yes	No
All	70.3%	5.4%	24.3%
Grade 4	74.1%	2.4%	23.5%
Grade 5	72.5%	4.1%	23.4%
Grade 6	64.5%	9.6%	25.9%

Somewhere else?

	Don't Drink	Yes	No
All	69.1%	11.1%	19.8%
Grade 4	72.8%	7.1%	20.1%
Grade 5	71.2%	9.9%	18.9%
Grade 6	63.6%	16.1%	20.3%

Table A-8: About how many of your close friends use ...

Any alcohol product?

	Never Heard of	None	Some	Most
All	2.9%	65.8%	25.0%	6.3%
Grade 4	4.0%	73.7%	18.7%	3.7%
Grade 5	2.8%	69.2%	23.3%	4.8%
Grade 6	2.1%	55.2%	32.5%	10.2%

Beer?

	Never Heard of	None	Some	Most
All	3.2%	72.1%	20.8%	4.0%
Grade 4	4.3%	77.8%	15.6%	2.3%
Grade 5	2.8%	75.5%	18.6%	3.0%
Grade 6	2.4%	63.5%	27.7%	6.4%

Wine coolers?

	Never Heard of	None	Some	Most
All	10.1%	70.6%	15.5%	3.7%
Grade 4	15.1%	74.4%	8.9%	1.7%
Grade 5	9.6%	73.7%	14.0%	2.6%

Grade 6

6.1%

64.2%

23.1%

6.6%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Wine?

	Never Heard of	None	Some	Most
All	5.9%	79.8%	12.1%	2.1%
Grade 4	8.8%	83.0%	7.1%	1.1%
Grade 5	5.3%	82.3%	10.7%	1.7%
Grade 6	3.8%	74.7%	18.1%	3.5%

Liquor?

	Never Heard of	None	Some	Most
All	10.4%	80.1%	7.6%	1.8%
Grade 4	16.9%	78.8%	3.4%	1.0%
Grade 5	9.4%	83.0%	6.4%	1.2%
Grade 6	5.4%	78.6%	12.7%	3.2%

Table A-9: Have you ever been offered ...

Any alcohol product?

	Never Heard of	Yes	No
All	2.7%	28.1%	69.2%
Grade 4	3.4%	21.9%	74.7%
Grade 5	2.8%	25.3%	71.9%
Grade 6	1.9%	36.6%	61.5%

Beer?

	Never Heard of	Yes	No
All	2.8%	22.7%	74.5%
Grade 4	3.6%	18.0%	78.4%
Grade 5	2.9%	20.0%	77.1%
Grade 6	2.1%	29.6%	68.3%

Wine coolers?

	Never Heard of	Yes	No
All	10.4%	14.1%	75.5%
Grade 4	15.3%	8.1%	76.5%
Grade 5	10.2%	12.1%	77.7%
Grade 6	6.0%	21.6%	72.4%

Wine?

	Never Heard of	Yes	No
All	5.7%	11.3%	83.0%
Grade 4	8.2%	7.1%	84.7%
Grade 5	5.5%	9.6%	84.9%
Grade 6	3.7%	16.7%	79.6%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Liquor?

	Never Heard of	Yes	No
All	9.7%	7.0%	83.2%
Grade 4	15.1%	3.5%	81.4%
Grade 5	9.3%	5.2%	85.4%
Grade 6	5.2%	11.9%	82.9%

Table A-10: How do your parents feel about kids your age drinking beer?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	80.5%	2.2%	1.0%	16.2%
Grade 4	81.2%	1.7%	0.9%	16.1%
Grade 5	81.1%	1.9%	1.0%	16.0%
Grade 6	79.4%	3.0%	1.2%	16.4%

Table A-11: How dangerous do you think it is for kids your age to use ...

Any alcohol product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.6%	66.2%	22.7%	3.2%	6.3%
Grade 4	2.3%	74.0%	15.9%	2.0%	5.8%
Grade 5	1.3%	67.9%	21.8%	2.7%	6.2%
Grade 6	1.3%	57.2%	29.9%	4.8%	6.8%

Beer?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.9%	45.7%	35.8%	6.5%	10.1%
Grade 4	2.7%	54.0%	29.9%	4.3%	9.1%
Grade 5	1.5%	47.0%	36.0%	5.1%	10.4%
Grade 6	1.4%	36.6%	41.3%	10.0%	10.7%

Wine coolers?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	8.2%	41.9%	27.3%	9.0%	13.7%
Grade 4	12.2%	51.4%	20.3%	4.6%	11.6%
Grade 5	7.7%	43.2%	27.9%	7.4%	13.7%
Grade 6	4.9%	31.6%	33.2%	14.6%	15.7%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

---

Wine?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	3.8%	47.6%	29.3%	6.6%	12.7%
Grade 4	6.0%	56.9%	22.6%	3.5%	11.0%
Grade 5	3.2%	49.2%	29.6%	5.5%	12.5%
Grade 6	2.3%	37.4%	35.3%	10.6%	14.5%

Liquor?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	6.9%	59.3%	21.5%	2.6%	9.7%
Grade 4	11.4%	65.1%	13.6%	1.2%	8.6%
Grade 5	6.1%	61.7%	20.4%	2.3%	9.5%
Grade 6	3.5%	51.6%	29.8%	4.2%	10.9%



Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table D-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Marijuana	All	3.2%	2.2%	0.9%	96.8%
	Grade 4	1.0%	0.6%	0.4%	99.0%
	Grade 5	2.1%	1.4%	0.8%	97.9%
	Grade 6	6.2%	4.5%	1.6%	93.8%

Table D-2: Average number of times marijuana was used by those reporting usage:

	School Year	Lifetime
All	4.0	4.3
Grade 4	3.4	3.5
Grade 5	3.5	3.9
Grade 6	4.3	4.6

Table D-3: Average age of first use of marijuana:

	Grade 4	Grade 5	Grade 6
Marijuana	8.9	9.8	10.6

Table D-4: Average age of first use of marijuana by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	97.7%	0.2%	0.2%	0.3%	0.4%	0.7%	0.6%
Grade 4	99.1%	0.2%	0.1%	0.2%	0.3%	0.1%	0.0%
Grade 5	98.5%	0.2%	0.1%	0.1%	0.4%	0.5%	0.2%
Grade 6	95.5%	0.3%	0.3%	0.5%	0.6%	1.5%	1.4%

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	94.8%	0.5%	0.3%	0.7%	0.9%	1.6%	1.2%
Grade 4	98.8%	0.3%	0.3%	0.2%	0.2%	0.3%	* %
Grade 5	96.8%	0.4%	0.2%	0.6%	0.8%	0.9%	0.3%
Grade 6	89.7%	0.7%	0.3%	1.1%	1.5%	3.5%	3.2%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table D-5 a: Lifetime prevalence of use of marijuana by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Marijuana	0.9%	23.0%	8.2%	30.0%

Table D-5 b: Past School Year prevalence of use of marijuana by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Marijuana	0.7%	20.2%	6.8%	26.0%

Table D-6: About how many of your close friends use marijuana?

	Never Heard of	None	Some	Most
All	9.2%	79.2%	8.8%	2.8%
Grade 4	14.3%	81.3%	3.4%	1.0%
Grade 5	8.3%	83.6%	6.4%	1.7%
Grade 6	5.3%	73.1%	16.1%	5.5%

Table D-7: Have you ever been offered marijuana?

	Never Heard of	Yes	No
All	8.5%	8.8%	82.7%
Grade 4	13.2%	3.8%	82.9%
Grade 5	7.6%	6.2%	86.1%
Grade 6	4.8%	15.9%	79.3%

Table D-8: How do your parents feel about kids your age smoking marijuana?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	83.4%	1.7%	0.6%	14.3%
Grade 4	82.2%	1.3%	0.5%	16.0%
Grade 5	84.2%	1.6%	0.6%	13.6%
Grade 6	83.8%	2.1%	0.8%	13.3%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

---

Table D-9: How dangerous do you think it is for kids your age to use marijuana?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.9%	76.6%	9.3%	1.5%	6.7%
Grade 4	9.8%	75.5%	7.2%	0.9%	6.5%
Grade 5	4.9%	78.9%	8.4%	1.3%	6.5%
Grade 6	3.2%	75.3%	12.0%	2.4%	7.1%



Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table I-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Inhalants	All	11.8%	8.2%	3.6%	88.2%
	Grade 4	10.7%	7.3%	3.3%	89.3%
	Grade 5	9.7%	6.4%	3.3%	90.3%
	Grade 6	15.0%	10.7%	4.2%	85.0%

Table I-2: Have you ever sniffed any of the following inhalants to get high?

Correction Fluid/Whiteout

	Not Used	Used
All	95.5%	4.5%
Grade 4	97.3%	2.7%
Grade 5	96.8%	3.2%
Grade 6	92.5%	7.5%

Gasoline

	Not Used	Used
All	96.8%	3.2%
Grade 4	96.5%	3.5%
Grade 5	96.8%	3.2%
Grade 6	97.0%	3.0%

Glue

	Not Used	Used
All	96.1%	3.9%
Grade 4	95.7%	4.3%
Grade 5	97.0%	3.0%
Grade 6	95.6%	4.4%

Paint Thinner

	Not Used	Used
All	97.5%	2.5%
Grade 4	97.4%	2.6%
Grade 5	98.0%	2.0%
Grade 6	97.2%	2.8%

Spray Paint

	Not Used	Used
All	96.1%	3.9%
Grade 4	95.9%	4.1%
Grade 5	96.8%	3.2%
Grade 6	95.6%	4.4%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

---

Other Inhalants

	Not Used	Used
All	95.0%	5.0%
Grade 4	96.0%	4.0%
Grade 5	96.2%	3.8%
Grade 6	92.9%	7.1%

---

Table I-3: Average number of times inhalants were used by those reporting usage :

	School Year	Lifetime
All	3.2	3.1
Grade 4	3.2	2.8
Grade 5	2.9	2.9
Grade 6	3.4	3.3

---

Table I-4: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	88.9%	5.5%	4.3%	1.3%
Grade 4	90.1%	4.9%	3.9%	1.1%
Grade 5	90.9%	4.8%	3.3%	1.0%
Grade 6	85.9%	6.7%	5.8%	1.7%

---

Table I-5: Average age of first use of inhalants:

	Grade 4	Grade 5	Grade 6
Inhalants	8.4	9.3	10.3

---

Table I-6: Average age of first use of inhalants by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	95.0%	0.7%	0.6%	0.8%	0.9%	1.3%	0.7%
Grade 4	97.1%	1.0%	0.5%	0.8%	0.5%	0.0%	0.0%
Grade 5	96.6%	0.6%	0.5%	0.7%	0.9%	0.7%	0.1%
Grade 6	91.5%	0.6%	0.7%	0.9%	1.4%	3.0%	1.8%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	92.8%	1.0%	0.8%	0.9%	1.8%	1.6%	1.1%
Grade 4	96.5%	1.1%	0.7%	0.5%	1.0%	0.1%	0.1%
Grade 5	94.3%	0.8%	0.6%	0.8%	2.1%	1.2%	0.2%
Grade 6	88.2%	1.0%	1.1%	1.2%	2.1%	3.4%	3.0%

Table I-7 a: Lifetime prevalence of use of inhalants by reported conduct problems

this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Inhalants	3.3%	22.8%	11.3%	26.9%

Table I-7 b: Past School Year prevalence of use of inhalants by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Inhalants	2.6%	19.5%	9.1%	23.4%

Table I-8: About how many of your close friends use inhalants?

	Never Heard of	None	Some	Most
All	9.2%	79.5%	9.1%	2.3%
Grade 4	14.2%	81.0%	3.9%	0.9%
Grade 5	8.3%	83.3%	6.9%	1.4%
Grade 6	5.3%	74.4%	16.0%	4.3%

Table I-9: Have you ever been offered inhalants?

	Never Heard of	Yes	No
All	8.4%	7.2%	84.5%
Grade 4	12.9%	3.2%	83.9%
Grade 5	7.8%	5.2%	87.0%
Grade 6	4.8%	12.7%	82.5%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

---

Table I-10: How dangerous do you think it is for kids your age to use inhalants ?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	6.1%	61.7%	19.5%	3.0%	9.7%
Grade 4	10.2%	64.9%	13.7%	1.6%	9.6%
Grade 5	5.1%	63.5%	19.5%	2.5%	9.4%
Grade 6	3.3%	56.9%	24.9%	4.9%	10.1%

Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ...

An Assembly Program?

	No	Yes
All	32.7%	67.3%
Grade 4	31.8%	68.2%
Grade 5	29.3%	70.7%
Grade 6	36.8%	63.2%

Guidance Counselor?

	No	Yes
All	27.1%	72.9%
Grade 4	21.6%	78.4%
Grade 5	21.8%	78.2%
Grade 6	37.7%	62.3%

Visitor to Class?

	No	Yes
All	34.0%	66.0%
Grade 4	34.1%	65.9%
Grade 5	30.2%	69.8%
Grade 6	37.6%	62.4%

Someone Else at School?

	No	Yes
All	47.7%	52.3%
Grade 4	49.3%	50.7%
Grade 5	45.5%	54.5%
Grade 6	48.3%	51.7%

Your Teacher?

	No	Yes
All	27.6%	72.4%
Grade 4	30.2%	69.8%
Grade 5	26.1%	73.9%
Grade 6	26.4%	73.6%

Any School Source?

	No	Yes
All	8.4%	91.6%
Grade 4	9.4%	90.6%
Grade 5	7.0%	93.0%
Grade 6	8.6%	91.4%



Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table B1: Prevalence and recency of use of selected substances by grade  
--> All Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	9.8%	5.5%	4.3%	90.2%
	Grade 4	5.4%	2.9%	2.5%	94.6%
	Grade 5	8.2%	4.3%	3.8%	91.8%
	Grade 6	15.7%	9.2%	6.5%	84.3%
Alcohol	All	27.7%	17.5%	10.1%	72.3%
	Grade 4	19.0%	11.7%	7.3%	81.0%
	Grade 5	25.3%	15.7%	9.5%	74.7%
	Grade 6	38.2%	24.8%	13.4%	61.8%
Inhalants	All	11.8%	8.2%	3.6%	88.2%
	Grade 4	10.7%	7.3%	3.3%	89.3%
	Grade 5	9.7%	6.4%	3.3%	90.3%
	Grade 6	15.0%	10.7%	4.2%	85.0%
Marijuana	All	3.2%	2.2%	0.9%	96.8%
	Grade 4	1.0%	0.6%	0.4%	99.0%
	Grade 5	2.1%	1.4%	0.8%	97.9%
	Grade 6	6.2%	4.5%	1.6%	93.8%

Table B2: Prevalence and recency of use of selected substances by grade  
--> Male Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	11.9%	6.7%	5.1%	88.1%
	Grade 4	7.6%	4.2%	3.4%	92.4%
	Grade 5	10.5%	5.8%	4.7%	89.5%
	Grade 6	17.4%	10.1%	7.3%	82.6%
Alcohol	All	31.3%	19.5%	11.8%	68.7%
	Grade 4	23.7%	14.3%	9.4%	76.3%
	Grade 5	29.3%	18.5%	10.8%	70.7%
	Grade 6	40.5%	25.5%	15.0%	59.5%
Inhalants	All	13.7%	9.1%	4.6%	86.3%
	Grade 4	13.8%	9.3%	4.5%	86.2%
	Grade 5	12.3%	7.8%	4.5%	87.7%
	Grade 6	15.0%	10.2%	4.8%	85.0%
Marijuana	All	4.3%	2.9%	1.4%	95.7%
	Grade 4	1.6%	1.0%	0.6%	98.4%
	Grade 5	3.2%	2.0%	1.1%	96.8%
	Grade 6	7.9%	5.6%	2.3%	92.1%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table B3: Prevalence and recency of use of selected substances by grade  
--> Female Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	7.8%	4.4%	3.4%	92.2%
	Grade 4	3.4%	1.8%	1.6%	96.6%
	Grade 5	5.8%	2.9%	2.9%	94.2%
	Grade 6	14.0%	8.3%	5.6%	86.0%
Alcohol	All	24.2%	15.6%	8.6%	75.8%
	Grade 4	14.7%	9.3%	5.3%	85.3%
	Grade 5	21.2%	13.0%	8.2%	78.8%
	Grade 6	36.0%	24.1%	11.9%	64.0%
Inhalants	All	10.1%	7.4%	2.7%	89.9%
	Grade 4	7.9%	5.6%	2.3%	92.1%
	Grade 5	7.2%	5.0%	2.1%	92.8%
	Grade 6	15.0%	11.2%	3.7%	85.0%
Marijuana	All	2.1%	1.6%	0.5%	97.9%
	Grade 4	0.4%	0.3%	0.1%	99.6%
	Grade 5	1.1%	0.8%	0.4%	98.9%
	Grade 6	4.5%	3.5%	1.0%	95.5%

Table B4: Prevalence and recency of use of selected substances by grade  
--> White Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	7.8%	3.1%	4.7%	92.2%
	Grade 4	4.8%	2.0%	2.7%	95.2%
	Grade 5	7.3%	2.6%	4.7%	92.7%
	Grade 6	12.4%	5.1%	7.3%	87.6%
Alcohol	All	22.7%	12.7%	10.1%	77.3%
	Grade 4	18.3%	9.0%	9.3%	81.7%
	Grade 5	19.0%	11.0%	8.0%	81.0%
	Grade 6	32.2%	19.1%	13.1%	67.8%
Inhalants	All	11.5%	7.9%	3.7%	88.5%
	Grade 4	11.7%	8.9%	2.8%	88.3%
	Grade 5	8.7%	4.4%	4.3%	91.3%
	Grade 6	14.0%	9.7%	4.2%	86.0%
Marijuana	All	1.8%	1.0%	0.8%	98.2%
	Grade 4	0.7%	0.7%	* %	99.3%
	Grade 5	1.5%	1.0%	0.5%	98.5%
	Grade 6	3.5%	1.3%	2.2%	96.5%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table B5: Prevalence and recency of use of selected substances by grade  
--> African/American Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	11.6%	7.7%	3.9%	88.4%
	Grade 4	11.0%	5.9%	5.0%	89.0%
	Grade 5	10.4%	8.2%	2.2%	89.6%
	Grade 6	14.1%	10.3%	3.7%	85.9%
Alcohol	All	23.6%	15.4%	8.2%	76.4%
	Grade 4	18.4%	11.4%	7.0%	81.6%
	Grade 5	21.6%	14.5%	7.0%	78.4%
	Grade 6	34.4%	22.9%	11.4%	65.6%
Inhalants	All	18.2%	11.1%	7.1%	81.8%
	Grade 4	22.2%	12.9%	9.3%	77.8%
	Grade 5	12.2%	7.5%	4.8%	87.8%
	Grade 6	17.7%	11.7%	6.0%	82.3%
Marijuana	All	4.2%	2.6%	1.6%	95.8%
	Grade 4	2.3%	1.0%	1.3%	97.7%
	Grade 5	1.8%	0.7%	1.1%	98.2%
	Grade 6	10.0%	7.2%	2.8%	90.0%

Table B6: Prevalence and recency of use of selected substances by grade  
--> Mexican/American Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	9.9%	5.7%	4.2%	90.1%
	Grade 4	5.3%	2.9%	2.4%	94.7%
	Grade 5	8.2%	4.4%	3.8%	91.8%
	Grade 6	15.9%	9.5%	6.4%	84.1%
Alcohol	All	28.2%	18.0%	10.2%	71.8%
	Grade 4	19.2%	12.1%	7.1%	80.8%
	Grade 5	25.8%	16.1%	9.7%	74.2%
	Grade 6	38.7%	25.2%	13.5%	61.3%
Inhalants	All	11.7%	8.1%	3.5%	88.3%
	Grade 4	10.2%	7.0%	3.2%	89.8%
	Grade 5	9.7%	6.5%	3.2%	90.3%
	Grade 6	14.9%	10.7%	4.2%	85.1%
Marijuana	All	3.2%	2.3%	0.9%	96.8%
	Grade 4	1.0%	0.6%	0.4%	99.0%
	Grade 5	2.2%	1.4%	0.7%	97.8%
	Grade 6	6.3%	4.7%	1.6%	93.7%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table B7: Prevalence and recency of use of selected substances by grade  
--> Students Reporting A and B Grades

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	8.4%	4.5%	3.9%	91.6%
	Grade 4	4.6%	2.4%	2.1%	95.4%
	Grade 5	7.0%	3.6%	3.5%	93.0%
	Grade 6	13.5%	7.5%	6.0%	86.5%
Alcohol	All	26.2%	16.2%	10.0%	73.8%
	Grade 4	18.2%	11.1%	7.1%	81.8%
	Grade 5	24.2%	14.6%	9.6%	75.8%
	Grade 6	35.9%	22.6%	13.2%	64.1%
Inhalants	All	10.5%	7.3%	3.2%	89.5%
	Grade 4	9.6%	6.6%	3.0%	90.4%
	Grade 5	8.6%	5.9%	2.8%	91.4%
	Grade 6	13.2%	9.4%	3.7%	86.8%
Marijuana	All	2.5%	1.7%	0.8%	97.5%
	Grade 4	0.8%	0.5%	0.3%	99.2%
	Grade 5	1.9%	1.1%	0.7%	98.1%
	Grade 6	4.6%	3.4%	1.2%	95.4%

Table B8: Prevalence and recency of use of selected substances by grade  
--> Students Reporting C, D, and F Grades

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	15.0%	9.4%	5.7%	85.0%
	Grade 4	8.4%	4.8%	3.5%	91.6%
	Grade 5	12.6%	7.5%	5.1%	87.4%
	Grade 6	23.0%	15.0%	8.0%	77.0%
Alcohol	All	33.3%	22.8%	10.5%	66.7%
	Grade 4	22.0%	14.1%	7.9%	78.0%
	Grade 5	29.5%	20.6%	8.9%	70.5%
	Grade 6	46.5%	32.4%	14.2%	53.5%
Inhalants	All	17.0%	11.6%	5.4%	83.0%
	Grade 4	15.1%	10.4%	4.7%	84.9%
	Grade 5	14.1%	8.7%	5.4%	85.9%
	Grade 6	21.2%	15.2%	6.1%	78.8%
Marijuana	All	5.7%	4.2%	1.5%	94.3%
	Grade 4	1.7%	1.1%	0.6%	98.3%
	Grade 5	3.3%	2.5%	0.8%	96.7%
	Grade 6	11.4%	8.5%	2.9%	88.6%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table B9: Prevalence and recency of use of selected substances by grade  
--> Students Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	8.5%	4.8%	3.7%	91.5%
	Grade 4	4.7%	2.7%	2.0%	95.3%
	Grade 5	7.1%	3.7%	3.3%	92.9%
	Grade 6	13.7%	7.9%	5.8%	86.3%
Alcohol	All	25.7%	16.4%	9.3%	74.3%
	Grade 4	18.0%	11.1%	6.9%	82.0%
	Grade 5	23.5%	14.8%	8.7%	76.5%
	Grade 6	35.5%	23.2%	12.3%	64.5%
Inhalants	All	11.2%	7.9%	3.3%	88.8%
	Grade 4	10.5%	7.6%	3.0%	89.5%
	Grade 5	9.4%	6.2%	3.1%	90.6%
	Grade 6	13.6%	9.8%	3.8%	86.4%
Marijuana	All	2.3%	1.7%	0.7%	97.7%
	Grade 4	0.8%	0.5%	0.2%	99.2%
	Grade 5	1.6%	1.0%	0.6%	98.4%
	Grade 6	4.5%	3.5%	1.1%	95.5%

Table B10: Prevalence and recency of use of selected substances by grade  
--> Students Not Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	13.4%	7.6%	5.8%	86.6%
	Grade 4	7.5%	3.7%	3.9%	92.5%
	Grade 5	10.8%	5.9%	4.9%	89.2%
	Grade 6	20.9%	12.6%	8.3%	79.1%
Alcohol	All	33.0%	20.6%	12.4%	67.0%
	Grade 4	22.2%	13.6%	8.6%	77.8%
	Grade 5	29.7%	18.1%	11.7%	70.3%
	Grade 6	45.6%	29.1%	16.5%	54.4%
Inhalants	All	13.6%	9.1%	4.5%	86.4%
	Grade 4	11.2%	6.8%	4.5%	88.8%
	Grade 5	10.6%	6.8%	3.8%	89.4%
	Grade 6	18.6%	13.3%	5.3%	81.4%
Marijuana	All	5.4%	3.7%	1.7%	94.6%
	Grade 4	1.8%	1.0%	0.7%	98.2%
	Grade 5	3.2%	2.2%	1.0%	96.8%
	Grade 6	10.6%	7.4%	3.2%	89.4%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

Table B11: Prevalence and recency of use of selected substances by grade  
--> Students Living in Town More Than 3 Years

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	9.9%	5.6%	4.3%	90.1%
	Grade 4	5.5%	2.9%	2.6%	94.5%
	Grade 5	8.1%	4.3%	3.8%	91.9%
	Grade 6	15.4%	9.2%	6.1%	84.6%
Alcohol	All	28.3%	18.0%	10.3%	71.7%
	Grade 4	19.5%	12.1%	7.4%	80.5%
	Grade 5	25.7%	16.0%	9.7%	74.3%
	Grade 6	38.3%	25.1%	13.2%	61.7%
Inhalants	All	11.9%	8.3%	3.6%	88.1%
	Grade 4	10.5%	7.2%	3.3%	89.5%
	Grade 5	9.7%	6.4%	3.3%	90.3%
	Grade 6	15.1%	10.9%	4.2%	84.9%
Marijuana	All	3.2%	2.3%	0.9%	96.8%
	Grade 4	1.0%	0.6%	0.4%	99.0%
	Grade 5	2.1%	1.3%	0.7%	97.9%
	Grade 6	6.2%	4.6%	1.6%	93.8%

Table B12: Prevalence and recency of use of selected substances by grade  
--> Students Living in Town 3 Years or Less

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	10.8%	5.9%	4.9%	89.2%
	Grade 4	6.4%	3.5%	2.9%	93.6%
	Grade 5	8.2%	4.2%	4.0%	91.8%
	Grade 6	18.4%	10.3%	8.1%	81.6%
Alcohol	All	27.6%	16.4%	11.3%	72.4%
	Grade 4	19.6%	11.3%	8.3%	80.4%
	Grade 5	24.9%	15.2%	9.7%	75.1%
	Grade 6	39.6%	23.2%	16.3%	60.4%
Inhalants	All	12.2%	8.3%	3.9%	87.8%
	Grade 4	12.4%	8.7%	3.8%	87.6%
	Grade 5	10.3%	6.8%	3.5%	89.7%
	Grade 6	13.9%	9.5%	4.4%	86.1%
Marijuana	All	3.3%	2.2%	1.1%	96.7%
	Grade 4	1.3%	0.8%	0.5%	98.7%
	Grade 5	2.4%	1.8%	0.6%	97.6%
	Grade 6	6.6%	4.2%	2.4%	93.4%

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

GENDER

Q1	Frequency	Percent
Female	84445.12	51.04
Male	81003	48.96

Frequency Missing = 202.75193254

GRADE LEVEL

Q2	Frequency	Percent
Grade 4	54473.26	32.88
Grade 5	54562.38	32.94
Grade 6	56615.22	34.18

DO YOU LIVE WITH BOTH PARENTS?

Q3	Frequency	Percent
No	43561.99	26.54
Yes	120550.9	73.46

Frequency Missing = 1537.9937564

AGE

Q4	Frequency	Percent
8 or younger	108.4593	0.07
9	15207.2	9.22
10	49593.74	30.05
11	54503.54	33.03
12	40637.57	24.63
13 or older	4973.061	3.01

Frequency Missing = 627.29917263

ETHNICITY

Q5	Frequency	Percent
African/American	2839.85	1.71
Asian/American	712.3332	0.43
Mexican/American	148818.5	89.84
Native/American	731.4027	0.44
Other	1440.241	0.87
White	11108.53	6.71

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

WHAT GRADES DO YOU USUALLY GET

Q6	Frequency	Percent
Mostly A's	47880.6	29.44
Mostly B's	80112.98	49.26
Mostly C's	28046.5	17.24
Mostly D's	4307.18	2.65
Mostly F's	2296.263	1.41

Frequency Missing = 3007.3477278

LIVED IN THIS TOWN FOR MORE THAN 3 YEARS

Q7	Frequency	Percent
Don't Know	12640.52	7.68
No	18814.96	11.44
Yes	133063.5	80.88

Frequency Missing = 1131.9150646

EITHER PARENT GRADUATE FROM COLLEGE

Q8	Frequency	Percent
Don't Know	73146.83	44.56
No	39520.33	24.08
Yes	51478.18	31.36

Frequency Missing = 1505.5266786

QUALIFY FOR A FREE/REDUCED PRICE LUNCH?

Q9	Frequency	Percent
Don't Know	42946.37	26.75
No	18625.03	11.60
Yes	98970.04	61.65

Frequency Missing = 5109.4189462

PARENTS ATTEND PTA MEETINGS?

Q10	Frequency	Percent
No	61748.08	37.96
Yes	100923.8	62.04

Frequency Missing = 2979.0133778

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

EVER INHALED GASOLINE TO GET HIGH?

Q11a	Frequency	Percent
Not Used	151708	96.78
Used	5041.572	3.22

Frequency Missing = 8901.3099623

EVER INHALED PAINT THINNER TO GET HIGH?

Q11b	Frequency	Percent
Not Used	150867.9	97.51
Used	3853.531	2.49

Frequency Missing = 10929.400078

EVER INHALED GLUE TO GET HIGH?

Q11c	Frequency	Percent
Not Used	149439.1	96.09
Used	6087.168	3.91

Frequency Missing = 10124.646998

EVER INHALED WHITEOUT TO GET HIGH?

Q11d	Frequency	Percent
Not Used	148811.1	95.47
Used	7059.41	4.53

Frequency Missing = 9780.3321876

EVER INHALED SPRAY PAINT TO GET HIGH?

Q11e	Frequency	Percent
Not Used	150922.1	96.12
Used	6098.677	3.88

Frequency Missing = 8630.1132446

EVER USED OTHER INHALANTS TO GET HIGH?

Q11f	Frequency	Percent
Not Used	149891.6	94.99
Used	7906.437	5.01

Frequency Missing = 7852.8358632

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

CIGARETTE USE DURING LIFETIME

Q12a	Frequency	Percent
Never heard of	8269.875	5.16
Never used	137809.7	85.93
1-2 times	11072.39	6.90
3-10 times	2282.557	1.42
11+ times	945.8829	0.59

Frequency Missing = 5270.4955143

SNUFF/CHEWING TOBACCO USE IN LIFETIME

Q12b	Frequency	Percent
Never heard of	18157.78	11.59
Never used	136804	87.32
1-2 times	1350.972	0.86
3-10 times	189.7207	0.12
11+ times	160.3544	0.10

Frequency Missing = 8988.0225009

BEER USE DURING LIFETIME

Q12c	Frequency	Percent
Never heard of	3769.026	2.40
Never used	126317.7	80.58
1-2 times	21528.08	13.73
3-10 times	3678.4	2.35
11+ times	1465.891	0.94

Frequency Missing = 8891.7696822

WINE COOLER USE DURING LIFETIME

Q12d	Frequency	Percent
Never heard of	22297.28	14.22
Never used	111249.7	70.97
1-2 times	17934.46	11.44
3-10 times	3665.786	2.34
11+ times	1609.414	1.03

Frequency Missing = 8894.2248845

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

WINE USE DURING LIFETIME

Q12e	Frequency	Percent
Never heard of	10228	6.56
Never used	127002.8	81.41
1-2 times	15605.39	10.00
3-10 times	2332.455	1.50
11+ times	842.9366	0.54

Frequency Missing = 9639.2852737

LIQUOR USE DURING LIFETIME

Q12f	Frequency	Percent
Never heard of	22346.14	14.26
Never used	125551.4	80.12
1-2 times	6669.79	4.26
3-10 times	1555.38	0.99
11+ times	583.7835	0.37

Frequency Missing = 8944.3824614

INHALANT USE DURING LIFETIME

Q12h	Frequency	Percent
Never heard of	17427.63	11.11
Never used	130782	83.38
1-2 times	6416.331	4.09
3-10 times	1512.566	0.96
11+ times	719.2099	0.46

Frequency Missing = 8793.1628407

MARIJUANA USE DURING LIFETIME

Q12i	Frequency	Percent
Never heard of	18386.84	11.57
Never used	135789.9	85.47
1-2 times	2844.074	1.79
3-10 times	971.2197	0.61
11+ times	881.8445	0.56

Frequency Missing = 6776.9815782

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

CIGARETTE USE IN PAST SCHOOL YEAR

Q13a	Frequency	Percent
Never heard of	7192.719	4.86
Never used	132383.4	89.41
1-2 times	6416.78	4.33
3-10 times	1487.473	1.00
11+ times	576.6941	0.39

Frequency Missing = 17593.823477

SNUFF/CHEWING TOBACCO USE IN PAST YEAR

Q13b	Frequency	Percent
Never heard of	14589.73	10.07
Never used	129124.5	89.12
1-2 times	925.6879	0.64
3-10 times	148.9248	0.10
11+ times	97.51174	0.07

Frequency Missing = 20764.494313

BEER USE IN PAST SCHOOL YEAR

Q13c	Frequency	Percent
Never heard of	3268.106	2.26
Never used	124848.3	86.49
1-2 times	13123.04	9.09
3-10 times	2264.057	1.57
11+ times	840.9592	0.58

Frequency Missing = 21306.44823

WINE COOLER USE IN PAST SCHOOL YEAR

Q13d	Frequency	Percent
Never heard of	19374.48	13.35
Never used	109936.4	75.76
1-2 times	12340.11	8.50
3-10 times	2451.934	1.69
11+ times	1012.753	0.70

Frequency Missing = 20535.166574

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

WINE USE IN PAST SCHOOL YEAR

Q13e	Frequency	Percent
Never heard of	9492.531	6.59
Never used	123160	85.47
1-2 times	9602.332	6.66
3-10 times	1295.24	0.90
11+ times	540.1072	0.37

Frequency Missing = 21560.65159

LIQUOR USE IN PAST SCHOOL YEAR

Q13f	Frequency	Percent
Never heard of	19385.33	13.29
Never used	120727	82.79
1-2 times	4432.621	3.04
3-10 times	927.4705	0.64
11+ times	352.0938	0.24

Frequency Missing = 19826.299605

INHALANT USE IN PAST SCHOOL YEAR

Q13h	Frequency	Percent
Never heard of	15134.7	10.35
Never used	124618.2	85.24
1-2 times	4631.342	3.17
3-10 times	1308.556	0.90
11+ times	507.9617	0.35

Frequency Missing = 19450.076101

MARIJUANA USE IN PAST SCHOOL YEAR

Q13i	Frequency	Percent
Never heard of	15948.36	10.87
Never used	127124.5	86.68
1-2 times	2235.766	1.52
3-10 times	770.0623	0.53
11+ times	584.0454	0.40

Frequency Missing = 18988.165391

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

AGE WHEN FIRST USED CIGARETTES

Q14a	Frequency	Percent
7 or younger	3065.331	2.09
8 years old	1784.756	1.22
9 years old	2356.51	1.61
10 years old	3068.164	2.09
11 years old	2992.039	2.04
12 or older	1614.012	1.10
Never heard/used	131653.1	89.84

Frequency Missing = 19116.940051

AGE WHEN FIRST USED SNUFF/CHEW TOBACCO

Q14b	Frequency	Percent
7 or younger	444.2004	0.31
8 years old	218.8115	0.15
9 years old	293.9747	0.20
10 years old	316.8016	0.22
11 years old	331.428	0.23
12 or older	227.2242	0.16
Never heard/used	142176.3	98.73

Frequency Missing = 21642.089948

AGE WHEN FIRST USED BEER

Q14c	Frequency	Percent
7 or younger	8294.411	5.75
8 years old	3351.482	2.32
9 years old	4163.611	2.88
10 years old	4785.733	3.32
11 years old	3995.53	2.77
12 or older	1902.652	1.32
Never heard/used	117852.8	81.65

Frequency Missing = 21304.64554

AGE WHEN FIRST USED WINE COOLERS

Q14d	Frequency	Percent
7 or younger	2568.673	1.78
8 years old	2349.32	1.63
9 years old	3987.088	2.76
10 years old	5343.254	3.70
11 years old	5052.779	3.50
12 or older	2773.297	1.92
Never heard/used	122390.9	84.72

Frequency Missing = 21185.51366

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

AGE WHEN FIRST USED WINE

Q14e	Frequency	Percent
7 or younger	1977.3	1.38
8 years old	1670.604	1.16
9 years old	3338.154	2.32
10 years old	4273.51	2.97
11 years old	3700.128	2.57
12 or older	2055.972	1.43
Never heard/used	126746.7	88.16

Frequency Missing = 21888.54154

AGE WHEN FIRST USED LIQUOR

Q14f	Frequency	Percent
7 or younger	848.2444	0.59
8 years old	712.572	0.49
9 years old	1044.001	0.72
10 years old	1906.273	1.32
11 years old	1807.363	1.25
12 or older	1193.481	0.83
Never heard/used	136966.2	94.80

Frequency Missing = 21172.760878

AGE WHEN FIRST USED INHALANTS

Q14h	Frequency	Percent
7 or younger	1167.592	0.81
8 years old	910.3915	0.63
9 years old	1228.054	0.85
10 years old	1631.516	1.13
11 years old	1960.946	1.36
12 or older	1172.512	0.81
Never heard/used	136622.4	94.42

Frequency Missing = 20957.452258

AGE WHEN FIRST USED MARIJUANA

Q14i	Frequency	Percent
7 or younger	439.3257	0.30
8 years old	278.3075	0.19
9 years old	566.9754	0.39
10 years old	777.7339	0.53
11 years old	1351.162	0.93
12 or older	1070.701	0.73
Never heard/used	141253.7	96.92

Frequency Missing = 19912.919063

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

CLOSE FRIENDS USE CIGARETTES

Q15a	Frequency	Percent
Never heard of	6883.058	4.52
None	115166.3	75.61
Some	27215.76	17.87
Most	3060.437	2.01

Frequency Missing = 13325.325856

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO

Q15b	Frequency	Percent
Never heard of	11278.41	7.57
None	129548.7	86.96
Some	7060.91	4.74
Most	1087.919	0.73

Frequency Missing = 16674.878029

CLOSE FRIENDS USE BEER

Q15c	Frequency	Percent
Never heard of	4668.741	3.15
None	106702.1	72.08
Some	30791.91	20.80
Most	5878.891	3.97

Frequency Missing = 17609.205985

CLOSE FRIENDS USE WINE COOLERS

Q15d	Frequency	Percent
Never heard of	14989.1	10.14
None	104360.6	70.61
Some	22958.73	15.53
Most	5484.91	3.71

Frequency Missing = 17857.48843

CLOSE FRIENDS USE WINE

Q15e	Frequency	Percent
Never heard of	8676.584	5.90
None	117387.3	79.85
Some	17815.37	12.12
Most	3131.501	2.13

Frequency Missing = 18640.105605

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

CLOSE FRIENDS USE LIQUOR

Q15f	Frequency	Percent
Never heard of	15494.08	10.42
None	119163.4	80.13
Some	11326.78	7.62
Most	2720.042	1.83

Frequency Missing = 16946.57975

CLOSE FRIENDS USE INHALANTS

Q15h	Frequency	Percent
Never heard of	13662.43	9.18
None	118200.8	79.45
Some	13553.11	9.11
Most	3355.716	2.26

Frequency Missing = 16878.816161

CLOSE FRIENDS USE MARIJUANA

Q15i	Frequency	Percent
Never heard of	13826.97	9.20
None	119079.3	79.22
Some	13198.34	8.78
Most	4202.943	2.80

Frequency Missing = 15343.321481

EVER BEEN OFFERED CIGARETTES

Q16a	Frequency	Percent
Never heard of	6586.683	4.28
No	121914.2	79.22
Yes	25395.35	16.50

Frequency Missing = 11754.630209

EVER BEEN OFFERED SNUFF/CHEWING TOBACCO

Q16b	Frequency	Percent
Never heard of	11423.29	7.65
No	132125.5	88.46
Yes	5810.799	3.89

Frequency Missing = 16291.293042

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

EVER BEEN OFFERED BEER

Q16c	Frequency	Percent
Never heard of	4222.643	2.85
No	110364.2	74.45
Yes	33645.53	22.70

Frequency Missing = 17418.534711

EVER BEEN OFFERED WINE COOLERS

Q16d	Frequency	Percent
Never heard of	15282.54	10.37
No	111279.1	75.50
Yes	20830.64	14.13

Frequency Missing = 18258.606759

EVER BEEN OFFERED WINE

Q16e	Frequency	Percent
Never heard of	8433.096	5.72
No	122328.1	82.99
Yes	16635.75	11.29

Frequency Missing = 18253.911577

EVER BEEN OFFERED LIQUOR

Q16f	Frequency	Percent
Never heard of	14395.14	9.73
No	123135.4	83.24
Yes	10393.55	7.03

Frequency Missing = 17726.743073

EVER BEEN OFFERED INHALANTS

Q16h	Frequency	Percent
Never heard of	12485.46	8.38
No	125775.7	84.45
Yes	10666.35	7.16

Frequency Missing = 16723.3993

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

EVER BEEN OFFERED MARIJUANA

Q16i	Frequency	Percent
Never heard of	12776.59	8.46
No	124985.7	82.71
Yes	13342.73	8.83

Frequency Missing = 14545.873873

IS ALCOHOL OBTAINED FROM HOME

Q17a	Frequency	Percent
Do Not Drink	109264.6	70.18
No	29359.68	18.86
Yes	17061.21	10.96

Frequency Missing = 9965.3984995

IS ALCOHOL OBTAINED FROM FRIENDS

Q17b	Frequency	Percent
Do Not Drink	107017.1	70.29
No	36957.3	24.27
Yes	8278.296	5.44

Frequency Missing = 13398.182679

IS ALCOHOL OBTAINED SOMEWHERE ELSE

Q17c	Frequency	Percent
Do Not Drink	106574.2	69.14
No	30452.75	19.76
Yes	17110.63	11.10

Frequency Missing = 11513.243801

DANGEROUS FOR KIDS TO USE CIGARETTES

Q18a	Frequency	Percent
Very dangerous	89867.45	56.99
Dangerous	46338	29.38
Not at all	3380.326	2.14
Don't know	13138.87	8.33
Never heard of	4971.89	3.15

Frequency Missing = 7954.32465

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

DANGEROUS TO USE SNUFF/CHEWING TOBACCO

Q18b	Frequency	Percent
Very dangerous	103255	66.67
Dangerous	28522.22	18.42
Not at all	2196.959	1.42
Don't know	13185.25	8.51
Never heard of	7704.171	4.97

Frequency Missing = 10787.264478

DANGEROUS FOR KIDS TO USE BEER

Q18c	Frequency	Percent
Very dangerous	70432.37	45.71
Dangerous	55226.34	35.84
Not at all	10007.77	6.49
Don't know	15551.58	10.09
Never heard of	2875.239	1.87

Frequency Missing = 11557.563161

DANGEROUS FOR KIDS TO USE WINE COOLERS

Q18d	Frequency	Percent
Very dangerous	64345.82	41.85
Dangerous	41947.41	27.28
Not at all	13779.93	8.96
Don't know	21065.44	13.70
Never heard of	12599.92	8.20

Frequency Missing = 11912.355375

DANGEROUS FOR KIDS TO USE WINE

Q18e	Frequency	Percent
Very dangerous	73189.01	47.64
Dangerous	44970	29.27
Not at all	10148.37	6.61
Don't know	19503.83	12.69
Never heard of	5828.537	3.79

Frequency Missing = 12011.115372

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

DANGEROUS FOR KIDS TO USE LIQUOR

Q18f	Frequency	Percent
Very dangerous	91404.74	59.32
Dangerous	33080	21.47
Not at all	3994.893	2.59
Don't know	14932.41	9.69
Never heard of	10673.91	6.93

Frequency Missing = 11564.911897

DANGEROUS FOR KIDS TO USE INHALANTS

Q18h	Frequency	Percent
Very dangerous	95176.63	61.68
Dangerous	30043.45	19.47
Not at all	4655.603	3.02
Don't know	14970.04	9.70
Never heard of	9455.601	6.13

Frequency Missing = 11349.546644

DANGEROUS FOR KIDS TO USE MARIJUANA

Q18i	Frequency	Percent
Very dangerous	119670.1	76.60
Dangerous	14483.24	9.27
Not at all	2415.329	1.55
Don't know	10484.11	6.71
Never heard of	9174.26	5.87

Frequency Missing = 9423.8555425

DRUG/ALCOHOL INFO FROM TEACHER

Q19a	Frequency	Percent
No	41844.59	27.55
Yes	110024.2	72.45

Frequency Missing = 13782.106278

DRUG/ALC INFO FROM VISITOR TO CLASS

Q19b	Frequency	Percent
No	50816.3	34.00
Yes	98662.01	66.00

Frequency Missing = 16172.559631

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

DRUG/ALC INFO FROM ASSEMBLY PROGRAM

Q19c	Frequency	Percent
No	48977.91	32.68
Yes	100912.7	67.32

Frequency Missing = 15760.273947

DRUG/ALC INFO FROM GUIDE COUNSELOR

Q19d	Frequency	Percent
No	41177.77	27.15
Yes	110510	72.85

Frequency Missing = 13963.073035

DRUG/ALC INF FROM SOMEONE ELSE AT SCHOOL

Q19e	Frequency	Percent
No	71874.11	47.69
Yes	78846.76	52.31

Frequency Missing = 14930.000834

BEER, TWO OR MORE AT ONE TIME

Q20a	Frequency	Percent
Never	131195.2	83.92
1 time	14232.82	9.10
2 times	6072.122	3.88
3+ times	4824.752	3.09

Frequency Missing = 9325.9306418

WINE COOLERS, TWO OR MORE AT ONE TIME

Q20b	Frequency	Percent
Never	130528.4	85.14
1 time	11854.29	7.73
2 times	5797.03	3.78
3+ times	5130.719	3.35

Frequency Missing = 12340.455967

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

WINE, TWO OR MORE AT ONE TIME

Q20c	Frequency	Percent
Never	135871.7	88.67
1 time	10570.27	6.90
2 times	4000.918	2.61
3+ times	2797.845	1.83

Frequency Missing = 12410.180674

LIQUOR, TWO OR MORE AT ONE TIME

Q20d	Frequency	Percent
Never	145672.8	94.53
1 time	4427.543	2.87
2 times	1814.029	1.18
3+ times	2183.89	1.42

Frequency Missing = 11552.564171

MISSED SCHOOL WITHOUT PARENT'S CONSENT

Q21	Frequency	Percent
No	153397.4	95.64
Yes	6999.017	4.36

Frequency Missing = 5254.4863786

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

Q22	Frequency	Percent
No	118625.6	73.90
Yes	41886.06	26.10

Frequency Missing = 5139.2010192

PARENTS FEEL ABOUT KIDS DRINKING BEER

Q23	Frequency	Percent
Don't like it	128239.3	80.54
Don't care	3582.268	2.25
Think it's O.K.	1633.714	1.03
Don't know	25769.73	16.18

Frequency Missing = 6425.8719442

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6  
Spring 2002 V2(9/18/02)

The FREQ Procedure

PARENTS FEEL ABOUT KIDS USING MARIJUANA

Q24	Frequency	Percent
Don't like it	133015.4	83.40
Don't care	2667.315	1.67
Think it's O.K.	1021.069	0.64
Don't know	22784.06	14.29

Frequency Missing = 6163.0537429

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state