

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table T-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any tobacco product	All	18.3%	24.9%	41.6%	58.4%
	Grade 7	8.1%	11.1%	23.0%	77.0%
	Grade 8	13.2%	18.3%	33.3%	66.7%
	Grade 9	17.1%	24.3%	40.7%	59.3%
	Grade 10	19.6%	27.9%	45.9%	54.1%
	Grade 11	26.4%	35.4%	56.4%	43.6%
	Grade 12	30.4%	38.6%	57.8%	42.2%
Cigarettes	All	17.5%	24.2%	41.0%	59.0%
	Grade 7	7.5%	10.4%	22.2%	77.8%
	Grade 8	12.5%	17.8%	32.8%	67.2%
	Grade 9	16.5%	23.7%	40.3%	59.7%
	Grade 10	19.1%	27.4%	45.5%	54.5%
	Grade 11	24.8%	33.8%	54.9%	45.1%
	Grade 12	29.5%	38.0%	57.4%	42.6%
Smokeless tobacco	All	3.4%	4.8%	7.6%	92.4%
	Grade 7	1.8%	2.5%	4.3%	95.7%
	Grade 8	2.7%	3.7%	6.4%	93.6%
	Grade 9	3.5%	5.1%	8.1%	91.9%
	Grade 10	3.0%	4.3%	7.4%	92.6%
	Grade 11	5.4%	7.3%	10.3%	89.7%
	Grade 12	4.8%	6.4%	9.8%	90.2%

Table T-2: How often do you normally use...

Any tobacco product?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	63.6%	2.6%	4.6%	5.8%	7.3%	6.6%	9.4%
Grade 7	81.0%	0.5%	2.2%	2.6%	3.8%	4.1%	5.8%
Grade 8	70.9%	0.9%	3.6%	4.5%	5.8%	6.5%	7.9%
Grade 9	64.2%	1.7%	4.5%	6.1%	7.8%	7.2%	8.5%
Grade 10	60.1%	2.6%	5.3%	6.3%	8.7%	7.8%	9.3%
Grade 11	51.2%	5.4%	5.4%	8.2%	8.9%	7.2%	13.8%
Grade 12	47.7%	6.5%	7.9%	8.3%	10.0%	7.0%	12.5%

Cigarettes?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	63.6%	2.5%	4.6%	5.8%	7.3%	6.6%	9.4%
Grade 7	81.3%	0.4%	2.1%	2.5%	3.7%	4.1%	5.8%
Grade 8	71.0%	0.8%	3.6%	4.5%	5.9%	6.4%	7.9%
Grade 9	64.1%	1.7%	4.5%	6.1%	7.7%	7.2%	8.6%
Grade 10	60.0%	2.4%	5.3%	6.2%	8.7%	7.8%	9.5%
Grade 11	51.1%	5.3%	5.4%	8.2%	9.0%	7.1%	13.9%
Grade 12	47.5%	6.4%	7.9%	8.5%	10.0%	7.0%	12.7%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Smokeless tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	93.9%	0.3%	0.6%	0.9%	1.2%	1.1%	1.9%
Grade 7	96.5%	0.2%	0.4%	0.5%	0.8%	0.7%	0.9%
Grade 8	94.8%	0.1%	0.7%	0.8%	1.0%	1.2%	1.5%
Grade 9	94.1%	0.2%	0.8%	1.0%	1.0%	1.1%	1.8%
Grade 10	93.6%	0.3%	0.4%	1.0%	1.4%	1.2%	2.1%
Grade 11	92.1%	0.3%	0.5%	1.2%	2.3%	1.4%	2.2%
Grade 12	91.4%	0.5%	1.0%	1.2%	1.2%	1.3%	3.4%

Table T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	>1 But <10 Per Day	>10 But <1 Pack Per Day	>1 Pack But <2 Packs/Day	>2 Packs Per Day
All	81.2%	11.7%	5.2%	1.3%	0.4%	0.3%
Grade 7	91.3%	6.0%	2.0%	0.3%	0.2%	0.2%
Grade 8	86.2%	9.5%	3.2%	0.7%	0.2%	0.2%
Grade 9	82.6%	11.3%	4.6%	0.9%	0.4%	0.3%
Grade 10	79.9%	12.1%	5.5%	1.6%	0.5%	0.4%
Grade 11	72.4%	16.3%	8.6%	2.2%	0.4%	0.2%
Grade 12	70.0%	17.1%	9.2%	2.5%	0.9%	0.3%

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.8	11.5	12.4	13.0	13.9	14.4

Table T-5: If you wanted some, how difficult would it be to get...

Cigarettes?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	17.1%	13.3%	4.7%	8.7%	17.7%	38.4%
Grade 7	28.5%	26.6%	7.7%	8.8%	12.6%	15.7%
Grade 8	20.7%	19.2%	6.6%	10.8%	17.7%	25.1%
Grade 9	18.0%	11.4%	4.7%	10.3%	20.6%	35.0%
Grade 10	13.8%	9.5%	3.4%	9.5%	21.9%	41.9%
Grade 11	8.1%	5.6%	3.0%	5.9%	18.9%	58.4%
Grade 12	10.0%	4.6%	1.9%	4.8%	12.3%	66.3%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Smokeless Tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.1%	18.7%	6.8%	10.2%	11.7%	17.6%
Grade 7	42.0%	31.4%	8.2%	7.2%	5.3%	5.8%
Grade 8	36.9%	25.5%	9.2%	10.4%	8.9%	9.2%
Grade 9	36.3%	17.6%	7.2%	12.2%	12.8%	13.8%
Grade 10	33.3%	14.6%	6.6%	12.0%	14.1%	19.4%
Grade 11	30.8%	11.0%	4.3%	9.8%	16.6%	27.4%
Grade 12	28.6%	7.7%	3.7%	8.2%	13.2%	38.6%

Table T-6: About how many of your close friends...

Use any tobacco product?

	Never heard None	A Few	Some	Most	All
All	38.5%	33.0 %	16.7%	9.4%	2.5%
Grade 7	64.2%	23.6 %	7.7%	3.2%	1.3%
Grade 8	50.4%	29.6 %	12.5%	5.6%	1.9%
Grade 9	37.0%	35.2 %	16.7%	8.5%	2.7%
Grade 10	30.0%	35.9 %	19.6%	11.9%	2.6%
Grade 11	20.9%	38.5 %	23.9%	13.6%	3.0%
Grade 12	21.3%	35.8 %	22.2%	16.8%	3.9%

Smoke cigarettes?

	Never heard None	A Few	Some	Most	All
All	39.1%	33.4 %	15.9%	9.3%	2.4%
Grade 7	65.0%	23.7 %	7.0%	3.0%	1.2%
Grade 8	51.2%	30.0 %	11.7%	5.4%	1.7%
Grade 9	38.0%	35.4 %	15.7%	8.3%	2.6%
Grade 10	30.6%	36.5 %	18.8%	11.7%	2.4%
Grade 11	21.4%	39.0 %	23.2%	13.5%	3.0%
Grade 12	21.4%	36.9 %	21.3%	16.8%	3.6%

Use a smokeless tobacco product?

	Never heard None	A Few	Some	Most	All
All	80.2%	12.4 %	4.9%	1.8%	0.9%
Grade 7	87.4%	8.0 %	2.9%	1.1%	0.6%
Grade 8	82.6%	10.8 %	4.2%	1.6%	0.7%
Grade 9	78.3%	13.6 %	5.1%	2.0%	1.1%
Grade 10	78.0%	13.3 %	5.8%	2.0%	0.8%
Grade 11	78.0%	14.5 %	4.8%	1.8%	0.9%
Grade 12	75.6%	14.5 %	6.8%	2.2%	1.0%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	70.2%	9.3%	5.6%	1.4%	1.0%	12.5%
Grade 7	72.0%	4.0%	2.4%	0.6%	1.4%	19.7%
Grade 8	73.1%	6.3%	3.5%	1.0%	1.2%	14.9%
Grade 9	71.4%	8.5%	4.7%	1.4%	1.0%	12.8%
Grade 10	72.8%	9.8%	5.8%	1.9%	0.9%	8.9%
Grade 11	67.0%	13.2%	7.8%	1.6%	0.9%	9.5%
Grade 12	61.1%	16.8%	11.8%	2.0%	0.8%	7.6%

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	55.0%	25.8%	10.2%	2.7%	6.2%
Grade 7	68.2%	17.4%	5.1%	2.0%	7.3%
Grade 8	58.5%	23.6%	8.5%	2.6%	6.8%
Grade 9	53.8%	26.2%	10.1%	2.8%	7.1%
Grade 10	51.2%	30.3%	10.6%	2.9%	5.1%
Grade 11	48.1%	29.5%	14.3%	2.8%	5.2%
Grade 12	48.2%	28.7%	14.2%	3.6%	5.3%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product	All	34.1%	44.9%	66.8%	33.2%
	Grade 7	19.3%	25.5%	49.5%	50.5%
	Grade 8	27.1%	36.4%	59.9%	40.1%
	Grade 9	33.3%	44.2%	65.6%	34.4%
	Grade 10	37.4%	50.4%	72.1%	27.9%
	Grade 11	43.9%	58.4%	79.3%	20.7%
Grade 12	50.1%	61.8%	80.5%	19.5%	
Beer	All	24.4%	33.6%	51.7%	48.3%
	Grade 7	11.5%	15.9%	33.5%	66.5%
	Grade 8	17.8%	25.4%	44.5%	55.5%
	Grade 9	23.6%	32.7%	51.0%	49.0%
	Grade 10	27.7%	39.0%	57.5%	42.5%
	Grade 11	32.6%	45.9%	64.1%	35.9%
Grade 12	39.7%	49.6%	66.1%	33.9%	
Wine coolers	All	22.2%	32.1%	50.5%	49.5%
	Grade 7	12.3%	17.2%	33.2%	66.8%
	Grade 8	18.5%	26.2%	43.9%	56.1%
	Grade 9	21.7%	31.4%	49.5%	50.5%
	Grade 10	24.2%	36.5%	56.1%	43.9%
	Grade 11	28.3%	41.9%	62.3%	37.7%
Grade 12	32.5%	44.9%	64.2%	35.8%	
Wine	All	16.4%	25.0%	43.2%	56.8%
	Grade 7	9.1%	13.2%	28.0%	72.0%
	Grade 8	13.2%	20.0%	36.6%	63.4%
	Grade 9	16.5%	25.2%	42.7%	57.3%
	Grade 10	17.4%	27.8%	47.8%	52.2%
	Grade 11	21.2%	33.6%	54.8%	45.2%
Grade 12	23.8%	34.3%	54.5%	45.5%	
Liquor	All	20.3%	28.6%	42.1%	57.9%
	Grade 7	7.2%	10.0%	17.9%	82.1%
	Grade 8	12.9%	18.6%	30.0%	70.0%
	Grade 9	18.6%	27.0%	40.2%	59.8%
	Grade 10	24.0%	34.2%	50.3%	49.7%
	Grade 11	30.4%	43.7%	61.4%	38.6%
Grade 12	35.1%	46.2%	62.2%	37.8%	

Table A-2: How often do you normally use...

Any alcohol product?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	41.0%	0.6%	7.0%	15.0%	14.4%	12.4%	9.6%
Grade 7	60.8%	0.6%	3.8%	6.0%	7.7%	10.5%	10.5%
Grade 8	49.1%	0.6%	5.5%	10.7%	11.2%	12.1%	10.9%
Grade 9	40.8%	0.7%	7.2%	14.2%	15.5%	11.9%	9.7%
Grade 10	34.4%	0.7%	7.1%	17.2%	17.4%	14.1%	9.2%
Grade 11	28.0%	0.5%	8.6%	22.7%	17.8%	14.1%	8.2%
Grade 12	26.5%	0.8%	11.2%	23.4%	17.9%	11.4%	8.7%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Beer?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	51.6%	0.4%	5.8%	12.2%	11.9%	9.5%	8.6%
Grade 7	71.4%	0.3%	2.7%	4.3%	5.9%	7.4%	8.0%
Grade 8	59.5%	0.3%	4.0%	8.2%	9.3%	9.5%	9.1%
Grade 9	51.0%	0.4%	5.9%	11.5%	12.8%	9.3%	9.0%
Grade 10	45.8%	0.3%	6.2%	14.3%	14.5%	10.3%	8.4%
Grade 11	39.1%	0.4%	7.2%	18.6%	14.6%	11.7%	8.4%
Grade 12	36.8%	0.6%	10.5%	19.4%	15.3%	8.8%	8.6%

Wine coolers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	53.1%	0.2%	4.0%	10.6%	12.2%	11.1%	8.7%
Grade 7	71.8%	0.4%	2.4%	4.4%	5.9%	7.7%	7.4%
Grade 8	60.8%	0.2%	3.7%	8.0%	9.4%	9.5%	8.3%
Grade 9	53.5%	0.1%	4.6%	10.3%	12.9%	10.0%	8.6%
Grade 10	47.2%	0.1%	4.2%	11.6%	14.6%	12.8%	9.4%
Grade 11	40.7%	0.1%	3.7%	15.8%	16.0%	15.2%	8.5%
Grade 12	38.5%	0.2%	5.3%	15.6%	16.3%	13.1%	11.0%

Wine?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	60.6%	0.1%	2.9%	7.1%	8.9%	11.7%	8.7%
Grade 7	77.6%	0.2%	1.6%	2.9%	4.1%	7.1%	6.6%
Grade 8	67.6%	0.2%	2.4%	5.1%	6.8%	10.0%	7.9%
Grade 9	60.8%	0.2%	3.2%	6.8%	9.8%	11.0%	8.3%
Grade 10	54.8%	0.1%	3.4%	8.1%	11.1%	13.0%	9.5%
Grade 11	49.5%	0.1%	3.0%	10.5%	10.4%	17.4%	9.3%
Grade 12	47.9%	0.0%	4.1%	10.9%	12.3%	13.1%	11.5%

Liquor?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	62.5%	0.2%	3.6%	9.3%	9.5%	8.6%	6.3%
Grade 7	85.3%	0.2%	1.4%	2.5%	3.2%	3.9%	3.5%
Grade 8	74.0%	0.1%	2.5%	5.7%	5.9%	6.3%	5.4%
Grade 9	64.1%	0.1%	3.8%	8.0%	9.5%	8.4%	6.0%
Grade 10	55.1%	0.3%	3.9%	10.8%	12.6%	9.8%	7.4%
Grade 11	43.9%	0.3%	4.9%	15.3%	13.1%	13.7%	8.8%
Grade 12	42.8%	0.2%	5.8%	17.1%	15.3%	11.0%	7.7%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

Beer

	Never	Ever	5 or More	1 to 4	Less Than 1
All	48.2%	51.8%	15.5%	24.4%	11.9%
Grade 7	66.2%	33.8%	4.7%	16.6%	12.6%
Grade 8	54.7%	45.3%	8.2%	22.9%	14.2%
Grade 9	48.1%	51.9%	14.7%	25.4%	11.7%
Grade 10	42.0%	58.0%	19.4%	26.9%	11.7%
Grade 11	37.2%	62.8%	23.7%	29.2%	9.9%
Grade 12	35.9%	64.1%	27.6%	25.7%	10.8%

Wine Coolers

	Never	Ever	5 or More	1 to 4	Less Than 1
All	48.2%	51.8%	13.5%	29.1%	9.2%
Grade 7	66.3%	33.7%	5.8%	18.2%	9.6%
Grade 8	54.9%	45.1%	9.2%	25.8%	10.1%
Grade 9	48.6%	51.4%	14.3%	28.6%	8.6%
Grade 10	42.4%	57.6%	17.1%	31.4%	9.1%
Grade 11	36.2%	63.8%	18.4%	36.8%	8.6%
Grade 12	35.8%	64.2%	17.8%	37.3%	9.2%

Wine

	Never	Ever	5 or More	1 to 4	Less Than 1
All	56.9%	43.1%	6.5%	22.9%	13.7%
Grade 7	72.8%	27.2%	2.7%	13.3%	11.2%
Grade 8	62.7%	37.3%	3.9%	19.5%	13.9%
Grade 9	57.2%	42.8%	6.6%	23.0%	13.2%
Grade 10	51.0%	49.0%	7.5%	27.8%	13.7%
Grade 11	46.1%	53.9%	10.2%	28.0%	15.8%
Grade 12	47.6%	52.4%	9.3%	27.8%	15.3%

Liquor

	Never	Ever	5 or More	1 to 4	Less Than 1
All	57.7%	42.3%	10.7%	21.6%	10.0%
Grade 7	82.1%	17.9%	2.5%	8.8%	6.6%
Grade 8	70.0%	30.0%	5.2%	15.2%	9.5%
Grade 9	59.4%	40.6%	9.1%	21.7%	9.8%
Grade 10	49.5%	50.5%	12.9%	26.8%	10.9%
Grade 11	38.4%	61.6%	20.1%	28.4%	13.0%
Grade 12	38.2%	61.8%	18.0%	33.2%	10.6%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table A-4: During the past twelve months, how often have you had five or more drinks at one time?

Beer					
	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	66.1%	33.9%	4.6%	15.9%	13.5%
Grade 7	81.3%	18.7%	1.9%	6.3%	10.4%
Grade 8	73.6%	26.4%	2.8%	10.8%	12.8%
Grade 9	67.0%	33.0%	4.5%	15.2%	13.2%
Grade 10	60.7%	39.3%	5.0%	19.6%	14.6%
Grade 11	56.0%	44.0%	6.3%	22.2%	15.6%
Grade 12	51.8%	48.2%	8.4%	25.0%	14.8%
Wine Coolers					
	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	65.0%	35.0%	3.3%	16.1%	15.7%
Grade 7	79.3%	20.7%	2.0%	7.5%	11.2%
Grade 8	71.8%	28.2%	3.1%	11.8%	13.3%
Grade 9	66.3%	33.7%	3.9%	15.1%	14.8%
Grade 10	60.4%	39.6%	3.5%	19.3%	16.8%
Grade 11	53.6%	46.4%	3.8%	22.0%	20.5%
Grade 12	53.1%	46.9%	3.5%	24.0%	19.4%
Wine					
	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	71.5%	28.5%	2.2%	10.8%	15.5%
Grade 7	84.2%	15.8%	1.1%	4.9%	9.9%
Grade 8	77.6%	22.4%	1.7%	7.8%	12.9%
Grade 9	72.2%	27.8%	2.3%	10.4%	15.0%
Grade 10	66.9%	33.1%	2.3%	13.0%	17.9%
Grade 11	62.4%	37.6%	3.4%	14.4%	19.8%
Grade 12	61.4%	38.6%	2.3%	16.7%	19.6%
Liquor					
	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	69.8%	30.2%	3.2%	14.3%	12.7%
Grade 7	88.8%	11.2%	0.9%	4.1%	6.2%
Grade 8	80.6%	19.4%	2.0%	7.7%	9.7%
Grade 9	72.0%	28.0%	3.1%	12.7%	12.3%
Grade 10	63.4%	36.6%	3.6%	17.3%	15.7%
Grade 11	54.0%	46.0%	6.2%	23.1%	16.7%
Grade 12	51.9%	48.1%	4.3%	26.2%	17.6%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	10.6	11.3	12.2	13.0	13.7	14.3
Beer	10.6	11.3	12.3	13.1	13.9	14.4
Wine Coolers	11.0	11.7	12.6	13.3	14.0	14.7
Wine	11.1	11.7	12.7	13.4	14.1	14.7
Liquor	11.1	11.9	13.0	13.7	14.6	15.1

Table A-6: If you wanted some, how difficult would it be to get...

Beer?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	15.5%	11.4%	5.1%	10.4%	20.0%	37.8%
Grade 7	26.7%	23.1%	7.5%	9.7%	13.5%	19.5%
Grade 8	18.8%	15.5%	6.6%	12.0%	18.2%	28.8%
Grade 9	16.2%	10.1%	4.5%	11.0%	20.6%	37.6%
Grade 10	12.0%	7.4%	4.1%	10.5%	22.4%	43.7%
Grade 11	7.5%	4.8%	3.9%	9.0%	21.2%	53.5%
Grade 12	8.5%	5.0%	3.4%	9.0%	25.2%	48.9%

Wine coolers?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	18.3%	11.6%	5.1%	10.5%	19.0%	35.5%
Grade 7	30.9%	23.2%	7.2%	9.7%	12.4%	16.6%
Grade 8	22.2%	16.6%	6.9%	11.6%	17.3%	25.5%
Grade 9	19.4%	9.7%	4.9%	11.2%	19.6%	35.1%
Grade 10	14.6%	7.9%	3.8%	11.0%	21.6%	41.2%
Grade 11	9.1%	5.2%	3.8%	9.3%	20.1%	52.5%
Grade 12	10.0%	4.6%	3.4%	9.5%	24.2%	48.3%

Wine?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.2%	14.3%	6.6%	12.2%	16.9%	30.8%
Grade 7	30.9%	27.0%	8.3%	9.9%	10.0%	13.8%
Grade 8	22.7%	19.7%	8.6%	12.9%	14.5%	21.6%
Grade 9	20.4%	12.7%	6.9%	13.1%	17.4%	29.6%
Grade 10	15.6%	11.1%	5.6%	13.2%	19.0%	35.5%
Grade 11	10.0%	7.0%	5.0%	11.6%	20.3%	46.2%
Grade 12	12.2%	5.5%	4.1%	12.0%	22.1%	44.1%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Liquor?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.3%	15.5%	7.0%	11.2%	15.6%	31.3%
Grade 7	32.9%	29.3%	8.8%	8.5%	8.4%	12.1%
Grade 8	23.4%	22.2%	9.2%	11.5%	12.8%	20.8%
Grade 9	20.6%	13.8%	7.6%	12.4%	15.6%	30.0%
Grade 10	15.2%	11.8%	5.4%	12.3%	18.2%	37.1%
Grade 11	8.7%	6.5%	5.7%	10.5%	20.1%	48.6%
Grade 12	11.1%	6.2%	3.8%	11.8%	20.6%	46.5%

Table A-7: Since school began in the fall, on how many days (if any) have you..

Attended class while drunk on alcohol?

	None	1-3 Days	4-9 Days	10+ Days
All	90%	7.5%	1.1%	1.0%
Grade 7	93%	5.5%	0.7%	0.7%
Grade 8	91%	6.6%	1.2%	0.8%
Grade 9	90%	7.4%	1.0%	1.1%
Grade 10	90%	8.1%	1.2%	0.9%
Grade 11	90%	8.4%	1.0%	0.8%
Grade 12	87%	9.3%	1.8%	1.5%

Gotten into trouble with teachers because of your drinking?

	None	1-3 Days	4-9 Days	10+ Days
All	98%	1.0%	0.3%	0.3%
Grade 7	99%	0.9%	0.2%	0.2%
Grade 8	99%	0.9%	0.2%	0.3%
Grade 9	98%	1.1%	0.5%	0.3%
Grade 10	98%	1.1%	0.2%	0.3%
Grade 11	99%	0.8%	0.2%	0.3%
Grade 12	98%	1.3%	0.2%	0.2%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons:

Alcohol Users:	4.5 days per student
Alcohol Non-users:	3.2 days per student

Average days conduct problems reported:

Alcohol Users:	3.5 days per student
Alcohol Non-users:	1.3 days per student

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table A-9: During the past twelve months, how many times have you...

Driven a car when you've had a good bit to drink?

	None	1-3 Times	4-9 Times	10+ Times
All	86.0%	10.2%	2.2%	1.6%
Grade 9	91.6%	6.9%	0.9%	0.6%
Grade 10	89.0%	8.2%	1.7%	1.1%
Grade 11	81.8%	12.4%	3.4%	2.4%
Grade 12	77.3%	15.9%	3.5%	3.3%

Gotten into trouble with the police because of drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	96.1%	3.2%	0.5%	0.2%
Grade 7	97.8%	1.5%	0.4%	0.3%
Grade 8	97.1%	2.0%	0.6%	0.3%
Grade 9	95.6%	3.4%	0.7%	0.3%
Grade 10	96.4%	3.1%	0.4%	0.1%
Grade 11	94.8%	4.7%	0.3%	0.2%
Grade 12	94.3%	4.9%	0.6%	0.2%

Table A-10: About how many of your close friends use...

Any alcohol product?

	Never heard				
	None	A Few	Some	Most	All
All	24.9%	25.2 %	18.1%	20.5%	11.3%
Grade 7	50.3%	26.4 %	12.3%	7.0%	4.0%
Grade 8	34.4%	28.7 %	16.7%	13.1%	7.2%
Grade 9	22.3%	27.4 %	18.5%	20.4%	11.4%
Grade 10	15.4%	25.5 %	20.4%	24.5%	14.2%
Grade 11	10.3%	19.0 %	22.6%	32.7%	15.5%
Grade 12	11.3%	20.8 %	18.5%	30.6%	18.8%

Beer?

	Never heard				
	None	A Few	Some	Most	All
All	29.8%	25.0 %	17.7%	18.9%	8.6%
Grade 7	58.7%	23.5 %	10.0%	5.2%	2.6%
Grade 8	41.8%	27.3 %	15.5%	10.6%	4.8%
Grade 9	26.6%	27.8 %	19.1%	17.9%	8.6%
Grade 10	18.9%	26.5 %	20.8%	22.7%	11.0%
Grade 11	13.2%	19.6 %	22.7%	33.1%	11.4%
Grade 12	13.2%	22.5 %	18.5%	29.8%	15.9%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Wine coolers?

	Never heard				
	None	A Few	Some	Most	All
All	38.1%	24.2 %	16.9%	14.0%	6.7%
Grade 7	63.3%	20.1 %	9.0%	5.1%	2.5%
Grade 8	48.2%	23.6 %	13.7%	9.5%	5.0%
Grade 9	36.5%	25.7 %	16.7%	13.3%	7.8%
Grade 10	29.4%	26.5 %	19.1%	16.7%	8.2%
Grade 11	22.4%	23.9 %	23.8%	22.4%	7.5%
Grade 12	22.6%	25.3 %	21.5%	20.4%	10.1%

Wine?

	Never heard				
	None	A Few	Some	Most	All
All	50.1%	22.4 %	13.6%	9.3%	4.6%
Grade 7	72.3%	16.3 %	6.5%	3.2%	1.7%
Grade 8	60.1%	20.3 %	10.4%	5.9%	3.2%
Grade 9	48.8%	24.3 %	13.1%	9.0%	4.8%
Grade 10	43.0%	24.7 %	15.5%	11.2%	5.5%
Grade 11	34.4%	23.6 %	21.1%	14.8%	6.1%
Grade 12	35.7%	25.7 %	16.8%	14.1%	7.6%

Liquor?

	Never heard				
	None	A Few	Some	Most	All
All	45.8%	19.4 %	14.8%	13.2%	6.7%
Grade 7	75.6%	13.3 %	6.0%	3.3%	1.9%
Grade 8	60.5%	18.5 %	10.3%	7.2%	3.5%
Grade 9	45.6%	22.7 %	13.5%	11.9%	6.4%
Grade 10	35.0%	21.5 %	18.4%	16.5%	8.6%
Grade 11	23.5%	20.3 %	23.9%	21.9%	10.4%
Grade 12	24.1%	19.5 %	20.3%	23.8%	12.2%

Table A-11: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	93.3%	5.8%	0.5%	0.3%
Grade 7	96.3%	3.1%	0.4%	0.3%
Grade 8	94.2%	4.9%	0.5%	0.4%
Grade 9	93.2%	5.8%	0.6%	0.4%
Grade 10	92.7%	6.5%	0.6%	0.3%
Grade 11	91.8%	7.4%	0.5%	0.4%
Grade 12	90.9%	8.0%	0.6%	0.4%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Been criticized by someone you were dating because of drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	92.7%	6.0%	0.7%	0.6%
Grade 7	97.2%	2.2%	0.3%	0.3%
Grade 8	94.9%	4.2%	0.6%	0.4%
Grade 9	93.3%	5.6%	0.6%	0.6%
Grade 10	92.0%	6.2%	0.9%	0.9%
Grade 11	88.0%	10.5%	0.9%	0.6%
Grade 12	88.9%	9.1%	1.2%	0.8%

Table A-12: Thinking of parties you attended this school year, how often was

	Never	Seldom	Half the Time	Most Of the Time	Always	Don't Know	Didn't Attend
All	37%	10.1%	8.2%	13.4%	20.3%	2.4%	8.3%
Grade 7	66%	10.1%	5.9%	4.8%	3.6%	2.9%	7.0%
Grade 8	50%	13.2%	9.0%	10.5%	6.7%	3.2%	7.7%
Grade 9	35%	11.3%	9.6%	15.0%	17.9%	2.8%	8.1%
Grade 10	28%	11.0%	8.4%	17.1%	25.3%	2.1%	8.6%
Grade 11	20%	6.4%	8.6%	17.7%	36.3%	1.7%	9.9%
Grade 12	20%	5.9%	6.6%	15.6%	41.6%	1.1%	9.0%

Table A-13: How often, if ever, do you get alcoholic beverages from...

At home

	Do Not Drink	Never	Seldom	Most of the time	Always
All	46.7%	28.4%	17.0%	6.0%	1.9%
Grade 7	61.0%	22.7%	10.9%	4.3%	1.1%
Grade 8	51.3%	26.4%	14.6%	5.9%	1.7%
Grade 9	48.0%	28.3%	15.7%	6.2%	1.7%
Grade 10	40.7%	32.5%	20.1%	5.4%	1.4%
Grade 11	38.0%	29.6%	21.4%	7.2%	3.8%
Grade 12	37.4%	32.3%	21.0%	7.0%	2.2%

From friends

	Do Not Drink	Never	Seldom	Most of the time	Always
All	38.0%	17.1%	15.5%	20.3%	9.2%
Grade 7	59.7%	22.6%	8.3%	7.4%	1.9%
Grade 8	46.3%	22.4%	13.2%	13.6%	4.5%
Grade 9	37.9%	16.7%	16.7%	20.3%	8.5%
Grade 10	30.1%	15.6%	18.5%	24.4%	11.4%
Grade 11	25.8%	12.6%	18.6%	30.3%	12.7%
Grade 12	22.2%	9.4%	18.6%	29.9%	19.9%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

From a store

	Do Not Drink	Never	Seldom	Most of the time	Always
All	40.7%	37.0%	9.3%	8.3%	4.7%
Grade 7	61.0%	32.9%	3.1%	2.0%	1.0%
Grade 8	48.3%	39.9%	5.9%	4.2%	1.6%
Grade 9	42.0%	38.8%	8.4%	6.8%	4.0%
Grade 10	33.7%	39.2%	11.8%	10.0%	5.3%
Grade 11	28.5%	35.7%	15.1%	13.1%	7.6%
Grade 12	24.5%	33.1%	13.6%	17.5%	11.3%

At parties

	Do Not Drink	Never	Seldom	Most of the time	Always
All	35.8%	12.6%	12.7%	19.4%	19.5%
Grade 7	54.1%	17.2%	12.2%	11.0%	5.4%
Grade 8	42.4%	16.0%	14.5%	16.2%	10.9%
Grade 9	35.8%	12.3%	13.2%	19.5%	19.3%
Grade 10	29.5%	11.3%	13.1%	22.7%	23.5%
Grade 11	25.4%	9.2%	10.7%	25.4%	29.2%
Grade 12	22.5%	7.7%	11.9%	23.4%	34.6%

Other source

	Do Not Drink	Never	Seldom	Most of the time	Always
All	42.6%	22.6%	13.5%	10.8%	10.7%
Grade 7	60.1%	21.5%	8.9%	6.1%	3.4%
Grade 8	48.4%	23.6%	11.8%	8.7%	7.5%
Grade 9	43.3%	21.5%	14.1%	10.9%	10.1%
Grade 10	35.8%	23.6%	15.5%	12.7%	12.4%
Grade 11	32.5%	23.0%	15.2%	13.2%	16.1%
Grade 12	29.9%	22.2%	16.1%	14.2%	17.6%

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	63.2%	13.5%	7.4%	2.7%	1.3%	12.0%
Grade 7	66.9%	7.4%	3.4%	1.3%	1.4%	19.6%
Grade 8	66.2%	10.9%	4.9%	2.1%	1.3%	14.7%
Grade 9	63.9%	12.8%	7.1%	2.6%	1.3%	12.4%
Grade 10	64.9%	14.2%	8.1%	2.7%	1.4%	8.6%
Grade 11	57.4%	19.5%	10.2%	3.6%	1.1%	8.3%
Grade 12	57.3%	18.0%	12.5%	4.1%	1.1%	7.0%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	48.8%	29.1%	13.9%	3.3%	4.8%
Grade 7	58.1%	22.4%	10.1%	3.1%	6.3%
Grade 8	49.0%	27.1%	14.5%	4.0%	5.4%
Grade 9	46.4%	29.2%	15.3%	3.8%	5.3%
Grade 10	46.0%	32.6%	14.3%	3.5%	3.6%
Grade 11	46.8%	31.2%	15.6%	2.6%	3.9%
Grade 12	47.2%	33.7%	12.7%	2.4%	4.0%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?	All	12.1%	17.8%	28.2%	71.8%
	Grade 7	4.9%	7.0%	11.7%	88.3%
	Grade 8	8.8%	12.6%	20.1%	79.9%
	Grade 9	11.4%	17.0%	26.6%	73.4%
	Grade 10	12.4%	19.3%	32.3%	67.7%
	Grade 11	19.7%	27.8%	42.2%	57.8%
	Grade 12	18.2%	27.4%	43.4%	56.6%
Cocaine?	All	5.5%	8.1%	12.7%	87.3%
	Grade 7	1.9%	2.7%	4.4%	95.6%
	Grade 8	3.2%	4.3%	7.0%	93.0%
	Grade 9	4.9%	7.3%	11.5%	88.5%
	Grade 10	6.4%	9.7%	15.6%	84.4%
	Grade 11	9.5%	14.0%	20.2%	79.8%
	Grade 12	8.7%	13.1%	22.3%	77.7%
Crack?	All	1.2%	1.9%	3.4%	96.6%
	Grade 7	0.9%	1.5%	2.4%	97.6%
	Grade 8	1.4%	2.1%	3.4%	96.6%
	Grade 9	1.4%	2.1%	3.6%	96.4%
	Grade 10	1.1%	2.0%	3.9%	96.1%
	Grade 11	1.2%	1.7%	3.3%	96.7%
	Grade 12	1.1%	2.1%	4.1%	95.9%
Hallucinogens?	All	1.2%	1.9%	3.3%	96.7%
	Grade 7	0.5%	0.7%	1.0%	99.0%
	Grade 8	0.8%	1.2%	2.1%	97.9%
	Grade 9	1.3%	2.0%	3.0%	97.0%
	Grade 10	1.1%	1.9%	3.4%	96.6%
	Grade 11	1.6%	2.6%	5.3%	94.7%
	Grade 12	2.1%	3.4%	6.2%	93.8%
Uppers?	All	2.1%	2.9%	4.5%	95.5%
	Grade 7	0.6%	0.7%	1.1%	98.9%
	Grade 8	0.9%	1.4%	2.1%	97.9%
	Grade 9	1.8%	3.0%	4.3%	95.7%
	Grade 10	2.2%	3.4%	5.6%	94.4%
	Grade 11	5.1%	6.3%	8.2%	91.8%
	Grade 12	2.4%	3.6%	6.8%	93.2%
Downers?	All	2.4%	3.4%	5.2%	94.8%
	Grade 7	0.6%	0.8%	1.0%	99.0%
	Grade 8	1.1%	1.6%	2.3%	97.7%
	Grade 9	2.0%	3.2%	5.0%	95.0%
	Grade 10	2.7%	3.8%	6.6%	93.4%
	Grade 11	5.5%	7.3%	9.6%	90.4%
	Grade 12	3.1%	4.8%	8.7%	91.3%
Rohypnol?	All	3.5%	5.3%	9.1%	90.9%
	Grade 7	1.7%	2.3%	3.8%	96.2%
	Grade 8	3.3%	4.5%	6.8%	93.2%
	Grade 9	3.8%	6.4%	10.3%	89.7%
	Grade 10	3.8%	6.0%	11.2%	88.8%
	Grade 11	4.7%	7.2%	11.6%	88.4%
	Grade 12	3.5%	5.4%	11.8%	88.2%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

		Past Month	School Year	Ever Used	Never Used
Steroids?	All	0.5%	0.8%	1.4%	98.6%
	Grade 7	0.6%	0.8%	1.4%	98.6%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	0.5%	0.7%	1.4%	98.6%
	Grade 10	0.3%	0.5%	0.8%	99.2%
	Grade 11	0.7%	0.9%	1.5%	98.5%
	Grade 12	0.6%	1.0%	2.3%	97.7%
Ecstasy?	All	1.9%	2.8%	4.6%	95.4%
	Grade 7	0.7%	1.0%	1.6%	98.4%
	Grade 8	1.0%	1.5%	2.9%	97.1%
	Grade 9	1.7%	2.7%	4.4%	95.6%
	Grade 10	1.6%	2.5%	5.0%	95.0%
	Grade 11	4.2%	5.3%	7.1%	92.9%
	Grade 12	3.1%	4.4%	8.6%	91.4%
Heroin?	All	0.5%	0.8%	1.5%	98.5%
	Grade 7	0.6%	0.8%	1.4%	98.6%
	Grade 8	0.7%	1.1%	1.8%	98.2%
	Grade 9	0.6%	1.0%	1.6%	98.4%
	Grade 10	0.4%	0.6%	1.1%	98.9%
	Grade 11	0.4%	0.5%	1.0%	99.0%
	Grade 12	0.4%	0.9%	1.8%	98.2%

Table D-2: How often do you normally use...

Marijuana?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	76.8%	2.2%	3.3%	4.0%	4.3%	4.4%	4.9%
Grade 7	89.9%	0.9%	1.8%	1.7%	1.9%	1.8%	2.0%
Grade 8	82.7%	1.4%	2.7%	3.3%	3.6%	3.1%	3.2%
Grade 9	77.9%	2.2%	3.3%	4.1%	4.2%	3.9%	4.3%
Grade 10	74.3%	2.8%	2.9%	4.0%	5.6%	5.0%	5.4%
Grade 11	64.8%	2.8%	5.8%	5.8%	5.0%	8.1%	7.7%
Grade 12	65.6%	3.9%	4.0%	6.0%	6.0%	5.9%	8.6%

Cocaine?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	89.7%	0.4%	1.5%	1.9%	2.2%	1.9%	2.4%
Grade 7	96.5%	0.2%	0.5%	0.6%	0.8%	0.8%	0.7%
Grade 8	94.3%	0.2%	0.9%	1.1%	1.2%	1.2%	1.3%
Grade 9	90.6%	0.5%	1.5%	2.0%	1.8%	1.8%	1.9%
Grade 10	87.2%	0.5%	1.9%	1.9%	3.2%	2.6%	2.8%
Grade 11	83.0%	0.5%	2.2%	2.8%	3.8%	3.4%	4.2%
Grade 12	83.2%	0.5%	2.5%	3.7%	2.9%	2.4%	4.8%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Crack?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.3%	0.1%	0.3%	0.4%	0.6%	0.5%	0.8%
Grade 7	98.1%	0.1%	0.1%	0.3%	0.4%	0.5%	0.5%
Grade 8	97.3%	0.1%	0.4%	0.4%	0.6%	0.6%	0.6%
Grade 9	97.0%	0.1%	0.4%	0.5%	0.7%	0.5%	0.8%
Grade 10	96.7%	0.1%	0.3%	0.6%	0.8%	0.7%	0.9%
Grade 11	97.2%	0.0%	0.5%	0.5%	0.4%	0.5%	0.8%
Grade 12	97.5%	0.0%	0.2%	0.3%	0.4%	0.4%	1.0%

Hallucinogens?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.4%	0.0%	0.1%	0.3%	0.6%	0.7%	0.8%
Grade 7	99.1%	0.0%	0.1%	0.1%	0.3%	0.1%	0.3%
Grade 8	98.4%	0.0%	0.1%	0.2%	0.4%	0.4%	0.5%
Grade 9	97.7%	0.1%	0.2%	0.3%	0.5%	0.7%	0.5%
Grade 10	97.1%	0.1%	0.2%	0.5%	0.6%	0.8%	0.8%
Grade 11	96.1%	* %	0.1%	0.3%	0.7%	1.1%	1.7%
Grade 12	95.2%	0.0%	0.0%	0.3%	1.2%	1.3%	1.9%

Uppers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	95.8%	0.0%	0.4%	0.7%	0.9%	1.1%	1.0%
Grade 7	99.0%	0.0%	0.1%	0.2%	0.2%	0.2%	0.2%
Grade 8	98.0%	0.1%	0.2%	0.4%	0.5%	0.5%	0.3%
Grade 9	96.1%	0.1%	0.4%	0.9%	0.9%	0.9%	0.7%
Grade 10	94.7%	0.0%	0.3%	1.1%	1.0%	1.5%	1.2%
Grade 11	92.7%	0.1%	1.4%	0.6%	1.6%	2.4%	1.3%
Grade 12	92.9%	0.0%	0.4%	1.2%	1.1%	1.2%	3.3%

Downers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	95.6%	0.1%	0.3%	0.9%	1.0%	1.1%	1.1%
Grade 7	99.1%	0.0%	0.1%	0.2%	0.2%	0.3%	0.2%
Grade 8	98.1%	0.1%	0.2%	0.4%	0.5%	0.4%	0.3%
Grade 9	95.7%	0.1%	0.5%	0.9%	1.0%	0.9%	0.9%
Grade 10	94.4%	0.1%	0.4%	0.9%	1.5%	1.5%	1.2%
Grade 11	92.1%	0.1%	0.2%	1.8%	1.8%	2.4%	1.6%
Grade 12	92.3%	0.1%	0.3%	1.2%	1.2%	1.3%	3.5%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Rohypnol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	92.7%	0.1%	0.6%	1.4%	1.6%	1.8%	1.8%
Grade 7	96.7%	0.0%	0.4%	0.5%	0.9%	0.6%	0.8%
Grade 8	94.6%	0.1%	0.7%	1.2%	1.3%	1.3%	0.9%
Grade 9	91.8%	0.1%	1.0%	1.8%	2.1%	1.8%	1.4%
Grade 10	91.5%	0.1%	0.7%	1.6%	1.8%	2.3%	1.9%
Grade 11	90.4%	0.0%	0.3%	2.1%	1.9%	2.8%	2.4%
Grade 12	90.4%	0.1%	0.4%	1.4%	1.4%	2.1%	4.2%

Steroids?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.9%	0.1%	0.1%	0.2%	0.2%	0.2%	0.4%
Grade 7	98.9%	0.1%	0.1%	0.2%	0.2%	0.2%	0.4%
Grade 8	99.0%	0.0%	0.1%	0.2%	0.2%	0.2%	0.3%
Grade 9	99.0%	0.1%	0.1%	0.1%	0.2%	0.3%	0.3%
Grade 10	99.3%	0.0%	0.0%	0.2%	0.1%	0.1%	0.2%
Grade 11	98.9%	0.1%	0.1%	0.2%	0.2%	0.2%	0.4%
Grade 12	98.1%	0.1%	0.1%	0.2%	0.2%	0.3%	1.0%

Ecstasy?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.2%	0.0%	0.2%	0.6%	1.1%	0.9%	1.1%
Grade 7	98.5%	0.0%	0.1%	0.2%	0.4%	0.3%	0.4%
Grade 8	97.8%	0.0%	0.2%	0.4%	0.4%	0.7%	0.6%
Grade 9	96.4%	0.0%	0.4%	0.5%	0.9%	1.0%	0.8%
Grade 10	96.4%	0.0%	0.2%	0.4%	0.9%	1.0%	1.0%
Grade 11	93.7%	0.0%	0.1%	1.4%	2.3%	1.2%	1.2%
Grade 12	92.8%	0.1%	0.1%	0.6%	1.9%	1.6%	3.0%

Heroin?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.8%	0.0%	0.1%	0.2%	0.2%	0.3%	0.4%
Grade 7	98.8%	0.0%	0.2%	0.2%	0.2%	0.2%	0.4%
Grade 8	98.6%	0.0%	0.2%	0.2%	0.3%	0.3%	0.3%
Grade 9	98.8%	0.0%	0.1%	0.1%	0.2%	0.3%	0.4%
Grade 10	98.9%	0.1%	0.1%	0.1%	0.2%	0.4%	0.3%
Grade 11	99.2%	0.0%	0.0%	0.1%	0.1%	0.2%	0.4%
Grade 12	98.8%	0.1%	0.0%	0.2%	0.2%	0.1%	0.6%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.6	12.2	13.0	13.7	14.5	15.0
Cocaine	11.9	12.7	13.7	14.4	15.1	15.7
Crack	11.9	12.6	13.7	14.2	14.9	15.5
Hallucinogens	11.9	12.6	13.5	14.1	15.1	15.3
Uppers	11.8	12.5	13.3	14.1	15.5	14.9
Downers	11.9	12.4	13.4	14.1	15.2	14.8
Rohypnol	12.0	12.5	13.6	14.1	15.1	15.1
Steroids	11.8	12.2	13.4	14.4	15.2	15.8
Ecstasy	12.1	12.7	13.8	14.7	16.0	15.7
Heroin	11.9	12.5	13.8	14.1	14.7	14.9

Table D-4: Age of first use of marijuana by family situation:

Two parent family

	Never	9/Under	10-11	12-13	14-15	16-17	18/Over
All	74.6%	0.9%	2.3%	7.6%	9.5%	4.6%	0.5%
Grade 7	91.0%	1.0%	2.6%	5.0%	0.4%	* %	0.1%
Grade 8	83.3%	1.1%	3.4%	9.2%	2.9%	0.0%	0.0%
Grade 9	77.2%	1.2%	2.6%	9.4%	9.1%	0.5%	0.1%
Grade 10	71.4%	0.7%	1.8%	8.4%	14.1%	3.6%	0.0%
Grade 11	58.8%	0.7%	1.3%	6.1%	19.0%	13.7%	0.4%
Grade 12	57.9%	0.5%	1.9%	6.1%	14.7%	15.8%	3.1%

Other family situation

	Never	9/Under	10-11	12-13	14-15	16-17	18/Over
All	64.1%	1.9%	4.0%	12.3%	12.3%	5.0%	0.4%
Grade 7	81.7%	2.1%	5.8%	9.6%	0.6%	* %	0.1%
Grade 8	71.0%	2.6%	5.9%	16.0%	4.4%	0.1%	0.0%
Grade 9	64.5%	2.2%	4.5%	12.8%	14.8%	1.1%	* %
Grade 10	57.8%	2.0%	2.9%	15.1%	18.2%	3.9%	0.1%
Grade 11	53.8%	1.5%	2.2%	10.4%	20.0%	11.6%	0.5%
Grade 12	52.1%	0.6%	1.7%	7.3%	17.5%	18.5%	2.3%

Table D-5: If you wanted some, how difficult would it be to get...

Marijuana?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	20.6%	19.5%	6.6%	9.1%	13.7%	30.5%
Grade 7	32.5%	34.7%	8.5%	6.6%	6.6%	11.1%
Grade 8	23.7%	27.7%	8.6%	9.0%	11.0%	20.0%
Grade 9	21.6%	17.5%	6.9%	9.7%	14.1%	30.2%
Grade 10	17.3%	13.9%	5.6%	10.0%	16.8%	36.3%
Grade 11	11.0%	9.9%	4.6%	9.9%	18.2%	46.4%
Grade 12	14.9%	9.1%	4.4%	9.2%	16.9%	45.6%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Cocaine?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	24.5%	23.5%	9.2%	10.7%	11.2%	20.8%
Grade 7	36.4%	38.1%	9.3%	6.1%	4.1%	6.0%
Grade 8	28.1%	32.5%	11.1%	9.4%	7.9%	11.0%
Grade 9	25.4%	22.4%	9.6%	10.7%	12.3%	19.7%
Grade 10	20.6%	17.8%	8.6%	12.4%	15.1%	25.5%
Grade 11	14.8%	14.3%	8.6%	13.8%	14.0%	34.4%
Grade 12	19.0%	11.3%	7.3%	13.0%	15.1%	34.2%

Crack?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	29.0%	24.8%	10.9%	11.5%	9.7%	14.2%
Grade 7	40.2%	36.5%	9.2%	5.8%	3.4%	4.9%
Grade 8	31.5%	32.7%	11.6%	9.0%	6.9%	8.4%
Grade 9	30.0%	23.9%	11.1%	11.3%	10.1%	13.6%
Grade 10	25.3%	19.6%	10.1%	14.7%	12.8%	17.5%
Grade 11	20.6%	17.8%	12.5%	14.2%	12.8%	22.2%
Grade 12	23.8%	13.9%	10.6%	15.6%	13.8%	22.3%

Hallucinogens?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	47.0%	19.9%	9.0%	9.1%	5.9%	9.1%
Grade 7	59.3%	26.0%	6.2%	3.1%	2.3%	3.1%
Grade 8	53.2%	23.8%	8.3%	6.2%	3.7%	4.8%
Grade 9	48.5%	19.6%	8.6%	9.2%	5.9%	8.3%
Grade 10	42.5%	17.9%	9.4%	11.8%	7.5%	10.9%
Grade 11	36.1%	15.8%	11.1%	12.7%	8.1%	16.2%
Grade 12	38.0%	13.7%	11.4%	13.3%	9.4%	14.1%

Uppers?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	50.5%	17.0%	6.9%	7.5%	6.8%	11.2%
Grade 7	63.5%	23.2%	5.6%	2.9%	1.9%	2.9%
Grade 8	57.7%	21.3%	7.0%	5.5%	3.7%	4.8%
Grade 9	51.4%	16.8%	6.9%	7.5%	7.0%	10.5%
Grade 10	45.9%	14.7%	7.2%	8.9%	9.0%	14.2%
Grade 11	39.7%	12.3%	7.3%	11.0%	10.3%	19.5%
Grade 12	40.5%	11.3%	8.0%	10.6%	10.8%	18.9%

Downers?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	50.3%	17.0%	6.8%	7.5%	6.9%	11.6%
Grade 7	63.3%	23.2%	5.7%	3.0%	1.8%	3.0%
Grade 8	57.5%	21.3%	7.1%	5.4%	3.8%	4.9%
Grade 9	51.1%	16.5%	6.6%	7.6%	7.4%	10.7%
Grade 10	45.9%	14.8%	7.0%	8.6%	9.0%	14.7%
Grade 11	39.5%	12.2%	7.2%	10.9%	10.3%	20.0%
Grade 12	39.5%	11.4%	7.5%	10.5%	10.9%	20.2%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Rohypnol?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	40.0%	18.2%	7.2%	8.3%	9.3%	17.0%
Grade 7	54.3%	26.1%	6.0%	4.5%	3.7%	5.4%
Grade 8	45.5%	23.7%	8.0%	6.7%	6.4%	9.7%
Grade 9	39.8%	17.4%	6.6%	8.4%	10.3%	17.5%
Grade 10	34.4%	15.4%	7.0%	10.2%	11.6%	21.4%
Grade 11	31.5%	11.8%	7.9%	10.8%	12.2%	25.8%
Grade 12	31.2%	12.1%	7.7%	10.3%	12.6%	26.2%

Steroids?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.2%	25.1%	10.4%	10.5%	7.8%	11.0%
Grade 7	46.6%	33.7%	8.0%	4.7%	3.1%	3.8%
Grade 8	38.4%	31.9%	10.5%	8.0%	5.2%	6.1%
Grade 9	36.9%	24.8%	9.9%	10.0%	8.1%	10.2%
Grade 10	31.5%	22.8%	11.5%	13.4%	8.9%	11.9%
Grade 11	25.3%	18.3%	11.9%	14.2%	10.5%	19.7%
Grade 12	29.2%	15.1%	10.9%	14.1%	12.9%	17.8%

Ecstasy?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	36.4%	22.7%	9.9%	9.5%	8.3%	13.2%
Grade 7	53.9%	29.4%	6.8%	3.5%	2.7%	3.7%
Grade 8	42.4%	28.7%	10.2%	7.0%	5.0%	6.7%
Grade 9	36.9%	22.7%	9.9%	9.9%	8.1%	12.5%
Grade 10	30.4%	20.7%	10.3%	12.3%	9.9%	16.4%
Grade 11	24.2%	16.9%	12.3%	12.5%	12.1%	22.0%
Grade 12	26.0%	14.3%	9.8%	13.5%	14.1%	22.2%

Heroin?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.3%	27.5%	12.0%	9.6%	6.0%	9.6%
Grade 7	48.3%	33.7%	7.9%	4.1%	2.3%	3.7%
Grade 8	38.3%	34.0%	10.7%	6.7%	4.4%	6.0%
Grade 9	36.3%	27.4%	11.4%	9.4%	6.2%	9.4%
Grade 10	30.8%	25.8%	12.6%	12.3%	7.1%	11.4%
Grade 11	26.2%	21.0%	16.8%	12.8%	7.3%	15.9%
Grade 12	29.2%	19.3%	14.0%	14.7%	9.7%	13.1%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table D-6: Since school began in the fall, on how many days (if any) have you..

Attended class while high from marijuana use?

	None	1-3 Days	4-9 Days	10+ Days
All	89%	6.7%	1.8%	2.3%
Grade 7	94%	3.9%	1.0%	0.9%
Grade 8	92%	5.3%	1.6%	1.4%
Grade 9	88%	6.8%	1.8%	3.0%
Grade 10	89%	6.6%	2.4%	2.2%
Grade 11	85%	10.3%	1.7%	2.8%
Grade 12	86%	7.7%	2.9%	3.5%

Attended class while high from use of some other drug?

	None	1-3 Days	4-9 Days	10+ Days
All	93%	4.6%	1.6%	1.2%
Grade 7	96%	2.6%	0.8%	0.6%
Grade 8	95%	3.6%	0.9%	0.9%
Grade 9	92%	5.3%	1.4%	1.6%
Grade 10	92%	5.2%	1.4%	1.4%
Grade 11	89%	6.6%	3.2%	1.1%
Grade 12	92%	4.3%	2.1%	1.8%

Gotten into trouble with teachers because of your drug use?

	None	1-3 Days	4-9 Days	10+ Days
All	97%	1.8%	0.4%	0.4%
Grade 7	98%	1.2%	0.3%	0.3%
Grade 8	98%	1.5%	0.3%	0.5%
Grade 9	97%	1.9%	0.4%	0.6%
Grade 10	98%	1.9%	0.3%	0.3%
Grade 11	97%	2.8%	0.2%	0.5%
Grade 12	97%	1.7%	1.1%	0.3%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons:

Marijuana Users: 5.0 days per student
Marijuana Non-users: 3.5 days per student

Average days conduct problems reported:

Marijuana Users: 5.4 days per student
Marijuana Non-users: 1.6 days per student

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table D-8: During the past twelve months, how many times have you...

Driven a car when you've felt high from drugs?

	None	1-3 Times	4-9 Times	10+ Times
All	90.8%	6.1%	1.5%	1.6%
Grade 9	94.2%	3.8%	1.3%	0.8%
Grade 10	92.4%	5.0%	1.4%	1.2%
Grade 11	87.8%	8.6%	1.2%	2.4%
Grade 12	86.3%	8.7%	2.4%	2.7%

Gotten into trouble with the police because of drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	96.9%	2.2%	0.4%	0.5%
Grade 7	98.3%	1.2%	0.2%	0.3%
Grade 8	97.3%	1.8%	0.4%	0.5%
Grade 9	96.5%	2.6%	0.5%	0.4%
Grade 10	96.4%	2.9%	0.5%	0.2%
Grade 11	96.1%	2.3%	0.2%	1.4%
Grade 12	96.5%	2.8%	0.5%	0.2%

Table D-9: About how many of your close friends use marijuana?

	Never heard None	A Few	Some	Most	All
All	49.6%	20.4 %	12.8%	11.6%	5.6%
Grade 7	71.6%	14.4 %	6.0%	4.9%	3.0%
Grade 8	58.3%	18.4 %	10.4%	8.5%	4.4%
Grade 9	48.4%	20.6 %	13.0%	11.8%	6.2%
Grade 10	42.4%	22.3 %	14.9%	14.1%	6.4%
Grade 11	33.1%	25.7 %	17.3%	16.8%	7.1%
Grade 12	38.2%	22.3 %	17.0%	15.7%	6.8%

Table D-10: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	93.0%	5.7%	0.8%	0.5%
Grade 7	95.8%	3.4%	0.4%	0.4%
Grade 8	93.6%	5.0%	0.9%	0.5%
Grade 9	92.3%	6.2%	0.9%	0.6%
Grade 10	91.7%	7.1%	0.9%	0.3%
Grade 11	92.2%	6.6%	0.7%	0.5%
Grade 12	93.0%	5.4%	1.1%	0.5%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Been criticized by someone you were dating because of drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	93.7%	4.6%	1.0%	0.6%
Grade 7	97.1%	2.3%	0.3%	0.3%
Grade 8	94.8%	3.9%	0.7%	0.5%
Grade 9	93.7%	4.9%	0.8%	0.7%
Grade 10	92.9%	5.5%	0.9%	0.7%
Grade 11	91.9%	5.3%	2.0%	0.8%
Grade 12	91.0%	6.4%	1.9%	0.8%

Table D-11: Thinking of parties you attended this school year, how often was marijuana used?

	Never	Seldom	Half the Time	Most Of the Time	Always	Don't Know	Didn't Attend
All	49%	10.1%	7.7%	9.3%	11.5%	3.8%	8.3%
Grade 7	75%	5.9%	3.4%	3.3%	2.6%	3.2%	6.9%
Grade 8	61%	10.0%	6.3%	6.2%	5.2%	3.5%	7.5%
Grade 9	50%	10.9%	7.9%	9.3%	9.8%	4.2%	8.2%
Grade 10	42%	11.7%	8.6%	11.7%	13.4%	3.9%	8.6%
Grade 11	29%	11.6%	11.3%	14.9%	19.2%	3.6%	9.9%
Grade 12	31%	10.5%	9.2%	11.9%	24.0%	4.2%	8.9%

Table D-12: How often, if ever, do you smoke marijuana in...

Joints?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	75.8%	6.5%	4.1%	7.1%	5.1%	1.4%
Grade 7	88.5%	3.2%	2.4%	2.6%	2.1%	1.1%
Grade 8	81.1%	5.3%	3.5%	4.6%	4.2%	1.3%
Grade 9	76.5%	6.4%	3.9%	6.5%	5.4%	1.2%
Grade 10	73.5%	6.5%	4.3%	7.9%	6.2%	1.6%
Grade 11	64.7%	10.0%	5.4%	11.9%	6.0%	1.9%
Grade 12	66.2%	8.4%	5.5%	10.9%	7.4%	1.6%

Blunts?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	81.9%	6.2%	4.8%	3.6%	2.4%	1.0%
Grade 7	92.9%	2.1%	1.8%	1.5%	0.9%	0.8%
Grade 8	86.9%	4.2%	3.0%	2.7%	2.0%	1.1%
Grade 9	81.9%	6.3%	4.3%	3.5%	2.9%	1.2%
Grade 10	79.7%	6.7%	5.8%	3.8%	2.9%	1.1%
Grade 11	72.6%	9.8%	8.2%	5.5%	2.8%	1.1%
Grade 12	74.5%	9.2%	7.1%	5.2%	3.2%	0.9%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Bongs or water pipes?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	86.2%	5.5%	3.0%	2.6%	1.8%	0.9%
Grade 7	94.5%	1.8%	1.3%	0.8%	0.7%	0.8%
Grade 8	90.1%	3.6%	2.1%	1.7%	1.4%	1.0%
Grade 9	87.0%	4.9%	2.8%	2.3%	2.0%	0.9%
Grade 10	83.6%	6.7%	3.7%	3.2%	2.0%	0.9%
Grade 11	80.7%	8.1%	4.3%	3.7%	2.2%	0.9%
Grade 12	78.3%	9.8%	4.6%	4.3%	2.3%	0.9%

Pipes?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	84.8%	5.6%	3.6%	3.1%	1.9%	1.0%
Grade 7	93.8%	2.1%	1.3%	1.1%	0.8%	0.8%
Grade 8	89.2%	3.6%	2.5%	2.0%	1.6%	1.0%
Grade 9	85.4%	5.1%	3.2%	3.0%	2.4%	0.8%
Grade 10	83.1%	6.5%	4.2%	3.2%	2.1%	1.0%
Grade 11	77.5%	7.6%	5.8%	5.8%	2.4%	1.0%
Grade 12	76.6%	10.1%	5.5%	4.1%	2.5%	1.2%

Some other way?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	88.2%	4.5%	1.8%	1.5%	1.7%	2.2%
Grade 7	94.0%	1.8%	1.1%	1.0%	0.8%	1.3%
Grade 8	90.8%	2.9%	1.4%	1.3%	1.7%	1.8%
Grade 9	87.9%	4.3%	1.9%	1.7%	2.1%	2.0%
Grade 10	86.2%	6.0%	1.8%	1.8%	1.9%	2.3%
Grade 11	85.3%	6.4%	2.5%	1.2%	1.8%	2.8%
Grade 12	83.0%	6.6%	2.7%	2.4%	1.7%	3.6%

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	79.5%	3.8%	2.9%	0.8%	1.5%	11.6%
Grade 7	74.6%	2.1%	1.9%	0.4%	1.7%	19.3%
Grade 8	77.9%	3.3%	2.5%	0.9%	1.4%	13.9%
Grade 9	78.7%	3.7%	3.0%	1.0%	1.6%	11.9%
Grade 10	81.8%	3.8%	3.4%	1.2%	1.4%	8.4%
Grade 11	82.7%	4.6%	2.9%	0.7%	1.7%	7.4%
Grade 12	82.1%	5.7%	3.9%	0.7%	0.9%	6.7%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table D-14: How dangerous do you think it is for kids your age to use...

Marijuana?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	66.3%	16.2%	8.1%	4.5%	4.9%
Grade 7	77.9%	9.7%	3.8%	2.7%	5.8%
Grade 8	71.3%	14.1%	5.9%	3.7%	5.0%
Grade 9	66.0%	15.8%	7.5%	5.2%	5.5%
Grade 10	63.0%	18.5%	9.5%	5.1%	3.9%
Grade 11	58.2%	20.0%	12.4%	4.5%	4.8%
Grade 12	58.0%	21.0%	10.4%	6.4%	4.1%

Cocaine?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	81.0%	10.1%	2.2%	1.4%	5.3%
Grade 7	82.9%	7.2%	1.7%	1.5%	6.6%
Grade 8	81.3%	9.1%	2.2%	1.5%	5.8%
Grade 9	79.4%	10.6%	2.8%	1.6%	5.7%
Grade 10	80.9%	11.6%	2.2%	1.3%	4.1%
Grade 11	80.9%	11.5%	2.0%	0.9%	4.8%
Grade 12	81.2%	10.9%	2.2%	1.4%	4.4%

Crack?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	83.2%	8.2%	1.6%	1.1%	5.8%
Grade 7	82.8%	6.9%	1.5%	1.6%	7.2%
Grade 8	82.2%	8.3%	1.9%	1.2%	6.4%
Grade 9	81.2%	9.5%	1.9%	1.2%	6.2%
Grade 10	83.8%	9.0%	1.8%	0.8%	4.6%
Grade 11	85.0%	7.6%	1.7%	0.6%	5.2%
Grade 12	86.2%	6.9%	0.9%	1.0%	5.0%

Ecstasy?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	81.5%	8.5%	1.8%	1.1%	7.0%
Grade 7	80.9%	6.2%	1.5%	1.4%	10.1%
Grade 8	81.3%	7.5%	1.7%	1.3%	8.2%
Grade 9	80.5%	9.2%	1.8%	1.5%	6.9%
Grade 10	82.7%	9.8%	1.6%	0.8%	5.1%
Grade 11	82.7%	9.1%	1.5%	0.8%	5.9%
Grade 12	81.6%	9.7%	2.9%	0.7%	5.1%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Steroids?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.3%	11.5%	2.8%	1.3%	7.2%
Grade 7	78.6%	8.0%	2.5%	1.7%	9.2%
Grade 8	76.8%	10.9%	2.9%	1.6%	7.9%
Grade 9	76.3%	12.0%	2.7%	1.4%	7.6%
Grade 10	78.4%	12.3%	2.6%	0.9%	5.8%
Grade 11	77.0%	13.9%	2.5%	0.9%	5.6%
Grade 12	77.3%	12.0%	3.6%	0.9%	6.3%

Heroin?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	85.1%	6.1%	1.0%	1.0%	6.9%
Grade 7	83.0%	5.5%	1.1%	1.3%	9.0%
Grade 8	83.7%	6.4%	1.2%	1.3%	7.4%
Grade 9	83.7%	6.8%	1.1%	1.2%	7.2%
Grade 10	86.8%	6.4%	0.8%	0.7%	5.3%
Grade 11	87.4%	5.7%	0.6%	0.4%	5.9%
Grade 12	87.3%	5.1%	0.8%	0.6%	6.2%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?	All	7.2%	10.0%	17.6%	82.4%
	Grade 7	9.9%	12.8%	20.5%	79.5%
	Grade 8	10.3%	13.6%	21.8%	78.2%
	Grade 9	7.0%	9.7%	17.7%	82.3%
	Grade 10	4.7%	7.8%	15.2%	84.8%
	Grade 11	4.9%	6.7%	13.0%	87.0%
	Grade 12	5.1%	7.9%	15.4%	84.6%
Liquid or spray paint	All	2.0%	3.2%	7.6%	92.4%
	Grade 7	2.8%	4.2%	8.8%	91.2%
	Grade 8	3.3%	4.8%	10.6%	89.4%
	Grade 9	1.9%	3.3%	7.7%	92.3%
	Grade 10	1.6%	2.7%	7.1%	92.9%
	Grade 11	1.0%	1.6%	4.4%	95.6%
	Grade 12	0.9%	1.5%	5.9%	94.1%
Whiteout, correction fld	All	2.1%	3.5%	7.1%	92.9%
	Grade 7	3.4%	5.3%	9.7%	90.3%
	Grade 8	3.7%	5.8%	10.8%	89.2%
	Grade 9	1.8%	3.3%	7.2%	92.8%
	Grade 10	1.3%	2.6%	5.8%	94.2%
	Grade 11	0.9%	1.3%	3.2%	96.8%
	Grade 12	0.8%	1.3%	3.8%	96.2%
Gasoline?	All	1.5%	2.1%	4.1%	95.9%
	Grade 7	2.3%	3.0%	5.4%	94.6%
	Grade 8	2.1%	2.9%	5.6%	94.4%
	Grade 9	1.4%	2.3%	4.3%	95.7%
	Grade 10	0.9%	1.5%	3.2%	96.8%
	Grade 11	0.8%	1.2%	2.8%	97.2%
	Grade 12	0.9%	1.1%	2.5%	97.5%
Freon?	All	0.8%	1.1%	2.0%	98.0%
	Grade 7	1.0%	1.3%	2.1%	97.9%
	Grade 8	0.9%	1.4%	2.4%	97.6%
	Grade 9	1.0%	1.3%	2.3%	97.7%
	Grade 10	0.6%	0.9%	1.8%	98.2%
	Grade 11	0.5%	0.7%	1.4%	98.6%
	Grade 12	0.4%	0.6%	1.4%	98.6%
Poppers, Locker Room	All	0.8%	1.3%	2.0%	98.0%
	Grade 7	1.1%	1.6%	2.6%	97.4%
	Grade 8	1.0%	1.5%	2.3%	97.7%
	Grade 9	1.1%	1.7%	2.3%	97.7%
	Grade 10	0.6%	1.0%	1.8%	98.2%
	Grade 11	0.5%	0.8%	1.2%	98.8%
	Grade 12	0.3%	0.7%	1.4%	98.6%
Glue?	All	1.1%	1.7%	3.7%	96.3%
	Grade 7	2.1%	2.9%	5.5%	94.5%
	Grade 8	1.8%	2.7%	5.4%	94.6%
	Grade 9	1.0%	1.6%	3.8%	96.2%
	Grade 10	0.7%	1.0%	2.8%	97.2%
	Grade 11	0.5%	0.8%	2.0%	98.0%
	Grade 12	0.5%	0.8%	2.1%	97.9%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

		Past Month	School Year	Ever Used	Never Used
Paint, lacquer thinner	All	1.3%	2.0%	3.8%	96.2%
	Grade 7	1.9%	2.7%	4.9%	95.1%
	Grade 8	1.9%	2.9%	5.2%	94.8%
	Grade 9	1.4%	2.0%	3.9%	96.1%
	Grade 10	1.0%	1.7%	3.1%	96.9%
	Grade 11	0.6%	0.9%	2.1%	97.9%
	Grade 12	0.9%	1.2%	3.2%	96.8%
Nitrous oxide	All	1.7%	2.5%	4.3%	95.7%
	Grade 7	1.6%	2.3%	3.8%	96.2%
	Grade 8	1.6%	2.3%	4.1%	95.9%
	Grade 9	1.6%	2.3%	4.0%	96.0%
	Grade 10	1.3%	2.3%	4.1%	95.9%
	Grade 11	1.9%	2.6%	4.3%	95.7%
	Grade 12	2.5%	3.8%	6.2%	93.8%
Octane booster?	All	0.6%	0.9%	1.4%	98.6%
	Grade 7	0.7%	0.9%	1.3%	98.7%
	Grade 8	0.8%	1.1%	1.7%	98.3%
	Grade 9	0.7%	1.0%	1.6%	98.4%
	Grade 10	0.5%	0.9%	1.4%	98.6%
	Grade 11	0.4%	0.5%	0.8%	99.2%
	Grade 12	0.8%	1.1%	1.5%	98.5%
Other sprays?	All	1.8%	2.5%	4.4%	95.6%
	Grade 7	2.4%	3.4%	6.0%	94.0%
	Grade 8	2.8%	3.9%	6.5%	93.5%
	Grade 9	1.9%	2.6%	4.6%	95.4%
	Grade 10	0.8%	1.3%	3.2%	96.8%
	Grade 11	1.6%	2.0%	3.0%	97.0%
	Grade 12	0.5%	0.9%	2.1%	97.9%
Other inhalants?	All	3.3%	4.9%	8.8%	91.2%
	Grade 7	3.8%	5.5%	10.2%	89.8%
	Grade 8	4.7%	6.7%	11.6%	88.4%
	Grade 9	3.7%	5.3%	9.3%	90.7%
	Grade 10	2.5%	3.8%	7.8%	92.2%
	Grade 11	3.0%	4.2%	6.7%	93.3%
	Grade 12	1.5%	2.5%	5.5%	94.5%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	93.9%	0.2%	0.5%	0.8%	1.3%	1.3%	2.1%
Grade 7	92.2%	0.4%	0.9%	1.3%	1.5%	1.6%	2.0%
Grade 8	91.6%	0.2%	0.8%	1.3%	1.8%	1.7%	2.5%
Grade 9	93.9%	0.3%	0.5%	0.8%	1.2%	1.3%	2.0%
Grade 10	95.0%	0.1%	0.3%	0.6%	0.7%	1.2%	2.2%
Grade 11	95.8%	0.0%	0.1%	0.2%	1.7%	0.7%	1.4%
Grade 12	96.5%	0.1%	0.1%	0.2%	0.5%	0.6%	2.0%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table I-3: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	85.0%	6.3%	5.2%	3.5%
Grade 7	82.3%	6.7%	6.5%	4.5%
Grade 8	81.1%	6.5%	7.2%	5.2%
Grade 9	85.2%	5.9%	5.3%	3.6%
Grade 10	87.1%	5.5%	4.5%	3.0%
Grade 11	89.1%	6.2%	2.7%	1.9%
Grade 12	86.5%	7.4%	4.1%	2.0%

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.9	11.5	12.2	12.7	13.6	13.6

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Days	4-9 Days	10+ Days
All	97%	1.9%	0.5%	0.4%
Grade 7	96%	2.6%	0.4%	0.6%
Grade 8	96%	2.8%	0.6%	0.4%
Grade 9	97%	2.0%	0.7%	0.7%
Grade 10	98%	1.6%	0.4%	0.3%
Grade 11	98%	1.0%	0.2%	0.3%
Grade 12	98%	0.7%	0.8%	0.3%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons:

Inhalants Users: 4.8 days per student
Inhalants Non-users: 3.7 days per student

Average days conduct problems reported:

Inhalants Users: 5.2 days per student
Inhalants Non-users: 1.9 days per student

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table I-7: About how many of your close friends use inhalants?

	Never heard None	A Few	Some	Most	All
All	82.8%	11.0 %	3.8%	1.5%	0.9%
Grade 7	82.8%	10.6 %	3.8%	1.8%	1.0%
Grade 8	80.3%	12.0 %	4.7%	2.0%	1.0%
Grade 9	82.9%	10.6 %	4.0%	1.5%	1.0%
Grade 10	82.5%	11.7 %	3.9%	1.1%	0.8%
Grade 11	83.3%	11.6 %	3.1%	1.5%	0.6%
Grade 12	86.4%	9.3 %	2.8%	0.8%	0.8%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.4%	14.7%	3.2%	1.3%	6.4%
Grade 7	75.9%	11.2%	3.4%	1.8%	7.8%
Grade 8	72.7%	14.2%	4.2%	1.9%	7.0%
Grade 9	73.3%	15.1%	3.3%	1.6%	6.7%
Grade 10	74.9%	16.6%	2.4%	1.1%	5.1%
Grade 11	74.5%	16.6%	2.8%	0.7%	5.3%
Grade 12	76.1%	14.1%	2.8%	0.6%	6.4%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

Health class

	No	Yes
All	43.5%	56.5%
Grade 7	46.7%	53.3%
Grade 8	47.1%	52.9%
Grade 9	46.6%	53.4%
Grade 10	39.5%	60.5%
Grade 11	40.1%	59.9%
Grade 12	38.5%	61.5%

An assembly program

	No	Yes
All	48.7%	51.3%
Grade 7	47.7%	52.3%
Grade 8	44.7%	55.3%
Grade 9	52.2%	47.8%
Grade 10	48.7%	51.3%
Grade 11	52.6%	47.4%
Grade 12	45.1%	54.9%

Guidance counselor

	No	Yes
All	60.9%	39.1%
Grade 7	50.1%	49.9%
Grade 8	52.1%	47.9%
Grade 9	65.5%	34.5%
Grade 10	62.7%	37.3%
Grade 11	68.7%	31.3%
Grade 12	67.0%	33.0%

Science class

	No	Yes
All	63.3%	36.7%
Grade 7	50.0%	50.0%
Grade 8	57.2%	42.8%
Grade 9	64.3%	35.7%
Grade 10	65.3%	34.7%
Grade 11	73.0%	27.0%
Grade 12	71.9%	28.1%

Social studies class

	No	Yes
All	81.0%	19.0%
Grade 7	79.9%	20.1%
Grade 8	79.7%	20.3%
Grade 9	82.0%	18.0%
Grade 10	80.2%	19.8%
Grade 11	83.0%	17.0%
Grade 12	81.3%	18.7%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Student group session

	No	Yes
All	77.4%	22.6%
Grade 7	78.0%	22.0%
Grade 8	76.8%	23.2%
Grade 9	78.2%	21.8%
Grade 10	76.7%	23.3%
Grade 11	80.5%	19.5%
Grade 12	74.0%	26.0%

An invited school guest

	No	Yes
All	52.4%	47.6%
Grade 7	51.9%	48.1%
Grade 8	46.2%	53.8%
Grade 9	56.5%	43.5%
Grade 10	53.9%	46.1%
Grade 11	54.7%	45.3%
Grade 12	50.5%	49.5%

Some other school source

	No	Yes
All	58.8%	41.2%
Grade 7	59.7%	40.3%
Grade 8	56.8%	43.2%
Grade 9	60.4%	39.6%
Grade 10	58.5%	41.5%
Grade 11	60.6%	39.4%
Grade 12	56.4%	43.6%

Any school source

	No	Yes
All	38.3%	61.7%
Grade 7	43.4%	56.6%
Grade 8	38.2%	61.8%
Grade 9	39.9%	60.1%
Grade 10	34.7%	65.3%
Grade 11	37.7%	62.3%
Grade 12	34.3%	65.7%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

A counselor or program in school

	No	Yes
All	57.8%	42.2%
Grade 7	45.8%	54.2%
Grade 8	53.9%	46.1%
Grade 9	58.9%	41.1%
Grade 10	60.6%	39.4%
Grade 11	65.8%	34.2%
Grade 12	64.1%	35.9%

Another adult in school (such as a nurse or teacher)

	No	Yes
All	60.7%	39.3%
Grade 7	54.6%	45.4%
Grade 8	59.5%	40.5%
Grade 9	61.1%	38.9%
Grade 10	62.8%	37.2%
Grade 11	64.7%	35.3%
Grade 12	61.6%	38.4%

A counselor or program outside of school

	No	Yes
All	59.6%	40.4%
Grade 7	56.9%	43.1%
Grade 8	58.3%	41.7%
Grade 9	60.7%	39.3%
Grade 10	61.8%	38.2%
Grade 11	61.0%	39.0%
Grade 12	59.0%	41.0%

Your parents

	No	Yes
All	40.4%	59.6%
Grade 7	34.2%	65.8%
Grade 8	39.6%	60.4%
Grade 9	41.8%	58.2%
Grade 10	41.2%	58.8%
Grade 11	43.6%	56.4%
Grade 12	42.0%	58.0%

A medical doctor

	No	Yes
All	57.9%	42.1%
Grade 7	52.1%	47.9%
Grade 8	57.2%	42.8%
Grade 9	59.1%	40.9%
Grade 10	59.3%	40.7%
Grade 11	60.8%	39.2%
Grade 12	59.1%	40.9%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Your friends

	No	Yes
All	29.8%	70.2%
Grade 7	38.2%	61.8%
Grade 8	31.6%	68.4%
Grade 9	30.0%	70.0%
Grade 10	27.4%	72.6%
Grade 11	24.1%	75.9%
Grade 12	26.6%	73.4%

Another adult (a relative, clergyman, or other family friend)

	No	Yes
All	40.8%	59.2%
Grade 7	39.9%	60.1%
Grade 8	40.2%	59.8%
Grade 9	40.0%	60.0%
Grade 10	40.1%	59.9%
Grade 11	44.2%	55.8%
Grade 12	40.9%	59.1%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

	No	Yes
All	87.7%	12.3%
Grade 7	88.6%	11.4%
Grade 8	86.6%	13.4%
Grade 9	86.9%	13.1%
Grade 10	87.3%	12.7%
Grade 11	88.6%	11.4%
Grade 12	89.1%	10.9%

Table X-4: About how many of your friends:

Feel close to their parents?

	None	A Few	Some	Most	All
All	7.5%	31.8%	25.8%	25.8%	9.1%
Grade 7	11.2%	29.0%	21.5%	23.6%	14.6%
Grade 8	8.6%	30.3%	25.0%	24.8%	11.3%
Grade 9	8.5%	33.6%	25.9%	23.7%	8.3%
Grade 10	6.8%	33.2%	26.8%	26.4%	6.8%
Grade 11	4.1%	31.9%	29.5%	28.5%	6.0%
Grade 12	4.2%	33.0%	26.5%	29.5%	6.8%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Sometimes carry weapons?

	None	A Few	Some	Most	All
All	72.1%	16.6%	7.7%	2.4%	1.2%
Grade 7	81.1%	11.7%	4.5%	1.5%	1.2%
Grade 8	72.8%	16.5%	7.1%	2.4%	1.2%
Grade 9	70.1%	17.8%	8.2%	2.5%	1.3%
Grade 10	69.8%	18.0%	8.3%	2.8%	1.0%
Grade 11	70.2%	16.4%	9.8%	2.6%	1.0%
Grade 12	68.3%	19.1%	8.5%	2.7%	1.4%

Care about making good grades?

	None	A Few	Some	Most	All
All	4.4%	18.3%	25.0%	34.1%	18.2%
Grade 7	5.5%	19.1%	22.2%	28.4%	24.8%
Grade 8	4.9%	18.9%	23.8%	31.7%	20.7%
Grade 9	5.4%	20.5%	27.2%	31.4%	15.4%
Grade 10	3.6%	18.0%	24.8%	38.8%	14.9%
Grade 11	2.7%	15.7%	27.0%	38.4%	16.3%
Grade 12	3.6%	15.7%	24.3%	39.1%	17.3%

Belong/want to belong to a gang?

	None	A Few	Some	Most	All
All	67.2%	16.9%	9.1%	4.8%	2.0%
Grade 7	68.1%	16.4%	8.6%	4.4%	2.6%
Grade 8	61.7%	19.0%	10.5%	6.1%	2.7%
Grade 9	63.7%	17.4%	10.6%	6.0%	2.3%
Grade 10	66.9%	17.8%	9.0%	4.5%	1.8%
Grade 11	71.2%	15.8%	7.8%	4.2%	1.0%
Grade 12	76.4%	12.9%	6.9%	2.4%	1.4%

Wish they could drop out of school?

	None	A Few	Some	Most	All
All	57.2%	27.0%	10.1%	3.6%	2.2%
Grade 7	65.1%	21.1%	7.7%	3.5%	2.6%
Grade 8	59.0%	24.9%	9.4%	4.2%	2.4%
Grade 9	52.3%	27.8%	12.5%	4.7%	2.8%
Grade 10	52.7%	31.0%	11.7%	2.7%	1.8%
Grade 11	54.5%	29.9%	10.6%	3.4%	1.6%
Grade 12	61.6%	27.4%	7.7%	2.0%	1.3%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table X-5: How safe do you feel when you are:

in your home

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Do not Know
All	78.8%	17.6%	1.6%	0.5%	1.5%
Grade 7	78.6%	16.7%	1.9%	0.5%	2.2%
Grade 8	76.4%	19.1%	1.9%	0.5%	2.1%
Grade 9	77.8%	18.3%	1.6%	0.5%	1.8%
Grade 10	78.2%	18.5%	1.7%	0.5%	1.0%
Grade 11	82.1%	15.9%	1.1%	0.4%	0.5%
Grade 12	81.2%	16.0%	1.5%	0.6%	0.7%

out in your neighbourhood

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Do not Know
All	31.4%	49.9%	12.7%	3.2%	2.7%
Grade 7	27.3%	47.9%	16.3%	4.1%	4.5%
Grade 8	27.9%	49.8%	15.0%	3.6%	3.7%
Grade 9	29.9%	51.3%	12.7%	3.2%	3.0%
Grade 10	32.7%	51.0%	11.4%	3.1%	1.8%
Grade 11	36.4%	50.0%	10.2%	2.2%	1.2%
Grade 12	37.3%	49.0%	9.6%	3.0%	1.1%

at school

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Do not Know
All	33.0%	48.8%	10.6%	4.4%	3.2%
Grade 7	41.3%	40.1%	10.0%	4.3%	4.3%
Grade 8	38.0%	44.2%	10.1%	3.9%	3.8%
Grade 9	29.1%	49.5%	12.4%	5.4%	3.7%
Grade 10	28.1%	52.3%	11.4%	5.4%	2.8%
Grade 11	27.4%	57.4%	9.6%	3.8%	1.8%
Grade 12	34.6%	51.0%	9.0%	3.4%	2.0%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B1: Prevalence and recency of use of selected substances by grade
--> All students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	18.3%	24.9%	41.6%	58.4%
	Grade 7	8.1%	11.1%	23.0%	77.0%
	Grade 8	13.2%	18.3%	33.3%	66.7%
	Grade 9	17.1%	24.3%	40.7%	59.3%
	Grade 10	19.6%	27.9%	45.9%	54.1%
	Grade 11	26.4%	35.4%	56.4%	43.6%
	Grade 12	30.4%	38.6%	57.8%	42.2%
Alcohol	All	34.1%	44.9%	66.8%	33.2%
	Grade 7	19.3%	25.5%	49.5%	50.5%
	Grade 8	27.1%	36.4%	59.9%	40.1%
	Grade 9	33.3%	44.2%	65.6%	34.4%
	Grade 10	37.4%	50.4%	72.1%	27.9%
	Grade 11	43.9%	58.4%	79.3%	20.7%
	Grade 12	50.1%	61.8%	80.5%	19.5%
Inhalants	All	7.2%	10.0%	17.6%	82.4%
	Grade 7	9.9%	12.8%	20.5%	79.5%
	Grade 8	10.3%	13.6%	21.8%	78.2%
	Grade 9	7.0%	9.7%	17.7%	82.3%
	Grade 10	4.7%	7.8%	15.2%	84.8%
	Grade 11	4.9%	6.7%	13.0%	87.0%
	Grade 12	5.1%	7.9%	15.4%	84.6%
Any Illicit Drug	All	14.7%	20.3%	30.9%	69.1%
	Grade 7	6.5%	8.7%	13.6%	86.4%
	Grade 8	11.0%	14.7%	22.3%	77.7%
	Grade 9	14.2%	20.0%	29.7%	70.3%
	Grade 10	15.9%	22.2%	36.0%	64.0%
	Grade 11	22.8%	30.5%	44.6%	55.4%
	Grade 12	21.2%	30.5%	46.3%	53.7%
Marijuana	All	12.1%	17.8%	28.2%	71.8%
	Grade 7	4.9%	7.0%	11.7%	88.3%
	Grade 8	8.8%	12.6%	20.1%	79.9%
	Grade 9	11.4%	17.0%	26.6%	73.4%
	Grade 10	12.4%	19.3%	32.3%	67.7%
	Grade 11	19.7%	27.8%	42.2%	57.8%
	Grade 12	18.2%	27.4%	43.4%	56.6%
Marijuana Only	All	4.0%	6.3%	12.1%	87.9%
	Grade 7	2.1%	3.0%	5.8%	94.2%
	Grade 8	3.2%	5.1%	9.7%	90.3%
	Grade 9	3.7%	5.8%	11.1%	88.9%
	Grade 10	3.9%	6.7%	13.9%	86.1%
	Grade 11	6.1%	9.5%	18.0%	82.0%
	Grade 12	5.9%	9.6%	16.9%	83.1%
Cocaine or Crack	All	5.8%	8.5%	13.3%	86.7%
	Grade 7	2.3%	3.2%	5.1%	94.9%
	Grade 8	3.7%	4.9%	7.9%	92.1%
	Grade 9	5.3%	7.8%	12.0%	88.0%
	Grade 10	6.6%	9.8%	16.1%	83.9%
	Grade 11	9.7%	14.2%	20.3%	79.7%
	Grade 12	8.9%	13.7%	22.8%	77.2%
Cocaine	All	5.5%	8.1%	12.7%	87.3%
	Grade 7	1.9%	2.7%	4.4%	95.6%
	Grade 8	3.2%	4.3%	7.0%	93.0%
	Grade 9	4.9%	7.3%	11.5%	88.5%
	Grade 10	6.4%	9.7%	15.6%	84.4%
	Grade 11	9.5%	14.0%	20.2%	79.8%
	Grade 12	8.7%	13.1%	22.3%	77.7%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B1 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.2%	1.9%	3.4%	96.6%
	Grade 7	0.9%	1.5%	2.4%	97.6%
	Grade 8	1.4%	2.1%	3.4%	96.6%
	Grade 9	1.4%	2.1%	3.6%	96.4%
	Grade 10	1.1%	2.0%	3.9%	96.1%
	Grade 11	1.2%	1.7%	3.3%	96.7%
	Grade 12	1.1%	2.1%	4.1%	95.9%
Hallucinogens	All	1.2%	1.9%	3.3%	96.7%
	Grade 7	0.5%	0.7%	1.0%	99.0%
	Grade 8	0.8%	1.2%	2.1%	97.9%
	Grade 9	1.3%	2.0%	3.0%	97.0%
	Grade 10	1.1%	1.9%	3.4%	96.6%
	Grade 11	1.6%	2.6%	5.3%	94.7%
	Grade 12	2.1%	3.4%	6.2%	93.8%
Uppers	All	2.1%	2.9%	4.5%	95.5%
	Grade 7	0.6%	0.7%	1.1%	98.9%
	Grade 8	0.9%	1.4%	2.1%	97.9%
	Grade 9	1.8%	3.0%	4.3%	95.7%
	Grade 10	2.2%	3.4%	5.6%	94.4%
	Grade 11	5.1%	6.3%	8.2%	91.8%
	Grade 12	2.4%	3.6%	6.8%	93.2%
Downers	All	2.4%	3.4%	5.2%	94.8%
	Grade 7	0.6%	0.8%	1.0%	99.0%
	Grade 8	1.1%	1.6%	2.3%	97.7%
	Grade 9	2.0%	3.2%	5.0%	95.0%
	Grade 10	2.7%	3.8%	6.6%	93.4%
	Grade 11	5.5%	7.3%	9.6%	90.4%
	Grade 12	3.1%	4.8%	8.7%	91.3%
Rohypnol	All	3.5%	5.3%	9.1%	90.9%
	Grade 7	1.7%	2.3%	3.8%	96.2%
	Grade 8	3.3%	4.5%	6.8%	93.2%
	Grade 9	3.8%	6.4%	10.3%	89.7%
	Grade 10	3.8%	6.0%	11.2%	88.8%
	Grade 11	4.7%	7.2%	11.6%	88.4%
	Grade 12	3.5%	5.4%	11.8%	88.2%
Steroids	All	0.5%	0.8%	1.4%	98.6%
	Grade 7	0.6%	0.8%	1.4%	98.6%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	0.5%	0.7%	1.4%	98.6%
	Grade 10	0.3%	0.5%	0.8%	99.2%
	Grade 11	0.7%	0.9%	1.5%	98.5%
	Grade 12	0.6%	1.0%	2.3%	97.7%
Ecstasy	All	1.9%	2.8%	4.6%	95.4%
	Grade 7	0.7%	1.0%	1.6%	98.4%
	Grade 8	1.0%	1.5%	2.9%	97.1%
	Grade 9	1.7%	2.7%	4.4%	95.6%
	Grade 10	1.6%	2.5%	5.0%	95.0%
	Grade 11	4.2%	5.3%	7.1%	92.9%
	Grade 12	3.1%	4.4%	8.6%	91.4%
Heroin	All	0.5%	0.8%	1.5%	98.5%
	Grade 7	0.6%	0.8%	1.4%	98.6%
	Grade 8	0.7%	1.1%	1.8%	98.2%
	Grade 9	0.6%	1.0%	1.6%	98.4%
	Grade 10	0.4%	0.6%	1.1%	98.9%
	Grade 11	0.4%	0.5%	1.0%	99.0%
	Grade 12	0.4%	0.9%	1.8%	98.2%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B2: Prevalence and recency of use of selected substances by grade
--> Male students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	19.8%	26.5%	43.3%	56.7%
	Grade 7	8.2%	11.5%	24.1%	75.9%
	Grade 8	13.8%	19.0%	33.9%	66.1%
	Grade 9	19.0%	26.2%	43.3%	56.7%
	Grade 10	21.4%	28.9%	47.3%	52.7%
	Grade 11	26.9%	36.1%	58.2%	41.8%
	Grade 12	37.8%	46.8%	63.6%	36.4%
Alcohol	All	32.9%	42.7%	64.2%	35.8%
	Grade 7	18.7%	24.9%	48.4%	51.6%
	Grade 8	25.3%	34.6%	57.2%	42.8%
	Grade 9	32.3%	42.0%	62.3%	37.7%
	Grade 10	37.5%	47.9%	69.4%	30.6%
	Grade 11	39.3%	52.4%	76.3%	23.7%
	Grade 12	53.3%	64.0%	80.1%	19.9%
Inhalants	All	7.0%	9.8%	17.8%	82.2%
	Grade 7	9.5%	12.4%	19.5%	80.5%
	Grade 8	9.4%	12.2%	20.1%	79.9%
	Grade 9	7.1%	9.6%	17.4%	82.6%
	Grade 10	5.3%	8.4%	16.2%	83.8%
	Grade 11	4.4%	6.4%	14.4%	85.6%
	Grade 12	5.1%	9.0%	18.5%	81.5%
Any Illicit Drug	All	16.4%	22.0%	33.3%	66.7%
	Grade 7	6.7%	8.9%	14.8%	85.2%
	Grade 8	11.8%	15.9%	24.1%	75.9%
	Grade 9	16.1%	21.6%	32.9%	67.1%
	Grade 10	17.9%	23.7%	38.3%	61.7%
	Grade 11	24.7%	33.2%	46.3%	53.7%
	Grade 12	26.5%	35.5%	53.7%	46.3%
Marijuana	All	13.7%	19.7%	31.5%	68.5%
	Grade 7	5.4%	7.4%	13.0%	87.0%
	Grade 8	10.0%	14.3%	23.0%	77.0%
	Grade 9	13.7%	19.5%	31.4%	68.6%
	Grade 10	14.2%	21.3%	35.7%	64.3%
	Grade 11	20.9%	30.0%	44.7%	55.3%
	Grade 12	22.4%	32.0%	50.9%	49.1%
Marijuana Only	All	4.8%	7.4%	14.2%	85.8%
	Grade 7	2.7%	3.8%	7.4%	92.6%
	Grade 8	4.2%	6.6%	12.3%	87.7%
	Grade 9	4.9%	7.3%	14.4%	85.6%
	Grade 10	4.7%	7.8%	16.8%	83.2%
	Grade 11	7.2%	10.7%	18.3%	81.7%
	Grade 12	6.1%	9.7%	18.0%	82.0%
Cocaine or Crack	All	7.0%	9.5%	14.6%	85.4%
	Grade 7	2.3%	3.1%	4.8%	95.2%
	Grade 8	4.1%	5.4%	8.0%	92.0%
	Grade 9	6.3%	8.8%	13.4%	86.6%
	Grade 10	7.8%	11.0%	17.0%	83.0%
	Grade 11	12.7%	15.7%	23.2%	76.8%
	Grade 12	11.9%	17.4%	28.3%	71.7%
Cocaine	All	6.6%	9.1%	14.2%	85.8%
	Grade 7	1.8%	2.5%	4.0%	96.0%
	Grade 8	3.5%	4.7%	7.3%	92.7%
	Grade 9	5.8%	8.5%	13.1%	86.9%
	Grade 10	7.6%	10.8%	16.5%	83.5%
	Grade 11	12.5%	15.5%	23.0%	77.0%
	Grade 12	11.8%	17.4%	28.4%	71.6%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B2 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.5%	2.2%	3.9%	96.1%
	Grade 7	1.1%	1.6%	2.5%	97.5%
	Grade 8	1.5%	2.2%	3.3%	96.7%
	Grade 9	1.6%	2.4%	4.0%	96.0%
	Grade 10	1.4%	2.4%	4.5%	95.5%
	Grade 11	1.7%	2.3%	4.4%	95.6%
	Grade 12	1.5%	2.5%	5.1%	94.9%
Hallucinogens	All	1.5%	2.4%	4.3%	95.7%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	1.1%	1.5%	2.5%	97.5%
	Grade 9	1.6%	2.6%	3.9%	96.1%
	Grade 10	1.5%	2.6%	4.4%	95.6%
	Grade 11	2.1%	3.5%	8.3%	91.7%
	Grade 12	2.5%	4.5%	8.1%	91.9%
Uppers	All	1.9%	2.7%	4.1%	95.9%
	Grade 7	0.5%	0.6%	0.8%	99.2%
	Grade 8	0.8%	1.1%	1.8%	98.2%
	Grade 9	1.4%	2.5%	3.7%	96.3%
	Grade 10	2.0%	3.0%	4.9%	95.1%
	Grade 11	5.0%	6.1%	8.1%	91.9%
	Grade 12	2.7%	4.2%	7.0%	93.0%
Downers	All	2.3%	3.3%	5.0%	95.0%
	Grade 7	0.5%	0.6%	0.8%	99.2%
	Grade 8	1.3%	1.6%	2.3%	97.7%
	Grade 9	1.9%	2.9%	4.6%	95.4%
	Grade 10	2.9%	3.8%	5.9%	94.1%
	Grade 11	4.3%	7.0%	9.3%	90.7%
	Grade 12	4.0%	5.6%	9.7%	90.3%
Rohypnol	All	3.2%	4.8%	7.9%	92.1%
	Grade 7	1.1%	1.7%	3.1%	96.9%
	Grade 8	2.6%	3.6%	5.5%	94.5%
	Grade 9	3.5%	5.0%	8.5%	91.5%
	Grade 10	3.8%	5.7%	9.3%	90.7%
	Grade 11	4.6%	7.7%	11.3%	88.7%
	Grade 12	3.6%	5.8%	12.0%	88.0%
Steroids	All	0.8%	1.1%	2.1%	97.9%
	Grade 7	0.8%	1.1%	1.7%	98.3%
	Grade 8	0.5%	0.7%	1.5%	98.5%
	Grade 9	0.8%	1.2%	2.2%	97.8%
	Grade 10	0.6%	0.8%	1.3%	98.7%
	Grade 11	1.0%	1.3%	2.5%	97.5%
	Grade 12	1.2%	2.1%	4.3%	95.7%
Ecstasy	All	1.9%	2.7%	4.5%	95.5%
	Grade 7	0.6%	0.9%	1.4%	98.6%
	Grade 8	0.9%	1.3%	2.4%	97.6%
	Grade 9	2.0%	2.8%	4.5%	95.5%
	Grade 10	1.7%	2.8%	5.1%	94.9%
	Grade 11	4.0%	5.3%	7.1%	92.9%
	Grade 12	3.1%	4.5%	9.0%	91.0%
Heroin	All	0.6%	0.8%	1.5%	98.5%
	Grade 7	0.5%	0.8%	1.3%	98.7%
	Grade 8	0.6%	0.9%	1.5%	98.5%
	Grade 9	0.7%	1.1%	1.9%	98.1%
	Grade 10	0.5%	0.7%	1.1%	98.9%
	Grade 11	0.6%	0.7%	1.4%	98.6%
	Grade 12	0.6%	0.7%	1.5%	98.5%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B3: Prevalence and recency of use of selected substances by grade
--> Female students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	16.9%	23.5%	40.1%	59.9%
	Grade 7	8.0%	10.8%	22.1%	77.9%
	Grade 8	12.5%	17.7%	32.8%	67.2%
	Grade 9	15.5%	22.6%	38.5%	61.5%
	Grade 10	17.9%	26.9%	44.6%	55.4%
	Grade 11	26.0%	34.8%	54.9%	45.1%
	Grade 12	24.6%	31.4%	52.8%	47.2%
Alcohol	All	35.1%	46.9%	69.1%	30.9%
	Grade 7	20.0%	26.0%	50.6%	49.4%
	Grade 8	28.7%	37.9%	62.6%	37.4%
	Grade 9	34.3%	46.2%	68.6%	31.4%
	Grade 10	37.2%	52.7%	74.7%	25.3%
	Grade 11	47.8%	63.5%	81.8%	18.2%
	Grade 12	47.3%	59.8%	80.8%	19.2%
Inhalants	All	7.2%	10.0%	17.3%	82.7%
	Grade 7	10.2%	13.3%	21.4%	78.6%
	Grade 8	11.2%	14.8%	23.3%	76.7%
	Grade 9	7.0%	9.8%	17.8%	82.2%
	Grade 10	4.1%	7.3%	14.3%	85.7%
	Grade 11	5.3%	7.0%	11.9%	88.1%
	Grade 12	4.3%	6.4%	12.3%	87.7%
Any Illicit Drug	All	13.2%	18.7%	28.6%	71.4%
	Grade 7	6.3%	8.5%	12.5%	87.5%
	Grade 8	10.2%	13.6%	20.6%	79.4%
	Grade 9	12.5%	18.4%	26.9%	73.1%
	Grade 10	14.0%	20.7%	33.8%	66.2%
	Grade 11	21.2%	28.2%	43.1%	56.9%
	Grade 12	17.0%	25.4%	39.4%	60.6%
Marijuana	All	10.6%	15.9%	25.2%	74.8%
	Grade 7	4.4%	6.7%	10.6%	89.4%
	Grade 8	7.8%	11.1%	17.5%	82.5%
	Grade 9	9.5%	14.8%	22.4%	77.6%
	Grade 10	10.7%	17.3%	29.2%	70.8%
	Grade 11	18.6%	26.0%	40.1%	59.9%
	Grade 12	14.9%	22.6%	36.5%	63.5%
Marijuana Only	All	3.2%	5.3%	10.3%	89.7%
	Grade 7	1.6%	2.3%	4.4%	95.6%
	Grade 8	2.3%	3.8%	7.4%	92.6%
	Grade 9	2.6%	4.4%	8.2%	91.8%
	Grade 10	3.1%	5.6%	11.1%	88.9%
	Grade 11	5.0%	8.5%	17.8%	82.2%
	Grade 12	5.8%	9.0%	15.7%	84.3%
Cocaine or Crack	All	4.7%	7.4%	12.0%	88.0%
	Grade 7	2.4%	3.2%	5.4%	94.6%
	Grade 8	3.4%	4.5%	7.7%	92.3%
	Grade 9	4.5%	6.8%	10.7%	89.3%
	Grade 10	5.3%	8.8%	15.3%	84.7%
	Grade 11	7.2%	12.9%	17.9%	82.1%
	Grade 12	6.5%	10.1%	17.9%	82.1%
Cocaine	All	4.4%	7.1%	11.4%	88.6%
	Grade 7	2.0%	2.8%	4.7%	95.3%
	Grade 8	2.9%	4.0%	6.8%	93.2%
	Grade 9	4.1%	6.3%	10.0%	90.0%
	Grade 10	5.2%	8.6%	14.7%	85.3%
	Grade 11	7.0%	12.8%	17.8%	82.2%
	Grade 12	6.3%	9.8%	17.5%	82.5%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B3 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.0%	1.6%	3.0%	97.0%
	Grade 7	0.8%	1.4%	2.4%	97.6%
	Grade 8	1.3%	1.9%	3.5%	96.5%
	Grade 9	1.2%	1.9%	3.3%	96.7%
	Grade 10	0.9%	1.7%	3.3%	96.7%
	Grade 11	0.7%	1.2%	2.5%	97.5%
	Grade 12	0.7%	1.1%	2.5%	97.5%
Hallucinogens	All	0.9%	1.3%	2.3%	97.7%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.6%	1.0%	1.7%	98.3%
	Grade 9	1.0%	1.4%	2.1%	97.9%
	Grade 10	0.7%	1.2%	2.5%	97.5%
	Grade 11	1.1%	1.8%	2.9%	97.1%
	Grade 12	1.8%	2.5%	4.7%	95.3%
Uppers	All	2.2%	3.1%	4.8%	95.2%
	Grade 7	0.6%	0.9%	1.4%	98.6%
	Grade 8	1.0%	1.6%	2.3%	97.7%
	Grade 9	2.0%	3.3%	4.7%	95.3%
	Grade 10	2.4%	3.8%	6.3%	93.7%
	Grade 11	5.2%	6.4%	8.3%	91.7%
	Grade 12	2.2%	3.1%	6.7%	93.3%
Downers	All	2.4%	3.4%	5.3%	94.7%
	Grade 7	0.7%	0.9%	1.2%	98.8%
	Grade 8	1.0%	1.6%	2.3%	97.7%
	Grade 9	2.0%	3.4%	5.2%	94.8%
	Grade 10	2.5%	3.9%	7.2%	92.8%
	Grade 11	6.4%	7.6%	9.9%	90.1%
	Grade 12	2.3%	3.3%	7.2%	92.8%
Rohypnol	All	3.7%	5.7%	10.1%	89.9%
	Grade 7	2.3%	3.0%	4.6%	95.4%
	Grade 8	3.8%	5.2%	8.0%	92.0%
	Grade 9	4.1%	7.5%	11.9%	88.1%
	Grade 10	3.7%	6.3%	13.0%	87.0%
	Grade 11	4.9%	6.8%	11.9%	88.1%
	Grade 12	3.4%	4.4%	11.0%	89.0%
Steroids	All	0.3%	0.4%	0.8%	99.2%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.4%	0.6%	1.1%	98.9%
	Grade 9	0.3%	0.4%	0.7%	99.3%
	Grade 10	0.1%	0.2%	0.4%	99.6%
	Grade 11	0.4%	0.4%	0.6%	99.4%
	Grade 12	0.2%	0.2%	0.7%	99.3%
Ecstasy	All	1.9%	2.8%	4.8%	95.2%
	Grade 7	0.7%	1.1%	1.9%	98.1%
	Grade 8	1.0%	1.7%	3.3%	96.7%
	Grade 9	1.5%	2.6%	4.4%	95.6%
	Grade 10	1.4%	2.2%	4.8%	95.2%
	Grade 11	4.3%	5.4%	7.2%	92.8%
	Grade 12	3.1%	4.4%	8.2%	91.8%
Heroin	All	0.5%	0.7%	1.3%	98.7%
	Grade 7	0.6%	0.8%	1.5%	98.5%
	Grade 8	0.8%	1.2%	2.0%	98.0%
	Grade 9	0.6%	0.9%	1.4%	98.6%
	Grade 10	0.3%	0.5%	1.0%	99.0%
	Grade 11	0.2%	0.4%	0.8%	99.2%
	Grade 12	0.2%	0.3%	1.2%	98.8%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B4: Prevalence and recency of use of selected substances by grade
--> White students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	17.4%	24.1%	37.5%	62.5%
	Grade 7	4.7%	6.8%	19.6%	80.4%
	Grade 8	8.5%	14.2%	26.2%	73.8%
	Grade 9	16.4%	22.9%	35.9%	64.1%
	Grade 10	19.1%	25.9%	40.5%	59.5%
	Grade 11	23.0%	33.1%	46.1%	53.9%
	Grade 12	33.6%	42.7%	58.2%	41.8%
Alcohol	All	29.4%	42.2%	65.5%	34.5%
	Grade 7	12.0%	18.0%	43.4%	56.6%
	Grade 8	18.9%	32.3%	56.9%	43.1%
	Grade 9	28.4%	40.8%	62.6%	37.4%
	Grade 10	34.0%	50.9%	69.0%	31.0%
	Grade 11	37.5%	53.9%	83.1%	16.9%
	Grade 12	47.3%	60.8%	80.6%	19.4%
Inhalants	All	6.4%	9.2%	17.6%	82.4%
	Grade 7	6.6%	9.1%	13.2%	86.8%
	Grade 8	8.8%	10.9%	21.4%	78.6%
	Grade 9	7.0%	8.4%	16.9%	83.1%
	Grade 10	6.6%	11.8%	20.2%	79.8%
	Grade 11	6.3%	11.1%	19.3%	80.7%
	Grade 12	3.3%	4.8%	15.9%	84.1%
Any Illicit Drug	All	14.0%	19.3%	28.5%	71.5%
	Grade 7	3.2%	5.8%	9.5%	90.5%
	Grade 8	6.8%	9.7%	13.7%	86.3%
	Grade 9	12.5%	17.7%	26.0%	74.0%
	Grade 10	15.2%	23.4%	35.9%	64.1%
	Grade 11	19.2%	25.6%	37.5%	62.5%
	Grade 12	28.3%	35.3%	50.8%	49.2%
Marijuana	All	12.2%	17.2%	26.6%	73.4%
	Grade 7	2.0%	3.2%	6.6%	93.4%
	Grade 8	5.5%	8.4%	12.1%	87.9%
	Grade 9	11.1%	16.0%	24.5%	75.5%
	Grade 10	12.4%	20.3%	32.1%	67.9%
	Grade 11	18.3%	23.5%	36.9%	63.1%
	Grade 12	24.2%	32.8%	49.5%	50.5%
Marijuana Only	All	3.7%	6.0%	11.9%	88.1%
	Grade 7	0.8%	1.5%	3.9%	96.1%
	Grade 8	2.3%	3.7%	6.4%	93.6%
	Grade 9	3.8%	6.9%	12.0%	88.0%
	Grade 10	4.1%	6.0%	14.5%	85.5%
	Grade 11	4.2%	7.6%	15.2%	84.8%
	Grade 12	7.6%	10.3%	20.3%	79.7%
Cocaine or Crack	All	3.6%	6.1%	9.9%	90.1%
	Grade 7	0.5%	1.4%	2.7%	97.3%
	Grade 8	2.4%	2.9%	4.6%	95.4%
	Grade 9	3.0%	3.9%	7.3%	92.7%
	Grade 10	4.9%	8.4%	11.8%	88.2%
	Grade 11	5.9%	11.6%	17.8%	82.2%
	Grade 12	5.7%	9.7%	16.6%	83.4%
Cocaine	All	3.4%	5.9%	9.4%	90.6%
	Grade 7	0.5%	0.7%	0.9%	99.1%
	Grade 8	2.0%	2.7%	4.1%	95.9%
	Grade 9	3.0%	4.0%	7.2%	92.8%
	Grade 10	4.2%	8.1%	11.5%	88.5%
	Grade 11	5.5%	11.2%	17.4%	82.6%
	Grade 12	5.8%	9.9%	16.3%	83.7%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B4 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.7%	1.7%	3.2%	96.8%
	Grade 7	0.2%	0.9%	2.2%	97.8%
	Grade 8	0.9%	1.6%	1.9%	98.1%
	Grade 9	0.6%	1.2%	1.9%	98.1%
	Grade 10	1.0%	2.0%	2.9%	97.1%
	Grade 11	1.8%	3.4%	6.9%	93.1%
	Grade 12	* %	1.4%	3.8%	96.2%
Hallucinogens	All	2.1%	3.3%	5.7%	94.3%
	Grade 7	* %	0.3%	0.8%	99.2%
	Grade 8	0.9%	1.4%	2.9%	97.1%
	Grade 9	2.4%	3.7%	4.8%	95.2%
	Grade 10	2.0%	2.5%	5.0%	95.0%
	Grade 11	5.5%	6.7%	11.3%	88.7%
	Grade 12	2.2%	5.2%	9.8%	90.2%
Uppers	All	1.9%	3.7%	5.6%	94.4%
	Grade 7	0.2%	0.5%	0.5%	99.5%
	Grade 8	0.7%	1.1%	1.4%	98.6%
	Grade 9	1.1%	4.3%	5.8%	94.2%
	Grade 10	3.1%	5.5%	8.3%	91.7%
	Grade 11	4.7%	7.5%	10.8%	89.2%
	Grade 12	2.2%	4.0%	7.8%	92.2%
Downers	All	1.9%	3.2%	4.8%	95.2%
	Grade 7	0.2%	0.7%	1.0%	99.0%
	Grade 8	0.9%	1.4%	1.6%	98.4%
	Grade 9	1.3%	2.0%	4.1%	95.9%
	Grade 10	3.4%	6.7%	9.6%	90.4%
	Grade 11	4.0%	6.0%	7.9%	92.1%
	Grade 12	1.9%	3.3%	6.2%	93.8%
Rohypnol	All	2.3%	4.2%	6.9%	93.1%
	Grade 7	0.8%	1.0%	1.5%	98.5%
	Grade 8	1.6%	2.2%	3.2%	96.8%
	Grade 9	1.9%	4.8%	7.7%	92.3%
	Grade 10	2.6%	7.0%	12.6%	87.4%
	Grade 11	5.1%	6.2%	9.9%	90.1%
	Grade 12	2.4%	4.9%	8.0%	92.0%
Steroids	All	0.6%	1.0%	3.5%	96.5%
	Grade 7	* %	0.3%	1.0%	99.0%
	Grade 8	1.0%	1.0%	1.9%	98.1%
	Grade 9	0.6%	1.5%	2.7%	97.3%
	Grade 10	0.3%	0.6%	1.2%	98.8%
	Grade 11	1.2%	1.5%	2.6%	97.4%
	Grade 12	0.7%	1.1%	11.0%	89.0%
Ecstasy	All	2.7%	3.9%	5.6%	94.4%
	Grade 7	0.7%	0.7%	1.2%	98.8%
	Grade 8	0.7%	0.9%	1.7%	98.3%
	Grade 9	1.9%	3.0%	3.9%	96.1%
	Grade 10	1.6%	3.6%	4.9%	95.1%
	Grade 11	2.3%	4.2%	6.7%	93.3%
	Grade 12	9.0%	10.8%	15.5%	84.5%
Heroin	All	0.4%	0.9%	1.7%	98.3%
	Grade 7	* %	* %	0.2%	99.8%
	Grade 8	0.5%	0.7%	1.4%	98.6%
	Grade 9	1.0%	1.8%	2.0%	98.0%
	Grade 10	* %	0.9%	1.8%	98.2%
	Grade 11	0.2%	0.9%	2.3%	97.7%
	Grade 12	0.7%	0.7%	2.1%	97.9%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B5: Prevalence and recency of use of selected substances by grade
--> Black students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	16.3%	22.4%	39.1%	60.9%
	Grade 7	16.3%	19.2%	30.3%	69.7%
	Grade 8	9.8%	14.2%	28.6%	71.4%
	Grade 9	19.4%	32.4%	50.5%	49.5%
	Grade 10	16.0%	30.9%	42.7%	57.3%
	Grade 11	21.5%	26.0%	52.1%	47.9%
	Grade 12	23.2%	23.2%	53.0%	47.0%
Alcohol	All	34.0%	44.0%	60.8%	39.2%
	Grade 7	30.6%	35.6%	48.6%	51.4%
	Grade 8	19.7%	23.9%	43.0%	57.0%
	Grade 9	42.0%	53.7%	70.5%	29.5%
	Grade 10	46.5%	65.6%	83.1%	16.9%
	Grade 11	44.2%	55.9%	73.1%	26.9%
	Grade 12	42.6%	64.7%	83.1%	16.9%
Inhalants	All	10.5%	14.1%	26.1%	73.9%
	Grade 7	14.3%	19.8%	31.7%	68.3%
	Grade 8	8.3%	9.3%	17.2%	82.8%
	Grade 9	11.5%	14.7%	32.4%	67.6%
	Grade 10	15.2%	15.2%	24.7%	75.3%
	Grade 11	8.5%	14.6%	26.8%	73.2%
	Grade 12	2.4%	9.6%	25.7%	74.3%
Any Illicit Drug	All	19.3%	23.9%	33.8%	66.2%
	Grade 7	16.5%	19.8%	25.3%	74.7%
	Grade 8	8.1%	8.8%	14.7%	85.3%
	Grade 9	34.6%	40.2%	52.3%	47.7%
	Grade 10	24.7%	38.8%	43.0%	57.0%
	Grade 11	22.2%	31.0%	51.9%	48.1%
	Grade 12	22.2%	24.7%	46.9%	53.1%
Marijuana	All	12.9%	19.1%	28.7%	71.3%
	Grade 7	11.2%	12.9%	18.2%	81.8%
	Grade 8	7.4%	8.2%	14.1%	85.9%
	Grade 9	15.8%	28.8%	39.5%	60.5%
	Grade 10	17.9%	33.7%	43.0%	57.0%
	Grade 11	17.0%	29.0%	48.1%	51.9%
	Grade 12	17.2%	21.4%	40.8%	59.2%
Marijuana Only	All	4.5%	6.5%	13.2%	86.8%
	Grade 7	3.7%	4.5%	6.0%	94.0%
	Grade 8	2.5%	3.2%	7.1%	92.9%
	Grade 9	6.5%	8.1%	18.8%	81.2%
	Grade 10	6.3%	12.8%	14.8%	85.2%
	Grade 11	8.6%	12.5%	26.9%	73.1%
	Grade 12	2.4%	4.8%	21.9%	78.1%
Cocaine or Crack	All	9.0%	11.2%	13.7%	86.3%
	Grade 7	8.3%	11.5%	14.5%	85.5%
	Grade 8	3.8%	3.8%	5.9%	94.1%
	Grade 9	15.2%	18.4%	18.4%	81.6%
	Grade 10	9.3%	15.8%	18.5%	81.5%
	Grade 11	8.4%	10.8%	16.9%	83.1%
	Grade 12	14.0%	14.0%	16.1%	83.9%
Cocaine	All	5.9%	7.5%	10.2%	89.8%
	Grade 7	6.1%	8.6%	10.7%	89.3%
	Grade 8	2.9%	2.9%	5.0%	95.0%
	Grade 9	6.2%	7.9%	9.4%	90.6%
	Grade 10	7.5%	11.9%	16.7%	83.3%
	Grade 11	2.4%	4.8%	10.8%	89.2%
	Grade 12	14.4%	14.4%	16.6%	83.4%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B5 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	5.1%	6.6%	7.7%	92.3%
	Grade 7	4.7%	6.4%	9.6%	90.4%
	Grade 8	1.9%	1.9%	3.2%	96.8%
	Grade 9	12.4%	15.7%	15.7%	84.3%
	Grade 10	1.9%	4.1%	4.1%	95.9%
	Grade 11	8.6%	11.1%	11.1%	88.9%
	Grade 12	2.7%	2.7%	2.7%	97.3%
Hallucinogens	All	2.7%	3.2%	4.5%	95.5%
	Grade 7	3.3%	3.3%	3.3%	96.7%
	Grade 8	0.9%	1.9%	1.9%	98.1%
	Grade 9	4.6%	4.6%	6.2%	93.8%
	Grade 10	2.1%	4.5%	7.5%	92.5%
	Grade 11	* %	* %	6.8%	93.2%
	Grade 12	5.7%	5.7%	5.7%	94.3%
Uppers	All	3.0%	5.7%	7.1%	92.9%
	Grade 7	5.7%	6.3%	7.1%	92.9%
	Grade 8	1.0%	1.0%	1.0%	99.0%
	Grade 9	3.4%	12.8%	16.1%	83.9%
	Grade 10	6.4%	10.4%	10.4%	89.6%
	Grade 11	* %	2.8%	7.5%	92.5%
	Grade 12	* %	2.9%	5.4%	94.6%
Downers	All	3.8%	5.2%	6.0%	94.0%
	Grade 7	5.7%	6.5%	6.5%	93.5%
	Grade 8	2.0%	2.0%	2.0%	98.0%
	Grade 9	3.3%	10.8%	12.3%	87.7%
	Grade 10	6.4%	6.4%	6.4%	93.6%
	Grade 11	5.7%	5.7%	10.3%	89.7%
	Grade 12	* %	* %	* %	100.0%
Rohypnol	All	5.3%	6.7%	10.2%	89.8%
	Grade 7	5.0%	5.8%	7.1%	92.9%
	Grade 8	2.1%	3.0%	5.2%	94.8%
	Grade 9	15.4%	17.2%	27.2%	72.8%
	Grade 10	1.8%	3.6%	10.5%	89.5%
	Grade 11	2.5%	6.9%	9.2%	90.8%
	Grade 12	4.6%	4.6%	4.6%	95.4%
Steroids	All	1.5%	2.8%	5.3%	94.7%
	Grade 7	3.2%	4.8%	8.2%	91.8%
	Grade 8	* %	* %	1.7%	98.3%
	Grade 9	3.2%	4.7%	6.2%	93.8%
	Grade 10	* %	2.1%	5.9%	94.1%
	Grade 11	1.8%	5.2%	5.2%	94.8%
	Grade 12	* %	* %	5.6%	94.4%
Ecstasy	All	2.0%	3.9%	4.9%	95.1%
	Grade 7	3.8%	4.6%	5.6%	94.4%
	Grade 8	* %	* %	0.9%	99.1%
	Grade 9	2.9%	12.0%	13.3%	86.7%
	Grade 10	1.8%	1.8%	4.2%	95.8%
	Grade 11	2.6%	2.6%	2.6%	97.4%
	Grade 12	* %	1.8%	1.8%	98.2%
Heroin	All	1.3%	1.9%	3.7%	96.3%
	Grade 7	1.0%	2.3%	5.5%	94.5%
	Grade 8	* %	* %	* %	100.0%
	Grade 9	2.6%	4.3%	10.1%	89.9%
	Grade 10	* %	* %	* %	100.0%
	Grade 11	2.4%	2.4%	2.4%	97.6%
	Grade 12	3.0%	3.0%	3.0%	97.0%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B6: Prevalence and recency of use of selected substances by grade
--> Mexican/American students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	18.3%	25.0%	41.8%	58.2%
	Grade 7	8.1%	11.1%	23.1%	76.9%
	Grade 8	13.4%	18.6%	33.7%	66.3%
	Grade 9	17.1%	24.3%	40.8%	59.2%
	Grade 10	19.7%	28.0%	46.2%	53.8%
	Grade 11	26.6%	35.7%	56.7%	43.3%
	Grade 12	30.5%	38.5%	57.8%	42.2%
Alcohol	All	34.3%	45.1%	67.0%	33.0%
	Grade 7	19.5%	25.6%	49.8%	50.2%
	Grade 8	27.6%	36.8%	60.4%	39.6%
	Grade 9	33.4%	44.3%	65.7%	34.3%
	Grade 10	37.5%	50.4%	72.3%	27.7%
	Grade 11	44.4%	58.6%	79.2%	20.8%
	Grade 12	50.5%	62.1%	80.7%	19.3%
Inhalants	All	7.1%	10.0%	17.5%	82.5%
	Grade 7	9.9%	12.8%	20.6%	79.4%
	Grade 8	10.4%	13.7%	21.9%	78.1%
	Grade 9	6.9%	9.6%	17.5%	82.5%
	Grade 10	4.6%	7.7%	15.1%	84.9%
	Grade 11	4.6%	6.3%	12.5%	87.5%
	Grade 12	5.2%	8.1%	15.3%	84.7%
Any Illicit Drug	All	14.7%	20.4%	31.0%	69.0%
	Grade 7	6.4%	8.6%	13.6%	86.4%
	Grade 8	11.2%	15.0%	22.7%	77.3%
	Grade 9	14.1%	20.0%	29.8%	70.2%
	Grade 10	15.9%	22.1%	36.1%	63.9%
	Grade 11	23.0%	30.7%	44.8%	55.2%
	Grade 12	21.0%	30.5%	46.2%	53.8%
Marijuana	All	12.1%	17.9%	28.4%	71.6%
	Grade 7	4.9%	7.1%	11.9%	88.1%
	Grade 8	9.0%	12.8%	20.5%	79.5%
	Grade 9	11.4%	17.0%	26.7%	73.3%
	Grade 10	12.4%	19.2%	32.4%	67.6%
	Grade 11	20.0%	28.3%	42.4%	57.6%
	Grade 12	18.0%	27.4%	43.4%	56.6%
Marijuana Only	All	4.0%	6.4%	12.2%	87.8%
	Grade 7	2.2%	3.1%	5.9%	94.1%
	Grade 8	3.2%	5.2%	9.9%	90.1%
	Grade 9	3.7%	5.7%	11.1%	88.9%
	Grade 10	3.9%	6.6%	13.8%	86.2%
	Grade 11	6.2%	9.7%	18.1%	81.9%
	Grade 12	5.9%	9.7%	16.8%	83.2%
Cocaine or Crack	All	5.8%	8.5%	13.4%	86.6%
	Grade 7	2.3%	3.1%	5.0%	95.0%
	Grade 8	3.7%	5.0%	8.0%	92.0%
	Grade 9	5.3%	7.8%	12.1%	87.9%
	Grade 10	6.6%	9.9%	16.3%	83.7%
	Grade 11	9.6%	14.1%	20.4%	79.6%
	Grade 12	8.9%	13.9%	23.2%	76.8%
Cocaine	All	5.5%	8.1%	12.9%	87.1%
	Grade 7	1.9%	2.7%	4.4%	95.6%
	Grade 8	3.2%	4.4%	7.2%	92.8%
	Grade 9	4.9%	7.4%	11.6%	88.4%
	Grade 10	6.4%	9.8%	15.8%	84.2%
	Grade 11	9.5%	14.0%	20.3%	79.7%
	Grade 12	8.8%	13.3%	22.6%	77.4%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B6 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.2%	1.9%	3.3%	96.7%
	Grade 7	0.9%	1.4%	2.3%	97.7%
	Grade 8	1.4%	2.1%	3.5%	96.5%
	Grade 9	1.3%	2.0%	3.5%	96.5%
	Grade 10	1.1%	2.0%	3.9%	96.1%
	Grade 11	1.1%	1.6%	2.9%	97.1%
	Grade 12	1.1%	2.1%	4.1%	95.9%
Hallucinogens	All	1.1%	1.8%	3.2%	96.8%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.8%	1.2%	2.1%	97.9%
	Grade 9	1.3%	1.9%	2.9%	97.1%
	Grade 10	1.1%	1.9%	3.3%	96.7%
	Grade 11	1.5%	2.5%	5.2%	94.8%
	Grade 12	2.1%	3.3%	6.0%	94.0%
Uppers	All	2.0%	2.9%	4.4%	95.6%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	0.9%	1.4%	2.1%	97.9%
	Grade 9	1.8%	2.9%	4.2%	95.8%
	Grade 10	2.2%	3.3%	5.6%	94.4%
	Grade 11	5.3%	6.3%	8.2%	91.8%
	Grade 12	2.3%	3.5%	6.8%	93.2%
Downers	All	2.4%	3.4%	5.3%	94.7%
	Grade 7	0.5%	0.7%	0.9%	99.1%
	Grade 8	1.1%	1.6%	2.3%	97.7%
	Grade 9	2.0%	3.2%	5.0%	95.0%
	Grade 10	2.6%	3.8%	6.6%	93.4%
	Grade 11	5.6%	7.5%	9.8%	90.2%
	Grade 12	3.1%	4.9%	9.0%	91.0%
Rohypnol	All	3.5%	5.4%	9.3%	90.7%
	Grade 7	1.7%	2.3%	3.9%	96.1%
	Grade 8	3.3%	4.6%	7.0%	93.0%
	Grade 9	3.8%	6.4%	10.3%	89.7%
	Grade 10	3.8%	6.0%	11.2%	88.8%
	Grade 11	4.8%	7.4%	11.9%	88.1%
	Grade 12	3.5%	5.5%	12.2%	87.8%
Steroids	All	0.5%	0.7%	1.3%	98.7%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	0.5%	0.7%	1.3%	98.7%
	Grade 10	0.3%	0.5%	0.8%	99.2%
	Grade 11	0.7%	0.8%	1.4%	98.6%
	Grade 12	0.6%	1.0%	1.9%	98.1%
Ecstasy	All	1.9%	2.7%	4.6%	95.4%
	Grade 7	0.6%	0.9%	1.6%	98.4%
	Grade 8	1.0%	1.6%	2.9%	97.1%
	Grade 9	1.7%	2.6%	4.4%	95.6%
	Grade 10	1.6%	2.5%	5.0%	95.0%
	Grade 11	4.3%	5.4%	7.2%	92.8%
	Grade 12	2.8%	4.1%	8.3%	91.7%
Heroin	All	0.5%	0.8%	1.4%	98.6%
	Grade 7	0.5%	0.8%	1.3%	98.7%
	Grade 8	0.8%	1.1%	1.8%	98.2%
	Grade 9	0.6%	0.9%	1.5%	98.5%
	Grade 10	0.4%	0.6%	1.0%	99.0%
	Grade 11	0.4%	0.5%	1.0%	99.0%
	Grade 12	0.3%	0.9%	1.8%	98.2%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B7: Prevalence and recency of use of selected substances by grade
--> Students reporting A and B grades

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	15.7%	21.7%	37.8%	62.2%
	Grade 7	5.9%	8.4%	19.6%	80.4%
	Grade 8	10.1%	14.4%	28.7%	71.3%
	Grade 9	13.3%	19.2%	35.0%	65.0%
	Grade 10	16.0%	23.6%	41.7%	58.3%
	Grade 11	24.2%	32.8%	52.7%	47.3%
	Grade 12	29.1%	37.2%	55.3%	44.7%
Alcohol	All	32.2%	43.1%	65.3%	34.7%
	Grade 7	16.9%	23.0%	48.0%	52.0%
	Grade 8	24.7%	33.8%	57.9%	42.1%
	Grade 9	30.6%	41.5%	63.5%	36.5%
	Grade 10	34.3%	47.8%	70.0%	30.0%
	Grade 11	43.3%	57.8%	78.1%	21.9%
	Grade 12	49.1%	60.5%	79.1%	20.9%
Inhalants	All	5.6%	8.0%	14.8%	85.2%
	Grade 7	8.2%	10.8%	17.9%	82.1%
	Grade 8	8.7%	11.6%	18.9%	81.1%
	Grade 9	5.3%	7.5%	14.4%	85.6%
	Grade 10	3.8%	6.6%	13.1%	86.9%
	Grade 11	3.3%	5.0%	10.9%	89.1%
	Grade 12	3.4%	5.1%	12.1%	87.9%
Any Illicit Drug	All	11.5%	16.5%	26.2%	73.8%
	Grade 7	4.6%	6.4%	10.6%	89.4%
	Grade 8	7.7%	10.9%	17.4%	82.6%
	Grade 9	9.9%	14.5%	23.2%	76.8%
	Grade 10	12.6%	18.1%	30.4%	69.6%
	Grade 11	18.4%	26.1%	39.1%	60.9%
	Grade 12	18.9%	27.4%	42.5%	57.5%
Marijuana	All	9.4%	14.3%	23.6%	76.4%
	Grade 7	3.5%	5.2%	8.9%	91.1%
	Grade 8	6.2%	9.3%	15.4%	84.6%
	Grade 9	7.7%	11.7%	20.2%	79.8%
	Grade 10	9.8%	15.6%	27.0%	73.0%
	Grade 11	15.5%	23.5%	36.6%	63.4%
	Grade 12	16.2%	24.4%	39.7%	60.3%
Marijuana Only	All	3.2%	5.4%	10.8%	89.2%
	Grade 7	1.5%	2.3%	4.7%	95.3%
	Grade 8	2.5%	4.2%	8.2%	91.8%
	Grade 9	2.5%	4.2%	9.1%	90.9%
	Grade 10	3.5%	5.8%	12.0%	88.0%
	Grade 11	4.5%	8.0%	15.8%	84.2%
	Grade 12	5.7%	9.5%	17.1%	82.9%
Cocaine or Crack	All	4.4%	6.4%	10.6%	89.4%
	Grade 7	1.6%	2.2%	3.8%	96.2%
	Grade 8	2.2%	3.2%	5.4%	94.6%
	Grade 9	3.5%	5.0%	8.2%	91.8%
	Grade 10	4.8%	7.6%	13.3%	86.7%
	Grade 11	8.3%	11.4%	17.1%	82.9%
	Grade 12	7.5%	11.2%	19.1%	80.9%
Cocaine	All	4.1%	6.1%	10.1%	89.9%
	Grade 7	1.4%	1.9%	3.3%	96.7%
	Grade 8	1.8%	2.6%	4.7%	95.3%
	Grade 9	3.0%	4.6%	7.7%	92.3%
	Grade 10	4.6%	7.4%	12.7%	87.3%
	Grade 11	8.2%	11.3%	17.0%	83.0%
	Grade 12	7.3%	10.9%	18.9%	81.1%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B7 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.9%	1.3%	2.5%	97.5%
	Grade 7	0.5%	0.8%	1.5%	98.5%
	Grade 8	0.9%	1.4%	2.4%	97.6%
	Grade 9	1.0%	1.4%	2.4%	97.6%
	Grade 10	1.0%	1.5%	3.0%	97.0%
	Grade 11	1.0%	1.4%	2.7%	97.3%
	Grade 12	0.7%	1.3%	3.1%	96.9%
Hallucinogens	All	1.0%	1.6%	2.9%	97.1%
	Grade 7	0.4%	0.6%	0.8%	99.2%
	Grade 8	0.6%	0.9%	1.6%	98.4%
	Grade 9	0.8%	1.3%	2.1%	97.9%
	Grade 10	0.9%	1.7%	3.0%	97.0%
	Grade 11	1.4%	2.3%	5.3%	94.7%
	Grade 12	2.1%	3.2%	5.3%	94.7%
Uppers	All	1.9%	2.6%	3.9%	96.1%
	Grade 7	0.5%	0.7%	0.9%	99.1%
	Grade 8	0.5%	0.8%	1.5%	98.5%
	Grade 9	1.2%	2.1%	3.1%	96.9%
	Grade 10	1.8%	2.8%	4.6%	95.4%
	Grade 11	5.8%	6.8%	8.5%	91.5%
	Grade 12	2.1%	3.2%	6.0%	94.0%
Downers	All	1.9%	2.7%	4.2%	95.8%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.6%	0.9%	1.4%	98.6%
	Grade 9	1.3%	2.1%	3.5%	96.5%
	Grade 10	2.0%	2.9%	5.0%	95.0%
	Grade 11	5.1%	7.0%	9.1%	90.9%
	Grade 12	2.7%	3.8%	6.8%	93.2%
Rohypnol	All	2.5%	4.0%	7.3%	92.7%
	Grade 7	1.1%	1.5%	2.7%	97.3%
	Grade 8	2.0%	2.9%	4.8%	95.2%
	Grade 9	2.2%	4.3%	7.7%	92.3%
	Grade 10	2.7%	4.6%	9.4%	90.6%
	Grade 11	3.9%	6.3%	10.2%	89.8%
	Grade 12	3.2%	4.4%	10.2%	89.8%
Steroids	All	0.4%	0.6%	1.2%	98.8%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.3%	0.4%	1.0%	99.0%
	Grade 9	0.4%	0.6%	1.2%	98.8%
	Grade 10	0.3%	0.4%	0.7%	99.3%
	Grade 11	0.7%	0.9%	1.4%	98.6%
	Grade 12	0.6%	0.9%	2.2%	97.8%
Ecstasy	All	1.6%	2.4%	4.2%	95.8%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.6%	1.1%	2.1%	97.9%
	Grade 9	1.1%	1.9%	3.3%	96.7%
	Grade 10	1.2%	2.0%	4.5%	95.5%
	Grade 11	4.8%	5.9%	7.7%	92.3%
	Grade 12	2.5%	3.8%	7.5%	92.5%
Heroin	All	0.4%	0.6%	1.0%	99.0%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.5%	0.7%	1.1%	98.9%
	Grade 9	0.5%	0.8%	1.3%	98.7%
	Grade 10	0.3%	0.5%	0.8%	99.2%
	Grade 11	0.3%	0.5%	0.9%	99.1%
	Grade 12	0.3%	0.4%	0.9%	99.1%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B8: Prevalence and recency of use of selected substances by grade
--> Students reporting C, D, and F grades

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	25.7%	34.3%	52.4%	47.6%
	Grade 7	13.7%	18.3%	32.1%	67.9%
	Grade 8	21.6%	29.4%	46.5%	53.5%
	Grade 9	25.9%	36.2%	54.5%	45.5%
	Grade 10	28.8%	39.0%	57.0%	43.0%
	Grade 11	34.8%	45.3%	66.2%	33.8%
	Grade 12	35.9%	44.4%	67.4%	32.6%
Alcohol	All	39.9%	50.1%	71.6%	28.4%
	Grade 7	26.1%	32.2%	53.9%	46.1%
	Grade 8	33.9%	43.6%	66.5%	33.5%
	Grade 9	40.0%	51.0%	71.8%	28.2%
	Grade 10	45.8%	57.7%	78.5%	21.5%
	Grade 11	47.8%	58.4%	82.1%	17.9%
	Grade 12	54.6%	67.3%	86.2%	13.8%
Inhalants	All	11.5%	15.4%	25.1%	74.9%
	Grade 7	14.2%	17.9%	27.0%	73.0%
	Grade 8	15.1%	19.3%	30.0%	70.0%
	Grade 9	10.6%	14.3%	24.8%	75.2%
	Grade 10	7.0%	11.1%	20.9%	79.1%
	Grade 11	10.0%	12.3%	20.1%	79.9%
	Grade 12	11.4%	18.5%	27.5%	72.5%
Any Illicit Drug	All	23.8%	31.1%	43.9%	56.1%
	Grade 7	11.7%	14.8%	21.7%	78.3%
	Grade 8	20.0%	25.5%	36.4%	63.6%
	Grade 9	24.1%	32.6%	45.0%	55.0%
	Grade 10	24.8%	33.0%	50.5%	49.5%
	Grade 11	37.8%	46.0%	59.4%	40.6%
	Grade 12	30.5%	43.2%	61.5%	38.5%
Marijuana	All	19.8%	27.7%	40.8%	59.2%
	Grade 7	8.9%	12.1%	19.3%	80.7%
	Grade 8	16.3%	22.1%	33.6%	66.4%
	Grade 9	20.1%	29.0%	41.6%	58.4%
	Grade 10	19.3%	28.8%	46.1%	53.9%
	Grade 11	33.9%	42.8%	57.2%	42.8%
	Grade 12	26.3%	39.9%	58.6%	41.4%
Marijuana Only	All	6.2%	9.1%	15.6%	84.4%
	Grade 7	3.8%	4.9%	8.9%	91.1%
	Grade 8	5.1%	7.8%	14.1%	85.9%
	Grade 9	6.4%	9.3%	15.6%	84.4%
	Grade 10	5.1%	9.0%	18.5%	81.5%
	Grade 11	11.4%	14.8%	21.5%	78.5%
	Grade 12	6.9%	10.4%	16.8%	83.2%
Cocaine or Crack	All	9.7%	14.3%	21.0%	79.0%
	Grade 7	4.2%	5.8%	8.7%	91.3%
	Grade 8	7.8%	9.8%	14.8%	85.2%
	Grade 9	9.5%	14.1%	20.8%	79.2%
	Grade 10	11.3%	15.8%	23.4%	76.6%
	Grade 11	14.4%	23.5%	31.2%	68.8%
	Grade 12	14.4%	23.6%	37.1%	62.9%
Cocaine	All	9.2%	13.6%	20.1%	79.9%
	Grade 7	3.4%	4.8%	7.3%	92.7%
	Grade 8	7.0%	8.9%	13.6%	86.4%
	Grade 9	9.0%	13.6%	20.2%	79.8%
	Grade 10	11.0%	15.6%	23.1%	76.9%
	Grade 11	14.0%	23.1%	30.9%	69.1%
	Grade 12	14.3%	21.8%	35.6%	64.4%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B8 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	2.1%	3.7%	6.0%	94.0%
	Grade 7	2.1%	3.2%	4.9%	95.1%
	Grade 8	2.7%	3.9%	6.1%	93.9%
	Grade 9	2.3%	3.7%	6.3%	93.7%
	Grade 10	1.6%	3.5%	6.1%	93.9%
	Grade 11	1.7%	2.9%	5.1%	94.9%
	Grade 12	2.3%	5.5%	7.7%	92.3%
Hallucinogens	All	1.8%	2.7%	4.5%	95.5%
	Grade 7	0.7%	0.9%	1.3%	98.7%
	Grade 8	1.5%	2.1%	3.5%	96.5%
	Grade 9	2.3%	3.4%	4.8%	95.2%
	Grade 10	1.6%	2.5%	4.5%	95.5%
	Grade 11	2.3%	3.6%	5.7%	94.3%
	Grade 12	2.5%	4.2%	9.9%	90.1%
Uppers	All	2.6%	3.9%	6.1%	93.9%
	Grade 7	0.8%	0.9%	1.4%	98.6%
	Grade 8	2.1%	2.9%	4.0%	96.0%
	Grade 9	3.0%	5.1%	7.1%	92.9%
	Grade 10	3.4%	5.0%	8.4%	91.6%
	Grade 11	3.3%	5.0%	7.4%	92.6%
	Grade 12	3.4%	5.0%	9.7%	90.3%
Downers	All	3.7%	5.3%	8.2%	91.8%
	Grade 7	1.1%	1.4%	1.8%	98.2%
	Grade 8	2.7%	3.5%	4.8%	95.2%
	Grade 9	3.4%	5.6%	8.3%	91.7%
	Grade 10	4.5%	6.3%	10.8%	89.2%
	Grade 11	7.0%	8.5%	11.8%	88.2%
	Grade 12	4.6%	8.6%	15.8%	84.2%
Rohypnol	All	6.2%	9.0%	14.2%	85.8%
	Grade 7	3.4%	4.5%	6.8%	93.2%
	Grade 8	6.6%	8.6%	12.6%	87.4%
	Grade 9	7.3%	11.1%	16.5%	83.5%
	Grade 10	6.6%	9.5%	15.9%	84.1%
	Grade 11	7.8%	10.6%	16.8%	83.2%
	Grade 12	4.7%	9.4%	18.0%	82.0%
Steroids	All	0.8%	1.2%	2.0%	98.0%
	Grade 7	1.1%	1.4%	2.2%	97.8%
	Grade 8	1.0%	1.4%	2.3%	97.7%
	Grade 9	0.7%	1.1%	1.9%	98.1%
	Grade 10	0.5%	0.7%	1.2%	98.8%
	Grade 11	0.7%	0.9%	2.1%	97.9%
	Grade 12	0.7%	1.7%	2.8%	97.2%
Ecstasy	All	2.7%	3.7%	6.1%	93.9%
	Grade 7	1.2%	1.6%	2.6%	97.4%
	Grade 8	2.0%	2.7%	5.0%	95.0%
	Grade 9	3.2%	4.5%	7.0%	93.0%
	Grade 10	2.6%	4.0%	6.2%	93.8%
	Grade 11	2.5%	3.9%	5.8%	94.2%
	Grade 12	5.6%	6.7%	12.9%	87.1%
Heroin	All	0.9%	1.5%	2.6%	97.4%
	Grade 7	1.0%	1.4%	2.2%	97.8%
	Grade 8	1.5%	2.2%	3.5%	96.5%
	Grade 9	0.9%	1.4%	2.4%	97.6%
	Grade 10	0.6%	0.9%	1.8%	98.2%
	Grade 11	0.7%	0.7%	1.5%	98.5%
	Grade 12	0.5%	2.9%	5.4%	94.6%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B9: Prevalence and recency of use of selected substances by grade
--> Students living with two parents

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	16.8%	22.6%	38.1%	61.9%
	Grade 7	6.6%	9.2%	19.3%	80.7%
	Grade 8	11.4%	15.8%	29.4%	70.6%
	Grade 9	15.4%	21.7%	37.2%	62.8%
	Grade 10	18.2%	25.2%	42.4%	57.6%
	Grade 11	25.1%	33.5%	53.2%	46.8%
	Grade 12	29.9%	37.2%	55.4%	44.6%
Alcohol	All	32.4%	42.8%	64.3%	35.7%
	Grade 7	17.6%	22.8%	46.0%	54.0%
	Grade 8	25.1%	33.9%	57.1%	42.9%
	Grade 9	31.9%	42.9%	64.0%	36.0%
	Grade 10	35.5%	47.7%	69.4%	30.6%
	Grade 11	41.4%	56.3%	77.1%	22.9%
	Grade 12	50.5%	61.0%	78.7%	21.3%
Inhalants	All	6.8%	9.4%	16.4%	83.6%
	Grade 7	9.2%	11.8%	18.7%	81.3%
	Grade 8	9.4%	12.5%	20.1%	79.9%
	Grade 9	6.7%	9.1%	16.1%	83.9%
	Grade 10	4.0%	6.8%	14.2%	85.8%
	Grade 11	5.0%	6.6%	12.8%	87.2%
	Grade 12	5.2%	8.4%	15.3%	84.7%
Any Illicit Drug	All	13.0%	18.2%	27.6%	72.4%
	Grade 7	5.1%	6.8%	10.8%	89.2%
	Grade 8	8.9%	12.1%	18.4%	81.6%
	Grade 9	11.8%	17.0%	25.5%	74.5%
	Grade 10	13.9%	19.2%	31.7%	68.3%
	Grade 11	22.4%	30.4%	43.4%	56.6%
	Grade 12	20.1%	29.2%	43.8%	56.2%
Marijuana	All	10.6%	15.9%	25.0%	75.0%
	Grade 7	3.7%	5.4%	9.0%	91.0%
	Grade 8	7.1%	10.3%	16.4%	83.6%
	Grade 9	9.1%	14.1%	22.5%	77.5%
	Grade 10	10.5%	16.8%	28.2%	71.8%
	Grade 11	19.6%	27.8%	40.8%	59.2%
	Grade 12	17.5%	26.7%	41.2%	58.8%
Marijuana Only	All	3.8%	6.0%	11.1%	88.9%
	Grade 7	1.8%	2.5%	4.7%	95.3%
	Grade 8	2.8%	4.4%	8.0%	92.0%
	Grade 9	3.2%	5.0%	9.7%	90.3%
	Grade 10	3.6%	6.2%	12.8%	87.2%
	Grade 11	6.5%	10.0%	18.1%	81.9%
	Grade 12	6.1%	9.7%	16.2%	83.8%
Cocaine or Crack	All	5.1%	7.4%	11.7%	88.3%
	Grade 7	1.7%	2.5%	4.0%	96.0%
	Grade 8	3.1%	4.0%	6.5%	93.5%
	Grade 9	4.5%	6.2%	9.9%	90.1%
	Grade 10	5.9%	8.7%	14.1%	85.9%
	Grade 11	8.6%	13.1%	19.0%	81.0%
	Grade 12	8.5%	13.2%	21.9%	78.1%
Cocaine	All	4.7%	7.1%	11.1%	88.9%
	Grade 7	1.4%	2.1%	3.5%	96.5%
	Grade 8	2.6%	3.5%	5.8%	94.2%
	Grade 9	3.9%	5.8%	9.4%	90.6%
	Grade 10	5.8%	8.5%	13.4%	86.6%
	Grade 11	8.5%	13.0%	18.8%	81.2%
	Grade 12	8.4%	12.5%	21.2%	78.8%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B9 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.1%	1.7%	2.9%	97.1%
	Grade 7	0.7%	1.2%	1.9%	98.1%
	Grade 8	1.1%	1.7%	2.7%	97.3%
	Grade 9	1.4%	2.0%	3.1%	96.9%
	Grade 10	1.1%	1.9%	3.9%	96.1%
	Grade 11	1.0%	1.5%	2.6%	97.4%
	Grade 12	1.0%	2.2%	3.7%	96.3%
Hallucinogens	All	1.0%	1.6%	2.9%	97.1%
	Grade 7	0.4%	0.5%	0.7%	99.3%
	Grade 8	0.6%	0.8%	1.5%	98.5%
	Grade 9	1.1%	1.7%	2.4%	97.6%
	Grade 10	0.8%	1.5%	2.7%	97.3%
	Grade 11	1.4%	2.4%	5.4%	94.6%
	Grade 12	2.0%	3.2%	5.9%	94.1%
Uppers	All	1.7%	2.5%	3.7%	96.3%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.5%	0.8%	1.5%	98.5%
	Grade 9	1.4%	2.4%	3.5%	96.5%
	Grade 10	2.0%	3.1%	4.6%	95.4%
	Grade 11	4.5%	5.5%	7.0%	93.0%
	Grade 12	2.4%	3.6%	6.5%	93.5%
Downers	All	2.2%	3.0%	4.5%	95.5%
	Grade 7	0.5%	0.6%	0.8%	99.2%
	Grade 8	0.8%	1.2%	1.9%	98.1%
	Grade 9	1.5%	2.6%	3.9%	96.1%
	Grade 10	2.3%	3.4%	5.3%	94.7%
	Grade 11	5.8%	6.8%	8.7%	91.3%
	Grade 12	3.1%	4.9%	8.7%	91.3%
Rohypnol	All	2.8%	4.4%	7.6%	92.4%
	Grade 7	1.3%	1.7%	2.9%	97.1%
	Grade 8	2.6%	3.6%	5.4%	94.6%
	Grade 9	3.1%	5.2%	8.6%	91.4%
	Grade 10	3.2%	5.2%	9.3%	90.7%
	Grade 11	3.5%	6.1%	9.9%	90.1%
	Grade 12	3.0%	5.0%	10.9%	89.1%
Steroids	All	0.5%	0.7%	1.3%	98.7%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.4%	0.6%	1.3%	98.7%
	Grade 9	0.4%	0.6%	1.2%	98.8%
	Grade 10	0.4%	0.4%	0.8%	99.2%
	Grade 11	0.7%	0.9%	1.5%	98.5%
	Grade 12	0.7%	1.1%	1.8%	98.2%
Ecstasy	All	1.7%	2.4%	4.0%	96.0%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.6%	1.1%	2.2%	97.8%
	Grade 9	1.4%	2.3%	3.6%	96.4%
	Grade 10	1.3%	2.1%	4.4%	95.6%
	Grade 11	4.2%	5.2%	6.8%	93.2%
	Grade 12	2.7%	3.8%	7.8%	92.2%
Heroin	All	0.5%	0.7%	1.3%	98.7%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.6%	0.8%	1.3%	98.7%
	Grade 9	0.6%	0.9%	1.5%	98.5%
	Grade 10	0.3%	0.5%	0.8%	99.2%
	Grade 11	0.5%	0.6%	1.1%	98.9%
	Grade 12	0.3%	1.0%	2.1%	97.9%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B10: Prevalence and recency of use of selected substances by grade
--> Students not living with two parents

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	21.7%	30.2%	49.6%	50.4%
	Grade 7	11.5%	15.8%	31.7%	68.3%
	Grade 8	17.2%	24.1%	42.3%	57.7%
	Grade 9	20.9%	30.0%	48.5%	51.5%
	Grade 10	23.0%	34.1%	54.0%	46.0%
	Grade 11	29.3%	39.6%	63.5%	36.5%
	Grade 12	31.4%	41.4%	62.7%	37.3%
Alcohol	All	37.9%	49.7%	72.6%	27.4%
	Grade 7	23.3%	31.5%	57.8%	42.2%
	Grade 8	31.6%	41.9%	66.7%	33.3%
	Grade 9	36.4%	47.2%	69.3%	30.7%
	Grade 10	41.7%	56.8%	78.7%	21.3%
	Grade 11	49.5%	63.3%	84.2%	15.8%
	Grade 12	49.3%	63.4%	84.3%	15.7%
Inhalants	All	8.1%	11.4%	20.2%	79.8%
	Grade 7	11.5%	15.2%	24.5%	75.5%
	Grade 8	12.3%	16.0%	25.6%	74.4%
	Grade 9	7.7%	11.1%	21.3%	78.7%
	Grade 10	6.2%	10.2%	17.5%	82.5%
	Grade 11	4.7%	6.9%	13.5%	86.5%
	Grade 12	4.7%	7.0%	15.7%	84.3%
Any Illicit Drug	All	18.6%	25.1%	38.5%	61.5%
	Grade 7	9.8%	13.1%	20.1%	79.9%
	Grade 8	15.8%	20.6%	31.2%	68.8%
	Grade 9	19.5%	26.5%	38.8%	61.2%
	Grade 10	20.4%	28.9%	46.0%	54.0%
	Grade 11	23.7%	30.6%	47.2%	52.8%
	Grade 12	23.4%	33.2%	51.5%	48.5%
Marijuana	All	15.3%	22.0%	35.6%	64.4%
	Grade 7	7.6%	10.8%	18.1%	81.9%
	Grade 8	12.8%	18.0%	28.7%	71.3%
	Grade 9	16.5%	23.3%	35.5%	64.5%
	Grade 10	16.6%	24.9%	41.9%	58.1%
	Grade 11	19.9%	28.0%	45.2%	54.8%
	Grade 12	19.4%	29.0%	48.2%	51.8%
Marijuana Only	All	4.5%	7.3%	14.6%	85.4%
	Grade 7	3.0%	4.4%	8.6%	91.4%
	Grade 8	4.2%	6.8%	13.7%	86.3%
	Grade 9	4.7%	7.3%	13.9%	86.1%
	Grade 10	4.5%	7.8%	16.5%	83.5%
	Grade 11	5.2%	8.4%	17.9%	82.1%
	Grade 12	5.4%	9.4%	18.5%	81.5%
Cocaine or Crack	All	7.4%	10.8%	16.8%	83.2%
	Grade 7	3.6%	4.6%	7.5%	92.5%
	Grade 8	5.2%	6.9%	11.1%	88.9%
	Grade 9	7.2%	11.0%	16.6%	83.4%
	Grade 10	8.0%	12.6%	20.7%	79.3%
	Grade 11	12.0%	16.5%	23.4%	76.6%
	Grade 12	9.7%	14.7%	24.7%	75.3%
Cocaine	All	7.1%	10.3%	16.3%	83.7%
	Grade 7	3.1%	3.9%	6.5%	93.5%
	Grade 8	4.5%	6.2%	10.0%	90.0%
	Grade 9	6.9%	10.7%	16.0%	84.0%
	Grade 10	7.8%	12.4%	20.5%	79.5%
	Grade 11	11.8%	16.2%	23.2%	76.8%
	Grade 12	9.5%	14.5%	24.7%	75.3%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B10 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.5%	2.4%	4.5%	95.5%
	Grade 7	1.5%	2.1%	3.6%	96.4%
	Grade 8	2.1%	3.0%	5.1%	94.9%
	Grade 9	1.5%	2.4%	4.6%	95.4%
	Grade 10	1.2%	2.4%	4.0%	96.0%
	Grade 11	1.5%	2.2%	5.0%	95.0%
	Grade 12	1.1%	2.1%	4.8%	95.2%
Hallucinogens	All	1.6%	2.5%	4.2%	95.8%
	Grade 7	0.7%	1.0%	1.5%	98.5%
	Grade 8	1.4%	2.2%	3.3%	96.7%
	Grade 9	1.7%	2.7%	4.1%	95.9%
	Grade 10	1.8%	2.8%	4.9%	95.1%
	Grade 11	1.9%	3.1%	5.1%	94.9%
	Grade 12	2.4%	3.7%	6.7%	93.3%
Uppers	All	2.8%	3.9%	6.1%	93.9%
	Grade 7	1.0%	1.3%	1.8%	98.2%
	Grade 8	1.8%	2.6%	3.5%	96.5%
	Grade 9	2.7%	4.4%	6.2%	93.8%
	Grade 10	2.6%	4.2%	8.1%	91.9%
	Grade 11	6.3%	7.8%	10.7%	89.3%
	Grade 12	2.3%	3.6%	7.3%	92.7%
Downers	All	2.8%	4.3%	6.8%	93.2%
	Grade 7	0.8%	1.1%	1.6%	98.4%
	Grade 8	1.9%	2.5%	3.2%	96.8%
	Grade 9	3.1%	4.5%	7.4%	92.6%
	Grade 10	3.5%	4.9%	9.4%	90.6%
	Grade 11	4.7%	8.4%	11.7%	88.3%
	Grade 12	3.0%	4.5%	8.6%	91.4%
Rohypnol	All	5.0%	7.3%	12.5%	87.5%
	Grade 7	2.8%	3.8%	6.1%	93.9%
	Grade 8	4.8%	6.5%	10.1%	89.9%
	Grade 9	5.4%	9.0%	14.1%	85.9%
	Grade 10	5.1%	7.8%	15.5%	84.5%
	Grade 11	7.5%	9.8%	15.6%	84.4%
	Grade 12	4.4%	6.5%	13.8%	86.2%
Steroids	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.8%	1.0%	1.6%	98.4%
	Grade 8	0.7%	0.8%	1.5%	98.5%
	Grade 9	0.8%	1.0%	1.9%	98.1%
	Grade 10	0.3%	0.6%	1.0%	99.0%
	Grade 11	0.5%	0.8%	1.5%	98.5%
	Grade 12	0.5%	0.9%	3.4%	96.6%
Ecstasy	All	2.5%	3.7%	6.1%	93.9%
	Grade 7	1.1%	1.7%	2.7%	97.3%
	Grade 8	1.9%	2.6%	4.5%	95.5%
	Grade 9	2.5%	3.6%	6.2%	93.8%
	Grade 10	2.1%	3.4%	6.2%	93.8%
	Grade 11	4.0%	5.6%	8.0%	92.0%
	Grade 12	3.8%	5.7%	10.2%	89.8%
Heroin	All	0.7%	1.0%	1.8%	98.2%
	Grade 7	0.8%	1.2%	2.0%	98.0%
	Grade 8	1.1%	1.8%	2.7%	97.3%
	Grade 9	0.8%	1.1%	2.0%	98.0%
	Grade 10	0.5%	0.8%	1.6%	98.4%
	Grade 11	0.3%	0.4%	0.9%	99.1%
	Grade 12	0.5%	0.7%	1.2%	98.8%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B11: Prevalence and recency of use of selected substances by grade
--> Students who would seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	16.5%	22.8%	39.5%	60.5%
	Grade 7	6.6%	9.0%	20.2%	79.8%
	Grade 8	11.5%	16.1%	30.4%	69.6%
	Grade 9	15.3%	21.8%	38.6%	61.4%
	Grade 10	17.7%	25.2%	43.2%	56.8%
	Grade 11	24.1%	33.3%	55.3%	44.7%
	Grade 12	28.8%	36.7%	56.5%	43.5%
Alcohol	All	32.1%	42.8%	65.6%	34.4%
	Grade 7	16.8%	22.3%	46.4%	53.6%
	Grade 8	24.8%	33.8%	58.0%	42.0%
	Grade 9	31.7%	42.3%	64.9%	35.1%
	Grade 10	35.5%	49.3%	71.4%	28.6%
	Grade 11	41.8%	55.8%	79.2%	20.8%
	Grade 12	48.1%	60.0%	79.6%	20.4%
Inhalants	All	6.2%	8.7%	15.6%	84.4%
	Grade 7	8.6%	11.4%	18.3%	81.7%
	Grade 8	9.2%	12.1%	19.5%	80.5%
	Grade 9	5.8%	8.3%	15.6%	84.4%
	Grade 10	3.7%	6.5%	13.6%	86.4%
	Grade 11	3.4%	5.1%	10.9%	89.1%
	Grade 12	5.5%	7.8%	14.8%	85.2%
Any Illicit Drug	All	12.9%	18.2%	28.2%	71.8%
	Grade 7	5.0%	6.8%	11.3%	88.7%
	Grade 8	8.9%	12.2%	18.9%	81.1%
	Grade 9	11.4%	16.9%	26.3%	73.7%
	Grade 10	13.6%	19.1%	32.3%	67.7%
	Grade 11	22.0%	29.8%	42.7%	57.3%
	Grade 12	19.7%	29.2%	44.5%	55.5%
Marijuana	All	10.6%	16.0%	25.7%	74.3%
	Grade 7	3.8%	5.6%	9.6%	90.4%
	Grade 8	7.2%	10.6%	17.0%	83.0%
	Grade 9	9.2%	14.3%	23.5%	76.5%
	Grade 10	10.7%	16.8%	29.2%	70.8%
	Grade 11	18.8%	27.1%	40.4%	59.6%
	Grade 12	17.0%	26.1%	41.4%	58.6%
Marijuana Only	All	3.7%	6.0%	11.5%	88.5%
	Grade 7	1.7%	2.3%	4.9%	95.1%
	Grade 8	2.8%	4.6%	8.5%	91.5%
	Grade 9	3.2%	5.2%	10.5%	89.5%
	Grade 10	3.5%	6.2%	13.3%	86.7%
	Grade 11	6.2%	9.7%	17.4%	82.6%
	Grade 12	5.9%	9.6%	16.9%	83.1%
Cocaine or Crack	All	5.0%	7.3%	11.8%	88.2%
	Grade 7	1.9%	2.5%	4.1%	95.9%
	Grade 8	2.8%	3.8%	6.5%	93.5%
	Grade 9	4.1%	6.3%	9.8%	90.2%
	Grade 10	5.5%	8.4%	13.9%	86.1%
	Grade 11	9.9%	13.1%	19.3%	80.7%
	Grade 12	7.5%	12.4%	21.1%	78.9%
Cocaine	All	4.8%	7.0%	11.3%	88.7%
	Grade 7	1.6%	2.1%	3.5%	96.5%
	Grade 8	2.4%	3.3%	5.9%	94.1%
	Grade 9	3.7%	6.0%	9.5%	90.5%
	Grade 10	5.4%	8.3%	13.4%	86.6%
	Grade 11	9.8%	13.0%	19.2%	80.8%
	Grade 12	7.4%	11.7%	20.4%	79.6%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B11 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.9%	1.5%	2.7%	97.3%
	Grade 7	0.7%	1.1%	1.9%	98.1%
	Grade 8	1.1%	1.6%	2.7%	97.3%
	Grade 9	1.2%	1.8%	2.7%	97.3%
	Grade 10	0.9%	1.5%	2.9%	97.1%
	Grade 11	0.8%	1.3%	2.7%	97.3%
	Grade 12	0.8%	1.9%	3.7%	96.3%
Hallucinogens	All	1.0%	1.5%	2.9%	97.1%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.6%	0.9%	1.7%	98.3%
	Grade 9	1.0%	1.6%	2.5%	97.5%
	Grade 10	0.9%	1.5%	2.8%	97.2%
	Grade 11	1.3%	2.2%	5.1%	94.9%
	Grade 12	1.9%	3.1%	6.1%	93.9%
Uppers	All	1.8%	2.6%	4.1%	95.9%
	Grade 7	0.4%	0.6%	0.8%	99.2%
	Grade 8	0.7%	1.1%	1.7%	98.3%
	Grade 9	1.3%	2.4%	3.6%	96.4%
	Grade 10	1.8%	2.8%	5.0%	95.0%
	Grade 11	5.4%	6.5%	8.2%	91.8%
	Grade 12	1.9%	3.0%	6.3%	93.7%
Downers	All	2.0%	3.0%	4.8%	95.2%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.8%	1.2%	1.8%	98.2%
	Grade 9	1.5%	2.6%	4.3%	95.7%
	Grade 10	2.1%	3.1%	5.6%	94.4%
	Grade 11	5.9%	7.9%	10.0%	90.0%
	Grade 12	2.4%	4.2%	8.0%	92.0%
Rohypnol	All	2.9%	4.5%	8.2%	91.8%
	Grade 7	1.2%	1.7%	2.9%	97.1%
	Grade 8	2.6%	3.6%	5.8%	94.2%
	Grade 9	2.9%	5.1%	8.8%	91.2%
	Grade 10	2.9%	4.8%	9.6%	90.4%
	Grade 11	4.9%	7.3%	11.4%	88.6%
	Grade 12	3.2%	5.1%	11.7%	88.3%
Steroids	All	0.4%	0.6%	1.2%	98.8%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	0.3%	0.5%	1.1%	98.9%
	Grade 9	0.4%	0.6%	1.3%	98.7%
	Grade 10	0.3%	0.4%	0.7%	99.3%
	Grade 11	0.5%	0.7%	1.2%	98.8%
	Grade 12	0.5%	0.7%	2.2%	97.8%
Ecstasy	All	1.7%	2.5%	4.2%	95.8%
	Grade 7	0.4%	0.7%	1.3%	98.7%
	Grade 8	0.7%	1.2%	2.4%	97.6%
	Grade 9	1.2%	2.2%	3.8%	96.2%
	Grade 10	1.2%	2.0%	3.9%	96.1%
	Grade 11	4.4%	5.5%	7.2%	92.8%
	Grade 12	2.7%	4.0%	8.1%	91.9%
Heroin	All	0.4%	0.6%	1.1%	98.9%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.6%	0.8%	1.4%	98.6%
	Grade 9	0.4%	0.7%	1.2%	98.8%
	Grade 10	0.3%	0.4%	0.8%	99.2%
	Grade 11	0.2%	0.3%	0.7%	99.3%
	Grade 12	0.1%	0.8%	1.7%	98.3%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B12: Prevalence and recency of use of selected substances by grade
--> Students who wouldn't seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	25.1%	33.2%	48.7%	51.3%
	Grade 7	12.5%	17.3%	31.2%	68.8%
	Grade 8	18.4%	25.5%	43.1%	56.9%
	Grade 9	24.4%	33.5%	47.7%	52.3%
	Grade 10	26.0%	35.5%	53.1%	46.9%
	Grade 11	39.3%	48.4%	61.8%	38.2%
	Grade 12	34.4%	43.5%	59.2%	40.8%
Alcohol	All	42.1%	52.9%	71.2%	28.8%
	Grade 7	27.4%	35.8%	57.5%	42.5%
	Grade 8	34.8%	44.8%	66.8%	33.2%
	Grade 9	40.0%	52.1%	69.5%	30.5%
	Grade 10	44.6%	55.1%	73.7%	26.3%
	Grade 11	56.8%	68.7%	81.7%	18.3%
	Grade 12	55.3%	66.4%	82.6%	17.4%
Inhalants	All	10.8%	14.8%	23.9%	76.1%
	Grade 7	14.4%	18.1%	27.5%	72.5%
	Grade 8	14.1%	18.7%	30.2%	69.8%
	Grade 9	10.7%	14.5%	23.5%	76.5%
	Grade 10	8.1%	13.1%	20.1%	79.9%
	Grade 11	12.0%	14.7%	23.0%	77.0%
	Grade 12	3.4%	7.5%	16.7%	83.3%
Any Illicit Drug	All	21.1%	28.1%	40.1%	59.9%
	Grade 7	11.3%	14.9%	21.1%	78.9%
	Grade 8	17.8%	23.4%	33.7%	66.3%
	Grade 9	22.5%	29.9%	40.4%	59.6%
	Grade 10	23.0%	32.4%	47.0%	53.0%
	Grade 11	27.8%	34.8%	49.5%	50.5%
	Grade 12	25.7%	34.7%	52.4%	47.6%
Marijuana	All	17.7%	24.7%	36.7%	63.3%
	Grade 7	8.7%	12.1%	18.6%	81.4%
	Grade 8	14.1%	19.8%	30.6%	69.4%
	Grade 9	18.9%	26.0%	36.2%	63.8%
	Grade 10	18.6%	27.7%	41.6%	58.4%
	Grade 11	24.7%	32.5%	46.9%	53.1%
	Grade 12	22.1%	32.2%	50.8%	49.2%
Marijuana Only	All	5.4%	8.2%	14.3%	85.7%
	Grade 7	4.0%	5.9%	9.4%	90.6%
	Grade 8	4.8%	7.6%	14.2%	85.8%
	Grade 9	6.1%	8.5%	13.7%	86.3%
	Grade 10	6.1%	9.4%	16.2%	83.8%
	Grade 11	5.7%	8.5%	16.3%	83.7%
	Grade 12	5.4%	9.7%	17.0%	83.0%
Cocaine or Crack	All	8.3%	12.4%	18.8%	81.2%
	Grade 7	3.8%	5.5%	8.3%	91.7%
	Grade 8	6.6%	8.5%	12.4%	87.6%
	Grade 9	8.9%	11.7%	17.7%	82.3%
	Grade 10	8.9%	13.8%	23.2%	76.8%
	Grade 11	9.4%	19.8%	26.1%	73.9%
	Grade 12	13.6%	18.0%	29.0%	71.0%
Cocaine	All	7.8%	12.0%	17.9%	82.1%
	Grade 7	3.3%	5.0%	7.3%	92.7%
	Grade 8	5.7%	7.5%	10.8%	89.2%
	Grade 9	8.4%	11.1%	16.7%	83.3%
	Grade 10	8.7%	13.6%	22.4%	77.6%
	Grade 11	9.1%	19.7%	25.9%	74.1%
	Grade 12	13.1%	17.8%	28.6%	71.4%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B12 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.9%	3.0%	5.6%	94.4%
	Grade 7	1.3%	2.2%	4.2%	95.8%
	Grade 8	2.4%	3.6%	5.7%	94.3%
	Grade 9	2.1%	2.8%	5.9%	94.1%
	Grade 10	1.1%	3.2%	6.7%	93.3%
	Grade 11	2.4%	3.2%	5.5%	94.5%
	Grade 12	2.5%	3.5%	5.1%	94.9%
Hallucinogens	All	2.0%	3.0%	4.6%	95.4%
	Grade 7	1.0%	1.4%	1.8%	98.2%
	Grade 8	1.6%	2.4%	3.6%	96.4%
	Grade 9	2.2%	3.1%	4.7%	95.3%
	Grade 10	1.9%	3.2%	5.5%	94.5%
	Grade 11	2.7%	4.4%	7.1%	92.9%
	Grade 12	2.7%	4.2%	5.7%	94.3%
Uppers	All	2.9%	4.2%	5.9%	94.1%
	Grade 7	1.2%	1.5%	2.1%	97.9%
	Grade 8	1.4%	2.2%	3.2%	96.8%
	Grade 9	2.9%	5.0%	6.5%	93.5%
	Grade 10	3.6%	5.6%	7.5%	92.5%
	Grade 11	4.6%	6.1%	8.7%	91.3%
	Grade 12	4.3%	5.5%	8.4%	91.6%
Downers	All	3.4%	4.7%	6.8%	93.2%
	Grade 7	1.7%	2.1%	2.7%	97.3%
	Grade 8	2.0%	2.6%	3.5%	96.5%
	Grade 9	3.5%	5.3%	7.4%	92.6%
	Grade 10	4.6%	6.7%	9.3%	90.7%
	Grade 11	4.0%	5.5%	8.5%	91.5%
	Grade 12	4.8%	6.4%	10.2%	89.8%
Rohypnol	All	5.1%	7.8%	11.9%	88.1%
	Grade 7	3.2%	4.0%	6.3%	93.7%
	Grade 8	5.5%	7.3%	10.2%	89.8%
	Grade 9	5.9%	9.7%	13.7%	86.3%
	Grade 10	6.6%	10.2%	15.4%	84.6%
	Grade 11	4.3%	7.7%	13.4%	86.6%
	Grade 12	3.6%	6.2%	11.3%	88.7%
Steroids	All	0.9%	1.2%	2.0%	98.0%
	Grade 7	1.0%	1.3%	2.4%	97.6%
	Grade 8	0.9%	1.3%	2.1%	97.9%
	Grade 9	0.6%	1.1%	1.6%	98.4%
	Grade 10	0.6%	0.8%	1.3%	98.7%
	Grade 11	1.5%	1.8%	3.0%	97.0%
	Grade 12	0.7%	1.3%	2.1%	97.9%
Ecstasy	All	2.7%	3.8%	6.3%	93.7%
	Grade 7	1.4%	1.9%	2.8%	97.2%
	Grade 8	2.0%	2.8%	4.5%	95.5%
	Grade 9	2.6%	3.7%	5.7%	94.3%
	Grade 10	2.9%	4.3%	8.4%	91.6%
	Grade 11	3.1%	4.8%	7.8%	92.2%
	Grade 12	4.8%	6.1%	9.8%	90.2%
Heroin	All	0.9%	1.3%	2.3%	97.7%
	Grade 7	0.9%	1.2%	2.2%	97.8%
	Grade 8	1.2%	1.8%	2.9%	97.1%
	Grade 9	1.0%	1.6%	2.5%	97.5%
	Grade 10	0.6%	1.0%	1.8%	98.2%
	Grade 11	1.2%	1.3%	2.6%	97.4%
	Grade 12	0.5%	0.6%	1.2%	98.8%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B13: Prevalence and recency of use of selected substances by grade
--> Students living in town three years or less

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	18.5%	25.0%	42.7%	57.3%
	Grade 7	8.9%	11.7%	25.4%	74.6%
	Grade 8	14.4%	19.2%	35.1%	64.9%
	Grade 9	17.9%	25.0%	42.4%	57.6%
	Grade 10	22.1%	29.3%	49.0%	51.0%
	Grade 11	29.8%	39.2%	59.4%	40.6%
	Grade 12	26.1%	37.9%	65.1%	34.9%
Alcohol	All	31.9%	41.4%	64.0%	36.0%
	Grade 7	19.0%	24.9%	47.7%	52.3%
	Grade 8	26.5%	34.3%	57.2%	42.8%
	Grade 9	30.1%	39.5%	62.3%	37.7%
	Grade 10	36.8%	48.5%	70.7%	29.3%
	Grade 11	45.5%	57.8%	81.3%	18.7%
	Grade 12	50.4%	64.7%	82.9%	17.1%
Inhalants	All	8.0%	10.8%	18.0%	82.0%
	Grade 7	9.6%	12.4%	20.2%	79.8%
	Grade 8	10.9%	14.1%	22.3%	77.7%
	Grade 9	6.3%	9.2%	17.4%	82.6%
	Grade 10	5.3%	8.7%	14.7%	85.3%
	Grade 11	6.8%	8.3%	13.3%	86.7%
	Grade 12	11.5%	13.3%	21.3%	78.7%
Any Illicit Drug	All	15.5%	20.7%	30.6%	69.4%
	Grade 7	7.0%	9.6%	15.2%	84.8%
	Grade 8	12.1%	15.0%	23.1%	76.9%
	Grade 9	13.5%	18.7%	27.2%	72.8%
	Grade 10	16.9%	22.1%	37.3%	62.7%
	Grade 11	30.2%	38.2%	49.8%	50.2%
	Grade 12	18.4%	32.4%	49.9%	50.1%
Marijuana	All	12.8%	18.1%	27.8%	72.2%
	Grade 7	5.3%	7.7%	13.3%	86.7%
	Grade 8	9.7%	12.9%	20.9%	79.1%
	Grade 9	10.4%	15.5%	24.1%	75.9%
	Grade 10	12.5%	18.7%	32.8%	67.2%
	Grade 11	27.7%	36.1%	47.6%	52.4%
	Grade 12	16.3%	30.3%	46.9%	53.1%
Marijuana Only	All	4.0%	6.3%	11.5%	88.5%
	Grade 7	2.3%	3.2%	6.5%	93.5%
	Grade 8	3.6%	5.0%	9.7%	90.3%
	Grade 9	3.0%	4.6%	9.3%	90.7%
	Grade 10	3.5%	5.6%	12.2%	87.8%
	Grade 11	8.4%	13.0%	18.9%	81.1%
	Grade 12	3.9%	12.6%	21.4%	78.6%
Cocaine or Crack	All	5.9%	8.6%	13.3%	86.7%
	Grade 7	2.4%	3.6%	5.5%	94.5%
	Grade 8	3.9%	5.3%	8.3%	91.7%
	Grade 9	5.5%	7.6%	11.6%	88.4%
	Grade 10	8.0%	10.8%	19.1%	80.9%
	Grade 11	9.6%	16.5%	22.3%	77.7%
	Grade 12	9.5%	12.9%	22.0%	78.0%
Cocaine	All	5.5%	8.2%	12.6%	87.4%
	Grade 7	1.9%	3.0%	4.6%	95.4%
	Grade 8	3.2%	4.6%	7.2%	92.8%
	Grade 9	5.1%	7.1%	10.8%	89.2%
	Grade 10	7.7%	10.5%	18.4%	81.6%
	Grade 11	9.4%	16.5%	22.3%	77.7%
	Grade 12	9.5%	13.0%	22.0%	78.0%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B13 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.3%	2.0%	3.5%	96.5%
	Grade 7	1.0%	1.4%	2.4%	97.6%
	Grade 8	1.7%	2.2%	3.8%	96.2%
	Grade 9	1.5%	2.0%	3.6%	96.4%
	Grade 10	1.5%	2.8%	5.0%	95.0%
	Grade 11	0.9%	1.4%	2.3%	97.7%
	Grade 12	1.2%	2.3%	4.8%	95.2%
Hallucinogens	All	1.3%	1.9%	3.0%	97.0%
	Grade 7	0.4%	0.7%	1.0%	99.0%
	Grade 8	1.0%	1.5%	2.5%	97.5%
	Grade 9	1.1%	1.7%	2.8%	97.2%
	Grade 10	1.2%	1.9%	3.2%	96.8%
	Grade 11	1.5%	2.4%	3.8%	96.2%
	Grade 12	6.2%	7.1%	10.7%	89.3%
Uppers	All	2.4%	3.2%	4.6%	95.4%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	1.0%	1.6%	2.4%	97.6%
	Grade 9	1.8%	2.8%	3.9%	96.1%
	Grade 10	2.7%	3.8%	6.1%	93.9%
	Grade 11	5.4%	6.7%	8.4%	91.6%
	Grade 12	6.3%	7.7%	11.7%	88.3%
Downers	All	3.2%	4.0%	5.4%	94.6%
	Grade 7	0.7%	0.8%	1.2%	98.8%
	Grade 8	1.4%	2.0%	2.7%	97.3%
	Grade 9	1.7%	2.8%	4.0%	96.0%
	Grade 10	4.0%	5.1%	7.6%	92.4%
	Grade 11	8.0%	9.4%	11.6%	88.4%
	Grade 12	7.6%	8.6%	12.0%	88.0%
Rohypnol	All	3.7%	5.7%	9.0%	91.0%
	Grade 7	1.9%	2.5%	4.2%	95.8%
	Grade 8	3.9%	5.1%	7.6%	92.4%
	Grade 9	3.6%	6.5%	9.9%	90.1%
	Grade 10	3.5%	6.5%	11.8%	88.2%
	Grade 11	4.9%	6.9%	10.6%	89.4%
	Grade 12	7.9%	9.0%	15.1%	84.9%
Steroids	All	0.6%	0.8%	1.3%	98.7%
	Grade 7	0.7%	1.0%	1.6%	98.4%
	Grade 8	0.6%	0.7%	1.4%	98.6%
	Grade 9	0.5%	0.7%	1.0%	99.0%
	Grade 10	0.4%	0.6%	1.0%	99.0%
	Grade 11	0.6%	0.8%	1.3%	98.7%
	Grade 12	1.0%	1.7%	3.8%	96.2%
Ecstasy	All	2.3%	3.1%	5.0%	95.0%
	Grade 7	0.8%	1.0%	1.5%	98.5%
	Grade 8	1.4%	2.0%	3.4%	96.6%
	Grade 9	2.0%	3.0%	4.7%	95.3%
	Grade 10	1.7%	2.7%	5.8%	94.2%
	Grade 11	5.6%	6.5%	8.3%	91.7%
	Grade 12	5.4%	7.2%	12.2%	87.8%
Heroin	All	0.6%	0.8%	1.4%	98.6%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	1.0%	1.3%	2.1%	97.9%
	Grade 9	0.5%	0.9%	1.4%	98.6%
	Grade 10	0.5%	0.7%	1.4%	98.6%
	Grade 11	0.3%	0.4%	0.7%	99.3%
	Grade 12	0.4%	0.6%	1.5%	98.5%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B14: Prevalence and recency of use of selected substances by grade
--> Students living in town more than three years

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	18.2%	25.1%	41.4%	58.6%
	Grade 7	7.7%	10.9%	22.0%	78.0%
	Grade 8	12.7%	18.1%	32.8%	67.2%
	Grade 9	16.7%	24.0%	40.0%	60.0%
	Grade 10	18.8%	27.5%	44.8%	55.2%
	Grade 11	25.0%	33.9%	55.4%	44.6%
Alcohol	All	35.1%	46.5%	68.1%	31.9%
	Grade 7	19.6%	26.0%	50.7%	49.3%
	Grade 8	27.5%	37.4%	61.4%	38.6%
	Grade 9	34.7%	46.2%	67.2%	32.8%
	Grade 10	37.8%	51.6%	72.8%	27.2%
	Grade 11	43.4%	59.0%	78.8%	21.2%
Inhalants	All	6.8%	9.7%	17.4%	82.6%
	Grade 7	10.0%	13.0%	20.6%	79.4%
	Grade 8	10.2%	13.4%	21.7%	78.3%
	Grade 9	7.1%	9.7%	17.7%	82.3%
	Grade 10	4.5%	7.6%	15.6%	84.4%
	Grade 11	4.1%	6.1%	12.9%	87.1%
Any Illicit Drug	All	14.5%	20.2%	31.2%	68.8%
	Grade 7	6.3%	8.3%	13.0%	87.0%
	Grade 8	10.5%	14.6%	22.0%	78.0%
	Grade 9	14.4%	20.4%	30.8%	69.2%
	Grade 10	15.6%	22.2%	35.7%	64.3%
	Grade 11	19.7%	27.3%	42.5%	57.5%
Marijuana	All	11.9%	17.7%	28.5%	71.5%
	Grade 7	4.8%	6.8%	11.1%	88.9%
	Grade 8	8.5%	12.6%	19.9%	80.1%
	Grade 9	11.8%	17.5%	27.7%	72.3%
	Grade 10	12.5%	19.6%	32.4%	67.6%
	Grade 11	16.2%	24.4%	40.1%	59.9%
Marijuana Only	All	4.0%	6.3%	12.5%	87.5%
	Grade 7	2.1%	3.0%	5.5%	94.5%
	Grade 8	3.0%	5.1%	9.8%	90.2%
	Grade 9	3.9%	6.2%	11.8%	88.2%
	Grade 10	4.1%	6.9%	14.5%	85.5%
	Grade 11	5.1%	8.0%	17.8%	82.2%
Cocaine or Crack	All	5.8%	8.5%	13.4%	86.6%
	Grade 7	2.2%	3.0%	5.0%	95.0%
	Grade 8	3.6%	4.7%	7.6%	92.4%
	Grade 9	5.2%	7.8%	12.2%	87.8%
	Grade 10	6.0%	9.6%	15.1%	84.9%
	Grade 11	9.7%	13.1%	19.5%	80.5%
Cocaine	All	5.5%	8.0%	12.8%	87.2%
	Grade 7	1.9%	2.6%	4.3%	95.7%
	Grade 8	3.1%	4.2%	6.9%	93.1%
	Grade 9	4.7%	7.4%	11.8%	88.2%
	Grade 10	5.9%	9.4%	14.6%	85.4%
	Grade 11	9.5%	12.9%	19.3%	80.7%
	Grade 12	8.7%	13.2%	22.4%	77.6%

Border- Grades 7-12
Spring 2004 V4(10/22/04)

Table B14 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.2%	1.9%	3.4%	96.6%
	Grade 7	1.0%	1.5%	2.5%	97.5%
	Grade 8	1.3%	2.0%	3.3%	96.7%
	Grade 9	1.4%	2.1%	3.6%	96.4%
	Grade 10	1.0%	1.7%	3.5%	96.5%
	Grade 11	1.2%	1.8%	3.7%	96.3%
	Grade 12	1.0%	2.1%	3.9%	96.1%
Hallucinogens	All	1.1%	1.9%	3.4%	96.6%
	Grade 7	0.5%	0.7%	1.0%	99.0%
	Grade 8	0.8%	1.1%	2.0%	98.0%
	Grade 9	1.4%	2.1%	3.0%	97.0%
	Grade 10	1.1%	1.9%	3.5%	96.5%
	Grade 11	1.5%	2.6%	6.0%	94.0%
	Grade 12	1.6%	2.9%	5.6%	94.4%
Uppers	All	2.0%	2.8%	4.4%	95.6%
	Grade 7	0.6%	0.7%	1.0%	99.0%
	Grade 8	0.9%	1.3%	2.0%	98.0%
	Grade 9	1.8%	3.1%	4.5%	95.5%
	Grade 10	2.0%	3.3%	5.5%	94.5%
	Grade 11	4.9%	6.0%	8.0%	92.0%
	Grade 12	1.9%	3.0%	6.1%	93.9%
Downers	All	2.1%	3.2%	5.2%	94.8%
	Grade 7	0.6%	0.7%	1.0%	99.0%
	Grade 8	1.0%	1.4%	2.1%	97.9%
	Grade 9	2.2%	3.4%	5.4%	94.6%
	Grade 10	2.2%	3.4%	6.3%	93.7%
	Grade 11	4.3%	6.3%	8.8%	91.2%
	Grade 12	2.5%	4.3%	8.3%	91.7%
Rohypnol	All	3.4%	5.2%	9.2%	90.8%
	Grade 7	1.7%	2.3%	3.8%	96.2%
	Grade 8	3.0%	4.2%	6.5%	93.5%
	Grade 9	3.9%	6.3%	10.5%	89.5%
	Grade 10	3.9%	5.9%	11.0%	89.0%
	Grade 11	4.7%	7.4%	12.2%	87.8%
	Grade 12	2.9%	5.0%	11.4%	88.6%
Steroids	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.6%	0.7%	1.3%	98.7%
	Grade 8	0.4%	0.6%	1.3%	98.7%
	Grade 9	0.4%	0.7%	1.5%	98.5%
	Grade 10	0.3%	0.4%	0.8%	99.2%
	Grade 11	0.6%	0.9%	1.6%	98.4%
	Grade 12	0.6%	1.0%	2.1%	97.9%
Ecstasy	All	1.7%	2.6%	4.6%	95.4%
	Grade 7	0.6%	1.0%	1.7%	98.3%
	Grade 8	0.8%	1.4%	2.7%	97.3%
	Grade 9	1.6%	2.5%	4.3%	95.7%
	Grade 10	1.5%	2.5%	4.7%	95.3%
	Grade 11	3.5%	4.7%	6.6%	93.4%
	Grade 12	2.8%	4.1%	8.1%	91.9%
Heroin	All	0.5%	0.8%	1.5%	98.5%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	0.6%	1.0%	1.7%	98.3%
	Grade 9	0.7%	1.0%	1.6%	98.4%
	Grade 10	0.4%	0.5%	0.9%	99.1%
	Grade 11	0.4%	0.5%	1.1%	98.9%
	Grade 12	0.4%	1.0%	1.8%	98.2%

Border- Grades 7-12
 Spring 2004 V4(10/22/04)

The FREQ Procedure

GENDER

q1	Frequency	Percent
Female	157581.2	52.57
Male	142169.1	47.43

Frequency Missing = 1093.6433182

GRADE

q2	Frequency	Percent
Grade 7	48701.1	16.19
Grade 8	58686.56	19.51
Grade 9	63732.79	21.18
Grade 10	49369.96	16.41
Grade 11	44666.37	14.85
Grade 12	35687.2	11.86

LIVE WITH BOTH PARENTS

q3	Frequency	Percent
No	92604.02	30.92
Yes	206868.4	69.08

Frequency Missing = 1371.588824

AGE

q4	Frequency	Percent
11 or younger	460.0464	0.15
12	15325.77	5.11
13	44681.83	14.89
14	56314.28	18.77
15	56243.52	18.75
16	50053.68	16.68
17	44809.73	14.94
18	26434.57	8.81
19 or older	5686.914	1.90

Frequency Missing = 833.63391527

ETHNICITY

q5	Frequency	Percent
African/American	3224.754	1.07
Asian/American	1877.958	0.62
Mexican/American	281818.2	93.68
Native/American	594.6041	0.20
Other	4450.559	1.48
White	8877.927	2.95

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

ON AVERAGE WHAT GRADES DO YOU GET

q6	Frequency	Percent
Mostly A's	53211.14	17.97
Mostly B's	163628.5	55.25
Mostly C's	68734.5	23.21
Mostly D's	7590.248	2.56
Mostly F's	2996.978	1.01

Frequency Missing = 4682.6016133

LENGTH OF TIME IN THIS DISTRICT

q7	Frequency	Percent
<1 year	27833.75	9.40
2-3 years	54299.54	18.35
>4 years	213823.2	72.25

Frequency Missing = 4887.5028445

DO YOU HAVE A JOB

q8	Frequency	Percent
No	253865.8	85.31
Yes	43710.37	14.69

Frequency Missing = 3267.8301715

DO YOU GET AN ALLOWANCE

q9	Frequency	Percent
No	153887.9	52.38
Yes	139895.1	47.62

Frequency Missing = 7060.9721555

EITHER PARENT COLLEGE GRADUATE

q10	Frequency	Percent
Don't Know	60679.71	20.38
No	146526	49.22
Yes	90473.32	30.39

Frequency Missing = 3164.9114688

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

QUALIFY FOR FREE/REDUCED PRICE LUNCH

q11	Frequency	Percent
Don't Know	63902.4	21.68
No	36822.1	12.49
Yes	193971.2	65.82

Frequency Missing = 6148.243421

PARTICIPATE IN ATHLETICS

q12a	Frequency	Percent
No	137243.6	49.11
Yes	142232.2	50.89

Frequency Missing = 21368.110075

PARTICIPATE IN BAND/ORCHESTRA

q12b	Frequency	Percent
No	198214.4	79.57
Yes	50879.99	20.43

Frequency Missing = 51749.601124

PARTICIPATE IN CHOIR

q12c	Frequency	Percent
No	207818.1	89.00
Yes	25690.57	11.00

Frequency Missing = 67335.310826

PARTICIPATE IN DRAMA/SPEECH

q12d	Frequency	Percent
No	204550.6	86.37
Yes	32289.18	13.63

Frequency Missing = 64004.21751

PARTICIPATE IN DRILL TEAM/CHEERLEADING

q12e	Frequency	Percent
No	214193	90.54
Yes	22367.9	9.46

Frequency Missing = 64283.07157

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

PARTICIPATE IN STUDENT GOVERNMENT

q12f	Frequency	Percent
No	226185.1	95.04
Yes	11811.07	4.96

Frequency Missing = 62847.771557

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK

q12g	Frequency	Percent
No	228822.2	94.67
Yes	12870.35	5.33

Frequency Missing = 59151.471323

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES

q12h	Frequency	Percent
No	209289.1	83.60
Yes	41053.79	16.40

Frequency Missing = 50501.069931

PARTICIPATE IN SERVICE CLUBS

q12i	Frequency	Percent
No	231846.5	92.24
Yes	19518.22	7.76

Frequency Missing = 49479.266034

PARTICIPATE IN VOE/DE/WORK-STUDY

q12j	Frequency	Percent
No	245945.1	96.91
Yes	7854.149	3.09

Frequency Missing = 47044.726663

PARTICIPATE IN OTHER CLUBS

q12k	Frequency	Percent
No	187956.3	71.10
Yes	76390.09	28.90

Frequency Missing = 36497.601826

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

DO YOU FEEL SAFE IN YOUR HOME

q13a	Frequency	Percent
Very Safe	234341.2	78.78
Somewhat Safe	52344.27	17.60
Not Very Safe	4857.792	1.63
Not Safe At All	1521.166	0.51
Don't Know	4411.063	1.48

Frequency Missing = 3368.4683923

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD

q13b	Frequency	Percent
Very Safe	92761.1	31.39
Somewhat Safe	147593	49.95
Not Very Safe	37656.53	12.74
Not Safe At All	9518.052	3.22
Don't Know	7967.72	2.70

Frequency Missing = 5347.5649277

DO YOU FEEL SAFE AT SCHOOL

q13c	Frequency	Percent
Very Safe	97799.31	33.03
Somewhat Safe	144385.1	48.77
Not Very Safe	31356.68	10.59
Not Safe At All	13135.42	4.44
Don't Know	9402.003	3.18

Frequency Missing = 4765.4820582

FRIENDS FEELING CLOSE TO THEIR PARENTS

q14a	Frequency	Percent
None	22136.78	7.49
A Few	93993.13	31.82
Some	76206.43	25.80
Most	76071.74	25.75
All	26963.35	9.13

Frequency Missing = 5472.5458311

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

HOW MANY FRIENDS CARRY WEAPONS

q14b	Frequency	Percent
None	210448.7	72.13
A Few	48328.98	16.56
Some	22439.3	7.69
Most	7078.936	2.43
All	3458.717	1.19

Frequency Missing = 9089.2973108

HOW MANY FRIENDS CARE ABOUT GOOD GRADES

q14c	Frequency	Percent
None	12653.57	4.40
A Few	52618.2	18.29
Some	71899.23	24.99
Most	98209.88	34.13
All	52368.59	18.20

Frequency Missing = 13094.500194

HOW MANY FRIENDS BELONG TO A GANG

q14d	Frequency	Percent
None	197260.2	67.15
A Few	49528.16	16.86
Some	26859.69	9.14
Most	14125.65	4.81
All	5983.148	2.04

Frequency Missing = 7087.168677

FRIENDS WISHING TO DROP OUT OF SCHOOL

q14e	Frequency	Percent
None	168569.6	57.17
A Few	79510.1	26.97
Some	29893.04	10.14
Most	10497.63	3.56
All	6387.44	2.17

Frequency Missing = 5986.179142

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES

q15	Frequency	Percent
No	137719.9	51.32
Yes	130654.9	48.68

Frequency Missing = 32469.13805

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

EVER INHALED SPRAY PAINT FOR KICKS

q16a	Frequency	Percent
Never Heard/Used	270578.8	92.36
In Your Lifetime	13143.19	4.49
Since School Began	3324.094	1.13
In the Past Month	5921.471	2.02

Frequency Missing = 7876.4704897

EVER INHALED WHITEOUT FOR KICKS

q16b	Frequency	Percent
Never Heard/Used	268858.3	92.92
In Your Lifetime	10456.67	3.61
Since School Began	3998.036	1.38
In the Past Month	6016.091	2.08

Frequency Missing = 11514.922544

EVER INHALED GASOLINE FOR KICKS

q16c	Frequency	Percent
Never Heard/Used	275522.2	95.90
In Your Lifetime	5764.641	2.01
Since School Began	1854.036	0.65
In the Past Month	4174.074	1.45

Frequency Missing = 13529.053503

EVER INHALED FREON FOR KICKS

q16d	Frequency	Percent
Never Heard/Used	280433	98.04
In Your Lifetime	2451.197	0.86
Since School Began	978.4627	0.34
In the Past Month	2179.479	0.76

Frequency Missing = 14801.8087

EVER INHALED POPPERS, ETC. FOR KICKS

q16e	Frequency	Percent
Never Heard/Used	279847	98.01
In Your Lifetime	2051.644	0.72
Since School Began	1323.486	0.46
In the Past Month	2318.727	0.81

Frequency Missing = 15303.102267

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

EVER INHALED GLUE FOR KICKS

q16f	Frequency	Percent
Never Heard/Used	274780	96.26
In Your Lifetime	5798.124	2.03
Since School Began	1646.681	0.58
In the Past Month	3235.7	1.13

Frequency Missing = 15383.464718

EVER INHALED PAINT THINNERS FOR KICKS

q16g	Frequency	Percent
Never Heard/Used	274552.6	96.16
In Your Lifetime	5315.841	1.86
Since School Began	1895.001	0.66
In the Past Month	3751.834	1.31

Frequency Missing = 15328.714918

EVER INHALED NITROUS OXIDE FOR KICKS

q16h	Frequency	Percent
Never Heard/Used	274857.1	95.70
In Your Lifetime	5053.891	1.76
Since School Began	2406.128	0.84
In the Past Month	4880.443	1.70

Frequency Missing = 13646.462986

EVER INHALED OCTANE BOOSTER FOR KICKS

q16i	Frequency	Percent
Never Heard/Used	283222.4	98.60
In Your Lifetime	1366.953	0.48
Since School Began	800.8202	0.28
In the Past Month	1843.021	0.64

Frequency Missing = 13610.813454

EVER INHALED OTHER SPRAYS FOR KICKS

q16j	Frequency	Percent
Never Heard/Used	276572.1	95.59
In Your Lifetime	5534.574	1.91
Since School Began	2076.306	0.72
In the Past Month	5144.125	1.78

Frequency Missing = 11516.897921

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

EVER INHALED OTHER INHALANTS FOR KICKS

q16k	Frequency	Percent
Never Heard/Used	265469.4	91.22
In Your Lifetime	11425.53	3.93
Since School Began	4384.426	1.51
In the Past Month	9742.454	3.35

Frequency Missing = 9822.1321013

RECENT CIGARETTE USE

q17a	Frequency	Percent
Never Heard/Used	173768.3	59.01
In Your Lifetime	49367.83	16.76
Since School Began	19809.55	6.73
In the Past Month	51529.45	17.50

Frequency Missing = 6368.8621224

RECENT SMOKELESS TOBACCO USE

q17b	Frequency	Percent
Never Heard/Used	270287.6	92.41
In Your Lifetime	8257.5	2.82
Since School Began	3899.11	1.33
In the Past Month	10028.82	3.43

Frequency Missing = 8370.9978128

RECENT BEER USE

q17c	Frequency	Percent
Never Heard/Used	141021	48.27
In Your Lifetime	53009.6	18.14
Since School Began	26705.29	9.14
In the Past Month	71428.1	24.45

Frequency Missing = 8679.9746311

RECENT WINE COOLER USE

q17d	Frequency	Percent
Never Heard/Used	144193.2	49.49
In Your Lifetime	53658.8	18.42
Since School Began	28753.02	9.87
In the Past Month	64729.38	22.22

Frequency Missing = 9509.6176383

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

RECENT WINE USE

q17e	Frequency	Percent
Never Heard/Used	166159.4	56.82
In Your Lifetime	53094.31	18.16
Since School Began	25321.77	8.66
In the Past Month	47867.94	16.37

Frequency Missing = 8400.6091737

RECENT LIQUOR USE

q17f	Frequency	Percent
Never Heard/Used	170481.8	57.93
In Your Lifetime	39700.55	13.49
Since School Began	24456.69	8.31
In the Past Month	59630.04	20.26

Frequency Missing = 6574.9160679

RECENT MARIJUANA USE

q18a	Frequency	Percent
Never Heard/Used	211712.6	71.77
In Your Lifetime	30846.03	10.46
Since School Began	16807.93	5.70
In the Past Month	35620.99	12.08

Frequency Missing = 5856.3858705

RECENT COCAINE USE

q18b	Frequency	Percent
Never Heard/Used	255800.5	87.28
In Your Lifetime	13643.37	4.66
Since School Began	7630.168	2.60
In the Past Month	16016.22	5.46

Frequency Missing = 7753.6801132

RECENT CRACK USE

q18c	Frequency	Percent
Never Heard/Used	281284.4	96.56
In Your Lifetime	4382.544	1.50
Since School Began	2098.144	0.72
In the Past Month	3528.854	1.21

Frequency Missing = 9550.0359361

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

RECENT HALLUCINOGEN USE

q18e	Frequency	Percent
Never Heard/Used	281318	96.72
In Your Lifetime	4124.585	1.42
Since School Began	1971.283	0.68
In the Past Month	3443.607	1.18

Frequency Missing = 9986.5319604

RECENT UPPER USE

q18f	Frequency	Percent
Never Heard/Used	277183.3	95.54
In Your Lifetime	4390.806	1.51
Since School Began	2584.513	0.89
In the Past Month	5961.798	2.05

Frequency Missing = 10723.563231

RECENT DOWNER USE

q18g	Frequency	Percent
Never Heard/Used	274745.8	94.77
In Your Lifetime	5294.43	1.83
Since School Began	3025.397	1.04
In the Past Month	6842.98	2.36

Frequency Missing = 10935.360851

RECENT ROHYPNOL USE

q18h	Frequency	Percent
Never Heard/Used	264153.5	90.87
In Your Lifetime	11074.93	3.81
Since School Began	5391.03	1.85
In the Past Month	10059.22	3.46

Frequency Missing = 10165.308137

RECENT STEROID USE

q18i	Frequency	Percent
Never Heard/Used	284996.8	98.58
In Your Lifetime	1914.514	0.66
Since School Began	673.0273	0.23
In the Past Month	1514.455	0.52

Frequency Missing = 11745.230707

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

RECENT ECSTASY USE

q18j	Frequency	Percent
Never Heard/Used	277169.5	95.35
In Your Lifetime	5509.255	1.90
Since School Began	2471.367	0.85
In the Past Month	5536.234	1.90

Frequency Missing = 10157.617249

RECENT HEROIN USE

q18k	Frequency	Percent
Never Heard/Used	287932.8	98.54
In Your Lifetime	1870.902	0.64
Since School Began	834.3597	0.29
In the Past Month	1558.975	0.53

Frequency Missing = 8646.9828869

TOBACCO USE IN PAST MONTH

q19a	Frequency	Percent
Never Heard/Used	256041.5	88.11
1-2 times	15783.41	5.43
3-10 times	9715.527	3.34
11+ times	9057.772	3.12

Frequency Missing = 10245.772444

ALCOHOL USE IN PAST MONTH

q19b	Frequency	Percent
Never Heard/Used	211667.1	73.02
1-2 times	40546.4	13.99
3-10 times	25300.66	8.73
11+ times	12341.66	4.26

Frequency Missing = 10988.115744

INHALANT USE IN PAST MONTH

q19c	Frequency	Percent
Never Heard/Used	276642.2	95.54
1-2 times	9714.14	3.35
3-10 times	2152.534	0.74
11+ times	1062.297	0.37

Frequency Missing = 11272.802434

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

MARIJUANA USE IN PAST MONTH

q19d	Frequency	Percent
Never Heard/Used	256079.8	88.62
1-2 times	14025.4	4.85
3-10 times	9882.914	3.42
11+ times	8976.376	3.11

Frequency Missing = 11879.447333

COCAINE USE IN PAST MONTH

q19e	Frequency	Percent
Never Heard/Used	275107.5	94.93
1-2 times	7518.338	2.59
3-10 times	4178.629	1.44
11+ times	2983.226	1.03

Frequency Missing = 11056.277373

CRACK USE IN PAST MONTH

q19f	Frequency	Percent
Never Heard/Used	287952.1	98.85
1-2 times	2005.715	0.69
3-10 times	732.469	0.25
11+ times	600.7529	0.21

Frequency Missing = 9552.9652264

CLOSE FRIENDS USE CIGARETTES

q20a	Frequency	Percent
Never heard/None	112034.8	39.13
A few	95583.94	33.38
Some	45443.51	15.87
Most	26495.55	9.25
All	6764.836	2.36

Frequency Missing = 14521.391371

CLOSE FRIENDS USE SMOKELESS TOBACCO

q20b	Frequency	Percent
Never heard/None	226016.8	80.17
A few	34819.14	12.35
Some	13685.47	4.85
Most	4990.539	1.77
All	2402.064	0.85

Frequency Missing = 18929.953871

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

CLOSE FRIENDS USE BEER

q20c	Frequency	Percent
Never heard/None	84872.25	29.79
A few	71138.89	24.97
Some	50442.17	17.70
Most	53911.57	18.92
All	24559.57	8.62

Frequency Missing = 15919.536336

CLOSE FRIENDS USE WINE COOLERS

q20d	Frequency	Percent
Never heard/None	108502.8	38.14
A few	68883.79	24.21
Some	48075.12	16.90
Most	39913.11	14.03
All	19101.53	6.71

Frequency Missing = 16367.643789

CLOSE FRIENDS USE WINE

q20e	Frequency	Percent
Never heard/None	143082	50.09
A few	63900.33	22.37
Some	38763.33	13.57
Most	26626.71	9.32
All	13250.44	4.64

Frequency Missing = 15221.205248

CLOSE FRIENDS USE LIQUOR

q20f	Frequency	Percent
Never heard/None	130680.7	45.77
A few	55484.24	19.43
Some	42261.37	14.80
Most	37799.68	13.24
All	19260.72	6.75

Frequency Missing = 15357.223248

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

CLOSE FRIENDS USE INHALANTS

q20g	Frequency	Percent
Never heard/None	237178.8	82.79
A few	31622.58	11.04
Some	10936.49	3.82
Most	4256.524	1.49
All	2487.412	0.87

Frequency Missing = 14362.177393

CLOSE FRIENDS USE MARIJUANA

q20h	Frequency	Percent
Never heard/None	143994.9	49.58
A few	59303.33	20.42
Some	37163.81	12.80
Most	33742.05	11.62
All	16204.13	5.58

Frequency Missing = 10435.807377

DIFFICULT TO GET CIGARETTES

q21a	Frequency	Percent
Never heard of	49186.33	17.08
Impossible	38367.68	13.32
Very difficult	13669.42	4.75
Somewhat diff	25050.6	8.70
Somewhat easy	51107.09	17.74
Very easy	110655.1	38.42

Frequency Missing = 12807.77904

DIFFICULT TO GET SMOKELESS TOBACCO

q21b	Frequency	Percent
Never heard of	99485.34	35.06
Impossible	52973.9	18.67
Very difficult	19310.02	6.81
Somewhat diff	28951.44	10.20
Somewhat easy	33173.7	11.69
Very easy	49863.24	17.57

Frequency Missing = 17086.32958

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

DIFFICULT TO GET BEER

q21c	Frequency	Percent
Never heard of	44020.22	15.45
Impossible	32390.66	11.37
Very difficult	14479.67	5.08
Somewhat diff	29514.55	10.36
Somewhat easy	56866.39	19.96
Very easy	107595.5	37.77

Frequency Missing = 15976.957369

DIFFICULT TO GET WINE COOLERS

q21d	Frequency	Percent
Never heard of	51887.21	18.29
Impossible	32938.19	11.61
Very difficult	14489.79	5.11
Somewhat diff	29806.08	10.51
Somewhat easy	53804.58	18.96
Very easy	100784.8	35.52

Frequency Missing = 17133.276883

DIFFICULT TO GET WINE

q21e	Frequency	Percent
Never heard of	54371.98	19.16
Impossible	40668.02	14.33
Very difficult	18752.95	6.61
Somewhat diff	34712.2	12.23
Somewhat easy	47975.36	16.90
Very easy	87345.3	30.77

Frequency Missing = 17018.175452

DIFFICULT TO GET LIQUOR

q21f	Frequency	Percent
Never heard of	54579.16	19.28
Impossible	43966.07	15.53
Very difficult	19777.31	6.99
Somewhat diff	31852.02	11.25
Somewhat easy	44226.72	15.62
Very easy	88729.47	31.34

Frequency Missing = 17713.23142

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

DIFFICULT TO GET INHALANTS

q21g	Frequency	Percent
Never heard of	85926.19	30.54
Impossible	43730.17	15.54
Very difficult	11107.23	3.95
Somewhat diff	15470.41	5.50
Somewhat easy	26417.04	9.39
Very easy	98731.38	35.09

Frequency Missing = 19461.567542

DIFFICULT TO GET MARIJUANA

q21h	Frequency	Percent
Never heard of	58001.32	20.61
Impossible	54762.49	19.46
Very difficult	18615.35	6.61
Somewhat diff	25590.95	9.09
Somewhat easy	38626.99	13.73
Very easy	85832.86	30.50

Frequency Missing = 19414.026376

DIFFICULT TO GET COCAINE

q21i	Frequency	Percent
Never heard of	69067.4	24.51
Impossible	66286.27	23.52
Very difficult	26036.35	9.24
Somewhat diff	30288.45	10.75
Somewhat easy	31581.38	11.21
Very easy	58516.58	20.77

Frequency Missing = 19067.558754

DIFFICULT TO GET CRACK

q21j	Frequency	Percent
Never heard of	81676.13	28.97
Impossible	69802.53	24.76
Very difficult	30672.06	10.88
Somewhat diff	32360.01	11.48
Somewhat easy	27397.66	9.72
Very easy	40028.84	14.20

Frequency Missing = 18906.759059

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

DIFFICULT TO GET HALLUCINOGENS

q21l	Frequency	Percent
Never heard of	131754.7	47.00
Impossible	55664.77	19.86
Very difficult	25241.02	9.00
Somewhat diff	25547.49	9.11
Somewhat easy	16562.19	5.91
Very easy	25547.03	9.11

Frequency Missing = 20526.782537

DIFFICULT TO GET UPPERS

q21m	Frequency	Percent
Never heard of	141673.9	50.54
Impossible	47672.4	17.01
Very difficult	19440.89	6.94
Somewhat diff	21082.21	7.52
Somewhat easy	19147.74	6.83
Very easy	31300.9	11.17

Frequency Missing = 20525.981828

DIFFICULT TO GET DOWNERS

q21n	Frequency	Percent
Never heard of	141541.2	50.28
Impossible	47770.53	16.97
Very difficult	19194.85	6.82
Somewhat diff	21001.08	7.46
Somewhat easy	19493.13	6.92
Very easy	32523.16	11.55

Frequency Missing = 19320.079947

DIFFICULT TO GET ROHYPNOL

q21o	Frequency	Percent
Never heard of	111814.7	40.01
Impossible	50832.04	18.19
Very difficult	20047.1	7.17
Somewhat diff	23317.16	8.34
Somewhat easy	25937.29	9.28
Very easy	47514.33	17.00

Frequency Missing = 21381.384806

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

DIFFICULT TO GET STEROIDS

q21p	Frequency	Percent
Never heard of	98905.1	35.17
Impossible	70553.8	25.09
Very difficult	29297.63	10.42
Somewhat diff	29473.22	10.48
Somewhat easy	22001.09	7.82
Very easy	31003.25	11.02

Frequency Missing = 19609.887268

DIFFICULT TO GET ECSTASY

q21q	Frequency	Percent
Never heard of	103214.1	36.37
Impossible	64518.41	22.73
Very difficult	28037.67	9.88
Somewhat diff	27055.34	9.53
Somewhat easy	23429.3	8.26
Very easy	37556.03	13.23

Frequency Missing = 17033.1627

DIFFICULT TO GET HEROIN

q21r	Frequency	Percent
Never heard of	101102.7	35.30
Impossible	78678.78	27.47
Very difficult	34405.53	12.01
Somewhat diff	27631.63	9.65
Somewhat easy	17107.2	5.97
Very easy	27508.48	9.60

Frequency Missing = 14409.709615

AGE WHEN FIRST USED CIGARETTES

q22a	Frequency	Percent
9 or younger	15693.36	12.51
10 years old	10645.96	8.49
11 years old	11297.81	9.01
12 years old	16392.26	13.07
13 years old	19011.31	15.16
14 years old	17006.66	13.56
15 years old	15818.59	12.61
16 years old	10870.08	8.67
17 years old	6486.902	5.17
18 or older	2210.656	1.76

Frequency Missing = 175410.40373

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

AGE WHEN FIRST USED SMOKELESS TOBACCO

q22b	Frequency	Percent
9 or younger	1756.505	8.59
10 years old	1639.591	8.02
11 years old	1896.291	9.28
12 years old	2557.62	12.51
13 years old	3049.108	14.92
14 years old	2863.195	14.01
15 years old	2983.982	14.60
16 years old	1751.868	8.57
17 years old	1218.183	5.96
18 or older	721.4275	3.53

Frequency Missing = 280406.2094

AGE WHEN FIRST USED BEER

q22c	Frequency	Percent
9 or younger	26951.13	16.77
10 years old	11297.91	7.03
11 years old	12433.18	7.74
12 years old	19085.96	11.87
13 years old	23053.89	14.34
14 years old	24096.62	14.99
15 years old	23752.64	14.78
16 years old	11476.94	7.14
17 years old	6606.808	4.11
18 or older	1969.883	1.23

Frequency Missing = 140119.00472

AGE WHEN FIRST USED WINE COOLERS

q22d	Frequency	Percent
9 or younger	13929.54	9.12
10 years old	10484.63	6.87
11 years old	13526.12	8.86
12 years old	22078.03	14.46
13 years old	26163.95	17.13
14 years old	24636.75	16.13
15 years old	23302.28	15.26
16 years old	10770.39	7.05
17 years old	5719.816	3.75
18 or older	2110.015	1.38

Frequency Missing = 148122.44549

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

AGE WHEN FIRST USED WINE

q22e	Frequency	Percent
9 or younger	11940.84	9.25
10 years old	8726.983	6.76
11 years old	11262.71	8.72
12 years old	16424.22	12.72
13 years old	20933.41	16.21
14 years old	20577.07	15.94
15 years old	21808.21	16.89
16 years old	10115.74	7.83
17 years old	5413.564	4.19
18 or older	1926.014	1.49

Frequency Missing = 171715.2112

AGE WHEN FIRST USED LIQUOR

q22f	Frequency	Percent
9 or younger	7578.596	6.58
10 years old	5305.05	4.60
11 years old	7556.32	6.56
12 years old	12665.22	10.99
13 years old	17432.67	15.13
14 years old	20240.48	17.56
15 years old	23081.2	20.03
16 years old	11723.25	10.17
17 years old	7487.111	6.50
18 or older	2185.978	1.90

Frequency Missing = 185588.10336

AGE WHEN FIRST USED INHALANTS

q22g	Frequency	Percent
9 or younger	3380.718	14.79
10 years old	2197.712	9.62
11 years old	3099.743	13.56
12 years old	4616.811	20.20
13 years old	3973.394	17.39
14 years old	2780.185	12.17
15 years old	1502.249	6.57
16 years old	792.0161	3.47
17 years old	416.6401	1.82
18 or older	92.11715	0.40

Frequency Missing = 277992.39683

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

AGE WHEN FIRST USED MARIJUANA

q22h	Frequency	Percent
9 or younger	3420.704	4.26
10 years old	2924.355	3.65
11 years old	5093.538	6.35
12 years old	10278.27	12.81
13 years old	15067.35	18.78
14 years old	15721.62	19.60
15 years old	13277.8	16.55
16 years old	8313.774	10.36
17 years old	4879.959	6.08
18 or older	1245.385	1.55

Frequency Missing = 220621.22406

AGE WHEN FIRST USED COCAINE

q22i	Frequency	Percent
9 or younger	525.8201	1.48
10 years old	558.8904	1.58
11 years old	1168.567	3.29
12 years old	2464.737	6.95
13 years old	5303.962	14.95
14 years old	7340.23	20.69
15 years old	8044.059	22.67
16 years old	6182.765	17.43
17 years old	3107.28	8.76
18 or older	780.9673	2.20

Frequency Missing = 265366.70253

AGE WHEN FIRST USED CRACK

q22j	Frequency	Percent
9 or younger	338.4513	3.79
10 years old	285.3004	3.19
11 years old	464.8402	5.20
12 years old	947.7949	10.61
13 years old	1322.268	14.80
14 years old	2044.281	22.89
15 years old	1781.111	19.94
16 years old	1085.818	12.16
17 years old	446.5856	5.00
18 or older	215.8806	2.42

Frequency Missing = 291911.64968

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

AGE WHEN FIRST USED HALLUCINOGENS

q22l	Frequency	Percent
9 or younger	190.8777	2.25
10 years old	229.8586	2.70
11 years old	307.6747	3.62
12 years old	848.3102	9.98
13 years old	1146.802	13.49
14 years old	1632.896	19.21
15 years old	1742.862	20.50
16 years old	1491.378	17.54
17 years old	681.9524	8.02
18 or older	228.2078	2.68

Frequency Missing = 292343.16098

AGE WHEN FIRST USED UPPERS

q22m	Frequency	Percent
9 or younger	270.9272	2.01
10 years old	268.5072	1.99
11 years old	510.6498	3.78
12 years old	974.0862	7.21
13 years old	2436.253	18.04
14 years old	2626.206	19.44
15 years old	2951.415	21.85
16 years old	1943.389	14.39
17 years old	1376.415	10.19
18 or older	150.2758	1.11

Frequency Missing = 287335.85647

AGE WHEN FIRST USED DOWNERS

q22n	Frequency	Percent
9 or younger	305.8671	2.07
10 years old	217.5499	1.47
11 years old	522.617	3.54
12 years old	1114.626	7.54
13 years old	2663.196	18.02
14 years old	3122.771	21.13
15 years old	3205.456	21.69
16 years old	2224.802	15.05
17 years old	1253.431	8.48
18 or older	148.4091	1.00

Frequency Missing = 286065.25512

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

AGE WHEN FIRST USED ROHYPNOL

q22o	Frequency	Percent
9 or younger	329.1327	1.26
10 years old	577.7062	2.20
11 years old	1043.485	3.98
12 years old	2710.394	10.34
13 years old	4972.919	18.97
14 years old	5738.574	21.89
15 years old	5607.526	21.39
16 years old	3209.917	12.25
17 years old	1671.361	6.38
18 or older	350.9339	1.34

Frequency Missing = 274632.03014

AGE WHEN FIRST USED STEROIDS

q22p	Frequency	Percent
9 or younger	242.1495	6.09
10 years old	197.9333	4.98
11 years old	212.8162	5.35
12 years old	440.7274	11.08
13 years old	595.6839	14.98
14 years old	529.4036	13.31
15 years old	606.4874	15.25
16 years old	699.1455	17.58
17 years old	319.0959	8.03
18 or older	132.7693	3.34

Frequency Missing = 296867.76879

AGE WHEN FIRST USED ECSTASY

q22q	Frequency	Percent
9 or younger	149.0246	1.16
10 years old	229.9394	1.79
11 years old	404.487	3.16
12 years old	863.6005	6.74
13 years old	1813.137	14.15
14 years old	1922.799	15.00
15 years old	2647.363	20.66
16 years old	2409.843	18.80
17 years old	1687.782	13.17
18 or older	687.0395	5.36

Frequency Missing = 288028.96565

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

AGE WHEN FIRST USED HEROIN

q22r	Frequency	Percent
9 or younger	182.1227	4.98
10 years old	116.4	3.18
11 years old	235.0007	6.42
12 years old	538.0659	14.70
13 years old	723.3645	19.76
14 years old	775.5422	21.19
15 years old	502.422	13.73
16 years old	330.1922	9.02
17 years old	133.8692	3.66
18 or older	122.9297	3.36

Frequency Missing = 297184.07185

HOW OFTEN NORMALLY USE CIGARETTES

q23a	Frequency	Percent
Every day	7427.972	2.54
Several times/wk	13460.77	4.60
Several times/mo	17069.14	5.83
About once/month	21484.92	7.34
About once/year	19394.12	6.62
< once/year	27675.5	9.45
Never used	186370.2	63.63

Frequency Missing = 7961.3648195

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO

q23b	Frequency	Percent
Every day	764.0408	0.26
Several times/wk	1822.207	0.62
Several times/mo	2774.853	0.94
About once/month	3670.171	1.25
About once/year	3289.874	1.12
< once/year	5575.237	1.89
Never used	276808	93.93

Frequency Missing = 6139.6345766

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

HOW OFTEN NORMALLY USE BEER

q23c	Frequency	Percent
Every day	1144.034	0.39
Several times/wk	16799.96	5.79
Several times/mo	35277.59	12.17
About once/month	34416.64	11.87
About once/year	27539.55	9.50
< once/year	25044.37	8.64
Never used	149710	51.64

Frequency Missing = 10911.830491

HOW OFTEN NORMALLY USE WINE COOLERS

q23d	Frequency	Percent
Every day	539.5569	0.19
Several times/wk	11492.05	3.97
Several times/mo	30668.62	10.58
About once/month	35475.65	12.24
About once/year	32243.87	11.13
< once/year	25337.35	8.74
Never used	153995.9	53.15

Frequency Missing = 11090.989076

HOW OFTEN NORMALLY USE WINE

q23e	Frequency	Percent
Every day	394.3329	0.14
Several times/wk	8431.546	2.91
Several times/mo	20555.39	7.09
About once/month	25797.17	8.89
About once/year	33934.93	11.70
< once/year	25094.77	8.65
Never used	175832	60.62

Frequency Missing = 10803.88042

HOW OFTEN NORMALLY USE LIQUOR

q23f	Frequency	Percent
Every day	556.9041	0.19
Several times/wk	10298.5	3.56
Several times/mo	26880.93	9.28
About once/month	27541.94	9.51
About once/year	24851.41	8.58
< once/year	18354.76	6.34
Never used	181068.1	62.53

Frequency Missing = 11291.403375

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

HOW OFTEN NORMALLY USE INHALANTS

q23g	Frequency	Percent
Every day	587.0053	0.20
Several times/wk	1473.162	0.50
Several times/mo	2349.806	0.80
About once/month	3743.53	1.27
About once/year	3691.781	1.25
< once/year	6071.852	2.06
Never used	277094.2	93.93

Frequency Missing = 5832.6446235

HOW OFTEN NORMALLY USE MARIJUANA

q23h	Frequency	Percent
Every day	6504.047	2.23
Several times/wk	9723.445	3.33
Several times/mo	11733.5	4.01
About once/month	12479.52	4.27
About once/year	12880.21	4.41
< once/year	14426	4.94
Never used	224523.3	76.82

Frequency Missing = 8573.9314117

HOW OFTEN NORMALLY USE COCAINE

q23i	Frequency	Percent
Every day	1033.589	0.35
Several times/wk	4445.599	1.52
Several times/mo	5571.784	1.90
About once/month	6399.313	2.18
About once/year	5680.506	1.94
< once/year	7034.605	2.40
Never used	263261.4	89.72

Frequency Missing = 7417.1903379

HOW OFTEN NORMALLY USE CRACK

q23j	Frequency	Percent
Every day	199.1551	0.07
Several times/wk	1002.159	0.34
Several times/mo	1288.329	0.44
About once/month	1668.521	0.57
About once/year	1596.497	0.54
< once/year	2223.701	0.76
Never used	286347.1	97.29

Frequency Missing = 6518.4700831

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

HOW OFTEN NORMALLY USE HALLUCINOGENS

q23l	Frequency	Percent
Every day	112.9807	0.04
Several times/wk	397.5611	0.14
Several times/mo	852.5214	0.29
About once/month	1683.263	0.57
About once/year	2054.84	0.70
< once/year	2489.582	0.85
Never used	286425	97.42

Frequency Missing = 6828.2800303

HOW OFTEN NORMALLY USE UPPERS

q23m	Frequency	Percent
Every day	129.2845	0.04
Several times/wk	1313.531	0.45
Several times/mo	2084.91	0.71
About once/month	2499.021	0.85
About once/year	3131.896	1.07
< once/year	3034.321	1.03
Never used	281342.7	95.85

Frequency Missing = 7308.3045455

HOW OFTEN NORMALLY USE DOWNERS

q23n	Frequency	Percent
Every day	200.2758	0.07
Several times/wk	881.4773	0.30
Several times/mo	2535.569	0.86
About once/month	2920.716	1.00
About once/year	3155.185	1.08
< once/year	3322.032	1.13
Never used	280323.6	95.56

Frequency Missing = 7505.1171342

HOW OFTEN NORMALLY USE ROHYPNOL

q23o	Frequency	Percent
Every day	302.727	0.10
Several times/wk	1829.082	0.62
Several times/mo	4213.994	1.44
About once/month	4604.432	1.57
About once/year	5195.211	1.77
< once/year	5157.981	1.76
Never used	271775.4	92.73

Frequency Missing = 7765.1510502

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

HOW OFTEN NORMALLY USE STEROIDS

q23p	Frequency	Percent
Every day	189.151	0.06
Several times/wk	228.9492	0.08
Several times/mo	462.1533	0.16
About once/month	561.2272	0.19
About once/year	619.589	0.21
< once/year	1159.703	0.40
Never used	290237.2	98.90

Frequency Missing = 7386.0123235

HOW OFTEN NORMALLY USE ECSTASY

q23q	Frequency	Percent
Every day	104.047	0.04
Several times/wk	561.6347	0.19
Several times/mo	1622.689	0.55
About once/month	3116.842	1.06
About once/year	2713.393	0.92
< once/year	3109.686	1.06
Never used	282270.1	96.17

Frequency Missing = 7345.5828112

HOW OFTEN NORMALLY USE HEROIN

q23r	Frequency	Percent
Every day	140.2608	0.05
Several times/wk	264.7144	0.09
Several times/mo	470.6763	0.16
About once/month	607.9082	0.21
About once/year	745.3891	0.25
< once/year	1197.97	0.41
Never used	290720.1	98.83

Frequency Missing = 6696.9771009

HOW MANY CIGARETTES IN PAST 30 DAYS

q24	Frequency	Percent
None	235046.4	81.22
Less than 1	33786.68	11.67
> 1 and < 10	15020.14	5.19
> 10 and < 1pk	3653.631	1.26
> 1pk and < 2pks	1166.738	0.40
More than 2pks	730.9479	0.25

Frequency Missing = 11439.447686

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

AMOUNT OF BEER AT ONE TIME

q25a	Frequency	Percent
Never drink this	137899.4	48.16
12+ drinks	14638.72	5.11
9-11 drinks	9713.262	3.39
5-8 drinks	20106.08	7.02
3-4 drinks	24391.42	8.52
2 drinks	21784.81	7.61
1 drink	23611.73	8.25
< 1 drink	34164.15	11.93

Frequency Missing = 14534.405647

AMOUNT OF WINE COOLERS AT ONE TIME

q25b	Frequency	Percent
Never drink this	136877.8	48.20
12+ drinks	9766.306	3.44
9-11 drinks	8766.947	3.09
5-8 drinks	19701.68	6.94
3-4 drinks	31413.1	11.06
2 drinks	25345.16	8.92
1 drink	25999.28	9.16
< 1 drink	26112.21	9.20

Frequency Missing = 16861.476419

AMOUNT OF WINE AT ONE TIME

q25c	Frequency	Percent
Never drink this	161148.7	56.91
12+ drinks	5501.504	1.94
9-11 drinks	3730.966	1.32
5-8 drinks	9065.901	3.20
3-4 drinks	14258.58	5.04
2 drinks	19745.58	6.97
1 drink	30787	10.87
< 1 drink	38927.43	13.75

Frequency Missing = 17678.34221

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

AMOUNT OF LIQUOR AT ONE TIME

q25d	Frequency	Percent
Never drink this	164257.2	57.72
12+ drinks	8738.343	3.07
9-11 drinks	6239.253	2.19
5-8 drinks	15342.81	5.39
3-4 drinks	21495.38	7.55
2 drinks	18124.18	6.37
1 drink	21942.76	7.71
< 1 drink	28438.3	9.99

Frequency Missing = 16265.756022

BEERS, FIVE OR MORE AT ONE TIME

q26a	Frequency	Percent
Never drink this	145936.2	51.73
Never 5+ at time	40394.19	14.32
Every day	1514.704	0.54
Several times/wk	11427.81	4.05
Several times/mo	24606.9	8.72
About once/month	20227.8	7.17
< once/month	16231.06	5.75
< once/year	21753	7.71

Frequency Missing = 18752.338328

WINE COOLERS, FIVE OR MORE AT ONE TIME

q26b	Frequency	Percent
Never drink this	143776.9	51.37
Never 5+ at time	38040.65	13.59
Every day	594.9767	0.21
Several times/wk	8653.897	3.09
Several times/mo	23195.72	8.29
About once/month	21754.93	7.77
< once/month	20676.81	7.39
< once/year	23180.34	8.28

Frequency Missing = 20969.726105

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

WINE, FIVE OR MORE AT ONE TIME

q26c	Frequency	Percent
Never drink this	164127.1	59.00
Never 5+ at time	34847.11	12.53
Every day	844.8853	0.30
Several times/wk	5174.88	1.86
Several times/mo	14161.87	5.09
About once/month	15839.98	5.69
< once/month	18224.7	6.55
< once/year	24960.14	8.97

Frequency Missing = 22663.276187

LIQUOR, FIVE OR MORE AT ONE TIME

q26d	Frequency	Percent
Never drink this	166149.5	59.29
Never 5+ at time	29339.43	10.47
Every day	986.1371	0.35
Several times/wk	8099.538	2.89
Several times/mo	21644.84	7.72
About once/month	18448.91	6.58
< once/month	16770.85	5.99
< once/year	18773.79	6.70

Frequency Missing = 20630.93003

GET ALCOHOLIC BEVERAGES FROM HOME

q27a	Frequency	Percent
Do not Drink	130671.8	46.72
Never	79492.94	28.42
Seldom	47412.89	16.95
Most of the Time	16698.47	5.97
Always	5414.592	1.94

Frequency Missing = 21153.259012

GET ALCOHOLIC BEVERAGES FROM FRIENDS

q27b	Frequency	Percent
Do not Drink	105406	37.97
Never	47447.12	17.09
Seldom	43006.23	15.49
Most of the Time	56373.51	20.30
Always	25405.92	9.15

Frequency Missing = 23205.243051

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

GET ALCOHOLIC BEVERAGES FROM A STORE

q27c	Frequency	Percent
Do not Drink	112415.9	40.71
Never	102193.8	37.01
Seldom	25652.58	9.29
Most of the Time	22877.69	8.28
Always	13005.29	4.71

Frequency Missing = 24698.732583

GET ALCOHOLIC BEVERAGES AT PARTIES

q27d	Frequency	Percent
Do not Drink	98819.95	35.76
Never	34846.49	12.61
Seldom	35174.56	12.73
Most of the Time	53604.57	19.40
Always	53916.45	19.51

Frequency Missing = 24481.950922

GET ALCOHOLIC BEVERAGES FROM OTHER

q27e	Frequency	Percent
Do not Drink	116328.6	42.55
Never	61666.07	22.56
Seldom	36791.73	13.46
Most of the Time	29392.5	10.75
Always	29196.88	10.68

Frequency Missing = 27468.244813

USE MARIJUANA AS JOINTS

q28a	Frequency	Percent
Never	213431.3	75.78
Seldom	18275.13	6.49
Half the time	11499.25	4.08
Most of the time	20015.01	7.11
Always	14405.96	5.11
Don't know	4020.542	1.43

Frequency Missing = 19196.81671

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

USE MARIJUANA AS BLUNTS

q28b	Frequency	Percent
Never	228865.7	81.93
Seldom	17225.4	6.17
Half the time	13492.28	4.83
Most of the time	10037	3.59
Always	6796.767	2.43
Don't know	2912.836	1.04

Frequency Missing = 21514.004571

USE MARIJUANA IN BONGS OR WATER PIPES

q28c	Frequency	Percent
Never	239851.7	86.22
Seldom	15382.83	5.53
Half the time	8438.576	3.03
Most of the time	7116.391	2.56
Always	4871.052	1.75
Don't know	2536.413	0.91

Frequency Missing = 22646.969955

USE MARIJUANA IN PIPES

q28d	Frequency	Percent
Never	236559.3	84.84
Seldom	15512.29	5.56
Half the time	10017.19	3.59
Most of the time	8670.527	3.11
Always	5411.959	1.94
Don't know	2652.249	0.95

Frequency Missing = 22020.448392

USE MARIJUANA OTHER WAYS

q28e	Frequency	Percent
Never	244685.6	88.17
Seldom	12543.67	4.52
Half the time	5113.945	1.84
Most of the time	4288.869	1.55
Always	4728.984	1.70
Don't know	6164.618	2.22

Frequency Missing = 23318.245537

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

TAKE DXM, TRIPLE C'S, ETC. TO GET HIGH

q29a	Frequency	Percent
Never heard/used	269139.3	97.21
At least once/month	3106.79	1.12
At least once/year	1488.39	0.54
At least once/life	3125.361	1.13

Frequency Missing = 23984.180217

TAKE CODEINE COUGH SYRUP TO GET HIGH

q29b	Frequency	Percent
Never heard/used	267986.2	96.31
At least once/month	4185.345	1.50
At least once/year	2236.833	0.80
At least once/life	3843.331	1.38

Frequency Missing = 22592.243097

DANGEROUS FOR KIDS TO USE TOBACCO

q30a	Frequency	Percent
Very	150432.1	55.00
Somewhat	70581.96	25.81
Not very	27943.88	10.22
Not at all	7495.385	2.74
Don't know	17055.73	6.24

Frequency Missing = 27334.880604

DANGEROUS FOR KIDS TO USE ALCOHOL

q30b	Frequency	Percent
Very	132471.7	48.80
Somewhat	79110.88	29.14
Not very	37708.75	13.89
Not at all	9038.744	3.33
Don't know	13141.01	4.84

Frequency Missing = 29372.931211

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

DANGEROUS FOR KIDS TO USE INHALANTS

q30c	Frequency	Percent
Very	199061.4	74.38
Somewhat	39255.62	14.67
Not very	8525.244	3.19
Not at all	3612.899	1.35
Don't know	17184.97	6.42

Frequency Missing = 33203.836777

DANGEROUS FOR KIDS TO USE MARIJUANA

q30d	Frequency	Percent
Very	177595.8	66.27
Somewhat	43458.01	16.22
Not very	21597.74	8.06
Not at all	12126.92	4.52
Don't know	13221.74	4.93

Frequency Missing = 32843.760706

DANGEROUS FOR KIDS TO USE COCAINE

q30e	Frequency	Percent
Very	216187.8	81.00
Somewhat	26971.18	10.11
Not very	5895.064	2.21
Not at all	3673.571	1.38
Don't know	14163.48	5.31

Frequency Missing = 33952.850722

DANGEROUS FOR KIDS TO USE CRACK

q30f	Frequency	Percent
Very	222988.5	83.25
Somewhat	21884.15	8.17
Not very	4415.683	1.65
Not at all	2937.947	1.10
Don't know	15632.72	5.84

Frequency Missing = 32984.973552

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

DANGEROUS FOR KIDS TO USE ECSTASY

q30g	Frequency	Percent
Very	219568.1	81.55
Somewhat	22955.38	8.53
Not very	4781.374	1.78
Not at all	3085.565	1.15
Don't know	18858.81	7.00

Frequency Missing = 31594.797964

DANGEROUS FOR KIDS TO USE STEROIDS

q30h	Frequency	Percent
Very	210474.3	77.32
Somewhat	31300.54	11.50
Not very	7530.853	2.77
Not at all	3431.608	1.26
Don't know	19465.52	7.15

Frequency Missing = 28641.148901

DANGEROUS FOR KIDS TO USE HEROIN

q30i	Frequency	Percent
Very	234610.7	85.10
Somewhat	16739.57	6.07
Not very	2654.487	0.96
Not at all	2641.725	0.96
Don't know	19043.33	6.91

Frequency Missing = 25154.202497

DAYS SKIPPED SINCE SEPTEMBER

q31a	Frequency	Percent
None	199965.5	71.23
1-3 days	53527.58	19.07
4-9 days	15171.96	5.40
10+ days	12073.82	4.30

Frequency Missing = 20105.155606

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

DAYS ILL SINCE SEPTEMBER

q31b	Frequency	Percent
None	90828.78	32.53
1-3 days	136521	48.89
4-9 days	39611.36	14.19
10+ days	12268.67	4.39

Frequency Missing = 21614.125507

OTHER DAYS MISSED SINCE SEPTEMBER

q31c	Frequency	Percent
None	115794.4	41.81
1-3 days	131177.9	47.37
4-9 days	22203.01	8.02
10+ days	7749.874	2.80

Frequency Missing = 23918.728719

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

q31d	Frequency	Percent
None	230137.8	82.65
1-3 days	36175.07	12.99
4-9 days	7247.239	2.60
10+ days	4892.232	1.76

Frequency Missing = 22391.627886

SOMEONE CALLED HOME SINCE SEPTEMBER

q31e	Frequency	Percent
None	234036	84.67
1-3 days	33851.37	12.25
4-9 days	5366.785	1.94
10+ days	3151.142	1.14

Frequency Missing = 24438.708776

IN TROUBLE FOR DRINKING SINCE SEPTEMBER

q31f	Frequency	Percent
None	271874.6	98.47
1-3 days	2735.659	0.99
4-9 days	722.3588	0.26
10+ days	774.8665	0.28

Frequency Missing = 24736.499603

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER

q31g	Frequency	Percent
None	269679	97.37
1-3 days	5053.136	1.82
4-9 days	1063.17	0.38
10+ days	1166.517	0.42

Frequency Missing = 23882.111971

TROUBLE WITH FRIENDS BECAUSE OF DRINKING

q32a	Frequency	Percent
None	254655.6	93.30
1-3 times	15929.82	5.84
4-9 times	1402.045	0.51
10+ times	950.3376	0.35

Frequency Missing = 27906.150672

DRIVEN A CAR AFTER A GOOD BIT TO DRINK

q32b	Frequency	Percent
None	242396.1	89.26
1-3 times	21281.22	7.84
4-9 times	4534.461	1.67
10+ times	3336.206	1.23

Frequency Missing = 29295.99719

CRITICIZED BY DATE BECAUSE OF DRINKING

q32c	Frequency	Percent
None	249909.8	92.68
1-3 times	16298.53	6.04
4-9 times	1887.968	0.70
10+ times	1541.511	0.57

Frequency Missing = 31206.143328

TROUBLE WITH POLICE BECAUSE OF DRINKING

q32d	Frequency	Percent
None	260523.2	96.10
1-3 times	8591.45	3.17
4-9 times	1353.767	0.50
10+ times	620.8235	0.23

Frequency Missing = 29754.741095

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE

q32e	Frequency	Percent
None	247160.6	93.03
1-3 times	15065.38	5.67
4-9 times	2237.605	0.84
10+ times	1219.691	0.46

Frequency Missing = 35160.669859

DRIVEN A CAR WHILE HIGH FROM DRUGS

q32f	Frequency	Percent
None	247342.2	92.77
1-3 times	12804.79	4.80
4-9 times	3167.359	1.19
10+ times	3313.073	1.24

Frequency Missing = 34216.534243

CRITICIZED BY DATE BECAUSE OF DRUG USE

q32g	Frequency	Percent
None	252292.7	93.70
1-3 times	12502.15	4.64
4-9 times	2792.143	1.04
10+ times	1666.235	0.62

Frequency Missing = 31590.790884

TROUBLE WITH POLICE BECAUSE OF DRUG USE

q32h	Frequency	Percent
None	263635.5	96.87
1-3 times	6116.496	2.25
4-9 times	1082.445	0.40
10+ times	1322.368	0.49

Frequency Missing = 28687.182813

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT

q33a	Frequency	Percent
None	249687.4	90.46
1-3 days	20578.29	7.46
4-9 days	3098.455	1.12
10+ days	2647.237	0.96

Frequency Missing = 24832.60691

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT

q33b	Frequency	Percent
None	244645.7	89.22
1-3 days	18312.32	6.68
4-9 days	5053.379	1.84
10+ days	6196.767	2.26

Frequency Missing = 26635.780559

CLASS DAYS HIGH ON INHALANTS SINCE SEPT

q33c	Frequency	Percent
None	267188.2	97.18
1-3 days	5111.962	1.86
4-9 days	1418.17	0.52
10+ days	1229.486	0.45

Frequency Missing = 25896.19543

CLASS DAYS HIGH ON OTHER DRUG(S)

q33d	Frequency	Percent
None	256584.9	92.61
1-3 days	12761.78	4.61
4-9 days	4318.214	1.56
10+ days	3387.649	1.22

Frequency Missing = 23791.423441

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR

q34a	Frequency	Percent
Never	104144.4	37.36
Seldom	28024.64	10.05
Half the time	22829.08	8.19
Most of the time	37240.79	13.36
Always	56666.96	20.33
Don't know	6697.07	2.40
Didn't attend	23157.85	8.31

Frequency Missing = 22083.231854

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

DRUG USE AT PARTIES THIS SCHOOL YEAR

q34b	Frequency	Percent
Never	137363.9	49.33
Seldom	28173.19	10.12
Half the time	21385.35	7.68
Most of the time	25938.78	9.31
Always	32085.65	11.52
Don't know	10478.17	3.76
Didn't attend	23048.7	8.28

Frequency Missing = 22370.226022

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM

q35	Frequency	Percent
No	217999.7	87.70
Yes	30571.03	12.30

Frequency Missing = 52273.206351

WOULD SEEK HELP FROM SCHOOL COUNSELOR

q36a	Frequency	Percent
No	158052.6	57.81
Yes	115329.3	42.19

Frequency Missing = 27462.123907

WOULD SEEK HELP OUTSIDE OF SCHOOL

q36b	Frequency	Percent
No	164811.2	60.67
Yes	106843.8	39.33

Frequency Missing = 29189.051227

WOULD SEEK HELP FROM OTHER COUNSELOR

q36c	Frequency	Percent
No	160311.3	59.65
Yes	108446.2	40.35

Frequency Missing = 32086.450311

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

WOULD SEEK HELP FROM PARENTS

q36d	Frequency	Percent
No	109264.1	40.39
Yes	161276.1	59.61

Frequency Missing = 30303.722529

WOULD SEEK HELP FROM A MEDICAL DOCTOR

q36e	Frequency	Percent
No	155816.5	57.95
Yes	113080.3	42.05

Frequency Missing = 31947.199604

WOULD SEEK HELP FROM FRIENDS

q36f	Frequency	Percent
No	80536.78	29.85
Yes	189309.2	70.15

Frequency Missing = 30998.018772

WOULD SEEK HELP FROM ANOTHER ADULT

q36g	Frequency	Percent
No	110557.4	40.79
Yes	160511.9	59.21

Frequency Missing = 29774.643667

WOULD NOT SEEK HELP

q36h	Frequency	Percent
No	211454.9	79.23
Yes	55448.44	20.77

Frequency Missing = 33940.656801

DRUG/ALCOHOL INFO--HEALTH CLASS

q37a	Frequency	Percent
No	98190.94	43.45
Yes	127782.8	56.55

Frequency Missing = 74870.225029

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

DRUG/ALCOHOL INFO--ASSEMBLY PROGRAM

q37b	Frequency	Percent
No	108828.3	48.70
Yes	114648.7	51.30

Frequency Missing = 77367.02788

DRUG/ALCOHOL INFO--GUIDANCE COUNSELOR

q37c	Frequency	Percent
No	135170.2	60.94
Yes	86633.45	39.06

Frequency Missing = 79040.333971

DRUG/ALCOHOL INFO--SCIENCE CLASS

q37d	Frequency	Percent
No	140054.2	63.33
Yes	81106.33	36.67

Frequency Missing = 79683.495679

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS

q37e	Frequency	Percent
No	179561.7	81.02
Yes	42069.48	18.98

Frequency Missing = 79212.800477

DRUG/ALCOHOL INFO--DRUG RAP SESSION

q37f	Frequency	Percent
No	172281.6	77.45
Yes	50161.02	22.55

Frequency Missing = 78401.409649

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST

q37g	Frequency	Percent
No	116862.4	52.42
Yes	106063.2	47.58

Frequency Missing = 77918.369519

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
 Spring 2004 V4(10/22/04)

The FREQ Procedure

DRUG/ALCOHOL INFO--OTHER SCHOOL SOURCE

q37h	Frequency	Percent
No	131660.6	58.82
Yes	92159.01	41.18

Frequency Missing = 77024.419387

PARENTS FEEL ABOUT KIDS SMOKING CIGARET

q38a	Frequency	Percent
Strong disapprove	191230.7	70.15
Mild disapprove	25369.97	9.31
Neither	15331.53	5.62
Mildly approve	3788.06	1.39
Strongly approve	2813.241	1.03
Don't know	34050.01	12.49

Frequency Missing = 28260.49584

PARENTS FEEL ABOUT KIDS DRINKING BEER

q38b	Frequency	Percent
Strong disapprove	171460.3	63.19
Mild disapprove	36557.32	13.47
Neither	20007.17	7.37
Mildly approve	7224.514	2.66
Strongly approve	3440.26	1.27
Don't know	32639.06	12.03

Frequency Missing = 29515.407515

PARENTS FEEL ABOUT KIDS USING MARIJUANA

q38c	Frequency	Percent
Strong disapprove	215732.4	79.46
Mild disapprove	10251.07	3.78
Neither	7870.695	2.90
Mildly approve	2242.195	0.83
Strongly approve	4026.324	1.48
Don't know	31364.26	11.55

Frequency Missing = 29357.015301

PURCHASED LOTTERY TICKET IN PAST YEAR

q39	Frequency	Percent
No	212486.1	76.86
Yes	63976.57	23.14

Frequency Missing = 24381.338088

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2004 V4(10/22/04)

The FREQ Procedure

NON-LOTTERY GAMBLING IN PAST YEAR

q40	Frequency	Percent
No	199837.2	72.54
Yes	75635.72	27.46

Frequency Missing = 25371.027947

MONEY SPENT ON GAMBLING IN PAST YEAR

q41	Frequency	Percent
\$0	179758.4	65.24
\$1 - \$10	44213.76	16.05
\$11 - \$50	25054.69	9.09
\$51 - \$100	10774.97	3.91
\$100+	15738.56	5.71

Frequency Missing = 25303.59534

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state