

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2016



**BORDER REPORT**

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	28
Miscellaneous . . . . .	32
<b>2 Prevalence Tables</b>	<b>38</b>
Table B-1: All Students . . . . .	39
Table B-2: Male Students . . . . .	43
Table B-3: Female Students . . . . .	47
Table B-4: White Non-Hispanic Students . . . . .	51
Table B-5: African American Non-Hispanic Students . . . . .	55
Table B-6: Hispanic or Latino Students . . . . .	59
Table B-7: Students Reporting A Grades on Average . . . . .	63
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	67
Table B-9: Students Living with 2 Parents . . . . .	71
Table B-10: Students Not Living with 2 Parents . . . . .	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	83
<b>3 Margin Tables</b>	<b>87</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>107</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in border regions of the state. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.**

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	13.7%	16.9%	29.2%	70.8%
Grade 7	6.5%	7.9%	14.6%	85.4%
Grade 8	9.6%	11.6%	22.1%	77.9%
Grade 9	12.6%	15.6%	29.1%	70.9%
Grade 10	16.1%	21.0%	36.7%	63.3%
Grade 11	18.3%	22.4%	36.7%	63.3%
Grade 12	24.7%	29.8%	44.8%	55.2%
<b>Cigarettes?</b>				
All	5.7%	7.7%	17.6%	82.4%
Grade 7	2.3%	3.0%	8.0%	92.0%
Grade 8	3.3%	3.9%	11.5%	88.5%
Grade 9	4.2%	5.7%	15.6%	84.4%
Grade 10	6.2%	9.0%	23.2%	76.8%
Grade 11	9.0%	12.5%	24.3%	75.7%
Grade 12	13.4%	18.0%	31.6%	68.4%
<b>Smokeless Tobacco?</b>				
All	2.2%	3.0%	6.4%	93.6%
Grade 7	0.8%	1.3%	2.6%	97.4%
Grade 8	1.6%	1.9%	4.0%	96.0%
Grade 9	1.9%	2.5%	6.3%	93.7%
Grade 10	2.7%	3.8%	8.6%	91.4%
Grade 11	2.4%	3.6%	6.9%	93.1%
Grade 12	4.7%	6.7%	13.3%	86.7%
<b>Electronic Vapor Products?</b>				
All	7.5%	11.0%	22.1%	77.9%
Grade 7	3.3%	4.9%	10.1%	89.9%
Grade 8	5.9%	8.2%	17.2%	82.8%
Grade 9	7.5%	10.9%	23.2%	76.8%
Grade 10	8.7%	14.0%	28.4%	71.6%
Grade 11	9.3%	13.8%	27.0%	73.0%
Grade 12	12.4%	18.0%	32.3%	67.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 120

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once Month	About Once a Year	Less Than Once a Year
All	88.2%	0.5%	1.1%	1.9%	2.3%	2.5%	3.6%
Grade 7	96.3%	0.2%	0.3%	0.6%	0.6%	0.9%	1.1%
Grade 8	93.2%	0.2%	0.5%	0.9%	1.1%	1.3%	2.9%
Grade 9	89.3%	0.2%	0.9%	1.7%	2.3%	2.7%	3.0%
Grade 10	84.5%	0.6%	1.2%	2.1%	2.5%	4.0%	5.1%
Grade 11	83.4%	0.7%	1.4%	3.1%	3.5%	3.5%	4.5%
Grade 12	76.2%	1.5%	2.8%	3.9%	5.4%	3.3%	6.9%

**Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	36.8%	20.8%	6.9%	9.4%	11.5%	14.5%
Grade 7	45.8%	30.7%	7.3%	6.1%	5.4%	4.7%
Grade 8	39.4%	26.6%	7.5%	10.1%	9.0%	7.5%
Grade 9	37.0%	20.4%	7.3%	10.8%	11.7%	12.9%
Grade 10	36.5%	14.9%	7.7%	10.3%	14.4%	16.2%
Grade 11	31.2%	14.9%	6.2%	9.1%	17.0%	21.6%
Grade 12	26.4%	12.2%	4.1%	9.5%	14.6%	33.1%

**Table T-4: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	72.1%	17.7%	6.6%	2.8%	0.8%
Grade 7	86.6%	9.7%	2.7%	0.6%	0.5%
Grade 8	81.4%	12.7%	4.0%	1.3%	0.6%
Grade 9	71.4%	19.2%	5.7%	2.9%	0.8%
Grade 10	67.0%	20.0%	8.9%	3.4%	0.7%
Grade 11	62.8%	22.7%	9.2%	4.4%	0.8%
Grade 12	54.1%	25.6%	12.8%	5.6%	1.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 4 of 120

**Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	80.0%	5.7%	3.8%	0.8%	0.8%	8.7%
Grade 7	80.8%	2.6%	1.7%	0.6%	1.3%	12.9%
Grade 8	82.1%	4.7%	2.8%	0.5%	0.6%	9.4%
Grade 9	79.7%	6.6%	4.3%	0.6%	0.9%	7.9%
Grade 10	81.3%	6.1%	4.0%	1.0%	0.9%	6.7%
Grade 11	79.6%	7.1%	4.2%	0.6%	0.4%	8.1%
Grade 12	75.3%	8.4%	6.9%	2.1%	1.0%	6.3%

**Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	69.5%	18.4%	5.5%	1.4%	5.2%
	Grade 7	79.2%	12.3%	2.8%	0.9%	4.7%
	Grade 8	70.3%	17.6%	5.1%	1.3%	5.7%
	Grade 9	66.4%	20.4%	5.8%	1.9%	5.6%
	Grade 10	65.5%	21.8%	6.7%	1.4%	4.6%
	Grade 11	69.1%	18.4%	5.9%	0.8%	5.8%
	Grade 12	65.6%	20.8%	7.6%	1.7%	4.3%
Electronic Vapor Products?						
	All	60.2%	12.2%	11.3%	9.9%	6.4%
	Grade 7	72.5%	10.4%	5.5%	5.1%	6.5%
	Grade 8	61.1%	11.9%	10.8%	9.5%	6.8%
	Grade 9	56.9%	13.2%	12.8%	10.9%	6.1%
	Grade 10	54.4%	12.3%	14.3%	12.6%	6.4%
	Grade 11	58.6%	12.7%	11.7%	10.9%	6.1%
	Grade 12	56.7%	12.4%	13.2%	11.2%	6.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 5 of 120



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	29.5%	34.0%	51.1%	48.9%
Grade 7	14.1%	16.3%	31.4%	68.6%
Grade 8	21.0%	24.0%	43.1%	56.9%
Grade 9	31.3%	36.2%	54.0%	46.0%
Grade 10	36.5%	41.2%	56.8%	43.2%
Grade 11	38.2%	43.6%	60.6%	39.4%
Grade 12	43.3%	51.5%	69.3%	30.7%
<b>Beer?</b>				
All	12.6%	17.7%	40.3%	59.7%
Grade 7	4.3%	5.8%	23.2%	76.8%
Grade 8	8.1%	11.0%	32.7%	67.3%
Grade 9	12.2%	16.9%	42.0%	58.0%
Grade 10	15.7%	22.1%	45.9%	54.1%
Grade 11	17.6%	25.0%	49.2%	50.8%
Grade 12	23.3%	34.1%	57.3%	42.7%
<b>Wine Coolers?</b>				
All	10.1%	14.3%	30.9%	69.1%
Grade 7	3.3%	4.6%	14.2%	85.8%
Grade 8	6.5%	9.1%	23.5%	76.5%
Grade 9	10.4%	14.4%	33.8%	66.2%
Grade 10	12.5%	18.1%	35.1%	64.9%
Grade 11	13.8%	20.4%	39.6%	60.4%
Grade 12	17.7%	25.0%	46.6%	53.4%
<b>Wine?</b>				
All	8.0%	11.7%	31.2%	68.8%
Grade 7	3.7%	5.1%	16.9%	83.1%
Grade 8	5.9%	7.8%	26.0%	74.0%
Grade 9	8.1%	11.2%	33.1%	66.9%
Grade 10	9.2%	14.7%	36.1%	63.9%
Grade 11	9.0%	14.6%	36.6%	63.4%
Grade 12	14.7%	21.4%	44.5%	55.5%
<b>Liquor?</b>				
All	11.3%	16.2%	33.4%	66.6%
Grade 7	2.8%	4.2%	12.4%	87.6%
Grade 8	6.4%	9.3%	23.2%	76.8%
Grade 9	11.4%	15.7%	35.1%	64.9%
Grade 10	14.2%	20.8%	40.7%	59.3%
Grade 11	16.6%	23.7%	45.2%	54.8%
Grade 12	21.7%	31.7%	54.7%	45.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 120

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	66.2%	0.2%	2.4%	6.3%	9.3%	8.7%	6.9%
Grade 7	87.0%	0.2%	0.8%	1.5%	2.8%	3.1%	4.7%
Grade 8	75.5%	0.2%	1.5%	4.2%	6.5%	6.1%	6.1%
Grade 9	64.2%	0.1%	1.7%	6.9%	10.0%	9.4%	7.7%
Grade 10	58.1%	0.2%	3.6%	8.5%	10.7%	10.1%	8.7%
Grade 11	57.2%	0.3%	3.3%	7.6%	13.2%	11.1%	7.3%
Grade 12	44.8%	0.5%	5.1%	11.5%	15.7%	15.0%	7.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	64.7%	35.3%	8.0%	16.9%	10.4%
	Grade 7	81.0%	19.0%	1.9%	8.4%	8.7%
	Grade 8	71.1%	28.9%	4.4%	12.2%	12.3%
	Grade 9	62.8%	37.2%	8.2%	17.3%	11.7%
	Grade 10	59.4%	40.6%	9.6%	22.3%	8.7%
	Grade 11	56.4%	43.6%	12.0%	21.0%	10.6%
	Grade 12	50.3%	49.7%	15.5%	24.9%	9.4%
<b>Wine Coolers</b>						
	All	72.8%	27.2%	4.9%	15.7%	6.6%
	Grade 7	88.1%	11.9%	1.8%	5.9%	4.2%
	Grade 8	79.5%	20.5%	3.2%	10.0%	7.2%
	Grade 9	70.7%	29.3%	4.6%	17.3%	7.4%
	Grade 10	69.6%	30.4%	6.4%	18.4%	5.7%
	Grade 11	63.6%	36.4%	6.3%	22.3%	7.8%
	Grade 12	57.9%	42.1%	9.6%	25.5%	7.0%
<b>Wine</b>						
	All	73.1%	26.9%	2.7%	13.4%	10.7%
	Grade 7	86.0%	14.0%	0.8%	5.9%	7.4%
	Grade 8	78.3%	21.7%	2.0%	9.2%	10.6%
	Grade 9	70.4%	29.6%	2.7%	14.7%	12.2%
	Grade 10	69.8%	30.2%	3.7%	16.3%	10.2%
	Grade 11	67.8%	32.2%	3.3%	16.9%	12.0%
	Grade 12	61.7%	38.3%	5.0%	21.4%	11.9%
<b>Liquor</b>						
	All	69.3%	30.7%	7.5%	15.3%	8.0%
	Grade 7	89.6%	10.4%	1.2%	4.5%	4.7%
	Grade 8	79.4%	20.6%	4.2%	9.1%	7.3%
	Grade 9	67.5%	32.5%	7.3%	15.4%	9.8%
	Grade 10	62.9%	37.1%	9.7%	20.4%	7.0%
	Grade 11	57.4%	42.6%	11.3%	21.1%	10.1%
	Grade 12	48.0%	52.0%	15.0%	28.2%	8.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.0%	4.5%	2.6%	2.4%	0.9%	1.5%
Grade 7	95.4%	2.6%	0.8%	0.6%	0.2%	0.5%
Grade 8	91.8%	3.6%	2.1%	1.0%	0.5%	1.1%
Grade 9	89.2%	4.5%	1.8%	2.4%	0.7%	1.4%
Grade 10	84.1%	5.3%	3.3%	3.5%	2.0%	1.9%
Grade 11	82.7%	5.6%	4.3%	3.7%	1.0%	2.7%
Grade 12	79.8%	6.9%	4.8%	4.9%	1.5%	2.0%

**Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	29.3%	14.2%	5.9%	10.9%	17.6%	22.1%
Grade 7	41.0%	24.0%	6.5%	8.0%	10.1%	10.5%
Grade 8	33.0%	19.2%	5.9%	11.0%	14.4%	16.4%
Grade 9	27.7%	12.4%	6.3%	11.1%	19.9%	22.6%
Grade 10	26.6%	9.3%	6.1%	11.0%	21.1%	25.8%
Grade 11	22.5%	9.7%	5.5%	12.1%	21.2%	29.1%
Grade 12	20.5%	6.8%	4.5%	13.4%	20.5%	34.3%

**Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.8%	3.2%	0.6%	0.4%
Grade 7	97.2%	2.2%	0.3%	0.2%
Grade 8	96.3%	3.2%	0.2%	0.3%
Grade 9	95.3%	3.4%	0.8%	0.4%
Grade 10	95.5%	3.4%	0.8%	0.3%
Grade 11	95.4%	3.4%	0.7%	0.5%
Grade 12	94.8%	4.0%	0.7%	0.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-7: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.3
Alcohol Non-Users	3.1
Average Days Conduct Problems Reported	
Alcohol Users	2.6
Alcohol Non-Users	0.8

**Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a Car When You Have Had a Good Bit to Drink?</b>				
High School	94.8%	4.1%	0.6%	0.4%
Grade 9	97.2%	2.3%	0.3%	0.2%
Grade 10	95.8%	3.5%	0.3%	0.4%
Grade 11	93.7%	4.9%	0.8%	0.6%
Grade 12	90.1%	7.7%	1.4%	0.8%
<b>Had Difficulties of Any Kind with Your Friends Because of Your Drinking?</b>				
All	96.6%	2.9%	0.3%	0.1%
Grade 7	98.1%	1.6%	0.1%	0.3%
Grade 8	97.4%	2.2%	0.2%	0.2%
Grade 9	96.0%	3.4%	0.6%	0.1%
Grade 10	96.8%	2.9%	0.1%	0.1%
Grade 11	95.5%	3.8%	0.7%	0.1%
Grade 12	95.9%	3.8%	0.3%	0.0%

**Table A-9: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	49.7%	23.6%	14.5%	9.2%	3.0%
Grade 7	77.5%	14.2%	5.6%	2.1%	0.6%
Grade 8	63.9%	20.3%	9.7%	4.5%	1.6%
Grade 9	43.7%	26.2%	18.0%	9.7%	2.4%
Grade 10	39.7%	26.7%	17.7%	11.7%	4.2%
Grade 11	34.1%	28.1%	19.4%	14.3%	4.0%
Grade 12	28.5%	28.1%	19.0%	17.1%	7.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 10 of 120

**Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	52.5%	8.9%	6.6%	9.1%	9.3%	2.5%	11.1%
Grade 7	73.0%	6.7%	4.0%	3.9%	1.9%	2.4%	8.2%
Grade 8	65.1%	9.2%	5.3%	5.7%	3.4%	2.5%	8.9%
Grade 9	47.2%	10.2%	8.5%	11.7%	7.8%	3.0%	11.6%
Grade 10	45.0%	8.8%	8.5%	11.6%	11.0%	3.0%	12.0%
Grade 11	40.5%	10.1%	6.8%	10.2%	16.1%	2.0%	14.3%
Grade 12	36.0%	8.3%	5.8%	12.5%	22.4%	1.8%	13.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	62.0%	20.9%	11.8%	3.9%	1.3%
	Grade 7	73.5%	18.4%	6.3%	1.2%	0.6%
	Grade 8	66.7%	19.5%	9.5%	3.6%	0.8%
	Grade 9	59.7%	22.6%	11.9%	4.5%	1.4%
	Grade 10	58.8%	19.8%	15.2%	4.6%	1.5%
	Grade 11	56.9%	21.7%	15.2%	4.7%	1.6%
	Grade 12	51.8%	24.2%	15.9%	5.8%	2.4%
<b>Friends?</b>						
	All	57.5%	18.1%	11.8%	9.3%	3.2%
	Grade 7	73.3%	19.9%	3.9%	2.4%	0.6%
	Grade 8	66.1%	19.7%	7.7%	5.0%	1.6%
	Grade 9	55.2%	19.3%	13.3%	9.5%	2.7%
	Grade 10	52.6%	16.3%	13.6%	13.2%	4.3%
	Grade 11	49.2%	17.1%	17.2%	11.7%	4.8%
	Grade 12	41.3%	13.9%	19.0%	18.3%	7.4%
<b>A Store?</b>						
	All	60.6%	30.7%	3.9%	3.2%	1.6%
	Grade 7	74.2%	23.2%	1.3%	0.9%	0.4%
	Grade 8	67.1%	27.7%	2.8%	1.6%	0.8%
	Grade 9	58.6%	34.2%	3.1%	3.0%	1.2%
	Grade 10	56.7%	33.6%	5.0%	3.0%	1.7%
	Grade 11	54.1%	32.9%	5.4%	5.2%	2.4%
	Grade 12	46.3%	33.2%	8.4%	7.4%	4.7%
<b>Parties?</b>						
	All	54.0%	14.9%	11.2%	10.7%	9.3%
	Grade 7	69.4%	18.7%	5.4%	4.1%	2.4%
	Grade 8	62.6%	16.3%	9.3%	7.1%	4.7%
	Grade 9	50.0%	15.2%	12.7%	11.9%	10.1%
	Grade 10	49.3%	12.9%	12.7%	13.4%	11.7%
	Grade 11	47.1%	11.6%	14.7%	13.9%	12.8%
	Grade 12	39.2%	12.4%	13.8%	16.5%	18.0%
<b>Other Sources?</b>						
	All	61.4%	22.4%	7.7%	4.8%	3.8%
	Grade 7	73.4%	19.5%	3.8%	2.3%	1.0%
	Grade 8	66.5%	21.5%	6.1%	3.5%	2.5%
	Grade 9	60.2%	23.0%	8.0%	5.3%	3.5%
	Grade 10	57.4%	23.2%	8.8%	5.6%	5.0%
	Grade 11	56.0%	22.7%	9.9%	6.0%	5.4%
	Grade 12	49.0%	25.3%	11.2%	7.2%	7.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	68.1%	11.5%	8.1%	3.0%	1.2%	8.1%
Grade 7	75.2%	6.5%	3.1%	1.6%	1.4%	12.3%
Grade 8	73.4%	8.7%	5.8%	2.0%	0.8%	9.3%
Grade 9	64.2%	14.5%	9.8%	3.4%	1.2%	6.9%
Grade 10	66.8%	12.8%	9.4%	3.6%	1.1%	6.3%
Grade 11	66.5%	12.5%	10.5%	2.7%	0.8%	7.0%
Grade 12	60.9%	14.7%	11.5%	5.0%	1.9%	6.0%

**Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	55.9%	26.0%	11.4%	2.6%	4.0%
Grade 7	67.2%	18.7%	8.1%	1.8%	4.2%
Grade 8	56.6%	23.2%	13.0%	2.6%	4.6%
Grade 9	48.0%	31.1%	12.9%	3.4%	4.5%
Grade 10	52.2%	27.8%	13.4%	3.0%	3.6%
Grade 11	58.3%	25.8%	10.2%	2.4%	3.2%
Grade 12	56.2%	28.7%	10.1%	1.9%	3.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 13 of 120



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	13.4%	16.9%	22.8%	77.2%
Grade 7	5.4%	7.0%	8.2%	91.8%
Grade 8	9.4%	12.0%	14.8%	85.2%
Grade 9	13.2%	16.4%	21.2%	78.8%
Grade 10	17.5%	21.9%	31.1%	68.9%
Grade 11	17.9%	22.3%	31.7%	68.3%
Grade 12	22.4%	28.1%	39.8%	60.2%
<b>Marijuana?</b>				
All	12.8%	15.2%	21.4%	78.6%
Grade 7	4.8%	5.5%	6.8%	93.2%
Grade 8	9.0%	10.4%	13.4%	86.6%
Grade 9	12.8%	15.0%	20.0%	80.0%
Grade 10	16.5%	19.9%	29.3%	70.7%
Grade 11	16.7%	20.1%	30.3%	69.7%
Grade 12	21.7%	26.6%	38.8%	61.2%
<b>Cocaine?</b>				
All	2.4%	2.7%	4.2%	95.8%
Grade 7	1.1%	1.2%	1.4%	98.6%
Grade 8	1.8%	1.9%	2.6%	97.4%
Grade 9	1.9%	2.2%	3.8%	96.2%
Grade 10	3.2%	3.5%	5.1%	94.9%
Grade 11	3.6%	4.1%	6.9%	93.1%
Grade 12	3.8%	4.5%	7.8%	92.2%
<b>Crack?</b>				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	0.8%	0.9%	1.2%	98.8%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.8%	0.8%	1.2%	98.8%
Grade 12	1.1%	1.1%	1.8%	98.2%
<b>Hallucinogens?</b>				
All	1.0%	1.4%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.6%	0.8%	1.6%	98.4%
Grade 9	1.2%	1.7%	3.0%	97.0%
Grade 10	1.1%	1.8%	3.0%	97.0%
Grade 11	0.8%	1.5%	3.7%	96.3%
Grade 12	2.0%	2.6%	5.1%	94.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 14 of 120

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.8%	0.9%	1.1%	98.9%
Steroids?				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.5%	1.3%	98.7%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.3%	0.4%	0.7%	99.3%
Ecstasy?				
All	1.0%	1.6%	3.4%	96.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.7%	98.3%
Grade 9	0.8%	1.3%	3.5%	96.5%
Grade 10	1.9%	3.0%	4.9%	95.1%
Grade 11	1.6%	3.0%	5.4%	94.6%
Grade 12	1.6%	2.6%	5.8%	94.2%
Heroin?				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.3%	0.6%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.1%	0.2%	0.9%	99.1%
Grade 12	0.5%	0.5%	1.1%	98.9%
Methamphetamine?				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.4%	98.6%
Grade 10	0.5%	0.9%	1.5%	98.5%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.8%	0.9%	1.5%	98.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 15 of 120

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	2.1%	2.9%	6.5%	93.5%
Grade 7	1.0%	1.5%	2.5%	97.5%
Grade 8	2.1%	2.7%	5.3%	94.7%
Grade 9	2.3%	3.4%	7.1%	92.9%
Grade 10	2.7%	3.6%	7.7%	92.3%
Grade 11	1.7%	3.1%	8.8%	91.2%
Grade 12	2.7%	3.6%	9.4%	90.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	83.2%	1.6%	2.0%	2.6%	3.1%	3.3%	4.1%
	Grade 7	94.8%	0.4%	0.6%	1.2%	0.9%	0.7%	1.4%
	Grade 8	89.6%	1.1%	1.2%	1.9%	1.6%	2.3%	2.3%
	Grade 9	83.8%	1.5%	1.9%	2.9%	3.2%	3.1%	3.7%
	Grade 10	77.4%	1.9%	2.8%	2.9%	4.8%	4.6%	5.7%
	Grade 11	76.2%	2.7%	2.8%	2.7%	3.5%	5.4%	6.7%
	Grade 12	70.0%	2.8%	3.7%	4.1%	6.4%	5.6%	7.3%
Cocaine?								
	All	97.2%	0.1%	0.2%	0.4%	0.6%	0.6%	0.8%
	Grade 7	99.3%	0.1%	0.1%	0.1%	0.2%	0.0%	0.2%
	Grade 8	98.0%	0.0%	0.0%	0.2%	0.6%	0.5%	0.7%
	Grade 9	97.5%	0.1%	0.1%	0.3%	0.6%	0.8%	0.7%
	Grade 10	96.5%	0.3%	0.2%	0.9%	0.8%	0.5%	0.8%
	Grade 11	95.3%	0.4%	0.1%	0.7%	1.0%	0.9%	1.5%
	Grade 12	95.0%	0.0%	0.8%	0.8%	0.6%	1.2%	1.7%
Crack?								
	All	99.3%	0.0%	0.1%	0.1%	0.1%	0.1%	0.3%
	Grade 7	99.7%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.4%	0.0%	0.0%	0.1%	0.1%	0.2%	0.3%
	Grade 9	99.2%	0.0%	0.1%	0.2%	0.2%	0.1%	0.2%
	Grade 10	99.3%	0.1%	0.1%	0.1%	0.0%	0.2%	0.2%
	Grade 11	99.1%	0.1%	0.0%	0.1%	0.1%	0.0%	0.4%
	Grade 12	99.2%	0.0%	0.1%	0.0%	0.0%	0.4%	0.2%
Steroids?								
	All	99.5%	0.1%	0.1%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.5%	0.0%	0.1%	0.0%	0.1%	0.0%	0.3%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 9	99.4%	0.2%	0.0%	0.0%	0.1%	0.2%	0.1%
	Grade 10	99.5%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
Ecstasy?								
	All	97.5%	0.1%	0.1%	0.3%	0.5%	0.7%	0.9%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 8	98.9%	0.0%	0.0%	0.1%	0.2%	0.4%	0.4%
	Grade 9	97.5%	0.1%	0.1%	0.2%	0.6%	0.8%	0.8%
	Grade 10	96.2%	0.2%	0.2%	0.5%	0.9%	0.8%	1.2%
	Grade 11	95.4%	0.0%	0.1%	0.7%	1.2%	1.1%	1.5%
	Grade 12	96.1%	0.1%	0.0%	0.4%	0.6%	1.2%	1.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 17 of 120

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.7%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 8	99.5%	0.0%	0.0%	0.1%	0.2%	0.0%	0.1%
	Grade 9	99.7%	0.1%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 10	99.4%	0.1%	0.0%	0.0%	0.1%	0.2%	0.2%
	Grade 11	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.4%	0.0%	0.0%	0.0%	0.1%	0.1%	0.4%
Methamphetamine?								
	All	99.3%	0.0%	0.0%	0.0%	0.2%	0.2%	0.3%
	Grade 7	99.6%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%
	Grade 8	99.1%	0.0%	0.0%	0.0%	0.4%	0.3%	0.3%
	Grade 9	99.1%	0.0%	0.0%	0.1%	0.2%	0.2%	0.4%
	Grade 10	99.4%	0.0%	0.2%	0.1%	0.1%	0.1%	0.2%
	Grade 11	99.3%	0.0%	0.1%	0.1%	0.0%	0.2%	0.2%
	Grade 12	99.0%	0.0%	0.0%	0.0%	0.3%	0.3%	0.4%
Synthetic Marijuana?								
	All	95.5%	0.2%	0.2%	0.6%	0.9%	1.0%	1.6%
	Grade 7	97.9%	0.1%	0.1%	0.3%	0.4%	0.4%	0.7%
	Grade 8	96.3%	0.1%	0.3%	0.7%	0.8%	0.6%	1.2%
	Grade 9	95.0%	0.1%	0.2%	0.6%	1.1%	1.4%	1.7%
	Grade 10	95.0%	0.2%	0.3%	0.7%	0.7%	1.6%	1.4%
	Grade 11	94.5%	0.2%	0.4%	0.4%	1.2%	1.3%	2.1%
	Grade 12	93.7%	0.5%	0.1%	0.6%	0.9%	1.1%	3.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-3: If You Wanted Some, How Difficult Would It Be to Get...**

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	All	33.9%	20.2%	6.7%	8.6%	11.7%	19.0%
	Grade 7	45.0%	33.0%	6.6%	5.4%	5.1%	5.0%
	Grade 8	37.2%	27.4%	7.9%	8.3%	8.8%	10.5%
	Grade 9	33.1%	17.6%	7.6%	8.4%	13.1%	20.2%
	Grade 10	31.2%	14.1%	5.8%	10.6%	14.2%	24.1%
	Grade 11	26.7%	13.2%	6.3%	9.7%	15.8%	28.2%
	Grade 12	25.1%	10.5%	4.8%	10.2%	15.9%	33.5%
<b>Cocaine?</b>							
	All	43.1%	27.9%	9.4%	7.8%	5.0%	6.8%
	Grade 7	49.9%	35.9%	7.2%	3.9%	1.5%	1.6%
	Grade 8	44.0%	33.6%	10.0%	5.5%	3.3%	3.6%
	Grade 9	44.0%	27.2%	9.5%	9.1%	5.0%	5.4%
	Grade 10	42.1%	22.8%	10.0%	9.9%	7.1%	8.2%
	Grade 11	37.6%	23.6%	9.6%	9.3%	8.7%	11.1%
	Grade 12	37.0%	19.7%	11.0%	9.9%	6.7%	15.7%
<b>Crack?</b>							
	All	46.5%	28.7%	9.8%	6.6%	3.7%	4.6%
	Grade 7	53.7%	34.7%	6.4%	2.6%	1.5%	1.2%
	Grade 8	46.2%	33.3%	10.0%	4.8%	2.9%	2.7%
	Grade 9	46.5%	28.5%	9.6%	8.0%	3.1%	4.2%
	Grade 10	45.3%	24.8%	11.6%	8.2%	5.3%	4.9%
	Grade 11	42.5%	25.5%	10.1%	9.6%	5.7%	6.6%
	Grade 12	42.6%	21.7%	12.1%	7.5%	5.5%	10.6%
<b>Steroids?</b>							
	All	48.9%	28.4%	8.7%	6.5%	3.9%	3.7%
	Grade 7	54.5%	32.5%	6.4%	3.5%	1.6%	1.5%
	Grade 8	48.0%	32.5%	8.8%	5.4%	2.8%	2.4%
	Grade 9	48.6%	28.7%	8.3%	6.7%	4.5%	3.3%
	Grade 10	49.1%	24.8%	9.4%	7.7%	4.6%	4.4%
	Grade 11	46.0%	25.6%	9.6%	8.7%	5.8%	4.3%
	Grade 12	45.7%	23.2%	10.5%	8.0%	4.7%	7.9%
<b>Ecstasy?</b>							
	All	53.1%	23.9%	7.5%	5.6%	4.7%	5.2%
	Grade 7	64.1%	27.0%	4.9%	2.0%	0.8%	1.2%
	Grade 8	57.1%	26.8%	7.8%	4.0%	2.2%	2.2%
	Grade 9	53.5%	24.8%	6.9%	5.6%	5.1%	4.2%
	Grade 10	48.9%	21.2%	9.0%	8.0%	5.6%	7.3%
	Grade 11	44.1%	21.7%	8.5%	8.8%	9.0%	8.0%
	Grade 12	44.9%	19.1%	8.9%	7.3%	7.5%	12.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 19 of 120

**Table D-3: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	53.0%	27.6%	8.7%	4.9%	2.6%	3.3%
	Grade 7	60.3%	29.6%	5.5%	2.4%	1.1%	1.2%
	Grade 8	53.8%	30.8%	8.5%	3.3%	1.5%	2.1%
	Grade 9	53.8%	26.9%	8.7%	5.1%	2.9%	2.6%
	Grade 10	51.4%	25.7%	10.4%	6.3%	2.8%	3.4%
	Grade 11	48.4%	25.9%	9.6%	6.9%	4.5%	4.6%
	Grade 12	46.8%	25.2%	10.5%	6.5%	3.2%	7.7%
<b>Methamphetamine?</b>							
	All	54.3%	27.1%	7.8%	4.7%	2.7%	3.4%
	Grade 7	62.6%	29.0%	4.8%	1.7%	0.9%	0.9%
	Grade 8	55.1%	30.2%	7.3%	3.7%	1.8%	2.0%
	Grade 9	54.4%	27.1%	6.8%	5.4%	3.1%	3.1%
	Grade 10	52.7%	25.0%	10.0%	6.2%	2.6%	3.5%
	Grade 11	48.6%	25.6%	10.1%	6.0%	5.2%	4.5%
	Grade 12	49.1%	23.7%	9.7%	5.7%	3.2%	8.6%
<b>Synthetic Marijuana?</b>							
	All	50.2%	22.4%	6.4%	6.0%	5.9%	9.1%
	Grade 7	61.8%	26.1%	4.5%	3.0%	1.7%	2.9%
	Grade 8	52.9%	26.2%	6.4%	5.1%	4.0%	5.4%
	Grade 9	48.8%	23.2%	6.6%	6.2%	6.5%	8.7%
	Grade 10	48.0%	18.9%	6.7%	8.5%	7.8%	10.0%
	Grade 11	43.1%	19.5%	8.2%	6.3%	9.1%	13.8%
	Grade 12	42.7%	16.8%	6.4%	7.8%	7.9%	18.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	93.0%	4.2%	1.1%	1.8%
Grade 7	97.2%	1.9%	0.5%	0.4%
Grade 8	95.0%	3.2%	1.0%	0.8%
Grade 9	92.0%	4.5%	1.4%	2.1%
Grade 10	89.9%	6.5%	1.2%	2.4%
Grade 11	92.0%	4.5%	1.0%	2.5%
Grade 12	90.3%	5.5%	1.4%	2.8%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	96.9%	2.2%	0.4%	0.6%
Grade 7	98.1%	1.3%	0.1%	0.4%
Grade 8	98.1%	1.4%	0.2%	0.3%
Grade 9	95.6%	3.2%	0.5%	0.8%
Grade 10	96.4%	2.5%	0.4%	0.7%
Grade 11	96.4%	2.5%	0.5%	0.6%
Grade 12	96.9%	1.8%	0.5%	0.8%

**Table D-5: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.5
Marijuana Non-Users	3.4
Average Days Conduct Problems Reported	
Marijuana Users	3.9
Marijuana Non-Users	1.1

*Percentages have been weighted to reflect proportions within the population.*



**Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.3%	3.2%	0.5%	0.9%
Grade 9	97.4%	1.9%	0.2%	0.6%
Grade 10	96.0%	3.1%	0.4%	0.5%
Grade 11	94.4%	3.6%	0.8%	1.2%
Grade 12	91.6%	5.6%	1.2%	1.6%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.0%	2.3%	0.4%	0.2%
Grade 7	98.5%	1.2%	0.1%	0.2%
Grade 8	97.0%	2.5%	0.2%	0.3%
Grade 9	96.5%	2.5%	0.8%	0.2%
Grade 10	97.0%	2.3%	0.5%	0.2%
Grade 11	96.5%	2.8%	0.4%	0.2%
Grade 12	96.4%	2.8%	0.5%	0.2%

**Table D-7: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	59.0%	19.3%	10.6%	7.9%	3.2%
Grade 7	81.3%	11.3%	4.6%	1.7%	1.1%
Grade 8	69.2%	16.2%	7.0%	5.0%	2.5%
Grade 9	56.7%	20.7%	10.7%	8.3%	3.5%
Grade 10	47.6%	23.7%	14.5%	10.7%	3.5%
Grade 11	46.3%	23.2%	15.4%	12.0%	3.1%
Grade 12	42.9%	23.5%	14.9%	12.3%	6.4%

**Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	64.7%	6.5%	4.6%	5.0%	5.1%	3.0%	11.0%
Grade 7	83.3%	3.6%	1.5%	1.0%	1.0%	1.7%	8.0%
Grade 8	75.7%	4.9%	3.1%	2.9%	2.0%	2.5%	8.9%
Grade 9	62.2%	7.8%	6.1%	5.2%	3.4%	3.5%	11.8%
Grade 10	57.7%	7.5%	5.2%	7.3%	6.1%	4.5%	11.8%
Grade 11	51.5%	8.1%	6.0%	7.3%	9.3%	3.5%	14.3%
Grade 12	47.8%	7.7%	6.5%	8.6%	13.8%	2.8%	12.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 22 of 120

**Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.7%	4.9%	4.5%	1.3%	1.5%	8.2%
Grade 7	80.8%	2.2%	1.8%	0.7%	1.6%	12.9%
Grade 8	81.7%	3.2%	3.6%	0.7%	1.3%	9.4%
Grade 9	79.6%	5.8%	5.1%	1.3%	1.5%	6.6%
Grade 10	78.8%	5.8%	5.0%	2.1%	1.7%	6.5%
Grade 11	79.1%	6.3%	5.5%	1.2%	1.0%	6.9%
Grade 12	77.1%	6.6%	7.3%	1.8%	1.5%	5.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	62.8%	13.0%	9.6%	10.2%	4.5%
	Grade 7	81.3%	7.6%	3.7%	3.1%	4.4%
	Grade 8	68.9%	11.4%	8.5%	6.1%	5.2%
	Grade 9	58.2%	16.9%	9.1%	10.8%	5.0%
	Grade 10	54.2%	15.4%	12.4%	13.8%	4.1%
	Grade 11	56.1%	12.7%	13.0%	13.8%	4.3%
	Grade 12	52.9%	12.8%	13.7%	17.2%	3.5%
Cocaine?						
	All	86.9%	6.7%	1.0%	0.9%	4.5%
	Grade 7	89.6%	4.7%	0.5%	0.8%	4.4%
	Grade 8	86.4%	6.6%	1.2%	0.6%	5.3%
	Grade 9	85.3%	7.5%	1.1%	1.4%	4.7%
	Grade 10	85.3%	8.5%	1.1%	0.8%	4.3%
	Grade 11	87.9%	6.1%	1.2%	0.6%	4.3%
	Grade 12	88.0%	7.0%	0.8%	0.7%	3.6%
Crack?						
	All	87.9%	5.6%	0.7%	0.7%	5.0%
	Grade 7	88.7%	4.6%	0.8%	0.8%	5.1%
	Grade 8	86.4%	5.9%	1.1%	0.5%	6.0%
	Grade 9	86.3%	6.7%	0.5%	1.2%	5.3%
	Grade 10	87.8%	6.6%	0.7%	0.6%	4.3%
	Grade 11	90.0%	4.4%	0.8%	0.3%	4.5%
	Grade 12	90.3%	4.9%	0.4%	0.6%	3.8%
Ecstasy?						
	All	83.5%	6.8%	1.6%	1.1%	7.0%
	Grade 7	86.4%	3.8%	0.7%	0.6%	8.5%
	Grade 8	82.5%	5.8%	1.4%	0.7%	9.5%
	Grade 9	82.6%	7.1%	2.0%	1.5%	6.8%
	Grade 10	81.1%	10.1%	1.7%	1.5%	5.6%
	Grade 11	84.9%	7.1%	1.9%	0.9%	5.2%
	Grade 12	84.2%	8.2%	1.8%	0.9%	4.8%
Steroids?						
	All	80.4%	9.6%	2.6%	1.1%	6.3%
	Grade 7	82.9%	7.2%	2.3%	0.8%	6.9%
	Grade 8	78.7%	9.4%	3.1%	1.2%	7.6%
	Grade 9	79.6%	10.3%	2.0%	1.5%	6.6%
	Grade 10	77.7%	12.5%	3.2%	1.3%	5.4%
	Grade 11	83.2%	8.4%	2.2%	0.9%	5.2%
	Grade 12	81.3%	10.1%	3.1%	0.6%	4.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 24 of 120

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	88.2%	4.6%	0.6%	0.6%	5.9%
	Grade 7	87.3%	4.2%	0.8%	0.5%	7.2%
	Grade 8	85.7%	5.3%	0.9%	0.6%	7.4%
	Grade 9	87.5%	5.2%	0.5%	0.8%	6.0%
	Grade 10	89.0%	4.9%	0.6%	0.6%	4.9%
	Grade 11	91.0%	3.4%	0.3%	0.5%	4.7%
	Grade 12	91.0%	3.8%	0.5%	0.4%	4.3%
<b>Methamphetamine?</b>						
	All	88.6%	4.1%	0.6%	0.6%	6.0%
	Grade 7	87.9%	3.4%	0.7%	0.6%	7.3%
	Grade 8	86.4%	4.5%	1.0%	0.5%	7.7%
	Grade 9	87.8%	5.1%	0.5%	0.8%	5.8%
	Grade 10	90.0%	3.7%	0.6%	0.7%	4.9%
	Grade 11	90.9%	3.1%	0.4%	0.5%	5.1%
	Grade 12	90.8%	3.8%	0.7%	0.5%	4.3%
<b>Synthetic Marijuana?</b>						
	All	83.3%	7.0%	1.8%	1.5%	6.4%
	Grade 7	86.5%	4.6%	1.1%	1.1%	6.7%
	Grade 8	80.8%	7.0%	2.5%	1.4%	8.3%
	Grade 9	82.0%	7.4%	2.0%	1.9%	6.7%
	Grade 10	82.2%	8.7%	2.0%	1.7%	5.4%
	Grade 11	85.6%	6.5%	1.5%	1.4%	5.1%
	Grade 12	83.8%	8.0%	1.8%	1.1%	5.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	7.8%	10.2%	14.9%	85.1%
Grade 7	6.5%	8.3%	12.1%	87.9%
Grade 8	7.8%	10.0%	14.3%	85.7%
Grade 9	9.0%	11.5%	16.4%	83.6%
Grade 10	7.7%	10.1%	15.7%	84.3%
Grade 11	6.5%	9.7%	13.9%	86.1%
Grade 12	9.2%	11.5%	16.5%	83.5%
<b>Codeine Cough Syrup?</b>				
All	5.0%	6.7%	10.7%	89.3%
Grade 7	3.6%	4.7%	8.2%	91.8%
Grade 8	4.7%	6.6%	10.1%	89.9%
Grade 9	5.8%	7.2%	11.2%	88.8%
Grade 10	4.9%	6.5%	11.2%	88.8%
Grade 11	4.5%	7.0%	10.3%	89.7%
Grade 12	6.4%	8.9%	13.7%	86.3%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	1.1%	1.6%	2.6%	97.4%
Grade 7	0.3%	0.6%	1.0%	99.0%
Grade 8	0.8%	1.1%	1.6%	98.4%
Grade 9	1.1%	1.7%	3.0%	97.0%
Grade 10	1.1%	1.7%	2.6%	97.4%
Grade 11	1.5%	2.2%	3.5%	96.5%
Grade 12	2.3%	3.3%	4.8%	95.2%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.3%	2.0%	3.1%	96.9%
Grade 7	0.5%	0.7%	0.9%	99.1%
Grade 8	0.6%	1.1%	1.8%	98.2%
Grade 9	1.8%	2.3%	3.5%	96.5%
Grade 10	1.4%	2.5%	4.2%	95.8%
Grade 11	1.7%	2.7%	4.2%	95.8%
Grade 12	1.9%	3.0%	4.5%	95.5%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	0.7%	1.0%	1.9%	98.1%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.8%	1.1%	2.5%	97.5%
Grade 10	0.7%	0.9%	1.6%	98.4%
Grade 11	0.7%	1.4%	2.3%	97.7%
Grade 12	1.7%	2.0%	2.8%	97.2%

*Percentages have been weighted to reflect proportions within the population.*

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.5%	4.6%	7.5%	92.5%
Grade 7	4.0%	4.8%	7.2%	92.8%
Grade 8	3.7%	4.7%	7.8%	92.2%
Grade 9	4.6%	6.4%	9.9%	90.1%
Grade 10	3.3%	3.7%	6.9%	93.1%
Grade 11	2.1%	3.5%	5.9%	94.1%
Grade 12	2.4%	2.8%	4.6%	95.4%

**Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.7%	2.2%	3.7%	96.3%
Grade 7	1.6%	2.0%	3.7%	96.3%
Grade 8	1.4%	2.1%	3.9%	96.1%
Grade 9	2.1%	2.7%	4.3%	95.7%
Grade 10	1.6%	2.0%	3.6%	96.4%
Grade 11	1.7%	2.1%	3.6%	96.4%
Grade 12	1.4%	1.6%	2.2%	97.8%

**Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.9%	12.0%	3.3%	1.6%	7.2%
Grade 7	79.1%	8.6%	3.0%	1.6%	7.7%
Grade 8	73.9%	12.4%	3.9%	1.6%	8.2%
Grade 9	73.2%	13.8%	2.9%	1.9%	8.2%
Grade 10	74.9%	13.6%	3.5%	1.6%	6.3%
Grade 11	79.5%	9.8%	3.2%	1.6%	5.9%
Grade 12	77.2%	13.0%	3.8%	0.8%	5.3%

*Percentages have been weighted to reflect proportions within the population.*

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	5.6%	7.3%	13.2%	86.8%
Grade 7	7.0%	8.5%	13.2%	86.8%
Grade 8	5.6%	7.3%	14.4%	85.6%
Grade 9	6.6%	8.7%	14.6%	85.4%
Grade 10	4.9%	6.2%	13.0%	87.0%
Grade 11	3.7%	5.0%	9.8%	90.2%
Grade 12	4.4%	6.2%	12.1%	87.9%
Spray Paint?				
All	0.6%	0.9%	2.7%	97.3%
Grade 7	0.6%	0.9%	2.3%	97.7%
Grade 8	0.6%	0.7%	2.8%	97.2%
Grade 9	0.9%	1.2%	3.2%	96.8%
Grade 10	0.8%	0.8%	3.0%	97.0%
Grade 11	0.4%	0.7%	2.3%	97.7%
Grade 12	0.3%	0.7%	2.2%	97.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.3%	1.9%	5.4%	94.6%
Grade 7	2.0%	2.9%	5.9%	94.1%
Grade 8	1.6%	2.2%	6.7%	93.3%
Grade 9	1.6%	2.3%	6.5%	93.5%
Grade 10	0.8%	1.2%	5.0%	95.0%
Grade 11	0.9%	1.3%	3.9%	96.1%
Grade 12	0.3%	0.9%	2.8%	97.2%
Computer Dusting Sprays?				
All	0.6%	0.8%	1.8%	98.2%
Grade 7	0.7%	0.9%	1.4%	98.6%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	0.6%	0.9%	1.9%	98.1%
Grade 10	0.7%	1.1%	3.0%	97.0%
Grade 11	0.4%	0.7%	1.3%	98.7%
Grade 12	0.5%	0.8%	2.0%	98.0%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.8%	2.7%	6.5%	93.5%
Grade 7	2.5%	3.2%	6.7%	93.3%
Grade 8	2.1%	2.8%	6.0%	94.0%
Grade 9	1.5%	2.7%	7.4%	92.6%
Grade 10	1.3%	2.2%	6.3%	93.7%
Grade 11	1.1%	1.9%	5.1%	94.9%
Grade 12	2.2%	3.6%	6.6%	93.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	1.0%	1.4%	2.0%	98.0%
Grade 8	0.4%	0.7%	1.5%	98.5%
Grade 9	0.6%	1.0%	1.9%	98.1%
Grade 10	0.4%	0.4%	1.3%	98.7%
Grade 11	0.2%	0.3%	1.0%	99.0%
Grade 12	0.2%	0.3%	0.8%	99.2%
Toluene, Paint Thinner, or Other Solvents?				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.6%	0.9%	1.3%	98.7%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	0.7%	1.0%	1.9%	98.1%
Grade 10	0.2%	0.3%	1.3%	98.7%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.3%	0.9%	99.1%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.8%	1.2%	2.5%	97.5%
Grade 7	1.1%	1.5%	2.5%	97.5%
Grade 8	0.9%	1.2%	2.7%	97.3%
Grade 9	1.0%	1.6%	3.3%	96.7%
Grade 10	0.7%	0.8%	2.6%	97.4%
Grade 11	0.6%	0.9%	1.5%	98.5%
Grade 12	0.4%	0.8%	1.3%	98.7%
Other Aerosols/Sprays?				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	1.0%	1.5%	3.1%	96.9%
Grade 8	0.9%	1.2%	2.3%	97.7%
Grade 9	0.6%	1.0%	2.2%	97.8%
Grade 10	0.4%	0.6%	1.8%	98.2%
Grade 11	0.2%	0.3%	0.6%	99.4%
Grade 12	0.4%	0.5%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.3%	0.1%	0.2%	0.3%	0.5%	0.5%	1.2%
Grade 7	96.5%	0.2%	0.3%	0.6%	0.7%	0.9%	0.7%
Grade 8	96.6%	0.1%	0.4%	0.4%	0.6%	0.6%	1.4%
Grade 9	97.5%	0.0%	0.2%	0.2%	0.5%	0.3%	1.3%
Grade 10	97.5%	0.0%	0.1%	0.4%	0.4%	0.4%	1.2%
Grade 11	98.3%	0.1%	0.0%	0.1%	0.2%	0.5%	0.8%
Grade 12	97.8%	0.0%	0.0%	0.1%	0.3%	0.2%	1.6%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	88.5%	6.3%	3.6%	1.7%
Grade 7	88.3%	5.8%	4.0%	1.9%
Grade 8	87.3%	7.4%	3.7%	1.7%
Grade 9	87.5%	5.9%	4.7%	2.0%
Grade 10	88.4%	6.3%	3.5%	1.8%
Grade 11	91.2%	5.8%	1.9%	1.2%
Grade 12	89.7%	6.5%	2.7%	1.0%

**Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.7%	0.9%	0.1%	0.2%
Grade 7	98.4%	1.2%	0.0%	0.4%
Grade 8	98.5%	1.4%	0.1%	0.1%
Grade 9	98.6%	1.0%	0.3%	0.2%
Grade 10	99.0%	0.5%	0.1%	0.5%
Grade 11	98.9%	0.9%	0.1%	0.1%
Grade 12	99.2%	0.5%	0.0%	0.3%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-5: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.9
Inhalant Non-Users	3.5
Average Days Conduct Problems Reported	
Inhalant Users	4.5
Inhalant Non-Users	1.4

**Table I-6: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	90.5%	6.7%	1.8%	0.7%	0.2%
Grade 7	91.0%	6.8%	1.7%	0.4%	0.1%
Grade 8	89.9%	7.2%	1.8%	0.9%	0.3%
Grade 9	89.0%	7.5%	2.2%	1.1%	0.1%
Grade 10	90.6%	6.6%	1.9%	0.7%	0.1%
Grade 11	93.1%	4.6%	1.7%	0.4%	0.2%
Grade 12	91.0%	6.6%	1.4%	0.5%	0.5%

**Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.7%	11.5%	3.3%	1.2%	6.3%
Grade 7	77.9%	10.2%	3.7%	1.4%	6.9%
Grade 8	72.9%	14.3%	4.4%	1.4%	6.9%
Grade 9	76.8%	11.7%	3.8%	1.4%	6.3%
Grade 10	77.8%	12.0%	3.2%	1.2%	5.7%
Grade 11	81.5%	9.7%	2.0%	0.6%	6.2%
Grade 12	82.3%	9.9%	1.6%	0.7%	5.5%

**Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	47.4%	16.7%	4.3%	5.5%	7.6%	18.6%
Grade 7	50.9%	22.5%	4.1%	3.6%	5.7%	13.3%
Grade 8	45.9%	19.9%	3.5%	5.3%	8.1%	17.3%
Grade 9	48.2%	16.3%	4.7%	6.3%	6.6%	17.9%
Grade 10	47.7%	13.2%	4.2%	5.4%	9.1%	20.3%
Grade 11	44.6%	13.2%	5.8%	6.8%	9.2%	20.4%
Grade 12	45.8%	11.7%	3.3%	5.6%	8.3%	25.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 31 of 120

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	53.6%
	Grade 7	56.7%
	Grade 8	49.3%
	Grade 9	45.8%
	Grade 10	57.7%
	Grade 11	62.0%
	Grade 12	57.7%
An Assembly Program		
	All	50.6%
	Grade 7	55.7%
	Grade 8	57.5%
	Grade 9	44.6%
	Grade 10	46.1%
	Grade 11	51.0%
	Grade 12	49.8%
Guidance Counselor		
	All	41.2%
	Grade 7	46.4%
	Grade 8	46.8%
	Grade 9	34.1%
	Grade 10	38.5%
	Grade 11	41.1%
	Grade 12	42.1%
School Nurse		
	All	26.5%
	Grade 7	31.3%
	Grade 8	27.7%
	Grade 9	23.0%
	Grade 10	24.3%
	Grade 11	25.9%
	Grade 12	27.6%
Science or Social Studies Class		
	All	33.4%
	Grade 7	31.1%
	Grade 8	29.1%
	Grade 9	34.2%
	Grade 10	37.1%
	Grade 11	34.5%
	Grade 12	36.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 32 of 120

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

	Yes
Student Group or Club Meeting at School	
All	22.3%
Grade 7	19.8%
Grade 8	19.1%
Grade 9	22.0%
Grade 10	23.0%
Grade 11	26.2%
Grade 12	26.2%
An Invited School Guest	
All	41.5%
Grade 7	41.8%
Grade 8	43.5%
Grade 9	38.1%
Grade 10	40.3%
Grade 11	43.9%
Grade 12	43.9%
Another Source at School	
All	35.8%
Grade 7	33.8%
Grade 8	34.9%
Grade 9	36.5%
Grade 10	34.2%
Grade 11	39.6%
Grade 12	36.9%
Any School Source	
All	74.5%
Grade 7	77.1%
Grade 8	75.6%
Grade 9	71.1%
Grade 10	75.1%
Grade 11	75.9%
Grade 12	73.6%

*Percentages have been weighted to reflect proportions within the population.*

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	48.7%
	Grade 7	58.9%
	Grade 8	51.3%
	Grade 9	42.8%
	Grade 10	46.4%
	Grade 11	46.6%
	Grade 12	47.0%
<b>School Nurse</b>		
	All	30.8%
	Grade 7	40.4%
	Grade 8	33.7%
	Grade 9	26.6%
	Grade 10	28.6%
	Grade 11	28.3%
	Grade 12	26.0%
<b>Another Adult In School</b>		
	All	49.6%
	Grade 7	54.0%
	Grade 8	50.4%
	Grade 9	45.3%
	Grade 10	49.8%
	Grade 11	50.2%
	Grade 12	49.9%
<b>Counselor/Program Outside-School</b>		
	All	46.0%
	Grade 7	50.3%
	Grade 8	47.5%
	Grade 9	43.6%
	Grade 10	44.7%
	Grade 11	44.7%
	Grade 12	45.6%
<b>Your Parents</b>		
	All	72.0%
	Grade 7	78.2%
	Grade 8	73.1%
	Grade 9	69.9%
	Grade 10	73.0%
	Grade 11	69.2%
	Grade 12	67.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	61.8%
	Grade 7	69.5%
	Grade 8	63.2%
	Grade 9	59.7%
	Grade 10	60.4%
	Grade 11	58.4%
	Grade 12	57.8%
<b>Your Friends</b>		
	All	59.8%
	Grade 7	51.6%
	Grade 8	58.9%
	Grade 9	61.4%
	Grade 10	62.6%
	Grade 11	64.7%
	Grade 12	61.4%
<b>Another Adult</b>		
	All	63.9%
	Grade 7	65.0%
	Grade 8	64.4%
	Grade 9	66.1%
	Grade 10	63.9%
	Grade 11	63.6%
	Grade 12	57.5%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	8.5%
	Grade 7	6.9%
	Grade 8	8.8%
	Grade 9	8.7%
	Grade 10	9.7%
	Grade 11	7.9%
	Grade 12	8.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 35 of 120

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	7.5%	24.4%	24.6%	31.2%	12.2%
Grade 7	9.1%	20.2%	22.2%	31.5%	17.0%
Grade 8	7.1%	21.3%	22.4%	32.9%	16.2%
Grade 9	7.3%	27.6%	24.2%	31.5%	9.4%
Grade 10	9.0%	23.8%	25.9%	30.7%	10.6%
Grade 11	6.0%	25.8%	28.5%	30.5%	9.1%
Grade 12	6.1%	27.9%	26.5%	29.2%	10.4%
Sometimes Carry Weapons?					
All	84.0%	10.3%	3.6%	1.3%	0.9%
Grade 7	88.3%	8.6%	1.9%	0.8%	0.4%
Grade 8	85.4%	9.4%	3.0%	1.4%	0.8%
Grade 9	80.9%	12.4%	4.6%	1.1%	1.0%
Grade 10	86.0%	8.8%	3.2%	1.2%	0.7%
Grade 11	82.9%	10.6%	4.0%	1.4%	1.1%
Grade 12	80.7%	11.0%	5.1%	1.9%	1.4%
Care About Making Good Grades?					
All	2.9%	14.4%	24.5%	38.0%	20.2%
Grade 7	2.6%	14.8%	24.0%	33.4%	25.3%
Grade 8	2.9%	10.9%	25.4%	37.8%	23.0%
Grade 9	2.8%	16.1%	24.0%	39.5%	17.6%
Grade 10	4.0%	15.7%	25.9%	36.8%	17.7%
Grade 11	2.7%	12.9%	22.2%	44.1%	18.2%
Grade 12	2.4%	16.5%	26.2%	36.6%	18.4%
Belong/Want to Belong to a Gang?					
All	79.6%	12.9%	4.8%	1.8%	0.9%
Grade 7	81.9%	11.7%	4.3%	1.5%	0.6%
Grade 8	79.4%	13.1%	4.6%	1.7%	1.1%
Grade 9	76.2%	15.4%	5.1%	2.5%	0.8%
Grade 10	79.9%	12.7%	5.1%	1.6%	0.7%
Grade 11	80.2%	11.5%	5.3%	2.2%	0.9%
Grade 12	82.7%	11.1%	4.0%	1.0%	1.2%
Wish They Could Drop Out of School?					
All	56.4%	25.7%	11.7%	4.3%	1.9%
Grade 7	65.7%	19.5%	7.8%	5.0%	2.0%
Grade 8	60.5%	24.4%	9.2%	3.8%	2.1%
Grade 9	50.9%	29.4%	14.0%	4.0%	1.8%
Grade 10	53.4%	28.0%	12.1%	4.7%	1.8%
Grade 11	54.3%	25.4%	13.9%	4.7%	1.7%
Grade 12	53.5%	26.8%	13.5%	4.1%	2.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 36 of 120

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	86.7%	11.2%	0.8%	0.3%	0.9%
Grade 7	86.8%	10.9%	1.0%	0.4%	0.9%
Grade 8	86.4%	11.6%	0.9%	0.3%	0.8%
Grade 9	86.0%	11.3%	0.9%	0.2%	1.6%
Grade 10	88.0%	10.3%	0.5%	0.5%	0.8%
Grade 11	86.2%	12.1%	0.9%	0.3%	0.6%
Grade 12	87.5%	11.2%	0.6%	0.2%	0.5%
<b>Out In Your Neighborhood?</b>					
All	38.0%	48.7%	8.6%	1.8%	3.0%
Grade 7	35.6%	48.9%	9.9%	1.9%	3.7%
Grade 8	39.0%	47.8%	8.1%	1.9%	3.1%
Grade 9	36.3%	50.0%	8.4%	1.4%	4.0%
Grade 10	37.8%	49.3%	8.9%	1.7%	2.4%
Grade 11	40.4%	47.3%	8.7%	2.1%	1.4%
Grade 12	40.6%	48.0%	7.5%	1.8%	2.2%
<b>At School?</b>					
All	39.0%	45.0%	7.8%	3.9%	4.3%
Grade 7	49.5%	36.1%	6.7%	3.7%	4.0%
Grade 8	42.2%	43.3%	6.4%	3.5%	4.5%
Grade 9	28.9%	50.8%	9.8%	4.3%	6.3%
Grade 10	36.7%	47.6%	7.6%	4.0%	4.2%
Grade 11	38.7%	48.2%	7.2%	3.0%	2.8%
Grade 12	42.3%	42.1%	8.5%	4.9%	2.2%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 37 of 120



## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.7%	16.9%	29.2%	70.8%
Grade 7	6.5%	7.9%	14.6%	85.4%
Grade 8	9.6%	11.6%	22.1%	77.9%
Grade 9	12.6%	15.6%	29.1%	70.9%
Grade 10	16.1%	21.0%	36.7%	63.3%
Grade 11	18.3%	22.4%	36.7%	63.3%
Grade 12	24.7%	29.8%	44.8%	55.2%
<b>Any Alcohol Product</b>				
All	29.5%	34.0%	51.1%	48.9%
Grade 7	14.1%	16.3%	31.4%	68.6%
Grade 8	21.0%	24.0%	43.1%	56.9%
Grade 9	31.3%	36.2%	54.0%	46.0%
Grade 10	36.5%	41.2%	56.8%	43.2%
Grade 11	38.2%	43.6%	60.6%	39.4%
Grade 12	43.3%	51.5%	69.3%	30.7%
<b>Any Illicit Drug</b>				
All	13.4%	16.9%	22.8%	77.2%
Grade 7	5.4%	7.0%	8.2%	91.8%
Grade 8	9.4%	12.0%	14.8%	85.2%
Grade 9	13.2%	16.4%	21.2%	78.8%
Grade 10	17.5%	21.9%	31.1%	68.9%
Grade 11	17.9%	22.3%	31.7%	68.3%
Grade 12	22.4%	28.1%	39.8%	60.2%
<b>Any Prescription Drug</b>				
All	7.8%	10.2%	14.9%	85.1%
Grade 7	6.5%	8.3%	12.1%	87.9%
Grade 8	7.8%	10.0%	14.3%	85.7%
Grade 9	9.0%	11.5%	16.4%	83.6%
Grade 10	7.7%	10.1%	15.7%	84.3%
Grade 11	6.5%	9.7%	13.9%	86.1%
Grade 12	9.2%	11.5%	16.5%	83.5%
<b>Any Inhalant</b>				
All	5.6%	7.3%	13.2%	86.8%
Grade 7	7.0%	8.5%	13.2%	86.8%
Grade 8	5.6%	7.3%	14.4%	85.6%
Grade 9	6.6%	8.7%	14.6%	85.4%
Grade 10	4.9%	6.2%	13.0%	87.0%
Grade 11	3.7%	5.0%	9.8%	90.2%
Grade 12	4.4%	6.2%	12.1%	87.9%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 39 of 120

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.5%	11.0%	22.1%	77.9%
Grade 7	3.3%	4.9%	10.1%	89.9%
Grade 8	5.9%	8.2%	17.2%	82.8%
Grade 9	7.5%	10.9%	23.2%	76.8%
Grade 10	8.7%	14.0%	28.4%	71.6%
Grade 11	9.3%	13.8%	27.0%	73.0%
Grade 12	12.4%	18.0%	32.3%	67.7%
<b>Marijuana</b>				
All	12.8%	15.2%	21.4%	78.6%
Grade 7	4.8%	5.5%	6.8%	93.2%
Grade 8	9.0%	10.4%	13.4%	86.6%
Grade 9	12.8%	15.0%	20.0%	80.0%
Grade 10	16.5%	19.9%	29.3%	70.7%
Grade 11	16.7%	20.1%	30.3%	69.7%
Grade 12	21.7%	26.6%	38.8%	61.2%
<b>Marijuana Only</b>				
All	5.8%	7.4%	11.8%	88.2%
Grade 7	2.2%	2.7%	3.6%	96.4%
Grade 8	3.9%	4.7%	6.8%	93.2%
Grade 9	5.5%	7.2%	10.6%	89.4%
Grade 10	7.4%	9.8%	17.3%	82.7%
Grade 11	7.4%	9.0%	16.4%	83.6%
Grade 12	11.2%	14.0%	22.5%	77.5%
<b>Cocaine or Crack</b>				
All	2.6%	2.9%	4.5%	95.5%
Grade 7	1.2%	1.3%	1.5%	98.5%
Grade 8	2.0%	2.1%	2.8%	97.2%
Grade 9	2.1%	2.5%	4.1%	95.9%
Grade 10	3.4%	3.7%	5.4%	94.6%
Grade 11	3.9%	4.3%	7.1%	92.9%
Grade 12	4.0%	4.7%	8.2%	91.8%
<b>Cocaine</b>				
All	2.4%	2.7%	4.2%	95.8%
Grade 7	1.1%	1.2%	1.4%	98.6%
Grade 8	1.8%	1.9%	2.6%	97.4%
Grade 9	1.9%	2.2%	3.8%	96.2%
Grade 10	3.2%	3.5%	5.1%	94.9%
Grade 11	3.6%	4.1%	6.9%	93.1%
Grade 12	3.8%	4.5%	7.8%	92.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 40 of 120

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	0.8%	0.9%	1.2%	98.8%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.8%	0.8%	1.2%	98.8%
Grade 12	1.1%	1.1%	1.8%	98.2%
<b>Hallucinogens</b>				
All	1.0%	1.4%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.6%	0.8%	1.6%	98.4%
Grade 9	1.2%	1.7%	3.0%	97.0%
Grade 10	1.1%	1.8%	3.0%	97.0%
Grade 11	0.8%	1.5%	3.7%	96.3%
Grade 12	2.0%	2.6%	5.1%	94.9%
<b>Synthetic Cathinones</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.8%	0.9%	1.1%	98.9%
<b>Steroids</b>				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.5%	1.3%	98.7%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.3%	0.4%	0.7%	99.3%
<b>Ecstasy</b>				
All	1.0%	1.6%	3.4%	96.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.7%	98.3%
Grade 9	0.8%	1.3%	3.5%	96.5%
Grade 10	1.9%	3.0%	4.9%	95.1%
Grade 11	1.6%	3.0%	5.4%	94.6%
Grade 12	1.6%	2.6%	5.8%	94.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.3%	0.6%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.1%	0.2%	0.9%	99.1%
Grade 12	0.5%	0.5%	1.1%	98.9%
<b>Synthetic Marijuana</b>				
All	2.1%	2.9%	6.5%	93.5%
Grade 7	1.0%	1.5%	2.5%	97.5%
Grade 8	2.1%	2.7%	5.3%	94.7%
Grade 9	2.3%	3.4%	7.1%	92.9%
Grade 10	2.7%	3.6%	7.7%	92.3%
Grade 11	1.7%	3.1%	8.8%	91.2%
Grade 12	2.7%	3.6%	9.4%	90.6%
<b>Methamphetamine</b>				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.4%	98.6%
Grade 10	0.5%	0.9%	1.5%	98.5%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.8%	0.9%	1.5%	98.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.5%	18.8%	31.1%	68.9%
Grade 7	7.8%	9.3%	16.4%	83.6%
Grade 8	9.2%	11.5%	22.7%	77.3%
Grade 9	14.3%	16.8%	30.4%	69.6%
Grade 10	18.0%	23.4%	39.0%	61.0%
Grade 11	20.0%	24.1%	38.6%	61.4%
Grade 12	31.4%	37.3%	50.1%	49.9%
<b>Any Alcohol Product</b>				
All	27.6%	32.1%	48.7%	51.3%
Grade 7	13.0%	15.3%	31.2%	68.8%
Grade 8	18.9%	22.3%	41.2%	58.8%
Grade 9	29.7%	33.7%	50.2%	49.8%
Grade 10	32.4%	37.6%	52.7%	47.3%
Grade 11	36.4%	42.5%	59.8%	40.2%
Grade 12	43.8%	52.2%	67.4%	32.6%
<b>Any Illicit Drug</b>				
All	14.7%	17.8%	23.9%	76.1%
Grade 7	5.6%	7.3%	8.6%	91.4%
Grade 8	9.5%	11.9%	15.1%	84.9%
Grade 9	13.9%	16.7%	21.3%	78.7%
Grade 10	18.4%	21.9%	32.0%	68.0%
Grade 11	19.9%	23.4%	34.4%	65.6%
Grade 12	28.2%	34.2%	44.9%	55.1%
<b>Any Prescription Drug</b>				
All	7.5%	10.0%	14.8%	85.2%
Grade 7	6.2%	8.1%	12.3%	87.7%
Grade 8	6.6%	8.8%	13.3%	86.7%
Grade 9	8.1%	11.0%	15.4%	84.6%
Grade 10	7.4%	9.9%	16.0%	84.0%
Grade 11	7.6%	10.4%	14.3%	85.7%
Grade 12	10.0%	12.8%	18.5%	81.5%
<b>Any Inhalant</b>				
All	5.2%	7.0%	12.7%	87.3%
Grade 7	5.8%	7.6%	11.6%	88.4%
Grade 8	4.5%	6.7%	13.6%	86.4%
Grade 9	6.5%	8.5%	13.4%	86.6%
Grade 10	5.2%	6.4%	13.7%	86.3%
Grade 11	3.9%	5.2%	10.1%	89.9%
Grade 12	4.3%	6.5%	13.4%	86.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 43 of 120

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.5%	12.3%	24.0%	76.0%
Grade 7	4.0%	5.8%	12.1%	87.9%
Grade 8	5.6%	8.4%	17.9%	82.1%
Grade 9	7.8%	10.7%	23.3%	76.7%
Grade 10	10.7%	16.3%	31.4%	68.6%
Grade 11	11.1%	15.6%	30.0%	70.0%
Grade 12	15.5%	23.0%	37.5%	62.5%
<b>Marijuana</b>				
All	13.8%	16.2%	22.7%	77.3%
Grade 7	4.9%	5.6%	6.8%	93.2%
Grade 8	9.1%	10.3%	13.5%	86.5%
Grade 9	13.3%	15.7%	20.6%	79.4%
Grade 10	17.0%	19.8%	30.3%	69.7%
Grade 11	18.3%	21.9%	33.4%	66.6%
Grade 12	27.1%	32.1%	43.8%	56.2%
<b>Marijuana Only</b>				
All	6.1%	7.4%	11.9%	88.1%
Grade 7	2.3%	2.7%	3.3%	96.7%
Grade 8	4.0%	4.7%	7.2%	92.8%
Grade 9	5.1%	6.6%	9.7%	90.3%
Grade 10	6.7%	8.4%	16.4%	83.6%
Grade 11	7.8%	9.3%	17.7%	82.3%
Grade 12	14.1%	16.8%	24.7%	75.3%
<b>Cocaine or Crack</b>				
All	3.3%	3.7%	5.2%	94.8%
Grade 7	1.1%	1.2%	1.5%	98.5%
Grade 8	1.6%	1.8%	2.6%	97.4%
Grade 9	3.1%	3.1%	4.6%	95.4%
Grade 10	4.5%	4.9%	6.6%	93.4%
Grade 11	5.2%	5.9%	8.5%	91.5%
Grade 12	6.2%	7.4%	10.8%	89.2%
<b>Cocaine</b>				
All	3.1%	3.5%	5.0%	95.0%
Grade 7	0.9%	1.1%	1.3%	98.7%
Grade 8	1.5%	1.6%	2.2%	97.8%
Grade 9	3.0%	3.1%	4.5%	95.5%
Grade 10	4.4%	4.7%	6.4%	93.6%
Grade 11	4.7%	5.4%	8.0%	92.0%
Grade 12	6.1%	7.4%	10.7%	89.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 44 of 120

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.9%	1.0%	1.4%	98.6%
Grade 7	0.6%	0.8%	1.1%	98.9%
Grade 8	0.6%	0.7%	1.2%	98.8%
Grade 9	0.8%	0.9%	1.2%	98.8%
Grade 10	0.6%	0.8%	1.2%	98.8%
Grade 11	1.4%	1.4%	1.6%	98.4%
Grade 12	1.5%	1.6%	2.2%	97.8%
<b>Hallucinogens</b>				
All	1.3%	1.8%	3.1%	96.9%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.6%	0.9%	1.6%	98.4%
Grade 9	1.7%	2.1%	3.3%	96.7%
Grade 10	1.2%	2.3%	3.8%	96.2%
Grade 11	1.0%	1.9%	3.9%	96.1%
Grade 12	2.8%	3.7%	6.7%	93.3%
<b>Synthetic Cathinones</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.6%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.9%	98.1%
Grade 10	0.3%	0.6%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	1.2%	1.3%	1.9%	98.1%
<b>Steroids</b>				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.6%	0.7%	1.5%	98.5%
Grade 8	0.4%	0.4%	1.3%	98.7%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.4%	0.6%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.2%	0.4%	0.9%	99.1%
<b>Ecstasy</b>				
All	1.1%	1.7%	3.5%	96.5%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.5%	1.6%	98.4%
Grade 9	0.9%	1.3%	3.5%	96.5%
Grade 10	2.4%	4.0%	6.2%	93.8%
Grade 11	1.7%	2.9%	5.4%	94.6%
Grade 12	1.7%	2.7%	5.8%	94.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.3%	0.7%	0.9%	99.1%
Grade 9	0.1%	0.2%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.8%	0.8%	1.6%	98.4%
<b>Synthetic Marijuana</b>				
All	2.1%	3.1%	7.1%	92.9%
Grade 7	1.0%	1.5%	2.7%	97.3%
Grade 8	1.6%	2.4%	5.1%	94.9%
Grade 9	2.3%	3.6%	8.2%	91.8%
Grade 10	3.1%	4.4%	8.4%	91.6%
Grade 11	1.7%	3.1%	10.3%	89.7%
Grade 12	3.3%	4.3%	9.7%	90.3%
<b>Methamphetamine</b>				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.5%	1.0%	99.0%
Grade 9	0.6%	0.7%	1.6%	98.4%
Grade 10	0.4%	0.9%	1.5%	98.5%
Grade 11	0.5%	0.5%	1.2%	98.8%
Grade 12	1.3%	1.4%	2.2%	97.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 46 of 120

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.8%	14.8%	27.3%	72.7%
Grade 7	5.1%	6.3%	12.6%	87.4%
Grade 8	10.0%	11.7%	21.6%	78.4%
Grade 9	10.8%	14.2%	27.5%	72.5%
Grade 10	14.1%	18.5%	34.3%	65.7%
Grade 11	16.2%	20.5%	34.7%	65.3%
Grade 12	18.3%	22.6%	39.9%	60.1%
<b>Any Alcohol Product</b>				
All	31.2%	35.6%	53.3%	46.7%
Grade 7	15.2%	17.3%	31.4%	68.6%
Grade 8	23.5%	26.0%	44.9%	55.1%
Grade 9	32.3%	38.0%	57.2%	42.8%
Grade 10	41.0%	45.1%	61.4%	38.6%
Grade 11	40.2%	44.8%	61.6%	38.4%
Grade 12	42.2%	50.4%	70.7%	29.3%
<b>Any Illicit Drug</b>				
All	12.2%	15.9%	21.5%	78.5%
Grade 7	5.1%	6.5%	7.8%	92.2%
Grade 8	9.2%	12.1%	14.3%	85.7%
Grade 9	12.2%	15.6%	20.8%	79.2%
Grade 10	16.6%	21.8%	30.1%	69.9%
Grade 11	16.0%	21.1%	29.1%	70.9%
Grade 12	17.2%	22.7%	35.2%	64.8%
<b>Any Prescription Drug</b>				
All	8.2%	10.4%	15.0%	85.0%
Grade 7	6.8%	8.5%	11.9%	88.1%
Grade 8	9.1%	11.4%	15.5%	84.5%
Grade 9	9.7%	11.8%	17.1%	82.9%
Grade 10	7.9%	10.2%	15.5%	84.5%
Grade 11	5.4%	9.1%	13.7%	86.3%
Grade 12	8.7%	10.5%	14.8%	85.2%
<b>Any Inhalant</b>				
All	6.0%	7.4%	13.5%	86.5%
Grade 7	8.3%	9.3%	14.8%	85.2%
Grade 8	6.7%	8.0%	15.0%	85.0%
Grade 9	6.8%	8.6%	15.3%	84.7%
Grade 10	4.6%	6.0%	12.3%	87.7%
Grade 11	3.4%	4.7%	9.6%	90.4%
Grade 12	4.4%	5.8%	10.9%	89.1%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 47 of 120

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.4%	9.7%	20.2%	79.8%
Grade 7	2.5%	3.6%	7.9%	92.1%
Grade 8	6.2%	8.1%	16.7%	83.3%
Grade 9	7.4%	11.1%	22.7%	77.3%
Grade 10	6.5%	11.5%	25.3%	74.7%
Grade 11	6.9%	11.5%	23.7%	76.3%
Grade 12	9.6%	13.5%	27.9%	72.1%
<b>Marijuana</b>				
All	11.8%	14.2%	20.0%	80.0%
Grade 7	4.8%	5.2%	6.6%	93.4%
Grade 8	9.0%	10.5%	13.1%	86.9%
Grade 9	11.9%	13.9%	18.9%	81.1%
Grade 10	16.1%	20.1%	28.3%	71.7%
Grade 11	15.2%	18.4%	27.3%	72.7%
Grade 12	16.9%	21.8%	34.2%	65.8%
<b>Marijuana Only</b>				
All	5.6%	7.2%	11.6%	88.4%
Grade 7	2.2%	2.5%	3.7%	96.3%
Grade 8	3.7%	4.8%	6.4%	93.6%
Grade 9	5.5%	7.1%	10.8%	89.2%
Grade 10	8.2%	11.3%	18.4%	81.6%
Grade 11	7.1%	8.8%	15.2%	84.8%
Grade 12	8.7%	11.5%	20.4%	79.6%
<b>Cocaine or Crack</b>				
All	1.9%	2.2%	3.8%	96.2%
Grade 7	1.5%	1.5%	1.6%	98.4%
Grade 8	2.4%	2.4%	3.1%	96.9%
Grade 9	1.3%	1.9%	3.6%	96.4%
Grade 10	2.2%	2.4%	4.1%	95.9%
Grade 11	2.6%	2.7%	5.8%	94.2%
Grade 12	2.0%	2.3%	5.8%	94.2%
<b>Cocaine</b>				
All	1.6%	1.9%	3.5%	96.5%
Grade 7	1.2%	1.3%	1.5%	98.5%
Grade 8	2.2%	2.2%	2.9%	97.1%
Grade 9	0.9%	1.5%	3.2%	96.8%
Grade 10	1.9%	2.2%	3.6%	96.4%
Grade 11	2.6%	2.7%	5.8%	94.2%
Grade 12	1.6%	1.8%	5.1%	94.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.7%	1.0%	99.0%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	1.0%	1.0%	1.2%	98.8%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.7%	0.7%	1.5%	98.5%
<b>Hallucinogens</b>				
All	0.7%	1.0%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.5%	0.8%	1.6%	98.4%
Grade 9	0.8%	1.3%	2.8%	97.2%
Grade 10	0.9%	1.2%	2.1%	97.9%
Grade 11	0.5%	0.9%	3.4%	96.6%
Grade 12	1.3%	1.6%	3.6%	96.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Steroids</b>				
All	0.2%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.2%	1.1%	98.9%
Grade 8	0.1%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.8%	1.2%	98.8%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.2%	0.4%	99.6%
Grade 12	0.5%	0.5%	0.5%	99.5%
<b>Ecstasy</b>				
All	0.9%	1.6%	3.2%	96.8%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.7%	1.0%	1.9%	98.1%
Grade 9	0.7%	1.4%	3.5%	96.5%
Grade 10	1.5%	1.9%	3.6%	96.4%
Grade 11	1.6%	3.1%	5.4%	94.6%
Grade 12	1.4%	2.5%	5.9%	94.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.5%	0.7%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	2.1%	2.8%	6.1%	93.9%
Grade 7	1.1%	1.6%	2.4%	97.6%
Grade 8	2.5%	3.0%	5.5%	94.5%
Grade 9	2.4%	3.2%	6.2%	93.8%
Grade 10	2.2%	2.7%	7.0%	93.0%
Grade 11	1.7%	3.1%	7.4%	92.6%
Grade 12	2.2%	3.0%	9.2%	90.8%
<b>Methamphetamine</b>				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.9%	1.0%	1.7%	98.3%
Grade 9	0.1%	0.4%	1.2%	98.8%
Grade 10	0.7%	0.9%	1.5%	98.5%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.3%	0.5%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 50 of 120

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.4%	12.9%	21.6%	78.4%
Grade 7	7.2%	7.8%	9.9%	90.1%
Grade 8	5.1%	7.5%	13.7%	86.3%
Grade 9	3.2%	7.6%	12.7%	87.3%
Grade 10	7.8%	18.7%	42.6%	57.4%
Grade 11	16.6%	20.7%	33.7%	66.3%
Grade 12	36.8%	38.7%	58.3%	41.7%
<b>Any Alcohol Product</b>				
All	21.4%	26.9%	45.0%	55.0%
Grade 7	15.5%	17.1%	25.2%	74.8%
Grade 8	12.4%	15.8%	38.5%	61.5%
Grade 9	15.1%	27.7%	45.9%	54.1%
Grade 10	25.5%	28.9%	62.5%	37.5%
Grade 11	39.8%	45.5%	67.8%	32.2%
Grade 12	50.1%	55.2%	64.2%	35.8%
<b>Any Illicit Drug</b>				
All	8.3%	12.0%	16.3%	83.8%
Grade 7	6.0%	6.3%	8.9%	91.1%
Grade 8	5.6%	7.9%	9.3%	90.7%
Grade 9	4.5%	10.4%	10.4%	89.6%
Grade 10	15.0%	20.5%	30.6%	69.4%
Grade 11	12.2%	17.5%	26.3%	73.7%
Grade 12	19.1%	25.9%	40.0%	60.0%
<b>Any Prescription Drug</b>				
All	6.6%	9.8%	15.2%	84.8%
Grade 7	5.5%	7.8%	11.9%	88.1%
Grade 8	7.2%	11.3%	16.6%	83.4%
Grade 9	3.9%	3.9%	12.1%	87.9%
Grade 10	2.8%	8.8%	14.9%	85.1%
Grade 11	6.0%	13.0%	17.5%	82.5%
Grade 12	20.3%	24.3%	26.7%	73.3%
<b>Any Inhalant</b>				
All	5.5%	7.0%	11.6%	88.4%
Grade 7	6.3%	9.2%	10.6%	89.4%
Grade 8	5.9%	5.9%	12.7%	87.3%
Grade 9	3.9%	4.7%	9.0%	91.0%
Grade 10	3.2%	5.4%	7.5%	92.5%
Grade 11	11.7%	13.2%	16.0%	84.0%
Grade 12	1.2%	3.7%	18.3%	81.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 51 of 120

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.5%	9.7%	17.2%	82.8%
Grade 7	5.1%	5.8%	6.3%	93.7%
Grade 8	2.0%	5.5%	10.8%	89.2%
Grade 9	3.2%	7.6%	12.0%	88.0%
Grade 10	5.6%	9.9%	40.4%	59.6%
Grade 11	12.8%	18.7%	21.9%	78.1%
Grade 12	24.1%	26.0%	43.4%	56.6%
<b>Marijuana</b>				
All	7.2%	10.5%	14.9%	85.1%
Grade 7	4.7%	5.0%	6.6%	93.4%
Grade 8	4.9%	6.1%	8.6%	91.4%
Grade 9	2.9%	8.5%	8.5%	91.5%
Grade 10	13.8%	19.4%	30.0%	70.0%
Grade 11	10.7%	16.0%	26.3%	73.7%
Grade 12	19.1%	24.7%	38.8%	61.2%
<b>Marijuana Only</b>				
All	3.5%	5.5%	9.1%	90.9%
Grade 7	2.8%	3.1%	3.5%	96.5%
Grade 8	0.5%	1.7%	3.9%	96.1%
Grade 9	1.7%	6.4%	6.4%	93.6%
Grade 10	4.8%	6.2%	16.2%	83.8%
Grade 11	6.3%	9.4%	18.3%	81.7%
Grade 12	12.7%	14.0%	25.1%	74.9%
<b>Cocaine or Crack</b>				
All	1.6%	2.1%	2.3%	97.7%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.8%	1.4%	1.6%	98.4%
Grade 9	2.1%	2.1%	2.1%	97.9%
Grade 10	2.9%	2.9%	2.9%	97.1%
Grade 11	0.0%	1.6%	3.2%	96.8%
Grade 12	1.9%	3.9%	4.5%	95.5%
<b>Cocaine</b>				
All	1.4%	1.8%	2.2%	97.8%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	1.7%	1.7%	1.7%	98.3%
Grade 10	2.3%	2.3%	2.3%	97.7%
Grade 11	0.0%	1.6%	3.2%	96.8%
Grade 12	1.9%	3.9%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	1.0%	1.3%	98.7%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.7%	1.4%	98.6%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.9%	3.9%	96.1%
<b>Hallucinogens</b>				
All	0.6%	0.9%	2.6%	97.4%
Grade 7	0.1%	0.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.6%	0.6%	3.3%	96.7%
Grade 11	1.6%	2.9%	6.1%	93.9%
Grade 12	2.5%	4.5%	10.2%	89.8%
<b>Synthetic Cathinones</b>				
All	0.2%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	1.4%	1.4%	98.6%
Grade 9	0.0%	0.0%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.9%	1.9%	98.1%
<b>Steroids</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.6%	1.1%	2.4%	97.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	1.5%	2.4%	4.9%	95.1%
Grade 11	1.6%	4.0%	5.6%	94.4%
Grade 12	0.0%	1.9%	9.4%	90.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.9%	1.1%	1.7%	98.3%
Grade 7	1.2%	1.2%	2.5%	97.5%
Grade 8	2.5%	3.3%	3.3%	96.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.9%	96.1%
<b>Synthetic Marijuana</b>				
All	0.8%	1.2%	2.6%	97.4%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.8%	1.4%	3.3%	96.7%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	1.8%	2.4%	10.4%	89.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	2.4%	4.4%	95.6%
<b>Methamphetamine</b>				
All	0.1%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.8%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.9%	3.9%	96.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 54 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.2%	10.7%	28.6%	71.4%
Grade 7	7.7%	7.7%	9.4%	90.6%
Grade 8	7.1%	7.1%	18.5%	81.5%
Grade 9	2.0%	2.0%	35.2%	64.8%
Grade 10	0.0%	0.0%	23.3%	76.7%
Grade 11	8.0%	8.0%	37.3%	62.7%
Grade 12	44.1%	57.3%	62.4%	37.6%
<b>Any Alcohol Product</b>				
All	24.9%	28.5%	48.0%	52.0%
Grade 7	13.6%	17.7%	26.1%	73.9%
Grade 8	17.9%	17.9%	26.6%	73.4%
Grade 9	41.5%	41.5%	69.2%	30.8%
Grade 10	18.2%	35.5%	65.6%	34.4%
Grade 11	23.7%	31.7%	68.1%	31.9%
Grade 12	28.4%	28.4%	40.0%	60.0%
<b>Any Illicit Drug</b>				
All	12.6%	14.9%	21.9%	78.1%
Grade 7	3.4%	9.4%	9.4%	90.6%
Grade 8	1.9%	7.1%	9.4%	90.6%
Grade 9	8.7%	8.7%	19.8%	80.2%
Grade 10	6.1%	6.1%	23.3%	76.7%
Grade 11	16.2%	16.2%	31.0%	69.0%
Grade 12	62.4%	62.4%	62.4%	37.6%
<b>Any Prescription Drug</b>				
All	10.6%	11.6%	21.2%	78.8%
Grade 7	1.7%	1.7%	9.9%	90.1%
Grade 8	12.1%	14.0%	19.0%	81.0%
Grade 9	16.4%	16.4%	24.8%	75.2%
Grade 10	18.0%	18.0%	18.0%	82.0%
Grade 11	4.3%	9.4%	12.8%	87.2%
Grade 12	6.9%	6.9%	49.7%	50.3%
<b>Any Inhalant</b>				
All	6.6%	8.5%	11.9%	88.1%
Grade 7	7.2%	14.8%	16.5%	83.5%
Grade 8	7.1%	7.1%	18.0%	82.0%
Grade 9	9.6%	9.6%	9.6%	90.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	4.8%	4.8%	95.2%
Grade 12	11.7%	11.7%	16.7%	83.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.5%	8.2%	20.8%	79.2%
Grade 7	1.7%	1.7%	3.4%	96.6%
Grade 8	5.2%	5.2%	9.4%	90.6%
Grade 9	2.1%	2.1%	24.9%	75.1%
Grade 10	0.0%	0.0%	24.8%	75.2%
Grade 11	4.8%	4.8%	25.1%	74.9%
Grade 12	44.1%	50.7%	55.8%	44.2%
<b>Marijuana</b>				
All	12.6%	12.6%	19.6%	80.4%
Grade 7	3.4%	3.4%	3.4%	96.6%
Grade 8	1.9%	1.9%	4.2%	95.8%
Grade 9	8.7%	8.7%	19.8%	80.2%
Grade 10	6.1%	6.1%	23.3%	76.7%
Grade 11	16.2%	16.2%	31.0%	69.0%
Grade 12	62.4%	62.4%	62.4%	37.6%
<b>Marijuana Only</b>				
All	7.9%	7.9%	14.8%	85.2%
Grade 7	1.6%	1.6%	1.6%	98.4%
Grade 8	0.0%	0.0%	2.3%	97.7%
Grade 9	8.7%	8.7%	19.8%	80.2%
Grade 10	0.0%	0.0%	17.2%	82.8%
Grade 11	11.4%	11.4%	26.2%	73.8%
Grade 12	39.1%	39.1%	39.1%	60.9%
<b>Cocaine or Crack</b>				
All	0.5%	1.5%	2.2%	97.8%
Grade 7	0.0%	6.0%	6.0%	94.0%
Grade 8	1.9%	1.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.6%	93.4%
<b>Cocaine</b>				
All	0.5%	1.5%	2.2%	97.8%
Grade 7	0.0%	6.0%	6.0%	94.0%
Grade 8	1.9%	1.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.6%	93.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.0%	0.0%	1.5%	98.5%
Grade 7	0.0%	0.0%	6.0%	94.0%
Grade 8	0.0%	0.0%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.3%	1.0%	1.5%	98.5%
Grade 7	1.7%	1.7%	1.7%	98.3%
Grade 8	0.0%	0.0%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	6.6%	6.6%	93.4%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.5%	0.5%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.3%	2.3%	7.4%	92.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	4.8%	95.2%
Grade 12	0.0%	0.0%	6.6%	93.4%
<b>Ecstasy</b>				
All	0.6%	0.6%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	6.1%	93.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	5.1%	5.1%	11.7%	88.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 57 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.2%	1.7%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.9%	1.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	4.8%	95.2%
Grade 12	6.6%	11.7%	11.7%	88.3%
<b>Methamphetamine</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.0%	17.2%	29.6%	70.4%
Grade 7	6.5%	7.9%	15.0%	85.0%
Grade 8	9.9%	11.9%	22.7%	77.3%
Grade 9	13.1%	16.2%	29.7%	70.3%
Grade 10	16.5%	21.1%	36.6%	63.4%
Grade 11	18.5%	22.7%	36.9%	63.1%
Grade 12	24.3%	29.4%	44.3%	55.7%
<b>Any Alcohol Product</b>				
All	29.8%	34.3%	51.5%	48.5%
Grade 7	14.1%	16.2%	31.9%	68.1%
Grade 8	21.6%	24.5%	43.5%	56.5%
Grade 9	31.4%	36.1%	54.2%	45.8%
Grade 10	37.0%	41.6%	56.6%	43.4%
Grade 11	38.4%	43.7%	60.4%	39.6%
Grade 12	43.3%	51.6%	69.7%	30.3%
<b>Any Illicit Drug</b>				
All	13.7%	17.1%	23.1%	76.9%
Grade 7	5.3%	7.0%	8.2%	91.8%
Grade 8	9.6%	12.2%	15.1%	84.9%
Grade 9	13.7%	16.6%	21.7%	78.3%
Grade 10	17.6%	22.0%	31.1%	68.9%
Grade 11	18.2%	22.5%	32.0%	68.0%
Grade 12	22.1%	27.9%	39.6%	60.4%
<b>Any Prescription Drug</b>				
All	7.9%	10.2%	14.9%	85.1%
Grade 7	6.6%	8.4%	12.2%	87.8%
Grade 8	7.8%	10.0%	14.2%	85.8%
Grade 9	9.3%	11.9%	16.9%	83.1%
Grade 10	7.7%	10.0%	15.7%	84.3%
Grade 11	6.4%	9.4%	13.7%	86.3%
Grade 12	8.9%	11.1%	15.9%	84.1%
<b>Any Inhalant</b>				
All	5.5%	7.2%	13.2%	86.8%
Grade 7	7.0%	8.4%	13.3%	86.7%
Grade 8	5.5%	7.3%	14.4%	85.6%
Grade 9	6.5%	8.7%	14.8%	85.2%
Grade 10	4.9%	6.2%	13.2%	86.8%
Grade 11	3.4%	4.7%	9.7%	90.3%
Grade 12	4.5%	6.3%	12.0%	88.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 59 of 120

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.5%	11.1%	22.4%	77.6%
Grade 7	3.2%	4.8%	10.4%	89.6%
Grade 8	6.1%	8.4%	17.7%	82.3%
Grade 9	7.7%	11.1%	23.8%	76.2%
Grade 10	8.8%	14.1%	27.9%	72.1%
Grade 11	9.3%	13.8%	27.2%	72.8%
Grade 12	11.8%	17.6%	31.8%	68.2%
<b>Marijuana</b>				
All	13.1%	15.5%	21.8%	78.2%
Grade 7	4.8%	5.5%	6.9%	93.1%
Grade 8	9.3%	10.6%	13.7%	86.3%
Grade 9	13.3%	15.5%	20.7%	79.3%
Grade 10	16.6%	20.0%	29.3%	70.7%
Grade 11	17.0%	20.3%	30.6%	69.4%
Grade 12	21.4%	26.4%	38.6%	61.4%
<b>Marijuana Only</b>				
All	5.9%	7.4%	12.0%	88.0%
Grade 7	2.2%	2.7%	3.6%	96.4%
Grade 8	4.1%	4.9%	7.0%	93.0%
Grade 9	5.6%	7.2%	10.8%	89.2%
Grade 10	7.6%	10.0%	17.4%	82.6%
Grade 11	7.4%	8.9%	16.2%	83.8%
Grade 12	10.8%	13.7%	22.2%	77.8%
<b>Cocaine or Crack</b>				
All	2.7%	3.0%	4.6%	95.4%
Grade 7	1.2%	1.3%	1.5%	98.5%
Grade 8	2.1%	2.1%	2.9%	97.1%
Grade 9	2.2%	2.6%	4.3%	95.7%
Grade 10	3.3%	3.7%	5.4%	94.6%
Grade 11	4.1%	4.5%	7.4%	92.6%
Grade 12	4.2%	4.8%	8.3%	91.7%
<b>Cocaine</b>				
All	2.5%	2.8%	4.3%	95.7%
Grade 7	1.0%	1.1%	1.3%	98.7%
Grade 8	1.8%	1.9%	2.6%	97.4%
Grade 9	2.0%	2.3%	4.0%	96.0%
Grade 10	3.2%	3.5%	5.1%	94.9%
Grade 11	3.8%	4.2%	7.1%	92.9%
Grade 12	3.9%	4.6%	7.9%	92.1%

*Percentages have been weighted to reflect proportions within the population.*

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.8%	0.8%	1.3%	98.7%
Grade 12	1.1%	1.1%	1.8%	98.2%
<b>Hallucinogens</b>				
All	1.0%	1.4%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.6%	0.9%	1.7%	98.3%
Grade 9	1.3%	1.8%	3.2%	96.8%
Grade 10	1.1%	1.8%	3.0%	97.0%
Grade 11	0.7%	1.4%	3.7%	96.3%
Grade 12	2.0%	2.5%	5.0%	95.0%
<b>Synthetic Cathinones</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.8%	0.8%	1.1%	98.9%
<b>Steroids</b>				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.4%	1.3%	98.7%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.4%	0.6%	0.9%	99.1%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.3%	0.4%	0.7%	99.3%
<b>Ecstasy</b>				
All	1.1%	1.7%	3.4%	96.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.6%	0.8%	1.8%	98.2%
Grade 9	0.8%	1.4%	3.7%	96.3%
Grade 10	2.0%	3.0%	4.9%	95.1%
Grade 11	1.6%	3.0%	5.5%	94.5%
Grade 12	1.6%	2.6%	5.7%	94.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.5%	0.6%	1.0%	99.0%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.5%	0.5%	1.0%	99.0%
<b>Synthetic Marijuana</b>				
All	2.1%	3.0%	6.8%	93.2%
Grade 7	1.0%	1.5%	2.6%	97.4%
Grade 8	2.1%	2.7%	5.4%	94.6%
Grade 9	2.5%	3.6%	7.6%	92.4%
Grade 10	2.7%	3.6%	7.6%	92.4%
Grade 11	1.8%	3.2%	9.2%	90.8%
Grade 12	2.8%	3.6%	9.6%	90.4%
<b>Methamphetamine</b>				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.5%	98.5%
Grade 10	0.6%	0.9%	1.5%	98.5%
Grade 11	0.3%	0.4%	1.1%	98.9%
Grade 12	0.8%	0.9%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 62 of 120

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.0%	11.1%	21.8%	78.2%
Grade 7	2.6%	4.1%	8.7%	91.3%
Grade 8	3.4%	5.6%	11.8%	88.2%
Grade 9	7.5%	10.1%	20.0%	80.0%
Grade 10	9.9%	15.0%	30.1%	69.9%
Grade 11	9.4%	14.0%	28.9%	71.1%
Grade 12	19.9%	23.5%	41.5%	58.5%
<b>Any Alcohol Product</b>				
All	23.7%	27.9%	47.9%	52.1%
Grade 7	10.3%	11.8%	26.8%	73.2%
Grade 8	11.3%	13.9%	37.5%	62.5%
Grade 9	25.8%	29.0%	49.2%	50.8%
Grade 10	30.1%	36.3%	54.5%	45.5%
Grade 11	32.5%	38.1%	59.5%	40.5%
Grade 12	40.8%	49.0%	71.7%	28.3%
<b>Any Illicit Drug</b>				
All	8.7%	11.1%	15.7%	84.3%
Grade 7	2.8%	4.5%	5.2%	94.8%
Grade 8	3.3%	4.2%	6.5%	93.5%
Grade 9	9.2%	10.3%	12.7%	87.3%
Grade 10	11.6%	14.2%	22.5%	77.5%
Grade 11	10.3%	14.6%	22.2%	77.8%
Grade 12	18.9%	25.5%	35.5%	64.5%
<b>Any Prescription Drug</b>				
All	8.3%	10.3%	13.5%	86.5%
Grade 7	7.2%	9.3%	12.4%	87.6%
Grade 8	7.6%	9.8%	11.9%	88.1%
Grade 9	10.7%	11.0%	14.5%	85.5%
Grade 10	7.2%	9.4%	12.5%	87.5%
Grade 11	6.9%	10.6%	14.9%	85.1%
Grade 12	8.9%	11.9%	15.9%	84.1%
<b>Any Inhalant</b>				
All	3.2%	4.2%	9.3%	90.7%
Grade 7	4.7%	5.3%	10.3%	89.7%
Grade 8	3.3%	4.3%	9.8%	90.2%
Grade 9	1.9%	2.8%	7.5%	92.5%
Grade 10	2.9%	4.4%	9.8%	90.2%
Grade 11	2.1%	2.7%	7.2%	92.8%
Grade 12	4.4%	6.2%	12.2%	87.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	4.4%	7.4%	16.9%	83.1%
Grade 7	1.1%	2.9%	6.4%	93.6%
Grade 8	2.0%	4.3%	8.8%	91.2%
Grade 9	4.9%	7.2%	16.8%	83.2%
Grade 10	5.6%	9.8%	23.3%	76.7%
Grade 11	4.2%	8.8%	21.0%	79.0%
Grade 12	10.2%	14.5%	31.7%	68.3%
<b>Marijuana</b>				
All	8.2%	9.9%	14.8%	85.2%
Grade 7	2.6%	3.0%	4.1%	95.9%
Grade 8	2.9%	3.7%	5.7%	94.3%
Grade 9	8.5%	9.6%	12.6%	87.4%
Grade 10	10.7%	12.7%	21.6%	78.4%
Grade 11	10.1%	12.1%	20.0%	80.0%
Grade 12	18.2%	24.1%	34.3%	65.7%
<b>Marijuana Only</b>				
All	4.2%	5.2%	8.9%	91.1%
Grade 7	1.4%	1.8%	2.4%	97.6%
Grade 8	1.4%	1.6%	3.6%	96.4%
Grade 9	4.1%	4.8%	6.7%	93.3%
Grade 10	5.9%	7.3%	14.5%	85.5%
Grade 11	5.4%	6.6%	11.8%	88.2%
Grade 12	9.0%	12.4%	20.5%	79.5%
<b>Cocaine or Crack</b>				
All	1.4%	1.5%	2.6%	97.4%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	1.1%	1.1%	1.6%	98.4%
Grade 9	2.0%	2.1%	2.7%	97.3%
Grade 10	1.7%	1.7%	2.5%	97.5%
Grade 11	1.6%	1.9%	4.4%	95.6%
Grade 12	1.5%	1.9%	5.2%	94.8%
<b>Cocaine</b>				
All	1.2%	1.3%	2.4%	97.6%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.9%	0.9%	1.3%	98.7%
Grade 9	2.0%	2.1%	2.7%	97.3%
Grade 10	1.7%	1.7%	2.5%	97.5%
Grade 11	1.2%	1.4%	3.9%	96.1%
Grade 12	1.1%	1.4%	4.7%	95.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade**  
**Students Reporting A Grades on Average**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.5%	0.5%	99.5%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.5%	0.5%	1.1%	98.9%
Hallucinogens				
All	0.9%	1.0%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	1.6%	1.6%	2.7%	97.3%
Grade 10	1.0%	1.4%	2.5%	97.5%
Grade 11	0.2%	0.4%	2.7%	97.3%
Grade 12	2.6%	2.8%	4.3%	95.7%
Synthetic Cathinones				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	1.6%	98.4%
Steroids				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.2%	0.5%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.4%	99.6%
Ecstasy				
All	0.7%	1.1%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.3%	0.3%	2.7%	97.3%
Grade 10	1.5%	1.8%	3.5%	96.5%
Grade 11	0.4%	2.1%	3.3%	96.7%
Grade 12	2.3%	3.3%	5.6%	94.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 65 of 120

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.1%	0.1%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	1.0%	1.4%	3.6%	96.4%
Grade 7	0.3%	1.0%	1.7%	98.3%
Grade 8	1.2%	1.2%	1.6%	98.4%
Grade 9	1.0%	1.4%	3.7%	96.3%
Grade 10	0.7%	0.7%	3.4%	96.6%
Grade 11	1.2%	1.2%	3.7%	96.3%
Grade 12	2.1%	3.0%	9.0%	91.0%
<b>Methamphetamine</b>				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.6%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.1%	0.3%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.1%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 66 of 120

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.0%	18.2%	30.7%	69.3%
Grade 7	7.7%	9.3%	16.5%	83.5%
Grade 8	11.3%	13.3%	23.9%	76.1%
Grade 9	13.8%	16.9%	31.4%	68.6%
Grade 10	17.9%	22.9%	38.2%	61.8%
Grade 11	20.3%	24.3%	38.4%	61.6%
Grade 12	25.4%	31.0%	45.1%	54.9%
<b>Any Alcohol Product</b>				
All	30.4%	35.1%	51.2%	48.8%
Grade 7	15.0%	17.7%	32.0%	68.0%
Grade 8	23.1%	26.2%	43.9%	56.1%
Grade 9	32.4%	38.0%	55.1%	44.9%
Grade 10	38.8%	42.6%	57.0%	43.0%
Grade 11	39.0%	44.6%	60.3%	39.7%
Grade 12	42.7%	50.9%	67.1%	32.9%
<b>Any Illicit Drug</b>				
All	14.2%	18.0%	24.0%	76.0%
Grade 7	6.0%	7.6%	8.9%	91.1%
Grade 8	10.5%	13.6%	16.3%	83.7%
Grade 9	13.8%	17.8%	23.3%	76.7%
Grade 10	18.8%	23.8%	32.9%	67.1%
Grade 11	19.0%	23.3%	33.5%	66.5%
Grade 12	23.5%	28.9%	40.1%	59.9%
<b>Any Prescription Drug</b>				
All	7.6%	10.0%	15.0%	85.0%
Grade 7	6.2%	7.7%	11.7%	88.3%
Grade 8	7.5%	9.6%	14.1%	85.9%
Grade 9	8.7%	11.9%	17.3%	82.7%
Grade 10	7.3%	9.5%	16.0%	84.0%
Grade 11	6.4%	9.4%	13.3%	86.7%
Grade 12	9.5%	11.2%	16.8%	83.2%
<b>Any Inhalant</b>				
All	6.1%	8.0%	14.0%	86.0%
Grade 7	7.7%	9.6%	14.3%	85.7%
Grade 8	6.0%	7.9%	15.0%	85.0%
Grade 9	7.6%	10.0%	16.1%	83.9%
Grade 10	5.1%	6.4%	13.4%	86.6%
Grade 11	3.8%	4.9%	9.9%	90.1%
Grade 12	4.8%	6.6%	12.4%	87.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.2%	11.9%	23.1%	76.9%
Grade 7	4.0%	5.7%	11.1%	88.9%
Grade 8	7.0%	9.3%	18.9%	81.1%
Grade 9	8.2%	11.8%	24.7%	75.3%
Grade 10	9.5%	15.3%	29.3%	70.7%
Grade 11	10.6%	14.5%	28.1%	71.9%
Grade 12	12.8%	18.9%	32.5%	67.5%
<b>Marijuana</b>				
All	13.6%	16.3%	22.5%	77.5%
Grade 7	5.4%	6.2%	7.6%	92.4%
Grade 8	10.1%	11.5%	14.7%	85.3%
Grade 9	13.5%	16.2%	21.7%	78.3%
Grade 10	17.8%	21.8%	31.0%	69.0%
Grade 11	17.6%	21.2%	32.4%	67.6%
Grade 12	23.1%	28.0%	39.4%	60.6%
<b>Marijuana Only</b>				
All	6.2%	7.8%	12.3%	87.7%
Grade 7	2.4%	3.0%	3.9%	96.1%
Grade 8	4.3%	5.3%	7.4%	92.6%
Grade 9	6.0%	7.9%	11.7%	88.3%
Grade 10	7.9%	10.6%	17.9%	82.1%
Grade 11	7.3%	9.0%	16.9%	83.1%
Grade 12	12.2%	14.7%	22.7%	77.3%
<b>Cocaine or Crack</b>				
All	2.7%	3.0%	4.7%	95.3%
Grade 7	1.3%	1.4%	1.7%	98.3%
Grade 8	2.0%	2.2%	2.8%	97.2%
Grade 9	1.8%	2.3%	3.9%	96.1%
Grade 10	4.1%	4.5%	6.4%	93.6%
Grade 11	4.3%	4.8%	7.8%	92.2%
Grade 12	4.3%	5.1%	8.5%	91.5%
<b>Cocaine</b>				
All	2.5%	2.8%	4.4%	95.6%
Grade 7	1.2%	1.3%	1.5%	98.5%
Grade 8	2.0%	2.1%	2.7%	97.3%
Grade 9	1.5%	1.9%	3.5%	96.5%
Grade 10	3.9%	4.3%	6.1%	93.9%
Grade 11	4.0%	4.6%	7.5%	92.5%
Grade 12	4.1%	4.8%	8.3%	91.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.7%	0.8%	1.1%	98.9%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	0.8%	0.9%	1.6%	98.4%
Grade 11	0.9%	0.9%	1.4%	98.6%
Grade 12	1.1%	1.1%	1.5%	98.5%
<b>Hallucinogens</b>				
All	1.0%	1.4%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.7%	1.0%	1.7%	98.3%
Grade 9	1.3%	1.6%	3.0%	97.0%
Grade 10	1.0%	1.5%	2.9%	97.1%
Grade 11	0.9%	1.8%	3.8%	96.2%
Grade 12	1.9%	2.7%	5.2%	94.8%
<b>Synthetic Cathinones</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.5%	0.5%	0.8%	99.2%
<b>Steroids</b>				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.5%	0.6%	1.4%	98.6%
Grade 8	0.3%	0.3%	1.2%	98.8%
Grade 9	0.2%	0.6%	1.1%	98.9%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.2%	0.4%	0.7%	99.3%
Grade 12	0.4%	0.5%	0.7%	99.3%
<b>Ecstasy</b>				
All	1.1%	1.7%	3.4%	96.6%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.6%	0.8%	1.9%	98.1%
Grade 9	0.9%	1.6%	3.5%	96.5%
Grade 10	1.8%	2.9%	5.1%	94.9%
Grade 11	2.0%	3.1%	6.0%	94.0%
Grade 12	1.5%	2.5%	5.4%	94.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.5%	0.6%	1.1%	98.9%
Grade 11	0.2%	0.3%	1.2%	98.8%
Grade 12	0.7%	0.7%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	2.3%	3.3%	7.3%	92.7%
Grade 7	1.3%	1.7%	2.8%	97.2%
Grade 8	2.2%	3.1%	6.2%	93.8%
Grade 9	2.5%	3.7%	7.8%	92.2%
Grade 10	3.1%	4.2%	8.8%	91.2%
Grade 11	1.8%	3.4%	10.4%	89.6%
Grade 12	2.9%	4.0%	9.4%	90.6%
<b>Methamphetamine</b>				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	0.3%	0.6%	1.5%	98.5%
Grade 10	0.5%	0.9%	1.5%	98.5%
Grade 11	0.4%	0.4%	1.4%	98.6%
Grade 12	0.9%	1.0%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.9%	14.8%	25.3%	74.7%
Grade 7	5.4%	6.9%	12.3%	87.7%
Grade 8	8.3%	10.1%	19.2%	80.8%
Grade 9	11.5%	14.2%	24.7%	75.3%
Grade 10	13.0%	18.2%	33.4%	66.6%
Grade 11	15.0%	18.4%	31.3%	68.7%
Grade 12	23.5%	28.3%	40.8%	59.2%
<b>Any Alcohol Product</b>				
All	27.4%	31.5%	47.6%	52.4%
Grade 7	12.8%	15.1%	29.2%	70.8%
Grade 8	19.5%	22.3%	40.8%	59.2%
Grade 9	29.1%	33.0%	49.1%	50.9%
Grade 10	34.5%	38.5%	53.2%	46.8%
Grade 11	36.0%	41.2%	57.7%	42.3%
Grade 12	41.6%	50.0%	67.1%	32.9%
<b>Any Illicit Drug</b>				
All	11.2%	14.1%	18.8%	81.2%
Grade 7	3.8%	5.4%	6.3%	93.7%
Grade 8	7.1%	9.4%	11.8%	88.2%
Grade 9	11.5%	14.1%	17.4%	82.6%
Grade 10	15.2%	18.8%	26.4%	73.6%
Grade 11	14.6%	18.3%	26.7%	73.3%
Grade 12	20.3%	25.3%	34.8%	65.2%
<b>Any Prescription Drug</b>				
All	6.8%	8.9%	12.8%	87.2%
Grade 7	6.1%	7.6%	10.8%	89.2%
Grade 8	6.9%	9.0%	12.5%	87.5%
Grade 9	7.2%	9.2%	12.8%	87.2%
Grade 10	7.0%	9.0%	14.8%	85.2%
Grade 11	6.1%	9.2%	12.2%	87.8%
Grade 12	7.4%	9.8%	15.0%	85.0%
<b>Any Inhalant</b>				
All	5.3%	6.9%	12.6%	87.4%
Grade 7	6.4%	7.8%	12.6%	87.4%
Grade 8	5.5%	7.2%	14.3%	85.7%
Grade 9	5.9%	8.0%	13.6%	86.4%
Grade 10	4.7%	6.3%	12.5%	87.5%
Grade 11	3.7%	4.6%	9.4%	90.6%
Grade 12	4.5%	6.2%	11.4%	88.6%

*Percentages have been weighted to reflect proportions within the population.*

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.7%	10.1%	19.8%	80.2%
Grade 7	2.4%	3.9%	7.9%	92.1%
Grade 8	5.1%	7.1%	15.2%	84.8%
Grade 9	7.3%	10.5%	20.4%	79.6%
Grade 10	7.9%	13.6%	26.7%	73.3%
Grade 11	8.4%	12.7%	25.1%	74.9%
Grade 12	11.1%	16.9%	29.9%	70.1%
Marijuana				
All	10.6%	12.6%	17.5%	82.5%
Grade 7	3.4%	4.0%	5.1%	94.9%
Grade 8	6.7%	7.7%	10.3%	89.7%
Grade 9	11.1%	13.1%	16.4%	83.6%
Grade 10	14.2%	17.1%	24.9%	75.1%
Grade 11	13.2%	15.9%	25.1%	74.9%
Grade 12	19.5%	23.6%	33.9%	66.1%
Marijuana Only				
All	4.8%	6.1%	9.5%	90.5%
Grade 7	1.4%	1.9%	2.5%	97.5%
Grade 8	2.8%	3.4%	5.2%	94.8%
Grade 9	4.4%	5.8%	7.6%	92.4%
Grade 10	7.1%	8.8%	15.0%	85.0%
Grade 11	6.5%	8.0%	14.3%	85.7%
Grade 12	9.7%	12.1%	19.7%	80.3%
Cocaine or Crack				
All	2.2%	2.5%	3.8%	96.2%
Grade 7	1.0%	1.2%	1.3%	98.7%
Grade 8	1.8%	1.8%	2.3%	97.7%
Grade 9	2.0%	2.4%	4.1%	95.9%
Grade 10	2.8%	3.1%	4.1%	95.9%
Grade 11	3.0%	3.2%	5.8%	94.2%
Grade 12	3.8%	4.6%	7.1%	92.9%
Cocaine				
All	2.0%	2.3%	3.6%	96.4%
Grade 7	0.9%	1.1%	1.2%	98.8%
Grade 8	1.5%	1.6%	2.0%	98.0%
Grade 9	1.7%	2.0%	3.8%	96.2%
Grade 10	2.6%	2.9%	3.9%	96.1%
Grade 11	2.8%	3.0%	5.6%	94.4%
Grade 12	3.8%	4.6%	6.9%	93.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 72 of 120

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.8%	1.1%	98.9%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	0.8%	0.8%	0.9%	99.1%
Grade 10	0.5%	0.6%	1.0%	99.0%
Grade 11	0.7%	0.7%	1.3%	98.7%
Grade 12	1.0%	1.1%	1.8%	98.2%
Hallucinogens				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.9%	1.3%	2.4%	97.6%
Grade 10	0.9%	1.3%	2.1%	97.9%
Grade 11	0.5%	1.2%	2.4%	97.6%
Grade 12	1.7%	2.0%	4.5%	95.5%
Synthetic Cathinones				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.7%	0.8%	1.3%	98.7%
Steroids				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.6%	0.8%	1.3%	98.7%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.5%	0.6%	0.9%	99.1%
Ecstasy				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.4%	98.6%
Grade 9	0.5%	1.0%	3.3%	96.7%
Grade 10	1.7%	2.4%	3.9%	96.1%
Grade 11	0.9%	2.0%	3.8%	96.2%
Grade 12	0.8%	1.9%	4.6%	95.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 73 of 120

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.2%	1.2%	98.8%
Grade 12	0.6%	0.6%	1.1%	98.9%
<b>Synthetic Marijuana</b>				
All	1.7%	2.3%	5.5%	94.5%
Grade 7	0.6%	1.0%	1.8%	98.2%
Grade 8	1.9%	2.2%	4.5%	95.5%
Grade 9	1.9%	2.6%	6.3%	93.7%
Grade 10	2.1%	2.5%	6.0%	94.0%
Grade 11	1.5%	2.7%	7.5%	92.5%
Grade 12	2.4%	3.3%	8.1%	91.9%
<b>Methamphetamine</b>				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.1%	98.9%
Grade 9	0.2%	0.2%	0.9%	99.1%
Grade 10	0.7%	0.8%	1.4%	98.6%
Grade 11	0.3%	0.4%	1.3%	98.7%
Grade 12	1.1%	1.3%	1.5%	98.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 74 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.1%	20.7%	36.6%	63.4%
Grade 7	8.6%	10.0%	19.3%	80.7%
Grade 8	12.5%	14.9%	28.3%	71.7%
Grade 9	14.8%	18.4%	37.3%	62.7%
Grade 10	21.3%	25.7%	42.6%	57.4%
Grade 11	23.5%	29.0%	46.1%	53.9%
Grade 12	26.9%	32.3%	51.9%	48.1%
<b>Any Alcohol Product</b>				
All	33.2%	38.4%	57.4%	42.6%
Grade 7	16.4%	18.3%	35.7%	64.3%
Grade 8	24.2%	27.6%	47.6%	52.4%
Grade 9	35.5%	42.1%	62.6%	37.4%
Grade 10	39.9%	45.7%	63.1%	36.9%
Grade 11	42.0%	47.8%	66.1%	33.9%
Grade 12	45.6%	53.8%	72.9%	27.1%
<b>Any Illicit Drug</b>				
All	17.5%	21.9%	30.1%	69.9%
Grade 7	8.3%	10.1%	12.0%	88.0%
Grade 8	14.0%	17.3%	20.9%	79.1%
Grade 9	15.8%	20.2%	27.9%	72.1%
Grade 10	21.6%	27.2%	39.0%	61.0%
Grade 11	24.1%	29.4%	40.8%	59.2%
Grade 12	26.0%	33.0%	48.6%	51.4%
<b>Any Prescription Drug</b>				
All	9.8%	12.6%	18.6%	81.4%
Grade 7	7.3%	9.7%	15.2%	84.8%
Grade 8	9.4%	11.9%	17.6%	82.4%
Grade 9	12.4%	15.6%	23.2%	76.8%
Grade 10	8.8%	11.8%	17.4%	82.6%
Grade 11	7.2%	10.8%	17.3%	82.7%
Grade 12	12.4%	14.5%	18.9%	81.1%
<b>Any Inhalant</b>				
All	6.1%	7.7%	14.2%	85.8%
Grade 7	7.9%	9.6%	14.3%	85.7%
Grade 8	5.8%	7.5%	14.5%	85.5%
Grade 9	8.0%	9.8%	16.5%	83.5%
Grade 10	5.3%	6.1%	14.0%	86.0%
Grade 11	3.4%	5.2%	10.4%	89.6%
Grade 12	4.1%	6.1%	13.3%	86.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 75 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.9%	12.6%	26.7%	73.3%
Grade 7	4.9%	6.8%	14.6%	85.4%
Grade 8	7.6%	10.3%	21.4%	78.6%
Grade 9	8.1%	11.5%	28.5%	71.5%
Grade 10	10.0%	14.8%	31.3%	68.7%
Grade 11	10.9%	15.7%	30.9%	69.1%
Grade 12	14.2%	19.6%	36.5%	63.5%
<b>Marijuana</b>				
All	16.9%	20.2%	28.6%	71.4%
Grade 7	7.6%	8.4%	10.2%	89.8%
Grade 8	13.8%	15.9%	19.8%	80.2%
Grade 9	15.4%	18.1%	26.1%	73.9%
Grade 10	20.5%	24.7%	36.9%	63.1%
Grade 11	23.1%	27.6%	39.9%	60.1%
Grade 12	25.5%	31.7%	47.3%	52.7%
<b>Marijuana Only</b>				
All	7.8%	9.8%	16.2%	83.8%
Grade 7	3.9%	4.3%	5.7%	94.3%
Grade 8	6.1%	7.6%	10.4%	89.6%
Grade 9	7.4%	9.5%	15.9%	84.1%
Grade 10	7.9%	11.5%	21.4%	78.6%
Grade 11	9.3%	11.0%	20.3%	79.7%
Grade 12	13.8%	17.3%	27.6%	72.4%
<b>Cocaine or Crack</b>				
All	3.1%	3.5%	5.6%	94.4%
Grade 7	1.5%	1.5%	1.8%	98.2%
Grade 8	2.4%	2.6%	3.8%	96.2%
Grade 9	2.3%	2.6%	3.9%	96.1%
Grade 10	4.3%	4.7%	7.6%	92.4%
Grade 11	5.5%	6.5%	9.5%	90.5%
Grade 12	4.2%	4.8%	9.8%	90.2%
<b>Cocaine</b>				
All	2.9%	3.3%	5.3%	94.7%
Grade 7	1.2%	1.3%	1.6%	98.4%
Grade 8	2.3%	2.4%	3.6%	96.4%
Grade 9	2.2%	2.6%	3.8%	96.2%
Grade 10	4.2%	4.4%	7.0%	93.0%
Grade 11	5.2%	6.2%	9.2%	90.8%
Grade 12	3.7%	4.3%	9.3%	90.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.8%	1.3%	98.7%
Grade 7	0.9%	1.1%	1.1%	98.9%
Grade 8	0.9%	1.0%	1.5%	98.5%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.7%	1.0%	1.7%	98.3%
Grade 11	0.9%	0.9%	1.0%	99.0%
Grade 12	0.9%	0.9%	1.7%	98.3%
<b>Hallucinogens</b>				
All	1.3%	1.9%	3.7%	96.3%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.7%	1.0%	2.2%	97.8%
Grade 9	1.8%	2.3%	4.2%	95.8%
Grade 10	1.4%	2.7%	4.4%	95.6%
Grade 11	1.2%	1.9%	5.6%	94.4%
Grade 12	2.5%	3.5%	6.2%	93.8%
<b>Synthetic Cathinones</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.1%	0.3%	0.4%	99.6%
Grade 9	0.4%	0.5%	1.3%	98.7%
Grade 10	0.3%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	1.0%	1.0%	1.0%	99.0%
<b>Steroids</b>				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.4%	0.7%	1.8%	98.2%
Grade 8	0.1%	0.2%	1.1%	98.9%
Grade 9	0.2%	0.6%	0.7%	99.3%
Grade 10	0.3%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.5%	99.5%
<b>Ecstasy</b>				
All	1.6%	2.4%	4.6%	95.4%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.6%	0.9%	2.5%	97.5%
Grade 9	1.3%	2.0%	3.9%	96.1%
Grade 10	2.4%	4.1%	6.7%	93.3%
Grade 11	3.0%	4.8%	8.2%	91.8%
Grade 12	2.8%	3.6%	7.8%	92.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.8%	1.0%	99.0%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.4%	0.7%	1.2%	98.8%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.8%	99.2%
<b>Synthetic Marijuana</b>				
All	2.7%	4.0%	8.5%	91.5%
Grade 7	1.8%	2.4%	3.9%	96.1%
Grade 8	2.5%	3.7%	7.0%	93.0%
Grade 9	3.1%	4.7%	8.3%	91.7%
Grade 10	3.6%	5.3%	10.7%	89.3%
Grade 11	2.1%	3.8%	11.5%	88.5%
Grade 12	2.9%	3.9%	11.4%	88.6%
<b>Methamphetamine</b>				
All	0.5%	0.8%	1.5%	98.5%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.6%	0.9%	1.9%	98.1%
Grade 9	0.6%	1.1%	2.1%	97.9%
Grade 10	0.3%	1.1%	1.7%	98.3%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.3%	0.4%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 78 of 120

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.9%	15.0%	27.4%	72.6%
Grade 7	5.3%	6.5%	12.6%	87.4%
Grade 8	8.1%	10.1%	20.0%	80.0%
Grade 9	11.1%	14.2%	28.1%	71.9%
Grade 10	13.2%	17.4%	33.5%	66.5%
Grade 11	17.3%	21.0%	35.8%	64.2%
Grade 12	22.2%	27.6%	43.2%	56.8%
<b>Any Alcohol Product</b>				
All	27.9%	32.2%	50.1%	49.9%
Grade 7	12.6%	14.4%	29.8%	70.2%
Grade 8	18.8%	21.5%	40.9%	59.1%
Grade 9	30.1%	34.8%	54.0%	46.0%
Grade 10	34.3%	38.6%	54.8%	45.2%
Grade 11	37.6%	43.3%	61.2%	38.8%
Grade 12	42.6%	50.5%	69.9%	30.1%
<b>Any Illicit Drug</b>				
All	11.5%	14.6%	20.5%	79.5%
Grade 7	4.0%	5.2%	6.3%	93.7%
Grade 8	7.8%	10.0%	12.7%	87.3%
Grade 9	11.2%	13.9%	18.5%	81.5%
Grade 10	14.8%	19.2%	27.9%	72.1%
Grade 11	16.6%	20.5%	30.6%	69.4%
Grade 12	20.0%	25.4%	37.9%	62.1%
<b>Any Prescription Drug</b>				
All	7.7%	10.0%	14.2%	85.8%
Grade 7	6.5%	8.3%	11.9%	88.1%
Grade 8	7.3%	9.4%	13.6%	86.4%
Grade 9	9.1%	11.5%	15.7%	84.3%
Grade 10	7.5%	9.8%	15.3%	84.7%
Grade 11	6.2%	9.3%	12.7%	87.3%
Grade 12	9.3%	11.6%	16.0%	84.0%
<b>Any Inhalant</b>				
All	4.8%	6.3%	11.9%	88.1%
Grade 7	6.3%	7.2%	11.6%	88.4%
Grade 8	4.7%	6.3%	13.1%	86.9%
Grade 9	5.9%	7.9%	13.3%	86.7%
Grade 10	4.6%	5.7%	12.0%	88.0%
Grade 11	2.8%	3.9%	9.0%	91.0%
Grade 12	3.4%	5.4%	10.9%	89.1%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 79 of 120

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.5%	9.9%	20.6%	79.4%
Grade 7	2.7%	4.1%	8.5%	91.5%
Grade 8	5.1%	7.2%	15.6%	84.4%
Grade 9	6.7%	10.0%	22.4%	77.6%
Grade 10	7.5%	11.7%	25.6%	74.4%
Grade 11	8.8%	13.1%	26.6%	73.4%
Grade 12	10.6%	16.7%	30.6%	69.4%
<b>Marijuana</b>				
All	11.0%	13.2%	19.2%	80.8%
Grade 7	3.5%	4.1%	5.3%	94.7%
Grade 8	7.5%	8.7%	11.5%	88.5%
Grade 9	10.9%	12.7%	17.2%	82.8%
Grade 10	14.0%	17.4%	26.2%	73.8%
Grade 11	15.4%	18.6%	29.2%	70.8%
Grade 12	19.4%	24.1%	37.0%	63.0%
<b>Marijuana Only</b>				
All	5.2%	6.6%	11.1%	88.9%
Grade 7	1.7%	2.1%	2.8%	97.2%
Grade 8	3.5%	4.3%	6.4%	93.6%
Grade 9	4.8%	5.9%	9.3%	90.7%
Grade 10	6.8%	9.1%	16.3%	83.7%
Grade 11	7.0%	8.4%	16.3%	83.7%
Grade 12	10.6%	13.5%	22.6%	77.4%
<b>Cocaine or Crack</b>				
All	2.1%	2.3%	3.7%	96.3%
Grade 7	1.1%	1.2%	1.3%	98.7%
Grade 8	1.6%	1.7%	2.3%	97.7%
Grade 9	1.4%	1.8%	3.0%	97.0%
Grade 10	2.1%	2.4%	4.0%	96.0%
Grade 11	3.8%	4.0%	6.6%	93.4%
Grade 12	3.4%	4.0%	7.6%	92.4%
<b>Cocaine</b>				
All	1.9%	2.2%	3.5%	96.5%
Grade 7	0.9%	1.0%	1.1%	98.9%
Grade 8	1.4%	1.5%	2.0%	98.0%
Grade 9	1.4%	1.7%	2.9%	97.1%
Grade 10	2.1%	2.4%	3.8%	96.2%
Grade 11	3.5%	3.7%	6.3%	93.7%
Grade 12	3.2%	3.8%	7.2%	92.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.7%	1.0%	99.0%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.6%	0.6%	1.0%	99.0%
Grade 12	1.1%	1.1%	1.8%	98.2%
<b>Hallucinogens</b>				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.7%	1.2%	98.8%
Grade 9	0.8%	1.2%	2.4%	97.6%
Grade 10	1.0%	1.5%	2.5%	97.5%
Grade 11	0.7%	1.0%	2.5%	97.5%
Grade 12	1.4%	2.0%	4.4%	95.6%
<b>Synthetic Cathinones</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.2%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.7%	0.7%	1.0%	99.0%
<b>Steroids</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.5%	0.8%	1.2%	98.8%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.3%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.7%	99.3%
<b>Ecstasy</b>				
All	0.8%	1.2%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.5%	98.5%
Grade 9	0.6%	0.9%	2.9%	97.1%
Grade 10	1.6%	2.2%	3.9%	96.1%
Grade 11	1.3%	2.3%	4.3%	95.7%
Grade 12	1.1%	1.9%	4.7%	95.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.8%	99.2%
Grade 11	0.1%	0.2%	0.9%	99.1%
Grade 12	0.5%	0.5%	1.0%	99.0%
<b>Synthetic Marijuana</b>				
All	1.5%	2.3%	5.6%	94.4%
Grade 7	0.6%	1.0%	1.9%	98.1%
Grade 8	1.7%	2.1%	4.3%	95.7%
Grade 9	1.7%	2.6%	6.1%	93.9%
Grade 10	1.9%	2.8%	6.2%	93.8%
Grade 11	1.4%	2.4%	8.2%	91.8%
Grade 12	2.2%	3.1%	8.4%	91.6%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	0.3%	0.6%	1.2%	98.8%
Grade 11	0.1%	0.2%	0.7%	99.3%
Grade 12	0.9%	1.0%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 82 of 120

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	23.6%	27.8%	40.0%	60.0%
Grade 7	16.0%	18.9%	30.0%	70.0%
Grade 8	18.6%	21.1%	33.6%	66.4%
Grade 9	21.7%	24.4%	36.8%	63.2%
Grade 10	28.7%	38.0%	52.0%	48.0%
Grade 11	23.6%	29.7%	41.0%	59.0%
Grade 12	37.4%	40.8%	52.6%	47.4%
<b>Any Alcohol Product</b>				
All	38.7%	44.1%	57.0%	43.0%
Grade 7	26.6%	31.4%	44.3%	55.7%
Grade 8	32.7%	37.8%	55.8%	44.2%
Grade 9	38.8%	43.6%	54.8%	45.2%
Grade 10	47.5%	53.1%	64.6%	35.4%
Grade 11	42.5%	46.1%	58.7%	41.3%
Grade 12	47.2%	56.3%	67.1%	32.9%
<b>Any Illicit Drug</b>				
All	24.4%	30.4%	36.6%	63.4%
Grade 7	15.6%	20.4%	22.8%	77.2%
Grade 8	17.7%	22.7%	26.4%	73.6%
Grade 9	23.6%	30.1%	36.3%	63.7%
Grade 10	31.2%	36.1%	47.6%	52.4%
Grade 11	26.7%	33.0%	39.5%	60.5%
Grade 12	35.6%	44.0%	52.1%	47.9%
<b>Any Prescription Drug</b>				
All	9.2%	11.7%	19.2%	80.8%
Grade 7	6.5%	8.2%	13.6%	86.4%
Grade 8	11.4%	13.6%	19.2%	80.8%
Grade 9	10.0%	12.7%	21.4%	78.6%
Grade 10	9.5%	11.9%	18.8%	81.2%
Grade 11	8.2%	12.3%	21.6%	78.4%
Grade 12	8.1%	10.4%	19.4%	80.6%
<b>Any Inhalant</b>				
All	10.0%	12.6%	20.3%	79.7%
Grade 7	13.0%	17.6%	24.8%	75.2%
Grade 8	10.4%	13.3%	21.7%	78.3%
Grade 9	10.9%	13.2%	21.2%	78.8%
Grade 10	7.5%	10.0%	21.0%	79.0%
Grade 11	8.1%	10.4%	13.8%	86.2%
Grade 12	9.1%	10.0%	17.1%	82.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	12.8%	17.7%	31.3%	68.7%
Grade 7	7.5%	10.7%	22.5%	77.5%
Grade 8	10.6%	14.3%	26.2%	73.8%
Grade 9	13.1%	16.5%	30.2%	69.8%
Grade 10	13.6%	25.8%	41.7%	58.3%
Grade 11	11.9%	16.9%	28.6%	71.4%
Grade 12	21.6%	24.9%	41.7%	58.3%
<b>Marijuana</b>				
All	23.2%	27.2%	34.4%	65.6%
Grade 7	14.5%	16.1%	18.5%	81.5%
Grade 8	17.4%	19.4%	23.5%	76.5%
Grade 9	22.2%	27.8%	35.1%	64.9%
Grade 10	29.5%	33.4%	45.7%	54.3%
Grade 11	25.4%	29.2%	38.1%	61.9%
Grade 12	34.2%	40.9%	50.5%	49.5%
<b>Marijuana Only</b>				
All	9.6%	12.3%	16.9%	83.1%
Grade 7	6.4%	7.3%	9.3%	90.7%
Grade 8	6.6%	7.9%	10.7%	89.3%
Grade 9	10.1%	14.8%	18.4%	81.6%
Grade 10	10.8%	13.9%	23.0%	77.0%
Grade 11	10.7%	12.9%	17.8%	82.2%
Grade 12	14.3%	17.1%	23.9%	76.1%
<b>Cocaine or Crack</b>				
All	5.5%	6.2%	8.7%	91.3%
Grade 7	2.5%	2.9%	3.4%	96.6%
Grade 8	3.8%	4.3%	5.8%	94.2%
Grade 9	5.4%	5.6%	9.1%	90.9%
Grade 10	9.3%	10.0%	12.3%	87.7%
Grade 11	4.6%	6.7%	10.8%	89.2%
Grade 12	7.9%	9.5%	12.3%	87.7%
<b>Cocaine</b>				
All	5.2%	5.9%	8.4%	91.6%
Grade 7	2.3%	2.8%	3.2%	96.8%
Grade 8	3.5%	3.8%	5.3%	94.7%
Grade 9	5.2%	5.4%	8.9%	91.1%
Grade 10	8.9%	9.1%	11.4%	88.6%
Grade 11	4.6%	6.7%	10.8%	89.2%
Grade 12	7.6%	9.2%	12.0%	88.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.3%	1.5%	2.4%	97.6%
Grade 7	1.3%	1.7%	2.5%	97.5%
Grade 8	1.8%	2.1%	2.9%	97.1%
Grade 9	0.4%	0.4%	1.7%	98.3%
Grade 10	1.7%	2.4%	3.2%	96.8%
Grade 11	2.1%	2.1%	2.5%	97.5%
Grade 12	1.0%	1.3%	1.9%	98.1%
<b>Hallucinogens</b>				
All	2.3%	3.2%	6.0%	94.0%
Grade 7	0.9%	0.9%	1.7%	98.3%
Grade 8	1.1%	1.9%	4.6%	95.4%
Grade 9	3.7%	4.4%	5.8%	94.2%
Grade 10	1.3%	2.8%	5.8%	94.2%
Grade 11	0.7%	3.3%	10.2%	89.8%
Grade 12	5.0%	5.7%	8.9%	91.1%
<b>Synthetic Cathinones</b>				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.5%	1.1%	1.3%	98.7%
Grade 9	0.2%	0.2%	2.0%	98.0%
Grade 10	0.3%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	1.6%	1.9%	1.9%	98.1%
<b>Steroids</b>				
All	0.6%	0.8%	1.6%	98.4%
Grade 7	1.0%	1.0%	3.3%	96.7%
Grade 8	0.3%	1.1%	1.8%	98.2%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	2.2%	2.2%	2.9%	97.1%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.3%	0.6%	1.0%	99.0%
<b>Ecstasy</b>				
All	2.1%	3.9%	7.0%	93.0%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.2%	0.9%	3.5%	96.5%
Grade 9	1.9%	3.9%	7.2%	92.8%
Grade 10	3.4%	6.8%	10.4%	89.6%
Grade 11	3.4%	6.3%	10.6%	89.4%
Grade 12	4.3%	6.8%	11.7%	88.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.9%	1.2%	1.8%	98.2%
Grade 7	0.4%	0.9%	1.3%	98.7%
Grade 8	1.7%	2.9%	3.4%	96.6%
Grade 9	0.6%	0.6%	1.5%	98.5%
Grade 10	1.8%	1.8%	1.9%	98.1%
Grade 11	0.1%	0.3%	0.6%	99.4%
Grade 12	0.9%	0.9%	1.6%	98.4%
<b>Synthetic Marijuana</b>				
All	5.0%	6.5%	12.3%	87.7%
Grade 7	3.8%	4.8%	7.4%	92.6%
Grade 8	4.3%	5.3%	9.2%	90.8%
Grade 9	5.8%	7.9%	12.9%	87.1%
Grade 10	6.0%	7.4%	16.1%	83.9%
Grade 11	4.1%	6.6%	13.2%	86.8%
Grade 12	5.6%	6.3%	16.0%	84.0%
<b>Methamphetamine</b>				
All	0.9%	1.5%	2.7%	97.3%
Grade 7	1.2%	1.2%	2.5%	97.5%
Grade 8	1.1%	2.0%	3.0%	97.0%
Grade 9	0.3%	1.6%	3.4%	96.6%
Grade 10	1.4%	1.8%	2.6%	97.4%
Grade 11	1.3%	1.4%	2.1%	97.9%
Grade 12	0.2%	0.6%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	168,981	50.3%
Female	167,083	49.7%
Frequency Missing	2,574	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	17,778	5.3%
Yes	316,638	94.7%
Frequency Missing	4,222	

**Grade**

Q2	Frequency	Percent
Grade 7	59,410	17.6%
Grade 8	63,207	18.7%
Grade 9	81,514	24.1%
Grade 10	48,325	14.3%
Grade 11	44,300	13.1%
Grade 12	40,853	12.1%
Frequency Missing	1,029	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	8,785	3.0%
Asian American	873	0.3%
African American	8,027	2.8%
Pacific Islander	649	0.2%
White	156,896	54.1%
Other	86,741	29.9%
More Than One Race	28,079	9.7%
Frequency Missing	48,589	

**Live with Both Parents**

Q3	Frequency	Percent
No	118,893	35.5%
Yes	215,798	64.5%
Frequency Missing	3,947	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	1,932	0.6%
Mostly D's	4,947	1.6%
Mostly C's	48,506	16.0%
Mostly B's	170,945	56.5%
Mostly A's	75,976	25.1%
Frequency Missing	36,331	

**Age**

Q4	Frequency	Percent
11 Or Younger	538	0.2%
12	24,551	7.3%
13	55,740	16.5%
14	67,032	19.9%
15	64,756	19.2%
16	49,389	14.7%
17	44,722	13.3%
18	25,939	7.7%
19 Or Older	4,339	1.3%
Frequency Missing	1,632	

**Do You Have a Job**

Q7	Frequency	Percent
No	271,313	89.1%
Yes	33,227	10.9%
Frequency Missing	34,098	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	43,388	14.4%
Yes	174,674	58.0%
Don't Know	83,137	27.6%
Frequency Missing	37,438	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	241,238	91.5%
Yes	22,436	8.5%
Frequency Missing	74,963	

**Participate in School Athletics (UTL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	144,164	49.9%
Yes	144,654	50.1%
Frequency Missing	49,820	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	213,843	79.9%
Yes	53,660	20.1%
Frequency Missing	71,135	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	215,912	79.4%
Yes	56,028	20.6%
Frequency Missing	66,697	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	201,014	75.8%
Yes	64,271	24.2%
Frequency Missing	73,352	

**Participate in School Choir**

Q9c	Frequency	Percent
No	241,727	91.8%
Yes	21,461	8.2%
Frequency Missing	75,449	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	182,780	66.9%
Yes	90,248	33.1%
Frequency Missing	65,609	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	242,939	92.0%
Yes	21,216	8.0%
Frequency Missing	74,482	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	211,086	79.0%
Yes	56,002	21.0%
Frequency Missing	71,550	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	291,511	86.7%
Somewhat Safe	37,790	11.2%
Not Very Safe	2,746	0.8%
Not Safe At All	1,038	0.3%
Don't Know	3,174	0.9%
Frequency Missing	2,377	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School Or Less	45,528	14.3%
Some High School	53,309	16.7%
Finished High School	64,570	20.3%
Some College	37,829	11.9%
Finished College	44,218	13.9%
Post-Secondary	28,332	8.9%
Don't Know Or N/A	44,652	14.0%
Frequency Missing	20,200	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	126,689	38.0%
Somewhat Safe	162,571	48.7%
Not Very Safe	28,677	8.6%
Not Safe At All	5,879	1.8%
Don't Know	9,901	3.0%
Frequency Missing	4,921	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	177,762	62.2%
Yes	108,006	37.8%
Frequency Missing	52,870	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	130,342	39.0%
Somewhat Safe	150,162	45.0%
Not Very Safe	26,081	7.8%
Not Safe At All	12,939	3.9%
Don't Know	14,396	4.3%
Frequency Missing	4,717	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	25,016	7.5%
A Few	81,546	24.4%
Some	82,208	24.6%
Most	104,359	31.2%
All	40,914	12.2%
Frequency Missing	4,593	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School Or Less	44,216	14.0%
Some High School	53,324	16.9%
Finished High School	67,586	21.4%
Some College	31,626	10.0%
Finished College	34,002	10.8%
Post-Secondary	23,046	7.3%
Don't Know Or N/A	61,508	19.5%
Frequency Missing	23,329	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	9,632	2.9%
A Few	48,245	14.4%
Some	81,979	24.5%
Most	126,783	38.0%
All	67,333	20.2%
Frequency Missing	4,666	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	184,610	56.4%
A Few	84,201	25.7%
Some	38,154	11.7%
Most	14,180	4.3%
All	6,248	1.9%
Frequency Missing	11,245	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	315,542	94.6%
In Your Lifetime	11,710	3.5%
Since School Began	1,963	0.6%
In The Past Month	4,418	1.3%
Frequency Missing	5,006	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	277,909	84.0%
A Few	34,003	10.3%
Some	11,977	3.6%
Most	4,150	1.3%
All	2,871	0.9%
Frequency Missing	7,728	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	324,654	98.2%
In Your Lifetime	3,135	0.9%
Since School Began	956	0.3%
In The Past Month	1,843	0.6%
Frequency Missing	8,049	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	265,304	79.6%
A Few	42,949	12.9%
Some	15,875	4.8%
Most	6,090	1.8%
All	2,930	0.9%
Frequency Missing	5,490	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	311,580	93.5%
In Your Lifetime	12,444	3.7%
Since School Began	3,060	0.9%
In The Past Month	6,034	1.8%
Frequency Missing	5,520	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	325,337	97.3%
In Your Lifetime	6,085	1.8%
Since School Began	843	0.3%
In The Past Month	2,110	0.6%
Frequency Missing	4,263	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	326,431	98.5%
In Your Lifetime	2,601	0.8%
Since School Began	765	0.2%
In The Past Month	1,675	0.5%
Frequency Missing	7,167	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	327,672	98.6%
In Your Lifetime	2,274	0.7%
Since School Began	694	0.2%
In The Past Month	1,548	0.5%
Frequency Missing	6,449	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	308,991	93.6%
In Your Lifetime	11,309	3.4%
Since School Began	2,773	0.8%
In The Past Month	7,159	2.2%
Frequency Missing	8,405	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	323,820	97.5%
In Your Lifetime	4,288	1.3%
Since School Began	1,219	0.4%
In The Past Month	2,761	0.8%
Frequency Missing	6,549	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	210,811	64.5%
In Your Lifetime	56,515	17.3%
Since School Began	17,269	5.3%
In The Past Month	42,355	13.0%
Frequency Missing	11,686	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	326,434	98.0%
In Your Lifetime	3,461	1.0%
Since School Began	962	0.3%
In The Past Month	2,095	0.6%
Frequency Missing	5,686	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	249,744	75.5%
In Your Lifetime	33,337	10.1%
Since School Began	14,106	4.3%
In The Past Month	33,752	10.2%
Frequency Missing	7,699	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	274,568	82.4%
In Your Lifetime	32,996	9.9%
Since School Began	6,771	2.0%
In The Past Month	19,058	5.7%
Frequency Missing	5,244	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	240,238	73.8%
In Your Lifetime	46,242	14.2%
Since School Began	12,377	3.8%
In The Past Month	26,769	8.2%
Frequency Missing	13,011	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	234,251	70.8%
In Your Lifetime	42,390	12.8%
Since School Began	16,506	5.0%
In The Past Month	37,841	11.4%
Frequency Missing	7,650	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	320,575	96.3%
In Your Lifetime	6,613	2.0%
Since School Began	1,720	0.5%
In The Past Month	3,936	1.2%
Frequency Missing	5,794	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	320,605	96.3%
In Your Lifetime	7,830	2.4%
Since School Began	1,522	0.5%
In The Past Month	2,956	0.9%
Frequency Missing	5,726	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	327,881	99.2%
In Your Lifetime	1,523	0.5%
Since School Began	289	0.1%
In The Past Month	788	0.2%
Frequency Missing	8,157	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	260,112	77.9%
In Your Lifetime	37,219	11.1%
Since School Began	11,815	3.5%
In The Past Month	24,936	7.5%
Frequency Missing	4,555	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	323,262	97.3%
In Your Lifetime	4,334	1.3%
Since School Began	1,372	0.4%
In The Past Month	3,182	1.0%
Frequency Missing	6,487	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	267,107	80.1%
In Your Lifetime	33,829	10.1%
Since School Began	9,963	3.0%
In The Past Month	22,604	6.8%
Frequency Missing	5,135	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	329,895	99.3%
In Your Lifetime	1,066	0.3%
Since School Began	235	0.1%
In The Past Month	1,000	0.3%
Frequency Missing	6,440	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	329,052	99.2%
In Your Lifetime	1,493	0.4%
Since School Began	463	0.1%
In The Past Month	769	0.2%
Frequency Missing	6,861	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	312,887	94.1%
In Your Lifetime	12,084	3.6%
Since School Began	2,069	0.6%
In The Past Month	5,585	1.7%
Frequency Missing	6,011	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	320,645	96.9%
In Your Lifetime	5,516	1.7%
Since School Began	1,660	0.5%
In The Past Month	2,973	0.9%
Frequency Missing	7,843	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	295,798	89.3%
In Your Lifetime	13,056	3.9%
Since School Began	5,870	1.8%
In The Past Month	16,453	5.0%
Frequency Missing	7,461	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	330,003	99.3%
In Your Lifetime	1,244	0.4%
Since School Began	267	0.1%
In The Past Month	880	0.3%
Frequency Missing	6,244	

**Recent Prescription Drug Use - Percocets  
Etc**

Q17b	Frequency	Percent
Never Heard/Used	322,137	97.4%
In Your Lifetime	3,256	1.0%
Since School Began	1,759	0.5%
In The Past Month	3,650	1.1%
Frequency Missing	7,836	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	329,529	99.1%
In Your Lifetime	1,494	0.4%
Since School Began	318	0.1%
In The Past Month	1,342	0.4%
Frequency Missing	5,955	

**Recent Prescription Drug Use -  
Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	320,574	96.9%
In Your Lifetime	3,629	1.1%
Since School Began	2,172	0.7%
In The Past Month	4,285	1.3%
Frequency Missing	7,977	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	324,171	98.1%
In Your Lifetime	2,780	0.8%
Since School Began	927	0.3%
In The Past Month	2,415	0.7%
Frequency Missing	8,345	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	249,071	75.8%
1-2 Times	49,606	15.1%
3-10 Times	21,033	6.4%
11+ Times	8,979	2.7%
Frequency Missing	9,948	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	305,695	92.5%
In Your Lifetime	9,408	2.8%
Since School Began	3,526	1.1%
In The Past Month	11,709	3.5%
Frequency Missing	8,299	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	324,802	98.0%
1-2 Times	4,776	1.4%
3-10 Times	1,297	0.4%
11+ Times	453	0.1%
Frequency Missing	7,309	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	318,297	96.3%
In Your Lifetime	4,993	1.5%
Since School Began	1,631	0.5%
In The Past Month	5,479	1.7%
Frequency Missing	8,237	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	290,937	88.0%
1-2 Times	19,038	5.8%
3-10 Times	8,843	2.7%
11+ Times	11,842	3.6%
Frequency Missing	7,978	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	304,608	92.1%
1-2 Times	16,260	4.9%
3-10 Times	5,796	1.8%
11+ Times	4,153	1.3%
Frequency Missing	7,820	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	324,872	97.9%
1-2 Times	4,647	1.4%
3-10 Times	1,346	0.4%
11+ Times	890	0.3%
Frequency Missing	6,882	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 95 of 120

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	329,056	99.4%
1-2 Times	1,571	0.5%
3-10 Times	207	0.1%
11+ Times	351	0.1%
Frequency Missing	7,454	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never Heard/None	194,819	59.0%
A Few	63,733	19.3%
Some	35,018	10.6%
Most	25,922	7.9%
All	10,532	3.2%
Frequency Missing	8,612	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never Heard/None	238,517	72.1%
A Few	58,412	17.7%
Some	21,949	6.6%
Most	9,185	2.8%
All	2,726	0.8%
Frequency Missing	7,849	

**Difficult to Get Tobacco**

Q21a	Frequency	Percent
Never Heard Of	119,980	36.8%
Impossible	67,855	20.8%
Very Difficult	22,383	6.9%
Somewhat Diff	30,589	9.4%
Somewhat Easy	37,547	11.5%
Very Easy	47,294	14.5%
Frequency Missing	12,989	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never Heard/None	164,094	49.7%
A Few	77,728	23.6%
Some	47,961	14.5%
Most	30,337	9.2%
All	9,867	3.0%
Frequency Missing	8,651	

**Difficult to Get Alcohol**

Q21b	Frequency	Percent
Never Heard Of	95,100	29.3%
Impossible	46,110	14.2%
Very Difficult	19,142	5.9%
Somewhat Diff	35,494	10.9%
Somewhat Easy	57,058	17.6%
Very Easy	71,685	22.1%
Frequency Missing	14,049	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never Heard/None	298,990	90.5%
A Few	22,122	6.7%
Some	6,063	1.8%
Most	2,385	0.7%
All	687	0.2%
Frequency Missing	8,391	

**Difficult to Get Inhalants**

Q21c	Frequency	Percent
Never Heard Of	153,884	47.4%
Impossible	54,049	16.7%
Very Difficult	13,823	4.3%
Somewhat Diff	17,798	5.5%
Somewhat Easy	24,740	7.6%
Very Easy	60,324	18.6%
Frequency Missing	14,019	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Difficult to Get Marijuana**

Q21d	Frequency	Percent
Never Heard Of	110,049	33.9%
Impossible	65,577	20.2%
Very Difficult	21,782	6.7%
Somewhat Diff	27,825	8.6%
Somewhat Easy	38,126	11.7%
Very Easy	61,608	19.0%
Frequency Missing	13,670	

**Difficult to Get Ecstasy**

Q21i	Frequency	Percent
Never Heard Of	171,610	53.1%
Impossible	77,392	23.9%
Very Difficult	24,189	7.5%
Somewhat Diff	18,224	5.6%
Somewhat Easy	15,106	4.7%
Very Easy	16,825	5.2%
Frequency Missing	15,290	

**Difficult to Get Cocaine**

Q21e	Frequency	Percent
Never Heard Of	139,626	43.1%
Impossible	90,470	27.9%
Very Difficult	30,618	9.4%
Somewhat Diff	25,200	7.8%
Somewhat Easy	16,336	5.0%
Very Easy	22,035	6.8%
Frequency Missing	14,351	

**Difficult to Get Heroin**

Q21j	Frequency	Percent
Never Heard Of	172,693	53.0%
Impossible	89,852	27.6%
Very Difficult	28,300	8.7%
Somewhat Diff	15,873	4.9%
Somewhat Easy	8,334	2.6%
Very Easy	10,613	3.3%
Frequency Missing	12,972	

**Difficult to Get Crack**

Q21f	Frequency	Percent
Never Heard Of	150,877	46.5%
Impossible	93,131	28.7%
Very Difficult	31,736	9.8%
Somewhat Diff	21,493	6.6%
Somewhat Easy	12,044	3.7%
Very Easy	14,877	4.6%
Frequency Missing	14,480	

**Difficult to Get Methamphetamine**

Q21k	Frequency	Percent
Never Heard Of	176,968	54.3%
Impossible	88,277	27.1%
Very Difficult	25,447	7.8%
Somewhat Diff	15,315	4.7%
Somewhat Easy	8,760	2.7%
Very Easy	11,154	3.4%
Frequency Missing	12,717	

**Difficult to Get Steroids**

Q21h	Frequency	Percent
Never Heard Of	158,573	48.9%
Impossible	92,243	28.4%
Very Difficult	28,103	8.7%
Somewhat Diff	20,976	6.5%
Somewhat Easy	12,562	3.9%
Very Easy	11,905	3.7%
Frequency Missing	14,276	

**Difficult to Get Synthetic Marijuana**

Q21l	Frequency	Percent
Never Heard Of	163,648	50.2%
Impossible	72,891	22.4%
Very Difficult	20,839	6.4%
Somewhat Diff	19,507	6.0%
Somewhat Easy	19,145	5.9%
Very Easy	29,685	9.1%
Frequency Missing	12,923	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 97 of 120

**How Often Normally Use Tobacco**

Q22a	Frequency	Percent
Every Day	1,525	0.5%
Several Times/Wk	3,542	1.1%
Several Times/Mo	6,148	1.9%
About Once/Month	7,649	2.3%
About Once/Year	8,127	2.5%
Less than Once/Year	11,895	3.6%
Never Used	290,522	88.2%
Frequency Missing	9,230	

**How Often Normally Use Marijuana**

Q22d	Frequency	Percent
Every Day	5,307	1.6%
Several Times/Wk	6,568	2.0%
Several Times/Mo	8,395	2.6%
About Once/Month	10,276	3.1%
About Once/Year	10,940	3.3%
Less than Once/Year	13,623	4.1%
Never Used	273,635	83.2%
Frequency Missing	9,893	

**How Often Normally Use Alcohol**

Q22b	Frequency	Percent
Every Day	746	0.2%
Several Times/Wk	7,838	2.4%
Several Times/Mo	20,676	6.3%
About Once/Month	30,300	9.3%
About Once/Year	28,406	8.7%
Less than Once/Year	22,692	6.9%
Never Used	216,427	66.2%
Frequency Missing	11,553	

**How Often Normally Use Cocaine**

Q22e	Frequency	Percent
Every Day	405	0.1%
Several Times/Wk	624	0.2%
Several Times/Mo	1,389	0.4%
About Once/Month	1,991	0.6%
About Once/Year	2,090	0.6%
Less than Once/Year	2,794	0.8%
Never Used	320,409	97.2%
Frequency Missing	8,936	

**How Often Normally Use Inhalants**

Q22c	Frequency	Percent
Every Day	263	0.1%
Several Times/Wk	599	0.2%
Several Times/Mo	1,054	0.3%
About Once/Month	1,530	0.5%
About Once/Year	1,608	0.5%
Less than Once/Year	3,843	1.2%
Never Used	320,546	97.3%
Frequency Missing	9,195	

**How Often Normally Use Crack**

Q22f	Frequency	Percent
Every Day	113	0.0%
Several Times/Wk	261	0.1%
Several Times/Mo	272	0.1%
About Once/Month	316	0.1%
About Once/Year	448	0.1%
Less than Once/Year	830	0.3%
Never Used	327,103	99.3%
Frequency Missing	9,295	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Steroids**

Q22h	Frequency	Percent
Every Day	185	0.1%
Several Times/Wk	178	0.1%
Several Times/Mo	49	0.0%
About Once/Month	275	0.1%
About Once/Year	323	0.1%
Less than Once/Year	532	0.2%
Never Used	327,356	99.5%
Frequency Missing	9,740	

**How Often Normally Use Methamphetamine**

Q22k	Frequency	Percent
Every Day	66	0.0%
Several Times/Wk	163	0.0%
Several Times/Mo	164	0.0%
About Once/Month	544	0.2%
About Once/Year	597	0.2%
Less than Once/Year	913	0.3%
Never Used	326,838	99.3%
Frequency Missing	9,352	

**How Often Normally Use Ecstasy**

Q22i	Frequency	Percent
Every Day	188	0.1%
Several Times/Wk	228	0.1%
Several Times/Mo	947	0.3%
About Once/Month	1,757	0.5%
About Once/Year	2,268	0.7%
Less than Once/Year	2,881	0.9%
Never Used	320,320	97.5%
Frequency Missing	10,048	

**How Often Normally Use Synthetic Marijuana**

Q22l	Frequency	Percent
Every Day	517	0.2%
Several Times/Wk	747	0.2%
Several Times/Mo	1,851	0.6%
About Once/Month	2,831	0.9%
About Once/Year	3,445	1.0%
Less than Once/Year	5,289	1.6%
Never Used	314,204	95.5%
Frequency Missing	9,754	

**How Often Normally Use Heroin**

Q22j	Frequency	Percent
Every Day	162	0.0%
Several Times/Wk	58	0.0%
Several Times/Mo	153	0.0%
About Once/Month	253	0.1%
About Once/Year	176	0.1%
Less than Once/Year	501	0.2%
Never Used	328,013	99.6%
Frequency Missing	9,320	

**Amount of Beer at One Time**

Q23a	Frequency	Percent
Never Drink This	211,122	64.7%
12+ Drinks	8,852	2.7%
9-11 Drinks	5,156	1.6%
5-8 Drinks	12,012	3.7%
3-4 Drinks	17,898	5.5%
2 Drinks	16,510	5.1%
1 Drink	20,744	6.4%
Less than 1 Drink	33,929	10.4%
Frequency Missing	12,415	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Amount of Wine Coolers at One Time**

Q23b	Frequency	Percent
Never Drink This	238,693	72.8%
12+ Drinks	5,256	1.6%
9-11 Drinks	3,538	1.1%
5-8 Drinks	7,400	2.3%
3-4 Drinks	16,715	5.1%
2 Drinks	15,261	4.7%
1 Drink	19,635	6.0%
Less than 1 Drink	21,535	6.6%
Frequency Missing	10,604	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q24a	Frequency	Percent
Never 5+ At Time	180,411	56.2%
0 Days	102,373	31.9%
1 Day	14,571	4.5%
2 Days	8,332	2.6%
3 To 5 Days	7,858	2.4%
6 To 9 Days	2,918	0.9%
10 Or More Days	4,797	1.5%
Frequency Missing	17,377	

**Amount of Wine at One Time**

Q23c	Frequency	Percent
Never Drink This	237,198	73.1%
12+ Drinks	2,898	0.9%
9-11 Drinks	1,581	0.5%
5-8 Drinks	4,341	1.3%
3-4 Drinks	9,392	2.9%
2 Drinks	12,001	3.7%
1 Drink	22,160	6.8%
Less than 1 Drink	34,735	10.7%
Frequency Missing	14,332	

**Get Alcoholic Beverages from Home**

Q25a	Frequency	Percent
Do Not Drink	202,477	62.0%
Never	68,421	20.9%
Seldom	38,708	11.8%
Most Of The Time	12,807	3.9%
Always	4,300	1.3%
Frequency Missing	11,926	

**Amount of Liquor at One Time**

Q23d	Frequency	Percent
Never Drink This	227,149	69.3%
12+ Drinks	7,930	2.4%
9-11 Drinks	5,190	1.6%
5-8 Drinks	11,353	3.5%
3-4 Drinks	17,357	5.3%
2 Drinks	15,345	4.7%
1 Drink	17,525	5.3%
Less than 1 Drink	26,082	8.0%
Frequency Missing	10,706	

**Get Alcoholic Beverages from Friends**

Q25b	Frequency	Percent
Do Not Drink	187,476	57.5%
Never	58,993	18.1%
Seldom	38,585	11.8%
Most Of The Time	30,315	9.3%
Always	10,419	3.2%
Frequency Missing	12,849	

**Get Alcoholic Beverages from a Store**

Q25c	Frequency	Percent
Do Not Drink	196,585	60.6%
Never	99,514	30.7%
Seldom	12,807	3.9%
Most Of The Time	10,403	3.2%
Always	5,296	1.6%
Frequency Missing	14,033	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Get Alcoholic Beverages at Parties**

Q25d	Frequency	Percent
Do Not Drink	175,745	54.0%
Never	48,479	14.9%
Seldom	36,351	11.2%
Most Of The Time	34,731	10.7%
Always	30,338	9.3%
Frequency Missing	12,993	

**Dangerous for Kids to Use Inhalants**

Q26c	Frequency	Percent
Very	254,184	77.7%
Somewhat	37,612	11.5%
Not Very	10,842	3.3%
Not At All	3,853	1.2%
Don't Know	20,692	6.3%
Frequency Missing	11,455	

**Get Alcoholic Beverages from Other Sources**

Q25e	Frequency	Percent
Do Not Drink	198,332	61.4%
Never	72,258	22.4%
Seldom	24,761	7.7%
Most Of The Time	15,450	4.8%
Always	12,301	3.8%
Frequency Missing	15,535	

**Dangerous for Kids to Use Marijuana**

Q26d	Frequency	Percent
Very	205,755	62.8%
Somewhat	42,525	13.0%
Not Very	31,459	9.6%
Not At All	33,303	10.2%
Don't Know	14,821	4.5%
Frequency Missing	10,775	

**Dangerous for Kids to Use Tobacco**

Q26a	Frequency	Percent
Very	227,903	69.5%
Somewhat	60,454	18.4%
Not Very	18,081	5.5%
Not At All	4,428	1.4%
Don't Know	17,008	5.2%
Frequency Missing	10,764	

**Dangerous for Kids to Use Cocaine**

Q26e	Frequency	Percent
Very	284,871	86.9%
Somewhat	22,099	6.7%
Not Very	3,208	1.0%
Not At All	2,841	0.9%
Don't Know	14,730	4.5%
Frequency Missing	10,889	

**Dangerous for Kids to Use Alcohol**

Q26b	Frequency	Percent
Very	182,789	55.9%
Somewhat	84,924	26.0%
Not Very	37,412	11.4%
Not At All	8,565	2.6%
Don't Know	13,097	4.0%
Frequency Missing	11,850	

**Dangerous for Kids to Use Crack**

Q26f	Frequency	Percent
Very	288,015	87.9%
Somewhat	18,495	5.6%
Not Very	2,410	0.7%
Not At All	2,334	0.7%
Don't Know	16,259	5.0%
Frequency Missing	11,126	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Dangerous for Kids to Use Ecstasy**

Q26g	Frequency	Percent
Very	273,207	83.5%
Somewhat	22,369	6.8%
Not Very	5,213	1.6%
Not At All	3,452	1.1%
Don't Know	22,862	7.0%
Frequency Missing	11,534	

**Dangerous for Kids to Use Synthetic Marijuana**

Q26k	Frequency	Percent
Very	272,576	83.3%
Somewhat	22,800	7.0%
Not Very	6,018	1.8%
Not At All	4,781	1.5%
Don't Know	21,072	6.4%
Frequency Missing	11,390	

**Dangerous for Kids to Use Steroids**

Q26h	Frequency	Percent
Very	262,821	80.4%
Somewhat	31,474	9.6%
Not Very	8,457	2.6%
Not At All	3,544	1.1%
Don't Know	20,452	6.3%
Frequency Missing	11,890	

**Dangerous for Kids to Use Any Prescription**

Q26l	Frequency	Percent
Very	248,780	75.9%
Somewhat	39,329	12.0%
Not Very	10,917	3.3%
Not At All	5,198	1.6%
Don't Know	23,525	7.2%
Frequency Missing	10,889	

**Dangerous for Kids to Use Heroin**

Q26i	Frequency	Percent
Very	289,569	88.2%
Somewhat	15,078	4.6%
Not Very	2,011	0.6%
Not At All	1,967	0.6%
Don't Know	19,510	5.9%
Frequency Missing	10,502	

**Dangerous for Kids to Use Electronic Vapor Products**

Q26m	Frequency	Percent
Very	197,865	60.2%
Somewhat	40,031	12.2%
Not Very	37,018	11.3%
Not At All	32,502	9.9%
Don't Know	21,009	6.4%
Frequency Missing	10,212	

**Dangerous for Kids to Use Methamphetamine**

Q26j	Frequency	Percent
Very	290,717	88.6%
Somewhat	13,337	4.1%
Not Very	2,097	0.6%
Not At All	2,058	0.6%
Don't Know	19,782	6.0%
Frequency Missing	10,646	

**Days Skipped Since September**

Q27a	Frequency	Percent
None	270,616	82.4%
1-3 Days	40,194	12.2%
4-9 Days	9,037	2.8%
10+ Days	8,427	2.6%
Frequency Missing	10,363	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 102 of 120

**Days Ill Since September**

Q27b	Frequency	Percent
None	120,871	37.0%
1-3 Days	161,765	49.5%
4-9 Days	33,695	10.3%
10+ Days	10,556	3.2%
Frequency Missing	11,751	

**Trouble with Friends Because of Drinking**

Q28a	Frequency	Percent
None	316,458	96.6%
1-3 Times	9,460	2.9%
4-9 Times	1,133	0.3%
10+ Times	399	0.1%
Frequency Missing	11,187	

**Other Reason For Days Missed Since September**

Q27c	Frequency	Percent
None	143,830	44.3%
1-3 Days	148,775	45.8%
4-9 Days	23,002	7.1%
10+ Days	9,316	2.9%
Frequency Missing	13,714	

**Driven a Car After a Good Bit to Drink**

Q28b	Frequency	Percent
None	313,975	96.1%
1-3 Times	10,191	3.1%
4-9 Times	1,493	0.5%
10+ Times	1,149	0.4%
Frequency Missing	11,829	

**Sent to Principal/Dean Since September**

Q27d	Frequency	Percent
None	291,303	88.8%
1-3 Days	27,403	8.4%
4-9 Days	5,529	1.7%
10+ Days	3,681	1.1%
Frequency Missing	10,722	

**Trouble with Friends Because of Drug Use**

Q28c	Frequency	Percent
None	316,539	97.0%
1-3 Times	7,552	2.3%
4-9 Times	1,390	0.4%
10+ Times	748	0.2%
Frequency Missing	12,408	

**Someone Called Home Since September**

Q27e	Frequency	Percent
None	290,675	88.7%
1-3 Days	28,978	8.8%
4-9 Days	4,345	1.3%
10+ Days	3,571	1.1%
Frequency Missing	11,069	

**Driven a Car While High from Drugs**

Q28d	Frequency	Percent
None	314,381	96.4%
1-3 Times	7,988	2.4%
4-9 Times	1,455	0.4%
10+ Times	2,233	0.7%
Frequency Missing	12,580	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 103 of 120

**Class Days Drunk on Alcohol Since Sept**

Q29a	Frequency	Percent
None	313,015	95.8%
1-3 Days	10,581	3.2%
4-9 Days	1,914	0.6%
10+ Days	1,188	0.4%
Frequency Missing	11,939	

**Alcohol Use at Parties This School Year**

Q30a	Frequency	Percent
Never	171,586	52.5%
Seldom	29,224	8.9%
Half The Time	21,452	6.6%
Most Of The Time	29,663	9.1%
Always	30,252	9.3%
Don't Know	8,250	2.5%
Didn't Attend	36,215	11.1%
Frequency Missing	11,997	

**Class Days High on Marijuana Since Sept**

Q29b	Frequency	Percent
None	303,086	93.0%
1-3 Days	13,607	4.2%
4-9 Days	3,586	1.1%
10+ Days	5,724	1.8%
Frequency Missing	12,634	

**Drug Use at Parties This School Year**

Q30b	Frequency	Percent
Never	210,816	64.7%
Seldom	21,129	6.5%
Half The Time	15,114	4.6%
Most Of The Time	16,293	5.0%
Always	16,789	5.1%
Don't Know	9,903	3.0%
Didn't Attend	36,013	11.0%
Frequency Missing	12,580	

**Class Days High on Inhalants Since Sept**

Q29c	Frequency	Percent
None	320,896	98.7%
1-3 Days	3,084	0.9%
4-9 Days	365	0.1%
10+ Days	799	0.2%
Frequency Missing	13,494	

**Sought Help for Drug/Alcohol Problem**

Q31	Frequency	Percent
No	259,200	91.5%
Yes	23,942	8.5%
Frequency Missing	55,496	

**Class Days High on Other Drug(s)**

Q29d	Frequency	Percent
None	315,372	96.9%
1-3 Days	7,034	2.2%
4-9 Days	1,158	0.4%
10+ Days	1,922	0.6%
Frequency Missing	13,152	

**Would Seek Help from School Counselor**

Q32a	Frequency	Percent
No	165,072	51.3%
Yes	156,951	48.7%
Frequency Missing	16,615	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Would Seek Help from School Nurse**

Q32b	Frequency	Percent
No	221,570	69.2%
Yes	98,495	30.8%
Frequency Missing	18,572	

**Would Seek Help from Another Adult**

Q32g	Frequency	Percent
No	115,930	36.1%
Yes	204,825	63.9%
Frequency Missing	17,883	

**Would Seek Help from Another Adult in School**

Q32c	Frequency	Percent
No	161,068	50.4%
Yes	158,624	49.6%
Frequency Missing	18,946	

**Would Seek Help from Counselor or Program Outside School**

Q32h	Frequency	Percent
No	172,929	54.0%
Yes	147,569	46.0%
Frequency Missing	18,139	

**Would Seek Help from Parents**

Q32d	Frequency	Percent
No	90,094	28.0%
Yes	232,231	72.0%
Frequency Missing	16,313	

**Would Not Seek Help**

Q32i	Frequency	Percent
No	246,918	78.8%
Yes	66,415	21.2%
Frequency Missing	25,305	

**Would Seek Help from a Medical Doctor**

Q32e	Frequency	Percent
No	122,109	38.2%
Yes	197,180	61.8%
Frequency Missing	19,349	

**Drug/Alcohol Info–School Health Class**

Q33a	Frequency	Percent
No	143,343	46.4%
Yes	165,916	53.6%
Frequency Missing	29,379	

**Would Seek Help from Friends**

Q32f	Frequency	Percent
No	128,442	40.2%
Yes	191,354	59.8%
Frequency Missing	18,841	

**Drug/Alcohol Info–School Assembly Program**

Q33b	Frequency	Percent
No	152,132	49.4%
Yes	156,060	50.6%
Frequency Missing	30,445	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Drug/Alcohol Info–School Guidance Counselor**

Q33c	Frequency	Percent
No	180,838	58.8%
Yes	126,466	41.2%
Frequency Missing	31,333	

**Drug/Alcohol Info–Another School Source**

Q33h	Frequency	Percent
No	196,270	64.2%
Yes	109,638	35.8%
Frequency Missing	32,730	

**Drug/Alcohol Info–School Nurse**

Q33d	Frequency	Percent
No	225,047	73.5%
Yes	80,959	26.5%
Frequency Missing	32,632	

**Parents Feel About Kids Using Tobacco**

Q34a	Frequency	Percent
Strongly Disapprove	260,601	80.0%
Mild Disapprove	18,712	5.7%
Neither	12,487	3.8%
Mildly Approve	2,747	0.8%
Strongly Approve	2,752	0.8%
Don't Know	28,345	8.7%
Frequency Missing	12,994	

**Drug/Alcohol Info–Science or Social Studies Class**

Q33e	Frequency	Percent
No	203,289	66.6%
Yes	102,104	33.4%
Frequency Missing	33,245	

**Parents Feel About Kids Drinking Alcohol**

Q34b	Frequency	Percent
Strongly Disapprove	221,585	68.1%
Mild Disapprove	37,467	11.5%
Neither	26,364	8.1%
Mildly Approve	9,636	3.0%
Strongly Approve	3,808	1.2%
Don't Know	26,360	8.1%
Frequency Missing	13,418	

**Drug/Alcohol Info–School Student Group or Club**

Q33f	Frequency	Percent
No	237,501	77.7%
Yes	68,244	22.3%
Frequency Missing	32,893	

**Parents Feel About Kids Using Marijuana**

Q34c	Frequency	Percent
Strongly Disapprove	259,472	79.7%
Mild Disapprove	15,818	4.9%
Neither	14,795	4.5%
Mildly Approve	4,076	1.3%
Strongly Approve	4,758	1.5%
Don't Know	26,553	8.2%
Frequency Missing	13,164	

**Drug/Alcohol Info–Invited School Guest**

Q33g	Frequency	Percent
No	179,576	58.5%
Yes	127,623	41.5%
Frequency Missing	31,438	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, &amp; electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
<p>Tobacco Use in Past Month (Q19a : tobac_30)</p>	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.</p>
<p>How Often Normally Use Tobacco (Q22a : tobac_u)</p>	<p>If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.</p>
	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.</p>
	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.</p>
	<p>If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.</p>



## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

