

Revised Border - Grades 7-12
Spring 1998

AA

Table T-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
AA					
Any tobacco product	All	26.1%	35.6%	55.5%	44.5%
	Grade 7	16.1%	22.9%	41.0%	59.0%
	Grade 8	21.8%	31.4%	51.2%	48.8%
	Grade 9	27.6%	37.0%	57.5%	42.5%
	Grade 10	28.1%	38.6%	59.4%	40.6%
	Grade 11	32.7%	43.8%	65.3%	34.7%
	Grade 12	33.1%	43.5%	62.1%	37.9%
AA					
Cigarettes	All	25.3%	35.0%	55.0%	45.0%
	Grade 7	15.4%	22.2%	40.5%	59.5%
	Grade 8	20.9%	30.9%	50.7%	49.3%
	Grade 9	26.7%	36.4%	56.9%	43.1%
	Grade 10	27.6%	38.3%	59.1%	40.9%
	Grade 11	31.8%	43.3%	64.9%	35.1%
	Grade 12	32.3%	42.8%	61.4%	38.6%
AA					
Smokeless tobacco	All	3.7%	5.5%	9.9%	90.1%
	Grade 7	2.5%	4.0%	6.7%	93.3%
	Grade 8	3.5%	5.2%	9.0%	91.0%
	Grade 9	3.6%	5.3%	9.4%	90.6%
	Grade 10	3.4%	5.7%	10.4%	89.6%
	Grade 11	4.8%	6.8%	12.9%	87.1%
	Grade 12	4.6%	7.1%	12.5%	87.5%

AA

Table T-2: How often do you normally use...

Any tobacco product?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	50.3%	4.9%	6.8%	8.1%	10.6%	9.1%	10.1%
Grade 7	63.6%	1.3%	4.5%	5.5%	8.4%	8.1%	8.5%
Grade 8	53.7%	2.3%	5.7%	8.0%	10.9%	10.4%	9.0%
Grade 9	48.6%	5.2%	7.5%	8.2%	11.9%	8.7%	10.0%
Grade 10	47.7%	5.4%	7.4%	8.7%	10.6%	9.2%	11.1%
Grade 11	41.2%	8.6%	8.2%	9.3%	10.6%	10.1%	12.0%
Grade 12	43.8%	8.3%	8.2%	9.4%	11.2%	8.5%	10.5%

Cigarettes?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
--	---------------	--------------	----------------------------	-----------------------------	--------------------------	-------------------------	-----------------------------

98Bord712.out

All	49.8%	4.8%	6.8%	8.2%	10.8%	9.2%	10.3%
Grade 7	63.5%	1.2%	4.4%	5.5%	8.5%	8.2%	8.7%
Grade 8	53.3%	2.3%	5.7%	8.2%	11.1%	10.3%	9.2%
Grade 9	47.9%	5.1%	7.5%	8.4%	12.1%	8.7%	10.2%
Grade 10	46.9%	5.3%	7.4%	8.8%	10.9%	9.4%	11.3%
Grade 11	40.6%	8.3%	8.4%	9.4%	10.9%	10.3%	12.1%
Grade 12	43.7%	8.1%	8.1%	9.7%	11.3%	8.6%	10.5%

Revised Border - Grades 7-12
Spring 1998

AA

Smokeless tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	91.8%	0.4%	0.7%	0.9%	1.6%	1.9%	2.6%
Grade 7	94.2%	0.2%	0.7%	0.8%	1.3%	1.4%	1.5%
Grade 8	92.3%	0.4%	0.7%	1.0%	1.7%	1.8%	2.1%
Grade 9	92.5%	0.3%	0.7%	0.9%	1.6%	1.8%	2.3%
Grade 10	91.7%	0.6%	0.7%	0.9%	1.1%	2.3%	2.8%
Grade 11	89.9%	0.6%	0.7%	1.0%	2.1%	1.9%	3.7%
Grade 12	89.1%	0.5%	0.9%	1.2%	2.0%	2.4%	4.1%

AA

Table T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	>1 But <10 Per Day	>10 But <1 Pack Per Day	>1 Pack But <2 Packs/Day	>2 Packs Per Day
All	72.4%	16.0%	8.0%	2.2%	1.0%	0.5%
Grade 7	82.0%	11.9%	4.6%	0.8%	0.3%	0.4%
Grade 8	75.3%	15.6%	6.7%	1.3%	0.6%	0.5%
Grade 9	70.9%	16.7%	8.7%	1.9%	1.1%	0.6%
Grade 10	71.1%	17.0%	7.6%	2.8%	1.1%	0.4%
Grade 11	66.3%	17.6%	10.7%	3.7%	1.5%	0.3%
Grade 12	66.3%	17.5%	10.6%	3.6%	1.5%	0.4%

AA

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.9	11.5	12.4	13.0	13.5	14.2

AA

Table T-5: If you wanted some, how difficult would it be to get...

Cigarettes?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
--	----------------	------------	----------------	--------------------	---------------	-----------

98Bord712. out

All	12.0%	10.2%	4.2%	7.5%	19.0%	47.3%
Grade 7	19.3%	20.3%	7.5%	10.3%	18.0%	24.7%
Grade 8	13.4%	13.7%	5.5%	10.0%	22.2%	35.1%
Grade 9	12.8%	8.7%	3.7%	7.7%	20.7%	46.5%
Grade 10	9.1%	6.7%	3.1%	6.8%	20.0%	54.3%
Grade 11	6.8%	5.3%	2.8%	4.8%	19.0%	61.3%
Grade 12	8.0%	4.0%	1.5%	3.4%	11.3%	71.7%

Smokeless Tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	29.2%	16.5%	6.8%	10.9%	14.0%	22.6%
Grade 7	36.2%	29.1%	9.9%	9.1%	7.8%	8.0%
Grade 8	31.7%	22.0%	9.2%	12.4%	11.5%	13.3%
Grade 9	31.9%	14.6%	6.4%	13.1%	15.0%	19.1%
Grade 10	26.7%	12.5%	5.7%	11.7%	18.4%	25.0%
Grade 11	23.7%	9.8%	4.7%	10.7%	18.2%	33.0%
Grade 12	21.0%	7.7%	3.6%	6.6%	13.9%	47.2%

♀

Revised Border - Grades 7-12
Spring 1998

AA

Table T-6: About how many of your close friends...

Use any tobacco product?

	Never heard None	A Few	Some	Most	All
All	24.5%	33.6%	20.6%	16.1%	5.2%
Grade 7	43.4%	32.5%	13.5%	7.8%	2.9%
Grade 8	31.0%	34.3%	18.5%	11.7%	4.4%
Grade 9	22.0%	34.9%	21.3%	16.3%	5.5%
Grade 10	17.6%	34.3%	24.3%	19.0%	4.8%
Grade 11	15.6%	32.4%	22.9%	21.9%	7.1%
Grade 12	13.3%	32.5%	24.9%	22.5%	6.9%

Smoke cigarettes?

	Never heard None	A Few	Some	Most	All
All	25.3%	34.2%	20.0%	15.6%	5.0%
Grade 7	44.5%	32.7%	12.6%	7.5%	2.7%
Grade 8	31.5%	34.9%	17.9%	11.5%	4.1%
Grade 9	22.9%	35.2%	20.5%	16.1%	5.3%
Grade 10	18.1%	35.2%	23.6%	18.5%	4.6%
Grade 11	16.3%	32.9%	22.5%	21.4%	6.9%
Grade 12	13.7%	33.4%	24.5%	21.6%	6.8%

Use a smokeless tobacco product?

Never heard

	None	98Bord712. out A Few	Some	Most	All
All	74.8%	15.8%	6.1%	2.3%	1.0%
Grade 7	82.7%	10.7%	4.1%	1.7%	0.8%
Grade 8	77.2%	13.8%	5.7%	2.2%	1.2%
Grade 9	74.0%	16.7%	6.0%	2.3%	1.0%
Grade 10	73.1%	16.9%	6.7%	2.4%	0.9%
Grade 11	71.2%	18.3%	6.9%	2.7%	0.9%
Grade 12	68.3%	19.9%	7.9%	2.9%	1.0%

AA

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	66.9%	10.9%	7.1%	1.6%	1.2%	12.2%
Grade 7	70.6%	5.0%	2.8%	0.9%	1.6%	19.1%
Grade 8	72.4%	7.1%	4.2%	1.1%	1.2%	13.9%
Grade 9	66.4%	11.3%	7.2%	1.7%	1.1%	12.4%
Grade 10	67.0%	12.3%	7.9%	1.5%	1.2%	10.1%
Grade 11	62.3%	15.3%	10.7%	2.0%	1.0%	8.7%
Grade 12	60.9%	16.3%	11.8%	2.9%	1.1%	7.0%

♀

Revised Border - Grades 7-12
Spring 1998

AA

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	46.9%	29.1%	12.8%	2.9%	8.3%
Grade 7	56.2%	22.4%	9.2%	1.9%	10.3%
Grade 8	48.7%	27.0%	11.9%	2.6%	9.8%
Grade 9	44.4%	30.0%	13.7%	3.3%	8.7%
Grade 10	44.8%	31.7%	13.4%	2.5%	7.6%
Grade 11	43.2%	33.1%	14.2%	3.2%	6.4%
Grade 12	43.2%	31.7%	15.3%	4.0%	5.7%

♀

Revised Border - Grades 7-12
Spring 1998

AA

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product	All	42.6%	55.1%	74.6%	25.4%
	Grade 7	26.9%	35.6%	58.3%	41.7%
	Grade 8	35.9%	47.2%	69.5%	30.5%

98Bord712.out

	Grade 9	44.6%	57.4%	75.9%	24.1%
	Grade 10	48.0%	62.8%	80.7%	19.3%
	Grade 11	52.6%	66.0%	84.9%	15.1%
	Grade 12	52.2%	66.7%	82.6%	17.4%
Beer	All	31.2%	42.4%	60.6%	39.4%
	Grade 7	17.8%	25.5%	45.0%	55.0%
	Grade 8	25.0%	35.1%	55.0%	45.0%
	Grade 9	31.9%	43.9%	61.4%	38.6%
	Grade 10	36.2%	49.2%	66.7%	33.3%
	Grade 11	40.8%	52.7%	71.9%	28.1%
	Grade 12	39.7%	52.3%	67.7%	32.3%
Wi ne coolers	All	29.4%	42.9%	61.1%	38.9%
	Grade 7	18.0%	26.5%	44.0%	56.0%
	Grade 8	24.9%	36.5%	55.5%	44.5%
	Grade 9	30.7%	44.7%	61.7%	38.3%
	Grade 10	33.3%	49.3%	68.1%	31.9%
	Grade 11	36.5%	51.9%	71.9%	28.1%
	Grade 12	36.1%	52.9%	69.9%	30.1%
Wi ne	All	21.0%	32.3%	49.9%	50.1%
	Grade 7	12.3%	19.1%	33.7%	66.3%
	Grade 8	17.6%	27.1%	44.5%	55.5%
	Grade 9	24.1%	35.6%	52.4%	47.6%
	Grade 10	22.2%	35.4%	56.2%	43.8%
	Grade 11	26.3%	40.1%	59.5%	40.5%
	Grade 12	25.3%	39.2%	56.6%	43.4%
Li quor	All	26.9%	37.4%	51.0%	49.0%
	Grade 7	11.7%	16.9%	27.7%	72.3%
	Grade 8	19.1%	27.9%	41.5%	58.5%
	Grade 9	28.4%	38.8%	52.4%	47.6%
	Grade 10	31.9%	45.1%	60.2%	39.8%
	Grade 11	37.6%	50.5%	65.3%	34.7%
	Grade 12	37.3%	51.5%	65.2%	34.8%

AA

Table A-2: How often do you normally use...

Any alcohol product?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	31.5%	1.0%	10.1%	18.9%	17.5%	12.8%	8.2%
Grade 7	49.7%	0.9%	6.1%	9.7%	11.9%	12.5%	9.1%
Grade 8	37.1%	1.0%	7.9%	14.8%	16.5%	13.8%	9.0%
Grade 9	30.6%	1.1%	11.0%	19.2%	18.2%	11.9%	8.0%
Grade 10	24.5%	0.9%	10.6%	21.9%	20.6%	13.8%	7.7%
Grade 11	20.3%	1.3%	13.0%	26.2%	18.9%	12.6%	7.7%
Grade 12	21.5%	1.1%	13.7%	24.7%	19.6%	12.2%	7.3%

‡

Revised Border - Grades 7-12
Spring 1998

AA

Beer?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	41.2%	0.7%	8.6%	15.4%	14.8%	11.1%	8.2%
Grade 7	58.3%	0.5%	4.8%	7.5%	10.1%	10.5%	8.3%
Grade 8	46.7%	0.6%	5.9%	12.1%	14.6%	11.6%	8.6%
Grade 9	40.0%	0.7%	9.3%	16.0%	15.4%	10.8%	7.8%
Grade 10	34.3%	0.7%	9.1%	18.3%	17.9%	11.2%	8.5%
Grade 11	30.5%	1.1%	11.9%	21.1%	15.6%	11.7%	8.1%
Grade 12	33.2%	1.0%	11.9%	19.4%	15.8%	10.8%	7.9%

Wi ne cool ers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	42.1%	0.3%	5.8%	14.1%	16.3%	13.6%	7.8%
Grade 7	60.1%	0.5%	4.0%	7.0%	9.7%	11.0%	7.6%
Grade 8	48.0%	0.5%	5.3%	11.0%	14.1%	13.4%	7.7%
Grade 9	41.5%	0.3%	6.7%	15.5%	16.7%	12.1%	7.3%
Grade 10	35.3%	0.2%	5.9%	16.5%	19.2%	15.0%	8.0%
Grade 11	30.4%	0.1%	6.6%	18.3%	19.5%	16.5%	8.6%
Grade 12	31.9%	0.1%	6.0%	18.1%	20.8%	15.3%	7.9%

Wi ne?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	52.8%	0.2%	3.9%	9.3%	11.5%	14.1%	8.3%
Grade 7	70.8%	0.1%	2.5%	4.3%	6.3%	9.7%	6.3%
Grade 8	58.6%	0.2%	3.2%	7.1%	9.8%	13.4%	7.8%
Grade 9	50.2%	0.2%	4.5%	11.0%	12.3%	13.8%	8.0%
Grade 10	47.1%	0.2%	3.6%	10.1%	13.6%	15.5%	9.7%
Grade 11	42.3%	0.1%	5.0%	12.3%	14.2%	16.2%	9.8%
Grade 12	43.6%	0.1%	4.8%	11.6%	13.7%	17.3%	8.9%

Li quor?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	53.0%	0.3%	5.3%	12.6%	12.8%	10.0%	6.1%
Grade 7	76.6%	0.2%	2.6%	4.2%	5.5%	6.5%	4.4%
Grade 8	62.8%	0.3%	3.6%	7.9%	10.2%	9.1%	6.0%
Grade 9	51.6%	0.4%	5.8%	12.9%	12.9%	9.8%	6.7%
Grade 10	44.1%	0.3%	5.7%	15.8%	15.8%	12.0%	6.3%
Grade 11	38.1%	0.2%	7.1%	18.6%	17.8%	11.1%	7.0%
Grade 12	36.9%	0.3%	7.5%	19.3%	17.1%	12.7%	6.3%

AA

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

Beer

	Never	Ever	5 or More	1 to 4	Less Than 1
All	38.5%	61.5%	19.4%	30.0%	12.1%
Grade 7	53.6%	46.4%	8.0%	25.0%	13.4%
Grade 8	42.7%	57.3%	13.6%	30.0%	13.7%
Grade 9	36.7%	63.3%	20.6%	31.4%	11.3%
Grade 10	32.5%	67.5%	22.6%	32.8%	12.1%
Grade 11	29.4%	70.6%	27.3%	31.6%	11.7%
Grade 12	33.6%	66.4%	27.7%	28.5%	10.2%

Wine Coolers

	Never	Ever	5 or More	1 to 4	Less Than 1
All	37.0%	63.0%	16.5%	37.7%	8.9%
Grade 7	53.1%	46.9%	9.9%	27.3%	9.7%
Grade 8	42.1%	57.9%	14.5%	33.8%	9.7%
Grade 9	36.1%	63.9%	18.4%	37.2%	8.2%
Grade 10	30.7%	69.3%	19.4%	41.1%	8.7%
Grade 11	27.0%	73.0%	19.0%	45.3%	8.7%
Grade 12	29.2%	70.8%	18.3%	44.5%	8.0%

Wine

	Never	Ever	5 or More	1 to 4	Less Than 1
All	48.9%	51.1%	7.7%	29.3%	14.1%
Grade 7	65.2%	34.8%	4.1%	18.9%	11.8%
Grade 8	53.0%	47.0%	6.1%	27.1%	13.7%
Grade 9	45.9%	54.1%	9.0%	31.2%	13.9%
Grade 10	43.4%	56.6%	8.6%	32.8%	15.2%
Grade 11	40.7%	59.3%	9.3%	34.2%	15.8%
Grade 12	43.1%	56.9%	9.8%	32.6%	14.6%

Liquor

	Never	Ever	5 or More	1 to 4	Less Than 1
All	47.9%	52.1%	14.4%	27.3%	10.4%
Grade 7	71.4%	28.6%	4.7%	14.6%	9.3%
Grade 8	56.9%	43.1%	8.7%	23.2%	11.2%
Grade 9	46.7%	53.3%	14.3%	28.2%	10.8%
Grade 10	38.5%	61.5%	18.2%	33.3%	10.1%
Grade 11	34.0%	66.0%	20.8%	33.9%	11.3%
Grade 12	34.3%	65.7%	23.1%	33.0%	9.6%

AA

Table A-4: During the past twelve months, how often have you had five or more drinks at one time?

98Bord712. out

Beer

	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	59.9%	40.1%	6.5%	19.7%	13.9%
Grade 7	73.5%	26.5%	3.3%	10.3%	12.9%
Grade 8	65.7%	34.3%	4.2%	16.1%	14.0%
Grade 9	58.6%	41.4%	7.2%	20.7%	13.6%
Grade 10	55.0%	45.0%	6.9%	23.4%	14.7%
Grade 11	50.1%	49.9%	8.9%	25.8%	15.2%
Grade 12	53.1%	46.9%	9.1%	24.6%	13.3%

†

Revised Border - Grades 7-12
Spring 1998

AA

Wine Coolers

	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	58.1%	41.9%	4.8%	20.7%	16.4%
Grade 7	71.1%	28.9%	3.9%	11.3%	13.7%
Grade 8	63.3%	36.7%	4.7%	16.9%	15.1%
Grade 9	57.2%	42.8%	6.1%	22.1%	14.7%
Grade 10	53.8%	46.2%	4.5%	22.9%	18.8%
Grade 11	49.3%	50.7%	4.6%	26.8%	19.3%
Grade 12	50.8%	49.2%	4.7%	25.9%	18.6%

Wine

	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	65.9%	34.1%	2.8%	13.7%	17.6%
Grade 7	79.1%	20.9%	1.8%	7.1%	12.0%
Grade 8	70.3%	29.7%	2.6%	11.5%	15.6%
Grade 9	63.9%	36.1%	3.8%	15.7%	16.6%
Grade 10	61.8%	38.2%	2.6%	15.8%	19.8%
Grade 11	58.2%	41.8%	3.2%	16.2%	22.5%
Grade 12	59.7%	40.3%	2.9%	16.1%	21.3%

Liquor

	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	62.8%	37.2%	4.5%	18.7%	14.0%
Grade 7	81.9%	18.1%	1.9%	6.9%	9.3%
Grade 8	70.8%	29.2%	3.4%	12.9%	12.9%
Grade 9	61.9%	38.1%	5.4%	18.9%	13.8%
Grade 10	55.6%	44.4%	5.0%	23.2%	16.2%
Grade 11	51.5%	48.5%	5.3%	26.5%	16.7%
Grade 12	50.3%	49.7%	6.0%	27.2%	16.4%

AA

Table A-5: Average age of first use of:

Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12

	98Bord712.out					
Alcohol	10.6	11.3	12.3	13.0	13.5	14.3
Beer	10.7	11.3	12.4	13.1	13.6	14.3
Wine Coolers	11.1	11.8	12.7	13.4	14.1	14.8
Wine	11.1	11.9	12.8	13.5	14.1	14.8
Liquor	11.3	12.1	13.1	13.9	14.4	15.1

AA

Table A-6: If you wanted some, how difficult would it be to get...

Beer?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	10.6%	9.2%	4.7%	10.6%	21.4%	43.5%
Grade 7	18.1%	18.8%	7.9%	11.6%	18.9%	24.7%
Grade 8	12.0%	12.1%	6.2%	12.2%	21.3%	36.2%
Grade 9	11.2%	7.3%	4.5%	11.7%	22.3%	43.0%
Grade 10	7.9%	5.6%	2.9%	9.5%	21.8%	52.4%
Grade 11	5.4%	4.5%	3.6%	9.2%	21.9%	55.4%
Grade 12	7.3%	4.9%	2.3%	7.7%	22.3%	55.5%

♀

Revised Border - Grades 7-12
Spring 1998

AA

Wine coolers?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	12.2%	9.1%	4.9%	10.5%	21.5%	41.8%
Grade 7	20.4%	19.5%	8.4%	11.8%	17.8%	22.1%
Grade 8	14.1%	12.6%	6.3%	12.5%	21.7%	32.8%
Grade 9	13.0%	7.2%	5.2%	11.0%	21.5%	42.1%
Grade 10	9.2%	5.8%	3.0%	9.1%	22.6%	50.4%
Grade 11	6.4%	4.0%	3.2%	9.2%	23.0%	54.2%
Grade 12	7.5%	3.6%	2.3%	8.1%	23.1%	55.4%

Wine?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	14.1%	12.7%	7.2%	13.4%	18.9%	33.7%
Grade 7	22.7%	25.0%	10.5%	12.3%	13.2%	16.2%
Grade 8	15.8%	17.1%	9.5%	15.2%	17.4%	24.9%
Grade 9	14.5%	10.3%	7.8%	14.8%	19.3%	33.3%
Grade 10	11.2%	8.6%	5.7%	13.3%	20.7%	40.6%
Grade 11	8.6%	6.5%	4.7%	12.6%	22.3%	45.2%
Grade 12	9.4%	6.0%	3.4%	10.7%	22.3%	48.2%

Liquor?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
--	-------------------	------------	-------------------	-----------------------	------------------	--------------

	14.2%	13.4%	98Bord712.out 7.2%	11.5%	17.7%	36.0%
All	14.2%	13.4%	7.2%	11.5%	17.7%	36.0%
Grade 7	24.5%	26.3%	10.9%	10.5%	11.8%	16.0%
Grade 8	15.9%	18.6%	9.2%	13.9%	15.8%	26.5%
Grade 9	14.4%	11.3%	8.2%	12.4%	18.0%	35.8%
Grade 10	10.5%	8.7%	5.7%	10.3%	20.1%	44.7%
Grade 11	8.6%	6.5%	4.3%	11.2%	21.1%	48.3%
Grade 12	8.4%	6.2%	3.3%	9.7%	20.7%	51.8%

AA

Table A-7: Since school began in the fall, on how many days (if any) have you...

Attended class while drunk on alcohol?

	None	1-3 Days	4-9 Days	10+ Days
All	88.4%	8.8%	1.6%	1.2%
Grade 7	91.3%	7.1%	0.9%	0.7%
Grade 8	90.2%	7.3%	1.5%	1.0%
Grade 9	87.3%	9.5%	1.8%	1.4%
Grade 10	87.3%	9.9%	1.7%	1.1%
Grade 11	86.8%	9.8%	1.7%	1.8%
Grade 12	87.2%	9.3%	2.2%	1.2%

Gotten into trouble with teachers because of your drinking?

	None	1-3 Days	4-9 Days	10+ Days
All	98.2%	1.3%	0.3%	0.2%
Grade 7	98.3%	1.2%	0.3%	0.2%
Grade 8	98.4%	1.0%	0.4%	0.2%
Grade 9	98.0%	1.4%	0.3%	0.4%
Grade 10	98.5%	1.1%	0.2%	0.2%
Grade 11	98.2%	1.4%	0.2%	0.2%
Grade 12	97.9%	1.6%	0.3%	0.2%

♀

Revised Border - Grades 7-12
Spring 1998

AA

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons:

Alcohol Users:	4.6 days per student
Alcohol Non-users:	3.4 days per student

Average days conduct problems reported:

Alcohol Users:	3.3 days per student
Alcohol Non-users:	1.1 days per student

AA

Table A-9: During the past twelve months, how many times have you...

Driven a car when you've had a good bit to drink?

98Bord712.out

	None	1-3 Times	4-9 Times	10+ Times
All	83.9%	11.7%	2.5%	1.9%
Grade 9	89.9%	7.5%	1.7%	0.9%
Grade 10	86.4%	10.0%	2.1%	1.5%
Grade 11	79.6%	15.0%	3.2%	2.2%
Grade 12	74.8%	17.6%	3.8%	3.8%

Gotten into trouble with the police because of drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	95.7%	3.7%	0.4%	0.3%
Grade 7	97.4%	2.0%	0.4%	0.2%
Grade 8	96.3%	2.9%	0.5%	0.4%
Grade 9	96.0%	3.2%	0.5%	0.3%
Grade 10	95.5%	3.8%	0.4%	0.3%
Grade 11	94.5%	4.9%	0.4%	0.2%
Grade 12	93.3%	6.3%	0.3%	0.1%

AA

Table A-10: About how many of your close friends use...

Any alcohol product?

	Never heard None	A Few	Some	Most	All
All	15.7%	23.2%	18.7%	25.4%	17.0%
Grade 7	34.3%	29.3%	15.7%	13.7%	7.1%
Grade 8	21.4%	28.0%	18.9%	19.8%	11.8%
Grade 9	12.8%	23.4%	19.8%	25.6%	18.4%
Grade 10	8.6%	20.1%	21.4%	30.1%	19.8%
Grade 11	6.6%	18.1%	18.2%	32.7%	24.3%
Grade 12	6.5%	17.5%	17.5%	35.0%	23.5%

Beer?

	Never heard None	A Few	Some	Most	All
All	20.5%	23.9%	19.1%	23.0%	13.5%
Grade 7	42.6%	28.2%	14.0%	10.4%	4.8%
Grade 8	27.6%	28.6%	19.0%	16.5%	8.2%
Grade 9	17.1%	24.4%	20.4%	24.1%	14.1%
Grade 10	11.5%	21.5%	22.7%	28.0%	16.3%
Grade 11	10.2%	19.6%	19.3%	30.6%	20.3%
Grade 12	9.3%	18.6%	19.4%	32.8%	19.9%

Revised Border - Grades 7-12
Spring 1998

AA

Wine coolers?

Never heard

	None	A Few	Some	Most	All
All	26.3%	25.0%	19.6%	18.7%	10.4%
Grade 7	46.8%	25.5%	13.3%	9.4%	5.1%
Grade 8	32.6%	27.0%	17.0%	14.6%	8.8%
Grade 9	24.4%	25.1%	19.8%	19.2%	11.5%
Grade 10	18.1%	24.5%	23.4%	22.2%	11.8%
Grade 11	15.4%	24.1%	23.7%	24.0%	12.8%
Grade 12	15.5%	22.9%	22.3%	26.0%	13.3%

Wine?

	Never heard	A Few	Some	Most	All
All	41.2%	24.0%	15.5%	12.2%	7.1%
Grade 7	61.3%	20.0%	10.1%	5.5%	3.1%
Grade 8	47.9%	23.8%	13.6%	9.3%	5.5%
Grade 9	37.5%	25.0%	15.8%	13.6%	8.1%
Grade 10	34.7%	24.5%	18.7%	14.4%	7.8%
Grade 11	32.8%	24.5%	17.8%	15.9%	9.0%
Grade 12	29.2%	26.8%	18.4%	15.6%	10.0%

Liquor?

	Never heard	A Few	Some	Most	All
All	34.6%	20.8%	16.5%	17.4%	10.6%
Grade 7	62.0%	18.8%	9.3%	6.4%	3.6%
Grade 8	44.3%	23.6%	14.1%	11.4%	6.7%
Grade 9	31.9%	22.6%	16.8%	17.4%	11.4%
Grade 10	24.2%	20.1%	21.2%	21.9%	12.5%
Grade 11	20.8%	18.3%	20.3%	25.2%	15.3%
Grade 12	18.1%	20.5%	18.8%	26.2%	16.5%

AA

Table A-11: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	91.5%	7.2%	0.8%	0.4%
Grade 7	95.0%	4.3%	0.4%	0.3%
Grade 8	92.5%	6.4%	0.7%	0.5%
Grade 9	91.7%	7.0%	0.8%	0.5%
Grade 10	90.2%	8.5%	0.8%	0.4%
Grade 11	89.1%	9.4%	1.2%	0.4%
Grade 12	89.8%	8.6%	1.3%	0.2%

Been criticized by someone you were dating because of drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	91.8%	6.7%	0.9%	0.6%
Grade 7	96.6%	2.9%	0.3%	0.2%
Grade 8	93.9%	5.2%	0.5%	0.4%
Grade 9	91.8%	6.7%	0.8%	0.7%

		98Bord712. out		
Grade 10	90.2%	7.9%	1.3%	0.6%
Grade 11	89.3%	8.8%	1.1%	0.8%
Grade 12	87.4%	10.3%	1.3%	0.9%

♀

Revised Border - Grades 7-12
Spring 1998

AA

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Sel dom	Hal f the Time	Most Of the Time	Al ways	Don' t Know	Di dn' t Attend
All	27.5%	10.2%	8.9%	16.4%	25.5%	2.9%	8.5%
Grade 7	51.8%	12.0%	8.7%	9.2%	6.3%	3.8%	8.2%
Grade 8	36.3%	14.4%	11.5%	15.0%	11.6%	3.6%	7.6%
Grade 9	24.9%	11.1%	10.4%	18.2%	23.5%	3.3%	8.6%
Grade 10	18.0%	8.9%	8.0%	20.2%	33.4%	2.7%	8.9%
Grade 11	14.8%	7.2%	7.8%	17.0%	42.5%	1.7%	9.1%
Grade 12	14.0%	5.9%	5.5%	19.6%	43.9%	2.2%	8.9%

AA

Table A-13: How often, if ever, do you get alcoholic beverages from...

At home

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	38.5%	33.2%	19.2%	7.3%	1.8%
Grade 7	49.6%	27.2%	14.8%	6.9%	1.5%
Grade 8	41.6%	30.9%	17.9%	7.9%	1.7%
Grade 9	37.9%	32.6%	19.6%	7.9%	1.9%
Grade 10	34.7%	35.8%	20.3%	7.5%	1.8%
Grade 11	31.4%	36.8%	22.1%	7.1%	2.5%
Grade 12	33.8%	38.0%	21.0%	5.7%	1.5%

From friends

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	27.2%	15.3%	18.1%	27.1%	12.3%
Grade 7	44.2%	23.8%	12.8%	15.1%	4.0%
Grade 8	32.6%	19.9%	18.2%	21.9%	7.5%
Grade 9	25.9%	14.5%	19.9%	27.5%	12.1%
Grade 10	21.0%	11.5%	21.4%	30.7%	15.3%
Grade 11	16.3%	11.1%	17.3%	36.4%	18.8%
Grade 12	19.9%	8.9%	18.2%	34.1%	18.8%

From a store

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	29.9%	39.0%	11.8%	11.8%	7.5%

		98Bord712. out			
Grade 7	47.0%	42.0%	5.5%	3.8%	1.6%
Grade 8	35.3%	46.5%	8.8%	6.5%	2.9%
Grade 9	28.9%	40.2%	12.0%	12.4%	6.5%
Grade 10	23.7%	37.6%	14.2%	14.6%	9.9%
Grade 11	19.1%	34.1%	16.3%	17.5%	13.1%
Grade 12	22.3%	30.3%	15.2%	18.2%	14.1%

At parties

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	25.4%	11.4%	13.7%	24.0%	25.6%
Grade 7	40.4%	17.7%	14.3%	18.0%	9.7%
Grade 8	29.7%	14.4%	15.5%	22.7%	17.6%
Grade 9	24.4%	11.1%	13.7%	24.9%	25.9%
Grade 10	19.7%	8.9%	13.7%	26.3%	31.4%
Grade 11	16.7%	7.5%	12.5%	27.1%	36.2%
Grade 12	19.1%	6.9%	11.7%	25.2%	37.1%

Revised Border - Grades 7-12
Spring 1998

AA

Other source

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	32.1%	23.8%	16.5%	13.9%	13.8%
Grade 7	46.7%	25.6%	12.6%	8.9%	6.2%
Grade 8	36.5%	25.4%	15.9%	12.3%	9.9%
Grade 9	31.4%	23.4%	17.1%	14.7%	13.3%
Grade 10	26.8%	22.7%	18.0%	16.7%	15.8%
Grade 11	22.6%	23.2%	19.0%	15.7%	19.5%
Grade 12	25.0%	21.6%	17.1%	15.4%	21.0%

AA

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mi l d l y Disapprove	Nei ther	Mi l d l y Approve	Strongly Approve	Don' t Know
All	61.3%	15.0%	8.1%	2.8%	1.4%	11.5%
Grade 7	65.2%	8.7%	3.9%	1.5%	1.6%	19.0%
Grade 8	66.3%	11.5%	5.3%	2.1%	1.3%	13.5%
Grade 9	60.1%	14.8%	8.5%	2.9%	1.4%	12.4%
Grade 10	60.8%	17.0%	9.3%	2.5%	1.5%	8.8%
Grade 11	56.6%	19.9%	11.5%	3.2%	1.3%	7.6%
Grade 12	57.6%	19.8%	11.0%	4.9%	1.3%	5.3%

AA

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
--	----------------	--------------------	--------------------	----------------------	-------------

98Bord712. out

All	44.1%	33.3%	14.8%	3.2%	4.7%
Grade 7	48.7%	26.9%	14.2%	2.9%	7.3%
Grade 8	41.6%	31.7%	17.0%	3.6%	6.1%
Grade 9	40.9%	33.4%	16.6%	4.2%	4.9%
Grade 10	44.4%	36.1%	13.4%	2.7%	3.4%
Grade 11	44.0%	36.6%	13.6%	2.7%	3.1%
Grade 12	46.3%	36.5%	12.4%	2.1%	2.7%

104

Revised Border - Grades 7-12
Spring 1998

AA

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
AA					
Marijuana?	All	12.7%	18.8%	30.2%	69.8%
	Grade 7	7.4%	10.2%	16.2%	83.8%
	Grade 8	11.0%	15.8%	24.9%	75.1%
	Grade 9	13.8%	20.1%	31.3%	68.7%
	Grade 10	14.9%	22.5%	36.3%	63.7%
	Grade 11	15.6%	23.7%	38.9%	61.1%
	Grade 12	14.3%	22.6%	36.9%	63.1%
AA					
Cocaine?	All	5.7%	8.5%	13.5%	86.5%
	Grade 7	2.2%	3.5%	5.4%	94.6%
	Grade 8	3.6%	5.9%	9.4%	90.6%
	Grade 9	6.0%	8.8%	13.7%	86.3%
	Grade 10	7.2%	10.7%	16.7%	83.3%
	Grade 11	8.1%	12.0%	19.4%	80.6%
	Grade 12	8.5%	11.9%	19.1%	80.9%
AA					
Crack?	All	1.5%	2.3%	3.9%	96.1%
	Grade 7	1.2%	1.7%	2.8%	97.2%
	Grade 8	1.5%	2.3%	3.9%	96.1%
	Grade 9	1.7%	2.7%	4.6%	95.4%
	Grade 10	1.5%	2.4%	3.8%	96.2%
	Grade 11	1.6%	2.2%	4.0%	96.0%
	Grade 12	1.4%	2.0%	3.9%	96.1%
AA					
Hallucinogens?	All	1.4%	2.2%	4.0%	96.0%
	Grade 7	0.8%	1.2%	1.9%	98.1%
	Grade 8	1.0%	1.4%	2.5%	97.5%
	Grade 9	1.6%	2.3%	4.1%	95.9%
	Grade 10	1.4%	2.5%	4.4%	95.6%
	Grade 11	1.6%	3.1%	6.1%	93.9%
	Grade 12	1.9%	2.8%	5.7%	94.3%
AA					
Uppers?	All	2.8%	4.3%	7.1%	92.9%
	Grade 7	1.5%	2.1%	3.2%	96.8%
	Grade 8	2.0%	3.2%	5.1%	94.9%
	Grade 9	3.5%	5.0%	7.9%	92.1%
	Grade 10	3.1%	5.4%	8.7%	91.3%
	Grade 11	3.4%	5.8%	9.8%	90.2%

98Bord712. out

	Grade 12	3.0%	4.6%	8.8%	91.2%
Downers?	All	3.0%	4.8%	7.7%	92.3%
	Grade 7	1.3%	2.0%	3.0%	97.0%
	Grade 8	2.1%	3.3%	5.2%	94.8%
	Grade 9	3.8%	5.5%	8.5%	91.5%
	Grade 10	3.8%	6.4%	9.9%	90.1%
	Grade 11	3.9%	6.7%	11.0%	89.0%
	Grade 12	2.9%	4.9%	9.6%	90.4%
Rohypnol?	All	5.0%	8.2%	13.4%	86.6%
	Grade 7	3.3%	4.8%	7.4%	92.6%
	Grade 8	4.8%	7.4%	11.5%	88.5%
	Grade 9	6.4%	9.7%	15.5%	84.5%
	Grade 10	5.6%	10.3%	16.6%	83.4%
	Grade 11	4.8%	9.0%	16.3%	83.7%
	Grade 12	4.7%	7.4%	13.2%	86.8%
Steroids?	All	0.6%	1.0%	1.8%	98.2%
	Grade 7	0.7%	1.1%	2.0%	98.0%
	Grade 8	0.9%	1.3%	2.3%	97.7%
	Grade 9	0.6%	0.9%	1.5%	98.5%
	Grade 10	0.5%	0.7%	1.4%	98.6%
	Grade 11	0.4%	0.6%	1.4%	98.6%
	Grade 12	0.8%	1.2%	2.1%	97.9%

Revised Border - Grades 7-12
Spring 1998

AA

		Past Month	School Year	Ever Used	Never Used
Ecstasy?	All	0.7%	1.1%	2.1%	97.9%
	Grade 7	0.3%	0.6%	0.9%	99.1%
	Grade 8	0.6%	0.8%	1.3%	98.7%
	Grade 9	1.0%	1.4%	2.3%	97.7%
	Grade 10	0.9%	1.3%	2.4%	97.6%
	Grade 11	0.7%	1.2%	3.6%	96.4%
	Grade 12	0.6%	1.1%	2.4%	97.6%
Heroin?	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.7%	1.1%	2.3%	97.7%
	Grade 8	0.9%	1.5%	2.7%	97.3%
	Grade 9	0.8%	1.2%	1.9%	98.1%
	Grade 10	0.5%	0.7%	1.5%	98.5%
	Grade 11	0.4%	0.5%	1.6%	98.4%
	Grade 12	0.5%	0.6%	1.2%	98.8%

AA

Table D-2: How often do you normally use...

Marijuana?

Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
------------	-----------	----------------------	-----------------------	--------------------	-------------------	-----------------------

98Bord712.out

All	74.9%	2.1%	3.1%	4.5%	5.3%	4.7%	5.4%
Grade 7	86.1%	0.9%	2.4%	2.9%	3.0%	2.6%	2.2%
Grade 8	78.8%	1.7%	2.8%	4.3%	4.6%	4.0%	3.8%
Grade 9	73.7%	2.8%	3.6%	5.2%	5.5%	4.3%	4.9%
Grade 10	70.0%	2.4%	2.7%	5.1%	6.7%	6.5%	6.6%
Grade 11	68.4%	2.7%	4.0%	5.3%	6.3%	5.2%	8.1%
Grade 12	69.6%	2.1%	3.0%	4.5%	5.8%	6.8%	8.2%

Cocaine?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	89.0%	0.3%	1.4%	2.1%	2.6%	2.2%	2.5%
Grade 7	95.5%	0.1%	0.4%	0.8%	1.2%	1.2%	0.8%
Grade 8	92.2%	0.2%	1.1%	1.4%	1.8%	1.7%	1.6%
Grade 9	88.8%	0.4%	2.0%	2.1%	2.5%	2.1%	2.0%
Grade 10	86.8%	0.2%	1.7%	2.3%	3.0%	2.9%	3.0%
Grade 11	83.6%	0.3%	1.9%	3.3%	3.8%	2.7%	4.5%
Grade 12	84.7%	0.4%	1.3%	3.0%	3.8%	2.9%	3.9%

Crack?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.0%	0.1%	0.3%	0.5%	0.8%	0.7%	0.7%
Grade 7	97.8%	0.1%	0.2%	0.3%	0.5%	0.5%	0.5%
Grade 8	96.8%	0.1%	0.4%	0.5%	0.9%	0.8%	0.6%
Grade 9	96.6%	0.1%	0.4%	0.5%	0.8%	0.8%	0.7%
Grade 10	97.1%	0.1%	0.2%	0.7%	0.5%	0.6%	0.7%
Grade 11	96.7%	0.1%	0.2%	0.4%	1.1%	0.7%	0.9%
Grade 12	97.0%	0.0%	0.2%	0.5%	1.0%	0.6%	0.8%

Revised Border - Grades 7-12
Spring 1998

AA

Halibut?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.7%	0.0%	0.1%	0.3%	0.8%	1.0%	1.0%
Grade 7	98.8%	0.1%	0.1%	0.2%	0.3%	0.3%	0.3%
Grade 8	97.8%	0.0%	0.2%	0.3%	0.5%	0.7%	0.5%
Grade 9	96.6%	0.1%	0.1%	0.3%	1.0%	0.9%	1.0%
Grade 10	96.4%	0.0%	0.1%	0.5%	0.8%	1.1%	1.1%
Grade 11	94.4%	0.0%	0.0%	0.3%	1.3%	1.7%	2.2%
Grade 12	95.6%	0.0%	0.0%	0.2%	0.7%	2.0%	1.5%

Uppers?

Several Several About About Less Than

	Never Used	Every Day	98Bord712.out Times a Week	Times a Month	Once a Month	Once a Year	Once a Year
All	93.7%	0.1%	0.5%	1.1%	1.5%	1.7%	1.5%
Grade 7	97.2%	0.1%	0.4%	0.5%	0.7%	0.7%	0.5%
Grade 8	95.4%	0.1%	0.4%	0.9%	1.2%	1.2%	0.8%
Grade 9	92.9%	0.2%	0.7%	1.2%	1.9%	1.7%	1.5%
Grade 10	92.3%	0.1%	0.4%	1.3%	1.7%	2.2%	1.9%
Grade 11	91.2%	0.2%	0.7%	1.2%	2.4%	2.1%	2.1%
Grade 12	92.4%	0.0%	0.3%	1.3%	1.3%	2.4%	2.2%

Downers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	93.4%	0.1%	0.6%	1.0%	1.5%	1.8%	1.5%
Grade 7	97.4%	0.1%	0.4%	0.5%	0.6%	0.6%	0.4%
Grade 8	95.2%	0.1%	0.5%	0.9%	1.1%	1.3%	0.9%
Grade 9	92.5%	0.1%	0.9%	1.2%	1.9%	2.0%	1.4%
Grade 10	91.7%	0.1%	0.5%	1.3%	1.5%	2.6%	2.2%
Grade 11	91.3%	0.1%	0.9%	1.5%	2.2%	2.0%	2.1%
Grade 12	92.0%	0.2%	0.5%	0.6%	1.9%	2.4%	2.4%

Rohypnol ?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	88.5%	0.2%	1.1%	2.0%	2.6%	2.8%	2.8%
Grade 7	93.7%	0.2%	0.9%	1.5%	1.5%	1.3%	1.0%
Grade 8	90.2%	0.2%	1.3%	1.9%	2.4%	2.4%	1.6%
Grade 9	86.4%	0.3%	1.5%	2.8%	3.3%	2.8%	2.9%
Grade 10	86.3%	0.1%	0.7%	2.6%	2.9%	4.1%	3.4%
Grade 11	86.4%	0.2%	1.0%	1.9%	2.4%	3.5%	4.7%
Grade 12	88.3%	0.1%	0.7%	1.2%	3.0%	3.1%	3.4%

Steroids?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.6%	0.1%	0.1%	0.3%	0.2%	0.4%	0.4%
Grade 7	98.4%	0.1%	0.1%	0.3%	0.2%	0.5%	0.5%
Grade 8	98.2%	0.1%	0.2%	0.2%	0.4%	0.5%	0.4%
Grade 9	98.8%	0.1%	0.2%	0.1%	0.2%	0.2%	0.3%
Grade 10	98.9%	0.1%	0.1%	0.2%	0.2%	0.3%	0.3%
Grade 11	99.1%	0.1%	0.1%	0.2%	0.1%	0.2%	0.3%
Grade 12	98.1%	0.1%	0.0%	0.6%	0.2%	0.5%	0.5%

♀

Revised Border - Grades 7-12
Spring 1998

AA

Ecstasy?

98Bord712. out

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.3%	0.0%	0.1%	0.2%	0.3%	0.6%	0.5%
Grade 7	99.4%	0.0%	0.1%	0.1%	0.1%	0.2%	0.2%
Grade 8	98.9%	0.0%	0.1%	0.2%	0.2%	0.3%	0.2%
Grade 9	98.0%	0.0%	0.1%	0.2%	0.5%	0.6%	0.6%
Grade 10	98.2%	0.0%	0.1%	0.2%	0.4%	0.6%	0.5%
Grade 11	97.1%	0.1%	0.0%	0.1%	0.3%	1.2%	1.2%
Grade 12	98.2%	* %	0.0%	0.2%	0.2%	0.6%	0.8%

Heroin?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.6%	0.1%	0.1%	0.2%	0.3%	0.3%	0.5%
Grade 7	98.5%	0.1%	0.2%	0.2%	0.4%	0.3%	0.3%
Grade 8	97.9%	0.1%	0.1%	0.3%	0.4%	0.5%	0.8%
Grade 9	98.5%	0.1%	0.1%	0.2%	0.3%	0.3%	0.5%
Grade 10	98.9%	0.1%	0.1%	0.1%	0.1%	0.3%	0.5%
Grade 11	98.7%	0.0%	0.1%	0.1%	0.2%	0.2%	0.7%
Grade 12	99.2%	0.0%	0.1%	0.1%	0.1%	0.1%	0.3%

AA

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.6	12.3	13.1	13.9	14.5	15.0
Cocaine	12.1	12.9	13.9	14.7	15.4	16.0
Crack	11.9	12.8	13.9	14.4	15.3	16.2
Hallucinogens	11.8	12.6	13.8	14.0	14.9	15.8
Uppers	11.6	12.5	13.5	14.2	14.7	15.3
Downers	11.8	12.7	13.5	14.1	14.7	15.1
Rohypnol	11.9	12.7	13.6	14.3	15.2	15.5
Steroids	11.8	12.5	13.9	13.6	15.4	16.5
Ecstasy	11.7	12.9	13.8	14.2	15.0	16.0
Heroin	12.0	12.8	13.7	14.0	15.0	16.0

AA

Table D-4: Age of first use of marijuana by family situation:

Two parent family

	Never	9 or Under	10-11	12-13	14-15	16-17	18 or Over
All	72.0%	0.9%	2.9%	8.9%	10.9%	4.0%	0.4%
Grade 7	85.7%	1.4%	4.0%	8.2%	0.8%	* %	0.0%
Grade 8	77.6%	1.4%	4.1%	12.4%	4.4%	0.0%	0.0%
Grade 9	71.5%	1.2%	3.3%	10.1%	13.1%	0.7%	0.0%
Grade 10	65.9%	0.3%	2.4%	9.2%	17.4%	4.7%	0.1%
Grade 11	63.6%	0.4%	1.4%	7.1%	17.0%	9.9%	0.6%
Grade 12	64.3%	0.3%	1.0%	5.0%	14.2%	12.9%	2.3%

Revised Border - Grades 7-12
Spring 1998

AA

Other family situation

	Never	9 or Under	10-11	12-13	14-15	16-17	18 or Over
All	57.9%	1.6%	5.1%	15.1%	14.2%	5.3%	0.7%
Grade 7	74.4%	3.1%	9.0%	12.8%	0.7%	0.1%	0.0%
Grade 8	64.6%	1.5%	7.9%	19.9%	5.8%	0.3%	* %
Grade 9	55.4%	2.1%	5.1%	19.9%	16.0%	1.4%	0.1%
Grade 10	50.4%	1.5%	4.0%	14.5%	23.2%	6.2%	0.1%
Grade 11	48.3%	0.7%	2.3%	11.5%	23.2%	13.4%	0.5%
Grade 12	53.5%	0.5%	1.4%	7.6%	17.0%	15.5%	4.5%

AA

Table D-5: If you wanted some, how difficult would it be to get...

Marijuana?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	17.6%	19.5%	7.7%	10.2%	15.9%	29.1%
Grade 7	25.1%	35.0%	10.4%	7.5%	9.2%	12.7%
Grade 8	18.5%	26.3%	9.8%	10.8%	12.8%	21.7%
Grade 9	19.4%	15.7%	7.5%	10.9%	16.7%	29.8%
Grade 10	14.1%	12.8%	7.0%	11.5%	18.7%	35.8%
Grade 11	12.4%	13.4%	5.6%	10.0%	19.4%	39.3%
Grade 12	13.7%	11.1%	5.0%	10.2%	20.3%	39.7%

Cocaine?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.9%	24.4%	11.3%	12.6%	12.2%	17.6%
Grade 7	29.8%	39.9%	11.5%	7.1%	5.4%	6.3%
Grade 8	23.0%	33.0%	13.2%	10.9%	8.5%	11.4%
Grade 9	24.5%	20.7%	11.6%	13.1%	12.1%	18.0%
Grade 10	18.5%	18.4%	11.4%	15.0%	15.0%	21.8%
Grade 11	15.7%	16.9%	9.2%	15.5%	17.8%	24.8%
Grade 12	16.5%	14.1%	10.0%	15.0%	17.0%	27.3%

Crack?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	26.3%	26.5%	13.2%	13.3%	9.4%	11.3%
Grade 7	32.9%	40.4%	11.2%	6.7%	3.9%	5.0%
Grade 8	26.4%	34.5%	13.5%	10.7%	6.5%	8.4%
Grade 9	28.9%	22.8%	14.0%	13.5%	9.5%	11.3%
Grade 10	23.7%	21.1%	13.6%	15.7%	12.5%	13.5%
Grade 11	20.8%	20.5%	12.8%	17.6%	13.1%	15.1%

	Grade 12	22.1%	17.5%	98Bord712.out 14.3%	17.4%	12.3%	16.6%
Hal lucinogens?							
		Never Heard Of	Impossi ble	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All		43.9%	22.0%	11.5%	9.4%	6.1%	7.1%
Grade 7		54.4%	29.0%	7.6%	3.8%	2.3%	2.8%
Grade 8		47.4%	26.7%	10.0%	6.9%	3.7%	5.2%
Grade 9		45.6%	19.8%	12.5%	9.1%	6.2%	6.8%
Grade 10		40.7%	19.5%	12.1%	12.0%	7.4%	8.4%
Grade 11		34.6%	18.7%	13.7%	13.2%	9.0%	10.8%
Grade 12		36.4%	17.3%	13.9%	13.3%	9.1%	9.9%

Revised Border - Grades 7-12
Spring 1998

AA

Uppers?							
		Never Heard Of	Impossi ble	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All		43.1%	18.0%	8.4%	9.8%	9.1%	11.6%
Grade 7		55.4%	25.5%	7.0%	4.6%	3.5%	3.9%
Grade 8		48.4%	22.7%	8.3%	7.7%	5.5%	7.4%
Grade 9		44.8%	16.1%	8.7%	9.2%	9.9%	11.3%
Grade 10		38.1%	14.4%	9.0%	12.6%	11.6%	14.2%
Grade 11		32.6%	14.8%	8.8%	13.0%	12.7%	18.2%
Grade 12		34.6%	12.9%	8.4%	13.1%	13.2%	17.7%

Downers?							
		Never Heard Of	Impossi ble	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All		42.8%	18.1%	8.2%	9.4%	9.3%	12.2%
Grade 7		55.1%	25.7%	7.1%	4.4%	3.6%	4.0%
Grade 8		48.4%	22.7%	8.1%	7.5%	5.6%	7.6%
Grade 9		44.0%	16.1%	8.5%	9.3%	10.1%	12.0%
Grade 10		38.4%	14.8%	8.6%	11.6%	11.9%	14.7%
Grade 11		32.0%	14.8%	8.8%	12.4%	12.8%	19.2%
Grade 12		34.3%	12.8%	8.2%	12.4%	13.4%	18.8%

Rohypnol ?							
		Never Heard Of	Impossi ble	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All		32.9%	18.0%	7.7%	8.7%	11.7%	21.0%
Grade 7		43.8%	27.9%	7.9%	6.0%	5.7%	8.7%
Grade 8		35.5%	23.3%	8.4%	8.7%	8.9%	15.2%
Grade 9		33.1%	15.3%	8.1%	8.6%	12.2%	22.8%
Grade 10		28.1%	14.1%	7.3%	9.3%	15.0%	26.1%
Grade 11		25.8%	14.1%	7.2%	9.6%	14.8%	28.5%
Grade 12		28.3%	11.4%	7.2%	10.5%	15.1%	27.4%

Steroids?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	31.3%	25.9%	12.2%	12.7%	8.3%	9.6%
Grade 7	38.2%	37.0%	9.9%	6.7%	3.8%	4.5%
Grade 8	31.6%	33.2%	12.0%	10.2%	6.2%	6.8%
Grade 9	34.2%	23.6%	12.2%	12.9%	7.7%	9.4%
Grade 10	29.1%	21.2%	13.2%	15.4%	10.3%	10.8%
Grade 11	25.4%	20.4%	13.6%	16.7%	10.6%	13.3%
Grade 12	26.0%	17.2%	12.6%	16.2%	13.2%	14.8%

Ecstasy?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	50.9%	19.3%	9.5%	8.2%	5.2%	6.9%
Grade 7	59.5%	25.5%	6.9%	3.1%	1.9%	2.9%
Grade 8	54.8%	23.6%	8.1%	5.9%	3.0%	4.6%
Grade 9	52.5%	17.6%	9.9%	8.1%	5.0%	6.9%
Grade 10	47.7%	16.2%	10.8%	10.3%	7.2%	7.9%
Grade 11	43.0%	16.7%	11.0%	11.6%	7.4%	10.3%
Grade 12	44.2%	14.9%	10.5%	11.8%	8.2%	10.3%

Revised Border - Grades 7-12
Spring 1998

AA

Heroin?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	31.8%	30.0%	13.9%	10.4%	5.9%	8.0%
Grade 7	38.3%	39.6%	9.7%	5.2%	2.8%	4.3%
Grade 8	31.9%	36.6%	12.5%	7.9%	4.5%	6.6%
Grade 9	34.2%	27.1%	14.2%	10.1%	6.1%	8.2%
Grade 10	29.0%	26.6%	15.4%	12.8%	7.7%	8.6%
Grade 11	26.0%	26.4%	16.3%	13.9%	6.9%	10.5%
Grade 12	28.7%	21.8%	15.9%	14.6%	7.9%	11.1%

AA

Table D-6: Since school began in the fall, on how many days (if any) have you...

Attended class while high from marijuana use?

	None	1-3 Days	4-9 Days	10+ Days
All	88.5%	6.8%	2.1%	2.6%
Grade 7	93.0%	4.9%	1.2%	1.0%
Grade 8	89.5%	6.6%	1.9%	1.9%
Grade 9	86.0%	7.9%	2.7%	3.4%
Grade 10	86.7%	7.6%	2.3%	3.3%
Grade 11	86.8%	7.3%	2.5%	3.4%
Grade 12	89.8%	6.1%	1.9%	2.3%

Attended class while high from use of some other drug?

	None	1-3 Days	4-9 Days	10+ Days
All	92.1%	5.2%	1.4%	1.4%
Grade 7	94.5%	4.2%	0.7%	0.7%
Grade 8	92.6%	5.3%	1.1%	1.1%
Grade 9	90.7%	5.8%	1.7%	1.9%
Grade 10	90.6%	6.4%	1.6%	1.3%
Grade 11	91.8%	5.0%	1.6%	1.7%
Grade 12	93.0%	4.0%	1.5%	1.6%

Gotten into trouble with teachers because of your drug use?

	None	1-3 Days	4-9 Days	10+ Days
All	97.7%	1.7%	0.3%	0.3%
Grade 7	98.1%	1.4%	0.2%	0.3%
Grade 8	97.5%	1.8%	0.4%	0.3%
Grade 9	96.9%	2.3%	0.4%	0.4%
Grade 10	97.7%	1.7%	0.3%	0.3%
Grade 11	98.5%	1.0%	0.2%	0.3%
Grade 12	98.1%	1.5%	0.2%	0.2%

AA

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons:

Marijuana Users: 5.0 days per student
 Marijuana Non-users: 3.9 days per student

Average days conduct problems reported:

Marijuana Users: 5.5 days per student
 Marijuana Non-users: 1.6 days per student

‡

Revised Border - Grades 7-12
 Spring 1998

AA

Table D-8: During the past twelve months, how many times have you...

Driven a car when you've felt high from drugs?

	None	1-3 Times	4-9 Times	10+ Times
All	91.0%	5.8%	1.6%	1.6%
Grade 9	93.4%	4.4%	1.1%	1.1%
Grade 10	91.6%	5.8%	1.4%	1.1%
Grade 11	89.3%	6.1%	2.1%	2.5%
Grade 12	87.9%	7.7%	2.1%	2.3%

Gotten into trouble with the police because of drug use?

	None	98Bord712. out 1-3 Times	4-9 Times	10+ Times
All	96.8%	2.3%	0.5%	0.4%
Grade 7	97.6%	1.7%	0.4%	0.3%
Grade 8	96.7%	2.3%	0.6%	0.4%
Grade 9	96.5%	2.4%	0.6%	0.5%
Grade 10	96.7%	2.5%	0.5%	0.4%
Grade 11	96.7%	2.3%	0.7%	0.3%
Grade 12	97.0%	2.5%	0.3%	0.2%

AA

Table D-9: About how many of your close friends use marijuana?

	Never heard None	A Few	Some	Most	All
All	47.7%	21.7%	13.4%	11.4%	5.9%
Grade 7	65.5%	16.8%	7.2%	6.7%	3.8%
Grade 8	51.9%	20.5%	11.7%	10.3%	5.7%
Grade 9	44.7%	22.0%	13.7%	12.5%	7.0%
Grade 10	41.3%	22.3%	17.3%	12.7%	6.3%
Grade 11	39.7%	24.5%	16.0%	13.0%	6.7%
Grade 12	40.1%	25.7%	15.2%	13.7%	5.3%

AA

Table D-10: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	93.7%	5.1%	0.8%	0.4%
Grade 7	94.8%	4.2%	0.7%	0.3%
Grade 8	93.4%	5.3%	0.9%	0.4%
Grade 9	92.5%	5.8%	1.0%	0.6%
Grade 10	93.9%	5.1%	0.7%	0.4%
Grade 11	93.8%	4.9%	0.9%	0.4%
Grade 12	94.3%	4.8%	0.7%	0.2%

Been criticized by someone you were dating because of drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	94.1%	4.5%	0.8%	0.6%
Grade 7	96.7%	2.5%	0.5%	0.3%
Grade 8	95.1%	4.0%	0.5%	0.4%
Grade 9	93.0%	5.3%	0.9%	0.8%
Grade 10	93.2%	5.2%	0.9%	0.7%
Grade 11	93.0%	5.4%	0.8%	0.8%
Grade 12	93.6%	4.7%	1.1%	0.6%

AA

Table D-11: Thinking of parties you attended this school year, how often was marijuana used?

	Never	Sel dom	Hal f the Time	Most Of the Time	Al ways	Don' t Know	Di dn' t Attend
All	45.2%	11.5%	8.3%	10.0%	11.6%	5.0%	8.4%
Grade 7	67.5%	7.9%	4.7%	4.5%	3.5%	3.9%	8.0%
Grade 8	54.9%	11.5%	7.0%	8.2%	6.6%	4.3%	7.5%
Grade 9	44.2%	12.2%	9.1%	10.3%	10.9%	4.9%	8.4%
Grade 10	35.8%	12.6%	9.7%	12.2%	15.2%	5.7%	8.8%
Grade 11	31.9%	12.3%	10.8%	13.0%	17.5%	6.0%	8.5%
Grade 12	31.6%	12.6%	8.8%	13.1%	18.7%	5.8%	9.2%

AA

Table D-12: How often, if ever, do you smoke marijuana in...

Joints?

	Never	Sel dom	Hal f the Time	Most of the Time	Al ways	Don' t Know
All	72.4%	7.8%	4.1%	7.6%	6.7%	1.4%
Grade 7	83.0%	4.7%	3.4%	3.9%	3.3%	1.6%
Grade 8	75.9%	6.7%	4.3%	5.8%	5.8%	1.5%
Grade 9	71.2%	7.8%	4.5%	7.7%	7.5%	1.3%
Grade 10	68.2%	10.1%	4.4%	9.6%	6.1%	1.5%
Grade 11	65.9%	9.2%	4.4%	9.9%	9.0%	1.6%
Grade 12	69.2%	8.4%	3.4%	9.4%	8.4%	1.1%

Blunts?

	Never	Sel dom	Hal f the Time	Most of the Time	Al ways	Don' t Know
All	82.5%	7.1%	3.5%	3.0%	2.1%	1.8%
Grade 7	90.1%	3.4%	2.1%	1.3%	0.9%	2.1%
Grade 8	85.5%	5.2%	3.2%	2.5%	1.6%	2.0%
Grade 9	80.8%	7.4%	3.9%	3.6%	2.6%	1.7%
Grade 10	80.1%	9.0%	4.0%	3.4%	2.1%	1.4%
Grade 11	77.8%	9.3%	4.1%	3.9%	2.8%	2.0%
Grade 12	80.1%	9.1%	3.8%	3.0%	2.2%	1.8%

Bongs or water pipes?

	Never	Sel dom	Hal f the Time	Most of the Time	Al ways	Don' t Know
All	83.7%	6.9%	3.3%	2.8%	1.8%	1.4%
Grade 7	91.7%	2.4%	1.7%	1.4%	1.0%	1.8%
Grade 8	87.7%	4.7%	2.4%	2.2%	1.3%	1.7%
Grade 9	82.8%	7.1%	3.6%	3.2%	2.0%	1.2%
Grade 10	79.5%	9.6%	4.0%	3.3%	2.1%	1.3%
Grade 11	78.5%	8.9%	4.6%	4.2%	2.4%	1.3%
Grade 12	81.6%	8.9%	3.8%	2.8%	2.0%	0.8%

Pipes?

	Never	Sel dom	Hal f the Time	Most of the Time	Al ways	Don' t Know
--	-------	---------	----------------	------------------	---------	-------------

98Bord712. out

All	82.5%	6.9%	3.7%	3.4%	2.1%	1.3%
Grade 7	90.0%	3.3%	2.1%	1.8%	1.2%	1.5%
Grade 8	85.0%	5.6%	3.0%	2.9%	1.8%	1.6%
Grade 9	81.5%	7.4%	3.9%	3.7%	2.3%	1.2%
Grade 10	79.1%	8.0%	4.7%	4.3%	2.6%	1.4%
Grade 11	77.4%	8.9%	5.2%	4.7%	2.6%	1.4%
Grade 12	82.0%	8.8%	3.5%	3.0%	1.9%	0.9%

Revised Border - Grades 7-12
Spring 1998

AA

Some other way?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	85.2%	6.0%	2.0%	1.9%	2.0%	2.7%
Grade 7	90.2%	3.0%	1.7%	1.4%	1.3%	2.4%
Grade 8	86.4%	4.8%	1.8%	1.9%	2.0%	3.1%
Grade 9	83.9%	6.4%	2.3%	2.1%	2.6%	2.6%
Grade 10	83.0%	7.4%	2.2%	2.1%	2.2%	3.2%
Grade 11	82.0%	9.0%	2.3%	1.9%	2.0%	2.7%
Grade 12	86.1%	5.9%	1.6%	2.1%	1.8%	2.5%

AA

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	81.1%	3.4%	2.7%	0.7%	1.4%	10.7%
Grade 7	75.6%	2.0%	2.0%	0.6%	1.9%	17.8%
Grade 8	80.8%	2.5%	2.1%	0.9%	1.5%	12.3%
Grade 9	79.4%	3.8%	3.3%	0.8%	1.5%	11.3%
Grade 10	83.4%	3.5%	2.8%	0.5%	1.4%	8.3%
Grade 11	83.8%	3.8%	3.2%	0.7%	1.3%	7.1%
Grade 12	86.0%	4.7%	2.6%	0.6%	0.7%	5.3%

AA

Table D-14: How dangerous do you think it is for kids your age to use...

Marijuana?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	66.0%	17.2%	7.9%	4.3%	4.6%
Grade 7	75.6%	10.9%	4.6%	2.4%	6.4%
Grade 8	68.8%	15.4%	6.8%	3.4%	5.5%
Grade 9	64.1%	18.0%	8.6%	4.6%	4.7%
Grade 10	62.0%	20.8%	8.6%	4.7%	3.9%
Grade 11	61.7%	19.0%	10.6%	5.9%	2.8%
Grade 12	62.8%	20.1%	8.7%	5.0%	3.4%

98Bord712. out

Cocaine?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	83.9%	8.1%	1.9%	0.9%	5.2%
Grade 7	83.6%	6.4%	1.6%	0.9%	7.4%
Grade 8	82.9%	7.9%	2.1%	0.9%	6.2%
Grade 9	83.2%	8.4%	2.1%	1.1%	5.1%
Grade 10	84.1%	8.9%	1.6%	0.7%	4.6%
Grade 11	84.4%	9.8%	2.0%	0.6%	3.2%
Grade 12	86.3%	7.4%	1.7%	1.1%	3.5%

Crack?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	86.5%	5.8%	1.0%	0.7%	6.0%
Grade 7	83.7%	6.1%	1.2%	0.7%	8.3%
Grade 8	84.2%	6.7%	1.4%	0.8%	7.0%
Grade 9	85.0%	6.7%	1.1%	0.8%	6.4%
Grade 10	88.4%	5.2%	0.8%	0.5%	5.1%
Grade 11	89.4%	5.6%	0.6%	0.4%	4.1%
Grade 12	90.4%	4.0%	0.7%	0.7%	4.1%

♀

Revised Border - Grades 7-12
Spring 1998

AA

Ecstasy?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.0%	6.4%	1.7%	0.9%	14.0%
Grade 7	75.9%	4.9%	1.2%	0.7%	17.3%
Grade 8	74.9%	5.9%	1.4%	0.7%	17.0%
Grade 9	76.5%	7.1%	1.8%	1.1%	13.5%
Grade 10	77.5%	6.6%	1.8%	0.9%	13.2%
Grade 11	77.4%	7.7%	2.6%	0.8%	11.6%
Grade 12	80.9%	6.1%	1.7%	0.8%	10.4%

Steroids?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.4%	10.6%	2.4%	0.8%	8.8%
Grade 7	75.9%	9.2%	2.5%	1.1%	11.2%
Grade 8	75.4%	10.2%	2.9%	1.0%	10.5%
Grade 9	76.6%	10.9%	2.3%	0.9%	9.2%
Grade 10	77.8%	11.5%	2.5%	0.7%	7.5%
Grade 11	79.2%	11.8%	2.0%	0.6%	6.4%
Grade 12	81.1%	9.5%	1.7%	0.6%	7.1%

Heroin?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	86.9%	4.3%	0.7%	0.6%	7.4%
Grade 7	83.6%	4.6%	0.9%	0.9%	9.9%
Grade 8	84.2%	5.1%	1.0%	0.9%	8.7%
Grade 9	86.2%	4.9%	0.8%	0.6%	7.4%
Grade 10	88.9%	3.6%	0.6%	0.5%	6.4%
Grade 11	90.1%	4.0%	0.5%	0.3%	5.0%
Grade 12	90.3%	3.0%	0.4%	0.4%	5.9%

Revised Border - Grades 7-12
Spring 1998

AA

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
AA					
Any inhalant?	All	8.9%	12.4%	21.0%	79.0%
	Grade 7	13.9%	17.8%	26.8%	73.2%
	Grade 8	12.7%	17.2%	26.4%	73.6%
	Grade 9	9.4%	13.1%	22.3%	77.7%
	Grade 10	5.8%	9.7%	17.5%	82.5%
	Grade 11	5.6%	8.1%	17.7%	82.3%
	Grade 12	3.6%	5.4%	11.8%	88.2%
AA					
Liquid or spray paint?	All	2.8%	4.7%	10.9%	89.1%
	Grade 7	4.3%	6.6%	12.8%	87.2%
	Grade 8	3.7%	6.4%	13.5%	86.5%
	Grade 9	3.2%	5.4%	12.5%	87.5%
	Grade 10	1.8%	3.7%	9.2%	90.8%
	Grade 11	1.6%	2.9%	8.6%	91.4%
	Grade 12	1.1%	1.9%	6.5%	93.5%
AA					
Whitout, correction fluid?	All	2.9%	4.9%	10.3%	89.7%
	Grade 7	5.5%	8.8%	15.3%	84.7%
	Grade 8	4.3%	7.2%	13.7%	86.3%
	Grade 9	2.8%	4.8%	10.1%	89.9%
	Grade 10	1.7%	3.2%	7.4%	92.6%
	Grade 11	0.9%	2.0%	7.6%	92.4%
	Grade 12	1.2%	1.8%	5.6%	94.4%
AA					
Gasoline?	All	1.5%	2.4%	5.3%	94.7%
	Grade 7	2.5%	3.7%	6.6%	93.4%
	Grade 8	2.0%	3.2%	6.5%	93.5%
	Grade 9	1.8%	2.8%	6.2%	93.8%
	Grade 10	0.8%	1.9%	4.3%	95.7%
	Grade 11	0.7%	1.4%	4.2%	95.8%
	Grade 12	0.7%	0.9%	3.1%	96.9%
AA					
Freon?	All	0.6%	1.0%	1.8%	98.2%
	Grade 7	0.9%	1.5%	2.3%	97.7%
	Grade 8	0.8%	1.5%	2.4%	97.6%
	Grade 9	0.6%	1.0%	1.9%	98.1%

98Bord712. out

	Grade 10	0.3%	0.8%	1.5%	98.5%
	Grade 11	0.3%	0.5%	1.5%	98.5%
	Grade 12	0.3%	0.4%	0.9%	99.1%
AA					
Poppers, Locker Room, etc.?	All	1.0%	1.5%	2.7%	97.3%
	Grade 7	1.6%	2.5%	3.7%	96.3%
	Grade 8	1.2%	1.8%	3.1%	96.9%
	Grade 9	0.9%	1.5%	2.6%	97.4%
	Grade 10	0.7%	1.1%	2.1%	97.9%
	Grade 11	0.8%	1.3%	2.9%	97.1%
	Grade 12	0.6%	0.9%	1.6%	98.4%
AA					
Glue?	All	1.7%	2.5%	5.9%	94.1%
	Grade 7	3.4%	4.7%	9.2%	90.8%
	Grade 8	2.1%	3.4%	7.4%	92.6%
	Grade 9	1.4%	2.2%	5.4%	94.6%
	Grade 10	1.4%	1.9%	4.7%	95.3%
	Grade 11	0.7%	1.2%	4.6%	95.4%
	Grade 12	0.7%	0.9%	3.2%	96.8%
AA					
Paint, lacquer thinner, etc.?	All	1.9%	3.1%	6.0%	94.0%
	Grade 7	3.1%	4.6%	8.0%	92.0%
	Grade 8	2.2%	4.0%	7.3%	92.7%
	Grade 9	1.8%	3.1%	6.3%	93.7%
	Grade 10	1.7%	2.8%	5.4%	94.6%
	Grade 11	1.0%	1.7%	4.5%	95.5%
	Grade 12	1.1%	1.7%	3.4%	96.6%

♀

Revised Border - Grades 7-12
Spring 1998

AA

		Past Month	School Year	Ever Used	Never Used
AA					
Nitrous oxide, laughing gas?	All	1.2%	2.0%	3.8%	96.2%
	Grade 7	1.9%	2.9%	4.6%	95.4%
	Grade 8	1.6%	2.5%	4.6%	95.4%
	Grade 9	1.2%	2.3%	3.9%	96.1%
	Grade 10	0.8%	1.7%	3.4%	96.6%
	Grade 11	0.6%	1.1%	3.8%	96.2%
	Grade 12	0.8%	1.2%	2.4%	97.6%
AA					
Octane booster?	All	0.6%	1.0%	1.6%	98.4%
	Grade 7	1.0%	1.4%	2.1%	97.9%
	Grade 8	0.9%	1.5%	2.3%	97.7%
	Grade 9	0.8%	1.2%	2.0%	98.0%
	Grade 10	0.4%	0.7%	1.0%	99.0%
	Grade 11	0.2%	0.4%	1.1%	98.9%
	Grade 12	0.3%	0.3%	0.7%	99.3%
AA					
Other sprays?	All	1.9%	2.8%	5.3%	94.7%
	Grade 7	3.6%	5.2%	9.2%	90.8%
	Grade 8	2.7%	4.0%	7.6%	92.4%
	Grade 9	2.0%	3.1%	5.6%	94.4%
	Grade 10	1.2%	1.9%	3.7%	96.3%
	Grade 11	0.4%	0.9%	2.4%	97.6%
	Grade 12	0.4%	0.8%	2.1%	97.9%

Other inhalants?	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
	4.1%	5.4%	6.0%	4.3%	2.9%	3.2%	1.7%
	6.1%	7.8%	8.7%	6.4%	4.5%	4.9%	3.0%
	10.9%	13.7%	14.5%	12.0%	9.0%	8.8%	5.0%
	89.1%	86.3%	85.5%	88.0%	91.0%	91.2%	95.0%

AA

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	91.4%	0.2%	0.7%	1.1%	1.7%	1.9%	3.1%
Grade 7	88.0%	0.6%	1.5%	2.0%	2.6%	2.6%	2.7%
Grade 8	88.4%	0.4%	1.0%	1.7%	2.5%	2.4%	3.7%
Grade 9	90.9%	0.3%	0.6%	1.0%	1.7%	2.0%	3.5%
Grade 10	93.3%	0.0%	0.3%	0.8%	1.2%	1.6%	2.8%
Grade 11	93.8%	0.0%	0.2%	0.7%	0.8%	1.2%	3.3%
Grade 12	95.9%	* %	0.1%	0.3%	0.8%	0.9%	2.0%

AA

Table I-3: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	81.6%	6.8%	6.7%	4.8%
Grade 7	75.6%	8.6%	8.8%	7.0%
Grade 8	77.0%	7.9%	8.6%	6.5%
Grade 9	80.6%	7.2%	7.5%	4.7%
Grade 10	85.4%	5.7%	4.8%	4.0%
Grade 11	85.1%	6.2%	5.3%	3.3%
Grade 12	89.4%	4.3%	3.7%	2.6%

†

Revised Border - Grades 7-12
Spring 1998

AA

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.1	11.7	12.4	13.0	13.7	14.0

AA

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Days	4-9 Days	10+ Days
All	96.4%	2.6%	0.6%	0.4%

	98Bord712. out			
Grade 7	94.6%	4.1%	0.8%	0.5%
Grade 8	95.2%	3.5%	0.8%	0.5%
Grade 9	96.2%	2.6%	0.6%	0.5%
Grade 10	96.9%	2.1%	0.6%	0.4%
Grade 11	97.8%	1.6%	0.3%	0.3%
Grade 12	98.7%	0.9%	0.3%	0.1%

AA

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons:

Inhalants Users:	4.8 days per student
Inhalants Non-users:	4.0 days per student

Average days conduct problems reported:

Inhalants Users:	5.0 days per student
Inhalants Non-users:	1.9 days per student

AA

Table I-7: About how many of your close friends use inhalants?

	Never heard None	A Few	Some	Most	All
All	78.8%	13.4%	4.8%	2.0%	1.0%
Grade 7	75.2%	14.4%	5.7%	3.2%	1.5%
Grade 8	73.8%	15.7%	6.5%	2.7%	1.3%
Grade 9	77.4%	14.2%	5.4%	1.9%	1.1%
Grade 10	81.4%	12.9%	3.7%	1.4%	0.6%
Grade 11	83.0%	11.3%	3.6%	1.2%	0.9%
Grade 12	84.8%	10.7%	2.8%	1.3%	0.5%

AA

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.2%	13.0%	3.0%	0.9%	6.9%
Grade 7	72.2%	12.6%	4.4%	1.3%	9.4%
Grade 8	72.4%	14.5%	3.8%	1.3%	8.0%
Grade 9	74.6%	14.6%	3.1%	0.9%	6.8%
Grade 10	77.8%	12.7%	2.6%	0.6%	6.3%
Grade 11	80.3%	12.8%	1.9%	0.4%	4.7%
Grade 12	82.7%	9.7%	1.8%	0.6%	5.2%

Revised Border - Grades 7-12
Spring 1998

AA

Table X-1: Since school began in the fall, have you gotten any information on drugs or

alcohol from the following sources?

Health class

	No	Yes
All	44.2%	55.8%
Grade 7	42.8%	57.2%
Grade 8	45.8%	54.2%
Grade 9	45.8%	54.2%
Grade 10	40.5%	59.5%
Grade 11	43.5%	56.5%
Grade 12	46.7%	53.3%

An assembly program

	No	Yes
All	42.1%	57.9%
Grade 7	43.8%	56.2%
Grade 8	40.3%	59.7%
Grade 9	42.9%	57.1%
Grade 10	39.7%	60.3%
Grade 11	42.8%	57.2%
Grade 12	43.2%	56.8%

Guidance counselor

	No	Yes
All	60.4%	39.6%
Grade 7	47.3%	52.7%
Grade 8	48.0%	52.0%
Grade 9	64.6%	35.4%
Grade 10	66.8%	33.2%
Grade 11	69.8%	30.2%
Grade 12	66.8%	33.2%

Science class

	No	Yes
All	66.8%	33.2%
Grade 7	53.5%	46.5%
Grade 8	65.2%	34.8%
Grade 9	66.6%	33.4%
Grade 10	71.0%	29.0%
Grade 11	72.2%	27.8%
Grade 12	74.1%	25.9%

Social studies class

	No	Yes
All	82.7%	17.3%
Grade 7	79.2%	20.8%
Grade 8	81.1%	18.9%
Grade 9	83.4%	16.6%
Grade 10	84.6%	15.4%
Grade 11	85.0%	15.0%

98Bord712.out
 Grade 12 82.9% 17.1%

Revised Border - Grades 7-12
 Spring 1998

AA

Student group session

	No	Yes
All	76.2%	23.8%
Grade 7	75.4%	24.6%
Grade 8	75.3%	24.7%
Grade 9	76.1%	23.9%
Grade 10	78.2%	21.8%
Grade 11	77.0%	23.0%
Grade 12	75.2%	24.8%

An invited school guest

	No	Yes
All	43.9%	56.0%
Grade 7	41.4%	58.6%
Grade 8	40.9%	59.1%
Grade 9	45.9%	54.1%
Grade 10	44.7%	55.3%
Grade 11	46.0%	54.0%
Grade 12	44.3%	55.7%

Some other school source

	No	Yes
All	54.9%	45.1%
Grade 7	54.7%	45.3%
Grade 8	52.7%	47.3%
Grade 9	56.4%	43.6%
Grade 10	54.8%	45.2%
Grade 11	56.1%	43.9%
Grade 12	53.8%	46.2%

Any school source

	No	Yes
All	32.6%	67.4%
Grade 7	34.8%	65.2%
Grade 8	33.4%	66.6%
Grade 9	33.2%	66.8%
Grade 10	31.4%	68.6%
Grade 11	31.0%	69.0%
Grade 12	30.7%	69.3%

AA

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

A counselor or program in school

	No	Yes
All	54.5%	45.5%
Grade 7	44.6%	55.4%
Grade 8	49.2%	50.8%
Grade 9	56.1%	43.9%
Grade 10	58.8%	41.2%
Grade 11	59.9%	40.1%
Grade 12	60.2%	39.8%

Revised Border - Grades 7-12
Spring 1998

AA

Another adult in school (such as a nurse or teacher)

	No	Yes
All	59.4%	40.6%
Grade 7	53.8%	46.2%
Grade 8	58.1%	41.9%
Grade 9	62.5%	37.5%
Grade 10	60.1%	39.9%
Grade 11	61.1%	38.9%
Grade 12	60.2%	39.8%

A counselor or program outside of school

	No	Yes
All	55.6%	44.4%
Grade 7	53.4%	46.6%
Grade 8	54.1%	45.9%
Grade 9	56.5%	43.5%
Grade 10	57.1%	42.9%
Grade 11	57.0%	43.0%
Grade 12	55.2%	44.8%

Your parents

	No	Yes
All	39.6%	60.4%
Grade 7	34.1%	65.9%
Grade 8	38.8%	61.2%
Grade 9	41.0%	59.0%
Grade 10	39.7%	60.3%
Grade 11	41.2%	58.8%
Grade 12	43.1%	56.9%

A medical doctor

	No	Yes
All	58.9%	41.1%
Grade 7	53.9%	46.1%

98Bord712.out		
Grade 8	58.7%	41.3%
Grade 9	60.5%	39.5%
Grade 10	60.6%	39.4%
Grade 11	59.6%	40.4%
Grade 12	60.0%	40.0%

Your friends

	No	Yes
All	29.2%	70.8%
Grade 7	39.2%	60.8%
Grade 8	32.0%	68.0%
Grade 9	28.7%	71.3%
Grade 10	24.6%	75.4%
Grade 11	22.9%	77.1%
Grade 12	26.7%	73.3%

Another adult (a relative, clergyman, or other family friend)

	No	Yes
All	37.1%	62.9%
Grade 7	37.8%	62.2%
Grade 8	37.2%	62.8%
Grade 9	37.4%	62.6%
Grade 10	36.9%	63.1%
Grade 11	34.9%	65.1%
Grade 12	37.9%	62.1%

‡

Revised Border - Grades 7-12
Spring 1998

AA

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

	No	Yes
All	90.8%	9.2%
Grade 7	89.9%	10.1%
Grade 8	89.6%	10.4%
Grade 9	89.7%	10.3%
Grade 10	91.5%	8.5%
Grade 11	92.1%	7.9%
Grade 12	93.0%	7.0%

AA

Table X-4: About how many of your friends:

Feel close to their parents?

	None	A Few	Some	Most	All
All	6.1%	30.2%	25.8%	27.7%	10.3%

		98Bord712. out				
Grade 7	7.8%	27.5%	23.7%	25.8%	15.2%	
Grade 8	7.7%	30.6%	25.0%	26.0%	10.6%	
Grade 9	6.6%	31.6%	25.6%	26.3%	9.9%	
Grade 10	5.0%	30.0%	28.4%	27.9%	8.7%	
Grade 11	4.3%	30.3%	27.9%	29.9%	7.6%	
Grade 12	3.9%	30.5%	24.7%	32.2%	8.7%	

Sometimes carry weapons?

	None	A Few	Some	Most	All
All	64.2%	20.5%	9.7%	3.8%	1.8%
Grade 7	71.0%	16.9%	7.5%	3.3%	1.3%
Grade 8	63.8%	20.4%	9.9%	3.8%	2.1%
Grade 9	62.3%	21.3%	10.0%	4.5%	1.9%
Grade 10	63.2%	21.3%	10.3%	3.1%	2.2%
Grade 11	63.0%	21.4%	10.0%	3.9%	1.7%
Grade 12	61.9%	21.9%	10.9%	3.8%	1.5%

Care about making good grades?

	None	A Few	Some	Most	All
All	3.5%	16.9%	25.0%	35.8%	18.9%
Grade 7	4.1%	18.4%	22.4%	31.4%	23.8%
Grade 8	4.4%	18.3%	23.9%	33.7%	19.7%
Grade 9	4.2%	17.7%	27.1%	33.2%	17.9%
Grade 10	2.3%	16.7%	26.4%	38.2%	16.3%
Grade 11	2.3%	15.6%	25.3%	40.4%	16.5%
Grade 12	3.1%	13.0%	24.2%	41.1%	18.7%

Belong/want to belong to a gang?

	None	A Few	Some	Most	All
All	60.8%	19.8%	10.9%	5.8%	2.7%
Grade 7	59.3%	20.2%	10.6%	6.8%	3.1%
Grade 8	53.9%	22.6%	12.5%	7.7%	3.3%
Grade 9	59.5%	19.4%	11.5%	6.7%	3.0%
Grade 10	61.6%	19.9%	11.3%	4.9%	2.3%
Grade 11	64.5%	19.1%	9.6%	4.5%	2.4%
Grade 12	69.3%	17.0%	9.4%	2.7%	1.7%

Revised Border - Grades 7-12
Spring 1998

AA

Wish they could drop out of school?

	None	A Few	Some	Most	All
All	53.8%	28.3%	11.3%	4.2%	2.3%
Grade 7	59.2%	23.3%	9.7%	4.5%	3.3%
Grade 8	55.3%	26.2%	10.8%	4.9%	2.8%
Grade 9	49.9%	29.5%	12.9%	5.0%	2.7%
Grade 10	50.3%	31.9%	11.9%	4.2%	1.7%
Grade 11	51.7%	31.6%	12.0%	3.0%	1.8%
Grade 12	58.4%	27.8%	9.5%	3.1%	1.2%

Revised Border - Grades 7-12
Spring 1998

Table B1: Prevalence and recency of use of selected substances by grade
--> All students

		Past Month	School Year	Ever Used	Never Used	
AAAAA	Tobacco	All	26.1%	35.6%	55.5%	44.5%
		Grade 7	16.1%	22.9%	41.0%	59.0%
		Grade 8	21.8%	31.4%	51.2%	48.8%
		Grade 9	27.6%	37.0%	57.5%	42.5%
		Grade 10	28.1%	38.6%	59.4%	40.6%
		Grade 11	32.7%	43.8%	65.3%	34.7%
		Grade 12	33.1%	43.5%	62.1%	37.9%
AAAAA	Alcohol	All	42.6%	55.1%	74.6%	25.4%
		Grade 7	26.9%	35.6%	58.3%	41.7%
		Grade 8	35.9%	47.2%	69.5%	30.5%
		Grade 9	44.6%	57.4%	75.9%	24.1%
		Grade 10	48.0%	62.8%	80.7%	19.3%
		Grade 11	52.6%	66.0%	84.9%	15.1%
		Grade 12	52.2%	66.7%	82.6%	17.4%
AAAAA	Inhalants	All	8.9%	12.4%	21.0%	79.0%
		Grade 7	13.9%	17.8%	26.8%	73.2%
		Grade 8	12.7%	17.2%	26.4%	73.6%
		Grade 9	9.4%	13.1%	22.3%	77.7%
		Grade 10	5.8%	9.7%	17.5%	82.5%
		Grade 11	5.6%	8.1%	17.7%	82.3%
		Grade 12	3.6%	5.4%	11.8%	88.2%
AAAAA	Any Illicit Drug	All	15.6%	21.8%	33.3%	66.7%
		Grade 7	9.8%	12.6%	19.2%	80.8%
		Grade 8	13.4%	18.2%	27.9%	72.1%
		Grade 9	17.0%	23.2%	34.9%	65.1%
		Grade 10	18.2%	26.5%	39.9%	60.1%
		Grade 11	18.8%	26.8%	41.7%	58.3%
		Grade 12	17.4%	25.2%	39.1%	60.9%
AAAAA	Marijuana	All	12.7%	18.8%	30.2%	69.8%
		Grade 7	7.4%	10.2%	16.2%	83.8%
		Grade 8	11.0%	15.8%	24.9%	75.1%
		Grade 9	13.8%	20.1%	31.3%	68.7%
		Grade 10	14.9%	22.5%	36.3%	63.7%
		Grade 11	15.6%	23.7%	38.9%	61.1%
		Grade 12	14.3%	22.6%	36.9%	63.1%
AAAAA	Marijuana Only	All	3.6%	5.8%	12.0%	88.0%
		Grade 7	2.8%	3.8%	7.4%	92.6%
		Grade 8	3.6%	5.5%	10.7%	89.3%
		Grade 9	3.5%	5.9%	12.2%	87.8%
		Grade 10	4.1%	6.7%	14.1%	85.9%
		Grade 11	3.9%	6.8%	14.6%	85.4%
		Grade 12	3.5%	6.8%	14.0%	86.0%
AAAAA	Cocaine or Crack	All	6.0%	8.8%	13.7%	86.3%
		Grade 7	2.8%	4.1%	6.2%	93.8%

98Bord712. out

		4. 0%	6. 2%	9. 9%	90. 1%
	Grade 8	4. 0%	6. 2%	9. 9%	90. 1%
	Grade 9	6. 2%	9. 0%	14. 0%	86. 0%
	Grade 10	7. 3%	10. 9%	16. 8%	83. 2%
	Grade 11	8. 1%	12. 1%	19. 4%	80. 6%
	Grade 12	8. 4%	11. 8%	19. 0%	81. 0%
AA					
Cocai ne	All	5. 7%	8. 5%	13. 5%	86. 5%
	Grade 7	2. 2%	3. 5%	5. 4%	94. 6%
	Grade 8	3. 6%	5. 9%	9. 4%	90. 6%
	Grade 9	6. 0%	8. 8%	13. 7%	86. 3%
	Grade 10	7. 2%	10. 7%	16. 7%	83. 3%
	Grade 11	8. 1%	12. 0%	19. 4%	80. 6%
	Grade 12	8. 5%	11. 9%	19. 1%	80. 9%
Revised Border - Grades 7-12 Spring 1998					

Table B1 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AA					
Crack	All	1. 5%	2. 3%	3. 9%	96. 1%
	Grade 7	1. 2%	1. 7%	2. 8%	97. 2%
	Grade 8	1. 5%	2. 3%	3. 9%	96. 1%
	Grade 9	1. 7%	2. 7%	4. 6%	95. 4%
	Grade 10	1. 5%	2. 4%	3. 8%	96. 2%
	Grade 11	1. 6%	2. 2%	4. 0%	96. 0%
	Grade 12	1. 4%	2. 0%	3. 9%	96. 1%
AA					
Hal lucinogens	All	1. 4%	2. 2%	4. 0%	96. 0%
	Grade 7	0. 8%	1. 2%	1. 9%	98. 1%
	Grade 8	1. 0%	1. 4%	2. 5%	97. 5%
	Grade 9	1. 6%	2. 3%	4. 1%	95. 9%
	Grade 10	1. 4%	2. 5%	4. 4%	95. 6%
	Grade 11	1. 6%	3. 1%	6. 1%	93. 9%
	Grade 12	1. 9%	2. 8%	5. 7%	94. 3%
AA					
Uppers	All	2. 8%	4. 3%	7. 1%	92. 9%
	Grade 7	1. 5%	2. 1%	3. 2%	96. 8%
	Grade 8	2. 0%	3. 2%	5. 1%	94. 9%
	Grade 9	3. 5%	5. 0%	7. 9%	92. 1%
	Grade 10	3. 1%	5. 4%	8. 7%	91. 3%
	Grade 11	3. 4%	5. 8%	9. 8%	90. 2%
	Grade 12	3. 0%	4. 6%	8. 8%	91. 2%
AA					
Downers	All	3. 0%	4. 8%	7. 7%	92. 3%
	Grade 7	1. 3%	2. 0%	3. 0%	97. 0%
	Grade 8	2. 1%	3. 3%	5. 2%	94. 8%
	Grade 9	3. 8%	5. 5%	8. 5%	91. 5%
	Grade 10	3. 8%	6. 4%	9. 9%	90. 1%
	Grade 11	3. 9%	6. 7%	11. 0%	89. 0%
	Grade 12	2. 9%	4. 9%	9. 6%	90. 4%
AA					
Rohypnol	All	5. 0%	8. 2%	13. 4%	86. 6%
	Grade 7	3. 3%	4. 8%	7. 4%	92. 6%
	Grade 8	4. 8%	7. 4%	11. 5%	88. 5%
	Grade 9	6. 4%	9. 7%	15. 5%	84. 5%
	Grade 10	5. 6%	10. 3%	16. 6%	83. 4%
	Grade 11	4. 8%	9. 0%	16. 3%	83. 7%
	Grade 12	4. 7%	7. 4%	13. 2%	86. 8%

98Bord712.out

Steroids					
All	0.6%	1.0%	1.8%	98.2%	
Grade 7	0.7%	1.1%	2.0%	98.0%	
Grade 8	0.9%	1.3%	2.3%	97.7%	
Grade 9	0.6%	0.9%	1.5%	98.5%	
Grade 10	0.5%	0.7%	1.4%	98.6%	
Grade 11	0.4%	0.6%	1.4%	98.6%	
Grade 12	0.8%	1.2%	2.1%	97.9%	
Ecstasy					
All	0.7%	1.1%	2.1%	97.9%	
Grade 7	0.3%	0.6%	0.9%	99.1%	
Grade 8	0.6%	0.8%	1.3%	98.7%	
Grade 9	1.0%	1.4%	2.3%	97.7%	
Grade 10	0.9%	1.3%	2.4%	97.6%	
Grade 11	0.7%	1.2%	3.6%	96.4%	
Grade 12	0.6%	1.1%	2.4%	97.6%	
Heroin					
All	0.6%	1.0%	1.9%	98.1%	
Grade 7	0.7%	1.1%	2.3%	97.7%	
Grade 8	0.9%	1.5%	2.7%	97.3%	
Grade 9	0.8%	1.2%	1.9%	98.1%	
Grade 10	0.5%	0.7%	1.5%	98.5%	
Grade 11	0.4%	0.5%	1.6%	98.4%	
Grade 12	0.5%	0.6%	1.2%	98.8%	

Revised Border - Grades 7-12
Spring 1998

Table B2: Prevalence and recency of use of selected substances by grade
--> Male students

					Past Month	School Year	Ever Used	Never Used
Tobacco								
All	29.5%	39.3%	59.0%	41.0%				
Grade 7	17.5%	24.7%	43.7%	56.3%				
Grade 8	23.2%	32.8%	53.0%	47.0%				
Grade 9	30.3%	39.9%	60.9%	39.1%				
Grade 10	32.0%	42.2%	62.6%	37.4%				
Grade 11	39.6%	51.3%	71.1%	28.9%				
Grade 12	39.6%	50.8%	67.9%	32.1%				
Alcohol								
All	44.5%	56.2%	74.6%	25.4%				
Grade 7	27.6%	36.4%	59.2%	40.8%				
Grade 8	36.1%	46.9%	68.3%	31.7%				
Grade 9	44.1%	56.8%	74.7%	25.3%				
Grade 10	49.9%	63.4%	80.1%	19.9%				
Grade 11	57.8%	69.7%	86.4%	13.6%				
Grade 12	59.3%	71.7%	84.5%	15.5%				
Inhalants								
All	9.2%	12.7%	21.8%	78.2%				
Grade 7	13.5%	17.1%	26.0%	74.0%				
Grade 8	12.3%	16.4%	25.6%	74.4%				
Grade 9	9.4%	13.5%	22.6%	77.4%				
Grade 10	6.0%	10.1%	18.1%	81.9%				
Grade 11	7.0%	9.1%	20.4%	79.6%				
Grade 12	4.7%	7.2%	15.2%	84.8%				
Any Illicit Drug								
All	19.1%	25.8%	38.1%	61.9%				
Grade 7	11.3%	14.8%	21.8%	78.2%				
Grade 8	15.9%	20.8%	31.0%	69.0%				

98Bord712. out					
	Grade 9	20.7%	27.5%	40.5%	59.5%
	Grade 10	22.1%	30.8%	45.1%	54.9%
	Grade 11	23.1%	32.0%	47.8%	52.2%
	Grade 12	23.0%	31.6%	46.6%	53.4%
AA					
Marijuana	All	15.8%	22.6%	35.7%	64.3%
	Grade 7	9.0%	12.6%	19.5%	80.5%
	Grade 8	13.3%	18.4%	28.7%	71.3%
	Grade 9	17.3%	24.4%	37.7%	62.3%
	Grade 10	18.7%	26.5%	43.6%	56.4%
	Grade 11	19.0%	28.0%	44.7%	55.3%
	Grade 12	18.7%	28.1%	44.4%	55.6%
AA					
Marijuana Only	All	4.6%	7.1%	14.2%	85.8%
	Grade 7	3.6%	5.2%	9.6%	90.4%
	Grade 8	5.1%	7.2%	13.1%	86.9%
	Grade 9	4.6%	7.5%	14.8%	85.2%
	Grade 10	5.6%	8.4%	17.1%	82.9%
	Grade 11	4.5%	7.3%	16.1%	83.9%
	Grade 12	3.9%	7.2%	14.7%	85.3%
AA					
Cocaine or Crack	All	8.2%	11.4%	17.2%	82.8%
	Grade 7	3.3%	4.6%	6.8%	93.2%
	Grade 8	5.1%	7.4%	11.6%	88.4%
	Grade 9	8.4%	11.7%	17.7%	82.3%
	Grade 10	10.1%	13.6%	20.0%	80.0%
	Grade 11	11.1%	16.2%	24.9%	75.1%
	Grade 12	13.1%	18.0%	26.4%	73.6%
AA					
Cocaine	All	8.0%	11.3%	17.1%	82.9%
	Grade 7	2.8%	4.1%	6.2%	93.8%
	Grade 8	4.8%	7.1%	11.3%	88.7%
	Grade 9	8.3%	11.6%	17.6%	82.4%
	Grade 10	10.0%	13.5%	20.1%	79.9%
	Grade 11	10.9%	16.1%	25.0%	75.0%
	Grade 12	13.3%	18.2%	26.8%	73.2%

Revised Border - Grades 7-12
Spring 1998

Table B2 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AA					
Crack	All	1.9%	3.0%	4.8%	95.2%
	Grade 7	1.3%	1.9%	2.7%	97.3%
	Grade 8	1.7%	2.7%	4.4%	95.6%
	Grade 9	2.5%	4.2%	6.1%	93.9%
	Grade 10	2.0%	2.9%	4.4%	95.6%
	Grade 11	2.0%	2.7%	5.4%	94.6%
	Grade 12	2.1%	3.1%	6.1%	93.9%
AA					
Hallogens	All	1.8%	2.8%	4.9%	95.1%
	Grade 7	1.0%	1.6%	2.5%	97.5%
	Grade 8	1.1%	1.5%	2.8%	97.2%
	Grade 9	2.1%	3.0%	5.1%	94.9%
	Grade 10	2.0%	3.1%	5.2%	94.8%
	Grade 11	2.3%	3.8%	7.2%	92.8%
	Grade 12	2.9%	4.3%	8.0%	92.0%

		98Bord712. out			
Uppers	All	3.2%	4.8%	7.3%	92.7%
	Grade 7	1.5%	2.1%	3.1%	96.9%
	Grade 8	2.0%	3.3%	4.9%	95.1%
	Grade 9	3.7%	5.3%	8.1%	91.9%
	Grade 10	4.3%	6.3%	9.0%	91.0%
	Grade 11	3.6%	6.3%	9.9%	90.1%
Grade 12	4.3%	6.4%	9.9%	90.1%	
AA					
Downers	All	3.5%	5.7%	8.6%	91.4%
	Grade 7	1.4%	2.1%	3.1%	96.9%
	Grade 8	2.4%	3.6%	5.4%	94.6%
	Grade 9	4.3%	6.2%	9.6%	90.4%
	Grade 10	4.3%	7.0%	10.3%	89.7%
	Grade 11	4.5%	8.8%	13.1%	86.9%
Grade 12	4.4%	7.1%	11.5%	88.5%	
AA					
Rohypnol	All	5.7%	9.3%	14.3%	85.7%
	Grade 7	3.4%	4.9%	7.3%	92.7%
	Grade 8	5.1%	7.4%	11.2%	88.8%
	Grade 9	7.3%	10.9%	16.8%	83.2%
	Grade 10	6.9%	11.8%	17.3%	82.7%
	Grade 11	5.2%	11.4%	18.6%	81.4%
Grade 12	6.1%	9.7%	14.7%	85.3%	
AA					
Steroi ds	All	1.0%	1.4%	2.4%	97.6%
	Grade 7	0.8%	1.2%	2.1%	97.9%
	Grade 8	1.0%	1.4%	2.6%	97.4%
	Grade 9	1.0%	1.3%	2.0%	98.0%
	Grade 10	0.9%	1.3%	2.1%	97.9%
	Grade 11	0.8%	1.1%	2.0%	98.0%
Grade 12	1.5%	2.2%	4.0%	96.0%	
AA					
Ecstasy	All	0.9%	1.3%	2.4%	97.6%
	Grade 7	0.4%	0.7%	1.0%	99.0%
	Grade 8	0.6%	0.8%	1.2%	98.8%
	Grade 9	1.2%	1.8%	2.7%	97.3%
	Grade 10	1.2%	1.8%	2.8%	97.2%
	Grade 11	0.8%	1.3%	4.0%	96.0%
Grade 12	0.9%	1.4%	3.3%	96.7%	
AA					
Heroin	All	0.8%	1.2%	2.2%	97.8%
	Grade 7	0.6%	1.1%	2.3%	97.7%
	Grade 8	1.1%	1.7%	3.1%	96.9%
	Grade 9	1.0%	1.5%	2.3%	97.7%
	Grade 10	0.8%	0.8%	1.9%	98.1%
	Grade 11	0.5%	0.7%	1.9%	98.1%
Grade 12	0.6%	0.8%	1.7%	98.3%	
Revised Border - Grades 7-12 Spring 1998					

Table B3: Prevalence and recency of use of selected substances by grade
--> Female students

		Past Month	School Year	Ever Used	Never Used
AA					
Tobacco	All	22.7%	32.1%	52.2%	47.8%
	Grade 7	14.8%	21.2%	38.5%	61.5%
	Grade 8	20.3%	29.9%	49.5%	50.5%
	Grade 9	25.1%	34.3%	54.5%	45.5%

Table B3 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.1%	1.6%	3.0%	97.0%
	Grade 7	1.1%	1.5%	2.9%	97.1%
	Grade 8	1.2%	1.9%	3.4%	96.6%
	Grade 9	1.0%	1.4%	3.2%	96.8%
	Grade 10	1.1%	2.0%	3.2%	96.8%
	Grade 11	1.1%	1.6%	2.7%	97.3%
	Grade 12	0.9%	1.1%	2.0%	98.0%
Hal l uci nogens	All	0.9%	1.6%	3.1%	96.9%
	Grade 7	0.5%	0.8%	1.3%	98.7%
	Grade 8	0.9%	1.3%	2.3%	97.7%
	Grade 9	1.1%	1.7%	3.3%	96.7%
	Grade 10	0.9%	2.0%	3.7%	96.3%
	Grade 11	0.9%	2.4%	5.1%	94.9%
	Grade 12	1.1%	1.5%	3.6%	96.4%
Uppers	All	2.4%	3.9%	6.9%	93.1%
	Grade 7	1.5%	2.2%	3.3%	96.7%
	Grade 8	2.0%	3.2%	5.2%	94.8%
	Grade 9	3.4%	4.7%	7.8%	92.2%
	Grade 10	1.9%	4.7%	8.4%	91.6%
	Grade 11	3.3%	5.4%	9.7%	90.3%
	Grade 12	1.8%	3.0%	7.7%	92.3%
Downers	All	2.5%	4.0%	6.8%	93.2%
	Grade 7	1.3%	1.8%	2.8%	97.2%
	Grade 8	1.9%	3.1%	5.0%	95.0%
	Grade 9	3.4%	5.0%	7.4%	92.6%
	Grade 10	3.3%	5.9%	9.5%	90.5%
	Grade 11	3.3%	4.7%	8.9%	91.1%
	Grade 12	1.6%	3.0%	7.9%	92.1%
Rohypnol	All	4.4%	7.1%	12.6%	87.4%
	Grade 7	3.2%	4.7%	7.6%	92.4%
	Grade 8	4.6%	7.5%	11.8%	88.2%
	Grade 9	5.6%	8.6%	14.2%	85.8%
	Grade 10	4.4%	9.0%	15.9%	84.1%
	Grade 11	4.3%	6.7%	14.1%	85.9%
	Grade 12	3.5%	5.4%	11.9%	88.1%
Steroi ds	All	0.3%	0.6%	1.2%	98.8%
	Grade 7	0.6%	1.0%	1.8%	98.2%
	Grade 8	0.7%	1.1%	2.1%	97.9%
	Grade 9	0.3%	0.5%	0.9%	99.1%
	Grade 10	0.1%	0.2%	0.7%	99.3%
	Grade 11	0.1%	0.2%	0.8%	99.2%
	Grade 12	0.1%	0.4%	0.5%	99.5%
Ecstasy	All	0.5%	0.9%	1.8%	98.2%
	Grade 7	0.3%	0.6%	0.8%	99.2%
	Grade 8	0.5%	0.9%	1.4%	98.6%
	Grade 9	0.7%	1.0%	2.0%	98.0%
	Grade 10	0.5%	0.9%	2.1%	97.9%

98Bord712.out

	Grade 11	Grade 12	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Heroin	0.5%	0.4%	0.5%	0.7%	0.8%	0.5%	0.2%	0.2%	0.4%
	1.0%	0.8%	0.8%	1.2%	1.2%	0.9%	0.5%	0.3%	0.4%
	3.2%	1.4%	1.6%	2.3%	2.3%	1.6%	1.2%	1.3%	0.8%
	96.8%	98.6%	98.4%	97.7%	97.7%	98.4%	98.8%	98.7%	99.2%
Revised Border - Grades 7-12 Spring 1998									

Table B4: Prevalence and recency of use of selected substances by grade --> White students

	All	Past Month	School Year	Ever Used	Never Used
Tobacco	31.3%	41.3%	58.2%	41.8%	
	16.2%	25.5%	41.3%	58.7%	
	20.0%	34.4%	51.8%	48.2%	
	32.5%	40.9%	62.1%	37.9%	
	35.0%	43.9%	61.5%	38.5%	
	42.3%	52.5%	67.5%	32.5%	
	44.2%	53.4%	65.6%	34.4%	
Alcohol	43.3%	57.0%	74.3%	25.7%	
	22.1%	33.8%	55.9%	44.1%	
	28.3%	45.3%	68.6%	31.4%	
	47.7%	60.4%	75.3%	24.7%	
	50.5%	63.5%	77.8%	22.2%	
	56.1%	68.6%	84.4%	15.6%	
	56.2%	72.8%	86.8%	13.2%	
Inhalants	8.3%	11.8%	20.2%	79.8%	
	8.6%	14.0%	21.5%	78.5%	
	11.1%	15.0%	24.9%	75.1%	
	9.8%	12.9%	22.7%	77.3%	
	7.7%	12.7%	18.8%	81.2%	
	5.6%	7.7%	16.7%	83.3%	
	6.4%	7.6%	14.8%	85.2%	
Any Illicit Drug	14.9%	22.1%	32.6%	67.4%	
	7.3%	9.8%	15.2%	84.8%	
	9.4%	14.7%	23.8%	76.2%	
	17.1%	22.7%	29.4%	70.6%	
	17.4%	27.7%	42.7%	57.3%	
	17.7%	26.8%	39.6%	60.4%	
	21.1%	33.2%	49.2%	50.8%	
Marijuana	12.3%	20.0%	30.2%	69.8%	
	5.5%	8.2%	12.3%	87.7%	
	7.0%	11.2%	20.2%	79.8%	
	14.7%	21.1%	27.7%	72.3%	
	15.1%	25.9%	40.2%	59.8%	
	14.8%	25.6%	38.4%	61.6%	
	17.0%	29.3%	46.2%	53.8%	
Marijuana Only	2.9%	6.1%	12.6%	87.4%	

98Bord712.out

	Grade 7	2.2%	3.1%	5.9%	94.1%
	Grade 8	2.1%	3.8%	9.1%	90.9%
	Grade 9	4.3%	8.3%	13.2%	86.8%
	Grade 10	2.1%	6.4%	16.1%	83.9%
	Grade 11	3.8%	8.9%	16.6%	83.4%
	Grade 12	2.7%	4.9%	14.8%	85.2%
AA					
Cocaine or Crack	All	3.9%	7.0%	11.2%	88.8%
	Grade 7	1.1%	2.0%	3.2%	96.8%
	Grade 8	2.0%	4.8%	7.6%	92.4%
	Grade 9	4.0%	5.9%	10.3%	89.7%
	Grade 10	4.7%	8.9%	15.6%	84.4%
	Grade 11	5.0%	9.1%	11.7%	88.3%
	Grade 12	7.5%	12.6%	21.1%	78.9%
AA					
Cocaine	All	3.9%	7.0%	11.2%	88.8%
	Grade 7	1.1%	2.0%	2.9%	97.1%
	Grade 8	1.9%	4.7%	7.4%	92.6%
	Grade 9	3.9%	5.7%	10.3%	89.7%
	Grade 10	4.5%	8.7%	15.6%	84.4%
	Grade 11	5.1%	9.4%	11.8%	88.2%
	Grade 12	7.7%	12.9%	21.5%	78.5%

Revised Border - Grades 7-12
Spring 1998

Table B4 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AA					
Crack	All	0.8%	1.8%	3.6%	96.4%
	Grade 7	0.1%	0.8%	1.2%	98.8%
	Grade 8	1.1%	2.0%	3.1%	96.9%
	Grade 9	1.7%	2.5%	5.6%	94.4%
	Grade 10	0.5%	1.5%	4.5%	95.5%
	Grade 11	0.5%	1.1%	2.4%	97.6%
	Grade 12	0.7%	2.9%	4.3%	95.7%
AA					
Hallucinogens	All	2.4%	3.8%	7.3%	92.7%
	Grade 7	1.4%	2.4%	3.8%	96.2%
	Grade 8	1.1%	2.2%	4.1%	95.9%
	Grade 9	2.0%	3.4%	6.4%	93.6%
	Grade 10	3.7%	4.9%	8.0%	92.0%
	Grade 11	3.6%	5.0%	8.8%	91.2%
	Grade 12	2.9%	5.3%	14.6%	85.4%
AA					
Uppers	All	3.8%	6.6%	10.0%	90.0%
	Grade 7	1.1%	1.8%	3.8%	96.2%
	Grade 8	1.9%	4.1%	6.8%	93.2%
	Grade 9	5.5%	6.6%	9.6%	90.4%
	Grade 10	5.1%	10.3%	16.1%	83.9%
	Grade 11	3.9%	7.3%	10.0%	90.0%
	Grade 12	4.6%	9.9%	13.7%	86.3%
AA					
Downers	All	2.6%	4.5%	8.2%	91.8%
	Grade 7	0.9%	1.4%	3.4%	96.6%
	Grade 8	1.5%	2.9%	5.3%	94.7%
	Grade 9	3.5%	5.1%	9.1%	90.9%
	Grade 10	3.1%	7.2%	11.6%	88.4%
	Grade 11	3.3%	5.1%	8.5%	91.5%

98Bord712. out

	Grade 12	2. 7%	5. 3%	11. 1%	88. 9%
AAAAA	Al l	3. 6%	6. 6%	10. 0%	90. 0%
Rohypnol	Grade 7	1. 5%	2. 9%	4. 2%	95. 8%
	Grade 8	2. 4%	5. 8%	7. 9%	92. 1%
	Grade 9	5. 4%	8. 2%	9. 6%	90. 4%
	Grade 10	6. 1%	9. 3%	13. 4%	86. 6%
	Grade 11	2. 4%	5. 5%	10. 8%	89. 2%
	Grade 12	2. 7%	8. 0%	15. 3%	84. 7%
AAAAA	Al l	0. 4%	0. 6%	1. 8%	98. 2%
Steroi ds	Grade 7	0. 4%	0. 4%	1. 5%	98. 5%
	Grade 8	0. 5%	0. 8%	1. 1%	98. 9%
	Grade 9	0. 5%	0. 9%	2. 2%	97. 8%
	Grade 10	0. 7%	1. 0%	2. 8%	97. 2%
	Grade 11	0. 1%	0. 1%	0. 8%	99. 2%
	Grade 12	0. 2%	0. 5%	2. 4%	97. 6%
AAAAA	Al l	0. 9%	2. 0%	3. 8%	96. 2%
Ecstasy	Grade 7	0. 3%	0. 6%	0. 9%	99. 1%
	Grade 8	0. 9%	1. 4%	2. 3%	97. 7%
	Grade 9	1. 4%	1. 8%	2. 9%	97. 1%
	Grade 10	2. 1%	2. 7%	6. 3%	93. 7%
	Grade 11	0. 2%	3. 0%	5. 2%	94. 8%
	Grade 12	0. 2%	2. 7%	5. 4%	94. 6%
AAAAA	Al l	0. 5%	0. 8%	2. 1%	97. 9%
Heroi n	Grade 7	0. 3%	0. 4%	0. 9%	99. 1%
	Grade 8	1. 6%	1. 9%	2. 6%	97. 4%
	Grade 9	0. 7%	1. 4%	3. 3%	96. 7%
	Grade 10	0. 2%	0. 2%	2. 3%	97. 7%
	Grade 11	0. 2%	0. 4%	1. 4%	98. 6%
	Grade 12	0. 1%	0. 2%	1. 5%	98. 5%

Revi sed Border - Grades 7-12
Spri ng 1998

Table B5: Prevalence and recency of use of selected substances by grade
--> Black students

		Past Month	School Year	Ever Used	Never Used
AAAAA	Al l	28. 7%	36. 6%	57. 0%	43. 0%
Tobacco	Grade 7	14. 4%	19. 4%	50. 4%	49. 6%
	Grade 8	31. 1%	34. 2%	56. 2%	43. 8%
	Grade 9	30. 9%	35. 9%	56. 9%	43. 1%
	Grade 10	31. 7%	43. 3%	57. 5%	42. 5%
	Grade 11	32. 6%	47. 3%	63. 0%	37. 0%
	Grade 12	33. 5%	40. 1%	60. 0%	40. 0%
AAAAA	Al l	44. 6%	60. 7%	77. 7%	22. 3%
Alcohol	Grade 7	21. 0%	32. 8%	62. 3%	37. 7%
	Grade 8	31. 1%	49. 0%	65. 8%	34. 2%
	Grade 9	55. 3%	75. 8%	86. 9%	13. 1%
	Grade 10	47. 8%	63. 9%	80. 9%	19. 1%
	Grade 11	57. 5%	75. 0%	89. 0%	11. 0%
	Grade 12	59. 6%	67. 8%	78. 8%	21. 2%
AAAAA	Al l	11. 5%	15. 1%	25. 1%	74. 9%
Inhalants	Grade 7	14. 8%	14. 8%	25. 3%	74. 7%

98Bord712. out					
	Grade 8	14.8%	17.5%	31.0%	69.0%
	Grade 9	21.9%	28.9%	32.2%	67.8%
	Grade 10	1.8%	10.5%	18.9%	81.1%
	Grade 11	2.7%	2.7%	19.6%	80.4%
	Grade 12	14.2%	14.2%	22.4%	77.6%
Any Illicit Drug	All	23.1%	28.1%	40.4%	59.6%
	Grade 7	11.6%	12.9%	22.4%	77.6%
	Grade 8	19.0%	24.7%	40.3%	59.7%
	Grade 9	34.9%	42.2%	48.6%	51.4%
	Grade 10	26.3%	30.8%	41.9%	58.1%
	Grade 11	23.2%	24.3%	43.5%	56.5%
	Grade 12	17.3%	31.0%	46.5%	53.5%
Marijuana	All	20.4%	26.6%	39.2%	60.8%
	Grade 7	10.0%	11.3%	22.6%	77.4%
	Grade 8	16.0%	22.4%	37.8%	62.2%
	Grade 9	26.0%	39.0%	45.1%	54.9%
	Grade 10	25.8%	30.2%	40.8%	59.2%
	Grade 11	23.4%	24.5%	43.9%	56.1%
	Grade 12	16.4%	30.3%	47.3%	52.7%
Marijuana Only	All	7.7%	10.0%	17.7%	82.3%
	Grade 7	1.8%	1.8%	7.6%	92.4%
	Grade 8	9.7%	13.2%	19.8%	80.2%
	Grade 9	8.1%	8.6%	12.3%	87.7%
	Grade 10	9.5%	13.1%	19.0%	81.0%
	Grade 11	12.4%	12.4%	27.4%	72.6%
	Grade 12	1.2%	11.7%	25.6%	74.4%
Cocaine or Crack	All	3.9%	6.3%	11.7%	88.3%
	Grade 7	4.4%	7.5%	10.0%	90.0%
	Grade 8	3.9%	3.9%	12.7%	87.3%
	Grade 9	2.1%	4.7%	11.0%	89.0%
	Grade 10	4.2%	4.2%	8.2%	91.8%
	Grade 11	2.2%	10.7%	16.1%	83.9%
	Grade 12	10.3%	10.3%	15.6%	84.4%
Cocaine	All	3.3%	5.8%	11.0%	89.0%
	Grade 7	2.4%	5.4%	8.0%	92.0%
	Grade 8	3.9%	3.9%	11.9%	88.1%
	Grade 9	0.7%	3.4%	10.1%	89.9%
	Grade 10	4.3%	4.3%	8.5%	91.5%
	Grade 11	1.8%	10.5%	16.1%	83.9%
	Grade 12	10.3%	10.3%	13.9%	86.1%

Revised Border - Grades 7-12
Spring 1998

Table B5 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.5%	2.3%	4.9%	95.1%
	Grade 7	4.4%	4.4%	5.9%	94.1%
	Grade 8	1.5%	2.4%	4.0%	96.0%
	Grade 9	1.5%	3.9%	8.8%	91.2%
	Grade 10	* %	* %	0.5%	99.5%
	Grade 11	0.6%	1.3%	6.4%	93.6%
	Grade 12	1.3%	1.3%	3.1%	96.9%

98Bord712.out

AA					
Hal lucinogens	All	1.9%	2.2%	6.3%	93.7%
	Grade 7	1.4%	1.4%	1.4%	98.6%
	Grade 8	* %	* %	* %	100.0%
	Grade 9	7.2%	7.2%	20.4%	79.6%
	Grade 10	* %	* %	3.8%	96.2%
	Grade 11	0.6%	3.0%	3.0%	97.0%
	Grade 12	* %	* %	4.9%	95.1%
AA					
Uppers	All	4.7%	6.2%	8.7%	91.3%
	Grade 7	5.1%	5.1%	6.1%	93.9%
	Grade 8	1.0%	2.6%	4.0%	96.0%
	Grade 9	11.6%	12.1%	12.8%	87.2%
	Grade 10	1.1%	5.1%	13.2%	86.8%
	Grade 11	5.0%	5.6%	6.5%	93.5%
	Grade 12	2.4%	4.0%	4.0%	96.0%
AA					
Downers	All	3.7%	4.7%	8.7%	91.3%
	Grade 7	2.8%	3.5%	5.1%	94.9%
	Grade 8	1.4%	3.0%	4.4%	95.6%
	Grade 9	9.5%	11.8%	12.5%	87.5%
	Grade 10	1.1%	1.7%	14.9%	85.1%
	Grade 11	0.8%	0.8%	2.2%	97.8%
	Grade 12	7.1%	7.1%	10.4%	89.6%
AA					
Rohypnol	All	3.9%	5.7%	10.0%	90.0%
	Grade 7	6.0%	6.0%	8.0%	92.0%
	Grade 8	0.9%	5.1%	7.3%	92.7%
	Grade 9	5.6%	9.3%	14.8%	85.2%
	Grade 10	1.7%	2.2%	10.1%	89.9%
	Grade 11	1.7%	3.7%	5.7%	94.3%
	Grade 12	10.5%	10.5%	14.9%	85.1%
AA					
Steroids	All	1.5%	2.6%	4.0%	96.0%
	Grade 7	1.3%	1.3%	3.4%	96.6%
	Grade 8	1.7%	1.7%	3.5%	96.5%
	Grade 9	1.6%	1.6%	5.7%	94.3%
	Grade 10	* %	4.7%	4.7%	95.3%
	Grade 11	1.8%	1.8%	1.8%	98.2%
	Grade 12	4.8%	4.8%	4.8%	95.2%
AA					
Ecstasy	All	2.3%	2.6%	4.8%	95.2%
	Grade 7	1.6%	2.9%	3.7%	96.3%
	Grade 8	1.0%	1.0%	1.0%	99.0%
	Grade 9	4.1%	4.1%	10.2%	89.8%
	Grade 10	1.1%	1.1%	5.1%	94.9%
	Grade 11	* %	* %	* %	100.0%
	Grade 12	9.3%	9.3%	9.3%	90.7%
AA					
Heroin	All	1.5%	2.1%	3.0%	97.0%
	Grade 7	3.0%	4.3%	5.8%	94.2%
	Grade 8	* %	2.2%	2.2%	97.8%
	Grade 9	2.5%	2.5%	2.5%	97.5%
	Grade 10	* %	* %	* %	100.0%
	Grade 11	* %	* %	3.8%	96.2%
	Grade 12	5.3%	5.3%	5.3%	94.7%
	Revised Border - Grades 7-12				
	Spring 1998				

Table B6: Prevalence and recency of use of selected substances by grade

98Bord712.out
 --> Mexi can/Ameri can students

		Past Month	School Year	Ever Used	Never Used	
AAAAA	Tobacco	All	25.9%	35.5%	55.6%	44.4%
		Grade 7	16.2%	23.0%	41.2%	58.8%
		Grade 8	21.9%	31.4%	51.2%	48.8%
		Grade 9	27.5%	37.1%	57.5%	42.5%
		Grade 10	27.7%	38.4%	59.5%	40.5%
		Grade 11	32.0%	43.1%	65.2%	34.8%
		Grade 12	32.9%	43.6%	62.2%	37.8%
AAAAA	Alcohol	All	43.0%	55.3%	74.9%	25.1%
		Grade 7	27.4%	36.0%	58.9%	41.1%
		Grade 8	36.6%	47.6%	69.8%	30.2%
		Grade 9	44.9%	57.7%	76.3%	23.7%
		Grade 10	48.4%	63.1%	81.2%	18.8%
		Grade 11	52.5%	65.9%	85.0%	15.0%
		Grade 12	52.5%	67.0%	82.7%	17.3%
AAAAA	Inhalants	All	8.9%	12.4%	21.0%	79.0%
		Grade 7	14.3%	18.0%	27.1%	72.9%
		Grade 8	12.8%	17.2%	26.4%	73.6%
		Grade 9	9.2%	13.0%	22.1%	77.9%
		Grade 10	5.7%	9.6%	17.4%	82.6%
		Grade 11	5.6%	8.0%	17.6%	82.4%
		Grade 12	3.3%	5.2%	11.3%	88.7%
AAAAA	Any Illicit Drug	All	15.6%	21.7%	33.3%	66.7%
		Grade 7	10.0%	12.9%	19.6%	80.4%
		Grade 8	13.5%	18.3%	27.9%	72.1%
		Grade 9	17.0%	23.1%	35.4%	64.6%
		Grade 10	18.2%	26.4%	39.7%	60.3%
		Grade 11	18.7%	26.6%	41.6%	58.4%
		Grade 12	17.2%	24.7%	38.5%	61.5%
AAAAA	Marijuana	All	12.6%	18.7%	30.1%	69.9%
		Grade 7	7.5%	10.4%	16.6%	83.4%
		Grade 8	11.1%	15.9%	25.0%	75.0%
		Grade 9	13.7%	19.9%	31.6%	68.4%
		Grade 10	14.6%	22.2%	36.0%	64.0%
		Grade 11	15.6%	23.3%	38.6%	61.4%
		Grade 12	14.1%	22.3%	36.3%	63.7%
AAAAA	Marijuana Only	All	3.6%	5.8%	11.9%	88.1%
		Grade 7	2.9%	4.0%	7.7%	92.3%
		Grade 8	3.7%	5.6%	10.8%	89.2%
		Grade 9	3.4%	5.7%	12.2%	87.8%
		Grade 10	4.2%	6.7%	13.9%	86.1%
		Grade 11	3.9%	6.6%	14.3%	85.7%
		Grade 12	3.3%	6.6%	13.7%	86.3%
AAAAA	Cocaine or Crack	All	6.2%	9.0%	14.0%	86.0%
		Grade 7	2.9%	4.2%	6.3%	93.7%
		Grade 8	4.1%	6.4%	10.0%	90.0%
		Grade 9	6.5%	9.4%	14.4%	85.6%
		Grade 10	7.6%	11.1%	17.0%	83.0%
		Grade 11	8.4%	12.3%	19.9%	80.1%
		Grade 12	8.6%	12.1%	19.0%	81.0%

AA					
Cocaine	All	5.9%	8.7%	13.7%	86.3%
	Grade 7	2.3%	3.6%	5.5%	94.5%
	Grade 8	3.8%	6.0%	9.6%	90.4%
	Grade 9	6.3%	9.2%	14.1%	85.9%
	Grade 10	7.4%	10.9%	16.9%	83.1%
	Grade 11	8.4%	12.2%	19.9%	80.1%
	Grade 12	8.7%	12.2%	19.1%	80.9%
Revised Border - Grades 7-12					
Spring 1998					

♀

Table B6 continued from previous page

AA					
		Past Month	School Year	Ever Used	Never Used
Crack	All	1.5%	2.3%	3.8%	96.2%
	Grade 7	1.2%	1.7%	2.9%	97.1%
	Grade 8	1.5%	2.2%	3.8%	96.2%
	Grade 9	1.7%	2.7%	4.5%	95.5%
	Grade 10	1.6%	2.5%	3.7%	96.3%
	Grade 11	1.6%	2.2%	4.0%	96.0%
	Grade 12	1.5%	2.1%	4.1%	95.9%
AA					
Hallogens	All	1.3%	2.0%	3.7%	96.3%
	Grade 7	0.7%	1.1%	1.8%	98.2%
	Grade 8	0.9%	1.3%	2.4%	97.6%
	Grade 9	1.5%	2.1%	3.8%	96.2%
	Grade 10	1.3%	2.3%	4.1%	95.9%
	Grade 11	1.3%	2.8%	5.5%	94.5%
	Grade 12	1.9%	2.7%	5.2%	94.8%
AA					
Uppers	All	2.7%	4.2%	6.9%	93.1%
	Grade 7	1.5%	2.2%	3.2%	96.8%
	Grade 8	2.0%	3.2%	4.9%	95.1%
	Grade 9	3.3%	4.8%	7.8%	92.2%
	Grade 10	2.9%	5.1%	8.0%	92.0%
	Grade 11	3.2%	5.6%	9.5%	90.5%
	Grade 12	3.0%	4.3%	8.6%	91.4%
AA					
Downers	All	3.0%	4.8%	7.6%	92.4%
	Grade 7	1.4%	2.0%	3.0%	97.0%
	Grade 8	2.1%	3.3%	5.1%	94.9%
	Grade 9	3.8%	5.5%	8.4%	91.6%
	Grade 10	3.8%	6.5%	9.7%	90.3%
	Grade 11	3.8%	6.9%	11.0%	89.0%
	Grade 12	3.0%	5.0%	9.7%	90.3%
AA					
Rohypnol	All	5.2%	8.3%	13.7%	86.3%
	Grade 7	3.4%	4.9%	7.7%	92.3%
	Grade 8	5.0%	7.5%	11.6%	88.4%
	Grade 9	6.6%	9.8%	15.9%	84.1%
	Grade 10	5.7%	10.4%	16.8%	83.2%
	Grade 11	5.0%	9.3%	16.8%	83.2%
	Grade 12	4.9%	7.6%	13.4%	86.6%
AA					
Steroids	All	0.6%	0.9%	1.7%	98.3%
	Grade 7	0.8%	1.1%	2.0%	98.0%
	Grade 8	0.8%	1.2%	2.2%	97.8%
	Grade 9	0.6%	0.8%	1.4%	98.6%

98Bord712. out

Grade 10	0.4%	0.6%	1.2%	98.8%	
Grade 11	0.4%	0.6%	1.4%	98.6%	
Grade 12	0.8%	1.1%	2.0%	98.0%	
AA					
Ecstasy	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.3%	0.6%	0.9%	99.1%
	Grade 8	0.5%	0.7%	1.1%	98.9%
	Grade 9	0.9%	1.4%	2.2%	97.8%
	Grade 10	0.7%	1.2%	2.1%	97.9%
	Grade 11	0.7%	1.1%	3.3%	96.7%
	Grade 12	0.6%	0.9%	2.1%	97.9%
AA					
Heroin	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.7%	1.1%	2.3%	97.7%
	Grade 8	0.9%	1.4%	2.7%	97.3%
	Grade 9	0.8%	1.1%	1.8%	98.2%
	Grade 10	0.5%	0.7%	1.5%	98.5%
	Grade 11	0.4%	0.5%	1.5%	98.5%
	Grade 12	0.5%	0.6%	1.2%	98.8%

Revised Border - Grades 7-12
Spring 1998

Table B7: Prevalence and recency of use of selected substances by grade
--> Students reporting A and B grades

		Past Month	School Year	Ever Used	Never Used
AA					
Tobacco	All	23.0%	32.1%	51.9%	48.1%
	Grade 7	13.0%	19.1%	36.7%	63.3%
	Grade 8	17.9%	26.6%	46.3%	53.7%
	Grade 9	23.6%	32.4%	52.9%	47.1%
	Grade 10	25.4%	35.9%	57.1%	42.9%
	Grade 11	29.2%	39.9%	60.6%	39.4%
	Grade 12	31.3%	41.7%	61.2%	38.8%
AA					
Alcohol	All	39.9%	52.8%	73.1%	26.9%
	Grade 7	23.8%	32.6%	55.4%	44.6%
	Grade 8	32.0%	43.7%	67.3%	32.7%
	Grade 9	41.2%	54.1%	73.6%	26.4%
	Grade 10	45.9%	61.6%	80.7%	19.3%
	Grade 11	49.4%	63.2%	83.1%	16.9%
	Grade 12	50.5%	65.5%	82.2%	17.8%
AA					
Inhalants	All	7.1%	10.1%	17.7%	82.3%
	Grade 7	11.3%	14.8%	23.2%	76.8%
	Grade 8	10.6%	14.4%	22.7%	77.3%
	Grade 9	7.2%	10.3%	18.2%	81.8%
	Grade 10	4.6%	8.1%	15.1%	84.9%
	Grade 11	4.8%	6.8%	14.9%	85.1%
	Grade 12	2.7%	4.6%	10.0%	90.0%
AA					
Any Illicit Drug	All	12.3%	18.1%	28.7%	71.3%
	Grade 7	6.8%	9.1%	14.7%	85.3%
	Grade 8	9.7%	13.8%	22.3%	77.7%
	Grade 9	12.8%	18.1%	29.1%	70.9%
	Grade 10	15.3%	23.6%	36.2%	63.8%
	Grade 11	15.3%	23.2%	36.6%	63.4%
	Grade 12	14.8%	22.4%	35.8%	64.2%
AA					

		98Bord712. out			
Marijuana	All	9.8%	15.4%	25.6%	74.4%
	Grade 7	4.9%	7.0%	11.8%	88.2%
	Grade 8	7.8%	11.7%	19.7%	80.3%
	Grade 9	10.1%	15.4%	25.4%	74.6%
	Grade 10	12.2%	19.4%	32.3%	67.7%
	Grade 11	12.6%	20.3%	33.9%	66.1%
	Grade 12	12.1%	20.2%	33.5%	66.5%
AA					
Marijuana Only	All	2.9%	5.0%	10.8%	89.2%
	Grade 7	2.0%	2.8%	5.7%	94.3%
	Grade 8	2.5%	4.1%	8.7%	91.3%
	Grade 9	2.7%	5.0%	10.9%	89.1%
	Grade 10	3.5%	6.1%	13.0%	87.0%
	Grade 11	3.5%	6.3%	14.5%	85.5%
	Grade 12	3.0%	6.3%	12.9%	87.1%
AA					
Cocaine or Crack	All	4.4%	6.8%	11.0%	89.0%
	Grade 7	1.6%	2.4%	4.1%	95.9%
	Grade 8	2.6%	4.3%	7.3%	92.7%
	Grade 9	4.2%	6.3%	10.5%	89.5%
	Grade 10	5.9%	9.2%	14.2%	85.8%
	Grade 11	6.2%	9.7%	15.2%	84.8%
	Grade 12	6.9%	10.0%	16.7%	83.3%
AA					
Cocaine	All	4.3%	6.6%	10.9%	89.1%
	Grade 7	1.3%	2.0%	3.5%	96.5%
	Grade 8	2.3%	4.0%	6.9%	93.1%
	Grade 9	4.1%	6.2%	10.4%	89.6%
	Grade 10	5.8%	9.0%	14.2%	85.8%
	Grade 11	6.1%	9.7%	15.2%	84.8%
	Grade 12	7.0%	10.1%	16.9%	83.1%

Revised Border - Grades 7-12
Spring 1998

Table B7 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AA					
Crack	All	1.0%	1.6%	2.9%	97.1%
	Grade 7	0.7%	1.1%	1.8%	98.2%
	Grade 8	0.8%	1.5%	2.9%	97.1%
	Grade 9	1.0%	1.9%	3.3%	96.7%
	Grade 10	1.1%	1.9%	2.9%	97.1%
	Grade 11	1.0%	1.5%	3.0%	97.0%
	Grade 12	1.4%	1.8%	3.6%	96.4%
AA					
Hallucinogens	All	1.1%	1.8%	3.3%	96.7%
	Grade 7	0.6%	1.0%	1.5%	98.5%
	Grade 8	0.7%	1.2%	2.2%	97.8%
	Grade 9	1.1%	1.6%	3.0%	97.0%
	Grade 10	1.2%	2.2%	3.9%	96.1%
	Grade 11	1.4%	2.4%	5.0%	95.0%
	Grade 12	1.6%	2.5%	5.1%	94.9%
AA					
Uppers	All	2.2%	3.5%	5.9%	94.1%
	Grade 7	1.1%	1.6%	2.5%	97.5%
	Grade 8	1.5%	2.5%	4.1%	95.9%
	Grade 9	2.7%	3.9%	6.4%	93.6%
	Grade 10	2.3%	4.5%	7.6%	92.4%

98Bord712. out

AAAAA				
Grade 11	2.7%	4.5%	7.4%	92.6%
Grade 12	2.8%	4.1%	7.8%	92.2%
Downers	All	2.2%	3.7%	6.1%
	Grade 7	1.0%	1.4%	2.2%
	Grade 8	1.5%	2.4%	3.9%
	Grade 9	2.5%	3.8%	6.2%
	Grade 10	3.1%	5.5%	8.7%
	Grade 11	2.9%	5.3%	8.3%
	Grade 12	2.4%	4.3%	8.3%
AAAAA				
Rohypnol	All	3.6%	6.2%	10.8%
	Grade 7	2.4%	3.5%	5.5%
	Grade 8	3.4%	5.3%	8.5%
	Grade 9	4.5%	6.9%	12.1%
	Grade 10	4.2%	8.6%	14.6%
	Grade 11	3.2%	6.8%	12.3%
	Grade 12	3.9%	6.2%	11.6%
AAAAA				
Steroi ds	All	0.5%	0.7%	1.4%
	Grade 7	0.6%	0.8%	1.5%
	Grade 8	0.6%	0.9%	1.9%
	Grade 9	0.5%	0.7%	1.2%
	Grade 10	0.4%	0.6%	1.2%
	Grade 11	0.4%	0.6%	1.3%
	Grade 12	0.4%	0.7%	1.3%
AAAAA				
Ecstasy	All	0.6%	0.9%	1.8%
	Grade 7	0.3%	0.4%	0.7%
	Grade 8	0.5%	0.8%	1.2%
	Grade 9	0.7%	1.1%	1.9%
	Grade 10	0.8%	1.1%	2.2%
	Grade 11	0.6%	1.0%	3.2%
	Grade 12	0.5%	0.9%	1.9%
AAAAA				
Heroi n	All	0.5%	0.7%	1.4%
	Grade 7	0.5%	0.8%	1.6%
	Grade 8	0.7%	1.2%	2.0%
	Grade 9	0.5%	0.7%	1.3%
	Grade 10	0.4%	0.5%	1.2%
	Grade 11	0.4%	0.5%	1.1%
	Grade 12	0.5%	0.6%	1.0%
Revised Border - Grades 7-12				
Spring 1998				

Table B8: Prevalence and recency of use of selected substances by grade
--> Students reporting C, D, and F grades

		Past Month	School Year	Ever Used	Never Used
AAAAA					
Tobacco	All	34.8%	45.5%	65.8%	34.2%
	Grade 7	24.2%	33.2%	52.5%	47.5%
	Grade 8	32.1%	44.0%	64.8%	35.2%
	Grade 9	37.1%	48.1%	68.8%	31.2%
	Grade 10	36.1%	46.6%	66.8%	33.2%
	Grade 11	42.6%	54.8%	78.6%	21.4%
	Grade 12	40.6%	50.5%	65.2%	34.8%
AAAAA					
Alcohol	All	50.6%	62.1%	79.1%	20.9%

98Bord712.out

	Grade 7	34.9%	43.7%	65.8%	34.2%
	Grade 8	46.3%	57.3%	75.9%	24.1%
	Grade 9	53.1%	65.7%	81.8%	18.2%
	Grade 10	54.9%	67.3%	81.7%	18.3%
	Grade 11	61.9%	74.0%	90.4%	9.6%
	Grade 12	59.1%	71.9%	83.7%	16.3%
AAAAA	All	13.9%	18.7%	30.2%	69.8%
Inhalants	Grade 7	20.6%	25.5%	35.9%	64.1%
	Grade 8	18.5%	24.6%	36.2%	63.8%
	Grade 9	14.3%	19.5%	31.7%	68.3%
	Grade 10	9.1%	14.3%	24.1%	75.9%
	Grade 11	8.1%	12.0%	26.0%	74.0%
	Grade 12	6.8%	8.4%	19.1%	80.9%
AAAAA	All	24.9%	32.2%	46.2%	53.8%
Any Illicit Drug	Grade 7	17.4%	21.8%	30.7%	69.3%
	Grade 8	23.4%	29.8%	42.9%	57.1%
	Grade 9	27.2%	35.1%	48.7%	51.3%
	Grade 10	26.5%	35.2%	50.8%	49.2%
	Grade 11	28.7%	37.6%	57.0%	43.0%
	Grade 12	27.9%	36.7%	52.8%	47.2%
AAAAA	All	20.7%	28.6%	43.1%	56.9%
Marijuana	Grade 7	13.9%	18.6%	27.5%	72.5%
	Grade 8	19.5%	26.4%	39.1%	60.9%
	Grade 9	22.4%	31.1%	45.3%	54.7%
	Grade 10	22.8%	31.7%	48.4%	51.6%
	Grade 11	24.5%	34.0%	54.0%	46.0%
	Grade 12	23.2%	32.9%	50.5%	49.5%
AAAAA	All	5.6%	8.3%	15.4%	84.6%
Marijuana Only	Grade 7	5.0%	6.7%	11.7%	88.3%
	Grade 8	6.7%	9.4%	16.4%	83.6%
	Grade 9	5.3%	8.1%	15.4%	84.6%
	Grade 10	5.9%	8.5%	17.2%	82.8%
	Grade 11	5.0%	8.2%	15.2%	84.8%
	Grade 12	5.4%	9.3%	18.5%	81.5%
AAAAA	All	10.2%	14.3%	21.3%	78.7%
Cocaine or Crack	Grade 7	5.8%	8.2%	11.2%	88.8%
	Grade 8	7.8%	11.3%	16.5%	83.5%
	Grade 9	10.9%	15.4%	22.1%	77.9%
	Grade 10	11.5%	16.0%	24.4%	75.6%
	Grade 11	13.5%	18.9%	31.5%	68.5%
	Grade 12	14.7%	19.3%	27.8%	72.2%
AAAAA	All	9.7%	13.9%	20.8%	79.2%
Cocaine	Grade 7	4.5%	7.1%	10.1%	89.9%
	Grade 8	7.2%	10.9%	16.1%	83.9%
	Grade 9	10.6%	15.1%	21.4%	78.6%
	Grade 10	11.2%	15.7%	24.4%	75.6%
	Grade 11	13.5%	18.8%	31.6%	68.4%
	Grade 12	14.7%	19.4%	27.8%	72.2%

Revised Border - Grades 7-12
Spring 1998

Table B8 continued from previous page

Past School Ever Never

♀

98Bord712. out

		Month	Year	Used	Used
Crack	All	2.8%	4.0%	6.5%	93.5%
	Grade 7	2.4%	3.3%	5.3%	94.7%
	Grade 8	3.2%	4.4%	6.5%	93.5%
	Grade 9	3.1%	4.7%	7.6%	92.4%
	Grade 10	2.9%	4.0%	6.4%	93.6%
	Grade 11	3.0%	4.0%	7.0%	93.0%
	Grade 12	1.8%	2.8%	5.2%	94.8%
Hal l uci nogens	All	2.1%	3.3%	5.9%	94.1%
	Grade 7	1.2%	1.8%	2.9%	97.1%
	Grade 8	1.6%	2.1%	3.6%	96.4%
	Grade 9	2.7%	3.9%	6.9%	93.1%
	Grade 10	2.1%	3.4%	6.2%	93.8%
	Grade 11	2.2%	5.2%	9.7%	90.3%
	Grade 12	3.5%	4.2%	7.7%	92.3%
Uppers	All	4.5%	6.7%	10.6%	89.4%
	Grade 7	2.5%	3.4%	5.1%	94.9%
	Grade 8	3.4%	5.2%	7.5%	92.5%
	Grade 9	5.6%	7.5%	11.6%	88.4%
	Grade 10	5.4%	8.4%	12.3%	87.7%
	Grade 11	5.5%	9.6%	16.8%	83.2%
	Grade 12	4.1%	6.4%	12.4%	87.6%
Downers	All	5.2%	7.8%	12.0%	88.0%
	Grade 7	2.2%	3.4%	4.9%	95.1%
	Grade 8	3.9%	5.9%	8.7%	91.3%
	Grade 9	6.9%	9.6%	13.8%	86.2%
	Grade 10	5.7%	9.5%	13.7%	86.3%
	Grade 11	7.0%	11.0%	18.9%	81.1%
	Grade 12	5.1%	7.5%	14.5%	85.5%
Rohypnol	All	9.0%	13.7%	20.9%	79.1%
	Grade 7	5.6%	8.2%	12.4%	87.6%
	Grade 8	8.8%	13.1%	19.5%	80.5%
	Grade 9	10.9%	16.3%	23.4%	76.6%
	Grade 10	10.0%	15.6%	22.8%	77.2%
	Grade 11	9.3%	15.5%	28.0%	72.0%
	Grade 12	8.2%	12.4%	19.2%	80.8%
Steroi ds	All	1.0%	1.6%	2.8%	97.2%
	Grade 7	1.0%	1.7%	3.1%	96.9%
	Grade 8	1.6%	2.1%	3.5%	96.5%
	Grade 9	0.9%	1.3%	2.1%	97.9%
	Grade 10	0.5%	1.2%	2.0%	98.0%
	Grade 11	0.4%	0.7%	1.4%	98.6%
	Grade 12	2.3%	3.4%	6.0%	94.0%
Ecstasy	All	1.0%	1.6%	2.9%	97.1%
	Grade 7	0.6%	1.0%	1.4%	98.6%
	Grade 8	0.7%	1.0%	1.4%	98.6%
	Grade 9	1.6%	2.1%	3.5%	96.5%
	Grade 10	1.1%	1.8%	3.0%	97.0%
	Grade 11	0.9%	1.6%	4.8%	95.2%
	Grade 12	1.0%	1.6%	4.4%	95.6%
Heroi n	All	1.1%	1.6%	3.4%	96.6%
	Grade 7	1.1%	1.9%	4.1%	95.9%

98Bord712. out				
Grade 12	2.7%	5.7%	12.1%	87.9%
AAAAA				
Cocaine or Crack	All	5.2%	7.7%	11.9%
	Grade 7	2.2%	3.3%	5.1%
	Grade 8	3.7%	5.5%	8.6%
	Grade 9	5.3%	7.4%	11.8%
	Grade 10	6.0%	9.4%	14.3%
	Grade 11	7.5%	11.8%	17.0%
	Grade 12	7.9%	11.1%	17.5%
AAAAA				
Cocaine	All	5.0%	7.5%	11.6%
	Grade 7	1.7%	2.7%	4.3%
	Grade 8	3.3%	5.1%	8.2%
	Grade 9	5.0%	7.2%	11.5%
	Grade 10	5.9%	9.2%	14.3%
	Grade 11	7.5%	11.7%	17.0%
	Grade 12	7.9%	11.2%	17.6%
	Revised Border - Grades 7-12			
	Spring 1998			

Table B9 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AAAAA					
Crack	All	1.3%	1.9%	3.3%	96.7%
	Grade 7	1.0%	1.5%	2.5%	97.5%
	Grade 8	1.2%	1.9%	3.4%	96.6%
	Grade 9	1.5%	2.4%	3.9%	96.1%
	Grade 10	1.0%	1.9%	3.1%	96.9%
	Grade 11	1.5%	2.0%	3.6%	96.4%
	Grade 12	1.3%	1.8%	3.2%	96.8%
AAAAA					
Hallogens	All	1.2%	1.9%	3.3%	96.7%
	Grade 7	0.6%	1.1%	1.6%	98.4%
	Grade 8	0.9%	1.3%	2.2%	97.8%
	Grade 9	1.2%	1.6%	3.0%	97.0%
	Grade 10	1.2%	2.2%	3.6%	96.4%
	Grade 11	1.2%	2.5%	4.9%	95.1%
	Grade 12	2.0%	2.8%	5.3%	94.7%
AAAAA					
Uppers	All	2.3%	3.7%	6.1%	93.9%
	Grade 7	1.1%	1.6%	2.3%	97.7%
	Grade 8	1.9%	2.9%	4.5%	95.5%
	Grade 9	2.5%	3.6%	6.3%	93.7%
	Grade 10	2.7%	5.0%	7.7%	92.3%
	Grade 11	3.3%	5.6%	8.8%	91.2%
	Grade 12	2.8%	4.1%	8.5%	91.5%
AAAAA					
Downers	All	2.4%	4.0%	6.5%	93.5%
	Grade 7	1.1%	1.6%	2.3%	97.7%
	Grade 8	1.8%	2.9%	4.4%	95.6%
	Grade 9	2.7%	4.0%	6.5%	93.5%
	Grade 10	2.6%	5.4%	8.2%	91.8%
	Grade 11	3.6%	5.9%	9.3%	90.7%
	Grade 12	2.7%	4.9%	9.5%	90.5%
AAAAA					
Rohypnol	All	4.5%	7.2%	11.6%	88.4%
	Grade 7	2.7%	4.0%	6.2%	93.8%
	Grade 8	4.5%	6.7%	10.0%	90.0%

98Bord712.out

	Grade 9	5.3%	7.9%	13.1%	86.9%
	Grade 10	5.1%	9.1%	13.9%	86.1%
	Grade 11	4.7%	8.3%	14.6%	85.4%
	Grade 12	4.8%	7.5%	12.5%	87.5%
AAAAA	All	0.7%	0.9%	1.7%	98.3%
Steroids	Grade 7	0.8%	1.1%	1.9%	98.1%
	Grade 8	0.9%	1.3%	2.2%	97.8%
	Grade 9	0.6%	0.9%	1.4%	98.6%
	Grade 10	0.5%	0.8%	1.5%	98.5%
	Grade 11	0.3%	0.5%	1.3%	98.7%
	Grade 12	0.8%	1.1%	2.0%	98.0%
AAAAA	All	0.6%	0.9%	1.7%	98.3%
Ecstasy	Grade 7	0.3%	0.6%	0.8%	99.2%
	Grade 8	0.5%	0.8%	1.2%	98.8%
	Grade 9	0.7%	1.0%	1.7%	98.3%
	Grade 10	0.7%	1.1%	2.0%	98.0%
	Grade 11	0.6%	1.0%	3.0%	97.0%
	Grade 12	0.6%	0.9%	2.2%	97.8%
AAAAA	All	0.6%	0.9%	1.8%	98.2%
Heroin	Grade 7	0.7%	1.1%	2.1%	97.9%
	Grade 8	0.9%	1.5%	2.6%	97.4%
	Grade 9	0.7%	1.0%	1.8%	98.2%
	Grade 10	0.5%	0.7%	1.3%	98.7%
	Grade 11	0.4%	0.5%	1.6%	98.4%
	Grade 12	0.5%	0.6%	1.0%	99.0%
	Revised Border - Grades 7-12				
	Spring 1998				

Table B10: Prevalence and recency of use of selected substances by grade
 --> Students not living with two parents

		Past Month	School Year	Ever Used	Never Used
AAAAA	All	30.5%	41.4%	63.9%	36.1%
Tobacco	Grade 7	20.7%	29.4%	51.4%	48.6%
	Grade 8	25.2%	37.0%	58.5%	41.5%
	Grade 9	34.0%	44.3%	66.5%	33.5%
	Grade 10	31.4%	43.4%	68.2%	31.8%
	Grade 11	36.1%	47.4%	70.4%	29.6%
	Grade 12	36.4%	47.9%	70.0%	30.0%
AAAAA	All	46.8%	60.4%	80.4%	19.6%
Alcohol	Grade 7	30.8%	41.0%	65.9%	34.1%
	Grade 8	39.4%	52.2%	75.4%	24.6%
	Grade 9	50.0%	63.7%	82.6%	17.4%
	Grade 10	53.3%	68.7%	85.6%	14.4%
	Grade 11	54.7%	68.5%	87.7%	12.3%
	Grade 12	54.4%	71.0%	86.9%	13.1%
AAAAA	All	10.7%	14.7%	25.5%	74.5%
Inhalants	Grade 7	16.8%	21.3%	32.0%	68.0%
	Grade 8	14.5%	19.7%	29.6%	70.4%
	Grade 9	12.1%	16.0%	27.9%	72.1%
	Grade 10	7.6%	11.9%	22.7%	77.3%
	Grade 11	6.5%	10.3%	22.2%	77.8%
	Grade 12	3.6%	5.8%	14.6%	85.4%

98Bord712.out

AA					
Any Illicit Drug	All	20.6%	28.4%	43.1%	56.9%
	Grade 7	13.9%	17.5%	27.1%	72.9%
	Grade 8	17.1%	24.0%	37.1%	62.9%
	Grade 9	23.9%	31.7%	44.7%	55.3%
	Grade 10	23.8%	34.0%	52.0%	48.0%
	Grade 11	22.6%	32.4%	52.0%	48.0%
	Grade 12	21.4%	30.9%	47.5%	52.5%
AA					
Marijuana	All	17.1%	25.2%	40.0%	60.0%
	Grade 7	10.8%	14.9%	23.9%	76.1%
	Grade 8	14.7%	21.6%	34.1%	65.9%
	Grade 9	19.6%	27.9%	41.8%	58.2%
	Grade 10	19.5%	28.9%	47.0%	53.0%
	Grade 11	19.7%	29.7%	49.8%	50.2%
	Grade 12	17.7%	28.6%	45.7%	54.3%
AA					
Marijuana Only	All	4.5%	7.3%	15.2%	84.8%
	Grade 7	3.5%	4.9%	10.4%	89.6%
	Grade 8	4.6%	7.2%	14.0%	86.0%
	Grade 9	4.6%	7.4%	14.7%	85.3%
	Grade 10	4.8%	7.5%	17.3%	82.7%
	Grade 11	4.2%	7.7%	17.6%	82.4%
	Grade 12	5.3%	9.5%	18.4%	81.6%
AA					
Cocaine or Crack	All	7.8%	11.3%	18.3%	81.7%
	Grade 7	4.5%	6.3%	9.1%	90.9%
	Grade 8	4.7%	8.1%	13.1%	86.9%
	Grade 9	8.4%	12.7%	19.1%	80.9%
	Grade 10	10.5%	14.5%	22.9%	77.1%
	Grade 11	9.5%	12.6%	25.2%	74.8%
	Grade 12	9.7%	13.6%	22.4%	77.6%
AA					
Cocaine	All	7.6%	11.0%	18.2%	81.8%
	Grade 7	3.8%	5.7%	8.4%	91.6%
	Grade 8	4.3%	7.6%	12.6%	87.4%
	Grade 9	8.2%	12.6%	18.9%	81.1%
	Grade 10	10.3%	14.3%	22.8%	77.2%
	Grade 11	9.4%	12.6%	25.4%	74.6%
	Grade 12	9.9%	13.7%	22.7%	77.3%

Revised Border - Grades 7-12
Spring 1998

Table B10 continued from previous page

AA					
		Past Month	School Year	Ever Used	Never Used
Crack	All	2.0%	3.0%	5.2%	94.8%
	Grade 7	1.7%	2.3%	3.7%	96.3%
	Grade 8	2.0%	3.2%	5.1%	94.9%
	Grade 9	2.0%	3.4%	6.2%	93.8%
	Grade 10	2.7%	3.6%	5.3%	94.7%
	Grade 11	1.6%	2.6%	5.2%	94.8%
	Grade 12	1.7%	2.5%	5.6%	94.4%
AA					
Hallucinogens	All	1.8%	2.9%	5.8%	94.2%
	Grade 7	1.0%	1.5%	2.5%	97.5%
	Grade 8	1.0%	1.8%	3.5%	96.5%
	Grade 9	2.6%	3.9%	6.8%	93.2%

98Bord712. out

	Grade 10	1.9%	3.2%	6.5%	93.5%
	Grade 11	2.5%	4.3%	9.3%	90.7%
	Grade 12	1.8%	2.6%	6.4%	93.6%
AA					
Uppers	All	3.8%	5.8%	9.5%	90.5%
	Grade 7	2.6%	3.5%	5.8%	94.2%
	Grade 8	2.4%	4.0%	6.6%	93.4%
	Grade 9	5.8%	8.1%	11.8%	88.2%
	Grade 10	3.9%	6.3%	11.2%	88.8%
	Grade 11	3.6%	6.1%	12.1%	87.9%
	Grade 12	3.5%	5.5%	9.1%	90.9%
AA					
Downers	All	4.4%	6.7%	10.7%	89.3%
	Grade 7	2.0%	3.0%	4.7%	95.3%
	Grade 8	2.9%	4.5%	7.1%	92.9%
	Grade 9	6.3%	9.1%	13.1%	86.9%
	Grade 10	6.4%	8.8%	14.0%	86.0%
	Grade 11	4.6%	8.8%	15.0%	85.0%
	Grade 12	3.4%	4.9%	9.8%	90.2%
AA					
Rohypnol	All	6.3%	10.6%	17.7%	82.3%
	Grade 7	5.0%	6.9%	10.6%	89.4%
	Grade 8	5.7%	9.3%	15.5%	84.5%
	Grade 9	9.1%	13.8%	20.9%	79.1%
	Grade 10	6.8%	13.3%	22.3%	77.7%
	Grade 11	5.0%	10.7%	20.5%	79.5%
	Grade 12	4.4%	7.3%	14.8%	85.2%
AA					
Steroids	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.6%	1.0%	2.1%	97.9%
	Grade 8	0.8%	1.2%	2.6%	97.4%
	Grade 9	0.6%	0.9%	1.7%	98.3%
	Grade 10	0.3%	0.7%	1.2%	98.8%
	Grade 11	0.7%	0.9%	1.5%	98.5%
	Grade 12	0.5%	1.2%	2.2%	97.8%
AA					
Ecstasy	All	0.9%	1.5%	3.0%	97.0%
	Grade 7	0.4%	0.8%	1.2%	98.8%
	Grade 8	0.7%	0.9%	1.5%	98.5%
	Grade 9	1.4%	2.3%	3.9%	96.1%
	Grade 10	1.3%	1.8%	3.3%	96.7%
	Grade 11	0.9%	1.4%	5.2%	94.8%
	Grade 12	0.6%	1.4%	2.8%	97.2%
AA					
Heroin	All	0.7%	1.0%	2.2%	97.8%
	Grade 7	0.7%	1.2%	2.8%	97.2%
	Grade 8	1.0%	1.5%	2.9%	97.1%
	Grade 9	0.9%	1.5%	2.3%	97.7%
	Grade 10	0.5%	0.6%	2.2%	97.8%
	Grade 11	0.4%	0.4%	1.4%	98.6%
	Grade 12	0.6%	0.7%	1.6%	98.4%

Revised Border - Grades 7-12
Spring 1998

Table B11: Prevalence and recency of use of selected substances by grade
--> Students who would seek help from adults for substance abuse problems

	Past Month	School Year	Ever Used	Never Used
AA				

98Bord712. out

Tobacco	All	23.7%	33.0%	53.1%	46.9%
	Grade 7	13.7%	19.9%	37.9%	62.1%
	Grade 8	19.1%	28.6%	48.5%	51.5%
	Grade 9	24.8%	33.9%	54.8%	45.2%
	Grade 10	26.2%	36.2%	57.1%	42.9%
	Grade 11	30.7%	41.8%	63.6%	36.4%
	Grade 12	30.9%	41.3%	60.4%	39.6%
AA					
Alcohol	All	40.7%	53.3%	73.6%	26.4%
	Grade 7	24.4%	32.9%	56.1%	43.9%
	Grade 8	33.2%	44.6%	67.6%	32.4%
	Grade 9	42.0%	54.9%	74.5%	25.5%
	Grade 10	47.0%	62.2%	80.5%	19.5%
	Grade 11	51.2%	64.7%	84.4%	15.6%
	Grade 12	50.2%	65.3%	82.4%	17.6%
AA					
Inhalants	All	7.7%	10.7%	18.7%	81.3%
	Grade 7	12.7%	16.0%	24.4%	75.6%
	Grade 8	11.3%	15.4%	24.0%	76.0%
	Grade 9	7.6%	10.6%	19.5%	80.5%
	Grade 10	5.5%	9.0%	16.0%	84.0%
	Grade 11	4.7%	6.8%	15.5%	84.5%
	Grade 12	2.7%	4.1%	9.8%	90.2%
AA					
Any Illicit Drug	All	13.2%	19.1%	30.2%	69.8%
	Grade 7	8.0%	10.2%	15.9%	84.1%
	Grade 8	11.3%	15.7%	25.0%	75.0%
	Grade 9	14.0%	19.9%	31.7%	68.3%
	Grade 10	15.4%	23.7%	36.8%	63.2%
	Grade 11	16.6%	24.4%	38.2%	61.8%
	Grade 12	14.8%	22.6%	36.6%	63.4%
AA					
Marijuana	All	10.6%	16.4%	27.3%	72.7%
	Grade 7	6.1%	8.4%	13.4%	86.6%
	Grade 8	9.3%	13.5%	22.2%	77.8%
	Grade 9	11.1%	17.0%	28.0%	72.0%
	Grade 10	12.4%	19.5%	33.4%	66.6%
	Grade 11	13.5%	21.4%	35.7%	64.3%
	Grade 12	12.1%	20.3%	34.4%	65.6%
AA					
Marijuana Only	All	3.1%	5.3%	11.4%	88.6%
	Grade 7	2.4%	3.3%	6.6%	93.4%
	Grade 8	3.2%	5.0%	10.0%	90.0%
	Grade 9	3.0%	5.4%	11.9%	88.1%
	Grade 10	3.3%	6.0%	13.4%	86.6%
	Grade 11	3.6%	6.4%	14.2%	85.8%
	Grade 12	2.8%	6.1%	13.3%	86.7%
AA					
Cocaine or Crack	All	4.8%	7.3%	12.0%	88.0%
	Grade 7	2.3%	3.2%	4.8%	95.2%
	Grade 8	3.1%	4.9%	8.3%	91.7%
	Grade 9	4.9%	7.3%	11.8%	88.2%
	Grade 10	5.7%	8.6%	14.4%	85.6%
	Grade 11	7.1%	10.9%	17.8%	82.2%
	Grade 12	6.7%	9.9%	17.2%	82.8%
AA					
Cocaine	All	4.7%	7.1%	11.8%	88.2%
	Grade 7	1.9%	2.8%	4.3%	95.7%
	Grade 8	2.9%	4.7%	8.0%	92.0%
	Grade 9	4.7%	7.2%	11.5%	88.5%

98Bord712. out

Grade 10	5.6%	8.5%	14.4%	85.6%
Grade 11	7.1%	10.9%	17.9%	82.1%
Grade 12	6.8%	10.0%	17.4%	82.6%
Revised Border - Grades 7-12 Spring 1998				

♀

Table B11 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.0%	1.6%	2.9%	97.1%
	Grade 7	0.8%	1.2%	2.1%	97.9%
	Grade 8	1.0%	1.6%	2.9%	97.1%
	Grade 9	1.1%	1.8%	3.4%	96.6%
	Grade 10	1.1%	1.7%	2.8%	97.2%
	Grade 11	1.1%	1.6%	3.2%	96.8%
	Grade 12	0.9%	1.2%	3.0%	97.0%
Hal l uci nogens	All	1.0%	1.6%	3.3%	96.7%
	Grade 7	0.5%	0.8%	1.4%	98.6%
	Grade 8	0.8%	1.2%	2.1%	97.9%
	Grade 9	1.1%	1.5%	3.1%	96.9%
	Grade 10	1.0%	1.8%	3.6%	96.4%
	Grade 11	1.1%	2.6%	5.3%	94.7%
	Grade 12	1.2%	2.0%	4.8%	95.2%
Uppers	All	2.1%	3.5%	6.0%	94.0%
	Grade 7	1.1%	1.7%	2.6%	97.4%
	Grade 8	1.6%	2.7%	4.2%	95.8%
	Grade 9	2.7%	4.0%	6.3%	93.7%
	Grade 10	2.4%	4.4%	7.5%	92.5%
	Grade 11	2.8%	5.0%	8.3%	91.7%
	Grade 12	1.9%	3.2%	7.6%	92.4%
Downers	All	2.4%	3.9%	6.4%	93.6%
	Grade 7	1.0%	1.4%	2.3%	97.7%
	Grade 8	1.7%	2.7%	4.2%	95.8%
	Grade 9	3.0%	4.5%	6.7%	93.3%
	Grade 10	3.3%	5.6%	9.0%	91.0%
	Grade 11	3.3%	5.6%	8.8%	91.2%
	Grade 12	2.2%	3.8%	8.5%	91.5%
Rohypnol	All	4.2%	6.9%	11.6%	88.4%
	Grade 7	2.8%	3.9%	6.0%	94.0%
	Grade 8	3.9%	6.2%	9.7%	90.3%
	Grade 9	4.9%	7.8%	13.2%	86.8%
	Grade 10	5.0%	9.2%	15.2%	84.8%
	Grade 11	4.2%	7.8%	14.2%	85.8%
	Grade 12	4.1%	6.4%	11.6%	88.4%
Steroi ds	All	0.6%	0.8%	1.4%	98.6%
	Grade 7	0.6%	0.8%	1.5%	98.5%
	Grade 8	0.7%	1.1%	1.9%	98.1%
	Grade 9	0.5%	0.6%	1.1%	98.9%
	Grade 10	0.4%	0.6%	1.1%	98.9%
	Grade 11	0.4%	0.6%	1.2%	98.8%
	Grade 12	0.8%	1.2%	1.7%	98.3%
Ecstasy	All	0.5%	0.8%	1.7%	98.3%

98Bord712. out

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Heroin	0.3%	0.4%	0.7%	0.6%	0.4%	0.3%
All	0.5%	0.7%	1.1%	1.0%	0.8%	0.7%
Grade 7	0.7%	1.0%	1.9%	2.1%	3.1%	1.8%
Grade 8	0.4%	0.7%	1.1%	1.4%	1.0%	0.9%
Grade 9	0.5%	0.8%	1.4%	1.0%	0.9%	0.9%
Grade 10	0.3%	0.8%	1.4%	1.0%	0.9%	0.9%
Grade 11	0.2%	0.3%	1.4%	0.9%	0.9%	0.9%
Grade 12	0.4%	0.5%	1.0%	0.9%	0.9%	0.9%

Table B12: Prevalence and recency of use of selected substances by grade
 --> Students who wouldn't seek help from adults for substance abuse problems

	All	Past Month	School Year	Ever Used	Never Used
Tobacco	35.4%	46.5%	65.4%	34.6%	47.0%
Grade 7	24.7%	34.5%	53.0%	37.7%	31.9%
Grade 8	32.1%	42.6%	62.3%	29.4%	30.3%
Grade 9	38.3%	49.7%	68.1%	29.4%	20.3%
Grade 10	36.4%	48.5%	69.0%	29.4%	17.9%
Grade 11	38.9%	51.1%	70.6%	15.2%	12.9%
Grade 12	42.6%	53.2%	69.7%	15.2%	15.2%
Alcohol	51.1%	63.6%	79.7%	20.3%	32.8%
Grade 7	35.2%	45.9%	67.2%	18.3%	17.9%
Grade 8	45.4%	56.5%	76.6%	12.9%	15.2%
Grade 9	55.2%	68.1%	81.7%	15.2%	15.2%
Grade 10	52.5%	66.3%	82.1%	15.2%	15.2%
Grade 11	57.5%	72.0%	87.1%	15.2%	15.2%
Grade 12	61.8%	73.8%	84.8%	15.2%	15.2%
Inhalants	13.5%	19.2%	29.8%	70.2%	63.8%
Grade 7	19.3%	25.3%	36.2%	63.5%	67.5%
Grade 8	19.7%	25.4%	36.5%	76.9%	73.9%
Grade 9	15.4%	22.3%	32.5%	76.9%	73.9%
Grade 10	8.0%	13.2%	23.1%	73.9%	79.6%
Grade 11	8.4%	13.6%	26.1%	73.9%	79.6%
Grade 12	7.1%	11.2%	20.4%	73.9%	79.6%
Any Illicit Drug	25.4%	32.6%	45.5%	54.5%	68.4%
Grade 7	16.8%	21.5%	31.6%	59.9%	52.1%
Grade 8	22.6%	29.0%	40.1%	49.7%	45.8%
Grade 9	28.4%	35.5%	47.9%	45.8%	50.4%
Grade 10	27.7%	36.9%	50.3%	45.8%	50.4%
Grade 11	27.3%	37.0%	54.2%	45.8%	50.4%
Grade 12	29.3%	35.9%	49.6%	45.8%	50.4%
Marijuana	21.0%	28.7%	41.5%	58.5%	73.4%
Grade 7	12.5%	17.1%	26.6%	63.7%	56.3%
Grade 8	18.6%	25.5%	36.3%	56.3%	55.2%
Grade 9	23.4%	31.2%	43.7%	55.2%	55.2%
Grade 10	23.4%	32.5%	44.8%	55.2%	55.2%

98Bord712. out

	Grade 11	Grade 12	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana Only	23.8%	24.4%	5.4%	4.7%	6.2%	5.0%	6.9%	3.9%	6.0%
	33.9%	32.6%	8.0%	6.0%	8.3%	7.4%	9.8%	7.5%	9.4%
	51.7%	47.2%	14.2%	10.9%	14.5%	13.7%	15.5%	14.9%	16.7%
	48.3%	52.8%	85.8%	89.1%	85.5%	86.3%	84.5%	85.1%	83.3%
Cocaine or Crack	10.7%	14.7%	4.8%	7.9%	11.0%	13.0%	12.6%	15.7%	15.8%
	20.4%	14.7%	7.6%	11.5%	14.9%	18.7%	16.9%	19.6%	19.6%
	11.9%	16.5%	21.6%	23.4%	24.6%	25.7%	24.6%	25.9%	25.9%
	88.1%	83.5%	78.4%	76.6%	75.4%	74.3%	80.1%	90.0%	84.4%
Cocaine	10.2%	14.2%	3.3%	7.4%	10.8%	12.7%	12.5%	15.8%	15.8%
	14.2%	6.1%	10.9%	14.9%	18.2%	16.5%	16.5%	19.6%	19.6%
	19.9%	10.0%	15.6%	21.3%	23.3%	24.4%	24.4%	25.9%	25.9%
	80.1%	90.0%	84.4%	78.7%	76.7%	75.6%	75.6%	74.1%	74.1%

Revised Border - Grades 7-12
Spring 1998

Table B12 continued from previous page

	All	Past Month	School Year	Ever Used	Never Used
Crack	3.2%	2.4%	3.4%	7.5%	92.5%
	4.8%	3.6%	5.2%	5.7%	94.3%
	4.8%	3.0%	5.6%	8.2%	91.8%
	4.8%	3.1%	4.4%	8.5%	91.5%
	4.8%	3.1%	4.4%	6.6%	93.4%
	4.8%	3.4%	4.7%	7.0%	93.0%
	4.8%	4.1%	5.3%	8.1%	91.9%
Hallogens	2.8%	1.4%	2.3%	6.6%	93.4%
	4.2%	1.5%	2.0%	3.2%	96.8%
	4.2%	3.0%	4.5%	4.2%	95.8%
	4.2%	3.1%	5.4%	7.2%	92.8%
	4.2%	3.1%	5.4%	7.8%	92.2%
	4.2%	2.4%	4.7%	8.1%	91.9%
	4.2%	5.9%	7.1%	9.8%	90.2%
Uppers	5.6%	2.9%	3.9%	12.0%	88.0%
	7.9%	4.3%	6.0%	5.5%	94.5%
	7.9%	6.4%	8.6%	9.2%	90.8%
	7.9%	6.4%	8.6%	14.2%	85.8%
	7.9%	6.2%	9.6%	13.3%	86.7%
	7.9%	5.2%	9.2%	15.4%	84.6%
	7.9%	8.5%	10.3%	14.3%	85.7%
Downers	5.4%	2.5%	4.0%	12.9%	87.1%
	8.7%	2.5%	4.0%	5.5%	94.5%

98Bord712.out

	Grade 8	4.3%	6.5%	9.6%	90.4%
	Grade 9	6.7%	9.3%	14.6%	85.4%
	Grade 10	5.5%	9.4%	13.0%	87.0%
	Grade 11	6.6%	13.0%	20.4%	79.6%
	Grade 12	6.4%	10.1%	14.8%	85.2%
AAAAA					
Rohypnol	All	8.7%	13.7%	20.4%	79.6%
	Grade 7	4.8%	7.6%	12.2%	87.8%
	Grade 8	9.1%	13.1%	18.4%	81.6%
	Grade 9	12.7%	17.6%	24.9%	75.1%
	Grade 10	8.0%	14.6%	22.3%	77.7%
	Grade 11	6.8%	14.9%	22.6%	77.4%
	Grade 12	7.9%	12.1%	19.8%	80.2%
AAAAA					
Steroids	All	1.0%	1.7%	3.2%	96.8%
	Grade 7	1.4%	2.5%	4.2%	95.8%
	Grade 8	1.7%	2.3%	3.9%	96.1%
	Grade 9	0.9%	1.5%	2.7%	97.3%
	Grade 10	0.8%	1.4%	2.8%	97.2%
	Grade 11	0.8%	1.2%	1.8%	98.2%
	Grade 12	0.6%	1.0%	4.3%	95.7%
AAAAA					
Ecstasy	All	1.5%	2.1%	3.7%	96.3%
	Grade 7	0.7%	1.3%	1.8%	98.2%
	Grade 8	1.4%	1.6%	2.5%	97.5%
	Grade 9	1.4%	2.2%	3.3%	96.7%
	Grade 10	2.1%	2.8%	3.6%	96.4%
	Grade 11	1.3%	2.3%	5.9%	94.1%
	Grade 12	2.2%	2.9%	5.5%	94.5%
AAAAA					
Heroin	All	1.4%	2.1%	3.7%	96.3%
	Grade 7	1.6%	2.7%	5.1%	94.9%
	Grade 8	1.8%	3.3%	5.5%	94.5%
	Grade 9	1.4%	2.0%	3.1%	96.9%
	Grade 10	1.4%	2.0%	3.6%	96.4%
	Grade 11	1.0%	1.3%	2.1%	97.9%
	Grade 12	1.1%	1.3%	2.4%	97.6%

Revised Border - Grades 7-12
Spring 1998

Table B13: Prevalence and recency of use of selected substances by grade
--> Students living in town three years or less

		Past Month	School Year	Ever Used	Never Used
AAAAA					
Tobacco	All	26.1%	35.6%	55.3%	44.7%
	Grade 7	16.2%	22.0%	41.0%	59.0%
	Grade 8	23.0%	31.7%	51.2%	48.8%
	Grade 9	28.4%	38.0%	57.2%	42.8%
	Grade 10	30.2%	41.5%	60.7%	39.3%
	Grade 11	33.7%	45.3%	65.9%	34.1%
	Grade 12	29.7%	42.3%	66.8%	33.2%
AAAAA					
Alcohol	All	41.6%	52.8%	72.4%	27.6%
	Grade 7	26.4%	33.9%	56.1%	43.9%
	Grade 8	34.8%	45.0%	66.9%	33.1%
	Grade 9	44.5%	56.1%	74.3%	25.7%
	Grade 10	50.0%	63.2%	81.3%	18.7%
	Grade 11	53.2%	66.1%	83.8%	16.2%

98Bord712. out					
	Grade 12	49.0%	63.7%	82.7%	17.3%
AAAAA	All	10.2%	14.0%	23.2%	76.8%
Inhalants	Grade 7	14.1%	17.5%	26.9%	73.1%
	Grade 8	12.6%	17.9%	26.9%	73.1%
	Grade 9	10.5%	14.2%	23.1%	76.9%
	Grade 10	7.7%	11.9%	20.8%	79.2%
	Grade 11	7.3%	10.2%	20.6%	79.4%
	Grade 12	4.0%	6.4%	13.7%	86.3%
AAAAA	All	16.6%	22.8%	34.3%	65.7%
Any Illicit Drug	Grade 7	11.1%	13.8%	20.6%	79.4%
	Grade 8	14.0%	18.9%	29.2%	70.8%
	Grade 9	18.1%	24.5%	34.6%	65.4%
	Grade 10	19.8%	28.9%	43.1%	56.9%
	Grade 11	20.3%	28.0%	44.2%	55.8%
	Grade 12	18.0%	28.1%	45.9%	54.1%
AAAAA	All	13.2%	19.8%	31.3%	68.7%
Marijuana	Grade 7	8.4%	11.0%	17.0%	83.0%
	Grade 8	11.0%	16.2%	26.3%	73.7%
	Grade 9	14.9%	21.9%	31.9%	68.1%
	Grade 10	15.2%	24.2%	39.3%	60.7%
	Grade 11	17.5%	25.4%	41.3%	58.7%
	Grade 12	13.0%	25.0%	44.4%	55.6%
AAAAA	All	3.4%	5.9%	12.0%	88.0%
Marijuana Only	Grade 7	2.9%	3.9%	7.4%	92.6%
	Grade 8	3.2%	5.2%	11.0%	89.0%
	Grade 9	3.5%	6.4%	11.6%	88.4%
	Grade 10	3.7%	6.9%	14.5%	85.5%
	Grade 11	3.6%	6.3%	15.4%	84.6%
	Grade 12	3.6%	9.2%	17.1%	82.9%
AAAAA	All	6.4%	9.0%	14.8%	85.2%
Cocaine or Crack	Grade 7	3.6%	4.6%	6.9%	93.1%
	Grade 8	5.1%	7.5%	12.0%	88.0%
	Grade 9	6.6%	9.8%	15.2%	84.8%
	Grade 10	8.3%	12.0%	20.1%	79.9%
	Grade 11	8.2%	11.7%	19.6%	80.4%
	Grade 12	8.1%	10.1%	20.6%	79.4%
AAAAA	All	6.1%	8.7%	14.4%	85.6%
Cocaine	Grade 7	3.0%	4.1%	6.1%	93.9%
	Grade 8	4.7%	7.2%	11.5%	88.5%
	Grade 9	6.3%	9.5%	15.1%	84.9%
	Grade 10	8.2%	11.7%	19.9%	80.1%
	Grade 11	8.2%	11.6%	19.4%	80.6%
	Grade 12	8.2%	10.4%	21.1%	78.9%
	Revised Border - Grades 7-12				
	Spring 1998				

Table B13 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AAAAA	All	1.7%	2.5%	4.4%	95.6%
Crack	Grade 7	1.6%	1.9%	3.0%	97.0%
	Grade 8	1.9%	2.7%	4.1%	95.9%

98Bord712. out

	Grade 9	2.2%	3.1%	5.0%	95.0%
	Grade 10	1.8%	3.3%	5.2%	94.8%
	Grade 11	1.4%	2.2%	5.2%	94.8%
	Grade 12	0.8%	1.0%	3.4%	96.6%
AA	All	1.4%	2.4%	5.0%	95.0%
Hal I uci nogens	Grade 7	1.0%	1.5%	2.4%	97.6%
	Grade 8	0.8%	1.6%	2.8%	97.2%
	Grade 9	1.6%	2.7%	5.1%	94.9%
	Grade 10	1.6%	3.0%	6.5%	93.5%
	Grade 11	2.0%	3.4%	7.5%	92.5%
	Grade 12	1.4%	2.5%	9.3%	90.7%
AA	All	3.3%	4.8%	7.6%	92.4%
Uppers	Grade 7	1.8%	2.5%	3.8%	96.2%
	Grade 8	2.2%	3.4%	5.5%	94.5%
	Grade 9	4.5%	5.9%	8.9%	91.1%
	Grade 10	3.3%	5.6%	9.2%	90.8%
	Grade 11	4.6%	6.6%	10.7%	89.3%
	Grade 12	3.7%	5.1%	9.7%	90.3%
AA	All	3.6%	5.3%	8.3%	91.7%
Downers	Grade 7	1.6%	2.4%	3.6%	96.4%
	Grade 8	2.7%	3.5%	5.6%	94.4%
	Grade 9	4.6%	6.3%	8.9%	91.1%
	Grade 10	4.7%	7.0%	11.8%	88.2%
	Grade 11	4.9%	8.3%	12.2%	87.8%
	Grade 12	2.9%	4.7%	10.6%	89.4%
AA	All	5.7%	8.6%	13.7%	86.3%
Rohypnol	Grade 7	4.2%	5.4%	8.1%	91.9%
	Grade 8	5.0%	7.3%	11.7%	88.3%
	Grade 9	7.6%	10.5%	16.1%	83.9%
	Grade 10	6.0%	11.1%	17.4%	82.6%
	Grade 11	5.7%	9.8%	16.3%	83.7%
	Grade 12	3.8%	6.3%	12.1%	87.9%
AA	All	0.7%	0.9%	1.8%	98.2%
Steroi ds	Grade 7	0.6%	0.9%	1.8%	98.2%
	Grade 8	0.8%	1.1%	2.1%	97.9%
	Grade 9	0.7%	1.0%	1.8%	98.2%
	Grade 10	0.6%	0.8%	1.6%	98.4%
	Grade 11	0.6%	0.7%	2.1%	97.9%
	Grade 12	0.5%	0.7%	1.3%	98.7%
AA	All	0.7%	1.3%	2.7%	97.3%
Ecstasy	Grade 7	0.3%	0.8%	1.0%	99.0%
	Grade 8	0.4%	0.9%	1.3%	98.7%
	Grade 9	1.3%	1.9%	3.1%	96.9%
	Grade 10	0.8%	1.3%	2.7%	97.3%
	Grade 11	0.6%	1.2%	5.5%	94.5%
	Grade 12	1.0%	1.9%	4.0%	96.0%
AA	All	0.7%	1.1%	2.3%	97.7%
Heroi n	Grade 7	0.7%	1.2%	2.5%	97.5%
	Grade 8	0.8%	1.4%	2.9%	97.1%
	Grade 9	0.7%	1.0%	1.9%	98.1%
	Grade 10	0.8%	1.1%	2.3%	97.7%
	Grade 11	0.4%	0.6%	1.8%	98.2%
	Grade 12	1.1%	1.1%	1.5%	98.5%

Table B14: Prevalence and recency of use of selected substances by grade
 --> Students living in town more than three years

		Past Month	School Year	Ever Used	Never Used
AAAAA	Tobacco				
	All	26.1%	35.7%	55.7%	44.3%
	Grade 7	16.0%	23.3%	41.2%	58.8%
	Grade 8	21.4%	31.3%	51.2%	48.8%
	Grade 9	27.2%	36.7%	57.8%	42.2%
	Grade 10	27.6%	38.0%	58.9%	41.1%
	Grade 11	32.4%	43.4%	65.2%	34.8%
	Grade 12	33.5%	43.6%	61.3%	38.7%
AAAAA	Alcohol				
	All	43.1%	56.0%	75.5%	24.5%
	Grade 7	27.1%	36.3%	59.3%	40.7%
	Grade 8	36.5%	48.2%	70.5%	29.5%
	Grade 9	44.6%	57.9%	76.7%	23.3%
	Grade 10	47.5%	62.9%	80.6%	19.4%
	Grade 11	52.4%	66.0%	85.3%	14.7%
	Grade 12	52.7%	67.3%	82.5%	17.5%
AAAAA	Inhalants				
	All	8.5%	12.0%	20.4%	79.6%
	Grade 7	13.8%	17.8%	26.7%	73.3%
	Grade 8	12.9%	17.1%	26.4%	73.6%
	Grade 9	9.0%	12.8%	22.0%	78.0%
	Grade 10	5.2%	9.1%	16.5%	83.5%
	Grade 11	5.0%	7.5%	16.9%	83.1%
	Grade 12	3.5%	5.3%	11.6%	88.4%
AAAAA	Any Illicit Drug				
	All	15.4%	21.5%	33.0%	67.0%
	Grade 7	9.3%	12.2%	18.7%	81.3%
	Grade 8	13.3%	18.1%	27.7%	72.3%
	Grade 9	16.7%	22.7%	35.0%	65.0%
	Grade 10	17.6%	25.8%	38.8%	61.2%
	Grade 11	18.3%	26.5%	41.0%	59.0%
	Grade 12	17.4%	24.9%	38.3%	61.7%
AAAAA	Marijuana				
	All	12.5%	18.6%	29.9%	70.1%
	Grade 7	7.1%	9.9%	15.8%	84.2%
	Grade 8	11.0%	15.7%	24.7%	75.3%
	Grade 9	13.3%	19.4%	31.1%	68.9%
	Grade 10	14.7%	21.9%	35.3%	64.7%
	Grade 11	15.0%	23.3%	38.2%	61.8%
	Grade 12	14.5%	22.4%	35.9%	64.1%
AAAAA	Marijuana Only				
	All	3.6%	5.8%	11.9%	88.1%
	Grade 7	2.7%	3.8%	7.4%	92.6%
	Grade 8	3.8%	5.6%	10.7%	89.3%
	Grade 9	3.5%	5.6%	12.3%	87.7%
	Grade 10	4.3%	6.7%	13.8%	86.2%
	Grade 11	4.0%	7.0%	14.4%	85.6%
	Grade 12	3.5%	6.5%	13.6%	86.4%
AAAAA	Cocaine or Crack				
	All	5.9%	8.7%	13.5%	86.5%
	Grade 7	2.5%	3.9%	6.0%	94.0%
	Grade 8	3.7%	5.9%	9.3%	90.7%

98Bord712. out

Grade 9	6.1%	8.7%	13.6%	86.4%	
Grade 10	7.0%	10.5%	15.7%	84.3%	
Grade 11	8.1%	12.2%	19.3%	80.7%	
Grade 12	8.5%	12.2%	18.8%	81.2%	
AAAAA					
Cocaine	All	5.7%	8.5%	13.3%	86.7%
	Grade 7	2.0%	3.3%	5.2%	94.8%
	Grade 8	3.4%	5.5%	8.9%	91.1%
	Grade 9	5.9%	8.5%	13.3%	86.7%
	Grade 10	6.9%	10.4%	15.7%	84.3%
	Grade 11	8.0%	12.2%	19.4%	80.6%
	Grade 12	8.6%	12.2%	19.0%	81.0%
	Revised Border - Grades 7-12				
	Spring 1998				

♀

Table B14 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AAAAA					
Crack	All	1.4%	2.2%	3.7%	96.3%
	Grade 7	1.0%	1.7%	2.7%	97.3%
	Grade 8	1.3%	2.2%	3.9%	96.1%
	Grade 9	1.5%	2.6%	4.5%	95.5%
	Grade 10	1.5%	2.2%	3.4%	96.6%
	Grade 11	1.6%	2.1%	3.7%	96.3%
	Grade 12	1.5%	2.2%	4.0%	96.0%
AAAAA					
Hallogens	All	1.4%	2.1%	3.7%	96.3%
	Grade 7	0.7%	1.1%	1.7%	98.3%
	Grade 8	1.0%	1.4%	2.5%	97.5%
	Grade 9	1.6%	2.2%	3.8%	96.2%
	Grade 10	1.4%	2.4%	3.8%	96.2%
	Grade 11	1.4%	3.0%	5.7%	94.3%
	Grade 12	2.0%	2.9%	5.2%	94.8%
AAAAA					
Uppers	All	2.6%	4.2%	7.0%	93.0%
	Grade 7	1.4%	2.0%	3.0%	97.0%
	Grade 8	2.0%	3.2%	4.9%	95.1%
	Grade 9	3.2%	4.7%	7.6%	92.4%
	Grade 10	3.0%	5.5%	8.6%	91.4%
	Grade 11	3.1%	5.6%	9.5%	90.5%
	Grade 12	2.9%	4.5%	8.7%	91.3%
AAAAA					
Downers	All	2.8%	4.7%	7.5%	92.5%
	Grade 7	1.2%	1.8%	2.8%	97.2%
	Grade 8	2.0%	3.3%	5.1%	94.9%
	Grade 9	3.5%	5.3%	8.3%	91.7%
	Grade 10	3.5%	6.3%	9.5%	90.5%
	Grade 11	3.6%	6.3%	10.6%	89.4%
	Grade 12	2.9%	5.0%	9.4%	90.6%
AAAAA					
Rohypnol	All	4.9%	8.1%	13.4%	86.6%
	Grade 7	3.0%	4.6%	7.2%	92.8%
	Grade 8	4.8%	7.5%	11.5%	88.5%
	Grade 9	6.0%	9.4%	15.3%	84.7%
	Grade 10	5.5%	10.1%	16.3%	83.7%
	Grade 11	4.5%	8.8%	16.2%	83.8%
	Grade 12	4.9%	7.6%	13.4%	86.6%
AAAAA					

98Bord712. out					
Steroids	All	0.6%	1.0%	1.7%	98.3%
	Grade 7	0.8%	1.2%	2.0%	98.0%
	Grade 8	0.9%	1.3%	2.4%	97.6%
	Grade 9	0.6%	0.8%	1.4%	98.6%
	Grade 10	0.4%	0.7%	1.3%	98.7%
	Grade 11	0.4%	0.6%	1.1%	98.9%
	Grade 12	0.8%	1.3%	2.3%	97.7%
AA					
Ecstasy	All	0.7%	1.0%	1.9%	98.1%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.6%	0.8%	1.3%	98.7%
	Grade 9	0.9%	1.3%	2.1%	97.9%
	Grade 10	0.9%	1.3%	2.3%	97.7%
	Grade 11	0.7%	1.2%	3.1%	96.9%
	Grade 12	0.6%	1.0%	2.1%	97.9%
AA					
Heroin	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.7%	1.1%	2.2%	97.8%
	Grade 8	1.0%	1.5%	2.6%	97.4%
	Grade 9	0.8%	1.2%	1.9%	98.1%
	Grade 10	0.4%	0.5%	1.3%	98.7%
	Grade 11	0.3%	0.4%	1.5%	98.5%
	Grade 12	0.4%	0.5%	1.1%	98.9%

Revised Border - Grades 7-12
Spring 1998

GENDER

Q1	Frequency	Percent
AA		
Female	107244	50.9
Male	103349.2	49.1

Frequency Missing = 940.88945991

GRADE

Q2	Frequency	Percent
AA		
Grade 7	36991	17.5
Grade 8	36452	17.2
Grade 9	47637	22.5
Grade 10	34501	16.3
Grade 11	29833	14.1
Grade 12	26120	12.3

LIVE WITH BOTH PARENTS

Q3	Frequency	Percent
AA		
No	60253.03	28.7
Yes	150052.6	71.3

Frequency Missing = 1228.3808299

AGE

Q4	Frequency	Percent
11 or younger	189.5828	0.1
12	9010.355	4.3
13	31742.54	15.1
14	36139.95	17.1
15	40154.75	19.1
16	35929.63	17.0
17	31167.29	14.8
18	20917.87	9.9
19 or older	5500.504	2.6

Frequency Missing = 781.53079252

ETHNICITY

Q5	Frequency	Percent
African/American	1419.595	0.7
Asian/American	672.9701	0.3
Mexican/American	186829.4	89.7
Native/American	1262.338	0.6
Other	7077.086	3.4
White	11133.58	5.3

Frequency Missing = 3139.0103805

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

ON AVERAGE WHAT GRADES DO YOU GET

Q6	Frequency	Percent
Mostly A's	40222.01	19.3
Mostly B's	112798.3	54.1
Mostly C's	47084.14	22.6
Mostly D's	6136.138	2.9
Mostly F's	2287.378	1.1

Frequency Missing = 3006.0315485

98Bord712.out
 LENGTH OF TIME IN THIS DISTRICT

Q7	Frequency	Percent
<1 year	16856.38	8.1
2-3 years	31579	15.2
>4 years	159826.3	76.7

Frequency Missing = 3272.2875719

DO YOU HAVE A JOB

Q8	Frequency	Percent
No	178278.6	85.1
Yes	31275.47	14.9

Frequency Missing = 1979.9780377

DO YOU GET AN ALLOWANCE

Q9	Frequency	Percent
No	105613.4	51.0
Yes	101386.3	49.0

Frequency Missing = 4534.3537476

EITHER PARENT COLLEGE GRADUATE

Q10	Frequency	Percent
Don't Know	41425.51	19.8
No	109556.9	52.3
Yes	58461.69	27.9

Frequency Missing = 2089.8689979

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12

98Bord712.out
Spring 1998

QUALIFY FOR FREE/REDUCED
PRICE LUNCH

Q11	Frequency	Percent
Don't Know	33146.59	15.9
No	40811.5	19.6
Yes	134288.3	64.5

Frequency Missing = 3287.6600366

PARTICIPATE IN ATHLETICS

Q12A	Frequency	Percent
No	101141.8	51.9
Yes	93604.26	48.1

Frequency Missing = 16787.912773

PARTICIPATE IN BAND/ORCHESTRA

Q12B	Frequency	Percent
No	138911.6	78.9
Yes	37101.05	21.1

Frequency Missing = 35521.29561

PARTICIPATE IN CHOIR

Q12C	Frequency	Percent
No	157922.2	92.0
Yes	13818.51	8.0

Frequency Missing = 39793.336309

PARTICIPATE IN DRAMA/SPEECH

Q12D	Frequency	Percent
No	149016.3	87.4
Yes	21568.24	12.6

Frequency Missing = 40949.476107

PARTICIPATE IN DRILL
TEAM/CHEERLEADING

Q12E	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	159563.7	91.7
Yes	14504.22	8.3

Frequency Missing = 37466.088115

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

PARTICIPATE IN STUDENT
GOVERNMENT

Q12F	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	160180.4	94.7
Yes	8890.78	5.3

Frequency Missing = 42462.818712

PARTICIPATE IN SCHOOL
NEWSPAPER/YEARBOOK

Q12G	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	159286.4	92.7
Yes	12524.24	7.3

Frequency Missing = 39723.334819

PARTICIPATE IN ACADEMIC
CLUBS/SOCIETIES

Q12H	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	136319.7	79.9
Yes	34367.73	20.1

Frequency Missing = 40846.553694

PARTICIPATE IN SERVICE CLUBS

†

98Bord712. out

Q12I	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	155638.6	91.8
Yes	13928.51	8.2

Frequency Missing = 41966.890333

PARTICIPATE IN VOE/DE/WORK-STUDY

Q12J	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	156500.3	95.6
Yes	7201.675	4.4

Frequency Missing = 47832.047691

PARTICIPATE IN OTHER CLUBS

Q12K	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	118577.3	66.7
Yes	59166.51	33.3

Frequency Missing = 33790.183839

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

DO YOU FEEL SAFE IN YOUR HOME

Q13A	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Very Safe	164445	78.4
Somewhat Safe	36982.28	17.6
Not Very Safe	3596.663	1.7
Not Safe At All	1138.551	0.5
Don't Know	3495.689	1.7

Frequency Missing = 1875.8491138

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD

Q13B	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Very Safe	68044.32	33.1
Somewhat Safe	98664.71	48.0
Not Very Safe	26877.42	13.1

98Bord712.out
 Not Safe At All 6540.986 3.2
 Don't Know 5603.505 2.7

Frequency Missing = 5803.054868

DO YOU FEEL SAFE AT SCHOOL

Q13C	Frequency	Percent
Very Safe	74742.63	36.1
Somewhat Safe	97464.94	47.0
Not Very Safe	20298.88	9.8
Not Safe At All	7367.4	3.6
Don't Know	7402.198	3.6

Frequency Missing = 4257.9602322

FRIENDS FEELING CLOSE
 TO THEIR PARENTS

Q14A	Frequency	Percent
None	12508.74	6.1
A Few	62086.32	30.2
Some	53210.23	25.8
Most	56962.21	27.7
All	21119.11	10.3

Frequency Missing = 5647.3825582

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

HOW MANY FRIENDS
 CARRY WEAPONS

Q14B	Frequency	Percent
------	-----------	---------

98Bord712.out

```
AAAAAAAAAAAAAAAAAAAAAAAAAAAA
None      126171.2      64.2
A Few    40178.41      20.5
Some     19061.03      9.7
Most     7400.772      3.8
All      3568.559      1.8
```

Frequency Missing = 15154.033785

HOW MANY FRIENDS CARE
ABOUT GOOD GRADES

```
Q14C      Frequency      Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA
None      7037.023      3.5
A Few    33967.41      16.9
Some     50354.29      25.0
Most     72091.38      35.8
All      37970.72      18.9
```

Frequency Missing = 10113.171008

HOW MANY FRIENDS
BELONG TO A GANG

```
Q14D      Frequency      Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA
None     121430.2      60.8
A Few   39563.25      19.8
Some    21827.87      10.9
Most    11505.71      5.8
All     5412.103      2.7
```

Frequency Missing = 11794.879477

FRIENDS WISHING TO
DROP OUT OF SCHOOL

```
Q14E      Frequency      Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA
None     107248.8      53.8
A Few   56475.74      28.3
Some    22471.24      11.3
Most    8410.627      4.2
All     4659.887      2.3
```

Frequency Missing = 12267.744891

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

†

PARENTS ATTEND PTA/SCHOOL
 OPEN HOUSES

Q15	Frequency	Percent
AAAAA		
No	95062.65	49.3
Yes	97842.35	50.7

Frequency Missing = 18629.007768

EVER INHALED SPRAY PAINT FOR KICKS

Q16A	Frequency	Percent
AAAAA		
Never Heard/Used	183052.4	89.1
In Your Lifetime	12681.41	6.2
Since School Began	4014.238	2.0
In the Past Month	5670.962	2.8

Frequency Missing = 6115.0003365

EVER INHALED WHITEOUT FOR KICKS

Q16B	Frequency	Percent
AAAAA		
Never Heard/Used	173296.9	89.7
In Your Lifetime	10383.56	5.4
Since School Began	3879.226	2.0
In the Past Month	5570.871	2.9

Frequency Missing = 18403.414205

EVER INHALED GASOLINE FOR KICKS

Q16C	Frequency	Percent
AAAAA		
Never Heard/Used	184478.6	94.7

98Bord712.out

In Your Lifetime	5699.073	2.9
Since School Began	1763.301	0.9
In the Past Month	2962.765	1.5

Frequency Missing = 16630.28055

EVER INHALED FREON FOR KICKS

Q16D	Frequency	Percent
AAAAA		
Never Heard/Used	188518.4	98.2
In Your Lifetime	1554.467	0.8
Since School Began	817.1925	0.4
In the Past Month	1087.826	0.6

Frequency Missing = 19556.084718

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

EVER INHALED POPPERS, ETC. FOR KICKS

Q16E	Frequency	Percent
AAAAA		
Never Heard/Used	189488	97.3
In Your Lifetime	2263.712	1.2
Since School Began	1095.427	0.6
In the Past Month	1902.865	1.0

Frequency Missing = 16783.970821

EVER INHALED GLUE FOR KICKS

Q16F	Frequency	Percent
AAAAA		
Never Heard/Used	180179.9	94.1
In Your Lifetime	6530.611	3.4
Since School Began	1620.833	0.8
In the Past Month	3188.598	1.7

Frequency Missing = 20014.060346

98Bord712.out
 EVER INHALED PAINT THINNERS FOR KICKS

Q16G	Frequency	Percent
Never Heard/Used	182781.4	94.0
In Your Lifetime	5669.064	2.9
Since School Began	2359.802	1.2
In the Past Month	3657.802	1.9

Frequency Missing = 17065.980364

EVER INHALED NITROUS OXIDE FOR KICKS

Q16H	Frequency	Percent
Never Heard/Used	183790.1	96.2
In Your Lifetime	3493.522	1.8
Since School Began	1575.782	0.8
In the Past Month	2274.072	1.2

Frequency Missing = 20400.565448

EVER INHALED OCTANE BOOSTER FOR KICKS

Q16I	Frequency	Percent
Never Heard/Used	190992	98.4
In Your Lifetime	1302.504	0.7
Since School Began	631.5305	0.3
In the Past Month	1238.706	0.6

Frequency Missing = 17369.212792

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

EVER INHALED OTHER SPRAYS FOR KICKS

Q16J	Frequency	Percent
Never Heard/Used	182867.9	94.7
In Your Lifetime	4896.609	2.5
Since School Began	1844.856	1.0
In the Past Month	3594.119	1.9

Frequency Missing = 18330.527566

EVER INHALED OTHER INHALANTS FOR KICKS

Q16K	Frequency	Percent
Never Heard/Used	177238	89.1
In Your Lifetime	9522.209	4.8
Since School Began	4045.038	2.0
In the Past Month	8073.888	4.1

Frequency Missing = 12654.896194

RECENT CIGARETTE USE

Q17A	Frequency	Percent
Never Heard/Used	93500.32	45.0
In Your Lifetime	41470.52	20.0
Since School Began	20211.07	9.7
In the Past Month	52590.7	25.3

Frequency Missing = 3761.3893622

RECENT SMOKELESS TOBACCO USE

Q17B	Frequency	Percent
Never Heard/Used	182715.2	90.1
In Your Lifetime	8811.464	4.3
Since School Began	3823.029	1.9
In the Past Month	7425.457	3.7

Frequency Missing = 8758.8698329

RECENT BEER USE

Q17C	Frequency	Percent
Never Heard/Used	80163.34	39.4
In Your Lifetime	37098.29	18.2
Since School Began	22681.69	11.2
In the Past Month	63463.06	31.2

Frequency Missing = 8127.6295127

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

♀

RECENT WINE COOLER USE

Q17D	Frequency	Percent
Never Heard/Used	78254.25	38.9
In Your Lifetime	36512.28	18.2
Since School Began	27182.04	13.5
In the Past Month	59106.44	29.4

Frequency Missing = 10478.993607

RECENT WINE USE

Q17E	Frequency	Percent
Never Heard/Used	100515.5	50.1
In Your Lifetime	35385.74	17.6
Since School Began	22628.66	11.3
In the Past Month	42267.94	21.0

Frequency Missing = 10736.172819

RECENT LIQUOR USE

Q17F	Frequency	Percent
Never Heard/Used	98705.66	49.0
In Your Lifetime	27248.71	13.5
Since School Began	21164.3	10.5
In the Past Month	54136.55	26.9

Frequency Missing = 10278.778115

RECENT MARIJUANA USE

Q18A	Frequency	Percent
Never Heard/Used	144195.6	69.8
In Your Lifetime	23371.52	11.3
Since School Began	12729.96	6.2
In the Past Month	26166.55	12.7

Frequency Missing = 5070.3669499

RECENT COCAINE USE

Q18B	Frequency	Percent
Never Heard/Used	173269	86.5
In Your Lifetime	9968.649	5.0
Since School Began	5586.958	2.8
In the Past Month	11497.09	5.7

Frequency Missing = 11212.274861

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

RECENT CRACK USE

Q18C	Frequency	Percent
Never Heard/Used	190213.9	96.1
In Your Lifetime	3194.926	1.6
Since School Began	1540.096	0.8
In the Past Month	2923.612	1.5

Frequency Missing = 13661.462838

RECENT HALLUCINOGEN USE

Q18E	Frequency	Percent
Never Heard/Used	192079.5	96.0
In Your Lifetime	3661.489	1.8
Since School Began	1622.289	0.8
In the Past Month	2716.272	1.4

Frequency Missing = 11454.447635

RECENT UPPER USE

Q18F	Frequency	Percent
Never Heard/Used	179266.3	92.9
In Your Lifetime	5375.897	2.8

98Bord712.out
 Since School Began 3028.445 1.6
 In the Past Month 5334.93 2.8

Frequency Missing = 18528.403454

RECENT DOWNER USE

Q18G Frequency Percent
 AA
 Never Heard/Used 179175.8 92.3
 In Your Lifetime 5623.518 2.9
 Since School Began 3477.675 1.8
 In the Past Month 5803.082 3.0

Frequency Missing = 17453.895557

RECENT ROHYPNOL USE

Q18H Frequency Percent
 AA
 Never Heard/Used 172060.5 86.6
 In Your Lifetime 10389.53 5.2
 Since School Began 6256.135 3.1
 In the Past Month 9992.297 5.0

Frequency Missing = 12835.501559

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

RECENT STEROID USE

Q18I Frequency Percent
 AA
 Never Heard/Used 189542.9 98.2
 In Your Lifetime 1544.81 0.8
 Since School Began 617.9055 0.3
 In the Past Month 1237.412 0.6

Frequency Missing = 18590.924614

RECENT ECSTASY USE

98Bord712.out

Q18J	Frequency	Percent
Never Heard/Used	186665.4	97.9
In Your Lifetime	1962.697	1.0
Since School Began	754.8525	0.4
In the Past Month	1304.337	0.7

Frequency Missing = 20846.708421

RECENT HEROIN USE

Q18K	Frequency	Percent
Never Heard/Used	191776.1	98.1
In Your Lifetime	1847.258	0.9
Since School Began	634.0503	0.3
In the Past Month	1255.562	0.6

Frequency Missing = 16020.991889

TOBACCO USE IN PAST MONTH

Q19A	Frequency	Percent
Never Heard/Used	168763.7	83.2
1-2 times	13301.07	6.6
3-10 times	8995.056	4.4
11+ times	11889.58	5.9

Frequency Missing = 8584.6247283

ALCOHOL USE IN PAST MONTH

Q19B	Frequency	Percent
Never Heard/Used	128031.3	64.0
1-2 times	34764.79	17.4
3-10 times	24566.37	12.3
11+ times	12700.4	6.3

Frequency Missing = 11471.114368

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12

98Bord712.out
Spring 1998

INHALANT USE IN PAST MONTH

Q19C	Frequency	Percent
AA		
Never Heard/Used	188745.3	93.9
1-2 times	9070.479	4.5
3-10 times	2355.361	1.2
11+ times	909.3228	0.5

Frequency Missing = 10453.550144

MARIJUANA USE IN PAST MONTH

Q19D	Frequency	Percent
AA		
Never Heard/Used	170667.9	87.4
1-2 times	10658.35	5.5
3-10 times	6922.867	3.5
11+ times	7090.51	3.6

Frequency Missing = 16194.335489

COCAINE USE IN PAST MONTH

Q19E	Frequency	Percent
AA		
Never Heard/Used	183468.9	94.4
1-2 times	5704.987	2.9
3-10 times	2970.936	1.5
11+ times	2257.094	1.2

Frequency Missing = 17132.038812

CRACK USE IN PAST MONTH

Q19F	Frequency	Percent
AA		
Never Heard/Used	194453.6	98.5
1-2 times	1737.11	0.9
3-10 times	571.8556	0.3
11+ times	607.8864	0.3

Frequency Missing = 14163.519844

CLOSE FRIENDS USE CIGARETTES

98Bord712.out

Q20A	Frequency	Percent
AAAAA		
Never heard/None	52140.28	25.3
A few	70550.69	34.2
Some	41202.6	20.0
Most	32289.12	15.6
All	10253.16	5.0

Frequency Missing = 5098.1478528

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

CLOSE FRIENDS USE SMOKELESS TOBACCO

Q20B	Frequency	Percent
AAAAA		
Never heard/None	150386.3	74.8
A few	31770.41	15.8
Some	12230.7	6.1
Most	4619.992	2.3
All	2006.726	1.0

Frequency Missing = 10519.891039

CLOSE FRIENDS USE BEER

Q20C	Frequency	Percent
AAAAA		
Never heard/None	41728.81	20.5
A few	48693.48	23.9
Some	39039.28	19.1
Most	46993.86	23.0
All	27441.23	13.5

Frequency Missing = 7637.3428799

CLOSE FRIENDS USE WINE COOLERS

Q20D	Frequency	Percent
AAAAA		
Never heard/None	52846.65	26.3
A few	50228.09	25.0
Some	39486.22	19.6
Most	37707.38	18.7
All	20862.95	10.4

98Bord712.out
 Frequency Missing = 10402.710314

CLOSE FRIENDS USE WINE

Q20E	Frequency	Percent
Never heard/None	82615.03	41.2
A few	48037.11	24.0
Some	31060.38	15.5
Most	24408.63	12.2
All	14209.09	7.1

Frequency Missing = 11203.762715

CLOSE FRIENDS USE LIQUOR

Q20F	Frequency	Percent
Never heard/None	68415.31	34.6
A few	41153.16	20.8
Some	32642.88	16.5
Most	34460.26	17.4
All	20947.18	10.6

Frequency Missing = 13915.201094

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

CLOSE FRIENDS USE INHALANTS

Q20G	Frequency	Percent
Never heard/None	158491.5	78.8
A few	26985.24	13.4
Some	9620.979	4.8
Most	4021.045	2.0
All	2055.125	1.0

Frequency Missing = 10360.134728

CLOSE FRIENDS USE MARIJUANA

Q20H	Frequency	Percent
Never heard/None	95952.12	47.7
A few	43760.45	21.7
Some	26880.66	13.4

	98Bord712.out	
Most	22946.73	11.4
All	11803.37	5.9

Frequency Missing = 10190.669005

DIFFICULT TO GET CIGARETTES

Q21A	Frequency	Percent
Never heard of	24399.22	12.0
Impossible	20723.9	10.2
Very difficult	8491.135	4.2
Somewhat diff	15205.45	7.5
Somewhat easy	38699.7	19.0
Very easy	96502.74	47.3

Frequency Missing = 7511.8550551

DIFFICULT TO GET SMOKELESS TOBACCO

Q21B	Frequency	Percent
Never heard of	57757.4	29.2
Impossible	32628.03	16.5
Very difficult	13377.33	6.8
Somewhat diff	21537.57	10.9
Somewhat easy	27758.51	14.0
Very easy	44728.25	22.6

Frequency Missing = 13746.906044

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

DIFFICULT TO GET BEER

Q21C	Frequency	Percent
------	-----------	---------

98Bord712.out		
Never heard of	21184.17	10.6
Impossible	18213.82	9.2
Very difficult	9391.544	4.7
Somewhat diff	21031.41	10.6
Somewhat easy	42554.97	21.4
Very easy	86604.72	43.5

Frequency Missing = 12553.371585

DIFFICULT TO GET WINE COOLERS

Q21D	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Never heard of	23722.85	12.2
Impossible	17751.37	9.1
Very difficult	9565.838	4.9
Somewhat diff	20345.9	10.5
Somewhat easy	41757.26	21.5
Very easy	81171.12	41.8

Frequency Missing = 17219.664193

DIFFICULT TO GET WINE

Q21E	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Never heard of	27443.57	14.1
Impossible	24644.22	12.7
Very difficult	14048.92	7.2
Somewhat diff	25984.43	13.4
Somewhat easy	36835.08	18.9
Very easy	65479.85	33.7

Frequency Missing = 17097.935533

DIFFICULT TO GET LIQUOR

Q21F	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Never heard of	27068.08	14.2
Impossible	25618.47	13.4
Very difficult	13855.86	7.2
Somewhat diff	21953.08	11.5
Somewhat easy	33786.89	17.7
Very easy	68908.42	36.0

Frequency Missing = 20343.205224

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

†

DIFFICULT TO GET INHALANTS

Q21G	Frequency	Percent
Never heard of	53297.18	27.0
Impossible	28675.03	14.5
Very difficult	8418.79	4.3
Somewhat diff	11874.53	6.0
Somewhat easy	20510.84	10.4
Very easy	74686.91	37.8

Frequency Missing = 14070.71787

DIFFICULT TO GET MARIJUANA

Q21H	Frequency	Percent
Never heard of	34150.25	17.6
Impossible	37653.79	19.5
Very difficult	14938.97	7.7
Somewhat diff	19696.67	10.2
Somewhat easy	30781.64	15.9
Very easy	56281.81	29.1

Frequency Missing = 18030.860224

DIFFICULT TO GET COCAINE

Q21I	Frequency	Percent
Never heard of	42524.54	21.9
Impossible	47253.18	24.4
Very difficult	21858.18	11.3
Somewhat diff	24434.05	12.6
Somewhat easy	23739.37	12.2
Very easy	34160.56	17.6

Frequency Missing = 17564.123936

DIFFICULT TO GET CRACK

Q21J	Frequency	Percent
Never heard of	50007.83	26.3
Impossible	50528.22	26.5
Very difficult	25152.69	13.2
Somewhat diff	25292.2	13.3
Somewhat easy	17906	9.4
Very easy	21519.22	11.3

Frequency Missing = 21127.836488

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

DIFFICULT TO GET HALLUCINOGENS

Q21L	Frequency	Percent
Never heard of	86019.71	43.9
Impossible	43238.13	22.0
Very difficult	22568.06	11.5
Somewhat diff	18486.14	9.4
Somewhat easy	11911.89	6.1
Very easy	13871.42	7.1

Frequency Missing = 15438.642158

DIFFICULT TO GET UPPERS

Q21M	Frequency	Percent
Never heard of	82451.16	43.1
Impossible	34389.03	18.0
Very difficult	16067.34	8.4
Somewhat diff	18669.44	9.8
Somewhat easy	17456.61	9.1
Very easy	22245.32	11.6

Frequency Missing = 20255.097644

DIFFICULT TO GET DOWNERS

Q21N	Frequency	Percent
Never heard of	80323.7	42.8
Impossible	33932.32	18.1
Very difficult	15463.15	8.2
Somewhat diff	17614.53	9.4
Somewhat easy	17470.32	9.3
Very easy	22964.57	12.2

Frequency Missing = 23765.412473

DIFFICULT TO GET ROHYPNOL

Q210	Frequency	Percent
Never heard of	64388.02	32.9
Impossible	35225.96	18.0
Very difficult	15161.75	7.7
Somewhat diff	16945.7	8.7
Somewhat easy	22896.54	11.7
Very easy	41112.55	21.0

Frequency Missing = 15803.478246

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

DIFFICULT TO GET STEROIDS

Q21P	Frequency	Percent
Never heard of	59501.7	31.3
Impossible	49270.12	25.9
Very difficult	23195.4	12.2
Somewhat diff	24226.79	12.7
Somewhat easy	15814.05	8.3
Very easy	18228.3	9.6

98Bord712.out

Frequency Missing = 21297.646143

DIFFICULT TO GET ECSTASY

Q21Q	Frequency	Percent
Never heard of	98614.08	50.9
Impossible	37342.4	19.3
Very difficult	18373.53	9.5
Somewhat difficult	15920.3	8.2
Somewhat easy	10138.22	5.2
Very easy	13415.22	6.9

Frequency Missing = 17730.247627

DIFFICULT TO GET HEROIN

Q21R	Frequency	Percent
Never heard of	61662.89	31.8
Impossible	58204.15	30.0
Very difficult	26878.82	13.9
Somewhat difficult	20242.37	10.4
Somewhat easy	11436.07	5.9
Very easy	15531.93	8.0

Frequency Missing = 17577.771008

AGE WHEN FIRST USED CIGARETTES

Q22A	Frequency	Percent
9 or younger	14714.3	12.7
10 years old	9998.727	8.6
11 years old	12253.28	10.5
12 years old	18028.12	15.5
13 years old	19416.87	16.7
14 years old	16381.18	14.1
15 years old	12627.05	10.9
16 years old	7387.512	6.4
17 years old	3969.107	3.4
18 or older	1531.765	1.3

Frequency Missing = 95226.075084

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

♀

AGE WHEN FIRST USED
 SMOKELESS TOBACCO

Q22B	Frequency	Percent
9 or younger	2061.874	9.9
10 years old	1389.37	6.6
11 years old	1921.783	9.2
12 years old	3119.109	14.9
13 years old	3057.278	14.6
14 years old	3267.612	15.6
15 years old	2961.598	14.2
16 years old	1853.587	8.9
17 years old	922.9964	4.4
18 or older	339.8575	1.6

Frequency Missing = 190638.93524

AGE WHEN FIRST USED BEER

Q22C	Frequency	Percent
9 or younger	22368.53	17.3
10 years old	9742.823	7.5
11 years old	10807.28	8.3
12 years old	16225.97	12.5
13 years old	19636.96	15.2
14 years old	19331.06	14.9
15 years old	17065.61	13.2
16 years old	8556.194	6.6
17 years old	4168.82	3.2
18 or older	1685.929	1.3

Frequency Missing = 81944.833244

AGE WHEN FIRST USED WINE COOLERS

Q22D	Frequency	Percent
9 or younger	10870.63	8.7
10 years old	8032.113	6.4
11 years old	11850.69	9.5
12 years old	18103.38	14.5
13 years old	21542.54	17.3
14 years old	19769.29	15.9
15 years old	18656.08	15.0

	98Bord712.out	
16 years old	9598.991	7.7
17 years old	4292.061	3.4
18 or older	1915.145	1.5

Frequency Missing = 86903.074036

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

AGE WHEN FIRST USED WINE

	Q22E	Frequency	Percent
AA			
9 or younger		9185.438	9.0
10 years old		6385.022	6.2
11 years old		8825.043	8.6
12 years old		13230.73	12.9
13 years old		17523.6	17.1
14 years old		16943.39	16.5
15 years old		16531.56	16.1
16 years old		8549.467	8.3
17 years old		3979.861	3.9
18 or older		1459.484	1.4

Frequency Missing = 108920.41889

AGE WHEN FIRST USED LIQUOR

	Q22F	Frequency	Percent
AA			
9 or younger		6090.147	6.3
10 years old		4405.827	4.6
11 years old		6737.834	7.0
12 years old		11180.11	11.6
13 years old		16346.37	17.0
14 years old		17617.29	18.3
15 years old		17596.89	18.3
16 years old		10195.6	10.6
17 years old		4584.674	4.8
18 or older		1624.434	1.7

98Bord712. out

Frequency Missing = 115154. 81333

AGE WHEN FIRST USED INHALANTS

Q22G	Frequency	Percent
9 or younger	2734.122	12.1
10 years old	1937.989	8.6
11 years old	3071.302	13.6
12 years old	3848.237	17.1
13 years old	4669.753	20.7
14 years old	3141.52	13.9
15 years old	1885.999	8.4
16 years old	724.9276	3.2
17 years old	423.8454	1.9
18 or older	91.84379	0.4

Frequency Missing = 189004. 45936

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

AGE WHEN FIRST USED MARIJUANA

Q22H	Frequency	Percent
9 or younger	2037.952	3.4
10 years old	2208.619	3.7
11 years old	4248.848	7.2
12 years old	7633.581	12.9
13 years old	12120.25	20.5
14 years old	11772	19.9
15 years old	10102.9	17.1
16 years old	5579.844	9.4
17 years old	2482.537	4.2
18 or older	907.5236	1.5

Frequency Missing = 152439. 95118

AGE WHEN FIRST USED COCAINE

Q22I	Frequency	Percent
9 or younger	296.8465	1.2
10 years old	302.5614	1.2
11 years old	819.7989	3.2
12 years old	1754.68	6.8
13 years old	3783.691	14.7
14 years old	4893.041	19.0
15 years old	5918.57	23.0
16 years old	4486.321	17.4
17 years old	2819.981	11.0
18 or older	651.693	2.5

Frequency Missing = 185806.81557

AGE WHEN FIRST USED CRACK

Q22J	Frequency	Percent
9 or younger	126.1084	1.9
10 years old	161.1822	2.4
11 years old	387.6535	5.7
12 years old	647.2133	9.5
13 years old	1206.396	17.8
14 years old	1354.23	19.9
15 years old	1221.566	18.0
16 years old	1054.928	15.5
17 years old	457.7619	6.7
18 or older	174.0886	2.6

Frequency Missing = 204742.87242

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12

98Bord712.out
Spring 1998

AGE WHEN FIRST USED HALLUCINOGENS

Q22L	Frequency	Percent
9 or younger	222.9885	3.0
10 years old	131.703	1.8
11 years old	240.9784	3.2
12 years old	677.4231	9.0
13 years old	1116.037	14.9
14 years old	1532.004	20.4
15 years old	1578.677	21.0
16 years old	1424.525	19.0
17 years old	354.8177	4.7
18 or older	223.225	3.0

Frequency Missing = 204031.62148

AGE WHEN FIRST USED UPPERS

Q22M	Frequency	Percent
9 or younger	343.3659	2.4
10 years old	347.9176	2.4
11 years old	681.4906	4.7
12 years old	1388.74	9.6
13 years old	2725.585	18.9
14 years old	3358.443	23.3
15 years old	2982.124	20.7
16 years old	1889.476	13.1
17 years old	516.807	3.6
18 or older	194.572	1.3

Frequency Missing = 197105.47903

AGE WHEN FIRST USED DOWNERS

Q22N	Frequency	Percent
9 or younger	298.5024	2.0
10 years old	356.0771	2.4
11 years old	630.4634	4.3
12 years old	1287.814	8.8
13 years old	2828.321	19.4
14 years old	3630.441	24.9
15 years old	3186.2	21.9
16 years old	1682.302	11.5
17 years old	515.1354	3.5
18 or older	153.2473	1.1

Frequency Missing = 196965.49617

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

AGE WHEN FIRST USED ROHYPNOL

	Q220	Frequency	Percent
9 or younger		354.5423	1.4
10 years old		511.7125	2.0
11 years old		1080.421	4.2
12 years old		2771.359	10.7
13 years old		4689.199	18.0
14 years old		5902.472	22.7
15 years old		5676.72	21.8
16 years old		3380.002	13.0
17 years old		1398.204	5.4
18 or older		240.3692	0.9

Frequency Missing = 185528.99952

AGE WHEN FIRST USED STEROIDS

	Q22P	Frequency	Percent
9 or younger		222.0969	6.8
10 years old		126.68	3.9
11 years old		241.7638	7.4
12 years old		346.5895	10.5
13 years old		534.8599	16.3
14 years old		555.7812	16.9
15 years old		435.2403	13.2
16 years old		392.8212	11.9
17 years old		227.047	6.9
18 or older		204.5626	6.2

Frequency Missing = 208246.55772

98Bord712. out
 AGE WHEN FIRST USED ECSTASY

Q22Q	Frequency	Percent
9 or younger	158.1698	4.3
10 years old	81.23899	2.2
11 years old	107.7644	2.9
12 years old	262.2359	7.1
13 years old	480.837	13.0
14 years old	689.6066	18.6
15 years old	858.5352	23.2
16 years old	743.6256	20.1
17 years old	229.7418	6.2
18 or older	86.72244	2.3

Frequency Missing = 207835.52237

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

AGE WHEN FIRST USED HEROIN

Q22R	Frequency	Percent
9 or younger	173.0954	5.5
10 years old	129.0562	4.1
11 years old	198.714	6.3
12 years old	351.8672	11.2
13 years old	593.3827	18.9
14 years old	564.4189	18.0
15 years old	576.4563	18.4
16 years old	321.4546	10.3
17 years old	91.11706	2.9
18 or older	132.3247	4.2

Frequency Missing = 208402.1129

HOW OFTEN NORMALLY USE CIGARETTES

98Bord712. out

Q23A	Frequency	Percent
Every day	9730.015	4.8
Several times/wk	13922.94	6.8
Several times/mo	16698.01	8.2
About once/month	22032.63	10.8
About once/year	18766.29	9.2
< once/year	20873.04	10.3
Never used	101389.1	49.8

Frequency Missing = 8121.941694

HOW OFTEN NORMALLY USE
SMOKELESS TOBACCO

Q23B	Frequency	Percent
Every day	834.7571	0.4
Several times/wk	1441.264	0.7
Several times/mo	1894.004	0.9
About once/month	3257.233	1.6
About once/year	3880.756	1.9
< once/year	5383.443	2.6
Never used	187803.4	91.8

Frequency Missing = 7039.1489037

HOW OFTEN NORMALLY USE BEER

Q23C	Frequency	Percent
Every day	1455.11	0.7
Several times/wk	16975.38	8.6
Several times/mo	30411.49	15.4
About once/month	29283.39	14.8
About once/year	21948.83	11.1
< once/year	16204.11	8.2
Never used	81399.94	41.2

Frequency Missing = 13855.755294

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

HOW OFTEN NORMALLY USE WINE COOLERS

Q23D	Frequency	Percent
------	-----------	---------

98Bord712.out		
Every day	554.9164	0.3
Several times/wk	11108.83	5.8
Several times/mo	27262.12	14.1
About once/month	31559.14	16.3
About once/year	26344.5	13.6
< once/year	15049.03	7.8
Never used	81305.34	42.1

Frequency Missing = 18350.1209

HOW OFTEN NORMALLY USE WINE

Q23E Frequency Percent		
AA		
Every day	302.6778	0.2
Several times/wk	7617.678	3.9
Several times/mo	18127.99	9.3
About once/month	22476.42	11.5
About once/year	27556.08	14.1
< once/year	16272.24	8.3
Never used	103354.2	52.8

Frequency Missing = 15826.717834

HOW OFTEN NORMALLY USE LIQUOR

Q23F Frequency Percent		
AA		
Every day	559.9072	0.3
Several times/wk	10237.34	5.3
Several times/mo	24508.81	12.6
About once/month	24971.93	12.8
About once/year	19426.28	10.0
< once/year	11920.78	6.1
Never used	103191.3	53.0

Frequency Missing = 16717.640113

HOW OFTEN NORMALLY USE INHALANTS

Q23G Frequency Percent		
AA		
Every day	475.2139	0.2
Several times/wk	1370.604	0.7
Several times/mo	2343.673	1.1
About once/month	3403.754	1.7
About once/year	3794.504	1.9
< once/year	6269.859	3.1
Never used	187273.2	91.4

Frequency Missing = 6603.1639509

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

†

HOW OFTEN NORMALLY USE MARIJUANA

Q23H	Frequency	Percent
Every day	4235.706	2.1
Several times/wk	6202.187	3.1
Several times/mo	9087.599	4.5
About once/month	10561.11	5.3
About once/year	9506.604	4.7
< once/year	10762.6	5.4
Never used	150540.5	74.9

Frequency Missing = 10637.695161

HOW OFTEN NORMALLY USE COCAINE

Q23I	Frequency	Percent
Every day	557.5253	0.3
Several times/wk	2832.054	1.4
Several times/mo	4182.017	2.1
About once/month	5176.203	2.6
About once/year	4416.687	2.2
< once/year	4999.073	2.5
Never used	179194.6	89.0

Frequency Missing = 10175.822216

HOW OFTEN NORMALLY USE CRACK

Q23J	Frequency	Percent
Every day	190.5379	0.1
Several times/wk	551.9032	0.3
Several times/mo	953.1422	0.5
About once/month	1573.904	0.8
About once/year	1359.406	0.7
< once/year	1416.01	0.7
Never used	195333.2	97.0

98Bord712.out
 Frequency Missing = 10155.934733

HOW OFTEN NORMALLY USE HALLUCINOGENS

Q23L	Frequency	Percent
AA		
Every day	74.94906	0.0
Several times/wk	206.3906	0.1
Several times/mo	651.8842	0.3
About once/month	1574.605	0.8
About once/year	2133.635	1.0
< once/year	2082.233	1.0
Never used	197327.1	96.7

Frequency Missing = 7483.2075712

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

HOW OFTEN NORMALLY USE UPPERS

Q23M	Frequency	Percent
AA		
Every day	213.4879	0.1
Several times/wk	1022.11	0.5
Several times/mo	2103.463	1.1
About once/month	3023.221	1.5
About once/year	3330.024	1.7
< once/year	2885.124	1.5
Never used	186059.8	93.7

Frequency Missing = 12896.753633

HOW OFTEN NORMALLY USE DOWNERS

Q23N	Frequency	Percent
AA		
Every day	195.8415	0.1
Several times/wk	1233.075	0.6
Several times/mo	2050.694	1.0
About once/month	3033.139	1.5
About once/year	3596.828	1.8
< once/year	2976.017	1.5
Never used	186401.2	93.4

†

98Bord712.out

Frequency Missing = 12047.220768

HOW OFTEN NORMALLY USE ROHYPNOL

Q230	Frequency	Percent
Every day	365.2778	0.2
Several times/wk	2127.821	1.1
Several times/mo	4148.076	2.0
About once/month	5277.134	2.6
About once/year	5697.131	2.8
< once/year	5582.877	2.8
Never used	179386.5	88.5

Frequency Missing = 8949.1567546

HOW OFTEN NORMALLY USE STEROIDS

Q23P	Frequency	Percent
Every day	135.7859	0.1
Several times/wk	246.818	0.1
Several times/mo	500.6408	0.3
About once/month	464.6884	0.2
About once/year	713.6596	0.4
< once/year	752.9598	0.4
Never used	196632.6	98.6

Frequency Missing = 12086.886258

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

HOW OFTEN NORMALLY USE ECSTASY

Q23Q	Frequency	Percent
Every day	62.9284	0.0
Several times/wk	162.9644	0.1
Several times/mo	331.308	0.2
About once/month	585.9899	0.3
About once/year	1111.439	0.6
< once/year	1091.055	0.5

98Bord712.out
 Never used 195511.6 98.3

Frequency Missing = 12676.720331

HOW OFTEN NORMALLY USE HEROIN

Q23R	Frequency	Percent
AA		
Every day	112.6947	0.1
Several times/wk	222.6352	0.1
Several times/mo	306.4584	0.2
About once/month	530.8253	0.3
About once/year	607.5832	0.3
< once/year	1083.501	0.5
Never used	198154.2	98.6

Frequency Missing = 10516.074348

HOW MANY CIGARETTES IN PAST 30 DAYS

Q24	Frequency	Percent
AA		
None	146107.8	72.4
Less than 1	32258.49	16.0
> 1 and < 10	16134.47	8.0
> 10 and < 1pk	4473.631	2.2
> 1pk and < 2pks	2026.515	1.0
More than 2pks	909.9047	0.5

Frequency Missing = 9623.1739528

AMOUNT OF BEER AT ONE TIME

Q25A	Frequency	Percent
AA		
Never drink this	77261.82	38.5
12+ drinks	14006.19	7.0
9-11 drinks	8659.408	4.3
5-8 drinks	16283.13	8.1
3-4 drinks	20995.89	10.5
2 drinks	18784.85	9.4
1 drink	20317.89	10.1
< 1 drink	24294.73	12.1

Frequency Missing = 10930.102578

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

♀

AMOUNT OF WINE COOLERS AT ONE TIME

Q25B	Frequency	Percent
Never drink this	72045.03	37.0
12+ drinks	8981.7	4.6
9-11 drinks	6714.891	3.4
5-8 drinks	16460.43	8.5
3-4 drinks	27402.66	14.1
2 drinks	23500.74	12.1
1 drink	22432.33	11.5
< 1 drink	17239.86	8.9

Frequency Missing = 16756.366497

AMOUNT OF WINE AT ONE TIME

Q25C	Frequency	Percent
Never drink this	94903.61	48.9
12+ drinks	4815.482	2.5
9-11 drinks	3384.236	1.7
5-8 drinks	6789.562	3.5
3-4 drinks	12982.17	6.7
2 drinks	17909.97	9.2
1 drink	25915.22	13.4
< 1 drink	27335.53	14.1

Frequency Missing = 17498.209684

AMOUNT OF LIQUOR AT ONE TIME

Q25D	Frequency	Percent
Never drink this	92164.26	47.9
12+ drinks	8298.796	4.3
9-11 drinks	6309.445	3.3
5-8 drinks	13151.09	6.8
3-4 drinks	18479.75	9.6
2 drinks	16022.63	8.3
1 drink	18107.35	9.4
< 1 drink	20038.81	10.4

Frequency Missing = 18961.869451

BEERS, FIVE OR MORE AT ONE TIME

Q26A	Frequency	Percent
AA		
Never drink this	84630.71	42.7
Never 5+ at time	34070.96	17.2
Every day	1029.736	0.5
Several times/wk	11763.79	5.9
Several times/mo	22056.72	11.1
About once/month	17097.7	8.6
< once/month	12848.82	6.5
< once/year	14759.58	7.4

Frequency Missing = 13275.986176

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

WINE COOLERS, FIVE OR MORE AT ONE TIME

Q26B	Frequency	Percent
AA		
Never drink this	80548.02	41.5
Never 5+ at time	32235.53	16.6
Every day	756.4463	0.4
Several times/wk	8579.286	4.4
Several times/mo	20972.73	10.8
About once/month	19111.29	9.8
< once/month	16720.93	8.6
< once/year	15179.34	7.8

Frequency Missing = 17430.435981

WINE, FIVE OR MORE AT ONE TIME

Q26C	Frequency	Percent
AA		
Never drink this	97917.97	51.7
Never 5+ at time	26840.29	14.2
Every day	277.0448	0.1
Several times/wk	5103.029	2.7
Several times/mo	12140.8	6.4
About once/month	13742.58	7.3
< once/month	15575.97	8.2
< once/year	17782.2	9.4

Frequency Missing = 22154.133428

LIQUOR, FIVE OR MORE AT ONE TIME

Q26D	Frequency	Percent
Never drink this	93927.85	49.9
Never 5+ at time	24274.1	12.9
Every day	558.5364	0.3
Several times/wk	7842.068	4.2
Several times/mo	18948.25	10.1
About once/month	16287.07	8.7
< once/month	13568.04	7.2
< once/year	12863.48	6.8

Frequency Missing = 23264.61714

GET ALCOHOLIC BEVERAGES FROM HOME

Q27A	Frequency	Percent
Do not Drink	76470.48	38.5
Never	65896.75	33.2
Seldom	38007.33	19.2
Most of the Time	14435.49	7.3
Always	3614.644	1.8

Frequency Missing = 13109.301411

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

GET ALCOHOLIC BEVERAGES FROM FRIENDS

Q27B	Frequency	Percent
Do not Drink	53045.74	27.2
Never	29885.23	15.3
Seldom	35246.94	18.1
Most of the Time	52843.2	27.1
Always	23971.51	12.3

Frequency Missing = 16541.382148

GET ALCOHOLIC BEVERAGES FROM A STORE

98Bord712.out

Q27C	Frequency	Percent
Do not Drink	57985.2	29.9
Never	75598.31	39.0
Seldom	22773.77	11.8
Most of the Time	22807.75	11.8
Al ways	14603.13	7.5

Frequency Mi ssi ng = 17765.838265

GET ALCOHOLIC BEVERAGES AT PARTIES

Q27D	Frequency	Percent
Do not Drink	49000.6	25.4
Never	21887.28	11.4
Seldom	26358.74	13.7
Most of the Time	46165.47	24.0
Al ways	49283.62	25.6

Frequency Mi ssi ng = 18838.291657

GET ALCOHOLIC BEVERAGES FROM OTHER

Q27E	Frequency	Percent
Do not Drink	60535.84	32.1
Never	44841.64	23.8
Seldom	31196.13	16.5
Most of the Time	26182.62	13.9
Al ways	26021	13.8

Frequency Mi ssi ng = 22756.767377

DANGEROUS FOR KIDS
TO USE TOBACCO

Q28A	Frequency	Percent
Very	93273.37	46.9
Somewhat	57844.49	29.1
Not very	25480.53	12.8
Not at all	5742.359	2.9
Don' t know	16442.78	8.3

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12

98Bord712.out
Spring 1998

Frequency Missing = 12750.477383

DANGEROUS FOR KIDS
TO USE ALCOHOL

Q28B	Frequency	Percent
Very	83900.63	44.1
Somewhat	63356.38	33.3
Not very	28104.8	14.8
Not at all	6021.386	3.2
Don't know	9003.881	4.7

Frequency Missing = 21146.918804

DANGEROUS FOR KIDS
TO USE INHALANTS

Q28C	Frequency	Percent
Very	144112.7	76.2
Somewhat	24672.1	13.0
Not very	5726.734	3.0
Not at all	1655.088	0.9
Don't know	13029.79	6.9

Frequency Missing = 22337.560502

DANGEROUS FOR KIDS
TO USE MARIJUANA

Q28D	Frequency	Percent
Very	122981.8	66.0
Somewhat	32058.51	17.2
Not very	14743.83	7.9
Not at all	7979.692	4.3
Don't know	8503.21	4.6

Frequency Missing = 25266.978206

DANGEROUS FOR KIDS
TO USE COCAINE

Q28E	Frequency	Percent
------	-----------	---------

	98Bord712. out	
Very	158090.9	83.9
Somewhat	15338.84	8.1
Not very	3505.823	1.9
Not at all	1693.631	0.9
Don' t know	9701.321	5.2

Frequency Mi ssi ng = 23203.448477

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

DANGEROUS FOR KIDS TO USE CRACK

	Q28F	Frequency	Percent
Very	AAAAA	159248.5	86.5
Somewhat		10767.79	5.8
Not very		1839.082	1.0
Not at all		1209.774	0.7
Don' t know		11042.69	6.0

Frequency Mi ssi ng = 27426.139142

DANGEROUS FOR KIDS TO USE ECSTASY

	Q28G	Frequency	Percent
Very	AAAAA	144559	77.0
Somewhat		12003.4	6.4
Not very		3268.253	1.7
Not at all		1636.372	0.9
Don' t know		26354.22	14.0

Frequency Mi ssi ng = 23712.740051

DANGEROUS FOR KIDS TO USE STEROIDS

	Q28H	Frequency	Percent
Very	AAAAA	144382.5	77.4
Somewhat		19675.7	10.6
Not very		4415.87	2.4
Not at all		1564.959	0.8

98Bord712.out
 Don' t know 16442.42 8.8
 Frequency Mi ssi ng = 25052.574574

DANGEROUS FOR KIDS TO USE HEROIN

Q28I	Frequency	Percent
Very	166369.7	86.9
Somewhat	8263.08	4.3
Not very	1408.097	0.7
Not at all	1212.693	0.6
Don' t know	14098.01	7.4

Frequency Mi ssi ng = 20182.413601

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

USE MARIJUANA AS JOINTS

Q29A	Frequency	Percent
Never	109897	72.4
Seldom	11778.34	7.8
Half the time	6267.065	4.1
Most of the time	11607.19	7.6
Always	10102.35	6.7
Don' t know	2175.965	1.4

Frequency Mi ssi ng = 59706.128589

USE MARIJUANA AS BLUNTS

Q29B	Frequency	Percent
Never	121947	82.5
Seldom	10570.26	7.1

98Bord712.out		
Half the time	5205.263	3.5
Most of the time	4411.082	3.0
Always	3066.481	2.1
Don't know	2702.418	1.8

Frequency Missing = 63631.458139

USE MARIJUANA IN BONGS OR WATER PIPES

Q29C	Frequency	Percent
AA		
Never	124905.3	83.7
Seldom	10218.7	6.9
Half the time	4987.785	3.3
Most of the time	4247.67	2.8
Always	2713.307	1.8
Don't know	2067.915	1.4

Frequency Missing = 62393.32263

USE MARIJUANA IN PIPES

Q29D	Frequency	Percent
AA		
Never	121916	82.5
Seldom	10258.36	6.9
Half the time	5473.977	3.7
Most of the time	5013.278	3.4
Always	3082.17	2.1
Don't know	1980.575	1.3

Frequency Missing = 63809.661312

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

USE MARIJUANA OTHER WAYS

Q29E	Frequency	Percent
AA		

98Bord712.out		
Never	127066.5	85.2
Sel dom	9016.144	6.0
Hal f the time	3021.574	2.0
Most of the time	2885.727	1.9
Al ways	3028.512	2.0
Don' t know	4079.856	2.7

Frequency Mi ssi ng = 62435.665087

DAYS SKI PPED SI NCE SEPT EMBER

Q30A	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
None	144346.8	71.9
1-3 days	37596.75	18.7
4-9 days	11540.88	5.7
10+ days	7301.197	3.6

Frequency Mi ssi ng = 10748.405008

DAYS I LL SI NCE SEPT EMBER

Q30B	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
None	57662.87	29.1
1-3 days	97584.4	49.3
4-9 days	32894.31	16.6
10+ days	9836.366	5.0

Frequency Mi ssi ng = 13556.058082

OTHER DAYS MI SSED
SI NCE SEPT EMBER

Q30C	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
None	78321.43	39.7
1-3 days	97261.87	49.3
4-9 days	16412.31	8.3
10+ days	5284.164	2.7

Frequency Mi ssi ng = 14254.227883

SENT TO PRI NCI PAL/DEAN
SI NCE SEPT EMBER

Q30D	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		

	98Bord712. out	
None	160959.7	80.8
1-3 days	27928.25	14.0
4-9 days	6100.142	3.1
10+ days	4200.916	2.1

Frequency Missing = 12345.001083

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

SOMEONE CALLED HOME
SINCE SEPTEMBER

Q30E	Frequency	Percent
None	167368.2	84.3
1-3 days	24850.96	12.5
4-9 days	3997.592	2.0
10+ days	2339.053	1.2

Frequency Missing = 12978.219435

IN TROUBLE FOR DRINKING
SINCE SEPTEMBER

Q30F	Frequency	Percent
None	192818.9	98.2
1-3 days	2466.128	1.3
4-9 days	556.172	0.3
10+ days	487.6219	0.2

Frequency Missing = 15205.162671

IN TROUBLE FOR DRUG
USE SINCE SEPTEMBER

Q30G	Frequency	Percent
None	193117.1	97.7
1-3 days	3313.418	1.7
4-9 days	580.819	0.3
10+ days	593.338	0.3

Frequency Missing = 13929.325505

DAYS SKIPPED IN PAST MONTH

98Bord712. out

Q31A	Frequency	Percent
None	163183	82.4
1-3 days	28729.79	14.5
4-9 days	4289.983	2.2
10+ days	1796.083	0.9

Frequency Missing = 13535.191278

DAYS ILL IN PAST MONTH

Q31B	Frequency	Percent
None	114501.9	58.9
1-3 days	69308.87	35.7
4-9 days	8227.451	4.2
10+ days	2364.13	1.2

Frequency Missing = 17131.693435

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

OTHER DAYS MISSED
IN PAST MONTH

Q31C	Frequency	Percent
None	123482.1	63.6
1-3 days	62813.28	32.4
4-9 days	6188.788	3.2
10+ days	1626.168	0.8

Frequency Missing = 17423.665435

SENT TO PRINCIPAL/DEAN
IN PAST MONTH

Q31D	Frequency	Percent
None	175447.9	89.8
1-3 days	15884.26	8.1
4-9 days	2636.805	1.3
10+ days	1482.834	0.8

Frequency Missing = 16082.219888

98Bord712. out

SOMEONE CALLED HOME
IN PAST MONTH

Q31E	Frequency	Percent
None	180744.8	92.3
1-3 days	12418.79	6.3
4-9 days	1648.129	0.8
10+ days	998.2456	0.5

Frequency Missing = 15724.025795

TROUBLE WITH FRIENDS
BECAUSE OF DRINKING

Q32A	Frequency	Percent
None	180159	91.5
1-3 times	14211.64	7.2
4-9 times	1667.107	0.8
10+ times	765.39	0.4

Frequency Missing = 14730.86018

DRIVEN A CAR AFTER
A GOOD BIT TO DRINK

Q32B	Frequency	Percent
None	167931.3	87.5
1-3 times	17485.69	9.1
4-9 times	3669.768	1.9
10+ times	2735.734	1.4

Frequency Missing = 19711.525373

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

CRITICIZED BY DATE
BECAUSE OF DRINKING

Q32C	Frequency	Percent
None	176956.8	91.8
1-3 times	12985.29	6.7
4-9 times	1647.738	0.9
10+ times	1139.533	0.6

98Bord712.out
Frequency Missing = 18804.637061

TROUBLE WITH POLICE
BECAUSE OF DRINKING

Q32D	Frequency	Percent
None	178924.9	95.7
1-3 times	6871.55	3.7
4-9 times	769.0837	0.4
10+ times	485.0668	0.3

Frequency Missing = 24483.415512

TROUBLE WITH FRIENDS
BECAUSE OF DRUG USE

Q32E	Frequency	Percent
None	180769.4	93.7
1-3 times	9791.319	5.1
4-9 times	1614.743	0.8
10+ times	784.469	0.4

Frequency Missing = 18574.074801

DRIVEN A CAR WHILE
HIGH FROM DRUGS

Q32F	Frequency	Percent
None	170274.9	92.7
1-3 times	8739.742	4.8
4-9 times	2279.562	1.2
10+ times	2295.946	1.3

Frequency Missing = 27943.864176

CRITICIZED BY DATE
BECAUSE OF DRUG USE

Q32G	Frequency	Percent
None	176070.3	94.1
1-3 times	8449.503	4.5
4-9 times	1454.674	0.8
10+ times	1138.283	0.6

98Bord712.out
Frequency Missing = 24421.282884

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

♀

TROUBLE WITH POLICE
BECAUSE OF DRUG USE

Q32H	Frequency	Percent
None	181532	96.8
1-3 times	4260.106	2.3
4-9 times	1009.13	0.5
10+ times	662.9403	0.4

Frequency Missing = 24069.852359

CLASS DAYS DRUNK ON
ALCOHOL SINCE SEPT

Q33A	Frequency	Percent
None	167660.6	88.4
1-3 days	16695.5	8.8
4-9 days	3048.651	1.6
10+ days	2246.841	1.2

Frequency Missing = 21882.439787

CLASS DAYS HIGH ON MARIJUANA
SINCE SEPT

Q33B	Frequency	Percent
None	158376.4	88.5
1-3 days	12192	6.8
4-9 days	3779.31	2.1
10+ days	4580.247	2.6

Frequency Missing = 32606.075816

CLASS DAYS HIGH ON INHALANTS
SINCE SEPT

Q33C	Frequency	Percent
None	175503.8	96.4
1-3 days	4655.519	2.6

98Bord712.out
 4-9 days 1064.045 0.6
 10+ days 778.9558 0.4

Frequency Missing = 29531.648731

CLASS DAYS HIGH
 ON OTHER DRUG(S)

Q33D Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 None 168142.2 92.1
 1-3 days 9447.168 5.2
 4-9 days 2479.638 1.4
 10+ days 2509.934 1.4

Frequency Missing = 28955.088588

The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the border counties
 Revised Border - Grades 7-12
 Spring 1998

ALCOHOL USE AT PARTIES
 THIS SCHOOL YEAR

Q34A Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Never 53338.07 27.5
 Seldom 19862.31 10.2
 Half the time 17266.22 8.9
 Most of the time 31900.9 16.4
 Always 49362.27 25.5
 Don't know 5678.648 2.9
 Didn't attend 16524.83 8.5

Frequency Missing = 17600.750437

DRUG USE AT PARTIES THIS SCHOOL YEAR

Q34B Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Never 87312.64 45.2
 Seldom 22143.01 11.5
 Half the time 16016.98 8.3
 Most of the time 19326.66 10.0
 Always 22307.53 11.6
 Don't know 9726.007 5.0
 Didn't attend 16140.35 8.4
 8 4.157075 0.0

Frequency Missing = 18556.664728

SOUGHT HELP FOR DRUG/ALCOHOL
PROBLEM

Q35	Frequency	Percent
9	4.157075	0.0
No	163170.6	90.8
Yes	16552.95	9.2

Frequency Missing = 31806.283095

WOULD SEEK HELP FROM
SCHOOL COUNSELOR

Q36A	Frequency	Percent
0	4.157075	0.0
No	102375.1	54.5
Yes	85609.45	45.5

Frequency Missing = 23545.243832

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the border counties
Revised Border - Grades 7-12
Spring 1998

WOULD SEEK HELP OUTSIDE
OF SCHOOL

Q36B	Frequency	Percent
0	4.157075	0.0
No	108354.9	59.4
Yes	74096.18	40.6

Frequency Missing = 29078.768697

WOULD SEEK HELP FROM
OTHER COUNSELOR

98Bord712. out

Q36C	Frequency	Percent
0	4.157075	0.0
No	98135.77	55.6
Yes	78463.86	44.4

Frequency Missing = 34930.216613

WOULD SEEK HELP FROM PARENTS

Q36D	Frequency	Percent
1	4.157075	0.0
No	69196.77	39.6
Yes	105717.8	60.4

Frequency Missing = 36615.26686

WOULD SEEK HELP FROM
A MEDICAL DOCTOR

Q36E	Frequency	Percent
0	4.157075	0.0
No	102374.8	58.9
Yes	71453.1	41.1

Frequency Missing = 37701.951591

WOULD SEEK HELP FROM FRIENDS

Q36F	Frequency	Percent
0	4.157075	0.0
No	51229.55	29.2
Yes	124008.7	70.8

Frequency Missing = 36291.599838

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12

98Bord712.out
Spring 1998

WOULD SEEK HELP FROM
ANOTHER ADULT

Q36G	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	67104.84	37.1
Yes	113963.9	62.9

Frequency Missing = 30465.260698

WOULD NOT SEEK HELP

Q36H	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	131201.2	77.3
Yes	38605.39	22.7

Frequency Missing = 41727.380356

DRUG/ALCOHOL INFO--HEALTH CLASS

Q37A	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	73909.52	44.2
Yes	93244.21	55.8

Frequency Missing = 44380.274535

DRUG/ALCOHOL INFO--ASSEMBLY
PROGRAM

Q37B	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	68249.9	42.1
Yes	93853.07	57.9

Frequency Missing = 49431.026373

DRUG/ALCOHOL INFO--GVI DANCE
COUNSELOR

Q37C	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	97850.81	60.4
Yes	64043.41	39.6

98Bord712.out
Frequency Missing = 49639.780707

DRUG/ALCOHOL INFO--SCIENCE CLASS

Q37D	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	106095.1	66.8
Yes	52779.98	33.2

Frequency Missing = 52658.877668

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS

Q37E	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	132046.5	82.7
Yes	27643.12	17.3

Frequency Missing = 51844.368745

DRUG/ALCOHOL INFO--DRUG RAP SESSION

Q37F	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
1	1.761741	0.0
No	119477.7	76.2
Yes	37296.85	23.8

Frequency Missing = 54757.659058

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST

Q37G	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
1	1.761741	0.0
No	70341.06	43.9
Yes	89705.5	56.0

Frequency Missing = 51485.678115

98Bord712. out

DRUG/ALCOHOL INFO--OTHER
SCHOOL SOURCE

Q37H	Frequency	Percent
3	1.761741	0.0
No	86969.58	54.9
Yes	71561.46	45.1

Frequency Missing = 53001.20024

PARENTS FEEL ABOUT KIDS SMOKING CIGARET

Q38A	Frequency	Percent
0	1.761741	0.0
Strongly disapprove	126417.8	66.9
Mildly disapprove	20603.47	10.9
Neither	13478.27	7.1
Mildly approve	3073.265	1.6
Strongly approve	2304.669	1.2
Don't know	22996.37	12.2

Frequency Missing = 22658.428779

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

PARENTS FEEL ABOUT KIDS DRINKING BEER

Q38B	Frequency	Percent
0	1.761741	0.0
Strongly disapprove	108937.3	61.3
Mildly disapprove	26627.13	15.0
Neither	14364.15	8.1
Mildly approve	4911.166	2.8
Strongly approve	2489.771	1.4
Don't know	20398.42	11.5

Frequency Missing = 33804.255164

PARENTS FEEL ABOUT KIDS USING MARIJUANA

Q38C	Frequency	Percent
0	1.761741	0.0

98Bord712.out		
Strong di sapprove	149214.6	81.1
Mi l d di sapprove	6160.535	3.4
Nei ther	4940.791	2.7
Mi l d ly approve	1268.232	0.7
Strongly approve	2633.402	1.4
Don' t know	19657	10.7

Frequency Mi ssi ng = 27657.689716

PURCHASED LOTTERY TICKET
IN PAST YEAR

Q39	Frequency	Percent
4	1.761741	0.0
No	116544.9	61.2
Yes	73902.48	38.8

Frequency Mi ssi ng = 21084.886603

NON-LOTTERY GAMBLING
IN PAST YEAR

Q40	Frequency	Percent
7	1.761741	0.0
No	120726.6	63.2
Yes	70149.24	36.8

Frequency Mi ssi ng = 20656.445881

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties
Revised Border - Grades 7-12
Spring 1998

MONEY SPENT ON GAMBLING
IN PAST YEAR

Q41 Frequency Percent

```

          98Bord712.out
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
$0          102350          53.4
$1 - $10    44754.74       23.3
$11 - $50   25571.77       13.3
$51 - $100  8704.662        4.5
$100+      10362.06         5.4
           6      1.761741      0.0

Frequency Missing = 19789.055055

```

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the border counties