

**Texas School Survey
of Substance Use
2004
Methodology Report and
Validity Analysis**

For the Texas Commission on Alcohol and Drug Abuse

Prepared by
James A. Dyer, Ph.D.
Melissa Tackett-Gibson, Ph.D.
and
Swetha Rao

**Public Policy Research Institute
Texas A&M University
College Station, TX 77843-4476**

Introduction

The Public Policy Research Institute (PPRI), in conjunction with the Texas Commission on Alcohol and Drug Abuse (TCADA), conducted the seventh statewide survey of drug and alcohol use among Texas elementary and secondary students in the Spring of 2004. Originally implemented in 1988 as a component of a larger survey assessing substance use among the state's general population, the school survey has since become an ongoing, independent project. District surveys are offered every year with a statewide survey conducted every two years. The 2004 effort provides follow-up data reflecting changes over the past fourteen years in grades four through twelve.

The *Texas School Survey* project has two primary objectives. First, it serves to inform state and local policy-makers about the extent and nature of the substance use problem in Texas schools. Second, the statewide survey provides a standard of comparison for districts conducting local assessments of drug and alcohol use.

The purpose of this document is to describe the methodology used to administer the 2004 *Texas School Survey of Substance Use*. Following a brief introduction to the survey instrument itself, attention is then focused on sample selection and survey administration procedures. Next, methods for data processing and quality control are described and the report concludes with a review of standard error estimates.

Survey Instrument

Two versions of the 2004 *Texas School Survey of Substance Use* were developed and administered. The first was a six-page questionnaire designed for students in grades seven through twelve. The second was a simplified three-page instrument created for students in grades four through six. The elementary survey differs from the secondary survey in that it has simplified language and some complex questions were omitted. Elementary students were asked about only four types of substances including tobacco (cigarettes, snuff, and chewing tobacco), alcohol (beer, wine, wine coolers, and liquor), inhalants, and marijuana. Secondary students were asked about the same substances, as well as a broader range of illicit drugs including powdered cocaine, crack, hallucinogens, uppers, downers, steroids, ecstasy, Rohypnol, DXM, and heroin. Other sets of questions on both the elementary and secondary instruments were designed to assess behavioral correlates of substance use and students' perceptions of support available to help them cope with substance-related problems.

The questionnaire was in a format that could be scanned optically, similar to that used for standardized testing. It was designed for anonymous self-administration by students with the aid of a staff member to pass out the survey, read a common set of instructions, monitor the class during survey administration, and collect the instruments after they are completed. The survey instruments are included in Appendix A.

Survey Content

The *Texas School Survey of Substance Use* content was updated in 2004. Both the secondary and elementary instruments include a false drug designed to identify exaggerated responses. In previous versions of the surveys, this drug was called "Cosma". The current versions list this drug as "Shimeron".

Other revisions to the secondary survey include the (1) addition of psychedelic mushrooms to the examples of drugs included in the hallucinogens category, and (2) the inclusion of an item related to the use of prescription and over-the-counter drugs, such as DXM. This item specifically asks students how recently they have used DXM or codeine cough syrup to get high. To maintain the brevity of the survey and accommodate the addition of a new question, item #31 was deleted. This question was related to school absences and conduct. Revisions were made to improve response quality and to capture data related to new use trends. Measures were taken to ensure compatibility with previous survey data.

Survey Sample

The sample of students for the 2004 survey was designed to be a random sample of all public school students between the fourth and twelfth grades in the state. In order to make administration practical, students were selected using a multi-stage stratified sampling procedure. This involved sampling districts, schools within districts, and classrooms within districts. All students in a sampled classroom were asked to participate in the survey.

The 2004 sample design replicated the design developed in 2000. In 2000, modifications were made to the previous sampling design in order to increase the precision of survey results. This design took advantage of newly available software packages that easily provide estimates of standard errors of the estimators resulting from complex sample designs. These computations were not possible prior to the arrival of these packages.

Selection of Districts

The primary analytic cluster was the school district since the approval needed to administer the survey had to be obtained at that level. First, the districts were stratified according to how urban the counties were in which they were located. Stratification along a variable deemed to be highly correlated with the characteristics of interest is a means of increasing the precision of estimates in complex sampling designs. The strata were formed as follows. First, 28 border counties formed a separate border stratum. Of the remaining counties, the most urban stratum consisted of counties with metropolitan populations of 1,000,000 or more; the next stratum containing those between 250,000 and 1,000,000; and the third stratum was made up of those metropolitan areas with less than 250,000. The remainder of the state constituted a final major stratum.

The strata were further subdivided by relative size of the districts, so that each stratum had a combination of large and small districts. Due to their large size relative to other districts, a total of nine districts were sampled with a probability of one. This means that these districts are always selected as part of the sample. They formed two of the substrata. The strata are listed in Table 1.

Districts were selected for the state sample from the 11 strata, above, in the following manner. The 14 districts that formed strata 1-A and 2-A were included with probability one. From each of the remaining strata, excluding the border stratum, a simple random sample of districts was selected. The districts in the border stratum were also selected with probability one in that all districts constituting that stratum were invited to participate. The districts that were selected in this manner are listed in Table 2.

If a non-probability one district refused to participate, it was replaced with another district selected at random from within the stratum.

TABLE 1. Distribution of Selected Districts by Urban Class Size

Stratum	Group
1-A	Large Urban Counties- 55,000 < enrollment (probability one districts)
1-B	Large Urban Counties- 20,000 < enrollment < 55,000
1-C	Large Urban Counties- 10,000 < enrollment <20,000
1-D	Large Urban Counties- enrollment <10,000
2-A	Medium Urban Counties- 20,000 < enrollment (probability one districts)
2-B	Medium Urban Counties- enrollment <20,000
3-A	Small Urban Counties- 10,000 < enrollment
3-B	Small Urban Counties- enrollment <10,000
4-A	Non-Urban Counties- 5,000 < enrollment
4-B	Non-Urban Counties- enrollment <5,000
5-A	Border (28 counties)

TABLE 2. State Sample by Strata

Original State Sample (n=202)	Actual State Sample (n=79)
Stratum 1-A: District Name (rank)	Stratum 1-A: District Name
San Antonio (1)	Arlington
Dallas (2)	Fort Worth
Fort Bend (3)	Houston
North East (4)	Northside
Houston (5)	San Antonio
Arlington (6)	
Northside (7)	
Cypress-Fairbanks (8)	
Fort Worth (9)	
Aldine (10)	

TABLE 2. State Sample by Strata (cont.)

Stratum 1-B: District Name (rank)	Stratum 1-B: District Name
Richardson (1)	Birdville
Keller (2)	Carrollton-Farmers
Carrollton-Farmers Branch (3)	Grand Prairie
Birdville (4)	Plano
Mesquite (5)	Spring Branch
Plano (6)	
Alief (7)	
Spring (8)	
Grand Prairie (9)	
Spring Branch (12) alternate	

Stratum 1-C: District Name (rank)	Stratum 1-C: District Name
North Forest (1)	Grapevine/Colleyville
Edgewood (2)	Mansfield
Grapevine-Colleyville (3)	North Forest
Crowley (4)	
Mansfield (5)	
Judson (6)	

Stratum 1-D: District Name (rank)	Stratum 1-D: District Name
Magnolia (1)	Aledo
Kendleton (2)	Eagle Mt.- Saginaw
Brock (3)	Joshua
Poolville (4)	Springtown
Marion (5)	
Celina (6)	
Dayton (7)	
Aledo (8)	
Northwest (9)	
Randolph Field (10)	
Eagle Mt.- Saginaw (14) alternate	
Springtown (16) alternate	
Joshua (17) alternate	

Stratum 2-A: District Name (rank)	Stratum 2-A: District Name
Beaumont (1)	Austin
Austin (2)	Round Rock
Corpus Christi (3)	
Round Rock (4)	

TABLE 2. State Sample by Strata (cont.)

Stratum 2-B: District Name (rank)	Stratum 2-B: District Name
Hays Consolidated (1)	Agua Dulce
Georgetown (2)	Dripping Springs
Agua Dulce (3)	Georgetown
Lake Travis (4)	Lake Travis
Dripping Springs (5)	West Oso
Aransas Pass (6)	Wimberley
Sabine Pass (7)	
Lago Vista (8)	
West Oso (11) alternate	
Wimberley (12) alternate	
Stratum 3-A: District Name (rank)	Stratum 3-A: District Name
Abilene (1)	Ector County
Wichita Falls (2)	
Lubbock (3)	
Midland (4)	
Brazosport (5)	
Ector County (6) alternate	
Stratum 3-B: District Name (rank)	Stratum 3-B: District Name
Lubbock-Cooper (1)	Dickinson
Hallsville (2)	Hallsville
Trent (3)	Longview
Oglesby (4)	Pinetree
Hubbard (5)	Whitehouse
White Oak (6)	
Whitehouse (9) alternate	
Pinetree (17) alternate	
Dickinson (18) alternate	
Longview (23) alternate	
Stratum 4-A: District Name (rank)	Stratum 4-A: District Name
Greenville (1)	Bastrop
Huntsville (2)	Corsicana
Corsicana (3)	Granbury
Midway (4)	Midway
Boerne (5)	Nacogdoches
Bastrop (6) alternate	
Granbury (7) alternate	
Nacogdoches (8) alternate	

TABLE 2. State Sample by Strata (cont.)

Stratum 4-B: District Name (rank)		Stratum 4-B: District Name
Chillicothe (1)	Clarendon (10)	Clarendon
Wells (2)	Midway (11)	Clarksville
Hemphill (3)	Mexia (12)	Hemphill
Brookesmith (4)	Southland (15) alternate	Southland
Aransas County (5)	Clarksville (20) alternate	Spade
Three Rivers (6)	Spade (*) alternate	Springlake-Earth
Baird (7)	Springlake-Earth (*) alternate	Sudan
Eden (8)	Sudan (*) alternate	Littlefield
Ingram (9)	Littlefield (*) alternate	

Stratum 5-A: All ISDs in counties listed (n=108)		Stratum 5-A: District Name	
Brewster	Kinney	Brackett	Marathon
Brooks	La Salle	Brownsville	Marfa
Cameron	Maverick	Cantullio	Maypearl
Culberson	Pecos	Comstock	McAllen
Dimmit	Presidio	Culberson County	Mercedes
Duval	Reeves	Dell City	Mission CISD
Edwards	Starr	Donna	Pharr-San Juan- Alamo
El Paso	Terrell	Edcouch-Elsa	Presidio
Hidalgo	Uvalde	Edinburg CISD	Raymondville
Hudspeth	Val Verde	Ft. Hancock	Rio Grande CISD
Jeff Davis	Webb	Italy	Roma
Jim Hogg	Willacy	Jim Hogg	San Vicente
Jim Wells	Zapata	La Joya	Sharyland
Kennedy	Zavala	La Villa	South Texas
		Lasara	Terlingua
		Los Fresnos CISD	United
		Lyford CISD	Uvalde CISD
			Valentine

* Unranked within sample selection strata.

Soliciting District Participation

Obtaining cooperation from those districts that were randomly selected for the state sample when the selected district did not plan to do a local survey was sometimes a problem. Yet, it was critical to get data from as many of the originally selected districts as possible. Some state sample districts that were initially hesitant were persuaded to cooperate by the use of incentives. The various incentives used included waiving participation and sampling fees, offering to discount the

fees for participating the following year, paying all shipping costs, and discounting campus level analyses fees.

In order to allow further analysis of substance use among students living on the Texas-Mexico border, school districts along the border were strongly encouraged to participate in the 2004 *Texas School Survey*. The survey was offered free of charge to border districts, and data was collected from a broadly defined 28-county area. The border sample was designed to collect data from approximately 500,000 students. One-hundred and eight school districts from 28 counties were invited to participate in the 2004 survey. Each border district surveyed was included in the state survey sample (see Strata 5 in Table 2).

Participation Rates

Sixty-three of the original 182 selected districts participated in the study. One-hundred and twenty-three districts were not able to participate; and most declined due to the lack of time and resources involved in survey administration. In lieu of the declining districts, an additional twenty districts were included as alternates for the final sample. With alternates, the sample included 203 districts. In total 83 districts participated in the 2004 survey. Border districts accounted for 47% of the participating districts.

The participation rate of the selected districts was 41 percent (see Table 3). Rates ranged by strata from 17 to 50 percent. The cooperation rate was lowest for large districts in small urban counties (Strata 3A). This differed from the 2002 sample in which the lowest participation rate was among small districts in rural counties. Compared to 2002 there was a general trend of declines in participation. However, participation gains were noted among the smallest districts in both small urban and rural counties (strata 3B and 4B). In 2002, strata 3B had a 33 percent cooperation rate as compared to 2004's 42 percent; strata 4B had a 2002 rate of 16 percent which improved to 44 percent. Overall, there were no consistent differences in cooperation rates between urban and rural districts. The rate of participation among border districts was 33 percent.

The selected districts included 2.34 million elementary and secondary students. A total of 51 percent of the students in the original sample were in the final sampling frame (see Table 4). While only 33 percent of the districts along the border participated, the 43 percent of all students in the area were included in the survey. Sixty-nine of the 79 districts sampled submitted both elementary and secondary surveys. Ten districts, Bastrop, Comstock, Culberson County, Ft. Hancock, Marathon, Marfa, Presidio, South Texas, Spring Branch and Valentine, did not administer surveys to elementary students. All of the districts surveyed middle school and high school students.

TABLE 3. Cooperation Rate of Districts by Strata

	Strata 1A	Strata 1B	Strata 1C	Strata 1D	Strata 2A	Strata 2B	Strata 3A	Strata 3B	Strata 4A	Strata 4B	Strata 5-A
Total Cooperation Rate (41%)	50%	50%	50%	31%	50%	50%	17%	42%	63%	44%	33%

TABLE 4. Percentage of Students Included in Final Sampling Frame by Strata

	Strata 1A	Strata 1B	Strata 1C	Strata 1D	Strata 2A	Strata 2B	Strata 3A	Strata 3B	Strata 4A	Strata 4B	Strata 5-A
Total Rate (51%)	54%	49%	51%	43%	65%	63%	22%	87%	65%	36%	43%

Allocation of Surveys among Districts

The state survey sample was designed to collect data from a minimum sample of about 5,555 students per grade, however, many districts chose to survey more than the minimum number of students specified in the state sampling plan. Some extremely small districts received somewhat more than a strict proportional allocation because, while the data was technically only needed from one or two students per grade, the survey was administered to the entire classroom. Similarly, in a few extremely large (urban) districts, fewer students were need for accuracy than would result from a true proportional allocation. All surveys submitted from a cooperating district were included in the sample. Accordingly, in the final analyses, the data were weighted to provide an accurate proportional allocation.

Thus, although we had estimated that the state sample would include approximately 50,000 students, it actually included 88,929 elementary students and 149,220 secondary students (See Table 4). This significantly improves the accuracy of estimates.

TABLE 4. Number of Surveys Included in State Sample

	Total Non-blank Surveys	Number of Useable	Number Rejected*	Percent Rejected
Secondary	142,631	135,305	7,137	5.3%
Elementary	80,083	78,789	1,294	1.6%
Total	222,714	214,094	8,431	3.9%

*Surveys were rejected because the responses indicated exaggeration or the survey could not be matched to a sampled school and grade.

Allocation of Surveys among Classrooms and Campuses

Once the number of surveys to be administered in each district was established, the next step was to determine the number of classrooms to be surveyed per grade. This was achieved by dividing the number of questionnaires per grade (ascertained for each district using proportional population calculations) by the average number of students per class---20 for grades four through six, 22 for grades seven through twelve. The result of this computation indicated the total number of classes to be surveyed. These classes were selected so that as many different campuses as possible were in the final sample. Ideally, the classrooms surveyed were evenly

distributed across all campuses in the district. If there were more campuses containing a given grade than classrooms needed, then a simple random selection procedure was used to determine which campuses would be sampled. In general, once a campus was selected, all relevant grades at that campus were surveyed. Therefore, campus selection was not independent between grades.

TABLE 5. Survey Distribution by Grade

	Grade	Number of Usable Surveys	Percentage
Elementary	4 th	24,451	31%
	5 th	28,783	36%
	6 th	26,220	33%
		79,454	100%
Secondary	7 th	27,099	20%
	8 th	27,708	20%
	9 th	25,391	19%
	10 th	21,808	16%
	11 th	17,311	13%
	12 th	16,345	12%
	135,662	100%	

Selection of Classrooms within Campuses

After the total number of classrooms to be surveyed in each grade at each campus was determined, it was necessary to identify specific classrooms. This selection procedure was performed by campus personnel based on a set of guidelines provided by PPRI (illustrated in Appendix C). Members of campus staff were asked to make a list by grade (according to teacher’s last name or some other convenient method) of all classes held during a selected class period. They were then instructed to use a random number table to select the exact classes to survey in each grade.

Other Sampling Considerations

Some school districts sampled all students in all or some of the grades. In these districts, the methodology outlined above did not apply to the grades sampled at 100 percent. In Houston and Austin, the district used a list of all students from which to conduct a random sample of the students. Therefore, there are no campuses and classrooms sampled in these districts.

Survey Administration Procedures

Districts selected for inclusion in the state sample were notified about the project via letter and were sent a descriptive brochure, illustrated in Appendix D. State sample districts that planned to

administer a local drug and alcohol survey had virtually no procedural changes resulting from their involvement in the statewide project. In those districts that surveyed grades four through twelve, sufficient data was collected from all relevant campuses to meet the data collection needs of the statewide survey. These districts benefited from their inclusion in the state survey project because they were not charged for the surveys that became part of the state database. The larger number of surveys from these districts was weighted down so that their contribution to the final sample was in correct proportion.

In those instances where state sample districts were collecting local data for an incomplete combination of grades, or where they were not conducting local surveys at all, the campus and classroom selection procedures described above were applied. Arrangements for giving the survey were established on an individual basis with these districts. Since those not doing local surveys did not stand to gain directly from having the survey administered in their district, an effort was made to be as accommodating as possible. PPRI was able to arrange survey administration in the selected schools and classes by school personnel.

In some larger districts, such as Houston and Austin, the district uses the computer to draw a random sample of all students. On each campus where the students are located, the students are requested to go to a specified room where the survey is conducted. Once in the room, the survey is conducted, as it would be in a classroom in the other districts.

Relevant personnel in the selected districts and campuses were provided with complete instructions and materials necessary to administer the survey (see Appendix E). Classrooms were selected randomly by PPRI based on information from a computer printout from the district or Campus Information Form. Teachers in selected classrooms were given a script to read so that all students would receive a standardized set of instructions. Teachers were also asked to complete a Classroom Identification Form that provided data on the number of students that should have taken the survey but were absent, and the number that was present but failed to complete the survey. This information was useful for computing error estimates. After the surveys were administered in each classroom, they were sealed in an envelope along with the Classroom Identification Form. The envelopes from all participating classrooms were collected and returned to PPRI.

Data Entry and Analyses

As noted earlier, the format of the survey instruments enabled them to be scanned optically. Upon receipt at PPRI, the instruments were logged in, coded, and scanned by staff or trained personnel.

Exaggerated Responses

Because the *Texas School Survey* data is based entirely upon respondents' description of their own behavior, it is inevitable that some students will under- or over-report their use of drugs or alcohol, and to the extent possible PPRI attempted to identify and eliminate data from those respondents. Two checks were incorporated into the data analysis program to identify exaggerators. First, both elementary and secondary students were asked about their use of a false drug call "Shimeron." Data from students claiming to have used this substance were considered suspect and dropped from the analyses.

Second, checks were run to identify any students claiming extremely high levels of drug and alcohol use. Unbelievable high substance use for elementary students was defined as the use of five or more substances, 11 or more times in the past school year or over a lifetime. Secondary students were defined as exaggerators based on the following criteria: (1) students reported that they had five or more drinks of two or more beverages every day; (2) students reported that they had consumed three or more alcoholic beverages every day; or (3) students reported that they used four or more drugs (other than cigarettes, alcohol, or steroids) eleven or more times in the past month. As in those cases where students reported using “Shimeron,” data from students reporting exaggerated use were also dropped from the analyses. Less than two percent (1.62%) of the total elementary sample exaggerated. The percentage of secondary school students who exaggerated (5.12%) was more than three times that of elementary students.

Unreported Grade Levels

When students failed to report their grade level, it was impossible to determine unequivocally in which grade these students’ data should be analyzed. Approximately, 1% of the elementary and secondary surveys were missing grade information. When a grade level was missing, an estimate of the grade was made based on the students’ age and the data were retained. Table 6 identifies the range of students’ ages and the corresponding grade levels that were assigned. If both grade and age were missing, the data were dropped from the analyses.

TABLE 6. Age-Based Grade Assignments.

Age	Elementary Level	Age	Secondary Level
9	4 th Grade	12	7 th Grade
10	5 th Grade	13	8 th Grade
11	6 th Grade	14	9 th Grade
		15	10 th Grade
		16	11 th Grade
		17 or older	12 th Grade

Quality Control Measures

To ensure the quality of the statewide survey data, a number of internal checks were put into place to guide survey processing. First, a quality control analyst oversaw the implementation of all pre- and post-analysis quality control procedures. As the following paragraphs describe, many aspects of PPRI’s plan for quality control were embedded in automated procedures. However, there is no replacement for human oversight. The quality control analyst monitored and tracked the processing of each district’s surveys from the initial mailing through the production of the final state report. Responsibilities included ensuring that surveys were properly coded and scanned and checking for anomalies in the final table of results.

In addition to the safeguards resulting from careful project oversight, there were also a number of procedural checks against error. For example, there was a possibility, however remote, that after the bindings of a set of survey instruments were cut, the instruments could be dropped or otherwise placed out of order. If this occurred, it is conceivable that some pages of data could have been read into the incorrect computer record. To resolve this problem, each instrument used

in the 2002 survey was printed with a five-digit “litho-code” number. With this coding process, every page of a given instrument is printed with the same scannable number, but a unique number is assigned to every instrument. By using the litho-code, when each page of an instrument is scanned it will automatically be read into the correct computer record. In this way, even if the pages from different instruments were shuffled together and read randomly, all data derived from the same instrument would automatically be read to the same data record.

Litho-coding also enabled PPRI to confirm that data from every survey instrument read was associated with the correct district. Survey instruments were mailed to participating districts in consecutive order. By recording the beginning and ending instrument numbers going to each district, PPRI was able to check the litho-codes scanned for a given district. In this way, any stacks of data that could potentially have been inadvertently mislabeled could be easily identified.

Programming checks were also incorporated into the data analysis program by cross-analysis. That is, the same data was run in several different ways using existing programs, and program outputs were then compared for consistency. Confidence is high that these quality control features will ensure valid and reliable survey findings.

Weights, Standard Errors, and Confidence Intervals

Weights were applied to each case based on the strata (i.e., Urban Class I through IV), district, and campus. The weights were applied so that the aggregation of students in each campus, district, and strata reflected their proportions in the actual district, campus, and strata populations. The formulae used to determine these weights are presented in Appendix F.

Standard errors and confidence intervals were estimated for each grade and the aggregation. The formulae used are presented in Appendix G. The table of standard errors and confidence intervals for past year and lifetime use of substances by grades are presented in Appendix H.

Conclusion

The *Texas School Survey* has become a valuable policy tool for both state and local educators and policy-makers. The survey, performed every two years, provides timely and relevant information about current drug and alcohol use patterns among young people enrolled in the Texas’ public schools. Furthermore, longitudinal analysis can provide insight into changes in drug and alcohol prevalence over time. As was noted in the introduction, every state survey culminates in a TCADA publication providing an overview of findings to date. Data is also available for independent analysis by policy-makers and academicians.

APPENDIX A

Survey Instruments

The Survey Instruments have been omitted.

APPENDIX B

Participating Border Districts

2005 Participating Special Border Area Districts

<u>District</u>	<u>Dist. No.</u>	<u>County</u>
Marathon	022-902	Brewster
San Vicente	022-903	Brewster
Terlingua	022-004	Brewster
Brownsville	031-901	Cameron
Los Fresnos CISD	031-906	Cameron
South Texas	031-916	Cameron
Culberson County	055-901	Culberson
Waxahachie	070-912	Ellis
Italy	070-907	Ellis
Maypearl	070-915	Ellis
Cantullio	071-907	El Paso
Donna	108-902	Hidalgo
Edcouch-Elsa	108-903	Hidalgo
Edinburg Cons.	108-904	Hidalgo
La Joya	108-912	Hidalgo
La Villa	108-914	Hidalgo
McAllen**	108-906	Hidalgo
Mercedes	108-907	Hidalgo
Misson Consolidated	108-908	Hidalgo
PharrSanJuanAlamo	108-909	Hidalgo
Sharyland	108-911	Hidalgo
Valley View (Pharr)	108-916	Hidalgo
Weslaco	108-913	Hidalgo
Dell City	115-903	Hudspeth
Ft. Hancock	115-901	Hudspeth
Jim Hogg County	124-901	Jim Hogg
Brackett	136-901	Kinney
Marfa	189-901	Presidio
Presidio	189-902	Presidio
Rio Grande Cons.	214-901	Starr
Roma	214-903	Starr
Uvalde Cons.	232-903	Uvalde
Comstock	233-903	Val Verde
United	240-903	Webb
Webb Consolidated	240-904	Webb
Lasara	245-901	Willacy
Lyford Cons.	245-902	Willacy
Raymondville	245-903	Willacy

APPENDIX C

Classroom Selection Guidelines

Texas School Survey of Substance Use

Teacher Lists for Random Sample Selection

For elementary

- List all the teachers' names that teach in grades 4, 5 and 6;
- List the grade level that each teaches; and
- List the number of students per class.

For secondary

- Choose *either* a class period in which all students are present *or* a subject all students must be enrolled;
- List all teachers for that class period or that subject; and
- List the number of students per grade level in each of those classes.

Note:

If a subject has been chosen rather than a particular class period, and where a single teacher teaches multiple classes, a classroom identifier of some sort (e.g., the period) should be included in the column under the heading of “period”.

PPRI will randomly pick entire classrooms until we reach the target numbers per grade level for the sample. Then, we'll send you the survey materials along with a Master List of those classes randomly selected to be surveyed.

Helpful Hint:

Electronic submissions (i.e., as an attachment to an email) are encouraged for speedy turnaround, as the random sample selection is a computer program.

Remember:

Sixth graders are considered elementary students for the purposes of this survey.

APPENDIX D

Descriptive Brochure

The Descriptive Brochure has been omitted.

APPENDIX E

Survey Administration Guide

The Survey Administration Guide has been omitted.

APPENDIX F

Computation of Sample Weights

Weighting the Texas School Survey of Substance Abuse

District Level Weights

Within the selected districts, students were sampled via a simple random sample of classrooms (i.e., a sample in which all classrooms in the district had an equal chance of getting in) picked directly from the district. Every student in the sampled classrooms was asked to participate in the survey.

A weight w_{ilk} is assigned to each sampled classroom k , in grade l , in district i :

$$w_{ilk} = \frac{N_{il}}{n_{il}} \quad (1)$$

where,

N_{il} = total no. of classrooms in grade l , in district i

n_{il} = no. of classrooms sampled in grade l , in district i

Since every student in the sampled classrooms was included in the sample, each student's probability of selection is equal to his/her classroom's probability of selection. Thus, each sampled student in these districts is assigned his/her classroom weight. Therefore the weight w_{ilr} of the r^{th} sampled student in classroom k is,

$$w_{ilr} = w_{ilk} \quad (2)$$

Remark: In (1), if the true N_{il} is not known for a particular district, estimate it with,

$$\hat{N}_{il} = \frac{M_{il}}{\hat{c}_{il}} \quad (3)$$

where, $\hat{c}_{il} = m_{il} / n_{il}$ and

M_{il} = total no. of students in grade l , in district i

m_{il} = no. of students sampled in grade l , in district i

Notice that in this case, the weights in (1) reduce to, $w_{ilk} = M_{il} / m_{il}$.

District Level Estimates

The total no. of students in grade l , in district i , giving a positive response to a question is estimated as

$$\hat{Y}_{il} = \sum_{r=1}^{m_{il}} w_{ilr} y_{ilr} \quad (4)$$

where

$$y_{ilr} = \begin{cases} 1 & \text{if the } r^{\text{th}} \text{ student's response is positive} \\ 0 & \text{otherwise} \end{cases},$$

and w_{ilr} is as defined in (2).

The proportion of students in grade l , in district i , giving a positive response to a question is estimated as,

$$\hat{Y}_{il} = \frac{\hat{Y}_{il}}{M_{il}}$$

Stratum Level Weights

The districts were selected from strata that were formed on the basis of two factors, namely, how urban the districts were and the levels of enrollment. That is, once the districts were grouped by the degree to which they were urban, strata were formed by collecting together districts of similar size within these urban classes. Next, a simple random sample of districts was chosen from each stratum. A few large districts were selected to the sample with probability one. These districts were grouped into two strata based on the relative sizes of the districts.

Stratum level weights are assigned to the sampled students as follows. The weight w_{hrl}^s of the r^{th} sampled student, from grade l , in district i in stratum h is,

$$w_{hrl}^s = \frac{1}{p_{hi}} w_{ilr} \quad (5)$$

where

$$p_{hi} = \begin{cases} 1 & \text{if district } i \text{ was sampled with probability 1} \\ \phi_{hi} & \text{otherwise} \end{cases}, \quad (6)$$

and within grade l , for each district i in stratum h , w_{ilr} is as defined in (4), and $\phi_{hi} = n_h / N_h$ with

n_h = no. of districts sampled from stratum h

N_h = total number of districts in stratum h

Notice that within stratum h , ϕ_{hi} does not depend on district i .

State Level estimates

The total no. of students in grade l , giving a positive response to a question is estimated as

$$\hat{Y}_l = \sum_{h=1}^H \hat{Y}_{hl} \quad (7)$$

with

$$\hat{Y}_{hl} = \sum_{i=1}^{n_h} \sum_{r=1}^{m_{il}} w_{hiltr}^s y_{iltr} \quad (8)$$

where, within grade l , for each district i in stratum h , y_{iltr} , and m_{il} are as defined above.

The proportion of students in grade l , in the state, giving a positive response to a question is estimated as,

$$\hat{Y}_l = \frac{1}{M_l} \sum_{h=1}^H \hat{Y}_{hl} \quad (9)$$

where,

M_l =total number of students in grade l in state.

APPENDIX G

Standard Error Formulae

Standard Error Formulae for the Texas School Survey of Substance Use

The standard errors of the percentages were estimated via the SUDAAN software package. The variance estimation techniques in SUDAAN are specifically designed to address the complexity of the sample design in finite population sampling. The variance estimators generally available for these complex designs do not have closed form solutions and, therefore, require iterative approaches in computations that would yield solutions as close to the true value as possible. SUDAAN software package is available for this purpose and is gaining wide popularity in survey sampling applications.

In applying SUDAAN to the current survey which consisted of a multi-stage stratified sampling design, the input SAS data set requires the following re-coding of the stratification variable for strata 21 and 22 (due to certainty stratum 21 having only one district responding to survey):

```
if strata=22 then strata=21;
```

(Here: strata= stratum identifier) Next, the data set needs to be sorted as follows:

```
proc sort data=___;  
by strata distid q2 class;  
run;
```

Here, distid= district identifier, q2= grade identifier, class= classroom identifier.

The SUDAAN code needs to incorporate the following:

```
proc crosstab data=" " filetype=sas design=WOR;  
nest strata distid q2 class;
```

The specified design WOR uses Taylor series variance estimation methods¹ in computing standard errors of percentages in the multi-stage stratified sampling design of this survey.

¹ See SUDAAN User's Manual (Volume 1), page 3-4.

APPENDIX H

**Standard Error and Confidence
Interval Tables**

Elementary Grades – 2004
Confidence Intervals

Lifetime Use of Selected Substances - Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	8.2%	6.9%	9.5%	0.641%
ALCOHOL	25.5%	23.6%	27.4%	0.933%
INHALANTS	10.5%	9.8%	11.2%	0.367%
MARIJUANA	2.4%	1.8%	3.0%	0.296%
CIGARETTES	7.2%	6.0%	8.4%	0.613%
SMOKELESS TOBACCO	1.8%	1.5%	2.1%	0.159%
BEER	15.9%	14.6%	17.2%	0.646%
WINE COOLERS	11.5%	9.7%	13.3%	0.881%
WINE	13.1%	12.4%	13.8%	0.349%
LIQUOR	6.3%	5.4%	7.2%	0.470%

Lifetime Use of Selected Substances - Grade 4				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.6%	3.9%	5.3%	0.337%
ALCOHOL	18.3%	16.8%	19.8%	0.762%
INHALANTS	9.6%	8.8%	10.4%	0.410%
MARIJUANA	1.0%	0.8%	1.2%	0.124%
CIGARETTES	3.6%	3.1%	4.1%	0.265%
SMOKELESS TOBACCO	1.5%	0.9%	2.1%	0.298%
BEER	11.8%	10.6%	13.0%	0.614%
WINE COOLERS	5.6%	4.6%	6.6%	0.486%
WINE	9.0%	7.9%	10.1%	0.556%
LIQUOR	2.5%	2.1%	2.9%	0.210%

Lifetime Use of Selected Substances - Grade 5				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	7.0%	5.6%	8.4%	0.698%
ALCOHOL	23.4%	21.4%	25.4%	0.985%
INHALANTS	8.8%	7.8%	9.8%	0.486%
MARIJUANA	1.4%	0.9%	1.9%	0.252%
CIGARETTES	6.1%	4.8%	7.4%	0.662%
SMOKELESS TOBACCO	1.4%	1.1%	1.7%	0.130%
BEER	14.6%	13.1%	16.1%	0.765%
WINE COOLERS	9.5%	8.1%	10.9%	0.723%
WINE	11.3%	10.6%	12.0%	0.369%
LIQUOR	4.9%	4.1%	5.7%	0.383%

Lifetime Use of Selected Substances - Grade 6				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	13.1%	11.3%	14.9%	0.879%
ALCOHOL	34.7%	32.3%	37.1%	1.183%
INHALANTS	13.0%	12.2%	13.8%	0.407%
MARIJUANA	4.9%	3.9%	5.9%	0.500%
CIGARETTES	12.0%	10.3%	13.7%	0.864%
SMOKELESS TOBACCO	2.5%	2.1%	2.9%	0.211%
BEER	21.3%	19.5%	23.1%	0.882%
WINE COOLERS	19.3%	17.1%	21.5%	1.106%
WINE	18.9%	17.6%	20.2%	0.653%
LIQUOR	11.4%	10.0%	13%	0.695%

Past Year Use of Selected Substances - Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.5%	3.4%	5.6%	0.528%
ALCOHOL	16.1%	14.7%	17.5%	0.707%
INHALANTS	7.6%	7.1%	8.1%	0.263%
MARIJUANA	1.7%	1.2%	2.2%	0.257%
CIGARETTES	3.9%	2.9%	4.9%	0.497%
SMOKELESS TOBACCO	0.9%	0.7%	1.1%	0.115%
BEER	8.8%	7.7%	9.9%	0.543%
WINE COOLERS	7.0%	5.8%	8.2%	0.601%
WINE	7.9%	7.4%	8.4%	0.273%
LIQUOR	3.8%	3.3%	4.3%	0.261%

Past Year Use of Selected Substances - Grade 4				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.5%	1.8%	3.2%	0.345%
ALCOHOL	11.6%	10.6%	12.6%	0.496%
INHALANTS	7.0%	6.4%	7.6%	0.279%
MARIJUANA	0.6%	0.3%	0.9%	0.141%
CIGARETTES	1.9%	1.5%	2.3%	0.214%
SMOKELESS TOBACCO	0.8%	0.3%	1.3%	0.237%
BEER	6.5%	5.6%	7.4%	0.443%
WINE COOLERS	3.7%	3.0%	4.5%	0.375%
WINE	5.8%	5.0%	6.6%	0.381%
LIQUOR	1.5%	1.3%	1.7%	0.122%

Past Year Use of Selected Substances - Grade 5				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.7%	2.5%	4.9%	0.576%
ALCOHOL	14.5%	13.0%	16.0%	0.730%
INHALANTS	6.5%	5.6%	7.4%	0.437%
MARIJUANA	1.0%	0.6%	1.4%	0.199%
CIGARETTES	3.3%	2.2%	4.4%	0.533%
SMOKELESS TOBACCO	0.7%	0.5%	0.9%	0.108%
BEER	7.6%	6.6%	8.6%	0.513%
WINE COOLERS	5.8%	4.7%	6.9%	0.555%
WINE	6.6%	5.9%	7.3%	0.331%
LIQUOR	2.9%	2.5%	3.3%	0.215%

Past Year Use of Selected Substances - Grade 6				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	7.2%	5.7%	8.7%	0.765%
ALCOHOL	22.2%	20.4%	24.0%	0.920%
INHALANTS	9.4%	8.8%	10.0%	0.301%
MARIJUANA	3.5%	2.6%	4.4%	0.430%
CIGARETTES	6.7%	5.2%	8.2%	0.726%
SMOKELESS TOBACCO	1.2%	1.0%	1.4%	0.124%
BEER	12.1%	10.6%	13.6%	0.745%
WINE COOLERS	11.6%	10.0%	13.2%	0.801%
WINE	11.2%	10.2%	12.2%	0.504%
LIQUOR	7.0%	6.0%	8%	0.496%

Lifetime Use of Selected Substances - Overall Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	9.7%	8.2%	11.2%	0.764%
ALCOHOL	28.1%	26.2%	30.0%	0.931%
INHALANTS	11.7%	10.9%	12.5%	0.404%
MARIJUANA	3.0%	2.4%	3.6%	0.318%
CIGARETTES	8.2%	6.7%	9.7%	0.726%
SMOKELESS TOBACCO	2.7%	2.2%	3.2%	0.265%
BEER	19.2%	17.6%	20.8%	0.785%
WINE COOLERS	11.3%	9.7%	12.9%	0.784%
WINE	14.1%	13.4%	14.8%	0.358%
LIQUOR	7.0%	5.9%	8.1%	0.551%

Lifetime Use of Selected Substances - Grade 4 Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.7%	4.6%	6.9%	0.575%
ALCOHOL	21.8%	19.9%	23.7%	0.946%
INHALANTS	10.9%	10.1%	11.7%	0.420%
MARIJUANA	1.2%	1.0%	1.4%	0.123%
CIGARETTES	4.2%	3.5%	4.9%	0.344%
SMOKELESS TOBACCO	2.1%	1.1%	3.1%	0.485%
BEER	15.5%	14.1%	16.9%	0.679%
WINE COOLERS	6.3%	5.4%	7.2%	0.464%
WINE	10.4%	8.7%	12.1%	0.851%
LIQUOR	3.0%	2.6%	3.4%	0.192%

Lifetime Use of Selected Substances - Grade 5 Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	8.8%	7.2%	10.4%	0.814%
ALCOHOL	25.8%	23.8%	27.8%	1.011%
INHALANTS	9.9%	8.7%	11.1%	0.589%
MARIJUANA	1.8%	1.2%	2.4%	0.297%
CIGARETTES	7.6%	6.0%	9.2%	0.823%
SMOKELESS TOBACCO	2.1%	1.6%	2.6%	0.252%
BEER	17.5%	15.6%	19.4%	0.937%
WINE COOLERS	9.6%	8.3%	10.9%	0.627%
WINE	12.0%	11.3%	12.7%	0.368%
LIQUOR	5.8%	4.8%	6.8%	0.482%

Lifetime Use of Selected Substances - Grade 6 Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	14.8%	12.7%	16.9%	1.071%
ALCOHOL	37.0%	34.2%	39.8%	1.402%
INHALANTS	14.2%	13.1%	15.3%	0.542%
MARIJUANA	6.1%	5.1%	7.1%	0.520%
CIGARETTES	13.1%	11.0%	15.2%	1.044%
SMOKELESS TOBACCO	4.0%	3.2%	4.8%	0.386%
BEER	24.7%	22.3%	27.1%	1.213%
WINE COOLERS	18.0%	15.5%	20.5%	1.234%
WINE	19.9%	18.1%	21.7%	0.890%
LIQUOR	12.4%	10.7%	14.1%	0.863%

Past Year Use of Selected Substances - Overall Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.2%	3.9%	6.5%	0.636%
ALCOHOL	17.4%	16.0%	18.8%	0.692%
INHALANTS	8.4%	7.8%	9.0%	0.323%
MARIJUANA	2.0%	1.5%	2.5%	0.254%
CIGARETTES	4.5%	3.3%	5.7%	0.582%
SMOKELESS TOBACCO	1.3%	0.9%	1.7%	0.198%
BEER	10.5%	9.2%	11.8%	0.672%
WINE COOLERS	6.7%	5.6%	7.8%	0.560%
WINE	8.4%	7.9%	8.9%	0.230%
LIQUOR	4.2%	3.7%	4.7%	0.248%

Past Year Use of Selected Substances - Grade 4 Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.0%	2.1%	3.9%	0.467%
ALCOHOL	13.7%	12.6%	14.8%	0.529%
INHALANTS	8.0%	7.4%	8.6%	0.293%
MARIJUANA	0.7%	0.4%	1.0%	0.140%
CIGARETTES	2.3%	1.8%	2.8%	0.272%
SMOKELESS TOBACCO	1.1%	0.4%	1.8%	0.350%
BEER	8.5%	7.5%	9.5%	0.488%
WINE COOLERS	4.0%	3.3%	4.7%	0.362%
WINE	6.9%	5.6%	8.2%	0.642%
LIQUOR	1.7%	1.4%	2.0%	0.142%

Past Year Use of Selected Substances - Grade 5 Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.5%	2.9%	6.1%	0.783%
ALCOHOL	15.8%	14.5%	17.1%	0.662%
INHALANTS	7.1%	6.0%	8.2%	0.570%
MARIJUANA	1.2%	0.8%	1.6%	0.219%
CIGARETTES	3.8%	2.3%	5.3%	0.732%
SMOKELESS TOBACCO	1.0%	0.5%	1.5%	0.226%
BEER	8.9%	7.5%	10.3%	0.689%
WINE COOLERS	5.7%	4.4%	7.0%	0.648%
WINE	6.8%	6.1%	7.5%	0.327%
LIQUOR	3.5%	2.7%	4.3%	0.380%

Past Year Use of Selected Substances - Grade 6 Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	8.2%	6.5%	9.9%	0.869%
ALCOHOL	22.9%	20.7%	25.1%	1.106%
INHALANTS	10.1%	9.2%	11.0%	0.443%
MARIJUANA	4.3%	3.5%	5.1%	0.390%
CIGARETTES	7.4%	5.8%	9.0%	0.790%
SMOKELESS TOBACCO	1.8%	1.4%	2.2%	0.224%
BEER	14.1%	12.1%	16.2%	1.025%
WINE COOLERS	10.5%	8.8%	12.2%	0.860%
WINE	11.7%	10.5%	12.9%	0.615%
LIQUOR	7.4%	6.4%	8.4%	0.500%

Lifetime Use of Selected Substances - Overall Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.7%	5.6%	7.8%	0.555%
ALCOHOL	22.9%	20.9%	24.9%	0.986%
INHALANTS	9.3%	8.4%	10.2%	0.429%
MARIJUANA	1.9%	1.3%	2.5%	0.300%
CIGARETTES	6.3%	5.2%	7.4%	0.537%
SMOKELESS TOBACCO	0.9%	0.7%	1.1%	0.098%
BEER	12.7%	11.5%	13.9%	0.580%
WINE COOLERS	11.7%	9.7%	13.7%	1.003%
WINE	12.1%	11.2%	13.0%	0.435%
LIQUOR	5.5%	4.6%	6.4%	0.465%

Lifetime Use of Selected Substances - Grade 4 Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.5%	2.8%	4.2%	0.354%
ALCOHOL	14.7%	13.3%	16.2%	0.725%
INHALANTS	8.3%	7.1%	9.5%	0.594%
MARIJUANA	0.7%	0.3%	1.1%	0.212%
CIGARETTES	3.0%	2.2%	3.8%	0.391%
SMOKELESS TOBACCO	0.8%	0.3%	1.3%	0.250%
BEER	8.2%	7.0%	9.4%	0.622%
WINE COOLERS	4.9%	3.8%	6.0%	0.561%
WINE	7.5%	6.7%	8.3%	0.418%
LIQUOR	2.1%	1.4%	2.8%	0.333%

Lifetime Use of Selected Substances - Grade 5 Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.2%	3.9%	6.5%	0.666%
ALCOHOL	21.1%	19.0%	23.2%	1.064%
INHALANTS	7.6%	6.6%	8.6%	0.504%
MARIJUANA	1.1%	0.6%	1.6%	0.233%
CIGARETTES	4.6%	3.4%	5.8%	0.621%
SMOKELESS TOBACCO	0.7%	0.5%	0.9%	0.080%
BEER	11.8%	10.3%	13.3%	0.729%
WINE COOLERS	9.3%	7.5%	11.2%	0.925%
WINE	10.6%	9.6%	11.6%	0.507%
LIQUOR	4.0%	3.2%	4.8%	0.411%

Lifetime Use of Selected Substances -Grade 6 Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	11.4%	9.8%	13.0%	0.807%
ALCOHOL	32.6%	30.2%	35.0%	1.180%
INHALANTS	11.9%	10.6%	13.2%	0.632%
MARIJUANA	3.8%	2.7%	4.9%	0.539%
CIGARETTES	11.0%	9.4%	12.6%	0.804%
SMOKELESS TOBACCO	1.2%	1.0%	1.4%	0.109%
BEER	18.0%	16.3%	19.7%	0.870%
WINE COOLERS	20.4%	18.2%	22.6%	1.096%
WINE	17.9%	16.4%	19.4%	0.761%
LIQUOR	10.3%	8.9%	11.7%	0.704%

Past Year Use of Selected Substances - Overall Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.7%	2.8%	4.6%	0.452%
ALCOHOL	14.8%	13.2%	16.4%	0.776%
INHALANTS	6.8%	6.2%	7.4%	0.313%
MARIJUANA	1.4%	0.8%	2.0%	0.282%
CIGARETTES	3.4%	2.5%	4.3%	0.432%
SMOKELESS TOBACCO	0.5%	0.3%	0.7%	0.080%
BEER	7.1%	6.2%	8.0%	0.465%
WINE COOLERS	7.4%	6.1%	8.7%	0.660%
WINE	7.4%	6.6%	8.2%	0.395%
LIQUOR	3.5%	2.8%	4.2%	0.349%

Past Year Use of Selected Substances - Grade 4 Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	1.9%	1.3%	2.5%	0.284%
ALCOHOL	9.5%	8.3%	10.7%	0.582%
INHALANTS	6.0%	5.1%	6.9%	0.435%
MARIJUANA	0.5%	0.1%	0.9%	0.219%
CIGARETTES	1.5%	1.1%	1.9%	0.185%
SMOKELESS TOBACCO	0.5%	0.1%	0.9%	0.220%
BEER	4.6%	3.6%	5.6%	0.490%
WINE COOLERS	3.4%	2.5%	4.3%	0.458%
WINE	4.8%	4.1%	5.5%	0.345%
LIQUOR	1.2%	0.9%	1.5%	0.172%

Past Year Use of Selected Substances - Grade 5 Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.0%	2.2%	3.9%	0.425%
ALCOHOL	13.2%	11.4%	15.0%	0.897%
INHALANTS	5.8%	5.0%	6.6%	0.387%
MARIJUANA	0.8%	0.4%	1.2%	0.208%
CIGARETTES	2.7%	1.9%	3.5%	0.384%
SMOKELESS TOBACCO	0.4%	0.2%	0.6%	0.077%
BEER	6.3%	5.3%	7.3%	0.489%
WINE COOLERS	5.9%	4.8%	7.1%	0.575%
WINE	6.4%	5.5%	7.3%	0.453%
LIQUOR	2.4%	1.8%	3.0%	0.307%

Past Year Use of Selected Substances - Grade 6 Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.2%	4.7%	7.7%	0.757%
ALCOHOL	21.5%	19.6%	23.4%	0.933%
INHALANTS	8.7%	7.5%	9.9%	0.589%
MARIJUANA	2.8%	1.8%	3.8%	0.523%
CIGARETTES	6.0%	4.5%	7.5%	0.751%
SMOKELESS TOBACCO	0.6%	0.4%	0.8%	0.096%
BEER	10.3%	9.0%	11.6%	0.660%
WINE COOLERS	12.6%	11.0%	14.2%	0.788%
WINE	10.8%	9.6%	12.0%	0.621%
LIQUOR	6.7%	5.5%	7.9%	0.577%

Lifetime Use of Selected Substances - Overall White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.7%	5.3%	8.1%	0.701%
ALCOHOL	22.7%	21.3%	24.1%	0.710%
INHALANTS	9.4%	8.3%	10.5%	0.548%
MARIJUANA	1.4%	0.9%	1.9%	0.230%
CIGARETTES	5.4%	4.2%	6.6%	0.593%
SMOKELESS TOBACCO	2.2%	1.5%	2.9%	0.338%
BEER	13.9%	12.9%	14.9%	0.522%
WINE COOLERS	7.8%	6.4%	9.2%	0.724%
WINE	13.6%	12.9%	14.3%	0.374%
LIQUOR	5.5%	4.5%	6.5%	0.513%

Lifetime Use of Selected Substances - Grade 4 White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.1%	3.1%	5.1%	0.485%
ALCOHOL	17.4%	16.0%	18.8%	0.686%
INHALANTS	9.8%	8.6%	11.0%	0.583%
MARIJUANA	0.6%	0.3%	0.9%	0.153%
CIGARETTES	2.8%	2.3%	3.3%	0.267%
SMOKELESS TOBACCO	1.6%	0.6%	2.6%	0.480%
BEER	10.7%	9.5%	11.9%	0.602%
WINE COOLERS	3.7%	3.1%	4.3%	0.317%
WINE	10.6%	9.6%	11.6%	0.509%
LIQUOR	2.0%	1.7%	2.3%	0.160%

Lifetime Use of Selected Substances - Grade 5 White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.6%	4.3%	6.9%	0.658%
ALCOHOL	21.6%	19.4%	23.8%	1.124%
INHALANTS	7.4%	5.7%	9.1%	0.842%
MARIJUANA	0.6%	0.3%	0.9%	0.168%
CIGARETTES	4.5%	3.3%	5.7%	0.580%
SMOKELESS TOBACCO	1.5%	1.0%	2.0%	0.262%
BEER	13.5%	11.6%	15.4%	0.962%
WINE COOLERS	6.4%	5.3%	7.5%	0.561%
WINE	12.3%	11.1%	13.5%	0.614%
LIQUOR	4.5%	3.7%	5.3%	0.423%

Lifetime Use of Selected Substances - Grade 6 White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	10.3%	8.4%	12.2%	0.927%
ALCOHOL	28.9%	26.8%	31.0%	1.056%
INHALANTS	11.1%	10.2%	12.0%	0.470%
MARIJUANA	3.0%	2.4%	3.6%	0.286%
CIGARETTES	8.8%	7.2%	10.4%	0.813%
SMOKELESS TOBACCO	3.4%	2.5%	4.3%	0.441%
BEER	17.5%	16.0%	19.0%	0.761%
WINE COOLERS	13.0%	10.8%	15.2%	1.087%
WINE	17.7%	16.1%	19.3%	0.814%
LIQUOR	9.7%	8.5%	10.9%	0.587%

Past Year Use of Selected Substances - Overall White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.3%	2.5%	4.1%	0.401%
ALCOHOL	13.9%	12.7%	15.1%	0.579%
INHALANTS	7.0%	6.1%	7.9%	0.473%
MARIJUANA	0.9%	0.6%	1.2%	0.173%
CIGARETTES	2.7%	2.1%	3.3%	0.316%
SMOKELESS TOBACCO	1.0%	0.6%	1.4%	0.203%
BEER	7.1%	6.2%	8.0%	0.449%
WINE COOLERS	4.4%	3.6%	5.2%	0.422%
WINE	8.0%	7.3%	8.7%	0.359%
LIQUOR	3.3%	2.7%	3.9%	0.282%

Past Year Use of Selected Substances - Grade 4 White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.2%	1.2%	3.2%	0.518%
ALCOHOL	10.6%	9.6%	11.6%	0.488%
INHALANTS	7.2%	6.4%	8.0%	0.417%
MARIJUANA	0.4%	0.1%	0.7%	0.162%
CIGARETTES	1.5%	1.0%	2.0%	0.254%
SMOKELESS TOBACCO	1.0%	0.1%	1.9%	0.439%
BEER	5.3%	4.5%	6.1%	0.399%
WINE COOLERS	2.1%	1.6%	2.6%	0.235%
WINE	6.8%	6.1%	7.5%	0.354%
LIQUOR	0.9%	0.7%	1.1%	0.107%

Past Year Use of Selected Substances - Grade 5 White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.5%	1.7%	3.3%	0.390%
ALCOHOL	12.5%	11.4%	13.6%	0.555%
INHALANTS	5.5%	3.7%	7.3%	0.900%
MARIJUANA	0.4%	0.2%	0.7%	0.125%
CIGARETTES	2.0%	1.4%	2.6%	0.315%
SMOKELESS TOBACCO	0.6%	0.3%	0.9%	0.148%
BEER	5.9%	5.0%	6.8%	0.469%
WINE COOLERS	3.6%	2.8%	4.4%	0.396%
WINE	6.6%	5.6%	7.6%	0.484%
LIQUOR	2.8%	2.3%	3.3%	0.254%

Past Year Use of Selected Substances - Grade 6 White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.1%	4.1%	6.1%	0.495%
ALCOHOL	18.5%	16.7%	20.3%	0.897%
INHALANTS	8.1%	7.3%	8.9%	0.389%
MARIJUANA	1.9%	1.5%	2.3%	0.209%
CIGARETTES	4.5%	3.7%	5.3%	0.423%
SMOKELESS TOBACCO	1.5%	1.0%	2.0%	0.247%
BEER	9.9%	8.8%	11.0%	0.532%
WINE COOLERS	7.3%	5.9%	8.7%	0.710%
WINE	10.4%	8.9%	11.9%	0.764%
LIQUOR	6.0%	5.2%	6.8%	0.385%

Lifetime Use of Selected Substances - Overall African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	9.1%	7.1%	11.1%	0.990%
ALCOHOL	28.8%	25.2%	32.4%	1.800%
INHALANTS	9.4%	8.3%	10.5%	0.529%
MARIJUANA	2.4%	1.8%	3.0%	0.280%
CIGARETTES	8.2%	6.5%	9.9%	0.866%
SMOKELESS TOBACCO	1.6%	0.9%	2.3%	0.336%
BEER	16.3%	13.7%	18.9%	1.278%
WINE COOLERS	18.5%	14.9%	22.1%	1.803%
WINE	12.2%	10.5%	13.9%	0.830%
LIQUOR	6.3%	5.1%	7.5%	0.598%

Lifetime Use of Selected Substances - Grade 4 African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.9%	3.5%	8.3%	1.195%
ALCOHOL	20.6%	15.5%	25.7%	2.556%
INHALANTS	7.5%	6.2%	8.8%	0.655%
MARIJUANA	1.1%	0.5%	1.7%	0.304%
CIGARETTES	4.9%	3.0%	6.8%	0.965%
SMOKELESS TOBACCO	1.4%	0.3%	2.5%	0.549%
BEER	12.3%	9.1%	15.5%	1.606%
WINE COOLERS	10.1%	6.8%	13.4%	1.652%
WINE	7.8%	5.8%	9.8%	1.009%
LIQUOR	2.9%	1.6%	4.2%	0.637%

Lifetime Use of Selected Substances - Grade 5 African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	8.1%	6.1%	10.1%	1.002%
ALCOHOL	25.9%	21.4%	30.4%	2.274%
INHALANTS	8.9%	7.5%	10.3%	0.694%
MARIJUANA	0.8%	0.3%	1.3%	0.230%
CIGARETTES	7.2%	-0.2%	14.6%	3.690%
SMOKELESS TOBACCO	1.5%	1.0%	2.0%	0.249%
BEER	15.2%	12.8%	17.6%	1.194%
WINE COOLERS	15.1%	10.9%	19.3%	2.099%
WINE	10.1%	7.8%	12.4%	1.140%
LIQUOR	4.9%	2.9%	6.9%	0.981%

Lifetime Use of Selected Substances - Grade 6 African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	13.5%	9.7%	17.3%	1.921%
ALCOHOL	39.9%	34.9%	44.9%	2.519%
INHALANTS	11.8%	9.9%	13.7%	0.949%
MARIJUANA	5.3%	3.8%	6.8%	0.768%
CIGARETTES	12.5%	9.2%	15.8%	1.660%
SMOKELESS TOBACCO	1.9%	0.7%	3.1%	0.621%
BEER	21.3%	16.7%	25.9%	2.298%
WINE COOLERS	30.0%	25.8%	34.2%	2.098%
WINE	18.5%	14.9%	22.1%	1.823%
LIQUOR	10.9%	8.2%	13.6%	1.364%

Past Year Use of Selected Substances - Overall African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.9%	3.1%	6.7%	0.890%
ALCOHOL	17.2%	14.6%	19.8%	1.305%
INHALANTS	6.9%	6.1%	7.7%	0.412%
MARIJUANA	1.7%	1.1%	2.3%	0.290%
CIGARETTES	4.5%	2.9%	6.1%	0.824%
SMOKELESS TOBACCO	0.7%	0.2%	1.2%	0.235%
BEER	8.2%	6.5%	9.9%	0.873%
WINE COOLERS	10.9%	8.5%	13.3%	1.206%
WINE	6.9%	5.8%	8.0%	0.565%
LIQUOR	3.9%	3.0%	4.8%	0.457%

Past Year Use of Selected Substances - Grade 4 African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.3%	1.8%	4.8%	0.732%
ALCOHOL	13.5%	9.6%	17.4%	1.930%
INHALANTS	5.4%	4.1%	6.7%	0.644%
MARIJUANA	0.5%	0.3%	0.7%	0.104%
CIGARETTES	2.9%	1.6%	4.2%	0.670%
SMOKELESS TOBACCO	0.6%	0.0%	1.2%	0.286%
BEER	7.5%	4.8%	10.2%	1.367%
WINE COOLERS	6.7%	3.9%	9.5%	1.419%
WINE	5.1%	3.6%	6.6%	0.736%
LIQUOR	2.2%	1.0%	3.4%	0.601%

Past Year Use of Selected Substances - Grade 5 African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.3%	2.2%	6.4%	1.037%
ALCOHOL	15.5%	12.0%	19.0%	1.741%
INHALANTS	6.9%	5.6%	8.2%	0.630%
MARIJUANA	0.5%	0.2%	0.8%	0.133%
CIGARETTES	3.9%	1.9%	5.9%	1.024%
SMOKELESS TOBACCO	0.6%	0.4%	0.8%	0.122%
BEER	6.9%	5.6%	8.2%	0.632%
WINE COOLERS	9.4%	6.6%	12.2%	1.396%
WINE	5.7%	4.0%	7.4%	0.871%
LIQUOR	2.8%	1.2%	4.4%	0.821%

Past Year Use of Selected Substances - Grade 6 African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	7.1%	4.1%	10.1%	1.515%
ALCOHOL	22.7%	19.3%	26.1%	1.712%
INHALANTS	8.4%	7.3%	9.5%	0.569%
MARIJUANA	4.0%	2.5%	5.5%	0.768%
CIGARETTES	6.6%	3.9%	9.3%	1.358%
SMOKELESS TOBACCO	0.8%	-0.1%	1.7%	0.433%
BEER	10.2%	7.4%	13.0%	1.423%
WINE COOLERS	16.6%	13.9%	19.3%	1.359%
WINE	9.8%	7.4%	12.2%	1.205%
LIQUOR	6.7%	4.3%	9.1%	1.191%

Lifetime Use of Selected Substances - Overall Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	9.7%	8.0%	11.4%	0.828%
ALCOHOL	27.8%	25.6%	30.0%	1.120%
INHALANTS	11.8%	11.1%	12.5%	0.368%
MARIJUANA	3.6%	2.9%	4.3%	0.358%
CIGARETTES	9.0%	7.4%	10.6%	0.785%
SMOKELESS TOBACCO	1.5%	1.2%	1.8%	0.129%
BEER	18.3%	16.8%	19.8%	0.762%
WINE COOLERS	13.2%	11.6%	14.8%	0.819%
WINE	13.1%	12.0%	14.2%	0.564%
LIQUOR	7.4%	6.4%	8.4%	0.514%

Lifetime Use of Selected Substances - Grade 4 Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.8%	4.0%	5.6%	0.382%
ALCOHOL	18.9%	16.9%	20.9%	0.990%
INHALANTS	10.2%	8.9%	11.5%	0.629%
MARIJUANA	1.3%	0.8%	1.8%	0.273%
CIGARETTES	4.0%	3.1%	4.9%	0.427%
SMOKELESS TOBACCO	1.3%	0.8%	1.8%	0.258%
BEER	13.1%	11.6%	14.6%	0.727%
WINE COOLERS	6.1%	4.9%	7.3%	0.578%
WINE	8.0%	6.5%	9.5%	0.728%
LIQUOR	3.1%	2.2%	4.0%	0.427%

Lifetime Use of Selected Substances - Grade 5 Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	8.1%	6.1%	10.1%	1.004%
ALCOHOL	25.1%	22.8%	27.4%	1.128%
INHALANTS	9.9%	9.2%	10.6%	0.366%
MARIJUANA	2.5%	1.9%	3.1%	0.311%
CIGARETTES	7.4%	5.5%	9.3%	0.954%
SMOKELESS TOBACCO	1.3%	1.0%	1.6%	0.164%
BEER	16.1%	14.2%	18.0%	0.963%
WINE COOLERS	10.9%	9.7%	12.1%	0.586%
WINE	10.9%	9.9%	11.9%	0.504%
LIQUOR	5.5%	4.7%	6.3%	0.416%

Lifetime Use of Selected Substances - Grade 6 Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	16.3%	13.7%	18.9%	1.281%
ALCOHOL	39.7%	36.8%	42.6%	1.449%
INHALANTS	15.5%	14.4%	16.6%	0.558%
MARIJUANA	7.0%	5.6%	8.4%	0.708%
CIGARETTES	15.7%	13.2%	18.2%	1.233%
SMOKELESS TOBACCO	1.9%	1.6%	2.2%	0.166%
BEER	25.7%	23.7%	27.7%	1.023%
WINE COOLERS	22.8%	20.5%	25.1%	1.160%
WINE	20.6%	19.1%	22.1%	0.760%
LIQUOR	13.7%	11.7%	15.7%	0.988%

Past Year Use of Selected Substances - Overall Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.6%	4.2%	7.0%	0.686%
ALCOHOL	18.4%	16.6%	20.2%	0.880%
INHALANTS	8.5%	7.9%	9.2%	0.325%
MARIJUANA	2.5%	1.9%	3.1%	0.320%
CIGARETTES	5.2%	3.8%	6.6%	0.687%
SMOKELESS TOBACCO	0.9%	0.7%	1.1%	0.118%
BEER	10.9%	9.7%	12.1%	0.611%
WINE COOLERS	8.7%	7.5%	9.9%	0.617%
WINE	8.3%	7.4%	9.3%	0.475%
LIQUOR	4.5%	3.9%	5.1%	0.293%

Past Year Use of Selected Substances - Grade 4 Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.5%	1.9%	3.1%	0.313%
ALCOHOL	12.4%	11.0%	13.8%	0.719%
INHALANTS	7.4%	6.2%	8.6%	0.601%
MARIJUANA	0.8%	0.3%	1.3%	0.256%
CIGARETTES	1.8%	1.4%	2.2%	0.182%
SMOKELESS TOBACCO	0.8%	0.3%	1.3%	0.251%
BEER	7.6%	6.6%	8.6%	0.521%
WINE COOLERS	4.4%	3.3%	5.5%	0.558%
WINE	5.2%	4.0%	6.4%	0.596%
LIQUOR	1.8%	1.3%	2.3%	0.250%

Past Year Use of Selected Substances - Grade 5 Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.8%	3.2%	6.4%	0.815%
ALCOHOL	16.5%	14.7%	18.3%	0.911%
INHALANTS	7.1%	6.6%	7.6%	0.267%
MARIJUANA	1.7%	1.1%	2.3%	0.307%
CIGARETTES	4.3%	2.8%	5.8%	0.754%
SMOKELESS TOBACCO	0.8%	0.5%	1.1%	0.147%
BEER	9.7%	8.4%	11.0%	0.638%
WINE COOLERS	7.0%	6.0%	8.0%	0.508%
WINE	6.9%	6.0%	7.8%	0.431%
LIQUOR	3.3%	2.7%	3.9%	0.295%

Past Year Use of Selected Substances - Grade 6 Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	9.7%	7.3%	12.1%	1.193%
ALCOHOL	26.6%	24.0%	29.2%	1.285%
INHALANTS	11.0%	10.0%	12.0%	0.479%
MARIJUANA	5.2%	4.0%	6.4%	0.601%
CIGARETTES	9.4%	7.0%	11.8%	1.214%
SMOKELESS TOBACCO	1.0%	0.8%	1.2%	0.119%
BEER	15.7%	13.6%	17.8%	1.043%
WINE COOLERS	14.8%	12.7%	16.9%	1.055%
WINE	12.8%	11.5%	14.1%	0.663%
LIQUOR	8.6%	7.3%	9.9%	0.636%

Lifetime Use of Selected Substances - Overall Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	7.4%	6.8%	8.0%	0.298%
ALCOHOL	23.6%	22.6%	24.6%	0.519%
INHALANTS	11.0%	10.3%	11.7%	0.362%
MARIJUANA	2.5%	2.2%	2.8%	0.169%
CIGARETTES	7.0%	6.4%	7.6%	0.283%
SMOKELESS TOBACCO	1.0%	0.9%	1.1%	0.070%
BEER	14.9%	14.3%	15.5%	0.290%
WINE COOLERS	11.4%	10.4%	12.4%	0.515%
WINE	10.3%	9.6%	11.0%	0.354%
LIQUOR	4.9%	4.5%	5.3%	0.206%

Lifetime Use of Selected Substances - Grade 4 Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.8%	3.2%	4.4%	0.282%
ALCOHOL	15.5%	14.5%	16.5%	0.497%
INHALANTS	9.5%	8.7%	10.3%	0.392%
MARIJUANA	0.7%	0.5%	0.9%	0.078%
CIGARETTES	3.4%	2.9%	3.9%	0.256%
SMOKELESS TOBACCO	0.7%	0.6%	0.8%	0.067%
BEER	10.3%	9.6%	11.0%	0.338%
WINE COOLERS	5.2%	4.6%	5.8%	0.316%
WINE	5.6%	5.0%	6.2%	0.306%
LIQUOR	1.9%	1.6%	2.2%	0.128%

Lifetime Use of Selected Substances - Grade 5 Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.6%	5.0%	6.2%	0.303%
ALCOHOL	21.9%	20.4%	23.4%	0.743%
INHALANTS	8.9%	8.2%	9.6%	0.364%
MARIJUANA	1.6%	1.2%	2.0%	0.178%
CIGARETTES	5.2%	4.6%	5.8%	0.281%
SMOKELESS TOBACCO	0.8%	0.6%	1.0%	0.085%
BEER	13.3%	12.4%	14.2%	0.450%
WINE COOLERS	9.8%	8.6%	11.0%	0.577%
WINE	9.2%	8.3%	10.1%	0.446%
LIQUOR	3.7%	3.3%	4.1%	0.211%

Lifetime Use of Selected Substances - Grade 6 Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	14.1%	13.2%	15.0%	0.452%
ALCOHOL	35.3%	33.5%	37.1%	0.907%
INHALANTS	15.4%	13.9%	16.9%	0.754%
MARIJUANA	5.6%	4.8%	6.4%	0.392%
CIGARETTES	13.4%	12.5%	14.3%	0.471%
SMOKELESS TOBACCO	1.7%	1.5%	1.9%	0.107%
BEER	22.2%	21.1%	23.3%	0.553%
WINE COOLERS	20.8%	19.0%	22.6%	0.879%
WINE	17.3%	16.0%	18.6%	0.658%
LIQUOR	9.9%	9.2%	10.6%	0.355%

Past Year Use of Selected Substances - Overall Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.1%	3.7%	4.5%	0.178%
ALCOHOL	14.9%	14.0%	15.8%	0.440%
INHALANTS	8.0%	7.4%	8.6%	0.295%
MARIJUANA	1.7%	1.4%	2.0%	0.146%
CIGARETTES	3.8%	3.5%	4.1%	0.169%
SMOKELESS TOBACCO	0.6%	0.5%	0.7%	0.041%
BEER	8.6%	8.2%	9.0%	0.202%
WINE COOLERS	7.0%	6.2%	7.8%	0.423%
WINE	6.3%	5.7%	6.9%	0.288%
LIQUOR	3.0%	2.8%	3.2%	0.110%

Past Year Use of Selected Substances - Grade 4 Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.1%	1.6%	2.6%	0.229%
ALCOHOL	9.8%	9.0%	10.6%	0.395%
INHALANTS	6.8%	6.1%	7.5%	0.349%
MARIJUANA	0.4%	0.3%	0.5%	0.053%
CIGARETTES	1.8%	1.4%	2.2%	0.200%
SMOKELESS TOBACCO	0.3%	0.2%	0.4%	0.063%
BEER	6.1%	5.5%	6.7%	0.314%
WINE COOLERS	3.2%	2.8%	3.6%	0.196%
WINE	3.4%	2.9%	3.9%	0.252%
LIQUOR	1.2%	1.0%	1.4%	0.086%

Past Year Use of Selected Substances - Grade 5 Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.0%	2.6%	3.4%	0.181%
ALCOHOL	13.8%	12.8%	14.8%	0.518%
INHALANTS	6.5%	5.9%	7.1%	0.299%
MARIJUANA	1.0%	0.7%	1.3%	0.130%
CIGARETTES	2.7%	2.4%	3.0%	0.159%
SMOKELESS TOBACCO	0.5%	0.4%	0.6%	0.057%
BEER	7.5%	7.0%	8.0%	0.256%
WINE COOLERS	6.1%	5.2%	7.0%	0.464%
WINE	5.7%	5.1%	6.3%	0.293%
LIQUOR	2.3%	2.0%	2.6%	0.139%

Past Year Use of Selected Substances - Grade 6 Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	7.8%	7.2%	8.4%	0.290%
ALCOHOL	22.4%	20.3%	24.5%	1.064%
INHALANTS	11.4%	10.1%	12.7%	0.635%
MARIJUANA	4.2%	3.5%	4.9%	0.372%
CIGARETTES	7.3%	6.7%	7.9%	0.278%
SMOKELESS TOBACCO	1.0%	0.9%	1.1%	0.063%
BEER	12.8%	11.7%	13.9%	0.557%
WINE COOLERS	12.5%	10.8%	14.2%	0.871%
WINE	10.3%	9.0%	11.6%	0.662%
LIQUOR	5.9%	5.4%	6.4%	0.252%

Lifetime Use of Selected Substances - Overall Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	8.4%	6.9%	9.9%	0.755%
ALCOHOL	25.9%	23.7%	28.1%	1.094%
INHALANTS	10.4%	9.6%	11.2%	0.423%
MARIJUANA	2.4%	1.7%	3.1%	0.348%
CIGARETTES	7.3%	5.9%	8.7%	0.720%
SMOKELESS TOBACCO	1.9%	1.5%	2.3%	0.195%
BEER	16.1%	14.6%	17.6%	0.758%
WINE COOLERS	11.5%	9.4%	13.6%	1.034%
WINE	13.6%	12.8%	14.4%	0.393%
LIQUOR	6.5%	5.4%	7.6%	0.559%

Lifetime Use of Selected Substances - Grade 4 Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.8%	4.0%	5.6%	0.401%
ALCOHOL	18.8%	17.0%	20.6%	0.883%
INHALANTS	9.7%	8.7%	10.7%	0.481%
MARIJUANA	1.0%	0.7%	1.3%	0.146%
CIGARETTES	3.7%	3.1%	4.3%	0.309%
SMOKELESS TOBACCO	1.6%	0.9%	2.3%	0.367%
BEER	12.1%	10.7%	13.5%	0.724%
WINE COOLERS	5.7%	4.5%	6.9%	0.577%
WINE	9.6%	8.4%	10.8%	0.598%
LIQUOR	2.7%	2.2%	3.2%	0.252%

Lifetime Use of Selected Substances - Grade 5 Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	7.2%	5.5%	8.9%	0.835%
ALCOHOL	23.8%	21.5%	26.1%	1.165%
INHALANTS	8.8%	7.6%	10.0%	0.576%
MARIJUANA	1.4%	0.8%	2.0%	0.297%
CIGARETTES	6.3%	4.7%	7.9%	0.791%
SMOKELESS TOBACCO	1.5%	1.2%	1.8%	0.160%
BEER	14.9%	13.1%	16.7%	0.896%
WINE COOLERS	9.4%	7.7%	11.1%	0.856%
WINE	11.7%	10.9%	12.5%	0.401%
LIQUOR	5.1%	4.2%	6.0%	0.460%

Lifetime Use of Selected Substances - Grade 6 Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	12.9%	10.9%	14.9%	1.015%
ALCOHOL	34.6%	31.9%	37.3%	1.358%
INHALANTS	12.7%	11.8%	13.6%	0.447%
MARIJUANA	4.8%	3.6%	6.0%	0.578%
CIGARETTES	11.8%	9.8%	13.8%	1.000%
SMOKELESS TOBACCO	2.7%	2.2%	3.2%	0.240%
BEER	21.1%	19.1%	23.1%	1.016%
WINE COOLERS	19.0%	16.5%	21.5%	1.274%
WINE	19.1%	17.6%	20.6%	0.742%
LIQUOR	11.6%	10.0%	13.2%	0.793%

Past Year Use of Selected Substances - Overall Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.5%	3.3%	5.7%	0.623%
ALCOHOL	16.3%	14.6%	18.0%	0.831%
INHALANTS	7.6%	7.0%	8.2%	0.301%
MARIJUANA	1.7%	1.1%	2.3%	0.301%
CIGARETTES	4.0%	2.8%	5.2%	0.585%
SMOKELESS TOBACCO	0.9%	0.6%	1.2%	0.138%
BEER	8.8%	7.5%	10.1%	0.639%
WINE COOLERS	7.1%	5.7%	8.5%	0.703%
WINE	8.2%	7.6%	8.8%	0.319%
LIQUOR	4.0%	3.4%	4.6%	0.309%

Lifetime Use of Selected Substances - Grade 4 Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.5%	1.7%	3.3%	0.412%
ALCOHOL	12.0%	10.8%	13.2%	0.589%
INHALANTS	7.1%	6.5%	7.8%	0.325%
MARIJUANA	0.6%	0.3%	0.9%	0.170%
CIGARETTES	1.9%	1.4%	2.4%	0.251%
SMOKELESS TOBACCO	0.9%	0.3%	1.5%	0.288%
BEER	6.6%	5.5%	7.7%	0.528%
WINE COOLERS	3.8%	2.9%	4.7%	0.448%
WINE	6.3%	5.5%	7.1%	0.415%
LIQUOR	1.5%	1.2%	1.8%	0.145%

Lifetime Use of Selected Substances - Grade 5 Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.9%	2.5%	5.3%	0.694%
ALCOHOL	14.6%	12.9%	16.3%	0.870%
INHALANTS	6.5%	5.5%	7.5%	0.521%
MARIJUANA	1.0%	0.5%	1.5%	0.236%
CIGARETTES	3.4%	2.1%	4.7%	0.641%
SMOKELESS TOBACCO	0.7%	0.4%	1.0%	0.130%
BEER	7.6%	6.4%	8.8%	0.613%
WINE COOLERS	5.7%	4.4%	7.0%	0.655%
WINE	6.8%	6.0%	7.6%	0.398%
LIQUOR	3.1%	2.6%	3.6%	0.250%

Lifetime Use of Selected Substances - Grade 6 Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	7.1%	5.3%	8.9%	0.883%
ALCOHOL	22.1%	20.0%	24.2%	1.048%
INHALANTS	9.1%	8.5%	9.7%	0.323%
MARIJUANA	3.4%	2.4%	4.4%	0.496%
CIGARETTES	6.6%	4.9%	8.3%	0.837%
SMOKELESS TOBACCO	1.2%	0.9%	1.5%	0.141%
BEER	12.1%	10.4%	13.8%	0.858%
WINE COOLERS	11.5%	9.7%	13.3%	0.920%
WINE	11.4%	10.3%	12.5%	0.571%
LIQUOR	7.2%	6.1%	8.3%	0.564%

Secondary Grades – 2004
Confidence Intervals

Lifetime Use of Selected Substances - Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	39.4%	36.9%	41.9%	1.250%
CIGARETTES	38.0%	35.5%	40.6%	1.275%
SMOKELESS TOBACCO	10.4%	9.7%	11.1%	0.363%
ALCOHOL	67.9%	65.4%	70.4%	1.237%
INHALANTS	17.1%	15.9%	18.3%	0.596%
ANY ILLICIT DRUG	31.5%	29.1%	33.9%	1.202%
MARIJUANA	29.9%	27.6%	32.2%	1.163%
MARIJUANA ONLY	16.3%	14.8%	17.8%	0.767%
COCAINE OR CRACK	7.9%	6.6%	9.2%	0.674%
COCAINE	7.4%	6.1%	8.7%	0.664%
CRACK	2.4%	2.2%	2.6%	0.111%
HALLUCINOGENS	4.9%	4.4%	5.4%	0.269%
UPPERS	6.0%	5.2%	6.8%	0.411%
DOWNERS	5.9%	5.2%	6.6%	0.355%
ROHYPNOL	3.5%	2.9%	4.1%	0.300%
STEROIDS	2.0%	1.8%	2.2%	0.118%
ECSTASY	5.5%	5.1%	5.9%	0.183%
HEROIN	1.6%	1.4%	1.8%	0.102%

Lifetime Use of Selected Substances - Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	23.0%	19.3%	26.7%	1.843%
CIGARETTES	21.8%	18.3%	25.3%	1.761%
SMOKELESS TOBACCO	4.6%	3.4%	5.8%	0.579%
ALCOHOL	50.7%	46.9%	54.5%	1.886%
INHALANTS	19.5%	17.3%	21.7%	1.116%
ANY ILLICIT DRUG	13.2%	10.6%	15.8%	1.316%
MARIJUANA	11.8%	9.2%	14.4%	1.298%
MARIJUANA ONLY	7.2%	5.6%	8.8%	0.813%
COCAINE OR CRACK	3.3%	2.7%	4.0%	0.325%
COCAINE	2.5%	1.9%	3.1%	0.284%
CRACK	1.8%	1.5%	2.1%	0.131%
HALLUCINOGENS	1.2%	1.0%	1.4%	0.100%
UPPERS	1.2%	1.0%	1.4%	0.103%
DOWNERS	0.9%	0.7%	1.1%	0.089%
ROHYPNOL	1.7%	1.2%	2.2%	0.236%
STEROIDS	1.6%	1.3%	1.9%	0.130%
ECSTASY	1.8%	1.5%	2.1%	0.171%
HEROIN	1.6%	1.3%	1.9%	0.137%

Lifetime Use of Selected Substances - Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	30.6%	27.6%	33.6%	1.479%
CIGARETTES	29.5%	26.7%	32.3%	1.413%
SMOKELESS TOBACCO	7.0%	6.3%	7.7%	0.360%
ALCOHOL	61.1%	57.8%	64.4%	1.627%
INHALANTS	20.5%	19.6%	21.4%	0.457%
ANY ILLICIT DRUG	21.3%	18.9%	23.7%	1.214%
MARIJUANA	19.3%	17.0%	21.6%	1.149%
MARIJUANA ONLY	10.6%	9.5%	11.7%	0.531%
COCAINE OR CRACK	4.9%	3.8%	6.0%	0.555%
COCAINE	4.2%	3.1%	5.3%	0.537%
CRACK	2.3%	1.9%	2.7%	0.220%
HALLUCINOGENS	2.7%	2.3%	3.1%	0.184%
UPPERS	2.7%	2.3%	3.1%	0.184%
DOWNERS	2.5%	2.2%	2.8%	0.145%
ROHYPNOL	3.4%	2.6%	4.2%	0.400%
STEROIDS	2.2%	1.7%	2.7%	0.229%
ECSTASY	4.1%	3.3%	4.9%	0.416%
HEROIN	1.9%	1.5%	2.3%	0.199%

Lifetime Use of Selected Substances - Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	38.6%	34.8%	42.5%	1.925%
CIGARETTES	37.2%	33.3%	41.1%	1.946%
SMOKELESS TOBACCO	9.5%	8.5%	10.5%	0.481%
ALCOHOL	67.9%	64.7%	71.1%	1.618%
INHALANTS	17.6%	16.1%	19.1%	0.766%
ANY ILLICIT DRUG	30.7%	27.9%	33.5%	1.422%
MARIJUANA	28.9%	25.9%	31.9%	1.518%
MARIJUANA ONLY	15.9%	13.6%	18.2%	1.169%
COCAINE OR CRACK	7.1%	5.4%	8.8%	0.826%
COCAINE	6.6%	4.9%	8.3%	0.828%
CRACK	2.4%	2.0%	2.8%	0.176%
HALLUCINOGENS	4.3%	3.5%	5.1%	0.394%
UPPERS	5.0%	4.0%	6.0%	0.496%
DOWNERS	5.2%	4.4%	6.0%	0.411%
ROHYPNOL	4.0%	3.3%	4.7%	0.326%
STEROIDS	1.9%	1.4%	2.4%	0.246%
ECSTASY	4.9%	4.5%	5.3%	0.205%
HEROIN	1.6%	1.3%	1.9%	0.145%

Lifetime Use of Selected Substances - Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	45.3%	43.2%	47.4%	1.062%
CIGARETTES	43.6%	41.5%	45.7%	1.045%
SMOKELESS TOBACCO	12.7%	11.5%	13.9%	0.592%
ALCOHOL	74.6%	72.6%	76.6%	1.015%
INHALANTS	15.8%	14.2%	17.4%	0.824%
ANY ILLICIT DRUG	40.1%	37.5%	42.7%	1.276%
MARIJUANA	38.3%	35.8%	40.8%	1.254%
MARIJUANA ONLY	21.1%	19.3%	22.9%	0.897%
COCAINE OR CRACK	10.1%	8.0%	12.2%	1.065%
COCAINE	9.7%	7.6%	11.8%	1.068%
CRACK	2.4%	1.8%	3.0%	0.288%
HALLUCINOGENS	6.3%	5.1%	7.5%	0.597%
UPPERS	7.9%	6.7%	9.1%	0.579%
DOWNERS	7.7%	6.7%	8.7%	0.509%
ROHYPNOL	4.2%	3.4%	5.0%	0.406%
STEROIDS	1.8%	1.1%	2.5%	0.347%
ECSTASY	6.4%	5.6%	7.2%	0.402%
HEROIN	1.7%	1.0%	2.4%	0.328%

Lifetime Use of Selected Substances - Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	50.9%	48.2%	53.6%	1.366%
CIGARETTES	49.2%	46.4%	52.0%	1.402%
SMOKELESS TOBACCO	14.3%	12.8%	15.8%	0.760%
ALCOHOL	77.2%	74.0%	80.4%	1.585%
INHALANTS	14.0%	11.9%	16.1%	1.061%
ANY ILLICIT DRUG	44.1%	40.9%	47.3%	1.608%
MARIJUANA	42.3%	39.4%	45.2%	1.470%
MARIJUANA ONLY	22.1%	20.4%	23.8%	0.866%
COCAINE OR CRACK	12.1%	9.9%	14.3%	1.077%
COCAINE	11.9%	9.7%	14.1%	1.106%
CRACK	2.5%	1.7%	3.3%	0.391%
HALLUCINOGENS	7.6%	6.9%	8.3%	0.371%
UPPERS	10.5%	9.4%	11.6%	0.550%
DOWNERS	10.4%	9.2%	11.6%	0.586%
ROHYPNOL	4.0%	2.9%	5.1%	0.558%
STEROIDS	2.0%	1.5%	2.5%	0.264%
ECSTASY	8.3%	7.2%	9.4%	0.561%
HEROIN	1.4%	1.0%	1.8%	0.182%

Lifetime Use of Selected Substances - Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	53.6%	51.2%	56.0%	1.194%
CIGARETTES	51.9%	49.3%	54.5%	1.289%
SMOKELESS TOBACCO	16.5%	14.8%	18.2%	0.871%
ALCOHOL	80.8%	79.2%	82.4%	0.821%
INHALANTS	13.5%	12.1%	14.9%	0.707%
ANY ILLICIT DRUG	45.6%	42.4%	48.8%	1.592%
MARIJUANA	44.4%	41.4%	47.4%	1.514%
MARIJUANA ONLY	23.8%	21.1%	26.5%	1.328%
COCAINE OR CRACK	12.0%	10.5%	13.5%	0.757%
COCAINE	11.7%	10.1%	13.3%	0.780%
CRACK	2.6%	2.0%	3.2%	0.301%
HALLUCINOGENS	8.3%	7.3%	9.3%	0.491%
UPPERS	10.7%	8.6%	12.8%	1.036%
DOWNERS	10.8%	9.1%	12.5%	0.859%
ROHYPNOL	3.5%	2.9%	4.1%	0.319%
STEROIDS	2.4%	1.7%	3.1%	0.335%
ECSTASY	9.1%	8.2%	10.0%	0.438%
HEROIN	1.5%	1.0%	2.0%	0.269%

Past 30 Day Use of Selected Substances - Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	17.1%	16.1%	18.1%	0.509%
CIGARETTES	15.8%	14.8%	16.8%	0.478%
SMOKELESS TOBACCO	4.2%	3.8%	4.6%	0.197%
ALCOHOL	32.7%	31.2%	34.2%	0.764%
INHALANTS	6.7%	6.1%	7.3%	0.282%
ANY ILLICIT DRUG	14.4%	13.3%	15.5%	0.563%
MARIJUANA	12.6%	11.6%	13.6%	0.519%
MARIJUANA ONLY	5.2%	4.4%	6.0%	0.381%
COCAINE OR CRACK	3.2%	2.6%	3.8%	0.304%
COCAINE	2.9%	2.3%	3.5%	0.301%
CRACK	0.7%	0.6%	0.8%	0.054%
HALLUCINOGENS	1.6%	1.4%	1.8%	0.100%
UPPERS	2.5%	2.1%	2.9%	0.224%
DOWNERS	2.5%	2.1%	2.9%	0.198%
ROHYPNOL	1.3%	1.0%	1.6%	0.132%
STEROIDS	0.7%	0.6%	0.8%	0.049%
ECSTASY	1.9%	1.6%	2.2%	0.135%
HEROIN	0.5%	0.4%	0.6%	0.037%

Past 30 Day Use of Selected Substances - Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.9%	5.4%	8.4%	0.750%
CIGARETTES	6.2%	4.7%	7.7%	0.764%
SMOKELESS TOBACCO	1.5%	1.2%	1.8%	0.164%
ALCOHOL	16.8%	14.5%	19.1%	1.171%
INHALANTS	9.2%	8.1%	10.3%	0.572%
ANY ILLICIT DRUG	5.4%	4.3%	6.5%	0.535%
MARIJUANA	4.4%	3.4%	5.5%	0.525%
MARIJUANA ONLY	2.2%	1.4%	3.0%	0.395%
COCAINE OR CRACK	1.3%	1.0%	1.6%	0.137%
COCAINE	0.9%	0.6%	1.2%	0.144%
CRACK	0.7%	0.5%	0.9%	0.076%
HALLUCINOGENS	0.5%	0.4%	0.6%	0.058%
UPPERS	0.4%	0.3%	0.5%	0.050%
DOWNERS	0.4%	0.3%	0.5%	0.040%
ROHYPNOL	0.6%	0.4%	0.8%	0.094%
STEROIDS	0.5%	0.4%	0.6%	0.074%
ECSTASY	0.7%	0.5%	0.9%	0.083%
HEROIN	0.6%	0.5%	0.7%	0.073%

Past 30 Day Use of Selected Substances - Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	10.5%	9.5%	11.6%	0.525%
CIGARETTES	9.8%	8.8%	10.8%	0.476%
SMOKELESS TOBACCO	2.3%	1.9%	2.7%	0.185%
ALCOHOL	23.7%	20.8%	26.6%	1.456%
INHALANTS	9.2%	8.6%	9.8%	0.316%
ANY ILLICIT DRUG	9.4%	7.9%	10.9%	0.747%
MARIJUANA	7.9%	6.5%	9.3%	0.710%
MARIJUANA ONLY	3.4%	2.8%	4.0%	0.292%
COCAINE OR CRACK	2.0%	1.4%	2.6%	0.291%
COCAINE	1.6%	1.1%	2.1%	0.257%
CRACK	0.9%	0.7%	1.1%	0.113%
HALLUCINOGENS	0.8%	0.6%	1.0%	0.093%
UPPERS	1.0%	0.8%	1.2%	0.096%
DOWNERS	0.9%	0.8%	1.0%	0.072%
ROHYPNOL	1.3%	1.0%	1.6%	0.164%
STEROIDS	0.8%	0.5%	1.1%	0.139%
ECSTASY	1.2%	0.9%	1.5%	0.146%
HEROIN	0.7%	0.6%	0.8%	0.051%

Past 30 Day Use of Selected Substances - Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	15.8%	14.2%	17.4%	0.793%
CIGARETTES	14.4%	12.9%	15.9%	0.740%
SMOKELESS TOBACCO	3.9%	3.4%	4.4%	0.261%
ALCOHOL	32.6%	30.8%	34.4%	0.884%
INHALANTS	6.2%	5.4%	7.0%	0.386%
ANY ILLICIT DRUG	14.3%	13.0%	15.6%	0.669%
MARIJUANA	12.5%	11.2%	13.8%	0.670%
MARIJUANA ONLY	5.5%	4.5%	6.5%	0.494%
COCAINE OR CRACK	3.0%	2.4%	3.6%	0.300%
COCAINE	2.7%	2.0%	3.4%	0.334%
CRACK	0.9%	0.7%	1.1%	0.077%
HALLUCINOGENS	1.4%	1.1%	1.7%	0.151%
UPPERS	2.2%	1.5%	2.9%	0.348%
DOWNERS	2.2%	1.8%	2.6%	0.204%
ROHYPNOL	1.5%	1.2%	1.8%	0.159%
STEROIDS	0.7%	0.5%	0.9%	0.122%
ECSTASY	1.6%	1.3%	1.9%	0.167%
HEROIN	0.6%	0.5%	0.7%	0.058%

Past 30 Day Use of Selected Substances - Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	21.2%	18.6%	23.8%	1.297%
CIGARETTES	19.6%	17.0%	22.2%	1.321%
SMOKELESS TOBACCO	5.8%	5.0%	6.6%	0.412%
ALCOHOL	38.9%	36.3%	41.5%	1.296%
INHALANTS	5.8%	4.9%	6.7%	0.428%
ANY ILLICIT DRUG	18.8%	16.6%	21.0%	1.092%
MARIJUANA	17.0%	14.8%	19.2%	1.096%
MARIJUANA ONLY	7.2%	5.7%	8.7%	0.753%
COCAINE OR CRACK	3.9%	2.9%	4.9%	0.509%
COCAINE	3.8%	2.8%	4.8%	0.507%
CRACK	0.7%	0.5%	0.9%	0.094%
HALLUCINOGENS	2.2%	1.6%	2.8%	0.286%
UPPERS	3.2%	2.6%	3.8%	0.280%
DOWNERS	3.4%	2.8%	4.0%	0.305%
ROHYPNOL	1.7%	1.2%	2.2%	0.234%
STEROIDS	0.7%	0.5%	0.9%	0.093%
ECSTASY	2.1%	1.6%	2.6%	0.249%
HEROIN	0.5%	0.3%	0.7%	0.097%

Past 30 Day Use of Selected Substances - Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	24.1%	22.0%	26.2%	1.040%
CIGARETTES	22.5%	20.6%	24.4%	0.961%
SMOKELESS TOBACCO	5.3%	4.6%	6.0%	0.359%
ALCOHOL	42.0%	39.9%	44.1%	1.044%
INHALANTS	4.9%	4.2%	5.6%	0.371%
ANY ILLICIT DRUG	20.6%	19.0%	22.2%	0.801%
MARIJUANA	18.0%	16.6%	19.4%	0.681%
MARIJUANA ONLY	6.7%	6.0%	7.4%	0.363%
COCAINE OR CRACK	5.1%	3.9%	6.3%	0.582%
COCAINE	5.0%	3.8%	6.2%	0.598%
CRACK	0.6%	0.4%	0.8%	0.117%
HALLUCINOGENS	2.2%	1.8%	2.6%	0.192%
UPPERS	4.5%	3.7%	5.3%	0.383%
DOWNERS	4.6%	3.7%	5.5%	0.460%
ROHYPNOL	1.6%	1.1%	2.1%	0.263%
STEROIDS	0.7%	0.4%	1.0%	0.138%
ECSTASY	3.2%	2.0%	4.4%	0.593%
HEROIN	0.7%	0.4%	1.0%	0.140%

Past 30 Day Use of Selected Substances - Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	28.0%	26.4%	29.6%	0.807%
CIGARETTES	26.3%	24.8%	27.8%	0.744%
SMOKELESS TOBACCO	7.5%	6.4%	8.6%	0.533%
ALCOHOL	47.5%	45.5%	49.5%	0.993%
INHALANTS	3.7%	3.2%	4.2%	0.261%
ANY ILLICIT DRUG	20.5%	18.7%	22.3%	0.879%
MARIJUANA	18.4%	16.6%	20.2%	0.922%
MARIJUANA ONLY	6.9%	5.4%	8.4%	0.772%
COCAINE OR CRACK	4.6%	3.9%	5.3%	0.368%
COCAINE	4.4%	3.6%	5.2%	0.377%
CRACK	0.6%	0.5%	0.7%	0.073%
HALLUCINOGENS	2.4%	1.8%	3.0%	0.276%
UPPERS	4.3%	3.3%	5.3%	0.512%
DOWNERS	4.7%	3.7%	5.7%	0.517%
ROHYPNOL	1.1%	0.8%	1.4%	0.126%
STEROIDS	0.9%	0.5%	1.3%	0.189%
ECSTASY	2.8%	2.0%	3.6%	0.389%
HEROIN	0.2%	0.1%	0.3%	0.047%

Lifetime Use of Selected Substances - Male Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	41.3%	38.9%	43.7%	1.201%
CIGARETTES	38.9%	36.4%	41.4%	1.241%
SMOKELESS TOBACCO	16.3%	14.9%	17.7%	0.713%
ALCOHOL	66.5%	64.7%	68.3%	0.891%
INHALANTS	17.9%	16.6%	19.2%	0.659%
ANY ILLICIT DRUG	34.3%	31.9%	36.7%	1.216%
MARIJUANA	33.0%	30.7%	35.3%	1.163%
MARIJUANA ONLY	18.4%	16.9%	19.9%	0.726%
COCAINE OR CRACK	8.6%	7.0%	10.2%	0.784%
COCAINE	8.2%	6.6%	9.8%	0.779%
CRACK	2.5%	2.2%	2.8%	0.128%
HALLUCINOGENS	5.9%	5.2%	6.6%	0.343%
UPPERS	5.8%	5.0%	6.6%	0.418%
DOWNERS	6.1%	5.3%	6.9%	0.381%
ROHYPNOL	3.4%	3.0%	3.8%	0.220%
STEROIDS	2.7%	2.4%	3.0%	0.173%
ECSTASY	5.5%	5.1%	5.9%	0.216%
HEROIN	1.7%	1.4%	2.0%	0.142%

Lifetime Use of Selected Substances - Male Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	23.8%	20.4%	27.2%	1.715%
CIGARETTES	22.0%	18.9%	25.1%	1.543%
SMOKELESS TOBACCO	6.3%	4.6%	8.0%	0.856%
ALCOHOL	49.0%	45.8%	52.2%	1.587%
INHALANTS	18.8%	16.9%	20.7%	0.931%
ANY ILLICIT DRUG	14.1%	11.5%	16.7%	1.316%
MARIJUANA	13.1%	10.4%	15.8%	1.349%
MARIJUANA ONLY	8.5%	6.6%	10.4%	0.928%
COCAINE OR CRACK	3.2%	2.6%	3.8%	0.320%
COCAINE	2.6%	1.9%	3.3%	0.337%
CRACK	1.8%	1.5%	2.1%	0.127%
HALLUCINOGENS	1.5%	1.2%	1.8%	0.128%
UPPERS	1.2%	0.8%	1.6%	0.204%
DOWNERS	1.0%	0.7%	1.3%	0.154%
ROHYPNOL	1.7%	1.1%	2.3%	0.290%
STEROIDS	2.0%	1.7%	2.3%	0.142%
ECSTASY	1.6%	1.3%	1.9%	0.169%
HEROIN	1.5%	1.2%	1.8%	0.167%

Lifetime Use of Selected Substances - Male Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	31.3%	28.6%	34.0%	1.352%
CIGARETTES	29.6%	27.1%	32.1%	1.250%
SMOKELESS TOBACCO	9.5%	8.6%	10.4%	0.473%
ALCOHOL	59.0%	56.8%	61.2%	1.112%
INHALANTS	19.1%	17.8%	20.4%	0.653%
ANY ILLICIT DRUG	22.8%	20.2%	25.4%	1.285%
MARIJUANA	21.4%	18.8%	24.0%	1.291%
MARIJUANA ONLY	12.6%	11.3%	14.0%	0.675%
COCAINE OR CRACK	4.3%	2.9%	5.7%	0.686%
COCAINE	3.7%	2.5%	4.9%	0.589%
CRACK	1.9%	1.4%	2.4%	0.252%
HALLUCINOGENS	2.9%	2.5%	3.3%	0.214%
UPPERS	2.0%	1.7%	2.3%	0.164%
DOWNERS	2.0%	1.7%	2.3%	0.146%
ROHYPNOL	2.9%	2.0%	3.8%	0.456%
STEROIDS	2.4%	1.8%	3.0%	0.320%
ECSTASY	3.6%	2.7%	4.5%	0.461%
HEROIN	1.5%	1.1%	1.9%	0.220%

Lifetime Use of Selected Substances - Male Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	40.9%	37.1%	44.7%	1.897%
CIGARETTES	38.5%	34.8%	42.2%	1.828%
SMOKELESS TOBACCO	14.0%	12.4%	15.6%	0.819%
ALCOHOL	65.7%	62.8%	68.6%	1.461%
INHALANTS	17.0%	14.9%	19.1%	1.053%
ANY ILLICIT DRUG	33.3%	30.2%	36.4%	1.531%
MARIJUANA	32.3%	29.1%	35.5%	1.587%
MARIJUANA ONLY	18.9%	16.7%	21.1%	1.119%
COCAINE OR CRACK	7.8%	5.9%	9.7%	0.966%
COCAINE	7.1%	5.1%	9.1%	0.994%
CRACK	2.7%	2.1%	3.3%	0.280%
HALLUCINOGENS	4.6%	3.7%	5.5%	0.431%
UPPERS	4.2%	3.5%	4.9%	0.368%
DOWNERS	4.6%	4.0%	5.2%	0.309%
ROHYPNOL	3.5%	3.0%	4.0%	0.243%
STEROIDS	2.4%	2.0%	2.8%	0.188%
ECSTASY	4.6%	3.8%	5.4%	0.395%
HEROIN	1.5%	1.2%	1.8%	0.143%

Lifetime Use of Selected Substances - Male Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	47.6%	45.1%	50.1%	1.229%
CIGARETTES	44.6%	42.1%	47.1%	1.274%
SMOKELESS TOBACCO	20.3%	17.8%	22.8%	1.261%
ALCOHOL	72.9%	70.7%	75.1%	1.091%
INHALANTS	16.9%	14.6%	19.2%	1.142%
ANY ILLICIT DRUG	43.3%	39.8%	46.8%	1.736%
MARIJUANA	41.8%	38.5%	45.1%	1.667%
MARIJUANA ONLY	24.0%	21.3%	26.7%	1.328%
COCAINE OR CRACK	10.7%	8.0%	13.4%	1.350%
COCAINE	10.4%	7.7%	13.1%	1.337%
CRACK	2.6%	1.8%	3.4%	0.415%
HALLUCINOGENS	7.7%	5.9%	9.5%	0.905%
UPPERS	7.3%	5.9%	8.7%	0.706%
DOWNERS	7.2%	6.0%	8.4%	0.593%
ROHYPNOL	4.1%	3.1%	5.1%	0.485%
STEROIDS	2.5%	1.3%	3.7%	0.592%
ECSTASY	6.3%	5.3%	7.3%	0.518%
HEROIN	2.1%	1.0%	3.2%	0.570%

Lifetime Use of Selected Substances - Male Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	53.5%	51.0%	56.0%	1.235%
CIGARETTES	50.6%	47.6%	53.7%	1.525%
SMOKELESS TOBACCO	23.8%	21.1%	26.5%	1.352%
ALCOHOL	76.4%	74.3%	78.5%	1.043%
INHALANTS	17.2%	14.6%	19.8%	1.276%
ANY ILLICIT DRUG	49.3%	46.4%	52.2%	1.451%
MARIJUANA	47.6%	45.2%	50.0%	1.219%
MARIJUANA ONLY	25.2%	23.4%	27.0%	0.910%
COCAINE OR CRACK	13.8%	11.3%	16.3%	1.268%
COCAINE	13.7%	11.1%	16.3%	1.301%
CRACK	2.6%	1.6%	3.6%	0.480%
HALLUCINOGENS	9.3%	7.9%	10.7%	0.698%
UPPERS	9.8%	8.4%	11.2%	0.708%
DOWNERS	10.8%	9.8%	11.8%	0.507%
ROHYPNOL	4.1%	3.2%	5.0%	0.466%
STEROIDS	3.1%	2.1%	4.1%	0.488%
ECSTASY	8.9%	7.8%	10.0%	0.528%
HEROIN	2.1%	1.4%	2.8%	0.327%

Lifetime Use of Selected Substances - Male Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	57.7%	54.9%	60.5%	1.412%
CIGARETTES	54.7%	51.8%	57.6%	1.470%
SMOKELESS TOBACCO	28.6%	25.3%	31.9%	1.659%
ALCOHOL	82.3%	78.8%	85.8%	1.760%
INHALANTS	18.4%	15.5%	21.3%	1.441%
ANY ILLICIT DRUG	50.5%	46.8%	54.2%	1.848%
MARIJUANA	49.5%	45.9%	53.1%	1.789%
MARIJUANA ONLY	24.5%	21.0%	28.0%	1.730%
COCAINE OR CRACK	14.6%	12.5%	16.7%	1.056%
COCAINE	14.4%	12.3%	16.5%	1.036%
CRACK	3.5%	2.4%	4.6%	0.552%
HALLUCINOGENS	11.6%	9.7%	13.5%	0.946%
UPPERS	13.3%	9.5%	17.1%	1.876%
DOWNERS	13.7%	10.6%	16.8%	1.551%
ROHYPNOL	4.2%	3.5%	4.9%	0.331%
STEROIDS	4.2%	2.9%	5.5%	0.631%
ECSTASY	10.2%	8.6%	11.8%	0.785%
HEROIN	1.6%	0.9%	2.3%	0.361%

Past 30 Day Use of Selected Substances - Male Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	18.9%	17.7%	20.1%	0.600%
CIGARETTES	16.8%	15.7%	17.9%	0.528%
SMOKELESS TOBACCO	7.0%	6.2%	7.8%	0.414%
ALCOHOL	32.6%	31.1%	34.1%	0.733%
INHALANTS	6.9%	6.2%	7.6%	0.338%
ANY ILLICIT DRUG	16.2%	14.9%	17.5%	0.630%
MARIJUANA	14.3%	13.2%	15.4%	0.572%
MARIJUANA ONLY	6.0%	5.1%	6.9%	0.435%
COCAINE OR CRACK	3.7%	2.9%	4.5%	0.405%
COCAINE	3.4%	2.6%	4.2%	0.396%
CRACK	0.8%	0.7%	0.9%	0.054%
HALLUCINOGENS	2.1%	1.8%	2.4%	0.170%
UPPERS	2.5%	1.9%	3.1%	0.316%
DOWNERS	2.9%	2.3%	3.5%	0.293%
ROHYPNOL	1.2%	1.0%	1.4%	0.095%
STEROIDS	1.1%	0.9%	1.3%	0.086%
ECSTASY	2.0%	1.7%	2.3%	0.155%
HEROIN	0.6%	0.5%	0.7%	0.050%

Past 30 Day Use of Selected Substances - Male Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.8%	5.6%	8.0%	0.596%
CIGARETTES	5.8%	4.5%	7.1%	0.627%
SMOKELESS TOBACCO	2.0%	1.6%	2.4%	0.188%
ALCOHOL	16.0%	13.6%	18.4%	1.183%
INHALANTS	8.9%	8.1%	9.7%	0.422%
ANY ILLICIT DRUG	5.4%	4.4%	6.4%	0.522%
MARIJUANA	4.6%	3.5%	5.7%	0.565%
MARIJUANA ONLY	2.6%	1.7%	3.5%	0.439%
COCAINE OR CRACK	1.3%	1.0%	1.6%	0.144%
COCAINE	0.9%	0.6%	1.2%	0.170%
CRACK	0.6%	0.4%	0.8%	0.083%
HALLUCINOGENS	0.7%	0.5%	0.9%	0.117%
UPPERS	0.4%	0.2%	0.6%	0.077%
DOWNERS	0.3%	0.1%	0.5%	0.084%
ROHYPNOL	0.4%	0.2%	0.6%	0.078%
STEROIDS	0.7%	0.5%	0.9%	0.118%
ECSTASY	0.5%	0.3%	0.7%	0.102%
HEROIN	0.5%	0.3%	0.7%	0.092%

Past 30 Day Use of Selected Substances - Male Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	11.2%	10.1%	12.3%	0.569%
CIGARETTES	10.2%	9.2%	11.2%	0.481%
SMOKELESS TOBACCO	3.2%	2.5%	3.9%	0.360%
ALCOHOL	22.2%	19.4%	25.0%	1.416%
INHALANTS	8.4%	7.6%	9.2%	0.409%
ANY ILLICIT DRUG	10.1%	8.6%	11.6%	0.741%
MARIJUANA	8.6%	7.3%	9.9%	0.646%
MARIJUANA ONLY	4.0%	3.4%	4.6%	0.317%
COCAINE OR CRACK	1.9%	1.1%	2.7%	0.388%
COCAINE	1.5%	0.9%	2.1%	0.301%
CRACK	0.7%	0.4%	1.0%	0.141%
HALLUCINOGENS	0.9%	0.6%	1.2%	0.154%
UPPERS	0.7%	0.6%	0.8%	0.074%
DOWNERS	0.9%	0.7%	1.1%	0.096%
ROHYPNOL	1.1%	0.8%	1.4%	0.174%
STEROIDS	0.9%	0.6%	1.2%	0.170%
ECSTASY	1.3%	0.9%	1.7%	0.223%
HEROIN	0.5%	0.4%	0.6%	0.056%

Past 30 Day Use of Selected Substances - Male Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	17.3%	14.8%	19.8%	1.240%
CIGARETTES	14.9%	12.6%	17.2%	1.147%
SMOKELESS TOBACCO	6.0%	5.0%	7.0%	0.512%
ALCOHOL	31.1%	29.1%	33.1%	0.988%
INHALANTS	6.1%	4.8%	7.4%	0.632%
ANY ILLICIT DRUG	15.1%	13.5%	16.7%	0.824%
MARIJUANA	13.7%	12.1%	15.3%	0.788%
MARIJUANA ONLY	6.2%	5.3%	7.2%	0.475%
COCAINE OR CRACK	3.3%	2.6%	4.0%	0.344%
COCAINE	2.9%	2.2%	3.6%	0.360%
CRACK	0.9%	0.7%	1.1%	0.089%
HALLUCINOGENS	1.7%	1.4%	2.0%	0.153%
UPPERS	1.7%	1.2%	2.2%	0.257%
DOWNERS	2.2%	1.7%	2.7%	0.246%
ROHYPNOL	1.4%	1.1%	1.7%	0.139%
STEROIDS	1.0%	0.6%	1.4%	0.189%
ECSTASY	1.5%	1.0%	2.0%	0.263%
HEROIN	0.5%	0.3%	0.7%	0.076%

Past 30 Day Use of Selected Substances - Male Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	23.9%	21.2%	26.6%	1.336%
CIGARETTES	21.1%	18.3%	23.9%	1.379%
SMOKELESS TOBACCO	9.8%	8.0%	11.6%	0.921%
ALCOHOL	38.7%	35.2%	42.2%	1.739%
INHALANTS	6.1%	4.9%	7.3%	0.603%
ANY ILLICIT DRUG	21.4%	18.1%	24.7%	1.633%
MARIJUANA	19.2%	16.1%	22.3%	1.562%
MARIJUANA ONLY	8.6%	6.1%	11.1%	1.253%
COCAINE OR CRACK	4.6%	3.2%	6.0%	0.698%
COCAINE	4.4%	3.0%	5.8%	0.709%
CRACK	0.9%	0.6%	1.2%	0.153%
HALLUCINOGENS	3.0%	2.0%	4.0%	0.509%
UPPERS	3.3%	2.1%	4.5%	0.580%
DOWNERS	3.7%	2.6%	4.8%	0.562%
ROHYPNOL	1.6%	1.2%	2.0%	0.218%
STEROIDS	1.1%	0.7%	1.5%	0.193%
ECSTASY	2.4%	1.8%	3.0%	0.322%
HEROIN	0.6%	0.4%	0.8%	0.097%

Past 30 Day Use of Selected Substances - Male Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	25.9%	24.0%	27.8%	0.939%
CIGARETTES	23.1%	21.5%	24.7%	0.802%
SMOKELESS TOBACCO	9.4%	8.1%	10.7%	0.652%
ALCOHOL	43.9%	41.4%	46.4%	1.249%
INHALANTS	6.3%	5.4%	7.2%	0.473%
ANY ILLICIT DRUG	24.0%	22.0%	26.0%	0.999%
MARIJUANA	20.9%	19.3%	22.5%	0.789%
MARIJUANA ONLY	8.0%	6.9%	9.1%	0.539%
COCAINE OR CRACK	6.1%	4.4%	7.8%	0.829%
COCAINE	6.0%	4.3%	7.7%	0.855%
CRACK	0.7%	0.5%	0.9%	0.116%
HALLUCINOGENS	3.1%	2.4%	3.8%	0.360%
UPPERS	4.4%	3.6%	5.2%	0.378%
DOWNERS	5.2%	3.9%	6.5%	0.634%
ROHYPNOL	1.5%	1.1%	1.9%	0.190%
STEROIDS	1.2%	0.6%	1.8%	0.298%
ECSTASY	3.6%	2.0%	5.2%	0.813%
HEROIN	1.1%	0.5%	1.7%	0.312%

Past 30 Day Use of Selected Substances - Male Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	34.0%	31.7%	36.3%	1.131%
CIGARETTES	30.8%	28.5%	33.1%	1.164%
SMOKELESS TOBACCO	14.2%	12.0%	16.4%	1.098%
ALCOHOL	50.8%	48.6%	53.0%	1.078%
INHALANTS	5.4%	4.1%	6.7%	0.626%
ANY ILLICIT DRUG	25.1%	22.9%	27.3%	1.105%
MARIJUANA	22.5%	19.9%	25.1%	1.303%
MARIJUANA ONLY	7.7%	5.7%	9.7%	0.984%
COCAINE OR CRACK	6.5%	5.1%	7.9%	0.681%
COCAINE	6.3%	5.0%	7.6%	0.657%
CRACK	0.8%	0.5%	1.1%	0.162%
HALLUCINOGENS	3.8%	2.5%	5.1%	0.649%
UPPERS	5.8%	3.7%	7.9%	1.066%
DOWNERS	6.5%	4.8%	8.2%	0.864%
ROHYPNOL	1.4%	1.1%	1.7%	0.170%
STEROIDS	1.7%	0.9%	2.5%	0.377%
ECSTASY	3.3%	2.4%	4.2%	0.441%
HEROIN	0.3%	0.2%	0.4%	0.074%

Lifetime Use of Selected Substances - Female Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	37.6%	35.0%	40.2%	1.321%
CIGARETTES	37.1%	34.4%	39.8%	1.330%
SMOKELESS TOBACCO	4.9%	4.3%	5.5%	0.311%
ALCOHOL	69.3%	65.8%	72.8%	1.760%
INHALANTS	16.2%	14.9%	17.5%	0.626%
ANY ILLICIT DRUG	28.9%	26.5%	31.4%	1.225%
MARIJUANA	26.9%	24.5%	29.3%	1.204%
MARIJUANA ONLY	14.2%	12.4%	16.0%	0.924%
COCAINE OR CRACK	7.2%	6.0%	8.4%	0.588%
COCAINE	6.7%	5.6%	7.8%	0.573%
CRACK	2.2%	1.9%	2.5%	0.149%
HALLUCINOGENS	3.9%	3.5%	4.3%	0.218%
UPPERS	6.2%	5.4%	7.0%	0.424%
DOWNERS	5.8%	5.1%	6.5%	0.372%
ROHYPNOL	3.5%	2.7%	4.3%	0.407%
STEROIDS	1.3%	1.1%	1.5%	0.091%
ECSTASY	5.6%	5.2%	6.0%	0.205%
HEROIN	1.5%	1.3%	1.7%	0.107%

Lifetime Use of Selected Substances - Female Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	22.3%	18.0%	26.6%	2.130%
CIGARETTES	21.8%	17.7%	25.9%	2.054%
SMOKELESS TOBACCO	3.0%	2.2%	3.8%	0.424%
ALCOHOL	52.4%	47.6%	57.2%	2.389%
INHALANTS	20.1%	17.2%	23.0%	1.463%
ANY ILLICIT DRUG	12.3%	9.5%	15.1%	1.393%
MARIJUANA	10.5%	7.9%	13.1%	1.323%
MARIJUANA ONLY	6.0%	4.3%	7.7%	0.831%
COCAINE OR CRACK	3.2%	2.4%	4.0%	0.386%
COCAINE	2.3%	1.7%	2.9%	0.286%
CRACK	1.9%	1.4%	2.4%	0.236%
HALLUCINOGENS	0.9%	0.6%	1.2%	0.151%
UPPERS	1.2%	1.1%	1.4%	0.075%
DOWNERS	0.9%	0.6%	1.2%	0.131%
ROHYPNOL	1.6%	1.0%	2.2%	0.293%
STEROIDS	1.2%	0.8%	1.6%	0.212%
ECSTASY	2.1%	1.5%	2.7%	0.297%
HEROIN	1.6%	1.3%	1.9%	0.169%

Lifetime Use of Selected Substances - Female Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	29.9%	26.5%	33.3%	1.690%
CIGARETTES	29.4%	26.0%	32.8%	1.677%
SMOKELESS TOBACCO	4.7%	3.7%	5.7%	0.491%
ALCOHOL	63.1%	58.4%	67.8%	2.371%
INHALANTS	21.7%	20.2%	23.2%	0.742%
ANY ILLICIT DRUG	19.9%	17.3%	22.5%	1.315%
MARIJUANA	17.3%	14.8%	19.8%	1.229%
MARIJUANA ONLY	8.7%	7.4%	10.0%	0.664%
COCAINE OR CRACK	5.4%	4.4%	6.4%	0.495%
COCAINE	4.6%	3.5%	5.7%	0.549%
CRACK	2.8%	2.3%	3.3%	0.272%
HALLUCINOGENS	2.5%	2.0%	3.0%	0.232%
UPPERS	3.3%	2.7%	3.9%	0.316%
DOWNERS	2.9%	2.5%	3.3%	0.207%
ROHYPNOL	3.8%	3.0%	4.6%	0.419%
STEROIDS	2.0%	1.5%	2.5%	0.239%
ECSTASY	4.5%	3.6%	5.4%	0.451%
HEROIN	2.2%	1.7%	2.7%	0.259%

Lifetime Use of Selected Substances - Female Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	36.5%	32.5%	40.5%	1.984%
CIGARETTES	35.9%	31.7%	40.1%	2.105%
SMOKELESS TOBACCO	5.3%	4.5%	6.1%	0.385%
ALCOHOL	70.2%	66.5%	73.9%	1.842%
INHALANTS	18.1%	16.8%	19.4%	0.648%
ANY ILLICIT DRUG	28.2%	25.5%	30.9%	1.371%
MARIJUANA	25.8%	22.8%	28.8%	1.497%
MARIJUANA ONLY	13.0%	10.5%	15.5%	1.247%
COCAINE OR CRACK	6.4%	4.9%	7.9%	0.729%
COCAINE	5.9%	4.5%	7.3%	0.702%
CRACK	2.2%	1.7%	2.7%	0.232%
HALLUCINOGENS	4.0%	3.2%	4.8%	0.403%
UPPERS	5.7%	4.3%	7.1%	0.724%
DOWNERS	5.7%	4.3%	7.1%	0.678%
ROHYPNOL	4.3%	3.4%	5.2%	0.450%
STEROIDS	1.5%	0.7%	2.3%	0.399%
ECSTASY	5.2%	4.5%	5.9%	0.348%
HEROIN	1.6%	1.2%	2.0%	0.202%

Lifetime Use of Selected Substances - Female Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	43.2%	41.0%	45.4%	1.080%
CIGARETTES	42.8%	40.7%	44.9%	1.064%
SMOKELESS TOBACCO	5.6%	4.8%	6.4%	0.423%
ALCOHOL	76.2%	74.0%	78.4%	1.084%
INHALANTS	14.7%	13.5%	15.9%	0.580%
ANY ILLICIT DRUG	37.1%	35.0%	39.2%	1.063%
MARIJUANA	35.0%	32.8%	37.2%	1.094%
MARIJUANA ONLY	18.3%	16.7%	19.9%	0.787%
COCAINE OR CRACK	9.4%	7.6%	11.2%	0.904%
COCAINE	9.0%	7.1%	10.9%	0.930%
CRACK	2.3%	1.9%	2.7%	0.217%
HALLUCINOGENS	5.0%	4.2%	5.8%	0.385%
UPPERS	8.4%	7.2%	9.6%	0.618%
DOWNERS	8.2%	7.0%	9.4%	0.608%
ROHYPNOL	4.3%	3.3%	5.3%	0.506%
STEROIDS	1.2%	0.7%	1.7%	0.227%
ECSTASY	6.5%	5.7%	7.3%	0.408%
HEROIN	1.4%	1.1%	1.7%	0.171%

Lifetime Use of Selected Substances - Female Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	48.5%	45.2%	51.8%	1.647%
CIGARETTES	47.8%	44.8%	50.8%	1.514%
SMOKELESS TOBACCO	5.8%	4.8%	6.8%	0.514%
ALCOHOL	78.0%	72.8%	83.2%	2.582%
INHALANTS	11.1%	8.9%	13.3%	1.101%
ANY ILLICIT DRUG	39.3%	35.7%	42.9%	1.804%
MARIJUANA	37.4%	33.8%	41.0%	1.795%
MARIJUANA ONLY	19.1%	16.3%	21.9%	1.415%
COCAINE OR CRACK	10.6%	8.6%	12.6%	0.979%
COCAINE	10.3%	8.3%	12.3%	1.011%
CRACK	2.5%	1.7%	3.3%	0.376%
HALLUCINOGENS	6.2%	5.0%	7.4%	0.616%
UPPERS	11.2%	9.0%	13.4%	1.121%
DOWNERS	10.1%	8.3%	11.9%	0.879%
ROHYPNOL	4.0%	2.6%	5.5%	0.725%
STEROIDS	1.1%	0.8%	1.4%	0.151%
ECSTASY	7.8%	6.3%	9.3%	0.767%
HEROIN	0.9%	0.6%	1.2%	0.157%

Lifetime Use of Selected Substances - Female Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	49.8%	47.2%	52.4%	1.295%
CIGARETTES	49.3%	46.5%	52.1%	1.399%
SMOKELESS TOBACCO	5.3%	4.6%	6.0%	0.357%
ALCOHOL	79.4%	75.8%	83.1%	1.825%
INHALANTS	8.8%	7.7%	9.9%	0.574%
ANY ILLICIT DRUG	40.9%	37.8%	44.0%	1.543%
MARIJUANA	39.6%	36.7%	42.5%	1.452%
MARIJUANA ONLY	23.0%	20.3%	25.7%	1.368%
COCAINE OR CRACK	9.4%	7.7%	11.1%	0.827%
COCAINE	9.1%	7.4%	10.8%	0.857%
CRACK	1.7%	1.0%	2.4%	0.353%
HALLUCINOGENS	5.2%	4.5%	5.9%	0.374%
UPPERS	8.4%	7.3%	9.6%	0.575%
DOWNERS	8.1%	7.0%	9.2%	0.562%
ROHYPNOL	2.8%	1.9%	3.7%	0.470%
STEROIDS	0.7%	0.4%	1.0%	0.135%
ECSTASY	8.0%	6.9%	9.1%	0.540%
HEROIN	1.3%	0.8%	1.8%	0.231%

Past 30 Day Use of Selected Substances - Female Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	15.3%	14.2%	16.4%	0.555%
CIGARETTES	14.9%	13.8%	16.0%	0.546%
SMOKELESS TOBACCO	1.6%	1.2%	2.0%	0.176%
ALCOHOL	32.8%	31.0%	34.6%	0.889%
INHALANTS	6.4%	5.8%	7.0%	0.282%
ANY ILLICIT DRUG	12.7%	11.5%	13.9%	0.612%
MARIJUANA	11.0%	9.8%	12.2%	0.599%
MARIJUANA ONLY	4.4%	3.5%	5.3%	0.460%
COCAINE OR CRACK	2.7%	2.2%	3.2%	0.243%
COCAINE	2.5%	2.0%	3.0%	0.245%
CRACK	0.7%	0.6%	0.8%	0.069%
HALLUCINOGENS	1.0%	0.8%	1.2%	0.079%
UPPERS	2.4%	2.1%	2.7%	0.170%
DOWNERS	2.2%	1.9%	2.5%	0.145%
ROHYPNOL	1.4%	1.0%	1.8%	0.179%
STEROIDS	0.4%	0.3%	0.5%	0.034%
ECSTASY	1.7%	1.4%	2.0%	0.132%
HEROIN	0.5%	0.4%	0.6%	0.043%

Past 30 Day Use of Selected Substances - Female Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.9%	4.9%	8.9%	1.015%
CIGARETTES	6.7%	4.7%	8.7%	0.998%
SMOKELESS TOBACCO	1.1%	0.7%	1.5%	0.213%
ALCOHOL	17.6%	15.1%	20.1%	1.234%
INHALANTS	9.4%	7.9%	10.9%	0.772%
ANY ILLICIT DRUG	5.3%	4.1%	6.5%	0.577%
MARIJUANA	4.1%	3.1%	5.1%	0.511%
MARIJUANA ONLY	1.9%	1.1%	2.7%	0.407%
COCAINE OR CRACK	1.3%	1.0%	1.6%	0.160%
COCAINE	0.9%	0.6%	1.2%	0.154%
CRACK	0.8%	0.6%	1.0%	0.108%
HALLUCINOGENS	0.4%	0.2%	0.6%	0.077%
UPPERS	0.5%	0.4%	0.6%	0.042%
DOWNERS	0.4%	0.3%	0.5%	0.070%
ROHYPNOL	0.8%	0.5%	1.1%	0.139%
STEROIDS	0.4%	0.2%	0.6%	0.076%
ECSTASY	0.8%	0.6%	1.0%	0.077%
HEROIN	0.7%	0.5%	0.9%	0.103%

Past 30 Day Use of Selected Substances - Female Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	10.0%	8.9%	11.1%	0.564%
CIGARETTES	9.5%	8.4%	10.6%	0.553%
SMOKELESS TOBACCO	1.5%	1.2%	1.8%	0.129%
ALCOHOL	25.0%	21.9%	28.1%	1.560%
INHALANTS	9.9%	9.0%	10.8%	0.450%
ANY ILLICIT DRUG	8.8%	7.1%	10.5%	0.842%
MARIJUANA	7.1%	5.4%	8.8%	0.871%
MARIJUANA ONLY	2.7%	1.9%	3.5%	0.407%
COCAINE OR CRACK	2.1%	1.6%	2.6%	0.265%
COCAINE	1.8%	1.2%	2.4%	0.277%
CRACK	1.0%	0.7%	1.3%	0.132%
HALLUCINOGENS	0.7%	0.5%	0.9%	0.100%
UPPERS	1.3%	1.0%	1.6%	0.145%
DOWNERS	0.9%	0.7%	1.1%	0.112%
ROHYPNOL	1.5%	1.1%	1.9%	0.189%
STEROIDS	0.7%	0.4%	1.0%	0.136%
ECSTASY	1.2%	1.0%	1.4%	0.103%
HEROIN	0.9%	0.7%	1.1%	0.087%

Past 30 Day Use of Selected Substances - Female Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	14.4%	13.0%	15.8%	0.691%
CIGARETTES	13.8%	12.4%	15.2%	0.680%
SMOKELESS TOBACCO	2.0%	1.5%	2.5%	0.260%
ALCOHOL	33.9%	31.9%	35.9%	0.980%
INHALANTS	6.3%	5.6%	7.0%	0.354%
ANY ILLICIT DRUG	13.5%	12.0%	15.0%	0.746%
MARIJUANA	11.4%	9.9%	12.9%	0.759%
MARIJUANA ONLY	4.8%	3.5%	6.1%	0.645%
COCAINE OR CRACK	2.7%	2.1%	3.3%	0.309%
COCAINE	2.4%	1.7%	3.1%	0.350%
CRACK	0.8%	0.5%	1.1%	0.134%
HALLUCINOGENS	1.1%	0.8%	1.4%	0.167%
UPPERS	2.6%	1.7%	3.5%	0.464%
DOWNERS	2.3%	1.8%	2.8%	0.257%
ROHYPNOL	1.5%	1.1%	1.9%	0.200%
STEROIDS	0.5%	0.3%	0.7%	0.093%
ECSTASY	1.6%	1.3%	1.9%	0.169%
HEROIN	0.6%	0.3%	0.9%	0.147%

Past 30 Day Use of Selected Substances - Female Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	18.6%	15.7%	21.5%	1.471%
CIGARETTES	18.3%	15.4%	21.2%	1.443%
SMOKELESS TOBACCO	2.1%	1.5%	2.7%	0.280%
ALCOHOL	39.0%	36.8%	41.2%	1.084%
INHALANTS	5.5%	4.8%	6.2%	0.339%
ANY ILLICIT DRUG	16.4%	14.8%	18.0%	0.785%
MARIJUANA	15.0%	13.4%	16.6%	0.822%
MARIJUANA ONLY	5.9%	4.9%	6.9%	0.504%
COCAINE OR CRACK	3.2%	2.5%	3.9%	0.371%
COCAINE	3.1%	2.4%	3.8%	0.358%
CRACK	0.6%	0.4%	0.8%	0.081%
HALLUCINOGENS	1.5%	1.1%	1.9%	0.178%
UPPERS	3.0%	2.6%	3.4%	0.187%
DOWNERS	3.0%	2.6%	3.4%	0.209%
ROHYPNOL	1.7%	1.1%	2.3%	0.286%
STEROIDS	0.3%	0.1%	0.5%	0.083%
ECSTASY	1.9%	1.5%	2.3%	0.210%
HEROIN	0.4%	0.2%	0.6%	0.114%

Past 30 Day Use of Selected Substances - Female Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	22.4%	19.7%	25.1%	1.371%
CIGARETTES	21.7%	18.9%	24.5%	1.380%
SMOKELESS TOBACCO	1.7%	0.9%	2.5%	0.386%
ALCOHOL	40.3%	38.0%	42.6%	1.134%
INHALANTS	3.7%	2.9%	4.5%	0.405%
ANY ILLICIT DRUG	17.4%	15.6%	19.2%	0.898%
MARIJUANA	15.3%	13.5%	17.1%	0.893%
MARIJUANA ONLY	5.4%	4.2%	6.6%	0.617%
COCAINE OR CRACK	4.1%	3.2%	5.1%	0.475%
COCAINE	4.1%	3.1%	5.1%	0.481%
CRACK	0.5%	0.2%	0.8%	0.136%
HALLUCINOGENS	1.5%	1.1%	1.9%	0.207%
UPPERS	4.6%	3.6%	5.6%	0.522%
DOWNERS	4.2%	3.3%	5.1%	0.469%
ROHYPNOL	1.6%	0.8%	2.4%	0.386%
STEROIDS	0.3%	0.2%	0.4%	0.057%
ECSTASY	2.7%	1.8%	3.6%	0.464%
HEROIN	0.3%	0.2%	0.4%	0.060%

Past 30 Day Use of Selected Substances - Female Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	22.5%	20.4%	24.6%	1.055%
CIGARETTES	22.2%	20.2%	24.2%	0.990%
SMOKELESS TOBACCO	1.3%	0.8%	1.8%	0.239%
ALCOHOL	44.5%	40.0%	49.0%	2.247%
INHALANTS	2.1%	1.5%	2.7%	0.319%
ANY ILLICIT DRUG	16.2%	14.3%	18.1%	0.939%
MARIJUANA	14.5%	12.5%	16.5%	0.994%
MARIJUANA ONLY	6.1%	4.7%	7.5%	0.714%
COCAINE OR CRACK	2.8%	2.2%	3.4%	0.311%
COCAINE	2.7%	2.1%	3.3%	0.310%
CRACK	0.4%	0.2%	0.6%	0.084%
HALLUCINOGENS	1.2%	0.8%	1.6%	0.190%
UPPERS	2.8%	2.4%	3.2%	0.222%
DOWNERS	3.1%	2.5%	3.7%	0.313%
ROHYPNOL	0.9%	0.6%	1.2%	0.174%
STEROIDS	0.2%	0.0%	0.3%	0.053%
ECSTASY	2.3%	1.4%	3.2%	0.460%
HEROIN	0.1%	0.0%	0.2%	0.038%

Lifetime Use of Selected Substances - White Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	39.4%	36.5%	42.3%	1.464%
CIGARETTES	37.1%	34.4%	39.8%	1.338%
SMOKELESS TOBACCO	14.3%	12.8%	15.8%	0.744%
ALCOHOL	66.3%	62.6%	70.0%	1.855%
INHALANTS	16.0%	14.6%	17.4%	0.693%
ANY ILLICIT DRUG	28.7%	26.4%	31.0%	1.137%
MARIJUANA	27.3%	25.0%	29.6%	1.144%
MARIJUANA ONLY	14.1%	12.5%	15.7%	0.787%
COCAINE OR CRACK	5.9%	5.3%	6.5%	0.304%
COCAINE	5.4%	4.8%	6.0%	0.298%
CRACK	1.9%	1.7%	2.1%	0.110%
HALLUCINOGENS	6.4%	5.9%	6.9%	0.243%
UPPERS	8.5%	7.6%	9.4%	0.462%
DOWNERS	7.7%	6.9%	8.5%	0.395%
ROHYPNOL	2.1%	1.8%	2.4%	0.162%
STEROIDS	2.3%	2.1%	2.5%	0.111%
ECSTASY	5.4%	4.9%	5.9%	0.248%
HEROIN	1.3%	0.9%	1.8%	0.225%

Lifetime Use of Selected Substances - White Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	18.1%	14.8%	21.4%	1.655%
CIGARETTES	16.3%	13.5%	19.1%	1.421%
SMOKELESS TOBACCO	4.9%	3.1%	6.7%	0.903%
ALCOHOL	45.3%	40.8%	49.8%	2.266%
INHALANTS	15.7%	13.5%	17.9%	1.105%
ANY ILLICIT DRUG	7.6%	5.8%	9.4%	0.922%
MARIJUANA	6.2%	4.3%	8.1%	0.935%
MARIJUANA ONLY	3.7%	2.7%	4.7%	0.509%
COCAINE OR CRACK	1.8%	1.4%	2.2%	0.209%
COCAINE	1.2%	0.8%	1.6%	0.180%
CRACK	1.1%	0.8%	1.4%	0.155%
HALLUCINOGENS	1.2%	0.8%	1.6%	0.216%
UPPERS	1.1%	0.9%	1.3%	0.122%
DOWNERS	0.8%	0.5%	1.1%	0.142%
ROHYPNOL	0.7%	0.4%	1.0%	0.173%
STEROIDS	1.5%	0.9%	2.1%	0.296%
ECSTASY	1.3%	0.9%	1.7%	0.181%
HEROIN	0.9%	0.7%	1.1%	0.120%

Lifetime Use of Selected Substances - White Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	26.5%	22.8%	30.2%	1.872%
CIGARETTES	24.7%	21.4%	28.0%	1.670%
SMOKELESS TOBACCO	7.5%	6.3%	8.7%	0.620%
ALCOHOL	56.0%	50.1%	61.9%	2.951%
INHALANTS	18.8%	17.5%	20.1%	0.637%
ANY ILLICIT DRUG	14.9%	12.9%	16.9%	0.978%
MARIJUANA	13.1%	11.1%	15.1%	0.979%
MARIJUANA ONLY	7.3%	6.1%	8.5%	0.608%
COCAINE OR CRACK	2.3%	1.6%	3.0%	0.341%
COCAINE	1.7%	1.1%	2.3%	0.323%
CRACK	1.4%	1.1%	1.7%	0.173%
HALLUCINOGENS	3.7%	3.2%	4.2%	0.271%
UPPERS	2.8%	2.2%	3.4%	0.319%
DOWNERS	2.4%	2.0%	2.8%	0.190%
ROHYPNOL	1.7%	1.2%	2.2%	0.239%
STEROIDS	2.1%	1.8%	2.4%	0.166%
ECSTASY	2.6%	2.1%	3.1%	0.252%
HEROIN	1.0%	0.8%	1.2%	0.118%

Lifetime Use of Selected Substances - White Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	36.5%	32.1%	40.9%	2.188%
CIGARETTES	33.9%	29.7%	38.1%	2.114%
SMOKELESS TOBACCO	13.0%	10.9%	15.1%	1.026%
ALCOHOL	65.3%	61.2%	69.4%	2.029%
INHALANTS	16.2%	14.1%	18.3%	1.051%
ANY ILLICIT DRUG	25.0%	22.7%	27.3%	1.127%
MARIJUANA	23.1%	20.8%	25.4%	1.167%
MARIJUANA ONLY	11.3%	9.5%	13.1%	0.891%
COCAINE OR CRACK	4.4%	3.4%	5.4%	0.492%
COCAINE	4.0%	3.1%	4.9%	0.473%
CRACK	1.8%	1.5%	2.1%	0.163%
HALLUCINOGENS	6.1%	5.4%	6.8%	0.364%
UPPERS	7.5%	6.2%	8.8%	0.649%
DOWNERS	6.4%	5.3%	7.5%	0.562%
ROHYPNOL	2.2%	1.7%	2.7%	0.271%
STEROIDS	2.1%	1.8%	2.4%	0.155%
ECSTASY	4.3%	3.6%	5.1%	0.375%
HEROIN	1.2%	0.7%	1.7%	0.246%

Lifetime Use of Selected Substances - White Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	48.0%	44.7%	51.3%	1.658%
CIGARETTES	45.5%	42.0%	49.0%	1.739%
SMOKELESS TOBACCO	18.3%	16.2%	20.4%	1.060%
ALCOHOL	73.9%	71.7%	76.1%	1.094%
INHALANTS	16.4%	13.7%	19.1%	1.328%
ANY ILLICIT DRUG	39.0%	34.5%	43.5%	2.273%
MARIJUANA	37.5%	32.8%	42.2%	2.360%
MARIJUANA ONLY	19.0%	16.5%	21.5%	1.249%
COCAINE OR CRACK	8.0%	6.1%	9.9%	0.950%
COCAINE	7.8%	5.7%	9.9%	1.029%
CRACK	2.4%	1.2%	3.6%	0.613%
HALLUCINOGENS	8.3%	6.8%	9.8%	0.766%
UPPERS	11.6%	10.0%	13.2%	0.796%
DOWNERS	10.7%	9.2%	12.2%	0.758%
ROHYPNOL	3.0%	2.3%	3.7%	0.330%
STEROIDS	2.4%	1.6%	3.2%	0.421%
ECSTASY	6.5%	5.5%	7.5%	0.502%
HEROIN	1.8%	0.6%	3.0%	0.603%

Lifetime Use of Selected Substances - White Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	52.1%	48.1%	56.1%	1.992%
CIGARETTES	49.4%	45.7%	53.1%	1.871%
SMOKELESS TOBACCO	19.7%	16.4%	23.0%	1.635%
ALCOHOL	76.2%	70.9%	81.5%	2.659%
INHALANTS	14.6%	11.3%	17.9%	1.647%
ANY ILLICIT DRUG	42.0%	37.7%	46.3%	2.173%
MARIJUANA	40.6%	36.6%	44.6%	2.016%
MARIJUANA ONLY	20.8%	18.6%	23.0%	1.116%
COCAINE OR CRACK	9.6%	8.5%	10.7%	0.542%
COCAINE	9.3%	8.2%	10.4%	0.555%
CRACK	2.8%	1.3%	4.3%	0.734%
HALLUCINOGENS	9.7%	8.3%	11.1%	0.713%
UPPERS	14.0%	12.2%	15.8%	0.917%
DOWNERS	12.7%	11.6%	13.8%	0.547%
ROHYPNOL	2.8%	1.6%	4.0%	0.622%
STEROIDS	2.8%	1.7%	3.9%	0.537%
ECSTASY	8.8%	7.4%	10.2%	0.721%
HEROIN	1.2%	1.0%	1.4%	0.119%

Lifetime Use of Selected Substances - White Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	56.5%	54.1%	58.9%	1.183%
CIGARETTES	54.0%	51.4%	56.6%	1.281%
SMOKELESS TOBACCO	22.8%	21.2%	24.4%	0.792%
ALCOHOL	82.3%	79.6%	85.0%	1.370%
INHALANTS	14.4%	12.3%	16.5%	1.031%
ANY ILLICIT DRUG	45.2%	40.6%	49.8%	2.302%
MARIJUANA	44.6%	40.2%	49.0%	2.200%
MARIJUANA ONLY	23.4%	18.9%	27.9%	2.265%
COCAINE OR CRACK	9.4%	8.1%	10.7%	0.649%
COCAINE	9.1%	7.9%	10.3%	0.603%
CRACK	2.3%	1.7%	2.9%	0.301%
HALLUCINOGENS	9.9%	8.7%	11.1%	0.587%
UPPERS	14.4%	12.4%	16.4%	1.013%
DOWNERS	13.5%	11.8%	15.2%	0.863%
ROHYPNOL	2.5%	1.9%	3.1%	0.294%
STEROIDS	3.0%	2.0%	4.0%	0.482%
ECSTASY	9.3%	7.8%	10.8%	0.741%
HEROIN	1.7%	0.6%	2.8%	0.536%

Past 30 Day Use of Selected Substances - White Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	19.6%	18.2%	21.0%	0.696%
CIGARETTES	17.8%	16.5%	19.1%	0.658%
SMOKELESS TOBACCO	6.1%	5.3%	6.9%	0.381%
ALCOHOL	32.9%	31.2%	34.6%	0.836%
INHALANTS	5.8%	5.2%	6.4%	0.305%
ANY ILLICIT DRUG	13.9%	12.5%	15.3%	0.697%
MARIJUANA	12.3%	10.9%	13.7%	0.697%
MARIJUANA ONLY	4.5%	3.7%	5.3%	0.387%
COCAINE OR CRACK	2.2%	1.8%	2.6%	0.206%
COCAINE	2.0%	1.6%	2.4%	0.195%
CRACK	0.5%	0.4%	0.6%	0.042%
HALLUCINOGENS	1.9%	1.7%	2.1%	0.121%
UPPERS	3.5%	2.9%	4.1%	0.290%
DOWNERS	3.4%	2.9%	3.9%	0.252%
ROHYPNOL	0.8%	0.7%	0.9%	0.071%
STEROIDS	0.7%	0.6%	0.8%	0.063%
ECSTASY	1.8%	1.3%	2.3%	0.274%
HEROIN	0.4%	0.3%	0.5%	0.060%

Past 30 Day Use of Selected Substances - White Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.8%	3.5%	6.1%	0.657%
CIGARETTES	4.0%	2.7%	5.3%	0.658%
SMOKELESS TOBACCO	1.3%	1.0%	1.6%	0.161%
ALCOHOL	11.6%	9.6%	13.6%	1.024%
INHALANTS	7.1%	6.1%	8.1%	0.497%
ANY ILLICIT DRUG	2.7%	2.1%	3.3%	0.290%
MARIJUANA	2.0%	1.3%	2.7%	0.342%
MARIJUANA ONLY	0.8%	0.5%	1.1%	0.161%
COCAINE OR CRACK	0.5%	0.4%	0.6%	0.069%
COCAINE	0.3%	0.1%	0.5%	0.077%
CRACK	0.3%	0.2%	0.4%	0.057%
HALLUCINOGENS	0.5%	0.4%	0.6%	0.073%
UPPERS	0.4%	0.3%	0.5%	0.044%
DOWNERS	0.3%	0.2%	0.5%	0.075%
ROHYPNOL	0.3%	0.1%	0.5%	0.094%
STEROIDS	0.5%	0.3%	0.7%	0.077%
ECSTASY	0.4%	0.3%	0.5%	0.062%
HEROIN	0.3%	0.2%	0.4%	0.048%

Past 30 Day Use of Selected Substances - White Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	9.3%	7.9%	10.7%	0.710%
CIGARETTES	8.4%	7.1%	9.7%	0.657%
SMOKELESS TOBACCO	2.1%	1.3%	2.9%	0.403%
ALCOHOL	19.6%	16.0%	23.2%	1.802%
INHALANTS	7.7%	7.0%	8.4%	0.364%
ANY ILLICIT DRUG	6.2%	5.2%	7.2%	0.483%
MARIJUANA	5.1%	4.1%	6.1%	0.518%
MARIJUANA ONLY	2.2%	1.7%	2.7%	0.241%
COCAINE OR CRACK	0.7%	0.5%	0.9%	0.121%
COCAINE	0.4%	0.2%	0.6%	0.116%
CRACK	0.4%	0.3%	0.5%	0.067%
HALLUCINOGENS	1.0%	0.7%	1.3%	0.167%
UPPERS	1.2%	0.8%	1.6%	0.183%
DOWNERS	1.0%	0.8%	1.2%	0.123%
ROHYPNOL	0.6%	0.4%	0.8%	0.089%
STEROIDS	0.6%	0.4%	0.8%	0.121%
ECSTASY	0.8%	0.5%	1.1%	0.127%
HEROIN	0.4%	0.2%	0.6%	0.087%

Past 30 Day Use of Selected Substances - White Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	16.5%	14.6%	18.4%	0.974%
CIGARETTES	14.2%	12.5%	15.9%	0.865%
SMOKELESS TOBACCO	5.6%	4.6%	6.7%	0.525%
ALCOHOL	30.6%	29.0%	32.2%	0.785%
INHALANTS	5.1%	4.2%	6.0%	0.466%
ANY ILLICIT DRUG	11.5%	10.2%	12.8%	0.656%
MARIJUANA	9.6%	8.3%	10.9%	0.653%
MARIJUANA ONLY	3.1%	2.5%	3.7%	0.292%
COCAINE OR CRACK	1.7%	1.4%	2.0%	0.155%
COCAINE	1.6%	1.3%	1.9%	0.157%
CRACK	0.4%	0.2%	0.6%	0.114%
HALLUCINOGENS	2.0%	1.4%	2.6%	0.300%
UPPERS	3.4%	2.4%	4.4%	0.476%
DOWNERS	2.9%	2.3%	3.5%	0.321%
ROHYPNOL	0.9%	0.4%	1.4%	0.228%
STEROIDS	0.6%	0.4%	0.8%	0.077%
ECSTASY	1.2%	0.8%	1.6%	0.212%
HEROIN	0.3%	0.1%	0.5%	0.077%

Past 30 Day Use of Selected Substances - White Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	26.6%	23.3%	29.9%	1.638%
CIGARETTES	24.0%	20.5%	27.5%	1.745%
SMOKELESS TOBACCO	9.3%	7.8%	10.8%	0.755%
ALCOHOL	40.3%	36.8%	43.8%	1.728%
INHALANTS	6.0%	4.7%	7.3%	0.669%
ANY ILLICIT DRUG	19.9%	15.8%	24.0%	2.060%
MARIJUANA	18.4%	14.4%	22.4%	2.020%
MARIJUANA ONLY	7.0%	5.4%	8.6%	0.810%
COCAINE OR CRACK	3.1%	1.8%	4.4%	0.633%
COCAINE	3.1%	1.8%	4.4%	0.666%
CRACK	0.8%	0.3%	1.3%	0.262%
HALLUCINOGENS	2.6%	2.0%	3.2%	0.276%
UPPERS	4.5%	3.7%	5.3%	0.409%
DOWNERS	4.5%	3.5%	5.5%	0.512%
ROHYPNOL	1.3%	0.9%	1.7%	0.201%
STEROIDS	0.7%	0.6%	0.8%	0.074%
ECSTASY	2.2%	1.4%	3.0%	0.413%
HEROIN	0.5%	0.1%	0.9%	0.188%

Past 30 Day Use of Selected Substances - White Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	29.4%	26.6%	32.2%	1.391%
CIGARETTES	27.0%	24.4%	29.7%	1.325%
SMOKELESS TOBACCO	7.3%	5.8%	8.8%	0.745%
ALCOHOL	44.4%	41.7%	47.1%	1.361%
INHALANTS	5.4%	4.4%	6.4%	0.517%
ANY ILLICIT DRUG	21.3%	19.4%	23.2%	0.949%
MARIJUANA	19.0%	17.2%	20.8%	0.879%
MARIJUANA ONLY	6.8%	6.0%	7.7%	0.425%
COCAINE OR CRACK	3.5%	2.7%	4.3%	0.377%
COCAINE	3.4%	2.6%	4.2%	0.391%
CRACK	0.3%	0.1%	0.5%	0.105%
HALLUCINOGENS	3.0%	2.4%	3.6%	0.288%
UPPERS	6.1%	4.8%	7.4%	0.646%
DOWNERS	5.9%	4.6%	7.2%	0.673%
ROHYPNOL	1.0%	0.6%	1.4%	0.194%
STEROIDS	0.8%	0.5%	1.1%	0.136%
ECSTASY	3.6%	1.9%	5.3%	0.844%
HEROIN	0.6%	0.2%	1.0%	0.178%

Past 30 Day Use of Selected Substances - White Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	32.2%	30.4%	34.0%	0.924%
CIGARETTES	29.9%	28.1%	31.7%	0.892%
SMOKELESS TOBACCO	10.9%	9.7%	12.1%	0.594%
ALCOHOL	52.0%	48.8%	55.2%	1.579%
INHALANTS	3.8%	3.2%	4.4%	0.315%
ANY ILLICIT DRUG	22.4%	19.7%	25.1%	1.365%
MARIJUANA	20.1%	17.2%	23.0%	1.461%
MARIJUANA ONLY	7.4%	4.4%	10.4%	1.507%
COCAINE OR CRACK	3.9%	3.1%	4.7%	0.389%
COCAINE	3.6%	2.9%	4.3%	0.368%
CRACK	0.5%	0.3%	0.7%	0.102%
HALLUCINOGENS	2.6%	2.1%	3.1%	0.257%
UPPERS	5.4%	4.3%	6.5%	0.543%
DOWNERS	6.0%	5.1%	6.9%	0.469%
ROHYPNOL	0.7%	0.5%	0.9%	0.118%
STEROIDS	1.1%	0.0%	1.7%	0.284%
ECSTASY	3.0%	1.7%	4.3%	0.641%
HEROIN	0.1%	0.0%	0.2%	0.038%

Lifetime Use of Selected Substances - African American Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	30.1%	28.2%	32.0%	0.962%
CIGARETTES	28.9%	26.9%	30.9%	1.017%
SMOKELESS TOBACCO	5.7%	4.8%	6.6%	0.450%
ALCOHOL	66.2%	64.6%	67.8%	0.787%
INHALANTS	12.4%	11.5%	13.4%	0.475%
ANY ILLICIT DRUG	30.2%	28.2%	32.2%	1.021%
MARIJUANA	29.5%	27.5%	31.5%	1.011%
MARIJUANA ONLY	22.9%	21.0%	24.8%	0.964%
COCAINE OR CRACK	1.9%	1.3%	2.5%	0.296%
COCAINE	1.6%	1.1%	2.1%	0.258%
CRACK	1.1%	0.6%	1.6%	0.255%
HALLUCINOGENS	1.8%	0.9%	2.7%	0.450%
UPPERS	2.0%	1.1%	2.9%	0.448%
DOWNERS	2.3%	1.6%	3.0%	0.341%
ROHYPNOL	1.1%	0.8%	1.4%	0.171%
STEROIDS	1.9%	1.3%	2.5%	0.277%
ECSTASY	3.8%	3.2%	4.4%	0.312%
HEROIN	1.2%	0.8%	1.7%	0.225%

Lifetime Use of Selected Substances - African American Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	23.2%	18.8%	27.6%	2.211%
CIGARETTES	22.6%	18.3%	26.9%	2.146%
SMOKELESS TOBACCO	3.9%	2.3%	5.5%	0.819%
ALCOHOL	55.4%	51.0%	59.8%	2.181%
INHALANTS	17.4%	15.4%	19.4%	0.994%
ANY ILLICIT DRUG	14.9%	12.3%	17.5%	1.289%
MARIJUANA	13.4%	10.8%	16.0%	1.293%
MARIJUANA ONLY	10.5%	8.5%	12.5%	0.989%
COCAINE OR CRACK	2.1%	0.9%	3.3%	0.598%
COCAINE	1.5%	0.9%	2.1%	0.303%
CRACK	1.5%	0.2%	2.8%	0.633%
HALLUCINOGENS	0.9%	0.2%	1.6%	0.327%
UPPERS	0.9%	0.3%	1.5%	0.298%
DOWNERS	0.7%	0.1%	1.3%	0.311%
ROHYPNOL	1.2%	0.5%	1.9%	0.358%
STEROIDS	2.3%	1.5%	3.1%	0.380%
ECSTASY	2.0%	1.3%	2.7%	0.353%
HEROIN	1.6%	1.0%	2.2%	0.321%

Lifetime Use of Selected Substances - African American Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	26.6%	23.4%	29.8%	1.612%
CIGARETTES	25.7%	22.4%	29.0%	1.630%
SMOKELESS TOBACCO	6.4%	4.5%	8.3%	0.968%
ALCOHOL	61.0%	56.8%	65.2%	2.086%
INHALANTS	16.2%	14.3%	18.1%	0.935%
ANY ILLICIT DRUG	21.8%	19.5%	24.1%	1.173%
MARIJUANA	20.6%	18.5%	22.7%	1.052%
MARIJUANA ONLY	15.2%	13.5%	16.9%	0.853%
COCAINE OR CRACK	1.9%	0.9%	2.9%	0.498%
COCAINE	1.6%	0.7%	2.5%	0.442%
CRACK	1.4%	0.4%	2.4%	0.482%
HALLUCINOGENS	0.7%	0.4%	1.0%	0.170%
UPPERS	1.5%	0.6%	2.4%	0.445%
DOWNERS	1.6%	0.7%	2.5%	0.430%
ROHYPNOL	1.2%	0.3%	2.1%	0.462%
STEROIDS	2.3%	0.6%	4.0%	0.832%
ECSTASY	3.2%	2.1%	4.3%	0.548%
HEROIN	0.9%	0.5%	1.3%	0.201%

Lifetime Use of Selected Substances - African American Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	28.9%	25.8%	32.0%	1.536%
CIGARETTES	28.0%	24.8%	31.2%	1.592%
SMOKELESS TOBACCO	4.1%	3.0%	5.2%	0.528%
ALCOHOL	65.8%	63.8%	67.8%	1.001%
INHALANTS	11.6%	10.4%	12.8%	0.588%
ANY ILLICIT DRUG	28.8%	24.6%	33.0%	2.104%
MARIJUANA	28.2%	24.0%	32.4%	2.078%
MARIJUANA ONLY	22.4%	18.1%	26.7%	2.171%
COCAINE OR CRACK	2.0%	1.2%	2.9%	0.425%
COCAINE	1.6%	0.8%	2.4%	0.397%
CRACK	1.4%	0.7%	2.1%	0.367%
HALLUCINOGENS	1.7%	0.2%	3.2%	0.745%
UPPERS	1.5%	0.7%	2.3%	0.389%
DOWNERS	2.2%	1.5%	2.9%	0.344%
ROHYPNOL	1.1%	0.5%	1.7%	0.284%
STEROIDS	2.1%	0.7%	3.5%	0.707%
ECSTASY	3.5%	2.2%	4.9%	0.675%
HEROIN	1.4%	0.7%	2.1%	0.360%

Lifetime Use of Selected Substances - African American Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	35.5%	31.1%	39.9%	2.180%
CIGARETTES	33.5%	28.9%	38.1%	2.304%
SMOKELESS TOBACCO	7.1%	4.5%	9.7%	1.322%
ALCOHOL	73.5%	71.1%	75.9%	1.195%
INHALANTS	11.0%	8.1%	13.9%	1.460%
ANY ILLICIT DRUG	39.4%	36.7%	42.1%	1.371%
MARIJUANA	38.9%	35.8%	42.0%	1.528%
MARIJUANA ONLY	30.8%	26.4%	35.2%	2.203%
COCAINE OR CRACK	1.7%	0.0%	2.9%	0.590%
COCAINE	1.7%	0.0%	2.9%	0.595%
CRACK	0.7%	-0.4%	1.8%	0.553%
HALLUCINOGENS	3.0%	0.8%	5.2%	1.108%
UPPERS	2.9%	0.7%	5.1%	1.083%
DOWNERS	2.7%	1.5%	3.9%	0.593%
ROHYPNOL	1.5%	0.3%	2.7%	0.581%
STEROIDS	1.3%	0.1%	2.5%	0.580%
ECSTASY	4.1%	2.5%	5.7%	0.819%
HEROIN	1.2%	0.0%	2.4%	0.591%

Lifetime Use of Selected Substances - African American Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	33.8%	28.7%	38.9%	2.562%
CIGARETTES	32.1%	27.6%	36.6%	2.229%
SMOKELESS TOBACCO	7.4%	5.2%	9.6%	1.110%
ALCOHOL	69.7%	65.7%	73.7%	2.018%
INHALANTS	8.0%	5.1%	10.9%	1.452%
ANY ILLICIT DRUG	40.7%	35.7%	45.7%	2.502%
MARIJUANA	40.4%	35.4%	45.4%	2.514%
MARIJUANA ONLY	31.3%	27.6%	35.0%	1.835%
COCAINE OR CRACK	1.7%	0.8%	2.6%	0.463%
COCAINE	1.5%	0.6%	2.4%	0.461%
CRACK	0.5%	0.1%	0.9%	0.184%
HALLUCINOGENS	2.2%	0.8%	3.6%	0.702%
UPPERS	2.6%	1.2%	4.0%	0.684%
DOWNERS	3.0%	1.6%	4.4%	0.685%
ROHYPNOL	0.5%	0.1%	0.9%	0.191%
STEROIDS	1.6%	-0.2%	3.4%	0.888%
ECSTASY	5.3%	2.7%	7.9%	1.308%
HEROIN	1.3%	0.0%	3.0%	0.856%

Lifetime Use of Selected Substances - African American Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	35.6%	29.9%	41.3%	2.828%
CIGARETTES	34.7%	29.0%	40.4%	2.836%
SMOKELESS TOBACCO	6.0%	2.8%	9.2%	1.579%
ALCOHOL	76.3%	70.4%	82.2%	2.969%
INHALANTS	7.0%	5.3%	8.7%	0.858%
ANY ILLICIT DRUG	43.6%	38.9%	48.3%	2.374%
MARIJUANA	43.3%	38.5%	48.1%	2.407%
MARIJUANA ONLY	33.4%	28.9%	37.9%	2.260%
COCAINE OR CRACK	2.3%	0.7%	3.9%	0.776%
COCAINE	2.2%	0.7%	3.7%	0.767%
CRACK	0.9%	-0.3%	2.1%	0.609%
HALLUCINOGENS	2.5%	0.9%	4.1%	0.800%
UPPERS	3.6%	1.4%	5.8%	1.103%
DOWNERS	4.6%	1.9%	7.3%	1.347%
ROHYPNOL	0.4%	0.0%	0.7%	0.147%
STEROIDS	1.4%	0.1%	2.7%	0.640%
ECSTASY	5.5%	0.0%	8.3%	1.400%
HEROIN	0.4%	0.0%	0.8%	0.181%

Past 30 Day Use of Selected Substances - African American Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	8.8%	7.8%	9.8%	0.520%
CIGARETTES	8.0%	7.0%	9.0%	0.503%
SMOKELESS TOBACCO	1.8%	1.3%	2.3%	0.259%
ALCOHOL	26.8%	25.3%	28.3%	0.761%
INHALANTS	5.0%	4.6%	5.4%	0.219%
ANY ILLICIT DRUG	12.0%	10.6%	13.4%	0.724%
MARIJUANA	11.2%	9.8%	12.6%	0.707%
MARIJUANA ONLY	7.6%	6.1%	9.1%	0.763%
COCAINE OR CRACK	0.8%	0.5%	1.1%	0.156%
COCAINE	0.6%	0.3%	0.9%	0.133%
CRACK	0.4%	0.2%	0.6%	0.123%
HALLUCINOGENS	0.7%	0.4%	1.0%	0.166%
UPPERS	0.9%	0.3%	1.5%	0.306%
DOWNERS	1.0%	0.7%	1.3%	0.154%
ROHYPNOL	0.2%	0.1%	0.3%	0.050%
STEROIDS	1.0%	0.5%	1.5%	0.226%
ECSTASY	1.4%	1.0%	1.8%	0.176%
HEROIN	0.6%	0.3%	0.9%	0.169%

Past 30 Day Use of Selected Substances - African American Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.5%	3.9%	7.1%	0.809%
CIGARETTES	4.9%	3.4%	6.4%	0.753%
SMOKELESS TOBACCO	1.4%	0.5%	2.3%	0.432%
ALCOHOL	19.1%	16.9%	21.3%	1.085%
INHALANTS	7.7%	6.6%	8.8%	0.534%
ANY ILLICIT DRUG	5.9%	4.5%	7.3%	0.717%
MARIJUANA	5.0%	3.7%	6.3%	0.671%
MARIJUANA ONLY	3.2%	2.0%	4.4%	0.607%
COCAINE OR CRACK	1.0%	0.4%	1.6%	0.298%
COCAINE	0.6%	0.3%	0.9%	0.150%
CRACK	0.7%	0.1%	1.3%	0.324%
HALLUCINOGENS	0.6%	0.0%	1.2%	0.324%
UPPERS	0.7%	0.1%	1.3%	0.315%
DOWNERS	0.6%	0.0%	1.2%	0.323%
ROHYPNOL	0.2%	0.1%	0.3%	0.064%
STEROIDS	0.9%	0.1%	1.7%	0.380%
ECSTASY	0.9%	0.5%	1.3%	0.192%
HEROIN	1.1%	0.3%	1.9%	0.377%

Past 30 Day Use of Selected Substances - African American Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	7.2%	6.1%	8.3%	0.547%
CIGARETTES	6.8%	5.6%	8.0%	0.583%
SMOKELESS TOBACCO	1.8%	1.1%	2.5%	0.338%
ALCOHOL	20.9%	17.0%	24.8%	1.971%
INHALANTS	7.4%	5.7%	9.1%	0.836%
ANY ILLICIT DRUG	7.9%	6.1%	9.7%	0.884%
MARIJUANA	6.9%	5.3%	8.5%	0.808%
MARIJUANA ONLY	4.4%	3.3%	5.5%	0.528%
COCAINE OR CRACK	0.5%	0.0%	1.0%	0.227%
COCAINE	0.3%	0.1%	0.5%	0.122%
CRACK	0.3%	0.0%	0.6%	0.138%
HALLUCINOGENS	0.2%	0.0%	0.4%	0.098%
UPPERS	0.1%	0.0%	0.2%	0.066%
DOWNERS	0.4%	0.2%	0.6%	0.107%
ROHYPNOL	0.2%	0.1%	0.3%	0.051%
STEROIDS	1.8%	0.1%	3.5%	0.841%
ECSTASY	1.4%	0.5%	2.3%	0.430%
HEROIN	0.2%	0.1%	0.3%	0.071%

Past 30 Day Use of Selected Substances - African American Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	8.6%	6.2%	11.0%	1.222%
CIGARETTES	8.0%	5.8%	10.2%	1.081%
SMOKELESS TOBACCO	1.4%	0.7%	2.1%	0.358%
ALCOHOL	28.3%	25.7%	30.9%	1.277%
INHALANTS	4.2%	3.2%	5.2%	0.476%
ANY ILLICIT DRUG	12.2%	9.8%	14.6%	1.207%
MARIJUANA	11.5%	9.2%	13.8%	1.153%
MARIJUANA ONLY	8.2%	6.3%	10.1%	0.958%
COCAINE OR CRACK	1.3%	0.6%	2.0%	0.354%
COCAINE	0.7%	0.4%	1.0%	0.153%
CRACK	0.8%	0.1%	1.5%	0.373%
HALLUCINOGENS	0.4%	0.2%	0.6%	0.112%
UPPERS	0.6%	-0.2%	1.4%	0.382%
DOWNERS	0.6%	0.3%	0.9%	0.172%
ROHYPNOL	0.5%	0.2%	0.8%	0.150%
STEROIDS	0.9%	0.1%	1.7%	0.389%
ECSTASY	1.8%	0.8%	2.8%	0.507%
HEROIN	0.7%	0.0%	1.4%	0.359%

Past 30 Day Use of Selected Substances - African American Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	11.8%	7.9%	15.7%	1.953%
CIGARETTES	10.8%	6.8%	14.8%	2.006%
SMOKELESS TOBACCO	2.4%	1.1%	3.7%	0.632%
ALCOHOL	32.7%	29.5%	35.9%	1.580%
INHALANTS	4.1%	2.7%	5.5%	0.717%
ANY ILLICIT DRUG	16.6%	12.9%	20.3%	1.854%
MARIJUANA	16.3%	12.5%	20.1%	1.907%
MARIJUANA ONLY	11.7%	7.3%	16.1%	2.213%
COCAINE OR CRACK	0.4%	0.1%	0.7%	0.150%
COCAINE	0.4%	0.1%	0.7%	0.151%
CRACK	0.0%	0.0%	0.0%	0.019%
HALLUCINOGENS	1.4%	0.2%	2.6%	0.610%
UPPERS	1.4%	0.3%	2.5%	0.565%
DOWNERS	1.3%	0.5%	2.1%	0.411%
ROHYPNOL	0.2%	0.1%	0.3%	0.063%
STEROIDS	0.3%	0.1%	0.5%	0.098%
ECSTASY	1.1%	0.4%	1.8%	0.359%
HEROIN	0.1%	0.0%	0.2%	0.048%

Past 30 Day Use of Selected Substances - African American Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	9.3%	6.6%	12.0%	1.332%
CIGARETTES	8.7%	6.0%	11.4%	1.346%
SMOKELESS TOBACCO	1.7%	0.5%	2.9%	0.587%
ALCOHOL	28.8%	25.2%	32.4%	1.784%
INHALANTS	3.2%	1.4%	5.0%	0.922%
ANY ILLICIT DRUG	14.9%	11.6%	18.2%	1.643%
MARIJUANA	13.6%	10.9%	16.3%	1.362%
MARIJUANA ONLY	8.9%	5.9%	11.9%	1.479%
COCAINE OR CRACK	0.7%	0.1%	1.3%	0.298%
COCAINE	0.7%	0.1%	1.3%	0.301%
CRACK	0.1%	0.0%	0.2%	0.029%
HALLUCINOGENS	0.8%	0.4%	1.2%	0.212%
UPPERS	0.8%	0.4%	1.2%	0.196%
DOWNERS	1.3%	0.7%	1.9%	0.293%
ROHYPNOL	0.2%	-0.1%	0.5%	0.155%
STEROIDS	0.9%	-0.8%	2.6%	0.862%
ECSTASY	1.6%	0.2%	3.0%	0.705%
HEROIN	1.2%	-0.5%	2.9%	0.862%

Past 30 Day Use of Selected Substances - African American Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	10.9%	7.3%	14.5%	1.796%
CIGARETTES	9.7%	7.0%	12.4%	1.328%
SMOKELESS TOBACCO	2.8%	0.3%	5.3%	1.231%
ALCOHOL	34.9%	31.0%	38.8%	1.944%
INHALANTS	1.9%	0.7%	3.1%	0.619%
ANY ILLICIT DRUG	17.1%	14.3%	19.9%	1.386%
MARIJUANA	16.5%	13.8%	19.2%	1.355%
MARIJUANA ONLY	10.0%	7.7%	12.3%	1.148%
COCAINE OR CRACK	1.0%	-0.2%	2.2%	0.608%
COCAINE	1.0%	-0.2%	2.2%	0.608%
CRACK	0.8%	-0.4%	2.0%	0.598%
HALLUCINOGENS	1.5%	0.2%	2.8%	0.660%
UPPERS	2.3%	0.1%	4.5%	1.122%
DOWNERS	2.8%	0.7%	4.9%	1.049%
ROHYPNOL	0.3%	0.0%	0.6%	0.131%
STEROIDS	0.7%	-0.5%	1.9%	0.597%
ECSTASY	1.8%	0.4%	3.2%	0.702%
HEROIN	0.2%	-0.1%	0.5%	0.152%

Lifetime Use of Selected Substances - Mexican American Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	44.9%	42.6%	47.2%	1.136%
CIGARETTES	44.1%	41.8%	46.4%	1.158%
SMOKELESS TOBACCO	8.8%	8.2%	9.4%	0.321%
ALCOHOL	71.8%	69.4%	74.2%	1.211%
INHALANTS	20.4%	19.3%	21.5%	0.554%
ANY ILLICIT DRUG	36.8%	34.2%	39.4%	1.288%
MARIJUANA	34.5%	31.9%	37.1%	1.313%
MARIJUANA ONLY	16.9%	15.0%	18.8%	0.932%
COCAINE OR CRACK	13.0%	11.5%	14.5%	0.751%
COCAINE	12.3%	10.8%	13.8%	0.745%
CRACK	3.3%	3.0%	3.6%	0.153%
HALLUCINOGENS	4.5%	4.0%	5.0%	0.270%
UPPERS	5.3%	4.5%	6.1%	0.402%
DOWNERS	5.8%	4.8%	6.8%	0.494%
ROHYPNOL	6.1%	5.2%	7.0%	0.436%
STEROIDS	1.7%	1.5%	1.9%	0.122%
ECSTASY	6.4%	5.9%	6.9%	0.272%
HEROIN	2.2%	1.9%	2.5%	0.134%

Lifetime Use of Selected Substances - Mexican American Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	29.2%	26.0%	32.4%	1.599%
CIGARETTES	28.5%	25.3%	31.7%	1.620%
SMOKELESS TOBACCO	4.9%	3.9%	5.9%	0.495%
ALCOHOL	56.0%	53.8%	58.2%	1.098%
INHALANTS	24.3%	22.6%	26.0%	0.841%
ANY ILLICIT DRUG	19.2%	17.1%	21.3%	1.055%
MARIJUANA	17.5%	15.4%	19.6%	1.040%
MARIJUANA ONLY	10.2%	8.6%	11.8%	0.795%
COCAINE OR CRACK	5.3%	4.5%	6.1%	0.423%
COCAINE	4.2%	3.5%	4.9%	0.352%
CRACK	2.7%	2.2%	3.2%	0.254%
HALLUCINOGENS	1.2%	1.0%	1.4%	0.120%
UPPERS	1.4%	1.0%	1.8%	0.195%
DOWNERS	1.2%	0.9%	1.6%	0.175%
ROHYPNOL	3.0%	2.3%	3.7%	0.358%
STEROIDS	1.5%	1.1%	1.9%	0.216%
ECSTASY	2.5%	2.0%	3.0%	0.228%
HEROIN	2.4%	1.9%	2.9%	0.230%

Lifetime Use of Selected Substances - Mexican American Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	36.4%	34.1%	38.7%	1.164%
CIGARETTES	35.9%	33.6%	38.2%	1.135%
SMOKELESS TOBACCO	7.2%	6.5%	7.9%	0.335%
ALCOHOL	66.2%	63.6%	68.8%	1.280%
INHALANTS	23.9%	22.7%	25.1%	0.615%
ANY ILLICIT DRUG	27.5%	25.6%	29.4%	0.970%
MARIJUANA	24.8%	22.7%	26.9%	1.035%
MARIJUANA ONLY	11.8%	10.6%	13.0%	0.610%
COCAINE OR CRACK	8.4%	7.6%	9.2%	0.387%
COCAINE	7.5%	6.7%	8.3%	0.401%
CRACK	3.6%	3.2%	4.0%	0.196%
HALLUCINOGENS	2.8%	2.2%	3.4%	0.288%
UPPERS	3.3%	2.6%	4.0%	0.368%
DOWNERS	3.0%	2.4%	3.6%	0.295%
ROHYPNOL	5.9%	5.2%	6.6%	0.369%
STEROIDS	2.2%	1.7%	2.7%	0.252%
ECSTASY	5.8%	4.9%	6.7%	0.427%
HEROIN	3.1%	2.3%	3.9%	0.390%

Lifetime Use of Selected Substances - Mexican American Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	46.2%	42.6%	49.8%	1.787%
CIGARETTES	45.5%	42.1%	48.9%	1.719%
SMOKELESS TOBACCO	8.7%	7.7%	9.7%	0.496%
ALCOHOL	72.9%	68.8%	77.0%	2.073%
INHALANTS	21.8%	19.9%	23.7%	0.949%
ANY ILLICIT DRUG	38.4%	35.3%	41.5%	1.538%
MARIJUANA	36.3%	33.1%	39.5%	1.598%
MARIJUANA ONLY	18.4%	15.7%	21.1%	1.359%
COCAINE OR CRACK	12.4%	10.6%	14.2%	0.916%
COCAINE	11.5%	9.6%	13.4%	0.974%
CRACK	3.6%	3.1%	4.1%	0.256%
HALLUCINOGENS	4.0%	3.3%	4.7%	0.365%
UPPERS	4.3%	3.3%	5.3%	0.501%
DOWNERS	5.6%	4.3%	6.9%	0.648%
ROHYPNOL	7.3%	6.2%	8.4%	0.558%
STEROIDS	1.8%	1.2%	2.4%	0.294%
ECSTASY	6.1%	5.4%	6.8%	0.374%
HEROIN	2.0%	1.7%	2.3%	0.129%

Lifetime Use of Selected Substances - Mexican American Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	49.2%	46.8%	51.6%	1.207%
CIGARETTES	48.5%	46.0%	51.0%	1.268%
SMOKELESS TOBACCO	9.9%	8.3%	11.5%	0.795%
ALCOHOL	77.7%	74.5%	80.9%	1.609%
INHALANTS	17.6%	15.6%	19.6%	1.020%
ANY ILLICIT DRUG	44.3%	41.1%	47.5%	1.605%
MARIJUANA	41.5%	38.1%	44.9%	1.690%
MARIJUANA ONLY	20.5%	18.9%	22.1%	0.819%
COCAINE OR CRACK	16.5%	13.9%	19.1%	1.299%
COCAINE	15.9%	13.4%	18.4%	1.269%
CRACK	3.3%	2.8%	3.9%	0.275%
HALLUCINOGENS	5.7%	4.4%	7.0%	0.661%
UPPERS	6.5%	5.3%	7.7%	0.610%
DOWNERS	7.1%	5.5%	8.7%	0.797%
ROHYPNOL	7.0%	5.3%	8.7%	0.851%
STEROIDS	1.2%	0.7%	1.7%	0.263%
ECSTASY	7.2%	6.0%	8.4%	0.617%
HEROIN	1.8%	1.4%	2.2%	0.206%

Lifetime Use of Selected Substances - Mexican American Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	57.9%	54.3%	61.5%	1.798%
CIGARETTES	57.0%	53.5%	60.5%	1.736%
SMOKELESS TOBACCO	12.0%	10.6%	13.4%	0.702%
ALCOHOL	82.6%	80.2%	85.0%	1.189%
INHALANTS	16.1%	14.3%	18.0%	0.925%
ANY ILLICIT DRUG	49.7%	45.9%	53.5%	1.885%
MARIJUANA	47.2%	43.6%	50.8%	1.802%
MARIJUANA ONLY	21.4%	18.7%	24.1%	1.370%
COCAINE OR CRACK	19.8%	16.8%	22.8%	1.479%
COCAINE	19.7%	16.7%	22.7%	1.512%
CRACK	3.1%	2.2%	4.0%	0.468%
HALLUCINOGENS	7.4%	6.1%	8.7%	0.648%
UPPERS	10.3%	8.7%	11.9%	0.809%
DOWNERS	11.4%	9.4%	13.4%	1.009%
ROHYPNOL	7.1%	5.5%	8.7%	0.811%
STEROIDS	1.5%	1.0%	2.0%	0.228%
ECSTASY	8.9%	7.8%	10.0%	0.568%
HEROIN	1.8%	1.3%	2.3%	0.265%

Lifetime Use of Selected Substances - Mexican American Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	60.0%	56.7%	63.3%	1.665%
CIGARETTES	59.0%	55.7%	62.3%	1.627%
SMOKELESS TOBACCO	12.1%	9.6%	14.6%	1.257%
ALCOHOL	83.1%	80.9%	85.3%	1.117%
INHALANTS	15.2%	13.3%	17.1%	0.926%
ANY ILLICIT DRUG	51.1%	46.8%	55.4%	2.130%
MARIJUANA	49.1%	44.7%	53.5%	2.186%
MARIJUANA ONLY	23.3%	19.3%	27.3%	1.986%
COCAINE OR CRACK	20.7%	18.4%	23.0%	1.127%
COCAINE	20.5%	18.2%	22.8%	1.134%
CRACK	3.8%	2.7%	4.9%	0.541%
HALLUCINOGENS	8.2%	6.4%	10.0%	0.897%
UPPERS	8.5%	6.8%	10.2%	0.867%
DOWNERS	10.0%	8.0%	12.0%	0.980%
ROHYPNOL	6.6%	5.3%	7.9%	0.660%
STEROIDS	1.8%	1.0%	2.6%	0.401%
ECSTASY	10.2%	9.2%	11.2%	0.495%
HEROIN	1.6%	1.0%	2.2%	0.312%

Past 30 Day Use of Selected Substances - Mexican American Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	18.6%	17.5%	19.7%	0.562%
CIGARETTES	17.8%	16.7%	18.9%	0.557%
SMOKELESS TOBACCO	3.5%	3.1%	3.9%	0.193%
ALCOHOL	36.2%	34.5%	37.9%	0.865%
INHALANTS	8.3%	7.7%	8.9%	0.295%
ANY ILLICIT DRUG	16.8%	15.6%	18.0%	0.624%
MARIJUANA	14.3%	13.0%	15.6%	0.626%
MARIJUANA ONLY	5.4%	4.6%	6.2%	0.415%
COCAINE OR CRACK	5.4%	4.6%	6.2%	0.388%
COCAINE	5.0%	4.2%	5.8%	0.388%
CRACK	1.2%	1.0%	1.4%	0.087%
HALLUCINOGENS	1.5%	1.3%	1.7%	0.114%
UPPERS	2.2%	1.8%	2.6%	0.179%
DOWNERS	2.4%	1.9%	2.9%	0.228%
ROHYPNOL	2.3%	1.9%	2.7%	0.194%
STEROIDS	0.6%	0.5%	0.7%	0.056%
ECSTASY	2.0%	1.8%	2.2%	0.118%
HEROIN	0.7%	0.6%	0.8%	0.037%

Past 30 Day Use of Selected Substances - Mexican American Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	9.9%	8.2%	11.6%	0.869%
CIGARETTES	9.4%	7.6%	11.2%	0.884%
SMOKELESS TOBACCO	1.9%	1.4%	2.4%	0.235%
ALCOHOL	22.2%	20.6%	23.8%	0.788%
INHALANTS	12.0%	10.9%	13.1%	0.566%
ANY ILLICIT DRUG	8.2%	7.3%	9.1%	0.457%
MARIJUANA	6.8%	5.9%	7.7%	0.426%
MARIJUANA ONLY	3.5%	2.6%	4.4%	0.456%
COCAINE OR CRACK	2.3%	2.0%	2.6%	0.170%
COCAINE	1.6%	1.3%	1.9%	0.155%
CRACK	1.1%	0.8%	1.4%	0.164%
HALLUCINOGENS	0.6%	0.4%	0.8%	0.103%
UPPERS	0.5%	0.4%	0.6%	0.072%
DOWNERS	0.5%	0.3%	0.7%	0.078%
ROHYPNOL	1.1%	0.9%	1.3%	0.114%
STEROIDS	0.5%	0.4%	0.6%	0.060%
ECSTASY	0.9%	0.7%	1.1%	0.108%
HEROIN	0.8%	0.6%	1.0%	0.117%

Past 30 Day Use of Selected Substances - Mexican American Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	13.4%	12.3%	14.5%	0.569%
CIGARETTES	12.7%	11.7%	13.7%	0.493%
SMOKELESS TOBACCO	2.8%	2.4%	3.2%	0.187%
ALCOHOL	28.7%	27.1%	30.3%	0.779%
INHALANTS	11.4%	10.6%	12.2%	0.424%
ANY ILLICIT DRUG	13.2%	11.9%	14.5%	0.644%
MARIJUANA	10.9%	9.6%	12.2%	0.667%
MARIJUANA ONLY	4.0%	3.3%	4.7%	0.372%
COCAINE OR CRACK	3.8%	3.3%	4.3%	0.259%
COCAINE	3.3%	2.8%	3.8%	0.226%
CRACK	1.6%	1.3%	1.9%	0.126%
HALLUCINOGENS	0.9%	0.6%	1.2%	0.147%
UPPERS	1.3%	1.0%	1.6%	0.155%
DOWNERS	1.1%	0.9%	1.3%	0.121%
ROHYPNOL	2.5%	2.1%	2.9%	0.178%
STEROIDS	0.5%	0.4%	0.6%	0.052%
ECSTASY	1.6%	1.3%	1.9%	0.168%
HEROIN	1.1%	0.9%	1.3%	0.123%

Past 30 Day Use of Selected Substances - Mexican American Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	18.7%	17.2%	20.2%	0.746%
CIGARETTES	17.9%	16.6%	19.2%	0.656%
SMOKELESS TOBACCO	3.5%	2.9%	4.1%	0.292%
ALCOHOL	37.6%	34.5%	40.7%	1.532%
INHALANTS	8.0%	7.0%	9.0%	0.477%
ANY ILLICIT DRUG	18.7%	16.9%	20.5%	0.880%
MARIJUANA	16.3%	14.6%	18.0%	0.857%
MARIJUANA ONLY	6.9%	5.3%	8.5%	0.812%
COCAINE OR CRACK	5.1%	4.3%	5.9%	0.392%
COCAINE	4.7%	3.8%	5.6%	0.437%
CRACK	1.4%	1.1%	1.7%	0.155%
HALLUCINOGENS	1.4%	1.1%	1.7%	0.153%
UPPERS	1.6%	1.1%	2.1%	0.236%
DOWNERS	2.3%	1.7%	2.9%	0.307%
ROHYPNOL	2.6%	2.2%	3.0%	0.216%
STEROIDS	0.7%	0.4%	1.0%	0.138%
ECSTASY	1.9%	1.5%	2.3%	0.215%
HEROIN	0.8%	0.6%	1.0%	0.112%

Past 30 Day Use of Selected Substances - Mexican American Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	20.8%	19.2%	22.4%	0.824%
CIGARETTES	20.1%	18.3%	21.9%	0.898%
SMOKELESS TOBACCO	3.9%	3.2%	4.6%	0.351%
ALCOHOL	41.7%	39.2%	44.2%	1.241%
INHALANTS	6.5%	5.1%	7.9%	0.694%
ANY ILLICIT DRUG	19.8%	17.4%	22.2%	1.224%
MARIJUANA	16.9%	14.3%	19.5%	1.317%
MARIJUANA ONLY	6.0%	5.1%	6.9%	0.429%
COCAINE OR CRACK	6.5%	4.9%	8.1%	0.819%
COCAINE	6.2%	4.6%	7.8%	0.805%
CRACK	1.0%	0.8%	1.2%	0.110%
HALLUCINOGENS	2.2%	1.5%	2.9%	0.352%
UPPERS	2.7%	2.1%	3.3%	0.315%
DOWNERS	3.1%	2.2%	4.0%	0.454%
ROHYPNOL	2.8%	1.8%	3.8%	0.484%
STEROIDS	0.6%	0.2%	1.0%	0.189%
ECSTASY	2.3%	1.5%	3.1%	0.405%
HEROIN	0.7%	0.3%	1.1%	0.187%

Past 30 Day Use of Selected Substances - Mexican American Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	25.3%	22.7%	27.9%	1.294%
CIGARETTES	23.9%	21.6%	26.2%	1.167%
SMOKELESS TOBACCO	4.8%	3.6%	6.0%	0.596%
ALCOHOL	46.0%	42.9%	49.1%	1.526%
INHALANTS	5.1%	4.0%	6.2%	0.530%
ANY ILLICIT DRUG	23.1%	20.3%	25.9%	1.422%
MARIJUANA	19.5%	16.8%	22.2%	1.372%
MARIJUANA ONLY	6.2%	4.9%	7.5%	0.627%
COCAINE OR CRACK	8.9%	6.7%	11.1%	1.106%
COCAINE	8.8%	6.5%	11.1%	1.130%
CRACK	1.0%	0.6%	1.4%	0.221%
HALLUCINOGENS	2.0%	1.5%	2.5%	0.267%
UPPERS	4.5%	3.1%	5.9%	0.717%
DOWNERS	4.9%	3.3%	6.5%	0.779%
ROHYPNOL	2.8%	1.7%	3.9%	0.540%
STEROIDS	0.5%	0.3%	0.7%	0.086%
ECSTASY	3.4%	2.3%	4.5%	0.538%
HEROIN	0.5%	0.3%	0.7%	0.100%

Past 30 Day Use of Selected Substances - Mexican American Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	30.0%	27.7%	32.3%	1.128%
CIGARETTES	29.1%	26.9%	31.3%	1.086%
SMOKELESS TOBACCO	4.7%	3.9%	5.5%	0.410%
ALCOHOL	49.1%	47.0%	51.2%	1.056%
INHALANTS	4.5%	3.5%	5.5%	0.499%
ANY ILLICIT DRUG	20.8%	18.4%	23.2%	1.204%
MARIJUANA	18.4%	15.9%	20.9%	1.270%
MARIJUANA ONLY	5.9%	4.9%	6.9%	0.488%
COCAINE OR CRACK	7.5%	6.2%	8.8%	0.634%
COCAINE	7.4%	6.1%	8.7%	0.649%
CRACK	0.7%	0.5%	0.9%	0.104%
HALLUCINOGENS	2.7%	1.4%	4.0%	0.639%
UPPERS	3.5%	2.3%	4.7%	0.616%
DOWNERS	3.9%	2.7%	5.2%	0.625%
ROHYPNOL	2.2%	1.7%	2.7%	0.244%
STEROIDS	0.7%	0.2%	1.2%	0.262%
ECSTASY	2.7%	1.8%	3.6%	0.437%
HEROIN	0.2%	0.1%	0.3%	0.053%

Lifetime Use of Selected Substances - Border Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	41.6%	39.6%	43.6%	1.017%
CIGARETTES	41.0%	38.8%	43.2%	1.093%
SMOKELESS TOBACCO	7.6%	7.1%	8.1%	0.243%
ALCOHOL	66.8%	63.8%	69.8%	1.479%
INHALANTS	17.6%	16.6%	18.6%	0.499%
ANY ILLICIT DRUG	30.9%	29.1%	32.7%	0.912%
MARIJUANA	28.2%	26.6%	29.8%	0.816%
MARIJUANA ONLY	12.1%	11.3%	12.9%	0.407%
COCAINE OR CRACK	13.3%	12.5%	14.2%	0.425%
COCAINE	12.7%	11.9%	13.5%	0.408%
CRACK	3.4%	3.1%	3.7%	0.152%
HALLUCINOGENS	3.3%	2.7%	3.9%	0.279%
UPPERS	4.5%	3.9%	5.1%	0.310%
DOWNERS	5.2%	4.4%	6.0%	0.420%
ROHYPNOL	9.1%	7.8%	10.4%	0.631%
STEROIDS	1.4%	1.2%	1.6%	0.111%
ECSTASY	4.6%	4.1%	5.1%	0.226%
HEROIN	1.5%	1.3%	1.7%	0.082%

Lifetime Use of Selected Substances - Border Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	23.0%	21.4%	24.6%	0.811%
CIGARETTES	22.2%	20.5%	23.9%	0.834%
SMOKELESS TOBACCO	4.3%	4.0%	4.6%	0.155%
ALCOHOL	49.5%	46.9%	52.1%	1.318%
INHALANTS	20.5%	19.0%	22.0%	0.754%
ANY ILLICIT DRUG	13.6%	12.5%	14.7%	0.569%
MARIJUANA	11.7%	10.6%	12.8%	0.545%
MARIJUANA ONLY	5.8%	5.2%	6.4%	0.304%
COCAINE OR CRACK	5.1%	4.5%	5.7%	0.296%
COCAINE	4.4%	3.9%	4.9%	0.260%
CRACK	2.4%	2.0%	2.8%	0.195%
HALLUCINOGENS	1.0%	0.8%	1.2%	0.091%
UPPERS	1.1%	0.9%	1.3%	0.113%
DOWNERS	1.0%	0.8%	1.2%	0.100%
ROHYPNOL	3.8%	3.2%	4.4%	0.307%
STEROIDS	1.4%	1.2%	1.6%	0.089%
ECSTASY	1.6%	1.4%	1.8%	0.118%
HEROIN	1.4%	1.2%	1.6%	0.113%

Lifetime Use of Selected Substances - Border Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	33.3%	31.4%	35.2%	0.927%
CIGARETTES	32.8%	30.9%	34.7%	0.948%
SMOKELESS TOBACCO	6.4%	5.9%	6.9%	0.230%
ALCOHOL	59.9%	57.9%	61.9%	0.988%
INHALANTS	21.8%	20.7%	22.9%	0.541%
ANY ILLICIT DRUG	22.3%	21.0%	23.6%	0.663%
MARIJUANA	20.1%	18.8%	21.4%	0.630%
MARIJUANA ONLY	9.7%	8.8%	10.6%	0.436%
COCAINE OR CRACK	7.9%	7.2%	8.6%	0.341%
COCAINE	7.0%	6.4%	7.6%	0.320%
CRACK	3.4%	3.0%	3.8%	0.211%
HALLUCINOGENS	2.1%	1.7%	2.5%	0.201%
UPPERS	2.1%	1.7%	2.5%	0.216%
DOWNERS	2.3%	2.0%	2.6%	0.165%
ROHYPNOL	6.8%	5.9%	7.7%	0.456%
STEROIDS	1.4%	1.2%	1.6%	0.110%
ECSTASY	2.9%	2.6%	3.2%	0.159%
HEROIN	1.8%	1.5%	2.1%	0.140%

Lifetime Use of Selected Substances - Border Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	40.7%	38.3%	43.1%	1.202%
CIGARETTES	40.3%	38.0%	42.6%	1.160%
SMOKELESS TOBACCO	8.1%	7.6%	8.6%	0.243%
ALCOHOL	65.6%	61.4%	69.8%	2.082%
INHALANTS	17.7%	15.7%	19.7%	1.013%
ANY ILLICIT DRUG	29.7%	27.1%	32.3%	1.278%
MARIJUANA	26.6%	24.3%	28.9%	1.133%
MARIJUANA ONLY	11.1%	9.9%	12.3%	0.605%
COCAINE OR CRACK	12.0%	11.1%	12.9%	0.452%
COCAINE	11.5%	10.6%	12.4%	0.426%
CRACK	3.6%	3.0%	4.2%	0.284%
HALLUCINOGENS	3.0%	2.4%	3.6%	0.323%
UPPERS	4.3%	3.7%	4.9%	0.312%
DOWNERS	5.0%	4.4%	5.6%	0.306%
ROHYPNOL	10.3%	9.0%	11.6%	0.644%
STEROIDS	1.4%	1.1%	1.7%	0.141%
ECSTASY	4.4%	3.5%	5.3%	0.469%
HEROIN	1.6%	1.3%	1.9%	0.151%

Lifetime Use of Selected Substances - Border Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	45.9%	43.3%	48.5%	1.290%
CIGARETTES	45.5%	42.9%	48.1%	1.317%
SMOKELESS TOBACCO	7.4%	6.8%	8.0%	0.282%
ALCOHOL	72.1%	67.8%	76.4%	2.134%
INHALANTS	15.2%	13.9%	16.5%	0.653%
ANY ILLICIT DRUG	36.0%	33.3%	38.7%	1.360%
MARIJUANA	32.3%	29.7%	34.9%	1.288%
MARIJUANA ONLY	13.9%	12.4%	15.4%	0.760%
COCAINE OR CRACK	16.1%	14.9%	17.3%	0.576%
COCAINE	15.6%	14.4%	16.8%	0.599%
CRACK	3.9%	3.4%	4.4%	0.260%
HALLUCINOGENS	3.4%	2.4%	4.4%	0.486%
UPPERS	5.6%	4.9%	6.3%	0.346%
DOWNERS	6.6%	5.5%	7.7%	0.558%
ROHYPNOL	11.2%	9.5%	12.9%	0.846%
STEROIDS	0.8%	0.5%	1.1%	0.154%
ECSTASY	5.0%	4.5%	5.5%	0.239%
HEROIN	1.1%	0.8%	1.4%	0.161%

Lifetime Use of Selected Substances - Border Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	56.4%	51.2%	61.6%	2.594%
CIGARETTES	54.9%	50.9%	58.9%	1.991%
SMOKELESS TOBACCO	10.3%	8.4%	12.2%	0.943%
ALCOHOL	79.3%	75.1%	83.5%	2.094%
INHALANTS	13.0%	10.8%	15.2%	1.119%
ANY ILLICIT DRUG	44.6%	40.2%	49.0%	2.189%
MARIJUANA	42.2%	37.5%	46.9%	2.368%
MARIJUANA ONLY	18.0%	15.2%	20.8%	1.417%
COCAINE OR CRACK	20.3%	18.1%	22.5%	1.096%
COCAINE	20.2%	17.9%	22.5%	1.139%
CRACK	3.3%	2.5%	4.1%	0.419%
HALLUCINOGENS	5.3%	4.0%	6.6%	0.669%
UPPERS	8.2%	6.2%	10.2%	1.011%
DOWNERS	9.6%	7.0%	12.2%	1.323%
ROHYPNOL	11.6%	9.1%	14.1%	1.256%
STEROIDS	1.5%	1.0%	2.0%	0.253%
ECSTASY	7.1%	5.7%	8.5%	0.701%
HEROIN	1.0%	0.7%	1.3%	0.171%

Lifetime Use of Selected Substances - Border Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	57.8%	55.0%	60.6%	1.413%
CIGARETTES	57.4%	54.5%	60.3%	1.462%
SMOKELESS TOBACCO	9.8%	8.4%	11.2%	0.686%
ALCOHOL	80.5%	78.8%	82.2%	0.848%
INHALANTS	15.4%	12.9%	17.9%	1.263%
ANY ILLICIT DRUG	46.3%	43.9%	48.7%	1.216%
MARIJUANA	43.4%	41.0%	45.8%	1.181%
MARIJUANA ONLY	16.9%	15.2%	18.6%	0.850%
COCAINE OR CRACK	22.8%	20.6%	25.0%	1.120%
COCAINE	22.3%	20.3%	24.3%	0.992%
CRACK	4.1%	3.3%	4.9%	0.413%
HALLUCINOGENS	6.2%	4.8%	7.6%	0.721%
UPPERS	6.8%	5.8%	7.8%	0.505%
DOWNERS	8.7%	7.3%	10.1%	0.708%
ROHYPNOL	11.8%	9.6%	14.0%	1.087%
STEROIDS	2.3%	1.6%	3.0%	0.345%
ECSTASY	8.6%	7.2%	10.0%	0.698%
HEROIN	1.8%	1.0%	2.6%	0.401%

Past 30 Day Use of Selected Substances - Border Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	18.3%	17.3%	19.3%	0.522%
CIGARETTES	17.5%	16.3%	18.7%	0.577%
SMOKELESS TOBACCO	3.4%	3.0%	3.8%	0.194%
ALCOHOL	34.1%	32.2%	36.0%	0.939%
INHALANTS	7.2%	6.7%	7.7%	0.266%
ANY ILLICIT DRUG	14.7%	13.7%	15.7%	0.512%
MARIJUANA	12.1%	11.2%	13.0%	0.457%
MARIJUANA ONLY	4.0%	3.6%	4.4%	0.188%
COCAINE OR CRACK	5.8%	5.2%	6.4%	0.298%
COCAINE	5.5%	4.9%	6.1%	0.301%
CRACK	1.2%	1.0%	1.4%	0.089%
HALLUCINOGENS	1.2%	0.9%	1.5%	0.135%
UPPERS	2.1%	1.7%	2.5%	0.211%
DOWNERS	2.4%	1.9%	2.9%	0.263%
ROHYPNOL	3.5%	2.9%	4.1%	0.308%
STEROIDS	0.5%	0.4%	0.6%	0.048%
ECSTASY	1.9%	1.6%	2.2%	0.156%
HEROIN	0.5%	0.4%	0.6%	0.030%

Past 30 Day Use of Selected Substances - Border Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	8.1%	7.4%	8.8%	0.338%
CIGARETTES	7.5%	6.8%	8.2%	0.356%
SMOKELESS TOBACCO	1.8%	1.6%	2.0%	0.104%
ALCOHOL	19.3%	17.9%	20.7%	0.701%
INHALANTS	9.8%	9.1%	10.5%	0.329%
ANY ILLICIT DRUG	6.5%	5.9%	7.1%	0.311%
MARIJUANA	4.9%	4.3%	5.5%	0.280%
MARIJUANA ONLY	2.1%	1.9%	2.3%	0.120%
COCAINE OR CRACK	2.3%	2.0%	2.6%	0.159%
COCAINE	1.9%	1.6%	2.2%	0.163%
CRACK	0.9%	0.7%	1.1%	0.083%
HALLUCINOGENS	0.5%	0.4%	0.6%	0.053%
UPPERS	0.6%	0.5%	0.7%	0.060%
DOWNERS	0.6%	0.5%	0.7%	0.071%
ROHYPNOL	1.7%	1.4%	2.0%	0.157%
STEROIDS	0.6%	0.5%	0.7%	0.062%
ECSTASY	0.7%	0.6%	0.8%	0.058%
HEROIN	0.6%	0.5%	0.7%	0.057%

Past 30 Day Use of Selected Substances - Border Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	13.2%	12.3%	14.1%	0.469%
CIGARETTES	12.5%	11.5%	13.5%	0.479%
SMOKELESS TOBACCO	2.7%	2.4%	3.0%	0.167%
ALCOHOL	27.1%	26.3%	27.9%	0.413%
INHALANTS	10.3%	9.6%	11.0%	0.342%
ANY ILLICIT DRUG	11.0%	10.2%	11.8%	0.376%
MARIJUANA	8.8%	8.1%	9.5%	0.361%
MARIJUANA ONLY	3.2%	2.8%	3.6%	0.219%
COCAINE OR CRACK	3.7%	3.3%	4.1%	0.180%
COCAINE	3.2%	2.9%	3.5%	0.147%
CRACK	1.4%	1.2%	1.6%	0.110%
HALLUCINOGENS	0.8%	0.6%	1.0%	0.084%
UPPERS	0.9%	0.7%	1.1%	0.090%
DOWNERS	1.1%	0.9%	1.3%	0.080%
ROHYPNOL	3.3%	2.8%	3.8%	0.235%
STEROIDS	0.4%	0.3%	0.5%	0.057%
ECSTASY	1.0%	0.8%	1.2%	0.085%
HEROIN	0.7%	0.6%	0.8%	0.065%

Past 30 Day Use of Selected Substances - Border Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	17.1%	15.5%	18.7%	0.785%
CIGARETTES	16.5%	15.0%	18.0%	0.734%
SMOKELESS TOBACCO	3.5%	3.0%	4.0%	0.255%
ALCOHOL	33.3%	30.5%	36.1%	1.384%
INHALANTS	7.2%	6.3%	8.1%	0.426%
ANY ILLICIT DRUG	14.2%	12.8%	15.6%	0.718%
MARIJUANA	11.4%	10.3%	12.5%	0.540%
MARIJUANA ONLY	3.7%	3.2%	4.2%	0.269%
COCAINE OR CRACK	5.3%	4.6%	6.0%	0.338%
COCAINE	4.9%	4.3%	5.5%	0.321%
CRACK	1.4%	1.1%	1.7%	0.173%
HALLUCINOGENS	1.3%	1.0%	1.6%	0.148%
UPPERS	1.8%	1.6%	2.0%	0.106%
DOWNERS	2.0%	1.8%	2.2%	0.119%
ROHYPNOL	3.8%	3.1%	4.5%	0.335%
STEROIDS	0.5%	0.3%	0.7%	0.091%
ECSTASY	1.7%	1.4%	2.0%	0.150%
HEROIN	0.6%	0.4%	0.8%	0.078%

Past 30 Day Use of Selected Substances - Border Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	19.6%	17.5%	21.7%	1.029%
CIGARETTES	19.1%	16.9%	21.3%	1.088%
SMOKELESS TOBACCO	3.0%	2.6%	3.4%	0.215%
ALCOHOL	37.4%	35.0%	39.8%	1.185%
INHALANTS	4.8%	3.9%	5.7%	0.428%
ANY ILLICIT DRUG	15.9%	14.4%	17.4%	0.772%
MARIJUANA	12.4%	10.8%	14.0%	0.777%
MARIJUANA ONLY	3.9%	3.3%	4.5%	0.283%
COCAINE OR CRACK	6.6%	5.9%	7.3%	0.358%
COCAINE	6.4%	5.7%	7.1%	0.336%
CRACK	1.1%	0.8%	1.4%	0.147%
HALLUCINOGENS	1.1%	0.7%	1.5%	0.192%
UPPERS	2.2%	1.9%	2.5%	0.159%
DOWNERS	2.7%	2.0%	3.4%	0.336%
ROHYPNOL	3.8%	3.1%	4.5%	0.374%
STEROIDS	0.3%	0.1%	0.5%	0.081%
ECSTASY	1.6%	1.4%	1.8%	0.117%
HEROIN	0.4%	0.2%	0.6%	0.082%

Past 30 Day Use of Selected Substances - Border Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	26.4%	22.9%	29.9%	1.754%
CIGARETTES	24.8%	22.7%	26.9%	1.038%
SMOKELESS TOBACCO	5.4%	3.6%	7.2%	0.895%
ALCOHOL	43.9%	41.1%	46.7%	1.406%
INHALANTS	4.8%	2.7%	6.9%	1.050%
ANY ILLICIT DRUG	22.8%	18.2%	27.5%	2.325%
MARIJUANA	19.7%	14.9%	24.5%	2.378%
MARIJUANA ONLY	6.1%	4.4%	7.8%	0.826%
COCAINE OR CRACK	9.7%	6.5%	12.9%	1.610%
COCAINE	9.5%	6.2%	12.8%	1.642%
CRACK	1.2%	0.9%	1.6%	0.175%
HALLUCINOGENS	1.6%	1.0%	2.2%	0.276%
UPPERS	5.1%	2.4%	7.8%	1.329%
DOWNERS	5.5%	2.9%	8.1%	1.296%
ROHYPNOL	4.7%	2.4%	7.0%	1.136%
STEROIDS	0.7%	0.5%	0.9%	0.119%
ECSTASY	4.2%	2.2%	6.2%	0.998%
HEROIN	0.4%	0.2%	0.6%	0.086%

Past 30 Day Use of Selected Substances - Border Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	30.4%	28.3%	32.5%	1.074%
CIGARETTES	29.5%	27.4%	31.6%	1.073%
SMOKELESS TOBACCO	4.8%	3.7%	5.9%	0.532%
ALCOHOL	50.1%	47.5%	52.7%	1.322%
INHALANTS	5.1%	3.4%	6.8%	0.834%
ANY ILLICIT DRUG	21.2%	19.6%	22.8%	0.817%
MARIJUANA	18.2%	16.2%	20.2%	0.985%
MARIJUANA ONLY	5.9%	5.3%	6.5%	0.299%
COCAINE OR CRACK	8.9%	7.5%	10.3%	0.712%
COCAINE	8.7%	7.2%	10.2%	0.758%
CRACK	1.1%	0.9%	1.3%	0.119%
HALLUCINOGENS	2.1%	1.2%	3.0%	0.433%
UPPERS	2.4%	1.7%	3.1%	0.373%
DOWNERS	3.1%	2.2%	4.0%	0.458%
ROHYPNOL	3.5%	2.6%	4.4%	0.440%
STEROIDS	0.6%	0.4%	0.8%	0.116%
ECSTASY	3.1%	1.6%	4.6%	0.755%
HEROIN	0.4%	0.2%	0.6%	0.078%

Lifetime Use of Selected Substances - Non-Border Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	39.1%	36.2%	42.0%	1.429%
CIGARETTES	37.5%	34.6%	40.4%	1.448%
SMOKELESS TOBACCO	10.9%	10.1%	11.7%	0.416%
ALCOHOL	68.1%	65.2%	71.0%	1.434%
INHALANTS	17.0%	15.6%	18.4%	0.686%
ANY ILLICIT DRUG	31.6%	28.8%	34.4%	1.399%
MARIJUANA	30.1%	27.4%	32.8%	1.359%
MARIJUANA ONLY	17.0%	15.2%	18.8%	0.919%
COCAINE OR CRACK	7.0%	5.4%	8.6%	0.780%
COCAINE	6.5%	5.0%	8.0%	0.768%
CRACK	2.2%	2.0%	2.4%	0.122%
HALLUCINOGENS	5.1%	4.5%	5.7%	0.283%
UPPERS	6.3%	5.4%	7.2%	0.453%
DOWNERS	6.0%	5.2%	6.8%	0.401%
ROHYPNOL	2.5%	2.1%	2.9%	0.189%
STEROIDS	2.1%	1.9%	2.3%	0.124%
ECSTASY	5.7%	5.3%	6.1%	0.206%
HEROIN	1.7%	1.5%	1.9%	0.116%

Lifetime Use of Selected Substances - Non-Border Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	23.0%	18.7%	27.3%	2.127%
CIGARETTES	21.8%	17.7%	25.9%	2.027%
SMOKELESS TOBACCO	4.7%	3.4%	6.1%	0.675%
ALCOHOL	50.9%	46.5%	55.3%	2.190%
INHALANTS	19.3%	16.8%	21.8%	1.266%
ANY ILLICIT DRUG	13.1%	10.1%	16.1%	1.513%
MARIJUANA	11.8%	8.8%	14.8%	1.499%
MARIJUANA ONLY	7.4%	5.5%	9.3%	0.957%
COCAINE OR CRACK	3.0%	2.3%	3.7%	0.344%
COCAINE	2.1%	1.5%	2.7%	0.290%
CRACK	1.7%	1.4%	2.0%	0.141%
HALLUCINOGENS	1.2%	1.0%	1.4%	0.118%
UPPERS	1.2%	1.0%	1.4%	0.118%
DOWNERS	0.9%	0.7%	1.1%	0.100%
ROHYPNOL	1.3%	0.9%	1.8%	0.225%
STEROIDS	1.6%	1.3%	1.9%	0.154%
ECSTASY	1.9%	1.5%	2.3%	0.199%
HEROIN	1.6%	1.3%	1.9%	0.159%

Lifetime Use of Selected Substances - Non-Border Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	30.1%	26.7%	33.5%	1.694%
CIGARETTES	28.9%	25.7%	32.1%	1.610%
SMOKELESS TOBACCO	7.1%	6.2%	8.0%	0.433%
ALCOHOL	61.3%	57.4%	65.2%	1.929%
INHALANTS	20.3%	19.3%	21.3%	0.523%
ANY ILLICIT DRUG	21.1%	18.3%	23.9%	1.415%
MARIJUANA	19.1%	16.4%	21.8%	1.343%
MARIJUANA ONLY	10.7%	9.4%	12.0%	0.629%
COCAINE OR CRACK	4.3%	3.1%	5.5%	0.617%
COCAINE	3.7%	2.5%	4.9%	0.593%
CRACK	2.1%	1.6%	2.6%	0.240%
HALLUCINOGENS	2.8%	2.4%	3.2%	0.213%
UPPERS	2.8%	2.4%	3.2%	0.218%
DOWNERS	2.5%	2.2%	2.8%	0.171%
ROHYPNOL	2.8%	2.0%	3.6%	0.399%
STEROIDS	2.4%	1.9%	2.9%	0.272%
ECSTASY	4.3%	3.3%	5.3%	0.506%
HEROIN	1.9%	1.4%	2.4%	0.236%

Lifetime Use of Selected Substances - Non-Border Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	38.2%	33.7%	42.7%	2.266%
CIGARETTES	36.6%	32.0%	41.2%	2.282%
SMOKELESS TOBACCO	9.8%	8.7%	10.9%	0.571%
ALCOHOL	68.4%	64.6%	72.2%	1.889%
INHALANTS	17.6%	15.8%	19.4%	0.891%
ANY ILLICIT DRUG	30.9%	27.5%	34.3%	1.679%
MARIJUANA	29.4%	25.8%	33.0%	1.805%
MARIJUANA ONLY	16.8%	14.0%	19.6%	1.413%
COCAINE OR CRACK	6.2%	4.3%	8.1%	0.954%
COCAINE	5.6%	3.7%	7.5%	0.956%
CRACK	2.2%	1.8%	2.6%	0.205%
HALLUCINOGENS	4.6%	3.7%	5.5%	0.442%
UPPERS	5.1%	3.9%	6.3%	0.579%
DOWNERS	5.2%	4.2%	6.2%	0.485%
ROHYPNOL	2.8%	2.4%	3.2%	0.222%
STEROIDS	2.0%	1.4%	2.6%	0.279%
ECSTASY	5.0%	4.6%	5.5%	0.225%
HEROIN	1.6%	1.3%	1.9%	0.172%

Lifetime Use of Selected Substances - Non-Border Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	45.2%	42.8%	47.6%	1.216%
CIGARETTES	43.3%	40.9%	45.7%	1.202%
SMOKELESS TOBACCO	13.5%	12.3%	14.7%	0.604%
ALCOHOL	75.0%	72.8%	77.2%	1.100%
INHALANTS	15.9%	14.0%	17.8%	0.948%
ANY ILLICIT DRUG	40.8%	38.0%	43.6%	1.405%
MARIJUANA	39.3%	36.6%	42.0%	1.353%
MARIJUANA ONLY	22.2%	20.2%	24.2%	0.976%
COCAINE OR CRACK	9.1%	6.5%	11.7%	1.293%
COCAINE	8.8%	6.2%	11.4%	1.301%
CRACK	2.2%	1.5%	2.9%	0.348%
HALLUCINOGENS	6.8%	5.5%	8.1%	0.640%
UPPERS	8.3%	7.0%	9.6%	0.643%
DOWNERS	7.9%	6.8%	9.1%	0.575%
ROHYPNOL	3.1%	2.3%	3.9%	0.391%
STEROIDS	2.0%	1.2%	2.8%	0.382%
ECSTASY	6.6%	5.7%	7.5%	0.459%
HEROIN	1.8%	1.1%	2.5%	0.369%

Lifetime Use of Selected Substances - Non-Border Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	50.0%	47.0%	53.0%	1.502%
CIGARETTES	48.2%	45.1%	51.3%	1.560%
SMOKELESS TOBACCO	15.0%	13.3%	16.7%	0.871%
ALCOHOL	76.9%	73.3%	80.5%	1.791%
INHALANTS	14.2%	11.7%	16.7%	1.237%
ANY ILLICIT DRUG	44.0%	40.3%	47.7%	1.846%
MARIJUANA	42.3%	39.0%	45.6%	1.674%
MARIJUANA ONLY	22.8%	20.8%	24.8%	0.998%
COCAINE OR CRACK	10.7%	8.3%	13.1%	1.222%
COCAINE	10.5%	8.0%	13.0%	1.249%
CRACK	2.4%	1.5%	3.3%	0.447%
HALLUCINOGENS	8.0%	7.2%	8.8%	0.404%
UPPERS	11.0%	9.8%	12.2%	0.586%
DOWNERS	10.6%	9.3%	11.9%	0.634%
ROHYPNOL	2.7%	1.9%	3.5%	0.391%
STEROIDS	2.1%	1.5%	2.7%	0.297%
ECSTASY	8.5%	7.2%	9.8%	0.631%
HEROIN	1.5%	1.1%	1.9%	0.215%

Lifetime Use of Selected Substances - Non-Border Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	53.0%	50.3%	55.7%	1.334%
CIGARETTES	51.1%	48.3%	53.9%	1.423%
SMOKELESS TOBACCO	17.5%	15.8%	19.2%	0.874%
ALCOHOL	80.8%	78.9%	82.7%	0.934%
INHALANTS	13.2%	11.6%	14.8%	0.814%
ANY ILLICIT DRUG	45.5%	41.9%	49.1%	1.814%
MARIJUANA	44.6%	41.1%	48.1%	1.738%
MARIJUANA ONLY	24.8%	21.6%	28.0%	1.594%
COCAINE OR CRACK	10.4%	8.7%	12.1%	0.857%
COCAINE	10.1%	8.4%	11.8%	0.869%
CRACK	2.4%	1.7%	3.1%	0.336%
HALLUCINOGENS	8.6%	7.6%	9.6%	0.524%
UPPERS	11.3%	9.1%	13.5%	1.109%
DOWNERS	11.2%	9.3%	13.1%	0.949%
ROHYPNOL	2.3%	2.0%	2.6%	0.174%
STEROIDS	2.4%	1.6%	3.2%	0.382%
ECSTASY	9.1%	8.1%	10.1%	0.488%
HEROIN	1.5%	0.9%	2.1%	0.308%

Past 30 Day Use of Selected Substances - Non-Border Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	16.9%	15.7%	18.1%	0.597%
CIGARETTES	15.5%	14.4%	16.6%	0.564%
SMOKELESS TOBACCO	4.4%	4.0%	4.8%	0.224%
ALCOHOL	32.4%	30.6%	34.2%	0.878%
INHALANTS	6.6%	6.0%	7.2%	0.319%
ANY ILLICIT DRUG	14.4%	13.1%	15.7%	0.653%
MARIJUANA	12.7%	11.5%	13.9%	0.601%
MARIJUANA ONLY	5.4%	4.5%	6.3%	0.453%
COCAINE OR CRACK	2.7%	2.0%	3.4%	0.363%
COCAINE	2.5%	1.8%	3.2%	0.356%
CRACK	0.7%	0.6%	0.8%	0.063%
HALLUCINOGENS	1.6%	1.4%	1.8%	0.109%
UPPERS	2.5%	2.0%	3.0%	0.252%
DOWNERS	2.6%	2.2%	3.0%	0.224%
ROHYPNOL	0.9%	0.7%	1.1%	0.099%
STEROIDS	0.7%	0.6%	0.8%	0.055%
ECSTASY	1.8%	1.5%	2.1%	0.157%
HEROIN	0.6%	0.5%	0.7%	0.043%

Past 30 Day Use of Selected Substances - Non-Border Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.7%	5.0%	8.4%	0.848%
CIGARETTES	6.0%	4.3%	7.7%	0.862%
SMOKELESS TOBACCO	1.5%	1.1%	1.9%	0.185%
ALCOHOL	16.4%	13.8%	19.0%	1.319%
INHALANTS	9.1%	7.8%	10.4%	0.648%
ANY ILLICIT DRUG	5.2%	4.0%	6.4%	0.604%
MARIJUANA	4.3%	3.1%	5.5%	0.598%
MARIJUANA ONLY	2.3%	1.4%	3.2%	0.458%
COCAINE OR CRACK	1.1%	0.8%	1.4%	0.141%
COCAINE	0.7%	0.4%	1.0%	0.144%
CRACK	0.7%	0.5%	0.9%	0.086%
HALLUCINOGENS	0.6%	0.5%	0.7%	0.066%
UPPERS	0.4%	0.3%	0.5%	0.058%
DOWNERS	0.3%	0.2%	0.4%	0.045%
ROHYPNOL	0.4%	0.2%	0.6%	0.079%
STEROIDS	0.5%	0.3%	0.7%	0.084%
ECSTASY	0.7%	0.5%	0.9%	0.095%
HEROIN	0.6%	0.4%	0.8%	0.084%

Past 30 Day Use of Selected Substances - Non-Border Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	10.1%	8.9%	11.3%	0.586%
CIGARETTES	9.3%	8.2%	10.4%	0.532%
SMOKELESS TOBACCO	2.2%	1.8%	2.6%	0.208%
ALCOHOL	23.0%	19.7%	26.3%	1.653%
INHALANTS	9.0%	8.3%	9.7%	0.350%
ANY ILLICIT DRUG	9.2%	7.5%	10.9%	0.859%
MARIJUANA	7.7%	6.1%	9.3%	0.822%
MARIJUANA ONLY	3.4%	2.7%	4.1%	0.344%
COCAINE OR CRACK	1.7%	1.1%	2.3%	0.323%
COCAINE	1.4%	0.8%	2.0%	0.281%
CRACK	0.8%	0.5%	1.1%	0.127%
HALLUCINOGENS	0.8%	0.6%	1.0%	0.108%
UPPERS	1.0%	0.8%	1.2%	0.113%
DOWNERS	0.9%	0.7%	1.1%	0.084%
ROHYPNOL	1.0%	0.7%	1.3%	0.148%
STEROIDS	0.9%	0.6%	1.2%	0.166%
ECSTASY	1.3%	1.0%	1.6%	0.174%
HEROIN	0.7%	0.6%	0.8%	0.058%

Past 30 Day Use of Selected Substances - Non-Border Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	15.5%	13.6%	17.4%	0.930%
CIGARETTES	13.9%	12.2%	15.6%	0.858%
SMOKELESS TOBACCO	4.0%	3.4%	4.6%	0.306%
ALCOHOL	32.4%	30.3%	34.5%	1.029%
INHALANTS	6.0%	5.1%	6.9%	0.453%
ANY ILLICIT DRUG	14.4%	12.8%	16.0%	0.785%
MARIJUANA	12.7%	11.1%	14.3%	0.797%
MARIJUANA ONLY	5.8%	4.6%	7.0%	0.596%
COCAINE OR CRACK	2.5%	1.8%	3.2%	0.358%
COCAINE	2.2%	1.4%	3.0%	0.385%
CRACK	0.8%	0.6%	1.0%	0.091%
HALLUCINOGENS	1.4%	1.0%	1.8%	0.179%
UPPERS	2.2%	1.4%	3.0%	0.407%
DOWNERS	2.3%	1.8%	2.8%	0.241%
ROHYPNOL	1.1%	0.9%	1.3%	0.118%
STEROIDS	0.8%	0.5%	1.1%	0.139%
ECSTASY	1.6%	1.2%	2.0%	0.196%
HEROIN	0.5%	0.4%	0.6%	0.068%

Past 30 Day Use of Selected Substances - Non-Border Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	21.4%	18.5%	24.3%	1.465%
CIGARETTES	19.7%	16.7%	22.7%	1.511%
SMOKELESS TOBACCO	6.3%	5.4%	7.2%	0.439%
ALCOHOL	39.1%	36.2%	42.0%	1.459%
INHALANTS	5.9%	4.9%	6.9%	0.493%
ANY ILLICIT DRUG	19.3%	16.9%	21.7%	1.215%
MARIJUANA	17.8%	15.4%	20.2%	1.204%
MARIJUANA ONLY	7.7%	6.0%	9.4%	0.850%
COCAINE OR CRACK	3.5%	2.3%	4.7%	0.617%
COCAINE	3.3%	2.1%	4.5%	0.618%
CRACK	0.7%	0.5%	0.9%	0.113%
HALLUCINOGENS	2.4%	1.8%	3.0%	0.315%
UPPERS	3.3%	2.7%	3.9%	0.311%
DOWNERS	3.5%	2.8%	4.2%	0.345%
ROHYPNOL	1.3%	0.8%	1.8%	0.259%
STEROIDS	0.7%	0.5%	0.9%	0.103%
ECSTASY	2.2%	1.6%	2.8%	0.284%
HEROIN	0.5%	0.3%	0.7%	0.110%

Past 30 Day Use of Selected Substances - Non-Border Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	23.7%	21.3%	26.1%	1.220%
CIGARETTES	22.1%	19.8%	24.4%	1.152%
SMOKELESS TOBACCO	5.3%	4.5%	6.1%	0.392%
ALCOHOL	41.6%	39.2%	44.0%	1.211%
INHALANTS	4.9%	4.1%	5.7%	0.396%
ANY ILLICIT DRUG	20.2%	18.4%	22.0%	0.881%
MARIJUANA	17.7%	16.3%	19.1%	0.709%
MARIJUANA ONLY	6.8%	6.0%	7.6%	0.400%
COCAINE OR CRACK	4.3%	3.0%	5.6%	0.647%
COCAINE	4.2%	2.9%	5.5%	0.666%
CRACK	0.5%	0.2%	0.8%	0.130%
HALLUCINOGENS	2.3%	1.9%	2.7%	0.219%
UPPERS	4.4%	3.6%	5.2%	0.396%
DOWNERS	4.5%	3.5%	5.5%	0.504%
ROHYPNOL	1.0%	0.7%	1.3%	0.149%
STEROIDS	0.7%	0.4%	1.0%	0.161%
ECSTASY	3.0%	1.6%	4.4%	0.693%
HEROIN	0.7%	0.4%	1.0%	0.162%

Past 30 Day Use of Selected Substances - Non-Border Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	27.6%	25.8%	29.4%	0.911%
CIGARETTES	25.9%	24.2%	27.6%	0.855%
SMOKELESS TOBACCO	7.9%	6.8%	9.0%	0.567%
ALCOHOL	47.2%	45.0%	49.4%	1.093%
INHALANTS	3.5%	2.9%	4.1%	0.280%
ANY ILLICIT DRUG	20.4%	18.4%	22.4%	1.007%
MARIJUANA	18.4%	16.3%	20.5%	1.048%
MARIJUANA ONLY	7.0%	5.2%	8.8%	0.897%
COCAINE OR CRACK	3.9%	3.0%	4.8%	0.442%
COCAINE	3.7%	2.8%	4.6%	0.438%
CRACK	0.5%	0.3%	0.7%	0.082%
HALLUCINOGENS	2.5%	1.9%	3.1%	0.304%
UPPERS	4.5%	3.4%	5.6%	0.545%
DOWNERS	4.9%	3.8%	6.0%	0.556%
ROHYPNOL	0.8%	0.6%	1.0%	0.090%
STEROIDS	1.0%	0.6%	1.4%	0.218%
ECSTASY	2.8%	1.9%	3.7%	0.439%
HEROIN	0.2%	0.1%	0.3%	0.050%