

**Non-Border: Grades 4-6
Spring 2010**

**Texas School Survey
of Drug and Alcohol Use
2010
Part II: State Results**

**Non-Border: Grades 4-6
Spring 2010**

**Non-Border: Grades 4-6
Spring 2010**

1. General Substance Tables

**Non-Border: Grades 4-6
Spring 2010**

**Non-Border: Grades 4-6
Spring 2010**

Table T-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Any tobacco product?					
	All	5.8%	3.2%	2.6%	94.2%
	Grade 4	4.3%	2.6%	1.8%	95.7%
	Grade 5	4.8%	2.3%	2.5%	95.2%
	Grade 6	8.2%	4.5%	3.7%	91.8%
Cigarettes?					
	All	4.7%	2.5%	2.2%	95.3%
	Grade 4	3.2%	1.8%	1.4%	96.8%
	Grade 5	3.8%	1.8%	2.1%	96.2%
	Grade 6	7.2%	3.9%	3.3%	92.8%
Smokeless tobacco?					
	All	1.7%	1.0%	0.7%	98.3%
	Grade 4	1.5%	1.1%	0.5%	98.5%
	Grade 5	1.5%	0.9%	0.6%	98.5%
	Grade 6	2.0%	1.1%	1.0%	98.0%

Table T-2: Average number of times selected tobacco products were used by those who reported use of ..

		School Year	Lifetime
	All	3.0	3.0
	Grade 4	2.8	2.7
	Grade 5	2.8	2.8
	Grade 6	3.1	3.2

**Non-Border: Grades 4-6
Spring 2010**

Table T-3: Average age of first use of tobacco:

	Grade 4	Grade 5	Grade 6
Cigarettes			
	8.3	9.0	9.9
Smokeless Tobacco			
	8.3	9.0	10.0
Any Tobacco			
	8.2	8.9	9.9

Table T-4: Age of first use of tobacco by family situation:

		Never	Under 8	8	9	10	11	Over 11
Two Parent Family								
	All	95.9%	1.0%	0.6%	0.7%	0.7%	0.6%	0.5%
	Grade 4	97.2%	1.0%	0.8%	0.6%	0.3%	0.1%	0.0%
	Grade 5	96.5%	1.0%	0.5%	0.7%	0.9%	0.3%	0.1%
	Grade 6	94.0%	1.1%	0.4%	0.8%	1.0%	1.4%	1.3%
Other Family Situation								
	All	90.8%	2.2%	1.3%	1.5%	1.7%	1.5%	1.1%
	Grade 4	92.6%	2.6%	1.8%	2.0%	0.7%	0.2%	0.0%
	Grade 5	92.8%	1.8%	1.2%	1.1%	1.8%	1.0%	0.3%
	Grade 6	87.4%	2.1%	1.0%	1.3%	2.5%	2.9%	2.7%

**Non-Border: Grades 4-6
Spring 2010**

Table T-5: About how many of your close friends use ...

		Never Heard Of	None	Some	Most
Any tobacco product?					
	All	2.3%	83.0%	13.4%	1.3%
	Grade 4	3.6%	86.2%	9.4%	0.8%
	Grade 5	1.9%	86.0%	11.3%	0.8%
	Grade 6	1.5%	76.8%	19.5%	2.2%
Cigarettes?					
	All	4.2%	82.8%	12.0%	1.0%
	Grade 4	6.4%	84.6%	8.3%	0.7%
	Grade 5	3.6%	86.0%	9.7%	0.6%
	Grade 6	2.4%	77.9%	17.9%	1.8%
Smokeless tobacco?					
	All	6.4%	88.2%	4.8%	0.5%
	Grade 4	10.4%	86.3%	3.0%	0.4%
	Grade 5	5.3%	90.1%	4.2%	0.4%
	Grade 6	3.7%	88.4%	7.2%	0.8%

Table T-6: Have you ever been offered ...

		Never Heard Of	Yes	No
Any tobacco product?				
	All	2.8%	13.0%	84.2%
	Grade 4	4.4%	10.6%	85.0%
	Grade 5	2.4%	11.7%	85.9%
	Grade 6	1.7%	16.6%	81.7%
Cigarettes?				
	All	4.5%	11.2%	84.3%
	Grade 4	6.9%	8.7%	84.4%
	Grade 5	4.1%	10.0%	85.9%
	Grade 6	2.6%	14.7%	82.7%
Smokeless tobacco?				
	All	6.7%	4.9%	88.4%
	Grade 4	10.9%	3.8%	85.4%
	Grade 5	5.6%	4.5%	89.9%
	Grade 6	3.9%	6.3%	89.8%

**Non-Border: Grades 4-6
Spring 2010**

Table T-7: How dangerous do you think it is for kids your age to use ...

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
Any tobacco product?					
All	1.7%	75.2%	18.0%	0.8%	4.3%
Grade 4	2.7%	77.5%	14.5%	0.7%	4.6%
Grade 5	1.3%	76.3%	17.1%	0.6%	4.6%
Grade 6	0.9%	71.8%	22.2%	1.2%	3.9%
Cigarettes?					
All	3.2%	64.8%	25.3%	1.1%	5.5%
Grade 4	5.1%	67.6%	20.8%	0.9%	5.6%
Grade 5	3.0%	65.8%	24.8%	0.8%	5.6%
Grade 6	1.6%	61.1%	30.3%	1.6%	5.4%
Smokeless tobacco?					
All	5.0%	67.0%	20.4%	1.2%	6.4%
Grade 4	8.5%	67.1%	17.0%	0.8%	6.6%
Grade 5	4.1%	69.1%	19.5%	0.9%	6.3%
Grade 6	2.5%	64.7%	24.6%	1.9%	6.4%

Table T-8: How do your parents feel about kids your age smoking cigarettes?

	Don't Like	Don't Care	Think It's OK	Don't know
All	87.0%	1.4%	0.3%	11.3%
Grade 4	86.2%	1.1%	0.4%	12.3%
Grade 5	87.9%	1.1%	0.2%	10.8%
Grade 6	86.8%	2.0%	0.3%	10.8%

**Non-Border: Grades 4-6
Spring 2010**

Table A-1: How recently, if ever, have you used..

		Ever Used	School Year	Not Past Year	Never Used
Any alcohol product?					
	All	22.3%	14.3%	8.1%	77.7%
	Grade 4	17.1%	11.4%	5.7%	82.9%
	Grade 5	20.6%	12.9%	7.7%	79.4%
	Grade 6	29.3%	18.5%	10.8%	70.7%
Beer?					
	All	15.0%	8.5%	6.5%	85.0%
	Grade 4	11.4%	7.3%	4.1%	88.6%
	Grade 5	14.0%	7.4%	6.6%	86.0%
	Grade 6	19.5%	10.8%	8.7%	80.5%
Wine coolers?					
	All	9.2%	5.6%	3.6%	90.8%
	Grade 4	5.4%	3.3%	2.1%	94.6%
	Grade 5	7.5%	4.6%	3.0%	92.5%
	Grade 6	14.6%	9.0%	5.6%	85.4%
Wine?					
	All	11.2%	6.8%	4.4%	88.8%
	Grade 4	7.4%	4.5%	2.8%	92.6%
	Grade 5	10.1%	6.2%	3.9%	89.9%
	Grade 6	16.1%	9.6%	6.4%	83.9%
Liquor?					
	All	6.1%	3.9%	2.2%	93.9%
	Grade 4	2.9%	1.8%	1.2%	97.1%
	Grade 5	4.7%	2.9%	1.8%	95.3%
	Grade 6	10.7%	7.0%	3.7%	89.3%

**Non-Border: Grades 4-6
Spring 2010**

Table A-2: Average number of times selected alcohol products were used by those who reported use of ..

		School Year	Lifetime
Beer	All	2.8	2.9
	Grade 4	2.3	2.5
	Grade 5	2.5	2.6
	Grade 6	3.2	3.3
Liquor	All	2.9	2.9
	Grade 4	2.7	2.6
	Grade 5	2.6	2.5
	Grade 6	3.1	3.2
Wine	All	2.5	2.6
	Grade 4	2.3	2.2
	Grade 5	2.2	2.4
	Grade 6	2.8	2.9

**Non-Border: Grades 4-6
Spring 2010**

Table A-3: In the past year, how many times have you had two or more drinks at one time of ..

		Never	1 Time	2 Times	3+ Times	Ever
Beer?						
	All	87.5%	7.3%	2.6%	2.6%	12.5%
	Grade 4	88.6%	7.3%	2.2%	1.9%	11.4%
	Grade 5	88.6%	6.7%	2.5%	2.2%	11.4%
	Grade 6	85.4%	7.7%	3.3%	3.6%	14.6%
Wine Coolers?						
	All	93.7%	3.3%	1.5%	1.4%	6.3%
	Grade 4	96.7%	1.8%	0.9%	0.6%	3.3%
	Grade 5	94.5%	3.1%	1.3%	1.1%	5.5%
	Grade 6	89.9%	5.1%	2.5%	2.5%	10.1%
Wine?						
	All	94.3%	3.3%	1.0%	1.4%	5.7%
	Grade 4	96.9%	2.1%	0.5%	0.5%	3.1%
	Grade 5	95.4%	2.9%	0.8%	1.0%	4.6%
	Grade 6	90.7%	4.9%	1.8%	2.6%	9.3%
Liquor?						
	All	94.4%	3.2%	1.0%	1.4%	5.6%
	Grade 4	97.0%	2.0%	0.5%	0.5%	3.0%
	Grade 5	95.4%	2.8%	0.7%	1.0%	4.6%
	Grade 6	90.7%	4.8%	1.8%	2.6%	9.3%

**Non-Border: Grades 4-6
Spring 2010**

Table A-4: Average age of first use of alcohol:

	Grade 4	Grade 5	Grade 6
Beer	8.1	8.7	9.4
Wine Coolers	8.7	9.3	10.1
Wine	8.6	9.4	10.1
Liquor	8.5	9.7	10.4
Any Alcohol	8.2	8.8	9.5

Table A-5: Age of first use of alcohol by family situation:

		Never	Under 8	8	9	10	11	Over 11
Two Parent Family								
	All	81.0%	5.3%	2.7%	3.5%	3.4%	2.8%	1.4%
	Grade 4	85.2%	5.6%	2.9%	3.9%	1.9%	0.4%	0.1%
	Grade 5	82.3%	4.8%	2.4%	3.6%	4.1%	2.5%	0.3%
	Grade 6	75.2%	5.5%	2.8%	2.9%	4.2%	5.5%	3.9%
Other Family Situation								
	All	72.1%	9.0%	4.0%	4.3%	4.8%	3.6%	2.2%
	Grade 4	77.8%	9.7%	4.4%	4.4%	3.1%	0.5%	0.2%
	Grade 5	74.5%	8.0%	3.9%	4.4%	5.8%	2.8%	0.5%
	Grade 6	64.8%	9.4%	3.7%	4.0%	5.4%	7.2%	5.5%

**Non-Border: Grades 4-6
Spring 2010**

Table A-6 : Lifetime prevalence of use of alcohol by reported conduct problems this school year:

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
16.4%	62.1%	37.8%	66.2%

Table A-7: When you drink alcohol, do you get it from ..

		Don't Drink	Yes	No
Home?	All	78.7%	9.5%	11.8%
	Grade 4	80.9%	7.2%	12.0%
	Grade 5	79.9%	8.6%	11.5%
	Grade 6	75.3%	12.7%	12.0%
Friends?	All	79.8%	3.2%	17.0%
	Grade 4	81.7%	1.5%	16.7%
	Grade 5	80.9%	2.4%	16.7%
	Grade 6	76.7%	5.8%	17.5%
Somewhere else?	All	78.3%	7.7%	13.9%
	Grade 4	80.3%	5.7%	14.0%
	Grade 5	79.4%	7.0%	13.6%
	Grade 6	75.3%	10.5%	14.2%

**Non-Border: Grades 4-6
Spring 2010**

Table A-8: About how many of your close friends use ..

		Never Heard Of	None	Some	Most
Any alcohol product?					
	All	1.6%	73.7%	19.9%	4.8%
	Grade 4	2.1%	78.2%	16.7%	3.0%
	Grade 5	1.4%	76.1%	18.8%	3.7%
	Grade 6	1.2%	67.0%	24.1%	7.7%
Beer?					
	All	1.9%	78.3%	16.6%	3.2%
	Grade 4	2.7%	81.3%	14.1%	1.9%
	Grade 5	1.6%	80.4%	15.6%	2.5%
	Grade 6	1.4%	73.3%	20.1%	5.3%
Wine coolers?					
	All	12.1%	77.5%	8.3%	2.1%
	Grade 4	16.0%	77.6%	5.4%	1.1%
	Grade 5	12.0%	79.6%	6.9%	1.4%
	Grade 6	8.4%	75.4%	12.5%	3.7%
Wine?					
	All	2.9%	85.2%	10.3%	1.6%
	Grade 4	4.3%	87.3%	7.5%	0.8%
	Grade 5	2.4%	86.7%	9.7%	1.2%
	Grade 6	1.8%	81.8%	13.7%	2.7%
Liquor?					
	All	8.1%	82.8%	7.4%	1.7%
	Grade 4	14.0%	81.6%	3.8%	0.6%
	Grade 5	6.5%	86.2%	6.1%	1.1%
	Grade 6	4.0%	80.6%	12.1%	3.3%

**Non-Border: Grades 4-6
Spring 2010**

Table A-9: Have you ever been offered ..

		Never Heard Of	Yes	No
Any alcohol product?				
	All	1.9%	23.9%	74.2%
	Grade 4	2.7%	20.1%	77.1%
	Grade 5	1.8%	22.7%	75.5%
	Grade 6	1.3%	28.8%	69.9%
Beer?				
	All	2.1%	19.2%	78.7%
	Grade 4	3.2%	15.9%	80.9%
	Grade 5	1.7%	18.2%	80.1%
	Grade 6	1.4%	23.3%	75.3%
Wine coolers?				
	All	12.4%	8.5%	79.1%
	Grade 4	16.4%	5.3%	78.3%
	Grade 5	12.5%	7.3%	80.2%
	Grade 6	8.4%	12.8%	78.8%
Wine?				
	All	3.1%	11.4%	85.5%
	Grade 4	4.7%	8.6%	86.7%
	Grade 5	2.7%	10.6%	86.8%
	Grade 6	1.9%	15.0%	83.1%
Liquor?				
	All	8.0%	7.4%	84.7%
	Grade 4	13.6%	4.4%	82.1%
	Grade 5	6.6%	6.1%	87.3%
	Grade 6	3.8%	11.5%	84.7%

**Non-Border: Grades 4-6
Spring 2010**

Table A-10: How do your parents feel about kids your age drinking beer?

	Don't Like	Don't Care	Think It's OK	Don't know
All	81.7%	3.0%	1.2%	14.1%
Grade 4	81.6%	2.4%	1.1%	14.8%
Grade 5	83.2%	2.3%	1.0%	13.5%
Grade 6	80.4%	4.3%	1.4%	13.9%

Table A-11: How dangerous do you think it is for kids your age to use ..

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
Any alcohol product?					
All	1.0%	71.3%	20.5%	2.4%	4.7%
Grade 4	1.6%	75.6%	16.2%	1.7%	4.9%
Grade 5	0.8%	73.3%	19.4%	1.9%	4.7%
Grade 6	0.7%	65.1%	25.9%	3.8%	4.5%
Beer?					
All	1.3%	51.8%	32.5%	5.9%	8.5%
Grade 4	2.0%	56.1%	28.4%	4.5%	9.1%
Grade 5	1.0%	53.3%	32.3%	5.1%	8.3%
Grade 6	0.9%	46.1%	36.9%	8.1%	8.1%
Wine coolers?					
All	10.5%	50.4%	23.7%	4.7%	10.7%
Grade 4	13.8%	55.0%	18.5%	2.4%	10.2%
Grade 5	10.5%	51.8%	23.0%	3.7%	11.0%
Grade 6	7.4%	44.3%	29.5%	7.8%	11.0%
Wine?					
All	1.8%	51.9%	29.8%	6.8%	9.7%
Grade 4	3.0%	58.1%	25.6%	4.2%	9.0%
Grade 5	1.5%	53.5%	29.9%	5.6%	9.4%
Grade 6	0.9%	44.1%	33.8%	10.6%	10.6%
Liquor?					
All	5.9%	64.4%	20.6%	2.2%	6.9%
Grade 4	10.3%	65.8%	15.9%	1.3%	6.7%
Grade 5	5.0%	66.6%	20.1%	1.4%	6.9%
Grade 6	2.6%	60.8%	25.8%	3.8%	7.1%

**Non-Border: Grades 4-6
Spring 2010**

Table D-1: How recently, if ever, have you used Marijuana?

	Ever Used	School Year	Not Past Year	Never Used
All	1.8%	1.3%	0.6%	98.2%
Grade 4	0.7%	0.4%	0.3%	99.3%
Grade 5	1.2%	0.7%	0.4%	98.8%
Grade 6	3.6%	2.7%	0.9%	96.4%

Table D-2: Average number of times marijuana was used by those reporting usage:

	School Year	Lifetime
All	4.8	4.6
Grade 4	2.7	3.5
Grade 5	4.4	4.1
Grade 6	5.3	5.0

**Non-Border: Grades 4-6
Spring 2010**

Table D-3: Average age of first use of marijuana:

Grade 4	Grade 5	Grade 6
8.9	9.7	10.5

Table D-4: Age of first use of marijuana by family situation:

		Never	Under 8	8	9	10	11	Over 11
Two Parent Family								
	All	98.8%	0.2%	0.1%	0.1%	0.2%	0.3%	0.3%
	Grade 4	99.5%	0.2%	0.0%	0.2%	0.1%	0.1%	0.0%
	Grade 5	99.5%	0.1%	0.0%	0.0%	0.1%	0.2%	0.1%
	Grade 6	97.5%	0.3%	0.1%	0.2%	0.3%	0.8%	0.9%
Other Family Situation								
	All	96.9%	0.5%	0.1%	0.3%	0.6%	0.8%	0.9%
	Grade 4	99.0%	0.3%	0.1%	0.3%	0.3%	0.1%	0.0%
	Grade 5	97.9%	0.5%	0.0%	0.4%	0.4%	0.7%	0.2%
	Grade 6	94.2%	0.7%	0.3%	0.3%	1.0%	1.5%	2.2%

Table D-5 : Lifetime prevalence of use of marijuana by reported conduct problems this school year:

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
0.6%	21.7%	5.3%	27.3%

**Non-Border: Grades 4-6
Spring 2010**

Table D-6: About how many of your close friends use marijuana?

	Never Heard Of	None	Some	Most
All	14.7%	77.8%	5.7%	1.8%
Grade 4	24.5%	72.1%	2.7%	0.8%
Grade 5	13.5%	81.7%	3.9%	1.0%
Grade 6	6.5%	79.6%	10.3%	3.6%

Table D-7: Have you ever been offered marijuana?

	Never Heard Of	Yes	No
All	14.3%	5.7%	80.0%
Grade 4	24.1%	3.0%	72.9%
Grade 5	12.9%	4.1%	83.0%
Grade 6	6.3%	9.8%	83.9%

Table D-8: How do your parents feel about kids your age smoking marijuana?

	Don't Like	Don't Care	Think It's OK	Don't know
All	84.2%	1.0%	0.3%	14.5%
Grade 4	79.9%	0.8%	0.3%	18.9%
Grade 5	85.7%	0.8%	0.2%	13.4%
Grade 6	87.1%	1.5%	0.3%	11.1%

Table D-9: How dangerous do you think it is for kids your age to use marijuana?

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	12.0%	71.8%	9.3%	1.4%	5.5%
Grade 4	20.5%	64.6%	8.3%	0.8%	5.9%
Grade 5	10.9%	73.8%	8.8%	0.8%	5.7%
Grade 6	4.8%	76.8%	10.8%	2.5%	5.0%

**Non-Border: Grades 4-6
Spring 2010**

Table I-1: How recently, if ever, have you used Inhalants?

	Ever Used	School Year	Not Past Year	Never Used
All	10.5%	7.3%	3.1%	89.5%
Grade 4	10.5%	7.2%	3.3%	89.5%
Grade 5	9.3%	6.3%	3.0%	90.7%
Grade 6	11.5%	8.5%	3.1%	88.5%

Table I-2: Have you ever sniffed any of the following inhalants to get high?

	Not Used	Used
Correction Fluid/Whiteout		
All	92.8%	7.2%
Grade 4	94.2%	5.8%
Grade 5	93.4%	6.6%
Grade 6	90.9%	9.1%
Gasoline		
All	97.2%	2.8%
Grade 4	97.0%	3.0%
Grade 5	97.3%	2.7%
Grade 6	97.4%	2.6%
Glue		
All	96.9%	3.1%
Grade 4	95.7%	4.3%
Grade 5	97.2%	2.8%
Grade 6	97.8%	2.2%
Paint Thinner		
All	98.0%	2.0%
Grade 4	97.5%	2.5%
Grade 5	98.1%	1.9%
Grade 6	98.3%	1.7%
Spray Paint		
All	97.2%	2.8%
Grade 4	96.7%	3.3%
Grade 5	97.8%	2.2%
Grade 6	97.2%	2.8%
Computer dusting sprays		
All	98.3%	1.7%
Grade 4	97.3%	2.7%
Grade 5	98.6%	1.4%
Grade 6	98.8%	1.2%
Other Inhalants		
All	96.5%	3.5%
Grade 4	96.5%	3.5%
Grade 5	97.3%	2.7%
Grade 6	95.8%	4.2%

**Non-Border: Grades 4-6
Spring 2010**

Table I-3: Average number of times inhalants were used by those reporting usage:

	School Year	Lifetime
All	3.3	3.3
Grade 4	2.6	2.8
Grade 5	3.2	3.1
Grade 6	3.7	3.6

Table I-4: Number of different kinds of inhalants used:

	None	One	Two to Three	Four Plus
All	89.2%	5.5%	3.9%	1.4%
Grade 4	89.3%	4.9%	4.2%	1.6%
Grade 5	90.4%	5.0%	3.3%	1.3%
Grade 6	87.9%	6.5%	4.2%	1.4%

**Non-Border: Grades 4-6
Spring 2010**

Table I-5: Average age of first use of inhalants:

Grade 4	Grade 5	Grade 6
8.4	9.2	10.2

Table I-6: Age of first use of inhalants by family situation:

		Never	Under 8	8	9	10	11	Over 11
Two Parent Family								
	All	95.4%	0.9%	0.5%	0.8%	1.0%	0.9%	0.5%
	Grade 4	96.9%	1.0%	0.7%	0.7%	0.6%	0.0%	0.0%
	Grade 5	95.7%	1.0%	0.4%	0.8%	1.1%	0.9%	0.1%
	Grade 6	93.7%	0.7%	0.3%	0.7%	1.3%	1.8%	1.4%
Other Family Situation								
	All	93.8%	1.1%	0.7%	0.7%	1.3%	1.4%	1.0%
	Grade 4	96.5%	1.1%	0.9%	0.7%	0.6%	0.1%	0.0%
	Grade 5	95.8%	0.8%	0.5%	0.6%	1.4%	0.8%	0.1%
	Grade 6	89.7%	1.4%	0.6%	0.9%	1.7%	3.1%	2.6%

**Non-Border: Grades 4-6
Spring 2010**

Table I-7: Lifetime prevalence of use of inhalants by reported conduct problems this school year:

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
3.5%	27.0%	10.4%	30.9%

Table I-8: About how many of your close friends use inhalants?

	Never Heard Of	None	Some	Most
All	7.9%	81.6%	8.2%	2.2%
Grade 4	13.3%	81.3%	4.4%	1.0%
Grade 5	6.6%	84.6%	7.1%	1.7%
Grade 6	4.0%	79.1%	13.0%	3.9%

Table I-9: Have you ever been offered inhalants?

	Never Heard Of	Yes	No
All	7.7%	6.8%	85.6%
Grade 4	13.2%	3.6%	83.2%
Grade 5	6.4%	5.7%	87.8%
Grade 6	3.5%	10.8%	85.6%

Table I-10: How dangerous do you think it is for kids your age to use inhalants?

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.9%	63.9%	18.8%	2.9%	8.5%
Grade 4	10.9%	62.5%	15.8%	1.8%	8.9%
Grade 5	4.4%	65.8%	18.5%	2.7%	8.6%
Grade 6	2.5%	63.3%	21.8%	4.3%	8.0%

**Non-Border: Grades 4-6
Spring 2010**

Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ..

CATEGORY	Yes
An Assembly Program?	All 52.9%
	Grade 4 49.1%
	Grade 5 54.6%
	Grade 6 55.0%
Guidance Counselor?	All 47.9%
	Grade 4 46.8%
	Grade 5 51.5%
	Grade 6 45.4%
Visitor to Class?	All 46.2%
	Grade 4 35.7%
	Grade 5 49.5%
	Grade 6 53.2%
Someone Else at School?	All 36.7%
	Grade 4 33.8%
	Grade 5 36.7%
	Grade 6 39.4%
Your Teacher?	All 52.6%
	Grade 4 50.3%
	Grade 5 52.5%
	Grade 6 54.8%
Any School Source?	All 84.0%
	Grade 4 80.8%
	Grade 5 86.2%
	Grade 6 85.0%

2. Prevalence Tables

**Non-Border: Grades 4-6
Spring 2010**

**Non-Border: Grades 4-6
Spring 2010**

**Table B1: Prevalence and recency of use of selected substances by grade
All Students**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	5.8%	3.2%	2.6%	94.2%
	Grade 4	4.3%	2.6%	1.8%	95.7%
	Grade 5	4.8%	2.3%	2.5%	95.2%
	Grade 6	8.2%	4.5%	3.7%	91.8%
Alcohol					
	All	22.3%	14.3%	8.1%	77.7%
	Grade 4	17.1%	11.4%	5.7%	82.9%
	Grade 5	20.6%	12.9%	7.7%	79.4%
	Grade 6	29.3%	18.5%	10.8%	70.7%
Inhalants					
	All	10.5%	7.3%	3.1%	89.5%
	Grade 4	10.5%	7.2%	3.3%	89.5%
	Grade 5	9.3%	6.3%	3.0%	90.7%
	Grade 6	11.5%	8.5%	3.1%	88.5%
Marijuana					
	All	1.8%	1.3%	0.6%	98.2%
	Grade 4	0.7%	0.4%	0.3%	99.3%
	Grade 5	1.2%	0.7%	0.4%	98.8%
	Grade 6	3.6%	2.7%	0.9%	96.4%

**Non-Border: Grades 4-6
Spring 2010**

**Table B2: Prevalence and recency of use of selected substances by grade
Male Students**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	7.2%	4.0%	3.2%	92.8%
	Grade 4	5.4%	3.3%	2.2%	94.6%
	Grade 5	6.2%	3.2%	3.0%	93.8%
	Grade 6	10.1%	5.6%	4.4%	89.9%
Alcohol					
	All	24.9%	15.5%	9.5%	75.1%
	Grade 4	19.9%	12.8%	7.1%	80.1%
	Grade 5	23.7%	14.7%	9.0%	76.3%
	Grade 6	31.2%	18.9%	12.3%	68.8%
Inhalants					
	All	11.3%	7.6%	3.7%	88.7%
	Grade 4	12.5%	8.3%	4.3%	87.5%
	Grade 5	9.7%	6.5%	3.2%	90.3%
	Grade 6	11.6%	8.1%	3.6%	88.4%
Marijuana					
	All	2.3%	1.6%	0.7%	97.7%
	Grade 4	0.9%	0.6%	0.3%	99.1%
	Grade 5	1.4%	0.9%	0.5%	98.6%
	Grade 6	4.6%	3.3%	1.4%	95.4%

**Non-Border: Grades 4-6
Spring 2010**

**Table B3: Prevalence and recency of use of selected substances by grade
Female Students**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	4.4%	2.3%	2.1%	95.6%
	Grade 4	3.3%	1.9%	1.4%	96.7%
	Grade 5	3.5%	1.5%	2.0%	96.5%
	Grade 6	6.5%	3.5%	3.0%	93.5%
Alcohol					
	All	19.8%	13.1%	6.7%	80.2%
	Grade 4	14.4%	10.0%	4.4%	85.6%
	Grade 5	17.7%	11.2%	6.5%	82.3%
	Grade 6	27.5%	18.2%	9.3%	72.5%
Inhalants					
	All	9.7%	7.1%	2.6%	90.3%
	Grade 4	8.6%	6.3%	2.4%	91.4%
	Grade 5	9.0%	6.1%	2.9%	91.0%
	Grade 6	11.5%	8.9%	2.6%	88.5%
Marijuana					
	All	1.4%	1.0%	0.4%	98.6%
	Grade 4	0.5%	0.3%	0.2%	99.5%
	Grade 5	0.9%	0.6%	0.4%	99.1%
	Grade 6	2.7%	2.1%	0.6%	97.3%

**Non-Border: Grades 4-6
Spring 2010**

**Table B4: Prevalence and recency of use of selected substances by grade
White Students**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	5.2%	2.8%	2.4%	94.8%
	Grade 4	3.7%	2.3%	1.4%	96.3%
	Grade 5	4.9%	2.3%	2.6%	95.1%
	Grade 6	7.0%	3.8%	3.1%	93.0%
Alcohol					
	All	19.4%	11.8%	7.6%	80.6%
	Grade 4	14.5%	8.9%	5.6%	85.5%
	Grade 5	19.6%	12.0%	7.6%	80.4%
	Grade 6	24.1%	14.6%	9.5%	75.9%
Inhalants					
	All	9.4%	6.3%	3.1%	90.6%
	Grade 4	10.5%	7.3%	3.2%	89.5%
	Grade 5	9.0%	5.3%	3.7%	91.0%
	Grade 6	8.7%	6.1%	2.5%	91.3%
Marijuana					
	All	0.9%	0.6%	0.4%	99.1%
	Grade 4	0.3%	0.2%	0.2%	99.7%
	Grade 5	1.0%	0.7%	0.3%	99.0%
	Grade 6	1.6%	0.9%	0.7%	98.4%

**Non-Border: Grades 4-6
Spring 2010**

**Table B5: Prevalence and recency of use of selected substances by grade
African/American Students**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	6.9%	3.2%	3.7%	93.1%
	Grade 4	6.2%	3.3%	2.9%	93.8%
	Grade 5	5.6%	2.5%	3.1%	94.4%
	Grade 6	8.9%	3.8%	5.1%	91.1%
Alcohol					
	All	24.2%	14.8%	9.4%	75.8%
	Grade 4	20.1%	14.8%	5.3%	79.9%
	Grade 5	21.6%	12.3%	9.3%	78.4%
	Grade 6	30.7%	17.3%	13.5%	69.3%
Inhalants					
	All	10.0%	7.6%	2.4%	90.0%
	Grade 4	10.5%	7.9%	2.6%	89.5%
	Grade 5	8.1%	5.7%	2.3%	91.9%
	Grade 6	11.5%	9.2%	2.3%	88.5%
Marijuana					
	All	1.7%	1.2%	0.5%	98.3%
	Grade 4	0.8%	0.5%	0.4%	99.2%
	Grade 5	0.8%	0.6%	0.3%	99.2%
	Grade 6	3.5%	2.6%	0.8%	96.5%

**Non-Border: Grades 4-6
Spring 2010**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American Students**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	6.1%	3.5%	2.5%	93.9%
	Grade 4	4.3%	2.7%	1.6%	95.7%
	Grade 5	4.6%	2.4%	2.2%	95.4%
	Grade 6	9.3%	5.6%	3.7%	90.7%
Alcohol					
	All	25.0%	16.8%	8.2%	75.0%
	Grade 4	18.8%	12.6%	6.2%	81.2%
	Grade 5	21.7%	14.4%	7.3%	78.3%
	Grade 6	34.4%	23.3%	11.1%	65.6%
Inhalants					
	All	11.4%	8.1%	3.3%	88.6%
	Grade 4	9.9%	6.6%	3.3%	90.1%
	Grade 5	10.0%	7.3%	2.7%	90.0%
	Grade 6	14.3%	10.4%	3.9%	85.7%
Marijuana					
	All	2.8%	2.1%	0.7%	97.2%
	Grade 4	1.0%	0.7%	0.3%	99.0%
	Grade 5	1.5%	0.9%	0.6%	98.5%
	Grade 6	5.8%	4.5%	1.3%	94.2%

**Non-Border: Grades 4-6
Spring 2010**

**Table B7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	3.5%	1.5%	2.0%	96.5%
	Grade 4	3.1%	1.7%	1.5%	96.9%
	Grade 5	2.8%	1.0%	1.8%	97.2%
	Grade 6	4.5%	1.8%	2.7%	95.5%
Alcohol					
	All	17.8%	10.6%	7.3%	82.2%
	Grade 4	14.2%	8.8%	5.4%	85.8%
	Grade 5	16.2%	9.5%	6.7%	83.8%
	Grade 6	23.0%	13.4%	9.6%	77.0%
Inhalants					
	All	7.7%	5.6%	2.1%	92.3%
	Grade 4	8.2%	6.0%	2.3%	91.8%
	Grade 5	7.2%	5.0%	2.2%	92.8%
	Grade 6	7.6%	5.8%	1.9%	92.4%
Marijuana					
	All	0.8%	0.5%	0.2%	99.2%
	Grade 4	0.4%	0.3%	0.2%	99.6%
	Grade 5	0.5%	0.3%	0.2%	99.5%
	Grade 6	1.4%	1.0%	0.3%	98.6%

**Non-Border: Grades 4-6
Spring 2010**

**Table B8: Prevalence and recency of use of selected substances by grade
Students Reporting grades lower than A**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	7.3%	4.2%	3.1%	92.7%
	Grade 4	5.3%	3.3%	2.0%	94.7%
	Grade 5	6.0%	3.1%	2.9%	94.0%
	Grade 6	10.7%	6.3%	4.4%	89.3%
Alcohol					
	All	25.4%	16.8%	8.6%	74.6%
	Grade 4	19.3%	13.3%	6.0%	80.7%
	Grade 5	23.4%	15.0%	8.3%	76.6%
	Grade 6	33.5%	22.1%	11.4%	66.5%
Inhalants					
	All	12.3%	8.5%	3.8%	87.7%
	Grade 4	12.1%	8.1%	4.0%	87.9%
	Grade 5	10.7%	7.2%	3.5%	89.3%
	Grade 6	14.2%	10.3%	3.9%	85.8%
Marijuana					
	All	2.6%	1.8%	0.8%	97.4%
	Grade 4	0.9%	0.6%	0.3%	99.1%
	Grade 5	1.5%	1.0%	0.6%	98.5%
	Grade 6	5.2%	3.9%	1.4%	94.8%

**Non-Border: Grades 4-6
Spring 2010**

**Table B9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	4.2%	2.3%	1.9%	95.8%
	Grade 4	3.2%	2.0%	1.1%	96.8%
	Grade 5	3.6%	1.7%	1.9%	96.4%
	Grade 6	6.0%	3.3%	2.7%	94.0%
Alcohol					
	All	19.4%	12.3%	7.2%	80.6%
	Grade 4	14.8%	9.8%	5.0%	85.2%
	Grade 5	18.0%	11.1%	6.9%	82.0%
	Grade 6	25.8%	16.0%	9.8%	74.2%
Inhalants					
	All	10.0%	7.0%	3.0%	90.0%
	Grade 4	10.7%	7.5%	3.2%	89.3%
	Grade 5	9.3%	6.4%	2.9%	90.7%
	Grade 6	9.9%	7.0%	2.9%	90.1%
Marijuana					
	All	1.2%	0.8%	0.4%	98.8%
	Grade 4	0.5%	0.3%	0.2%	99.5%
	Grade 5	0.6%	0.3%	0.3%	99.4%
	Grade 6	2.5%	1.9%	0.7%	97.5%

**Non-Border: Grades 4-6
Spring 2010**

**Table B10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	9.0%	4.8%	4.2%	91.0%
	Grade 4	7.0%	3.8%	3.2%	93.0%
	Grade 5	7.3%	3.6%	3.8%	92.7%
	Grade 6	12.4%	6.9%	5.5%	87.6%
Alcohol					
	All	28.3%	18.4%	9.9%	71.7%
	Grade 4	22.3%	14.8%	7.4%	77.7%
	Grade 5	25.8%	16.4%	9.4%	74.2%
	Grade 6	36.0%	23.4%	12.7%	64.0%
Inhalants					
	All	11.6%	8.2%	3.3%	88.4%
	Grade 4	10.2%	6.8%	3.4%	89.8%
	Grade 5	9.5%	6.2%	3.3%	90.5%
	Grade 6	14.7%	11.3%	3.4%	85.3%
Marijuana					
	All	3.2%	2.2%	0.9%	96.8%
	Grade 4	1.2%	0.7%	0.5%	98.8%
	Grade 5	2.3%	1.6%	0.7%	97.7%
	Grade 6	5.8%	4.3%	1.5%	94.2%

**Non-Border: Grades 4-6
Spring 2010**

**Table B11: Prevalence and recency of use of selected substances by grade
Students Living in Town More Than 3 Years**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	5.4%	3.1%	2.4%	94.6%
	Grade 4	3.9%	2.3%	1.6%	96.1%
	Grade 5	4.5%	2.4%	2.1%	95.5%
	Grade 6	7.7%	4.4%	3.4%	92.3%
Alcohol					
	All	22.5%	14.4%	8.2%	77.5%
	Grade 4	17.7%	11.6%	6.0%	82.3%
	Grade 5	20.6%	13.0%	7.6%	79.4%
	Grade 6	28.8%	18.1%	10.7%	71.2%
Inhalants					
	All	10.3%	7.3%	3.0%	89.7%
	Grade 4	10.4%	7.2%	3.2%	89.6%
	Grade 5	9.3%	6.4%	2.9%	90.7%
	Grade 6	11.2%	8.3%	2.9%	88.8%
Marijuana					
	All	1.9%	1.3%	0.5%	98.1%
	Grade 4	0.8%	0.5%	0.3%	99.2%
	Grade 5	1.2%	0.7%	0.4%	98.8%
	Grade 6	3.5%	2.7%	0.8%	96.5%

**Non-Border: Grades 4-6
Spring 2010**

**Table B12: Prevalence and recency of use of selected substances by grade
Students Living in Town 3 Years or Less**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	7.8%	3.6%	4.2%	92.2%
	Grade 4	5.9%	2.9%	2.9%	94.1%
	Grade 5	6.7%	2.2%	4.5%	93.3%
	Grade 6	11.1%	5.9%	5.3%	88.9%
Alcohol					
	All	24.0%	15.1%	8.9%	76.0%
	Grade 4	17.5%	11.0%	6.5%	82.5%
	Grade 5	22.8%	13.8%	8.9%	77.2%
	Grade 6	32.5%	20.9%	11.5%	67.5%
Inhalants					
	All	11.0%	8.0%	3.0%	89.0%
	Grade 4	10.7%	8.0%	2.7%	89.3%
	Grade 5	9.6%	6.7%	2.9%	90.4%
	Grade 6	12.9%	9.3%	3.5%	87.1%
Marijuana					
	All	2.0%	1.3%	0.6%	98.0%
	Grade 4	0.6%	0.1%	0.4%	99.4%
	Grade 5	1.2%	0.9%	0.3%	98.8%
	Grade 6	4.3%	3.1%	1.2%	95.7%

3. Margin Tables

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6
Spring 2010**

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district

©Copyright 2010, Texas A & M University
All rights reserved.

**Non-Border: Grades 4-6
Spring 2010**

The FREQ Procedure

Frequency Missing = 16753.710842

PARENTS ATTEND PTA MEETINGS		
Q10	Frequency	Percent
No	333E3	51.82
Yes	31E4	48.18

Frequency Missing = 22042.417263

EVER INHALED - GASOLINE		
Q11a	Frequency	Percent
Not Used	618E3	97.23
Used	17634	2.77

Frequency Missing = 28746.977308

EVER INHALED - PAINT THINNER		
Q11b	Frequency	Percent
Not Used	614E3	97.99
Used	12611	2.01

Frequency Missing = 37677.526386

EVER INHALED - GLUE		
Q11c	Frequency	Percent
Not Used	604E3	96.92
Used	19235	3.08

Frequency Missing = 41030.770822

EVER INHALED - WHITEOUT		
Q11d	Frequency	Percent
Not Used	579E3	92.80
Used	44973	7.20

Frequency Missing = 40324.843376

GENDER		
Q1	Frequency	Percent
Female	338E3	50.96
Male	325E3	49.04

Frequency Missing = 1267.3073692

GRADE LEVEL		
Q2	Frequency	Percent
Grade 4	223E3	33.57
Grade 5	221E3	33.21
Grade 6	221E3	33.22

WHAT GRADES DO YOU USUALLY GET		
Q6	Frequency	Percent
Mostly A's	257E3	39.61
Mostly B's	299E3	46.01
Mostly C's	76219	11.73
Mostly D's	11501	1.77
Mostly F's	5724	0.88

Frequency Missing = 14724.73221

LIVED IN THIS TOWN FOR MORE THAN 3 YEARS		
Q7	Frequency	Percent
Don't Know	55751	8.48
No	91962	13.99
Yes	51E4	77.53

Frequency Missing = 7404.2006885

EITHER PARENT GRADUATE FROM COLLEGE		
Q8	Frequency	Percent
Don't Know	22E4	33.68
No	143E3	21.88
Yes	291E3	44.44

Frequency Missing = 10029.084783

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
Q9	Frequency	Percent
Don't Know	239E3	37.02
No	171E3	26.36
Yes	237E3	36.62

Frequency Missing = 17802.306239

LIVE WITH BOTH PARENTS		
Q3	Frequency	Percent
No	219E3	33.43
Yes	436E3	66.50
YN	421	0.06

Frequency Missing = 9479.112297

AGE		
Q4	Frequency	Percent
8 or younger	195	0.03
9	70149	10.62
10	201E3	30.34
11	218E3	33.03
12	151E3	22.80
13 or older	21008	3.18

Frequency Missing = 3921.3828615

ETHNICITY		
Q5	Frequency	Percent
African/American	105E3	16.27
Asian/American	6454	1.00
Mexican/American	257E3	39.63
Native/American	4433	0.68
Other	16817	2.60
White	258E3	39.83

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6
Spring 2010**

EVER INHALED - SPRAY PAINT		
Q11e	Frequency	Percent
Not Used	604E3	97.23
Used	17221	2.77

Frequency Missing = 43358.257977

EVER INHALED - COMPUTER DUSTING SPRAYS		
Q11f	Frequency	Percent
Not Used	611E3	98.26
Used	10833	1.74

Frequency Missing = 42973.767729

EVER INHALED - OTHER INHALANTS		
Q11g	Frequency	Percent
Not Used	604E3	96.50
Used	21905	3.50

Frequency Missing = 38905.903292

CIGARETTE USE DURING LIFETIME		
Q12A Frequency Percent		
Never heard of	40495	6.25
Never used	578E3	89.21
1-2 times	22713	3.51
3-10 times	4510	0.70
11+ times	2181	0.34

Frequency Missing = 16875.82028

SNUFF/CHEWING TOBACCO USE IN LIFETIME		
Q12B Frequency Percent		
Never heard of	72541	11.33
Never used	558E3	87.14
1-2 times	8132	1.27
3-10 times	876	0.14
11+ times	793	0.12

Frequency Missing = 24571.389405

BEER USE DURING LIFETIME		
Q12C Frequency Percent		
Never heard of	12838	2.06
Never used	518E3	83.32
1-2 times	71116	11.43
3-10 times	14336	2.30
11+ times	5487	0.88

Frequency Missing = 42666.916774

WINE COOLER USE DURING LIFETIME		
Q12D Frequency Percent		
Never heard of	125E3	19.77
Never used	453E3	71.35
1-2 times	41055	6.47
3-10 times	9501	1.50
11+ times	5748	0.91

Frequency Missing = 30415.911837

WINE USE DURING LIFETIME		
Q12E Frequency Percent		
Never heard of	22869	3.76
Never used	519E3	85.23
1-2 times	55494	9.12
3-10 times	8152	1.34
11+ times	3375	0.55

Frequency Missing = 55961.527883

LIQUOR USE DURING LIFETIME		
Q12F Frequency Percent		
Never heard of	73971	11.71
Never used	52E4	82.36
1-2 times	28814	4.56
3-10 times	6279	0.99
11+ times	2350	0.37

Frequency Missing = 33196.290968

INHALANT USE DURING LIFETIME		
Q12H Frequency Percent		
Never heard of	68502	10.86
Never used	53E4	83.92
1-2 times	23822	3.78
3-10 times	6077	0.96
11+ times	3035	0.48

Frequency Missing = 33771.072336

MARIJUANA USE DURING LIFETIME		
Q12I Frequency Percent		
Never heard of	129E3	20.24
Never used	496E3	78.04
1-2 times	6242	0.98
3-10 times	2288	0.36
11+ times	2424	0.38

Frequency Missing = 29264.437055

CIGARETTE USE IN PAST SCHOOL YEAR		
Q13A Frequency Percent		
Never heard of	34761	5.40
Never used	592E3	92.06
1-2 times	12446	1.93
3-10 times	2772	0.43
11+ times	1094	0.17

Frequency Missing = 21399.984272

SNUFF/CHEWING TOBACCO USE IN PAST YEAR		
Q13B Frequency Percent		
Never heard of	59594	9.37
Never used	57E4	89.61
1-2 times	5336	0.84
3-10 times	727	0.11
11+ times	474	0.07

Frequency Missing = 28520.065715

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6
Spring 2010**

BEER USE IN PAST SCHOOL YEAR		
	Q13C Frequency	Percent
Never heard of	10915	1.76
Never used	554E3	89.32
1-2 times	43885	7.07
3-10 times	8740	1.41
11+ times	2754	0.44

Frequency Missing = 44238.032932

WINE COOLER USE IN PAST SCHOOL YEAR		
	Q13D Frequency	Percent
Never heard of	107E3	16.92
Never used	486E3	77.27
1-2 times	27308	4.34
3-10 times	6130	0.97
11+ times	3173	0.50

Frequency Missing = 35122.818466

WINE USE IN PAST SCHOOL YEAR		
	Q13E Frequency	Percent
Never heard of	19956	3.25
Never used	549E3	89.58
1-2 times	37193	6.06
3-10 times	4504	0.73
11+ times	2226	0.36

Frequency Missing = 51486.842516

LIQUOR USE IN PAST SCHOOL YEAR		
	Q13F Frequency	Percent
Never heard of	66972	10.69
Never used	534E3	85.27
1-2 times	19491	3.11
3-10 times	4181	0.67
11+ times	1611	0.26

Frequency Missing = 38341.983249

INHALANT USE IN PAST SCHOOL YEAR		
	Q13H Frequency	Percent
Never heard of	59909	9.55
Never used	542E3	86.42
1-2 times	18349	2.92
3-10 times	4436	0.71
11+ times	2480	0.40

Frequency Missing = 37398.191794

MARIJUANA USE IN PAST SCHOOL YEAR		
	Q13I Frequency	Percent
Never heard of	117E3	18.78
Never used	5E5	79.88
1-2 times	4693	0.75
3-10 times	1602	0.26
11+ times	2099	0.34

Frequency Missing = 38974.996013

AGE WHEN FIRST USED CIGARETTES		
	Q14A Frequency	Percent
7 or younger	6807	1.07
8 years old	4053	0.64
9 years old	5058	0.80
10 years old	5903	0.93
11 years old	5048	0.79
12 or older	3935	0.62
Never heard/used	605E3	95.16

Frequency Missing = 28910.949483

AGE WHEN FIRST USED SNUFF/CHEW TOBACCO		
	Q14B Frequency	Percent
7 or younger	2466	0.39
8 years old	1521	0.24
9 years old	1795	0.29
10 years old	2021	0.32
11 years old	1585	0.25
12 or older	1207	0.19
Never heard/used	617E3	98.31

Frequency Missing = 37093.433286

AGE WHEN FIRST USED BEER		
	Q14C Frequency	Percent
7 or younger	31057	5.04
8 years old	13058	2.12
9 years old	15079	2.45
10 years old	16491	2.68
11 years old	11652	1.89
12 or older	7478	1.21
Never heard/used	521E3	84.60

Frequency Missing = 48939.892653

AGE WHEN FIRST USED WINE COOLERS		
	Q14D Frequency	Percent
7 or younger	7928	1.27
8 years old	6374	1.02
9 years old	8394	1.35
10 years old	11036	1.77
11 years old	11339	1.82
12 or older	7160	1.15
Never heard/used	571E3	91.62

Frequency Missing = 41367.76365

AGE WHEN FIRST USED WINE		
	Q14E Frequency	Percent
7 or younger	9740	1.61
8 years old	7884	1.30
9 years old	12707	2.10
10 years old	13820	2.28
11 years old	13102	2.16
12 or older	7926	1.31
Never heard/used	541E3	89.25

Frequency Missing = 58659.434217

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6
Spring 2010**

AGE WHEN FIRST USED LIQUOR		
Q14F Frequency Percent		
7 or younger	4059	0.66
8 years old	3370	0.54
9 years old	5627	0.91
10 years old	7215	1.17
11 years old	9276	1.50
12 or older	6206	1.00
Never heard/used	583E3	94.22

Frequency Missing = 46159.620625

AGE WHEN FIRST USED INHALANTS		
Q14H Frequency Percent		
7 or younger	6095	0.99
8 years old	3296	0.53
9 years old	4616	0.75
10 years old	6791	1.10
11 years old	6506	1.05
12 or older	4074	0.66
Never heard/used	586E3	94.92

Frequency Missing = 46915.407414

AGE WHEN FIRST USED MARIJUANA		
Q14I Frequency Percent		
7 or younger	1666	0.27
8 years old	445	0.07
9 years old	1134	0.18
10 years old	1796	0.29
11 years old	2934	0.48
12 or older	3023	0.49
Never heard/used	603E3	98.21

Frequency Missing = 50607.207416

CLOSE FRIENDS USE CIGARETTES		
Q15A Frequency Percent		
Never heard of	26407	4.16
None	526E3	82.83
Some	75971	11.97
Most	6563	1.03

Frequency Missing = 30187.163411

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO		
Q15B Frequency Percent		
Never heard of	40036	6.43
None	549E3	88.25
Some	29759	4.78
Most	3385	0.54

Frequency Missing = 42099.849747

CLOSE FRIENDS USE BEER		
Q15C Frequency Percent		
Never heard of	11678	1.91
None	479E3	78.29
Some	102E3	16.58
Most	19697	3.22

Frequency Missing = 52327.454046

CLOSE FRIENDS USE WINE COOLERS		
Q15D Frequency Percent		
Never heard of	74654	12.09
None	479E3	77.51
Some	51406	8.32
Most	12857	2.08

Frequency Missing = 47098.831595

CLOSE FRIENDS USE WINE		
Q15E Frequency Percent		
Never heard of	17273	2.86
None	515E3	85.25
Some	62350	10.33
Most	9418	1.56

Frequency Missing = 61101.004812

CLOSE FRIENDS USE LIQUOR		
Q15F Frequency Percent		
Never heard of	49687	8.11
None	507E3	82.79
Some	45296	7.39
Most	10471	1.71

Frequency Missing = 52009.365197

CLOSE FRIENDS USE INHALANTS		
Q15H Frequency Percent		
Never heard of	48584	7.92
None	501E3	81.64
Some	50467	8.23
Most	13565	2.21

Frequency Missing = 51272.99632

CLOSE FRIENDS USE MARIJUANA		
Q15I Frequency Percent		
Never heard of	90942	14.74
None	48E4	77.81
Some	34980	5.67
Most	10982	1.78

Frequency Missing = 47846.919125

EVER BEEN OFFERED CIGARETTES		
Q16a	Frequency Percent	
Never heard of	28345	4.51
No	53E4	84.31
Yes	70210	11.18

Frequency Missing = 36549.208322

EVER BEEN OFFERED SNUFF/CHEWING TOBACCO		
Q16b	Frequency Percent	
Never heard of	41636	6.75
No	545E3	88.38
Yes	30054	4.87

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6
Spring 2010**

Frequency Missing = 47686.587092

EVER BEEN OFFERED BEER		
Q16c	Frequency	Percent
Never heard of	12665	2.07
No	481E3	78.73
Yes	117E3	19.19

Frequency Missing = 53811.844847

EVER BEEN OFFERED WINE COOLERS		
Q16d	Frequency	Percent
Never heard of	75222	12.39
No	48E4	79.11
Yes	51582	8.50

Frequency Missing = 57811.750788

EVER BEEN OFFERED WINE		
Q16e	Frequency	Percent
Never heard of	18382	3.07
No	512E3	85.51
Yes	68400	11.42

Frequency Missing = 65885.868775

EVER BEEN OFFERED LIQUOR		
Q16f	Frequency	Percent
Never heard of	47841	7.96
No	509E3	84.68
Yes	44223	7.36

Frequency Missing = 63714.874157

EVER BEEN OFFERED INHALANTS		
Q16h	Frequency	Percent
Never heard of	46235	7.66
No	516E3	85.57
Yes	40834	6.77

Frequency Missing = 61489.019907

EVER BEEN OFFERED MARIJUANA		
Q16i	Frequency	Percent
Never heard of	86704	14.34
No	483E3	79.98
Yes	34301	5.68

Frequency Missing = 60321.704328

IS ALCOHOL OBTAINED FROM HOME		
Q17a	Frequency	Percent
Do Not Drink	493E3	78.71
No	73792	11.79
Yes	59423	9.50

Frequency Missing = 38939.873529

IS ALCOHOL OBTAINED FROM FRIENDS		
Q17b	Frequency	Percent
Do Not Drink	488E3	79.77
No	104E3	17.00
Yes	19760	3.23

Frequency Missing = 53181.820202

IS ALCOHOL OBTAINED SOMEWHERE ELSE		
Q17c	Frequency	Percent
Do Not Drink	483E3	78.33
No	85963	13.94
Yes	47617	7.72

Frequency Missing = 48234.075433

DANGEROUS FOR KIDS TO USE CIGARETTES

Q18A Frequency Percent		
Very dangerous	411E3	64.83
Dangerous	161E3	25.32
Not at all	6967	1.10
Don't know	34991	5.52
Never heard of	20456	3.23

Frequency Missing = 30755.449754

DANGEROUS FOR KIDS TO USE SNUFF/CHEWING TOBACCO

Q18B Frequency Percent		
Very dangerous	417E3	66.96
Dangerous	127E3	20.40
Not at all	7495	1.20
Don't know	40055	6.43
Never heard of	31215	5.01

Frequency Missing = 41741.618295

DANGEROUS FOR KIDS TO USE BEER

Q18C Frequency Percent		
Very dangerous	318E3	51.84
Dangerous	199E3	32.52
Not at all	36117	5.89
Don't know	51997	8.48
Never heard of	7843	1.28

Frequency Missing = 51365.369411

DANGEROUS FOR KIDS TO USE WINE COOLERS

Q18D Frequency Percent		
Very dangerous	31E4	50.36
Dangerous	146E3	23.69
Not at all	28807	4.68
Don't know	66009	10.73
Never heard of	64830	10.54

Frequency Missing = 49452.890573

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6
Spring 2010**

DANGEROUS FOR KIDS TO USE WINE		
Q18E Frequency Percent		
Very dangerous	315E3	51.87
Dangerous	181E3	29.78
Not at all	41427	6.82
Don't know	58879	9.69
Never heard of	11155	1.84

Frequency Missing = 57340.170567

DANGEROUS FOR KIDS TO USE LIQUOR		
Q18F Frequency Percent		
Very dangerous	394E3	64.36
Dangerous	126E3	20.63
Not at all	13444	2.20
Don't know	42156	6.89
Never heard of	36121	5.91

Frequency Missing = 53328.98785

DANGEROUS FOR KIDS TO USE INHALANTS		
Q18H Frequency Percent		
Very dangerous	391E3	63.88
Dangerous	115E3	18.76
Not at all	17990	2.94
Don't know	52081	8.51
Never heard of	36145	5.91

Frequency Missing = 52814.421067

DANGEROUS FOR KIDS TO USE MARIJUANA		
Q18I Frequency Percent		
Very dangerous	444E3	71.77
Dangerous	57532	9.31
Not at all	8460	1.37
Don't know	34174	5.53
Never heard of	74319	12.02

Frequency Missing = 46560.736343

DRUG/ALCOHOL INFO FROM TEACHER		
Q19a Frequency Percent		
No	287E3	47.44
Yes	318E3	52.56

Frequency Missing = 58776.167228

DRUG/ALC INFO FROM VISITOR TO CLASS		
Q19b Frequency Percent		
No	322E3	53.76
Yes	277E3	46.24

Frequency Missing = 66187.446565

DRUG/ALC INFO FROM ASSEMBLY PROGRAM		
Q19c Frequency Percent		
No	281E3	47.07
Yes	315E3	52.93

Frequency Missing = 68858.57132

DRUG/ALC INFO FROM SCHOOL COUNSELOR		
Q19d Frequency Percent		
No	309E3	52.10
Yes	284E3	47.90

Frequency Missing = 71033.198091

DRUG/ALC INFO FROM SOMEONE ELSE AT SCHOOL		
Q19e Frequency Percent		
No	377E3	63.31
Yes	219E3	36.69

Frequency Missing = 69116.116808

BEER, TWO OR MORE AT ONE TIME		
Q20a Frequency Percent		
Never	552E3	87.54
1 time	45749	7.25
2 times	16679	2.64
3+ times	16151	2.56

Frequency Missing = 34059.427014

WINE COOLERS, TWO OR MORE AT ONE TIME		
Q20b Frequency Percent		
Never	58E4	93.67
1 time	20718	3.35
2 times	9545	1.54
3+ times	8950	1.45

Frequency Missing = 45665.443376

WINE, TWO OR MORE AT ONE TIME		
Q20c Frequency Percent		
Never	583E3	94.32
1 time	20322	3.29
2 times	6327	1.02
3+ times	8447	1.37

Frequency Missing = 46843.773671

LIQUOR, TWO OR MORE AT ONE TIME		
Q20d Frequency Percent		
Never	583E3	94.38
1 time	20025	3.24
2 times	6274	1.02
3+ times	8428	1.36

Frequency Missing = 46873.971053

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6
Spring 2010**

MISSED SCHOOL WITHOUT PARENT'S CONSENT		
Q21	Frequency	Percent
No	627E3	97.59
Yes	15457	2.41

Frequency Missing = 22228.988812

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q25 Frequency Percent		
Don't like it	539E3	84.20
Don't care	6668	1.04
Think it's O.K.	1878	0.29
Don't know	92564	14.46

Frequency Missing = 24718.136299

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
Q22	Frequency	Percent
No	491E3	76.50
Yes	151E3	23.50

Frequency Missing = 23378.469047

PARENTS FEEL ABOUT KIDS SMOKING CIGARETTES		
Q23 Frequency Percent		
Don't like it	557E3	86.99
Don't care	8989	1.40
Think it's O.K.	2000	0.31
Don't know	72388	11.30

Frequency Missing = 24061.307046

PARENTS FEEL ABOUT KIDS DRINKING BEER		
Q24 Frequency Percent		
Don't like it	524E3	81.74
Don't care	19055	2.97
Think it's O.K.	7703	1.20
Don't know	90210	14.08

Frequency Missing = 24080.582756

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district