

Texas School Survey of Drug and Alcohol Use: 2014

Non-Border Report Grades 7-12

Table of Contents

1	General Substance Use Tables	4
	Tobacco	5
	Alcohol	9
	Drugs	18
	Inhalants	33
	Miscellaneous	38
2	Prevalence Tables	45
	Table B-1: All Students	46
	Table B-2: Male Students	50
	Table B-3: Female Students	54
	Table B-4: White Students	58
	Table B-5: African/American Students	62
	Table B-6: Mexican/American Students	66
	Table B-7: Students Reporting A Grades	70
	Table B-8: Students Reporting Grades Lower Than an A	74
	Table B-9: Students Living With 2 Parents	78
	Table B-10: Students Not Living With 2 Parents	82
	Table B-11: Students who would seek help from adults for substance abuse problems	86
	Table B-12: Students who would not seek help from adults for substance abuse problems	90
3	Margin Tables	94

1 General Substance Use Tables

Tobacco

Table T-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	8.4%	11.9%	22.3%	77.8%
Grade 7	2.4%	3.5%	9.8%	90.2%
Grade 8	4.8%	7.1%	14.4%	85.6%
Grade 9	6.7%	10.4%	21.3%	78.7%
Grade 10	9.6%	13.9%	25.7%	74.3%
Grade 11	13.1%	18.1%	32.3%	67.7%
Grade 12	15.9%	20.9%	33.4%	66.6%
Cigarettes?				
All	6.4%	9.5%	19.6%	80.4%
Grade 7	1.7%	2.5%	8.5%	91.5%
Grade 8	3.7%	5.7%	12.8%	87.3%
Grade 9	4.7%	8.0%	18.8%	81.2%
Grade 10	7.0%	11.0%	22.6%	77.5%
Grade 11	10.4%	14.8%	28.3%	71.6%
Grade 12	12.8%	17.2%	29.6%	70.5%
Smokeless Tobacco?				
All	3.9%	5.6%	9.4%	90.6%
Grade 7	1.0%	1.6%	3.2%	96.8%
Grade 8	2.0%	3.0%	5.6%	94.4%
Grade 9	3.2%	4.7%	8.6%	91.3%
Grade 10	4.8%	6.7%	11.1%	88.8%
Grade 11	5.7%	8.3%	13.8%	86.2%
Grade 12	7.9%	10.5%	15.6%	84.4%

Table T-2: How often do you normally use tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	83.5%	2.0%	1.6%	2.1%	3.1%	2.8%	5.1%
Grade 7	95.0%	0.1%	0.4%	0.4%	1.1%	1.2%	1.7%
Grade 8	90.4%	0.3%	0.7%	1.0%	1.8%	2.3%	3.5%
Grade 9	85.5%	1.2%	0.9%	2.1%	2.7%	2.3%	5.4%
Grade 10	80.6%	2.1%	1.7%	2.3%	3.1%	4.1%	6.0%
Grade 11	74.6%	2.8%	2.8%	3.6%	5.4%	3.7%	7.0%
Grade 12	70.9%	6.3%	3.4%	3.5%	5.0%	3.4%	7.4%

Table T-3: Average age of first use of tobacco:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	11.0	11.4	12.3	13.2	13.9	14.8

Table T-4: If you wanted some, how difficult would it be to get tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	22.5%	21.4%	8.0%	10.3%	14.7%	23.1%
Grade 7	31.7%	37.4%	9.7%	8.1%	7.5%	5.6%
Grade 8	25.9%	28.9%	12.0%	10.8%	11.9%	10.5%
Grade 9	22.2%	22.2%	8.4%	12.7%	15.4%	19.2%
Grade 10	19.1%	16.9%	6.6%	12.4%	20.3%	24.8%
Grade 11	17.2%	11.3%	6.6%	10.6%	19.2%	35.0%
Grade 12	17.5%	7.9%	3.6%	6.5%	14.3%	50.2%

Table T-5: About how many of your close friends use tobacco?

	None	A Few	Some	Most	All
All	63.6%	21.0%	9.6%	4.8%	1.0%
Grade 7	85.8%	9.8%	3.2%	0.7%	0.4%
Grade 8	78.4%	14.6%	4.7%	1.9%	0.4%
Grade 9	63.4%	22.2%	9.4%	4.3%	0.8%
Grade 10	55.7%	25.9%	11.9%	5.6%	0.9%
Grade 11	48.7%	28.4%	13.8%	7.5%	1.6%
Grade 12	43.8%	27.3%	16.4%	10.1%	2.5%

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	77.6%	7.3%	6.2%	1.0%	0.8%	7.0%
Grade 7	85.8%	2.4%	2.1%	0.3%	1.1%	8.4%
Grade 8	84.0%	4.5%	3.5%	0.5%	0.4%	7.1%
Grade 9	80.1%	6.6%	5.2%	0.8%	1.1%	6.2%
Grade 10	77.5%	8.6%	6.8%	1.3%	0.3%	5.5%
Grade 11	71.4%	10.2%	8.9%	2.0%	0.7%	6.8%
Grade 12	63.0%	13.1%	12.5%	1.7%	1.6%	8.1%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	60.5%	23.7%	8.5%	2.4%	4.9%
Grade 7	76.5%	15.1%	3.1%	0.7%	4.5%
Grade 8	67.0%	22.0%	5.2%	1.3%	4.5%
Grade 9	62.4%	23.0%	7.8%	2.1%	4.7%
Grade 10	54.5%	27.4%	10.6%	2.9%	4.6%
Grade 11	50.5%	28.3%	12.4%	2.8%	6.0%
Grade 12	48.3%	28.0%	13.3%	5.0%	5.5%

Alcohol

Table A-1: How recently, if ever, have you used . . .

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	21.1%	30.0%	50.8%	49.3%
Grade 7	9.8%	12.5%	31.3%	68.7%
Grade 8	12.6%	19.6%	39.7%	60.3%
Grade 9	20.1%	28.8%	51.2%	48.8%
Grade 10	25.4%	36.5%	58.6%	41.4%
Grade 11	29.5%	41.4%	64.0%	36.0%
Grade 12	32.6%	45.7%	64.1%	36.0%
Beer?				
All	13.6%	20.6%	38.5%	61.6%
Grade 7	5.4%	7.2%	21.8%	78.1%
Grade 8	7.2%	12.1%	28.7%	71.4%
Grade 9	11.8%	18.5%	38.2%	61.8%
Grade 10	15.8%	24.8%	45.0%	55.0%
Grade 11	20.7%	30.9%	50.5%	49.6%
Grade 12	23.6%	34.0%	50.6%	49.5%
Wine Coolers?				
All	12.1%	18.5%	32.2%	67.8%
Grade 7	4.7%	5.9%	14.5%	85.4%
Grade 8	6.1%	10.6%	21.1%	79.0%
Grade 9	11.2%	17.5%	31.8%	68.1%
Grade 10	15.3%	23.4%	39.7%	60.3%
Grade 11	18.5%	27.6%	45.1%	54.9%
Grade 12	18.9%	29.4%	45.3%	54.8%
Wine?				
All	9.0%	15.0%	32.1%	67.9%
Grade 7	4.6%	6.5%	18.8%	81.2%
Grade 8	4.6%	8.8%	23.1%	76.9%
Grade 9	8.8%	14.9%	32.8%	67.2%
Grade 10	10.9%	18.4%	37.6%	62.3%
Grade 11	12.6%	20.5%	40.4%	59.6%
Grade 12	13.9%	23.4%	43.2%	56.9%
Liquor?				
All	13.6%	20.8%	35.2%	64.8%
Grade 7	3.4%	4.9%	12.0%	88.0%
Grade 8	6.8%	11.4%	22.2%	77.9%
Grade 9	12.5%	19.5%	34.4%	65.6%
Grade 10	17.0%	25.9%	44.2%	55.8%
Grade 11	21.2%	31.6%	50.8%	49.2%
Grade 12	24.0%	36.1%	53.6%	46.4%

Table A-2: How often do you normally use alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	58.2%	0.3%	2.1%	7.4%	11.7%	11.4%	8.9%
Grade 7	81.3%	0.1%	0.8%	1.7%	3.9%	5.9%	6.3%
Grade 8	70.5%	0.2%	1.4%	3.6%	6.6%	9.3%	8.4%
Grade 9	59.0%	0.4%	1.9%	6.8%	11.2%	11.4%	9.3%
Grade 10	49.3%	0.3%	2.0%	9.0%	15.3%	13.7%	10.4%
Grade 11	42.7%	0.3%	3.4%	11.4%	17.0%	14.8%	10.5%
Grade 12	40.9%	0.4%	3.6%	13.6%	18.5%	14.3%	8.6%

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer	All	61.7%	38.5%	8.7%	18.3%	11.5%
	Grade 7	78.0%	22.0%	1.9%	9.1%	11.0%
	Grade 8	70.1%	30.0%	3.3%	13.9%	12.8%
	Grade 9	62.7%	37.5%	7.1%	18.2%	12.2%
	Grade 10	55.5%	44.6%	10.6%	22.2%	11.8%
	Grade 11	50.3%	49.6%	14.3%	24.6%	10.7%
	Grade 12	49.5%	50.6%	17.0%	23.7%	9.9%
Wine Coolers	All	66.7%	33.4%	6.6%	19.2%	7.6%
	Grade 7	85.3%	14.7%	1.4%	6.6%	6.7%
	Grade 8	77.5%	22.6%	2.6%	12.3%	7.7%
	Grade 9	66.9%	33.1%	5.8%	18.9%	8.4%
	Grade 10	58.7%	41.2%	8.4%	24.8%	8.0%
	Grade 11	54.0%	46.1%	10.9%	27.7%	7.5%
	Grade 12	53.4%	46.7%	12.2%	27.3%	7.2%
Wine	All	68.1%	31.9%	2.4%	16.3%	13.2%
	Grade 7	81.5%	18.5%	0.8%	6.3%	11.4%
	Grade 8	75.4%	24.8%	1.5%	11.0%	12.3%
	Grade 9	68.3%	31.7%	2.3%	16.3%	13.1%
	Grade 10	61.9%	37.9%	3.4%	20.7%	13.8%
	Grade 11	59.5%	40.4%	3.2%	22.9%	14.3%
	Grade 12	58.8%	41.1%	3.7%	22.7%	14.7%
Liquor	All	64.2%	35.8%	8.6%	18.5%	8.7%
	Grade 7	87.0%	13.0%	1.5%	5.3%	6.2%
	Grade 8	77.4%	22.6%	3.5%	10.8%	8.3%
	Grade 9	65.8%	34.2%	7.3%	17.9%	9.0%
	Grade 10	54.6%	45.4%	11.5%	23.4%	10.5%
	Grade 11	48.7%	51.2%	13.9%	27.4%	9.9%
	Grade 12	46.4%	53.6%	15.9%	29.5%	8.2%

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	86.4%	5.0%	3.1%	2.8%	1.1%	1.7%
Grade 7	95.6%	2.2%	1.1%	0.5%	0.3%	0.5%
Grade 8	92.5%	3.2%	1.7%	1.1%	0.3%	1.2%
Grade 9	87.4%	5.0%	2.6%	2.3%	1.2%	1.4%
Grade 10	83.8%	5.1%	4.2%	3.4%	1.1%	2.3%
Grade 11	79.5%	7.0%	4.4%	4.9%	1.6%	2.6%
Grade 12	76.6%	8.6%	5.0%	5.1%	2.1%	2.7%

Table A-5: Average age of first use of alcohol:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	10.6	11.2	12.2	13.0	13.8	14.5

Table A-6: If you wanted some, how difficult would it be to get alcohol?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	18.2%	14.1%	6.1%	11.1%	19.6%	30.9%
Grade 7	27.5%	27.5%	8.8%	10.7%	12.0%	13.6%
Grade 8	21.9%	19.2%	8.4%	11.1%	17.2%	22.1%
Grade 9	17.6%	13.4%	5.7%	12.5%	19.8%	31.1%
Grade 10	14.3%	9.3%	4.7%	11.4%	22.7%	37.6%
Grade 11	12.6%	7.2%	4.2%	10.4%	22.9%	42.7%
Grade 12	13.6%	5.4%	4.1%	10.4%	24.2%	42.2%

Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	95.8%	3.3%	0.6%	0.4%
Grade 7	97.0%	2.4%	0.4%	0.2%
Grade 8	96.3%	2.7%	0.6%	0.4%
Grade 9	95.8%	3.4%	0.5%	0.4%
Grade 10	95.3%	3.6%	0.6%	0.4%
Grade 11	95.3%	3.7%	0.6%	0.4%
Grade 12	94.8%	4.0%	0.8%	0.5%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users	4.6
Alcohol Non-Users	3.4
Average days conduct problems reported	
Alcohol Users	2.6
Alcohol Non-Users	0.9

Table A-9: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	95.0%	3.9%	0.7%	0.4%
Grade 9	97.8%	1.9%	0.1%	0.1%
Grade 10	96.8%	2.6%	0.3%	0.4%
Grade 11	94.2%	4.7%	0.8%	0.4%
Grade 12	90.1%	7.1%	1.8%	0.9%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	96.0%	3.5%	0.4%	0.1%
Grade 7	98.3%	1.4%	0.2%	0.1%
Grade 8	96.9%	2.6%	0.3%	0.2%
Grade 9	96.0%	3.4%	0.5%	0.1%
Grade 10	95.8%	3.9%	0.2%	0.1%
Grade 11	94.9%	4.6%	0.4%	0.2%
Grade 12	93.4%	5.5%	0.8%	0.2%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	95.1%	4.3%	0.4%	0.2%
Grade 7	98.3%	1.5%	0.1%	0.1%
Grade 8	96.4%	3.3%	0.2%	0.1%
Grade 9	95.4%	4.0%	0.5%	0.2%
Grade 10	94.2%	5.2%	0.4%	0.3%
Grade 11	93.2%	5.8%	0.7%	0.3%
Grade 12	92.6%	6.4%	0.5%	0.5%

Table A-10: About how many of your close friends use alcohol?

	None	A Few	Some	Most	All
All	45.0%	23.4%	15.3%	12.8%	3.5%
Grade 7	75.1%	16.3%	5.2%	2.7%	0.7%
Grade 8	61.7%	21.3%	10.8%	4.9%	1.3%
Grade 9	42.2%	27.6%	16.2%	11.4%	2.6%
Grade 10	31.8%	27.9%	20.3%	16.2%	3.8%
Grade 11	27.0%	25.5%	20.4%	21.1%	5.9%
Grade 12	26.3%	21.6%	20.5%	24.0%	7.6%

Table A-11: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	46.2%	6.7%	5.3%	9.3%	12.3%	1.6%	18.6%
Grade 7	72.5%	5.3%	3.5%	3.0%	1.8%	1.9%	12.0%
Grade 8	61.3%	8.2%	5.1%	5.3%	2.8%	1.9%	15.3%
Grade 9	43.4%	7.6%	6.9%	10.2%	10.6%	1.4%	19.9%
Grade 10	33.8%	7.0%	5.8%	12.5%	15.8%	1.9%	23.2%
Grade 11	30.6%	6.8%	5.0%	13.2%	20.6%	1.7%	22.0%
Grade 12	29.8%	4.7%	5.7%	13.2%	25.9%	1.0%	19.7%

Table A-12: How often, if ever, do you get alcohol beverages from ...?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	54.7%	20.0%	17.3%	5.5%	2.5%
	Grade 7	68.4%	19.1%	9.0%	2.3%	1.2%
	Grade 8	62.4%	18.0%	14.0%	4.2%	1.4%
	Grade 9	54.6%	19.7%	18.3%	5.5%	2.0%
	Grade 10	49.8%	20.9%	19.2%	7.4%	2.7%
	Grade 11	46.6%	20.3%	22.8%	7.0%	3.3%
	Grade 12	43.0%	22.6%	22.2%	7.3%	4.9%
Friends?	All	53.7%	18.0%	13.5%	11.0%	3.7%
	Grade 7	70.9%	21.1%	4.6%	2.7%	0.8%
	Grade 8	64.5%	19.9%	8.9%	5.4%	1.4%
	Grade 9	54.7%	19.0%	14.4%	9.3%	2.7%
	Grade 10	47.2%	17.0%	17.3%	13.6%	4.9%
	Grade 11	42.2%	14.9%	18.7%	18.0%	6.2%
	Grade 12	38.5%	15.2%	18.9%	20.1%	7.2%
Store?	All	56.8%	34.3%	4.5%	2.8%	1.7%
	Grade 7	71.9%	25.7%	1.4%	0.6%	0.4%
	Grade 8	65.9%	30.0%	2.2%	1.2%	0.7%
	Grade 9	58.6%	34.9%	3.8%	1.6%	1.0%
	Grade 10	50.1%	39.2%	5.3%	3.2%	2.1%
	Grade 11	47.6%	37.9%	6.7%	4.5%	3.4%
	Grade 12	42.8%	39.3%	8.6%	6.4%	3.0%
Parties?	All	52.4%	16.1%	10.2%	11.1%	10.2%
	Grade 7	69.3%	19.1%	5.0%	4.6%	2.0%
	Grade 8	62.3%	17.2%	8.4%	7.5%	4.5%
	Grade 9	52.6%	15.3%	11.9%	11.6%	8.6%
	Grade 10	46.1%	14.6%	12.4%	13.8%	13.1%
	Grade 11	41.5%	14.9%	12.1%	15.6%	15.8%
	Grade 12	38.4%	14.9%	12.0%	15.0%	19.6%
Other Source?	All	56.8%	24.8%	9.4%	4.8%	4.3%
	Grade 7	70.8%	21.4%	4.5%	2.0%	1.4%
	Grade 8	65.0%	21.9%	7.0%	3.3%	2.8%
	Grade 9	57.6%	24.5%	9.5%	4.6%	3.8%
	Grade 10	50.7%	26.1%	11.7%	6.4%	5.1%
	Grade 11	47.9%	27.3%	12.3%	6.4%	6.2%
	Grade 12	45.2%	28.6%	12.2%	6.7%	7.3%

Table A-13: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	64.6%	13.3%	10.9%	3.6%	1.1%	6.6%
Grade 7	78.1%	6.7%	4.4%	0.9%	1.2%	8.6%
Grade 8	73.3%	10.0%	7.2%	2.0%	0.7%	6.8%
Grade 9	65.3%	13.9%	10.6%	3.3%	1.3%	5.5%
Grade 10	61.0%	15.2%	13.0%	5.2%	0.7%	4.9%
Grade 11	54.8%	16.6%	15.9%	5.4%	1.3%	6.0%
Grade 12	51.0%	18.8%	15.9%	5.0%	1.6%	7.7%

Table A-14: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	51.4%	29.8%	12.5%	2.4%	3.8%
Grade 7	65.2%	21.0%	8.5%	1.4%	3.9%
Grade 8	55.1%	26.4%	12.2%	2.2%	4.1%
Grade 9	51.0%	29.6%	13.7%	2.7%	2.9%
Grade 10	47.1%	33.4%	13.3%	2.8%	3.3%
Grade 11	42.6%	35.6%	14.3%	3.0%	4.3%
Grade 12	45.1%	34.7%	13.5%	2.5%	4.2%

Drugs

Table D-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Marijuana?				
All	8.9%	12.9%	22.9%	77.1%
Grade 7	2.7%	3.5%	6.7%	93.3%
Grade 8	4.2%	6.5%	12.4%	87.6%
Grade 9	7.8%	11.8%	21.1%	78.9%
Grade 10	10.4%	15.5%	28.4%	71.5%
Grade 11	15.4%	21.1%	35.3%	64.8%
Grade 12	14.7%	21.6%	37.7%	62.3%
Cocaine?				
All	0.5%	0.7%	1.7%	98.2%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.4%	0.6%	1.3%	98.8%
Grade 10	0.3%	0.5%	1.8%	98.2%
Grade 11	1.3%	1.9%	3.2%	96.9%
Grade 12	0.9%	1.2%	3.2%	96.8%
Crack?				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.2%	99.7%
Hallucinogens?				
All	0.8%	1.3%	2.6%	97.4%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.7%	1.3%	2.3%	97.7%
Grade 10	0.7%	1.2%	2.8%	97.2%
Grade 11	1.7%	2.6%	4.9%	95.1%
Grade 12	1.4%	2.4%	5.0%	95.1%
Rohypnol?				
All	0.3%	0.4%	0.8%	99.3%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.5%	0.9%	99.0%
Grade 10	0.4%	0.6%	0.8%	99.2%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.3%	0.4%	0.9%	99.1%

Table D-1: How recently, if ever, have you used ...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Steroids?				
All	0.4%	0.5%	1.1%	99.0%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.1%	0.2%	0.9%	99.1%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.5%	0.5%	0.9%	99.0%
Grade 12	0.5%	0.7%	1.3%	98.7%
Ecstasy?				
All	0.6%	1.0%	2.4%	97.6%
Grade 7	0.0%	0.1%	0.5%	99.4%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	0.6%	1.1%	2.2%	97.7%
Grade 10	0.5%	1.0%	2.5%	97.5%
Grade 11	1.5%	1.9%	4.2%	95.8%
Grade 12	0.9%	1.7%	4.1%	95.8%
Heroin?				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.5%	0.6%	0.8%	99.3%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.7%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.5%	99.5%
Methamphetamine?				
All	0.2%	0.3%	0.6%	99.3%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.4%	99.5%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.4%	0.5%	0.9%	99.2%
Grade 12	0.3%	0.7%	1.1%	98.9%
Synthetic Marijuana?				
All	1.6%	2.5%	6.1%	93.9%
Grade 7	0.7%	1.1%	2.0%	98.0%
Grade 8	1.3%	1.7%	3.9%	96.1%
Grade 9	1.8%	3.0%	6.1%	93.9%
Grade 10	2.0%	3.2%	7.7%	92.2%
Grade 11	1.7%	3.1%	8.9%	91.2%
Grade 12	1.9%	2.8%	9.1%	90.9%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	79.9%	1.9%	2.2%	3.4%	3.8%	4.1%	4.8%
	Grade 7	93.8%	0.3%	0.8%	0.8%	1.3%	1.1%	1.8%
	Grade 8	88.9%	0.6%	1.3%	2.3%	2.1%	2.0%	3.0%
	Grade 9	82.0%	1.7%	1.9%	3.4%	3.6%	3.3%	4.1%
	Grade 10	74.3%	1.8%	2.6%	3.7%	5.6%	5.5%	6.5%
	Grade 11	69.1%	3.3%	3.7%	5.4%	5.4%	6.5%	6.6%
	Grade 12	67.3%	4.0%	3.0%	5.4%	5.8%	6.9%	7.6%
Cocaine?								
	All	98.9%	0.1%	0.1%	0.1%	0.2%	0.3%	0.4%
	Grade 7	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.3%	0.0%	0.1%	0.0%	0.2%	0.2%	0.2%
	Grade 9	99.0%	0.2%	0.0%	0.1%	0.2%	0.2%	0.3%
	Grade 10	99.2%	0.0%	0.1%	0.0%	0.1%	0.3%	0.3%
	Grade 11	98.3%	0.1%	0.1%	0.1%	0.5%	0.5%	0.5%
	Grade 12	97.5%	0.2%	0.1%	0.2%	0.3%	0.5%	1.2%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.3%	0.1%	0.1%	0.1%	0.1%	0.1%	0.3%
	Grade 7	99.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.3%
	Grade 8	99.1%	0.1%	0.1%	0.1%	0.2%	0.1%	0.3%
	Grade 9	99.5%	0.1%	0.1%	0.0%	0.1%	0.0%	0.2%
	Grade 10	99.2%	0.1%	0.0%	0.2%	0.1%	0.1%	0.3%
	Grade 11	99.4%	0.1%	0.0%	0.0%	0.0%	0.3%	0.2%
	Grade 12	99.2%	0.1%	0.1%	0.0%	0.0%	0.0%	0.4%

**Table D-2: How often do you normally use ...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	98.2%	0.0%	0.0%	0.1%	0.3%	0.5%	0.8%
	Grade 7	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%
	Grade 8	98.8%	0.0%	0.1%	0.0%	0.3%	0.4%	0.4%
	Grade 9	98.3%	0.1%	0.0%	0.0%	0.4%	0.5%	0.7%
	Grade 10	98.2%	0.0%	0.0%	0.1%	0.2%	0.7%	0.8%
	Grade 11	96.9%	0.1%	0.0%	0.2%	0.9%	0.6%	1.2%
	Grade 12	97.0%	0.0%	0.0%	0.2%	0.2%	1.1%	1.5%
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.6%	0.1%	0.0%	0.1%	0.0%	0.1%	0.1%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 11	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
Synthetic Marijuana?								
	All	95.0%	0.2%	0.2%	0.5%	0.8%	1.0%	2.3%
	Grade 7	98.2%	0.2%	0.1%	0.2%	0.3%	0.3%	0.6%
	Grade 8	97.0%	0.1%	0.2%	0.4%	0.6%	0.7%	0.9%
	Grade 9	94.7%	0.2%	0.3%	0.7%	0.8%	1.2%	2.1%
	Grade 10	93.9%	0.1%	0.3%	0.8%	1.0%	1.3%	2.6%
	Grade 11	92.7%	0.1%	0.3%	0.6%	1.0%	1.4%	3.9%
	Grade 12	93.0%	0.3%	0.3%	0.2%	1.0%	1.2%	4.1%

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.5	12.2	12.9	13.8	14.4	15.1
Cocaine	11.6	12.9	13.4	14.2	15.1	16.1
Crack	12.1	12.7	12.3	12.3	13.9	14.4
Steroids	10.7	12.0	12.2	12.9	12.5	15.5
Ecstasy	11.5	12.7	13.7	14.5	15.1	16.0
Heroin	9.3	11.4	12.2	13.6	13.0	16.6
Methamphetamine	10.3	13.1	12.4	13.5	14.5	15.5
Synthetic Marijuana	11.9	12.7	13.2	14.3	15.1	15.8

Table D-4: Age of first use of marijuana by family situation

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17	
Two Parent Family									
All	82.8%	0.3%	0.3%	1.2%	4.6%	6.8%	3.8%	0.3%	
Grade 7	95.5%	0.1%	0.5%	1.3%	2.5%	0.0%	0.0%	0.0%	
Grade 8	91.6%	0.3%	0.3%	1.4%	4.8%	1.5%	0.0%	0.0%	
Grade 9	85.2%	0.2%	0.2%	1.2%	6.4%	6.6%	0.1%	0.0%	
Grade 10	78.2%	0.3%	0.1%	1.3%	5.7%	11.1%	3.2%	0.0%	
Grade 11	70.5%	0.4%	0.4%	1.0%	4.7%	13.3%	9.5%	0.2%	
Grade 12	69.5%	0.2%	0.2%	0.8%	2.9%	10.8%	13.5%	2.1%	
Other Family Situation									
All	69.0%	0.7%	0.7%	2.9%	9.5%	11.3%	5.6%	0.4%	
Grade 7	89.5%	0.4%	0.6%	3.3%	5.8%	0.4%	0.0%	0.0%	
Grade 8	80.2%	0.7%	1.0%	3.0%	12.1%	2.9%	0.0%	0.0%	
Grade 9	70.1%	0.7%	1.0%	4.2%	12.4%	11.3%	0.3%	0.0%	
Grade 10	63.0%	1.2%	0.2%	2.4%	9.6%	19.1%	4.2%	0.1%	
Grade 11	58.2%	0.5%	0.3%	2.4%	8.8%	17.0%	12.7%	0.1%	
Grade 12	53.6%	0.5%	1.0%	1.5%	7.9%	15.1%	17.7%	2.7%	

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	21.7%	23.8%	8.1%	9.6%	13.5%	23.3%
	Grade 7	32.6%	42.8%	7.9%	6.3%	4.4%	6.0%
	Grade 8	25.2%	33.4%	10.4%	9.0%	9.6%	12.4%
	Grade 9	20.2%	22.7%	9.1%	11.1%	14.5%	22.4%
	Grade 10	17.2%	16.8%	7.5%	11.8%	17.5%	29.2%
	Grade 11	15.5%	12.2%	6.8%	9.5%	18.2%	37.8%
	Grade 12	17.6%	10.6%	6.2%	10.2%	18.5%	36.9%
Cocaine	All	30.1%	35.6%	14.3%	10.0%	4.7%	5.3%
	Grade 7	37.2%	46.5%	9.9%	3.6%	1.2%	1.7%
	Grade 8	30.4%	43.0%	12.6%	7.5%	3.5%	3.1%
	Grade 9	29.1%	35.2%	14.3%	10.7%	5.1%	5.6%
	Grade 10	27.2%	32.0%	17.0%	12.6%	5.6%	5.7%
	Grade 11	27.3%	27.1%	17.1%	13.4%	6.3%	8.8%
	Grade 12	29.1%	26.9%	15.6%	13.2%	7.1%	8.1%
Crack	All	31.7%	36.4%	14.7%	8.7%	4.0%	4.5%
	Grade 7	38.5%	45.7%	9.1%	3.9%	1.0%	1.8%
	Grade 8	31.2%	43.2%	12.7%	6.6%	3.0%	3.3%
	Grade 9	30.5%	36.2%	14.6%	9.0%	4.7%	4.9%
	Grade 10	28.3%	33.9%	16.8%	11.0%	5.0%	4.9%
	Grade 11	29.5%	28.7%	18.7%	11.0%	5.2%	6.8%
	Grade 12	31.7%	28.1%	17.6%	11.5%	5.2%	5.9%
Steroids	All	32.7%	35.7%	14.2%	8.7%	4.3%	4.4%
	Grade 7	39.0%	44.3%	9.3%	3.4%	2.0%	2.0%
	Grade 8	32.6%	41.4%	13.3%	6.5%	3.6%	2.7%
	Grade 9	31.4%	35.9%	14.3%	9.5%	4.5%	4.4%
	Grade 10	29.2%	33.8%	15.3%	11.2%	5.5%	5.0%
	Grade 11	31.0%	28.6%	18.2%	10.7%	5.2%	6.3%
	Grade 12	33.1%	27.5%	15.8%	11.8%	5.3%	6.5%

**Table D-5: If you wanted some, how difficult would it be to get ...
(Continued)**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?							
	All	40.4%	29.0%	11.7%	8.2%	5.2%	5.4%
	Grade 7	58.4%	31.7%	4.9%	2.2%	1.1%	1.6%
	Grade 8	47.3%	32.4%	10.2%	5.2%	2.6%	2.2%
	Grade 9	37.6%	29.6%	12.0%	9.2%	6.1%	5.5%
	Grade 10	32.4%	30.1%	13.6%	11.4%	6.0%	6.4%
	Grade 11	31.4%	24.6%	15.5%	11.2%	8.7%	8.7%
	Grade 12	32.8%	23.9%	15.4%	11.2%	7.4%	9.3%
Heroin?							
	All	38.4%	36.7%	13.1%	5.7%	2.6%	3.4%
	Grade 7	50.2%	38.2%	6.3%	2.7%	0.8%	1.9%
	Grade 8	40.5%	40.9%	10.3%	4.3%	2.4%	1.7%
	Grade 9	36.8%	36.2%	13.3%	6.7%	3.3%	3.8%
	Grade 10	32.6%	37.6%	15.6%	7.5%	2.8%	3.9%
	Grade 11	34.3%	33.9%	16.3%	7.4%	3.3%	4.9%
	Grade 12	35.1%	32.4%	18.2%	6.2%	3.0%	5.1%
Methamphetamine?							
	All	40.6%	34.7%	12.4%	5.7%	2.7%	3.9%
	Grade 7	53.3%	35.5%	6.6%	2.0%	0.8%	1.8%
	Grade 8	44.9%	37.1%	9.6%	4.2%	2.0%	2.2%
	Grade 9	38.8%	35.2%	12.5%	6.3%	3.0%	4.1%
	Grade 10	34.4%	35.4%	14.5%	7.9%	3.6%	4.3%
	Grade 11	34.7%	32.6%	16.0%	7.2%	3.7%	5.9%
	Grade 12	35.6%	31.6%	16.8%	7.2%	3.3%	5.5%
Synthetic Marijuana?							
	All	39.9%	26.3%	9.1%	7.2%	7.6%	10.0%
	Grade 7	54.3%	32.1%	6.1%	2.6%	2.1%	2.8%
	Grade 8	45.8%	30.5%	8.6%	4.8%	5.0%	5.5%
	Grade 9	37.2%	27.3%	8.5%	7.8%	8.0%	11.2%
	Grade 10	33.1%	25.0%	10.3%	9.8%	9.7%	12.0%
	Grade 11	32.6%	20.5%	10.8%	9.5%	12.2%	14.4%
	Grade 12	34.2%	20.3%	11.2%	9.2%	9.3%	15.8%

Table D-6: Since school began in the fall, on how many days (if any) have you ...

	None	1-3 Days	4-9 Days	10+ Days
Attended Class While High From Marijuana Use?				
All	92.3%	4.5%	1.2%	2.0%
Grade 7	97.1%	2.1%	0.4%	0.4%
Grade 8	95.5%	3.3%	0.6%	0.7%
Grade 9	91.8%	4.5%	1.5%	2.1%
Grade 10	91.8%	4.9%	1.0%	2.4%
Grade 11	87.6%	6.7%	2.3%	3.4%
Grade 12	88.7%	6.0%	1.6%	3.7%
Attended Class While High From Use Of Some Other Drug?				
All	97.1%	1.9%	0.5%	0.5%
Grade 7	98.5%	1.0%	0.2%	0.2%
Grade 8	97.4%	1.9%	0.3%	0.5%
Grade 9	97.5%	1.9%	0.3%	0.4%
Grade 10	96.5%	1.9%	0.8%	0.7%
Grade 11	95.8%	2.9%	0.8%	0.4%
Grade 12	96.4%	2.0%	0.5%	1.1%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users	4.8
Marijuana Non-Users	3.6
Average days conduct problems reported	
Marijuana Users	3.7
Marijuana Non-Users	1.1

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	94.0%	3.9%	0.9%	1.3%
Grade 9	97.3%	2.1%	0.4%	0.2%
Grade 10	96.0%	2.6%	0.5%	0.9%
Grade 11	91.7%	5.3%	1.2%	1.7%
Grade 12	89.4%	6.0%	1.9%	2.7%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	96.0%	3.4%	0.4%	0.2%
Grade 7	97.6%	2.3%	0.1%	0.0%
Grade 8	96.5%	3.1%	0.3%	0.0%
Grade 9	94.8%	4.4%	0.4%	0.4%
Grade 10	95.8%	3.6%	0.5%	0.1%
Grade 11	95.3%	3.9%	0.3%	0.4%
Grade 12	95.8%	3.4%	0.5%	0.3%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	95.5%	3.5%	0.5%	0.4%
Grade 7	98.2%	1.5%	0.2%	0.1%
Grade 8	97.0%	2.3%	0.5%	0.2%
Grade 9	94.1%	4.7%	0.5%	0.7%
Grade 10	94.7%	4.1%	0.7%	0.5%
Grade 11	94.3%	4.5%	0.8%	0.4%
Grade 12	94.5%	4.4%	0.6%	0.5%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	All
All	53.4%	19.3%	12.9%	10.7%	3.7%
Grade 7	79.5%	11.3%	4.7%	3.4%	1.1%
Grade 8	67.0%	16.6%	8.5%	6.2%	1.7%
Grade 9	51.8%	20.9%	13.6%	10.4%	3.3%
Grade 10	42.7%	22.7%	17.0%	13.5%	4.1%
Grade 11	36.5%	23.3%	16.8%	16.8%	6.6%
Grade 12	37.3%	22.1%	18.4%	15.7%	6.5%

Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	53.5%	6.5%	5.2%	6.5%	7.5%	2.3%	18.5%
Grade 7	77.7%	3.5%	1.8%	1.9%	1.2%	1.8%	12.1%
Grade 8	68.5%	4.9%	3.5%	3.3%	2.5%	2.2%	15.1%
Grade 9	51.6%	7.7%	5.1%	6.7%	6.7%	2.3%	19.9%
Grade 10	42.5%	7.2%	6.8%	8.4%	9.1%	2.9%	23.2%
Grade 11	37.6%	8.4%	7.2%	8.8%	13.5%	2.6%	22.0%
Grade 12	37.9%	7.7%	7.2%	11.3%	14.5%	1.9%	19.5%

Table D-11: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	78.7%	6.3%	5.6%	1.4%	1.6%	6.4%
Grade 7	86.2%	2.0%	2.0%	0.4%	1.3%	8.1%
Grade 8	84.0%	3.9%	4.1%	0.8%	1.0%	6.1%
Grade 9	79.6%	6.7%	5.1%	1.2%	1.9%	5.5%
Grade 10	77.0%	8.0%	6.3%	2.0%	1.5%	5.2%
Grade 11	73.1%	8.3%	8.2%	2.4%	1.8%	6.3%
Grade 12	69.9%	10.2%	8.6%	2.2%	1.9%	7.3%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?	All	56.7%	13.8%	11.4%	14.0%	4.1%
	Grade 7	79.6%	9.0%	4.5%	2.7%	4.2%
	Grade 8	68.1%	13.5%	6.5%	7.8%	4.0%
	Grade 9	57.7%	13.6%	11.5%	13.4%	3.9%
	Grade 10	47.1%	16.5%	15.3%	17.9%	3.3%
	Grade 11	40.5%	15.6%	15.5%	23.7%	4.7%
	Grade 12	42.5%	15.1%	16.4%	21.4%	4.6%
Cocaine?	All	86.9%	6.5%	1.0%	0.6%	5.0%
	Grade 7	88.2%	5.2%	0.9%	0.5%	5.3%
	Grade 8	87.1%	6.3%	1.2%	0.5%	4.7%
	Grade 9	87.1%	6.6%	1.1%	0.7%	4.5%
	Grade 10	86.8%	7.9%	0.9%	0.5%	3.9%
	Grade 11	85.6%	7.1%	1.0%	0.6%	5.7%
	Grade 12	86.3%	6.1%	1.1%	0.5%	6.0%
Crack?	All	87.9%	5.6%	0.8%	0.6%	5.2%
	Grade 7	88.3%	4.8%	0.8%	0.5%	5.5%
	Grade 8	87.1%	6.2%	1.2%	0.6%	5.1%
	Grade 9	88.0%	5.8%	0.9%	0.7%	4.6%
	Grade 10	87.5%	6.9%	0.7%	0.6%	4.4%
	Grade 11	87.7%	5.5%	0.5%	0.6%	5.7%
	Grade 12	88.6%	4.1%	0.6%	0.5%	6.2%
Ecstasy?	All	80.8%	8.0%	2.3%	0.9%	8.1%
	Grade 7	83.1%	4.6%	0.9%	0.5%	10.9%
	Grade 8	81.9%	6.0%	1.5%	0.7%	9.9%
	Grade 9	80.7%	8.4%	2.8%	1.0%	7.0%
	Grade 10	79.8%	10.4%	2.7%	1.1%	6.0%
	Grade 11	78.5%	10.5%	3.0%	0.8%	7.2%
	Grade 12	80.2%	8.8%	2.9%	1.1%	7.0%

**Table D-12: How dangerous do you think it is for kids your age to use ...
(Continued)**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	79.5%	7.2%	2.6%	1.2%	9.5%
	Grade 7	83.3%	4.6%	1.1%	0.4%	10.5%
	Grade 8	81.2%	5.1%	1.7%	1.0%	11.1%
	Grade 9	80.1%	6.9%	2.7%	1.3%	9.1%
	Grade 10	77.6%	8.8%	3.3%	1.9%	8.4%
	Grade 11	76.6%	9.6%	3.0%	1.5%	9.3%
	Grade 12	77.1%	8.9%	4.1%	1.3%	8.6%
Steroids?	All	75.5%	13.2%	3.8%	1.2%	6.3%
	Grade 7	78.7%	10.7%	2.9%	0.7%	7.0%
	Grade 8	76.8%	12.0%	3.1%	1.3%	6.8%
	Grade 9	75.1%	14.1%	4.2%	1.2%	5.4%
	Grade 10	74.4%	14.6%	4.3%	1.5%	5.2%
	Grade 11	73.5%	14.8%	3.3%	1.5%	6.9%
	Grade 12	74.1%	13.4%	4.9%	1.0%	6.5%
Heroin?	All	87.9%	4.3%	0.7%	0.6%	6.5%
	Grade 7	85.6%	4.2%	0.6%	0.6%	9.0%
	Grade 8	86.8%	4.9%	0.8%	0.7%	6.8%
	Grade 9	87.9%	4.7%	0.9%	0.8%	5.7%
	Grade 10	89.0%	4.9%	0.7%	0.5%	5.0%
	Grade 11	88.9%	3.8%	0.6%	0.5%	6.2%
	Grade 12	89.5%	2.7%	0.7%	0.5%	6.6%
Methamphetamine?	All	87.9%	4.1%	0.8%	0.5%	6.8%
	Grade 7	86.3%	3.7%	0.7%	0.3%	9.0%
	Grade 8	86.1%	4.7%	1.0%	0.5%	7.8%
	Grade 9	88.2%	4.1%	0.9%	0.9%	5.9%
	Grade 10	89.2%	4.9%	0.7%	0.5%	4.7%
	Grade 11	88.8%	3.9%	0.5%	0.5%	6.3%
	Grade 12	89.2%	3.0%	0.6%	0.6%	6.7%
Synthetic Marijuana?	All	77.8%	8.4%	3.7%	1.6%	8.4%
	Grade 7	83.0%	5.4%	1.7%	0.6%	9.3%
	Grade 8	78.8%	7.4%	3.0%	1.7%	9.1%
	Grade 9	77.0%	9.2%	4.4%	1.9%	7.5%
	Grade 10	74.9%	10.4%	4.9%	2.5%	7.3%
	Grade 11	75.0%	10.0%	4.4%	1.8%	8.8%
	Grade 12	77.6%	8.0%	4.3%	1.3%	8.8%

Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.3%	7.3%	11.0%	89.1%
Grade 7	2.8%	3.8%	5.8%	94.1%
Grade 8	3.9%	5.2%	7.8%	92.3%
Grade 9	5.4%	7.1%	10.6%	89.4%
Grade 10	6.2%	8.8%	13.2%	86.8%
Grade 11	7.2%	10.0%	14.8%	85.2%
Grade 12	6.6%	9.7%	14.7%	85.3%
Oxycontin, Percodan, Percocet Or Oxycodone?				
All	1.4%	1.8%	2.6%	97.4%
Grade 7	0.3%	0.4%	0.6%	99.5%
Grade 8	0.5%	0.7%	1.2%	98.9%
Grade 9	1.1%	1.3%	2.0%	98.0%
Grade 10	2.1%	2.5%	3.5%	96.5%
Grade 11	2.5%	3.3%	4.8%	95.1%
Grade 12	2.2%	3.1%	4.3%	95.7%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	2.6%	3.9%	5.5%	94.5%
Grade 7	0.4%	0.5%	0.8%	99.1%
Grade 8	1.2%	1.8%	2.4%	97.6%
Grade 9	2.0%	2.8%	4.0%	96.0%
Grade 10	3.3%	4.6%	6.8%	93.1%
Grade 11	4.3%	6.9%	10.1%	89.8%
Grade 12	5.2%	7.7%	10.0%	90.0%
Valium Or Diazepam?				
All	0.6%	0.7%	1.0%	98.9%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.6%	0.8%	99.1%
Grade 10	0.7%	0.8%	1.1%	98.8%
Grade 11	0.9%	1.1%	1.9%	98.2%
Grade 12	1.1%	1.4%	1.8%	98.2%
Xanax Or Alprazolam?				
All	1.6%	2.2%	3.1%	96.9%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.6%	0.9%	1.5%	98.5%
Grade 9	1.4%	2.0%	2.7%	97.3%
Grade 10	2.0%	2.6%	3.6%	96.3%
Grade 11	2.6%	4.0%	6.1%	93.9%
Grade 12	3.0%	4.2%	5.2%	94.8%

Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.6%	2.2%	3.5%	96.4%
Grade 7	1.4%	1.7%	3.2%	96.8%
Grade 8	2.1%	2.8%	4.0%	96.1%
Grade 9	1.3%	1.8%	3.1%	97.0%
Grade 10	1.6%	2.6%	3.7%	96.3%
Grade 11	1.9%	2.5%	4.3%	95.8%
Grade 12	1.7%	2.4%	3.5%	96.5%

Inhalants

Table I-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	0.6%	0.8%	2.7%	97.3%
Grade 7	0.7%	1.0%	2.6%	97.4%
Grade 8	0.5%	0.9%	3.1%	96.8%
Grade 9	0.4%	0.7%	2.5%	97.5%
Grade 10	0.3%	0.4%	2.3%	97.7%
Grade 11	0.8%	0.9%	2.8%	97.3%
Grade 12	0.6%	0.8%	2.8%	97.2%
Whiteout, Correction Fluid, Magic Markers?				
All	1.5%	2.1%	6.2%	93.8%
Grade 7	2.7%	3.6%	7.8%	92.2%
Grade 8	1.5%	2.7%	8.2%	91.7%
Grade 9	1.6%	2.4%	7.0%	93.1%
Grade 10	1.0%	1.3%	5.5%	94.5%
Grade 11	0.8%	1.1%	4.1%	95.8%
Grade 12	0.9%	1.2%	3.8%	96.3%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.4%	0.5%	0.9%	99.0%
Grade 8	0.3%	0.5%	1.6%	98.3%
Grade 9	0.2%	0.4%	1.3%	98.8%
Grade 10	0.2%	0.5%	1.3%	98.8%
Grade 11	0.3%	0.4%	1.5%	98.5%
Grade 12	0.6%	0.9%	1.8%	98.3%
Helium, Butane, Propane, Whippets, Freon?				
All	1.7%	2.4%	6.0%	94.0%
Grade 7	2.2%	2.6%	6.3%	93.7%
Grade 8	1.6%	2.3%	6.2%	93.7%
Grade 9	1.8%	2.6%	7.3%	92.7%
Grade 10	1.8%	2.7%	6.4%	93.6%
Grade 11	1.5%	2.2%	5.5%	94.5%
Grade 12	1.2%	1.8%	4.0%	96.1%
Glue?				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	0.3%	0.6%	1.6%	98.4%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.2%	0.2%	0.6%	99.3%
Grade 11	0.2%	0.3%	1.1%	99.0%
Grade 12	0.0%	0.1%	0.7%	99.3%

**Table I-1: How recently, if ever, have you used ...
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.3%	0.5%	1.1%	98.9%
Grade 8	0.7%	0.8%	1.6%	98.3%
Grade 9	0.2%	0.3%	1.2%	98.8%
Grade 10	0.5%	0.7%	1.0%	99.0%
Grade 11	0.2%	0.3%	1.0%	99.0%
Grade 12	0.2%	0.3%	0.8%	99.2%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.6%	0.9%	2.2%	97.8%
Grade 8	0.8%	1.3%	3.1%	97.0%
Grade 9	0.6%	0.8%	1.9%	98.1%
Grade 10	0.9%	1.1%	2.1%	97.9%
Grade 11	0.5%	0.6%	1.3%	98.7%
Grade 12	0.5%	0.7%	2.1%	97.9%
Other Aerosols/Sprays?				
All	0.6%	0.9%	2.2%	97.8%
Grade 7	1.0%	1.4%	3.4%	96.7%
Grade 8	0.8%	1.3%	2.9%	97.1%
Grade 9	0.7%	0.9%	1.8%	98.3%
Grade 10	0.4%	0.7%	1.8%	98.2%
Grade 11	0.2%	0.3%	1.6%	98.5%
Grade 12	0.5%	0.8%	1.7%	98.3%
Any Inhalant?				
All	3.7%	5.0%	12.1%	88.0%
Grade 7	5.3%	6.5%	13.7%	86.3%
Grade 8	3.9%	6.0%	14.3%	85.7%
Grade 9	3.9%	5.2%	13.3%	86.7%
Grade 10	3.2%	4.3%	11.7%	88.4%
Grade 11	3.0%	4.0%	9.6%	90.4%
Grade 12	2.6%	3.6%	8.9%	91.2%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.5%	0.0%	0.2%	0.3%	0.5%	0.7%	1.8%
Grade 7	95.3%	0.1%	0.3%	0.4%	0.8%	1.0%	2.0%
Grade 8	95.0%	0.0%	0.1%	0.6%	0.8%	1.2%	2.3%
Grade 9	96.9%	0.0%	0.2%	0.3%	0.5%	0.6%	1.6%
Grade 10	97.5%	0.1%	0.0%	0.3%	0.4%	0.2%	1.6%
Grade 11	97.3%	0.0%	0.0%	0.1%	0.3%	0.6%	1.7%
Grade 12	97.5%	0.0%	0.2%	0.2%	0.2%	0.3%	1.6%

Table I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	88.1%	6.9%	3.7%	1.3%
Grade 7	86.5%	7.7%	4.1%	1.7%
Grade 8	85.8%	7.6%	4.7%	1.8%
Grade 9	86.8%	8.2%	3.6%	1.3%
Grade 10	88.4%	6.9%	3.7%	1.0%
Grade 11	90.5%	5.7%	2.6%	1.2%
Grade 12	91.3%	4.5%	3.4%	0.9%

Table I-4: Average age of first use of inhalants:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.5	11.2	11.3	12.0	12.5	13.6

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1 to 3 days	4 to 9 days	10+ days
All	99.1%	0.7%	0.1%	0.1%
Grade 7	99.0%	1.0%	0.0%	0.1%
Grade 8	98.5%	1.1%	0.2%	0.2%
Grade 9	99.0%	0.6%	0.2%	0.1%
Grade 10	99.1%	0.8%	0.0%	0.1%
Grade 11	99.5%	0.2%	0.2%	0.1%
Grade 12	99.4%	0.4%	0.1%	0.1%

Table I-6: School year use of inhalants by absences and conduct problems:

	Average days absent due to illness or other reasons
Inhalants Users	5.1
Inhalants Non-Users	3.7
	Average days conduct problems reported
Inhalants Users	3.9
Inhalants Non-Users	1.4

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	All
All	91.3%	6.2%	1.8%	0.5%	0.2%
Grade 7	90.6%	6.5%	2.1%	0.6%	0.2%
Grade 8	91.1%	6.4%	2.0%	0.3%	0.1%
Grade 9	90.3%	7.1%	1.7%	0.7%	0.2%
Grade 10	90.8%	6.5%	2.0%	0.5%	0.3%
Grade 11	91.6%	5.7%	2.1%	0.5%	0.1%
Grade 12	93.7%	4.5%	1.1%	0.5%	0.2%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	74.9%	13.3%	3.6%	1.2%	7.0%
Grade 7	76.1%	12.6%	3.2%	1.4%	6.6%
Grade 8	74.8%	13.8%	4.4%	1.0%	6.0%
Grade 9	75.6%	12.9%	3.7%	1.2%	6.6%
Grade 10	72.5%	15.3%	3.7%	1.5%	7.1%
Grade 11	73.8%	13.1%	4.0%	1.2%	7.8%
Grade 12	76.5%	12.2%	2.6%	0.7%	8.0%

Table I-9: If you wanted some, how difficult would it be to get inhalants?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.1%	16.9%	5.1%	6.7%	10.9%	27.3%
Grade 7	37.6%	24.8%	4.6%	6.1%	9.1%	17.8%
Grade 8	33.0%	20.2%	6.1%	6.6%	11.6%	22.5%
Grade 9	31.5%	18.6%	5.1%	7.3%	9.9%	27.7%
Grade 10	30.3%	13.1%	5.1%	8.1%	11.6%	31.8%
Grade 11	31.8%	12.6%	5.1%	6.1%	11.6%	32.7%
Grade 12	34.3%	9.9%	4.2%	6.0%	12.5%	33.2%

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

		Yes
A School Health Class		
	All	42.3%
	Grade 7	38.1%
	Grade 8	47.9%
	Grade 9	44.4%
	Grade 10	42.6%
	Grade 11	42.2%
	Grade 12	37.6%
An Assembly Program		
	All	42.9%
	Grade 7	48.7%
	Grade 8	50.4%
	Grade 9	40.0%
	Grade 10	38.3%
	Grade 11	37.8%
	Grade 12	41.5%
Guidance Counselor		
	All	24.3%
	Grade 7	29.3%
	Grade 8	34.3%
	Grade 9	23.3%
	Grade 10	19.3%
	Grade 11	18.6%
	Grade 12	19.4%
Science Or Social Studies Class		
	All	29.4%
	Grade 7	34.5%
	Grade 8	28.7%
	Grade 9	30.9%
	Grade 10	28.3%
	Grade 11	25.4%
	Grade 12	27.6%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?
(Continued)**

		Yes
Student Group Or Club Meeting At School		
	All	13.6%
	Grade 7	11.9%
	Grade 8	14.8%
	Grade 9	13.4%
	Grade 10	13.5%
	Grade 11	14.1%
	Grade 12	13.7%
An Invited School Guest		
	All	28.5%
	Grade 7	33.6%
	Grade 8	37.4%
	Grade 9	26.4%
	Grade 10	24.1%
	Grade 11	23.3%
	Grade 12	25.5%
Another Source At School		
	All	30.1%
	Grade 7	29.7%
	Grade 8	30.9%
	Grade 9	31.8%
	Grade 10	29.8%
	Grade 11	29.5%
	Grade 12	28.1%
Any School Source		
	All	67.5%
	Grade 7	71.4%
	Grade 8	74.6%
	Grade 9	67.6%
	Grade 10	64.8%
	Grade 11	63.2%
	Grade 12	62.0%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	36.5%
	Grade 7	50.4%
	Grade 8	42.4%
	Grade 9	35.7%
	Grade 10	29.8%
	Grade 11	27.9%
	Grade 12	30.3%
Another Adult In School		
	All	40.8%
	Grade 7	48.9%
	Grade 8	45.5%
	Grade 9	41.1%
	Grade 10	35.3%
	Grade 11	34.0%
	Grade 12	38.3%
Counselor/Program Outside-School		
	All	41.2%
	Grade 7	48.0%
	Grade 8	47.4%
	Grade 9	40.2%
	Grade 10	37.1%
	Grade 11	35.4%
	Grade 12	38.1%
Your Parents		
	All	65.8%
	Grade 7	75.6%
	Grade 8	68.0%
	Grade 9	64.6%
	Grade 10	62.4%
	Grade 11	61.8%
	Grade 12	60.7%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

		Yes
A Medical Doctor		
	All	51.9%
	Grade 7	63.5%
	Grade 8	57.5%
	Grade 9	49.9%
	Grade 10	48.9%
	Grade 11	42.9%
	Grade 12	46.5%
Your Friends		
	All	64.6%
	Grade 7	54.1%
	Grade 8	62.3%
	Grade 9	64.8%
	Grade 10	68.8%
	Grade 11	70.0%
	Grade 12	69.5%
Another Adult		
	All	61.0%
	Grade 7	62.5%
	Grade 8	62.5%
	Grade 9	62.0%
	Grade 10	61.2%
	Grade 11	58.6%
	Grade 12	58.7%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

		Yes
Sought Help For Drug/Alcohol Problem		
	All	6.2%
	Grade 7	6.5%
	Grade 8	6.5%
	Grade 9	6.7%
	Grade 10	6.2%
	Grade 11	6.6%
	Grade 12	4.5%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	4.7%	22.9%	25.3%	36.1%	11.0%
Grade 7	5.6%	20.7%	21.0%	36.1%	16.7%
Grade 8	4.8%	19.2%	23.6%	38.8%	13.6%
Grade 9	4.2%	24.2%	26.9%	35.1%	9.5%
Grade 10	3.8%	26.3%	26.1%	35.6%	8.3%
Grade 11	4.4%	23.8%	28.5%	34.6%	8.7%
Grade 12	5.9%	23.1%	26.5%	36.2%	8.4%
Sometimes Carry Weapons?					
All	67.4%	19.7%	8.1%	3.7%	1.1%
Grade 7	81.7%	12.3%	4.2%	1.4%	0.4%
Grade 8	74.8%	17.1%	5.5%	1.6%	1.0%
Grade 9	66.7%	20.6%	7.6%	4.1%	1.0%
Grade 10	62.3%	22.2%	9.3%	4.9%	1.2%
Grade 11	59.5%	22.9%	11.3%	4.6%	1.7%
Grade 12	56.3%	24.4%	11.7%	5.8%	1.7%
Care About Making Good Grades?					
All	2.1%	11.8%	21.0%	43.9%	21.1%
Grade 7	2.2%	12.4%	19.5%	39.8%	26.1%
Grade 8	2.2%	10.3%	19.4%	42.5%	25.7%
Grade 9	1.8%	13.3%	23.1%	42.6%	19.2%
Grade 10	2.2%	12.9%	22.8%	46.5%	15.7%
Grade 11	1.8%	11.4%	21.5%	46.0%	19.4%
Grade 12	2.9%	10.3%	19.1%	47.3%	20.4%
Belong/Want To Belong To A Gang?					
All	82.8%	11.2%	3.8%	1.4%	0.8%
Grade 7	85.2%	9.5%	3.4%	1.4%	0.5%
Grade 8	84.9%	10.6%	2.7%	0.8%	0.8%
Grade 9	78.8%	13.3%	4.8%	2.2%	0.9%
Grade 10	82.1%	11.8%	3.7%	1.7%	0.6%
Grade 11	82.3%	11.5%	4.5%	1.1%	0.7%
Grade 12	83.7%	10.2%	3.6%	1.1%	1.3%
Wish They Could Drop Out Of School?					
All	61.8%	24.8%	8.1%	3.2%	2.1%
Grade 7	70.1%	18.5%	7.0%	3.0%	1.5%
Grade 8	64.2%	25.2%	6.5%	2.4%	1.7%
Grade 9	58.0%	27.5%	8.6%	3.7%	2.2%
Grade 10	56.9%	27.2%	9.9%	3.9%	2.2%
Grade 11	56.9%	27.6%	9.5%	3.3%	2.8%
Grade 12	65.1%	22.7%	7.0%	3.0%	2.2%

Table X-5: How safe to do you feel when you are:

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?						
	All	84.5%	13.6%	0.9%	0.2%	0.8%
	Grade 7	84.4%	13.9%	0.8%	0.1%	0.8%
	Grade 8	83.6%	14.5%	0.9%	0.2%	0.8%
	Grade 9	83.5%	14.5%	0.9%	0.3%	0.8%
	Grade 10	84.0%	13.9%	1.0%	0.2%	0.9%
	Grade 11	85.3%	12.6%	1.1%	0.1%	0.8%
	Grade 12	86.7%	11.3%	0.7%	0.6%	0.7%
Out In Your Neighborhood?						
	All	42.2%	46.8%	7.0%	1.5%	2.4%
	Grade 7	36.8%	50.2%	8.9%	1.5%	2.6%
	Grade 8	41.1%	47.3%	7.7%	1.4%	2.5%
	Grade 9	40.8%	48.6%	6.6%	1.6%	2.3%
	Grade 10	42.3%	47.6%	6.2%	1.3%	2.6%
	Grade 11	45.4%	43.5%	7.3%	1.7%	2.1%
	Grade 12	48.9%	42.4%	5.1%	1.7%	1.9%
At School?						
	All	42.3%	43.9%	7.3%	3.2%	3.3%
	Grade 7	45.9%	41.9%	6.4%	2.8%	2.9%
	Grade 8	45.7%	40.4%	7.0%	3.3%	3.6%
	Grade 9	38.0%	46.5%	8.6%	2.9%	3.9%
	Grade 10	38.7%	48.0%	7.2%	2.9%	3.2%
	Grade 11	40.3%	44.6%	7.4%	4.1%	3.5%
	Grade 12	45.6%	41.7%	6.8%	3.5%	2.4%

2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.4%	11.9%	22.3%	77.8%
	Grade 7	2.4%	3.5%	9.8%	90.2%
	Grade 8	4.8%	7.1%	14.4%	85.6%
	Grade 9	6.7%	10.4%	21.3%	78.7%
	Grade 10	9.6%	13.9%	25.7%	74.3%
	Grade 11	13.1%	18.1%	32.3%	67.7%
	Grade 12	15.9%	20.9%	33.4%	66.6%
Alcohol	All	21.1%	30.0%	50.8%	49.3%
	Grade 7	9.8%	12.5%	31.3%	68.7%
	Grade 8	12.6%	19.6%	39.7%	60.3%
	Grade 9	20.1%	28.8%	51.2%	48.8%
	Grade 10	25.4%	36.5%	58.6%	41.4%
	Grade 11	29.5%	41.4%	64.0%	36.0%
	Grade 12	32.6%	45.7%	64.1%	36.0%
Inhalants	All	3.7%	5.0%	12.1%	88.0%
	Grade 7	5.3%	6.5%	13.7%	86.3%
	Grade 8	3.9%	6.0%	14.3%	85.7%
	Grade 9	3.9%	5.2%	13.3%	86.7%
	Grade 10	3.2%	4.3%	11.7%	88.4%
	Grade 11	3.0%	4.0%	9.6%	90.4%
	Grade 12	2.6%	3.6%	8.9%	91.2%
Any Illicit Drug	All	9.6%	13.6%	23.7%	76.3%
	Grade 7	3.2%	4.2%	7.7%	92.3%
	Grade 8	4.8%	7.3%	13.7%	86.4%
	Grade 9	8.7%	12.7%	21.9%	78.1%
	Grade 10	11.1%	16.1%	29.3%	70.6%
	Grade 11	16.3%	22.0%	36.1%	63.9%
	Grade 12	15.4%	22.3%	38.2%	61.9%
Marijuana	All	8.9%	12.9%	22.9%	77.1%
	Grade 7	2.7%	3.5%	6.7%	93.3%
	Grade 8	4.2%	6.5%	12.4%	87.6%
	Grade 9	7.8%	11.8%	21.1%	78.9%
	Grade 10	10.4%	15.5%	28.4%	71.5%
	Grade 11	15.4%	21.1%	35.3%	64.8%
	Grade 12	14.7%	21.6%	37.7%	62.3%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.3%	6.8%	14.0%	85.9%
Grade 7	1.4%	1.8%	4.0%	96.0%
Grade 8	1.7%	3.2%	7.3%	92.7%
Grade 9	4.2%	6.7%	13.2%	86.9%
Grade 10	5.3%	8.6%	18.3%	81.7%
Grade 11	7.4%	11.1%	21.1%	78.8%
Grade 12	7.1%	11.6%	23.7%	76.4%
Cocaine Or Crack				
All	0.6%	0.8%	1.9%	98.0%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.5%	0.7%	1.4%	98.7%
Grade 10	0.3%	0.5%	2.0%	98.0%
Grade 11	1.3%	1.9%	3.3%	96.6%
Grade 12	1.0%	1.3%	3.4%	96.6%
Cocaine				
All	0.5%	0.7%	1.7%	98.2%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.4%	0.6%	1.3%	98.8%
Grade 10	0.3%	0.5%	1.8%	98.2%
Grade 11	1.3%	1.9%	3.2%	96.9%
Grade 12	0.9%	1.2%	3.2%	96.8%
Crack				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.2%	99.7%
Hallucinogens				
All	0.8%	1.3%	2.6%	97.4%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.7%	1.3%	2.3%	97.7%
Grade 10	0.7%	1.2%	2.8%	97.2%
Grade 11	1.7%	2.6%	4.9%	95.1%
Grade 12	1.4%	2.4%	5.0%	95.1%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.8%	99.3%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.1%	0.2%	0.6%	99.4%
	Grade 9	0.3%	0.5%	0.9%	99.0%
	Grade 10	0.4%	0.6%	0.8%	99.2%
	Grade 11	0.4%	0.4%	0.7%	99.3%
	Grade 12	0.3%	0.4%	0.9%	99.1%
Steroids	All	0.4%	0.5%	1.1%	99.0%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	0.4%	0.5%	1.2%	98.8%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.5%	0.5%	1.1%	98.9%
	Grade 11	0.5%	0.5%	0.9%	99.0%
	Grade 12	0.5%	0.7%	1.3%	98.7%
Ecstasy	All	0.6%	1.0%	2.4%	97.6%
	Grade 7	0.0%	0.1%	0.5%	99.4%
	Grade 8	0.3%	0.4%	1.3%	98.7%
	Grade 9	0.6%	1.1%	2.2%	97.7%
	Grade 10	0.5%	1.0%	2.5%	97.5%
	Grade 11	1.5%	1.9%	4.2%	95.8%
	Grade 12	0.9%	1.7%	4.1%	95.8%
Heroin	All	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.5%	0.6%	0.8%	99.3%
	Grade 8	0.0%	0.1%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.2%	99.7%
	Grade 10	0.1%	0.1%	0.3%	99.7%
	Grade 11	0.1%	0.1%	0.2%	99.8%
	Grade 12	0.3%	0.3%	0.5%	99.5%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.6%	2.5%	6.1%	93.9%
Grade 7	0.7%	1.1%	2.0%	98.0%
Grade 8	1.3%	1.7%	3.9%	96.1%
Grade 9	1.8%	3.0%	6.1%	93.9%
Grade 10	2.0%	3.2%	7.7%	92.2%
Grade 11	1.7%	3.1%	8.9%	91.2%
Grade 12	1.9%	2.8%	9.1%	90.9%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.3%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.4%	99.5%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.4%	0.5%	0.9%	99.2%
Grade 12	0.3%	0.7%	1.1%	98.9%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.6%	13.4%	23.9%	76.1%
	Grade 7	2.6%	3.7%	10.2%	89.9%
	Grade 8	5.0%	8.0%	15.1%	85.0%
	Grade 9	8.0%	12.2%	23.2%	76.8%
	Grade 10	10.0%	14.8%	25.8%	74.2%
	Grade 11	15.1%	19.5%	33.9%	66.1%
	Grade 12	19.2%	25.0%	39.0%	61.0%
Alcohol	All	20.2%	28.3%	48.6%	51.5%
	Grade 7	9.3%	11.5%	30.3%	69.7%
	Grade 8	11.1%	18.0%	38.3%	61.7%
	Grade 9	18.6%	26.9%	48.8%	51.1%
	Grade 10	22.3%	32.6%	54.8%	45.2%
	Grade 11	28.5%	39.5%	59.3%	40.7%
	Grade 12	34.9%	45.7%	63.7%	36.2%
Inhalants	All	3.6%	4.6%	10.9%	89.1%
	Grade 7	4.8%	5.8%	11.8%	88.2%
	Grade 8	3.3%	4.8%	12.6%	87.4%
	Grade 9	3.5%	4.6%	11.9%	88.0%
	Grade 10	2.8%	3.5%	10.4%	89.5%
	Grade 11	3.3%	4.0%	8.5%	91.5%
	Grade 12	3.5%	4.5%	9.6%	90.4%
Any Illicit Drug	All	10.1%	14.1%	24.7%	75.3%
	Grade 7	3.7%	4.6%	8.2%	91.8%
	Grade 8	4.7%	7.3%	13.8%	86.3%
	Grade 9	8.6%	12.9%	22.9%	77.0%
	Grade 10	10.8%	14.9%	28.4%	71.6%
	Grade 11	16.3%	22.2%	37.9%	62.0%
	Grade 12	18.9%	26.2%	42.3%	57.8%
Marijuana	All	9.1%	13.2%	23.9%	76.1%
	Grade 7	3.2%	4.0%	7.5%	92.4%
	Grade 8	4.0%	6.7%	12.7%	87.3%
	Grade 9	7.6%	11.9%	22.1%	77.9%
	Grade 10	9.7%	14.1%	27.4%	72.7%
	Grade 11	15.1%	20.9%	37.1%	62.9%
	Grade 12	17.5%	25.0%	41.5%	58.6%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.2%	6.5%	13.7%	86.3%
Grade 7	1.8%	2.2%	4.4%	95.7%
Grade 8	1.8%	3.5%	7.7%	92.3%
Grade 9	4.0%	6.4%	12.9%	87.2%
Grade 10	4.7%	7.2%	16.7%	83.3%
Grade 11	6.0%	9.2%	20.0%	80.0%
Grade 12	7.8%	12.1%	23.2%	76.8%
Cocaine Or Crack				
All	0.8%	1.1%	2.4%	97.5%
Grade 7	0.3%	0.3%	0.5%	99.4%
Grade 8	0.4%	0.4%	1.0%	98.9%
Grade 9	0.4%	0.7%	1.7%	98.4%
Grade 10	0.5%	0.8%	2.6%	97.5%
Grade 11	2.0%	3.0%	5.0%	95.1%
Grade 12	1.7%	2.2%	4.8%	95.2%
Cocaine				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.3%	0.6%	1.5%	98.5%
Grade 10	0.5%	0.8%	2.5%	97.6%
Grade 11	2.0%	2.8%	4.7%	95.2%
Grade 12	1.5%	2.0%	4.5%	95.5%
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.5%	99.4%
Hallucinogens				
All	1.1%	1.8%	3.6%	96.4%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.8%	1.6%	3.0%	97.0%
Grade 10	1.0%	1.5%	3.2%	96.8%
Grade 11	2.3%	3.6%	7.1%	92.8%
Grade 12	2.2%	3.6%	7.5%	92.5%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.8%	99.2%
	Grade 7	0.1%	0.2%	0.5%	99.6%
	Grade 8	0.1%	0.2%	0.5%	99.4%
	Grade 9	0.1%	0.4%	1.0%	99.0%
	Grade 10	0.6%	0.7%	0.8%	99.1%
	Grade 11	0.2%	0.2%	0.7%	99.3%
	Grade 12	0.5%	0.6%	1.0%	99.0%
	Steroids	All	0.5%	0.6%	1.2%
Grade 7		0.2%	0.3%	0.6%	99.4%
Grade 8		0.4%	0.5%	1.2%	98.8%
Grade 9		0.2%	0.2%	0.8%	99.2%
Grade 10		0.8%	0.9%	1.7%	98.3%
Grade 11		0.6%	0.7%	1.4%	98.6%
Grade 12		0.9%	1.3%	1.9%	98.2%
Ecstasy		All	0.7%	1.1%	2.6%
	Grade 7	0.1%	0.3%	0.8%	99.3%
	Grade 8	0.4%	0.4%	1.5%	98.5%
	Grade 9	0.6%	1.2%	2.5%	97.5%
	Grade 10	0.7%	1.2%	2.6%	97.4%
	Grade 11	1.2%	1.5%	4.1%	95.8%
	Grade 12	1.5%	2.3%	5.0%	94.9%
	Heroin	All	0.2%	0.2%	0.4%
Grade 7		0.4%	0.5%	0.6%	99.4%
Grade 8		0.1%	0.1%	0.2%	99.8%
Grade 9		0.0%	0.0%	0.2%	99.7%
Grade 10		0.2%	0.2%	0.4%	99.6%
Grade 11		0.2%	0.2%	0.3%	99.7%
Grade 12		0.5%	0.5%	0.9%	99.1%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.8%	2.8%	7.0%	93.0%
Grade 7	0.9%	1.4%	2.3%	97.8%
Grade 8	1.5%	1.7%	4.2%	95.9%
Grade 9	1.6%	2.9%	6.5%	93.4%
Grade 10	2.2%	3.4%	8.2%	91.8%
Grade 11	2.1%	3.6%	10.4%	89.5%
Grade 12	2.5%	3.8%	11.8%	88.2%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.4%	0.6%	99.5%
Grade 8	0.1%	0.3%	0.9%	99.2%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.3%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.4%	0.5%	1.1%	98.9%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.1%	10.3%	20.6%	79.4%
	Grade 7	2.1%	3.2%	9.4%	90.6%
	Grade 8	4.6%	6.2%	13.5%	86.4%
	Grade 9	5.3%	8.4%	19.4%	80.5%
	Grade 10	9.1%	12.8%	25.5%	74.5%
	Grade 11	11.1%	16.7%	30.5%	69.4%
	Grade 12	12.4%	16.7%	27.7%	72.3%
Alcohol	All	22.0%	31.6%	53.0%	47.0%
	Grade 7	10.3%	13.5%	32.3%	67.7%
	Grade 8	14.0%	21.2%	41.4%	58.7%
	Grade 9	21.5%	30.4%	53.5%	46.5%
	Grade 10	28.3%	40.1%	62.3%	37.7%
	Grade 11	30.8%	43.6%	68.9%	31.0%
	Grade 12	30.0%	45.3%	64.0%	35.9%
Inhalants	All	3.8%	5.3%	13.1%	86.8%
	Grade 7	5.8%	7.1%	15.5%	84.5%
	Grade 8	4.4%	7.1%	16.0%	84.0%
	Grade 9	4.2%	5.6%	14.5%	85.6%
	Grade 10	3.7%	5.1%	13.0%	87.0%
	Grade 11	2.8%	4.1%	10.8%	89.2%
	Grade 12	1.5%	2.4%	7.8%	92.1%
Any Illicit Drug	All	9.0%	13.1%	22.7%	77.4%
	Grade 7	2.7%	3.8%	7.2%	92.8%
	Grade 8	5.0%	7.4%	13.6%	86.4%
	Grade 9	8.7%	12.3%	20.6%	79.3%
	Grade 10	11.5%	17.4%	30.3%	69.6%
	Grade 11	16.1%	21.8%	34.3%	65.7%
	Grade 12	11.6%	18.0%	33.7%	66.3%
Marijuana	All	8.5%	12.4%	21.7%	78.2%
	Grade 7	2.1%	2.8%	5.7%	94.3%
	Grade 8	4.4%	6.5%	12.2%	87.8%
	Grade 9	7.9%	11.6%	20.1%	80.0%
	Grade 10	11.2%	17.1%	29.7%	70.3%
	Grade 11	15.6%	21.3%	33.4%	66.6%
	Grade 12	11.6%	17.8%	33.6%	66.4%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	4.5%	7.3%	14.6%	85.5%
	Grade 7	1.0%	1.4%	3.7%	96.4%
	Grade 8	1.6%	3.0%	7.0%	93.0%
	Grade 9	4.2%	6.8%	13.3%	86.7%
	Grade 10	5.9%	9.9%	20.0%	80.0%
	Grade 11	8.7%	13.0%	22.3%	77.7%
	Grade 12	6.2%	10.7%	23.9%	76.1%
Cocaine Or Crack	All	0.4%	0.6%	1.5%	98.5%
	Grade 7	0.2%	0.3%	0.8%	99.3%
	Grade 8	0.4%	0.7%	2.2%	97.7%
	Grade 9	0.5%	0.6%	1.0%	99.0%
	Grade 10	0.2%	0.3%	1.3%	98.7%
	Grade 11	0.6%	0.9%	1.8%	98.1%
	Grade 12	0.3%	0.5%	2.0%	98.0%
Cocaine	All	0.4%	0.5%	1.2%	98.8%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.4%	0.6%	1.6%	98.4%
	Grade 9	0.5%	0.6%	1.0%	99.0%
	Grade 10	0.2%	0.3%	1.0%	99.0%
	Grade 11	0.6%	0.9%	1.5%	98.5%
	Grade 12	0.3%	0.5%	2.0%	98.0%
Crack	All	0.1%	0.1%	0.5%	99.5%
	Grade 7	0.0%	0.1%	0.5%	99.5%
	Grade 8	0.3%	0.4%	1.4%	98.6%
	Grade 9	0.1%	0.1%	0.2%	99.8%
	Grade 10	0.0%	0.0%	0.4%	99.5%
	Grade 11	0.0%	0.0%	0.4%	99.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.5%	0.8%	1.7%	98.3%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.3%	0.3%	1.0%	98.9%
	Grade 9	0.6%	0.9%	1.5%	98.5%
	Grade 10	0.5%	0.9%	2.4%	97.6%
	Grade 11	1.0%	1.5%	2.5%	97.4%
	Grade 12	0.6%	1.2%	2.2%	97.9%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.8%	99.3%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.1%	0.1%	0.6%	99.3%
	Grade 9	0.6%	0.8%	1.0%	99.1%
	Grade 10	0.3%	0.5%	0.8%	99.2%
	Grade 11	0.5%	0.6%	0.8%	99.3%
	Grade 12	0.1%	0.1%	0.7%	99.3%
	Steroids	All	0.2%	0.2%	0.8%
Grade 7		0.1%	0.1%	0.6%	99.4%
Grade 8		0.4%	0.4%	1.2%	98.7%
Grade 9		0.1%	0.2%	1.0%	99.0%
Grade 10		0.2%	0.2%	0.5%	99.5%
Grade 11		0.5%	0.5%	0.7%	99.3%
Grade 12		0.1%	0.1%	0.8%	99.2%
Ecstasy		All	0.5%	0.9%	2.1%
	Grade 7	0.0%	0.1%	0.4%	99.6%
	Grade 8	0.1%	0.3%	1.0%	99.0%
	Grade 9	0.7%	0.9%	1.9%	98.0%
	Grade 10	0.2%	0.7%	2.4%	97.5%
	Grade 11	1.9%	2.3%	4.3%	95.7%
	Grade 12	0.2%	1.1%	3.0%	97.0%
	Heroin	All	0.1%	0.1%	0.3%
Grade 7		0.5%	0.5%	0.8%	99.2%
Grade 8		0.0%	0.1%	0.2%	99.7%
Grade 9		0.0%	0.0%	0.3%	99.7%
Grade 10		0.1%	0.1%	0.3%	99.8%
Grade 11		0.0%	0.0%	0.1%	99.9%
Grade 12		0.0%	0.0%	0.0%	99.9%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.3%	2.1%	5.2%	94.7%
Grade 7	0.5%	0.8%	1.6%	98.3%
Grade 8	1.2%	1.8%	3.6%	96.4%
Grade 9	1.8%	2.8%	5.5%	94.5%
Grade 10	1.9%	3.2%	7.5%	92.5%
Grade 11	1.2%	2.4%	7.2%	92.8%
Grade 12	1.3%	1.9%	6.6%	93.5%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.5%	99.6%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.5%	99.4%
Grade 11	0.4%	0.4%	0.8%	99.1%
Grade 12	0.3%	1.0%	1.1%	98.9%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.8%	13.9%	23.3%	76.7%
	Grade 7	1.9%	2.6%	6.3%	93.7%
	Grade 8	4.0%	6.8%	12.7%	87.3%
	Grade 9	8.6%	13.3%	23.2%	76.9%
	Grade 10	12.1%	17.6%	30.0%	69.9%
	Grade 11	15.3%	20.8%	34.4%	65.6%
	Grade 12	20.6%	27.0%	39.9%	60.1%
Alcohol	All	19.6%	29.1%	48.6%	51.4%
	Grade 7	4.9%	7.3%	23.1%	76.9%
	Grade 8	9.3%	17.1%	35.7%	64.3%
	Grade 9	19.5%	28.5%	49.1%	50.9%
	Grade 10	25.4%	37.7%	58.2%	41.7%
	Grade 11	29.7%	42.3%	65.3%	34.6%
	Grade 12	35.1%	49.9%	69.4%	30.6%
Inhalants	All	2.6%	4.0%	10.6%	89.4%
	Grade 7	2.6%	3.4%	8.8%	91.2%
	Grade 8	2.3%	4.0%	11.5%	88.4%
	Grade 9	3.5%	4.8%	12.8%	87.2%
	Grade 10	3.8%	5.7%	12.8%	87.2%
	Grade 11	1.7%	3.1%	8.6%	91.4%
	Grade 12	1.4%	2.9%	8.7%	91.3%
Any Illicit Drug	All	7.5%	11.5%	19.4%	80.6%
	Grade 7	1.4%	2.0%	3.1%	96.9%
	Grade 8	2.7%	4.2%	8.7%	91.3%
	Grade 9	7.5%	11.3%	17.5%	82.5%
	Grade 10	9.4%	14.8%	26.7%	73.3%
	Grade 11	13.3%	19.7%	31.4%	68.7%
	Grade 12	13.7%	21.5%	36.4%	63.6%
Marijuana	All	7.1%	11.1%	18.9%	81.2%
	Grade 7	1.1%	1.5%	2.5%	97.5%
	Grade 8	2.4%	3.8%	8.0%	92.0%
	Grade 9	6.8%	10.7%	16.8%	83.1%
	Grade 10	9.0%	14.2%	26.0%	73.9%
	Grade 11	12.8%	19.0%	30.6%	69.4%
	Grade 12	13.1%	21.2%	36.2%	63.8%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	3.1%	5.4%	11.1%	89.0%
	Grade 7	0.7%	0.9%	1.5%	98.4%
	Grade 8	1.3%	2.2%	5.5%	94.5%
	Grade 9	3.3%	5.2%	9.1%	90.9%
	Grade 10	3.5%	6.5%	15.2%	84.8%
	Grade 11	5.1%	9.5%	17.8%	82.2%
	Grade 12	5.4%	9.7%	21.1%	78.9%
Cocaine Or Crack					
	All	0.4%	0.6%	1.3%	98.7%
	Grade 7	0.1%	0.2%	0.3%	99.7%
	Grade 8	0.3%	0.4%	0.5%	99.4%
	Grade 9	0.3%	0.5%	0.9%	99.1%
	Grade 10	0.2%	0.3%	1.5%	98.6%
	Grade 11	0.6%	1.2%	2.3%	97.7%
	Grade 12	0.9%	1.0%	3.0%	96.9%
Cocaine					
	All	0.3%	0.4%	1.1%	98.8%
	Grade 7	0.1%	0.1%	0.1%	99.8%
	Grade 8	0.0%	0.1%	0.3%	99.7%
	Grade 9	0.3%	0.5%	0.9%	99.2%
	Grade 10	0.2%	0.3%	1.5%	98.6%
	Grade 11	0.6%	1.0%	2.1%	98.0%
	Grade 12	0.7%	0.8%	2.8%	97.2%
Crack					
	All	0.1%	0.2%	0.4%	99.7%
	Grade 7	0.1%	0.2%	0.2%	99.8%
	Grade 8	0.3%	0.3%	0.4%	99.5%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	0.0%	0.0%	0.3%	99.6%
	Grade 11	0.0%	0.2%	0.5%	99.5%
	Grade 12	0.3%	0.3%	0.5%	99.6%
Hallucinogens					
	All	0.7%	1.5%	3.1%	97.0%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.0%	0.2%	0.8%	99.3%
	Grade 9	0.7%	1.7%	3.2%	96.8%
	Grade 10	1.0%	1.9%	3.7%	96.3%
	Grade 11	1.3%	2.5%	5.6%	94.3%
	Grade 12	1.3%	2.8%	5.7%	94.3%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.3%	0.5%	99.6%
	Grade 7	0.0%	0.1%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.1%	0.4%	0.7%	99.4%
	Grade 10	0.4%	0.4%	0.6%	99.4%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.3%	0.3%	0.8%	99.3%
Steroids	All	0.3%	0.4%	1.0%	99.0%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	0.3%	0.4%	1.1%	98.9%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.4%	0.4%	0.9%	99.1%
	Grade 11	0.9%	0.9%	1.5%	98.6%
	Grade 12	0.4%	0.7%	1.2%	98.8%
Ecstasy	All	0.5%	1.0%	2.2%	97.7%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.7%	1.4%	2.7%	97.3%
	Grade 10	0.4%	1.4%	2.5%	97.5%
	Grade 11	1.1%	1.6%	4.0%	96.0%
	Grade 12	0.8%	1.9%	4.6%	95.3%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.2%	0.3%	0.4%	99.7%
	Grade 8	0.0%	0.1%	0.2%	99.8%
	Grade 9	0.0%	0.1%	0.2%	99.8%
	Grade 10	0.2%	0.2%	0.3%	99.7%
	Grade 11	0.1%	0.1%	0.2%	99.7%
	Grade 12	0.1%	0.1%	0.4%	99.5%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.0%	1.9%	5.6%	94.4%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.7%	2.0%	98.1%
Grade 9	1.2%	2.5%	5.7%	94.3%
Grade 10	1.8%	3.8%	8.7%	91.3%
Grade 11	1.4%	2.7%	8.6%	91.4%
Grade 12	1.1%	1.8%	9.8%	90.2%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.5%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.3%	0.4%	99.5%
Grade 11	0.2%	0.2%	0.8%	99.1%
Grade 12	0.3%	0.4%	0.7%	99.3%

Table B-5: Prevalence and recency of use of selected substances by grade African/American Students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	4.5%	6.4%	15.4%	84.6%
	Grade 7	1.5%	2.5%	10.4%	89.6%
	Grade 8	1.4%	2.8%	9.1%	90.8%
	Grade 9	3.5%	4.9%	14.1%	85.9%
	Grade 10	4.2%	6.0%	14.7%	85.3%
	Grade 11	7.8%	12.1%	22.2%	77.8%
	Grade 12	7.7%	9.4%	20.8%	79.3%
Alcohol	All	18.4%	26.2%	49.9%	50.1%
	Grade 7	13.4%	15.2%	38.5%	61.6%
	Grade 8	8.8%	16.1%	38.2%	61.8%
	Grade 9	17.2%	24.1%	49.7%	50.3%
	Grade 10	19.8%	28.7%	55.9%	44.0%
	Grade 11	20.3%	32.5%	54.5%	45.4%
	Grade 12	28.1%	36.8%	57.3%	42.7%
Inhalants	All	3.0%	3.8%	10.0%	90.1%
	Grade 7	5.6%	5.8%	13.7%	86.3%
	Grade 8	2.5%	5.6%	10.8%	89.2%
	Grade 9	3.9%	4.4%	12.2%	87.7%
	Grade 10	2.5%	2.7%	9.9%	90.1%
	Grade 11	2.3%	2.9%	7.0%	93.0%
	Grade 12	1.3%	1.6%	5.7%	94.2%
Any Illicit Drug	All	10.1%	14.9%	26.3%	73.6%
	Grade 7	5.7%	7.1%	11.5%	88.5%
	Grade 8	2.3%	7.2%	11.5%	88.4%
	Grade 9	8.5%	11.9%	22.9%	77.1%
	Grade 10	9.9%	13.7%	28.0%	71.9%
	Grade 11	16.0%	23.6%	37.2%	62.8%
	Grade 12	16.5%	24.1%	42.0%	57.9%
Marijuana	All	9.2%	14.1%	25.6%	74.4%
	Grade 7	4.5%	5.5%	9.3%	90.7%
	Grade 8	1.8%	6.0%	9.9%	90.1%
	Grade 9	7.7%	11.5%	22.5%	77.5%
	Grade 10	9.1%	13.3%	28.0%	72.1%
	Grade 11	14.6%	22.5%	36.9%	63.1%
	Grade 12	15.9%	24.0%	42.1%	57.9%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	5.8%	9.6%	19.4%	80.6%
	Grade 7	2.7%	3.2%	6.5%	93.5%
	Grade 8	1.7%	4.8%	8.6%	91.4%
	Grade 9	5.5%	8.4%	17.4%	82.6%
	Grade 10	5.8%	8.8%	21.2%	78.8%
	Grade 11	10.3%	16.6%	27.6%	72.4%
	Grade 12	7.9%	14.6%	31.2%	68.8%
Cocaine Or Crack	All	0.4%	0.4%	0.8%	99.2%
	Grade 7	0.2%	0.3%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.5%	0.5%	0.6%	99.4%
	Grade 10	0.1%	0.1%	1.0%	99.0%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.8%	0.8%	1.9%	98.1%
Cocaine	All	0.3%	0.3%	0.7%	99.3%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.4%	0.4%	0.5%	99.5%
	Grade 10	0.1%	0.1%	1.0%	99.0%
	Grade 11	0.5%	0.5%	0.5%	99.5%
	Grade 12	0.8%	0.8%	1.9%	98.1%
Crack	All	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.0%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.5%	0.5%	0.6%	99.4%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.5%	0.6%	1.5%	98.4%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.2%	0.3%	1.0%	99.0%
	Grade 10	0.6%	0.7%	1.9%	98.2%
	Grade 11	1.0%	1.6%	2.4%	97.6%
	Grade 12	1.4%	1.4%	3.5%	96.5%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.3%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.3%	0.3%	1.0%	99.0%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids	All	0.4%	0.5%	1.4%	98.6%
	Grade 7	0.5%	0.5%	0.7%	99.3%
	Grade 8	0.9%	1.4%	2.4%	97.6%
	Grade 9	0.2%	0.2%	0.9%	99.1%
	Grade 10	0.7%	0.7%	2.2%	97.8%
	Grade 11	0.0%	0.2%	0.3%	99.7%
	Grade 12	0.4%	0.4%	1.8%	98.1%
Ecstasy	All	0.6%	0.8%	1.8%	98.3%
	Grade 7	0.0%	0.4%	0.7%	99.3%
	Grade 8	0.1%	0.3%	0.3%	99.7%
	Grade 9	0.8%	0.8%	1.5%	98.5%
	Grade 10	1.1%	1.1%	2.2%	97.9%
	Grade 11	0.8%	1.0%	2.9%	97.1%
	Grade 12	0.6%	0.8%	2.4%	97.6%
Heroin	All	0.2%	0.2%	0.3%	99.7%
	Grade 7	1.0%	1.0%	1.0%	99.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.4%	99.6%
	Grade 10	0.0%	0.0%	0.1%	99.9%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.3%	0.3%	0.3%	99.7%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.4%	2.1%	4.4%	95.7%
Grade 7	1.6%	2.4%	2.8%	97.2%
Grade 8	0.5%	0.5%	2.0%	98.0%
Grade 9	0.5%	0.9%	3.2%	96.7%
Grade 10	1.1%	1.7%	4.7%	95.3%
Grade 11	1.4%	2.8%	5.8%	94.2%
Grade 12	3.1%	3.8%	7.0%	93.1%
Methamphetamine				
All	0.1%	0.5%	0.7%	99.2%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.0%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	2.0%	2.4%	97.6%

Table B-6: Prevalence and recency of use of selected substances by grade Mexican/American Students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.8%	12.4%	24.5%	75.4%
	Grade 7	3.3%	4.8%	13.6%	86.4%
	Grade 8	6.6%	8.9%	18.3%	81.7%
	Grade 9	6.3%	10.1%	23.3%	76.6%
	Grade 10	10.4%	14.9%	27.0%	73.0%
	Grade 11	13.6%	18.6%	35.2%	64.7%
	Grade 12	15.9%	21.5%	35.0%	65.0%
Alcohol	All	24.1%	33.0%	54.2%	45.7%
	Grade 7	13.9%	17.2%	38.4%	61.7%
	Grade 8	17.0%	24.1%	45.1%	54.9%
	Grade 9	22.8%	32.3%	55.5%	44.6%
	Grade 10	28.5%	39.4%	61.1%	38.9%
	Grade 11	33.5%	45.3%	67.5%	32.5%
	Grade 12	34.1%	47.1%	63.7%	36.4%
Inhalants	All	5.0%	6.3%	14.2%	85.7%
	Grade 7	7.7%	9.5%	18.6%	81.4%
	Grade 8	5.7%	8.0%	18.7%	81.3%
	Grade 9	4.2%	5.5%	14.1%	85.9%
	Grade 10	3.3%	4.1%	10.8%	89.3%
	Grade 11	4.7%	5.4%	11.3%	88.7%
	Grade 12	3.7%	4.5%	9.9%	90.1%
Any Illicit Drug	All	11.5%	15.5%	27.6%	72.3%
	Grade 7	4.4%	5.7%	11.5%	88.4%
	Grade 8	7.6%	10.4%	19.7%	80.2%
	Grade 9	10.5%	15.3%	26.7%	73.4%
	Grade 10	13.4%	18.5%	33.0%	67.0%
	Grade 11	19.8%	24.4%	41.0%	59.1%
	Grade 12	16.2%	22.6%	40.5%	59.4%
Marijuana	All	10.6%	14.5%	26.5%	73.5%
	Grade 7	3.9%	5.1%	10.6%	89.4%
	Grade 8	6.7%	9.6%	18.2%	81.8%
	Grade 9	9.3%	13.8%	25.7%	74.3%
	Grade 10	12.5%	17.9%	31.9%	68.1%
	Grade 11	18.5%	23.0%	39.4%	60.6%
	Grade 12	15.4%	21.3%	39.9%	60.1%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	5.2%	7.6%	15.7%	84.2%
	Grade 7	1.8%	2.3%	6.0%	94.0%
	Grade 8	2.2%	4.0%	9.3%	90.7%
	Grade 9	4.8%	7.8%	15.8%	84.1%
	Grade 10	7.1%	10.8%	21.0%	79.0%
	Grade 11	9.0%	11.1%	22.3%	77.7%
	Grade 12	8.2%	12.2%	24.3%	75.7%
Cocaine Or Crack	All	1.0%	1.4%	3.3%	96.8%
	Grade 7	0.5%	0.5%	1.2%	98.8%
	Grade 8	0.7%	1.0%	3.4%	96.6%
	Grade 9	0.7%	1.0%	2.2%	97.8%
	Grade 10	0.6%	1.0%	3.2%	96.8%
	Grade 11	2.2%	3.3%	5.4%	94.6%
	Grade 12	1.3%	2.0%	4.9%	95.1%
Cocaine	All	0.9%	1.3%	2.9%	97.1%
	Grade 7	0.3%	0.3%	0.7%	99.3%
	Grade 8	0.7%	0.8%	2.6%	97.4%
	Grade 9	0.6%	0.9%	2.1%	97.9%
	Grade 10	0.6%	1.0%	2.8%	97.3%
	Grade 11	2.2%	3.2%	5.2%	94.7%
	Grade 12	1.3%	2.0%	4.8%	95.2%
Crack	All	0.2%	0.3%	0.8%	99.3%
	Grade 7	0.2%	0.2%	0.6%	99.3%
	Grade 8	0.4%	0.6%	1.7%	98.3%
	Grade 9	0.1%	0.1%	0.2%	99.8%
	Grade 10	0.1%	0.2%	0.9%	99.0%
	Grade 11	0.1%	0.1%	0.6%	99.4%
	Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens	All	0.9%	1.3%	2.5%	97.5%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.8%	0.8%	1.8%	98.2%
	Grade 9	0.8%	1.2%	1.9%	98.1%
	Grade 10	0.6%	0.9%	2.3%	97.7%
	Grade 11	1.8%	2.7%	4.7%	95.3%
	Grade 12	1.4%	2.4%	4.6%	95.4%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.7%	1.3%	98.8%
	Grade 7	0.2%	0.3%	0.9%	99.1%
	Grade 8	0.3%	0.4%	1.3%	98.6%
	Grade 9	0.6%	0.8%	1.3%	98.8%
	Grade 10	0.8%	1.2%	1.5%	98.5%
	Grade 11	0.6%	0.7%	1.2%	98.8%
	Grade 12	0.4%	0.5%	1.3%	98.8%
Steroids	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.1%	0.1%	0.6%	99.4%
	Grade 8	0.4%	0.4%	1.1%	98.9%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.5%	0.5%	0.8%	99.2%
	Grade 11	0.3%	0.3%	0.8%	99.2%
	Grade 12	0.4%	0.7%	1.2%	98.8%
Ecstasy	All	0.7%	1.1%	2.7%	97.3%
	Grade 7	0.1%	0.3%	1.0%	99.0%
	Grade 8	0.4%	0.6%	2.1%	97.9%
	Grade 9	0.5%	0.9%	2.0%	98.0%
	Grade 10	0.4%	0.7%	2.5%	97.5%
	Grade 11	2.2%	2.5%	5.0%	94.9%
	Grade 12	1.1%	2.1%	4.6%	95.4%
Heroin	All	0.2%	0.2%	0.5%	99.5%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.2%	0.2%	0.4%	99.6%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.5%	0.5%	0.8%	99.3%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.2%	3.2%	7.3%	92.7%
Grade 7	1.2%	1.7%	3.1%	96.9%
Grade 8	2.2%	2.8%	6.3%	93.7%
Grade 9	2.8%	4.4%	7.8%	92.1%
Grade 10	2.8%	3.7%	7.9%	92.1%
Grade 11	1.9%	3.3%	10.4%	89.6%
Grade 12	2.2%	3.4%	9.6%	90.3%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.2%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	1.2%	98.8%
Grade 9	0.2%	0.2%	0.6%	99.5%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.7%	0.9%	1.0%	99.0%
Grade 12	0.5%	0.6%	0.9%	99.1%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	4.3%	6.2%	13.6%	86.3%
	Grade 7	0.7%	1.3%	4.5%	95.5%
	Grade 8	1.9%	2.5%	6.7%	93.4%
	Grade 9	3.0%	4.6%	12.2%	87.7%
	Grade 10	4.7%	7.7%	16.1%	83.9%
	Grade 11	7.8%	10.8%	22.4%	77.6%
	Grade 12	9.7%	13.2%	24.9%	75.1%
Alcohol	All	14.4%	22.7%	41.2%	58.7%
	Grade 7	6.2%	7.9%	22.6%	77.4%
	Grade 8	6.9%	13.8%	29.7%	70.3%
	Grade 9	15.3%	23.0%	43.7%	56.4%
	Grade 10	17.7%	29.1%	49.4%	50.6%
	Grade 11	20.2%	31.5%	53.1%	46.8%
	Grade 12	24.7%	38.0%	57.6%	42.3%
Inhalants	All	1.8%	2.7%	7.7%	92.4%
	Grade 7	1.4%	2.5%	6.7%	93.3%
	Grade 8	2.0%	3.0%	9.5%	90.6%
	Grade 9	1.7%	2.6%	8.1%	91.9%
	Grade 10	2.0%	3.0%	9.3%	90.7%
	Grade 11	2.1%	2.8%	6.6%	93.4%
	Grade 12	1.5%	2.0%	5.4%	94.6%
Any Illicit Drug	All	5.0%	7.4%	13.8%	86.2%
	Grade 7	1.3%	1.6%	3.4%	96.6%
	Grade 8	1.3%	2.4%	4.8%	95.1%
	Grade 9	4.3%	7.0%	10.9%	89.2%
	Grade 10	5.6%	8.6%	19.2%	80.8%
	Grade 11	8.7%	12.1%	22.6%	77.4%
	Grade 12	10.7%	15.8%	27.7%	72.3%
Marijuana	All	4.6%	7.1%	13.2%	86.8%
	Grade 7	1.1%	1.4%	2.9%	97.1%
	Grade 8	1.1%	2.1%	4.3%	95.7%
	Grade 9	3.8%	6.5%	9.9%	90.1%
	Grade 10	5.1%	8.4%	18.3%	81.7%
	Grade 11	7.7%	10.9%	21.4%	78.6%
	Grade 12	10.7%	15.9%	27.7%	72.3%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.4%	4.1%	8.9%	91.0%
Grade 7	0.7%	0.9%	2.1%	97.9%
Grade 8	0.7%	1.5%	3.4%	96.6%
Grade 9	2.8%	4.7%	7.6%	92.3%
Grade 10	2.2%	4.3%	11.9%	88.1%
Grade 11	3.8%	6.1%	13.7%	86.3%
Grade 12	5.3%	9.0%	18.7%	81.4%
Cocaine Or Crack				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.4%	0.6%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.7%	99.2%
Grade 11	0.3%	0.7%	1.1%	99.0%
Grade 12	0.4%	0.6%	1.5%	98.6%
Cocaine				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.3%	0.5%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.3%	0.7%	0.8%	99.3%
Grade 12	0.2%	0.4%	1.3%	98.7%
Crack				
All	0.0%	0.0%	0.1%	99.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.3%	99.6%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens				
All	0.5%	0.9%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.2%	99.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.6%	99.3%
Grade 10	0.6%	1.3%	2.5%	97.6%
Grade 11	1.3%	2.1%	3.2%	96.9%
Grade 12	0.9%	1.8%	2.7%	97.4%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.2%	0.4%	99.6%
	Grade 7	0.0%	0.1%	0.3%	99.7%
	Grade 8	0.1%	0.2%	0.5%	99.5%
	Grade 9	0.1%	0.1%	0.2%	99.8%
	Grade 10	0.1%	0.1%	0.1%	99.8%
	Grade 11	0.1%	0.1%	0.6%	99.4%
	Grade 12	0.3%	0.4%	0.8%	99.2%
Steroids	All	0.3%	0.4%	0.8%	99.3%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.3%	0.3%	0.6%	99.4%
	Grade 9	0.2%	0.3%	0.7%	99.4%
	Grade 10	0.2%	0.2%	0.3%	99.6%
	Grade 11	0.7%	0.7%	1.2%	98.8%
	Grade 12	0.2%	0.4%	0.8%	99.1%
Ecstasy	All	0.2%	0.5%	1.0%	98.9%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.0%	0.1%	0.3%	99.7%
	Grade 9	0.3%	0.5%	0.8%	99.2%
	Grade 10	0.1%	0.6%	1.3%	98.7%
	Grade 11	0.8%	1.1%	2.4%	97.6%
	Grade 12	0.4%	1.0%	2.0%	98.0%
Heroin	All	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.3%	0.3%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.2%	0.2%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.5%	0.9%	2.7%	97.4%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.3%	0.6%	1.4%	98.7%
Grade 10	0.9%	1.4%	4.3%	95.7%
Grade 11	0.3%	0.8%	3.7%	96.3%
Grade 12	1.3%	2.1%	6.1%	93.9%
Methamphetamine				
All	0.0%	0.2%	0.3%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.1%	1.1%	1.3%	98.7%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.9%	13.9%	25.7%	74.3%
	Grade 7	3.0%	4.3%	12.5%	87.4%
	Grade 8	6.6%	9.8%	18.9%	81.2%
	Grade 9	7.3%	11.4%	23.4%	76.6%
	Grade 10	11.4%	16.4%	29.1%	70.9%
	Grade 11	14.4%	19.5%	35.3%	64.7%
	Grade 12	19.5%	24.9%	38.2%	61.8%
Alcohol	All	23.9%	32.5%	54.3%	45.7%
	Grade 7	12.2%	14.9%	36.0%	64.0%
	Grade 8	17.5%	23.6%	44.9%	55.1%
	Grade 9	20.6%	29.3%	52.7%	47.3%
	Grade 10	28.3%	38.9%	61.2%	38.8%
	Grade 11	32.5%	43.7%	67.2%	32.8%
	Grade 12	35.9%	48.9%	67.2%	32.8%
Inhalants	All	4.4%	5.9%	13.8%	86.2%
	Grade 7	7.5%	8.6%	17.4%	82.6%
	Grade 8	5.1%	7.9%	16.7%	83.3%
	Grade 9	4.4%	5.7%	14.6%	85.4%
	Grade 10	3.6%	4.7%	12.3%	87.6%
	Grade 11	3.0%	4.1%	10.3%	89.7%
	Grade 12	2.6%	3.9%	10.6%	89.4%
Any Illicit Drug	All	11.4%	16.0%	27.9%	72.1%
	Grade 7	4.0%	5.1%	9.6%	90.4%
	Grade 8	6.9%	10.3%	18.8%	81.2%
	Grade 9	10.0%	14.2%	24.7%	75.4%
	Grade 10	13.3%	19.0%	33.1%	66.8%
	Grade 11	18.3%	24.8%	40.8%	59.3%
	Grade 12	17.8%	25.3%	44.8%	55.1%
Marijuana	All	10.6%	15.2%	27.0%	73.1%
	Grade 7	3.2%	4.0%	8.2%	91.9%
	Grade 8	6.1%	9.3%	17.3%	82.7%
	Grade 9	9.0%	13.3%	23.9%	76.1%
	Grade 10	12.5%	18.4%	32.6%	67.4%
	Grade 11	17.3%	23.8%	39.7%	60.3%
	Grade 12	17.2%	24.8%	44.5%	55.5%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.2%	8.1%	16.5%	83.5%
Grade 7	1.4%	1.6%	4.5%	95.4%
Grade 8	2.2%	4.2%	9.7%	90.3%
Grade 9	4.6%	7.0%	14.3%	85.7%
Grade 10	6.8%	10.6%	21.2%	78.8%
Grade 11	8.9%	13.1%	24.3%	75.6%
Grade 12	8.3%	13.4%	27.9%	72.1%
Cocaine Or Crack				
All	0.8%	1.1%	2.6%	97.5%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.8%	1.1%	3.0%	97.1%
Grade 9	0.4%	0.6%	1.6%	98.4%
Grade 10	0.5%	0.8%	2.5%	97.5%
Grade 11	1.5%	2.0%	3.9%	96.1%
Grade 12	1.2%	1.6%	4.1%	95.9%
Cocaine				
All	0.7%	0.9%	2.3%	97.7%
Grade 7	0.3%	0.3%	0.5%	99.6%
Grade 8	0.5%	0.6%	2.1%	97.9%
Grade 9	0.4%	0.6%	1.5%	98.5%
Grade 10	0.5%	0.8%	2.4%	97.7%
Grade 11	1.5%	2.0%	3.8%	96.2%
Grade 12	1.1%	1.5%	3.9%	96.1%
Crack				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.6%	98.4%
Grade 9	0.2%	0.2%	0.4%	99.7%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.5%	99.4%
Grade 12	0.1%	0.1%	0.4%	99.6%
Hallucinogens				
All	0.9%	1.4%	3.0%	96.9%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.5%	1.5%	98.5%
Grade 9	0.7%	1.4%	2.5%	97.5%
Grade 10	0.7%	1.1%	2.7%	97.3%
Grade 11	1.8%	2.7%	5.4%	94.6%
Grade 12	1.7%	2.7%	6.3%	93.7%

Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.5%	0.9%	99.1%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.2%	0.2%	0.7%	99.3%
	Grade 9	0.4%	0.8%	1.2%	98.8%
	Grade 10	0.6%	0.9%	1.2%	98.7%
	Grade 11	0.3%	0.3%	0.6%	99.4%
	Grade 12	0.3%	0.3%	0.8%	99.2%
Steroids	All	0.4%	0.5%	1.2%	98.8%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.5%	0.6%	1.7%	98.3%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.7%	0.8%	1.6%	98.5%
	Grade 11	0.4%	0.5%	0.9%	99.1%
	Grade 12	0.5%	0.6%	1.5%	98.5%
Ecstasy	All	0.7%	1.1%	2.8%	97.2%
	Grade 7	0.1%	0.3%	0.8%	99.2%
	Grade 8	0.5%	0.7%	1.8%	98.1%
	Grade 9	0.9%	1.5%	2.5%	97.5%
	Grade 10	0.6%	1.0%	2.9%	97.2%
	Grade 11	1.2%	1.7%	4.6%	95.4%
	Grade 12	0.9%	1.8%	5.0%	95.0%
Heroin	All	0.2%	0.2%	0.4%	99.5%
	Grade 7	0.6%	0.6%	0.8%	99.1%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.0%	0.1%	0.5%	99.5%
	Grade 10	0.1%	0.1%	0.3%	99.6%
	Grade 11	0.1%	0.1%	0.2%	99.8%
	Grade 12	0.5%	0.5%	0.8%	99.2%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.1%	3.1%	7.5%	92.5%
Grade 7	1.1%	1.6%	2.7%	97.3%
Grade 8	2.0%	2.4%	5.7%	94.2%
Grade 9	2.4%	3.6%	7.5%	92.6%
Grade 10	2.6%	4.2%	9.2%	90.8%
Grade 11	2.3%	3.8%	10.5%	89.5%
Grade 12	2.3%	3.1%	10.2%	89.8%
Methamphetamine				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.1%	0.3%	1.1%	98.9%
Grade 9	0.2%	0.3%	0.6%	99.5%
Grade 10	0.3%	0.4%	0.9%	99.2%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.5%	0.5%	1.0%	98.9%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.6%	9.4%	17.9%	82.1%
	Grade 7	1.7%	2.5%	7.2%	92.9%
	Grade 8	3.1%	5.0%	10.8%	89.3%
	Grade 9	5.4%	7.7%	16.3%	83.6%
	Grade 10	7.5%	10.6%	20.8%	79.2%
	Grade 11	11.4%	16.5%	28.6%	71.4%
	Grade 12	13.8%	18.6%	29.6%	70.3%
Alcohol	All	18.2%	26.4%	45.5%	54.4%
	Grade 7	9.0%	10.9%	27.4%	72.6%
	Grade 8	10.2%	16.5%	35.0%	65.0%
	Grade 9	16.0%	24.1%	45.3%	54.7%
	Grade 10	22.2%	32.4%	52.6%	47.3%
	Grade 11	27.6%	39.0%	60.4%	39.6%
	Grade 12	29.4%	43.4%	60.5%	39.5%
Inhalants	All	3.3%	4.5%	10.5%	89.5%
	Grade 7	4.4%	5.2%	11.6%	88.3%
	Grade 8	3.5%	5.5%	12.8%	87.2%
	Grade 9	3.6%	4.8%	11.3%	88.7%
	Grade 10	2.8%	3.9%	10.3%	89.7%
	Grade 11	3.1%	3.8%	8.9%	91.1%
	Grade 12	2.2%	3.1%	6.6%	93.4%
Any Illicit Drug	All	7.3%	10.4%	18.4%	81.7%
	Grade 7	2.3%	2.7%	5.3%	94.7%
	Grade 8	3.4%	5.0%	9.5%	90.5%
	Grade 9	6.1%	8.5%	15.7%	84.2%
	Grade 10	8.9%	12.7%	23.3%	76.7%
	Grade 11	13.2%	18.9%	31.2%	68.9%
	Grade 12	12.8%	18.8%	31.8%	68.2%
Marijuana	All	6.7%	9.8%	17.6%	82.4%
	Grade 7	1.8%	2.1%	4.4%	95.6%
	Grade 8	2.7%	4.1%	8.2%	91.8%
	Grade 9	5.4%	7.9%	15.0%	84.9%
	Grade 10	8.6%	12.3%	22.7%	77.3%
	Grade 11	12.5%	18.2%	30.5%	69.4%
	Grade 12	12.0%	18.1%	31.4%	68.6%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	3.4%	5.5%	11.2%	88.8%
	Grade 7	0.9%	1.1%	2.5%	97.5%
	Grade 8	1.2%	1.9%	4.7%	95.3%
	Grade 9	2.9%	4.7%	9.6%	90.4%
	Grade 10	4.1%	6.7%	14.9%	85.1%
	Grade 11	6.3%	10.4%	19.1%	80.9%
	Grade 12	6.8%	10.7%	20.9%	79.0%
Cocaine Or Crack	All	0.6%	0.8%	1.7%	98.4%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.3%	0.5%	1.3%	98.7%
	Grade 9	0.4%	0.5%	1.2%	98.8%
	Grade 10	0.4%	0.5%	1.4%	98.6%
	Grade 11	1.6%	2.0%	3.3%	96.7%
	Grade 12	0.8%	1.1%	2.5%	97.5%
Cocaine	All	0.6%	0.7%	1.5%	98.5%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.3%	0.4%	1.0%	99.1%
	Grade 9	0.4%	0.5%	1.2%	98.9%
	Grade 10	0.3%	0.4%	1.3%	98.6%
	Grade 11	1.6%	1.9%	3.2%	96.8%
	Grade 12	0.8%	1.1%	2.5%	97.6%
Crack	All	0.1%	0.1%	0.3%	99.6%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.2%	0.3%	0.8%	99.2%
	Grade 9	0.1%	0.1%	0.2%	99.8%
	Grade 10	0.1%	0.1%	0.2%	99.9%
	Grade 11	0.1%	0.1%	0.5%	99.5%
	Grade 12	0.1%	0.1%	0.2%	99.8%
Hallucinogens	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.3%	0.3%	0.8%	99.2%
	Grade 9	0.4%	0.7%	1.1%	98.9%
	Grade 10	0.5%	0.9%	2.3%	97.6%
	Grade 11	1.3%	2.2%	4.3%	95.7%
	Grade 12	1.1%	2.2%	3.4%	96.6%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.3%	0.6%	99.5%
	Grade 7	0.1%	0.1%	0.4%	99.7%
	Grade 8	0.0%	0.1%	0.3%	99.6%
	Grade 9	0.2%	0.3%	0.6%	99.5%
	Grade 10	0.4%	0.6%	0.8%	99.2%
	Grade 11	0.1%	0.2%	0.7%	99.3%
	Grade 12	0.3%	0.4%	0.6%	99.3%
Steroids	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.2%	0.2%	0.7%	99.3%
	Grade 8	0.3%	0.3%	1.0%	98.9%
	Grade 9	0.1%	0.1%	0.7%	99.2%
	Grade 10	0.3%	0.4%	0.9%	99.2%
	Grade 11	0.7%	0.7%	0.9%	99.1%
	Grade 12	0.3%	0.5%	1.0%	98.9%
Ecstasy	All	0.4%	0.7%	1.6%	98.4%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.1%	0.2%	0.9%	99.1%
	Grade 9	0.5%	0.7%	1.5%	98.5%
	Grade 10	0.3%	0.6%	1.6%	98.4%
	Grade 11	1.2%	1.5%	3.0%	97.0%
	Grade 12	0.6%	1.3%	2.8%	97.2%
Heroin	All	0.2%	0.2%	0.3%	99.7%
	Grade 7	0.5%	0.5%	0.7%	99.3%
	Grade 8	0.0%	0.1%	0.2%	99.8%
	Grade 9	0.0%	0.1%	0.1%	99.9%
	Grade 10	0.1%	0.1%	0.2%	99.8%
	Grade 11	0.1%	0.1%	0.2%	99.8%
	Grade 12	0.3%	0.3%	0.4%	99.6%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.1%	1.6%	4.3%	95.7%
Grade 7	0.4%	0.5%	1.0%	98.9%
Grade 8	0.9%	1.1%	2.8%	97.2%
Grade 9	1.2%	1.7%	4.1%	95.9%
Grade 10	1.8%	2.6%	5.7%	94.3%
Grade 11	1.3%	2.2%	7.0%	93.0%
Grade 12	1.1%	1.7%	6.6%	93.4%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.2%	99.7%
Grade 10	0.1%	0.1%	0.2%	99.7%
Grade 11	0.3%	0.3%	0.6%	99.3%
Grade 12	0.2%	0.8%	1.0%	99.0%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.3%	15.8%	29.4%	70.6%
	Grade 7	3.8%	5.3%	15.0%	85.0%
	Grade 8	8.2%	11.4%	21.7%	78.2%
	Grade 9	8.7%	14.6%	29.4%	70.7%
	Grade 10	13.0%	18.8%	33.0%	67.0%
	Grade 11	15.6%	20.5%	37.8%	62.1%
	Grade 12	19.0%	24.3%	39.1%	60.8%
Alcohol	All	26.0%	35.8%	59.5%	40.5%
	Grade 7	11.3%	15.5%	39.2%	60.9%
	Grade 8	17.5%	25.9%	49.1%	50.9%
	Grade 9	26.8%	36.5%	61.2%	38.9%
	Grade 10	30.4%	42.6%	67.6%	32.5%
	Grade 11	32.5%	45.1%	69.7%	30.3%
	Grade 12	37.4%	49.1%	69.3%	30.7%
Inhalants	All	4.3%	5.7%	14.5%	85.4%
	Grade 7	7.0%	8.8%	17.2%	82.7%
	Grade 8	4.4%	6.7%	17.1%	82.9%
	Grade 9	4.6%	5.9%	16.6%	83.5%
	Grade 10	3.6%	4.7%	13.6%	86.4%
	Grade 11	3.0%	4.3%	10.6%	89.3%
	Grade 12	3.2%	4.2%	12.1%	88.0%
Any Illicit Drug	All	13.4%	19.1%	32.7%	67.3%
	Grade 7	4.8%	6.8%	12.1%	87.9%
	Grade 8	7.7%	12.0%	22.1%	77.9%
	Grade 9	13.0%	19.6%	31.7%	68.3%
	Grade 10	14.6%	21.6%	38.5%	61.5%
	Grade 11	21.0%	26.8%	43.7%	56.3%
	Grade 12	19.3%	27.3%	47.6%	52.3%
Marijuana	All	12.6%	18.2%	31.7%	68.3%
	Grade 7	4.4%	6.0%	11.0%	89.0%
	Grade 8	7.2%	11.5%	21.1%	78.9%
	Grade 9	11.7%	18.2%	30.9%	69.1%
	Grade 10	13.5%	21.0%	37.4%	62.7%
	Grade 11	19.6%	25.3%	42.3%	57.7%
	Grade 12	18.7%	26.6%	47.1%	52.8%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.9%	9.3%	19.1%	80.9%
Grade 7	2.3%	3.0%	6.8%	93.2%
Grade 8	2.7%	5.7%	12.6%	87.4%
Grade 9	6.2%	9.8%	18.7%	81.4%
Grade 10	7.3%	11.7%	23.7%	76.3%
Grade 11	9.2%	12.4%	24.5%	75.4%
Grade 12	7.5%	12.8%	27.8%	72.2%
Cocaine Or Crack				
All	0.6%	1.0%	2.5%	97.5%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.7%	0.9%	2.4%	97.6%
Grade 9	0.5%	0.8%	1.5%	98.5%
Grade 10	0.3%	0.5%	2.6%	97.5%
Grade 11	0.9%	2.0%	3.6%	96.5%
Grade 12	1.2%	1.6%	4.6%	95.4%
Cocaine				
All	0.5%	0.8%	2.1%	97.9%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.8%	98.2%
Grade 9	0.4%	0.7%	1.3%	98.6%
Grade 10	0.3%	0.5%	2.2%	97.9%
Grade 11	0.9%	1.8%	3.1%	97.0%
Grade 12	1.1%	1.5%	4.4%	95.6%
Crack				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.0%	1.0%	98.9%
Grade 11	0.0%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	1.1%	1.7%	3.8%	96.2%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.7%	98.2%
Grade 9	1.2%	2.1%	4.2%	95.8%
Grade 10	0.9%	1.5%	3.4%	96.6%
Grade 11	2.3%	3.3%	5.8%	94.2%
Grade 12	1.8%	2.6%	7.2%	92.8%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.6%	1.1%	98.9%
	Grade 7	0.2%	0.4%	0.7%	99.3%
	Grade 8	0.3%	0.3%	1.1%	98.8%
	Grade 9	0.6%	1.1%	1.7%	98.3%
	Grade 10	0.5%	0.6%	0.9%	99.1%
	Grade 11	0.7%	0.7%	0.8%	99.2%
	Grade 12	0.3%	0.4%	1.3%	98.8%
Steroids	All	0.4%	0.5%	1.2%	98.8%
	Grade 7	0.1%	0.3%	0.5%	99.6%
	Grade 8	0.6%	0.8%	1.6%	98.4%
	Grade 9	0.1%	0.2%	1.0%	99.0%
	Grade 10	0.7%	0.7%	1.4%	98.6%
	Grade 11	0.4%	0.5%	1.3%	98.7%
	Grade 12	0.7%	0.9%	1.6%	98.4%
Ecstasy	All	0.9%	1.6%	3.8%	96.2%
	Grade 7	0.1%	0.5%	1.2%	98.8%
	Grade 8	0.6%	0.9%	2.1%	97.9%
	Grade 9	0.9%	1.8%	3.5%	96.6%
	Grade 10	0.7%	1.5%	3.6%	96.4%
	Grade 11	1.9%	2.3%	5.9%	94.0%
	Grade 12	1.3%	2.4%	6.3%	93.8%
Heroin	All	0.1%	0.1%	0.4%	99.5%
	Grade 7	0.2%	0.3%	0.6%	99.3%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.6%	99.3%
	Grade 10	0.1%	0.1%	0.4%	99.6%
	Grade 11	0.0%	0.0%	0.1%	99.8%
	Grade 12	0.3%	0.3%	0.6%	99.4%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.3%	3.9%	9.0%	91.0%
Grade 7	1.3%	2.1%	3.6%	96.4%
Grade 8	2.1%	2.9%	6.1%	93.9%
Grade 9	2.6%	4.9%	9.1%	90.8%
Grade 10	2.5%	4.4%	10.9%	89.1%
Grade 11	2.1%	4.2%	11.4%	88.7%
Grade 12	3.1%	4.6%	12.8%	87.2%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.0%
Grade 7	0.2%	0.5%	0.8%	99.3%
Grade 8	0.1%	0.1%	0.9%	99.1%
Grade 9	0.1%	0.2%	0.7%	99.3%
Grade 10	0.3%	0.4%	1.0%	99.0%
Grade 11	0.4%	0.6%	1.2%	98.9%
Grade 12	0.5%	0.7%	1.3%	98.7%

**Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.1%	10.0%	19.6%	80.4%
	Grade 7	1.9%	2.7%	7.9%	92.2%
	Grade 8	4.1%	5.9%	12.1%	87.9%
	Grade 9	5.8%	8.3%	18.4%	81.6%
	Grade 10	7.8%	11.6%	23.3%	76.7%
	Grade 11	12.1%	16.4%	29.8%	70.2%
	Grade 12	13.7%	18.7%	31.3%	68.6%
Alcohol	All	19.2%	27.5%	48.6%	51.4%
	Grade 7	8.4%	10.8%	28.4%	71.5%
	Grade 8	10.8%	16.9%	37.3%	62.8%
	Grade 9	17.8%	25.7%	49.0%	50.9%
	Grade 10	23.7%	34.2%	56.9%	43.1%
	Grade 11	27.5%	39.4%	63.0%	37.1%
	Grade 12	31.9%	45.4%	64.5%	35.5%
Inhalants	All	3.0%	4.0%	10.5%	89.4%
	Grade 7	4.5%	5.4%	11.7%	88.3%
	Grade 8	3.0%	4.6%	12.0%	88.0%
	Grade 9	3.3%	4.4%	12.0%	88.0%
	Grade 10	2.5%	3.4%	10.3%	89.7%
	Grade 11	2.3%	3.2%	8.9%	91.0%
	Grade 12	2.1%	2.7%	7.4%	92.5%
Any Illicit Drug	All	7.9%	11.5%	20.8%	79.2%
	Grade 7	2.0%	2.8%	5.9%	94.1%
	Grade 8	3.7%	5.6%	11.2%	88.8%
	Grade 9	7.0%	10.7%	18.9%	81.0%
	Grade 10	9.4%	13.6%	26.2%	73.7%
	Grade 11	14.0%	19.3%	33.1%	66.9%
	Grade 12	13.7%	20.7%	35.5%	64.5%
Marijuana	All	7.3%	10.8%	20.0%	80.0%
	Grade 7	1.6%	2.2%	5.1%	94.9%
	Grade 8	3.2%	5.0%	10.2%	89.8%
	Grade 9	6.4%	10.0%	18.3%	81.8%
	Grade 10	9.0%	13.1%	25.5%	74.5%
	Grade 11	13.1%	18.4%	32.1%	67.9%
	Grade 12	13.2%	20.2%	35.2%	64.8%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.7%	6.0%	12.8%	87.2%
Grade 7	0.8%	1.1%	3.1%	96.9%
Grade 8	1.4%	2.4%	6.0%	94.0%
Grade 9	3.4%	5.7%	11.8%	88.2%
Grade 10	4.8%	7.7%	17.4%	82.6%
Grade 11	6.5%	10.0%	19.8%	80.2%
Grade 12	6.7%	11.5%	23.0%	77.1%
Cocaine Or Crack				
All	0.4%	0.6%	1.4%	98.5%
Grade 7	0.1%	0.2%	0.5%	99.6%
Grade 8	0.3%	0.5%	1.2%	98.9%
Grade 9	0.4%	0.5%	0.9%	99.1%
Grade 10	0.2%	0.4%	1.3%	98.7%
Grade 11	1.0%	1.4%	2.7%	97.3%
Grade 12	0.7%	1.0%	2.8%	97.2%
Cocaine				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.4%	0.5%	0.9%	99.2%
Grade 10	0.2%	0.4%	1.3%	98.8%
Grade 11	1.0%	1.4%	2.5%	97.4%
Grade 12	0.7%	1.0%	2.8%	97.2%
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.4%	99.7%
Grade 8	0.2%	0.3%	0.6%	99.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.3%	99.8%
Grade 11	0.1%	0.1%	0.6%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens				
All	0.6%	1.0%	2.1%	97.9%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.4%	0.9%	1.7%	98.3%
Grade 10	0.4%	0.8%	2.0%	98.0%
Grade 11	1.5%	2.3%	4.3%	95.7%
Grade 12	1.1%	2.0%	4.2%	95.7%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.3%	0.6%	99.4%
	Grade 7	0.1%	0.2%	0.4%	99.7%
	Grade 8	0.1%	0.2%	0.6%	99.4%
	Grade 9	0.1%	0.3%	0.6%	99.3%
	Grade 10	0.3%	0.5%	0.7%	99.4%
	Grade 11	0.3%	0.3%	0.6%	99.3%
	Grade 12	0.2%	0.3%	0.8%	99.2%
Steroids	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	0.2%	0.3%	0.9%	99.0%
	Grade 9	0.1%	0.2%	0.9%	99.2%
	Grade 10	0.4%	0.4%	0.9%	99.0%
	Grade 11	0.4%	0.5%	0.9%	99.2%
	Grade 12	0.4%	0.5%	1.1%	98.8%
Ecstasy	All	0.4%	0.7%	1.8%	98.1%
	Grade 7	0.0%	0.1%	0.3%	99.6%
	Grade 8	0.1%	0.2%	0.9%	99.1%
	Grade 9	0.6%	1.0%	1.9%	98.1%
	Grade 10	0.3%	0.7%	2.1%	98.0%
	Grade 11	1.1%	1.3%	3.1%	96.9%
	Grade 12	0.7%	1.4%	3.6%	96.3%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.3%	0.3%	0.5%	99.4%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	0.1%	0.1%	0.3%	99.7%
	Grade 11	0.1%	0.1%	0.2%	99.8%
	Grade 12	0.2%	0.2%	0.5%	99.5%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.1%	1.8%	5.1%	94.9%
Grade 7	0.4%	0.7%	1.5%	98.5%
Grade 8	0.7%	1.1%	3.0%	97.0%
Grade 9	1.2%	2.2%	4.9%	95.0%
Grade 10	1.6%	2.4%	6.3%	93.7%
Grade 11	1.3%	2.6%	8.0%	91.9%
Grade 12	1.7%	2.4%	8.4%	91.6%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.3%	99.6%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.7%	1.0%	99.0%

**Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	13.7%	19.6%	34.2%	65.8%
	Grade 7	6.2%	9.3%	24.1%	75.9%
	Grade 8	9.1%	13.4%	26.5%	73.6%
	Grade 9	9.9%	18.7%	34.1%	65.9%
	Grade 10	17.7%	23.5%	36.5%	63.5%
	Grade 11	16.4%	23.0%	42.0%	58.1%
	Grade 12	21.9%	27.5%	39.4%	60.6%
Alcohol	All	29.8%	41.5%	61.2%	38.9%
	Grade 7	19.8%	24.8%	51.5%	48.4%
	Grade 8	20.9%	33.1%	51.3%	48.7%
	Grade 9	30.4%	42.9%	61.5%	38.5%
	Grade 10	32.5%	47.3%	67.0%	32.9%
	Grade 11	37.7%	50.0%	70.2%	29.8%
	Grade 12	34.3%	46.0%	62.1%	37.9%
Inhalants	All	7.1%	9.4%	19.5%	80.6%
	Grade 7	12.3%	15.5%	29.1%	70.9%
	Grade 8	7.7%	11.9%	26.3%	73.7%
	Grade 9	6.6%	8.6%	19.9%	80.1%
	Grade 10	6.8%	8.3%	17.1%	82.9%
	Grade 11	6.5%	7.5%	13.2%	86.8%
	Grade 12	3.8%	6.2%	13.9%	86.1%
Any Illicit Drug	All	17.5%	23.3%	36.7%	63.3%
	Grade 7	9.8%	11.9%	18.8%	81.1%
	Grade 8	9.9%	14.9%	24.1%	75.9%
	Grade 9	17.5%	22.4%	35.8%	64.2%
	Grade 10	19.0%	26.5%	41.4%	58.6%
	Grade 11	25.3%	32.5%	47.3%	52.8%
	Grade 12	21.5%	28.6%	48.5%	51.5%
Marijuana	All	16.0%	22.2%	35.5%	64.4%
	Grade 7	8.5%	10.6%	16.7%	83.3%
	Grade 8	8.9%	13.9%	22.7%	77.3%
	Grade 9	15.3%	21.0%	34.9%	65.1%
	Grade 10	16.9%	25.8%	40.0%	60.0%
	Grade 11	24.6%	31.8%	46.8%	53.2%
	Grade 12	19.9%	27.4%	47.5%	52.5%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	7.4%	10.8%	19.9%	80.1%
Grade 7	4.2%	5.4%	9.8%	90.3%
Grade 8	2.8%	6.8%	13.3%	86.7%
Grade 9	7.9%	10.7%	18.7%	81.3%
Grade 10	7.6%	11.5%	22.0%	78.0%
Grade 11	11.4%	15.3%	25.3%	74.6%
Grade 12	9.4%	13.4%	27.8%	72.2%
Cocaine Or Crack				
All	1.3%	1.8%	4.3%	95.7%
Grade 7	1.6%	1.7%	2.5%	97.6%
Grade 8	1.0%	1.4%	4.6%	95.5%
Grade 9	0.4%	0.6%	3.1%	96.9%
Grade 10	0.7%	1.0%	3.7%	96.3%
Grade 11	2.4%	4.0%	5.8%	94.2%
Grade 12	1.8%	2.1%	5.6%	94.3%
Cocaine				
All	1.2%	1.6%	3.8%	96.3%
Grade 7	1.6%	1.7%	2.0%	98.0%
Grade 8	0.5%	0.6%	3.5%	96.5%
Grade 9	0.4%	0.6%	3.0%	97.0%
Grade 10	0.7%	1.0%	3.1%	97.0%
Grade 11	2.4%	3.6%	5.3%	94.7%
Grade 12	1.6%	1.9%	5.2%	94.8%
Crack				
All	0.2%	0.3%	1.0%	98.9%
Grade 7	0.1%	0.2%	0.6%	99.3%
Grade 8	0.8%	1.1%	2.7%	97.4%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.1%	0.1%	1.3%	98.7%
Grade 11	0.0%	0.5%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.7%	99.3%
Hallucinogens				
All	1.6%	2.6%	5.2%	94.8%
Grade 7	0.2%	0.6%	1.8%	98.2%
Grade 8	0.7%	1.1%	2.6%	97.3%
Grade 9	2.0%	3.2%	5.3%	94.7%
Grade 10	1.5%	2.3%	5.6%	94.4%
Grade 11	2.3%	4.0%	7.2%	92.8%
Grade 12	2.3%	3.7%	7.5%	92.5%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	0.8%	1.3%	98.7%
	Grade 7	0.2%	0.2%	1.1%	98.8%
	Grade 8	0.2%	0.2%	0.5%	99.5%
	Grade 9	1.4%	1.6%	2.5%	97.5%
	Grade 10	1.1%	1.1%	1.5%	98.5%
	Grade 11	0.5%	0.5%	0.8%	99.1%
	Grade 12	0.3%	0.5%	1.0%	98.9%
Steroids	All	0.7%	0.8%	1.6%	98.4%
	Grade 7	0.1%	0.1%	0.6%	99.4%
	Grade 8	1.1%	1.1%	2.4%	97.6%
	Grade 9	0.4%	0.5%	1.3%	98.7%
	Grade 10	0.7%	0.8%	1.4%	98.6%
	Grade 11	1.2%	1.2%	2.0%	98.0%
	Grade 12	0.3%	0.8%	1.5%	98.5%
Ecstasy	All	1.4%	2.2%	4.8%	95.1%
	Grade 7	0.2%	0.4%	1.9%	98.1%
	Grade 8	1.4%	1.6%	3.2%	96.9%
	Grade 9	0.9%	1.7%	4.4%	95.6%
	Grade 10	1.2%	2.5%	4.6%	95.4%
	Grade 11	3.6%	4.4%	9.0%	91.1%
	Grade 12	0.9%	2.3%	5.4%	94.5%
Heroin	All	0.4%	0.5%	0.8%	99.2%
	Grade 7	1.3%	1.5%	1.7%	98.3%
	Grade 8	0.1%	0.5%	0.6%	99.3%
	Grade 9	0.1%	0.1%	1.2%	98.8%
	Grade 10	0.3%	0.3%	0.4%	99.6%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	0.7%	0.7%	0.8%	99.2%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.5%	5.2%	10.8%	89.2%
Grade 7	2.1%	3.2%	4.6%	95.4%
Grade 8	4.2%	4.5%	7.1%	92.9%
Grade 9	4.3%	6.5%	12.0%	88.0%
Grade 10	4.6%	8.0%	14.8%	85.2%
Grade 11	2.6%	4.3%	12.6%	87.4%
Grade 12	2.5%	3.9%	11.8%	88.2%
Methamphetamine				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.5%	0.7%	0.8%	99.2%
Grade 8	0.0%	0.2%	1.1%	98.9%
Grade 9	0.2%	0.4%	1.0%	99.0%
Grade 10	0.6%	0.7%	1.2%	98.8%
Grade 11	1.0%	1.0%	1.3%	98.7%
Grade 12	0.5%	0.6%	1.2%	98.7%

3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	857,733	49.8%
Female	864,731	50.2%
Frequency Missing = 13983		

GRADE		
q2	Frequency	Percent
Grade 7	304,501	17.5%
Grade 8	298,642	17.2%
Grade 9	327,809	18.9%
Grade 10	291,757	16.8%
Grade 11	269,380	15.5%
Grade 12	244,359	14.1%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	645,626	37.5%
Yes	1,078,330	62.5%
Frequency Missing = 12492		

AGE		
q4	Frequency	Percent
10 or below	1,082	0.1%
11	824	0.0%
12	108,834	6.3%
13	291,146	16.8%
14	289,065	16.7%
15	313,592	18.1%
16	285,412	16.5%
17	267,247	15.4%
18	154,002	8.9%
19 or older	20,120	1.2%
Frequency Missing = 5125		

ETHNICITY		
q5	Frequency	Percent
African Am.	249,724	14.8%
Asian Am.	64,843	3.8%
Mexican Am.	689,402	40.8%
Native Am.	8,197	0.5%
Other	33,281	2.0%
White	646,056	38.2%
Frequency Missing = 44946		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	522,556	34.9%
Mostly B's	752,721	50.2%
Mostly C's	193,900	12.9%
Mostly D's	20,344	1.4%
Mostly F's	8,969	0.6%
Frequency Missing = 237957		

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	1,226,066	81.5%
Yes	278,947	18.5%
Frequency Missing = 231435		

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	313,621	20.9%
No	612,661	40.9%
Yes	571,424	38.2%
Frequency Missing = 238742		

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	690,704	48.2%
Yes	742,474	51.8%
Frequency Missing = 303270		

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	1,085,518	80.6%
Yes	260,531	19.4%
Frequency Missing = 390399		

PARTICIPATE IN SCHOOL CHOIR		
q9c	Frequency	Percent
No	1,167,775	89.1%
Yes	142,168	10.9%
Frequency Missing = 426505		

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q9h	Frequency	Percent
No	858,512	63.3%
Yes	498,295	36.7%
Frequency Missing = 379641		

PARTICIPATE IN DRILL TEAM/CHEER-LEADING		
q9d	Frequency	Percent
No	1,194,435	90.9%
Yes	119,225	9.1%
Frequency Missing = 422787		

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q9i	Frequency	Percent
No	983,668	73.8%
Yes	348,890	26.2%
Frequency Missing = 403890		

PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK		
q9e	Frequency	Percent
No	1,216,541	92.9%
Yes	92,516	7.1%
Frequency Missing = 427391		

DO YOU FEEL SAFE IN YOUR HOME		
q10a	Frequency	Percent
Very Safe	1,455,732	84.5%
Somewhat Safe	233,651	13.6%
Not Very Safe	15,543	0.9%
Not Safe At All	3,753	0.2%
Don't Know	14,316	0.8%
Frequency Missing = 13454		

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS		
q9f	Frequency	Percent
No	961,889	72.0%
Yes	374,279	28.0%
Frequency Missing = 400280		

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q10b	Frequency	Percent
Very Safe	723,769	42.2%
Somewhat Safe	802,603	46.8%
Not Very Safe	120,524	7.0%
Not Safe At All	26,313	1.5%
Don't Know	40,318	2.4%
Frequency Missing = 22922		

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q9g	Frequency	Percent
No	955,206	71.8%
Yes	375,969	28.2%
Frequency Missing = 405272		

DO YOU FEEL SAFE AT SCHOOL		
q10c	Frequency	Percent
Very Safe	724,274	42.3%
Somewhat Safe	752,681	43.9%
Not Very Safe	124,681	7.3%
Not Safe At All	55,379	3.2%
Don't Know	56,039	3.3%
Frequency Missing = 23393		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q11a	Frequency	Percent
None	81,126	4.7%
A Few	391,529	22.9%
Some	433,832	25.3%
Most	617,132	36.1%
All	187,758	11.0%
Frequency Missing = 25071		

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q11e	Frequency	Percent
None	1,058,238	61.8%
A Few	424,428	24.8%
Some	138,261	8.1%
Most	55,261	3.2%
All	35,530	2.1%
Frequency Missing = 24731		

HOW MANY FRIENDS CARRY WEAPONS		
q11b	Frequency	Percent
None	1,140,759	67.4%
A Few	334,018	19.7%
Some	136,997	8.1%
Most	62,011	3.7%
All	19,355	1.1%
Frequency Missing = 43307		

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q12	Frequency	Percent
No	832,581	62.6%
Yes	497,423	37.4%
Frequency Missing = 406444		

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q11c	Frequency	Percent
None	36,181	2.1%
A Few	199,751	11.8%
Some	353,525	21.0%
Most	741,113	43.9%
All	356,536	21.1%
Frequency Missing = 49342		

RECENT INHALANT USE - SPRAY PAINT		
q13a	Frequency	Percent
Never	1,670,332	97.3%
Heard/Used		
In Your Life-time	32,303	1.9%
Since School Began	4,179	0.2%
In the Past Month	9,563	0.6%
Frequency Missing = 20071		

HOW MANY FRIENDS BELONG TO A GANG		
q11d	Frequency	Percent
None	1,414,796	82.8%
A Few	191,636	11.2%
Some	65,353	3.8%
Most	24,339	1.4%
All	13,559	0.8%
Frequency Missing = 26765		

RECENT INHALANT USE - WHITE-OUT, CORRECTION FLUID, MAGIC MARKERS		
q13b	Frequency	Percent
Never	1,605,459	93.8%
Heard/Used		
In Your Life-time	69,935	4.1%
Since School Began	11,031	0.6%
In the Past Month	25,029	1.5%
Frequency Missing = 24993		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

		RECENT INHALANT USE - COMPUTER DUSTING SPRAYS	
q13c		Frequency	Percent
Never		1,681,072	98.6%
Heard/Used			
In Your Life-time		14,552	0.9%
Since School Began		3,337	0.2%
In the Past Month		5,575	0.3%

Frequency Missing = 31913

		RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS	
q13f		Frequency	Percent
Never		1,687,399	98.9%
Heard/Used			
In Your Life-time		11,184	0.7%
Since School Began		2,376	0.1%
In the Past Month		5,732	0.3%

Frequency Missing = 29757

		RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON	
q13d		Frequency	Percent
Never		1,606,776	94.0%
Heard/Used			
In Your Life-time		62,397	3.6%
Since School Began		12,083	0.7%
In the Past Month		28,871	1.7%

Frequency Missing = 26322

		RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER	
q13g		Frequency	Percent
Never		1,673,648	97.9%
Heard/Used			
In Your Life-time		20,792	1.2%
Since School Began		4,302	0.3%
In the Past Month		10,996	0.6%

Frequency Missing = 26708

		RECENT INHALANT USE - GLUE	
q13e		Frequency	Percent
Never		1,687,167	98.9%
Heard/Used			
In Your Life-time		12,280	0.7%
Since School Began		2,164	0.1%
In the Past Month		4,379	0.3%

Frequency Missing = 30457

		RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS	
q13h		Frequency	Percent
Never		1,674,005	97.8%
Heard/Used			
In Your Life-time		22,067	1.3%
Since School Began		4,751	0.3%
In the Past Month		10,571	0.6%

Frequency Missing = 25054

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT CIGARETTE USE		
q14a	Frequency	Percent
Never	1,374,403	80.4%
Heard/Used		
In Your Life-time	172,091	10.1%
Since School Began	52,913	3.1%
In the Past Month	109,377	6.4%

Frequency Missing = 27664

RECENT WINE USE		
q14e	Frequency	Percent
Never	1,135,655	67.9%
Heard/Used		
In Your Life-time	286,166	17.1%
Since School Began	100,813	6.0%
In the Past Month	150,690	9.0%

Frequency Missing = 63125

RECENT SMOKE-LESS TOBACCO USE		
q14b	Frequency	Percent
Never	1,537,559	90.6%
Heard/Used		
In Your Life-time	64,236	3.8%
Since School Began	27,988	1.7%
In the Past Month	66,393	3.9%

Frequency Missing = 40273

RECENT LIQUOR USE		
q14f	Frequency	Percent
Never	1,102,880	64.8%
Heard/Used		
In Your Life-time	245,436	14.4%
Since School Began	121,985	7.2%
In the Past Month	231,700	13.6%

Frequency Missing = 34447

RECENT BEER USE		
q14c	Frequency	Percent
Never	1,032,946	61.6%
Heard/Used		
In Your Life-time	300,120	17.9%
Since School Began	116,828	7.0%
In the Past Month	227,526	13.6%

Frequency Missing = 59028

RECENT INHALANT USE		
q14g	Frequency	Percent
Never	1,645,493	95.5%
Heard/Used		
In Your Life-time	48,211	2.8%
Since School Began	10,043	0.6%
In the Past Month	18,544	1.1%

Frequency Missing = 14157

RECENT WINE COOLER USE		
q14d	Frequency	Percent
Never	1,150,074	67.8%
Heard/Used		
In Your Life-time	232,480	13.7%
Since School Began	109,033	6.4%
In the Past Month	205,014	12.1%

Frequency Missing = 39847

RECENT MARIJUANA USE		
q15a	Frequency	Percent
Never	1,310,564	77.1%
Heard/Used		
In Your Life-time	169,400	10.0%
Since School Began	68,287	4.0%
In the Past Month	150,559	8.9%

Frequency Missing = 37638

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	1,668,733	98.2%
Heard/Used		
In Your Life- time	17,039	1.0%
Since School Began	3,630	0.2%
In the Past Month	9,106	0.5%
Frequency Missing = 37940		

	RECENT USE	STEROID
q15g	Frequency	Percent
Never	1,678,221	99.0%
Heard/Used		
In Your Life- time	9,804	0.6%
Since School Began	1,329	0.1%
In the Past Month	6,010	0.4%
Frequency Missing = 41084		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	1,683,468	99.5%
Heard/Used		
In Your Life- time	5,046	0.3%
Since School Began	900	0.1%
In the Past Month	2,295	0.1%
Frequency Missing = 44739		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	1,648,784	97.6%
Heard/Used		
In Your Life- time	23,567	1.4%
Since School Began	6,720	0.4%
In the Past Month	10,382	0.6%
Frequency Missing = 46996		

	RECENT CINOGEN USE	HALLU-
q15e	Frequency	Percent
Never	1,650,871	97.4%
Heard/Used		
In Your Life- time	22,819	1.3%
Since School Began	8,390	0.5%
In the Past Month	13,272	0.8%
Frequency Missing = 41096		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	1,689,700	99.6%
Heard/Used		
In Your Life- time	3,206	0.2%
Since School Began	498	0.0%
In the Past Month	2,886	0.2%
Frequency Missing = 40158		

	RECENT NOL USE	ROHYP-
q15f	Frequency	Percent
Never	1,682,712	99.3%
Heard/Used		
In Your Life- time	6,048	0.4%
Since School Began	1,875	0.1%
In the Past Month	4,677	0.3%
Frequency Missing = 41136		

	RECENT PHETAMINE USE	METHAM-
q15j	Frequency	Percent
Never	1,685,474	99.3%
Heard/Used		
In Your Life- time	5,777	0.3%
Since School Began	2,188	0.1%
In the Past Month	3,660	0.2%
Frequency Missing = 39348		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	1,591,328	93.9%
Heard/Used		
In Your Life- time	61,834	3.6%
Since School Began	15,514	0.9%
In the Past Month	26,328	1.6%

Frequency Missing = 41445

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG USE
q16d	Frequency	Percent
Never	1,685,422	98.9%
Heard/Used		
In Your Life- time	5,799	0.3%
Since School Began	2,428	0.1%
In the Past Month	10,313	0.6%

Frequency Missing = 32486

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG USE
q16a	Frequency	Percent
Never	1,521,503	89.1%
Heard/Used		
In Your Life- time	62,451	3.7%
Since School Began	34,189	2.0%
In the Past Month	89,987	5.3%

Frequency Missing = 28319

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG USE
q16e	Frequency	Percent
Never	1,652,128	96.9%
Heard/Used		
In Your Life- time	15,729	0.9%
Since School Began	10,920	0.6%
In the Past Month	27,073	1.6%

Frequency Missing = 30597

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG USE
q16b	Frequency	Percent
Never	1,662,026	97.4%
Heard/Used		
In Your Life- time	13,630	0.8%
Since School Began	6,825	0.4%
In the Past Month	24,056	1.4%

Frequency Missing = 29912

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	1,599,136	96.4%
Heard/Used		
In Your Life- time	22,123	1.3%
Since School Began	10,090	0.6%
In the Past Month	27,255	1.6%

Frequency Missing = 77844

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG USE
q16c	Frequency	Percent
Never	1,613,075	94.5%
Heard/Used		
In Your Life- time	26,993	1.6%
Since School Began	21,426	1.3%
In the Past Month	44,718	2.6%

Frequency Missing = 30236

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	1,525,957	90.0%
Heard/Used		
1-2 times	82,855	4.9%
3-10 times	35,890	2.1%
11+ times	50,749	3.0%

Frequency Missing = 40997

ALCOHOL USE IN PAST MONTH		
q18b	Frequency	Percent
Never	1,248,375	74.0%
Heard/Used		
1-2 times	269,612	16.0%
3-10 times	119,775	7.1%
11+ times	49,899	3.0%
Frequency Missing = 48787		

INHALANT USE IN PAST MONTH		
q18c	Frequency	Percent
Never	1,663,717	98.2%
Heard/Used		
1-2 times	23,390	1.4%
3-10 times	5,660	0.3%
11+ times	2,123	0.1%
Frequency Missing = 41558		

MARIJUANA USE IN PAST MONTH		
q18d	Frequency	Percent
Never	1,471,811	86.9%
Heard/Used		
1-2 times	102,545	6.1%
3-10 times	58,189	3.4%
11+ times	61,790	3.6%
Frequency Missing = 42113		

COCAINE USE IN PAST MONTH		
q18e	Frequency	Percent
Never	1,683,943	99.2%
Heard/Used		
1-2 times	9,600	0.6%
3-10 times	1,589	0.1%
11+ times	1,969	0.1%
Frequency Missing = 39347		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

CRACK USE IN PAST MONTH		
q18f	Frequency	Percent
Never	1,690,817	99.7%
Heard/Used		
1-2 times	2,991	0.2%
3-10 times	657	0.0%
11+ times	897	0.1%
Frequency Missing = 41086		

CLOSE FRIENDS USE TOBACCO		
q19a	Frequency	Percent
Never	1,067,169	63.6%
heard/None		
A few	352,671	21.0%
Some	160,871	9.6%
Most	80,075	4.8%
All	17,332	1.0%
Frequency Missing = 58330		

CLOSE FRIENDS USE ALCOHOL		
q19b	Frequency	Percent
Never	754,891	45.0%
heard/None		
A few	392,703	23.4%
Some	256,468	15.3%
Most	215,082	12.8%
All	58,032	3.5%
Frequency Missing = 59273		

CLOSE FRIENDS USE INHALANTS		
q19c	Frequency	Percent
Never	1,526,704	91.3%
heard/None		
A few	103,606	6.2%
Some	30,666	1.8%
Most	8,890	0.5%
All	3,108	0.2%
Frequency Missing = 63474		

q19d	CLOSE FRIENDS USE MARIJUANA	
	Frequency	Percent
Never heard/None	894,587	53.4%
A few	323,836	19.3%
Some	216,297	12.9%
Most	179,358	10.7%
All	62,594	3.7%

Frequency Missing = 59777

q20d	DIFFICULT TO GET MARIJUANA	
	Frequency	Percent
Never heard of	356,637	21.7%
Impossible	391,659	23.8%
Very difficult	133,308	8.1%
Somewhat diff	158,692	9.6%
Somewhat easy	222,596	13.5%
Very easy	384,211	23.3%

Frequency Missing = 89345

q20a	DIFFICULT TO GET TOBACCO	
	Frequency	Percent
Never heard of	372,371	22.5%
Impossible	353,816	21.4%
Very difficult	132,056	8.0%
Somewhat diff	170,395	10.3%
Somewhat easy	242,110	14.7%
Very easy	380,810	23.1%

Frequency Missing = 84889

q20e	DIFFICULT TO GET COCAINE	
	Frequency	Percent
Never heard of	495,375	30.1%
Impossible	585,179	35.6%
Very difficult	234,990	14.3%
Somewhat diff	163,984	10.0%
Somewhat easy	76,810	4.7%
Very easy	87,399	5.3%

Frequency Missing = 92712

q20b	DIFFICULT TO GET ALCOHOL COMBINED	
	Frequency	Percent
Never heard of	299,414	18.2%
Impossible	232,205	14.1%
Very difficult	100,181	6.1%
Somewhat diff	183,605	11.1%
Somewhat easy	322,981	19.6%
Very easy	509,932	30.9%

Frequency Missing = 88129

q20f	DIFFICULT TO GET CRACK	
	Frequency	Percent
Never heard of	520,419	31.7%
Impossible	598,352	36.4%
Very difficult	242,219	14.7%
Somewhat diff	142,691	8.7%
Somewhat easy	65,338	4.0%
Very easy	74,432	4.5%

Frequency Missing = 92997

q20c	DIFFICULT TO GET INHALANTS	
	Frequency	Percent
Never heard of	543,653	33.1%
Impossible	277,503	16.9%
Very difficult	83,288	5.1%
Somewhat diff	110,845	6.7%
Somewhat easy	179,919	10.9%
Very easy	448,723	27.3%

Frequency Missing = 92516

q20h	DIFFICULT TO GET STEROIDS	
	Frequency	Percent
Never heard of	538,391	32.7%
Impossible	586,341	35.7%
Very difficult	234,284	14.2%
Somewhat diff	142,970	8.7%
Somewhat easy	70,638	4.3%
Very easy	72,083	4.4%

Frequency Missing = 91742

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	664,527	40.4%
Impossible	476,341	29.0%
Very difficult	192,427	11.7%
Somewhat diff	135,552	8.2%
Somewhat easy	85,563	5.2%
Very easy	89,223	5.4%
Frequency Missing = 92815		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	23,148	7.3%
9 years old	10,626	3.4%
10 years old	19,180	6.1%
11 years old	18,850	6.0%
12 years old	36,103	11.4%
13 years old	46,595	14.7%
14 years old	44,378	14.0%
15 years old	50,082	15.8%
16 years old	39,020	12.3%
17 years old	20,335	6.4%
18 or older	8,425	2.7%
Frequency Missing = 1419707		

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	633,598	38.4%
Impossible	605,403	36.7%
Very difficult	215,625	13.1%
Somewhat diff	94,707	5.7%
Somewhat easy	42,549	2.6%
Very easy	56,634	3.4%
Frequency Missing = 87932		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	87,655	11.1%
9 years old	32,142	4.1%
10 years old	45,276	5.8%
11 years old	47,412	6.0%
12 years old	92,916	11.8%
13 years old	119,548	15.2%
14 years old	118,244	15.0%
15 years old	112,197	14.3%
16 years old	80,875	10.3%
17 years old	37,020	4.7%
18 or older	13,058	1.7%
Frequency Missing = 950106		

DIFFICULT TO GET METHAM-PHETAMINE		
q20k	Frequency	Percent
Never heard of	669,350	40.6%
Impossible	572,525	34.7%
Very difficult	205,214	12.4%
Somewhat diff	94,303	5.7%
Somewhat easy	44,437	2.7%
Very easy	63,647	3.9%
Frequency Missing = 86972		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	12,001	14.8%
9 years old	6,033	7.4%
10 years old	10,486	12.9%
11 years old	10,971	13.5%
12 years old	10,470	12.9%
13 years old	12,949	15.9%
14 years old	9,216	11.3%
15 years old	5,247	6.5%
16 years old	2,717	3.3%
17 years old	899	1.1%
18 or older	288	0.4%
Frequency Missing = 1655170		

DIFFICULT TO GET SYNTHETIC MARIJUANA		
q20l	Frequency	Percent
Never heard of	657,381	39.9%
Impossible	433,112	26.3%
Very difficult	150,544	9.1%
Somewhat diff	118,091	7.2%
Somewhat easy	124,721	7.6%
Very easy	164,833	10.0%
Frequency Missing = 87765		

AGE WHEN FIRST USED MARIJUANA		
q21d	Frequency	Percent
8 or younger	7,104	1.8%
9 years old	7,472	1.9%
10 years old	11,164	2.9%
11 years old	20,389	5.3%
12 years old	41,923	10.9%
13 years old	68,199	17.7%
14 years old	74,751	19.4%
15 years old	71,256	18.5%
16 years old	52,286	13.6%
17 years old	25,046	6.5%
18 or older	6,175	1.6%

Frequency Missing = 1350684

AGE WHEN FIRST USED STEROIDS		
q21h	Frequency	Percent
8 or younger	2,076	15.4%
9 years old	517	3.8%
10 years old	1,167	8.7%
11 years old	1,286	9.6%
12 years old	1,013	7.5%
13 years old	1,773	13.2%
14 years old	1,877	13.9%
15 years old	1,191	8.9%
16 years old	1,154	8.6%
17 years old	933	6.9%
18 or older	469	3.5%

Frequency Missing = 1722993

AGE WHEN FIRST USED COCAINE		
q21e	Frequency	Percent
8 or younger	382	1.6%
9 years old	95	0.4%
10 years old	426	1.8%
11 years old	516	2.1%
12 years old	2,040	8.4%
13 years old	3,364	13.8%
14 years old	3,401	14.0%
15 years old	5,143	21.2%
16 years old	3,677	15.1%
17 years old	2,988	12.3%
18 or older	2,282	9.4%

Frequency Missing = 1712134

AGE WHEN FIRST USED ECSTASY		
q21i	Frequency	Percent
8 or younger	625	1.7%
9 years old	187	0.5%
10 years old	647	1.8%
11 years old	1,037	2.8%
12 years old	2,485	6.8%
13 years old	4,042	11.1%
14 years old	6,875	18.8%
15 years old	8,334	22.8%
16 years old	7,129	19.5%
17 years old	4,413	12.1%
18 or older	803	2.2%

Frequency Missing = 1699870

AGE WHEN FIRST USED CRACK		
q21f	Frequency	Percent
8 or younger	287	5.0%
9 years old	98	1.7%
10 years old	40	0.7%
11 years old	379	6.6%
12 years old	1,510	26.5%
13 years old	1,707	29.9%
14 years old	840	14.7%
15 years old	498	8.7%
16 years old	205	3.6%
17 years old	139	2.4%

Frequency Missing = 1730745

AGE WHEN FIRST USED HEROIN		
q21j	Frequency	Percent
8 or younger	1,090	29.6%
9 years old	253	6.9%
10 years old	282	7.6%
11 years old	126	3.4%
12 years old	146	4.0%
13 years old	453	12.3%
14 years old	312	8.5%
15 years old	351	9.5%
16 years old	292	7.9%
17 years old	375	10.2%
18 or older	8	0.2%

Frequency Missing = 1732760

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q21k	AGE WHEN FIRST USED METHAMPHETAMINE	
	Frequency	Percent
8 or younger	984	11.5%
9 years old	188	2.2%
10 years old	306	3.6%
11 years old	229	2.7%
12 years old	1,244	14.5%
13 years old	954	11.1%
14 years old	1,153	13.5%
15 years old	1,416	16.5%
16 years old	562	6.6%
17 years old	1,503	17.5%
18 or older	26	0.3%

Frequency Missing = 1727883

q22b	HOW OFTEN NORMALLY USE ALCOHOL	
	Frequency	Percent
Every day	4,802	0.3%
Several times/wk	34,714	2.1%
Several times/mo	122,853	7.4%
About once/- month	194,813	11.7%
About on- ce/year	189,290	11.4%
< once/year	147,747	8.9%
Never used	966,096	58.2%

Frequency Missing = 76133

q21l	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
	Frequency	Percent
8 or younger	771	0.8%
9 years old	933	0.9%
10 years old	1,565	1.6%
11 years old	3,155	3.1%
12 years old	7,779	7.8%
13 years old	18,591	18.5%
14 years old	18,679	18.6%
15 years old	20,751	20.7%
16 years old	17,946	17.9%
17 years old	8,030	8.0%
18 or older	2,087	2.1%

Frequency Missing = 1636161

q22c	HOW OFTEN NORMALLY USE INHALANTS	
	Frequency	Percent
Every day	437	0.0%
Several times/wk	2,519	0.2%
Several times/mo	5,378	0.3%
About once/- month	8,641	0.5%
About on- ce/year	11,225	0.7%
< once/year	29,897	1.8%
Never used	1,614,168	96.5%

Frequency Missing = 64183

q22a	HOW OFTEN NORMALLY USE TOBACCO	
	Frequency	Percent
Every day	33,064	2.0%
Several times/wk	25,942	1.6%
Several times/mo	34,782	2.1%
About once/- month	51,226	3.1%
About on- ce/year	46,478	2.8%
< once/year	84,687	5.1%
Never used	1,394,768	83.5%

Frequency Missing = 65501

q22d	HOW OFTEN NORMALLY USE MARIJUANA	
	Frequency	Percent
Every day	31,170	1.9%
Several times/wk	35,982	2.2%
Several times/mo	56,472	3.4%
About once/- month	64,249	3.8%
About on- ce/year	67,958	4.1%
< once/year	80,146	4.8%
Never used	1,337,003	79.9%

Frequency Missing = 63468

q22e	HOW OFTEN NORMALLY USE COCAINE	
	Frequency	Percent
Every day	1,390	0.1%
Several times/wk	1,028	0.1%
Several times/mo	1,244	0.1%
About once/- month	3,565	0.2%
About on- ce/year	4,497	0.3%
< once/year	6,450	0.4%
Never used	1,654,622	98.9%

Frequency Missing = 63652

q22i	HOW OFTEN NORMALLY USE ECSTASY	
	Frequency	Percent
Every day	794	0.0%
Several times/wk	681	0.0%
Several times/mo	1,210	0.1%
About once/- month	5,625	0.3%
About on- ce/year	9,123	0.5%
< once/year	12,872	0.8%
Never used	1,640,419	98.2%

Frequency Missing = 65723

q22f	HOW OFTEN NORMALLY USE CRACK	
	Frequency	Percent
Every day	401	0.0%
Several times/wk	183	0.0%
About once/- month	276	0.0%
About on- ce/year	863	0.1%
< once/year	1,633	0.1%
Never used	1,670,788	99.8%

Frequency Missing = 62303

q22j	HOW OFTEN NORMALLY USE HEROIN	
	Frequency	Percent
Every day	517	0.0%
Several times/wk	161	0.0%
Several times/mo	335	0.0%
About on- ce/year	315	0.0%
< once/year	607	0.0%
Never used	1,673,672	99.9%

Frequency Missing = 60841

q22h	HOW OFTEN NORMALLY USE STEROIDS	
	Frequency	Percent
Every day	1,301	0.1%
Several times/wk	961	0.1%
Several times/mo	974	0.1%
About once/- month	1,348	0.1%
About on- ce/year	1,720	0.1%
< once/year	4,849	0.3%
Never used	1,663,566	99.3%

Frequency Missing = 61729

q22k	HOW OFTEN NORMALLY USE METHAMPHETAMINE	
	Frequency	Percent
Every day	560	0.0%
Several times/wk	304	0.0%
Several times/mo	382	0.0%
About once/- month	961	0.1%
About on- ce/year	866	0.1%
< once/year	2,619	0.2%
Never used	1,667,751	99.7%

Frequency Missing = 63006

HOW OFTEN NORMALLY USE SYNTHETIC MARIJUANA		
q22l	Frequency	Percent
Every day	2,641	0.2%
Several times/wk	4,021	0.2%
Several times/mo	8,081	0.5%
About once/- month	13,071	0.8%
About once/year	16,847	1.0%
< once/year	38,393	2.3%
Never used	1,589,962	95.0%
Frequency Missing = 63434		

AMOUNT OF WINE AT ONE TIME		
q23c	Frequency	Percent
Never drink this	1,122,940	68.1%
12+ drinks	13,251	0.8%
9-11 drinks	8,276	0.5%
5-8 drinks	18,700	1.1%
3-4 drinks	44,017	2.7%
2 drinks	76,190	4.6%
1 drink	148,387	9.0%
< 1 drink	217,714	13.2%
Frequency Missing = 86973		

AMOUNT OF BEER AT ONE TIME		
q23a	Frequency	Percent
Never drink this	1,020,114	61.7%
12+ drinks	48,872	3.0%
9-11 drinks	29,175	1.8%
5-8 drinks	63,997	3.9%
3-4 drinks	94,629	5.7%
2 drinks	96,887	5.9%
1 drink	110,802	6.7%
< 1 drink	189,648	11.5%
Frequency Missing = 82324		

AMOUNT OF LIQUOR AT ONE TIME		
q23d	Frequency	Percent
Never drink this	1,066,781	64.2%
12+ drinks	42,516	2.6%
9-11 drinks	29,172	1.8%
5-8 drinks	70,363	4.2%
3-4 drinks	110,147	6.6%
2 drinks	91,387	5.5%
1 drink	106,526	6.4%
< 1 drink	143,867	8.7%
Frequency Missing = 75689		

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
q24	Frequency	Percent
Never 5+ at time	821,568	49.5%
None	612,970	36.9%
1 day	83,605	5.0%
2 days	50,907	3.1%
3 to 5 days	46,192	2.8%
6 to 9 days	17,590	1.1%
10 or more days	28,434	1.7%
Frequency Missing = 75180		

AMOUNT OF WINE COOLERS AT ONE TIME		
q23b	Frequency	Percent
Never drink this	1,103,989	66.7%
12+ drinks	29,834	1.8%
9-11 drinks	21,790	1.3%
5-8 drinks	57,612	3.5%
3-4 drinks	101,848	6.2%
2 drinks	102,248	6.2%
1 drink	112,614	6.8%
< 1 drink	125,550	7.6%
Frequency Missing = 80962		

GET ALCOHOLIC BEVERAGES FROM HOME		
q25a	Frequency	Percent
Do not Drink	910,038	54.7%
Never	332,984	20.0%
Seldom	288,355	17.3%
Most of the Time	91,611	5.5%
Always	41,326	2.5%
Frequency Missing = 72134		

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q25b	Frequency	Percent
Do not Drink	892,981	53.7%
Never	299,180	18.0%
Seldom	224,670	13.5%
Most of the Time	183,357	11.0%
Always	61,240	3.7%

Frequency Missing = 75019

DANGEROUS FOR KIDS TO USE TOBACCO		
q26a	Frequency	Percent
Very	1,015,274	60.5%
Somewhat	397,838	23.7%
Not very	142,242	8.5%
Not at all	39,610	2.4%
Don't know	82,558	4.9%

Frequency Missing = 58927

GET ALCOHOLIC BEVERAGES FROM A STORE		
q25c	Frequency	Percent
Do not Drink	941,971	56.8%
Never	567,661	34.3%
Seldom	74,175	4.5%
Most of the Time	45,735	2.8%
Always	27,783	1.7%

Frequency Missing = 79123

DANGEROUS FOR KIDS TO USE ALCOHOL		
q26b	Frequency	Percent
Very	859,389	51.4%
Somewhat	498,511	29.8%
Not very	209,531	12.5%
Not at all	40,834	2.4%
Don't know	63,026	3.8%

Frequency Missing = 65157

DANGEROUS FOR KIDS TO USE INHALANTS		
q26c	Frequency	Percent
Very	1,252,431	74.9%
Somewhat	223,139	13.3%
Not very	60,721	3.6%
Not at all	19,783	1.2%
Don't know	116,487	7.0%

Frequency Missing = 63886

GET ALCOHOLIC BEVERAGES AT PARTIES		
q25d	Frequency	Percent
Do not Drink	871,440	52.4%
Never	267,452	16.1%
Seldom	170,058	10.2%
Most of the Time	185,493	11.1%
Always	169,230	10.2%

Frequency Missing = 72776

DANGEROUS FOR KIDS TO USE MARIJUANA		
q26d	Frequency	Percent
Very	950,156	56.7%
Somewhat	230,646	13.8%
Not very	190,232	11.4%
Not at all	234,692	14.0%
Don't know	68,738	4.1%

Frequency Missing = 61986

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q25e	Frequency	Percent
Do not Drink	936,194	56.8%
Never	408,010	24.8%
Seldom	154,075	9.4%
Most of the Time	78,817	4.8%
Always	70,332	4.3%

Frequency Missing = 89019

DANGEROUS FOR KIDS TO USE COCAINE		
q26e	Frequency	Percent
Very	1,454,151	86.9%
Somewhat	109,497	6.5%
Not very	17,250	1.0%
Not at all	9,414	0.6%
Don't know	83,106	5.0%

Frequency Missing = 63031

	DANGEROUS FOR KIDS TO USE CRACK	FOR USE
q26f	Frequency	Percent
Very	1,470,377	87.9%
Somewhat	93,735	5.6%
Not very	13,032	0.8%
Not at all	9,708	0.6%
Don't know	86,842	5.2%

Frequency Missing = 62754

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	FOR USE
q26k	Frequency	Percent
Very	1,303,234	77.8%
Somewhat	140,641	8.4%
Not very	62,540	3.7%
Not at all	27,209	1.6%
Don't know	141,548	8.4%

Frequency Missing = 61275

	DANGEROUS FOR KIDS TO USE ECSTASY	FOR USE
q26g	Frequency	Percent
Very	1,350,802	80.8%
Somewhat	134,543	8.0%
Not very	38,223	2.3%
Not at all	14,304	0.9%
Don't know	134,736	8.1%

Frequency Missing = 63839

	DANGEROUS FOR KIDS TO USE HYDROCODONE	FOR USE
q26l	Frequency	Percent
Very	1,331,326	79.5%
Somewhat	120,520	7.2%
Not very	43,539	2.6%
Not at all	20,513	1.2%
Don't know	159,544	9.5%

Frequency Missing = 61005

	DANGEROUS FOR KIDS TO USE STEROIDS	FOR USE
q26h	Frequency	Percent
Very	1,260,639	75.5%
Somewhat	220,733	13.2%
Not very	62,871	3.8%
Not at all	20,107	1.2%
Don't know	104,999	6.3%

Frequency Missing = 67099

	DAYS SKIPPED SINCE SEPTEMBER	PERCENT
q27a	Frequency	Percent
None	1,315,082	79.2%
1-3 days	253,886	15.3%
4-9 days	55,345	3.3%
10+ days	36,183	2.2%

Frequency Missing = 75952

	DANGEROUS FOR KIDS TO USE HEROIN	FOR USE
q26i	Frequency	Percent
Very	1,471,430	87.9%
Somewhat	71,192	4.3%
Not very	11,936	0.7%
Not at all	10,005	0.6%
Don't know	109,519	6.5%

Frequency Missing = 62366

	DAYS ILL SINCE SEPTEMBER	PERCENT
q27b	Frequency	Percent
None	553,263	33.4%
1-3 days	847,572	51.1%
4-9 days	204,741	12.4%
10+ days	52,197	3.1%

Frequency Missing = 78675

	DANGEROUS FOR KIDS TO USE METHAMPHETAMINE	FOR USE
q26j	Frequency	Percent
Very	1,472,750	87.9%
Somewhat	67,998	4.1%
Not very	12,645	0.8%
Not at all	9,104	0.5%
Don't know	113,128	6.8%

Frequency Missing = 60822

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	PERCENT
q27c	Frequency	Percent
None	678,126	41.3%
1-3 days	788,866	48.1%
4-9 days	126,261	7.7%
10+ days	46,968	2.9%

Frequency Missing = 96227

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q27d	Frequency	Percent
None	1,453,276	87.5%
1-3 days	159,141	9.6%
4-9 days	28,844	1.7%
10+ days	19,283	1.2%
Frequency Missing = 75903		

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q28d	Frequency	Percent
None	1,590,241	96.0%
1-3 times	57,014	3.4%
4-9 times	6,017	0.4%
10+ times	3,452	0.2%
Frequency Missing = 79725		

SOMEONE CALLED HOME SINCE SEPTEMBER		
q27e	Frequency	Percent
None	1,497,578	90.2%
1-3 days	128,185	7.7%
4-9 days	17,887	1.1%
10+ days	16,005	1.0%
Frequency Missing = 76793		

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q28e	Frequency	Percent
None	1,585,888	95.8%
1-3 times	44,803	2.7%
4-9 times	10,590	0.6%
10+ times	14,551	0.9%
Frequency Missing = 80617		

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q28a	Frequency	Percent
None	1,594,362	96.0%
1-3 times	57,933	3.5%
4-9 times	6,516	0.4%
10+ times	2,411	0.1%
Frequency Missing = 75226		

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q28f	Frequency	Percent
None	1,582,178	95.5%
1-3 times	58,710	3.5%
4-9 times	8,725	0.5%
10+ times	6,648	0.4%
Frequency Missing = 80188		

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q28b	Frequency	Percent
None	1,598,443	96.4%
1-3 times	46,656	2.8%
4-9 times	7,937	0.5%
10+ times	5,335	0.3%
Frequency Missing = 78075		

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q29a	Frequency	Percent
None	1,586,255	95.8%
1-3 days	53,970	3.3%
4-9 days	9,326	0.6%
10+ days	6,223	0.4%
Frequency Missing = 80674		

CRITICIZED BY DATE BECAUSE OF DRINKING		
q28c	Frequency	Percent
None	1,570,038	95.1%
1-3 times	70,219	4.3%
4-9 times	6,360	0.4%
10+ times	3,957	0.2%
Frequency Missing = 85874		

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q29b	Frequency	Percent
None	1,526,273	92.3%
1-3 days	73,956	4.5%
4-9 days	20,063	1.2%
10+ days	33,274	2.0%
Frequency Missing = 82882		

	CLASS DAYS HIGH ON INHALANTS SINCE SEPT	
q29c	Frequency	Percent
None	1,635,177	99.1%
1-3 days	11,669	0.7%
4-9 days	1,960	0.1%
10+ days	1,776	0.1%
Frequency Missing = 85866		

	WOULD SEEK HELP FROM SCHOOL COUNSELOR	
q32a	Frequency	Percent
No	1,035,199	63.5%
Yes	594,973	36.5%
Frequency Missing = 106277		

	CLASS DAYS HIGH ON OTHER DRUG(S)	
q29d	Frequency	Percent
None	1,602,700	97.1%
1-3 days	31,723	1.9%
4-9 days	7,625	0.5%
10+ days	8,784	0.5%
Frequency Missing = 85616		

	WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL	
q32b	Frequency	Percent
No	965,065	59.2%
Yes	664,106	40.8%
Frequency Missing = 107278		

	ALCOHOL USE AT PARTIES THIS SCHOOL YEAR	
q30a	Frequency	Percent
Never	762,971	46.2%
Seldom	110,235	6.7%
Half the time	88,306	5.3%
Most of the time	154,089	9.3%
Always	202,314	12.3%
Don't know	27,093	1.6%
Didn't attend	306,534	18.6%
Frequency Missing = 84907		

	WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL	
q32c	Frequency	Percent
No	949,947	58.8%
Yes	666,908	41.2%
Frequency Missing = 119594		

	DRUG USE AT PARTIES THIS SCHOOL YEAR	
q30b	Frequency	Percent
Never	885,846	53.5%
Seldom	107,298	6.5%
Half the time	85,297	5.2%
Most of the time	107,508	6.5%
Always	124,635	7.5%
Don't know	38,029	2.3%
Didn't attend	306,364	18.5%
Frequency Missing = 81471		

	WOULD SEEK HELP FROM PARENTS	
q32d	Frequency	Percent
No	558,556	34.2%
Yes	1,072,706	65.8%
Frequency Missing = 105186		

	SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM	
q31	Frequency	Percent
No	1,425,449	93.8%
Yes	94,522	6.2%
Frequency Missing = 216477		

	WOULD SEEK HELP FROM A MEDICAL DOCTOR	
q32e	Frequency	Percent
No	778,481	48.1%
Yes	839,849	51.9%
Frequency Missing = 118119		

	WOULD SEEK HELP FROM FRIENDS	
q32f	Frequency	Percent
No	573,442	35.4%
Yes	1,047,772	64.6%
Frequency Missing = 115235		

WOULD SEEK HELP FROM ANOTHER ADULT		
q32g	Frequency	Percent
No	634,042	39.0%
Yes	993,560	61.0%
Frequency Missing = 108845		

DRUG/ALCOHOL INFO-SCHOOL STUDENT GROUP OR CLUB		
q33e	Frequency	Percent
No	1,331,253	86.4%
Yes	208,737	13.6%
Frequency Missing = 196458		

WOULD NOT SEEK HELP		
q32h	Frequency	Percent
No	1,329,075	83.2%
Yes	269,244	16.8%
Frequency Missing = 138129		

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q33f	Frequency	Percent
No	1,105,296	71.5%
Yes	440,973	28.5%
Frequency Missing = 190179		

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q33a	Frequency	Percent
No	897,014	57.7%
Yes	657,603	42.3%
Frequency Missing = 181831		

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q33g	Frequency	Percent
No	1,080,088	69.9%
Yes	464,464	30.1%
Frequency Missing = 191897		

DRUG/ALCOHOL INFO-SCHOOL ASSEMBLY PROGRAM		
q33b	Frequency	Percent
No	885,179	57.1%
Yes	664,254	42.9%
Frequency Missing = 187015		

PARENTS FEEL ABOUT KIDS USING TOBACCO		
q34a	Frequency	Percent
Strong disapprove	1,281,686	77.6%
Mild disapprove	120,615	7.3%
Neither	102,605	6.2%
Mildly approve	17,055	1.0%
Strongly approve	14,028	0.8%
Don't know	115,776	7.0%
Frequency Missing = 84684		

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUNSELOR		
q33c	Frequency	Percent
No	1,170,469	75.7%
Yes	374,731	24.3%
Frequency Missing = 191248		

PARENTS FEEL ABOUT KIDS DRINKING ALCOHOL		
q34b	Frequency	Percent
Strong disapprove	1,065,648	64.6%
Mild disapprove	219,160	13.3%
Neither	179,490	10.9%
Mildly approve	58,569	3.6%
Strongly approve	18,601	1.1%
Don't know	108,097	6.6%
Frequency Missing = 86883		

DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS		
q33d	Frequency	Percent
No	1,091,819	70.6%
Yes	454,065	29.4%
Frequency Missing = 190564		

		PARENTS FEEL ABOUT KIDS USING MARIJUANA	
q34c		Frequency	Percent
Strongly disapprove		1,298,467	78.7%
Mild disapprove		104,591	6.3%
Neither		91,668	5.6%
Mildly approve		23,767	1.4%
Strongly approve		25,633	1.6%
Don't know		105,307	6.4%
		Frequency Missing = 87015	

			TESTED FOR DRUG USE AT SCHOOL
q35		Frequency	Percent
No		1,374,442	83.3%
Yes		275,925	16.7%
		Frequency Missing = 86081	

		DRUG TESTING SHOULD BE RE- QUIRED FOR ALL STUDENT ATH- LETES	
q36		Frequency	Percent
Do not know		372,064	22.4%
No		326,678	19.7%
Yes		961,017	57.9%
		Frequency Missing = 76689	