

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2016



**NON-BORDER REPORT**

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Pearson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	28
Miscellaneous . . . . .	32
<b>2 Prevalence Tables</b>	<b>38</b>
Table B-1: All Students . . . . .	39
Table B-2: Male Students . . . . .	43
Table B-3: Female Students . . . . .	47
Table B-4: White Non-Hispanic Students . . . . .	51
Table B-5: African American Non-Hispanic Students . . . . .	55
Table B-6: Hispanic or Latino Students . . . . .	59
Table B-7: Students Reporting A Grades on Average . . . . .	63
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	67
Table B-9: Students Living with 2 Parents . . . . .	71
Table B-10: Students Not Living with 2 Parents . . . . .	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	83
<b>3 Margin Tables</b>	<b>87</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>107</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in non-border regions of the state. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.**

# 1 General Substance Use Tables

## Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	14.7%	19.0%	30.7%	69.3%
Grade 7	5.0%	6.6%	13.3%	86.7%
Grade 8	8.4%	11.0%	21.0%	79.0%
Grade 9	13.5%	17.7%	29.9%	70.1%
Grade 10	16.1%	21.1%	34.7%	65.3%
Grade 11	21.9%	28.5%	43.5%	56.5%
Grade 12	27.7%	35.1%	49.1%	50.9%
Cigarettes?				
All	4.9%	7.4%	16.2%	83.8%
Grade 7	1.4%	2.0%	5.8%	94.2%
Grade 8	2.3%	3.6%	10.9%	89.1%
Grade 9	3.9%	5.8%	13.8%	86.2%
Grade 10	5.8%	7.9%	17.3%	82.7%
Grade 11	7.6%	11.9%	24.5%	75.5%
Grade 12	10.7%	16.4%	29.7%	70.3%
Smokeless Tobacco?				
All	3.0%	4.4%	8.1%	91.9%
Grade 7	0.7%	1.0%	3.0%	97.0%
Grade 8	1.5%	2.3%	4.7%	95.3%
Grade 9	2.7%	3.7%	7.2%	92.8%
Grade 10	3.0%	4.4%	8.5%	91.5%
Grade 11	5.0%	7.0%	12.6%	87.4%
Grade 12	6.4%	9.5%	15.5%	84.5%
Electronic Vapor Products?				
All	9.2%	14.2%	25.5%	74.5%
Grade 7	3.1%	4.6%	10.4%	89.6%
Grade 8	4.6%	7.7%	16.9%	83.1%
Grade 9	9.1%	13.9%	25.5%	74.5%
Grade 10	9.8%	15.4%	29.2%	70.8%
Grade 11	14.8%	22.3%	37.2%	62.8%
Grade 12	16.5%	26.0%	39.8%	60.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 120

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	85.7%	1.8%	1.2%	1.7%	2.7%	2.5%	4.4%
Grade 7	96.0%	0.3%	0.2%	0.4%	0.8%	0.7%	1.6%
Grade 8	91.9%	0.4%	0.6%	0.9%	1.5%	1.6%	3.1%
Grade 9	87.1%	1.0%	0.9%	2.0%	2.3%	2.4%	4.2%
Grade 10	83.9%	1.7%	1.3%	2.0%	3.5%	2.8%	4.8%
Grade 11	78.5%	3.5%	1.8%	2.3%	3.9%	3.6%	6.5%
Grade 12	72.1%	4.7%	3.2%	2.8%	5.5%	4.7%	7.1%

**Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	24.0%	22.0%	7.5%	9.9%	14.7%	21.9%
Grade 7	32.8%	37.4%	9.2%	6.9%	7.3%	6.4%
Grade 8	29.2%	28.7%	9.3%	10.5%	11.7%	10.6%
Grade 9	25.8%	21.0%	8.0%	12.2%	16.6%	16.4%
Grade 10	21.4%	17.9%	7.3%	12.5%	18.3%	22.6%
Grade 11	17.0%	13.2%	5.6%	10.6%	20.8%	32.8%
Grade 12	14.1%	8.3%	4.2%	6.5%	14.9%	52.0%

**Table T-4: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	67.7%	19.4%	8.0%	3.9%	1.0%
Grade 7	88.4%	8.4%	2.1%	0.7%	0.4%
Grade 8	78.8%	14.7%	4.2%	1.6%	0.7%
Grade 9	69.0%	19.4%	7.8%	3.3%	0.5%
Grade 10	61.9%	22.9%	9.7%	4.4%	1.1%
Grade 11	53.8%	26.2%	12.4%	6.3%	1.3%
Grade 12	45.6%	28.5%	14.5%	9.0%	2.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 4 of 120

**Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.1%	7.8%	6.3%	1.0%	0.8%	6.0%
Grade 7	86.3%	3.1%	2.3%	0.4%	0.5%	7.3%
Grade 8	83.8%	5.0%	3.2%	0.6%	0.9%	6.4%
Grade 9	79.6%	7.5%	4.8%	0.7%	0.4%	7.0%
Grade 10	77.4%	8.1%	6.7%	1.1%	0.9%	5.8%
Grade 11	73.2%	10.8%	9.1%	1.6%	0.9%	4.3%
Grade 12	63.5%	14.3%	14.0%	2.1%	1.4%	4.8%

**Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	62.0%	23.4%	8.5%	2.0%	4.1%
	Grade 7	78.5%	14.0%	3.4%	0.6%	3.5%
	Grade 8	70.1%	19.3%	5.8%	1.2%	3.7%
	Grade 9	60.1%	25.3%	8.7%	1.3%	4.6%
	Grade 10	57.7%	26.1%	8.9%	2.4%	4.8%
	Grade 11	52.3%	28.5%	11.9%	2.9%	4.4%
	Grade 12	47.3%	30.2%	14.4%	4.4%	3.7%
Electronic Vapor Products?						
	All	50.4%	13.6%	16.1%	14.2%	5.7%
	Grade 7	70.5%	12.3%	7.0%	5.5%	4.8%
	Grade 8	60.6%	13.6%	12.0%	8.8%	5.0%
	Grade 9	47.5%	13.8%	17.6%	14.7%	6.5%
	Grade 10	42.9%	13.8%	19.6%	18.0%	5.8%
	Grade 11	37.6%	14.7%	20.8%	20.2%	6.7%
	Grade 12	36.7%	13.9%	22.3%	21.1%	6.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 5 of 120



## Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	28.4%	34.0%	53.4%	46.6%
Grade 7	13.2%	15.8%	35.2%	64.8%
Grade 8	20.1%	23.8%	43.4%	56.6%
Grade 9	27.5%	32.6%	52.6%	47.4%
Grade 10	31.0%	37.4%	58.9%	41.1%
Grade 11	37.9%	46.4%	65.5%	34.5%
Grade 12	47.7%	56.2%	72.2%	27.8%
Beer?				
All	11.6%	17.9%	40.3%	59.7%
Grade 7	3.7%	5.6%	23.9%	76.1%
Grade 8	6.2%	9.7%	31.4%	68.6%
Grade 9	10.1%	16.7%	39.2%	60.8%
Grade 10	12.0%	19.2%	44.3%	55.7%
Grade 11	17.7%	26.7%	50.9%	49.1%
Grade 12	24.0%	35.9%	59.2%	40.8%
Wine Coolers?				
All	10.3%	16.1%	34.5%	65.5%
Grade 7	3.5%	5.0%	17.1%	82.9%
Grade 8	5.5%	7.9%	23.8%	76.2%
Grade 9	9.2%	15.0%	33.7%	66.3%
Grade 10	11.7%	18.0%	39.1%	60.9%
Grade 11	15.2%	25.2%	47.3%	52.7%
Grade 12	20.3%	31.2%	53.8%	46.2%
Wine?				
All	8.1%	13.1%	35.3%	64.7%
Grade 7	3.7%	5.5%	21.4%	78.6%
Grade 8	5.2%	8.0%	27.7%	72.3%
Grade 9	7.1%	11.8%	34.0%	66.0%
Grade 10	8.5%	13.9%	38.6%	61.4%
Grade 11	11.3%	18.9%	45.4%	54.6%
Grade 12	15.2%	24.3%	51.1%	48.9%
Liquor?				
All	11.8%	18.4%	36.6%	63.4%
Grade 7	2.8%	4.2%	14.9%	85.1%
Grade 8	5.7%	8.9%	24.5%	75.5%
Grade 9	9.9%	15.8%	34.3%	65.7%
Grade 10	13.2%	21.3%	43.0%	57.0%
Grade 11	18.6%	29.2%	51.8%	48.2%
Grade 12	25.0%	38.2%	60.8%	39.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 120

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	62.0%	0.3%	1.6%	6.7%	10.7%	10.4%	8.3%
Grade 7	83.9%	0.2%	0.6%	1.4%	3.2%	4.9%	5.7%
Grade 8	74.3%	0.2%	0.9%	3.1%	5.1%	7.8%	8.6%
Grade 9	63.0%	0.4%	1.5%	5.4%	10.7%	9.4%	9.6%
Grade 10	55.2%	0.3%	1.8%	7.3%	12.3%	13.8%	9.3%
Grade 11	48.0%	0.5%	1.7%	11.6%	14.9%	14.8%	8.5%
Grade 12	38.5%	0.4%	3.7%	13.8%	21.7%	13.7%	8.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	64.2%	35.8%	6.8%	16.6%	12.4%
	Grade 7	80.3%	19.7%	1.6%	7.4%	10.7%
	Grade 8	73.0%	27.0%	2.6%	11.2%	13.2%
	Grade 9	64.5%	35.5%	5.4%	15.9%	14.2%
	Grade 10	60.0%	40.0%	7.4%	18.8%	13.8%
	Grade 11	54.3%	45.7%	11.6%	23.5%	10.6%
	Grade 12	46.6%	53.4%	15.0%	27.0%	11.4%
<b>Wine Coolers</b>						
	All	68.9%	31.1%	5.8%	17.4%	8.0%
	Grade 7	85.8%	14.2%	1.5%	6.0%	6.6%
	Grade 8	79.4%	20.6%	2.5%	9.9%	8.3%
	Grade 9	69.7%	30.3%	4.7%	17.2%	8.4%
	Grade 10	64.2%	35.8%	6.4%	20.4%	9.1%
	Grade 11	56.7%	43.3%	9.6%	25.4%	8.3%
	Grade 12	50.0%	50.0%	12.3%	30.5%	7.2%
<b>Wine</b>						
	All	69.2%	30.8%	2.2%	14.8%	13.8%
	Grade 7	82.5%	17.5%	1.0%	6.0%	10.5%
	Grade 8	75.8%	24.2%	1.5%	9.3%	13.4%
	Grade 9	69.7%	30.3%	2.2%	13.8%	14.3%
	Grade 10	66.2%	33.8%	2.2%	16.7%	14.9%
	Grade 11	60.9%	39.1%	3.0%	21.4%	14.7%
	Grade 12	55.1%	44.9%	4.1%	25.4%	15.3%
<b>Liquor</b>						
	All	66.3%	33.7%	8.0%	16.8%	8.9%
	Grade 7	87.3%	12.7%	1.3%	5.0%	6.4%
	Grade 8	78.7%	21.3%	3.1%	9.4%	8.8%
	Grade 9	68.2%	31.8%	6.8%	14.8%	10.2%
	Grade 10	60.2%	39.8%	9.4%	19.7%	10.7%
	Grade 11	51.6%	48.4%	13.3%	25.9%	9.1%
	Grade 12	42.7%	57.3%	17.2%	31.3%	8.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 8 of 120

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.6%	4.2%	2.6%	2.2%	0.8%	1.5%
Grade 7	96.2%	1.8%	0.8%	0.5%	0.2%	0.6%
Grade 8	94.1%	2.2%	1.6%	1.0%	0.4%	0.7%
Grade 9	90.2%	3.9%	2.1%	2.0%	0.4%	1.4%
Grade 10	87.5%	4.5%	2.7%	2.4%	1.1%	1.8%
Grade 11	83.3%	6.0%	3.9%	3.6%	1.3%	1.8%
Grade 12	76.6%	8.4%	5.7%	4.2%	1.9%	3.2%

**Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.8%	14.6%	6.1%	11.2%	18.4%	29.9%
Grade 7	28.8%	27.3%	9.5%	10.1%	10.5%	13.8%
Grade 8	25.3%	19.0%	8.0%	11.8%	15.0%	20.9%
Grade 9	21.1%	13.1%	5.7%	12.3%	19.1%	28.7%
Grade 10	16.1%	11.1%	4.8%	10.7%	21.7%	35.5%
Grade 11	12.8%	7.4%	4.1%	10.5%	23.7%	41.4%
Grade 12	11.0%	5.3%	3.4%	11.5%	23.1%	45.5%

**Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.3%	2.8%	0.5%	0.4%
Grade 7	97.8%	1.8%	0.2%	0.2%
Grade 8	97.0%	2.4%	0.2%	0.4%
Grade 9	96.5%	2.6%	0.3%	0.5%
Grade 10	96.0%	3.2%	0.5%	0.4%
Grade 11	95.6%	3.4%	0.5%	0.5%
Grade 12	94.1%	3.8%	1.5%	0.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-7: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.5
Alcohol Non-Users	3.5
Average Days Conduct Problems Reported	
Alcohol Users	2.4
Alcohol Non-Users	0.8

**Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	95.7%	3.4%	0.4%	0.4%
Grade 9	98.4%	1.3%	0.1%	0.2%
Grade 10	97.2%	2.4%	0.1%	0.3%
Grade 11	95.4%	3.6%	0.6%	0.4%
Grade 12	91.0%	7.0%	1.0%	1.1%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.4%	3.0%	0.3%	0.2%
Grade 7	98.0%	1.6%	0.2%	0.2%
Grade 8	97.7%	1.9%	0.3%	0.1%
Grade 9	96.4%	3.3%	0.2%	0.1%
Grade 10	95.8%	3.5%	0.3%	0.4%
Grade 11	95.3%	4.1%	0.3%	0.4%
Grade 12	94.6%	4.4%	0.7%	0.3%

**Table A-9: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	49.4%	23.3%	13.7%	10.5%	3.1%
Grade 7	78.8%	14.3%	4.5%	1.9%	0.4%
Grade 8	66.5%	19.9%	8.7%	3.7%	1.3%
Grade 9	48.7%	26.1%	14.3%	9.2%	1.7%
Grade 10	38.0%	27.3%	18.2%	13.2%	3.3%
Grade 11	30.1%	27.4%	19.6%	17.8%	5.2%
Grade 12	23.5%	26.9%	19.8%	21.5%	8.2%

*Percentages have been weighted to reflect proportions within the population.*

**Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	50.7%	7.2%	5.2%	7.9%	10.5%	1.8%	16.6%
Grade 7	74.3%	6.0%	2.9%	2.6%	1.5%	2.3%	10.4%
Grade 8	67.8%	7.5%	4.6%	4.1%	2.9%	1.9%	11.1%
Grade 9	48.1%	9.0%	6.5%	7.7%	7.1%	2.3%	19.5%
Grade 10	41.7%	8.4%	6.4%	10.4%	11.5%	2.0%	19.6%
Grade 11	34.2%	6.4%	6.2%	11.6%	19.0%	0.9%	21.7%
Grade 12	28.8%	5.6%	4.9%	13.0%	26.6%	1.5%	19.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	58.3%	18.3%	16.0%	5.0%	2.4%
	Grade 7	71.4%	17.1%	8.4%	2.1%	1.0%
	Grade 8	66.4%	16.5%	12.3%	3.4%	1.5%
	Grade 9	59.0%	16.8%	16.6%	5.2%	2.4%
	Grade 10	54.0%	18.2%	19.0%	5.9%	2.9%
	Grade 11	49.8%	20.0%	20.7%	6.7%	2.7%
	Grade 12	43.3%	22.2%	21.8%	8.2%	4.5%
Friends?						
	All	57.8%	18.0%	11.7%	9.2%	3.3%
	Grade 7	74.4%	19.2%	3.8%	2.1%	0.5%
	Grade 8	69.4%	18.9%	7.3%	3.2%	1.1%
	Grade 9	59.5%	18.9%	12.3%	7.2%	2.1%
	Grade 10	52.1%	18.8%	14.7%	10.3%	4.1%
	Grade 11	45.5%	16.4%	16.7%	15.6%	5.8%
	Grade 12	38.3%	15.0%	18.2%	20.5%	7.9%
A Store?						
	All	59.9%	32.5%	3.8%	2.4%	1.4%
	Grade 7	74.4%	23.6%	1.0%	0.7%	0.3%
	Grade 8	70.6%	27.1%	1.2%	0.8%	0.3%
	Grade 9	61.3%	32.9%	3.3%	1.9%	0.7%
	Grade 10	55.0%	36.2%	4.2%	2.9%	1.7%
	Grade 11	49.5%	39.1%	6.0%	3.4%	1.9%
	Grade 12	42.0%	39.2%	8.7%	6.1%	4.0%
Parties?						
	All	56.0%	16.9%	9.6%	9.2%	8.3%
	Grade 7	71.4%	18.6%	5.3%	3.2%	1.4%
	Grade 8	67.2%	17.6%	7.7%	4.7%	2.8%
	Grade 9	57.3%	17.2%	10.0%	8.8%	6.8%
	Grade 10	50.9%	17.1%	11.0%	10.8%	10.2%
	Grade 11	44.4%	16.4%	10.6%	14.5%	14.1%
	Grade 12	38.0%	13.6%	14.5%	15.6%	18.4%
Other Sources?						
	All	60.9%	23.4%	7.9%	4.2%	3.5%
	Grade 7	73.4%	20.0%	3.5%	2.2%	0.9%
	Grade 8	70.4%	19.6%	5.1%	2.7%	2.2%
	Grade 9	62.6%	22.4%	8.0%	4.0%	3.0%
	Grade 10	56.1%	25.7%	9.3%	4.8%	4.1%
	Grade 11	51.4%	26.2%	11.4%	5.6%	5.4%
	Grade 12	45.1%	28.9%	12.0%	7.2%	6.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 12 of 120

**Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	64.3%	14.2%	11.2%	3.4%	1.0%	5.9%
Grade 7	79.0%	7.2%	4.5%	1.3%	0.6%	7.4%
Grade 8	72.5%	11.1%	6.8%	1.8%	1.0%	6.8%
Grade 9	64.6%	14.7%	10.3%	3.0%	0.7%	6.7%
Grade 10	59.0%	17.1%	12.9%	4.5%	1.2%	5.3%
Grade 11	55.8%	17.9%	15.9%	5.3%	1.2%	4.0%
Grade 12	48.8%	19.4%	20.3%	5.5%	1.6%	4.4%

**Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	52.8%	29.7%	11.9%	2.3%	3.2%
Grade 7	66.9%	20.9%	7.3%	1.9%	3.0%
Grade 8	58.2%	25.9%	10.7%	2.4%	2.9%
Grade 9	50.8%	30.4%	12.9%	1.9%	4.1%
Grade 10	48.7%	32.5%	12.5%	2.8%	3.5%
Grade 11	45.0%	36.3%	13.0%	2.4%	3.2%
Grade 12	42.9%	35.4%	16.6%	2.6%	2.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 13 of 120



## Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	12.7%	17.0%	22.6%	77.4%
Grade 7	3.9%	5.7%	7.5%	92.5%
Grade 8	7.0%	9.8%	12.8%	87.2%
Grade 9	10.8%	14.7%	19.0%	81.0%
Grade 10	14.8%	19.6%	26.4%	73.6%
Grade 11	20.2%	26.6%	35.5%	64.5%
Grade 12	24.0%	30.9%	42.1%	57.9%
Marijuana?				
All	12.1%	14.9%	20.9%	79.1%
Grade 7	3.3%	4.1%	5.8%	94.2%
Grade 8	6.2%	7.9%	11.0%	89.0%
Grade 9	10.4%	12.6%	17.2%	82.8%
Grade 10	14.1%	17.4%	24.4%	75.6%
Grade 11	19.9%	24.4%	34.3%	65.7%
Grade 12	23.2%	28.3%	40.5%	59.5%
Cocaine?				
All	1.2%	1.5%	2.5%	97.5%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	1.0%	1.1%	1.4%	98.6%
Grade 9	0.9%	1.0%	1.7%	98.3%
Grade 10	1.2%	1.6%	2.6%	97.4%
Grade 11	1.7%	2.2%	4.1%	95.9%
Grade 12	2.3%	2.9%	5.3%	94.7%
Crack?				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.3%	0.6%	0.9%	99.1%
Grade 11	0.3%	0.3%	1.0%	99.0%
Grade 12	0.6%	0.6%	1.5%	98.5%
Hallucinogens?				
All	0.9%	1.5%	3.1%	96.9%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.5%	1.0%	2.0%	98.0%
Grade 10	1.1%	1.8%	3.3%	96.7%
Grade 11	1.3%	2.7%	5.9%	94.1%
Grade 12	2.2%	3.6%	7.5%	92.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 14 of 120

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.2%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.8%	99.2%
Steroids?				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.4%	0.5%	1.2%	98.8%
Grade 8	0.4%	0.6%	1.8%	98.2%
Grade 9	0.5%	0.6%	0.9%	99.1%
Grade 10	0.3%	0.5%	1.6%	98.4%
Grade 11	0.2%	0.4%	1.5%	98.5%
Grade 12	0.8%	1.0%	2.2%	97.8%
Ecstasy?				
All	0.7%	1.1%	2.3%	97.7%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.6%	0.9%	1.9%	98.1%
Grade 10	0.5%	1.0%	2.2%	97.8%
Grade 11	0.8%	1.6%	3.7%	96.3%
Grade 12	1.8%	2.7%	5.1%	94.9%
Heroin?				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.9%	99.1%
Methamphetamine?				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.4%	0.5%	1.1%	98.9%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.2%	0.6%	1.3%	98.7%
Grade 12	0.7%	1.1%	2.0%	98.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 15 of 120

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.9%	1.5%	4.4%	95.6%
Grade 7	0.6%	0.8%	1.3%	98.7%
Grade 8	0.8%	1.5%	3.1%	96.9%
Grade 9	0.8%	1.4%	3.7%	96.3%
Grade 10	1.2%	1.9%	5.2%	94.8%
Grade 11	1.2%	2.0%	6.7%	93.3%
Grade 12	1.0%	1.8%	7.4%	92.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	82.3%	1.6%	1.8%	3.0%	3.6%	4.0%	3.8%
Grade 7	95.4%	0.2%	0.5%	0.6%	0.9%	1.1%	1.3%
Grade 8	91.3%	0.6%	0.9%	1.2%	1.8%	2.2%	2.1%
Grade 9	85.3%	1.0%	1.2%	2.7%	3.4%	3.0%	3.4%
Grade 10	79.4%	2.0%	2.4%	3.6%	4.1%	4.3%	4.2%
Grade 11	70.8%	2.6%	2.8%	5.0%	6.2%	6.5%	6.2%
Grade 12	64.9%	3.9%	4.1%	5.7%	6.1%	8.3%	7.0%
Cocaine?							
All	98.3%	0.0%	0.1%	0.2%	0.3%	0.4%	0.7%
Grade 7	99.3%	0.0%	0.0%	0.1%	0.1%	0.1%	0.4%
Grade 8	99.3%	0.1%	0.1%	0.1%	0.1%	0.1%	0.2%
Grade 9	99.0%	0.0%	0.0%	0.1%	0.3%	0.3%	0.4%
Grade 10	98.3%	0.0%	0.2%	0.2%	0.3%	0.2%	0.8%
Grade 11	97.2%	0.0%	0.1%	0.1%	0.4%	1.0%	1.1%
Grade 12	96.0%	0.1%	0.1%	0.6%	0.7%	1.1%	1.4%
Crack?							
All	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%
Grade 7	99.6%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
Grade 8	99.5%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%
Grade 9	99.4%	0.0%	0.0%	0.0%	0.0%	0.2%	0.4%
Grade 10	99.4%	0.0%	0.0%	0.0%	0.2%	0.1%	0.3%
Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 12	99.1%	0.0%	0.2%	0.0%	0.0%	0.2%	0.5%
Steroids?							
All	99.1%	0.1%	0.0%	0.1%	0.1%	0.2%	0.4%
Grade 7	99.2%	0.1%	0.1%	0.1%	0.0%	0.1%	0.4%
Grade 8	99.0%	0.0%	0.1%	0.0%	0.1%	0.2%	0.6%
Grade 9	99.5%	0.1%	0.0%	0.2%	0.1%	0.1%	0.0%
Grade 10	99.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.7%
Grade 11	99.2%	0.0%	0.0%	0.1%	0.1%	0.3%	0.3%
Grade 12	98.9%	0.1%	0.0%	0.0%	0.1%	0.2%	0.7%
Ecstasy?							
All	98.2%	0.1%	0.1%	0.1%	0.3%	0.6%	0.7%
Grade 7	99.7%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%
Grade 8	99.1%	0.1%	0.0%	0.0%	0.2%	0.3%	0.3%
Grade 9	98.7%	0.1%	0.0%	0.1%	0.1%	0.5%	0.5%
Grade 10	98.3%	0.0%	0.0%	0.1%	0.4%	0.5%	0.7%
Grade 11	96.9%	0.0%	0.1%	0.2%	0.4%	1.1%	1.3%
Grade 12	95.7%	0.1%	0.3%	0.2%	0.7%	1.4%	1.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 17 of 120

**Table D-2: How Often Do You Normally Use...**  
(Continued)

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?							
All	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	99.5%	0.0%	0.1%	0.0%	0.0%	0.2%	0.1%
Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
Grade 10	99.4%	0.1%	0.0%	0.1%	0.1%	0.1%	0.2%
Grade 11	99.6%	0.1%	0.0%	0.1%	0.0%	0.0%	0.2%
Grade 12	99.5%	0.0%	0.2%	0.0%	0.0%	0.0%	0.2%
Methamphetamine?							
All	99.3%	0.1%	0.1%	0.1%	0.1%	0.1%	0.3%
Grade 7	99.6%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
Grade 8	99.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.3%
Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%
Grade 10	99.2%	0.2%	0.0%	0.0%	0.1%	0.1%	0.5%
Grade 11	99.4%	0.0%	0.0%	0.0%	0.1%	0.1%	0.4%
Grade 12	98.8%	0.0%	0.2%	0.1%	0.1%	0.3%	0.5%
Synthetic Marijuana?							
All	97.2%	0.1%	0.1%	0.2%	0.4%	0.5%	1.5%
Grade 7	99.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.4%
Grade 8	98.0%	0.1%	0.2%	0.1%	0.4%	0.4%	0.8%
Grade 9	97.5%	0.1%	0.1%	0.2%	0.4%	0.5%	1.2%
Grade 10	96.5%	0.2%	0.1%	0.4%	0.5%	0.8%	1.6%
Grade 11	95.7%	0.1%	0.1%	0.2%	0.6%	0.8%	2.6%
Grade 12	95.4%	0.1%	0.1%	0.2%	0.4%	0.9%	3.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 18 of 120

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	23.8%	24.9%	8.0%	9.6%	12.7%	21.1%
	Grade 7	34.5%	42.6%	8.7%	5.5%	4.4%	4.2%
	Grade 8	29.7%	33.4%	9.1%	8.5%	8.5%	10.8%
	Grade 9	24.1%	23.7%	9.7%	11.2%	13.4%	17.9%
	Grade 10	19.4%	19.8%	7.0%	11.2%	15.7%	27.0%
	Grade 11	16.1%	13.7%	6.3%	10.8%	17.7%	35.4%
	Grade 12	14.6%	9.8%	6.3%	11.2%	19.6%	38.5%
Cocaine?							
	All	31.9%	36.4%	13.5%	9.1%	4.4%	4.7%
	Grade 7	37.5%	46.5%	9.2%	3.9%	1.3%	1.5%
	Grade 8	35.9%	42.0%	11.1%	6.0%	2.6%	2.4%
	Grade 9	32.1%	37.1%	14.3%	8.5%	4.1%	4.0%
	Grade 10	30.1%	33.4%	14.2%	11.0%	5.8%	5.4%
	Grade 11	27.2%	30.3%	16.1%	13.0%	6.5%	6.8%
	Grade 12	25.9%	24.9%	17.6%	14.5%	7.6%	9.5%
Crack?							
	All	33.5%	37.5%	14.2%	8.0%	3.2%	3.6%
	Grade 7	38.9%	45.6%	8.8%	4.0%	1.2%	1.5%
	Grade 8	36.9%	42.3%	11.0%	5.2%	2.1%	2.5%
	Grade 9	33.4%	38.1%	14.6%	7.7%	2.7%	3.5%
	Grade 10	31.7%	35.4%	15.0%	9.6%	4.3%	4.1%
	Grade 11	29.8%	32.9%	17.2%	11.4%	4.4%	4.2%
	Grade 12	28.4%	27.4%	20.6%	11.6%	5.1%	6.9%
Steroids?							
	All	35.0%	35.9%	13.2%	8.2%	3.8%	3.9%
	Grade 7	40.3%	42.7%	8.9%	4.7%	1.7%	1.6%
	Grade 8	39.3%	40.0%	10.7%	5.2%	2.6%	2.3%
	Grade 9	34.3%	36.6%	14.0%	7.6%	3.5%	4.0%
	Grade 10	33.2%	34.3%	13.4%	9.8%	4.8%	4.5%
	Grade 11	30.9%	30.9%	16.5%	11.1%	5.6%	5.0%
	Grade 12	29.7%	27.8%	17.6%	12.8%	5.3%	6.8%
Ecstasy?							
	All	43.4%	30.2%	10.9%	6.9%	4.3%	4.3%
	Grade 7	56.7%	32.9%	6.5%	2.3%	0.7%	0.9%
	Grade 8	52.4%	32.6%	7.8%	3.7%	1.6%	1.9%
	Grade 9	44.2%	31.3%	11.4%	5.9%	3.3%	3.8%
	Grade 10	39.0%	30.0%	12.2%	8.4%	5.0%	5.3%
	Grade 11	32.8%	27.9%	14.1%	11.0%	8.0%	6.3%
	Grade 12	29.7%	24.6%	15.5%	12.1%	8.9%	9.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 19 of 120

**Table D-3: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	40.0%	37.9%	12.3%	4.9%	2.1%	2.7%
	Grade 7	49.1%	39.1%	7.1%	2.7%	0.9%	1.1%
	Grade 8	45.2%	39.1%	9.3%	3.0%	1.4%	2.0%
	Grade 9	39.3%	39.6%	11.8%	4.8%	1.9%	2.6%
	Grade 10	36.1%	38.6%	13.5%	6.0%	2.6%	3.3%
	Grade 11	34.1%	37.2%	15.5%	6.7%	3.3%	3.3%
	Grade 12	32.6%	32.5%	19.1%	7.7%	3.4%	4.7%
<b>Methamphetamine?</b>							
	All	41.6%	36.2%	11.5%	5.0%	2.6%	3.1%
	Grade 7	51.3%	37.3%	6.9%	2.4%	0.9%	1.3%
	Grade 8	47.8%	37.0%	8.8%	2.9%	1.6%	1.9%
	Grade 9	40.9%	38.4%	11.0%	4.6%	2.4%	2.8%
	Grade 10	38.5%	36.5%	12.0%	5.9%	3.4%	3.7%
	Grade 11	34.7%	35.3%	14.8%	7.7%	3.2%	4.3%
	Grade 12	32.5%	31.3%	17.9%	7.8%	4.9%	5.6%
<b>Synthetic Marijuana?</b>							
	All	41.1%	28.8%	9.7%	7.0%	5.9%	7.5%
	Grade 7	52.5%	34.5%	6.5%	2.8%	1.6%	2.1%
	Grade 8	48.0%	32.4%	8.1%	4.2%	3.1%	4.1%
	Grade 9	41.1%	29.5%	10.2%	7.3%	5.1%	6.8%
	Grade 10	36.5%	27.1%	9.7%	8.1%	7.8%	10.7%
	Grade 11	32.9%	24.8%	12.4%	10.0%	9.2%	10.7%
	Grade 12	31.4%	21.8%	12.3%	11.1%	10.7%	12.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	93.7%	3.4%	1.2%	1.7%
Grade 7	98.0%	1.4%	0.3%	0.4%
Grade 8	96.1%	2.6%	0.5%	0.9%
Grade 9	94.6%	3.0%	1.1%	1.2%
Grade 10	93.1%	3.6%	1.5%	1.8%
Grade 11	90.1%	5.1%	2.1%	2.7%
Grade 12	88.3%	5.9%	1.9%	3.9%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	96.9%	1.8%	0.7%	0.6%
Grade 7	98.3%	1.2%	0.2%	0.3%
Grade 8	97.9%	1.4%	0.4%	0.4%
Grade 9	96.7%	2.3%	0.5%	0.5%
Grade 10	97.0%	1.6%	0.8%	0.7%
Grade 11	95.4%	2.7%	1.1%	0.8%
Grade 12	95.5%	2.1%	1.3%	1.1%

**Table D-5: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.0
Marijuana Non-Users	3.7
Average Days Conduct Problems Reported	
Marijuana Users	3.6
Marijuana Non-Users	1.1

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	93.7%	3.7%	0.9%	1.7%
Grade 9	98.1%	1.4%	0.2%	0.3%
Grade 10	96.1%	2.9%	0.4%	0.6%
Grade 11	91.4%	5.2%	1.1%	2.2%
Grade 12	88.0%	5.9%	2.1%	4.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.7%	2.7%	0.3%	0.2%
Grade 7	98.2%	1.4%	0.2%	0.2%
Grade 8	97.6%	2.1%	0.3%	0.1%
Grade 9	96.6%	2.8%	0.3%	0.2%
Grade 10	96.3%	3.0%	0.3%	0.3%
Grade 11	95.6%	3.7%	0.4%	0.3%
Grade 12	95.5%	3.9%	0.4%	0.2%

**Table D-7: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	58.5%	18.9%	11.0%	8.6%	3.0%
Grade 7	84.8%	9.8%	3.4%	1.4%	0.6%
Grade 8	72.7%	14.7%	7.0%	4.1%	1.5%
Grade 9	58.7%	20.7%	11.7%	7.0%	2.0%
Grade 10	49.9%	21.7%	13.7%	11.1%	3.7%
Grade 11	39.7%	24.0%	16.7%	15.1%	4.5%
Grade 12	35.6%	25.5%	16.0%	15.8%	7.1%

**Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	60.1%	5.7%	4.1%	5.4%	6.1%	1.9%	16.7%
Grade 7	83.0%	2.6%	1.0%	0.8%	0.9%	1.4%	10.3%
Grade 8	77.8%	3.3%	2.2%	2.1%	1.6%	2.0%	11.0%
Grade 9	59.8%	7.0%	3.7%	4.0%	3.6%	2.2%	19.7%
Grade 10	51.8%	7.2%	4.7%	7.3%	6.9%	2.2%	19.9%
Grade 11	41.5%	7.2%	6.5%	9.7%	11.7%	1.5%	21.9%
Grade 12	37.1%	7.8%	7.6%	10.9%	15.0%	2.2%	19.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.8%	6.3%	6.1%	1.5%	1.5%	5.8%
Grade 7	86.9%	2.3%	2.3%	0.6%	0.8%	7.2%
Grade 8	83.0%	4.3%	4.1%	1.0%	1.3%	6.4%
Grade 9	79.8%	6.4%	4.8%	1.1%	1.1%	6.8%
Grade 10	76.2%	7.9%	7.1%	1.7%	1.9%	5.0%
Grade 11	73.8%	8.5%	9.5%	2.1%	1.8%	4.3%
Grade 12	69.7%	10.1%	10.7%	2.8%	2.2%	4.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	57.4%	13.4%	12.7%	12.7%	3.8%
	Grade 7	81.6%	7.6%	4.3%	3.1%	3.3%
	Grade 8	69.9%	12.0%	7.4%	6.9%	3.7%
	Grade 9	58.2%	14.4%	12.4%	10.4%	4.6%
	Grade 10	47.5%	16.8%	16.4%	15.6%	3.7%
	Grade 11	41.4%	16.0%	17.6%	20.4%	4.6%
	Grade 12	36.9%	14.8%	21.3%	24.0%	3.0%
Cocaine?						
	All	88.5%	5.8%	0.9%	0.4%	4.3%
	Grade 7	91.4%	4.0%	0.8%	0.3%	3.5%
	Grade 8	89.2%	5.7%	1.0%	0.2%	4.0%
	Grade 9	87.5%	6.4%	0.8%	0.4%	5.0%
	Grade 10	87.3%	6.2%	1.0%	0.5%	4.9%
	Grade 11	87.7%	6.1%	0.9%	0.6%	4.8%
	Grade 12	87.1%	7.2%	1.3%	0.8%	3.7%
Crack?						
	All	89.7%	4.8%	0.6%	0.4%	4.5%
	Grade 7	91.3%	4.0%	0.6%	0.3%	3.8%
	Grade 8	89.4%	5.4%	0.8%	0.3%	4.1%
	Grade 9	88.7%	5.5%	0.4%	0.2%	5.1%
	Grade 10	88.5%	5.2%	0.7%	0.4%	5.2%
	Grade 11	90.0%	4.2%	0.5%	0.5%	4.9%
	Grade 12	90.6%	4.6%	0.4%	0.5%	3.9%
Ecstasy?						
	All	82.2%	7.4%	2.1%	0.6%	7.7%
	Grade 7	86.4%	3.7%	0.8%	0.3%	8.8%
	Grade 8	84.3%	5.5%	1.4%	0.4%	8.3%
	Grade 9	81.6%	7.8%	1.7%	0.5%	8.4%
	Grade 10	81.4%	8.4%	2.1%	0.7%	7.4%
	Grade 11	79.4%	9.5%	3.1%	0.8%	7.1%
	Grade 12	78.7%	10.8%	3.9%	1.1%	5.4%
Steroids?						
	All	76.2%	12.7%	3.9%	1.0%	6.1%
	Grade 7	81.7%	9.0%	2.8%	0.6%	5.9%
	Grade 8	78.3%	11.8%	3.4%	0.8%	5.7%
	Grade 9	75.4%	13.4%	4.0%	0.9%	6.4%
	Grade 10	73.6%	14.3%	4.1%	1.3%	6.7%
	Grade 11	73.9%	13.5%	5.0%	1.0%	6.6%
	Grade 12	73.0%	15.5%	4.5%	1.5%	5.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 24 of 120

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.8%	3.7%	0.5%	0.4%	5.6%
	Grade 7	89.3%	3.4%	0.7%	0.2%	6.4%
	Grade 8	88.7%	4.5%	0.6%	0.4%	5.8%
	Grade 9	88.9%	4.2%	0.3%	0.3%	6.4%
	Grade 10	89.7%	3.4%	0.6%	0.6%	5.7%
	Grade 11	91.3%	3.0%	0.5%	0.5%	4.7%
	Grade 12	91.9%	3.4%	0.3%	0.3%	4.1%
Methamphetamine?						
	All	89.8%	3.5%	0.5%	0.3%	5.8%
	Grade 7	89.3%	3.2%	0.5%	0.3%	6.7%
	Grade 8	88.9%	4.1%	0.7%	0.3%	6.0%
	Grade 9	89.2%	3.7%	0.3%	0.2%	6.5%
	Grade 10	89.4%	3.6%	0.6%	0.5%	6.1%
	Grade 11	91.4%	2.7%	0.5%	0.4%	4.9%
	Grade 12	91.4%	3.6%	0.3%	0.3%	4.4%
Synthetic Marijuana?						
	All	81.8%	7.4%	2.5%	1.1%	7.1%
	Grade 7	87.3%	4.1%	1.2%	0.6%	6.8%
	Grade 8	84.0%	6.2%	1.7%	1.0%	7.1%
	Grade 9	79.3%	8.7%	2.7%	1.5%	7.8%
	Grade 10	78.7%	8.9%	3.0%	1.5%	7.8%
	Grade 11	79.9%	8.4%	3.4%	1.3%	7.0%
	Grade 12	80.7%	8.7%	3.6%	0.8%	6.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 25 of 120

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	10.8%	14.4%	19.2%	80.8%
Grade 7	7.7%	10.0%	14.1%	85.9%
Grade 8	8.5%	11.0%	15.1%	84.9%
Grade 9	10.2%	13.8%	19.0%	81.0%
Grade 10	11.8%	15.6%	20.6%	79.4%
Grade 11	13.6%	18.6%	23.5%	76.5%
Grade 12	14.4%	19.7%	25.8%	74.2%
Codeine Cough Syrup?				
All	6.2%	9.0%	13.2%	86.8%
Grade 7	4.8%	6.9%	10.2%	89.8%
Grade 8	5.3%	7.3%	11.0%	89.0%
Grade 9	5.9%	9.1%	13.5%	86.5%
Grade 10	6.9%	9.4%	13.8%	86.2%
Grade 11	7.0%	10.5%	15.1%	84.9%
Grade 12	7.8%	11.8%	17.1%	82.9%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.7%	4.0%	5.5%	94.5%
Grade 7	0.8%	1.0%	1.3%	98.7%
Grade 8	1.1%	1.5%	2.1%	97.9%
Grade 9	1.7%	2.6%	4.0%	96.0%
Grade 10	3.3%	4.9%	6.4%	93.6%
Grade 11	4.2%	6.6%	9.6%	90.4%
Grade 12	6.0%	9.3%	12.1%	87.9%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	2.0%	3.0%	4.2%	95.8%
Grade 7	0.5%	0.8%	1.1%	98.9%
Grade 8	1.1%	1.4%	1.8%	98.2%
Grade 9	1.4%	2.3%	3.3%	96.7%
Grade 10	2.6%	3.7%	5.6%	94.4%
Grade 11	3.4%	5.2%	7.3%	92.7%
Grade 12	3.5%	5.5%	7.8%	92.2%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	2.0%	2.9%	4.4%	95.6%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	1.2%	1.6%	2.2%	97.8%
Grade 9	1.4%	2.1%	3.2%	96.8%
Grade 10	2.5%	3.5%	5.3%	94.7%
Grade 11	3.6%	5.0%	7.7%	92.3%
Grade 12	3.8%	6.0%	9.0%	91.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 26 of 120

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.1%	5.6%	8.7%	91.3%
Grade 7	3.8%	5.0%	7.9%	92.1%
Grade 8	4.1%	5.7%	8.3%	91.7%
Grade 9	4.1%	5.7%	9.1%	90.9%
Grade 10	4.1%	5.5%	9.2%	90.8%
Grade 11	4.3%	5.8%	8.6%	91.4%
Grade 12	4.4%	6.0%	9.1%	90.9%

**Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.6%	2.1%	3.6%	96.4%
Grade 7	1.1%	1.5%	2.6%	97.4%
Grade 8	1.6%	2.0%	4.0%	96.0%
Grade 9	1.7%	2.3%	4.0%	96.0%
Grade 10	1.6%	2.1%	3.5%	96.5%
Grade 11	1.7%	2.4%	3.8%	96.2%
Grade 12	2.0%	2.8%	3.6%	96.4%

**Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.6%	14.6%	4.4%	1.2%	6.2%
Grade 7	80.6%	9.3%	2.9%	0.9%	6.2%
Grade 8	76.3%	12.5%	4.1%	1.2%	5.9%
Grade 9	72.4%	15.2%	4.9%	0.9%	6.6%
Grade 10	71.5%	16.0%	4.7%	1.6%	6.2%
Grade 11	68.7%	17.9%	5.6%	1.4%	6.4%
Grade 12	70.3%	18.5%	4.6%	1.2%	5.4%

*Percentages have been weighted to reflect proportions within the population.*

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.1%	5.5%	11.6%	88.4%
Grade 7	4.8%	6.3%	12.2%	87.8%
Grade 8	5.6%	7.1%	13.7%	86.3%
Grade 9	4.7%	5.8%	12.0%	88.0%
Grade 10	3.5%	4.7%	11.0%	89.0%
Grade 11	2.9%	4.9%	10.7%	89.3%
Grade 12	2.1%	3.7%	9.3%	90.7%
Spray Paint?				
All	0.4%	0.5%	2.0%	98.0%
Grade 7	0.3%	0.5%	1.6%	98.4%
Grade 8	0.6%	0.8%	2.6%	97.4%
Grade 9	0.4%	0.7%	2.5%	97.5%
Grade 10	0.3%	0.4%	1.8%	98.2%
Grade 11	0.3%	0.4%	2.0%	98.0%
Grade 12	0.2%	0.4%	1.5%	98.5%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.9%	1.3%	4.8%	95.2%
Grade 7	1.1%	1.7%	5.4%	94.6%
Grade 8	1.3%	1.9%	6.0%	94.0%
Grade 9	1.1%	1.5%	5.6%	94.4%
Grade 10	0.6%	1.0%	4.4%	95.6%
Grade 11	0.5%	1.0%	4.5%	95.5%
Grade 12	0.3%	0.4%	2.5%	97.5%
Computer Dusting Sprays?				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	0.1%	0.2%	1.2%	98.8%
Grade 11	0.4%	0.6%	1.6%	98.4%
Grade 12	0.1%	0.3%	1.4%	98.6%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.4%	2.2%	5.9%	94.1%
Grade 7	1.6%	2.2%	5.9%	94.1%
Grade 8	1.9%	2.9%	6.7%	93.3%
Grade 9	1.6%	2.2%	6.5%	93.5%
Grade 10	1.2%	2.0%	5.8%	94.2%
Grade 11	1.0%	2.1%	5.7%	94.3%
Grade 12	0.8%	1.4%	4.8%	95.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 28 of 120

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.5%	0.6%	1.4%	98.6%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.1%	0.2%	0.7%	99.3%
Grade 10	0.1%	0.2%	0.9%	99.1%
Grade 11	0.2%	0.4%	1.3%	98.7%
Grade 12	0.1%	0.1%	0.7%	99.3%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.2%	0.3%	0.9%	99.1%
Grade 11	0.2%	0.5%	1.3%	98.7%
Grade 12	0.2%	0.3%	0.7%	99.3%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.4%	0.6%	1.8%	98.2%
Grade 7	0.5%	0.6%	1.8%	98.2%
Grade 8	0.6%	0.8%	2.1%	97.9%
Grade 9	0.4%	0.7%	2.1%	97.9%
Grade 10	0.4%	0.5%	1.6%	98.4%
Grade 11	0.4%	0.9%	2.1%	97.9%
Grade 12	0.2%	0.3%	1.0%	99.0%
<b>Other Aerosols/Sprays?</b>				
All	0.5%	0.7%	1.6%	98.4%
Grade 7	0.6%	0.8%	2.0%	98.0%
Grade 8	0.6%	0.9%	2.1%	97.9%
Grade 9	0.6%	0.8%	1.6%	98.4%
Grade 10	0.3%	0.5%	1.4%	98.6%
Grade 11	0.4%	0.6%	1.4%	98.6%
Grade 12	0.2%	0.3%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.0%	0.1%	0.1%	0.2%	0.5%	0.6%	1.5%
Grade 7	96.6%	0.1%	0.2%	0.2%	0.7%	0.7%	1.5%
Grade 8	96.7%	0.2%	0.2%	0.3%	0.6%	0.5%	1.4%
Grade 9	96.9%	0.1%	0.1%	0.2%	0.4%	0.8%	1.5%
Grade 10	96.8%	0.1%	0.1%	0.3%	0.5%	0.6%	1.8%
Grade 11	97.4%	0.0%	0.1%	0.2%	0.4%	0.4%	1.4%
Grade 12	98.0%	0.0%	0.1%	0.1%	0.3%	0.3%	1.1%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.8%	6.0%	3.0%	1.1%
Grade 7	89.4%	6.2%	3.4%	1.0%
Grade 8	88.0%	7.3%	3.3%	1.4%
Grade 9	89.1%	6.2%	3.4%	1.2%
Grade 10	90.1%	6.1%	2.7%	1.1%
Grade 11	90.6%	5.3%	2.9%	1.3%
Grade 12	92.4%	4.6%	2.3%	0.7%

**Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.2%	0.6%	0.1%	0.1%
Grade 7	98.8%	0.9%	0.0%	0.2%
Grade 8	99.2%	0.5%	0.1%	0.2%
Grade 9	99.4%	0.4%	0.0%	0.1%
Grade 10	99.3%	0.4%	0.2%	0.0%
Grade 11	99.3%	0.5%	0.0%	0.2%
Grade 12	99.4%	0.5%	0.1%	0.0%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-5: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.7
Inhalant Non-Users	3.9
Average Days Conduct Problems Reported	
Inhalant Users	4.7
Inhalant Non-Users	1.3

**Table I-6: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	93.4%	4.6%	1.3%	0.5%	0.3%
Grade 7	93.1%	5.1%	1.2%	0.4%	0.2%
Grade 8	92.2%	5.4%	1.6%	0.6%	0.1%
Grade 9	93.2%	4.5%	1.3%	0.7%	0.2%
Grade 10	92.9%	4.8%	1.5%	0.3%	0.5%
Grade 11	94.4%	4.1%	0.9%	0.5%	0.2%
Grade 12	95.3%	3.2%	0.9%	0.2%	0.3%

**Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.4%	13.1%	3.7%	1.1%	6.7%
Grade 7	79.4%	11.2%	3.9%	0.8%	4.7%
Grade 8	75.4%	13.7%	4.0%	1.2%	5.7%
Grade 9	73.9%	13.7%	3.8%	0.8%	7.8%
Grade 10	72.2%	14.9%	3.6%	1.5%	7.8%
Grade 11	75.4%	12.1%	3.6%	1.1%	7.7%
Grade 12	75.9%	12.8%	2.9%	1.2%	7.2%

**Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.7%	17.1%	5.0%	6.7%	10.0%	25.6%
Grade 7	40.5%	26.5%	6.0%	5.3%	7.4%	14.3%
Grade 8	38.0%	20.7%	4.8%	6.6%	9.6%	20.2%
Grade 9	36.0%	16.5%	5.1%	7.4%	9.9%	25.1%
Grade 10	34.3%	14.0%	5.4%	6.9%	10.4%	29.0%
Grade 11	32.2%	12.9%	4.2%	7.3%	11.8%	31.6%
Grade 12	31.3%	8.9%	4.2%	6.6%	11.4%	37.5%

*Percentages have been weighted to reflect proportions within the population.*

## Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	41.8%
	Grade 7	45.3%
	Grade 8	45.3%
	Grade 9	43.3%
	Grade 10	40.0%
	Grade 11	38.9%
	Grade 12	36.3%
An Assembly Program		
	All	43.5%
	Grade 7	48.5%
	Grade 8	50.0%
	Grade 9	43.0%
	Grade 10	41.0%
	Grade 11	38.9%
	Grade 12	37.1%
Guidance Counselor		
	All	25.2%
	Grade 7	34.2%
	Grade 8	32.6%
	Grade 9	23.6%
	Grade 10	20.8%
	Grade 11	18.0%
	Grade 12	18.6%
School Nurse		
	All	15.2%
	Grade 7	23.7%
	Grade 8	21.1%
	Grade 9	13.1%
	Grade 10	11.9%
	Grade 11	9.7%
	Grade 12	9.1%
Science or Social Studies Class		
	All	26.1%
	Grade 7	30.2%
	Grade 8	26.8%
	Grade 9	26.8%
	Grade 10	24.9%
	Grade 11	22.3%
	Grade 12	24.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 32 of 120

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	12.7%
	Grade 7	13.1%
	Grade 8	13.4%
	Grade 9	12.1%
	Grade 10	12.7%
	Grade 11	13.0%
	Grade 12	11.7%
An Invited School Guest		
	All	29.6%
	Grade 7	33.8%
	Grade 8	34.5%
	Grade 9	29.3%
	Grade 10	27.9%
	Grade 11	25.1%
	Grade 12	24.9%
Another Source at School		
	All	27.5%
	Grade 7	30.4%
	Grade 8	28.6%
	Grade 9	27.8%
	Grade 10	26.9%
	Grade 11	25.8%
	Grade 12	24.5%
Any School Source		
	All	67.7%
	Grade 7	71.2%
	Grade 8	71.0%
	Grade 9	68.9%
	Grade 10	65.8%
	Grade 11	64.6%
	Grade 12	62.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 33 of 120

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	38.6%
	Grade 7	54.0%
	Grade 8	44.2%
	Grade 9	37.1%
	Grade 10	33.3%
	Grade 11	30.2%
	Grade 12	28.1%
<b>School Nurse</b>		
	All	22.6%
	Grade 7	34.9%
	Grade 8	28.6%
	Grade 9	19.9%
	Grade 10	18.7%
	Grade 11	15.3%
	Grade 12	14.4%
<b>Another Adult In School</b>		
	All	41.6%
	Grade 7	50.2%
	Grade 8	44.7%
	Grade 9	40.4%
	Grade 10	37.9%
	Grade 11	38.0%
	Grade 12	35.5%
<b>Counselor/Program Outside-School</b>		
	All	39.9%
	Grade 7	48.5%
	Grade 8	43.5%
	Grade 9	38.7%
	Grade 10	36.5%
	Grade 11	34.9%
	Grade 12	34.3%
<b>Your Parents</b>		
	All	70.4%
	Grade 7	79.7%
	Grade 8	73.0%
	Grade 9	69.6%
	Grade 10	67.8%
	Grade 11	65.9%
	Grade 12	63.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	56.2%
	Grade 7	68.8%
	Grade 8	60.7%
	Grade 9	53.0%
	Grade 10	52.0%
	Grade 11	49.7%
	Grade 12	49.8%
<b>Your Friends</b>		
	All	65.1%
	Grade 7	54.5%
	Grade 8	61.9%
	Grade 9	66.5%
	Grade 10	67.2%
	Grade 11	71.0%
	Grade 12	73.0%
<b>Another Adult</b>		
	All	61.8%
	Grade 7	65.8%
	Grade 8	62.3%
	Grade 9	63.0%
	Grade 10	60.6%
	Grade 11	59.6%
	Grade 12	58.1%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	5.8%
	Grade 7	5.2%
	Grade 8	5.9%
	Grade 9	5.6%
	Grade 10	7.0%
	Grade 11	6.0%
	Grade 12	4.9%

*Percentages have been weighted to reflect proportions within the population.*

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	4.2%	19.5%	23.1%	39.2%	14.0%
Grade 7	4.4%	15.8%	19.3%	40.3%	20.2%
Grade 8	4.5%	19.3%	21.2%	38.7%	16.2%
Grade 9	4.5%	19.5%	23.4%	39.6%	13.0%
Grade 10	4.3%	19.8%	24.4%	39.6%	11.9%
Grade 11	3.5%	21.0%	25.4%	39.1%	11.0%
Grade 12	3.8%	22.7%	26.0%	37.2%	10.3%
<b>Sometimes Carry Weapons?</b>					
All	74.4%	15.4%	5.8%	2.9%	1.5%
Grade 7	86.3%	10.1%	2.1%	0.9%	0.7%
Grade 8	78.1%	14.8%	4.4%	1.7%	1.0%
Grade 9	74.3%	15.5%	5.9%	3.3%	1.1%
Grade 10	70.3%	17.5%	7.2%	3.4%	1.7%
Grade 11	67.8%	17.9%	8.1%	4.0%	2.3%
Grade 12	65.6%	18.4%	8.7%	4.7%	2.7%
<b>Care About Making Good Grades?</b>					
All	1.7%	9.9%	22.6%	44.9%	21.0%
Grade 7	1.5%	9.9%	21.1%	41.5%	26.0%
Grade 8	1.9%	10.9%	22.5%	43.9%	20.9%
Grade 9	2.0%	9.6%	23.2%	43.9%	21.3%
Grade 10	1.5%	10.1%	23.4%	46.2%	18.8%
Grade 11	1.6%	8.4%	23.1%	47.4%	19.4%
Grade 12	1.7%	10.0%	22.1%	47.7%	18.5%
<b>Belong/Want to Belong to a Gang?</b>					
All	86.1%	8.9%	3.0%	1.0%	1.0%
Grade 7	88.2%	8.3%	2.0%	1.0%	0.5%
Grade 8	82.8%	11.3%	3.6%	1.2%	1.1%
Grade 9	85.2%	9.8%	3.1%	1.0%	0.9%
Grade 10	85.8%	8.6%	3.4%	1.2%	0.9%
Grade 11	87.8%	7.0%	3.3%	0.7%	1.2%
Grade 12	87.4%	7.9%	2.4%	1.1%	1.3%
<b>Wish They Could Drop Out of School?</b>					
All	56.5%	27.3%	10.1%	4.0%	2.1%
Grade 7	66.0%	23.0%	6.7%	3.1%	1.3%
Grade 8	59.6%	26.1%	9.2%	3.6%	1.5%
Grade 9	54.2%	29.0%	10.9%	4.0%	1.9%
Grade 10	51.7%	29.4%	11.6%	4.9%	2.4%
Grade 11	51.7%	28.9%	12.1%	4.3%	3.0%
Grade 12	53.5%	28.4%	11.2%	4.3%	2.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	86.9%	11.3%	0.7%	0.3%	0.8%
Grade 7	86.2%	12.1%	0.7%	0.2%	0.7%
Grade 8	84.3%	13.4%	1.2%	0.3%	0.8%
Grade 9	87.3%	11.1%	0.6%	0.2%	0.8%
Grade 10	87.4%	10.9%	0.6%	0.2%	0.8%
Grade 11	88.7%	9.8%	0.7%	0.2%	0.6%
Grade 12	88.5%	9.9%	0.5%	0.3%	0.8%
<b>Out In Your Neighborhood?</b>					
All	48.2%	43.1%	5.6%	1.2%	1.9%
Grade 7	41.4%	46.9%	7.2%	1.5%	3.0%
Grade 8	43.0%	46.9%	6.6%	1.5%	2.0%
Grade 9	48.0%	43.8%	5.0%	1.0%	2.1%
Grade 10	49.6%	43.1%	4.6%	0.9%	1.8%
Grade 11	54.5%	38.5%	4.8%	1.0%	1.2%
Grade 12	56.1%	37.1%	4.5%	1.0%	1.3%
<b>At School?</b>					
All	42.5%	44.1%	7.2%	3.2%	2.9%
Grade 7	47.3%	40.6%	6.4%	3.0%	2.6%
Grade 8	42.7%	43.2%	7.7%	3.7%	2.7%
Grade 9	38.2%	47.1%	7.8%	3.3%	3.6%
Grade 10	38.6%	47.3%	8.1%	3.1%	2.9%
Grade 11	43.6%	43.6%	6.8%	3.0%	2.9%
Grade 12	44.8%	43.0%	6.4%	3.2%	2.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 37 of 120



## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.7%	19.0%	30.7%	69.3%
Grade 7	5.0%	6.6%	13.3%	86.7%
Grade 8	8.4%	11.0%	21.0%	79.0%
Grade 9	13.5%	17.7%	29.9%	70.1%
Grade 10	16.1%	21.1%	34.7%	65.3%
Grade 11	21.9%	28.5%	43.5%	56.5%
Grade 12	27.7%	35.1%	49.1%	50.9%
<b>Any Alcohol Product</b>				
All	28.4%	34.0%	53.4%	46.6%
Grade 7	13.2%	15.8%	35.2%	64.8%
Grade 8	20.1%	23.8%	43.4%	56.6%
Grade 9	27.5%	32.6%	52.6%	47.4%
Grade 10	31.0%	37.4%	58.9%	41.1%
Grade 11	37.9%	46.4%	65.5%	34.5%
Grade 12	47.7%	56.2%	72.2%	27.8%
<b>Any Illicit Drug</b>				
All	12.7%	17.0%	22.6%	77.4%
Grade 7	3.9%	5.7%	7.5%	92.5%
Grade 8	7.0%	9.8%	12.8%	87.2%
Grade 9	10.8%	14.7%	19.0%	81.0%
Grade 10	14.8%	19.6%	26.4%	73.6%
Grade 11	20.2%	26.6%	35.5%	64.5%
Grade 12	24.0%	30.9%	42.1%	57.9%
<b>Any Prescription Drug</b>				
All	10.8%	14.4%	19.2%	80.8%
Grade 7	7.7%	10.0%	14.1%	85.9%
Grade 8	8.5%	11.0%	15.1%	84.9%
Grade 9	10.2%	13.8%	19.0%	81.0%
Grade 10	11.8%	15.6%	20.6%	79.4%
Grade 11	13.6%	18.6%	23.5%	76.5%
Grade 12	14.4%	19.7%	25.8%	74.2%
<b>Any Inhalant</b>				
All	4.1%	5.5%	11.6%	88.4%
Grade 7	4.8%	6.3%	12.2%	87.8%
Grade 8	5.6%	7.1%	13.7%	86.3%
Grade 9	4.7%	5.8%	12.0%	88.0%
Grade 10	3.5%	4.7%	11.0%	89.0%
Grade 11	2.9%	4.9%	10.7%	89.3%
Grade 12	2.1%	3.7%	9.3%	90.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 39 of 120

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.2%	14.2%	25.5%	74.5%
Grade 7	3.1%	4.6%	10.4%	89.6%
Grade 8	4.6%	7.7%	16.9%	83.1%
Grade 9	9.1%	13.9%	25.5%	74.5%
Grade 10	9.8%	15.4%	29.2%	70.8%
Grade 11	14.8%	22.3%	37.2%	62.8%
Grade 12	16.5%	26.0%	39.8%	60.2%
Marijuana				
All	12.1%	14.9%	20.9%	79.1%
Grade 7	3.3%	4.1%	5.8%	94.2%
Grade 8	6.2%	7.9%	11.0%	89.0%
Grade 9	10.4%	12.6%	17.2%	82.8%
Grade 10	14.1%	17.4%	24.4%	75.6%
Grade 11	19.9%	24.4%	34.3%	65.7%
Grade 12	23.2%	28.3%	40.5%	59.5%
Marijuana Only				
All	6.8%	8.7%	13.6%	86.4%
Grade 7	1.7%	2.3%	3.8%	96.2%
Grade 8	3.1%	4.2%	6.8%	93.2%
Grade 9	6.1%	7.5%	11.2%	88.8%
Grade 10	8.4%	10.9%	16.6%	83.4%
Grade 11	11.1%	14.2%	22.2%	77.8%
Grade 12	12.5%	16.3%	25.8%	74.2%
Cocaine or Crack				
All	1.3%	1.6%	2.7%	97.3%
Grade 7	0.6%	0.7%	1.0%	99.0%
Grade 8	1.2%	1.3%	1.7%	98.3%
Grade 9	1.0%	1.1%	1.8%	98.2%
Grade 10	1.4%	1.7%	2.8%	97.2%
Grade 11	1.7%	2.2%	4.3%	95.7%
Grade 12	2.4%	3.0%	5.5%	94.5%
Cocaine				
All	1.2%	1.5%	2.5%	97.5%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	1.0%	1.1%	1.4%	98.6%
Grade 9	0.9%	1.0%	1.7%	98.3%
Grade 10	1.2%	1.6%	2.6%	97.4%
Grade 11	1.7%	2.2%	4.1%	95.9%
Grade 12	2.3%	2.9%	5.3%	94.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 40 of 120

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.3%	0.6%	0.9%	99.1%
Grade 11	0.3%	0.3%	1.0%	99.0%
Grade 12	0.6%	0.6%	1.5%	98.5%
<b>Hallucinogens</b>				
All	0.9%	1.5%	3.1%	96.9%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.5%	1.0%	2.0%	98.0%
Grade 10	1.1%	1.8%	3.3%	96.7%
Grade 11	1.3%	2.7%	5.9%	94.1%
Grade 12	2.2%	3.6%	7.5%	92.5%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.2%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Steroids</b>				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.4%	0.5%	1.2%	98.8%
Grade 8	0.4%	0.6%	1.8%	98.2%
Grade 9	0.5%	0.6%	0.9%	99.1%
Grade 10	0.3%	0.5%	1.6%	98.4%
Grade 11	0.2%	0.4%	1.5%	98.5%
Grade 12	0.8%	1.0%	2.2%	97.8%
<b>Ecstasy</b>				
All	0.7%	1.1%	2.3%	97.7%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.6%	0.9%	1.9%	98.1%
Grade 10	0.5%	1.0%	2.2%	97.8%
Grade 11	0.8%	1.6%	3.7%	96.3%
Grade 12	1.8%	2.7%	5.1%	94.9%

*Percentages have been weighted to reflect proportions within the population.*

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	0.9%	1.5%	4.4%	95.6%
Grade 7	0.6%	0.8%	1.3%	98.7%
Grade 8	0.8%	1.5%	3.1%	96.9%
Grade 9	0.8%	1.4%	3.7%	96.3%
Grade 10	1.2%	1.9%	5.2%	94.8%
Grade 11	1.2%	2.0%	6.7%	93.3%
Grade 12	1.0%	1.8%	7.4%	92.6%
<b>Methamphetamine</b>				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.4%	0.5%	1.1%	98.9%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.2%	0.6%	1.3%	98.7%
Grade 12	0.7%	1.1%	2.0%	98.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 42 of 120

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.2%	21.2%	32.5%	67.5%
Grade 7	6.4%	8.3%	15.3%	84.7%
Grade 8	8.7%	11.8%	21.9%	78.1%
Grade 9	15.3%	19.1%	31.1%	68.9%
Grade 10	18.0%	22.4%	35.1%	64.9%
Grade 11	26.4%	32.4%	45.7%	54.3%
Grade 12	34.0%	39.5%	53.3%	46.7%
<b>Any Alcohol Product</b>				
All	28.1%	33.0%	52.2%	47.8%
Grade 7	14.7%	17.2%	37.6%	62.4%
Grade 8	19.1%	22.2%	42.6%	57.4%
Grade 9	26.9%	31.0%	50.5%	49.5%
Grade 10	29.3%	35.5%	55.9%	44.1%
Grade 11	36.4%	43.1%	61.6%	38.4%
Grade 12	49.3%	57.0%	71.9%	28.1%
<b>Any Illicit Drug</b>				
All	13.1%	17.3%	23.2%	76.8%
Grade 7	4.4%	6.1%	8.2%	91.8%
Grade 8	7.5%	9.9%	13.1%	86.9%
Grade 9	9.7%	13.6%	17.8%	82.2%
Grade 10	15.4%	20.3%	27.1%	72.9%
Grade 11	20.3%	26.6%	36.7%	63.3%
Grade 12	25.8%	33.3%	44.4%	55.6%
<b>Any Prescription Drug</b>				
All	11.1%	14.9%	19.9%	80.1%
Grade 7	6.6%	9.3%	12.9%	87.1%
Grade 8	8.5%	11.1%	14.9%	85.1%
Grade 9	10.7%	14.0%	19.2%	80.8%
Grade 10	11.3%	14.8%	20.5%	79.5%
Grade 11	14.5%	19.9%	25.3%	74.7%
Grade 12	16.9%	22.9%	29.9%	70.1%
<b>Any Inhalant</b>				
All	3.6%	5.1%	10.7%	89.3%
Grade 7	4.2%	5.8%	11.1%	88.9%
Grade 8	4.4%	5.5%	11.5%	88.5%
Grade 9	3.8%	4.8%	10.4%	89.6%
Grade 10	3.3%	4.6%	10.5%	89.5%
Grade 11	2.8%	5.0%	10.3%	89.7%
Grade 12	2.7%	4.7%	10.0%	90.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 43 of 120

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.5%	15.6%	26.4%	73.6%
Grade 7	3.8%	5.5%	11.8%	88.2%
Grade 8	4.2%	8.0%	17.1%	82.9%
Grade 9	10.4%	15.0%	26.3%	73.7%
Grade 10	10.8%	16.4%	29.3%	70.7%
Grade 11	17.4%	25.0%	38.5%	61.5%
Grade 12	19.9%	28.3%	41.7%	58.3%
<b>Marijuana</b>				
All	12.3%	15.0%	21.3%	78.7%
Grade 7	3.8%	4.7%	6.6%	93.4%
Grade 8	6.4%	7.7%	11.0%	89.0%
Grade 9	9.3%	11.5%	16.1%	83.9%
Grade 10	14.4%	17.6%	24.9%	75.1%
Grade 11	19.8%	24.2%	35.4%	64.6%
Grade 12	24.6%	29.6%	41.8%	58.2%
<b>Marijuana Only</b>				
All	6.8%	8.6%	13.7%	86.3%
Grade 7	1.8%	2.5%	4.3%	95.7%
Grade 8	3.6%	4.4%	6.8%	93.2%
Grade 9	5.6%	6.7%	10.4%	89.6%
Grade 10	9.3%	11.7%	17.7%	82.3%
Grade 11	10.6%	13.9%	22.8%	77.2%
Grade 12	12.0%	15.4%	25.1%	74.9%
<b>Cocaine or Crack</b>				
All	1.7%	2.0%	3.2%	96.8%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	1.5%	1.6%	2.0%	98.0%
Grade 9	0.9%	1.1%	1.8%	98.2%
Grade 10	1.9%	2.2%	3.3%	96.7%
Grade 11	2.3%	2.9%	4.8%	95.2%
Grade 12	3.6%	4.5%	7.9%	92.1%
<b>Cocaine</b>				
All	1.5%	1.8%	2.9%	97.1%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	1.2%	1.3%	1.5%	98.5%
Grade 9	0.8%	0.9%	1.7%	98.3%
Grade 10	1.8%	2.1%	3.1%	96.9%
Grade 11	2.2%	2.7%	4.7%	95.3%
Grade 12	3.4%	4.3%	7.5%	92.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 44 of 120

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.7%	0.9%	1.1%	98.9%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.5%	0.9%	1.3%	98.7%
Grade 11	0.4%	0.5%	1.2%	98.8%
Grade 12	1.1%	1.1%	2.1%	97.9%
Hallucinogens				
All	1.1%	1.7%	3.5%	96.5%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	0.6%	0.9%	2.1%	97.9%
Grade 10	1.2%	1.7%	3.1%	96.9%
Grade 11	1.4%	3.0%	6.6%	93.4%
Grade 12	3.3%	5.1%	9.2%	90.8%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.4%	0.6%	0.8%	99.2%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.4%	0.4%	1.1%	98.9%
Steroids				
All	0.5%	0.7%	1.6%	98.4%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	0.4%	0.5%	0.7%	99.3%
Grade 10	0.4%	0.8%	1.9%	98.1%
Grade 11	0.4%	0.5%	1.7%	98.3%
Grade 12	1.2%	1.6%	3.1%	96.9%
Ecstasy				
All	0.8%	1.3%	2.5%	97.5%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.8%	1.5%	98.5%
Grade 9	0.3%	0.6%	1.5%	98.5%
Grade 10	0.3%	1.0%	2.0%	98.0%
Grade 11	1.2%	1.7%	4.1%	95.9%
Grade 12	2.9%	3.8%	6.3%	93.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 45 of 120



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.5%	0.6%	1.2%	98.8%
Grade 11	0.3%	0.4%	0.6%	99.4%
Grade 12	0.5%	0.6%	0.9%	99.1%
Synthetic Marijuana				
All	1.0%	1.7%	4.4%	95.6%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	0.8%	1.7%	2.9%	97.1%
Grade 9	0.7%	1.2%	3.3%	96.7%
Grade 10	1.4%	2.0%	4.6%	95.4%
Grade 11	1.4%	2.1%	6.7%	93.3%
Grade 12	1.2%	2.5%	8.7%	91.3%
Methamphetamine				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.7%	1.0%	1.4%	98.6%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.2%	0.3%	0.8%	99.2%
Grade 11	0.3%	0.8%	1.5%	98.5%
Grade 12	0.9%	1.4%	2.4%	97.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 46 of 120

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.1%	16.7%	28.9%	71.1%
Grade 7	3.7%	4.8%	11.2%	88.8%
Grade 8	8.2%	10.2%	20.1%	79.9%
Grade 9	11.5%	16.0%	28.5%	71.5%
Grade 10	14.2%	19.8%	34.3%	65.7%
Grade 11	17.2%	24.2%	41.1%	58.9%
Grade 12	21.8%	30.8%	45.2%	54.8%
<b>Any Alcohol Product</b>				
All	28.8%	35.0%	54.6%	45.4%
Grade 7	11.8%	14.4%	32.8%	67.2%
Grade 8	21.2%	25.5%	44.4%	55.6%
Grade 9	28.1%	34.4%	54.9%	45.1%
Grade 10	32.6%	39.2%	61.7%	38.3%
Grade 11	39.5%	49.7%	69.4%	30.6%
Grade 12	46.3%	55.5%	72.8%	27.2%
<b>Any Illicit Drug</b>				
All	12.4%	16.6%	22.0%	78.0%
Grade 7	3.4%	5.3%	6.7%	93.3%
Grade 8	6.6%	9.8%	12.7%	87.3%
Grade 9	11.9%	15.6%	20.1%	79.9%
Grade 10	14.2%	18.8%	25.5%	74.5%
Grade 11	20.0%	26.5%	34.3%	65.7%
Grade 12	22.2%	28.6%	40.0%	60.0%
<b>Any Prescription Drug</b>				
All	10.4%	14.0%	18.7%	81.3%
Grade 7	8.8%	10.8%	15.4%	84.6%
Grade 8	8.5%	11.0%	15.3%	84.7%
Grade 9	9.5%	13.5%	18.6%	81.4%
Grade 10	12.2%	16.3%	20.8%	79.2%
Grade 11	12.6%	17.2%	21.6%	78.4%
Grade 12	12.0%	16.6%	21.9%	78.1%
<b>Any Inhalant</b>				
All	4.5%	5.9%	12.4%	87.6%
Grade 7	5.4%	6.7%	13.0%	87.0%
Grade 8	6.8%	8.6%	15.9%	84.1%
Grade 9	5.5%	6.6%	13.5%	86.5%
Grade 10	3.6%	4.8%	11.4%	88.6%
Grade 11	3.0%	4.8%	10.8%	89.2%
Grade 12	1.6%	2.7%	8.6%	91.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 47 of 120

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.9%	12.8%	24.5%	75.5%
Grade 7	2.4%	3.7%	9.1%	90.9%
Grade 8	5.1%	7.4%	16.8%	83.2%
Grade 9	7.9%	12.5%	24.4%	75.6%
Grade 10	8.7%	14.4%	29.1%	70.9%
Grade 11	12.0%	19.3%	35.7%	64.3%
Grade 12	13.4%	23.8%	38.0%	62.0%
Marijuana				
All	12.0%	14.8%	20.5%	79.5%
Grade 7	2.9%	3.5%	4.9%	95.1%
Grade 8	6.2%	8.1%	11.2%	88.8%
Grade 9	11.5%	13.7%	18.2%	81.8%
Grade 10	13.8%	17.3%	24.0%	76.0%
Grade 11	19.9%	24.6%	33.2%	66.8%
Grade 12	21.9%	27.2%	39.2%	60.8%
Marijuana Only				
All	6.7%	8.9%	13.4%	86.6%
Grade 7	1.5%	2.1%	3.2%	96.8%
Grade 8	2.6%	4.2%	6.8%	93.2%
Grade 9	6.7%	8.3%	11.9%	88.1%
Grade 10	7.5%	10.1%	15.5%	84.5%
Grade 11	11.6%	14.7%	21.7%	78.3%
Grade 12	13.1%	17.2%	26.6%	73.4%
Cocaine or Crack				
All	1.0%	1.2%	2.2%	97.8%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.9%	1.1%	1.5%	98.5%
Grade 9	1.0%	1.0%	1.8%	98.2%
Grade 10	0.8%	1.3%	2.3%	97.7%
Grade 11	1.1%	1.5%	3.7%	96.3%
Grade 12	1.3%	1.6%	3.3%	96.7%
Cocaine				
All	0.9%	1.1%	2.1%	97.9%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	0.7%	0.9%	1.3%	98.7%
Grade 9	0.9%	1.0%	1.7%	98.3%
Grade 10	0.7%	1.1%	2.2%	97.8%
Grade 11	1.1%	1.5%	3.6%	96.4%
Grade 12	1.3%	1.6%	3.2%	96.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 48 of 120

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.4%	0.5%	1.0%	99.0%
Grade 10	0.2%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.2%	0.8%	99.2%
Grade 12	0.1%	0.1%	1.0%	99.0%
Hallucinogens				
All	0.7%	1.2%	2.8%	97.2%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.4%	0.9%	1.8%	98.2%
Grade 10	1.0%	1.8%	3.5%	96.5%
Grade 11	1.1%	2.3%	5.2%	94.8%
Grade 12	1.3%	2.2%	5.9%	94.1%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.5%	99.5%
Steroids				
All	0.4%	0.5%	1.5%	98.5%
Grade 7	0.4%	0.5%	1.4%	98.6%
Grade 8	0.4%	0.6%	2.0%	98.0%
Grade 9	0.6%	0.8%	1.2%	98.8%
Grade 10	0.2%	0.3%	1.4%	98.6%
Grade 11	0.1%	0.2%	1.3%	98.7%
Grade 12	0.4%	0.5%	1.4%	98.6%
Ecstasy				
All	0.5%	1.0%	2.1%	97.9%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	1.0%	1.3%	2.4%	97.6%
Grade 10	0.7%	1.1%	2.4%	97.6%
Grade 11	0.4%	1.5%	3.3%	96.7%
Grade 12	0.8%	1.7%	4.0%	96.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 49 of 120

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.8%	99.2%
Synthetic Marijuana				
All	0.9%	1.4%	4.3%	95.7%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	0.8%	1.3%	3.4%	96.6%
Grade 9	0.8%	1.6%	3.9%	96.1%
Grade 10	1.0%	1.9%	5.8%	94.2%
Grade 11	0.9%	1.9%	6.7%	93.3%
Grade 12	0.9%	1.2%	6.2%	93.8%
Methamphetamine				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.5%	0.6%	1.3%	98.7%
Grade 10	0.4%	0.7%	1.4%	98.6%
Grade 11	0.1%	0.3%	1.0%	99.0%
Grade 12	0.5%	0.9%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 50 of 120

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.2%	20.7%	31.5%	68.5%
Grade 7	4.2%	5.5%	10.9%	89.1%
Grade 8	7.6%	10.1%	19.3%	80.7%
Grade 9	14.4%	18.5%	30.1%	69.9%
Grade 10	17.3%	22.9%	36.1%	63.9%
Grade 11	26.2%	32.4%	45.7%	54.3%
Grade 12	31.1%	39.0%	51.9%	48.1%
<b>Any Alcohol Product</b>				
All	28.7%	34.9%	54.4%	45.6%
Grade 7	10.8%	13.2%	32.6%	67.4%
Grade 8	17.8%	21.2%	42.3%	57.7%
Grade 9	27.3%	32.7%	52.9%	47.1%
Grade 10	31.3%	39.4%	60.7%	39.3%
Grade 11	40.5%	50.0%	68.8%	31.2%
Grade 12	49.2%	58.9%	74.3%	25.7%
<b>Any Illicit Drug</b>				
All	10.4%	14.5%	19.8%	80.2%
Grade 7	2.5%	3.8%	5.1%	94.9%
Grade 8	4.7%	6.8%	9.1%	90.9%
Grade 9	7.9%	11.5%	15.4%	84.6%
Grade 10	12.3%	17.2%	23.4%	76.6%
Grade 11	17.4%	23.7%	31.7%	68.3%
Grade 12	20.2%	27.5%	38.5%	61.5%
<b>Any Prescription Drug</b>				
All	10.9%	15.0%	19.0%	81.0%
Grade 7	8.1%	10.8%	15.3%	84.7%
Grade 8	8.1%	11.1%	14.7%	85.3%
Grade 9	9.9%	13.6%	17.7%	82.3%
Grade 10	12.4%	17.0%	20.7%	79.3%
Grade 11	12.8%	17.7%	22.0%	78.0%
Grade 12	15.1%	20.9%	25.2%	74.8%
<b>Any Inhalant</b>				
All	3.1%	4.5%	10.4%	89.6%
Grade 7	3.1%	4.1%	9.2%	90.8%
Grade 8	4.1%	5.9%	12.1%	87.9%
Grade 9	3.5%	4.7%	10.4%	89.6%
Grade 10	3.2%	4.8%	11.9%	88.1%
Grade 11	2.4%	3.7%	9.6%	90.4%
Grade 12	2.0%	3.4%	8.9%	91.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 51 of 120

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.3%	15.4%	25.7%	74.3%
Grade 7	2.4%	3.7%	8.1%	91.9%
Grade 8	4.1%	7.0%	15.0%	85.0%
Grade 9	9.2%	14.0%	24.5%	75.5%
Grade 10	11.2%	17.4%	29.5%	70.5%
Grade 11	18.1%	25.5%	38.8%	61.2%
Grade 12	19.2%	28.3%	42.6%	57.4%
<b>Marijuana</b>				
All	10.0%	12.7%	18.3%	81.7%
Grade 7	2.0%	2.6%	3.7%	96.3%
Grade 8	4.0%	5.0%	7.4%	92.6%
Grade 9	7.7%	9.8%	14.0%	86.0%
Grade 10	11.9%	14.9%	21.3%	78.7%
Grade 11	17.0%	21.6%	30.4%	69.6%
Grade 12	19.8%	25.5%	37.3%	62.7%
<b>Marijuana Only</b>				
All	5.1%	7.1%	11.6%	88.4%
Grade 7	1.0%	1.5%	2.5%	97.5%
Grade 8	2.2%	2.8%	4.7%	95.3%
Grade 9	4.5%	5.8%	9.2%	90.8%
Grade 10	6.0%	8.4%	13.4%	86.6%
Grade 11	8.9%	12.1%	19.2%	80.8%
Grade 12	9.4%	13.5%	23.3%	76.7%
<b>Cocaine or Crack</b>				
All	0.8%	1.0%	1.9%	98.1%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.7%	0.9%	1.9%	98.1%
Grade 11	1.0%	1.7%	3.3%	96.7%
Grade 12	1.7%	2.1%	4.0%	96.0%
<b>Cocaine</b>				
All	0.7%	0.9%	1.7%	98.3%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.9%	99.1%
Grade 10	0.6%	0.9%	1.8%	98.2%
Grade 11	1.0%	1.6%	3.3%	96.7%
Grade 12	1.7%	2.0%	3.7%	96.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.1%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.3%	0.4%	1.0%	99.0%
<b>Hallucinogens</b>				
All	0.9%	1.6%	3.4%	96.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.5%	1.0%	2.0%	98.0%
Grade 10	1.2%	1.9%	4.0%	96.0%
Grade 11	1.5%	2.9%	6.1%	93.9%
Grade 12	2.0%	3.9%	8.3%	91.7%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.4%	99.6%
<b>Steroids</b>				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.3%	0.4%	0.7%	99.3%
Grade 10	0.2%	0.4%	1.6%	98.4%
Grade 11	0.4%	0.6%	1.9%	98.1%
Grade 12	0.5%	0.7%	2.1%	97.9%
<b>Ecstasy</b>				
All	0.6%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.3%	0.4%	99.6%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	0.5%	0.6%	1.1%	98.9%
Grade 10	0.7%	1.4%	2.8%	97.2%
Grade 11	0.6%	1.5%	4.0%	96.0%
Grade 12	1.5%	2.6%	4.7%	95.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	0.8%	1.3%	4.0%	96.0%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.7%	1.0%	2.0%	98.0%
Grade 9	0.7%	1.0%	3.3%	96.7%
Grade 10	0.9%	1.8%	5.6%	94.4%
Grade 11	1.1%	1.9%	5.8%	94.2%
Grade 12	0.9%	1.6%	7.5%	92.5%
<b>Methamphetamine</b>				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.2%	0.5%	1.3%	98.7%
Grade 11	0.2%	0.6%	1.4%	98.6%
Grade 12	0.5%	0.8%	2.0%	98.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 54 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.1%	15.1%	27.2%	72.8%
Grade 7	5.8%	6.7%	13.0%	87.0%
Grade 8	6.4%	7.9%	16.1%	83.9%
Grade 9	7.0%	11.8%	22.6%	77.4%
Grade 10	14.5%	17.2%	31.6%	68.4%
Grade 11	15.7%	21.6%	40.4%	59.6%
Grade 12	27.3%	30.8%	47.0%	53.0%
<b>Any Alcohol Product</b>				
All	25.5%	31.1%	48.9%	51.1%
Grade 7	11.4%	16.1%	33.3%	66.7%
Grade 8	14.1%	16.5%	32.3%	67.7%
Grade 9	24.7%	29.9%	47.5%	52.5%
Grade 10	31.2%	36.8%	57.6%	42.4%
Grade 11	28.9%	38.8%	60.7%	39.3%
Grade 12	50.2%	56.8%	70.1%	29.9%
<b>Any Illicit Drug</b>				
All	14.6%	19.6%	25.3%	74.7%
Grade 7	5.1%	6.1%	8.3%	91.7%
Grade 8	6.9%	10.9%	13.3%	86.7%
Grade 9	11.6%	15.7%	19.6%	80.4%
Grade 10	17.3%	22.7%	29.9%	70.1%
Grade 11	20.3%	28.9%	36.8%	63.2%
Grade 12	32.2%	40.3%	53.2%	46.8%
<b>Any Prescription Drug</b>				
All	10.2%	13.8%	20.7%	79.3%
Grade 7	5.7%	7.9%	13.4%	86.6%
Grade 8	5.6%	7.3%	11.4%	88.6%
Grade 9	8.9%	14.0%	20.3%	79.7%
Grade 10	14.4%	17.0%	25.0%	75.0%
Grade 11	16.2%	20.9%	28.0%	72.0%
Grade 12	12.0%	18.2%	30.4%	69.6%
<b>Any Inhalant</b>				
All	4.3%	5.3%	9.4%	90.6%
Grade 7	5.4%	6.7%	11.4%	88.6%
Grade 8	5.1%	5.9%	10.1%	89.9%
Grade 9	5.1%	5.3%	9.9%	90.1%
Grade 10	4.1%	4.6%	8.5%	91.5%
Grade 11	3.6%	6.7%	9.6%	90.4%
Grade 12	1.4%	2.1%	6.0%	94.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 55 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.6%	11.7%	22.8%	77.2%
Grade 7	3.7%	4.9%	10.0%	90.0%
Grade 8	2.6%	4.6%	12.7%	87.3%
Grade 9	5.1%	9.2%	18.1%	81.9%
Grade 10	9.1%	13.3%	27.3%	72.7%
Grade 11	11.4%	18.1%	36.0%	64.0%
Grade 12	16.8%	24.8%	39.5%	60.5%
Marijuana				
All	14.1%	17.3%	23.5%	76.5%
Grade 7	4.1%	4.6%	6.7%	93.3%
Grade 8	6.4%	8.6%	10.8%	89.2%
Grade 9	11.1%	13.7%	18.1%	81.9%
Grade 10	16.0%	19.8%	27.7%	72.3%
Grade 11	20.3%	24.7%	34.5%	65.5%
Grade 12	32.4%	39.5%	52.5%	47.5%
Marijuana Only				
All	11.0%	13.5%	19.0%	81.0%
Grade 7	2.6%	2.9%	4.9%	95.1%
Grade 8	4.2%	5.5%	7.4%	92.6%
Grade 9	9.0%	10.8%	14.0%	86.0%
Grade 10	13.6%	17.1%	24.8%	75.2%
Grade 11	17.2%	20.7%	29.0%	71.0%
Grade 12	24.2%	29.9%	42.3%	57.7%
Cocaine or Crack				
All	1.0%	1.1%	1.4%	98.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.3%	1.3%	1.7%	98.3%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	2.0%	2.0%	2.3%	97.7%
Grade 11	0.2%	0.5%	1.2%	98.8%
Grade 12	1.4%	1.6%	2.1%	97.9%
Cocaine				
All	0.9%	1.0%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.2%	1.3%	1.3%	98.7%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	1.6%	1.6%	1.9%	98.1%
Grade 11	0.2%	0.5%	1.2%	98.8%
Grade 12	1.4%	1.6%	2.1%	97.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 56 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.4%	1.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.8%	99.2%
Hallucinogens				
All	0.7%	0.8%	1.8%	98.2%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	0.0%	0.1%	1.3%	98.7%
Grade 9	0.5%	0.6%	1.3%	98.7%
Grade 10	1.3%	1.3%	2.0%	98.0%
Grade 11	0.4%	0.6%	1.1%	98.9%
Grade 12	0.9%	1.7%	3.9%	96.1%
Synthetic Cathinones				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	1.1%	1.3%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.3%	0.6%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.3%	2.1%	97.9%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	0.2%	1.3%	3.6%	96.4%
Grade 11	0.5%	0.5%	2.5%	97.5%
Grade 12	0.9%	1.1%	1.6%	98.4%
Ecstasy				
All	0.5%	1.0%	2.0%	98.0%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.5%	1.3%	2.2%	97.8%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	0.2%	2.0%	3.8%	96.2%
Grade 12	1.5%	2.0%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 57 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.6%	0.7%	1.1%	98.9%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.7%	99.3%
Synthetic Marijuana				
All	0.9%	1.4%	2.7%	97.3%
Grade 7	0.9%	1.0%	1.1%	98.9%
Grade 8	0.8%	1.8%	2.6%	97.4%
Grade 9	0.8%	0.8%	2.3%	97.7%
Grade 10	1.1%	1.1%	1.9%	98.1%
Grade 11	0.2%	1.7%	2.7%	97.3%
Grade 12	1.8%	2.1%	6.2%	93.8%
Methamphetamine				
All	0.5%	0.6%	0.7%	99.3%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.7%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.5%	0.6%	99.4%
Grade 12	1.4%	1.4%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 58 of 120

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.9%	18.6%	30.9%	69.1%
Grade 7	5.6%	7.4%	14.9%	85.1%
Grade 8	9.7%	12.7%	23.6%	76.4%
Grade 9	14.7%	18.9%	31.8%	68.2%
Grade 10	14.5%	20.0%	33.9%	66.1%
Grade 11	19.4%	26.4%	42.0%	58.0%
Grade 12	24.7%	33.4%	48.4%	51.6%
<b>Any Alcohol Product</b>				
All	29.2%	34.2%	53.8%	46.2%
Grade 7	15.5%	17.5%	37.9%	62.1%
Grade 8	23.9%	28.0%	47.1%	52.9%
Grade 9	28.6%	33.0%	52.9%	47.1%
Grade 10	30.6%	36.2%	58.1%	41.9%
Grade 11	38.7%	46.0%	64.2%	35.8%
Grade 12	46.1%	54.4%	72.0%	28.0%
<b>Any Illicit Drug</b>				
All	14.2%	18.3%	24.1%	75.9%
Grade 7	4.9%	6.8%	8.8%	91.2%
Grade 8	9.2%	11.9%	15.3%	84.7%
Grade 9	13.7%	17.6%	22.3%	77.7%
Grade 10	15.4%	19.9%	27.1%	72.9%
Grade 11	22.5%	29.0%	38.6%	61.4%
Grade 12	25.0%	31.6%	42.9%	57.1%
<b>Any Prescription Drug</b>				
All	10.6%	13.8%	18.6%	81.4%
Grade 7	7.4%	9.4%	12.7%	87.3%
Grade 8	9.7%	12.0%	16.4%	83.6%
Grade 9	10.6%	13.5%	18.6%	81.4%
Grade 10	10.5%	13.7%	19.0%	81.0%
Grade 11	12.9%	17.8%	22.7%	77.3%
Grade 12	14.6%	19.2%	25.5%	74.5%
<b>Any Inhalant</b>				
All	4.8%	6.4%	12.7%	87.3%
Grade 7	5.8%	7.6%	14.1%	85.9%
Grade 8	6.7%	8.0%	15.2%	84.8%
Grade 9	5.8%	6.8%	13.3%	86.7%
Grade 10	3.6%	4.9%	10.6%	89.4%
Grade 11	3.2%	5.3%	11.5%	88.5%
Grade 12	2.5%	4.5%	10.3%	89.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 59 of 120

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.5%	14.0%	25.8%	74.2%
Grade 7	3.7%	5.3%	11.9%	88.1%
Grade 8	5.5%	9.1%	19.3%	80.7%
Grade 9	10.0%	15.0%	28.1%	71.9%
Grade 10	8.3%	14.3%	28.9%	71.1%
Grade 11	12.2%	20.6%	36.0%	64.0%
Grade 12	13.8%	24.7%	38.1%	61.9%
Marijuana				
All	13.5%	16.2%	22.5%	77.5%
Grade 7	4.2%	5.0%	7.0%	93.0%
Grade 8	8.3%	10.1%	13.8%	86.2%
Grade 9	13.1%	15.4%	20.4%	79.6%
Grade 10	14.9%	18.3%	25.5%	74.5%
Grade 11	22.2%	27.1%	37.6%	62.4%
Grade 12	23.6%	28.2%	40.7%	59.3%
Marijuana Only				
All	7.0%	8.9%	13.9%	86.1%
Grade 7	2.1%	2.8%	4.5%	95.5%
Grade 8	3.6%	4.9%	7.9%	92.1%
Grade 9	7.1%	8.3%	12.4%	87.6%
Grade 10	8.4%	10.9%	16.8%	83.2%
Grade 11	11.7%	15.0%	23.3%	76.7%
Grade 12	12.3%	15.6%	24.5%	75.5%
Cocaine or Crack				
All	1.9%	2.3%	3.7%	96.3%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	1.7%	1.9%	2.3%	97.7%
Grade 9	1.7%	1.9%	2.9%	97.1%
Grade 10	1.6%	2.3%	3.7%	96.3%
Grade 11	2.6%	3.1%	5.6%	94.4%
Grade 12	3.6%	4.5%	7.8%	92.2%
Cocaine				
All	1.8%	2.2%	3.5%	96.5%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	1.6%	1.7%	2.1%	97.9%
Grade 9	1.5%	1.7%	2.7%	97.3%
Grade 10	1.5%	2.2%	3.6%	96.4%
Grade 11	2.4%	2.9%	5.3%	94.7%
Grade 12	3.5%	4.5%	7.7%	92.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 60 of 120

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	0.7%	0.8%	1.4%	98.6%
Grade 10	0.5%	0.7%	1.1%	98.9%
Grade 11	0.4%	0.5%	1.4%	98.6%
Grade 12	0.8%	0.8%	1.9%	98.1%
Hallucinogens				
All	0.9%	1.5%	3.1%	96.9%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	0.6%	1.0%	2.4%	97.6%
Grade 10	1.1%	1.8%	2.8%	97.2%
Grade 11	0.9%	2.5%	6.2%	93.8%
Grade 12	2.9%	4.1%	7.8%	92.2%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.5%	0.5%	1.0%	99.0%
Steroids				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.6%	0.8%	1.5%	98.5%
Grade 8	0.7%	0.7%	2.1%	97.9%
Grade 9	0.8%	0.9%	1.2%	98.8%
Grade 10	0.1%	0.2%	0.9%	99.1%
Grade 11	0.0%	0.1%	0.9%	99.1%
Grade 12	1.1%	1.3%	2.2%	97.8%
Ecstasy				
All	0.8%	1.1%	2.3%	97.7%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.7%	1.0%	1.7%	98.3%
Grade 9	0.8%	1.2%	2.4%	97.6%
Grade 10	0.4%	1.0%	2.1%	97.9%
Grade 11	1.0%	1.2%	3.1%	96.9%
Grade 12	2.1%	2.9%	5.2%	94.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 61 of 120



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.5%	0.9%	99.1%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.5%	0.6%	1.3%	98.7%
Synthetic Marijuana				
All	1.0%	1.8%	5.1%	94.9%
Grade 7	0.7%	0.9%	1.7%	98.3%
Grade 8	0.9%	1.8%	4.4%	95.6%
Grade 9	0.8%	1.9%	4.5%	95.5%
Grade 10	1.5%	2.3%	5.8%	94.2%
Grade 11	1.4%	2.2%	8.6%	91.4%
Grade 12	0.9%	2.2%	7.4%	92.6%
Methamphetamine				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.6%	0.8%	1.4%	98.6%
Grade 9	0.6%	0.6%	1.5%	98.5%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.2%	0.4%	1.0%	99.0%
Grade 12	0.7%	1.4%	2.4%	97.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 62 of 120

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.7%	13.4%	22.5%	77.5%
Grade 7	2.2%	3.0%	7.7%	92.3%
Grade 8	4.3%	5.9%	12.3%	87.7%
Grade 9	8.0%	11.1%	18.6%	81.4%
Grade 10	9.8%	14.9%	26.5%	73.5%
Grade 11	15.1%	22.2%	36.3%	63.7%
Grade 12	22.9%	29.2%	41.6%	58.4%
<b>Any Alcohol Product</b>				
All	22.2%	27.9%	48.0%	52.0%
Grade 7	8.4%	10.5%	28.3%	71.7%
Grade 8	14.1%	17.2%	37.9%	62.1%
Grade 9	19.4%	24.8%	45.9%	54.1%
Grade 10	23.0%	29.1%	54.0%	46.0%
Grade 11	33.4%	42.8%	62.7%	37.3%
Grade 12	42.1%	52.0%	68.9%	31.1%
<b>Any Illicit Drug</b>				
All	7.6%	11.1%	15.1%	84.9%
Grade 7	1.8%	3.0%	3.8%	96.2%
Grade 8	2.6%	4.8%	6.6%	93.4%
Grade 9	4.8%	7.7%	10.3%	89.7%
Grade 10	8.0%	11.6%	16.6%	83.4%
Grade 11	14.1%	20.3%	26.9%	73.1%
Grade 12	17.8%	23.7%	32.8%	67.2%
<b>Any Prescription Drug</b>				
All	9.1%	12.3%	15.7%	84.3%
Grade 7	7.6%	10.6%	14.1%	85.9%
Grade 8	8.1%	10.4%	13.0%	87.0%
Grade 9	7.9%	11.8%	15.0%	85.0%
Grade 10	8.5%	11.7%	15.7%	84.3%
Grade 11	11.0%	15.0%	18.4%	81.6%
Grade 12	12.1%	15.6%	19.5%	80.5%
<b>Any Inhalant</b>				
All	3.0%	4.2%	8.9%	91.1%
Grade 7	3.2%	4.2%	8.2%	91.8%
Grade 8	4.4%	6.0%	11.2%	88.8%
Grade 9	3.6%	4.2%	9.2%	90.8%
Grade 10	3.2%	4.2%	10.1%	89.9%
Grade 11	1.6%	2.8%	7.4%	92.6%
Grade 12	1.6%	3.1%	6.7%	93.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 63 of 120

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.0%	10.2%	18.5%	81.5%
Grade 7	1.2%	2.0%	5.4%	94.6%
Grade 8	2.4%	4.0%	9.5%	90.5%
Grade 9	5.5%	9.0%	16.2%	83.8%
Grade 10	6.2%	11.6%	21.8%	78.2%
Grade 11	10.4%	18.0%	31.6%	68.4%
Grade 12	12.7%	21.3%	33.4%	66.6%
<b>Marijuana</b>				
All	7.1%	9.3%	13.6%	86.4%
Grade 7	1.3%	1.7%	2.6%	97.4%
Grade 8	2.3%	3.4%	5.2%	94.8%
Grade 9	4.5%	6.0%	8.7%	91.3%
Grade 10	7.4%	9.5%	14.8%	85.2%
Grade 11	13.7%	17.9%	25.6%	74.4%
Grade 12	16.8%	21.4%	31.1%	68.9%
<b>Marijuana Only</b>				
All	4.1%	5.6%	9.2%	90.8%
Grade 7	1.0%	1.2%	2.0%	98.0%
Grade 8	0.8%	1.7%	3.1%	96.9%
Grade 9	2.5%	3.5%	5.7%	94.3%
Grade 10	4.0%	5.8%	10.2%	89.8%
Grade 11	7.9%	10.7%	16.9%	83.1%
Grade 12	10.3%	13.7%	21.7%	78.3%
<b>Cocaine or Crack</b>				
All	0.7%	0.9%	1.5%	98.5%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.7%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.6%	0.9%	1.4%	98.6%
Grade 11	1.1%	1.5%	2.9%	97.1%
Grade 12	1.6%	1.8%	3.5%	96.5%
<b>Cocaine</b>				
All	0.6%	0.8%	1.4%	98.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.6%	0.8%	99.2%
Grade 9	0.3%	0.4%	0.7%	99.3%
Grade 10	0.6%	0.9%	1.4%	98.6%
Grade 11	1.1%	1.5%	2.8%	97.2%
Grade 12	1.5%	1.7%	3.4%	96.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.1%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.5%	0.6%	1.3%	98.7%
Hallucinogens				
All	0.5%	0.9%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.6%	1.2%	2.2%	97.8%
Grade 11	0.8%	2.1%	4.7%	95.3%
Grade 12	1.5%	2.3%	4.4%	95.6%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.6%	0.6%	1.2%	98.8%
Steroids				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.1%	0.8%	99.2%
Grade 8	0.3%	0.5%	1.6%	98.4%
Grade 9	0.1%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.3%	1.9%	98.1%
Grade 11	0.3%	0.4%	1.3%	98.7%
Grade 12	1.1%	1.1%	1.9%	98.1%
Ecstasy				
All	0.3%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.2%	0.6%	1.0%	99.0%
Grade 10	0.5%	0.9%	1.6%	98.4%
Grade 11	0.4%	1.1%	2.5%	97.5%
Grade 12	1.0%	1.7%	3.4%	96.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 65 of 120

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.6%	0.7%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.5%	0.6%	1.0%	99.0%
Synthetic Marijuana				
All	0.3%	0.8%	2.6%	97.4%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.5%	1.6%	98.4%
Grade 9	0.2%	0.8%	1.9%	98.1%
Grade 10	0.5%	1.3%	3.0%	97.0%
Grade 11	0.5%	1.0%	4.1%	95.9%
Grade 12	0.3%	1.0%	5.6%	94.4%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.5%	0.9%	1.2%	98.8%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	0.7%	0.9%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 66 of 120

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.1%	21.6%	34.2%	65.8%
Grade 7	6.4%	8.2%	16.0%	84.0%
Grade 8	10.6%	13.4%	25.2%	74.8%
Grade 9	15.8%	20.3%	33.8%	66.2%
Grade 10	19.6%	24.2%	38.8%	61.2%
Grade 11	25.6%	32.4%	47.9%	52.1%
Grade 12	31.7%	40.4%	54.3%	45.7%
<b>Any Alcohol Product</b>				
All	31.2%	36.4%	55.2%	44.8%
Grade 7	15.9%	19.0%	39.3%	60.7%
Grade 8	23.0%	26.8%	45.6%	54.4%
Grade 9	31.3%	35.9%	55.4%	44.6%
Grade 10	35.3%	41.8%	60.9%	39.1%
Grade 11	40.3%	48.2%	66.7%	33.3%
Grade 12	50.8%	57.7%	73.4%	26.6%
<b>Any Illicit Drug</b>				
All	15.5%	19.9%	26.2%	73.8%
Grade 7	5.0%	7.2%	9.6%	90.4%
Grade 8	9.2%	12.2%	15.9%	84.1%
Grade 9	13.9%	17.8%	22.8%	77.2%
Grade 10	19.3%	24.6%	32.3%	67.7%
Grade 11	24.2%	30.8%	41.0%	59.0%
Grade 12	28.1%	35.0%	47.2%	52.8%
<b>Any Prescription Drug</b>				
All	11.7%	15.4%	21.0%	79.0%
Grade 7	7.7%	9.8%	14.3%	85.7%
Grade 8	8.6%	11.1%	16.0%	84.0%
Grade 9	11.5%	14.6%	20.4%	79.6%
Grade 10	13.6%	18.2%	23.6%	76.4%
Grade 11	15.6%	20.9%	26.8%	73.2%
Grade 12	15.9%	22.0%	29.1%	70.9%
<b>Any Inhalant</b>				
All	4.7%	6.3%	13.1%	86.9%
Grade 7	5.7%	7.5%	14.3%	85.7%
Grade 8	6.1%	7.4%	14.6%	85.4%
Grade 9	5.4%	6.4%	12.8%	87.2%
Grade 10	3.6%	5.1%	11.8%	88.2%
Grade 11	4.0%	6.4%	13.1%	86.9%
Grade 12	2.4%	4.4%	10.8%	89.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 67 of 120

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.7%	16.0%	28.5%	71.5%
Grade 7	3.9%	5.8%	12.8%	87.2%
Grade 8	5.8%	9.2%	20.4%	79.6%
Grade 9	10.4%	15.4%	28.5%	71.5%
Grade 10	12.0%	17.6%	33.0%	67.0%
Grade 11	17.4%	25.1%	40.6%	59.4%
Grade 12	19.7%	30.3%	44.9%	55.1%
Marijuana				
All	14.8%	17.8%	24.5%	75.5%
Grade 7	4.3%	5.4%	7.6%	92.4%
Grade 8	8.3%	10.1%	14.0%	86.0%
Grade 9	13.3%	15.6%	20.9%	79.1%
Grade 10	18.3%	22.5%	30.5%	69.5%
Grade 11	24.0%	28.9%	39.9%	60.1%
Grade 12	27.6%	32.6%	45.9%	54.1%
Marijuana Only				
All	8.3%	10.4%	15.8%	84.2%
Grade 7	2.1%	3.0%	4.9%	95.1%
Grade 8	4.2%	5.6%	8.9%	91.1%
Grade 9	8.2%	9.5%	13.7%	86.3%
Grade 10	11.0%	14.0%	20.6%	79.4%
Grade 11	13.6%	16.9%	25.7%	74.3%
Grade 12	14.3%	18.0%	28.5%	71.5%
Cocaine or Crack				
All	1.7%	2.0%	3.2%	96.8%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	1.6%	1.7%	2.1%	97.9%
Grade 9	1.2%	1.4%	2.4%	97.6%
Grade 10	2.0%	2.3%	3.8%	96.2%
Grade 11	2.1%	2.7%	4.9%	95.1%
Grade 12	2.7%	3.6%	6.0%	94.0%
Cocaine				
All	1.5%	1.8%	2.9%	97.1%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	1.3%	1.4%	1.7%	98.3%
Grade 9	1.2%	1.3%	2.3%	97.7%
Grade 10	1.8%	2.1%	3.5%	96.5%
Grade 11	1.9%	2.5%	4.7%	95.3%
Grade 12	2.6%	3.5%	5.7%	94.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 68 of 120

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.5%	0.9%	1.2%	98.8%
Grade 11	0.4%	0.5%	1.4%	98.6%
Grade 12	0.6%	0.7%	1.6%	98.4%
<b>Hallucinogens</b>				
All	1.1%	1.7%	3.7%	96.3%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.4%	0.5%	1.6%	98.4%
Grade 9	0.4%	0.9%	2.3%	97.7%
Grade 10	1.5%	2.2%	4.1%	95.9%
Grade 11	1.5%	2.8%	6.3%	93.7%
Grade 12	2.8%	4.8%	9.2%	90.8%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.3%	0.6%	0.9%	99.1%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.7%	99.3%
<b>Steroids</b>				
All	0.5%	0.6%	1.6%	98.4%
Grade 7	0.3%	0.4%	1.3%	98.7%
Grade 8	0.4%	0.6%	1.8%	98.2%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.4%	0.8%	1.9%	98.1%
Grade 11	0.3%	0.4%	1.6%	98.4%
Grade 12	0.8%	1.0%	2.0%	98.0%
<b>Ecstasy</b>				
All	0.8%	1.3%	2.7%	97.3%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.7%	98.3%
Grade 9	0.8%	1.1%	2.1%	97.9%
Grade 10	0.6%	1.3%	2.8%	97.2%
Grade 11	1.2%	2.0%	4.4%	95.6%
Grade 12	1.8%	3.0%	5.9%	94.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.5%	0.9%	99.1%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.3%	0.4%	0.6%	99.4%
Grade 12	0.2%	0.3%	0.7%	99.3%
Synthetic Marijuana				
All	1.2%	1.9%	5.2%	94.8%
Grade 7	1.0%	1.1%	1.9%	98.1%
Grade 8	0.9%	1.6%	3.6%	96.4%
Grade 9	1.0%	1.5%	4.1%	95.9%
Grade 10	1.6%	2.4%	6.6%	93.4%
Grade 11	1.3%	2.3%	8.3%	91.7%
Grade 12	1.6%	2.7%	9.0%	91.0%
Methamphetamine				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.8%	0.9%	1.6%	98.4%
Grade 9	0.5%	0.7%	1.4%	98.6%
Grade 10	0.2%	0.3%	0.9%	99.1%
Grade 11	0.2%	0.6%	1.5%	98.5%
Grade 12	0.8%	1.4%	2.3%	97.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 70 of 120

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.1%	15.8%	25.7%	74.3%
Grade 7	4.0%	5.3%	10.1%	89.9%
Grade 8	6.7%	8.7%	16.3%	83.7%
Grade 9	11.5%	14.7%	25.2%	74.8%
Grade 10	12.9%	17.7%	29.6%	70.4%
Grade 11	19.1%	24.9%	39.1%	60.9%
Grade 12	24.2%	31.3%	44.2%	55.8%
<b>Any Alcohol Product</b>				
All	25.3%	30.5%	48.7%	51.3%
Grade 7	12.3%	14.4%	31.6%	68.4%
Grade 8	17.0%	20.5%	39.1%	60.9%
Grade 9	24.7%	29.5%	48.9%	51.1%
Grade 10	27.5%	33.2%	53.7%	46.3%
Grade 11	35.5%	43.9%	61.6%	38.4%
Grade 12	44.1%	52.7%	68.1%	31.9%
<b>Any Illicit Drug</b>				
All	9.2%	12.9%	17.3%	82.7%
Grade 7	2.6%	3.9%	5.5%	94.5%
Grade 8	4.6%	7.1%	9.3%	90.7%
Grade 9	7.5%	10.5%	13.6%	86.4%
Grade 10	10.2%	15.2%	20.9%	79.1%
Grade 11	16.3%	21.8%	29.1%	70.9%
Grade 12	19.3%	25.6%	34.7%	65.3%
<b>Any Prescription Drug</b>				
All	9.0%	12.3%	16.4%	83.6%
Grade 7	6.4%	8.7%	12.1%	87.9%
Grade 8	7.5%	9.8%	13.2%	86.8%
Grade 9	8.8%	12.2%	17.2%	82.8%
Grade 10	9.5%	12.6%	16.6%	83.4%
Grade 11	11.5%	16.1%	20.2%	79.8%
Grade 12	12.1%	17.2%	22.1%	77.9%
<b>Any Inhalant</b>				
All	3.5%	4.8%	10.6%	89.4%
Grade 7	4.1%	5.4%	11.0%	89.0%
Grade 8	4.8%	6.0%	12.1%	87.9%
Grade 9	4.3%	5.1%	11.2%	88.8%
Grade 10	2.9%	4.1%	10.2%	89.8%
Grade 11	2.2%	3.5%	9.6%	90.4%
Grade 12	2.2%	3.9%	9.0%	91.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 71 of 120

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.6%	12.0%	21.6%	78.4%
Grade 7	2.5%	3.7%	7.8%	92.2%
Grade 8	3.2%	5.9%	13.3%	86.7%
Grade 9	8.0%	11.9%	22.2%	77.8%
Grade 10	7.4%	12.7%	25.0%	75.0%
Grade 11	13.3%	20.3%	33.4%	66.6%
Grade 12	15.3%	23.2%	36.5%	63.5%
<b>Marijuana</b>				
All	8.7%	11.1%	15.7%	84.3%
Grade 7	2.0%	2.6%	3.8%	96.2%
Grade 8	4.1%	5.6%	7.8%	92.2%
Grade 9	7.3%	8.7%	12.0%	88.0%
Grade 10	9.7%	13.0%	18.6%	81.4%
Grade 11	15.9%	19.8%	28.1%	71.9%
Grade 12	18.6%	23.2%	33.0%	67.0%
<b>Marijuana Only</b>				
All	4.7%	6.4%	10.1%	89.9%
Grade 7	1.0%	1.4%	2.5%	97.5%
Grade 8	2.0%	3.3%	4.9%	95.1%
Grade 9	4.2%	5.1%	7.7%	92.3%
Grade 10	5.6%	8.2%	12.9%	87.1%
Grade 11	8.1%	10.8%	17.7%	82.3%
Grade 12	9.8%	13.2%	20.8%	79.2%
<b>Cocaine or Crack</b>				
All	1.1%	1.3%	2.2%	97.8%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	0.9%	0.9%	1.3%	98.7%
Grade 9	0.7%	0.8%	1.3%	98.7%
Grade 10	1.1%	1.3%	2.1%	97.9%
Grade 11	1.4%	1.8%	3.5%	96.5%
Grade 12	2.3%	2.8%	5.3%	94.7%
<b>Cocaine</b>				
All	1.0%	1.2%	2.0%	98.0%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.7%	0.8%	1.0%	99.0%
Grade 9	0.5%	0.7%	1.1%	98.9%
Grade 10	0.9%	1.1%	1.9%	98.1%
Grade 11	1.4%	1.8%	3.4%	96.6%
Grade 12	2.2%	2.8%	5.0%	95.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.4%	0.4%	0.9%	99.1%
Hallucinogens				
All	0.7%	1.2%	2.4%	97.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.4%	0.7%	1.4%	98.6%
Grade 10	0.9%	1.4%	2.6%	97.4%
Grade 11	1.3%	2.8%	5.4%	94.6%
Grade 12	2.0%	2.8%	5.7%	94.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.5%	99.5%
Steroids				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.3%	0.4%	1.1%	98.9%
Grade 8	0.4%	0.5%	1.9%	98.1%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.3%	1.4%	98.6%
Grade 11	0.2%	0.4%	1.4%	98.6%
Grade 12	0.5%	0.7%	1.7%	98.3%
Ecstasy				
All	0.6%	1.0%	1.8%	98.2%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.4%	0.5%	1.3%	98.7%
Grade 10	0.5%	1.2%	1.9%	98.1%
Grade 11	0.9%	1.5%	3.1%	96.9%
Grade 12	1.6%	2.3%	3.7%	96.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 73 of 120

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	0.6%	0.8%	1.0%	99.0%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.3%	99.7%
Synthetic Marijuana				
All	0.7%	1.2%	3.1%	96.9%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.5%	1.0%	2.1%	97.9%
Grade 9	0.4%	0.8%	2.3%	97.7%
Grade 10	1.0%	1.6%	3.6%	96.4%
Grade 11	1.2%	1.7%	5.3%	94.7%
Grade 12	0.9%	1.5%	6.1%	93.9%
Methamphetamine				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.5%	1.1%	98.9%
Grade 10	0.4%	0.7%	1.1%	98.9%
Grade 11	0.1%	0.6%	1.0%	99.0%
Grade 12	0.3%	0.5%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 74 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.9%	24.2%	38.9%	61.1%
Grade 7	7.0%	9.0%	19.8%	80.2%
Grade 8	11.3%	14.6%	28.9%	71.1%
Grade 9	16.7%	22.6%	37.4%	62.6%
Grade 10	21.1%	26.4%	42.8%	57.2%
Grade 11	26.2%	33.9%	50.4%	49.6%
Grade 12	32.8%	40.6%	56.0%	44.0%
<b>Any Alcohol Product</b>				
All	33.5%	39.8%	61.1%	38.9%
Grade 7	14.8%	18.5%	42.4%	57.6%
Grade 8	25.4%	29.5%	50.9%	49.1%
Grade 9	32.1%	37.8%	58.9%	41.1%
Grade 10	36.3%	44.0%	66.9%	33.1%
Grade 11	41.8%	50.4%	71.5%	28.5%
Grade 12	52.8%	61.0%	78.3%	21.7%
<b>Any Illicit Drug</b>				
All	18.5%	23.6%	31.3%	68.7%
Grade 7	6.6%	9.3%	11.3%	88.7%
Grade 8	11.2%	14.4%	19.0%	81.0%
Grade 9	16.1%	21.4%	27.5%	72.5%
Grade 10	21.9%	26.3%	34.9%	65.1%
Grade 11	26.1%	33.9%	45.4%	54.6%
Grade 12	30.5%	38.4%	52.5%	47.5%
<b>Any Prescription Drug</b>				
All	13.7%	17.8%	23.9%	76.1%
Grade 7	10.3%	12.7%	18.2%	81.8%
Grade 8	10.3%	13.1%	18.4%	81.6%
Grade 9	12.4%	16.3%	21.8%	78.2%
Grade 10	15.3%	20.0%	26.8%	73.2%
Grade 11	16.7%	22.3%	28.4%	71.6%
Grade 12	17.8%	23.2%	31.0%	69.0%
<b>Any Inhalant</b>				
All	4.9%	6.7%	13.2%	86.8%
Grade 7	6.5%	8.3%	14.6%	85.4%
Grade 8	7.0%	8.9%	16.6%	83.4%
Grade 9	5.5%	6.9%	13.6%	86.4%
Grade 10	4.3%	5.6%	12.2%	87.8%
Grade 11	3.9%	7.0%	12.4%	87.6%
Grade 12	1.9%	3.3%	9.6%	90.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 75 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.7%	18.0%	31.9%	68.1%
Grade 7	4.3%	6.5%	15.7%	84.3%
Grade 8	7.1%	10.6%	23.1%	76.9%
Grade 9	11.1%	17.3%	30.7%	69.3%
Grade 10	13.5%	19.7%	36.0%	64.0%
Grade 11	17.0%	25.5%	43.2%	56.8%
Grade 12	18.3%	29.9%	44.4%	55.6%
<b>Marijuana</b>				
All	17.7%	21.2%	29.5%	70.5%
Grade 7	6.0%	7.2%	9.7%	90.3%
Grade 8	10.1%	11.8%	16.7%	83.3%
Grade 9	15.5%	19.0%	25.4%	74.6%
Grade 10	20.9%	24.2%	33.4%	66.6%
Grade 11	25.8%	31.5%	43.8%	56.2%
Grade 12	29.7%	35.6%	50.8%	49.2%
<b>Marijuana Only</b>				
All	10.2%	12.7%	19.2%	80.8%
Grade 7	3.2%	4.2%	6.3%	93.7%
Grade 8	5.0%	6.0%	10.1%	89.9%
Grade 9	9.2%	11.3%	16.6%	83.4%
Grade 10	12.8%	15.3%	22.5%	77.5%
Grade 11	15.5%	19.4%	29.1%	70.9%
Grade 12	16.4%	21.0%	32.8%	67.2%
<b>Cocaine or Crack</b>				
All	1.7%	2.1%	3.5%	96.5%
Grade 7	0.6%	0.7%	1.2%	98.8%
Grade 8	1.7%	2.0%	2.4%	97.6%
Grade 9	1.4%	1.6%	2.7%	97.3%
Grade 10	1.8%	2.5%	3.9%	96.1%
Grade 11	2.1%	2.9%	5.5%	94.5%
Grade 12	2.7%	3.3%	5.9%	94.1%
<b>Cocaine</b>				
All	1.6%	2.0%	3.3%	96.7%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	1.4%	1.6%	1.9%	98.1%
Grade 9	1.4%	1.5%	2.7%	97.3%
Grade 10	1.8%	2.4%	3.8%	96.2%
Grade 11	2.0%	2.7%	5.3%	94.7%
Grade 12	2.5%	3.1%	5.7%	94.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	0.6%	0.7%	1.0%	99.0%
Grade 10	0.1%	0.8%	1.1%	98.9%
Grade 11	0.4%	0.4%	1.5%	98.5%
Grade 12	0.9%	0.9%	2.3%	97.7%
<b>Hallucinogens</b>				
All	1.1%	2.0%	4.4%	95.6%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.7%	0.9%	2.4%	97.6%
Grade 9	0.7%	1.4%	3.1%	96.9%
Grade 10	1.4%	2.3%	4.3%	95.7%
Grade 11	1.2%	2.5%	6.8%	93.2%
Grade 12	2.5%	4.7%	10.0%	90.0%
<b>Synthetic Cathinones</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.5%	0.5%	1.2%	98.8%
<b>Steroids</b>				
All	0.7%	0.9%	1.8%	98.2%
Grade 7	0.5%	0.6%	1.6%	98.4%
Grade 8	0.6%	0.7%	1.5%	98.5%
Grade 9	1.1%	1.2%	1.5%	98.5%
Grade 10	0.4%	0.9%	2.1%	97.9%
Grade 11	0.3%	0.3%	1.6%	98.4%
Grade 12	1.2%	1.5%	2.9%	97.1%
<b>Ecstasy</b>				
All	0.9%	1.4%	3.1%	96.9%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.6%	98.4%
Grade 9	1.0%	1.6%	2.9%	97.1%
Grade 10	0.5%	0.8%	2.7%	97.3%
Grade 11	0.7%	1.9%	4.5%	95.5%
Grade 12	2.2%	3.4%	7.1%	92.9%

*Percentages have been weighted to reflect proportions within the population.*



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.7%	0.7%	1.7%	98.3%
<b>Synthetic Marijuana</b>				
All	1.3%	2.2%	6.4%	93.6%
Grade 7	0.9%	1.0%	2.2%	97.8%
Grade 8	1.5%	2.4%	5.0%	95.0%
Grade 9	1.4%	2.4%	5.8%	94.2%
Grade 10	1.6%	2.3%	7.6%	92.4%
Grade 11	1.2%	2.4%	8.9%	91.1%
Grade 12	1.2%	2.3%	9.3%	90.7%
<b>Methamphetamine</b>				
All	0.5%	0.8%	1.5%	98.5%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.7%	1.0%	1.7%	98.3%
Grade 9	0.5%	0.6%	1.2%	98.8%
Grade 10	0.2%	0.3%	1.2%	98.8%
Grade 11	0.4%	0.6%	1.6%	98.4%
Grade 12	1.2%	1.9%	3.0%	97.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 78 of 120

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.2%	17.3%	28.8%	71.2%
Grade 7	4.1%	5.4%	11.3%	88.7%
Grade 8	6.8%	9.1%	18.5%	81.5%
Grade 9	12.5%	16.9%	29.2%	70.8%
Grade 10	14.6%	19.2%	33.0%	67.0%
Grade 11	20.2%	26.4%	42.2%	57.8%
Grade 12	26.2%	33.4%	47.5%	52.5%
<b>Any Alcohol Product</b>				
All	26.6%	32.1%	52.3%	47.7%
Grade 7	11.2%	13.5%	32.9%	67.1%
Grade 8	17.3%	21.0%	41.0%	59.0%
Grade 9	26.2%	31.3%	52.8%	47.2%
Grade 10	28.8%	35.4%	58.2%	41.8%
Grade 11	37.5%	46.2%	65.8%	34.2%
Grade 12	46.6%	55.1%	72.2%	27.8%
<b>Any Illicit Drug</b>				
All	11.0%	14.9%	20.4%	79.6%
Grade 7	2.8%	4.3%	5.8%	94.2%
Grade 8	5.5%	7.9%	10.5%	89.5%
Grade 9	9.3%	12.7%	16.7%	83.3%
Grade 10	12.5%	16.9%	23.8%	76.2%
Grade 11	18.9%	25.1%	34.2%	65.8%
Grade 12	21.7%	28.8%	39.9%	60.1%
<b>Any Prescription Drug</b>				
All	10.4%	13.8%	18.0%	82.0%
Grade 7	7.6%	9.8%	13.7%	86.3%
Grade 8	8.0%	10.3%	13.8%	86.2%
Grade 9	10.0%	13.5%	18.1%	81.9%
Grade 10	11.0%	14.1%	18.5%	81.5%
Grade 11	13.4%	18.2%	22.3%	77.7%
Grade 12	14.2%	19.1%	24.4%	75.6%
<b>Any Inhalant</b>				
All	3.5%	4.7%	10.5%	89.5%
Grade 7	4.0%	5.3%	11.1%	88.9%
Grade 8	4.9%	6.3%	12.3%	87.7%
Grade 9	4.2%	5.0%	11.1%	88.9%
Grade 10	2.8%	3.8%	9.9%	90.1%
Grade 11	2.5%	4.0%	9.5%	90.5%
Grade 12	1.9%	3.3%	8.4%	91.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.3%	13.0%	23.9%	76.1%
Grade 7	2.4%	3.8%	8.8%	91.2%
Grade 8	3.8%	6.5%	15.0%	85.0%
Grade 9	8.2%	13.0%	24.5%	75.5%
Grade 10	8.7%	14.1%	27.8%	72.2%
Grade 11	13.7%	20.8%	36.1%	63.9%
Grade 12	15.9%	24.6%	38.5%	61.5%
Marijuana				
All	10.5%	13.0%	18.9%	81.1%
Grade 7	2.2%	2.9%	4.2%	95.8%
Grade 8	4.9%	6.2%	9.0%	91.0%
Grade 9	8.9%	10.8%	15.1%	84.9%
Grade 10	12.0%	15.1%	22.3%	77.7%
Grade 11	18.6%	22.9%	32.8%	67.2%
Grade 12	20.8%	26.1%	38.3%	61.7%
Marijuana Only				
All	6.2%	8.1%	12.9%	87.1%
Grade 7	1.2%	1.8%	3.0%	97.0%
Grade 8	2.7%	3.8%	6.1%	93.9%
Grade 9	5.7%	7.0%	10.5%	89.5%
Grade 10	7.5%	9.9%	16.0%	84.0%
Grade 11	11.2%	14.3%	22.5%	77.5%
Grade 12	11.4%	15.3%	25.0%	75.0%
Cocaine or Crack				
All	1.0%	1.2%	2.1%	97.9%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.8%	0.9%	1.0%	99.0%
Grade 9	0.8%	0.9%	1.6%	98.4%
Grade 10	0.8%	1.1%	1.9%	98.1%
Grade 11	1.4%	1.9%	3.6%	96.4%
Grade 12	2.2%	2.6%	4.6%	95.4%
Cocaine				
All	0.9%	1.1%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.7%	0.7%	0.8%	99.2%
Grade 9	0.7%	0.8%	1.5%	98.5%
Grade 10	0.6%	0.9%	1.7%	98.3%
Grade 11	1.4%	1.8%	3.4%	96.6%
Grade 12	2.1%	2.5%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 80 of 120

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.5%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.5%	0.5%	1.0%	99.0%
<b>Hallucinogens</b>				
All	0.7%	1.2%	2.6%	97.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.5%	0.8%	1.6%	98.4%
Grade 10	0.8%	1.3%	2.6%	97.4%
Grade 11	0.9%	2.2%	5.2%	94.8%
Grade 12	1.8%	3.0%	6.6%	93.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.2%	0.2%	0.6%	99.4%
<b>Steroids</b>				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.4%	0.5%	1.3%	98.7%
Grade 8	0.4%	0.5%	1.5%	98.5%
Grade 9	0.5%	0.7%	1.0%	99.0%
Grade 10	0.2%	0.3%	1.3%	98.7%
Grade 11	0.2%	0.4%	1.3%	98.7%
Grade 12	0.6%	0.8%	2.1%	97.9%
<b>Ecstasy</b>				
All	0.5%	0.9%	1.8%	98.2%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.5%	0.8%	1.5%	98.5%
Grade 10	0.4%	0.7%	1.6%	98.4%
Grade 11	0.7%	1.3%	3.0%	97.0%
Grade 12	1.5%	2.5%	4.6%	95.4%

*Percentages have been weighted to reflect proportions within the population.*

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.1%	0.5%	99.5%
Grade 10	0.3%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.3%	0.3%	0.6%	99.4%
Synthetic Marijuana				
All	0.6%	1.0%	3.5%	96.5%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.5%	1.0%	2.2%	97.8%
Grade 9	0.6%	1.0%	2.6%	97.4%
Grade 10	0.8%	1.3%	4.1%	95.9%
Grade 11	0.9%	1.3%	5.7%	94.3%
Grade 12	0.7%	1.4%	6.8%	93.2%
Methamphetamine				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.1%	0.5%	1.0%	99.0%
Grade 12	0.6%	0.8%	1.8%	98.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 82 of 120

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	23.7%	28.8%	41.6%	58.4%
Grade 7	10.8%	13.2%	24.3%	75.7%
Grade 8	17.5%	20.5%	32.3%	67.7%
Grade 9	20.8%	23.9%	37.1%	62.9%
Grade 10	23.9%	30.8%	44.4%	55.6%
Grade 11	31.7%	40.5%	53.3%	46.7%
Grade 12	37.5%	43.5%	57.5%	42.5%
<b>Any Alcohol Product</b>				
All	39.3%	45.7%	61.5%	38.5%
Grade 7	25.8%	30.4%	49.9%	50.1%
Grade 8	33.7%	36.7%	54.8%	45.2%
Grade 9	36.4%	42.5%	57.2%	42.8%
Grade 10	42.1%	49.0%	64.6%	35.4%
Grade 11	43.0%	52.2%	67.9%	32.1%
Grade 12	54.6%	63.0%	74.2%	25.8%
<b>Any Illicit Drug</b>				
All	22.1%	28.6%	35.0%	65.0%
Grade 7	10.6%	14.6%	17.7%	82.3%
Grade 8	14.4%	18.9%	23.1%	76.9%
Grade 9	20.9%	28.2%	32.4%	67.6%
Grade 10	26.6%	33.8%	40.3%	59.7%
Grade 11	27.2%	35.2%	43.6%	56.4%
Grade 12	32.5%	39.8%	52.1%	47.9%
<b>Any Prescription Drug</b>				
All	12.9%	18.0%	25.8%	74.2%
Grade 7	8.8%	12.4%	17.8%	82.2%
Grade 8	11.2%	14.4%	20.9%	79.1%
Grade 9	12.6%	16.7%	25.5%	74.5%
Grade 10	14.6%	22.2%	30.4%	69.6%
Grade 11	14.0%	19.9%	29.0%	71.0%
Grade 12	15.8%	21.7%	30.5%	69.5%
<b>Any Inhalant</b>				
All	6.8%	9.6%	17.2%	82.8%
Grade 7	8.7%	11.5%	19.6%	80.4%
Grade 8	9.0%	11.1%	19.5%	80.5%
Grade 9	8.3%	10.9%	18.7%	81.3%
Grade 10	6.8%	9.0%	15.8%	84.2%
Grade 11	5.3%	10.1%	17.4%	82.6%
Grade 12	2.3%	5.1%	12.2%	87.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.1%	21.2%	34.5%	65.5%
Grade 7	6.6%	8.6%	18.0%	82.0%
Grade 8	9.9%	14.1%	25.5%	74.5%
Grade 9	15.6%	19.8%	32.6%	67.4%
Grade 10	16.1%	23.1%	37.5%	62.5%
Grade 11	21.8%	31.1%	46.0%	54.0%
Grade 12	20.2%	30.1%	46.4%	53.6%
Marijuana				
All	21.3%	25.2%	32.2%	67.8%
Grade 7	10.0%	11.4%	15.8%	84.2%
Grade 8	13.0%	15.3%	19.8%	80.2%
Grade 9	20.4%	24.3%	28.9%	71.1%
Grade 10	24.8%	29.5%	35.9%	64.1%
Grade 11	26.8%	32.8%	42.7%	57.3%
Grade 12	32.0%	36.9%	49.7%	50.3%
Marijuana Only				
All	10.1%	12.7%	18.0%	82.0%
Grade 7	4.6%	5.6%	9.3%	90.7%
Grade 8	5.6%	7.0%	10.7%	89.3%
Grade 9	9.9%	11.6%	15.1%	84.9%
Grade 10	13.5%	17.3%	21.3%	78.7%
Grade 11	10.9%	14.7%	22.0%	78.0%
Grade 12	15.8%	19.4%	29.8%	70.2%
Cocaine or Crack				
All	3.0%	3.4%	5.5%	94.5%
Grade 7	1.5%	1.7%	2.2%	97.8%
Grade 8	3.1%	3.3%	4.8%	95.2%
Grade 9	2.4%	2.5%	3.4%	96.6%
Grade 10	3.3%	3.8%	6.1%	93.9%
Grade 11	3.7%	4.5%	7.7%	92.3%
Grade 12	4.1%	4.7%	8.5%	91.5%
Cocaine				
All	2.7%	3.1%	5.1%	94.9%
Grade 7	1.3%	1.3%	2.0%	98.0%
Grade 8	2.3%	2.5%	3.8%	96.2%
Grade 9	2.3%	2.4%	3.3%	96.7%
Grade 10	3.2%	3.7%	6.0%	94.0%
Grade 11	3.2%	4.1%	7.6%	92.4%
Grade 12	4.0%	4.5%	7.9%	92.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 84 of 120

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.1%	1.4%	2.6%	97.4%
Grade 7	1.2%	1.3%	1.4%	98.6%
Grade 8	2.0%	2.4%	3.1%	96.9%
Grade 9	0.2%	0.4%	1.4%	98.6%
Grade 10	1.1%	2.3%	3.5%	96.5%
Grade 11	0.7%	0.7%	2.2%	97.8%
Grade 12	1.3%	1.3%	3.7%	96.3%
<b>Hallucinogens</b>				
All	2.2%	3.5%	6.4%	93.6%
Grade 7	1.0%	1.2%	1.5%	98.5%
Grade 8	0.7%	1.0%	2.6%	97.4%
Grade 9	0.9%	1.9%	5.0%	95.0%
Grade 10	3.1%	4.4%	6.6%	93.4%
Grade 11	3.2%	5.4%	9.9%	90.1%
Grade 12	4.4%	7.0%	12.8%	87.2%
<b>Synthetic Cathinones</b>				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	1.0%	1.8%	2.4%	97.6%
Grade 11	0.0%	0.1%	0.8%	99.2%
Grade 12	0.6%	0.7%	1.9%	98.1%
<b>Steroids</b>				
All	0.7%	1.1%	2.4%	97.6%
Grade 7	0.3%	0.6%	1.5%	98.5%
Grade 8	0.5%	0.7%	3.3%	96.7%
Grade 9	0.5%	0.6%	0.7%	99.3%
Grade 10	0.8%	1.9%	3.2%	96.8%
Grade 11	0.3%	0.4%	2.6%	97.4%
Grade 12	2.0%	2.3%	3.1%	96.9%
<b>Ecstasy</b>				
All	1.5%	2.5%	4.9%	95.1%
Grade 7	0.7%	1.0%	1.5%	98.5%
Grade 8	0.6%	1.4%	2.8%	97.2%
Grade 9	1.7%	2.0%	4.3%	95.7%
Grade 10	1.1%	2.9%	5.2%	94.8%
Grade 11	1.3%	3.3%	7.6%	92.4%
Grade 12	3.5%	4.4%	8.0%	92.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 85 of 120



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.2%	0.3%	1.0%	99.0%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	1.0%	1.2%	1.5%	98.5%
Grade 10	1.1%	1.2%	2.6%	97.4%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.4%	0.5%	1.4%	98.6%
Synthetic Marijuana				
All	2.3%	4.0%	9.2%	90.8%
Grade 7	1.7%	2.3%	3.9%	96.1%
Grade 8	1.9%	3.4%	6.8%	93.2%
Grade 9	1.8%	4.1%	9.4%	90.6%
Grade 10	3.4%	5.2%	11.4%	88.6%
Grade 11	2.3%	5.3%	12.3%	87.7%
Grade 12	2.5%	3.1%	10.8%	89.2%
Methamphetamine				
All	0.8%	1.3%	2.5%	97.5%
Grade 7	0.4%	0.6%	1.3%	98.7%
Grade 8	0.8%	1.5%	2.6%	97.4%
Grade 9	1.1%	1.3%	2.6%	97.4%
Grade 10	0.2%	0.8%	2.3%	97.7%
Grade 11	0.5%	1.0%	2.5%	97.5%
Grade 12	1.5%	2.6%	3.8%	96.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 86 of 120

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	850,539	50.1%
Female	846,056	49.9%
Frequency Missing	9,415	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	922,020	55.6%
Yes	737,396	44.4%
Frequency Missing	46,594	

**Grade**

Q2	Frequency	Percent
Grade 7	315,883	18.6%
Grade 8	309,088	18.2%
Grade 9	303,122	17.8%
Grade 10	281,263	16.6%
Grade 11	257,166	15.1%
Grade 12	232,228	13.7%
Frequency Missing	7,260	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	28,097	1.9%
Asian American	33,515	2.2%
African American	214,515	14.2%
Pacific Islander	5,022	0.3%
White	757,889	50.3%
Other	248,777	16.5%
More Than One Race	219,013	14.5%
Frequency Missing	199,182	

**Live with Both Parents**

Q3	Frequency	Percent
No	643,580	38.1%
Yes	1,044,330	61.9%
Frequency Missing	18,101	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	5,051	0.3%
Mostly D's	17,533	1.2%
Mostly C's	175,523	12.2%
Mostly B's	691,694	47.9%
Mostly A's	553,385	38.3%
Frequency Missing	262,825	

**Age**

Q4	Frequency	Percent
11 Or Younger	1,881	0.1%
12	112,857	6.6%
13	290,280	17.1%
14	293,619	17.3%
15	297,508	17.5%
16	282,938	16.7%
17	256,746	15.1%
18	148,709	8.8%
19 Or Older	14,542	0.9%
Frequency Missing	6,930	

**Do You Have a Job**

Q7	Frequency	Percent
No	1,141,453	78.5%
Yes	312,054	21.5%
Frequency Missing	252,504	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	581,137	40.3%
Yes	546,833	38.0%
Don't Know	312,711	21.7%
Frequency Missing	265,330	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	1,150,531	92.3%
Yes	96,623	7.7%
Frequency Missing	458,857	

**Participate in School Athletics (UTL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	620,320	45.2%
Yes	752,792	54.8%
Frequency Missing	332,898	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	953,161	75.2%
Yes	314,218	24.8%
Frequency Missing	438,632	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	987,132	77.1%
Yes	293,742	22.9%
Frequency Missing	425,137	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	909,057	71.9%
Yes	354,470	28.1%
Frequency Missing	442,483	

**Participate in School Choir**

Q9c	Frequency	Percent
No	1,116,750	89.5%
Yes	130,403	10.5%
Frequency Missing	458,858	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	835,586	64.7%
Yes	455,423	35.3%
Frequency Missing	415,002	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	1,143,365	91.2%
Yes	110,674	8.8%
Frequency Missing	451,972	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	949,307	75.1%
Yes	314,785	24.9%
Frequency Missing	441,919	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	1,474,505	86.9%
Somewhat Safe	192,101	11.3%
Not Very Safe	12,425	0.7%
Not Safe At All	4,263	0.3%
Don't Know	12,794	0.8%
Frequency Missing	9,923	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	813,356	48.2%
Somewhat Safe	726,597	43.1%
Not Very Safe	93,665	5.6%
Not Safe At All	19,965	1.2%
Don't Know	32,615	1.9%
Frequency Missing	19,814	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	717,770	42.5%
Somewhat Safe	744,850	44.1%
Not Very Safe	121,879	7.2%
Not Safe At All	54,471	3.2%
Don't Know	49,223	2.9%
Frequency Missing	17,817	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School Or Less	126,861	7.9%
Some High School	179,242	11.2%
Finished High School	341,639	21.3%
Some College	212,051	13.2%
Finished College	315,391	19.7%
Post-Secondary	187,060	11.7%
Don't Know Or N/A	239,328	14.9%
Frequency Missing	104,439	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School Or Less	121,980	7.6%
Some High School	161,901	10.1%
Finished High School	294,311	18.3%
Some College	254,503	15.8%
Finished College	400,022	24.9%
Post-Secondary	209,207	13.0%
Don't Know Or N/A	165,769	10.3%
Frequency Missing	98,318	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	927,206	63.6%
Yes	531,700	36.4%
Frequency Missing	247,104	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	70,737	4.2%
A Few	326,573	19.5%
Some	386,507	23.1%
Most	655,731	39.2%
All	235,168	14.0%
Frequency Missing	31,294	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	28,318	1.7%
A Few	165,424	9.9%
Some	378,069	22.6%
Most	752,446	44.9%
All	352,192	21.0%
Frequency Missing	29,562	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 90 of 120

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	929,756	56.5%
A Few	449,683	27.3%
Some	167,037	10.1%
Most	65,740	4.0%
All	34,018	2.1%
Frequency Missing	59,777	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	1,597,608	95.2%
In Your Lifetime	59,490	3.5%
Since School Began	7,404	0.4%
In The Past Month	14,331	0.9%
Frequency Missing	27,177	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	1,236,086	74.4%
A Few	256,745	15.4%
Some	97,054	5.8%
Most	47,477	2.9%
All	24,844	1.5%
Frequency Missing	43,805	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	1,647,604	98.9%
In Your Lifetime	11,722	0.7%
Since School Began	2,169	0.1%
In The Past Month	4,038	0.2%
Frequency Missing	40,477	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	1,439,472	86.1%
A Few	148,902	8.9%
Some	49,692	3.0%
Most	17,070	1.0%
All	16,314	1.0%
Frequency Missing	34,561	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	1,579,034	94.1%
In Your Lifetime	62,976	3.8%
Since School Began	13,497	0.8%
In The Past Month	23,222	1.4%
Frequency Missing	27,281	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	1,647,745	98.0%
In Your Lifetime	25,183	1.5%
Since School Began	3,095	0.2%
In The Past Month	6,084	0.4%
Frequency Missing	23,904	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	1,652,763	98.9%
In Your Lifetime	11,370	0.7%
Since School Began	1,854	0.1%
In The Past Month	4,325	0.3%
Frequency Missing	35,699	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	1,657,198	99.1%
In Your Lifetime	9,041	0.5%
Since School Began	1,991	0.1%
In The Past Month	4,006	0.2%
Frequency Missing	33,774	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	1,526,876	91.9%
In Your Lifetime	62,976	3.8%
Since School Began	22,348	1.3%
In The Past Month	50,112	3.0%
Frequency Missing	43,698	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	1,642,460	98.2%
In Your Lifetime	19,625	1.2%
Since School Began	3,617	0.2%
In The Past Month	7,005	0.4%
Frequency Missing	33,304	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	1,052,683	64.2%
In Your Lifetime	285,582	17.4%
Since School Began	106,925	6.5%
In The Past Month	195,305	11.9%
Frequency Missing	65,516	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	1,648,337	98.4%
In Your Lifetime	16,432	1.0%
Since School Began	3,315	0.2%
In The Past Month	7,624	0.5%
Frequency Missing	30,303	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	1,175,159	70.7%
In Your Lifetime	215,211	12.9%
Since School Began	97,778	5.9%
In The Past Month	173,735	10.5%
Frequency Missing	44,128	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	1,403,995	83.8%
In Your Lifetime	146,577	8.8%
Since School Began	41,696	2.5%
In The Past Month	82,638	4.9%
Frequency Missing	31,105	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	1,134,045	69.3%
In Your Lifetime	281,268	17.2%
Since School Began	83,695	5.1%
In The Past Month	136,483	8.3%
Frequency Missing	70,520	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	1,116,702	67.2%
In Your Lifetime	233,315	14.0%
Since School Began	112,428	6.8%
In The Past Month	198,397	11.9%
Frequency Missing	45,169	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	1,636,656	97.8%
In Your Lifetime	20,941	1.3%
Since School Began	6,428	0.4%
In The Past Month	9,443	0.6%
Frequency Missing	32,543	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	1,614,822	96.6%
In Your Lifetime	38,055	2.3%
Since School Began	7,558	0.5%
In The Past Month	11,391	0.7%
Frequency Missing	34,184	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	1,656,549	99.4%
In Your Lifetime	6,891	0.4%
Since School Began	1,540	0.1%
In The Past Month	2,384	0.1%
Frequency Missing	38,646	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	1,246,924	74.5%
In Your Lifetime	188,592	11.3%
Since School Began	84,419	5.0%
In The Past Month	153,586	9.2%
Frequency Missing	32,491	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	1,617,455	96.9%
In Your Lifetime	27,526	1.6%
Since School Began	10,201	0.6%
In The Past Month	14,874	0.9%
Frequency Missing	35,955	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	1,340,307	80.1%
In Your Lifetime	143,299	8.6%
Since School Began	64,197	3.8%
In The Past Month	125,743	7.5%
Frequency Missing	32,465	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	1,665,206	99.6%
In Your Lifetime	3,359	0.2%
Since School Began	690	0.0%
In The Past Month	2,177	0.1%
Frequency Missing	34,578	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	1,649,539	98.7%
In Your Lifetime	12,341	0.7%
Since School Began	2,557	0.2%
In The Past Month	6,249	0.4%
Frequency Missing	35,324	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	1,605,947	96.1%
In Your Lifetime	44,747	2.7%
Since School Began	8,519	0.5%
In The Past Month	12,285	0.7%
Frequency Missing	34,512	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	1,631,943	98.0%
In Your Lifetime	17,687	1.1%
Since School Began	5,854	0.4%
In The Past Month	9,638	0.6%
Frequency Missing	40,889	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	1,441,295	86.8%
In Your Lifetime	70,181	4.2%
Since School Began	46,730	2.8%
In The Past Month	102,816	6.2%
Frequency Missing	44,989	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	1,662,345	99.5%
In Your Lifetime	5,144	0.3%
Since School Began	644	0.0%
In The Past Month	3,040	0.2%
Frequency Missing	34,838	

**Recent Prescription Drug Use - Percocets Etc**

Q17b	Frequency	Percent
Never Heard/Used	1,567,840	94.5%
In Your Lifetime	25,297	1.5%
Since School Began	22,338	1.3%
In The Past Month	44,035	2.7%
Frequency Missing	46,500	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	1,656,802	99.1%
In Your Lifetime	8,138	0.5%
Since School Began	3,143	0.2%
In The Past Month	4,384	0.3%
Frequency Missing	33,544	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	1,585,632	95.8%
In Your Lifetime	20,985	1.3%
Since School Began	16,250	1.0%
In The Past Month	32,697	2.0%
Frequency Missing	50,447	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	1,581,954	95.6%
In Your Lifetime	24,975	1.5%
Since School Began	15,010	0.9%
In The Past Month	33,690	2.0%
Frequency Missing	50,382	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	1,252,660	76.2%
1-2 Times	244,397	14.9%
3-10 Times	106,375	6.5%
11+ Times	41,277	2.5%
Frequency Missing	61,302	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	1,507,772	91.3%
In Your Lifetime	51,018	3.1%
Since School Began	24,392	1.5%
In The Past Month	68,007	4.1%
Frequency Missing	54,821	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	1,630,687	98.5%
1-2 Times	18,504	1.1%
3-10 Times	5,466	0.3%
11+ Times	1,622	0.1%
Frequency Missing	49,732	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	1,592,010	96.4%
In Your Lifetime	23,414	1.4%
Since School Began	9,058	0.5%
In The Past Month	26,395	1.6%
Frequency Missing	55,134	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	1,467,606	88.6%
1-2 Times	87,402	5.3%
3-10 Times	44,188	2.7%
11+ Times	56,648	3.4%
Frequency Missing	50,167	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	1,510,782	91.3%
1-2 Times	69,120	4.2%
3-10 Times	32,188	1.9%
11+ Times	41,886	2.5%
Frequency Missing	52,035	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	1,642,170	99.0%
1-2 Times	11,432	0.7%
3-10 Times	2,772	0.2%
11+ Times	2,657	0.2%
Frequency Missing	46,979	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	1,649,393	99.7%
1-2 Times	3,747	0.2%
3-10 Times	516	0.0%
11+ Times	1,225	0.1%
Frequency Missing	51,129	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never Heard/None	962,286	58.5%
A Few	310,531	18.9%
Some	180,771	11.0%
Most	140,937	8.6%
All	49,463	3.0%
Frequency Missing	62,021	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never Heard/None	1,115,926	67.7%
A Few	319,837	19.4%
Some	132,546	8.0%
Most	64,950	3.9%
All	16,121	1.0%
Frequency Missing	56,631	

**Difficult to Get Tobacco**

Q21a	Frequency	Percent
Never Heard Of	390,236	24.0%
Impossible	357,106	22.0%
Very Difficult	121,315	7.5%
Somewhat Diff	161,225	9.9%
Somewhat Easy	237,961	14.7%
Very Easy	355,891	21.9%
Frequency Missing	82,276	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never Heard/None	814,214	49.4%
A Few	383,820	23.3%
Some	225,726	13.7%
Most	173,259	10.5%
All	50,701	3.1%
Frequency Missing	58,290	

**Difficult to Get Alcohol**

Q21b	Frequency	Percent
Never Heard Of	321,246	19.8%
Impossible	235,892	14.6%
Very Difficult	99,224	6.1%
Somewhat Diff	180,752	11.2%
Somewhat Easy	298,913	18.4%
Very Easy	485,043	29.9%
Frequency Missing	84,941	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never Heard/None	1,536,306	93.4%
A Few	75,532	4.6%
Some	20,827	1.3%
Most	7,426	0.5%
All	4,284	0.3%
Frequency Missing	61,636	

**Difficult to Get Inhalants**

Q21c	Frequency	Percent
Never Heard Of	575,343	35.7%
Impossible	275,850	17.1%
Very Difficult	80,387	5.0%
Somewhat Diff	107,449	6.7%
Somewhat Easy	160,621	10.0%
Very Easy	411,960	25.6%
Frequency Missing	94,400	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Difficult to Get Marijuana**

Q21d	Frequency	Percent
Never Heard Of	384,335	23.8%
Impossible	402,877	24.9%
Very Difficult	128,743	8.0%
Somewhat Diff	155,193	9.6%
Somewhat Easy	205,734	12.7%
Very Easy	341,183	21.1%
Frequency Missing	87,945	

**Difficult to Get Ecstasy**

Q21i	Frequency	Percent
Never Heard Of	698,786	43.4%
Impossible	486,033	30.2%
Very Difficult	176,270	10.9%
Somewhat Diff	110,849	6.9%
Somewhat Easy	68,845	4.3%
Very Easy	69,148	4.3%
Frequency Missing	96,080	

**Difficult to Get Cocaine**

Q21e	Frequency	Percent
Never Heard Of	515,622	31.9%
Impossible	589,524	36.4%
Very Difficult	217,839	13.5%
Somewhat Diff	147,779	9.1%
Somewhat Easy	71,764	4.4%
Very Easy	75,566	4.7%
Frequency Missing	87,917	

**Difficult to Get Heroin**

Q21j	Frequency	Percent
Never Heard Of	647,447	40.0%
Impossible	614,133	37.9%
Very Difficult	199,609	12.3%
Somewhat Diff	80,121	4.9%
Somewhat Easy	34,806	2.1%
Very Easy	44,271	2.7%
Frequency Missing	85,623	

**Difficult to Get Crack**

Q21f	Frequency	Percent
Never Heard Of	541,685	33.5%
Impossible	606,142	37.5%
Very Difficult	228,871	14.2%
Somewhat Diff	128,701	8.0%
Somewhat Easy	51,320	3.2%
Very Easy	58,330	3.6%
Frequency Missing	90,961	

**Difficult to Get Methamphetamine**

Q21k	Frequency	Percent
Never Heard Of	674,114	41.6%
Impossible	586,338	36.2%
Very Difficult	186,861	11.5%
Somewhat Diff	81,199	5.0%
Somewhat Easy	42,369	2.6%
Very Easy	50,628	3.1%
Frequency Missing	84,501	

**Difficult to Get Steroids**

Q21h	Frequency	Percent
Never Heard Of	563,544	35.0%
Impossible	577,600	35.9%
Very Difficult	213,146	13.2%
Somewhat Diff	132,559	8.2%
Somewhat Easy	60,498	3.8%
Very Easy	62,374	3.9%
Frequency Missing	96,290	

**Difficult to Get Synthetic Marijuana**

Q21l	Frequency	Percent
Never Heard Of	666,843	41.1%
Impossible	466,483	28.8%
Very Difficult	157,031	9.7%
Somewhat Diff	113,016	7.0%
Somewhat Easy	96,222	5.9%
Very Easy	121,426	7.5%
Frequency Missing	84,991	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 97 of 120

**How Often Normally Use Tobacco**

Q22a	Frequency	Percent
Every Day	29,023	1.8%
Several Times/Wk	20,191	1.2%
Several Times/Mo	27,115	1.7%
About Once/Month	45,064	2.7%
About Once/Year	41,307	2.5%
Less than Once/Year	71,657	4.4%
Never Used	1,404,862	85.7%
Frequency Missing	66,792	

**How Often Normally Use Marijuana**

Q22d	Frequency	Percent
Every Day	25,947	1.6%
Several Times/Wk	30,147	1.8%
Several Times/Mo	48,519	3.0%
About Once/Month	58,377	3.6%
About Once/Year	64,781	4.0%
Less than Once/Year	62,603	3.8%
Never Used	1,347,597	82.3%
Frequency Missing	68,039	

**How Often Normally Use Alcohol**

Q22b	Frequency	Percent
Every Day	5,120	0.3%
Several Times/Wk	26,555	1.6%
Several Times/Mo	108,688	6.7%
About Once/Month	174,470	10.7%
About Once/Year	170,018	10.4%
Less than Once/Year	135,141	8.3%
Never Used	1,011,911	62.0%
Frequency Missing	74,108	

**How Often Normally Use Cocaine**

Q22e	Frequency	Percent
Every Day	659	0.0%
Several Times/Wk	1,285	0.1%
Several Times/Mo	3,001	0.2%
About Once/Month	4,986	0.3%
About Once/Year	7,011	0.4%
Less than Once/Year	11,012	0.7%
Never Used	1,613,496	98.3%
Frequency Missing	64,560	

**How Often Normally Use Inhalants**

Q22c	Frequency	Percent
Every Day	1,932	0.1%
Several Times/Wk	2,273	0.1%
Several Times/Mo	3,613	0.2%
About Once/Month	7,965	0.5%
About Once/Year	9,129	0.6%
Less than Once/Year	23,775	1.5%
Never Used	1,588,000	97.0%
Frequency Missing	69,324	

**How Often Normally Use Crack**

Q22f	Frequency	Percent
Every Day	477	0.0%
Several Times/Wk	654	0.0%
Several Times/Mo	377	0.0%
About Once/Month	1,091	0.1%
About Once/Year	1,547	0.1%
Less than Once/Year	4,801	0.3%
Never Used	1,631,865	99.5%
Frequency Missing	65,199	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Steroids**

Q22h	Frequency	Percent
Every Day	1,116	0.1%
Several Times/Wk	785	0.0%
Several Times/Mo	1,146	0.1%
About Once/Month	1,153	0.1%
About Once/Year	2,464	0.2%
Less than Once/Year	7,327	0.4%
Never Used	1,622,783	99.1%
Frequency Missing	69,238	

**How Often Normally Use Methamphetamine**

Q22k	Frequency	Percent
Every Day	1,106	0.1%
Several Times/Wk	1,011	0.1%
Several Times/Mo	1,059	0.1%
About Once/Month	1,031	0.1%
About Once/Year	2,224	0.1%
Less than Once/Year	5,110	0.3%
Never Used	1,627,289	99.3%
Frequency Missing	67,181	

**How Often Normally Use Ecstasy**

Q22i	Frequency	Percent
Every Day	982	0.1%
Several Times/Wk	1,063	0.1%
Several Times/Mo	1,586	0.1%
About Once/Month	4,985	0.3%
About Once/Year	9,731	0.6%
Less than Once/Year	11,240	0.7%
Never Used	1,604,971	98.2%
Frequency Missing	71,453	

**How Often Normally Use Synthetic Marijuana**

Q22l	Frequency	Percent
Every Day	1,614	0.1%
Several Times/Wk	1,628	0.1%
Several Times/Mo	3,119	0.2%
About Once/Month	6,355	0.4%
About Once/Year	8,916	0.5%
Less than Once/Year	24,926	1.5%
Never Used	1,588,387	97.2%
Frequency Missing	71,064	

**How Often Normally Use Heroin**

Q22j	Frequency	Percent
Every Day	624	0.0%
Several Times/Wk	754	0.0%
Several Times/Mo	702	0.0%
About Once/Month	572	0.0%
About Once/Year	1,115	0.1%
Less than Once/Year	2,822	0.2%
Never Used	1,632,079	99.6%
Frequency Missing	67,342	

**Amount of Beer at One Time**

Q23a	Frequency	Percent
Never Drink This	1,038,698	64.2%
12+ Drinks	38,175	2.4%
9-11 Drinks	22,383	1.4%
5-8 Drinks	49,375	3.1%
3-4 Drinks	87,305	5.4%
2 Drinks	78,777	4.9%
1 Drink	103,206	6.4%
Less than 1 Drink	199,950	12.4%
Frequency Missing	88,142	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Amount of Wine Coolers at One Time**

Q23b	Frequency	Percent
Never Drink This	1,121,186	68.9%
12+ Drinks	26,882	1.7%
9-11 Drinks	19,021	1.2%
5-8 Drinks	47,958	2.9%
3-4 Drinks	87,433	5.4%
2 Drinks	90,697	5.6%
1 Drink	105,012	6.4%
Less than 1 Drink	129,933	8.0%
Frequency Missing	77,890	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q24a	Frequency	Percent
Never 5+ At Time	966,197	60.4%
0 Days	450,730	28.2%
1 Day	67,885	4.2%
2 Days	42,175	2.6%
3 To 5 Days	34,405	2.2%
6 To 9 Days	13,165	0.8%
10 Or More Days	24,346	1.5%
Frequency Missing	107,108	

**Amount of Wine at One Time**

Q23c	Frequency	Percent
Never Drink This	1,115,982	69.2%
12+ Drinks	11,984	0.7%
9-11 Drinks	6,525	0.4%
5-8 Drinks	17,139	1.1%
3-4 Drinks	44,393	2.8%
2 Drinks	68,435	4.2%
1 Drink	125,372	7.8%
Less than 1 Drink	221,739	13.8%
Frequency Missing	94,442	

**Get Alcoholic Beverages from Home**

Q25a	Frequency	Percent
Do Not Drink	944,149	58.3%
Never	296,040	18.3%
Seldom	259,947	16.0%
Most Of The Time	81,791	5.0%
Always	38,798	2.4%
Frequency Missing	85,285	

**Amount of Liquor at One Time**

Q23d	Frequency	Percent
Never Drink This	1,079,318	66.3%
12+ Drinks	40,394	2.5%
9-11 Drinks	26,101	1.6%
5-8 Drinks	63,442	3.9%
3-4 Drinks	94,853	5.8%
2 Drinks	86,189	5.3%
1 Drink	92,628	5.7%
Less than 1 Drink	145,684	8.9%
Frequency Missing	77,401	

**Get Alcoholic Beverages from Friends**

Q25b	Frequency	Percent
Do Not Drink	934,953	57.8%
Never	291,606	18.0%
Seldom	189,731	11.7%
Most Of The Time	148,425	9.2%
Always	53,956	3.3%
Frequency Missing	87,339	

**Get Alcoholic Beverages from a Store**

Q25c	Frequency	Percent
Do Not Drink	967,453	59.9%
Never	524,175	32.5%
Seldom	61,520	3.8%
Most Of The Time	39,524	2.4%
Always	22,086	1.4%
Frequency Missing	91,252	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Get Alcoholic Beverages at Parties**

Q25d	Frequency	Percent
Do Not Drink	906,796	56.0%
Never	273,611	16.9%
Seldom	155,276	9.6%
Most Of The Time	148,602	9.2%
Always	135,067	8.3%
Frequency Missing	86,658	

**Dangerous for Kids to Use Inhalants**

Q26c	Frequency	Percent
Very	1,226,153	75.4%
Somewhat	212,495	13.1%
Not Very	59,533	3.7%
Not At All	17,959	1.1%
Don't Know	109,575	6.7%
Frequency Missing	80,296	

**Get Alcoholic Beverages from Other Sources**

Q25e	Frequency	Percent
Do Not Drink	974,759	60.9%
Never	374,947	23.4%
Seldom	126,595	7.9%
Most Of The Time	67,426	4.2%
Always	56,476	3.5%
Frequency Missing	105,807	

**Dangerous for Kids to Use Marijuana**

Q26d	Frequency	Percent
Very	934,696	57.4%
Somewhat	218,034	13.4%
Not Very	206,239	12.7%
Not At All	205,965	12.7%
Don't Know	62,199	3.8%
Frequency Missing	78,877	

**Dangerous for Kids to Use Tobacco**

Q26a	Frequency	Percent
Very	1,011,655	62.0%
Somewhat	381,179	23.4%
Not Very	138,221	8.5%
Not At All	32,634	2.0%
Don't Know	66,904	4.1%
Frequency Missing	75,418	

**Dangerous for Kids to Use Cocaine**

Q26e	Frequency	Percent
Very	1,441,629	88.5%
Somewhat	95,319	5.8%
Not Very	15,230	0.9%
Not At All	7,039	0.4%
Don't Know	70,266	4.3%
Frequency Missing	76,528	

**Dangerous for Kids to Use Alcohol**

Q26b	Frequency	Percent
Very	858,957	52.8%
Somewhat	483,692	29.7%
Not Very	193,630	11.9%
Not At All	37,407	2.3%
Don't Know	52,218	3.2%
Frequency Missing	80,106	

**Dangerous for Kids to Use Crack**

Q26f	Frequency	Percent
Very	1,461,768	89.7%
Somewhat	78,755	4.8%
Not Very	9,374	0.6%
Not At All	5,796	0.4%
Don't Know	73,431	4.5%
Frequency Missing	76,887	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Dangerous for Kids to Use Ecstasy**

Q26g	Frequency	Percent
Very	1,337,601	82.2%
Somewhat	120,529	7.4%
Not Very	33,537	2.1%
Not At All	10,424	0.6%
Don't Know	124,642	7.7%
Frequency Missing	79,278	

**Dangerous for Kids to Use Synthetic Marijuana**

Q26k	Frequency	Percent
Very	1,327,097	81.8%
Somewhat	119,669	7.4%
Not Very	41,006	2.5%
Not At All	17,938	1.1%
Don't Know	115,911	7.1%
Frequency Missing	84,388	

**Dangerous for Kids to Use Steroids**

Q26h	Frequency	Percent
Very	1,238,826	76.2%
Somewhat	207,198	12.7%
Not Very	63,201	3.9%
Not At All	16,104	1.0%
Don't Know	99,809	6.1%
Frequency Missing	80,873	

**Dangerous for Kids to Use Any Prescription**

Q26l	Frequency	Percent
Very	1,198,537	73.6%
Somewhat	237,858	14.6%
Not Very	72,002	4.4%
Not At All	19,128	1.2%
Don't Know	100,201	6.2%
Frequency Missing	78,284	

**Dangerous for Kids to Use Heroin**

Q26i	Frequency	Percent
Very	1,465,100	89.8%
Somewhat	60,251	3.7%
Not Very	8,124	0.5%
Not At All	6,042	0.4%
Don't Know	91,250	5.6%
Frequency Missing	75,242	

**Dangerous for Kids to Use Electronic Vapor Products**

Q26m	Frequency	Percent
Very	821,324	50.4%
Somewhat	221,607	13.6%
Not Very	261,392	16.1%
Not At All	230,791	14.2%
Don't Know	93,344	5.7%
Frequency Missing	77,552	

**Dangerous for Kids to Use Methamphetamine**

Q26j	Frequency	Percent
Very	1,464,203	89.8%
Somewhat	57,270	3.5%
Not Very	8,057	0.5%
Not At All	5,435	0.3%
Don't Know	95,039	5.8%
Frequency Missing	76,006	

**Days Skipped Since September**

Q27a	Frequency	Percent
None	1,281,177	79.2%
1-3 Days	249,279	15.4%
4-9 Days	55,663	3.4%
10+ Days	32,259	2.0%
Frequency Missing	87,633	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Days Ill Since September**

Q27b	Frequency	Percent
None	519,118	32.1%
1-3 Days	817,196	50.6%
4-9 Days	222,958	13.8%
10+ Days	55,586	3.4%
Frequency Missing	91,153	

**Trouble with Friends Because of Drinking**

Q28a	Frequency	Percent
None	1,555,261	96.4%
1-3 Times	48,965	3.0%
4-9 Times	5,101	0.3%
10+ Times	3,593	0.2%
Frequency Missing	93,091	

**Other Reason For Days Missed Since September**

Q27c	Frequency	Percent
None	635,324	39.8%
1-3 Days	783,790	49.1%
4-9 Days	132,223	8.3%
10+ Days	46,362	2.9%
Frequency Missing	108,311	

**Driven a Car After a Good Bit to Drink**

Q28b	Frequency	Percent
None	1,560,097	96.9%
1-3 Times	39,664	2.5%
4-9 Times	4,706	0.3%
10+ Times	5,574	0.3%
Frequency Missing	95,970	

**Sent to Principal/Dean Since September**

Q27d	Frequency	Percent
None	1,421,605	87.9%
1-3 Days	153,052	9.5%
4-9 Days	23,947	1.5%
10+ Days	19,433	1.2%
Frequency Missing	87,974	

**Trouble with Friends Because of Drug Use**

Q28c	Frequency	Percent
None	1,557,962	96.7%
1-3 Times	44,178	2.7%
4-9 Times	5,060	0.3%
10+ Times	3,393	0.2%
Frequency Missing	95,418	

**Someone Called Home Since September**

Q27e	Frequency	Percent
None	1,475,235	91.4%
1-3 Days	110,180	6.8%
4-9 Days	15,004	0.9%
10+ Days	13,436	0.8%
Frequency Missing	92,156	

**Driven a Car While High from Drugs**

Q28d	Frequency	Percent
None	1,535,095	95.6%
1-3 Times	41,884	2.6%
4-9 Times	10,067	0.6%
10+ Times	18,145	1.1%
Frequency Missing	100,820	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 103 of 120

**Class Days Drunk on Alcohol Since Sept**

Q29a	Frequency	Percent
None	1,549,557	96.3%
1-3 Days	45,160	2.8%
4-9 Days	7,824	0.5%
10+ Days	6,691	0.4%
Frequency Missing	96,778	

**Alcohol Use at Parties This School Year**

Q30a	Frequency	Percent
Never	812,697	50.7%
Seldom	115,794	7.2%
Half The Time	83,426	5.2%
Most Of The Time	126,171	7.9%
Always	168,943	10.5%
Don't Know	29,586	1.8%
Didn't Attend	266,255	16.6%
Frequency Missing	103,138	

**Class Days High on Marijuana Since Sept**

Q29b	Frequency	Percent
None	1,503,762	93.7%
1-3 Days	54,989	3.4%
4-9 Days	18,813	1.2%
10+ Days	27,250	1.7%
Frequency Missing	101,197	

**Drug Use at Parties This School Year**

Q30b	Frequency	Percent
Never	963,525	60.1%
Seldom	91,048	5.7%
Half The Time	64,994	4.1%
Most Of The Time	87,046	5.4%
Always	97,560	6.1%
Don't Know	30,651	1.9%
Didn't Attend	267,734	16.7%
Frequency Missing	103,451	

**Class Days High on Inhalants Since Sept**

Q29c	Frequency	Percent
None	1,589,206	99.2%
1-3 Days	9,047	0.6%
4-9 Days	1,481	0.1%
10+ Days	2,080	0.1%
Frequency Missing	104,197	

**Sought Help for Drug/Alcohol Problem**

Q31	Frequency	Percent
No	1,341,363	94.2%
Yes	82,302	5.8%
Frequency Missing	282,346	

**Class Days High on Other Drug(s)**

Q29d	Frequency	Percent
None	1,551,751	96.9%
1-3 Days	29,265	1.8%
4-9 Days	10,604	0.7%
10+ Days	9,781	0.6%
Frequency Missing	104,610	

**Would Seek Help from School Counselor**

Q32a	Frequency	Percent
No	967,607	61.4%
Yes	607,900	38.6%
Frequency Missing	130,504	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Would Seek Help from School Nurse**

Q32b	Frequency	Percent
No	1,212,285	77.4%
Yes	353,508	22.6%
Frequency Missing	140,217	

**Would Seek Help from Another Adult**

Q32g	Frequency	Percent
No	600,078	38.2%
Yes	970,032	61.8%
Frequency Missing	135,901	

**Would Seek Help from Another Adult in School**

Q32c	Frequency	Percent
No	915,317	58.4%
Yes	651,186	41.6%
Frequency Missing	139,508	

**Would Seek Help from Counselor or Program Outside School**

Q32h	Frequency	Percent
No	942,055	60.1%
Yes	624,219	39.9%
Frequency Missing	139,736	

**Would Seek Help from Parents**

Q32d	Frequency	Percent
No	466,891	29.6%
Yes	1,108,781	70.4%
Frequency Missing	130,338	

**Would Not Seek Help**

Q32i	Frequency	Percent
No	1,278,688	83.3%
Yes	255,665	16.7%
Frequency Missing	171,658	

**Would Seek Help from a Medical Doctor**

Q32e	Frequency	Percent
No	683,746	43.8%
Yes	878,741	56.2%
Frequency Missing	143,523	

**Drug/Alcohol Info–School Health Class**

Q33a	Frequency	Percent
No	874,577	58.2%
Yes	629,078	41.8%
Frequency Missing	202,356	

**Would Seek Help from Friends**

Q32f	Frequency	Percent
No	545,210	34.9%
Yes	1,018,225	65.1%
Frequency Missing	142,576	

**Drug/Alcohol Info–School Assembly Program**

Q33b	Frequency	Percent
No	847,486	56.5%
Yes	653,182	43.5%
Frequency Missing	205,343	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Drug/Alcohol Info–School Guidance Counselor**

Q33c	Frequency	Percent
No	1,117,082	74.8%
Yes	376,317	25.2%
Frequency Missing	212,612	

**Drug/Alcohol Info–Another School Source**

Q33h	Frequency	Percent
No	1,078,088	72.5%
Yes	408,895	27.5%
Frequency Missing	219,028	

**Drug/Alcohol Info–School Nurse**

Q33d	Frequency	Percent
No	1,262,277	84.8%
Yes	226,975	15.2%
Frequency Missing	216,759	

**Parents Feel About Kids Using Tobacco**

Q34a	Frequency	Percent
Strongly Disapprove	1,246,364	78.1%
Mild Disapprove	124,375	7.8%
Neither	100,091	6.3%
Mildly Approve	16,511	1.0%
Strongly Approve	13,045	0.8%
Don't Know	96,344	6.0%
Frequency Missing	109,281	

**Drug/Alcohol Info–Science or Social Studies Class**

Q33e	Frequency	Percent
No	1,097,549	73.9%
Yes	387,342	26.1%
Frequency Missing	221,120	

**Parents Feel About Kids Drinking Alcohol**

Q34b	Frequency	Percent
Strongly Disapprove	1,024,755	64.3%
Mild Disapprove	226,257	14.2%
Neither	179,295	11.2%
Mildly Approve	54,256	3.4%
Strongly Approve	16,388	1.0%
Don't Know	93,898	5.9%
Frequency Missing	111,162	

**Drug/Alcohol Info–School Student Group or Club**

Q33f	Frequency	Percent
No	1,299,239	87.3%
Yes	189,270	12.7%
Frequency Missing	217,503	

**Parents Feel About Kids Using Marijuana**

Q34c	Frequency	Percent
Strongly Disapprove	1,256,564	78.8%
Mild Disapprove	101,024	6.3%
Neither	97,559	6.1%
Mildly Approve	23,728	1.5%
Strongly Approve	23,455	1.5%
Don't Know	92,372	5.8%
Frequency Missing	111,309	

**Drug/Alcohol Info–Invited School Guest**

Q33g	Frequency	Percent
No	1,050,572	70.4%
Yes	441,574	29.6%
Frequency Missing	213,865	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, &amp; electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

