

region3
Spring 2006

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product					
	All	12.9%	18.2%	31.0%	69.0%
	Grade 7	4.1%	6.4%	15.2%	84.8%
	Grade 8	7.0%	11.1%	22.8%	77.2%
	Grade 9	11.8%	16.5%	29.9%	70.1%
	Grade 10	16.0%	22.3%	36.0%	64.0%
	Grade 11	19.4%	26.1%	41.5%	58.5%
	Grade 12	23.1%	31.8%	46.5%	53.5%
Cigarettes					
	All	11.8%	16.8%	29.1%	70.9%
	Grade 7	3.7%	5.9%	14.2%	85.8%
	Grade 8	6.3%	10.1%	21.2%	78.8%
	Grade 9	10.6%	14.9%	27.9%	72.1%
	Grade 10	14.4%	20.3%	33.8%	66.2%
	Grade 11	18.0%	24.4%	39.7%	60.3%
	Grade 12	21.7%	29.9%	44.0%	56.0%
Smokeless tobacco					
	All	3.3%	5.0%	9.0%	91.0%
	Grade 7	1.1%	1.7%	3.6%	96.4%
	Grade 8	1.9%	3.0%	6.1%	93.9%
	Grade 9	2.9%	4.3%	7.7%	92.3%
	Grade 10	4.1%	6.5%	11.0%	89.0%
	Grade 11	5.1%	7.8%	13.0%	87.0%
	Grade 12	5.5%	8.2%	14.7%	85.3%

region3
Spring 2006

Table T-2: How often do you normally use ..

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?								
	All	71.5%	3.8%	2.6%	3.4%	5.3%	4.6%	8.9%
	Grade 7	87.0%	0.7%	0.8%	1.3%	2.1%	3.1%	4.9%
	Grade 8	79.6%	1.3%	1.6%	2.1%	4.0%	3.7%	7.8%
	Grade 9	72.7%	2.8%	2.6%	3.4%	5.8%	3.9%	8.9%
	Grade 10	66.7%	4.1%	3.7%	4.3%	6.1%	5.4%	9.9%
	Grade 11	61.3%	7.3%	3.2%	4.3%	6.9%	5.7%	11.4%
	Grade 12	56.4%	8.2%	3.9%	5.4%	8.1%	6.5%	11.4%
Cigarettes?								
	All	73.0%	3.3%	2.3%	3.3%	5.0%	4.4%	8.6%
	Grade 7	87.8%	0.7%	0.8%	1.3%	2.0%	2.9%	4.6%
	Grade 8	80.9%	1.2%	1.4%	2.0%	3.6%	3.6%	7.4%
	Grade 9	74.3%	2.6%	2.2%	3.2%	5.2%	3.7%	8.9%
	Grade 10	68.6%	3.6%	3.3%	4.1%	5.8%	5.2%	9.5%
	Grade 11	62.7%	6.2%	3.1%	4.3%	7.0%	5.4%	11.3%
	Grade 12	58.3%	7.3%	3.5%	5.6%	7.6%	6.5%	11.2%
Smokeless tobacco?								
	All	91.0%	0.7%	0.6%	0.8%	1.6%	1.8%	3.6%
	Grade 7	96.4%	0.1%	0.2%	0.3%	0.6%	0.8%	1.7%
	Grade 8	94.0%	0.3%	0.4%	0.6%	1.4%	1.2%	2.1%
	Grade 9	91.8%	0.4%	0.8%	0.9%	1.5%	1.3%	3.2%
	Grade 10	89.5%	0.7%	0.8%	0.8%	1.8%	2.3%	4.1%
	Grade 11	87.1%	1.7%	0.7%	1.2%	1.8%	2.6%	5.0%
	Grade 12	84.9%	1.6%	1.1%	1.0%	2.5%	2.6%	6.3%

region3
Spring 2006

T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	1-9 Per Day	10 but < Pack Per Day	1 Pack but <2 Packs Per Day	>2 Packs Per Day
All	87.2%	7.0%	3.9%	1.1%	0.6%	0.2%
Grade 7	95.5%	2.7%	1.2%	0.2%	0.1%	0.2%
Grade 8	92.4%	4.8%	2.0%	0.4%	0.3%	0.1%
Grade 9	88.4%	6.5%	3.4%	1.0%	0.5%	0.1%
Grade 10	84.8%	8.1%	5.0%	1.2%	0.6%	0.4%
Grade 11	81.7%	9.3%	5.8%	2.1%	0.9%	0.1%
Grade 12	76.7%	12.5%	7.1%	2.2%	1.3%	0.2%

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.6	11.3	12.1	13.0	13.5	14.3

Table T-5: If you wanted some, how difficult would it be to get...

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Cigarettes?						
All	8.0%	18.3%	7.2%	9.9%	18.4%	38.2%
Grade 7	13.2%	38.4%	11.0%	9.7%	13.1%	14.5%
Grade 8	9.0%	25.8%	11.6%	12.3%	18.5%	22.9%
Grade 9	8.2%	17.2%	6.9%	12.4%	22.5%	32.8%
Grade 10	5.8%	10.4%	5.6%	10.3%	23.9%	43.9%
Grade 11	5.8%	7.6%	3.9%	8.8%	19.0%	54.9%
Grade 12	4.2%	3.7%	1.7%	3.9%	11.5%	75.0%
Smokeless Tobacco?						
All	17.7%	23.4%	9.3%	10.9%	12.9%	25.8%
Grade 7	25.5%	43.7%	11.3%	7.7%	5.4%	6.5%
Grade 8	20.3%	33.7%	12.4%	11.1%	10.8%	11.7%
Grade 9	18.4%	23.3%	11.4%	12.9%	15.0%	19.0%
Grade 10	14.5%	14.9%	8.0%	14.3%	17.9%	30.5%
Grade 11	14.6%	10.5%	7.4%	11.4%	16.3%	39.9%
Grade 12	10.0%	6.0%	3.0%	7.2%	12.7%	61.1%

region3
Spring 2006

Table T-6: About how many of your close friends...

	None	A Few	Some	Most	ALL
Use any tobacco product?					
All	46.6%	28.5%	14.5%	8.1%	2.3%
Grade 7	73.3%	18.5%	4.8%	2.2%	1.2%
Grade 8	60.5%	25.2%	8.9%	4.4%	1.1%
Grade 9	45.8%	30.3%	13.7%	7.8%	2.4%
Grade 10	34.8%	33.6%	18.5%	10.9%	2.2%
Grade 11	31.7%	31.8%	21.1%	12.2%	3.1%
Grade 12	25.4%	33.4%	23.4%	13.5%	4.3%
Smoke cigarettes?					
All	49.7%	28.8%	13.0%	6.7%	1.8%
Grade 7	74.7%	17.8%	4.4%	2.0%	1.1%
Grade 8	63.3%	24.2%	7.9%	3.6%	1.0%
Grade 9	50.3%	29.9%	11.5%	6.4%	1.9%
Grade 10	38.8%	34.2%	16.6%	8.8%	1.5%
Grade 11	34.8%	33.6%	19.3%	9.8%	2.6%
Grade 12	28.4%	35.2%	22.1%	11.2%	3.0%
Use a smokeless tobacco product?					
All	72.4%	15.7%	7.4%	3.0%	1.4%
Grade 7	90.0%	6.4%	1.9%	0.8%	0.9%
Grade 8	83.2%	10.4%	4.0%	1.7%	0.7%
Grade 9	73.4%	15.7%	6.5%	2.8%	1.6%
Grade 10	64.0%	20.8%	10.2%	3.9%	1.2%
Grade 11	60.2%	21.5%	11.2%	5.2%	1.9%
Grade 12	57.4%	22.3%	13.0%	4.9%	2.4%

region3
Spring 2006

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	76.9%	9.4%	6.2%	1.1%	0.8%	5.5%
Grade 7	85.0%	3.7%	2.2%	0.5%	1.1%	7.6%
Grade 8	83.5%	5.8%	3.2%	0.7%	0.7%	6.1%
Grade 9	79.2%	8.4%	4.6%	0.9%	0.5%	6.4%
Grade 10	76.7%	10.2%	7.0%	1.1%	0.6%	4.4%
Grade 11	70.5%	14.0%	8.6%	1.4%	0.9%	4.6%
Grade 12	61.9%	17.2%	14.2%	2.4%	0.8%	3.4%

region3
Spring 2006

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	50.1%	29.0%	13.5%	3.5%	3.9%
Grade 7	71.4%	18.8%	4.7%	0.9%	4.2%
Grade 8	58.6%	26.3%	8.5%	1.9%	4.6%
Grade 9	50.5%	30.9%	11.8%	2.9%	4.0%
Grade 10	40.8%	33.8%	17.1%	4.2%	4.0%
Grade 11	38.4%	32.5%	20.1%	5.7%	3.4%
Grade 12	34.6%	33.5%	22.6%	6.2%	3.1%

region3
Spring 2006

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product					
	All	27.4%	40.0%	62.8%	37.2%
	Grade 7	12.7%	19.4%	44.0%	56.0%
	Grade 8	18.1%	28.3%	53.3%	46.7%
	Grade 9	26.2%	39.3%	64.0%	36.0%
	Grade 10	33.6%	48.6%	71.1%	28.9%
	Grade 11	37.0%	52.8%	73.2%	26.8%
	Grade 12	43.1%	59.4%	76.8%	23.2%
Beer					
	All	19.2%	29.2%	47.5%	52.5%
	Grade 7	7.2%	11.0%	29.4%	70.6%
	Grade 8	11.1%	18.8%	38.2%	61.8%
	Grade 9	17.3%	28.0%	47.3%	52.7%
	Grade 10	24.4%	36.9%	56.0%	44.0%
	Grade 11	27.4%	39.8%	57.5%	42.5%
	Grade 12	33.0%	47.3%	62.6%	37.4%
Wine coolers					
	All	12.9%	22.4%	39.3%	60.7%
	Grade 7	5.9%	9.7%	21.2%	78.8%
	Grade 8	9.2%	15.6%	29.7%	70.3%
	Grade 9	13.1%	22.5%	40.4%	59.6%
	Grade 10	16.2%	27.8%	46.8%	53.2%
	Grade 11	17.1%	30.2%	50.0%	50.0%
	Grade 12	17.8%	33.2%	53.3%	46.7%
Wine					
	All	12.1%	22.3%	44.6%	55.4%
	Grade 7	6.7%	11.5%	29.4%	70.6%
	Grade 8	9.4%	16.5%	37.4%	62.6%
	Grade 9	11.2%	21.4%	45.6%	54.4%
	Grade 10	15.2%	27.0%	51.9%	48.1%
	Grade 11	15.7%	29.3%	52.5%	47.5%
	Grade 12	16.7%	31.9%	55.4%	44.6%
Liquor					
	All	18.8%	29.0%	43.1%	56.9%
	Grade 7	5.5%	8.7%	18.2%	81.8%
	Grade 8	9.9%	16.4%	28.9%	71.1%
	Grade 9	16.7%	26.8%	42.8%	57.2%
	Grade 10	24.7%	37.8%	53.6%	46.4%
	Grade 11	28.2%	42.7%	59.3%	40.7%
	Grade 12	33.9%	49.7%	64.6%	35.4%

region3
Spring 2006

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	41.8%	0.6%	3.7%	12.8%	15.4%	13.9%	11.9%
	Grade 7	62.7%	0.4%	1.8%	4.1%	7.8%	11.1%	12.0%
	Grade 8	51.4%	0.5%	2.3%	7.3%	11.2%	13.7%	13.7%
	Grade 9	40.4%	0.4%	3.6%	11.8%	16.2%	14.8%	12.8%
	Grade 10	33.4%	0.6%	4.0%	17.4%	17.8%	15.0%	11.8%
	Grade 11	30.8%	0.6%	5.0%	17.8%	19.9%	15.9%	9.9%
	Grade 12	25.8%	0.8%	6.4%	21.5%	21.8%	13.2%	10.5%
Beer?								
	All	52.7%	0.3%	2.9%	9.9%	12.6%	10.3%	11.2%
	Grade 7	73.1%	0.2%	1.2%	2.7%	5.2%	7.5%	10.2%
	Grade 8	62.5%	0.3%	1.7%	4.9%	9.3%	9.2%	12.1%
	Grade 9	52.4%	0.3%	2.6%	8.8%	12.7%	11.0%	12.2%
	Grade 10	44.6%	0.3%	3.2%	13.3%	15.6%	11.5%	11.5%
	Grade 11	41.4%	0.3%	4.0%	14.7%	16.5%	12.5%	10.6%
	Grade 12	36.5%	0.6%	5.7%	17.5%	18.5%	10.9%	10.4%
Wine coolers?								
	All	60.9%	0.1%	1.6%	6.4%	10.2%	11.3%	9.5%
	Grade 7	81.0%	0.1%	1.1%	2.2%	4.4%	5.8%	5.4%
	Grade 8	71.0%	0.2%	1.1%	3.9%	7.0%	8.8%	7.9%
	Grade 9	60.0%	0.1%	1.5%	6.4%	10.9%	11.5%	9.6%
	Grade 10	53.4%	0.2%	1.8%	8.7%	12.1%	13.0%	10.8%
	Grade 11	48.5%	0.1%	1.8%	8.9%	13.6%	15.3%	11.8%
	Grade 12	45.7%	0.1%	2.2%	9.5%	15.0%	15.0%	12.6%
Wine?								
	All	55.7%	0.2%	1.4%	5.7%	9.7%	14.5%	12.7%
	Grade 7	72.9%	0.2%	1.1%	2.4%	4.7%	9.2%	9.5%
	Grade 8	63.2%	0.1%	0.9%	3.8%	7.8%	11.9%	12.4%
	Grade 9	54.7%	0.1%	1.4%	5.8%	9.7%	15.0%	13.3%
	Grade 10	48.7%	0.3%	1.9%	7.7%	11.5%	16.3%	13.6%
	Grade 11	47.0%	0.1%	1.6%	7.7%	12.5%	18.1%	13.1%
	Grade 12	43.6%	0.2%	1.9%	8.0%	13.2%	18.1%	15.0%
Liquor?								
	All	57.6%	0.3%	2.3%	9.6%	12.2%	10.1%	7.9%
	Grade 7	82.6%	0.2%	0.9%	1.9%	3.8%	5.0%	5.5%
	Grade 8	72.3%	0.2%	1.3%	4.4%	7.0%	7.6%	7.1%
	Grade 9	58.5%	0.3%	2.2%	8.1%	12.1%	10.7%	8.1%
	Grade 10	47.3%	0.2%	2.8%	13.8%	15.2%	11.8%	8.9%
	Grade 11	40.9%	0.3%	3.1%	14.7%	17.2%	14.5%	9.3%
	Grade 12	36.0%	0.4%	4.2%	17.6%	20.4%	12.5%	8.8%

region3
Spring 2006

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever	5 or More	1 to 4	Less than 1
Beer						
	All	52.3%	47.7%	11.8%	21.8%	14.1%
	Grade 7	70.5%	29.5%	2.6%	11.8%	15.0%
	Grade 8	60.5%	39.5%	5.1%	17.5%	16.9%
	Grade 9	52.2%	47.8%	9.6%	23.3%	14.9%
	Grade 10	44.8%	55.2%	15.1%	26.3%	13.7%
	Grade 11	42.3%	57.7%	19.1%	26.2%	12.3%
	Grade 12	38.3%	61.7%	23.2%	27.9%	10.6%
Wine Coolers						
	All	60.1%	39.9%	7.0%	23.3%	9.6%
	Grade 7	78.2%	21.8%	2.6%	11.1%	8.1%
	Grade 8	68.7%	31.3%	4.1%	17.9%	9.3%
	Grade 9	59.2%	40.8%	7.0%	23.3%	10.5%
	Grade 10	53.3%	46.7%	9.5%	27.3%	9.9%
	Grade 11	49.1%	50.9%	10.5%	31.3%	9.2%
	Grade 12	46.8%	53.2%	10.0%	32.8%	10.4%
Wine						
	All	55.2%	44.8%	3.6%	22.6%	18.6%
	Grade 7	70.3%	29.7%	1.7%	11.4%	16.6%
	Grade 8	60.7%	39.3%	2.3%	17.9%	19.2%
	Grade 9	53.8%	46.2%	3.8%	22.2%	20.3%
	Grade 10	48.8%	51.2%	4.0%	28.3%	19.0%
	Grade 11	48.5%	51.5%	4.9%	28.8%	17.9%
	Grade 12	45.4%	54.6%	5.7%	30.5%	18.4%
Liquor						
	All	56.3%	43.7%	11.6%	22.2%	9.8%
	Grade 7	81.0%	19.0%	2.6%	7.9%	8.5%
	Grade 8	70.2%	29.8%	5.0%	14.0%	10.8%
	Grade 9	56.9%	43.1%	9.6%	22.3%	11.2%
	Grade 10	46.3%	53.7%	16.8%	27.0%	9.9%
	Grade 11	40.0%	60.0%	18.3%	32.3%	9.5%
	Grade 12	35.0%	65.0%	21.5%	35.0%	8.5%

region3
Spring 2006

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol	All	81.0%	6.2%	4.1%	4.4%	2.2%	2.1%
	Grade 7	93.9%	2.6%	1.1%	1.0%	0.6%	0.8%
	Grade 8	89.1%	4.4%	2.3%	1.7%	1.1%	1.4%
	Grade 9	82.1%	6.4%	4.0%	3.7%	1.9%	2.0%
	Grade 10	75.5%	7.7%	5.5%	6.1%	2.9%	2.3%
	Grade 11	73.3%	8.1%	5.6%	6.9%	2.9%	3.2%
	Grade 12	67.2%	8.9%	6.8%	8.2%	5.0%	3.8%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	10.4	11.0	11.7	12.5	13.1	13.9
Beer	10.4	11.1	11.9	12.8	13.5	14.2
Wine Coolers	10.8	11.5	12.2	13.0	13.6	14.3
Wine	10.8	11.4	12.1	12.8	13.5	14.3
Liquor	11.1	11.9	12.8	13.6	14.3	15.0

region3
Spring 2006

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	7.1%	13.6%	6.1%	11.4%	21.7%	40.1%
	Grade 7	11.9%	29.5%	9.7%	12.6%	14.9%	21.4%
	Grade 8	8.1%	18.3%	9.0%	13.2%	19.7%	31.7%
	Grade 9	7.3%	12.1%	5.9%	11.8%	22.1%	40.8%
	Grade 10	5.1%	7.4%	4.0%	10.4%	23.9%	49.2%
	Grade 11	5.1%	5.8%	4.0%	9.7%	24.0%	51.5%
	Grade 12	3.7%	3.8%	2.6%	9.6%	28.0%	52.2%
Wine coolers?							
	All	13.8%	15.7%	7.2%	11.8%	19.5%	32.0%
	Grade 7	26.0%	32.0%	8.9%	9.7%	10.5%	12.9%
	Grade 8	17.9%	21.7%	10.5%	12.0%	15.4%	22.5%
	Grade 9	12.6%	15.0%	8.1%	13.4%	20.1%	30.7%
	Grade 10	8.9%	9.2%	5.6%	12.5%	23.6%	40.1%
	Grade 11	8.2%	6.7%	5.1%	11.1%	23.7%	45.2%
	Grade 12	5.6%	4.0%	3.2%	11.7%	26.5%	49.0%
Wine?							
	All	8.4%	15.2%	7.5%	12.5%	20.5%	35.8%
	Grade 7	13.7%	32.5%	11.0%	12.0%	13.4%	17.4%
	Grade 8	9.4%	21.1%	10.1%	13.2%	18.4%	27.8%
	Grade 9	8.3%	13.7%	8.4%	13.2%	20.7%	35.6%
	Grade 10	6.2%	8.5%	5.5%	12.8%	23.9%	43.1%
	Grade 11	6.6%	6.8%	5.0%	11.5%	23.1%	47.0%
	Grade 12	4.8%	4.0%	3.4%	11.8%	25.5%	50.5%
Liquor?							
	All	8.8%	19.0%	8.2%	10.9%	18.3%	34.8%
	Grade 7	15.7%	41.1%	10.9%	9.4%	8.8%	14.0%
	Grade 8	11.0%	27.0%	11.2%	11.3%	15.2%	24.3%
	Grade 9	8.5%	17.0%	9.0%	11.7%	19.2%	34.6%
	Grade 10	5.5%	10.3%	6.5%	11.3%	21.9%	44.4%
	Grade 11	6.0%	7.5%	5.5%	10.1%	22.1%	48.7%
	Grade 12	4.1%	4.7%	4.2%	11.7%	25.2%	50.1%

region3
Spring 2006

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	92.1%	5.9%	1.0%	1.0%
Grade 7	95.3%	3.7%	0.5%	0.5%
Grade 8	93.0%	5.4%	0.7%	0.8%
Grade 9	92.2%	5.7%	1.1%	1.0%
Grade 10	91.0%	6.6%	1.2%	1.2%
Grade 11	90.5%	7.1%	1.1%	1.3%
Grade 12	89.8%	7.4%	1.4%	1.5%
Gotten into trouble with teachers because of your drinking?				
All	99.0%	0.7%	0.1%	0.2%
Grade 7	99.2%	0.5%	0.1%	0.2%
Grade 8	99.0%	0.6%	0.2%	0.2%
Grade 9	98.8%	0.8%	0.1%	0.4%
Grade 10	99.1%	0.6%	0.2%	0.1%
Grade 11	98.7%	0.9%	0.2%	0.2%
Grade 12	99.0%	0.9%	0.1%	0.0%

region3
Spring 2006

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.3
Alcohol Non-users:	3.5

Average days conduct problems reported	
Alcohol Users:	3.1
Alcohol Non-users:	1.1

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	88.4%	8.5%	1.6%	1.4%
Grade 9	95.3%	3.7%	0.5%	0.5%
Grade 10	91.3%	6.9%	0.9%	0.9%
Grade 11	84.5%	11.4%	2.4%	1.8%
Grade 12	79.3%	14.6%	3.3%	2.9%
Gotten into trouble with the police because of drinking?				
All	96.6%	2.9%	0.3%	0.3%
Grade 7	98.8%	0.8%	0.1%	0.3%
Grade 8	98.0%	1.4%	0.2%	0.3%
Grade 9	96.7%	2.5%	0.4%	0.4%
Grade 10	96.5%	3.1%	0.3%	0.1%
Grade 11	94.7%	4.7%	0.2%	0.3%
Grade 12	93.6%	5.9%	0.3%	0.2%

region3
Spring 2006

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	32.1%	24.9%	17.3%	18.4%	7.3%
	Grade 7	61.1%	22.7%	8.7%	4.8%	2.7%
	Grade 8	45.8%	27.7%	13.8%	9.4%	3.3%
	Grade 9	28.2%	28.0%	19.0%	17.5%	7.2%
	Grade 10	19.1%	25.1%	21.3%	25.8%	8.7%
	Grade 11	16.8%	23.8%	20.9%	27.4%	11.1%
	Grade 12	14.2%	20.3%	21.8%	30.8%	12.9%
Beer?						
	All	38.1%	23.2%	16.8%	16.0%	5.8%
	Grade 7	68.5%	18.8%	7.0%	3.7%	2.0%
	Grade 8	52.4%	24.9%	13.2%	7.0%	2.5%
	Grade 9	35.6%	26.3%	18.3%	14.4%	5.5%
	Grade 10	24.1%	25.0%	21.3%	22.9%	6.7%
	Grade 11	21.7%	23.1%	21.4%	24.4%	9.3%
	Grade 12	17.7%	20.2%	22.0%	29.2%	10.9%
Wine coolers?						
	All	53.7%	20.2%	13.3%	9.2%	3.5%
	Grade 7	78.4%	11.8%	5.4%	2.7%	1.7%
	Grade 8	67.1%	17.1%	8.9%	5.1%	1.8%
	Grade 9	51.7%	21.9%	13.6%	9.0%	3.8%
	Grade 10	42.9%	23.7%	17.0%	12.2%	4.2%
	Grade 11	39.2%	24.5%	17.7%	13.5%	5.1%
	Grade 12	35.5%	24.1%	19.9%	15.1%	5.3%
Wine?						
	All	56.7%	22.3%	11.2%	6.7%	3.1%
	Grade 7	77.1%	14.2%	5.0%	2.1%	1.6%
	Grade 8	68.3%	18.1%	8.3%	3.9%	1.3%
	Grade 9	56.2%	23.3%	11.0%	6.3%	3.2%
	Grade 10	47.1%	25.9%	13.9%	9.5%	3.7%
	Grade 11	44.9%	26.7%	14.6%	9.5%	4.3%
	Grade 12	40.0%	28.2%	16.3%	10.3%	5.1%
Liquor?						
	All	46.9%	18.9%	14.2%	14.7%	5.3%
	Grade 7	78.6%	12.1%	4.8%	2.9%	1.6%
	Grade 8	64.5%	17.4%	9.4%	6.5%	2.2%
	Grade 9	44.1%	22.4%	14.7%	13.7%	5.0%
	Grade 10	32.6%	21.3%	18.1%	21.4%	6.7%
	Grade 11	27.2%	21.7%	20.1%	22.6%	8.5%
	Grade 12	23.1%	19.1%	21.6%	26.3%	9.8%

region3
Spring 2006

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	92.2%	6.6%	0.8%	0.4%
Grade 7	97.3%	2.1%	0.4%	0.3%
Grade 8	95.2%	4.0%	0.4%	0.4%
Grade 9	92.5%	6.0%	0.8%	0.7%
Grade 10	90.0%	8.6%	1.0%	0.4%
Grade 11	89.1%	9.5%	1.1%	0.4%
Grade 12	87.6%	10.9%	1.2%	0.2%
Been criticized by someone you were dating because of drinking?				
All	92.9%	5.8%	0.8%	0.5%
Grade 7	97.8%	1.8%	0.2%	0.3%
Grade 8	96.6%	2.6%	0.4%	0.5%
Grade 9	93.7%	5.0%	0.8%	0.5%
Grade 10	90.1%	8.2%	1.2%	0.4%
Grade 11	89.5%	8.6%	1.1%	0.7%
Grade 12	87.7%	10.2%	1.5%	0.6%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	42.0%	10.3%	7.2%	11.9%	15.4%	1.8%	11.4%
Grade 7	69.6%	9.2%	4.1%	3.3%	2.3%	1.8%	9.7%
Grade 8	59.3%	12.9%	6.8%	6.1%	4.2%	2.1%	8.5%
Grade 9	39.7%	11.3%	9.1%	11.6%	12.5%	2.3%	13.6%
Grade 10	29.5%	10.9%	8.7%	17.2%	19.7%	1.8%	12.1%
Grade 11	24.8%	8.8%	7.6%	17.2%	26.7%	1.4%	13.6%
Grade 12	21.1%	7.5%	6.9%	18.8%	33.4%	1.0%	11.4%

region3
Spring 2006

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home						
	All	43.7%	24.6%	22.3%	6.5%	3.0%
	Grade 7	55.7%	22.9%	16.0%	3.7%	1.7%
	Grade 8	50.6%	21.0%	19.5%	6.3%	2.6%
	Grade 9	43.4%	22.6%	23.5%	6.9%	3.6%
	Grade 10	37.8%	25.9%	25.4%	7.8%	2.9%
	Grade 11	37.3%	27.0%	24.8%	7.2%	3.7%
	Grade 12	34.0%	29.9%	25.6%	7.0%	3.4%
From friends						
	All	42.5%	18.8%	14.0%	17.2%	7.5%
	Grade 7	59.8%	27.2%	7.0%	4.6%	1.4%
	Grade 8	52.2%	25.0%	10.9%	9.3%	2.6%
	Grade 9	42.5%	19.7%	15.4%	16.5%	6.0%
	Grade 10	34.7%	16.0%	16.5%	22.1%	10.7%
	Grade 11	32.3%	11.9%	17.8%	26.4%	11.6%
	Grade 12	28.1%	9.5%	18.2%	28.9%	15.4%
From a store						
	All	44.0%	41.1%	8.0%	4.7%	2.2%
	Grade 7	59.7%	36.8%	2.1%	1.0%	0.5%
	Grade 8	52.7%	40.6%	4.4%	1.6%	0.8%
	Grade 9	43.8%	44.4%	7.1%	3.2%	1.5%
	Grade 10	37.2%	43.6%	10.5%	5.8%	2.8%
	Grade 11	35.0%	40.0%	12.4%	8.9%	3.6%
	Grade 12	31.0%	40.7%	13.9%	9.4%	4.9%
At parties						
	All	41.6%	18.6%	12.2%	14.8%	12.9%
	Grade 7	56.8%	24.4%	9.0%	6.5%	3.3%
	Grade 8	50.1%	23.1%	11.3%	9.7%	5.9%
	Grade 9	41.4%	19.7%	13.6%	14.1%	11.2%
	Grade 10	35.0%	16.6%	12.6%	17.9%	17.9%
	Grade 11	32.7%	13.3%	13.9%	19.9%	20.1%
	Grade 12	28.5%	11.6%	13.4%	23.9%	22.5%
Other source						
	All	43.9%	26.6%	14.4%	8.2%	6.9%
	Grade 7	57.9%	26.3%	9.3%	4.0%	2.5%
	Grade 8	51.4%	26.1%	11.4%	6.3%	4.8%
	Grade 9	43.7%	27.2%	14.5%	8.1%	6.5%
	Grade 10	37.4%	26.5%	15.7%	11.1%	9.2%
	Grade 11	36.1%	26.4%	17.7%	10.5%	9.3%
	Grade 12	32.2%	27.2%	19.5%	10.3%	10.8%

region3
Spring 2006

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	65.2%	15.9%	9.4%	2.9%	1.1%	5.6%
Grade 7	77.1%	8.1%	4.3%	1.2%	1.1%	8.3%
Grade 8	72.0%	12.6%	6.7%	1.8%	0.8%	6.1%
Grade 9	65.8%	15.4%	8.8%	2.7%	1.0%	6.4%
Grade 10	61.3%	18.6%	10.9%	3.4%	1.0%	4.7%
Grade 11	58.4%	20.7%	11.7%	3.9%	1.3%	3.8%
Grade 12	52.6%	22.0%	16.0%	5.0%	1.2%	3.2%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	46.4%	32.7%	15.1%	3.1%	2.7%
Grade 7	60.4%	24.5%	9.7%	2.2%	3.2%
Grade 8	49.0%	29.3%	15.0%	3.3%	3.4%
Grade 9	46.5%	31.2%	16.4%	3.2%	2.8%
Grade 10	40.0%	35.9%	17.5%	4.1%	2.4%
Grade 11	41.1%	37.6%	16.0%	3.3%	2.0%
Grade 12	38.2%	40.3%	16.6%	2.8%	2.1%

region3
Spring 2006

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	9.7%	14.7%	23.6%	76.4%
	Grade 7	2.1%	3.3%	6.4%	93.6%
	Grade 8	5.1%	7.7%	13.1%	86.9%
	Grade 9	8.8%	13.3%	21.8%	78.2%
	Grade 10	12.6%	19.2%	30.0%	70.0%
	Grade 11	16.3%	23.6%	36.7%	63.3%
	Grade 12	16.8%	25.6%	40.9%	59.1%
Cocaine?					
	All	1.8%	3.0%	5.3%	94.7%
	Grade 7	0.4%	0.7%	1.6%	98.4%
	Grade 8	1.1%	1.7%	2.8%	97.2%
	Grade 9	1.6%	2.8%	4.5%	95.5%
	Grade 10	2.2%	3.7%	6.6%	93.4%
	Grade 11	3.2%	4.7%	8.6%	91.4%
	Grade 12	3.1%	5.3%	9.8%	90.2%
Crack?					
	All	0.5%	1.0%	2.0%	98.0%
	Grade 7	0.4%	0.7%	1.5%	98.5%
	Grade 8	0.6%	1.0%	1.8%	98.2%
	Grade 9	0.6%	1.2%	2.2%	97.8%
	Grade 10	0.5%	0.9%	2.2%	97.8%
	Grade 11	0.5%	1.1%	2.1%	97.9%
	Grade 12	0.5%	1.0%	1.9%	98.1%
Hallucinogens?					
	All	1.3%	2.4%	4.5%	95.5%
	Grade 7	0.3%	0.5%	1.0%	99.0%
	Grade 8	0.7%	1.2%	2.2%	97.8%
	Grade 9	1.3%	1.8%	3.6%	96.4%
	Grade 10	1.8%	3.3%	6.6%	93.4%
	Grade 11	2.1%	3.5%	7.0%	93.0%
	Grade 12	2.3%	4.6%	8.0%	92.0%
Uppers?					
	All	2.3%	3.6%	5.6%	94.4%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.9%	1.4%	2.0%	98.0%
	Grade 9	1.9%	3.3%	4.9%	95.1%
	Grade 10	3.6%	5.0%	7.7%	92.3%
	Grade 11	4.2%	6.5%	10.2%	89.8%
	Grade 12	3.7%	6.4%	10.5%	89.5%
Downers?					
	All	2.4%	3.7%	5.5%	94.5%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.8%	1.4%	1.8%	98.2%
	Grade 9	1.8%	3.0%	4.5%	95.5%
	Grade 10	3.7%	5.3%	7.7%	92.3%
	Grade 11	4.6%	6.5%	10.0%	90.0%
	Grade 12	4.2%	6.9%	10.6%	89.4%

region3
Spring 2006

Table D-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol?					
	All	0.6%	1.0%	1.6%	98.4%
	Grade 7	0.2%	0.4%	0.6%	99.4%
	Grade 8	0.6%	0.9%	1.4%	98.6%
	Grade 9	0.6%	1.0%	1.6%	98.4%
	Grade 10	0.7%	1.3%	2.3%	97.7%
	Grade 11	1.0%	1.4%	2.3%	97.7%
	Grade 12	0.7%	1.0%	1.8%	98.2%
Steroids?					
	All	0.6%	0.9%	1.6%	98.4%
	Grade 7	0.5%	0.8%	1.4%	98.6%
	Grade 8	0.4%	0.7%	1.3%	98.7%
	Grade 9	0.5%	0.7%	1.4%	98.6%
	Grade 10	0.7%	1.0%	1.8%	98.2%
	Grade 11	0.9%	1.2%	1.8%	98.2%
	Grade 12	0.9%	1.1%	1.8%	98.2%
Ecstasy?					
	All	1.7%	2.9%	5.0%	95.0%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	0.9%	1.6%	2.7%	97.3%
	Grade 9	1.6%	2.7%	4.5%	95.5%
	Grade 10	2.1%	3.9%	6.5%	93.5%
	Grade 11	2.6%	4.3%	7.8%	92.2%
	Grade 12	3.2%	5.2%	9.1%	90.9%
Heroin?					
	All	0.6%	0.8%	1.5%	98.5%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.6%	0.8%	1.5%	98.5%
	Grade 9	0.7%	0.9%	1.9%	98.1%
	Grade 10	0.4%	0.7%	1.4%	98.6%
	Grade 11	0.5%	0.8%	1.9%	98.1%
	Grade 12	0.7%	0.9%	1.6%	98.4%

region3
Spring 2006

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	78.7%	1.9%	2.5%	3.3%	4.6%	3.9%	5.1%
	Grade 7	94.2%	0.5%	0.7%	1.0%	1.2%	1.1%	1.4%
	Grade 8	87.7%	0.8%	1.5%	2.1%	2.8%	2.3%	2.7%
	Grade 9	80.1%	1.3%	2.5%	3.2%	4.6%	3.5%	4.7%
	Grade 10	73.1%	2.2%	3.0%	4.8%	5.8%	5.0%	6.1%
	Grade 11	67.4%	3.5%	3.8%	4.8%	6.6%	6.0%	7.9%
	Grade 12	64.6%	3.6%	3.7%	4.6%	7.5%	6.7%	9.3%
Cocaine?								
	All	95.1%	0.1%	0.3%	0.7%	1.0%	1.2%	1.5%
	Grade 7	98.4%	0.1%	0.1%	0.2%	0.4%	0.4%	0.5%
	Grade 8	97.2%	0.1%	0.4%	0.4%	0.6%	0.7%	0.5%
	Grade 9	95.9%	0.1%	0.4%	0.9%	0.9%	0.8%	1.2%
	Grade 10	93.9%	0.1%	0.3%	0.7%	1.4%	1.6%	1.8%
	Grade 11	92.3%	0.2%	0.4%	0.9%	1.5%	1.8%	2.8%
	Grade 12	91.6%	0.0%	0.4%	1.2%	1.7%	2.3%	2.8%
Crack?								
	All	98.2%	0.1%	0.1%	0.2%	0.3%	0.5%	0.7%
	Grade 7	98.6%	0.0%	0.1%	0.1%	0.3%	0.4%	0.4%
	Grade 8	98.2%	0.1%	0.4%	0.2%	0.2%	0.6%	0.3%
	Grade 9	98.1%	0.0%	0.1%	0.2%	0.3%	0.5%	0.7%
	Grade 10	97.9%	0.1%	0.1%	0.2%	0.4%	0.5%	0.8%
	Grade 11	98.1%	0.1%	0.1%	0.2%	0.2%	0.5%	0.9%
	Grade 12	98.3%	0.1%	0.1%	0.1%	0.3%	0.5%	0.8%
Hallucinogens?								
	All	96.0%	0.0%	0.1%	0.4%	0.8%	1.3%	1.4%
	Grade 7	99.1%	0.0%	0.1%	0.2%	0.1%	0.3%	0.3%
	Grade 8	98.2%	0.0%	0.0%	0.3%	0.4%	0.4%	0.6%
	Grade 9	97.0%	0.1%	0.1%	0.3%	0.7%	0.7%	1.1%
	Grade 10	94.2%	0.0%	0.1%	0.4%	1.2%	2.2%	1.9%
	Grade 11	93.6%	0.1%	0.1%	0.6%	1.1%	2.3%	2.2%
	Grade 12	92.7%	0.0%	0.1%	0.4%	1.8%	2.4%	2.5%
Uppers?								
	All	94.5%	0.2%	0.4%	0.9%	1.6%	1.3%	1.3%
	Grade 7	99.2%	0.1%	0.1%	0.1%	0.2%	0.2%	0.2%
	Grade 8	98.0%	0.1%	0.2%	0.5%	0.3%	0.4%	0.4%
	Grade 9	95.2%	0.2%	0.5%	0.4%	1.7%	1.0%	1.1%
	Grade 10	92.5%	0.1%	0.6%	1.3%	2.5%	1.8%	1.3%
	Grade 11	90.0%	0.4%	0.4%	1.7%	2.7%	2.2%	2.5%
	Grade 12	90.1%	0.1%	0.4%	1.5%	2.6%	2.6%	2.6%
Downers?								
	All	94.5%	0.2%	0.4%	1.0%	1.6%	1.2%	1.1%
	Grade 7	99.3%	0.0%	0.1%	0.1%	0.1%	0.2%	0.2%
	Grade 8	98.1%	0.0%	0.1%	0.6%	0.3%	0.5%	0.4%
	Grade 9	95.4%	0.3%	0.5%	0.5%	1.4%	0.9%	0.9%
	Grade 10	92.2%	0.2%	0.6%	1.3%	2.8%	1.7%	1.1%
	Grade 11	90.6%	0.4%	0.5%	2.1%	2.5%	2.0%	2.1%
	Grade 12	89.7%	0.2%	0.4%	1.8%	3.0%	2.6%	2.3%

region3
Spring 2006

Table D-2: How often do you normally use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	98.7%	0.1%	0.1%	0.1%	0.3%	0.4%	0.4%
	Grade 7	99.4%	0.0%	0.0%	0.1%	0.1%	0.2%	0.2%
	Grade 8	98.8%	0.1%	0.1%	0.1%	0.3%	0.4%	0.3%
	Grade 9	98.6%	0.0%	0.1%	0.2%	0.3%	0.3%	0.5%
	Grade 10	98.3%	0.1%	0.1%	0.2%	0.4%	0.5%	0.4%
	Grade 11	98.1%	0.1%	0.2%	0.2%	0.3%	0.5%	0.6%
	Grade 12	98.7%	0.0%	0.0%	0.0%	0.2%	0.4%	0.5%
Steroids?								
	All	98.7%	0.2%	0.1%	0.2%	0.1%	0.2%	0.5%
	Grade 7	98.8%	0.1%	0.1%	0.1%	0.2%	0.3%	0.5%
	Grade 8	98.6%	0.3%	0.0%	0.1%	0.1%	0.2%	0.7%
	Grade 9	98.8%	0.2%	0.1%	0.2%	0.1%	0.1%	0.4%
	Grade 10	98.7%	0.2%	0.1%	0.3%	0.1%	0.2%	0.4%
	Grade 11	98.5%	0.3%	0.2%	0.3%	0.1%	0.2%	0.4%
	Grade 12	98.7%	0.1%	0.0%	0.2%	0.1%	0.3%	0.6%
Ecstasy?								
	All	95.2%	0.1%	0.2%	0.6%	1.0%	1.4%	1.5%
	Grade 7	98.8%	0.0%	0.0%	0.2%	0.3%	0.3%	0.4%
	Grade 8	97.2%	0.1%	0.2%	0.3%	0.6%	0.8%	0.8%
	Grade 9	95.9%	0.1%	0.2%	0.6%	0.8%	1.0%	1.3%
	Grade 10	93.9%	0.1%	0.1%	0.5%	1.3%	2.3%	1.8%
	Grade 11	92.4%	0.1%	0.2%	0.9%	1.5%	2.2%	2.6%
	Grade 12	91.7%	0.0%	0.1%	1.0%	1.9%	2.4%	2.8%
Heroin?								
	All	98.7%	0.1%	0.1%	0.2%	0.2%	0.2%	0.5%
	Grade 7	99.2%	0.0%	0.0%	0.1%	0.2%	0.2%	0.3%
	Grade 8	98.7%	0.2%	0.2%	0.2%	0.2%	0.2%	0.5%
	Grade 9	98.4%	0.0%	0.1%	0.3%	0.2%	0.4%	0.5%
	Grade 10	98.9%	0.1%	0.0%	0.1%	0.2%	0.2%	0.5%
	Grade 11	98.5%	0.1%	0.0%	0.1%	0.4%	0.2%	0.7%
	Grade 12	98.8%	0.1%	0.0%	0.1%	0.2%	0.3%	0.4%

region3
Spring 2006

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.4	12.2	13.0	13.7	14.4	15.1
Cocaine	11.8	12.6	13.6	14.5	15.2	16.0
Crack	11.5	12.4	13.6	14.0	14.5	16.1
Hallucinogens	11.5	12.6	13.5	14.4	15.2	16.0
Uppers	11.3	12.4	13.4	14.2	14.9	15.7
Downers	11.2	12.4	13.3	14.2	14.9	15.6
Rohypnol	11.0	12.6	13.3	13.6	14.4	15.4
Steroids	10.9	12.1	12.8	13.6	13.7	15.2
Ecstasy	11.7	13.0	13.7	14.6	15.3	16.1
Heroin	11.6	12.7	13.7	13.7	14.8	15.7

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	81.1%	0.6%	1.3%	4.7%	8.0%	4.0%	0.2%
	Grade 7	95.8%	0.3%	1.2%	2.6%	0.1%	0.0%	0.0%
	Grade 8	90.9%	0.5%	1.4%	5.3%	1.9%	0.0%	0.0%
	Grade 9	84.3%	0.8%	1.3%	6.0%	7.3%	0.3%	0.0%
	Grade 10	75.3%	0.7%	1.6%	5.5%	14.3%	2.6%	0.0%
	Grade 11	69.8%	0.9%	1.1%	4.6%	14.2%	9.3%	0.2%
	Grade 12	63.6%	0.3%	1.0%	4.1%	13.3%	16.3%	1.5%
Other family situation								
	All	66.6%	1.8%	3.5%	10.4%	12.2%	5.1%	0.4%
	Grade 7	88.7%	2.1%	3.9%	4.9%	0.4%	0.0%	0.0%
	Grade 8	78.6%	2.2%	4.6%	11.7%	3.0%	0.0%	0.0%
	Grade 9	67.0%	2.1%	3.9%	13.4%	13.1%	0.3%	0.0%
	Grade 10	59.6%	1.8%	3.6%	11.9%	19.7%	3.3%	0.0%
	Grade 11	51.8%	1.6%	2.4%	10.8%	20.0%	13.0%	0.5%
	Grade 12	49.6%	0.7%	1.9%	8.4%	18.3%	18.6%	2.6%

region3
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	10.2%	30.1%	9.9%	10.7%	14.1%	25.1%
	Grade 7	17.8%	57.9%	8.1%	5.5%	4.3%	6.4%
	Grade 8	11.7%	44.1%	12.6%	9.7%	8.8%	13.2%
	Grade 9	9.7%	28.7%	12.4%	11.3%	14.5%	23.3%
	Grade 10	7.1%	18.2%	9.7%	13.7%	17.7%	33.6%
	Grade 11	7.3%	13.4%	8.0%	11.6%	21.0%	38.8%
	Grade 12	5.6%	8.6%	7.0%	13.3%	22.4%	43.1%
Cocaine?							
	All	13.2%	37.6%	16.1%	14.2%	9.1%	9.8%
	Grade 7	19.5%	61.7%	8.7%	4.7%	2.2%	3.2%
	Grade 8	14.1%	52.1%	14.2%	9.3%	5.0%	5.4%
	Grade 9	13.4%	37.8%	17.7%	13.4%	8.2%	9.5%
	Grade 10	10.7%	26.0%	18.8%	18.1%	13.2%	13.2%
	Grade 11	11.2%	22.4%	18.6%	19.1%	14.6%	14.1%
	Grade 12	8.9%	16.9%	19.7%	24.6%	14.2%	15.7%
Crack?							
	All	14.4%	38.1%	17.2%	14.0%	8.4%	7.9%
	Grade 7	20.3%	60.4%	8.9%	4.7%	2.4%	3.3%
	Grade 8	14.6%	52.2%	14.3%	8.9%	5.0%	4.9%
	Grade 9	14.5%	37.9%	18.6%	12.7%	8.5%	7.8%
	Grade 10	12.0%	27.3%	20.9%	18.1%	10.9%	10.8%
	Grade 11	13.0%	24.4%	19.6%	19.0%	13.1%	10.9%
	Grade 12	10.9%	18.8%	22.6%	24.3%	12.3%	11.1%
Hallucinogens?							
	All	31.7%	28.3%	14.1%	11.0%	7.4%	7.5%
	Grade 7	50.5%	35.6%	6.4%	3.1%	1.8%	2.6%
	Grade 8	40.2%	35.9%	10.3%	6.3%	3.6%	3.7%
	Grade 9	30.4%	31.4%	15.4%	9.5%	6.5%	6.6%
	Grade 10	23.3%	24.1%	16.5%	14.7%	10.6%	10.8%
	Grade 11	22.0%	21.2%	18.3%	16.4%	11.8%	10.3%
	Grade 12	18.4%	16.4%	20.2%	19.6%	12.4%	13.1%
Uppers?							
	All	44.8%	20.9%	9.8%	8.7%	7.1%	8.8%
	Grade 7	60.4%	28.7%	5.0%	2.4%	1.4%	2.1%
	Grade 8	51.0%	27.3%	9.0%	5.6%	3.2%	3.9%
	Grade 9	44.2%	23.2%	10.0%	8.1%	6.6%	7.8%
	Grade 10	39.7%	16.1%	11.1%	10.9%	10.0%	12.1%
	Grade 11	35.9%	15.2%	11.4%	12.6%	11.5%	13.4%
	Grade 12	32.1%	10.7%	13.4%	15.1%	12.1%	16.6%
Downers?							
	All	44.9%	21.1%	9.6%	8.5%	7.1%	8.7%
	Grade 7	60.4%	28.9%	4.9%	2.5%	1.4%	2.0%
	Grade 8	51.6%	27.6%	8.7%	5.2%	3.0%	4.0%
	Grade 9	44.4%	23.5%	9.9%	8.1%	6.0%	7.9%
	Grade 10	40.1%	16.5%	10.8%	10.4%	10.5%	11.9%
	Grade 11	35.7%	15.3%	11.1%	12.3%	12.1%	13.5%
	Grade 12	32.0%	10.8%	13.8%	14.9%	12.3%	16.1%

region3
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?							
	All	50.1%	21.6%	10.5%	7.8%	4.5%	5.6%
	Grade 7	60.6%	29.1%	5.0%	2.2%	0.9%	2.1%
	Grade 8	54.6%	27.2%	8.3%	4.4%	2.4%	3.1%
	Grade 9	48.9%	23.8%	10.7%	7.2%	4.1%	5.4%
	Grade 10	46.2%	17.2%	12.3%	10.1%	6.4%	7.8%
	Grade 11	45.9%	15.7%	11.9%	10.8%	8.0%	7.7%
	Grade 12	41.0%	13.4%	16.4%	14.4%	6.2%	8.7%
Steroids?							
	All	16.9%	37.6%	15.9%	12.4%	8.5%	8.6%
	Grade 7	22.7%	57.9%	9.3%	4.6%	2.5%	3.0%
	Grade 8	17.5%	50.4%	13.9%	8.4%	5.0%	4.8%
	Grade 9	16.9%	40.0%	16.7%	11.6%	8.0%	6.8%
	Grade 10	14.4%	27.3%	18.0%	16.0%	11.7%	12.6%
	Grade 11	16.2%	23.2%	18.6%	17.6%	12.5%	12.0%
	Grade 12	12.8%	18.8%	20.5%	19.2%	13.5%	15.2%
Ecstasy?							
	All	24.3%	31.6%	13.7%	11.2%	9.1%	10.1%
	Grade 7	46.6%	40.2%	6.3%	2.9%	1.7%	2.4%
	Grade 8	30.3%	42.2%	11.5%	6.6%	4.8%	4.5%
	Grade 9	21.0%	35.7%	15.3%	10.4%	8.6%	9.1%
	Grade 10	15.0%	26.4%	15.5%	15.7%	12.9%	14.5%
	Grade 11	15.2%	22.3%	16.8%	16.0%	14.1%	15.6%
	Grade 12	12.6%	16.6%	18.8%	18.5%	15.5%	18.0%
Heroin?							
	All	19.9%	40.1%	17.0%	10.9%	5.7%	6.3%
	Grade 7	32.0%	53.7%	7.4%	2.9%	1.5%	2.4%
	Grade 8	21.4%	51.8%	12.7%	6.6%	3.3%	4.2%
	Grade 9	19.0%	42.3%	17.0%	10.2%	5.3%	6.2%
	Grade 10	14.5%	32.9%	20.9%	14.8%	7.9%	9.1%
	Grade 11	16.3%	29.5%	21.4%	15.0%	9.6%	8.2%
	Grade 12	13.8%	23.9%	26.1%	19.2%	7.9%	9.1%

region3
Spring 2006

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	91.6%	4.6%	1.5%	2.3%
Grade 7	97.4%	1.5%	0.6%	0.5%
Grade 8	94.5%	3.4%	0.9%	1.1%
Grade 9	92.0%	4.7%	1.4%	2.0%
Grade 10	88.6%	6.3%	2.0%	3.0%
Grade 11	87.4%	6.3%	2.5%	3.8%
Grade 12	87.7%	5.9%	2.2%	4.2%
Attended class while high from use of some other drug?				
All	94.4%	3.5%	0.9%	1.2%
Grade 7	97.9%	1.3%	0.4%	0.5%
Grade 8	95.9%	2.3%	0.7%	1.1%
Grade 9	94.5%	3.7%	0.8%	1.0%
Grade 10	92.2%	4.6%	1.5%	1.6%
Grade 11	91.7%	5.5%	1.0%	1.8%
Grade 12	93.4%	3.9%	1.4%	1.2%
Gotten into trouble with teachers because of your drug use?				
All	98.8%	0.9%	0.1%	0.2%
Grade 7	99.2%	0.4%	0.1%	0.2%
Grade 8	98.7%	0.9%	0.2%	0.3%
Grade 9	98.5%	1.1%	0.1%	0.3%
Grade 10	98.8%	0.9%	0.1%	0.2%
Grade 11	98.6%	0.9%	0.3%	0.2%
Grade 12	99.0%	0.9%	0.1%	0.0%

region3
Spring 2006

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	4.5
Marijuana Non-users:	3.7

Average days conduct problems reported	
Marijuana Users:	4.7
Marijuana Non-users:	1.4

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	90.1%	6.0%	1.6%	2.3%
Grade 9	96.2%	2.5%	0.6%	0.7%
Grade 10	91.8%	5.3%	1.3%	1.6%
Grade 11	86.2%	7.9%	2.4%	3.5%
Grade 12	83.5%	9.6%	2.6%	4.2%
Gotten into trouble with the police because of drug use?				
All	97.9%	1.7%	0.2%	0.2%
Grade 7	98.8%	0.9%	0.1%	0.2%
Grade 8	98.1%	1.1%	0.4%	0.3%
Grade 9	97.6%	1.8%	0.2%	0.4%
Grade 10	97.7%	1.8%	0.3%	0.1%
Grade 11	97.6%	2.0%	0.1%	0.2%
Grade 12	97.1%	2.7%	0.1%	0.1%

region3
Spring 2006

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	56.5%	18.3%	12.3%	9.6%	3.3%
Grade 7	84.7%	8.2%	3.1%	2.6%	1.3%
Grade 8	70.1%	15.3%	7.1%	5.5%	2.0%
Grade 9	55.5%	18.6%	12.7%	9.6%	3.7%
Grade 10	43.1%	23.3%	15.4%	14.0%	4.2%
Grade 11	39.5%	22.3%	19.3%	13.6%	5.3%
Grade 12	37.2%	24.8%	19.2%	14.5%	4.2%

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	93.8%	5.0%	0.7%	0.4%
Grade 7	97.4%	2.0%	0.3%	0.2%
Grade 8	95.3%	3.7%	0.4%	0.6%
Grade 9	93.8%	4.7%	0.8%	0.7%
Grade 10	91.4%	7.0%	1.1%	0.4%
Grade 11	91.9%	7.0%	0.9%	0.3%
Grade 12	92.4%	6.5%	1.0%	0.1%
Been criticized by someone you were dating because of drug use?				
All	94.4%	4.4%	0.6%	0.6%
Grade 7	98.1%	1.5%	0.2%	0.2%
Grade 8	96.3%	2.6%	0.5%	0.6%
Grade 9	94.3%	4.5%	0.6%	0.7%
Grade 10	92.3%	5.9%	1.0%	0.8%
Grade 11	92.3%	5.9%	0.7%	1.1%
Grade 12	92.0%	6.7%	0.9%	0.5%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	53.4%	10.4%	7.1%	7.7%	7.2%	2.7%	11.5%
Grade 7	80.0%	3.7%	2.1%	1.5%	1.3%	1.6%	9.8%
Grade 8	71.9%	7.8%	3.6%	3.1%	2.7%	2.3%	8.7%
Grade 9	51.6%	11.6%	6.9%	7.1%	5.9%	3.2%	13.7%
Grade 10	42.2%	12.8%	10.3%	10.2%	9.2%	3.3%	11.9%
Grade 11	34.8%	13.0%	10.0%	12.8%	13.0%	2.7%	13.7%
Grade 12	31.1%	15.3%	11.1%	14.2%	14.0%	2.8%	11.4%

region3
Spring 2006

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	82.8%	7.7%	3.9%	2.9%	1.8%	0.9%
	Grade 7	94.2%	2.0%	1.5%	1.1%	0.6%	0.7%
	Grade 8	88.5%	4.2%	2.2%	2.6%	1.6%	0.9%
	Grade 9	83.3%	6.7%	3.8%	3.3%	1.9%	1.1%
	Grade 10	78.2%	9.6%	5.0%	3.8%	2.4%	1.1%
	Grade 11	75.0%	12.5%	5.9%	3.6%	2.4%	0.6%
	Grade 12	73.6%	13.8%	6.0%	3.5%	2.3%	0.8%
Blunts?	All	82.7%	6.0%	3.5%	3.5%	3.4%	0.8%
	Grade 7	94.6%	1.6%	1.2%	1.1%	0.8%	0.6%
	Grade 8	89.8%	3.4%	1.9%	2.2%	1.8%	0.9%
	Grade 9	83.4%	5.5%	3.9%	3.0%	3.3%	0.9%
	Grade 10	78.1%	7.4%	4.4%	4.4%	4.7%	1.0%
	Grade 11	73.7%	9.9%	4.6%	5.8%	5.4%	0.6%
	Grade 12	72.2%	10.2%	5.6%	6.0%	5.4%	0.8%
Bongs or water pipes?	All	86.5%	5.4%	2.8%	2.7%	1.9%	0.7%
	Grade 7	96.7%	1.1%	0.8%	0.4%	0.5%	0.6%
	Grade 8	92.6%	2.7%	1.4%	1.6%	1.0%	0.7%
	Grade 9	88.2%	4.7%	2.4%	2.0%	1.9%	0.8%
	Grade 10	82.0%	7.1%	3.4%	4.2%	2.5%	0.8%
	Grade 11	78.6%	8.9%	4.6%	4.4%	2.9%	0.6%
	Grade 12	76.7%	9.8%	5.1%	4.7%	3.0%	0.7%
Pipes?	All	85.8%	4.4%	3.0%	3.6%	2.5%	0.7%
	Grade 7	96.1%	1.5%	0.8%	0.6%	0.5%	0.6%
	Grade 8	92.5%	2.2%	1.5%	1.6%	1.3%	0.8%
	Grade 9	87.1%	4.1%	2.6%	3.0%	2.5%	0.7%
	Grade 10	81.7%	5.3%	4.0%	4.4%	3.6%	1.0%
	Grade 11	77.7%	7.2%	4.6%	6.3%	3.7%	0.5%
	Grade 12	75.2%	7.6%	5.3%	7.1%	4.2%	0.7%
Some other way?	All	90.0%	4.9%	1.3%	1.1%	1.3%	1.5%
	Grade 7	96.8%	1.1%	0.4%	0.5%	0.5%	0.7%
	Grade 8	93.7%	2.5%	0.8%	0.8%	1.0%	1.1%
	Grade 9	90.4%	4.3%	1.3%	1.1%	1.3%	1.6%
	Grade 10	87.2%	6.0%	1.7%	1.6%	1.6%	1.9%
	Grade 11	85.6%	7.5%	2.1%	1.4%	1.9%	1.6%
	Grade 12	84.0%	9.5%	1.7%	1.4%	1.5%	2.0%

region3
Spring 2006

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	84.3%	5.2%	3.6%	0.9%	1.0%	5.0%
Grade 7	88.0%	1.6%	1.5%	0.4%	1.2%	7.4%
Grade 8	87.3%	3.3%	2.5%	0.6%	0.9%	5.5%
Grade 9	84.0%	5.2%	3.1%	0.9%	0.9%	5.8%
Grade 10	83.3%	6.7%	4.0%	1.2%	0.9%	3.9%
Grade 11	81.7%	7.2%	5.1%	0.9%	1.3%	3.9%
Grade 12	80.2%	8.2%	6.2%	1.4%	0.8%	3.1%

region3
Spring 2006

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	62.5%	16.9%	11.0%	6.6%	3.0%
	Grade 7	84.7%	7.5%	2.6%	1.6%	3.6%
	Grade 8	74.4%	12.4%	6.8%	3.2%	3.3%
	Grade 9	63.2%	16.5%	11.0%	5.9%	3.4%
	Grade 10	53.2%	21.2%	13.4%	9.3%	2.9%
	Grade 11	48.4%	21.9%	16.6%	10.7%	2.4%
	Grade 12	43.5%	25.1%	18.4%	10.5%	2.5%
Cocaine?						
	All	84.7%	9.4%	1.5%	0.8%	3.7%
	Grade 7	88.9%	5.7%	1.0%	0.4%	4.0%
	Grade 8	84.6%	8.7%	1.5%	0.9%	4.2%
	Grade 9	83.6%	10.2%	1.6%	0.8%	3.8%
	Grade 10	81.4%	12.0%	2.0%	0.9%	3.8%
	Grade 11	83.9%	10.4%	1.9%	0.8%	2.9%
	Grade 12	85.9%	9.3%	1.2%	0.6%	3.0%
Crack?						
	All	86.2%	8.1%	1.2%	0.7%	3.8%
	Grade 7	89.3%	5.3%	0.9%	0.5%	4.1%
	Grade 8	84.9%	8.1%	1.6%	1.0%	4.3%
	Grade 9	84.7%	9.2%	1.4%	0.8%	3.9%
	Grade 10	83.7%	10.3%	1.3%	0.7%	4.0%
	Grade 11	86.7%	8.3%	1.1%	0.7%	3.1%
	Grade 12	88.5%	7.0%	0.6%	0.6%	3.3%
Ecstasy?						
	All	82.3%	9.1%	2.1%	0.9%	5.6%
	Grade 7	84.0%	5.1%	0.9%	0.5%	9.5%
	Grade 8	82.0%	7.5%	1.8%	1.1%	7.6%
	Grade 9	82.7%	9.2%	2.1%	1.1%	5.0%
	Grade 10	81.0%	11.3%	2.4%	0.9%	4.4%
	Grade 11	82.0%	10.9%	2.7%	1.1%	3.4%
	Grade 12	81.7%	11.5%	3.0%	0.8%	3.0%
Steroids?						
	All	74.3%	15.5%	4.4%	1.3%	4.5%
	Grade 7	80.7%	10.2%	2.8%	1.0%	5.2%
	Grade 8	75.4%	13.6%	4.0%	1.6%	5.5%
	Grade 9	73.5%	16.0%	4.5%	1.4%	4.5%
	Grade 10	70.7%	17.6%	6.0%	1.0%	4.6%
	Grade 11	71.9%	18.2%	4.9%	1.4%	3.7%
	Grade 12	72.6%	18.3%	4.4%	1.4%	3.4%
Heroin?						
	All	88.4%	5.4%	0.8%	0.7%	4.8%
	Grade 7	87.8%	4.3%	0.7%	0.5%	6.7%
	Grade 8	86.1%	5.9%	0.9%	0.8%	6.2%
	Grade 9	87.8%	6.2%	0.8%	0.6%	4.6%
	Grade 10	88.1%	6.4%	0.9%	0.5%	4.1%
	Grade 11	90.4%	4.5%	0.8%	1.0%	3.3%
	Grade 12	91.3%	4.3%	0.6%	0.6%	3.2%

region3
Spring 2006

Table D-15: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
DXM, Triple C?					
	All	1.4%	3.5%	5.8%	94.2%
	Grade 7	0.5%	1.7%	2.6%	97.4%
	Grade 8	0.6%	2.1%	3.2%	96.8%
	Grade 9	1.6%	4.0%	5.9%	94.1%
	Grade 10	2.2%	5.0%	7.7%	92.3%
	Grade 11	2.1%	4.4%	8.0%	92.0%
	Grade 12	2.0%	4.0%	8.6%	91.4%
Codeine?					
	All	2.3%	5.2%	7.9%	92.1%
	Grade 7	0.6%	1.4%	2.6%	97.4%
	Grade 8	0.9%	2.5%	4.3%	95.7%
	Grade 9	2.1%	5.1%	7.7%	92.3%
	Grade 10	3.3%	7.6%	10.9%	89.1%
	Grade 11	3.6%	7.9%	11.4%	88.6%
	Grade 12	3.7%	7.6%	12.3%	87.7%

region3
Spring 2006

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?					
	All	4.8%	7.3%	15.2%	84.8%
	Grade 7	6.4%	9.6%	16.8%	83.2%
	Grade 8	6.5%	10.1%	18.9%	81.1%
	Grade 9	4.7%	7.3%	15.7%	84.3%
	Grade 10	4.0%	6.0%	14.7%	85.3%
	Grade 11	3.6%	5.1%	12.5%	87.5%
	Grade 12	2.5%	4.3%	10.9%	89.1%
Liquid or spray paint?					
	All	1.2%	2.1%	5.9%	94.1%
	Grade 7	1.7%	2.7%	6.2%	93.8%
	Grade 8	1.8%	3.1%	7.7%	92.3%
	Grade 9	1.3%	2.1%	6.4%	93.6%
	Grade 10	0.8%	1.5%	5.4%	94.6%
	Grade 11	0.6%	1.4%	4.6%	95.4%
	Grade 12	0.9%	1.4%	4.6%	95.4%
Whiteout, correction fld?					
	All	1.2%	2.3%	6.1%	93.9%
	Grade 7	2.1%	3.5%	7.5%	92.5%
	Grade 8	1.8%	3.4%	8.5%	91.5%
	Grade 9	1.5%	2.6%	7.2%	92.8%
	Grade 10	0.5%	1.4%	5.4%	94.6%
	Grade 11	0.6%	1.2%	4.0%	96.0%
	Grade 12	0.7%	1.1%	3.0%	97.0%
Gasoline?					
	All	1.0%	1.5%	3.6%	96.4%
	Grade 7	1.1%	1.8%	4.3%	95.7%
	Grade 8	1.6%	2.2%	5.0%	95.0%
	Grade 9	1.1%	1.6%	3.6%	96.4%
	Grade 10	0.6%	1.1%	3.2%	96.8%
	Grade 11	0.7%	1.0%	2.9%	97.1%
	Grade 12	0.5%	0.7%	2.0%	98.0%
Freon?					
	All	0.5%	0.8%	1.9%	98.1%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.6%	0.8%	1.6%	98.4%
	Grade 9	0.6%	0.9%	1.9%	98.1%
	Grade 10	0.4%	0.8%	2.2%	97.8%
	Grade 11	0.4%	1.0%	2.4%	97.6%
	Grade 12	0.4%	0.7%	2.1%	97.9%
Poppers, Locker Room?					
	All	0.5%	0.8%	1.5%	98.5%
	Grade 7	0.7%	1.1%	1.8%	98.2%
	Grade 8	0.7%	1.1%	1.7%	98.3%
	Grade 9	0.6%	0.9%	1.6%	98.4%
	Grade 10	0.4%	0.6%	1.4%	98.6%
	Grade 11	0.3%	0.6%	1.2%	98.8%
	Grade 12	0.2%	0.4%	1.0%	99.0%

region3
Spring 2006

Table I-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Glue?					
	All	0.7%	1.3%	3.2%	96.8%
	Grade 7	1.2%	1.9%	3.8%	96.2%
	Grade 8	1.1%	1.8%	4.4%	95.6%
	Grade 9	0.8%	1.3%	3.1%	96.9%
	Grade 10	0.3%	0.7%	2.8%	97.2%
	Grade 11	0.5%	1.1%	2.8%	97.2%
	Grade 12	0.3%	0.5%	1.8%	98.2%
Paint,lacquer thinner?					
	All	0.9%	1.6%	3.8%	96.2%
	Grade 7	1.3%	2.0%	3.6%	96.4%
	Grade 8	1.3%	2.2%	4.9%	95.1%
	Grade 9	1.0%	1.7%	4.4%	95.6%
	Grade 10	0.5%	1.1%	3.7%	96.3%
	Grade 11	0.5%	1.2%	2.9%	97.1%
	Grade 12	0.6%	1.2%	3.0%	97.0%
Nitrous oxide?					
	All	1.1%	1.9%	4.3%	95.7%
	Grade 7	1.0%	1.4%	3.1%	96.9%
	Grade 8	1.4%	2.1%	4.4%	95.6%
	Grade 9	1.1%	2.0%	4.5%	95.5%
	Grade 10	0.9%	1.7%	5.0%	95.0%
	Grade 11	1.0%	2.1%	4.7%	95.3%
	Grade 12	1.1%	1.8%	4.5%	95.5%
Octane booster?					
	All	0.4%	0.5%	0.9%	99.1%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.4%	0.6%	1.1%	98.9%
	Grade 9	0.4%	0.6%	1.0%	99.0%
	Grade 10	0.3%	0.4%	0.8%	99.2%
	Grade 11	0.3%	0.4%	1.0%	99.0%
	Grade 12	0.3%	0.4%	0.7%	99.3%
Other sprays?					
	All	0.9%	1.6%	3.5%	96.5%
	Grade 7	1.6%	2.4%	4.6%	95.4%
	Grade 8	1.2%	2.2%	4.9%	95.1%
	Grade 9	1.0%	1.6%	3.8%	96.2%
	Grade 10	0.6%	1.1%	3.2%	96.8%
	Grade 11	0.6%	1.0%	2.2%	97.8%
	Grade 12	0.3%	0.6%	1.4%	98.6%
Other inhalants?					
	All	2.3%	3.6%	7.7%	92.3%
	Grade 7	2.9%	4.6%	9.2%	90.8%
	Grade 8	2.9%	4.8%	10.0%	90.0%
	Grade 9	2.8%	4.3%	8.6%	91.4%
	Grade 10	2.1%	3.1%	7.0%	93.0%
	Grade 11	1.5%	2.3%	6.0%	94.0%
	Grade 12	0.9%	1.5%	4.0%	96.0%

region3
Spring 2006

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	92.2%	0.2%	0.4%	0.7%	1.4%	1.6%	3.5%
Grade 7	90.9%	0.3%	0.7%	1.2%	1.9%	2.0%	2.9%
Grade 8	89.3%	0.5%	0.6%	1.0%	2.5%	1.7%	4.4%
Grade 9	91.8%	0.2%	0.4%	0.7%	1.7%	1.6%	3.6%
Grade 10	92.9%	0.1%	0.3%	0.3%	1.0%	1.8%	3.7%
Grade 11	94.2%	0.1%	0.1%	0.5%	0.7%	1.1%	3.3%
Grade 12	95.1%	0.0%	0.1%	0.2%	0.6%	0.9%	3.1%

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	87.0%	5.5%	4.3%	3.2%
Grade 7	85.8%	5.8%	5.1%	3.3%
Grade 8	83.7%	6.2%	6.0%	4.1%
Grade 9	86.6%	5.2%	4.5%	3.6%
Grade 10	87.4%	5.5%	3.9%	3.2%
Grade 11	89.2%	4.9%	3.2%	2.6%
Grade 12	90.1%	5.2%	2.6%	2.0%

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.7	11.5	11.9	12.5	13.2	13.9

**region3
Spring 2006**

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.8%	1.5%	0.3%	0.4%
Grade 7	97.1%	2.1%	0.3%	0.5%
Grade 8	96.6%	2.3%	0.5%	0.6%
Grade 9	97.7%	1.5%	0.3%	0.5%
Grade 10	98.5%	1.1%	0.1%	0.2%
Grade 11	98.4%	1.0%	0.2%	0.4%
Grade 12	98.9%	0.6%	0.2%	0.3%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	5.0
Inhalants Non-users:	3.8

Average days conduct problems reported	
Inhalants Users:	4.9
Inhalants Non-users:	1.6

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	84.6%	10.4%	3.0%	1.1%	0.9%
Grade 7	84.3%	10.1%	3.1%	1.4%	1.1%
Grade 8	82.4%	11.9%	3.7%	1.2%	0.8%
Grade 9	83.2%	10.8%	3.6%	1.3%	1.1%
Grade 10	84.2%	11.6%	2.8%	0.8%	0.6%
Grade 11	86.0%	9.5%	2.7%	0.9%	0.9%
Grade 12	89.0%	7.5%	1.7%	0.8%	1.0%

region3
Spring 2006

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	75.0%	16.1%	3.7%	1.0%	4.2%
Grade 7	79.6%	11.8%	3.2%	1.0%	4.4%
Grade 8	74.7%	15.3%	3.8%	1.2%	5.0%
Grade 9	74.6%	16.3%	4.2%	1.0%	4.0%
Grade 10	71.4%	19.1%	4.3%	0.9%	4.3%
Grade 11	74.9%	16.8%	3.5%	1.2%	3.5%
Grade 12	74.9%	17.8%	3.0%	0.9%	3.5%

region3
Spring 2006

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A school health class	All 45.1%
	Grade 7 40.0%
	Grade 8 47.1%
	Grade 9 53.0%
	Grade 10 53.5%
	Grade 11 39.1%
	Grade 12 33.9%
An assembly program	All 47.3%
	Grade 7 47.2%
	Grade 8 54.0%
	Grade 9 48.6%
	Grade 10 46.8%
	Grade 11 42.8%
	Grade 12 42.8%
Guidance counselor	All 21.7%
	Grade 7 25.0%
	Grade 8 32.7%
	Grade 9 21.2%
	Grade 10 18.6%
	Grade 11 15.5%
	Grade 12 15.3%
Science class	All 29.1%
	Grade 7 39.3%
	Grade 8 29.9%
	Grade 9 34.2%
	Grade 10 27.7%
	Grade 11 21.8%
	Grade 12 18.5%
Social studies class	All 12.0%
	Grade 7 11.0%
	Grade 8 12.7%
	Grade 9 13.0%
	Grade 10 10.8%
	Grade 11 12.7%
	Grade 12 11.7%
Student group session	All 12.8%
	Grade 7 10.6%
	Grade 8 12.2%
	Grade 9 11.4%
	Grade 10 14.4%
	Grade 11 13.8%
	Grade 12 14.9%

region3
Spring 2006

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?**
(Continued)

CATEGORY	Yes
An invited school guest	All 30.8%
	Grade 7 36.1%
	Grade 8 36.1%
	Grade 9 30.5%
	Grade 10 29.0%
	Grade 11 26.1%
	Grade 12 25.8%
Another source at school	All 32.3%
	Grade 7 33.0%
	Grade 8 33.6%
	Grade 9 33.5%
	Grade 10 34.8%
	Grade 11 28.9%
	Grade 12 28.8%
Any school source	All 61.4%
	Grade 7 56.4%
	Grade 8 63.9%
	Grade 9 65.3%
	Grade 10 65.1%
	Grade 11 58.3%
	Grade 12 57.9%

region3
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY	Yes
A counselor or program in	All 31.0%
	Grade 7 44.8%
	Grade 8 33.7%
	Grade 9 31.8%
	Grade 10 26.0%
	Grade 11 23.8%
	Grade 12 22.6%
Another adult in school (All 29.0%
	Grade 7 37.8%
	Grade 8 30.9%
	Grade 9 27.8%
	Grade 10 25.9%
	Grade 11 24.6%
	Grade 12 25.7%
A counselor or program ou	All 37.7%
	Grade 7 42.4%
	Grade 8 36.7%
	Grade 9 37.5%
	Grade 10 37.0%
	Grade 11 36.0%
	Grade 12 35.9%
Your parents	All 59.0%
	Grade 7 69.9%
	Grade 8 61.6%
	Grade 9 56.8%
	Grade 10 55.5%
	Grade 11 53.6%
	Grade 12 54.8%
A medical doctor	All 42.5%
	Grade 7 52.0%
	Grade 8 42.7%
	Grade 9 41.4%
	Grade 10 39.5%
	Grade 11 37.6%
	Grade 12 40.9%
Your friends	All 74.2%
	Grade 7 63.3%
	Grade 8 70.5%
	Grade 9 75.3%
	Grade 10 78.4%
	Grade 11 78.9%
	Grade 12 81.5%

region3
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

CATEGORY		Yes
Another adult (a relative	All	59.6%
	Grade 7	61.1%
	Grade 8	58.4%
	Grade 9	59.6%
	Grade 10	59.5%
	Grade 11	59.8%
	Grade 12	59.2%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY		Yes
Seek Help	All	5.8%
	Grade 7	5.1%
	Grade 8	5.9%
	Grade 9	6.5%
	Grade 10	6.3%
	Grade 11	5.6%
	Grade 12	4.9%

region3
Spring 2006

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	4.4%	24.8%	26.5%	36.3%	8.1%
Grade 7	6.7%	21.9%	21.5%	35.8%	14.1%
Grade 8	5.0%	23.7%	26.1%	35.8%	9.4%
Grade 9	4.9%	27.1%	26.3%	34.5%	7.2%
Grade 10	3.2%	26.4%	28.8%	36.3%	5.3%
Grade 11	3.2%	25.4%	29.7%	36.2%	5.5%
Grade 12	2.5%	23.9%	27.4%	40.3%	5.9%
Sometimes carry weapons?					
All	65.4%	21.4%	8.6%	3.5%	1.1%
Grade 7	79.2%	13.8%	4.4%	2.0%	0.7%
Grade 8	69.3%	19.3%	7.4%	3.1%	0.8%
Grade 9	64.6%	22.2%	8.5%	3.4%	1.2%
Grade 10	58.0%	25.6%	10.9%	4.2%	1.4%
Grade 11	60.0%	23.8%	10.9%	4.0%	1.3%
Grade 12	58.3%	25.1%	10.4%	4.6%	1.6%
Care about making good grades?					
All	2.4%	13.2%	22.3%	44.9%	17.2%
Grade 7	3.3%	14.3%	19.4%	38.4%	24.6%
Grade 8	3.1%	15.2%	23.1%	40.0%	18.5%
Grade 9	2.3%	15.0%	22.6%	44.6%	15.4%
Grade 10	2.1%	12.3%	24.0%	47.8%	13.7%
Grade 11	1.9%	10.5%	22.5%	49.0%	16.1%
Grade 12	1.3%	10.4%	22.3%	51.9%	14.0%
Belong/want to belong to a gang?					
All	75.7%	13.9%	6.0%	3.1%	1.3%
Grade 7	77.4%	13.5%	4.9%	2.8%	1.4%
Grade 8	72.8%	15.7%	6.8%	3.6%	1.1%
Grade 9	73.3%	15.3%	6.5%	3.6%	1.2%
Grade 10	74.2%	14.6%	6.6%	3.2%	1.3%
Grade 11	77.7%	12.4%	5.8%	2.8%	1.2%
Grade 12	80.5%	10.6%	5.1%	2.2%	1.5%
Wish they could drop out of school?					
All	61.0%	26.4%	7.7%	2.9%	1.9%
Grade 7	68.5%	20.5%	6.2%	2.8%	2.0%
Grade 8	62.9%	25.1%	6.6%	3.5%	2.0%
Grade 9	58.7%	27.9%	8.3%	3.2%	1.9%
Grade 10	55.4%	30.8%	8.8%	3.3%	1.7%
Grade 11	59.2%	28.1%	8.7%	2.4%	1.6%
Grade 12	61.3%	26.4%	8.0%	2.2%	2.1%

region3
Spring 2006

Table X-5: How safe do you feel when you are:

		Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
	Very Safe				
In your home?					
All	79.1%	18.4%	1.2%	0.5%	0.8%
Grade 7	78.3%	18.7%	1.5%	0.6%	1.0%
Grade 8	77.2%	20.3%	1.4%	0.3%	0.8%
Grade 9	75.4%	21.5%	1.5%	0.4%	1.2%
Grade 10	79.5%	17.9%	1.2%	0.6%	0.9%
Grade 11	82.0%	16.1%	0.9%	0.4%	0.7%
Grade 12	84.3%	14.1%	0.9%	0.4%	0.3%
Out in your neighbourhood					
All	43.6%	46.1%	6.9%	1.8%	1.7%
Grade 7	36.4%	49.6%	9.3%	2.3%	2.4%
Grade 8	38.8%	49.7%	7.9%	2.0%	1.6%
Grade 9	41.3%	47.9%	6.8%	1.8%	2.2%
Grade 10	46.5%	44.2%	6.0%	1.7%	1.7%
Grade 11	47.9%	44.3%	5.2%	1.6%	1.0%
Grade 12	54.1%	38.2%	5.4%	1.5%	0.8%
At school					
All	38.3%	48.4%	7.7%	3.2%	2.5%
Grade 7	42.9%	43.6%	7.4%	3.0%	3.1%
Grade 8	42.1%	45.6%	6.5%	3.0%	2.8%
Grade 9	33.1%	52.2%	8.6%	3.2%	2.9%
Grade 10	34.6%	51.6%	8.5%	2.9%	2.4%
Grade 11	34.5%	51.3%	8.2%	3.8%	2.2%
Grade 12	43.1%	45.5%	6.9%	3.1%	1.3%

region3
Spring 2006

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A website or online chat	All 23.1%
	Grade 7 16.0%
	Grade 8 21.3%
	Grade 9 23.3%
	Grade 10 26.9%
	Grade 11 25.6%
	Grade 12 26.8%
Books, magazines, poster	All 48.8%
	Grade 7 42.8%
	Grade 8 49.7%
	Grade 9 49.3%
	Grade 10 53.8%
	Grade 11 49.6%
	Grade 12 47.2%
TV, radio, or other audi	All 55.8%
	Grade 7 49.8%
	Grade 8 56.3%
	Grade 9 56.8%
	Grade 10 59.7%
	Grade 11 56.6%
	Grade 12 55.6%
Your parents	All 48.0%
	Grade 7 50.1%
	Grade 8 51.9%
	Grade 9 48.2%
	Grade 10 49.0%
	Grade 11 44.6%
	Grade 12 42.2%

region3
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.9%	18.2%	31.0%	69.0%
	Grade 7	4.1%	6.4%	15.2%	84.8%
	Grade 8	7.0%	11.1%	22.8%	77.2%
	Grade 9	11.8%	16.5%	29.9%	70.1%
	Grade 10	16.0%	22.3%	36.0%	64.0%
	Grade 11	19.4%	26.1%	41.5%	58.5%
	Grade 12	23.1%	31.8%	46.5%	53.5%
Alcohol					
	All	27.4%	40.0%	62.8%	37.2%
	Grade 7	12.7%	19.4%	44.0%	56.0%
	Grade 8	18.1%	28.3%	53.3%	46.7%
	Grade 9	26.2%	39.3%	64.0%	36.0%
	Grade 10	33.6%	48.6%	71.1%	28.9%
	Grade 11	37.0%	52.8%	73.2%	26.8%
	Grade 12	43.1%	59.4%	76.8%	23.2%
Inhalants					
	All	4.8%	7.3%	15.2%	84.8%
	Grade 7	6.4%	9.6%	16.8%	83.2%
	Grade 8	6.5%	10.1%	18.9%	81.1%
	Grade 9	4.7%	7.3%	15.7%	84.3%
	Grade 10	4.0%	6.0%	14.7%	85.3%
	Grade 11	3.6%	5.1%	12.5%	87.5%
	Grade 12	2.5%	4.3%	10.9%	89.1%
Any Illicit Drug					
	All	11.1%	16.1%	25.1%	74.9%
	Grade 7	2.7%	4.2%	7.6%	92.4%
	Grade 8	6.0%	8.7%	14.4%	85.6%
	Grade 9	10.5%	15.1%	23.8%	76.2%
	Grade 10	14.6%	21.0%	31.6%	68.4%
	Grade 11	18.1%	25.3%	38.1%	61.9%
	Grade 12	18.1%	26.9%	41.8%	58.2%
Marijuana					
	All	9.7%	14.7%	23.6%	76.4%
	Grade 7	2.1%	3.3%	6.4%	93.6%
	Grade 8	5.1%	7.7%	13.1%	86.9%
	Grade 9	8.8%	13.3%	21.8%	78.2%
	Grade 10	12.6%	19.2%	30.0%	70.0%
	Grade 11	16.3%	23.6%	36.7%	63.3%
	Grade 12	16.8%	25.6%	40.9%	59.1%
Marijuana Only					
	All	3.9%	6.7%	13.0%	87.0%
	Grade 7	0.9%	1.6%	3.7%	96.3%
	Grade 8	2.2%	3.6%	7.5%	92.5%
	Grade 9	3.7%	6.1%	12.2%	87.8%
	Grade 10	5.0%	8.7%	16.1%	83.9%
	Grade 11	6.4%	10.7%	19.9%	80.1%
	Grade 12	6.3%	11.3%	22.0%	78.0%

region3
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.0%	3.3%	6.0%	94.0%
	Grade 7	0.6%	1.1%	2.3%	97.7%
	Grade 8	1.3%	2.1%	3.5%	96.5%
	Grade 9	1.9%	3.2%	5.4%	94.6%
	Grade 10	2.4%	4.1%	7.2%	92.8%
	Grade 11	3.3%	4.9%	9.0%	91.0%
	Grade 12	3.2%	5.6%	10.0%	90.0%
Cocaine					
	All	1.8%	3.0%	5.3%	94.7%
	Grade 7	0.4%	0.7%	1.6%	98.4%
	Grade 8	1.1%	1.7%	2.8%	97.2%
	Grade 9	1.6%	2.8%	4.5%	95.5%
	Grade 10	2.2%	3.7%	6.6%	93.4%
	Grade 11	3.2%	4.7%	8.6%	91.4%
	Grade 12	3.1%	5.3%	9.8%	90.2%
Crack					
	All	0.5%	1.0%	2.0%	98.0%
	Grade 7	0.4%	0.7%	1.5%	98.5%
	Grade 8	0.6%	1.0%	1.8%	98.2%
	Grade 9	0.6%	1.2%	2.2%	97.8%
	Grade 10	0.5%	0.9%	2.2%	97.8%
	Grade 11	0.5%	1.1%	2.1%	97.9%
	Grade 12	0.5%	1.0%	1.9%	98.1%
Hallucinogens					
	All	1.3%	2.4%	4.5%	95.5%
	Grade 7	0.3%	0.5%	1.0%	99.0%
	Grade 8	0.7%	1.2%	2.2%	97.8%
	Grade 9	1.3%	1.8%	3.6%	96.4%
	Grade 10	1.8%	3.3%	6.6%	93.4%
	Grade 11	2.1%	3.5%	7.0%	93.0%
	Grade 12	2.3%	4.6%	8.0%	92.0%
Uppers					
	All	2.3%	3.6%	5.6%	94.4%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.9%	1.4%	2.0%	98.0%
	Grade 9	1.9%	3.3%	4.9%	95.1%
	Grade 10	3.6%	5.0%	7.7%	92.3%
	Grade 11	4.2%	6.5%	10.2%	89.8%
	Grade 12	3.7%	6.4%	10.5%	89.5%
Downers					
	All	2.4%	3.7%	5.5%	94.5%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.8%	1.4%	1.8%	98.2%
	Grade 9	1.8%	3.0%	4.5%	95.5%
	Grade 10	3.7%	5.3%	7.7%	92.3%
	Grade 11	4.6%	6.5%	10.0%	90.0%
	Grade 12	4.2%	6.9%	10.6%	89.4%

region3
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.6%	1.0%	1.6%	98.4%
	Grade 7	0.2%	0.4%	0.6%	99.4%
	Grade 8	0.6%	0.9%	1.4%	98.6%
	Grade 9	0.6%	1.0%	1.6%	98.4%
	Grade 10	0.7%	1.3%	2.3%	97.7%
	Grade 11	1.0%	1.4%	2.3%	97.7%
	Grade 12	0.7%	1.0%	1.8%	98.2%
Steroids					
	All	0.6%	0.9%	1.6%	98.4%
	Grade 7	0.5%	0.8%	1.4%	98.6%
	Grade 8	0.4%	0.7%	1.3%	98.7%
	Grade 9	0.5%	0.7%	1.4%	98.6%
	Grade 10	0.7%	1.0%	1.8%	98.2%
	Grade 11	0.9%	1.2%	1.8%	98.2%
	Grade 12	0.9%	1.1%	1.8%	98.2%
Ecstasy					
	All	1.7%	2.9%	5.0%	95.0%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	0.9%	1.6%	2.7%	97.3%
	Grade 9	1.6%	2.7%	4.5%	95.5%
	Grade 10	2.1%	3.9%	6.5%	93.5%
	Grade 11	2.6%	4.3%	7.8%	92.2%
	Grade 12	3.2%	5.2%	9.1%	90.9%
Heroin					
	All	0.6%	0.8%	1.5%	98.5%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.6%	0.8%	1.5%	98.5%
	Grade 9	0.7%	0.9%	1.9%	98.1%
	Grade 10	0.4%	0.7%	1.4%	98.6%
	Grade 11	0.5%	0.8%	1.9%	98.1%
	Grade 12	0.7%	0.9%	1.6%	98.4%

region3
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.2%	19.7%	32.9%	67.1%
	Grade 7	4.4%	7.0%	17.5%	82.5%
	Grade 8	7.2%	11.6%	24.3%	75.7%
	Grade 9	12.6%	17.8%	31.3%	68.7%
	Grade 10	17.4%	23.8%	37.9%	62.1%
	Grade 11	21.9%	28.7%	44.5%	55.5%
	Grade 12	28.0%	36.8%	50.3%	49.7%
Alcohol					
	All	27.0%	38.9%	61.3%	38.7%
	Grade 7	12.6%	19.3%	44.5%	55.5%
	Grade 8	17.1%	27.1%	52.4%	47.6%
	Grade 9	25.6%	37.9%	62.2%	37.8%
	Grade 10	32.0%	46.5%	68.8%	31.2%
	Grade 11	37.7%	51.7%	71.8%	28.2%
	Grade 12	45.3%	60.3%	74.8%	25.2%
Inhalants					
	All	4.7%	7.1%	15.4%	84.6%
	Grade 7	6.1%	9.4%	17.4%	82.6%
	Grade 8	6.0%	8.9%	17.9%	82.1%
	Grade 9	4.5%	6.9%	14.4%	85.6%
	Grade 10	3.7%	5.7%	15.0%	85.0%
	Grade 11	4.0%	5.7%	13.0%	87.0%
	Grade 12	3.1%	5.2%	13.9%	86.1%
Any Illicit Drug					
	All	12.3%	17.5%	26.8%	73.2%
	Grade 7	2.8%	4.3%	8.3%	91.7%
	Grade 8	6.3%	8.8%	15.3%	84.7%
	Grade 9	11.1%	16.4%	25.8%	74.2%
	Grade 10	16.1%	23.6%	34.2%	65.8%
	Grade 11	20.9%	28.3%	40.6%	59.4%
	Grade 12	21.8%	30.6%	45.8%	54.2%
Marijuana					
	All	11.1%	16.3%	25.7%	74.3%
	Grade 7	2.1%	3.5%	7.4%	92.6%
	Grade 8	5.5%	7.9%	14.0%	86.0%
	Grade 9	9.6%	14.8%	24.2%	75.8%
	Grade 10	14.7%	21.8%	32.8%	67.2%
	Grade 11	18.9%	26.7%	39.8%	60.2%
	Grade 12	20.4%	29.7%	45.3%	54.7%
Marijuana Only					
	All	4.8%	7.9%	14.8%	85.2%
	Grade 7	1.0%	1.9%	4.8%	95.2%
	Grade 8	2.8%	4.4%	9.2%	90.8%
	Grade 9	4.3%	7.4%	14.6%	85.4%
	Grade 10	6.5%	10.9%	19.1%	80.9%
	Grade 11	8.3%	12.9%	22.3%	77.7%
	Grade 12	7.6%	12.9%	23.1%	76.9%

region3
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.0%	3.3%	5.9%	94.1%
	Grade 7	0.6%	0.9%	2.2%	97.8%
	Grade 8	1.2%	1.7%	2.9%	97.1%
	Grade 9	1.6%	2.9%	4.6%	95.4%
	Grade 10	2.3%	3.8%	7.1%	92.9%
	Grade 11	3.6%	5.4%	9.7%	90.3%
	Grade 12	3.7%	6.3%	11.7%	88.3%
Cocaine					
	All	1.8%	3.0%	5.4%	94.6%
	Grade 7	0.4%	0.7%	1.6%	98.4%
	Grade 8	1.0%	1.4%	2.3%	97.7%
	Grade 9	1.3%	2.5%	4.0%	96.0%
	Grade 10	2.1%	3.4%	6.6%	93.4%
	Grade 11	3.4%	5.1%	9.4%	90.6%
	Grade 12	3.7%	6.2%	11.7%	88.3%
Crack					
	All	0.5%	0.9%	1.8%	98.2%
	Grade 7	0.5%	0.7%	1.6%	98.4%
	Grade 8	0.5%	0.8%	1.5%	98.5%
	Grade 9	0.6%	1.2%	1.8%	98.2%
	Grade 10	0.4%	0.6%	1.9%	98.1%
	Grade 11	0.7%	1.5%	2.4%	97.6%
	Grade 12	0.5%	0.8%	1.6%	98.4%
Hallucinogens					
	All	1.7%	2.9%	5.2%	94.8%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.8%	1.2%	2.2%	97.8%
	Grade 9	1.4%	2.1%	4.2%	95.8%
	Grade 10	2.0%	3.6%	7.2%	92.8%
	Grade 11	2.7%	4.7%	8.6%	91.4%
	Grade 12	3.3%	6.8%	10.7%	89.3%
Uppers					
	All	2.0%	3.1%	5.0%	95.0%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	0.6%	0.9%	1.3%	98.7%
	Grade 9	1.4%	2.7%	3.9%	96.1%
	Grade 10	2.7%	4.0%	6.5%	93.5%
	Grade 11	3.9%	6.2%	9.4%	90.6%
	Grade 12	4.2%	6.6%	11.0%	89.0%
Downers					
	All	2.3%	3.5%	5.2%	94.8%
	Grade 7	0.3%	0.4%	0.6%	99.4%
	Grade 8	0.5%	0.9%	1.1%	98.9%
	Grade 9	1.7%	2.8%	4.0%	96.0%
	Grade 10	3.2%	4.8%	6.9%	93.1%
	Grade 11	4.2%	6.7%	10.0%	90.0%
	Grade 12	5.3%	7.6%	11.9%	88.1%

region3
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.6%	0.9%	1.4%	98.6%
	Grade 7	0.3%	0.4%	0.6%	99.4%
	Grade 8	0.6%	0.9%	1.2%	98.8%
	Grade 9	0.5%	0.9%	1.6%	98.4%
	Grade 10	0.5%	1.0%	2.0%	98.0%
	Grade 11	1.1%	1.4%	2.1%	97.9%
	Grade 12	0.6%	0.8%	1.2%	98.8%
Steroids					
	All	1.0%	1.4%	2.3%	97.7%
	Grade 7	0.8%	1.1%	1.8%	98.2%
	Grade 8	0.6%	1.0%	1.9%	98.1%
	Grade 9	0.8%	1.1%	1.9%	98.1%
	Grade 10	1.1%	1.6%	2.7%	97.3%
	Grade 11	1.4%	1.9%	2.8%	97.2%
	Grade 12	1.6%	1.9%	3.0%	97.0%
Ecstasy					
	All	1.8%	2.8%	4.9%	95.1%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.8%	1.2%	2.1%	97.9%
	Grade 9	1.5%	2.4%	4.1%	95.9%
	Grade 10	2.1%	3.5%	6.0%	94.0%
	Grade 11	3.2%	4.8%	8.8%	91.2%
	Grade 12	3.9%	5.7%	9.7%	90.3%
Heroin					
	All	0.7%	0.8%	1.5%	98.5%
	Grade 7	0.5%	0.5%	1.1%	98.9%
	Grade 8	0.5%	0.8%	1.4%	98.6%
	Grade 9	0.7%	0.7%	1.5%	98.5%
	Grade 10	0.6%	0.8%	1.2%	98.8%
	Grade 11	0.8%	1.1%	2.4%	97.6%
	Grade 12	1.0%	1.1%	1.7%	98.3%

region3
Spring 2006

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	11.6%	16.7%	29.1%	70.9%
	Grade 7	3.9%	5.9%	13.0%	87.0%
	Grade 8	6.7%	10.5%	21.3%	78.7%
	Grade 9	11.0%	15.1%	28.7%	71.3%
	Grade 10	14.6%	20.9%	34.3%	65.7%
	Grade 11	17.2%	24.0%	38.8%	61.2%
	Grade 12	18.7%	27.4%	43.2%	56.8%
Alcohol					
	All	27.9%	41.2%	64.2%	35.8%
	Grade 7	12.7%	19.6%	43.6%	56.4%
	Grade 8	19.1%	29.5%	54.3%	45.7%
	Grade 9	26.8%	40.6%	65.9%	34.1%
	Grade 10	35.2%	50.5%	73.2%	26.8%
	Grade 11	36.4%	53.7%	74.3%	25.7%
	Grade 12	41.1%	58.7%	78.6%	21.4%
Inhalants					
	All	4.8%	7.4%	15.0%	85.0%
	Grade 7	6.7%	9.8%	16.2%	83.8%
	Grade 8	7.0%	11.3%	19.8%	80.2%
	Grade 9	5.0%	7.7%	17.1%	82.9%
	Grade 10	4.3%	6.3%	14.5%	85.5%
	Grade 11	3.1%	4.5%	12.1%	87.9%
	Grade 12	2.0%	3.4%	8.2%	91.8%
Any Illicit Drug					
	All	10.0%	14.7%	23.4%	76.6%
	Grade 7	2.7%	4.2%	7.0%	93.0%
	Grade 8	5.6%	8.5%	13.3%	86.7%
	Grade 9	9.8%	13.9%	21.9%	78.1%
	Grade 10	13.1%	18.6%	29.0%	71.0%
	Grade 11	15.7%	22.5%	35.8%	64.2%
	Grade 12	14.9%	23.6%	38.2%	61.8%
Marijuana					
	All	8.5%	13.2%	21.6%	78.4%
	Grade 7	2.0%	3.2%	5.3%	94.7%
	Grade 8	4.6%	7.5%	12.1%	87.9%
	Grade 9	7.9%	11.8%	19.4%	80.6%
	Grade 10	10.6%	16.8%	27.3%	72.7%
	Grade 11	13.9%	20.8%	33.9%	66.1%
	Grade 12	13.6%	22.1%	36.8%	63.2%
Marijuana Only					
	All	3.1%	5.5%	11.2%	88.8%
	Grade 7	0.8%	1.3%	2.7%	97.3%
	Grade 8	1.6%	2.7%	5.8%	94.2%
	Grade 9	3.1%	4.9%	9.9%	90.1%
	Grade 10	3.7%	6.6%	13.3%	86.7%
	Grade 11	4.8%	8.9%	17.8%	82.2%
	Grade 12	5.1%	9.9%	20.9%	79.1%

region3
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.0%	3.4%	6.0%	94.0%
	Grade 7	0.6%	1.2%	2.4%	97.6%
	Grade 8	1.4%	2.5%	4.1%	95.9%
	Grade 9	2.1%	3.5%	6.1%	93.9%
	Grade 10	2.5%	4.3%	7.3%	92.7%
	Grade 11	3.1%	4.4%	8.3%	91.7%
	Grade 12	2.9%	5.0%	8.5%	91.5%
Cocaine					
	All	1.8%	3.0%	5.2%	94.8%
	Grade 7	0.4%	0.7%	1.5%	98.5%
	Grade 8	1.2%	1.9%	3.2%	96.8%
	Grade 9	1.9%	3.0%	5.1%	94.9%
	Grade 10	2.3%	4.0%	6.5%	93.5%
	Grade 11	3.0%	4.3%	8.0%	92.0%
	Grade 12	2.6%	4.5%	8.0%	92.0%
Crack					
	All	0.5%	1.0%	2.1%	97.9%
	Grade 7	0.4%	0.8%	1.4%	98.6%
	Grade 8	0.6%	1.2%	2.1%	97.9%
	Grade 9	0.6%	1.2%	2.5%	97.5%
	Grade 10	0.6%	1.2%	2.5%	97.5%
	Grade 11	0.3%	0.7%	1.8%	98.2%
	Grade 12	0.4%	1.1%	2.2%	97.8%
Hallucinogens					
	All	1.0%	1.9%	3.8%	96.2%
	Grade 7	0.2%	0.6%	1.0%	99.0%
	Grade 8	0.5%	1.1%	2.1%	97.9%
	Grade 9	1.1%	1.5%	3.0%	97.0%
	Grade 10	1.6%	3.0%	6.0%	94.0%
	Grade 11	1.5%	2.5%	5.5%	94.5%
	Grade 12	1.4%	2.8%	5.5%	94.5%
Uppers					
	All	2.6%	4.0%	6.3%	93.7%
	Grade 7	0.4%	0.4%	0.9%	99.1%
	Grade 8	1.1%	1.8%	2.7%	97.3%
	Grade 9	2.3%	3.8%	5.9%	94.1%
	Grade 10	4.5%	6.0%	8.8%	91.2%
	Grade 11	4.5%	6.8%	10.7%	89.3%
	Grade 12	3.3%	6.2%	10.0%	90.0%
Downers					
	All	2.5%	3.8%	5.8%	94.2%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	1.0%	1.8%	2.4%	97.6%
	Grade 9	1.9%	3.2%	5.0%	95.0%
	Grade 10	4.1%	5.7%	8.5%	91.5%
	Grade 11	4.9%	6.4%	9.9%	90.1%
	Grade 12	3.3%	6.3%	9.4%	90.6%

region3
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.6%	1.1%	1.8%	98.2%
	Grade 7	0.2%	0.5%	0.7%	99.3%
	Grade 8	0.5%	1.0%	1.5%	98.5%
	Grade 9	0.8%	1.0%	1.7%	98.3%
	Grade 10	0.8%	1.6%	2.5%	97.5%
	Grade 11	0.9%	1.4%	2.4%	97.6%
	Grade 12	0.7%	1.2%	2.3%	97.7%
Steroids					
	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.3%	0.4%	1.0%	99.0%
	Grade 8	0.2%	0.3%	0.8%	99.2%
	Grade 9	0.3%	0.3%	1.0%	99.0%
	Grade 10	0.4%	0.5%	1.1%	98.9%
	Grade 11	0.4%	0.6%	1.0%	99.0%
	Grade 12	0.2%	0.4%	0.6%	99.4%
Ecstasy					
	All	1.6%	3.0%	5.1%	94.9%
	Grade 7	0.4%	0.7%	1.4%	98.6%
	Grade 8	1.1%	1.9%	3.1%	96.9%
	Grade 9	1.8%	2.9%	4.8%	95.2%
	Grade 10	2.0%	4.2%	7.0%	93.0%
	Grade 11	2.1%	3.9%	6.9%	93.1%
	Grade 12	2.6%	4.7%	8.6%	91.4%
Heroin					
	All	0.5%	0.7%	1.5%	98.5%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.6%	0.8%	1.6%	98.4%
	Grade 9	0.8%	1.1%	2.3%	97.7%
	Grade 10	0.2%	0.6%	1.5%	98.5%
	Grade 11	0.3%	0.6%	1.4%	98.6%
	Grade 12	0.5%	0.8%	1.6%	98.4%

region3
Spring 2006

Table B4: Prevalence and recency of use of selected substances by grade
White students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	14.9%	20.5%	31.5%	68.5%
Alcohol	All	28.2%	41.6%	61.9%	38.1%
Inhalants	All	4.3%	6.9%	14.8%	85.2%
Any Illicit Drug	All	11.6%	16.6%	24.3%	75.7%
Marijuana	All	10.0%	15.0%	22.8%	77.2%
Marijuana Only	All	3.4%	6.0%	11.4%	88.6%
Cocaine or Crack	All	1.8%	3.1%	5.3%	94.7%
Cocaine	All	1.7%	2.7%	4.7%	95.3%
Crack	All	0.3%	0.9%	1.7%	98.3%
Hallucinogens	All	1.7%	3.1%	5.7%	94.3%
Uppers	All	3.2%	5.0%	7.6%	92.4%
Downers	All	3.2%	4.9%	7.2%	92.8%
Rohypnol	All	0.6%	1.0%	1.7%	98.3%
Steroids	All	0.6%	0.9%	1.7%	98.3%
Ecstasy	All	2.0%	3.4%	5.5%	94.5%
Heroin	All	0.5%	0.7%	1.4%	98.6%

region3
Spring 2006

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.1%	8.8%	23.1%	76.9%
Alcohol	All	20.8%	32.3%	61.2%	38.8%
Inhalants	All	3.4%	5.2%	11.0%	89.0%
Any Illicit Drug	All	8.6%	13.3%	24.2%	75.8%
Marijuana	All	8.0%	12.6%	23.4%	76.6%
Marijuana Only	All	6.0%	9.9%	19.4%	80.6%
Cocaine or Crack	All	0.6%	1.0%	1.7%	98.3%
Cocaine	All	0.5%	0.8%	1.4%	98.6%
Crack	All	0.4%	0.5%	0.8%	99.2%
Hallucinogens	All	0.4%	0.5%	1.0%	99.0%
Uppers	All	0.5%	0.7%	1.2%	98.8%
Downers	All	0.5%	0.9%	1.5%	98.5%
Rohypnol	All	0.3%	0.4%	0.6%	99.4%
Steroids	All	0.6%	0.9%	1.5%	98.5%
Ecstasy	All	0.9%	1.5%	2.4%	97.6%
Heroin	All	0.4%	0.5%	0.8%	99.2%

region3
Spring 2006

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	15.0%	22.1%	39.5%	60.5%
Alcohol	All	33.8%	46.1%	70.8%	29.2%
Inhalants	All	6.9%	9.9%	20.4%	79.6%
Any Illicit Drug	All	14.1%	20.0%	32.3%	67.7%
Marijuana	All	12.3%	18.4%	30.4%	69.6%
Marijuana Only	All	4.4%	7.1%	14.7%	85.3%
Cocaine or Crack	All	4.3%	6.9%	12.3%	87.7%
Cocaine	All	3.9%	6.3%	11.3%	88.7%
Crack	All	1.1%	1.8%	3.7%	96.3%
Hallucinogens	All	1.1%	1.9%	3.9%	96.1%
Uppers	All	1.8%	2.8%	4.6%	95.4%
Downers	All	1.9%	2.9%	4.6%	95.4%
Rohypnol	All	1.1%	1.7%	2.7%	97.3%
Steroids	All	0.6%	0.7%	1.4%	98.6%
Ecstasy	All	1.8%	3.1%	6.2%	93.8%
Heroin	All	0.9%	1.2%	2.4%	97.6%

**region3
Spring 2006**

The FREQ Procedure

Frequency Missing = 8349.4757241

GENDER		
q1	Frequency	Percent
Female	276E3	51.04
Male	265E3	48.96

Frequency Missing = 1205.7199486

GRADE		
q2	Frequency	Percent
Grade 7	96831	17.88
Grade 8	97113	17.94
Grade 9	102E3	18.84
Grade 10	94775	17.50
Grade 11	78708	14.54
Grade 12	72038	13.30

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	187E3	34.77
Yes	351E3	65.23

Frequency Missing = 2628.5305835

AGE		
q4	Frequency	Percent
11 or younger	470	0.09
12	31203	5.78
13	89640	16.60
14	98848	18.31
15	98965	18.33
16	92758	17.18
17	79793	14.78
18	44893	8.32
19 or older	3273	0.61

Frequency Missing = 1611.6452677

ETHNICITY		
q5	Frequency	Percent
African/American	81031	15.20
Asian/American	29155	5.47
Mexican/American	95234	17.86
Native/American	5086	0.95
Other	27515	5.16
White	295E3	55.35

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	195E3	36.35
Mostly B's	252E3	47.02
Mostly C's	79367	14.82
Mostly D's	6201	1.16
Mostly F's	3428	0.64

Frequency Missing = 5994.0362633

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	61920	11.58
2-3 years	92012	17.21
>4 years	381E3	71.22

Frequency Missing = 6685.4535223

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	39E4	73.08
Yes	144E3	26.92

Frequency Missing = 8133.7790054

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	32E4	60.37
Yes	21E4	39.63

Frequency Missing = 10620.75307

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	65879	12.38
No	155E3	29.18
Yes	311E3	58.44

Frequency Missing = 9357.6259683

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	74021	13.95
No	33E4	62.20
Yes	127E3	23.86

Frequency Missing = 10669.260623

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	253E3	51.16
Yes	242E3	48.84

Frequency Missing = 46656.835318

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	369E3	81.59
Yes	83381	18.41

Frequency Missing = 88642.118576

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	373E3	87.05
Yes	55448	12.95

Frequency Missing = 113211.15033

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	346E3	80.57
Yes	83413	19.43

Frequency Missing = 112235.77713

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region3
Spring 2006**

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	384E3	91.02
Yes	37846	8.98

Frequency Missing = 120027.61723

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	407E3	89.98
Yes	45311	10.02

Frequency Missing = 89457.288334

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	233E3	43.55
Somewhat Safe	247E3	46.05
Not Very Safe	36900	6.89
Not Safe At All	9878	1.85
Don't Know	8886	1.66

Frequency Missing = 6149.0867933

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	403E3	94.81
Yes	22062	5.19

Frequency Missing = 115959.20853

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	356E3	77.59
Yes	103E3	22.41

Frequency Missing = 82780.495907

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	205E3	38.26
Somewhat Safe	259E3	48.35
Not Very Safe	41290	7.71
Not Safe At All	16940	3.16
Don't Know	13517	2.52

Frequency Missing = 5667.4776579

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	405E3	95.31
Yes	19902	4.69

Frequency Missing = 117025.61622

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	281E3	58.76
Yes	197E3	41.24

Frequency Missing = 62639.055091

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	23390	4.37
A Few	133E3	24.79
Some	142E3	26.49
Most	194E3	36.29
All	43124	8.06

Frequency Missing = 6456.5396939

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	364E3	82.71
Yes	76217	17.29

Frequency Missing = 100742.6013

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	304E3	64.22
Yes	169E3	35.78

Frequency Missing = 68779.592498

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	378E3	85.68
Yes	63203	14.32

Frequency Missing = 100119.98779

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	425E3	79.10
Somewhat Safe	98673	18.38
Not Very Safe	6662	1.24
Not Safe At All	2458	0.46
Don't Know	4417	0.82

Frequency Missing = 4601.6085103

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	344E3	65.36
A Few	113E3	21.40
Some	45309	8.60
Most	18344	3.48
All	6050	1.15

Frequency Missing = 14704.71609

**region3
Spring 2006**

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c	Frequency	Percent
None	12410	2.41
A Few	67978	13.18
Some	115E3	22.32
Most	231E3	44.88
All	88796	17.22

Frequency Missing = 25660.38074

HOW MANY FRIENDS BELONG TO A GANG		
q14d	Frequency	Percent
None	403E3	75.71
A Few	73999	13.90
Some	31958	6.00
Most	16424	3.09
All	6892	1.29

Frequency Missing = 9188.765552

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e	Frequency	Percent
None	326E3	61.04
A Few	141E3	26.43
Some	41211	7.73
Most	15634	2.93
All	9948	1.87

Frequency Missing = 8144.6106731

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15	Frequency	Percent
No	294E3	59.22
Yes	202E3	40.78

Frequency Missing = 45059.424964

EVER INHALED SPRAY PAINT FOR KICKS		
	q16a	Frequency Percent
Never Heard/Used	494E3	94.08
In Your Lifetime	20112	3.83
Since School Began	4693	0.89
In the Past Month	6281	1.20

Frequency Missing = 16336.612198

EVER INHALED WHITEOUT FOR KICKS		
	q16b	Frequency Percent
Never Heard/Used	489E3	93.85
In Your Lifetime	20087	3.85
Since School Began	5473	1.05
In the Past Month	6498	1.25

Frequency Missing = 19998.213565

EVER INHALED GASOLINE FOR KICKS		
	q16c	Frequency Percent
Never Heard/Used	498E3	96.41
In Your Lifetime	11033	2.14
Since School Began	2491	0.48
In the Past Month	5007	0.97

Frequency Missing = 25194.907492

EVER INHALED FREON FOR KICKS		
	q16d	Frequency Percent
Never Heard/Used	508E3	98.11
In Your Lifetime	5647	1.09
Since School Began	1687	0.33
In the Past Month	2431	0.47

Frequency Missing = 23555.934398

EVER INHALED POPPERS, ETC. FOR KICKS		
	q16e	Frequency Percent
Never Heard/Used	51E4	98.53
In Your Lifetime	3374	0.65
Since School Began	1635	0.32
In the Past Month	2593	0.50

Frequency Missing = 23916.193382

EVER INHALED GLUE FOR KICKS		
	q16f	Frequency Percent
Never Heard/Used	502E3	96.79
In Your Lifetime	10077	1.94
Since School Began	2755	0.53
In the Past Month	3814	0.73

Frequency Missing = 22366.108036

EVER INHALED PAINT THINNERS FOR KICKS		
	q16g	Frequency Percent
Never Heard/Used	5E5	96.18
In Your Lifetime	11466	2.21
Since School Began	3818	0.74
In the Past Month	4564	0.88

Frequency Missing = 22105.108177

EVER INHALED NITROUS OXIDE FOR KICKS		
	q16h	Frequency Percent
Never Heard/Used	499E3	95.65
In Your Lifetime	12985	2.49
Since School Began	3953	0.76
In the Past Month	5739	1.10

Frequency Missing = 19674.69727

EVER INHALED OCTANE BOOSTER FOR KICKS		
	q16i	Frequency Percent
Never Heard/Used	515E3	99.08
In Your Lifetime	2180	0.42
Since School Began	665	0.13
In the Past Month	1925	0.37

Frequency Missing = 21584.514775

EVER INHALED OTHER SPRAYS FOR KICKS		
	q16j	Frequency Percent
Never Heard/Used	507E3	96.53
In Your Lifetime	10009	1.91
Since School Began	3331	0.63
In the Past Month	4898	0.93

Frequency Missing = 16197.855039

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region3
Spring 2006**

**EVER INHALED OTHER
INHALANTS FOR KICKS
q16k Frequency Percent**

Never Heard/Used	485E3	92.31
In Your Lifetime	21614	4.11
Since School Began	6905	1.31
In the Past Month	11915	2.27

Frequency Missing = 15975.74164

**RECENT CIGARETTE USE
q17a Frequency Percent**

Never Heard/Used	376E3	70.87
In Your Lifetime	65678	12.37
Since School Began	26238	4.94
In the Past Month	62700	11.81

Frequency Missing = 10638.297828

**RECENT SMOKELESS TOBACCO
USE
q17b Frequency Percent**

Never Heard/Used	48E4	91.04
In Your Lifetime	20798	3.95
Since School Began	9166	1.74
In the Past Month	17273	3.28

Frequency Missing = 14470.603829

**RECENT BEER USE
q17c Frequency Percent**

Never Heard/Used	276E3	52.48
In Your Lifetime	96477	18.37
Since School Began	52237	9.94
In the Past Month	101E3	19.21

Frequency Missing = 16151.725222

**RECENT WINE COOLER USE
q17d Frequency Percent**

Never Heard/Used	319E3	60.73
In Your Lifetime	88602	16.84
Since School Began	50360	9.57
In the Past Month	67660	12.86

Frequency Missing = 15358.009768

**RECENT WINE USE
q17e Frequency Percent**

Never Heard/Used	292E3	55.37
In Your Lifetime	118E3	22.35
Since School Began	53500	10.14
In the Past Month	64037	12.14

Frequency Missing = 13923.25854

**RECENT LIQUOR USE
q17f Frequency Percent**

Never Heard/Used	302E3	56.86
In Your Lifetime	75182	14.14
Since School Began	54058	10.16
In the Past Month	1E5	18.84

Frequency Missing = 9576.8847059

**RECENT MARIJUANA USE
q18a Frequency Percent**

Never Heard/Used	405E3	76.38
In Your Lifetime	47320	8.93
Since School Began	26240	4.95
In the Past Month	51566	9.73

Frequency Missing = 11745.741151

**RECENT COCAINE USE
q18b Frequency Percent**

Never Heard/Used	498E3	94.65
In Your Lifetime	12466	2.37
Since School Began	6073	1.15
In the Past Month	9569	1.82

Frequency Missing = 15690.440373

**RECENT CRACK USE
q18c Frequency Percent**

Never Heard/Used	511E3	98.05
In Your Lifetime	5067	0.97
Since School Began	2406	0.46
In the Past Month	2692	0.52

Frequency Missing = 20550.858803

**RECENT HALLUCINOGEN USE
q18e Frequency Percent**

Never Heard/Used	496E3	95.52
In Your Lifetime	11045	2.13
Since School Began	5281	1.02
In the Past Month	6937	1.34

Frequency Missing = 21886.525566

**RECENT UPPER USE
q18f Frequency Percent**

Never Heard/Used	49E4	94.36
In Your Lifetime	10527	2.03
Since School Began	6752	1.30
In the Past Month	12016	2.31

Frequency Missing = 22240.934687

**RECENT DOWNER USE
q18g Frequency Percent**

Never Heard/Used	489E3	94.50
In Your Lifetime	9377	1.81
Since School Began	6637	1.28
In the Past Month	12459	2.41

Frequency Missing = 23787.823465

**RECENT ROHYPNOL USE
q18h Frequency Percent**

Never Heard/Used	51E4	98.36
In Your Lifetime	3396	0.66
Since School Began	1930	0.37
In the Past Month	3161	0.61

Frequency Missing = 23179.580945

**RECENT STEROID USE
q18i Frequency Percent**

Never Heard/Used	507E3	98.42
In Your Lifetime	3559	0.69
Since School Began	1306	0.25
In the Past Month	3293	0.64

Frequency Missing = 26540.970146

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region3
Spring 2006**

RECENT ECSTASY USE

q18j Frequency Percent

Never Heard/Used	494E3	94.98
In Your Lifetime	11033	2.12
Since School Began	6139	1.18
In the Past Month	8939	1.72

Frequency Missing = 21098.462099

RECENT HEROIN USE

q18k Frequency Percent

Never Heard/Used	515E3	98.47
In Your Lifetime	4023	0.77
Since School Began	1064	0.20
In the Past Month	2891	0.55

Frequency Missing = 18925.6572

TOBACCO USE IN PAST MONTH

q19a Frequency Percent

Never Heard/Used	468E3	89.26
1-2 times	18719	3.57
3-10 times	13862	2.65
11+ times	23661	4.52

Frequency Missing = 17573.00975

ALCOHOL USE IN PAST MONTH

q19b Frequency Percent

Never Heard/Used	398E3	76.18
1-2 times	63113	12.09
3-10 times	45094	8.64
11+ times	16160	3.09

Frequency Missing = 19273.438045

INHALANT USE IN PAST MONTH

q19c Frequency Percent

Never Heard/Used	499E3	95.98
1-2 times	15117	2.91
3-10 times	4024	0.77
11+ times	1771	0.34

Frequency Missing = 21594.402652

MARIJUANA USE IN PAST MONTH

q19d Frequency Percent

Never Heard/Used	469E3	90.52
1-2 times	18516	3.57
3-10 times	15232	2.94
11+ times	15391	2.97

Frequency Missing = 23041.178807

COCAINE USE IN PAST MONTH

q19e Frequency Percent

Never Heard/Used	512E3	98.21
1-2 times	5187	0.99
3-10 times	2448	0.47
11+ times	1723	0.33

Frequency Missing = 19598.257274

CRACK USE IN PAST MONTH

q19f Frequency Percent

Never Heard/Used	52E4	99.46
1-2 times	1664	0.32
3-10 times	687	0.13
11+ times	469	0.09

Frequency Missing = 18209.739655

CLOSE FRIENDS USE

CIGARETTES

q20a Frequency Percent

Never heard/None	248E3	49.73
A few	143E3	28.77
Some	65011	13.04
Most	33306	6.68
All	8848	1.78

Frequency Missing = 43072.562031

CLOSE FRIENDS USE SMOKELESS

TOBACCO

q20b Frequency Percent

Never heard/None	359E3	72.36
A few	78100	15.74
Some	36888	7.43
Most	15132	3.05
All	7011	1.41

Frequency Missing = 45264.87348

CLOSE FRIENDS USE BEER

q20c Frequency Percent

Never heard/None	187E3	38.10
A few	114E3	23.22
Some	82579	16.83
Most	78710	16.04
All	28532	5.81

Frequency Missing = 50730.869093

**CLOSE FRIENDS USE WINE
COOLERS**

q20d Frequency Percent

Never heard/None	264E3	53.73
A few	99309	20.23
Some	65372	13.32
Most	45114	9.19
All	17310	3.53

Frequency Missing = 50586.98451

CLOSE FRIENDS USE WINE

q20e Frequency Percent

Never heard/None	278E3	56.73
A few	11E4	22.33
Some	54835	11.18
Most	32766	6.68
All	15088	3.08

Frequency Missing = 50940.973

CLOSE FRIENDS USE LIQUOR

q20f Frequency Percent

Never heard/None	227E3	46.87
A few	91670	18.90
Some	68988	14.23
Most	71297	14.70
All	25704	5.30

Frequency Missing = 56525.430911

**region3
Spring 2006**

CLOSE FRIENDS USE INHALANTS		
	q20g Frequency	Percent
Never heard/None	424E3	84.62
A few	52007	10.38
Some	14988	2.99
Most	5382	1.07
All	4688	0.94

Frequency Missing = 40291.582793

CLOSE FRIENDS USE MARIJUANA		
	q20h Frequency	Percent
Never heard/None	282E3	56.46
A few	91619	18.32
Some	61394	12.28
Most	48030	9.60
All	16715	3.34

Frequency Missing = 41324.03802

DIFFICULT TO GET CIGARETTES		
	q21a Frequency	Percent
Never heard of	38029	7.97
Impossible	87447	18.32
Very difficult	34253	7.18
Somewhat diff	47316	9.91
Somewhat easy	87821	18.40
Very easy	182E3	38.23

Frequency Missing = 64097.946936

DIFFICULT TO GET SMOKELESS TOBACCO		
	q21b Frequency	Percent
Never heard of	84701	17.72
Impossible	112E3	23.37
Very difficult	44498	9.31
Somewhat diff	52244	10.93
Somewhat easy	61571	12.88
Very easy	123E3	25.79

Frequency Missing = 63371.853355

DIFFICULT TO GET BEER		
	q21c Frequency	Percent
Never heard of	33130	7.12
Impossible	63202	13.59
Very difficult	28464	6.12
Somewhat diff	52927	11.38
Somewhat easy	101E3	21.70
Very easy	187E3	40.09

Frequency Missing = 76246.663169

DIFFICULT TO GET WINE COOLERS		
	q21d Frequency	Percent
Never heard of	64758	13.84
Impossible	73533	15.71
Very difficult	33737	7.21
Somewhat diff	55029	11.76
Somewhat easy	91046	19.45
Very easy	15E4	32.03

Frequency Missing = 73455.47785

DIFFICULT TO GET WINE		
	q21e Frequency	Percent
Never heard of	38993	8.40
Impossible	70668	15.23
Very difficult	34965	7.54
Somewhat diff	58007	12.50
Somewhat easy	95096	20.50
Very easy	166E3	35.83

Frequency Missing = 77520.755986

DIFFICULT TO GET LIQUOR		
	q21f Frequency	Percent
Never heard of	40654	8.81
Impossible	87832	19.04
Very difficult	37825	8.20
Somewhat diff	50418	10.93
Somewhat easy	84218	18.25
Very easy	16E4	34.77

Frequency Missing = 80094.568407

DIFFICULT TO GET INHALANTS		
	q21g Frequency	Percent
Never heard of	68030	14.76
Impossible	78433	17.01
Very difficult	22798	4.95
Somewhat diff	30246	6.56
Somewhat easy	52856	11.47
Very easy	209E3	45.25

Frequency Missing = 80488.858257

DIFFICULT TO GET MARIJUANA		
	q21h Frequency	Percent
Never heard of	47729	10.19
Impossible	141E3	30.06
Very difficult	46143	9.85
Somewhat diff	50084	10.69
Somewhat easy	66241	14.14
Very easy	117E3	25.05

Frequency Missing = 73141.674377

DIFFICULT TO GET COCAINE		
	q21i Frequency	Percent
Never heard of	62070	13.22
Impossible	176E3	37.57
Very difficult	75431	16.07
Somewhat diff	66872	14.25
Somewhat easy	42915	9.14
Very easy	45780	9.75

Frequency Missing = 72054.058615

DIFFICULT TO GET CRACK		
	q21j Frequency	Percent
Never heard of	68043	14.43
Impossible	18E4	38.14
Very difficult	80935	17.17
Somewhat diff	65965	13.99
Somewhat easy	39463	8.37
Very easy	37218	7.89

Frequency Missing = 70014.979043

**region3
Spring 2006**

DIFFICULT TO GET HALLUCINOGENS		
	q21i	Frequency Percent
Never heard of	148E3	31.72
Impossible	132E3	28.27
Very difficult	65859	14.09
Somewhat diff	51460	11.01
Somewhat easy	34591	7.40
Very easy	35060	7.50

Frequency Missing = 74184.933843

DIFFICULT TO GET UPPERS		
	q21m	Frequency Percent
Never heard of	209E3	44.77
Impossible	97521	20.92
Very difficult	45608	9.78
Somewhat diff	40446	8.67
Somewhat easy	32938	7.06
Very easy	41009	8.80

Frequency Missing = 75201.355693

DIFFICULT TO GET DOWNERS		
	q21n	Frequency Percent
Never heard of	21E4	44.93
Impossible	99007	21.15
Very difficult	45052	9.62
Somewhat diff	39692	8.48
Somewhat easy	33303	7.11
Very easy	40785	8.71

Frequency Missing = 73234.901079

DIFFICULT TO GET ROHYPNOL		
	q21o	Frequency Percent
Never heard of	236E3	50.07
Impossible	102E3	21.63
Very difficult	49344	10.46
Somewhat diff	36718	7.78
Somewhat easy	21132	4.48
Very easy	26366	5.59

Frequency Missing = 69579.067251

DIFFICULT TO GET STEROIDS		
	q21p	Frequency Percent
Never heard of	79865	16.94
Impossible	177E3	37.63
Very difficult	74823	15.87
Somewhat diff	58532	12.42
Somewhat easy	39982	8.48
Very easy	40753	8.65

Frequency Missing = 70114.055275

DIFFICULT TO GET ECSTASY		
	q21q	Frequency Percent
Never heard of	115E3	24.30
Impossible	149E3	31.64
Very difficult	64618	13.70
Somewhat diff	52587	11.15
Somewhat easy	42950	9.11
Very easy	47604	10.10

Frequency Missing = 69909.287315

DIFFICULT TO GET HEROIN		
	q21r	Frequency Percent
Never heard of	97874	19.90
Impossible	197E3	40.13
Very difficult	83690	17.02
Somewhat diff	53705	10.92
Somewhat easy	28019	5.70
Very easy	31165	6.34

Frequency Missing = 49615.945395

AGE WHEN FIRST USED CIGARETTES		
	q22a	Frequency Percent
9 or younger	24451	15.22
10 years old	13632	8.48
11 years old	13137	8.18
12 years old	20057	12.48
13 years old	24280	15.11
14 years old	20666	12.86
15 years old	21793	13.56
16 years old	13769	8.57
17 years old	6840	4.26
18 or older	2047	1.27

Frequency Missing = 380784.38575

AGE WHEN FIRST USED SMOKELESS TOBACCO		
	q22b	Frequency Percent
9 or younger	3943	7.95
10 years old	2614	5.27
11 years old	3003	6.05
12 years old	5013	10.10
13 years old	6478	13.05
14 years old	7570	15.26
15 years old	9419	18.98
16 years old	7593	15.30
17 years old	3222	6.49
18 or older	766	1.54

Frequency Missing = 491833.87613

AGE WHEN FIRST USED BEER		
	q22c	Frequency Percent
9 or younger	53421	19.90
10 years old	22121	8.24
11 years old	20205	7.53
12 years old	31535	11.75
13 years old	38156	14.22
14 years old	36339	13.54
15 years old	36230	13.50
16 years old	21120	7.87
17 years old	7435	2.77
18 or older	1831	0.68

Frequency Missing = 273062.41877

AGE WHEN FIRST USED WINE COOLERS		
	q22d	Frequency Percent
9 or younger	27258	12.55
10 years old	16218	7.47
11 years old	18992	8.74
12 years old	28934	13.32
13 years old	37334	17.19
14 years old	33470	15.41
15 years old	29775	13.71
16 years old	17475	8.05
17 years old	6402	2.95
18 or older	1322	0.61

Frequency Missing = 324274.92543

**region3
Spring 2006**

AGE WHEN FIRST USED WINE		
q22e	Frequency	Percent
9 or younger	36205	14.55
10 years old	21748	8.74
11 years old	22777	9.15
12 years old	36082	14.50
13 years old	39349	15.81
14 years old	34379	13.82
15 years old	30376	12.21
16 years old	18975	7.63
17 years old	7313	2.94
18 or older	1644	0.66

Frequency Missing = 292606.51704

AGE WHEN FIRST USED MARIJUANA		
q22h	Frequency	Percent
9 or younger	5051	4.22
10 years old	4104	3.43
11 years old	6177	5.16
12 years old	12334	10.30
13 years old	21011	17.54
14 years old	24091	20.11
15 years old	23438	19.57
16 years old	14983	12.51
17 years old	7110	5.94
18 or older	1484	1.24

Frequency Missing = 421671.50926

AGE WHEN FIRST USED HALLUCINOGENS		
q22i	Frequency	Percent
9 or younger	359	1.66
10 years old	363	1.68
11 years old	748	3.45
12 years old	1367	6.31
13 years old	2766	12.77
14 years old	3388	15.64
15 years old	5175	23.89
16 years old	4741	21.89
17 years old	2311	10.67
18 or older	440	2.03

Frequency Missing = 519797.69258

AGE WHEN FIRST USED LIQUOR		
q22f	Frequency	Percent
9 or younger	17459	7.76
10 years old	10433	4.64
11 years old	12701	5.64
12 years old	24610	10.93
13 years old	37486	16.66
14 years old	40272	17.89
15 years old	41756	18.55
16 years old	27160	12.07
17 years old	10815	4.81
18 or older	2378	1.06

Frequency Missing = 316385.35036

AGE WHEN FIRST USED COCAINE		
q22i	Frequency	Percent
9 or younger	457	1.68
10 years old	488	1.79
11 years old	739	2.71
12 years old	1847	6.78
13 years old	3582	13.15
14 years old	4935	18.11
15 years old	5927	21.75
16 years old	5530	20.29
17 years old	3236	11.88
18 or older	510	1.87

Frequency Missing = 514203.82676

AGE WHEN FIRST USED UPPERS		
q22m	Frequency	Percent
9 or younger	660	2.26
10 years old	383	1.32
11 years old	914	3.14
12 years old	1618	5.55
13 years old	4086	14.02
14 years old	5611	19.26
15 years old	7203	24.72
16 years old	5667	19.45
17 years old	2526	8.67
18 or older	470	1.61

Frequency Missing = 512317.98457

AGE WHEN FIRST USED INHALANTS		
q22g	Frequency	Percent
9 or younger	8364	17.44
10 years old	5248	10.94
11 years old	5950	12.41
12 years old	8542	17.81
13 years old	8364	17.44
14 years old	5740	11.97
15 years old	3457	7.21
16 years old	1385	2.89
17 years old	723	1.51
18 or older	188	0.39

Frequency Missing = 493494.72422

AGE WHEN FIRST USED CRACK		
q22j	Frequency	Percent
9 or younger	508	5.24
10 years old	355	3.66
11 years old	470	4.84
12 years old	1013	10.44
13 years old	1840	18.98
14 years old	1805	18.61
15 years old	1643	16.94
16 years old	1270	13.10
17 years old	546	5.63
18 or older	248	2.56

Frequency Missing = 531757.87839

AGE WHEN FIRST USED DOWNERS		
q22n	Frequency	Percent
9 or younger	621	2.17
10 years old	402	1.40
11 years old	1074	3.75
12 years old	1735	6.06
13 years old	3763	13.14
14 years old	5589	19.52
15 years old	7110	24.83
16 years old	5676	19.82
17 years old	2347	8.20
18 or older	315	1.10

Frequency Missing = 512823.37155

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region3
Spring 2006**

AGE WHEN FIRST USED ROHYPNOL		
q22o	Frequency	Percent
9 or younger	342	4.89
10 years old	266	3.80
11 years old	478	6.82
12 years old	609	8.69
13 years old	1453	20.74
14 years old	1402	20.01
15 years old	1140	16.28
16 years old	851	12.15
17 years old	349	4.98
18 or older	115	1.63

Frequency Missing = 534449.51097

AGE WHEN FIRST USED STEROIDS		
q22p	Frequency	Percent
9 or younger	1411	18.70
10 years old	281	3.72
11 years old	376	4.99
12 years old	941	12.47
13 years old	1134	15.03
14 years old	904	11.98
15 years old	1212	16.07
16 years old	620	8.22
17 years old	456	6.05
18 or older	211	2.79

Frequency Missing = 533910.35256

AGE WHEN FIRST USED ECSTASY		
q22q	Frequency	Percent
9 or younger	356	1.41
10 years old	383	1.51
11 years old	733	2.89
12 years old	1114	4.40
13 years old	3299	13.02
14 years old	4474	17.65
15 years old	5630	22.22
16 years old	5553	21.91
17 years old	3150	12.43
18 or older	648	2.56

Frequency Missing = 516114.98306

AGE WHEN FIRST USED HEROIN		
q22r	Frequency	Percent
9 or younger	357	5.47
10 years old	252	3.86
11 years old	353	5.42
12 years old	568	8.71
13 years old	1222	18.75
14 years old	1334	20.47
15 years old	1017	15.60
16 years old	730	11.20
17 years old	381	5.85
18 or older	304	4.67

Frequency Missing = 534936.72428

HOW OFTEN NORMALLY USE CIGARETTES		
q23a	Frequency	Percent
Every day	16691	3.32
Several times/wk	11529	2.29
Several times/mo	16466	3.27
About once/month	25357	5.04
About once/year	22247	4.42
< once/year	43465	8.63
Never used	368E3	73.03

Frequency Missing = 38090.773059

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q23b	Frequency	Percent
Every day	3612	0.73
Several times/wk	3226	0.65
Several times/mo	3919	0.79
About once/month	7717	1.55
About once/year	8776	1.76
< once/year	17707	3.56
Never used	453E3	90.97

Frequency Missing = 43712.008029

HOW OFTEN NORMALLY USE BEER		
q23c	Frequency	Percent
Every day	1571	0.32
Several times/wk	14447	2.90
Several times/mo	49037	9.86
About once/month	62808	12.62
About once/year	51471	10.35
< once/year	55936	11.24
Never used	262E3	52.71

Frequency Missing = 43917.33676

HOW OFTEN NORMALLY USE WINE COOLERS		
q23d	Frequency	Percent
Every day	635	0.13
Several times/wk	7734	1.55
Several times/mo	31974	6.41
About once/month	50824	10.20
About once/year	56429	11.32
< once/year	47291	9.49
Never used	304E3	60.90

Frequency Missing = 42983.100479

HOW OFTEN NORMALLY USE WINE		
q23e	Frequency	Percent
Every day	777	0.16
Several times/wk	7158	1.43
Several times/mo	28642	5.74
About once/month	48386	9.69
About once/year	72481	14.52
< once/year	63514	12.72
Never used	278E3	55.75

Frequency Missing = 42138.500298

HOW OFTEN NORMALLY USE LIQUOR		
q23f	Frequency	Percent
Every day	1374	0.27
Several times/wk	11656	2.33
Several times/mo	48099	9.62
About once/month	60771	12.16
About once/year	50638	10.13
< once/year	39394	7.88
Never used	288E3	57.60

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region3
Spring 2006**

Frequency Missing = 41566.484614

HOW OFTEN NORMALLY USE INHALANTS		
q23g	Frequency	Percent
Every day	1101	0.22
Several times/wk	1941	0.39
Several times/mo	3333	0.68
About once/month	7115	1.45
About once/year	7659	1.56
< once/year	17358	3.53
Never used	453E3	92.17

Frequency Missing = 49712.073003

HOW OFTEN NORMALLY USE MARIJUANA		
q23h	Frequency	Percent
Every day	9181	1.86
Several times/wk	12134	2.46
Several times/mo	16254	3.30
About once/month	22585	4.59
About once/year	19375	3.94
< once/year	25106	5.10
Never used	388E3	78.75

Frequency Missing = 49124.87541

HOW OFTEN NORMALLY USE COCAINE		
q23i	Frequency	Percent
Every day	510	0.10
Several times/wk	1688	0.34
Several times/mo	3419	0.70
About once/month	5088	1.04
About once/year	5847	1.19
< once/year	7332	1.50
Never used	466E3	95.12

Frequency Missing = 51692.084831

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	890	0.18
Several times/wk	1840	0.37
Several times/mo	4835	0.98
About once/month	7926	1.60
About once/year	6110	1.24
< once/year	5410	1.09
Never used	467E3	94.54

HOW OFTEN NORMALLY USE CRACK		
q23j	Frequency	Percent
Every day	349	0.07
Several times/wk	698	0.14
Several times/mo	853	0.17
About once/month	1423	0.29
About once/year	2522	0.51
< once/year	3205	0.65
Never used	483E3	98.16

Frequency Missing = 49659.214205

HOW OFTEN NORMALLY USE HALLUCINOGENS		
q23l	Frequency	Percent
Every day	214	0.04
Several times/wk	423	0.09
Several times/mo	1764	0.36
About once/month	4179	0.84
About once/year	6364	1.29
< once/year	6695	1.35
Never used	475E3	96.03

Frequency Missing = 46800.889817

HOW OFTEN NORMALLY USE UPPERS		
q23m	Frequency	Percent
Every day	808	0.16
Several times/wk	1746	0.36
Several times/mo	4288	0.87
About once/month	7855	1.60
About once/year	6194	1.26
< once/year	6178	1.26
Never used	464E3	94.48

Frequency Missing = 50872.293955

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	890	0.18
Several times/wk	1840	0.37
Several times/mo	4835	0.98
About once/month	7926	1.60
About once/year	6110	1.24
< once/year	5410	1.09
Never used	467E3	94.54

Frequency Missing = 47135.643592

HOW OFTEN NORMALLY USE ROHYPNOL		
q23o	Frequency	Percent
Every day	306	0.06
Several times/wk	462	0.09
Several times/mo	728	0.15
About once/month	1257	0.26
About once/year	1773	0.36
< once/year	1935	0.40
Never used	481E3	98.67

Frequency Missing = 54171.895564

HOW OFTEN NORMALLY USE STEROIDS		
q23p	Frequency	Percent
Every day	904	0.19
Several times/wk	408	0.08
Several times/mo	946	0.19
About once/month	693	0.14
About once/year	950	0.19
< once/year	2442	0.50
Never used	482E3	98.70

Frequency Missing = 53111.465259

HOW OFTEN NORMALLY USE ECSTASY		
q23q	Frequency	Percent
Every day	373	0.08
Several times/wk	773	0.16
Several times/mo	2695	0.55
About once/month	4941	1.01
About once/year	6979	1.43
< once/year	7496	1.54
Never used	465E3	95.24

Frequency Missing = 53236.380131

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region3
Spring 2006**

**HOW OFTEN NORMALLY USE
HEROIN**

q23r Frequency Percent

Every day	449	0.09
Several times/wk	316	0.06
Several times/mo	748	0.15
About once/month	1118	0.23
About once/year	1199	0.24
< once/year	2399	0.48
Never used	489E3	98.74

Frequency Missing = 46698.758901

**HOW MANY CIGARETTES IN
PAST 30 DAYS**

q24 Frequency Percent

None	459E3	87.24
Less than 1	36992	7.03
> 1 and < 10	20361	3.87
> 10 and < 1pk	5877	1.12
> 1pk and < 2pks	3025	0.57
More than 2pks	889	0.17

Frequency Missing = 15350.68583

**AMOUNT OF BEER AT ONE
TIME**

q25a Frequency Percent

Never drink this	271E3	52.33
12+ drinks	16171	3.12
9-11 drinks	13032	2.51
5-8 drinks	31819	6.13
3-4 drinks	38328	7.39
2 drinks	33918	6.54
1 drink	40853	7.87
< 1 drink	73213	14.11

Frequency Missing = 22644.746231

**AMOUNT OF WINE COOLERS AT
ONE TIME**

q25b Frequency Percent

Never drink this	31E4	60.10
12+ drinks	9122	1.77
9-11 drinks	7373	1.43
5-8 drinks	19811	3.84
3-4 drinks	34892	6.77
2 drinks	38399	7.45
1 drink	46879	9.09
< 1 drink	49339	9.57

Frequency Missing = 25684.737704

**AMOUNT OF WINE AT ONE
TIME**

q25c Frequency Percent

Never drink this	285E3	55.17
12+ drinks	5444	1.06
9-11 drinks	3551	0.69
5-8 drinks	9505	1.84
3-4 drinks	21434	4.15
2 drinks	33010	6.40
1 drink	62327	12.08
< 1 drink	95990	18.61

Frequency Missing = 25547.232187

**AMOUNT OF LIQUOR AT ONE
TIME**

q25d Frequency Percent

Never drink this	292E3	56.30
12+ drinks	14450	2.79
9-11 drinks	12402	2.39
5-8 drinks	33509	6.46
3-4 drinks	43533	8.40
2 drinks	34001	6.56
1 drink	37739	7.28
< 1 drink	50903	9.82

Frequency Missing = 23067.834854

ALCOHOL

q26a Frequency Percent

Never 5+ at time	245E3	46.83
None	179E3	34.18
1 day	32378	6.20
2 days	21186	4.05
3 to 5 days	22754	4.35
6 to 9 days	11743	2.25
10 or more days	11164	2.14

Frequency Missing = 18852.840226

**GET ALCOHOLIC BEVERAGES
FROM HOME**

q27a Frequency Percent

Do not Drink	226E3	43.74
Never	127E3	24.58
Seldom	115E3	22.27
Most of the Time	33282	6.45
Always	15225	2.95

Frequency Missing = 25666.06726

**GET ALCOHOLIC BEVERAGES
FROM FRIENDS**

q27b Frequency Percent

Do not Drink	217E3	42.48
Never	95957	18.80
Seldom	71533	14.02
Most of the Time	87825	17.21
Always	38241	7.49

Frequency Missing = 31078.827091

**GET ALCOHOLIC BEVERAGES
FROM A STORE**

q27c Frequency Percent

Do not Drink	223E3	44.04
Never	208E3	41.09
Seldom	40721	8.03
Most of the Time	23672	4.67
Always	11039	2.18

Frequency Missing = 34066.297326

**GET ALCOHOLIC BEVERAGES
AT PARTIES**

q27d Frequency Percent

Do not Drink	212E3	41.56
Never	94579	18.57
Seldom	62190	12.21
Most of the Time	75419	14.81
Always	65490	12.86

Frequency Missing = 32064.782564

**region3
Spring 2006**

GET ALCOHOLIC BEVERAGES FROM OTHER		
q27e	Frequency	Percent
Do not Drink	222E3	43.90
Never	135E3	26.61
Seldom	72601	14.35
Most of the Time	41485	8.20
Always	35125	6.94

Frequency Missing = 35532.713531

USE MARIJUANA AS JOINTS		
q28a	Frequency	Percent
Never	423E3	82.79
Seldom	39405	7.71
Half the time	19999	3.91
Most of the time	15047	2.94
Always	9187	1.80
Don't know	4395	0.86

Frequency Missing = 30069.413128

USE MARIJUANA AS BLUNTS		
q28b	Frequency	Percent
Never	421E3	82.68
Seldom	30663	6.02
Half the time	17856	3.51
Most of the time	18024	3.54
Always	17464	3.43
Don't know	4171	0.82

Frequency Missing = 32433.983013

USE MARIJUANA IN BONGS OR WATER PIPES		
q28c	Frequency	Percent
Never	437E3	86.48
Seldom	27413	5.43
Half the time	13969	2.77
Most of the time	13824	2.74
Always	9523	1.89
Don't know	3549	0.70

Frequency Missing = 36278.622125

USE MARIJUANA IN PIPES		
q28d	Frequency	Percent
Never	435E3	85.76
Seldom	22445	4.43
Half the time	15005	2.96
Most of the time	18270	3.60
Always	12752	2.52
Don't know	3708	0.73

Frequency Missing = 34427.357439

USE MARIJUANA OTHER WAYS		
q28e	Frequency	Percent
Never	455E3	90.00
Seldom	24696	4.89
Half the time	6476	1.28
Most of the time	5579	1.10
Always	6334	1.25
Don't know	7449	1.47

Frequency Missing = 35986.957392

TAKE DXM, TRIPLE C'S, ETC. TO GET HIGH		
q29a	Frequency	Percent
Never heard/used	476E3	94.18
At least once/month	10277	2.03
At least once/year	7316	1.45
At least once/life	11793	2.33

Frequency Missing = 36370.949428

TAKE CODEINE COUGH SYRUP TO GET HIGH		
q29b	Frequency	Percent
Never heard/used	467E3	92.07
At least once/month	14627	2.88
At least once/year	11533	2.27
At least once/life	14063	2.77

Frequency Missing = 34161.79393

DANGEROUS FOR KIDS TO USE TOBACCO		
q30a	Frequency	Percent
Very	244E3	50.05
Somewhat	141E3	29.03
Not very	65862	13.53
Not at all	16825	3.46
Don't know	19160	3.94

Frequency Missing = 54610.449791

DANGEROUS FOR KIDS TO USE ALCOHOL		
q30b	Frequency	Percent
Very	225E3	46.37
Somewhat	159E3	32.68
Not very	73400	15.13
Not at all	15196	3.13
Don't know	13065	2.69

Frequency Missing = 56330.973844

DANGEROUS FOR KIDS TO USE INHALANTS		
q30c	Frequency	Percent
Very	357E3	75.01
Somewhat	76636	16.10
Not very	17589	3.70
Not at all	4958	1.04
Don't know	19771	4.15

Frequency Missing = 65495.898045

DANGEROUS FOR KIDS TO USE MARIJUANA		
q30d	Frequency	Percent
Very	3E5	62.50
Somewhat	81258	16.93
Not very	52667	10.98
Not at all	31437	6.55
Don't know	14595	3.04

Frequency Missing = 61589.35457

**region3
Spring 2006**

DANGEROUS FOR KIDS TO USE COCAINE		
q30e	Frequency	Percent
Very	4E5	84.68
Somewhat	44193	9.35
Not very	7272	1.54
Not at all	3584	0.76
Don't know	17337	3.67

Frequency Missing = 68852.30811

DANGEROUS FOR KIDS TO USE CRACK		
q30f	Frequency	Percent
Very	412E3	86.18
Somewhat	38725	8.09
Not very	5589	1.17
Not at all	3463	0.72
Don't know	18371	3.84

Frequency Missing = 62819.573292

DANGEROUS FOR KIDS TO USE ECSTASY		
q30g	Frequency	Percent
Very	394E3	82.27
Somewhat	43500	9.07
Not very	10048	2.10
Not at all	4354	0.91
Don't know	27077	5.65

Frequency Missing = 62102.183769

DANGEROUS FOR KIDS TO USE STEROIDS		
q30h	Frequency	Percent
Very	362E3	74.27
Somewhat	75413	15.47
Not very	21576	4.43
Not at all	6335	1.30
Don't know	22099	4.53

Frequency Missing = 53949.850718

DANGEROUS FOR KIDS TO USE HEROIN		
q30i	Frequency	Percent
Very	435E3	88.41
Somewhat	26326	5.35
Not very	3844	0.78
Not at all	3243	0.66
Don't know	23566	4.79

Frequency Missing = 49742.880561

DAYS SKIPPED SINCE SEPTEMBER		
q31a	Frequency	Percent
None	383E3	76.85
1-3 days	83667	16.80
4-9 days	20534	4.12
10+ days	11114	2.23

Frequency Missing = 43393.077871

DAYS ILL SINCE SEPTEMBER		
q31b	Frequency	Percent
None	135E3	27.27
1-3 days	259E3	52.19
4-9 days	82666	16.64
10+ days	19383	3.90

Frequency Missing = 44656.936063

OTHER DAYS MISSED SINCE SEPTEMBER		
q31c	Frequency	Percent
None	199E3	40.38
1-3 days	246E3	50.00
4-9 days	37644	7.66
10+ days	9651	1.96

Frequency Missing = 49798.729126

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q31d	Frequency	Percent
None	402E3	81.22
1-3 days	66958	13.54
4-9 days	15195	3.07
10+ days	10723	2.17

Frequency Missing = 46871.960029

SOMEONE CALLED HOME SINCE SEPTEMBER		
q31e	Frequency	Percent
None	424E3	86.84
1-3 days	49448	10.13
4-9 days	8676	1.78
10+ days	6122	1.25

Frequency Missing = 53401.489758

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q31f	Frequency	Percent
None	484E3	98.96
1-3 days	3451	0.70
4-9 days	720	0.15
10+ days	938	0.19

Frequency Missing = 51924.748657

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q31g	Frequency	Percent
None	484E3	98.79
1-3 days	4188	0.86
4-9 days	647	0.13
10+ days	1066	0.22

Frequency Missing = 51744.740299

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q32a	Frequency	Percent
None	449E3	92.24
1-3 times	31904	6.55
4-9 times	3833	0.79
10+ times	2041	0.42

Frequency Missing = 54490.234354

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region3
Spring 2006**

**DRIVEN A CAR AFTER A
GOOD BIT TO DRINK**

q32b	Frequency	Percent
None	448E3	91.95
1-3 times	29145	5.99
4-9 times	5344	1.10
10+ times	4705	0.97

Frequency Missing = 54669.973196

**CRITICIZED BY DATE
BECAUSE OF DRINKING**

q32c	Frequency	Percent
None	452E3	92.89
1-3 times	28163	5.79
4-9 times	4015	0.83
10+ times	2426	0.50

Frequency Missing = 55057.590492

**TROUBLE WITH POLICE
BECAUSE OF DRINKING**

q32d	Frequency	Percent
None	471E3	96.55
1-3 times	14171	2.91
4-9 times	1268	0.26
10+ times	1357	0.28

Frequency Missing = 54047.664074

**TROUBLE WITH FRIENDS
BECAUSE OF DRUG USE**

q32e	Frequency	Percent
None	453E3	93.83
1-3 times	24359	5.05
4-9 times	3462	0.72
10+ times	1942	0.40

Frequency Missing = 58700.235641

**DRIVEN A CAR WHILE
HIGH FROM DRUGS**

q32f	Frequency	Percent
None	452E3	93.12
1-3 times	20150	4.15
4-9 times	5384	1.11
10+ times	7842	1.62

Frequency Missing = 56358.564097

**CRITICIZED BY DATE
BECAUSE OF DRUG USE**

q32g	Frequency	Percent
None	459E3	94.35
1-3 times	21321	4.38
4-9 times	3025	0.62
10+ times	3143	0.65

Frequency Missing = 54688.725413

**TROUBLE WITH POLICE
BECAUSE OF DRUG USE**

q32h	Frequency	Percent
None	482E3	97.87
1-3 times	8245	1.67
4-9 times	1075	0.22
10+ times	1179	0.24

Frequency Missing = 48807.935609

**CLASS DAYS DRUNK ON
ALCOHOL SINCE SEPT**

q33a	Frequency	Percent
None	464E3	92.10
1-3 days	29597	5.88
4-9 days	5016	1.00
10+ days	5185	1.03

Frequency Missing = 37703.402404

**CLASS DAYS HIGH ON
MARIJUANA SINCE SEPT**

q33b	Frequency	Percent
None	462E3	91.56
1-3 days	23073	4.57
4-9 days	7819	1.55
10+ days	11707	2.32

Frequency Missing = 36894.153742

**CLASS DAYS HIGH ON
INHALANTS SINCE SEPT**

q33c	Frequency	Percent
None	493E3	97.81
1-3 days	7458	1.48
4-9 days	1462	0.29
10+ days	2137	0.42

Frequency Missing = 37420.768647

**CLASS DAYS HIGH ON
OTHER DRUG(S)**

q33d	Frequency	Percent
None	478E3	94.39
1-3 days	17701	3.50
4-9 days	4747	0.94
10+ days	5941	1.17

Frequency Missing = 35238.839226

**ALCOHOL USE AT PARTIES
THIS SCHOOL YEAR**

q34a	Frequency	Percent
Never	215E3	42.05
Seldom	52483	10.29
Half the time	36831	7.22
Most of the time	60760	11.91
Always	78352	15.36
Don't know	9007	1.77
Didn't attend	58241	11.42

Frequency Missing = 31263.797127

**DRUG USE AT PARTIES THIS
SCHOOL YEAR**

q34b	Frequency	Percent
Never	272E3	53.40
Seldom	53259	10.44
Half the time	36044	7.07
Most of the time	39505	7.75
Always	36794	7.21
Don't know	13565	2.66
Didn't attend	58526	11.48

Frequency Missing = 31426.517017

**SOUGHT HELP FOR
DRUG/ALCOHOL
PROBLEM**

q35	Frequency	Percent
No	442E3	94.22
Yes	27159	5.78

Frequency Missing = 71915.730345

**region3
Spring 2006**

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q36a	Frequency	Percent
No	343E3	69.00
Yes	154E3	31.00

Frequency Missing = 44561.808127

WOULD SEEK HELP OUTSIDE OF SCHOOL		
q36b	Frequency	Percent
No	349E3	70.98
Yes	143E3	29.02

Frequency Missing = 49481.736792

WOULD SEEK HELP FROM OTHER COUNSELOR		
q36c	Frequency	Percent
No	303E3	62.31
Yes	183E3	37.69

Frequency Missing = 55677.750683

WOULD SEEK HELP FROM PARENTS		
q36d	Frequency	Percent
No	201E3	40.99
Yes	289E3	59.01

Frequency Missing = 51276.798119

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q36e	Frequency	Percent
No	279E3	57.46
Yes	207E3	42.54

Frequency Missing = 55709.555249

WOULD SEEK HELP FROM FRIENDS		
q36f	Frequency	Percent
No	126E3	25.75
Yes	364E3	74.25

Frequency Missing = 51509.865951

WOULD SEEK HELP FROM ANOTHER ADULT		
q36g	Frequency	Percent
No	198E3	40.40
Yes	292E3	59.60

Frequency Missing = 50897.715682

WOULD NOT SEEK HELP		
q36h	Frequency	Percent
No	424E3	86.91
Yes	63881	13.09

Frequency Missing = 53277.95923

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q37a	Frequency	Percent
No	238E3	54.86
Yes	196E3	45.14

Frequency Missing = 107857.19931

DRUG/ALCOHOL INFO-SCHOOL ASSEMBLY PROGRAM		
q37b	Frequency	Percent
No	227E3	52.68
Yes	204E3	47.32

Frequency Missing = 111142.50303

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUNSELOR		
q37c	Frequency	Percent
No	333E3	78.27
Yes	92306	21.73

Frequency Missing = 116583.46027

DRUG/ALCOHOL INFO-SCIENCE CLASS		
q37d	Frequency	Percent
No	301E3	70.91
Yes	124E3	29.09

Frequency Missing = 116508.31702

DRUG/ALCOHOL INFO-SOCIAL STUDIES CLASS		
q37e	Frequency	Percent
No	373E3	88.00
Yes	50904	12.00

Frequency Missing = 117084.25677

DRUG/ALCOHOL INFO-SCHOOL STUDENT GROUP OR CLUB		
q37f	Frequency	Percent
No	374E3	87.22
Yes	54797	12.78

Frequency Missing = 112835.26634

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q37g	Frequency	Percent
No	297E3	69.18
Yes	132E3	30.82

Frequency Missing = 112134.3666

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q37h	Frequency	Percent
No	292E3	67.69
Yes	139E3	32.31

Frequency Missing = 109833.4308

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region3
Spring 2006**

DRUG/ALCOHOL INFO-- WEBSITE/ONLINE CHAT GROUP		
q38a	Frequency	Percent
No	375E3	76.89
Yes	113E3	23.11

Frequency Missing = 53695.505358

PARENTS FEEL ABOUT KIDS SMOKING CIGARET		
q39a	Frequency	Percent
Strong disapprove	383E3	76.94
Mild disapprove	46959	9.44
Neither	30983	6.23
Mildly approve	5540	1.11
Strongly approve	3758	0.76
Don't know	27439	5.52

Frequency Missing = 44252.73001

PURCHASED LOTTERY TICKET IN PAST YEAR		
q41	Frequency	Percent
No	434E3	86.66
Yes	66770	13.34

Frequency Missing = 40792.60006

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Frequency
No	25E4
Yes	238E3

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b	Frequency	Percent
Strong disapprove	324E3	65.24
Mild disapprove	78815	15.86
Neither	46739	9.40
Mildly approve	14368	2.89
Strongly approve	5234	1.05
Don't know	27645	5.56

Frequency Missing = 44379.980477

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Percent
No	51.23
Yes	48.77

Frequency Missing = 53526.849136

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c	Frequency	Percent
Strong disapprove	419E3	84.31
Mild disapprove	25722	5.18
Neither	17843	3.59
Mildly approve	4332	0.87
Strongly approve	4925	0.99
Don't know	25056	5.05

Frequency Missing = 45063.255695

DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO		
q38c	Frequency	Percent
No	215E3	44.19
Yes	272E3	55.81

Frequency Missing = 54053.468252

DRUG/ALCOHOL INFO-- -PARENTS		
q38d	Frequency	Percent
No	255E3	51.98
Yes	236E3	48.02

Frequency Missing = 50353.353379

TESTED FOR DRUG USE AT SCHOOL		
q40	Frequency	Percent
No	472E3	93.98
Yes	30237	6.02

Frequency Missing = 39246.763068

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district