

**Region 10: Grades 7-12
SPRING 2008**

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product					
	All	16.4%	23.4%	38.7%	61.3%
	Grades 7-8	7.0%	10.2%	24.9%	75.1%
	Grades 9-12	20.8%	29.5%	45.2%	54.8%
Cigarettes					
	All	16.3%	23.2%	39.5%	60.5%
	Grades 7-8	7.3%	10.2%	26.1%	73.9%
	Grades 9-12	20.1%	28.8%	45.2%	54.8%
Smokeless tobacco					
	All	4.4%	6.2%	11.5%	88.5%
	Grades 7-8	1.2%	2.9%	7.5%	92.5%
	Grades 9-12	5.7%	7.6%	13.2%	86.8%

Table T-2: How often do you normally use ..

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?								
	All	64.4%	1.6%	3.5%	4.9%	7.5%	7.4%	10.7%
	Grades 7-8	76.0%	0.4%	0.4%	1.9%	5.4%	5.7%	10.2%
	Grades 9-12	59.3%	2.1%	4.9%	6.3%	8.4%	8.1%	10.9%
Cigarettes?								
	All	63.7%	1.6%	3.5%	5.0%	7.9%	7.4%	10.9%
	Grades 7-8	75.1%	0.5%	0.4%	2.0%	5.8%	6.1%	10.1%
	Grades 9-12	58.8%	2.1%	4.9%	6.3%	8.8%	7.9%	11.3%
Smokeless tobacco?								
	All	91.5%	0.0%	1.0%	0.6%	1.2%	2.1%	3.6%
	Grades 7-8	95.8%	0.0%	0.0%	0.0%	0.9%	0.8%	2.5%
	Grades 9-12	89.7%	0.0%	1.5%	0.9%	1.3%	2.6%	4.1%

Table T-3: Average age of first use of:

	grade1	grade2
Cigarettes		
	11.3	13.3
Smokeless tobacco		
	12.0	14.0
Any Tobacco		
	11.3	13.3

**Region 10: Grades 7-12
SPRING 2008**

Table T-4: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Any tobacco product??							
	All	16.2%	15.6%	6.2%	10.4%	18.0%	33.6%
	Grades 7-8	22.7%	23.8%	10.4%	12.7%	13.8%	16.7%
	Grades 9-12	12.5%	11.0%	3.8%	9.1%	20.4%	43.2%
Cigarettes?							
	All	16.6%	15.9%	6.0%	10.2%	18.4%	32.9%
	Grades 7-8	23.7%	24.5%	10.2%	11.7%	13.9%	16.0%
	Grades 9-12	12.7%	11.1%	3.6%	9.3%	20.9%	42.4%
Smokeless Tobacco?							
	All	36.2%	19.2%	8.3%	10.5%	10.6%	15.2%
	Grades 7-8	40.5%	27.3%	11.2%	10.8%	5.2%	5.0%
	Grades 9-12	33.7%	14.6%	6.6%	10.3%	13.8%	21.1%

Table T-5: About how many of your close friends...

		None	A Few	Some	Most	ALL
Use any tobacco product?						
	All	43.6%	32.6%	14.7%	7.3%	1.8%
	Grades 7-8	64.1%	25.5%	7.2%	2.4%	0.7%
	Grades 9-12	31.8%	36.6%	19.0%	10.1%	2.5%
Smoke cigarettes?						
	All	44.4%	34.0%	13.2%	6.9%	1.5%
	Grades 7-8	65.0%	25.4%	6.9%	2.4%	0.3%
	Grades 9-12	32.5%	39.0%	16.8%	9.5%	2.2%
Use a smokeless tobacco product?						
	All	77.3%	13.1%	6.7%	1.8%	1.2%
	Grades 7-8	87.0%	10.1%	2.3%	0.0%	0.7%
	Grades 9-12	71.8%	14.9%	9.2%	2.8%	1.4%

**Region 10: Grades 7-12
SPRING 2008**

Table T-6: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	78.2%	5.1%	4.1%	1.5%	0.6%	10.5%
Grades 7-8	84.3%	3.3%	1.3%	1.8%	0.4%	9.0%
Grades 9-12	74.9%	6.1%	5.7%	1.3%	0.7%	11.3%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	53.7%	29.3%	9.6%	2.6%	4.8%
Grades 7-8	64.9%	24.3%	5.4%	1.2%	4.2%
Grades 9-12	47.0%	32.3%	12.1%	3.5%	5.1%

**Region 10: Grades 7-12
SPRING 2008**

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product					
	All	43.0%	53.9%	71.5%	28.5%
	Grades 7-8	30.9%	40.8%	62.1%	37.9%
	Grades 9-12	49.2%	60.7%	76.4%	23.6%
Beer					
	All	35.2%	45.1%	63.2%	36.8%
	Grades 7-8	24.3%	33.8%	52.9%	47.1%
	Grades 9-12	40.3%	50.5%	68.1%	31.9%
Wine coolers					
	All	32.1%	41.6%	59.6%	40.4%
	Grades 7-8	22.8%	30.6%	49.8%	50.2%
	Grades 9-12	36.4%	46.8%	64.2%	35.8%
Wine					
	All	16.5%	26.5%	45.6%	54.4%
	Grades 7-8	12.6%	20.3%	38.3%	61.7%
	Grades 9-12	18.4%	29.4%	49.0%	51.0%
Liquor					
	All	24.7%	33.6%	47.3%	52.7%
	Grades 7-8	13.1%	22.8%	33.4%	66.6%
	Grades 9-12	30.0%	38.7%	53.8%	46.2%

**Region 10: Grades 7-12
SPRING 2008**

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	33.3%	0.3%	9.1%	18.3%	18.0%	12.4%	8.6%
	Grades 7-8	42.5%	0.0%	4.1%	10.1%	16.1%	17.5%	9.6%
	Grades 9-12	28.7%	0.5%	11.6%	22.3%	18.9%	9.8%	8.2%
Beer?								
	All	37.8%	0.1%	8.3%	17.9%	16.8%	10.2%	8.9%
	Grades 7-8	48.4%	0.0%	3.1%	8.4%	15.1%	13.7%	11.2%
	Grades 9-12	33.0%	0.2%	10.6%	22.2%	17.6%	8.6%	7.8%
Wine coolers?								
	All	45.1%	0.2%	5.4%	13.8%	16.2%	12.2%	7.1%
	Grades 7-8	51.9%	0.0%	2.7%	5.4%	15.5%	16.5%	8.0%
	Grades 9-12	42.3%	0.3%	6.5%	17.4%	16.5%	10.3%	6.7%
Wine?								
	All	56.9%	0.1%	3.9%	5.7%	10.4%	13.8%	9.1%
	Grades 7-8	61.4%	0.0%	2.0%	1.9%	8.1%	17.1%	9.5%
	Grades 9-12	55.1%	0.2%	4.8%	7.3%	11.3%	12.5%	9.0%
Liquor?								
	All	55.4%	0.0%	5.2%	11.1%	13.1%	10.1%	5.2%
	Grades 7-8	71.0%	0.0%	2.4%	3.0%	8.8%	9.5%	5.5%
	Grades 9-12	48.7%	0.0%	6.4%	14.6%	14.9%	10.3%	5.1%

**Region 10: Grades 7-12
SPRING 2008**

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever	5 or More	1 to 4	Less than 1
Beer						
	All	53.4%	46.6%	13.4%	24.4%	8.9%
	Grades 7-8	72.3%	27.7%	3.4%	16.3%	8.1%
	Grades 9-12	44.1%	55.9%	18.3%	28.4%	9.3%
Wine Coolers						
	All	57.5%	42.5%	5.3%	24.2%	13.0%
	Grades 7-8	65.7%	34.3%	3.1%	18.9%	12.3%
	Grades 9-12	53.3%	46.7%	6.5%	26.9%	13.3%
Wine						
	All	43.1%	56.9%	17.0%	33.5%	6.5%
	Grades 7-8	53.0%	47.0%	8.4%	29.0%	9.6%
	Grades 9-12	38.0%	62.0%	21.3%	35.7%	5.0%
Liquor						
	All	36.6%	63.4%	23.5%	29.0%	11.0%
	Grades 7-8	50.2%	49.8%	9.9%	26.1%	13.8%
	Grades 9-12	29.4%	70.6%	30.7%	30.5%	9.5%

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol							
	All	69.8%	8.5%	6.2%	9.3%	2.8%	3.4%
	Grades 7-8	84.4%	5.2%	3.4%	4.5%	1.2%	1.4%
	Grades 9-12	61.4%	10.4%	7.8%	12.1%	3.7%	4.6%

Table A-5: Average age of first use of:

	grade1	grade2
Beer	11.2	13.4
Wine Coolers	11.6	13.7
Wine	11.5	13.8
Liquor	12.0	14.2
Any Alcohol	11.1	13.3

**Region 10: Grades 7-12
SPRING 2008**

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	12.9%	11.4%	5.6%	8.6%	21.4%	40.0%
	Grades 7-8	20.5%	16.9%	8.3%	9.5%	19.9%	24.9%
	Grades 9-12	8.6%	8.4%	4.1%	8.1%	22.2%	48.6%
Wine coolers?							
	All	18.3%	12.8%	5.0%	11.0%	19.8%	33.1%
	Grades 7-8	26.4%	17.9%	7.4%	13.1%	17.1%	18.1%
	Grades 9-12	13.7%	9.9%	3.6%	9.8%	21.3%	41.6%
Wine?							
	All	20.4%	16.9%	7.6%	13.2%	18.1%	23.8%
	Grades 7-8	26.7%	24.8%	9.2%	9.7%	16.7%	12.9%
	Grades 9-12	16.9%	12.5%	6.7%	15.1%	18.9%	29.8%
Liquor?							
	All	18.3%	16.9%	8.3%	11.9%	17.7%	27.0%
	Grades 7-8	28.8%	23.3%	10.3%	12.5%	11.9%	13.2%
	Grades 9-12	12.4%	13.3%	7.1%	11.5%	21.0%	34.8%
Any alcohol product?							
	All	11.9%	10.4%	4.3%	7.6%	21.3%	44.5%
	Grades 7-8	19.1%	14.9%	7.2%	9.6%	21.0%	28.2%
	Grades 9-12	7.8%	7.8%	2.7%	6.5%	21.5%	53.7%

**Region 10: Grades 7-12
SPRING 2008**

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	88.0%	9.9%	1.4%	0.7%
Grades 7-8	89.7%	9.4%	1.0%	0.0%
Grades 9-12	87.1%	10.2%	1.7%	1.0%
Gotten into trouble with teachers because of your drinking?				
All	98.3%	0.8%	0.7%	0.2%
Grades 7-8	99.1%	0.5%	0.3%	0.0%
Grades 9-12	97.8%	1.0%	0.9%	0.3%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.0
Alcohol Non-use	3.4

Average days conduct problems reported	
Alcohol Users:	3.5
Alcohol Non-use	1.3

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	87.8%	10.0%	1.5%	0.7%
Grades 9-12	87.8%	10.0%	1.5%	0.7%
Gotten into trouble with the police because of drinking?				
All	96.7%	2.9%	0.2%	0.2%
Grades 7-8	98.7%	1.3%	0.0%	0.0%
Grades 9-12	95.5%	3.9%	0.3%	0.3%

**Region 10: Grades 7-12
SPRING 2008**

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	20.7%	20.1%	17.7%	23.8%	17.7%
	Grades 7-8	37.8%	27.9%	17.0%	10.7%	6.7%
	Grades 9-12	10.9%	15.5%	18.2%	31.4%	24.0%
Beer?						
	All	23.9%	20.8%	16.9%	23.2%	15.2%
	Grades 7-8	42.9%	27.7%	14.4%	10.7%	4.3%
	Grades 9-12	13.0%	16.8%	18.4%	30.4%	21.4%
Wine coolers?						
	All	33.8%	19.6%	18.7%	16.8%	11.1%
	Grades 7-8	52.3%	23.0%	13.4%	7.3%	4.0%
	Grades 9-12	23.1%	17.6%	21.8%	22.3%	15.2%
Wine?						
	All	51.0%	20.0%	13.9%	8.7%	6.5%
	Grades 7-8	63.0%	21.6%	10.9%	3.4%	1.2%
	Grades 9-12	44.0%	19.0%	15.7%	11.7%	9.5%
Liquor?						
	All	42.1%	17.3%	16.6%	15.1%	9.0%
	Grades 7-8	64.2%	20.0%	10.1%	4.0%	1.7%
	Grades 9-12	29.4%	15.7%	20.3%	21.4%	13.1%

Table A-11: During the past twelve months, how many times have you...

		None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?					
	All	93.3%	6.1%	0.5%	0.1%
	Grades 7-8	96.6%	3.4%	0.0%	0.0%
	Grades 9-12	91.4%	7.6%	0.8%	0.2%
Been criticized by someone you were dating because of drinking?					
	All	90.2%	9.3%	0.4%	0.1%
	Grades 7-8	94.2%	5.2%	0.6%	0.0%
	Grades 9-12	87.8%	11.8%	0.3%	0.1%

**Region 10: Grades 7-12
SPRING 2008**

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	28.7%	11.4%	6.5%	15.7%	27.5%	3.1%	7.1%
Grades 7-8	41.8%	15.2%	10.5%	12.8%	8.4%	4.1%	7.1%
Grades 9-12	21.4%	9.3%	4.2%	17.3%	38.1%	2.6%	7.1%

Table A-13: How often, if ever, do you get alcoholic beverages from..

	Do Not Drink	Never	Seldom	Most of the Time	Always
At home					
All	42.9%	32.5%	18.0%	5.6%	1.0%
Grades 7-8	49.4%	29.4%	15.9%	5.3%	0.0%
Grades 9-12	39.1%	34.3%	19.2%	5.7%	1.6%
From friends					
All	33.5%	15.6%	17.9%	20.6%	12.4%
Grades 7-8	45.3%	24.0%	17.6%	10.4%	2.6%
Grades 9-12	27.1%	11.0%	18.0%	26.2%	17.7%
From a store					
All	35.9%	45.0%	10.3%	5.6%	3.1%
Grades 7-8	45.4%	47.6%	5.7%	1.3%	0.0%
Grades 9-12	30.8%	43.6%	12.9%	7.9%	4.8%
At parties					
All	29.2%	11.7%	12.7%	17.2%	29.2%
Grades 7-8	36.8%	16.5%	16.9%	17.3%	12.5%
Grades 9-12	25.0%	8.9%	10.4%	17.2%	38.5%
Other source					
All	37.2%	25.1%	13.2%	11.9%	12.6%
Grades 7-8	44.8%	28.6%	11.3%	10.9%	4.4%
Grades 9-12	33.1%	23.1%	14.2%	12.5%	17.2%

**Region 10: Grades 7-12
SPRING 2008**

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	62.8%	14.6%	9.5%	2.7%	1.0%	9.4%
Grades 7-8	71.0%	10.1%	7.0%	2.0%	1.0%	8.9%
Grades 9-12	58.3%	17.1%	10.8%	3.1%	1.0%	9.7%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	43.8%	31.1%	17.2%	3.9%	4.0%
Grades 7-8	48.2%	28.4%	16.5%	2.3%	4.6%
Grades 9-12	41.2%	32.6%	17.7%	4.9%	3.6%

**Region 10: Grades 7-12
SPRING 2008**

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?	All	9.9%	15.4%	25.5%	74.5%
	Grades 7-8	3.0%	6.1%	13.4%	86.6%
	Grades 9-12	13.6%	20.5%	32.2%	67.8%
Cocaine?	All	5.8%	8.4%	15.4%	84.6%
	Grades 7-8	1.2%	2.6%	5.4%	94.6%
	Grades 9-12	8.4%	11.5%	20.9%	79.1%
Crack?	All	1.9%	2.3%	3.8%	96.2%
	Grades 7-8	1.1%	1.1%	1.7%	98.3%
	Grades 9-12	2.3%	2.9%	4.8%	95.2%
Hallucinogens?	All	1.3%	1.8%	3.2%	96.8%
	Grades 7-8	0.9%	1.0%	1.7%	98.3%
	Grades 9-12	1.5%	2.2%	3.9%	96.1%
Uppers?	All	1.2%	2.0%	3.0%	97.0%
	Grades 7-8	1.1%	1.8%	2.4%	97.6%
	Grades 9-12	1.3%	2.1%	3.2%	96.8%
Downers?	All	1.1%	1.5%	2.3%	97.7%
	Grades 7-8	0.3%	1.0%	1.4%	98.6%
	Grades 9-12	1.5%	1.7%	2.7%	97.3%
Rohypnol?	All	0.7%	1.2%	1.9%	98.1%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.1%	1.8%	2.8%	97.2%
Steroids?	All	0.5%	0.6%	1.5%	98.5%
	Grades 7-8	0.7%	0.7%	1.7%	98.3%
	Grades 9-12	0.4%	0.6%	1.4%	98.6%
Ecstasy?	All	1.1%	1.8%	3.6%	96.4%
	Grades 7-8	0.0%	0.4%	0.4%	99.6%
	Grades 9-12	1.7%	2.6%	5.2%	94.8%
Heroin?	All	0.9%	1.2%	2.1%	97.9%
	Grades 7-8	1.1%	1.5%	1.5%	98.5%
	Grades 9-12	0.9%	1.0%	2.4%	97.6%

**Region 10: Grades 7-12
SPRING 2008**

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?	All	74.9%	1.1%	3.1%	4.2%	5.1%	4.3%	7.4%
	Grades 7-8	82.8%	0.0%	0.5%	1.7%	6.2%	2.3%	6.5%
	Grades 9-12	72.2%	1.5%	4.0%	5.0%	4.7%	4.9%	7.7%
Cocaine?	All	84.5%	0.4%	1.3%	3.4%	2.9%	2.3%	5.2%
	Grades 7-8	92.1%	0.0%	0.0%	0.0%	2.3%	0.5%	5.1%
	Grades 9-12	81.9%	0.6%	1.7%	4.5%	3.0%	2.9%	5.3%
Crack?	All	96.0%	0.2%	0.6%	0.5%	1.4%	0.5%	0.9%
	Grades 7-8	96.9%	0.0%	0.6%	0.0%	1.1%	0.0%	1.3%
	Grades 9-12	95.7%	0.2%	0.5%	0.6%	1.4%	0.7%	0.8%
Hallucinogens?	All	97.3%	0.0%	0.1%	0.4%	0.3%	1.0%	0.9%
	Grades 7-8	97.3%	0.0%	0.0%	0.6%	0.0%	0.2%	2.0%
	Grades 9-12	97.3%	0.0%	0.2%	0.4%	0.4%	1.2%	0.6%
Uppers?	All	96.0%	0.0%	0.4%	0.4%	0.8%	1.1%	1.3%
	Grades 7-8	95.5%	0.0%	0.0%	0.7%	0.7%	1.3%	1.7%
	Grades 9-12	96.2%	0.0%	0.5%	0.3%	0.8%	1.1%	1.1%
Downers?	All	97.6%	0.1%	0.1%	0.3%	0.3%	0.6%	1.0%
	Grades 7-8	97.1%	0.0%	0.0%	0.0%	0.7%	0.5%	1.7%
	Grades 9-12	97.8%	0.2%	0.2%	0.4%	0.2%	0.6%	0.8%
Rohypnol?	All	98.2%	0.0%	0.3%	0.1%	0.4%	0.3%	0.6%
	Grades 7-8	99.2%	0.0%	0.0%	0.0%	0.6%	0.2%	0.0%
	Grades 9-12	97.9%	0.0%	0.4%	0.2%	0.4%	0.4%	0.8%
Steroids?	All	98.5%	0.2%	0.2%	0.1%	0.0%	0.3%	0.8%
	Grades 7-8	98.3%	0.7%	0.0%	0.0%	0.0%	0.5%	0.5%
	Grades 9-12	98.5%	0.0%	0.2%	0.1%	0.0%	0.2%	0.9%
Ecstasy?	All	95.7%	0.0%	0.0%	0.7%	0.4%	1.2%	2.0%
	Grades 7-8	98.9%	0.0%	0.0%	0.0%	0.0%	0.6%	0.5%
	Grades 9-12	94.5%	0.0%	0.0%	1.0%	0.5%	1.5%	2.6%
Heroin?	All	98.0%	0.0%	0.0%	0.1%	0.4%	0.7%	0.8%
	Grades 7-8	98.1%	0.0%	0.0%	0.0%	0.9%	0.0%	0.9%
	Grades 9-12	97.9%	0.0%	0.0%	0.2%	0.2%	0.9%	0.8%

**Region 10: Grades 7-12
SPRING 2008**

Table D-3: Average age of first use of:

	<u>grade1</u>	<u>grade2</u>
Marijuana	12.4	13.9
Cocaine	13.0	14.7
Crack	12.3	14.5
Hallucinogens	*	14.9
Uppers	11.8	14.1
Downers	12.2	14.1
Rohypnol	*	14.6
Steroids	13.0	14.7
Ecstasy	*	15.2
Heroin	*	14.8

Table D-4: Age of first use of marijuana by family situation:

		<u>Never</u>	<u>9/Under</u>	<u>10 to 11</u>	<u>12 to 13</u>	<u>14 to 15</u>	<u>16 to 17</u>	<u>Over 17</u>
Two parent family								
	All	78.1%	0.5%	2.3%	7.0%	9.1%	2.5%	0.6%
	Grades 7-8	87.5%	0.0%	2.7%	7.3%	2.5%	0.0%	0.0%
	Grades 9-12	72.7%	0.7%	2.1%	6.8%	12.9%	3.8%	1.0%
Other family situation								
	All	68.8%	1.5%	3.1%	8.2%	12.6%	5.3%	0.4%
	Grades 7-8	88.0%	0.0%	4.5%	5.5%	2.0%	0.0%	0.0%
	Grades 9-12	58.2%	2.4%	2.4%	9.8%	18.5%	8.2%	0.6%

**Region 10: Grades 7-12
SPRING 2008**

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	22.5%	23.0%	7.7%	10.1%	15.7%	21.0%
	Grades 7-8	31.3%	33.9%	9.3%	7.7%	9.2%	8.6%
	Grades 9-12	17.5%	16.9%	6.9%	11.4%	19.3%	28.0%
Cocaine?							
	All	25.3%	25.5%	9.6%	11.1%	10.5%	18.0%
	Grades 7-8	34.0%	36.5%	10.3%	7.2%	4.2%	7.8%
	Grades 9-12	20.4%	19.3%	9.1%	13.3%	14.0%	23.8%
Crack?							
	All	32.1%	27.7%	11.1%	10.7%	8.4%	10.1%
	Grades 7-8	39.3%	37.9%	9.5%	5.7%	3.0%	4.6%
	Grades 9-12	27.9%	21.9%	12.0%	13.5%	11.4%	13.3%
Hallucinogens?							
	All	47.6%	23.8%	10.1%	7.6%	4.8%	6.0%
	Grades 7-8	58.9%	25.9%	6.8%	4.1%	2.1%	2.1%
	Grades 9-12	41.3%	22.7%	12.0%	9.6%	6.3%	8.1%
Uppers?							
	All	55.4%	19.5%	8.9%	5.9%	4.6%	5.6%
	Grades 7-8	61.2%	22.7%	7.7%	3.8%	2.2%	2.4%
	Grades 9-12	52.1%	17.6%	9.7%	7.1%	5.9%	7.5%
Downers?							
	All	56.0%	19.5%	8.8%	5.8%	4.4%	5.5%
	Grades 7-8	61.9%	22.7%	7.7%	4.1%	1.6%	2.0%
	Grades 9-12	52.5%	17.7%	9.4%	6.8%	6.1%	7.5%
Rohypnol?							
	All	58.7%	18.8%	8.7%	5.1%	3.3%	5.3%
	Grades 7-8	63.1%	22.1%	7.4%	2.5%	2.5%	2.4%
	Grades 9-12	56.3%	16.9%	9.5%	6.6%	3.8%	6.9%
Steroids?							
	All	36.8%	30.1%	10.7%	8.9%	6.7%	6.9%
	Grades 7-8	42.0%	34.1%	9.9%	4.8%	4.4%	4.9%
	Grades 9-12	33.8%	27.8%	11.2%	11.1%	8.0%	8.0%
Ecstasy?							
	All	44.6%	23.1%	10.1%	8.7%	5.3%	8.1%
	Grades 7-8	58.3%	26.0%	8.2%	3.4%	1.5%	2.6%
	Grades 9-12	36.8%	21.5%	11.2%	11.7%	7.4%	11.2%
Heroin?							
	All	40.9%	29.5%	11.5%	8.0%	3.9%	6.3%
	Grades 7-8	48.8%	31.6%	9.8%	3.3%	2.4%	4.1%
	Grades 9-12	36.5%	28.3%	12.4%	10.6%	4.7%	7.5%

**Region 10: Grades 7-12
SPRING 2008**

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	91.0%	5.8%	1.9%	1.3%
Grades 7-8	97.1%	2.9%	0.0%	0.0%
Grades 9-12	87.7%	7.4%	3.0%	2.0%
Attended class while high from use of some other drug?				
All	94.7%	4.1%	0.8%	0.5%
Grades 7-8	96.6%	3.1%	0.0%	0.3%
Grades 9-12	93.7%	4.5%	1.2%	0.6%
Gotten into trouble with teachers because of your drug use?				
All	98.1%	1.1%	0.3%	0.4%
Grades 7-8	99.6%	0.4%	0.0%	0.0%
Grades 9-12	97.3%	1.5%	0.5%	0.7%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	4.2
Marijuana Non-use	3.6

Average days conduct problems reported	
Marijuana Users:	4.8
Marijuana Non-use	2.0

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	92.6%	5.3%	1.6%	0.5%
Grades 9-12	92.6%	5.3%	1.6%	0.5%
Gotten into trouble with the police because of drug use?				
All	98.3%	1.4%	0.2%	0.1%
Grades 7-8	99.0%	1.0%	0.0%	0.0%
Grades 9-12	98.0%	1.6%	0.3%	0.2%

**Region 10: Grades 7-12
SPRING 2008**

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	52.8%	20.7%	13.0%	9.8%	3.8%
Grades 7-8	72.8%	15.4%	5.3%	5.0%	1.5%
Grades 9-12	41.3%	23.7%	17.3%	12.6%	5.2%

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	94.9%	3.9%	0.6%	0.6%
Grades 7-8	97.0%	2.8%	0.3%	0.0%
Grades 9-12	93.7%	4.6%	0.8%	0.9%
Been criticized by someone you were dating because of drug use?				
All	94.7%	4.6%	0.4%	0.3%
Grades 7-8	98.4%	1.3%	0.0%	0.3%
Grades 9-12	92.5%	6.6%	0.6%	0.3%

**Region 10: Grades 7-12
SPRING 2008**

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	47.2%	14.2%	6.5%	8.8%	9.6%	6.4%	7.4%
Grades 7-8	65.6%	13.1%	3.1%	3.7%	1.9%	4.8%	7.8%
Grades 9-12	36.8%	14.9%	8.4%	11.6%	13.9%	7.4%	7.1%

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	80.1%	8.7%	3.0%	4.0%	2.6%	1.7%
	Grades 7-8	88.7%	5.2%	1.5%	1.9%	1.2%	1.5%
	Grades 9-12	75.3%	10.7%	3.9%	5.1%	3.4%	1.7%
Blunts?	All	84.9%	6.5%	3.6%	2.5%	1.5%	1.0%
	Grades 7-8	93.2%	2.7%	2.5%	0.7%	0.0%	0.9%
	Grades 9-12	80.3%	8.6%	4.2%	3.5%	2.3%	1.0%
Bongs or water pipes?	All	88.1%	4.5%	2.5%	1.5%	2.3%	1.1%
	Grades 7-8	95.6%	1.4%	1.8%	0.3%	0.0%	1.0%
	Grades 9-12	84.0%	6.2%	2.9%	2.2%	3.5%	1.2%
Pipes?	All	82.9%	6.0%	2.5%	3.5%	3.7%	1.4%
	Grades 7-8	91.7%	4.3%	0.9%	1.3%	1.0%	1.0%
	Grades 9-12	78.2%	6.9%	3.4%	4.7%	5.2%	1.6%
Some other way?	All	87.4%	5.1%	1.6%	1.6%	2.1%	2.2%
	Grades 7-8	93.4%	2.5%	1.2%	0.3%	0.3%	2.3%
	Grades 9-12	84.1%	6.6%	1.8%	2.3%	3.1%	2.2%

**Region 10: Grades 7-12
SPRING 2008**

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	84.3%	3.4%	1.9%	0.7%	0.9%	8.8%
Grades 7-8	88.0%	1.1%	2.0%	0.7%	0.8%	7.5%
Grades 9-12	82.3%	4.6%	1.8%	0.7%	1.0%	9.6%

Table D-14: How dangerous do you think it is for kids your age to use...

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?					
All	68.4%	17.3%	5.7%	4.1%	4.5%
Grades 7-8	79.8%	12.1%	3.2%	0.8%	4.1%
Grades 9-12	61.8%	20.4%	7.2%	6.0%	4.7%
Cocaine?					
All	77.9%	13.5%	2.9%	0.8%	4.9%
Grades 7-8	83.5%	9.9%	1.4%	0.6%	4.7%
Grades 9-12	74.6%	15.7%	3.8%	0.9%	5.0%
Crack?					
All	79.2%	11.4%	1.7%	1.1%	6.5%
Grades 7-8	82.4%	9.1%	1.1%	0.6%	6.9%
Grades 9-12	77.3%	12.8%	2.1%	1.5%	6.2%
Ecstasy?					
All	78.1%	10.5%	1.6%	1.1%	8.8%
Grades 7-8	78.5%	9.3%	0.8%	0.6%	10.9%
Grades 9-12	77.9%	11.2%	2.0%	1.4%	7.5%
Steroids?					
All	75.8%	12.1%	3.2%	1.3%	7.6%
Grades 7-8	74.8%	11.8%	4.2%	0.5%	8.7%
Grades 9-12	76.4%	12.3%	2.5%	1.7%	7.0%
Heroin?					
All	83.1%	7.0%	1.7%	0.9%	7.3%
Grades 7-8	83.4%	6.0%	1.7%	0.9%	8.0%
Grades 9-12	82.9%	7.6%	1.6%	0.9%	7.0%

**Region 10: Grades 7-12
SPRING 2008**

Table D-15: How recently, if ever, have you taken...

	Past Month	School Year	Ever Used	Never Used
Methamphetamine?				
All	0.8%	1.3%	2.6%	97.4%
Grades 7-8	0.3%	0.3%	1.0%	99.0%
Grades 9-12	1.0%	1.9%	3.6%	96.4%

Table D-16: How recently, if ever, have you used...

	Past Month	School Year	Ever Used	Never Used
Codeine?				
All	2.1%	4.0%	5.8%	94.2%
Grades 7-8	1.4%	4.3%	5.7%	94.3%
Grades 9-12	2.6%	3.9%	5.8%	94.2%
Oxycontin, Percodan or Percocet?				
All	0.8%	0.9%	1.4%	98.6%
Grades 7-8	0.3%	0.3%	0.9%	99.1%
Grades 9-12	1.1%	1.2%	1.7%	98.3%
Vicodin, Lortab or Lorcet?				
All	0.8%	1.1%	1.7%	98.3%
Grades 7-8	0.3%	0.3%	1.2%	98.8%
Grades 9-12	1.2%	1.6%	2.0%	98.0%
Valium or Diazepam?				
All	0.5%	0.6%	1.0%	99.0%
Grades 7-8	0.3%	0.3%	1.0%	99.0%
Grades 9-12	0.6%	0.7%	1.1%	98.9%
Xanax or Alprazolam?				
All	0.8%	1.1%	1.3%	98.7%
Grades 7-8	0.3%	0.3%	0.6%	99.4%
Grades 9-12	1.1%	1.6%	1.7%	98.3%

Table D-17: How recently, if ever, have you taken...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple C?				
All	1.3%	1.9%	3.7%	96.3%
Grades 7-8	1.0%	1.6%	4.4%	95.6%
Grades 9-12	1.4%	2.1%	3.2%	96.8%

**Region 10: Grades 7-12
SPRING 2008**

Table I-1: How recently, if ever, have you used...

	Past Month	School Year	Ever Used	Never Used
Any inhalant?				
All	4.2%	7.0%	14.0%	86.0%
Grades 7-8	6.3%	9.7%	17.0%	83.0%
Grades 9-12	3.2%	5.8%	12.6%	87.4%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	90.8%	0.2%	1.2%	1.0%	2.0%	2.1%	2.7%
Grades 7-8	84.0%	0.6%	2.9%	2.1%	2.1%	2.9%	5.3%
Grades 9-12	93.1%	0.0%	0.6%	0.6%	2.0%	1.8%	1.9%

Table I-3: Average age of first use of:

	grade1	grade2
Inhalants	11.3	13.2

**Region 10: Grades 7-12
SPRING 2008**

Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	96.3%	2.1%	1.1%	0.4%
Grades 7-8	96.8%	1.9%	1.0%	0.3%
Grades 9-12	96.1%	2.2%	1.2%	0.5%

Table I-5: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	4.7
Inhalants Non-use	3.6

Average days conduct problems reported	
Inhalants Users:	5.1
Inhalants Non-use	2.3

**Region 10: Grades 7-12
SPRING 2008**

Table I-6: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	75.8%	15.6%	6.0%	1.5%	0.9%
Grades 7-8	78.5%	12.2%	6.5%	1.2%	1.6%
Grades 9-12	74.4%	17.6%	5.8%	1.7%	0.6%

Table I-7: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	71.4%	17.3%	3.8%	2.1%	5.4%
Grades 7-8	73.4%	15.2%	4.1%	2.1%	5.1%
Grades 9-12	70.2%	18.6%	3.6%	2.1%	5.6%

Table I-8: If you wanted some, how difficult would it be to get..

Inhalants?	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	29.9%	18.6%	5.8%	6.5%	8.2%	31.0%
Grades 7-8	34.0%	21.8%	6.3%	4.9%	7.6%	25.4%
Grades 9-12	27.7%	16.8%	5.5%	7.4%	8.6%	34.2%

**Region 10: Grades 7-12
SPRING 2008**

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A school health class	All 69.7%
	Grades 7-8 74.6%
	Grades 9-12 67.1%
An assembly program	All 62.3%
	Grades 7-8 62.6%
	Grades 9-12 62.2%
Guidance counselor	All 39.9%
	Grades 7-8 33.3%
	Grades 9-12 43.4%
Science class	All 46.6%
	Grades 7-8 54.9%
	Grades 9-12 42.1%
Social studies class	All 24.7%
	Grades 7-8 18.6%
	Grades 9-12 27.9%
Student group session	All 21.5%
	Grades 7-8 17.5%
	Grades 9-12 23.7%
An invited school guest	All 44.8%
	Grades 7-8 41.7%
	Grades 9-12 46.4%
Another source at school	All 41.7%
	Grades 7-8 36.2%
	Grades 9-12 44.6%
Any school source	All 71.4%
	Grades 7-8 72.2%
	Grades 9-12 70.9%

**Region 10: Grades 7-12
SPRING 2008**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY		Yes
A counselor or program in	All	42.2%
	Grades 7-8	44.4%
	Grades 9-12	41.0%
Another adult in school (All	40.9%
	Grades 7-8	38.9%
	Grades 9-12	41.9%
A counselor or program ou	All	36.7%
	Grades 7-8	38.8%
	Grades 9-12	35.6%
Your parents	All	65.6%
	Grades 7-8	67.6%
	Grades 9-12	64.5%
A medical doctor	All	45.7%
	Grades 7-8	47.8%
	Grades 9-12	44.6%
Your friends	All	65.6%
	Grades 7-8	62.3%
	Grades 9-12	67.4%
Another adult (a relative	All	60.0%
	Grades 7-8	62.9%
	Grades 9-12	58.4%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY		Yes
Seek Help	All	9.9%
	Grades 7-8	6.3%
	Grades 9-12	12.0%

**Region 10: Grades 7-12
SPRING 2008**

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	7.1%	31.4%	27.2%	27.1%	7.2%
Grades 7-8	7.5%	31.5%	27.7%	25.3%	8.0%
Grades 9-12	6.8%	31.3%	27.0%	28.1%	6.8%
Sometimes carry weapons?					
All	71.3%	18.5%	7.3%	2.3%	0.6%
Grades 7-8	75.6%	17.4%	4.8%	1.5%	0.6%
Grades 9-12	68.9%	19.1%	8.7%	2.8%	0.5%
Care about making good grades?					
All	2.9%	19.2%	26.0%	35.2%	16.7%
Grades 7-8	2.6%	24.1%	26.0%	30.5%	16.9%
Grades 9-12	3.1%	16.4%	26.0%	37.8%	16.6%
Belong/want to belong to a gang?					
All	50.9%	25.9%	14.7%	6.8%	1.8%
Grades 7-8	48.9%	28.9%	13.2%	6.8%	2.2%
Grades 9-12	52.0%	24.2%	15.5%	6.8%	1.5%
Wish they could drop out of school?					
All	53.8%	30.6%	10.2%	4.1%	1.3%
Grades 7-8	56.8%	27.2%	11.3%	3.6%	1.2%
Grades 9-12	52.1%	32.5%	9.7%	4.4%	1.4%

**Region 10: Grades 7-12
SPRING 2008**

Table X-5: How safe do you feel when you are:

		Very Safe	Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
In your home?						
	All	80.0%	17.6%	0.9%	0.3%	1.2%
	Grades 7-8	78.2%	19.3%	1.8%	0.0%	0.8%
	Grades 9-12	81.0%	16.6%	0.5%	0.5%	1.4%
Out in your neighbourhood						
	All	25.8%	59.2%	10.4%	2.0%	2.5%
	Grades 7-8	22.1%	63.2%	10.6%	2.6%	1.4%
	Grades 9-12	27.9%	57.0%	10.3%	1.7%	3.1%
At school						
	All	39.9%	47.3%	8.1%	1.6%	3.0%
	Grades 7-8	34.6%	48.8%	11.3%	2.1%	3.2%
	Grades 9-12	42.9%	46.5%	6.3%	1.3%	3.0%

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A website or online chat	All 31.8%
	Grades 7-8 24.6%
	Grades 9-12 35.8%
Books, magazines, poster	All 53.7%
	Grades 7-8 50.6%
	Grades 9-12 55.4%
TV, radio, or other audi	All 59.7%
	Grades 7-8 58.1%
	Grades 9-12 60.7%
Your parents	All 65.5%
	Grades 7-8 65.0%
	Grades 9-12 65.9%

**Region 10: Grades 7-12
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade
All students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.4%	23.4%	38.7%	61.3%
	Grades 7-8	7.0%	10.2%	24.9%	75.1%
	Grades 9-12	20.8%	29.5%	45.2%	54.8%
Alcohol					
	All	43.0%	53.9%	71.5%	28.5%
	Grades 7-8	30.9%	40.8%	62.1%	37.9%
	Grades 9-12	49.2%	60.7%	76.4%	23.6%
Inhalants					
	All	4.2%	7.0%	14.0%	86.0%
	Grades 7-8	6.3%	9.7%	17.0%	83.0%
	Grades 9-12	3.2%	5.8%	12.6%	87.4%
Any Illicit Drug					
	All	12.7%	17.9%	29.7%	70.3%
	Grades 7-8	5.3%	8.3%	16.3%	83.7%
	Grades 9-12	16.9%	23.4%	37.4%	62.6%
Marijuana					
	All	9.9%	15.4%	25.5%	74.5%
	Grades 7-8	3.0%	6.1%	13.4%	86.6%
	Grades 9-12	13.6%	20.5%	32.2%	67.8%
Marijuana Only					
	All	3.1%	5.9%	10.7%	89.3%
	Grades 7-8	1.4%	2.8%	7.7%	92.3%
	Grades 9-12	4.1%	7.7%	12.4%	87.6%
Cocaine or Crack					
	All	6.4%	8.9%	16.0%	84.0%
	Grades 7-8	2.2%	3.2%	6.2%	93.8%
	Grades 9-12	8.8%	12.1%	21.4%	78.6%
Cocaine					
	All	5.8%	8.4%	15.4%	84.6%
	Grades 7-8	1.2%	2.6%	5.4%	94.6%
	Grades 9-12	8.4%	11.5%	20.9%	79.1%
Crack					
	All	1.9%	2.3%	3.8%	96.2%
	Grades 7-8	1.1%	1.1%	1.7%	98.3%
	Grades 9-12	2.3%	2.9%	4.8%	95.2%
Hallucinogens					
	All	1.3%	1.8%	3.2%	96.8%
	Grades 7-8	0.9%	1.0%	1.7%	98.3%
	Grades 9-12	1.5%	2.2%	3.9%	96.1%
Uppers					
	All	1.2%	2.0%	3.0%	97.0%
	Grades 7-8	1.1%	1.8%	2.4%	97.6%
	Grades 9-12	1.3%	2.1%	3.2%	96.8%
Downers					
	All	1.1%	1.5%	2.3%	97.7%
	Grades 7-8	0.3%	1.0%	1.4%	98.6%
	Grades 9-12	1.5%	1.7%	2.7%	97.3%

**Region 10: Grades 7-12
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	1.2%	1.9%	98.1%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.1%	1.8%	2.8%	97.2%
Steroids	All	0.5%	0.6%	1.5%	98.5%
	Grades 7-8	0.7%	0.7%	1.7%	98.3%
	Grades 9-12	0.4%	0.6%	1.4%	98.6%
Ecstasy	All	1.1%	1.8%	3.6%	96.4%
	Grades 7-8	0.0%	0.4%	0.4%	99.6%
	Grades 9-12	1.7%	2.6%	5.2%	94.8%
Heroin	All	0.9%	1.2%	2.1%	97.9%
	Grades 7-8	1.1%	1.5%	1.5%	98.5%
	Grades 9-12	0.9%	1.0%	2.4%	97.6%

**Region 10: Grades 7-12
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	17.4%	25.1%	41.8%	58.2%
	Grades 7-8	7.1%	11.1%	28.0%	72.0%
	Grades 9-12	22.2%	31.7%	48.2%	51.8%
Alcohol	All	41.7%	53.8%	70.5%	29.5%
	Grades 7-8	32.8%	44.2%	63.3%	36.7%
	Grades 9-12	46.2%	58.7%	74.1%	25.9%
Inhalants	All	3.8%	6.3%	13.4%	86.6%
	Grades 7-8	7.5%	10.4%	15.5%	84.5%
	Grades 9-12	2.2%	4.4%	12.4%	87.6%
Any Illicit Drug	All	11.8%	17.4%	29.8%	70.2%
	Grades 7-8	5.0%	9.0%	20.2%	79.8%
	Grades 9-12	15.5%	22.0%	35.1%	64.9%
Marijuana	All	8.8%	14.5%	26.1%	73.9%
	Grades 7-8	2.6%	6.8%	17.6%	82.4%
	Grades 9-12	12.0%	18.5%	30.5%	69.5%
Marijuana Only	All	2.9%	5.5%	12.1%	87.9%
	Grades 7-8	1.7%	3.0%	11.5%	88.5%
	Grades 9-12	3.6%	6.9%	12.4%	87.6%
Cocaine or Crack	All	5.9%	9.0%	14.5%	85.5%
	Grades 7-8	1.4%	3.8%	6.6%	93.4%
	Grades 9-12	8.2%	11.7%	18.6%	81.4%
Cocaine	All	5.5%	8.1%	13.6%	86.4%
	Grades 7-8	0.6%	3.0%	5.2%	94.8%
	Grades 9-12	8.0%	10.7%	18.0%	82.0%
Crack	All	1.7%	2.6%	3.6%	96.4%
	Grades 7-8	0.9%	1.1%	1.7%	98.3%
	Grades 9-12	2.1%	3.4%	4.6%	95.4%
Hallucinogens	All	1.0%	1.3%	3.1%	96.9%
	Grades 7-8	1.3%	1.5%	3.2%	96.8%
	Grades 9-12	0.9%	1.2%	3.1%	96.9%
Uppers	All	1.0%	1.5%	2.3%	97.7%
	Grades 7-8	0.8%	1.5%	2.4%	97.6%
	Grades 9-12	1.2%	1.5%	2.3%	97.7%
Downers	All	0.7%	1.2%	1.7%	98.3%
	Grades 7-8	0.0%	0.7%	1.6%	98.4%
	Grades 9-12	1.0%	1.4%	1.8%	98.2%

**Region 10: Grades 7-12
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.9%	1.6%	1.8%	98.2%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.3%	2.4%	2.7%	97.3%
Steroids	All	0.6%	0.8%	1.5%	98.5%
	Grades 7-8	0.9%	0.9%	2.4%	97.6%
	Grades 9-12	0.4%	0.8%	1.2%	98.8%
Ecstasy	All	0.5%	1.2%	2.9%	97.1%
	Grades 7-8	0.0%	0.9%	0.9%	99.1%
	Grades 9-12	0.7%	1.3%	3.8%	96.2%
Heroin	All	0.5%	0.8%	2.0%	98.0%
	Grades 7-8	0.8%	1.7%	1.7%	98.3%
	Grades 9-12	0.3%	0.3%	2.1%	97.9%

**Region 10: Grades 7-12
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.7%	21.9%	36.1%	63.9%
	Grades 7-8	6.9%	9.6%	22.2%	77.8%
	Grades 9-12	19.7%	27.6%	42.5%	57.5%
Alcohol					
	All	44.4%	54.1%	72.8%	27.2%
	Grades 7-8	29.5%	38.1%	61.5%	38.5%
	Grades 9-12	52.2%	62.6%	78.7%	21.3%
Inhalants					
	All	4.5%	7.7%	14.6%	85.4%
	Grades 7-8	5.3%	9.2%	18.5%	81.5%
	Grades 9-12	4.2%	7.0%	12.8%	87.2%
Any Illicit Drug					
	All	13.6%	18.5%	29.7%	70.3%
	Grades 7-8	5.5%	7.8%	12.9%	87.1%
	Grades 9-12	18.3%	24.7%	39.5%	60.5%
Marijuana					
	All	10.9%	16.3%	25.1%	74.9%
	Grades 7-8	3.4%	5.6%	9.9%	90.1%
	Grades 9-12	15.2%	22.4%	33.8%	66.2%
Marijuana Only					
	All	3.3%	6.3%	9.5%	90.5%
	Grades 7-8	1.1%	2.8%	4.4%	95.6%
	Grades 9-12	4.6%	8.4%	12.5%	87.5%
Cocaine or Crack					
	All	6.9%	8.9%	17.3%	82.7%
	Grades 7-8	2.8%	2.8%	5.9%	94.1%
	Grades 9-12	9.4%	12.5%	24.0%	76.0%
Cocaine					
	All	6.2%	8.6%	17.0%	83.0%
	Grades 7-8	1.7%	2.4%	5.5%	94.5%
	Grades 9-12	8.8%	12.3%	23.6%	76.4%
Crack					
	All	2.0%	2.0%	3.9%	96.1%
	Grades 7-8	1.2%	1.2%	1.8%	98.2%
	Grades 9-12	2.4%	2.4%	5.1%	94.9%
Hallucinogens					
	All	1.6%	2.2%	3.2%	96.8%
	Grades 7-8	0.5%	0.5%	0.5%	99.5%
	Grades 9-12	2.2%	3.1%	4.7%	95.3%
Uppers					
	All	1.4%	2.5%	3.5%	96.5%
	Grades 7-8	1.3%	2.0%	2.5%	97.5%
	Grades 9-12	1.4%	2.8%	4.1%	95.9%
Downers					
	All	1.5%	1.7%	2.8%	97.2%
	Grades 7-8	0.6%	1.3%	1.3%	98.7%
	Grades 9-12	2.0%	2.0%	3.6%	96.4%

**Region 10: Grades 7-12
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.8%	1.9%	98.1%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.9%	1.2%	2.9%	97.1%
Steroids	All	0.5%	0.5%	1.4%	98.6%
	Grades 7-8	0.6%	0.6%	1.2%	98.8%
	Grades 9-12	0.4%	0.4%	1.5%	98.5%
Ecstasy	All	1.7%	2.4%	4.2%	95.8%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	2.6%	3.7%	6.4%	93.6%
Heroin	All	1.3%	1.5%	2.2%	97.8%
	Grades 7-8	1.3%	1.3%	1.3%	98.7%
	Grades 9-12	1.3%	1.7%	2.7%	97.3%

**Region 10: Grades 7-12
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade
White students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	0.0%	42.6%	42.6%	57.4%
	Grades 7-8	0.0%	33.3%	33.3%	66.7%
	Grades 9-12	0.0%	50.0%	50.0%	50.0%
Alcohol	All	51.7%	64.4%	88.1%	11.9%
	Grades 7-8	75.9%	100.0%	100.0%	0.0%
	Grades 9-12	25.0%	25.0%	75.0%	25.0%
Inhalants	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Any Illicit Drug	All	23.8%	23.8%	36.4%	63.6%
	Grades 7-8	0.0%	0.0%	24.1%	75.9%
	Grades 9-12	50.0%	50.0%	50.0%	50.0%
Marijuana	All	27.8%	27.8%	27.8%	72.2%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	50.0%	50.0%	50.0%	50.0%
Marijuana Only	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Cocaine or Crack	All	11.9%	23.8%	36.4%	63.6%
	Grades 7-8	0.0%	0.0%	24.1%	75.9%
	Grades 9-12	25.0%	50.0%	50.0%	50.0%
Cocaine	All	11.9%	23.8%	36.4%	63.6%
	Grades 7-8	0.0%	0.0%	24.1%	75.9%
	Grades 9-12	25.0%	50.0%	50.0%	50.0%
Crack	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	13.6%	13.6%	13.6%	86.4%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	25.0%	25.0%	25.0%	75.0%
Uppers	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Downers	All	13.9%	13.9%	13.9%	86.1%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	25.0%	25.0%	25.0%	75.0%

**Region 10: Grades 7-12
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	13.6%	13.6%	13.6%	86.4%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	25.0%	25.0%	25.0%	75.0%
Heroin	All	16.2%	16.2%	16.2%	83.8%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	33.4%	33.4%	33.4%	66.6%

**Region 10: Grades 7-12
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	73.9%	73.9%	100.0%	0.0%
	Grades 7-8	44.4%	44.4%	100.0%	0.0%
	Grades 9-12	100.0%	100.0%	100.0%	0.0%
Alcohol	All	20.8%	47.4%	73.4%	26.6%
	Grades 7-8	44.4%	44.4%	100.0%	0.0%
	Grades 9-12	0.0%	50.0%	50.0%	50.0%
Inhalants	All	0.0%	0.0%	26.1%	73.9%
	Grades 7-8	0.0%	0.0%	55.6%	44.4%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Any Illicit Drug	All	0.0%	0.0%	20.8%	79.2%
	Grades 7-8	0.0%	0.0%	44.4%	55.6%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Marijuana	All	0.0%	0.0%	20.8%	79.2%
	Grades 7-8	0.0%	0.0%	44.4%	55.6%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Marijuana Only	All	0.0%	0.0%	20.8%	79.2%
	Grades 7-8	0.0%	0.0%	44.4%	55.6%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Cocaine or Crack	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Cocaine	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Crack	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Uppers	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Downers	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%

**Region 10: Grades 7-12
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%
Heroin	All	0.0%	0.0%	0.0%	100.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.0%	100.0%

**Region 10: Grades 7-12
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.5%	23.3%	38.8%	61.2%
	Grades 7-8	6.9%	10.0%	24.5%	75.5%
	Grades 9-12	20.9%	29.4%	45.4%	54.6%
Alcohol					
	All	43.4%	54.3%	71.8%	28.2%
	Grades 7-8	30.5%	40.6%	61.8%	38.2%
	Grades 9-12	50.0%	61.3%	77.0%	23.0%
Inhalants					
	All	4.3%	7.2%	14.3%	85.7%
	Grades 7-8	6.7%	10.2%	17.3%	82.7%
	Grades 9-12	3.3%	5.8%	12.9%	87.1%
Any Illicit Drug					
	All	12.9%	18.3%	30.3%	69.7%
	Grades 7-8	5.5%	8.7%	16.6%	83.4%
	Grades 9-12	17.1%	23.7%	38.1%	61.9%
Marijuana					
	All	10.0%	15.8%	26.1%	73.9%
	Grades 7-8	3.1%	6.4%	13.7%	86.3%
	Grades 9-12	13.7%	20.8%	32.8%	67.2%
Marijuana Only					
	All	3.3%	6.2%	11.0%	89.0%
	Grades 7-8	1.5%	3.0%	7.8%	92.2%
	Grades 9-12	4.3%	8.0%	12.8%	87.2%
Cocaine or Crack					
	All	6.5%	9.0%	16.2%	83.8%
	Grades 7-8	2.3%	3.3%	6.2%	93.8%
	Grades 9-12	8.9%	12.1%	21.6%	78.4%
Cocaine					
	All	5.9%	8.4%	15.6%	84.4%
	Grades 7-8	1.3%	2.7%	5.3%	94.7%
	Grades 9-12	8.4%	11.5%	21.1%	78.9%
Crack					
	All	1.9%	2.3%	3.8%	96.2%
	Grades 7-8	1.1%	1.1%	1.7%	98.3%
	Grades 9-12	2.3%	2.9%	4.9%	95.1%
Hallucinogens					
	All	1.3%	1.7%	3.1%	96.9%
	Grades 7-8	0.9%	0.9%	1.7%	98.3%
	Grades 9-12	1.4%	2.1%	3.9%	96.1%
Uppers					
	All	1.2%	2.1%	3.0%	97.0%
	Grades 7-8	1.1%	1.8%	2.6%	97.4%
	Grades 9-12	1.3%	2.2%	3.2%	96.8%
Downers					
	All	1.1%	1.4%	2.3%	97.7%
	Grades 7-8	0.3%	1.1%	1.5%	98.5%
	Grades 9-12	1.5%	1.6%	2.7%	97.3%

**Region 10: Grades 7-12
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	1.1%	1.9%	98.1%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.0%	1.7%	2.8%	97.2%
Steroids	All	0.5%	0.7%	1.5%	98.5%
	Grades 7-8	0.8%	0.8%	1.8%	98.2%
	Grades 9-12	0.4%	0.6%	1.4%	98.6%
Ecstasy	All	1.1%	1.8%	3.6%	96.4%
	Grades 7-8	0.0%	0.4%	0.4%	99.6%
	Grades 9-12	1.6%	2.6%	5.3%	94.7%
Heroin	All	0.9%	1.1%	2.1%	97.9%
	Grades 7-8	1.1%	1.4%	1.4%	98.6%
	Grades 9-12	0.8%	1.0%	2.4%	97.6%

**Region 10: Grades 7-12
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.9%	13.7%	27.5%	72.5%
	Grades 7-8	0.0%	0.0%	4.6%	95.4%
	Grades 9-12	8.8%	17.5%	33.9%	66.1%
Alcohol	All	27.7%	39.5%	60.0%	40.0%
	Grades 7-8	9.6%	19.2%	41.0%	59.0%
	Grades 9-12	33.1%	45.6%	65.7%	34.3%
Inhalants	All	1.1%	4.2%	8.4%	91.6%
	Grades 7-8	0.0%	0.0%	4.4%	95.6%
	Grades 9-12	1.4%	5.4%	9.6%	90.4%
Any Illicit Drug	All	10.0%	14.1%	23.9%	76.1%
	Grades 7-8	0.0%	0.0%	3.8%	96.2%
	Grades 9-12	13.2%	18.6%	30.3%	69.7%
Marijuana	All	8.9%	13.1%	22.1%	77.9%
	Grades 7-8	0.0%	0.0%	4.2%	95.8%
	Grades 9-12	11.6%	17.0%	27.3%	72.7%
Marijuana Only	All	4.8%	7.9%	12.6%	87.4%
	Grades 7-8	0.0%	0.0%	3.8%	96.2%
	Grades 9-12	6.4%	10.4%	15.4%	84.6%
Cocaine or Crack	All	4.3%	5.4%	7.6%	92.4%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	5.8%	7.2%	10.2%	89.8%
Cocaine	All	4.4%	5.4%	7.7%	92.3%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	5.9%	7.3%	10.3%	89.7%
Crack	All	2.1%	2.1%	2.1%	97.9%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	2.7%	2.7%	2.7%	97.3%
Hallucinogens	All	0.0%	1.1%	2.0%	98.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	1.4%	2.7%	97.3%
Uppers	All	1.0%	1.0%	1.0%	99.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.3%	1.3%	1.3%	98.7%
Downers	All	1.0%	1.0%	2.0%	98.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.3%	1.3%	2.5%	97.5%

**Region 10: Grades 7-12
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	1.1%	1.1%	98.9%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	1.4%	1.4%	98.6%
Steroids	All	0.0%	0.0%	1.1%	98.9%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	1.4%	98.6%
Ecstasy	All	0.0%	0.0%	2.2%	97.8%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	2.8%	97.2%
Heroin	All	0.0%	1.1%	3.3%	96.7%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	1.4%	4.3%	95.7%

**Region 10: Grades 7-12
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	17.2%	24.2%	39.9%	60.1%
	Grades 7-8	7.7%	10.9%	26.2%	73.8%
	Grades 9-12	21.9%	30.7%	46.6%	53.4%
Alcohol	All	45.0%	55.9%	73.1%	26.9%
	Grades 7-8	33.2%	43.0%	64.0%	36.0%
	Grades 9-12	51.5%	63.0%	78.0%	22.0%
Inhalants	All	4.6%	7.3%	14.6%	85.4%
	Grades 7-8	7.0%	10.8%	18.5%	81.5%
	Grades 9-12	3.5%	5.7%	12.9%	87.1%
Any Illicit Drug	All	13.0%	18.2%	30.3%	69.7%
	Grades 7-8	5.8%	9.1%	17.2%	82.8%
	Grades 9-12	17.4%	23.8%	38.2%	61.8%
Marijuana	All	9.9%	15.6%	25.9%	74.1%
	Grades 7-8	3.3%	6.7%	14.0%	86.0%
	Grades 9-12	13.8%	20.8%	32.8%	67.2%
Marijuana Only	All	2.7%	5.5%	10.1%	89.9%
	Grades 7-8	1.5%	3.1%	7.8%	92.2%
	Grades 9-12	3.5%	6.9%	11.5%	88.5%
Cocaine or Crack	All	6.8%	9.4%	17.1%	82.9%
	Grades 7-8	2.4%	3.5%	6.8%	93.2%
	Grades 9-12	9.4%	12.8%	23.1%	76.9%
Cocaine	All	6.1%	8.7%	16.4%	83.6%
	Grades 7-8	1.3%	2.9%	5.9%	94.1%
	Grades 9-12	8.9%	12.1%	22.5%	77.5%
Crack	All	1.9%	2.3%	4.0%	96.0%
	Grades 7-8	1.2%	1.3%	1.9%	98.1%
	Grades 9-12	2.2%	2.9%	5.2%	94.8%
Hallucinogens	All	1.5%	1.9%	3.4%	96.6%
	Grades 7-8	1.0%	1.1%	1.9%	98.1%
	Grades 9-12	1.8%	2.4%	4.2%	95.8%
Uppers	All	1.3%	2.2%	3.2%	96.8%
	Grades 7-8	1.2%	1.9%	2.7%	97.3%
	Grades 9-12	1.3%	2.3%	3.6%	96.4%
Downers	All	1.1%	1.5%	2.4%	97.6%
	Grades 7-8	0.3%	1.1%	1.5%	98.5%
	Grades 9-12	1.6%	1.8%	2.8%	97.2%

**Region 10: Grades 7-12
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.8%	1.2%	2.0%	98.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.2%	1.8%	3.1%	96.9%
Steroids	All	0.6%	0.7%	1.5%	98.5%
	Grades 7-8	0.8%	0.8%	1.9%	98.1%
	Grades 9-12	0.5%	0.7%	1.4%	98.6%
Ecstasy	All	1.3%	2.1%	3.8%	96.2%
	Grades 7-8	0.0%	0.4%	0.4%	99.6%
	Grades 9-12	2.0%	3.0%	5.6%	94.4%
Heroin	All	1.1%	1.2%	2.0%	98.0%
	Grades 7-8	1.2%	1.6%	1.6%	98.4%
	Grades 9-12	1.0%	1.0%	2.2%	97.8%

**Region 10: Grades 7-12
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.6%	19.1%	34.9%	65.1%
	Grades 7-8	4.9%	6.8%	21.3%	78.7%
	Grades 9-12	19.0%	24.7%	41.1%	58.9%
Alcohol					
	All	41.0%	50.9%	68.9%	31.1%
	Grades 7-8	28.7%	37.3%	60.0%	40.0%
	Grades 9-12	47.4%	58.0%	73.5%	26.5%
Inhalants					
	All	4.2%	6.6%	13.5%	86.5%
	Grades 7-8	5.5%	9.0%	15.8%	84.2%
	Grades 9-12	3.6%	5.5%	12.5%	87.5%
Any Illicit Drug					
	All	11.8%	16.4%	26.6%	73.4%
	Grades 7-8	5.3%	7.1%	16.1%	83.9%
	Grades 9-12	15.5%	21.7%	32.6%	67.4%
Marijuana					
	All	9.2%	13.7%	22.6%	77.4%
	Grades 7-8	2.9%	4.7%	12.5%	87.5%
	Grades 9-12	12.7%	18.7%	28.2%	71.8%
Marijuana Only					
	All	2.9%	5.6%	10.0%	90.0%
	Grades 7-8	1.9%	2.4%	8.4%	91.6%
	Grades 9-12	3.4%	7.5%	10.9%	89.1%
Cocaine or Crack					
	All	5.6%	8.1%	14.4%	85.6%
	Grades 7-8	1.9%	3.2%	6.1%	93.9%
	Grades 9-12	7.8%	10.9%	19.2%	80.8%
Cocaine					
	All	4.9%	7.4%	13.6%	86.4%
	Grades 7-8	0.9%	2.8%	5.3%	94.7%
	Grades 9-12	7.1%	10.0%	18.4%	81.6%
Crack					
	All	2.5%	2.8%	4.3%	95.7%
	Grades 7-8	1.1%	1.1%	1.5%	98.5%
	Grades 9-12	3.2%	3.7%	5.8%	94.2%
Hallucinogens					
	All	1.7%	1.8%	3.2%	96.8%
	Grades 7-8	0.8%	0.8%	0.8%	99.2%
	Grades 9-12	2.1%	2.3%	4.5%	95.5%
Uppers					
	All	1.5%	2.0%	2.8%	97.2%
	Grades 7-8	1.0%	1.4%	1.8%	98.2%
	Grades 9-12	1.8%	2.3%	3.3%	96.7%
Downers					
	All	1.4%	1.6%	2.6%	97.4%
	Grades 7-8	0.4%	0.9%	0.9%	99.1%
	Grades 9-12	1.9%	1.9%	3.4%	96.6%

**Region 10: Grades 7-12
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	1.1%	1.7%	98.3%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.1%	1.6%	2.7%	97.3%
Steroids	All	0.4%	0.5%	1.3%	98.7%
	Grades 7-8	0.0%	0.0%	0.5%	99.5%
	Grades 9-12	0.6%	0.8%	1.7%	98.3%
Ecstasy	All	1.6%	2.1%	3.2%	96.8%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	2.4%	3.2%	4.8%	95.2%
Heroin	All	1.2%	1.3%	2.1%	97.9%
	Grades 7-8	1.1%	1.5%	1.5%	98.5%
	Grades 9-12	1.2%	1.2%	2.4%	97.6%

**Region 10: Grades 7-12
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	20.4%	33.3%	47.9%	52.1%
	Grades 7-8	9.9%	16.6%	32.0%	68.0%
	Grades 9-12	25.3%	41.2%	55.5%	44.5%
Alcohol					
	All	47.6%	60.8%	78.2%	21.8%
	Grades 7-8	35.4%	48.7%	67.3%	32.7%
	Grades 9-12	54.0%	67.0%	83.8%	16.2%
Inhalants					
	All	4.3%	8.0%	15.4%	84.6%
	Grades 7-8	8.6%	11.8%	20.1%	79.9%
	Grades 9-12	2.4%	6.4%	13.3%	86.7%
Any Illicit Drug					
	All	14.8%	20.8%	36.5%	63.5%
	Grades 7-8	4.4%	9.6%	14.9%	85.1%
	Grades 9-12	20.5%	27.0%	48.4%	51.6%
Marijuana					
	All	11.9%	18.9%	32.3%	67.7%
	Grades 7-8	3.4%	7.8%	13.5%	86.5%
	Grades 9-12	16.2%	24.7%	42.0%	58.0%
Marijuana Only					
	All	3.8%	6.4%	12.4%	87.6%
	Grades 7-8	0.0%	4.1%	6.2%	93.8%
	Grades 9-12	5.9%	7.7%	15.9%	84.1%
Cocaine or Crack					
	All	8.0%	10.5%	19.0%	81.0%
	Grades 7-8	2.0%	2.3%	4.3%	95.7%
	Grades 9-12	11.1%	14.8%	26.7%	73.3%
Cocaine					
	All	7.8%	10.3%	19.0%	81.0%
	Grades 7-8	1.0%	1.3%	3.4%	96.6%
	Grades 9-12	11.3%	15.0%	27.1%	72.9%
Crack					
	All	0.4%	1.0%	2.5%	97.5%
	Grades 7-8	1.1%	1.4%	2.4%	97.6%
	Grades 9-12	0.0%	0.7%	2.5%	97.5%
Hallucinogens					
	All	0.5%	1.7%	2.7%	97.3%
	Grades 7-8	1.1%	1.4%	2.8%	97.2%
	Grades 9-12	0.2%	1.9%	2.6%	97.4%
Uppers					
	All	0.6%	2.1%	2.9%	97.1%
	Grades 7-8	1.3%	2.6%	2.6%	97.4%
	Grades 9-12	0.2%	1.8%	3.1%	96.9%
Downers					
	All	0.4%	1.2%	1.2%	98.8%
	Grades 7-8	0.0%	1.4%	1.4%	98.6%
	Grades 9-12	0.5%	1.1%	1.1%	98.9%

**Region 10: Grades 7-12
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	1.1%	1.9%	98.1%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.5%	1.7%	2.8%	97.2%
Steroids	All	0.8%	0.8%	2.0%	98.0%
	Grades 7-8	2.6%	2.6%	4.8%	95.2%
	Grades 9-12	0.0%	0.0%	0.6%	99.4%
Ecstasy	All	0.0%	0.8%	4.1%	95.9%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	1.2%	6.1%	93.9%
Heroin	All	0.4%	0.9%	2.1%	97.9%
	Grades 7-8	1.1%	1.4%	1.4%	98.6%
	Grades 9-12	0.0%	0.6%	2.4%	97.6%

**Region 10: Grades 7-12
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.1%	19.1%	35.2%	64.8%
	Grades 7-8	4.2%	7.5%	20.9%	79.1%
	Grades 9-12	16.0%	24.8%	42.2%	57.8%
Alcohol					
	All	38.5%	49.7%	68.7%	31.3%
	Grades 7-8	26.2%	35.9%	59.3%	40.7%
	Grades 9-12	45.2%	57.2%	73.9%	26.1%
Inhalants					
	All	2.9%	5.4%	11.1%	88.9%
	Grades 7-8	4.0%	6.6%	13.5%	86.5%
	Grades 9-12	2.4%	4.9%	10.0%	90.0%
Any Illicit Drug					
	All	10.5%	15.3%	27.1%	72.9%
	Grades 7-8	3.3%	6.1%	13.9%	86.1%
	Grades 9-12	14.8%	20.8%	34.9%	65.1%
Marijuana					
	All	8.3%	12.7%	23.2%	76.8%
	Grades 7-8	2.3%	4.3%	11.1%	88.9%
	Grades 9-12	11.7%	17.5%	30.1%	69.9%
Marijuana Only					
	All	2.9%	5.6%	10.4%	89.6%
	Grades 7-8	1.1%	2.3%	6.2%	93.8%
	Grades 9-12	3.9%	7.5%	12.8%	87.2%
Cocaine or Crack					
	All	5.4%	7.6%	14.7%	85.3%
	Grades 7-8	1.6%	2.4%	6.0%	94.0%
	Grades 9-12	7.6%	10.6%	19.6%	80.4%
Cocaine					
	All	5.1%	7.2%	14.2%	85.8%
	Grades 7-8	1.2%	2.4%	5.8%	94.2%
	Grades 9-12	7.3%	10.0%	18.9%	81.1%
Crack					
	All	1.4%	1.8%	3.1%	96.9%
	Grades 7-8	0.5%	0.5%	1.2%	98.8%
	Grades 9-12	2.0%	2.5%	4.1%	95.9%
Hallucinogens					
	All	1.2%	1.6%	2.5%	97.5%
	Grades 7-8	0.4%	0.4%	1.3%	98.7%
	Grades 9-12	1.6%	2.3%	3.2%	96.8%
Uppers					
	All	1.0%	1.7%	2.6%	97.4%
	Grades 7-8	0.4%	1.2%	2.1%	97.9%
	Grades 9-12	1.3%	2.0%	2.8%	97.2%
Downers					
	All	1.0%	1.3%	1.9%	98.1%
	Grades 7-8	0.4%	1.2%	1.7%	98.3%
	Grades 9-12	1.4%	1.4%	2.0%	98.0%

**Region 10: Grades 7-12
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.6%	0.8%	1.4%	98.6%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.0%	1.2%	2.1%	97.9%
Steroids					
	All	0.4%	0.5%	1.2%	98.8%
	Grades 7-8	0.5%	0.5%	1.7%	98.3%
	Grades 9-12	0.3%	0.5%	1.0%	99.0%
Ecstasy					
	All	0.8%	1.3%	2.6%	97.4%
	Grades 7-8	0.0%	0.5%	0.5%	99.5%
	Grades 9-12	1.3%	1.7%	3.8%	96.2%
Heroin					
	All	0.7%	1.0%	1.7%	98.3%
	Grades 7-8	0.5%	0.8%	0.8%	99.2%
	Grades 9-12	0.9%	1.1%	2.2%	97.8%

**Region 10: Grades 7-12
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade
Students wouldn't seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	33.1%	40.1%	54.6%	45.4%
	Grades 7-8	19.7%	23.8%	47.9%	52.1%
	Grades 9-12	38.7%	46.9%	57.4%	42.6%
Alcohol	All	60.9%	70.5%	83.2%	16.8%
	Grades 7-8	47.9%	60.8%	75.2%	24.8%
	Grades 9-12	66.6%	74.6%	86.6%	13.4%
Inhalants	All	9.2%	13.5%	26.3%	73.7%
	Grades 7-8	19.9%	29.7%	41.9%	58.1%
	Grades 9-12	5.3%	7.5%	20.6%	79.4%
Any Illicit Drug	All	25.3%	31.6%	42.6%	57.4%
	Grades 7-8	18.0%	22.4%	33.4%	66.6%
	Grades 9-12	28.8%	35.9%	46.9%	53.1%
Marijuana	All	18.2%	27.3%	34.9%	65.1%
	Grades 7-8	8.5%	14.9%	25.9%	74.1%
	Grades 9-12	22.7%	33.1%	39.1%	60.9%
Marijuana Only	All	4.5%	6.5%	11.6%	88.4%
	Grades 7-8	3.9%	5.9%	16.8%	83.2%
	Grades 9-12	4.8%	6.8%	9.2%	90.8%
Cocaine or Crack	All	12.5%	17.0%	23.8%	76.2%
	Grades 7-8	6.6%	9.7%	9.7%	90.3%
	Grades 9-12	15.3%	20.4%	30.4%	69.6%
Cocaine	All	10.4%	15.0%	22.6%	77.4%
	Grades 7-8	2.0%	5.2%	5.2%	94.8%
	Grades 9-12	14.4%	19.7%	30.8%	69.2%
Crack	All	3.7%	4.6%	6.1%	93.9%
	Grades 7-8	4.8%	5.4%	5.4%	94.6%
	Grades 9-12	3.2%	4.2%	6.4%	93.6%
Hallucinogens	All	2.0%	2.9%	6.7%	93.3%
	Grades 7-8	2.4%	3.1%	3.1%	96.9%
	Grades 9-12	1.9%	2.8%	8.1%	91.9%
Uppers	All	3.1%	4.5%	5.4%	94.6%
	Grades 7-8	6.2%	6.2%	6.2%	93.8%
	Grades 9-12	1.9%	3.9%	5.2%	94.8%
Downers	All	1.4%	2.1%	3.0%	97.0%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.9%	2.9%	4.2%	95.8%

**Region 10: Grades 7-12
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade
Students wouldn't seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	2.9%	3.8%	96.2%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.9%	4.0%	5.2%	94.8%
Steroids	All	1.6%	1.6%	3.2%	96.8%
	Grades 7-8	2.3%	2.3%	2.3%	97.7%
	Grades 9-12	1.3%	1.3%	3.6%	96.4%
Ecstasy	All	3.1%	5.4%	8.2%	91.8%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	4.4%	7.6%	11.5%	88.5%
Heroin	All	2.4%	2.6%	4.9%	95.1%
	Grades 7-8	5.3%	6.0%	6.0%	94.0%
	Grades 9-12	1.2%	1.2%	4.5%	95.5%

**Region 10: Grades 7-12
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.6%	23.6%	33.7%	66.3%
	Grades 7-8	4.0%	9.0%	15.7%	84.3%
	Grades 9-12	19.7%	30.5%	42.2%	57.8%
Alcohol					
	All	42.4%	53.8%	69.2%	30.8%
	Grades 7-8	22.0%	34.8%	49.3%	50.7%
	Grades 9-12	52.1%	63.0%	78.7%	21.3%
Inhalants					
	All	3.9%	6.9%	10.5%	89.5%
	Grades 7-8	5.7%	10.1%	11.8%	88.2%
	Grades 9-12	3.2%	5.6%	9.9%	90.1%
Any Illicit Drug					
	All	12.4%	15.5%	26.5%	73.5%
	Grades 7-8	2.1%	3.4%	7.8%	92.2%
	Grades 9-12	17.8%	21.8%	36.3%	63.7%
Marijuana					
	All	10.9%	14.1%	24.8%	75.2%
	Grades 7-8	2.2%	3.7%	8.3%	91.7%
	Grades 9-12	15.2%	19.4%	33.0%	67.0%
Marijuana Only					
	All	2.7%	4.8%	9.5%	90.5%
	Grades 7-8	1.7%	3.0%	6.1%	93.9%
	Grades 9-12	3.2%	5.7%	11.3%	88.7%
Cocaine or Crack					
	All	7.0%	8.8%	15.1%	84.9%
	Grades 7-8	0.0%	0.4%	1.9%	98.1%
	Grades 9-12	10.5%	13.0%	21.7%	78.3%
Cocaine					
	All	7.1%	9.0%	15.3%	84.7%
	Grades 7-8	0.0%	0.4%	1.9%	98.1%
	Grades 9-12	10.7%	13.3%	22.1%	77.9%
Crack					
	All	1.1%	1.3%	1.8%	98.2%
	Grades 7-8	0.0%	0.5%	2.0%	98.0%
	Grades 9-12	1.7%	1.7%	1.7%	98.3%
Hallucinogens					
	All	0.9%	1.1%	1.2%	98.8%
	Grades 7-8	0.0%	0.5%	0.5%	99.5%
	Grades 9-12	1.4%	1.4%	1.6%	98.4%
Uppers					
	All	1.2%	1.2%	1.2%	98.8%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.8%	1.8%	1.8%	98.2%
Downers					
	All	1.6%	1.6%	1.6%	98.4%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	2.4%	2.4%	2.4%	97.6%

**Region 10: Grades 7-12
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	0.0%	0.6%	99.4%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	0.0%	0.0%	0.8%	99.2%
Steroids	All	0.7%	0.7%	1.4%	98.6%
	Grades 7-8	0.0%	0.0%	1.6%	98.4%
	Grades 9-12	1.0%	1.0%	1.3%	98.7%
Ecstasy	All	0.9%	1.5%	3.7%	96.3%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.4%	2.2%	5.6%	94.4%
Heroin	All	0.9%	1.1%	2.1%	97.9%
	Grades 7-8	0.0%	0.5%	0.5%	99.5%
	Grades 9-12	1.4%	1.4%	2.9%	97.1%

**Region 10: Grades 7-12
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	17.0%	23.0%	40.1%	59.9%
	Grades 7-8	7.5%	10.4%	27.6%	72.4%
	Grades 9-12	21.3%	28.9%	45.9%	54.1%
Alcohol					
	All	43.0%	53.7%	72.0%	28.0%
	Grades 7-8	33.1%	42.5%	65.2%	34.8%
	Grades 9-12	48.2%	59.6%	75.6%	24.4%
Inhalants					
	All	4.3%	7.0%	15.1%	84.9%
	Grades 7-8	6.7%	9.8%	18.7%	81.3%
	Grades 9-12	3.3%	5.7%	13.4%	86.6%
Any Illicit Drug					
	All	12.6%	18.5%	30.7%	69.3%
	Grades 7-8	5.8%	9.4%	18.4%	81.6%
	Grades 9-12	16.5%	23.7%	37.9%	62.1%
Marijuana					
	All	9.5%	15.6%	25.8%	74.2%
	Grades 7-8	2.9%	6.5%	14.6%	85.4%
	Grades 9-12	13.2%	20.7%	32.0%	68.0%
Marijuana Only					
	All	3.1%	6.0%	10.9%	89.1%
	Grades 7-8	1.3%	2.9%	8.3%	91.7%
	Grades 9-12	4.2%	7.9%	12.5%	87.5%
Cocaine or Crack					
	All	6.3%	9.0%	16.3%	83.7%
	Grades 7-8	2.4%	3.6%	7.0%	93.0%
	Grades 9-12	8.5%	12.0%	21.6%	78.4%
Cocaine					
	All	5.5%	8.2%	15.6%	84.4%
	Grades 7-8	1.2%	2.9%	6.0%	94.0%
	Grades 9-12	7.9%	11.2%	20.9%	79.1%
Crack					
	All	2.1%	2.6%	4.3%	95.7%
	Grades 7-8	1.3%	1.3%	1.7%	98.3%
	Grades 9-12	2.5%	3.2%	5.8%	94.2%
Hallucinogens					
	All	1.5%	2.0%	3.8%	96.2%
	Grades 7-8	1.1%	1.1%	2.1%	97.9%
	Grades 9-12	1.6%	2.5%	4.7%	95.3%
Uppers					
	All	1.2%	2.3%	3.5%	96.5%
	Grades 7-8	1.4%	2.2%	3.1%	96.9%
	Grades 9-12	1.2%	2.3%	3.7%	96.3%
Downers					
	All	1.0%	1.4%	2.5%	97.5%
	Grades 7-8	0.4%	1.3%	1.8%	98.2%
	Grades 9-12	1.3%	1.5%	2.9%	97.1%

**Region 10: Grades 7-12
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.9%	1.5%	2.2%	97.8%
	Grades 7-8	0.0%	0.0%	0.0%	100.0%
	Grades 9-12	1.4%	2.3%	3.4%	96.6%
Steroids	All	0.5%	0.6%	1.5%	98.5%
	Grades 7-8	0.9%	0.9%	1.7%	98.3%
	Grades 9-12	0.3%	0.5%	1.4%	98.6%
Ecstasy	All	1.2%	2.0%	3.6%	96.4%
	Grades 7-8	0.0%	0.5%	0.5%	99.5%
	Grades 9-12	1.8%	2.7%	5.2%	94.8%
Heroin	All	1.0%	1.2%	2.1%	97.9%
	Grades 7-8	1.4%	1.8%	1.8%	98.2%
	Grades 9-12	0.7%	1.0%	2.3%	97.7%

**Region 10: Grades 7-12
Spring 2008**

The FREQ Procedure

Frequency Missing = 481.12298475

**QUALIFY FOR
FREE/REDUCED PRICE
LUNCH**

GENDER		
q1	Frequency	Percent
Female	13895	52.50
Male	12574	47.50

**ON AVERAGE WHAT
GRADES DO YOU GET**

q11	Frequency	Percent
Don't Know	6258	24.07
No	2102	8.09
Yes	17639	67.84

q6	Frequency	Percent
Mostly A's	2755	10.56
Mostly B's	15138	58.03
Mostly C's	6959	26.68
Mostly D's	933	3.58
Mostly F's	300	1.15

Frequency Missing = 57.258259711

Frequency Missing = 526.12151025

GRADE		
q2	Frequency	Percent
Grade 7	4923	18.56
Grade 8	4708	17.75
Grade 9	5368	20.24
Grade 10	4336	16.35
Grade 11	3920	14.78
Grade 12	3271	12.33

Frequency Missing = 441.74221957

**PARTICIPATE IN
SCHOOL ATHLETICS**

q12a	Frequency	Percent
No	8981	40.56
Yes	13162	59.44

Frequency Missing = 4382.5775918

**LIVE WITH BOTH
PARENTS**

q3	Frequency	Percent
No	7482	28.41
Yes	18851	71.59

Frequency Missing = 193.19491651

**PARTICIPATE IN
SCHOOL
BAND/ORCHESTRA**

q12b	Frequency	Percent
No	15126	76.45
Yes	4660	23.55

Frequency Missing = 6740.652469

AGE		
q4	Frequency	Percent
12	1049	3.98
13	4099	15.57
14	4882	18.55
15	5042	19.15
16	4510	17.13
17	4266	16.20
18	2255	8.57
19 or older	223	0.85

Frequency Missing = 393.69907806

**DO YOU HAVE A
JOB**

q8	Frequency	Percent
No	23402	89.51
Yes	2743	10.49

Frequency Missing = 380.61414114

**PARTICIPATE IN
SCHOOL CHOIR**

q12c	Frequency	Percent
No	16295	98.62
Yes	229	1.38

Frequency Missing = 10001.725041

Frequency Missing = 200.82195711

Frequency Missing = 827.08633864

**PARTICIPATE IN
DRAMA/SPEECH/ART
CLUBS**

q12d	Frequency	Percent
No	12618	76.36
Yes	3907	23.64

Frequency Missing = 10001.086602

ETHNICITY		
q5	Frequency	Percent
African/American	125	0.48
Asian/American	21	0.08
Mexican/American	25400	97.53
Native/American	42	0.16
Other	294	1.13
White	162	0.62

**EITHER PARENT COLLEGE
GRADUATE**

q10	Frequency	Percent
Don't Know	5809	22.19
No	15106	57.71
Yes	5260	20.09

Frequency Missing = 351.03958982

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 10: Grades 7-12
Spring 2008**

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	13925	85.86
Yes	2294	14.14

Frequency Missing = 10307.493832

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	18236	96.58
Yes	646	3.42

Frequency Missing = 7643.4708154

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	6786	25.80
Somewhat Safe	15579	59.24
Not Very Safe	2743	10.43
Not Safe At All	533	2.03
Don't Know	658	2.50

Frequency Missing = 226.55914114

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	15503	96.75
Yes	520	3.25

Frequency Missing = 10502.661787

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	16043	83.15
Yes	3252	16.85

Frequency Missing = 7231.2258005

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	10486	39.92
Somewhat Safe	12427	47.31
Not Very Safe	2130	8.11
Not Safe At All	425	1.62
Don't Know	799	3.04

Frequency Missing = 258.48717529

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	15338	92.94
Yes	1165	7.06

Frequency Missing = 10022.500262

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	12402	60.25
Yes	8182	39.75

Frequency Missing = 5942.2377929

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	1845	7.05
A Few	8210	31.38
Some	7129	27.25
Most	7084	27.08
All	1895	7.24

Frequency Missing = 362.9580142

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	14864	83.26
Yes	2988	16.74

Frequency Missing = 8673.0246701

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	15051	74.12
Yes	5255	25.88

Frequency Missing = 6219.4712179

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	15002	82.39
Yes	3207	17.61

Frequency Missing = 8317.3311361

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	20918	80.02
Somewhat Safe	4590	17.56
Not Very Safe	245	0.94
Not Safe At All	82	0.31
Don't Know	306	1.17

Frequency Missing = 384.06495124

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	18216	71.31
A Few	4724	18.49
Some	1873	7.33
Most	592	2.32
All	141	0.55

Frequency Missing = 979.42924209

**Region 10: Grades 7-12
Spring 2008**

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c	Frequency	Percent
None	733	2.91
A Few	4832	19.16
Some	6555	26.00
Most	8877	35.21
All	4215	16.72

Frequency Missing = 1313.8553602

HOW MANY FRIENDS BELONG TO A GANG		
q14d	Frequency	Percent
None	13172	50.88
A Few	6696	25.87
Some	3800	14.68
Most	1763	6.81
All	458	1.77

Frequency Missing = 636.94683229

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e	Frequency	Percent
None	13884	53.76
A Few	7897	30.58
Some	2641	10.23
Most	1069	4.14
All	335	1.30

Frequency Missing = 699.39440472

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15	Frequency	Percent
No	13750	61.07
Yes	8764	38.93

Frequency Missing = 4012.6270662

RECENT CIGARETTE USE			
	Q16A	Frequency	Percent
Never Heard/Used		14038	60.54
In Your Lifetime		3768	16.25
Since School Began		1605	6.92
In the Past Month		3775	16.28

Frequency Missing = 3339.6990019

RECENT SMOKELESS TOBACCO USE			
	Q16B	Frequency	Percent
Never Heard/Used		20174	88.47
In Your Lifetime		1216	5.33
Since School Began		419	1.84
In the Past Month		994	4.36

Frequency Missing = 3722.8498235

RECENT BEER USE			
	Q16C	Frequency	Percent
Never Heard/Used		8692	36.77
In Your Lifetime		4282	18.11
Since School Began		2352	9.95
In the Past Month		8314	35.17

Frequency Missing = 2886.3859399

RECENT WINE COOLER USE			
	Q16D	Frequency	Percent
Never Heard/Used		9625	40.40
In Your Lifetime		4283	17.98
Since School Began		2275	9.55
In the Past Month		7639	32.07

Frequency Missing = 2703.2315865

RECENT WINE USE			
	Q16E	Frequency	Percent
Never Heard/Used		12535	54.38
In Your Lifetime		4402	19.10
Since School Began		2304	10.00
In the Past Month		3809	16.52

Frequency Missing = 3475.4034913

RECENT LIQUOR USE			
	Q16F	Frequency	Percent
Never Heard/Used		12452	52.66
In Your Lifetime		3238	13.69
Since School Began		2123	8.98
In the Past Month		5834	24.67

Frequency Missing = 2878.822461

RECENT INHALANT USE			
	Q16G	Frequency	Percent
Never Heard/Used		20285	86.04
In Your Lifetime		1646	6.98
Since School Began		657	2.79
In the Past Month		987	4.19

Frequency Missing = 2950.5411522

RECENT MARIJUANA USE			
	Q17A	Frequency	Percent
Never Heard/Used		19175	74.46
In Your Lifetime		2607	10.12
Since School Began		1424	5.53
In the Past Month		2545	9.88

Frequency Missing = 774.57911772

RECENT COCAINE USE			
	Q17B	Frequency	Percent
Never Heard/Used		21402	84.63
In Your Lifetime		1775	7.02
Since School Began		637	2.52
In the Past Month		1476	5.84

Frequency Missing = 1235.3461354

RECENT CRACK USE			
	Q17C	Frequency	Percent
Never Heard/Used		23534	96.25
In Your Lifetime		364	1.49
Since School Began		100	0.41
In the Past Month		453	1.85

Frequency Missing = 2074.7757703

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 10: Grades 7-12
Spring 2008**

RECENT HALLUCINOGEN USE		
	Q17E	Frequency Percent
Never Heard/Used	23949	96.83
In Your Lifetime	344	1.39
Since School Began	114	0.46
In the Past Month	327	1.32

Frequency Missing = 1791.8141232

RECENT UPPER USE		
	Q17F	Frequency Percent
Never Heard/Used	23829	97.04
In Your Lifetime	232	0.94
Since School Began	195	0.79
In the Past Month	300	1.22

Frequency Missing = 1970.8258078

RECENT DOWNER USE		
	Q17G	Frequency Percent
Never Heard/Used	23753	97.71
In Your Lifetime	202	0.83
Since School Began	84	0.34
In the Past Month	271	1.11

Frequency Missing = 2216.1064715

RECENT ROHYPNOL USE		
	Q17H	Frequency Percent
Never Heard/Used	24262	98.14
In Your Lifetime	172	0.70
Since School Began	113	0.46
In the Past Month	174	0.70

Frequency Missing = 1804.2362961

RECENT STEROID USE		
	Q17I	Frequency Percent
Never Heard/Used	23549	98.53
In Your Lifetime	200	0.84
Since School Began	25	0.10
In the Past Month	125	0.52

Frequency Missing = 2626.4407584

RECENT ECSTASY USE		
	Q17J	Frequency Percent
Never Heard/Used	23662	96.45
In Your Lifetime	422	1.72
Since School Began	174	0.71
In the Past Month	276	1.13

Frequency Missing = 1991.7138919

RECENT HEROIN USE		
	Q17K	Frequency Percent
Never Heard/Used	24142	97.92
In Your Lifetime	222	0.90
Since School Began	61	0.25
In the Past Month	230	0.93

Frequency Missing = 1871.0387175

TOBACCO USE IN PAST MONTH		
	q18a	Frequency Percent
Never Heard/Used	22203	84.98
1-2 times	2360	9.03
3-10 times	803	3.08
11+ times	760	2.91

Frequency Missing = 400.22805898

ALCOHOL USE IN PAST MONTH		
	q18b	Frequency Percent
Never Heard/Used	14511	55.49
1-2 times	6779	25.92
3-10 times	3452	13.20
11+ times	1410	5.39

Frequency Missing = 373.74134648

INHALANT USE IN PAST MONTH		
	q18c	Frequency Percent
Never Heard/Used	24456	95.16
1-2 times	916	3.56
3-10 times	243	0.94
11+ times	85	0.33

Frequency Missing = 826.96042891

MARIJUANA USE IN PAST MONTH		
	q18d	Frequency Percent
Never Heard/Used	21782	84.93
1-2 times	2573	10.03
3-10 times	809	3.16
11+ times	484	1.89

Frequency Missing = 877.43321211

COCAINE USE IN PAST MONTH		
	q18e	Frequency Percent
Never Heard/Used	23605	91.84
1-2 times	1438	5.60
3-10 times	340	1.32
11+ times	319	1.24

Frequency Missing = 823.39954876

CRACK USE IN PAST MONTH		
	q18f	Frequency Percent
Never Heard/Used	25415	97.74
1-2 times	427	1.64
3-10 times	93	0.36
11+ times	68	0.26

Frequency Missing = 523.48540624

CLOSE FRIENDS USE CIGARETTES		
	q19a	Frequency Percent
Never heard/None	11438	44.38
A few	8770	34.03
Some	3394	13.17
Most	1783	6.92
All	387	1.50

Frequency Missing = 752.79831136

CLOSE FRIENDS USE SMOKELESS TOBACCO		
	q19b	Frequency Percent
Never heard/None	19641	77.30
A few	3335	13.13
Some	1691	6.66
Most	445	1.75
All	297	1.17

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 10: Grades 7-12
Spring 2008**

Frequency Missing = 1117.4992922

CLOSE FRIENDS USE BEER		
q19c Frequency Percent		
Never heard/None	6148	23.94
A few	5340	20.79
Some	4344	16.91
Most	5956	23.19
All	3895	15.17

Frequency Missing = 842.874809

CLOSE FRIENDS USE WINE COOLERS		
q19d Frequency Percent		
Never heard/None	8679	33.80
A few	5037	19.62
Some	4798	18.69
Most	4322	16.83
All	2841	11.06

Frequency Missing = 849.4324138

CLOSE FRIENDS USE WINE		
q19e Frequency Percent		
Never heard/None	12958	50.95
A few	5085	19.99
Some	3544	13.94
Most	2201	8.66
All	1644	6.46

Frequency Missing = 1093.2917353

CLOSE FRIENDS USE LIQUOR		
q19f Frequency Percent		
Never heard/None	10760	42.07
A few	4419	17.27
Some	4248	16.61
Most	3857	15.08
All	2296	8.98

Frequency Missing = 946.10186187

CLOSE FRIENDS USE INHALANTS		
q19g Frequency Percent		
Never heard/None	19363	75.84
A few	3991	15.63
Some	1543	6.04
Most	392	1.54
All	241	0.94

Frequency Missing = 995.36653012

CLOSE FRIENDS USE MARIJUANA		
q19h Frequency Percent		
Never heard/None	13512	52.77
A few	5288	20.65
Some	3316	12.95
Most	2512	9.81
All	977	3.81

Frequency Missing = 920.45926967

DIFFICULT TO GET CIGARETTES		
q20a Frequency Percent		
Never heard of	4201	16.64
Impossible	4013	15.90
Very difficult	1507	5.97
Somewhat diff	2564	10.16
Somewhat easy	4639	18.38
Very easy	8316	32.95

Frequency Missing = 1285.0014307

DIFFICULT TO GET SMOKELESS TOBACCO		
q20b Frequency Percent		
Never heard of	9026	36.16
Impossible	4790	19.19
Very difficult	2073	8.30
Somewhat diff	2615	10.48
Somewhat easy	2654	10.63
Very easy	3803	15.24

Frequency Missing = 1566.7502013

DIFFICULT TO GET BEER		
q20c Frequency Percent		
Never heard of	3237	12.93
Impossible	2865	11.45
Very difficult	1399	5.59
Somewhat diff	2159	8.62
Somewhat easy	5354	21.39
Very easy	10022	40.03

Frequency Missing = 1489.9908357

DIFFICULT TO GET WINE COOLERS		
q20d Frequency Percent		
Never heard of	4532	18.32
Impossible	3169	12.81
Very difficult	1237	5.00
Somewhat diff	2730	11.04
Somewhat easy	4888	19.76
Very easy	8179	33.07

Frequency Missing = 1791.4766184

DIFFICULT TO GET WINE		
q20e Frequency Percent		
Never heard of	5000	20.40
Impossible	4144	16.91
Very difficult	1863	7.60
Somewhat diff	3231	13.18
Somewhat easy	4440	18.12
Very easy	5829	23.79

Frequency Missing = 2018.3416692

DIFFICULT TO GET LIQUOR		
q20f Frequency Percent		
Never heard of	4570	18.31
Impossible	4216	16.89
Very difficult	2066	8.28
Somewhat diff	2958	11.85
Somewhat easy	4416	17.69
Very easy	6734	26.98

Frequency Missing = 1566.5363677

**Region 10: Grades 7-12
Spring 2008**

DIFFICULT TO GET INHALANTS		
q20g	Frequency	Percent
Never heard of	7460	29.95
Impossible	4637	18.61
Very difficult	1434	5.76
Somewhat diff	1616	6.49
Somewhat easy	2043	8.20
Very easy	7723	31.00

Frequency Missing = 1612.4650233

DIFFICULT TO GET MARIJUANA		
q20h	Frequency	Percent
Never heard of	5562	22.45
Impossible	5690	22.97
Very difficult	1916	7.73
Somewhat diff	2502	10.10
Somewhat easy	3894	15.72
Very easy	5211	21.03

Frequency Missing = 1751.9181842

DIFFICULT TO GET COCAINE		
q20i	Frequency	Percent
Never heard of	6238	25.35
Impossible	6282	25.52
Very difficult	2355	9.57
Somewhat diff	2726	11.08
Somewhat easy	2578	10.47
Very easy	4433	18.01

Frequency Missing = 1914.0499279

DIFFICULT TO GET CRACK		
q20j	Frequency	Percent
Never heard of	7832	32.06
Impossible	6761	27.68
Very difficult	2712	11.10
Somewhat diff	2607	10.67
Somewhat easy	2043	8.36
Very easy	2475	10.13

Frequency Missing = 2096.1100999

DIFFICULT TO GET HALLUCINOGENS		
q20l	Frequency	Percent
Never heard of	11619	47.61
Impossible	5814	23.82
Very difficult	2473	10.14
Somewhat diff	1865	7.64
Somewhat easy	1177	4.82
Very easy	1457	5.97

Frequency Missing = 2120.8189229

DIFFICULT TO GET UPPERS		
q20m	Frequency	Percent
Never heard of	13313	55.43
Impossible	4680	19.49
Very difficult	2148	8.95
Somewhat diff	1420	5.91
Somewhat easy	1099	4.58
Very easy	1357	5.65

Frequency Missing = 2508.6753895

DIFFICULT TO GET DOWNERS		
q20n	Frequency	Percent
Never heard of	13594	55.98
Impossible	4747	19.55
Very difficult	2127	8.76
Somewhat diff	1410	5.81
Somewhat easy	1076	4.43
Very easy	1329	5.47

Frequency Missing = 2242.257183

DIFFICULT TO GET ROHYPNOL		
q20o	Frequency	Percent
Never heard of	14174	58.75
Impossible	4529	18.77
Very difficult	2105	8.72
Somewhat diff	1230	5.10
Somewhat easy	807	3.34
Very easy	1283	5.32

Frequency Missing = 2397.961701

DIFFICULT TO GET STEROIDS		
q20p	Frequency	Percent
Never heard of	8834	36.77
Impossible	7221	30.05
Very difficult	2579	10.73
Somewhat diff	2127	8.85
Somewhat easy	1612	6.71
Very easy	1655	6.89

Frequency Missing = 2499.3895154

DIFFICULT TO GET ECSTASY		
q20q	Frequency	Percent
Never heard of	10850	44.58
Impossible	5632	23.14
Very difficult	2467	10.14
Somewhat diff	2125	8.73
Somewhat easy	1289	5.30
Very easy	1977	8.12

Frequency Missing = 2184.9277242

DIFFICULT TO GET HEROIN		
q20r	Frequency	Percent
Never heard of	9913	40.90
Impossible	7141	29.46
Very difficult	2783	11.48
Somewhat diff	1932	7.97
Somewhat easy	946	3.90
Very easy	1524	6.29

Frequency Missing = 2286.2569781

AGE WHEN FIRST USED CIGARETTES		
q21a	Frequency	Percent
9 or younger	1338	13.58
10 years old	830	8.42
11 years old	670	6.79
12 years old	1170	11.87
13 years old	1502	15.24
14 years old	1457	14.77
15 years old	1268	12.86
16 years old	1111	11.27
17 years old	313	3.18
18 or older	198	2.01

Frequency Missing = 16667.958525

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 10: Grades 7-12
Spring 2008**

AGE WHEN FIRST USED SMOKELESS TOBACCO		
	q21b Frequency	Percent
9 or younger	167	8.23
10 years old	105	5.20
11 years old	89	4.38
12 years old	257	12.68
13 years old	210	10.35
14 years old	220	10.85
15 years old	451	22.24
16 years old	476	23.48
17 years old	26	1.28
18 or older	26	1.28

Frequency Missing = 24500.137391

AGE WHEN FIRST USED BEER		
	q21c Frequency	Percent
9 or younger	2339	14.51
10 years old	1179	7.31
11 years old	1096	6.79
12 years old	2241	13.90
13 years old	2415	14.98
14 years old	2372	14.71
15 years old	2457	15.24
16 years old	1325	8.22
17 years old	586	3.64
18 or older	114	0.71

Frequency Missing = 10402.048952

AGE WHEN FIRST USED WINE COOLERS		
	q21d Frequency	Percent
9 or younger	1095	8.13
10 years old	933	6.92
11 years old	960	7.12
12 years old	1960	14.54
13 years old	2288	16.98
14 years old	2146	15.92
15 years old	2331	17.30
16 years old	1284	9.53
17 years old	368	2.73
18 or older	112	0.83

Frequency Missing = 13051.18971

AGE WHEN FIRST USED WINE		
	q21e Frequency	Percent
9 or younger	784	7.28
10 years old	977	9.07
11 years old	652	6.06
12 years old	1631	15.15
13 years old	1893	17.58
14 years old	1531	14.22
15 years old	1667	15.48
16 years old	1094	10.15
17 years old	375	3.48
18 or older	164	1.52

Frequency Missing = 15756.995697

AGE WHEN FIRST USED LIQUOR		
	q21f Frequency	Percent
9 or younger	271	2.45
10 years old	659	5.95
11 years old	662	5.97
12 years old	1387	12.53
13 years old	1767	15.96
14 years old	2068	18.67
15 years old	2198	19.85
16 years old	1267	11.43
17 years old	566	5.11
18 or older	231	2.09

Frequency Missing = 15450.087752

AGE WHEN FIRST USED INHALANTS		
	q21g Frequency	Percent
9 or younger	397	17.01
10 years old	108	4.64
11 years old	197	8.45
12 years old	358	15.31
13 years old	531	22.74
14 years old	390	16.70
15 years old	168	7.18
16 years old	152	6.52
17 years old	34	1.45

Frequency Missing = 24190.642449

AGE WHEN FIRST USED MARIJUANA		
	q21h Frequency	Percent
9 or younger	191	3.09
10 years old	349	5.65
11 years old	283	4.57
12 years old	682	11.04
13 years old	1180	19.09
14 years old	1483	23.99
15 years old	1075	17.39
16 years old	468	7.57
17 years old	338	5.47
18 or older	132	2.14

Frequency Missing = 20345.045342

AGE WHEN FIRST USED COCAINE		
	q21i Frequency	Percent
9 or younger	60	1.58
10 years old	79	2.10
11 years old	54	1.44
12 years old	393	10.41
13 years old	550	14.54
14 years old	557	14.73
15 years old	868	22.96
16 years old	745	19.72
17 years old	421	11.15
18 or older	52	1.38

Frequency Missing = 22745.879451

AGE WHEN FIRST USED CRACK		
	q21j Frequency	Percent
9 or younger	25	3.06
10 years old	28	3.41
12 years old	89	10.78
13 years old	272	32.76
14 years old	44	5.34
15 years old	196	23.57
16 years old	143	17.19
17 years old	32	3.90

Frequency Missing = 25695.668538

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 10: Grades 7-12
Spring 2008**

AGE WHEN FIRST USED HALLUCINOGENS		
	q21l Frequency	Percent
11 years old	25	4.85
12 years old	58	11.15
13 years old	129	24.99
14 years old	82	15.93
16 years old	85	16.40
17 years old	112	21.65
18 or older	26	5.04

Frequency Missing = 26009.119029

AGE WHEN FIRST USED ROHYPNOL		
	q21o Frequency	Percent
10 years old	28	6.18
12 years old	25	5.47
13 years old	96	20.90
14 years old	51	11.16
15 years old	110	24.00
16 years old	94	20.43
17 years old	26	5.68
18 or older	28	6.18

Frequency Missing = 26067.945535

HOW OFTEN NORMALLY USE CIGARETTES		
	q22a Frequency	Percent
Every day	362	1.62
Several times/wk	785	3.51
Several times/mo	1115	4.99
About once/month	1767	7.90
About once/year	1650	7.38
< once/year	2446	10.94
Never used	14236	63.66

Frequency Missing = 4164.7619657

AGE WHEN FIRST USED UPPERS		
	q21m Frequency	Percent
9 or younger	50	6.38
10 years old	32	4.07
11 years old	25	3.17
12 years old	121	15.30
13 years old	189	23.90
14 years old	137	17.35
15 years old	25	3.17
16 years old	126	15.97
17 years old	84	10.68

Frequency Missing = 25735.240214

AGE WHEN FIRST USED STEROIDS		
	q21p Frequency	Percent
9 or younger	25	6.83
12 years old	25	6.92
13 years old	133	36.36
14 years old	54	14.62
15 years old	37	10.05
16 years old	25	6.83
17 years old	68	18.40

Frequency Missing = 26158.811144

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
	q22b Frequency	Percent
Several times/wk	228	1.05
Several times/mo	134	0.61
About once/month	252	1.16
About once/year	451	2.07
< once/year	783	3.60
Never used	19937	91.52

Frequency Missing = 4740.2404647

AGE WHEN FIRST USED DOWNERS		
	q21n Frequency	Percent
10 years old	25	4.57
11 years old	25	4.51
12 years old	121	21.77
13 years old	76	13.76
14 years old	180	32.40
15 years old	44	7.97
16 years old	25	4.51
17 years old	32	5.83
18 or older	26	4.68

Frequency Missing = 25970.17192

AGE WHEN FIRST USED ECSTASY		
	q21q Frequency	Percent
12 years old	60	6.28
13 years old	115	11.97
14 years old	148	15.37
15 years old	225	23.35
16 years old	244	25.32
17 years old	171	17.71

Frequency Missing = 25562.301248

HOW OFTEN NORMALLY USE BEER		
	q22c Frequency	Percent
Every day	31	0.14
Several times/wk	1858	8.30
Several times/mo	4009	17.91
About once/month	3761	16.80
About once/year	2283	10.20
< once/year	1983	8.86
Never used	8457	37.78

Frequency Missing = 4143.0266696

AGE WHEN FIRST USED HEROIN		
	q21r Frequency	Percent
9 or younger	57	12.52
13 years old	114	24.97
14 years old	86	18.71
15 years old	82	17.85
17 years old	119	25.94

Frequency Missing = 26068.677623

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 10: Grades 7-12
Spring 2008**

Frequency Missing = 6664.0769809

HOW OFTEN NORMALLY USE MARIJUANA		
q22h Frequency Percent		
Every day	220	1.13
Several times/wk	606	3.11
Several times/mo	814	4.18
About once/month	989	5.07
About once/year	829	4.25
< once/year	1434	7.36
Never used	14598	74.90

Frequency Missing = 7036.161538

HOW OFTEN NORMALLY USE COCAINE		
q22i Frequency Percent		
Every day	85	0.43
Several times/wk	249	1.27
Several times/mo	662	3.37
About once/month	560	2.85
About once/year	456	2.32
< once/year	1030	5.24
Never used	16607	84.52

Frequency Missing = 6876.8892667

HOW OFTEN NORMALLY USE CRACK		
q22j Frequency Percent		
Every day	34	0.17
Several times/wk	111	0.56
Several times/mo	92	0.47
About once/month	269	1.36
About once/year	104	0.53
< once/year	176	0.89
Never used	18986	96.03

Frequency Missing = 6754.1297845

HOW OFTEN NORMALLY USE ROHYPNOL		
q22o Frequency Percent		
Several times/wk	51	0.27
Several times/mo	25	0.13
About once/month	84	0.45
About once/year	59	0.31
< once/year	111	0.59
Never used	18432	98.24

HOW OFTEN NORMALLY USE HALLUCINOGENS		
q22l Frequency Percent		
Several times/wk	25	0.13
Several times/mo	76	0.40
About once/month	53	0.28
About once/year	182	0.97
< once/year	171	0.92
Never used	18191	97.29

Frequency Missing = 7828.4938754

HOW OFTEN NORMALLY USE UPPERS		
q22m Frequency Percent		
Several times/wk	76	0.41
Several times/mo	76	0.41
About once/month	147	0.79
About once/year	210	1.12
< once/year	238	1.27
Never used	18022	96.01

Frequency Missing = 7755.3249868

HOW OFTEN NORMALLY USE DOWNERS		
q22n Frequency Percent		
Every day	26	0.13
Several times/wk	25	0.13
Several times/mo	53	0.28
About once/month	57	0.30
About once/year	111	0.57
< once/year	192	0.99
Never used	18866	97.60

Frequency Missing = 7195.8930713

HOW OFTEN NORMALLY USE ROHYPNOL		
q22o Frequency Percent		
Several times/wk	51	0.27
Several times/mo	25	0.13
About once/month	84	0.45
About once/year	59	0.31
< once/year	111	0.59
Never used	18432	98.24

Frequency Missing = 7763.4642892

HOW OFTEN NORMALLY USE WINE COOLERS		
q22d Frequency Percent		
Every day	53	0.24
Several times/wk	1200	5.35
Several times/mo	3091	13.80
About once/month	3628	16.19
About once/year	2730	12.18
< once/year	1590	7.10
Never used	10111	45.13

Frequency Missing = 4124.0100285

HOW OFTEN NORMALLY USE WINE		
q22e Frequency Percent		
Every day	25	0.12
Several times/wk	854	3.95
Several times/mo	1234	5.71
About once/month	2245	10.39
About once/year	2985	13.81
< once/year	1969	9.11
Never used	12300	56.91

Frequency Missing = 4913.5139404

HOW OFTEN NORMALLY USE LIQUOR		
q22f Frequency Percent		
Several times/wk	1152	5.19
Several times/mo	2456	11.07
About once/month	2898	13.07
About once/year	2235	10.08
< once/year	1149	5.18
Never used	12291	55.41

Frequency Missing = 4343.7707242

HOW OFTEN NORMALLY USE INHALANTS		
q22g Frequency Percent		
Every day	32	0.16
Several times/wk	231	1.16
Several times/mo	197	0.99
About once/month	405	2.04
About once/year	417	2.10
< once/year	544	2.74
Never used	18035	90.80

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 10: Grades 7-12
Spring 2008**

HOW OFTEN NORMALLY USE STEROIDS		
	q22p	Frequency Percent
Every day	32	0.17
Several times/wk	34	0.17
Several times/mo	19	0.10
About once/year	54	0.28
< once/year	163	0.84
Never used	19153	98.45

Frequency Missing = 7071.2935642

HOW OFTEN NORMALLY USE ECSTASY		
	q22q	Frequency Percent
Several times/mo	146	0.72
About once/month	73	0.36
About once/year	251	1.24
< once/year	405	2.00
Never used	19382	95.68

Frequency Missing = 6269.5163279

HOW OFTEN NORMALLY USE HEROIN		
	q22r	Frequency Percent
Several times/mo	25	0.12
About once/month	83	0.39
About once/year	141	0.67
< once/year	173	0.82
Never used	20684	98.00

Frequency Missing = 5419.8073435

AMOUNT OF BEER AT ONE TIME		
	q23a	Frequency Percent
Never drink this	12601	53.40
12+ drinks	1061	4.50
9-11 drinks	748	3.17
5-8 drinks	1342	5.69
3-4 drinks	1892	8.02
2 drinks	1892	8.02
1 drink	1965	8.33
< 1 drink	2095	8.88

Frequency Missing = 2930.2639102

AMOUNT OF WINE COOLERS AT ONE TIME		
	q23b	Frequency Percent
Never drink this	13591	57.52
12+ drinks	534	2.26
9-11 drinks	197	0.84
5-8 drinks	525	2.22
3-4 drinks	1163	4.92
2 drinks	1597	6.76
1 drink	2957	12.52
< 1 drink	3063	12.96

Frequency Missing = 2898.3232251

AMOUNT OF WINE AT ONE TIME		
	q23c	Frequency Percent
Never drink this	10175	43.05
12+ drinks	1194	5.05
9-11 drinks	810	3.43
5-8 drinks	2009	8.50
3-4 drinks	2651	11.22
2 drinks	2916	12.34
1 drink	2341	9.91
< 1 drink	1538	6.51

Frequency Missing = 2892.2209712

AMOUNT OF LIQUOR AT ONE TIME		
	q23d	Frequency Percent
Never drink this	8807	36.57
12+ drinks	1697	7.05
9-11 drinks	1399	5.81
5-8 drinks	2561	10.63
3-4 drinks	2316	9.62
2 drinks	2069	8.59
1 drink	2590	10.75
< 1 drink	2645	10.98

Frequency Missing = 2443.2581377

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
	q24	Frequency Percent
Never 5+ at time	9408	37.23
None	8220	32.52
1 day	2143	8.48
2 days	1574	6.23
3 to 5 days	2357	9.33
6 to 9 days	707	2.80
10 or more days	864	3.42

Frequency Missing = 1252.5242148

GET ALCOHOLIC BEVERAGES FROM HOME		
	q25a	Frequency Percent
Do not Drink	10769	42.86
Never	8177	32.54
Seldom	4528	18.02
Most of the Time	1396	5.56
Always	256	1.02

Frequency Missing = 1399.5731049

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
	q25b	Frequency Percent
Do not Drink	8391	33.53
Never	3909	15.62
Seldom	4471	17.87
Most of the Time	5163	20.63
Always	3092	12.36

Frequency Missing = 1500.0289687

GET ALCOHOLIC BEVERAGES FROM A STORE		
	q25c	Frequency Percent
Do not Drink	8748	35.93
Never	10959	45.02
Seldom	2517	10.34
Most of the Time	1356	5.57
Always	765	3.14

Frequency Missing = 2180.1033451

**Region 10: Grades 7-12
Spring 2008**

GET ALCOHOLIC BEVERAGES AT PARTIES		
	q25d	Frequency Percent
Do not Drink	7277	29.20
Never	2907	11.66
Seldom	3176	12.75
Most of the Time	4292	17.22
Always	7268	29.16

Frequency Missing = 1605.4476276

GET ALCOHOLIC BEVERAGES FROM OTHER		
	q25e	Frequency Percent
Do not Drink	8965	37.22
Never	6034	25.05
Seldom	3171	13.17
Most of the Time	2874	11.94
Always	3040	12.62

Frequency Missing = 2441.6864843

USE MARIJUANA AS JOINTS		
	q26a	Frequency Percent
Never	19889	80.06
Seldom	2165	8.72
Half the time	752	3.03
Most of the time	983	3.96
Always	642	2.58
Don't know	411	1.65

Frequency Missing = 1683.7549896

USE MARIJUANA AS BLUNTS		
	q26b	Frequency Percent
Never	20904	84.89
Seldom	1606	6.52
Half the time	883	3.58
Most of the time	617	2.50
Always	367	1.49
Don't know	247	1.00

Frequency Missing = 1902.0252056

USE MARIJUANA IN BONGS OR WATER PIPES		
	q26c	Frequency Percent
Never	21390	88.12
Seldom	1086	4.47
Half the time	606	2.50
Most of the time	369	1.52
Always	556	2.29
Don't know	267	1.10

Frequency Missing = 2252.7025623

USE MARIJUANA IN PIPES		
	q26d	Frequency Percent
Never	20307	82.93
Seldom	1465	5.98
Half the time	622	2.54
Most of the time	852	3.48
Always	906	3.70
Don't know	334	1.37

Frequency Missing = 2040.2591161

USE MARIJUANA OTHER WAYS		
	q26e	Frequency Percent
Never	21018	87.35
Seldom	1238	5.14
Half the time	376	1.56
Most of the time	378	1.57
Always	515	2.14
Don't know	536	2.23

Frequency Missing = 2465.1149393

USED METHAMPHETAMINE EVEN ONE TIME		
	q27	Frequency Percent
Never heard/used	24903	97.39
At least once/month	195	0.76
At least once/year	138	0.54
At least once/life	334	1.31

Frequency Missing = 955.93115192

RECENT PRESCRIPTION DRUG USE - CODEINE		
	Q28A	Frequency Percent
Never heard/used	23555	94.22
At least once/month	537	2.15
At least once/year	468	1.87
At least once/life	440	1.76

Frequency Missing = 1525.5521805

RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC		
	Q28B	Frequency Percent
Never heard/used	24191	98.56
At least once/month	203	0.83
At least once/year	9	0.04
At least once/life	142	0.58

Frequency Missing = 1980.9456096

RECENT PRESCRIPTION DRUG USE - VICODIN ETC		
	Q28C	Frequency Percent
Never heard/used	23977	98.30
At least once/month	205	0.84
At least once/year	75	0.31
At least once/life	134	0.55

Frequency Missing = 2134.553615

RECENT PRESCRIPTION DRUG USE - VALIUM ETC		
	Q28D	Frequency Percent
Never heard/used	23905	98.96
At least once/month	115	0.48
At least once/year	25	0.10
At least once/life	112	0.46

Frequency Missing = 2368.5345188

RECENT PRESCRIPTION DRUG USE - XANAX ETC		
	Q28E	Frequency Percent
Never heard/used	24239	98.68
At least once/month	193	0.79
At least once/year	78	0.32
At least once/life	51	0.21

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 10: Grades 7-12
Spring 2008**

Frequency Missing = 1963.2507561

TAKE DXM, TRIPLE CS, ETC. TO GET HIGH		
q29 Frequency Percent		
Never heard/used	23861	96.34
At least once/month	317	1.28
At least once/year	165	0.67
At least once/life	425	1.72

Frequency Missing = 1758.0942561

DANGEROUS FOR KIDS TO USE TOBACCO		
q30a Frequency Percent		
Very	13434	53.66
Somewhat	7342	29.33
Not very	2406	9.61
Not at all	654	2.61
Don't know	1198	4.78

Frequency Missing = 1492.1386621

DANGEROUS FOR KIDS TO USE ALCOHOL		
q30b Frequency Percent		
Very	10955	43.81
Somewhat	7768	31.06
Not very	4314	17.25
Not at all	980	3.92
Don't know	992	3.97

Frequency Missing = 1517.0222811

DANGEROUS FOR KIDS TO USE INHALANTS		
q30c Frequency Percent		
Very	17331	71.37
Somewhat	4212	17.35
Not very	917	3.78
Not at all	508	2.09
Don't know	1314	5.41

Frequency Missing = 2242.97923

DANGEROUS FOR KIDS TO USE MARIJUANA		
q30d Frequency Percent		
Very	16806	68.43
Somewhat	4252	17.31
Not very	1396	5.68
Not at all	1008	4.11
Don't know	1096	4.46

Frequency Missing = 1968.5129936

DANGEROUS FOR KIDS TO USE COCAINE		
q30e Frequency Percent		
Very	18872	77.91
Somewhat	3270	13.50
Not very	707	2.92
Not at all	191	0.79
Don't know	1184	4.89

Frequency Missing = 2302.6886113

DANGEROUS FOR KIDS TO USE CRACK		
q30f Frequency Percent		
Very	19177	79.21
Somewhat	2767	11.43
Not very	423	1.75
Not at all	272	1.12
Don't know	1570	6.49

Frequency Missing = 2316.4143019

DANGEROUS FOR KIDS TO USE ECSTASY		
q30g Frequency Percent		
Very	18708	78.10
Somewhat	2506	10.46
Not very	372	1.55
Not at all	263	1.10
Don't know	2105	8.79

Frequency Missing = 2571.3471822

DANGEROUS FOR KIDS TO USE STEROIDS		
q30h Frequency Percent		
Very	18633	75.82
Somewhat	2981	12.13
Not very	776	3.16
Not at all	315	1.28
Don't know	1870	7.61

Frequency Missing = 1950.6926978

DANGEROUS FOR KIDS TO USE HEROIN		
q30i Frequency Percent		
Very	20462	83.12
Somewhat	1728	7.02
Not very	408	1.66
Not at all	216	0.88
Don't know	1805	7.33

Frequency Missing = 1906.7737148

DANGEROUS FOR KIDS TO USE METHAMPHETAMINE		
q30j Frequency Percent		
Very	20269	81.03
Somewhat	1801	7.20
Not very	235	0.94
Not at all	209	0.84
Don't know	2501	10.00

Frequency Missing = 1509.8028742

DAYS SKIPPED SINCE SEPTEMBER		
q31a Frequency Percent		
None	18104	71.54
1-3 days	5425	21.43
4-9 days	1131	4.47
10+ days	648	2.56

Frequency Missing = 1218.0392285

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 10: Grades 7-12
Spring 2008**

DAYS ILL SINCE SEPTEMBER		
q31b Frequency Percent		
None	8406	33.21
1-3 days	12879	50.88
4-9 days	3415	13.49
10+ days	613	2.42

Frequency Missing = 1212.3964493

OTHER DAYS MISSED SINCE SEPTEMBER		
q31c Frequency Percent		
None	9457	37.92
1-3 days	13058	52.36
4-9 days	1726	6.92
10+ days	698	2.80

Frequency Missing = 1586.9074674

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q31d Frequency Percent		
None	19654	77.93
1-3 days	4051	16.06
4-9 days	951	3.77
10+ days	566	2.24

Frequency Missing = 1303.835909

SOMEONE CALLED HOME SINCE SEPTEMBER		
q31e Frequency Percent		
None	20168	79.97
1-3 days	4158	16.49
4-9 days	422	1.67
10+ days	471	1.87

Frequency Missing = 1306.7198528

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q31f Frequency Percent		
None	24647	98.30
1-3 days	206	0.82
4-9 days	170	0.68
10+ days	51	0.20

Frequency Missing = 1451.4349754

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q31g Frequency Percent		
None	24419	98.14
1-3 days	272	1.09
4-9 days	85	0.34
10+ days	107	0.43

Frequency Missing = 1642.7626785

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q32a Frequency Percent		
None	23484	93.33
1-3 times	1527	6.07
4-9 times	123	0.49
10+ times	28	0.11

Frequency Missing = 1364.1612084

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q32b Frequency Percent		
None	22683	90.45
1-3 times	2017	8.04
4-9 times	264	1.05
10+ times	114	0.45

Frequency Missing = 1448.0032597

CRITICIZED BY DATE BECAUSE OF DRINKING		
q32c Frequency Percent		
None	22284	90.15
1-3 times	2311	9.35
4-9 times	104	0.42
10+ times	19	0.08

Frequency Missing = 1807.9838483

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q32d Frequency Percent		
None	23657	96.66
1-3 times	719	2.94
4-9 times	44	0.18
10+ times	53	0.22

Frequency Missing = 2052.7480948

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q32e Frequency Percent		
None	23179	94.87
1-3 times	958	3.92
4-9 times	157	0.64
10+ times	137	0.56

Frequency Missing = 2094.0880787

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q32f Frequency Percent		
None	23099	94.91
1-3 times	914	3.76
4-9 times	249	1.02
10+ times	76	0.31

Frequency Missing = 2187.8942037

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q32g Frequency Percent		
None	22988	94.69
1-3 times	1129	4.65
4-9 times	88	0.36
10+ times	73	0.30

Frequency Missing = 2248.0915449

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 10: Grades 7-12
Spring 2008**

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q32h Frequency Percent		
None	24106	98.35
1-3 times	332	1.36
4-9 times	44	0.18
10+ times	28	0.12

Frequency Missing = 2014.7305917

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q33a Frequency Percent		
None	21246	88.00
1-3 days	2389	9.90
4-9 days	346	1.43
10+ days	163	0.68

Frequency Missing = 2381.8450633

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q33b Frequency Percent		
None	22025	90.99
1-3 days	1400	5.78
4-9 days	467	1.93
10+ days	314	1.30

Frequency Missing = 2319.73676

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q33c Frequency Percent		
None	22952	96.34
1-3 days	502	2.11
4-9 days	264	1.11
10+ days	107	0.45

Frequency Missing = 2700.5619777

CLASS DAYS HIGH ON OTHER DRUG(S)		
q33d Frequency Percent		
None	22811	94.71
1-3 days	977	4.06
4-9 days	184	0.76
10+ days	112	0.47

Frequency Missing = 2441.2418714

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q34a Frequency Percent		
Never	7101	28.70
Seldom	2821	11.40
Half the time	1596	6.45
Most of the time	3880	15.68
Always	6809	27.53
Don't know	774	3.13
Didn't attend	1757	7.10

Frequency Missing = 1787.6278084

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q34b Frequency Percent		
Never	11671	47.16
Seldom	3525	14.25
Half the time	1600	6.46
Most of the time	2166	8.75
Always	2372	9.58
Don't know	1594	6.44
Didn't attend	1820	7.35

Frequency Missing = 1778.219755

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q35	Frequency Percent	
No	20205	90.09
Yes	2223	9.91

Frequency Missing = 4097.4353737

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q36a Frequency Percent		
No	13664	57.80
Yes	9976	42.20

Frequency Missing = 2885.4321778

WOULD SEEK HELP OUTSIDE OF SCHOOL		
q36b Frequency Percent		
No	13648	59.11
Yes	9442	40.89

Frequency Missing = 3435.923397

WOULD SEEK HELP FROM OTHER COUNSELOR		
q36c Frequency Percent		
No	14423	63.29
Yes	8367	36.71

Frequency Missing = 3736.0547632

WOULD SEEK HELP FROM PARENTS		
q36d Frequency Percent		
No	7901	34.43
Yes	15046	65.57

Frequency Missing = 3579.3002028

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q36e Frequency Percent		
No	12455	54.32
Yes	10473	45.68

Frequency Missing = 3598.5618316

WOULD SEEK HELP FROM FRIENDS		
q36f Frequency Percent		
No	8052	34.41
Yes	15350	65.59

Frequency Missing = 3124.6611337

**Region 10: Grades 7-12
Spring 2008**

WOULD SEEK HELP FROM ANOTHER ADULT		
q36g	Frequency	Percent
No	9378	40.03
Yes	14052	59.97

Frequency Missing = 3095.0902385

DRUG/ALCOHOL INFO--SCIENCE CLASS		
q37d	Frequency	Percent
No	11007	53.40
Yes	9606	46.60

Frequency Missing = 5913.2652

DRUG/ALCOHOL INFO--WEBSITE/ONLINE CHAT GROUP		
q38a	Frequency	Percent
No	16323	68.19
Yes	7615	31.81

Frequency Missing = 2587.487343

WOULD NOT SEEK HELP		
q36h	Frequency	Percent
No	18902	82.02
Yes	4144	17.98

Frequency Missing = 3479.6611379

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS		
q37e	Frequency	Percent
No	15543	75.31
Yes	5097	24.69

Frequency Missing = 5885.9968309

DRUG/ALCOHOL INFO--BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Frequency
No	10909
Yes	12640

DRUG/ALCOHOL INFO--BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Percent
No	46.33
Yes	53.67

Frequency Missing = 2976.2114827

DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS		
q37a	Frequency	Percent
No	6515	30.28
Yes	15004	69.72

Frequency Missing = 5006.5144954

DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB		
q37f	Frequency	Percent
No	16137	78.47
Yes	4429	21.53

Frequency Missing = 5960.2365961

DRUG/ALCOHOL INFO--TV/RADIO/OTHER AUDIO/VIDEO		
q38c	Frequency	Percent
No	9457	40.25
Yes	14037	59.75

Frequency Missing = 3031.5903473

DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM		
q37b	Frequency	Percent
No	7777	37.66
Yes	12874	62.34

Frequency Missing = 5875.4679134

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST		
q37g	Frequency	Percent
No	10626	55.24
Yes	8611	44.76

Frequency Missing = 7288.4879503

DRUG/ALCOHOL INFO--PARENTS		
q38d	Frequency	Percent
No	8238	34.46
Yes	15666	65.54

Frequency Missing = 2621.354627

DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR		
q37c	Frequency	Percent
No	12176	60.13
Yes	8072	39.87

Frequency Missing = 6278.0139187

DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE		
q37h	Frequency	Percent
No	12306	58.35
Yes	8784	41.65

Frequency Missing = 5435.5352697

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 10: Grades 7-12
Spring 2008**

PARENTS FEEL ABOUT KIDS SMOKING CIGARET		
q39a Frequency Percent		
Strong disapprove	18853	78.19
Mild disapprove	1235	5.12
Neither	990	4.10
Mildly approve	363	1.51
Strongly approve	145	0.60
Don't know	2527	10.48

Frequency Missing = 2413.0317222

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b Frequency Percent		
Strong disapprove	15121	62.80
Mild disapprove	3521	14.62
Neither	2276	9.45
Mildly approve	659	2.74
Strongly approve	236	0.98
Don't know	2266	9.41

Frequency Missing = 2446.4837955

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c Frequency Percent		
Strong disapprove	20289	84.31
Mild disapprove	809	3.36
Neither	459	1.91
Mildly approve	163	0.68
Strongly approve	220	0.91
Don't know	2126	8.83

Frequency Missing = 2459.4923589

TESTED FOR DRUG USE AT SCHOOL		
q40 Frequency Percent		
No	22691	92.12
Yes	1942	7.88

Frequency Missing = 1893.0258301

PURCHASED LOTTERY TICKET IN PAST YEAR		
q41 Frequency Percent		
No	21909	89.29
Yes	2629	10.71

Frequency Missing = 1987.5854926