

**Region 7: Grades 7-12  
SPRING 2008**

**Table T-1: How recently, if ever, have you used ..**

		Past Month	School Year	Ever Used	Never Used
<b>Any tobacco product</b>					
	<b>All</b>	13.6%	19.1%	33.6%	66.4%
	<b>Grades 7-8</b>	4.6%	7.6%	16.4%	83.6%
	<b>Grades 9-12</b>	17.1%	23.6%	40.2%	59.8%
<b>Cigarettes</b>					
	<b>All</b>	11.6%	16.7%	30.8%	69.2%
	<b>Grades 7-8</b>	3.8%	5.4%	14.3%	85.7%
	<b>Grades 9-12</b>	14.7%	21.1%	37.1%	62.9%
<b>Smokeless tobacco</b>					
	<b>All</b>	5.0%	6.6%	11.6%	88.4%
	<b>Grades 7-8</b>	1.4%	3.4%	5.0%	95.0%
	<b>Grades 9-12</b>	6.4%	7.8%	14.2%	85.8%

**Table T-2: How often do you normally use ..**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any tobacco product?</b>								
	<b>All</b>	69.5%	5.1%	2.6%	3.7%	4.8%	4.3%	10.1%
	<b>Grades 7-8</b>	85.2%	0.6%	1.4%	1.4%	3.3%	2.2%	6.0%
	<b>Grades 9-12</b>	63.3%	6.8%	3.1%	4.5%	5.5%	5.1%	11.6%
<b>Cigarettes?</b>								
	<b>All</b>	71.6%	4.0%	2.3%	3.4%	4.6%	4.1%	10.0%
	<b>Grades 7-8</b>	87.1%	0.5%	1.2%	1.1%	2.5%	1.6%	6.0%
	<b>Grades 9-12</b>	65.6%	5.3%	2.7%	4.3%	5.5%	5.1%	11.5%
<b>Smokeless tobacco?</b>								
	<b>All</b>	88.0%	1.5%	1.5%	1.3%	1.8%	1.8%	4.1%
	<b>Grades 7-8</b>	95.2%	0.2%	0.3%	0.5%	1.4%	1.2%	1.2%
	<b>Grades 9-12</b>	85.3%	2.0%	2.0%	1.6%	1.9%	2.0%	5.2%

**Table T-3: Average age of first use of:**

	grade1	grade2
<b>Cigarettes</b>		
	11.3	13.2
<b>Smokeless tobacco</b>		
	11.1	13.5
<b>Any Tobacco</b>		
	11.2	13.1

**Region 7: Grades 7-12  
SPRING 2008**

**Table T-4: If you wanted some, how difficult would it be to get...**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Any tobacco product??</b>							
	<b>All</b>	9.5%	18.0%	6.6%	8.0%	16.8%	41.2%
	<b>Grades 7-8</b>	10.3%	34.2%	10.2%	8.4%	18.2%	18.7%
	<b>Grades 9-12</b>	9.1%	11.7%	5.1%	7.8%	16.2%	50.0%
<b>Cigarettes?</b>							
	<b>All</b>	9.7%	20.3%	6.7%	8.9%	17.3%	37.1%
	<b>Grades 7-8</b>	11.0%	38.8%	9.0%	8.8%	16.6%	15.8%
	<b>Grades 9-12</b>	9.1%	13.0%	5.8%	9.0%	17.6%	45.5%
<b>Smokeless Tobacco?</b>							
	<b>All</b>	17.8%	22.2%	8.8%	9.1%	12.6%	29.5%
	<b>Grades 7-8</b>	19.3%	40.3%	12.1%	7.8%	10.9%	9.6%
	<b>Grades 9-12</b>	17.3%	15.1%	7.5%	9.7%	13.2%	37.3%

**Table T-5: About how many of your close friends...**

		None	A Few	Some	Most	ALL
<b>Use any tobacco product?</b>						
	<b>All</b>	42.6%	27.3%	18.8%	8.8%	2.5%
	<b>Grades 7-8</b>	66.7%	21.1%	9.0%	2.5%	0.7%
	<b>Grades 9-12</b>	33.3%	29.7%	22.6%	11.2%	3.2%
<b>Smoke cigarettes?</b>						
	<b>All</b>	47.6%	27.7%	15.6%	6.8%	2.3%
	<b>Grades 7-8</b>	71.3%	19.9%	5.9%	2.3%	0.6%
	<b>Grades 9-12</b>	38.4%	30.7%	19.4%	8.6%	3.0%
<b>Use a smokeless tobacco product?</b>						
	<b>All</b>	63.6%	19.8%	11.2%	4.0%	1.3%
	<b>Grades 7-8</b>	81.1%	11.6%	5.6%	1.5%	0.3%
	<b>Grades 9-12</b>	56.8%	23.1%	13.4%	5.0%	1.8%

**Region 7: Grades 7-12  
SPRING 2008**

**Table T-6: How do your parents feel about kids your age smoking cigarettes?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	72.5%	8.6%	9.6%	2.0%	1.4%	5.8%
<b>Grades 7-8</b>	86.7%	4.4%	2.3%	0.6%	0.6%	5.5%
<b>Grades 9-12</b>	66.9%	10.3%	12.5%	2.6%	1.7%	6.0%

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	49.0%	27.0%	16.2%	3.8%	3.9%
<b>Grades 7-8</b>	67.1%	20.2%	8.9%	1.3%	2.5%
<b>Grades 9-12</b>	42.0%	29.7%	19.1%	4.8%	4.4%

**Region 7: Grades 7-12  
SPRING 2008**

**Table A-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any alcohol product</b>	<b>All</b>	29.3%	42.9%	65.9%	34.1%
	<b>Grades 7-8</b>	17.9%	26.1%	47.3%	52.7%
	<b>Grades 9-12</b>	33.6%	49.3%	73.0%	27.0%
<b>Beer</b>	<b>All</b>	20.0%	30.7%	50.7%	49.3%
	<b>Grades 7-8</b>	10.3%	16.3%	34.6%	65.4%
	<b>Grades 9-12</b>	23.7%	36.3%	56.9%	43.1%
<b>Wine coolers</b>	<b>All</b>	17.0%	28.7%	47.3%	52.7%
	<b>Grades 7-8</b>	9.6%	14.0%	27.8%	72.2%
	<b>Grades 9-12</b>	19.9%	34.4%	54.8%	45.2%
<b>Wine</b>	<b>All</b>	12.7%	24.8%	45.1%	54.9%
	<b>Grades 7-8</b>	9.1%	16.3%	32.7%	67.3%
	<b>Grades 9-12</b>	14.0%	28.1%	49.8%	50.2%
<b>Liquor</b>	<b>All</b>	17.1%	29.3%	46.0%	54.0%
	<b>Grades 7-8</b>	6.0%	12.0%	23.4%	76.6%
	<b>Grades 9-12</b>	21.4%	36.0%	54.8%	45.2%

**Region 7: Grades 7-12  
SPRING 2008**

**Table A-2: How often do you normally use...**

		<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>Any alcohol product?</b>								
	<b>All</b>	41.3%	1.0%	4.2%	13.5%	16.8%	13.3%	9.9%
	<b>Grades 7-8</b>	58.6%	0.1%	2.4%	7.0%	10.3%	11.1%	10.5%
	<b>Grades 9-12</b>	34.5%	1.4%	4.9%	16.0%	19.3%	14.1%	9.7%
<b>Beer?</b>								
	<b>All</b>	52.2%	0.5%	2.9%	9.8%	13.7%	11.0%	10.0%
	<b>Grades 7-8</b>	67.4%	0.1%	0.7%	3.6%	7.6%	11.4%	9.3%
	<b>Grades 9-12</b>	46.1%	0.6%	3.7%	12.3%	16.1%	10.8%	10.2%
<b>Wine coolers?</b>								
	<b>All</b>	55.0%	0.3%	2.3%	8.4%	12.0%	12.5%	9.4%
	<b>Grades 7-8</b>	74.2%	0.0%	1.4%	2.4%	5.9%	8.1%	7.9%
	<b>Grades 9-12</b>	47.4%	0.4%	2.6%	10.8%	14.5%	14.2%	10.1%
<b>Wine?</b>								
	<b>All</b>	57.4%	0.1%	0.9%	6.5%	10.5%	13.5%	11.0%
	<b>Grades 7-8</b>	68.3%	0.0%	0.8%	4.6%	5.5%	8.3%	12.4%
	<b>Grades 9-12</b>	53.2%	0.2%	1.0%	7.2%	12.5%	15.6%	10.4%
<b>Liquor?</b>								
	<b>All</b>	55.5%	0.2%	2.2%	9.2%	12.7%	12.1%	8.1%
	<b>Grades 7-8</b>	77.5%	0.0%	0.8%	1.9%	4.1%	8.8%	7.0%
	<b>Grades 9-12</b>	46.9%	0.3%	2.7%	12.1%	16.1%	13.4%	8.6%

**Region 7: Grades 7-12  
SPRING 2008**

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never	Ever	5 or More	1 to 4	Less than 1
<b>Beer</b>						
	<b>All</b>	52.6%	47.4%	10.0%	27.1%	10.3%
	<b>Grades 7-8</b>	74.0%	26.0%	2.5%	11.1%	12.3%
	<b>Grades 9-12</b>	44.1%	55.9%	13.0%	33.4%	9.5%
<b>Wine Coolers</b>						
	<b>All</b>	53.0%	47.0%	2.6%	25.4%	19.1%
	<b>Grades 7-8</b>	64.9%	35.1%	1.2%	12.1%	21.9%
	<b>Grades 9-12</b>	48.3%	51.7%	3.2%	30.6%	18.0%
<b>Wine</b>						
	<b>All</b>	51.0%	49.0%	8.5%	28.8%	11.8%
	<b>Grades 7-8</b>	70.4%	29.6%	3.0%	14.4%	12.2%
	<b>Grades 9-12</b>	43.3%	56.7%	10.7%	34.4%	11.6%
<b>Liquor</b>						
	<b>All</b>	48.9%	51.1%	12.0%	24.2%	14.9%
	<b>Grades 7-8</b>	63.1%	36.9%	2.5%	16.2%	18.2%
	<b>Grades 9-12</b>	43.3%	56.7%	15.7%	27.4%	13.6%

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
<b>Alcohol</b>							
	<b>All</b>	81.9%	5.0%	5.5%	3.8%	1.9%	1.9%
	<b>Grades 7-8</b>	92.3%	2.2%	2.5%	1.2%	0.5%	1.2%
	<b>Grades 9-12</b>	77.8%	6.1%	6.7%	4.8%	2.5%	2.2%

**Table A-5: Average age of first use of:**

	grade1	grade2
<b>Beer</b>	10.6	12.6
<b>Wine Coolers</b>	11.5	13.0
<b>Wine</b>	11.2	12.7
<b>Liquor</b>	11.8	13.7
<b>Any Alcohol</b>	10.6	12.3

**Region 7: Grades 7-12  
SPRING 2008**

**Table A-6: If you wanted some, how difficult would it be to get...**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Beer?</b>							
	<b>All</b>	9.0%	12.6%	5.2%	11.7%	19.0%	42.5%
	<b>Grades 7-8</b>	8.7%	24.0%	6.9%	13.2%	16.7%	30.5%
	<b>Grades 9-12</b>	9.1%	8.1%	4.6%	11.1%	19.9%	47.3%
<b>Wine coolers?</b>							
	<b>All</b>	13.6%	15.3%	7.3%	12.5%	17.0%	34.2%
	<b>Grades 7-8</b>	17.2%	30.3%	10.5%	11.5%	13.1%	17.4%
	<b>Grades 9-12</b>	12.2%	9.5%	6.1%	13.0%	18.6%	40.8%
<b>Wine?</b>							
	<b>All</b>	10.7%	15.5%	7.6%	12.5%	16.6%	37.1%
	<b>Grades 7-8</b>	9.9%	29.4%	12.3%	11.5%	13.6%	23.2%
	<b>Grades 9-12</b>	11.0%	10.0%	5.7%	12.9%	17.8%	42.6%
<b>Liquor?</b>							
	<b>All</b>	11.0%	18.7%	8.5%	10.5%	16.5%	34.8%
	<b>Grades 7-8</b>	10.5%	37.8%	11.6%	8.9%	14.2%	17.1%
	<b>Grades 9-12</b>	11.1%	11.3%	7.3%	11.2%	17.4%	41.7%
<b>Any alcohol product?</b>							
	<b>All</b>	8.8%	9.9%	3.9%	9.8%	17.6%	50.0%
	<b>Grades 7-8</b>	8.5%	20.4%	6.5%	11.3%	18.1%	35.2%
	<b>Grades 9-12</b>	8.9%	5.8%	2.8%	9.3%	17.4%	55.7%

**Region 7: Grades 7-12  
SPRING 2008**

**Table A-7: Since school began in the fall, on how many days (if any) have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while drunk on alcohol?</b>				
<b>All</b>	91.7%	5.7%	1.3%	1.3%
<b>Grades 7-8</b>	95.9%	3.6%	0.2%	0.3%
<b>Grades 9-12</b>	90.0%	6.6%	1.7%	1.7%
<b>Gotten into trouble with teachers because of your drinking?</b>				
<b>All</b>	98.4%	1.0%	0.3%	0.3%
<b>Grades 7-8</b>	99.4%	0.4%	0.1%	0.1%
<b>Grades 9-12</b>	98.0%	1.3%	0.3%	0.4%

**Table A-8: School year use of alcohol by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Alcohol Users:	4.8
Alcohol Non-use	3.6
<b>Average days conduct problems reported</b>	
Alcohol Users:	3.8
Alcohol Non-use	1.2

**Table A-9: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've had a good bit to drink?</b>				
<b>All</b>	90.2%	7.6%	1.1%	1.1%
<b>Grades 9-12</b>	90.2%	7.6%	1.1%	1.1%
<b>Gotten into trouble with the police because of drinking?</b>				
<b>All</b>	96.7%	2.5%	0.6%	0.2%
<b>Grades 7-8</b>	98.9%	1.0%	0.1%	0.1%
<b>Grades 9-12</b>	95.8%	3.1%	0.8%	0.3%



**Region 7: Grades 7-12  
SPRING 2008**

**Table A-10: About how many of your close friends use...**

		None	A Few	Some	Most	ALL
<b>Any alcohol product?</b>						
	<b>All</b>	30.0%	23.1%	18.7%	18.4%	9.9%
	<b>Grades 7-8</b>	50.7%	24.0%	12.9%	7.9%	4.5%
	<b>Grades 9-12</b>	21.9%	22.8%	20.9%	22.5%	11.9%
<b>Beer?</b>						
	<b>All</b>	35.8%	23.3%	17.7%	16.0%	7.1%
	<b>Grades 7-8</b>	58.3%	22.7%	11.5%	5.8%	1.7%
	<b>Grades 9-12</b>	27.0%	23.5%	20.2%	20.0%	9.3%
<b>Wine coolers?</b>						
	<b>All</b>	46.1%	21.6%	16.4%	10.0%	6.0%
	<b>Grades 7-8</b>	69.5%	15.9%	7.2%	4.0%	3.4%
	<b>Grades 9-12</b>	36.7%	23.8%	20.0%	12.4%	7.1%
<b>Wine?</b>						
	<b>All</b>	54.7%	24.3%	11.8%	6.6%	2.6%
	<b>Grades 7-8</b>	72.9%	16.7%	5.2%	4.5%	0.6%
	<b>Grades 9-12</b>	47.5%	27.2%	14.4%	7.4%	3.5%
<b>Liquor?</b>						
	<b>All</b>	42.6%	20.8%	17.1%	14.1%	5.4%
	<b>Grades 7-8</b>	69.7%	18.1%	6.6%	4.7%	0.9%
	<b>Grades 9-12</b>	31.8%	21.9%	21.3%	17.8%	7.2%

**Table A-11: During the past twelve months, how many times have you...**

		None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drinking?</b>					
	<b>All</b>	93.4%	5.4%	0.6%	0.6%
	<b>Grades 7-8</b>	97.4%	2.2%	0.1%	0.2%
	<b>Grades 9-12</b>	91.7%	6.8%	0.8%	0.7%
<b>Been criticized by someone you were dating because of drinking?</b>					
	<b>All</b>	92.0%	5.9%	1.2%	0.8%
	<b>Grades 7-8</b>	97.6%	2.1%	0.2%	0.0%
	<b>Grades 9-12</b>	89.8%	7.4%	1.6%	1.2%

**Region 7: Grades 7-12  
SPRING 2008**

**Table A-12: Thinking of parties you attended this school year, how often was alcohol used?**

	<b>Never</b>	<b>Seldom</b>	<b>Half the Time</b>	<b>Most of the Time</b>	<b>Always</b>	<b>Don't know</b>	<b>Didn't attend</b>
<b>All</b>	45.2%	9.4%	5.1%	11.2%	15.7%	1.4%	12.0%
<b>Grades 7-8</b>	74.7%	7.5%	2.6%	4.9%	2.5%	0.9%	6.7%
<b>Grades 9-12</b>	33.5%	10.1%	6.1%	13.7%	20.9%	1.6%	14.0%

**Table A-13: How often, if ever, do you get alcoholic beverages from..**

	<b>Do Not Drink</b>	<b>Never</b>	<b>Seldom</b>	<b>Most of the Time</b>	<b>Always</b>
<b>At home</b>					
<b>All</b>	45.1%	18.4%	25.2%	6.7%	4.5%
<b>Grades 7-8</b>	55.3%	19.1%	17.8%	4.4%	3.3%
<b>Grades 9-12</b>	41.1%	18.1%	28.1%	7.6%	5.0%
<b>From friends</b>					
<b>All</b>	43.1%	18.1%	17.2%	15.4%	6.3%
<b>Grades 7-8</b>	58.5%	25.8%	9.9%	3.7%	2.1%
<b>Grades 9-12</b>	37.0%	15.1%	20.0%	20.0%	7.9%
<b>From a store</b>					
<b>All</b>	46.5%	42.1%	5.5%	3.7%	2.1%
<b>Grades 7-8</b>	59.3%	37.9%	1.6%	0.9%	0.3%
<b>Grades 9-12</b>	41.4%	43.8%	7.1%	4.9%	2.8%
<b>At parties</b>					
<b>All</b>	42.6%	18.2%	12.7%	15.3%	11.2%
<b>Grades 7-8</b>	57.6%	23.3%	9.5%	5.5%	4.2%
<b>Grades 9-12</b>	36.6%	16.1%	14.0%	19.2%	14.0%
<b>Other source</b>					
<b>All</b>	44.1%	26.0%	17.2%	7.4%	5.2%
<b>Grades 7-8</b>	56.8%	27.9%	10.7%	2.4%	2.1%
<b>Grades 9-12</b>	39.0%	25.3%	19.9%	9.4%	6.4%

**Region 7: Grades 7-12  
SPRING 2008**

**Table A-14: How do your parents feel about kids your age drinking beer?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	57.8%	17.3%	13.0%	4.6%	2.0%	5.4%
<b>Grades 7-8</b>	73.7%	10.3%	7.9%	1.6%	0.8%	5.7%
<b>Grades 9-12</b>	51.3%	20.1%	15.0%	5.8%	2.4%	5.3%

**Table A-15: How dangerous do you think it is for kids your age to use alcohol?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	42.5%	34.2%	15.8%	4.1%	3.4%
<b>Grades 7-8</b>	51.9%	30.4%	13.5%	2.5%	1.8%
<b>Grades 9-12</b>	38.8%	35.7%	16.8%	4.7%	4.0%

**Region 7: Grades 7-12  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana?</b>					
	All	9.0%	15.1%	24.9%	75.1%
	Grades 7-8	2.3%	4.3%	7.6%	92.4%
	Grades 9-12	11.5%	19.2%	31.5%	68.5%
<b>Cocaine?</b>					
	All	1.7%	2.7%	5.4%	94.6%
	Grades 7-8	0.3%	0.4%	1.2%	98.8%
	Grades 9-12	2.3%	3.6%	7.1%	92.9%
<b>Crack?</b>					
	All	1.0%	1.3%	2.1%	97.9%
	Grades 7-8	0.3%	0.6%	1.2%	98.8%
	Grades 9-12	1.3%	1.6%	2.5%	97.5%
<b>Hallucinogens?</b>					
	All	2.3%	3.4%	5.2%	94.8%
	Grades 7-8	0.2%	0.5%	1.0%	99.0%
	Grades 9-12	3.2%	4.5%	6.9%	93.1%
<b>Uppers?</b>					
	All	2.9%	4.1%	5.9%	94.1%
	Grades 7-8	0.4%	0.6%	0.9%	99.1%
	Grades 9-12	3.8%	5.4%	7.9%	92.1%
<b>Downers?</b>					
	All	2.2%	3.8%	5.6%	94.4%
	Grades 7-8	0.3%	0.5%	0.8%	99.2%
	Grades 9-12	3.0%	5.1%	7.5%	92.5%
<b>Rohypnol?</b>					
	All	0.7%	1.0%	1.6%	98.4%
	Grades 7-8	0.1%	0.4%	0.7%	99.3%
	Grades 9-12	0.9%	1.3%	2.0%	98.0%
<b>Steroids?</b>					
	All	0.9%	1.1%	2.3%	97.7%
	Grades 7-8	0.3%	0.4%	1.0%	99.0%
	Grades 9-12	1.1%	1.4%	2.8%	97.2%
<b>Ecstasy?</b>					
	All	1.8%	2.4%	4.5%	95.5%
	Grades 7-8	0.6%	0.6%	0.9%	99.1%
	Grades 9-12	2.3%	3.2%	5.9%	94.1%
<b>Heroin?</b>					
	All	0.5%	0.8%	1.6%	98.4%
	Grades 7-8	0.4%	0.5%	1.0%	99.0%
	Grades 9-12	0.6%	0.9%	1.9%	98.1%

**Region 7: Grades 7-12  
SPRING 2008**

**Table D-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Marijuana?</b>	<b>All</b>	77.9%	2.3%	3.1%	3.4%	4.4%	3.4%	5.5%
	<b>Grades 7-8</b>	92.5%	0.4%	0.8%	0.9%	2.0%	1.7%	1.7%
	<b>Grades 9-12</b>	72.1%	3.0%	4.1%	4.4%	5.4%	4.1%	7.0%
<b>Cocaine?</b>	<b>All</b>	95.4%	0.0%	0.2%	0.9%	0.8%	0.9%	1.9%
	<b>Grades 7-8</b>	99.2%	0.0%	0.1%	0.1%	0.1%	0.1%	0.3%
	<b>Grades 9-12</b>	93.9%	0.0%	0.2%	1.2%	1.0%	1.2%	2.5%
<b>Crack?</b>	<b>All</b>	98.4%	0.2%	0.1%	0.1%	0.5%	0.5%	0.3%
	<b>Grades 7-8</b>	99.0%	0.1%	0.2%	0.1%	0.1%	0.2%	0.4%
	<b>Grades 9-12</b>	98.1%	0.2%	0.0%	0.2%	0.6%	0.6%	0.3%
<b>Hallucinogens?</b>	<b>All</b>	95.8%	0.2%	0.2%	0.3%	1.2%	0.9%	1.4%
	<b>Grades 7-8</b>	99.1%	0.0%	0.1%	0.0%	0.2%	0.4%	0.2%
	<b>Grades 9-12</b>	94.5%	0.3%	0.2%	0.4%	1.6%	1.2%	1.9%
<b>Uppers?</b>	<b>All</b>	94.9%	0.2%	0.4%	1.1%	1.2%	0.9%	1.4%
	<b>Grades 7-8</b>	99.0%	0.0%	0.1%	0.2%	0.2%	0.1%	0.3%
	<b>Grades 9-12</b>	93.2%	0.3%	0.5%	1.5%	1.5%	1.2%	1.8%
<b>Downers?</b>	<b>All</b>	94.8%	0.1%	0.6%	1.0%	0.9%	1.3%	1.2%
	<b>Grades 7-8</b>	99.3%	0.0%	0.1%	0.2%	0.2%	0.0%	0.2%
	<b>Grades 9-12</b>	93.1%	0.2%	0.8%	1.4%	1.1%	1.8%	1.6%
<b>Rohypnol?</b>	<b>All</b>	98.7%	0.0%	0.2%	0.1%	0.4%	0.2%	0.4%
	<b>Grades 7-8</b>	99.5%	0.0%	0.0%	0.0%	0.2%	0.1%	0.1%
	<b>Grades 9-12</b>	98.4%	0.0%	0.2%	0.2%	0.4%	0.3%	0.5%
<b>Steroids?</b>	<b>All</b>	98.5%	0.2%	0.0%	0.2%	0.3%	0.2%	0.6%
	<b>Grades 7-8</b>	99.1%	0.1%	0.0%	0.0%	0.2%	0.1%	0.5%
	<b>Grades 9-12</b>	98.3%	0.3%	0.0%	0.3%	0.3%	0.2%	0.6%
<b>Ecstasy?</b>	<b>All</b>	95.7%	0.2%	0.1%	0.7%	0.8%	1.3%	1.2%
	<b>Grades 7-8</b>	99.1%	0.0%	0.0%	0.1%	0.2%	0.4%	0.3%
	<b>Grades 9-12</b>	94.3%	0.3%	0.1%	0.9%	1.1%	1.7%	1.6%
<b>Heroin?</b>	<b>All</b>	99.0%	0.0%	0.1%	0.1%	0.3%	0.1%	0.3%
	<b>Grades 7-8</b>	99.2%	0.0%	0.1%	0.1%	0.1%	0.2%	0.2%
	<b>Grades 9-12</b>	98.9%	0.0%	0.1%	0.1%	0.4%	0.1%	0.4%

**Region 7: Grades 7-12  
SPRING 2008**

**Table D-3: Average age of first use of:**

	<u>grade1</u>	<u>grade2</u>
<b>Marijuana</b>	11.6	13.5
<b>Cocaine</b>	12.3	14.7
<b>Crack</b>	11.6	13.4
<b>Hallucinogens</b>	12.8	14.5
<b>Uppers</b>	11.7	14.5
<b>Downers</b>	11.7	14.3
<b>Rohypnol</b>	11.0	13.4
<b>Steroids</b>	11.6	13.7
<b>Ecstasy</b>	11.9	15.0
<b>Heroin</b>	11.6	14.8

**Table D-4: Age of first use of marijuana by family situation:**

		<u>Never</u>	<u>9/Under</u>	<u>10 to 11</u>	<u>12 to 13</u>	<u>14 to 15</u>	<u>16 to 17</u>	<u>Over 17</u>
<b>Two parent family</b>								
	<b>All</b>	81.3%	0.4%	2.1%	4.3%	7.5%	4.1%	0.3%
	<b>Grades 7-8</b>	94.8%	0.5%	1.4%	3.0%	0.4%	0.0%	0.0%
	<b>Grades 9-12</b>	75.5%	0.4%	2.4%	4.9%	10.5%	5.9%	0.4%
<b>Other family situation</b>								
	<b>All</b>	65.4%	3.6%	5.2%	10.2%	11.1%	4.5%	0.1%
	<b>Grades 7-8</b>	84.2%	1.3%	6.6%	6.4%	1.5%	0.0%	0.0%
	<b>Grades 9-12</b>	59.1%	4.3%	4.8%	11.5%	14.3%	6.0%	0.1%

**Region 7: Grades 7-12  
SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Marijuana?</b>							
	<b>All</b>	11.9%	32.2%	9.5%	10.3%	10.8%	25.3%
	<b>Grades 7-8</b>	12.9%	58.0%	10.6%	6.5%	5.4%	6.7%
	<b>Grades 9-12</b>	11.5%	21.7%	9.1%	11.9%	13.0%	32.8%
<b>Cocaine?</b>							
	<b>All</b>	15.5%	39.5%	15.2%	12.0%	7.3%	10.6%
	<b>Grades 7-8</b>	14.1%	64.0%	11.5%	5.2%	1.9%	3.3%
	<b>Grades 9-12</b>	16.0%	29.5%	16.7%	14.7%	9.5%	13.5%
<b>Crack?</b>							
	<b>All</b>	16.4%	40.5%	15.6%	12.5%	6.9%	8.2%
	<b>Grades 7-8</b>	14.6%	63.9%	10.9%	5.4%	2.2%	3.1%
	<b>Grades 9-12</b>	17.2%	31.0%	17.5%	15.4%	8.7%	10.3%
<b>Hallucinogens?</b>							
	<b>All</b>	32.4%	30.4%	12.2%	9.8%	6.0%	9.3%
	<b>Grades 7-8</b>	48.2%	37.8%	8.2%	2.5%	0.9%	2.3%
	<b>Grades 9-12</b>	26.0%	27.5%	13.8%	12.7%	8.1%	12.0%
<b>Uppers?</b>							
	<b>All</b>	43.1%	24.5%	8.6%	7.4%	7.2%	9.1%
	<b>Grades 7-8</b>	57.0%	31.1%	6.7%	2.4%	1.2%	1.5%
	<b>Grades 9-12</b>	37.5%	21.8%	9.3%	9.5%	9.7%	12.2%
<b>Downers?</b>							
	<b>All</b>	42.8%	24.5%	8.9%	7.5%	7.2%	9.1%
	<b>Grades 7-8</b>	57.1%	31.0%	6.6%	2.4%	1.2%	1.7%
	<b>Grades 9-12</b>	37.1%	21.9%	9.9%	9.5%	9.7%	12.0%
<b>Rohypnol?</b>							
	<b>All</b>	46.2%	26.4%	9.8%	7.0%	4.9%	5.7%
	<b>Grades 7-8</b>	57.5%	32.5%	6.2%	1.6%	0.9%	1.3%
	<b>Grades 9-12</b>	41.6%	24.0%	11.2%	9.2%	6.5%	7.5%
<b>Steroids?</b>							
	<b>All</b>	18.3%	41.9%	14.9%	10.7%	5.8%	8.4%
	<b>Grades 7-8</b>	17.5%	64.1%	10.1%	3.8%	2.5%	2.0%
	<b>Grades 9-12</b>	18.6%	33.0%	16.9%	13.4%	7.1%	11.0%
<b>Ecstasy?</b>							
	<b>All</b>	27.7%	33.8%	12.0%	10.2%	5.7%	10.5%
	<b>Grades 7-8</b>	42.8%	44.9%	7.2%	2.5%	1.2%	1.4%
	<b>Grades 9-12</b>	21.7%	29.4%	13.9%	13.3%	7.5%	14.2%
<b>Heroin?</b>							
	<b>All</b>	23.1%	41.5%	15.1%	8.8%	4.4%	7.1%
	<b>Grades 7-8</b>	27.9%	56.7%	9.8%	2.5%	1.3%	1.8%
	<b>Grades 9-12</b>	21.2%	35.4%	17.2%	11.3%	5.7%	9.2%

**Region 7: Grades 7-12  
SPRING 2008**

**Table D-6: Since school began in the fall, on how many days (if any) have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while high from marijuana use?</b>				
<b>All</b>	90.8%	4.5%	1.4%	3.3%
<b>Grades 7-8</b>	97.3%	1.8%	0.5%	0.4%
<b>Grades 9-12</b>	88.1%	5.6%	1.8%	4.5%
<b>Attended class while high from use of some other drug?</b>				
<b>All</b>	94.6%	3.1%	1.0%	1.2%
<b>Grades 7-8</b>	98.0%	1.2%	0.5%	0.2%
<b>Grades 9-12</b>	93.3%	3.9%	1.2%	1.6%
<b>Gotten into trouble with teachers because of your drug use?</b>				
<b>All</b>	98.6%	0.9%	0.1%	0.4%
<b>Grades 7-8</b>	99.5%	0.3%	0.1%	0.1%
<b>Grades 9-12</b>	98.2%	1.1%	0.1%	0.6%

**Table D-7: School year use of marijuana by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Marijuana Users:	5.1
Marijuana Non-use	4.0

  

<b>Average days conduct problems reported</b>	
Marijuana Users:	5.5
Marijuana Non-use	1.7

**Table D-8: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've felt high from drugs?</b>				
<b>All</b>	91.0%	5.6%	1.4%	2.0%
<b>Grades 9-12</b>	91.0%	5.6%	1.4%	2.0%
<b>Gotten into trouble with the police because of drug use?</b>				
<b>All</b>	97.2%	1.6%	0.6%	0.6%
<b>Grades 7-8</b>	98.9%	0.8%	0.1%	0.2%
<b>Grades 9-12</b>	96.5%	2.0%	0.8%	0.8%



**Region 7: Grades 7-12  
SPRING 2008**

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	ALL
<b>All</b>	54.4%	17.5%	13.8%	9.9%	4.4%
<b>Grades 7-8</b>	80.3%	9.8%	5.5%	3.0%	1.5%
<b>Grades 9-12</b>	44.0%	20.6%	17.1%	12.7%	5.6%

**Table D-10: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drug use?</b>				
<b>All</b>	95.5%	3.4%	0.9%	0.3%
<b>Grades 7-8</b>	98.0%	1.5%	0.4%	0.1%
<b>Grades 9-12</b>	94.4%	4.1%	1.1%	0.4%
<b>Been criticized by someone you were dating because of drug use?</b>				
<b>All</b>	93.0%	5.2%	1.0%	0.7%
<b>Grades 7-8</b>	97.1%	2.4%	0.3%	0.2%
<b>Grades 9-12</b>	91.3%	6.4%	1.3%	0.9%

**Region 7: Grades 7-12  
SPRING 2008**

**Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
<b>All</b>	57.6%	8.8%	5.8%	5.7%	7.5%	2.2%	12.3%
<b>Grades 7-8</b>	83.2%	4.3%	1.7%	1.3%	1.7%	1.0%	6.8%
<b>Grades 9-12</b>	47.5%	10.6%	7.4%	7.4%	9.8%	2.7%	14.5%

**Table D-12: How often, if ever, do you smoke marijuana in..**

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
<b>Joints?</b>	<b>All</b>	81.3%	7.8%	3.5%	3.7%	2.9%	0.9%
	<b>Grades 7-8</b>	92.9%	2.0%	1.2%	1.9%	1.1%	0.9%
	<b>Grades 9-12</b>	76.7%	10.0%	4.3%	4.4%	3.7%	0.8%
<b>Blunts?</b>	<b>All</b>	81.2%	6.5%	3.2%	3.8%	4.6%	0.6%
	<b>Grades 7-8</b>	93.2%	2.5%	1.7%	0.9%	0.9%	0.9%
	<b>Grades 9-12</b>	76.4%	8.1%	3.7%	5.0%	6.1%	0.5%
<b>Bongs or water pipes?</b>	<b>All</b>	86.9%	4.8%	2.2%	2.4%	3.0%	0.7%
	<b>Grades 7-8</b>	95.8%	1.4%	0.8%	0.5%	0.7%	0.8%
	<b>Grades 9-12</b>	83.4%	6.1%	2.8%	3.1%	3.9%	0.7%
<b>Pipes?</b>	<b>All</b>	86.2%	4.1%	2.2%	3.5%	3.0%	1.0%
	<b>Grades 7-8</b>	95.1%	1.6%	1.1%	0.6%	0.9%	0.8%
	<b>Grades 9-12</b>	82.7%	5.0%	2.6%	4.7%	3.8%	1.1%
<b>Some other way?</b>	<b>All</b>	90.7%	4.2%	0.7%	0.9%	2.1%	1.3%
	<b>Grades 7-8</b>	96.0%	1.3%	0.3%	0.4%	0.9%	1.1%
	<b>Grades 9-12</b>	88.6%	5.3%	0.9%	1.2%	2.6%	1.4%

**Region 7: Grades 7-12  
SPRING 2008**

**Table D-13: How do your parents feel about kids your age using marijuana?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	81.2%	4.7%	5.2%	1.5%	2.0%	5.5%
<b>Grades 7-8</b>	90.5%	1.4%	1.5%	0.6%	0.8%	5.2%
<b>Grades 9-12</b>	77.4%	6.1%	6.6%	1.8%	2.5%	5.5%

**Table D-14: How dangerous do you think it is for kids your age to use...**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>Marijuana?</b>					
<b>All</b>	60.2%	15.7%	10.9%	9.8%	3.4%
<b>Grades 7-8</b>	81.8%	7.2%	4.3%	3.9%	2.8%
<b>Grades 9-12</b>	51.4%	19.2%	13.5%	12.2%	3.7%
<b>Cocaine?</b>					
<b>All</b>	83.3%	10.2%	1.3%	1.1%	4.1%
<b>Grades 7-8</b>	91.5%	4.8%	1.0%	0.7%	1.9%
<b>Grades 9-12</b>	79.8%	12.5%	1.5%	1.2%	5.0%
<b>Crack?</b>					
<b>All</b>	84.8%	9.7%	0.8%	1.0%	3.8%
<b>Grades 7-8</b>	89.9%	6.2%	0.9%	0.7%	2.4%
<b>Grades 9-12</b>	82.6%	11.2%	0.7%	1.2%	4.4%
<b>Ecstasy?</b>					
<b>All</b>	80.6%	10.1%	2.5%	1.5%	5.3%
<b>Grades 7-8</b>	87.4%	5.6%	1.2%	0.7%	5.1%
<b>Grades 9-12</b>	77.6%	12.0%	3.0%	1.9%	5.4%
<b>Steroids?</b>					
<b>All</b>	75.3%	14.3%	4.4%	1.5%	4.4%
<b>Grades 7-8</b>	81.9%	10.2%	3.9%	1.1%	2.8%
<b>Grades 9-12</b>	72.5%	16.1%	4.7%	1.7%	5.1%
<b>Heroin?</b>					
<b>All</b>	87.1%	6.3%	0.7%	1.0%	4.9%
<b>Grades 7-8</b>	90.0%	4.2%	0.7%	0.7%	4.4%
<b>Grades 9-12</b>	85.9%	7.2%	0.7%	1.1%	5.1%

**Region 7: Grades 7-12  
SPRING 2008**

**Table D-15: How recently, if ever, have you taken...**

	Past Month	School Year	Ever Used	Never Used
<b>Methamphetamine?</b>				
<b>All</b>	1.0%	1.7%	3.8%	96.2%
<b>Grades 7-8</b>	0.6%	0.8%	1.5%	98.5%
<b>Grades 9-12</b>	1.2%	2.0%	4.8%	95.2%

**Table D-16: How recently, if ever, have you used...**

	Past Month	School Year	Ever Used	Never Used
<b>Codeine?</b>				
<b>All</b>	6.2%	10.6%	14.8%	85.2%
<b>Grades 7-8</b>	3.5%	6.1%	8.7%	91.3%
<b>Grades 9-12</b>	7.4%	12.5%	17.4%	82.6%
<b>Oxycontin, Percodan or Percocet?</b>				
<b>All</b>	1.4%	2.6%	3.9%	96.1%
<b>Grades 7-8</b>	0.6%	0.8%	1.0%	99.0%
<b>Grades 9-12</b>	1.7%	3.4%	5.1%	94.9%
<b>Vicodin, Lortab or Lorcet?</b>				
<b>All</b>	3.8%	7.1%	9.3%	90.7%
<b>Grades 7-8</b>	0.6%	1.6%	2.3%	97.7%
<b>Grades 9-12</b>	5.1%	9.3%	12.3%	87.7%
<b>Valium or Diazepam?</b>				
<b>All</b>	1.0%	2.1%	3.1%	96.9%
<b>Grades 7-8</b>	0.2%	0.3%	0.5%	99.5%
<b>Grades 9-12</b>	1.4%	2.9%	4.2%	95.8%
<b>Xanax or Alprazolam?</b>				
<b>All</b>	1.7%	3.7%	4.9%	95.1%
<b>Grades 7-8</b>	0.3%	0.5%	0.8%	99.2%
<b>Grades 9-12</b>	2.2%	5.0%	6.6%	93.4%

**Table D-17: How recently, if ever, have you taken...**

	Past Month	School Year	Ever Used	Never Used
<b>DXM, Triple C?</b>				
<b>All</b>	3.8%	5.0%	7.8%	92.2%
<b>Grades 7-8</b>	6.2%	6.6%	8.7%	91.3%
<b>Grades 9-12</b>	2.8%	4.3%	7.4%	92.6%

**Region 7: Grades 7-12  
SPRING 2008**

**Table I-1: How recently, if ever, have you used...**

	<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any inhalant?</b>				
<b>All</b>	2.3%	3.9%	8.4%	91.6%
<b>Grades 7-8</b>	2.9%	4.4%	7.4%	92.6%
<b>Grades 9-12</b>	2.1%	3.7%	8.8%	91.2%

**Table I-2: How often do you normally use inhalants?**

	<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>All</b>	93.9%	0.2%	0.3%	0.6%	1.3%	1.5%	2.2%
<b>Grades 7-8</b>	93.8%	0.1%	0.4%	1.2%	2.1%	0.9%	1.4%
<b>Grades 9-12</b>	93.9%	0.3%	0.3%	0.3%	1.0%	1.7%	2.6%

**Table I-3: Average age of first use of:**

	<b>grade1</b>	<b>grade2</b>
<b>Inhalants</b>	10.8	12.4

**Region 7: Grades 7-12  
SPRING 2008**

**Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1-3 Times	4-9 Times	10+ Times
<b>All</b>	97.2%	1.8%	0.5%	0.4%
<b>Grades 7-8</b>	98.0%	1.3%	0.4%	0.3%
<b>Grades 9-12</b>	96.9%	2.0%	0.6%	0.5%

**Table I-5: School year use of inhalants by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Inhalants Users:	5.2
Inhalants Non-use	4.1

  

<b>Average days conduct problems reported</b>	
Inhalants Users:	7.0
Inhalants Non-use	2.1

**Region 7: Grades 7-12  
SPRING 2008**

**Table I-6: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	ALL
<b>All</b>	82.8%	12.4%	2.9%	1.2%	0.7%
<b>Grades 7-8</b>	85.1%	9.4%	3.9%	1.1%	0.4%
<b>Grades 9-12</b>	81.8%	13.6%	2.6%	1.2%	0.7%

**Table I-7: How dangerous do you think it is for kids your age to use inhalants?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
<b>All</b>	73.5%	15.6%	4.6%	1.4%	4.8%
<b>Grades 7-8</b>	78.7%	12.2%	5.4%	1.3%	2.6%
<b>Grades 9-12</b>	71.4%	17.1%	4.3%	1.5%	5.7%

**Table I-8: If you wanted some, how difficult would it be to get..**

Inhalants?	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>All</b>	16.9%	20.9%	6.4%	6.3%	9.7%	39.9%
<b>Grades 7-8</b>	14.8%	34.7%	6.4%	5.6%	9.8%	28.7%
<b>Grades 9-12</b>	17.7%	15.3%	6.4%	6.6%	9.6%	44.4%

**Region 7: Grades 7-12  
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
<b>A school health class</b>	All 53.3%
	Grades 7-8 42.5%
	Grades 9-12 57.6%
<b>An assembly program</b>	All 53.4%
	Grades 7-8 55.2%
	Grades 9-12 52.7%
<b>Guidance counselor</b>	All 18.9%
	Grades 7-8 22.8%
	Grades 9-12 17.4%
<b>Science class</b>	All 34.9%
	Grades 7-8 50.8%
	Grades 9-12 28.6%
<b>Social studies class</b>	All 13.6%
	Grades 7-8 13.2%
	Grades 9-12 13.8%
<b>Student group session</b>	All 13.3%
	Grades 7-8 8.8%
	Grades 9-12 15.1%
<b>An invited school guest</b>	All 35.0%
	Grades 7-8 40.6%
	Grades 9-12 32.7%
<b>Another source at school</b>	All 29.9%
	Grades 7-8 26.7%
	Grades 9-12 31.2%
<b>Any school source</b>	All 62.8%
	Grades 7-8 64.6%
	Grades 9-12 62.2%



**Region 7: Grades 7-12  
SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**

CATEGORY	All	Yes
A counselor or program in	All	30.3%
	Grades 7-8	40.3%
	Grades 9-12	26.3%
Another adult in school (	All	32.0%
	Grades 7-8	37.2%
	Grades 9-12	30.0%
A counselor or program ou	All	37.5%
	Grades 7-8	37.2%
	Grades 9-12	37.5%
Your parents	All	60.7%
	Grades 7-8	68.8%
	Grades 9-12	57.5%
A medical doctor	All	44.7%
	Grades 7-8	51.5%
	Grades 9-12	41.9%
Your friends	All	73.7%
	Grades 7-8	64.7%
	Grades 9-12	77.3%
Another adult (a relative	All	60.7%
	Grades 7-8	63.8%
	Grades 9-12	59.5%

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

CATEGORY	All	Yes
Seek Help	All	6.2%
	Grades 7-8	5.1%
	Grades 9-12	6.6%

**Region 7: Grades 7-12  
SPRING 2008**

**Table X-4: About how many of your friends:**

	None	A Few	Some	Most	ALL
<b>Feel close to their parents?</b>					
<b>All</b>	3.8%	21.7%	24.2%	38.9%	11.4%
<b>Grades 7-8</b>	3.7%	16.1%	18.9%	44.2%	17.1%
<b>Grades 9-12</b>	3.8%	23.8%	26.2%	36.9%	9.2%
<b>Sometimes carry weapons?</b>					
<b>All</b>	60.2%	22.1%	11.0%	4.5%	2.3%
<b>Grades 7-8</b>	74.3%	16.1%	7.1%	2.0%	0.6%
<b>Grades 9-12</b>	54.8%	24.3%	12.5%	5.4%	2.9%
<b>Care about making good grades?</b>					
<b>All</b>	3.0%	12.0%	24.0%	43.3%	17.7%
<b>Grades 7-8</b>	2.6%	13.3%	18.6%	39.9%	25.6%
<b>Grades 9-12</b>	3.2%	11.5%	26.1%	44.6%	14.7%
<b>Belong/want to belong to a gang?</b>					
<b>All</b>	71.2%	14.6%	7.5%	4.5%	2.1%
<b>Grades 7-8</b>	73.8%	14.7%	6.6%	4.1%	0.9%
<b>Grades 9-12</b>	70.3%	14.6%	7.9%	4.7%	2.6%
<b>Wish they could drop out of school?</b>					
<b>All</b>	55.9%	27.9%	9.2%	4.6%	2.4%
<b>Grades 7-8</b>	69.3%	21.0%	5.4%	2.6%	1.7%
<b>Grades 9-12</b>	50.9%	30.5%	10.6%	5.3%	2.7%

**Region 7: Grades 7-12  
SPRING 2008**

**Table X-5: How safe do you feel when you are:**

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Don't Know
<b>In your home?</b>						
	<b>All</b>	80.6%	16.8%	1.3%	0.5%	0.8%
	<b>Grades 7-8</b>	80.5%	17.5%	1.1%	0.3%	0.6%
	<b>Grades 9-12</b>	80.6%	16.6%	1.4%	0.5%	0.9%
<b>Out in your neighbourhood</b>						
	<b>All</b>	50.0%	40.9%	6.3%	1.1%	1.8%
	<b>Grades 7-8</b>	47.1%	42.4%	7.7%	1.0%	1.9%
	<b>Grades 9-12</b>	51.1%	40.3%	5.7%	1.1%	1.8%
<b>At school</b>						
	<b>All</b>	40.6%	46.7%	6.7%	3.8%	2.3%
	<b>Grades 7-8</b>	49.7%	40.0%	5.8%	2.8%	1.7%
	<b>Grades 9-12</b>	37.1%	49.2%	7.0%	4.2%	2.5%

**Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY		Yes
<b>A website or online chat</b>	<b>All</b>	25.4%
	<b>Grades 7-8</b>	13.3%
	<b>Grades 9-12</b>	30.4%
<b>Books, magazines, poster</b>	<b>All</b>	44.3%
	<b>Grades 7-8</b>	33.8%
	<b>Grades 9-12</b>	48.6%
<b>TV, radio, or other audi</b>	<b>All</b>	52.2%
	<b>Grades 7-8</b>	43.2%
	<b>Grades 9-12</b>	55.8%
<b>Your parents</b>	<b>All</b>	47.8%
	<b>Grades 7-8</b>	44.9%
	<b>Grades 9-12</b>	49.1%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>	<b>All</b>	13.6%	19.1%	33.6%	66.4%
	<b>Grades 7-8</b>	4.6%	7.6%	16.4%	83.6%
	<b>Grades 9-12</b>	17.1%	23.6%	40.2%	59.8%
<b>Alcohol</b>	<b>All</b>	29.3%	42.9%	65.9%	34.1%
	<b>Grades 7-8</b>	17.9%	26.1%	47.3%	52.7%
	<b>Grades 9-12</b>	33.6%	49.3%	73.0%	27.0%
<b>Inhalants</b>	<b>All</b>	2.3%	3.9%	8.4%	91.6%
	<b>Grades 7-8</b>	2.9%	4.4%	7.4%	92.6%
	<b>Grades 9-12</b>	2.1%	3.7%	8.8%	91.2%
<b>Any Illicit Drug</b>	<b>All</b>	10.5%	16.6%	26.4%	73.6%
	<b>Grades 7-8</b>	3.0%	5.0%	8.4%	91.6%
	<b>Grades 9-12</b>	13.4%	21.0%	33.2%	66.8%
<b>Marijuana</b>	<b>All</b>	9.0%	15.1%	24.9%	75.1%
	<b>Grades 7-8</b>	2.3%	4.3%	7.6%	92.4%
	<b>Grades 9-12</b>	11.5%	19.2%	31.5%	68.5%
<b>Marijuana Only</b>	<b>All</b>	3.1%	7.0%	13.8%	86.2%
	<b>Grades 7-8</b>	1.1%	2.4%	4.8%	95.2%
	<b>Grades 9-12</b>	3.9%	8.8%	17.2%	82.8%
<b>Cocaine or Crack</b>	<b>All</b>	1.8%	2.8%	5.8%	94.2%
	<b>Grades 7-8</b>	0.4%	0.7%	1.8%	98.2%
	<b>Grades 9-12</b>	2.4%	3.6%	7.3%	92.7%
<b>Cocaine</b>	<b>All</b>	1.7%	2.7%	5.4%	94.6%
	<b>Grades 7-8</b>	0.3%	0.4%	1.2%	98.8%
	<b>Grades 9-12</b>	2.3%	3.6%	7.1%	92.9%
<b>Crack</b>	<b>All</b>	1.0%	1.3%	2.1%	97.9%
	<b>Grades 7-8</b>	0.3%	0.6%	1.2%	98.8%
	<b>Grades 9-12</b>	1.3%	1.6%	2.5%	97.5%
<b>Hallucinogens</b>	<b>All</b>	2.3%	3.4%	5.2%	94.8%
	<b>Grades 7-8</b>	0.2%	0.5%	1.0%	99.0%
	<b>Grades 9-12</b>	3.2%	4.5%	6.9%	93.1%
<b>Uppers</b>	<b>All</b>	2.9%	4.1%	5.9%	94.1%
	<b>Grades 7-8</b>	0.4%	0.6%	0.9%	99.1%
	<b>Grades 9-12</b>	3.8%	5.4%	7.9%	92.1%
<b>Downers</b>	<b>All</b>	2.2%	3.8%	5.6%	94.4%
	<b>Grades 7-8</b>	0.3%	0.5%	0.8%	99.2%
	<b>Grades 9-12</b>	3.0%	5.1%	7.5%	92.5%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.7%	1.0%	1.6%	98.4%
	<b>Grades 7-8</b>	0.1%	0.4%	0.7%	99.3%
	<b>Grades 9-12</b>	0.9%	1.3%	2.0%	98.0%
<b>Steroids</b>	<b>All</b>	0.9%	1.1%	2.3%	97.7%
	<b>Grades 7-8</b>	0.3%	0.4%	1.0%	99.0%
	<b>Grades 9-12</b>	1.1%	1.4%	2.8%	97.2%
<b>Ecstasy</b>	<b>All</b>	1.8%	2.4%	4.5%	95.5%
	<b>Grades 7-8</b>	0.6%	0.6%	0.9%	99.1%
	<b>Grades 9-12</b>	2.3%	3.2%	5.9%	94.1%
<b>Heroin</b>	<b>All</b>	0.5%	0.8%	1.6%	98.4%
	<b>Grades 7-8</b>	0.4%	0.5%	1.0%	99.0%
	<b>Grades 9-12</b>	0.6%	0.9%	1.9%	98.1%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	17.4%	22.7%	35.6%	64.4%
	Grades 7-8	4.9%	10.0%	19.0%	81.0%
	Grades 9-12	21.8%	27.2%	41.5%	58.5%
<b>Alcohol</b>					
	All	29.9%	43.3%	66.0%	34.0%
	Grades 7-8	21.1%	30.7%	53.0%	47.0%
	Grades 9-12	33.1%	47.7%	70.6%	29.4%
<b>Inhalants</b>					
	All	1.8%	3.6%	8.5%	91.5%
	Grades 7-8	3.4%	5.0%	7.7%	92.3%
	Grades 9-12	1.3%	3.1%	8.8%	91.2%
<b>Any Illicit Drug</b>					
	All	11.8%	17.9%	29.2%	70.8%
	Grades 7-8	3.1%	4.5%	9.2%	90.8%
	Grades 9-12	14.8%	22.6%	36.3%	63.7%
<b>Marijuana</b>					
	All	10.0%	17.2%	29.0%	71.0%
	Grades 7-8	2.4%	3.7%	8.4%	91.6%
	Grades 9-12	12.7%	22.0%	36.2%	63.8%
<b>Marijuana Only</b>					
	All	3.7%	8.2%	16.1%	83.9%
	Grades 7-8	1.2%	2.0%	5.6%	94.4%
	Grades 9-12	4.6%	10.4%	19.8%	80.2%
<b>Cocaine or Crack</b>					
	All	1.7%	2.4%	6.0%	94.0%
	Grades 7-8	0.3%	0.4%	1.5%	98.5%
	Grades 9-12	2.3%	3.1%	7.6%	92.4%
<b>Cocaine</b>					
	All	1.7%	2.4%	5.8%	94.2%
	Grades 7-8	0.3%	0.4%	1.1%	98.9%
	Grades 9-12	2.2%	3.1%	7.5%	92.5%
<b>Crack</b>					
	All	0.7%	1.0%	1.7%	98.3%
	Grades 7-8	0.2%	0.2%	0.8%	99.2%
	Grades 9-12	0.9%	1.2%	2.0%	98.0%
<b>Hallucinogens</b>					
	All	3.1%	4.6%	6.7%	93.3%
	Grades 7-8	0.3%	0.6%	1.3%	98.7%
	Grades 9-12	4.1%	6.0%	8.6%	91.4%
<b>Uppers</b>					
	All	2.6%	4.2%	6.5%	93.5%
	Grades 7-8	0.4%	0.7%	0.8%	99.2%
	Grades 9-12	3.3%	5.4%	8.5%	91.5%
<b>Downers</b>					
	All	2.1%	3.8%	6.4%	93.6%
	Grades 7-8	0.5%	0.7%	1.0%	99.0%
	Grades 9-12	2.7%	5.0%	8.4%	91.6%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>	<b>All</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grades 7-8</b>	0.2%	0.4%	0.8%	99.2%
	<b>Grades 9-12</b>	0.6%	1.0%	1.6%	98.4%
<b>Steroids</b>	<b>All</b>	1.1%	1.4%	2.7%	97.3%
	<b>Grades 7-8</b>	0.2%	0.3%	1.0%	99.0%
	<b>Grades 9-12</b>	1.4%	1.8%	3.3%	96.7%
<b>Ecstasy</b>	<b>All</b>	1.8%	2.5%	4.9%	95.1%
	<b>Grades 7-8</b>	0.5%	0.7%	0.8%	99.2%
	<b>Grades 9-12</b>	2.3%	3.2%	6.4%	93.6%
<b>Heroin</b>	<b>All</b>	0.5%	1.0%	1.2%	98.8%
	<b>Grades 7-8</b>	0.2%	0.2%	0.6%	99.4%
	<b>Grades 9-12</b>	0.7%	1.2%	1.5%	98.5%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	10.1%	15.8%	31.8%	68.2%
	Grades 7-8	4.3%	5.6%	14.4%	85.6%
	Grades 9-12	12.5%	20.0%	38.9%	61.1%
<b>Alcohol</b>					
	All	29.0%	42.9%	65.7%	34.3%
	Grades 7-8	15.4%	22.4%	42.9%	57.1%
	Grades 9-12	34.5%	51.2%	75.1%	24.9%
<b>Inhalants</b>					
	All	2.8%	4.2%	8.4%	91.6%
	Grades 7-8	2.5%	3.9%	7.3%	92.7%
	Grades 9-12	3.0%	4.4%	8.8%	91.2%
<b>Any Illicit Drug</b>					
	All	9.4%	15.4%	23.8%	76.2%
	Grades 7-8	2.9%	5.4%	7.9%	92.1%
	Grades 9-12	12.0%	19.6%	30.4%	69.6%
<b>Marijuana</b>					
	All	8.0%	13.0%	21.0%	79.0%
	Grades 7-8	2.3%	4.9%	6.9%	93.1%
	Grades 9-12	10.3%	16.4%	26.9%	73.1%
<b>Marijuana Only</b>					
	All	2.6%	6.0%	11.7%	88.3%
	Grades 7-8	1.1%	2.9%	4.3%	95.7%
	Grades 9-12	3.2%	7.3%	14.7%	85.3%
<b>Cocaine or Crack</b>					
	All	1.9%	3.2%	5.6%	94.4%
	Grades 7-8	0.4%	1.0%	2.1%	97.9%
	Grades 9-12	2.5%	4.1%	7.0%	93.0%
<b>Cocaine</b>					
	All	1.8%	3.0%	5.0%	95.0%
	Grades 7-8	0.2%	0.5%	1.2%	98.8%
	Grades 9-12	2.4%	4.0%	6.7%	93.3%
<b>Crack</b>					
	All	1.3%	1.6%	2.5%	97.5%
	Grades 7-8	0.3%	0.9%	1.5%	98.5%
	Grades 9-12	1.7%	2.0%	2.9%	97.1%
<b>Hallucinogens</b>					
	All	1.6%	2.2%	3.8%	96.2%
	Grades 7-8	0.1%	0.3%	0.7%	99.3%
	Grades 9-12	2.2%	3.0%	5.1%	94.9%
<b>Uppers</b>					
	All	3.2%	4.0%	5.4%	94.6%
	Grades 7-8	0.4%	0.5%	1.0%	99.0%
	Grades 9-12	4.3%	5.5%	7.2%	92.8%
<b>Downers</b>					
	All	2.4%	3.9%	4.9%	95.1%
	Grades 7-8	0.1%	0.3%	0.7%	99.3%
	Grades 9-12	3.3%	5.4%	6.6%	93.4%



**Region 7: Grades 7-12  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.9%	1.2%	1.8%	98.2%
	<b>Grades 7-8</b>	0.1%	0.3%	0.7%	99.3%
	<b>Grades 9-12</b>	1.3%	1.5%	2.3%	97.7%
<b>Steroids</b>	<b>All</b>	0.6%	0.7%	1.8%	98.2%
	<b>Grades 7-8</b>	0.4%	0.4%	1.0%	99.0%
	<b>Grades 9-12</b>	0.7%	0.9%	2.2%	97.8%
<b>Ecstasy</b>	<b>All</b>	1.8%	2.4%	4.2%	95.8%
	<b>Grades 7-8</b>	0.6%	0.6%	1.1%	98.9%
	<b>Grades 9-12</b>	2.4%	3.1%	5.4%	94.6%
<b>Heroin</b>	<b>All</b>	0.5%	0.7%	2.0%	98.0%
	<b>Grades 7-8</b>	0.5%	0.7%	1.4%	98.6%
	<b>Grades 9-12</b>	0.5%	0.7%	2.3%	97.7%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	14.4%	20.4%	30.7%	69.3%
	Grades 7-8	4.7%	8.4%	14.0%	86.0%
	Grades 9-12	18.5%	25.3%	37.6%	62.4%
<b>Alcohol</b>					
	All	30.4%	44.9%	62.5%	37.5%
	Grades 7-8	15.7%	24.9%	44.4%	55.6%
	Grades 9-12	36.5%	53.2%	69.9%	30.1%
<b>Inhalants</b>					
	All	1.4%	2.3%	6.4%	93.6%
	Grades 7-8	2.0%	3.5%	5.4%	94.6%
	Grades 9-12	1.2%	1.8%	6.8%	93.2%
<b>Any Illicit Drug</b>					
	All	9.3%	15.5%	21.0%	79.0%
	Grades 7-8	1.5%	3.8%	5.6%	94.4%
	Grades 9-12	12.5%	20.3%	27.3%	72.7%
<b>Marijuana</b>					
	All	8.1%	14.0%	19.5%	80.5%
	Grades 7-8	1.2%	3.3%	4.9%	95.1%
	Grades 9-12	11.0%	18.4%	25.5%	74.5%
<b>Marijuana Only</b>					
	All	2.2%	6.3%	10.5%	89.5%
	Grades 7-8	0.5%	2.1%	3.2%	96.8%
	Grades 9-12	2.9%	8.0%	13.5%	86.5%
<b>Cocaine or Crack</b>					
	All	1.4%	2.1%	4.3%	95.7%
	Grades 7-8	0.1%	0.4%	1.1%	98.9%
	Grades 9-12	1.9%	2.8%	5.6%	94.4%
<b>Cocaine</b>					
	All	1.3%	2.0%	4.1%	95.9%
	Grades 7-8	0.0%	0.2%	0.5%	99.5%
	Grades 9-12	1.9%	2.7%	5.5%	94.5%
<b>Crack</b>					
	All	0.5%	0.7%	1.3%	98.7%
	Grades 7-8	0.1%	0.4%	0.7%	99.3%
	Grades 9-12	0.7%	0.9%	1.6%	98.4%
<b>Hallucinogens</b>					
	All	2.3%	3.5%	5.4%	94.6%
	Grades 7-8	0.1%	0.5%	1.0%	99.0%
	Grades 9-12	3.2%	4.8%	7.2%	92.8%
<b>Uppers</b>					
	All	2.7%	3.9%	5.5%	94.5%
	Grades 7-8	0.3%	0.5%	0.8%	99.2%
	Grades 9-12	3.7%	5.3%	7.6%	92.4%
<b>Downers</b>					
	All	2.6%	4.5%	5.8%	94.2%
	Grades 7-8	0.0%	0.3%	0.6%	99.4%
	Grades 9-12	3.8%	6.3%	8.0%	92.0%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grades 7-8</b>	0.0%	0.3%	0.4%	99.6%
	<b>Grades 9-12</b>	0.7%	1.0%	1.9%	98.1%
<b>Steroids</b>	<b>All</b>	0.8%	0.9%	2.8%	97.2%
	<b>Grades 7-8</b>	0.2%	0.2%	0.7%	99.3%
	<b>Grades 9-12</b>	1.1%	1.2%	3.6%	96.4%
<b>Ecstasy</b>	<b>All</b>	1.6%	2.1%	4.3%	95.7%
	<b>Grades 7-8</b>	0.4%	0.5%	0.8%	99.2%
	<b>Grades 9-12</b>	2.1%	2.7%	5.7%	94.3%
<b>Heroin</b>	<b>All</b>	0.3%	0.6%	1.7%	98.3%
	<b>Grades 7-8</b>	0.3%	0.4%	0.9%	99.1%
	<b>Grades 9-12</b>	0.3%	0.6%	2.1%	97.9%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>	<b>All</b>	10.2%	13.8%	33.1%	66.9%
	<b>Grades 7-8</b>	1.6%	2.1%	19.9%	80.1%
	<b>Grades 9-12</b>	12.1%	16.5%	36.2%	63.8%
<b>Alcohol</b>	<b>All</b>	28.0%	37.6%	71.2%	28.8%
	<b>Grades 7-8</b>	27.1%	35.3%	58.7%	41.3%
	<b>Grades 9-12</b>	28.2%	38.2%	74.1%	25.9%
<b>Inhalants</b>	<b>All</b>	2.6%	3.4%	6.1%	93.9%
	<b>Grades 7-8</b>	2.7%	2.9%	4.9%	95.1%
	<b>Grades 9-12</b>	2.6%	3.6%	6.4%	93.6%
<b>Any Illicit Drug</b>	<b>All</b>	11.6%	17.5%	30.0%	70.0%
	<b>Grades 7-8</b>	1.2%	1.4%	2.4%	97.6%
	<b>Grades 9-12</b>	14.0%	21.2%	36.5%	63.5%
<b>Marijuana</b>	<b>All</b>	10.5%	15.7%	29.0%	71.0%
	<b>Grades 7-8</b>	0.9%	0.9%	2.0%	98.0%
	<b>Grades 9-12</b>	12.7%	19.1%	35.2%	64.8%
<b>Marijuana Only</b>	<b>All</b>	4.8%	9.3%	19.6%	80.4%
	<b>Grades 7-8</b>	0.5%	0.5%	1.5%	98.5%
	<b>Grades 9-12</b>	5.8%	11.2%	23.6%	76.4%
<b>Cocaine or Crack</b>	<b>All</b>	1.7%	2.3%	3.2%	96.8%
	<b>Grades 7-8</b>	0.0%	0.2%	0.6%	99.4%
	<b>Grades 9-12</b>	2.1%	2.9%	3.9%	96.1%
<b>Cocaine</b>	<b>All</b>	1.6%	2.4%	2.7%	97.3%
	<b>Grades 7-8</b>	0.0%	0.0%	0.2%	99.8%
	<b>Grades 9-12</b>	2.0%	2.9%	3.2%	96.8%
<b>Crack</b>	<b>All</b>	1.0%	1.7%	2.4%	97.6%
	<b>Grades 7-8</b>	0.0%	0.2%	0.6%	99.4%
	<b>Grades 9-12</b>	1.3%	2.0%	2.8%	97.2%
<b>Hallucinogens</b>	<b>All</b>	3.9%	4.0%	4.9%	95.1%
	<b>Grades 7-8</b>	0.0%	0.0%	0.2%	99.8%
	<b>Grades 9-12</b>	4.8%	4.9%	6.1%	93.9%
<b>Uppers</b>	<b>All</b>	2.2%	2.3%	2.6%	97.4%
	<b>Grades 7-8</b>	0.0%	0.2%	0.2%	99.8%
	<b>Grades 9-12</b>	2.7%	2.7%	3.2%	96.8%
<b>Downers</b>	<b>All</b>	1.4%	1.6%	2.7%	97.3%
	<b>Grades 7-8</b>	0.2%	0.2%	0.2%	99.8%
	<b>Grades 9-12</b>	1.7%	2.0%	3.3%	96.7%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.6%	0.7%	1.0%	99.0%
	<b>Grades 7-8</b>	0.0%	0.0%	0.2%	99.8%
	<b>Grades 9-12</b>	0.8%	0.9%	1.1%	98.9%
<b>Steroids</b>	<b>All</b>	0.1%	0.4%	0.5%	99.5%
	<b>Grades 7-8</b>	0.2%	0.4%	0.4%	99.6%
	<b>Grades 9-12</b>	0.0%	0.4%	0.5%	99.5%
<b>Ecstasy</b>	<b>All</b>	1.3%	2.1%	3.9%	96.1%
	<b>Grades 7-8</b>	0.2%	0.2%	0.2%	99.8%
	<b>Grades 9-12</b>	1.6%	2.6%	4.9%	95.1%
<b>Heroin</b>	<b>All</b>	0.9%	1.7%	1.7%	98.3%
	<b>Grades 7-8</b>	0.0%	0.0%	0.2%	99.8%
	<b>Grades 9-12</b>	1.1%	2.1%	2.1%	97.9%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	13.9%	20.3%	39.2%	60.8%
	Grades 7-8	5.8%	8.6%	20.7%	79.3%
	Grades 9-12	17.5%	25.5%	47.2%	52.8%
<b>Alcohol</b>					
	All	28.4%	42.7%	68.5%	31.5%
	Grades 7-8	20.9%	27.8%	48.0%	52.0%
	Grades 9-12	31.7%	49.1%	77.3%	22.7%
<b>Inhalants</b>					
	All	4.2%	7.6%	14.0%	86.0%
	Grades 7-8	4.6%	6.7%	12.5%	87.5%
	Grades 9-12	4.1%	8.0%	14.7%	85.3%
<b>Any Illicit Drug</b>					
	All	10.4%	16.6%	33.5%	66.5%
	Grades 7-8	6.8%	8.9%	16.1%	83.9%
	Grades 9-12	11.9%	20.0%	41.1%	58.9%
<b>Marijuana</b>					
	All	9.1%	15.5%	32.4%	67.6%
	Grades 7-8	5.8%	8.3%	15.6%	84.4%
	Grades 9-12	10.5%	18.5%	39.7%	60.3%
<b>Marijuana Only</b>					
	All	3.2%	6.6%	16.8%	83.2%
	Grades 7-8	3.0%	4.3%	9.5%	90.5%
	Grades 9-12	3.2%	7.7%	20.1%	79.9%
<b>Cocaine or Crack</b>					
	All	2.7%	4.7%	10.2%	89.8%
	Grades 7-8	1.0%	1.6%	3.8%	96.2%
	Grades 9-12	3.4%	6.1%	12.9%	87.1%
<b>Cocaine</b>					
	All	2.7%	4.6%	9.9%	90.1%
	Grades 7-8	0.8%	1.1%	2.9%	97.1%
	Grades 9-12	3.5%	6.2%	12.9%	87.1%
<b>Crack</b>					
	All	1.9%	2.3%	3.3%	96.7%
	Grades 7-8	0.7%	1.1%	2.2%	97.8%
	Grades 9-12	2.5%	2.8%	3.8%	96.2%
<b>Hallucinogens</b>					
	All	1.6%	1.8%	3.4%	96.6%
	Grades 7-8	0.3%	0.4%	0.8%	99.2%
	Grades 9-12	2.1%	2.5%	4.4%	95.6%
<b>Uppers</b>					
	All	1.9%	3.9%	6.4%	93.6%
	Grades 7-8	0.2%	0.3%	0.9%	99.1%
	Grades 9-12	2.6%	5.5%	8.8%	91.2%
<b>Downers</b>					
	All	1.3%	3.3%	5.7%	94.3%
	Grades 7-8	0.6%	0.6%	1.2%	98.8%
	Grades 9-12	1.7%	4.5%	7.7%	92.3%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.8%	1.1%	1.8%	98.2%
	<b>Grades 7-8</b>	0.4%	0.7%	1.7%	98.3%
	<b>Grades 9-12</b>	1.0%	1.2%	1.9%	98.1%
<b>Steroids</b>	<b>All</b>	0.4%	0.9%	1.2%	98.8%
	<b>Grades 7-8</b>	0.7%	0.7%	1.6%	98.4%
	<b>Grades 9-12</b>	0.3%	0.9%	1.0%	99.0%
<b>Ecstasy</b>	<b>All</b>	2.6%	3.3%	4.7%	95.3%
	<b>Grades 7-8</b>	0.8%	0.8%	1.2%	98.8%
	<b>Grades 9-12</b>	3.4%	4.4%	6.2%	93.8%
<b>Heroin</b>	<b>All</b>	0.7%	0.8%	1.2%	98.8%
	<b>Grades 7-8</b>	0.5%	0.8%	1.5%	98.5%
	<b>Grades 9-12</b>	0.8%	0.8%	1.1%	98.9%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>	<b>All</b>	6.2%	9.6%	18.7%	81.3%
	<b>Grades 7-8</b>	2.0%	2.6%	7.2%	92.8%
	<b>Grades 9-12</b>	8.5%	13.3%	24.7%	75.3%
<b>Alcohol</b>	<b>All</b>	19.9%	31.6%	54.3%	45.7%
	<b>Grades 7-8</b>	12.3%	14.9%	36.9%	63.1%
	<b>Grades 9-12</b>	23.9%	40.3%	63.4%	36.6%
<b>Inhalants</b>	<b>All</b>	1.0%	1.6%	4.1%	95.9%
	<b>Grades 7-8</b>	2.4%	3.1%	4.7%	95.3%
	<b>Grades 9-12</b>	0.3%	0.8%	3.8%	96.2%
<b>Any Illicit Drug</b>	<b>All</b>	3.8%	7.3%	12.2%	87.8%
	<b>Grades 7-8</b>	1.4%	2.1%	3.7%	96.3%
	<b>Grades 9-12</b>	5.0%	10.1%	16.6%	83.4%
<b>Marijuana</b>	<b>All</b>	2.7%	6.3%	10.6%	89.4%
	<b>Grades 7-8</b>	0.8%	1.5%	2.7%	97.3%
	<b>Grades 9-12</b>	3.7%	8.9%	14.7%	85.3%
<b>Marijuana Only</b>	<b>All</b>	0.9%	3.5%	7.1%	92.9%
	<b>Grades 7-8</b>	0.5%	0.8%	1.9%	98.1%
	<b>Grades 9-12</b>	1.1%	4.9%	9.8%	90.2%
<b>Cocaine or Crack</b>	<b>All</b>	0.8%	1.2%	2.0%	98.0%
	<b>Grades 7-8</b>	0.0%	0.3%	0.5%	99.5%
	<b>Grades 9-12</b>	1.2%	1.6%	2.9%	97.1%
<b>Cocaine</b>	<b>All</b>	0.7%	0.9%	1.8%	98.2%
	<b>Grades 7-8</b>	0.0%	0.2%	0.2%	99.8%
	<b>Grades 9-12</b>	1.0%	1.3%	2.6%	97.4%
<b>Crack</b>	<b>All</b>	0.7%	1.0%	1.3%	98.7%
	<b>Grades 7-8</b>	0.0%	0.3%	0.5%	99.5%
	<b>Grades 9-12</b>	1.1%	1.4%	1.8%	98.2%
<b>Hallucinogens</b>	<b>All</b>	0.8%	1.0%	2.0%	98.0%
	<b>Grades 7-8</b>	0.1%	0.1%	0.6%	99.4%
	<b>Grades 9-12</b>	1.2%	1.6%	2.8%	97.2%
<b>Uppers</b>	<b>All</b>	1.4%	1.9%	2.9%	97.1%
	<b>Grades 7-8</b>	0.6%	0.7%	0.9%	99.1%
	<b>Grades 9-12</b>	1.8%	2.6%	4.0%	96.0%
<b>Downers</b>	<b>All</b>	1.3%	1.9%	2.9%	97.1%
	<b>Grades 7-8</b>	0.3%	0.5%	0.6%	99.4%
	<b>Grades 9-12</b>	1.8%	2.6%	4.1%	95.9%



**Region 7: Grades 7-12  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.2%	0.4%	0.6%	99.4%
	<b>Grades 7-8</b>	0.0%	0.3%	0.4%	99.6%
	<b>Grades 9-12</b>	0.3%	0.4%	0.8%	99.2%
<b>Steroids</b>	<b>All</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grades 7-8</b>	0.2%	0.2%	0.4%	99.6%
	<b>Grades 9-12</b>	0.4%	0.7%	1.4%	98.6%
<b>Ecstasy</b>	<b>All</b>	1.0%	1.3%	2.1%	97.9%
	<b>Grades 7-8</b>	0.6%	0.8%	0.8%	99.2%
	<b>Grades 9-12</b>	1.2%	1.5%	2.8%	97.2%
<b>Heroin</b>	<b>All</b>	0.1%	0.1%	0.4%	99.6%
	<b>Grades 7-8</b>	0.1%	0.1%	0.3%	99.7%
	<b>Grades 9-12</b>	0.2%	0.2%	0.4%	99.6%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>	All	17.9%	24.6%	41.9%	58.1%
	Grades 7-8	6.8%	11.8%	24.2%	75.8%
	Grades 9-12	21.3%	28.6%	47.5%	52.5%
<b>Alcohol</b>	All	34.7%	49.4%	72.4%	27.6%
	Grades 7-8	22.8%	34.6%	55.8%	44.2%
	Grades 9-12	38.4%	54.0%	77.7%	22.3%
<b>Inhalants</b>	All	3.1%	5.3%	11.0%	89.0%
	Grades 7-8	3.4%	5.6%	9.6%	90.4%
	Grades 9-12	3.0%	5.2%	11.4%	88.6%
<b>Any Illicit Drug</b>	All	14.3%	21.9%	34.4%	65.6%
	Grades 7-8	4.3%	7.4%	12.4%	87.6%
	Grades 9-12	17.4%	26.4%	41.3%	58.7%
<b>Marijuana</b>	All	12.5%	20.1%	32.9%	67.1%
	Grades 7-8	3.6%	6.7%	11.7%	88.3%
	Grades 9-12	15.3%	24.3%	39.6%	60.4%
<b>Marijuana Only</b>	All	4.4%	9.1%	17.5%	82.5%
	Grades 7-8	1.7%	3.8%	7.3%	92.7%
	Grades 9-12	5.3%	10.7%	20.7%	79.3%
<b>Cocaine or Crack</b>	All	2.4%	3.8%	7.9%	92.1%
	Grades 7-8	0.6%	1.1%	3.0%	97.0%
	Grades 9-12	2.9%	4.6%	9.5%	90.5%
<b>Cocaine</b>	All	2.4%	3.7%	7.6%	92.4%
	Grades 7-8	0.5%	0.7%	2.0%	98.0%
	Grades 9-12	2.9%	4.7%	9.4%	90.6%
<b>Crack</b>	All	1.2%	1.5%	2.6%	97.4%
	Grades 7-8	0.4%	0.8%	1.8%	98.2%
	Grades 9-12	1.4%	1.8%	2.8%	97.2%
<b>Hallucinogens</b>	All	3.2%	4.6%	6.9%	93.1%
	Grades 7-8	0.3%	0.8%	1.3%	98.7%
	Grades 9-12	4.1%	5.7%	8.7%	91.3%
<b>Uppers</b>	All	3.6%	5.2%	7.6%	92.4%
	Grades 7-8	0.3%	0.5%	0.9%	99.1%
	Grades 9-12	4.6%	6.7%	9.7%	90.3%
<b>Downers</b>	All	2.8%	5.0%	7.2%	92.8%
	Grades 7-8	0.3%	0.5%	1.0%	99.0%
	Grades 9-12	3.6%	6.5%	9.2%	90.8%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>	<b>All</b>	0.9%	1.2%	2.1%	97.9%
	<b>Grades 7-8</b>	0.3%	0.5%	1.0%	99.0%
	<b>Grades 9-12</b>	1.1%	1.5%	2.4%	97.6%
<b>Steroids</b>	<b>All</b>	1.2%	1.5%	3.0%	97.0%
	<b>Grades 7-8</b>	0.5%	0.6%	1.6%	98.4%
	<b>Grades 9-12</b>	1.4%	1.8%	3.4%	96.6%
<b>Ecstasy</b>	<b>All</b>	2.3%	3.2%	5.9%	94.1%
	<b>Grades 7-8</b>	0.5%	0.5%	1.1%	98.9%
	<b>Grades 9-12</b>	2.9%	4.0%	7.5%	92.5%
<b>Heroin</b>	<b>All</b>	0.8%	1.2%	2.4%	97.6%
	<b>Grades 7-8</b>	0.6%	0.8%	1.6%	98.4%
	<b>Grades 9-12</b>	0.8%	1.3%	2.6%	97.4%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>	All	11.0%	15.5%	26.9%	73.1%
	Grades 7-8	3.1%	6.1%	11.5%	88.5%
	Grades 9-12	14.3%	19.5%	33.4%	66.6%
<b>Alcohol</b>	All	25.2%	38.0%	59.8%	40.2%
	Grades 7-8	13.6%	20.5%	41.1%	58.9%
	Grades 9-12	30.1%	45.3%	67.6%	32.4%
<b>Inhalants</b>	All	2.2%	3.4%	7.6%	92.4%
	Grades 7-8	2.4%	3.7%	5.7%	94.3%
	Grades 9-12	2.1%	3.3%	8.4%	91.6%
<b>Any Illicit Drug</b>	All	7.8%	11.0%	19.6%	80.4%
	Grades 7-8	2.1%	3.3%	5.8%	94.2%
	Grades 9-12	10.2%	14.3%	25.4%	74.6%
<b>Marijuana</b>	All	6.6%	9.9%	18.4%	81.6%
	Grades 7-8	1.4%	2.5%	4.9%	95.1%
	Grades 9-12	8.8%	13.0%	24.0%	76.0%
<b>Marijuana Only</b>	All	2.1%	4.2%	9.9%	90.1%
	Grades 7-8	0.7%	1.2%	2.9%	97.1%
	Grades 9-12	2.7%	5.4%	12.9%	87.1%
<b>Cocaine or Crack</b>	All	1.3%	1.9%	4.6%	95.4%
	Grades 7-8	0.2%	0.5%	1.5%	98.5%
	Grades 9-12	1.8%	2.4%	5.9%	94.1%
<b>Cocaine</b>	All	1.2%	1.7%	4.2%	95.8%
	Grades 7-8	0.1%	0.2%	0.8%	99.2%
	Grades 9-12	1.6%	2.3%	5.6%	94.4%
<b>Crack</b>	All	0.9%	1.1%	2.0%	98.0%
	Grades 7-8	0.2%	0.4%	1.0%	99.0%
	Grades 9-12	1.2%	1.4%	2.4%	97.6%
<b>Hallucinogens</b>	All	1.3%	2.2%	3.3%	96.7%
	Grades 7-8	0.0%	0.4%	0.9%	99.1%
	Grades 9-12	1.9%	3.0%	4.3%	95.7%
<b>Uppers</b>	All	1.9%	2.7%	4.2%	95.8%
	Grades 7-8	0.5%	0.6%	0.8%	99.2%
	Grades 9-12	2.5%	3.6%	5.6%	94.4%
<b>Downers</b>	All	1.4%	2.3%	3.7%	96.3%
	Grades 7-8	0.3%	0.5%	0.8%	99.2%
	Grades 9-12	1.8%	3.0%	5.0%	95.0%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>	<b>All</b>	0.5%	0.6%	1.0%	99.0%
	<b>Grades 7-8</b>	0.1%	0.1%	0.5%	99.5%
	<b>Grades 9-12</b>	0.7%	0.8%	1.1%	98.9%
<b>Steroids</b>	<b>All</b>	0.6%	0.8%	1.2%	98.8%
	<b>Grades 7-8</b>	0.4%	0.4%	0.9%	99.1%
	<b>Grades 9-12</b>	0.7%	0.9%	1.4%	98.6%
<b>Ecstasy</b>	<b>All</b>	1.4%	1.7%	2.7%	97.3%
	<b>Grades 7-8</b>	0.6%	0.7%	0.9%	99.1%
	<b>Grades 9-12</b>	1.8%	2.2%	3.5%	96.5%
<b>Heroin</b>	<b>All</b>	0.2%	0.3%	0.7%	99.3%
	<b>Grades 7-8</b>	0.3%	0.4%	0.7%	99.3%
	<b>Grades 9-12</b>	0.1%	0.2%	0.7%	99.3%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>	All	17.8%	24.8%	43.5%	56.5%
	Grades 7-8	7.0%	10.2%	25.2%	74.8%
	Grades 9-12	21.3%	29.6%	49.6%	50.4%
<b>Alcohol</b>	All	35.8%	50.5%	75.1%	24.9%
	Grades 7-8	25.5%	36.1%	58.7%	41.3%
	Grades 9-12	39.3%	55.3%	80.6%	19.4%
<b>Inhalants</b>	All	2.6%	4.6%	9.7%	90.3%
	Grades 7-8	3.6%	5.5%	10.4%	89.6%
	Grades 9-12	2.2%	4.3%	9.4%	90.6%
<b>Any Illicit Drug</b>	All	14.8%	25.2%	36.6%	63.4%
	Grades 7-8	4.4%	7.7%	13.0%	87.0%
	Grades 9-12	18.3%	31.1%	44.5%	55.5%
<b>Marijuana</b>	All	12.8%	23.3%	34.8%	65.2%
	Grades 7-8	3.9%	7.4%	12.4%	87.6%
	Grades 9-12	15.8%	28.6%	42.3%	57.7%
<b>Marijuana Only</b>	All	4.8%	11.4%	19.8%	80.2%
	Grades 7-8	2.0%	4.6%	8.4%	91.6%
	Grades 9-12	5.7%	13.7%	23.5%	76.5%
<b>Cocaine or Crack</b>	All	2.6%	4.3%	7.0%	93.0%
	Grades 7-8	0.5%	0.8%	2.1%	97.9%
	Grades 9-12	3.3%	5.5%	8.7%	91.3%
<b>Cocaine</b>	All	2.6%	4.3%	6.9%	93.1%
	Grades 7-8	0.5%	0.7%	1.7%	98.3%
	Grades 9-12	3.3%	5.6%	8.7%	91.3%
<b>Crack</b>	All	1.2%	1.6%	2.3%	97.7%
	Grades 7-8	0.4%	0.5%	1.2%	98.8%
	Grades 9-12	1.5%	2.0%	2.7%	97.3%
<b>Hallucinogens</b>	All	3.9%	5.2%	7.8%	92.2%
	Grades 7-8	0.5%	0.6%	1.0%	99.0%
	Grades 9-12	5.1%	6.7%	10.1%	89.9%
<b>Uppers</b>	All	4.3%	6.2%	8.2%	91.8%
	Grades 7-8	0.0%	0.3%	0.9%	99.1%
	Grades 9-12	5.9%	8.3%	10.8%	89.2%
<b>Downers</b>	All	3.6%	6.4%	8.1%	91.9%
	Grades 7-8	0.3%	0.3%	0.7%	99.3%
	Grades 9-12	4.8%	8.5%	10.7%	89.3%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.1%	1.6%	2.6%	97.4%
	<b>Grades 7-8</b>	0.2%	0.6%	0.9%	99.1%
	<b>Grades 9-12</b>	1.4%	1.9%	3.2%	96.8%
<b>Steroids</b>					
	<b>All</b>	1.4%	1.7%	4.0%	96.0%
	<b>Grades 7-8</b>	0.2%	0.3%	1.2%	98.8%
	<b>Grades 9-12</b>	1.7%	2.2%	4.9%	95.1%
<b>Ecstasy</b>					
	<b>All</b>	2.4%	3.6%	6.9%	93.1%
	<b>Grades 7-8</b>	0.4%	0.4%	0.9%	99.1%
	<b>Grades 9-12</b>	3.2%	4.7%	9.0%	91.0%
<b>Heroin</b>					
	<b>All</b>	1.1%	1.6%	3.1%	96.9%
	<b>Grades 7-8</b>	0.4%	0.6%	1.3%	98.7%
	<b>Grades 9-12</b>	1.3%	2.0%	3.7%	96.3%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	12.1%	16.7%	30.0%	70.0%
	Grades 7-8	3.7%	6.7%	15.3%	84.7%
	Grades 9-12	15.6%	21.0%	36.3%	63.7%
<b>Alcohol</b>					
	All	27.0%	39.7%	64.3%	35.7%
	Grades 7-8	15.9%	22.7%	44.1%	55.9%
	Grades 9-12	31.7%	46.9%	72.7%	27.3%
<b>Inhalants</b>					
	All	1.8%	3.0%	7.3%	92.7%
	Grades 7-8	2.1%	3.4%	5.8%	94.2%
	Grades 9-12	1.7%	2.8%	7.9%	92.1%
<b>Any Illicit Drug</b>					
	All	8.9%	13.3%	22.2%	77.8%
	Grades 7-8	1.8%	3.6%	6.6%	93.4%
	Grades 9-12	11.8%	17.4%	28.7%	71.3%
<b>Marijuana</b>					
	All	7.6%	12.2%	20.8%	79.2%
	Grades 7-8	1.6%	3.3%	6.1%	93.9%
	Grades 9-12	10.1%	15.9%	26.9%	73.1%
<b>Marijuana Only</b>					
	All	2.8%	5.8%	11.9%	88.1%
	Grades 7-8	0.9%	2.1%	4.3%	95.7%
	Grades 9-12	3.6%	7.4%	15.1%	84.9%
<b>Cocaine or Crack</b>					
	All	1.0%	1.6%	4.6%	95.4%
	Grades 7-8	0.1%	0.3%	0.9%	99.1%
	Grades 9-12	1.4%	2.2%	6.2%	93.8%
<b>Cocaine</b>					
	All	1.0%	1.5%	4.3%	95.7%
	Grades 7-8	0.0%	0.1%	0.5%	99.5%
	Grades 9-12	1.4%	2.1%	5.9%	94.1%
<b>Crack</b>					
	All	0.3%	0.4%	1.3%	98.7%
	Grades 7-8	0.1%	0.2%	0.6%	99.4%
	Grades 9-12	0.4%	0.5%	1.6%	98.4%
<b>Hallucinogens</b>					
	All	1.8%	3.0%	4.8%	95.2%
	Grades 7-8	0.2%	0.3%	0.5%	99.5%
	Grades 9-12	2.5%	4.1%	6.6%	93.4%
<b>Uppers</b>					
	All	2.3%	3.1%	4.9%	95.1%
	Grades 7-8	0.1%	0.2%	0.5%	99.5%
	Grades 9-12	3.3%	4.4%	6.8%	93.2%
<b>Downers</b>					
	All	1.6%	3.0%	4.5%	95.5%
	Grades 7-8	0.1%	0.2%	0.4%	99.6%
	Grades 9-12	2.2%	4.2%	6.3%	93.7%



**Region 7: Grades 7-12  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grades 7-8</b>	0.1%	0.2%	0.4%	99.6%
	<b>Grades 9-12</b>	0.7%	1.0%	1.9%	98.1%
<b>Steroids</b>					
	<b>All</b>	0.7%	0.9%	1.9%	98.1%
	<b>Grades 7-8</b>	0.2%	0.2%	0.8%	99.2%
	<b>Grades 9-12</b>	0.9%	1.2%	2.3%	97.7%
<b>Ecstasy</b>					
	<b>All</b>	1.0%	1.3%	3.2%	96.8%
	<b>Grades 7-8</b>	0.2%	0.3%	0.5%	99.5%
	<b>Grades 9-12</b>	1.4%	1.7%	4.4%	95.6%
<b>Heroin</b>					
	<b>All</b>	0.5%	0.7%	1.5%	98.5%
	<b>Grades 7-8</b>	0.2%	0.2%	0.6%	99.4%
	<b>Grades 9-12</b>	0.6%	0.9%	1.9%	98.1%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	21.4%	30.3%	46.5%	53.5%
	Grades 7-8	8.4%	12.0%	22.4%	77.6%
	Grades 9-12	25.1%	35.4%	53.2%	46.8%
<b>Alcohol</b>					
	All	41.3%	58.9%	74.2%	25.8%
	Grades 7-8	25.3%	42.4%	61.0%	39.0%
	Grades 9-12	45.8%	63.5%	78.0%	22.0%
<b>Inhalants</b>					
	All	4.3%	8.3%	14.2%	85.8%
	Grades 7-8	6.6%	10.0%	15.8%	84.2%
	Grades 9-12	3.7%	7.9%	13.7%	86.3%
<b>Any Illicit Drug</b>					
	All	17.8%	28.0%	41.4%	58.6%
	Grades 7-8	8.3%	9.8%	15.3%	84.7%
	Grades 9-12	20.4%	33.1%	48.7%	51.3%
<b>Marijuana</b>					
	All	15.5%	25.6%	38.5%	61.5%
	Grades 7-8	5.4%	7.0%	12.6%	87.4%
	Grades 9-12	18.3%	30.7%	45.7%	54.3%
<b>Marijuana Only</b>					
	All	5.3%	12.5%	21.0%	79.0%
	Grades 7-8	1.7%	2.3%	5.1%	94.9%
	Grades 9-12	6.4%	15.3%	25.4%	74.6%
<b>Cocaine or Crack</b>					
	All	5.5%	7.3%	10.8%	89.2%
	Grades 7-8	1.5%	2.8%	6.4%	93.6%
	Grades 9-12	6.5%	8.6%	12.1%	87.9%
<b>Cocaine</b>					
	All	5.4%	7.3%	10.7%	89.3%
	Grades 7-8	1.4%	2.2%	4.8%	95.2%
	Grades 9-12	6.4%	8.7%	12.3%	87.7%
<b>Crack</b>					
	All	4.1%	5.5%	6.2%	93.8%
	Grades 7-8	1.2%	2.4%	4.4%	95.6%
	Grades 9-12	5.0%	6.4%	6.7%	93.3%
<b>Hallucinogens</b>					
	All	3.8%	4.6%	7.1%	92.9%
	Grades 7-8	0.4%	1.3%	3.9%	96.1%
	Grades 9-12	4.8%	5.5%	8.0%	92.0%
<b>Uppers</b>					
	All	5.0%	7.5%	10.3%	89.7%
	Grades 7-8	2.2%	2.5%	3.2%	96.8%
	Grades 9-12	5.8%	8.9%	12.3%	87.7%
<b>Downers</b>					
	All	4.9%	6.9%	10.1%	89.9%
	Grades 7-8	1.3%	2.0%	3.4%	96.6%
	Grades 9-12	5.8%	8.3%	11.9%	88.1%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.6%	2.1%	2.6%	97.4%
	<b>Grades 7-8</b>	0.4%	1.0%	2.0%	98.0%
	<b>Grades 9-12</b>	2.0%	2.4%	2.8%	97.2%
<b>Steroids</b>					
	<b>All</b>	1.9%	2.2%	3.7%	96.3%
	<b>Grades 7-8</b>	1.2%	1.2%	2.5%	97.5%
	<b>Grades 9-12</b>	2.1%	2.5%	4.0%	96.0%
<b>Ecstasy</b>					
	<b>All</b>	5.7%	7.4%	9.5%	90.5%
	<b>Grades 7-8</b>	2.7%	2.9%	3.2%	96.8%
	<b>Grades 9-12</b>	6.6%	8.6%	11.2%	88.8%
<b>Heroin</b>					
	<b>All</b>	0.8%	1.6%	2.4%	97.6%
	<b>Grades 7-8</b>	1.7%	2.1%	3.5%	96.5%
	<b>Grades 9-12</b>	0.5%	1.4%	2.1%	97.9%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	15.6%	20.3%	38.8%	61.2%
	Grades 7-8	4.7%	7.6%	20.0%	80.0%
	Grades 9-12	18.7%	23.9%	44.2%	55.8%
<b>Alcohol</b>					
	All	30.2%	44.0%	70.8%	29.2%
	Grades 7-8	17.8%	28.0%	47.4%	52.6%
	Grades 9-12	33.8%	48.6%	77.5%	22.5%
<b>Inhalants</b>					
	All	2.3%	5.1%	10.4%	89.6%
	Grades 7-8	3.3%	5.0%	9.7%	90.3%
	Grades 9-12	2.0%	5.1%	10.6%	89.4%
<b>Any Illicit Drug</b>					
	All	13.5%	21.2%	34.3%	65.7%
	Grades 7-8	3.1%	4.8%	10.3%	89.7%
	Grades 9-12	16.6%	26.0%	41.3%	58.7%
<b>Marijuana</b>					
	All	11.2%	19.7%	32.0%	68.0%
	Grades 7-8	2.4%	4.3%	9.2%	90.8%
	Grades 9-12	13.8%	24.1%	38.5%	61.5%
<b>Marijuana Only</b>					
	All	4.5%	8.9%	18.8%	81.2%
	Grades 7-8	1.2%	2.2%	5.9%	94.1%
	Grades 9-12	5.4%	10.8%	22.5%	77.5%
<b>Cocaine or Crack</b>					
	All	3.1%	4.2%	6.9%	93.1%
	Grades 7-8	0.4%	0.8%	2.4%	97.6%
	Grades 9-12	3.9%	5.3%	8.1%	91.9%
<b>Cocaine</b>					
	All	3.0%	4.1%	6.2%	93.8%
	Grades 7-8	0.3%	0.4%	1.5%	98.5%
	Grades 9-12	3.8%	5.2%	7.6%	92.4%
<b>Crack</b>					
	All	1.8%	2.1%	3.1%	96.9%
	Grades 7-8	0.3%	0.6%	1.4%	98.6%
	Grades 9-12	2.2%	2.6%	3.6%	96.4%
<b>Hallucinogens</b>					
	All	2.8%	4.0%	6.9%	93.1%
	Grades 7-8	0.4%	0.5%	1.3%	98.7%
	Grades 9-12	3.5%	4.9%	8.5%	91.5%
<b>Uppers</b>					
	All	3.8%	6.2%	8.0%	92.0%
	Grades 7-8	0.1%	0.1%	0.9%	99.1%
	Grades 9-12	4.9%	7.9%	10.1%	89.9%
<b>Downers</b>					
	All	3.3%	6.9%	8.3%	91.7%
	Grades 7-8	0.2%	0.2%	0.4%	99.6%
	Grades 9-12	4.2%	8.9%	10.6%	89.4%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	0.9%	1.5%	2.5%	97.5%
	<b>Grades 7-8</b>	0.2%	0.5%	0.9%	99.1%
	<b>Grades 9-12</b>	1.1%	1.8%	3.0%	97.0%
<b>Steroids</b>					
	<b>All</b>	1.6%	2.2%	3.4%	96.6%
	<b>Grades 7-8</b>	0.2%	0.5%	0.9%	99.1%
	<b>Grades 9-12</b>	2.0%	2.7%	4.1%	95.9%
<b>Ecstasy</b>					
	<b>All</b>	3.0%	4.1%	8.0%	92.0%
	<b>Grades 7-8</b>	0.4%	0.5%	0.9%	99.1%
	<b>Grades 9-12</b>	3.7%	5.1%	10.1%	89.9%
<b>Heroin</b>					
	<b>All</b>	0.6%	1.3%	2.8%	97.2%
	<b>Grades 7-8</b>	0.3%	0.5%	0.8%	99.2%
	<b>Grades 9-12</b>	0.7%	1.5%	3.3%	96.7%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>	All	12.5%	18.4%	30.7%	69.3%
	Grades 7-8	4.5%	7.6%	15.1%	84.9%
	Grades 9-12	15.9%	23.2%	37.5%	62.5%
<b>Alcohol</b>	All	28.9%	42.3%	63.2%	36.8%
	Grades 7-8	18.2%	25.7%	47.8%	52.2%
	Grades 9-12	33.6%	49.6%	70.0%	30.0%
<b>Inhalants</b>	All	2.4%	3.3%	7.3%	92.7%
	Grades 7-8	2.7%	4.2%	6.6%	93.4%
	Grades 9-12	2.2%	3.0%	7.5%	92.5%
<b>Any Illicit Drug</b>	All	8.8%	13.9%	22.1%	77.9%
	Grades 7-8	3.0%	5.1%	7.8%	92.2%
	Grades 9-12	11.4%	17.8%	28.3%	71.7%
<b>Marijuana</b>	All	7.6%	12.3%	20.8%	79.2%
	Grades 7-8	2.4%	4.4%	7.0%	93.0%
	Grades 9-12	10.0%	15.8%	26.9%	73.1%
<b>Marijuana Only</b>	All	2.5%	5.9%	11.1%	88.9%
	Grades 7-8	1.2%	2.6%	4.5%	95.5%
	Grades 9-12	3.0%	7.4%	14.0%	86.0%
<b>Cocaine or Crack</b>	All	1.1%	2.0%	5.2%	94.8%
	Grades 7-8	0.3%	0.7%	1.6%	98.4%
	Grades 9-12	1.4%	2.6%	6.8%	93.2%
<b>Cocaine</b>	All	1.0%	1.9%	5.0%	95.0%
	Grades 7-8	0.3%	0.5%	1.0%	99.0%
	Grades 9-12	1.4%	2.5%	6.8%	93.2%
<b>Crack</b>	All	0.6%	0.9%	1.6%	98.4%
	Grades 7-8	0.3%	0.6%	1.1%	98.9%
	Grades 9-12	0.8%	1.1%	1.8%	98.2%
<b>Hallucinogens</b>	All	2.1%	2.9%	4.2%	95.8%
	Grades 7-8	0.1%	0.4%	0.9%	99.1%
	Grades 9-12	3.0%	4.0%	5.6%	94.4%
<b>Uppers</b>	All	2.2%	2.8%	4.7%	95.3%
	Grades 7-8	0.5%	0.7%	0.9%	99.1%
	Grades 9-12	3.0%	3.8%	6.3%	93.7%
<b>Downers</b>	All	1.7%	2.3%	4.2%	95.8%
	Grades 7-8	0.4%	0.6%	1.0%	99.0%
	Grades 9-12	2.3%	3.0%	5.6%	94.4%

**Region 7: Grades 7-12  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	0.5%	0.6%	1.0%	99.0%
	Grades 7-8	0.1%	0.3%	0.7%	99.3%
	Grades 9-12	0.6%	0.8%	1.1%	98.9%
<b>Steroids</b>					
	All	0.5%	0.6%	1.7%	98.3%
	Grades 7-8	0.3%	0.3%	1.0%	99.0%
	Grades 9-12	0.5%	0.7%	2.0%	98.0%
<b>Ecstasy</b>					
	All	1.2%	1.6%	2.7%	97.3%
	Grades 7-8	0.6%	0.7%	1.0%	99.0%
	Grades 9-12	1.5%	2.0%	3.5%	96.5%
<b>Heroin</b>					
	All	0.5%	0.6%	1.0%	99.0%
	Grades 7-8	0.4%	0.5%	1.0%	99.0%
	Grades 9-12	0.6%	0.6%	1.0%	99.0%

**Region 7: Grades 7-12  
Spring 2008**

The FREQ Procedure

<b>GENDER</b>		
<b>q1</b>	<b>Frequency</b>	<b>Percent</b>
Female	68281	50.92
Male	65824	49.08

Frequency Missing = 819.81035123

<b>GRADE</b>		
<b>q2</b>	<b>Frequency</b>	<b>Percent</b>
Grade 7	22223	16.47
Grade 8	14944	11.08
Grade 9	34192	25.34
Grade 10	27640	20.49
Grade 11	18413	13.65
Grade 12	17512	12.98

<b>LIVE WITH BOTH PARENTS</b>		
<b>q3</b>	<b>Frequency</b>	<b>Percent</b>
No	52374	39.07
Yes	81669	60.93

Frequency Missing = 881.6389113

<b>AGE</b>		
<b>q4</b>	<b>Frequency</b>	<b>Percent</b>
11 or younger	21	0.02
12	5691	4.24
13	19024	14.16
14	18780	13.98
15	29930	22.28
16	28535	21.25
17	19817	14.75
18	11614	8.65
19 or older	896	0.67

Frequency Missing = 614.39377997

<b>ETHNICITY</b>		
<b>q5</b>	<b>Frequency</b>	<b>Percent</b>
African/American	21621	16.59
Asian/American	1729	1.33
Mexican/American	32274	24.76
Native/American	427	0.33
Other	2317	1.78
White	71971	55.22

Frequency Missing = 4585.825596

<b>ON AVERAGE WHAT GRADES DO YOU GET</b>		
<b>q6</b>	<b>Frequency</b>	<b>Percent</b>
Mostly A's	46830	35.32
Mostly B's	57101	43.07
Mostly C's	22170	16.72
Mostly D's	4880	3.68
Mostly F's	1607	1.21

Frequency Missing = 2336.5463456

<b>LENGTH OF TIME IN THIS DISTRICT</b>		
<b>q7</b>	<b>Frequency</b>	<b>Percent</b>
<1 year	19883	14.96
2-3 years	26587	20.00
>4 years	86466	65.04

Frequency Missing = 1988.9301146

<b>DO YOU HAVE A JOB</b>		
<b>q8</b>	<b>Frequency</b>	<b>Percent</b>
No	94570	71.33
Yes	38018	28.67

Frequency Missing = 2336.4421393

<b>DO YOU GET AN ALLOWANCE</b>		
<b>q9</b>	<b>Frequency</b>	<b>Percent</b>
No	88030	66.83
Yes	43692	33.17

Frequency Missing = 3202.9895133

<b>EITHER PARENT COLLEGE GRADUATE</b>		
<b>q10</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	16435	12.37
No	45307	34.09
Yes	71145	53.54

Frequency Missing = 2037.7904794

<b>QUALIFY FOR FREE/REDUCED PRICE LUNCH</b>		
<b>q11</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	14385	10.85
No	76925	58.01
Yes	41306	31.15

Frequency Missing = 2307.4925959

<b>PARTICIPATE IN SCHOOL ATHLETICS</b>		
<b>q12a</b>	<b>Frequency</b>	<b>Percent</b>
No	60749	48.75
Yes	63858	51.25

Frequency Missing = 10317.509764

<b>PARTICIPATE IN SCHOOL BAND/ORCHESTRA</b>		
<b>q12b</b>	<b>Frequency</b>	<b>Percent</b>
No	92579	83.42
Yes	18398	16.58

Frequency Missing = 23947.691284

<b>PARTICIPATE IN SCHOOL CHOIR</b>		
<b>q12c</b>	<b>Frequency</b>	<b>Percent</b>
No	96309	91.19
Yes	9305	8.81

Frequency Missing = 29310.298047

<b>PARTICIPATE IN DRAMA/SPEECH/ART CLUBS</b>		
<b>q12d</b>	<b>Frequency</b>	<b>Percent</b>
No	86165	80.92
Yes	20311	19.08

Frequency Missing = 28448.216857

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district



**Region 7: Grades 7-12  
Spring 2008**

<b>PARTICIPATE IN DRILL TEAM/CHEERLEADING</b>		
<b>q12e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	95195	90.77
<b>Yes</b>	9676	9.23

Frequency Missing = 30053.887716

<b>PARTICIPATE IN SCHOOL SERVICE CLUBS</b>		
<b>q12j</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	102E3	90.72
<b>Yes</b>	10461	9.28

Frequency Missing = 22158.022006

<b>DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD</b>		
<b>q13b</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	66133	49.98
<b>Somewhat Safe</b>	54086	40.88
<b>Not Very Safe</b>	8300	6.27
<b>Not Safe At All</b>	1436	1.09
<b>Don't Know</b>	2365	1.79

Frequency Missing = 2605.0260053

<b>PARTICIPATE IN STUDENT GOVERNMENT</b>		
<b>q12f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	99687	94.74
<b>Yes</b>	5529	5.26

Frequency Missing = 29707.691279

<b>PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS</b>		
<b>q12k</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	88663	77.92
<b>Yes</b>	25127	22.08

Frequency Missing = 21133.767427

<b>DO YOU FEEL SAFE AT SCHOOL</b>		
<b>q13c</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	53925	40.62
<b>Somewhat Safe</b>	61945	46.66
<b>Not Very Safe</b>	8839	6.66
<b>Not Safe At All</b>	5054	3.81
<b>Don't Know</b>	3006	2.26

Frequency Missing = 2156.2590692

<b>PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK</b>		
<b>q12g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	103E3	96.81
<b>Yes</b>	3407	3.19

Frequency Missing = 28159.26421

<b>PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL</b>		
<b>q12l</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	75209	62.42
<b>Yes</b>	45282	37.58

Frequency Missing = 14433.977868

<b>FRIENDS FEELING CLOSE TO THEIR PARENTS</b>		
<b>q14a</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	4994	3.77
<b>A Few</b>	28755	21.69
<b>Some</b>	32058	24.18
<b>Most</b>	51627	38.94
<b>All</b>	15130	11.41

Frequency Missing = 2361.1761485

<b>PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES</b>		
<b>q12h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	93041	84.56
<b>Yes</b>	16988	15.44

Frequency Missing = 24895.775624

<b>PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL</b>		
<b>q12m</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	76883	64.11
<b>Yes</b>	43037	35.89

Frequency Missing = 15005.074273

<b>PARTICIPATE IN ACADEMIC COMPETITION GROUPS</b>		
<b>q12i</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	94667	85.46
<b>Yes</b>	16112	14.54

Frequency Missing = 24145.409947

<b>DO YOU FEEL SAFE IN YOUR HOME</b>		
<b>q13a</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	107E3	80.58
<b>Somewhat Safe</b>	22355	16.81
<b>Not Very Safe</b>	1746	1.31
<b>Not Safe At All</b>	609	0.46
<b>Don't Know</b>	1114	0.84

Frequency Missing = 1953.1464156

<b>HOW MANY FRIENDS CARRY WEAPONS</b>		
<b>q14b</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	78434	60.16
<b>A Few</b>	28772	22.07
<b>Some</b>	14377	11.03
<b>Most</b>	5837	4.48
<b>All</b>	2962	2.27

Frequency Missing = 4541.4687501

**Region 7: Grades 7-12  
Spring 2008**

<b>HOW MANY FRIENDS CARE ABOUT GOOD GRADES</b>		
<b>q14c Frequency Percent</b>		
None	3830	3.02
A Few	15184	11.96
Some	30507	24.03
Most	55005	43.32
All	22444	17.68

Frequency Missing = 7954.006095

<b>HOW MANY FRIENDS BELONG TO A GANG</b>		
<b>q14d Frequency Percent</b>		
None	94053	71.23
A Few	19322	14.63
Some	9950	7.54
Most	5932	4.49
All	2782	2.11

Frequency Missing = 2885.1566955

<b>FRIENDS WISHING TO DROP OUT OF SCHOOL</b>		
<b>q14e Frequency Percent</b>		
None	73915	55.94
A Few	36852	27.89
Some	12102	9.16
Most	6065	4.59
All	3211	2.43

Frequency Missing = 2780.2988179

<b>PARENTS ATTEND PTA/SCHOOL OPEN HOUSES</b>		
<b>q15 Frequency Percent</b>		
No	72809	64.78
Yes	39589	35.22

Frequency Missing = 22526.669534

<b>RECENT CIGARETTE USE</b>		
<b>Q16A Frequency Percent</b>		
Never Heard/Used	91844	69.25
In Your Lifetime	18591	14.02
Since School Began	6749	5.09
In the Past Month	15451	11.65

Frequency Missing = 2289.8065865

<b>RECENT SMOKELESS TOBACCO USE</b>		
<b>Q16B Frequency Percent</b>		
Never Heard/Used	115E3	88.38
In Your Lifetime	6598	5.05
Since School Began	2085	1.60
In the Past Month	6499	4.98

Frequency Missing = 4288.0647783

<b>RECENT BEER USE</b>		
<b>Q16C Frequency Percent</b>		
Never Heard/Used	64455	49.34
In Your Lifetime	26035	19.93
Since School Began	14025	10.74
In the Past Month	26129	20.00

Frequency Missing = 4280.5679558

<b>RECENT WINE COOLER USE</b>		
<b>Q16D Frequency Percent</b>		
Never Heard/Used	68446	52.72
In Your Lifetime	24091	18.55
Since School Began	15244	11.74
In the Past Month	22057	16.99

Frequency Missing = 5086.9184995

<b>RECENT WINE USE</b>		
<b>Q16E Frequency Percent</b>		
Never Heard/Used	69504	54.92
In Your Lifetime	25643	20.26
Since School Began	15383	12.16
In the Past Month	16026	12.66

Frequency Missing = 8368.0778193

<b>RECENT LIQUOR USE</b>		
<b>Q16F Frequency Percent</b>		
Never Heard/Used	71007	53.97
In Your Lifetime	21957	16.69
Since School Began	16121	12.25
In the Past Month	22486	17.09

Frequency Missing = 3353.8892816

<b>RECENT INHALANT USE</b>		
<b>Q16G Frequency Percent</b>		
Never Heard/Used	12E4	91.58
In Your Lifetime	5919	4.50
Since School Began	2081	1.58
In the Past Month	3073	2.34

Frequency Missing = 3461.859939

<b>RECENT MARIJUANA USE</b>		
<b>Q17A Frequency Percent</b>		
Never Heard/Used	97517	75.12
In Your Lifetime	12740	9.81
Since School Began	7900	6.09
In the Past Month	11665	8.99

Frequency Missing = 5103.0915164

<b>RECENT COCAINE USE</b>		
<b>Q17B Frequency Percent</b>		
Never Heard/Used	121E3	94.57
In Your Lifetime	3497	2.74
Since School Began	1240	0.97
In the Past Month	2193	1.72

Frequency Missing = 7260.0709752

<b>RECENT CRACK USE</b>		
<b>Q17C Frequency Percent</b>		
Never Heard/Used	124E3	97.88
In Your Lifetime	992	0.78
Since School Began	404	0.32
In the Past Month	1284	1.01

Frequency Missing = 8273.9695543

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 7: Grades 7-12  
Spring 2008**

<b>RECENT HALLUCINOGEN USE</b>		
	<b>Q17E</b>	<b>Frequency Percent</b>
Never Heard/Used	121E3	94.77
<b>In Your Lifetime</b>	2378	1.87
<b>Since School Began</b>	1310	1.03
<b>In the Past Month</b>	2982	2.34

Frequency Missing = 7444.2461188

<b>RECENT UPPER USE</b>		
	<b>Q17F</b>	<b>Frequency Percent</b>
Never Heard/Used	119E3	94.08
<b>In Your Lifetime</b>	2344	1.86
<b>Since School Began</b>	1518	1.20
<b>In the Past Month</b>	3601	2.86

Frequency Missing = 8823.8488188

<b>RECENT DOWNER USE</b>		
	<b>Q17G</b>	<b>Frequency Percent</b>
Never Heard/Used	12E4	94.40
<b>In Your Lifetime</b>	2230	1.76
<b>Since School Began</b>	2035	1.60
<b>In the Past Month</b>	2841	2.24

Frequency Missing = 7930.3012923

<b>RECENT ROHYPNOL USE</b>		
	<b>Q17H</b>	<b>Frequency Percent</b>
Never Heard/Used	126E3	98.38
<b>In Your Lifetime</b>	780	0.61
<b>Since School Began</b>	369	0.29
<b>In the Past Month</b>	919	0.72

Frequency Missing = 7205.0530482

<b>RECENT STEROID USE</b>		
	<b>Q17I</b>	<b>Frequency Percent</b>
Never Heard/Used	124E3	97.73
<b>In Your Lifetime</b>	1471	1.16
<b>Since School Began</b>	307	0.24
<b>In the Past Month</b>	1102	0.87

Frequency Missing = 8121.6630914

<b>RECENT ECSTASY USE</b>		
	<b>Q17J</b>	<b>Frequency Percent</b>
Never Heard/Used	122E3	95.50
<b>In Your Lifetime</b>	2625	2.06
<b>Since School Began</b>	809	0.63
<b>In the Past Month</b>	2317	1.81

Frequency Missing = 7248.7183808

<b>RECENT HEROIN USE</b>		
	<b>Q17K</b>	<b>Frequency Percent</b>
Never Heard/Used	127E3	98.37
<b>In Your Lifetime</b>	1054	0.82
<b>Since School Began</b>	370	0.29
<b>In the Past Month</b>	682	0.53

Frequency Missing = 6079.537413

<b>TOBACCO USE IN PAST MONTH</b>		
	<b>q18a</b>	<b>Frequency Percent</b>
Never Heard/Used	109E3	83.87
<b>1-2 times</b>	8008	6.13
<b>3-10 times</b>	4554	3.49
<b>11+ times</b>	8500	6.51

Frequency Missing = 4367.2738063

<b>ALCOHOL USE IN PAST MONTH</b>		
	<b>q18b</b>	<b>Frequency Percent</b>
Never Heard/Used	84548	65.31
<b>1-2 times</b>	26539	20.50
<b>3-10 times</b>	14175	10.95
<b>11+ times</b>	4200	3.24

Frequency Missing = 5463.4610085

<b>INHALANT USE IN PAST MONTH</b>		
	<b>q18c</b>	<b>Frequency Percent</b>
Never Heard/Used	125E3	97.51
<b>1-2 times</b>	2214	1.73
<b>3-10 times</b>	646	0.50
<b>11+ times</b>	328	0.26

Frequency Missing = 7056.8410637

<b>MARIJUANA USE IN PAST MONTH</b>		
	<b>q18d</b>	<b>Frequency Percent</b>
Never Heard/Used	111E3	86.76
<b>1-2 times</b>	7881	6.14
<b>3-10 times</b>	4878	3.80
<b>11+ times</b>	4219	3.29

Frequency Missing = 6656.0959551

<b>COCAINE USE IN PAST MONTH</b>		
	<b>q18e</b>	<b>Frequency Percent</b>
Never Heard/Used	126E3	98.29
<b>1-2 times</b>	1608	1.25
<b>3-10 times</b>	150	0.12
<b>11+ times</b>	445	0.35

Frequency Missing = 6332.9036813

<b>CRACK USE IN PAST MONTH</b>		
	<b>q18f</b>	<b>Frequency Percent</b>
Never Heard/Used	129E3	98.94
<b>1-2 times</b>	741	0.57
<b>3-10 times</b>	89	0.07
<b>11+ times</b>	546	0.42

Frequency Missing = 4804.8956888

<b>CLOSE FRIENDS USE CIGARETTES</b>		
	<b>q19a</b>	<b>Frequency Percent</b>
Never heard/None	59213	47.65
<b>A few</b>	34370	27.66
<b>Some</b>	19378	15.59
<b>Most</b>	8442	6.79
<b>All</b>	2871	2.31

Frequency Missing = 10650.293319

<b>CLOSE FRIENDS USE SMOKELESS TOBACCO</b>		
	<b>q19b</b>	<b>Frequency Percent</b>
Never heard/None	79134	63.61
<b>A few</b>	24670	19.83
<b>Some</b>	13928	11.20
<b>Most</b>	5011	4.03
<b>All</b>	1667	1.34

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 7: Grades 7-12  
Spring 2008**

Frequency Missing = 10514.325939

<b>CLOSE FRIENDS USE BEER</b>		
<b>q19c Frequency Percent</b>		
Never heard/None	43756	35.81
A few	28466	23.29
Some	21688	17.75
Most	19585	16.03
All	8704	7.12

Frequency Missing = 12725.311314

<b>CLOSE FRIENDS USE WINE COOLERS</b>		
<b>q19d Frequency Percent</b>		
Never heard/None	55537	46.08
A few	25971	21.55
Some	19715	16.36
Most	12050	10.00
All	7237	6.01

Frequency Missing = 14414.615399

<b>CLOSE FRIENDS USE WINE</b>		
<b>q19e Frequency Percent</b>		
Never heard/None	65515	54.71
A few	29047	24.25
Some	14136	11.80
Most	7898	6.60
All	3162	2.64

Frequency Missing = 15165.992045

<b>CLOSE FRIENDS USE LIQUOR</b>		
<b>q19f Frequency Percent</b>		
Never heard/None	51888	42.61
A few	25362	20.83
Some	20834	17.11
Most	17117	14.06
All	6570	5.40

Frequency Missing = 13153.536774

<b>CLOSE FRIENDS USE INHALANTS</b>		
<b>q19g Frequency Percent</b>		
Never heard/None	101E3	82.76
A few	15106	12.43
Some	3572	2.94
Most	1475	1.21
All	793	0.65

Frequency Missing = 13429.807022

<b>CLOSE FRIENDS USE MARIJUANA</b>		
<b>q19h Frequency Percent</b>		
Never heard/None	66918	54.36
A few	21539	17.50
Some	17010	13.82
Most	12203	9.91
All	5440	4.42

Frequency Missing = 11814.900322

<b>DIFFICULT TO GET CIGARETTES</b>		
<b>q20a Frequency Percent</b>		
Never heard of	12023	9.66
Impossible	25311	20.34
Very difficult	8325	6.69
Somewhat diff	11131	8.94
Somewhat easy	21532	17.30
Very easy	46123	37.06

Frequency Missing = 10479.245181

<b>DIFFICULT TO GET SMOKELESS TOBACCO</b>		
<b>q20b Frequency Percent</b>		
Never heard of	22350	17.85
Impossible	27793	22.20
Very difficult	10999	8.78
Somewhat diff	11453	9.15
Somewhat easy	15745	12.57
Very easy	36879	29.45

Frequency Missing = 9706.8646412

<b>DIFFICULT TO GET BEER</b>		
<b>q20c Frequency Percent</b>		
Never heard of	11126	8.96
Impossible	15613	12.57
Very difficult	6504	5.24
Somewhat diff	14500	11.68
Somewhat easy	23622	19.02
Very easy	52821	42.53

Frequency Missing = 10737.593857

<b>DIFFICULT TO GET WINE COOLERS</b>		
<b>q20d Frequency Percent</b>		
Never heard of	16670	13.58
Impossible	18821	15.34
Very difficult	8964	7.30
Somewhat diff	15400	12.55
Somewhat easy	20923	17.05
Very easy	41951	34.18

Frequency Missing = 12194.302492

<b>DIFFICULT TO GET WINE</b>		
<b>q20e Frequency Percent</b>		
Never heard of	13041	10.69
Impossible	18876	15.47
Very difficult	9269	7.60
Somewhat diff	15228	12.48
Somewhat easy	20308	16.65
Very easy	45267	37.11

Frequency Missing = 12933.637617

<b>DIFFICULT TO GET LIQUOR</b>		
<b>q20f Frequency Percent</b>		
Never heard of	13605	10.97
Impossible	23186	18.70
Very difficult	10505	8.47
Somewhat diff	13055	10.53
Somewhat easy	20461	16.50
Very easy	43168	34.82

Frequency Missing = 10944.159095

**Region 7: Grades 7-12  
Spring 2008**

<b>DIFFICULT TO GET INHALANTS</b>		
<b>q20g</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	20672	16.89
Impossible	25520	20.85
Very difficult	7798	6.37
Somewhat diff	7760	6.34
Somewhat easy	11833	9.67
Very easy	48809	39.88

Frequency Missing = 12531.200376

<b>DIFFICULT TO GET MARIJUANA</b>		
<b>q20h</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	14500	11.86
Impossible	39298	32.15
Very difficult	11651	9.53
Somewhat diff	12646	10.35
Somewhat easy	13180	10.78
Very easy	30952	25.32

Frequency Missing = 12696.523652

<b>DIFFICULT TO GET COCAINE</b>		
<b>q20i</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	18820	15.47
Impossible	47999	39.45
Very difficult	18468	15.18
Somewhat diff	14602	12.00
Somewhat easy	8899	7.31
Very easy	12870	10.58

Frequency Missing = 13267.71067

<b>DIFFICULT TO GET CRACK</b>		
<b>q20j</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	19870	16.42
Impossible	49029	40.51
Very difficult	18864	15.59
Somewhat diff	15081	12.46
Somewhat easy	8292	6.85
Very easy	9899	8.18

Frequency Missing = 13890.154867

<b>DIFFICULT TO GET HALLUCINOGENS</b>		
<b>q20l</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	39458	32.37
Impossible	37056	30.40
Very difficult	14857	12.19
Somewhat diff	11927	9.78
Somewhat easy	7320	6.01
Very easy	11279	9.25

Frequency Missing = 13026.904434

<b>DIFFICULT TO GET UPPERS</b>		
<b>q20m</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	51947	43.15
Impossible	29467	24.47
Very difficult	10305	8.56
Somewhat diff	8958	7.44
Somewhat easy	8721	7.24
Very easy	11003	9.14

Frequency Missing = 14523.894579

<b>DIFFICULT TO GET DOWNERS</b>		
<b>q20n</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	51286	42.84
Impossible	29314	24.49
Very difficult	10692	8.93
Somewhat diff	8928	7.46
Somewhat easy	8646	7.22
Very easy	10838	9.05

Frequency Missing = 15220.774624

<b>DIFFICULT TO GET ROHYPNOL</b>		
<b>q20o</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	55498	46.15
Impossible	31802	26.45
Very difficult	11726	9.75
Somewhat diff	8459	7.03
Somewhat easy	5909	4.91
Very easy	6851	5.70

Frequency Missing = 14679.075537

<b>DIFFICULT TO GET STEROIDS</b>		
<b>q20p</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	21867	18.27
Impossible	50172	41.92
Very difficult	17870	14.93
Somewhat diff	12750	10.65
Somewhat easy	6918	5.78
Very easy	10097	8.44

Frequency Missing = 15249.239318

<b>DIFFICULT TO GET ECSTASY</b>		
<b>q20q</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	33449	27.75
Impossible	40772	33.82
Very difficult	14448	11.99
Somewhat diff	12335	10.23
Somewhat easy	6845	5.68
Very easy	12699	10.53

Frequency Missing = 14376.815283

<b>DIFFICULT TO GET HEROIN</b>		
<b>q20r</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	27819	23.15
Impossible	49861	41.48
Very difficult	18151	15.10
Somewhat diff	10542	8.77
Somewhat easy	5287	4.40
Very easy	8531	7.10

Frequency Missing = 14734.055495

<b>AGE WHEN FIRST USED CIGARETTES</b>		
<b>q21a</b>	<b>Frequency</b>	<b>Percent</b>
9 or younger	5166	12.65
10 years old	4067	9.96
11 years old	2238	5.48
12 years old	5221	12.79
13 years old	5035	12.33
14 years old	6313	15.46
15 years old	6005	14.70
16 years old	4125	10.10
17 years old	1898	4.65
18 or older	770	1.89

Frequency Missing = 94085.390821

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 7: Grades 7-12  
Spring 2008**

AGE WHEN FIRST USED SMOKELESS TOBACCO		
	q21b Frequency	Percent
9 or younger	1834	11.90
10 years old	1519	9.86
11 years old	861	5.59
12 years old	1201	7.79
13 years old	2020	13.11
14 years old	2512	16.29
15 years old	2378	15.43
16 years old	1947	12.63
17 years old	822	5.33
18 or older	321	2.08

Frequency Missing = 119507.91244

AGE WHEN FIRST USED BEER		
	q21c Frequency	Percent
9 or younger	16025	23.79
10 years old	5130	7.62
11 years old	4725	7.01
12 years old	8129	12.07
13 years old	9995	14.84
14 years old	8988	13.34
15 years old	8378	12.44
16 years old	4083	6.06
17 years old	1591	2.36
18 or older	318	0.47

Frequency Missing = 67563.786771

AGE WHEN FIRST USED WINE COOLERS		
	q21d Frequency	Percent
9 or younger	7532	12.58
10 years old	5065	8.46
11 years old	5014	8.37
12 years old	8318	13.89
13 years old	9133	15.25
14 years old	10138	16.93
15 years old	8831	14.75
16 years old	4188	6.99
17 years old	1265	2.11
18 or older	395	0.66

Frequency Missing = 75046.230017

AGE WHEN FIRST USED WINE		
	q21e Frequency	Percent
9 or younger	9980	17.57
10 years old	5244	9.23
11 years old	5333	9.39
12 years old	7295	12.84
13 years old	7721	13.59
14 years old	7509	13.22
15 years old	9040	15.92
16 years old	3478	6.12
17 years old	892	1.57
18 or older	304	0.54

Frequency Missing = 78128.720093

AGE WHEN FIRST USED LIQUOR		
	q21f Frequency	Percent
9 or younger	3889	6.77
10 years old	2763	4.81
11 years old	3150	5.48
12 years old	8134	14.16
13 years old	9201	16.02
14 years old	10228	17.80
15 years old	10574	18.41
16 years old	6316	10.99
17 years old	2840	4.94
18 or older	350	0.61

Frequency Missing = 77478.946029

AGE WHEN FIRST USED INHALANTS		
	q21g Frequency	Percent
9 or younger	1386	17.81
10 years old	1149	14.75
11 years old	1031	13.24
12 years old	1111	14.28
13 years old	804	10.33
14 years old	808	10.38
15 years old	1217	15.63
16 years old	213	2.73
17 years old	67	0.86

Frequency Missing = 127139.31947

AGE WHEN FIRST USED MARIJUANA		
	q21h Frequency	Percent
9 or younger	2134	7.36
10 years old	2354	8.12
11 years old	1443	4.98
12 years old	3788	13.06
13 years old	3919	13.51
14 years old	6001	20.70
15 years old	4234	14.60
16 years old	2868	9.89
17 years old	2030	7.00
18 or older	227	0.78

Frequency Missing = 105925.81306

AGE WHEN FIRST USED COCAINE		
	q21i Frequency	Percent
9 or younger	31	0.50
10 years old	29	0.46
11 years old	218	3.45
12 years old	776	12.30
13 years old	612	9.70
14 years old	1223	19.39
15 years old	1243	19.72
16 years old	1560	24.74
17 years old	257	4.08
18 or older	357	5.66

Frequency Missing = 128618.93381

AGE WHEN FIRST USED CRACK		
	q21j Frequency	Percent
9 or younger	79	4.24
10 years old	57	3.05
11 years old	44	2.35
12 years old	526	28.25
13 years old	526	28.28
14 years old	330	17.73
15 years old	108	5.79
16 years old	104	5.58
17 years old	88	4.74

Frequency Missing = 133062.78354

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 7: Grades 7-12  
Spring 2008**

AGE WHEN FIRST USED HALLUCINOGENS		
	q21l Frequency	Percent
9 or younger	89	1.78
10 years old	49	0.99
11 years old	302	6.04
12 years old	296	5.91
13 years old	744	14.89
14 years old	853	17.05
15 years old	1174	23.47
16 years old	817	16.34
17 years old	490	9.81
18 or older	186	3.72

Frequency Missing = 129923.46286

AGE WHEN FIRST USED UPPERS		
	q21m Frequency	Percent
9 or younger	209	3.19
10 years old	164	2.52
11 years old	198	3.03
12 years old	284	4.34
13 years old	650	9.94
14 years old	1709	26.14
15 years old	1663	25.43
16 years old	918	14.03
17 years old	598	9.15
18 or older	146	2.23

Frequency Missing = 128386.25691

AGE WHEN FIRST USED DOWNERS		
	q21n Frequency	Percent
9 or younger	158	2.39
10 years old	146	2.22
11 years old	243	3.68
12 years old	292	4.42
13 years old	842	12.76
14 years old	2007	30.40
15 years old	1585	24.02
16 years old	808	12.24
17 years old	369	5.60
18 or older	150	2.27

Frequency Missing = 128324.33407

AGE WHEN FIRST USED ROHYPNOL		
	q21o Frequency	Percent
9 or younger	191	13.30
10 years old	37	2.58
11 years old	354	24.60
12 years old	60	4.16
13 years old	166	11.54
14 years old	165	11.49
15 years old	201	13.98
16 years old	78	5.44
17 years old	58	4.05
18 or older	128	8.88

Frequency Missing = 133485.81481

AGE WHEN FIRST USED STEROIDS		
	q21p Frequency	Percent
9 or younger	254	15.78
10 years old	78	4.83
11 years old	55	3.39
12 years old	165	10.25
13 years old	244	15.12
14 years old	97	5.99
15 years old	453	28.10
16 years old	87	5.41
17 years old	160	9.93
18 or older	19	1.20

Frequency Missing = 133312.394

AGE WHEN FIRST USED ECSTASY		
	q21q Frequency	Percent
9 or younger	100	1.87
10 years old	56	1.06
11 years old	294	5.53
12 years old	161	3.02
13 years old	453	8.50
14 years old	922	17.33
15 years old	1278	24.01
16 years old	937	17.60
17 years old	784	14.73
18 or older	338	6.35

Frequency Missing = 129602.07136

AGE WHEN FIRST USED HEROIN		
	q21r Frequency	Percent
9 or younger	88	6.39
10 years old	80	5.82
11 years old	26	1.92
12 years old	114	8.25
13 years old	170	12.34
14 years old	225	16.34
15 years old	312	22.68
16 years old	242	17.62
18 or older	119	8.63

Frequency Missing = 133549.37464

HOW OFTEN NORMALLY USE CIGARETTES		
	q22a Frequency	Percent
Every day	5016	3.96
Several times/wk	2934	2.31
Several times/mo	4292	3.39
About once/month	5890	4.65
About once/year	5213	4.11
< once/year	12643	9.98
Never used	90749	71.60

Frequency Missing = 8187.2736259

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
	q22b Frequency	Percent
Every day	1887	1.50
Several times/wk	1926	1.54
Several times/mo	1600	1.27
About once/month	2222	1.77
About once/year	2213	1.76
< once/year	5163	4.11
Never used	11E4	88.04

Frequency Missing = 9449.1403724

**Region 7: Grades 7-12  
Spring 2008**

<b>HOW OFTEN NORMALLY USE BEER</b>		
	<b>q22c Frequency</b>	<b>Percent</b>
Every day	589	0.47
Several times/wk	3605	2.88
Several times/mo	12322	9.83
About once/month	17188	13.71
About once/year	13779	10.99
< once/year	12499	9.97
Never used	65376	52.15

Frequency Missing = 9566.4319148

<b>HOW OFTEN NORMALLY USE WINE COOLERS</b>		
	<b>q22d Frequency</b>	<b>Percent</b>
Every day	395	0.31
Several times/wk	2882	2.29
Several times/mo	10587	8.43
About once/month	15092	12.01
About once/year	15698	12.49
< once/year	11869	9.45
Never used	69112	55.01

Frequency Missing = 9289.8041754

<b>HOW OFTEN NORMALLY USE WINE</b>		
	<b>q22e Frequency</b>	<b>Percent</b>
Every day	146	0.12
Several times/wk	1174	0.95
Several times/mo	8045	6.48
About once/month	13095	10.54
About once/year	16778	13.51
< once/year	13622	10.97
Never used	71367	57.45

Frequency Missing = 10697.503471

<b>HOW OFTEN NORMALLY USE LIQUOR</b>		
	<b>q22f Frequency</b>	<b>Percent</b>
Every day	242	0.19
Several times/wk	2765	2.19
Several times/mo	11656	9.22
About once/month	16033	12.69
About once/year	15265	12.08
< once/year	10237	8.10
Never used	70191	55.54

Frequency Missing = 8536.7545576

<b>HOW OFTEN NORMALLY USE INHALANTS</b>		
	<b>q22g Frequency</b>	<b>Percent</b>
Every day	276	0.23
Several times/wk	376	0.31
Several times/mo	685	0.56
About once/month	1562	1.28
About once/year	1816	1.49
< once/year	2717	2.23
Never used	115E3	93.91

Frequency Missing = 12947.97249

<b>HOW OFTEN NORMALLY USE MARIJUANA</b>		
	<b>q22h Frequency</b>	<b>Percent</b>
Every day	2808	2.29
Several times/wk	3839	3.13
Several times/mo	4161	3.39
About once/month	5434	4.42
About once/year	4171	3.39
< once/year	6796	5.53
Never used	95649	77.85

Frequency Missing = 12066.501731

<b>HOW OFTEN NORMALLY USE COCAINE</b>		
	<b>q22i Frequency</b>	<b>Percent</b>
Every day	19	0.02
Several times/wk	257	0.21
Several times/mo	1078	0.89
About once/month	920	0.76
About once/year	1068	0.88
< once/year	2250	1.86
Never used	116E3	95.38

Frequency Missing = 13782.166524

<b>HOW OFTEN NORMALLY USE CRACK</b>		
	<b>q22j Frequency</b>	<b>Percent</b>
Every day	222	0.18
Several times/wk	79	0.06
Several times/mo	184	0.15
About once/month	569	0.46
About once/year	596	0.48
< once/year	349	0.28
Never used	121E3	98.38

Frequency Missing = 11691.411264

<b>HOW OFTEN NORMALLY USE HALLUCINOGENS</b>		
	<b>q22l Frequency</b>	<b>Percent</b>
Every day	222	0.18
Several times/wk	204	0.17
Several times/mo	357	0.30
About once/month	1467	1.22
About once/year	1131	0.94
< once/year	1722	1.43
Never used	115E3	95.77

Frequency Missing = 14356.256414

<b>HOW OFTEN NORMALLY USE UPPERS</b>		
	<b>q22m Frequency</b>	<b>Percent</b>
Every day	261	0.22
Several times/wk	499	0.41
Several times/mo	1334	1.10
About once/month	1397	1.15
About once/year	1058	0.87
< once/year	1680	1.39
Never used	115E3	94.86

Frequency Missing = 13753.008319

<b>HOW OFTEN NORMALLY USE DOWNERS</b>		
	<b>q22n Frequency</b>	<b>Percent</b>
Every day	153	0.13
Several times/wk	725	0.60
Several times/mo	1237	1.02
About once/month	1069	0.88
About once/year	1602	1.32
< once/year	1449	1.20
Never used	115E3	94.85

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district



**Region 7: Grades 7-12  
Spring 2008**

Frequency Missing = 13887.088511

<b>HOW OFTEN NORMALLY USE ROHYPNOL</b>		
	<b>q22o</b>	<b>Frequency Percent</b>
Every day	2	0.00
Several times/wk	195	0.16
Several times/mo	159	0.13
About once/month	428	0.35
About once/year	278	0.23
< once/year	479	0.40
Never used	119E3	98.73

Frequency Missing = 13983.027511

<b>HOW OFTEN NORMALLY USE STEROIDS</b>		
	<b>q22p</b>	<b>Frequency Percent</b>
Every day	257	0.21
Several times/wk	48	0.04
Several times/mo	253	0.21
About once/month	326	0.27
About once/year	220	0.18
< once/year	680	0.56
Never used	12E4	98.54

Frequency Missing = 13024.612392

<b>HOW OFTEN NORMALLY USE ECSTASY</b>		
	<b>q22q</b>	<b>Frequency Percent</b>
Every day	256	0.21
Several times/wk	100	0.08
Several times/mo	802	0.65
About once/month	1027	0.83
About once/year	1626	1.32
< once/year	1517	1.23
Never used	118E3	95.68

Frequency Missing = 11664.258828

<b>HOW OFTEN NORMALLY USE HEROIN</b>		
	<b>q22r</b>	<b>Frequency Percent</b>
Every day	39	0.03
Several times/wk	85	0.07
Several times/mo	153	0.12
About once/month	430	0.35
About once/year	149	0.12
< once/year	425	0.35
Never used	122E3	98.96

Frequency Missing = 11880.898227

<b>AMOUNT OF BEER AT ONE TIME</b>		
	<b>q23a</b>	<b>Frequency Percent</b>
Never drink this	65646	52.59
12+ drinks	3600	2.88
9-11 drinks	2500	2.00
5-8 drinks	6435	5.15
3-4 drinks	12801	10.25
2 drinks	9532	7.64
1 drink	11492	9.21
< 1 drink	12830	10.28

Frequency Missing = 10088.373822

<b>AMOUNT OF WINE COOLERS AT ONE TIME</b>		
	<b>q23b</b>	<b>Frequency Percent</b>
Never drink this	66242	52.96
12+ drinks	950	0.76
9-11 drinks	682	0.55
5-8 drinks	1653	1.32
3-4 drinks	5213	4.17
2 drinks	9096	7.27
1 drink	17417	13.92
< 1 drink	23833	19.05

Frequency Missing = 9839.005174

<b>AMOUNT OF WINE AT ONE TIME</b>		
	<b>q23c</b>	<b>Frequency Percent</b>
Never drink this	63529	50.96
12+ drinks	2322	1.86
9-11 drinks	2436	1.95
5-8 drinks	5845	4.69
3-4 drinks	11495	9.22
2 drinks	12126	9.73
1 drink	12256	9.83
< 1 drink	14666	11.76

Frequency Missing = 10248.285714

<b>AMOUNT OF LIQUOR AT ONE TIME</b>		
	<b>q23d</b>	<b>Frequency Percent</b>
Never drink this	61429	48.88
12+ drinks	4573	3.64
9-11 drinks	2670	2.12
5-8 drinks	7778	6.19
3-4 drinks	9176	7.30
2 drinks	9342	7.43
1 drink	11934	9.50
< 1 drink	18771	14.94

Frequency Missing = 9250.9113969

<b>HOW MANY 5+ DRINKS IN PAST 30 DAYS</b>		
	<b>q24</b>	<b>Frequency Percent</b>
Never 5+ at time	60828	47.34
None	44359	34.53
1 day	6386	4.97
2 days	7054	5.49
3 to 5 days	4908	3.82
6 to 9 days	2473	1.92
10 or more days	2472	1.92

Frequency Missing = 6446.1669018

<b>GET ALCOHOLIC BEVERAGES FROM HOME</b>		
	<b>q25a</b>	<b>Frequency Percent</b>
Do not Drink	57213	45.14
Never	23296	18.38
Seldom	31956	25.21
Most of the Time	8522	6.72
Always	5767	4.55

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 7: Grades 7-12  
Spring 2008**

Frequency Missing = 8170.6475147

<b>GET ALCOHOLIC BEVERAGES FROM FRIENDS</b>		
	<b>q25b</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	54190	43.10
<b>Never</b>	22774	18.11
<b>Seldom</b>	21563	17.15
<b>Most of the Time</b>	19322	15.37
<b>Always</b>	7869	6.26

Frequency Missing = 9205.9462121

<b>GET ALCOHOLIC BEVERAGES FROM A STORE</b>		
	<b>q25c</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	57708	46.51
<b>Never</b>	52276	42.13
<b>Seldom</b>	6858	5.53
<b>Most of the Time</b>	4628	3.73
<b>Always</b>	2614	2.11

Frequency Missing = 10839.458688

<b>GET ALCOHOLIC BEVERAGES AT PARTIES</b>		
	<b>q25d</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	53046	42.56
<b>Never</b>	22646	18.17
<b>Seldom</b>	15836	12.71
<b>Most of the Time</b>	19091	15.32
<b>Always</b>	14013	11.24

Frequency Missing = 10293.050385

<b>GET ALCOHOLIC BEVERAGES FROM OTHER</b>		
	<b>q25e</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	54699	44.10
<b>Never</b>	32287	26.03
<b>Seldom</b>	21371	17.23
<b>Most of the Time</b>	9236	7.45
<b>Always</b>	6433	5.19

Frequency Missing = 10898.683858

<b>USE MARIJUANA AS JOINTS</b>		
	<b>q26a</b>	<b>Frequency Percent</b>
<b>Never</b>	101E3	81.30
<b>Seldom</b>	9666	7.76
<b>Half the time</b>	4316	3.46
<b>Most of the time</b>	4583	3.68
<b>Always</b>	3661	2.94
<b>Don't know</b>	1068	0.86

Frequency Missing = 10333.707134

<b>USE MARIJUANA AS BLUNTS</b>		
	<b>q26b</b>	<b>Frequency Percent</b>
<b>Never</b>	101E3	81.20
<b>Seldom</b>	8092	6.53
<b>Half the time</b>	3922	3.16
<b>Most of the time</b>	4748	3.83
<b>Always</b>	5732	4.62
<b>Don't know</b>	802	0.65

Frequency Missing = 10980.985781

<b>USE MARIJUANA IN BONGS OR WATER PIPES</b>		
	<b>q26c</b>	<b>Frequency Percent</b>
<b>Never</b>	107E3	86.95
<b>Seldom</b>	5878	4.76
<b>Half the time</b>	2719	2.20
<b>Most of the time</b>	2923	2.37
<b>Always</b>	3712	3.00
<b>Don't know</b>	890	0.72

Frequency Missing = 11396.605707

<b>USE MARIJUANA IN PIPES</b>		
	<b>q26d</b>	<b>Frequency Percent</b>
<b>Never</b>	107E3	86.22
<b>Seldom</b>	5011	4.05
<b>Half the time</b>	2689	2.18
<b>Most of the time</b>	4368	3.53
<b>Always</b>	3700	2.99
<b>Don't know</b>	1261	1.02

Frequency Missing = 11321.563269

<b>USE MARIJUANA OTHER WAYS</b>		
	<b>q26e</b>	<b>Frequency Percent</b>
<b>Never</b>	112E3	90.70
<b>Seldom</b>	5151	4.17
<b>Half the time</b>	901	0.73
<b>Most of the time</b>	1168	0.95
<b>Always</b>	2621	2.12
<b>Don't know</b>	1651	1.34

Frequency Missing = 11372.728765

<b>USED METHAMPHETAMINE EVEN ONE TIME</b>		
	<b>q27</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	121E3	96.18
<b>At least once/month</b>	1268	1.01
<b>At least once/year</b>	835	0.66
<b>At least once/life</b>	2718	2.16

Frequency Missing = 8816.1171757

<b>RECENT PRESCRIPTION DRUG USE - CODEINE</b>		
	<b>Q28A</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	101E3	85.15
<b>At least once/month</b>	7430	6.24
<b>At least once/year</b>	5239	4.40
<b>At least once/life</b>	4999	4.20

Frequency Missing = 15928.193713

<b>RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC</b>		
	<b>Q28B</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	113E3	96.08
<b>At least once/month</b>	1648	1.40
<b>At least once/year</b>	1470	1.25
<b>At least once/life</b>	1502	1.27

Frequency Missing = 17021.857867

<b>RECENT PRESCRIPTION DRUG USE - VICODIN ETC</b>		
	<b>Q28C</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	106E3	90.66
<b>At least once/month</b>	4453	3.81
<b>At least once/year</b>	3830	3.27
<b>At least once/life</b>	2647	2.26

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 7: Grades 7-12  
Spring 2008**

Frequency Missing = 17925.368246

<b>RECENT PRESCRIPTION DRUG USE - VALIUM ETC</b>		
<b>Q28D Frequency Percent</b>		
Never heard/used	114E3	96.88
At least once/month	1221	1.04
At least once/year	1292	1.10
At least once/life	1142	0.97

Frequency Missing = 17698.403029

<b>RECENT PRESCRIPTION DRUG USE - XANAX ETC</b>		
<b>Q28E Frequency Percent</b>		
Never heard/used	115E3	95.08
At least once/month	2014	1.67
At least once/year	2424	2.01
At least once/life	1498	1.24

Frequency Missing = 14272.708394

<b>TAKE DXM, TRIPLE CS, ETC. TO GET HIGH</b>		
<b>q29 Frequency Percent</b>		
Never heard/used	113E3	92.23
At least once/month	4661	3.81
At least once/year	1430	1.17
At least once/life	3421	2.79

Frequency Missing = 12518.161746

<b>DANGEROUS FOR KIDS TO USE TOBACCO</b>		
<b>q30a Frequency Percent</b>		
Very	54948	49.02
Somewhat	30297	27.03
Not very	18194	16.23
Not at all	4302	3.84
Don't know	4362	3.89

Frequency Missing = 22820.910745

<b>DANGEROUS FOR KIDS TO USE ALCOHOL</b>		
<b>q30b Frequency Percent</b>		
Very	47078	42.51
Somewhat	37887	34.21
Not very	17534	15.83
Not at all	4515	4.08
Don't know	3723	3.36

Frequency Missing = 24187.494052

<b>DANGEROUS FOR KIDS TO USE INHALANTS</b>		
<b>q30c Frequency Percent</b>		
Very	77366	73.50
Somewhat	16464	15.64
Not very	4884	4.64
Not at all	1479	1.40
Don't know	5061	4.81

Frequency Missing = 29670.856819

<b>DANGEROUS FOR KIDS TO USE MARIJUANA</b>		
<b>q30d Frequency Percent</b>		
Very	64554	60.16
Somewhat	16849	15.70
Not very	11650	10.86
Not at all	10553	9.84
Don't know	3689	3.44

Frequency Missing = 27629.375637

<b>DANGEROUS FOR KIDS TO USE COCAINE</b>		
<b>q30e Frequency Percent</b>		
Very	86598	83.32
Somewhat	10610	10.21
Not very	1377	1.32
Not at all	1104	1.06
Don't know	4246	4.09

Frequency Missing = 30989.101109

<b>DANGEROUS FOR KIDS TO USE CRACK</b>		
<b>q30f Frequency Percent</b>		
Very	87480	84.78
Somewhat	9987	9.68
Not very	795	0.77
Not at all	1045	1.01
Don't know	3882	3.76

Frequency Missing = 31734.35731

<b>DANGEROUS FOR KIDS TO USE ECSTASY</b>		
<b>q30g Frequency Percent</b>		
Very	84798	80.56
Somewhat	10640	10.11
Not very	2598	2.47
Not at all	1617	1.54
Don't know	5613	5.33

Frequency Missing = 29659.161772

<b>DANGEROUS FOR KIDS TO USE STEROIDS</b>		
<b>q30h Frequency Percent</b>		
Very	82459	75.33
Somewhat	15685	14.33
Not very	4859	4.44
Not at all	1644	1.50
Don't know	4812	4.40

Frequency Missing = 25465.393615

<b>DANGEROUS FOR KIDS TO USE HEROIN</b>		
<b>q30i Frequency Percent</b>		
Very	96071	87.10
Somewhat	6939	6.29
Not very	812	0.74
Not at all	1083	0.98
Don't know	5392	4.89

Frequency Missing = 24626.447315

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 7: Grades 7-12  
Spring 2008**

<b>DANGEROUS FOR KIDS TO USE METHAMPHETAMINE</b>		
<b>q30j Frequency Percent</b>		
<b>Very</b>	97796	84.23
<b>Somewhat</b>	7823	6.74
<b>Not very</b>	1156	1.00
<b>Not at all</b>	1061	0.91
<b>Don't know</b>	8264	7.12

Frequency Missing = 18824.379251

<b>DAYS SKIPPED SINCE SEPTEMBER</b>		
<b>q31a Frequency Percent</b>		
<b>None</b>	90058	72.35
<b>1-3 days</b>	23348	18.76
<b>4-9 days</b>	7371	5.92
<b>10+ days</b>	3701	2.97

Frequency Missing = 10446.627636

<b>DAYS ILL SINCE SEPTEMBER</b>		
<b>q31b Frequency Percent</b>		
<b>None</b>	30082	24.46
<b>1-3 days</b>	65142	52.97
<b>4-9 days</b>	22513	18.31
<b>10+ days</b>	5240	4.26

Frequency Missing = 11947.582764

<b>OTHER DAYS MISSED SINCE SEPTEMBER</b>		
<b>q31c Frequency Percent</b>		
<b>None</b>	41438	34.13
<b>1-3 days</b>	66559	54.83
<b>4-9 days</b>	10385	8.55
<b>10+ days</b>	3014	2.48

Frequency Missing = 13528.589345

<b>SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER</b>		
<b>q31d Frequency Percent</b>		
<b>None</b>	98841	79.94
<b>1-3 days</b>	16709	13.51
<b>4-9 days</b>	3728	3.02
<b>10+ days</b>	4368	3.53

Frequency Missing = 11278.983921

<b>SOMEONE CALLED HOME SINCE SEPTEMBER</b>		
<b>q31e Frequency Percent</b>		
<b>None</b>	104E3	86.98
<b>1-3 days</b>	11486	9.57
<b>4-9 days</b>	2021	1.68
<b>10+ days</b>	2115	1.76

Frequency Missing = 14941.749351

<b>IN TROUBLE FOR DRINKING SINCE SEPTEMBER</b>		
<b>q31f Frequency Percent</b>		
<b>None</b>	118E3	98.36
<b>1-3 days</b>	1243	1.04
<b>4-9 days</b>	301	0.25
<b>10+ days</b>	411	0.34

Frequency Missing = 15465.335034

<b>IN TROUBLE FOR DRUG USE SINCE SEPTEMBER</b>		
<b>q31g Frequency Percent</b>		
<b>None</b>	118E3	98.57
<b>1-3 days</b>	1027	0.86
<b>4-9 days</b>	145	0.12
<b>10+ days</b>	537	0.45

Frequency Missing = 15122.11954

<b>TROUBLE WITH FRIENDS BECAUSE OF DRINKING</b>		
<b>q32a Frequency Percent</b>		
<b>None</b>	11E4	93.35
<b>1-3 times</b>	6430	5.45
<b>4-9 times</b>	742	0.63
<b>10+ times</b>	671	0.57

Frequency Missing = 16948.454199

<b>DRIVEN A CAR AFTER A GOOD BIT TO DRINK</b>		
<b>q32b Frequency Percent</b>		
<b>None</b>	107E3	92.71
<b>1-3 times</b>	6496	5.62
<b>4-9 times</b>	950	0.82
<b>10+ times</b>	976	0.84

Frequency Missing = 19363.99757

<b>CRITICIZED BY DATE BECAUSE OF DRINKING</b>		
<b>q32c Frequency Percent</b>		
<b>None</b>	107E3	92.04
<b>1-3 times</b>	6869	5.88
<b>4-9 times</b>	1428	1.22
<b>10+ times</b>	989	0.85

Frequency Missing = 18203.859737

<b>TROUBLE WITH POLICE BECAUSE OF DRINKING</b>		
<b>q32d Frequency Percent</b>		
<b>None</b>	113E3	96.69
<b>1-3 times</b>	2914	2.49
<b>4-9 times</b>	717	0.61
<b>10+ times</b>	232	0.20

Frequency Missing = 18090.450442

<b>TROUBLE WITH FRIENDS BECAUSE OF DRUG USE</b>		
<b>q32e Frequency Percent</b>		
<b>None</b>	108E3	95.47
<b>1-3 times</b>	3803	3.36
<b>4-9 times</b>	976	0.86
<b>10+ times</b>	353	0.31

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 7: Grades 7-12  
Spring 2008**

Frequency Missing = 21712.90161

<b>DRIVEN A CAR WHILE HIGH FROM DRUGS</b>		
<b>q32f Frequency Percent</b>		
None	106E3	93.28
1-3 times	4800	4.24
4-9 times	1168	1.03
10+ times	1641	1.45

<b>CLASS DAYS HIGH ON MARIJUANA SINCE SEPT</b>		
<b>q33b Frequency Percent</b>		
None	111E3	90.78
1-3 days	5540	4.53
4-9 days	1707	1.39
10+ days	4040	3.30

Frequency Missing = 12542.175576

<b>DRUG USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q34b Frequency Percent</b>		
Never	71829	57.55
Seldom	11016	8.83
Half the time	7267	5.82
Most of the time	7125	5.71
Always	9380	7.52
Don't know	2800	2.24
Didn't attend	15388	12.33

Frequency Missing = 21688.219562

<b>CRITICIZED BY DATE BECAUSE OF DRUG USE</b>		
<b>q32g Frequency Percent</b>		
None	105E3	93.03
1-3 times	5906	5.22
4-9 times	1171	1.03
10+ times	811	0.72

<b>CLASS DAYS HIGH ON INHALANTS SINCE SEPT</b>		
<b>q33c Frequency Percent</b>		
None	118E3	97.20
1-3 days	2221	1.82
4-9 days	659	0.54
10+ days	534	0.44

Frequency Missing = 13038.350283

Frequency Missing = 10118.464932

<b>SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM</b>		
<b>q35 Frequency Percent</b>		
No	109E3	93.82
Yes	7170	6.18

Frequency Missing = 21723.962759

<b>TROUBLE WITH POLICE BECAUSE OF DRUG USE</b>		
<b>q32h Frequency Percent</b>		
None	112E3	97.17
1-3 times	1858	1.62
4-9 times	661	0.58
10+ times	728	0.63

<b>CLASS DAYS HIGH ON OTHER DRUG(S)</b>		
<b>q33d Frequency Percent</b>		
None	116E3	94.65
1-3 days	3853	3.14
4-9 days	1192	0.97
10+ days	1521	1.24

Frequency Missing = 12301.954805

Frequency Missing = 18864.505993

<b>WOULD SEEK HELP FROM SCHOOL COUNSELOR</b>		
<b>q36a Frequency Percent</b>		
No	84244	69.72
Yes	36583	30.28

Frequency Missing = 20001.714101

<b>CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT</b>		
<b>q33a Frequency Percent</b>		
None	113E3	91.68
1-3 days	7014	5.71
4-9 days	1577	1.28
10+ days	1625	1.32

<b>ALCOHOL USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q34a Frequency Percent</b>		
Never	55799	45.23
Seldom	11597	9.40
Half the time	6349	5.15
Most of the time	13855	11.23
Always	19330	15.67
Don't know	1698	1.38
Didn't attend	14751	11.96

Frequency Missing = 11544.730493

Frequency Missing = 14096.927984

<b>WOULD SEEK HELP OUTSIDE OF SCHOOL</b>		
<b>q36b Frequency Percent</b>		
No	81260	67.96
Yes	38305	32.04

Frequency Missing = 12111.880753

Frequency Missing = 15359.676005

<b>WOULD SEEK HELP FROM OTHER COUNSELOR</b>		
<b>q36c Frequency Percent</b>		
No	74336	62.54
Yes	44522	37.46

Frequency Missing = 16067.316505

**Region 7: Grades 7-12  
Spring 2008**

<b>WOULD SEEK HELP FROM PARENTS</b>		
<b>q36d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	46805	39.26
<b>Yes</b>	72402	60.74

Frequency Missing = 15717.625967

<b>DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS</b>		
<b>q37a</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	50740	46.66
<b>Yes</b>	58008	53.34

Frequency Missing = 26175.915737

<b>DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB</b>		
<b>q37f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	93123	86.66
<b>Yes</b>	14337	13.34

Frequency Missing = 27464.671933

<b>WOULD SEEK HELP FROM A MEDICAL DOCTOR</b>		
<b>q36e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	65699	55.32
<b>Yes</b>	53058	44.68

Frequency Missing = 16167.461041

<b>DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM</b>		
<b>q37b</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	49389	46.58
<b>Yes</b>	56644	53.42

Frequency Missing = 28891.577267

<b>DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST</b>		
<b>q37g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	69778	65.04
<b>Yes</b>	37501	34.96

Frequency Missing = 27644.898332

<b>WOULD SEEK HELP FROM FRIENDS</b>		
<b>q36f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	31537	26.31
<b>Yes</b>	88316	73.69

Frequency Missing = 15071.629922

<b>DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR</b>		
<b>q37c</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	85365	81.08
<b>Yes</b>	19926	18.92

Frequency Missing = 29633.384034

<b>DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE</b>		
<b>q37h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	74834	70.06
<b>Yes</b>	31987	29.94

Frequency Missing = 28102.8093

<b>WOULD SEEK HELP FROM ANOTHER ADULT</b>		
<b>q36g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	47117	39.30
<b>Yes</b>	72768	60.70

Frequency Missing = 15039.808258

<b>DRUG/ALCOHOL INFO--SCIENCE CLASS</b>		
<b>q37d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	68811	65.14
<b>Yes</b>	36825	34.86

Frequency Missing = 29289.365442

<b>DRUG/ALCOHOL INFO--WEBSITE/ONLINE CHAT GROUP</b>		
<b>q38a</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	87033	74.58
<b>Yes</b>	29672	25.42

Frequency Missing = 18219.440166

<b>WOULD NOT SEEK HELP</b>		
<b>q36h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	104E3	87.52
<b>Yes</b>	14814	12.48

Frequency Missing = 16212.099528

<b>DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS</b>		
<b>q37e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	91128	86.36
<b>Yes</b>	14388	13.64

Frequency Missing = 29407.554606

<b>DRUG/ALCOHOL INFO--BOOKS/MAGAZINES/POSTERS/PA MPHLETS</b>		
<b>q38b</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>		65545
<b>Yes</b>		52116

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 7: Grades 7-12  
Spring 2008**

Frequency Missing = 15016.656621

<b>DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/P MPHLETS</b>	
<b>q38b</b>	<b>Percent</b>
No	55.71
Yes	44.29

Frequency Missing = 17263.616943

<b>DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO</b>		
<b>q38c</b>	<b>Frequency</b>	<b>Percent</b>
No	55923	47.84
Yes	60966	52.16

Frequency Missing = 18035.45125

<b>DRUG/ALCOHOL INFO--PARENTS</b>		
<b>q38d</b>	<b>Frequency</b>	<b>Percent</b>
No	61145	52.17
Yes	56050	47.83

Frequency Missing = 17729.147094

<b>PARENTS FEEL ABOUT KIDS SMOKING CIGARET</b>		
<b>q39a Frequency Percent</b>		
<b>Strong disapprove</b>	88299	72.53
<b>Mild disapprove</b>	10474	8.60
<b>Neither</b>	11693	9.60
<b>Mildly approve</b>	2492	2.05
<b>Strongly approve</b>	1674	1.37
<b>Don't know</b>	7118	5.85

Frequency Missing = 13175.332085

<b>PARENTS FEEL ABOUT KIDS DRINKING BEER</b>		
<b>q39b Frequency Percent</b>		
<b>Strong disapprove</b>	69262	57.76
<b>Mild disapprove</b>	20717	17.28
<b>Neither</b>	15561	12.98
<b>Mildly approve</b>	5547	4.63
<b>Strongly approve</b>	2354	1.96
<b>Don't know</b>	6467	5.39

<b>PARENTS FEEL ABOUT KIDS USING MARIJUANA</b>		
<b>q39c Frequency Percent</b>		
<b>Strong disapprove</b>	98611	81.16
<b>Mild disapprove</b>	5742	4.73
<b>Neither</b>	6274	5.16
<b>Mildly approve</b>	1779	1.46
<b>Strongly approve</b>	2462	2.03
<b>Don't know</b>	6631	5.46

Frequency Missing = 13427.170094

<b>TESTED FOR DRUG USE AT SCHOOL</b>		
<b>q40</b>	<b>Frequency</b>	<b>Percent</b>
No	96201	78.74
Yes	25976	21.26

Frequency Missing = 12748.009302

<b>PURCHASED LOTTERY TICKET IN PAST YEAR</b>		
<b>q41</b>	<b>Frequency</b>	<b>Percent</b>
No	106E3	87.31
Yes	15394	12.69

Frequency Missing = 13663.308909

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district