

Texas School Survey of Drug and Alcohol Use: 2014

HHSC Region 4 Report Grades 6-12

Table of Contents

1	General Substance Use Tables	4
	Tobacco	5
	Alcohol	9
	Drugs	18
	Inhalants	33
	Miscellaneous	38
2	Prevalence Tables	45
	Table B-1: All Students	46
	Table B-2: Male Students	50
	Table B-3: Female Students	54
	Table B-4: White Students	58
	Table B-5: African/American Students	62
	Table B-6: Mexican/American Students	66
	Table B-7: Students Reporting A Grades	70
	Table B-8: Students Reporting Grades Lower Than an A	74
	Table B-9: Students Living With 2 Parents	78
	Table B-10: Students Not Living With 2 Parents	82
	Table B-11: Students who would seek help from adults for substance abuse problems	86
	Table B-12: Students who would not seek help from adults for substance abuse problems	90
3	Margin Tables	94

1 General Substance Use Tables

Tobacco

Table T-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	9.5%	13.5%	25.3%	74.7%
Grade 6	1.1%	2.2%	7.7%	92.4%
Grade 7	2.4%	5.2%	14.0%	86.0%
Grade 8	6.8%	11.6%	23.8%	76.2%
Grade 9	10.7%	14.8%	25.1%	75.0%
Grade 10	11.3%	16.4%	28.9%	71.1%
Grade 11	17.6%	24.9%	40.8%	59.1%
Grade 12	19.0%	22.2%	41.5%	58.4%
Cigarettes?				
All	7.6%	11.2%	22.4%	77.6%
Grade 6	0.7%	1.3%	5.4%	94.6%
Grade 7	2.2%	5.0%	12.3%	87.7%
Grade 8	5.0%	10.0%	21.5%	78.5%
Grade 9	6.8%	10.4%	21.1%	78.9%
Grade 10	9.2%	13.1%	26.2%	73.8%
Grade 11	15.0%	21.1%	35.9%	64.0%
Grade 12	16.4%	20.4%	39.5%	60.5%
Smokeless Tobacco?				
All	4.3%	6.6%	11.5%	88.5%
Grade 6	0.4%	1.0%	3.9%	96.0%
Grade 7	0.8%	1.2%	5.1%	95.0%
Grade 8	3.6%	5.2%	9.8%	90.2%
Grade 9	6.6%	9.3%	13.1%	86.9%
Grade 10	4.7%	8.8%	14.1%	85.9%
Grade 11	7.6%	12.1%	18.6%	81.4%
Grade 12	7.0%	9.3%	17.5%	82.5%

Table T-2: How often do you normally use tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	79.4%	3.8%	2.0%	2.6%	3.2%	3.4%	5.7%
Grade 6	95.3%	0.0%	0.1%	0.3%	0.3%	1.6%	2.4%
Grade 7	91.8%	1.2%	0.7%	0.3%	0.7%	1.3%	3.9%
Grade 8	81.1%	0.6%	1.0%	1.7%	4.8%	3.0%	7.8%
Grade 9	77.0%	3.3%	2.8%	4.9%	4.0%	3.6%	4.4%
Grade 10	76.5%	3.1%	1.4%	3.0%	4.4%	5.7%	5.9%
Grade 11	65.2%	6.3%	4.1%	4.5%	5.8%	5.3%	8.7%
Grade 12	64.9%	13.6%	4.1%	3.3%	3.0%	3.9%	7.2%

Table T-3: Average age of first use of tobacco:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	9.4	10.8	11.5	12.3	12.5	13.8	14.4

Table T-4: If you wanted some, how difficult would it be to get tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	22.1%	23.4%	6.7%	8.5%	14.5%	24.8%
Grade 6	41.6%	40.2%	5.8%	3.8%	3.4%	5.3%
Grade 7	24.1%	37.1%	8.7%	7.7%	12.8%	9.6%
Grade 8	17.6%	24.9%	14.0%	11.4%	17.3%	14.8%
Grade 9	19.8%	21.6%	8.3%	12.0%	16.4%	21.9%
Grade 10	18.2%	21.3%	3.0%	10.4%	15.9%	31.2%
Grade 11	13.0%	8.9%	2.8%	6.4%	22.5%	46.3%
Grade 12	18.1%	5.7%	3.6%	8.1%	14.2%	50.3%

Table T-5: About how many of your close friends use tobacco?

	None	A Few	Some	Most	All
All	58.0%	23.4%	11.8%	5.6%	1.3%
Grade 6	89.1%	8.8%	1.5%	0.4%	0.4%
Grade 7	81.1%	15.1%	3.5%	0.2%	0.0%
Grade 8	64.2%	24.0%	8.8%	2.4%	0.5%
Grade 9	50.2%	26.8%	13.7%	7.6%	1.6%
Grade 10	44.9%	27.0%	16.4%	8.8%	2.9%
Grade 11	34.9%	35.7%	19.6%	8.2%	1.6%
Grade 12	34.8%	28.9%	21.2%	12.9%	2.2%

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	72.1%	7.8%	9.6%	1.4%	1.0%	8.1%
Grade 6	84.0%	2.2%	1.3%	0.5%	0.5%	11.5%
Grade 7	85.0%	3.0%	3.4%	0.6%	1.1%	6.9%
Grade 8	79.3%	2.8%	8.0%	0.9%	0.0%	9.0%
Grade 9	73.5%	10.3%	7.9%	1.2%	1.1%	6.0%
Grade 10	67.2%	9.7%	13.4%	2.7%	0.4%	6.6%
Grade 11	56.2%	16.4%	16.9%	2.4%	1.3%	6.8%
Grade 12	55.9%	11.3%	18.2%	1.8%	2.5%	10.3%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	61.2%	21.4%	9.9%	2.5%	5.0%
Grade 6	82.6%	9.2%	2.7%	1.3%	4.1%
Grade 7	73.8%	18.6%	3.6%	0.3%	3.7%
Grade 8	64.1%	23.0%	6.3%	0.4%	6.1%
Grade 9	57.0%	18.9%	15.4%	3.0%	5.7%
Grade 10	54.3%	27.1%	11.1%	2.8%	4.7%
Grade 11	43.9%	29.4%	16.0%	5.1%	5.5%
Grade 12	48.6%	25.8%	15.6%	5.0%	4.9%

Alcohol

Table A-1: How recently, if ever, have you used . . .

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	20.7%	28.5%	49.6%	50.3%
Grade 6	6.9%	8.0%	21.3%	78.7%
Grade 7	7.9%	14.3%	35.3%	64.7%
Grade 8	9.9%	16.0%	41.4%	58.5%
Grade 9	23.9%	32.2%	55.6%	44.4%
Grade 10	27.5%	37.7%	57.7%	42.2%
Grade 11	37.2%	48.5%	72.6%	27.4%
Grade 12	35.8%	48.6%	69.5%	30.5%
Beer?				
All	14.0%	20.1%	38.1%	61.9%
Grade 6	3.9%	4.5%	16.4%	83.6%
Grade 7	4.7%	8.1%	23.7%	76.4%
Grade 8	4.4%	9.4%	28.6%	71.3%
Grade 9	15.4%	22.6%	42.1%	57.9%
Grade 10	22.3%	29.0%	47.6%	52.4%
Grade 11	24.9%	36.3%	57.6%	42.5%
Grade 12	25.3%	35.2%	56.1%	43.9%
Wine Coolers?				
All	13.7%	20.2%	33.4%	66.6%
Grade 6	4.5%	4.7%	9.3%	90.6%
Grade 7	5.1%	9.0%	18.3%	81.7%
Grade 8	5.4%	10.2%	26.4%	73.6%
Grade 9	15.7%	22.6%	35.8%	64.3%
Grade 10	20.4%	29.1%	42.5%	57.6%
Grade 11	24.1%	35.7%	54.0%	45.9%
Grade 12	23.0%	33.9%	53.2%	46.8%
Wine?				
All	6.9%	12.8%	29.2%	70.7%
Grade 6	1.7%	2.6%	9.1%	91.0%
Grade 7	3.0%	6.7%	19.5%	80.5%
Grade 8	1.5%	6.8%	22.3%	77.7%
Grade 9	6.9%	13.4%	34.4%	65.6%
Grade 10	11.8%	18.3%	32.7%	67.4%
Grade 11	12.9%	22.3%	45.3%	54.7%
Grade 12	12.1%	22.6%	46.2%	53.8%
Liquor?				
All	13.5%	20.9%	34.4%	65.5%
Grade 6	2.1%	2.8%	9.1%	91.0%
Grade 7	2.7%	6.4%	13.1%	86.8%
Grade 8	3.9%	8.8%	22.1%	77.9%
Grade 9	15.6%	22.9%	38.2%	61.8%
Grade 10	18.2%	29.5%	42.9%	57.0%
Grade 11	27.4%	40.8%	61.3%	38.6%
Grade 12	28.7%	40.9%	61.7%	38.3%

Table A-2: How often do you normally use alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	59.3%	0.5%	1.7%	8.0%	11.2%	10.3%	9.1%
Grade 6	90.7%	0.1%	0.0%	0.3%	2.7%	3.1%	3.1%
Grade 7	76.6%	0.8%	0.6%	1.8%	4.9%	3.9%	11.4%
Grade 8	68.1%	0.0%	0.5%	3.4%	7.0%	11.6%	9.4%
Grade 9	53.2%	0.8%	3.6%	7.7%	13.5%	10.7%	10.4%
Grade 10	47.5%	1.1%	2.7%	11.7%	12.8%	14.8%	9.3%
Grade 11	34.9%	0.6%	1.7%	16.7%	19.0%	15.2%	11.9%
Grade 12	37.6%	0.2%	2.7%	16.5%	20.5%	14.4%	8.2%

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer	All	61.8%	38.2%	9.6%	17.2%	11.4%
	Grade 6	83.4%	16.7%	0.6%	9.5%	6.6%
	Grade 7	74.0%	26.1%	2.5%	8.9%	14.7%
	Grade 8	68.6%	31.5%	1.6%	16.7%	13.2%
	Grade 9	58.8%	41.2%	11.3%	20.9%	9.0%
	Grade 10	53.3%	46.8%	15.3%	19.8%	11.7%
	Grade 11	43.1%	56.9%	19.5%	24.7%	12.7%
	Grade 12	46.5%	53.5%	19.1%	21.9%	12.5%
Wine Coolers	All	65.1%	34.9%	9.0%	17.6%	8.3%
	Grade 6	88.3%	11.7%	1.0%	6.1%	4.6%
	Grade 7	78.4%	21.6%	2.3%	9.7%	9.6%
	Grade 8	72.3%	27.8%	3.4%	14.5%	9.9%
	Grade 9	60.2%	39.8%	10.7%	19.8%	9.3%
	Grade 10	59.0%	41.1%	13.4%	22.3%	5.4%
	Grade 11	45.9%	54.1%	16.7%	28.0%	9.4%
	Grade 12	46.4%	53.7%	18.1%	25.6%	10.0%
Wine	All	69.3%	30.6%	2.1%	16.5%	12.0%
	Grade 6	89.3%	10.6%	0.6%	4.9%	5.1%
	Grade 7	78.4%	21.6%	0.4%	9.8%	11.4%
	Grade 8	71.9%	28.2%	0.4%	14.6%	13.2%
	Grade 9	61.9%	38.2%	2.4%	20.1%	15.7%
	Grade 10	68.3%	31.7%	3.2%	19.1%	9.4%
	Grade 11	55.9%	44.1%	3.7%	26.4%	14.0%
	Grade 12	55.9%	43.9%	4.8%	23.0%	16.1%
Liquor	All	64.9%	35.1%	10.4%	17.0%	7.7%
	Grade 6	90.8%	9.2%	0.6%	3.5%	5.1%
	Grade 7	84.9%	15.1%	2.5%	6.1%	6.5%
	Grade 8	75.4%	24.5%	4.0%	11.6%	8.9%
	Grade 9	60.7%	39.4%	12.4%	18.7%	8.3%
	Grade 10	57.2%	42.7%	13.5%	21.7%	7.5%
	Grade 11	40.0%	60.2%	20.3%	33.0%	6.9%
	Grade 12	38.1%	62.0%	22.3%	28.1%	11.6%

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	84.9%	5.0%	3.4%	3.6%	1.2%	1.8%
Grade 6	97.7%	1.3%	0.8%	0.0%	0.0%	0.2%
Grade 7	95.0%	3.0%	1.0%	0.0%	0.7%	0.4%
Grade 8	92.8%	3.2%	2.3%	0.8%	0.0%	0.8%
Grade 9	83.1%	5.5%	4.2%	3.5%	1.5%	2.2%
Grade 10	79.5%	6.2%	4.6%	5.0%	2.4%	2.4%
Grade 11	73.6%	8.6%	4.1%	8.2%	2.1%	3.4%
Grade 12	69.7%	8.1%	7.3%	9.1%	2.0%	3.8%

Table A-5: Average age of first use of alcohol:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	9.7	10.9	11.7	12.4	13.1	13.7	14.5

Table A-6: If you wanted some, how difficult would it be to get alcohol?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.2%	18.2%	6.9%	9.4%	18.8%	27.5%
Grade 6	38.8%	36.3%	7.0%	5.5%	6.2%	6.3%
Grade 7	21.4%	32.0%	11.7%	9.0%	13.0%	12.8%
Grade 8	16.6%	21.5%	11.4%	13.2%	16.7%	20.5%
Grade 9	18.3%	11.9%	5.5%	9.6%	23.1%	31.6%
Grade 10	12.3%	12.9%	5.1%	11.7%	23.7%	34.2%
Grade 11	9.6%	5.5%	3.2%	7.9%	24.8%	49.0%
Grade 12	15.3%	3.7%	3.6%	9.1%	25.9%	42.4%

Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	95.1%	3.6%	1.0%	0.3%
Grade 6	97.8%	1.7%	0.3%	0.2%
Grade 7	97.1%	0.9%	1.7%	0.2%
Grade 8	96.4%	2.5%	1.1%	0.0%
Grade 9	93.4%	4.8%	1.6%	0.1%
Grade 10	93.1%	6.3%	0.3%	0.3%
Grade 11	95.6%	3.0%	0.8%	0.6%
Grade 12	91.6%	6.2%	1.3%	0.9%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users	4.5
Alcohol Non-Users	3.3
Average days conduct problems reported	
Alcohol Users	2.4
Alcohol Non-Users	1.0

Table A-9: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	93.1%	5.7%	0.8%	0.4%
Grade 9	97.2%	2.6%	0.2%	0.0%
Grade 10	92.8%	6.4%	0.3%	0.5%
Grade 11	91.2%	7.5%	0.9%	0.5%
Grade 12	90.4%	7.0%	2.1%	0.5%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	95.7%	3.8%	0.2%	0.3%
Grade 6	99.2%	0.7%	0.1%	0.0%
Grade 7	98.4%	0.9%	0.2%	0.5%
Grade 8	98.8%	1.2%	0.0%	0.0%
Grade 9	96.3%	3.3%	0.2%	0.2%
Grade 10	92.0%	7.7%	0.2%	0.1%
Grade 11	92.1%	7.2%	0.6%	0.1%
Grade 12	91.9%	6.6%	0.3%	1.2%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	95.3%	3.9%	0.5%	0.3%
Grade 6	99.0%	1.0%	0.0%	0.0%
Grade 7	98.1%	1.9%	0.0%	0.0%
Grade 8	99.2%	0.8%	0.0%	0.0%
Grade 9	92.8%	5.5%	1.1%	0.5%
Grade 10	92.8%	5.7%	0.5%	1.1%
Grade 11	93.1%	5.7%	0.9%	0.3%
Grade 12	91.3%	7.6%	0.7%	0.4%

Table A-10: About how many of your close friends use alcohol?

	None	A Few	Some	Most	All
All	45.1%	22.8%	15.2%	12.8%	4.1%
Grade 6	86.2%	9.7%	1.8%	1.7%	0.6%
Grade 7	74.4%	17.2%	7.3%	1.2%	0.0%
Grade 8	57.1%	24.4%	14.9%	3.0%	0.5%
Grade 9	29.1%	35.9%	18.8%	12.0%	4.2%
Grade 10	25.9%	27.0%	20.7%	18.6%	7.8%
Grade 11	16.6%	24.9%	21.8%	28.3%	8.3%
Grade 12	19.8%	20.3%	23.0%	28.4%	8.6%

Table A-11: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	46.6%	7.6%	4.6%	8.1%	13.7%	1.6%	17.8%
Grade 6	79.8%	3.7%	1.7%	1.1%	1.3%	2.2%	10.3%
Grade 7	68.2%	3.9%	2.4%	2.0%	2.6%	1.1%	19.7%
Grade 8	56.7%	14.3%	5.6%	3.8%	3.1%	1.9%	14.7%
Grade 9	34.4%	11.0%	5.8%	8.6%	15.3%	2.0%	22.9%
Grade 10	32.7%	6.2%	5.4%	12.5%	21.2%	1.2%	20.9%
Grade 11	20.5%	7.5%	6.5%	14.9%	28.6%	2.1%	19.9%
Grade 12	28.8%	6.1%	4.8%	16.2%	27.3%	0.6%	16.2%

Table A-12: How often, if ever, do you get alcohol beverages from ...?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	52.0%	24.9%	16.9%	4.5%	1.7%
	Grade 6	66.4%	27.2%	4.9%	1.3%	0.2%
	Grade 7	65.9%	17.6%	13.0%	2.6%	0.9%
	Grade 8	58.3%	19.3%	17.5%	2.9%	2.1%
	Grade 9	46.9%	27.2%	18.9%	5.2%	1.8%
	Grade 10	45.4%	27.2%	20.6%	5.4%	1.5%
	Grade 11	38.7%	29.3%	24.5%	5.7%	1.8%
	Grade 12	39.0%	27.1%	20.5%	9.3%	4.2%
Friends?	All	50.7%	20.6%	13.6%	11.1%	4.0%
	Grade 6	67.6%	29.8%	2.0%	0.3%	0.3%
	Grade 7	70.9%	21.3%	4.6%	1.4%	1.8%
	Grade 8	61.8%	21.8%	12.5%	3.1%	0.8%
	Grade 9	45.5%	22.9%	13.9%	12.5%	5.2%
	Grade 10	41.5%	19.4%	18.2%	14.5%	6.4%
	Grade 11	33.8%	13.9%	21.0%	25.4%	5.8%
	Grade 12	29.1%	12.8%	26.4%	23.5%	8.2%
Store?	All	53.6%	38.0%	4.6%	2.3%	1.4%
	Grade 6	67.7%	31.1%	0.6%	0.5%	0.2%
	Grade 7	72.3%	26.6%	1.1%	0.0%	0.0%
	Grade 8	63.1%	34.8%	1.7%	0.0%	0.4%
	Grade 9	49.8%	44.6%	2.4%	1.2%	1.9%
	Grade 10	43.3%	42.6%	6.2%	3.9%	4.0%
	Grade 11	38.8%	44.2%	10.3%	4.8%	1.8%
	Grade 12	36.0%	43.8%	11.6%	6.6%	2.0%
Parties?	All	50.8%	19.7%	10.3%	9.6%	9.6%
	Grade 6	65.5%	28.4%	3.5%	1.4%	1.2%
	Grade 7	68.7%	22.9%	5.1%	1.8%	1.5%
	Grade 8	63.0%	18.8%	10.9%	4.8%	2.5%
	Grade 9	47.0%	19.2%	11.3%	12.3%	10.2%
	Grade 10	42.7%	17.1%	13.0%	11.4%	15.7%
	Grade 11	32.4%	12.9%	14.7%	18.6%	21.3%
	Grade 12	31.7%	17.6%	14.9%	18.6%	17.1%
Other Source?	All	53.4%	28.4%	9.5%	4.2%	4.5%
	Grade 6	67.4%	28.2%	2.4%	1.0%	1.0%
	Grade 7	70.0%	21.9%	5.0%	1.6%	1.5%
	Grade 8	62.1%	28.4%	5.7%	2.2%	1.6%
	Grade 9	47.7%	28.6%	12.7%	5.5%	5.4%
	Grade 10	45.2%	28.7%	13.8%	5.3%	6.9%
	Grade 11	40.2%	31.5%	12.8%	5.6%	10.0%
	Grade 12	36.6%	32.5%	15.5%	9.3%	6.2%

Table A-13: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	62.5%	12.7%	13.2%	3.2%	0.7%	7.8%
Grade 6	79.1%	4.2%	3.2%	1.1%	0.5%	11.9%
Grade 7	74.5%	8.4%	7.2%	1.3%	1.1%	7.4%
Grade 8	75.0%	6.2%	9.7%	1.6%	0.0%	7.6%
Grade 9	63.4%	12.5%	15.1%	3.1%	0.6%	5.4%
Grade 10	49.8%	19.6%	19.6%	4.9%	0.7%	5.5%
Grade 11	45.1%	21.6%	19.7%	6.3%	1.1%	6.2%
Grade 12	46.3%	17.9%	19.0%	5.1%	1.0%	10.7%

Table A-14: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	57.3%	26.3%	10.2%	2.5%	3.7%
Grade 6	78.0%	11.6%	5.1%	0.9%	4.3%
Grade 7	65.1%	23.6%	7.7%	0.7%	3.0%
Grade 8	64.6%	22.1%	9.0%	0.8%	3.4%
Grade 9	48.6%	31.7%	11.8%	3.9%	4.1%
Grade 10	46.6%	29.7%	14.4%	5.2%	4.1%
Grade 11	44.5%	34.5%	13.2%	3.4%	4.4%
Grade 12	51.1%	33.0%	10.9%	2.8%	2.2%

Drugs

Table D-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Marijuana?				
All	5.9%	8.6%	18.0%	82.0%
Grade 6	0.5%	0.6%	1.0%	99.0%
Grade 7	2.2%	2.4%	4.2%	95.8%
Grade 8	3.3%	6.4%	11.3%	88.8%
Grade 9	4.0%	6.2%	14.6%	85.5%
Grade 10	9.4%	12.4%	25.4%	74.5%
Grade 11	8.6%	14.5%	35.9%	64.0%
Grade 12	15.5%	20.9%	39.5%	60.5%
Cocaine?				
All	0.4%	0.6%	1.1%	98.9%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.7%	99.2%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.5%	0.6%	1.7%	98.3%
Grade 12	1.1%	2.1%	3.6%	96.5%
Crack?				
All	0.1%	0.1%	0.1%	99.8%
Grade 6	0.4%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.2%	99.8%
Hallucinogens?				
All	0.2%	0.5%	1.2%	98.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.5%	0.8%	1.6%	98.4%
Grade 10	0.5%	0.9%	2.0%	97.9%
Grade 11	0.4%	0.8%	1.7%	98.3%
Grade 12	0.2%	1.3%	3.4%	96.6%
Rohypnol?				
All	0.2%	0.2%	0.4%	99.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.6%	0.7%	99.4%
Grade 10	0.7%	0.7%	1.1%	99.0%
Grade 11	0.1%	0.2%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.9%	99.2%

Table D-1: How recently, if ever, have you used ...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Steroids?				
All	0.2%	0.3%	0.8%	99.2%
Grade 6	0.4%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.1%	0.3%	1.0%	99.0%
Grade 10	1.1%	1.1%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.2%	0.9%	99.1%
Ecstasy?				
All	0.6%	0.9%	1.9%	98.1%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.8%	0.8%	99.2%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	1.9%	2.0%	3.5%	96.5%
Grade 11	1.3%	1.8%	3.7%	96.3%
Grade 12	0.1%	0.5%	3.7%	96.3%
Heroin?				
All	0.1%	0.2%	0.3%	99.8%
Grade 6	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.4%	99.6%
Methamphetamine?				
All	0.1%	0.1%	0.8%	99.2%
Grade 6	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	2.1%	97.9%
Synthetic Marijuana?				
All	1.3%	2.3%	6.9%	93.2%
Grade 6	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.2%	1.6%	98.4%
Grade 8	2.6%	3.0%	7.1%	92.9%
Grade 9	1.0%	2.1%	5.6%	94.4%
Grade 10	1.9%	4.6%	11.6%	88.4%
Grade 11	2.0%	4.0%	11.1%	89.0%
Grade 12	1.4%	1.9%	12.1%	87.9%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	84.9%	1.2%	1.6%	1.7%	2.8%	3.5%	4.3%
	Grade 6	99.1%	0.1%	0.0%	0.0%	0.3%	0.3%	0.2%
	Grade 7	95.9%	0.0%	0.5%	0.0%	1.9%	0.4%	1.3%
	Grade 8	89.8%	0.6%	1.0%	2.7%	1.3%	1.2%	3.4%
	Grade 9	88.5%	0.6%	1.6%	1.1%	2.2%	2.8%	3.1%
	Grade 10	78.3%	0.8%	2.9%	2.1%	5.6%	5.1%	5.1%
	Grade 11	68.7%	2.9%	1.8%	2.3%	4.5%	10.6%	9.1%
	Grade 12	69.4%	3.9%	4.2%	4.1%	4.1%	5.1%	9.3%
Cocaine?								
	All	99.4%	0.0%	0.0%	0.1%	0.2%	0.1%	0.2%
	Grade 6	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%
	Grade 9	99.3%	0.0%	0.0%	0.0%	0.3%	0.2%	0.2%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.4%	0.0%	0.0%	0.1%	0.1%	0.2%	0.1%
	Grade 12	97.0%	0.0%	0.0%	0.5%	0.3%	0.6%	1.5%
Crack?								
	All	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.5%	0.0%	0.0%	0.1%	0.2%	0.1%	0.2%
	Grade 6	99.6%	0.1%	0.0%	0.0%	0.1%	0.2%	0.1%
	Grade 7	99.0%	0.0%	0.0%	0.2%	0.8%	0.0%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 10	99.5%	0.0%	0.0%	0.4%	0.0%	0.0%	0.2%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.3%	0.0%	0.0%	0.0%	0.2%	0.2%	0.3%

Table D-2: How often do you normally use ...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	98.7%	0.0%	0.0%	0.1%	0.2%	0.5%	0.5%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.2%	0.0%	0.0%	0.0%	0.8%	0.0%	0.0%
	Grade 8	99.1%	0.0%	0.0%	0.0%	0.0%	0.9%	0.0%
	Grade 9	99.0%	0.0%	0.0%	0.1%	0.1%	0.6%	0.3%
	Grade 10	98.5%	0.0%	0.0%	0.1%	0.0%	0.7%	0.6%
	Grade 11	97.7%	0.0%	0.0%	0.7%	0.3%	0.5%	0.8%
	Grade 12	97.1%	0.0%	0.0%	0.0%	0.3%	0.5%	2.1%
Heroin?								
	All	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 6	99.7%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.5%	0.0%	0.0%	0.0%	0.2%	0.0%	0.2%
	Grade 6	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.2%	0.0%	0.0%	0.0%	0.8%	0.0%	0.0%
	Grade 8	98.9%	0.0%	0.0%	0.0%	0.5%	0.0%	0.6%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 10	99.4%	0.0%	0.0%	0.0%	0.2%	0.2%	0.2%
	Grade 11	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Synthetic Marijuana?								
	All	94.7%	0.1%	0.1%	0.3%	0.8%	1.3%	2.7%
	Grade 6	99.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 7	97.9%	0.0%	0.0%	0.0%	0.4%	1.6%	0.2%
	Grade 8	95.1%	0.0%	0.0%	0.4%	1.0%	1.7%	1.8%
	Grade 9	96.8%	0.0%	0.1%	0.3%	0.5%	0.8%	1.5%
	Grade 10	91.1%	0.2%	0.3%	0.2%	1.1%	1.5%	5.6%
	Grade 11	89.7%	0.3%	0.1%	0.7%	1.2%	2.1%	6.0%
	Grade 12	91.9%	0.5%	0.0%	0.3%	1.9%	1.2%	4.2%

Table D-3: Average age of first use of:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	9.9	12.0	12.4	13.1	14.1	14.7	15.6
Cocaine	10.0	*	13.0	14.2	13.0	15.2	16.7
Crack	10.0	*	*	14.0	15.0	*	16.0
Steroids	9.9	12.2	*	11.5	15.1	8.0	12.5
Ecstasy	9.0	13.0	12.0	14.1	12.8	15.6	15.2
Heroin	8.0	*	*	*	*	18.0	*
Methamphetamine	8.4	11.0	14.2	13.0	14.3	15.2	14.0
Synthetic Marijuana	11.0	12.8	12.8	13.4	14.6	15.3	15.8

Table D-4: Age of first use of marijuana by family situation

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17	
Two Parent Family									
All	86.7%	0.1%	0.1%	1.2%	2.9%	5.2%	3.2%	0.7%	
Grade 6	99.6%	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	
Grade 7	94.7%	0.5%	0.6%	0.4%	3.2%	0.6%	0.0%	0.0%	
Grade 8	94.3%	0.0%	0.0%	1.4%	2.9%	1.4%	0.0%	0.0%	
Grade 9	90.7%	0.0%	0.0%	1.7%	3.0%	4.4%	0.2%	0.0%	
Grade 10	79.0%	0.0%	0.0%	2.1%	4.4%	10.0%	4.4%	0.0%	
Grade 11	74.1%	0.0%	0.0%	2.3%	3.3%	13.3%	6.8%	0.0%	
Grade 12	66.8%	0.3%	0.0%	0.7%	3.5%	9.2%	13.6%	5.8%	
Other Family Situation									
All	77.8%	0.5%	0.4%	1.4%	5.1%	8.4%	5.2%	1.2%	
Grade 6	97.6%	0.0%	1.3%	0.3%	0.8%	0.0%	0.0%	0.0%	
Grade 7	95.2%	0.0%	0.0%	2.7%	0.9%	1.2%	0.0%	0.0%	
Grade 8	84.9%	1.2%	0.0%	2.6%	6.3%	5.1%	0.0%	0.0%	
Grade 9	78.0%	0.6%	0.2%	0.7%	12.4%	8.1%	0.2%	0.0%	
Grade 10	71.9%	0.4%	0.0%	1.3%	5.7%	18.4%	2.4%	0.0%	
Grade 11	57.3%	0.5%	0.0%	1.2%	5.6%	18.5%	16.7%	0.5%	
Grade 12	59.0%	1.1%	1.7%	0.9%	3.5%	6.7%	18.2%	8.8%	

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	26.3%	30.1%	8.0%	8.5%	11.0%	16.2%
	Grade 6	52.0%	37.4%	4.5%	2.8%	1.1%	2.1%
	Grade 7	28.9%	48.6%	8.2%	6.8%	4.2%	3.3%
	Grade 8	20.0%	41.3%	13.4%	11.4%	8.1%	5.8%
	Grade 9	24.3%	28.6%	10.5%	11.4%	11.4%	13.8%
	Grade 10	18.1%	26.3%	6.9%	10.1%	14.1%	24.5%
	Grade 11	14.8%	13.5%	5.6%	9.0%	20.8%	36.4%
	Grade 12	22.7%	10.7%	6.9%	8.3%	19.9%	31.5%
Cocaine	All	33.1%	40.1%	12.1%	7.2%	3.5%	4.1%
	Grade 6	52.4%	39.6%	4.6%	1.8%	0.4%	1.3%
	Grade 7	34.1%	54.0%	7.9%	2.6%	0.4%	1.0%
	Grade 8	22.5%	53.6%	13.8%	7.1%	1.1%	2.0%
	Grade 9	30.5%	39.2%	13.1%	9.7%	4.9%	2.6%
	Grade 10	29.1%	40.4%	11.1%	7.9%	4.0%	7.5%
	Grade 11	26.5%	29.1%	17.3%	13.4%	6.0%	7.6%
	Grade 12	34.7%	21.8%	18.3%	8.7%	9.0%	7.4%
Crack	All	34.3%	40.2%	11.7%	6.6%	3.8%	3.4%
	Grade 6	52.8%	38.5%	4.6%	2.1%	0.4%	1.6%
	Grade 7	34.6%	53.5%	7.7%	2.7%	0.7%	0.7%
	Grade 8	25.3%	52.9%	13.2%	4.6%	2.0%	2.0%
	Grade 9	32.8%	39.4%	13.1%	7.5%	5.0%	2.2%
	Grade 10	29.9%	40.9%	10.6%	8.3%	3.5%	6.9%
	Grade 11	27.7%	29.3%	19.0%	10.6%	7.0%	6.4%
	Grade 12	35.3%	24.1%	15.3%	11.7%	8.9%	4.7%
Steroids	All	35.4%	38.4%	11.4%	7.1%	4.1%	3.6%
	Grade 6	54.4%	36.4%	5.0%	2.0%	1.2%	1.0%
	Grade 7	36.5%	48.0%	8.4%	3.3%	1.9%	1.9%
	Grade 8	27.5%	50.5%	13.1%	4.7%	2.2%	2.0%
	Grade 9	32.8%	39.1%	11.6%	11.3%	3.8%	1.5%
	Grade 10	30.6%	39.2%	11.8%	8.7%	4.1%	5.6%
	Grade 11	28.7%	31.4%	15.1%	9.4%	6.0%	9.4%
	Grade 12	35.9%	21.6%	16.6%	11.1%	10.2%	4.5%

Table D-5: If you wanted some, how difficult would it be to get ...
(Continued)

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?							
	All	47.9%	28.4%	9.3%	5.9%	4.1%	4.4%
	Grade 6	69.7%	25.5%	2.6%	1.1%	0.1%	1.0%
	Grade 7	63.6%	28.5%	3.4%	1.9%	0.6%	2.1%
	Grade 8	45.2%	37.0%	9.5%	4.4%	1.7%	2.2%
	Grade 9	45.4%	32.1%	10.8%	5.5%	4.1%	2.1%
	Grade 10	36.9%	33.5%	9.7%	8.2%	4.8%	7.0%
	Grade 11	30.4%	25.0%	13.6%	13.1%	8.7%	9.2%
	Grade 12	39.8%	16.2%	17.6%	8.3%	9.8%	8.2%
Heroin?							
	All	44.6%	35.5%	10.4%	4.9%	1.9%	2.7%
	Grade 6	64.5%	28.8%	3.6%	1.1%	0.3%	1.7%
	Grade 7	52.3%	37.8%	6.6%	2.1%	0.8%	0.4%
	Grade 8	40.9%	45.5%	7.0%	3.6%	1.2%	1.8%
	Grade 9	41.6%	37.5%	11.4%	5.5%	2.7%	1.3%
	Grade 10	36.6%	39.3%	9.5%	6.3%	3.0%	5.2%
	Grade 11	34.0%	33.7%	15.0%	8.5%	3.5%	5.5%
	Grade 12	39.5%	25.4%	21.7%	7.9%	1.8%	3.6%
Methamphetamine?							
	All	45.3%	32.8%	10.5%	5.4%	2.5%	3.6%
	Grade 6	64.1%	29.7%	3.1%	1.7%	0.3%	1.1%
	Grade 7	56.6%	32.8%	5.7%	1.9%	0.8%	2.2%
	Grade 8	41.5%	42.6%	8.2%	4.4%	0.3%	3.0%
	Grade 9	42.1%	33.9%	12.1%	6.7%	3.5%	1.8%
	Grade 10	36.0%	37.9%	10.9%	5.9%	4.0%	5.4%
	Grade 11	33.7%	29.2%	17.0%	7.8%	6.4%	5.9%
	Grade 12	40.3%	22.4%	18.2%	10.5%	2.2%	6.4%
Synthetic Marijuana?							
	All	43.9%	27.2%	7.8%	6.2%	5.8%	9.1%
	Grade 6	65.8%	27.3%	3.4%	1.2%	0.5%	1.8%
	Grade 7	58.6%	29.8%	5.5%	2.2%	1.9%	2.0%
	Grade 8	42.9%	35.7%	6.6%	6.4%	4.1%	4.3%
	Grade 9	40.3%	29.1%	9.4%	9.4%	5.3%	6.4%
	Grade 10	32.5%	29.4%	7.8%	6.0%	7.7%	16.5%
	Grade 11	29.0%	19.1%	10.3%	9.4%	12.3%	19.8%
	Grade 12	33.9%	18.5%	12.3%	9.7%	10.3%	15.3%

Table D-6: Since school began in the fall, on how many days (if any) have you ...

	None	1-3 Days	4-9 Days	10+ Days
Attended Class While High From Marijuana Use?				
All	95.5%	2.6%	0.6%	1.2%
Grade 6	99.4%	0.6%	0.0%	0.0%
Grade 7	98.2%	1.8%	0.0%	0.0%
Grade 8	96.9%	2.1%	0.0%	1.1%
Grade 9	95.8%	2.3%	1.2%	0.6%
Grade 10	93.4%	3.7%	1.0%	1.8%
Grade 11	92.6%	4.1%	1.2%	2.1%
Grade 12	91.2%	4.1%	1.2%	3.6%
Attended Class While High From Use Of Some Other Drug?				
All	97.4%	1.6%	0.5%	0.5%
Grade 6	99.2%	0.7%	0.0%	0.1%
Grade 7	98.3%	0.6%	0.8%	0.2%
Grade 8	98.2%	0.9%	0.0%	0.9%
Grade 9	97.9%	1.7%	0.4%	0.1%
Grade 10	96.0%	2.8%	0.4%	0.9%
Grade 11	95.8%	2.5%	1.2%	0.5%
Grade 12	96.2%	2.5%	0.5%	0.8%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users	4.7
Marijuana Non-Users	3.6
Average days conduct problems reported	
Marijuana Users	3.3
Marijuana Non-Users	1.2

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	94.1%	3.2%	0.7%	2.0%
Grade 9	97.9%	1.9%	0.0%	0.2%
Grade 10	95.5%	3.0%	1.0%	0.4%
Grade 11	94.1%	3.6%	0.8%	1.6%
Grade 12	88.0%	4.6%	1.0%	6.4%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	97.7%	2.0%	0.1%	0.1%
Grade 6	99.5%	0.4%	0.1%	0.0%
Grade 7	99.7%	0.3%	0.0%	0.0%
Grade 8	97.5%	2.5%	0.0%	0.0%
Grade 9	96.0%	3.9%	0.0%	0.1%
Grade 10	96.5%	3.1%	0.4%	0.1%
Grade 11	97.7%	1.7%	0.2%	0.3%
Grade 12	96.9%	2.7%	0.0%	0.4%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	96.9%	2.4%	0.3%	0.4%
Grade 6	99.9%	0.1%	0.0%	0.0%
Grade 7	99.1%	0.9%	0.0%	0.0%
Grade 8	98.7%	1.3%	0.0%	0.0%
Grade 9	95.1%	3.3%	0.9%	0.6%
Grade 10	94.4%	4.3%	0.5%	0.8%
Grade 11	96.5%	2.6%	0.3%	0.6%
Grade 12	94.1%	4.8%	0.2%	0.9%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	All
All	63.5%	17.9%	10.0%	6.6%	2.0%
Grade 6	92.6%	5.8%	0.7%	0.6%	0.3%
Grade 7	82.2%	12.7%	2.9%	2.2%	0.0%
Grade 8	72.8%	14.5%	7.0%	4.5%	1.2%
Grade 9	63.6%	18.1%	9.7%	7.1%	1.6%
Grade 10	48.8%	22.4%	14.2%	8.8%	5.8%
Grade 11	39.0%	27.1%	18.1%	13.2%	2.7%
Grade 12	38.6%	27.5%	20.2%	11.1%	2.6%

Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	59.3%	6.5%	4.6%	4.6%	4.6%	2.5%	17.9%
Grade 6	85.5%	1.3%	0.6%	0.4%	0.2%	1.8%	10.1%
Grade 7	74.2%	1.2%	1.3%	1.4%	1.3%	1.1%	19.6%
Grade 8	73.4%	4.2%	1.9%	1.7%	2.8%	1.0%	15.0%
Grade 9	51.6%	6.4%	6.5%	4.4%	3.5%	4.1%	23.4%
Grade 10	48.7%	8.5%	5.9%	7.6%	5.4%	2.7%	21.2%
Grade 11	35.4%	11.4%	8.5%	9.3%	10.2%	5.2%	20.0%
Grade 12	41.1%	14.5%	8.7%	8.4%	9.8%	1.6%	16.0%

Table D-11: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	80.2%	5.4%	5.0%	1.1%	0.8%	7.6%
Grade 6	85.1%	1.0%	1.4%	0.3%	0.4%	11.8%
Grade 7	87.7%	1.8%	1.5%	0.7%	0.7%	7.5%
Grade 8	83.5%	2.7%	5.2%	0.8%	0.6%	7.1%
Grade 9	84.7%	4.9%	5.1%	0.7%	0.3%	4.4%
Grade 10	76.6%	6.7%	6.0%	2.2%	1.8%	6.6%
Grade 11	70.2%	11.6%	10.5%	1.9%	0.5%	5.3%
Grade 12	71.2%	10.0%	5.7%	1.0%	1.3%	10.8%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?	All	68.7%	10.6%	8.1%	8.4%	4.3%
	Grade 6	86.9%	4.8%	1.6%	1.9%	4.8%
	Grade 7	87.9%	5.1%	3.7%	0.7%	2.7%
	Grade 8	80.1%	8.7%	2.6%	4.9%	3.6%
	Grade 9	66.1%	14.7%	6.2%	6.6%	6.4%
	Grade 10	54.8%	15.0%	13.0%	13.1%	4.1%
	Grade 11	47.6%	12.7%	18.2%	16.4%	5.1%
	Grade 12	52.1%	14.2%	13.2%	17.4%	3.0%
Cocaine?	All	90.4%	3.9%	0.7%	0.7%	4.3%
	Grade 6	89.8%	3.9%	0.8%	0.7%	4.8%
	Grade 7	91.5%	3.1%	1.2%	0.9%	3.3%
	Grade 8	93.4%	2.6%	0.0%	0.4%	3.6%
	Grade 9	89.5%	4.7%	0.4%	0.5%	4.8%
	Grade 10	89.0%	5.9%	0.6%	0.9%	3.6%
	Grade 11	88.9%	2.9%	0.6%	0.6%	7.0%
	Grade 12	90.6%	4.0%	1.4%	1.1%	3.0%
Crack?	All	90.8%	3.4%	0.4%	0.9%	4.5%
	Grade 6	89.0%	4.3%	0.6%	1.5%	4.6%
	Grade 7	90.7%	2.8%	0.9%	0.7%	4.8%
	Grade 8	93.6%	2.9%	0.0%	0.4%	3.2%
	Grade 9	89.6%	4.4%	0.3%	0.8%	4.8%
	Grade 10	90.3%	5.0%	0.2%	0.5%	4.1%
	Grade 11	90.2%	1.9%	0.3%	0.5%	7.2%
	Grade 12	92.8%	2.0%	0.1%	2.0%	3.1%
Ecstasy?	All	84.6%	5.4%	1.5%	1.0%	7.5%
	Grade 6	86.4%	4.0%	0.4%	0.9%	8.2%
	Grade 7	86.2%	4.3%	1.1%	0.5%	7.9%
	Grade 8	85.8%	4.8%	0.6%	0.4%	8.3%
	Grade 9	84.8%	4.7%	1.5%	0.3%	8.7%
	Grade 10	83.8%	6.9%	2.3%	0.8%	6.1%
	Grade 11	80.1%	7.9%	1.6%	1.5%	8.9%
	Grade 12	84.9%	5.6%	3.0%	3.1%	3.5%

**Table D-12: How dangerous do you think it is for kids your age to use ...
(Continued)**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	82.5%	5.8%	2.5%	1.0%	8.2%
	Grade 6	86.2%	4.3%	0.8%	0.8%	7.9%
	Grade 7	87.0%	2.9%	0.7%	0.0%	9.4%
	Grade 8	85.4%	1.3%	2.5%	0.6%	10.3%
	Grade 9	81.9%	6.0%	1.8%	1.4%	8.9%
	Grade 10	78.9%	9.1%	4.1%	1.1%	6.9%
	Grade 11	76.5%	9.5%	4.2%	1.3%	8.4%
	Grade 12	80.7%	8.4%	4.0%	1.8%	5.0%
Steroids?	All	79.0%	10.7%	3.0%	1.0%	6.3%
	Grade 6	83.9%	7.5%	0.8%	0.9%	7.0%
	Grade 7	81.0%	10.3%	3.5%	0.3%	4.9%
	Grade 8	76.5%	13.4%	3.7%	1.4%	5.0%
	Grade 9	78.0%	10.3%	2.3%	1.1%	8.3%
	Grade 10	81.5%	9.1%	3.4%	0.5%	5.6%
	Grade 11	72.5%	12.9%	5.4%	0.6%	8.6%
	Grade 12	78.9%	12.3%	1.9%	2.2%	4.8%
Heroin?	All	89.9%	2.9%	0.5%	0.6%	6.1%
	Grade 6	86.5%	4.2%	0.6%	0.8%	7.9%
	Grade 7	90.1%	2.4%	0.9%	0.5%	6.2%
	Grade 8	90.4%	3.1%	0.0%	0.0%	6.5%
	Grade 9	89.8%	3.0%	0.3%	0.2%	6.7%
	Grade 10	89.8%	4.9%	0.2%	0.7%	4.5%
	Grade 11	89.8%	1.9%	0.7%	0.5%	7.1%
	Grade 12	93.4%	0.6%	0.8%	2.0%	3.2%
Methamphetamine?	All	89.9%	2.6%	0.5%	0.7%	6.3%
	Grade 6	88.5%	3.5%	0.4%	0.7%	7.0%
	Grade 7	88.9%	2.6%	1.5%	0.3%	6.7%
	Grade 8	89.9%	2.3%	0.0%	0.0%	7.8%
	Grade 9	89.0%	3.4%	0.3%	0.4%	6.9%
	Grade 10	90.0%	4.2%	0.6%	0.7%	4.6%
	Grade 11	90.3%	1.5%	0.3%	0.5%	7.4%
	Grade 12	93.5%	0.0%	0.3%	2.6%	3.6%
Synthetic Marijuana?	All	83.3%	5.9%	2.3%	1.1%	7.4%
	Grade 6	86.5%	4.7%	0.7%	0.7%	7.4%
	Grade 7	85.6%	4.1%	2.7%	0.0%	7.6%
	Grade 8	83.8%	6.5%	1.1%	1.3%	7.3%
	Grade 9	84.1%	4.8%	2.3%	0.3%	8.5%
	Grade 10	79.2%	9.7%	3.2%	1.6%	6.2%
	Grade 11	75.3%	7.9%	4.4%	1.7%	10.6%
	Grade 12	88.2%	3.8%	2.1%	2.1%	3.9%

Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.5%	7.4%	10.8%	89.2%
Grade 6	3.8%	4.5%	9.5%	90.5%
Grade 7	3.5%	4.7%	5.8%	94.2%
Grade 8	5.5%	6.2%	9.5%	90.5%
Grade 9	7.7%	9.4%	11.9%	88.0%
Grade 10	5.1%	7.5%	11.0%	88.9%
Grade 11	6.8%	8.4%	12.6%	87.4%
Grade 12	6.0%	11.1%	15.7%	84.3%
Oxycontin, Percodan, Percocet Or Oxycodone?				
All	1.2%	1.6%	2.0%	98.0%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.4%	1.8%	2.1%	97.9%
Grade 9	1.1%	1.2%	1.6%	98.4%
Grade 10	1.8%	2.4%	3.8%	96.1%
Grade 11	1.9%	2.6%	3.2%	96.8%
Grade 12	2.0%	3.2%	3.3%	96.8%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	2.9%	3.9%	5.6%	94.5%
Grade 6	0.7%	0.7%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.4%	4.8%	5.5%	94.4%
Grade 9	1.3%	2.3%	4.7%	95.2%
Grade 10	3.2%	4.5%	7.7%	92.3%
Grade 11	5.5%	7.2%	10.8%	89.2%
Grade 12	6.9%	8.6%	10.8%	89.2%
Valium Or Diazepam?				
All	0.7%	0.8%	1.0%	99.0%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.1%	1.4%	1.8%	98.2%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.5%	0.6%	1.0%	99.0%
Grade 11	1.3%	1.5%	1.8%	98.3%
Grade 12	1.6%	1.8%	2.0%	98.0%
Xanax Or Alprazolam?				
All	1.4%	2.2%	3.2%	96.8%
Grade 6	0.1%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	1.3%	2.4%	2.4%	97.6%
Grade 9	0.8%	1.4%	2.4%	97.6%
Grade 10	1.6%	2.1%	4.1%	95.9%
Grade 11	3.1%	4.3%	6.2%	93.8%
Grade 12	3.3%	5.1%	6.9%	93.2%

Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.8%	2.2%	3.0%	97.0%
Grade 6	0.8%	1.0%	1.5%	98.4%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	2.3%	3.2%	3.5%	96.4%
Grade 9	1.3%	1.4%	2.1%	97.8%
Grade 10	3.4%	3.4%	4.5%	95.5%
Grade 11	2.4%	3.5%	4.6%	95.3%
Grade 12	1.7%	2.1%	3.6%	96.4%

Inhalants

Table I-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	0.8%	1.2%	3.1%	97.0%
Grade 6	0.8%	0.8%	3.1%	97.0%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.3%	1.3%	3.6%	96.4%
Grade 9	0.5%	1.1%	3.0%	97.0%
Grade 10	2.0%	2.1%	4.9%	95.2%
Grade 11	1.4%	1.9%	4.1%	95.9%
Grade 12	0.6%	0.9%	1.8%	98.1%
Whiteout, Correction Fluid, Magic Markers?				
All	1.4%	2.4%	6.7%	93.3%
Grade 6	2.4%	3.0%	7.7%	92.3%
Grade 7	1.7%	2.4%	5.6%	94.4%
Grade 8	1.5%	3.1%	8.8%	91.2%
Grade 9	1.4%	3.9%	8.2%	91.8%
Grade 10	1.9%	3.4%	6.4%	93.6%
Grade 11	0.4%	0.4%	6.3%	93.6%
Grade 12	0.3%	0.3%	3.4%	96.5%
Computer Dusting Sprays?				
All	0.5%	0.8%	1.8%	98.2%
Grade 6	0.5%	0.8%	1.3%	98.7%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.0%	0.0%	1.9%	98.1%
Grade 9	0.4%	0.5%	0.6%	99.5%
Grade 10	1.0%	1.9%	3.1%	96.9%
Grade 11	0.1%	0.3%	1.9%	98.0%
Grade 12	1.0%	1.5%	3.2%	96.7%
Helium, Butane, Propane, Whip-pets, Freon?				
All	1.7%	2.7%	6.2%	93.8%
Grade 6	1.5%	1.7%	4.0%	96.0%
Grade 7	1.1%	1.5%	6.6%	93.5%
Grade 8	1.0%	4.3%	8.5%	91.4%
Grade 9	2.1%	3.6%	7.6%	92.3%
Grade 10	3.4%	4.5%	6.8%	93.1%
Grade 11	1.4%	1.5%	5.2%	94.8%
Grade 12	1.0%	1.4%	4.3%	95.7%
Glue?				
All	0.6%	0.6%	1.2%	98.8%
Grade 6	1.8%	2.0%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.3%	0.3%	1.6%	98.4%
Grade 10	1.3%	1.3%	1.7%	98.3%
Grade 11	0.5%	0.5%	1.0%	99.0%
Grade 12	0.0%	0.1%	0.1%	99.9%

Table I-1: How recently, if ever, have you used ...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.3%	0.4%	1.3%	98.7%
Grade 6	0.2%	0.2%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.4%	1.7%	98.2%
Grade 9	0.1%	0.2%	1.2%	98.7%
Grade 10	1.2%	1.5%	1.9%	98.2%
Grade 11	0.6%	0.6%	1.3%	98.7%
Grade 12	0.2%	0.2%	1.3%	98.7%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	1.0%	1.2%	2.6%	97.4%
Grade 6	1.2%	1.3%	3.0%	97.1%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.9%	1.5%	4.0%	96.0%
Grade 9	1.6%	1.8%	2.6%	97.3%
Grade 10	1.3%	1.5%	3.2%	96.8%
Grade 11	0.9%	1.1%	2.2%	97.7%
Grade 12	0.6%	0.9%	2.0%	98.0%
Other Aerosols/Sprays?				
All	0.7%	1.0%	2.6%	97.4%
Grade 6	2.0%	2.4%	4.9%	95.2%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.4%	0.7%	2.8%	97.1%
Grade 9	0.4%	1.1%	1.9%	98.1%
Grade 10	0.8%	1.4%	2.4%	97.6%
Grade 11	1.1%	1.1%	2.9%	97.1%
Grade 12	0.1%	0.4%	1.8%	98.1%
Any Inhalant?				
All	4.0%	5.5%	12.2%	87.8%
Grade 6	6.2%	6.5%	11.7%	88.3%
Grade 7	2.7%	3.8%	12.2%	87.8%
Grade 8	3.3%	7.2%	14.9%	85.2%
Grade 9	4.5%	6.7%	13.4%	86.6%
Grade 10	5.0%	7.0%	11.5%	88.5%
Grade 11	3.3%	3.4%	11.0%	89.0%
Grade 12	2.6%	3.7%	10.7%	89.3%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.4%	0.1%	0.1%	0.3%	0.6%	0.7%	1.9%
Grade 6	96.8%	0.3%	0.3%	0.3%	0.7%	0.3%	1.2%
Grade 7	98.0%	0.0%	0.0%	0.3%	1.0%	0.0%	0.7%
Grade 8	92.0%	0.0%	0.0%	0.8%	1.6%	1.6%	4.1%
Grade 9	95.9%	0.0%	0.4%	0.6%	0.1%	1.0%	2.1%
Grade 10	98.2%	0.0%	0.0%	0.0%	0.2%	0.4%	1.1%
Grade 11	96.3%	0.0%	0.0%	0.2%	0.1%	0.9%	2.5%
Grade 12	97.3%	0.0%	0.0%	0.0%	0.3%	0.5%	2.0%

Table I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	87.8%	6.5%	3.9%	1.8%
Grade 6	88.4%	4.3%	5.2%	2.1%
Grade 7	87.8%	9.3%	2.9%	0.0%
Grade 8	85.2%	8.3%	3.2%	3.4%
Grade 9	86.7%	7.1%	4.3%	1.9%
Grade 10	88.7%	4.8%	4.4%	2.2%
Grade 11	89.0%	5.3%	3.5%	2.2%
Grade 12	89.3%	6.0%	4.1%	0.6%

Table I-4: Average age of first use of inhalants:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	9.9	10.8	11.5	12.4	12.2	13.0	15.4

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1 to 3 days	4 to 9 days	10+ days
All	99.1%	0.7%	0.1%	0.1%
Grade 6	98.9%	1.0%	0.0%	0.1%
Grade 7	99.7%	0.3%	0.0%	0.0%
Grade 8	98.5%	1.2%	0.3%	0.0%
Grade 9	99.0%	0.5%	0.4%	0.0%
Grade 10	99.4%	0.6%	0.0%	0.0%
Grade 11	99.1%	0.6%	0.2%	0.1%
Grade 12	99.2%	0.2%	0.0%	0.5%

Table I-6: School year use of inhalants by absences and conduct problems:

	Average days absent due to illness or other reasons
Inhalants Users	5.2
Inhalants Non-Users	3.6
	Average days conduct problems reported
Inhalants Users	5.1
Inhalants Non-Users	1.3

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	All
All	91.1%	6.4%	1.9%	0.3%	0.3%
Grade 6	94.2%	3.4%	1.3%	0.6%	0.5%
Grade 7	88.9%	8.2%	2.5%	0.3%	0.0%
Grade 8	90.9%	6.3%	2.8%	0.0%	0.0%
Grade 9	91.3%	6.3%	2.0%	0.2%	0.1%
Grade 10	91.4%	5.7%	1.1%	0.3%	1.4%
Grade 11	90.7%	7.5%	1.4%	0.4%	0.0%
Grade 12	90.0%	7.3%	2.4%	0.3%	0.0%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	81.6%	8.8%	2.4%	1.1%	6.1%
Grade 6	81.8%	8.2%	2.5%	1.2%	6.2%
Grade 7	82.5%	9.0%	2.0%	0.7%	5.7%
Grade 8	80.1%	8.9%	3.9%	0.8%	6.2%
Grade 9	79.1%	11.3%	2.8%	1.0%	5.8%
Grade 10	81.3%	10.1%	1.2%	1.1%	6.3%
Grade 11	80.2%	8.3%	2.5%	0.5%	8.4%
Grade 12	86.6%	5.3%	1.5%	2.6%	3.9%

Table I-9: If you wanted some, how difficult would it be to get inhalants?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	34.7%	21.2%	5.0%	7.2%	9.2%	22.7%
Grade 6	50.2%	28.3%	3.4%	3.5%	3.2%	11.4%
Grade 7	35.5%	29.7%	5.0%	7.2%	8.3%	14.3%
Grade 8	26.5%	21.5%	8.9%	9.5%	11.9%	21.7%
Grade 9	31.6%	20.4%	5.9%	10.9%	8.2%	23.0%
Grade 10	29.3%	23.8%	3.4%	6.8%	12.8%	24.0%
Grade 11	31.0%	11.5%	4.0%	7.2%	11.4%	34.9%
Grade 12	37.8%	10.2%	4.3%	5.4%	9.3%	32.9%

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

		Yes
A School Health Class		
	All	35.0%
	Grade 6	35.9%
	Grade 7	26.5%
	Grade 8	36.6%
	Grade 9	44.1%
	Grade 10	29.4%
	Grade 11	36.7%
	Grade 12	35.1%
An Assembly Program		
	All	46.3%
	Grade 6	42.9%
	Grade 7	58.2%
	Grade 8	60.0%
	Grade 9	48.1%
	Grade 10	35.6%
	Grade 11	36.5%
	Grade 12	42.7%
Guidance Counselor		
	All	19.0%
	Grade 6	22.3%
	Grade 7	16.6%
	Grade 8	22.0%
	Grade 9	20.2%
	Grade 10	12.6%
	Grade 11	16.6%
	Grade 12	23.4%
Science Or Social Studies Class		
	All	28.7%
	Grade 6	26.0%
	Grade 7	44.2%
	Grade 8	28.5%
	Grade 9	30.7%
	Grade 10	19.9%
	Grade 11	21.7%
	Grade 12	29.4%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?
(Continued)**

	Yes
Student Group Or Club Meeting At School	
All	14.3%
Grade 6	11.7%
Grade 7	14.4%
Grade 8	13.4%
Grade 9	14.0%
Grade 10	11.3%
Grade 11	12.9%
Grade 12	23.4%
An Invited School Guest	
All	36.9%
Grade 6	30.4%
Grade 7	49.7%
Grade 8	47.9%
Grade 9	39.7%
Grade 10	26.4%
Grade 11	28.5%
Grade 12	35.5%
Another Source At School	
All	30.5%
Grade 6	28.4%
Grade 7	34.3%
Grade 8	31.6%
Grade 9	33.3%
Grade 10	25.0%
Grade 11	29.5%
Grade 12	31.4%
Any School Source	
All	67.2%
Grade 6	64.1%
Grade 7	77.4%
Grade 8	71.5%
Grade 9	72.4%
Grade 10	58.1%
Grade 11	63.6%
Grade 12	62.1%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	39.0%
	Grade 6	52.7%
	Grade 7	50.6%
	Grade 8	49.5%
	Grade 9	35.4%
	Grade 10	28.0%
	Grade 11	23.8%
	Grade 12	30.9%
Another Adult In School		
	All	43.7%
	Grade 6	48.8%
	Grade 7	54.1%
	Grade 8	57.9%
	Grade 9	43.0%
	Grade 10	33.9%
	Grade 11	35.9%
	Grade 12	29.8%
Counselor/Program Outside-School		
	All	41.0%
	Grade 6	47.5%
	Grade 7	46.3%
	Grade 8	47.3%
	Grade 9	43.1%
	Grade 10	37.3%
	Grade 11	32.9%
	Grade 12	30.7%
Your Parents		
	All	67.2%
	Grade 6	81.6%
	Grade 7	74.3%
	Grade 8	67.4%
	Grade 9	66.3%
	Grade 10	60.5%
	Grade 11	58.2%
	Grade 12	59.7%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

		Yes
A Medical Doctor		
	All	50.3%
	Grade 6	69.6%
	Grade 7	59.9%
	Grade 8	52.3%
	Grade 9	47.9%
	Grade 10	41.6%
	Grade 11	40.0%
	Grade 12	37.8%
Your Friends		
	All	59.8%
	Grade 6	39.2%
	Grade 7	57.0%
	Grade 8	58.3%
	Grade 9	59.9%
	Grade 10	69.0%
	Grade 11	70.8%
	Grade 12	66.6%
Another Adult		
	All	61.9%
	Grade 6	64.0%
	Grade 7	66.9%
	Grade 8	59.3%
	Grade 9	65.9%
	Grade 10	58.1%
	Grade 11	59.6%
	Grade 12	58.2%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

		Yes
Sought Help For Drug/Alcohol Problem		
	All	4.7%
	Grade 6	4.5%
	Grade 7	4.8%
	Grade 8	1.6%
	Grade 9	6.9%
	Grade 10	4.7%
	Grade 11	5.4%
	Grade 12	5.2%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	4.7%	23.0%	21.2%	37.7%	13.4%
Grade 6	5.7%	19.1%	18.2%	34.8%	22.2%
Grade 7	3.7%	22.5%	18.1%	36.0%	19.7%
Grade 8	6.2%	18.7%	16.4%	46.0%	12.7%
Grade 9	4.2%	22.6%	28.0%	32.8%	12.3%
Grade 10	3.4%	26.7%	23.5%	37.6%	8.9%
Grade 11	3.8%	25.4%	22.5%	41.0%	7.3%
Grade 12	6.2%	26.3%	21.6%	36.5%	9.4%
Sometimes Carry Weapons?					
All	54.3%	25.0%	10.5%	8.1%	2.0%
Grade 6	80.6%	12.2%	4.2%	1.3%	1.6%
Grade 7	70.1%	19.8%	6.5%	2.6%	1.0%
Grade 8	58.1%	29.0%	8.6%	3.4%	0.9%
Grade 9	43.3%	31.8%	11.9%	11.0%	1.9%
Grade 10	46.7%	26.2%	14.3%	10.2%	2.6%
Grade 11	41.8%	28.3%	13.6%	13.7%	2.7%
Grade 12	36.2%	28.5%	15.3%	16.2%	3.9%
Care About Making Good Grades?					
All	2.1%	11.2%	20.7%	43.6%	22.4%
Grade 6	2.0%	11.3%	17.7%	34.8%	34.2%
Grade 7	2.3%	6.9%	15.5%	41.0%	34.3%
Grade 8	1.4%	9.7%	20.2%	45.9%	22.8%
Grade 9	1.8%	13.2%	21.7%	43.4%	19.8%
Grade 10	2.2%	10.6%	24.7%	48.1%	14.4%
Grade 11	1.7%	16.4%	22.4%	43.7%	15.8%
Grade 12	3.3%	10.2%	23.6%	49.3%	13.6%
Belong/Want To Belong To A Gang?					
All	84.4%	10.3%	3.8%	0.9%	0.6%
Grade 6	85.7%	10.5%	2.5%	0.2%	1.1%
Grade 7	86.5%	10.8%	2.7%	0.0%	0.0%
Grade 8	88.4%	8.5%	2.0%	1.1%	0.0%
Grade 9	83.7%	9.2%	3.6%	2.7%	0.8%
Grade 10	83.1%	9.7%	6.5%	0.5%	0.3%
Grade 11	81.2%	11.7%	5.2%	1.2%	0.7%
Grade 12	81.6%	12.0%	4.5%	0.5%	1.4%
Wish They Could Drop Out Of School?					
All	63.3%	23.8%	7.5%	3.5%	1.8%
Grade 6	73.2%	15.8%	5.5%	3.5%	2.1%
Grade 7	72.6%	15.6%	9.2%	1.7%	0.9%
Grade 8	69.9%	22.3%	3.8%	3.6%	0.4%
Grade 9	55.8%	31.3%	6.4%	6.1%	0.4%
Grade 10	56.6%	27.7%	9.3%	2.6%	3.8%
Grade 11	55.6%	26.9%	9.8%	5.0%	2.7%
Grade 12	58.2%	28.0%	9.2%	1.9%	2.6%

Table X-5: How safe to do you feel when you are:

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?					
All	84.9%	13.3%	0.9%	0.2%	0.7%
Grade 6	86.2%	12.1%	0.8%	0.5%	0.5%
Grade 7	82.2%	16.8%	0.4%	0.0%	0.6%
Grade 8	85.6%	12.8%	1.6%	0.0%	0.0%
Grade 9	86.3%	12.2%	0.6%	0.1%	0.7%
Grade 10	86.6%	12.5%	0.5%	0.1%	0.4%
Grade 11	85.2%	11.8%	1.0%	0.1%	1.9%
Grade 12	81.5%	15.0%	1.5%	0.7%	1.3%
Out In Your Neighborhood?					
All	46.6%	41.9%	6.6%	2.4%	2.5%
Grade 6	34.0%	46.2%	9.7%	5.5%	4.7%
Grade 7	44.1%	42.1%	8.9%	1.7%	3.1%
Grade 8	51.2%	38.7%	6.7%	1.8%	1.6%
Grade 9	43.7%	44.5%	5.3%	3.1%	3.3%
Grade 10	49.5%	44.3%	4.4%	1.6%	0.1%
Grade 11	53.6%	35.2%	7.4%	0.9%	2.9%
Grade 12	51.9%	41.1%	3.6%	1.5%	1.9%
At School?					
All	49.2%	38.4%	5.9%	2.8%	3.7%
Grade 6	57.2%	27.2%	6.3%	4.5%	4.8%
Grade 7	61.0%	31.6%	5.1%	0.9%	1.5%
Grade 8	64.3%	29.7%	3.1%	0.9%	1.9%
Grade 9	39.2%	46.1%	6.6%	2.9%	5.1%
Grade 10	38.5%	48.5%	7.0%	3.4%	2.6%
Grade 11	40.9%	43.8%	6.7%	3.8%	4.6%
Grade 12	42.2%	42.5%	6.6%	3.5%	5.3%

2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.5%	13.5%	25.3%	74.7%
	Grade 6	1.1%	2.2%	7.7%	92.4%
	Grade 7	2.4%	5.2%	14.0%	86.0%
	Grade 8	6.8%	11.6%	23.8%	76.2%
	Grade 9	10.7%	14.8%	25.1%	75.0%
	Grade 10	11.3%	16.4%	28.9%	71.1%
	Grade 11	17.6%	24.9%	40.8%	59.1%
	Grade 12	19.0%	22.2%	41.5%	58.4%
Alcohol	All	20.7%	28.5%	49.6%	50.3%
	Grade 6	6.9%	8.0%	21.3%	78.7%
	Grade 7	7.9%	14.3%	35.3%	64.7%
	Grade 8	9.9%	16.0%	41.4%	58.5%
	Grade 9	23.9%	32.2%	55.6%	44.4%
	Grade 10	27.5%	37.7%	57.7%	42.2%
	Grade 11	37.2%	48.5%	72.6%	27.4%
	Grade 12	35.8%	48.6%	69.5%	30.5%
Inhalants	All	4.0%	5.5%	12.2%	87.8%
	Grade 6	6.2%	6.5%	11.7%	88.3%
	Grade 7	2.7%	3.8%	12.2%	87.8%
	Grade 8	3.3%	7.2%	14.9%	85.2%
	Grade 9	4.5%	6.7%	13.4%	86.6%
	Grade 10	5.0%	7.0%	11.5%	88.5%
	Grade 11	3.3%	3.4%	11.0%	89.0%
	Grade 12	2.6%	3.7%	10.7%	89.3%
Any Illicit Drug	All	6.5%	9.3%	18.9%	81.1%
	Grade 6	1.0%	1.1%	2.3%	97.7%
	Grade 7	2.2%	3.2%	5.3%	94.6%
	Grade 8	4.2%	6.7%	12.6%	87.4%
	Grade 9	4.7%	6.7%	14.9%	85.2%
	Grade 10	10.4%	14.2%	26.9%	73.2%
	Grade 11	10.0%	15.7%	36.7%	63.3%
	Grade 12	15.6%	20.9%	39.6%	60.4%
Marijuana	All	5.9%	8.6%	18.0%	82.0%
	Grade 6	0.5%	0.6%	1.0%	99.0%
	Grade 7	2.2%	2.4%	4.2%	95.8%
	Grade 8	3.3%	6.4%	11.3%	88.8%
	Grade 9	4.0%	6.2%	14.6%	85.5%
	Grade 10	9.4%	12.4%	25.4%	74.5%
	Grade 11	8.6%	14.5%	35.9%	64.0%
	Grade 12	15.5%	20.9%	39.5%	60.5%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.8%	4.2%	10.4%	89.7%
Grade 6	0.4%	0.5%	0.6%	99.4%
Grade 7	2.0%	2.0%	2.7%	97.3%
Grade 8	0.9%	1.3%	5.1%	94.9%
Grade 9	2.2%	3.2%	8.1%	91.9%
Grade 10	3.4%	5.2%	12.5%	87.6%
Grade 11	4.4%	8.1%	23.4%	76.6%
Grade 12	7.0%	10.1%	23.3%	76.6%
Cocaine Or Crack				
All	0.4%	0.6%	1.1%	98.9%
Grade 6	0.4%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.7%	99.2%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.5%	0.6%	1.7%	98.3%
Grade 12	1.1%	2.1%	3.7%	96.4%
Cocaine				
All	0.4%	0.6%	1.1%	98.9%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.7%	99.2%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.5%	0.6%	1.7%	98.3%
Grade 12	1.1%	2.1%	3.6%	96.5%
Crack				
All	0.1%	0.1%	0.1%	99.8%
Grade 6	0.4%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.2%	99.8%
Hallucinogens				
All	0.2%	0.5%	1.2%	98.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.5%	0.8%	1.6%	98.4%
Grade 10	0.5%	0.9%	2.0%	97.9%
Grade 11	0.4%	0.8%	1.7%	98.3%
Grade 12	0.2%	1.3%	3.4%	96.6%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.4%	99.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.5%	0.6%	0.7%	99.4%
	Grade 10	0.7%	0.7%	1.1%	99.0%
	Grade 11	0.1%	0.2%	0.6%	99.4%
	Grade 12	0.2%	0.2%	0.9%	99.2%
Steroids	All	0.2%	0.3%	0.8%	99.2%
	Grade 6	0.4%	0.5%	1.0%	99.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.1%	0.3%	1.0%	99.0%
	Grade 10	1.1%	1.1%	2.1%	97.9%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.0%	0.2%	0.9%	99.1%
Ecstasy	All	0.6%	0.9%	1.9%	98.1%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.8%	0.8%	99.2%
	Grade 8	0.6%	0.6%	0.9%	99.1%
	Grade 9	0.5%	0.5%	1.1%	98.9%
	Grade 10	1.9%	2.0%	3.5%	96.5%
	Grade 11	1.3%	1.8%	3.7%	96.3%
	Grade 12	0.1%	0.5%	3.7%	96.3%
Heroin	All	0.1%	0.2%	0.3%	99.8%
	Grade 6	0.2%	0.2%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.4%	0.4%	99.6%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.4%	99.6%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.3%	2.3%	6.9%	93.2%
Grade 6	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.2%	1.6%	98.4%
Grade 8	2.6%	3.0%	7.1%	92.9%
Grade 9	1.0%	2.1%	5.6%	94.4%
Grade 10	1.9%	4.6%	11.6%	88.4%
Grade 11	2.0%	4.0%	11.1%	89.0%
Grade 12	1.4%	1.9%	12.1%	87.9%
Methamphetamine				
All	0.1%	0.1%	0.8%	99.2%
Grade 6	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	2.1%	97.9%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.9%	16.5%	28.4%	71.5%
	Grade 6	1.1%	2.4%	9.7%	90.3%
	Grade 7	2.9%	5.6%	13.4%	86.5%
	Grade 8	7.4%	14.3%	27.9%	72.1%
	Grade 9	12.3%	17.7%	27.9%	72.1%
	Grade 10	15.9%	22.0%	31.6%	68.4%
	Grade 11	23.0%	30.6%	43.6%	56.4%
	Grade 12	23.4%	25.8%	48.6%	51.3%
Alcohol	All	22.2%	29.8%	52.6%	47.5%
	Grade 6	10.3%	11.5%	28.0%	72.0%
	Grade 7	11.5%	18.2%	44.0%	56.0%
	Grade 8	6.7%	13.3%	41.7%	58.2%
	Grade 9	25.7%	35.4%	57.5%	42.6%
	Grade 10	29.0%	35.6%	53.5%	46.5%
	Grade 11	37.1%	47.9%	72.8%	27.2%
	Grade 12	39.2%	51.6%	74.7%	25.3%
Inhalants	All	4.6%	5.7%	11.6%	88.4%
	Grade 6	7.5%	7.9%	14.6%	85.4%
	Grade 7	2.5%	3.9%	10.2%	89.8%
	Grade 8	1.5%	4.6%	13.8%	86.1%
	Grade 9	5.0%	5.3%	10.7%	89.3%
	Grade 10	8.8%	9.4%	13.9%	86.0%
	Grade 11	4.1%	4.1%	7.9%	92.1%
	Grade 12	3.4%	4.8%	9.5%	90.5%
Any Illicit Drug	All	7.6%	10.4%	21.0%	79.0%
	Grade 6	1.2%	1.2%	3.0%	97.0%
	Grade 7	3.1%	3.5%	6.6%	93.4%
	Grade 8	5.5%	7.9%	15.1%	85.0%
	Grade 9	3.6%	5.5%	14.2%	85.8%
	Grade 10	12.6%	17.7%	28.4%	71.6%
	Grade 11	10.3%	14.9%	36.9%	63.1%
	Grade 12	19.3%	25.6%	49.1%	50.9%
Marijuana	All	6.8%	9.6%	20.4%	79.6%
	Grade 6	0.2%	0.2%	0.7%	99.3%
	Grade 7	3.1%	3.5%	6.6%	93.4%
	Grade 8	4.5%	7.9%	15.1%	85.0%
	Grade 9	3.0%	4.6%	13.9%	86.1%
	Grade 10	11.1%	14.6%	26.6%	73.5%
	Grade 11	9.2%	13.9%	36.9%	63.1%
	Grade 12	19.1%	25.6%	48.8%	51.2%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.7%	4.0%	11.2%	88.8%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	3.1%	3.1%	4.6%	95.4%
Grade 8	0.8%	1.6%	6.7%	93.2%
Grade 9	1.7%	2.2%	8.9%	91.1%
Grade 10	3.9%	6.1%	12.1%	87.8%
Grade 11	4.0%	7.2%	22.6%	77.5%
Grade 12	6.0%	8.7%	25.6%	74.4%
Cocaine Or Crack				
All	0.7%	1.0%	1.7%	98.3%
Grade 6	0.8%	0.8%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	1.5%	1.5%	2.3%	97.7%
Grade 11	0.6%	0.8%	2.4%	97.5%
Grade 12	1.6%	3.5%	5.6%	94.4%
Cocaine				
All	0.6%	0.9%	1.6%	98.4%
Grade 6	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	1.5%	1.5%	2.3%	97.7%
Grade 11	0.6%	0.8%	2.4%	97.5%
Grade 12	1.6%	3.5%	5.4%	94.6%
Crack				
All	0.3%	0.3%	0.4%	99.7%
Grade 6	0.8%	0.8%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.4%	99.6%
Hallucinogens				
All	0.3%	0.8%	1.9%	98.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.6%	1.0%	2.0%	98.0%
Grade 10	0.4%	1.1%	3.0%	97.0%
Grade 11	0.7%	1.1%	2.6%	97.5%
Grade 12	0.4%	2.6%	5.4%	94.6%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.1%	1.1%	1.6%	98.5%
	Grade 11	0.1%	0.1%	0.4%	99.5%
	Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids	All	0.3%	0.3%	1.0%	98.9%
	Grade 6	0.2%	0.4%	1.5%	98.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.0%	0.0%	1.3%	98.7%
	Grade 10	2.3%	2.3%	3.8%	96.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.7%	99.3%
Ecstasy	All	0.9%	1.1%	2.4%	97.6%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.1%	1.1%	1.7%	98.3%
	Grade 9	0.4%	0.4%	0.9%	99.1%
	Grade 10	3.9%	3.9%	6.0%	94.0%
	Grade 11	1.0%	1.5%	3.5%	96.6%
	Grade 12	0.0%	0.8%	5.2%	94.8%
Heroin	All	0.1%	0.1%	0.2%	99.9%
	Grade 6	0.4%	0.4%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.6%	2.7%	7.7%	92.2%
Grade 6	0.2%	0.2%	1.2%	98.8%
Grade 7	0.0%	0.4%	2.1%	97.9%
Grade 8	4.1%	4.8%	8.2%	91.8%
Grade 9	0.9%	1.8%	4.0%	96.0%
Grade 10	1.4%	5.1%	11.5%	88.6%
Grade 11	3.1%	5.2%	12.1%	87.9%
Grade 12	1.8%	2.0%	17.5%	82.6%
Methamphetamine				
All	0.1%	0.2%	1.0%	99.0%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.4%	0.8%	1.2%	98.8%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	2.9%	97.1%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.2%	10.6%	22.2%	77.9%
	Grade 6	1.1%	2.0%	5.9%	94.1%
	Grade 7	1.8%	4.8%	14.5%	85.4%
	Grade 8	6.2%	8.6%	19.1%	80.9%
	Grade 9	9.1%	12.2%	22.6%	77.5%
	Grade 10	7.6%	11.6%	26.7%	73.3%
	Grade 11	12.0%	19.1%	38.0%	61.9%
	Grade 12	14.7%	18.6%	33.0%	67.0%
Alcohol	All	19.4%	27.4%	46.8%	53.1%
	Grade 6	3.9%	4.9%	15.3%	84.6%
	Grade 7	4.3%	10.4%	26.7%	73.2%
	Grade 8	13.6%	19.2%	41.2%	58.8%
	Grade 9	22.4%	29.6%	54.2%	45.8%
	Grade 10	26.3%	39.5%	61.5%	38.5%
	Grade 11	37.3%	49.0%	72.4%	27.5%
	Grade 12	33.0%	46.1%	63.3%	36.6%
Inhalants	All	3.4%	5.4%	12.7%	87.3%
	Grade 6	5.0%	5.2%	9.0%	90.9%
	Grade 7	2.9%	3.6%	14.1%	85.8%
	Grade 8	5.3%	10.0%	15.9%	84.1%
	Grade 9	4.1%	7.7%	15.3%	84.7%
	Grade 10	1.8%	4.9%	9.3%	90.6%
	Grade 11	2.5%	2.7%	14.2%	85.7%
	Grade 12	1.8%	2.7%	10.7%	89.4%
Any Illicit Drug	All	5.5%	8.0%	16.6%	83.4%
	Grade 6	0.8%	1.0%	1.7%	98.4%
	Grade 7	1.3%	3.0%	4.1%	95.9%
	Grade 8	2.7%	5.4%	9.8%	90.3%
	Grade 9	5.6%	7.4%	15.2%	84.9%
	Grade 10	8.1%	10.8%	25.2%	74.8%
	Grade 11	9.7%	16.5%	36.6%	63.4%
	Grade 12	12.2%	14.9%	28.8%	71.2%
Marijuana	All	5.0%	7.4%	15.4%	84.5%
	Grade 6	0.8%	1.0%	1.3%	98.8%
	Grade 7	1.3%	1.3%	1.7%	98.3%
	Grade 8	1.9%	4.6%	6.8%	93.2%
	Grade 9	4.7%	7.0%	14.8%	85.2%
	Grade 10	7.8%	10.5%	24.5%	75.5%
	Grade 11	8.0%	15.3%	35.1%	64.9%
	Grade 12	12.2%	14.9%	28.8%	71.2%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.8%	4.0%	9.2%	90.8%
Grade 6	0.7%	0.8%	0.8%	99.1%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.9%	0.9%	3.1%	96.8%
Grade 9	2.6%	3.7%	7.2%	92.8%
Grade 10	2.7%	4.1%	12.5%	87.5%
Grade 11	4.7%	9.0%	24.3%	75.8%
Grade 12	8.2%	10.3%	19.6%	80.4%
Cocaine Or Crack				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.9%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.6%	99.5%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.6%	0.6%	1.7%	98.3%
Cocaine				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.9%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.6%	99.5%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.6%	0.6%	1.7%	98.3%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.2%	0.3%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.7%	1.3%	98.7%
Grade 10	0.4%	0.6%	1.1%	99.0%
Grade 11	0.2%	0.6%	1.0%	99.1%
Grade 12	0.0%	0.0%	1.5%	98.5%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.8%	99.3%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.4%	0.4%	0.8%	99.2%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.8%	0.9%	1.1%	98.9%
	Grade 10	0.3%	0.3%	0.6%	99.4%
	Grade 11	0.0%	0.3%	0.8%	99.3%
	Grade 12	0.0%	0.0%	1.3%	98.7%
Steroids	All	0.1%	0.2%	0.5%	99.5%
	Grade 6	0.6%	0.6%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.4%	0.6%	99.4%
	Grade 10	0.0%	0.0%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.5%	99.5%
	Grade 12	0.0%	0.4%	1.2%	98.8%
Ecstasy	All	0.4%	0.7%	1.5%	98.5%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	1.7%	1.7%	98.3%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.5%	0.5%	1.2%	98.7%
	Grade 10	0.2%	0.3%	1.3%	98.7%
	Grade 11	1.6%	2.2%	3.9%	96.1%
	Grade 12	0.3%	0.3%	2.3%	97.7%
Heroin	All	0.1%	0.2%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.8%	0.8%	99.2%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.2%	0.2%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.8%	99.2%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.9%	1.7%	6.0%	94.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.8%	0.8%	5.7%	94.2%
Grade 9	1.2%	2.4%	7.0%	93.0%
Grade 10	2.4%	4.2%	11.8%	88.2%
Grade 11	0.9%	2.8%	10.0%	90.1%
Grade 12	1.0%	1.9%	6.9%	93.1%
Methamphetamine				
All	0.1%	0.1%	0.7%	99.4%
Grade 6	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.2%	0.2%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	1.3%	98.7%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.9%	16.1%	28.1%	72.0%
	Grade 6	1.0%	2.5%	7.9%	92.1%
	Grade 7	2.6%	5.0%	13.9%	86.1%
	Grade 8	7.2%	10.9%	23.0%	77.0%
	Grade 9	13.4%	17.6%	25.5%	74.5%
	Grade 10	16.0%	22.7%	35.4%	64.5%
	Grade 11	24.6%	31.4%	48.6%	51.4%
	Grade 12	24.2%	29.0%	51.3%	48.7%
Alcohol	All	21.1%	29.3%	50.9%	49.1%
	Grade 6	7.4%	8.9%	24.0%	76.1%
	Grade 7	6.6%	12.9%	35.4%	64.6%
	Grade 8	8.8%	14.1%	40.0%	59.9%
	Grade 9	27.1%	37.2%	61.9%	38.0%
	Grade 10	30.3%	40.9%	59.2%	40.8%
	Grade 11	41.2%	52.1%	73.3%	26.7%
	Grade 12	35.5%	50.2%	72.4%	27.6%
Inhalants	All	3.4%	5.3%	12.7%	87.3%
	Grade 6	3.9%	4.2%	10.7%	89.2%
	Grade 7	1.5%	3.2%	11.9%	88.2%
	Grade 8	3.9%	7.4%	14.3%	85.8%
	Grade 9	3.7%	6.6%	16.2%	83.9%
	Grade 10	5.6%	8.5%	14.4%	85.5%
	Grade 11	2.5%	2.5%	8.8%	91.2%
	Grade 12	2.7%	4.3%	11.9%	88.2%
Any Illicit Drug	All	5.8%	8.7%	16.7%	83.3%
	Grade 6	0.8%	1.0%	1.7%	98.3%
	Grade 7	0.3%	0.6%	2.6%	97.4%
	Grade 8	3.6%	6.7%	10.1%	89.9%
	Grade 9	3.6%	6.4%	11.4%	88.7%
	Grade 10	13.8%	17.6%	28.7%	71.2%
	Grade 11	9.4%	16.7%	35.9%	64.1%
	Grade 12	12.8%	16.7%	36.6%	63.5%
Marijuana	All	5.1%	8.0%	16.1%	84.0%
	Grade 6	0.8%	1.0%	1.2%	98.8%
	Grade 7	0.3%	0.6%	2.0%	97.9%
	Grade 8	3.1%	6.2%	9.6%	90.4%
	Grade 9	2.6%	5.8%	11.0%	89.1%
	Grade 10	12.3%	15.1%	26.9%	73.1%
	Grade 11	7.1%	14.5%	34.7%	65.3%
	Grade 12	12.6%	16.7%	36.6%	63.5%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.1%	3.6%	8.7%	91.3%
Grade 6	0.6%	0.8%	1.0%	99.0%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	1.3%	2.0%	3.8%	96.2%
Grade 9	1.5%	3.1%	6.6%	93.4%
Grade 10	5.1%	6.2%	12.9%	87.1%
Grade 11	3.3%	8.5%	22.0%	78.0%
Grade 12	4.4%	6.9%	19.0%	81.1%
Cocaine Or Crack				
All	0.2%	0.5%	0.9%	99.0%
Grade 6	0.2%	0.2%	0.5%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.7%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.4%	0.4%	2.3%	97.7%
Grade 12	0.6%	2.1%	2.9%	97.1%
Cocaine				
All	0.2%	0.5%	0.9%	99.1%
Grade 6	0.2%	0.2%	0.5%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.7%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.4%	0.4%	2.3%	97.7%
Grade 12	0.6%	2.1%	2.7%	97.3%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.2%	99.8%
Hallucinogens				
All	0.2%	0.6%	1.3%	98.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.7%	1.3%	2.0%	98.0%
Grade 10	0.8%	1.4%	2.4%	97.6%
Grade 11	0.2%	0.5%	1.0%	99.0%
Grade 12	0.0%	1.2%	4.1%	95.9%

Table B-4: Prevalence and recency of use of selected substances by grade
White Students
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.3%	99.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.6%	0.7%	0.9%	99.1%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.0%	0.0%	0.5%	99.5%
Steroids	All	0.3%	0.4%	0.8%	99.1%
	Grade 6	0.2%	0.4%	1.3%	98.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.2%	0.6%	1.4%	98.6%
	Grade 10	2.0%	2.0%	2.7%	97.3%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.4%	0.6%	99.4%
Ecstasy	All	0.7%	0.8%	1.8%	98.2%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.8%	0.8%	1.5%	98.5%
	Grade 10	2.1%	2.2%	4.1%	95.9%
	Grade 11	2.0%	2.7%	5.1%	95.0%
	Grade 12	0.0%	0.0%	2.4%	97.6%
Heroin	All	0.0%	0.1%	0.1%	99.8%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.6%	0.6%	99.4%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.2%	2.3%	6.5%	93.6%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.3%	1.2%	98.8%
Grade 8	1.2%	1.8%	5.8%	94.2%
Grade 9	1.3%	2.4%	3.9%	96.1%
Grade 10	1.6%	5.0%	12.6%	87.4%
Grade 11	2.0%	4.1%	11.1%	88.9%
Grade 12	2.3%	2.5%	13.5%	86.6%
Methamphetamine				
All	0.1%	0.1%	0.5%	99.4%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.4%	0.8%	1.1%	98.9%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.5%	99.5%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	4.3%	9.0%	22.1%	77.8%
	Grade 6	2.4%	3.6%	9.9%	90.0%
	Grade 7	0.0%	9.6%	19.2%	80.7%
	Grade 8	0.0%	17.9%	39.1%	60.9%
	Grade 9	11.3%	16.1%	33.6%	66.3%
	Grade 10	2.4%	4.4%	12.8%	87.1%
	Grade 11	6.0%	11.0%	24.9%	75.1%
	Grade 12	4.4%	5.6%	25.9%	74.2%
Alcohol	All	19.3%	27.5%	52.2%	47.8%
	Grade 6	10.4%	11.3%	27.1%	72.9%
	Grade 7	3.4%	9.6%	41.9%	58.0%
	Grade 8	10.6%	31.8%	49.7%	50.3%
	Grade 9	26.4%	31.7%	50.8%	49.2%
	Grade 10	22.9%	34.3%	58.2%	41.8%
	Grade 11	31.7%	40.0%	72.5%	27.5%
	Grade 12	22.8%	36.9%	71.3%	28.7%
Inhalants	All	5.2%	6.1%	11.7%	88.3%
	Grade 6	9.8%	9.8%	14.7%	85.3%
	Grade 7	0.0%	0.0%	9.0%	91.0%
	Grade 8	0.0%	10.6%	21.2%	78.8%
	Grade 9	5.4%	5.4%	6.5%	93.5%
	Grade 10	4.5%	5.4%	6.9%	93.1%
	Grade 11	7.4%	7.4%	16.4%	83.6%
	Grade 12	3.2%	3.2%	10.3%	89.6%
Any Illicit Drug	All	5.1%	7.5%	23.5%	76.5%
	Grade 6	1.2%	1.2%	3.3%	96.7%
	Grade 7	0.0%	6.6%	13.2%	86.8%
	Grade 8	0.0%	0.0%	21.2%	78.8%
	Grade 9	5.5%	6.3%	22.7%	77.3%
	Grade 10	4.2%	5.1%	26.3%	73.6%
	Grade 11	9.0%	10.1%	34.9%	65.1%
	Grade 12	14.0%	23.0%	48.2%	51.9%
Marijuana	All	4.9%	6.6%	21.5%	78.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	6.6%	93.4%
	Grade 8	0.0%	0.0%	10.6%	89.4%
	Grade 9	5.5%	6.3%	22.7%	77.3%
	Grade 10	4.2%	5.1%	26.3%	73.6%
	Grade 11	9.0%	10.1%	34.9%	65.1%
	Grade 12	14.0%	23.0%	48.2%	51.9%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.8%	3.8%	13.4%	86.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	10.6%	89.4%
Grade 9	5.4%	6.2%	13.0%	87.0%
Grade 10	0.0%	0.9%	12.3%	87.7%
Grade 11	7.0%	7.0%	24.4%	75.6%
Grade 12	5.5%	10.5%	34.3%	65.7%
Cocaine Or Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 6	1.2%	1.2%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.2%	98.8%
Cocaine				
All	0.0%	0.0%	0.2%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.2%	98.8%
Crack				
All	0.2%	0.2%	0.2%	99.8%
Grade 6	1.2%	1.2%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.0%	0.0%	0.4%	99.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.2%	97.8%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	0.0%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.9%	99.1%
	Grade 11	0.0%	0.0%	1.1%	98.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.2%	0.2%	0.8%	99.1%
	Grade 6	1.2%	1.2%	1.2%	98.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.9%	99.1%
	Grade 10	0.0%	0.0%	0.9%	99.1%
	Grade 11	0.0%	0.0%	1.1%	98.9%
	Grade 12	0.0%	0.0%	1.2%	98.8%
Ecstasy	All	0.1%	0.8%	1.5%	98.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	6.6%	6.6%	93.4%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	0.9%	0.9%	99.1%
	Grade 11	0.0%	0.0%	1.1%	98.9%
	Grade 12	0.0%	0.0%	3.9%	96.1%
Heroin	All	0.0%	0.0%	0.0%	100.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.6%	0.9%	8.6%	91.4%
Grade 6	0.0%	0.0%	1.3%	98.7%
Grade 7	0.0%	0.0%	6.6%	93.4%
Grade 8	0.0%	0.0%	10.6%	89.4%
Grade 9	0.0%	0.0%	9.5%	90.5%
Grade 10	3.3%	4.2%	14.0%	86.0%
Grade 11	1.0%	2.1%	8.5%	91.6%
Grade 12	0.0%	0.0%	13.4%	86.6%
Methamphetamine				
All	0.0%	0.0%	1.2%	98.8%
Grade 6	0.0%	0.0%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	7.2%	92.8%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.7%	10.8%	22.0%	78.0%
	Grade 6	0.0%	0.0%	4.8%	95.2%
	Grade 7	2.6%	2.6%	10.4%	89.6%
	Grade 8	11.1%	14.5%	23.9%	76.1%
	Grade 9	3.8%	6.4%	17.9%	82.1%
	Grade 10	9.2%	12.6%	27.2%	72.8%
	Grade 11	10.9%	21.7%	37.0%	63.1%
	Grade 12	19.3%	20.8%	35.8%	64.2%
Alcohol	All	21.8%	28.6%	45.6%	54.3%
	Grade 6	3.7%	4.4%	11.8%	88.2%
	Grade 7	15.6%	21.1%	30.1%	69.9%
	Grade 8	13.4%	16.4%	42.9%	57.1%
	Grade 9	14.9%	23.0%	47.7%	52.4%
	Grade 10	25.5%	33.9%	55.3%	44.7%
	Grade 11	32.0%	47.1%	69.7%	30.4%
	Grade 12	52.7%	59.5%	64.9%	35.1%
Inhalants	All	4.7%	6.0%	12.0%	88.0%
	Grade 6	6.9%	7.6%	10.8%	89.2%
	Grade 7	9.2%	9.2%	16.7%	83.3%
	Grade 8	2.3%	5.3%	13.4%	86.6%
	Grade 9	5.6%	9.1%	15.5%	84.5%
	Grade 10	4.6%	5.4%	8.6%	91.5%
	Grade 11	1.2%	1.2%	9.9%	90.2%
	Grade 12	2.7%	3.4%	8.7%	91.3%
Any Illicit Drug	All	9.0%	11.7%	19.9%	80.1%
	Grade 6	0.9%	0.9%	1.6%	98.4%
	Grade 7	10.4%	10.4%	10.4%	89.6%
	Grade 8	9.8%	12.1%	17.4%	82.5%
	Grade 9	5.2%	6.9%	14.5%	85.6%
	Grade 10	4.9%	8.8%	20.2%	79.7%
	Grade 11	10.3%	15.4%	36.2%	63.9%
	Grade 12	25.7%	32.4%	44.0%	55.9%
Marijuana	All	8.2%	11.4%	19.4%	80.6%
	Grade 6	0.0%	0.0%	0.7%	99.3%
	Grade 7	10.4%	10.4%	10.4%	89.6%
	Grade 8	6.8%	12.1%	17.4%	82.5%
	Grade 9	4.2%	5.7%	14.0%	86.0%
	Grade 10	4.9%	8.8%	19.4%	80.6%
	Grade 11	9.7%	15.4%	35.5%	64.5%
	Grade 12	25.7%	32.4%	43.3%	56.7%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.3%	5.7%	11.5%	88.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	10.4%	10.4%	10.4%	89.6%
Grade 8	0.0%	0.0%	5.3%	94.7%
Grade 9	0.5%	0.5%	6.4%	93.6%
Grade 10	0.0%	3.0%	9.8%	90.2%
Grade 11	4.9%	7.5%	23.4%	76.6%
Grade 12	17.3%	21.5%	28.4%	71.5%
Cocaine Or Crack				
All	1.1%	1.3%	2.3%	97.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.2%	1.2%	2.9%	97.2%
Grade 10	2.2%	2.2%	3.0%	97.0%
Grade 11	1.2%	1.8%	2.4%	97.6%
Grade 12	3.0%	3.8%	8.2%	91.8%
Cocaine				
All	1.1%	1.3%	2.3%	97.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.2%	1.2%	2.9%	97.2%
Grade 10	2.2%	2.2%	3.0%	97.0%
Grade 11	1.2%	1.8%	2.4%	97.6%
Grade 12	3.0%	3.8%	8.2%	91.8%
Crack				
All	0.4%	0.4%	0.4%	99.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.2%	2.2%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.4%	1.3%	98.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	2.1%	98.0%
Grade 10	0.0%	0.0%	2.4%	97.6%
Grade 11	1.2%	1.8%	2.4%	97.6%
Grade 12	0.0%	0.0%	1.5%	98.5%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.6%	0.8%	99.2%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	2.9%	2.9%	2.9%	97.1%
	Grade 11	0.0%	0.6%	0.6%	99.4%
	Grade 12	0.0%	0.0%	2.1%	97.9%
Steroids	All	0.0%	0.0%	0.7%	99.3%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.7%	99.3%
	Grade 10	0.0%	0.0%	2.2%	97.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	2.1%	97.9%
Ecstasy	All	1.0%	1.3%	2.8%	97.2%
	Grade 6	0.0%	0.0%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	3.5%	3.5%	3.5%	96.5%
	Grade 9	0.0%	0.0%	1.4%	98.6%
	Grade 10	2.2%	2.2%	4.3%	95.7%
	Grade 11	0.6%	1.2%	2.4%	97.6%
	Grade 12	0.8%	2.3%	8.2%	91.8%
Heroin	All	0.1%	0.1%	0.3%	99.6%
	Grade 6	0.9%	0.9%	0.9%	99.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	2.1%	97.9%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.0%	3.2%	6.1%	93.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	9.8%	9.8%	12.1%	87.9%
Grade 9	1.5%	3.2%	5.2%	94.8%
Grade 10	1.5%	3.2%	7.0%	93.0%
Grade 11	1.2%	4.2%	10.9%	89.1%
Grade 12	0.8%	3.1%	9.0%	91.0%
Methamphetamine				
All	0.0%	0.0%	1.2%	98.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	3.4%	96.6%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	2.1%	97.9%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.1%	8.1%	17.4%	82.6%
	Grade 6	1.8%	1.8%	5.6%	94.4%
	Grade 7	0.6%	1.6%	8.2%	91.8%
	Grade 8	0.0%	0.0%	6.6%	93.4%
	Grade 9	2.5%	8.3%	13.6%	86.4%
	Grade 10	5.2%	7.5%	17.6%	82.3%
	Grade 11	10.4%	21.4%	40.8%	59.2%
	Grade 12	15.8%	19.2%	35.1%	64.9%
Alcohol	All	14.9%	22.6%	43.5%	56.4%
	Grade 6	4.6%	6.2%	15.1%	84.9%
	Grade 7	5.6%	8.5%	27.3%	72.7%
	Grade 8	2.0%	3.0%	23.7%	76.3%
	Grade 9	16.3%	24.5%	53.3%	46.7%
	Grade 10	16.3%	33.5%	55.6%	44.4%
	Grade 11	40.0%	48.8%	70.6%	29.4%
	Grade 12	26.1%	42.6%	69.8%	30.3%
Inhalants	All	1.8%	2.6%	7.9%	92.1%
	Grade 6	5.6%	6.0%	10.2%	89.8%
	Grade 7	0.0%	0.0%	9.3%	90.7%
	Grade 8	1.0%	2.2%	4.7%	95.3%
	Grade 9	2.3%	3.4%	9.7%	90.3%
	Grade 10	0.0%	2.1%	3.6%	96.4%
	Grade 11	1.5%	1.5%	6.0%	94.0%
	Grade 12	1.8%	2.5%	10.3%	89.8%
Any Illicit Drug	All	2.8%	5.1%	13.0%	87.0%
	Grade 6	0.9%	1.1%	2.0%	98.0%
	Grade 7	3.4%	4.0%	4.0%	96.0%
	Grade 8	0.0%	0.0%	2.3%	97.7%
	Grade 9	0.0%	1.6%	7.1%	92.9%
	Grade 10	6.5%	8.7%	16.8%	83.2%
	Grade 11	3.2%	7.6%	30.0%	70.0%
	Grade 12	6.1%	13.6%	33.1%	66.9%
Marijuana	All	2.6%	5.0%	12.7%	87.3%
	Grade 6	0.0%	0.2%	0.2%	99.8%
	Grade 7	3.4%	4.0%	4.0%	96.0%
	Grade 8	0.0%	0.0%	2.3%	97.7%
	Grade 9	0.0%	1.6%	7.1%	92.9%
	Grade 10	6.5%	8.7%	16.4%	83.6%
	Grade 11	2.4%	7.5%	29.4%	70.5%
	Grade 12	6.1%	13.6%	33.1%	66.9%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	1.1%	2.8%	9.0%	91.0%
Grade 6	0.0%	0.2%	0.2%	99.8%
Grade 7	3.3%	3.3%	3.3%	96.7%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	1.6%	6.7%	93.3%
Grade 10	1.8%	2.4%	9.3%	90.6%
Grade 11	1.0%	4.3%	20.8%	79.2%
Grade 12	1.9%	8.4%	24.7%	75.4%
Cocaine Or Crack				
All	0.4%	0.7%	0.9%	99.2%
Grade 6	0.9%	0.9%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.8%	2.8%	3.4%	96.7%
Cocaine				
All	0.2%	0.5%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.8%	2.8%	3.4%	96.7%
Crack				
All	0.1%	0.1%	0.1%	99.9%
Grade 6	0.9%	0.9%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.2%	0.7%	1.2%	98.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	2.5%	97.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	3.0%	3.7%	96.3%

Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.2%	99.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.5%	0.5%	1.2%	98.8%
Steroids	All	0.0%	0.1%	0.4%	99.7%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.5%	1.4%	98.6%
Ecstasy	All	0.1%	0.1%	0.4%	99.6%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.3%	1.3%	98.8%
	Grade 11	0.3%	0.3%	1.6%	98.3%
	Grade 12	0.4%	0.4%	0.4%	99.6%
Heroin	All	0.0%	0.0%	0.0%	100.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.3%	0.8%	2.7%	97.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	2.3%	4.1%	7.0%	93.0%
Grade 11	0.0%	1.8%	7.5%	92.5%
Grade 12	0.3%	0.3%	4.3%	95.7%
Methamphetamine				
All	0.0%	0.0%	0.2%	99.8%
Grade 6	0.0%	0.0%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.7%	99.3%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	12.0%	16.6%	30.1%	69.8%
	Grade 6	0.9%	2.5%	8.7%	91.3%
	Grade 7	3.2%	7.8%	18.4%	81.6%
	Grade 8	9.5%	17.4%	33.9%	66.1%
	Grade 9	11.4%	13.5%	25.9%	74.0%
	Grade 10	15.7%	22.5%	36.6%	63.3%
	Grade 11	25.2%	31.9%	48.0%	52.0%
	Grade 12	25.3%	29.2%	52.2%	47.8%
Alcohol	All	24.7%	31.7%	52.2%	47.8%
	Grade 6	8.6%	9.6%	24.0%	76.0%
	Grade 7	10.1%	16.0%	40.1%	59.9%
	Grade 8	13.6%	22.6%	48.1%	51.9%
	Grade 9	25.8%	33.1%	54.9%	45.1%
	Grade 10	37.7%	45.7%	62.9%	37.0%
	Grade 11	42.8%	55.6%	77.1%	22.9%
	Grade 12	42.8%	49.9%	70.3%	29.8%
Inhalants	All	5.7%	7.9%	15.7%	84.4%
	Grade 6	6.6%	6.9%	12.5%	87.5%
	Grade 7	5.4%	6.7%	16.2%	83.8%
	Grade 8	4.5%	10.7%	20.7%	79.4%
	Grade 9	4.9%	8.1%	15.5%	84.5%
	Grade 10	8.8%	11.4%	17.5%	82.5%
	Grade 11	4.8%	5.0%	13.7%	86.2%
	Grade 12	4.2%	5.9%	13.5%	86.4%
Any Illicit Drug	All	8.4%	11.3%	21.9%	78.1%
	Grade 6	1.1%	1.1%	2.5%	97.5%
	Grade 7	2.3%	3.9%	5.7%	94.3%
	Grade 8	6.0%	8.5%	16.8%	83.2%
	Grade 9	5.1%	7.0%	15.0%	85.0%
	Grade 10	14.6%	19.8%	35.8%	64.2%
	Grade 11	13.8%	20.6%	43.1%	56.9%
	Grade 12	21.8%	25.3%	48.2%	51.8%
Marijuana	All	7.4%	10.2%	20.5%	79.5%
	Grade 6	0.8%	0.8%	1.5%	98.5%
	Grade 7	2.3%	2.3%	3.4%	96.6%
	Grade 8	4.2%	7.8%	14.1%	86.0%
	Grade 9	4.1%	6.4%	14.6%	85.4%
	Grade 10	12.9%	16.8%	33.7%	66.4%
	Grade 11	11.5%	18.9%	41.9%	58.1%
	Grade 12	21.6%	25.3%	47.9%	52.2%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.1%	4.3%	10.4%	89.7%
Grade 6	0.7%	0.7%	0.9%	99.2%
Grade 7	1.9%	1.9%	2.6%	97.4%
Grade 8	0.9%	0.9%	5.8%	94.3%
Grade 9	2.3%	2.8%	6.7%	93.3%
Grade 10	4.3%	6.6%	13.9%	86.1%
Grade 11	5.7%	10.2%	25.5%	74.6%
Grade 12	7.9%	9.5%	24.2%	75.8%
Cocaine Or Crack				
All	0.6%	0.7%	1.5%	98.6%
Grade 6	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	1.5%	1.5%	2.1%	97.9%
Grade 11	0.6%	0.9%	2.9%	97.1%
Grade 12	1.4%	1.8%	4.5%	95.4%
Cocaine				
All	0.6%	0.7%	1.4%	98.6%
Grade 6	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	1.5%	1.5%	2.1%	97.9%
Grade 11	0.6%	0.9%	2.9%	97.1%
Grade 12	1.4%	1.8%	4.3%	95.6%
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.5%	99.5%
Hallucinogens				
All	0.3%	0.6%	1.6%	98.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	1.1%	2.2%	97.8%
Grade 10	0.6%	1.4%	2.6%	97.4%
Grade 11	0.7%	1.4%	3.3%	96.6%
Grade 12	0.0%	0.3%	4.1%	95.9%

Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.5%	0.8%	99.2%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.4%	0.4%	0.8%	99.2%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.7%	0.8%	1.0%	99.0%
	Grade 10	1.2%	1.2%	1.6%	98.4%
	Grade 11	0.1%	0.4%	1.2%	98.8%
	Grade 12	0.0%	0.0%	0.9%	99.1%
Steroids	All	0.3%	0.3%	1.0%	98.9%
	Grade 6	0.2%	0.3%	1.1%	98.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.2%	0.2%	1.1%	99.0%
	Grade 10	2.0%	2.0%	3.5%	96.4%
	Grade 11	0.0%	0.0%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.9%	99.1%
Ecstasy	All	1.1%	1.6%	3.0%	97.0%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	1.6%	1.6%	98.4%
	Grade 8	1.2%	1.2%	1.2%	98.8%
	Grade 9	0.8%	0.8%	1.6%	98.4%
	Grade 10	3.5%	3.5%	5.5%	94.5%
	Grade 11	2.4%	3.5%	6.4%	93.6%
	Grade 12	0.0%	0.9%	6.1%	93.9%
Heroin	All	0.1%	0.2%	0.3%	99.7%
	Grade 6	0.3%	0.3%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.8%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.2%	0.2%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.9%	99.1%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.0%	3.1%	9.5%	90.6%
Grade 6	0.2%	0.2%	1.0%	99.1%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	5.1%	5.1%	10.2%	89.8%
Grade 9	1.3%	2.4%	7.2%	92.9%
Grade 10	2.4%	6.1%	17.4%	82.7%
Grade 11	3.2%	4.9%	14.0%	85.9%
Grade 12	2.7%	3.9%	20.2%	79.8%
Methamphetamine				
All	0.1%	0.2%	1.2%	98.9%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.9%	2.1%	97.9%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	0.0%	0.0%	4.0%	96.0%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.6%	9.1%	19.7%	80.3%
	Grade 6	1.2%	2.3%	6.7%	93.2%
	Grade 7	1.1%	3.3%	9.7%	90.3%
	Grade 8	3.5%	5.9%	15.0%	85.0%
	Grade 9	7.8%	9.5%	18.1%	81.8%
	Grade 10	10.3%	14.1%	29.3%	70.7%
	Grade 11	10.8%	15.5%	30.9%	69.1%
	Grade 12	14.4%	16.2%	34.7%	65.3%
Alcohol	All	17.8%	24.3%	43.6%	56.4%
	Grade 6	6.9%	7.4%	18.9%	81.1%
	Grade 7	8.2%	14.1%	28.3%	71.7%
	Grade 8	8.6%	10.9%	35.6%	64.3%
	Grade 9	18.9%	25.9%	49.0%	51.0%
	Grade 10	25.5%	34.4%	52.8%	47.1%
	Grade 11	30.5%	40.8%	65.2%	34.8%
	Grade 12	31.8%	44.2%	65.3%	34.7%
Inhalants	All	4.2%	5.5%	11.3%	88.7%
	Grade 6	6.9%	7.3%	11.2%	88.8%
	Grade 7	4.3%	5.9%	15.8%	84.2%
	Grade 8	2.4%	5.4%	11.4%	88.6%
	Grade 9	5.1%	7.2%	14.1%	85.9%
	Grade 10	5.3%	6.4%	10.3%	89.7%
	Grade 11	2.1%	2.1%	8.9%	91.1%
	Grade 12	2.4%	3.2%	5.8%	94.3%
Any Illicit Drug	All	4.5%	6.3%	13.8%	86.3%
	Grade 6	1.0%	1.0%	1.9%	98.1%
	Grade 7	2.7%	2.7%	4.4%	95.7%
	Grade 8	1.4%	2.2%	5.1%	94.9%
	Grade 9	2.9%	4.5%	9.3%	90.8%
	Grade 10	8.0%	10.4%	23.0%	77.0%
	Grade 11	5.3%	10.1%	27.1%	72.9%
	Grade 12	12.6%	16.5%	32.9%	67.1%
Marijuana	All	4.1%	5.9%	13.2%	86.8%
	Grade 6	0.2%	0.2%	0.4%	99.6%
	Grade 7	2.7%	2.7%	3.7%	96.3%
	Grade 8	1.4%	2.2%	5.1%	94.9%
	Grade 9	2.3%	3.9%	8.8%	91.2%
	Grade 10	7.6%	9.6%	22.0%	77.9%
	Grade 11	4.2%	9.5%	26.7%	73.2%
	Grade 12	12.4%	16.5%	32.9%	67.1%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.0%	3.0%	8.3%	91.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	2.6%	2.6%	3.2%	96.7%
Grade 8	0.0%	0.0%	2.2%	97.8%
Grade 9	0.5%	1.8%	5.5%	94.6%
Grade 10	3.5%	4.6%	13.9%	86.1%
Grade 11	2.2%	5.3%	16.4%	83.6%
Grade 12	6.0%	7.9%	21.7%	78.3%
Cocaine Or Crack				
All	0.6%	0.7%	1.1%	98.8%
Grade 6	0.7%	0.7%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	1.3%	1.3%	1.6%	98.3%
Grade 11	0.4%	0.6%	1.7%	98.3%
Grade 12	1.5%	2.0%	3.3%	96.7%
Cocaine				
All	0.5%	0.6%	1.0%	98.9%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	1.3%	1.3%	1.6%	98.3%
Grade 11	0.4%	0.6%	1.7%	98.3%
Grade 12	1.5%	2.0%	3.2%	96.9%
Crack				
All	0.2%	0.2%	0.2%	99.7%
Grade 6	0.7%	0.7%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.2%	99.8%
Hallucinogens				
All	0.2%	0.4%	0.9%	99.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.4%	99.5%
Grade 10	0.6%	0.9%	1.6%	98.4%
Grade 11	0.5%	0.9%	2.1%	98.0%
Grade 12	0.4%	1.1%	1.8%	98.2%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	0.9%	0.9%	99.1%
	Grade 11	0.1%	0.3%	0.7%	99.2%
	Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids	All	0.0%	0.1%	0.7%	99.3%
	Grade 6	0.2%	0.2%	0.9%	99.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.0%	0.4%	1.1%	98.9%
	Grade 10	0.0%	0.0%	1.3%	98.7%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	0.0%	0.4%	0.6%	99.4%
Ecstasy	All	0.4%	0.5%	1.2%	98.8%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.3%	0.3%	0.5%	99.4%
	Grade 10	1.6%	1.6%	2.1%	97.8%
	Grade 11	0.5%	0.9%	2.1%	98.0%
	Grade 12	0.3%	0.8%	3.3%	96.7%
Heroin	All	0.0%	0.0%	0.1%	99.9%
	Grade 6	0.3%	0.3%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.8%	1.3%	4.2%	95.8%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.8%	0.8%	2.9%	97.0%
Grade 9	0.8%	1.3%	2.7%	97.3%
Grade 10	1.3%	2.7%	6.8%	93.2%
Grade 11	1.8%	3.2%	9.2%	90.8%
Grade 12	0.8%	1.0%	8.6%	91.3%
Methamphetamine				
All	0.0%	0.1%	0.7%	99.4%
Grade 6	0.2%	0.2%	0.6%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.4%	1.3%	98.8%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	2.7%	97.3%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	13.1%	19.0%	32.3%	67.7%
	Grade 6	0.9%	1.9%	9.0%	91.0%
	Grade 7	4.1%	7.8%	19.8%	80.2%
	Grade 8	10.7%	18.4%	34.3%	65.7%
	Grade 9	14.4%	21.6%	34.0%	65.9%
	Grade 10	12.5%	19.0%	28.3%	71.7%
	Grade 11	25.3%	35.6%	52.4%	47.6%
	Grade 12	24.2%	28.8%	49.1%	50.8%
Alcohol	All	24.5%	34.1%	57.0%	43.0%
	Grade 6	7.2%	9.1%	25.1%	74.9%
	Grade 7	7.6%	14.7%	44.7%	55.3%
	Grade 8	11.6%	22.2%	47.5%	52.5%
	Grade 9	30.6%	40.7%	64.4%	35.6%
	Grade 10	29.8%	41.5%	63.2%	36.8%
	Grade 11	45.0%	57.5%	80.1%	19.8%
	Grade 12	40.3%	53.3%	74.1%	25.8%
Inhalants	All	3.8%	5.6%	13.5%	86.5%
	Grade 6	5.4%	5.6%	12.6%	87.4%
	Grade 7	0.7%	1.2%	7.7%	92.3%
	Grade 8	4.3%	9.3%	19.1%	80.9%
	Grade 9	3.6%	6.1%	12.7%	87.3%
	Grade 10	4.7%	7.6%	12.8%	87.2%
	Grade 11	4.6%	4.8%	13.4%	86.6%
	Grade 12	2.9%	4.4%	16.3%	83.8%
Any Illicit Drug	All	9.0%	13.0%	25.1%	74.9%
	Grade 6	1.0%	1.2%	2.8%	97.2%
	Grade 7	1.6%	4.0%	6.8%	93.2%
	Grade 8	7.4%	11.9%	21.2%	78.8%
	Grade 9	7.1%	9.7%	22.3%	77.8%
	Grade 10	13.0%	18.1%	31.0%	69.0%
	Grade 11	15.1%	21.9%	46.6%	53.4%
	Grade 12	19.2%	26.1%	47.5%	52.4%
Marijuana	All	8.2%	12.0%	23.9%	76.2%
	Grade 6	1.0%	1.2%	1.8%	98.2%
	Grade 7	1.6%	2.1%	4.9%	95.2%
	Grade 8	5.4%	11.0%	18.1%	81.8%
	Grade 9	6.2%	9.1%	22.1%	77.9%
	Grade 10	11.5%	15.5%	29.3%	70.7%
	Grade 11	13.4%	20.1%	45.4%	54.7%
	Grade 12	19.2%	26.1%	47.2%	52.8%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.7%	5.6%	12.9%	87.1%
Grade 6	0.9%	1.1%	1.3%	98.7%
Grade 7	1.2%	1.2%	2.0%	98.0%
Grade 8	1.9%	2.8%	8.5%	91.5%
Grade 9	4.5%	5.2%	11.7%	88.4%
Grade 10	3.2%	5.7%	11.0%	89.0%
Grade 11	6.7%	11.1%	31.1%	68.8%
Grade 12	8.1%	12.6%	25.2%	74.8%
Cocaine Or Crack				
All	0.2%	0.5%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.9%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	1.0%	99.1%
Grade 11	0.7%	0.7%	1.8%	98.2%
Grade 12	0.5%	2.1%	4.0%	96.0%
Cocaine				
All	0.2%	0.5%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.9%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	1.0%	99.1%
Grade 11	0.7%	0.7%	1.8%	98.2%
Grade 12	0.5%	2.1%	4.0%	96.0%
Crack				
All	0.0%	0.0%	0.0%	99.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Hallucinogens				
All	0.3%	0.8%	1.8%	98.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.8%	1.6%	3.1%	96.8%
Grade 10	0.5%	1.0%	2.4%	97.6%
Grade 11	0.4%	0.8%	1.5%	98.5%
Grade 12	0.0%	1.6%	5.3%	94.7%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.3%	0.7%	99.3%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.5%	0.5%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	1.1%	1.3%	1.5%	98.5%
	Grade 10	0.4%	0.4%	1.2%	98.8%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	0.0%	0.0%	1.4%	98.6%
Steroids	All	0.5%	0.5%	0.9%	99.1%
	Grade 6	0.7%	0.9%	1.2%	98.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.2%	0.2%	0.9%	99.1%
	Grade 10	2.3%	2.3%	3.1%	97.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	1.4%	98.6%
Ecstasy	All	0.9%	1.3%	2.7%	97.2%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	1.9%	1.9%	98.1%
	Grade 8	1.3%	1.3%	1.3%	98.7%
	Grade 9	0.7%	0.7%	1.8%	98.2%
	Grade 10	2.1%	2.3%	4.7%	95.3%
	Grade 11	2.2%	2.9%	5.5%	94.5%
	Grade 12	0.0%	0.3%	4.3%	95.7%
Heroin	All	0.1%	0.2%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.8%	0.8%	99.2%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.2%	0.2%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.9%	99.1%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.8%	3.4%	9.9%	90.0%
Grade 6	0.0%	0.0%	1.1%	98.9%
Grade 7	0.0%	0.5%	2.4%	97.6%
Grade 8	4.6%	5.4%	11.9%	88.1%
Grade 9	1.4%	3.2%	9.5%	90.5%
Grade 10	2.6%	6.6%	16.7%	83.3%
Grade 11	2.2%	4.8%	12.1%	87.8%
Grade 12	2.0%	2.9%	16.1%	83.9%
Methamphetamine				
All	0.1%	0.1%	1.0%	99.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.3%	97.7%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	1.4%	98.6%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.8%	11.6%	23.0%	77.0%
	Grade 6	0.5%	1.3%	6.2%	93.9%
	Grade 7	1.1%	3.2%	10.6%	89.4%
	Grade 8	6.6%	10.5%	20.1%	79.9%
	Grade 9	8.8%	12.8%	23.1%	76.8%
	Grade 10	10.9%	16.6%	29.2%	70.8%
	Grade 11	13.3%	20.8%	38.3%	61.6%
	Grade 12	17.4%	20.5%	41.3%	58.7%
Alcohol	All	18.8%	26.5%	48.3%	51.6%
	Grade 6	6.6%	7.7%	20.9%	79.0%
	Grade 7	6.0%	11.0%	32.4%	67.6%
	Grade 8	6.9%	13.2%	39.1%	60.9%
	Grade 9	22.5%	30.9%	54.8%	45.2%
	Grade 10	24.2%	35.1%	57.4%	42.6%
	Grade 11	36.3%	47.2%	71.8%	28.1%
	Grade 12	37.5%	51.3%	73.4%	26.6%
Inhalants	All	3.3%	4.4%	11.0%	89.0%
	Grade 6	5.9%	6.1%	11.7%	88.4%
	Grade 7	2.0%	2.6%	10.6%	89.4%
	Grade 8	2.6%	4.5%	11.9%	88.1%
	Grade 9	3.5%	5.7%	11.9%	88.1%
	Grade 10	4.4%	6.3%	10.1%	89.9%
	Grade 11	2.7%	2.8%	10.5%	89.4%
	Grade 12	1.5%	2.3%	9.8%	90.3%
Any Illicit Drug	All	5.7%	8.3%	16.8%	83.2%
	Grade 6	0.6%	0.7%	2.0%	98.0%
	Grade 7	1.5%	2.5%	3.7%	96.4%
	Grade 8	4.2%	5.7%	9.4%	90.6%
	Grade 9	4.2%	5.4%	13.6%	86.4%
	Grade 10	9.3%	13.3%	23.8%	76.2%
	Grade 11	8.5%	14.0%	35.7%	64.2%
	Grade 12	14.9%	21.7%	39.2%	60.7%
Marijuana	All	5.1%	7.8%	16.2%	83.9%
	Grade 6	0.1%	0.2%	0.5%	99.5%
	Grade 7	1.5%	1.5%	2.7%	97.3%
	Grade 8	3.1%	5.7%	9.4%	90.6%
	Grade 9	3.6%	5.1%	13.4%	86.7%
	Grade 10	8.1%	11.4%	22.3%	77.7%
	Grade 11	7.9%	14.1%	35.7%	64.4%
	Grade 12	14.9%	21.7%	39.0%	60.9%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.4%	3.8%	9.5%	90.5%
Grade 6	0.1%	0.2%	0.3%	99.7%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	1.0%	1.5%	4.4%	95.6%
Grade 9	1.9%	2.5%	7.2%	92.8%
Grade 10	2.9%	5.0%	12.3%	87.7%
Grade 11	4.2%	7.7%	24.1%	75.9%
Grade 12	7.1%	11.4%	23.0%	77.0%
Cocaine Or Crack				
All	0.4%	0.6%	0.9%	99.1%
Grade 6	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.5%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.2%	99.7%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	0.6%	0.8%	1.2%	98.9%
Grade 12	1.1%	2.3%	3.9%	96.2%
Cocaine				
All	0.3%	0.5%	0.8%	99.2%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.5%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.2%	99.7%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	0.6%	0.8%	1.2%	98.9%
Grade 12	1.1%	2.3%	3.8%	96.3%
Crack				
All	0.2%	0.2%	0.2%	99.8%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Hallucinogens				
All	0.2%	0.5%	1.1%	99.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.9%	1.6%	98.4%
Grade 10	0.1%	0.6%	1.5%	98.4%
Grade 11	0.6%	0.8%	0.9%	99.1%
Grade 12	0.3%	1.3%	4.1%	95.9%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.3%	0.4%	99.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.2%	0.2%	0.4%	99.5%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.6%	0.7%	0.7%	99.3%
	Grade 10	0.6%	0.6%	0.8%	99.2%
	Grade 11	0.1%	0.1%	0.4%	99.6%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids	All	0.2%	0.3%	0.8%	99.2%
	Grade 6	0.0%	0.1%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.1%	0.4%	1.1%	98.9%
	Grade 10	1.4%	1.4%	2.2%	97.8%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.0%	0.3%	0.8%	99.3%
Ecstasy	All	0.4%	0.7%	1.7%	98.3%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	1.0%	1.0%	99.0%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.5%	0.5%	1.3%	98.7%
	Grade 10	1.9%	2.0%	3.4%	96.6%
	Grade 11	0.5%	0.8%	2.4%	97.6%
	Grade 12	0.2%	0.8%	4.2%	95.9%
Heroin	All	0.1%	0.1%	0.1%	99.9%
	Grade 6	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.9%	1.7%	5.9%	94.1%
Grade 6	0.0%	0.0%	0.6%	99.4%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	2.3%	2.3%	5.0%	95.0%
Grade 9	1.1%	1.7%	5.6%	94.4%
Grade 10	1.1%	3.7%	8.8%	91.2%
Grade 11	1.3%	3.3%	10.8%	89.3%
Grade 12	0.3%	1.0%	12.3%	87.7%
Methamphetamine				
All	0.1%	0.1%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.4%	0.7%	1.3%	98.8%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	1.9%	98.1%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	17.9%	24.0%	37.9%	62.2%
	Grade 6	4.5%	8.8%	20.7%	79.3%
	Grade 7	8.4%	17.6%	40.0%	60.0%
	Grade 8	8.0%	21.5%	48.3%	51.6%
	Grade 9	22.2%	26.1%	35.9%	64.0%
	Grade 10	12.7%	15.4%	27.9%	72.1%
	Grade 11	34.0%	41.4%	51.8%	48.1%
	Grade 12	23.6%	28.2%	38.0%	62.0%
Alcohol	All	30.7%	39.8%	57.0%	43.0%
	Grade 6	12.4%	12.4%	29.2%	70.8%
	Grade 7	20.4%	39.4%	51.3%	48.7%
	Grade 8	24.6%	31.7%	60.2%	39.8%
	Grade 9	31.6%	39.1%	59.2%	40.8%
	Grade 10	39.7%	47.2%	57.5%	42.5%
	Grade 11	40.3%	52.4%	75.5%	24.5%
	Grade 12	31.5%	40.7%	53.8%	46.2%
Inhalants	All	7.9%	10.7%	18.5%	81.5%
	Grade 6	7.2%	7.2%	10.8%	89.2%
	Grade 7	9.2%	14.1%	22.5%	77.5%
	Grade 8	6.6%	17.7%	29.9%	70.1%
	Grade 9	10.8%	12.3%	22.1%	78.0%
	Grade 10	8.5%	10.5%	17.5%	82.6%
	Grade 11	6.3%	6.3%	13.7%	86.3%
	Grade 12	6.8%	9.3%	16.4%	83.6%
Any Illicit Drug	All	11.0%	15.1%	29.7%	70.3%
	Grade 6	4.4%	4.4%	5.7%	94.2%
	Grade 7	3.9%	5.6%	15.1%	84.8%
	Grade 8	5.6%	16.5%	31.7%	68.4%
	Grade 9	9.2%	15.1%	22.4%	77.5%
	Grade 10	13.5%	16.1%	39.0%	61.0%
	Grade 11	17.3%	24.4%	41.2%	58.8%
	Grade 12	15.7%	16.7%	37.1%	62.9%
Marijuana	All	9.9%	13.4%	28.5%	71.6%
	Grade 6	4.4%	4.4%	5.8%	94.2%
	Grade 7	3.9%	5.6%	11.9%	88.0%
	Grade 8	5.7%	13.3%	28.9%	71.1%
	Grade 9	7.4%	12.9%	22.0%	78.0%
	Grade 10	13.5%	15.8%	39.0%	61.0%
	Grade 11	12.7%	18.4%	38.1%	62.0%
	Grade 12	15.2%	16.7%	37.1%	62.9%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.4%	5.8%	14.9%	85.1%
Grade 6	3.5%	3.5%	3.5%	96.5%
Grade 7	3.9%	3.9%	10.2%	89.7%
Grade 8	0.0%	0.0%	11.9%	88.1%
Grade 9	4.2%	6.9%	13.0%	87.0%
Grade 10	4.4%	5.1%	14.0%	86.0%
Grade 11	5.5%	10.5%	21.1%	78.9%
Grade 12	6.7%	6.7%	22.5%	77.5%
Cocaine Or Crack				
All	0.6%	0.7%	2.3%	97.7%
Grade 6	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	2.3%	2.3%	3.3%	96.7%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	0.3%	0.3%	4.6%	95.4%
Grade 12	0.7%	1.2%	3.1%	96.8%
Cocaine				
All	0.6%	0.7%	2.3%	97.7%
Grade 6	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	2.3%	2.3%	3.3%	96.6%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	0.3%	0.3%	4.6%	95.4%
Grade 12	0.7%	1.2%	3.1%	96.8%
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 6	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.2%	1.0%	2.7%	97.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	1.7%	1.7%	98.3%
Grade 8	0.0%	0.0%	3.6%	96.4%
Grade 9	0.0%	0.7%	2.5%	97.5%
Grade 10	1.2%	1.2%	3.5%	96.6%
Grade 11	0.0%	0.9%	4.5%	95.5%
Grade 12	0.0%	1.7%	1.7%	98.3%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.3%	1.2%	98.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.7%	99.3%
	Grade 10	0.9%	0.9%	2.1%	97.9%
	Grade 11	0.0%	0.7%	0.7%	99.3%
	Grade 12	0.0%	0.0%	3.2%	96.8%
Steroids	All	0.4%	0.4%	1.3%	98.7%
	Grade 6	4.0%	4.0%	4.0%	96.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	1.3%	98.7%
	Grade 10	0.0%	0.0%	1.9%	98.1%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	1.9%	98.1%
Ecstasy	All	1.7%	2.0%	3.5%	96.6%
	Grade 6	0.0%	0.0%	1.5%	98.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	5.7%	5.7%	5.7%	94.3%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.9%	0.9%	3.2%	96.8%
	Grade 11	4.6%	6.2%	8.6%	91.4%
	Grade 12	0.0%	0.0%	2.7%	97.3%
Heroin	All	0.0%	0.4%	0.8%	99.2%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	3.6%	3.6%	96.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.0%	0.0%	1.9%	98.1%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.6%	5.6%	11.9%	88.1%
Grade 6	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	1.7%	4.9%	95.1%
Grade 8	5.7%	9.3%	16.9%	83.0%
Grade 9	1.1%	5.4%	7.4%	92.6%
Grade 10	5.4%	8.0%	23.3%	76.7%
Grade 11	5.2%	7.3%	13.0%	87.0%
Grade 12	4.9%	4.9%	10.6%	89.3%
Methamphetamine				
All	0.1%	0.1%	1.4%	98.6%
Grade 6	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.0%	0.0%	3.2%	96.8%

3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	46,559	49.1%
Female	48,340	50.9%
Frequency Missing = 293		

GRADE		
q2	Frequency	Percent
Grade 6	14,667	15.4%
Grade 7	13,988	14.7%
Grade 8	13,448	14.1%
Grade 9	14,865	15.6%
Grade 10	13,567	14.3%
Grade 11	12,755	13.4%
Grade 12	11,903	12.5%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	43,188	45.7%
Yes	51,366	54.3%
Frequency Missing = 638		

AGE		
q4	Frequency	Percent
10 or below	31	0.0%
11	5,295	5.6%
12	11,926	12.6%
13	14,437	15.2%
14	13,216	13.9%
15	13,840	14.6%
16	13,176	13.9%
17	13,382	14.1%
18	8,639	9.1%
19 or older	977	1.0%
Frequency Missing = 274		

ETHNICITY		
q5	Frequency	Percent
African Am.	17,068	18.4%
Asian Am.	822	0.9%
Mexican Am.	18,717	20.1%
Native Am.	546	0.6%
Other	1,968	2.1%
White	53,840	57.9%
Frequency Missing = 2231		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	28,768	36.7%
Mostly B's	39,122	49.9%
Mostly C's	9,312	11.9%
Mostly D's	729	0.9%
Mostly F's	506	0.6%
Frequency Missing = 16755		

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	64,431	81.7%
Yes	14,436	18.3%
Frequency Missing = 16325		

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	15,345	19.6%
No	27,298	34.8%
Yes	35,804	45.6%
Frequency Missing = 16745		

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	29,821	38.9%
Yes	46,805	61.1%
Frequency Missing = 18566		

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	55,282	74.4%
Yes	18,993	25.6%
Frequency Missing = 20918		

q9c	PARTICIPATE IN SCHOOL CHOIR	
	Frequency	Percent
No	66,784	92.9%
Yes	5,083	7.1%
Frequency Missing = 23326		

q9h	PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL	
	Frequency	Percent
No	47,116	63.7%
Yes	26,800	36.3%
Frequency Missing = 21276		

q9d	PARTICIPATE IN DRILL TEAM/CHEER-LEADING	
	Frequency	Percent
No	64,846	89.7%
Yes	7,461	10.3%
Frequency Missing = 22886		

q9i	PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL	
	Frequency	Percent
No	55,146	75.5%
Yes	17,896	24.5%
Frequency Missing = 22150		

q9e	PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK	
	Frequency	Percent
No	64,726	89.5%
Yes	7,620	10.5%
Frequency Missing = 22846		

q10a	DO YOU FEEL SAFE IN YOUR HOME	
	Frequency	Percent
Very Safe	80,425	84.9%
Somewhat Safe	12,589	13.3%
Not Very Safe	825	0.9%
Not Safe At All	197	0.2%
Don't Know	706	0.7%
Frequency Missing = 451		

q9f	PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS	
	Frequency	Percent
No	44,725	60.6%
Yes	29,043	39.4%
Frequency Missing = 21424		

q10b	DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD	
	Frequency	Percent
Very Safe	43,716	46.6%
Somewhat Safe	39,310	41.9%
Not Very Safe	6,239	6.6%
Not Safe At All	2,225	2.4%
Don't Know	2,393	2.5%
Frequency Missing = 1310		

q9g	PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS	
	Frequency	Percent
No	51,391	70.0%
Yes	22,049	30.0%
Frequency Missing = 21753		

q10c	DO YOU FEEL SAFE AT SCHOOL	
	Frequency	Percent
Very Safe	46,188	49.2%
Somewhat Safe	36,009	38.4%
Not Very Safe	5,560	5.9%
Not Safe At All	2,649	2.8%
Don't Know	3,450	3.7%
Frequency Missing = 1336		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q11a	Frequency	Percent
None	4,403	4.7%
A Few	21,432	23.0%
Some	19,818	21.2%
Most	35,181	37.7%
All	12,538	13.4%

Frequency Missing = 1821

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q11e	Frequency	Percent
None	59,179	63.3%
A Few	22,253	23.8%
Some	7,041	7.5%
Most	3,301	3.5%
All	1,655	1.8%

Frequency Missing = 1762

HOW MANY FRIENDS CARRY WEAPONS		
q11b	Frequency	Percent
None	49,829	54.3%
A Few	22,938	25.0%
Some	9,613	10.5%
Most	7,476	8.1%
All	1,874	2.0%

Frequency Missing = 3462

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q12	Frequency	Percent
No	40,739	63.5%
Yes	23,456	36.5%

Frequency Missing = 30997

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q11c	Frequency	Percent
None	1,915	2.1%
A Few	10,183	11.2%
Some	18,890	20.7%
Most	39,675	43.6%
All	20,417	22.4%

Frequency Missing = 4113

RECENT INHALANT USE - SPRAY PAINT		
q13a	Frequency	Percent
Never	91,533	97.0%
Heard/Used		
In Your Life-time	1,779	1.9%
Since School Began	333	0.4%
In the Past Month	735	0.8%

Frequency Missing = 814

HOW MANY FRIENDS BELONG TO A GANG		
q11d	Frequency	Percent
None	78,723	84.4%
A Few	9,593	10.3%
Some	3,571	3.8%
Most	844	0.9%
All	560	0.6%

Frequency Missing = 1900

RECENT INHALANT USE - WHITE-OUT, CORRECTION FLUID, MAGIC MARKERS		
q13b	Frequency	Percent
Never	87,760	93.3%
Heard/Used		
In Your Life-time	4,026	4.3%
Since School Began	964	1.0%
In the Past Month	1,337	1.4%

Frequency Missing = 1105

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q13c	RECENT INHALANT USE - COMPUTER DUSTING SPRAYS	
	Frequency	Percent
Never	92,189	98.2%
Heard/Used		
In Your Life-time	930	1.0%
Since School Began	265	0.3%
In the Past Month	494	0.5%

Frequency Missing = 1314

q13f	RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS	
	Frequency	Percent
Never	92,751	98.7%
Heard/Used		
In Your Life-time	812	0.9%
Since School Began	109	0.1%
In the Past Month	325	0.3%

Frequency Missing = 1195

q13d	RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON	
	Frequency	Percent
Never	88,236	93.8%
Heard/Used		
In Your Life-time	3,305	3.5%
Since School Began	969	1.0%
In the Past Month	1,572	1.7%

Frequency Missing = 1110

q13g	RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER	
	Frequency	Percent
Never	91,642	97.4%
Heard/Used		
In Your Life-time	1,306	1.4%
Since School Began	220	0.2%
In the Past Month	939	1.0%

Frequency Missing = 1086

q13e	RECENT INHALANT USE - GLUE	
	Frequency	Percent
Never	93,031	98.8%
Heard/Used		
In Your Life-time	531	0.6%
Since School Began	46	0.0%
In the Past Month	538	0.6%

Frequency Missing = 1047

q13h	RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS	
	Frequency	Percent
Never	91,706	97.4%
Heard/Used		
In Your Life-time	1,462	1.6%
Since School Began	320	0.3%
In the Past Month	657	0.7%

Frequency Missing = 1048

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT CIGARETTE USE		
q14a	Frequency	Percent
Never	72,817	77.6%
Heard/Used		
In Your Life-time	10,555	11.2%
Since School Began	3,420	3.6%
In the Past Month	7,091	7.6%

Frequency Missing = 1309

RECENT WINE USE		
q14e	Frequency	Percent
Never	64,592	70.7%
Heard/Used		
In Your Life-time	15,013	16.4%
Since School Began	5,422	5.9%
In the Past Month	6,332	6.9%

Frequency Missing = 3834

RECENT SMOKE-LESS TOBACCO USE		
q14b	Frequency	Percent
Never	82,727	88.5%
Heard/Used		
In Your Life-time	4,603	4.9%
Since School Began	2,113	2.3%
In the Past Month	4,004	4.3%

Frequency Missing = 1746

RECENT LIQUOR USE		
q14f	Frequency	Percent
Never	61,461	65.5%
Heard/Used		
In Your Life-time	12,655	13.5%
Since School Began	6,955	7.4%
In the Past Month	12,692	13.5%

Frequency Missing = 1429

RECENT BEER USE		
q14c	Frequency	Percent
Never	56,536	61.9%
Heard/Used		
In Your Life-time	16,447	18.0%
Since School Began	5,614	6.1%
In the Past Month	12,751	14.0%

Frequency Missing = 3845

RECENT INHALANT USE		
q14g	Frequency	Percent
Never	90,079	95.2%
Heard/Used		
In Your Life-time	2,839	3.0%
Since School Began	659	0.7%
In the Past Month	1,022	1.1%

Frequency Missing = 592

RECENT WINE COOLER USE		
q14d	Frequency	Percent
Never	62,070	66.6%
Heard/Used		
In Your Life-time	12,313	13.2%
Since School Began	6,075	6.5%
In the Past Month	12,750	13.7%

Frequency Missing = 1985

RECENT MARIJUANA USE		
q15a	Frequency	Percent
Never	76,417	82.0%
Heard/Used		
In Your Life-time	8,727	9.4%
Since School Began	2,530	2.7%
In the Past Month	5,497	5.9%

Frequency Missing = 2021

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	92,080	98.9%
Heard/Used		
In Your Life- time	448	0.5%
Since School Began	186	0.2%
In the Past Month	365	0.4%
Frequency Missing = 2114		

	RECENT USE	STEROID
q15g	Frequency	Percent
Never	92,138	99.2%
Heard/Used		
In Your Life- time	467	0.5%
Since School Began	68	0.1%
In the Past Month	210	0.2%
Frequency Missing = 2311		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	92,653	99.8%
Heard/Used		
In Your Life- time	33	0.0%
In the Past Month	130	0.1%
Frequency Missing = 2377		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	90,880	98.1%
Heard/Used		
In Your Life- time	952	1.0%
Since School Began	239	0.3%
In the Past Month	575	0.6%
Frequency Missing = 2547		

	RECENT CINOGEN USE	HALLU-
q15e	Frequency	Percent
Never	91,602	98.7%
Heard/Used		
In Your Life- time	675	0.7%
Since School Began	303	0.3%
In the Past Month	220	0.2%
Frequency Missing = 2392		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	92,796	99.8%
Heard/Used		
In Your Life- time	71	0.1%
Since School Began	52	0.1%
In the Past Month	50	0.1%
Frequency Missing = 2223		

	RECENT NOL USE	ROHYP-
q15f	Frequency	Percent
Never	92,369	99.5%
Heard/Used		
In Your Life- time	217	0.2%
Since School Began	26	0.0%
In the Past Month	214	0.2%
Frequency Missing = 2367		

	RECENT PHETAMINE USE	METHAM-
q15j	Frequency	Percent
Never	92,158	99.2%
Heard/Used		
In Your Life- time	639	0.7%
Since School Began	26	0.0%
In the Past Month	65	0.1%
Frequency Missing = 2304		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	86,525	93.2%
Heard/Used		
In Your Life- time	4,300	4.6%
Since School Began	892	1.0%
In the Past Month	1,167	1.3%
Frequency Missing = 2307		

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG
q16d	Frequency	Percent
Never	92,852	99.0%
Heard/Used		
In Your Life- time	201	0.2%
Since School Began	107	0.1%
In the Past Month	667	0.7%
Frequency Missing = 1365		

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG
q16a	Frequency	Percent
Never	83,786	89.2%
Heard/Used		
In Your Life- time	3,216	3.4%
Since School Began	1,752	1.9%
In the Past Month	5,144	5.5%
Frequency Missing = 1294		

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG
q16e	Frequency	Percent
Never	90,588	96.8%
Heard/Used		
In Your Life- time	947	1.0%
Since School Began	713	0.8%
In the Past Month	1,297	1.4%
Frequency Missing = 1648		

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG
q16b	Frequency	Percent
Never	92,045	98.0%
Heard/Used		
In Your Life- time	375	0.4%
Since School Began	365	0.4%
In the Past Month	1,119	1.2%
Frequency Missing = 1288		

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	88,415	97.0%
Heard/Used		
In Your Life- time	716	0.8%
Since School Began	347	0.4%
In the Past Month	1,636	1.8%
Frequency Missing = 4078		

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG
q16c	Frequency	Percent
Never	88,520	94.5%
Heard/Used		
In Your Life- time	1,586	1.7%
Since School Began	930	1.0%
In the Past Month	2,677	2.9%
Frequency Missing = 1480		

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	81,356	86.9%
Heard/Used		
1-2 times	5,375	5.7%
3-10 times	2,245	2.4%
11+ times	4,630	4.9%
Frequency Missing = 1586		

ALCOHOL USE IN PAST MONTH		
q18b	Frequency	Percent
Never	68,183	73.3%
Heard/Used		
1-2 times	15,490	16.7%
3-10 times	6,753	7.3%
11+ times	2,576	2.8%
Frequency Missing = 2190		

INHALANT USE IN PAST MONTH		
q18c	Frequency	Percent
Never	91,853	98.1%
Heard/Used		
1-2 times	1,284	1.4%
3-10 times	248	0.3%
11+ times	199	0.2%
Frequency Missing = 1608		

MARIJUANA USE IN PAST MONTH		
q18d	Frequency	Percent
Never	85,167	91.1%
Heard/Used		
1-2 times	4,119	4.4%
3-10 times	1,642	1.8%
11+ times	2,567	2.7%
Frequency Missing = 1698		

COCAINE USE IN PAST MONTH		
q18e	Frequency	Percent
Never	93,075	99.4%
Heard/Used		
1-2 times	373	0.4%
3-10 times	143	0.2%
11+ times	16	0.0%
Frequency Missing = 1586		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

CRACK USE IN PAST MONTH		
q18f	Frequency	Percent
Never	93,497	99.8%
Heard/Used		
1-2 times	89	0.1%
3-10 times	88	0.1%
11+ times	11	0.0%
Frequency Missing = 1506		

CLOSE FRIENDS USE TOBACCO		
q19a	Frequency	Percent
Never	53,524	58.0%
heard/None		
A few	21,648	23.4%
Some	10,862	11.8%
Most	5,140	5.6%
All	1,187	1.3%
Frequency Missing = 2832		

CLOSE FRIENDS USE ALCOHOL		
q19b	Frequency	Percent
Never	41,558	45.1%
heard/None		
A few	21,021	22.8%
Some	13,964	15.2%
Most	11,758	12.8%
All	3,793	4.1%
Frequency Missing = 3098		

CLOSE FRIENDS USE INHALANTS		
q19c	Frequency	Percent
Never	83,879	91.1%
heard/None		
A few	5,846	6.4%
Some	1,779	1.9%
Most	278	0.3%
All	276	0.3%
Frequency Missing = 3134		

q19d	CLOSE FRIENDS USE MARIJUANA	
	Frequency	Percent
Never heard/None	58,416	63.5%
A few	16,460	17.9%
Some	9,212	10.0%
Most	6,041	6.6%
All	1,796	2.0%

Frequency Missing = 3267

q20d	DIFFICULT TO GET MARIJUANA	
	Frequency	Percent
Never heard of	23,520	26.3%
Impossible	26,900	30.1%
Very difficult	7,157	8.0%
Somewhat diff	7,592	8.5%
Somewhat easy	9,877	11.0%
Very easy	14,467	16.2%

Frequency Missing = 5680

q20a	DIFFICULT TO GET TOBACCO	
	Frequency	Percent
Never heard of	19,722	22.1%
Impossible	20,894	23.4%
Very difficult	5,969	6.7%
Somewhat diff	7,623	8.5%
Somewhat easy	12,916	14.5%
Very easy	22,128	24.8%

Frequency Missing = 5941

q20e	DIFFICULT TO GET COCAINE	
	Frequency	Percent
Never heard of	29,590	33.1%
Impossible	35,887	40.1%
Very difficult	10,804	12.1%
Somewhat diff	6,429	7.2%
Somewhat easy	3,174	3.5%
Very easy	3,636	4.1%

Frequency Missing = 5671

q20b	DIFFICULT TO GET ALCOHOL COMBINED	
	Frequency	Percent
Never heard of	17,191	19.2%
Impossible	16,304	18.2%
Very difficult	6,149	6.9%
Somewhat diff	8,414	9.4%
Somewhat easy	16,796	18.8%
Very easy	24,571	27.5%

Frequency Missing = 5768

q20f	DIFFICULT TO GET CRACK	
	Frequency	Percent
Never heard of	30,607	34.3%
Impossible	35,826	40.2%
Very difficult	10,454	11.7%
Somewhat diff	5,901	6.6%
Somewhat easy	3,388	3.8%
Very easy	3,037	3.4%

Frequency Missing = 5979

q20c	DIFFICULT TO GET INHALANTS	
	Frequency	Percent
Never heard of	30,744	34.7%
Impossible	18,768	21.2%
Very difficult	4,426	5.0%
Somewhat diff	6,423	7.2%
Somewhat easy	8,156	9.2%
Very easy	20,161	22.7%

Frequency Missing = 6514

q20h	DIFFICULT TO GET STEROIDS	
	Frequency	Percent
Never heard of	31,647	35.4%
Impossible	34,271	38.4%
Very difficult	10,212	11.4%
Somewhat diff	6,326	7.1%
Somewhat easy	3,621	4.1%
Very easy	3,204	3.6%

Frequency Missing = 5912

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	42,678	47.9%
Impossible	25,325	28.4%
Very difficult	8,303	9.3%
Somewhat diff	5,254	5.9%
Somewhat easy	3,612	4.1%
Very easy	3,895	4.4%
Frequency Missing = 6126		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	2,229	10.4%
9 years old	1,119	5.2%
10 years old	1,429	6.7%
11 years old	1,146	5.3%
12 years old	2,966	13.8%
13 years old	3,582	16.7%
14 years old	2,898	13.5%
15 years old	2,130	9.9%
16 years old	2,351	11.0%
17 years old	1,145	5.3%
18 or older	442	2.1%
Frequency Missing = 73756		

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	39,944	44.6%
Impossible	31,807	35.5%
Very difficult	9,322	10.4%
Somewhat diff	4,376	4.9%
Somewhat easy	1,682	1.9%
Very easy	2,428	2.7%
Frequency Missing = 5634		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	4,767	11.3%
9 years old	1,343	3.2%
10 years old	2,503	5.9%
11 years old	2,840	6.7%
12 years old	4,748	11.3%
13 years old	7,232	17.1%
14 years old	6,025	14.3%
15 years old	5,962	14.1%
16 years old	4,290	10.2%
17 years old	1,716	4.1%
18 or older	754	1.8%
Frequency Missing = 53012		

DIFFICULT TO GET METHAM-PHETAMINE		
q20k	Frequency	Percent
Never heard of	40,433	45.3%
Impossible	29,255	32.8%
Very difficult	9,374	10.5%
Somewhat diff	4,838	5.4%
Somewhat easy	2,197	2.5%
Very easy	3,216	3.6%
Frequency Missing = 5879		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	519	12.0%
9 years old	268	6.2%
10 years old	371	8.6%
11 years old	660	15.3%
12 years old	666	15.5%
13 years old	872	20.3%
14 years old	374	8.7%
15 years old	287	6.7%
16 years old	126	2.9%
17 years old	53	1.2%
18 or older	110	2.5%
Frequency Missing = 90888		

DIFFICULT TO GET SYNTHETIC MARIJUANA		
q20l	Frequency	Percent
Never heard of	39,247	43.9%
Impossible	24,326	27.2%
Very difficult	6,941	7.8%
Somewhat diff	5,551	6.2%
Somewhat easy	5,214	5.8%
Very easy	8,171	9.1%
Frequency Missing = 5743		

q21d	AGE WHEN FIRST USED MARIJUANA	
	Frequency	Percent
8 or younger	298	1.8%
9 years old	244	1.5%
10 years old	283	1.7%
11 years old	933	5.7%
12 years old	1,479	9.0%
13 years old	2,181	13.3%
14 years old	2,971	18.1%
15 years old	3,346	20.3%
16 years old	2,577	15.7%
17 years old	1,252	7.6%
18 or older	888	5.4%

Frequency Missing = 78741

q21e	AGE WHEN FIRST USED COCAINE	
	Frequency	Percent
10 years old	19	2.5%
11 years old	16	2.1%
12 years old	37	5.1%
13 years old	91	12.4%
14 years old	60	8.1%
15 years old	148	20.1%
16 years old	91	12.4%
17 years old	116	15.8%
18 or older	158	21.5%

Frequency Missing = 94456

q21f	AGE WHEN FIRST USED CRACK	
	Frequency	Percent
10 years old	13	25.5%
14 years old	14	27.0%
15 years old	11	21.4%
16 years old	14	26.1%

Frequency Missing = 95140

q21h	AGE WHEN FIRST USED STEROIDS	
	Frequency	Percent
8 or younger	201	28.1%
10 years old	20	2.8%
11 years old	15	2.1%
12 years old	152	21.2%
13 years old	186	26.0%
15 years old	40	5.6%
16 years old	90	12.6%
17 years old	12	1.6%

Frequency Missing = 94476

q21i	AGE WHEN FIRST USED ECSTASY	
	Frequency	Percent
8 or younger	65	4.2%
9 years old	9	0.6%
12 years old	87	5.6%
13 years old	283	18.3%
14 years old	247	16.1%
15 years old	363	23.6%
16 years old	376	24.4%
17 years old	95	6.1%
18 or older	16	1.1%

Frequency Missing = 93652

q21j	AGE WHEN FIRST USED HEROIN	
	Frequency	Percent
8 or younger	25	76.6%
18 or older	8	23.4%

Frequency Missing = 95160

q21k	AGE WHEN FIRST USED METHAM- PHETAMINE	
	Frequency	Percent
8 or younger	38	7.5%
10 years old	9	1.8%
11 years old	116	22.7%
13 years old	130	25.6%
14 years old	52	10.2%
15 years old	108	21.1%
16 years old	57	11.1%

Frequency Missing = 94683

q21l	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
	Frequency	Percent
8 or younger	13	0.2%
9 years old	13	0.2%
10 years old	33	0.6%
11 years old	140	2.4%
12 years old	374	6.4%
13 years old	1,108	19.0%
14 years old	1,029	17.6%
15 years old	1,261	21.6%
16 years old	1,375	23.5%
17 years old	436	7.5%
18 or older	59	1.0%

Frequency Missing = 89351

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q22a	HOW OFTEN NORMALLY USE TOBACCO	
	Frequency	Percent
Every day	3,472	3.8%
Several times/wk	1,825	2.0%
Several times/mo	2,360	2.6%
About once/- month	2,988	3.2%
About once/year	3,163	3.4%
< once/year	5,233	5.7%
Never used	73,407	79.4%

Frequency Missing = 2744

q22d	HOW OFTEN NORMALLY USE MARIJUANA	
	Frequency	Percent
Every day	1,104	1.2%
Several times/wk	1,520	1.6%
Several times/mo	1,541	1.7%
About once/- month	2,582	2.8%
About once/year	3,244	3.5%
< once/year	3,981	4.3%
Never used	78,269	84.9%

Frequency Missing = 2950

q22b	HOW OFTEN NORMALLY USE ALCOHOL	
	Frequency	Percent
Every day	493	0.5%
Several times/wk	1,525	1.7%
Several times/mo	7,355	8.0%
About once/- month	10,298	11.2%
About once/year	9,481	10.3%
< once/year	8,354	9.1%
Never used	54,566	59.3%

Frequency Missing = 3120

q22e	HOW OFTEN NORMALLY USE COCAINE	
	Frequency	Percent
Several times/mo	101	0.1%
About once/- month	153	0.2%
About once/year	129	0.1%
< once/year	208	0.2%
Never used	91,998	99.4%

Frequency Missing = 2605

q22f	HOW OFTEN NORMALLY USE CRACK	
	Frequency	Percent
Never used	92,505	100.0%

Frequency Missing = 2688

q22c	HOW OFTEN NORMALLY USE INHALANTS	
	Frequency	Percent
Every day	47	0.1%
Several times/wk	108	0.1%
Several times/mo	283	0.3%
About once/- month	538	0.6%
About once/year	612	0.7%
< once/year	1,788	1.9%
Never used	89,305	96.4%

Frequency Missing = 2511

q22h	HOW OFTEN NORMALLY USE STEROIDS	
	Frequency	Percent
Every day	13	0.0%
Several times/mo	74	0.1%
About once/- month	148	0.2%
About once/year	93	0.1%
< once/year	167	0.2%
Never used	91,983	99.5%

Frequency Missing = 2713

		HOW OFTEN NOR-	USE EC-
		MALLY STASY	
q22i		Frequency	Percent
Several		110	0.1%
times/mo			
About	once/-	199	0.2%
month			
About	on-	427	0.5%
ce/year			
< once/year		470	0.5%
Never used		91,198	98.7%

Frequency Missing = 2790

AMOUNT OF BEER AT ONE TIME		
q23a	Frequency	Percent
Never drink this	56,986	61.8%
12+ drinks	3,690	4.0%
9-11 drinks	2,184	2.4%
5-8 drinks	2,983	3.2%
3-4 drinks	4,615	5.0%
2 drinks	5,251	5.7%
1 drink	5,992	6.5%
< 1 drink	10,523	11.4%

Frequency Missing = 2970

		HOW OFTEN	USE
		NORMALLY HEROIN	
q22j		Frequency	Percent
Every day		25	0.0%
< once/year		19	0.0%
Never used		92,434	100.0%

Frequency Missing = 2715

AMOUNT OF WINE COOLERS AT ONE TIME		
q23b	Frequency	Percent
Never drink this	60,014	65.1%
12+ drinks	2,437	2.6%
9-11 drinks	1,941	2.1%
5-8 drinks	3,957	4.3%
3-4 drinks	5,793	6.3%
2 drinks	4,970	5.4%
1 drink	5,462	5.9%
< 1 drink	7,609	8.3%

Frequency Missing = 3010

		HOW OFTEN	USE METHAM-
		NORMALLY PHTAMINE	
q22k		Frequency	Percent
Every day		13	0.0%
About	once/-	220	0.2%
month			
About	on-	26	0.0%
ce/year			
< once/year		193	0.2%
Never used		92,067	99.5%

Frequency Missing = 2674

AMOUNT OF WINE AT ONE TIME		
q23c	Frequency	Percent
Never drink this	63,506	69.3%
12+ drinks	855	0.9%
9-11 drinks	367	0.4%
5-8 drinks	745	0.8%
3-4 drinks	2,511	2.7%
2 drinks	4,481	4.9%
1 drink	8,200	8.9%
< 1 drink	11,037	12.0%

Frequency Missing = 3492

		HOW OFTEN NOR-	USE SYN-
		MALLY THETIC MARI-	
q22l		Frequency	Percent
Every day		136	0.1%
Several		74	0.1%
times/wk			
Several		238	0.3%
times/mo			
About	once/-	760	0.8%
month			
About	on-	1,156	1.3%
ce/year			
< once/year		2,504	2.7%
Never used		87,441	94.7%

Frequency Missing = 2882

AMOUNT OF LIQUOR AT ONE TIME		
q23d	Frequency	Percent
Never drink this	59,690	64.9%
12+ drinks	3,127	3.4%
9-11 drinks	1,723	1.9%
5-8 drinks	4,695	5.1%
3-4 drinks	5,350	5.8%
2 drinks	4,110	4.5%
1 drink	6,191	6.7%
< 1 drink	7,121	7.7%

Frequency Missing = 3185

			HOW MANY 5+ DRINKS IN PAST 30 DAYS	
q24			Frequency	Percent
Never	5+	at	38,826	42.0%
time				
None			39,641	42.9%
1 day			4,612	5.0%
2 days			3,130	3.4%
3 to 5 days			3,352	3.6%
6 to 9 days			1,108	1.2%
10 or more days			1,674	1.8%
Frequency Missing = 2852				

			GET ALCOHOLIC BEVERAGES FROM HOME	
q25a			Frequency	Percent
Do not Drink			47,995	52.0%
Never			23,008	24.9%
Seldom			15,603	16.9%
Most of the			4,156	4.5%
Time				
Always			1,586	1.7%
Frequency Missing = 2845				

			GET ALCOHOLIC BEVERAGES FROM FRIENDS	
q25b			Frequency	Percent
Do not Drink			46,642	50.7%
Never			18,913	20.6%
Seldom			12,545	13.6%
Most of the			10,175	11.1%
Time				
Always			3,634	4.0%
Frequency Missing = 3283				

			GET ALCOHOLIC BEVERAGES FROM A STORE	
q25c			Frequency	Percent
Do not Drink			49,203	53.6%
Never			34,900	38.0%
Seldom			4,220	4.6%
Most of the			2,102	2.3%
Time				
Always			1,325	1.4%
Frequency Missing = 3443				

			GET ALCOHOLIC BEVERAGES AT PARTIES	
q25d			Frequency	Percent
Do not Drink			46,689	50.8%
Never			18,139	19.7%
Seldom			9,463	10.3%
Most of the			8,788	9.6%
Time				
Always			8,834	9.6%
Frequency Missing = 3280				

			GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES	
q25e			Frequency	Percent
Do not Drink			48,442	53.4%
Never			25,790	28.4%
Seldom			8,607	9.5%
Most of the			3,813	4.2%
Time				
Always			4,125	4.5%
Frequency Missing = 4416				

			DANGEROUS FOR KIDS TO USE TOBACCO	
q26a			Frequency	Percent
Very			56,655	61.2%
Somewhat			19,821	21.4%
Not very			9,162	9.9%
Not at all			2,305	2.5%
Don't know			4,585	5.0%
Frequency Missing = 2664				

			DANGEROUS FOR KIDS TO USE ALCOHOL	
q26b			Frequency	Percent
Very			52,651	57.3%
Somewhat			24,201	26.3%
Not very			9,408	10.2%
Not at all			2,295	2.5%
Don't know			3,382	3.7%
Frequency Missing = 3255				

			DANGEROUS FOR KIDS TO USE INHALANTS	
q26c			Frequency	Percent
Very			75,061	81.6%
Somewhat			8,139	8.8%
Not very			2,184	2.4%
Not at all			1,030	1.1%
Don't know			5,614	6.1%
Frequency Missing = 3164				

	DANGEROUS FOR KIDS TO USE MARIJUANA	
q26d	Frequency	Percent
Very	63,109	68.7%
Somewhat	9,742	10.6%
Not very	7,405	8.1%
Not at all	7,678	8.4%
Don't know	3,954	4.3%
Frequency Missing = 3305		

	DANGEROUS FOR KIDS TO USE HEROIN	
q26i	Frequency	Percent
Very	82,818	89.9%
Somewhat	2,711	2.9%
Not very	442	0.5%
Not at all	580	0.6%
Don't know	5,617	6.1%
Frequency Missing = 3025		

	DANGEROUS FOR KIDS TO USE COCAINE	
q26e	Frequency	Percent
Very	83,587	90.4%
Somewhat	3,599	3.9%
Not very	637	0.7%
Not at all	681	0.7%
Don't know	3,976	4.3%
Frequency Missing = 2712		

	DANGEROUS FOR KIDS TO USE METHAMPHETAMINE	
q26j	Frequency	Percent
Very	82,989	89.9%
Somewhat	2,390	2.6%
Not very	435	0.5%
Not at all	640	0.7%
Don't know	5,852	6.3%
Frequency Missing = 2886		

	DANGEROUS FOR KIDS TO USE CRACK	
q26f	Frequency	Percent
Very	83,742	90.8%
Somewhat	3,108	3.4%
Not very	330	0.4%
Not at all	825	0.9%
Don't know	4,193	4.5%
Frequency Missing = 2995		

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	
q26k	Frequency	Percent
Very	76,824	83.3%
Somewhat	5,480	5.9%
Not very	2,155	2.3%
Not at all	975	1.1%
Don't know	6,846	7.4%
Frequency Missing = 2913		

	DANGEROUS FOR KIDS TO USE ECSTASY	
q26g	Frequency	Percent
Very	78,019	84.6%
Somewhat	4,987	5.4%
Not very	1,349	1.5%
Not at all	948	1.0%
Don't know	6,875	7.5%
Frequency Missing = 3014		

	DANGEROUS FOR KIDS TO USE HYDROCODONE	
q26l	Frequency	Percent
Very	76,088	82.5%
Somewhat	5,370	5.8%
Not very	2,312	2.5%
Not at all	911	1.0%
Don't know	7,551	8.2%
Frequency Missing = 2961		

	DANGEROUS FOR KIDS TO USE STEROIDS	
q26h	Frequency	Percent
Very	72,806	79.0%
Somewhat	9,908	10.7%
Not very	2,734	3.0%
Not at all	904	1.0%
Don't know	5,835	6.3%
Frequency Missing = 3005		

	DAYS SKIPPED SINCE SEPTEMBER	
q27a	Frequency	Percent
None	71,405	77.5%
1-3 days	16,940	18.4%
4-9 days	2,602	2.8%
10+ days	1,153	1.3%
Frequency Missing = 3092		

	DAYS ILL SINCE SEPTEMBER	
q27b	Frequency	Percent
None	28,863	31.5%
1-3 days	48,439	52.8%
4-9 days	11,950	13.0%
10+ days	2,413	2.6%
Frequency Missing = 3528		

	DRIVEN A CAR AFTER A GOOD BIT TO DRINK	
q28b	Frequency	Percent
None	88,058	95.9%
1-3 times	3,146	3.4%
4-9 times	422	0.5%
10+ times	182	0.2%
Frequency Missing = 3385		

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	
q27c	Frequency	Percent
None	38,060	42.0%
1-3 days	43,974	48.6%
4-9 days	6,771	7.5%
10+ days	1,710	1.9%
Frequency Missing = 4677		

	CRITICIZED BY DATE BECAUSE OF DRINKING	
q28c	Frequency	Percent
None	87,121	95.3%
1-3 times	3,597	3.9%
4-9 times	412	0.5%
10+ times	300	0.3%
Frequency Missing = 3762		

	SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER	
q27d	Frequency	Percent
None	78,571	85.4%
1-3 days	10,893	11.8%
4-9 days	1,462	1.6%
10+ days	1,049	1.1%
Frequency Missing = 3217		

	TROUBLE WITH FRIENDS BECAUSE OF DRUG USE	
q28d	Frequency	Percent
None	89,810	97.7%
1-3 times	1,884	2.0%
4-9 times	96	0.1%
10+ times	116	0.1%
Frequency Missing = 3287		

	SOMEONE CALLED HOME SINCE SEPTEMBER	
q27e	Frequency	Percent
None	83,600	90.7%
1-3 days	7,177	7.8%
4-9 days	799	0.9%
10+ days	561	0.6%
Frequency Missing = 3057		

	DRIVEN A CAR WHILE HIGH FROM DRUGS	
q28e	Frequency	Percent
None	88,327	96.5%
1-3 times	1,839	2.0%
4-9 times	341	0.4%
10+ times	1,027	1.1%
Frequency Missing = 3659		

	TROUBLE WITH FRIENDS BECAUSE OF DRINKING	
q28a	Frequency	Percent
None	88,010	95.7%
1-3 times	3,509	3.8%
4-9 times	205	0.2%
10+ times	252	0.3%
Frequency Missing = 3217		

	CRITICIZED BY DATE BECAUSE OF DRUG USE	
q28f	Frequency	Percent
None	88,867	96.9%
1-3 times	2,219	2.4%
4-9 times	271	0.3%
10+ times	350	0.4%
Frequency Missing = 3485		

	CLASS DRUNK ON ALCOHOL SINCE SEPT	DAYS ON ALCOHOL SINCE SEPT
q29a	Frequency	Percent
None	86,932	95.1%
1-3 days	3,255	3.6%
4-9 days	931	1.0%
10+ days	304	0.3%
Frequency Missing = 3770		

	CLASS ON MARIJUANA SINCE SEPT	DAYS ON MARIJUANA SINCE SEPT	HIGH ON MARIJUANA SINCE SEPT
q29b	Frequency	Percent	
None	87,051	95.5%	
1-3 days	2,388	2.6%	
4-9 days	586	0.6%	
10+ days	1,113	1.2%	
Frequency Missing = 4054			

	CLASS ON INHALANTS SINCE SEPT	DAYS ON INHALANTS SINCE SEPT	HIGH ON INHALANTS SINCE SEPT
q29c	Frequency	Percent	
None	90,391	99.1%	
1-3 days	607	0.7%	
4-9 days	126	0.1%	
10+ days	81	0.1%	
Frequency Missing = 3988			

	CLASS ON OTHER DRUG(S)	DAYS ON OTHER DRUG(S)	HIGH ON OTHER DRUG(S)
q29d	Frequency	Percent	
None	88,815	97.4%	
1-3 days	1,481	1.6%	
4-9 days	423	0.5%	
10+ days	442	0.5%	
Frequency Missing = 4032			

	ALCOHOL USE AT PARTIES THIS SCHOOL YEAR
q30a	Frequency Percent
Never	42,611 46.6%
Seldom	6,901 7.6%
Half the time	4,176 4.6%
Most of the time	7,436 8.1%
Always	12,489 13.7%
Don't know	1,471 1.6%
Didn't attend	16,261 17.8%
Frequency Missing = 3847	

	DRUG USE AT PARTIES THIS SCHOOL YEAR
q30b	Frequency Percent
Never	54,319 59.3%
Seldom	5,963 6.5%
Half the time	4,255 4.6%
Most of the time	4,204 4.6%
Always	4,172 4.6%
Don't know	2,268 2.5%
Didn't attend	16,419 17.9%
Frequency Missing = 3592	

	SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM
q31	Frequency Percent
No	78,410 95.3%
Yes	3,889 4.7%
Frequency Missing = 12893	

	WOULD SEEK HELP FROM SCHOOL COUNSELOR
q32a	Frequency Percent
No	54,439 61.0%
Yes	34,842 39.0%
Frequency Missing = 5912	

	WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL
q32b	Frequency Percent
No	50,553 56.3%
Yes	39,209 43.7%
Frequency Missing = 5430	

	WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL
q32c	Frequency Percent
No	52,233 59.0%
Yes	36,347 41.0%
Frequency Missing = 6613	

	WOULD SEEK HELP FROM PARENTS
q32d	Frequency Percent
No	29,449 32.8%
Yes	60,256 67.2%
Frequency Missing = 5488	

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q32e	Frequency	Percent
No	44,302	49.7%
Yes	44,811	50.3%

Frequency Missing = 6080

WOULD SEEK HELP FROM FRIENDS		
q32f	Frequency	Percent
No	35,829	40.2%
Yes	53,286	59.8%

Frequency Missing = 6078

WOULD SEEK HELP FROM ANOTHER ADULT		
q32g	Frequency	Percent
No	33,914	38.1%
Yes	55,101	61.9%

Frequency Missing = 6177

WOULD NOT SEEK HELP		
q32h	Frequency	Percent
No	75,847	87.0%
Yes	11,376	13.0%

Frequency Missing = 7970

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q33a	Frequency	Percent
No	53,326	65.0%
Yes	28,720	35.0%

Frequency Missing = 13146

DRUG/ALCOHOL INFO-SCHOOL ASSEMBLY PROGRAM		
q33b	Frequency	Percent
No	43,914	53.7%
Yes	37,929	46.3%

Frequency Missing = 13349

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUNSELOR		
q33c	Frequency	Percent
No	66,006	81.0%
Yes	15,513	19.0%

Frequency Missing = 13674

DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS		
q33d	Frequency	Percent
No	58,320	71.3%
Yes	23,430	28.7%

Frequency Missing = 13442

DRUG/ALCOHOL INFO-SCHOOL STUDENT GROUP OR CLUB		
q33e	Frequency	Percent
No	70,074	85.7%
Yes	11,678	14.3%

Frequency Missing = 13440

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q33f	Frequency	Percent
No	51,402	63.1%
Yes	30,048	36.9%

Frequency Missing = 13743

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q33g	Frequency	Percent
No	56,583	69.5%
Yes	24,824	30.5%

Frequency Missing = 13786

		PARENTS ABOUT KIDS USING TOBACCO	FEEL
q34a		Frequency	Percent
Strong	disap- prove	64,951	72.1%
	Mild disapprove	7,022	7.8%
	Neither	8,636	9.6%
	Mildly approve	1,284	1.4%
	Strongly ap- prove	858	1.0%
	Don't know	7,312	8.1%
Frequency Missing = 5128			

		PARENTS ABOUT KIDS USING MARIJUANA	FEEL
q34c		Frequency	Percent
Strong	disap- prove	72,442	80.2%
	Mild disapprove	4,832	5.4%
	Neither	4,509	5.0%
	Mildly approve	979	1.1%
	Strongly ap- prove	694	0.8%
	Don't know	6,857	7.6%
Frequency Missing = 4879			

		PARENTS ABOUT DRINKING AL- COHOL	FEEL KIDS AL-
q34b		Frequency	Percent
Strong	disap- prove	56,512	62.5%
	Mild disapprove	11,466	12.7%
	Neither	11,902	13.2%
	Mildly approve	2,936	3.2%
	Strongly ap- prove	636	0.7%
	Don't know	7,023	7.8%
Frequency Missing = 4716			

		TESTED FOR DRUG USE AT SCHOOL	
q35		Frequency	Percent
	No	59,402	65.5%
	Yes	31,264	34.5%
Frequency Missing = 4526			

		DRUG SHOULD BE RE- QUIRED FOR ALL STUDENT ATH- LETES	TESTING
q36		Frequency	Percent
	Do not know	16,941	18.6%
	No	13,295	14.6%
	Yes	60,934	66.8%
Frequency Missing = 4022			