

# Texas School Survey of Drug and Alcohol Use: 2014

## HHSC Region 5 and 6 Report Grades 6-12



## Table of Contents

<b>1</b>	<b>General Substance Use Tables</b>	<b>4</b>
	Tobacco . . . . .	5
	Alcohol . . . . .	9
	Drugs . . . . .	18
	Inhalants . . . . .	33
	Miscellaneous . . . . .	38
<b>2</b>	<b>Prevalence Tables</b>	<b>45</b>
	Table B-1: All Students . . . . .	46
	Table B-2: Male Students . . . . .	50
	Table B-3: Female Students . . . . .	54
	Table B-4: White Students . . . . .	58
	Table B-5: African/American Students . . . . .	62
	Table B-6: Mexican/American Students . . . . .	66
	Table B-7: Students Reporting A Grades . . . . .	70
	Table B-8: Students Reporting Grades Lower Than an A . . . . .	74
	Table B-9: Students Living With 2 Parents . . . . .	78
	Table B-10: Students Not Living With 2 Parents . . . . .	82
	Table B-11: Students who would seek help from adults for substance abuse problems . . . . .	86
	Table B-12: Students who would not seek help from adults for substance abuse problems . . . . .	90
<b>3</b>	<b>Margin Tables</b>	<b>94</b>

# 1 General Substance Use Tables

## Tobacco

Table T-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	7.0%	10.3%	20.4%	79.6%
Grade 6	2.2%	2.9%	7.6%	92.4%
Grade 7	2.5%	2.7%	9.4%	90.5%
Grade 8	3.9%	6.4%	13.1%	86.9%
Grade 9	8.1%	12.6%	25.5%	74.4%
Grade 10	7.3%	11.6%	24.4%	75.6%
Grade 11	11.4%	17.9%	31.5%	68.4%
Grade 12	14.9%	19.4%	32.5%	67.5%
Cigarettes?				
All	5.2%	8.1%	17.8%	82.2%
Grade 6	1.5%	2.2%	6.7%	93.3%
Grade 7	1.4%	1.6%	7.5%	92.6%
Grade 8	3.1%	5.9%	12.2%	87.8%
Grade 9	5.6%	9.6%	22.6%	77.5%
Grade 10	5.4%	9.0%	21.5%	78.4%
Grade 11	9.2%	14.7%	28.0%	71.9%
Grade 12	11.6%	15.2%	27.3%	72.8%
Smokeless Tobacco?				
All	3.3%	4.6%	8.4%	91.5%
Grade 6	1.1%	1.1%	1.8%	98.1%
Grade 7	1.7%	1.9%	3.9%	96.1%
Grade 8	1.4%	1.9%	4.5%	95.4%
Grade 9	3.9%	5.4%	11.2%	88.8%
Grade 10	3.9%	5.4%	9.5%	90.6%
Grade 11	5.1%	8.3%	14.2%	85.8%
Grade 12	6.6%	9.4%	15.3%	84.8%

**Table T-2: How often do you normally use tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	85.1%	1.3%	1.3%	1.7%	2.8%	2.9%	4.9%
Grade 6	96.2%	0.1%	0.6%	0.0%	0.4%	1.5%	1.1%
Grade 7	94.5%	0.2%	0.4%	0.0%	1.4%	1.8%	1.7%
Grade 8	90.6%	0.2%	0.4%	0.5%	1.1%	2.7%	4.5%
Grade 9	82.8%	1.2%	1.2%	2.3%	3.1%	2.9%	6.3%
Grade 10	82.4%	1.9%	1.2%	2.1%	3.1%	2.9%	6.4%
Grade 11	73.6%	1.7%	2.5%	4.2%	5.6%	4.9%	7.4%
Grade 12	73.5%	4.2%	2.8%	3.2%	5.3%	4.0%	7.0%

**Table T-3: Average age of first use of tobacco:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	9.8	11.0	11.2	12.4	13.0	14.0	14.9

**Table T-4: If you wanted some, how difficult would it be to get tobacco?**

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	26.3%	22.2%	7.0%	10.4%	13.0%	21.1%
Grade 6	45.7%	30.9%	6.8%	6.6%	5.0%	5.0%
Grade 7	33.1%	38.7%	6.3%	8.3%	7.3%	6.3%
Grade 8	28.8%	25.8%	12.7%	10.9%	10.5%	11.4%
Grade 9	22.2%	20.2%	7.5%	14.8%	15.9%	19.5%
Grade 10	22.1%	16.8%	6.1%	13.4%	19.8%	21.8%
Grade 11	15.5%	11.6%	4.9%	11.4%	19.3%	37.4%
Grade 12	15.3%	9.0%	4.2%	6.1%	13.0%	52.3%

**Table T-5: About how many of your close friends use tobacco?**

	None	A Few	Some	Most	All
All	65.9%	20.2%	8.5%	4.5%	0.9%
Grade 6	85.8%	10.4%	2.4%	0.8%	0.7%
Grade 7	82.0%	11.8%	4.1%	1.3%	0.7%
Grade 8	78.7%	15.0%	4.1%	1.6%	0.5%
Grade 9	61.8%	22.3%	10.2%	4.9%	0.8%
Grade 10	60.7%	23.9%	9.2%	5.5%	0.6%
Grade 11	46.5%	28.8%	14.8%	8.3%	1.7%
Grade 12	42.0%	30.8%	16.0%	10.1%	1.2%

**Table T-6: How do your parents feel about kids your age using tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	78.5%	6.6%	5.2%	0.7%	0.8%	8.2%
Grade 6	77.6%	2.5%	1.9%	0.3%	0.9%	16.8%
Grade 7	86.8%	1.8%	2.1%	0.2%	1.6%	7.6%
Grade 8	85.7%	4.2%	2.4%	0.4%	0.2%	7.1%
Grade 9	78.3%	7.3%	5.2%	0.6%	1.1%	7.4%
Grade 10	80.8%	7.8%	5.2%	0.6%	0.6%	5.0%
Grade 11	71.6%	9.0%	9.8%	1.5%	0.8%	7.3%
Grade 12	65.9%	14.6%	10.7%	1.8%	0.6%	6.5%

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	64.1%	21.5%	7.2%	2.1%	5.2%
Grade 6	79.9%	11.2%	3.4%	1.1%	4.4%
Grade 7	76.1%	14.2%	3.6%	1.0%	5.1%
Grade 8	68.3%	19.6%	6.0%	1.3%	4.8%
Grade 9	60.5%	23.4%	8.0%	2.4%	5.6%
Grade 10	59.4%	25.9%	8.3%	2.3%	4.0%
Grade 11	50.8%	29.4%	10.9%	2.8%	6.0%
Grade 12	51.8%	27.3%	10.7%	3.9%	6.2%



# Alcohol

**Table A-1: How recently, if ever, have you used . . .**

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	21.9%	30.5%	51.9%	48.1%
Grade 6	8.1%	9.3%	26.6%	73.4%
Grade 7	12.7%	15.9%	36.3%	63.6%
Grade 8	12.3%	20.9%	42.5%	57.4%
Grade 9	25.4%	34.3%	59.6%	40.4%
Grade 10	27.5%	39.8%	61.4%	38.6%
Grade 11	33.2%	46.4%	69.0%	30.9%
Grade 12	36.3%	49.7%	70.0%	29.9%
Beer?				
All	13.7%	20.5%	38.9%	61.0%
Grade 6	2.7%	4.2%	17.9%	82.1%
Grade 7	7.1%	9.3%	26.7%	73.4%
Grade 8	5.6%	10.6%	28.8%	71.2%
Grade 9	13.7%	21.0%	44.1%	56.0%
Grade 10	18.0%	28.5%	46.1%	53.9%
Grade 11	24.6%	35.8%	56.4%	43.6%
Grade 12	27.2%	38.1%	55.6%	44.4%
Wine Coolers?				
All	12.0%	18.3%	32.2%	67.8%
Grade 6	4.3%	5.6%	12.5%	87.5%
Grade 7	5.6%	6.3%	17.7%	82.3%
Grade 8	5.1%	11.3%	22.0%	78.0%
Grade 9	14.1%	21.4%	38.3%	61.7%
Grade 10	15.1%	23.0%	40.1%	59.9%
Grade 11	20.5%	30.9%	48.7%	51.4%
Grade 12	20.6%	32.2%	49.0%	51.0%
Wine?				
All	9.3%	15.3%	32.7%	67.3%
Grade 6	3.8%	5.4%	16.4%	83.6%
Grade 7	6.7%	9.7%	23.5%	76.5%
Grade 8	4.8%	8.8%	23.6%	76.4%
Grade 9	11.2%	17.6%	36.9%	63.0%
Grade 10	12.8%	19.9%	39.6%	60.4%
Grade 11	12.2%	21.7%	44.0%	56.0%
Grade 12	14.4%	25.5%	47.3%	52.8%
Liquor?				
All	13.8%	20.8%	34.6%	65.4%
Grade 6	2.6%	2.8%	7.9%	92.1%
Grade 7	3.9%	5.0%	13.4%	86.6%
Grade 8	7.8%	13.7%	24.8%	75.2%
Grade 9	16.2%	24.8%	40.8%	59.2%
Grade 10	17.7%	27.4%	46.6%	53.4%
Grade 11	24.3%	35.5%	54.4%	45.6%
Grade 12	26.1%	39.3%	57.9%	42.1%

**Table A-2: How often do you normally use alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	57.8%	0.3%	2.3%	6.9%	12.1%	11.8%	8.7%
Grade 6	85.9%	0.1%	0.7%	1.4%	1.4%	5.8%	4.8%
Grade 7	77.7%	0.1%	1.1%	1.4%	4.9%	7.4%	7.5%
Grade 8	68.7%	0.2%	1.4%	3.4%	5.8%	12.2%	8.2%
Grade 9	51.6%	1.1%	2.6%	7.7%	14.0%	13.3%	9.8%
Grade 10	46.4%	0.2%	2.9%	7.8%	18.8%	12.9%	11.0%
Grade 11	36.8%	0.2%	4.3%	12.0%	20.9%	15.8%	10.1%
Grade 12	35.1%	0.5%	3.7%	16.2%	20.2%	15.4%	9.0%

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer	All	61.4%	38.5%	7.1%	18.8%	12.6%
	Grade 6	80.2%	19.8%	0.3%	7.8%	11.7%
	Grade 7	74.4%	25.5%	1.8%	11.8%	11.9%
	Grade 8	71.1%	28.8%	1.1%	14.2%	13.5%
	Grade 9	57.3%	42.6%	7.2%	20.5%	14.9%
	Grade 10	53.8%	46.2%	9.7%	24.4%	12.1%
	Grade 11	45.5%	54.6%	14.2%	27.9%	12.5%
	Grade 12	45.2%	54.8%	17.6%	26.5%	10.7%
Wine Coolers	All	67.2%	32.7%	5.4%	19.9%	7.4%
	Grade 6	86.9%	13.1%	0.8%	7.7%	4.6%
	Grade 7	84.4%	15.7%	1.3%	7.3%	7.1%
	Grade 8	76.6%	23.5%	2.2%	13.9%	7.4%
	Grade 9	60.4%	39.6%	6.6%	23.7%	9.3%
	Grade 10	58.2%	41.8%	6.0%	28.0%	7.8%
	Grade 11	50.8%	49.1%	10.5%	31.9%	6.7%
	Grade 12	50.6%	49.3%	11.4%	28.8%	9.1%
Wine	All	67.9%	32.0%	2.0%	15.8%	14.2%
	Grade 6	85.2%	14.7%	0.4%	4.8%	9.5%
	Grade 7	76.9%	23.1%	0.7%	8.4%	14.0%
	Grade 8	74.5%	25.5%	1.0%	11.8%	12.7%
	Grade 9	63.9%	36.0%	2.7%	18.5%	14.8%
	Grade 10	61.3%	38.9%	2.0%	21.0%	15.9%
	Grade 11	57.0%	43.0%	2.9%	23.2%	16.9%
	Grade 12	55.2%	44.8%	4.3%	24.4%	16.1%
Liquor	All	65.3%	34.7%	7.5%	18.6%	8.6%
	Grade 6	91.6%	8.4%	0.5%	3.0%	4.9%
	Grade 7	85.3%	14.6%	0.9%	6.8%	6.9%
	Grade 8	76.1%	24.0%	2.6%	12.7%	8.7%
	Grade 9	59.7%	40.3%	8.2%	23.5%	8.6%
	Grade 10	52.5%	47.4%	9.6%	25.5%	12.3%
	Grade 11	45.3%	54.6%	14.8%	29.5%	10.3%
	Grade 12	43.0%	57.0%	17.2%	31.1%	8.7%

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	86.7%	5.1%	2.9%	2.7%	1.0%	1.6%
Grade 6	97.3%	1.3%	0.8%	0.1%	0.0%	0.4%
Grade 7	95.7%	2.2%	0.7%	0.6%	0.4%	0.3%
Grade 8	93.4%	2.9%	1.4%	0.6%	0.4%	1.4%
Grade 9	84.3%	6.9%	3.1%	2.8%	1.4%	1.5%
Grade 10	84.7%	4.0%	4.4%	3.6%	0.7%	2.6%
Grade 11	75.7%	8.8%	4.6%	5.6%	2.2%	3.1%
Grade 12	73.6%	9.9%	5.8%	6.1%	2.3%	2.2%

**Table A-5: Average age of first use of alcohol:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	9.8	10.7	11.2	12.2	13.1	13.9	14.7

**Table A-6: If you wanted some, how difficult would it be to get alcohol?**

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.3%	15.1%	5.6%	11.0%	18.2%	28.8%
Grade 6	43.7%	27.1%	6.5%	9.0%	6.3%	7.4%
Grade 7	28.1%	27.6%	6.4%	9.7%	12.5%	15.6%
Grade 8	24.4%	17.8%	8.2%	10.5%	17.0%	22.0%
Grade 9	16.1%	11.7%	5.5%	13.8%	20.5%	32.4%
Grade 10	15.9%	8.3%	4.4%	11.5%	22.9%	37.1%
Grade 11	10.1%	6.9%	4.5%	10.6%	23.3%	44.7%
Grade 12	10.2%	4.6%	3.7%	11.8%	25.3%	44.5%

**Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?**

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	95.8%	3.2%	0.5%	0.4%
Grade 6	97.7%	2.1%	0.0%	0.1%
Grade 7	96.4%	2.9%	0.6%	0.1%
Grade 8	95.9%	3.1%	0.8%	0.2%
Grade 9	94.6%	4.2%	0.4%	0.8%
Grade 10	95.7%	3.4%	0.4%	0.5%
Grade 11	95.8%	2.6%	0.9%	0.7%
Grade 12	94.8%	3.9%	0.7%	0.6%

**Table A-8: School year use of alcohol by absences and conduct problems:**

Average days absent due to illness or other reasons	
Alcohol Users	4.2
Alcohol Non-Users	3.1
Average days conduct problems reported	
Alcohol Users	3.0
Alcohol Non-Users	1.1

**Table A-9: During the past twelve months, how many times (if any) have you ...**

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	94.7%	3.9%	0.8%	0.5%
Grade 9	97.3%	2.3%	0.3%	0.2%
Grade 10	97.2%	1.9%	0.4%	0.5%
Grade 11	93.5%	4.8%	1.1%	0.7%
Grade 12	89.9%	7.5%	1.8%	0.9%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	96.5%	2.9%	0.4%	0.2%
Grade 6	98.0%	1.7%	0.1%	0.1%
Grade 7	98.4%	1.2%	0.3%	0.1%
Grade 8	96.8%	2.6%	0.3%	0.4%
Grade 9	95.2%	3.9%	0.8%	0.2%
Grade 10	97.4%	2.2%	0.4%	0.0%
Grade 11	94.5%	4.8%	0.4%	0.2%
Grade 12	94.7%	4.4%	0.5%	0.5%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	95.5%	4.0%	0.3%	0.2%
Grade 6	98.8%	1.0%	0.1%	0.0%
Grade 7	97.8%	2.2%	0.0%	0.0%
Grade 8	95.4%	4.2%	0.2%	0.2%
Grade 9	95.2%	4.1%	0.4%	0.3%
Grade 10	95.0%	4.6%	0.2%	0.2%
Grade 11	93.2%	5.7%	0.7%	0.4%
Grade 12	92.7%	6.6%	0.4%	0.4%

**Table A-10: About how many of your close friends use alcohol?**

	None	A Few	Some	Most	All
All	46.1%	23.0%	14.3%	13.0%	3.6%
Grade 6	82.2%	12.6%	3.0%	1.7%	0.4%
Grade 7	68.7%	20.0%	6.6%	3.8%	1.0%
Grade 8	59.5%	22.5%	11.3%	5.6%	1.1%
Grade 9	36.4%	29.5%	16.9%	13.9%	3.3%
Grade 10	30.1%	28.3%	20.3%	16.9%	4.3%
Grade 11	22.6%	24.3%	22.4%	23.0%	7.6%
Grade 12	20.4%	22.2%	20.3%	28.4%	8.6%

**Table A-11: Thinking of parties you attended this school year, how often was alcohol used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	47.4%	6.9%	5.8%	9.5%	12.5%	1.9%	16.1%
Grade 6	81.9%	3.6%	3.0%	1.8%	0.6%	1.0%	8.1%
Grade 7	71.4%	6.8%	4.3%	2.8%	2.4%	2.7%	9.6%
Grade 8	61.3%	7.4%	6.2%	6.3%	2.5%	2.0%	14.4%
Grade 9	36.5%	9.9%	8.8%	13.2%	11.7%	1.9%	18.0%
Grade 10	29.9%	7.4%	6.1%	14.6%	18.0%	2.9%	21.1%
Grade 11	24.3%	7.5%	5.8%	13.7%	24.6%	1.6%	22.5%
Grade 12	23.8%	5.3%	5.6%	14.3%	31.0%	0.6%	19.3%

Table A-12: How often, if ever, do you get alcohol beverages from ...?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	53.4%	21.8%	17.0%	5.7%	2.1%
	Grade 6	69.8%	21.9%	7.0%	1.0%	0.3%
	Grade 7	67.0%	18.3%	10.0%	2.9%	1.7%
	Grade 8	60.8%	18.3%	15.8%	4.2%	0.9%
	Grade 9	48.0%	22.8%	20.3%	6.6%	2.3%
	Grade 10	46.2%	24.2%	19.1%	8.1%	2.4%
	Grade 11	41.3%	22.1%	24.5%	8.7%	3.4%
	Grade 12	38.6%	25.3%	22.8%	9.1%	4.2%
Friends?	All	52.9%	19.6%	13.1%	10.8%	3.6%
	Grade 6	73.0%	22.2%	3.3%	1.3%	0.2%
	Grade 7	68.7%	22.0%	5.8%	2.6%	0.9%
	Grade 8	63.3%	21.0%	8.5%	5.9%	1.3%
	Grade 9	48.2%	21.4%	15.3%	11.2%	3.9%
	Grade 10	43.8%	19.2%	17.1%	14.7%	5.2%
	Grade 11	36.9%	15.3%	20.0%	20.5%	7.3%
	Grade 12	33.8%	14.8%	23.0%	21.1%	7.3%
Store?	All	54.9%	34.8%	4.8%	3.4%	2.1%
	Grade 6	73.2%	25.7%	0.4%	0.4%	0.3%
	Grade 7	70.3%	26.4%	1.4%	1.3%	0.6%
	Grade 8	64.1%	30.7%	2.0%	2.1%	1.1%
	Grade 9	51.3%	39.2%	5.4%	2.3%	1.6%
	Grade 10	45.4%	42.1%	5.9%	3.6%	3.1%
	Grade 11	41.7%	40.7%	7.7%	5.6%	4.2%
	Grade 12	36.1%	38.7%	11.6%	9.6%	3.9%
Parties?	All	51.0%	16.9%	10.0%	11.7%	10.4%
	Grade 6	71.6%	21.3%	4.5%	1.7%	0.9%
	Grade 7	67.2%	18.5%	5.1%	6.5%	2.6%
	Grade 8	59.7%	18.1%	8.3%	8.8%	5.1%
	Grade 9	44.3%	15.8%	13.4%	16.8%	9.6%
	Grade 10	41.5%	15.7%	13.4%	14.3%	15.0%
	Grade 11	37.7%	13.8%	12.1%	16.4%	20.0%
	Grade 12	33.1%	14.7%	13.4%	17.2%	21.5%
Other Source?	All	55.3%	27.0%	8.5%	4.7%	4.4%
	Grade 6	74.1%	21.3%	2.7%	1.4%	0.6%
	Grade 7	68.7%	21.7%	5.6%	2.2%	1.8%
	Grade 8	62.3%	25.1%	6.4%	3.2%	3.0%
	Grade 9	50.5%	28.1%	9.7%	6.5%	5.2%
	Grade 10	46.1%	31.4%	10.2%	6.5%	5.9%
	Grade 11	43.2%	29.0%	13.4%	6.6%	7.7%
	Grade 12	40.2%	33.0%	12.5%	6.9%	7.4%



**Table A-13: How do your parents feel about kids your age drinking alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	64.2%	12.9%	10.2%	3.8%	1.1%	7.8%
Grade 6	72.2%	5.3%	4.2%	1.0%	1.2%	16.2%
Grade 7	77.2%	7.2%	4.7%	0.7%	1.9%	8.3%
Grade 8	75.4%	9.6%	5.1%	2.6%	0.3%	7.1%
Grade 9	61.5%	14.7%	11.9%	4.1%	1.3%	6.4%
Grade 10	60.5%	14.8%	13.1%	6.3%	0.5%	4.8%
Grade 11	51.0%	17.7%	17.8%	6.6%	1.2%	5.6%
Grade 12	48.5%	22.3%	15.9%	5.5%	1.4%	6.3%

**Table A-14: How dangerous do you think it is for kids your age to use alcohol?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	52.8%	28.1%	12.6%	2.5%	4.0%
Grade 6	67.5%	20.3%	5.6%	1.6%	5.2%
Grade 7	64.6%	19.7%	9.3%	1.8%	4.5%
Grade 8	56.6%	24.0%	13.3%	2.1%	4.1%
Grade 9	46.8%	31.4%	15.3%	3.1%	3.4%
Grade 10	48.0%	32.5%	13.7%	3.2%	2.6%
Grade 11	40.4%	36.3%	16.3%	2.7%	4.3%
Grade 12	44.8%	33.6%	14.8%	2.8%	4.1%

## Drugs

Table D-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Marijuana?				
All	9.5%	13.6%	23.9%	76.1%
Grade 6	1.4%	3.1%	6.9%	93.1%
Grade 7	4.3%	5.2%	9.2%	90.8%
Grade 8	4.3%	7.7%	14.9%	85.0%
Grade 9	11.0%	16.1%	27.9%	72.1%
Grade 10	10.6%	15.4%	29.8%	70.3%
Grade 11	18.3%	24.9%	40.5%	59.5%
Grade 12	18.1%	25.1%	41.4%	58.6%
Cocaine?				
All	0.6%	1.0%	2.2%	97.8%
Grade 6	0.0%	1.3%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.8%	98.3%
Grade 9	0.7%	0.9%	1.6%	98.5%
Grade 10	0.4%	0.8%	2.2%	97.8%
Grade 11	1.3%	2.0%	4.0%	96.0%
Grade 12	1.2%	1.7%	4.3%	95.7%
Crack?				
All	0.2%	0.4%	0.8%	99.2%
Grade 6	0.0%	0.6%	1.1%	98.8%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.7%	0.9%	1.4%	98.6%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.6%	99.3%
Grade 11	0.1%	0.3%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.5%	99.5%
Hallucinogens?				
All	0.8%	1.3%	2.6%	97.3%
Grade 6	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.3%	1.0%	99.0%
Grade 9	1.0%	2.0%	3.7%	96.2%
Grade 10	0.9%	1.6%	3.4%	96.7%
Grade 11	1.3%	2.1%	4.4%	95.5%
Grade 12	2.3%	3.5%	6.3%	93.6%
Rohypnol?				
All	0.3%	0.4%	0.8%	99.1%
Grade 6	0.5%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.9%	99.1%
Grade 9	0.5%	0.9%	1.5%	98.6%
Grade 10	0.7%	0.8%	1.0%	99.0%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.4%	0.6%	1.4%	98.5%

**Table D-1: How recently, if ever, have you used ...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Steroids?				
All	0.3%	0.3%	0.8%	99.1%
Grade 6	0.0%	0.0%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.3%	1.5%	98.5%
Grade 9	0.1%	0.1%	0.6%	99.4%
Grade 10	0.6%	0.6%	1.0%	99.0%
Grade 11	0.7%	0.8%	1.0%	99.0%
Grade 12	0.5%	0.7%	1.0%	99.0%
Ecstasy?				
All	0.6%	1.0%	2.4%	97.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	1.4%	98.7%
Grade 9	1.0%	1.7%	2.9%	97.1%
Grade 10	0.3%	0.9%	2.7%	97.3%
Grade 11	1.6%	2.0%	5.2%	94.9%
Grade 12	1.5%	2.8%	5.5%	94.5%
Heroin?				
All	0.2%	0.3%	0.5%	99.5%
Grade 6	0.4%	0.5%	0.6%	99.3%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.2%	0.6%	99.5%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.6%	99.4%
Methamphetamine?				
All	0.2%	0.3%	0.7%	99.4%
Grade 6	0.0%	0.1%	0.9%	99.1%
Grade 7	0.1%	0.3%	0.4%	99.5%
Grade 8	0.1%	0.3%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.2%	0.3%	0.6%	99.5%
Synthetic Marijuana?				
All	1.8%	2.9%	6.3%	93.8%
Grade 6	0.6%	1.0%	2.9%	97.1%
Grade 7	1.1%	1.4%	1.9%	98.1%
Grade 8	0.7%	1.1%	3.3%	96.7%
Grade 9	2.6%	4.2%	7.7%	92.3%
Grade 10	2.2%	4.0%	7.9%	92.1%
Grade 11	3.1%	4.9%	11.0%	89.1%
Grade 12	2.0%	3.3%	9.5%	90.6%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	79.2%	2.3%	2.1%	3.7%	3.9%	3.9%	4.9%
	Grade 6	95.5%	0.3%	0.6%	0.7%	0.6%	1.0%	1.2%
	Grade 7	91.4%	0.1%	1.1%	1.0%	2.3%	1.7%	2.3%
	Grade 8	86.2%	0.7%	0.8%	2.3%	2.5%	2.7%	4.9%
	Grade 9	76.5%	3.5%	2.3%	5.2%	3.9%	3.9%	4.9%
	Grade 10	73.3%	2.7%	2.6%	4.5%	5.3%	4.8%	6.8%
	Grade 11	64.5%	4.0%	4.5%	6.4%	6.5%	7.3%	6.8%
	Grade 12	64.4%	5.0%	3.1%	6.5%	7.1%	6.4%	7.6%
Cocaine?								
	All	98.8%	0.1%	0.1%	0.1%	0.3%	0.2%	0.4%
	Grade 6	99.4%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%
	Grade 7	99.7%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.0%	0.0%	0.1%	0.1%	0.5%	0.0%	0.3%
	Grade 9	99.0%	0.2%	0.0%	0.0%	0.2%	0.2%	0.4%
	Grade 10	99.4%	0.0%	0.0%	0.0%	0.2%	0.1%	0.3%
	Grade 11	97.8%	0.2%	0.2%	0.2%	0.3%	0.6%	0.8%
	Grade 12	97.0%	0.4%	0.1%	0.3%	0.3%	0.7%	1.2%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 6	99.6%	0.0%	0.3%	0.1%	0.0%	0.0%	0.0%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 8	99.5%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%
	Grade 9	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.5%	0.1%	0.1%	0.0%	0.1%	0.1%	0.2%
	Grade 6	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 7	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 8	99.1%	0.0%	0.2%	0.0%	0.4%	0.1%	0.3%
	Grade 9	99.5%	0.1%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.5%	0.2%	0.0%	0.1%	0.2%	0.0%	0.0%
	Grade 11	99.3%	0.1%	0.0%	0.0%	0.1%	0.3%	0.2%
	Grade 12	99.4%	0.2%	0.0%	0.0%	0.0%	0.1%	0.3%

**Table D-2: How often do you normally use ...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	98.2%	0.0%	0.0%	0.0%	0.4%	0.7%	0.7%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 8	98.9%	0.0%	0.0%	0.0%	0.1%	0.5%	0.5%
	Grade 9	97.9%	0.0%	0.1%	0.1%	0.6%	0.6%	0.7%
	Grade 10	97.8%	0.0%	0.1%	0.0%	0.4%	0.9%	0.7%
	Grade 11	96.4%	0.1%	0.0%	0.0%	1.1%	1.1%	1.3%
	Grade 12	96.1%	0.0%	0.0%	0.2%	0.4%	1.7%	1.6%
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 6	99.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.7%
	Grade 7	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 6	99.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
	Grade 7	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 8	99.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.6%
	Grade 9	99.6%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%
	Grade 10	99.7%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 11	99.9%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Synthetic Marijuana?								
	All	94.7%	0.2%	0.3%	0.5%	0.8%	1.0%	2.4%
	Grade 6	97.6%	0.2%	0.3%	0.0%	0.3%	0.6%	0.9%
	Grade 7	98.2%	0.4%	0.0%	0.0%	0.3%	0.4%	0.7%
	Grade 8	97.6%	0.1%	0.1%	0.2%	0.4%	0.5%	1.1%
	Grade 9	92.6%	0.2%	0.7%	1.2%	1.3%	1.1%	2.9%
	Grade 10	94.1%	0.1%	0.3%	1.0%	1.2%	1.4%	1.8%
	Grade 11	89.6%	0.2%	0.2%	0.7%	1.3%	2.1%	5.9%
	Grade 12	92.7%	0.4%	0.3%	0.4%	1.0%	1.2%	4.1%

Table D-3: Average age of first use of:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.2	11.6	12.5	12.9	13.7	14.4	15.0
Cocaine	9.7	10.9	12.6	13.6	14.6	14.9	15.7
Crack	11.7	11.7	12.6	10.2	13.0	11.8	15.9
Steroids	9.7	8.6	12.4	11.8	12.5	13.6	16.1
Ecstasy	10.0	9.1	12.6	13.8	15.0	15.3	16.0
Heroin	8.0	9.4	*	12.0	13.9	12.6	16.1
Methamphetamine	8.7	12.0	13.5	13.6	14.7	13.4	16.5
Synthetic Marijuana	12.0	11.8	12.5	13.2	14.5	15.1	15.7

Table D-4: Age of first use of marijuana by family situation

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17	
Two Parent Family									
All	81.5%	0.3%	0.3%	1.6%	5.4%	6.6%	3.8%	0.4%	
Grade 6	95.8%	0.0%	0.0%	2.9%	1.2%	0.0%	0.0%	0.0%	
Grade 7	94.1%	0.0%	0.4%	2.5%	3.0%	0.0%	0.0%	0.0%	
Grade 8	88.3%	0.0%	0.4%	2.1%	7.3%	1.8%	0.0%	0.0%	
Grade 9	80.0%	0.2%	0.5%	1.5%	9.6%	8.2%	0.0%	0.0%	
Grade 10	77.0%	0.7%	0.0%	0.6%	5.6%	12.1%	3.9%	0.0%	
Grade 11	64.8%	0.7%	0.4%	0.8%	6.7%	15.4%	10.9%	0.3%	
Grade 12	66.0%	0.3%	0.7%	0.4%	4.3%	10.4%	15.0%	2.9%	
Other Family Situation									
All	68.9%	1.0%	0.7%	3.4%	10.7%	10.4%	4.7%	0.4%	
Grade 6	90.7%	1.3%	0.0%	5.3%	2.8%	0.0%	0.0%	0.0%	
Grade 7	85.4%	0.6%	1.5%	3.8%	7.9%	0.8%	0.0%	0.0%	
Grade 8	77.2%	0.8%	0.3%	1.0%	17.6%	3.0%	0.0%	0.0%	
Grade 9	63.7%	1.0%	0.7%	5.5%	13.9%	14.8%	0.3%	0.0%	
Grade 10	63.4%	2.1%	0.7%	3.3%	8.6%	17.3%	4.0%	0.4%	
Grade 11	54.5%	0.8%	0.4%	1.3%	12.0%	18.8%	12.1%	0.1%	
Grade 12	49.5%	0.4%	1.1%	1.9%	10.4%	14.8%	19.4%	2.4%	

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	24.8%	22.2%	7.3%	8.9%	13.7%	23.1%
	Grade 6	48.3%	32.2%	7.4%	4.4%	3.6%	4.0%
	Grade 7	32.8%	39.2%	7.0%	7.2%	5.5%	8.3%
	Grade 8	27.6%	27.3%	9.0%	10.5%	11.5%	14.1%
	Grade 9	17.8%	19.8%	9.0%	10.7%	15.5%	27.2%
	Grade 10	18.9%	14.0%	6.3%	10.2%	21.3%	29.3%
	Grade 11	13.0%	10.5%	5.6%	9.5%	18.9%	42.4%
	Grade 12	14.6%	10.0%	6.0%	9.5%	20.5%	39.4%
Cocaine	All	33.0%	34.0%	13.0%	9.7%	4.7%	5.6%
	Grade 6	52.5%	34.5%	7.1%	2.6%	0.9%	2.4%
	Grade 7	36.6%	44.8%	10.5%	4.4%	1.4%	2.3%
	Grade 8	33.0%	38.0%	10.4%	10.0%	4.5%	4.1%
	Grade 9	29.3%	32.3%	15.8%	11.0%	5.4%	6.1%
	Grade 10	28.3%	31.9%	16.4%	12.3%	6.0%	5.0%
	Grade 11	25.0%	26.2%	15.2%	15.8%	7.0%	10.7%
	Grade 12	26.2%	28.7%	15.3%	12.4%	8.0%	9.6%
Crack	All	34.8%	34.6%	13.3%	8.9%	3.8%	4.6%
	Grade 6	54.4%	33.3%	7.5%	1.8%	1.1%	1.8%
	Grade 7	37.9%	43.6%	9.5%	5.7%	0.6%	2.7%
	Grade 8	34.0%	38.6%	10.8%	9.3%	3.5%	3.7%
	Grade 9	31.2%	32.6%	15.5%	10.7%	5.0%	5.0%
	Grade 10	29.7%	33.6%	16.6%	10.8%	5.2%	4.0%
	Grade 11	27.3%	28.9%	16.8%	13.3%	5.5%	8.1%
	Grade 12	29.3%	30.3%	16.9%	10.3%	5.9%	7.3%
Steroids	All	36.3%	34.5%	13.4%	8.1%	3.5%	4.3%
	Grade 6	56.9%	30.8%	7.2%	2.8%	0.7%	1.7%
	Grade 7	39.8%	42.5%	9.8%	3.5%	1.8%	2.5%
	Grade 8	35.3%	37.4%	13.8%	6.6%	2.8%	4.0%
	Grade 9	32.9%	34.5%	14.1%	10.7%	3.6%	4.2%
	Grade 10	30.8%	34.6%	16.5%	9.2%	5.2%	3.6%
	Grade 11	29.2%	29.9%	16.7%	12.1%	4.9%	7.1%
	Grade 12	29.7%	29.8%	15.8%	11.9%	5.4%	7.4%

**Table D-5: If you wanted some, how difficult would it be to get ...  
(Continued)**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?							
	All	45.8%	26.5%	10.3%	7.9%	4.7%	4.7%
	Grade 6	71.6%	21.1%	4.4%	1.7%	0.7%	0.5%
	Grade 7	59.5%	30.8%	4.3%	2.4%	0.6%	2.4%
	Grade 8	52.0%	27.6%	10.3%	6.6%	1.8%	1.6%
	Grade 9	39.7%	25.2%	12.4%	11.7%	5.3%	5.7%
	Grade 10	35.1%	29.7%	13.2%	10.3%	6.6%	5.2%
	Grade 11	29.4%	24.4%	13.9%	12.7%	10.0%	9.5%
	Grade 12	31.8%	26.1%	13.9%	10.1%	9.0%	9.1%
Heroin?							
	All	43.7%	33.3%	12.3%	5.4%	2.2%	3.2%
	Grade 6	65.8%	25.4%	6.2%	1.0%	0.4%	1.3%
	Grade 7	52.1%	35.5%	6.1%	3.1%	0.2%	2.9%
	Grade 8	44.9%	35.9%	10.2%	4.5%	2.5%	2.1%
	Grade 9	39.7%	31.4%	14.7%	7.3%	2.8%	4.0%
	Grade 10	35.8%	35.8%	15.5%	7.8%	3.0%	2.1%
	Grade 11	33.7%	33.6%	16.4%	8.0%	3.3%	5.1%
	Grade 12	32.8%	35.4%	17.5%	6.3%	2.9%	5.1%
Methamphetamine?							
	All	45.9%	31.8%	11.3%	5.7%	2.0%	3.3%
	Grade 6	65.7%	26.4%	5.6%	1.2%	0.3%	0.8%
	Grade 7	54.6%	33.5%	6.8%	2.2%	0.6%	2.3%
	Grade 8	51.1%	30.6%	8.9%	4.6%	2.1%	2.7%
	Grade 9	40.7%	32.2%	12.7%	8.1%	2.1%	4.2%
	Grade 10	38.6%	34.3%	13.3%	8.4%	3.2%	2.3%
	Grade 11	34.7%	32.1%	16.3%	8.4%	2.7%	5.9%
	Grade 12	35.2%	33.1%	16.3%	6.7%	3.4%	5.3%
Synthetic Marijuana?							
	All	44.9%	23.9%	7.8%	6.7%	6.8%	9.8%
	Grade 6	66.5%	22.8%	5.2%	2.0%	1.7%	1.8%
	Grade 7	52.6%	31.1%	6.3%	3.1%	2.7%	4.3%
	Grade 8	50.2%	24.7%	9.2%	4.1%	5.9%	5.8%
	Grade 9	39.0%	24.1%	7.0%	9.5%	8.3%	12.1%
	Grade 10	37.7%	23.7%	8.9%	9.8%	8.5%	11.4%
	Grade 11	33.8%	19.3%	9.1%	9.4%	11.8%	16.6%
	Grade 12	33.8%	20.5%	9.4%	9.2%	9.2%	17.8%



**Table D-6: Since school began in the fall, on how many days (if any) have you ...**

	None	1-3 Days	4-9 Days	10+ Days
<b>Attended Class While High From Marijuana Use?</b>				
All	91.0%	5.1%	1.2%	2.7%
Grade 6	97.3%	1.9%	0.2%	0.7%
Grade 7	96.0%	3.6%	0.1%	0.3%
Grade 8	94.8%	4.4%	0.4%	0.3%
Grade 9	87.8%	5.8%	2.2%	4.1%
Grade 10	90.2%	5.0%	1.2%	3.6%
Grade 11	85.4%	7.7%	2.3%	4.5%
Grade 12	85.0%	7.7%	1.8%	5.4%
<b>Attended Class While High From Use Of Some Other Drug?</b>				
All	97.3%	1.7%	0.5%	0.5%
Grade 6	98.5%	1.1%	0.3%	0.1%
Grade 7	98.9%	0.8%	0.3%	0.0%
Grade 8	96.9%	2.2%	0.2%	0.7%
Grade 9	96.2%	2.5%	0.6%	0.7%
Grade 10	97.5%	1.5%	0.4%	0.6%
Grade 11	96.8%	2.0%	1.2%	0.0%
Grade 12	96.7%	1.6%	0.5%	1.2%

**Table D-7: School year use of marijuana by absences and conduct problems:**

Average days absent due to illness or other reasons	
Marijuana Users	4.5
Marijuana Non-Users	3.3
Average days conduct problems reported	
Marijuana Users	4.5
Marijuana Non-Users	1.3

**Table D-8: During the past twelve months, how many times (if any) have you ...**

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	93.1%	4.2%	0.9%	1.8%
Grade 9	96.3%	2.7%	0.5%	0.5%
Grade 10	96.3%	2.3%	0.1%	1.4%
Grade 11	90.9%	5.6%	1.1%	2.4%
Grade 12	87.6%	7.0%	2.0%	3.5%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	95.5%	3.8%	0.4%	0.3%
Grade 6	96.4%	3.4%	0.0%	0.1%
Grade 7	96.8%	3.2%	0.0%	0.0%
Grade 8	95.6%	4.0%	0.4%	0.0%
Grade 9	93.6%	5.1%	0.6%	0.7%
Grade 10	96.3%	3.1%	0.5%	0.1%
Grade 11	94.9%	4.0%	0.6%	0.4%
Grade 12	95.0%	4.1%	0.4%	0.5%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	95.6%	3.3%	0.7%	0.4%
Grade 6	99.6%	0.3%	0.0%	0.0%
Grade 7	97.9%	1.8%	0.3%	0.0%
Grade 8	97.0%	1.7%	1.1%	0.3%
Grade 9	92.4%	6.0%	0.8%	0.9%
Grade 10	95.5%	2.9%	0.9%	0.7%
Grade 11	92.1%	5.8%	1.4%	0.6%
Grade 12	94.6%	4.2%	0.6%	0.6%

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	All
All	51.7%	19.2%	13.3%	11.5%	4.2%
Grade 6	80.4%	10.6%	5.2%	2.5%	1.4%
Grade 7	72.4%	14.2%	6.4%	5.0%	1.9%
Grade 8	62.1%	18.8%	9.4%	7.5%	2.3%
Grade 9	44.5%	20.0%	16.5%	14.4%	4.6%
Grade 10	40.6%	23.6%	16.1%	15.1%	4.6%
Grade 11	28.9%	25.5%	19.1%	19.5%	7.1%
Grade 12	30.5%	22.3%	21.2%	17.5%	8.4%

**Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	55.0%	6.3%	5.2%	6.0%	8.8%	2.6%	16.1%
Grade 6	85.2%	2.6%	2.3%	0.4%	0.3%	1.2%	8.0%
Grade 7	77.6%	4.4%	1.9%	2.0%	1.9%	2.3%	9.9%
Grade 8	68.4%	5.8%	4.3%	2.7%	3.0%	2.4%	13.5%
Grade 9	47.6%	8.0%	6.3%	8.2%	9.1%	2.8%	18.1%
Grade 10	38.3%	7.7%	7.7%	8.4%	12.0%	4.4%	21.4%
Grade 11	32.3%	8.6%	6.9%	9.3%	17.5%	2.4%	22.9%
Grade 12	32.2%	7.1%	7.2%	11.8%	19.8%	2.4%	19.5%

**Table D-11: How do your parents feel about kids your age using marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	78.9%	5.6%	5.0%	1.2%	1.8%	7.6%
Grade 6	77.4%	1.9%	2.9%	0.3%	1.2%	16.2%
Grade 7	86.8%	2.1%	1.6%	0.2%	2.2%	7.1%
Grade 8	85.5%	4.0%	3.1%	0.5%	1.0%	6.0%
Grade 9	77.4%	6.4%	5.6%	1.5%	2.4%	6.7%
Grade 10	77.1%	8.0%	6.2%	2.2%	1.4%	5.0%
Grade 11	73.9%	7.5%	7.9%	2.0%	1.9%	6.8%
Grade 12	72.8%	9.5%	8.1%	1.5%	2.1%	6.0%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?	All	57.6%	13.7%	11.1%	13.1%	4.4%
	Grade 6	81.5%	7.6%	2.6%	2.9%	5.5%
	Grade 7	76.9%	10.4%	5.1%	3.4%	4.2%
	Grade 8	66.6%	15.4%	5.3%	8.1%	4.6%
	Grade 9	51.0%	14.4%	15.5%	14.3%	4.7%
	Grade 10	48.3%	16.8%	15.2%	16.6%	3.0%
	Grade 11	35.6%	16.9%	17.4%	25.9%	4.2%
	Grade 12	41.0%	14.6%	17.0%	22.4%	5.0%
Cocaine?	All	85.9%	6.9%	1.2%	0.5%	5.5%
	Grade 6	86.5%	5.3%	1.2%	0.7%	6.4%
	Grade 7	86.2%	6.3%	1.2%	0.6%	5.7%
	Grade 8	85.3%	7.0%	1.6%	0.5%	5.5%
	Grade 9	84.8%	7.3%	1.7%	0.9%	5.3%
	Grade 10	87.2%	8.2%	1.0%	0.1%	3.5%
	Grade 11	86.7%	7.0%	1.0%	0.4%	5.0%
	Grade 12	84.6%	7.0%	0.7%	0.4%	7.4%
Crack?	All	86.4%	6.2%	1.0%	0.5%	5.9%
	Grade 6	85.1%	4.8%	1.0%	0.8%	8.4%
	Grade 7	85.7%	6.5%	1.1%	0.6%	6.1%
	Grade 8	84.8%	7.4%	1.6%	0.5%	5.8%
	Grade 9	86.0%	6.6%	1.3%	0.9%	5.1%
	Grade 10	87.8%	7.6%	0.9%	0.1%	3.6%
	Grade 11	88.0%	5.6%	0.8%	0.4%	5.2%
	Grade 12	87.3%	4.8%	0.2%	0.2%	7.5%
Ecstasy?	All	79.3%	8.0%	2.2%	0.8%	9.8%
	Grade 6	81.9%	4.7%	0.6%	0.7%	12.1%
	Grade 7	80.5%	5.0%	0.6%	0.6%	13.3%
	Grade 8	80.2%	5.9%	1.5%	0.3%	12.1%
	Grade 9	77.8%	8.9%	3.7%	1.2%	8.3%
	Grade 10	80.1%	10.6%	2.3%	1.2%	5.8%
	Grade 11	77.0%	10.9%	3.8%	0.7%	7.6%
	Grade 12	77.1%	10.3%	2.8%	0.7%	9.1%

**Table D-12: How dangerous do you think it is for kids your age to use ...**  
**(Continued)**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	79.2%	6.4%	2.1%	0.9%	11.4%
	Grade 6	82.7%	4.3%	1.0%	0.7%	11.3%
	Grade 7	82.8%	4.4%	1.4%	0.3%	11.1%
	Grade 8	78.7%	5.1%	1.6%	0.7%	13.9%
	Grade 9	77.5%	7.7%	2.3%	1.3%	11.1%
	Grade 10	79.4%	7.7%	2.0%	1.2%	9.8%
	Grade 11	76.7%	8.1%	3.5%	1.2%	10.6%
	Grade 12	76.5%	7.9%	3.0%	0.7%	11.8%
Steroids?	All	75.8%	12.3%	3.3%	0.9%	7.7%
	Grade 6	81.4%	6.7%	2.1%	0.7%	9.2%
	Grade 7	76.8%	10.8%	2.7%	0.8%	9.0%
	Grade 8	78.6%	9.6%	2.0%	1.0%	8.9%
	Grade 9	72.9%	15.0%	3.8%	1.3%	7.0%
	Grade 10	75.7%	15.0%	3.9%	0.7%	4.7%
	Grade 11	72.3%	15.0%	4.0%	1.4%	7.3%
	Grade 12	72.9%	14.1%	4.7%	0.7%	7.6%
Heroin?	All	86.4%	4.6%	0.6%	0.5%	8.0%
	Grade 6	81.5%	6.1%	0.6%	0.7%	11.1%
	Grade 7	84.4%	3.4%	0.5%	0.6%	11.0%
	Grade 8	84.4%	5.5%	0.9%	0.7%	8.5%
	Grade 9	86.8%	5.1%	1.0%	1.0%	6.2%
	Grade 10	89.4%	5.3%	0.3%	0.1%	4.9%
	Grade 11	90.0%	3.2%	0.3%	0.4%	6.2%
	Grade 12	88.6%	3.0%	0.1%	0.2%	8.0%
Methamphetamine?	All	86.3%	4.3%	0.9%	0.4%	8.2%
	Grade 6	83.1%	5.0%	1.2%	0.7%	10.1%
	Grade 7	84.5%	3.7%	0.5%	0.2%	11.0%
	Grade 8	83.2%	5.3%	1.8%	0.4%	9.3%
	Grade 9	86.0%	4.7%	1.3%	1.0%	7.0%
	Grade 10	89.7%	5.1%	0.4%	0.1%	4.7%
	Grade 11	89.3%	3.1%	0.5%	0.4%	6.7%
	Grade 12	88.2%	2.5%	0.2%	0.2%	8.8%
Synthetic Marijuana?	All	76.8%	8.4%	3.6%	1.5%	9.8%
	Grade 6	83.7%	5.0%	1.1%	0.9%	9.3%
	Grade 7	81.1%	5.9%	2.1%	0.6%	10.3%
	Grade 8	76.6%	7.2%	3.9%	1.1%	11.2%
	Grade 9	72.4%	10.9%	5.7%	2.4%	8.6%
	Grade 10	74.4%	11.0%	3.9%	2.1%	8.6%
	Grade 11	73.6%	10.1%	4.3%	2.2%	9.9%
	Grade 12	76.2%	8.4%	3.7%	1.1%	10.7%

**Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...**

	Past Month	School Year	Ever Used	Never Used
<b>Codeine Cough Syrup?</b>				
All	5.6%	7.6%	11.2%	88.8%
Grade 6	3.4%	4.0%	6.4%	93.6%
Grade 7	2.6%	3.4%	5.9%	94.1%
Grade 8	4.0%	5.0%	7.4%	92.5%
Grade 9	6.3%	8.2%	12.8%	87.3%
Grade 10	6.9%	9.7%	14.2%	85.8%
Grade 11	9.0%	13.0%	17.4%	82.7%
Grade 12	7.2%	10.5%	14.8%	85.1%
<b>Oxycontin, Percodan, Percocet Or Oxycodone?</b>				
All	1.2%	1.5%	2.1%	98.0%
Grade 6	0.3%	0.3%	0.8%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.5%	0.8%	99.2%
Grade 9	1.1%	1.4%	2.3%	97.6%
Grade 10	1.6%	1.9%	2.3%	97.7%
Grade 11	2.9%	3.5%	3.9%	96.0%
Grade 12	2.0%	2.7%	3.9%	96.1%
<b>Vicodin, Lortab, Lorcet, Or Hydrocodone?</b>				
All	1.8%	2.7%	3.7%	96.3%
Grade 6	0.3%	0.3%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.5%	99.6%
Grade 8	0.8%	0.9%	1.1%	98.9%
Grade 9	1.9%	2.8%	4.5%	95.5%
Grade 10	2.0%	3.3%	4.0%	95.9%
Grade 11	4.3%	6.3%	8.4%	91.7%
Grade 12	3.4%	5.7%	7.2%	92.9%
<b>Valium Or Diazepam?</b>				
All	0.5%	0.7%	1.0%	99.1%
Grade 6	0.1%	0.1%	0.1%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.5%	0.8%	1.4%	98.6%
Grade 10	0.5%	0.6%	0.8%	99.2%
Grade 11	0.8%	0.9%	1.2%	98.8%
Grade 12	1.4%	2.0%	2.4%	97.6%
<b>Xanax Or Alprazolam?</b>				
All	1.4%	2.0%	2.6%	97.4%
Grade 6	0.2%	0.2%	0.5%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.3%	0.6%	99.3%
Grade 9	1.5%	2.2%	3.1%	96.8%
Grade 10	1.9%	2.4%	2.7%	97.3%
Grade 11	3.0%	4.0%	5.1%	94.9%
Grade 12	2.9%	4.8%	6.0%	94.0%

**Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...**

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.8%	2.3%	3.8%	96.3%
Grade 6	0.8%	0.9%	1.6%	98.4%
Grade 7	1.5%	1.8%	4.1%	95.8%
Grade 8	3.2%	4.1%	5.2%	94.8%
Grade 9	1.8%	2.3%	4.4%	95.6%
Grade 10	1.6%	1.9%	3.1%	96.8%
Grade 11	1.3%	1.7%	3.9%	96.1%
Grade 12	1.9%	2.9%	3.5%	96.5%



## Inhalants

Table I-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	0.6%	0.8%	2.6%	97.4%
Grade 6	1.2%	1.6%	4.0%	96.0%
Grade 7	1.3%	1.7%	3.0%	97.1%
Grade 8	0.1%	0.4%	2.8%	97.1%
Grade 9	0.5%	0.8%	3.3%	96.7%
Grade 10	0.1%	0.1%	1.5%	98.5%
Grade 11	0.3%	0.3%	1.4%	98.6%
Grade 12	0.3%	0.5%	1.8%	98.1%
Whiteout, Correction Fluid, Magic Markers?				
All	1.7%	2.4%	6.5%	93.4%
Grade 6	2.4%	3.1%	6.4%	93.6%
Grade 7	4.1%	5.1%	9.2%	90.8%
Grade 8	1.6%	3.4%	8.2%	91.7%
Grade 9	1.2%	1.9%	8.2%	91.8%
Grade 10	1.0%	1.3%	5.9%	94.1%
Grade 11	0.4%	0.8%	3.5%	96.4%
Grade 12	1.1%	1.1%	3.4%	96.5%
Computer Dusting Sprays?				
All	0.3%	0.4%	1.0%	99.0%
Grade 6	0.5%	0.5%	0.6%	99.5%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.0%	0.1%	1.0%	99.0%
Grade 9	0.3%	0.4%	1.4%	98.7%
Grade 10	0.1%	0.5%	1.2%	98.8%
Grade 11	0.0%	0.3%	1.0%	99.0%
Grade 12	0.4%	0.4%	1.0%	99.0%
Helium, Butane, Propane, Whippets, Freon?				
All	1.6%	2.3%	6.1%	93.9%
Grade 6	1.6%	1.9%	4.3%	95.7%
Grade 7	2.6%	2.9%	6.5%	93.5%
Grade 8	1.3%	2.0%	5.6%	94.4%
Grade 9	1.8%	3.0%	8.5%	91.4%
Grade 10	2.0%	2.7%	7.7%	92.3%
Grade 11	1.3%	2.0%	5.3%	94.7%
Grade 12	0.6%	1.3%	4.1%	95.9%
Glue?				
All	0.4%	0.6%	1.5%	98.5%
Grade 6	1.1%	1.8%	3.0%	97.0%
Grade 7	0.9%	0.9%	1.7%	98.2%
Grade 8	0.0%	0.5%	1.7%	98.2%
Grade 9	0.2%	0.4%	1.5%	98.5%
Grade 10	0.2%	0.3%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.0%	0.2%	0.9%	99.2%

**Table I-1: How recently, if ever, have you used ...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.4%	0.5%	1.2%	98.8%
Grade 6	0.5%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.5%	1.2%	98.9%
Grade 8	0.6%	0.7%	1.8%	98.2%
Grade 9	0.4%	0.4%	1.9%	98.1%
Grade 10	0.6%	0.9%	1.3%	98.8%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.2%	0.8%	99.2%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	0.6%	0.9%	2.4%	97.7%
Grade 6	1.1%	1.1%	3.1%	96.9%
Grade 7	0.6%	0.8%	2.5%	97.5%
Grade 8	0.3%	1.0%	3.3%	96.8%
Grade 9	0.4%	0.8%	2.1%	97.9%
Grade 10	1.0%	1.4%	2.6%	97.4%
Grade 11	0.1%	0.1%	0.6%	99.3%
Grade 12	0.4%	0.5%	2.2%	97.8%
Other Aerosols/Sprays?				
All	0.7%	1.3%	2.6%	97.4%
Grade 6	1.6%	3.0%	3.9%	96.0%
Grade 7	1.5%	2.0%	4.0%	96.0%
Grade 8	0.5%	1.6%	3.6%	96.4%
Grade 9	1.0%	1.3%	2.5%	97.5%
Grade 10	0.3%	0.7%	1.8%	98.2%
Grade 11	0.1%	0.1%	1.0%	99.0%
Grade 12	0.3%	0.5%	1.3%	98.7%
Any Inhalant?				
All	4.1%	5.5%	12.7%	87.3%
Grade 6	6.8%	8.3%	13.8%	86.2%
Grade 7	6.7%	7.6%	15.4%	84.6%
Grade 8	3.4%	6.5%	14.0%	86.0%
Grade 9	3.6%	5.1%	14.3%	85.8%
Grade 10	3.7%	4.5%	13.1%	86.9%
Grade 11	2.2%	3.5%	9.2%	90.8%
Grade 12	2.0%	2.8%	8.1%	91.9%

**Table I-2: How often do you normally use inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.4%	0.0%	0.1%	0.3%	0.5%	0.9%	1.7%
Grade 6	96.6%	0.0%	0.2%	0.4%	0.7%	1.3%	0.9%
Grade 7	95.4%	0.0%	0.4%	0.6%	0.7%	1.0%	1.9%
Grade 8	94.5%	0.0%	0.2%	0.3%	1.1%	1.3%	2.6%
Grade 9	96.3%	0.0%	0.2%	0.3%	0.3%	0.8%	2.0%
Grade 10	97.3%	0.0%	0.0%	0.1%	0.4%	0.5%	1.7%
Grade 11	97.6%	0.0%	0.0%	0.1%	0.2%	0.8%	1.2%
Grade 12	97.8%	0.0%	0.0%	0.2%	0.3%	0.4%	1.3%

**Table I-3: Number of different kinds of inhalants used**

	None	One	Two to Three	Four Plus
All	87.4%	7.3%	3.9%	1.4%
Grade 6	86.4%	7.3%	4.9%	1.4%
Grade 7	84.7%	8.3%	5.5%	1.5%
Grade 8	86.0%	7.7%	4.4%	1.9%
Grade 9	85.9%	8.2%	3.8%	2.1%
Grade 10	87.0%	8.0%	4.0%	0.9%
Grade 11	90.8%	6.6%	1.9%	0.7%
Grade 12	92.0%	4.7%	2.5%	0.9%

**Table I-4: Average age of first use of inhalants:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.2	10.4	10.9	11.3	11.5	11.3	13.6

**Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1 to 3 days	4 to 9 days	10+ days
All	99.0%	0.8%	0.1%	0.1%
Grade 6	98.7%	1.1%	0.1%	0.1%
Grade 7	98.8%	1.2%	0.0%	0.0%
Grade 8	98.2%	1.4%	0.3%	0.0%
Grade 9	98.8%	0.5%	0.3%	0.3%
Grade 10	98.9%	1.1%	0.0%	0.0%
Grade 11	99.7%	0.3%	0.0%	0.0%
Grade 12	99.7%	0.3%	0.0%	0.0%

**Table I-6: School year use of inhalants by absences and conduct problems:**

	Average days absent due to illness or other reasons
Inhalants Users	4.6
Inhalants Non-Users	3.4
	Average days conduct problems reported
Inhalants Users	4.6
Inhalants Non-Users	1.7

**Table I-7: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	All
All	92.1%	5.4%	1.7%	0.4%	0.3%
Grade 6	92.8%	4.2%	1.7%	0.2%	1.0%
Grade 7	90.8%	5.8%	2.5%	0.6%	0.3%
Grade 8	91.6%	6.0%	2.1%	0.4%	0.0%
Grade 9	90.8%	6.2%	1.9%	0.8%	0.3%
Grade 10	93.1%	5.2%	1.3%	0.2%	0.2%
Grade 11	93.0%	5.0%	1.6%	0.3%	0.0%
Grade 12	93.3%	5.4%	0.6%	0.5%	0.2%

**Table I-8: How dangerous do you think it is for kids your age to use inhalants?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	75.4%	12.6%	3.2%	1.0%	7.9%
Grade 6	77.3%	10.9%	2.6%	1.1%	8.0%
Grade 7	75.3%	13.3%	2.6%	1.1%	7.6%
Grade 8	74.4%	13.4%	3.9%	0.4%	7.9%
Grade 9	74.6%	12.5%	3.9%	1.1%	7.9%
Grade 10	73.8%	14.6%	3.3%	1.6%	6.8%
Grade 11	75.6%	12.5%	3.2%	1.1%	7.5%
Grade 12	77.3%	10.2%	2.6%	0.5%	9.5%

**Table I-9: If you wanted some, how difficult would it be to get inhalants?**

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	37.2%	16.3%	4.4%	5.5%	9.7%	26.9%
Grade 6	56.2%	20.4%	3.5%	2.0%	4.0%	13.8%
Grade 7	37.7%	25.4%	4.5%	3.9%	9.7%	18.9%
Grade 8	36.1%	18.1%	5.8%	5.8%	12.5%	21.7%
Grade 9	33.6%	15.9%	3.9%	7.9%	9.8%	28.9%
Grade 10	33.6%	11.9%	5.0%	7.0%	10.5%	32.0%
Grade 11	32.4%	12.1%	4.1%	5.3%	9.7%	36.5%
Grade 12	31.2%	9.2%	3.9%	6.2%	11.1%	38.3%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

		Yes
<b>A School Health Class</b>		
	All	48.1%
	Grade 6	45.5%
	Grade 7	44.9%
	Grade 8	50.1%
	Grade 9	50.7%
	Grade 10	53.5%
	Grade 11	46.3%
	Grade 12	44.3%
<b>An Assembly Program</b>		
	All	44.5%
	Grade 6	46.9%
	Grade 7	48.8%
	Grade 8	48.6%
	Grade 9	45.9%
	Grade 10	42.5%
	Grade 11	38.8%
	Grade 12	38.4%
<b>Guidance Counselor</b>		
	All	23.8%
	Grade 6	30.1%
	Grade 7	25.8%
	Grade 8	29.8%
	Grade 9	24.1%
	Grade 10	20.0%
	Grade 11	17.8%
	Grade 12	17.8%
<b>Science Or Social Studies Class</b>		
	All	29.9%
	Grade 6	23.0%
	Grade 7	40.2%
	Grade 8	23.1%
	Grade 9	31.2%
	Grade 10	29.6%
	Grade 11	28.7%
	Grade 12	33.0%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?  
(Continued)**

	Yes
<b>Student Group Or Club Meeting At School</b>	
All	13.9%
Grade 6	17.8%
Grade 7	11.7%
Grade 8	14.8%
Grade 9	12.5%
Grade 10	14.1%
Grade 11	13.8%
Grade 12	13.1%
<b>An Invited School Guest</b>	
All	27.6%
Grade 6	35.0%
Grade 7	27.0%
Grade 8	35.5%
Grade 9	27.6%
Grade 10	25.1%
Grade 11	20.5%
Grade 12	21.2%
<b>Another Source At School</b>	
All	31.6%
Grade 6	31.6%
Grade 7	28.2%
Grade 8	27.5%
Grade 9	34.4%
Grade 10	33.0%
Grade 11	33.4%
Grade 12	33.5%
<b>Any School Source</b>	
All	72.0%
Grade 6	65.6%
Grade 7	74.6%
Grade 8	74.9%
Grade 9	75.6%
Grade 10	74.3%
Grade 11	69.4%
Grade 12	68.4%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	37.5%
	Grade 6	52.4%
	Grade 7	49.4%
	Grade 8	37.9%
	Grade 9	35.9%
	Grade 10	29.9%
	Grade 11	27.0%
	Grade 12	28.6%
Another Adult In School		
	All	42.0%
	Grade 6	54.0%
	Grade 7	48.2%
	Grade 8	43.0%
	Grade 9	40.8%
	Grade 10	36.2%
	Grade 11	32.7%
	Grade 12	38.4%
Counselor/Program Outside-School		
	All	41.9%
	Grade 6	49.8%
	Grade 7	46.8%
	Grade 8	44.7%
	Grade 9	41.0%
	Grade 10	35.9%
	Grade 11	35.4%
	Grade 12	39.6%
Your Parents		
	All	65.8%
	Grade 6	77.1%
	Grade 7	74.5%
	Grade 8	62.5%
	Grade 9	61.3%
	Grade 10	62.2%
	Grade 11	59.4%
	Grade 12	63.5%



Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?  
(Continued)

		Yes
A Medical Doctor		
	All	53.7%
	Grade 6	68.7%
	Grade 7	60.6%
	Grade 8	55.3%
	Grade 9	49.4%
	Grade 10	49.8%
	Grade 11	42.2%
	Grade 12	49.3%
Your Friends		
	All	61.7%
	Grade 6	46.6%
	Grade 7	53.5%
	Grade 8	58.6%
	Grade 9	65.4%
	Grade 10	67.2%
	Grade 11	70.4%
	Grade 12	70.6%
Another Adult		
	All	61.7%
	Grade 6	61.6%
	Grade 7	61.9%
	Grade 8	59.7%
	Grade 9	64.9%
	Grade 10	63.3%
	Grade 11	59.0%
	Grade 12	60.5%

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

		Yes
Sought Help For Drug/Alcohol Problem		
	All	7.2%
	Grade 6	6.0%
	Grade 7	8.8%
	Grade 8	7.3%
	Grade 9	7.5%
	Grade 10	7.3%
	Grade 11	7.8%
	Grade 12	5.7%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	6.3%	24.1%	25.7%	33.2%	10.6%
Grade 6	12.9%	17.3%	19.5%	29.4%	20.9%
Grade 7	6.8%	23.9%	23.8%	32.2%	13.2%
Grade 8	6.0%	20.5%	24.5%	38.3%	10.7%
Grade 9	4.5%	28.2%	28.3%	30.7%	8.3%
Grade 10	4.1%	28.0%	25.2%	33.9%	8.7%
Grade 11	5.1%	25.8%	29.8%	32.3%	6.9%
Grade 12	5.1%	23.8%	29.0%	36.1%	6.0%
Sometimes Carry Weapons?					
All	71.9%	17.6%	6.9%	2.9%	0.7%
Grade 6	82.3%	12.8%	2.8%	1.9%	0.3%
Grade 7	81.2%	12.1%	4.8%	1.5%	0.4%
Grade 8	78.7%	13.7%	5.5%	1.2%	0.9%
Grade 9	69.8%	18.3%	7.3%	3.9%	0.7%
Grade 10	71.3%	17.4%	7.3%	3.4%	0.7%
Grade 11	59.1%	23.9%	11.5%	4.0%	1.4%
Grade 12	58.6%	26.3%	9.7%	4.5%	0.9%
Care About Making Good Grades?					
All	2.2%	12.8%	21.2%	42.4%	21.3%
Grade 6	3.0%	15.8%	19.2%	33.0%	28.9%
Grade 7	2.6%	16.8%	19.5%	39.4%	21.8%
Grade 8	2.3%	10.6%	19.7%	43.1%	24.3%
Grade 9	2.2%	13.8%	24.3%	41.4%	18.3%
Grade 10	2.1%	11.4%	22.3%	46.7%	17.5%
Grade 11	1.4%	10.8%	23.9%	45.1%	18.8%
Grade 12	1.6%	10.1%	19.1%	49.1%	20.0%
Belong/Want To Belong To A Gang?					
All	80.7%	12.0%	4.3%	2.1%	0.9%
Grade 6	80.7%	13.3%	2.6%	2.3%	1.2%
Grade 7	82.1%	10.6%	4.3%	2.1%	0.8%
Grade 8	82.1%	11.8%	3.9%	1.4%	0.7%
Grade 9	74.9%	13.8%	6.9%	3.2%	1.1%
Grade 10	83.0%	10.6%	3.8%	1.6%	1.0%
Grade 11	79.6%	13.1%	4.7%	1.9%	0.7%
Grade 12	83.7%	10.2%	3.6%	1.8%	0.7%
Wish They Could Drop Out Of School?					
All	61.6%	24.9%	8.3%	3.4%	1.8%
Grade 6	68.4%	20.7%	5.7%	3.5%	1.7%
Grade 7	68.1%	19.3%	8.4%	3.5%	0.7%
Grade 8	60.6%	26.5%	7.3%	3.0%	2.5%
Grade 9	57.0%	27.7%	9.3%	3.5%	2.5%
Grade 10	58.3%	26.2%	9.8%	4.0%	1.7%
Grade 11	54.5%	29.4%	10.6%	4.0%	1.5%
Grade 12	65.3%	24.1%	6.9%	2.0%	1.6%

Table X-5: How safe to do you feel when you are:

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?						
	All	82.9%	15.1%	1.1%	0.1%	0.7%
	Grade 6	83.8%	13.9%	1.7%	0.0%	0.6%
	Grade 7	84.2%	14.2%	0.5%	0.0%	1.2%
	Grade 8	81.3%	16.7%	1.2%	0.4%	0.3%
	Grade 9	81.3%	16.7%	0.8%	0.2%	1.0%
	Grade 10	82.3%	15.4%	1.0%	0.0%	1.2%
	Grade 11	82.5%	15.3%	1.6%	0.0%	0.5%
	Grade 12	85.6%	13.0%	0.9%	0.4%	0.2%
Out In Your Neighborhood?						
	All	31.0%	53.0%	11.1%	2.3%	2.7%
	Grade 6	29.3%	51.3%	12.6%	3.7%	3.0%
	Grade 7	28.8%	54.8%	11.6%	1.3%	3.5%
	Grade 8	31.9%	51.8%	11.0%	2.0%	3.2%
	Grade 9	30.7%	54.5%	10.0%	2.2%	2.7%
	Grade 10	31.1%	53.4%	10.8%	1.8%	2.8%
	Grade 11	32.4%	52.5%	11.5%	2.1%	1.5%
	Grade 12	33.4%	51.8%	10.1%	3.2%	1.5%
At School?						
	All	37.6%	46.2%	8.7%	3.7%	3.8%
	Grade 6	54.3%	35.7%	5.2%	2.8%	2.0%
	Grade 7	39.1%	44.0%	8.5%	4.1%	4.4%
	Grade 8	34.0%	44.0%	10.9%	5.8%	5.3%
	Grade 9	33.1%	51.0%	9.2%	2.2%	4.4%
	Grade 10	31.8%	51.9%	9.3%	3.1%	4.0%
	Grade 11	34.7%	49.1%	8.4%	4.3%	3.5%
	Grade 12	37.7%	46.8%	8.9%	3.8%	2.8%

## 2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade  
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.0%	10.3%	20.4%	79.6%
	Grade 6	2.2%	2.9%	7.6%	92.4%
	Grade 7	2.5%	2.7%	9.4%	90.5%
	Grade 8	3.9%	6.4%	13.1%	86.9%
	Grade 9	8.1%	12.6%	25.5%	74.4%
	Grade 10	7.3%	11.6%	24.4%	75.6%
	Grade 11	11.4%	17.9%	31.5%	68.4%
	Grade 12	14.9%	19.4%	32.5%	67.5%
Alcohol	All	21.9%	30.5%	51.9%	48.1%
	Grade 6	8.1%	9.3%	26.6%	73.4%
	Grade 7	12.7%	15.9%	36.3%	63.6%
	Grade 8	12.3%	20.9%	42.5%	57.4%
	Grade 9	25.4%	34.3%	59.6%	40.4%
	Grade 10	27.5%	39.8%	61.4%	38.6%
	Grade 11	33.2%	46.4%	69.0%	30.9%
	Grade 12	36.3%	49.7%	70.0%	29.9%
Inhalants	All	4.1%	5.5%	12.7%	87.3%
	Grade 6	6.8%	8.3%	13.8%	86.2%
	Grade 7	6.7%	7.6%	15.4%	84.6%
	Grade 8	3.4%	6.5%	14.0%	86.0%
	Grade 9	3.6%	5.1%	14.3%	85.8%
	Grade 10	3.7%	4.5%	13.1%	86.9%
	Grade 11	2.2%	3.5%	9.2%	90.8%
	Grade 12	2.0%	2.8%	8.1%	91.9%
Any Illicit Drug	All	10.2%	14.2%	24.5%	75.4%
	Grade 6	1.8%	3.3%	7.7%	92.2%
	Grade 7	4.7%	5.6%	9.6%	90.4%
	Grade 8	4.9%	8.6%	16.4%	83.6%
	Grade 9	12.2%	17.1%	28.6%	71.4%
	Grade 10	11.3%	15.9%	30.4%	69.7%
	Grade 11	19.2%	25.6%	40.4%	59.6%
	Grade 12	19.1%	25.9%	42.0%	57.9%
Marijuana	All	9.5%	13.6%	23.9%	76.1%
	Grade 6	1.4%	3.1%	6.9%	93.1%
	Grade 7	4.3%	5.2%	9.2%	90.8%
	Grade 8	4.3%	7.7%	14.9%	85.0%
	Grade 9	11.0%	16.1%	27.9%	72.1%
	Grade 10	10.6%	15.4%	29.8%	70.3%
	Grade 11	18.3%	24.9%	40.5%	59.5%
	Grade 12	18.1%	25.1%	41.4%	58.6%

**Table B-1: Prevalence and recency of use of selected substances by grade**  
**All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.8%	7.4%	14.9%	85.1%
Grade 6	0.9%	1.4%	3.4%	96.6%
Grade 7	2.7%	3.1%	6.1%	93.9%
Grade 8	2.2%	4.6%	10.0%	89.9%
Grade 9	5.7%	9.0%	17.3%	82.8%
Grade 10	5.1%	8.2%	19.5%	80.5%
Grade 11	8.6%	12.7%	23.9%	76.1%
Grade 12	9.3%	13.8%	26.0%	74.0%
Cocaine Or Crack				
All	0.7%	1.2%	2.5%	97.5%
Grade 6	0.0%	1.3%	2.4%	97.6%
Grade 7	0.5%	0.5%	0.8%	99.1%
Grade 8	0.6%	0.9%	2.2%	97.7%
Grade 9	0.7%	0.9%	1.6%	98.4%
Grade 10	0.4%	0.8%	2.3%	97.7%
Grade 11	1.3%	2.2%	4.2%	95.7%
Grade 12	1.2%	1.7%	4.4%	95.6%
Cocaine				
All	0.6%	1.0%	2.2%	97.8%
Grade 6	0.0%	1.3%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.8%	98.3%
Grade 9	0.7%	0.9%	1.6%	98.5%
Grade 10	0.4%	0.8%	2.2%	97.8%
Grade 11	1.3%	2.0%	4.0%	96.0%
Grade 12	1.2%	1.7%	4.3%	95.7%
Crack				
All	0.2%	0.4%	0.8%	99.2%
Grade 6	0.0%	0.6%	1.1%	98.8%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.7%	0.9%	1.4%	98.6%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.6%	99.3%
Grade 11	0.1%	0.3%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.5%	99.5%
Hallucinogens				
All	0.8%	1.3%	2.6%	97.3%
Grade 6	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.3%	1.0%	99.0%
Grade 9	1.0%	2.0%	3.7%	96.2%
Grade 10	0.9%	1.6%	3.4%	96.7%
Grade 11	1.3%	2.1%	4.4%	95.5%
Grade 12	2.3%	3.5%	6.3%	93.6%

**Table B-1: Prevalence and recency of use of selected substances by grade  
All Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.8%	99.1%
	Grade 6	0.5%	0.5%	0.7%	99.3%
	Grade 7	0.0%	0.1%	0.4%	99.6%
	Grade 8	0.0%	0.1%	0.9%	99.1%
	Grade 9	0.5%	0.9%	1.5%	98.6%
	Grade 10	0.7%	0.8%	1.0%	99.0%
	Grade 11	0.1%	0.1%	0.4%	99.6%
	Grade 12	0.4%	0.6%	1.4%	98.5%
Steroids	All	0.3%	0.3%	0.8%	99.1%
	Grade 6	0.0%	0.0%	0.8%	99.2%
	Grade 7	0.3%	0.3%	0.4%	99.6%
	Grade 8	0.3%	0.3%	1.5%	98.5%
	Grade 9	0.1%	0.1%	0.6%	99.4%
	Grade 10	0.6%	0.6%	1.0%	99.0%
	Grade 11	0.7%	0.8%	1.0%	99.0%
	Grade 12	0.5%	0.7%	1.0%	99.0%
Ecstasy	All	0.6%	1.0%	2.4%	97.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.2%	0.2%	99.8%
	Grade 8	0.2%	0.2%	1.4%	98.7%
	Grade 9	1.0%	1.7%	2.9%	97.1%
	Grade 10	0.3%	0.9%	2.7%	97.3%
	Grade 11	1.6%	2.0%	5.2%	94.9%
	Grade 12	1.5%	2.8%	5.5%	94.5%
Heroin	All	0.2%	0.3%	0.5%	99.5%
	Grade 6	0.4%	0.5%	0.6%	99.3%
	Grade 7	0.4%	0.5%	0.6%	99.4%
	Grade 8	0.0%	0.1%	0.3%	99.7%
	Grade 9	0.1%	0.2%	0.6%	99.5%
	Grade 10	0.2%	0.2%	0.4%	99.6%
	Grade 11	0.2%	0.2%	0.3%	99.7%
	Grade 12	0.4%	0.4%	0.6%	99.4%



**Table B-1: Prevalence and recency of use of selected substances by grade**  
**All Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.8%	2.9%	6.3%	93.8%
Grade 6	0.6%	1.0%	2.9%	97.1%
Grade 7	1.1%	1.4%	1.9%	98.1%
Grade 8	0.7%	1.1%	3.3%	96.7%
Grade 9	2.6%	4.2%	7.7%	92.3%
Grade 10	2.2%	4.0%	7.9%	92.1%
Grade 11	3.1%	4.9%	11.0%	89.1%
Grade 12	2.0%	3.3%	9.5%	90.6%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.4%
Grade 6	0.0%	0.1%	0.9%	99.1%
Grade 7	0.1%	0.3%	0.4%	99.5%
Grade 8	0.1%	0.3%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.2%	0.3%	0.6%	99.5%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.6%	11.2%	21.6%	78.5%
	Grade 6	2.9%	3.6%	9.9%	90.0%
	Grade 7	3.3%	3.3%	9.4%	90.6%
	Grade 8	3.2%	6.8%	13.1%	86.9%
	Grade 9	8.3%	12.7%	26.8%	73.1%
	Grade 10	7.1%	11.9%	22.7%	77.3%
	Grade 11	13.1%	19.2%	32.1%	68.0%
	Grade 12	16.2%	22.3%	39.0%	60.9%
Alcohol	All	20.6%	28.8%	49.3%	50.7%
	Grade 6	8.1%	8.9%	29.1%	70.8%
	Grade 7	11.0%	13.9%	32.6%	67.4%
	Grade 8	9.8%	18.2%	39.8%	60.1%
	Grade 9	23.4%	31.9%	57.5%	42.6%
	Grade 10	24.5%	35.8%	53.6%	46.4%
	Grade 11	31.8%	45.3%	64.9%	35.0%
	Grade 12	38.4%	51.9%	70.8%	29.3%
Inhalants	All	3.9%	5.1%	11.4%	88.5%
	Grade 6	8.3%	10.8%	15.5%	84.5%
	Grade 7	6.2%	6.8%	12.4%	87.5%
	Grade 8	3.6%	5.0%	12.3%	87.6%
	Grade 9	2.2%	3.5%	12.0%	88.0%
	Grade 10	2.9%	3.6%	11.5%	88.5%
	Grade 11	2.2%	3.2%	7.9%	92.1%
	Grade 12	1.8%	3.0%	8.4%	91.7%
Any Illicit Drug	All	11.0%	15.1%	26.0%	74.0%
	Grade 6	1.1%	3.4%	10.3%	89.7%
	Grade 7	6.0%	6.8%	9.2%	90.8%
	Grade 8	5.1%	9.0%	16.5%	83.5%
	Grade 9	12.8%	17.7%	30.8%	69.2%
	Grade 10	10.9%	15.2%	28.7%	71.3%
	Grade 11	19.5%	26.2%	43.3%	56.6%
	Grade 12	23.2%	29.4%	46.9%	53.2%
Marijuana	All	9.9%	14.1%	25.2%	74.8%
	Grade 6	0.3%	2.9%	8.9%	91.1%
	Grade 7	5.4%	6.1%	9.1%	90.8%
	Grade 8	4.1%	7.9%	15.0%	85.0%
	Grade 9	11.8%	16.7%	30.1%	69.9%
	Grade 10	9.8%	14.3%	27.4%	72.6%
	Grade 11	17.8%	24.9%	43.3%	56.7%
	Grade 12	21.3%	27.9%	45.9%	54.1%

**Table B-2: Prevalence and recency of use of selected substances by grade**  
**Male Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.8%	7.2%	14.6%	85.5%
Grade 6	0.1%	0.6%	3.8%	96.2%
Grade 7	3.2%	3.6%	5.4%	94.7%
Grade 8	3.0%	5.2%	10.1%	89.9%
Grade 9	6.0%	9.3%	17.5%	82.5%
Grade 10	4.1%	6.8%	16.8%	83.2%
Grade 11	7.3%	11.4%	23.7%	76.3%
Grade 12	10.1%	14.1%	26.3%	73.7%
Cocaine Or Crack				
All	0.8%	1.6%	3.0%	97.0%
Grade 6	0.0%	2.4%	3.7%	96.3%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	1.1%	1.1%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.5%	98.4%
Grade 10	0.5%	1.3%	2.9%	97.2%
Grade 11	1.8%	3.1%	6.0%	93.9%
Grade 12	1.8%	2.7%	6.0%	94.0%
Cocaine				
All	0.7%	1.4%	2.8%	97.2%
Grade 6	0.0%	2.4%	3.5%	96.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	0.4%	0.7%	1.6%	98.4%
Grade 10	0.5%	1.3%	2.9%	97.2%
Grade 11	1.8%	2.7%	5.6%	94.4%
Grade 12	1.8%	2.7%	5.8%	94.2%
Crack				
All	0.3%	0.6%	0.9%	99.2%
Grade 6	0.0%	1.2%	1.4%	98.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.7%	1.4%	98.6%
Grade 12	0.2%	0.2%	1.0%	99.1%
Hallucinogens				
All	1.2%	2.0%	3.8%	96.2%
Grade 6	0.3%	0.3%	0.7%	99.2%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.7%	1.0%	99.0%
Grade 9	1.4%	2.6%	5.2%	94.7%
Grade 10	1.2%	2.0%	3.5%	96.5%
Grade 11	1.8%	3.3%	6.8%	93.2%
Grade 12	3.6%	5.2%	9.6%	90.4%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.5%	1.0%	98.9%
	Grade 6	0.8%	0.8%	1.2%	98.8%
	Grade 7	0.0%	0.0%	0.3%	99.7%
	Grade 8	0.0%	0.3%	0.9%	99.1%
	Grade 9	0.3%	1.0%	1.9%	98.1%
	Grade 10	0.6%	0.8%	1.0%	98.9%
	Grade 11	0.1%	0.1%	0.5%	99.5%
	Grade 12	0.6%	1.0%	1.8%	98.2%
Steroids	All	0.4%	0.5%	1.0%	99.0%
	Grade 6	0.0%	0.0%	1.0%	99.0%
	Grade 7	0.5%	0.5%	0.6%	99.4%
	Grade 8	0.0%	0.0%	0.9%	99.1%
	Grade 9	0.1%	0.1%	0.3%	99.6%
	Grade 10	0.6%	0.6%	1.2%	98.8%
	Grade 11	0.8%	1.0%	1.3%	98.7%
	Grade 12	1.0%	1.3%	1.8%	98.2%
Ecstasy	All	0.8%	1.3%	2.8%	97.2%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.3%	0.3%	99.7%
	Grade 8	0.4%	0.4%	2.1%	97.9%
	Grade 9	0.7%	1.4%	2.7%	97.4%
	Grade 10	0.4%	0.9%	3.2%	96.8%
	Grade 11	2.2%	2.7%	5.5%	94.6%
	Grade 12	2.4%	3.9%	6.8%	93.2%
Heroin	All	0.4%	0.4%	0.6%	99.4%
	Grade 6	0.8%	1.0%	1.1%	98.8%
	Grade 7	0.3%	0.4%	0.5%	99.6%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.1%	0.1%	0.5%	99.5%
	Grade 10	0.3%	0.3%	0.4%	99.6%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	0.6%	0.6%	1.1%	98.9%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.1%	3.1%	7.4%	92.5%
Grade 6	0.6%	1.1%	4.1%	95.9%
Grade 7	1.9%	2.2%	2.3%	97.7%
Grade 8	0.4%	0.4%	3.8%	96.2%
Grade 9	2.3%	3.8%	8.7%	91.4%
Grade 10	2.5%	3.9%	8.8%	91.1%
Grade 11	4.2%	6.2%	13.5%	86.6%
Grade 12	2.7%	4.4%	12.0%	88.1%
Methamphetamine				
All	0.1%	0.3%	0.8%	99.1%
Grade 6	0.0%	0.2%	1.6%	98.4%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.5%	1.2%	98.8%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.3%	0.3%	0.9%	99.1%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.5%	9.5%	19.3%	80.8%
	Grade 6	1.4%	2.1%	5.1%	94.9%
	Grade 7	1.5%	1.9%	9.4%	90.6%
	Grade 8	4.6%	6.2%	13.3%	86.8%
	Grade 9	7.8%	12.2%	24.0%	76.0%
	Grade 10	7.6%	11.5%	26.2%	73.8%
	Grade 11	9.7%	16.6%	31.1%	68.9%
	Grade 12	13.4%	16.1%	25.2%	74.7%
Alcohol	All	23.2%	32.2%	54.6%	45.3%
	Grade 6	8.3%	10.0%	23.9%	76.1%
	Grade 7	14.5%	18.1%	40.6%	59.5%
	Grade 8	14.6%	23.5%	45.3%	54.7%
	Grade 9	27.2%	36.6%	61.5%	38.5%
	Grade 10	30.0%	43.4%	68.4%	31.6%
	Grade 11	34.7%	47.6%	73.4%	26.5%
	Grade 12	34.2%	47.6%	69.2%	30.8%
Inhalants	All	4.3%	5.9%	14.0%	86.0%
	Grade 6	5.3%	5.8%	12.2%	87.9%
	Grade 7	7.3%	8.3%	18.4%	81.6%
	Grade 8	3.2%	7.9%	15.6%	84.4%
	Grade 9	4.8%	6.4%	16.3%	83.7%
	Grade 10	4.5%	5.4%	14.7%	85.3%
	Grade 11	2.3%	3.8%	10.6%	89.3%
	Grade 12	2.1%	2.6%	7.8%	92.2%
Any Illicit Drug	All	9.5%	13.5%	23.3%	76.7%
	Grade 6	2.7%	3.4%	5.1%	95.0%
	Grade 7	3.1%	4.2%	9.9%	90.1%
	Grade 8	4.7%	8.2%	16.4%	83.6%
	Grade 9	11.5%	16.4%	26.2%	73.8%
	Grade 10	11.7%	16.5%	32.0%	68.0%
	Grade 11	18.9%	24.9%	37.4%	62.6%
	Grade 12	14.9%	22.4%	37.2%	62.7%
Marijuana	All	9.1%	13.1%	22.7%	77.2%
	Grade 6	2.6%	3.4%	4.8%	95.2%
	Grade 7	2.8%	3.9%	9.1%	90.9%
	Grade 8	4.4%	7.6%	15.0%	85.0%
	Grade 9	10.3%	15.3%	25.4%	74.5%
	Grade 10	11.3%	16.3%	31.9%	68.0%
	Grade 11	18.9%	25.0%	37.6%	62.4%
	Grade 12	14.9%	22.2%	36.9%	63.2%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.9%	7.6%	15.4%	84.5%
Grade 6	1.9%	2.3%	3.0%	97.0%
Grade 7	2.1%	2.5%	7.0%	93.1%
Grade 8	1.5%	4.2%	10.1%	89.9%
Grade 9	5.4%	8.6%	16.9%	83.0%
Grade 10	6.0%	9.4%	22.0%	78.0%
Grade 11	9.9%	14.0%	24.1%	75.9%
Grade 12	8.4%	13.5%	25.9%	74.1%
Cocaine Or Crack				
All	0.5%	0.7%	2.0%	98.0%
Grade 6	0.1%	0.1%	1.0%	99.0%
Grade 7	0.4%	0.4%	1.1%	99.0%
Grade 8	0.3%	0.9%	3.0%	96.9%
Grade 9	1.0%	1.1%	1.7%	98.4%
Grade 10	0.3%	0.4%	1.8%	98.1%
Grade 11	0.8%	1.3%	2.4%	97.6%
Grade 12	0.5%	0.6%	2.7%	97.3%
Cocaine				
All	0.5%	0.7%	1.7%	98.4%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.3%	0.6%	99.3%
Grade 8	0.3%	0.6%	2.4%	97.6%
Grade 9	1.0%	1.1%	1.5%	98.5%
Grade 10	0.3%	0.4%	1.6%	98.3%
Grade 11	0.8%	1.3%	2.4%	97.6%
Grade 12	0.5%	0.6%	2.8%	97.2%
Crack				
All	0.1%	0.2%	0.7%	99.3%
Grade 6	0.1%	0.1%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.3%	0.7%	1.7%	98.3%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.7%	1.6%	98.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.7%	1.5%	2.3%	97.7%
Grade 10	0.6%	1.2%	3.2%	96.7%
Grade 11	0.9%	1.0%	2.1%	97.9%
Grade 12	1.0%	1.8%	3.0%	97.0%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.3%	0.7%	99.3%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.1%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.9%	99.1%
	Grade 9	0.8%	0.8%	1.1%	99.0%
	Grade 10	0.7%	0.7%	0.9%	99.1%
	Grade 11	0.2%	0.3%	0.5%	99.6%
	Grade 12	0.2%	0.2%	1.1%	98.9%
Steroids	All	0.3%	0.3%	0.7%	99.3%
	Grade 6	0.0%	0.0%	0.5%	99.5%
	Grade 7	0.1%	0.1%	0.1%	99.8%
	Grade 8	0.6%	0.6%	2.0%	98.1%
	Grade 9	0.0%	0.0%	0.7%	99.2%
	Grade 10	0.6%	0.6%	0.8%	99.2%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.1%	99.9%
Ecstasy	All	0.4%	0.8%	2.1%	97.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.7%	99.3%
	Grade 9	1.3%	1.8%	2.8%	97.1%
	Grade 10	0.2%	0.8%	2.1%	97.8%
	Grade 11	0.9%	1.3%	4.9%	95.2%
	Grade 12	0.6%	1.7%	4.2%	95.9%
Heroin	All	0.1%	0.2%	0.4%	99.7%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.2%	0.3%	0.5%	99.5%
	Grade 8	0.0%	0.3%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.2%	0.2%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.1%	0.1%	0.1%	99.9%



**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.4%	2.5%	4.9%	95.1%
Grade 6	0.7%	0.9%	1.6%	98.4%
Grade 7	0.1%	0.5%	1.4%	98.7%
Grade 8	1.0%	1.7%	2.8%	97.2%
Grade 9	2.8%	4.5%	6.7%	93.4%
Grade 10	1.9%	4.0%	7.0%	93.0%
Grade 11	1.9%	3.5%	8.3%	91.6%
Grade 12	1.1%	2.0%	6.8%	93.2%
Methamphetamine				
All	0.1%	0.1%	0.3%	99.6%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.2%	0.2%	99.8%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.2%	13.9%	23.5%	76.5%
	Grade 6	1.4%	2.1%	4.7%	95.3%
	Grade 7	2.3%	2.4%	4.6%	95.5%
	Grade 8	4.2%	7.8%	15.2%	84.8%
	Grade 9	11.3%	19.6%	31.9%	68.1%
	Grade 10	11.6%	17.7%	33.2%	66.8%
	Grade 11	14.8%	23.3%	36.0%	64.1%
	Grade 12	18.9%	23.7%	37.1%	62.9%
Alcohol	All	21.0%	32.2%	51.5%	48.5%
	Grade 6	5.1%	7.3%	24.6%	75.4%
	Grade 7	6.0%	9.5%	25.4%	74.5%
	Grade 8	10.4%	25.9%	45.5%	54.6%
	Grade 9	25.3%	35.2%	57.9%	42.1%
	Grade 10	26.8%	44.2%	61.3%	38.7%
	Grade 11	35.0%	50.2%	72.1%	28.0%
	Grade 12	37.8%	50.9%	71.2%	28.8%
Inhalants	All	3.6%	5.2%	12.3%	87.6%
	Grade 6	6.6%	9.8%	14.2%	85.8%
	Grade 7	3.3%	3.5%	8.9%	91.1%
	Grade 8	2.7%	5.0%	12.7%	87.2%
	Grade 9	4.1%	5.1%	14.2%	85.8%
	Grade 10	5.1%	6.7%	16.1%	83.9%
	Grade 11	2.9%	4.6%	11.6%	88.5%
	Grade 12	0.9%	2.4%	8.4%	91.6%
Any Illicit Drug	All	9.3%	12.9%	21.6%	78.4%
	Grade 6	0.5%	1.2%	6.6%	93.4%
	Grade 7	2.4%	2.7%	2.9%	97.1%
	Grade 8	3.5%	5.2%	13.1%	86.9%
	Grade 9	12.6%	18.8%	25.0%	75.0%
	Grade 10	10.9%	15.6%	29.5%	70.5%
	Grade 11	17.8%	23.6%	36.7%	63.3%
	Grade 12	16.8%	22.4%	37.0%	63.0%
Marijuana	All	9.0%	12.6%	21.0%	78.9%
	Grade 6	0.3%	1.2%	4.0%	96.0%
	Grade 7	2.3%	2.5%	2.8%	97.2%
	Grade 8	3.0%	4.7%	12.1%	87.9%
	Grade 9	12.3%	18.1%	24.7%	75.3%
	Grade 10	10.4%	15.1%	29.0%	70.9%
	Grade 11	17.8%	23.6%	36.8%	63.3%
	Grade 12	16.1%	22.1%	37.1%	63.0%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.9%	6.2%	12.2%	87.8%
Grade 6	0.0%	0.7%	2.6%	97.4%
Grade 7	2.0%	2.1%	2.3%	97.8%
Grade 8	1.7%	2.8%	8.7%	91.3%
Grade 9	6.3%	10.4%	13.7%	86.3%
Grade 10	3.0%	5.4%	16.4%	83.6%
Grade 11	5.9%	10.6%	18.9%	81.0%
Grade 12	8.1%	10.8%	22.1%	77.9%
Cocaine Or Crack				
All	0.5%	0.7%	1.8%	98.1%
Grade 6	0.2%	0.2%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.3%	0.4%	0.7%	99.2%
Grade 10	0.4%	0.4%	2.3%	97.7%
Grade 11	1.3%	2.6%	4.0%	95.9%
Grade 12	0.3%	0.3%	2.9%	97.0%
Cocaine				
All	0.4%	0.5%	1.7%	98.3%
Grade 6	0.2%	0.2%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.7%	99.2%
Grade 10	0.4%	0.4%	2.3%	97.7%
Grade 11	1.3%	2.0%	3.4%	96.6%
Grade 12	0.3%	0.3%	2.9%	97.0%
Crack				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.7%	1.4%	98.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
Hallucinogens				
All	1.0%	1.9%	3.9%	96.1%
Grade 6	0.2%	0.2%	0.9%	99.1%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.5%	1.2%	98.8%
Grade 9	1.5%	3.6%	6.5%	93.5%
Grade 10	0.8%	2.3%	4.7%	95.2%
Grade 11	2.4%	3.5%	6.8%	93.2%
Grade 12	2.4%	3.1%	7.2%	92.9%

**Table B-4: Prevalence and recency of use of selected substances by grade**  
**White Students**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.3%	0.6%	99.4%
	Grade 6	0.2%	0.2%	0.9%	99.2%
	Grade 7	0.0%	0.2%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.8%	1.6%	98.5%
	Grade 10	0.8%	0.8%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.3%	0.3%	1.0%	99.0%
Steroids	All	0.2%	0.2%	0.7%	99.3%
	Grade 6	0.0%	0.0%	1.0%	99.0%
	Grade 7	0.2%	0.2%	0.4%	99.7%
	Grade 8	0.0%	0.0%	1.4%	98.6%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.5%	0.5%	0.5%	99.5%
	Grade 11	0.7%	0.7%	1.2%	98.8%
	Grade 12	0.0%	0.0%	0.2%	99.8%
Ecstasy	All	0.5%	1.3%	2.5%	97.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.5%	0.5%	1.4%	98.5%
	Grade 9	0.8%	2.4%	3.1%	96.9%
	Grade 10	0.0%	1.2%	2.4%	97.7%
	Grade 11	1.0%	1.0%	4.5%	95.4%
	Grade 12	1.3%	3.8%	6.2%	93.8%
Heroin	All	0.0%	0.1%	0.2%	99.8%
	Grade 6	0.0%	0.0%	0.4%	99.6%
	Grade 7	0.0%	0.2%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.3%	0.3%	99.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.3%	0.3%	0.6%	99.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.2%	2.3%	6.5%	93.5%
Grade 6	0.0%	0.1%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.1%	2.3%	97.7%
Grade 9	2.1%	3.7%	8.2%	91.9%
Grade 10	2.7%	5.9%	10.5%	89.5%
Grade 11	1.9%	3.4%	12.7%	87.3%
Grade 12	1.1%	2.3%	10.5%	89.5%
Methamphetamine				
All	0.2%	0.2%	0.4%	99.6%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.1%	0.3%	0.3%	99.6%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.6%	99.3%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students**

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	3.2%	4.2%	12.7%	87.3%
Grade 6	1.9%	2.7%	11.6%	88.3%
Grade 7	1.0%	1.9%	11.2%	88.7%
Grade 8	0.0%	1.3%	3.5%	96.5%
Grade 9	5.5%	6.3%	15.5%	84.5%
Grade 10	3.4%	3.7%	12.5%	87.6%
Grade 11	5.9%	8.1%	23.6%	76.3%
Grade 12	7.1%	8.0%	15.3%	84.7%
Alcohol				
All	18.9%	25.3%	49.4%	50.6%
Grade 6	8.4%	8.4%	26.3%	73.7%
Grade 7	19.5%	21.4%	41.9%	58.1%
Grade 8	9.4%	15.2%	40.8%	59.1%
Grade 9	23.1%	30.5%	61.7%	38.3%
Grade 10	22.6%	30.3%	56.5%	43.5%
Grade 11	25.8%	38.2%	62.4%	37.6%
Grade 12	32.0%	47.4%	70.4%	29.6%
Inhalants				
All	4.2%	4.9%	11.2%	88.8%
Grade 6	8.9%	8.9%	12.4%	87.5%
Grade 7	7.2%	7.2%	18.5%	81.5%
Grade 8	2.0%	4.8%	9.3%	90.7%
Grade 9	1.7%	2.1%	11.7%	88.3%
Grade 10	3.7%	4.0%	10.5%	89.5%
Grade 11	1.9%	2.6%	6.2%	93.8%
Grade 12	2.4%	2.4%	6.1%	94.0%
Any Illicit Drug				
All	10.6%	15.0%	25.4%	74.7%
Grade 6	2.4%	4.1%	9.7%	90.3%
Grade 7	7.6%	9.6%	14.9%	85.2%
Grade 8	2.4%	9.7%	12.9%	87.1%
Grade 9	13.1%	16.9%	31.1%	69.0%
Grade 10	11.4%	15.1%	30.0%	70.0%
Grade 11	24.2%	30.5%	47.1%	53.0%
Grade 12	23.1%	31.4%	50.4%	49.7%
Marijuana				
All	9.9%	14.3%	25.2%	74.8%
Grade 6	2.4%	3.3%	9.8%	90.1%
Grade 7	7.6%	9.6%	14.9%	85.2%
Grade 8	2.4%	8.6%	11.8%	88.2%
Grade 9	11.1%	15.8%	30.3%	69.6%
Grade 10	11.2%	14.9%	30.2%	69.9%
Grade 11	22.2%	28.5%	47.0%	53.0%
Grade 12	22.0%	31.5%	50.5%	49.5%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	6.8%	9.9%	19.0%	81.0%
Grade 6	2.4%	3.3%	6.6%	93.4%
Grade 7	4.9%	5.9%	11.0%	89.0%
Grade 8	2.3%	6.6%	9.8%	90.2%
Grade 9	7.6%	10.8%	24.6%	75.4%
Grade 10	8.9%	12.2%	25.2%	74.9%
Grade 11	13.6%	16.9%	31.0%	69.0%
Grade 12	12.8%	19.9%	35.7%	64.2%
Cocaine Or Crack				
All	0.3%	0.4%	0.5%	99.5%
Grade 6	0.0%	0.8%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	1.0%	1.0%	1.0%	99.0%
Cocaine				
All	0.3%	0.4%	0.5%	99.5%
Grade 6	0.0%	0.8%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	1.0%	1.0%	1.0%	99.0%
Crack				
All	0.2%	0.2%	0.3%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.7%	1.2%	98.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.6%	0.6%	1.2%	98.9%
Grade 11	0.0%	1.9%	2.7%	97.3%
Grade 12	4.3%	4.3%	6.0%	94.0%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.4%	0.4%	0.9%	99.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	1.2%	1.2%	1.2%	98.8%
Steroids	All	0.5%	0.6%	1.2%	98.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.0%	1.0%	1.0%	99.0%
	Grade 8	1.2%	1.2%	3.0%	97.0%
	Grade 9	0.4%	0.4%	1.3%	98.8%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 11	0.0%	0.8%	0.8%	99.2%
	Grade 12	1.2%	1.2%	1.2%	98.8%
Ecstasy	All	0.7%	0.8%	1.7%	98.3%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	1.9%	1.9%	2.8%	97.2%
	Grade 10	0.0%	0.0%	1.6%	98.4%
	Grade 11	1.5%	2.3%	6.6%	93.5%
	Grade 12	2.2%	2.2%	3.2%	96.8%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.2%	0.2%	1.1%	98.9%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	1.2%	1.2%	1.2%	98.8%



**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.2%	1.9%	3.8%	96.2%
Grade 6	0.0%	0.0%	2.4%	97.6%
Grade 7	2.4%	3.3%	3.3%	96.7%
Grade 8	0.0%	0.0%	1.9%	98.1%
Grade 9	0.6%	1.4%	2.9%	97.1%
Grade 10	0.9%	0.9%	2.8%	97.3%
Grade 11	2.5%	5.5%	8.9%	91.1%
Grade 12	3.1%	3.9%	7.3%	92.7%
Methamphetamine				
All	0.0%	0.2%	0.8%	99.2%
Grade 6	0.0%	0.0%	3.3%	96.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.1%	1.1%	98.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.8%	11.3%	23.2%	76.8%
	Grade 6	3.2%	4.0%	8.6%	91.4%
	Grade 7	3.9%	3.9%	12.9%	87.0%
	Grade 8	5.7%	8.2%	17.8%	82.3%
	Grade 9	7.9%	11.6%	27.8%	72.2%
	Grade 10	6.7%	12.2%	25.1%	74.9%
	Grade 11	12.0%	18.8%	34.0%	66.0%
	Grade 12	16.9%	22.5%	37.3%	62.7%
Alcohol	All	25.6%	33.4%	55.8%	44.2%
	Grade 6	10.2%	11.3%	27.5%	72.4%
	Grade 7	15.5%	19.0%	43.8%	56.2%
	Grade 8	16.0%	21.6%	44.3%	55.7%
	Grade 9	28.4%	37.9%	63.0%	36.9%
	Grade 10	32.5%	43.2%	66.6%	33.3%
	Grade 11	35.9%	48.7%	71.4%	28.6%
	Grade 12	41.8%	53.2%	72.8%	27.1%
Inhalants	All	4.7%	6.4%	14.6%	85.5%
	Grade 6	6.8%	8.2%	16.4%	83.6%
	Grade 7	8.9%	10.5%	19.5%	80.5%
	Grade 8	4.5%	8.6%	19.1%	80.9%
	Grade 9	4.3%	6.6%	16.8%	83.2%
	Grade 10	3.1%	3.6%	11.3%	88.7%
	Grade 11	2.0%	3.0%	8.4%	91.6%
	Grade 12	2.4%	2.9%	8.1%	91.8%
Any Illicit Drug	All	11.7%	16.4%	29.2%	70.8%
	Grade 6	2.9%	4.9%	8.8%	91.3%
	Grade 7	6.0%	7.1%	14.0%	86.0%
	Grade 8	7.8%	11.8%	23.4%	76.7%
	Grade 9	13.2%	18.5%	33.6%	66.4%
	Grade 10	13.0%	18.1%	34.3%	65.7%
	Grade 11	20.2%	27.8%	44.8%	55.3%
	Grade 12	19.7%	28.6%	48.1%	52.0%
Marijuana	All	10.5%	15.4%	28.2%	71.8%
	Grade 6	1.8%	4.9%	8.5%	91.5%
	Grade 7	5.0%	6.1%	13.2%	86.8%
	Grade 8	6.5%	10.5%	20.9%	79.0%
	Grade 9	11.7%	16.9%	32.4%	67.6%
	Grade 10	11.7%	17.2%	32.9%	67.1%
	Grade 11	18.7%	26.7%	44.6%	55.4%
	Grade 12	18.4%	26.8%	46.6%	53.3%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.0%	7.9%	17.0%	83.0%
Grade 6	0.9%	0.9%	2.8%	97.2%
Grade 7	2.6%	3.0%	7.8%	92.2%
Grade 8	3.0%	6.1%	13.1%	86.8%
Grade 9	5.3%	8.5%	19.1%	81.0%
Grade 10	5.7%	9.7%	21.8%	78.3%
Grade 11	9.4%	13.5%	26.8%	73.2%
Grade 12	8.6%	14.8%	28.6%	71.3%
Cocaine Or Crack				
All	1.1%	2.0%	4.3%	95.7%
Grade 6	0.0%	2.5%	3.7%	96.3%
Grade 7	1.3%	1.3%	2.1%	98.0%
Grade 8	0.8%	1.5%	5.0%	95.0%
Grade 9	1.0%	1.3%	2.8%	97.2%
Grade 10	0.6%	1.6%	3.4%	96.6%
Grade 11	2.0%	3.1%	6.5%	93.6%
Grade 12	2.4%	3.7%	8.2%	91.9%
Cocaine				
All	1.0%	1.9%	3.8%	96.2%
Grade 6	0.0%	2.6%	2.6%	97.4%
Grade 7	0.8%	0.8%	1.2%	98.9%
Grade 8	0.8%	1.2%	4.3%	95.8%
Grade 9	1.0%	1.4%	2.7%	97.4%
Grade 10	0.6%	1.6%	3.2%	96.8%
Grade 11	2.0%	3.1%	6.4%	93.7%
Grade 12	2.4%	3.7%	7.8%	92.3%
Crack				
All	0.3%	0.6%	1.3%	98.7%
Grade 6	0.0%	1.7%	2.9%	97.1%
Grade 7	0.5%	0.5%	1.3%	98.7%
Grade 8	0.8%	1.2%	2.7%	97.3%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.8%	99.2%
Hallucinogens				
All	0.9%	1.4%	2.6%	97.4%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.6%	99.5%
Grade 8	0.4%	0.4%	1.6%	98.4%
Grade 9	1.3%	1.9%	3.3%	96.7%
Grade 10	1.3%	1.7%	3.4%	96.6%
Grade 11	1.0%	1.4%	3.7%	96.4%
Grade 12	1.8%	4.0%	5.9%	94.1%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.7%	1.5%	98.5%
	Grade 6	1.1%	1.1%	1.1%	98.9%
	Grade 7	0.0%	0.0%	0.8%	99.2%
	Grade 8	0.0%	0.4%	2.3%	97.7%
	Grade 9	1.1%	1.2%	1.7%	98.3%
	Grade 10	1.1%	1.4%	1.9%	98.1%
	Grade 11	0.2%	0.3%	0.7%	99.3%
	Grade 12	0.4%	0.6%	2.2%	97.9%
Steroids	All	0.3%	0.4%	0.8%	99.2%
	Grade 6	0.0%	0.0%	0.8%	99.2%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.9%	0.9%	1.3%	98.8%
	Grade 11	0.7%	0.7%	0.7%	99.3%
	Grade 12	0.4%	0.9%	1.5%	98.6%
Ecstasy	All	0.7%	1.1%	2.9%	97.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.4%	0.4%	99.6%
	Grade 8	0.0%	0.0%	1.6%	98.4%
	Grade 9	0.8%	1.2%	3.2%	96.8%
	Grade 10	0.8%	1.3%	3.9%	96.1%
	Grade 11	2.2%	2.9%	5.8%	94.2%
	Grade 12	1.4%	2.2%	6.2%	93.8%
Heroin	All	0.4%	0.5%	0.8%	99.2%
	Grade 6	1.1%	1.1%	1.1%	98.9%
	Grade 7	0.9%	0.9%	1.2%	98.9%
	Grade 8	0.0%	0.4%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.4%	99.5%
	Grade 10	0.6%	0.6%	0.9%	99.1%
	Grade 11	0.1%	0.1%	0.2%	99.8%
	Grade 12	0.5%	0.5%	1.1%	98.9%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.6%	3.9%	7.3%	92.6%
Grade 6	1.7%	2.3%	4.8%	95.2%
Grade 7	1.5%	1.9%	2.9%	97.1%
Grade 8	1.2%	2.0%	4.7%	95.3%
Grade 9	4.0%	6.3%	9.9%	90.1%
Grade 10	2.8%	4.2%	8.5%	91.5%
Grade 11	4.2%	6.1%	11.0%	89.0%
Grade 12	2.9%	4.4%	10.0%	89.9%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 6	0.0%	0.3%	0.3%	99.7%
Grade 7	0.3%	0.7%	1.0%	99.1%
Grade 8	0.4%	0.4%	1.7%	98.3%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.5%	0.7%	1.5%	98.6%

**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	3.2%	4.9%	12.1%	87.9%
	Grade 6	1.3%	2.0%	4.0%	96.0%
	Grade 7	0.1%	0.1%	4.3%	95.7%
	Grade 8	2.3%	2.4%	5.8%	94.2%
	Grade 9	5.1%	6.7%	16.4%	83.7%
	Grade 10	4.2%	7.9%	18.4%	81.6%
	Grade 11	4.2%	9.1%	18.1%	81.8%
	Grade 12	6.1%	8.2%	21.2%	78.8%
Alcohol	All	15.0%	23.9%	43.5%	56.5%
	Grade 6	4.4%	5.7%	21.0%	79.0%
	Grade 7	11.7%	13.2%	30.7%	69.4%
	Grade 8	7.1%	18.7%	35.0%	64.9%
	Grade 9	19.9%	27.1%	52.8%	47.3%
	Grade 10	21.8%	34.8%	52.1%	47.9%
	Grade 11	20.1%	36.7%	60.4%	39.6%
	Grade 12	23.2%	37.6%	60.4%	39.7%
Inhalants	All	2.0%	3.2%	8.2%	91.8%
	Grade 6	2.8%	4.0%	5.9%	94.1%
	Grade 7	2.1%	2.8%	8.0%	92.0%
	Grade 8	3.2%	5.2%	10.7%	89.4%
	Grade 9	1.3%	2.9%	7.6%	92.4%
	Grade 10	1.9%	2.4%	10.2%	89.8%
	Grade 11	1.8%	4.2%	10.5%	89.6%
	Grade 12	1.1%	1.1%	5.1%	94.8%
Any Illicit Drug	All	5.0%	7.0%	13.8%	86.3%
	Grade 6	0.3%	1.6%	2.6%	97.4%
	Grade 7	0.7%	0.8%	3.9%	96.1%
	Grade 8	1.7%	3.4%	7.3%	92.8%
	Grade 9	5.2%	8.9%	16.0%	84.0%
	Grade 10	6.7%	9.3%	21.0%	78.9%
	Grade 11	10.9%	13.3%	24.1%	75.9%
	Grade 12	11.6%	14.2%	26.1%	73.9%
Marijuana	All	4.6%	6.7%	13.4%	86.6%
	Grade 6	0.3%	1.0%	2.6%	97.4%
	Grade 7	0.7%	0.7%	3.8%	96.2%
	Grade 8	1.1%	2.8%	6.5%	93.5%
	Grade 9	4.5%	8.4%	15.0%	85.0%
	Grade 10	5.9%	9.4%	20.8%	79.2%
	Grade 11	10.7%	13.2%	24.1%	75.8%
	Grade 12	11.3%	14.1%	25.6%	74.4%

**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.9%	4.2%	9.4%	90.6%
Grade 6	0.1%	0.8%	1.1%	99.0%
Grade 7	0.6%	0.6%	3.0%	97.0%
Grade 8	1.1%	2.5%	6.0%	94.0%
Grade 9	3.0%	5.2%	11.0%	89.0%
Grade 10	3.3%	4.3%	13.1%	86.8%
Grade 11	6.6%	8.2%	15.9%	84.0%
Grade 12	6.8%	9.2%	18.7%	81.3%
Cocaine Or Crack				
All	0.1%	0.3%	0.5%	99.6%
Grade 6	0.0%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.7%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.9%	99.1%
Cocaine				
All	0.1%	0.3%	0.5%	99.6%
Grade 6	0.0%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.7%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.9%	99.1%
Crack				
All	0.0%	0.0%	0.1%	99.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.8%	1.4%	98.6%
Grade 6	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.7%	99.3%
Grade 9	0.5%	1.0%	1.6%	98.5%
Grade 10	1.1%	1.9%	3.5%	96.4%
Grade 11	0.4%	1.1%	1.3%	98.7%
Grade 12	0.7%	1.3%	3.0%	97.0%

**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.2%	0.4%	99.6%
	Grade 6	0.0%	0.0%	0.7%	99.3%
	Grade 7	0.0%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.6%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.3%	0.3%	0.3%	99.7%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.0%	0.3%	1.2%	98.8%
Steroids	All	0.3%	0.3%	0.6%	99.4%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.9%	0.9%	1.1%	98.8%
	Grade 9	0.0%	0.0%	0.9%	99.1%
	Grade 10	0.4%	0.4%	0.8%	99.2%
	Grade 11	0.5%	0.5%	0.5%	99.5%
	Grade 12	0.0%	0.3%	0.8%	99.2%
Ecstasy	All	0.3%	0.5%	1.1%	98.9%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.9%	99.1%
	Grade 9	0.8%	1.1%	1.3%	98.8%
	Grade 10	0.1%	0.1%	0.6%	99.4%
	Grade 11	0.8%	0.9%	3.3%	96.6%
	Grade 12	0.3%	1.1%	2.0%	98.0%
Heroin	All	0.0%	0.0%	0.1%	99.8%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.1%	0.1%	0.1%	99.9%



**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.3%	0.8%	2.4%	97.6%
Grade 6	0.0%	0.0%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.4%	0.9%	2.1%	97.9%
Grade 10	0.4%	1.4%	4.3%	95.7%
Grade 11	0.7%	1.2%	5.3%	94.7%
Grade 12	0.5%	2.0%	5.3%	94.7%
Methamphetamine				
All	0.1%	0.1%	0.3%	99.7%
Grade 6	0.0%	0.0%	0.6%	99.4%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-8: Prevalence and recency of use of selected substances by grade  
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.1%	11.4%	22.6%	77.4%
	Grade 6	2.3%	2.6%	9.1%	90.9%
	Grade 7	3.0%	3.0%	10.9%	89.0%
	Grade 8	5.3%	7.9%	16.0%	84.0%
	Grade 9	7.8%	13.0%	26.4%	73.6%
	Grade 10	8.9%	13.4%	27.3%	72.7%
	Grade 11	13.7%	19.9%	35.7%	64.3%
	Grade 12	18.6%	22.9%	36.2%	63.8%
Alcohol	All	24.1%	32.0%	54.0%	46.0%
	Grade 6	8.5%	9.3%	27.6%	72.4%
	Grade 7	14.5%	17.1%	38.7%	61.2%
	Grade 8	16.5%	23.3%	46.4%	53.5%
	Grade 9	25.6%	34.8%	60.4%	39.7%
	Grade 10	30.8%	42.7%	64.3%	35.7%
	Grade 11	37.1%	48.6%	71.5%	28.5%
	Grade 12	40.5%	54.3%	73.5%	26.5%
Inhalants	All	4.7%	6.3%	14.6%	85.4%
	Grade 6	7.8%	9.6%	17.3%	82.8%
	Grade 7	8.0%	8.8%	17.5%	82.5%
	Grade 8	3.6%	7.3%	15.1%	84.8%
	Grade 9	4.1%	5.4%	16.0%	83.9%
	Grade 10	4.2%	5.1%	15.5%	84.5%
	Grade 11	2.5%	3.5%	9.1%	90.9%
	Grade 12	2.2%	3.6%	10.1%	89.9%
Any Illicit Drug	All	12.3%	17.0%	28.4%	71.7%
	Grade 6	2.7%	4.5%	10.3%	89.7%
	Grade 7	6.1%	7.1%	11.6%	88.5%
	Grade 8	6.2%	10.9%	20.8%	79.1%
	Grade 9	14.4%	19.3%	31.1%	68.9%
	Grade 10	14.2%	19.7%	34.6%	65.4%
	Grade 11	22.7%	30.4%	46.4%	53.6%
	Grade 12	22.7%	31.0%	49.6%	50.4%
Marijuana	All	11.4%	16.2%	27.5%	72.4%
	Grade 6	1.9%	4.3%	8.8%	91.1%
	Grade 7	5.3%	6.3%	10.9%	89.1%
	Grade 8	5.7%	10.0%	19.1%	80.9%
	Grade 9	13.3%	18.7%	30.7%	69.3%
	Grade 10	13.5%	19.0%	33.9%	66.1%
	Grade 11	21.5%	29.3%	46.3%	53.7%
	Grade 12	21.7%	30.1%	49.0%	51.0%

**Table B-8: Prevalence and recency of use of selected substances by grade  
Students Reporting Grades Lower Than an A  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.6%	8.6%	16.9%	83.2%
Grade 6	1.4%	1.8%	4.7%	95.3%
Grade 7	3.0%	3.0%	6.6%	93.4%
Grade 8	2.6%	5.4%	12.1%	87.9%
Grade 9	6.6%	10.1%	18.3%	81.7%
Grade 10	6.2%	10.1%	21.7%	78.3%
Grade 11	9.8%	15.0%	27.5%	72.5%
Grade 12	11.1%	16.6%	30.4%	69.6%
Cocaine Or Crack				
All	0.9%	1.5%	3.2%	96.8%
Grade 6	0.1%	1.8%	3.0%	97.0%
Grade 7	0.8%	0.8%	1.1%	99.0%
Grade 8	1.1%	1.7%	3.6%	96.5%
Grade 9	0.8%	1.0%	2.1%	98.0%
Grade 10	0.6%	1.3%	3.2%	96.9%
Grade 11	1.8%	2.6%	5.1%	94.9%
Grade 12	1.5%	2.2%	5.6%	94.4%
Cocaine				
All	0.8%	1.4%	2.9%	97.1%
Grade 6	0.1%	1.8%	2.7%	97.3%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.5%	0.8%	2.9%	97.1%
Grade 9	0.8%	1.0%	2.0%	98.1%
Grade 10	0.6%	1.3%	3.0%	97.1%
Grade 11	1.8%	2.6%	5.0%	95.0%
Grade 12	1.5%	2.2%	5.3%	94.6%
Crack				
All	0.3%	0.5%	1.0%	99.0%
Grade 6	0.1%	1.1%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	1.1%	1.4%	2.1%	98.0%
Grade 9	0.3%	0.3%	0.4%	99.5%
Grade 10	0.1%	0.3%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.9%	99.1%
Hallucinogens				
All	1.0%	1.6%	3.1%	96.9%
Grade 6	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.3%	99.8%
Grade 8	0.0%	0.3%	1.2%	98.8%
Grade 9	1.1%	2.2%	4.3%	95.7%
Grade 10	0.8%	1.6%	3.6%	96.4%
Grade 11	2.0%	2.9%	5.5%	94.6%
Grade 12	3.0%	4.3%	7.5%	92.6%

**Table B-8: Prevalence and recency of use of selected substances by grade**  
**Students Reporting Grades Lower Than an A**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.6%	1.1%	98.9%
	Grade 6	0.7%	0.7%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.3%	99.7%
	Grade 8	0.0%	0.0%	1.2%	98.8%
	Grade 9	0.8%	1.4%	1.9%	98.1%
	Grade 10	0.8%	1.0%	1.3%	98.6%
	Grade 11	0.1%	0.1%	0.5%	99.4%
	Grade 12	0.8%	0.8%	1.5%	98.5%
Steroids	All	0.4%	0.4%	1.0%	99.0%
	Grade 6	0.0%	0.0%	1.1%	98.9%
	Grade 7	0.5%	0.5%	0.6%	99.4%
	Grade 8	0.1%	0.1%	1.8%	98.2%
	Grade 9	0.1%	0.1%	0.3%	99.7%
	Grade 10	0.8%	0.8%	1.3%	98.7%
	Grade 11	0.7%	0.9%	1.0%	99.1%
	Grade 12	0.9%	0.9%	1.2%	98.8%
Ecstasy	All	0.8%	1.4%	3.1%	96.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.3%	0.3%	99.7%
	Grade 8	0.3%	0.3%	1.6%	98.3%
	Grade 9	1.3%	2.1%	3.3%	96.7%
	Grade 10	0.5%	1.4%	3.9%	96.1%
	Grade 11	2.1%	2.7%	6.7%	93.3%
	Grade 12	1.5%	3.2%	6.7%	93.3%
Heroin	All	0.3%	0.4%	0.7%	99.3%
	Grade 6	0.7%	0.9%	1.0%	99.0%
	Grade 7	0.5%	0.6%	0.8%	99.3%
	Grade 8	0.0%	0.2%	0.2%	99.8%
	Grade 9	0.1%	0.3%	0.9%	99.1%
	Grade 10	0.3%	0.3%	0.6%	99.4%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.7%	0.7%	1.1%	98.9%

**Table B-8: Prevalence and recency of use of selected substances by grade  
Students Reporting Grades Lower Than an A  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.5%	3.7%	7.6%	92.4%
Grade 6	1.0%	1.6%	3.7%	96.3%
Grade 7	1.6%	2.2%	3.0%	97.0%
Grade 8	1.2%	1.5%	5.0%	95.1%
Grade 9	3.7%	4.9%	9.1%	90.9%
Grade 10	2.9%	5.2%	10.2%	89.9%
Grade 11	4.3%	6.5%	12.5%	87.5%
Grade 12	3.3%	4.2%	10.4%	89.5%
Methamphetamine				
All	0.1%	0.3%	0.8%	99.2%
Grade 6	0.0%	0.2%	1.1%	98.9%
Grade 7	0.1%	0.4%	0.6%	99.4%
Grade 8	0.0%	0.4%	1.4%	98.6%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.3%	0.4%	0.8%	99.1%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.6%	8.4%	17.3%	82.8%
	Grade 6	1.2%	1.7%	7.2%	92.8%
	Grade 7	1.8%	1.8%	6.8%	93.2%
	Grade 8	2.4%	4.6%	10.8%	89.2%
	Grade 9	6.7%	10.4%	21.5%	78.4%
	Grade 10	5.0%	8.4%	19.3%	80.7%
	Grade 11	11.2%	17.4%	29.1%	70.8%
	Grade 12	12.4%	16.5%	29.2%	70.8%
Alcohol	All	20.0%	28.3%	48.5%	51.5%
	Grade 6	7.6%	8.9%	25.4%	74.6%
	Grade 7	12.3%	14.5%	33.0%	67.0%
	Grade 8	10.4%	18.1%	39.2%	60.7%
	Grade 9	23.0%	31.6%	57.2%	42.9%
	Grade 10	24.6%	36.2%	57.1%	42.9%
	Grade 11	32.3%	45.4%	65.1%	34.9%
	Grade 12	33.2%	48.4%	67.0%	32.9%
Inhalants	All	3.8%	5.2%	11.6%	88.4%
	Grade 6	6.9%	8.3%	13.5%	86.6%
	Grade 7	5.1%	5.7%	13.1%	86.8%
	Grade 8	3.6%	7.0%	13.4%	86.6%
	Grade 9	3.2%	4.6%	12.3%	87.7%
	Grade 10	2.8%	3.6%	12.2%	87.9%
	Grade 11	2.6%	3.8%	9.4%	90.6%
	Grade 12	1.8%	2.6%	5.9%	94.1%
Any Illicit Drug	All	8.0%	11.2%	19.9%	80.1%
	Grade 6	1.1%	2.4%	6.8%	93.1%
	Grade 7	2.8%	2.8%	6.4%	93.6%
	Grade 8	3.4%	6.0%	11.8%	88.2%
	Grade 9	8.8%	12.3%	21.7%	78.4%
	Grade 10	9.2%	12.6%	25.3%	74.7%
	Grade 11	16.3%	23.2%	36.2%	63.8%
	Grade 12	16.6%	22.2%	35.9%	64.0%
Marijuana	All	7.2%	10.5%	19.2%	80.7%
	Grade 6	1.1%	2.5%	5.9%	94.1%
	Grade 7	2.4%	2.4%	6.2%	93.8%
	Grade 8	2.7%	4.9%	10.3%	89.6%
	Grade 9	7.4%	11.4%	20.9%	79.1%
	Grade 10	8.8%	12.3%	24.9%	75.2%
	Grade 11	15.4%	22.7%	36.4%	63.7%
	Grade 12	15.1%	21.2%	35.2%	64.7%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.8%	6.0%	12.3%	87.8%
Grade 6	0.5%	0.9%	2.7%	97.3%
Grade 7	1.2%	1.2%	4.0%	96.0%
Grade 8	1.9%	2.7%	6.7%	93.3%
Grade 9	3.8%	6.4%	12.7%	87.3%
Grade 10	3.7%	6.3%	16.7%	83.3%
Grade 11	7.6%	12.8%	22.7%	77.4%
Grade 12	9.1%	13.3%	23.5%	76.5%
Cocaine Or Crack				
All	0.7%	1.1%	2.1%	97.9%
Grade 6	0.0%	1.0%	2.5%	97.6%
Grade 7	0.6%	0.6%	0.8%	99.1%
Grade 8	0.4%	0.9%	1.7%	98.3%
Grade 9	0.7%	0.9%	1.5%	98.5%
Grade 10	0.5%	0.8%	1.3%	98.7%
Grade 11	1.8%	2.5%	4.2%	95.8%
Grade 12	0.9%	1.2%	3.2%	96.8%
Cocaine				
All	0.7%	1.1%	2.0%	98.1%
Grade 6	0.0%	1.0%	1.8%	98.2%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.7%	0.9%	1.4%	98.6%
Grade 10	0.5%	0.8%	1.3%	98.7%
Grade 11	1.8%	2.5%	4.1%	95.9%
Grade 12	0.9%	1.2%	3.2%	96.8%
Crack				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.0%	0.5%	1.2%	98.9%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.7%	1.1%	98.9%
Grade 9	0.3%	0.3%	0.4%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.3%	99.6%
Hallucinogens				
All	0.7%	1.0%	1.9%	98.1%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.2%	0.4%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.7%	1.2%	1.9%	98.1%
Grade 10	0.4%	0.9%	2.4%	97.5%
Grade 11	1.5%	1.9%	3.9%	96.0%
Grade 12	2.1%	3.1%	4.9%	95.1%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.3%	0.7%	99.3%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.2%	99.7%
	Grade 8	0.0%	0.2%	0.8%	99.2%
	Grade 9	0.4%	0.5%	1.0%	99.0%
	Grade 10	0.7%	0.9%	1.1%	99.0%
	Grade 11	0.1%	0.2%	0.6%	99.4%
	Grade 12	0.5%	0.7%	1.3%	98.7%
Steroids	All	0.3%	0.3%	0.8%	99.2%
	Grade 6	0.0%	0.0%	0.8%	99.2%
	Grade 7	0.5%	0.5%	0.5%	99.5%
	Grade 8	0.1%	0.1%	1.4%	98.6%
	Grade 9	0.1%	0.1%	0.5%	99.6%
	Grade 10	0.3%	0.3%	0.7%	99.3%
	Grade 11	0.9%	0.9%	0.9%	99.0%
	Grade 12	0.7%	0.8%	1.1%	98.8%
Ecstasy	All	0.5%	0.7%	1.7%	98.2%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.9%	99.1%
	Grade 9	0.6%	1.2%	2.3%	97.8%
	Grade 10	0.3%	0.5%	2.0%	98.0%
	Grade 11	1.8%	2.3%	4.1%	95.9%
	Grade 12	1.5%	2.0%	4.4%	95.7%
Heroin	All	0.2%	0.3%	0.4%	99.7%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.4%	0.4%	0.4%	99.6%
	Grade 8	0.0%	0.2%	0.4%	99.6%
	Grade 9	0.1%	0.3%	0.3%	99.7%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	0.6%	0.6%	0.8%	99.2%



**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.3%	2.0%	4.9%	95.1%
Grade 6	0.5%	0.5%	2.5%	97.4%
Grade 7	0.5%	0.7%	0.7%	99.2%
Grade 8	0.4%	0.7%	2.6%	97.4%
Grade 9	2.1%	3.5%	6.6%	93.4%
Grade 10	2.2%	3.1%	6.6%	93.4%
Grade 11	2.3%	3.6%	8.9%	91.1%
Grade 12	0.9%	1.8%	6.7%	93.2%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 6	0.0%	0.0%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.6%	99.5%

**Table B-10: Prevalence and recency of use of selected substances by grade  
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.6%	13.8%	26.1%	73.9%
	Grade 6	4.2%	5.4%	8.6%	91.3%
	Grade 7	3.7%	4.3%	14.6%	85.4%
	Grade 8	6.9%	10.2%	18.0%	82.1%
	Grade 9	10.2%	15.9%	31.8%	68.1%
	Grade 10	11.4%	17.0%	32.8%	67.1%
	Grade 11	11.7%	18.7%	35.6%	64.4%
	Grade 12	19.8%	25.1%	38.9%	61.2%
Alcohol	All	25.6%	34.8%	58.8%	41.2%
	Grade 6	9.4%	10.6%	29.8%	70.2%
	Grade 7	13.7%	19.0%	43.8%	56.2%
	Grade 8	16.6%	26.8%	50.0%	50.0%
	Grade 9	29.2%	38.8%	63.9%	36.2%
	Grade 10	32.2%	46.1%	69.3%	30.6%
	Grade 11	34.8%	48.3%	76.2%	23.8%
	Grade 12	42.0%	52.1%	75.3%	24.7%
Inhalants	All	4.5%	6.0%	14.8%	85.3%
	Grade 6	6.9%	8.8%	15.0%	85.0%
	Grade 7	9.6%	10.7%	19.3%	80.7%
	Grade 8	2.5%	5.2%	15.1%	84.9%
	Grade 9	4.2%	5.7%	17.2%	82.8%
	Grade 10	4.5%	5.3%	14.3%	85.7%
	Grade 11	1.7%	3.1%	9.1%	90.9%
	Grade 12	2.3%	3.2%	12.0%	88.0%
Any Illicit Drug	All	14.4%	20.0%	33.2%	66.9%
	Grade 6	3.4%	5.4%	9.9%	90.2%
	Grade 7	8.1%	10.8%	15.7%	84.2%
	Grade 8	8.2%	14.3%	26.6%	73.5%
	Grade 9	17.6%	24.6%	38.7%	61.3%
	Grade 10	14.7%	21.5%	38.7%	61.3%
	Grade 11	24.0%	29.2%	47.3%	52.7%
	Grade 12	23.7%	32.5%	53.5%	46.5%
Marijuana	All	13.7%	19.3%	32.5%	67.5%
	Grade 6	1.9%	4.4%	9.0%	90.9%
	Grade 7	7.7%	10.4%	15.0%	85.0%
	Grade 8	7.6%	13.7%	25.0%	74.9%
	Grade 9	16.5%	23.3%	38.1%	61.8%
	Grade 10	14.0%	21.1%	38.0%	61.9%
	Grade 11	23.1%	28.3%	47.2%	52.8%
	Grade 12	23.6%	31.9%	52.8%	47.2%

**Table B-10: Prevalence and recency of use of selected substances by grade**  
**Students Not Living With 2 Parents**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	6.8%	10.2%	20.0%	80.0%
Grade 6	1.9%	2.6%	5.0%	95.1%
Grade 7	5.8%	6.9%	10.5%	89.6%
Grade 8	3.0%	9.0%	17.6%	82.4%
Grade 9	8.5%	12.8%	24.1%	76.0%
Grade 10	7.6%	11.6%	24.0%	76.0%
Grade 11	10.3%	12.6%	26.2%	73.9%
Grade 12	9.7%	14.9%	31.1%	69.0%
Cocaine Or Crack				
All	0.6%	1.2%	3.1%	96.9%
Grade 6	0.1%	2.1%	2.4%	97.5%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	1.2%	1.3%	3.6%	96.5%
Grade 9	0.6%	0.7%	1.7%	98.3%
Grade 10	0.3%	0.5%	3.7%	96.3%
Grade 11	0.6%	1.8%	4.5%	95.5%
Grade 12	1.7%	2.5%	6.3%	93.6%
Cocaine				
All	0.5%	1.0%	2.7%	97.3%
Grade 6	0.1%	2.1%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	2.5%	97.5%
Grade 9	0.6%	0.7%	1.7%	98.3%
Grade 10	0.3%	0.5%	3.4%	96.6%
Grade 11	0.6%	1.2%	3.9%	96.1%
Grade 12	1.7%	2.5%	6.0%	94.0%
Crack				
All	0.2%	0.4%	0.9%	99.0%
Grade 6	0.1%	1.1%	1.4%	98.5%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	1.2%	1.2%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	1.4%	98.6%
Grade 11	0.0%	0.6%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.7%	99.3%
Hallucinogens				
All	1.0%	1.9%	4.1%	95.8%
Grade 6	0.3%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.6%	2.3%	97.7%
Grade 9	1.6%	3.3%	6.6%	93.4%
Grade 10	1.4%	2.4%	4.6%	95.5%
Grade 11	1.0%	2.5%	5.3%	94.7%
Grade 12	2.8%	4.3%	9.2%	90.8%

**Table B-10: Prevalence and recency of use of selected substances by grade**  
**Students Not Living With 2 Parents**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.7%	1.2%	98.8%
	Grade 6	1.5%	1.5%	1.5%	98.5%
	Grade 7	0.0%	0.1%	0.6%	99.4%
	Grade 8	0.0%	0.0%	1.1%	98.9%
	Grade 9	0.7%	1.5%	2.2%	97.8%
	Grade 10	0.6%	0.6%	0.9%	99.1%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	0.4%	0.7%	1.9%	98.2%
Steroids	All	0.3%	0.4%	0.9%	99.1%
	Grade 6	0.0%	0.0%	0.7%	99.3%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.8%	0.8%	1.6%	98.4%
	Grade 9	0.1%	0.1%	0.8%	99.2%
	Grade 10	0.7%	0.7%	1.1%	98.9%
	Grade 11	0.3%	0.6%	1.0%	99.0%
	Grade 12	0.0%	0.3%	0.6%	99.4%
Ecstasy	All	0.8%	1.6%	3.6%	96.5%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.5%	0.5%	99.5%
	Grade 8	0.6%	0.6%	2.4%	97.6%
	Grade 9	1.7%	2.5%	4.0%	96.0%
	Grade 10	0.3%	1.4%	3.3%	96.6%
	Grade 11	1.0%	1.3%	6.7%	93.4%
	Grade 12	1.5%	4.4%	7.7%	92.2%
Heroin	All	0.2%	0.3%	0.7%	99.3%
	Grade 6	1.3%	1.7%	1.8%	98.1%
	Grade 7	0.0%	0.2%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.1%	0.1%	1.0%	99.0%
	Grade 10	0.2%	0.2%	0.4%	99.5%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-10: Prevalence and recency of use of selected substances by grade**  
**Students Not Living With 2 Parents**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.6%	4.3%	8.4%	91.6%
Grade 6	1.0%	2.1%	3.7%	96.3%
Grade 7	2.0%	2.5%	3.8%	96.2%
Grade 8	1.3%	1.8%	4.8%	95.2%
Grade 9	3.5%	5.4%	8.9%	91.0%
Grade 10	2.1%	5.6%	9.9%	90.1%
Grade 11	4.2%	6.7%	14.1%	86.0%
Grade 12	4.1%	6.0%	13.9%	86.1%
Methamphetamine				
All	0.1%	0.3%	0.7%	99.3%
Grade 6	0.0%	0.3%	1.0%	98.9%
Grade 7	0.0%	0.7%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.3%	0.4%	0.7%	99.4%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.1%	99.8%
Grade 12	0.0%	0.2%	0.6%	99.4%

**Table B-11: Prevalence and recency of use of selected substances by grade  
Students who would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.3%	9.1%	18.5%	81.6%
	Grade 6	1.9%	2.3%	6.6%	93.3%
	Grade 7	2.3%	2.5%	8.0%	92.0%
	Grade 8	3.6%	5.6%	10.7%	89.3%
	Grade 9	7.8%	10.8%	23.3%	76.7%
	Grade 10	5.5%	9.4%	21.7%	78.2%
	Grade 11	10.7%	17.0%	30.7%	69.3%
	Grade 12	13.7%	17.7%	30.7%	69.2%
Alcohol	All	20.4%	28.9%	50.8%	49.2%
	Grade 6	8.1%	9.3%	25.4%	74.6%
	Grade 7	10.5%	14.0%	33.7%	66.3%
	Grade 8	9.7%	18.1%	40.6%	59.4%
	Grade 9	23.8%	32.4%	58.4%	41.6%
	Grade 10	26.2%	38.6%	60.7%	39.3%
	Grade 11	31.9%	45.2%	70.9%	29.2%
	Grade 12	35.7%	49.4%	70.6%	29.3%
Inhalants	All	3.6%	4.8%	11.4%	88.6%
	Grade 6	6.7%	8.3%	12.1%	87.9%
	Grade 7	5.3%	6.0%	13.8%	86.2%
	Grade 8	2.3%	4.7%	11.4%	88.7%
	Grade 9	3.2%	4.4%	12.5%	87.5%
	Grade 10	3.4%	4.2%	12.2%	87.9%
	Grade 11	2.0%	3.5%	9.8%	90.2%
	Grade 12	1.6%	2.0%	7.0%	93.0%
Any Illicit Drug	All	8.7%	12.2%	22.1%	77.8%
	Grade 6	2.3%	3.0%	5.9%	94.1%
	Grade 7	2.9%	3.5%	6.8%	93.2%
	Grade 8	3.7%	7.0%	14.0%	85.9%
	Grade 9	9.8%	14.3%	26.2%	73.8%
	Grade 10	9.6%	13.4%	27.8%	72.2%
	Grade 11	17.3%	23.3%	39.5%	60.5%
	Grade 12	17.8%	24.4%	39.7%	60.3%
Marijuana	All	8.1%	11.7%	21.5%	78.5%
	Grade 6	1.7%	2.8%	4.7%	95.3%
	Grade 7	2.4%	3.0%	6.5%	93.5%
	Grade 8	3.1%	6.1%	12.5%	87.5%
	Grade 9	8.9%	13.4%	25.4%	74.6%
	Grade 10	9.1%	12.9%	27.1%	72.9%
	Grade 11	16.5%	22.8%	39.5%	60.4%
	Grade 12	16.9%	23.4%	39.0%	61.0%

**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.3%	6.5%	13.6%	86.4%
Grade 6	1.2%	1.2%	2.0%	98.0%
Grade 7	1.7%	1.9%	4.3%	95.7%
Grade 8	1.9%	4.0%	8.3%	91.7%
Grade 9	4.3%	7.2%	16.0%	84.0%
Grade 10	5.0%	7.3%	18.3%	81.6%
Grade 11	7.6%	11.8%	24.1%	75.9%
Grade 12	9.1%	13.6%	25.2%	74.8%
Cocaine Or Crack				
All	0.4%	0.8%	2.0%	98.0%
Grade 6	0.0%	1.0%	2.3%	97.8%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.4%	1.5%	98.4%
Grade 9	0.5%	0.6%	1.4%	98.6%
Grade 10	0.3%	0.7%	1.7%	98.3%
Grade 11	1.0%	1.7%	3.7%	96.3%
Grade 12	1.1%	1.5%	3.6%	96.4%
Cocaine				
All	0.4%	0.8%	1.8%	98.2%
Grade 6	0.0%	1.0%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.2%	1.1%	98.9%
Grade 9	0.5%	0.6%	1.4%	98.7%
Grade 10	0.3%	0.7%	1.7%	98.4%
Grade 11	1.0%	1.7%	3.6%	96.3%
Grade 12	1.1%	1.5%	3.6%	96.4%
Crack				
All	0.1%	0.2%	0.5%	99.4%
Grade 6	0.0%	0.8%	1.4%	98.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.3%	99.6%
Grade 10	0.0%	0.2%	0.4%	99.7%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	0.7%	1.1%	2.5%	97.5%
Grade 6	0.2%	0.2%	0.4%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	1.1%	98.9%
Grade 9	0.8%	1.6%	3.2%	96.8%
Grade 10	0.8%	1.2%	3.0%	97.0%
Grade 11	1.0%	1.9%	4.0%	95.9%
Grade 12	2.0%	3.0%	6.0%	94.0%

**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.9%	99.1%
	Grade 6	0.5%	0.5%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.0%	0.2%	1.0%	99.0%
	Grade 9	0.2%	0.5%	1.2%	98.7%
	Grade 10	0.7%	0.8%	1.0%	99.0%
	Grade 11	0.1%	0.1%	0.4%	99.6%
	Grade 12	0.3%	0.4%	1.4%	98.6%
Steroids	All	0.4%	0.4%	0.9%	99.1%
	Grade 6	0.0%	0.0%	0.9%	99.1%
	Grade 7	0.4%	0.4%	0.5%	99.6%
	Grade 8	0.4%	0.4%	1.4%	98.6%
	Grade 9	0.1%	0.1%	0.5%	99.5%
	Grade 10	0.7%	0.7%	1.2%	98.8%
	Grade 11	0.6%	0.7%	0.9%	99.0%
	Grade 12	0.4%	0.6%	1.0%	99.0%
Ecstasy	All	0.5%	0.9%	2.2%	97.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.2%	0.2%	99.8%
	Grade 8	0.0%	0.0%	1.2%	98.8%
	Grade 9	0.9%	1.5%	2.7%	97.2%
	Grade 10	0.2%	0.5%	2.2%	97.8%
	Grade 11	1.1%	1.5%	4.5%	95.5%
	Grade 12	1.2%	2.3%	4.9%	95.1%
Heroin	All	0.2%	0.2%	0.4%	99.5%
	Grade 6	0.5%	0.7%	0.8%	99.2%
	Grade 7	0.3%	0.3%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.1%	0.4%	99.6%
	Grade 10	0.3%	0.3%	0.5%	99.5%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.2%	0.2%	0.5%	99.5%



**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.4%	2.3%	5.6%	94.4%
Grade 6	0.8%	1.3%	2.8%	97.2%
Grade 7	0.6%	0.8%	1.4%	98.7%
Grade 8	0.2%	0.5%	2.7%	97.3%
Grade 9	1.9%	3.3%	7.0%	93.0%
Grade 10	1.7%	3.1%	6.7%	93.4%
Grade 11	2.8%	4.5%	10.3%	89.7%
Grade 12	1.9%	3.0%	9.4%	90.5%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 6	0.0%	0.1%	0.8%	99.2%
Grade 7	0.0%	0.2%	0.3%	99.6%
Grade 8	0.2%	0.5%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.6%	99.5%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.4%	99.6%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.1%	16.8%	30.9%	69.1%
	Grade 6	3.2%	6.1%	13.3%	86.7%
	Grade 7	3.9%	4.0%	18.5%	81.5%
	Grade 8	6.5%	11.1%	25.4%	74.6%
	Grade 9	10.7%	21.3%	38.2%	61.8%
	Grade 10	16.6%	21.6%	36.4%	63.6%
	Grade 11	14.2%	21.4%	37.4%	62.6%
	Grade 12	21.7%	29.4%	42.8%	57.2%
Alcohol	All	30.5%	39.8%	59.1%	41.0%
	Grade 6	9.1%	11.2%	32.7%	67.3%
	Grade 7	30.1%	31.9%	57.7%	42.3%
	Grade 8	20.2%	31.1%	48.6%	51.4%
	Grade 9	33.2%	45.3%	68.5%	31.6%
	Grade 10	35.4%	47.3%	67.3%	32.7%
	Grade 11	41.4%	52.9%	65.6%	34.5%
	Grade 12	42.0%	53.5%	69.7%	30.3%
Inhalants	All	7.2%	9.6%	19.7%	80.2%
	Grade 6	11.1%	12.7%	24.4%	75.6%
	Grade 7	17.3%	18.7%	26.6%	73.4%
	Grade 8	7.4%	14.0%	25.1%	75.0%
	Grade 9	4.9%	7.7%	25.0%	75.0%
	Grade 10	5.7%	6.5%	17.4%	82.6%
	Grade 11	3.4%	3.6%	7.2%	92.8%
	Grade 12	3.5%	6.6%	14.4%	85.6%
Any Illicit Drug	All	18.1%	24.5%	36.8%	63.3%
	Grade 6	0.3%	5.9%	19.6%	80.4%
	Grade 7	11.8%	15.3%	25.7%	74.3%
	Grade 8	8.3%	13.6%	24.5%	75.5%
	Grade 9	26.4%	32.7%	43.9%	56.2%
	Grade 10	21.4%	28.2%	42.7%	57.3%
	Grade 11	27.8%	34.9%	44.2%	55.8%
	Grade 12	27.7%	37.4%	54.3%	45.7%
Marijuana	All	17.0%	23.8%	36.1%	63.9%
	Grade 6	0.0%	4.6%	19.7%	80.3%
	Grade 7	11.9%	15.2%	24.3%	75.7%
	Grade 8	7.5%	13.0%	23.3%	76.7%
	Grade 9	24.0%	31.7%	43.2%	56.8%
	Grade 10	19.9%	27.7%	42.2%	57.7%
	Grade 11	27.5%	34.7%	44.2%	55.9%
	Grade 12	25.7%	36.6%	53.3%	46.7%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	8.2%	12.0%	21.4%	78.5%
Grade 6	0.0%	1.9%	10.5%	89.5%
Grade 7	6.9%	8.4%	17.5%	82.4%
Grade 8	3.2%	7.8%	16.9%	83.1%
Grade 9	13.1%	17.5%	25.1%	74.9%
Grade 10	6.0%	11.9%	24.6%	75.4%
Grade 11	13.8%	16.0%	22.1%	77.8%
Grade 12	13.0%	18.7%	32.0%	67.9%
Cocaine Or Crack				
All	1.7%	2.9%	5.3%	94.8%
Grade 6	0.3%	4.0%	4.8%	95.2%
Grade 7	2.6%	2.6%	3.9%	96.1%
Grade 8	1.9%	2.8%	5.1%	94.9%
Grade 9	1.0%	1.3%	1.9%	98.1%
Grade 10	1.2%	1.9%	5.6%	94.4%
Grade 11	2.9%	4.9%	6.6%	93.4%
Grade 12	1.6%	2.5%	9.0%	91.0%
Cocaine				
All	1.5%	2.4%	4.6%	95.5%
Grade 6	0.3%	4.0%	4.0%	96.0%
Grade 7	2.6%	2.6%	2.6%	97.4%
Grade 8	0.8%	0.9%	4.2%	95.8%
Grade 9	1.0%	1.3%	1.9%	98.1%
Grade 10	1.2%	1.9%	5.6%	94.4%
Grade 11	2.9%	3.7%	5.4%	94.6%
Grade 12	1.6%	2.5%	8.2%	91.8%
Crack				
All	0.4%	0.7%	1.6%	98.4%
Grade 6	0.3%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	1.9%	2.7%	4.1%	95.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	1.9%	98.1%
Grade 11	0.0%	1.2%	1.2%	98.8%
Grade 12	0.0%	0.0%	1.4%	98.6%
Hallucinogens				
All	1.5%	2.8%	4.1%	95.9%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.0%	1.1%	1.1%	98.9%
Grade 9	2.4%	5.0%	7.0%	93.0%
Grade 10	1.4%	3.1%	5.0%	95.0%
Grade 11	3.2%	3.9%	6.5%	93.4%
Grade 12	3.0%	5.3%	7.3%	92.6%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	0.9%	1.3%	98.7%
	Grade 6	0.3%	0.3%	1.7%	98.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	2.4%	3.0%	3.1%	96.8%
	Grade 10	0.7%	0.7%	0.9%	99.2%
	Grade 11	0.4%	0.4%	0.7%	99.3%
	Grade 12	1.1%	1.9%	2.1%	97.9%
Steroids	All	0.4%	0.4%	0.9%	99.1%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.0%	0.0%	2.1%	97.9%
	Grade 9	0.2%	0.2%	1.1%	98.9%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	1.2%	1.2%	1.2%	98.8%
	Grade 12	1.1%	1.1%	1.1%	98.9%
Ecstasy	All	1.6%	2.5%	4.4%	95.7%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.1%	1.1%	2.6%	97.5%
	Grade 9	1.9%	3.2%	5.0%	94.9%
	Grade 10	0.8%	2.4%	4.6%	95.3%
	Grade 11	3.6%	4.2%	7.8%	92.2%
	Grade 12	3.1%	5.7%	9.0%	91.0%
Heroin	All	0.3%	0.5%	0.7%	99.3%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.6%	0.6%	99.4%
	Grade 8	0.0%	0.8%	0.8%	99.2%
	Grade 9	0.4%	0.4%	1.5%	98.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	1.4%	1.4%	1.4%	98.6%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.5%	5.4%	9.9%	90.1%
Grade 6	0.0%	0.0%	5.1%	94.9%
Grade 7	2.4%	3.9%	3.9%	96.1%
Grade 8	3.1%	3.1%	4.8%	95.2%
Grade 9	7.1%	9.8%	13.7%	86.2%
Grade 10	5.4%	9.4%	15.4%	84.7%
Grade 11	2.6%	5.5%	14.3%	85.7%
Grade 12	2.7%	4.9%	10.5%	89.6%
Methamphetamine				
All	0.3%	0.4%	1.2%	98.8%
Grade 6	0.0%	0.0%	1.7%	98.3%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	1.9%	98.1%
Grade 9	0.4%	0.5%	0.7%	99.3%
Grade 10	1.2%	1.2%	1.9%	98.1%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.2%	0.6%	1.2%	98.8%

### 3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	318,882	50.0%
Female	318,561	50.0%
Frequency Missing = 2758		

GRADE		
q2	Frequency	Percent
Grade 6	87,474	13.7%
Grade 7	96,137	15.0%
Grade 8	93,188	14.6%
Grade 9	105,005	16.4%
Grade 10	93,538	14.6%
Grade 11	86,360	13.5%
Grade 12	78,500	12.3%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	224,013	35.3%
Yes	411,452	64.7%
Frequency Missing = 4735		

AGE		
q4	Frequency	Percent
10 or below	841	0.1%
11	23,904	3.8%
12	80,540	12.6%
13	104,033	16.3%
14	86,956	13.7%
15	101,094	15.9%
16	88,159	13.8%
17	88,361	13.9%
18	55,649	8.7%
19 or older	7,449	1.2%
Frequency Missing = 3215		

ETHNICITY		
q5	Frequency	Percent
African Am.	117,236	18.8%
Asian Am.	34,976	5.6%
Mexican Am.	252,985	40.5%
Native Am.	2,660	0.4%
Other	10,990	1.8%
White	205,233	32.9%
Frequency Missing = 16121		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	164,240	30.3%
Mostly B's	277,089	51.2%
Mostly C's	85,827	15.8%
Mostly D's	11,452	2.1%
Mostly F's	3,091	0.6%
Frequency Missing = 98502		

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	450,800	82.6%
Yes	95,254	17.4%
Frequency Missing = 94146		

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	107,601	19.9%
No	179,256	33.1%
Yes	253,957	47.0%
Frequency Missing = 99387		

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	317,705	62.0%
Yes	194,333	38.0%
Frequency Missing = 128163		

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	397,010	79.9%
Yes	99,688	20.1%
Frequency Missing = 143503		

PARTICIPATE IN SCHOOL CHOIR		
q9c	Frequency	Percent
No	414,897	84.9%
Yes	73,644	15.1%
Frequency Missing = 151659		

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q9h	Frequency	Percent
No	321,726	64.9%
Yes	174,053	35.1%
Frequency Missing = 144422		

PARTICIPATE IN DRILL TEAM/CHEER-LEADING		
q9d	Frequency	Percent
No	450,758	93.1%
Yes	33,626	6.9%
Frequency Missing = 155816		

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q9i	Frequency	Percent
No	365,194	74.4%
Yes	125,361	25.6%
Frequency Missing = 149646		

PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK		
q9e	Frequency	Percent
No	460,610	95.1%
Yes	23,537	4.9%
Frequency Missing = 156053		

DO YOU FEEL SAFE IN YOUR HOME		
q10a	Frequency	Percent
Very Safe	525,447	82.9%
Somewhat Safe	95,737	15.1%
Not Very Safe	6,924	1.1%
Not Safe At All	886	0.1%
Don't Know	4,655	0.7%
Frequency Missing = 6550		

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS		
q9f	Frequency	Percent
No	375,691	76.4%
Yes	116,237	23.6%
Frequency Missing = 148272		

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q10b	Frequency	Percent
Very Safe	195,300	31.0%
Somewhat Safe	333,408	53.0%
Not Very Safe	69,726	11.1%
Not Safe At All	14,448	2.3%
Don't Know	16,691	2.7%
Frequency Missing = 10627		

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q9g	Frequency	Percent
No	350,510	70.8%
Yes	144,550	29.2%
Frequency Missing = 145140		

DO YOU FEEL SAFE AT SCHOOL		
q10c	Frequency	Percent
Very Safe	236,446	37.6%
Somewhat Safe	290,712	46.2%
Not Very Safe	54,534	8.7%
Not Safe At All	23,386	3.7%
Don't Know	24,189	3.8%
Frequency Missing = 10934		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.



FRIENDS FEELING CLOSE TO THEIR PARENTS		
q11a	Frequency	Percent
None	39,486	6.3%
A Few	151,138	24.1%
Some	161,517	25.7%
Most	208,678	33.2%
All	66,829	10.6%

Frequency Missing = 12552

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q11e	Frequency	Percent
None	386,723	61.6%
A Few	156,377	24.9%
Some	52,403	8.3%
Most	21,211	3.4%
All	11,075	1.8%

Frequency Missing = 12412

HOW MANY FRIENDS CARRY WEAPONS		
q11b	Frequency	Percent
None	445,830	71.9%
A Few	108,926	17.6%
Some	42,995	6.9%
Most	17,894	2.9%
All	4,634	0.7%

Frequency Missing = 19921

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q12	Frequency	Percent
No	294,734	62.0%
Yes	180,816	38.0%

Frequency Missing = 164650

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q11c	Frequency	Percent
None	13,433	2.2%
A Few	79,626	12.8%
Some	131,625	21.2%
Most	263,113	42.4%
All	132,246	21.3%

Frequency Missing = 20157

RECENT INHALANT USE - SPRAY PAINT		
q13a	Frequency	Percent
Never	617,542	97.4%
Heard/Used		
In Your Life-time	11,425	1.8%
Since School Began	1,488	0.2%
In the Past Month	3,537	0.6%

Frequency Missing = 6209

HOW MANY FRIENDS BELONG TO A GANG		
q11d	Frequency	Percent
None	506,944	80.7%
A Few	75,109	12.0%
Some	27,213	4.3%
Most	13,031	2.1%
All	5,651	0.9%

Frequency Missing = 12253

RECENT INHALANT USE - WHITE-OUT, CORRECTION FLUID, MAGIC MARKERS		
q13b	Frequency	Percent
Never	590,755	93.4%
Heard/Used		
In Your Life-time	26,129	4.1%
Since School Began	4,643	0.7%
In the Past Month	10,784	1.7%

Frequency Missing = 7890

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q13c	RECENT INHALANT USE - COMPUTER DUSTING SPRAYS	
	Frequency	Percent
Never	622,118	99.0%
Heard/Used		
In Your Life-time	3,891	0.6%
Since School Began	786	0.1%
In the Past Month	1,607	0.3%

Frequency Missing = 11799

q13f	RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS	
	Frequency	Percent
Never	622,537	98.8%
Heard/Used		
In Your Life-time	4,528	0.7%
Since School Began	658	0.1%
In the Past Month	2,431	0.4%

Frequency Missing = 10046

q13d	RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON	
	Frequency	Percent
Never	593,337	93.9%
Heard/Used		
In Your Life-time	24,131	3.8%
Since School Began	4,135	0.7%
In the Past Month	10,418	1.6%

Frequency Missing = 8178

q13g	RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER	
	Frequency	Percent
Never	616,064	97.7%
Heard/Used		
In Your Life-time	9,529	1.5%
Since School Began	1,764	0.3%
In the Past Month	3,480	0.6%

Frequency Missing = 9364

q13e	RECENT INHALANT USE - GLUE	
	Frequency	Percent
Never	619,657	98.5%
Heard/Used		
In Your Life-time	5,458	0.9%
Since School Began	1,439	0.2%
In the Past Month	2,442	0.4%

Frequency Missing = 11205

q13h	RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS	
	Frequency	Percent
Never	614,581	97.4%
Heard/Used		
In Your Life-time	8,162	1.3%
Since School Began	3,593	0.6%
In the Past Month	4,683	0.7%

Frequency Missing = 9183

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT CIGARETTE USE		
q14a	Frequency	Percent
Never	518,645	82.2%
Heard/Used		
In Your Life-time	60,960	9.7%
Since School Began	18,196	2.9%
In the Past Month	32,914	5.2%

Frequency Missing = 9486

RECENT WINE USE		
q14e	Frequency	Percent
Never	415,028	67.3%
Heard/Used		
In Your Life-time	107,680	17.4%
Since School Began	36,845	6.0%
In the Past Month	57,556	9.3%

Frequency Missing = 23091

RECENT SMOKE-LESS TOBACCO USE		
q14b	Frequency	Percent
Never	574,132	91.5%
Heard/Used		
In Your Life-time	24,155	3.8%
Since School Began	8,443	1.3%
In the Past Month	20,679	3.3%

Frequency Missing = 12792

RECENT LIQUOR USE		
q14f	Frequency	Percent
Never	410,248	65.4%
Heard/Used		
In Your Life-time	86,744	13.8%
Since School Began	44,005	7.0%
In the Past Month	86,548	13.8%

Frequency Missing = 12655

RECENT BEER USE		
q14c	Frequency	Percent
Never	376,313	61.0%
Heard/Used		
In Your Life-time	113,475	18.4%
Since School Began	41,998	6.8%
In the Past Month	84,767	13.7%

Frequency Missing = 23648

RECENT INHALANT USE		
q14g	Frequency	Percent
Never	607,064	95.6%
Heard/Used		
In Your Life-time	19,195	3.0%
Since School Began	3,609	0.6%
In the Past Month	4,992	0.8%

Frequency Missing = 5340

RECENT WINE COOLER USE		
q14d	Frequency	Percent
Never	423,781	67.8%
Heard/Used		
In Your Life-time	87,078	13.9%
Since School Began	39,671	6.3%
In the Past Month	74,929	12.0%

Frequency Missing = 14741

RECENT MARIJUANA USE		
q15a	Frequency	Percent
Never	475,357	76.1%
Heard/Used		
In Your Life-time	64,435	10.3%
Since School Began	25,890	4.1%
In the Past Month	59,216	9.5%

Frequency Missing = 15302

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	611,824	97.8%
Heard/Used		
In Your Life- time	7,457	1.2%
Since School Began	2,769	0.4%
In the Past Month	3,687	0.6%
Frequency Missing = 14463		

	RECENT USE	STEROID
q15g	Frequency	Percent
Never	619,379	99.1%
Heard/Used		
In Your Life- time	2,984	0.5%
Since School Began	226	0.0%
In the Past Month	2,151	0.3%
Frequency Missing = 15460		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	619,206	99.2%
Heard/Used		
In Your Life- time	2,476	0.4%
Since School Began	1,037	0.2%
In the Past Month	1,266	0.2%
Frequency Missing = 16217		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	606,996	97.5%
Heard/Used		
In Your Life- time	8,634	1.4%
Since School Began	2,685	0.4%
In the Past Month	3,926	0.6%
Frequency Missing = 17959		

	RECENT CINOGEN USE	HALLU- USE
q15e	Frequency	Percent
Never	607,264	97.3%
Heard/Used		
In Your Life- time	8,377	1.3%
Since School Began	3,407	0.5%
In the Past Month	5,155	0.8%
Frequency Missing = 15997		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	621,600	99.5%
Heard/Used		
In Your Life- time	1,247	0.2%
Since School Began	413	0.1%
In the Past Month	1,413	0.2%
Frequency Missing = 15527		

	RECENT NOL USE	ROHYP-
q15f	Frequency	Percent
Never	617,949	99.1%
Heard/Used		
In Your Life- time	2,778	0.4%
Since School Began	825	0.1%
In the Past Month	1,990	0.3%
Frequency Missing = 16658		

	RECENT PHETAMINE USE	METHAM-
q15j	Frequency	Percent
Never	620,216	99.4%
Heard/Used		
In Your Life- time	2,305	0.4%
Since School Began	598	0.1%
In the Past Month	1,066	0.2%
Frequency Missing = 16016		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	585,035	93.8%
Heard/Used		
In Your Life- time	21,011	3.4%
Since School Began	6,683	1.1%
In the Past Month	10,995	1.8%

Frequency Missing = 16476

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG
q16d	Frequency	Percent
Never	621,135	99.1%
Heard/Used		
In Your Life- time	1,689	0.3%
Since School Began	1,012	0.2%
In the Past Month	3,218	0.5%

Frequency Missing = 13146

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG
q16a	Frequency	Percent
Never	557,298	88.8%
Heard/Used		
In Your Life- time	22,418	3.6%
Since School Began	12,657	2.0%
In the Past Month	35,026	5.6%

Frequency Missing = 12802

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG
q16e	Frequency	Percent
Never	611,187	97.4%
Heard/Used		
In Your Life- time	3,733	0.6%
Since School Began	3,762	0.6%
In the Past Month	8,510	1.4%

Frequency Missing = 13009

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG
q16b	Frequency	Percent
Never	614,292	98.0%
Heard/Used		
In Your Life- time	3,488	0.6%
Since School Began	1,965	0.3%
In the Past Month	7,217	1.2%

Frequency Missing = 13239

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	587,142	96.3%
Heard/Used		
In Your Life- time	9,115	1.5%
Since School Began	3,003	0.5%
In the Past Month	10,727	1.8%

Frequency Missing = 30214

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG
q16c	Frequency	Percent
Never	603,864	96.3%
Heard/Used		
In Your Life- time	6,090	1.0%
Since School Began	5,591	0.9%
In the Past Month	11,317	1.8%

Frequency Missing = 13339

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	566,954	91.1%
Heard/Used		
1-2 times	30,636	4.9%
3-10 times	12,548	2.0%
11+ times	11,928	1.9%

Frequency Missing = 18135

ALCOHOL USE IN PAST MONTH		
q18b	Frequency	Percent
Never	454,186	73.5%
Heard/Used		
1-2 times	102,229	16.5%
3-10 times	45,442	7.4%
11+ times	16,319	2.6%
Frequency Missing = 22025		

INHALANT USE IN PAST MONTH		
q18c	Frequency	Percent
Never	610,598	97.9%
Heard/Used		
1-2 times	9,893	1.6%
3-10 times	2,248	0.4%
11+ times	743	0.1%
Frequency Missing = 16718		

MARIJUANA USE IN PAST MONTH		
q18d	Frequency	Percent
Never	534,554	85.8%
Heard/Used		
1-2 times	40,197	6.4%
3-10 times	24,152	3.9%
11+ times	24,389	3.9%
Frequency Missing = 16907		

COCAINE USE IN PAST MONTH		
q18e	Frequency	Percent
Never	618,147	99.1%
Heard/Used		
1-2 times	3,891	0.6%
3-10 times	852	0.1%
11+ times	934	0.1%
Frequency Missing = 16376		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

CRACK USE IN PAST MONTH		
q18f	Frequency	Percent
Never	621,497	99.7%
Heard/Used		
1-2 times	898	0.1%
3-10 times	727	0.1%
11+ times	189	0.0%
Frequency Missing = 16890		

CLOSE FRIENDS USE TOBACCO		
q19a	Frequency	Percent
Never	405,897	65.9%
heard/None		
A few	124,183	20.2%
Some	52,440	8.5%
Most	27,650	4.5%
All	5,389	0.9%
Frequency Missing = 24641		

CLOSE FRIENDS USE ALCOHOL		
q19b	Frequency	Percent
Never	283,635	46.1%
heard/None		
A few	141,361	23.0%
Some	87,954	14.3%
Most	79,672	13.0%
All	22,282	3.6%
Frequency Missing = 25297		

CLOSE FRIENDS USE INHALANTS		
q19c	Frequency	Percent
Never	566,563	92.1%
heard/None		
A few	33,328	5.4%
Some	10,555	1.7%
Most	2,711	0.4%
All	1,844	0.3%
Frequency Missing = 25199		

q19d	CLOSE FRIENDS USE MARIJUANA	
	Frequency	Percent
Never heard/None	317,711	51.7%
A few	118,167	19.2%
Some	81,436	13.3%
Most	70,818	11.5%
All	26,020	4.2%

Frequency Missing = 26048

q20d	DIFFICULT TO GET MARIJUANA	
	Frequency	Percent
Never heard of	149,249	24.8%
Impossible	133,870	22.2%
Very difficult	43,818	7.3%
Somewhat diff	53,728	8.9%
Somewhat easy	82,605	13.7%
Very easy	139,207	23.1%

Frequency Missing = 37723

q20a	DIFFICULT TO GET TOBACCO	
	Frequency	Percent
Never heard of	158,722	26.3%
Impossible	134,425	22.2%
Very difficult	42,534	7.0%
Somewhat diff	62,730	10.4%
Somewhat easy	78,478	13.0%
Very easy	127,390	21.1%

Frequency Missing = 35922

q20e	DIFFICULT TO GET COCAINE	
	Frequency	Percent
Never heard of	198,000	33.0%
Impossible	204,233	34.0%
Very difficult	77,983	13.0%
Somewhat diff	58,478	9.7%
Somewhat easy	28,142	4.7%
Very easy	33,734	5.6%

Frequency Missing = 39631

q20b	DIFFICULT TO GET ALCOHOL COMBINED	
	Frequency	Percent
Never heard of	128,770	21.3%
Impossible	90,946	15.1%
Very difficult	34,076	5.6%
Somewhat diff	66,627	11.0%
Somewhat easy	109,827	18.2%
Very easy	173,688	28.8%

Frequency Missing = 36267

q20f	DIFFICULT TO GET CRACK	
	Frequency	Percent
Never heard of	209,060	34.8%
Impossible	207,752	34.6%
Very difficult	80,001	13.3%
Somewhat diff	53,171	8.9%
Somewhat easy	22,782	3.8%
Very easy	27,465	4.6%

Frequency Missing = 39968

q20c	DIFFICULT TO GET INHALANTS	
	Frequency	Percent
Never heard of	223,402	37.2%
Impossible	98,178	16.3%
Very difficult	26,522	4.4%
Somewhat diff	33,034	5.5%
Somewhat easy	57,954	9.7%
Very easy	161,400	26.9%

Frequency Missing = 39710

q20h	DIFFICULT TO GET STEROIDS	
	Frequency	Percent
Never heard of	218,160	36.3%
Impossible	207,069	34.5%
Very difficult	80,646	13.4%
Somewhat diff	48,498	8.1%
Somewhat easy	20,789	3.5%
Very easy	25,728	4.3%

Frequency Missing = 39310

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	275,393	45.8%
Impossible	159,415	26.5%
Very difficult	61,833	10.3%
Somewhat diff	47,773	7.9%
Somewhat easy	28,371	4.7%
Very easy	28,509	4.7%
Frequency Missing = 38907		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	8,039	7.7%
9 years old	3,746	3.6%
10 years old	8,005	7.7%
11 years old	8,047	7.7%
12 years old	10,028	9.6%
13 years old	14,972	14.3%
14 years old	14,451	13.8%
15 years old	16,298	15.6%
16 years old	12,373	11.8%
17 years old	5,534	5.3%
18 or older	3,063	2.9%
Frequency Missing = 535645		

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	263,236	43.7%
Impossible	200,726	33.3%
Very difficult	74,066	12.3%
Somewhat diff	32,748	5.4%
Somewhat easy	12,992	2.2%
Very easy	19,221	3.2%
Frequency Missing = 37212		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	33,339	11.7%
9 years old	13,394	4.7%
10 years old	19,150	6.7%
11 years old	18,004	6.3%
12 years old	32,305	11.3%
13 years old	41,099	14.4%
14 years old	39,373	13.8%
15 years old	40,325	14.2%
16 years old	29,034	10.2%
17 years old	13,789	4.8%
18 or older	4,947	1.7%
Frequency Missing = 355442		

DIFFICULT TO GET METHAMPHETAMINE		
q20k	Frequency	Percent
Never heard of	276,446	45.9%
Impossible	191,443	31.8%
Very difficult	68,021	11.3%
Somewhat diff	34,106	5.7%
Somewhat easy	12,217	2.0%
Very easy	20,056	3.3%
Frequency Missing = 37911		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	4,904	16.1%
9 years old	2,995	9.8%
10 years old	4,509	14.8%
11 years old	5,956	19.6%
12 years old	4,024	13.2%
13 years old	3,233	10.6%
14 years old	2,753	9.0%
15 years old	1,306	4.3%
16 years old	464	1.5%
17 years old	215	0.7%
18 or older	70	0.2%
Frequency Missing = 609771		

DIFFICULT TO GET SYNTHETIC MARIJUANA		
q20l	Frequency	Percent
Never heard of	269,717	44.9%
Impossible	143,892	23.9%
Very difficult	47,113	7.8%
Somewhat diff	40,366	6.7%
Somewhat easy	40,949	6.8%
Very easy	58,981	9.8%
Frequency Missing = 39183		



q21d	AGE WHEN FIRST USED MARIJUANA	
	Frequency	Percent
8 or younger	3,398	2.3%
9 years old	2,991	2.0%
10 years old	3,870	2.6%
11 years old	10,167	6.9%
12 years old	17,643	12.0%
13 years old	28,431	19.4%
14 years old	25,835	17.6%
15 years old	24,989	17.0%
16 years old	17,875	12.2%
17 years old	8,946	6.1%
18 or older	2,480	1.7%

Frequency Missing = 493576

q21h	AGE WHEN FIRST USED STEROIDS	
	Frequency	Percent
8 or younger	468	11.0%
10 years old	545	12.8%
11 years old	609	14.3%
12 years old	494	11.6%
13 years old	290	6.8%
14 years old	817	19.2%
15 years old	142	3.3%
16 years old	370	8.7%
17 years old	169	4.0%
18 or older	352	8.3%

Frequency Missing = 635943

q21e	AGE WHEN FIRST USED COCAINE	
	Frequency	Percent
8 or younger	227	2.2%
9 years old	574	5.7%
10 years old	451	4.4%
11 years old	485	4.8%
12 years old	704	6.9%
13 years old	1,161	11.4%
14 years old	1,225	12.1%
15 years old	1,636	16.1%
16 years old	1,234	12.2%
17 years old	1,804	17.8%
18 or older	654	6.4%

Frequency Missing = 630045

q21i	AGE WHEN FIRST USED ECSTASY	
	Frequency	Percent
8 or younger	243	1.8%
9 years old	60	0.4%
10 years old	171	1.3%
11 years old	694	5.2%
12 years old	469	3.5%
13 years old	1,085	8.1%
14 years old	2,497	18.7%
15 years old	3,175	23.7%
16 years old	2,591	19.4%
17 years old	1,860	13.9%
18 or older	534	4.0%

Frequency Missing = 626821

q21f	AGE WHEN FIRST USED CRACK	
	Frequency	Percent
8 or younger	105	3.6%
9 years old	98	3.4%
10 years old	274	9.4%
11 years old	248	8.5%
12 years old	740	25.4%
13 years old	1,097	37.6%
14 years old	202	6.9%
15 years old	34	1.2%
17 years old	118	4.0%

Frequency Missing = 637284

q21j	AGE WHEN FIRST USED HEROIN	
	Frequency	Percent
8 or younger	748	55.5%
9 years old	98	7.2%
10 years old	32	2.4%
11 years old	98	7.3%
12 years old	39	2.9%
13 years old	63	4.7%
14 years old	15	1.1%
15 years old	149	11.0%
16 years old	95	7.0%
17 years old	11	0.8%

Frequency Missing = 638854

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q21k	AGE WHEN FIRST USED METHAMPHETAMINE	
	Frequency	Percent
8 or younger	536	19.0%
9 years old	35	1.2%
11 years old	166	5.9%
12 years old	494	17.5%
13 years old	459	16.3%
14 years old	265	9.4%
15 years old	513	18.2%
16 years old	85	3.0%
17 years old	265	9.4%

Frequency Missing = 637382

q22b	HOW OFTEN NORMALLY USE ALCOHOL	
	Frequency	Percent
Every day	2,067	0.3%
Several times/wk	14,255	2.3%
Several times/mo	41,989	6.9%
About once/- month	73,724	12.1%
About on- ce/year	71,578	11.8%
< once/year	52,815	8.7%
Never used	351,517	57.8%

Frequency Missing = 32255

q21l	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
	Frequency	Percent
8 or younger	454	1.2%
9 years old	590	1.6%
10 years old	377	1.0%
11 years old	1,574	4.3%
12 years old	2,470	6.8%
13 years old	6,266	17.2%
14 years old	6,192	17.0%
15 years old	8,439	23.2%
16 years old	6,200	17.0%
17 years old	2,999	8.2%
18 or older	891	2.4%

Frequency Missing = 603749

q22c	HOW OFTEN NORMALLY USE INHALANTS	
	Frequency	Percent
Every day	27	0.0%
Several times/wk	887	0.1%
Several times/mo	1,823	0.3%
About once/- month	3,327	0.5%
About on- ce/year	5,442	0.9%
< once/year	10,426	1.7%
Never used	591,978	96.4%

Frequency Missing = 26291

q22a	HOW OFTEN NORMALLY USE TOBACCO	
	Frequency	Percent
Every day	7,893	1.3%
Several times/wk	7,689	1.3%
Several times/mo	10,718	1.7%
About once/- month	17,177	2.8%
About on- ce/year	17,970	2.9%
< once/year	29,987	4.9%
Never used	521,470	85.1%

Frequency Missing = 27296

q22d	HOW OFTEN NORMALLY USE MARIJUANA	
	Frequency	Percent
Every day	13,811	2.3%
Several times/wk	12,906	2.1%
Several times/mo	22,968	3.7%
About once/- month	24,209	3.9%
About on- ce/year	23,910	3.9%
< once/year	29,887	4.9%
Never used	486,003	79.2%

Frequency Missing = 26508

q22e	HOW OFTEN NORMALLY USE COCAINE	
	Frequency	Percent
Every day	736	0.1%
Several times/wk	530	0.1%
Several times/mo	511	0.1%
About once/- month	1,728	0.3%
About on- ce/year	1,306	0.2%
< once/year	2,475	0.4%
Never used	606,472	98.8%

Frequency Missing = 26444

q22i	HOW OFTEN NORMALLY USE ECSTASY	
	Frequency	Percent
Every day	95	0.0%
Several times/wk	256	0.0%
Several times/mo	236	0.0%
About once/- month	2,194	0.4%
About on- ce/year	4,030	0.7%
< once/year	4,281	0.7%
Never used	602,966	98.2%

Frequency Missing = 26143

q22f	HOW OFTEN NORMALLY USE CRACK	
	Frequency	Percent
Every day	173	0.0%
Several times/wk	274	0.0%
Several times/mo	92	0.0%
About once/- month	15	0.0%
About on- ce/year	430	0.1%
< once/year	531	0.1%
Never used	614,499	99.8%

Frequency Missing = 24185

q22j	HOW OFTEN NORMALLY USE HEROIN	
	Frequency	Percent
Every day	57	0.0%
Several times/wk	124	0.0%
About on- ce/year	74	0.0%
< once/year	671	0.1%
Never used	614,048	99.8%

Frequency Missing = 25225

q22h	HOW OFTEN NORMALLY USE STEROIDS	
	Frequency	Percent
Every day	507	0.1%
Several times/wk	402	0.1%
Several times/mo	152	0.0%
About once/- month	575	0.1%
About on- ce/year	464	0.1%
< once/year	1,035	0.2%
Never used	611,820	99.5%

Frequency Missing = 25245

q22k	HOW OFTEN NORMALLY USE METHAMPHETAMINE	
	Frequency	Percent
Every day	205	0.0%
Several times/mo	203	0.0%
About once/- month	207	0.0%
About on- ce/year	143	0.0%
< once/year	1,362	0.2%
Never used	613,144	99.7%

Frequency Missing = 24936

q22l	HOW OFTEN NORMALLY USE SYNTHETIC MARIJUANA	
	Frequency	Percent
Every day	1,470	0.2%
Several times/wk	1,773	0.3%
Several times/mo	3,083	0.5%
About once/-month	5,084	0.8%
About once/year	6,270	1.0%
< once/year	14,931	2.4%
Never used	580,649	94.7%

Frequency Missing = 26940

q23a	AMOUNT OF BEER AT ONE TIME	
	Frequency	Percent
Never drink this	371,210	61.4%
12+ drinks	12,775	2.1%
9-11 drinks	9,812	1.6%
5-8 drinks	20,772	3.4%
3-4 drinks	35,165	5.8%
2 drinks	35,923	5.9%
1 drink	42,915	7.1%
< 1 drink	75,924	12.6%

Frequency Missing = 35705

q23b	AMOUNT OF WINE COOLERS AT ONE TIME	
	Frequency	Percent
Never drink this	408,074	67.2%
12+ drinks	8,099	1.3%
9-11 drinks	6,511	1.1%
5-8 drinks	18,121	3.0%
3-4 drinks	37,072	6.1%
2 drinks	38,887	6.4%
1 drink	44,904	7.4%
< 1 drink	45,212	7.4%

Frequency Missing = 33319

q23c	AMOUNT OF WINE AT ONE TIME	
	Frequency	Percent
Never drink this	410,286	67.9%
12+ drinks	3,243	0.5%
9-11 drinks	2,784	0.5%
5-8 drinks	5,859	1.0%
3-4 drinks	15,082	2.5%
2 drinks	25,462	4.2%
1 drink	55,185	9.1%
< 1 drink	86,007	14.2%

Frequency Missing = 36293

q23d	AMOUNT OF LIQUOR AT ONE TIME	
	Frequency	Percent
Never drink this	396,479	65.3%
12+ drinks	12,721	2.1%
9-11 drinks	11,382	1.9%
5-8 drinks	21,094	3.5%
3-4 drinks	39,911	6.6%
2 drinks	35,452	5.8%
1 drink	37,805	6.2%
< 1 drink	52,483	8.6%

Frequency Missing = 32872

q24	HOW MANY 5+ DRINKS IN PAST 30 DAYS	
	Frequency	Percent
Never 5+ at time	296,282	48.6%
None	232,254	38.1%
1 day	30,855	5.1%
2 days	17,792	2.9%
3 to 5 days	16,333	2.7%
6 to 9 days	6,324	1.0%
10 or more days	10,001	1.6%

Frequency Missing = 30359

q25a	GET ALCOHOLIC BEVERAGES FROM HOME	
	Frequency	Percent
Do not Drink	325,356	53.4%
Never	132,744	21.8%
Seldom	103,633	17.0%
Most of the Time	34,994	5.7%
Always	12,978	2.1%

Frequency Missing = 30495

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q25b	Frequency	Percent
Do not Drink	322,425	52.9%
Never	119,400	19.6%
Seldom	79,782	13.1%
Most of the Time	65,790	10.8%
Always	22,108	3.6%

Frequency Missing = 30695

DANGEROUS FOR KIDS TO USE TOBACCO		
q26a	Frequency	Percent
Very	392,497	64.1%
Somewhat	131,380	21.5%
Not very	44,052	7.2%
Not at all	12,700	2.1%
Don't know	31,572	5.2%

Frequency Missing = 28000

GET ALCOHOLIC BEVERAGES FROM A STORE		
q25c	Frequency	Percent
Do not Drink	333,827	54.9%
Never	211,542	34.8%
Seldom	29,121	4.8%
Most of the Time	20,816	3.4%
Always	12,584	2.1%

Frequency Missing = 32310

DANGEROUS FOR KIDS TO USE ALCOHOL		
q26b	Frequency	Percent
Very	321,937	52.8%
Somewhat	171,654	28.1%
Not very	76,958	12.6%
Not at all	15,030	2.5%
Don't know	24,318	4.0%

Frequency Missing = 30303

DANGEROUS FOR KIDS TO USE INHALANTS		
q26c	Frequency	Percent
Very	460,231	75.4%
Somewhat	76,800	12.6%
Not very	19,528	3.2%
Not at all	6,018	1.0%
Don't know	47,950	7.9%

Frequency Missing = 29674

GET ALCOHOLIC BEVERAGES AT PARTIES		
q25d	Frequency	Percent
Do not Drink	310,749	51.0%
Never	102,821	16.9%
Seldom	61,198	10.0%
Most of the Time	71,203	11.7%
Always	63,484	10.4%

Frequency Missing = 30746

DANGEROUS FOR KIDS TO USE MARIJUANA		
q26d	Frequency	Percent
Very	352,320	57.6%
Somewhat	84,094	13.7%
Not very	67,794	11.1%
Not at all	80,300	13.1%
Don't know	27,196	4.4%

Frequency Missing = 28496

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q25e	Frequency	Percent
Do not Drink	333,761	55.3%
Never	163,009	27.0%
Seldom	51,578	8.5%
Most of the Time	28,613	4.7%
Always	26,819	4.4%

Frequency Missing = 36421

DANGEROUS FOR KIDS TO USE COCAINE		
q26e	Frequency	Percent
Very	525,862	85.9%
Somewhat	42,207	6.9%
Not very	7,488	1.2%
Not at all	3,059	0.5%
Don't know	33,613	5.5%

Frequency Missing = 27971

	DANGEROUS FOR KIDS TO USE CRACK	FOR USE
q26f	Frequency	Percent
Very	527,964	86.4%
Somewhat	38,209	6.2%
Not very	6,239	1.0%
Not at all	2,969	0.5%
Don't know	35,965	5.9%
Frequency Missing = 28855		

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	FOR USE
q26k	Frequency	Percent
Very	469,753	76.8%
Somewhat	51,333	8.4%
Not very	21,732	3.6%
Not at all	9,224	1.5%
Don't know	59,739	9.8%
Frequency Missing = 28420		

	DANGEROUS FOR KIDS TO USE ECSTASY	FOR USE
q26g	Frequency	Percent
Very	484,578	79.3%
Somewhat	48,934	8.0%
Not very	13,300	2.2%
Not at all	4,726	0.8%
Don't know	59,771	9.8%
Frequency Missing = 28892		

	DANGEROUS FOR KIDS TO USE HYDROCODONE	FOR USE
q26l	Frequency	Percent
Very	484,249	79.2%
Somewhat	39,347	6.4%
Not very	12,741	2.1%
Not at all	5,424	0.9%
Don't know	69,432	11.4%
Frequency Missing = 29008		

	DANGEROUS FOR KIDS TO USE STEROIDS	FOR USE
q26h	Frequency	Percent
Very	463,039	75.8%
Somewhat	75,241	12.3%
Not very	20,017	3.3%
Not at all	5,768	0.9%
Don't know	46,746	7.7%
Frequency Missing = 29390		

	DAYS SKIPPED SINCE SEPTEMBER	PERCENT
q27a	Frequency	Percent
None	477,298	78.7%
1-3 days	88,825	14.6%
4-9 days	22,464	3.7%
10+ days	18,212	3.0%
Frequency Missing = 33402		

	DANGEROUS FOR KIDS TO USE HEROIN	FOR USE
q26i	Frequency	Percent
Very	528,334	86.4%
Somewhat	27,863	4.6%
Not very	3,407	0.6%
Not at all	3,189	0.5%
Don't know	48,622	8.0%
Frequency Missing = 28785		

	DAYS ILL SINCE SEPTEMBER	PERCENT
q27b	Frequency	Percent
None	211,598	34.9%
1-3 days	309,349	51.0%
4-9 days	69,882	11.5%
10+ days	15,699	2.6%
Frequency Missing = 33673		

	DANGEROUS FOR KIDS TO USE METHAMPHETAMINE	FOR USE
q26j	Frequency	Percent
Very	527,693	86.3%
Somewhat	26,052	4.3%
Not very	5,223	0.9%
Not at all	2,598	0.4%
Don't know	50,239	8.2%
Frequency Missing = 28395		

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	PERCENT
q27c	Frequency	Percent
None	265,511	44.3%
1-3 days	279,839	46.7%
4-9 days	38,846	6.5%
10+ days	15,213	2.5%
Frequency Missing = 40791		

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q27d	Frequency	Percent
None	517,771	85.3%
1-3 days	65,599	10.8%
4-9 days	14,393	2.4%
10+ days	8,938	1.5%
Frequency Missing = 33499		

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q28d	Frequency	Percent
None	576,797	95.5%
1-3 times	23,247	3.8%
4-9 times	2,295	0.4%
10+ times	1,683	0.3%
Frequency Missing = 36179		

SOMEONE CALLED HOME SINCE SEPTEMBER		
q27e	Frequency	Percent
None	525,753	86.6%
1-3 days	62,839	10.4%
4-9 days	9,066	1.5%
10+ days	9,408	1.5%
Frequency Missing = 33134		

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q28e	Frequency	Percent
None	579,457	95.9%
1-3 times	15,355	2.5%
4-9 times	3,355	0.6%
10+ times	6,337	1.0%
Frequency Missing = 35696		

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q28a	Frequency	Percent
None	584,120	96.5%
1-3 times	17,603	2.9%
4-9 times	2,496	0.4%
10+ times	1,311	0.2%
Frequency Missing = 34670		

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q28f	Frequency	Percent
None	576,744	95.6%
1-3 times	19,627	3.3%
4-9 times	4,416	0.7%
10+ times	2,676	0.4%
Frequency Missing = 36737		

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q28b	Frequency	Percent
None	585,778	96.7%
1-3 times	14,735	2.4%
4-9 times	2,990	0.5%
10+ times	2,106	0.3%
Frequency Missing = 34592		

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q29a	Frequency	Percent
None	578,698	95.8%
1-3 days	19,196	3.2%
4-9 days	3,299	0.5%
10+ days	2,606	0.4%
Frequency Missing = 36402		

CRITICIZED BY DATE BECAUSE OF DRINKING		
q28c	Frequency	Percent
None	574,213	95.5%
1-3 times	24,057	4.0%
4-9 times	1,656	0.3%
10+ times	1,278	0.2%
Frequency Missing = 38997		

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q29b	Frequency	Percent
None	549,121	91.0%
1-3 days	30,910	5.1%
4-9 days	7,158	1.2%
10+ days	15,996	2.7%
Frequency Missing = 37015		

	CLASS DAYS HIGH ON INHALANTS SINCE SEPT	
q29c	Frequency	Percent
None	595,559	99.0%
1-3 days	5,105	0.8%
4-9 days	689	0.1%
10+ days	402	0.1%
Frequency Missing = 38446		

	WOULD SEEK HELP FROM SCHOOL COUNSELOR	
q32a	Frequency	Percent
No	370,488	62.5%
Yes	221,882	37.5%
Frequency Missing = 47831		

	CLASS DAYS HIGH ON OTHER DRUG(S)	
q29d	Frequency	Percent
None	585,995	97.3%
1-3 days	10,167	1.7%
4-9 days	2,891	0.5%
10+ days	2,919	0.5%
Frequency Missing = 38229		

	WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL	
q32b	Frequency	Percent
No	343,713	58.0%
Yes	248,598	42.0%
Frequency Missing = 47889		

	ALCOHOL USE AT PARTIES THIS SCHOOL YEAR	
q30a	Frequency	Percent
Never	284,774	47.4%
Seldom	41,729	6.9%
Half the time	34,565	5.8%
Most of the time	56,900	9.5%
Always	75,035	12.5%
Don't know	11,185	1.9%
Didn't attend	96,545	16.1%
Frequency Missing = 39468		

	WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL	
q32c	Frequency	Percent
No	341,547	58.1%
Yes	246,594	41.9%
Frequency Missing = 52060		

	DRUG USE AT PARTIES THIS SCHOOL YEAR	
q30b	Frequency	Percent
Never	331,733	55.0%
Seldom	38,134	6.3%
Half the time	31,300	5.2%
Most of the time	36,371	6.0%
Always	53,228	8.8%
Don't know	15,575	2.6%
Didn't attend	97,235	16.1%
Frequency Missing = 36624		

	WOULD SEEK HELP FROM PARENTS	
q32d	Frequency	Percent
No	203,422	34.2%
Yes	390,544	65.8%
Frequency Missing = 46235		

	SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM	
q31	Frequency	Percent
No	508,017	92.8%
Yes	39,583	7.2%
Frequency Missing = 92601		

	WOULD SEEK HELP FROM A MEDICAL DOCTOR	
q32e	Frequency	Percent
No	272,707	46.3%
Yes	315,863	53.7%
Frequency Missing = 51630		

	WOULD SEEK HELP FROM FRIENDS	
q32f	Frequency	Percent
No	225,647	38.3%
Yes	363,293	61.7%
Frequency Missing = 51260		



WOULD SEEK HELP FROM ANOTHER ADULT		
q32g	Frequency	Percent
No	226,680	38.3%
Yes	364,783	61.7%

Frequency Missing = 48738

WOULD NOT SEEK HELP		
q32h	Frequency	Percent
No	482,484	83.3%
Yes	96,434	16.7%

Frequency Missing = 61283

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q33a	Frequency	Percent
No	294,635	51.9%
Yes	272,712	48.1%

Frequency Missing = 72854

DRUG/ALCOHOL INFO-SCHOOL ASSEMBLY PROGRAM		
q33b	Frequency	Percent
No	313,721	55.5%
Yes	251,194	44.5%

Frequency Missing = 75285

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUNSELOR		
q33c	Frequency	Percent
No	428,499	76.2%
Yes	133,631	23.8%

Frequency Missing = 78070

DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS		
q33d	Frequency	Percent
No	394,567	70.1%
Yes	168,012	29.9%

Frequency Missing = 77621

DRUG/ALCOHOL INFO-SCHOOL STUDENT GROUP OR CLUB		
q33e	Frequency	Percent
No	481,728	86.1%
Yes	77,864	13.9%

Frequency Missing = 80608

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q33f	Frequency	Percent
No	407,111	72.4%
Yes	154,833	27.6%

Frequency Missing = 78257

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q33g	Frequency	Percent
No	384,437	68.4%
Yes	177,596	31.6%

Frequency Missing = 78167

PARENTS FEEL ABOUT KIDS USING TOBACCO			
q34a	Frequency	Percent	
Strongly disapprove	471,959	78.5%	
Mildly disapprove	39,422	6.6%	
Neither	31,049	5.2%	
Mildly approve	4,423	0.7%	
Strongly approve	5,039	0.8%	
Don't know	49,192	8.2%	

Frequency Missing = 39117

PARENTS FEEL ABOUT KIDS DRINKING ALCOHOL			
q34b	Frequency	Percent	
Strongly disapprove	385,894	64.2%	
Mildly disapprove	77,399	12.9%	
Neither	61,414	10.2%	
Mildly approve	22,662	3.8%	
Strongly approve	6,715	1.1%	
Don't know	46,726	7.8%	

Frequency Missing = 39390

		PARENTS ABOUT KIDS USING MARIJUANA	FEEL
q34c		Frequency	Percent
Strongly disapprove		474,075	78.9%
Mild disapprove		33,339	5.6%
Neither		29,831	5.0%
Mildly approve		6,994	1.2%
Strongly approve		10,570	1.8%
Don't know		45,842	7.6%
		Frequency Missing = 39549	

			TESTED FOR DRUG USE AT SCHOOL
q35		Frequency	Percent
No		559,713	93.3%
Yes		40,292	6.7%
		Frequency Missing = 40196	

		DRUG TESTING SHOULD BE RE- QUIRED FOR ALL STUDENT ATH- LETES	
q36		Frequency	Percent
Do not know		153,410	25.4%
No		128,253	21.2%
Yes		322,511	53.4%
		Frequency Missing = 36026	