

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2016



**HHSC REGION 10 REPORT**

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	28
Miscellaneous . . . . .	32
<b>2 Prevalence Tables</b>	<b>38</b>
Table B-1: All Students . . . . .	39
Table B-2: Male Students . . . . .	43
Table B-3: Female Students . . . . .	47
Table B-4: White Non-Hispanic Students . . . . .	51
Table B-5: African American Non-Hispanic Students . . . . .	55
Table B-6: Hispanic or Latino Students . . . . .	59
Table B-7: Students Reporting A Grades on Average . . . . .	63
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	67
Table B-9: Students Living with 2 Parents . . . . .	71
Table B-10: Students Not Living with 2 Parents . . . . .	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	83
<b>3 Margin Tables</b>	<b>87</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>107</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 10. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.**

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	16.1%	20.3%	34.4%	65.6%
Grade 7	6.7%	9.0%	17.2%	82.8%
Grade 8	12.2%	13.9%	25.7%	74.3%
Grade 9	14.9%	17.7%	30.8%	69.2%
Grade 10	19.1%	24.9%	42.3%	57.7%
Grade 11	18.8%	23.6%	42.2%	57.8%
Grade 12	26.4%	34.3%	50.2%	49.8%
<b>Cigarettes?</b>				
All	6.3%	9.1%	19.9%	80.1%
Grade 7	1.4%	2.6%	7.4%	92.6%
Grade 8	3.7%	4.8%	13.6%	86.4%
Grade 9	5.4%	7.1%	16.4%	83.6%
Grade 10	6.9%	9.7%	24.8%	75.2%
Grade 11	7.9%	11.5%	24.4%	75.6%
Grade 12	13.4%	20.2%	34.9%	65.1%
<b>Smokeless Tobacco?</b>				
All	2.9%	3.8%	7.6%	92.4%
Grade 7	0.9%	1.2%	2.4%	97.6%
Grade 8	2.2%	2.5%	4.5%	95.5%
Grade 9	2.2%	2.9%	7.0%	93.0%
Grade 10	3.5%	4.2%	9.5%	90.5%
Grade 11	3.2%	4.3%	8.8%	91.2%
Grade 12	5.9%	8.6%	14.3%	85.7%
<b>Electronic Vapor Products?</b>				
All	10.0%	14.6%	28.5%	71.5%
Grade 7	4.8%	6.9%	13.8%	86.2%
Grade 8	8.8%	11.0%	21.5%	78.5%
Grade 9	10.3%	13.6%	26.4%	73.6%
Grade 10	10.0%	17.1%	36.5%	63.5%
Grade 11	11.1%	16.1%	33.5%	66.5%
Grade 12	15.4%	23.7%	40.4%	59.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 120

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	86.3%	0.8%	1.1%	1.7%	3.1%	2.6%	4.4%
Grade 7	96.3%	0.1%	0.1%	0.8%	0.3%	0.7%	1.6%
Grade 8	92.6%	0.2%	0.1%	0.7%	2.1%	1.3%	3.0%
Grade 9	89.5%	0.5%	1.2%	0.8%	2.6%	1.9%	3.5%
Grade 10	83.6%	0.9%	1.5%	2.3%	3.1%	4.1%	4.5%
Grade 11	82.1%	1.2%	1.4%	1.8%	4.3%	3.3%	6.0%
Grade 12	71.5%	2.3%	2.7%	4.1%	6.7%	4.2%	8.5%

**Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.0%	19.0%	7.2%	10.2%	13.1%	17.5%
Grade 7	41.3%	30.7%	8.0%	7.2%	7.0%	5.7%
Grade 8	35.2%	25.2%	8.1%	10.9%	11.1%	9.5%
Grade 9	38.1%	20.6%	8.2%	9.9%	11.6%	11.5%
Grade 10	29.3%	15.3%	8.7%	13.7%	16.8%	16.2%
Grade 11	29.7%	12.5%	5.7%	11.2%	17.4%	23.5%
Grade 12	23.3%	8.4%	3.6%	8.1%	15.0%	41.7%

**Table T-4: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	68.7%	18.9%	7.9%	3.4%	1.1%
Grade 7	86.0%	10.1%	3.2%	0.4%	0.3%
Grade 8	80.2%	13.5%	4.0%	1.5%	0.7%
Grade 9	71.7%	18.8%	5.7%	2.6%	1.2%
Grade 10	63.6%	20.7%	10.4%	3.8%	1.6%
Grade 11	57.3%	25.5%	10.8%	5.2%	1.1%
Grade 12	51.5%	25.9%	13.8%	7.5%	1.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	81.1%	6.0%	4.5%	0.7%	0.7%	7.1%
Grade 7	85.0%	2.4%	1.4%	0.7%	0.3%	10.3%
Grade 8	84.2%	4.5%	1.9%	0.4%	0.6%	8.3%
Grade 9	83.6%	4.7%	4.1%	0.1%	0.7%	6.8%
Grade 10	82.7%	5.6%	4.2%	1.1%	0.2%	6.1%
Grade 11	77.7%	8.2%	5.9%	1.0%	0.9%	6.2%
Grade 12	71.8%	11.0%	10.0%	1.4%	1.2%	4.7%

**Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	68.2%	20.4%	5.8%	1.4%	4.2%
	Grade 7	78.0%	13.9%	2.9%	0.9%	4.3%
	Grade 8	68.4%	20.0%	5.4%	1.5%	4.8%
	Grade 9	69.4%	20.4%	4.7%	1.6%	4.0%
	Grade 10	65.0%	23.2%	6.3%	0.9%	4.6%
	Grade 11	66.6%	22.1%	5.1%	1.8%	4.3%
	Grade 12	60.8%	23.2%	10.9%	2.1%	3.1%
Electronic Vapor Products?						
	All	55.1%	13.8%	13.5%	12.1%	5.6%
	Grade 7	66.0%	12.4%	9.1%	6.7%	5.9%
	Grade 8	58.4%	12.6%	13.0%	11.0%	5.1%
	Grade 9	55.4%	15.8%	11.8%	11.8%	5.1%
	Grade 10	48.7%	13.9%	16.0%	15.2%	6.3%
	Grade 11	51.1%	15.3%	14.6%	12.0%	7.0%
	Grade 12	50.5%	12.2%	16.9%	16.5%	3.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 5 of 120



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	34.7%	40.4%	58.6%	41.4%
Grade 7	17.9%	20.7%	38.6%	61.4%
Grade 8	25.3%	29.4%	49.5%	50.5%
Grade 9	33.0%	38.7%	59.7%	40.3%
Grade 10	40.3%	46.1%	63.5%	36.5%
Grade 11	43.1%	51.1%	68.4%	31.6%
Grade 12	50.1%	58.7%	73.8%	26.2%
Beer?				
All	16.9%	23.8%	47.8%	52.2%
Grade 7	6.3%	8.6%	28.1%	71.9%
Grade 8	10.6%	15.1%	37.7%	62.3%
Grade 9	15.1%	20.9%	46.7%	53.3%
Grade 10	20.4%	28.2%	53.0%	47.0%
Grade 11	22.6%	32.5%	57.8%	42.2%
Grade 12	27.9%	39.8%	65.7%	34.3%
Wine Coolers?				
All	13.2%	18.8%	38.6%	61.4%
Grade 7	4.9%	6.4%	18.4%	81.6%
Grade 8	8.5%	12.1%	29.4%	70.6%
Grade 9	11.7%	15.5%	36.8%	63.2%
Grade 10	15.4%	22.1%	44.8%	55.2%
Grade 11	19.3%	26.5%	48.7%	51.3%
Grade 12	20.2%	31.8%	55.4%	44.6%
Wine?				
All	10.0%	14.9%	38.0%	62.0%
Grade 7	5.6%	7.2%	22.1%	77.9%
Grade 8	7.7%	10.3%	31.2%	68.8%
Grade 9	9.6%	13.7%	39.5%	60.5%
Grade 10	9.9%	15.7%	42.2%	57.8%
Grade 11	12.3%	19.0%	43.6%	56.4%
Grade 12	15.5%	24.6%	50.8%	49.2%
Liquor?				
All	14.1%	20.5%	39.8%	60.2%
Grade 7	4.0%	5.4%	15.1%	84.9%
Grade 8	7.9%	11.9%	27.6%	72.4%
Grade 9	13.0%	18.1%	38.0%	62.0%
Grade 10	15.9%	23.4%	46.5%	53.5%
Grade 11	20.0%	28.5%	52.4%	47.6%
Grade 12	25.2%	37.9%	61.5%	38.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 120

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	60.1%	0.3%	2.6%	7.9%	12.0%	9.7%	7.4%
Grade 7	83.6%	0.0%	0.8%	2.1%	3.9%	4.7%	4.9%
Grade 8	71.2%	0.5%	2.1%	4.2%	8.1%	6.4%	7.5%
Grade 9	62.7%	0.4%	2.4%	5.6%	12.0%	9.7%	7.1%
Grade 10	51.1%	0.4%	3.4%	10.8%	13.8%	11.8%	8.7%
Grade 11	48.8%	0.3%	2.8%	10.3%	15.4%	12.7%	9.8%
Grade 12	40.9%	0.3%	4.4%	15.2%	19.6%	13.6%	6.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 7 of 120

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	57.3%	42.7%	9.5%	21.5%	11.6%
	Grade 7	77.0%	23.0%	2.2%	9.7%	11.2%
	Grade 8	66.3%	33.7%	5.0%	15.2%	13.5%
	Grade 9	58.3%	41.7%	7.5%	22.3%	11.9%
	Grade 10	51.9%	48.1%	12.7%	26.2%	9.3%
	Grade 11	47.5%	52.5%	13.1%	26.2%	13.2%
	Grade 12	41.4%	58.6%	17.9%	30.2%	10.5%
<b>Wine Coolers</b>						
	All	66.1%	33.9%	6.3%	19.6%	7.9%
	Grade 7	84.9%	15.1%	2.5%	7.5%	5.2%
	Grade 8	76.2%	23.8%	4.5%	11.2%	8.1%
	Grade 9	68.0%	32.0%	5.6%	18.6%	7.8%
	Grade 10	60.5%	39.5%	6.4%	25.0%	8.2%
	Grade 11	56.0%	44.0%	8.6%	26.8%	8.6%
	Grade 12	49.1%	50.9%	11.2%	29.7%	10.1%
<b>Wine</b>						
	All	67.2%	32.8%	2.7%	16.6%	13.4%
	Grade 7	81.5%	18.5%	1.4%	6.9%	10.2%
	Grade 8	74.8%	25.2%	2.0%	10.4%	12.9%
	Grade 9	65.3%	34.7%	3.0%	17.4%	14.4%
	Grade 10	63.7%	36.3%	3.4%	19.2%	13.7%
	Grade 11	61.0%	39.0%	3.1%	21.8%	14.1%
	Grade 12	56.1%	43.9%	3.5%	25.2%	15.3%
<b>Liquor</b>						
	All	63.6%	36.4%	8.6%	19.1%	8.8%
	Grade 7	87.0%	13.0%	1.5%	5.6%	5.9%
	Grade 8	76.0%	24.0%	4.9%	9.1%	10.0%
	Grade 9	64.8%	35.2%	7.8%	17.5%	9.9%
	Grade 10	57.5%	42.5%	10.1%	24.3%	8.0%
	Grade 11	50.8%	49.2%	11.8%	28.1%	9.3%
	Grade 12	43.1%	56.9%	16.2%	31.3%	9.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	85.5%	5.2%	3.5%	2.8%	1.1%	1.9%
Grade 7	95.6%	2.1%	0.8%	0.3%	0.4%	0.9%
Grade 8	90.5%	2.8%	2.8%	1.4%	0.7%	1.8%
Grade 9	87.4%	4.7%	2.9%	2.6%	0.8%	1.6%
Grade 10	82.5%	6.1%	3.9%	3.3%	1.3%	2.9%
Grade 11	80.1%	7.9%	4.6%	3.9%	1.6%	2.0%
Grade 12	75.6%	8.2%	6.2%	5.5%	2.0%	2.5%

**Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	25.2%	12.5%	5.9%	11.6%	20.4%	24.4%
Grade 7	36.6%	21.9%	7.0%	8.6%	13.1%	12.7%
Grade 8	29.0%	16.6%	6.7%	12.5%	15.4%	19.9%
Grade 9	27.3%	13.4%	4.8%	11.8%	21.8%	20.9%
Grade 10	20.3%	9.6%	6.9%	13.4%	24.3%	25.5%
Grade 11	19.6%	7.1%	5.3%	11.4%	24.1%	32.5%
Grade 12	17.8%	5.7%	4.8%	11.6%	23.5%	36.6%

**Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.3%	3.7%	0.5%	0.4%
Grade 7	97.1%	2.1%	0.5%	0.3%
Grade 8	95.0%	3.9%	0.8%	0.3%
Grade 9	95.0%	4.1%	0.4%	0.6%
Grade 10	94.5%	4.4%	0.4%	0.7%
Grade 11	95.2%	4.0%	0.5%	0.3%
Grade 12	95.3%	3.6%	0.6%	0.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-7: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.5
Alcohol Non-Users	3.3
Average Days Conduct Problems Reported	
Alcohol Users	2.3
Alcohol Non-Users	0.6

**Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	94.0%	4.5%	0.7%	0.8%
Grade 9	96.3%	3.0%	0.3%	0.5%
Grade 10	95.5%	3.6%	0.2%	0.7%
Grade 11	93.4%	4.7%	1.0%	0.9%
Grade 12	90.0%	7.4%	1.4%	1.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.0%	3.3%	0.3%	0.3%
Grade 7	97.8%	1.4%	0.5%	0.3%
Grade 8	97.1%	2.4%	0.2%	0.3%
Grade 9	95.6%	3.6%	0.4%	0.3%
Grade 10	95.0%	4.4%	0.1%	0.5%
Grade 11	95.3%	4.0%	0.4%	0.2%
Grade 12	95.4%	4.2%	0.4%	0.1%

**Table A-9: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	44.6%	24.4%	14.9%	12.2%	3.9%
Grade 7	75.2%	16.2%	5.4%	2.6%	0.6%
Grade 8	60.3%	20.5%	10.7%	6.2%	2.3%
Grade 9	44.3%	28.7%	15.2%	9.3%	2.5%
Grade 10	31.1%	27.8%	19.6%	15.5%	5.9%
Grade 11	29.6%	25.8%	20.3%	19.6%	4.7%
Grade 12	25.6%	27.3%	18.1%	21.4%	7.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	47.3%	9.5%	6.5%	9.8%	13.5%	2.1%	11.3%
Grade 7	70.9%	8.5%	5.0%	5.2%	1.7%	1.1%	7.7%
Grade 8	58.3%	12.0%	4.6%	7.8%	4.8%	3.7%	8.8%
Grade 9	48.9%	11.7%	8.6%	9.3%	7.8%	2.4%	11.3%
Grade 10	35.1%	8.7%	9.6%	13.7%	16.7%	2.9%	13.3%
Grade 11	38.4%	8.8%	5.6%	10.6%	21.2%	1.6%	13.8%
Grade 12	30.5%	6.9%	4.9%	12.8%	31.3%	0.9%	12.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	58.7%	21.6%	14.2%	4.2%	1.3%
	Grade 7	70.8%	19.2%	7.0%	2.5%	0.6%
	Grade 8	67.0%	19.0%	9.8%	3.4%	0.8%
	Grade 9	57.3%	20.8%	15.8%	4.4%	1.8%
	Grade 10	55.0%	22.6%	17.0%	3.8%	1.6%
	Grade 11	53.2%	23.9%	15.5%	5.4%	2.1%
	Grade 12	47.8%	24.4%	20.9%	5.8%	1.1%
<b>Friends?</b>						
	All	53.8%	16.5%	14.2%	11.4%	4.1%
	Grade 7	69.8%	21.0%	4.4%	3.7%	1.1%
	Grade 8	63.7%	18.6%	10.0%	5.1%	2.5%
	Grade 9	56.8%	16.7%	15.3%	9.1%	2.0%
	Grade 10	47.3%	13.7%	17.4%	16.6%	4.9%
	Grade 11	44.7%	16.2%	19.0%	14.5%	5.6%
	Grade 12	38.3%	12.4%	19.4%	20.9%	9.0%
<b>A Store?</b>						
	All	58.0%	32.0%	4.4%	3.8%	1.8%
	Grade 7	71.1%	25.5%	1.5%	1.4%	0.6%
	Grade 8	67.1%	26.8%	2.5%	2.0%	1.6%
	Grade 9	59.3%	33.2%	3.4%	3.2%	0.9%
	Grade 10	53.6%	35.9%	5.3%	3.8%	1.4%
	Grade 11	52.2%	34.1%	5.7%	5.3%	2.6%
	Grade 12	43.2%	37.3%	8.4%	7.4%	3.8%
<b>Parties?</b>						
	All	50.1%	13.1%	11.6%	13.6%	11.5%
	Grade 7	66.0%	18.8%	6.2%	6.6%	2.4%
	Grade 8	58.9%	14.8%	11.9%	8.5%	5.9%
	Grade 9	51.0%	12.8%	13.3%	13.6%	9.2%
	Grade 10	44.5%	10.8%	11.8%	17.1%	15.8%
	Grade 11	42.3%	11.1%	13.1%	18.4%	15.2%
	Grade 12	36.7%	10.2%	13.2%	18.3%	21.6%
<b>Other Sources?</b>						
	All	58.8%	22.2%	9.0%	5.5%	4.5%
	Grade 7	71.8%	20.9%	3.8%	2.2%	1.2%
	Grade 8	64.3%	20.2%	8.1%	4.4%	3.0%
	Grade 9	60.4%	22.0%	9.0%	5.7%	3.0%
	Grade 10	54.3%	22.6%	11.7%	6.4%	5.0%
	Grade 11	53.0%	23.3%	9.4%	7.6%	6.7%
	Grade 12	47.0%	24.5%	12.1%	7.2%	9.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	66.3%	13.1%	9.9%	2.9%	1.0%	6.9%
Grade 7	77.0%	6.7%	4.3%	1.2%	0.4%	10.3%
Grade 8	74.0%	10.9%	5.3%	0.9%	0.6%	8.2%
Grade 9	67.4%	13.9%	9.0%	2.1%	1.2%	6.4%
Grade 10	62.9%	15.1%	11.8%	3.6%	0.6%	6.0%
Grade 11	58.7%	15.4%	14.9%	4.2%	1.4%	5.3%
Grade 12	56.5%	17.0%	14.9%	5.4%	1.6%	4.6%

**Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	53.6%	28.8%	11.6%	2.6%	3.4%
Grade 7	63.2%	21.0%	9.6%	2.1%	4.1%
Grade 8	55.7%	23.4%	13.6%	3.1%	4.1%
Grade 9	50.9%	30.4%	12.3%	2.9%	3.5%
Grade 10	48.9%	32.2%	13.1%	2.6%	3.2%
Grade 11	52.4%	31.0%	10.2%	3.0%	3.4%
Grade 12	50.7%	35.2%	10.2%	1.6%	2.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	17.5%	22.1%	28.6%	71.4%
Grade 7	6.6%	9.0%	10.4%	89.6%
Grade 8	11.5%	14.8%	17.9%	82.1%
Grade 9	16.6%	20.2%	25.2%	74.8%
Grade 10	23.0%	29.1%	39.1%	60.9%
Grade 11	22.4%	28.9%	37.5%	62.5%
Grade 12	25.3%	31.7%	43.3%	56.7%
<b>Marijuana?</b>				
All	16.5%	20.1%	27.0%	73.0%
Grade 7	6.0%	7.0%	8.4%	91.6%
Grade 8	11.1%	12.9%	16.0%	84.0%
Grade 9	16.1%	18.9%	23.7%	76.3%
Grade 10	21.5%	26.5%	37.3%	62.7%
Grade 11	20.8%	26.6%	36.2%	63.8%
Grade 12	24.5%	29.7%	42.3%	57.7%
<b>Cocaine?</b>				
All	2.6%	3.0%	4.9%	95.1%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	1.4%	1.6%	2.4%	97.6%
Grade 9	2.3%	2.8%	4.0%	96.0%
Grade 10	2.6%	2.8%	4.9%	95.1%
Grade 11	4.4%	4.9%	8.3%	91.7%
Grade 12	4.2%	5.5%	9.3%	90.7%
<b>Crack?</b>				
All	1.0%	1.1%	1.5%	98.5%
Grade 7	0.8%	0.8%	0.9%	99.1%
Grade 8	0.9%	1.0%	1.5%	98.5%
Grade 9	1.3%	1.4%	1.7%	98.3%
Grade 10	1.2%	1.3%	1.8%	98.2%
Grade 11	0.9%	0.9%	1.2%	98.8%
Grade 12	0.7%	0.9%	2.0%	98.0%
<b>Hallucinogens?</b>				
All	1.4%	2.1%	4.4%	95.6%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.5%	0.6%	1.8%	98.2%
Grade 9	1.6%	2.0%	5.0%	95.0%
Grade 10	1.9%	2.9%	5.2%	94.8%
Grade 11	2.2%	3.6%	7.2%	92.8%
Grade 12	1.4%	2.8%	5.9%	94.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.9%	99.1%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.1%	0.3%	0.5%	99.5%
Steroids?				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.4%	1.2%	98.8%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.8%	99.2%
Grade 11	0.4%	0.5%	1.2%	98.8%
Grade 12	0.2%	0.6%	1.2%	98.8%
Ecstasy?				
All	2.1%	3.7%	6.8%	93.2%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.3%	0.7%	1.7%	98.3%
Grade 9	1.6%	3.2%	5.8%	94.2%
Grade 10	3.3%	5.4%	9.6%	90.4%
Grade 11	4.3%	6.9%	11.1%	88.9%
Grade 12	2.8%	5.5%	11.9%	88.1%
Heroin?				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.2%	0.5%	0.9%	99.1%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.1%	0.3%	0.4%	99.6%
Grade 11	0.5%	0.7%	1.2%	98.8%
Grade 12	0.3%	0.3%	1.2%	98.8%
Methamphetamine?				
All	0.5%	0.8%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	0.7%	0.8%	2.1%	97.9%
Grade 10	0.5%	0.9%	1.4%	98.6%
Grade 11	0.8%	0.9%	1.8%	98.2%
Grade 12	0.4%	0.8%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.8%	2.7%	5.9%	94.1%
Grade 7	1.1%	1.6%	3.0%	97.0%
Grade 8	2.6%	3.2%	4.7%	95.3%
Grade 9	2.1%	3.0%	6.5%	93.5%
Grade 10	2.2%	3.2%	6.2%	93.8%
Grade 11	1.4%	2.6%	7.6%	92.4%
Grade 12	1.4%	2.5%	7.4%	92.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
<b>Marijuana?</b>							
All	78.4%	2.0%	2.7%	3.5%	4.4%	4.2%	4.7%
Grade 7	93.4%	0.7%	0.7%	1.2%	1.1%	1.3%	1.7%
Grade 8	87.3%	1.1%	1.3%	2.6%	2.5%	3.0%	2.2%
Grade 9	80.3%	1.5%	3.3%	3.2%	4.7%	2.9%	4.2%
Grade 10	70.5%	2.3%	3.2%	5.4%	6.6%	5.6%	6.3%
Grade 11	71.6%	3.0%	3.4%	4.3%	5.7%	5.9%	6.2%
Grade 12	66.2%	4.0%	4.2%	4.6%	6.1%	6.8%	8.1%
<b>Cocaine?</b>							
All	96.9%	0.1%	0.2%	0.5%	0.7%	0.7%	1.0%
Grade 7	99.4%	0.0%	0.2%	0.1%	0.0%	0.1%	0.2%
Grade 8	98.4%	0.1%	0.1%	0.4%	0.3%	0.4%	0.2%
Grade 9	98.3%	0.0%	0.2%	0.2%	0.5%	0.5%	0.2%
Grade 10	96.9%	0.1%	0.3%	0.5%	0.3%	0.4%	1.3%
Grade 11	93.8%	0.3%	0.3%	1.1%	1.7%	1.2%	1.6%
Grade 12	93.9%	0.0%	0.2%	0.5%	1.2%	1.7%	2.6%
<b>Crack?</b>							
All	99.2%	0.2%	0.1%	0.1%	0.1%	0.2%	0.2%
Grade 7	99.8%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
Grade 8	99.5%	0.0%	0.1%	0.1%	0.0%	0.4%	0.0%
Grade 9	99.0%	0.2%	0.0%	0.2%	0.3%	0.3%	0.0%
Grade 10	98.9%	0.2%	0.0%	0.0%	0.2%	0.2%	0.5%
Grade 11	99.0%	0.4%	0.2%	0.1%	0.0%	0.0%	0.3%
Grade 12	99.2%	0.1%	0.0%	0.1%	0.1%	0.2%	0.3%
<b>Steroids?</b>							
All	99.3%	0.1%	0.1%	0.0%	0.1%	0.2%	0.2%
Grade 7	99.5%	0.0%	0.0%	0.1%	0.0%	0.0%	0.4%
Grade 8	99.2%	0.1%	0.1%	0.0%	0.2%	0.1%	0.2%
Grade 9	99.2%	0.2%	0.3%	0.0%	0.0%	0.1%	0.3%
Grade 10	99.3%	0.0%	0.1%	0.0%	0.2%	0.3%	0.1%
Grade 11	99.7%	0.0%	0.2%	0.1%	0.0%	0.0%	0.1%
Grade 12	99.2%	0.1%	0.0%	0.0%	0.2%	0.4%	0.2%
<b>Ecstasy?</b>							
All	94.6%	0.0%	0.3%	0.6%	1.4%	1.5%	1.6%
Grade 7	99.3%	0.0%	0.2%	0.1%	0.0%	0.0%	0.3%
Grade 8	99.0%	0.0%	0.0%	0.3%	0.1%	0.1%	0.4%
Grade 9	95.0%	0.0%	0.6%	0.1%	1.8%	1.2%	1.3%
Grade 10	91.5%	0.0%	0.4%	0.9%	2.2%	2.1%	2.9%
Grade 11	90.5%	0.0%	0.3%	1.5%	2.9%	2.6%	2.2%
Grade 12	92.1%	0.1%	0.1%	0.7%	1.2%	3.2%	2.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 17 of 120

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.4%	0.0%	0.1%	0.1%	0.1%	0.0%	0.2%
	Grade 7	99.6%	0.0%	0.2%	0.2%	0.0%	0.0%	0.0%
	Grade 8	99.3%	0.0%	0.0%	0.2%	0.3%	0.0%	0.2%
	Grade 9	99.6%	0.0%	0.2%	0.0%	0.2%	0.0%	0.1%
	Grade 10	99.6%	0.0%	0.0%	0.1%	0.2%	0.1%	0.1%
	Grade 11	99.2%	0.3%	0.1%	0.1%	0.0%	0.0%	0.3%
	Grade 12	99.3%	0.0%	0.0%	0.0%	0.0%	0.2%	0.5%
Methamphetamine?								
	All	99.1%	0.0%	0.1%	0.2%	0.1%	0.2%	0.3%
	Grade 7	99.7%	0.0%	0.0%	0.2%	0.0%	0.0%	0.1%
	Grade 8	99.2%	0.0%	0.0%	0.1%	0.3%	0.1%	0.4%
	Grade 9	98.5%	0.2%	0.0%	0.4%	0.1%	0.4%	0.5%
	Grade 10	99.3%	0.0%	0.1%	0.0%	0.3%	0.3%	0.1%
	Grade 11	98.6%	0.0%	0.4%	0.4%	0.1%	0.4%	0.2%
	Grade 12	99.1%	0.1%	0.0%	0.0%	0.1%	0.3%	0.3%
Synthetic Marijuana?								
	All	96.2%	0.1%	0.2%	0.4%	0.6%	0.7%	1.8%
	Grade 7	98.2%	0.3%	0.0%	0.0%	0.5%	0.4%	0.7%
	Grade 8	95.9%	0.3%	0.4%	0.6%	0.7%	0.7%	1.5%
	Grade 9	96.1%	0.0%	0.4%	0.8%	0.7%	1.0%	1.2%
	Grade 10	96.0%	0.1%	0.2%	0.4%	0.7%	0.5%	2.1%
	Grade 11	95.3%	0.0%	0.1%	0.5%	0.7%	1.0%	2.4%
	Grade 12	96.0%	0.1%	0.1%	0.1%	0.3%	0.4%	3.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	29.6%	18.0%	6.3%	9.9%	14.3%	21.8%
	Grade 7	40.1%	32.0%	7.7%	5.5%	7.1%	7.6%
	Grade 8	32.0%	26.3%	7.9%	9.7%	11.0%	13.0%
	Grade 9	34.1%	18.8%	6.9%	7.9%	12.9%	19.4%
	Grade 10	24.3%	12.5%	5.4%	13.8%	17.4%	26.5%
	Grade 11	24.6%	9.4%	4.8%	11.3%	18.5%	31.4%
	Grade 12	21.8%	8.3%	4.9%	11.2%	19.4%	34.4%
Cocaine?							
	All	40.4%	27.2%	11.3%	8.7%	6.0%	6.4%
	Grade 7	45.3%	37.8%	9.2%	4.0%	2.2%	1.6%
	Grade 8	38.8%	35.0%	10.9%	6.4%	5.2%	3.7%
	Grade 9	44.9%	28.0%	9.5%	8.9%	4.7%	3.9%
	Grade 10	39.7%	23.3%	14.1%	9.6%	7.2%	6.0%
	Grade 11	37.2%	20.2%	10.0%	11.4%	9.3%	11.9%
	Grade 12	36.0%	18.3%	14.3%	12.0%	7.5%	11.9%
Crack?							
	All	44.3%	28.0%	11.7%	7.9%	4.1%	4.1%
	Grade 7	49.8%	36.2%	7.5%	3.2%	2.0%	1.3%
	Grade 8	41.6%	34.3%	11.8%	6.2%	3.1%	3.0%
	Grade 9	48.3%	27.4%	9.7%	8.1%	3.2%	3.3%
	Grade 10	43.0%	24.6%	14.7%	8.9%	5.0%	3.8%
	Grade 11	41.4%	22.8%	10.5%	12.2%	5.8%	7.2%
	Grade 12	41.0%	22.2%	16.2%	9.0%	5.5%	6.2%
Steroids?							
	All	45.8%	27.6%	10.3%	8.5%	3.9%	3.9%
	Grade 7	49.7%	34.1%	7.1%	4.9%	2.7%	1.6%
	Grade 8	43.5%	32.6%	9.0%	8.4%	3.2%	3.3%
	Grade 9	49.0%	28.4%	9.0%	7.4%	3.2%	2.9%
	Grade 10	45.0%	24.8%	13.3%	8.5%	5.1%	3.3%
	Grade 11	44.0%	22.2%	11.0%	11.7%	5.2%	5.9%
	Grade 12	42.9%	23.0%	12.9%	10.2%	4.3%	6.7%
Ecstasy?							
	All	46.9%	22.9%	8.0%	7.4%	6.8%	8.0%
	Grade 7	62.4%	26.8%	5.1%	2.7%	1.3%	1.8%
	Grade 8	51.1%	29.0%	8.7%	5.1%	2.6%	3.5%
	Grade 9	50.4%	24.5%	6.6%	7.0%	6.0%	5.5%
	Grade 10	39.5%	20.6%	9.9%	10.1%	9.6%	10.3%
	Grade 11	38.9%	17.9%	7.8%	10.4%	11.7%	13.3%
	Grade 12	38.9%	17.9%	10.0%	9.1%	10.0%	14.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table D-3: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	48.9%	28.3%	10.9%	6.1%	2.8%	3.0%
	Grade 7	55.4%	32.0%	6.6%	2.7%	2.1%	1.3%
	Grade 8	46.4%	33.3%	10.1%	4.8%	2.2%	3.2%
	Grade 9	53.6%	27.4%	9.4%	5.4%	1.8%	2.4%
	Grade 10	46.9%	26.6%	14.0%	6.8%	3.3%	2.5%
	Grade 11	45.2%	24.5%	11.6%	9.7%	3.9%	5.0%
	Grade 12	45.5%	26.0%	13.7%	7.6%	3.5%	3.7%
<b>Methamphetamine?</b>							
	All	50.2%	27.9%	10.2%	5.8%	2.7%	3.2%
	Grade 7	58.4%	30.6%	6.5%	1.9%	1.2%	1.3%
	Grade 8	48.1%	32.7%	8.8%	5.5%	1.5%	3.4%
	Grade 9	53.3%	28.4%	8.3%	4.1%	3.6%	2.3%
	Grade 10	48.7%	26.8%	12.3%	7.5%	2.1%	2.7%
	Grade 11	45.7%	23.7%	12.0%	8.2%	4.8%	5.8%
	Grade 12	46.6%	25.1%	13.9%	7.4%	3.1%	4.0%
<b>Synthetic Marijuana?</b>							
	All	47.4%	22.9%	7.8%	7.1%	6.7%	8.1%
	Grade 7	57.9%	27.0%	5.9%	3.4%	2.4%	3.4%
	Grade 8	46.4%	29.6%	7.0%	7.4%	3.2%	6.4%
	Grade 9	50.2%	23.1%	5.6%	6.8%	7.4%	6.9%
	Grade 10	44.9%	20.4%	8.8%	9.0%	8.3%	8.7%
	Grade 11	42.6%	18.5%	8.4%	7.9%	9.8%	12.8%
	Grade 12	42.1%	18.2%	11.5%	8.3%	9.1%	10.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	89.9%	5.8%	1.9%	2.4%
Grade 7	96.3%	2.4%	0.9%	0.3%
Grade 8	92.6%	4.3%	1.2%	1.9%
Grade 9	90.3%	5.2%	1.5%	2.9%
Grade 10	85.9%	8.7%	2.7%	2.7%
Grade 11	87.5%	7.2%	2.2%	3.1%
Grade 12	86.8%	6.7%	2.9%	3.6%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	96.1%	2.4%	0.6%	0.9%
Grade 7	97.9%	1.6%	0.2%	0.3%
Grade 8	97.6%	1.4%	0.2%	0.8%
Grade 9	95.2%	2.8%	0.8%	1.2%
Grade 10	96.0%	2.0%	0.8%	1.2%
Grade 11	94.4%	3.5%	1.0%	1.0%
Grade 12	95.5%	3.1%	0.9%	0.5%

**Table D-5: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.7
Marijuana Non-Users	3.7
Average Days Conduct Problems Reported	
Marijuana Users	2.9
Marijuana Non-Users	1.1

*Percentages have been weighted to reflect proportions within the population.*



**Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	93.9%	4.3%	0.4%	1.5%
Grade 9	96.0%	3.1%	0.1%	0.8%
Grade 10	95.3%	3.3%	0.3%	1.2%
Grade 11	92.9%	5.3%	0.5%	1.4%
Grade 12	90.7%	5.7%	0.8%	2.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.3%	3.0%	0.3%	0.4%
Grade 7	97.9%	1.8%	0.1%	0.2%
Grade 8	96.6%	2.8%	0.1%	0.5%
Grade 9	96.1%	3.2%	0.3%	0.4%
Grade 10	96.4%	2.7%	0.2%	0.6%
Grade 11	94.3%	4.4%	1.0%	0.2%
Grade 12	96.4%	3.1%	0.3%	0.2%

**Table D-7: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	50.6%	21.4%	12.9%	11.2%	3.8%
Grade 7	76.3%	13.8%	5.9%	2.9%	1.0%
Grade 8	61.7%	20.7%	8.1%	6.8%	2.7%
Grade 9	51.5%	22.2%	11.0%	11.3%	3.9%
Grade 10	38.1%	25.7%	16.7%	14.2%	5.3%
Grade 11	37.5%	22.5%	18.1%	17.5%	4.5%
Grade 12	38.0%	23.7%	18.0%	14.6%	5.7%

**Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.6%	7.8%	5.7%	6.8%	7.2%	2.6%	11.3%
Grade 7	83.0%	4.2%	1.6%	1.4%	1.3%	0.9%	7.6%
Grade 8	70.7%	6.9%	4.6%	3.3%	2.5%	3.2%	8.8%
Grade 9	62.2%	7.3%	5.2%	6.2%	5.1%	2.3%	11.7%
Grade 10	47.3%	9.5%	7.4%	9.2%	8.7%	4.6%	13.3%
Grade 11	46.2%	9.2%	7.8%	9.0%	11.8%	2.1%	13.9%
Grade 12	39.7%	9.9%	8.0%	12.2%	15.3%	2.3%	12.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.1%	6.2%	5.8%	1.5%	1.6%	6.8%
Grade 7	83.7%	2.6%	1.8%	0.9%	0.6%	10.6%
Grade 8	83.0%	3.6%	3.4%	0.7%	1.5%	7.8%
Grade 9	78.1%	6.4%	5.3%	1.4%	2.4%	6.4%
Grade 10	77.0%	7.1%	7.1%	1.9%	1.3%	5.7%
Grade 11	71.9%	9.3%	8.6%	2.2%	2.1%	5.8%
Grade 12	74.6%	8.2%	8.7%	2.2%	1.7%	4.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	56.8%	13.7%	11.8%	13.5%	4.1%
	Grade 7	77.8%	8.6%	4.6%	4.2%	4.7%
	Grade 8	63.9%	13.1%	10.2%	8.0%	4.8%
	Grade 9	57.8%	15.8%	10.5%	11.7%	4.2%
	Grade 10	46.6%	15.7%	15.8%	18.6%	3.3%
	Grade 11	47.9%	14.5%	14.6%	18.2%	4.8%
	Grade 12	46.0%	14.4%	15.5%	21.3%	2.7%
Cocaine?						
	All	87.1%	6.9%	1.1%	0.7%	4.1%
	Grade 7	89.8%	4.5%	0.7%	0.9%	4.0%
	Grade 8	87.7%	5.3%	1.6%	0.8%	4.6%
	Grade 9	86.4%	7.4%	1.1%	1.0%	4.1%
	Grade 10	85.9%	8.2%	0.7%	0.4%	4.8%
	Grade 11	84.3%	9.2%	1.6%	0.6%	4.3%
	Grade 12	89.0%	6.7%	0.8%	0.6%	2.9%
Crack?						
	All	88.5%	5.4%	1.0%	0.6%	4.5%
	Grade 7	89.1%	3.8%	0.9%	0.9%	5.3%
	Grade 8	87.2%	5.0%	2.0%	0.7%	5.1%
	Grade 9	87.6%	6.8%	0.9%	0.6%	4.2%
	Grade 10	88.9%	5.9%	0.5%	0.4%	4.3%
	Grade 11	87.1%	6.6%	1.3%	0.4%	4.6%
	Grade 12	91.5%	4.3%	0.3%	0.5%	3.4%
Ecstasy?						
	All	81.5%	9.0%	2.4%	0.9%	6.1%
	Grade 7	84.9%	4.1%	0.9%	0.9%	9.3%
	Grade 8	83.4%	6.8%	1.8%	0.8%	7.3%
	Grade 9	81.5%	10.0%	2.1%	1.1%	5.3%
	Grade 10	78.9%	10.9%	3.6%	1.0%	5.5%
	Grade 11	78.5%	11.7%	3.6%	1.0%	5.2%
	Grade 12	82.2%	10.8%	2.3%	0.8%	3.9%
Steroids?						
	All	79.0%	11.1%	3.0%	1.1%	5.8%
	Grade 7	80.1%	9.1%	2.1%	1.4%	7.4%
	Grade 8	79.2%	10.1%	3.4%	1.3%	6.0%
	Grade 9	78.3%	11.7%	3.5%	1.0%	5.5%
	Grade 10	78.3%	12.1%	3.4%	0.9%	5.3%
	Grade 11	78.5%	11.3%	3.0%	1.0%	6.2%
	Grade 12	79.8%	12.1%	2.5%	1.0%	4.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	89.0%	4.7%	0.5%	0.7%	5.1%
	Grade 7	86.8%	4.2%	0.6%	1.2%	7.2%
	Grade 8	87.5%	5.3%	1.0%	1.1%	5.2%
	Grade 9	88.6%	5.6%	0.4%	0.4%	4.9%
	Grade 10	90.0%	4.5%	0.3%	0.5%	4.7%
	Grade 11	88.7%	5.4%	0.3%	0.5%	5.0%
	Grade 12	92.8%	3.0%	0.2%	0.6%	3.4%
<b>Methamphetamine?</b>						
	All	89.2%	4.3%	0.6%	0.6%	5.3%
	Grade 7	88.0%	3.3%	0.6%	0.6%	7.5%
	Grade 8	87.8%	4.6%	1.1%	0.7%	5.8%
	Grade 9	87.9%	5.6%	0.5%	0.8%	5.3%
	Grade 10	89.8%	4.1%	0.9%	0.6%	4.6%
	Grade 11	89.3%	4.9%	0.5%	0.3%	4.9%
	Grade 12	92.7%	3.1%	0.3%	0.6%	3.3%
<b>Synthetic Marijuana?</b>						
	All	83.5%	7.2%	2.0%	1.6%	5.6%
	Grade 7	86.0%	4.0%	1.2%	1.6%	7.2%
	Grade 8	82.7%	6.3%	2.7%	1.6%	6.6%
	Grade 9	82.9%	8.6%	1.7%	1.9%	4.9%
	Grade 10	81.5%	8.6%	2.6%	1.7%	5.7%
	Grade 11	82.7%	8.5%	2.3%	1.4%	5.1%
	Grade 12	85.6%	7.2%	1.7%	1.3%	4.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	9.5%	13.3%	19.1%	80.9%
Grade 7	8.6%	11.2%	16.0%	84.0%
Grade 8	5.8%	8.5%	13.9%	86.1%
Grade 9	11.3%	13.6%	18.9%	81.1%
Grade 10	9.7%	14.1%	21.5%	78.5%
Grade 11	10.2%	15.7%	22.0%	78.0%
Grade 12	11.9%	17.1%	22.8%	77.2%
<b>Codeine Cough Syrup?</b>				
All	6.2%	9.2%	14.6%	85.4%
Grade 7	5.0%	6.8%	12.1%	87.9%
Grade 8	4.6%	6.6%	10.9%	89.1%
Grade 9	6.7%	9.1%	13.5%	86.5%
Grade 10	6.6%	9.6%	16.6%	83.4%
Grade 11	6.7%	11.2%	16.5%	83.5%
Grade 12	7.9%	12.0%	18.4%	81.6%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	2.0%	3.0%	4.6%	95.4%
Grade 7	0.5%	0.7%	1.2%	98.8%
Grade 8	0.4%	0.6%	0.9%	99.1%
Grade 9	1.3%	1.8%	3.2%	96.8%
Grade 10	2.6%	3.4%	5.3%	94.7%
Grade 11	3.0%	5.0%	7.9%	92.1%
Grade 12	4.6%	7.0%	9.6%	90.4%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.9%	2.9%	4.7%	95.3%
Grade 7	0.6%	0.8%	1.2%	98.8%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	2.1%	3.0%	5.2%	94.8%
Grade 10	2.7%	3.8%	6.1%	93.9%
Grade 11	2.9%	4.6%	7.8%	92.2%
Grade 12	3.0%	4.8%	7.2%	92.8%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.0%	1.5%	2.4%	97.6%
Grade 7	0.6%	0.7%	1.2%	98.8%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	1.0%	1.1%	1.7%	98.3%
Grade 10	1.3%	1.6%	2.3%	97.7%
Grade 11	1.1%	2.8%	4.3%	95.7%
Grade 12	2.3%	3.1%	4.3%	95.7%

*Percentages have been weighted to reflect proportions within the population.*

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.8%	4.8%	8.2%	91.8%
Grade 7	4.7%	5.8%	9.2%	90.8%
Grade 8	2.4%	3.6%	7.1%	92.9%
Grade 9	5.2%	6.0%	9.4%	90.6%
Grade 10	3.4%	4.6%	8.6%	91.4%
Grade 11	3.2%	4.5%	7.9%	92.1%
Grade 12	3.6%	4.5%	6.5%	93.5%

**Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	2.0%	2.8%	4.8%	95.2%
Grade 7	1.9%	3.0%	5.7%	94.3%
Grade 8	1.0%	2.1%	4.8%	95.2%
Grade 9	1.4%	2.2%	3.9%	96.1%
Grade 10	2.9%	3.4%	5.4%	94.6%
Grade 11	2.3%	3.3%	5.0%	95.0%
Grade 12	2.6%	3.1%	3.9%	96.1%

**Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.6%	13.0%	4.0%	1.6%	6.7%
Grade 7	76.9%	10.4%	3.0%	1.5%	8.2%
Grade 8	75.0%	12.7%	4.5%	1.6%	6.3%
Grade 9	74.8%	13.3%	2.8%	2.5%	6.6%
Grade 10	73.0%	14.9%	4.1%	1.3%	6.7%
Grade 11	73.8%	12.1%	5.4%	2.2%	6.5%
Grade 12	74.4%	14.8%	4.6%	0.6%	5.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	6.8%	8.6%	15.6%	84.4%
Grade 7	9.7%	11.0%	17.5%	82.5%
Grade 8	8.9%	11.8%	19.8%	80.2%
Grade 9	6.9%	8.0%	15.2%	84.8%
Grade 10	6.0%	7.8%	16.6%	83.4%
Grade 11	4.5%	6.8%	11.5%	88.5%
Grade 12	4.3%	5.6%	12.5%	87.5%
Spray Paint?				
All	0.6%	0.8%	2.6%	97.4%
Grade 7	0.5%	1.1%	2.0%	98.0%
Grade 8	0.4%	0.6%	2.0%	98.0%
Grade 9	1.1%	1.2%	2.8%	97.2%
Grade 10	0.6%	0.6%	4.4%	95.6%
Grade 11	0.9%	1.3%	2.6%	97.4%
Grade 12	0.0%	0.2%	1.5%	98.5%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.7%	2.3%	6.1%	93.9%
Grade 7	3.4%	3.9%	8.3%	91.7%
Grade 8	2.4%	3.8%	9.1%	90.9%
Grade 9	1.8%	2.4%	6.3%	93.7%
Grade 10	1.0%	1.1%	5.5%	94.5%
Grade 11	1.1%	1.7%	3.9%	96.1%
Grade 12	0.4%	1.0%	2.9%	97.1%
Computer Dusting Sprays?				
All	0.7%	1.0%	2.4%	97.6%
Grade 7	0.8%	1.1%	1.6%	98.4%
Grade 8	0.5%	0.9%	1.8%	98.2%
Grade 9	0.5%	0.5%	1.8%	98.2%
Grade 10	0.5%	1.0%	4.1%	95.9%
Grade 11	1.5%	2.0%	3.1%	96.9%
Grade 12	0.6%	0.6%	2.0%	98.0%
Helium, Butane, Propane, Whippets, or Freon?				
All	2.5%	3.5%	8.1%	91.9%
Grade 7	3.1%	4.3%	9.2%	90.8%
Grade 8	3.9%	5.3%	11.1%	88.9%
Grade 9	2.3%	3.1%	7.4%	92.6%
Grade 10	1.7%	2.6%	8.4%	91.6%
Grade 11	2.1%	3.1%	6.0%	94.0%
Grade 12	1.8%	2.7%	6.6%	93.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 120

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.4%	0.8%	1.5%	98.5%
Grade 7	0.9%	1.6%	2.4%	97.6%
Grade 8	0.8%	1.1%	2.0%	98.0%
Grade 9	0.1%	0.3%	0.7%	99.3%
Grade 10	0.3%	0.6%	1.8%	98.2%
Grade 11	0.3%	0.8%	1.4%	98.6%
Grade 12	0.3%	0.5%	1.1%	98.9%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.6%	0.9%	1.1%	98.9%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.5%	0.7%	1.1%	98.9%
Grade 10	0.3%	0.4%	2.2%	97.8%
Grade 11	0.5%	0.8%	1.6%	98.4%
Grade 12	0.3%	0.4%	0.9%	99.1%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	1.1%	1.3%	2.4%	97.6%
Grade 7	1.2%	1.5%	2.2%	97.8%
Grade 8	1.7%	1.7%	2.9%	97.1%
Grade 9	0.7%	0.8%	2.0%	98.0%
Grade 10	1.0%	1.2%	2.9%	97.1%
Grade 11	0.9%	1.3%	2.5%	97.5%
Grade 12	0.8%	1.0%	1.5%	98.5%
<b>Other Aerosols/Sprays?</b>				
All	0.9%	1.2%	2.3%	97.7%
Grade 7	1.6%	2.2%	3.5%	96.5%
Grade 8	1.4%	1.6%	2.8%	97.2%
Grade 9	0.7%	1.2%	1.9%	98.1%
Grade 10	0.7%	0.9%	2.7%	97.3%
Grade 11	0.6%	1.0%	2.0%	98.0%
Grade 12	0.4%	0.5%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.7%	0.1%	0.2%	0.3%	0.6%	0.8%	1.3%
Grade 7	95.2%	0.3%	0.3%	0.6%	1.3%	1.2%	1.1%
Grade 8	96.1%	0.0%	0.5%	0.7%	1.0%	0.7%	1.1%
Grade 9	97.6%	0.0%	0.2%	0.2%	0.5%	0.8%	0.8%
Grade 10	96.4%	0.1%	0.3%	0.2%	0.2%	1.0%	1.8%
Grade 11	97.2%	0.3%	0.0%	0.3%	0.3%	0.5%	1.4%
Grade 12	97.6%	0.1%	0.0%	0.0%	0.3%	0.6%	1.4%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	86.4%	7.7%	4.2%	1.7%
Grade 7	84.6%	8.0%	5.9%	1.5%
Grade 8	82.3%	10.5%	5.0%	2.2%
Grade 9	86.4%	8.7%	3.8%	1.1%
Grade 10	85.6%	7.8%	4.1%	2.6%
Grade 11	90.3%	5.2%	2.4%	2.1%
Grade 12	89.9%	5.9%	3.6%	0.5%

**Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.6%	1.0%	0.2%	0.3%
Grade 7	98.3%	1.5%	0.0%	0.2%
Grade 8	98.0%	1.4%	0.2%	0.4%
Grade 9	98.9%	0.7%	0.1%	0.3%
Grade 10	98.9%	0.4%	0.2%	0.5%
Grade 11	98.4%	1.3%	0.3%	0.1%
Grade 12	99.1%	0.6%	0.2%	0.1%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-5: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.0
Inhalant Non-Users	3.8
Average Days Conduct Problems Reported	
Inhalant Users	3.5
Inhalant Non-Users	1.3

**Table I-6: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	90.1%	6.4%	2.4%	0.8%	0.3%
Grade 7	88.7%	8.4%	2.2%	0.6%	0.1%
Grade 8	88.6%	7.5%	2.2%	1.3%	0.4%
Grade 9	90.0%	6.0%	2.9%	0.7%	0.4%
Grade 10	88.2%	7.6%	2.7%	0.9%	0.5%
Grade 11	91.5%	4.7%	2.6%	0.9%	0.3%
Grade 12	94.4%	3.5%	1.6%	0.2%	0.3%

**Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.9%	11.9%	3.7%	1.3%	6.1%
Grade 7	73.9%	13.3%	4.4%	1.4%	7.1%
Grade 8	72.0%	15.0%	5.5%	1.8%	5.8%
Grade 9	76.7%	11.8%	4.1%	1.8%	5.6%
Grade 10	77.9%	11.3%	3.5%	0.9%	6.4%
Grade 11	79.2%	10.6%	2.8%	0.9%	6.6%
Grade 12	82.4%	9.3%	1.9%	1.1%	5.3%

**Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	44.2%	14.6%	4.3%	5.8%	8.8%	22.2%
Grade 7	46.0%	20.4%	4.0%	3.6%	6.9%	19.2%
Grade 8	40.1%	17.8%	5.4%	5.5%	7.3%	23.9%
Grade 9	48.2%	15.6%	3.4%	5.5%	8.9%	18.4%
Grade 10	43.8%	12.5%	4.9%	5.9%	11.1%	21.7%
Grade 11	43.7%	11.9%	4.4%	6.1%	9.4%	24.5%
Grade 12	43.2%	8.7%	3.9%	8.5%	9.1%	26.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	63.3%
	Grade 7	77.6%
	Grade 8	67.1%
	Grade 9	54.6%
	Grade 10	61.5%
	Grade 11	63.5%
	Grade 12	55.6%
An Assembly Program		
	All	54.7%
	Grade 7	64.2%
	Grade 8	69.7%
	Grade 9	48.6%
	Grade 10	47.2%
	Grade 11	50.7%
	Grade 12	47.9%
Guidance Counselor		
	All	34.7%
	Grade 7	44.8%
	Grade 8	51.2%
	Grade 9	30.7%
	Grade 10	28.7%
	Grade 11	28.6%
	Grade 12	24.1%
School Nurse		
	All	23.5%
	Grade 7	30.6%
	Grade 8	31.0%
	Grade 9	20.9%
	Grade 10	20.0%
	Grade 11	21.2%
	Grade 12	17.4%
Science or Social Studies Class		
	All	31.1%
	Grade 7	27.6%
	Grade 8	28.6%
	Grade 9	37.9%
	Grade 10	31.8%
	Grade 11	32.6%
	Grade 12	26.9%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 32 of 120

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	21.9%
	Grade 7	19.8%
	Grade 8	22.5%
	Grade 9	21.0%
	Grade 10	22.8%
	Grade 11	23.1%
	Grade 12	22.2%
<b>An Invited School Guest</b>		
	All	43.6%
	Grade 7	50.3%
	Grade 8	55.8%
	Grade 9	39.9%
	Grade 10	38.7%
	Grade 11	39.4%
	Grade 12	37.5%
<b>Another Source at School</b>		
	All	35.6%
	Grade 7	35.7%
	Grade 8	42.2%
	Grade 9	34.1%
	Grade 10	33.1%
	Grade 11	36.0%
	Grade 12	31.9%
<b>Any School Source</b>		
	All	77.3%
	Grade 7	85.9%
	Grade 8	85.5%
	Grade 9	72.4%
	Grade 10	74.1%
	Grade 11	75.3%
	Grade 12	70.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	42.6%
	Grade 7	54.6%
	Grade 8	47.2%
	Grade 9	39.9%
	Grade 10	37.5%
	Grade 11	39.8%
	Grade 12	36.3%
<b>School Nurse</b>		
	All	26.5%
	Grade 7	36.5%
	Grade 8	31.9%
	Grade 9	25.3%
	Grade 10	20.7%
	Grade 11	22.2%
	Grade 12	22.0%
<b>Another Adult In School</b>		
	All	47.3%
	Grade 7	48.1%
	Grade 8	48.3%
	Grade 9	45.6%
	Grade 10	44.4%
	Grade 11	49.2%
	Grade 12	48.3%
<b>Counselor/Program Outside-School</b>		
	All	42.2%
	Grade 7	48.9%
	Grade 8	44.8%
	Grade 9	40.8%
	Grade 10	38.9%
	Grade 11	40.4%
	Grade 12	39.5%
<b>Your Parents</b>		
	All	70.9%
	Grade 7	77.3%
	Grade 8	73.1%
	Grade 9	69.6%
	Grade 10	68.6%
	Grade 11	68.5%
	Grade 12	68.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	60.0%
	Grade 7	70.0%
	Grade 8	64.0%
	Grade 9	56.7%
	Grade 10	56.0%
	Grade 11	57.9%
	Grade 12	55.3%
<b>Your Friends</b>		
	All	62.0%
	Grade 7	54.1%
	Grade 8	56.4%
	Grade 9	62.6%
	Grade 10	64.3%
	Grade 11	67.3%
	Grade 12	67.9%
<b>Another Adult</b>		
	All	63.5%
	Grade 7	66.2%
	Grade 8	64.6%
	Grade 9	65.1%
	Grade 10	63.0%
	Grade 11	63.4%
	Grade 12	58.2%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	9.4%
	Grade 7	8.3%
	Grade 8	10.0%
	Grade 9	9.7%
	Grade 10	10.2%
	Grade 11	10.1%
	Grade 12	7.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 35 of 120

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	6.5%	25.5%	25.3%	33.4%	9.2%
Grade 7	9.0%	24.5%	22.1%	29.8%	14.5%
Grade 8	6.2%	21.9%	24.3%	37.2%	10.3%
Grade 9	6.7%	27.2%	25.7%	32.6%	7.8%
Grade 10	6.9%	24.4%	25.5%	34.9%	8.2%
Grade 11	5.2%	25.8%	30.2%	31.9%	6.9%
Grade 12	5.0%	29.8%	23.7%	34.1%	7.5%
<b>Sometimes Carry Weapons?</b>					
All	81.4%	12.2%	3.9%	1.6%	0.9%
Grade 7	85.9%	10.4%	2.1%	0.9%	0.7%
Grade 8	80.6%	14.1%	3.4%	1.3%	0.6%
Grade 9	81.9%	11.1%	3.5%	2.5%	1.0%
Grade 10	79.6%	12.6%	4.9%	2.1%	0.8%
Grade 11	80.4%	12.4%	4.9%	1.2%	1.1%
Grade 12	80.1%	12.6%	4.3%	1.6%	1.4%
<b>Care About Making Good Grades?</b>					
All	2.6%	14.1%	26.0%	40.3%	17.0%
Grade 7	2.6%	14.7%	23.4%	36.2%	23.1%
Grade 8	2.5%	11.9%	26.2%	43.1%	16.3%
Grade 9	4.1%	15.0%	28.6%	38.2%	14.1%
Grade 10	1.7%	15.7%	27.0%	39.6%	15.9%
Grade 11	2.9%	13.4%	23.9%	44.0%	15.8%
Grade 12	1.4%	14.1%	26.5%	40.9%	17.1%
<b>Belong/Want to Belong to a Gang?</b>					
All	79.3%	13.2%	4.8%	1.9%	0.8%
Grade 7	82.0%	11.9%	3.7%	1.7%	0.7%
Grade 8	78.9%	14.2%	4.7%	1.7%	0.5%
Grade 9	75.8%	14.7%	5.7%	3.0%	0.8%
Grade 10	76.9%	14.5%	5.6%	1.9%	1.2%
Grade 11	77.8%	13.9%	5.3%	2.1%	0.9%
Grade 12	85.6%	9.1%	3.6%	0.9%	0.7%
<b>Wish They Could Drop Out of School?</b>					
All	56.0%	25.4%	12.6%	4.2%	1.8%
Grade 7	65.9%	20.9%	6.9%	4.8%	1.4%
Grade 8	57.4%	25.9%	11.5%	3.2%	2.0%
Grade 9	53.7%	26.3%	14.2%	3.7%	2.2%
Grade 10	50.5%	29.1%	14.3%	4.5%	1.5%
Grade 11	52.9%	26.1%	12.8%	5.5%	2.7%
Grade 12	56.2%	23.6%	15.8%	3.1%	1.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 36 of 120

**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	86.9%	11.6%	0.7%	0.3%	0.5%
Grade 7	86.3%	11.4%	1.2%	0.2%	0.8%
Grade 8	84.7%	13.5%	0.9%	0.4%	0.5%
Grade 9	86.2%	11.7%	0.8%	0.5%	0.8%
Grade 10	87.1%	11.6%	0.6%	0.2%	0.5%
Grade 11	88.7%	10.6%	0.5%	0.2%	0.1%
Grade 12	88.5%	10.6%	0.2%	0.5%	0.3%
<b>Out In Your Neighborhood?</b>					
All	41.2%	49.2%	6.3%	1.2%	2.2%
Grade 7	34.5%	51.6%	8.9%	1.5%	3.6%
Grade 8	38.7%	51.7%	5.7%	1.1%	2.8%
Grade 9	37.5%	52.0%	7.2%	1.1%	2.3%
Grade 10	43.8%	47.0%	6.1%	1.2%	1.9%
Grade 11	46.1%	46.7%	5.1%	0.8%	1.3%
Grade 12	47.3%	45.4%	4.7%	1.3%	1.2%
<b>At School?</b>					
All	39.2%	46.4%	7.8%	2.9%	3.7%
Grade 7	48.8%	38.8%	6.1%	2.7%	3.6%
Grade 8	44.0%	43.5%	6.5%	2.6%	3.4%
Grade 9	33.3%	48.1%	10.4%	3.4%	4.8%
Grade 10	33.0%	52.6%	8.0%	2.5%	3.8%
Grade 11	35.4%	49.9%	7.9%	3.2%	3.6%
Grade 12	41.9%	44.9%	7.8%	2.8%	2.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 37 of 120



## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.1%	20.3%	34.4%	65.6%
Grade 7	6.7%	9.0%	17.2%	82.8%
Grade 8	12.2%	13.9%	25.7%	74.3%
Grade 9	14.9%	17.7%	30.8%	69.2%
Grade 10	19.1%	24.9%	42.3%	57.7%
Grade 11	18.8%	23.6%	42.2%	57.8%
Grade 12	26.4%	34.3%	50.2%	49.8%
<b>Any Alcohol Product</b>				
All	34.7%	40.4%	58.6%	41.4%
Grade 7	17.9%	20.7%	38.6%	61.4%
Grade 8	25.3%	29.4%	49.5%	50.5%
Grade 9	33.0%	38.7%	59.7%	40.3%
Grade 10	40.3%	46.1%	63.5%	36.5%
Grade 11	43.1%	51.1%	68.4%	31.6%
Grade 12	50.1%	58.7%	73.8%	26.2%
<b>Any Illicit Drug</b>				
All	17.5%	22.1%	28.6%	71.4%
Grade 7	6.6%	9.0%	10.4%	89.6%
Grade 8	11.5%	14.8%	17.9%	82.1%
Grade 9	16.6%	20.2%	25.2%	74.8%
Grade 10	23.0%	29.1%	39.1%	60.9%
Grade 11	22.4%	28.9%	37.5%	62.5%
Grade 12	25.3%	31.7%	43.3%	56.7%
<b>Any Prescription Drug</b>				
All	9.5%	13.3%	19.1%	80.9%
Grade 7	8.6%	11.2%	16.0%	84.0%
Grade 8	5.8%	8.5%	13.9%	86.1%
Grade 9	11.3%	13.6%	18.9%	81.1%
Grade 10	9.7%	14.1%	21.5%	78.5%
Grade 11	10.2%	15.7%	22.0%	78.0%
Grade 12	11.9%	17.1%	22.8%	77.2%
<b>Any Inhalant</b>				
All	6.8%	8.6%	15.6%	84.4%
Grade 7	9.7%	11.0%	17.5%	82.5%
Grade 8	8.9%	11.8%	19.8%	80.2%
Grade 9	6.9%	8.0%	15.2%	84.8%
Grade 10	6.0%	7.8%	16.6%	83.4%
Grade 11	4.5%	6.8%	11.5%	88.5%
Grade 12	4.3%	5.6%	12.5%	87.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.0%	14.6%	28.5%	71.5%
Grade 7	4.8%	6.9%	13.8%	86.2%
Grade 8	8.8%	11.0%	21.5%	78.5%
Grade 9	10.3%	13.6%	26.4%	73.6%
Grade 10	10.0%	17.1%	36.5%	63.5%
Grade 11	11.1%	16.1%	33.5%	66.5%
Grade 12	15.4%	23.7%	40.4%	59.6%
<b>Marijuana</b>				
All	16.5%	20.1%	27.0%	73.0%
Grade 7	6.0%	7.0%	8.4%	91.6%
Grade 8	11.1%	12.9%	16.0%	84.0%
Grade 9	16.1%	18.9%	23.7%	76.3%
Grade 10	21.5%	26.5%	37.3%	62.7%
Grade 11	20.8%	26.6%	36.2%	63.8%
Grade 12	24.5%	29.7%	42.3%	57.7%
<b>Marijuana Only</b>				
All	7.4%	9.8%	15.1%	84.9%
Grade 7	2.8%	3.5%	4.5%	95.5%
Grade 8	5.2%	7.0%	9.4%	90.6%
Grade 9	6.7%	8.5%	11.9%	88.1%
Grade 10	9.9%	13.6%	22.3%	77.7%
Grade 11	9.2%	12.0%	19.4%	80.6%
Grade 12	11.1%	14.7%	23.9%	76.1%
<b>Cocaine or Crack</b>				
All	3.0%	3.4%	5.3%	94.7%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	1.8%	2.0%	2.8%	97.2%
Grade 9	2.9%	3.4%	4.7%	95.3%
Grade 10	3.1%	3.2%	5.3%	94.7%
Grade 11	4.4%	4.9%	8.3%	91.7%
Grade 12	4.7%	6.0%	9.8%	90.2%
<b>Cocaine</b>				
All	2.6%	3.0%	4.9%	95.1%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	1.4%	1.6%	2.4%	97.6%
Grade 9	2.3%	2.8%	4.0%	96.0%
Grade 10	2.6%	2.8%	4.9%	95.1%
Grade 11	4.4%	4.9%	8.3%	91.7%
Grade 12	4.2%	5.5%	9.3%	90.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 40 of 120

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.0%	1.1%	1.5%	98.5%
Grade 7	0.8%	0.8%	0.9%	99.1%
Grade 8	0.9%	1.0%	1.5%	98.5%
Grade 9	1.3%	1.4%	1.7%	98.3%
Grade 10	1.2%	1.3%	1.8%	98.2%
Grade 11	0.9%	0.9%	1.2%	98.8%
Grade 12	0.7%	0.9%	2.0%	98.0%
<b>Hallucinogens</b>				
All	1.4%	2.1%	4.4%	95.6%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.5%	0.6%	1.8%	98.2%
Grade 9	1.6%	2.0%	5.0%	95.0%
Grade 10	1.9%	2.9%	5.2%	94.8%
Grade 11	2.2%	3.6%	7.2%	92.8%
Grade 12	1.4%	2.8%	5.9%	94.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.9%	99.1%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.1%	0.3%	0.5%	99.5%
<b>Steroids</b>				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.4%	1.2%	98.8%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.8%	99.2%
Grade 11	0.4%	0.5%	1.2%	98.8%
Grade 12	0.2%	0.6%	1.2%	98.8%
<b>Ecstasy</b>				
All	2.1%	3.7%	6.8%	93.2%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.3%	0.7%	1.7%	98.3%
Grade 9	1.6%	3.2%	5.8%	94.2%
Grade 10	3.3%	5.4%	9.6%	90.4%
Grade 11	4.3%	6.9%	11.1%	88.9%
Grade 12	2.8%	5.5%	11.9%	88.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.2%	0.5%	0.9%	99.1%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.1%	0.3%	0.4%	99.6%
Grade 11	0.5%	0.7%	1.2%	98.8%
Grade 12	0.3%	0.3%	1.2%	98.8%
<b>Synthetic Marijuana</b>				
All	1.8%	2.7%	5.9%	94.1%
Grade 7	1.1%	1.6%	3.0%	97.0%
Grade 8	2.6%	3.2%	4.7%	95.3%
Grade 9	2.1%	3.0%	6.5%	93.5%
Grade 10	2.2%	3.2%	6.2%	93.8%
Grade 11	1.4%	2.6%	7.6%	92.4%
Grade 12	1.4%	2.5%	7.4%	92.6%
<b>Methamphetamine</b>				
All	0.5%	0.8%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	0.7%	0.8%	2.1%	97.9%
Grade 10	0.5%	0.9%	1.4%	98.6%
Grade 11	0.8%	0.9%	1.8%	98.2%
Grade 12	0.4%	0.8%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 42 of 120

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.3%	22.5%	36.9%	63.1%
Grade 7	7.3%	10.1%	17.8%	82.2%
Grade 8	13.4%	15.4%	28.4%	71.6%
Grade 9	15.6%	18.9%	31.7%	68.3%
Grade 10	22.2%	28.0%	45.9%	54.1%
Grade 11	19.9%	24.8%	47.1%	52.9%
Grade 12	33.0%	40.1%	53.0%	47.0%
<b>Any Alcohol Product</b>				
All	33.0%	38.9%	56.7%	43.3%
Grade 7	15.3%	18.8%	36.7%	63.3%
Grade 8	24.9%	28.7%	46.8%	53.2%
Grade 9	30.7%	36.2%	56.6%	43.4%
Grade 10	36.8%	42.1%	59.9%	40.1%
Grade 11	43.2%	52.7%	69.0%	31.0%
Grade 12	49.8%	57.8%	73.6%	26.4%
<b>Any Illicit Drug</b>				
All	18.6%	22.7%	29.6%	70.4%
Grade 7	6.9%	9.4%	10.5%	89.5%
Grade 8	11.4%	14.2%	17.8%	82.2%
Grade 9	17.2%	20.3%	25.5%	74.5%
Grade 10	23.0%	29.1%	39.7%	60.3%
Grade 11	25.4%	31.0%	40.1%	59.9%
Grade 12	29.1%	33.4%	46.0%	54.0%
<b>Any Prescription Drug</b>				
All	9.5%	13.4%	19.4%	80.6%
Grade 7	7.6%	10.3%	15.4%	84.6%
Grade 8	4.1%	6.5%	12.3%	87.7%
Grade 9	10.1%	12.8%	18.5%	81.5%
Grade 10	11.4%	15.4%	22.0%	78.0%
Grade 11	11.0%	17.7%	24.2%	75.8%
Grade 12	13.2%	18.7%	25.0%	75.0%
<b>Any Inhalant</b>				
All	6.2%	8.2%	14.2%	85.8%
Grade 7	7.1%	8.2%	12.8%	87.2%
Grade 8	7.0%	10.6%	17.4%	82.6%
Grade 9	5.8%	7.1%	12.9%	87.1%
Grade 10	6.5%	8.4%	16.5%	83.5%
Grade 11	5.1%	7.7%	11.9%	88.1%
Grade 12	5.5%	7.0%	13.4%	86.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.3%	16.2%	31.2%	68.8%
Grade 7	5.0%	8.0%	14.4%	85.6%
Grade 8	9.0%	11.2%	22.5%	77.5%
Grade 9	10.9%	14.1%	27.2%	72.8%
Grade 10	11.0%	18.6%	40.2%	59.8%
Grade 11	13.2%	19.1%	39.1%	60.9%
Grade 12	19.7%	28.0%	45.5%	54.5%
<b>Marijuana</b>				
All	17.5%	20.9%	28.1%	71.9%
Grade 7	6.4%	7.6%	8.9%	91.1%
Grade 8	10.6%	12.0%	15.5%	84.5%
Grade 9	16.9%	19.5%	24.7%	75.3%
Grade 10	21.4%	26.4%	37.9%	62.1%
Grade 11	22.7%	29.0%	38.7%	61.3%
Grade 12	28.5%	32.2%	44.9%	55.1%
<b>Marijuana Only</b>				
All	7.7%	9.9%	15.3%	84.7%
Grade 7	2.7%	3.8%	4.6%	95.4%
Grade 8	5.5%	6.7%	9.7%	90.3%
Grade 9	5.9%	7.3%	10.7%	89.3%
Grade 10	9.6%	13.5%	22.1%	77.9%
Grade 11	10.1%	13.6%	21.0%	79.0%
Grade 12	13.0%	15.5%	24.6%	75.4%
<b>Cocaine or Crack</b>				
All	3.5%	4.1%	6.1%	93.9%
Grade 7	1.0%	1.0%	1.2%	98.8%
Grade 8	1.6%	1.9%	2.4%	97.6%
Grade 9	3.1%	3.4%	5.6%	94.4%
Grade 10	3.2%	3.3%	5.6%	94.4%
Grade 11	6.7%	7.6%	11.3%	88.7%
Grade 12	6.2%	8.0%	11.5%	88.5%
<b>Cocaine</b>				
All	3.3%	3.9%	5.8%	94.2%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	1.4%	1.7%	2.0%	98.0%
Grade 9	2.8%	3.1%	5.0%	95.0%
Grade 10	3.1%	3.2%	5.5%	94.5%
Grade 11	6.7%	7.6%	11.3%	88.7%
Grade 12	6.1%	7.9%	11.4%	88.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.0%	1.1%	1.7%	98.3%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	0.4%	0.4%	1.3%	98.7%
Grade 9	1.1%	1.3%	1.8%	98.2%
Grade 10	1.4%	1.5%	2.0%	98.0%
Grade 11	1.8%	1.8%	2.3%	97.7%
Grade 12	0.3%	0.7%	2.1%	97.9%
<b>Hallucinogens</b>				
All	1.8%	2.7%	5.3%	94.7%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	0.8%	0.8%	2.3%	97.7%
Grade 9	1.7%	2.3%	5.5%	94.5%
Grade 10	2.2%	3.5%	6.9%	93.1%
Grade 11	2.7%	4.7%	7.7%	92.3%
Grade 12	2.3%	3.9%	8.6%	91.4%
<b>Synthetic Cathinones</b>				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.2%	1.1%	98.9%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.2%	0.4%	0.7%	99.3%
Grade 12	0.2%	0.6%	1.0%	99.0%
<b>Steroids</b>				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	0.3%	0.3%	1.2%	98.8%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.9%	1.2%	1.9%	98.1%
Grade 12	0.3%	1.0%	2.2%	97.8%
<b>Ecstasy</b>				
All	2.4%	4.1%	6.9%	93.1%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.3%	0.4%	1.9%	98.1%
Grade 9	1.6%	3.3%	5.7%	94.3%
Grade 10	3.7%	6.6%	10.5%	89.5%
Grade 11	5.0%	7.7%	10.5%	89.5%
Grade 12	3.4%	5.9%	12.3%	87.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.7%	1.2%	98.8%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.3%	0.9%	1.6%	98.4%
Grade 9	0.1%	0.3%	0.7%	99.3%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	1.1%	1.5%	2.1%	97.9%
Grade 12	0.6%	0.6%	2.1%	97.9%
<b>Synthetic Marijuana</b>				
All	1.8%	2.5%	5.8%	94.2%
Grade 7	1.4%	1.7%	3.1%	96.9%
Grade 8	2.0%	2.6%	3.9%	96.1%
Grade 9	2.2%	3.5%	7.2%	92.8%
Grade 10	1.8%	2.4%	5.4%	94.6%
Grade 11	1.6%	2.1%	7.1%	92.9%
Grade 12	1.6%	2.7%	8.3%	91.7%
<b>Methamphetamine</b>				
All	0.6%	0.9%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.5%	0.8%	99.2%
Grade 9	0.7%	0.7%	1.9%	98.1%
Grade 10	0.6%	1.1%	1.8%	98.2%
Grade 11	1.7%	2.0%	2.6%	97.4%
Grade 12	0.4%	0.8%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.9%	18.0%	31.9%	68.1%
Grade 7	6.1%	8.0%	16.5%	83.5%
Grade 8	10.3%	11.8%	22.4%	77.6%
Grade 9	14.2%	16.5%	30.0%	70.0%
Grade 10	16.0%	21.9%	38.9%	61.1%
Grade 11	17.6%	22.4%	38.2%	61.8%
Grade 12	19.9%	28.8%	47.5%	52.5%
<b>Any Alcohol Product</b>				
All	36.3%	41.9%	60.5%	39.5%
Grade 7	20.3%	22.2%	40.0%	60.0%
Grade 8	25.5%	29.7%	52.1%	47.9%
Grade 9	35.7%	41.6%	63.4%	36.6%
Grade 10	44.3%	50.4%	67.6%	32.4%
Grade 11	43.1%	49.5%	67.7%	32.3%
Grade 12	50.8%	60.4%	74.0%	26.0%
<b>Any Illicit Drug</b>				
All	16.3%	21.5%	27.6%	72.4%
Grade 7	6.4%	8.6%	10.3%	89.7%
Grade 8	10.8%	14.9%	17.4%	82.6%
Grade 9	16.1%	20.2%	24.9%	75.1%
Grade 10	23.3%	29.3%	38.9%	61.1%
Grade 11	19.6%	26.6%	34.8%	65.2%
Grade 12	22.0%	30.3%	41.0%	59.0%
<b>Any Prescription Drug</b>				
All	9.6%	13.2%	18.9%	81.1%
Grade 7	8.9%	11.5%	16.1%	83.9%
Grade 8	7.6%	10.8%	15.9%	84.1%
Grade 9	12.6%	14.6%	19.4%	80.6%
Grade 10	7.8%	12.6%	20.9%	79.1%
Grade 11	9.6%	14.1%	20.4%	79.6%
Grade 12	11.0%	15.8%	20.8%	79.2%
<b>Any Inhalant</b>				
All	7.3%	8.8%	16.9%	83.1%
Grade 7	12.0%	13.6%	21.8%	78.2%
Grade 8	10.7%	12.7%	22.1%	77.9%
Grade 9	8.1%	9.0%	17.8%	82.2%
Grade 10	5.5%	7.3%	16.8%	83.2%
Grade 11	3.7%	5.6%	10.8%	89.2%
Grade 12	3.1%	4.2%	11.6%	88.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 47 of 120

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.6%	12.9%	25.9%	74.1%
Grade 7	4.5%	6.0%	13.4%	86.6%
Grade 8	8.8%	11.0%	20.4%	79.6%
Grade 9	9.7%	13.2%	25.7%	74.3%
Grade 10	8.9%	15.7%	32.9%	67.1%
Grade 11	8.9%	13.1%	28.6%	71.4%
Grade 12	11.1%	19.5%	35.5%	64.5%
<b>Marijuana</b>				
All	15.5%	19.2%	25.9%	74.1%
Grade 7	5.6%	6.4%	8.1%	91.9%
Grade 8	10.9%	13.3%	15.8%	84.2%
Grade 9	15.3%	18.3%	22.8%	77.2%
Grade 10	21.7%	26.9%	36.9%	63.1%
Grade 11	19.0%	24.2%	33.7%	66.3%
Grade 12	21.0%	27.4%	40.1%	59.9%
<b>Marijuana Only</b>				
All	7.2%	9.7%	14.9%	85.1%
Grade 7	3.0%	3.1%	4.4%	95.6%
Grade 8	4.8%	7.2%	9.1%	90.9%
Grade 9	7.6%	10.0%	13.2%	86.8%
Grade 10	10.3%	13.8%	22.6%	77.4%
Grade 11	8.4%	10.3%	17.8%	82.2%
Grade 12	9.5%	14.0%	23.4%	76.6%
<b>Cocaine or Crack</b>				
All	2.3%	2.7%	4.5%	95.5%
Grade 7	1.3%	1.3%	1.5%	98.5%
Grade 8	1.6%	1.8%	3.0%	97.0%
Grade 9	2.7%	3.4%	3.8%	96.2%
Grade 10	3.0%	3.2%	5.1%	94.9%
Grade 11	2.4%	2.7%	5.7%	94.3%
Grade 12	3.1%	4.0%	8.2%	91.8%
<b>Cocaine</b>				
All	1.8%	2.2%	4.0%	96.0%
Grade 7	1.1%	1.1%	1.4%	98.6%
Grade 8	1.2%	1.3%	2.5%	97.5%
Grade 9	1.9%	2.6%	3.0%	97.0%
Grade 10	2.2%	2.4%	4.3%	95.7%
Grade 11	2.4%	2.7%	5.7%	94.3%
Grade 12	2.3%	3.2%	7.3%	92.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.9%	1.0%	1.2%	98.8%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	1.1%	1.2%	1.4%	98.6%
Grade 9	1.5%	1.5%	1.7%	98.3%
Grade 10	0.9%	1.1%	1.7%	98.3%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	1.1%	1.1%	1.9%	98.1%
<b>Hallucinogens</b>				
All	1.0%	1.5%	3.3%	96.7%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.4%	1.3%	98.7%
Grade 9	1.5%	1.8%	4.5%	95.5%
Grade 10	1.6%	2.4%	3.5%	96.5%
Grade 11	1.7%	2.4%	6.2%	93.8%
Grade 12	0.5%	1.7%	3.3%	96.7%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.5%	0.5%	1.8%	98.2%
Grade 8	0.1%	0.6%	0.7%	99.3%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.0%	0.2%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.3%	99.7%
<b>Ecstasy</b>				
All	1.9%	3.3%	6.7%	93.3%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	0.3%	1.0%	1.5%	98.5%
Grade 9	1.6%	3.1%	6.0%	94.0%
Grade 10	3.0%	4.1%	8.7%	91.3%
Grade 11	3.8%	6.0%	11.6%	88.4%
Grade 12	2.1%	5.0%	11.7%	88.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.3%	0.5%	0.8%	99.2%
Grade 10	0.1%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.8%	2.8%	6.0%	94.0%
Grade 7	0.8%	1.5%	2.9%	97.1%
Grade 8	3.0%	3.5%	5.3%	94.7%
Grade 9	2.0%	2.5%	5.7%	94.3%
Grade 10	2.6%	4.1%	7.1%	92.9%
Grade 11	1.2%	3.0%	8.2%	91.8%
Grade 12	1.2%	2.5%	6.8%	93.2%
Methamphetamine				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	1.2%	1.2%	2.1%	97.9%
Grade 9	0.7%	0.9%	2.3%	97.7%
Grade 10	0.3%	0.6%	1.1%	98.9%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.2%	0.7%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 50 of 120

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.6%	20.6%	34.5%	65.5%
Grade 7	6.8%	10.1%	15.7%	84.3%
Grade 8	11.2%	11.2%	19.6%	80.4%
Grade 9	8.5%	8.5%	18.4%	81.6%
Grade 10	19.9%	30.8%	52.7%	47.3%
Grade 11	27.7%	27.7%	49.1%	50.9%
Grade 12	36.2%	41.1%	58.8%	41.2%
<b>Any Alcohol Product</b>				
All	33.8%	40.6%	59.2%	40.8%
Grade 7	16.6%	18.2%	34.4%	65.6%
Grade 8	21.5%	21.5%	43.5%	56.5%
Grade 9	27.6%	43.3%	70.5%	29.5%
Grade 10	38.3%	47.0%	65.0%	35.0%
Grade 11	53.3%	57.2%	74.7%	25.3%
Grade 12	51.2%	63.9%	73.4%	26.6%
<b>Any Illicit Drug</b>				
All	17.5%	24.3%	30.7%	69.3%
Grade 7	4.1%	5.8%	7.8%	92.2%
Grade 8	12.6%	12.6%	15.1%	84.9%
Grade 9	6.3%	18.7%	18.7%	81.3%
Grade 10	38.2%	41.6%	50.5%	49.5%
Grade 11	20.6%	34.2%	45.2%	54.8%
Grade 12	27.1%	38.0%	54.3%	45.7%
<b>Any Prescription Drug</b>				
All	12.5%	21.9%	30.7%	69.3%
Grade 7	7.6%	12.7%	21.0%	79.0%
Grade 8	8.4%	17.1%	20.3%	79.7%
Grade 9	21.3%	21.3%	36.3%	63.7%
Grade 10	7.2%	22.9%	35.7%	64.3%
Grade 11	3.4%	22.4%	34.3%	65.7%
Grade 12	30.6%	40.5%	40.5%	59.5%
<b>Any Inhalant</b>				
All	6.6%	9.0%	16.1%	83.9%
Grade 7	8.3%	8.9%	14.4%	85.6%
Grade 8	9.1%	9.1%	18.3%	81.7%
Grade 9	2.4%	6.3%	6.3%	93.7%
Grade 10	8.2%	13.8%	19.3%	80.7%
Grade 11	7.8%	11.7%	18.8%	81.2%
Grade 12	3.1%	3.1%	20.4%	79.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	12.9%	16.7%	27.6%	72.4%
Grade 7	2.2%	5.6%	8.2%	91.8%
Grade 8	10.2%	10.2%	16.1%	83.9%
Grade 9	8.5%	8.5%	14.5%	85.5%
Grade 10	14.4%	25.3%	47.2%	52.8%
Grade 11	20.6%	24.5%	32.4%	67.6%
Grade 12	25.0%	29.8%	54.2%	45.8%
<b>Marijuana</b>				
All	15.7%	21.7%	29.0%	71.0%
Grade 7	3.6%	5.3%	7.4%	92.6%
Grade 8	8.6%	8.6%	11.1%	88.9%
Grade 9	6.3%	16.4%	16.4%	83.6%
Grade 10	35.3%	38.7%	49.1%	50.9%
Grade 11	16.7%	30.3%	45.2%	54.8%
Grade 12	27.1%	35.0%	51.2%	48.8%
<b>Marijuana Only</b>				
All	5.7%	9.4%	15.3%	84.7%
Grade 7	0.5%	2.2%	4.3%	95.7%
Grade 8	1.1%	1.1%	2.4%	97.6%
Grade 9	0.0%	6.1%	6.1%	93.9%
Grade 10	12.5%	15.9%	24.9%	75.1%
Grade 11	5.7%	13.5%	24.5%	75.5%
Grade 12	17.4%	20.5%	35.1%	64.9%
<b>Cocaine or Crack</b>				
All	3.6%	4.9%	6.0%	94.0%
Grade 7	3.2%	3.2%	3.2%	96.8%
Grade 8	4.0%	4.0%	5.1%	94.9%
Grade 9	2.4%	2.4%	2.4%	97.6%
Grade 10	7.5%	7.5%	7.5%	92.5%
Grade 11	0.0%	3.9%	7.8%	92.2%
Grade 12	4.8%	9.7%	11.2%	88.8%
<b>Cocaine</b>				
All	2.9%	4.3%	5.4%	94.6%
Grade 7	3.2%	3.2%	3.2%	96.8%
Grade 8	4.0%	4.0%	5.1%	94.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	6.0%	6.0%	6.0%	94.0%
Grade 11	0.0%	3.9%	7.8%	92.2%
Grade 12	4.8%	9.7%	11.2%	88.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.5%	2.2%	3.5%	96.5%
Grade 7	3.2%	3.2%	3.2%	96.8%
Grade 8	0.0%	0.0%	4.0%	96.0%
Grade 9	2.4%	2.4%	2.4%	97.6%
Grade 10	3.0%	3.0%	3.0%	97.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	4.8%	9.7%	90.3%
<b>Hallucinogens</b>				
All	1.5%	2.7%	7.8%	92.2%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	4.1%	95.9%
Grade 9	2.4%	2.4%	6.5%	93.5%
Grade 10	1.5%	1.5%	8.5%	91.5%
Grade 11	3.9%	7.1%	14.9%	85.1%
Grade 12	0.0%	5.1%	13.4%	86.6%
<b>Synthetic Cathinones</b>				
All	0.7%	1.4%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.1%	4.1%	4.1%	95.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	4.8%	4.8%	95.2%
<b>Steroids</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	3.0%	97.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	1.6%	3.7%	7.3%	92.7%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.0%	2.2%	97.8%
Grade 9	0.0%	0.0%	4.0%	96.0%
Grade 10	3.8%	6.1%	12.5%	87.5%
Grade 11	3.9%	9.6%	13.5%	86.5%
Grade 12	0.0%	4.8%	11.2%	88.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.7%	1.6%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.0%	8.0%	8.0%	92.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.5%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.7%	90.3%
<b>Synthetic Marijuana</b>				
All	1.9%	2.1%	4.9%	95.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.0%	4.0%	7.5%	92.5%
Grade 9	2.4%	2.4%	2.4%	97.6%
Grade 10	4.7%	6.2%	15.7%	84.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.8%	95.2%
<b>Methamphetamine</b>				
All	0.6%	2.2%	2.8%	97.2%
Grade 7	1.7%	1.7%	1.7%	98.3%
Grade 8	0.0%	4.0%	4.0%	96.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.5%	3.0%	3.0%	97.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	4.8%	9.7%	90.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 54 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	7.3%	10.0%	24.5%	75.5%
Grade 7	3.2%	3.2%	6.5%	93.5%
Grade 8	5.1%	5.1%	17.0%	83.0%
Grade 9	5.0%	5.0%	24.0%	76.0%
Grade 10	0.0%	0.0%	8.6%	91.4%
Grade 11	9.1%	9.1%	42.4%	57.6%
Grade 12	23.0%	41.2%	48.2%	51.8%
<b>Any Alcohol Product</b>				
All	23.7%	26.7%	50.7%	49.3%
Grade 7	14.3%	22.1%	38.2%	61.8%
Grade 8	15.3%	15.3%	38.2%	61.8%
Grade 9	22.9%	22.9%	55.9%	44.1%
Grade 10	25.7%	25.7%	51.5%	48.5%
Grade 11	26.9%	36.0%	63.8%	36.2%
Grade 12	39.1%	39.1%	55.2%	44.8%
<b>Any Illicit Drug</b>				
All	14.6%	14.6%	18.7%	81.3%
Grade 7	6.5%	6.5%	6.5%	93.5%
Grade 8	5.1%	5.1%	11.0%	89.0%
Grade 9	5.0%	5.0%	5.0%	95.0%
Grade 10	8.6%	8.6%	8.6%	91.4%
Grade 11	18.4%	18.4%	35.2%	64.8%
Grade 12	48.2%	48.2%	48.2%	51.8%
<b>Any Prescription Drug</b>				
All	6.5%	8.4%	14.2%	85.8%
Grade 7	3.2%	3.2%	9.7%	90.3%
Grade 8	0.0%	5.1%	5.1%	94.9%
Grade 9	13.1%	13.1%	20.1%	79.9%
Grade 10	8.6%	8.6%	8.6%	91.4%
Grade 11	5.0%	10.8%	14.7%	85.3%
Grade 12	9.7%	9.7%	29.2%	70.8%
<b>Any Inhalant</b>				
All	6.8%	8.3%	10.7%	89.3%
Grade 7	13.7%	17.0%	20.2%	79.8%
Grade 8	5.1%	5.1%	10.2%	89.8%
Grade 9	7.2%	7.2%	7.2%	92.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	5.4%	5.4%	94.6%
Grade 12	16.1%	16.1%	23.0%	77.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.0%	7.3%	20.1%	79.9%
Grade 7	3.2%	3.2%	6.5%	93.5%
Grade 8	0.0%	0.0%	11.0%	89.0%
Grade 9	5.4%	5.4%	25.9%	74.1%
Grade 10	0.0%	0.0%	9.4%	90.6%
Grade 11	5.4%	5.4%	28.5%	71.5%
Grade 12	23.0%	32.1%	39.1%	60.9%
<b>Marijuana</b>				
All	14.6%	14.6%	18.7%	81.3%
Grade 7	6.5%	6.5%	6.5%	93.5%
Grade 8	5.1%	5.1%	11.0%	89.0%
Grade 9	5.0%	5.0%	5.0%	95.0%
Grade 10	8.6%	8.6%	8.6%	91.4%
Grade 11	18.4%	18.4%	35.2%	64.8%
Grade 12	48.2%	48.2%	48.2%	51.8%
<b>Marijuana Only</b>				
All	6.2%	6.2%	10.3%	89.7%
Grade 7	3.2%	3.2%	3.2%	96.8%
Grade 8	0.0%	0.0%	5.9%	94.1%
Grade 9	5.0%	5.0%	5.0%	95.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	12.9%	12.9%	29.8%	70.2%
Grade 12	16.1%	16.1%	16.1%	83.9%
<b>Cocaine or Crack</b>				
All	0.8%	0.8%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	5.1%	5.1%	5.1%	94.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.1%	90.9%
<b>Cocaine</b>				
All	0.8%	0.8%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	5.1%	5.1%	5.1%	94.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.1%	90.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.0%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	5.1%	94.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	1.9%	2.8%	97.2%
Grade 7	3.2%	3.2%	3.2%	96.8%
Grade 8	0.0%	0.0%	5.6%	94.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	9.1%	9.1%	90.9%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	1.0%	1.0%	3.3%	96.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	5.9%	5.9%	5.9%	94.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	5.4%	94.6%
Grade 12	0.0%	0.0%	9.1%	90.9%
Ecstasy				
All	1.0%	1.0%	3.6%	96.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	8.6%	91.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	7.0%	7.0%	16.1%	83.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	2.2%	3.2%	4.2%	95.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	5.1%	5.1%	5.1%	94.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	5.4%	94.6%
Grade 12	9.1%	16.1%	16.1%	83.9%
<b>Methamphetamine</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.4%	20.7%	34.9%	65.1%
Grade 7	6.8%	9.1%	17.7%	82.3%
Grade 8	12.5%	14.4%	26.7%	73.3%
Grade 9	15.7%	18.7%	31.9%	68.1%
Grade 10	19.2%	25.0%	42.6%	57.4%
Grade 11	18.8%	24.1%	42.0%	58.0%
Grade 12	26.1%	34.1%	49.8%	50.2%
<b>Any Alcohol Product</b>				
All	35.3%	41.0%	59.2%	40.8%
Grade 7	18.2%	20.9%	39.2%	60.8%
Grade 8	26.0%	30.5%	50.3%	49.7%
Grade 9	33.8%	39.2%	60.0%	40.0%
Grade 10	40.8%	46.5%	63.9%	36.1%
Grade 11	43.5%	51.7%	68.5%	31.5%
Grade 12	50.7%	59.2%	74.4%	25.6%
<b>Any Illicit Drug</b>				
All	17.7%	22.4%	28.9%	71.1%
Grade 7	6.9%	9.3%	10.7%	89.3%
Grade 8	11.8%	15.4%	18.4%	81.6%
Grade 9	17.6%	20.9%	26.1%	73.9%
Grade 10	22.6%	28.9%	39.3%	60.7%
Grade 11	22.7%	29.1%	37.3%	62.7%
Grade 12	24.9%	31.2%	42.9%	57.1%
<b>Any Prescription Drug</b>				
All	9.5%	13.1%	18.8%	81.2%
Grade 7	8.9%	11.4%	16.0%	84.0%
Grade 8	5.9%	8.4%	14.1%	85.9%
Grade 9	10.8%	13.4%	18.2%	81.8%
Grade 10	9.8%	13.9%	21.1%	78.9%
Grade 11	10.7%	15.5%	21.7%	78.3%
Grade 12	11.2%	16.1%	21.8%	78.2%
<b>Any Inhalant</b>				
All	6.8%	8.6%	15.7%	84.3%
Grade 7	9.7%	11.0%	17.6%	82.4%
Grade 8	9.1%	12.2%	20.4%	79.6%
Grade 9	7.2%	8.2%	15.7%	84.3%
Grade 10	5.9%	7.6%	16.6%	83.4%
Grade 11	4.5%	6.7%	11.5%	88.5%
Grade 12	4.1%	5.6%	11.9%	88.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.0%	14.7%	28.8%	71.2%
Grade 7	4.9%	7.1%	14.4%	85.6%
Grade 8	9.1%	11.4%	22.4%	77.6%
Grade 9	10.7%	14.2%	27.3%	72.7%
Grade 10	9.8%	17.0%	36.5%	63.5%
Grade 11	10.9%	16.1%	33.7%	66.3%
Grade 12	14.7%	23.4%	39.6%	60.4%
<b>Marijuana</b>				
All	16.8%	20.3%	27.3%	72.7%
Grade 7	6.2%	7.2%	8.6%	91.4%
Grade 8	11.5%	13.5%	16.5%	83.5%
Grade 9	17.0%	19.6%	24.7%	75.3%
Grade 10	21.0%	26.3%	37.4%	62.6%
Grade 11	21.2%	26.7%	35.9%	64.1%
Grade 12	24.1%	29.2%	42.0%	58.0%
<b>Marijuana Only</b>				
All	7.7%	10.0%	15.3%	84.7%
Grade 7	3.0%	3.6%	4.5%	95.5%
Grade 8	5.7%	7.6%	10.0%	90.0%
Grade 9	7.2%	8.9%	12.5%	87.5%
Grade 10	10.0%	13.9%	22.8%	77.2%
Grade 11	9.4%	12.0%	18.9%	81.1%
Grade 12	10.9%	14.5%	23.7%	76.3%
<b>Cocaine or Crack</b>				
All	3.0%	3.4%	5.4%	94.6%
Grade 7	1.1%	1.1%	1.3%	98.7%
Grade 8	1.6%	1.9%	2.7%	97.3%
Grade 9	3.0%	3.5%	5.0%	95.0%
Grade 10	2.9%	3.1%	5.3%	94.7%
Grade 11	4.8%	5.2%	8.6%	91.4%
Grade 12	4.9%	6.0%	9.8%	90.2%
<b>Cocaine</b>				
All	2.7%	3.1%	5.0%	95.0%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	1.2%	1.5%	2.2%	97.8%
Grade 9	2.5%	3.0%	4.3%	95.7%
Grade 10	2.6%	2.7%	4.9%	95.1%
Grade 11	4.8%	5.2%	8.6%	91.4%
Grade 12	4.3%	5.5%	9.2%	90.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.0%	1.0%	1.4%	98.6%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	1.0%	1.1%	1.3%	98.7%
Grade 9	1.3%	1.4%	1.8%	98.2%
Grade 10	1.1%	1.2%	1.8%	98.2%
Grade 11	1.0%	1.0%	1.3%	98.7%
Grade 12	0.7%	0.7%	1.7%	98.3%
<b>Hallucinogens</b>				
All	1.4%	2.1%	4.3%	95.7%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.5%	0.7%	1.6%	98.4%
Grade 9	1.6%	2.1%	5.1%	94.9%
Grade 10	1.9%	3.0%	5.2%	94.8%
Grade 11	2.1%	3.5%	7.0%	93.0%
Grade 12	1.5%	2.5%	5.5%	94.5%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.3%	99.7%
<b>Steroids</b>				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.4%	1.3%	98.7%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.8%	99.2%
Grade 11	0.5%	0.6%	1.2%	98.8%
Grade 12	0.2%	0.6%	1.1%	98.9%
<b>Ecstasy</b>				
All	2.2%	3.8%	6.8%	93.2%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.3%	0.8%	1.7%	98.3%
Grade 9	1.7%	3.4%	6.0%	94.0%
Grade 10	3.4%	5.4%	9.4%	90.6%
Grade 11	4.5%	7.0%	11.3%	88.7%
Grade 12	2.9%	5.6%	11.9%	88.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	0.0%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.5%	0.7%	1.3%	98.7%
Grade 12	0.3%	0.3%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	1.8%	2.7%	6.0%	94.0%
Grade 7	1.1%	1.7%	3.3%	96.7%
Grade 8	2.5%	3.1%	4.6%	95.4%
Grade 9	2.1%	3.2%	6.8%	93.2%
Grade 10	2.0%	3.0%	5.7%	94.3%
Grade 11	1.5%	2.7%	8.1%	91.9%
Grade 12	1.3%	2.4%	7.5%	92.5%
<b>Methamphetamine</b>				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.6%	0.7%	1.4%	98.6%
Grade 9	0.7%	0.8%	2.3%	97.7%
Grade 10	0.4%	0.8%	1.4%	98.6%
Grade 11	0.9%	1.0%	2.0%	98.0%
Grade 12	0.4%	0.7%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 62 of 120

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	7.8%	11.9%	24.2%	75.8%
Grade 7	2.6%	4.4%	9.0%	91.0%
Grade 8	3.9%	5.7%	12.3%	87.7%
Grade 9	4.7%	6.9%	21.3%	78.7%
Grade 10	11.0%	16.0%	32.8%	67.2%
Grade 11	8.8%	15.2%	32.9%	67.1%
Grade 12	16.9%	25.1%	41.6%	58.4%
<b>Any Alcohol Product</b>				
All	26.5%	33.2%	54.3%	45.7%
Grade 7	14.1%	16.6%	34.4%	65.6%
Grade 8	12.3%	16.5%	39.6%	60.4%
Grade 9	25.1%	31.6%	57.1%	42.9%
Grade 10	32.8%	41.0%	60.5%	39.5%
Grade 11	34.5%	43.9%	67.1%	32.9%
Grade 12	45.3%	55.6%	73.7%	26.3%
<b>Any Illicit Drug</b>				
All	10.9%	14.0%	20.1%	79.9%
Grade 7	4.2%	5.4%	5.5%	94.5%
Grade 8	5.3%	6.1%	7.4%	92.6%
Grade 9	11.2%	13.8%	19.3%	80.7%
Grade 10	16.3%	19.4%	29.8%	70.2%
Grade 11	12.1%	18.0%	29.1%	70.9%
Grade 12	18.4%	24.4%	33.9%	66.1%
<b>Any Prescription Drug</b>				
All	8.4%	11.7%	16.5%	83.5%
Grade 7	10.4%	13.8%	18.5%	81.5%
Grade 8	4.2%	6.5%	9.2%	90.8%
Grade 9	11.4%	13.4%	19.2%	80.8%
Grade 10	9.3%	13.4%	20.9%	79.1%
Grade 11	8.3%	11.1%	14.6%	85.4%
Grade 12	7.0%	12.1%	17.1%	82.9%
<b>Any Inhalant</b>				
All	4.5%	5.9%	12.3%	87.7%
Grade 7	9.7%	11.0%	16.9%	83.1%
Grade 8	3.8%	6.4%	13.7%	86.3%
Grade 9	4.0%	4.9%	11.9%	88.1%
Grade 10	3.7%	4.8%	11.1%	88.9%
Grade 11	2.2%	3.4%	9.8%	90.2%
Grade 12	2.7%	4.0%	9.4%	90.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	4.6%	8.8%	20.2%	79.8%
Grade 7	1.9%	3.8%	7.8%	92.2%
Grade 8	2.4%	4.2%	10.7%	89.3%
Grade 9	2.0%	4.6%	18.5%	81.5%
Grade 10	8.8%	14.1%	29.6%	70.4%
Grade 11	3.5%	8.8%	25.4%	74.6%
Grade 12	9.0%	18.2%	32.6%	67.4%
<b>Marijuana</b>				
All	10.1%	12.6%	19.1%	80.9%
Grade 7	3.1%	3.9%	4.1%	95.9%
Grade 8	5.3%	6.1%	7.4%	92.6%
Grade 9	10.8%	13.4%	18.6%	81.4%
Grade 10	15.6%	18.1%	29.8%	70.2%
Grade 11	11.6%	16.0%	26.8%	73.2%
Grade 12	16.0%	20.5%	31.8%	68.2%
<b>Marijuana Only</b>				
All	5.3%	6.8%	12.0%	88.0%
Grade 7	1.3%	1.7%	1.8%	98.2%
Grade 8	2.4%	3.3%	4.3%	95.7%
Grade 9	3.4%	5.1%	9.5%	90.5%
Grade 10	8.4%	10.2%	20.5%	79.5%
Grade 11	7.9%	9.9%	18.6%	81.4%
Grade 12	9.0%	12.0%	19.9%	80.1%
<b>Cocaine or Crack</b>				
All	1.5%	1.8%	2.9%	97.1%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.8%	1.8%	2.3%	97.7%
Grade 9	2.2%	3.1%	4.4%	95.6%
Grade 10	1.3%	1.3%	2.1%	97.9%
Grade 11	0.8%	0.8%	3.5%	96.5%
Grade 12	3.0%	4.2%	5.6%	94.4%
<b>Cocaine</b>				
All	1.2%	1.5%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	1.5%	1.5%	2.0%	98.0%
Grade 9	2.2%	3.1%	4.4%	95.6%
Grade 10	1.3%	1.3%	2.1%	97.9%
Grade 11	0.8%	0.8%	3.5%	96.5%
Grade 12	1.4%	2.6%	4.0%	96.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.9%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.8%	98.2%
Grade 9	1.8%	1.8%	1.8%	98.2%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	1.9%	1.9%	2.1%	97.9%
<b>Hallucinogens</b>				
All	1.2%	1.7%	3.4%	96.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.5%	2.0%	98.0%
Grade 9	2.4%	2.4%	5.4%	94.6%
Grade 10	2.4%	3.4%	4.8%	95.2%
Grade 11	0.6%	1.3%	4.2%	95.8%
Grade 12	2.1%	2.7%	4.5%	95.5%
<b>Synthetic Cathinones</b>				
All	0.3%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.9%	1.4%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Steroids</b>				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.9%	0.9%	2.2%	97.8%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	1.8%	1.8%	1.8%	98.2%
Grade 10	0.3%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.6%	99.4%
<b>Ecstasy</b>				
All	1.3%	2.3%	4.2%	95.8%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.8%	0.8%	99.2%
Grade 9	2.2%	2.2%	4.4%	95.6%
Grade 10	1.8%	3.1%	6.4%	93.6%
Grade 11	1.4%	3.5%	5.4%	94.6%
Grade 12	2.7%	4.8%	9.0%	91.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.5%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.0%	1.0%	99.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	1.1%	1.5%	3.2%	96.8%
Grade 7	1.3%	2.1%	2.8%	97.2%
Grade 8	2.2%	2.2%	2.5%	97.5%
Grade 9	0.9%	1.6%	3.5%	96.5%
Grade 10	1.4%	1.4%	3.8%	96.2%
Grade 11	0.0%	0.0%	3.1%	96.9%
Grade 12	0.0%	1.0%	3.9%	96.1%
<b>Methamphetamine</b>				
All	0.5%	0.7%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	1.0%	1.6%	98.4%
Grade 9	2.2%	2.2%	2.2%	97.8%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.4%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 66 of 120

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.6%	21.6%	36.4%	63.6%
Grade 7	7.5%	10.3%	20.4%	79.6%
Grade 8	13.3%	14.8%	28.1%	71.9%
Grade 9	16.7%	19.5%	31.5%	68.5%
Grade 10	20.9%	26.6%	44.8%	55.2%
Grade 11	20.6%	25.0%	43.4%	56.6%
Grade 12	27.8%	35.0%	52.0%	48.0%
<b>Any Alcohol Product</b>				
All	35.8%	41.3%	58.8%	41.2%
Grade 7	18.1%	21.5%	38.8%	61.2%
Grade 8	28.9%	32.8%	52.2%	47.8%
Grade 9	33.5%	39.0%	59.4%	40.6%
Grade 10	42.1%	47.2%	64.1%	35.9%
Grade 11	43.3%	51.2%	67.1%	32.9%
Grade 12	50.5%	58.0%	72.0%	28.0%
<b>Any Illicit Drug</b>				
All	18.8%	23.9%	30.4%	69.6%
Grade 7	6.5%	9.6%	11.5%	88.5%
Grade 8	12.3%	16.4%	19.6%	80.4%
Grade 9	18.4%	22.3%	26.8%	73.2%
Grade 10	25.2%	31.7%	42.0%	58.0%
Grade 11	23.1%	29.7%	38.5%	61.5%
Grade 12	27.9%	35.0%	45.3%	54.7%
<b>Any Prescription Drug</b>				
All	9.9%	13.3%	18.7%	81.3%
Grade 7	8.4%	10.8%	14.9%	85.1%
Grade 8	6.0%	8.2%	13.5%	86.5%
Grade 9	10.8%	13.0%	17.7%	82.3%
Grade 10	10.2%	14.1%	20.7%	79.3%
Grade 11	10.6%	16.7%	22.6%	77.4%
Grade 12	13.9%	17.5%	23.6%	76.4%
<b>Any Inhalant</b>				
All	7.2%	9.1%	16.6%	83.4%
Grade 7	9.8%	11.1%	17.9%	82.1%
Grade 8	10.2%	13.1%	21.1%	78.9%
Grade 9	7.1%	8.4%	16.2%	83.8%
Grade 10	6.6%	8.4%	18.9%	81.1%
Grade 11	4.4%	7.0%	11.5%	88.5%
Grade 12	4.7%	6.4%	14.1%	85.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.6%	15.3%	29.8%	70.2%
Grade 7	5.2%	7.8%	16.1%	83.9%
Grade 8	9.6%	11.6%	23.2%	76.8%
Grade 9	11.2%	14.4%	26.9%	73.1%
Grade 10	9.3%	17.0%	38.0%	62.0%
Grade 11	12.4%	17.3%	34.0%	66.0%
Grade 12	16.9%	24.8%	42.2%	57.8%
<b>Marijuana</b>				
All	17.8%	21.6%	28.6%	71.4%
Grade 7	6.1%	7.3%	9.4%	90.6%
Grade 8	11.6%	13.5%	16.6%	83.4%
Grade 9	17.9%	20.6%	25.5%	74.5%
Grade 10	23.3%	28.5%	39.5%	60.5%
Grade 11	21.5%	27.3%	37.4%	62.6%
Grade 12	27.5%	33.6%	44.7%	55.3%
<b>Marijuana Only</b>				
All	8.0%	10.5%	15.6%	84.4%
Grade 7	3.2%	4.0%	5.4%	94.6%
Grade 8	5.7%	7.6%	10.2%	89.8%
Grade 9	7.8%	9.6%	12.4%	87.6%
Grade 10	10.8%	14.1%	22.6%	77.4%
Grade 11	8.7%	11.9%	19.6%	80.4%
Grade 12	12.5%	16.5%	24.3%	75.7%
<b>Cocaine or Crack</b>				
All	3.0%	3.5%	5.7%	94.3%
Grade 7	1.2%	1.2%	1.5%	98.5%
Grade 8	1.5%	1.8%	2.6%	97.4%
Grade 9	2.7%	3.1%	4.6%	95.4%
Grade 10	3.6%	3.8%	6.4%	93.6%
Grade 11	5.0%	5.7%	9.2%	90.8%
Grade 12	3.9%	5.3%	10.4%	89.6%
<b>Cocaine</b>				
All	2.6%	3.1%	5.3%	94.7%
Grade 7	1.0%	1.0%	1.2%	98.8%
Grade 8	1.2%	1.6%	2.4%	97.6%
Grade 9	1.9%	2.3%	3.6%	96.4%
Grade 10	2.9%	3.2%	5.7%	94.3%
Grade 11	5.0%	5.7%	9.2%	90.8%
Grade 12	3.7%	5.1%	10.2%	89.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.0%	1.0%	1.4%	98.6%
Grade 7	0.8%	0.8%	0.9%	99.1%
Grade 8	0.8%	0.9%	1.0%	99.0%
Grade 9	1.3%	1.4%	1.9%	98.1%
Grade 10	1.7%	1.8%	2.4%	97.6%
Grade 11	0.9%	0.9%	1.0%	99.0%
Grade 12	0.4%	0.4%	1.3%	98.7%
<b>Hallucinogens</b>				
All	1.4%	2.1%	4.5%	95.5%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.5%	0.5%	1.6%	98.4%
Grade 9	1.6%	2.0%	5.2%	94.8%
Grade 10	1.6%	2.2%	5.2%	94.8%
Grade 11	2.5%	4.1%	7.6%	92.4%
Grade 12	1.3%	2.9%	6.4%	93.6%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.1%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Steroids</b>				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.7%	0.8%	1.8%	98.2%
Grade 12	0.2%	0.5%	1.4%	98.6%
<b>Ecstasy</b>				
All	2.3%	3.9%	7.4%	92.6%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	0.5%	0.8%	2.1%	97.9%
Grade 9	1.7%	3.7%	6.2%	93.8%
Grade 10	3.4%	5.3%	10.3%	89.7%
Grade 11	4.9%	7.3%	12.4%	87.6%
Grade 12	2.8%	5.8%	12.8%	87.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.1%	0.3%	0.7%	99.3%
Grade 10	0.1%	0.4%	0.6%	99.4%
Grade 11	0.6%	0.9%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.7%	99.3%
<b>Synthetic Marijuana</b>				
All	1.8%	2.8%	6.6%	93.4%
Grade 7	0.7%	1.2%	3.0%	97.0%
Grade 8	2.5%	3.0%	4.9%	95.1%
Grade 9	2.1%	3.0%	7.2%	92.8%
Grade 10	2.6%	4.0%	7.4%	92.6%
Grade 11	1.4%	2.7%	8.6%	91.4%
Grade 12	1.4%	2.7%	8.2%	91.8%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.1%	0.2%	1.8%	98.2%
Grade 10	0.3%	0.8%	1.5%	98.5%
Grade 11	0.8%	1.0%	2.2%	97.8%
Grade 12	0.1%	0.3%	0.4%	99.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 70 of 120

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.3%	17.9%	29.9%	70.1%
Grade 7	5.4%	7.5%	14.3%	85.7%
Grade 8	11.0%	12.5%	22.5%	77.5%
Grade 9	14.7%	16.5%	26.9%	73.1%
Grade 10	17.0%	23.0%	38.3%	61.7%
Grade 11	14.7%	18.2%	35.0%	65.0%
Grade 12	25.7%	33.3%	46.7%	53.3%
<b>Any Alcohol Product</b>				
All	33.2%	38.5%	56.1%	43.9%
Grade 7	17.1%	19.0%	36.6%	63.4%
Grade 8	24.1%	28.5%	49.2%	50.8%
Grade 9	33.7%	38.3%	57.0%	43.0%
Grade 10	38.8%	43.3%	60.5%	39.5%
Grade 11	41.1%	49.2%	67.2%	32.8%
Grade 12	49.4%	58.5%	71.3%	28.7%
<b>Any Illicit Drug</b>				
All	15.0%	19.3%	24.7%	75.3%
Grade 7	5.0%	7.0%	8.0%	92.0%
Grade 8	10.3%	13.2%	15.9%	84.1%
Grade 9	14.6%	18.0%	22.0%	78.0%
Grade 10	22.5%	27.9%	35.8%	64.2%
Grade 11	17.6%	23.5%	31.2%	68.8%
Grade 12	22.5%	29.0%	39.5%	60.5%
<b>Any Prescription Drug</b>				
All	8.1%	11.8%	17.2%	82.8%
Grade 7	7.7%	9.9%	15.1%	84.9%
Grade 8	4.6%	7.2%	12.4%	87.6%
Grade 9	9.1%	12.7%	17.5%	82.5%
Grade 10	8.2%	12.1%	19.6%	80.4%
Grade 11	10.0%	15.0%	20.2%	79.8%
Grade 12	9.7%	14.8%	19.4%	80.6%
<b>Any Inhalant</b>				
All	7.1%	8.9%	15.9%	84.1%
Grade 7	9.0%	10.1%	16.3%	83.7%
Grade 8	10.0%	13.5%	22.5%	77.5%
Grade 9	7.4%	8.5%	16.1%	83.9%
Grade 10	6.4%	8.3%	15.9%	84.1%
Grade 11	5.5%	7.6%	13.1%	86.9%
Grade 12	3.5%	4.2%	10.0%	90.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.9%	13.2%	25.4%	74.6%
Grade 7	3.4%	5.5%	11.5%	88.5%
Grade 8	8.3%	10.3%	19.2%	80.8%
Grade 9	10.9%	13.2%	22.8%	77.2%
Grade 10	9.0%	16.4%	33.3%	66.7%
Grade 11	9.0%	13.4%	29.7%	70.3%
Grade 12	14.1%	22.8%	39.9%	60.1%
<b>Marijuana</b>				
All	14.1%	17.3%	23.0%	77.0%
Grade 7	4.1%	4.8%	6.1%	93.9%
Grade 8	9.6%	10.8%	13.4%	86.6%
Grade 9	14.1%	16.6%	20.4%	79.6%
Grade 10	20.7%	25.3%	33.9%	66.1%
Grade 11	16.1%	21.7%	29.7%	70.3%
Grade 12	22.5%	27.8%	39.1%	60.9%
<b>Marijuana Only</b>				
All	6.6%	8.6%	13.0%	87.0%
Grade 7	1.4%	1.9%	2.5%	97.5%
Grade 8	4.8%	5.9%	8.1%	91.9%
Grade 9	4.7%	6.4%	9.2%	90.8%
Grade 10	11.0%	14.1%	20.8%	79.2%
Grade 11	8.1%	10.4%	16.8%	83.2%
Grade 12	10.7%	14.6%	23.3%	76.7%
<b>Cocaine or Crack</b>				
All	2.6%	3.1%	4.6%	95.4%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	1.4%	1.7%	2.0%	98.0%
Grade 9	3.3%	3.8%	5.2%	94.8%
Grade 10	3.1%	3.1%	4.7%	95.3%
Grade 11	2.1%	2.7%	6.1%	93.9%
Grade 12	5.0%	6.7%	9.3%	90.7%
<b>Cocaine</b>				
All	2.2%	2.7%	4.2%	95.8%
Grade 7	0.8%	0.8%	0.9%	99.1%
Grade 8	1.0%	1.4%	1.7%	98.3%
Grade 9	2.6%	3.0%	4.4%	95.6%
Grade 10	2.5%	2.5%	4.1%	95.9%
Grade 11	2.1%	2.7%	6.1%	93.9%
Grade 12	4.7%	6.4%	9.1%	90.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.9%	1.2%	98.8%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	1.2%	1.3%	1.5%	98.5%
Grade 10	1.1%	1.1%	1.4%	98.6%
Grade 11	0.7%	0.7%	1.1%	98.9%
Grade 12	0.5%	0.8%	1.6%	98.4%
<b>Hallucinogens</b>				
All	1.1%	1.7%	3.2%	96.8%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.8%	0.8%	1.9%	98.1%
Grade 9	0.8%	1.3%	4.0%	96.0%
Grade 10	1.9%	2.5%	3.7%	96.3%
Grade 11	1.8%	2.7%	4.5%	95.5%
Grade 12	0.8%	2.2%	4.6%	95.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.4%	0.7%	99.3%
<b>Steroids</b>				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	1.1%	98.9%
Grade 8	0.2%	0.5%	1.2%	98.8%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.6%	0.8%	0.9%	99.1%
Grade 12	0.1%	0.8%	1.0%	99.0%
<b>Ecstasy</b>				
All	1.4%	2.9%	5.3%	94.7%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.2%	0.5%	1.1%	98.9%
Grade 9	1.5%	3.4%	5.5%	94.5%
Grade 10	2.7%	4.9%	8.4%	91.6%
Grade 11	2.3%	4.6%	8.5%	91.5%
Grade 12	1.1%	3.8%	8.6%	91.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.3%	0.7%	1.3%	98.7%
Grade 9	0.1%	0.3%	0.7%	99.3%
Grade 10	0.1%	0.2%	0.3%	99.7%
Grade 11	0.6%	0.9%	0.9%	99.1%
Grade 12	0.4%	0.4%	1.2%	98.8%
<b>Synthetic Marijuana</b>				
All	1.6%	2.4%	5.0%	95.0%
Grade 7	0.9%	1.2%	2.7%	97.3%
Grade 8	2.2%	2.7%	4.1%	95.9%
Grade 9	2.7%	3.6%	5.7%	94.3%
Grade 10	1.7%	2.3%	5.0%	95.0%
Grade 11	1.3%	2.9%	6.4%	93.6%
Grade 12	0.8%	1.7%	6.3%	93.7%
<b>Methamphetamine</b>				
All	0.4%	0.7%	1.4%	98.6%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.2%	0.7%	1.1%	98.9%
Grade 9	0.1%	0.3%	1.9%	98.1%
Grade 10	0.6%	0.8%	1.4%	98.6%
Grade 11	0.8%	1.1%	1.8%	98.2%
Grade 12	0.7%	1.3%	1.8%	98.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 74 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.6%	23.4%	40.7%	59.3%
Grade 7	8.7%	11.4%	22.6%	77.4%
Grade 8	14.2%	16.1%	31.1%	68.9%
Grade 9	15.2%	19.1%	35.1%	64.9%
Grade 10	21.6%	27.3%	47.5%	52.5%
Grade 11	23.8%	30.3%	51.5%	48.5%
Grade 12	27.1%	35.5%	54.5%	45.5%
<b>Any Alcohol Product</b>				
All	36.2%	42.6%	62.0%	38.0%
Grade 7	19.0%	23.1%	41.8%	58.2%
Grade 8	27.2%	30.9%	50.8%	49.2%
Grade 9	31.7%	38.3%	62.7%	37.3%
Grade 10	41.4%	48.8%	66.9%	33.1%
Grade 11	45.3%	52.9%	69.7%	30.3%
Grade 12	51.0%	59.4%	76.8%	23.2%
<b>Any Illicit Drug</b>				
All	20.7%	25.8%	33.8%	66.2%
Grade 7	9.6%	12.6%	14.6%	85.4%
Grade 8	13.4%	17.3%	20.9%	79.1%
Grade 9	18.5%	22.1%	28.3%	71.7%
Grade 10	23.7%	30.5%	43.4%	56.6%
Grade 11	28.6%	35.2%	45.0%	55.0%
Grade 12	29.1%	35.2%	48.2%	51.8%
<b>Any Prescription Drug</b>				
All	11.5%	15.5%	21.9%	78.1%
Grade 7	10.6%	14.0%	18.3%	81.7%
Grade 8	7.1%	10.2%	16.2%	83.8%
Grade 9	13.6%	14.6%	20.5%	79.5%
Grade 10	11.7%	16.8%	24.1%	75.9%
Grade 11	10.8%	17.1%	24.9%	75.1%
Grade 12	15.0%	20.3%	27.1%	72.9%
<b>Any Inhalant</b>				
All	6.2%	8.0%	15.2%	84.8%
Grade 7	10.6%	12.4%	19.5%	80.5%
Grade 8	7.4%	9.5%	16.2%	83.8%
Grade 9	6.6%	7.3%	13.8%	86.2%
Grade 10	5.4%	7.0%	17.6%	82.4%
Grade 11	3.0%	5.5%	9.3%	90.7%
Grade 12	5.2%	7.3%	15.9%	84.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.2%	16.2%	32.6%	67.4%
Grade 7	6.8%	9.2%	17.9%	82.1%
Grade 8	9.9%	12.0%	25.3%	74.7%
Grade 9	9.6%	13.9%	30.2%	69.8%
Grade 10	10.9%	18.0%	40.6%	59.4%
Grade 11	13.4%	19.2%	38.6%	61.4%
Grade 12	16.5%	24.4%	40.6%	59.4%
<b>Marijuana</b>				
All	19.8%	23.7%	32.4%	67.6%
Grade 7	9.4%	10.9%	12.6%	87.4%
Grade 8	13.4%	16.1%	19.9%	80.1%
Grade 9	17.9%	20.8%	27.0%	73.0%
Grade 10	22.5%	28.3%	41.8%	58.2%
Grade 11	26.8%	32.5%	44.0%	56.0%
Grade 12	27.3%	32.0%	46.3%	53.7%
<b>Marijuana Only</b>				
All	8.7%	11.4%	17.9%	82.1%
Grade 7	5.5%	6.5%	8.1%	91.9%
Grade 8	6.1%	8.7%	11.6%	88.4%
Grade 9	9.0%	10.6%	14.7%	85.3%
Grade 10	8.6%	13.1%	24.3%	75.7%
Grade 11	10.6%	13.5%	22.3%	77.7%
Grade 12	12.0%	14.9%	24.7%	75.3%
<b>Cocaine or Crack</b>				
All	3.4%	3.8%	6.3%	93.7%
Grade 7	1.2%	1.2%	1.8%	98.2%
Grade 8	2.4%	2.4%	4.1%	95.9%
Grade 9	2.2%	2.7%	4.1%	95.9%
Grade 10	2.8%	3.1%	5.9%	94.1%
Grade 11	7.5%	7.9%	11.3%	88.7%
Grade 12	4.3%	5.2%	10.6%	89.4%
<b>Cocaine</b>				
All	3.1%	3.5%	5.8%	94.2%
Grade 7	1.0%	1.0%	1.3%	98.7%
Grade 8	2.1%	2.1%	3.4%	96.6%
Grade 9	1.8%	2.3%	3.4%	96.7%
Grade 10	2.5%	2.8%	5.6%	94.4%
Grade 11	7.5%	7.9%	11.3%	88.7%
Grade 12	3.5%	4.4%	9.7%	90.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 76 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.1%	1.2%	1.8%	98.2%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	1.4%	1.4%	2.2%	97.8%
Grade 9	1.2%	1.2%	1.8%	98.2%
Grade 10	1.1%	1.4%	2.2%	97.8%
Grade 11	1.1%	1.1%	1.2%	98.8%
Grade 12	1.0%	1.0%	2.6%	97.4%
<b>Hallucinogens</b>				
All	1.8%	2.7%	5.9%	94.1%
Grade 7	1.1%	1.1%	1.5%	98.5%
Grade 8	0.0%	0.3%	1.7%	98.3%
Grade 9	2.2%	2.8%	6.0%	94.0%
Grade 10	1.9%	3.5%	7.4%	92.6%
Grade 11	2.8%	4.6%	10.0%	90.0%
Grade 12	2.3%	3.6%	7.8%	92.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.6%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.3%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.2%	99.8%
<b>Steroids</b>				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.9%	0.9%	1.5%	98.5%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.7%	0.7%	1.4%	98.6%
Grade 10	0.0%	0.3%	1.0%	99.0%
Grade 11	0.3%	0.3%	1.7%	98.3%
Grade 12	0.3%	0.3%	1.6%	98.4%
<b>Ecstasy</b>				
All	3.2%	4.7%	8.8%	91.2%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	0.3%	1.0%	2.6%	97.4%
Grade 9	1.7%	3.0%	6.3%	93.7%
Grade 10	4.3%	6.1%	11.4%	88.6%
Grade 11	7.1%	9.7%	14.6%	85.4%
Grade 12	4.8%	7.4%	16.0%	84.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 77 of 120



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.4%	0.6%	0.8%	99.2%
Grade 10	0.0%	0.3%	0.6%	99.4%
Grade 11	0.4%	0.4%	1.6%	98.4%
Grade 12	0.2%	0.2%	1.3%	98.7%
<b>Synthetic Marijuana</b>				
All	2.0%	3.1%	7.1%	92.9%
Grade 7	1.2%	2.2%	3.4%	96.6%
Grade 8	3.2%	4.0%	5.6%	94.4%
Grade 9	1.0%	2.1%	6.9%	93.1%
Grade 10	2.7%	4.2%	7.8%	92.2%
Grade 11	1.6%	2.3%	9.5%	90.5%
Grade 12	2.1%	3.8%	9.1%	90.9%
<b>Methamphetamine</b>				
All	0.7%	0.8%	1.6%	98.4%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	1.1%	1.1%	2.1%	97.9%
Grade 9	1.1%	1.1%	2.1%	97.9%
Grade 10	0.4%	1.0%	1.5%	98.5%
Grade 11	0.8%	0.8%	1.9%	98.1%
Grade 12	0.0%	0.2%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.8%	18.7%	32.2%	67.8%
Grade 7	5.4%	7.9%	15.9%	84.1%
Grade 8	10.7%	12.4%	22.8%	77.2%
Grade 9	14.1%	17.0%	29.5%	70.5%
Grade 10	16.8%	22.0%	38.8%	61.2%
Grade 11	18.0%	21.7%	39.5%	60.5%
Grade 12	25.3%	33.7%	49.7%	50.3%
<b>Any Alcohol Product</b>				
All	33.0%	38.7%	57.6%	42.4%
Grade 7	16.0%	18.9%	37.7%	62.3%
Grade 8	23.2%	27.1%	47.8%	52.2%
Grade 9	31.3%	36.9%	58.5%	41.5%
Grade 10	38.8%	44.2%	61.4%	38.6%
Grade 11	42.1%	50.0%	68.4%	31.6%
Grade 12	49.5%	58.3%	74.5%	25.5%
<b>Any Illicit Drug</b>				
All	15.6%	19.7%	26.1%	73.9%
Grade 7	5.1%	7.3%	8.6%	91.4%
Grade 8	9.0%	12.2%	14.5%	85.5%
Grade 9	15.4%	17.7%	22.4%	77.6%
Grade 10	21.0%	27.2%	37.8%	62.2%
Grade 11	20.6%	25.7%	34.2%	65.8%
Grade 12	23.8%	30.0%	41.7%	58.3%
<b>Any Prescription Drug</b>				
All	9.3%	12.8%	18.1%	81.9%
Grade 7	8.7%	11.3%	15.6%	84.4%
Grade 8	5.4%	8.1%	13.0%	87.0%
Grade 9	11.3%	13.2%	17.4%	82.6%
Grade 10	9.4%	13.8%	21.5%	78.5%
Grade 11	9.4%	14.7%	20.1%	79.9%
Grade 12	11.7%	16.4%	21.9%	78.1%
<b>Any Inhalant</b>				
All	6.1%	7.5%	14.3%	85.7%
Grade 7	8.4%	9.7%	16.1%	83.9%
Grade 8	8.1%	10.6%	18.6%	81.4%
Grade 9	6.2%	6.6%	13.1%	86.9%
Grade 10	5.3%	6.9%	15.4%	84.6%
Grade 11	3.9%	5.4%	10.1%	89.9%
Grade 12	4.1%	5.3%	12.2%	87.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.3%	13.7%	26.8%	73.2%
Grade 7	3.8%	6.1%	12.8%	87.2%
Grade 8	8.1%	10.2%	19.8%	80.2%
Grade 9	9.5%	12.9%	25.0%	75.0%
Grade 10	9.1%	15.3%	33.4%	66.6%
Grade 11	11.2%	15.8%	32.4%	67.6%
Grade 12	15.0%	23.5%	39.4%	60.6%
<b>Marijuana</b>				
All	14.8%	18.1%	24.7%	75.3%
Grade 7	4.5%	5.6%	7.1%	92.9%
Grade 8	8.8%	10.7%	12.8%	87.2%
Grade 9	14.8%	16.8%	21.3%	78.7%
Grade 10	19.6%	24.6%	35.8%	64.2%
Grade 11	19.5%	24.1%	33.0%	67.0%
Grade 12	23.2%	28.3%	40.9%	59.1%
<b>Marijuana Only</b>				
All	7.2%	9.3%	14.6%	85.4%
Grade 7	2.2%	3.0%	4.0%	96.0%
Grade 8	4.8%	6.6%	8.3%	91.7%
Grade 9	6.9%	7.8%	11.2%	88.8%
Grade 10	9.7%	13.5%	22.8%	77.2%
Grade 11	8.9%	10.8%	18.1%	81.9%
Grade 12	11.3%	15.3%	24.7%	75.3%
<b>Cocaine or Crack</b>				
All	2.3%	2.8%	4.4%	95.6%
Grade 7	0.9%	0.9%	1.1%	98.9%
Grade 8	0.8%	1.0%	1.8%	98.2%
Grade 9	2.6%	3.2%	4.3%	95.7%
Grade 10	2.6%	2.7%	4.3%	95.7%
Grade 11	3.5%	4.0%	7.1%	92.9%
Grade 12	4.0%	5.1%	8.7%	91.3%
<b>Cocaine</b>				
All	2.1%	2.5%	4.1%	95.9%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.6%	0.9%	1.6%	98.4%
Grade 9	2.1%	2.7%	3.6%	96.4%
Grade 10	2.3%	2.4%	4.0%	96.0%
Grade 11	3.5%	4.0%	7.1%	92.9%
Grade 12	3.6%	4.7%	8.3%	91.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.8%	1.1%	98.9%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	1.3%	1.4%	1.8%	98.2%
Grade 10	1.1%	1.3%	1.4%	98.6%
Grade 11	0.5%	0.5%	0.6%	99.4%
Grade 12	0.7%	0.7%	1.5%	98.5%
<b>Hallucinogens</b>				
All	1.3%	1.8%	3.7%	96.3%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.4%	1.3%	98.7%
Grade 9	1.2%	1.8%	4.4%	95.6%
Grade 10	1.9%	2.8%	4.7%	95.3%
Grade 11	2.3%	3.2%	6.1%	93.9%
Grade 12	1.3%	2.6%	5.4%	94.6%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Steroids</b>				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.3%	0.3%	1.2%	98.8%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.0%	0.1%	0.6%	99.4%
Grade 11	0.4%	0.6%	1.2%	98.8%
Grade 12	0.1%	0.2%	0.7%	99.3%
<b>Ecstasy</b>				
All	1.7%	2.8%	5.7%	94.3%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.5%	1.5%	98.5%
Grade 9	1.1%	2.1%	4.7%	95.3%
Grade 10	3.0%	4.4%	8.5%	91.5%
Grade 11	3.7%	5.8%	9.5%	90.5%
Grade 12	1.8%	4.0%	10.2%	89.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.4%	0.6%	99.4%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.3%	0.7%	99.3%
Grade 10	0.1%	0.3%	0.5%	99.5%
Grade 11	0.4%	0.5%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	1.4%	2.3%	4.9%	95.1%
Grade 7	0.7%	1.1%	2.4%	97.6%
Grade 8	1.3%	2.0%	3.3%	96.7%
Grade 9	1.8%	2.8%	5.3%	94.7%
Grade 10	1.9%	2.7%	4.8%	95.2%
Grade 11	1.3%	2.5%	7.2%	92.8%
Grade 12	1.3%	2.4%	6.4%	93.6%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.6%	0.7%	2.1%	97.9%
Grade 10	0.4%	0.7%	1.2%	98.8%
Grade 11	0.5%	0.6%	0.8%	99.2%
Grade 12	0.3%	0.6%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	22.3%	28.2%	45.4%	54.6%
Grade 7	14.4%	16.0%	27.3%	72.7%
Grade 8	19.3%	22.1%	39.7%	60.3%
Grade 9	20.5%	23.5%	40.0%	60.0%
Grade 10	25.0%	35.5%	55.9%	44.1%
Grade 11	21.7%	32.2%	54.1%	45.9%
Grade 12	31.9%	37.7%	51.6%	48.4%
<b>Any Alcohol Product</b>				
All	43.6%	50.5%	66.2%	33.8%
Grade 7	32.7%	35.1%	49.1%	50.9%
Grade 8	37.6%	43.4%	59.6%	40.4%
Grade 9	42.6%	49.8%	69.9%	30.1%
Grade 10	46.4%	54.6%	71.4%	28.6%
Grade 11	49.1%	56.9%	71.5%	28.5%
Grade 12	51.0%	60.3%	71.0%	29.0%
<b>Any Illicit Drug</b>				
All	28.3%	36.3%	43.8%	56.2%
Grade 7	16.2%	19.5%	21.0%	79.0%
Grade 8	27.2%	31.9%	40.5%	59.5%
Grade 9	25.2%	35.7%	41.5%	58.5%
Grade 10	32.6%	38.9%	48.2%	51.8%
Grade 11	32.2%	46.8%	54.4%	45.6%
Grade 12	34.3%	41.8%	52.9%	47.1%
<b>Any Prescription Drug</b>				
All	11.8%	16.3%	25.3%	74.7%
Grade 7	9.2%	12.2%	20.0%	80.0%
Grade 8	9.6%	12.9%	22.2%	77.8%
Grade 9	11.9%	15.6%	26.2%	73.8%
Grade 10	12.9%	14.9%	21.0%	79.0%
Grade 11	15.3%	21.6%	33.7%	66.3%
Grade 12	11.2%	20.2%	28.2%	71.8%
<b>Any Inhalant</b>				
All	10.7%	14.5%	23.0%	77.0%
Grade 7	20.0%	21.2%	28.0%	72.0%
Grade 8	14.6%	20.0%	28.6%	71.4%
Grade 9	11.2%	15.8%	26.3%	73.7%
Grade 10	10.0%	12.1%	24.8%	75.2%
Grade 11	6.4%	13.1%	17.5%	82.5%
Grade 12	3.6%	5.6%	12.6%	87.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.5%	19.9%	37.9%	62.1%
Grade 7	10.2%	11.8%	23.7%	76.3%
Grade 8	14.4%	17.2%	30.4%	69.6%
Grade 9	15.6%	19.1%	36.2%	63.8%
Grade 10	12.3%	25.0%	49.2%	50.8%
Grade 11	10.7%	18.9%	38.8%	61.2%
Grade 12	17.8%	25.6%	45.0%	55.0%
<b>Marijuana</b>				
All	26.2%	32.2%	41.2%	58.8%
Grade 7	15.6%	16.4%	17.5%	82.5%
Grade 8	25.8%	27.9%	37.6%	62.4%
Grade 9	24.6%	31.8%	38.3%	61.7%
Grade 10	29.7%	35.6%	46.6%	53.4%
Grade 11	27.6%	40.9%	52.3%	47.7%
Grade 12	31.9%	37.2%	51.0%	49.0%
<b>Marijuana Only</b>				
All	9.6%	13.2%	18.9%	81.1%
Grade 7	7.3%	7.3%	8.0%	92.0%
Grade 8	9.6%	11.8%	19.4%	80.6%
Grade 9	6.7%	13.0%	16.1%	83.9%
Grade 10	12.2%	15.5%	22.7%	77.3%
Grade 11	11.8%	19.4%	25.6%	74.4%
Grade 12	9.4%	10.6%	19.4%	80.6%
<b>Cocaine or Crack</b>				
All	6.8%	7.5%	10.4%	89.6%
Grade 7	3.6%	3.6%	3.9%	96.1%
Grade 8	6.4%	6.4%	8.5%	91.5%
Grade 9	6.0%	6.0%	7.6%	92.4%
Grade 10	5.7%	6.0%	11.1%	88.9%
Grade 11	9.8%	10.9%	13.2%	86.8%
Grade 12	9.5%	12.5%	17.4%	82.6%
<b>Cocaine</b>				
All	5.9%	6.6%	9.2%	90.8%
Grade 7	2.8%	2.8%	3.2%	96.8%
Grade 8	4.8%	4.8%	5.7%	94.3%
Grade 9	4.9%	4.9%	6.5%	93.5%
Grade 10	4.3%	4.7%	9.8%	90.2%
Grade 11	9.8%	10.9%	13.2%	86.8%
Grade 12	8.5%	11.5%	16.4%	83.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	2.3%	2.6%	4.2%	95.8%
Grade 7	3.2%	3.2%	3.2%	96.8%
Grade 8	4.0%	4.0%	7.0%	93.0%
Grade 9	2.2%	2.2%	2.2%	97.8%
Grade 10	1.3%	1.7%	4.2%	95.8%
Grade 11	2.5%	2.5%	4.1%	95.9%
Grade 12	1.0%	2.4%	4.6%	95.4%
<b>Hallucinogens</b>				
All	1.9%	3.5%	8.1%	91.9%
Grade 7	1.5%	1.5%	3.8%	96.2%
Grade 8	1.1%	2.0%	5.1%	94.9%
Grade 9	3.5%	3.5%	7.8%	92.2%
Grade 10	1.6%	3.3%	8.3%	91.7%
Grade 11	1.3%	5.5%	12.8%	87.2%
Grade 12	2.1%	4.6%	10.0%	90.0%
<b>Synthetic Cathinones</b>				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	1.4%	1.4%	2.4%	97.6%
Grade 9	1.1%	1.1%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	2.0%	2.0%	98.0%
<b>Steroids</b>				
All	0.9%	1.4%	2.2%	97.8%
Grade 7	1.0%	1.0%	1.7%	98.3%
Grade 8	1.6%	3.2%	3.8%	96.2%
Grade 9	1.1%	1.1%	1.6%	98.4%
Grade 10	0.4%	0.4%	1.4%	98.6%
Grade 11	0.7%	0.7%	1.5%	98.5%
Grade 12	1.0%	2.4%	3.9%	96.1%
<b>Ecstasy</b>				
All	4.5%	8.5%	13.1%	86.9%
Grade 7	1.4%	1.8%	2.6%	97.4%
Grade 8	0.0%	2.1%	3.1%	96.9%
Grade 9	4.6%	9.6%	12.9%	87.1%
Grade 10	5.1%	9.9%	16.0%	84.0%
Grade 11	7.2%	11.9%	18.5%	81.5%
Grade 12	7.9%	14.3%	23.7%	76.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.6%	1.0%	2.2%	97.8%
Grade 7	0.0%	0.4%	2.2%	97.8%
Grade 8	1.4%	3.3%	4.4%	95.6%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.4%	1.0%	2.2%	97.8%
Grade 12	0.6%	0.6%	3.4%	96.6%
<b>Synthetic Marijuana</b>				
All	3.7%	4.8%	11.1%	88.9%
Grade 7	2.0%	2.8%	5.8%	94.2%
Grade 8	8.2%	8.2%	11.2%	88.8%
Grade 9	4.7%	5.8%	12.8%	87.2%
Grade 10	2.5%	5.3%	11.2%	88.8%
Grade 11	2.6%	2.6%	10.0%	90.0%
Grade 12	2.3%	3.4%	14.9%	85.1%
<b>Methamphetamine</b>				
All	1.5%	2.3%	3.6%	96.4%
Grade 7	1.1%	1.1%	3.7%	96.3%
Grade 8	3.3%	4.7%	5.7%	94.3%
Grade 9	1.6%	1.6%	2.7%	97.3%
Grade 10	0.4%	1.6%	2.5%	97.5%
Grade 11	2.1%	2.5%	5.1%	94.9%
Grade 12	0.9%	2.3%	2.3%	97.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	38,454	50.3%
Female	38,016	49.7%
Frequency Missing	607	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	5,811	7.6%
Yes	70,427	92.4%
Frequency Missing	840	

**Grade**

Q2	Frequency	Percent
Grade 7	12,646	16.5%
Grade 8	12,876	16.8%
Grade 9	13,912	18.2%
Grade 10	13,335	17.4%
Grade 11	12,680	16.5%
Grade 12	11,176	14.6%
Frequency Missing	452	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	2,264	3.5%
Asian American	280	0.4%
African American	2,875	4.5%
Pacific Islander	290	0.5%
White	32,747	51.1%
Other	17,350	27.1%
More Than One Race	8,234	12.9%
Frequency Missing	13,038	

**Live with Both Parents**

Q3	Frequency	Percent
No	32,095	42.3%
Yes	43,848	57.7%
Frequency Missing	1,135	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	374	0.6%
Mostly D's	1,476	2.2%
Mostly C's	11,236	17.1%
Mostly B's	35,980	54.7%
Mostly A's	16,682	25.4%
Frequency Missing	11,330	

**Age**

Q4	Frequency	Percent
11 Or Younger	98	0.1%
12	4,757	6.2%
13	12,382	16.2%
14	12,096	15.8%
15	13,282	17.3%
16	13,350	17.4%
17	12,907	16.8%
18	6,858	9.0%
19 Or Older	880	1.1%
Frequency Missing	466	

**Do You Have a Job**

Q7	Frequency	Percent
No	58,036	87.5%
Yes	8,283	12.5%
Frequency Missing	10,758	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	13,638	20.7%
Yes	39,540	59.9%
Don't Know	12,797	19.4%
Frequency Missing	11,101	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	52,852	92.1%
Yes	4,533	7.9%
Frequency Missing	19,692	

**Participate in School Athletics (UTL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	31,636	50.5%
Yes	31,067	49.5%
Frequency Missing	14,374	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	45,561	78.4%
Yes	12,520	21.6%
Frequency Missing	18,997	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	46,111	78.3%
Yes	12,774	21.7%
Frequency Missing	18,192	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	42,362	72.8%
Yes	15,840	27.2%
Frequency Missing	18,876	

**Participate in School Choir**

Q9c	Frequency	Percent
No	52,181	91.6%
Yes	4,784	8.4%
Frequency Missing	20,112	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	38,685	65.2%
Yes	20,686	34.8%
Frequency Missing	17,706	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	53,630	93.3%
Yes	3,827	6.7%
Frequency Missing	19,620	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	46,029	79.8%
Yes	11,687	20.2%
Frequency Missing	19,361	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	66,568	86.9%
Somewhat Safe	8,885	11.6%
Not Very Safe	557	0.7%
Not Safe At All	229	0.3%
Don't Know	383	0.5%
Frequency Missing	456	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School Or Less	7,269	10.1%
Some High School	10,351	14.4%
Finished High School	14,444	20.0%
Some College	11,756	16.3%
Finished College	12,133	16.8%
Post-Secondary	7,629	10.6%
Don't Know Or N/A	8,463	11.7%
Frequency Missing	5,032	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	31,302	41.2%
Somewhat Safe	37,370	49.2%
Not Very Safe	4,781	6.3%
Not Safe At All	881	1.2%
Don't Know	1,687	2.2%
Frequency Missing	1,057	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	41,815	67.4%
Yes	20,230	32.6%
Frequency Missing	15,032	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	29,795	39.2%
Somewhat Safe	35,305	46.4%
Not Very Safe	5,950	7.8%
Not Safe At All	2,184	2.9%
Don't Know	2,792	3.7%
Frequency Missing	1,051	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	4,950	6.5%
A Few	19,301	25.5%
Some	19,147	25.3%
Most	25,294	33.4%
All	6,943	9.2%
Frequency Missing	1,442	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School Or Less	7,202	10.1%
Some High School	10,341	14.5%
Finished High School	16,007	22.4%
Some College	9,127	12.8%
Finished College	9,289	13.0%
Post-Secondary	6,239	8.7%
Don't Know Or N/A	13,254	18.5%
Frequency Missing	5,619	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	1,962	2.6%
A Few	10,695	14.1%
Some	19,657	26.0%
Most	30,494	40.3%
All	12,849	17.0%
Frequency Missing	1,421	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	41,493	56.0%
A Few	18,855	25.4%
Some	9,330	12.6%
Most	3,079	4.2%
All	1,368	1.8%
Frequency Missing	2,952	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	71,237	93.9%
In Your Lifetime	2,862	3.8%
Since School Began	460	0.6%
In The Past Month	1,295	1.7%
Frequency Missing	1,223	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	61,004	81.4%
A Few	9,141	12.2%
Some	2,897	3.9%
Most	1,223	1.6%
All	687	0.9%
Frequency Missing	2,126	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	73,479	97.6%
In Your Lifetime	1,032	1.4%
Since School Began	215	0.3%
In The Past Month	539	0.7%
Frequency Missing	1,812	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	59,794	79.3%
A Few	9,936	13.2%
Some	3,627	4.8%
Most	1,441	1.9%
All	617	0.8%
Frequency Missing	1,662	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	69,586	91.9%
In Your Lifetime	3,494	4.6%
Since School Began	793	1.0%
In The Past Month	1,876	2.5%
Frequency Missing	1,328	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	73,941	97.4%
In Your Lifetime	1,336	1.8%
Since School Began	162	0.2%
In The Past Month	475	0.6%
Frequency Missing	1,164	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	74,216	98.5%
In Your Lifetime	560	0.7%
Since School Began	262	0.3%
In The Past Month	338	0.4%
Frequency Missing	1,701	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	74,440	98.6%
In Your Lifetime	576	0.8%
Since School Began	123	0.2%
In The Past Month	324	0.4%
Frequency Missing	1,614	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	69,206	92.4%
In Your Lifetime	2,849	3.8%
Since School Began	669	0.9%
In The Past Month	2,178	2.9%
Frequency Missing	2,175	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	73,738	97.6%
In Your Lifetime	816	1.1%
Since School Began	168	0.2%
In The Past Month	793	1.1%
Frequency Missing	1,563	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	42,398	57.3%
In Your Lifetime	13,445	18.2%
Since School Began	5,264	7.1%
In The Past Month	12,898	17.4%
Frequency Missing	3,072	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	73,882	97.7%
In Your Lifetime	837	1.1%
Since School Began	258	0.3%
In The Past Month	680	0.9%
Frequency Missing	1,421	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	50,973	68.2%
In Your Lifetime	9,481	12.7%
Since School Began	4,242	5.7%
In The Past Month	10,057	13.5%
Frequency Missing	2,324	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	60,463	80.1%
In Your Lifetime	8,185	10.8%
Since School Began	2,081	2.8%
In The Past Month	4,768	6.3%
Frequency Missing	1,580	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	49,886	67.6%
In Your Lifetime	12,539	17.0%
Since School Began	3,735	5.1%
In The Past Month	7,590	10.3%
Frequency Missing	3,327	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	48,560	64.7%
In Your Lifetime	10,794	14.4%
Since School Began	4,890	6.5%
In The Past Month	10,761	14.3%
Frequency Missing	2,073	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	72,213	95.5%
In Your Lifetime	1,795	2.4%
Since School Began	536	0.7%
In The Past Month	1,053	1.4%
Frequency Missing	1,480	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	72,125	95.6%
In Your Lifetime	2,147	2.8%
Since School Began	357	0.5%
In The Past Month	842	1.1%
Frequency Missing	1,606	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	74,385	99.1%
In Your Lifetime	440	0.6%
Since School Began	54	0.1%
In The Past Month	182	0.2%
Frequency Missing	2,016	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	54,241	71.5%
In Your Lifetime	10,555	13.9%
Since School Began	3,489	4.6%
In The Past Month	7,546	10.0%
Frequency Missing	1,247	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	71,929	95.6%
In Your Lifetime	1,677	2.2%
Since School Began	543	0.7%
In The Past Month	1,051	1.4%
Frequency Missing	1,876	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	56,421	74.6%
In Your Lifetime	8,872	11.7%
Since School Began	3,250	4.3%
In The Past Month	7,126	9.4%
Frequency Missing	1,409	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	74,970	99.5%
In Your Lifetime	223	0.3%
Since School Began	66	0.1%
In The Past Month	89	0.1%
Frequency Missing	1,729	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	74,819	99.1%
In Your Lifetime	435	0.6%
Since School Began	57	0.1%
In The Past Month	161	0.2%
Frequency Missing	1,604	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	71,556	94.8%
In Your Lifetime	2,437	3.2%
Since School Began	527	0.7%
In The Past Month	998	1.3%
Frequency Missing	1,560	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	70,582	93.8%
In Your Lifetime	2,375	3.2%
Since School Began	904	1.2%
In The Past Month	1,423	1.9%
Frequency Missing	1,794	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	63,869	85.4%
In Your Lifetime	4,048	5.4%
Since School Began	2,225	3.0%
In The Past Month	4,643	6.2%
Frequency Missing	2,293	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	75,001	99.4%
In Your Lifetime	310	0.4%
Since School Began	28	0.0%
In The Past Month	124	0.2%
Frequency Missing	1,615	

**Recent Prescription Drug Use - Percocets Etc**

Q17b	Frequency	Percent
Never Heard/Used	71,252	95.4%
In Your Lifetime	1,172	1.6%
Since School Began	718	1.0%
In The Past Month	1,511	2.0%
Frequency Missing	2,424	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	74,578	98.8%
In Your Lifetime	564	0.7%
Since School Began	96	0.1%
In The Past Month	263	0.3%
Frequency Missing	1,577	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	71,196	95.3%
In Your Lifetime	1,362	1.8%
Since School Began	719	1.0%
In The Past Month	1,425	1.9%
Frequency Missing	2,376	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	72,883	97.6%
In Your Lifetime	637	0.9%
Since School Began	367	0.5%
In The Past Month	781	1.0%
Frequency Missing	2,409	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	53,518	71.7%
1-2 Times	13,115	17.6%
3-10 Times	5,497	7.4%
11+ Times	2,488	3.3%
Frequency Missing	2,459	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	68,555	91.8%
In Your Lifetime	2,479	3.3%
Since School Began	802	1.1%
In The Past Month	2,812	3.8%
Frequency Missing	2,430	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	73,301	97.8%
1-2 Times	1,264	1.7%
3-10 Times	262	0.3%
11+ Times	132	0.2%
Frequency Missing	2,119	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	71,084	95.2%
In Your Lifetime	1,454	1.9%
Since School Began	623	0.8%
In The Past Month	1,499	2.0%
Frequency Missing	2,417	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	63,434	84.7%
1-2 Times	5,549	7.4%
3-10 Times	2,626	3.5%
11+ Times	3,309	4.4%
Frequency Missing	2,159	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	68,294	91.2%
1-2 Times	3,989	5.3%
3-10 Times	1,393	1.9%
11+ Times	1,221	1.6%
Frequency Missing	2,181	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	73,436	97.8%
1-2 Times	1,084	1.4%
3-10 Times	236	0.3%
11+ Times	349	0.5%
Frequency Missing	1,972	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	74,459	99.2%
1-2 Times	448	0.6%
3-10 Times	66	0.1%
11+ Times	84	0.1%
Frequency Missing	2,020	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never Heard/None	37,800	50.6%
A Few	16,008	21.4%
Some	9,604	12.9%
Most	8,358	11.2%
All	2,866	3.8%
Frequency Missing	2,441	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never Heard/None	51,397	68.7%
A Few	14,166	18.9%
Some	5,871	7.9%
Most	2,548	3.4%
All	789	1.1%
Frequency Missing	2,307	

**Difficult to Get Tobacco**

Q21a	Frequency	Percent
Never Heard Of	24,224	33.0%
Impossible	13,922	19.0%
Very Difficult	5,246	7.2%
Somewhat Diff	7,517	10.2%
Somewhat Easy	9,636	13.1%
Very Easy	12,808	17.5%
Frequency Missing	3,724	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never Heard/None	33,351	44.6%
A Few	18,253	24.4%
Some	11,109	14.9%
Most	9,139	12.2%
All	2,893	3.9%
Frequency Missing	2,332	

**Difficult to Get Alcohol**

Q21b	Frequency	Percent
Never Heard Of	18,498	25.2%
Impossible	9,141	12.5%
Very Difficult	4,351	5.9%
Somewhat Diff	8,507	11.6%
Somewhat Easy	14,957	20.4%
Very Easy	17,925	24.4%
Frequency Missing	3,699	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never Heard/None	67,211	90.1%
A Few	4,741	6.4%
Some	1,790	2.4%
Most	584	0.8%
All	256	0.3%
Frequency Missing	2,496	

**Difficult to Get Inhalants**

Q21c	Frequency	Percent
Never Heard Of	32,310	44.2%
Impossible	10,647	14.6%
Very Difficult	3,161	4.3%
Somewhat Diff	4,254	5.8%
Somewhat Easy	6,443	8.8%
Very Easy	16,255	22.2%
Frequency Missing	4,007	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Difficult to Get Marijuana**

Q21d	Frequency	Percent
Never Heard Of	21,725	29.6%
Impossible	13,213	18.0%
Very Difficult	4,617	6.3%
Somewhat Diff	7,262	9.9%
Somewhat Easy	10,519	14.3%
Very Easy	16,020	21.8%
Frequency Missing	3,721	

**Difficult to Get Ecstasy**

Q21i	Frequency	Percent
Never Heard Of	34,194	46.9%
Impossible	16,671	22.9%
Very Difficult	5,811	8.0%
Somewhat Diff	5,392	7.4%
Somewhat Easy	4,980	6.8%
Very Easy	5,799	8.0%
Frequency Missing	4,230	

**Difficult to Get Cocaine**

Q21e	Frequency	Percent
Never Heard Of	29,629	40.4%
Impossible	19,946	27.2%
Very Difficult	8,266	11.3%
Somewhat Diff	6,377	8.7%
Somewhat Easy	4,413	6.0%
Very Easy	4,666	6.4%
Frequency Missing	3,781	

**Difficult to Get Heroin**

Q21j	Frequency	Percent
Never Heard Of	36,024	48.9%
Impossible	20,829	28.3%
Very Difficult	8,001	10.9%
Somewhat Diff	4,518	6.1%
Somewhat Easy	2,055	2.8%
Very Easy	2,212	3.0%
Frequency Missing	3,438	

**Difficult to Get Crack**

Q21f	Frequency	Percent
Never Heard Of	32,435	44.3%
Impossible	20,502	28.0%
Very Difficult	8,540	11.7%
Somewhat Diff	5,818	7.9%
Somewhat Easy	2,992	4.1%
Very Easy	2,988	4.1%
Frequency Missing	3,803	

**Difficult to Get Methamphetamine**

Q21k	Frequency	Percent
Never Heard Of	36,916	50.2%
Impossible	20,525	27.9%
Very Difficult	7,515	10.2%
Somewhat Diff	4,231	5.8%
Somewhat Easy	2,008	2.7%
Very Easy	2,362	3.2%
Frequency Missing	3,520	

**Difficult to Get Steroids**

Q21h	Frequency	Percent
Never Heard Of	33,455	45.8%
Impossible	20,146	27.6%
Very Difficult	7,553	10.3%
Somewhat Diff	6,203	8.5%
Somewhat Easy	2,878	3.9%
Very Easy	2,832	3.9%
Frequency Missing	4,010	

**Difficult to Get Synthetic Marijuana**

Q21l	Frequency	Percent
Never Heard Of	34,920	47.4%
Impossible	16,834	22.9%
Very Difficult	5,722	7.8%
Somewhat Diff	5,254	7.1%
Somewhat Easy	4,928	6.7%
Very Easy	5,972	8.1%
Frequency Missing	3,446	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**How Often Normally Use Tobacco**

Q22a	Frequency	Percent
Every Day	606	0.8%
Several Times/Wk	846	1.1%
Several Times/Mo	1,248	1.7%
About Once/Month	2,311	3.1%
About Once/Year	1,913	2.6%
Less than Once/Year	3,280	4.4%
Never Used	64,127	86.3%
Frequency Missing	2,746	

**How Often Normally Use Marijuana**

Q22d	Frequency	Percent
Every Day	1,513	2.0%
Several Times/Wk	1,979	2.7%
Several Times/Mo	2,622	3.5%
About Once/Month	3,290	4.4%
About Once/Year	3,104	4.2%
Less than Once/Year	3,507	4.7%
Never Used	58,284	78.4%
Frequency Missing	2,779	

**How Often Normally Use Alcohol**

Q22b	Frequency	Percent
Every Day	227	0.3%
Several Times/Wk	1,934	2.6%
Several Times/Mo	5,820	7.9%
About Once/Month	8,860	12.0%
About Once/Year	7,208	9.7%
Less than Once/Year	5,459	7.4%
Never Used	44,460	60.1%
Frequency Missing	3,109	

**How Often Normally Use Cocaine**

Q22e	Frequency	Percent
Every Day	73	0.1%
Several Times/Wk	168	0.2%
Several Times/Mo	347	0.5%
About Once/Month	498	0.7%
About Once/Year	513	0.7%
Less than Once/Year	728	1.0%
Never Used	72,075	96.9%
Frequency Missing	2,675	

**How Often Normally Use Inhalants**

Q22c	Frequency	Percent
Every Day	94	0.1%
Several Times/Wk	165	0.2%
Several Times/Mo	243	0.3%
About Once/Month	442	0.6%
About Once/Year	596	0.8%
Less than Once/Year	939	1.3%
Never Used	71,828	96.7%
Frequency Missing	2,770	

**How Often Normally Use Crack**

Q22f	Frequency	Percent
Every Day	113	0.2%
Several Times/Wk	43	0.1%
Several Times/Mo	60	0.1%
About Once/Month	69	0.1%
About Once/Year	151	0.2%
Less than Once/Year	140	0.2%
Never Used	73,775	99.2%
Frequency Missing	2,726	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Steroids**

Q22h	Frequency	Percent
Every Day	43	0.1%
Several Times/Wk	83	0.1%
Several Times/Mo	19	0.0%
About Once/Month	65	0.1%
About Once/Year	114	0.2%
Less than Once/Year	160	0.2%
Never Used	73,807	99.3%
Frequency Missing	2,786	

**How Often Normally Use Methamphetamine**

Q22k	Frequency	Percent
Every Day	32	0.0%
Several Times/Wk	68	0.1%
Several Times/Mo	125	0.2%
About Once/Month	102	0.1%
About Once/Year	184	0.2%
Less than Once/Year	189	0.3%
Never Used	73,593	99.1%
Frequency Missing	2,784	

**How Often Normally Use Ecstasy**

Q22i	Frequency	Percent
Every Day	7	0.0%
Several Times/Wk	195	0.3%
Several Times/Mo	437	0.6%
About Once/Month	1,039	1.4%
About Once/Year	1,119	1.5%
Less than Once/Year	1,188	1.6%
Never Used	70,184	94.6%
Frequency Missing	2,909	

**How Often Normally Use Synthetic Marijuana**

Q22l	Frequency	Percent
Every Day	100	0.1%
Several Times/Wk	143	0.2%
Several Times/Mo	299	0.4%
About Once/Month	451	0.6%
About Once/Year	488	0.7%
Less than Once/Year	1,311	1.8%
Never Used	71,343	96.2%
Frequency Missing	2,943	

**How Often Normally Use Heroin**

Q22j	Frequency	Percent
Every Day	32	0.0%
Several Times/Wk	58	0.1%
Several Times/Mo	61	0.1%
About Once/Month	99	0.1%
About Once/Year	35	0.0%
Less than Once/Year	133	0.2%
Never Used	73,949	99.4%
Frequency Missing	2,710	

**Amount of Beer at One Time**

Q23a	Frequency	Percent
Never Drink This	41,843	57.3%
12+ Drinks	2,257	3.1%
9-11 Drinks	1,491	2.0%
5-8 Drinks	3,212	4.4%
3-4 Drinks	4,997	6.8%
2 Drinks	5,083	7.0%
1 Drink	5,612	7.7%
Less than 1 Drink	8,478	11.6%
Frequency Missing	4,105	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Amount of Wine Coolers at One Time**

Q23b	Frequency	Percent
Never Drink This	48,945	66.1%
12+ Drinks	1,411	1.9%
9-11 Drinks	1,118	1.5%
5-8 Drinks	2,168	2.9%
3-4 Drinks	4,443	6.0%
2 Drinks	4,748	6.4%
1 Drink	5,302	7.2%
Less than 1 Drink	5,870	7.9%
Frequency Missing	3,073	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q24a	Frequency	Percent
Never 5+ At Time	42,884	59.1%
0 Days	19,114	26.4%
1 Day	3,793	5.2%
2 Days	2,518	3.5%
3 To 5 Days	2,005	2.8%
6 To 9 Days	801	1.1%
10 Or More Days	1,399	1.9%
Frequency Missing	4,564	

**Amount of Wine at One Time**

Q23c	Frequency	Percent
Never Drink This	49,071	67.2%
12+ Drinks	643	0.9%
9-11 Drinks	339	0.5%
5-8 Drinks	990	1.4%
3-4 Drinks	2,136	2.9%
2 Drinks	3,462	4.7%
1 Drink	6,538	9.0%
Less than 1 Drink	9,790	13.4%
Frequency Missing	4,108	

**Get Alcoholic Beverages from Home**

Q25a	Frequency	Percent
Do Not Drink	43,214	58.7%
Never	15,873	21.6%
Seldom	10,455	14.2%
Most Of The Time	3,073	4.2%
Always	977	1.3%
Frequency Missing	3,484	

**Amount of Liquor at One Time**

Q23d	Frequency	Percent
Never Drink This	47,120	63.6%
12+ Drinks	1,998	2.7%
9-11 Drinks	1,443	1.9%
5-8 Drinks	2,893	3.9%
3-4 Drinks	4,820	6.5%
2 Drinks	4,381	5.9%
1 Drink	4,919	6.6%
Less than 1 Drink	6,493	8.8%
Frequency Missing	3,011	

**Get Alcoholic Beverages from Friends**

Q25b	Frequency	Percent
Do Not Drink	39,522	53.8%
Never	12,135	16.5%
Seldom	10,448	14.2%
Most Of The Time	8,416	11.4%
Always	2,991	4.1%
Frequency Missing	3,565	

**Get Alcoholic Beverages from a Store**

Q25c	Frequency	Percent
Do Not Drink	42,511	58.0%
Never	23,471	32.0%
Seldom	3,196	4.4%
Most Of The Time	2,763	3.8%
Always	1,297	1.8%
Frequency Missing	3,838	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Get Alcoholic Beverages at Parties**

Q25d	Frequency	Percent
Do Not Drink	36,876	50.1%
Never	9,653	13.1%
Seldom	8,534	11.6%
Most Of The Time	10,035	13.6%
Always	8,437	11.5%
Frequency Missing	3,542	

**Dangerous for Kids to Use Inhalants**

Q26c	Frequency	Percent
Very	56,653	76.9%
Somewhat	8,795	11.9%
Not Very	2,753	3.7%
Not At All	967	1.3%
Don't Know	4,516	6.1%
Frequency Missing	3,392	

**Get Alcoholic Beverages from Other Sources**

Q25e	Frequency	Percent
Do Not Drink	42,626	58.8%
Never	16,088	22.2%
Seldom	6,499	9.0%
Most Of The Time	4,025	5.5%
Always	3,295	4.5%
Frequency Missing	4,544	

**Dangerous for Kids to Use Marijuana**

Q26d	Frequency	Percent
Very	41,965	56.8%
Somewhat	10,137	13.7%
Not Very	8,735	11.8%
Not At All	9,970	13.5%
Don't Know	3,044	4.1%
Frequency Missing	3,226	

**Dangerous for Kids to Use Tobacco**

Q26a	Frequency	Percent
Very	50,314	68.2%
Somewhat	15,086	20.4%
Not Very	4,254	5.8%
Not At All	1,061	1.4%
Don't Know	3,096	4.2%
Frequency Missing	3,266	

**Dangerous for Kids to Use Cocaine**

Q26e	Frequency	Percent
Very	64,334	87.1%
Somewhat	5,109	6.9%
Not Very	803	1.1%
Not At All	545	0.7%
Don't Know	3,065	4.1%
Frequency Missing	3,220	

**Dangerous for Kids to Use Alcohol**

Q26b	Frequency	Percent
Very	39,442	53.6%
Somewhat	21,173	28.8%
Not Very	8,504	11.6%
Not At All	1,912	2.6%
Don't Know	2,536	3.4%
Frequency Missing	3,510	

**Dangerous for Kids to Use Crack**

Q26f	Frequency	Percent
Very	65,412	88.5%
Somewhat	4,019	5.4%
Not Very	747	1.0%
Not At All	425	0.6%
Don't Know	3,308	4.5%
Frequency Missing	3,166	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Dangerous for Kids to Use Ecstasy**

Q26g	Frequency	Percent
Very	60,137	81.5%
Somewhat	6,667	9.0%
Not Very	1,749	2.4%
Not At All	698	0.9%
Don't Know	4,506	6.1%
Frequency Missing	3,321	

**Dangerous for Kids to Use Synthetic Marijuana**

Q26k	Frequency	Percent
Very	61,555	83.5%
Somewhat	5,341	7.2%
Not Very	1,502	2.0%
Not At All	1,166	1.6%
Don't Know	4,162	5.6%
Frequency Missing	3,351	

**Dangerous for Kids to Use Steroids**

Q26h	Frequency	Percent
Very	58,270	79.0%
Somewhat	8,160	11.1%
Not Very	2,218	3.0%
Not At All	814	1.1%
Don't Know	4,309	5.8%
Frequency Missing	3,307	

**Dangerous for Kids to Use Any Prescription**

Q26l	Frequency	Percent
Very	55,063	74.6%
Somewhat	9,588	13.0%
Not Very	2,983	4.0%
Not At All	1,211	1.6%
Don't Know	4,920	6.7%
Frequency Missing	3,312	

**Dangerous for Kids to Use Heroin**

Q26i	Frequency	Percent
Very	65,947	89.0%
Somewhat	3,490	4.7%
Not Very	358	0.5%
Not At All	532	0.7%
Don't Know	3,779	5.1%
Frequency Missing	2,972	

**Dangerous for Kids to Use Electronic Vapor Products**

Q26m	Frequency	Percent
Very	40,666	55.1%
Somewhat	10,166	13.8%
Not Very	9,955	13.5%
Not At All	8,973	12.1%
Don't Know	4,101	5.6%
Frequency Missing	3,217	

**Dangerous for Kids to Use Methamphetamine**

Q26j	Frequency	Percent
Very	66,000	89.2%
Somewhat	3,184	4.3%
Not Very	481	0.6%
Not At All	439	0.6%
Don't Know	3,902	5.3%
Frequency Missing	3,072	

**Days Skipped Since September**

Q27a	Frequency	Percent
None	59,338	80.5%
1-3 Days	10,275	13.9%
4-9 Days	2,477	3.4%
10+ Days	1,596	2.2%
Frequency Missing	3,392	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Days Ill Since September**

Q27b	Frequency	Percent
None	23,618	32.1%
1-3 Days	37,822	51.4%
4-9 Days	9,770	13.3%
10+ Days	2,330	3.2%
Frequency Missing	3,536	

**Trouble with Friends Because of Drinking**

Q28a	Frequency	Percent
None	70,572	96.0%
1-3 Times	2,453	3.3%
4-9 Times	244	0.3%
10+ Times	210	0.3%
Frequency Missing	3,598	

**Other Reason For Days Missed Since September**

Q27c	Frequency	Percent
None	31,042	42.6%
1-3 Days	33,801	46.4%
4-9 Days	5,560	7.6%
10+ Days	2,446	3.4%
Frequency Missing	4,228	

**Driven a Car After a Good Bit to Drink**

Q28b	Frequency	Percent
None	69,914	95.3%
1-3 Times	2,573	3.5%
4-9 Times	412	0.6%
10+ Times	486	0.7%
Frequency Missing	3,692	

**Sent to Principal/Dean Since September**

Q27d	Frequency	Percent
None	65,972	89.6%
1-3 Days	6,079	8.3%
4-9 Days	871	1.2%
10+ Days	710	1.0%
Frequency Missing	3,445	

**Trouble with Friends Because of Drug Use**

Q28c	Frequency	Percent
None	70,687	96.3%
1-3 Times	2,194	3.0%
4-9 Times	251	0.3%
10+ Times	273	0.4%
Frequency Missing	3,673	

**Someone Called Home Since September**

Q27e	Frequency	Percent
None	66,103	90.0%
1-3 Days	5,918	8.1%
4-9 Days	732	1.0%
10+ Days	702	1.0%
Frequency Missing	3,622	

**Driven a Car While High from Drugs**

Q28d	Frequency	Percent
None	69,748	95.3%
1-3 Times	2,347	3.2%
4-9 Times	229	0.3%
10+ Times	832	1.1%
Frequency Missing	3,922	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Class Days Drunk on Alcohol Since Sept**

Q29a	Frequency	Percent
None	69,816	95.3%
1-3 Days	2,716	3.7%
4-9 Days	390	0.5%
10+ Days	321	0.4%
Frequency Missing	3,833	

**Alcohol Use at Parties This School Year**

Q30a	Frequency	Percent
Never	34,671	47.3%
Seldom	6,973	9.5%
Half The Time	4,725	6.5%
Most Of The Time	7,210	9.8%
Always	9,852	13.5%
Don't Know	1,564	2.1%
Didn't Attend	8,240	11.3%
Frequency Missing	3,843	

**Class Days High on Marijuana Since Sept**

Q29b	Frequency	Percent
None	65,738	89.9%
1-3 Days	4,203	5.8%
4-9 Days	1,382	1.9%
10+ Days	1,765	2.4%
Frequency Missing	3,989	

**Drug Use at Parties This School Year**

Q30b	Frequency	Percent
Never	42,859	58.6%
Seldom	5,688	7.8%
Half The Time	4,201	5.7%
Most Of The Time	4,946	6.8%
Always	5,300	7.2%
Don't Know	1,902	2.6%
Didn't Attend	8,258	11.3%
Frequency Missing	3,924	

**Class Days High on Inhalants Since Sept**

Q29c	Frequency	Percent
None	71,911	98.6%
1-3 Days	698	1.0%
4-9 Days	126	0.2%
10+ Days	195	0.3%
Frequency Missing	4,148	

**Sought Help for Drug/Alcohol Problem**

Q31	Frequency	Percent
No	58,149	90.6%
Yes	6,027	9.4%
Frequency Missing	12,902	

**Class Days High on Other Drug(s)**

Q29d	Frequency	Percent
None	70,136	96.1%
1-3 Days	1,763	2.4%
4-9 Days	458	0.6%
10+ Days	627	0.9%
Frequency Missing	4,093	

**Would Seek Help from School Counselor**

Q32a	Frequency	Percent
No	41,318	57.4%
Yes	30,620	42.6%
Frequency Missing	5,140	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Would Seek Help from School Nurse**

Q32b	Frequency	Percent
No	52,692	73.5%
Yes	18,976	26.5%
Frequency Missing	5,409	

**Would Seek Help from Another Adult**

Q32g	Frequency	Percent
No	26,202	36.5%
Yes	45,597	63.5%
Frequency Missing	5,278	

**Would Seek Help from Another Adult in School**

Q32c	Frequency	Percent
No	37,704	52.7%
Yes	33,793	47.3%
Frequency Missing	5,580	

**Would Seek Help from Counselor or Program Outside School**

Q32h	Frequency	Percent
No	41,319	57.8%
Yes	30,209	42.2%
Frequency Missing	5,549	

**Would Seek Help from Parents**

Q32d	Frequency	Percent
No	20,984	29.1%
Yes	51,126	70.9%
Frequency Missing	4,967	

**Would Not Seek Help**

Q32i	Frequency	Percent
No	55,644	79.5%
Yes	14,372	20.5%
Frequency Missing	7,060	

**Would Seek Help from a Medical Doctor**

Q32e	Frequency	Percent
No	28,635	40.0%
Yes	42,915	60.0%
Frequency Missing	5,527	

**Drug/Alcohol Info–School Health Class**

Q33a	Frequency	Percent
No	25,206	36.7%
Yes	43,419	63.3%
Frequency Missing	8,452	

**Would Seek Help from Friends**

Q32f	Frequency	Percent
No	27,122	38.0%
Yes	44,274	62.0%
Frequency Missing	5,681	

**Drug/Alcohol Info–School Assembly Program**

Q33b	Frequency	Percent
No	30,989	45.3%
Yes	37,390	54.7%
Frequency Missing	8,698	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Drug/Alcohol Info–School Guidance Counselor**

Q33c	Frequency	Percent
No	44,410	65.3%
Yes	23,628	34.7%
Frequency Missing	9,039	

**Drug/Alcohol Info–Another School Source**

Q33h	Frequency	Percent
No	43,617	64.4%
Yes	24,065	35.6%
Frequency Missing	9,396	

**Drug/Alcohol Info–School Nurse**

Q33d	Frequency	Percent
No	51,885	76.5%
Yes	15,951	23.5%
Frequency Missing	9,241	

**Parents Feel About Kids Using Tobacco**

Q34a	Frequency	Percent
Strongly Disapprove	58,683	81.1%
Mild Disapprove	4,317	6.0%
Neither	3,235	4.5%
Mildly Approve	538	0.7%
Strongly Approve	475	0.7%
Don't Know	5,135	7.1%
Frequency Missing	4,693	

**Drug/Alcohol Info–Science or Social Studies Class**

Q33e	Frequency	Percent
No	46,797	68.9%
Yes	21,109	31.1%
Frequency Missing	9,171	

**Parents Feel About Kids Drinking Alcohol**

Q34b	Frequency	Percent
Strongly Disapprove	47,942	66.3%
Mild Disapprove	9,489	13.1%
Neither	7,172	9.9%
Mildly Approve	2,077	2.9%
Strongly Approve	705	1.0%
Don't Know	4,958	6.9%
Frequency Missing	4,735	

**Drug/Alcohol Info–School Student Group or Club**

Q33f	Frequency	Percent
No	53,082	78.1%
Yes	14,890	21.9%
Frequency Missing	9,105	

**Parents Feel About Kids Using Marijuana**

Q34c	Frequency	Percent
Strongly Disapprove	56,530	78.1%
Mild Disapprove	4,461	6.2%
Neither	4,175	5.8%
Mildly Approve	1,098	1.5%
Strongly Approve	1,166	1.6%
Don't Know	4,931	6.8%
Frequency Missing	4,717	

**Drug/Alcohol Info–Invited School Guest**

Q33g	Frequency	Percent
No	38,368	56.4%
Yes	29,698	43.6%
Frequency Missing	9,011	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, &amp; electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

