
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2016



HHSC REGION 11 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	28
Miscellaneous	32
2 Prevalence Tables	38
Table B-1: All Students	39
Table B-2: Male Students	43
Table B-3: Female Students	47
Table B-4: White Non-Hispanic Students	51
Table B-5: African American Non-Hispanic Students	55
Table B-6: Hispanic or Latino Students	57
Table B-7: Students Reporting A Grades on Average	61
Table B-8: Students Reporting Grades Lower Than an A on Average	65
Table B-9: Students Living with 2 Parents	69
Table B-10: Students Not Living with 2 Parents	73
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	77
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	81
3 Margin Tables	85
Appendix: Reporting Methods for Prevalence & Recency of Use	105

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 11. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	13.7%	16.8%	28.7%	71.3%
Grade 7	5.3%	6.3%	11.5%	88.5%
Grade 8	7.2%	8.5%	16.3%	83.7%
Grade 9	12.9%	16.2%	29.6%	70.4%
Grade 10	15.1%	20.1%	37.1%	62.9%
Grade 11	18.9%	23.1%	38.1%	61.9%
Grade 12	25.2%	30.0%	43.5%	56.5%
Cigarettes?				
All	6.1%	8.4%	19.1%	80.9%
Grade 7	2.1%	2.7%	7.7%	92.3%
Grade 8	2.7%	3.2%	9.1%	90.9%
Grade 9	4.9%	7.8%	18.5%	81.5%
Grade 10	5.9%	8.1%	23.7%	76.3%
Grade 11	8.9%	12.8%	26.7%	73.3%
Grade 12	13.7%	18.3%	31.9%	68.1%
Smokeless Tobacco?				
All	2.4%	3.3%	7.1%	92.9%
Grade 7	0.7%	1.2%	2.4%	97.6%
Grade 8	1.2%	1.4%	3.2%	96.8%
Grade 9	2.2%	3.0%	7.7%	92.3%
Grade 10	2.6%	3.5%	9.3%	90.7%
Grade 11	2.6%	4.1%	7.6%	92.4%
Grade 12	5.5%	7.5%	13.9%	86.1%
Electronic Vapor Products?				
All	6.6%	10.2%	20.6%	79.4%
Grade 7	2.2%	3.3%	6.5%	93.5%
Grade 8	4.0%	5.5%	11.5%	88.5%
Grade 9	6.0%	9.7%	22.0%	78.0%
Grade 10	7.8%	13.2%	27.7%	72.3%
Grade 11	9.1%	13.7%	27.8%	72.2%
Grade 12	11.6%	17.6%	31.1%	68.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 118

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	86.8%	0.8%	1.1%	2.0%	2.7%	2.5%	4.1%
Grade 7	96.5%	0.3%	0.4%	0.5%	0.7%	1.0%	0.7%
Grade 8	94.7%	0.2%	0.3%	0.9%	0.7%	1.0%	2.3%
Grade 9	86.2%	0.4%	0.8%	1.9%	3.6%	2.5%	4.6%
Grade 10	83.3%	0.7%	0.8%	1.9%	2.9%	3.7%	6.7%
Grade 11	82.5%	1.3%	1.3%	3.5%	3.6%	3.2%	4.8%
Grade 12	75.0%	2.2%	3.4%	4.2%	5.2%	4.0%	5.8%

Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	37.5%	20.2%	6.2%	8.4%	11.8%	15.8%
Grade 7	44.7%	30.2%	8.0%	6.3%	5.9%	5.0%
Grade 8	40.8%	27.7%	7.8%	9.1%	8.4%	6.1%
Grade 9	41.5%	17.7%	4.8%	8.3%	14.0%	13.8%
Grade 10	38.2%	14.8%	6.3%	9.6%	13.6%	17.5%
Grade 11	30.9%	16.1%	5.7%	7.8%	15.4%	24.2%
Grade 12	26.0%	13.0%	4.2%	9.7%	14.6%	32.5%

Table T-4: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	71.7%	17.4%	7.2%	3.0%	0.8%
Grade 7	87.7%	8.5%	2.5%	0.7%	0.6%
Grade 8	84.6%	10.4%	3.8%	0.9%	0.4%
Grade 9	70.9%	17.6%	7.5%	3.1%	0.9%
Grade 10	65.5%	21.8%	8.8%	3.5%	0.4%
Grade 11	63.0%	22.2%	9.8%	4.5%	0.6%
Grade 12	53.9%	26.2%	12.1%	5.8%	2.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.0%	5.9%	4.6%	0.9%	0.9%	9.8%
Grade 7	80.5%	2.1%	1.7%	0.6%	1.3%	13.7%
Grade 8	83.1%	3.9%	2.4%	0.6%	0.6%	9.3%
Grade 9	76.0%	5.7%	5.9%	0.4%	0.6%	11.4%
Grade 10	78.6%	6.7%	5.3%	1.2%	1.0%	7.3%
Grade 11	75.8%	8.6%	5.6%	0.4%	0.3%	9.3%
Grade 12	72.7%	9.1%	7.0%	2.4%	1.5%	7.3%

Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	69.0%	18.2%	5.7%	1.3%	5.8%
	Grade 7	79.7%	11.7%	3.1%	0.8%	4.7%
	Grade 8	73.2%	16.2%	4.3%	1.1%	5.2%
	Grade 9	63.3%	20.5%	7.3%	2.0%	6.9%
	Grade 10	63.9%	21.6%	7.4%	1.3%	5.9%
	Grade 11	67.6%	19.4%	5.0%	0.9%	7.1%
	Grade 12	64.9%	20.3%	7.7%	1.7%	5.4%
Electronic Vapor Products?						
	All	60.8%	11.5%	10.6%	10.3%	6.8%
	Grade 7	75.6%	10.2%	4.1%	3.9%	6.3%
	Grade 8	66.3%	11.6%	8.9%	7.2%	6.0%
	Grade 9	57.1%	11.1%	12.5%	12.3%	7.0%
	Grade 10	52.5%	11.8%	14.1%	13.8%	7.8%
	Grade 11	56.9%	12.2%	12.0%	12.7%	6.2%
	Grade 12	54.7%	12.1%	12.5%	13.0%	7.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	27.2%	31.4%	49.1%	50.9%
Grade 7	10.8%	12.9%	26.3%	73.7%
Grade 8	16.5%	18.8%	38.1%	61.9%
Grade 9	29.5%	33.0%	52.7%	47.3%
Grade 10	33.8%	38.4%	55.8%	44.2%
Grade 11	35.8%	41.1%	58.8%	41.2%
Grade 12	40.2%	48.8%	67.2%	32.8%
Beer?				
All	11.2%	16.4%	38.4%	61.6%
Grade 7	2.8%	3.8%	18.2%	81.8%
Grade 8	6.2%	9.1%	28.5%	71.5%
Grade 9	11.2%	15.7%	42.0%	58.0%
Grade 10	13.1%	19.4%	43.8%	56.2%
Grade 11	14.9%	22.3%	48.1%	51.9%
Grade 12	20.9%	31.4%	53.6%	46.4%
Wine Coolers?				
All	9.0%	13.2%	29.2%	70.8%
Grade 7	2.4%	3.4%	12.2%	87.8%
Grade 8	5.1%	6.7%	19.2%	80.8%
Grade 9	8.9%	12.4%	31.1%	68.9%
Grade 10	11.3%	17.4%	34.2%	65.8%
Grade 11	12.0%	18.8%	38.7%	61.3%
Grade 12	15.9%	22.7%	44.0%	56.0%
Wine?				
All	6.6%	10.2%	29.3%	70.7%
Grade 7	3.1%	4.2%	14.3%	85.7%
Grade 8	4.6%	6.3%	23.7%	76.3%
Grade 9	6.7%	9.2%	31.7%	68.3%
Grade 10	8.0%	13.3%	33.6%	66.4%
Grade 11	7.0%	12.3%	34.0%	66.0%
Grade 12	11.2%	17.5%	41.4%	58.6%
Liquor?				
All	10.6%	15.7%	32.5%	67.5%
Grade 7	1.9%	2.9%	10.2%	89.8%
Grade 8	5.6%	8.2%	19.6%	80.4%
Grade 9	10.3%	13.9%	33.0%	67.0%
Grade 10	13.5%	20.4%	40.1%	59.9%
Grade 11	15.1%	22.5%	44.2%	55.8%
Grade 12	19.6%	29.7%	52.9%	47.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 118

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	67.2%	0.3%	2.3%	5.5%	8.8%	8.5%	7.4%
Grade 7	89.5%	0.2%	0.5%	1.1%	1.9%	3.1%	3.6%
Grade 8	78.8%	0.1%	1.2%	3.8%	4.1%	5.5%	6.5%
Grade 9	66.4%	0.3%	2.3%	6.4%	8.1%	6.8%	9.7%
Grade 10	58.9%	0.3%	3.2%	7.1%	10.8%	10.4%	9.3%
Grade 11	58.5%	0.4%	2.6%	5.8%	14.8%	10.5%	7.3%
Grade 12	45.9%	0.6%	4.5%	9.5%	15.2%	16.4%	7.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 7 of 118

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	66.8%	33.2%	7.8%	16.2%	9.2%
	Grade 7	84.5%	15.5%	1.8%	7.0%	6.7%
	Grade 8	75.2%	24.8%	3.4%	9.6%	11.9%
	Grade 9	64.0%	36.0%	7.5%	18.4%	10.1%
	Grade 10	62.0%	38.0%	8.9%	20.8%	8.2%
	Grade 11	58.4%	41.6%	11.8%	20.2%	9.6%
	Grade 12	53.4%	46.6%	15.2%	22.7%	8.7%
Wine Coolers						
	All	74.2%	25.8%	5.0%	15.0%	5.7%
	Grade 7	89.7%	10.3%	1.4%	4.9%	4.0%
	Grade 8	83.1%	16.9%	2.2%	7.7%	7.0%
	Grade 9	73.3%	26.7%	3.8%	16.7%	6.1%
	Grade 10	70.0%	30.0%	7.4%	17.5%	5.0%
	Grade 11	64.6%	35.4%	7.0%	21.9%	6.6%
	Grade 12	60.7%	39.3%	9.5%	24.0%	5.7%
Wine						
	All	75.1%	24.9%	2.6%	12.5%	9.7%
	Grade 7	88.6%	11.4%	0.3%	5.1%	6.0%
	Grade 8	80.1%	19.9%	1.7%	8.0%	10.2%
	Grade 9	72.1%	27.9%	2.3%	15.2%	10.4%
	Grade 10	72.4%	27.6%	3.6%	14.8%	9.1%
	Grade 11	70.1%	29.9%	3.8%	14.8%	11.3%
	Grade 12	65.1%	34.9%	4.5%	18.7%	11.7%
Liquor						
	All	70.2%	29.8%	7.4%	15.3%	7.2%
	Grade 7	91.4%	8.6%	1.0%	3.6%	4.1%
	Grade 8	83.1%	16.9%	3.0%	7.4%	6.5%
	Grade 9	70.6%	29.4%	6.4%	15.2%	7.9%
	Grade 10	63.2%	36.8%	10.5%	19.2%	7.1%
	Grade 11	58.4%	41.6%	11.0%	20.9%	9.6%
	Grade 12	48.8%	51.2%	14.1%	28.5%	8.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.3%	4.6%	2.6%	2.3%	1.0%	1.3%
Grade 7	96.4%	2.0%	0.5%	0.5%	0.1%	0.4%
Grade 8	93.6%	2.8%	1.7%	0.6%	0.4%	1.0%
Grade 9	88.0%	5.6%	1.6%	2.0%	1.2%	1.6%
Grade 10	84.7%	5.7%	2.9%	3.4%	1.9%	1.4%
Grade 11	84.0%	4.7%	5.1%	3.1%	1.2%	1.9%
Grade 12	81.2%	6.9%	4.5%	4.5%	1.1%	1.8%

Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	30.5%	14.5%	5.8%	10.5%	16.5%	22.3%
Grade 7	41.1%	24.1%	7.0%	8.6%	8.9%	10.3%
Grade 8	35.3%	20.7%	6.2%	9.6%	13.3%	14.8%
Grade 9	33.2%	12.3%	5.5%	9.1%	17.2%	22.7%
Grade 10	28.4%	9.1%	5.3%	10.7%	20.9%	25.7%
Grade 11	21.8%	11.0%	5.9%	12.5%	19.4%	29.4%
Grade 12	20.2%	8.2%	4.4%	12.9%	20.6%	33.5%

Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.2%	3.0%	0.5%	0.3%
Grade 7	98.1%	1.5%	0.1%	0.2%
Grade 8	97.6%	2.1%	0.1%	0.3%
Grade 9	95.1%	3.4%	0.9%	0.6%
Grade 10	95.8%	3.4%	0.8%	0.1%
Grade 11	95.6%	3.4%	0.7%	0.4%
Grade 12	94.4%	4.6%	0.6%	0.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 9 of 118

Table A-7: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.3
Alcohol Non-Users	3.0
Average Days Conduct Problems Reported	
Alcohol Users	2.7
Alcohol Non-Users	0.8

Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	95.1%	4.1%	0.5%	0.3%
Grade 9	97.7%	1.7%	0.4%	0.2%
Grade 10	96.1%	3.6%	0.1%	0.2%
Grade 11	95.6%	3.7%	0.5%	0.2%
Grade 12	90.1%	8.1%	1.1%	0.7%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	97.1%	2.6%	0.3%	0.1%
Grade 7	98.2%	1.5%	0.0%	0.3%
Grade 8	97.9%	1.6%	0.3%	0.2%
Grade 9	96.0%	3.6%	0.3%	0.0%
Grade 10	97.3%	2.5%	0.3%	0.0%
Grade 11	96.6%	2.7%	0.5%	0.1%
Grade 12	96.1%	3.6%	0.3%	0.0%

Table A-9: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	52.3%	22.6%	13.8%	8.5%	2.8%
Grade 7	81.5%	11.1%	5.2%	1.6%	0.6%
Grade 8	69.9%	18.4%	7.6%	3.1%	1.1%
Grade 9	49.8%	23.3%	16.5%	8.1%	2.3%
Grade 10	41.0%	27.5%	17.2%	11.1%	3.2%
Grade 11	34.9%	28.6%	19.3%	13.5%	3.7%
Grade 12	30.4%	28.4%	18.7%	15.8%	6.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	54.6%	7.8%	6.1%	8.3%	8.3%	2.6%	12.2%
Grade 7	75.2%	6.3%	3.2%	3.3%	1.4%	2.9%	7.7%
Grade 8	72.0%	7.2%	5.1%	3.7%	2.3%	2.0%	7.6%
Grade 9	52.2%	7.4%	7.2%	9.0%	6.6%	3.3%	14.3%
Grade 10	47.1%	8.3%	7.9%	12.1%	8.6%	3.0%	13.0%
Grade 11	39.2%	10.1%	7.7%	10.6%	14.2%	2.3%	15.9%
Grade 12	36.9%	7.7%	6.0%	12.2%	19.2%	2.1%	16.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	62.6%	20.0%	11.4%	4.2%	1.8%
	Grade 7	76.4%	16.6%	5.8%	0.7%	0.5%
	Grade 8	67.6%	19.0%	9.5%	3.3%	0.6%
	Grade 9	61.5%	21.3%	9.4%	6.2%	1.5%
	Grade 10	58.5%	19.3%	15.0%	5.1%	2.1%
	Grade 11	57.4%	20.4%	15.3%	4.9%	1.9%
	Grade 12	51.2%	23.8%	14.6%	5.7%	4.6%
Friends?						
	All	58.8%	18.1%	10.6%	9.4%	3.1%
	Grade 7	76.2%	18.7%	3.6%	1.3%	0.3%
	Grade 8	69.0%	20.1%	6.2%	3.6%	1.1%
	Grade 9	57.5%	19.5%	11.0%	9.4%	2.7%
	Grade 10	53.0%	17.3%	11.6%	13.4%	4.7%
	Grade 11	50.7%	17.0%	15.5%	12.6%	4.1%
	Grade 12	42.6%	15.6%	17.6%	17.8%	6.4%
A Store?						
	All	61.3%	29.9%	4.4%	2.9%	1.5%
	Grade 7	77.3%	20.8%	1.1%	0.6%	0.2%
	Grade 8	69.2%	26.5%	2.3%	1.3%	0.6%
	Grade 9	59.9%	33.3%	3.0%	2.8%	1.0%
	Grade 10	55.7%	34.3%	5.3%	2.7%	1.9%
	Grade 11	55.0%	32.8%	6.3%	4.1%	1.7%
	Grade 12	47.3%	32.7%	9.1%	6.9%	4.1%
Parties?						
	All	56.3%	14.8%	10.6%	9.3%	9.0%
	Grade 7	72.8%	16.8%	5.6%	2.7%	2.0%
	Grade 8	65.9%	16.9%	8.0%	5.5%	3.6%
	Grade 9	54.5%	15.9%	10.7%	9.5%	9.4%
	Grade 10	50.6%	13.4%	12.3%	11.5%	12.2%
	Grade 11	49.0%	11.0%	14.7%	13.2%	12.1%
	Grade 12	40.9%	14.4%	13.0%	15.1%	16.5%
Other Sources?						
	All	62.2%	21.9%	7.0%	4.7%	4.2%
	Grade 7	76.3%	17.6%	3.2%	2.1%	0.8%
	Grade 8	69.5%	21.5%	4.6%	2.3%	2.1%
	Grade 9	61.9%	22.5%	5.8%	5.6%	4.2%
	Grade 10	55.9%	23.0%	8.8%	6.3%	6.0%
	Grade 11	57.3%	21.0%	10.2%	5.6%	5.8%
	Grade 12	48.7%	26.8%	10.6%	7.2%	6.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	68.2%	10.6%	8.2%	2.9%	1.2%	8.9%
Grade 7	77.5%	4.6%	2.5%	1.1%	1.4%	12.9%
Grade 8	74.9%	8.4%	4.9%	2.2%	1.1%	8.4%
Grade 9	63.2%	12.4%	10.2%	2.7%	1.1%	10.5%
Grade 10	66.6%	11.5%	10.1%	4.2%	1.1%	6.4%
Grade 11	66.7%	12.8%	9.7%	2.4%	0.5%	7.9%
Grade 12	58.5%	14.9%	12.4%	5.1%	2.1%	6.9%

Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	58.0%	24.1%	11.3%	2.5%	4.2%
Grade 7	70.3%	16.8%	7.4%	1.8%	3.6%
Grade 8	59.5%	22.1%	12.3%	2.1%	4.1%
Grade 9	49.7%	27.4%	13.9%	3.4%	5.6%
Grade 10	51.6%	27.1%	13.3%	3.4%	4.6%
Grade 11	59.8%	25.4%	9.5%	1.9%	3.4%
Grade 12	56.8%	26.2%	11.0%	2.1%	4.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	14.5%	17.7%	24.5%	75.5%
Grade 7	5.1%	6.5%	7.4%	92.6%
Grade 8	7.2%	9.0%	11.6%	88.4%
Grade 9	17.7%	20.4%	26.6%	73.4%
Grade 10	16.4%	20.7%	30.5%	69.5%
Grade 11	18.7%	23.0%	33.5%	66.5%
Grade 12	24.2%	29.9%	41.7%	58.3%
Marijuana?				
All	13.9%	16.3%	23.3%	76.7%
Grade 7	4.7%	5.3%	6.1%	93.9%
Grade 8	7.0%	8.0%	10.7%	89.3%
Grade 9	17.4%	19.5%	25.8%	74.2%
Grade 10	15.6%	18.8%	28.8%	71.2%
Grade 11	17.5%	20.4%	31.9%	68.1%
Grade 12	23.5%	28.3%	40.5%	59.5%
Cocaine?				
All	2.7%	3.0%	4.7%	95.3%
Grade 7	1.3%	1.5%	1.7%	98.3%
Grade 8	1.8%	1.8%	2.4%	97.6%
Grade 9	3.0%	3.1%	5.0%	95.0%
Grade 10	3.0%	3.4%	4.9%	95.1%
Grade 11	3.3%	3.9%	7.1%	92.9%
Grade 12	4.0%	4.8%	8.0%	92.0%
Crack?				
All	0.8%	0.9%	1.3%	98.7%
Grade 7	0.7%	0.8%	1.0%	99.0%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	0.8%	0.8%	1.0%	99.0%
Grade 10	0.5%	0.6%	1.2%	98.8%
Grade 11	0.8%	0.8%	1.5%	98.5%
Grade 12	1.4%	1.4%	2.3%	97.7%
Hallucinogens?				
All	0.9%	1.3%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.7%	0.9%	1.4%	98.6%
Grade 9	0.8%	1.6%	3.1%	96.9%
Grade 10	1.1%	1.6%	2.8%	97.2%
Grade 11	0.3%	0.6%	3.1%	96.9%
Grade 12	2.3%	3.0%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.7%	0.7%	1.8%	98.2%
Grade 10	0.2%	0.4%	1.1%	98.9%
Grade 11	0.0%	0.1%	0.4%	99.6%
Grade 12	1.1%	1.1%	1.6%	98.4%
Steroids?				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	0.3%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.3%	0.5%	99.5%
Grade 12	0.6%	0.6%	1.3%	98.7%
Ecstasy?				
All	0.8%	1.2%	2.6%	97.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.6%	98.4%
Grade 9	0.7%	1.3%	3.4%	96.6%
Grade 10	1.2%	1.8%	3.3%	96.7%
Grade 11	0.5%	1.4%	3.2%	96.8%
Grade 12	1.7%	2.0%	4.1%	95.9%
Heroin?				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.4%	0.7%	0.8%	99.2%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.5%	0.6%	1.3%	98.7%
Grade 11	0.1%	0.1%	0.9%	99.1%
Grade 12	0.7%	0.7%	1.0%	99.0%
Methamphetamine?				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.8%	0.9%	1.5%	98.5%
Grade 10	0.5%	0.8%	1.5%	98.5%
Grade 11	0.3%	0.5%	0.9%	99.1%
Grade 12	1.0%	1.0%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	2.3%	3.2%	7.6%	92.4%
Grade 7	1.1%	1.9%	2.6%	97.4%
Grade 8	1.7%	2.2%	4.8%	95.2%
Grade 9	2.7%	4.1%	9.3%	90.7%
Grade 10	3.0%	3.9%	8.6%	91.4%
Grade 11	2.0%	3.5%	10.9%	89.1%
Grade 12	3.1%	3.8%	10.4%	89.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	81.6%	1.8%	2.3%	2.6%	3.5%	3.5%	4.7%
Grade 7	95.3%	0.3%	0.6%	1.3%	1.0%	0.4%	1.1%
Grade 8	92.4%	1.0%	0.7%	1.4%	1.0%	1.4%	2.0%
Grade 9	78.6%	2.5%	2.6%	3.5%	4.6%	3.4%	5.0%
Grade 10	76.9%	2.3%	2.7%	2.5%	4.1%	4.8%	6.6%
Grade 11	74.7%	2.9%	3.3%	2.1%	3.8%	5.9%	7.4%
Grade 12	68.3%	2.4%	4.5%	5.2%	7.0%	5.8%	6.9%
Cocaine?							
All	96.9%	0.2%	0.3%	0.4%	0.7%	0.7%	0.9%
Grade 7	99.1%	0.1%	0.1%	0.1%	0.3%	0.0%	0.2%
Grade 8	98.1%	0.0%	0.0%	0.1%	0.7%	0.6%	0.5%
Grade 9	96.4%	0.1%	0.1%	0.5%	0.9%	0.9%	1.2%
Grade 10	96.8%	0.3%	0.3%	0.7%	1.0%	0.6%	0.3%
Grade 11	95.3%	0.4%	0.3%	0.5%	0.7%	1.0%	1.8%
Grade 12	94.9%	0.0%	0.9%	0.9%	0.3%	1.2%	1.8%
Crack?							
All	99.2%	0.0%	0.1%	0.1%	0.1%	0.1%	0.3%
Grade 7	99.6%	0.0%	0.2%	0.0%	0.1%	0.0%	0.1%
Grade 8	99.3%	0.0%	0.0%	0.1%	0.2%	0.1%	0.3%
Grade 9	99.1%	0.0%	0.2%	0.2%	0.0%	0.1%	0.4%
Grade 10	99.4%	0.0%	0.1%	0.1%	0.0%	0.1%	0.3%
Grade 11	98.9%	0.0%	0.1%	0.1%	0.1%	0.0%	0.8%
Grade 12	99.1%	0.0%	0.2%	0.0%	0.0%	0.6%	0.1%
Steroids?							
All	99.5%	0.1%	0.0%	0.1%	0.0%	0.1%	0.3%
Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Grade 8	99.2%	0.0%	0.0%	0.1%	0.1%	0.0%	0.6%
Grade 9	99.4%	0.5%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 10	99.6%	0.0%	0.1%	0.0%	0.0%	0.2%	0.1%
Grade 11	99.6%	0.0%	0.0%	0.1%	0.0%	0.2%	0.0%
Grade 12	99.2%	0.0%	0.0%	0.2%	0.0%	0.0%	0.7%
Ecstasy?							
All	98.1%	0.1%	0.0%	0.3%	0.3%	0.5%	0.8%
Grade 7	99.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.2%
Grade 8	99.0%	0.0%	0.0%	0.1%	0.1%	0.4%	0.3%
Grade 9	97.4%	0.1%	0.0%	0.3%	0.5%	0.5%	1.1%
Grade 10	98.0%	0.2%	0.1%	0.3%	0.3%	0.6%	0.5%
Grade 11	97.2%	0.0%	0.0%	0.4%	0.5%	0.4%	1.5%
Grade 12	96.9%	0.0%	0.2%	0.4%	0.3%	0.8%	1.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.1%	0.0%	0.1%	0.1%	0.0%	0.1%
	Grade 7	99.7%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 8	99.6%	0.0%	0.0%	0.2%	0.2%	0.0%	0.0%
	Grade 9	99.7%	0.1%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 10	99.4%	0.1%	0.0%	0.0%	0.0%	0.2%	0.3%
	Grade 11	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 12	99.4%	0.0%	0.0%	0.2%	0.1%	0.0%	0.3%
Methamphetamine?								
	All	99.4%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 8	99.3%	0.0%	0.0%	0.0%	0.4%	0.2%	0.2%
	Grade 9	99.4%	0.0%	0.0%	0.0%	0.1%	0.2%	0.3%
	Grade 10	99.3%	0.0%	0.1%	0.1%	0.0%	0.2%	0.3%
	Grade 11	99.3%	0.0%	0.0%	0.1%	0.1%	0.3%	0.1%
	Grade 12	99.1%	0.0%	0.2%	0.0%	0.3%	0.1%	0.3%
Synthetic Marijuana?								
	All	94.8%	0.2%	0.3%	0.7%	1.0%	1.2%	1.9%
	Grade 7	97.6%	0.1%	0.2%	0.5%	0.7%	0.3%	0.7%
	Grade 8	96.9%	0.1%	0.2%	0.5%	0.9%	0.3%	1.1%
	Grade 9	93.1%	0.1%	0.2%	0.9%	1.4%	1.9%	2.4%
	Grade 10	94.6%	0.2%	0.4%	1.0%	0.6%	1.9%	1.3%
	Grade 11	93.2%	0.4%	0.5%	0.2%	1.3%	1.7%	2.6%
	Grade 12	92.8%	0.6%	0.2%	0.8%	1.0%	1.2%	3.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	34.2%	20.8%	6.5%	7.6%	10.2%	20.7%
	Grade 7	44.2%	33.9%	7.2%	5.5%	4.5%	4.7%
	Grade 8	39.5%	30.3%	8.2%	6.6%	6.9%	8.6%
	Grade 9	35.8%	16.5%	6.6%	7.6%	10.7%	22.7%
	Grade 10	32.7%	15.1%	5.6%	8.4%	12.4%	25.9%
	Grade 11	25.7%	14.7%	6.3%	8.3%	13.2%	31.7%
	Grade 12	24.3%	11.6%	4.5%	9.8%	14.8%	35.0%
Cocaine?							
	All	43.1%	28.1%	8.1%	7.6%	5.2%	7.9%
	Grade 7	48.8%	37.0%	7.0%	4.0%	1.3%	1.8%
	Grade 8	44.8%	35.4%	8.6%	5.1%	2.5%	3.6%
	Grade 9	47.2%	24.9%	6.8%	8.8%	4.6%	7.7%
	Grade 10	42.3%	23.2%	8.5%	9.8%	7.9%	8.3%
	Grade 11	37.2%	25.6%	8.4%	8.6%	9.0%	11.2%
	Grade 12	36.2%	20.9%	9.4%	10.0%	7.0%	16.4%
Crack?							
	All	46.6%	28.8%	9.0%	6.2%	4.0%	5.4%
	Grade 7	52.5%	35.0%	7.2%	2.7%	1.3%	1.3%
	Grade 8	46.8%	34.7%	8.8%	4.3%	2.6%	2.7%
	Grade 9	50.5%	25.9%	7.6%	6.8%	3.1%	6.2%
	Grade 10	45.2%	26.3%	10.5%	7.6%	5.7%	4.7%
	Grade 11	41.6%	27.0%	9.1%	8.7%	6.5%	7.1%
	Grade 12	41.7%	22.3%	11.1%	7.7%	5.5%	11.6%
Steroids?							
	All	49.4%	28.4%	8.2%	6.1%	3.7%	4.3%
	Grade 7	53.4%	33.2%	6.8%	4.1%	1.2%	1.4%
	Grade 8	49.3%	33.6%	8.3%	4.4%	2.5%	2.0%
	Grade 9	53.2%	26.0%	7.2%	6.0%	2.5%	5.2%
	Grade 10	49.0%	26.0%	8.0%	7.4%	4.5%	5.2%
	Grade 11	45.2%	26.6%	9.4%	7.3%	6.8%	4.7%
	Grade 12	45.3%	23.9%	9.8%	7.8%	5.4%	7.8%
Ecstasy?							
	All	54.1%	24.1%	6.8%	5.4%	4.3%	5.3%
	Grade 7	62.8%	28.4%	4.9%	2.2%	0.6%	1.1%
	Grade 8	57.5%	28.4%	6.9%	3.4%	2.2%	1.6%
	Grade 9	59.2%	23.1%	4.9%	3.8%	3.6%	5.4%
	Grade 10	51.6%	21.4%	8.3%	7.1%	5.2%	6.4%
	Grade 11	45.9%	22.3%	8.3%	8.1%	8.5%	7.0%
	Grade 12	44.7%	19.6%	7.6%	9.0%	7.1%	12.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	53.9%	27.5%	7.6%	4.6%	2.5%	3.9%
	Grade 7	60.6%	30.0%	5.2%	2.2%	0.6%	1.4%
	Grade 8	54.6%	32.7%	7.0%	2.7%	1.5%	1.6%
	Grade 9	58.9%	23.3%	6.9%	4.4%	2.6%	3.9%
	Grade 10	51.9%	26.2%	8.9%	6.7%	2.6%	3.7%
	Grade 11	49.6%	26.9%	8.1%	5.7%	4.7%	5.0%
	Grade 12	46.1%	25.2%	10.2%	6.4%	3.4%	8.7%
Methamphetamine?							
	All	54.5%	27.0%	7.2%	4.3%	2.8%	4.1%
	Grade 7	61.7%	30.2%	4.7%	1.8%	0.6%	1.1%
	Grade 8	55.4%	31.9%	6.4%	3.1%	1.8%	1.5%
	Grade 9	59.0%	24.0%	5.1%	4.4%	3.5%	4.1%
	Grade 10	52.6%	25.8%	8.8%	6.2%	2.7%	3.9%
	Grade 11	49.1%	26.1%	8.9%	5.4%	5.4%	5.1%
	Grade 12	47.6%	23.4%	10.3%	5.6%	3.2%	9.9%
Synthetic Marijuana?							
	All	48.3%	22.3%	5.3%	6.1%	6.6%	11.2%
	Grade 7	58.7%	29.2%	4.5%	3.5%	1.4%	2.7%
	Grade 8	53.6%	27.8%	6.1%	3.7%	4.2%	4.6%
	Grade 9	47.7%	20.0%	4.6%	7.1%	8.1%	12.5%
	Grade 10	46.8%	18.7%	5.3%	9.0%	8.5%	11.7%
	Grade 11	41.3%	19.6%	6.7%	5.7%	9.6%	17.1%
	Grade 12	39.5%	17.5%	4.8%	8.0%	8.8%	21.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	93.1%	4.2%	0.9%	1.8%
Grade 7	97.3%	1.8%	0.4%	0.5%
Grade 8	96.5%	2.6%	0.7%	0.2%
Grade 9	91.1%	5.0%	1.5%	2.4%
Grade 10	91.2%	5.8%	0.6%	2.5%
Grade 11	92.4%	4.5%	0.8%	2.4%
Grade 12	89.3%	5.8%	1.6%	3.3%
Attended Class While High from Use of Some Other Drug?				
All	96.8%	2.3%	0.4%	0.6%
Grade 7	98.3%	1.1%	0.1%	0.5%
Grade 8	98.6%	1.1%	0.2%	0.1%
Grade 9	96.0%	3.3%	0.1%	0.6%
Grade 10	96.4%	2.9%	0.2%	0.4%
Grade 11	96.1%	2.9%	0.2%	0.8%
Grade 12	94.8%	2.5%	1.5%	1.2%

Table D-5: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.3
Marijuana Non-Users	3.3
Average Days Conduct Problems Reported	
Marijuana Users	3.9
Marijuana Non-Users	1.1

Percentages have been weighted to reflect proportions within the population.

Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.0%	3.9%	1.0%	1.0%
Grade 9	96.6%	2.4%	0.3%	0.8%
Grade 10	95.8%	3.5%	0.5%	0.3%
Grade 11	94.2%	3.3%	1.0%	1.5%
Grade 12	88.7%	7.0%	2.6%	1.7%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.2%	2.1%	0.5%	0.3%
Grade 7	98.6%	1.0%	0.1%	0.3%
Grade 8	97.3%	2.3%	0.2%	0.2%
Grade 9	96.3%	2.1%	1.1%	0.5%
Grade 10	97.1%	2.4%	0.4%	0.1%
Grade 11	97.4%	2.1%	0.1%	0.4%
Grade 12	96.2%	3.0%	0.7%	0.1%

Table D-7: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	59.3%	18.0%	10.6%	8.6%	3.5%
Grade 7	83.0%	9.8%	4.3%	1.8%	1.1%
Grade 8	76.3%	12.2%	6.0%	3.5%	2.1%
Grade 9	53.9%	21.4%	10.7%	10.1%	3.9%
Grade 10	48.1%	21.7%	15.3%	11.7%	3.3%
Grade 11	45.5%	23.4%	13.9%	13.4%	3.8%
Grade 12	44.0%	20.5%	14.9%	12.7%	7.9%

Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	65.0%	5.1%	3.9%	5.1%	6.0%	2.8%	12.0%
Grade 7	84.9%	2.7%	1.9%	0.7%	0.6%	1.6%	7.6%
Grade 8	81.4%	3.8%	1.9%	2.0%	1.6%	1.7%	7.6%
Grade 9	62.0%	5.3%	4.7%	5.0%	5.7%	3.3%	14.0%
Grade 10	58.5%	6.2%	3.9%	7.8%	6.6%	4.0%	12.9%
Grade 11	50.5%	6.7%	5.6%	8.4%	9.5%	3.5%	15.7%
Grade 12	47.8%	6.0%	5.9%	8.0%	13.9%	2.9%	15.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.2%	4.9%	5.0%	1.3%	1.4%	9.3%
Grade 7	80.8%	2.0%	1.8%	0.5%	1.5%	13.3%
Grade 8	83.1%	2.8%	2.7%	0.6%	1.3%	9.5%
Grade 9	75.8%	4.0%	6.4%	1.4%	1.1%	11.2%
Grade 10	76.7%	7.1%	5.0%	2.3%	1.9%	6.9%
Grade 11	77.7%	6.9%	6.1%	1.3%	0.5%	7.4%
Grade 12	73.9%	7.3%	8.7%	1.8%	1.9%	6.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	63.5%	11.9%	9.6%	10.5%	4.6%
	Grade 7	82.5%	6.7%	3.7%	3.0%	4.1%
	Grade 8	73.5%	10.6%	6.9%	4.3%	4.7%
	Grade 9	60.3%	14.0%	9.1%	11.8%	5.0%
	Grade 10	53.1%	15.7%	12.2%	13.9%	5.1%
	Grade 11	56.1%	12.5%	13.2%	13.8%	4.4%
	Grade 12	52.4%	11.9%	13.5%	17.9%	4.2%
Cocaine?						
	All	86.4%	7.0%	1.0%	0.9%	4.8%
	Grade 7	90.0%	4.3%	0.5%	0.6%	4.5%
	Grade 8	87.4%	6.2%	1.1%	0.5%	4.8%
	Grade 9	83.4%	8.5%	1.0%	1.6%	5.6%
	Grade 10	84.5%	8.5%	0.8%	1.0%	5.2%
	Grade 11	87.8%	6.0%	1.1%	0.8%	4.3%
	Grade 12	85.1%	8.5%	1.5%	0.6%	4.4%
Crack?						
	All	87.9%	5.6%	0.6%	0.7%	5.1%
	Grade 7	89.3%	4.0%	0.9%	0.6%	5.2%
	Grade 8	87.2%	5.7%	0.9%	0.4%	5.8%
	Grade 9	85.6%	7.2%	0.1%	1.4%	5.7%
	Grade 10	87.2%	6.4%	0.6%	0.6%	5.2%
	Grade 11	90.0%	4.5%	0.5%	0.5%	4.4%
	Grade 12	88.4%	5.9%	0.9%	0.5%	4.3%
Ecstasy?						
	All	83.9%	6.2%	1.2%	1.0%	7.7%
	Grade 7	87.0%	3.4%	0.6%	0.5%	8.4%
	Grade 8	83.8%	5.4%	1.0%	0.6%	9.3%
	Grade 9	82.7%	6.6%	1.0%	1.7%	8.0%
	Grade 10	82.0%	8.4%	0.8%	1.6%	7.2%
	Grade 11	85.1%	6.4%	1.2%	0.7%	6.5%
	Grade 12	82.3%	7.6%	3.0%	0.9%	6.2%
Steroids?						
	All	79.9%	9.9%	2.7%	1.0%	6.5%
	Grade 7	83.7%	7.1%	2.2%	0.6%	6.4%
	Grade 8	79.6%	10.4%	2.3%	0.9%	6.9%
	Grade 9	77.0%	11.1%	2.8%	1.6%	7.4%
	Grade 10	77.2%	12.1%	2.7%	1.2%	6.8%
	Grade 11	82.2%	9.2%	2.5%	1.1%	5.0%
	Grade 12	79.9%	9.6%	3.7%	0.6%	6.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	87.8%	4.7%	0.6%	0.5%	6.3%
	Grade 7	87.3%	3.9%	0.9%	0.4%	7.5%
	Grade 8	86.5%	4.8%	1.0%	0.4%	7.2%
	Grade 9	85.0%	6.6%	0.2%	0.8%	7.3%
	Grade 10	88.0%	4.9%	0.6%	0.6%	6.0%
	Grade 11	91.2%	3.4%	0.3%	0.6%	4.5%
	Grade 12	89.9%	4.3%	0.8%	0.2%	4.8%
Methamphetamine?						
	All	88.5%	3.8%	0.6%	0.6%	6.4%
	Grade 7	88.0%	3.0%	0.7%	0.7%	7.5%
	Grade 8	87.5%	3.9%	0.9%	0.4%	7.3%
	Grade 9	87.1%	5.1%	0.7%	0.8%	6.4%
	Grade 10	88.9%	3.4%	0.4%	0.7%	6.6%
	Grade 11	90.5%	3.4%	0.4%	0.8%	4.9%
	Grade 12	89.4%	4.2%	0.9%	0.4%	5.1%
Synthetic Marijuana?						
	All	84.4%	6.4%	1.5%	1.3%	6.4%
	Grade 7	86.8%	4.2%	1.2%	1.2%	6.7%
	Grade 8	83.2%	6.6%	2.0%	1.0%	7.3%
	Grade 9	82.6%	6.7%	1.6%	1.9%	7.1%
	Grade 10	83.5%	7.0%	1.4%	1.6%	6.5%
	Grade 11	86.6%	6.3%	0.9%	1.4%	4.8%
	Grade 12	83.9%	7.7%	2.1%	0.7%	5.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	7.9%	9.9%	14.3%	85.7%
Grade 7	5.8%	7.0%	10.7%	89.3%
Grade 8	7.4%	9.6%	13.0%	87.0%
Grade 9	8.3%	9.1%	14.0%	86.0%
Grade 10	9.3%	11.3%	16.2%	83.8%
Grade 11	6.2%	9.6%	14.4%	85.6%
Grade 12	10.6%	13.2%	18.5%	81.5%
Codeine Cough Syrup?				
All	4.8%	6.6%	10.1%	89.9%
Grade 7	3.0%	3.8%	7.1%	92.9%
Grade 8	3.8%	5.9%	8.7%	91.3%
Grade 9	4.9%	5.9%	9.0%	91.0%
Grade 10	6.3%	7.6%	11.7%	88.3%
Grade 11	4.1%	7.2%	10.4%	89.6%
Grade 12	7.0%	9.6%	14.8%	85.2%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.6%	2.1%	3.2%	96.8%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	1.5%	1.9%	2.2%	97.8%
Grade 9	0.9%	1.1%	3.2%	96.8%
Grade 10	2.2%	2.9%	3.4%	96.6%
Grade 11	1.1%	1.9%	3.7%	96.3%
Grade 12	3.6%	4.6%	6.4%	93.6%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.5%	2.5%	3.7%	96.3%
Grade 7	0.5%	0.7%	0.8%	99.2%
Grade 8	0.9%	1.5%	2.1%	97.9%
Grade 9	1.4%	2.4%	3.7%	96.3%
Grade 10	2.1%	2.9%	4.8%	95.2%
Grade 11	1.8%	3.1%	4.4%	95.6%
Grade 12	2.6%	4.8%	7.3%	92.7%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.1%	1.4%	2.1%	97.9%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.9%	1.1%	1.3%	98.7%
Grade 9	0.7%	1.0%	1.8%	98.2%
Grade 10	1.4%	1.5%	2.2%	97.8%
Grade 11	1.1%	1.6%	2.8%	97.2%
Grade 12	2.3%	3.5%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.5%	4.1%	7.2%	92.8%
Grade 7	3.5%	4.0%	6.4%	93.6%
Grade 8	3.8%	4.8%	7.7%	92.3%
Grade 9	4.2%	4.5%	8.0%	92.0%
Grade 10	3.9%	4.3%	7.8%	92.2%
Grade 11	2.2%	3.6%	7.0%	93.0%
Grade 12	3.0%	3.5%	6.1%	93.9%

Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.3%	1.9%	3.1%	96.9%
Grade 7	1.5%	1.7%	3.2%	96.8%
Grade 8	1.4%	1.9%	3.1%	96.9%
Grade 9	1.1%	1.9%	3.6%	96.4%
Grade 10	1.0%	1.6%	2.7%	97.3%
Grade 11	1.6%	2.5%	3.5%	96.5%
Grade 12	1.7%	1.7%	2.4%	97.6%

Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.9%	12.1%	3.3%	1.7%	7.1%
Grade 7	79.2%	8.7%	3.0%	1.5%	7.6%
Grade 8	75.0%	11.9%	3.7%	1.9%	7.5%
Grade 9	72.9%	13.6%	2.5%	2.3%	8.7%
Grade 10	74.7%	13.6%	3.3%	1.6%	6.7%
Grade 11	78.6%	10.9%	3.2%	1.4%	5.9%
Grade 12	74.8%	14.0%	4.4%	1.1%	5.7%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	5.6%	7.0%	12.8%	87.2%
Grade 7	6.6%	7.7%	12.8%	87.2%
Grade 8	5.6%	7.2%	12.9%	87.1%
Grade 9	7.7%	9.8%	15.7%	84.3%
Grade 10	5.0%	6.1%	12.7%	87.3%
Grade 11	3.5%	4.3%	10.0%	90.0%
Grade 12	4.6%	6.3%	12.3%	87.7%
Spray Paint?				
All	0.6%	0.9%	2.7%	97.3%
Grade 7	0.6%	0.9%	2.1%	97.9%
Grade 8	0.8%	0.9%	3.2%	96.8%
Grade 9	0.7%	1.4%	3.2%	96.8%
Grade 10	0.8%	0.8%	2.4%	97.6%
Grade 11	0.1%	0.4%	2.6%	97.4%
Grade 12	0.6%	1.0%	2.7%	97.3%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.4%	1.9%	5.6%	94.4%
Grade 7	1.7%	2.8%	6.5%	93.5%
Grade 8	1.9%	2.1%	6.3%	93.7%
Grade 9	2.2%	2.9%	8.0%	92.0%
Grade 10	0.8%	1.2%	5.5%	94.5%
Grade 11	0.7%	1.1%	4.2%	95.8%
Grade 12	0.6%	1.0%	2.7%	97.3%
Computer Dusting Sprays?				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.7%	1.0%	1.3%	98.7%
Grade 8	0.5%	0.8%	1.5%	98.5%
Grade 9	0.4%	1.1%	2.3%	97.7%
Grade 10	0.6%	0.9%	2.5%	97.5%
Grade 11	0.2%	0.3%	0.8%	99.2%
Grade 12	0.6%	0.9%	1.9%	98.1%
Helium, Butane, Propane, Whippets, or Freon?				
All	2.0%	2.8%	6.2%	93.8%
Grade 7	2.4%	2.7%	6.5%	93.5%
Grade 8	2.0%	2.6%	5.3%	94.7%
Grade 9	2.3%	3.7%	7.9%	92.1%
Grade 10	1.6%	2.3%	5.8%	94.2%
Grade 11	0.9%	1.4%	5.4%	94.6%
Grade 12	2.5%	3.9%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 118

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	1.3%	1.6%	2.3%	97.7%
Grade 8	0.6%	0.9%	1.6%	98.4%
Grade 9	0.9%	1.3%	2.5%	97.5%
Grade 10	0.3%	0.3%	1.3%	98.7%
Grade 11	0.1%	0.1%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.5%	99.5%
Toluene, Paint Thinner, or Other Solvents?				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.3%	0.8%	1.5%	98.5%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	0.8%	1.2%	2.5%	97.5%
Grade 10	0.1%	0.2%	1.1%	98.9%
Grade 11	0.0%	0.1%	0.4%	99.6%
Grade 12	0.5%	0.5%	0.9%	99.1%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.8%	1.3%	2.8%	97.2%
Grade 7	0.7%	1.4%	2.4%	97.6%
Grade 8	0.9%	1.5%	3.3%	96.7%
Grade 9	1.3%	2.2%	5.0%	95.0%
Grade 10	0.6%	0.6%	2.7%	97.3%
Grade 11	0.9%	1.1%	1.5%	98.5%
Grade 12	0.4%	0.7%	1.4%	98.6%
Other Aerosols/Sprays?				
All	0.7%	0.9%	2.1%	97.9%
Grade 7	0.8%	1.3%	3.3%	96.7%
Grade 8	1.1%	1.4%	2.1%	97.9%
Grade 9	1.1%	1.5%	3.0%	97.0%
Grade 10	0.4%	0.5%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.5%	0.7%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.2%	0.1%	0.2%	0.4%	0.5%	0.6%	1.1%
Grade 7	96.6%	0.2%	0.3%	0.7%	0.5%	1.2%	0.6%
Grade 8	96.6%	0.1%	0.4%	0.3%	0.6%	0.7%	1.4%
Grade 9	96.5%	0.0%	0.2%	0.4%	0.7%	0.8%	1.4%
Grade 10	97.7%	0.0%	0.0%	0.4%	0.6%	0.1%	1.2%
Grade 11	98.3%	0.0%	0.0%	0.1%	0.3%	0.6%	0.7%
Grade 12	97.6%	0.0%	0.0%	0.3%	0.3%	0.2%	1.6%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	88.4%	6.4%	3.4%	1.8%
Grade 7	88.2%	6.0%	3.9%	1.9%
Grade 8	88.3%	6.1%	3.8%	1.8%
Grade 9	86.0%	6.6%	4.1%	3.3%
Grade 10	88.6%	6.5%	3.5%	1.5%
Grade 11	90.9%	5.8%	2.2%	1.0%
Grade 12	89.1%	7.2%	2.6%	1.1%

Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.8%	0.9%	0.1%	0.3%
Grade 7	98.1%	1.1%	0.0%	0.8%
Grade 8	99.0%	0.9%	0.1%	0.0%
Grade 9	98.5%	1.3%	0.2%	0.0%
Grade 10	99.1%	0.5%	0.0%	0.4%
Grade 11	99.1%	0.7%	0.0%	0.1%
Grade 12	99.1%	0.4%	0.2%	0.3%

Percentages have been weighted to reflect proportions within the population.

Table I-5: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.6
Inhalant Non-Users	3.4
Average Days Conduct Problems Reported	
Inhalant Users	4.2
Inhalant Non-Users	1.3

Table I-6: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	91.1%	6.4%	1.6%	0.7%	0.2%
Grade 7	91.6%	6.8%	1.3%	0.3%	0.1%
Grade 8	91.4%	6.2%	1.5%	0.5%	0.3%
Grade 9	88.1%	8.0%	2.2%	1.6%	0.1%
Grade 10	92.1%	5.8%	1.6%	0.5%	0.0%
Grade 11	92.9%	5.1%	1.3%	0.5%	0.1%
Grade 12	90.6%	6.4%	1.8%	0.7%	0.4%

Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.6%	11.2%	3.3%	1.2%	6.8%
Grade 7	78.7%	9.9%	3.6%	1.5%	6.2%
Grade 8	74.9%	13.9%	3.9%	1.4%	5.9%
Grade 9	75.8%	10.6%	4.5%	1.5%	7.6%
Grade 10	75.6%	12.7%	3.4%	1.4%	6.9%
Grade 11	80.6%	10.1%	1.9%	0.4%	7.0%
Grade 12	80.9%	9.3%	2.0%	0.9%	6.9%

Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	47.8%	16.7%	4.2%	4.9%	7.8%	18.6%
Grade 7	50.2%	23.6%	3.7%	3.0%	6.9%	12.6%
Grade 8	46.0%	22.1%	3.9%	4.9%	8.3%	14.9%
Grade 9	51.4%	13.5%	4.1%	5.2%	6.3%	19.5%
Grade 10	49.0%	12.6%	4.8%	5.2%	8.9%	19.5%
Grade 11	44.7%	14.0%	5.6%	6.2%	9.2%	20.3%
Grade 12	44.8%	13.2%	3.2%	5.1%	7.2%	26.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	50.9%
	Grade 7	56.9%
	Grade 8	50.5%
	Grade 9	39.9%
	Grade 10	48.5%
	Grade 11	55.1%
	Grade 12	55.5%
An Assembly Program		
	All	51.9%
	Grade 7	57.0%
	Grade 8	60.9%
	Grade 9	49.2%
	Grade 10	43.4%
	Grade 11	50.3%
	Grade 12	49.4%
Guidance Counselor		
	All	44.8%
	Grade 7	53.0%
	Grade 8	55.4%
	Grade 9	35.5%
	Grade 10	37.7%
	Grade 11	41.4%
	Grade 12	45.1%
School Nurse		
	All	29.6%
	Grade 7	40.7%
	Grade 8	33.5%
	Grade 9	25.6%
	Grade 10	23.4%
	Grade 11	25.1%
	Grade 12	28.6%
Science or Social Studies Class		
	All	33.5%
	Grade 7	33.5%
	Grade 8	30.2%
	Grade 9	35.5%
	Grade 10	34.9%
	Grade 11	30.1%
	Grade 12	36.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 32 of 118

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	21.9%
	Grade 7	20.9%
	Grade 8	19.5%
	Grade 9	20.4%
	Grade 10	20.5%
	Grade 11	26.1%
	Grade 12	25.3%
An Invited School Guest		
	All	44.4%
	Grade 7	45.4%
	Grade 8	48.9%
	Grade 9	43.6%
	Grade 10	39.4%
	Grade 11	44.2%
	Grade 12	44.8%
Another Source at School		
	All	35.2%
	Grade 7	35.2%
	Grade 8	34.7%
	Grade 9	34.2%
	Grade 10	32.5%
	Grade 11	37.7%
	Grade 12	37.3%
Any School Source		
	All	74.4%
	Grade 7	79.6%
	Grade 8	78.6%
	Grade 9	69.9%
	Grade 10	71.6%
	Grade 11	73.2%
	Grade 12	72.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	51.4%
	Grade 7	64.1%
	Grade 8	56.5%
	Grade 9	46.1%
	Grade 10	46.2%
	Grade 11	46.6%
	Grade 12	47.7%
School Nurse		
	All	33.6%
	Grade 7	45.4%
	Grade 8	38.3%
	Grade 9	30.9%
	Grade 10	30.0%
	Grade 11	28.7%
	Grade 12	26.4%
Another Adult In School		
	All	50.7%
	Grade 7	58.1%
	Grade 8	52.8%
	Grade 9	46.7%
	Grade 10	49.9%
	Grade 11	48.6%
	Grade 12	47.5%
Counselor/Program Outside-School		
	All	47.5%
	Grade 7	53.6%
	Grade 8	50.9%
	Grade 9	44.4%
	Grade 10	43.9%
	Grade 11	44.0%
	Grade 12	47.3%
Your Parents		
	All	71.7%
	Grade 7	79.9%
	Grade 8	74.4%
	Grade 9	66.6%
	Grade 10	72.5%
	Grade 11	68.8%
	Grade 12	67.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	61.4%
	Grade 7	71.8%
	Grade 8	66.6%
	Grade 9	55.2%
	Grade 10	59.8%
	Grade 11	56.0%
	Grade 12	57.6%
Your Friends		
	All	58.6%
	Grade 7	50.6%
	Grade 8	59.7%
	Grade 9	57.6%
	Grade 10	61.3%
	Grade 11	63.2%
	Grade 12	60.3%
Another Adult		
	All	62.4%
	Grade 7	65.3%
	Grade 8	64.1%
	Grade 9	59.9%
	Grade 10	63.1%
	Grade 11	63.8%
	Grade 12	57.8%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	8.4%
	Grade 7	5.9%
	Grade 8	8.5%
	Grade 9	9.9%
	Grade 10	10.5%
	Grade 11	7.0%
	Grade 12	8.7%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 35 of 118

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	8.3%	23.0%	23.9%	31.2%	13.5%
Grade 7	8.5%	16.1%	20.9%	34.6%	19.9%
Grade 8	7.3%	19.9%	19.8%	35.1%	17.8%
Grade 9	9.8%	26.3%	22.8%	29.8%	11.3%
Grade 10	10.3%	24.0%	25.8%	28.4%	11.5%
Grade 11	6.1%	26.3%	29.5%	29.6%	8.5%
Grade 12	7.3%	26.6%	25.9%	29.2%	10.9%
Sometimes Carry Weapons?					
All	85.3%	9.3%	3.2%	1.3%	0.9%
Grade 7	91.0%	7.0%	1.2%	0.7%	0.1%
Grade 8	88.8%	7.2%	2.0%	1.2%	0.8%
Grade 9	82.0%	12.1%	4.0%	1.0%	0.9%
Grade 10	86.0%	8.8%	3.2%	1.0%	1.1%
Grade 11	83.4%	9.5%	4.4%	1.6%	1.2%
Grade 12	79.2%	11.8%	5.0%	2.4%	1.6%
Care About Making Good Grades?					
All	3.1%	13.9%	23.7%	37.0%	22.3%
Grade 7	2.5%	12.0%	21.9%	35.3%	28.2%
Grade 8	3.0%	9.0%	23.0%	38.3%	26.7%
Grade 9	2.9%	16.8%	25.8%	33.8%	20.8%
Grade 10	4.1%	17.1%	25.6%	36.1%	17.1%
Grade 11	2.8%	12.6%	20.6%	44.1%	19.8%
Grade 12	3.3%	16.1%	25.5%	34.8%	20.3%
Belong/Want to Belong to a Gang?					
All	80.7%	12.0%	4.7%	1.7%	1.0%
Grade 7	83.2%	10.7%	4.1%	1.3%	0.6%
Grade 8	80.8%	11.5%	4.5%	1.7%	1.4%
Grade 9	73.9%	16.6%	5.8%	2.5%	1.1%
Grade 10	81.7%	11.8%	4.7%	1.2%	0.6%
Grade 11	81.9%	9.8%	5.4%	2.1%	0.8%
Grade 12	83.1%	10.8%	3.8%	1.0%	1.2%
Wish They Could Drop Out of School?					
All	57.8%	24.9%	10.9%	4.5%	1.9%
Grade 7	68.3%	17.8%	7.4%	4.8%	1.7%
Grade 8	64.5%	21.3%	8.0%	4.0%	2.1%
Grade 9	52.2%	30.7%	12.2%	3.7%	1.3%
Grade 10	53.1%	26.9%	12.3%	5.6%	2.1%
Grade 11	54.4%	25.4%	14.2%	4.7%	1.4%
Grade 12	53.3%	27.9%	12.0%	4.3%	2.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 36 of 118

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	85.9%	12.0%	0.8%	0.3%	1.0%
Grade 7	87.3%	10.5%	1.0%	0.2%	1.0%
Grade 8	87.4%	10.4%	1.0%	0.5%	0.8%
Grade 9	82.2%	15.2%	0.5%	0.2%	2.0%
Grade 10	87.1%	11.0%	0.4%	0.6%	1.0%
Grade 11	84.9%	13.0%	1.3%	0.3%	0.6%
Grade 12	86.7%	11.8%	0.7%	0.1%	0.6%
Out In Your Neighborhood?					
All	36.8%	48.0%	9.7%	2.0%	3.5%
Grade 7	36.4%	47.3%	10.7%	1.9%	3.8%
Grade 8	40.2%	46.1%	8.3%	2.1%	3.3%
Grade 9	32.3%	48.3%	11.0%	2.1%	6.3%
Grade 10	36.1%	49.6%	9.6%	1.8%	2.9%
Grade 11	36.8%	49.0%	10.3%	2.3%	1.6%
Grade 12	39.7%	47.5%	8.3%	2.0%	2.6%
At School?					
All	42.3%	42.6%	7.5%	3.8%	3.8%
Grade 7	54.0%	34.1%	6.5%	2.4%	3.0%
Grade 8	48.1%	39.5%	5.0%	3.1%	4.3%
Grade 9	34.9%	45.6%	8.4%	4.7%	6.3%
Grade 10	36.2%	46.0%	9.3%	4.4%	4.1%
Grade 11	37.7%	48.6%	7.8%	3.3%	2.6%
Grade 12	42.3%	42.3%	8.1%	5.2%	2.1%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 37 of 118

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.7%	16.8%	28.7%	71.3%
Grade 7	5.3%	6.3%	11.5%	88.5%
Grade 8	7.2%	8.5%	16.3%	83.7%
Grade 9	12.9%	16.2%	29.6%	70.4%
Grade 10	15.1%	20.1%	37.1%	62.9%
Grade 11	18.9%	23.1%	38.1%	61.9%
Grade 12	25.2%	30.0%	43.5%	56.5%
Any Alcohol Product				
All	27.2%	31.4%	49.1%	50.9%
Grade 7	10.8%	12.9%	26.3%	73.7%
Grade 8	16.5%	18.8%	38.1%	61.9%
Grade 9	29.5%	33.0%	52.7%	47.3%
Grade 10	33.8%	38.4%	55.8%	44.2%
Grade 11	35.8%	41.1%	58.8%	41.2%
Grade 12	40.2%	48.8%	67.2%	32.8%
Any Illicit Drug				
All	14.5%	17.7%	24.5%	75.5%
Grade 7	5.1%	6.5%	7.4%	92.6%
Grade 8	7.2%	9.0%	11.6%	88.4%
Grade 9	17.7%	20.4%	26.6%	73.4%
Grade 10	16.4%	20.7%	30.5%	69.5%
Grade 11	18.7%	23.0%	33.5%	66.5%
Grade 12	24.2%	29.9%	41.7%	58.3%
Any Prescription Drug				
All	7.9%	9.9%	14.3%	85.7%
Grade 7	5.8%	7.0%	10.7%	89.3%
Grade 8	7.4%	9.6%	13.0%	87.0%
Grade 9	8.3%	9.1%	14.0%	86.0%
Grade 10	9.3%	11.3%	16.2%	83.8%
Grade 11	6.2%	9.6%	14.4%	85.6%
Grade 12	10.6%	13.2%	18.5%	81.5%
Any Inhalant				
All	5.6%	7.0%	12.8%	87.2%
Grade 7	6.6%	7.7%	12.8%	87.2%
Grade 8	5.6%	7.2%	12.9%	87.1%
Grade 9	7.7%	9.8%	15.7%	84.3%
Grade 10	5.0%	6.1%	12.7%	87.3%
Grade 11	3.5%	4.3%	10.0%	90.0%
Grade 12	4.6%	6.3%	12.3%	87.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.6%	10.2%	20.6%	79.4%
Grade 7	2.2%	3.3%	6.5%	93.5%
Grade 8	4.0%	5.5%	11.5%	88.5%
Grade 9	6.0%	9.7%	22.0%	78.0%
Grade 10	7.8%	13.2%	27.7%	72.3%
Grade 11	9.1%	13.7%	27.8%	72.2%
Grade 12	11.6%	17.6%	31.1%	68.9%
Marijuana				
All	13.9%	16.3%	23.3%	76.7%
Grade 7	4.7%	5.3%	6.1%	93.9%
Grade 8	7.0%	8.0%	10.7%	89.3%
Grade 9	17.4%	19.5%	25.8%	74.2%
Grade 10	15.6%	18.8%	28.8%	71.2%
Grade 11	17.5%	20.4%	31.9%	68.1%
Grade 12	23.5%	28.3%	40.5%	59.5%
Marijuana Only				
All	6.6%	7.8%	12.9%	87.1%
Grade 7	1.9%	2.4%	3.0%	97.0%
Grade 8	2.6%	3.2%	4.9%	95.1%
Grade 9	8.5%	9.8%	14.4%	85.6%
Grade 10	7.5%	9.2%	17.3%	82.7%
Grade 11	7.8%	9.2%	17.1%	82.9%
Grade 12	12.1%	14.6%	23.4%	76.6%
Cocaine or Crack				
All	2.8%	3.2%	5.0%	95.0%
Grade 7	1.5%	1.6%	1.8%	98.2%
Grade 8	2.0%	2.0%	2.7%	97.3%
Grade 9	3.0%	3.1%	5.0%	95.0%
Grade 10	3.1%	3.6%	5.3%	94.7%
Grade 11	3.7%	4.2%	7.4%	92.6%
Grade 12	4.1%	4.9%	8.5%	91.5%
Cocaine				
All	2.7%	3.0%	4.7%	95.3%
Grade 7	1.3%	1.5%	1.7%	98.3%
Grade 8	1.8%	1.8%	2.4%	97.6%
Grade 9	3.0%	3.1%	5.0%	95.0%
Grade 10	3.0%	3.4%	4.9%	95.1%
Grade 11	3.3%	3.9%	7.1%	92.9%
Grade 12	4.0%	4.8%	8.0%	92.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.9%	1.3%	98.7%
Grade 7	0.7%	0.8%	1.0%	99.0%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	0.8%	0.8%	1.0%	99.0%
Grade 10	0.5%	0.6%	1.2%	98.8%
Grade 11	0.8%	0.8%	1.5%	98.5%
Grade 12	1.4%	1.4%	2.3%	97.7%
Hallucinogens				
All	0.9%	1.3%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.7%	0.9%	1.4%	98.6%
Grade 9	0.8%	1.6%	3.1%	96.9%
Grade 10	1.1%	1.6%	2.8%	97.2%
Grade 11	0.3%	0.6%	3.1%	96.9%
Grade 12	2.3%	3.0%	5.7%	94.3%
Synthetic Cathinones				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.7%	0.7%	1.8%	98.2%
Grade 10	0.2%	0.4%	1.1%	98.9%
Grade 11	0.0%	0.1%	0.4%	99.6%
Grade 12	1.1%	1.1%	1.6%	98.4%
Steroids				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	0.3%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.3%	0.5%	99.5%
Grade 12	0.6%	0.6%	1.3%	98.7%
Ecstasy				
All	0.8%	1.2%	2.6%	97.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.6%	98.4%
Grade 9	0.7%	1.3%	3.4%	96.6%
Grade 10	1.2%	1.8%	3.3%	96.7%
Grade 11	0.5%	1.4%	3.2%	96.8%
Grade 12	1.7%	2.0%	4.1%	95.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.4%	0.7%	0.8%	99.2%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.5%	0.6%	1.3%	98.7%
Grade 11	0.1%	0.1%	0.9%	99.1%
Grade 12	0.7%	0.7%	1.0%	99.0%
Synthetic Marijuana				
All	2.3%	3.2%	7.6%	92.4%
Grade 7	1.1%	1.9%	2.6%	97.4%
Grade 8	1.7%	2.2%	4.8%	95.2%
Grade 9	2.7%	4.1%	9.3%	90.7%
Grade 10	3.0%	3.9%	8.6%	91.4%
Grade 11	2.0%	3.5%	10.9%	89.1%
Grade 12	3.1%	3.8%	10.4%	89.6%
Methamphetamine				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.8%	0.9%	1.5%	98.5%
Grade 10	0.5%	0.8%	1.5%	98.5%
Grade 11	0.3%	0.5%	0.9%	99.1%
Grade 12	1.0%	1.0%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 42 of 118

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.2%	19.2%	30.5%	69.5%
Grade 7	6.9%	7.6%	12.4%	87.6%
Grade 8	6.4%	8.1%	16.5%	83.5%
Grade 9	17.4%	19.7%	34.3%	65.7%
Grade 10	17.4%	21.6%	37.9%	62.1%
Grade 11	21.2%	24.9%	39.0%	61.0%
Grade 12	32.6%	38.2%	48.6%	51.4%
Any Alcohol Product				
All	25.9%	30.5%	47.9%	52.1%
Grade 7	9.8%	12.6%	27.2%	72.8%
Grade 8	14.1%	17.0%	38.1%	61.9%
Grade 9	30.3%	33.5%	53.0%	47.0%
Grade 10	31.8%	36.3%	52.6%	47.4%
Grade 11	33.2%	39.4%	57.7%	42.3%
Grade 12	40.6%	49.5%	64.0%	36.0%
Any Illicit Drug				
All	16.6%	19.7%	26.6%	73.4%
Grade 7	6.0%	7.3%	8.3%	91.7%
Grade 8	6.8%	8.2%	11.1%	88.9%
Grade 9	22.1%	24.4%	32.1%	67.9%
Grade 10	17.5%	21.5%	30.8%	69.2%
Grade 11	21.6%	25.0%	37.9%	62.1%
Grade 12	30.0%	36.7%	45.8%	54.2%
Any Prescription Drug				
All	7.8%	10.2%	14.8%	85.2%
Grade 7	5.7%	6.8%	11.1%	88.9%
Grade 8	7.1%	10.0%	13.1%	86.9%
Grade 9	7.0%	8.3%	13.8%	86.2%
Grade 10	8.2%	10.7%	15.8%	84.2%
Grade 11	7.8%	11.0%	15.2%	84.8%
Grade 12	11.5%	15.2%	21.2%	78.8%
Any Inhalant				
All	5.6%	7.2%	13.5%	86.5%
Grade 7	5.9%	7.2%	11.7%	88.3%
Grade 8	4.7%	6.1%	12.3%	87.7%
Grade 9	9.1%	12.4%	18.5%	81.5%
Grade 10	5.1%	5.9%	14.5%	85.5%
Grade 11	4.2%	5.1%	10.8%	89.2%
Grade 12	4.1%	6.5%	13.0%	87.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.8%	11.8%	22.7%	77.3%
Grade 7	3.0%	4.3%	7.8%	92.2%
Grade 8	3.7%	5.9%	11.9%	88.1%
Grade 9	6.9%	11.5%	25.4%	74.6%
Grade 10	9.9%	14.5%	29.3%	70.7%
Grade 11	10.8%	14.8%	29.7%	70.3%
Grade 12	14.2%	23.0%	35.9%	64.1%
Marijuana				
All	15.7%	18.1%	25.5%	74.5%
Grade 7	5.4%	5.8%	6.7%	93.3%
Grade 8	6.5%	7.5%	10.1%	89.9%
Grade 9	21.6%	23.7%	31.9%	68.1%
Grade 10	16.2%	19.3%	29.2%	70.8%
Grade 11	20.1%	22.8%	36.5%	63.5%
Grade 12	28.4%	34.2%	44.9%	55.1%
Marijuana Only				
All	6.9%	8.1%	13.2%	86.8%
Grade 7	2.5%	2.8%	3.2%	96.8%
Grade 8	2.4%	2.9%	4.8%	95.2%
Grade 9	9.6%	11.1%	16.6%	83.4%
Grade 10	6.8%	8.1%	15.4%	84.6%
Grade 11	7.7%	8.4%	17.5%	82.5%
Grade 12	14.6%	17.8%	25.0%	75.0%
Cocaine or Crack				
All	4.1%	4.6%	6.3%	93.7%
Grade 7	1.3%	1.6%	1.8%	98.2%
Grade 8	1.5%	1.6%	2.5%	97.5%
Grade 9	5.7%	5.7%	7.8%	92.2%
Grade 10	4.7%	5.4%	6.5%	93.5%
Grade 11	5.4%	6.5%	9.7%	90.3%
Grade 12	6.8%	8.1%	11.3%	88.7%
Cocaine				
All	3.9%	4.4%	6.1%	93.9%
Grade 7	1.2%	1.4%	1.7%	98.3%
Grade 8	1.4%	1.4%	2.2%	97.8%
Grade 9	5.7%	5.7%	7.8%	92.2%
Grade 10	4.4%	5.0%	6.0%	94.0%
Grade 11	4.8%	5.9%	9.0%	91.0%
Grade 12	6.8%	8.1%	11.3%	88.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 44 of 118

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.2%	1.3%	1.7%	98.3%
Grade 7	0.7%	1.0%	1.3%	98.7%
Grade 8	0.7%	0.8%	1.2%	98.8%
Grade 9	1.8%	1.8%	2.2%	97.8%
Grade 10	0.5%	0.7%	1.0%	99.0%
Grade 11	1.4%	1.4%	1.7%	98.3%
Grade 12	2.5%	2.5%	2.8%	97.2%
Hallucinogens				
All	1.2%	1.7%	3.0%	97.0%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.6%	0.8%	1.3%	98.7%
Grade 9	1.6%	2.1%	3.0%	97.0%
Grade 10	1.8%	2.5%	3.6%	96.4%
Grade 11	0.2%	0.7%	3.9%	96.1%
Grade 12	3.1%	3.7%	6.2%	93.8%
Synthetic Cathinones				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.6%	0.8%	1.0%	99.0%
Grade 9	1.3%	1.3%	3.5%	96.5%
Grade 10	0.5%	0.8%	1.0%	99.0%
Grade 11	0.0%	0.3%	0.8%	99.2%
Grade 12	1.8%	1.8%	2.8%	97.2%
Steroids				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	1.0%	1.0%	1.2%	98.8%
Grade 10	0.2%	0.5%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.3%	0.3%	1.1%	98.9%
Ecstasy				
All	1.0%	1.4%	3.0%	97.0%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.4%	98.6%
Grade 9	1.2%	1.7%	3.9%	96.1%
Grade 10	1.6%	2.6%	4.4%	95.6%
Grade 11	0.5%	1.3%	4.2%	95.8%
Grade 12	2.0%	2.3%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.6%	0.6%	99.4%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	1.2%	1.2%	1.5%	98.5%
Synthetic Marijuana				
All	2.5%	3.8%	9.0%	91.0%
Grade 7	0.8%	2.0%	3.0%	97.0%
Grade 8	1.1%	1.8%	4.4%	95.6%
Grade 9	3.6%	5.2%	13.2%	86.8%
Grade 10	3.6%	5.1%	9.6%	90.4%
Grade 11	2.1%	4.0%	14.0%	86.0%
Grade 12	4.2%	5.4%	11.2%	88.8%
Methamphetamine				
All	0.7%	1.0%	1.7%	98.3%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.1%	0.5%	0.9%	99.1%
Grade 9	1.8%	2.0%	3.1%	96.9%
Grade 10	0.3%	0.7%	1.3%	98.7%
Grade 11	0.3%	0.9%	1.4%	98.6%
Grade 12	1.8%	1.8%	2.6%	97.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 46 of 118

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.0%	14.4%	26.9%	73.1%
Grade 7	3.7%	4.5%	10.3%	89.7%
Grade 8	8.2%	9.1%	16.4%	83.6%
Grade 9	8.6%	12.7%	25.2%	74.8%
Grade 10	12.9%	18.6%	36.2%	63.8%
Grade 11	16.2%	21.0%	37.3%	62.7%
Grade 12	18.3%	22.3%	38.9%	61.1%
Any Alcohol Product				
All	28.4%	32.3%	50.2%	49.8%
Grade 7	11.7%	13.1%	25.2%	74.8%
Grade 8	19.5%	21.1%	38.0%	62.0%
Grade 9	28.4%	32.3%	52.3%	47.7%
Grade 10	35.9%	40.5%	59.0%	41.0%
Grade 11	38.5%	42.8%	60.4%	39.6%
Grade 12	38.9%	47.2%	69.8%	30.2%
Any Illicit Drug				
All	12.5%	15.9%	22.4%	77.6%
Grade 7	4.3%	5.4%	6.3%	93.7%
Grade 8	7.9%	10.0%	12.0%	88.0%
Grade 9	13.5%	16.5%	21.5%	78.5%
Grade 10	15.4%	19.8%	30.2%	69.8%
Grade 11	16.0%	21.3%	29.6%	70.4%
Grade 12	19.3%	24.2%	38.0%	62.0%
Any Prescription Drug				
All	8.1%	9.7%	14.0%	86.0%
Grade 7	6.0%	7.2%	10.3%	89.7%
Grade 8	7.9%	9.5%	13.2%	86.8%
Grade 9	9.5%	9.8%	14.2%	85.8%
Grade 10	10.4%	11.9%	16.6%	83.4%
Grade 11	4.6%	8.2%	13.8%	86.2%
Grade 12	9.9%	11.6%	16.2%	83.8%
Any Inhalant				
All	5.6%	6.7%	12.2%	87.8%
Grade 7	7.3%	8.0%	13.7%	86.3%
Grade 8	6.8%	8.6%	13.7%	86.3%
Grade 9	6.5%	7.5%	13.3%	86.7%
Grade 10	4.9%	6.2%	10.8%	89.2%
Grade 11	2.8%	3.5%	9.4%	90.6%
Grade 12	5.0%	6.1%	11.8%	88.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.4%	8.5%	18.6%	81.4%
Grade 7	1.3%	1.9%	4.7%	95.3%
Grade 8	4.4%	5.3%	11.0%	89.0%
Grade 9	5.3%	8.0%	18.6%	81.4%
Grade 10	5.7%	11.8%	26.1%	73.9%
Grade 11	6.9%	12.3%	25.7%	74.3%
Grade 12	9.4%	12.9%	27.2%	72.8%
Marijuana				
All	12.2%	14.5%	21.1%	78.9%
Grade 7	4.1%	4.4%	5.3%	94.7%
Grade 8	7.6%	8.8%	11.2%	88.8%
Grade 9	13.3%	15.5%	20.2%	79.8%
Grade 10	14.9%	18.3%	28.4%	71.6%
Grade 11	15.2%	18.3%	27.7%	72.3%
Grade 12	19.3%	23.3%	36.5%	63.5%
Marijuana Only				
All	6.2%	7.6%	12.6%	87.4%
Grade 7	1.4%	1.7%	2.5%	97.5%
Grade 8	2.9%	3.5%	4.8%	95.2%
Grade 9	7.2%	8.4%	12.1%	87.9%
Grade 10	8.3%	10.4%	19.3%	80.7%
Grade 11	8.1%	10.2%	16.9%	83.1%
Grade 12	9.9%	11.9%	21.7%	78.3%
Cocaine or Crack				
All	1.6%	1.8%	3.7%	96.3%
Grade 7	1.7%	1.7%	1.8%	98.2%
Grade 8	2.6%	2.6%	2.9%	97.1%
Grade 9	0.6%	0.9%	2.5%	97.5%
Grade 10	1.6%	1.7%	4.1%	95.9%
Grade 11	1.9%	1.9%	5.2%	94.8%
Grade 12	1.7%	2.1%	5.9%	94.1%
Cocaine				
All	1.5%	1.7%	3.4%	96.6%
Grade 7	1.5%	1.6%	1.7%	98.3%
Grade 8	2.3%	2.3%	2.8%	97.2%
Grade 9	0.6%	0.9%	2.5%	97.5%
Grade 10	1.6%	1.7%	3.9%	96.1%
Grade 11	1.9%	1.9%	5.2%	94.8%
Grade 12	1.4%	1.8%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	1.1%	1.1%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.6%	1.4%	98.6%
Grade 11	0.2%	0.2%	1.2%	98.8%
Grade 12	0.5%	0.5%	1.8%	98.2%
Hallucinogens				
All	0.5%	0.9%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.7%	0.9%	1.5%	98.5%
Grade 9	0.0%	1.2%	3.1%	96.9%
Grade 10	0.5%	0.6%	2.1%	97.9%
Grade 11	0.3%	0.5%	2.3%	97.7%
Grade 12	1.7%	2.3%	5.3%	94.7%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	0.6%	99.4%
Steroids				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.9%	0.9%	1.5%	98.5%
Ecstasy				
All	0.6%	1.0%	2.3%	97.7%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.7%	0.9%	1.8%	98.2%
Grade 9	0.2%	1.0%	2.9%	97.1%
Grade 10	0.8%	1.0%	2.1%	97.9%
Grade 11	0.5%	1.5%	2.2%	97.8%
Grade 12	1.4%	1.7%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.7%	1.0%	99.0%
Grade 9	0.4%	0.6%	0.9%	99.1%
Grade 10	0.6%	0.8%	1.6%	98.4%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.3%	0.3%	0.6%	99.4%
Synthetic Marijuana				
All	2.0%	2.6%	6.4%	93.6%
Grade 7	1.4%	1.8%	2.3%	97.7%
Grade 8	2.4%	2.6%	5.5%	94.5%
Grade 9	1.9%	3.1%	6.0%	94.0%
Grade 10	2.4%	2.7%	7.7%	92.3%
Grade 11	2.0%	3.1%	8.0%	92.0%
Grade 12	2.2%	2.5%	9.8%	90.2%
Methamphetamine				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.7%	0.9%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.9%	1.8%	98.2%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.3%	0.3%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.9%	16.8%	31.2%	68.8%
Grade 7	3.6%	3.6%	9.9%	90.1%
Grade 8	2.5%	2.5%	2.5%	97.5%
Grade 9	2.7%	2.7%	27.8%	72.2%
Grade 10	18.0%	22.4%	50.8%	49.2%
Grade 11	31.5%	38.1%	52.1%	47.9%
Grade 12	31.8%	31.8%	45.7%	54.3%
Any Alcohol Product				
All	23.7%	29.3%	49.6%	50.4%
Grade 7	12.0%	12.0%	18.3%	81.7%
Grade 8	2.6%	4.2%	22.1%	77.9%
Grade 9	14.3%	21.9%	50.0%	50.0%
Grade 10	20.8%	25.3%	61.6%	38.4%
Grade 11	48.3%	58.4%	80.3%	19.7%
Grade 12	46.1%	56.8%	67.1%	32.9%
Any Illicit Drug				
All	10.2%	13.8%	23.0%	77.0%
Grade 7	6.4%	6.4%	8.0%	92.0%
Grade 8	2.5%	2.5%	2.5%	97.5%
Grade 9	5.4%	10.3%	20.2%	79.8%
Grade 10	9.0%	25.3%	38.8%	61.2%
Grade 11	20.8%	20.8%	34.8%	65.2%
Grade 12	17.7%	17.7%	35.1%	64.9%
Any Prescription Drug				
All	7.9%	11.7%	13.9%	86.1%
Grade 7	0.0%	0.0%	2.0%	98.0%
Grade 8	0.9%	2.6%	4.2%	95.8%
Grade 9	9.9%	9.9%	12.5%	87.5%
Grade 10	9.0%	9.0%	9.0%	91.0%
Grade 11	14.0%	24.7%	28.3%	71.7%
Grade 12	14.2%	24.9%	28.4%	71.6%
Any Inhalant				
All	4.2%	4.8%	11.7%	88.3%
Grade 7	5.2%	5.2%	9.9%	90.1%
Grade 8	7.8%	7.8%	11.6%	88.4%
Grade 9	5.7%	5.7%	10.6%	89.4%
Grade 10	0.0%	0.0%	18.0%	82.0%
Grade 11	6.3%	9.8%	9.8%	90.2%
Grade 12	0.0%	0.0%	10.3%	89.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.4%	9.4%	22.9%	77.1%
Grade 7	1.6%	1.6%	1.6%	98.4%
Grade 8	0.0%	1.6%	2.5%	97.5%
Grade 9	2.7%	2.7%	22.9%	77.1%
Grade 10	9.0%	9.0%	37.3%	62.7%
Grade 11	17.8%	24.6%	39.4%	60.6%
Grade 12	14.1%	17.7%	35.1%	64.9%
Marijuana				
All	9.8%	12.6%	22.4%	77.6%
Grade 7	6.4%	6.4%	6.4%	93.6%
Grade 8	2.5%	2.5%	2.5%	97.5%
Grade 9	2.8%	7.8%	18.0%	82.0%
Grade 10	9.0%	20.8%	38.8%	61.2%
Grade 11	20.8%	20.8%	34.8%	65.2%
Grade 12	17.7%	17.7%	35.1%	64.9%
Marijuana Only				
All	4.7%	6.3%	14.7%	85.3%
Grade 7	4.4%	4.4%	4.4%	95.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	2.7%	7.6%	17.5%	82.5%
Grade 10	4.5%	9.0%	22.4%	77.6%
Grade 11	6.6%	6.6%	20.6%	79.4%
Grade 12	10.6%	10.6%	24.4%	75.6%
Cocaine or Crack				
All	1.4%	2.1%	3.5%	96.5%
Grade 7	2.0%	2.0%	2.0%	98.0%
Grade 8	0.0%	0.9%	0.9%	99.1%
Grade 9	2.7%	2.7%	2.7%	97.3%
Grade 10	0.0%	0.0%	4.5%	95.5%
Grade 11	3.7%	7.4%	7.4%	92.6%
Grade 12	0.0%	0.0%	3.6%	96.4%
Cocaine				
All	1.4%	2.0%	3.5%	96.5%
Grade 7	2.0%	2.0%	2.0%	98.0%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	2.7%	2.7%	2.7%	97.3%
Grade 10	0.0%	0.0%	4.5%	95.5%
Grade 11	3.7%	7.4%	7.4%	92.6%
Grade 12	0.0%	0.0%	3.6%	96.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	2.0%	2.0%	2.0%	98.0%
Grade 8	0.0%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.6%	96.4%
Hallucinogens				
All	0.0%	0.0%	2.8%	97.2%
Grade 7	0.0%	0.0%	1.6%	98.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	4.5%	95.5%
Grade 11	0.0%	0.0%	7.7%	92.3%
Grade 12	0.0%	0.0%	3.6%	96.4%
Synthetic Cathinones				
All	0.0%	0.2%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	2.7%	97.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.6%	96.4%
Steroids				
All	0.3%	0.3%	1.6%	98.4%
Grade 7	1.6%	1.6%	1.6%	98.4%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.7%	96.3%
Grade 12	0.0%	0.0%	3.6%	96.4%
Ecstasy				
All	0.7%	0.7%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	4.5%	95.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.6%	3.6%	7.1%	92.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.5%	2.5%	2.5%	97.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.3%	0.5%	6.1%	93.9%
Grade 7	2.0%	2.0%	2.0%	98.0%
Grade 8	0.0%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	11.8%	88.2%
Grade 11	0.0%	0.0%	11.1%	88.9%
Grade 12	0.0%	0.0%	10.7%	89.3%
Methamphetamine				
All	0.0%	0.0%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	7.1%	92.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.6%	21.4%	43.1%	56.9%
Grades 7-8	5.9%	5.9%	5.9%	94.1%
Grades 9-12	20.7%	29.7%	63.0%	37.0%
Any Alcohol Product				
All	19.1%	31.4%	44.5%	55.5%
Grades 7-8	5.9%	5.9%	5.9%	94.1%
Grades 9-12	26.2%	45.0%	65.2%	34.8%
Any Illicit Drug				
All	23.7%	30.6%	45.2%	54.8%
Grades 7-8	0.0%	5.9%	5.9%	94.1%
Grades 9-12	37.4%	44.8%	67.7%	32.3%
Any Prescription Drug				
All	25.2%	29.2%	46.4%	53.6%
Grades 7-8	0.0%	0.0%	11.4%	88.6%
Grades 9-12	39.8%	46.1%	66.6%	33.4%
Any Inhalant				
All	9.2%	11.2%	11.2%	88.8%
Grades 7-8	16.8%	22.6%	22.6%	77.4%
Grades 9-12	5.1%	5.1%	5.1%	94.9%
Electronic Vapor Products				
All	5.9%	15.5%	31.1%	68.9%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	9.0%	23.9%	47.8%	52.2%
Marijuana				
All	23.7%	28.4%	43.0%	57.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	37.4%	44.8%	67.7%	32.3%
Marijuana Only				
All	15.0%	15.0%	28.9%	71.1%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	23.1%	23.1%	44.4%	55.6%
Cocaine or Crack				
All	0.0%	6.2%	6.2%	93.8%
Grades 7-8	0.0%	5.9%	5.9%	94.1%
Grades 9-12	0.0%	6.3%	6.3%	93.7%
Cocaine				
All	0.0%	6.2%	6.2%	93.8%
Grades 7-8	0.0%	5.9%	5.9%	94.1%
Grades 9-12	0.0%	6.3%	6.3%	93.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.0%	2.2%	97.8%
Grades 7-8	0.0%	0.0%	5.9%	94.1%
Grades 9-12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.0%	0.0%	4.7%	95.3%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	0.0%	0.0%	7.4%	92.6%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.0%	0.0%	4.0%	96.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	0.0%	0.0%	6.3%	93.7%
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.0%	0.0%	4.0%	96.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	0.0%	0.0%	6.3%	93.7%
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 56 of 118

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.6%	16.8%	28.5%	71.5%
Grade 7	5.4%	6.4%	11.6%	88.4%
Grade 8	7.6%	8.9%	17.4%	82.6%
Grade 9	13.5%	16.7%	29.6%	70.4%
Grade 10	15.1%	20.1%	35.8%	64.2%
Grade 11	18.3%	22.4%	37.5%	62.5%
Grade 12	24.4%	29.4%	43.2%	56.8%
Any Alcohol Product				
All	27.5%	31.6%	49.2%	50.8%
Grade 7	10.9%	13.1%	27.0%	73.0%
Grade 8	17.6%	20.0%	39.4%	60.6%
Grade 9	30.0%	33.4%	52.7%	47.3%
Grade 10	34.5%	38.8%	54.9%	45.1%
Grade 11	35.4%	40.4%	58.0%	42.0%
Grade 12	40.3%	48.4%	67.8%	32.2%
Any Illicit Drug				
All	14.8%	18.0%	24.5%	75.5%
Grade 7	5.1%	6.5%	7.3%	92.7%
Grade 8	7.6%	9.4%	12.3%	87.7%
Grade 9	18.3%	20.9%	26.9%	73.1%
Grade 10	17.0%	20.3%	29.7%	70.3%
Grade 11	18.7%	23.4%	33.8%	66.2%
Grade 12	24.1%	30.2%	41.7%	58.3%
Any Prescription Drug				
All	7.7%	9.6%	14.1%	85.9%
Grade 7	6.2%	7.4%	11.2%	88.8%
Grade 8	7.9%	10.2%	13.6%	86.4%
Grade 9	7.8%	8.7%	13.8%	86.2%
Grade 10	8.8%	10.9%	16.2%	83.8%
Grade 11	5.6%	8.6%	13.1%	86.9%
Grade 12	10.1%	11.9%	17.1%	82.9%
Any Inhalant				
All	5.6%	7.0%	12.9%	87.1%
Grade 7	6.4%	7.5%	12.7%	87.3%
Grade 8	5.5%	7.2%	13.1%	86.9%
Grade 9	7.6%	9.8%	15.9%	84.1%
Grade 10	5.1%	6.2%	12.3%	87.7%
Grade 11	3.4%	4.0%	10.2%	89.8%
Grade 12	5.0%	6.8%	12.6%	87.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.5%	10.2%	20.5%	79.5%
Grade 7	2.2%	3.3%	6.8%	93.2%
Grade 8	4.3%	5.8%	12.2%	87.8%
Grade 9	6.1%	9.7%	21.9%	78.1%
Grade 10	7.9%	13.5%	27.0%	73.0%
Grade 11	8.5%	13.1%	27.0%	73.0%
Grade 12	11.4%	17.3%	30.5%	69.5%
Marijuana				
All	14.1%	16.4%	23.3%	76.7%
Grade 7	4.6%	5.2%	6.2%	93.8%
Grade 8	7.3%	8.4%	11.3%	88.7%
Grade 9	18.1%	20.1%	26.1%	73.9%
Grade 10	16.0%	18.6%	28.0%	72.0%
Grade 11	17.5%	20.6%	32.0%	68.0%
Grade 12	23.3%	28.4%	40.4%	59.6%
Marijuana Only				
All	6.6%	7.9%	12.8%	87.2%
Grade 7	1.8%	2.3%	2.9%	97.1%
Grade 8	2.8%	3.4%	5.2%	94.8%
Grade 9	8.6%	9.8%	14.0%	86.0%
Grade 10	7.7%	9.3%	16.9%	83.1%
Grade 11	8.1%	9.6%	17.0%	83.0%
Grade 12	11.9%	14.6%	23.1%	76.9%
Cocaine or Crack				
All	3.0%	3.2%	5.0%	95.0%
Grade 7	1.5%	1.5%	1.7%	98.3%
Grade 8	2.2%	2.2%	2.8%	97.2%
Grade 9	3.0%	3.2%	5.2%	94.8%
Grade 10	3.3%	3.8%	5.4%	94.6%
Grade 11	3.7%	4.1%	7.3%	92.7%
Grade 12	4.5%	5.1%	8.6%	91.4%
Cocaine				
All	2.8%	3.1%	4.8%	95.2%
Grade 7	1.3%	1.4%	1.6%	98.4%
Grade 8	1.9%	1.9%	2.6%	97.4%
Grade 9	3.0%	3.2%	5.2%	94.8%
Grade 10	3.1%	3.5%	5.0%	95.0%
Grade 11	3.3%	3.7%	7.0%	93.0%
Grade 12	4.3%	5.0%	8.1%	91.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.9%	0.9%	1.4%	98.6%
Grade 7	0.6%	0.8%	0.9%	99.1%
Grade 8	1.0%	1.0%	1.3%	98.7%
Grade 9	0.9%	0.9%	1.1%	98.9%
Grade 10	0.5%	0.7%	1.3%	98.7%
Grade 11	0.9%	0.9%	1.6%	98.4%
Grade 12	1.6%	1.6%	2.2%	97.8%
Hallucinogens				
All	0.9%	1.4%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.7%	0.9%	1.5%	98.5%
Grade 9	0.8%	1.7%	3.3%	96.7%
Grade 10	1.2%	1.7%	2.6%	97.4%
Grade 11	0.3%	0.7%	2.8%	97.2%
Grade 12	2.5%	3.2%	5.9%	94.1%
Synthetic Cathinones				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.7%	0.7%	1.8%	98.2%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.0%	0.2%	0.4%	99.6%
Grade 12	1.2%	1.2%	1.5%	98.5%
Steroids				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.2%	98.8%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	0.3%	0.4%	0.8%	99.2%
Grade 11	0.2%	0.3%	0.3%	99.7%
Grade 12	0.7%	0.7%	1.1%	98.9%
Ecstasy				
All	0.8%	1.2%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.6%	0.6%	1.7%	98.3%
Grade 9	0.7%	1.4%	3.6%	96.4%
Grade 10	1.3%	1.9%	3.2%	96.8%
Grade 11	0.5%	1.5%	3.5%	96.5%
Grade 12	1.6%	1.9%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.3%	0.6%	0.7%	99.3%
Grade 9	0.4%	0.5%	1.1%	98.9%
Grade 10	0.6%	0.7%	1.3%	98.7%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.8%	0.8%	1.1%	98.9%
Synthetic Marijuana				
All	2.4%	3.4%	7.8%	92.2%
Grade 7	1.0%	1.9%	2.6%	97.4%
Grade 8	1.8%	2.3%	5.2%	94.8%
Grade 9	2.9%	4.4%	10.0%	90.0%
Grade 10	3.2%	4.2%	8.6%	91.4%
Grade 11	2.2%	3.8%	11.1%	88.9%
Grade 12	3.4%	4.2%	10.2%	89.8%
Methamphetamine				
All	0.6%	0.8%	1.3%	98.7%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.4%	0.7%	1.1%	98.9%
Grade 9	0.9%	1.0%	1.6%	98.4%
Grade 10	0.6%	0.9%	1.7%	98.3%
Grade 11	0.3%	0.6%	1.0%	99.0%
Grade 12	1.1%	1.1%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 60 of 118

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.1%	10.6%	21.2%	78.8%
Grade 7	2.4%	3.1%	6.4%	93.6%
Grade 8	2.9%	4.5%	9.4%	90.6%
Grade 9	6.3%	9.5%	18.1%	81.9%
Grade 10	8.9%	14.0%	33.0%	67.0%
Grade 11	10.8%	13.6%	29.2%	70.8%
Grade 12	22.8%	24.8%	40.1%	59.9%
Any Alcohol Product				
All	21.6%	24.8%	45.6%	54.4%
Grade 7	8.3%	10.0%	22.1%	77.9%
Grade 8	10.1%	11.6%	37.8%	62.2%
Grade 9	27.1%	29.9%	48.3%	51.7%
Grade 10	27.8%	32.4%	53.6%	46.4%
Grade 11	28.6%	31.8%	54.9%	45.1%
Grade 12	37.1%	43.4%	68.2%	31.8%
Any Illicit Drug				
All	10.0%	12.4%	18.2%	81.8%
Grade 7	3.1%	4.6%	5.3%	94.7%
Grade 8	2.8%	3.2%	5.6%	94.4%
Grade 9	13.9%	16.4%	21.0%	79.0%
Grade 10	11.0%	14.1%	24.6%	75.4%
Grade 11	11.5%	14.8%	22.6%	77.4%
Grade 12	23.5%	28.0%	40.1%	59.9%
Any Prescription Drug				
All	8.3%	10.6%	13.7%	86.3%
Grade 7	4.4%	6.2%	9.8%	90.2%
Grade 8	7.3%	10.3%	11.8%	88.2%
Grade 9	12.7%	12.7%	15.4%	84.6%
Grade 10	8.0%	9.7%	11.3%	88.7%
Grade 11	5.6%	9.7%	16.2%	83.8%
Grade 12	13.1%	17.0%	20.9%	79.1%
Any Inhalant				
All	4.0%	5.3%	10.5%	89.5%
Grade 7	4.7%	5.0%	12.1%	87.9%
Grade 8	5.2%	7.0%	10.6%	89.4%
Grade 9	3.3%	4.9%	7.8%	92.2%
Grade 10	2.5%	4.2%	10.8%	89.2%
Grade 11	3.1%	3.1%	6.2%	93.8%
Grade 12	5.0%	6.9%	14.7%	85.3%

Percentages have been weighted to reflect proportions within the population.

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	3.6%	6.2%	15.5%	84.5%
Grade 7	0.7%	1.6%	3.7%	96.3%
Grade 8	1.6%	3.3%	6.0%	94.0%
Grade 9	2.7%	4.7%	14.9%	85.1%
Grade 10	3.6%	7.8%	24.1%	75.9%
Grade 11	3.1%	7.7%	20.5%	79.5%
Grade 12	12.3%	15.0%	31.0%	69.0%
Marijuana				
All	9.7%	11.0%	17.0%	83.0%
Grade 7	3.1%	3.4%	4.4%	95.6%
Grade 8	2.3%	3.0%	5.0%	95.0%
Grade 9	13.9%	15.5%	20.1%	79.9%
Grade 10	10.2%	11.3%	23.0%	77.0%
Grade 11	11.5%	11.5%	19.9%	80.1%
Grade 12	23.5%	28.0%	38.8%	61.2%
Marijuana Only				
All	5.0%	5.7%	10.4%	89.6%
Grade 7	1.2%	1.6%	2.3%	97.7%
Grade 8	1.2%	1.2%	3.2%	96.8%
Grade 9	8.7%	9.8%	13.6%	86.4%
Grade 10	5.8%	6.4%	15.5%	84.5%
Grade 11	5.8%	5.8%	11.3%	88.7%
Grade 12	10.4%	13.0%	21.5%	78.5%
Cocaine or Crack				
All	1.5%	1.5%	3.0%	97.0%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.9%	0.9%	1.4%	98.6%
Grade 9	2.1%	2.2%	3.0%	97.0%
Grade 10	2.2%	2.2%	3.1%	96.9%
Grade 11	2.4%	2.4%	4.8%	95.2%
Grade 12	0.7%	0.7%	7.1%	92.9%
Cocaine				
All	1.2%	1.3%	2.8%	97.2%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	2.1%	2.2%	3.0%	97.0%
Grade 10	2.2%	2.2%	3.2%	96.8%
Grade 11	1.8%	1.8%	4.2%	95.8%
Grade 12	0.7%	0.7%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	2.4%	97.6%
Hallucinogens				
All	0.6%	0.7%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.6%	0.6%	2.2%	97.8%
Grade 11	0.0%	0.0%	2.4%	97.6%
Grade 12	3.3%	4.0%	7.1%	92.9%
Synthetic Cathinones				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.0%	2.0%	3.0%	97.0%
Steroids				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.6%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	0.7%	1.7%	98.3%
Ecstasy				
All	0.7%	0.9%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	1.1%	1.1%	2.1%	97.9%
Grade 11	0.0%	1.2%	1.8%	98.2%
Grade 12	3.0%	3.6%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.7%	99.3%
Synthetic Marijuana				
All	1.0%	1.5%	4.6%	95.4%
Grade 7	0.0%	1.6%	1.9%	98.1%
Grade 8	0.9%	0.9%	1.3%	98.7%
Grade 9	1.9%	2.4%	6.5%	93.5%
Grade 10	0.3%	0.3%	4.4%	95.6%
Grade 11	0.6%	0.6%	4.3%	95.7%
Grade 12	2.7%	3.3%	11.9%	88.1%
Methamphetamine				
All	0.0%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.6%	97.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 64 of 118

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.0%	18.5%	30.2%	69.8%
Grade 7	6.3%	7.5%	12.8%	87.2%
Grade 8	8.6%	10.0%	18.2%	81.8%
Grade 9	14.4%	17.6%	31.9%	68.1%
Grade 10	17.0%	22.2%	38.0%	62.0%
Grade 11	20.9%	25.5%	40.0%	60.0%
Grade 12	25.3%	31.5%	44.0%	56.0%
Any Alcohol Product				
All	27.9%	32.4%	48.6%	51.4%
Grade 7	11.5%	14.0%	26.5%	73.5%
Grade 8	17.7%	20.5%	36.4%	63.6%
Grade 9	28.0%	32.1%	51.9%	48.1%
Grade 10	36.1%	40.5%	56.5%	43.5%
Grade 11	37.3%	42.7%	59.6%	40.4%
Grade 12	40.0%	48.8%	65.1%	34.9%
Any Illicit Drug				
All	15.1%	18.4%	25.1%	74.9%
Grade 7	5.9%	7.2%	8.0%	92.0%
Grade 8	8.6%	10.8%	13.4%	86.6%
Grade 9	17.9%	20.0%	26.4%	73.6%
Grade 10	17.3%	22.0%	31.0%	69.0%
Grade 11	19.4%	23.8%	35.2%	64.8%
Grade 12	23.4%	29.1%	40.6%	59.4%
Any Prescription Drug				
All	7.5%	9.0%	13.8%	86.2%
Grade 7	6.3%	6.9%	10.9%	89.1%
Grade 8	7.0%	8.8%	12.9%	87.1%
Grade 9	6.5%	7.4%	12.7%	87.3%
Grade 10	9.1%	10.9%	17.0%	83.0%
Grade 11	6.7%	8.9%	13.1%	86.9%
Grade 12	9.9%	11.8%	17.2%	82.8%
Any Inhalant				
All	6.0%	7.3%	13.1%	86.9%
Grade 7	7.5%	9.0%	13.5%	86.5%
Grade 8	5.7%	7.3%	13.3%	86.7%
Grade 9	8.9%	10.8%	16.9%	83.1%
Grade 10	4.8%	5.8%	12.1%	87.9%
Grade 11	3.6%	4.1%	10.1%	89.9%
Grade 12	5.0%	6.6%	11.7%	88.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.6%	11.2%	21.7%	78.3%
Grade 7	2.8%	4.0%	7.2%	92.8%
Grade 8	5.0%	6.6%	13.5%	86.5%
Grade 9	7.5%	11.0%	23.2%	76.8%
Grade 10	9.0%	14.7%	27.9%	72.1%
Grade 11	10.6%	14.6%	29.7%	70.3%
Grade 12	11.7%	18.1%	31.2%	68.8%
Marijuana				
All	14.5%	17.1%	24.0%	76.0%
Grade 7	5.5%	6.2%	7.0%	93.0%
Grade 8	8.3%	9.7%	12.5%	87.5%
Grade 9	17.5%	19.3%	25.6%	74.4%
Grade 10	16.4%	20.4%	29.4%	70.6%
Grade 11	18.1%	21.5%	33.7%	66.3%
Grade 12	22.7%	27.8%	39.9%	60.1%
Marijuana Only				
All	6.9%	8.2%	13.1%	86.9%
Grade 7	2.3%	2.9%	3.3%	96.7%
Grade 8	3.2%	4.1%	5.6%	94.4%
Grade 9	8.9%	9.6%	13.9%	86.1%
Grade 10	7.9%	9.8%	17.0%	83.0%
Grade 11	7.8%	9.2%	17.5%	82.5%
Grade 12	12.3%	14.6%	23.6%	76.4%
Cocaine or Crack				
All	3.0%	3.3%	4.9%	95.1%
Grade 7	1.7%	1.8%	2.1%	97.9%
Grade 8	2.0%	2.0%	2.6%	97.4%
Grade 9	2.6%	2.9%	4.5%	95.5%
Grade 10	3.7%	4.1%	6.2%	93.8%
Grade 11	3.8%	4.3%	7.3%	92.7%
Grade 12	4.5%	5.2%	7.7%	92.3%
Cocaine				
All	2.8%	3.1%	4.7%	95.3%
Grade 7	1.6%	1.7%	2.0%	98.0%
Grade 8	2.0%	2.0%	2.4%	97.6%
Grade 9	2.6%	2.9%	4.5%	95.5%
Grade 10	3.5%	3.8%	5.7%	94.3%
Grade 11	3.5%	4.0%	7.0%	93.0%
Grade 12	4.3%	5.0%	7.5%	92.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.9%	1.3%	98.7%
Grade 7	0.8%	0.9%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.2%	98.8%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.6%	0.8%	1.7%	98.3%
Grade 11	1.1%	1.1%	1.8%	98.2%
Grade 12	1.5%	1.5%	1.5%	98.5%
Hallucinogens				
All	1.0%	1.5%	2.8%	97.2%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.9%	1.2%	1.5%	98.5%
Grade 9	1.1%	1.8%	3.4%	96.6%
Grade 10	1.4%	1.8%	3.1%	96.9%
Grade 11	0.4%	0.9%	3.1%	96.9%
Grade 12	2.2%	3.0%	5.3%	94.7%
Synthetic Cathinones				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	1.0%	1.0%	2.3%	97.7%
Grade 10	0.3%	0.4%	1.3%	98.7%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.9%	0.9%	1.1%	98.9%
Steroids				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.1%	0.1%	1.1%	98.9%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.2%	0.4%	0.4%	99.6%
Grade 12	0.7%	0.7%	1.2%	98.8%
Ecstasy				
All	0.8%	1.2%	2.6%	97.4%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.6%	98.4%
Grade 9	0.9%	1.5%	3.5%	96.5%
Grade 10	1.1%	1.8%	3.7%	96.3%
Grade 11	0.7%	1.5%	3.7%	96.3%
Grade 12	1.4%	1.6%	3.0%	97.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.3%	0.5%	0.8%	99.2%
Grade 10	0.6%	0.6%	1.4%	98.6%
Grade 11	0.2%	0.2%	1.3%	98.7%
Grade 12	1.1%	1.1%	1.1%	98.9%
Synthetic Marijuana				
All	2.5%	3.6%	8.3%	91.7%
Grade 7	1.6%	2.0%	2.9%	97.1%
Grade 8	1.8%	2.6%	6.1%	93.9%
Grade 9	2.7%	4.2%	9.3%	90.7%
Grade 10	3.5%	4.6%	9.5%	90.5%
Grade 11	2.2%	4.0%	12.8%	87.2%
Grade 12	3.3%	4.2%	9.8%	90.2%
Methamphetamine				
All	0.6%	0.8%	1.3%	98.7%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.8%	1.0%	1.5%	98.5%
Grade 10	0.6%	0.8%	1.6%	98.4%
Grade 11	0.4%	0.6%	1.2%	98.8%
Grade 12	1.3%	1.3%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 68 of 118

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.1%	13.8%	24.4%	75.6%
Grade 7	4.6%	5.7%	9.8%	90.2%
Grade 8	6.3%	7.5%	14.5%	85.5%
Grade 9	10.1%	12.3%	24.2%	75.8%
Grade 10	11.2%	16.0%	33.3%	66.7%
Grade 11	16.4%	20.0%	33.4%	66.6%
Grade 12	23.1%	27.3%	38.4%	61.6%
Any Alcohol Product				
All	24.1%	28.0%	44.7%	55.3%
Grade 7	9.6%	12.1%	24.4%	75.6%
Grade 8	15.8%	18.2%	36.8%	63.2%
Grade 9	25.6%	28.2%	46.4%	53.6%
Grade 10	29.1%	34.4%	50.3%	49.7%
Grade 11	34.2%	38.4%	54.6%	45.4%
Grade 12	37.2%	45.2%	64.9%	35.1%
Any Illicit Drug				
All	11.8%	14.5%	20.2%	79.8%
Grade 7	3.8%	5.0%	5.7%	94.3%
Grade 8	5.6%	7.2%	9.3%	90.7%
Grade 9	15.6%	17.1%	22.2%	77.8%
Grade 10	12.6%	16.5%	26.5%	73.5%
Grade 11	16.2%	20.1%	29.5%	70.5%
Grade 12	21.6%	26.6%	36.2%	63.8%
Any Prescription Drug				
All	6.6%	8.4%	12.4%	87.6%
Grade 7	5.3%	6.6%	9.6%	90.4%
Grade 8	7.6%	10.0%	12.6%	87.4%
Grade 9	5.0%	5.7%	9.6%	90.4%
Grade 10	8.4%	10.1%	15.8%	84.2%
Grade 11	5.1%	8.6%	12.1%	87.9%
Grade 12	8.4%	9.6%	15.9%	84.1%
Any Inhalant				
All	5.1%	6.6%	12.1%	87.9%
Grade 7	5.4%	6.7%	12.3%	87.7%
Grade 8	5.6%	7.4%	13.0%	87.0%
Grade 9	6.9%	8.9%	14.9%	85.1%
Grade 10	4.0%	5.5%	11.1%	88.9%
Grade 11	2.8%	3.6%	8.5%	91.5%
Grade 12	5.2%	7.1%	12.2%	87.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.6%	8.9%	18.1%	81.9%
Grade 7	1.6%	2.7%	5.3%	94.7%
Grade 8	3.5%	5.0%	10.6%	89.4%
Grade 9	4.6%	7.7%	18.9%	81.1%
Grade 10	7.0%	12.2%	26.1%	73.9%
Grade 11	8.4%	13.2%	25.7%	74.3%
Grade 12	10.5%	16.2%	27.7%	72.3%
Marijuana				
All	11.2%	13.1%	19.0%	81.0%
Grade 7	3.6%	4.3%	4.8%	95.2%
Grade 8	5.3%	6.2%	8.4%	91.6%
Grade 9	15.4%	16.8%	21.6%	78.4%
Grade 10	11.6%	15.0%	25.0%	75.0%
Grade 11	14.8%	16.7%	27.5%	72.5%
Grade 12	20.6%	24.6%	34.7%	65.3%
Marijuana Only				
All	5.0%	5.9%	10.2%	89.8%
Grade 7	1.2%	1.8%	2.2%	97.8%
Grade 8	2.1%	2.5%	3.8%	96.2%
Grade 9	6.1%	6.4%	9.3%	90.7%
Grade 10	6.4%	7.9%	16.4%	83.6%
Grade 11	6.6%	7.8%	14.5%	85.5%
Grade 12	9.8%	11.8%	19.4%	80.6%
Cocaine or Crack				
All	2.5%	2.7%	4.2%	95.8%
Grade 7	1.1%	1.4%	1.5%	98.5%
Grade 8	1.8%	1.8%	2.4%	97.6%
Grade 9	2.8%	2.8%	5.1%	94.9%
Grade 10	2.5%	2.8%	3.6%	96.4%
Grade 11	3.7%	3.7%	6.9%	93.1%
Grade 12	4.0%	4.5%	7.5%	92.5%
Cocaine				
All	2.4%	2.5%	4.0%	96.0%
Grade 7	1.1%	1.3%	1.4%	98.6%
Grade 8	1.5%	1.5%	2.0%	98.0%
Grade 9	2.8%	2.8%	5.1%	94.9%
Grade 10	2.2%	2.6%	3.4%	96.6%
Grade 11	3.3%	3.3%	6.6%	93.4%
Grade 12	4.0%	4.5%	7.0%	93.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.9%	1.3%	98.7%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	1.1%	1.1%	1.3%	98.7%
Grade 10	0.5%	0.6%	1.1%	98.9%
Grade 11	0.7%	0.7%	1.3%	98.7%
Grade 12	1.5%	1.5%	2.2%	97.8%
Hallucinogens				
All	0.7%	1.1%	2.1%	97.9%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.2%	98.8%
Grade 9	0.7%	1.3%	2.1%	97.9%
Grade 10	0.7%	1.0%	1.9%	98.1%
Grade 11	0.0%	0.6%	2.4%	97.6%
Grade 12	2.5%	3.1%	5.9%	94.1%
Synthetic Cathinones				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.7%	0.7%	1.8%	98.2%
Grade 10	0.3%	0.4%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	1.0%	1.0%	1.4%	98.6%
Steroids				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.3%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.5%	0.5%	1.4%	98.6%
Ecstasy				
All	0.7%	0.9%	2.1%	97.9%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.5%	1.2%	98.8%
Grade 9	0.5%	0.9%	3.0%	97.0%
Grade 10	1.3%	1.4%	2.6%	97.4%
Grade 11	0.4%	1.0%	2.4%	97.6%
Grade 12	1.2%	1.7%	3.4%	96.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.4%	0.5%	1.2%	98.8%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.7%	0.7%	0.9%	99.1%
Synthetic Marijuana				
All	1.9%	2.7%	6.8%	93.2%
Grade 7	0.6%	1.5%	2.0%	98.0%
Grade 8	1.5%	1.8%	4.1%	95.9%
Grade 9	2.1%	3.6%	10.4%	89.6%
Grade 10	2.3%	3.0%	6.6%	93.4%
Grade 11	1.9%	3.2%	10.3%	89.7%
Grade 12	3.2%	3.9%	8.9%	91.1%
Methamphetamine				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	0.8%	99.2%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.7%	0.7%	1.6%	98.4%
Grade 11	0.2%	0.4%	1.1%	98.9%
Grade 12	1.2%	1.2%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 72 of 118

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.5%	22.5%	37.1%	62.9%
Grade 7	7.2%	7.9%	15.5%	84.5%
Grade 8	9.9%	11.0%	20.9%	79.1%
Grade 9	18.3%	23.4%	39.3%	60.7%
Grade 10	22.0%	27.3%	43.7%	56.3%
Grade 11	22.0%	27.3%	45.9%	54.1%
Grade 12	28.5%	34.1%	51.6%	48.4%
Any Alcohol Product				
All	33.0%	37.9%	57.4%	42.6%
Grade 7	13.4%	14.4%	30.7%	69.3%
Grade 8	18.6%	20.7%	40.9%	59.1%
Grade 9	36.0%	41.4%	63.1%	36.9%
Grade 10	42.2%	45.7%	65.7%	34.3%
Grade 11	38.3%	45.4%	66.3%	33.7%
Grade 12	43.7%	53.4%	70.6%	29.4%
Any Illicit Drug				
All	19.5%	23.9%	32.8%	67.2%
Grade 7	8.1%	10.0%	11.5%	88.5%
Grade 8	11.5%	13.6%	17.6%	82.4%
Grade 9	20.5%	25.1%	33.5%	66.5%
Grade 10	23.1%	28.0%	37.6%	62.4%
Grade 11	22.9%	28.1%	41.0%	59.0%
Grade 12	28.1%	35.1%	50.3%	49.7%
Any Prescription Drug				
All	10.2%	12.6%	17.9%	82.1%
Grade 7	6.9%	7.9%	13.5%	86.5%
Grade 8	6.9%	8.8%	13.7%	86.3%
Grade 9	13.7%	14.8%	21.5%	78.5%
Grade 10	10.9%	13.5%	17.0%	83.0%
Grade 11	7.5%	10.8%	18.0%	82.0%
Grade 12	13.8%	18.4%	22.1%	77.9%
Any Inhalant				
All	6.5%	7.6%	14.2%	85.8%
Grade 7	9.2%	9.8%	13.8%	86.2%
Grade 8	5.9%	6.7%	12.9%	87.1%
Grade 9	9.2%	11.3%	17.2%	82.8%
Grade 10	6.8%	7.0%	15.6%	84.4%
Grade 11	4.4%	5.3%	12.6%	87.4%
Grade 12	3.6%	5.0%	12.6%	87.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.5%	12.7%	25.6%	74.4%
Grade 7	3.6%	4.7%	9.4%	90.6%
Grade 8	5.4%	6.8%	13.6%	86.4%
Grade 9	8.8%	13.4%	27.4%	72.6%
Grade 10	9.3%	15.0%	30.8%	69.2%
Grade 11	9.9%	14.5%	31.8%	68.2%
Grade 12	12.8%	19.4%	36.4%	63.6%
Marijuana				
All	19.0%	22.2%	31.5%	68.5%
Grade 7	7.4%	7.8%	9.4%	90.6%
Grade 8	11.3%	12.8%	16.8%	83.2%
Grade 9	20.0%	23.4%	32.4%	67.6%
Grade 10	22.5%	25.4%	35.6%	64.4%
Grade 11	22.2%	26.7%	40.1%	59.9%
Grade 12	27.7%	33.9%	49.5%	50.5%
Marijuana Only				
All	9.5%	11.5%	18.3%	81.7%
Grade 7	3.6%	4.0%	4.9%	95.1%
Grade 8	4.0%	5.1%	7.9%	92.1%
Grade 9	12.3%	15.1%	22.8%	77.2%
Grade 10	9.5%	11.6%	19.1%	80.9%
Grade 11	9.8%	11.6%	21.8%	78.2%
Grade 12	15.9%	19.2%	29.9%	70.1%
Cocaine or Crack				
All	3.4%	4.1%	6.2%	93.8%
Grade 7	2.1%	2.1%	2.4%	97.6%
Grade 8	2.4%	2.6%	3.4%	96.6%
Grade 9	3.4%	3.8%	4.9%	95.1%
Grade 10	4.3%	5.0%	8.3%	91.7%
Grade 11	3.8%	5.3%	8.2%	91.8%
Grade 12	4.1%	5.3%	9.4%	90.6%
Cocaine				
All	3.2%	3.9%	6.0%	94.0%
Grade 7	1.6%	1.8%	2.1%	97.9%
Grade 8	2.4%	2.4%	3.4%	96.6%
Grade 9	3.4%	3.8%	4.9%	95.1%
Grade 10	4.3%	4.7%	7.7%	92.3%
Grade 11	3.5%	4.9%	7.8%	92.2%
Grade 12	3.7%	5.0%	9.1%	90.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.9%	1.4%	98.6%
Grade 7	1.2%	1.5%	1.5%	98.5%
Grade 8	0.8%	1.0%	1.4%	98.6%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.4%	0.7%	1.3%	98.7%
Grade 11	1.1%	1.1%	1.8%	98.2%
Grade 12	1.1%	1.1%	2.0%	98.0%
Hallucinogens				
All	1.2%	1.7%	3.7%	96.3%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	1.1%	1.3%	2.0%	98.0%
Grade 9	0.9%	2.1%	4.8%	95.2%
Grade 10	1.8%	2.7%	4.5%	95.5%
Grade 11	0.7%	0.7%	4.0%	96.0%
Grade 12	2.2%	2.9%	5.6%	94.4%
Synthetic Cathinones				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.4%	0.7%	0.9%	99.1%
Grade 8	0.2%	0.6%	0.8%	99.2%
Grade 9	0.7%	0.7%	2.0%	98.0%
Grade 10	0.2%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.4%	0.4%	99.6%
Grade 12	1.5%	1.5%	2.0%	98.0%
Steroids				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.9%	0.9%	1.5%	98.5%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.2%	0.5%	1.1%	98.9%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.8%	0.8%	1.2%	98.8%
Ecstasy				
All	1.0%	1.8%	3.6%	96.4%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.8%	1.1%	2.6%	97.4%
Grade 9	0.9%	2.0%	4.0%	96.0%
Grade 10	1.1%	2.5%	4.5%	95.5%
Grade 11	0.7%	2.0%	4.3%	95.7%
Grade 12	2.4%	2.4%	5.2%	94.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.7%	1.1%	1.1%	98.9%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.5%	0.7%	1.3%	98.7%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.4%	0.4%	0.8%	99.2%
Synthetic Marijuana				
All	3.0%	4.1%	9.4%	90.6%
Grade 7	2.2%	2.9%	4.2%	95.8%
Grade 8	2.1%	3.0%	6.7%	93.3%
Grade 9	3.8%	5.0%	7.3%	92.7%
Grade 10	4.2%	5.5%	12.2%	87.8%
Grade 11	2.5%	4.3%	12.5%	87.5%
Grade 12	2.8%	3.6%	12.6%	87.4%
Methamphetamine				
All	0.6%	0.9%	1.6%	98.4%
Grade 7	0.5%	0.5%	1.3%	98.7%
Grade 8	0.4%	0.9%	1.7%	98.3%
Grade 9	1.1%	1.4%	2.1%	97.9%
Grade 10	0.2%	1.0%	1.5%	98.5%
Grade 11	0.4%	0.8%	0.8%	99.2%
Grade 12	0.8%	0.8%	2.2%	97.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 76 of 118

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.6%	14.7%	27.1%	72.9%
Grade 7	4.3%	4.8%	9.7%	90.3%
Grade 8	6.3%	7.6%	14.7%	85.3%
Grade 9	10.9%	14.4%	29.4%	70.6%
Grade 10	12.2%	16.8%	35.1%	64.9%
Grade 11	17.2%	21.4%	37.6%	62.4%
Grade 12	22.0%	27.3%	41.6%	58.4%
Any Alcohol Product				
All	25.5%	29.4%	48.1%	51.9%
Grade 7	9.6%	11.1%	24.4%	75.6%
Grade 8	14.7%	16.5%	36.3%	63.7%
Grade 9	28.0%	31.1%	53.7%	46.3%
Grade 10	31.3%	35.5%	53.9%	46.1%
Grade 11	35.3%	40.8%	59.4%	40.6%
Grade 12	39.4%	47.8%	67.7%	32.3%
Any Illicit Drug				
All	12.6%	15.6%	22.5%	77.5%
Grade 7	4.1%	4.9%	5.7%	94.3%
Grade 8	6.2%	7.6%	10.2%	89.8%
Grade 9	15.4%	17.8%	24.8%	75.2%
Grade 10	13.4%	17.9%	27.2%	72.8%
Grade 11	17.2%	21.3%	33.1%	66.9%
Grade 12	22.3%	27.8%	40.3%	59.7%
Any Prescription Drug				
All	7.7%	9.6%	13.6%	86.4%
Grade 7	5.9%	7.0%	10.4%	89.6%
Grade 8	6.8%	8.8%	12.4%	87.6%
Grade 9	8.9%	9.4%	13.9%	86.1%
Grade 10	8.2%	10.1%	14.8%	85.2%
Grade 11	6.5%	9.5%	13.2%	86.8%
Grade 12	10.7%	13.6%	18.1%	81.9%
Any Inhalant				
All	4.9%	6.1%	11.6%	88.4%
Grade 7	6.2%	6.7%	11.6%	88.4%
Grade 8	4.8%	6.3%	11.8%	88.2%
Grade 9	7.0%	9.2%	14.8%	85.2%
Grade 10	4.8%	5.5%	11.4%	88.6%
Grade 11	2.6%	3.3%	9.3%	90.7%
Grade 12	3.2%	5.2%	10.4%	89.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.7%	9.2%	19.5%	80.5%
Grade 7	1.9%	2.5%	5.1%	94.9%
Grade 8	3.7%	5.0%	10.3%	89.7%
Grade 9	5.2%	9.5%	22.2%	77.8%
Grade 10	6.9%	11.2%	26.3%	73.7%
Grade 11	8.5%	13.1%	27.8%	72.2%
Grade 12	9.5%	16.2%	29.1%	70.9%
Marijuana				
All	12.0%	14.3%	21.5%	78.5%
Grade 7	3.7%	4.1%	4.9%	95.1%
Grade 8	5.8%	6.8%	9.5%	90.5%
Grade 9	15.1%	17.0%	24.1%	75.9%
Grade 10	12.8%	16.3%	25.8%	74.2%
Grade 11	16.0%	19.1%	31.6%	68.4%
Grade 12	21.6%	26.4%	39.0%	61.0%
Marijuana Only				
All	5.9%	7.2%	12.6%	87.4%
Grade 7	1.5%	1.9%	2.4%	97.6%
Grade 8	2.4%	2.9%	4.7%	95.3%
Grade 9	7.4%	8.6%	14.0%	86.0%
Grade 10	6.4%	8.3%	16.2%	83.8%
Grade 11	7.3%	8.9%	17.9%	82.1%
Grade 12	12.1%	14.6%	23.7%	76.3%
Cocaine or Crack				
All	2.4%	2.7%	4.2%	95.8%
Grade 7	1.4%	1.4%	1.5%	98.5%
Grade 8	1.8%	1.8%	2.5%	97.5%
Grade 9	2.4%	2.6%	3.9%	96.1%
Grade 10	2.1%	2.5%	4.0%	96.0%
Grade 11	4.0%	4.2%	6.9%	93.1%
Grade 12	3.1%	3.8%	7.3%	92.7%
Cocaine				
All	2.2%	2.5%	3.9%	96.1%
Grade 7	1.1%	1.3%	1.4%	98.6%
Grade 8	1.6%	1.6%	2.2%	97.8%
Grade 9	2.4%	2.6%	3.9%	96.1%
Grade 10	1.9%	2.4%	3.7%	96.3%
Grade 11	3.6%	3.8%	6.5%	93.5%
Grade 12	2.9%	3.7%	6.8%	93.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	1.0%	1.0%	1.2%	98.8%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.7%	0.7%	1.5%	98.5%
Grade 12	1.2%	1.2%	1.9%	98.1%
Hallucinogens				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.6%	0.8%	1.1%	98.9%
Grade 9	0.9%	1.7%	3.0%	97.0%
Grade 10	1.0%	1.3%	2.3%	97.7%
Grade 11	0.1%	0.1%	1.7%	98.3%
Grade 12	1.6%	2.3%	4.6%	95.4%
Synthetic Cathinones				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.9%	0.9%	1.6%	98.4%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	0.9%	0.9%	1.5%	98.5%
Steroids				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.5%	1.2%	98.8%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.0%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.3%	0.6%	99.4%
Grade 12	0.4%	0.4%	1.2%	98.8%
Ecstasy				
All	0.7%	0.9%	2.1%	97.9%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.9%	1.4%	3.4%	96.6%
Grade 10	0.9%	1.3%	2.3%	97.7%
Grade 11	0.3%	0.9%	2.5%	97.5%
Grade 12	1.1%	1.3%	3.1%	96.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.1%	0.3%	0.4%	99.6%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.2%	1.0%	99.0%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	0.5%	0.5%	0.8%	99.2%
Synthetic Marijuana				
All	1.6%	2.4%	6.6%	93.4%
Grade 7	0.6%	1.3%	2.0%	98.0%
Grade 8	1.5%	1.8%	4.1%	95.9%
Grade 9	1.8%	2.9%	8.2%	91.8%
Grade 10	2.1%	3.1%	7.3%	92.7%
Grade 11	1.2%	2.4%	9.9%	90.1%
Grade 12	2.3%	3.1%	9.2%	90.8%
Methamphetamine				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.8%	0.8%	1.2%	98.8%
Grade 10	0.2%	0.6%	1.2%	98.8%
Grade 11	0.2%	0.3%	0.8%	99.2%
Grade 12	1.0%	1.0%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	24.5%	28.1%	37.2%	62.8%
Grade 7	14.4%	18.5%	25.6%	74.4%
Grade 8	13.2%	14.1%	25.0%	75.0%
Grade 9	22.0%	24.1%	31.9%	68.1%
Grade 10	27.2%	35.4%	45.8%	54.2%
Grade 11	28.9%	33.3%	41.5%	58.5%
Grade 12	42.0%	44.0%	54.5%	45.5%
Any Alcohol Product				
All	36.5%	42.5%	54.0%	46.0%
Grade 7	20.3%	26.7%	40.0%	60.0%
Grade 8	27.0%	32.0%	48.9%	51.1%
Grade 9	36.4%	42.7%	49.8%	50.2%
Grade 10	43.9%	49.4%	60.3%	39.7%
Grade 11	41.4%	45.5%	57.6%	42.4%
Grade 12	48.3%	57.0%	67.3%	32.7%
Any Illicit Drug				
All	25.2%	30.0%	35.7%	64.3%
Grade 7	13.9%	19.5%	21.4%	78.6%
Grade 8	12.6%	16.2%	18.3%	81.7%
Grade 9	27.6%	31.7%	35.2%	64.8%
Grade 10	31.1%	33.8%	45.1%	54.9%
Grade 11	27.7%	33.2%	39.2%	60.8%
Grade 12	36.5%	44.2%	53.8%	46.2%
Any Prescription Drug				
All	8.7%	10.9%	17.5%	82.5%
Grade 7	5.7%	7.4%	13.4%	86.6%
Grade 8	12.2%	14.3%	16.5%	83.5%
Grade 9	6.3%	8.5%	15.5%	84.5%
Grade 10	10.4%	12.3%	19.3%	80.7%
Grade 11	5.9%	10.2%	20.6%	79.4%
Grade 12	11.7%	12.7%	20.1%	79.9%
Any Inhalant				
All	9.8%	11.8%	19.4%	80.6%
Grade 7	10.2%	16.1%	22.6%	77.4%
Grade 8	10.4%	12.4%	19.9%	80.1%
Grade 9	10.5%	11.1%	18.2%	81.8%
Grade 10	6.9%	9.8%	20.9%	79.1%
Grade 11	8.4%	9.9%	14.6%	85.4%
Grade 12	12.1%	12.1%	20.8%	79.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.2%	15.3%	26.8%	73.2%
Grade 7	5.1%	9.7%	16.6%	83.4%
Grade 8	5.9%	8.3%	18.2%	81.8%
Grade 9	9.9%	11.1%	22.5%	77.5%
Grade 10	11.5%	22.1%	33.2%	66.8%
Grade 11	12.5%	17.0%	28.0%	72.0%
Grade 12	22.6%	24.6%	42.4%	57.6%
Marijuana				
All	24.6%	27.1%	33.3%	66.7%
Grade 7	13.2%	14.6%	16.2%	83.8%
Grade 8	12.6%	13.9%	16.1%	83.9%
Grade 9	27.1%	30.6%	34.2%	65.8%
Grade 10	29.5%	31.0%	42.3%	57.7%
Grade 11	27.7%	28.7%	36.3%	63.7%
Grade 12	35.5%	41.3%	52.9%	47.1%
Marijuana Only				
All	10.4%	12.1%	16.1%	83.9%
Grade 7	5.2%	6.6%	7.6%	92.4%
Grade 8	4.1%	5.0%	6.3%	93.7%
Grade 9	13.4%	15.7%	17.3%	82.7%
Grade 10	12.9%	14.4%	22.7%	77.3%
Grade 11	10.9%	11.9%	15.4%	84.6%
Grade 12	14.4%	17.2%	25.6%	74.4%
Cocaine or Crack				
All	5.3%	6.0%	8.8%	91.2%
Grade 7	2.7%	3.5%	4.0%	96.0%
Grade 8	2.8%	3.2%	4.1%	95.9%
Grade 9	5.9%	5.9%	9.6%	90.4%
Grade 10	8.2%	8.8%	10.5%	89.5%
Grade 11	2.7%	5.0%	10.3%	89.7%
Grade 12	8.4%	9.4%	13.8%	86.2%
Cocaine				
All	5.3%	5.9%	8.7%	91.3%
Grade 7	2.7%	3.5%	4.0%	96.0%
Grade 8	2.8%	2.8%	4.1%	95.9%
Grade 9	5.9%	5.9%	9.6%	90.4%
Grade 10	8.2%	8.2%	9.9%	90.1%
Grade 11	2.7%	5.0%	10.3%	89.7%
Grade 12	8.4%	9.4%	13.8%	86.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.4%	1.7%	2.4%	97.6%
Grade 7	0.9%	1.6%	2.9%	97.1%
Grade 8	1.8%	2.1%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	1.6%	2.2%	3.4%	96.6%
Grade 11	1.7%	1.7%	1.7%	98.3%
Grade 12	2.9%	2.9%	4.4%	95.6%
Hallucinogens				
All	1.8%	2.6%	5.7%	94.3%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	1.0%	1.4%	3.6%	96.4%
Grade 9	0.0%	1.2%	2.3%	97.7%
Grade 10	2.1%	3.3%	5.0%	95.0%
Grade 11	1.0%	2.7%	11.2%	88.8%
Grade 12	6.6%	6.8%	12.2%	87.8%
Synthetic Cathinones				
All	0.5%	0.8%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	1.3%	1.3%	98.7%
Grade 9	0.0%	0.0%	2.8%	97.2%
Grade 10	0.0%	0.6%	2.9%	97.1%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	2.8%	2.8%	2.8%	97.2%
Steroids				
All	0.9%	1.1%	1.7%	98.3%
Grade 7	0.0%	0.0%	2.4%	97.6%
Grade 8	0.0%	0.8%	1.2%	98.8%
Grade 9	1.1%	1.1%	1.7%	98.3%
Grade 10	2.2%	2.2%	2.7%	97.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.0%	2.0%	2.0%	98.0%
Ecstasy				
All	1.3%	2.4%	5.1%	94.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.8%	3.9%	96.1%
Grade 9	0.0%	1.1%	3.9%	96.1%
Grade 10	2.2%	4.5%	7.4%	92.6%
Grade 11	1.7%	3.6%	6.2%	93.8%
Grade 12	3.8%	4.8%	9.0%	91.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	1.3%	1.5%	1.8%	98.2%
Grade 7	0.7%	1.2%	1.2%	98.8%
Grade 8	2.3%	3.2%	3.2%	96.8%
Grade 9	0.6%	0.6%	2.1%	97.9%
Grade 10	2.2%	2.2%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.9%	1.9%	1.9%	98.1%
Synthetic Marijuana				
All	6.0%	7.4%	13.6%	86.4%
Grade 7	5.4%	6.6%	7.9%	92.1%
Grade 8	2.7%	3.5%	7.3%	92.7%
Grade 9	5.8%	8.5%	14.0%	86.0%
Grade 10	7.5%	8.1%	15.7%	84.3%
Grade 11	6.2%	9.4%	18.0%	82.0%
Grade 12	8.3%	8.3%	18.5%	81.5%
Methamphetamine				
All	1.0%	1.4%	2.5%	97.5%
Grade 7	0.5%	0.5%	1.8%	98.2%
Grade 8	0.8%	1.3%	2.2%	97.8%
Grade 9	1.1%	1.7%	2.7%	97.3%
Grade 10	1.5%	1.5%	3.3%	96.7%
Grade 11	0.8%	1.9%	1.9%	98.1%
Grade 12	1.0%	1.0%	3.3%	96.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 84 of 118

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	111,280	49.8%
Female	112,249	50.2%
Frequency Missing	1,434	

Hispanic or Latino

Q5a	Frequency	Percent
No	13,307	6.0%
Yes	208,446	94.0%
Frequency Missing	3,211	

Grade

Q2	Frequency	Percent
Grade 7	39,172	17.5%
Grade 8	39,682	17.7%
Grade 9	39,942	17.8%
Grade 10	38,646	17.2%
Grade 11	34,715	15.5%
Grade 12	32,253	14.4%
Frequency Missing	553	

Ethnicity

Q5b	Frequency	Percent
American Indian	4,474	2.3%
Asian American	681	0.4%
African American	4,279	2.2%
Pacific Islander	305	0.2%
White	112,720	58.9%
Other	52,815	27.6%
More Than One Race	16,251	8.5%
Frequency Missing	33,439	

Live with Both Parents

Q3	Frequency	Percent
No	76,796	34.5%
Yes	145,594	65.5%
Frequency Missing	2,573	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	1,234	0.6%
Mostly D's	2,516	1.3%
Mostly C's	27,916	14.0%
Mostly B's	114,426	57.4%
Mostly A's	53,238	26.7%
Frequency Missing	25,634	

Age

Q4	Frequency	Percent
11 Or Younger	299	0.1%
12	16,515	7.4%
13	34,991	15.6%
14	38,353	17.1%
15	37,863	16.9%
16	36,951	16.5%
17	34,709	15.5%
18	20,620	9.2%
19 Or Older	3,699	1.7%
Frequency Missing	964	

Do You Have a Job

Q7	Frequency	Percent
No	178,305	88.9%
Yes	22,350	11.1%
Frequency Missing	24,309	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	28,146	14.2%
Yes	112,791	56.9%
Don't Know	57,129	28.8%
Frequency Missing	26,897	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	161,741	91.7%
Yes	14,577	8.3%
Frequency Missing	48,646	

Participate in School Athletics (UTL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	94,731	49.4%
Yes	97,160	50.6%
Frequency Missing	33,072	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	141,915	79.2%
Yes	37,171	20.8%
Frequency Missing	45,878	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	144,941	79.6%
Yes	37,084	20.4%
Frequency Missing	42,939	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	133,334	75.0%
Yes	44,349	25.0%
Frequency Missing	47,280	

Participate in School Choir

Q9c	Frequency	Percent
No	162,419	91.9%
Yes	14,360	8.1%
Frequency Missing	48,184	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	126,299	69.4%
Yes	55,712	30.6%
Frequency Missing	42,953	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	163,112	92.1%
Yes	13,936	7.9%
Frequency Missing	47,916	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	142,109	79.3%
Yes	37,010	20.7%
Frequency Missing	45,845	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	191,948	85.9%
Somewhat Safe	26,734	12.0%
Not Very Safe	1,795	0.8%
Not Safe At All	733	0.3%
Don't Know	2,232	1.0%
Frequency Missing	1,522	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School Or Less	33,770	15.9%
Some High School	36,983	17.4%
Finished High School	40,200	19.0%
Some College	25,536	12.0%
Finished College	28,156	13.3%
Post-Secondary	16,160	7.6%
Don't Know Or N/A	31,276	14.7%
Frequency Missing	12,885	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	81,512	36.8%
Somewhat Safe	106,163	48.0%
Not Very Safe	21,525	9.7%
Not Safe At All	4,475	2.0%
Don't Know	7,715	3.5%
Frequency Missing	3,574	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	112,732	59.8%
Yes	75,782	40.2%
Frequency Missing	36,450	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	93,709	42.3%
Somewhat Safe	94,348	42.6%
Not Very Safe	16,627	7.5%
Not Safe At All	8,454	3.8%
Don't Know	8,508	3.8%
Frequency Missing	3,318	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	18,449	8.3%
A Few	51,222	23.0%
Some	53,233	23.9%
Most	69,404	31.2%
All	29,980	13.5%
Frequency Missing	2,676	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School Or Less	32,641	15.5%
Some High School	37,932	18.0%
Finished High School	44,324	21.1%
Some College	19,358	9.2%
Finished College	21,595	10.3%
Post-Secondary	13,256	6.3%
Don't Know Or N/A	41,412	19.7%
Frequency Missing	14,446	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	6,889	3.1%
A Few	30,904	13.9%
Some	52,806	23.7%
Most	82,260	37.0%
All	49,547	22.3%
Frequency Missing	2,557	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	125,938	57.8%
A Few	54,223	24.9%
Some	23,725	10.9%
Most	9,791	4.5%
All	4,040	1.9%
Frequency Missing	7,247	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	209,534	94.4%
In Your Lifetime	8,263	3.7%
Since School Began	1,236	0.6%
In The Past Month	3,013	1.4%
Frequency Missing	2,917	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	187,553	85.3%
A Few	20,522	9.3%
Some	7,050	3.2%
Most	2,801	1.3%
All	2,001	0.9%
Frequency Missing	5,037	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	216,235	98.3%
In Your Lifetime	1,974	0.9%
Since School Began	753	0.3%
In The Past Month	1,100	0.5%
Frequency Missing	4,903	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	179,040	80.7%
A Few	26,584	12.0%
Some	10,528	4.7%
Most	3,685	1.7%
All	2,155	1.0%
Frequency Missing	2,973	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	207,967	93.8%
In Your Lifetime	7,630	3.4%
Since School Began	1,854	0.8%
In The Past Month	4,332	2.0%
Frequency Missing	3,181	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	216,703	97.3%
In Your Lifetime	4,001	1.8%
Since School Began	663	0.3%
In The Past Month	1,355	0.6%
Frequency Missing	2,242	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	217,127	98.5%
In Your Lifetime	1,740	0.8%
Since School Began	390	0.2%
In The Past Month	1,257	0.6%
Frequency Missing	4,450	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	218,177	98.6%
In Your Lifetime	1,626	0.7%
Since School Began	534	0.2%
In The Past Month	838	0.4%
Frequency Missing	3,789	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	204,074	92.9%
In Your Lifetime	8,337	3.8%
Since School Began	2,072	0.9%
In The Past Month	5,193	2.4%
Frequency Missing	5,287	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	214,923	97.2%
In Your Lifetime	3,365	1.5%
Since School Began	1,036	0.5%
In The Past Month	1,778	0.8%
Frequency Missing	3,863	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	143,338	66.0%
In Your Lifetime	37,060	17.1%
Since School Began	11,688	5.4%
In The Past Month	24,976	11.5%
Frequency Missing	7,902	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	216,789	97.9%
In Your Lifetime	2,575	1.2%
Since School Began	560	0.3%
In The Past Month	1,469	0.7%
Frequency Missing	3,571	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	168,776	76.6%
In Your Lifetime	22,256	10.1%
Since School Began	9,305	4.2%
In The Past Month	20,075	9.1%
Frequency Missing	4,551	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	179,513	80.9%
In Your Lifetime	23,659	10.7%
Since School Began	5,182	2.3%
In The Past Month	13,488	6.1%
Frequency Missing	3,123	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	163,012	75.5%
In Your Lifetime	30,046	13.9%
Since School Began	7,982	3.7%
In The Past Month	14,771	6.8%
Frequency Missing	9,152	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	157,657	71.5%
In Your Lifetime	27,755	12.6%
Since School Began	11,280	5.1%
In The Past Month	23,728	10.8%
Frequency Missing	4,544	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	212,397	95.9%
In Your Lifetime	5,012	2.3%
Since School Began	1,372	0.6%
In The Past Month	2,709	1.2%
Frequency Missing	3,473	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	213,142	96.3%
In Your Lifetime	5,455	2.5%
Since School Began	1,165	0.5%
In The Past Month	1,655	0.7%
Frequency Missing	3,547	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	218,015	99.0%
In Your Lifetime	1,106	0.5%
Since School Began	235	0.1%
In The Past Month	753	0.3%
Frequency Missing	4,855	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	176,438	79.4%
In Your Lifetime	23,192	10.4%
Since School Began	8,006	3.6%
In The Past Month	14,653	6.6%
Frequency Missing	2,675	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	215,226	97.3%
In Your Lifetime	3,087	1.4%
Since School Began	912	0.4%
In The Past Month	1,900	0.9%
Frequency Missing	3,840	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	172,550	77.8%
In Your Lifetime	25,194	11.4%
Since School Began	7,585	3.4%
In The Past Month	16,459	7.4%
Frequency Missing	3,176	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	219,002	99.0%
In Your Lifetime	1,015	0.5%
Since School Began	191	0.1%
In The Past Month	987	0.4%
Frequency Missing	3,769	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	219,254	99.3%
In Your Lifetime	815	0.4%
Since School Began	143	0.1%
In The Past Month	500	0.2%
Frequency Missing	4,252	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	205,761	93.0%
In Your Lifetime	10,152	4.6%
Since School Began	1,419	0.6%
In The Past Month	4,007	1.8%
Frequency Missing	3,625	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	214,859	97.6%
In Your Lifetime	2,900	1.3%
Since School Began	768	0.3%
In The Past Month	1,519	0.7%
Frequency Missing	4,918	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	198,488	89.9%
In Your Lifetime	7,900	3.6%
Since School Began	3,891	1.8%
In The Past Month	10,607	4.8%
Frequency Missing	4,077	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	219,409	99.2%
In Your Lifetime	840	0.4%
Since School Began	215	0.1%
In The Past Month	754	0.3%
Frequency Missing	3,745	

Recent Prescription Drug Use - Percocets Etc

Q17b	Frequency	Percent
Never Heard/Used	213,560	96.8%
In Your Lifetime	2,474	1.1%
Since School Began	1,154	0.5%
In The Past Month	3,421	1.6%
Frequency Missing	4,355	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	219,063	99.0%
In Your Lifetime	840	0.4%
Since School Began	302	0.1%
In The Past Month	1,140	0.5%
Frequency Missing	3,619	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	212,584	96.3%
In Your Lifetime	2,698	1.2%
Since School Began	2,195	1.0%
In The Past Month	3,319	1.5%
Frequency Missing	4,168	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	215,856	97.9%
In Your Lifetime	1,544	0.7%
Since School Began	743	0.3%
In The Past Month	2,440	1.1%
Frequency Missing	4,380	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	170,013	77.8%
1-2 Times	29,445	13.5%
3-10 Times	12,990	5.9%
11+ Times	6,153	2.8%
Frequency Missing	6,362	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	204,042	92.8%
In Your Lifetime	6,804	3.1%
Since School Began	1,436	0.7%
In The Past Month	7,650	3.5%
Frequency Missing	5,031	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	216,025	98.0%
1-2 Times	2,981	1.4%
3-10 Times	1,057	0.5%
11+ Times	350	0.2%
Frequency Missing	4,550	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	213,256	96.9%
In Your Lifetime	2,738	1.2%
Since School Began	1,132	0.5%
In The Past Month	2,948	1.3%
Frequency Missing	4,889	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	191,221	86.8%
1-2 Times	13,808	6.3%
3-10 Times	5,919	2.7%
11+ Times	9,275	4.2%
Frequency Missing	4,740	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	201,283	91.4%
1-2 Times	11,041	5.0%
3-10 Times	4,629	2.1%
11+ Times	3,368	1.5%
Frequency Missing	4,642	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	215,474	97.6%
1-2 Times	3,398	1.5%
3-10 Times	1,220	0.6%
11+ Times	646	0.3%
Frequency Missing	4,226	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	218,787	99.3%
1-2 Times	1,118	0.5%
3-10 Times	191	0.1%
11+ Times	231	0.1%
Frequency Missing	4,637	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never Heard/None	130,408	59.3%
A Few	39,552	18.0%
Some	23,318	10.6%
Most	18,996	8.6%
All	7,806	3.5%
Frequency Missing	4,884	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never Heard/None	157,899	71.7%
A Few	38,302	17.4%
Some	15,839	7.2%
Most	6,554	3.0%
All	1,740	0.8%
Frequency Missing	4,630	

Difficult to Get Tobacco

Q21a	Frequency	Percent
Never Heard Of	81,254	37.5%
Impossible	43,875	20.2%
Very Difficult	13,451	6.2%
Somewhat Diff	18,277	8.4%
Somewhat Easy	25,618	11.8%
Very Easy	34,278	15.8%
Frequency Missing	8,211	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never Heard/None	114,895	52.3%
A Few	49,606	22.6%
Some	30,297	13.8%
Most	18,747	8.5%
All	6,156	2.8%
Frequency Missing	5,263	

Difficult to Get Alcohol

Q21b	Frequency	Percent
Never Heard Of	65,861	30.5%
Impossible	31,328	14.5%
Very Difficult	12,425	5.8%
Somewhat Diff	22,605	10.5%
Somewhat Easy	35,678	16.5%
Very Easy	48,063	22.3%
Frequency Missing	9,004	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never Heard/None	200,377	91.1%
A Few	14,119	6.4%
Some	3,572	1.6%
Most	1,532	0.7%
All	387	0.2%
Frequency Missing	4,978	

Difficult to Get Inhalants

Q21c	Frequency	Percent
Never Heard Of	102,984	47.8%
Impossible	35,935	16.7%
Very Difficult	9,046	4.2%
Somewhat Diff	10,560	4.9%
Somewhat Easy	16,787	7.8%
Very Easy	40,074	18.6%
Frequency Missing	9,578	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Marijuana

Q21d	Frequency	Percent
Never Heard Of	73,715	34.2%
Impossible	44,860	20.8%
Very Difficult	13,953	6.5%
Somewhat Diff	16,405	7.6%
Somewhat Easy	22,023	10.2%
Very Easy	44,741	20.7%
Frequency Missing	9,266	

Difficult to Get Ecstasy

Q21i	Frequency	Percent
Never Heard Of	116,209	54.1%
Impossible	51,719	24.1%
Very Difficult	14,535	6.8%
Somewhat Diff	11,674	5.4%
Somewhat Easy	9,336	4.3%
Very Easy	11,481	5.3%
Frequency Missing	10,010	

Difficult to Get Cocaine

Q21e	Frequency	Percent
Never Heard Of	92,721	43.1%
Impossible	60,529	28.1%
Very Difficult	17,436	8.1%
Somewhat Diff	16,401	7.6%
Somewhat Easy	11,300	5.2%
Very Easy	16,915	7.9%
Frequency Missing	9,662	

Difficult to Get Heroin

Q21j	Frequency	Percent
Never Heard Of	116,687	53.9%
Impossible	59,393	27.5%
Very Difficult	16,474	7.6%
Somewhat Diff	9,947	4.6%
Somewhat Easy	5,405	2.5%
Very Easy	8,407	3.9%
Frequency Missing	8,649	

Difficult to Get Crack

Q21f	Frequency	Percent
Never Heard Of	100,386	46.6%
Impossible	61,909	28.8%
Very Difficult	19,351	9.0%
Somewhat Diff	13,370	6.2%
Somewhat Easy	8,627	4.0%
Very Easy	11,599	5.4%
Frequency Missing	9,720	

Difficult to Get Methamphetamine

Q21k	Frequency	Percent
Never Heard Of	118,101	54.5%
Impossible	58,579	27.0%
Very Difficult	15,637	7.2%
Somewhat Diff	9,399	4.3%
Somewhat Easy	6,076	2.8%
Very Easy	8,792	4.1%
Frequency Missing	8,381	

Difficult to Get Steroids

Q21h	Frequency	Percent
Never Heard Of	106,687	49.4%
Impossible	61,279	28.4%
Very Difficult	17,591	8.2%
Somewhat Diff	13,116	6.1%
Somewhat Easy	7,950	3.7%
Very Easy	9,191	4.3%
Frequency Missing	9,150	

Difficult to Get Synthetic Marijuana

Q21l	Frequency	Percent
Never Heard Of	104,564	48.3%
Impossible	48,309	22.3%
Very Difficult	11,554	5.3%
Somewhat Diff	13,226	6.1%
Somewhat Easy	14,321	6.6%
Very Easy	24,319	11.2%
Frequency Missing	8,671	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Tobacco

Q22a	Frequency	Percent
Every Day	1,739	0.8%
Several Times/Wk	2,368	1.1%
Several Times/Mo	4,474	2.0%
About Once/Month	5,873	2.7%
About Once/Year	5,502	2.5%
Less than Once/Year	8,910	4.1%
Never Used	190,464	86.8%
Frequency Missing	5,635	

How Often Normally Use Marijuana

Q22d	Frequency	Percent
Every Day	4,019	1.8%
Several Times/Wk	5,076	2.3%
Several Times/Mo	5,654	2.6%
About Once/Month	7,571	3.5%
About Once/Year	7,644	3.5%
Less than Once/Year	10,276	4.7%
Never Used	178,562	81.6%
Frequency Missing	6,163	

How Often Normally Use Alcohol

Q22b	Frequency	Percent
Every Day	685	0.3%
Several Times/Wk	5,060	2.3%
Several Times/Mo	11,889	5.5%
About Once/Month	19,173	8.8%
About Once/Year	18,517	8.5%
Less than Once/Year	16,107	7.4%
Never Used	146,198	67.2%
Frequency Missing	7,334	

How Often Normally Use Cocaine

Q22e	Frequency	Percent
Every Day	332	0.2%
Several Times/Wk	592	0.3%
Several Times/Mo	977	0.4%
About Once/Month	1,432	0.7%
About Once/Year	1,512	0.7%
Less than Once/Year	2,036	0.9%
Never Used	212,433	96.9%
Frequency Missing	5,649	

How Often Normally Use Inhalants

Q22c	Frequency	Percent
Every Day	116	0.1%
Several Times/Wk	333	0.2%
Several Times/Mo	800	0.4%
About Once/Month	1,113	0.5%
About Once/Year	1,323	0.6%
Less than Once/Year	2,482	1.1%
Never Used	212,713	97.2%
Frequency Missing	6,083	

How Often Normally Use Crack

Q22f	Frequency	Percent
Every Day	0	0.0%
Several Times/Wk	267	0.1%
Several Times/Mo	212	0.1%
About Once/Month	133	0.1%
About Once/Year	309	0.1%
Less than Once/Year	746	0.3%
Never Used	217,600	99.2%
Frequency Missing	5,698	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Steroids

Q22h	Frequency	Percent
Every Day	188	0.1%
Several Times/Wk	54	0.0%
Several Times/Mo	129	0.1%
About Once/Month	45	0.0%
About Once/Year	133	0.1%
Less than Once/Year	626	0.3%
Never Used	217,748	99.5%
Frequency Missing	6,042	

How Often Normally Use Methamphetamine

Q22k	Frequency	Percent
Every Day	24	0.0%
Several Times/Wk	104	0.0%
Several Times/Mo	78	0.0%
About Once/Month	327	0.1%
About Once/Year	354	0.2%
Less than Once/Year	516	0.2%
Never Used	218,101	99.4%
Frequency Missing	5,460	

How Often Normally Use Ecstasy

Q22i	Frequency	Percent
Every Day	152	0.1%
Several Times/Wk	84	0.0%
Several Times/Mo	560	0.3%
About Once/Month	649	0.3%
About Once/Year	1,009	0.5%
Less than Once/Year	1,746	0.8%
Never Used	214,627	98.1%
Frequency Missing	6,137	

How Often Normally Use Synthetic Marijuana

Q22l	Frequency	Percent
Every Day	466	0.2%
Several Times/Wk	626	0.3%
Several Times/Mo	1,476	0.7%
About Once/Month	2,145	1.0%
About Once/Year	2,617	1.2%
Less than Once/Year	4,108	1.9%
Never Used	207,686	94.8%
Frequency Missing	5,840	

How Often Normally Use Heroin

Q22j	Frequency	Percent
Every Day	130	0.1%
Several Times/Wk	0	0.0%
Several Times/Mo	191	0.1%
About Once/Month	154	0.1%
About Once/Year	105	0.0%
Less than Once/Year	283	0.1%
Never Used	218,707	99.6%
Frequency Missing	5,395	

Amount of Beer at One Time

Q23a	Frequency	Percent
Never Drink This	145,619	66.8%
12+ Drinks	5,644	2.6%
9-11 Drinks	3,643	1.7%
5-8 Drinks	7,698	3.5%
3-4 Drinks	11,933	5.5%
2 Drinks	9,774	4.5%
1 Drink	13,557	6.2%
Less than 1 Drink	20,100	9.2%
Frequency Missing	6,995	

Percentages and frequencies have been weighted to reflect proportions within the population.

Amount of Wine Coolers at One Time

Q23b	Frequency	Percent
Never Drink This	162,206	74.2%
12+ Drinks	2,959	1.4%
9-11 Drinks	2,454	1.1%
5-8 Drinks	5,610	2.6%
3-4 Drinks	11,493	5.3%
2 Drinks	9,825	4.5%
1 Drink	11,500	5.3%
Less than 1 Drink	12,514	5.7%
Frequency Missing	6,404	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q24a	Frequency	Percent
Never 5+ At Time	119,337	55.6%
0 Days	70,205	32.7%
1 Day	9,780	4.6%
2 Days	5,610	2.6%
3 To 5 Days	4,882	2.3%
6 To 9 Days	2,079	1.0%
10 Or More Days	2,855	1.3%
Frequency Missing	10,216	

Amount of Wine at One Time

Q23c	Frequency	Percent
Never Drink This	162,000	75.1%
12+ Drinks	1,926	0.9%
9-11 Drinks	1,057	0.5%
5-8 Drinks	2,660	1.2%
3-4 Drinks	5,448	2.5%
2 Drinks	8,336	3.9%
1 Drink	13,225	6.1%
Less than 1 Drink	20,946	9.7%
Frequency Missing	9,365	

Get Alcoholic Beverages from Home

Q25a	Frequency	Percent
Do Not Drink	136,354	62.6%
Never	43,520	20.0%
Seldom	24,880	11.4%
Most Of The Time	9,260	4.2%
Always	3,913	1.8%
Frequency Missing	7,036	

Amount of Liquor at One Time

Q23d	Frequency	Percent
Never Drink This	153,199	70.2%
12+ Drinks	5,207	2.4%
9-11 Drinks	3,244	1.5%
5-8 Drinks	7,637	3.5%
3-4 Drinks	12,222	5.6%
2 Drinks	9,412	4.3%
1 Drink	11,708	5.4%
Less than 1 Drink	15,669	7.2%
Frequency Missing	6,664	

Get Alcoholic Beverages from Friends

Q25b	Frequency	Percent
Do Not Drink	127,883	58.8%
Never	39,414	18.1%
Seldom	23,027	10.6%
Most Of The Time	20,330	9.4%
Always	6,712	3.1%
Frequency Missing	7,599	

Get Alcoholic Beverages from a Store

Q25c	Frequency	Percent
Do Not Drink	132,674	61.3%
Never	64,753	29.9%
Seldom	9,458	4.4%
Most Of The Time	6,359	2.9%
Always	3,270	1.5%
Frequency Missing	8,449	

Percentages and frequencies have been weighted to reflect proportions within the population.

Get Alcoholic Beverages at Parties

Q25d	Frequency	Percent
Do Not Drink	122,115	56.3%
Never	32,203	14.8%
Seldom	22,906	10.6%
Most Of The Time	20,279	9.3%
Always	19,574	9.0%
Frequency Missing	7,886	

Dangerous for Kids to Use Inhalants

Q26c	Frequency	Percent
Very	169,060	77.6%
Somewhat	24,327	11.2%
Not Very	7,178	3.3%
Not At All	2,640	1.2%
Don't Know	14,739	6.8%
Frequency Missing	7,021	

Get Alcoholic Beverages from Other Sources

Q25e	Frequency	Percent
Do Not Drink	134,048	62.2%
Never	47,314	21.9%
Seldom	15,054	7.0%
Most Of The Time	10,225	4.7%
Always	8,983	4.2%
Frequency Missing	9,341	

Dangerous for Kids to Use Marijuana

Q26d	Frequency	Percent
Very	138,867	63.5%
Somewhat	25,906	11.9%
Not Very	20,906	9.6%
Not At All	22,892	10.5%
Don't Know	10,027	4.6%
Frequency Missing	6,366	

Dangerous for Kids to Use Tobacco

Q26a	Frequency	Percent
Very	150,669	69.0%
Somewhat	39,717	18.2%
Not Very	12,538	5.7%
Not At All	2,816	1.3%
Don't Know	12,752	5.8%
Frequency Missing	6,473	

Dangerous for Kids to Use Cocaine

Q26e	Frequency	Percent
Very	188,548	86.4%
Somewhat	15,206	7.0%
Not Very	2,154	1.0%
Not At All	1,901	0.9%
Don't Know	10,493	4.8%
Frequency Missing	6,663	

Dangerous for Kids to Use Alcohol

Q26b	Frequency	Percent
Very	126,480	58.0%
Somewhat	52,498	24.1%
Not Very	24,608	11.3%
Not At All	5,371	2.5%
Don't Know	9,275	4.2%
Frequency Missing	6,732	

Dangerous for Kids to Use Crack

Q26f	Frequency	Percent
Very	192,023	87.9%
Somewhat	12,330	5.6%
Not Very	1,401	0.6%
Not At All	1,489	0.7%
Don't Know	11,239	5.1%
Frequency Missing	6,483	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Ecstasy

Q26g	Frequency	Percent
Very	182,687	83.9%
Somewhat	13,595	6.2%
Not Very	2,665	1.2%
Not At All	2,180	1.0%
Don't Know	16,735	7.7%
Frequency Missing	7,102	

Dangerous for Kids to Use Synthetic Marijuana

Q26k	Frequency	Percent
Very	184,245	84.4%
Somewhat	13,915	6.4%
Not Very	3,359	1.5%
Not At All	2,857	1.3%
Don't Know	13,941	6.4%
Frequency Missing	6,646	

Dangerous for Kids to Use Steroids

Q26h	Frequency	Percent
Very	173,996	79.9%
Somewhat	21,642	9.9%
Not Very	5,820	2.7%
Not At All	2,179	1.0%
Don't Know	14,127	6.5%
Frequency Missing	7,200	

Dangerous for Kids to Use Any Prescription

Q26l	Frequency	Percent
Very	165,893	75.9%
Somewhat	26,382	12.1%
Not Very	7,258	3.3%
Not At All	3,621	1.7%
Don't Know	15,521	7.1%
Frequency Missing	6,289	

Dangerous for Kids to Use Heroin

Q26i	Frequency	Percent
Very	192,191	87.8%
Somewhat	10,267	4.7%
Not Very	1,353	0.6%
Not At All	1,143	0.5%
Don't Know	13,829	6.3%
Frequency Missing	6,182	

Dangerous for Kids to Use Electronic Vapor Products

Q26m	Frequency	Percent
Very	133,267	60.8%
Somewhat	25,093	11.5%
Not Very	23,166	10.6%
Not At All	22,628	10.3%
Don't Know	14,938	6.8%
Frequency Missing	5,871	

Dangerous for Kids to Use Methamphetamine

Q26j	Frequency	Percent
Very	193,487	88.5%
Somewhat	8,381	3.8%
Not Very	1,412	0.6%
Not At All	1,418	0.6%
Don't Know	13,940	6.4%
Frequency Missing	6,326	

Days Skipped Since September

Q27a	Frequency	Percent
None	179,975	82.0%
1-3 Days	26,345	12.0%
4-9 Days	6,510	3.0%
10+ Days	6,525	3.0%
Frequency Missing	5,609	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Days Ill Since September

Q27b	Frequency	Percent
None	85,754	39.3%
1-3 Days	104,424	47.9%
4-9 Days	20,940	9.6%
10+ Days	6,894	3.2%
Frequency Missing	6,951	

Trouble with Friends Because of Drinking

Q28a	Frequency	Percent
None	212,137	97.1%
1-3 Times	5,583	2.6%
4-9 Times	623	0.3%
10+ Times	237	0.1%
Frequency Missing	6,385	

Other Reason For Days Missed Since September

Q27c	Frequency	Percent
None	98,330	45.3%
1-3 Days	97,536	45.0%
4-9 Days	15,343	7.1%
10+ Days	5,651	2.6%
Frequency Missing	8,103	

Driven a Car After a Good Bit to Drink

Q28b	Frequency	Percent
None	210,239	96.4%
1-3 Times	6,464	3.0%
4-9 Times	811	0.4%
10+ Times	608	0.3%
Frequency Missing	6,841	

Sent to Principal/Dean Since September

Q27d	Frequency	Percent
None	196,082	89.5%
1-3 Days	17,307	7.9%
4-9 Days	3,448	1.6%
10+ Days	2,133	1.0%
Frequency Missing	5,994	

Trouble with Friends Because of Drug Use

Q28c	Frequency	Percent
None	211,363	97.2%
1-3 Times	4,603	2.1%
4-9 Times	988	0.5%
10+ Times	596	0.3%
Frequency Missing	7,414	

Someone Called Home Since September

Q27e	Frequency	Percent
None	196,160	89.7%
1-3 Days	18,067	8.3%
4-9 Days	2,661	1.2%
10+ Days	1,915	0.9%
Frequency Missing	6,161	

Driven a Car While High from Drugs

Q28d	Frequency	Percent
None	208,292	95.7%
1-3 Times	6,039	2.8%
4-9 Times	1,626	0.7%
10+ Times	1,633	0.8%
Frequency Missing	7,373	

Percentages and frequencies have been weighted to reflect proportions within the population.

Class Days Drunk on Alcohol Since Sept

Q29a	Frequency	Percent
None	210,166	96.2%
1-3 Days	6,532	3.0%
4-9 Days	1,110	0.5%
10+ Days	746	0.3%
Frequency Missing	6,408	

Alcohol Use at Parties This School Year

Q30a	Frequency	Percent
Never	119,539	54.6%
Seldom	17,048	7.8%
Half The Time	13,435	6.1%
Most Of The Time	18,178	8.3%
Always	18,074	8.3%
Don't Know	5,728	2.6%
Didn't Attend	26,749	12.2%
Frequency Missing	6,213	

Class Days High on Marijuana Since Sept

Q29b	Frequency	Percent
None	203,116	93.1%
1-3 Days	9,084	4.2%
4-9 Days	1,954	0.9%
10+ Days	4,008	1.8%
Frequency Missing	6,802	

Drug Use at Parties This School Year

Q30b	Frequency	Percent
Never	141,799	65.0%
Seldom	11,022	5.1%
Half The Time	8,480	3.9%
Most Of The Time	11,216	5.1%
Always	13,137	6.0%
Don't Know	6,142	2.8%
Didn't Attend	26,253	12.0%
Frequency Missing	6,913	

Class Days High on Inhalants Since Sept

Q29c	Frequency	Percent
None	214,701	98.8%
1-3 Days	1,856	0.9%
4-9 Days	157	0.1%
10+ Days	584	0.3%
Frequency Missing	7,666	

Sought Help for Drug/Alcohol Problem

Q31	Frequency	Percent
No	171,876	91.6%
Yes	15,822	8.4%
Frequency Missing	37,266	

Class Days High on Other Drug(s)

Q29d	Frequency	Percent
None	210,608	96.8%
1-3 Days	4,941	2.3%
4-9 Days	792	0.4%
10+ Days	1,267	0.6%
Frequency Missing	7,355	

Would Seek Help from School Counselor

Q32a	Frequency	Percent
No	104,929	48.6%
Yes	111,146	51.4%
Frequency Missing	8,889	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Seek Help from School Nurse

Q32b	Frequency	Percent
No	142,676	66.4%
Yes	72,204	33.6%
Frequency Missing	10,083	

Would Seek Help from Another Adult

Q32g	Frequency	Percent
No	80,782	37.6%
Yes	134,278	62.4%
Frequency Missing	9,904	

Would Seek Help from Another Adult in School

Q32c	Frequency	Percent
No	105,559	49.3%
Yes	108,755	50.7%
Frequency Missing	10,649	

Would Seek Help from Counselor or Program Outside School

Q32h	Frequency	Percent
No	112,862	52.5%
Yes	101,948	47.5%
Frequency Missing	10,154	

Would Seek Help from Parents

Q32d	Frequency	Percent
No	61,039	28.3%
Yes	154,893	71.7%
Frequency Missing	9,032	

Would Not Seek Help

Q32i	Frequency	Percent
No	167,092	79.1%
Yes	44,260	20.9%
Frequency Missing	13,612	

Would Seek Help from a Medical Doctor

Q32e	Frequency	Percent
No	82,689	38.6%
Yes	131,548	61.4%
Frequency Missing	10,727	

Drug/Alcohol Info–School Health Class

Q33a	Frequency	Percent
No	101,303	49.1%
Yes	104,863	50.9%
Frequency Missing	18,798	

Would Seek Help from Friends

Q32f	Frequency	Percent
No	88,853	41.4%
Yes	125,876	58.6%
Frequency Missing	10,235	

Drug/Alcohol Info–School Assembly Program

Q33b	Frequency	Percent
No	98,912	48.1%
Yes	106,628	51.9%
Frequency Missing	19,423	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug/Alcohol Info–School Guidance Counselor

Q33c	Frequency	Percent
No	113,191	55.2%
Yes	91,841	44.8%
Frequency Missing	19,931	

Drug/Alcohol Info–Another School Source

Q33h	Frequency	Percent
No	132,336	64.8%
Yes	71,761	35.2%
Frequency Missing	20,867	

Drug/Alcohol Info–School Nurse

Q33d	Frequency	Percent
No	143,848	70.4%
Yes	60,542	29.6%
Frequency Missing	20,573	

Parents Feel About Kids Using Tobacco

Q34a	Frequency	Percent
Strongly Disapprove	170,042	78.0%
Mild Disapprove	12,756	5.9%
Neither	9,956	4.6%
Mildly Approve	1,962	0.9%
Strongly Approve	1,894	0.9%
Don't Know	21,434	9.8%
Frequency Missing	6,920	

Drug/Alcohol Info–Science or Social Studies Class

Q33e	Frequency	Percent
No	135,099	66.5%
Yes	67,988	33.5%
Frequency Missing	21,877	

Parents Feel About Kids Drinking Alcohol

Q34b	Frequency	Percent
Strongly Disapprove	148,539	68.2%
Mild Disapprove	23,074	10.6%
Neither	17,755	8.2%
Mildly Approve	6,281	2.9%
Strongly Approve	2,625	1.2%
Don't Know	19,477	8.9%
Frequency Missing	7,212	

Drug/Alcohol Info–School Student Group or Club

Q33f	Frequency	Percent
No	159,264	78.1%
Yes	44,772	21.9%
Frequency Missing	20,928	

Parents Feel About Kids Using Marijuana

Q34c	Frequency	Percent
Strongly Disapprove	170,070	78.2%
Mild Disapprove	10,601	4.9%
Neither	10,874	5.0%
Mildly Approve	2,890	1.3%
Strongly Approve	3,000	1.4%
Don't Know	20,165	9.3%
Frequency Missing	7,364	

Drug/Alcohol Info–Invited School Guest

Q33g	Frequency	Percent
No	113,721	55.6%
Yes	90,914	44.4%
Frequency Missing	20,328	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

