

State - Grades 4-6
Spring 2000

AA

Table T-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
AA					
Any tobacco product	All	12.5%	7.3%	5.3%	87.5%
	Grade 4	6.8%	3.8%	2.9%	93.2%
	Grade 5	11.4%	6.7%	4.7%	88.6%
	Grade 6	19.9%	11.6%	8.3%	80.1%
AA					
Cigarettes	All	11.4%	6.6%	4.8%	88.6%
	Grade 4	5.8%	3.2%	2.6%	94.2%
	Grade 5	10.2%	6.0%	4.2%	89.8%
	Grade 6	18.7%	10.8%	7.9%	81.3%
AA					
Smokeless tobacco	All	2.6%	1.4%	1.3%	97.4%
	Grade 4	1.9%	1.1%	0.8%	98.1%
	Grade 5	2.5%	1.3%	1.2%	97.5%
	Grade 6	3.6%	1.8%	1.8%	96.4%

AA

Table T-2: Average number of times selected tobacco products were used by those who reported use of ...

Any tobacco product

	School Year	Li feti me
All	3.5	3.5
Grade 4	2.9	2.9
Grade 5	3.1	3.1
Grade 6	4.0	3.9

Cigarettes

	School Year	Li feti me
All	3.3	3.3
Grade 4	2.7	2.7
Grade 5	2.8	2.9
Grade 6	3.7	3.7

Smokeless tobacco

	School Year	Li feti me
All	3.0	2.8
Grade 4	2.8	2.5
Grade 5	2.9	2.6
Grade 6	3.1	3.0

♀

State - Grades 4-6
Spring 2000

AA

Table T-3: Average age of first use of tobacco:

	Grade 4	Grade 5	Grade 6
Tobacco	8.2	9.2	9.6

AA

Table T-4: Average age of first use of tobacco by family situation:

Two Parent Family

	Never	7 or Under	8	9	10	11	12 or Over
All	90.3%	2.0%	1.6%	1.6%	2.1%	1.6%	0.7%
Grade 4	94.6%	2.1%	1.3%	1.4%	0.5%	0.0%	0.0%
Grade 5	91.2%	1.7%	1.4%	1.8%	2.2%	1.5%	0.1%
Grade 6	84.4%	2.4%	1.9%	1.7%	3.8%	3.6%	2.2%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	80.8%	3.8%	2.8%	3.7%	4.5%	2.8%	1.6%
Grade 4	88.7%	3.4%	3.0%	3.3%	1.5%	0.1%	0.1%
Grade 5	82.6%	3.2%	2.1%	3.9%	5.2%	2.1%	0.8%
Grade 6	71.5%	4.9%	3.2%	4.0%	6.7%	6.1%	3.7%

AA

Table T-5: About how many of your close friends use ...

Any tobacco product?

	Never Heard of	None	Some	Most
All	1.7%	75.5%	20.1%	2.7%
Grade 4	2.5%	83.2%	12.7%	1.6%
Grade 5	1.6%	77.3%	18.9%	2.2%
Grade 6	1.0%	65.5%	29.2%	4.3%

Cigarettes?

	Never Heard of	None	Some	Most
All	2.9%	75.5%	19.2%	2.4%
Grade 4	4.3%	82.5%	11.9%	1.3%
Grade 5	2.8%	77.2%	18.1%	1.9%
Grade 6	1.6%	66.1%	28.2%	4.0%

OOS456a I . OUT

Smokeless tobacco?

	Never Heard of	None	Some	Most
All	4.3%	90.1%	5.0%	0.6%
Grade 4	7.1%	89.0%	3.3%	0.6%
Grade 5	3.4%	91.8%	4.2%	0.5%
Grade 6	2.2%	89.6%	7.5%	0.7%

♀

State - Grades 4-6
Spring 2000

AA

Table T-6: Have you ever been offered ...

Any tobacco product?

	Never Heard of	Yes	No
All	1.9%	24.7%	73.4%
Grade 4	2.7%	18.1%	79.1%
Grade 5	1.6%	23.1%	75.2%
Grade 6	1.2%	33.4%	65.4%

Cigarettes?

	Never Heard of	Yes	No
All	3.0%	22.9%	74.2%
Grade 4	4.3%	16.1%	79.6%
Grade 5	2.7%	21.3%	76.0%
Grade 6	1.8%	31.7%	66.5%

Smokeless tobacco?

	Never Heard of	Yes	No
All	4.8%	7.4%	87.7%
Grade 4	7.7%	5.6%	86.8%
Grade 5	4.0%	7.0%	89.0%
Grade 6	2.7%	9.8%	87.5%

AA

Table T-7: How dangerous do you think it is for kids your age to use ...

Any tobacco product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.2%	71.5%	21.3%	1.2%	4.8%
Grade 4	1.8%	76.6%	15.8%	0.8%	5.0%
Grade 5	1.1%	72.7%	20.9%	1.1%	4.2%

OOS456a I . OUT					
Grade 6	0.7%	64.7%	27.8%	1.7%	5.1%
Cigarettes?					
	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	2.4%	57.2%	32.2%	1.7%	6.6%
Grade 4	3.5%	64.0%	24.8%	1.1%	6.7%
Grade 5	2.1%	58.1%	32.3%	1.5%	5.9%
Grade 6	1.4%	49.0%	40.1%	2.4%	7.1%
Smokeless tobacco?					
	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	3.2%	64.0%	23.5%	1.4%	8.0%
Grade 4	5.7%	67.8%	17.7%	1.0%	7.9%
Grade 5	2.4%	65.7%	23.4%	1.4%	7.1%
Grade 6	1.4%	58.2%	29.8%	1.8%	8.9%

♀
♀

State - Grades 4-6
Spring 2000

AA

Table A-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
AA					
Any alcohol product	All	27.5%	18.9%	8.7%	72.5%
	Grade 4	19.1%	13.1%	5.9%	80.9%
	Grade 5	25.8%	17.5%	8.2%	74.2%
	Grade 6	38.4%	26.4%	12.0%	61.6%
AA					
Beer	All	16.1%	9.6%	6.6%	83.9%
	Grade 4	11.0%	6.7%	4.3%	89.0%
	Grade 5	14.6%	8.6%	5.9%	85.4%
	Grade 6	23.3%	13.7%	9.7%	76.7%
AA					
Wine coolers	All	16.4%	10.8%	5.6%	83.6%
	Grade 4	9.2%	6.0%	3.2%	90.8%
	Grade 5	14.5%	9.5%	5.0%	85.5%
	Grade 6	25.9%	17.1%	8.8%	74.1%
AA					
Wine	All	13.7%	8.9%	4.8%	86.3%
	Grade 4	9.0%	6.1%	2.9%	91.0%
	Grade 5	12.5%	8.0%	4.5%	87.5%
	Grade 6	20.0%	12.7%	7.2%	80.0%
AA					
Liquor	All	7.3%	4.8%	2.6%	92.7%
	Grade 4	3.0%	1.9%	1.2%	97.0%
	Grade 5	6.1%	4.0%	2.2%	93.9%
	Grade 6	13.1%	8.7%	4.5%	86.9%

AA

Table A-2: Average number of times selected alcohol products were used by those who reported use of ...

Any alcohol product

	School Year	Li feti me
All	4.9	5.5
Grade 4	3.7	3.9
Grade 5	4.2	4.6
Grade 6	6.0	6.8

Beer

	School Year	Li feti me
All	2.9	3.0
Grade 4	2.5	2.6
Grade 5	2.6	2.7
Grade 6	3.2	3.4

Li quor

	School Year	Li feti me
All	2.9	3.0
Grade 4	2.7	2.5
Grade 5	2.6	2.6
Grade 6	3.2	3.3

State - Grades 4-6
Spring 2000

AA

Wi ne

	School Year	Li feti me
All	2.5	2.6
Grade 4	2.3	2.3
Grade 5	2.3	2.4
Grade 6	2.7	2.9

Wi ne cool ers

	School Year	Li feti me
All	2.9	3.1
Grade 4	2.5	2.5
Grade 5	2.5	2.7
Grade 6	3.2	3.4

AA

♀

OOS456a I I .OUT

Table A-3: In the past year, how many times have you had two or more drinks at one time of ...
Beer?

	Never	1 Time	2 Times	3+ Times	Ever
All	86.8%	7.5%	2.7%	3.0%	13.2%
Grade 4	89.1%	6.6%	2.2%	2.1%	10.9%
Grade 5	88.9%	6.3%	2.4%	2.4%	11.1%
Grade 6	82.2%	9.5%	3.5%	4.8%	17.8%

Wi ne Cool ers?

	Never	1 Time	2 Times	3+ Times	Ever
All	85.9%	7.0%	3.6%	3.5%	14.1%
Grade 4	91.0%	5.1%	2.3%	1.7%	9.0%
Grade 5	87.9%	6.4%	2.9%	2.7%	12.1%
Grade 6	78.5%	9.7%	5.6%	6.2%	21.5%

Wi ne?

	Never	1 Time	2 Times	3+ Times	Ever
All	88.1%	7.1%	2.6%	2.2%	11.9%
Grade 4	90.9%	6.0%	1.7%	1.3%	9.1%
Grade 5	89.8%	6.2%	2.4%	1.6%	10.2%
Grade 6	83.4%	9.1%	3.8%	3.7%	16.6%

Li quor?

	Never	1 Time	2 Times	3+ Times	Ever
All	94.1%	2.9%	1.4%	1.6%	5.9%
Grade 4	97.2%	1.3%	0.6%	0.8%	2.8%
Grade 5	95.2%	2.6%	1.1%	1.1%	4.8%
Grade 6	89.6%	4.9%	2.5%	3.1%	10.4%

♀

State - Grades 4-6
Spring 2000

AA

Table A-4: Average age of first use of alcohol:

	Grade 4	Grade 5	Grade 6
Alcohol	8.2	8.9	9.6
Beer	8.1	8.6	9.3
Wi ne Cool ers	8.6	9.3	10.1
Wi ne	8.6	9.5	10.1
Li quor	8.7	9.6	10.4

AA

Table A-5: Average age of first use of alcohol by family situation:

Two Parent Family

OOS456a I . OUT

	Never	7 or Under	8	9	10	11	12 or Over
All	77.0%	5.9%	3.3%	4.2%	4.4%	3.5%	1.7%
Grade 4	84.2%	5.5%	3.7%	4.3%	2.1%	0.2%	0.0%
Grade 5	78.9%	5.7%	3.1%	4.0%	5.2%	2.7%	0.4%
Grade 6	67.1%	6.5%	3.1%	4.4%	6.3%	7.9%	4.7%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	65.0%	9.8%	4.9%	5.7%	6.8%	5.0%	2.7%
Grade 4	74.7%	9.8%	4.9%	6.6%	3.7%	0.2%	0.1%
Grade 5	67.1%	10.1%	4.9%	4.6%	8.3%	4.1%	0.9%
Grade 6	53.9%	9.6%	5.0%	6.0%	8.3%	10.5%	6.8%

AA

Table A-6: Lifetime prevalence of use of alcohol by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Alcohol	19.4%	64.7%	43.4%	71.6%

AA

Table A-7: When you drink alcohol, do you get it from ...

Home?

	Don't Drink	Yes	No
All	72.4%	12.5%	15.0%
Grade 4	76.5%	9.1%	14.4%
Grade 5	74.9%	11.8%	13.3%
Grade 6	66.0%	16.7%	17.3%

Friends?

	Don't Drink	Yes	No
All	73.1%	6.3%	20.7%
Grade 4	77.3%	2.4%	20.2%
Grade 5	75.6%	4.7%	19.7%
Grade 6	66.4%	11.6%	22.0%

State - Grades 4-6
Spring 2000

AA

Somewhere else?

	OOS456a I . OUT		
	Drin k	Yes	No
All	71. 8%	11. 0%	17. 1%
Grade 4	76. 1%	7. 1%	16. 7%
Grade 5	73. 8%	9. 6%	16. 6%
Grade 6	65. 6%	16. 3%	18. 1%

AA

Table A-8: About how many of your close friends use ...

Any alcohol product?

	Never Heard of	None	Some	Most
All	1. 3%	67. 8%	24. 6%	6. 3%
Grade 4	1. 8%	75. 9%	18. 2%	4. 2%
Grade 5	1. 2%	70. 1%	23. 7%	5. 0%
Grade 6	0. 9%	56. 8%	32. 3%	9. 9%

Beer?

	Never Heard of	None	Some	Most
All	1. 6%	75. 6%	19. 1%	3. 7%
Grade 4	2. 2%	81. 5%	14. 0%	2. 3%
Grade 5	1. 5%	78. 1%	17. 4%	3. 0%
Grade 6	1. 0%	66. 9%	26. 3%	5. 8%

Wine coolers?

	Never Heard of	None	Some	Most
All	8. 0%	72. 4%	15. 8%	3. 7%
Grade 4	11. 9%	76. 8%	9. 3%	2. 1%
Grade 5	8. 0%	74. 9%	14. 5%	2. 6%
Grade 6	4. 1%	65. 3%	24. 0%	6. 6%

Wine?

	Never Heard of	None	Some	Most
All	2. 5%	82. 2%	12. 9%	2. 3%
Grade 4	3. 6%	86. 2%	8. 6%	1. 6%
Grade 5	2. 1%	84. 0%	12. 2%	1. 7%
Grade 6	1. 6%	76. 4%	18. 2%	3. 8%

Liquor?

	Never Heard of	None	Some	Most
All	7. 1%	82. 9%	8. 0%	2. 0%
Grade 4	12. 0%	83. 1%	4. 0%	0. 9%
Grade 5	5. 9%	86. 1%	6. 4%	1. 6%
Grade 6	3. 1%	79. 5%	13. 8%	3. 7%

State - Grades 4-6
Spring 2000

AA

Table A-9: Have you ever been offered . . .

Any alcohol product?

	Never Heard of	Yes	No
All	1.6%	31.1%	67.4%
Grade 4	2.0%	24.5%	73.5%
Grade 5	1.6%	28.9%	69.5%
Grade 6	1.1%	40.2%	58.6%

Beer?

	Never Heard of	Yes	No
All	1.7%	24.4%	73.9%
Grade 4	2.2%	18.7%	79.1%
Grade 5	1.7%	22.6%	75.8%
Grade 6	1.2%	32.2%	66.6%

Wine coolers?

	Never Heard of	Yes	No
All	8.7%	17.0%	74.3%
Grade 4	13.2%	10.2%	76.5%
Grade 5	8.3%	15.2%	76.5%
Grade 6	4.4%	25.8%	69.8%

Wine?

	Never Heard of	Yes	No
All	2.7%	14.8%	82.5%
Grade 4	3.8%	9.9%	86.3%
Grade 5	2.5%	13.5%	84.0%
Grade 6	1.9%	21.2%	76.9%

Liquor?

	Never Heard of	Yes	No
All	7.2%	9.7%	83.1%
Grade 4	12.2%	4.9%	82.9%
Grade 5	5.9%	8.4%	85.7%
Grade 6	3.2%	16.0%	80.8%

AA

Table A-10: How do your parents feel about kids your age drinking beer?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	80.6%	2.3%	0.8%	16.3%
Grade 4	81.2%	2.0%	0.9%	15.9%
Grade 5	81.1%	2.2%	0.6%	16.2%
Grade 6	79.5%	2.8%	1.0%	16.8%

♀

State - Grades 4-6
Spring 2000

AA

Table A-11: How dangerous do you think it is for kids your age to use ...

Any alcohol product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.0%	68.4%	22.8%	2.7%	5.1%
Grade 4	1.4%	73.2%	17.9%	1.9%	5.6%
Grade 5	0.8%	69.5%	23.1%	2.3%	4.3%
Grade 6	0.7%	62.3%	27.8%	3.8%	5.4%

Beer?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.0%	46.7%	38.0%	5.7%	8.6%
Grade 4	1.6%	51.8%	33.2%	4.0%	9.5%
Grade 5	0.9%	47.7%	38.7%	5.1%	7.6%
Grade 6	0.7%	40.2%	42.3%	8.1%	8.7%

Wine coolers?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	7.4%	39.0%	31.2%	10.0%	12.4%
Grade 4	11.3%	45.6%	24.4%	6.0%	12.7%
Grade 5	7.2%	39.5%	32.5%	9.1%	11.8%
Grade 6	3.5%	31.3%	37.2%	15.2%	12.7%

Wine?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.7%	43.5%	34.7%	8.2%	11.9%
Grade 4	2.8%	50.0%	29.4%	5.7%	12.2%
Grade 5	1.3%	44.5%	35.4%	7.7%	11.1%
Grade 6	0.9%	35.7%	39.7%	11.4%	12.3%

Liquor?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.1%	62.8%	22.0%	2.2%	8.0%
Grade 4	9.2%	65.3%	15.8%	1.2%	8.5%
Grade 5	4.1%	64.2%	22.5%	2.1%	7.2%
Grade 6	1.8%	58.6%	28.0%	3.3%	8.2%

State - Grades 4-6
Spring 2000

AA

Table D-1: How recently, if ever, have you used...

	Ever Used	School Year	Not Past Year	Never Used
All	2.8%	2.1%	0.7%	97.2%
Grade 4	0.8%	0.5%	0.3%	99.2%
Grade 5	2.1%	1.7%	0.4%	97.9%
Grade 6	5.7%	4.2%	1.5%	94.3%

AA

Table D-2: Average number of times marijuana was used by those reporting usage:

	School Year	Li feti me
All	4.4	4.3
Grade 4	3.4	3.3
Grade 5	3.9	3.8
Grade 6	4.7	4.6

AA

Table D-3: Average age of first use of marijuana:

	Grade 4	Grade 5	Grade 6
Marijuana	8.6	9.7	10.6

AA

Table D-4: Average age of first use of marijuana by family situation:

Two Parent Family

	Never	7 or Under	8	9	10	11	12 or Over
All	98.2%	0.2%	0.1%	0.2%	0.4%	0.4%	0.4%
Grade 4	99.4%	0.2%	0.1%	0.2%	0.1%	0.0%	0.0%
Grade 5	98.6%	0.2%	0.1%	0.2%	0.5%	0.3%	0.1%
Grade 6	96.5%	0.3%	0.2%	0.3%	0.6%	1.1%	1.1%

Other Family Situation

	Never	7 or Under	OOS456al I . OUT 8	9	10	11	12 or Over
All	95.5%	0.5%	0.3%	0.5%	0.7%	1.3%	1.2%
Grade 4	98.9%	0.3%	0.1%	0.3%	0.3%	0.1%	0.0%
Grade 5	96.6%	0.4%	0.6%	0.4%	0.7%	1.0%	0.3%
Grade 6	91.3%	0.7%	0.3%	0.7%	1.3%	2.5%	3.2%

♀

State - Grades 4-6
Spring 2000

AA

Table D-5: Lifetime prevalence of use of marijuana by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Marijuana	0.9%	24.0%	7.0%	* %

AA

Table D-6: About how many of your close friends use marijuana?

	Never Heard of	None	Some	Most
0	8.3%	83.1%	6.6%	2.1%

AA

Table D-7: Have you ever been offered marijuana?

	Never Heard of	Yes	No
All	8.0%	8.4%	83.5%
Grade 4	14.3%	4.5%	81.2%
Grade 5	6.2%	7.3%	86.5%
Grade 6	3.2%	13.7%	83.0%

AA

Table D-8: How do your parents feel about kids your age smoking marijuana?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	83.8%	1.5%	0.5%	14.1%
Grade 4	81.4%	1.2%	0.6%	16.8%
Grade 5	84.2%	1.5%	0.5%	13.8%
Grade 6	86.1%	1.9%	0.6%	11.5%

AA

Table D-9: How dangerous do you think it is for kids your age to use marijuana?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
--	-------------------	-------------------	-----------	-------------------------	----------------

OOS456a I . OUT

All	6.4%	78.2%	8.7%	1.4%	5.3%
Grade 4	12.6%	72.6%	7.6%	0.8%	6.3%
Grade 5	4.4%	82.1%	7.8%	1.2%	4.5%
Grade 6	1.8%	80.2%	10.7%	2.3%	5.0%

♀

State - Grades 4-6
Spring 2000

AA

Table I-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Inhalants	All	10.7%	7.8%	3.0%	89.3%
	Grade 4	9.8%	7.1%	2.7%	90.2%
	Grade 5	8.8%	6.3%	2.5%	91.2%
	Grade 6	13.8%	10.0%	3.8%	86.2%

AA

Table I-2: Have you ever snifed any of the following inhalants to get high?

Correcti on Fluid/Whi teout

	Not Used	Used
All	95.9%	4.1%
Grade 4	97.5%	2.5%
Grade 5	96.9%	3.1%
Grade 6	93.5%	6.5%

Gasol i ne

	Not Used	Used
All	97.1%	2.9%
Grade 4	96.6%	3.4%
Grade 5	97.7%	2.3%
Grade 6	97.0%	3.0%

Gl ue

	Not Used	Used
All	96.2%	3.8%
Grade 4	95.4%	4.6%
Grade 5	97.3%	2.7%
Grade 6	95.9%	4.1%

Paint Thi nner

	Not Used	Used
All	98.0%	2.0%
Grade 4	97.7%	2.3%
Grade 5	98.6%	1.4%

	Grade 6	OOS456a I . OUT 97.7%	2.3%
Spray Paint			

		Not Used	Used
	All	97.0%	3.0%
	Grade 4	96.7%	3.3%
	Grade 5	97.9%	2.1%
	Grade 6	96.6%	3.4%

Other Inhalants

		Not Used	Used
	All	95.4%	4.6%
	Grade 4	96.2%	3.8%
	Grade 5	96.2%	3.8%
	Grade 6	94.0%	6.0%

State - Grades 4-6
Spring 2000

AA

Table I-3: Average number of times inhalants were used by those reporting usage:

	School Year	Li feti me
	All	3.3
	Grade 4	3.1
	Grade 5	3.2
	Grade 6	3.5

AA

Table I-4: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	90.1%	5.1%	3.7%	1.1%
Grade 4	90.8%	4.5%	3.6%	1.0%
Grade 5	91.8%	4.7%	2.8%	0.7%
Grade 6	87.8%	6.1%	4.6%	1.5%

AA

Table I-5: Average age of first use of inhalants:

	Grade 4	Grade 5	Grade 6
Inhalants	8.4	9.2	10.2

AA

Table I-6: Average age of first use of inhalants by family situation:

Two Parent Family

OOS456a I . OUT

	Never	7 or Under	8	9	10	11	12 or Over
All	94.9%	1.0%	0.5%	0.9%	1.1%	1.1%	0.5%
Grade 4	96.3%	1.3%	0.8%	1.0%	0.6%	0.0%	0.0%
Grade 5	95.7%	0.9%	0.4%	0.7%	1.2%	1.0%	0.0%
Grade 6	92.5%	0.7%	0.4%	0.9%	1.6%	2.5%	1.5%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	92.9%	1.2%	0.7%	1.2%	1.8%	1.4%	0.8%
Grade 4	95.4%	0.9%	0.9%	1.3%	1.4%	0.0%	* %
Grade 5	94.2%	1.6%	0.5%	0.7%	1.6%	1.3%	0.1%
Grade 6	89.5%	1.1%	0.7%	1.5%	2.3%	2.7%	2.3%

AA

Table I-7: Lifetime prevalence of use of inhalants by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Inhalants	3.5%	23.3%	11.8%	28.0%

♀

State - Grades 4-6
Spring 2000

AA

Table I-8: About how many of your close friends use inhalants?

	Never Heard of	None	Some	Most
All	6.1%	82.7%	8.8%	2.4%
Grade 4	10.2%	83.1%	4.9%	1.8%
Grade 5	4.7%	85.6%	7.8%	1.8%
Grade 6	3.0%	79.1%	14.1%	3.7%

AA

Table I-9: Have you ever been offered inhalants?

	Never Heard of	Yes	No
All	6.0%	8.6%	85.4%
Grade 4	9.6%	5.4%	85.0%
Grade 5	5.1%	7.4%	87.5%
Grade 6	3.0%	13.2%	83.7%

AA

Table I-10: How dangerous do you think it is for kids your age to use inhalants?

	Never Heard of	OOS456a I . OUT		Not at All Dangerous	Do Not Know
		Very Dangerous	Dangerous		
All	4.4%	65.1%	19.6%	2.6%	8.2%
Grade 4	8.0%	63.2%	16.6%	2.5%	9.7%
Grade 5	3.4%	67.4%	19.5%	2.3%	7.4%
Grade 6	1.7%	64.8%	22.9%	3.1%	7.5%

♀
♀

State - Grades 4-6
Spring 2000

AA

Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ...

An Assembly Program?

	No	Yes
All	36.2%	63.8%
Grade 4	38.4%	61.6%
Grade 5	29.9%	70.1%
Grade 6	39.9%	60.1%

Guidance Counselor?

	No	Yes
All	43.1%	56.9%
Grade 4	37.0%	63.0%
Grade 5	41.0%	59.0%
Grade 6	51.2%	48.8%

Visitor to Class?

	No	Yes
All	38.0%	62.0%
Grade 4	43.8%	56.2%
Grade 5	28.3%	71.7%
Grade 6	41.5%	58.5%

Someone Else at School?

	No	Yes
All	53.7%	46.3%
Grade 4	57.1%	42.9%
Grade 5	52.8%	47.2%
Grade 6	51.3%	48.7%

Your Teacher?

	No	Yes
All	27.1%	72.9%
Grade 4	28.3%	71.7%

	OOS456al I . OUT	
Grade 5	28.1%	71.9%
Grade 6	24.8%	75.2%

Any School Source?

	No	Yes
All	7.7%	92.3%
Grade 4	9.4%	90.6%
Grade 5	4.9%	95.1%
Grade 6	8.6%	91.4%

State - Grades 4-6
Spring 2000

Table B1: Prevalence and recency of use of selected substances by grade
--> All Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	12.5%	7.3%	5.3%	87.5%
	Grade 4	6.8%	3.8%	2.9%	93.2%
	Grade 5	11.4%	6.7%	4.7%	88.6%
	Grade 6	19.9%	11.6%	8.3%	80.1%
AA					
Alcohol	All	27.5%	18.9%	8.7%	72.5%
	Grade 4	19.1%	13.1%	5.9%	80.9%
	Grade 5	25.8%	17.5%	8.2%	74.2%
	Grade 6	38.4%	26.4%	12.0%	61.6%
AA					
Inhalants	All	10.7%	7.8%	3.0%	89.3%
	Grade 4	9.8%	7.1%	2.7%	90.2%
	Grade 5	8.8%	6.3%	2.5%	91.2%
	Grade 6	13.8%	10.0%	3.8%	86.2%
AA					
Marijuana	All	2.8%	2.1%	0.7%	97.2%
	Grade 4	0.8%	0.5%	0.3%	99.2%
	Grade 5	2.1%	1.7%	0.4%	97.9%
	Grade 6	5.7%	4.2%	1.5%	94.3%
AA					

Table B2: Prevalence and recency of use of selected substances by grade
--> Male Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	14.7%	8.4%	6.3%	85.3%
	Grade 4	8.8%	4.8%	4.0%	91.2%
	Grade 5	13.7%	7.8%	5.9%	86.3%
	Grade 6	22.0%	12.8%	9.2%	78.0%
AA					
Alcohol	All	31.3%	20.9%	10.4%	68.7%
	Grade 4	22.5%	15.7%	6.9%	77.5%
	Grade 5	30.6%	19.9%	10.6%	69.4%
	Grade 6	41.4%	27.6%	13.8%	58.6%
AA					
Inhalants	All	12.4%	8.9%	3.5%	87.6%

OOS456a I .OUT					
Grade 4	11.9%	8.9%	3.1%	88.1%	
Grade 5	10.6%	7.6%	3.0%	89.4%	
Grade 6	14.8%	10.4%	4.4%	85.2%	
AA					
Marijuana	All	3.5%	2.5%	1.0%	96.5%
	Grade 4	1.1%	0.6%	0.4%	98.9%
	Grade 5	2.8%	2.1%	0.7%	97.2%
	Grade 6	6.8%	5.0%	1.9%	93.2%
AA					

State - Grades 4-6
Spring 2000

Table B3: Prevalence and recency of use of selected substances by grade
--> Female Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	10.5%	6.2%	4.3%	89.5%
	Grade 4	4.9%	2.9%	2.0%	95.1%
	Grade 5	9.2%	5.6%	3.6%	90.8%
	Grade 6	17.9%	10.5%	7.4%	82.1%
AA					
Alcohol	All	23.9%	16.9%	7.0%	76.1%
	Grade 4	15.7%	10.7%	5.0%	84.3%
	Grade 5	21.1%	15.2%	5.9%	78.9%
	Grade 6	35.5%	25.2%	10.3%	64.5%
AA					
Inhalants	All	9.1%	6.6%	2.5%	90.9%
	Grade 4	7.7%	5.4%	2.3%	92.3%
	Grade 5	7.0%	5.0%	2.0%	93.0%
	Grade 6	12.8%	9.6%	3.2%	87.2%
AA					
Marijuana	All	2.2%	1.7%	0.5%	97.8%
	Grade 4	0.6%	0.4%	0.2%	99.4%
	Grade 5	1.4%	1.2%	0.2%	98.6%
	Grade 6	4.6%	3.5%	1.1%	95.4%
AA					

Table B4: Prevalence and recency of use of selected substances by grade
--> White Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	10.7%	5.9%	4.8%	89.3%
	Grade 4	5.7%	3.0%	2.6%	94.3%
	Grade 5	9.9%	5.6%	4.3%	90.1%
	Grade 6	16.8%	9.1%	7.7%	83.2%
AA					
Alcohol	All	22.0%	14.8%	7.2%	78.0%
	Grade 4	15.4%	10.2%	5.2%	84.6%
	Grade 5	20.8%	13.5%	7.3%	79.2%
	Grade 6	30.3%	21.1%	9.2%	69.7%
AA					
Inhalants	All	8.2%	5.8%	2.3%	91.8%
	Grade 4	8.2%	5.8%	2.4%	91.8%
	Grade 5	6.8%	5.1%	1.7%	93.2%

		OOS456a I .OUT			
	Grade 6	9.6%	6.7%	2.9%	90.4%
AAAAA					
Marijuana	All	1.9%	1.2%	0.6%	98.1%
	Grade 4	0.6%	0.3%	0.3%	99.4%
	Grade 5	1.6%	1.2%	0.3%	98.4%
	Grade 6	3.4%	2.2%	1.3%	96.6%
AAAAA					

State - Grades 4-6
Spring 2000

Table B5: Prevalence and recency of use of selected substances by grade
--> African/American Students

		Ever Used	School Year	Not Past Year	Never Used
AAAAA					
Tobacco	All	11.2%	6.1%	5.1%	88.8%
	Grade 4	8.5%	5.2%	3.3%	91.5%
	Grade 5	9.3%	4.7%	4.7%	90.7%
	Grade 6	16.1%	8.6%	7.5%	83.9%
AAAAA					
Alcohol	All	31.4%	19.4%	12.0%	68.6%
	Grade 4	24.5%	16.1%	8.4%	75.5%
	Grade 5	27.3%	17.4%	9.9%	72.7%
	Grade 6	43.1%	25.0%	18.0%	56.9%
AAAAA					
Inhalants	All	10.3%	7.4%	2.9%	89.7%
	Grade 4	10.9%	8.5%	2.5%	89.1%
	Grade 5	9.4%	6.3%	3.1%	90.6%
	Grade 6	10.5%	7.3%	3.3%	89.5%
AAAAA					
Marijuana	All	2.1%	1.3%	0.8%	97.9%
	Grade 4	0.6%	0.3%	0.2%	99.4%
	Grade 5	1.1%	0.7%	0.3%	98.9%
	Grade 6	4.9%	2.9%	2.0%	95.1%
AAAAA					

Table B6: Prevalence and recency of use of selected substances by grade
--> Mexican/American Students

		Ever Used	School Year	Not Past Year	Never Used
AAAAA					
Tobacco	All	15.4%	9.5%	5.9%	84.6%
	Grade 4	7.4%	4.2%	3.2%	92.6%
	Grade 5	14.3%	8.9%	5.4%	85.7%
	Grade 6	25.1%	15.7%	9.4%	74.9%
AAAAA					
Alcohol	All	32.7%	23.6%	9.1%	67.3%
	Grade 4	21.4%	15.4%	6.0%	78.6%
	Grade 5	31.5%	22.9%	8.6%	68.5%
	Grade 6	46.2%	33.1%	13.1%	53.8%
AAAAA					
Inhalants	All	13.8%	10.1%	3.7%	86.2%
	Grade 4	11.0%	8.0%	3.1%	89.0%
	Grade 5	10.9%	7.7%	3.2%	89.1%
	Grade 6	19.6%	14.7%	4.9%	80.4%
AAAAA					

		OQS456a I . OUT			
Marijuana	All	4.3%	3.4%	0.8%	95.7%
	Grade 4	1.1%	0.8%	0.3%	98.9%
	Grade 5	3.3%	2.6%	0.7%	96.7%
	Grade 6	8.6%	7.1%	1.5%	91.4%

State - Grades 4-6
Spring 2000

Table B7: Prevalence and recency of use of selected substances by grade
--> Students Reporting A and B Grades

		Ever Used	School Year	Not Past Year	Never Used
AAAAAA					
Tobacco	All	10.8%	6.0%	4.8%	89.2%
	Grade 4	5.7%	3.2%	2.5%	94.3%
	Grade 5	10.4%	5.9%	4.5%	89.6%
	Grade 6	17.1%	9.4%	7.6%	82.9%
AAAAAA					
Alcohol	All	25.3%	17.1%	8.2%	74.7%
	Grade 4	17.4%	12.0%	5.5%	82.6%
	Grade 5	24.3%	16.2%	8.1%	75.7%
	Grade 6	35.3%	23.9%	11.4%	64.7%
AAAAAA					
Inhalants	All	9.5%	6.8%	2.8%	90.5%
	Grade 4	8.8%	6.2%	2.6%	91.2%
	Grade 5	7.9%	5.5%	2.4%	92.1%
	Grade 6	12.1%	8.7%	3.4%	87.9%
AAAAAA					
Marijuana	All	2.2%	1.7%	0.6%	97.8%
	Grade 4	0.7%	0.4%	0.3%	99.3%
	Grade 5	1.8%	1.5%	0.4%	98.2%
	Grade 6	4.4%	3.3%	1.1%	95.6%
AAAAAA					

Table B8: Prevalence and recency of use of selected substances by grade
--> Students Reporting C, D, and F Grades

		Ever Used	School Year	Not Past Year	Never Used
AAAAAA					
Tobacco	All	20.8%	13.4%	7.5%	79.2%
	Grade 4	12.9%	7.5%	5.4%	87.1%
	Grade 5	16.4%	10.8%	5.6%	83.6%
	Grade 6	31.4%	20.6%	10.8%	68.6%
AAAAAA					
Alcohol	All	38.2%	27.4%	10.9%	61.8%
	Grade 4	28.0%	19.5%	8.5%	72.0%
	Grade 5	33.1%	24.7%	8.4%	66.9%
	Grade 6	51.2%	36.3%	14.9%	48.8%
AAAAAA					
Inhalants	All	16.5%	12.4%	4.0%	83.5%
	Grade 4	14.5%	11.2%	3.3%	85.5%
	Grade 5	13.2%	10.1%	3.1%	86.8%
	Grade 6	20.7%	15.3%	5.4%	79.3%
AAAAAA					
Marijuana	All	5.7%	4.2%	1.5%	94.3%
	Grade 4	1.4%	1.0%	0.4%	98.6%

OOS456a I .OUT				
Grade 5	3.8%	2.9%	0.9%	96.2%
Grade 6	10.8%	7.9%	2.9%	89.2%

State - Grades 4-6
Spring 2000

Table B9: Prevalence and recency of use of selected substances by grade
--> Students Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
AAAAAA					
Tobacco	All	9.4%	5.4%	4.0%	90.6%
	Grade 4	4.9%	2.6%	2.2%	95.1%
	Grade 5	8.5%	4.9%	3.6%	91.5%
	Grade 6	15.5%	8.9%	6.6%	84.5%
AAAAAA					
Alcohol	All	23.4%	16.1%	7.3%	76.6%
	Grade 4	16.3%	11.1%	5.2%	83.7%
	Grade 5	21.4%	14.7%	6.7%	78.6%
	Grade 6	33.5%	23.3%	10.2%	66.5%
AAAAAA					
Inhalants	All	9.6%	7.0%	2.6%	90.4%
	Grade 4	9.1%	6.5%	2.6%	90.9%
	Grade 5	7.7%	5.9%	1.8%	92.3%
	Grade 6	12.0%	8.6%	3.4%	88.0%
AAAAAA					
Marijuana	All	1.8%	1.3%	0.4%	98.2%
	Grade 4	0.5%	0.4%	0.2%	99.5%
	Grade 5	1.4%	1.1%	0.3%	98.6%
	Grade 6	3.6%	2.6%	0.9%	96.4%

Table B10: Prevalence and recency of use of selected substances by grade
--> Students Not Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
AAAAAA					
Tobacco	All	18.6%	11.0%	7.6%	81.4%
	Grade 4	11.0%	6.5%	4.5%	89.0%
	Grade 5	16.8%	10.0%	6.9%	83.2%
	Grade 6	27.7%	16.3%	11.5%	72.3%
AAAAAA					
Alcohol	All	35.7%	24.3%	11.4%	64.3%
	Grade 4	25.3%	17.8%	7.5%	74.7%
	Grade 5	34.0%	23.0%	11.0%	66.0%
	Grade 6	47.2%	31.8%	15.4%	52.8%
AAAAAA					
Inhalants	All	13.0%	9.3%	3.7%	87.0%
	Grade 4	11.2%	8.3%	2.9%	88.8%
	Grade 5	10.8%	7.0%	3.7%	89.2%
	Grade 6	16.8%	12.5%	4.3%	83.2%
AAAAAA					
Marijuana	All	4.8%	3.5%	1.2%	95.2%
	Grade 4	1.4%	0.9%	0.5%	98.6%
	Grade 5	3.5%	2.7%	0.8%	96.5%
	Grade 6	9.2%	6.8%	2.4%	90.8%

State - Grades 4-6
 Spring 2000

Table B11: Prevalence and recency of use of selected substances by grade
 --> Students Living in Town More Than 3 Years

		Ever Used	School Year	Not Past Year	Never Used
AAA					
Tobacco	All	12.5%	7.3%	5.2%	87.5%
	Grade 4	6.3%	3.3%	2.9%	93.7%
	Grade 5	11.2%	6.6%	4.6%	88.8%
	Grade 6	19.8%	11.9%	7.9%	80.2%
AAA					
Alcohol	All	27.9%	19.4%	8.6%	72.1%
	Grade 4	19.2%	13.1%	6.0%	80.8%
	Grade 5	25.6%	17.6%	7.9%	74.4%
	Grade 6	38.9%	27.2%	11.7%	61.1%
AAA					
Inhalants	All	10.6%	7.7%	2.8%	89.4%
	Grade 4	9.6%	7.1%	2.5%	90.4%
	Grade 5	8.5%	6.1%	2.4%	91.5%
	Grade 6	13.5%	10.0%	3.5%	86.5%
AAA					
Marijuana	All	2.8%	2.2%	0.7%	97.2%
	Grade 4	0.7%	0.5%	0.2%	99.3%
	Grade 5	2.1%	1.7%	0.4%	97.9%
	Grade 6	5.7%	4.4%	1.3%	94.3%
AAA					

Table B12: Prevalence and recency of use of selected substances by grade
 --> Students Living in Town 3 Years or Less

		Ever Used	School Year	Not Past Year	Never Used
AAA					
Tobacco	All	14.1%	8.0%	6.1%	85.9%
	Grade 4	9.8%	6.3%	3.5%	90.2%
	Grade 5	12.6%	7.0%	5.6%	87.4%
	Grade 6	20.7%	10.9%	9.8%	79.3%
AAA					
Alcohol	All	27.5%	18.1%	9.4%	72.5%
	Grade 4	19.4%	13.7%	5.6%	80.6%
	Grade 5	27.4%	17.4%	10.0%	72.6%
	Grade 6	37.3%	24.0%	13.3%	62.7%
AAA					
Inhalants	All	11.4%	7.9%	3.5%	88.6%
	Grade 4	10.0%	7.5%	2.5%	90.0%
	Grade 5	9.1%	5.8%	3.3%	90.9%
	Grade 6	15.4%	10.6%	4.8%	84.6%
AAA					
Marijuana	All	3.1%	1.9%	1.2%	96.9%
	Grade 4	1.7%	1.0%	0.7%	98.3%
	Grade 5	2.2%	1.6%	0.6%	97.8%
	Grade 6	5.6%	3.2%	2.4%	94.4%
AAA					

♀

OOS456a11.0UT
State - Grades 4-6
Spring 2000

The FREQ Procedure

GENDER

Q1	Frequency	Percent
Female	553224.6	50.89
Male	533929.3	49.11

Frequency Missing = 1029.5357984

GRADE LEVEL

Q2	Frequency	Percent
Grade 4	370392.9	34.04
Grade 5	347484.9	31.93
Grade 6	370305.7	34.03

DO YOU LIVE WITH BOTH PARENTS?

Q3	Frequency	Percent
No	367100.1	34.03
Yes	711698.9	65.97

Frequency Missing = 9384.3949741

AGE

Q4	Frequency	Percent
8 or younger	620.2026	0.06
9	105052.4	9.68
10	333560.3	30.74
11	354003.3	32.63
12	260239.9	23.98
13 or older	31480	2.90
14	56.62725	0.01
19	14.79006	0.00

Frequency Missing = 3155.8955906

ETHNICITY

Q5	Frequency	Percent
African/American	158271.9	14.54
Asian/American	11143.82	1.02
Mexican/American	421376.6	38.72
Native/American	3096.44	0.28
Other	16592.88	1.52
White	477701.8	43.90

OOS456a I . OUT

WHAT GRADES DO YOU USUALLY GET

Q6	Frequency	Percent
Mostly A's	406912.3	37.90
Mostly B's	484613.5	45.13
Mostly C's	144005.1	13.41
Mostly D's	22959.37	2.14
Mostly F's	15265.63	1.42

Frequency Missing = 14427.515157

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 4-6
Spring 2000

The FREQ Procedure

LIVED IN THIS TOWN FOR MORE THAN 3 YEARS

Q7	Frequency	Percent
Don't Know	69419.38	6.42
No	166458.5	15.40
Yes	844954.6	78.18

Frequency Missing = 7351.0330736

EITHER PARENT GRADUATE FROM COLLEGE

Q8	Frequency	Percent
Don't Know	382622.7	35.42
No	200146.1	18.53
Yes	497422.5	46.05

Frequency Missing = 7992.1558236

QUALIFY FOR A FREE/REDUCED PRICE LUNCH?

Q9	Frequency	Percent
Don't Know	264413.5	24.69
No	381915	35.66
Yes	424758.6	39.66

Frequency Missing = 17096.294943

PARENTS ATTEND PTA MEETINGS?

Q10	Frequency	Percent
-----	-----------	---------

	00S456a I . OUT	
Don' t Know	3045.771	0.29
No	523453.5	50.15
Yes	517309.5	49.56

Frequency Mi ssi ng = 44374.71261

EVER INHALED GASOLINE TO GET HIGH?

Q11a	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Not Used	1004345	97.12
Used	29737.67	2.88

Frequency Mi ssi ng = 54100.670718

EVER INHALED PAINT THINNER TO GET HIGH?

Q11b	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Not Used	999459.1	97.97
Used	20748.81	2.03

Frequency Mi ssi ng = 67975.54374

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 4-6
Spring 2000

The FREQ Procedure

EVER INHALED GLUE TO GET HIGH?

Q11c	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Not Used	981111.5	96.21
Used	38695.86	3.79

Frequency Mi ssi ng = 68376.057175

EVER INHALED WHITEOUT TO GET HIGH?

Q11d	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Not Used	980110.6	95.94
Used	41488.56	4.06

Frequency Mi ssi ng = 66584.213546

OOS456a I . OUT

EVER INHALED SPRAY PAINT TO GET HIGH?

Q11e	Frequency	Percent
Not Used	999133.2	97.04
Used	30502.72	2.96

Frequency Missing = 58547.521915

EVER USED OTHER INHALANTS TO GET HIGH?

Q11f	Frequency	Percent
Not Used	986290.6	95.44
Used	47160.84	4.56

Frequency Missing = 54731.94198

CIGARETTE USE DURING LIFETIME

Q12a	Frequency	Percent
Never heard of	39538.85	3.89
Never used	864919.7	85.07
1-2 times	77655.66	7.64
3-10 times	21093.53	2.07
11+ times	13472.63	1.33

Frequency Missing = 71503.07949

SNUFF/CHEWING TOBACCO USE IN LIFETIME

Q12b	Frequency	Percent
Never heard of	69618.25	7.03
Never used	896295.8	90.48
1-2 times	19293.54	1.95
3-10 times	3622.987	0.37
11+ times	1765.512	0.18

Frequency Missing = 97587.33177

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 4-6
Spring 2000

OOS456a I . OUT

BEER USE DURING LIFETIME

Q12c	Frequency	Percent
AA		
Never heard of	14851.34	1.50
Never used	820406.5	82.81
1-2 times	115091.8	11.62
3-10 times	27713.2	2.80
11+ times	12691.26	1.28

Frequency Missing = 97429.37281

WINE COOLER USE DURING LIFETIME

Q12d	Frequency	Percent
AA		
Never heard of	110112.4	11.07
Never used	725984.8	73.00
1-2 times	116969	11.76
3-10 times	28451	2.86
11+ times	13004.18	1.31

Frequency Missing = 93662.077522

WINE USE DURING LIFETIME

Q12e	Frequency	Percent
AA		
Never heard of	26727.29	2.72
Never used	824624.8	83.97
1-2 times	105516.1	10.75
3-10 times	18331.67	1.87
11+ times	6800.266	0.69

Frequency Missing = 106183.32139

LIQUOR USE DURING LIFETIME

Q12f	Frequency	Percent
AA		
Never heard of	103647.8	10.40
Never used	821591.9	82.45
1-2 times	52517.97	5.27
3-10 times	13433.54	1.35
11+ times	5322.748	0.53

Frequency Missing = 91669.516325

INHALANT USE DURING LIFETIME

Q12h	Frequency	Percent
AA		
Never heard of	75732.93	7.59
Never used	862612.1	86.47
1-2 times	42141.9	4.22
3-10 times	10976.95	1.10

11+ times OOS456all. OUT
 6113.017 0.61
 Frequency Missing = 90606.530623

The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the state
 State - Grades 4-6
 Spring 2000

The FREQ Procedure

MARIJUANA USE DURING LIFETIME

Q12i	Frequency	Percent
Never heard of	107996	10.65
Never used	878217.2	86.61
1-2 times	15620.52	1.54
3-10 times	6665.629	0.66
11+ times	5525.232	0.54

Frequency Missing = 74158.795976

CIGARETTE USE IN PAST SCHOOL YEAR

Q13a	Frequency	Percent
Never heard of	36163.23	3.50
Never used	927943.9	89.81
1-2 times	47891.28	4.64
3-10 times	12080.12	1.17
11+ times	9159.99	0.89

Frequency Missing = 54944.942169

SNUFF/CHEWING TOBACCO USE IN PAST YEAR

Q13b	Frequency	Percent
Never heard of	61607.44	6.12
Never used	931368.3	92.48
1-2 times	10737.85	1.07
3-10 times	1925.557	0.19
11+ times	1452.442	0.14

Frequency Missing = 81091.847396

BEER USE IN PAST SCHOOL YEAR

OOS456a11. OUT

Q13c	Frequency	Percent
Never heard of	14293.53	1.43
Never used	887244.6	88.67
1-2 times	75921.02	7.59
3-10 times	16437.57	1.64
11+ times	6678.459	0.67

Frequency Missing = 87608.206918

WINE COOLER USE IN PAST SCHOOL YEAR

Q13d	Frequency	Percent
Never heard of	105414.7	10.51
Never used	786500.2	78.42
1-2 times	85414.54	8.52
3-10 times	18824.63	1.88
11+ times	6792.95	0.68

Frequency Missing = 85236.436791

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state
State - Grades 4-6
Spring 2000

The FREQ Procedure

WINE USE IN PAST SCHOOL YEAR

Q13e	Frequency	Percent
Never heard of	25927.54	2.58
Never used	885700.6	88.27
1-2 times	76110.87	7.59
3-10 times	11855.17	1.18
11+ times	3796.881	0.38

Frequency Missing = 84792.390247

LIQUOR USE IN PAST SCHOOL YEAR

Q13f	Frequency	Percent
Never heard of	94282.64	9.38
Never used	861733.5	85.72
1-2 times	36832.21	3.66
3-10 times	9371.106	0.93
11+ times	3058.485	0.30

OOS456a I . OUT

Frequency Missing = 82905.425466

INHALANT USE IN PAST SCHOOL YEAR

Q13h	Frequency	Percent
Never heard of	71289.33	7.07
Never used	889915.8	88.30
1-2 times	33620.26	3.34
3-10 times	8586.434	0.85
11+ times	4464.99	0.44

Frequency Missing = 80306.593303

MARIJUANA USE IN PAST SCHOOL YEAR

Q13i	Frequency	Percent
Never heard of	101643	10.01
Never used	891682.8	87.85
1-2 times	11787.04	1.16
3-10 times	5502.605	0.54
11+ times	4446.016	0.44

Frequency Missing = 73121.894464

AGE WHEN FIRST USED CIGARETTES

Q14a	Frequency	Percent
7 or younger	22770	2.24
8 years old	18346.15	1.80
9 years old	21931.3	2.16
10 years old	28278.61	2.78
11 years old	20276.05	1.99
12 or older	9756.451	0.96
Never heard/used	895333.8	88.06

Frequency Missing = 71491.027429

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 4-6
 Spring 2000

The FREQ Procedure

AGE WHEN FIRST USED SNUFF/CHEW TOBACCO

Q14b	Frequency	Percent
------	-----------	---------

OOS456a1 . OUT

	Frequency	Percent
7 or younger	6353.952	0.64
8 years old	3618.976	0.36
9 years old	5699.154	0.57
10 years old	5284.941	0.53
11 years old	3838.883	0.38
12 or older	2489.274	0.25
Never heard/used	970382.3	97.27

Frequency Missing = 90515.890447

AGE WHEN FIRST USED BEER

Q14c	Frequency	Percent
7 or younger	51528.91	5.16
8 years old	26109.62	2.62
9 years old	26389.13	2.64
10 years old	28841.38	2.89
11 years old	20089.83	2.01
12 or older	10510.36	1.05
Never heard/used	834641.1	83.62

Frequency Missing = 90073.130722

AGE WHEN FIRST USED WINE COOLERS

Q14d	Frequency	Percent
7 or younger	22656.28	2.28
8 years old	18553.52	1.87
9 years old	29626.84	2.98
10 years old	37922.38	3.81
11 years old	31265.96	3.15
12 or older	18400.72	1.85
Never heard/used	835697.5	84.06

Frequency Missing = 94060.281486

AGE WHEN FIRST USED WINE

Q14e	Frequency	Percent
7 or younger	17335.81	1.74
8 years old	15232.23	1.53
9 years old	24491.43	2.46
10 years old	31626.84	3.18
11 years old	26517.87	2.67
12 or older	13673.82	1.38
Never heard/used	865409.9	87.04

Frequency Missing = 93895.482023

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 4-6
 Spring 2000

The FREQ Procedure

AGE WHEN FIRST USED LIQUOR

Q14f	Frequency	Percent
7 or younger	6507.894	0.65
8 years old	6429.968	0.64
9 years old	9266.752	0.93
10 years old	15441.52	1.55
11 years old	14610.51	1.47
12 or older	11490.88	1.15
Never heard/used	933229.3	93.61

Frequency Missing = 91206.618591

AGE WHEN FIRST USED INHALANTS

Q14h	Frequency	Percent
7 or younger	10534.32	1.05
8 years old	5875.619	0.59
9 years old	9729.487	0.97
10 years old	13288.75	1.33
11 years old	12379.46	1.24
12 or older	5948.664	0.60
Never heard/used	940873.7	94.22

Frequency Missing = 89553.368782

AGE WHEN FIRST USED MARIJUANA

Q14i	Frequency	Percent
7 or younger	3174.509	0.32
8 years old	1810.251	0.18
9 years old	3256.492	0.32
10 years old	5013.614	0.50
11 years old	7159.581	0.71
12 or older	6795.796	0.68
Never heard/used	976660.8	97.29

Frequency Missing = 84312.401057

OOS456a1 I .OUT
 CLOSE FRIENDS USE CIGARETTES

Q15a	Frequency	Percent
Never heard of	29828.69	2.91
None	772323.1	75.46
Some	196669.4	19.22
Most	24650.71	2.41

Frequency Missing = 64711.496761

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO

Q15b	Frequency	Percent
Never heard of	42938.24	4.30
None	899209	90.11
Some	49526.33	4.96
Most	6218.771	0.62

Frequency Missing = 90291.078407

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 4-6
 Spring 2000

The FREQ Procedure

CLOSE FRIENDS USE BEER

Q15c	Frequency	Percent
Never heard of	15797.02	1.58
None	754404.4	75.62
Some	190712	19.12
Most	36715.77	3.68

Frequency Missing = 90554.204473

CLOSE FRIENDS USE WINE COOLERS

Q15d	Frequency	Percent
Never heard of	79600.48	8.04
None	716571	72.41
Some	156655.9	15.83
Most	36836.43	3.72

Frequency Missing = 98519.629827

CLOSE FRIENDS USE WINE

OOS456a1 I . OUT

Q15e	Frequency	Percent
Never heard of	24294.24	2.46
None	810707.8	82.24
Some	127634.2	12.95
Most	23088.29	2.34

Frequency Missing = 102458.91471

CLOSE FRIENDS USE LIQUOR

Q15f	Frequency	Percent
Never heard of	70146.51	7.06
None	823668.7	82.93
Some	79444.94	8.00
Most	19973.95	2.01

Frequency Missing = 94949.35053

CLOSE FRIENDS USE INHALANTS

Q15h	Frequency	Percent
Never heard of	60274.87	6.07
None	820670.1	82.66
Some	87849.01	8.85
Most	24014.88	2.42

Frequency Missing = 95374.544399

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state
State - Grades 4-6
Spring 2000

The FREQ Procedure

CLOSE FRIENDS USE MARIJUANA

Q15i	Frequency	Percent
Never heard of	82544.92	8.26
None	830536.1	83.06
Some	65570.6	6.56

Most OOS456a I . OUT
21238. 71 2. 12

Frequency Mi ssi ng = 88293. 099859

EVER BEEN OFFERED CIGARETTES

Q16a	Frequency	Percent
AA		
Never heard of	30250. 35	2. 98
No	752709. 4	74. 16
Yes	232057. 6	22. 86

Frequency Mi ssi ng = 73166. 03327

EVER BEEN OFFERED SNUFF/CHEWING TOBACCO

Q16b	Frequency	Percent
AA		
Never heard of	47235. 47	4. 83
No	857118. 4	87. 73
Yes	72630. 16	7. 43

Frequency Mi ssi ng = 111199. 39354

EVER BEEN OFFERED BEER

Q16c	Frequency	Percent
AA		
Never heard of	16546. 45	1. 70
No	721262. 6	73. 90
Yes	238136. 1	24. 40

Frequency Mi ssi ng = 112238. 24953

EVER BEEN OFFERED WINE COOLERS

Q16d	Frequency	Percent
AA		
Never heard of	84763. 01	8. 72
No	722378	74. 31
Yes	164943. 6	16. 97

Frequency Mi ssi ng = 116098. 89688

EVER BEEN OFFERED WINE

Q16e	Frequency	Percent
AA		
Never heard of	26795. 15	2. 74
No	806216. 5	82. 47
Yes	144627. 3	14. 79

Frequency Mi ssi ng = 110544. 44669

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 4-6
 Spring 2000

♀

The FREQ Procedure

EVER BEEN OFFERED LIQUOR

Q16f	Frequency	Percent
Never heard of	70159.39	7.18
No	812512.1	83.15
Yes	94524.18	9.67

Frequency Missing = 110987.78174

EVER BEEN OFFERED INHALANTS

Q16h	Frequency	Percent
Never heard of	58785.55	5.98
No	838908.5	85.40
Yes	84637.33	8.62

Frequency Missing = 105852.07252

EVER BEEN OFFERED MARIJUANA

Q16i	Frequency	Percent
Never heard of	79810.23	8.02
No	831806.1	83.55
Yes	83964.06	8.43

Frequency Missing = 92602.991587

IS ALCOHOL OBTAINED FROM HOME

Q17a	Frequency	Percent
Do Not Drink	742524.4	72.41
No	154215	15.04
Yes	128681.6	12.55

Frequency Missing = 62762.489329

IS ALCOHOL OBTAINED FROM FRIENDS

Q17b	Frequency	Percent
Do Not Drink	730118.9	73.07

	OOS456a1 I . OUT	
No	206403	20. 66
Yes	62691. 46	6. 27

Frequency Mi ssi ng = 88970. 051319

IS ALCOHOL OBTAINED SOMEWHERE ELSE

Q17c	Frequency	Percent
AA		
Do Not Drink	724042. 9	71. 83
No	172828. 9	17. 15
Yes	111112. 6	11. 02

Frequency Mi ssi ng = 80199. 151228

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 4-6
Spring 2000

The FREQ Procedure

DANGEROUS FOR KIDS TO USE CIGARETTES

Q18a	Frequency	Percent
AA		
Very dangerous	582697. 4	57. 21
Dangerous	327941. 6	32. 20
Not at all	16945. 72	1. 66
Don' t know	66935	6. 57
Never heard of	23983. 72	2. 35

Frequency Mi ssi ng = 69679. 91509

DANGEROUS TO USE SNUFF/CHEWING TOBACCO

Q18b	Frequency	Percent
AA		
Very dangerous	636821. 3	63. 98
Dangerous	233759. 8	23. 49
Not at all	13746. 48	1. 38
Don' t know	79206. 81	7. 96
Never heard of	31769. 79	3. 19

Frequency Mi ssi ng = 92879. 277212

DANGEROUS FOR KIDS TO USE BEER

Q18c	Frequency	Percent
AA		

♀

	OOS456a1 I. OUT	
Very dangerous	461989.7	46.68
Dangerous	375887.6	37.98
Not at all	56266.44	5.68
Don't know	85223.66	8.61
Never heard of	10374.34	1.05

Frequency Missing = 98441.730434

DANGEROUS FOR KIDS TO USE WINE COOLERS

Q18d	Frequency	Percent
Very dangerous	385672.6	38.98
Dangerous	308882.1	31.22
Not at all	98791.18	9.98
Don't know	122572	12.39
Never heard of	73584.08	7.44

Frequency Missing = 98681.477489

DANGEROUS FOR KIDS TO USE WINE

Q18e	Frequency	Percent
Very dangerous	430622.2	43.51
Dangerous	343902.1	34.75
Not at all	81322.11	8.22
Don't know	117304.3	11.85
Never heard of	16604.18	1.68

Frequency Missing = 98428.508096

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 4-6
Spring 2000

The FREQ Procedure

DANGEROUS FOR KIDS TO USE LIQUOR

Q18f	Frequency	Percent
Very dangerous	623505.2	62.76
Dangerous	218232.9	21.97
Not at all	21579.83	2.17
Don't know	79396.38	7.99
Never heard of	50709.09	5.10

Frequency Missing = 94759.987838

DANGEROUS FOR KIDS TO USE INHALANTS

Q18h	Frequency	Percent
Very dangerous	644392.6	65.09
Dangerous	194076.8	19.60
Not at all	25971.78	2.62
Don't know	81492.84	8.23
Never heard of	44009.81	4.45

Frequency Missing = 98239.599824

DANGEROUS FOR KIDS TO USE MARIJUANA

Q18i	Frequency	Percent
Very dangerous	784535.3	78.20
Dangerous	87083.26	8.68
Not at all	14346.75	1.43
Don't know	53168.13	5.30
Never heard of	64088.95	6.39

Frequency Missing = 84961.021184

DRUG/ALCOHOL INFO FROM TEACHER

Q19a	Frequency	Percent
No	269995.4	27.06
Yes	727666.9	72.94

Frequency Missing = 90521.16343

DRUG/ALC INFO FROM VISITOR TO CLASS

Q19b	Frequency	Percent
No	372757.6	37.95
Yes	609424.7	62.05

Frequency Missing = 106001.05448

DRUG/ALC INFO FROM ASSEMBLY PROGRAM

Q19c	Frequency	Percent
No	355244.9	36.20
Yes	626225.3	63.80

Frequency Missing = 106713.2648

♀

OOS456a11.0UT
The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state
State - Grades 4-6
Spring 2000

The FREQ Procedure

DRUG/ALC INFO FROM GUIDE COUNSELOR

Q19d	Frequency	Percent
AAAAA		
No	422904.1	43.08
Yes	558713.5	56.92

Frequency Missing = 106565.81661

DRUG/ALC INF FROM SOMEONE ELSE AT SCHOOL

Q19e	Frequency	Percent
AAAAA		
No	527949.8	53.73
Yes	454713.3	46.27

Frequency Missing = 105520.32055

BEER, TWO OR MORE AT ONE TIME

Q20a	Frequency	Percent
AAAAA		
Never	873996.8	86.80
1 time	75132.72	7.46
2 times	27136.75	2.70
3+ times	30630.55	3.04

Frequency Missing = 81286.619543

WINE COOLERS, TWO OR MORE AT ONE TIME

Q20b	Frequency	Percent
AAAAA		
Never	847649.5	85.89
1 time	69436.95	7.04
2 times	35130.34	3.56
3+ times	34685.97	3.51

Frequency Missing = 101280.66529

WINE, TWO OR MORE AT ONE TIME

Q20c	Frequency	Percent
AAAAA		
Never	866851.2	88.10
1 time	69807.78	7.09
2 times	25757.99	2.62
3+ times	21501.69	2.19

OOS456a1 I .OUT
 Frequency Missing = 104264. 71788

LIQUOR, TWO OR MORE AT ONE TIME

Q20d	Frequency	Percent
Never	929719. 3	94. 08
1 time	28574. 22	2. 89
2 times	13618. 09	1. 38
3+ times	16272. 13	1. 65

Frequency Missing = 99999. 721954

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 4-6
 Spring 2000

The FREQ Procedure

MI SSED SCHOOL WI THOUT PARENT' S CONSENT

Q21	Frequency	Percent
No	998824. 8	97. 03
Yes	30553. 18	2. 97

Frequency Missing = 58805. 47754

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

Q22	Frequency	Percent
No	756820. 5	71. 74
Yes	298091. 8	28. 26

Frequency Missing = 33271. 060495

PARENTS FEEL ABOUT KIDS DRINKING BEER

Q23	Frequency	Percent
Don' t like it	826643. 1	80. 61
Don' t care	23617. 83	2. 30
Thi nk i t' s O. K.	8303. 025	0. 81
Don' t know	166981. 3	16. 28

Frequency Missing = 62638. 205253

PARENTS FEEL ABOUT KIDS USI NG MARI JUANA

OOS456a11.0UT		
Q24	Frequency	Percent
Don't like it	850770.5	83.84
Don't care	15446.42	1.52
Think it's O.K.	5492.05	0.54
Don't know	143083	14.10

Frequency Missing = 73391.462051

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state