

State - Grades 7-12  
Spring 2004

Table T-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any tobacco product	All	17.0%	23.0%	39.4%	60.6%
	Grade 7	6.9%	9.9%	23.0%	77.0%
	Grade 8	10.5%	15.5%	30.6%	69.4%
	Grade 9	15.7%	22.0%	38.5%	61.5%
	Grade 10	21.2%	27.7%	45.2%	54.8%
	Grade 11	24.1%	32.2%	50.9%	49.1%
	Grade 12	27.9%	35.8%	53.6%	46.4%
Cigarettes	All	15.8%	21.7%	37.9%	62.1%
	Grade 7	6.2%	9.2%	21.8%	78.2%
	Grade 8	9.8%	14.5%	29.5%	70.5%
	Grade 9	14.3%	20.5%	37.1%	62.9%
	Grade 10	19.6%	26.2%	43.5%	56.5%
	Grade 11	22.5%	30.3%	49.1%	50.9%
	Grade 12	26.3%	34.4%	51.9%	48.1%
Smokeless tobacco	All	4.2%	6.1%	10.4%	89.6%
	Grade 7	1.5%	2.1%	4.6%	95.4%
	Grade 8	2.3%	3.8%	7.0%	93.0%
	Grade 9	3.9%	5.7%	9.5%	90.5%
	Grade 10	5.8%	8.0%	12.6%	87.4%
	Grade 11	5.4%	8.5%	14.3%	85.7%
	Grade 12	7.5%	10.2%	16.5%	83.5%

Table T-2: How often do you normally use...

Any tobacco product?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	65.9%	5.0%	3.6%	4.3%	6.0%	5.4%	9.9%
Grade 7	81.1%	0.8%	1.5%	1.9%	3.7%	4.1%	6.9%
Grade 8	73.8%	1.6%	2.5%	3.6%	4.9%	5.2%	8.5%
Grade 9	66.6%	3.5%	3.3%	4.3%	6.5%	5.8%	9.8%
Grade 10	60.5%	6.5%	4.9%	4.9%	7.1%	5.4%	10.6%
Grade 11	55.8%	8.5%	4.6%	5.9%	6.8%	6.4%	11.9%
Grade 12	52.3%	11.7%	5.4%	5.5%	7.1%	5.7%	12.3%

Cigarettes?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	66.8%	4.4%	3.4%	4.2%	6.0%	5.4%	9.9%
Grade 7	81.9%	0.7%	1.4%	1.9%	3.6%	3.9%	6.6%
Grade 8	74.6%	1.4%	2.3%	3.4%	4.7%	5.1%	8.5%
Grade 9	67.5%	3.0%	3.1%	4.2%	6.4%	6.1%	9.7%
Grade 10	61.4%	5.8%	4.6%	4.9%	7.0%	5.6%	10.7%
Grade 11	56.7%	7.5%	4.5%	5.8%	6.9%	6.4%	12.3%
Grade 12	53.2%	9.8%	5.1%	5.6%	7.8%	6.0%	12.5%

State - Grades 7-12  
Spring 2004

Smokeless tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	90.8%	1.0%	0.8%	1.0%	1.4%	1.6%	3.3%
Grade 7	96.0%	0.2%	0.2%	0.3%	0.6%	1.0%	1.7%
Grade 8	94.0%	0.3%	0.5%	0.6%	0.9%	1.5%	2.3%
Grade 9	91.7%	0.7%	0.8%	1.2%	1.5%	1.4%	2.8%
Grade 10	88.6%	1.2%	1.1%	1.4%	1.9%	1.6%	4.1%
Grade 11	87.5%	1.6%	1.0%	1.3%	2.0%	2.3%	4.4%
Grade 12	84.9%	2.8%	1.2%	1.4%	2.0%	2.3%	5.4%

Table T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	>1 But <10 Per Day	>10 But <1 Pack Per Day	>1 Pack But <2 Packs/Day	>2 Packs Per Day
All	82.9%	9.3%	5.4%	1.5%	0.7%	0.3%
Grade 7	92.3%	5.2%	1.8%	0.3%	0.2%	0.1%
Grade 8	88.5%	7.0%	3.3%	0.7%	0.3%	0.2%
Grade 9	84.7%	9.0%	4.5%	1.1%	0.5%	0.3%
Grade 10	79.4%	10.3%	7.3%	1.9%	0.6%	0.3%
Grade 11	75.8%	12.5%	8.0%	2.2%	1.2%	0.4%
Grade 12	72.7%	13.1%	8.9%	3.2%	1.6%	0.5%

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.6	11.2	12.0	12.6	13.3	14.1

Table T-5: If you wanted some, how difficult would it be to get...

Cigarettes?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	10.3%	15.0%	6.0%	8.7%	18.4%	41.5%
Grade 7	16.4%	31.5%	9.7%	10.3%	14.5%	17.5%
Grade 8	12.9%	22.4%	9.3%	10.6%	19.2%	25.5%
Grade 9	10.9%	13.8%	6.4%	10.0%	22.2%	36.7%
Grade 10	8.2%	9.2%	4.1%	9.2%	22.1%	47.2%
Grade 11	7.0%	6.0%	3.5%	6.7%	19.5%	57.1%
Grade 12	4.6%	3.0%	1.3%	3.7%	10.3%	77.1%

State - Grades 7-12  
Spring 2004

Smokeless Tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.4%	20.4%	8.2%	10.1%	12.9%	27.0%
Grade 7	28.4%	38.5%	11.0%	8.1%	6.9%	7.1%
Grade 8	24.2%	30.0%	11.8%	11.3%	10.4%	12.3%
Grade 9	23.0%	19.5%	9.1%	12.4%	15.1%	20.9%
Grade 10	19.7%	14.1%	6.7%	12.1%	17.2%	30.3%
Grade 11	17.6%	9.8%	5.6%	9.4%	17.1%	40.6%
Grade 12	12.2%	5.1%	3.1%	5.9%	10.6%	63.1%

Table T-6: About how many of your close friends...

Use any tobacco product?

	Never heard None	A Few	Some	Most	All
All	39.4%	30.6 %	17.1%	10.5%	2.3%
Grade 7	64.7%	23.3 %	7.6%	3.2%	1.1%
Grade 8	51.2%	28.9 %	12.5%	5.8%	1.7%
Grade 9	37.9%	33.1 %	17.8%	9.0%	2.2%
Grade 10	29.3%	33.0 %	21.3%	13.7%	2.7%
Grade 11	25.7%	33.8 %	21.9%	15.3%	3.3%
Grade 12	21.8%	32.0 %	23.7%	19.3%	3.3%

Smoke cigarettes?

	Never heard None	A Few	Some	Most	All
All	41.4%	31.1 %	15.9%	9.6%	2.1%
Grade 7	66.3%	22.8 %	6.8%	3.0%	1.0%
Grade 8	53.0%	28.6 %	11.5%	5.4%	1.5%
Grade 9	40.3%	33.5 %	16.1%	8.2%	2.0%
Grade 10	31.6%	34.1 %	19.6%	12.5%	2.3%
Grade 11	27.6%	34.4 %	20.8%	14.1%	3.0%
Grade 12	23.3%	33.7 %	23.0%	17.1%	2.8%

Use a smokeless tobacco product?

	Never heard None	A Few	Some	Most	All
All	72.0%	16.3 %	7.9%	3.0%	0.7%
Grade 7	88.0%	8.1 %	2.6%	0.8%	0.4%
Grade 8	80.9%	12.3 %	4.5%	1.6%	0.7%
Grade 9	72.3%	17.1 %	7.4%	2.5%	0.7%
Grade 10	65.1%	19.6 %	10.5%	4.0%	0.8%
Grade 11	63.3%	20.1 %	11.4%	4.2%	1.1%
Grade 12	57.6%	22.8 %	12.6%	6.2%	0.9%

State - Grades 7-12  
Spring 2004

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	71.5%	10.5%	7.4%	1.3%	1.0%	8.4%
Grade 7	79.2%	4.4%	2.5%	0.7%	1.0%	12.1%
Grade 8	78.1%	6.0%	4.3%	0.9%	1.1%	9.7%
Grade 9	74.3%	9.4%	5.8%	0.9%	0.9%	8.7%
Grade 10	69.6%	12.5%	8.6%	1.6%	0.9%	6.9%
Grade 11	65.8%	14.1%	11.1%	1.4%	1.0%	6.7%
Grade 12	57.9%	19.2%	14.1%	2.4%	1.1%	5.3%

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	50.0%	29.0%	12.7%	3.5%	4.9%
Grade 7	66.8%	20.3%	5.7%	1.7%	5.6%
Grade 8	57.8%	25.8%	8.6%	2.4%	5.4%
Grade 9	49.4%	29.5%	12.8%	2.8%	5.5%
Grade 10	42.8%	33.1%	15.3%	4.0%	4.8%
Grade 11	40.7%	32.1%	18.1%	5.0%	4.1%
Grade 12	38.2%	35.1%	17.6%	5.9%	3.2%

State - Grades 7-12  
Spring 2004

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product	All	32.6%	44.9%	67.9%	32.1%
	Grade 7	16.8%	24.1%	50.7%	49.3%
	Grade 8	23.6%	34.8%	61.1%	38.9%
	Grade 9	32.5%	45.2%	67.9%	32.1%
	Grade 10	38.8%	53.1%	74.5%	25.5%
	Grade 11	42.0%	56.4%	77.2%	22.8%
	Grade 12	47.4%	62.3%	80.7%	19.3%
Beer	All	23.0%	32.8%	51.5%	48.5%
	Grade 7	9.6%	14.6%	33.7%	66.3%
	Grade 8	14.8%	22.8%	43.2%	56.8%
	Grade 9	21.7%	31.9%	51.0%	49.0%
	Grade 10	28.0%	39.6%	58.5%	41.5%
	Grade 11	31.5%	44.2%	61.8%	38.2%
	Grade 12	37.6%	50.4%	66.2%	33.8%
Wine coolers	All	18.3%	29.1%	49.5%	50.5%
	Grade 7	9.9%	15.3%	31.9%	68.1%
	Grade 8	14.7%	23.6%	43.3%	56.7%
	Grade 9	18.8%	29.6%	50.4%	49.6%
	Grade 10	21.9%	34.6%	56.4%	43.6%
	Grade 11	22.6%	36.6%	58.8%	41.2%
	Grade 12	23.9%	38.8%	60.4%	39.6%
Wine	All	14.3%	24.7%	46.0%	54.0%
	Grade 7	8.1%	12.8%	30.8%	69.2%
	Grade 8	11.5%	19.8%	40.6%	59.4%
	Grade 9	15.2%	25.5%	46.7%	53.3%
	Grade 10	16.3%	28.0%	51.0%	49.0%
	Grade 11	17.2%	31.1%	54.3%	45.7%
	Grade 12	19.3%	34.2%	56.7%	43.3%
Liquor	All	21.3%	31.4%	45.8%	54.2%
	Grade 7	6.8%	10.5%	20.7%	79.3%
	Grade 8	12.2%	19.4%	33.1%	66.9%
	Grade 9	20.0%	30.5%	45.7%	54.3%
	Grade 10	26.9%	39.5%	55.7%	44.3%
	Grade 11	30.9%	44.8%	61.2%	38.8%
	Grade 12	36.2%	51.1%	66.4%	33.6%

Table A-2: How often do you normally use...

Any alcohol product?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	40.0%	0.7%	5.3%	14.5%	15.4%	13.3%	10.8%
Grade 7	59.0%	0.6%	2.5%	5.1%	8.1%	12.2%	12.5%
Grade 8	48.6%	0.6%	3.9%	9.5%	12.2%	13.5%	11.7%
Grade 9	39.5%	0.7%	5.0%	13.8%	16.8%	12.8%	11.4%
Grade 10	32.3%	0.7%	6.1%	17.8%	18.9%	14.3%	9.9%
Grade 11	29.5%	0.7%	6.5%	21.5%	18.9%	13.5%	9.5%
Grade 12	25.5%	0.7%	8.7%	23.1%	19.1%	13.6%	9.2%

State - Grades 7-12  
Spring 2004

Beer?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	51.9%	0.4%	4.2%	11.5%	12.4%	9.7%	9.9%
Grade 7	70.8%	0.2%	1.8%	3.3%	5.9%	7.5%	10.4%
Grade 8	61.1%	0.3%	2.6%	6.5%	9.7%	10.0%	9.7%
Grade 9	52.2%	0.3%	3.8%	10.6%	13.3%	9.4%	10.4%
Grade 10	44.3%	0.5%	5.2%	14.4%	15.3%	10.8%	9.5%
Grade 11	41.6%	0.4%	5.5%	17.6%	15.3%	10.1%	9.5%
Grade 12	35.8%	0.6%	7.6%	19.4%	15.9%	10.8%	9.9%

Wine coolers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	54.1%	0.2%	2.5%	8.5%	11.9%	12.4%	10.3%
Grade 7	72.6%	0.3%	1.5%	3.2%	5.6%	8.2%	8.6%
Grade 8	61.2%	0.3%	2.4%	6.9%	8.6%	11.0%	9.7%
Grade 9	53.5%	0.2%	2.6%	8.8%	12.7%	11.7%	10.5%
Grade 10	47.5%	0.1%	3.3%	10.1%	14.3%	13.8%	10.8%
Grade 11	43.9%	0.2%	2.4%	11.7%	16.0%	14.9%	11.0%
Grade 12	41.1%	0.1%	3.2%	11.7%	15.9%	16.2%	11.8%

Wine?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	57.1%	0.1%	2.1%	6.4%	9.8%	13.4%	11.1%
Grade 7	74.4%	0.2%	1.2%	2.4%	4.3%	8.7%	8.9%
Grade 8	64.1%	0.2%	1.7%	5.2%	7.3%	11.5%	10.1%
Grade 9	56.4%	0.1%	2.1%	6.9%	10.5%	12.8%	11.2%
Grade 10	50.9%	0.1%	2.9%	7.5%	11.5%	14.6%	12.5%
Grade 11	47.7%	0.1%	2.3%	8.1%	13.0%	16.9%	11.9%
Grade 12	44.4%	0.1%	2.8%	9.2%	13.4%	17.5%	12.6%

Liquor?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	58.0%	0.3%	3.1%	10.1%	11.8%	9.5%	7.2%
Grade 7	82.0%	0.2%	1.2%	2.5%	3.5%	5.0%	5.6%
Grade 8	70.8%	0.2%	2.2%	5.5%	7.0%	7.9%	6.4%
Grade 9	58.5%	0.3%	2.9%	9.4%	12.1%	9.3%	7.6%
Grade 10	47.9%	0.4%	4.2%	12.5%	15.8%	11.3%	8.0%
Grade 11	42.6%	0.3%	4.0%	15.8%	16.7%	12.4%	8.2%
Grade 12	37.7%	0.2%	5.0%	18.2%	18.2%	12.8%	7.9%

State - Grades 7-12  
Spring 2004

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

Beer

	Never	Ever	5 or More	1 to 4	Less Than 1
All	49.1%	50.9%	15.1%	23.0%	12.7%
Grade 7	66.2%	33.8%	3.8%	14.9%	15.1%
Grade 8	56.7%	43.3%	7.1%	21.3%	14.9%
Grade 9	49.2%	50.8%	13.3%	24.0%	13.4%
Grade 10	42.5%	57.5%	20.2%	26.0%	11.3%
Grade 11	40.4%	59.6%	23.4%	25.7%	10.5%
Grade 12	35.2%	64.8%	27.2%	27.4%	10.2%

Wine Coolers

	Never	Ever	5 or More	1 to 4	Less Than 1
All	50.6%	49.4%	10.9%	28.4%	10.0%
Grade 7	67.6%	32.4%	5.0%	17.2%	10.3%
Grade 8	55.8%	44.2%	7.9%	25.2%	11.1%
Grade 9	49.2%	50.8%	11.4%	29.1%	10.3%
Grade 10	45.0%	55.0%	13.9%	31.9%	9.1%
Grade 11	42.3%	57.7%	14.6%	33.6%	9.5%
Grade 12	40.2%	59.8%	14.1%	36.1%	9.6%

Wine

	Never	Ever	5 or More	1 to 4	Less Than 1
All	54.7%	45.3%	5.1%	24.0%	16.1%
Grade 7	69.7%	30.3%	2.6%	13.2%	14.4%
Grade 8	59.2%	40.8%	4.0%	20.1%	16.6%
Grade 9	53.3%	46.7%	5.3%	25.3%	16.1%
Grade 10	50.2%	49.8%	6.2%	27.2%	16.4%
Grade 11	47.3%	52.7%	6.6%	29.1%	16.9%
Grade 12	45.5%	54.5%	6.7%	31.3%	16.5%

Liquor

	Never	Ever	5 or More	1 to 4	Less Than 1
All	54.1%	45.9%	12.7%	23.6%	9.6%
Grade 7	79.1%	20.9%	3.1%	9.4%	8.4%
Grade 8	66.8%	33.2%	6.4%	16.6%	10.1%
Grade 9	54.4%	45.6%	11.4%	23.6%	10.7%
Grade 10	44.4%	55.6%	16.6%	29.3%	9.7%
Grade 11	38.9%	61.1%	20.8%	30.4%	10.0%
Grade 12	34.2%	65.8%	21.1%	36.4%	8.3%

State - Grades 7-12  
Spring 2004

Table A-4: During the past twelve months, how often have you had five or more drinks at one time?

Beer					
	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	67.7%	32.3%	3.3%	15.7%	13.4%
Grade 7	82.8%	17.2%	1.2%	5.3%	10.7%
Grade 8	76.7%	23.3%	1.8%	9.4%	12.1%
Grade 9	69.4%	30.6%	2.6%	15.0%	12.9%
Grade 10	61.5%	38.5%	4.1%	20.0%	14.4%
Grade 11	57.5%	42.5%	4.7%	22.8%	15.1%
Grade 12	52.8%	47.2%	6.1%	25.2%	15.9%
Wine Coolers					
	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	68.7%	31.3%	2.1%	12.8%	16.4%
Grade 7	81.8%	18.2%	1.3%	5.6%	11.3%
Grade 8	74.3%	25.7%	2.0%	10.1%	13.5%
Grade 9	68.9%	31.1%	2.2%	13.4%	15.6%
Grade 10	63.9%	36.1%	2.6%	15.2%	18.3%
Grade 11	60.7%	39.3%	2.3%	17.0%	20.1%
Grade 12	59.3%	40.7%	2.1%	17.3%	21.3%
Wine					
	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	73.0%	27.0%	1.4%	8.9%	16.7%
Grade 7	83.9%	16.1%	0.7%	4.3%	11.1%
Grade 8	78.1%	21.9%	1.2%	7.1%	13.6%
Grade 9	73.4%	26.6%	1.5%	9.1%	16.0%
Grade 10	69.2%	30.8%	1.9%	10.3%	18.6%
Grade 11	65.7%	34.3%	1.7%	11.7%	20.9%
Grade 12	64.9%	35.1%	1.4%	12.1%	21.6%
Liquor					
	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	68.5%	31.5%	2.7%	15.1%	13.7%
Grade 7	87.5%	12.5%	0.9%	4.1%	7.5%
Grade 8	79.9%	20.1%	1.7%	8.3%	10.1%
Grade 9	70.3%	29.7%	2.4%	13.8%	13.5%
Grade 10	60.5%	39.5%	3.8%	19.4%	16.3%
Grade 11	55.1%	44.9%	4.1%	23.2%	17.6%
Grade 12	51.2%	48.8%	4.0%	25.4%	19.4%



State - Grades 7-12  
Spring 2004

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	10.5	11.0	11.8	12.4	13.1	13.9
Beer	10.5	11.1	11.9	12.7	13.3	14.2
Wine Coolers	10.9	11.4	12.2	12.8	13.5	14.3
Wine	10.9	11.4	12.2	12.9	13.5	14.3
Liquor	11.1	11.8	12.7	13.5	14.2	14.9

Table A-6: If you wanted some, how difficult would it be to get...

Beer?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	9.3%	12.2%	5.8%	11.1%	21.2%	40.4%
Grade 7	15.4%	25.7%	9.4%	11.7%	15.4%	22.5%
Grade 8	11.5%	17.3%	7.7%	12.6%	19.0%	32.0%
Grade 9	9.7%	11.1%	5.4%	11.0%	21.6%	41.2%
Grade 10	7.3%	7.0%	4.5%	10.4%	22.7%	48.1%
Grade 11	6.0%	5.3%	3.8%	9.7%	22.5%	52.7%
Grade 12	4.1%	3.9%	3.0%	10.5%	27.6%	50.9%

Wine coolers?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	12.3%	13.1%	6.2%	11.8%	20.5%	36.1%
Grade 7	22.1%	27.0%	9.0%	11.2%	13.5%	17.3%
Grade 8	14.9%	19.2%	8.5%	13.6%	17.3%	26.6%
Grade 9	12.2%	11.8%	6.4%	12.2%	21.4%	35.8%
Grade 10	9.1%	7.7%	4.7%	12.2%	22.7%	43.6%
Grade 11	7.6%	5.7%	4.0%	10.2%	22.7%	49.7%
Grade 12	5.3%	3.9%	3.8%	10.7%	27.4%	49.1%

Wine?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	11.3%	14.5%	7.2%	12.5%	19.5%	35.1%
Grade 7	17.7%	29.9%	10.6%	11.5%	12.4%	17.8%
Grade 8	13.4%	20.4%	9.4%	14.1%	16.2%	26.4%
Grade 9	11.8%	13.3%	7.1%	13.0%	20.4%	34.4%
Grade 10	9.4%	9.1%	5.8%	12.8%	21.3%	41.7%
Grade 11	7.8%	6.4%	4.6%	11.7%	21.8%	47.7%
Grade 12	5.6%	4.4%	4.3%	11.5%	26.8%	47.4%

State - Grades 7-12  
Spring 2004

Liquor?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	11.1%	16.9%	7.6%	11.1%	17.8%	35.5%
Grade 7	19.0%	35.8%	10.6%	9.5%	9.9%	15.2%
Grade 8	13.6%	24.6%	10.8%	11.2%	14.8%	25.0%
Grade 9	11.4%	15.4%	7.7%	12.3%	18.0%	35.2%
Grade 10	8.6%	9.7%	6.3%	11.4%	19.8%	44.3%
Grade 11	6.9%	6.5%	4.8%	10.6%	21.4%	49.9%
Grade 12	5.3%	4.9%	4.2%	11.3%	24.9%	49.4%

Table A-7: Since school began in the fall, on how many days (if any) have you..

Attended class while drunk on alcohol?

	None	1-3 Days	4-9 Days	10+ Days
All	90%	7.2%	1.3%	1.0%
Grade 7	94%	5.1%	0.5%	0.6%
Grade 8	92%	6.3%	1.0%	0.7%
Grade 9	90%	7.4%	1.1%	1.1%
Grade 10	89%	8.4%	1.6%	1.3%
Grade 11	89%	8.1%	2.1%	1.0%
Grade 12	88%	8.5%	1.5%	1.6%

Gotten into trouble with teachers because of your drinking?

	None	1-3 Days	4-9 Days	10+ Days
All	99%	0.9%	0.2%	0.3%
Grade 7	99%	0.6%	0.1%	0.2%
Grade 8	99%	0.7%	0.2%	0.3%
Grade 9	98%	1.0%	0.3%	0.3%
Grade 10	98%	1.1%	0.3%	0.2%
Grade 11	99%	0.9%	0.2%	0.3%
Grade 12	98%	1.3%	0.2%	0.2%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons:

Alcohol Users:	4.6 days per student
Alcohol Non-users:	3.5 days per student

Average days conduct problems reported:

Alcohol Users:	3.2 days per student
Alcohol Non-users:	1.2 days per student

State - Grades 7-12  
Spring 2004

Table A-9: During the past twelve months, how many times have you...

Driven a car when you've had a good bit to drink?

	None	1-3 Times	4-9 Times	10+ Times
All	86.3%	9.9%	2.0%	1.9%
Grade 9	93.9%	4.9%	0.6%	0.6%
Grade 10	88.8%	8.6%	1.4%	1.3%
Grade 11	82.8%	12.2%	2.9%	2.1%
Grade 12	75.9%	16.2%	3.8%	4.2%

Gotten into trouble with the police because of drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	96.1%	3.3%	0.4%	0.2%
Grade 7	98.4%	1.2%	0.2%	0.2%
Grade 8	97.8%	1.7%	0.3%	0.3%
Grade 9	96.5%	2.7%	0.4%	0.3%
Grade 10	95.3%	4.0%	0.6%	0.1%
Grade 11	94.5%	4.7%	0.5%	0.3%
Grade 12	92.9%	6.5%	0.4%	0.2%

Table A-10: About how many of your close friends use...

Any alcohol product?

	Never heard None	A Few	Some	Most	All
All	26.5%	24.1 %	18.0%	21.4%	10.0%
Grade 7	52.5%	25.7 %	11.3%	6.9%	3.6%
Grade 8	35.4%	28.3 %	17.1%	13.1%	6.0%
Grade 9	23.9%	25.7 %	19.6%	21.3%	9.6%
Grade 10	15.7%	22.7 %	20.8%	28.0%	12.7%
Grade 11	14.3%	20.6 %	21.2%	29.6%	14.3%
Grade 12	12.3%	19.7 %	18.3%	33.7%	16.1%

Beer?

	Never heard None	A Few	Some	Most	All
All	32.8%	23.1 %	17.5%	19.0%	7.6%
Grade 7	60.9%	22.6 %	9.6%	4.8%	2.1%
Grade 8	43.7%	26.5 %	15.7%	10.4%	3.7%
Grade 9	30.2%	25.5 %	19.4%	17.9%	7.0%
Grade 10	21.5%	22.6 %	21.1%	25.4%	9.4%
Grade 11	19.5%	19.9 %	21.0%	27.9%	11.7%
Grade 12	15.8%	19.7 %	18.4%	32.3%	13.8%

State - Grades 7-12  
Spring 2004

Wine coolers?

	Never heard				
	None	A Few	Some	Most	All
All	42.9%	23.2 %	16.3%	12.5%	5.2%
Grade 7	66.9%	17.9 %	7.9%	4.8%	2.5%
Grade 8	51.1%	22.5 %	13.2%	9.2%	4.1%
Grade 9	41.0%	23.9 %	16.5%	13.0%	5.5%
Grade 10	34.0%	24.8 %	19.1%	15.8%	6.3%
Grade 11	30.6%	25.3 %	21.4%	16.3%	6.4%
Grade 12	28.6%	25.5 %	21.5%	17.6%	6.7%

Wine?

	Never heard				
	None	A Few	Some	Most	All
All	52.8%	22.6 %	12.6%	8.3%	3.6%
Grade 7	73.5%	15.8 %	6.2%	2.8%	1.7%
Grade 8	59.9%	21.0 %	10.6%	5.9%	2.7%
Grade 9	51.5%	23.2 %	12.8%	8.8%	3.7%
Grade 10	45.2%	25.4 %	15.0%	10.1%	4.3%
Grade 11	42.1%	25.2 %	17.2%	10.7%	4.7%
Grade 12	40.0%	26.6 %	15.5%	12.9%	5.0%

Liquor?

	Never heard				
	None	A Few	Some	Most	All
All	43.3%	19.0 %	15.1%	15.9%	6.7%
Grade 7	74.4%	13.9 %	6.4%	3.2%	2.0%
Grade 8	57.2%	19.8 %	11.2%	8.2%	3.6%
Grade 9	42.1%	21.2 %	15.6%	14.7%	6.3%
Grade 10	30.2%	20.1 %	19.4%	21.5%	8.9%
Grade 11	26.3%	20.1 %	19.7%	23.9%	10.0%
Grade 12	21.9%	18.6 %	20.1%	28.2%	11.3%

Table A-11: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	92.7%	6.4%	0.6%	0.4%
Grade 7	96.8%	2.7%	0.2%	0.3%
Grade 8	95.3%	4.0%	0.4%	0.3%
Grade 9	92.9%	6.1%	0.6%	0.3%
Grade 10	90.7%	8.2%	0.8%	0.4%
Grade 11	89.9%	8.7%	0.7%	0.6%
Grade 12	89.0%	9.8%	0.8%	0.5%

State - Grades 7-12  
Spring 2004

Been criticized by someone you were dating because of drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	92.9%	5.8%	0.7%	0.6%
Grade 7	97.8%	1.7%	0.3%	0.3%
Grade 8	96.1%	3.3%	0.3%	0.3%
Grade 9	93.4%	5.3%	0.8%	0.5%
Grade 10	91.2%	7.2%	0.8%	0.9%
Grade 11	89.3%	8.5%	1.2%	1.0%
Grade 12	87.7%	9.9%	1.2%	1.1%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most Of the Time	Always	Don't Know	Didn't Attend
All	38%	10.0%	7.0%	12.4%	19.1%	2.1%	10.8%
Grade 7	65%	9.4%	5.3%	4.0%	3.4%	2.4%	9.9%
Grade 8	52%	13.8%	7.7%	8.3%	6.3%	2.9%	8.9%
Grade 9	36%	11.2%	8.8%	14.0%	15.7%	2.4%	11.6%
Grade 10	27%	9.7%	7.4%	16.9%	25.3%	2.1%	11.5%
Grade 11	24%	7.3%	6.5%	15.8%	32.7%	1.5%	12.2%
Grade 12	19%	7.1%	5.8%	16.8%	38.8%	1.2%	11.2%

Table A-13: How often, if ever, do you get alcoholic beverages from...

At home

	Do Not Drink	Never	Seldom	Most of the time	Always
All	43.8%	25.6%	21.1%	6.8%	2.7%
Grade 7	58.0%	19.4%	15.6%	5.1%	1.9%
Grade 8	49.7%	21.3%	19.1%	7.2%	2.7%
Grade 9	43.6%	25.1%	21.0%	7.6%	2.8%
Grade 10	37.8%	29.4%	23.5%	6.8%	2.4%
Grade 11	36.6%	28.7%	24.7%	6.7%	3.3%
Grade 12	33.8%	31.5%	23.7%	7.5%	3.5%

From friends

	Do Not Drink	Never	Seldom	Most of the time	Always
All	39.8%	15.9%	15.1%	20.0%	9.3%
Grade 7	59.9%	22.2%	8.9%	6.6%	2.3%
Grade 8	48.7%	20.5%	13.5%	12.7%	4.5%
Grade 9	38.8%	16.7%	16.2%	19.8%	8.6%
Grade 10	31.5%	13.0%	17.8%	25.8%	11.8%
Grade 11	29.6%	11.1%	17.6%	27.7%	14.0%
Grade 12	25.7%	9.3%	17.0%	31.0%	17.0%

State - Grades 7-12  
Spring 2004

From a store

	Do Not Drink	Never	Seldom	Most of the time	Always
All	42.1%	39.5%	9.1%	6.0%	3.3%
Grade 7	60.8%	34.2%	2.8%	1.6%	0.6%
Grade 8	50.5%	40.5%	5.3%	2.6%	1.1%
Grade 9	41.5%	43.5%	8.2%	4.4%	2.4%
Grade 10	34.4%	41.9%	12.0%	7.7%	4.0%
Grade 11	32.6%	37.9%	13.5%	10.2%	5.8%
Grade 12	28.6%	38.0%	14.6%	11.5%	7.2%

At parties

	Do Not Drink	Never	Seldom	Most of the time	Always
All	39.0%	14.9%	12.8%	17.0%	16.3%
Grade 7	57.0%	20.0%	10.0%	7.8%	5.1%
Grade 8	47.1%	17.9%	13.1%	13.1%	8.9%
Grade 9	37.9%	15.2%	14.1%	17.2%	15.5%
Grade 10	31.7%	13.3%	12.9%	20.9%	21.2%
Grade 11	30.0%	11.1%	12.7%	21.8%	24.3%
Grade 12	26.0%	10.2%	13.7%	23.4%	26.7%

Other source

	Do Not Drink	Never	Seldom	Most of the time	Always
All	42.8%	23.0%	14.7%	9.9%	9.6%
Grade 7	59.2%	21.7%	10.2%	5.2%	3.7%
Grade 8	49.6%	22.7%	13.0%	8.2%	6.5%
Grade 9	42.3%	22.7%	14.8%	10.7%	9.4%
Grade 10	35.6%	23.5%	16.6%	12.2%	12.0%
Grade 11	34.5%	22.9%	16.3%	12.6%	13.8%
Grade 12	31.5%	25.4%	18.1%	11.3%	13.6%

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	63.6%	14.8%	9.5%	2.9%	1.3%	7.9%
Grade 7	73.3%	8.0%	3.9%	1.6%	1.2%	12.1%
Grade 8	69.2%	11.0%	6.9%	1.9%	1.3%	9.7%
Grade 9	65.1%	13.6%	9.1%	2.7%	1.2%	8.4%
Grade 10	60.5%	17.6%	10.8%	3.5%	1.2%	6.4%
Grade 11	58.7%	18.3%	12.9%	3.6%	1.2%	5.4%
Grade 12	51.1%	22.8%	15.5%	4.7%	1.6%	4.4%

State - Grades 7-12  
Spring 2004

---

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	46.0%	31.7%	15.0%	3.7%	3.6%
Grade 7	58.3%	24.0%	10.4%	2.9%	4.5%
Grade 8	48.8%	28.9%	13.8%	4.2%	4.3%
Grade 9	44.3%	30.4%	17.4%	3.9%	4.1%
Grade 10	40.2%	35.3%	17.4%	4.1%	3.1%
Grade 11	42.1%	35.1%	16.0%	3.7%	3.0%
Grade 12	40.6%	38.7%	14.9%	3.5%	2.3%





State - Grades 7-12  
Spring 2004

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?	All	12.6%	18.6%	29.8%	70.2%
	Grade 7	4.4%	6.4%	11.7%	88.3%
	Grade 8	7.8%	11.3%	19.3%	80.7%
	Grade 9	12.5%	18.3%	28.9%	71.1%
	Grade 10	17.0%	24.5%	38.3%	61.7%
	Grade 11	18.0%	26.8%	42.3%	57.7%
	Grade 12	18.4%	27.8%	44.4%	55.6%
Cocaine?	All	2.9%	4.5%	7.4%	92.6%
	Grade 7	0.9%	1.3%	2.4%	97.6%
	Grade 8	1.6%	2.4%	4.1%	95.9%
	Grade 9	2.6%	4.0%	6.5%	93.5%
	Grade 10	3.7%	5.9%	9.6%	90.4%
	Grade 11	4.9%	7.6%	11.9%	88.1%
	Grade 12	4.3%	7.0%	11.6%	88.4%
Crack?	All	0.7%	1.2%	2.3%	97.7%
	Grade 7	0.7%	1.0%	1.8%	98.2%
	Grade 8	0.9%	1.4%	2.3%	97.7%
	Grade 9	0.9%	1.3%	2.4%	97.6%
	Grade 10	0.7%	1.1%	2.4%	97.6%
	Grade 11	0.6%	1.1%	2.5%	97.5%
	Grade 12	0.6%	1.2%	2.6%	97.4%
Hallucinogens?	All	1.6%	2.7%	4.8%	95.2%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	0.8%	1.3%	2.7%	97.3%
	Grade 9	1.4%	2.3%	4.3%	95.7%
	Grade 10	2.2%	3.6%	6.3%	93.7%
	Grade 11	2.2%	4.0%	7.6%	92.4%
	Grade 12	2.4%	4.8%	8.2%	91.8%
Uppers?	All	2.5%	3.9%	6.0%	94.0%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	1.0%	1.6%	2.7%	97.3%
	Grade 9	2.2%	3.4%	5.0%	95.0%
	Grade 10	3.2%	5.3%	7.9%	92.1%
	Grade 11	4.5%	6.8%	10.6%	89.4%
	Grade 12	4.2%	6.6%	10.7%	89.3%
Downers?	All	2.6%	3.9%	5.9%	94.1%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.9%	1.3%	2.5%	97.5%
	Grade 9	2.2%	3.4%	5.2%	94.8%
	Grade 10	3.4%	5.3%	7.7%	92.3%
	Grade 11	4.7%	7.0%	10.5%	89.5%
	Grade 12	4.7%	7.2%	10.8%	89.2%
Rohypnol?	All	1.3%	2.0%	3.5%	96.5%
	Grade 7	0.6%	0.8%	1.7%	98.3%
	Grade 8	1.3%	2.0%	3.4%	96.6%
	Grade 9	1.5%	2.4%	4.0%	96.0%
	Grade 10	1.7%	2.4%	4.2%	95.8%
	Grade 11	1.6%	2.4%	4.0%	96.0%
	Grade 12	1.1%	1.8%	3.5%	96.5%

State - Grades 7-12  
Spring 2004

		Past Month	School Year	Ever Used	Never Used
Steroids?	All	0.7%	1.1%	2.0%	98.0%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	0.8%	1.2%	2.2%	97.8%
	Grade 9	0.7%	1.1%	1.9%	98.1%
	Grade 10	0.7%	1.0%	1.8%	98.2%
	Grade 11	0.7%	1.1%	2.1%	97.9%
	Grade 12	0.9%	1.5%	2.4%	97.6%
Ecstasy?	All	1.8%	2.9%	5.5%	94.5%
	Grade 7	0.7%	0.9%	1.8%	98.2%
	Grade 8	1.2%	2.1%	4.1%	95.9%
	Grade 9	1.6%	2.5%	4.9%	95.1%
	Grade 10	2.1%	3.2%	6.4%	93.6%
	Grade 11	3.2%	4.6%	8.3%	91.7%
	Grade 12	2.8%	5.1%	9.1%	90.9%
Heroin?	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.6%	0.8%	1.6%	98.4%
	Grade 8	0.7%	1.0%	1.9%	98.1%
	Grade 9	0.6%	0.8%	1.6%	98.4%
	Grade 10	0.5%	0.7%	1.7%	98.3%
	Grade 11	0.7%	0.8%	1.4%	98.6%
	Grade 12	0.2%	0.6%	1.5%	98.5%

Table D-2: How often do you normally use...

Marijuana?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	75.3%	2.7%	3.0%	4.0%	4.7%	4.5%	5.7%
Grade 7	89.9%	1.1%	1.3%	1.6%	1.8%	1.9%	2.4%
Grade 8	83.8%	1.3%	2.3%	3.1%	3.2%	2.9%	3.4%
Grade 9	75.8%	2.3%	3.4%	4.3%	5.0%	4.1%	5.1%
Grade 10	68.0%	3.6%	4.2%	5.2%	6.1%	5.8%	7.0%
Grade 11	64.9%	3.5%	3.6%	5.8%	6.9%	6.7%	8.5%
Grade 12	64.4%	4.9%	3.5%	4.7%	6.2%	6.9%	9.3%

Cocaine?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.0%	0.2%	0.5%	1.0%	1.3%	1.3%	1.6%
Grade 7	98.1%	0.1%	0.3%	0.4%	0.3%	0.4%	0.4%
Grade 8	96.7%	0.1%	0.3%	0.5%	0.7%	0.8%	0.9%
Grade 9	94.7%	0.2%	0.6%	1.0%	1.2%	1.1%	1.3%
Grade 10	92.3%	0.3%	0.7%	1.1%	1.7%	1.8%	2.0%
Grade 11	89.9%	0.2%	0.6%	1.8%	2.4%	2.1%	3.0%
Grade 12	90.9%	0.3%	0.7%	1.6%	2.0%	1.7%	2.7%

State - Grades 7-12  
Spring 2004

Crack?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.2%	0.1%	0.1%	0.2%	0.4%	0.4%	0.6%
Grade 7	98.6%	0.1%	0.2%	0.2%	0.3%	0.3%	0.3%
Grade 8	98.3%	0.1%	0.1%	0.2%	0.3%	0.5%	0.5%
Grade 9	98.0%	0.1%	0.2%	0.3%	0.4%	0.5%	0.6%
Grade 10	98.1%	0.0%	0.1%	0.2%	0.6%	0.4%	0.6%
Grade 11	97.9%	0.0%	0.1%	0.2%	0.4%	0.6%	0.7%
Grade 12	98.4%	0.1%	0.1%	0.1%	0.3%	0.4%	0.6%

Hallucinogens?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.1%	0.0%	0.1%	0.4%	0.8%	1.3%	1.3%
Grade 7	99.0%	0.0%	0.1%	0.1%	0.4%	0.2%	0.2%
Grade 8	97.9%	0.0%	0.1%	0.3%	0.4%	0.6%	0.7%
Grade 9	96.4%	0.0%	0.2%	0.4%	0.6%	1.1%	1.3%
Grade 10	95.1%	0.1%	0.2%	0.6%	1.2%	1.4%	1.5%
Grade 11	93.7%	0.0%	0.1%	0.4%	1.2%	2.5%	2.0%
Grade 12	93.5%	0.1%	0.0%	0.6%	1.3%	2.2%	2.2%

Uppers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.6%	0.2%	0.4%	0.8%	1.5%	1.2%	1.2%
Grade 7	99.0%	0.0%	0.1%	0.2%	0.2%	0.2%	0.3%
Grade 8	97.8%	0.1%	0.3%	0.3%	0.5%	0.5%	0.6%
Grade 9	95.4%	0.1%	0.5%	0.9%	1.1%	1.2%	0.7%
Grade 10	92.7%	0.3%	0.6%	1.3%	1.9%	1.8%	1.4%
Grade 11	90.3%	0.2%	0.7%	1.3%	3.4%	2.1%	2.0%
Grade 12	90.8%	0.2%	0.6%	1.3%	2.4%	2.0%	2.6%

Downers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.7%	0.2%	0.4%	0.9%	1.5%	1.2%	1.1%
Grade 7	99.2%	0.1%	0.1%	0.2%	0.2%	0.2%	0.2%
Grade 8	97.6%	0.1%	0.3%	0.3%	0.5%	0.4%	0.7%
Grade 9	95.4%	0.1%	0.5%	0.8%	1.2%	1.1%	0.9%
Grade 10	92.8%	0.3%	0.6%	1.1%	2.2%	1.6%	1.2%
Grade 11	90.5%	0.2%	0.4%	1.7%	3.1%	2.1%	1.9%
Grade 12	90.7%	0.2%	0.7%	1.7%	2.2%	2.1%	2.3%

State - Grades 7-12  
Spring 2004

Rohypnol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.3%	0.1%	0.2%	0.4%	0.6%	0.7%	0.7%
Grade 7	98.7%	0.1%	0.1%	0.2%	0.3%	0.3%	0.3%
Grade 8	97.4%	0.1%	0.4%	0.4%	0.5%	0.7%	0.5%
Grade 9	96.7%	0.1%	0.3%	0.6%	0.8%	0.8%	0.8%
Grade 10	96.7%	0.1%	0.2%	0.4%	0.9%	1.0%	0.7%
Grade 11	97.0%	0.0%	0.2%	0.6%	0.6%	0.8%	0.9%
Grade 12	97.4%	0.1%	0.1%	0.4%	0.4%	0.4%	1.1%

Steroids?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.5%	0.1%	0.2%	0.2%	0.2%	0.3%	0.5%
Grade 7	98.7%	0.1%	0.1%	0.2%	0.2%	0.2%	0.5%
Grade 8	98.4%	0.1%	0.3%	0.1%	0.3%	0.4%	0.5%
Grade 9	98.4%	0.2%	0.2%	0.2%	0.2%	0.3%	0.4%
Grade 10	98.7%	0.1%	0.1%	0.2%	0.2%	0.2%	0.5%
Grade 11	98.3%	0.2%	0.0%	0.2%	0.3%	0.4%	0.6%
Grade 12	98.1%	0.1%	0.2%	0.5%	0.2%	0.3%	0.6%

Ecstasy?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	95.3%	0.0%	0.2%	0.5%	1.0%	1.3%	1.6%
Grade 7	98.3%	0.0%	0.1%	0.2%	0.4%	0.5%	0.5%
Grade 8	96.7%	0.1%	0.1%	0.3%	0.6%	1.1%	1.0%
Grade 9	96.0%	0.0%	0.2%	0.4%	0.9%	1.2%	1.2%
Grade 10	94.7%	0.0%	0.2%	0.7%	1.0%	1.3%	2.1%
Grade 11	92.4%	0.0%	0.2%	0.8%	1.8%	2.1%	2.6%
Grade 12	92.3%	0.0%	0.2%	0.8%	1.8%	2.2%	2.7%

Heroin?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.8%	0.1%	0.1%	0.2%	0.2%	0.3%	0.4%
Grade 7	98.8%	0.1%	0.1%	0.1%	0.2%	0.2%	0.4%
Grade 8	98.6%	0.0%	0.1%	0.2%	0.3%	0.3%	0.5%
Grade 9	98.8%	0.0%	0.1%	0.2%	0.1%	0.4%	0.4%
Grade 10	98.7%	0.1%	0.0%	0.1%	0.2%	0.4%	0.4%
Grade 11	99.1%	0.1%	0.0%	0.1%	0.1%	0.2%	0.4%
Grade 12	99.0%	0.0%	0.0%	0.2%	0.1%	0.2%	0.5%

State - Grades 7-12  
Spring 2004

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.4	12.1	12.9	13.5	14.1	14.9
Cocaine	11.8	12.6	13.6	14.5	15.3	15.8
Crack	11.5	12.3	13.5	14.3	15.0	15.7
Hallucinogens	11.7	12.4	13.6	14.1	15.1	15.6
Uppers	11.4	12.3	13.3	14.0	14.9	15.4
Downers	11.6	12.4	13.4	13.9	14.8	15.3
Rohypnol	11.5	12.3	13.3	13.8	14.7	15.3
Steroids	11.3	11.7	12.9	14.0	14.8	15.6
Ecstasy	11.9	12.6	13.8	14.4	15.4	16.0
Heroin	12.0	12.5	13.1	14.1	14.2	15.2

Table D-4: Age of first use of marijuana by family situation:

Two parent family

	Never	9/Under	10-11	12-13	14-15	16-17	18/Over
All	76.1%	0.9%	2.3%	7.1%	9.1%	4.4%	0.3%
Grade 7	92.6%	0.7%	2.4%	4.0%	0.3%	* %	0.0%
Grade 8	86.3%	0.9%	2.8%	7.8%	2.2%	0.0%	0.0%
Grade 9	78.0%	1.0%	2.3%	8.8%	9.7%	0.3%	0.0%
Grade 10	68.8%	1.2%	2.3%	8.8%	15.6%	3.3%	0.0%
Grade 11	63.3%	1.0%	2.3%	7.2%	16.1%	10.0%	0.2%
Grade 12	61.6%	0.4%	1.2%	5.4%	12.9%	16.6%	1.8%

Other family situation

	Never	9/Under	10-11	12-13	14-15	16-17	18/Over
All	60.8%	2.5%	5.2%	13.4%	12.6%	5.1%	0.3%
Grade 7	80.2%	3.2%	6.7%	9.5%	0.3%	* %	0.0%
Grade 8	71.8%	3.0%	6.0%	15.0%	4.3%	0.0%	0.0%
Grade 9	62.0%	2.7%	5.4%	16.3%	13.0%	0.6%	* %
Grade 10	52.1%	2.6%	5.5%	14.9%	21.3%	3.7%	0.0%
Grade 11	49.5%	2.3%	3.3%	12.2%	20.7%	11.9%	0.1%
Grade 12	44.9%	0.8%	3.9%	10.8%	17.7%	19.9%	1.9%

Table D-5: If you wanted some, how difficult would it be to get...

Marijuana?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	12.5%	24.1%	8.7%	10.4%	14.8%	29.5%
Grade 7	20.1%	47.5%	10.2%	6.8%	6.0%	9.5%
Grade 8	14.8%	36.2%	11.0%	9.3%	10.7%	18.1%
Grade 9	12.6%	22.0%	9.1%	11.5%	15.3%	29.5%
Grade 10	9.8%	14.2%	7.4%	11.6%	18.4%	38.6%
Grade 11	9.0%	10.5%	6.9%	11.0%	18.9%	43.7%
Grade 12	6.8%	9.1%	6.6%	12.7%	21.9%	42.9%

State - Grades 7-12  
Spring 2004

Cocaine?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	17.2%	32.6%	14.3%	13.3%	9.6%	12.9%
Grade 7	23.8%	53.0%	10.6%	5.4%	3.1%	4.0%
Grade 8	19.4%	44.2%	13.6%	9.3%	5.8%	7.7%
Grade 9	17.4%	31.3%	15.3%	14.5%	9.4%	12.2%
Grade 10	15.6%	24.5%	14.9%	16.0%	12.5%	16.6%
Grade 11	14.1%	19.8%	15.1%	16.7%	13.6%	20.7%
Grade 12	11.2%	17.3%	17.3%	20.3%	15.0%	18.9%

Crack?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.2%	33.6%	15.8%	13.3%	8.4%	9.7%
Grade 7	25.4%	52.4%	10.5%	5.2%	3.1%	3.5%
Grade 8	20.7%	44.4%	14.2%	8.6%	5.5%	6.6%
Grade 9	19.5%	32.2%	16.1%	14.1%	8.5%	9.6%
Grade 10	17.7%	26.3%	16.7%	16.2%	10.8%	12.3%
Grade 11	16.6%	21.6%	17.7%	17.2%	12.0%	14.9%
Grade 12	13.6%	19.3%	21.0%	20.8%	12.0%	13.3%

Hallucinogens?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	34.4%	26.2%	13.0%	10.8%	7.0%	8.6%
Grade 7	51.0%	34.0%	7.2%	2.8%	2.2%	2.8%
Grade 8	40.8%	33.1%	10.7%	6.6%	3.6%	5.2%
Grade 9	33.7%	27.0%	13.2%	11.5%	6.9%	7.7%
Grade 10	29.3%	22.7%	14.0%	13.5%	9.1%	11.3%
Grade 11	26.2%	19.1%	15.4%	14.6%	11.1%	13.5%
Grade 12	20.9%	17.9%	19.1%	18.3%	11.0%	12.9%

Uppers?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	44.7%	20.4%	9.1%	8.5%	7.2%	10.1%
Grade 7	58.7%	28.8%	5.9%	2.5%	1.8%	2.4%
Grade 8	51.9%	26.5%	8.1%	5.0%	3.6%	4.9%
Grade 9	44.4%	20.6%	9.7%	8.5%	7.6%	9.2%
Grade 10	40.4%	17.1%	9.4%	10.3%	9.2%	13.6%
Grade 11	36.8%	13.7%	10.0%	11.7%	10.8%	17.0%
Grade 12	31.9%	12.6%	12.5%	14.8%	12.2%	16.0%

Downers?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	44.7%	20.3%	9.1%	8.5%	7.2%	10.2%
Grade 7	58.6%	28.7%	6.0%	2.6%	1.6%	2.4%
Grade 8	51.9%	26.4%	8.2%	5.0%	3.5%	5.1%
Grade 9	44.4%	20.3%	9.5%	8.8%	7.7%	9.3%
Grade 10	40.4%	17.2%	9.4%	10.3%	9.0%	13.7%
Grade 11	36.6%	13.5%	10.0%	11.7%	10.9%	17.3%
Grade 12	31.7%	12.3%	12.4%	14.8%	12.3%	16.5%

State - Grades 7-12  
Spring 2004

Rohypnol?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	48.0%	20.5%	9.6%	7.9%	5.8%	8.3%
Grade 7	59.2%	27.8%	5.7%	2.4%	2.0%	2.9%
Grade 8	51.8%	26.4%	7.7%	4.8%	3.7%	5.5%
Grade 9	46.3%	21.1%	9.6%	8.1%	6.4%	8.5%
Grade 10	44.6%	17.8%	10.1%	9.4%	7.2%	10.9%
Grade 11	44.1%	13.6%	11.4%	11.1%	7.8%	12.0%
Grade 12	39.5%	13.2%	14.2%	13.2%	8.6%	11.4%

Steroids?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	23.9%	31.6%	13.9%	12.0%	8.5%	10.0%
Grade 7	31.8%	47.3%	9.5%	4.7%	3.2%	3.6%
Grade 8	26.6%	40.8%	12.9%	8.2%	5.1%	6.5%
Grade 9	24.1%	31.6%	14.0%	12.2%	8.5%	9.7%
Grade 10	21.9%	25.6%	15.7%	14.1%	10.4%	12.3%
Grade 11	19.8%	20.7%	15.2%	16.3%	12.8%	15.2%
Grade 12	17.1%	19.2%	17.2%	18.8%	13.0%	14.8%

Ecstasy?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	25.5%	29.4%	12.7%	10.9%	9.3%	12.1%
Grade 7	42.4%	40.3%	7.7%	3.6%	2.7%	3.3%
Grade 8	30.0%	39.3%	11.9%	6.6%	5.3%	6.9%
Grade 9	24.0%	30.4%	13.3%	11.7%	9.3%	11.2%
Grade 10	20.1%	24.9%	14.0%	13.9%	11.4%	15.7%
Grade 11	18.4%	19.4%	14.4%	14.6%	13.6%	19.6%
Grade 12	14.7%	17.6%	16.0%	17.0%	15.7%	19.0%

Heroin?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	24.6%	36.2%	15.8%	10.1%	5.7%	7.6%
Grade 7	34.7%	48.1%	8.7%	3.4%	2.2%	2.9%
Grade 8	27.1%	45.0%	12.4%	6.3%	3.6%	5.6%
Grade 9	24.3%	36.4%	15.3%	10.4%	6.4%	7.3%
Grade 10	22.1%	31.5%	17.1%	12.3%	7.0%	10.0%
Grade 11	20.3%	26.6%	20.0%	14.3%	7.8%	11.0%
Grade 12	16.9%	25.2%	23.7%	16.1%	8.2%	9.8%

State - Grades 7-12  
Spring 2004

Table D-6: Since school began in the fall, on how many days (if any) have you..

Attended class while high from marijuana use?

	None	1-3 Days	4-9 Days	10+ Days
All	89%	6.0%	1.9%	3.0%
Grade 7	95%	3.5%	0.8%	1.0%
Grade 8	92%	4.6%	1.4%	1.7%
Grade 9	89%	6.6%	1.7%	2.9%
Grade 10	86%	7.8%	2.7%	3.7%
Grade 11	86%	7.6%	2.3%	4.1%
Grade 12	86%	6.4%	2.4%	5.2%

Attended class while high from use of some other drug?

	None	1-3 Days	4-9 Days	10+ Days
All	93%	4.2%	1.3%	1.2%
Grade 7	97%	2.3%	0.5%	0.5%
Grade 8	95%	3.6%	0.7%	0.7%
Grade 9	93%	4.4%	1.2%	1.0%
Grade 10	91%	5.3%	1.9%	1.8%
Grade 11	91%	5.8%	1.7%	1.8%
Grade 12	92%	4.4%	2.1%	1.6%

Gotten into trouble with teachers because of your drug use?

	None	1-3 Days	4-9 Days	10+ Days
All	98%	1.2%	0.2%	0.3%
Grade 7	99%	0.9%	0.2%	0.3%
Grade 8	98%	1.2%	0.2%	0.4%
Grade 9	98%	1.3%	0.2%	0.4%
Grade 10	98%	1.5%	0.2%	0.3%
Grade 11	98%	1.4%	0.3%	0.3%
Grade 12	98%	1.1%	0.4%	0.2%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons:

Marijuana Users: 4.8 days per student  
Marijuana Non-users: 3.8 days per student

Average days conduct problems reported:

Marijuana Users: 4.9 days per student  
Marijuana Non-users: 1.5 days per student



State - Grades 7-12  
Spring 2004

Table D-8: During the past twelve months, how many times have you...

Driven a car when you've felt high from drugs?

	None	1-3 Times	4-9 Times	10+ Times
All	88.9%	6.7%	1.7%	2.6%
Grade 9	94.5%	3.8%	0.9%	0.8%
Grade 10	90.6%	6.3%	1.4%	1.6%
Grade 11	85.8%	8.6%	2.3%	3.4%
Grade 12	81.9%	9.5%	2.9%	5.7%

Gotten into trouble with the police because of drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.4%	2.1%	0.3%	0.3%
Grade 7	98.4%	1.1%	0.3%	0.2%
Grade 8	97.9%	1.4%	0.3%	0.4%
Grade 9	97.2%	2.1%	0.3%	0.3%
Grade 10	96.8%	2.7%	0.3%	0.2%
Grade 11	96.8%	2.5%	0.3%	0.4%
Grade 12	96.9%	2.7%	0.3%	0.2%

Table D-9: About how many of your close friends use marijuana?

	Never heard None	A Few	Some	Most	All
All	49.6%	19.6 %	13.5%	12.4%	4.9%
Grade 7	76.0%	12.2 %	5.3%	4.2%	2.4%
Grade 8	60.8%	17.3 %	9.7%	8.2%	4.0%
Grade 9	47.3%	20.1 %	13.9%	13.2%	5.5%
Grade 10	38.1%	22.0 %	16.3%	17.4%	6.3%
Grade 11	35.1%	23.1 %	18.9%	16.9%	6.0%
Grade 12	34.4%	24.6 %	19.0%	16.1%	5.8%

Table D-10: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	93.8%	5.1%	0.6%	0.4%
Grade 7	96.6%	2.8%	0.3%	0.3%
Grade 8	94.8%	4.4%	0.5%	0.3%
Grade 9	93.2%	5.3%	1.0%	0.4%
Grade 10	92.7%	6.0%	0.8%	0.5%
Grade 11	92.3%	6.6%	0.7%	0.4%
Grade 12	93.2%	5.7%	0.6%	0.5%

State - Grades 7-12  
Spring 2004

Been criticized by someone you were dating because of drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	94.1%	4.5%	0.7%	0.7%
Grade 7	97.7%	1.7%	0.3%	0.3%
Grade 8	95.9%	3.4%	0.3%	0.4%
Grade 9	94.0%	4.7%	0.8%	0.6%
Grade 10	92.8%	5.5%	1.0%	0.7%
Grade 11	91.8%	6.2%	0.8%	1.2%
Grade 12	91.6%	6.3%	1.2%	0.9%

Table D-11: Thinking of parties you attended this school year, how often was marijuana used?

	Never	Seldom	Half the Time	Most Of the Time	Always	Don't Know	Didn't Attend
All	48%	10.5%	7.7%	9.2%	10.2%	3.0%	10.9%
Grade 7	74%	5.8%	3.2%	2.3%	2.5%	2.1%	9.9%
Grade 8	64%	9.8%	5.0%	4.9%	4.4%	2.9%	8.9%
Grade 9	47%	11.3%	8.0%	9.4%	8.8%	3.4%	11.7%
Grade 10	37%	12.4%	9.3%	12.7%	13.5%	3.5%	11.5%
Grade 11	32%	11.4%	10.5%	13.3%	17.3%	2.9%	12.6%
Grade 12	29%	13.0%	11.4%	14.9%	17.7%	3.1%	11.2%

Table D-12: How often, if ever, do you smoke marijuana in...

Joints?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	76.8%	8.9%	5.2%	4.9%	3.2%	1.0%
Grade 7	89.3%	3.7%	2.6%	2.0%	1.6%	0.9%
Grade 8	83.4%	5.4%	3.8%	3.7%	2.8%	1.0%
Grade 9	76.9%	8.3%	5.4%	4.9%	3.4%	1.1%
Grade 10	71.0%	11.2%	6.9%	6.0%	3.7%	1.1%
Grade 11	68.0%	13.6%	6.7%	7.1%	3.7%	0.8%
Grade 12	68.8%	13.1%	6.3%	6.4%	4.5%	1.0%

Blunts?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	78.1%	7.2%	4.9%	4.6%	4.3%	0.9%
Grade 7	90.3%	3.2%	2.2%	1.9%	1.6%	0.8%
Grade 8	84.9%	4.8%	3.5%	2.7%	3.1%	1.1%
Grade 9	78.2%	6.9%	5.0%	4.5%	4.2%	1.1%
Grade 10	72.2%	8.8%	6.1%	6.0%	6.0%	1.0%
Grade 11	69.3%	10.0%	7.3%	6.7%	5.9%	0.7%
Grade 12	70.2%	11.1%	5.7%	6.7%	5.4%	0.9%

State - Grades 7-12  
Spring 2004

Bongs or water pipes?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	84.2%	6.6%	3.4%	3.0%	2.1%	0.8%
Grade 7	94.1%	2.0%	1.5%	1.0%	0.8%	0.6%
Grade 8	90.7%	3.6%	2.1%	1.4%	1.4%	0.8%
Grade 9	85.4%	5.9%	2.8%	2.9%	2.0%	1.0%
Grade 10	79.6%	8.5%	4.7%	3.9%	2.5%	0.8%
Grade 11	76.2%	10.3%	5.1%	4.7%	3.1%	0.6%
Grade 12	75.4%	10.8%	4.9%	4.8%	3.3%	0.8%

Pipes?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	82.5%	5.9%	3.9%	4.1%	2.8%	0.8%
Grade 7	93.7%	2.2%	1.4%	0.9%	1.1%	0.7%
Grade 8	89.6%	3.7%	2.4%	1.9%	1.8%	0.6%
Grade 9	83.5%	5.3%	3.7%	3.7%	2.8%	0.9%
Grade 10	77.5%	7.3%	5.4%	5.4%	3.6%	0.9%
Grade 11	73.7%	9.3%	5.3%	7.0%	4.0%	0.7%
Grade 12	73.5%	9.1%	6.2%	6.6%	3.8%	0.9%

Some other way?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	88.1%	5.4%	1.6%	1.3%	1.7%	2.0%
Grade 7	94.7%	1.8%	0.9%	0.6%	0.8%	1.2%
Grade 8	91.6%	3.2%	1.2%	0.9%	1.5%	1.5%
Grade 9	88.0%	4.9%	1.7%	1.6%	1.9%	2.0%
Grade 10	85.0%	7.3%	1.8%	1.7%	2.0%	2.3%
Grade 11	83.3%	8.7%	2.0%	1.7%	2.0%	2.4%
Grade 12	84.3%	8.0%	1.8%	1.4%	1.8%	2.6%

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	80.9%	5.0%	4.2%	1.0%	1.3%	7.5%
Grade 7	82.8%	2.4%	1.5%	0.5%	1.4%	11.4%
Grade 8	82.8%	3.0%	2.9%	0.8%	1.3%	9.3%
Grade 9	80.8%	5.0%	4.1%	0.8%	1.3%	8.0%
Grade 10	79.8%	6.6%	5.0%	1.3%	1.3%	6.1%
Grade 11	80.0%	6.4%	6.0%	1.2%	1.3%	5.1%
Grade 12	78.7%	7.7%	6.5%	1.7%	1.3%	4.1%

State - Grades 7-12  
Spring 2004

Table D-14: How dangerous do you think it is for kids your age to use...

Marijuana?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	61.4%	17.8%	10.3%	6.9%	3.6%
Grade 7	79.6%	9.4%	4.2%	2.8%	4.1%
Grade 8	71.9%	13.2%	6.2%	4.7%	4.0%
Grade 9	60.9%	18.5%	10.2%	6.3%	4.1%
Grade 10	52.1%	21.8%	13.6%	9.2%	3.2%
Grade 11	50.7%	21.7%	14.6%	9.5%	3.4%
Grade 12	48.6%	24.1%	14.6%	10.1%	2.6%

Cocaine?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	83.7%	9.2%	1.9%	1.0%	4.1%
Grade 7	86.5%	6.4%	1.5%	1.0%	4.6%
Grade 8	83.3%	9.1%	1.8%	1.2%	4.5%
Grade 9	81.8%	10.4%	2.1%	1.0%	4.7%
Grade 10	82.4%	10.2%	2.3%	1.1%	4.0%
Grade 11	83.1%	10.3%	2.2%	0.9%	3.5%
Grade 12	85.5%	9.0%	1.5%	0.9%	3.1%

Crack?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	85.6%	7.7%	1.4%	0.9%	4.4%
Grade 7	86.5%	6.2%	1.4%	1.0%	5.0%
Grade 8	83.9%	8.3%	1.5%	1.2%	5.1%
Grade 9	83.5%	9.3%	1.5%	0.8%	4.8%
Grade 10	84.9%	8.3%	1.6%	0.9%	4.4%
Grade 11	86.8%	7.5%	1.3%	0.6%	3.8%
Grade 12	89.4%	6.0%	0.8%	0.7%	3.1%

Ecstasy?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	82.6%	8.6%	2.2%	1.1%	5.5%
Grade 7	83.7%	5.4%	1.3%	1.0%	8.5%
Grade 8	82.9%	7.5%	1.8%	1.3%	6.4%
Grade 9	81.9%	9.1%	2.3%	1.2%	5.5%
Grade 10	82.0%	9.8%	2.5%	1.0%	4.7%
Grade 11	82.2%	10.2%	2.5%	0.9%	4.2%
Grade 12	82.9%	10.4%	2.7%	0.9%	3.1%

State - Grades 7-12  
Spring 2004

---

Steroids?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.7%	13.3%	3.8%	1.4%	5.7%
Grade 7	78.7%	9.7%	2.7%	1.5%	7.4%
Grade 8	76.6%	12.2%	3.2%	1.7%	6.1%
Grade 9	74.6%	14.1%	4.1%	1.4%	5.9%
Grade 10	73.8%	14.9%	4.6%	1.4%	5.4%
Grade 11	74.5%	14.6%	4.4%	1.4%	5.1%
Grade 12	76.0%	15.1%	3.7%	1.3%	3.9%

Heroin?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	87.0%	5.7%	1.0%	0.9%	5.5%
Grade 7	85.5%	4.9%	1.1%	1.0%	7.5%
Grade 8	85.5%	6.1%	1.1%	1.1%	6.3%
Grade 9	85.6%	6.9%	1.0%	0.9%	5.7%
Grade 10	87.1%	6.1%	1.1%	0.8%	4.9%
Grade 11	88.8%	5.0%	1.0%	0.6%	4.5%
Grade 12	90.9%	4.4%	0.7%	0.7%	3.3%



State - Grades 7-12  
Spring 2004

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?	All	6.7%	9.4%	17.0%	83.0%
	Grade 7	9.1%	11.9%	19.5%	80.5%
	Grade 8	9.2%	12.3%	20.5%	79.5%
	Grade 9	6.2%	9.4%	17.6%	82.4%
	Grade 10	5.7%	8.7%	15.7%	84.3%
	Grade 11	4.9%	7.0%	14.0%	86.0%
	Grade 12	3.7%	5.9%	13.4%	86.6%
Liquid or spray paint	All	1.6%	2.6%	6.7%	93.3%
	Grade 7	2.0%	3.1%	7.0%	93.0%
	Grade 8	2.5%	4.0%	9.1%	90.9%
	Grade 9	1.3%	2.7%	7.3%	92.7%
	Grade 10	1.4%	2.3%	6.3%	93.7%
	Grade 11	1.2%	1.9%	5.2%	94.8%
	Grade 12	0.7%	1.3%	4.4%	95.6%
Whiteout, correction fld	All	1.8%	3.0%	6.7%	93.3%
	Grade 7	2.8%	4.5%	8.8%	91.2%
	Grade 8	2.7%	4.8%	9.4%	90.6%
	Grade 9	1.8%	3.1%	7.4%	92.6%
	Grade 10	1.2%	2.0%	5.7%	94.3%
	Grade 11	1.1%	1.6%	4.5%	95.5%
	Grade 12	0.6%	1.0%	3.3%	96.7%
Gasoline?	All	1.2%	1.8%	4.1%	95.9%
	Grade 7	1.7%	2.2%	4.3%	95.7%
	Grade 8	1.6%	2.4%	5.1%	94.9%
	Grade 9	1.2%	2.0%	4.6%	95.4%
	Grade 10	1.0%	1.6%	4.1%	95.9%
	Grade 11	1.0%	1.3%	3.3%	96.7%
	Grade 12	0.7%	1.2%	2.9%	97.1%
Freon?	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	0.7%	1.2%	1.9%	98.1%
	Grade 9	0.5%	0.9%	2.0%	98.0%
	Grade 10	0.7%	1.0%	1.9%	98.1%
	Grade 11	0.5%	0.8%	1.8%	98.2%
	Grade 12	0.3%	0.6%	1.8%	98.2%
Poppers, Locker Room	All	0.7%	1.1%	1.8%	98.2%
	Grade 7	0.7%	1.1%	1.9%	98.1%
	Grade 8	0.8%	1.3%	2.1%	97.9%
	Grade 9	0.6%	1.1%	2.0%	98.0%
	Grade 10	0.7%	1.1%	1.9%	98.1%
	Grade 11	0.6%	0.9%	1.4%	98.6%
	Grade 12	0.4%	0.7%	1.5%	98.5%
Glue?	All	0.9%	1.5%	3.8%	96.2%
	Grade 7	1.4%	2.2%	5.0%	95.0%
	Grade 8	1.3%	2.1%	5.0%	95.0%
	Grade 9	1.0%	1.7%	4.1%	95.9%
	Grade 10	0.8%	1.3%	3.3%	96.7%
	Grade 11	0.6%	1.1%	2.7%	97.3%
	Grade 12	0.4%	0.6%	2.1%	97.9%

State - Grades 7-12  
Spring 2004

		Past Month	School Year	Ever Used	Never Used
Paint, lacquer thinner	All	1.1%	1.8%	4.1%	95.9%
	Grade 7	1.5%	2.4%	4.4%	95.6%
	Grade 8	1.6%	2.5%	5.5%	94.5%
	Grade 9	1.0%	1.8%	4.4%	95.6%
	Grade 10	0.9%	1.5%	3.7%	96.3%
	Grade 11	0.9%	1.4%	3.3%	96.7%
	Grade 12	0.7%	1.2%	2.7%	97.3%
Nitrous oxide	All	1.4%	2.5%	4.9%	95.1%
	Grade 7	1.1%	1.9%	3.4%	96.6%
	Grade 8	1.4%	2.4%	4.6%	95.4%
	Grade 9	1.1%	2.1%	4.5%	95.5%
	Grade 10	1.6%	3.0%	5.1%	94.9%
	Grade 11	1.6%	2.7%	5.4%	94.6%
	Grade 12	1.7%	3.4%	6.7%	93.3%
Octane booster?	All	0.5%	0.7%	1.2%	98.8%
	Grade 7	0.6%	0.8%	1.1%	98.9%
	Grade 8	0.7%	1.1%	1.6%	98.4%
	Grade 9	0.5%	0.7%	1.4%	98.6%
	Grade 10	0.3%	0.4%	1.0%	99.0%
	Grade 11	0.5%	0.6%	0.8%	99.2%
	Grade 12	0.4%	0.7%	1.0%	99.0%
Other sprays?	All	1.2%	1.9%	3.8%	96.2%
	Grade 7	2.0%	2.7%	5.1%	94.9%
	Grade 8	2.0%	3.0%	5.4%	94.6%
	Grade 9	1.0%	1.7%	3.9%	96.1%
	Grade 10	0.8%	1.4%	2.8%	97.2%
	Grade 11	0.9%	1.4%	3.1%	96.9%
	Grade 12	0.4%	0.7%	1.8%	98.2%
Other inhalants?	All	2.7%	4.3%	8.3%	91.7%
	Grade 7	3.5%	5.4%	10.6%	89.4%
	Grade 8	3.4%	5.7%	10.6%	89.4%
	Grade 9	2.7%	4.5%	9.0%	91.0%
	Grade 10	2.6%	3.8%	7.5%	92.5%
	Grade 11	2.0%	3.1%	6.5%	93.5%
	Grade 12	1.3%	2.3%	4.5%	95.5%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	93.2%	0.2%	0.4%	0.8%	1.2%	1.3%	2.9%
Grade 7	91.2%	0.6%	0.8%	1.2%	1.9%	1.8%	2.6%
Grade 8	91.5%	0.4%	0.5%	1.4%	1.7%	1.6%	2.9%
Grade 9	93.0%	0.2%	0.4%	0.7%	1.1%	1.4%	3.3%
Grade 10	94.5%	0.1%	0.3%	0.5%	0.9%	0.9%	2.9%
Grade 11	94.5%	0.0%	0.2%	0.5%	0.9%	0.8%	3.0%
Grade 12	95.7%	0.1%	0.2%	0.2%	0.3%	0.8%	2.7%



State - Grades 7-12  
Spring 2004

Table I-3: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	85.3%	6.3%	4.9%	3.4%
Grade 7	83.7%	7.0%	5.4%	3.8%
Grade 8	82.3%	6.8%	6.4%	4.5%
Grade 9	84.9%	5.9%	5.4%	3.8%
Grade 10	86.5%	6.0%	4.4%	3.2%
Grade 11	87.9%	5.8%	3.6%	2.7%
Grade 12	88.0%	6.4%	3.6%	2.0%

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.8	11.4	12.0	12.5	12.9	13.6

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Days	4-9 Days	10+ Days
All	98%	1.7%	0.4%	0.4%
Grade 7	96%	2.7%	0.7%	0.5%
Grade 8	97%	2.2%	0.5%	0.4%
Grade 9	98%	1.7%	0.4%	0.4%
Grade 10	98%	1.4%	0.3%	0.3%
Grade 11	99%	0.9%	0.3%	0.3%
Grade 12	99%	0.8%	0.2%	0.2%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons:

Inhalants Users: 4.9 days per student  
Inhalants Non-users: 3.9 days per student

Average days conduct problems reported:

Inhalants Users: 4.9 days per student  
Inhalants Non-users: 1.8 days per student

State - Grades 7-12  
Spring 2004

---

Table I-7: About how many of your close friends use inhalants?

	Never heard None	A Few	Some	Most	All
All	83.9%	10.7 %	3.6%	1.2%	0.5%
Grade 7	82.7%	11.1 %	3.8%	1.7%	0.7%
Grade 8	80.4%	12.4 %	4.4%	2.0%	0.7%
Grade 9	83.6%	10.6 %	4.1%	1.2%	0.5%
Grade 10	84.2%	11.1 %	3.3%	0.9%	0.5%
Grade 11	86.0%	9.8 %	3.1%	0.7%	0.5%
Grade 12	88.1%	8.5 %	2.4%	0.7%	0.3%

---

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.8%	15.4%	3.6%	1.2%	5.0%
Grade 7	76.8%	12.7%	3.6%	1.4%	5.6%
Grade 8	74.6%	14.6%	3.8%	1.7%	5.3%
Grade 9	74.1%	16.0%	3.6%	1.1%	5.2%
Grade 10	73.0%	17.1%	3.9%	1.1%	4.8%
Grade 11	73.9%	16.3%	4.0%	0.9%	4.9%
Grade 12	77.2%	15.5%	2.2%	1.0%	4.0%

State - Grades 7-12  
Spring 2004

---

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

Health class

	No	Yes
All	49.0%	51.0%
Grade 7	49.1%	50.9%
Grade 8	50.1%	49.9%
Grade 9	38.6%	61.4%
Grade 10	44.6%	55.4%
Grade 11	54.7%	45.3%
Grade 12	60.5%	39.5%

An assembly program

	No	Yes
All	52.4%	47.6%
Grade 7	52.0%	48.0%
Grade 8	48.9%	51.1%
Grade 9	54.1%	45.9%
Grade 10	52.7%	47.3%
Grade 11	56.5%	43.5%
Grade 12	50.4%	49.6%

Guidance counselor

	No	Yes
All	77.0%	23.0%
Grade 7	71.3%	28.7%
Grade 8	70.0%	30.0%
Grade 9	78.3%	21.7%
Grade 10	79.5%	20.5%
Grade 11	81.8%	18.2%
Grade 12	82.3%	17.7%

Science class

	No	Yes
All	69.5%	30.5%
Grade 7	53.0%	47.0%
Grade 8	61.7%	38.3%
Grade 9	70.4%	29.6%
Grade 10	72.4%	27.6%
Grade 11	79.0%	21.0%
Grade 12	83.1%	16.9%

Social studies class

	No	Yes
All	87.5%	12.5%
Grade 7	86.8%	13.2%
Grade 8	86.6%	13.4%
Grade 9	87.2%	12.8%
Grade 10	88.3%	11.7%
Grade 11	87.2%	12.8%
Grade 12	88.9%	11.1%

State - Grades 7-12  
Spring 2004

---

Student group session

	No	Yes
All	84.7%	15.3%
Grade 7	85.4%	14.6%
Grade 8	83.2%	16.8%
Grade 9	84.1%	15.9%
Grade 10	85.4%	14.6%
Grade 11	85.2%	14.8%
Grade 12	85.1%	14.9%

An invited school guest

	No	Yes
All	64.0%	36.0%
Grade 7	63.4%	36.6%
Grade 8	61.0%	39.0%
Grade 9	65.9%	34.1%
Grade 10	64.4%	35.6%
Grade 11	67.0%	33.0%
Grade 12	62.6%	37.4%

Some other school source

	No	Yes
All	67.1%	32.9%
Grade 7	63.8%	36.2%
Grade 8	64.9%	35.1%
Grade 9	66.2%	33.8%
Grade 10	69.0%	31.0%
Grade 11	69.6%	30.4%
Grade 12	69.6%	30.4%

Any school source

	No	Yes
All	40.5%	59.5%
Grade 7	40.0%	60.0%
Grade 8	40.4%	59.6%
Grade 9	38.3%	61.7%
Grade 10	40.9%	59.1%
Grade 11	43.0%	57.0%
Grade 12	41.1%	58.9%

State - Grades 7-12  
Spring 2004

---

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

A counselor or program in school

	No	Yes
All	67.9%	32.1%
Grade 7	55.9%	44.1%
Grade 8	62.9%	37.1%
Grade 9	68.6%	31.4%
Grade 10	71.8%	28.2%
Grade 11	74.8%	25.2%
Grade 12	76.7%	23.3%

Another adult in school (such as a nurse or teacher)

	No	Yes
All	68.9%	31.1%
Grade 7	61.5%	38.5%
Grade 8	66.4%	33.6%
Grade 9	70.1%	29.9%
Grade 10	71.6%	28.4%
Grade 11	73.1%	26.9%
Grade 12	71.8%	28.2%

A counselor or program outside of school

	No	Yes
All	63.4%	36.6%
Grade 7	59.3%	40.7%
Grade 8	61.7%	38.3%
Grade 9	65.1%	34.9%
Grade 10	65.1%	34.9%
Grade 11	65.0%	35.0%
Grade 12	64.8%	35.2%

Your parents

	No	Yes
All	41.8%	58.2%
Grade 7	33.2%	66.8%
Grade 8	39.6%	60.4%
Grade 9	45.0%	55.0%
Grade 10	44.5%	55.5%
Grade 11	44.6%	55.4%
Grade 12	44.2%	55.8%

A medical doctor

	No	Yes
All	60.6%	39.4%
Grade 7	53.3%	46.7%
Grade 8	59.4%	40.6%
Grade 9	62.6%	37.4%
Grade 10	62.5%	37.5%
Grade 11	63.6%	36.4%
Grade 12	63.2%	36.8%

State - Grades 7-12  
Spring 2004

Your friends

	No	Yes
All	27.2%	72.8%
Grade 7	34.2%	65.8%
Grade 8	30.5%	69.5%
Grade 9	27.2%	72.8%
Grade 10	24.1%	75.9%
Grade 11	22.8%	77.2%
Grade 12	22.4%	77.6%

Another adult (a relative, clergyman, or other family friend)

	No	Yes
All	40.4%	59.6%
Grade 7	38.9%	61.1%
Grade 8	39.3%	60.7%
Grade 9	41.3%	58.7%
Grade 10	40.2%	59.8%
Grade 11	41.4%	58.6%
Grade 12	41.3%	58.7%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

	No	Yes
All	92.2%	7.8%
Grade 7	92.3%	7.7%
Grade 8	91.3%	8.7%
Grade 9	91.3%	8.7%
Grade 10	91.7%	8.3%
Grade 11	92.9%	7.1%
Grade 12	94.1%	5.9%

Table X-4: About how many of your friends:

Feel close to their parents?

	None	A Few	Some	Most	All
All	5.5%	27.1%	25.7%	32.5%	9.3%
Grade 7	7.0%	24.2%	20.8%	32.6%	15.4%
Grade 8	6.4%	26.2%	25.7%	30.9%	10.9%
Grade 9	6.3%	30.3%	26.0%	29.5%	7.9%
Grade 10	5.3%	28.8%	27.1%	32.4%	6.4%
Grade 11	3.8%	26.5%	27.7%	34.8%	7.3%
Grade 12	3.4%	25.9%	27.4%	36.2%	7.1%

State - Grades 7-12  
Spring 2004

---

Sometimes carry weapons?

	None	A Few	Some	Most	All
All	65.5%	20.7%	9.1%	3.4%	1.3%
Grade 7	77.7%	14.3%	5.1%	2.0%	0.9%
Grade 8	68.4%	19.7%	7.7%	3.0%	1.2%
Grade 9	62.7%	22.5%	9.7%	3.8%	1.3%
Grade 10	60.2%	23.0%	10.7%	4.5%	1.6%
Grade 11	60.8%	22.8%	11.0%	3.9%	1.5%
Grade 12	61.7%	22.6%	10.9%	3.6%	1.3%

Care about making good grades?

	None	A Few	Some	Most	All
All	3.4%	15.4%	23.3%	40.1%	17.7%
Grade 7	4.2%	15.7%	20.5%	34.8%	24.8%
Grade 8	4.0%	17.1%	23.0%	36.2%	19.7%
Grade 9	3.7%	17.0%	25.1%	38.0%	16.2%
Grade 10	3.3%	16.1%	25.3%	41.2%	14.1%
Grade 11	2.4%	13.4%	23.6%	45.3%	15.4%
Grade 12	2.3%	11.8%	22.2%	48.5%	15.2%

Belong/want to belong to a gang?

	None	A Few	Some	Most	All
All	75.7%	13.5%	6.1%	3.1%	1.6%
Grade 7	76.0%	13.8%	5.3%	3.2%	1.7%
Grade 8	69.4%	16.5%	7.7%	4.6%	1.8%
Grade 9	70.8%	15.7%	7.6%	4.0%	1.9%
Grade 10	75.8%	13.7%	6.3%	2.7%	1.4%
Grade 11	81.0%	10.8%	4.8%	2.1%	1.2%
Grade 12	85.2%	8.6%	3.6%	1.3%	1.2%

Wish they could drop out of school?

	None	A Few	Some	Most	All
All	56.7%	27.5%	9.2%	3.9%	2.7%
Grade 7	63.9%	21.6%	8.0%	3.6%	2.9%
Grade 8	57.4%	26.0%	9.4%	4.2%	2.9%
Grade 9	53.4%	29.3%	10.2%	4.3%	2.7%
Grade 10	51.1%	31.7%	10.2%	4.5%	2.6%
Grade 11	54.3%	29.9%	9.8%	3.7%	2.3%
Grade 12	61.6%	26.6%	7.1%	2.3%	2.5%

State - Grades 7-12  
Spring 2004

Table X-5: How safe do you feel when you are:

In your home

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Do not Know
All	79.2%	17.9%	1.3%	0.4%	1.2%
Grade 7	78.5%	17.6%	1.7%	0.4%	1.7%
Grade 8	76.2%	20.3%	1.6%	0.5%	1.4%
Grade 9	77.4%	19.5%	1.3%	0.5%	1.3%
Grade 10	78.4%	18.9%	1.2%	0.5%	1.0%
Grade 11	83.2%	14.6%	1.0%	0.3%	0.9%
Grade 12	83.5%	14.5%	1.0%	0.5%	0.6%

Out in your neighborhood

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Do not Know
All	41.2%	46.3%	8.2%	2.1%	2.2%
Grade 7	35.0%	48.3%	11.1%	2.7%	3.0%
Grade 8	36.1%	48.7%	9.8%	2.6%	2.8%
Grade 9	38.7%	48.0%	8.8%	2.4%	2.1%
Grade 10	41.5%	47.3%	7.2%	1.8%	2.2%
Grade 11	48.3%	42.3%	6.3%	1.6%	1.5%
Grade 12	52.0%	40.8%	4.8%	1.4%	1.0%

At school

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Do not Know
All	36.2%	47.0%	9.3%	4.4%	3.1%
Grade 7	41.9%	41.8%	8.7%	4.2%	3.4%
Grade 8	37.6%	44.7%	9.5%	4.8%	3.5%
Grade 9	31.4%	49.8%	10.6%	4.7%	3.5%
Grade 10	30.5%	50.7%	10.1%	5.4%	3.2%
Grade 11	36.0%	48.7%	8.9%	3.7%	2.6%
Grade 12	41.1%	46.4%	7.2%	3.3%	2.0%



State - Grades 7-12  
Spring 2004

Table B1: Prevalence and recency of use of selected substances by grade  
--> All students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	17.0%	23.0%	39.4%	60.6%
	Grade 7	6.9%	9.9%	23.0%	77.0%
	Grade 8	10.5%	15.5%	30.6%	69.4%
	Grade 9	15.7%	22.0%	38.5%	61.5%
	Grade 10	21.2%	27.7%	45.2%	54.8%
	Grade 11	24.1%	32.2%	50.9%	49.1%
	Grade 12	27.9%	35.8%	53.6%	46.4%
Alcohol	All	32.6%	44.9%	67.9%	32.1%
	Grade 7	16.8%	24.1%	50.7%	49.3%
	Grade 8	23.6%	34.8%	61.1%	38.9%
	Grade 9	32.5%	45.2%	67.9%	32.1%
	Grade 10	38.8%	53.1%	74.5%	25.5%
	Grade 11	42.0%	56.4%	77.2%	22.8%
	Grade 12	47.4%	62.3%	80.7%	19.3%
Inhalants	All	6.7%	9.4%	17.0%	83.0%
	Grade 7	9.1%	11.9%	19.5%	80.5%
	Grade 8	9.2%	12.3%	20.5%	79.5%
	Grade 9	6.2%	9.4%	17.6%	82.4%
	Grade 10	5.7%	8.7%	15.7%	84.3%
	Grade 11	4.9%	7.0%	14.0%	86.0%
	Grade 12	3.7%	5.9%	13.4%	86.6%
Any Illicit Drug	All	14.4%	20.3%	31.5%	68.5%
	Grade 7	5.4%	7.7%	13.2%	86.8%
	Grade 8	9.4%	13.2%	21.3%	78.7%
	Grade 9	14.3%	20.3%	30.6%	69.4%
	Grade 10	18.8%	26.3%	40.0%	60.0%
	Grade 11	20.6%	28.7%	44.1%	55.9%
	Grade 12	20.4%	29.4%	45.5%	54.5%
Marijuana	All	12.6%	18.6%	29.8%	70.2%
	Grade 7	4.4%	6.4%	11.7%	88.3%
	Grade 8	7.8%	11.3%	19.3%	80.7%
	Grade 9	12.5%	18.3%	28.9%	71.1%
	Grade 10	17.0%	24.5%	38.3%	61.7%
	Grade 11	18.0%	26.8%	42.3%	57.7%
	Grade 12	18.4%	27.8%	44.4%	55.6%
Marijuana Only	All	5.2%	8.5%	16.3%	83.7%
	Grade 7	2.2%	3.5%	7.2%	92.8%
	Grade 8	3.4%	5.4%	10.6%	89.4%
	Grade 9	5.5%	8.8%	15.9%	84.1%
	Grade 10	7.2%	11.3%	21.1%	78.9%
	Grade 11	6.7%	11.4%	22.1%	77.9%
	Grade 12	6.9%	12.4%	23.8%	76.2%
Cocaine or Crack	All	3.2%	4.9%	7.9%	92.1%
	Grade 7	1.3%	1.9%	3.2%	96.8%
	Grade 8	2.0%	3.0%	4.8%	95.2%
	Grade 9	3.0%	4.4%	7.1%	92.9%
	Grade 10	3.9%	6.0%	10.0%	90.0%
	Grade 11	5.0%	7.7%	12.0%	88.0%
	Grade 12	4.5%	7.4%	11.9%	88.1%
Cocaine	All	2.9%	4.5%	7.4%	92.6%
	Grade 7	0.9%	1.3%	2.4%	97.6%
	Grade 8	1.6%	2.4%	4.1%	95.9%
	Grade 9	2.6%	4.0%	6.5%	93.5%
	Grade 10	3.7%	5.9%	9.6%	90.4%
	Grade 11	4.9%	7.6%	11.9%	88.1%
	Grade 12	4.3%	7.0%	11.6%	88.4%

State - Grades 7-12  
Spring 2004

Table B1 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.7%	1.2%	2.3%	97.7%
	Grade 7	0.7%	1.0%	1.8%	98.2%
	Grade 8	0.9%	1.4%	2.3%	97.7%
	Grade 9	0.9%	1.3%	2.4%	97.6%
	Grade 10	0.7%	1.1%	2.4%	97.6%
	Grade 11	0.6%	1.1%	2.5%	97.5%
	Grade 12	0.6%	1.2%	2.6%	97.4%
Hallucinogens	All	1.6%	2.7%	4.8%	95.2%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	0.8%	1.3%	2.7%	97.3%
	Grade 9	1.4%	2.3%	4.3%	95.7%
	Grade 10	2.2%	3.6%	6.3%	93.7%
	Grade 11	2.2%	4.0%	7.6%	92.4%
	Grade 12	2.4%	4.8%	8.2%	91.8%
Uppers	All	2.5%	3.9%	6.0%	94.0%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	1.0%	1.6%	2.7%	97.3%
	Grade 9	2.2%	3.4%	5.0%	95.0%
	Grade 10	3.2%	5.3%	7.9%	92.1%
	Grade 11	4.5%	6.8%	10.6%	89.4%
	Grade 12	4.2%	6.6%	10.7%	89.3%
Downers	All	2.6%	3.9%	5.9%	94.1%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.9%	1.3%	2.5%	97.5%
	Grade 9	2.2%	3.4%	5.2%	94.8%
	Grade 10	3.4%	5.3%	7.7%	92.3%
	Grade 11	4.7%	7.0%	10.5%	89.5%
	Grade 12	4.7%	7.2%	10.8%	89.2%
Rohypnol	All	1.3%	2.0%	3.5%	96.5%
	Grade 7	0.6%	0.8%	1.7%	98.3%
	Grade 8	1.3%	2.0%	3.4%	96.6%
	Grade 9	1.5%	2.4%	4.0%	96.0%
	Grade 10	1.7%	2.4%	4.2%	95.8%
	Grade 11	1.6%	2.4%	4.0%	96.0%
	Grade 12	1.1%	1.8%	3.5%	96.5%
Steroids	All	0.7%	1.1%	2.0%	98.0%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	0.8%	1.2%	2.2%	97.8%
	Grade 9	0.7%	1.1%	1.9%	98.1%
	Grade 10	0.7%	1.0%	1.8%	98.2%
	Grade 11	0.7%	1.1%	2.1%	97.9%
	Grade 12	0.9%	1.5%	2.4%	97.6%
Ecstasy	All	1.8%	2.9%	5.5%	94.5%
	Grade 7	0.7%	0.9%	1.8%	98.2%
	Grade 8	1.2%	2.1%	4.1%	95.9%
	Grade 9	1.6%	2.5%	4.9%	95.1%
	Grade 10	2.1%	3.2%	6.4%	93.6%
	Grade 11	3.2%	4.6%	8.3%	91.7%
	Grade 12	2.8%	5.1%	9.1%	90.9%
Heroin	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.6%	0.8%	1.6%	98.4%
	Grade 8	0.7%	1.0%	1.9%	98.1%
	Grade 9	0.6%	0.8%	1.6%	98.4%
	Grade 10	0.5%	0.7%	1.7%	98.3%
	Grade 11	0.7%	0.8%	1.4%	98.6%
	Grade 12	0.2%	0.6%	1.5%	98.5%

State - Grades 7-12  
Spring 2004

Table B2: Prevalence and recency of use of selected substances by grade  
--> Male students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	18.9%	25.1%	41.3%	58.7%
	Grade 7	6.8%	10.2%	23.8%	76.2%
	Grade 8	11.1%	16.0%	31.3%	68.7%
	Grade 9	17.2%	23.6%	40.8%	59.2%
	Grade 10	23.9%	30.3%	47.6%	52.4%
	Grade 11	26.0%	35.2%	53.6%	46.4%
	Grade 12	33.9%	41.9%	57.7%	42.3%
Alcohol	All	32.5%	43.9%	66.5%	33.5%
	Grade 7	16.0%	23.1%	49.0%	51.0%
	Grade 8	22.2%	32.6%	59.1%	40.9%
	Grade 9	31.1%	43.2%	65.6%	34.4%
	Grade 10	38.6%	51.3%	72.9%	27.1%
	Grade 11	43.9%	56.6%	76.4%	23.6%
	Grade 12	50.7%	64.7%	82.3%	17.7%
Inhalants	All	6.9%	9.8%	17.9%	82.1%
	Grade 7	8.8%	11.6%	18.9%	81.1%
	Grade 8	8.5%	11.3%	19.1%	80.9%
	Grade 9	6.1%	8.7%	17.0%	83.0%
	Grade 10	6.0%	9.2%	16.9%	83.1%
	Grade 11	6.3%	8.8%	17.1%	82.9%
	Grade 12	5.4%	8.8%	18.3%	81.7%
Any Illicit Drug	All	16.1%	22.1%	34.3%	65.7%
	Grade 7	5.4%	7.9%	14.1%	85.9%
	Grade 8	10.0%	14.1%	22.9%	77.1%
	Grade 9	15.1%	21.0%	33.2%	66.8%
	Grade 10	21.3%	28.7%	43.2%	56.8%
	Grade 11	24.0%	32.5%	49.3%	50.7%
	Grade 12	25.1%	34.1%	50.5%	49.5%
Marijuana	All	14.3%	20.7%	33.0%	67.0%
	Grade 7	4.6%	6.8%	13.0%	87.0%
	Grade 8	8.6%	12.7%	21.4%	78.6%
	Grade 9	13.7%	19.6%	32.2%	67.8%
	Grade 10	19.2%	27.2%	41.7%	58.3%
	Grade 11	20.9%	30.4%	47.6%	52.4%
	Grade 12	22.5%	32.6%	49.4%	50.6%
Marijuana Only	All	6.0%	9.8%	18.5%	81.5%
	Grade 7	2.6%	4.0%	8.4%	91.6%
	Grade 8	4.0%	6.5%	12.7%	87.3%
	Grade 9	6.2%	10.0%	19.0%	81.0%
	Grade 10	8.6%	13.3%	24.0%	76.0%
	Grade 11	8.0%	13.1%	25.3%	74.7%
	Grade 12	7.7%	13.5%	24.6%	75.4%
Cocaine or Crack	All	3.7%	5.4%	8.6%	91.4%
	Grade 7	1.3%	1.9%	3.2%	96.8%
	Grade 8	1.8%	2.5%	4.2%	95.8%
	Grade 9	3.2%	4.9%	7.7%	92.3%
	Grade 10	4.5%	6.3%	10.6%	89.4%
	Grade 11	6.0%	8.9%	13.7%	86.3%
	Grade 12	6.4%	9.6%	14.5%	85.5%
Cocaine	All	3.4%	5.0%	8.1%	91.9%
	Grade 7	0.9%	1.3%	2.6%	97.4%
	Grade 8	1.5%	2.1%	3.7%	96.3%
	Grade 9	2.9%	4.4%	7.0%	93.0%
	Grade 10	4.4%	6.2%	10.3%	89.7%
	Grade 11	5.9%	8.8%	13.7%	86.3%
	Grade 12	6.2%	9.3%	14.3%	85.7%

State - Grades 7-12  
Spring 2004

Table B2 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.8%	1.2%	2.4%	97.6%
	Grade 7	0.6%	1.0%	1.8%	98.2%
	Grade 8	0.7%	1.1%	1.8%	98.2%
	Grade 9	0.9%	1.4%	2.7%	97.3%
	Grade 10	0.9%	1.3%	2.6%	97.4%
	Grade 11	0.7%	1.3%	2.6%	97.4%
	Grade 12	0.8%	1.5%	3.5%	96.5%
Hallucinogens	All	2.1%	3.4%	5.9%	94.1%
	Grade 7	0.7%	0.9%	1.5%	98.5%
	Grade 8	0.9%	1.3%	2.9%	97.1%
	Grade 9	1.7%	2.6%	4.6%	95.4%
	Grade 10	3.0%	4.8%	7.7%	92.3%
	Grade 11	3.1%	5.1%	9.3%	90.7%
	Grade 12	3.8%	7.4%	11.5%	88.5%
Uppers	All	2.5%	3.7%	5.8%	94.2%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.7%	1.2%	2.0%	98.0%
	Grade 9	1.7%	2.7%	4.2%	95.8%
	Grade 10	3.4%	5.0%	7.3%	92.7%
	Grade 11	4.5%	6.5%	9.9%	90.1%
	Grade 12	5.8%	8.3%	13.2%	86.8%
Downers	All	2.9%	4.2%	6.1%	93.9%
	Grade 7	0.3%	0.5%	1.0%	99.0%
	Grade 8	0.9%	1.2%	2.0%	98.0%
	Grade 9	2.2%	3.0%	4.6%	95.4%
	Grade 10	3.7%	5.4%	7.3%	92.7%
	Grade 11	5.2%	7.5%	10.9%	89.1%
	Grade 12	6.5%	9.5%	13.7%	86.3%
Rohypnol	All	1.2%	1.9%	3.4%	96.6%
	Grade 7	0.4%	0.6%	1.7%	98.3%
	Grade 8	1.1%	1.8%	2.9%	97.1%
	Grade 9	1.4%	2.0%	3.5%	96.5%
	Grade 10	1.6%	2.3%	4.1%	95.9%
	Grade 11	1.5%	2.6%	4.1%	95.9%
	Grade 12	1.4%	2.4%	4.2%	95.8%
Steroids	All	1.1%	1.5%	2.7%	97.3%
	Grade 7	0.7%	0.9%	2.0%	98.0%
	Grade 8	0.9%	1.2%	2.4%	97.6%
	Grade 9	1.0%	1.5%	2.4%	97.6%
	Grade 10	1.1%	1.4%	2.5%	97.5%
	Grade 11	1.2%	1.9%	3.1%	96.9%
	Grade 12	1.7%	2.7%	4.2%	95.8%
Ecstasy	All	2.0%	3.1%	5.5%	94.5%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	1.3%	2.0%	3.6%	96.4%
	Grade 9	1.5%	2.3%	4.5%	95.5%
	Grade 10	2.4%	3.6%	6.3%	93.7%
	Grade 11	3.7%	5.1%	8.9%	91.1%
	Grade 12	3.3%	6.0%	10.2%	89.8%
Heroin	All	0.6%	0.8%	1.7%	98.3%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.5%	0.7%	1.5%	98.5%
	Grade 9	0.5%	0.8%	1.5%	98.5%
	Grade 10	0.6%	0.9%	2.1%	97.9%
	Grade 11	1.1%	1.3%	2.1%	97.9%
	Grade 12	0.3%	0.8%	1.6%	98.4%

State - Grades 7-12  
Spring 2004

Table B3: Prevalence and recency of use of selected substances by grade  
--> Female students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	15.3%	21.1%	37.6%	62.4%
	Grade 7	6.9%	9.5%	22.3%	77.7%
	Grade 8	10.0%	15.0%	29.9%	70.1%
	Grade 9	14.3%	20.5%	36.4%	63.6%
	Grade 10	18.6%	25.2%	43.1%	56.9%
	Grade 11	22.3%	29.3%	48.4%	51.6%
	Grade 12	22.4%	30.1%	49.8%	50.2%
Alcohol	All	32.7%	46.0%	69.3%	30.7%
	Grade 7	17.6%	25.2%	52.3%	47.7%
	Grade 8	25.0%	36.9%	63.0%	37.0%
	Grade 9	33.8%	47.1%	70.1%	29.9%
	Grade 10	39.0%	54.8%	76.1%	23.9%
	Grade 11	40.2%	56.2%	77.9%	22.1%
	Grade 12	44.4%	60.1%	79.4%	20.6%
Inhalants	All	6.4%	9.0%	16.2%	83.8%
	Grade 7	9.4%	12.2%	20.1%	79.9%
	Grade 8	9.8%	13.3%	21.7%	78.3%
	Grade 9	6.3%	9.8%	18.1%	81.9%
	Grade 10	5.4%	8.1%	14.6%	85.4%
	Grade 11	3.7%	5.4%	11.1%	88.9%
	Grade 12	2.0%	3.1%	8.8%	91.2%
Any Illicit Drug	All	12.7%	18.5%	28.8%	71.2%
	Grade 7	5.3%	7.5%	12.2%	87.8%
	Grade 8	8.8%	12.5%	19.9%	80.1%
	Grade 9	13.5%	19.5%	28.2%	71.8%
	Grade 10	16.4%	24.0%	37.0%	63.0%
	Grade 11	17.4%	25.2%	39.2%	60.8%
	Grade 12	16.1%	24.9%	40.9%	59.1%
Marijuana	All	11.0%	16.5%	26.8%	73.2%
	Grade 7	4.1%	6.0%	10.4%	89.6%
	Grade 8	7.1%	10.1%	17.3%	82.7%
	Grade 9	11.3%	17.1%	25.8%	74.2%
	Grade 10	14.9%	21.9%	35.0%	65.0%
	Grade 11	15.3%	23.3%	37.3%	62.7%
	Grade 12	14.5%	23.3%	39.6%	60.4%
Marijuana Only	All	4.4%	7.3%	14.2%	85.8%
	Grade 7	1.9%	3.1%	6.0%	94.0%
	Grade 8	2.7%	4.3%	8.6%	91.4%
	Grade 9	4.8%	7.6%	13.0%	87.0%
	Grade 10	5.9%	9.5%	18.3%	81.7%
	Grade 11	5.4%	9.6%	19.1%	80.9%
	Grade 12	6.1%	11.2%	23.0%	77.0%
Cocaine or Crack	All	2.7%	4.3%	7.2%	92.8%
	Grade 7	1.3%	1.9%	3.2%	96.8%
	Grade 8	2.1%	3.4%	5.4%	94.6%
	Grade 9	2.7%	3.8%	6.3%	93.7%
	Grade 10	3.2%	5.7%	9.3%	90.7%
	Grade 11	4.1%	6.6%	10.5%	89.5%
	Grade 12	2.8%	5.2%	9.4%	90.6%
Cocaine	All	2.4%	4.0%	6.6%	93.4%
	Grade 7	0.9%	1.3%	2.3%	97.7%
	Grade 8	1.8%	2.7%	4.6%	95.4%
	Grade 9	2.4%	3.5%	5.9%	94.1%
	Grade 10	3.1%	5.6%	8.9%	91.1%
	Grade 11	4.0%	6.4%	10.2%	89.8%
	Grade 12	2.6%	4.9%	9.1%	90.9%

State - Grades 7-12  
Spring 2004

Table B3 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.7%	1.1%	2.2%	97.8%
	Grade 7	0.8%	1.1%	1.9%	98.1%
	Grade 8	1.0%	1.6%	2.7%	97.3%
	Grade 9	0.8%	1.3%	2.2%	97.8%
	Grade 10	0.6%	0.9%	2.2%	97.8%
	Grade 11	0.5%	0.9%	2.5%	97.5%
	Grade 12	0.4%	0.8%	1.7%	98.3%
Hallucinogens	All	1.0%	1.9%	3.9%	96.1%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.7%	1.3%	2.5%	97.5%
	Grade 9	1.1%	1.9%	4.0%	96.0%
	Grade 10	1.5%	2.6%	5.0%	95.0%
	Grade 11	1.5%	3.0%	6.1%	93.9%
	Grade 12	1.1%	2.5%	5.2%	94.8%
Uppers	All	2.4%	4.0%	6.2%	93.8%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.3%	2.0%	3.3%	96.7%
	Grade 9	2.6%	4.0%	5.7%	94.3%
	Grade 10	3.0%	5.6%	8.4%	91.6%
	Grade 11	4.6%	7.0%	11.3%	88.7%
	Grade 12	2.8%	5.0%	8.4%	91.6%
Downers	All	2.2%	3.6%	5.8%	94.2%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.9%	1.3%	2.9%	97.1%
	Grade 9	2.3%	3.8%	5.7%	94.3%
	Grade 10	3.0%	5.3%	8.2%	91.8%
	Grade 11	4.2%	6.4%	10.1%	89.9%
	Grade 12	3.1%	5.0%	8.1%	91.9%
Rohypnol	All	1.3%	2.0%	3.5%	96.5%
	Grade 7	0.8%	1.0%	1.6%	98.4%
	Grade 8	1.5%	2.1%	3.8%	96.2%
	Grade 9	1.5%	2.6%	4.3%	95.7%
	Grade 10	1.7%	2.5%	4.3%	95.7%
	Grade 11	1.6%	2.2%	4.0%	96.0%
	Grade 12	0.9%	1.1%	2.7%	97.3%
Steroids	All	0.4%	0.7%	1.3%	98.7%
	Grade 7	0.4%	0.7%	1.3%	98.7%
	Grade 8	0.7%	1.1%	2.0%	98.0%
	Grade 9	0.5%	0.7%	1.5%	98.5%
	Grade 10	0.3%	0.6%	1.2%	98.8%
	Grade 11	0.3%	0.4%	1.1%	98.9%
	Grade 12	0.2%	0.4%	0.7%	99.3%
Ecstasy	All	1.7%	2.8%	5.6%	94.4%
	Grade 7	0.8%	1.1%	2.1%	97.9%
	Grade 8	1.2%	2.3%	4.5%	95.5%
	Grade 9	1.6%	2.5%	5.2%	94.8%
	Grade 10	1.9%	3.0%	6.5%	93.5%
	Grade 11	2.7%	4.2%	7.8%	92.2%
	Grade 12	2.3%	4.3%	8.1%	91.9%
Heroin	All	0.5%	0.8%	1.5%	98.5%
	Grade 7	0.7%	0.9%	1.6%	98.4%
	Grade 8	0.9%	1.3%	2.2%	97.8%
	Grade 9	0.6%	0.9%	1.6%	98.4%
	Grade 10	0.4%	0.6%	1.4%	98.6%
	Grade 11	0.3%	0.4%	0.9%	99.1%
	Grade 12	0.1%	0.3%	1.3%	98.7%

State - Grades 7-12  
Spring 2004

Table B4: Prevalence and recency of use of selected substances by grade  
--> White students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	19.6%	25.7%	39.4%	60.6%
	Grade 7	4.8%	7.3%	18.1%	81.9%
	Grade 8	9.3%	14.3%	26.6%	73.4%
	Grade 9	16.5%	22.9%	36.5%	63.5%
	Grade 10	26.6%	33.2%	48.0%	52.0%
	Grade 11	29.4%	37.7%	52.1%	47.9%
	Grade 12	32.1%	40.4%	56.5%	43.5%
Alcohol	All	32.8%	45.6%	66.3%	33.7%
	Grade 7	11.6%	19.2%	45.3%	54.7%
	Grade 8	19.7%	31.6%	56.0%	44.0%
	Grade 9	30.6%	44.4%	65.4%	34.6%
	Grade 10	40.3%	55.4%	73.9%	26.1%
	Grade 11	44.4%	58.2%	76.2%	23.8%
	Grade 12	52.0%	66.6%	82.3%	17.7%
Inhalants	All	5.8%	8.8%	16.0%	84.0%
	Grade 7	7.0%	9.7%	15.8%	84.2%
	Grade 8	7.7%	11.1%	18.9%	81.1%
	Grade 9	5.2%	8.2%	16.2%	83.8%
	Grade 10	5.9%	9.4%	16.4%	83.6%
	Grade 11	5.4%	7.8%	14.6%	85.4%
	Grade 12	3.8%	6.4%	14.4%	85.6%
Any Illicit Drug	All	13.9%	19.6%	28.7%	71.3%
	Grade 7	2.7%	4.3%	7.6%	92.4%
	Grade 8	6.2%	9.5%	14.9%	85.1%
	Grade 9	11.5%	16.7%	25.0%	75.0%
	Grade 10	19.9%	27.8%	38.9%	61.1%
	Grade 11	21.4%	29.4%	42.1%	57.9%
	Grade 12	22.4%	31.3%	45.2%	54.8%
Marijuana	All	12.2%	18.1%	27.3%	72.7%
	Grade 7	2.0%	3.2%	6.2%	93.8%
	Grade 8	5.1%	8.0%	13.1%	86.9%
	Grade 9	9.6%	14.6%	23.1%	76.9%
	Grade 10	18.4%	25.9%	37.4%	62.6%
	Grade 11	19.0%	27.9%	40.6%	59.4%
	Grade 12	20.1%	30.1%	44.6%	55.4%
Marijuana Only	All	4.5%	7.7%	14.1%	85.9%
	Grade 7	0.8%	1.7%	3.7%	96.3%
	Grade 8	2.2%	4.0%	7.4%	92.6%
	Grade 9	3.1%	5.8%	11.3%	88.7%
	Grade 10	7.0%	10.9%	18.9%	81.1%
	Grade 11	6.7%	11.7%	20.7%	79.3%
	Grade 12	7.3%	13.0%	23.4%	76.6%
Cocaine or Crack	All	2.2%	3.7%	5.8%	94.2%
	Grade 7	0.5%	0.9%	1.8%	98.2%
	Grade 8	0.6%	1.2%	2.3%	97.7%
	Grade 9	1.7%	3.0%	4.4%	95.6%
	Grade 10	3.1%	5.2%	8.0%	92.0%
	Grade 11	3.5%	6.1%	9.6%	90.4%
	Grade 12	3.9%	6.3%	9.4%	90.6%
Cocaine	All	2.0%	3.5%	5.4%	94.6%
	Grade 7	0.3%	0.6%	1.2%	98.8%
	Grade 8	0.4%	0.8%	1.7%	98.3%
	Grade 9	1.6%	2.8%	4.0%	96.0%
	Grade 10	3.0%	5.1%	7.7%	92.3%
	Grade 11	3.4%	5.8%	9.3%	90.7%
	Grade 12	3.6%	6.0%	9.0%	91.0%

State - Grades 7-12  
Spring 2004

Table B4 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.5%	0.8%	1.9%	98.1%
	Grade 7	0.3%	0.4%	1.1%	98.9%
	Grade 8	0.4%	0.6%	1.4%	98.6%
	Grade 9	0.4%	0.8%	1.8%	98.2%
	Grade 10	0.8%	1.0%	2.4%	97.6%
	Grade 11	0.4%	0.8%	2.8%	97.2%
	Grade 12	0.5%	0.9%	2.3%	97.7%
Hallucinogens	All	1.9%	3.5%	6.4%	93.6%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.9%	1.6%	3.7%	96.3%
	Grade 9	2.0%	2.9%	6.1%	93.9%
	Grade 10	2.6%	4.5%	8.3%	91.7%
	Grade 11	3.0%	5.5%	9.7%	90.3%
	Grade 12	2.6%	5.9%	9.9%	90.1%
Uppers	All	3.5%	5.6%	8.5%	91.5%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	1.2%	1.8%	2.8%	97.2%
	Grade 9	3.4%	5.3%	7.5%	92.5%
	Grade 10	4.6%	8.0%	11.6%	88.4%
	Grade 11	6.2%	9.1%	14.1%	85.9%
	Grade 12	5.4%	9.0%	14.4%	85.6%
Downers	All	3.4%	5.3%	7.7%	92.3%
	Grade 7	0.3%	0.6%	0.8%	99.2%
	Grade 8	1.0%	1.5%	2.4%	97.6%
	Grade 9	2.9%	4.4%	6.4%	93.6%
	Grade 10	4.6%	7.5%	10.7%	89.3%
	Grade 11	5.9%	8.6%	12.7%	87.3%
	Grade 12	6.0%	9.5%	13.5%	86.5%
Rohypnol	All	0.8%	1.3%	2.1%	97.9%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.6%	1.0%	1.7%	98.3%
	Grade 9	0.9%	1.3%	2.2%	97.8%
	Grade 10	1.3%	2.0%	3.0%	97.0%
	Grade 11	1.0%	1.6%	2.8%	97.2%
	Grade 12	0.7%	1.5%	2.5%	97.5%
Steroids	All	0.7%	1.3%	2.3%	97.7%
	Grade 7	0.5%	0.8%	1.5%	98.5%
	Grade 8	0.6%	1.0%	2.1%	97.9%
	Grade 9	0.7%	1.2%	2.1%	97.9%
	Grade 10	0.7%	1.3%	2.3%	97.7%
	Grade 11	0.8%	1.5%	2.8%	97.2%
	Grade 12	1.1%	1.8%	3.0%	97.0%
Ecstasy	All	1.8%	3.0%	5.4%	94.6%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.7%	1.2%	2.6%	97.4%
	Grade 9	1.2%	2.1%	4.3%	95.7%
	Grade 10	2.2%	3.3%	6.5%	93.5%
	Grade 11	3.7%	5.3%	8.9%	91.1%
	Grade 12	3.0%	5.6%	9.4%	90.6%
Heroin	All	0.4%	0.6%	1.3%	98.7%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.4%	0.5%	1.0%	99.0%
	Grade 9	0.3%	0.6%	1.2%	98.8%
	Grade 10	0.5%	0.7%	1.8%	98.2%
	Grade 11	0.6%	0.7%	1.2%	98.8%
	Grade 12	0.1%	0.6%	1.7%	98.3%



State - Grades 7-12  
Spring 2004

Table B5: Prevalence and recency of use of selected substances by grade  
--> Black students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.7%	12.7%	30.0%	70.0%
	Grade 7	5.5%	8.2%	23.2%	76.8%
	Grade 8	7.2%	11.1%	26.6%	73.4%
	Grade 9	8.5%	12.8%	28.7%	71.3%
	Grade 10	11.7%	15.7%	35.3%	64.7%
	Grade 11	9.3%	13.8%	33.8%	66.2%
	Grade 12	11.0%	15.9%	35.7%	64.3%
Alcohol	All	26.8%	38.3%	66.2%	33.8%
	Grade 7	19.1%	26.1%	55.3%	44.7%
	Grade 8	21.0%	29.9%	61.2%	38.8%
	Grade 9	28.2%	39.1%	65.7%	34.3%
	Grade 10	32.6%	46.8%	73.5%	26.5%
	Grade 11	28.9%	42.3%	69.8%	30.2%
	Grade 12	34.8%	52.8%	76.3%	23.7%
Inhalants	All	5.0%	6.5%	12.4%	87.6%
	Grade 7	7.6%	9.6%	17.4%	82.6%
	Grade 8	7.3%	9.1%	16.1%	83.9%
	Grade 9	4.2%	5.9%	11.6%	88.4%
	Grade 10	4.1%	5.7%	11.0%	89.0%
	Grade 11	3.1%	4.0%	8.1%	91.9%
	Grade 12	1.7%	2.4%	6.9%	93.1%
Any Illicit Drug	All	12.0%	17.2%	30.2%	69.8%
	Grade 7	5.9%	8.1%	14.8%	85.2%
	Grade 8	7.9%	12.3%	21.8%	78.2%
	Grade 9	12.1%	17.6%	28.8%	71.2%
	Grade 10	16.5%	22.7%	39.3%	60.7%
	Grade 11	14.9%	22.4%	40.6%	59.4%
	Grade 12	17.1%	23.8%	43.6%	56.4%
Marijuana	All	11.2%	16.3%	29.4%	70.6%
	Grade 7	5.0%	7.0%	13.4%	86.6%
	Grade 8	7.0%	10.7%	20.6%	79.4%
	Grade 9	11.4%	16.9%	28.3%	71.7%
	Grade 10	16.1%	22.3%	38.8%	61.2%
	Grade 11	13.6%	21.4%	40.3%	59.7%
	Grade 12	16.5%	23.1%	43.2%	56.8%
Marijuana Only	All	7.6%	11.5%	22.9%	77.1%
	Grade 7	3.3%	4.8%	10.5%	89.5%
	Grade 8	4.4%	7.3%	15.3%	84.7%
	Grade 9	8.2%	12.5%	22.4%	77.6%
	Grade 10	11.6%	16.5%	30.8%	69.2%
	Grade 11	8.9%	14.5%	31.2%	68.8%
	Grade 12	10.1%	15.6%	33.4%	66.6%
Cocaine or Crack	All	0.8%	1.3%	1.9%	98.1%
	Grade 7	1.0%	1.6%	2.1%	97.9%
	Grade 8	0.5%	1.4%	1.8%	98.2%
	Grade 9	1.3%	1.6%	1.9%	98.1%
	Grade 10	0.4%	0.5%	1.7%	98.3%
	Grade 11	0.7%	1.1%	1.7%	98.3%
	Grade 12	1.0%	1.7%	2.2%	97.8%
Cocaine	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.6%	0.7%	1.4%	98.6%
	Grade 8	0.3%	0.4%	1.5%	98.5%
	Grade 9	0.7%	1.2%	1.6%	98.4%
	Grade 10	0.4%	0.5%	1.7%	98.3%
	Grade 11	0.7%	1.0%	1.4%	98.6%
	Grade 12	1.0%	1.6%	2.1%	97.9%

State - Grades 7-12  
Spring 2004

Table B5 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.4%	0.8%	1.1%	98.9%
	Grade 7	0.7%	1.2%	1.4%	98.6%
	Grade 8	0.3%	1.1%	1.3%	98.7%
	Grade 9	0.8%	1.2%	1.4%	98.6%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 11	0.1%	0.4%	0.5%	99.5%
	Grade 12	0.8%	0.9%	0.9%	99.1%
Hallucinogens	All	0.7%	1.2%	1.7%	98.3%
	Grade 7	0.6%	0.8%	0.9%	99.1%
	Grade 8	0.2%	0.4%	0.7%	99.3%
	Grade 9	0.4%	1.0%	1.7%	98.3%
	Grade 10	1.4%	1.8%	3.0%	97.0%
	Grade 11	0.8%	1.9%	2.2%	97.8%
	Grade 12	1.5%	1.7%	2.5%	97.5%
Uppers	All	0.9%	1.3%	2.0%	98.0%
	Grade 7	0.7%	0.8%	0.9%	99.1%
	Grade 8	0.1%	1.1%	1.5%	98.5%
	Grade 9	0.6%	1.1%	1.5%	98.5%
	Grade 10	1.4%	1.8%	2.9%	97.1%
	Grade 11	0.8%	1.0%	2.6%	97.4%
	Grade 12	2.2%	2.6%	3.5%	96.5%
Downers	All	1.0%	1.4%	2.3%	97.7%
	Grade 7	0.6%	0.6%	0.7%	99.3%
	Grade 8	0.3%	0.5%	1.6%	98.4%
	Grade 9	0.6%	1.6%	2.2%	97.8%
	Grade 10	1.3%	1.7%	2.7%	97.3%
	Grade 11	1.3%	1.7%	3.0%	97.0%
	Grade 12	2.7%	3.7%	4.5%	95.5%
Rohypnol	All	0.2%	0.5%	1.0%	99.0%
	Grade 7	0.2%	0.4%	1.1%	98.9%
	Grade 8	0.1%	0.7%	1.2%	98.8%
	Grade 9	0.5%	0.6%	1.0%	99.0%
	Grade 10	0.2%	0.2%	1.5%	98.5%
	Grade 11	0.2%	0.3%	0.5%	99.5%
	Grade 12	0.3%	0.4%	0.4%	99.6%
Steroids	All	0.9%	1.1%	1.9%	98.1%
	Grade 7	0.9%	1.2%	2.3%	97.7%
	Grade 8	1.8%	1.8%	2.3%	97.7%
	Grade 9	0.9%	1.0%	2.1%	97.9%
	Grade 10	0.3%	0.4%	1.3%	98.7%
	Grade 11	0.9%	1.0%	1.6%	98.4%
	Grade 12	0.7%	0.9%	1.4%	98.6%
Ecstasy	All	1.4%	1.9%	3.7%	96.3%
	Grade 7	0.9%	1.0%	2.0%	98.0%
	Grade 8	1.4%	1.7%	3.2%	96.8%
	Grade 9	1.8%	2.3%	3.5%	96.5%
	Grade 10	1.1%	1.5%	4.0%	96.0%
	Grade 11	1.6%	2.1%	5.3%	94.7%
	Grade 12	1.8%	3.0%	5.6%	94.4%
Heroin	All	0.6%	0.7%	1.2%	98.8%
	Grade 7	1.0%	1.2%	1.6%	98.4%
	Grade 8	0.2%	0.3%	0.9%	99.1%
	Grade 9	0.7%	0.8%	1.3%	98.7%
	Grade 10	0.1%	0.2%	1.2%	98.8%
	Grade 11	1.2%	1.3%	1.3%	98.7%
	Grade 12	0.2%	0.3%	0.4%	99.6%

State - Grades 7-12  
Spring 2004

Table B6: Prevalence and recency of use of selected substances by grade  
--> Mexican/American students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	18.6%	25.6%	44.9%	55.1%
	Grade 7	10.0%	13.9%	29.2%	70.8%
	Grade 8	13.4%	19.0%	36.5%	63.5%
	Grade 9	18.7%	26.2%	46.1%	53.9%
	Grade 10	20.8%	28.8%	49.2%	50.8%
	Grade 11	25.4%	34.7%	57.9%	42.1%
	Grade 12	30.0%	39.0%	60.0%	40.0%
Alcohol	All	36.2%	48.5%	71.8%	28.2%
	Grade 7	22.2%	29.6%	56.0%	44.0%
	Grade 8	28.7%	40.4%	66.2%	33.8%
	Grade 9	37.5%	50.2%	72.8%	27.2%
	Grade 10	41.7%	55.6%	77.6%	22.4%
	Grade 11	46.0%	61.6%	82.6%	17.4%
	Grade 12	49.0%	62.9%	83.1%	16.9%
Inhalants	All	8.4%	11.5%	20.4%	79.6%
	Grade 7	12.1%	15.3%	24.3%	75.7%
	Grade 8	11.5%	14.7%	23.9%	76.1%
	Grade 9	7.9%	11.8%	21.8%	78.2%
	Grade 10	6.4%	9.5%	17.5%	82.5%
	Grade 11	5.2%	7.4%	16.1%	83.9%
	Grade 12	4.6%	7.0%	15.1%	84.9%
Any Illicit Drug	All	16.8%	23.5%	36.7%	63.3%
	Grade 7	8.2%	11.6%	19.2%	80.8%
	Grade 8	13.1%	17.5%	27.5%	72.5%
	Grade 9	18.7%	25.9%	38.4%	61.6%
	Grade 10	19.8%	28.0%	44.2%	55.8%
	Grade 11	23.1%	32.1%	49.6%	50.4%
	Grade 12	20.8%	31.3%	51.1%	48.9%
Marijuana	All	14.3%	21.1%	34.4%	65.6%
	Grade 7	6.8%	10.0%	17.5%	82.5%
	Grade 8	10.8%	15.0%	24.8%	75.2%
	Grade 9	16.3%	23.4%	36.3%	63.7%
	Grade 10	16.9%	25.4%	41.4%	58.6%
	Grade 11	19.5%	29.3%	47.2%	52.8%
	Grade 12	18.4%	29.0%	49.0%	51.0%
Marijuana Only	All	5.4%	8.8%	16.9%	83.1%
	Grade 7	3.5%	5.2%	10.1%	89.9%
	Grade 8	4.0%	6.0%	11.9%	88.1%
	Grade 9	6.9%	10.5%	18.4%	81.6%
	Grade 10	6.0%	10.2%	20.5%	79.5%
	Grade 11	6.2%	10.5%	21.4%	78.6%
	Grade 12	5.9%	11.7%	23.3%	76.7%
Cocaine or Crack	All	5.3%	7.9%	12.9%	87.1%
	Grade 7	2.3%	3.2%	5.3%	94.7%
	Grade 8	3.7%	5.3%	8.4%	91.6%
	Grade 9	5.1%	7.3%	12.3%	87.7%
	Grade 10	6.5%	9.8%	16.4%	83.6%
	Grade 11	8.8%	12.7%	19.7%	80.3%
	Grade 12	7.4%	12.1%	20.6%	79.4%
Cocaine	All	5.0%	7.4%	12.2%	87.8%
	Grade 7	1.6%	2.4%	4.2%	95.8%
	Grade 8	3.2%	4.7%	7.5%	92.5%
	Grade 9	4.7%	6.8%	11.5%	88.5%
	Grade 10	6.2%	9.6%	15.8%	84.2%
	Grade 11	8.8%	12.7%	19.7%	80.3%
	Grade 12	7.3%	11.6%	20.4%	79.6%

State - Grades 7-12  
Spring 2004

Table B6 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.2%	1.8%	3.3%	96.7%
	Grade 7	1.1%	1.6%	2.7%	97.3%
	Grade 8	1.6%	2.1%	3.6%	96.4%
	Grade 9	1.4%	1.9%	3.6%	96.4%
	Grade 10	1.0%	1.7%	3.3%	96.7%
	Grade 11	1.0%	1.8%	3.0%	97.0%
	Grade 12	0.7%	1.8%	3.8%	96.2%
Hallucinogens	All	1.5%	2.4%	4.5%	95.5%
	Grade 7	0.6%	0.8%	1.2%	98.8%
	Grade 8	0.9%	1.5%	2.8%	97.2%
	Grade 9	1.4%	2.4%	4.0%	96.0%
	Grade 10	2.2%	3.5%	5.7%	94.3%
	Grade 11	2.0%	3.0%	7.4%	92.6%
	Grade 12	2.7%	4.7%	8.2%	91.8%
Uppers	All	2.2%	3.2%	5.3%	94.7%
	Grade 7	0.5%	0.6%	1.4%	98.6%
	Grade 8	1.3%	1.8%	3.3%	96.7%
	Grade 9	1.6%	2.8%	4.3%	95.7%
	Grade 10	2.7%	4.2%	6.5%	93.5%
	Grade 11	4.5%	6.7%	10.3%	89.7%
	Grade 12	3.5%	4.8%	8.5%	91.5%
Downers	All	2.4%	3.6%	5.9%	94.1%
	Grade 7	0.5%	0.6%	1.2%	98.8%
	Grade 8	1.1%	1.5%	3.0%	97.0%
	Grade 9	2.3%	3.4%	5.6%	94.4%
	Grade 10	3.2%	4.9%	7.2%	92.8%
	Grade 11	5.0%	7.4%	11.4%	88.6%
	Grade 12	3.9%	5.7%	10.0%	90.0%
Rohypnol	All	2.3%	3.5%	6.1%	93.9%
	Grade 7	1.1%	1.5%	3.0%	97.0%
	Grade 8	2.5%	3.5%	5.9%	94.1%
	Grade 9	2.6%	4.4%	7.3%	92.7%
	Grade 10	2.8%	4.1%	7.0%	93.0%
	Grade 11	2.9%	4.3%	7.1%	92.9%
	Grade 12	2.2%	3.1%	6.6%	93.4%
Steroids	All	0.6%	0.9%	1.7%	98.3%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.5%	1.0%	2.2%	97.8%
	Grade 9	0.7%	1.0%	1.8%	98.2%
	Grade 10	0.6%	0.8%	1.2%	98.8%
	Grade 11	0.5%	0.7%	1.5%	98.5%
	Grade 12	0.7%	1.2%	1.8%	98.2%
Ecstasy	All	2.1%	3.4%	6.5%	93.5%
	Grade 7	0.9%	1.2%	2.5%	97.5%
	Grade 8	1.6%	3.3%	5.8%	94.2%
	Grade 9	1.9%	2.9%	6.1%	93.9%
	Grade 10	2.3%	3.8%	7.3%	92.7%
	Grade 11	3.5%	5.0%	8.9%	91.1%
	Grade 12	2.7%	5.3%	10.1%	89.9%
Heroin	All	0.7%	1.1%	2.2%	97.8%
	Grade 7	0.8%	1.1%	2.4%	97.6%
	Grade 8	1.1%	1.7%	3.1%	96.9%
	Grade 9	0.8%	1.1%	2.0%	98.0%
	Grade 10	0.7%	0.9%	1.8%	98.2%
	Grade 11	0.5%	0.7%	1.8%	98.2%
	Grade 12	0.2%	0.5%	1.6%	98.4%

State - Grades 7-12  
Spring 2004

Table B7: Prevalence and recency of use of selected substances by grade  
--> Students reporting A and B grades

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	14.4%	19.9%	35.4%	64.6%
	Grade 7	4.4%	6.7%	18.5%	81.5%
	Grade 8	7.9%	12.3%	26.0%	74.0%
	Grade 9	12.5%	17.9%	33.3%	66.7%
	Grade 10	17.0%	23.0%	40.2%	59.8%
	Grade 11	21.9%	29.5%	47.9%	52.1%
	Grade 12	26.1%	34.0%	51.5%	48.5%
Alcohol	All	30.1%	42.5%	65.7%	34.3%
	Grade 7	13.4%	20.3%	47.0%	53.0%
	Grade 8	20.7%	31.8%	58.2%	41.8%
	Grade 9	29.2%	42.0%	65.0%	35.0%
	Grade 10	35.9%	50.2%	72.6%	27.4%
	Grade 11	39.9%	54.6%	75.7%	24.3%
	Grade 12	46.1%	61.1%	79.9%	20.1%
Inhalants	All	5.4%	7.8%	14.6%	85.4%
	Grade 7	7.5%	10.0%	16.9%	83.1%
	Grade 8	7.7%	10.5%	17.7%	82.3%
	Grade 9	5.0%	7.7%	14.6%	85.4%
	Grade 10	4.5%	7.1%	13.1%	86.9%
	Grade 11	4.0%	5.9%	12.4%	87.6%
	Grade 12	3.2%	5.1%	12.0%	88.0%
Any Illicit Drug	All	11.6%	16.9%	27.1%	72.9%
	Grade 7	3.3%	4.9%	9.4%	90.6%
	Grade 8	6.7%	10.1%	16.4%	83.6%
	Grade 9	10.5%	15.6%	24.9%	75.1%
	Grade 10	14.9%	21.8%	34.1%	65.9%
	Grade 11	17.6%	25.4%	39.9%	60.1%
	Grade 12	18.6%	27.0%	43.1%	56.9%
Marijuana	All	10.0%	15.4%	25.5%	74.5%
	Grade 7	2.4%	3.8%	8.1%	91.9%
	Grade 8	5.5%	8.5%	14.4%	85.6%
	Grade 9	8.9%	13.8%	23.2%	76.8%
	Grade 10	13.5%	20.2%	32.5%	67.5%
	Grade 11	15.0%	23.5%	38.1%	61.9%
	Grade 12	16.6%	25.6%	41.8%	58.2%
Marijuana Only	All	4.3%	7.4%	14.5%	85.5%
	Grade 7	1.4%	2.3%	5.4%	94.6%
	Grade 8	2.4%	4.2%	8.3%	91.7%
	Grade 9	4.2%	7.1%	13.5%	86.5%
	Grade 10	6.1%	10.0%	18.9%	81.1%
	Grade 11	5.5%	10.1%	20.2%	79.8%
	Grade 12	6.7%	12.0%	23.5%	76.5%
Cocaine or Crack	All	2.4%	3.7%	6.1%	93.9%
	Grade 7	0.8%	1.2%	2.1%	97.9%
	Grade 8	1.3%	2.0%	3.3%	96.7%
	Grade 9	2.1%	3.0%	4.8%	95.2%
	Grade 10	2.6%	4.2%	7.2%	92.8%
	Grade 11	4.1%	6.3%	10.2%	89.8%
	Grade 12	3.7%	6.2%	10.3%	89.7%
Cocaine	All	2.2%	3.4%	5.7%	94.3%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	1.1%	1.7%	2.8%	97.2%
	Grade 9	1.8%	2.7%	4.4%	95.6%
	Grade 10	2.5%	4.1%	6.8%	93.2%
	Grade 11	4.0%	6.1%	10.0%	90.0%
	Grade 12	3.7%	6.0%	10.1%	89.9%

State - Grades 7-12  
Spring 2004

Table B7 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.5%	0.8%	1.8%	98.2%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.6%	0.9%	1.6%	98.4%
	Grade 9	0.6%	0.9%	1.7%	98.3%
	Grade 10	0.5%	0.8%	1.8%	98.2%
	Grade 11	0.5%	0.9%	2.2%	97.8%
	Grade 12	0.4%	0.9%	2.3%	97.7%
Hallucinogens	All	1.2%	2.1%	4.1%	95.9%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.7%	1.1%	2.2%	97.8%
	Grade 9	1.0%	1.6%	3.3%	96.7%
	Grade 10	1.5%	2.7%	4.9%	95.1%
	Grade 11	1.6%	3.1%	6.8%	93.2%
	Grade 12	2.1%	4.2%	7.4%	92.6%
Uppers	All	2.0%	3.2%	5.1%	94.9%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.7%	1.1%	2.0%	98.0%
	Grade 9	1.8%	2.9%	4.1%	95.9%
	Grade 10	2.1%	4.1%	6.2%	93.8%
	Grade 11	3.9%	6.0%	9.6%	90.4%
	Grade 12	3.6%	5.5%	9.4%	90.6%
Downers	All	2.0%	3.2%	5.0%	95.0%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.7%	0.9%	1.8%	98.2%
	Grade 9	1.6%	2.6%	3.9%	96.1%
	Grade 10	2.3%	4.0%	6.1%	93.9%
	Grade 11	4.0%	6.2%	9.4%	90.6%
	Grade 12	4.0%	6.2%	9.6%	90.4%
Rohypnol	All	0.8%	1.4%	2.5%	97.5%
	Grade 7	0.3%	0.4%	1.0%	99.0%
	Grade 8	0.8%	1.4%	2.5%	97.5%
	Grade 9	0.8%	1.4%	2.7%	97.3%
	Grade 10	1.1%	1.7%	3.1%	96.9%
	Grade 11	1.1%	1.8%	3.2%	96.8%
	Grade 12	1.1%	1.5%	2.9%	97.1%
Steroids	All	0.6%	0.9%	1.7%	98.3%
	Grade 7	0.3%	0.5%	1.1%	98.9%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	0.6%	1.0%	1.7%	98.3%
	Grade 10	0.6%	0.9%	1.7%	98.3%
	Grade 11	0.6%	1.0%	1.9%	98.1%
	Grade 12	0.9%	1.3%	2.2%	97.8%
Ecstasy	All	1.4%	2.4%	4.7%	95.3%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.9%	1.8%	3.2%	96.8%
	Grade 9	1.1%	1.9%	4.1%	95.9%
	Grade 10	1.6%	2.5%	5.4%	94.6%
	Grade 11	2.6%	3.8%	7.3%	92.7%
	Grade 12	2.4%	4.4%	8.1%	91.9%
Heroin	All	0.4%	0.5%	1.2%	98.8%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.5%	0.6%	1.3%	98.7%
	Grade 9	0.4%	0.7%	1.2%	98.8%
	Grade 10	0.3%	0.4%	1.1%	98.9%
	Grade 11	0.6%	0.8%	1.3%	98.7%
	Grade 12	0.2%	0.3%	1.1%	98.9%

State - Grades 7-12  
Spring 2004

Table B8: Prevalence and recency of use of selected substances by grade  
--> Students reporting C, D, and F grades

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	26.4%	34.2%	53.4%	46.6%
	Grade 7	15.0%	20.5%	38.4%	61.6%
	Grade 8	19.6%	26.2%	46.5%	53.5%
	Grade 9	24.9%	34.1%	54.0%	46.0%
	Grade 10	33.4%	41.6%	60.5%	39.5%
	Grade 11	33.6%	43.3%	63.1%	36.9%
	Grade 12	40.7%	48.6%	66.7%	33.3%
Alcohol	All	41.7%	53.8%	75.9%	24.1%
	Grade 7	27.9%	37.1%	63.2%	36.8%
	Grade 8	33.9%	45.1%	71.3%	28.7%
	Grade 9	42.4%	54.7%	77.0%	23.0%
	Grade 10	48.2%	61.9%	80.6%	19.4%
	Grade 11	51.1%	63.9%	83.4%	16.6%
	Grade 12	55.2%	70.2%	86.2%	13.8%
Inhalants	All	11.2%	15.0%	25.6%	74.4%
	Grade 7	14.9%	18.8%	28.6%	71.4%
	Grade 8	14.7%	19.1%	30.1%	69.9%
	Grade 9	9.7%	13.8%	25.9%	74.1%
	Grade 10	9.4%	13.4%	23.4%	76.6%
	Grade 11	8.8%	11.6%	20.3%	79.7%
	Grade 12	7.0%	10.9%	21.7%	78.3%
Any Illicit Drug	All	24.5%	32.4%	47.0%	53.0%
	Grade 7	12.4%	17.3%	26.1%	73.9%
	Grade 8	18.6%	24.3%	38.2%	61.8%
	Grade 9	25.2%	33.7%	47.6%	52.4%
	Grade 10	30.7%	40.1%	58.0%	42.0%
	Grade 11	32.6%	42.4%	60.1%	39.9%
	Grade 12	33.0%	44.9%	61.6%	38.4%
Marijuana	All	22.0%	30.0%	45.1%	54.9%
	Grade 7	10.9%	15.4%	24.1%	75.9%
	Grade 8	15.8%	21.1%	36.1%	63.9%
	Grade 9	22.8%	31.5%	45.9%	54.1%
	Grade 10	27.6%	37.4%	55.9%	44.1%
	Grade 11	30.1%	40.0%	58.0%	42.0%
	Grade 12	30.1%	42.5%	60.6%	39.4%
Marijuana Only	All	8.4%	12.6%	22.3%	77.7%
	Grade 7	4.9%	7.5%	13.4%	86.6%
	Grade 8	6.4%	9.2%	18.4%	81.6%
	Grade 9	9.0%	13.7%	23.0%	77.0%
	Grade 10	10.6%	15.6%	27.7%	72.3%
	Grade 11	11.3%	16.5%	28.3%	71.7%
	Grade 12	8.6%	14.9%	25.7%	74.3%
Cocaine or Crack	All	6.0%	9.2%	14.2%	85.8%
	Grade 7	2.9%	4.5%	7.1%	92.9%
	Grade 8	4.4%	6.4%	10.1%	89.9%
	Grade 9	5.6%	8.5%	13.6%	86.4%
	Grade 10	7.4%	11.4%	18.3%	81.7%
	Grade 11	8.7%	13.4%	19.5%	80.5%
	Grade 12	9.7%	15.3%	21.9%	78.1%
Cocaine	All	5.6%	8.5%	13.4%	86.6%
	Grade 7	2.3%	3.5%	6.1%	93.9%
	Grade 8	3.5%	4.9%	8.9%	91.1%
	Grade 9	5.3%	7.9%	12.4%	87.6%
	Grade 10	7.3%	11.2%	18.0%	82.0%
	Grade 11	8.6%	13.2%	19.4%	80.6%
	Grade 12	8.9%	14.2%	20.8%	79.2%

State - Grades 7-12  
Spring 2004

Table B8 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.4%	2.5%	4.4%	95.6%
	Grade 7	1.5%	2.3%	3.9%	96.1%
	Grade 8	1.8%	3.1%	4.9%	95.1%
	Grade 9	1.5%	2.4%	4.5%	95.5%
	Grade 10	1.3%	2.2%	4.2%	95.8%
	Grade 11	0.9%	1.8%	3.9%	96.1%
	Grade 12	1.6%	3.2%	4.8%	95.2%
Hallucinogens	All	2.9%	4.6%	7.6%	92.4%
	Grade 7	1.3%	1.7%	2.6%	97.4%
	Grade 8	1.3%	2.0%	4.5%	95.5%
	Grade 9	2.4%	4.1%	7.2%	92.8%
	Grade 10	4.4%	6.5%	10.7%	89.3%
	Grade 11	4.7%	7.3%	10.9%	89.1%
	Grade 12	4.4%	9.1%	13.6%	86.4%
Uppers	All	4.2%	6.2%	9.2%	90.8%
	Grade 7	1.0%	1.2%	2.7%	97.3%
	Grade 8	2.0%	3.5%	5.1%	94.9%
	Grade 9	3.4%	4.9%	7.5%	92.5%
	Grade 10	6.4%	9.0%	13.1%	86.9%
	Grade 11	7.0%	9.9%	14.6%	85.4%
	Grade 12	8.2%	13.6%	19.0%	81.0%
Downers	All	4.4%	6.3%	9.4%	90.6%
	Grade 7	1.0%	1.3%	2.2%	97.8%
	Grade 8	1.7%	2.5%	5.0%	95.0%
	Grade 9	4.1%	5.9%	9.0%	91.0%
	Grade 10	6.3%	9.2%	12.6%	87.4%
	Grade 11	7.5%	10.1%	14.9%	85.1%
	Grade 12	9.2%	13.9%	19.2%	80.8%
Rohypnol	All	2.9%	4.1%	6.7%	93.3%
	Grade 7	1.7%	2.2%	4.1%	95.9%
	Grade 8	3.2%	4.0%	6.5%	93.5%
	Grade 9	3.5%	5.0%	7.6%	92.4%
	Grade 10	3.4%	4.5%	7.6%	92.4%
	Grade 11	3.3%	4.9%	7.2%	92.8%
	Grade 12	1.5%	3.6%	7.1%	92.9%
Steroids	All	1.1%	1.7%	2.9%	97.1%
	Grade 7	1.2%	1.8%	3.3%	96.7%
	Grade 8	1.6%	2.2%	3.5%	96.5%
	Grade 9	1.0%	1.4%	2.7%	97.3%
	Grade 10	1.0%	1.2%	2.4%	97.6%
	Grade 11	0.9%	1.5%	2.6%	97.4%
	Grade 12	0.9%	2.3%	3.6%	96.4%
Ecstasy	All	3.3%	4.9%	8.5%	91.5%
	Grade 7	1.6%	2.1%	3.7%	96.3%
	Grade 8	2.3%	3.5%	7.2%	92.8%
	Grade 9	3.1%	4.2%	7.6%	92.4%
	Grade 10	3.6%	5.4%	9.4%	90.6%
	Grade 11	5.4%	7.7%	12.4%	87.6%
	Grade 12	5.5%	10.1%	15.3%	84.7%
Heroin	All	1.1%	1.8%	3.3%	96.7%
	Grade 7	1.6%	2.1%	3.9%	96.1%
	Grade 8	1.4%	2.3%	4.0%	96.0%
	Grade 9	1.1%	1.3%	2.5%	97.5%
	Grade 10	1.0%	1.7%	3.6%	96.4%
	Grade 11	0.7%	1.0%	2.0%	98.0%
	Grade 12	0.5%	2.5%	3.8%	96.2%



State - Grades 7-12  
Spring 2004

Table B9: Prevalence and recency of use of selected substances by grade  
--> Students living with two parents

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	14.9%	20.3%	34.6%	65.4%
	Grade 7	4.9%	7.2%	17.0%	83.0%
	Grade 8	8.2%	12.3%	24.9%	75.1%
	Grade 9	13.5%	19.1%	33.5%	66.5%
	Grade 10	18.5%	24.4%	40.3%	59.7%
	Grade 11	23.1%	31.0%	48.5%	51.5%
	Grade 12	25.7%	33.2%	50.3%	49.7%
Alcohol	All	30.0%	41.4%	63.4%	36.6%
	Grade 7	13.7%	20.3%	44.5%	55.5%
	Grade 8	21.1%	31.4%	56.3%	43.7%
	Grade 9	28.9%	40.9%	62.8%	37.2%
	Grade 10	36.2%	49.4%	70.9%	29.1%
	Grade 11	41.2%	54.8%	74.7%	25.3%
	Grade 12	45.1%	59.1%	77.2%	22.8%
Inhalants	All	6.0%	8.6%	15.6%	84.4%
	Grade 7	8.0%	10.8%	17.5%	82.5%
	Grade 8	8.2%	11.2%	19.1%	80.9%
	Grade 9	5.8%	8.7%	15.8%	84.2%
	Grade 10	5.0%	7.7%	14.5%	85.5%
	Grade 11	4.8%	6.6%	13.4%	86.6%
	Grade 12	3.4%	5.6%	11.9%	88.1%
Any Illicit Drug	All	11.7%	16.6%	25.7%	74.3%
	Grade 7	3.5%	5.1%	8.7%	91.3%
	Grade 8	7.2%	9.5%	15.7%	84.3%
	Grade 9	11.0%	16.1%	24.0%	76.0%
	Grade 10	15.5%	21.9%	33.4%	66.6%
	Grade 11	18.2%	25.5%	39.2%	60.8%
	Grade 12	17.5%	25.5%	39.4%	60.6%
Marijuana	All	10.1%	15.0%	24.0%	76.0%
	Grade 7	2.7%	4.0%	7.3%	92.7%
	Grade 8	5.9%	8.0%	13.7%	86.3%
	Grade 9	9.3%	14.4%	22.3%	77.7%
	Grade 10	13.8%	20.1%	31.5%	68.5%
	Grade 11	15.6%	23.6%	37.4%	62.6%
	Grade 12	15.7%	24.1%	38.2%	61.8%
Marijuana Only	All	4.2%	6.9%	13.0%	87.0%
	Grade 7	1.4%	2.2%	4.4%	95.6%
	Grade 8	2.5%	3.6%	7.2%	92.8%
	Grade 9	4.0%	6.8%	12.3%	87.7%
	Grade 10	5.9%	9.4%	17.2%	82.8%
	Grade 11	5.9%	9.8%	19.1%	80.9%
	Grade 12	6.3%	11.2%	20.9%	79.1%
Cocaine or Crack	All	2.8%	4.2%	6.7%	93.3%
	Grade 7	1.1%	1.5%	2.4%	97.6%
	Grade 8	1.7%	2.4%	3.9%	96.1%
	Grade 9	2.6%	3.7%	5.9%	94.1%
	Grade 10	3.2%	4.8%	8.5%	91.5%
	Grade 11	4.8%	7.4%	11.2%	88.8%
	Grade 12	4.1%	6.3%	10.2%	89.8%
Cocaine	All	2.5%	3.8%	6.3%	93.7%
	Grade 7	0.7%	1.1%	1.8%	98.2%
	Grade 8	1.5%	2.1%	3.4%	96.6%
	Grade 9	2.2%	3.2%	5.3%	94.7%
	Grade 10	3.0%	4.7%	8.1%	91.9%
	Grade 11	4.7%	7.2%	11.0%	89.0%
	Grade 12	3.9%	6.0%	9.8%	90.2%

State - Grades 7-12  
Spring 2004

Table B9 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.7%	1.1%	1.9%	98.1%
	Grade 7	0.6%	0.9%	1.4%	98.6%
	Grade 8	0.7%	1.0%	1.8%	98.2%
	Grade 9	0.9%	1.3%	2.2%	97.8%
	Grade 10	0.7%	1.0%	2.2%	97.8%
	Grade 11	0.6%	1.1%	2.1%	97.9%
	Grade 12	0.5%	1.0%	1.9%	98.1%
Hallucinogens	All	1.2%	2.2%	3.9%	96.1%
	Grade 7	0.4%	0.6%	0.8%	99.2%
	Grade 8	0.6%	1.0%	2.1%	97.9%
	Grade 9	1.0%	1.7%	3.2%	96.8%
	Grade 10	1.8%	3.0%	4.9%	95.1%
	Grade 11	2.0%	3.5%	7.3%	92.7%
	Grade 12	1.9%	4.1%	6.5%	93.5%
Uppers	All	2.0%	3.1%	4.7%	95.3%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.8%	1.1%	1.8%	98.2%
	Grade 9	1.5%	2.6%	3.6%	96.4%
	Grade 10	2.7%	4.3%	6.2%	93.8%
	Grade 11	3.8%	5.9%	9.4%	90.6%
	Grade 12	3.6%	5.7%	8.6%	91.4%
Downers	All	2.1%	3.1%	4.7%	95.3%
	Grade 7	0.3%	0.4%	0.6%	99.4%
	Grade 8	0.6%	0.9%	1.7%	98.3%
	Grade 9	1.5%	2.5%	3.6%	96.4%
	Grade 10	2.9%	4.3%	5.9%	94.1%
	Grade 11	4.1%	6.2%	9.4%	90.6%
	Grade 12	3.9%	5.9%	8.8%	91.2%
Rohypnol	All	1.0%	1.6%	2.8%	97.2%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	1.2%	1.6%	2.8%	97.2%
	Grade 9	1.2%	1.9%	3.3%	96.7%
	Grade 10	1.3%	1.9%	3.4%	96.6%
	Grade 11	1.2%	2.1%	3.4%	96.6%
	Grade 12	0.9%	1.8%	3.2%	96.8%
Steroids	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.4%	0.7%	1.4%	98.6%
	Grade 8	0.4%	0.8%	1.8%	98.2%
	Grade 9	0.7%	1.2%	2.1%	97.9%
	Grade 10	0.6%	1.0%	1.7%	98.3%
	Grade 11	0.6%	1.0%	1.9%	98.1%
	Grade 12	1.0%	1.7%	2.5%	97.5%
Ecstasy	All	1.4%	2.3%	4.3%	95.7%
	Grade 7	0.3%	0.5%	1.0%	99.0%
	Grade 8	0.9%	1.7%	3.1%	96.9%
	Grade 9	1.3%	2.1%	4.1%	95.9%
	Grade 10	1.8%	2.7%	5.1%	94.9%
	Grade 11	2.6%	3.8%	6.9%	93.1%
	Grade 12	1.9%	4.0%	7.0%	93.0%
Heroin	All	0.5%	0.7%	1.3%	98.7%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.7%	0.9%	1.5%	98.5%
	Grade 9	0.7%	0.9%	1.4%	98.6%
	Grade 10	0.4%	0.7%	1.6%	98.4%
	Grade 11	0.7%	0.8%	1.3%	98.7%
	Grade 12	0.2%	0.6%	1.0%	99.0%

State - Grades 7-12  
Spring 2004

Table B10: Prevalence and recency of use of selected substances by grade  
--> Students not living with two parents

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	20.5%	27.5%	47.1%	52.9%
	Grade 7	10.3%	14.4%	33.4%	66.6%
	Grade 8	14.5%	20.9%	40.2%	59.8%
	Grade 9	19.0%	26.3%	46.0%	54.0%
	Grade 10	25.2%	32.6%	52.7%	47.3%
	Grade 11	25.7%	34.1%	54.9%	45.1%
	Grade 12	31.9%	40.3%	59.4%	40.6%
Alcohol	All	37.0%	50.7%	75.2%	24.8%
	Grade 7	22.1%	30.7%	61.4%	38.6%
	Grade 8	27.9%	40.7%	69.3%	30.7%
	Grade 9	37.9%	51.6%	75.5%	24.5%
	Grade 10	42.9%	58.8%	80.1%	19.9%
	Grade 11	43.3%	59.1%	81.4%	18.6%
	Grade 12	51.4%	67.7%	86.7%	13.3%
Inhalants	All	7.7%	10.7%	19.3%	80.7%
	Grade 7	11.1%	13.9%	22.9%	77.1%
	Grade 8	10.9%	14.4%	22.9%	77.1%
	Grade 9	6.7%	10.1%	20.1%	79.9%
	Grade 10	6.8%	10.1%	17.6%	82.4%
	Grade 11	5.2%	7.7%	14.9%	85.1%
	Grade 12	4.3%	6.5%	15.9%	84.1%
Any Illicit Drug	All	18.8%	26.3%	40.9%	59.1%
	Grade 7	8.6%	12.2%	21.0%	79.0%
	Grade 8	13.1%	19.5%	30.7%	69.3%
	Grade 9	19.2%	26.4%	40.4%	59.6%
	Grade 10	23.8%	32.9%	50.1%	49.9%
	Grade 11	24.5%	34.0%	52.0%	48.0%
	Grade 12	25.5%	36.1%	56.0%	44.0%
Marijuana	All	16.7%	24.4%	39.3%	60.7%
	Grade 7	7.2%	10.7%	19.3%	80.7%
	Grade 8	11.0%	17.0%	28.5%	71.5%
	Grade 9	17.2%	24.1%	38.7%	61.3%
	Grade 10	21.9%	31.1%	48.4%	51.6%
	Grade 11	21.9%	32.0%	50.3%	49.7%
	Grade 12	22.9%	34.3%	55.0%	45.0%
Marijuana Only	All	6.8%	11.2%	21.6%	78.4%
	Grade 7	3.7%	5.9%	12.1%	87.9%
	Grade 8	4.8%	8.4%	16.2%	83.8%
	Grade 9	7.6%	11.7%	21.3%	78.7%
	Grade 10	9.1%	14.2%	26.9%	73.1%
	Grade 11	7.9%	13.8%	27.0%	73.0%
	Grade 12	7.9%	14.4%	28.7%	71.3%
Cocaine or Crack	All	3.8%	6.0%	9.7%	90.3%
	Grade 7	1.6%	2.6%	4.6%	95.4%
	Grade 8	2.4%	3.9%	6.2%	93.8%
	Grade 9	3.5%	5.4%	8.8%	91.2%
	Grade 10	4.9%	7.8%	12.2%	87.8%
	Grade 11	5.5%	8.3%	13.5%	86.5%
	Grade 12	5.3%	9.1%	14.8%	85.2%
Cocaine	All	3.5%	5.6%	9.2%	90.8%
	Grade 7	1.1%	1.7%	3.6%	96.4%
	Grade 8	1.9%	3.0%	5.3%	94.7%
	Grade 9	3.3%	5.1%	8.2%	91.8%
	Grade 10	4.9%	7.7%	11.9%	88.1%
	Grade 11	5.4%	8.2%	13.3%	86.7%
	Grade 12	5.1%	8.8%	14.5%	85.5%

State - Grades 7-12  
Spring 2004

Table B10 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.8%	1.4%	3.0%	97.0%
	Grade 7	0.8%	1.3%	2.5%	97.5%
	Grade 8	1.2%	2.0%	3.1%	96.9%
	Grade 9	0.7%	1.3%	2.7%	97.3%
	Grade 10	0.7%	1.3%	2.8%	97.2%
	Grade 11	0.5%	1.0%	3.2%	96.8%
	Grade 12	0.7%	1.6%	3.8%	96.2%
Hallucinogens	All	2.0%	3.4%	6.3%	93.7%
	Grade 7	0.9%	1.1%	1.9%	98.1%
	Grade 8	1.1%	1.9%	3.8%	96.2%
	Grade 9	1.9%	3.0%	5.8%	94.2%
	Grade 10	2.8%	4.6%	8.4%	91.6%
	Grade 11	2.7%	4.6%	8.1%	91.9%
	Grade 12	3.3%	6.1%	11.2%	88.8%
Uppers	All	3.2%	5.0%	8.0%	92.0%
	Grade 7	0.7%	1.1%	2.0%	98.0%
	Grade 8	1.3%	2.4%	4.2%	95.8%
	Grade 9	3.1%	4.6%	6.9%	93.1%
	Grade 10	3.9%	6.7%	10.5%	89.5%
	Grade 11	5.6%	8.1%	12.6%	87.4%
	Grade 12	5.3%	8.1%	14.1%	85.9%
Downers	All	3.3%	5.2%	8.0%	92.0%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.4%	2.0%	3.9%	96.1%
	Grade 9	3.4%	4.9%	7.5%	92.5%
	Grade 10	4.1%	7.0%	10.5%	89.5%
	Grade 11	5.6%	8.1%	12.2%	87.8%
	Grade 12	6.0%	9.5%	14.3%	85.7%
Rohypnol	All	1.7%	2.5%	4.5%	95.5%
	Grade 7	0.9%	1.3%	2.7%	97.3%
	Grade 8	1.6%	2.6%	4.3%	95.7%
	Grade 9	1.8%	3.0%	5.0%	95.0%
	Grade 10	2.2%	3.1%	5.4%	94.6%
	Grade 11	2.1%	3.0%	5.1%	94.9%
	Grade 12	1.4%	1.8%	3.9%	96.1%
Steroids	All	0.9%	1.2%	2.2%	97.8%
	Grade 7	0.7%	1.0%	1.9%	98.1%
	Grade 8	1.4%	1.8%	2.9%	97.1%
	Grade 9	0.7%	0.9%	1.7%	98.3%
	Grade 10	0.8%	1.0%	2.0%	98.0%
	Grade 11	0.9%	1.3%	2.3%	97.7%
	Grade 12	0.8%	1.2%	2.1%	97.9%
Ecstasy	All	2.6%	3.9%	7.5%	92.5%
	Grade 7	1.2%	1.6%	3.2%	96.8%
	Grade 8	1.8%	2.9%	5.7%	94.3%
	Grade 9	2.1%	3.1%	6.2%	93.8%
	Grade 10	2.6%	4.1%	8.4%	91.6%
	Grade 11	4.2%	6.1%	10.7%	89.3%
	Grade 12	4.3%	7.0%	12.7%	87.3%
Heroin	All	0.6%	0.9%	2.1%	97.9%
	Grade 7	1.0%	1.2%	2.4%	97.6%
	Grade 8	0.7%	1.1%	2.5%	97.5%
	Grade 9	0.4%	0.7%	1.8%	98.2%
	Grade 10	0.6%	0.9%	1.9%	98.1%
	Grade 11	0.6%	0.8%	1.7%	98.3%
	Grade 12	0.2%	0.6%	2.3%	97.7%

State - Grades 7-12  
Spring 2004

Table B11: Prevalence and recency of use of selected substances by grade  
--> Students who would seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	15.1%	20.5%	36.6%	63.4%
	Grade 7	5.3%	7.7%	19.9%	80.1%
	Grade 8	8.8%	13.1%	27.3%	72.7%
	Grade 9	13.8%	19.5%	35.9%	64.1%
	Grade 10	18.6%	24.8%	42.5%	57.5%
	Grade 11	22.1%	29.4%	48.9%	51.1%
	Grade 12	26.0%	33.3%	51.3%	48.7%
Alcohol	All	30.3%	42.2%	65.9%	34.1%
	Grade 7	14.5%	20.9%	47.7%	52.3%
	Grade 8	21.3%	31.7%	58.8%	41.2%
	Grade 9	29.6%	42.2%	65.8%	34.2%
	Grade 10	36.4%	51.1%	72.9%	27.1%
	Grade 11	39.8%	54.0%	76.1%	23.9%
	Grade 12	45.7%	60.1%	79.6%	20.4%
Inhalants	All	5.5%	8.0%	15.1%	84.9%
	Grade 7	7.5%	9.9%	16.6%	83.4%
	Grade 8	7.5%	10.2%	18.0%	82.0%
	Grade 9	5.1%	8.0%	15.9%	84.1%
	Grade 10	4.8%	7.4%	14.2%	85.8%
	Grade 11	4.1%	5.9%	12.3%	87.7%
	Grade 12	3.4%	5.5%	12.2%	87.8%
Any Illicit Drug	All	12.1%	17.6%	28.2%	71.8%
	Grade 7	3.8%	5.9%	10.7%	89.3%
	Grade 8	7.1%	10.3%	17.4%	82.6%
	Grade 9	11.9%	17.2%	26.6%	73.4%
	Grade 10	16.0%	23.3%	36.6%	63.4%
	Grade 11	18.3%	26.1%	41.2%	58.8%
	Grade 12	18.3%	27.2%	43.0%	57.0%
Marijuana	All	10.6%	16.1%	26.7%	73.3%
	Grade 7	3.0%	4.9%	9.4%	90.6%
	Grade 8	6.0%	9.0%	15.6%	84.4%
	Grade 9	10.4%	15.6%	25.3%	74.7%
	Grade 10	14.6%	21.7%	35.0%	65.0%
	Grade 11	16.0%	24.2%	39.3%	60.7%
	Grade 12	16.3%	25.6%	41.9%	58.1%
Marijuana Only	All	4.6%	7.8%	15.2%	84.8%
	Grade 7	1.8%	3.0%	6.2%	93.8%
	Grade 8	2.5%	4.2%	8.9%	91.1%
	Grade 9	4.8%	7.7%	14.5%	85.5%
	Grade 10	6.7%	11.0%	20.4%	79.6%
	Grade 11	6.1%	10.6%	21.4%	78.6%
	Grade 12	6.5%	11.9%	23.4%	76.6%
Cocaine or Crack	All	2.6%	3.9%	6.6%	93.4%
	Grade 7	0.9%	1.3%	2.4%	97.6%
	Grade 8	1.5%	2.1%	3.8%	96.2%
	Grade 9	2.4%	3.5%	5.8%	94.2%
	Grade 10	3.0%	4.5%	8.2%	91.8%
	Grade 11	4.5%	6.7%	10.6%	89.4%
	Grade 12	4.0%	6.7%	10.8%	89.2%
Cocaine	All	2.4%	3.7%	6.2%	93.8%
	Grade 7	0.6%	0.9%	1.7%	98.3%
	Grade 8	1.3%	1.8%	3.2%	96.8%
	Grade 9	2.1%	3.2%	5.3%	94.7%
	Grade 10	2.8%	4.3%	7.8%	92.2%
	Grade 11	4.5%	6.6%	10.5%	89.5%
	Grade 12	3.9%	6.5%	10.5%	89.5%

State - Grades 7-12  
Spring 2004

Table B11 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.5%	0.8%	1.8%	98.2%
	Grade 7	0.5%	0.8%	1.3%	98.7%
	Grade 8	0.7%	0.9%	1.7%	98.3%
	Grade 9	0.7%	1.0%	1.8%	98.2%
	Grade 10	0.4%	0.7%	1.8%	98.2%
	Grade 11	0.4%	0.8%	2.0%	98.0%
	Grade 12	0.3%	0.8%	2.3%	97.7%
Hallucinogens	All	1.2%	2.1%	4.1%	95.9%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.7%	1.1%	2.3%	97.7%
	Grade 9	1.1%	1.7%	3.5%	96.5%
	Grade 10	1.5%	2.7%	5.0%	95.0%
	Grade 11	1.9%	3.5%	6.8%	93.2%
	Grade 12	2.0%	4.1%	7.5%	92.5%
Uppers	All	2.0%	3.2%	5.1%	94.9%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.7%	1.1%	2.0%	98.0%
	Grade 9	1.7%	2.9%	4.3%	95.7%
	Grade 10	2.5%	4.4%	6.8%	93.2%
	Grade 11	3.9%	5.8%	9.2%	90.8%
	Grade 12	3.9%	5.7%	9.6%	90.4%
Downers	All	2.1%	3.3%	5.1%	94.9%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.7%	1.0%	1.8%	98.2%
	Grade 9	1.8%	2.9%	4.4%	95.6%
	Grade 10	2.5%	4.2%	6.4%	93.6%
	Grade 11	4.0%	6.1%	9.3%	90.7%
	Grade 12	4.4%	6.4%	9.8%	90.2%
Rohypnol	All	1.0%	1.6%	2.9%	97.1%
	Grade 7	0.4%	0.5%	1.2%	98.8%
	Grade 8	0.9%	1.5%	2.6%	97.4%
	Grade 9	1.1%	1.9%	3.3%	96.7%
	Grade 10	1.3%	1.9%	3.5%	96.5%
	Grade 11	1.5%	2.2%	3.6%	96.4%
	Grade 12	1.1%	1.6%	3.1%	96.9%
Steroids	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.4%	0.7%	1.7%	98.3%
	Grade 9	0.6%	0.9%	1.8%	98.2%
	Grade 10	0.5%	0.8%	1.4%	98.6%
	Grade 11	0.6%	0.8%	1.7%	98.3%
	Grade 12	0.6%	1.1%	1.9%	98.1%
Ecstasy	All	1.4%	2.4%	4.7%	95.3%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.8%	1.7%	3.3%	96.7%
	Grade 9	1.0%	1.8%	3.8%	96.2%
	Grade 10	1.5%	2.4%	5.2%	94.8%
	Grade 11	2.9%	4.3%	7.7%	92.3%
	Grade 12	2.3%	4.5%	8.2%	91.8%
Heroin	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.2%	0.4%	1.0%	99.0%
	Grade 8	0.5%	0.7%	1.5%	98.5%
	Grade 9	0.3%	0.5%	1.1%	98.9%
	Grade 10	0.2%	0.3%	1.1%	98.9%
	Grade 11	0.3%	0.4%	1.0%	99.0%
	Grade 12	0.1%	0.3%	1.2%	98.8%

State - Grades 7-12  
Spring 2004

Table B12: Prevalence and recency of use of selected substances by grade  
--> Students who wouldn't seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	23.8%	32.1%	49.1%	50.9%
	Grade 7	13.0%	18.7%	34.7%	65.3%
	Grade 8	17.6%	25.0%	43.5%	56.5%
	Grade 9	21.1%	29.5%	47.0%	53.0%
	Grade 10	28.1%	36.2%	53.6%	46.4%
	Grade 11	32.0%	42.3%	57.5%	42.5%
	Grade 12	34.0%	44.0%	61.0%	39.0%
Alcohol	All	41.3%	54.9%	75.3%	24.7%
	Grade 7	26.3%	36.9%	63.3%	36.7%
	Grade 8	32.7%	46.3%	70.5%	29.5%
	Grade 9	40.9%	54.2%	74.0%	26.0%
	Grade 10	47.0%	60.6%	80.0%	20.0%
	Grade 11	49.4%	64.0%	81.3%	18.7%
	Grade 12	54.0%	70.3%	84.2%	15.8%
Inhalants	All	10.8%	14.8%	23.9%	76.1%
	Grade 7	17.3%	21.6%	33.2%	66.8%
	Grade 8	16.1%	21.0%	29.9%	70.1%
	Grade 9	9.8%	14.2%	23.3%	76.7%
	Grade 10	8.7%	12.7%	20.0%	80.0%
	Grade 11	7.8%	11.0%	19.6%	80.4%
	Grade 12	4.3%	6.8%	16.3%	83.7%
Any Illicit Drug	All	22.1%	29.6%	43.0%	57.0%
	Grade 7	11.2%	14.9%	23.4%	76.6%
	Grade 8	17.5%	24.0%	35.5%	64.5%
	Grade 9	21.1%	29.0%	41.6%	58.4%
	Grade 10	27.1%	36.9%	51.9%	48.1%
	Grade 11	28.2%	36.5%	52.7%	47.3%
	Grade 12	28.8%	37.1%	54.3%	45.7%
Marijuana	All	19.7%	27.1%	40.6%	59.4%
	Grade 7	9.5%	12.7%	21.1%	78.9%
	Grade 8	14.9%	20.6%	32.9%	67.1%
	Grade 9	18.8%	26.5%	38.4%	61.6%
	Grade 10	24.2%	33.8%	49.3%	50.7%
	Grade 11	25.2%	34.3%	50.9%	49.1%
	Grade 12	26.7%	35.8%	53.0%	47.0%
Marijuana Only	All	7.7%	11.6%	20.3%	79.7%
	Grade 7	4.4%	6.2%	11.8%	88.2%
	Grade 8	6.9%	10.0%	17.3%	82.7%
	Grade 9	7.1%	11.5%	19.2%	80.8%
	Grade 10	9.1%	13.7%	24.6%	75.4%
	Grade 11	9.8%	14.5%	25.1%	74.9%
	Grade 12	8.9%	13.8%	24.7%	75.3%
Cocaine or Crack	All	4.9%	7.8%	12.0%	88.0%
	Grade 7	2.5%	4.1%	6.1%	93.9%
	Grade 8	3.8%	6.0%	8.9%	91.1%
	Grade 9	4.4%	7.0%	10.5%	89.5%
	Grade 10	6.3%	10.6%	15.5%	84.5%
	Grade 11	6.5%	10.6%	16.8%	83.2%
	Grade 12	6.4%	9.1%	15.1%	84.9%
Cocaine	All	4.4%	7.1%	11.2%	88.8%
	Grade 7	2.1%	3.2%	4.9%	95.1%
	Grade 8	3.0%	4.5%	7.6%	92.4%
	Grade 9	3.8%	6.5%	9.7%	90.3%
	Grade 10	6.1%	10.5%	15.3%	84.7%
	Grade 11	6.3%	10.1%	16.4%	83.6%
	Grade 12	5.5%	8.3%	14.3%	85.7%

State - Grades 7-12  
Spring 2004

Table B12 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.4%	2.4%	4.2%	95.8%
	Grade 7	1.3%	2.3%	3.9%	96.1%
	Grade 8	1.5%	2.9%	4.8%	95.2%
	Grade 9	1.5%	2.4%	4.2%	95.8%
	Grade 10	1.5%	2.2%	4.0%	96.0%
	Grade 11	0.9%	2.2%	4.9%	95.1%
	Grade 12	1.9%	2.2%	3.3%	96.7%
Hallucinogens	All	2.7%	4.3%	7.3%	92.7%
	Grade 7	1.3%	1.8%	2.8%	97.2%
	Grade 8	1.3%	2.1%	4.0%	96.0%
	Grade 9	2.4%	4.0%	7.0%	93.0%
	Grade 10	4.1%	5.9%	10.3%	89.7%
	Grade 11	4.0%	6.0%	10.7%	89.3%
	Grade 12	3.6%	6.5%	9.7%	90.3%
Uppers	All	3.9%	6.2%	9.2%	90.8%
	Grade 7	1.2%	1.9%	2.5%	97.5%
	Grade 8	1.8%	3.5%	5.5%	94.5%
	Grade 9	3.5%	5.1%	7.5%	92.5%
	Grade 10	5.4%	7.9%	11.3%	88.7%
	Grade 11	6.1%	9.2%	15.0%	85.0%
	Grade 12	6.1%	11.2%	15.2%	84.8%
Downers	All	4.0%	6.1%	9.0%	91.0%
	Grade 7	1.2%	1.7%	2.4%	97.6%
	Grade 8	1.5%	2.1%	4.9%	95.1%
	Grade 9	3.6%	5.3%	7.7%	92.3%
	Grade 10	5.8%	8.8%	12.2%	87.8%
	Grade 11	6.5%	9.2%	14.3%	85.7%
	Grade 12	6.1%	10.6%	14.2%	85.8%
Rohypnol	All	2.3%	3.4%	5.5%	94.5%
	Grade 7	1.6%	1.9%	3.3%	96.7%
	Grade 8	2.9%	3.8%	6.4%	93.6%
	Grade 9	2.6%	4.0%	6.0%	94.0%
	Grade 10	2.9%	4.3%	6.6%	93.4%
	Grade 11	2.1%	2.9%	5.7%	94.3%
	Grade 12	1.1%	2.6%	4.4%	95.6%
Steroids	All	1.3%	1.9%	3.2%	96.8%
	Grade 7	0.7%	1.1%	2.9%	97.1%
	Grade 8	1.8%	2.6%	3.7%	96.3%
	Grade 9	1.2%	1.6%	2.5%	97.5%
	Grade 10	1.0%	1.6%	3.2%	96.8%
	Grade 11	1.3%	1.9%	3.4%	96.6%
	Grade 12	2.1%	2.9%	4.0%	96.0%
Ecstasy	All	3.1%	4.7%	8.8%	91.2%
	Grade 7	1.6%	2.3%	4.5%	95.5%
	Grade 8	2.3%	3.3%	6.7%	93.3%
	Grade 9	3.1%	4.3%	8.6%	91.4%
	Grade 10	3.1%	5.3%	10.1%	89.9%
	Grade 11	4.6%	6.1%	10.8%	89.2%
	Grade 12	4.1%	7.5%	12.5%	87.5%
Heroin	All	1.2%	1.8%	3.1%	96.9%
	Grade 7	1.9%	2.3%	3.8%	96.2%
	Grade 8	1.3%	1.8%	3.6%	96.4%
	Grade 9	1.2%	1.7%	3.0%	97.0%
	Grade 10	1.2%	1.9%	3.3%	96.7%
	Grade 11	1.4%	1.6%	2.4%	97.6%
	Grade 12	0.5%	1.2%	2.2%	97.8%



State - Grades 7-12  
Spring 2004

Table B13: Prevalence and recency of use of selected substances by grade  
--> Students living in town three years or less

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	17.2%	22.9%	40.8%	59.2%
	Grade 7	8.7%	12.5%	27.2%	72.8%
	Grade 8	12.2%	17.6%	34.6%	65.4%
	Grade 9	17.6%	23.9%	42.2%	57.8%
	Grade 10	23.4%	29.4%	47.9%	52.1%
	Grade 11	23.8%	31.7%	52.7%	47.3%
	Grade 12	29.3%	36.1%	57.4%	42.6%
Alcohol	All	30.8%	42.3%	67.0%	33.0%
	Grade 7	18.7%	26.5%	52.9%	47.1%
	Grade 8	24.5%	35.0%	63.0%	37.0%
	Grade 9	33.3%	44.9%	68.1%	31.9%
	Grade 10	37.7%	51.9%	74.1%	25.9%
	Grade 11	39.6%	53.4%	77.7%	22.3%
	Grade 12	45.6%	61.4%	81.1%	18.9%
Inhalants	All	7.5%	10.3%	18.8%	81.2%
	Grade 7	9.8%	12.6%	21.0%	79.0%
	Grade 8	9.2%	12.3%	20.8%	79.2%
	Grade 9	6.9%	10.1%	19.9%	80.1%
	Grade 10	6.7%	9.6%	17.0%	83.0%
	Grade 11	5.2%	6.9%	14.4%	85.6%
	Grade 12	3.9%	5.8%	16.5%	83.5%
Any Illicit Drug	All	14.8%	20.6%	33.0%	67.0%
	Grade 7	6.6%	9.5%	16.8%	83.2%
	Grade 8	11.4%	16.0%	25.7%	74.3%
	Grade 9	15.6%	22.1%	34.8%	65.2%
	Grade 10	20.8%	28.2%	42.9%	57.1%
	Grade 11	20.5%	28.8%	46.4%	53.6%
	Grade 12	21.6%	29.4%	49.8%	50.2%
Marijuana	All	13.1%	18.7%	31.1%	68.9%
	Grade 7	5.7%	8.3%	15.3%	84.7%
	Grade 8	9.8%	13.9%	23.7%	76.3%
	Grade 9	13.6%	19.9%	33.1%	66.9%
	Grade 10	18.6%	26.0%	40.4%	59.6%
	Grade 11	19.0%	27.1%	44.3%	55.7%
	Grade 12	18.8%	27.5%	48.1%	51.9%
Marijuana Only	All	5.5%	8.8%	17.0%	83.0%
	Grade 7	3.2%	4.8%	9.8%	90.2%
	Grade 8	4.9%	7.4%	13.4%	86.6%
	Grade 9	5.8%	9.4%	18.1%	81.9%
	Grade 10	7.5%	11.3%	21.3%	78.7%
	Grade 11	7.6%	12.8%	23.9%	76.1%
	Grade 12	4.9%	9.1%	22.3%	77.7%
Cocaine or Crack	All	3.2%	4.9%	8.1%	91.9%
	Grade 7	1.1%	2.0%	3.5%	96.5%
	Grade 8	2.4%	3.6%	5.6%	94.4%
	Grade 9	3.3%	4.9%	8.1%	91.9%
	Grade 10	4.8%	6.9%	11.2%	88.8%
	Grade 11	4.7%	7.5%	12.3%	87.7%
	Grade 12	5.6%	8.2%	14.2%	85.8%
Cocaine	All	3.0%	4.4%	7.5%	92.5%
	Grade 7	0.8%	1.4%	2.8%	97.2%
	Grade 8	1.8%	2.5%	4.7%	95.3%
	Grade 9	3.0%	4.4%	7.4%	92.6%
	Grade 10	4.7%	6.8%	10.7%	89.3%
	Grade 11	4.6%	7.5%	12.2%	87.8%
	Grade 12	5.4%	8.1%	13.7%	86.3%

State - Grades 7-12  
Spring 2004

Table B13 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.7%	1.2%	2.5%	97.5%
	Grade 7	0.5%	1.0%	1.8%	98.2%
	Grade 8	0.9%	1.8%	2.7%	97.3%
	Grade 9	0.7%	1.1%	2.4%	97.6%
	Grade 10	0.9%	1.4%	2.9%	97.1%
	Grade 11	0.5%	1.0%	2.8%	97.2%
	Grade 12	0.5%	0.8%	3.2%	96.8%
Hallucinogens	All	1.7%	2.6%	4.7%	95.3%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	1.0%	1.5%	3.1%	96.9%
	Grade 9	1.6%	2.1%	4.4%	95.6%
	Grade 10	2.9%	4.4%	7.2%	92.8%
	Grade 11	2.3%	3.6%	6.6%	93.4%
	Grade 12	3.6%	6.5%	10.8%	89.2%
Uppers	All	2.3%	3.8%	5.9%	94.1%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	1.0%	2.1%	2.9%	97.1%
	Grade 9	2.2%	3.7%	5.4%	94.6%
	Grade 10	3.7%	6.2%	9.1%	90.9%
	Grade 11	3.6%	5.9%	9.9%	90.1%
	Grade 12	5.7%	8.8%	15.7%	84.3%
Downers	All	2.4%	3.7%	5.8%	94.2%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	0.9%	1.2%	2.7%	97.3%
	Grade 9	2.4%	4.2%	5.9%	94.1%
	Grade 10	4.1%	6.4%	9.1%	90.9%
	Grade 11	3.6%	5.6%	9.0%	91.0%
	Grade 12	6.7%	8.8%	14.6%	85.4%
Rohypnol	All	1.5%	2.1%	3.7%	96.3%
	Grade 7	0.5%	0.7%	1.7%	98.3%
	Grade 8	1.6%	2.0%	3.8%	96.2%
	Grade 9	1.6%	2.7%	4.2%	95.8%
	Grade 10	2.3%	3.1%	4.9%	95.1%
	Grade 11	1.6%	2.2%	4.3%	95.7%
	Grade 12	1.4%	1.7%	3.3%	96.7%
Steroids	All	0.8%	1.3%	2.1%	97.9%
	Grade 7	0.8%	1.3%	2.3%	97.7%
	Grade 8	1.1%	1.4%	2.0%	98.0%
	Grade 9	0.5%	0.9%	1.5%	98.5%
	Grade 10	0.8%	1.2%	2.1%	97.9%
	Grade 11	0.9%	1.6%	2.8%	97.2%
	Grade 12	0.7%	1.3%	2.5%	97.5%
Ecstasy	All	1.9%	3.0%	5.8%	94.2%
	Grade 7	0.7%	1.0%	2.2%	97.8%
	Grade 8	1.3%	1.9%	4.4%	95.6%
	Grade 9	1.7%	2.7%	5.6%	94.4%
	Grade 10	2.8%	4.2%	7.9%	92.1%
	Grade 11	3.0%	4.7%	8.7%	91.3%
	Grade 12	3.0%	6.7%	11.3%	88.7%
Heroin	All	0.7%	0.9%	1.8%	98.2%
	Grade 7	0.9%	1.1%	1.8%	98.2%
	Grade 8	0.8%	1.0%	2.0%	98.0%
	Grade 9	0.5%	0.8%	1.5%	98.5%
	Grade 10	0.9%	1.1%	2.3%	97.7%
	Grade 11	0.5%	0.6%	1.6%	98.4%
	Grade 12	0.3%	0.6%	1.2%	98.8%

State - Grades 7-12  
Spring 2004

Table B14: Prevalence and recency of use of selected substances by grade  
--> Students living in town more than three years

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	17.1%	23.1%	38.9%	61.1%
	Grade 7	5.8%	8.4%	20.8%	79.2%
	Grade 8	9.8%	14.6%	28.9%	71.1%
	Grade 9	15.0%	21.3%	37.0%	63.0%
	Grade 10	20.4%	27.1%	44.3%	55.7%
	Grade 11	24.2%	32.3%	50.3%	49.7%
	Grade 12	27.8%	35.9%	53.2%	46.8%
Alcohol	All	33.4%	46.1%	68.4%	31.6%
	Grade 7	15.5%	22.8%	49.5%	50.5%
	Grade 8	23.4%	34.9%	60.4%	39.6%
	Grade 9	32.2%	45.4%	68.0%	32.0%
	Grade 10	39.3%	53.7%	74.8%	25.2%
	Grade 11	42.9%	57.6%	77.2%	22.8%
	Grade 12	47.8%	62.4%	80.7%	19.3%
Inhalants	All	6.3%	9.1%	16.3%	83.7%
	Grade 7	8.6%	11.4%	18.6%	81.4%
	Grade 8	9.3%	12.4%	20.4%	79.6%
	Grade 9	5.9%	8.9%	16.5%	83.5%
	Grade 10	5.3%	8.3%	15.2%	84.8%
	Grade 11	4.8%	7.0%	13.7%	86.3%
	Grade 12	3.7%	6.0%	12.9%	87.1%
Any Illicit Drug	All	14.3%	20.3%	31.0%	69.0%
	Grade 7	4.6%	6.7%	11.1%	88.9%
	Grade 8	8.5%	12.0%	19.4%	80.6%
	Grade 9	13.8%	19.5%	28.9%	71.1%
	Grade 10	18.0%	25.6%	39.0%	61.0%
	Grade 11	20.6%	28.7%	43.3%	56.7%
	Grade 12	20.4%	29.5%	45.0%	55.0%
Marijuana	All	12.5%	18.6%	29.4%	70.6%
	Grade 7	3.5%	5.4%	9.7%	90.3%
	Grade 8	7.0%	10.3%	17.3%	82.7%
	Grade 9	12.0%	17.7%	27.2%	72.8%
	Grade 10	16.4%	23.9%	37.5%	62.5%
	Grade 11	17.6%	26.6%	41.6%	58.4%
	Grade 12	18.4%	28.0%	44.0%	56.0%
Marijuana Only	All	5.1%	8.5%	16.0%	84.0%
	Grade 7	1.7%	2.8%	5.7%	94.3%
	Grade 8	2.7%	4.5%	9.4%	90.6%
	Grade 9	5.3%	8.6%	15.0%	85.0%
	Grade 10	7.1%	11.3%	21.0%	79.0%
	Grade 11	6.4%	10.9%	21.5%	78.5%
	Grade 12	7.2%	12.9%	24.1%	75.9%
Cocaine or Crack	All	3.1%	4.9%	7.8%	92.2%
	Grade 7	1.4%	1.9%	3.1%	96.9%
	Grade 8	1.8%	2.7%	4.4%	95.6%
	Grade 9	2.8%	4.2%	6.6%	93.4%
	Grade 10	3.5%	5.7%	9.5%	90.5%
	Grade 11	5.1%	7.8%	11.9%	88.1%
	Grade 12	4.4%	7.3%	11.6%	88.4%
Cocaine	All	2.9%	4.5%	7.3%	92.7%
	Grade 7	0.9%	1.3%	2.3%	97.7%
	Grade 8	1.5%	2.4%	3.9%	96.1%
	Grade 9	2.5%	3.8%	6.1%	93.9%
	Grade 10	3.3%	5.5%	9.2%	90.8%
	Grade 11	5.1%	7.6%	11.7%	88.3%
	Grade 12	4.2%	6.9%	11.3%	88.7%

State - Grades 7-12  
Spring 2004

Table B14 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.7%	1.2%	2.3%	97.7%
	Grade 7	0.8%	1.1%	1.8%	98.2%
	Grade 8	0.9%	1.2%	2.2%	97.8%
	Grade 9	0.9%	1.4%	2.4%	97.6%
	Grade 10	0.6%	1.0%	2.2%	97.8%
	Grade 11	0.6%	1.1%	2.4%	97.6%
	Grade 12	0.6%	1.3%	2.5%	97.5%
Hallucinogens	All	1.5%	2.7%	4.9%	95.1%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.7%	1.2%	2.6%	97.4%
	Grade 9	1.3%	2.3%	4.2%	95.8%
	Grade 10	2.0%	3.4%	6.0%	94.0%
	Grade 11	2.2%	4.1%	7.9%	92.1%
	Grade 12	2.2%	4.6%	7.8%	92.2%
Uppers	All	2.5%	3.9%	6.0%	94.0%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	1.0%	1.4%	2.6%	97.4%
	Grade 9	2.2%	3.3%	4.8%	95.2%
	Grade 10	3.0%	4.9%	7.4%	92.6%
	Grade 11	4.8%	7.1%	10.8%	89.2%
	Grade 12	4.0%	6.2%	10.0%	90.0%
Downers	All	2.6%	4.0%	6.0%	94.0%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.9%	1.3%	2.3%	97.7%
	Grade 9	2.2%	3.2%	4.9%	95.1%
	Grade 10	3.1%	4.9%	7.2%	92.8%
	Grade 11	5.0%	7.4%	11.0%	89.0%
	Grade 12	4.4%	7.0%	10.3%	89.7%
Rohypnol	All	1.2%	1.9%	3.4%	96.6%
	Grade 7	0.7%	0.9%	1.6%	98.4%
	Grade 8	1.2%	2.0%	3.2%	96.8%
	Grade 9	1.4%	2.2%	3.9%	96.1%
	Grade 10	1.4%	2.2%	3.9%	96.1%
	Grade 11	1.5%	2.5%	3.9%	96.1%
	Grade 12	1.1%	1.8%	3.5%	96.5%
Steroids	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.6%	1.1%	2.3%	97.7%
	Grade 9	0.7%	1.1%	2.0%	98.0%
	Grade 10	0.6%	0.9%	1.7%	98.3%
	Grade 11	0.6%	0.9%	1.8%	98.2%
	Grade 12	1.0%	1.5%	2.4%	97.6%
Ecstasy	All	1.9%	2.9%	5.5%	94.5%
	Grade 7	0.6%	0.9%	1.6%	98.4%
	Grade 8	1.2%	2.3%	4.0%	96.0%
	Grade 9	1.6%	2.4%	4.6%	95.4%
	Grade 10	1.8%	2.9%	5.8%	94.2%
	Grade 11	3.3%	4.6%	8.2%	91.8%
	Grade 12	2.8%	4.9%	8.8%	91.2%
Heroin	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.4%	0.6%	1.4%	98.6%
	Grade 8	0.6%	1.0%	1.8%	98.2%
	Grade 9	0.6%	0.9%	1.6%	98.4%
	Grade 10	0.4%	0.6%	1.5%	98.5%
	Grade 11	0.7%	0.9%	1.4%	98.6%
	Grade 12	0.2%	0.6%	1.5%	98.5%

State - Grades 7-12  
Spring 2004

The FREQ Procedure

GENDER

q1	Frequency	Percent
Female	1076075	51.41
Male	1017196	48.59

Frequency Missing = 5218.2225692

GRADE

q2	Frequency	Percent
Grade 7	360779.3	17.19
Grade 8	387326.4	18.46
Grade 9	400277.8	19.07
Grade 10	367332.3	17.50
Grade 11	307333.6	14.65
Grade 12	275439.9	13.13

LIVE WITH BOTH PARENTS

q3	Frequency	Percent
No	798506.1	38.24
Yes	1289640	61.76

Frequency Missing = 10343.255114

AGE

q4	Frequency	Percent
11 or younger	2445.419	0.12
12	105491.4	5.04
13	334062	15.96
14	382933.9	18.30
15	382620.7	18.28
16	358577.2	17.13
17	308648.5	14.75
18	198724.9	9.49
19 or older	19460.88	0.93

Frequency Missing = 5524.600202

ETHNICITY

q5	Frequency	Percent
African/American	334657.9	15.95
Asian/American	73147.56	3.49
Mexican/American	792460.8	37.76
Native/American	5418.055	0.26
Other	36466.5	1.74
White	856338.6	40.81

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

ON AVERAGE WHAT GRADES DO YOU GET

q6	Frequency	Percent
Mostly A's	603505.6	29.11
Mostly B's	1013563	48.89
Mostly C's	386427.7	18.64
Mostly D's	46766.38	2.26
Mostly F's	22781.78	1.10

Frequency Missing = 25445.451591

LENGTH OF TIME IN THIS DISTRICT

q7	Frequency	Percent
<1 year	218517.2	10.56
2-3 years	357884.3	17.29
>4 years	1493786	72.16

Frequency Missing = 28301.736483

DO YOU HAVE A JOB

q8	Frequency	Percent
No	1575369	76.04
Yes	496478.7	23.96

Frequency Missing = 26641.520751

DO YOU GET AN ALLOWANCE

q9	Frequency	Percent
No	1192649	57.88
Yes	867901.8	42.12

Frequency Missing = 37938.587011

EITHER PARENT COLLEGE GRADUATE

q10	Frequency	Percent
Don't Know	322596.3	15.57
No	761387.7	36.74
Yes	988488.6	47.70

Frequency Missing = 26016.814428

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

QUALIFY FOR FREE/REDUCED PRICE LUNCH

q11	Frequency	Percent
Don't Know	311659.7	15.06
No	1003955	48.51
Yes	754048.3	36.43

Frequency Missing = 28826.521947

PARTICIPATE IN ATHLETICS

q12a	Frequency	Percent
No	901997	46.13
Yes	1053434	53.87

Frequency Missing = 143058.07785

PARTICIPATE IN BAND/ORCHESTRA

q12b	Frequency	Percent
No	1344351	76.88
Yes	404205.7	23.12

Frequency Missing = 349932.44532

PARTICIPATE IN CHOIR

q12c	Frequency	Percent
No	1407027	85.30
Yes	242562.5	14.70

Frequency Missing = 448899.51897

PARTICIPATE IN DRAMA/SPEECH

q12d	Frequency	Percent
No	1373215	83.40
Yes	273363.2	16.60

Frequency Missing = 451911.48477

PARTICIPATE IN DRILL TEAM/CHEERLEADING

q12e	Frequency	Percent
No	1469245	89.37
Yes	174806.3	10.63

Frequency Missing = 454437.75472

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

PARTICIPATE IN STUDENT GOVERNMENT

q12f	Frequency	Percent
No	1541589	93.77
Yes	102460.5	6.23

Frequency Missing = 454439.85466

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK

q12g	Frequency	Percent
No	1575632	94.67
Yes	88781.53	5.33

Frequency Missing = 434076.34444

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES

q12h	Frequency	Percent
No	1336905	77.09
Yes	397419.2	22.91

Frequency Missing = 364165.32718

PARTICIPATE IN SERVICE CLUBS

q12i	Frequency	Percent
No	1537229	88.83
Yes	193215.5	11.17

Frequency Missing = 368044.55993

PARTICIPATE IN VOE/DE/WORK-STUDY

q12j	Frequency	Percent
No	1675674	96.69
Yes	57403.38	3.31

Frequency Missing = 365411.68913

PARTICIPATE IN OTHER CLUBS

q12k	Frequency	Percent
No	1256463	69.07
Yes	562584.1	30.93

Frequency Missing = 279442.66481

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state



State - Grades 7-12  
Spring 2004

The FREQ Procedure

DO YOU FEEL SAFE IN YOUR HOME

q13a	Frequency	Percent
Very Safe	1644357	79.19
Somewhat Safe	370734.2	17.85
Not Very Safe	27522.74	1.33
Not Safe At All	9179.068	0.44
Don't Know	24576.68	1.18

Frequency Missing = 22119.876006

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD

q13b	Frequency	Percent
Very Safe	851948.3	41.25
Somewhat Safe	955566.6	46.27
Not Very Safe	169453.2	8.20
Not Safe At All	43925.01	2.13
Don't Know	44488.91	2.15

Frequency Missing = 33107.361763

DO YOU FEEL SAFE AT SCHOOL

q13c	Frequency	Percent
Very Safe	747504.3	36.15
Somewhat Safe	972689.8	47.04
Not Very Safe	191524	9.26
Not Safe At All	91695.26	4.43
Don't Know	64195.21	3.10

Frequency Missing = 30880.840769

FRIENDS FEELING CLOSE TO THEIR PARENTS

q14a	Frequency	Percent
None	113774.7	5.50
A Few	560880.3	27.09
Some	531236.1	25.66
Most	672046.2	32.46
All	192319.1	9.29

Frequency Missing = 28233.01735

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

HOW MANY FRIENDS CARRY WEAPONS

q14b	Frequency	Percent
None	1336154	65.48
A Few	422564.5	20.71
Some	185165.4	9.07
Most	70031.75	3.43
All	26771.8	1.31

Frequency Missing = 57801.948889

HOW MANY FRIENDS CARE ABOUT GOOD GRADES

q14c	Frequency	Percent
None	68399.51	3.41
A Few	309788.5	15.42
Some	468848.2	23.34
Most	806241.6	40.14
All	355118.2	17.68

Frequency Missing = 90093.416418

HOW MANY FRIENDS BELONG TO A GANG

q14d	Frequency	Percent
None	1559012	75.71
A Few	278318.2	13.52
Some	125172.4	6.08
Most	64301.68	3.12
All	32275.23	1.57

Frequency Missing = 39409.874469

FRIENDS WISHING TO DROP OUT OF SCHOOL

q14e	Frequency	Percent
None	1168602	56.74
A Few	566983.3	27.53
Some	189412.1	9.20
Most	79384.26	3.85
All	55038.4	2.67

Frequency Missing = 39069.207174

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES

q15	Frequency	Percent
No	1068281	56.06
Yes	837254.4	43.94

Frequency Missing = 192954.23322

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

EVER INHALED SPRAY PAINT FOR KICKS

q16a	Frequency	Percent
Never Heard/Used	1914409	93.30
In Your Lifetime	83437.6	4.07
Since School Began	21935.86	1.07
In the Past Month	32048.69	1.56

Frequency Missing = 46658.358812

EVER INHALED WHITEOUT FOR KICKS

q16b	Frequency	Percent
Never Heard/Used	1889838	93.26
In Your Lifetime	76453.31	3.77
Since School Began	24114.68	1.19
In the Past Month	35989.29	1.78

Frequency Missing = 72094.514935

EVER INHALED GASOLINE FOR KICKS

q16c	Frequency	Percent
Never Heard/Used	1927440	95.88
In Your Lifetime	46086.68	2.29
Since School Began	12189.97	0.61
In the Past Month	24618.57	1.22

Frequency Missing = 88154.489318

EVER INHALED FREON FOR KICKS

q16d	Frequency	Percent
Never Heard/Used	1962194	98.20
In Your Lifetime	18062.98	0.90
Since School Began	6388.72	0.32
In the Past Month	11537.64	0.58

Frequency Missing = 100306.10042

EVER INHALED POPPERS, ETC. FOR KICKS

q16e	Frequency	Percent
Never Heard/Used	1961543	98.16
In Your Lifetime	15777.6	0.79
Since School Began	7924.421	0.40
In the Past Month	13118.86	0.66

Frequency Missing = 100125.19963

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

EVER INHALED GLUE FOR KICKS

q16f	Frequency	Percent
Never Heard/Used	1920413	96.18
In Your Lifetime	45476.25	2.28
Since School Began	11753.46	0.59
In the Past Month	18944.36	0.95

Frequency Missing = 101902.18419

EVER INHALED PAINT THINNERS FOR KICKS

q16g	Frequency	Percent
Never Heard/Used	1913809	95.90
In Your Lifetime	44905.17	2.25
Since School Began	14260.66	0.71
In the Past Month	22554.75	1.13

Frequency Missing = 102959.92567

EVER INHALED NITROUS OXIDE FOR KICKS

q16h	Frequency	Percent
Never Heard/Used	1904828	95.12
In Your Lifetime	46958.04	2.34
Since School Began	22803.74	1.14
In the Past Month	27957.95	1.40

Frequency Missing = 95941.692683

EVER INHALED OCTANE BOOSTER FOR KICKS

q16i	Frequency	Percent
Never Heard/Used	1976595	98.80
In Your Lifetime	9362.959	0.47
Since School Began	4974.481	0.25
In the Past Month	9634.755	0.48

Frequency Missing = 97922.085985

EVER INHALED OTHER SPRAYS FOR KICKS

q16j	Frequency	Percent
Never Heard/Used	1937708	96.21
In Your Lifetime	38423.12	1.91
Since School Began	13216.96	0.66
In the Past Month	24592.82	1.22

Frequency Missing = 84548.955939

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

EVER INHALED OTHER INHALANTS FOR KICKS

q16k	Frequency	Percent
Never Heard/Used	1859069	91.66
In Your Lifetime	82435.9	4.06
Since School Began	32249.57	1.59
In the Past Month	54400.15	2.68

Frequency Missing = 70335.290576

RECENT CIGARETTE USE

q17a	Frequency	Percent
Never Heard/Used	1276392	62.09
In Your Lifetime	333199.3	16.21
Since School Began	121370.3	5.90
In the Past Month	324749.3	15.80

Frequency Missing = 42778.516034

RECENT SMOKELESS TOBACCO USE

q17b	Frequency	Percent
Never Heard/Used	1824954	89.60
In Your Lifetime	87539.87	4.30
Since School Began	38252.22	1.88
In the Past Month	86000.68	4.22

Frequency Missing = 61742.55198

RECENT BEER USE

q17c	Frequency	Percent
Never Heard/Used	985327.7	48.48
In Your Lifetime	379650.4	18.68
Since School Began	200289.1	9.86
In the Past Month	467036.6	22.98

Frequency Missing = 66185.657305

RECENT WINE COOLER USE

q17d	Frequency	Percent
Never Heard/Used	1024168	50.50
In Your Lifetime	412723.5	20.35
Since School Began	220041.5	10.85
In the Past Month	371008.7	18.29

Frequency Missing = 70547.567125

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

RECENT WINE USE

q17e	Frequency	Percent
Never Heard/Used	1096186	53.98
In Your Lifetime	433634.6	21.35
Since School Began	209793.1	10.33
In the Past Month	291136.2	14.34

Frequency Missing = 67739.976002

RECENT LIQUOR USE

q17f	Frequency	Percent
Never Heard/Used	1111094	54.16
In Your Lifetime	295838.6	14.42
Since School Began	207964.8	10.14
In the Past Month	436563.4	21.28

Frequency Missing = 47028.506678

RECENT MARIJUANA USE

q18a	Frequency	Percent
Never Heard/Used	1444769	70.19
In Your Lifetime	231504	11.25
Since School Began	122682.4	5.96
In the Past Month	259371.9	12.60

Frequency Missing = 40162.012413

RECENT COCAINE USE

q18b	Frequency	Percent
Never Heard/Used	1889823	92.64
In Your Lifetime	58255.76	2.86
Since School Began	32691	1.60
In the Past Month	59237.87	2.90

Frequency Missing = 58481.919949

RECENT CRACK USE

q18c	Frequency	Percent
Never Heard/Used	1977380	97.66
In Your Lifetime	23147.82	1.14
Since School Began	9309.534	0.46
In the Past Month	14890.3	0.74

Frequency Missing = 73761.94584

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

RECENT HALLUCINOGEN USE

q18e	Frequency	Percent
Never Heard/Used	1926737	95.16
In Your Lifetime	43882.49	2.17
Since School Began	22621.17	1.12
In the Past Month	31390.2	1.55

Frequency Missing = 73858.326503

RECENT UPPER USE

q18f	Frequency	Percent
Never Heard/Used	1894254	94.00
In Your Lifetime	43294.66	2.15
Since School Began	28080.5	1.39
In the Past Month	49508.76	2.46

Frequency Missing = 83351.315853

RECENT DOWNER USE

q18g	Frequency	Percent
Never Heard/Used	1891969	94.07
In Your Lifetime	40949.83	2.04
Since School Began	27005.82	1.34
In the Past Month	51354.81	2.55

Frequency Missing = 87210.028103

RECENT ROHYPNOL USE

q18h	Frequency	Percent
Never Heard/Used	1946872	96.55
In Your Lifetime	29908.67	1.48
Since School Began	13545.23	0.67
In the Past Month	26170.43	1.30

Frequency Missing = 81993.023436

RECENT STEROID USE

q18i	Frequency	Percent
Never Heard/Used	1963780	98.01
In Your Lifetime	17967.25	0.90
Since School Began	7574.215	0.38
In the Past Month	14231.56	0.71

Frequency Missing = 94936.349684

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

RECENT ECSTASY USE

q18j	Frequency	Percent
Never Heard/Used	1906777	94.45
In Your Lifetime	52443.04	2.60
Since School Began	22170.99	1.10
In the Past Month	37329.85	1.85

Frequency Missing = 79768.460916

RECENT HEROIN USE

q18k	Frequency	Percent
Never Heard/Used	1997132	98.38
In Your Lifetime	16657	0.82
Since School Began	5175.173	0.25
In the Past Month	11085.66	0.55

Frequency Missing = 68440.020607

TOBACCO USE IN PAST MONTH

q19a	Frequency	Percent
Never Heard/Used	1755719	86.33
1-2 times	89149.53	4.38
3-10 times	69543.03	3.42
11+ times	119290.7	5.87

Frequency Missing = 64787.643291

ALCOHOL USE IN PAST MONTH

q19b	Frequency	Percent
Never Heard/Used	1474287	72.72
1-2 times	267162	13.18
3-10 times	196174.7	9.68
11+ times	89841.46	4.43

Frequency Missing = 71024.606215

INHALANT USE IN PAST MONTH

q19c	Frequency	Percent
Never Heard/Used	1932149	95.78
1-2 times	61194.61	3.03
3-10 times	16742	0.83
11+ times	7246.802	0.36

Frequency Missing = 81157.29361

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state



State - Grades 7-12  
Spring 2004

The FREQ Procedure

MARIJUANA USE IN PAST MONTH

q19d	Frequency	Percent
Never Heard/Used	1765721	87.80
1-2 times	95168.55	4.73
3-10 times	68787.83	3.42
11+ times	81317.41	4.04

Frequency Missing = 87495.112504

COCAINE USE IN PAST MONTH

q19e	Frequency	Percent
Never Heard/Used	1957824	97.25
1-2 times	30614.14	1.52
3-10 times	15210.21	0.76
11+ times	9589.586	0.48

Frequency Missing = 85251.611581

CRACK USE IN PAST MONTH

q19f	Frequency	Percent
Never Heard/Used	2009249	99.24
1-2 times	10050.51	0.50
3-10 times	2917.733	0.14
11+ times	2336.674	0.12

Frequency Missing = 73935.29409

CLOSE FRIENDS USE CIGARETTES

q20a	Frequency	Percent
Never heard/None	824943.3	41.35
A few	619464.5	31.05
Some	317691.5	15.92
Most	191708.8	9.61
All	41135.76	2.06

Frequency Missing = 103545.65167

CLOSE FRIENDS USE SMOKELESS TOBACCO

q20b	Frequency	Percent
Never heard/None	1414437	72.00
A few	320972.7	16.34
Some	155074.1	7.89
Most	59517.77	3.03
All	14464.8	0.74

Frequency Missing = 134022.96773

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

CLOSE FRIENDS USE BEER

q20c	Frequency	Percent
Never heard/None	649117	32.84
A few	456581.4	23.10
Some	345318.4	17.47
Most	375630.5	19.00
All	149930.2	7.59

Frequency Missing = 121911.82088

CLOSE FRIENDS USE WINE COOLERS

q20d	Frequency	Percent
Never heard/None	845984.3	42.86
A few	457872	23.20
Some	321536.4	16.29
Most	246305.4	12.48
All	101982.8	5.17

Frequency Missing = 124808.57147

CLOSE FRIENDS USE WINE

q20e	Frequency	Percent
Never heard/None	1046686	52.82
A few	448704.6	22.64
Some	250635.6	12.65
Most	164351.3	8.29
All	71270.23	3.60

Frequency Missing = 116841.46006

CLOSE FRIENDS USE LIQUOR

q20f	Frequency	Percent
Never heard/None	859944	43.32
A few	377133.9	19.00
Some	298875.2	15.06
Most	315384.8	15.89
All	133567	6.73

Frequency Missing = 113584.57518

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

CLOSE FRIENDS USE INHALANTS

q20g	Frequency	Percent
Never heard/None	1675171	83.92
A few	213734.3	10.71
Some	71811.08	3.60
Most	24614.77	1.23
All	10725.18	0.54

Frequency Missing = 102432.70737

CLOSE FRIENDS USE MARIJUANA

q20h	Frequency	Percent
Never heard/None	1001546	49.56
A few	396094.3	19.60
Some	272961.8	13.51
Most	250568.8	12.40
All	99747.25	4.94

Frequency Missing = 77571.346905

DIFFICULT TO GET CIGARETTES

q21a	Frequency	Percent
Never heard of	207441.5	10.34
Impossible	301641.6	15.04
Very difficult	120325.7	6.00
Somewhat diff	174870.4	8.72
Somewhat easy	368237.4	18.36
Very easy	833084.1	41.54

Frequency Missing = 92888.743825

DIFFICULT TO GET SMOKELESS TOBACCO

q21b	Frequency	Percent
Never heard of	421089	21.35
Impossible	403065.2	20.44
Very difficult	161520.3	8.19
Somewhat diff	199226.5	10.10
Somewhat easy	253838.9	12.87
Very easy	533215.1	27.04

Frequency Missing = 126534.37491

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

DIFFICULT TO GET BEER

q21c	Frequency	Percent
Never heard of	183188.9	9.30
Impossible	240811	12.22
Very difficult	114375.5	5.81
Somewhat diff	217808.1	11.05
Somewhat easy	417334.6	21.18
Very easy	796729.4	40.44

Frequency Missing = 128241.79841

DIFFICULT TO GET WINE COOLERS

q21d	Frequency	Percent
Never heard of	240598.2	12.27
Impossible	256966.6	13.10
Very difficult	122370.5	6.24
Somewhat diff	231380.2	11.80
Somewhat easy	401780.7	20.49
Very easy	708042.1	36.10

Frequency Missing = 137351.16575

DIFFICULT TO GET WINE

q21e	Frequency	Percent
Never heard of	221369.6	11.27
Impossible	285315.4	14.52
Very difficult	140909.4	7.17
Somewhat diff	246021.4	12.52
Somewhat easy	382391.1	19.46
Very easy	688763.6	35.06

Frequency Missing = 133718.98109

DIFFICULT TO GET LIQUOR

q21f	Frequency	Percent
Never heard of	219116.2	11.15
Impossible	331742.3	16.88
Very difficult	149902.2	7.63
Somewhat diff	217256.6	11.05
Somewhat easy	349143.1	17.77
Very easy	698154.7	35.52

Frequency Missing = 133174.27109

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

DIFFICULT TO GET INHALANTS

q21g	Frequency	Percent
Never heard of	388127.9	19.79
Impossible	319931.2	16.32
Very difficult	86131.11	4.39
Somewhat diff	110972.8	5.66
Somewhat easy	196574.7	10.02
Very easy	859108.8	43.81

Frequency Missing = 137642.82965

DIFFICULT TO GET MARIJUANA

q21h	Frequency	Percent
Never heard of	243807.9	12.46
Impossible	471996.8	24.13
Very difficult	170066.1	8.69
Somewhat diff	203466.4	10.40
Somewhat easy	290087.7	14.83
Very easy	576715.3	29.48

Frequency Missing = 142349.33111

DIFFICULT TO GET COCAINE

q21i	Frequency	Percent
Never heard of	336354	17.25
Impossible	636256.2	32.62
Very difficult	279832.3	14.35
Somewhat diff	260168.5	13.34
Somewhat easy	186581	9.57
Very easy	251150.7	12.88

Frequency Missing = 148146.71286

DIFFICULT TO GET CRACK

q21j	Frequency	Percent
Never heard of	373785	19.21
Impossible	653530.1	33.58
Very difficult	307330.3	15.79
Somewhat diff	258123.1	13.26
Somewhat easy	163989.5	8.43
Very easy	189496.1	9.74

Frequency Missing = 152235.29841

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

DIFFICULT TO GET HALLUCINOGENS

q211	Frequency	Percent
Never heard of	666922	34.37
Impossible	507755.4	26.17
Very difficult	251977.7	12.99
Somewhat diff	210355.5	10.84
Somewhat easy	136759.3	7.05
Very easy	166574.4	8.58

Frequency Missing = 158145.2411

DIFFICULT TO GET UPPERS

q21m	Frequency	Percent
Never heard of	864156.6	44.74
Impossible	393996	20.40
Very difficult	176453	9.13
Somewhat diff	163309.2	8.45
Somewhat easy	139372.6	7.22
Very easy	194395.6	10.06

Frequency Missing = 166806.43961

DIFFICULT TO GET DOWNERS

q21n	Frequency	Percent
Never heard of	869844.2	44.66
Impossible	394706	20.27
Very difficult	177153.9	9.10
Somewhat diff	166177.4	8.53
Somewhat easy	140188.6	7.20
Very easy	199495.8	10.24

Frequency Missing = 150923.56333

DIFFICULT TO GET ROHYPNOL

q21o	Frequency	Percent
Never heard of	928265.7	47.99
Impossible	396089.3	20.48
Very difficult	184939.3	9.56
Somewhat diff	152271.4	7.87
Somewhat easy	111940.7	5.79
Very easy	160733	8.31

Frequency Missing = 164249.96001

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

DIFFICULT TO GET STEROIDS

q21p	Frequency	Percent
Never heard of	463705.1	23.88
Impossible	613832.3	31.62
Very difficult	270648.1	13.94
Somewhat diff	232959.5	12.00
Somewhat easy	165763	8.54
Very easy	194596.4	10.02

Frequency Missing = 156984.94453

DIFFICULT TO GET ECSTASY

q21q	Frequency	Percent
Never heard of	499891.4	25.47
Impossible	577867.4	29.44
Very difficult	250201.5	12.75
Somewhat diff	213896.1	10.90
Somewhat easy	182702	9.31
Very easy	238034.5	12.13

Frequency Missing = 135896.54354

DIFFICULT TO GET HEROIN

q21r	Frequency	Percent
Never heard of	489027.1	24.62
Impossible	718577	36.18
Very difficult	313022.6	15.76
Somewhat diff	201091.2	10.12
Somewhat easy	113683.2	5.72
Very easy	150875.6	7.60

Frequency Missing = 112212.68841

AGE WHEN FIRST USED CIGARETTES

q22a	Frequency	Percent
9 or younger	128981.4	15.92
10 years old	81931.78	10.11
11 years old	75683.61	9.34
12 years old	114586.5	14.15
13 years old	120096	14.83
14 years old	100004.5	12.35
15 years old	88236.12	10.89
16 years old	59364.15	7.33
17 years old	30214.31	3.73
18 or older	10932.3	1.35

Frequency Missing = 1288458.8513

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

AGE WHEN FIRST USED SMOKELESS TOBACCO

q22b	Frequency	Percent
9 or younger	27059.55	12.35
10 years old	12904.9	5.89
11 years old	16306.85	7.44
12 years old	25757.26	11.76
13 years old	30511.9	13.93
14 years old	32177.21	14.69
15 years old	34033.72	15.54
16 years old	24377.27	11.13
17 years old	12305.43	5.62
18 or older	3642.986	1.66

Frequency Missing = 1879412.379

AGE WHEN FIRST USED BEER

q22c	Frequency	Percent
9 or younger	224153.4	20.06
10 years old	94431.48	8.45
11 years old	91618.37	8.20
12 years old	135977	12.17
13 years old	161939.9	14.50
14 years old	153631.6	13.75
15 years old	138468.9	12.39
16 years old	76624.17	6.86
17 years old	31188.2	2.79
18 or older	9130.937	0.82

Frequency Missing = 981325.57028

AGE WHEN FIRST USED WINE COOLERS

q22d	Frequency	Percent
9 or younger	135636.7	13.00
10 years old	86960.76	8.34
11 years old	101663.3	9.75
12 years old	153162.1	14.68
13 years old	181269.4	17.38
14 years old	147946	14.18
15 years old	132485.6	12.70
16 years old	67655.07	6.49
17 years old	27824.71	2.67
18 or older	8395.814	0.80

Frequency Missing = 1055489.8802

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state



State - Grades 7-12  
Spring 2004

The FREQ Procedure

AGE WHEN FIRST USED WINE

q22e	Frequency	Percent
9 or younger	133154.8	13.66
10 years old	79179.76	8.13
11 years old	87907.72	9.02
12 years old	140025.6	14.37
13 years old	164059.3	16.84
14 years old	138473.5	14.21
15 years old	125853.2	12.92
16 years old	68639.33	7.04
17 years old	28071.4	2.88
18 or older	9091.413	0.93

Frequency Missing = 1124033.495

AGE WHEN FIRST USED LIQUOR

q22f	Frequency	Percent
9 or younger	71575.6	7.98
10 years old	46587.49	5.19
11 years old	61061.57	6.80
12 years old	105202.5	11.72
13 years old	152175.1	16.96
14 years old	154298.4	17.19
15 years old	157817.4	17.58
16 years old	96142.23	10.71
17 years old	41269.44	4.60
18 or older	11342.83	1.26

Frequency Missing = 1201016.9338

AGE WHEN FIRST USED INHALANTS

q22g	Frequency	Percent
9 or younger	30762.11	17.14
10 years old	18822.76	10.49
11 years old	23768.03	13.24
12 years old	36081.25	20.10
13 years old	29537.83	16.45
14 years old	19985.48	11.13
15 years old	11881.23	6.62
16 years old	5248.045	2.92
17 years old	3063.332	1.71
18 or older	365.0739	0.20

Frequency Missing = 1918974.2889

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

AGE WHEN FIRST USED MARIJUANA

q22h	Frequency	Percent
9 or younger	29172.86	4.99
10 years old	26081.35	4.46
11 years old	40711.44	6.97
12 years old	77254.9	13.22
13 years old	109083	18.67
14 years old	106505.3	18.23
15 years old	98261.15	16.82
16 years old	64847.69	11.10
17 years old	26617.55	4.56
18 or older	5675.629	0.97

Frequency Missing = 1514278.5037

AGE WHEN FIRST USED COCAINE

q22i	Frequency	Percent
9 or younger	2452.598	1.73
10 years old	2379.064	1.68
11 years old	5329.902	3.77
12 years old	9475.725	6.70
13 years old	18821.12	13.30
14 years old	26314.75	18.60
15 years old	31136.74	22.01
16 years old	28162.42	19.90
17 years old	13497.48	9.54
18 or older	3921.579	2.77

Frequency Missing = 1956998.0608

AGE WHEN FIRST USED CRACK

q22j	Frequency	Percent
9 or younger	1692.685	4.00
10 years old	1636.943	3.87
11 years old	3024.891	7.14
12 years old	4714.326	11.13
13 years old	6749.824	15.94
14 years old	7918.279	18.70
15 years old	7895.357	18.64
16 years old	5002.527	11.81
17 years old	2664.48	6.29
18 or older	1047.911	2.47

Frequency Missing = 2056142.2137

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

AGE WHEN FIRST USED HALLUCINOGENS

q22l	Frequency	Percent
9 or younger	1916.326	2.19
10 years old	2125.442	2.43
11 years old	3892.406	4.45
12 years old	7021.4	8.02
13 years old	11785.36	13.47
14 years old	15686.38	17.93
15 years old	20483.64	23.41
16 years old	14475.51	16.54
17 years old	8215.275	9.39
18 or older	1893.212	2.16

Frequency Missing = 2010994.4887

AGE WHEN FIRST USED UPPERS

q22m	Frequency	Percent
9 or younger	3247.07	2.67
10 years old	2522.815	2.08
11 years old	4658.542	3.83
12 years old	9469.119	7.79
13 years old	17605.14	14.48
14 years old	22749.24	18.72
15 years old	30656.52	25.22
16 years old	19467.7	16.02
17 years old	9585.696	7.89
18 or older	1588.815	1.31

Frequency Missing = 1976938.7738

AGE WHEN FIRST USED DOWNERS

q22n	Frequency	Percent
9 or younger	3195.573	2.68
10 years old	2081.423	1.74
11 years old	4374.247	3.66
12 years old	10286.63	8.62
13 years old	16989.4	14.23
14 years old	23385.95	19.59
15 years old	29721.8	24.90
16 years old	18822.04	15.77
17 years old	9026.86	7.56
18 or older	1497.389	1.25

Frequency Missing = 1979108.1244

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

AGE WHEN FIRST USED ROHYPNOL

q22o	Frequency	Percent
9 or younger	2499.323	3.84
10 years old	3235.87	4.97
11 years old	3724.545	5.73
12 years old	7614.723	11.71
13 years old	12157.86	18.69
14 years old	12949.22	19.91
15 years old	11423.48	17.56
16 years old	6863.662	10.55
17 years old	3615.564	5.56
18 or older	968.6416	1.49

Frequency Missing = 2033436.5425

AGE WHEN FIRST USED STEROIDS

q22p	Frequency	Percent
9 or younger	3653.114	9.88
10 years old	2146.652	5.80
11 years old	2543.701	6.88
12 years old	5319.151	14.38
13 years old	4982.402	13.47
14 years old	5212.181	14.09
15 years old	4793.526	12.96
16 years old	4536.52	12.27
17 years old	2864.584	7.75
18 or older	929.1255	2.51

Frequency Missing = 2061508.4802

AGE WHEN FIRST USED ECSTASY

q22q	Frequency	Percent
9 or younger	1722.655	1.57
10 years old	2211.34	2.02
11 years old	4088.93	3.73
12 years old	7626.283	6.96
13 years old	15029.35	13.72
14 years old	20390.08	18.62
15 years old	22403.38	20.45
16 years old	20030.35	18.29
17 years old	12742.22	11.63
18 or older	3289.53	3.00

Frequency Missing = 1988955.3163

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

AGE WHEN FIRST USED HEROIN

q22r	Frequency	Percent
9 or younger	1968.763	6.95
10 years old	1082.05	3.82
11 years old	1961.277	6.92
12 years old	4314.88	15.23
13 years old	5304.116	18.73
14 years old	5014.858	17.71
15 years old	3465.472	12.24
16 years old	3171.023	11.20
17 years old	1486.773	5.25
18 or older	553.3512	1.95

Frequency Missing = 2070166.8728

HOW OFTEN NORMALLY USE CIGARETTES

q23a	Frequency	Percent
Every day	89394.34	4.37
Several times/wk	69355.5	3.39
Several times/mo	85836.15	4.19
About once/month	121936.2	5.96
About once/year	111474.7	5.45
< once/year	202084.6	9.87
Never used	1366727	66.77

Frequency Missing = 51681.222358

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO

q23b	Frequency	Percent
Every day	21552.64	1.05
Several times/wk	16023.79	0.78
Several times/mo	20582.56	1.00
About once/month	29744	1.44
About once/year	33156.42	1.61
< once/year	68231.9	3.31
Never used	1869349	90.81

Frequency Missing = 39849.316385

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

HOW OFTEN NORMALLY USE BEER

q23c	Frequency	Percent
Every day	7712.482	0.38
Several times/wk	85866.78	4.24
Several times/mo	231881.7	11.46
About once/month	249997	12.36
About once/year	196296.1	9.70
< once/year	200666.7	9.92
Never used	1050954	51.94

Frequency Missing = 75114.418119

HOW OFTEN NORMALLY USE WINE COOLERS

q23d	Frequency	Percent
Every day	4161.488	0.21
Several times/wk	51153.07	2.53
Several times/mo	172015.5	8.52
About once/month	240338.4	11.91
About once/year	250089.1	12.39
< once/year	207985.1	10.31
Never used	1092333	54.13

Frequency Missing = 80413.41558

HOW OFTEN NORMALLY USE WINE

q23e	Frequency	Percent
Every day	2858.987	0.14
Several times/wk	42679.02	2.11
Several times/mo	129039.7	6.39
About once/month	197462.7	9.78
About once/year	270279.4	13.39
< once/year	223960.3	11.09
Never used	1152489	57.09

Frequency Missing = 79720.530289

HOW OFTEN NORMALLY USE LIQUOR

q23f	Frequency	Percent
Every day	5313.765	0.26
Several times/wk	63166.52	3.13
Several times/mo	203457.9	10.08
About once/month	237801.1	11.78
About once/year	192552.1	9.54
< once/year	145805.6	7.23
Never used	1169905	57.97

Frequency Missing = 80487.055614

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

HOW OFTEN NORMALLY USE INHALANTS

q23g	Frequency	Percent
Every day	4748.323	0.23
Several times/wk	8320.841	0.40
Several times/mo	16005.89	0.78
About once/month	24207.01	1.17
About once/year	26023.89	1.26
< once/year	59839.27	2.90
Never used	1922056	93.25

Frequency Missing = 37288.255525

HOW OFTEN NORMALLY USE MARIJUANA

q23h	Frequency	Percent
Every day	54203.93	2.66
Several times/wk	61636.98	3.02
Several times/mo	82494.55	4.05
About once/month	96531.43	4.74
About once/year	92364.23	4.53
< once/year	116459.3	5.71
Never used	1534956	75.29

Frequency Missing = 59843.040294

HOW OFTEN NORMALLY USE COCAINE

q23i	Frequency	Percent
Every day	4025.895	0.20
Several times/wk	10778.94	0.53
Several times/mo	20981.82	1.02
About once/month	27218.66	1.33
About once/year	26248.02	1.28
< once/year	33236.79	1.62
Never used	1928838	94.03

Frequency Missing = 47161.356136

HOW OFTEN NORMALLY USE CRACK

q23j	Frequency	Percent
Every day	1222.142	0.06
Several times/wk	2737.021	0.13
Several times/mo	4510.156	0.22
About once/month	7976.453	0.39
About once/year	9177.956	0.45
< once/year	11280.49	0.55
Never used	2013675	98.20

Frequency Missing = 47909.967503

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

HOW OFTEN NORMALLY USE HALLUCINOGENS

q23l	Frequency	Percent
Every day	985.114	0.05
Several times/wk	2581.784	0.13
Several times/mo	7574.714	0.37
About once/month	16434.12	0.80
About once/year	25971.31	1.27
< once/year	25895.8	1.26
Never used	1969238	96.12

Frequency Missing = 49808.149939

HOW OFTEN NORMALLY USE UPPERS

q23m	Frequency	Percent
Every day	3229.188	0.16
Several times/wk	9081.563	0.44
Several times/mo	17212.9	0.84
About once/month	30413.9	1.49
About once/year	25257.37	1.24
< once/year	24071.11	1.18
Never used	1932845	94.65

Frequency Missing = 56378.133489

HOW OFTEN NORMALLY USE DOWNERS

q23n	Frequency	Percent
Every day	3445.638	0.17
Several times/wk	8784.775	0.43
Several times/mo	18975.04	0.93
About once/month	30196.22	1.48
About once/year	24229.89	1.19
< once/year	23116.56	1.13
Never used	1932322	94.67

Frequency Missing = 57419.006802

HOW OFTEN NORMALLY USE ROHYPNOL

q23o	Frequency	Percent
Every day	1640.544	0.08
Several times/wk	4601.551	0.22
Several times/mo	8607.317	0.42
About once/month	11975.98	0.59
About once/year	13898.13	0.68
< once/year	14313.37	0.70
Never used	1990512	97.31

Frequency Missing = 52940.567618

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state



State - Grades 7-12  
Spring 2004

The FREQ Procedure

HOW OFTEN NORMALLY USE STEROIDS

q23p	Frequency	Percent
Every day	2657.703	0.13
Several times/wk	3171.325	0.16
Several times/mo	4324.096	0.21
About once/month	4525.417	0.22
About once/year	6140.653	0.30
< once/year	10644.78	0.52
Never used	2008432	98.46

Frequency Missing = 58593.277203

HOW OFTEN NORMALLY USE ECSTASY

q23q	Frequency	Percent
Every day	930.4728	0.05
Several times/wk	3683.543	0.18
Several times/mo	10660.18	0.52
About once/month	20772.92	1.02
About once/year	27202.99	1.33
< once/year	32749.93	1.60
Never used	1945431	95.30

Frequency Missing = 57058.616446

HOW OFTEN NORMALLY USE HEROIN

q23r	Frequency	Percent
Every day	1512.783	0.07
Several times/wk	1391.334	0.07
Several times/mo	3123.857	0.15
About once/month	3591.878	0.18
About once/year	6140.95	0.30
< once/year	9090.76	0.44
Never used	2025793	98.79

Frequency Missing = 47845.070691

HOW MANY CIGARETTES IN PAST 30 DAYS

q24	Frequency	Percent
None	1676641	82.88
Less than 1	187622.5	9.27
> 1 and < 10	109527.2	5.41
> 10 and < 1pk	29601.44	1.46
> 1pk and < 2pks	14012.75	0.69
More than 2pks	5580.766	0.28

Frequency Missing = 75503.876451

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

AMOUNT OF BEER AT ONE TIME

q25a	Frequency	Percent
Never drink this	980463.9	49.13
12+ drinks	95402	4.78
9-11 drinks	64647.46	3.24
5-8 drinks	141359.1	7.08
3-4 drinks	162432.3	8.14
2 drinks	134638.7	6.75
1 drink	162421.7	8.14
< 1 drink	254233.7	12.74

Frequency Missing = 102890.5975

AMOUNT OF WINE COOLERS AT ONE TIME

q25b	Frequency	Percent
Never drink this	1001183	50.60
12+ drinks	60287.95	3.05
9-11 drinks	42023.46	2.12
5-8 drinks	113713.2	5.75
3-4 drinks	183475.6	9.27
2 drinks	172145.5	8.70
1 drink	207094.3	10.47
< 1 drink	198786.6	10.05

Frequency Missing = 119779.47468

AMOUNT OF WINE AT ONE TIME

q25c	Frequency	Percent
Never drink this	1081010	54.71
12+ drinks	30904.02	1.56
9-11 drinks	18696.86	0.95
5-8 drinks	52025.95	2.63
3-4 drinks	96446.3	4.88
2 drinks	137343.7	6.95
1 drink	240262.7	12.16
< 1 drink	319062.4	16.15

Frequency Missing = 122737.61025

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

AMOUNT OF LIQUOR AT ONE TIME

q25d	Frequency	Percent
Never drink this	1074010	54.15
12+ drinks	62847.83	3.17
9-11 drinks	53894.99	2.72
5-8 drinks	134276.6	6.77
3-4 drinks	174874	8.82
2 drinks	139947	7.06
1 drink	153329.2	7.73
< 1 drink	190289	9.59

Frequency Missing = 115020.70187

BEERS, FIVE OR MORE AT ONE TIME

q26a	Frequency	Percent
Never drink this	1042154	52.79
Never 5+ at time	293561.4	14.87
Every day	6813.96	0.35
Several times/wk	57502.69	2.91
Several times/mo	164700	8.34
About once/month	145553.7	7.37
< once/month	120436.6	6.10
< once/year	143430.9	7.27

Frequency Missing = 124336.46683

WINE COOLERS, FIVE OR MORE AT ONE TIME

q26b	Frequency	Percent
Never drink this	1048870	53.69
Never 5+ at time	293294.3	15.01
Every day	5019.422	0.26
Several times/wk	35642.72	1.82
Several times/mo	114539.1	5.86
About once/month	136422.6	6.98
< once/month	151206.3	7.74
< once/year	168394.8	8.62

Frequency Missing = 145100.65598

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

WINE, FIVE OR MORE AT ONE TIME

q26c	Frequency	Percent
Never drink this	1121476	57.59
Never 5+ at time	300569.4	15.44
Every day	2341.899	0.12
Several times/wk	24622.82	1.26
Several times/mo	72180.14	3.71
About once/month	101351.3	5.20
< once/month	133231	6.84
< once/year	191542.6	9.84

Frequency Missing = 151174.64159

LIQUOR, FIVE OR MORE AT ONE TIME

q26d	Frequency	Percent
Never drink this	1093450	55.90
Never 5+ at time	245643.7	12.56
Every day	5942.35	0.30
Several times/wk	47556.6	2.43
Several times/mo	149246.5	7.63
About once/month	145297.2	7.43
< once/month	141478.9	7.23
< once/year	127309.8	6.51

Frequency Missing = 142564.88772

GET ALCOHOLIC BEVERAGES FROM HOME

q27a	Frequency	Percent
Do not Drink	857935.6	43.81
Never	500797.7	25.57
Seldom	412902.3	21.08
Most of the Time	133468.7	6.82
Always	53223.01	2.72

Frequency Missing = 140162.08286

GET ALCOHOLIC BEVERAGES FROM FRIENDS

q27b	Frequency	Percent
Do not Drink	770570.6	39.77
Never	307469.7	15.87
Seldom	291940.2	15.07
Most of the Time	387571.3	20.00
Always	179907.6	9.29

Frequency Missing = 161030.02997

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

GET ALCOHOLIC BEVERAGES FROM A STORE

q27c	Frequency	Percent
Do not Drink	812719	42.14
Never	762567.3	39.54
Seldom	174661.9	9.06
Most of the Time	115235.2	5.98
Always	63214	3.28

Frequency Missing = 170091.91838

GET ALCOHOLIC BEVERAGES AT PARTIES

q27d	Frequency	Percent
Do not Drink	751338.9	38.98
Never	287343.8	14.91
Seldom	245816.6	12.75
Most of the Time	328148.9	17.02
Always	315001.8	16.34

Frequency Missing = 170839.46826

GET ALCOHOLIC BEVERAGES FROM OTHER

q27e	Frequency	Percent
Do not Drink	819556.8	42.77
Never	441678.4	23.05
Seldom	281019.3	14.66
Most of the Time	190592.3	9.95
Always	183487.8	9.57

Frequency Missing = 182154.6773

USE MARIJUANA AS JOINTS

q28a	Frequency	Percent
Never	1503514	76.79
Seldom	174093.3	8.89
Half the time	102207.4	5.22
Most of the time	95622.49	4.88
Always	63370.01	3.24
Don't know	19134.97	0.98

Frequency Missing = 140546.94479

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

USE MARIJUANA AS BLUNTS

q28b	Frequency	Percent
Never	1517156	78.05
Seldom	140775.6	7.24
Half the time	94605.97	4.87
Most of the time	89644.35	4.61
Always	83243.06	4.28
Don't know	18305.91	0.94

Frequency Missing = 154758.91212

USE MARIJUANA IN BONGS OR WATER PIPES

q28c	Frequency	Percent
Never	1625460	84.16
Seldom	126736.9	6.56
Half the time	65528.74	3.39
Most of the time	57971.29	3.00
Always	41047.54	2.13
Don't know	14615.17	0.76

Frequency Missing = 167130.22393

USE MARIJUANA IN PIPES

q28d	Frequency	Percent
Never	1595658	82.52
Seldom	114593.9	5.93
Half the time	75949.56	3.93
Most of the time	78438.58	4.06
Always	53908.67	2.79
Don't know	15060.42	0.78

Frequency Missing = 164879.82974

USE MARIJUANA OTHER WAYS

q28e	Frequency	Percent
Never	1695225	88.10
Seldom	104606.7	5.44
Half the time	29845.69	1.55
Most of the time	24955.26	1.30
Always	31973.5	1.66
Don't know	37654.95	1.96

Frequency Missing = 174228.1691

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

TAKE DXM, TRIPLE C'S, ETC. TO GET HIGH

q29a	Frequency	Percent
Never heard/used	1847157	95.68
At least once/month	28744.81	1.49
At least once/year	22178.33	1.15
At least once/life	32556.39	1.69

Frequency Missing = 167853.31841

TAKE CODEINE COUGH SYRUP TO GET HIGH

q29b	Frequency	Percent
Never heard/used	1779016	91.72
At least once/month	63706.39	3.28
At least once/year	44321.88	2.29
At least once/life	52567.18	2.71

Frequency Missing = 158878.38085

DANGEROUS FOR KIDS TO USE TOBACCO

q30a	Frequency	Percent
Very	952790.3	49.96
Somewhat	553353.6	29.02
Not very	241510.3	12.66
Not at all	66676.73	3.50
Don't know	92773.04	4.86

Frequency Missing = 191385.513

DANGEROUS FOR KIDS TO USE ALCOHOL

q30b	Frequency	Percent
Very	865962.7	45.95
Somewhat	597115.3	31.69
Not very	282823.9	15.01
Not at all	70204.79	3.73
Don't know	68277.14	3.62

Frequency Missing = 214105.60304

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

DANGEROUS FOR KIDS TO USE INHALANTS

q30c	Frequency	Percent
Very	1385123	74.83
Somewhat	284270.1	15.36
Not very	66050.42	3.57
Not at all	22682.68	1.23
Don't know	92799.81	5.01

Frequency Missing = 247563.25649

DANGEROUS FOR KIDS TO USE MARIJUANA

q30d	Frequency	Percent
Very	1139086	61.42
Somewhat	329390.2	17.76
Not very	190760.4	10.29
Not at all	128372.6	6.92
Don't know	67115.6	3.62

Frequency Missing = 243764.55704

DANGEROUS FOR KIDS TO USE COCAINE

q30e	Frequency	Percent
Very	1535522	83.68
Somewhat	169689.3	9.25
Not very	35047.86	1.91
Not at all	18769.39	1.02
Don't know	76017.51	4.14

Frequency Missing = 263443.17584

DANGEROUS FOR KIDS TO USE CRACK

q30f	Frequency	Percent
Very	1582206	85.60
Somewhat	142235.3	7.69
Not very	25604.05	1.39
Not at all	16389.58	0.89
Don't know	82035.59	4.44

Frequency Missing = 250019.17888

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state



State - Grades 7-12  
Spring 2004

The FREQ Procedure

DANGEROUS FOR KIDS TO USE ECSTASY

q30g	Frequency	Percent
Very	1537426	82.59
Somewhat	160899.9	8.64
Not very	40069.4	2.15
Not at all	20023.5	1.08
Don't know	103132.1	5.54

Frequency Missing = 236938.40943

DANGEROUS FOR KIDS TO USE STEROIDS

q30h	Frequency	Percent
Very	1425638	75.70
Somewhat	251405.1	13.35
Not very	70814.52	3.76
Not at all	27221.7	1.45
Don't know	108173.9	5.74

Frequency Missing = 215236.6985

DANGEROUS FOR KIDS TO USE HEROIN

q30i	Frequency	Percent
Very	1661967	86.98
Somewhat	108382.7	5.67
Not very	19284.98	1.01
Not at all	16303.99	0.85
Don't know	104705.8	5.48

Frequency Missing = 187845.14031

DAYS SKIPPED SINCE SEPTEMBER

q31a	Frequency	Percent
None	1481002	75.76
1-3 days	333655	17.07
4-9 days	83140.04	4.25
10+ days	57085.75	2.92

Frequency Missing = 143606.59216

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

DAYS ILL SINCE SEPTEMBER

q31b	Frequency	Percent
None	554363.9	28.49
1-3 days	978691.7	50.29
4-9 days	325776.3	16.74
10+ days	87092.04	4.48

Frequency Missing = 152565.52766

OTHER DAYS MISSED SINCE SEPTEMBER

q31c	Frequency	Percent
None	767484.2	39.76
1-3 days	964340.3	49.96
4-9 days	149981.9	7.77
10+ days	48560.99	2.52

Frequency Missing = 168122.0789

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

q31d	Frequency	Percent
None	1558070	80.13
1-3 days	275077.2	14.15
4-9 days	66484.91	3.42
10+ days	44867.43	2.31

Frequency Missing = 153990.17456

SOMEONE CALLED HOME SINCE SEPTEMBER

q31e	Frequency	Percent
None	1629988	84.87
1-3 days	224775	11.70
4-9 days	40460.34	2.11
10+ days	25323.39	1.32

Frequency Missing = 177942.36455

IN TROUBLE FOR DRINKING SINCE SEPTEMBER

q31f	Frequency	Percent
None	1892183	98.63
1-3 days	17315.73	0.90
4-9 days	3954.082	0.21
10+ days	5022.208	0.26

Frequency Missing = 180014.41133

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER

q31g	Frequency	Percent
None	1890608	98.20
1-3 days	23728.79	1.23
4-9 days	4725.685	0.25
10+ days	6291.446	0.33

Frequency Missing = 173135.89346

TROUBLE WITH FRIENDS BECAUSE OF DRINKING

q32a	Frequency	Percent
None	1759338	92.65
1-3 times	121369.8	6.39
4-9 times	10917.6	0.57
10+ times	7231.632	0.38

Frequency Missing = 199632.25968

DRIVEN A CAR AFTER A GOOD BIT TO DRINK

q32b	Frequency	Percent
None	1696054	90.02
1-3 times	136273	7.23
4-9 times	26973.06	1.43
10+ times	24713.49	1.31

Frequency Missing = 214475.76838

CRITICIZED BY DATE BECAUSE OF DRINKING

q32c	Frequency	Percent
None	1740745	92.89
1-3 times	107859.4	5.76
4-9 times	13722.24	0.73
10+ times	11741.74	0.63

Frequency Missing = 224420.84247

TROUBLE WITH POLICE BECAUSE OF DRINKING

q32d	Frequency	Percent
None	1802186	96.06
1-3 times	62114.79	3.31
4-9 times	7248.801	0.39
10+ times	4596.187	0.24

Frequency Missing = 222343.38499

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE

q32e	Frequency	Percent
None	1721112	93.84
1-3 times	93545.13	5.10
4-9 times	11913.57	0.65
10+ times	7494.362	0.41

Frequency Missing = 264424.26118

DRIVEN A CAR WHILE HIGH FROM DRUGS

q32f	Frequency	Percent
None	1690400	91.88
1-3 times	92649.69	5.04
4-9 times	23048.51	1.25
10+ times	33738.69	1.83

Frequency Missing = 258652.22894

CRITICIZED BY DATE BECAUSE OF DRUG USE

q32g	Frequency	Percent
None	1745801	94.10
1-3 times	83887.88	4.52
4-9 times	13420.13	0.72
10+ times	12086.55	0.65

Frequency Missing = 243293.94916

TROUBLE WITH POLICE BECAUSE OF DRUG USE

q32h	Frequency	Percent
None	1830609	97.35
1-3 times	38647.49	2.06
4-9 times	5784.476	0.31
10+ times	5398.907	0.29

Frequency Missing = 218049.60109

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT

q33a	Frequency	Percent
None	1738356	90.49
1-3 days	138564.4	7.21
4-9 days	24394.91	1.27
10+ days	19646.06	1.02

Frequency Missing = 177527.89603

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT

q33b	Frequency	Percent
None	1702822	89.13
1-3 days	115353.7	6.04
4-9 days	35638.33	1.87
10+ days	56754.21	2.97

Frequency Missing = 187921.50931

CLASS DAYS HIGH ON INHALANTS SINCE SEPT

q33c	Frequency	Percent
None	1864682	97.58
1-3 days	31773.37	1.66
4-9 days	7801.504	0.41
10+ days	6705.575	0.35

Frequency Missing = 187526.51445

CLASS DAYS HIGH ON OTHER DRUG(S)

q33d	Frequency	Percent
None	1793910	93.25
1-3 days	81623.27	4.24
4-9 days	25450.16	1.32
10+ days	22793.56	1.18

Frequency Missing = 174712.6007

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR

q34a	Frequency	Percent
Never	747536.5	38.48
Seldom	194644.4	10.02
Half the time	136346.9	7.02
Most of the time	241001.5	12.41
Always	371480.2	19.12
Don't know	41179.39	2.12
Didn't attend	210436.1	10.83

Frequency Missing = 155864.38958

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

DRUG USE AT PARTIES THIS SCHOOL YEAR

q34b	Frequency	Percent
Never	940381.3	48.48
Seldom	204036.5	10.52
Half the time	149010	7.68
Most of the time	179143.1	9.24
Always	197482	10.18
Don't know	58017.36	2.99
Didn't attend	211697.4	10.91

Frequency Missing = 158721.74682

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM

q35	Frequency	Percent
No	1626393	92.16
Yes	138355.3	7.84

Frequency Missing = 333740.97962

WOULD SEEK HELP FROM SCHOOL COUNSELOR

q36a	Frequency	Percent
No	1288430	67.95
Yes	607839.5	32.05

Frequency Missing = 202219.69849

WOULD SEEK HELP OUTSIDE OF SCHOOL

q36b	Frequency	Percent
No	1300800	68.89
Yes	587549.9	31.11

Frequency Missing = 210139.50228

WOULD SEEK HELP FROM OTHER COUNSELOR

q36c	Frequency	Percent
No	1183515	63.44
Yes	682146.6	36.56

Frequency Missing = 232827.84849

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

WOULD SEEK HELP FROM PARENTS

q36d	Frequency	Percent
No	783880.7	41.77
Yes	1092809	58.23

Frequency Missing = 221800.04381

WOULD SEEK HELP FROM A MEDICAL DOCTOR

q36e	Frequency	Percent
No	1131284	60.63
Yes	734519.6	39.37

Frequency Missing = 232685.61517

WOULD SEEK HELP FROM FRIENDS

q36f	Frequency	Percent
No	508043.8	27.18
Yes	1361353	72.82

Frequency Missing = 229092.59146

WOULD SEEK HELP FROM ANOTHER ADULT

q36g	Frequency	Percent
No	759597.3	40.38
Yes	1121419	59.62

Frequency Missing = 217473.26172

WOULD NOT SEEK HELP

q36h	Frequency	Percent
No	1552594	83.41
Yes	308720.6	16.59

Frequency Missing = 237174.95079

DRUG/ALCOHOL INFO--HEALTH CLASS

q37a	Frequency	Percent
No	779285.4	48.97
Yes	811994.2	51.03

Frequency Missing = 507209.83976

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

DRUG/ALCOHOL INFO--ASSEMBLY PROGRAM

q37b	Frequency	Percent
No	824134.9	52.42
Yes	748021.1	47.58

Frequency Missing = 526333.41404

DRUG/ALCOHOL INFO--GUIDANCE COUNSELOR

q37c	Frequency	Percent
No	1198163	76.96
Yes	358617.8	23.04

Frequency Missing = 541708.34529

DRUG/ALCOHOL INFO--SCIENCE CLASS

q37d	Frequency	Percent
No	1081825	69.49
Yes	474978.4	30.51

Frequency Missing = 541686.17025

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS

q37e	Frequency	Percent
No	1359619	87.47
Yes	194676.1	12.53

Frequency Missing = 544194.1572

DRUG/ALCOHOL INFO--DRUG RAP SESSION

q37f	Frequency	Percent
No	1318307	84.67
Yes	238691.8	15.33

Frequency Missing = 541491.00209

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST

q37g	Frequency	Percent
No	1004598	64.04
Yes	564095.8	35.96

Frequency Missing = 529795.68227

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state



State - Grades 7-12  
Spring 2004

The FREQ Procedure

DRUG/ALCOHOL INFO--OTHER SCHOOL SOURCE

q37h	Frequency	Percent
No	1054853	67.08
Yes	517670.5	32.92

Frequency Missing = 525966.19591

PARENTS FEEL ABOUT KIDS SMOKING CIGARET

q38a	Frequency	Percent
Strong disapprove	1357938	71.54
Mild disapprove	198808.9	10.47
Neither	139516.4	7.35
Mildly approve	24008.65	1.26
Strongly approve	18887.54	1.00
Don't know	158974.1	8.38

Frequency Missing = 200355.33814

PARENTS FEEL ABOUT KIDS DRINKING BEER

q38b	Frequency	Percent
Strong disapprove	1200821	63.57
Mild disapprove	279560.8	14.80
Neither	180274	9.54
Mildly approve	55041.44	2.91
Strongly approve	23822.33	1.26
Don't know	149427.6	7.91

Frequency Missing = 209541.94872

PARENTS FEEL ABOUT KIDS USING MARIJUANA

q38c	Frequency	Percent
Strong disapprove	1529417	80.91
Mild disapprove	95302.96	5.04
Neither	79603.21	4.21
Mildly approve	19282.8	1.02
Strongly approve	24802.89	1.31
Don't know	141853.6	7.50

Frequency Missing = 208227.06123

PURCHASED LOTTERY TICKET IN PAST YEAR

q39	Frequency	Percent
No	1584461	82.11
Yes	345117.5	17.89

Frequency Missing = 168910.96708

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12  
Spring 2004

The FREQ Procedure

NON-LOTTERY GAMBLING IN PAST YEAR

q40	Frequency	Percent
No	1310485	67.96
Yes	617739.4	32.04

Frequency Missing = 170265.24223

MONEY SPENT ON GAMBLING IN PAST YEAR

q41	Frequency	Percent
\$0	1229448	63.83
\$1 - \$10	349769.7	18.16
\$11 - \$50	194661.8	10.11
\$51 - \$100	66514.32	3.45
\$100+	85710.85	4.45

Frequency Missing = 172384.44035

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state