

**State : Grades 7-12 Large
Spring 2006**

Table T-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any tobacco product					
	All	15.2%	20.9%	35.4%	64.6%
	Grade 7	6.1%	8.8%	18.7%	81.3%
	Grade 8	9.1%	13.9%	27.4%	72.6%
	Grade 9	14.5%	20.5%	36.1%	63.9%
	Grade 10	17.7%	24.5%	40.4%	59.6%
	Grade 11	21.8%	28.5%	44.8%	55.2%
	Grade 12	26.2%	34.0%	49.9%	50.1%
Cigarettes					
	All	14.0%	19.4%	33.7%	66.3%
	Grade 7	5.5%	8.0%	17.7%	82.3%
	Grade 8	8.3%	12.8%	25.8%	74.2%
	Grade 9	13.0%	18.7%	34.3%	65.7%
	Grade 10	16.2%	22.5%	38.4%	61.6%
	Grade 11	20.1%	26.5%	43.0%	57.0%
	Grade 12	24.7%	32.3%	48.2%	51.8%
Smokeless tobacco					
	All	3.9%	5.7%	9.9%	90.1%
	Grade 7	1.5%	2.2%	4.5%	95.5%
	Grade 8	2.3%	3.6%	7.0%	93.0%
	Grade 9	3.7%	5.6%	9.7%	90.3%
	Grade 10	4.4%	6.8%	11.5%	88.5%
	Grade 11	5.5%	8.0%	13.5%	86.5%
	Grade 12	6.7%	9.5%	15.5%	84.5%

**State : Grades 7-12 Large
Spring 2006**

Table T-2: How often do you normally use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?							
All	69.0%	4.1%	3.2%	4.0%	5.8%	5.0%	8.9%
Grade 7	84.2%	0.7%	1.3%	1.9%	3.0%	3.6%	5.2%
Grade 8	76.0%	1.5%	2.2%	3.0%	4.7%	4.4%	8.2%
Grade 9	68.4%	3.3%	3.3%	4.2%	6.5%	5.0%	9.3%
Grade 10	64.4%	4.5%	4.0%	4.8%	6.5%	5.7%	10.1%
Grade 11	60.6%	6.9%	4.0%	5.2%	7.2%	5.8%	10.4%
Grade 12	55.2%	9.6%	4.9%	5.8%	7.8%	6.0%	10.7%
Cigarettes?							
All	70.2%	3.5%	3.0%	3.9%	5.7%	4.9%	8.9%
Grade 7	85.0%	0.6%	1.2%	1.8%	2.8%	3.5%	5.0%
Grade 8	77.2%	1.3%	1.9%	2.8%	4.4%	4.3%	8.1%
Grade 9	69.9%	2.8%	3.0%	3.9%	6.3%	4.8%	9.3%
Grade 10	66.0%	3.8%	3.7%	4.7%	6.3%	5.4%	10.2%
Grade 11	61.9%	5.7%	3.9%	5.1%	7.2%	5.7%	10.6%
Grade 12	56.4%	8.3%	4.6%	5.9%	7.8%	6.0%	10.9%
Smokeless tobacco?							
All	91.0%	0.9%	0.7%	0.9%	1.6%	1.7%	3.2%
Grade 7	96.1%	0.2%	0.3%	0.4%	0.7%	0.9%	1.5%
Grade 8	93.9%	0.3%	0.5%	0.7%	1.4%	1.1%	2.0%
Grade 9	91.1%	0.7%	0.8%	1.1%	1.5%	1.6%	3.2%
Grade 10	89.7%	1.0%	1.0%	1.0%	1.7%	2.0%	3.7%
Grade 11	87.9%	1.7%	0.7%	1.2%	2.0%	2.3%	4.3%
Grade 12	85.4%	2.0%	1.0%	1.2%	2.4%	2.7%	5.3%

**State : Grades 7-12 Large
Spring 2006**

T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	1-9 Per Day	10 but < Pack Per Day	1 Pack but <2 Packs Per Day	>2 Packs Per Day
All	84.8%	8.5%	4.5%	1.3%	0.6%	0.3%
Grade 7	93.4%	4.6%	1.4%	0.3%	0.1%	0.2%
Grade 8	90.2%	6.3%	2.7%	0.4%	0.3%	0.1%
Grade 9	85.3%	8.5%	4.4%	1.0%	0.5%	0.3%
Grade 10	82.9%	9.2%	5.4%	1.5%	0.6%	0.3%
Grade 11	79.6%	10.8%	6.4%	2.1%	0.9%	0.2%
Grade 12	74.1%	13.3%	8.1%	2.8%	1.3%	0.4%

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.7	11.3	12.1	12.8	13.5	14.3

Table T-5: If you wanted some, how difficult would it be to get...

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Cigarettes?						
All	10.8%	16.5%	6.3%	9.3%	18.3%	38.8%
Grade 7	17.7%	33.5%	9.4%	9.7%	13.6%	16.0%
Grade 8	11.8%	23.9%	9.7%	11.5%	19.2%	23.9%
Grade 9	11.0%	14.7%	6.5%	11.3%	21.4%	35.1%
Grade 10	8.4%	9.9%	5.0%	9.8%	22.6%	44.3%
Grade 11	7.7%	7.6%	3.6%	7.7%	20.1%	53.3%
Grade 12	6.5%	3.9%	1.6%	3.6%	11.4%	73.1%
Smokeless Tobacco?						
All	22.0%	21.4%	8.3%	10.0%	12.8%	25.5%
Grade 7	29.3%	39.4%	10.5%	7.2%	6.1%	7.6%
Grade 8	24.1%	31.5%	11.1%	10.5%	10.5%	12.4%
Grade 9	22.8%	19.8%	9.8%	12.5%	14.6%	20.4%
Grade 10	19.5%	14.3%	7.3%	12.0%	17.3%	29.6%
Grade 11	18.3%	10.9%	6.2%	10.4%	16.8%	37.4%
Grade 12	15.4%	6.3%	2.9%	6.1%	11.8%	57.4%

**State : Grades 7-12 Large
Spring 2006**

Table T-6: About how many of your close friends...

	None	A Few	Some	Most	ALL
Use any tobacco product?					
All	41.6%	29.8%	15.5%	9.4%	3.8%
Grade 7	67.2%	21.4%	6.2%	2.6%	2.5%
Grade 8	53.7%	27.5%	10.6%	5.2%	3.0%
Grade 9	39.0%	31.8%	15.7%	9.5%	4.0%
Grade 10	31.3%	33.4%	19.0%	12.1%	4.1%
Grade 11	28.4%	32.9%	20.9%	13.5%	4.3%
Grade 12	23.4%	32.6%	23.3%	15.6%	5.1%
Smoke cigarettes?					
All	44.1%	30.4%	14.1%	8.2%	3.1%
Grade 7	68.9%	20.9%	5.6%	2.4%	2.2%
Grade 8	56.1%	27.4%	9.4%	4.6%	2.6%
Grade 9	42.5%	32.2%	13.9%	8.1%	3.3%
Grade 10	34.7%	34.6%	17.0%	10.5%	3.2%
Grade 11	30.9%	34.8%	19.3%	11.5%	3.6%
Grade 12	25.0%	34.3%	22.3%	14.3%	4.2%
Use a smokeless tobacco product?					
All	70.7%	16.3%	7.5%	3.0%	2.5%
Grade 7	86.9%	7.9%	2.3%	0.9%	2.0%
Grade 8	79.8%	11.6%	4.5%	1.8%	2.2%
Grade 9	69.8%	17.1%	7.3%	3.1%	2.6%
Grade 10	63.2%	20.2%	10.0%	3.9%	2.7%
Grade 11	61.5%	21.1%	10.4%	4.5%	2.5%
Grade 12	58.7%	22.0%	12.1%	4.2%	3.0%

**State : Grades 7-12 Large
Spring 2006**

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	73.9%	9.5%	6.7%	1.2%	1.0%	7.7%
Grade 7	80.5%	4.1%	2.5%	0.6%	1.1%	11.2%
Grade 8	80.3%	5.9%	3.7%	0.8%	0.8%	8.4%
Grade 9	76.1%	8.1%	5.5%	1.2%	1.0%	8.0%
Grade 10	73.1%	10.9%	7.5%	1.3%	0.9%	6.3%
Grade 11	68.9%	13.6%	9.4%	1.4%	0.9%	5.7%
Grade 12	60.5%	16.7%	13.8%	2.4%	1.0%	5.6%

**State : Grades 7-12 Large
Spring 2006**

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	50.0%	28.2%	13.1%	3.7%	4.9%
Grade 7	68.5%	19.1%	5.5%	1.4%	5.6%
Grade 8	57.9%	25.8%	8.7%	2.1%	5.5%
Grade 9	49.0%	29.4%	12.8%	3.7%	5.2%
Grade 10	42.8%	32.0%	15.9%	4.4%	4.9%
Grade 11	40.5%	31.8%	18.2%	5.5%	4.0%
Grade 12	36.7%	32.9%	20.3%	6.2%	3.9%

**State : Grades 7-12 Large
Spring 2006**

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product					
	All	31.5%	43.4%	65.9%	34.1%
	Grade 7	16.2%	22.7%	47.0%	53.0%
	Grade 8	22.9%	33.4%	59.7%	40.3%
	Grade 9	31.7%	44.3%	67.8%	32.2%
	Grade 10	36.8%	51.2%	72.7%	27.3%
	Grade 11	40.3%	54.8%	75.1%	24.9%
	Grade 12	46.3%	60.6%	77.9%	22.1%
Beer					
	All	21.8%	31.5%	50.1%	49.9%
	Grade 7	9.4%	13.8%	32.2%	67.8%
	Grade 8	13.9%	21.9%	42.4%	57.6%
	Grade 9	20.9%	31.4%	51.0%	49.0%
	Grade 10	26.5%	38.5%	57.1%	42.9%
	Grade 11	29.6%	41.7%	59.3%	40.7%
	Grade 12	35.3%	47.7%	63.7%	36.3%
Wine coolers					
	All	16.5%	26.4%	44.8%	55.2%
	Grade 7	8.4%	12.8%	26.1%	73.9%
	Grade 8	13.0%	20.6%	38.0%	62.0%
	Grade 9	17.4%	27.5%	46.0%	54.0%
	Grade 10	19.9%	32.1%	51.9%	48.1%
	Grade 11	19.9%	33.0%	54.5%	45.5%
	Grade 12	22.2%	36.6%	57.1%	42.9%
Wine					
	All	13.9%	23.8%	45.2%	54.8%
	Grade 7	7.8%	12.4%	29.2%	70.8%
	Grade 8	11.3%	18.9%	40.0%	60.0%
	Grade 9	14.5%	24.8%	46.7%	53.3%
	Grade 10	16.0%	28.1%	51.0%	49.0%
	Grade 11	16.4%	29.1%	52.4%	47.6%
	Grade 12	18.9%	32.9%	55.6%	44.4%
Liquor					
	All	21.2%	31.1%	45.6%	54.4%
	Grade 7	6.9%	10.4%	20.4%	79.6%
	Grade 8	12.3%	19.0%	33.3%	66.7%
	Grade 9	20.4%	30.5%	46.3%	53.7%
	Grade 10	26.2%	39.1%	55.0%	45.0%
	Grade 11	30.4%	44.0%	60.6%	39.4%
	Grade 12	36.5%	50.7%	65.6%	34.4%

**State : Grades 7-12 Large
Spring 2006**

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	40.7%	0.7%	5.0%	13.9%	15.6%	13.4%	10.7%
	Grade 7	61.3%	0.4%	2.5%	5.2%	8.5%	10.7%	11.4%
	Grade 8	47.6%	0.6%	3.3%	8.7%	12.8%	14.4%	12.6%
	Grade 9	38.6%	0.7%	5.0%	13.7%	16.6%	14.5%	10.8%
	Grade 10	33.7%	0.7%	5.5%	17.6%	18.4%	13.8%	10.4%
	Grade 11	31.0%	0.8%	6.1%	19.1%	18.9%	14.5%	9.6%
	Grade 12	27.2%	1.1%	8.4%	21.9%	20.5%	12.1%	8.8%
Beer?								
	All	52.4%	0.4%	3.9%	10.6%	12.6%	10.0%	10.2%
	Grade 7	71.9%	0.2%	1.7%	3.3%	6.2%	7.4%	9.4%
	Grade 8	60.7%	0.3%	2.2%	6.0%	9.7%	9.8%	11.2%
	Grade 9	50.7%	0.4%	3.8%	10.1%	13.2%	11.2%	10.6%
	Grade 10	45.3%	0.3%	4.3%	13.9%	15.4%	10.6%	10.2%
	Grade 11	42.6%	0.5%	4.9%	15.2%	16.0%	11.0%	9.8%
	Grade 12	37.9%	0.8%	7.5%	18.0%	16.6%	9.8%	9.4%
Wine coolers?								
	All	57.9%	0.2%	2.2%	7.6%	11.2%	11.6%	9.3%
	Grade 7	77.0%	0.2%	1.6%	3.1%	5.5%	6.6%	6.2%
	Grade 8	65.0%	0.2%	1.7%	5.2%	8.7%	10.6%	8.7%
	Grade 9	56.7%	0.2%	2.5%	8.2%	11.5%	11.9%	9.0%
	Grade 10	50.9%	0.2%	2.5%	9.9%	13.6%	12.7%	10.1%
	Grade 11	47.7%	0.1%	2.4%	9.8%	13.8%	14.8%	11.3%
	Grade 12	44.7%	0.2%	3.0%	10.8%	15.8%	14.1%	11.5%
Wine?								
	All	57.3%	0.2%	1.9%	6.0%	9.6%	13.8%	11.3%
	Grade 7	74.6%	0.1%	1.2%	2.7%	4.6%	8.3%	8.5%
	Grade 8	63.1%	0.2%	1.4%	4.3%	7.9%	12.5%	10.7%
	Grade 9	55.8%	0.1%	2.1%	6.5%	10.1%	14.0%	11.4%
	Grade 10	51.2%	0.2%	2.2%	7.6%	11.2%	15.6%	12.2%
	Grade 11	49.3%	0.1%	2.1%	7.5%	11.8%	16.7%	12.5%
	Grade 12	45.4%	0.3%	2.5%	8.5%	13.3%	16.8%	13.3%
Liquor?								
	All	57.5%	0.3%	3.1%	10.2%	11.9%	9.6%	7.4%
	Grade 7	82.1%	0.2%	1.2%	2.5%	3.9%	5.1%	5.1%
	Grade 8	69.4%	0.3%	1.8%	5.0%	7.8%	8.4%	7.2%
	Grade 9	57.0%	0.3%	3.2%	9.6%	11.9%	10.3%	7.7%
	Grade 10	48.3%	0.3%	3.6%	13.6%	15.0%	11.1%	8.0%
	Grade 11	42.8%	0.5%	3.9%	15.4%	16.6%	12.5%	8.5%
	Grade 12	37.3%	0.4%	5.4%	18.0%	19.4%	11.4%	8.1%

**State : Grades 7-12 Large
Spring 2006**

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever	5 or More	1 to 4	Less than 1
Beer						
	All	49.7%	50.3%	13.1%	23.3%	14.0%
	Grade 7	67.2%	32.8%	3.3%	14.5%	15.1%
	Grade 8	56.8%	43.2%	6.1%	20.0%	17.1%
	Grade 9	48.2%	51.8%	12.1%	25.1%	14.6%
	Grade 10	43.1%	56.9%	16.6%	27.2%	13.0%
	Grade 11	41.0%	59.0%	20.5%	26.7%	11.8%
	Grade 12	37.2%	62.8%	24.2%	27.6%	11.0%
Wine Coolers						
	All	54.5%	45.5%	9.1%	26.6%	9.9%
	Grade 7	72.5%	27.5%	3.9%	14.4%	9.2%
	Grade 8	60.6%	39.4%	5.7%	22.7%	10.9%
	Grade 9	52.5%	47.5%	9.8%	27.7%	9.9%
	Grade 10	47.8%	52.2%	11.6%	31.1%	9.5%
	Grade 11	45.6%	54.4%	12.3%	32.3%	9.9%
	Grade 12	43.6%	56.4%	12.2%	34.4%	9.8%
Wine						
	All	54.6%	45.4%	4.2%	23.7%	17.4%
	Grade 7	70.0%	30.0%	2.1%	12.8%	15.1%
	Grade 8	59.0%	41.0%	3.0%	19.7%	18.3%
	Grade 9	52.2%	47.8%	4.7%	25.1%	18.0%
	Grade 10	49.2%	50.8%	4.8%	28.1%	17.9%
	Grade 11	48.5%	51.5%	5.5%	28.5%	17.5%
	Grade 12	45.5%	54.5%	6.0%	30.8%	17.7%
Liquor						
	All	53.8%	46.2%	12.4%	23.9%	9.9%
	Grade 7	79.0%	21.0%	2.9%	9.5%	8.6%
	Grade 8	66.3%	33.7%	5.9%	16.4%	11.5%
	Grade 9	53.0%	47.0%	11.9%	24.3%	10.8%
	Grade 10	44.4%	55.6%	16.8%	28.9%	9.9%
	Grade 11	39.1%	60.9%	19.3%	32.3%	9.3%
	Grade 12	33.7%	66.3%	21.1%	36.6%	8.6%

**State : Grades 7-12 Large
Spring 2006**

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol	All	78.1%	7.0%	4.7%	5.3%	2.5%	2.4%
	Grade 7	91.9%	3.6%	1.6%	1.5%	0.6%	0.8%
	Grade 8	87.0%	5.0%	3.0%	2.4%	1.1%	1.5%
	Grade 9	78.2%	7.5%	5.0%	4.7%	2.1%	2.4%
	Grade 10	73.1%	8.3%	6.1%	6.8%	2.9%	2.8%
	Grade 11	69.8%	9.1%	6.2%	8.2%	3.6%	3.2%
	Grade 12	63.4%	9.7%	7.4%	9.8%	5.5%	4.3%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	10.5	11.0	11.8	12.5	13.1	13.8
Beer	10.5	11.1	11.9	12.7	13.4	14.1
Wine Coolers	10.9	11.5	12.2	12.9	13.5	14.2
Wine	10.9	11.5	12.2	12.9	13.5	14.3
Liquor	11.2	11.9	12.7	13.5	14.2	14.9

**State : Grades 7-12 Large
Spring 2006**

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	9.6%	12.6%	5.7%	11.2%	21.4%	39.5%
	Grade 7	16.0%	26.1%	9.1%	12.2%	15.2%	21.3%
	Grade 8	10.4%	17.8%	7.8%	12.6%	20.2%	31.2%
	Grade 9	9.8%	10.3%	5.4%	11.7%	21.7%	41.2%
	Grade 10	7.3%	7.7%	4.1%	10.5%	22.7%	47.8%
	Grade 11	6.7%	6.1%	3.5%	9.7%	23.4%	50.6%
	Grade 12	5.8%	4.4%	3.0%	10.0%	27.0%	49.8%
Wine coolers?							
	All	14.8%	14.1%	6.5%	11.7%	19.7%	33.3%
	Grade 7	25.8%	28.7%	8.6%	10.3%	11.7%	15.0%
	Grade 8	17.5%	20.0%	9.0%	12.6%	16.8%	24.1%
	Grade 9	14.4%	12.2%	7.0%	13.2%	20.1%	33.1%
	Grade 10	10.8%	8.5%	5.2%	12.0%	22.1%	41.4%
	Grade 11	9.5%	6.3%	4.2%	10.6%	23.5%	45.8%
	Grade 12	7.6%	4.5%	3.3%	10.8%	26.8%	47.0%
Wine?							
	All	11.7%	14.9%	7.3%	12.3%	19.6%	34.3%
	Grade 7	18.5%	30.2%	10.4%	11.2%	12.7%	16.9%
	Grade 8	12.7%	21.0%	9.8%	13.0%	17.1%	26.3%
	Grade 9	11.9%	12.7%	7.5%	13.1%	20.1%	34.6%
	Grade 10	9.2%	9.2%	5.8%	13.0%	21.3%	41.4%
	Grade 11	8.5%	7.1%	4.9%	11.6%	22.7%	45.2%
	Grade 12	7.3%	4.9%	3.8%	11.5%	25.8%	46.6%
Liquor?							
	All	11.5%	17.2%	7.6%	10.8%	18.1%	34.8%
	Grade 7	20.0%	35.6%	10.3%	8.9%	10.0%	15.2%
	Grade 8	13.2%	25.0%	10.4%	11.3%	15.5%	24.7%
	Grade 9	11.3%	14.7%	8.1%	11.8%	18.5%	35.6%
	Grade 10	8.1%	10.3%	6.1%	11.2%	20.6%	43.8%
	Grade 11	7.5%	7.4%	4.9%	10.7%	21.6%	47.8%
	Grade 12	6.5%	5.0%	4.3%	11.1%	25.2%	48.0%

**State : Grades 7-12 Large
Spring 2006**

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	90.8%	6.9%	1.2%	1.1%
Grade 7	94.1%	4.6%	0.7%	0.6%
Grade 8	92.3%	5.9%	0.9%	0.9%
Grade 9	90.4%	7.2%	1.2%	1.2%
Grade 10	89.8%	7.5%	1.6%	1.2%
Grade 11	89.2%	8.1%	1.3%	1.4%
Grade 12	88.4%	8.5%	1.7%	1.4%
Gotten into trouble with teachers because of your drinking?				
All	98.6%	0.9%	0.2%	0.3%
Grade 7	99.0%	0.6%	0.2%	0.2%
Grade 8	98.8%	0.8%	0.2%	0.2%
Grade 9	98.4%	1.0%	0.2%	0.4%
Grade 10	98.4%	1.0%	0.2%	0.3%
Grade 11	98.5%	1.0%	0.3%	0.3%
Grade 12	98.7%	0.9%	0.2%	0.2%

**State : Grades 7-12 Large
Spring 2006**

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.5
Alcohol Non-users:	3.5

Average days conduct problems reported	
Alcohol Users:	3.3
Alcohol Non-users:	1.2

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	87.9%	8.8%	1.8%	1.5%
Grade 9	94.3%	4.3%	0.8%	0.6%
Grade 10	90.5%	7.4%	1.2%	0.9%
Grade 11	84.6%	11.3%	2.4%	1.7%
Grade 12	78.8%	14.7%	3.4%	3.1%
Gotten into trouble with the police because of drinking?				
All	96.5%	2.9%	0.3%	0.3%
Grade 7	98.5%	1.2%	0.1%	0.2%
Grade 8	97.9%	1.6%	0.3%	0.3%
Grade 9	96.6%	2.6%	0.4%	0.4%
Grade 10	96.0%	3.4%	0.4%	0.2%
Grade 11	95.0%	4.4%	0.4%	0.2%
Grade 12	94.0%	5.3%	0.4%	0.3%

**State : Grades 7-12 Large
Spring 2006**

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	27.4%	24.2%	17.6%	20.3%	10.5%
	Grade 7	54.0%	24.8%	10.4%	6.2%	4.6%
	Grade 8	37.4%	27.8%	16.0%	12.1%	6.7%
	Grade 9	22.7%	26.4%	19.6%	20.7%	10.6%
	Grade 10	17.0%	23.1%	20.6%	26.6%	12.7%
	Grade 11	15.0%	21.9%	20.1%	29.1%	13.9%
	Grade 12	12.7%	19.1%	20.1%	31.4%	16.7%
Beer?						
	All	33.6%	23.5%	17.3%	17.7%	7.9%
	Grade 7	61.9%	21.8%	8.6%	4.5%	3.2%
	Grade 8	45.5%	26.0%	14.8%	9.1%	4.6%
	Grade 9	29.5%	26.2%	19.2%	17.6%	7.6%
	Grade 10	22.2%	23.3%	21.1%	23.8%	9.6%
	Grade 11	19.8%	22.3%	20.8%	26.0%	11.0%
	Grade 12	16.4%	19.7%	20.7%	29.7%	13.6%
Wine coolers?						
	All	46.9%	21.5%	14.8%	10.9%	5.8%
	Grade 7	70.7%	15.3%	6.9%	3.9%	3.2%
	Grade 8	56.9%	20.2%	11.1%	7.4%	4.4%
	Grade 9	44.3%	22.5%	15.6%	11.3%	6.3%
	Grade 10	37.6%	23.5%	18.1%	14.0%	6.8%
	Grade 11	35.3%	24.3%	18.8%	14.9%	6.7%
	Grade 12	31.2%	24.6%	20.6%	16.0%	7.7%
Wine?						
	All	53.8%	22.6%	11.7%	7.3%	4.6%
	Grade 7	73.9%	15.3%	5.7%	2.5%	2.6%
	Grade 8	62.5%	20.0%	9.2%	5.0%	3.3%
	Grade 9	51.4%	23.8%	12.1%	7.7%	5.0%
	Grade 10	45.8%	25.5%	14.0%	9.3%	5.4%
	Grade 11	44.4%	25.7%	14.6%	9.8%	5.5%
	Grade 12	40.0%	26.6%	16.3%	10.7%	6.4%
Liquor?						
	All	42.9%	19.3%	14.7%	15.6%	7.5%
	Grade 7	73.9%	13.9%	5.9%	3.5%	2.9%
	Grade 8	57.8%	19.1%	11.0%	8.0%	4.2%
	Grade 9	39.2%	22.5%	15.8%	15.1%	7.4%
	Grade 10	30.3%	20.9%	18.3%	21.2%	9.4%
	Grade 11	25.6%	20.4%	19.4%	24.1%	10.5%
	Grade 12	22.0%	18.6%	20.3%	26.4%	12.6%

**State : Grades 7-12 Large
Spring 2006**

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	92.1%	6.8%	0.7%	0.4%
Grade 7	96.8%	2.6%	0.3%	0.3%
Grade 8	95.1%	4.2%	0.4%	0.3%
Grade 9	91.8%	6.9%	0.7%	0.6%
Grade 10	90.2%	8.5%	0.9%	0.4%
Grade 11	89.4%	9.1%	1.1%	0.4%
Grade 12	87.6%	10.7%	1.2%	0.5%
Been criticized by someone you were dating because of drinking?				
All	92.8%	5.9%	0.8%	0.5%
Grade 7	97.5%	2.0%	0.3%	0.2%
Grade 8	95.9%	3.3%	0.4%	0.4%
Grade 9	92.8%	5.8%	0.8%	0.6%
Grade 10	91.0%	7.5%	1.0%	0.5%
Grade 11	89.7%	8.5%	1.1%	0.7%
Grade 12	88.5%	9.3%	1.5%	0.7%

Table A-12: Thinking of parties you attended this school year, how often was

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	39.3%	10.5%	7.5%	12.6%	17.5%	2.0%	10.6%
Grade 7	65.8%	10.1%	5.6%	4.4%	2.9%	2.2%	9.0%
Grade 8	54.2%	13.6%	7.8%	7.8%	5.9%	2.4%	8.4%
Grade 9	36.1%	11.7%	9.6%	13.5%	15.0%	2.5%	11.6%
Grade 10	27.9%	10.4%	8.2%	17.3%	22.9%	2.0%	11.2%
Grade 11	23.9%	8.6%	7.1%	16.7%	29.6%	1.4%	12.7%
Grade 12	21.1%	7.2%	6.2%	17.7%	35.8%	1.2%	10.7%

**State : Grades 7-12 Large
Spring 2006**

Table A-13: How often, if ever, do you get alcoholic beverages from...

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home						
	All	41.5%	27.0%	22.0%	6.7%	2.8%
	Grade 7	54.1%	24.9%	15.2%	4.2%	1.5%
	Grade 8	46.3%	24.5%	20.1%	6.6%	2.4%
	Grade 9	40.5%	25.2%	23.4%	7.5%	3.3%
	Grade 10	36.5%	28.3%	24.7%	7.6%	3.0%
	Grade 11	36.1%	29.4%	24.4%	7.2%	3.0%
	Grade 12	32.5%	31.3%	25.2%	7.3%	3.6%
From friends						
	All	38.3%	19.5%	15.3%	18.6%	8.3%
	Grade 7	55.7%	28.7%	8.1%	5.7%	1.7%
	Grade 8	46.0%	25.7%	13.5%	11.2%	3.5%
	Grade 9	37.0%	19.8%	17.2%	18.8%	7.1%
	Grade 10	31.3%	16.0%	17.9%	23.8%	11.0%
	Grade 11	29.5%	12.9%	18.3%	26.3%	12.9%
	Grade 12	25.8%	10.5%	17.7%	29.7%	16.3%
From a store						
	All	40.3%	43.2%	8.4%	5.2%	2.9%
	Grade 7	56.1%	39.4%	2.5%	1.4%	0.7%
	Grade 8	47.1%	45.0%	4.5%	2.2%	1.1%
	Grade 9	39.2%	46.0%	8.4%	4.0%	2.4%
	Grade 10	34.0%	45.4%	10.6%	6.6%	3.4%
	Grade 11	32.4%	41.7%	12.5%	8.5%	4.9%
	Grade 12	28.7%	40.8%	14.0%	10.2%	6.2%
At parties						
	All	37.1%	17.9%	13.0%	16.0%	16.0%
	Grade 7	51.9%	24.8%	10.3%	8.5%	4.5%
	Grade 8	43.8%	22.9%	13.2%	11.9%	8.1%
	Grade 9	35.8%	17.9%	14.3%	16.2%	15.9%
	Grade 10	31.3%	15.4%	13.4%	19.1%	20.8%
	Grade 11	29.8%	13.0%	13.7%	20.3%	23.3%
	Grade 12	26.3%	11.1%	13.0%	22.3%	27.2%
Other source						
	All	40.3%	27.2%	14.7%	9.2%	8.7%
	Grade 7	54.5%	27.9%	9.5%	4.9%	3.2%
	Grade 8	46.0%	27.8%	12.9%	7.7%	5.6%
	Grade 9	39.1%	27.1%	15.1%	9.6%	9.0%
	Grade 10	34.4%	26.7%	17.0%	11.3%	10.6%
	Grade 11	33.5%	26.4%	17.3%	10.9%	12.0%
	Grade 12	30.5%	27.0%	17.7%	11.7%	13.1%

**State : Grades 7-12 Large
Spring 2006**

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	62.6%	15.5%	9.9%	3.3%	1.3%	7.5%
Grade 7	72.0%	9.2%	4.7%	1.5%	1.2%	11.4%
Grade 8	69.3%	12.0%	6.8%	2.3%	1.0%	8.5%
Grade 9	62.6%	15.2%	9.6%	3.3%	1.4%	7.9%
Grade 10	59.1%	17.7%	12.0%	3.8%	1.3%	6.1%
Grade 11	56.9%	19.5%	13.0%	4.1%	1.4%	5.0%
Grade 12	52.1%	21.2%	15.0%	5.3%	1.5%	4.8%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	46.0%	31.8%	15.0%	3.6%	3.6%
Grade 7	58.7%	23.7%	10.6%	2.6%	4.4%
Grade 8	48.5%	28.9%	14.8%	3.6%	4.1%
Grade 9	43.9%	31.4%	16.7%	4.2%	3.8%
Grade 10	41.0%	34.5%	17.0%	4.1%	3.3%
Grade 11	41.9%	36.2%	15.5%	3.6%	2.8%
Grade 12	40.2%	38.5%	15.5%	3.0%	2.8%

**State : Grades 7-12 Large
Spring 2006**

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	11.0%	16.3%	26.4%	73.6%
	Grade 7	3.9%	5.4%	9.4%	90.6%
	Grade 8	6.9%	10.1%	17.0%	83.0%
	Grade 9	11.0%	16.3%	26.1%	73.9%
	Grade 10	13.4%	20.2%	32.3%	67.7%
	Grade 11	16.2%	23.9%	38.2%	61.8%
	Grade 12	17.3%	25.7%	41.6%	58.4%
Cocaine?					
	All	2.6%	4.2%	7.3%	92.7%
	Grade 7	0.7%	1.1%	2.3%	97.7%
	Grade 8	1.4%	2.1%	4.0%	96.0%
	Grade 9	2.6%	4.0%	6.8%	93.2%
	Grade 10	3.2%	5.3%	8.9%	91.1%
	Grade 11	4.2%	6.5%	11.3%	88.7%
	Grade 12	4.3%	7.1%	12.7%	87.3%
Crack?					
	All	0.7%	1.1%	2.3%	97.7%
	Grade 7	0.6%	0.9%	1.8%	98.2%
	Grade 8	0.7%	1.2%	2.4%	97.6%
	Grade 9	0.8%	1.3%	2.5%	97.5%
	Grade 10	0.7%	1.1%	2.5%	97.5%
	Grade 11	0.6%	1.2%	2.5%	97.5%
	Grade 12	0.6%	1.1%	2.5%	97.5%
Hallucinogens?					
	All	1.4%	2.4%	4.7%	95.3%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.7%	1.2%	2.4%	97.6%
	Grade 9	1.4%	2.3%	4.3%	95.7%
	Grade 10	2.0%	3.4%	6.5%	93.5%
	Grade 11	2.0%	3.5%	7.1%	92.9%
	Grade 12	2.4%	4.3%	8.4%	91.6%
Uppers?					
	All	2.3%	3.6%	5.7%	94.3%
	Grade 7	0.5%	0.6%	0.9%	99.1%
	Grade 8	0.9%	1.5%	2.5%	97.5%
	Grade 9	1.9%	3.3%	5.0%	95.0%
	Grade 10	3.4%	5.0%	7.6%	92.4%
	Grade 11	4.1%	6.3%	9.8%	90.2%
	Grade 12	3.9%	6.3%	10.2%	89.8%
Downers?					
	All	2.5%	3.8%	5.9%	94.1%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.9%	1.4%	2.3%	97.7%
	Grade 9	2.1%	3.5%	5.2%	94.8%
	Grade 10	3.8%	5.4%	8.0%	92.0%
	Grade 11	4.4%	6.5%	10.4%	89.6%
	Grade 12	4.3%	6.8%	10.9%	89.1%

**State : Grades 7-12 Large
Spring 2006**

Table D-1: How recently, if ever, have you used...

(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol?					
	All	1.0%	1.5%	2.6%	97.4%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.8%	1.3%	2.3%	97.7%
	Grade 9	1.2%	1.8%	3.0%	97.0%
	Grade 10	1.2%	1.9%	3.4%	96.6%
	Grade 11	1.1%	1.6%	3.0%	97.0%
	Grade 12	0.9%	1.4%	2.9%	97.1%
Steroids?					
	All	0.6%	0.8%	1.5%	98.5%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.5%	0.7%	1.5%	98.5%
	Grade 9	0.5%	0.7%	1.3%	98.7%
	Grade 10	0.7%	0.9%	1.7%	98.3%
	Grade 11	0.7%	0.9%	1.5%	98.5%
	Grade 12	0.8%	1.0%	1.8%	98.2%
Ecstasy?					
	All	1.8%	3.0%	5.2%	94.8%
	Grade 7	0.5%	0.8%	1.5%	98.5%
	Grade 8	1.0%	1.7%	3.0%	97.0%
	Grade 9	1.9%	2.9%	5.1%	94.9%
	Grade 10	2.4%	4.0%	6.8%	93.2%
	Grade 11	2.5%	4.2%	7.6%	92.4%
	Grade 12	2.9%	5.1%	8.9%	91.1%
Heroin?					
	All	0.5%	0.8%	1.5%	98.5%
	Grade 7	0.5%	0.6%	1.1%	98.9%
	Grade 8	0.5%	0.8%	1.7%	98.3%
	Grade 9	0.6%	0.8%	1.8%	98.2%
	Grade 10	0.6%	0.8%	1.5%	98.5%
	Grade 11	0.4%	0.8%	1.6%	98.4%
	Grade 12	0.5%	0.8%	1.4%	98.6%

**State : Grades 7-12 Large
Spring 2006**

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	77.8%	2.3%	2.6%	3.6%	4.4%	4.0%	5.2%
	Grade 7	92.0%	0.6%	1.3%	1.5%	1.6%	1.4%	1.6%
	Grade 8	85.1%	1.2%	2.1%	2.7%	3.1%	2.6%	3.2%
	Grade 9	77.9%	2.2%	3.0%	4.0%	4.4%	3.6%	4.8%
	Grade 10	72.4%	2.7%	3.3%	4.8%	5.4%	4.9%	6.6%
	Grade 11	68.3%	3.7%	3.3%	4.6%	6.0%	6.3%	7.8%
	Grade 12	66.3%	4.2%	3.2%	4.7%	6.6%	6.1%	9.0%
Cocaine?								
	All	94.0%	0.2%	0.5%	0.9%	1.2%	1.3%	1.8%
	Grade 7	98.1%	0.1%	0.2%	0.2%	0.4%	0.4%	0.6%
	Grade 8	96.6%	0.1%	0.4%	0.5%	0.7%	0.7%	0.9%
	Grade 9	94.4%	0.2%	0.6%	1.0%	1.1%	1.2%	1.5%
	Grade 10	92.6%	0.2%	0.7%	1.3%	1.6%	1.6%	2.1%
	Grade 11	91.1%	0.2%	0.6%	1.2%	1.9%	1.9%	3.1%
	Grade 12	89.9%	0.2%	0.7%	1.5%	2.1%	2.2%	3.5%
Crack?								
	All	98.1%	0.1%	0.1%	0.2%	0.4%	0.4%	0.7%
	Grade 7	98.5%	0.1%	0.1%	0.1%	0.3%	0.4%	0.5%
	Grade 8	97.9%	0.1%	0.3%	0.3%	0.4%	0.4%	0.7%
	Grade 9	98.1%	0.0%	0.1%	0.3%	0.4%	0.5%	0.6%
	Grade 10	97.8%	0.0%	0.2%	0.2%	0.5%	0.5%	0.8%
	Grade 11	98.0%	0.1%	0.1%	0.2%	0.3%	0.4%	0.9%
	Grade 12	98.0%	0.1%	0.1%	0.2%	0.3%	0.4%	0.9%
Hallucinogens?								
	All	96.2%	0.0%	0.1%	0.3%	0.8%	1.2%	1.4%
	Grade 7	99.0%	0.0%	0.1%	0.1%	0.1%	0.3%	0.3%
	Grade 8	98.1%	0.0%	0.1%	0.2%	0.4%	0.6%	0.6%
	Grade 9	96.6%	0.1%	0.1%	0.4%	0.8%	0.9%	1.1%
	Grade 10	94.9%	0.0%	0.1%	0.4%	1.2%	1.6%	1.8%
	Grade 11	94.2%	0.1%	0.1%	0.5%	1.0%	1.9%	2.2%
	Grade 12	93.1%	0.0%	0.1%	0.5%	1.4%	2.3%	2.7%
Uppers?								
	All	94.8%	0.2%	0.4%	0.9%	1.4%	1.1%	1.2%
	Grade 7	99.1%	0.1%	0.1%	0.1%	0.3%	0.2%	0.2%
	Grade 8	97.7%	0.1%	0.2%	0.4%	0.6%	0.5%	0.5%
	Grade 9	95.3%	0.2%	0.5%	0.8%	1.4%	1.0%	1.0%
	Grade 10	93.0%	0.2%	0.6%	1.3%	2.0%	1.5%	1.5%
	Grade 11	91.1%	0.4%	0.5%	1.5%	2.3%	2.0%	2.4%
	Grade 12	91.0%	0.2%	0.4%	1.4%	2.4%	2.2%	2.5%
Downers?								
	All	94.6%	0.2%	0.4%	1.0%	1.5%	1.2%	1.2%
	Grade 7	99.1%	0.0%	0.1%	0.1%	0.2%	0.2%	0.2%
	Grade 8	97.8%	0.1%	0.2%	0.5%	0.5%	0.5%	0.4%
	Grade 9	95.1%	0.2%	0.5%	0.8%	1.4%	1.0%	0.9%
	Grade 10	92.6%	0.3%	0.7%	1.4%	2.1%	1.5%	1.4%
	Grade 11	90.8%	0.3%	0.6%	1.7%	2.4%	2.0%	2.3%
	Grade 12	90.3%	0.2%	0.5%	1.6%	2.5%	2.3%	2.6%

**State : Grades 7-12 Large
Spring 2006**

**Table D-2: How often do you normally use...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	98.0%	0.1%	0.2%	0.3%	0.4%	0.5%	0.6%
	Grade 7	99.1%	0.0%	0.1%	0.2%	0.2%	0.2%	0.2%
	Grade 8	98.2%	0.1%	0.1%	0.3%	0.4%	0.5%	0.4%
	Grade 9	97.5%	0.0%	0.2%	0.4%	0.6%	0.6%	0.6%
	Grade 10	97.4%	0.1%	0.2%	0.4%	0.6%	0.7%	0.8%
	Grade 11	97.7%	0.1%	0.2%	0.3%	0.4%	0.5%	0.8%
	Grade 12	97.8%	0.1%	0.1%	0.2%	0.5%	0.5%	0.8%
Steroids?								
	All	98.8%	0.2%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 8	98.8%	0.2%	0.0%	0.1%	0.2%	0.2%	0.6%
	Grade 9	99.0%	0.1%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 10	98.7%	0.2%	0.1%	0.2%	0.1%	0.2%	0.4%
	Grade 11	98.8%	0.2%	0.1%	0.2%	0.1%	0.2%	0.4%
	Grade 12	98.6%	0.1%	0.2%	0.1%	0.2%	0.2%	0.6%
Ecstasy?								
	All	95.5%	0.1%	0.2%	0.5%	1.0%	1.3%	1.5%
	Grade 7	98.8%	0.0%	0.1%	0.1%	0.2%	0.4%	0.4%
	Grade 8	97.3%	0.1%	0.2%	0.2%	0.6%	0.7%	0.9%
	Grade 9	95.7%	0.1%	0.2%	0.6%	1.0%	1.1%	1.3%
	Grade 10	94.0%	0.1%	0.2%	0.6%	1.4%	1.8%	1.8%
	Grade 11	93.5%	0.1%	0.1%	0.7%	1.4%	1.9%	2.3%
	Grade 12	92.4%	0.0%	0.1%	1.0%	1.6%	2.3%	2.5%
Heroin?								
	All	98.8%	0.1%	0.1%	0.1%	0.2%	0.3%	0.5%
	Grade 7	99.1%	0.0%	0.1%	0.1%	0.2%	0.2%	0.3%
	Grade 8	98.6%	0.1%	0.1%	0.1%	0.2%	0.3%	0.6%
	Grade 9	98.6%	0.0%	0.1%	0.2%	0.2%	0.3%	0.5%
	Grade 10	98.7%	0.1%	0.1%	0.1%	0.2%	0.3%	0.6%
	Grade 11	98.8%	0.1%	0.1%	0.0%	0.2%	0.2%	0.6%
	Grade 12	98.8%	0.1%	0.0%	0.1%	0.2%	0.3%	0.5%

**State : Grades 7-12 Large
Spring 2006**

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.5	12.2	12.8	13.6	14.2	14.8
Cocaine	11.9	12.7	13.6	14.4	15.1	15.9
Crack	11.6	12.4	13.5	14.1	14.8	15.7
Hallucinogens	11.6	12.5	13.5	14.3	15.0	15.8
Uppers	11.4	12.6	13.3	14.1	14.7	15.5
Downers	11.5	12.5	13.3	14.0	14.7	15.3
Rohypnol	11.3	12.5	13.2	13.9	14.4	15.1
Steroids	11.2	11.9	12.8	13.4	14.2	15.2
Ecstasy	11.9	12.9	13.7	14.6	15.4	16.0
Heroin	11.7	12.4	13.2	14.1	14.8	15.4

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	78.5%	0.8%	1.8%	6.3%	8.4%	3.9%	0.3%
	Grade 7	93.2%	0.8%	1.9%	3.7%	0.3%	0.0%	0.0%
	Grade 8	87.6%	0.7%	2.1%	6.9%	2.7%	0.0%	0.0%
	Grade 9	80.0%	1.1%	2.2%	8.0%	8.3%	0.4%	0.0%
	Grade 10	74.1%	0.7%	1.7%	7.1%	13.8%	2.6%	0.0%
	Grade 11	67.1%	0.8%	1.7%	6.5%	14.3%	9.5%	0.1%
	Grade 12	63.0%	0.5%	1.0%	5.2%	13.7%	14.8%	1.8%
Other family situation								
	All	64.2%	2.3%	4.4%	11.7%	12.4%	4.6%	0.4%
	Grade 7	85.1%	2.1%	4.6%	7.4%	0.7%	0.0%	0.0%
	Grade 8	74.9%	2.4%	5.5%	12.8%	4.3%	0.0%	0.1%
	Grade 9	62.7%	2.9%	5.4%	14.5%	14.1%	0.4%	0.0%
	Grade 10	56.1%	2.4%	4.3%	13.6%	19.9%	3.6%	0.1%
	Grade 11	53.0%	2.0%	3.4%	10.8%	18.9%	11.5%	0.4%
	Grade 12	49.2%	1.3%	2.7%	10.2%	18.0%	16.4%	2.3%

**State : Grades 7-12 Large
Spring 2006**

Table D-5: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	13.1%	26.1%	8.8%	10.4%	14.3%	27.3%
	Grade 7	21.5%	49.0%	8.7%	5.7%	5.7%	9.4%
	Grade 8	14.3%	38.8%	10.5%	9.6%	10.0%	16.8%
	Grade 9	12.8%	23.8%	10.0%	11.5%	14.6%	27.3%
	Grade 10	10.3%	16.6%	8.6%	12.4%	17.1%	35.0%
	Grade 11	9.4%	12.7%	7.4%	11.5%	19.7%	39.2%
	Grade 12	8.9%	9.0%	6.4%	12.1%	21.2%	42.3%
Cocaine?							
	All	17.3%	33.1%	13.9%	13.1%	9.6%	13.1%
	Grade 7	24.3%	53.3%	9.4%	4.9%	3.2%	5.1%
	Grade 8	18.0%	46.5%	12.8%	9.3%	5.6%	7.9%
	Grade 9	17.6%	31.8%	14.8%	13.1%	9.2%	13.5%
	Grade 10	14.6%	23.9%	15.7%	16.6%	12.4%	16.8%
	Grade 11	14.1%	20.7%	15.4%	17.5%	14.5%	17.8%
	Grade 12	13.5%	16.1%	16.1%	19.6%	14.9%	19.9%
Crack?							
	All	19.2%	34.0%	15.0%	13.1%	8.3%	10.4%
	Grade 7	25.7%	52.3%	9.3%	4.9%	3.0%	4.8%
	Grade 8	19.2%	46.8%	13.0%	8.7%	5.3%	7.0%
	Grade 9	19.2%	32.5%	16.1%	12.4%	8.6%	11.0%
	Grade 10	16.8%	25.6%	16.9%	16.6%	10.5%	13.5%
	Grade 11	16.7%	22.6%	17.2%	18.1%	12.1%	13.3%
	Grade 12	16.3%	18.2%	18.7%	20.6%	11.8%	14.4%
Hallucinogens?							
	All	35.7%	25.6%	12.4%	10.3%	6.9%	9.1%
	Grade 7	51.6%	33.0%	6.2%	3.2%	2.0%	4.0%
	Grade 8	42.5%	32.9%	9.5%	6.0%	3.5%	5.6%
	Grade 9	34.9%	26.7%	13.0%	9.8%	6.7%	8.9%
	Grade 10	29.5%	21.7%	14.5%	13.0%	8.9%	12.3%
	Grade 11	26.7%	19.8%	15.4%	15.3%	10.4%	12.4%
	Grade 12	24.8%	16.0%	17.1%	16.9%	11.6%	13.6%
Uppers?							
	All	45.9%	19.9%	8.6%	8.0%	6.8%	10.8%
	Grade 7	59.1%	27.8%	5.4%	2.4%	1.6%	3.6%
	Grade 8	51.8%	26.4%	7.5%	5.0%	3.3%	5.9%
	Grade 9	45.6%	20.3%	9.2%	8.1%	6.4%	10.5%
	Grade 10	41.8%	15.6%	9.6%	9.8%	9.1%	14.1%
	Grade 11	37.6%	14.8%	9.8%	11.6%	10.6%	15.6%
	Grade 12	35.1%	11.1%	11.0%	13.4%	11.9%	17.5%
Downers?							
	All	45.9%	19.9%	8.5%	7.9%	6.9%	10.8%
	Grade 7	59.1%	27.9%	5.3%	2.6%	1.7%	3.4%
	Grade 8	51.9%	26.4%	7.5%	4.9%	3.3%	6.0%
	Grade 9	45.6%	20.3%	9.0%	8.1%	6.5%	10.5%
	Grade 10	41.8%	15.7%	9.4%	9.5%	9.2%	14.4%
	Grade 11	37.5%	14.9%	9.6%	11.5%	10.7%	15.9%
	Grade 12	35.0%	11.1%	11.1%	13.1%	12.0%	17.6%

**State : Grades 7-12 Large
Spring 2006**

Table D-5: If you wanted some, how difficult would it be to get...
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?							
	All	49.3%	20.7%	9.2%	7.5%	5.0%	8.3%
	Grade 7	59.5%	27.7%	5.1%	2.5%	1.5%	3.7%
	Grade 8	52.8%	26.7%	7.4%	4.6%	3.0%	5.6%
	Grade 9	47.8%	21.2%	9.7%	7.5%	5.1%	8.7%
	Grade 10	45.6%	17.1%	10.5%	9.3%	6.6%	10.9%
	Grade 11	45.2%	15.5%	10.6%	10.7%	7.3%	10.7%
	Grade 12	42.7%	13.0%	12.9%	12.6%	7.2%	11.7%
Steroids?							
	All	22.8%	34.2%	14.0%	11.4%	7.6%	10.1%
	Grade 7	29.3%	50.5%	8.8%	4.4%	2.7%	4.3%
	Grade 8	23.1%	46.4%	12.2%	7.7%	4.4%	6.2%
	Grade 9	23.3%	34.0%	15.0%	11.0%	7.1%	9.6%
	Grade 10	20.4%	26.4%	15.9%	14.5%	9.6%	13.1%
	Grade 11	19.9%	23.1%	16.4%	16.0%	11.1%	13.5%
	Grade 12	19.3%	18.6%	16.7%	17.0%	12.5%	15.9%
Ecstasy?							
	All	28.5%	28.8%	12.2%	10.2%	8.4%	11.9%
	Grade 7	48.0%	36.4%	6.3%	3.3%	2.1%	3.9%
	Grade 8	34.0%	38.6%	10.3%	5.9%	4.5%	6.7%
	Grade 9	26.5%	30.3%	13.3%	10.1%	8.2%	11.6%
	Grade 10	20.9%	24.4%	14.0%	13.5%	11.1%	16.1%
	Grade 11	19.0%	21.6%	15.0%	14.5%	12.8%	17.1%
	Grade 12	18.2%	16.6%	15.6%	16.2%	14.1%	19.3%
Heroin?							
	All	25.2%	35.9%	15.1%	9.9%	5.4%	8.5%
	Grade 7	36.6%	46.9%	7.5%	3.2%	1.9%	3.9%
	Grade 8	26.8%	46.5%	11.4%	6.0%	3.3%	6.0%
	Grade 9	24.5%	35.6%	15.4%	9.8%	5.6%	9.1%
	Grade 10	20.7%	30.4%	17.8%	12.8%	6.9%	11.3%
	Grade 11	20.3%	28.0%	19.3%	13.9%	8.0%	10.5%
	Grade 12	20.2%	23.1%	21.8%	15.8%	7.8%	11.3%

**State : Grades 7-12 Large
Spring 2006**

Table D-6: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	90.1%	5.4%	1.8%	2.7%
Grade 7	95.4%	2.9%	0.8%	0.9%
Grade 8	92.9%	4.5%	1.1%	1.4%
Grade 9	89.5%	6.1%	1.7%	2.8%
Grade 10	88.0%	6.5%	2.2%	3.3%
Grade 11	87.0%	6.5%	2.6%	3.9%
Grade 12	86.7%	6.5%	2.3%	4.5%
Attended class while high from use of some other drug?				
All	93.6%	4.0%	1.2%	1.3%
Grade 7	96.8%	2.1%	0.6%	0.5%
Grade 8	95.3%	3.1%	0.7%	0.9%
Grade 9	92.7%	4.6%	1.3%	1.4%
Grade 10	91.6%	5.0%	1.8%	1.6%
Grade 11	91.9%	4.9%	1.4%	1.8%
Grade 12	92.8%	4.2%	1.4%	1.6%
Gotten into trouble with teachers because of your drug use?				
All	98.4%	1.1%	0.2%	0.3%
Grade 7	99.0%	0.7%	0.1%	0.2%
Grade 8	98.4%	1.1%	0.2%	0.3%
Grade 9	98.0%	1.4%	0.2%	0.4%
Grade 10	98.0%	1.5%	0.2%	0.3%
Grade 11	98.4%	1.1%	0.2%	0.3%
Grade 12	98.6%	1.0%	0.2%	0.2%

**State : Grades 7-12 Large
Spring 2006**

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	4.8
Marijuana Non-users:	3.7

Average days conduct problems reported	
Marijuana Users:	5.1
Marijuana Non-users:	1.5

Table D-8: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	90.4%	5.8%	1.6%	2.2%
Grade 9	95.3%	3.1%	0.8%	0.8%
Grade 10	91.9%	5.4%	1.3%	1.5%
Grade 11	87.8%	7.0%	2.1%	3.2%
Grade 12	84.4%	8.7%	2.5%	4.4%
Gotten into trouble with the police because of drug use?				
All	97.4%	2.0%	0.3%	0.3%
Grade 7	98.5%	1.0%	0.2%	0.2%
Grade 8	97.8%	1.7%	0.3%	0.3%
Grade 9	96.8%	2.4%	0.4%	0.4%
Grade 10	97.0%	2.5%	0.3%	0.2%
Grade 11	97.2%	2.3%	0.3%	0.2%
Grade 12	97.2%	2.5%	0.2%	0.2%

**State : Grades 7-12 Large
Spring 2006**

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	52.0%	19.2%	12.5%	10.5%	5.9%
Grade 7	78.0%	10.4%	4.6%	3.9%	3.2%
Grade 8	62.8%	16.5%	8.8%	7.2%	4.7%
Grade 9	48.6%	20.2%	13.1%	11.1%	7.0%
Grade 10	41.4%	22.3%	15.5%	13.8%	7.0%
Grade 11	38.1%	23.3%	17.1%	14.2%	7.3%
Grade 12	36.7%	24.4%	18.0%	14.1%	6.8%

Table D-10: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	93.6%	5.2%	0.8%	0.5%
Grade 7	96.7%	2.6%	0.4%	0.2%
Grade 8	94.9%	4.1%	0.6%	0.5%
Grade 9	92.6%	5.8%	0.9%	0.7%
Grade 10	91.8%	6.7%	1.0%	0.6%
Grade 11	92.4%	6.3%	0.9%	0.4%
Grade 12	92.6%	6.1%	0.9%	0.4%
Been criticized by someone you were dating because of drug use?				
All	93.7%	4.7%	0.8%	0.7%
Grade 7	97.6%	1.9%	0.2%	0.2%
Grade 8	95.4%	3.4%	0.6%	0.5%
Grade 9	93.4%	4.8%	0.8%	0.9%
Grade 10	91.9%	6.0%	1.1%	0.8%
Grade 11	91.7%	6.1%	1.1%	0.9%
Grade 12	91.5%	6.4%	1.2%	0.8%

Table D-11: Thinking of parties you attended this school year, how often was marijuana used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	51.5%	10.8%	7.4%	8.1%	8.4%	3.1%	10.6%
Grade 7	77.1%	5.1%	2.7%	2.2%	1.9%	2.0%	8.9%
Grade 8	67.1%	8.7%	4.6%	4.6%	3.8%	2.7%	8.5%
Grade 9	49.7%	11.9%	7.5%	7.8%	7.8%	3.6%	11.7%
Grade 10	40.6%	13.2%	10.0%	10.5%	10.9%	3.6%	11.3%
Grade 11	35.0%	13.0%	10.1%	12.0%	13.8%	3.3%	12.8%
Grade 12	32.0%	14.4%	11.2%	13.2%	15.1%	3.4%	10.8%

**State : Grades 7-12 Large
Spring 2006**

Table D-12: How often, if ever, do you smoke marijuana in...

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	79.9%	7.8%	4.4%	4.0%	2.9%	1.0%
	Grade 7	90.9%	3.0%	2.1%	1.7%	1.4%	0.9%
	Grade 8	85.3%	5.0%	3.2%	3.2%	2.3%	1.1%
	Grade 9	79.2%	7.2%	4.5%	4.6%	3.4%	1.1%
	Grade 10	76.0%	9.0%	5.3%	5.0%	3.5%	1.2%
	Grade 11	73.0%	12.0%	5.9%	4.7%	3.6%	0.9%
	Grade 12	72.0%	13.0%	5.9%	5.0%	3.1%	1.0%
Blunts?	All	80.7%	6.5%	3.9%	3.9%	4.0%	1.0%
	Grade 7	91.9%	2.5%	1.8%	1.5%	1.4%	0.9%
	Grade 8	86.7%	4.2%	2.9%	2.5%	2.6%	1.0%
	Grade 9	80.5%	6.1%	4.3%	3.7%	4.3%	1.1%
	Grade 10	76.4%	7.7%	4.6%	4.9%	5.2%	1.1%
	Grade 11	73.2%	10.1%	4.6%	5.5%	5.7%	0.8%
	Grade 12	71.9%	10.0%	5.5%	5.9%	5.8%	0.9%
Bongs or water pipes?	All	85.8%	5.8%	2.9%	2.6%	2.1%	0.8%
	Grade 7	95.2%	1.7%	1.0%	0.7%	0.7%	0.7%
	Grade 8	91.6%	3.3%	1.6%	1.5%	1.1%	0.8%
	Grade 9	86.3%	5.3%	2.7%	2.5%	2.3%	1.0%
	Grade 10	82.2%	7.1%	3.5%	3.5%	2.7%	0.9%
	Grade 11	79.2%	8.5%	4.4%	4.0%	3.1%	0.7%
	Grade 12	76.8%	10.1%	5.0%	4.3%	3.0%	0.9%
Pipes?	All	84.3%	5.2%	3.0%	3.8%	2.9%	0.8%
	Grade 7	94.6%	2.0%	1.0%	0.9%	0.9%	0.7%
	Grade 8	90.8%	3.2%	1.8%	1.9%	1.5%	0.9%
	Grade 9	84.4%	5.0%	3.1%	3.5%	3.1%	0.9%
	Grade 10	80.4%	6.4%	3.9%	4.4%	3.8%	1.1%
	Grade 11	77.3%	7.6%	4.2%	6.2%	4.1%	0.6%
	Grade 12	74.7%	8.3%	5.0%	6.8%	4.3%	0.9%
Some other way?	All	88.6%	5.2%	1.5%	1.3%	1.7%	1.8%
	Grade 7	94.9%	1.7%	0.8%	0.7%	0.8%	1.1%
	Grade 8	92.1%	3.2%	1.0%	0.9%	1.3%	1.5%
	Grade 9	88.1%	4.9%	1.5%	1.5%	2.1%	1.8%
	Grade 10	85.8%	6.4%	1.9%	1.7%	1.9%	2.2%
	Grade 11	84.8%	7.6%	1.9%	1.6%	2.1%	2.0%
	Grade 12	83.8%	8.9%	1.7%	1.6%	2.0%	2.1%

**State : Grades 7-12 Large
Spring 2006**

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	81.9%	5.0%	3.9%	1.0%	1.3%	7.0%
Grade 7	83.5%	2.0%	1.9%	0.5%	1.3%	10.7%
Grade 8	84.1%	3.3%	2.8%	0.7%	1.1%	7.9%
Grade 9	81.7%	4.8%	3.7%	1.1%	1.5%	7.3%
Grade 10	81.2%	6.2%	4.8%	1.1%	1.2%	5.5%
Grade 11	80.5%	6.9%	5.1%	1.1%	1.3%	4.9%
Grade 12	79.4%	7.5%	5.7%	1.3%	1.2%	4.9%

**State : Grades 7-12 Large
Spring 2006**

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	61.8%	17.0%	10.6%	6.7%	3.8%
	Grade 7	80.6%	8.9%	3.7%	2.2%	4.7%
	Grade 8	72.2%	13.0%	6.8%	3.9%	4.1%
	Grade 9	60.8%	17.7%	10.6%	6.9%	4.1%
	Grade 10	54.1%	20.4%	13.2%	8.5%	3.7%
	Grade 11	50.3%	21.6%	15.1%	10.0%	2.9%
	Grade 12	47.6%	22.5%	16.6%	10.2%	3.1%
Cocaine?						
	All	83.0%	9.6%	1.9%	1.0%	4.4%
	Grade 7	86.5%	6.3%	1.3%	0.8%	5.1%
	Grade 8	84.1%	8.6%	1.7%	1.0%	4.7%
	Grade 9	81.0%	10.8%	2.1%	1.3%	4.8%
	Grade 10	80.5%	11.6%	2.4%	1.1%	4.4%
	Grade 11	82.4%	10.7%	2.2%	1.0%	3.6%
	Grade 12	83.6%	10.0%	1.7%	0.9%	3.7%
Crack?						
	All	84.7%	8.2%	1.4%	0.9%	4.8%
	Grade 7	86.6%	6.0%	1.2%	0.8%	5.4%
	Grade 8	84.4%	8.0%	1.6%	0.9%	5.0%
	Grade 9	82.6%	9.5%	1.7%	1.2%	5.0%
	Grade 10	83.0%	9.7%	1.6%	0.8%	4.9%
	Grade 11	85.5%	8.3%	1.3%	0.9%	4.0%
	Grade 12	87.1%	7.2%	1.0%	0.8%	3.9%
Ecstasy?						
	All	81.4%	8.9%	2.2%	1.1%	6.4%
	Grade 7	82.5%	5.6%	1.2%	0.8%	9.9%
	Grade 8	81.5%	7.4%	2.0%	1.1%	7.9%
	Grade 9	80.3%	9.8%	2.4%	1.4%	6.1%
	Grade 10	80.5%	10.6%	2.6%	1.0%	5.3%
	Grade 11	81.8%	10.3%	2.5%	1.2%	4.2%
	Grade 12	81.8%	10.6%	2.6%	1.0%	4.0%
Steroids?						
	All	75.1%	13.9%	3.9%	1.4%	5.6%
	Grade 7	79.9%	9.5%	2.6%	1.2%	6.9%
	Grade 8	76.4%	12.4%	3.6%	1.4%	6.2%
	Grade 9	73.2%	15.1%	4.1%	1.7%	5.9%
	Grade 10	72.7%	16.0%	4.7%	1.2%	5.3%
	Grade 11	73.6%	15.8%	4.6%	1.5%	4.6%
	Grade 12	74.7%	15.6%	4.0%	1.4%	4.4%
Heroin?						
	All	86.7%	5.9%	0.9%	0.8%	5.8%
	Grade 7	85.4%	5.1%	0.9%	0.7%	8.0%
	Grade 8	85.3%	6.0%	1.1%	0.8%	6.7%
	Grade 9	85.4%	7.0%	1.0%	1.0%	5.6%
	Grade 10	86.5%	6.6%	1.0%	0.7%	5.2%
	Grade 11	88.7%	5.2%	0.8%	0.9%	4.4%
	Grade 12	89.9%	4.8%	0.6%	0.7%	4.0%

**State : Grades 7-12 Large
Spring 2006**

Table D-15: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
DXM, Triple C?					
	All	1.2%	3.0%	5.0%	95.0%
	Grade 7	0.4%	1.5%	2.5%	97.5%
	Grade 8	0.7%	1.9%	3.1%	96.9%
	Grade 9	1.3%	3.4%	5.1%	94.9%
	Grade 10	1.8%	4.2%	6.6%	93.4%
	Grade 11	1.9%	3.7%	6.5%	93.5%
	Grade 12	1.7%	3.3%	7.1%	92.9%
Codeine?					
	All	2.1%	5.1%	8.1%	91.9%
	Grade 7	0.5%	1.7%	3.0%	97.0%
	Grade 8	1.1%	3.0%	5.1%	94.9%
	Grade 9	2.1%	5.3%	7.9%	92.1%
	Grade 10	3.0%	7.2%	10.5%	89.5%
	Grade 11	3.4%	7.4%	11.3%	88.7%
	Grade 12	3.4%	7.2%	12.3%	87.7%

**State : Grades 7-12 Large
Spring 2006**

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?					
	All	5.9%	8.6%	16.6%	83.4%
	Grade 7	8.1%	10.7%	18.3%	81.7%
	Grade 8	7.7%	11.1%	20.1%	79.9%
	Grade 9	6.4%	9.3%	18.0%	82.0%
	Grade 10	5.1%	7.8%	16.1%	83.9%
	Grade 11	3.9%	6.1%	13.3%	86.7%
	Grade 12	3.4%	5.4%	12.1%	87.9%
Liquid or spray paint					
	All	1.5%	2.5%	6.7%	93.3%
	Grade 7	2.0%	3.0%	6.7%	93.3%
	Grade 8	2.1%	3.6%	8.6%	91.4%
	Grade 9	1.6%	2.7%	7.7%	92.3%
	Grade 10	1.2%	2.1%	6.6%	93.4%
	Grade 11	0.7%	1.4%	5.1%	94.9%
	Grade 12	1.0%	1.4%	4.6%	95.4%
Whiteout, correction fld					
	All	1.5%	2.6%	6.5%	93.5%
	Grade 7	2.5%	4.0%	8.1%	91.9%
	Grade 8	2.2%	4.0%	9.0%	91.0%
	Grade 9	1.5%	2.6%	7.3%	92.7%
	Grade 10	1.0%	1.9%	5.8%	94.2%
	Grade 11	0.8%	1.3%	4.1%	95.9%
	Grade 12	0.8%	1.2%	3.3%	96.7%
Gasoline?					
	All	1.2%	1.7%	3.9%	96.1%
	Grade 7	1.6%	2.2%	4.5%	95.5%
	Grade 8	1.6%	2.4%	5.0%	95.0%
	Grade 9	1.2%	1.8%	4.2%	95.8%
	Grade 10	0.9%	1.5%	3.8%	96.2%
	Grade 11	0.6%	1.0%	2.8%	97.2%
	Grade 12	0.7%	1.1%	2.8%	97.2%
Freon?					
	All	0.5%	0.9%	1.9%	98.1%
	Grade 7	0.5%	0.8%	1.4%	98.6%
	Grade 8	0.6%	0.9%	1.6%	98.4%
	Grade 9	0.7%	1.1%	2.0%	98.0%
	Grade 10	0.6%	1.0%	2.2%	97.8%
	Grade 11	0.4%	0.7%	1.9%	98.1%
	Grade 12	0.5%	0.8%	2.1%	97.9%
Poppers, Locker Room					
	All	0.6%	1.0%	1.7%	98.3%
	Grade 7	0.9%	1.3%	2.1%	97.9%
	Grade 8	0.7%	1.1%	1.9%	98.1%
	Grade 9	0.7%	1.1%	1.9%	98.1%
	Grade 10	0.6%	0.9%	1.8%	98.2%
	Grade 11	0.5%	0.8%	1.4%	98.6%
	Grade 12	0.4%	0.6%	1.2%	98.8%

**State : Grades 7-12 Large
Spring 2006**

Table I-1: How recently, if ever, have you used...

(Continued)

		Past Month	School Year	Ever Used	Never Used
Glue?					
	All	0.8%	1.4%	3.4%	96.6%
	Grade 7	1.4%	2.0%	4.5%	95.5%
	Grade 8	1.2%	1.9%	4.3%	95.7%
	Grade 9	0.8%	1.4%	3.5%	96.5%
	Grade 10	0.7%	1.0%	3.1%	96.9%
	Grade 11	0.5%	0.8%	2.2%	97.8%
	Grade 12	0.5%	0.8%	2.1%	97.9%
Paint, lacquer thinner					
	All	1.1%	1.8%	4.1%	95.9%
	Grade 7	1.4%	2.1%	3.9%	96.1%
	Grade 8	1.4%	2.5%	5.2%	94.8%
	Grade 9	1.2%	2.0%	4.9%	95.1%
	Grade 10	0.8%	1.5%	4.0%	96.0%
	Grade 11	0.6%	1.2%	3.1%	96.9%
	Grade 12	0.7%	1.2%	2.9%	97.1%
Nitrous oxide					
	All	1.2%	2.1%	4.6%	95.4%
	Grade 7	1.1%	1.6%	3.3%	96.7%
	Grade 8	1.3%	2.1%	4.4%	95.6%
	Grade 9	1.3%	2.2%	4.7%	95.3%
	Grade 10	1.3%	2.2%	5.1%	94.9%
	Grade 11	1.3%	2.2%	5.1%	94.9%
	Grade 12	1.3%	2.4%	5.3%	94.7%
Octane booster?					
	All	0.4%	0.6%	1.0%	99.0%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.4%	0.6%	1.1%	98.9%
	Grade 9	0.4%	0.7%	1.1%	98.9%
	Grade 10	0.4%	0.6%	1.1%	98.9%
	Grade 11	0.3%	0.4%	0.8%	99.2%
	Grade 12	0.3%	0.5%	0.8%	99.2%
Other sprays?					
	All	1.1%	1.9%	4.0%	96.0%
	Grade 7	1.8%	2.7%	5.2%	94.8%
	Grade 8	1.7%	2.7%	5.6%	94.4%
	Grade 9	1.2%	2.2%	4.5%	95.5%
	Grade 10	0.8%	1.5%	3.6%	96.4%
	Grade 11	0.6%	1.0%	2.4%	97.6%
	Grade 12	0.4%	0.8%	2.0%	98.0%
Other inhalants?					
	All	2.7%	4.2%	8.6%	91.4%
	Grade 7	3.5%	5.3%	10.0%	90.0%
	Grade 8	3.4%	5.3%	10.7%	89.3%
	Grade 9	3.3%	5.0%	9.9%	90.1%
	Grade 10	2.6%	4.0%	8.2%	91.8%
	Grade 11	1.8%	2.6%	6.2%	93.8%
	Grade 12	1.3%	2.2%	5.0%	95.0%

**State : Grades 7-12 Large
Spring 2006**

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	93.1%	0.2%	0.4%	0.7%	1.2%	1.4%	2.9%
Grade 7	92.1%	0.3%	0.7%	1.2%	1.7%	1.7%	2.2%
Grade 8	91.0%	0.3%	0.6%	1.2%	2.0%	1.7%	3.1%
Grade 9	92.4%	0.2%	0.5%	0.7%	1.5%	1.4%	3.3%
Grade 10	93.6%	0.1%	0.3%	0.5%	0.9%	1.4%	3.2%
Grade 11	95.0%	0.1%	0.2%	0.3%	0.5%	1.1%	2.9%
Grade 12	95.6%	0.1%	0.1%	0.2%	0.5%	0.9%	2.7%

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	85.8%	5.9%	4.8%	3.4%
Grade 7	84.5%	6.4%	5.4%	3.7%
Grade 8	82.9%	6.4%	6.3%	4.4%
Grade 9	84.8%	5.9%	5.5%	3.9%
Grade 10	86.3%	5.8%	4.3%	3.5%
Grade 11	88.7%	5.2%	3.8%	2.4%
Grade 12	89.4%	5.4%	3.0%	2.3%

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.8	11.4	12.0	12.6	13.1	13.8

**State : Grades 7-12 Large
Spring 2006**

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.6%	1.6%	0.4%	0.4%
Grade 7	96.8%	2.4%	0.4%	0.4%
Grade 8	96.6%	2.4%	0.5%	0.5%
Grade 9	97.3%	1.7%	0.4%	0.6%
Grade 10	98.0%	1.4%	0.3%	0.3%
Grade 11	98.5%	0.9%	0.2%	0.3%
Grade 12	98.6%	0.8%	0.3%	0.3%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	4.8
Inhalants Non-users:	3.8

Average days conduct problems reported	
Inhalants Users:	4.9
Inhalants Non-users:	1.8

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	83.1%	10.4%	3.2%	1.2%	2.1%
Grade 7	83.5%	9.7%	3.4%	1.5%	1.9%
Grade 8	80.7%	11.3%	4.2%	1.4%	2.3%
Grade 9	80.7%	11.9%	3.5%	1.5%	2.3%
Grade 10	82.0%	11.4%	3.2%	1.2%	2.2%
Grade 11	85.8%	9.1%	2.3%	0.9%	1.8%
Grade 12	87.6%	7.8%	1.8%	0.7%	2.1%

**State : Grades 7-12 Large
Spring 2006**

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	74.5%	15.5%	3.6%	1.3%	5.2%
Grade 7	77.8%	11.4%	3.4%	1.2%	6.1%
Grade 8	74.0%	15.2%	3.9%	1.4%	5.7%
Grade 9	72.4%	16.8%	4.0%	1.5%	5.3%
Grade 10	72.5%	17.3%	4.0%	1.2%	5.1%
Grade 11	74.6%	16.7%	3.1%	1.2%	4.4%
Grade 12	76.3%	15.5%	2.7%	0.9%	4.6%

**State : Grades 7-12 Large
Spring 2006**

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
Health class	All 49.0%
	Grade 7 48.1%
	Grade 8 51.1%
	Grade 9 56.3%
	Grade 10 52.9%
	Grade 11 42.9%
	Grade 12 39.1%
An assembly program	All 48.3%
	Grade 7 51.5%
	Grade 8 55.3%
	Grade 9 47.4%
	Grade 10 46.0%
	Grade 11 43.1%
	Grade 12 45.8%
Guidance counselor	All 23.7%
	Grade 7 31.6%
	Grade 8 31.7%
	Grade 9 22.9%
	Grade 10 19.6%
	Grade 11 16.8%
	Grade 12 17.9%
Science class	All 31.7%
	Grade 7 44.6%
	Grade 8 37.0%
	Grade 9 31.4%
	Grade 10 31.0%
	Grade 11 23.5%
	Grade 12 19.8%
Social studies class	All 13.4%
	Grade 7 14.0%
	Grade 8 13.6%
	Grade 9 13.4%
	Grade 10 12.8%
	Grade 11 13.5%
	Grade 12 13.4%
Student group session	All 15.2%
	Grade 7 14.8%
	Grade 8 15.1%
	Grade 9 14.5%
	Grade 10 15.3%
	Grade 11 15.5%
	Grade 12 16.6%

**State : Grades 7-12 Large
Spring 2006**

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?
(Continued)**

CATEGORY	Yes
An invited school guest	All 34.8%
	Grade 7 39.4%
	Grade 8 41.9%
	Grade 9 34.2%
	Grade 10 31.7%
	Grade 11 29.3%
	Grade 12 31.3%
Some other school source	All 33.3%
	Grade 7 34.2%
	Grade 8 36.1%
	Grade 9 33.9%
	Grade 10 33.6%
	Grade 11 30.6%
	Grade 12 30.3%
Any school source	All 61.1%
	Grade 7 60.1%
	Grade 8 64.1%
	Grade 9 62.8%
	Grade 10 61.7%
	Grade 11 58.5%
	Grade 12 57.8%

**State : Grades 7-12 Large
Spring 2006**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY	Yes
A counselor or program in	All 32.2%
	Grade 7 45.1%
	Grade 8 36.5%
	Grade 9 32.1%
	Grade 10 27.2%
	Grade 11 24.4%
	Grade 12 24.6%
Another adult in school (All 31.6%
	Grade 7 39.5%
	Grade 8 34.4%
	Grade 9 30.2%
	Grade 10 27.6%
	Grade 11 27.9%
	Grade 12 28.5%
A counselor or program ou	All 37.6%
	Grade 7 41.1%
	Grade 8 38.0%
	Grade 9 36.7%
	Grade 10 36.2%
	Grade 11 36.1%
	Grade 12 36.9%
Your parents	All 59.4%
	Grade 7 68.6%
	Grade 8 61.4%
	Grade 9 57.0%
	Grade 10 55.7%
	Grade 11 55.6%
	Grade 12 56.9%
A medical doctor	All 42.3%
	Grade 7 51.2%
	Grade 8 43.3%
	Grade 9 40.4%
	Grade 10 38.9%
	Grade 11 38.4%
	Grade 12 40.5%
Your friends	All 71.6%
	Grade 7 62.0%
	Grade 8 68.3%
	Grade 9 72.2%
	Grade 10 75.5%
	Grade 11 76.5%
	Grade 12 77.4%

**State : Grades 7-12 Large
Spring 2006**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

(Continued)

CATEGORY	Yes
Another adult (a relative)	All 60.1%
	Grade 7 61.5%
	Grade 8 60.1%
	Grade 9 59.6%
	Grade 10 59.8%
	Grade 11 59.8%
	Grade 12 59.8%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY	Yes
Seek Help	All 7.2%
	Grade 7 7.3%
	Grade 8 7.7%
	Grade 9 8.4%
	Grade 10 7.3%
	Grade 11 6.4%
	Grade 12 5.8%

**State : Grades 7-12 Large
Spring 2006**

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	5.4%	27.2%	26.0%	32.8%	8.6%
Grade 7	7.7%	25.0%	21.6%	31.2%	14.5%
Grade 8	6.2%	26.2%	25.4%	32.2%	10.0%
Grade 9	5.9%	29.3%	26.5%	30.8%	7.5%
Grade 10	4.3%	28.4%	28.1%	33.1%	6.2%
Grade 11	4.0%	27.3%	27.9%	34.5%	6.4%
Grade 12	3.7%	26.6%	27.1%	36.6%	6.0%
Sometimes carry weapons?					
All	64.4%	21.1%	9.3%	3.7%	1.5%
Grade 7	78.1%	13.9%	4.9%	2.0%	1.0%
Grade 8	67.4%	20.0%	8.3%	3.1%	1.2%
Grade 9	61.8%	22.7%	9.9%	4.0%	1.6%
Grade 10	58.4%	24.1%	11.1%	4.5%	2.0%
Grade 11	59.7%	23.4%	11.1%	4.2%	1.5%
Grade 12	58.8%	23.7%	10.9%	4.7%	1.9%
Care about making good grades?					
All	3.1%	14.7%	23.2%	41.0%	18.0%
Grade 7	3.9%	16.3%	20.4%	34.9%	24.5%
Grade 8	3.3%	16.3%	23.2%	37.0%	20.2%
Grade 9	3.5%	16.4%	24.8%	39.4%	15.9%
Grade 10	2.8%	14.2%	24.5%	43.8%	14.6%
Grade 11	2.3%	12.0%	22.5%	46.5%	16.6%
Grade 12	2.2%	11.7%	23.4%	47.2%	15.5%
Belong/want to belong to a gang?					
All	70.5%	15.6%	7.9%	4.1%	1.8%
Grade 7	72.3%	14.9%	7.0%	3.9%	1.9%
Grade 8	66.1%	17.6%	9.2%	5.2%	1.9%
Grade 9	65.8%	17.9%	9.2%	5.0%	2.2%
Grade 10	69.5%	16.0%	8.4%	4.3%	2.0%
Grade 11	74.3%	14.1%	6.8%	3.4%	1.5%
Grade 12	78.2%	12.1%	6.0%	2.3%	1.4%
Wish they could drop out of school?					
All	59.0%	26.7%	8.8%	3.4%	2.1%
Grade 7	66.3%	21.4%	6.8%	3.2%	2.3%
Grade 8	61.7%	24.9%	7.8%	3.5%	2.1%
Grade 9	54.9%	28.5%	10.1%	4.2%	2.3%
Grade 10	53.6%	30.1%	10.4%	3.6%	2.3%
Grade 11	57.0%	28.6%	9.5%	3.0%	1.9%
Grade 12	61.1%	26.5%	7.8%	2.6%	1.9%

**State : Grades 7-12 Large
Spring 2006**

Table X-5: How safe do you feel when you are:

		Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
	Very Safe				
In your home					
All	78.9%	18.2%	1.3%	0.5%	1.2%
Grade 7	77.5%	18.9%	1.6%	0.5%	1.5%
Grade 8	76.3%	20.3%	1.5%	0.5%	1.4%
Grade 9	76.7%	20.1%	1.3%	0.5%	1.4%
Grade 10	79.0%	18.2%	1.2%	0.6%	1.0%
Grade 11	82.3%	15.5%	1.0%	0.4%	0.8%
Grade 12	83.5%	14.6%	0.9%	0.5%	0.6%
Out in your neighbourhood					
All	39.6%	46.9%	8.9%	2.4%	2.2%
Grade 7	32.9%	49.0%	12.0%	2.9%	3.2%
Grade 8	34.7%	50.2%	9.9%	2.8%	2.4%
Grade 9	37.3%	48.6%	9.1%	2.4%	2.5%
Grade 10	42.2%	45.6%	8.0%	2.4%	1.8%
Grade 11	44.9%	45.0%	6.9%	1.9%	1.3%
Grade 12	49.0%	41.3%	6.5%	1.9%	1.3%
At school					
All	35.4%	48.3%	9.3%	4.1%	2.9%
Grade 7	41.3%	42.9%	8.4%	3.8%	3.5%
Grade 8	40.2%	45.6%	7.7%	3.3%	3.2%
Grade 9	30.6%	51.1%	10.5%	4.2%	3.4%
Grade 10	30.6%	51.5%	10.4%	4.7%	2.8%
Grade 11	32.2%	51.3%	9.7%	4.6%	2.2%
Grade 12	37.7%	47.3%	8.8%	4.1%	2.0%

**State : Grades 7-12 Large
Spring 2006**

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A website or online chat	All 24.7%
	Grade 7 18.0%
	Grade 8 22.8%
	Grade 9 25.6%
	Grade 10 27.6%
	Grade 11 27.6%
	Grade 12 27.9%
Books, magazines, poster	All 49.5%
	Grade 7 44.6%
	Grade 8 50.4%
	Grade 9 50.7%
	Grade 10 52.5%
	Grade 11 50.4%
	Grade 12 48.2%
TV, radio, or other audi	All 55.5%
	Grade 7 50.9%
	Grade 8 56.0%
	Grade 9 56.5%
	Grade 10 57.7%
	Grade 11 56.4%
	Grade 12 55.3%
Your parents	All 51.5%
	Grade 7 54.4%
	Grade 8 54.3%
	Grade 9 52.4%
	Grade 10 51.4%
	Grade 11 48.3%
	Grade 12 46.1%

**State : Grades 7-12 Large
Spring 2006**

**Table B1: Prevalence and recency of use of selected substances by grade
All students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.2%	20.9%	35.4%	64.6%
	Grade 7	6.1%	8.8%	18.7%	81.3%
	Grade 8	9.1%	13.9%	27.4%	72.6%
	Grade 9	14.5%	20.5%	36.1%	63.9%
	Grade 10	17.7%	24.5%	40.4%	59.6%
	Grade 11	21.8%	28.5%	44.8%	55.2%
	Grade 12	26.2%	34.0%	49.9%	50.1%
Alcohol					
	All	31.5%	43.4%	65.9%	34.1%
	Grade 7	16.2%	22.7%	47.0%	53.0%
	Grade 8	22.9%	33.4%	59.7%	40.3%
	Grade 9	31.7%	44.3%	67.8%	32.2%
	Grade 10	36.8%	51.2%	72.7%	27.3%
	Grade 11	40.3%	54.8%	75.1%	24.9%
	Grade 12	46.3%	60.6%	77.9%	22.1%
Inhalants					
	All	5.9%	8.6%	16.6%	83.4%
	Grade 7	8.1%	10.7%	18.3%	81.7%
	Grade 8	7.7%	11.1%	20.1%	79.9%
	Grade 9	6.4%	9.3%	18.0%	82.0%
	Grade 10	5.1%	7.8%	16.1%	83.9%
	Grade 11	3.9%	6.1%	13.3%	86.7%
	Grade 12	3.4%	5.4%	12.1%	87.9%
Any Illicit Drug					
	All	12.6%	17.9%	28.0%	72.0%
	Grade 7	4.8%	6.5%	10.9%	89.1%
	Grade 8	7.8%	11.2%	18.5%	81.5%
	Grade 9	12.7%	18.0%	28.1%	71.9%
	Grade 10	15.7%	22.3%	34.0%	66.0%
	Grade 11	18.3%	25.6%	39.8%	60.2%
	Grade 12	19.2%	27.4%	42.8%	57.2%
Marijuana					
	All	11.0%	16.3%	26.4%	73.6%
	Grade 7	3.9%	5.4%	9.4%	90.6%
	Grade 8	6.9%	10.1%	17.0%	83.0%
	Grade 9	11.0%	16.3%	26.1%	73.9%
	Grade 10	13.4%	20.2%	32.3%	67.7%
	Grade 11	16.2%	23.9%	38.2%	61.8%
	Grade 12	17.3%	25.7%	41.6%	58.4%
Marijuana Only					
	All	4.3%	7.1%	13.8%	86.2%
	Grade 7	1.9%	2.8%	5.5%	94.5%
	Grade 8	3.1%	4.8%	9.6%	90.4%
	Grade 9	4.6%	7.3%	14.0%	86.0%
	Grade 10	4.9%	8.5%	16.5%	83.5%
	Grade 11	5.9%	9.9%	19.5%	80.5%
	Grade 12	6.2%	10.6%	20.9%	79.1%

**State : Grades 7-12 Large
Spring 2006**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.9%	4.5%	7.9%	92.1%
	Grade 7	1.0%	1.5%	3.1%	96.9%
	Grade 8	1.7%	2.6%	4.9%	95.1%
	Grade 9	2.9%	4.4%	7.5%	92.5%
	Grade 10	3.4%	5.6%	9.4%	90.6%
	Grade 11	4.3%	6.7%	11.6%	88.4%
	Grade 12	4.5%	7.2%	12.9%	87.1%
Cocaine					
	All	2.6%	4.2%	7.3%	92.7%
	Grade 7	0.7%	1.1%	2.3%	97.7%
	Grade 8	1.4%	2.1%	4.0%	96.0%
	Grade 9	2.6%	4.0%	6.8%	93.2%
	Grade 10	3.2%	5.3%	8.9%	91.1%
	Grade 11	4.2%	6.5%	11.3%	88.7%
	Grade 12	4.3%	7.1%	12.7%	87.3%
Crack					
	All	0.7%	1.1%	2.3%	97.7%
	Grade 7	0.6%	0.9%	1.8%	98.2%
	Grade 8	0.7%	1.2%	2.4%	97.6%
	Grade 9	0.8%	1.3%	2.5%	97.5%
	Grade 10	0.7%	1.1%	2.5%	97.5%
	Grade 11	0.6%	1.2%	2.5%	97.5%
	Grade 12	0.6%	1.1%	2.5%	97.5%
Hallucinogens					
	All	1.4%	2.4%	4.7%	95.3%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.7%	1.2%	2.4%	97.6%
	Grade 9	1.4%	2.3%	4.3%	95.7%
	Grade 10	2.0%	3.4%	6.5%	93.5%
	Grade 11	2.0%	3.5%	7.1%	92.9%
	Grade 12	2.4%	4.3%	8.4%	91.6%
Uppers					
	All	2.3%	3.6%	5.7%	94.3%
	Grade 7	0.5%	0.6%	0.9%	99.1%
	Grade 8	0.9%	1.5%	2.5%	97.5%
	Grade 9	1.9%	3.3%	5.0%	95.0%
	Grade 10	3.4%	5.0%	7.6%	92.4%
	Grade 11	4.1%	6.3%	9.8%	90.2%
	Grade 12	3.9%	6.3%	10.2%	89.8%
Downers					
	All	2.5%	3.8%	5.9%	94.1%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.9%	1.4%	2.3%	97.7%
	Grade 9	2.1%	3.5%	5.2%	94.8%
	Grade 10	3.8%	5.4%	8.0%	92.0%
	Grade 11	4.4%	6.5%	10.4%	89.6%
	Grade 12	4.3%	6.8%	10.9%	89.1%

**State : Grades 7-12 Large
Spring 2006**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.0%	1.5%	2.6%	97.4%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.8%	1.3%	2.3%	97.7%
	Grade 9	1.2%	1.8%	3.0%	97.0%
	Grade 10	1.2%	1.9%	3.4%	96.6%
	Grade 11	1.1%	1.6%	3.0%	97.0%
	Grade 12	0.9%	1.4%	2.9%	97.1%
Steroids					
	All	0.6%	0.8%	1.5%	98.5%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.5%	0.7%	1.5%	98.5%
	Grade 9	0.5%	0.7%	1.3%	98.7%
	Grade 10	0.7%	0.9%	1.7%	98.3%
	Grade 11	0.7%	0.9%	1.5%	98.5%
	Grade 12	0.8%	1.0%	1.8%	98.2%
Ecstasy					
	All	1.8%	3.0%	5.2%	94.8%
	Grade 7	0.5%	0.8%	1.5%	98.5%
	Grade 8	1.0%	1.7%	3.0%	97.0%
	Grade 9	1.9%	2.9%	5.1%	94.9%
	Grade 10	2.4%	4.0%	6.8%	93.2%
	Grade 11	2.5%	4.2%	7.6%	92.4%
	Grade 12	2.9%	5.1%	8.9%	91.1%
Heroin					
	All	0.5%	0.8%	1.5%	98.5%
	Grade 7	0.5%	0.6%	1.1%	98.9%
	Grade 8	0.5%	0.8%	1.7%	98.3%
	Grade 9	0.6%	0.8%	1.8%	98.2%
	Grade 10	0.6%	0.8%	1.5%	98.5%
	Grade 11	0.4%	0.8%	1.6%	98.4%
	Grade 12	0.5%	0.8%	1.4%	98.6%

**State : Grades 7-12 Large
Spring 2006**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	17.5%	23.3%	37.4%	62.6%
	Grade 7	6.8%	9.8%	20.7%	79.3%
	Grade 8	9.8%	14.7%	28.3%	71.7%
	Grade 9	16.0%	22.1%	37.7%	62.3%
	Grade 10	20.4%	27.0%	42.3%	57.7%
	Grade 11	25.2%	32.1%	47.8%	52.2%
	Grade 12	32.4%	40.5%	54.3%	45.7%
Alcohol					
	All	31.4%	42.6%	64.2%	35.8%
	Grade 7	16.2%	22.7%	46.8%	53.2%
	Grade 8	22.2%	32.5%	58.0%	42.0%
	Grade 9	30.9%	42.8%	65.6%	34.4%
	Grade 10	36.2%	49.3%	70.3%	29.7%
	Grade 11	41.2%	54.3%	73.1%	26.9%
	Grade 12	48.8%	61.9%	76.6%	23.4%
Inhalants					
	All	5.8%	8.5%	16.8%	83.2%
	Grade 7	7.7%	10.4%	18.3%	81.7%
	Grade 8	6.8%	10.1%	18.9%	81.1%
	Grade 9	5.7%	8.5%	17.0%	83.0%
	Grade 10	4.8%	7.5%	15.8%	84.2%
	Grade 11	4.7%	7.1%	14.6%	85.4%
	Grade 12	4.1%	6.7%	15.2%	84.8%
Any Illicit Drug					
	All	14.1%	19.5%	30.3%	69.7%
	Grade 7	5.4%	7.3%	12.4%	87.6%
	Grade 8	8.2%	11.8%	20.0%	80.0%
	Grade 9	13.9%	19.6%	30.8%	69.2%
	Grade 10	17.2%	24.2%	36.3%	63.7%
	Grade 11	21.1%	28.3%	42.7%	57.3%
	Grade 12	22.6%	30.9%	46.5%	53.5%
Marijuana					
	All	12.5%	18.1%	29.1%	70.9%
	Grade 7	4.4%	6.3%	11.3%	88.7%
	Grade 8	7.3%	10.8%	18.9%	81.1%
	Grade 9	12.2%	18.1%	29.4%	70.6%
	Grade 10	15.0%	22.0%	34.8%	65.2%
	Grade 11	19.0%	26.6%	41.8%	58.2%
	Grade 12	20.5%	29.3%	45.4%	54.6%
Marijuana Only					
	All	5.1%	8.2%	15.8%	84.2%
	Grade 7	2.4%	3.5%	7.0%	93.0%
	Grade 8	3.6%	5.6%	11.4%	88.6%
	Grade 9	5.3%	8.5%	16.6%	83.4%
	Grade 10	6.1%	10.2%	18.8%	81.2%
	Grade 11	7.4%	11.4%	21.9%	78.1%
	Grade 12	7.0%	11.6%	21.9%	78.1%

**State : Grades 7-12 Large
Spring 2006**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.1%	4.8%	8.2%	91.8%
	Grade 7	0.9%	1.4%	3.0%	97.0%
	Grade 8	1.7%	2.5%	4.5%	95.5%
	Grade 9	3.1%	4.7%	7.5%	92.5%
	Grade 10	3.7%	5.7%	9.5%	90.5%
	Grade 11	4.9%	7.4%	12.4%	87.6%
	Grade 12	5.5%	8.6%	14.8%	85.2%
Cocaine					
	All	2.9%	4.5%	7.7%	92.3%
	Grade 7	0.7%	1.1%	2.3%	97.7%
	Grade 8	1.4%	2.0%	3.8%	96.2%
	Grade 9	2.8%	4.3%	6.9%	93.1%
	Grade 10	3.4%	5.4%	9.1%	90.9%
	Grade 11	4.7%	7.2%	12.2%	87.8%
	Grade 12	5.4%	8.4%	14.6%	85.4%
Crack					
	All	0.7%	1.1%	2.3%	97.7%
	Grade 7	0.5%	0.8%	1.7%	98.3%
	Grade 8	0.6%	1.0%	2.0%	98.0%
	Grade 9	0.9%	1.4%	2.5%	97.5%
	Grade 10	0.6%	0.9%	2.4%	97.6%
	Grade 11	0.8%	1.4%	2.6%	97.4%
	Grade 12	0.7%	1.3%	2.9%	97.1%
Hallucinogens					
	All	1.9%	3.1%	5.8%	94.2%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.9%	1.5%	2.9%	97.1%
	Grade 9	1.7%	2.8%	5.3%	94.7%
	Grade 10	2.5%	4.1%	7.4%	92.6%
	Grade 11	2.8%	4.7%	8.9%	91.1%
	Grade 12	3.4%	6.1%	11.4%	88.6%
Uppers					
	All	2.2%	3.4%	5.3%	94.7%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.8%	1.1%	2.0%	98.0%
	Grade 9	1.7%	3.0%	4.4%	95.6%
	Grade 10	2.6%	4.2%	6.5%	93.5%
	Grade 11	4.0%	6.2%	9.4%	90.6%
	Grade 12	4.4%	6.7%	10.7%	89.3%
Downers					
	All	2.5%	3.8%	5.8%	94.2%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.8%	1.2%	2.0%	98.0%
	Grade 9	2.1%	3.4%	4.9%	95.1%
	Grade 10	3.5%	5.0%	7.3%	92.7%
	Grade 11	4.6%	6.8%	10.3%	89.7%
	Grade 12	5.1%	7.6%	11.8%	88.2%

**State : Grades 7-12 Large
Spring 2006**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.0%	1.4%	2.5%	97.5%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	0.8%	1.2%	2.2%	97.8%
	Grade 9	1.3%	1.8%	3.0%	97.0%
	Grade 10	1.0%	1.6%	2.9%	97.1%
	Grade 11	1.4%	1.9%	3.0%	97.0%
	Grade 12	1.0%	1.4%	2.7%	97.3%
Steroids					
	All	0.9%	1.3%	2.2%	97.8%
	Grade 7	0.7%	1.0%	1.8%	98.2%
	Grade 8	0.8%	1.0%	1.8%	98.2%
	Grade 9	0.7%	0.9%	1.7%	98.3%
	Grade 10	1.1%	1.5%	2.6%	97.4%
	Grade 11	1.3%	1.6%	2.5%	97.5%
	Grade 12	1.3%	1.8%	3.1%	96.9%
Ecstasy					
	All	2.0%	3.1%	5.2%	94.8%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	0.9%	1.5%	2.6%	97.4%
	Grade 9	2.0%	2.9%	4.9%	95.1%
	Grade 10	2.6%	4.0%	6.7%	93.3%
	Grade 11	2.8%	4.5%	8.0%	92.0%
	Grade 12	3.7%	6.0%	9.6%	90.4%
Heroin					
	All	0.6%	0.9%	1.6%	98.4%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.6%	0.9%	1.5%	98.5%
	Grade 9	0.6%	0.9%	1.8%	98.2%
	Grade 10	0.8%	1.0%	1.6%	98.4%
	Grade 11	0.6%	0.9%	1.8%	98.2%
	Grade 12	0.7%	1.0%	1.8%	98.2%

**State : Grades 7-12 Large
Spring 2006**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.2%	18.8%	33.5%	66.5%
	Grade 7	5.4%	7.8%	16.9%	83.1%
	Grade 8	8.5%	13.1%	26.5%	73.5%
	Grade 9	13.0%	19.0%	34.6%	65.4%
	Grade 10	15.4%	22.2%	38.8%	61.2%
	Grade 11	18.7%	25.3%	42.1%	57.9%
	Grade 12	20.8%	28.4%	46.1%	53.9%
Alcohol					
	All	31.5%	44.1%	67.5%	32.5%
	Grade 7	16.3%	22.7%	47.2%	52.8%
	Grade 8	23.6%	34.2%	61.3%	38.7%
	Grade 9	32.5%	45.7%	69.9%	30.1%
	Grade 10	37.4%	52.8%	74.7%	25.3%
	Grade 11	39.5%	55.2%	76.9%	23.1%
	Grade 12	44.2%	59.5%	79.1%	20.9%
Inhalants					
	All	6.1%	8.7%	16.5%	83.5%
	Grade 7	8.4%	11.1%	18.4%	81.6%
	Grade 8	8.5%	12.0%	21.1%	78.9%
	Grade 9	6.9%	10.0%	18.9%	81.1%
	Grade 10	5.3%	8.1%	16.4%	83.6%
	Grade 11	3.2%	5.2%	12.1%	87.9%
	Grade 12	2.7%	4.2%	9.4%	90.6%
Any Illicit Drug					
	All	11.3%	16.3%	25.9%	74.1%
	Grade 7	4.3%	5.8%	9.5%	90.5%
	Grade 8	7.5%	10.6%	17.0%	83.0%
	Grade 9	11.5%	16.4%	25.4%	74.6%
	Grade 10	14.3%	20.7%	32.1%	67.9%
	Grade 11	15.7%	23.1%	37.1%	62.9%
	Grade 12	16.3%	24.3%	39.5%	60.5%
Marijuana					
	All	9.7%	14.7%	24.0%	76.0%
	Grade 7	3.4%	4.6%	7.8%	92.2%
	Grade 8	6.5%	9.5%	15.1%	84.9%
	Grade 9	9.8%	14.6%	23.0%	77.0%
	Grade 10	11.9%	18.6%	30.1%	69.9%
	Grade 11	13.7%	21.4%	35.1%	64.9%
	Grade 12	14.5%	22.7%	38.3%	61.7%
Marijuana Only					
	All	3.6%	6.1%	12.1%	87.9%
	Grade 7	1.5%	2.2%	4.2%	95.8%
	Grade 8	2.7%	4.1%	7.8%	92.2%
	Grade 9	3.9%	6.2%	11.5%	88.5%
	Grade 10	3.8%	7.0%	14.4%	85.6%
	Grade 11	4.6%	8.4%	17.4%	82.6%
	Grade 12	5.5%	9.7%	19.9%	80.1%

**State : Grades 7-12 Large
Spring 2006**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.6%	4.2%	7.6%	92.4%
	Grade 7	1.0%	1.5%	3.2%	96.8%
	Grade 8	1.7%	2.8%	5.2%	94.8%
	Grade 9	2.7%	4.1%	7.4%	92.6%
	Grade 10	3.3%	5.5%	9.3%	90.7%
	Grade 11	3.8%	6.1%	10.8%	89.2%
	Grade 12	3.6%	6.1%	11.3%	88.7%
Cocaine					
	All	2.4%	3.9%	7.0%	93.0%
	Grade 7	0.6%	1.1%	2.3%	97.7%
	Grade 8	1.4%	2.2%	4.2%	95.8%
	Grade 9	2.4%	3.7%	6.7%	93.3%
	Grade 10	3.1%	5.3%	8.8%	91.2%
	Grade 11	3.7%	5.9%	10.5%	89.5%
	Grade 12	3.4%	5.9%	11.0%	89.0%
Crack					
	All	0.7%	1.1%	2.4%	97.6%
	Grade 7	0.6%	0.9%	1.9%	98.1%
	Grade 8	0.8%	1.3%	2.7%	97.3%
	Grade 9	0.8%	1.3%	2.5%	97.5%
	Grade 10	0.8%	1.4%	2.6%	97.4%
	Grade 11	0.5%	1.0%	2.4%	97.6%
	Grade 12	0.5%	0.9%	2.2%	97.8%
Hallucinogens					
	All	1.0%	1.9%	3.8%	96.2%
	Grade 7	0.4%	0.7%	1.0%	99.0%
	Grade 8	0.5%	0.9%	2.0%	98.0%
	Grade 9	1.1%	1.8%	3.4%	96.6%
	Grade 10	1.6%	2.9%	5.7%	94.3%
	Grade 11	1.3%	2.5%	5.4%	94.6%
	Grade 12	1.4%	2.8%	5.9%	94.1%
Uppers					
	All	2.4%	3.8%	6.0%	94.0%
	Grade 7	0.5%	0.6%	0.9%	99.1%
	Grade 8	1.1%	1.9%	2.9%	97.1%
	Grade 9	2.1%	3.5%	5.6%	94.4%
	Grade 10	4.0%	5.8%	8.6%	91.4%
	Grade 11	4.1%	6.4%	10.1%	89.9%
	Grade 12	3.4%	5.9%	9.8%	90.2%
Downers					
	All	2.4%	3.8%	6.1%	93.9%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	1.0%	1.6%	2.6%	97.4%
	Grade 9	2.1%	3.6%	5.4%	94.6%
	Grade 10	4.0%	5.8%	8.6%	91.4%
	Grade 11	4.1%	6.2%	10.5%	89.5%
	Grade 12	3.6%	6.1%	10.1%	89.9%

**State : Grades 7-12 Large
Spring 2006**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.9%	1.5%	2.7%	97.3%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	0.9%	1.4%	2.4%	97.6%
	Grade 9	1.1%	1.7%	3.1%	96.9%
	Grade 10	1.3%	2.2%	3.8%	96.2%
	Grade 11	0.9%	1.4%	3.1%	96.9%
	Grade 12	0.9%	1.4%	3.0%	97.0%
Steroids					
	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.3%	0.5%	1.1%	98.9%
	Grade 9	0.2%	0.4%	0.9%	99.1%
	Grade 10	0.3%	0.4%	1.0%	99.0%
	Grade 11	0.2%	0.3%	0.6%	99.4%
	Grade 12	0.3%	0.4%	0.7%	99.3%
Ecstasy					
	All	1.6%	2.9%	5.2%	94.8%
	Grade 7	0.4%	0.7%	1.6%	98.4%
	Grade 8	1.1%	1.9%	3.3%	96.7%
	Grade 9	1.8%	3.0%	5.3%	94.7%
	Grade 10	2.2%	4.0%	6.8%	93.2%
	Grade 11	2.1%	3.9%	7.3%	92.7%
	Grade 12	2.2%	4.3%	8.2%	91.8%
Heroin					
	All	0.4%	0.6%	1.5%	98.5%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.5%	0.8%	1.8%	98.2%
	Grade 9	0.6%	0.7%	1.8%	98.2%
	Grade 10	0.4%	0.6%	1.4%	98.6%
	Grade 11	0.3%	0.6%	1.4%	98.6%
	Grade 12	0.3%	0.5%	1.1%	98.9%

**State : Grades 7-12 Large
Spring 2006**

**Table B4: Prevalence and recency of use of selected substances by grade
White students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	17.9%	23.9%	36.0%	64.0%
	Grade 7	4.6%	6.9%	15.1%	84.9%
	Grade 8	8.6%	13.1%	23.9%	76.1%
	Grade 9	15.7%	21.5%	34.5%	65.5%
	Grade 10	21.0%	28.1%	40.9%	59.1%
	Grade 11	26.9%	34.3%	48.0%	52.0%
	Grade 12	31.2%	39.8%	53.5%	46.5%
Alcohol					
	All	32.3%	45.5%	65.4%	34.6%
	Grade 7	11.7%	19.2%	41.8%	58.2%
	Grade 8	19.1%	31.2%	55.1%	44.9%
	Grade 9	30.8%	44.9%	66.3%	33.7%
	Grade 10	38.4%	53.8%	72.3%	27.7%
	Grade 11	43.6%	58.2%	76.1%	23.9%
	Grade 12	50.1%	65.3%	80.1%	19.9%
Inhalants					
	All	5.1%	8.1%	15.9%	84.1%
	Grade 7	5.3%	8.0%	14.4%	85.6%
	Grade 8	6.5%	10.1%	18.2%	81.8%
	Grade 9	5.8%	8.8%	17.3%	82.7%
	Grade 10	5.3%	8.6%	17.0%	83.0%
	Grade 11	4.2%	6.9%	14.6%	85.4%
	Grade 12	3.3%	5.8%	13.2%	86.8%
Any Illicit Drug					
	All	12.5%	18.0%	26.6%	73.4%
	Grade 7	2.3%	3.6%	6.6%	93.4%
	Grade 8	5.7%	8.4%	13.3%	86.7%
	Grade 9	10.8%	15.8%	23.6%	76.4%
	Grade 10	15.6%	22.6%	32.2%	67.8%
	Grade 11	20.0%	27.8%	40.1%	59.9%
	Grade 12	20.6%	29.7%	44.1%	55.9%
Marijuana					
	All	10.9%	16.5%	25.1%	74.9%
	Grade 7	1.7%	2.8%	5.4%	94.6%
	Grade 8	5.0%	7.5%	12.0%	88.0%
	Grade 9	9.1%	14.0%	21.6%	78.4%
	Grade 10	13.1%	20.6%	30.4%	69.6%
	Grade 11	17.9%	26.2%	38.7%	61.3%
	Grade 12	18.8%	28.0%	43.0%	57.0%
Marijuana Only					
	All	3.5%	6.3%	12.2%	87.8%
	Grade 7	0.8%	1.3%	3.0%	97.0%
	Grade 8	1.8%	3.0%	6.2%	93.8%
	Grade 9	3.4%	5.9%	11.3%	88.7%
	Grade 10	4.1%	7.9%	14.4%	85.6%
	Grade 11	5.2%	9.2%	17.8%	82.2%
	Grade 12	5.7%	10.5%	20.6%	79.4%

**State : Grades 7-12 Large
Spring 2006**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.2%	3.9%	6.5%	93.5%
	Grade 7	0.3%	0.7%	1.8%	98.2%
	Grade 8	0.9%	1.5%	2.7%	97.3%
	Grade 9	1.6%	2.9%	4.7%	95.3%
	Grade 10	2.7%	4.7%	7.8%	92.2%
	Grade 11	3.7%	6.8%	10.9%	89.1%
	Grade 12	4.0%	6.9%	11.7%	88.3%
Cocaine					
	All	2.0%	3.6%	6.0%	94.0%
	Grade 7	0.2%	0.4%	1.1%	98.9%
	Grade 8	0.8%	1.1%	2.1%	97.9%
	Grade 9	1.4%	2.5%	4.0%	96.0%
	Grade 10	2.5%	4.4%	7.3%	92.7%
	Grade 11	3.6%	6.5%	10.6%	89.4%
	Grade 12	3.8%	6.6%	11.3%	88.7%
Crack					
	All	0.4%	0.9%	2.0%	98.0%
	Grade 7	0.2%	0.5%	1.3%	98.7%
	Grade 8	0.2%	0.6%	1.2%	98.8%
	Grade 9	0.5%	1.0%	2.0%	98.0%
	Grade 10	0.6%	1.0%	2.3%	97.7%
	Grade 11	0.5%	1.2%	2.6%	97.4%
	Grade 12	0.6%	1.3%	2.5%	97.5%
Hallucinogens					
	All	1.9%	3.4%	6.5%	93.5%
	Grade 7	0.3%	0.5%	1.1%	98.9%
	Grade 8	0.9%	1.6%	3.1%	96.9%
	Grade 9	1.8%	2.9%	5.3%	94.7%
	Grade 10	2.4%	4.4%	8.3%	91.7%
	Grade 11	3.0%	5.3%	10.2%	89.8%
	Grade 12	3.0%	5.8%	11.1%	88.9%
Uppers					
	All	3.4%	5.4%	8.3%	91.7%
	Grade 7	0.3%	0.5%	0.9%	99.1%
	Grade 8	1.1%	1.8%	2.9%	97.1%
	Grade 9	2.6%	4.6%	6.7%	93.3%
	Grade 10	4.9%	7.3%	10.8%	89.2%
	Grade 11	6.1%	9.5%	14.2%	85.8%
	Grade 12	5.3%	8.9%	14.3%	85.7%
Downers					
	All	3.4%	5.4%	8.1%	91.9%
	Grade 7	0.2%	0.4%	0.8%	99.2%
	Grade 8	1.1%	1.8%	2.6%	97.4%
	Grade 9	2.7%	4.6%	6.4%	93.6%
	Grade 10	5.1%	7.4%	10.5%	89.5%
	Grade 11	5.9%	8.9%	13.8%	86.2%
	Grade 12	5.6%	9.2%	14.4%	85.6%

**State : Grades 7-12 Large
Spring 2006**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.8%	1.2%	2.0%	98.0%
	Grade 7	0.3%	0.5%	0.6%	99.4%
	Grade 8	0.6%	1.0%	1.5%	98.5%
	Grade 9	1.0%	1.4%	2.2%	97.8%
	Grade 10	0.9%	1.5%	2.7%	97.3%
	Grade 11	1.0%	1.5%	2.6%	97.4%
	Grade 12	0.8%	1.3%	2.4%	97.6%
Steroids					
	All	0.6%	0.9%	1.7%	98.3%
	Grade 7	0.4%	0.6%	1.4%	98.6%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	0.5%	0.7%	1.5%	98.5%
	Grade 10	0.7%	1.2%	2.1%	97.9%
	Grade 11	0.8%	1.1%	1.9%	98.1%
	Grade 12	0.8%	1.1%	1.9%	98.1%
Ecstasy					
	All	2.1%	3.6%	6.0%	94.0%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	1.0%	1.6%	2.7%	97.3%
	Grade 9	1.8%	2.8%	4.7%	95.3%
	Grade 10	2.8%	5.1%	7.7%	92.3%
	Grade 11	3.1%	5.3%	9.6%	90.4%
	Grade 12	3.3%	6.1%	10.1%	89.9%
Heroin					
	All	0.4%	0.7%	1.4%	98.6%
	Grade 7	0.3%	0.3%	0.8%	99.2%
	Grade 8	0.3%	0.6%	1.3%	98.7%
	Grade 9	0.4%	0.6%	1.4%	98.6%
	Grade 10	0.6%	0.9%	1.4%	98.6%
	Grade 11	0.4%	0.9%	2.1%	97.9%
	Grade 12	0.6%	0.9%	1.6%	98.4%

**State : Grades 7-12 Large
Spring 2006**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	7.4%	10.5%	24.5%	75.5%
	Grade 7	5.0%	7.3%	18.3%	81.7%
	Grade 8	5.5%	8.8%	22.2%	77.8%
	Grade 9	8.4%	11.7%	27.3%	72.7%
	Grade 10	7.3%	10.1%	26.2%	73.8%
	Grade 11	8.4%	11.3%	26.1%	73.9%
	Grade 12	11.2%	15.8%	28.9%	71.1%
Alcohol					
	All	24.8%	35.7%	62.9%	37.1%
	Grade 7	16.5%	22.6%	49.7%	50.3%
	Grade 8	22.5%	31.5%	61.4%	38.6%
	Grade 9	26.2%	36.3%	64.4%	35.6%
	Grade 10	27.2%	40.7%	68.1%	31.9%
	Grade 11	27.7%	42.7%	68.6%	31.4%
	Grade 12	32.7%	46.9%	69.7%	30.3%
Inhalants					
	All	4.4%	6.0%	11.5%	88.5%
	Grade 7	8.3%	10.7%	18.5%	81.5%
	Grade 8	5.6%	7.8%	15.0%	85.0%
	Grade 9	4.1%	5.8%	11.0%	89.0%
	Grade 10	2.8%	4.0%	9.1%	90.9%
	Grade 11	2.0%	2.9%	5.9%	94.1%
	Grade 12	2.4%	2.7%	5.5%	94.5%
Any Illicit Drug					
	All	10.7%	15.4%	26.1%	73.9%
	Grade 7	3.9%	5.5%	10.0%	90.0%
	Grade 8	7.1%	10.2%	18.2%	81.8%
	Grade 9	10.9%	15.6%	27.3%	72.7%
	Grade 10	14.4%	20.4%	33.8%	66.2%
	Grade 11	15.3%	22.1%	37.2%	62.8%
	Grade 12	16.7%	24.4%	38.9%	61.1%
Marijuana					
	All	10.0%	14.7%	25.6%	74.4%
	Grade 7	3.5%	5.1%	9.4%	90.6%
	Grade 8	6.4%	9.3%	17.1%	82.9%
	Grade 9	9.7%	14.8%	26.6%	73.4%
	Grade 10	13.6%	19.6%	33.2%	66.8%
	Grade 11	14.5%	21.2%	37.0%	63.0%
	Grade 12	16.3%	24.3%	38.9%	61.1%
Marijuana Only					
	All	7.1%	10.8%	20.1%	79.9%
	Grade 7	2.1%	3.2%	6.6%	93.4%
	Grade 8	4.4%	6.7%	13.5%	86.5%
	Grade 9	7.2%	11.1%	21.5%	78.5%
	Grade 10	9.9%	14.9%	26.8%	73.2%
	Grade 11	10.8%	16.0%	29.5%	70.5%
	Grade 12	10.9%	16.9%	29.4%	70.6%

**State : Grades 7-12 Large
Spring 2006**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	0.8%	1.2%	1.9%	98.1%
	Grade 7	0.4%	0.7%	1.8%	98.2%
	Grade 8	0.8%	1.3%	1.8%	98.2%
	Grade 9	1.2%	1.4%	1.8%	98.2%
	Grade 10	0.5%	0.9%	1.6%	98.4%
	Grade 11	1.0%	1.3%	1.9%	98.1%
	Grade 12	1.1%	1.6%	2.7%	97.3%
Cocaine					
	All	0.6%	1.0%	1.6%	98.4%
	Grade 7	0.4%	0.7%	1.4%	98.6%
	Grade 8	0.6%	1.1%	1.4%	98.6%
	Grade 9	0.6%	0.9%	1.3%	98.7%
	Grade 10	0.4%	0.8%	1.5%	98.5%
	Grade 11	0.9%	1.2%	1.8%	98.2%
	Grade 12	1.1%	1.6%	2.5%	97.5%
Crack					
	All	0.4%	0.6%	0.9%	99.1%
	Grade 7	0.3%	0.4%	1.0%	99.0%
	Grade 8	0.4%	0.7%	1.1%	98.9%
	Grade 9	0.7%	0.8%	1.0%	99.0%
	Grade 10	0.2%	0.3%	0.4%	99.6%
	Grade 11	0.4%	0.5%	0.6%	99.4%
	Grade 12	0.4%	0.7%	1.4%	98.6%
Hallucinogens					
	All	0.5%	0.7%	1.2%	98.8%
	Grade 7	0.5%	0.6%	0.7%	99.3%
	Grade 8	0.3%	0.5%	0.9%	99.1%
	Grade 9	0.5%	0.6%	1.2%	98.8%
	Grade 10	0.5%	0.8%	1.6%	98.4%
	Grade 11	0.3%	0.9%	1.4%	98.6%
	Grade 12	0.7%	0.9%	1.9%	98.1%
Uppers					
	All	0.7%	1.1%	1.7%	98.3%
	Grade 7	0.2%	0.4%	0.6%	99.4%
	Grade 8	0.6%	0.8%	1.3%	98.7%
	Grade 9	0.5%	0.8%	1.2%	98.8%
	Grade 10	0.7%	1.3%	2.1%	97.9%
	Grade 11	0.9%	1.6%	2.6%	97.4%
	Grade 12	1.3%	2.1%	3.1%	96.9%
Downers					
	All	0.9%	1.4%	2.2%	97.8%
	Grade 7	0.2%	0.3%	0.4%	99.6%
	Grade 8	0.4%	0.6%	1.3%	98.7%
	Grade 9	0.7%	1.1%	1.5%	98.5%
	Grade 10	1.5%	2.1%	2.9%	97.1%
	Grade 11	1.5%	2.5%	3.4%	96.6%
	Grade 12	1.6%	2.7%	4.9%	95.1%

**State : Grades 7-12 Large
Spring 2006**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.4%	0.5%	0.7%	99.3%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.5%	0.7%	1.1%	98.9%
	Grade 9	0.5%	0.6%	0.9%	99.1%
	Grade 10	0.1%	0.2%	0.4%	99.6%
	Grade 11	0.4%	0.5%	0.7%	99.3%
	Grade 12	0.3%	0.6%	0.7%	99.3%
Steroids					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.6%	0.7%	1.5%	98.5%
	Grade 9	0.2%	0.5%	0.7%	99.3%
	Grade 10	0.5%	0.5%	1.4%	98.6%
	Grade 11	0.9%	1.3%	1.6%	98.4%
	Grade 12	0.6%	0.8%	1.5%	98.5%
Ecstasy					
	All	1.1%	1.8%	2.9%	97.1%
	Grade 7	0.3%	0.7%	1.2%	98.8%
	Grade 8	1.0%	1.5%	2.4%	97.6%
	Grade 9	1.1%	1.7%	2.9%	97.1%
	Grade 10	1.2%	1.8%	3.4%	96.6%
	Grade 11	1.1%	2.3%	4.0%	96.0%
	Grade 12	2.3%	3.4%	4.6%	95.4%
Heroin					
	All	0.4%	0.5%	0.8%	99.2%
	Grade 7	0.4%	0.4%	0.8%	99.2%
	Grade 8	0.6%	0.8%	1.1%	98.9%
	Grade 9	0.3%	0.3%	0.6%	99.4%
	Grade 10	0.2%	0.3%	0.5%	99.5%
	Grade 11	0.3%	0.4%	0.5%	99.5%
	Grade 12	0.6%	0.8%	1.0%	99.0%

**State : Grades 7-12 Large
Spring 2006**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.3%	22.9%	40.0%	60.0%
	Grade 7	7.7%	11.1%	22.3%	77.7%
	Grade 8	11.5%	17.4%	33.8%	66.2%
	Grade 9	16.1%	23.5%	42.0%	58.0%
	Grade 10	19.2%	27.5%	47.1%	52.9%
	Grade 11	22.6%	30.0%	50.0%	50.0%
	Grade 12	27.6%	36.4%	55.6%	44.4%
Alcohol					
	All	34.6%	45.8%	69.2%	30.8%
	Grade 7	20.2%	26.1%	51.3%	48.7%
	Grade 8	27.6%	37.8%	65.3%	34.7%
	Grade 9	35.9%	48.0%	72.3%	27.7%
	Grade 10	40.8%	54.4%	76.4%	23.6%
	Grade 11	43.7%	57.5%	78.2%	21.8%
	Grade 12	49.6%	62.9%	80.4%	19.6%
Inhalants					
	All	7.3%	10.1%	19.3%	80.7%
	Grade 7	10.1%	12.8%	21.3%	78.7%
	Grade 8	9.5%	13.0%	23.7%	76.3%
	Grade 9	7.7%	10.9%	21.0%	79.0%
	Grade 10	5.8%	8.8%	17.7%	82.3%
	Grade 11	4.1%	6.3%	14.2%	85.8%
	Grade 12	3.8%	5.8%	13.2%	86.8%
Any Illicit Drug					
	All	14.3%	19.7%	31.5%	68.5%
	Grade 7	7.2%	9.4%	15.0%	85.0%
	Grade 8	10.7%	14.7%	24.5%	75.5%
	Grade 9	15.7%	21.8%	34.0%	66.0%
	Grade 10	17.7%	24.6%	38.3%	61.7%
	Grade 11	18.3%	25.7%	42.3%	57.7%
	Grade 12	20.0%	27.7%	44.8%	55.2%
Marijuana					
	All	12.2%	17.8%	29.5%	70.5%
	Grade 7	5.9%	7.9%	13.0%	87.0%
	Grade 8	9.3%	13.5%	22.6%	77.4%
	Grade 9	13.7%	20.0%	31.8%	68.2%
	Grade 10	15.0%	21.8%	36.2%	63.8%
	Grade 11	15.7%	23.4%	40.2%	59.8%
	Grade 12	17.3%	25.5%	43.2%	56.8%
Marijuana Only					
	All	4.5%	7.0%	14.1%	85.9%
	Grade 7	2.7%	4.0%	7.4%	92.6%
	Grade 8	4.2%	6.2%	12.1%	87.9%
	Grade 9	5.3%	7.9%	15.2%	84.8%
	Grade 10	4.4%	7.5%	15.9%	84.1%
	Grade 11	5.1%	8.8%	18.5%	81.5%
	Grade 12	5.7%	9.2%	19.1%	80.9%

**State : Grades 7-12 Large
Spring 2006**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	4.5%	6.6%	11.9%	88.1%
	Grade 7	1.8%	2.5%	4.7%	95.3%
	Grade 8	2.8%	4.1%	8.2%	91.8%
	Grade 9	4.8%	7.0%	12.1%	87.9%
	Grade 10	5.7%	9.1%	14.9%	85.1%
	Grade 11	6.7%	9.5%	17.3%	82.7%
	Grade 12	6.8%	10.5%	19.4%	80.6%
Cocaine					
	All	4.1%	6.2%	11.2%	88.8%
	Grade 7	1.3%	1.9%	3.6%	96.4%
	Grade 8	2.3%	3.5%	6.9%	93.1%
	Grade 9	4.5%	6.6%	11.6%	88.4%
	Grade 10	5.4%	8.7%	14.3%	85.7%
	Grade 11	6.6%	9.3%	17.0%	83.0%
	Grade 12	6.8%	10.4%	19.3%	80.7%
Crack					
	All	1.0%	1.6%	3.3%	96.7%
	Grade 7	1.0%	1.4%	2.6%	97.4%
	Grade 8	1.2%	1.8%	3.8%	96.2%
	Grade 9	1.1%	1.8%	3.3%	96.7%
	Grade 10	1.1%	1.7%	3.6%	96.4%
	Grade 11	0.8%	1.3%	3.2%	96.8%
	Grade 12	0.6%	1.1%	3.1%	96.9%
Hallucinogens					
	All	1.3%	2.1%	4.2%	95.8%
	Grade 7	0.6%	0.8%	1.1%	98.9%
	Grade 8	0.6%	1.0%	2.5%	97.5%
	Grade 9	1.2%	2.2%	4.3%	95.7%
	Grade 10	2.1%	3.4%	6.4%	93.6%
	Grade 11	1.4%	2.4%	5.5%	94.5%
	Grade 12	2.3%	3.7%	7.4%	92.6%
Uppers					
	All	1.9%	2.8%	4.6%	95.4%
	Grade 7	0.6%	0.7%	1.1%	98.9%
	Grade 8	0.9%	1.5%	2.4%	97.6%
	Grade 9	1.7%	2.8%	4.7%	95.3%
	Grade 10	2.8%	4.1%	6.6%	93.4%
	Grade 11	3.2%	4.9%	7.6%	92.4%
	Grade 12	3.1%	4.7%	7.9%	92.1%
Downers					
	All	2.2%	3.3%	5.3%	94.7%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.8%	1.5%	2.5%	97.5%
	Grade 9	2.1%	3.4%	5.4%	94.6%
	Grade 10	3.4%	4.7%	7.5%	92.5%
	Grade 11	4.1%	5.6%	9.2%	90.8%
	Grade 12	3.8%	5.6%	8.9%	91.1%

**State : Grades 7-12 Large
Spring 2006**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.5%	2.3%	4.1%	95.9%
	Grade 7	0.9%	1.3%	2.0%	98.0%
	Grade 8	1.3%	2.0%	3.7%	96.3%
	Grade 9	1.7%	2.7%	4.7%	95.3%
	Grade 10	1.9%	3.2%	5.5%	94.5%
	Grade 11	1.6%	2.4%	4.8%	95.2%
	Grade 12	1.4%	2.2%	4.6%	95.4%
Steroids					
	All	0.5%	0.7%	1.3%	98.7%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	0.6%	0.9%	1.6%	98.4%
	Grade 9	0.4%	0.5%	1.2%	98.8%
	Grade 10	0.7%	0.8%	1.5%	98.5%
	Grade 11	0.4%	0.5%	1.0%	99.0%
	Grade 12	0.8%	1.0%	1.7%	98.3%
Ecstasy					
	All	1.8%	2.9%	5.3%	94.7%
	Grade 7	0.6%	0.8%	1.8%	98.2%
	Grade 8	1.1%	2.0%	3.5%	96.5%
	Grade 9	2.2%	3.3%	5.9%	94.1%
	Grade 10	2.5%	4.0%	7.3%	92.7%
	Grade 11	2.2%	3.7%	6.9%	93.1%
	Grade 12	2.7%	4.7%	8.5%	91.5%
Heroin					
	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.7%	0.9%	1.5%	98.5%
	Grade 8	0.6%	1.0%	2.2%	97.8%
	Grade 9	0.7%	1.1%	2.3%	97.7%
	Grade 10	0.7%	0.9%	1.9%	98.1%
	Grade 11	0.4%	0.7%	1.5%	98.5%
	Grade 12	0.3%	0.5%	1.2%	98.8%

**State : Grades 7-12 Large
Spring 2006**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	8.4%	12.3%	22.6%	77.4%
	Grade 7	1.9%	3.3%	9.5%	90.5%
	Grade 8	3.9%	6.3%	14.7%	85.3%
	Grade 9	6.1%	9.7%	19.3%	80.7%
	Grade 10	9.6%	13.9%	26.2%	73.8%
	Grade 11	12.2%	17.8%	30.0%	70.0%
	Grade 12	18.8%	25.8%	39.9%	60.1%
Alcohol					
	All	22.9%	34.3%	56.6%	43.4%
	Grade 7	9.2%	14.9%	37.3%	62.7%
	Grade 8	14.1%	23.8%	48.3%	51.7%
	Grade 9	21.1%	32.8%	55.6%	44.4%
	Grade 10	26.6%	40.3%	63.5%	36.5%
	Grade 11	30.2%	44.6%	66.2%	33.8%
	Grade 12	40.2%	54.7%	73.6%	26.4%
Inhalants					
	All	3.2%	4.9%	10.3%	89.7%
	Grade 7	3.9%	5.7%	11.5%	88.5%
	Grade 8	4.1%	6.7%	12.5%	87.5%
	Grade 9	3.5%	5.4%	11.2%	88.8%
	Grade 10	2.6%	4.1%	9.9%	90.1%
	Grade 11	2.3%	3.5%	7.7%	92.3%
	Grade 12	2.1%	3.6%	8.2%	91.8%
Any Illicit Drug					
	All	6.2%	9.5%	15.8%	84.2%
	Grade 7	1.4%	2.1%	4.1%	95.9%
	Grade 8	2.5%	4.2%	7.2%	92.8%
	Grade 9	4.4%	7.2%	12.1%	87.9%
	Grade 10	8.3%	12.1%	19.6%	80.4%
	Grade 11	10.3%	15.6%	24.7%	75.3%
	Grade 12	12.2%	18.8%	31.3%	68.7%
Marijuana					
	All	5.2%	8.5%	14.6%	85.4%
	Grade 7	1.0%	1.6%	3.3%	96.7%
	Grade 8	1.8%	3.4%	6.0%	94.0%
	Grade 9	3.6%	6.2%	11.0%	89.0%
	Grade 10	6.7%	10.5%	17.8%	82.2%
	Grade 11	9.0%	14.5%	23.4%	76.6%
	Grade 12	10.8%	17.8%	30.5%	69.5%
Marijuana Only					
	All	2.0%	3.9%	8.2%	91.8%
	Grade 7	0.4%	0.7%	2.0%	98.0%
	Grade 8	0.6%	1.5%	3.4%	96.6%
	Grade 9	1.5%	3.0%	6.5%	93.5%
	Grade 10	2.7%	4.8%	9.9%	90.1%
	Grade 11	3.5%	6.9%	13.3%	86.7%
	Grade 12	3.8%	7.7%	16.6%	83.4%

**State : Grades 7-12 Large
Spring 2006**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.1%	1.9%	3.4%	96.6%
	Grade 7	0.3%	0.6%	1.1%	98.9%
	Grade 8	0.6%	0.9%	1.7%	98.3%
	Grade 9	0.8%	1.5%	2.5%	97.5%
	Grade 10	1.1%	1.9%	3.7%	96.3%
	Grade 11	1.9%	3.1%	5.5%	94.5%
	Grade 12	2.3%	3.8%	7.1%	92.9%
Cocaine					
	All	1.0%	1.7%	3.2%	96.8%
	Grade 7	0.2%	0.5%	0.8%	99.2%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	0.6%	1.2%	2.2%	97.8%
	Grade 10	1.0%	1.8%	3.5%	96.5%
	Grade 11	1.7%	3.0%	5.4%	94.6%
	Grade 12	2.1%	3.7%	6.8%	93.2%
Crack					
	All	0.3%	0.6%	1.1%	98.9%
	Grade 7	0.2%	0.4%	0.8%	99.2%
	Grade 8	0.3%	0.5%	1.0%	99.0%
	Grade 9	0.4%	0.7%	1.1%	98.9%
	Grade 10	0.4%	0.5%	1.1%	98.9%
	Grade 11	0.4%	0.7%	1.2%	98.8%
	Grade 12	0.4%	0.7%	1.6%	98.4%
Hallucinogens					
	All	0.8%	1.4%	2.9%	97.1%
	Grade 7	0.2%	0.3%	0.4%	99.6%
	Grade 8	0.3%	0.5%	1.4%	98.6%
	Grade 9	0.6%	1.1%	2.3%	97.7%
	Grade 10	1.0%	1.8%	3.8%	96.2%
	Grade 11	1.3%	2.2%	4.4%	95.6%
	Grade 12	1.4%	2.9%	5.8%	94.2%
Uppers					
	All	1.3%	2.1%	3.5%	96.5%
	Grade 7	0.3%	0.4%	0.6%	99.4%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	0.8%	1.5%	2.4%	97.6%
	Grade 10	1.7%	2.7%	4.2%	95.8%
	Grade 11	2.5%	3.8%	6.1%	93.9%
	Grade 12	2.3%	4.4%	7.6%	92.4%
Downers					
	All	1.2%	2.1%	3.4%	96.6%
	Grade 7	0.2%	0.3%	0.5%	99.5%
	Grade 8	0.3%	0.5%	1.0%	99.0%
	Grade 9	0.7%	1.2%	2.1%	97.9%
	Grade 10	1.9%	3.0%	4.4%	95.6%
	Grade 11	2.3%	3.7%	6.0%	94.0%
	Grade 12	2.5%	4.7%	7.6%	92.4%

**State : Grades 7-12 Large
Spring 2006**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.3%	0.5%	1.0%	99.0%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.2%	0.5%	1.2%	98.8%
	Grade 10	0.4%	0.5%	1.0%	99.0%
	Grade 11	0.6%	0.9%	1.4%	98.6%
	Grade 12	0.4%	0.6%	1.5%	98.5%
Steroids					
	All	0.5%	0.7%	1.3%	98.7%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	0.4%	0.6%	1.2%	98.8%
	Grade 10	0.6%	0.7%	1.3%	98.7%
	Grade 11	0.7%	0.9%	1.4%	98.6%
	Grade 12	0.6%	0.9%	1.4%	98.6%
Ecstasy					
	All	0.9%	1.5%	2.8%	97.2%
	Grade 7	0.1%	0.3%	0.6%	99.4%
	Grade 8	0.3%	0.6%	1.2%	98.8%
	Grade 9	0.8%	1.3%	2.4%	97.6%
	Grade 10	1.2%	2.0%	3.6%	96.4%
	Grade 11	1.3%	2.4%	4.5%	95.5%
	Grade 12	1.5%	2.7%	5.1%	94.9%
Heroin					
	All	0.3%	0.4%	0.8%	99.2%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.3%	0.4%	0.8%	99.2%
	Grade 10	0.3%	0.5%	0.7%	99.3%
	Grade 11	0.3%	0.4%	0.9%	99.1%
	Grade 12	0.3%	0.5%	1.0%	99.0%

**State : Grades 7-12 Large
Spring 2006**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	18.3%	24.7%	41.0%	59.0%
	Grade 7	8.0%	11.4%	23.0%	77.0%
	Grade 8	11.4%	17.3%	33.2%	66.8%
	Grade 9	17.7%	24.6%	42.5%	57.5%
	Grade 10	21.1%	28.9%	46.4%	53.6%
	Grade 11	25.8%	33.0%	50.9%	49.1%
	Grade 12	30.4%	38.7%	55.7%	44.3%
Alcohol					
	All	35.3%	47.5%	70.2%	29.8%
	Grade 7	19.5%	26.3%	51.6%	48.4%
	Grade 8	26.8%	37.7%	65.0%	35.0%
	Grade 9	35.9%	48.8%	72.7%	27.3%
	Grade 10	41.1%	55.7%	76.6%	23.4%
	Grade 11	44.5%	59.1%	78.8%	21.2%
	Grade 12	50.0%	64.0%	80.5%	19.5%
Inhalants					
	All	7.2%	10.3%	19.4%	80.6%
	Grade 7	10.0%	13.1%	21.6%	78.4%
	Grade 8	9.3%	13.1%	23.5%	76.5%
	Grade 9	7.5%	10.8%	20.6%	79.4%
	Grade 10	6.1%	9.3%	18.6%	81.4%
	Grade 11	4.6%	7.2%	15.5%	84.5%
	Grade 12	4.1%	6.4%	14.2%	85.8%
Any Illicit Drug					
	All	15.5%	21.5%	33.4%	66.6%
	Grade 7	6.4%	8.6%	14.2%	85.8%
	Grade 8	10.2%	14.3%	23.5%	76.5%
	Grade 9	15.8%	22.1%	34.2%	65.8%
	Grade 10	18.7%	26.5%	40.0%	60.0%
	Grade 11	21.5%	29.7%	46.0%	54.0%
	Grade 12	23.3%	32.3%	49.4%	50.6%
Marijuana					
	All	13.5%	19.7%	31.7%	68.3%
	Grade 7	5.2%	7.2%	12.3%	87.7%
	Grade 8	9.1%	13.1%	21.8%	78.2%
	Grade 9	13.8%	20.2%	31.9%	68.1%
	Grade 10	16.0%	24.1%	38.3%	61.7%
	Grade 11	19.1%	27.7%	44.3%	55.7%
	Grade 12	21.0%	30.4%	48.0%	52.0%
Marijuana Only					
	All	5.3%	8.5%	16.3%	83.7%
	Grade 7	2.6%	3.8%	7.2%	92.8%
	Grade 8	4.2%	6.3%	12.3%	87.7%
	Grade 9	5.8%	9.0%	16.8%	83.2%
	Grade 10	5.7%	9.9%	19.1%	80.9%
	Grade 11	6.8%	11.0%	22.0%	78.0%
	Grade 12	7.6%	12.3%	23.3%	76.7%

**State : Grades 7-12 Large
Spring 2006**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.6%	5.6%	9.8%	90.2%
	Grade 7	1.2%	1.9%	4.0%	96.0%
	Grade 8	2.2%	3.4%	6.3%	93.7%
	Grade 9	3.7%	5.6%	9.4%	90.6%
	Grade 10	4.4%	7.1%	11.7%	88.3%
	Grade 11	5.3%	8.2%	14.1%	85.9%
	Grade 12	5.7%	9.2%	16.3%	83.7%
Cocaine					
	All	3.4%	5.2%	9.1%	90.9%
	Grade 7	0.9%	1.4%	3.0%	97.0%
	Grade 8	1.9%	2.8%	5.2%	94.8%
	Grade 9	3.4%	5.1%	8.6%	91.4%
	Grade 10	4.1%	6.8%	11.2%	88.8%
	Grade 11	5.2%	8.0%	13.8%	86.2%
	Grade 12	5.6%	9.0%	16.1%	83.9%
Crack					
	All	0.8%	1.4%	2.9%	97.1%
	Grade 7	0.7%	1.1%	2.3%	97.7%
	Grade 8	0.9%	1.4%	3.0%	97.0%
	Grade 9	1.0%	1.6%	3.0%	97.0%
	Grade 10	0.9%	1.4%	3.1%	96.9%
	Grade 11	0.7%	1.4%	3.0%	97.0%
	Grade 12	0.7%	1.3%	3.1%	96.9%
Hallucinogens					
	All	1.7%	2.9%	5.6%	94.4%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	0.9%	1.5%	2.9%	97.1%
	Grade 9	1.7%	2.7%	5.1%	94.9%
	Grade 10	2.5%	4.1%	7.6%	92.4%
	Grade 11	2.3%	4.1%	8.2%	91.8%
	Grade 12	2.9%	5.1%	9.9%	90.1%
Uppers					
	All	2.8%	4.3%	6.6%	93.4%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	1.2%	1.9%	2.9%	97.1%
	Grade 9	2.4%	4.0%	6.1%	93.9%
	Grade 10	4.0%	6.0%	9.0%	91.0%
	Grade 11	4.7%	7.4%	11.4%	88.6%
	Grade 12	4.8%	7.4%	11.8%	88.2%
Downers					
	All	3.1%	4.6%	7.1%	92.9%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	1.2%	1.9%	2.9%	97.1%
	Grade 9	2.7%	4.4%	6.4%	93.6%
	Grade 10	4.5%	6.5%	9.5%	90.5%
	Grade 11	5.2%	7.7%	12.3%	87.7%
	Grade 12	5.3%	8.0%	12.9%	87.1%

**State : Grades 7-12 Large
Spring 2006**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.3%	1.9%	3.3%	96.7%
	Grade 7	0.7%	1.0%	1.5%	98.5%
	Grade 8	1.1%	1.8%	3.0%	97.0%
	Grade 9	1.6%	2.3%	3.7%	96.3%
	Grade 10	1.5%	2.6%	4.4%	95.6%
	Grade 11	1.3%	1.9%	3.7%	96.3%
	Grade 12	1.2%	1.9%	3.7%	96.3%
Steroids					
	All	0.6%	0.8%	1.6%	98.4%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.6%	0.8%	1.5%	98.5%
	Grade 9	0.5%	0.7%	1.4%	98.6%
	Grade 10	0.7%	1.0%	1.9%	98.1%
	Grade 11	0.7%	0.9%	1.6%	98.4%
	Grade 12	0.9%	1.1%	2.1%	97.9%
Ecstasy					
	All	2.2%	3.7%	6.3%	93.7%
	Grade 7	0.7%	1.0%	1.9%	98.1%
	Grade 8	1.4%	2.3%	3.8%	96.2%
	Grade 9	2.3%	3.5%	6.2%	93.8%
	Grade 10	2.8%	4.8%	8.1%	91.9%
	Grade 11	3.0%	4.9%	8.9%	91.1%
	Grade 12	3.7%	6.4%	11.0%	89.0%
Heroin					
	All	0.6%	0.9%	1.9%	98.1%
	Grade 7	0.6%	0.7%	1.4%	98.6%
	Grade 8	0.7%	1.1%	2.1%	97.9%
	Grade 9	0.7%	1.0%	2.2%	97.8%
	Grade 10	0.7%	0.9%	1.8%	98.2%
	Grade 11	0.5%	0.9%	1.9%	98.1%
	Grade 12	0.6%	0.9%	1.7%	98.3%

**State : Grades 7-12 Large
Spring 2006**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.1%	18.3%	30.8%	69.2%
	Grade 7	4.7%	7.0%	14.9%	85.1%
	Grade 8	7.3%	11.2%	22.6%	77.4%
	Grade 9	11.9%	17.0%	30.0%	70.0%
	Grade 10	15.2%	21.4%	35.4%	64.6%
	Grade 11	19.8%	26.4%	41.3%	58.7%
	Grade 12	24.3%	32.4%	47.4%	52.6%
Alcohol					
	All	28.9%	40.0%	61.6%	38.4%
	Grade 7	14.0%	19.8%	42.0%	58.0%
	Grade 8	20.4%	29.4%	54.3%	45.7%
	Grade 9	28.7%	40.7%	63.4%	36.6%
	Grade 10	33.8%	47.1%	68.3%	31.7%
	Grade 11	38.3%	52.2%	71.7%	28.3%
	Grade 12	44.4%	58.4%	75.4%	24.6%
Inhalants					
	All	5.3%	7.7%	14.9%	85.1%
	Grade 7	7.4%	9.6%	16.5%	83.5%
	Grade 8	6.9%	9.9%	17.8%	82.2%
	Grade 9	5.5%	8.3%	16.2%	83.8%
	Grade 10	4.4%	6.7%	13.8%	86.2%
	Grade 11	3.4%	5.5%	12.2%	87.8%
	Grade 12	3.3%	5.1%	11.1%	88.9%
Any Illicit Drug					
	All	10.2%	14.5%	22.7%	77.3%
	Grade 7	3.6%	4.9%	8.1%	91.9%
	Grade 8	6.0%	8.3%	13.9%	86.1%
	Grade 9	9.6%	13.6%	21.5%	78.5%
	Grade 10	12.5%	17.9%	27.3%	72.7%
	Grade 11	15.4%	22.0%	34.2%	65.8%
	Grade 12	16.8%	24.3%	38.0%	62.0%
Marijuana					
	All	8.7%	13.0%	21.1%	78.9%
	Grade 7	2.7%	3.9%	6.7%	93.3%
	Grade 8	5.1%	7.3%	12.3%	87.7%
	Grade 9	8.0%	12.2%	19.6%	80.4%
	Grade 10	10.3%	15.8%	25.6%	74.4%
	Grade 11	13.5%	20.3%	32.6%	67.4%
	Grade 12	15.0%	22.7%	36.7%	63.3%
Marijuana Only					
	All	3.4%	5.6%	11.0%	89.0%
	Grade 7	1.3%	2.0%	3.8%	96.2%
	Grade 8	2.4%	3.4%	6.8%	93.2%
	Grade 9	3.3%	5.3%	10.4%	89.6%
	Grade 10	3.9%	6.8%	13.1%	86.9%
	Grade 11	4.9%	8.4%	16.5%	83.5%
	Grade 12	5.5%	9.5%	18.4%	81.6%

**State : Grades 7-12 Large
Spring 2006**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.4%	3.7%	6.6%	93.4%
	Grade 7	0.9%	1.3%	2.6%	97.4%
	Grade 8	1.5%	2.3%	4.0%	96.0%
	Grade 9	2.5%	3.6%	6.1%	93.9%
	Grade 10	2.7%	4.2%	7.1%	92.9%
	Grade 11	3.8%	5.7%	10.0%	90.0%
	Grade 12	3.9%	6.5%	11.6%	88.4%
Cocaine					
	All	2.2%	3.4%	6.0%	94.0%
	Grade 7	0.6%	0.9%	1.9%	98.1%
	Grade 8	1.2%	1.8%	3.2%	96.8%
	Grade 9	2.1%	3.2%	5.5%	94.5%
	Grade 10	2.5%	4.0%	6.7%	93.3%
	Grade 11	3.6%	5.5%	9.7%	90.3%
	Grade 12	3.7%	6.3%	11.4%	88.6%
Crack					
	All	0.7%	1.0%	2.1%	97.9%
	Grade 7	0.5%	0.8%	1.7%	98.3%
	Grade 8	0.7%	1.2%	2.1%	97.9%
	Grade 9	0.8%	1.2%	2.0%	98.0%
	Grade 10	0.6%	0.9%	2.0%	98.0%
	Grade 11	0.6%	1.0%	2.2%	97.8%
	Grade 12	0.6%	1.1%	2.5%	97.5%
Hallucinogens					
	All	1.2%	2.0%	3.9%	96.1%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.4%	0.8%	1.7%	98.3%
	Grade 9	1.0%	1.7%	3.3%	96.7%
	Grade 10	1.9%	3.0%	5.4%	94.6%
	Grade 11	1.7%	2.9%	5.9%	94.1%
	Grade 12	2.0%	3.7%	7.5%	92.5%
Uppers					
	All	1.8%	2.8%	4.4%	95.6%
	Grade 7	0.4%	0.4%	0.7%	99.3%
	Grade 8	0.6%	1.1%	1.7%	98.3%
	Grade 9	1.4%	2.4%	3.7%	96.3%
	Grade 10	2.7%	4.1%	6.0%	94.0%
	Grade 11	3.1%	4.8%	7.7%	92.3%
	Grade 12	3.3%	5.2%	8.8%	91.2%
Downers					
	All	1.9%	2.9%	4.6%	95.4%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.6%	1.0%	1.6%	98.4%
	Grade 9	1.4%	2.5%	3.7%	96.3%
	Grade 10	2.9%	4.2%	6.1%	93.9%
	Grade 11	3.4%	5.0%	8.3%	91.7%
	Grade 12	3.6%	5.7%	9.0%	91.0%

**State : Grades 7-12 Large
Spring 2006**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.8%	1.2%	2.1%	97.9%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.6%	1.0%	1.7%	98.3%
	Grade 9	1.0%	1.4%	2.4%	97.6%
	Grade 10	0.9%	1.5%	2.4%	97.6%
	Grade 11	0.9%	1.4%	2.5%	97.5%
	Grade 12	0.8%	1.3%	2.6%	97.4%
Steroids					
	All	0.6%	0.8%	1.5%	98.5%
	Grade 7	0.5%	0.6%	1.2%	98.8%
	Grade 8	0.5%	0.7%	1.5%	98.5%
	Grade 9	0.5%	0.7%	1.4%	98.6%
	Grade 10	0.7%	0.9%	1.6%	98.4%
	Grade 11	0.5%	0.8%	1.4%	98.6%
	Grade 12	0.8%	1.0%	1.9%	98.1%
Ecstasy					
	All	1.4%	2.3%	4.2%	95.8%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.7%	1.2%	2.1%	97.9%
	Grade 9	1.7%	2.4%	4.0%	96.0%
	Grade 10	2.0%	3.1%	5.5%	94.5%
	Grade 11	1.9%	3.2%	6.1%	93.9%
	Grade 12	2.5%	4.0%	7.6%	92.4%
Heroin					
	All	0.4%	0.7%	1.3%	98.7%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.4%	0.7%	1.3%	98.7%
	Grade 9	0.5%	0.7%	1.5%	98.5%
	Grade 10	0.5%	0.7%	1.3%	98.7%
	Grade 11	0.3%	0.6%	1.3%	98.7%
	Grade 12	0.4%	0.7%	1.4%	98.6%

**State : Grades 7-12 Large
Spring 2006**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	18.7%	25.2%	42.8%	57.2%
	Grade 7	8.5%	11.9%	25.5%	74.5%
	Grade 8	12.2%	18.4%	35.5%	64.5%
	Grade 9	18.6%	26.1%	46.0%	54.0%
	Grade 10	21.9%	29.4%	48.4%	51.6%
	Grade 11	24.9%	31.8%	50.4%	49.6%
	Grade 12	29.2%	36.7%	54.3%	45.7%
Alcohol					
	All	35.8%	49.1%	73.2%	26.8%
	Grade 7	20.1%	27.8%	55.6%	44.4%
	Grade 8	27.3%	40.0%	68.7%	31.3%
	Grade 9	36.7%	50.2%	74.9%	25.1%
	Grade 10	41.8%	57.7%	79.6%	20.4%
	Grade 11	43.7%	59.1%	80.7%	19.3%
	Grade 12	49.6%	64.3%	82.2%	17.8%
Inhalants					
	All	6.9%	10.1%	19.5%	80.5%
	Grade 7	9.2%	12.6%	21.6%	78.4%
	Grade 8	9.0%	13.2%	23.9%	76.1%
	Grade 9	7.7%	10.9%	20.9%	79.1%
	Grade 10	6.2%	9.7%	19.7%	80.3%
	Grade 11	4.6%	7.1%	14.9%	85.1%
	Grade 12	3.6%	5.8%	13.7%	86.3%
Any Illicit Drug					
	All	16.7%	23.5%	36.7%	63.3%
	Grade 7	6.9%	9.2%	15.8%	84.2%
	Grade 8	10.9%	16.0%	26.1%	73.9%
	Grade 9	17.7%	25.1%	38.7%	61.3%
	Grade 10	20.9%	29.5%	44.8%	55.2%
	Grade 11	22.9%	31.4%	48.8%	51.2%
	Grade 12	23.3%	32.6%	50.9%	49.1%
Marijuana					
	All	14.9%	21.8%	35.2%	64.8%
	Grade 7	5.9%	8.2%	14.2%	85.8%
	Grade 8	9.8%	14.9%	24.7%	75.3%
	Grade 9	15.7%	23.0%	36.7%	63.3%
	Grade 10	18.3%	27.2%	43.0%	57.0%
	Grade 11	20.5%	29.6%	47.3%	52.7%
	Grade 12	21.2%	31.0%	49.9%	50.1%
Marijuana Only					
	All	5.9%	9.5%	18.6%	81.4%
	Grade 7	3.0%	4.3%	8.6%	91.4%
	Grade 8	4.4%	7.3%	14.2%	85.8%
	Grade 9	6.7%	10.6%	19.6%	80.4%
	Grade 10	6.6%	11.2%	21.8%	78.2%
	Grade 11	7.5%	12.2%	24.3%	75.7%
	Grade 12	7.3%	12.5%	24.9%	75.1%

**State : Grades 7-12 Large
Spring 2006**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.6%	5.7%	10.0%	90.0%
	Grade 7	1.2%	1.9%	3.9%	96.1%
	Grade 8	2.0%	3.2%	6.2%	93.8%
	Grade 9	3.6%	5.7%	9.8%	90.2%
	Grade 10	4.7%	7.9%	12.9%	87.1%
	Grade 11	5.2%	8.2%	14.0%	86.0%
	Grade 12	5.5%	8.5%	15.2%	84.8%
Cocaine					
	All	3.3%	5.4%	9.4%	90.6%
	Grade 7	0.8%	1.3%	3.0%	97.0%
	Grade 8	1.8%	2.7%	5.3%	94.7%
	Grade 9	3.3%	5.2%	9.0%	91.0%
	Grade 10	4.5%	7.5%	12.5%	87.5%
	Grade 11	5.0%	8.0%	13.8%	86.2%
	Grade 12	5.3%	8.4%	14.9%	85.1%
Crack					
	All	0.7%	1.3%	2.8%	97.2%
	Grade 7	0.6%	1.0%	2.0%	98.0%
	Grade 8	0.7%	1.1%	2.8%	97.2%
	Grade 9	0.9%	1.6%	3.1%	96.9%
	Grade 10	0.9%	1.5%	3.3%	96.7%
	Grade 11	0.7%	1.4%	3.0%	97.0%
	Grade 12	0.5%	1.1%	2.5%	97.5%
Hallucinogens					
	All	1.9%	3.2%	6.2%	93.8%
	Grade 7	0.6%	0.9%	1.6%	98.4%
	Grade 8	1.0%	1.8%	3.6%	96.4%
	Grade 9	2.1%	3.2%	5.9%	94.1%
	Grade 10	2.3%	4.2%	8.3%	91.7%
	Grade 11	2.6%	4.5%	8.9%	91.1%
	Grade 12	3.0%	5.3%	10.0%	90.0%
Uppers					
	All	3.1%	4.9%	7.7%	92.3%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	1.4%	2.2%	3.7%	96.3%
	Grade 9	2.8%	4.6%	7.2%	92.8%
	Grade 10	4.5%	6.6%	10.2%	89.8%
	Grade 11	5.6%	8.7%	13.1%	86.9%
	Grade 12	4.8%	8.0%	12.8%	87.2%
Downers					
	All	3.5%	5.3%	8.2%	91.8%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	1.3%	2.2%	3.6%	96.4%
	Grade 9	3.2%	5.2%	7.6%	92.4%
	Grade 10	5.1%	7.4%	11.0%	89.0%
	Grade 11	5.9%	8.8%	13.8%	86.2%
	Grade 12	5.4%	8.7%	14.1%	85.9%

**State : Grades 7-12 Large
Spring 2006**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.3%	1.9%	3.5%	96.5%
	Grade 7	0.7%	1.0%	1.6%	98.4%
	Grade 8	1.2%	1.9%	3.3%	96.7%
	Grade 9	1.5%	2.3%	4.1%	95.9%
	Grade 10	1.6%	2.7%	4.9%	95.1%
	Grade 11	1.4%	2.1%	3.9%	96.1%
	Grade 12	1.0%	1.5%	3.3%	96.7%
Steroids					
	All	0.6%	0.9%	1.6%	98.4%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.6%	0.8%	1.5%	98.5%
	Grade 9	0.4%	0.6%	1.3%	98.7%
	Grade 10	0.7%	1.0%	2.0%	98.0%
	Grade 11	0.9%	1.1%	1.8%	98.2%
	Grade 12	0.7%	1.1%	1.8%	98.2%
Ecstasy					
	All	2.4%	4.1%	7.0%	93.0%
	Grade 7	0.7%	1.0%	2.1%	97.9%
	Grade 8	1.6%	2.7%	4.5%	95.5%
	Grade 9	2.3%	3.8%	6.9%	93.1%
	Grade 10	3.0%	5.3%	8.9%	91.1%
	Grade 11	3.4%	5.7%	10.1%	89.9%
	Grade 12	3.6%	6.9%	11.0%	89.0%
Heroin					
	All	0.6%	0.9%	1.9%	98.1%
	Grade 7	0.6%	0.7%	1.4%	98.6%
	Grade 8	0.6%	1.0%	2.2%	97.8%
	Grade 9	0.7%	1.0%	2.3%	97.7%
	Grade 10	0.7%	1.0%	1.8%	98.2%
	Grade 11	0.6%	1.0%	2.1%	97.9%
	Grade 12	0.6%	0.8%	1.6%	98.4%

**State : Grades 7-12 Large
Spring 2006**

**Table B11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.6%	18.8%	32.9%	67.1%
	Grade 7	4.8%	7.0%	16.4%	83.6%
	Grade 8	7.7%	12.0%	24.7%	75.3%
	Grade 9	12.6%	18.3%	33.4%	66.6%
	Grade 10	15.8%	22.1%	37.9%	62.1%
	Grade 11	20.3%	26.7%	43.1%	56.9%
	Grade 12	24.6%	31.9%	48.6%	51.4%
Alcohol					
	All	29.4%	41.1%	64.3%	35.7%
	Grade 7	14.1%	20.1%	44.2%	55.8%
	Grade 8	20.4%	30.5%	57.6%	42.4%
	Grade 9	29.6%	41.8%	66.2%	33.8%
	Grade 10	34.9%	49.0%	71.7%	28.3%
	Grade 11	38.8%	53.4%	74.5%	25.5%
	Grade 12	44.6%	59.1%	77.7%	22.3%
Inhalants					
	All	5.0%	7.5%	14.8%	85.2%
	Grade 7	6.7%	9.1%	16.0%	84.0%
	Grade 8	6.5%	9.5%	17.9%	82.1%
	Grade 9	5.4%	8.0%	16.3%	83.7%
	Grade 10	4.3%	6.8%	14.4%	85.6%
	Grade 11	3.3%	5.3%	11.9%	88.1%
	Grade 12	2.9%	4.7%	10.8%	89.2%
Any Illicit Drug					
	All	10.8%	15.4%	25.1%	74.9%
	Grade 7	3.5%	4.9%	8.6%	91.4%
	Grade 8	6.4%	9.1%	15.6%	84.4%
	Grade 9	10.4%	15.2%	24.8%	75.2%
	Grade 10	13.6%	19.4%	30.7%	69.3%
	Grade 11	16.2%	23.1%	36.8%	63.2%
	Grade 12	17.4%	25.2%	40.6%	59.4%
Marijuana					
	All	9.4%	14.1%	23.7%	76.3%
	Grade 7	2.8%	4.1%	7.4%	92.6%
	Grade 8	5.7%	8.3%	14.4%	85.6%
	Grade 9	9.2%	13.8%	23.1%	76.9%
	Grade 10	11.6%	17.5%	29.2%	70.8%
	Grade 11	14.3%	21.5%	35.4%	64.6%
	Grade 12	15.6%	23.7%	39.5%	60.5%
Marijuana Only					
	All	3.8%	6.3%	12.8%	87.2%
	Grade 7	1.5%	2.2%	4.5%	95.5%
	Grade 8	2.6%	4.0%	8.4%	91.6%
	Grade 9	4.0%	6.3%	12.8%	87.2%
	Grade 10	4.4%	7.6%	15.6%	84.4%
	Grade 11	5.1%	8.9%	18.4%	81.6%
	Grade 12	5.8%	10.1%	20.5%	79.5%

**State : Grades 7-12 Large
Spring 2006**

**Table B11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.3%	3.8%	6.8%	93.2%
	Grade 7	0.7%	1.1%	2.3%	97.7%
	Grade 8	1.4%	2.1%	3.9%	96.1%
	Grade 9	2.3%	3.6%	6.4%	93.6%
	Grade 10	2.7%	4.7%	8.0%	92.0%
	Grade 11	3.8%	6.0%	10.5%	89.5%
	Grade 12	3.7%	6.2%	11.5%	88.5%
Cocaine					
	All	2.1%	3.5%	6.3%	93.7%
	Grade 7	0.5%	0.8%	1.7%	98.3%
	Grade 8	1.1%	1.7%	3.2%	96.8%
	Grade 9	2.0%	3.3%	5.9%	94.1%
	Grade 10	2.6%	4.4%	7.6%	92.4%
	Grade 11	3.7%	5.8%	10.2%	89.8%
	Grade 12	3.6%	6.1%	11.3%	88.7%
Crack					
	All	0.5%	0.9%	1.9%	98.1%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.5%	0.9%	1.9%	98.1%
	Grade 9	0.6%	0.9%	1.9%	98.1%
	Grade 10	0.6%	0.9%	2.0%	98.0%
	Grade 11	0.5%	0.9%	2.2%	97.8%
	Grade 12	0.4%	0.9%	2.1%	97.9%
Hallucinogens					
	All	1.1%	2.0%	4.1%	95.9%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.5%	0.9%	1.8%	98.2%
	Grade 9	1.1%	1.9%	3.6%	96.4%
	Grade 10	1.6%	2.8%	5.7%	94.3%
	Grade 11	1.6%	3.0%	6.3%	93.7%
	Grade 12	2.0%	3.7%	7.5%	92.5%
Uppers					
	All	1.9%	3.1%	5.0%	95.0%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.7%	1.2%	2.0%	98.0%
	Grade 9	1.6%	2.7%	4.4%	95.6%
	Grade 10	2.6%	4.1%	6.5%	93.5%
	Grade 11	3.5%	5.7%	8.9%	91.1%
	Grade 12	3.4%	5.6%	9.4%	90.6%
Downers					
	All	2.0%	3.2%	5.2%	94.8%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.7%	1.2%	1.9%	98.1%
	Grade 9	1.7%	2.9%	4.4%	95.6%
	Grade 10	3.0%	4.5%	6.8%	93.2%
	Grade 11	3.7%	5.7%	9.5%	90.5%
	Grade 12	3.6%	6.0%	10.0%	90.0%

**State : Grades 7-12 Large
Spring 2006**

**Table B11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.7%	1.2%	2.2%	97.8%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.6%	1.0%	1.9%	98.1%
	Grade 9	0.9%	1.4%	2.6%	97.4%
	Grade 10	0.9%	1.6%	3.0%	97.0%
	Grade 11	1.0%	1.4%	2.8%	97.2%
	Grade 12	0.7%	1.1%	2.5%	97.5%
Steroids					
	All	0.4%	0.6%	1.2%	98.8%
	Grade 7	0.3%	0.5%	1.0%	99.0%
	Grade 8	0.5%	0.6%	1.2%	98.8%
	Grade 9	0.3%	0.5%	1.2%	98.8%
	Grade 10	0.4%	0.6%	1.4%	98.6%
	Grade 11	0.6%	0.7%	1.3%	98.7%
	Grade 12	0.6%	0.8%	1.5%	98.5%
Ecstasy					
	All	1.4%	2.4%	4.4%	95.6%
	Grade 7	0.3%	0.4%	1.0%	99.0%
	Grade 8	0.8%	1.3%	2.4%	97.6%
	Grade 9	1.4%	2.3%	4.1%	95.9%
	Grade 10	1.9%	3.2%	5.7%	94.3%
	Grade 11	2.0%	3.5%	6.8%	93.2%
	Grade 12	2.3%	4.4%	8.0%	92.0%
Heroin					
	All	0.3%	0.5%	1.2%	98.8%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.3%	0.5%	1.2%	98.8%
	Grade 9	0.4%	0.6%	1.4%	98.6%
	Grade 10	0.4%	0.5%	1.1%	98.9%
	Grade 11	0.2%	0.5%	1.3%	98.7%
	Grade 12	0.3%	0.5%	1.1%	98.9%

**State : Grades 7-12 Large
Spring 2006**

**Table B12: Prevalence and recency of use of selected substances by grade
Students who wouldn't seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	22.0%	29.7%	45.3%	54.7%
	Grade 7	11.5%	16.7%	29.7%	70.3%
	Grade 8	15.4%	22.4%	39.7%	60.3%
	Grade 9	21.3%	28.5%	46.0%	54.0%
	Grade 10	25.0%	33.5%	49.5%	50.5%
	Grade 11	28.1%	36.0%	51.8%	48.2%
	Grade 12	32.5%	42.8%	55.8%	44.2%
Alcohol					
	All	40.5%	53.8%	72.9%	27.1%
	Grade 7	25.7%	35.0%	60.4%	39.6%
	Grade 8	34.2%	46.7%	70.1%	29.9%
	Grade 9	39.9%	53.7%	73.6%	26.4%
	Grade 10	44.2%	59.9%	76.2%	23.8%
	Grade 11	46.6%	60.8%	77.6%	22.4%
	Grade 12	54.1%	67.4%	79.3%	20.7%
Inhalants					
	All	9.4%	13.3%	23.9%	76.1%
	Grade 7	14.1%	18.4%	29.1%	70.9%
	Grade 8	12.4%	17.9%	29.8%	70.2%
	Grade 9	9.5%	13.5%	24.4%	75.6%
	Grade 10	8.2%	12.0%	23.3%	76.7%
	Grade 11	6.4%	9.3%	18.4%	81.6%
	Grade 12	5.0%	7.9%	16.9%	83.1%
Any Illicit Drug					
	All	20.0%	27.4%	39.5%	60.5%
	Grade 7	11.2%	14.2%	21.3%	78.7%
	Grade 8	14.2%	20.3%	30.1%	69.9%
	Grade 9	19.6%	26.9%	38.7%	61.3%
	Grade 10	22.6%	32.3%	45.5%	54.5%
	Grade 11	25.9%	34.9%	50.5%	49.5%
	Grade 12	27.2%	36.6%	52.2%	47.8%
Marijuana					
	All	17.3%	24.9%	37.1%	62.9%
	Grade 7	9.1%	12.0%	18.4%	81.6%
	Grade 8	12.2%	18.0%	27.5%	72.5%
	Grade 9	16.5%	24.2%	36.0%	64.0%
	Grade 10	19.3%	29.2%	42.7%	57.3%
	Grade 11	23.3%	32.5%	48.7%	51.3%
	Grade 12	24.7%	34.7%	50.9%	49.1%
Marijuana Only					
	All	6.6%	10.6%	18.3%	81.7%
	Grade 7	4.2%	5.9%	10.1%	89.9%
	Grade 8	5.3%	8.3%	14.5%	85.5%
	Grade 9	6.6%	10.9%	18.5%	81.5%
	Grade 10	6.5%	11.9%	20.0%	80.0%
	Grade 11	8.8%	13.4%	23.7%	76.3%
	Grade 12	8.5%	13.3%	23.5%	76.5%

**State : Grades 7-12 Large
Spring 2006**

**Table B12: Prevalence and recency of use of selected substances by grade
Students who wouldn't seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	5.0%	7.4%	12.3%	87.7%
	Grade 7	2.4%	3.4%	6.5%	93.5%
	Grade 8	3.1%	4.8%	8.4%	91.6%
	Grade 9	4.9%	7.0%	11.0%	89.0%
	Grade 10	6.0%	8.9%	14.2%	85.8%
	Grade 11	6.4%	9.3%	15.8%	84.2%
	Grade 12	7.8%	11.7%	19.0%	81.0%
Cocaine					
	All	4.6%	6.9%	11.4%	88.6%
	Grade 7	1.7%	2.5%	4.9%	95.1%
	Grade 8	2.6%	4.0%	7.1%	92.9%
	Grade 9	4.4%	6.2%	9.8%	90.2%
	Grade 10	5.7%	8.5%	13.7%	86.3%
	Grade 11	6.0%	9.0%	15.6%	84.4%
	Grade 12	7.7%	11.6%	18.8%	81.2%
Crack					
	All	1.3%	2.1%	4.0%	96.0%
	Grade 7	1.4%	2.0%	4.0%	96.0%
	Grade 8	1.3%	2.2%	4.3%	95.7%
	Grade 9	1.6%	2.7%	4.3%	95.7%
	Grade 10	1.2%	1.7%	3.9%	96.1%
	Grade 11	1.2%	2.0%	3.7%	96.3%
	Grade 12	1.2%	1.8%	3.9%	96.1%
Hallucinogens					
	All	2.6%	4.3%	7.4%	92.6%
	Grade 7	1.2%	1.9%	2.7%	97.3%
	Grade 8	1.5%	2.6%	4.6%	95.4%
	Grade 9	2.4%	3.6%	6.7%	93.3%
	Grade 10	3.5%	5.7%	9.5%	90.5%
	Grade 11	3.4%	5.6%	10.1%	89.9%
	Grade 12	3.6%	6.6%	12.0%	88.0%
Uppers					
	All	4.2%	6.1%	8.7%	91.3%
	Grade 7	1.4%	1.6%	2.4%	97.6%
	Grade 8	1.9%	3.1%	4.5%	95.5%
	Grade 9	3.4%	5.3%	7.4%	92.6%
	Grade 10	6.2%	8.4%	11.5%	88.5%
	Grade 11	6.6%	9.3%	13.7%	86.3%
	Grade 12	6.2%	9.2%	13.6%	86.4%
Downers					
	All	4.4%	6.3%	9.0%	91.0%
	Grade 7	1.0%	1.3%	2.1%	97.9%
	Grade 8	1.8%	3.0%	4.0%	96.0%
	Grade 9	3.4%	5.4%	7.5%	92.5%
	Grade 10	6.5%	8.6%	12.1%	87.9%
	Grade 11	7.2%	9.9%	14.5%	85.5%
	Grade 12	6.8%	10.1%	14.6%	85.4%

**State : Grades 7-12 Large
Spring 2006**

**Table B12: Prevalence and recency of use of selected substances by grade
Students who wouldn't seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.8%	2.7%	4.0%	96.0%
	Grade 7	1.5%	1.9%	2.4%	97.6%
	Grade 8	2.0%	2.9%	4.1%	95.9%
	Grade 9	2.1%	2.9%	4.5%	95.5%
	Grade 10	1.8%	3.0%	4.5%	95.5%
	Grade 11	1.6%	2.5%	4.1%	95.9%
	Grade 12	1.8%	2.5%	4.2%	95.8%
Steroids					
	All	1.1%	1.5%	2.6%	97.4%
	Grade 7	0.9%	1.2%	2.8%	97.2%
	Grade 8	0.8%	1.4%	2.7%	97.3%
	Grade 9	0.8%	1.1%	1.8%	98.2%
	Grade 10	1.5%	2.0%	3.0%	97.0%
	Grade 11	1.1%	1.4%	2.1%	97.9%
	Grade 12	1.7%	2.0%	3.4%	96.6%
Ecstasy					
	All	3.4%	5.3%	8.3%	91.7%
	Grade 7	1.7%	2.3%	3.5%	96.5%
	Grade 8	2.4%	3.7%	5.7%	94.3%
	Grade 9	3.6%	5.1%	8.2%	91.8%
	Grade 10	3.8%	6.4%	10.2%	89.8%
	Grade 11	3.9%	6.5%	10.5%	89.5%
	Grade 12	5.3%	7.8%	12.2%	87.8%
Heroin					
	All	1.2%	1.7%	2.9%	97.1%
	Grade 7	1.4%	1.6%	2.7%	97.3%
	Grade 8	1.2%	2.0%	3.4%	96.6%
	Grade 9	1.0%	1.4%	2.9%	97.1%
	Grade 10	1.2%	1.6%	2.6%	97.4%
	Grade 11	1.0%	1.6%	2.8%	97.2%
	Grade 12	1.5%	1.8%	3.0%	97.0%

**State : Grades 7-12 Large
Spring 2006**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.5%	20.9%	36.7%	63.3%
	Grade 7	7.0%	10.1%	21.3%	78.7%
	Grade 8	10.3%	15.5%	30.2%	69.8%
	Grade 9	16.6%	22.6%	39.6%	60.4%
	Grade 10	19.7%	26.0%	43.9%	56.1%
	Grade 11	23.1%	29.8%	47.7%	52.3%
	Grade 12	27.1%	33.7%	53.8%	46.2%
Alcohol					
	All	30.3%	41.4%	64.8%	35.2%
	Grade 7	17.1%	23.8%	48.0%	52.0%
	Grade 8	24.2%	33.9%	60.4%	39.6%
	Grade 9	31.8%	44.0%	67.9%	32.1%
	Grade 10	37.6%	50.9%	73.1%	26.9%
	Grade 11	40.7%	54.6%	75.0%	25.0%
	Grade 12	45.3%	60.2%	79.4%	20.6%
Inhalants					
	All	6.9%	9.9%	18.9%	81.1%
	Grade 7	8.6%	11.6%	19.9%	80.1%
	Grade 8	8.8%	12.3%	22.2%	77.8%
	Grade 9	6.9%	9.9%	19.1%	80.9%
	Grade 10	5.6%	8.8%	18.3%	81.7%
	Grade 11	5.0%	7.2%	15.4%	84.6%
	Grade 12	4.0%	6.5%	15.2%	84.8%
Any Illicit Drug					
	All	12.9%	18.0%	28.8%	71.2%
	Grade 7	5.3%	6.9%	12.1%	87.9%
	Grade 8	9.3%	12.6%	21.1%	78.9%
	Grade 9	14.0%	19.9%	31.3%	68.7%
	Grade 10	17.2%	24.3%	38.1%	61.9%
	Grade 11	19.7%	27.5%	42.4%	57.6%
	Grade 12	19.5%	28.1%	45.3%	54.7%
Marijuana					
	All	11.4%	16.6%	27.3%	72.7%
	Grade 7	4.5%	5.9%	10.6%	89.4%
	Grade 8	8.2%	11.6%	19.5%	80.5%
	Grade 9	12.3%	18.1%	29.7%	70.3%
	Grade 10	14.8%	22.0%	36.4%	63.6%
	Grade 11	17.9%	25.9%	41.0%	59.0%
	Grade 12	17.8%	26.7%	44.5%	55.5%
Marijuana Only					
	All	4.6%	7.2%	14.4%	85.6%
	Grade 7	2.3%	3.1%	6.4%	93.6%
	Grade 8	4.0%	5.7%	10.9%	89.1%
	Grade 9	5.1%	8.0%	15.9%	84.1%
	Grade 10	5.4%	9.0%	18.5%	81.5%
	Grade 11	6.5%	10.5%	20.9%	79.1%
	Grade 12	6.0%	11.1%	22.2%	77.8%

**State : Grades 7-12 Large
Spring 2006**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.0%	4.4%	8.1%	91.9%
	Grade 7	0.9%	1.5%	3.2%	96.8%
	Grade 8	1.9%	2.7%	5.4%	94.6%
	Grade 9	3.6%	4.9%	8.3%	91.7%
	Grade 10	3.9%	6.4%	11.1%	88.9%
	Grade 11	4.4%	6.9%	12.5%	87.5%
	Grade 12	5.1%	7.7%	14.5%	85.5%
Cocaine					
	All	2.7%	4.1%	7.5%	92.5%
	Grade 7	0.7%	1.0%	2.4%	97.6%
	Grade 8	1.6%	2.3%	4.5%	95.5%
	Grade 9	3.2%	4.3%	7.4%	92.6%
	Grade 10	3.7%	6.1%	10.5%	89.5%
	Grade 11	4.3%	6.5%	12.1%	87.9%
	Grade 12	5.0%	7.7%	14.3%	85.7%
Crack					
	All	0.8%	1.2%	2.7%	97.3%
	Grade 7	0.4%	0.8%	1.9%	98.1%
	Grade 8	0.8%	1.1%	2.6%	97.4%
	Grade 9	1.1%	1.5%	3.0%	97.0%
	Grade 10	0.8%	1.4%	3.2%	96.8%
	Grade 11	0.8%	1.3%	3.0%	97.0%
	Grade 12	0.6%	1.2%	3.1%	96.9%
Hallucinogens					
	All	1.4%	2.4%	4.9%	95.1%
	Grade 7	0.6%	0.8%	1.4%	98.6%
	Grade 8	0.9%	1.5%	3.2%	96.8%
	Grade 9	1.3%	2.4%	4.7%	95.3%
	Grade 10	2.0%	3.5%	7.2%	92.8%
	Grade 11	2.0%	3.8%	8.0%	92.0%
	Grade 12	2.8%	4.6%	9.9%	90.1%
Uppers					
	All	2.1%	3.4%	5.6%	94.4%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	1.0%	1.5%	2.6%	97.4%
	Grade 9	1.9%	3.6%	5.7%	94.3%
	Grade 10	3.3%	5.0%	8.4%	91.6%
	Grade 11	3.9%	6.8%	10.6%	89.4%
	Grade 12	4.2%	6.4%	10.8%	89.2%
Downers					
	All	2.3%	3.5%	5.7%	94.3%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	1.1%	1.6%	2.6%	97.4%
	Grade 9	2.3%	3.9%	5.9%	94.1%
	Grade 10	3.5%	5.2%	8.7%	91.3%
	Grade 11	4.3%	6.7%	10.6%	89.4%
	Grade 12	4.6%	6.5%	11.6%	88.4%

**State : Grades 7-12 Large
Spring 2006**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.1%	1.5%	2.8%	97.2%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.1%	1.4%	2.7%	97.3%
	Grade 9	1.3%	1.9%	3.2%	96.8%
	Grade 10	1.4%	2.2%	4.1%	95.9%
	Grade 11	1.2%	1.7%	3.5%	96.5%
	Grade 12	0.8%	1.2%	3.1%	96.9%
Steroids					
	All	0.5%	0.7%	1.5%	98.5%
	Grade 7	0.4%	0.5%	1.3%	98.7%
	Grade 8	0.5%	0.8%	1.9%	98.1%
	Grade 9	0.4%	0.7%	1.4%	98.6%
	Grade 10	0.4%	0.6%	1.4%	98.6%
	Grade 11	0.7%	0.9%	1.6%	98.4%
	Grade 12	0.7%	0.9%	1.5%	98.5%
Ecstasy					
	All	1.8%	2.9%	5.4%	94.6%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	1.4%	2.1%	3.9%	96.1%
	Grade 9	2.0%	3.1%	5.7%	94.3%
	Grade 10	2.5%	4.1%	7.4%	92.6%
	Grade 11	2.5%	4.4%	8.6%	91.4%
	Grade 12	3.6%	5.7%	10.5%	89.5%
Heroin					
	All	0.6%	0.8%	1.8%	98.2%
	Grade 7	0.4%	0.5%	1.2%	98.8%
	Grade 8	0.7%	1.1%	2.1%	97.9%
	Grade 9	0.6%	0.9%	2.0%	98.0%
	Grade 10	0.7%	0.9%	1.8%	98.2%
	Grade 11	0.6%	0.9%	2.1%	97.9%
	Grade 12	0.7%	1.0%	2.1%	97.9%

**State : Grades 7-12 Large
Spring 2006**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.2%	21.0%	34.9%	65.1%
	Grade 7	5.6%	8.1%	17.4%	82.6%
	Grade 8	8.6%	13.2%	26.2%	73.8%
	Grade 9	13.6%	19.6%	34.7%	65.3%
	Grade 10	17.0%	23.9%	39.1%	60.9%
	Grade 11	21.3%	28.0%	43.6%	56.4%
	Grade 12	26.0%	34.1%	49.3%	50.7%
Alcohol					
	All	32.0%	44.3%	66.5%	33.5%
	Grade 7	15.7%	22.1%	46.5%	53.5%
	Grade 8	22.4%	33.2%	59.6%	40.4%
	Grade 9	31.7%	44.5%	68.0%	32.0%
	Grade 10	36.5%	51.3%	72.5%	27.5%
	Grade 11	40.2%	54.9%	75.3%	24.7%
	Grade 12	46.5%	60.7%	77.7%	22.3%
Inhalants					
	All	5.5%	8.1%	15.7%	84.3%
	Grade 7	7.8%	10.3%	17.5%	82.5%
	Grade 8	7.2%	10.6%	19.2%	80.8%
	Grade 9	6.1%	9.0%	17.5%	82.5%
	Grade 10	4.9%	7.5%	15.3%	84.7%
	Grade 11	3.5%	5.7%	12.4%	87.6%
	Grade 12	3.3%	5.2%	11.5%	88.5%
Any Illicit Drug					
	All	12.5%	17.8%	27.7%	72.3%
	Grade 7	4.5%	6.3%	10.3%	89.7%
	Grade 8	7.2%	10.6%	17.3%	82.7%
	Grade 9	12.1%	17.2%	26.6%	73.4%
	Grade 10	15.2%	21.7%	32.5%	67.5%
	Grade 11	17.7%	24.8%	38.7%	61.3%
	Grade 12	19.2%	27.3%	42.3%	57.7%
Marijuana					
	All	10.9%	16.3%	26.1%	73.9%
	Grade 7	3.6%	5.2%	8.9%	91.1%
	Grade 8	6.3%	9.5%	15.8%	84.2%
	Grade 9	10.4%	15.5%	24.6%	75.4%
	Grade 10	12.9%	19.5%	30.8%	69.2%
	Grade 11	15.5%	23.1%	37.1%	62.9%
	Grade 12	17.3%	25.6%	41.1%	58.9%
Marijuana Only					
	All	4.2%	7.1%	13.6%	86.4%
	Grade 7	1.7%	2.7%	5.1%	94.9%
	Grade 8	2.7%	4.4%	9.0%	91.0%
	Grade 9	4.4%	7.0%	13.1%	86.9%
	Grade 10	4.8%	8.3%	15.7%	84.3%
	Grade 11	5.7%	9.6%	19.0%	81.0%
	Grade 12	6.3%	10.5%	20.6%	79.4%

**State : Grades 7-12 Large
Spring 2006**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.8%	4.5%	7.8%	92.2%
	Grade 7	1.0%	1.5%	3.0%	97.0%
	Grade 8	1.6%	2.6%	4.7%	95.3%
	Grade 9	2.6%	4.2%	7.1%	92.9%
	Grade 10	3.3%	5.3%	8.8%	91.2%
	Grade 11	4.2%	6.6%	11.1%	88.9%
	Grade 12	4.3%	7.2%	12.7%	87.3%
Cocaine					
	All	2.6%	4.2%	7.3%	92.7%
	Grade 7	0.7%	1.1%	2.2%	97.8%
	Grade 8	1.3%	2.1%	3.8%	96.2%
	Grade 9	2.4%	3.9%	6.6%	93.4%
	Grade 10	3.0%	5.1%	8.4%	91.6%
	Grade 11	4.1%	6.4%	10.9%	89.1%
	Grade 12	4.2%	6.9%	12.4%	87.6%
Crack					
	All	0.6%	1.1%	2.2%	97.8%
	Grade 7	0.6%	0.9%	1.7%	98.3%
	Grade 8	0.7%	1.2%	2.3%	97.7%
	Grade 9	0.7%	1.3%	2.2%	97.8%
	Grade 10	0.7%	1.1%	2.3%	97.7%
	Grade 11	0.5%	1.0%	2.2%	97.8%
	Grade 12	0.6%	1.1%	2.4%	97.6%
Hallucinogens					
	All	1.4%	2.5%	4.7%	95.3%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.6%	1.1%	2.1%	97.9%
	Grade 9	1.4%	2.2%	4.2%	95.8%
	Grade 10	2.0%	3.4%	6.3%	93.7%
	Grade 11	2.0%	3.4%	6.6%	93.4%
	Grade 12	2.3%	4.2%	8.2%	91.8%
Uppers					
	All	2.4%	3.7%	5.8%	94.2%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	0.9%	1.5%	2.4%	97.6%
	Grade 9	1.9%	3.1%	4.8%	95.2%
	Grade 10	3.4%	5.0%	7.3%	92.7%
	Grade 11	4.1%	6.1%	9.5%	90.5%
	Grade 12	3.8%	6.2%	10.1%	89.9%
Downers					
	All	2.6%	4.0%	6.0%	94.0%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.8%	1.4%	2.2%	97.8%
	Grade 9	2.0%	3.4%	4.9%	95.1%
	Grade 10	3.9%	5.6%	7.7%	92.3%
	Grade 11	4.4%	6.4%	10.3%	89.7%
	Grade 12	4.2%	6.9%	10.8%	89.2%

**State : Grades 7-12 Large
Spring 2006**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.9%	1.4%	2.5%	97.5%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	0.7%	1.3%	2.1%	97.9%
	Grade 9	1.1%	1.7%	3.0%	97.0%
	Grade 10	1.1%	1.8%	3.1%	96.9%
	Grade 11	1.1%	1.6%	2.9%	97.1%
	Grade 12	0.9%	1.4%	2.8%	97.2%
Steroids					
	All	0.6%	0.8%	1.5%	98.5%
	Grade 7	0.6%	0.7%	1.3%	98.7%
	Grade 8	0.5%	0.7%	1.3%	98.7%
	Grade 9	0.5%	0.6%	1.3%	98.7%
	Grade 10	0.8%	1.0%	1.8%	98.2%
	Grade 11	0.7%	0.9%	1.5%	98.5%
	Grade 12	0.8%	1.1%	1.9%	98.1%
Ecstasy					
	All	1.8%	3.0%	5.2%	94.8%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	0.9%	1.6%	2.6%	97.4%
	Grade 9	1.9%	2.8%	4.8%	95.2%
	Grade 10	2.3%	3.9%	6.6%	93.4%
	Grade 11	2.4%	4.1%	7.2%	92.8%
	Grade 12	2.8%	4.9%	8.5%	91.5%
Heroin					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.4%	0.7%	1.5%	98.5%
	Grade 9	0.6%	0.8%	1.7%	98.3%
	Grade 10	0.6%	0.8%	1.4%	98.6%
	Grade 11	0.3%	0.7%	1.4%	98.6%
	Grade 12	0.5%	0.7%	1.3%	98.7%

**State : Grades 7-12 Large
Spring 2006**

The FREQ Procedure

GENDER		
q1	Frequency	Percent
Female	987E3	52.30
Male	901E3	47.70

Frequency Missing = 33221.147299

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	574E3	30.68
Mostly B's	911E3	48.70
Mostly C's	323E3	17.28
Mostly D's	43925	2.35
Mostly F's	18485	0.99

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	276E3	14.83
No	897E3	48.10
Yes	691E3	37.07

Frequency Missing = 4930.3085528

GRADE		
q2	Frequency	Percent
Grade 7	334E3	17.66
Grade 8	332E3	17.51
Grade 9	383E3	20.25
Grade 10	316E3	16.69
Grade 11	275E3	14.55
Grade 12	252E3	13.34

Frequency Missing = 23318.546707

Frequency Missing = 28977.653358

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	908E3	52.47
Yes	823E3	47.53

Frequency Missing = 161609.64705

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	713E3	37.87
Yes	117E4	62.13

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	212E3	11.35
2-3 years	326E3	17.44
>4 years	133E4	71.22

Frequency Missing = 25920.883921

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	128E4	80.58
Yes	308E3	19.42

Frequency Missing = 10260.246563

AGE		
q4	Frequency	Percent
11 or younger	1977	0.10
12	1E5	5.30
13	296E3	15.67
14	342E3	18.14
15	356E3	18.85
16	32E4	16.99
17	282E3	14.93
18	171E3	9.05
19 or older	18091	0.96

Frequency Missing = 23390.328971

Frequency Missing = 306412.27694

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	133E4	89.19
Yes	161E3	10.81

Frequency Missing = 403556.21427

Frequency Missing = 6185.689953

ETHNICITY		
q5	Frequency	Percent
African/American	251E3	13.48
Asian/American	58096	3.12
Mexican/American	687E3	36.92
Native/American	17264	0.93
Other	11E4	5.93
White	737E3	39.62

Frequency Missing = 35431.933949

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	292E3	15.62
No	67E4	35.87
Yes	905E3	48.51

Frequency Missing = 26319.176946

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	123E4	81.74
Yes	274E3	18.26

Frequency Missing = 390287.22601

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	134E4	90.57
Yes	14E4	9.43

Frequency Missing = 409208.18165

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	145E4	90.63
Yes	15E4	9.37

Frequency Missing = 295583.55278

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	739E3	39.56
Somewhat Safe	877E3	46.94
Not Very Safe	166E3	8.90
Not Safe At All	45559	2.44
Don't Know	40437	2.16

Frequency Missing = 24558.322992

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	142E4	94.94
Yes	75674	5.06

Frequency Missing = 396753.28564

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	126E4	77.15
Yes	372E3	22.85

Frequency Missing = 265910.80119

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	661E3	35.36
Somewhat Safe	903E3	48.31
Not Very Safe	174E3	9.31
Not Safe At All	76789	4.11
Don't Know	54572	2.92

Frequency Missing = 23444.379408

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	142E4	94.34
Yes	85288	5.66

Frequency Missing = 386668.19632

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	106E4	62.95
Yes	626E3	37.05

Frequency Missing = 204207.34339

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	101E3	5.42
A Few	507E3	27.17
Some	486E3	26.01
Most	613E3	32.81
All	16E4	8.58

Frequency Missing = 25327.414173

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	129E4	82.73
Yes	27E4	17.27

Frequency Missing = 330716.84207

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	112E4	66.86
Yes	556E3	33.14

Frequency Missing = 214172.81861

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	134E4	85.38
Yes	229E3	14.62

Frequency Missing = 327274.64756

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	148E4	78.86
Somewhat Safe	342E3	18.22
Not Very Safe	23901	1.27
Not Safe At All	9300	0.50
Don't Know	21586	1.15

Frequency Missing = 16972.439656

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	118E4	64.37
A Few	389E3	21.15
Some	17E4	9.27
Most	68010	3.70
All	27917	1.52

Frequency Missing = 53341.484561

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

Frequency Missing = 77650.031401

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c Frequency Percent		
None	55841	3.09
A Few	266E3	14.73
Some	419E3	23.18
Most	741E3	41.03
All	325E3	17.97

EVER INHALED SPRAY PAINT FOR KICKS		
q16a Frequency Percent		
Never Heard/Used	172E4	93.30
In Your Lifetime	78350	4.24
Since School Began	18735	1.01
In the Past Month	26866	1.45

EVER INHALED GLUE FOR KICKS		
q16f Frequency Percent		
Never Heard/Used	176E4	96.64
In Your Lifetime	36254	2.00
Since School Began	9417	0.52
In the Past Month	15384	0.85

Frequency Missing = 44001.560758

Frequency Missing = 76232.75203

Frequency Missing = 86774.341564

HOW MANY FRIENDS BELONG TO A GANG		
q14d Frequency Percent		
None	131E4	70.52
A Few	291E3	15.64
Some	146E3	7.88
Most	76698	4.12
All	34248	1.84

EVER INHALED WHITEOUT FOR KICKS		
q16b Frequency Percent		
Never Heard/Used	172E4	93.52
In Your Lifetime	71166	3.88
Since School Began	19804	1.08
In the Past Month	27960	1.52

EVER INHALED PAINT THINNERS FOR KICKS		
q16g Frequency Percent		
Never Heard/Used	174E4	95.90
In Your Lifetime	42100	2.32
Since School Began	13172	0.73
In the Past Month	19092	1.05

Frequency Missing = 57877.906486

Frequency Missing = 78428.697493

Frequency Missing = 33097.377168

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e Frequency Percent		
None	11E5	59.01
A Few	496E3	26.66
Some	163E3	8.76
Most	64082	3.44
All	39714	2.13

EVER INHALED GASOLINE FOR KICKS		
q16c Frequency Percent		
Never Heard/Used	175E4	96.06
In Your Lifetime	40550	2.23
Since School Began	9968	0.55
In the Past Month	21171	1.16

EVER INHALED NITROUS OXIDE FOR KICKS		
q16h Frequency Percent		
Never Heard/Used	174E4	95.39
In Your Lifetime	45396	2.49
Since School Began	15903	0.87
In the Past Month	22755	1.25

Frequency Missing = 75084.375187

Frequency Missing = 70035.897912

Frequency Missing = 30711.856263

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15 Frequency Percent		
No	103E4	59.32
Yes	704E3	40.68

EVER INHALED FREON FOR KICKS		
q16d Frequency Percent		
Never Heard/Used	178E4	98.13
In Your Lifetime	17674	0.97
Since School Began	6432	0.35
In the Past Month	9925	0.55

EVER INHALED OCTANE BOOSTER FOR KICKS		
q16i Frequency Percent		
Never Heard/Used	18E5	98.97
In Your Lifetime	8208	0.45
Since School Began	3803	0.21
In the Past Month	6733	0.37

Frequency Missing = 74482.102386

Frequency Missing = 76834.669499

Frequency Missing = 161949.4505

EVER INHALED POPPERS, ETC. FOR KICKS		
q16e Frequency Percent		
Never Heard/Used	178E4	98.26
In Your Lifetime	13823	0.76
Since School Began	6296	0.35
In the Past Month	11431	0.63

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

EVER INHALED OTHER SPRAYS FOR KICKS		
q16j Frequency Percent		
Never Heard/Used	176E4	95.97
In Your Lifetime	38893	2.12
Since School Began	14014	0.76
In the Past Month	20903	1.14

Frequency Missing = 60451.999157

EVER INHALED OTHER INHALANTS FOR KICKS		
q16k Frequency Percent		
Never Heard/Used	168E4	91.40
In Your Lifetime	80106	4.37
Since School Began	27130	1.48
In the Past Month	50396	2.75

Frequency Missing = 58995.185038

RECENT CIGARETTE USE		
q17a Frequency Percent		
Never Heard/Used	123E4	66.31
In Your Lifetime	265E3	14.31
Since School Began	1E5	5.43
In the Past Month	258E3	13.95

Frequency Missing = 42267.266861

RECENT SMOKELESS TOBACCO USE		
q17b Frequency Percent		
Never Heard/Used	165E4	90.08
In Your Lifetime	77051	4.20
Since School Began	34059	1.85
In the Past Month	71016	3.87

Frequency Missing = 56310.872884

RECENT BEER USE		
q17c Frequency Percent		
Never Heard/Used	913E3	49.91
In Your Lifetime	34E4	18.60
Since School Began	178E3	9.73
In the Past Month	398E3	21.76

Frequency Missing = 62697.62327

RECENT WINE COOLER USE		
q17d Frequency Percent		
Never Heard/Used	101E4	55.21
In Your Lifetime	336E3	18.34
Since School Began	183E3	9.99
In the Past Month	301E3	16.46

Frequency Missing = 61379.652098

RECENT WINE USE		
q17e Frequency Percent		
Never Heard/Used	101E4	54.84
In Your Lifetime	392E3	21.33
Since School Began	183E3	9.94
In the Past Month	255E3	13.89

Frequency Missing = 56385.557086

RECENT LIQUOR USE		
q17f Frequency Percent		
Never Heard/Used	101E4	54.43
In Your Lifetime	269E3	14.51
Since School Began	183E3	9.86
In the Past Month	393E3	21.20

Frequency Missing = 39914.547479

RECENT MARIJUANA USE		
q18a Frequency Percent		
Never Heard/Used	136E4	73.55
In Your Lifetime	187E3	10.13
Since School Began	98015	5.30
In the Past Month	204E3	11.01

Frequency Missing = 45097.860838

RECENT COCAINE USE		
q18b Frequency Percent		
Never Heard/Used	17E5	92.68
In Your Lifetime	58160	3.17
Since School Began	28171	1.53
In the Past Month	48038	2.62

Frequency Missing = 56789.8403

RECENT CRACK USE		
q18c Frequency Percent		
Never Heard/Used	178E4	97.65
In Your Lifetime	22070	1.21
Since School Began	8183	0.45
In the Past Month	12491	0.69

Frequency Missing = 74018.248124

RECENT HALLUCINOGEN USE		
q18e Frequency Percent		
Never Heard/Used	173E4	95.26
In Your Lifetime	41710	2.29
Since School Began	18572	1.02
In the Past Month	25944	1.43

Frequency Missing = 74793.730554

RECENT UPPER USE		
q18f Frequency Percent		
Never Heard/Used	171E4	94.32
In Your Lifetime	37395	2.06
Since School Began	23825	1.31
In the Past Month	41932	2.31

Frequency Missing = 75320.642553

RECENT DOWNER USE		
q18g Frequency Percent		
Never Heard/Used	17E5	94.07
In Your Lifetime	38120	2.10
Since School Began	24322	1.34
In the Past Month	45020	2.48

Frequency Missing = 80984.026314

RECENT ROHYPNOL USE		
q18h Frequency Percent		
Never Heard/Used	177E4	97.38
In Your Lifetime	20740	1.14
Since School Began	9308	0.51
In the Past Month	17389	0.96

Frequency Missing = 79007.859049

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

RECENT STEROID USE

q18i Frequency Percent		
Never Heard/Used	178E4	98.48
In Your Lifetime	12783	0.71
Since School Began	4045	0.22
In the Past Month	10524	0.58

Frequency Missing = 89126.670865

RECENT ECSTASY USE

q18j Frequency Percent		
Never Heard/Used	173E4	94.76
In Your Lifetime	41217	2.26
Since School Began	21615	1.19
In the Past Month	32657	1.79

Frequency Missing = 71736.319641

RECENT HEROIN USE

q18k Frequency Percent		
Never Heard/Used	18E5	98.47
In Your Lifetime	14062	0.77
Since School Began	4421	0.24
In the Past Month	9444	0.52

Frequency Missing = 62926.279424

TOBACCO USE IN PAST MONTH

q19a Frequency Percent		
Never Heard/Used	161E4	87.80
1-2 times	78754	4.31
3-10 times	54987	3.01
11+ times	89424	4.89

Frequency Missing = 63661.623845

ALCOHOL USE IN PAST MONTH

q19b Frequency Percent		
Never Heard/Used	134E4	73.50
1-2 times	241E3	13.23
3-10 times	174E3	9.53
11+ times	68161	3.74

Frequency Missing = 70129.797705

INHALANT USE IN PAST MONTH

q19c Frequency Percent		
Never Heard/Used	174E4	95.84
1-2 times	54946	3.02
3-10 times	14282	0.79
11+ times	6380	0.35

Frequency Missing = 75909.933052

MARIJUANA USE IN PAST MONTH

q19d Frequency Percent		
Never Heard/Used	162E4	89.35
1-2 times	75094	4.14
3-10 times	54959	3.03
11+ times	63044	3.48

Frequency Missing = 80411.683817

COCAINE USE IN PAST MONTH

q19e Frequency Percent		
Never Heard/Used	178E4	97.51
1-2 times	24615	1.35
3-10 times	12362	0.68
11+ times	8333	0.46

Frequency Missing = 71682.303563

CRACK USE IN PAST MONTH

q19f Frequency Percent		
Never Heard/Used	181E4	99.31
1-2 times	7860	0.43
3-10 times	2782	0.15
11+ times	1956	0.11

Frequency Missing = 66072.135691

CLOSE FRIENDS USE CIGARETTES

q20a Frequency Percent		
Never heard/None	784E3	44.08
A few	542E3	30.45
Some	251E3	14.10
Most	146E3	8.23
All	55789	3.14

Frequency Missing = 114447.38787

CLOSE FRIENDS USE SMOKELESS TOBACCO

q20b Frequency Percent		
Never heard/None	125E4	70.72
A few	288E3	16.31
Some	132E3	7.49
Most	53032	3.00
All	43769	2.48

Frequency Missing = 125320.90034

CLOSE FRIENDS USE BEER

q20c Frequency Percent		
Never heard/None	591E3	33.60
A few	412E3	23.46
Some	304E3	17.32
Most	311E3	17.67
All	14E4	7.95

Frequency Missing = 135495.43389

CLOSE FRIENDS USE WINE COOLERS

q20d Frequency Percent		
Never heard/None	827E3	46.94
A few	38E4	21.54
Some	261E3	14.83
Most	193E3	10.93
All	101E3	5.76

Frequency Missing = 130741.16014

CLOSE FRIENDS USE WINE

q20e Frequency Percent		
Never heard/None	949E3	53.80
A few	398E3	22.58
Some	207E3	11.71
Most	129E3	7.30
All	81392	4.61

Frequency Missing = 128196.90141

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

CLOSE FRIENDS USE LIQUOR		
	q20f Frequency	Percent
Never heard/None	755E3	42.89
A few	339E3	19.29
Some	259E3	14.73
Most	274E3	15.59
All	132E3	7.50

Frequency Missing = 133126.42946

CLOSE FRIENDS USE INHALANTS		
	q20g Frequency	Percent
Never heard/None	148E4	83.10
A few	185E3	10.36
Some	56645	3.17
Most	21937	1.23
All	38080	2.13

Frequency Missing = 107400.68173

CLOSE FRIENDS USE MARIJUANA		
	q20h Frequency	Percent
Never heard/None	934E3	51.97
A few	345E3	19.17
Some	224E3	12.46
Most	188E3	10.47
All	107E3	5.93

Frequency Missing = 95079.243437

DIFFICULT TO GET CIGARETTES		
	q21a Frequency	Percent
Never heard of	187E3	10.85
Impossible	284E3	16.47
Very difficult	108E3	6.28
Somewhat diff	16E4	9.29
Somewhat easy	316E3	18.32
Very easy	668E3	38.80

Frequency Missing = 170422.54824

DIFFICULT TO GET SMOKELESS TOBACCO		
	q21b Frequency	Percent
Never heard of	379E3	22.02
Impossible	369E3	21.42
Very difficult	143E3	8.30
Somewhat diff	172E3	10.00
Somewhat easy	22E4	12.78
Very easy	439E3	25.49

Frequency Missing = 170553.71402

DIFFICULT TO GET BEER		
	q21c Frequency	Percent
Never heard of	162E3	9.61
Impossible	213E3	12.61
Very difficult	96091	5.69
Somewhat diff	19E4	11.23
Somewhat easy	361E3	21.39
Very easy	667E3	39.47

Frequency Missing = 204141.18101

DIFFICULT TO GET WINE COOLERS		
	q21d Frequency	Percent
Never heard of	251E3	14.78
Impossible	239E3	14.05
Very difficult	11E4	6.45
Somewhat diff	198E3	11.67
Somewhat easy	335E3	19.71
Very easy	566E3	33.33

Frequency Missing = 195549.10628

DIFFICULT TO GET WINE		
	q21e Frequency	Percent
Never heard of	198E3	11.66
Impossible	252E3	14.86
Very difficult	123E3	7.27
Somewhat diff	209E3	12.32
Somewhat easy	333E3	19.61
Very easy	581E3	34.28

Frequency Missing = 197053.79275

DIFFICULT TO GET LIQUOR		
	q21f Frequency	Percent
Never heard of	195E3	11.48
Impossible	291E3	17.16
Very difficult	129E3	7.61
Somewhat diff	184E3	10.84
Somewhat easy	308E3	18.13
Very easy	59E4	34.78

Frequency Missing = 195734.62607

DIFFICULT TO GET INHALANTS		
	q21g Frequency	Percent
Never heard of	342E3	20.32
Impossible	283E3	16.81
Very difficult	80112	4.77
Somewhat diff	105E3	6.24
Somewhat easy	177E3	10.56
Very easy	695E3	41.32

Frequency Missing = 211904.06422

DIFFICULT TO GET MARIJUANA		
	q21h Frequency	Percent
Never heard of	224E3	13.15
Impossible	444E3	26.11
Very difficult	15E4	8.79
Somewhat diff	177E3	10.37
Somewhat easy	243E3	14.26
Very easy	465E3	27.31

Frequency Missing = 191012.69237

DIFFICULT TO GET COCAINE		
	q21i Frequency	Percent
Never heard of	295E3	17.27
Impossible	566E3	33.13
Very difficult	237E3	13.89
Somewhat diff	223E3	13.05
Somewhat easy	164E3	9.59
Very easy	223E3	13.07

Frequency Missing = 185113.13802

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

DIFFICULT TO GET CRACK		
	q21j Frequency	Percent
Never heard of	33E4	19.19
Impossible	584E3	33.99
Very difficult	258E3	15.03
Somewhat diff	225E3	13.07
Somewhat easy	143E3	8.31
Very easy	179E3	10.42

Frequency Missing = 174401.23266

DIFFICULT TO GET HALLUCINOGENS		
	q21i Frequency	Percent
Never heard of	614E3	35.74
Impossible	44E4	25.64
Very difficult	212E3	12.35
Somewhat diff	176E3	10.26
Somewhat easy	118E3	6.87
Very easy	157E3	9.15

Frequency Missing = 175719.69975

DIFFICULT TO GET UPPERS		
	q21m Frequency	Percent
Never heard of	785E3	45.89
Impossible	34E4	19.89
Very difficult	147E3	8.62
Somewhat diff	138E3	8.05
Somewhat easy	116E3	6.79
Very easy	184E3	10.77

Frequency Missing = 181926.3167

DIFFICULT TO GET DOWNERS		
	q21n Frequency	Percent
Never heard of	792E3	45.89
Impossible	344E3	19.94
Very difficult	147E3	8.54
Somewhat diff	137E3	7.93
Somewhat easy	119E3	6.88
Very easy	187E3	10.81

Frequency Missing = 168121.85025

DIFFICULT TO GET ROHYPNOL		
	q21o Frequency	Percent
Never heard of	848E3	49.28
Impossible	356E3	20.70
Very difficult	158E3	9.17
Somewhat diff	13E4	7.55
Somewhat easy	85269	4.96
Very easy	143E3	8.34

Frequency Missing = 172231.43673

DIFFICULT TO GET STEROIDS		
	q21p Frequency	Percent
Never heard of	393E3	22.79
Impossible	59E4	34.19
Very difficult	242E3	14.01
Somewhat diff	197E3	11.39
Somewhat easy	13E4	7.55
Very easy	174E3	10.07

Frequency Missing = 166646.49906

DIFFICULT TO GET ECSTASY		
	q21q Frequency	Percent
Never heard of	493E3	28.50
Impossible	498E3	28.78
Very difficult	211E3	12.19
Somewhat diff	176E3	10.20
Somewhat easy	145E3	8.39
Very easy	206E3	11.95

Frequency Missing = 164414.85667

DIFFICULT TO GET HEROIN		
	q21r Frequency	Percent
Never heard of	45E4	25.24
Impossible	639E3	35.87
Very difficult	27E4	15.14
Somewhat diff	176E3	9.86
Somewhat easy	96049	5.39
Very easy	152E3	8.50

Frequency Missing = 110585.00327

AGE WHEN FIRST USED CIGARETTES		
	q22a Frequency	Percent
9 or younger	97931	15.10
10 years old	55595	8.57
11 years old	56660	8.73
12 years old	83100	12.81
13 years old	99855	15.39
14 years old	88444	13.63
15 years old	80059	12.34
16 years old	52407	8.08
17 years old	25912	3.99
18 or older	8734	1.35

Frequency Missing = 1244248.0572

AGE WHEN FIRST USED SMOKELESS TOBACCO		
	q22b Frequency	Percent
9 or younger	18533	9.89
10 years old	10389	5.54
11 years old	12111	6.46
12 years old	18889	10.08
13 years old	28091	14.99
14 years old	28909	15.42
15 years old	31802	16.97
16 years old	23096	12.32
17 years old	11896	6.35
18 or older	3706	1.98

Frequency Missing = 1705524.1926

AGE WHEN FIRST USED BEER		
	q22c Frequency	Percent
9 or younger	203E3	20.53
10 years old	81278	8.24
11 years old	78578	7.96
12 years old	116E3	11.72
13 years old	145E3	14.67
14 years old	136E3	13.82
15 years old	123E3	12.45
16 years old	70915	7.19
17 years old	26064	2.64
18 or older	7671	0.78

Frequency Missing = 906076.57309

**State : Grades 7-12 Large
Spring 2006**

AGE WHEN FIRST USED WINE COOLERS		
	q22d Frequency	Percent
9 or younger	109E3	12.79
10 years old	68253	7.98
11 years old	79555	9.30
12 years old	116E3	13.57
13 years old	148E3	17.36
14 years old	132E3	15.40
15 years old	11E4	12.90
16 years old	62748	7.34
17 years old	22091	2.58
18 or older	6613	0.77

Frequency Missing = 1037914.1845

AGE WHEN FIRST USED INHALANTS		
	q22g Frequency	Percent
9 or younger	28019	16.99
10 years old	17491	10.61
11 years old	20121	12.20
12 years old	28702	17.40
13 years old	29016	17.59
14 years old	20935	12.69
15 years old	12412	7.53
16 years old	5391	3.27
17 years old	2153	1.31
18 or older	685	0.42

Frequency Missing = 1728020.3612

AGE WHEN FIRST USED CRACK		
	q22j Frequency	Percent
9 or younger	1836	4.61
10 years old	1661	4.17
11 years old	2343	5.89
12 years old	4459	11.21
13 years old	7247	18.22
14 years old	7298	18.34
15 years old	6961	17.50
16 years old	4639	11.66
17 years old	2646	6.65
18 or older	695	1.75

Frequency Missing = 1853160.2106

AGE WHEN FIRST USED WINE		
	q22e Frequency	Percent
9 or younger	122E3	14.01
10 years old	73481	8.43
11 years old	80529	9.24
12 years old	121E3	13.85
13 years old	14E4	16.11
14 years old	128E3	14.72
15 years old	11E4	12.62
16 years old	63519	7.28
17 years old	25215	2.89
18 or older	7539	0.86

Frequency Missing = 1020945.4333

AGE WHEN FIRST USED MARIJUANA		
	q22h Frequency	Percent
9 or younger	23478	4.99
10 years old	19590	4.16
11 years old	29480	6.26
12 years old	56963	12.10
13 years old	89417	19.00
14 years old	92083	19.56
15 years old	81114	17.23
16 years old	51765	11.00
17 years old	21181	4.50
18 or older	5621	1.19

Frequency Missing = 1422253.4627

AGE WHEN FIRST USED HALLUCINOGENS		
	q22i Frequency	Percent
9 or younger	1745	2.23
10 years old	1657	2.12
11 years old	3101	3.96
12 years old	5966	7.62
13 years old	9931	12.68
14 years old	13256	16.92
15 years old	17792	22.71
16 years old	15514	19.80
17 years old	7774	9.92
18 or older	1602	2.04

Frequency Missing = 1814606.4908

AGE WHEN FIRST USED LIQUOR		
	q22f Frequency	Percent
9 or younger	69371	8.44
10 years old	41058	5.00
11 years old	51746	6.30
12 years old	92011	11.20
13 years old	139E3	16.97
14 years old	148E3	17.98
15 years old	143E3	17.43
16 years old	91350	11.12
17 years old	35750	4.35
18 or older	9992	1.22

Frequency Missing = 1071348.9776

AGE WHEN FIRST USED COCAINE		
	q22i Frequency	Percent
9 or younger	2374	1.83
10 years old	2503	1.93
11 years old	4134	3.19
12 years old	8938	6.89
13 years old	16773	12.93
14 years old	24903	19.20
15 years old	30002	23.14
16 years old	24076	18.57
17 years old	13126	10.12
18 or older	2847	2.20

Frequency Missing = 1763270.8363

AGE WHEN FIRST USED UPPERS		
	q22m Frequency	Percent
9 or younger	2867	2.76
10 years old	1563	1.50
11 years old	3956	3.80
12 years old	7930	7.62
13 years old	16053	15.43
14 years old	21341	20.52
15 years old	23677	22.76
16 years old	17904	17.21
17 years old	7290	7.01
18 or older	1442	1.39

Frequency Missing = 1788922.8551

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

AGE WHEN FIRST USED DOWNERS		
	q22n Frequency	Percent
9 or younger	2985	2.77
10 years old	1886	1.75
11 years old	4204	3.90
12 years old	8438	7.82
13 years old	15875	14.72
14 years old	22970	21.29
15 years old	25415	23.56
16 years old	17382	16.11
17 years old	7247	6.72
18 or older	1472	1.36

Frequency Missing = 1785069.5169

AGE WHEN FIRST USED ROHYPNOL		
	q22o Frequency	Percent
9 or younger	1939	4.63
10 years old	1319	3.15
11 years old	2758	6.59
12 years old	4477	10.69
13 years old	8369	19.98
14 years old	8875	21.19
15 years old	7476	17.85
16 years old	4318	10.31
17 years old	1807	4.32
18 or older	539	1.29

Frequency Missing = 1851068.4835

AGE WHEN FIRST USED STERIODS		
	q22p Frequency	Percent
9 or younger	4023	16.23
10 years old	1651	6.66
11 years old	1459	5.89
12 years old	2539	10.25
13 years old	3416	13.78
14 years old	3099	12.51
15 years old	3307	13.34
16 years old	2673	10.78
17 years old	1751	7.07
18 or older	866	3.49

Frequency Missing = 1868160.5548

AGE WHEN FIRST USED ECSTASY		
	q22q Frequency	Percent
9 or younger	1491	1.62
10 years old	1577	1.71
11 years old	3327	3.60
12 years old	5073	5.50
13 years old	10961	11.88
14 years old	16682	18.08
15 years old	20289	21.98
16 years old	19072	20.67
17 years old	11087	12.01
18 or older	2731	2.96

Frequency Missing = 1800655.9595

AGE WHEN FIRST USED HEROIN		
	q22r Frequency	Percent
9 or younger	1714	7.04
10 years old	1164	4.78
11 years old	1620	6.65
12 years old	2396	9.84
13 years old	4448	18.27
14 years old	4200	17.25
15 years old	4180	17.17
16 years old	2499	10.26
17 years old	1265	5.20
18 or older	862	3.54

Frequency Missing = 1868598.1918

HOW OFTEN NORMALLY USE CIGARETTES		
	q23a Frequency	Percent
Every day	64243	3.48
Several times/wk	54637	2.96
Several times/mo	72056	3.90
About once/month	105E3	5.70
About once/year	89625	4.85
< once/year	164E3	8.87
Never used	13E5	70.24

Frequency Missing = 46255.836387

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
	q23b Frequency	Percent
Every day	16694	0.90
Several times/wk	13257	0.71
Several times/mo	16737	0.90
About once/month	29184	1.57
About once/year	31750	1.71
< once/year	59368	3.20
Never used	169E4	91.00

Frequency Missing = 37369.808071

HOW OFTEN NORMALLY USE BEER		
	q23c Frequency	Percent
Every day	7210	0.40
Several times/wk	70766	3.89
Several times/mo	193E3	10.59
About once/month	229E3	12.57
About once/year	181E3	9.96
< once/year	185E3	10.16
Never used	955E3	52.45

Frequency Missing = 71653.809727

HOW OFTEN NORMALLY USE WINE COOLERS		
	q23d Frequency	Percent
Every day	3310	0.18
Several times/wk	40744	2.23
Several times/mo	139E3	7.62
About once/month	204E3	11.19
About once/year	211E3	11.58
< once/year	17E4	9.33
Never used	106E4	57.87

Frequency Missing = 68876.947751

HOW OFTEN NORMALLY USE WINE		
	q23e Frequency	Percent
Every day	2913	0.16
Several times/wk	34061	1.87
Several times/mo	11E4	6.02
About once/month	175E3	9.59
About once/year	251E3	13.77
< once/year	206E3	11.30
Never used	104E4	57.30

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

Frequency Missing = 70927.362408

HOW OFTEN NORMALLY USE LIQUOR		
	q23f Frequency	Percent
Every day	5907	0.32
Several times/wk	55724	3.05
Several times/mo	186E3	10.17
About once/month	218E3	11.94
About once/year	176E3	9.63
< once/year	135E3	7.37
Never used	105E4	57.53

Frequency Missing = 66801.652562

HOW OFTEN NORMALLY USE INHALANTS		
	q23g Frequency	Percent
Every day	3639	0.20
Several times/wk	7627	0.41
Several times/mo	13161	0.71
About once/month	23176	1.25
About once/year	26207	1.41
< once/year	54445	2.93
Never used	173E4	93.10

Frequency Missing = 34600.576918

HOW OFTEN NORMALLY USE MARIJUANA		
	q23h Frequency	Percent
Every day	42353	2.30
Several times/wk	48685	2.65
Several times/mo	66950	3.64
About once/month	80082	4.36
About once/year	73197	3.98
< once/year	96242	5.24
Never used	143E4	77.83

Frequency Missing = 55207.570546

HOW OFTEN NORMALLY USE COCAINE		
	q23i Frequency	Percent
Every day	2997	0.16
Several times/wk	9742	0.53
Several times/mo	17131	0.93
About once/month	23085	1.25
About once/year	23847	1.29
< once/year	33517	1.81
Never used	174E4	94.04

Frequency Missing = 42970.511646

HOW OFTEN NORMALLY USE CRACK		
	q23j Frequency	Percent
Every day	1124	0.06
Several times/wk	2616	0.14
Several times/mo	4409	0.24
About once/month	6749	0.36
About once/year	8031	0.43
< once/year	12873	0.70
Never used	181E4	98.06

Frequency Missing = 43625.241281

HOW OFTEN NORMALLY USE HALLUCINOGENS		
	q23l Frequency	Percent
Every day	614	0.03
Several times/wk	2118	0.11
Several times/mo	6142	0.33
About once/month	14718	0.80
About once/year	21784	1.18
< once/year	25126	1.36
Never used	178E4	96.18

Frequency Missing = 46868.019821

HOW OFTEN NORMALLY USE UPPERS		
	q23m Frequency	Percent
Every day	3322	0.18
Several times/wk	6622	0.36
Several times/mo	16006	0.87
About once/month	25977	1.41
About once/year	21000	1.14
< once/year	22761	1.23
Never used	175E4	94.81

Frequency Missing = 49591.377173

HOW OFTEN NORMALLY USE DOWNERS		
	q23n Frequency	Percent
Every day	3226	0.17
Several times/wk	7447	0.40
Several times/mo	17890	0.97
About once/month	26877	1.46
About once/year	21649	1.17
< once/year	22213	1.20
Never used	174E4	94.61

Frequency Missing = 49389.148774

HOW OFTEN NORMALLY USE ROHYPNOL		
	q23o Frequency	Percent
Every day	1079	0.06
Several times/wk	2841	0.15
Several times/mo	5816	0.32
About once/month	8113	0.44
About once/year	9056	0.49
< once/year	10814	0.59
Never used	181E4	97.95

Frequency Missing = 49409.062319

HOW OFTEN NORMALLY USE STEROIDS		
	q23p Frequency	Percent
Every day	2997	0.16
Several times/wk	1726	0.09
Several times/mo	2213	0.12
About once/month	2551	0.14
About once/year	3668	0.20
< once/year	8104	0.44
Never used	182E4	98.84

Frequency Missing = 52538.905299

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

HOW OFTEN NORMALLY USE ECSTASY		
	q23q Frequency	Percent
Every day	1234	0.07
Several times/wk	3045	0.17
Several times/mo	9359	0.51
About once/month	18631	1.01
About once/year	24195	1.31
< once/year	27100	1.47
Never used	176E4	95.46

Frequency Missing = 51186.849626

HOW OFTEN NORMALLY USE HEROIN		
	q23r Frequency	Percent
Every day	1222	0.07
Several times/wk	1275	0.07
Several times/mo	2069	0.11
About once/month	3561	0.19
About once/year	5059	0.27
< once/year	9487	0.51
Never used	183E4	98.77

Frequency Missing = 42297.102997

HOW MANY CIGARETTES IN PAST 30 DAYS		
	q24 Frequency	Percent
None	155E4	84.85
Less than 1	156E3	8.53
> 1 and < 10	82747	4.53
> 10 and < 1pk	23183	1.27
> 1pk and < 2pks	10529	0.58
More than 2pks	4610	0.25

Frequency Missing = 65606.98959

AMOUNT OF BEER AT ONE TIME		
	q25a Frequency	Percent
Never drink this	895E3	49.67
12+ drinks	70366	3.91
9-11 drinks	50553	2.81
5-8 drinks	115E3	6.39
3-4 drinks	139E3	7.69
2 drinks	127E3	7.06
1 drink	153E3	8.51
< 1 drink	252E3	13.97

Frequency Missing = 91488.632835

AMOUNT OF WINE COOLERS AT ONE TIME		
	q25b Frequency	Percent
Never drink this	976E3	54.47
12+ drinks	42254	2.36
9-11 drinks	32443	1.81
5-8 drinks	87398	4.88
3-4 drinks	147E3	8.19
2 drinks	15E4	8.40
1 drink	18E4	10.03
< 1 drink	177E3	9.87

Frequency Missing = 101903.86306

AMOUNT OF WINE AT ONE TIME		
	q25c Frequency	Percent
Never drink this	976E3	54.60
12+ drinks	24313	1.36
9-11 drinks	14706	0.82
5-8 drinks	36963	2.07
3-4 drinks	79618	4.45
2 drinks	119E3	6.68
1 drink	226E3	12.61
< 1 drink	311E3	17.41

Frequency Missing = 104699.23094

AMOUNT OF LIQUOR AT ONE TIME		
	q25d Frequency	Percent
Never drink this	968E3	53.83
12+ drinks	56869	3.16
9-11 drinks	46948	2.61
5-8 drinks	119E3	6.61
3-4 drinks	162E3	9.02
2 drinks	127E3	7.05
1 drink	141E3	7.83
< 1 drink	178E3	9.88

Frequency Missing = 94504.29136

ALCOHOL		
	q26a Frequency	Percent
Never 5+ at time	796E3	43.89
None	62E4	34.20
1 day	127E3	7.02
2 days	85848	4.74
3 to 5 days	96008	5.30
6 to 9 days	44698	2.47
10 or more days	43323	2.39

Frequency Missing = 80329.654321

GET ALCOHOLIC BEVERAGES FROM HOME		
	q27a Frequency	Percent
Do not Drink	741E3	41.52
Never	482E3	26.98
Seldom	393E3	21.99
Most of the Time	12E4	6.71
Always	49817	2.79

Frequency Missing = 107639.51308

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
	q27b Frequency	Percent
Do not Drink	677E3	38.31
Never	345E3	19.51
Seldom	271E3	15.32
Most of the Time	329E3	18.58
Always	146E3	8.28

Frequency Missing = 124622.08825

GET ALCOHOLIC BEVERAGES FROM A STORE		
	q27c Frequency	Percent
Do not Drink	706E3	40.28
Never	758E3	43.22
Seldom	148E3	8.42
Most of the Time	90469	5.16
Always	51273	2.92

Frequency Missing = 139198.61812

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

GET ALCOHOLIC BEVERAGES AT PARTIES		
	q27d	Frequency Percent
Do not Drink	654E3	37.12
Never	316E3	17.94
Seldom	229E3	12.99
Most of the Time	282E3	16.00
Always	281E3	15.96

Frequency Missing = 130113.16463

GET ALCOHOLIC BEVERAGES FROM OTHER		
	q27e	Frequency Percent
Do not Drink	705E3	40.27
Never	476E3	27.18
Seldom	258E3	14.72
Most of the Time	161E3	9.17
Always	152E3	8.65

Frequency Missing = 141308.68566

USE MARIJUANA AS JOINTS		
	q28a	Frequency Percent
Never	142E4	79.94
Seldom	14E4	7.84
Half the time	77662	4.36
Most of the time	70720	3.97
Always	51170	2.87
Don't know	18020	1.01

Frequency Missing = 111942.85545

USE MARIJUANA AS BLUNTS		
	q28b	Frequency Percent
Never	143E4	80.69
Seldom	116E3	6.52
Half the time	68663	3.88
Most of the time	68970	3.89
Always	71518	4.04
Don't know	17467	0.99

Frequency Missing = 121336.4839

USE MARIJUANA IN BONGS OR WATER PIPES		
	q28c	Frequency Percent
Never	151E4	85.78
Seldom	101E3	5.76
Half the time	50857	2.89
Most of the time	46394	2.64
Always	36557	2.08
Don't know	14928	0.85

Frequency Missing = 135873.22388

USE MARIJUANA IN PIPES		
	q28d	Frequency Percent
Never	149E4	84.29
Seldom	91997	5.22
Half the time	53474	3.03
Most of the time	66486	3.77
Always	50341	2.85
Don't know	14691	0.83

Frequency Missing = 129256.52426

USE MARIJUANA OTHER WAYS		
	q28e	Frequency Percent
Never	156E4	88.57
Seldom	91579	5.21
Half the time	25677	1.46
Most of the time	23306	1.32
Always	29730	1.69
Don't know	30833	1.75

Frequency Missing = 133624.32663

TAKE DXM, TRIPLE C'S, ETC. TO GET HIGH		
	q29a	Frequency Percent
Never heard/used	165E4	94.96
At least once/month	30013	1.72
At least once/year	21699	1.25
At least once/life	35990	2.07

Frequency Missing = 151173.34143

TAKE CODEINE COUGH SYRUP TO GET HIGH		
	q29b	Frequency Percent
Never heard/used	162E4	91.91
At least once/month	52713	2.99
At least once/year	37795	2.14
At least once/life	52164	2.96

Frequency Missing = 129712.12759

DANGEROUS FOR KIDS TO USE TOBACCO		
	q30a	Frequency Percent
Very	849E3	50.00
Somewhat	479E3	28.22
Not very	223E3	13.15
Not at all	63186	3.72
Don't know	83456	4.91

Frequency Missing = 194239.88974

DANGEROUS FOR KIDS TO USE ALCOHOL		
	q30b	Frequency Percent
Very	779E3	46.02
Somewhat	539E3	31.80
Not very	254E3	15.03
Not at all	60364	3.56
Don't know	60807	3.59

Frequency Missing = 199383.49202

DANGEROUS FOR KIDS TO USE INHALANTS		
	q30c	Frequency Percent
Very	124E4	74.47
Somewhat	258E3	15.46
Not very	59741	3.58
Not at all	20944	1.26
Don't know	87220	5.23

Frequency Missing = 225077.90881

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

DANGEROUS FOR KIDS TO USE MARIJUANA		
q30d Frequency Percent		
Very	104E4	61.81
Somewhat	287E3	17.01
Not very	18E4	10.64
Not at all	113E3	6.72
Don't know	64678	3.83

Frequency Missing = 205024.83394

DANGEROUS FOR KIDS TO USE STEROIDS		
q30h Frequency Percent		
Very	129E4	75.11
Somewhat	24E4	13.93
Not very	67177	3.91
Not at all	24359	1.42
Don't know	97027	5.64

Frequency Missing = 172981.90077

OTHER DAYS MISSED SINCE SEPTEMBER		
q31c Frequency Percent		
None	684E3	39.56
1-3 days	864E3	49.95
4-9 days	138E3	7.95
10+ days	43870	2.54

Frequency Missing = 163580.26892

DANGEROUS FOR KIDS TO USE COCAINE		
q30e Frequency Percent		
Very	138E4	82.97
Somewhat	161E3	9.65
Not very	31881	1.91
Not at all	17214	1.03
Don't know	73816	4.43

Frequency Missing = 227679.63987

DANGEROUS FOR KIDS TO USE HEROIN		
q30i Frequency Percent		
Very	15E5	86.66
Somewhat	102E3	5.86
Not very	15810	0.91
Not at all	14028	0.81
Don't know	1E5	5.76

Frequency Missing = 156758.84545

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q31d Frequency Percent		
None	141E4	80.15
1-3 days	252E3	14.33
4-9 days	55493	3.16
10+ days	41494	2.36

Frequency Missing = 137197.0708

DANGEROUS FOR KIDS TO USE CRACK		
q30f Frequency Percent		
Very	143E4	84.72
Somewhat	138E3	8.17
Not very	24155	1.43
Not at all	15538	0.92
Don't know	80256	4.76

Frequency Missing = 206576.45128

DAYS SKIPPED SINCE SEPTEMBER		
q31a Frequency Percent		
None	131E4	74.83
1-3 days	315E3	17.99
4-9 days	77315	4.42
10+ days	48441	2.77

Frequency Missing = 142190.80213

SOMEONE CALLED HOME SINCE SEPTEMBER		
q31e Frequency Percent		
None	147E4	85.02
1-3 days	2E5	11.58
4-9 days	35056	2.03
10+ days	23712	1.37

Frequency Missing = 165614.59377

DANGEROUS FOR KIDS TO USE ECSTASY		
q30g Frequency Percent		
Very	138E4	81.37
Somewhat	151E3	8.93
Not very	37128	2.20
Not at all	18861	1.12
Don't know	108E3	6.39

Frequency Missing = 201922.81539

DAYS ILL SINCE SEPTEMBER		
q31b Frequency Percent		
None	506E3	28.98
1-3 days	888E3	50.84
4-9 days	283E3	16.22
10+ days	69296	3.97

Frequency Missing = 146151.49717

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q31f Frequency Percent		
None	172E4	98.63
1-3 days	15426	0.89
4-9 days	3551	0.20
10+ days	4776	0.27

Frequency Missing = 153276.37577

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q31g Frequency Percent		
None	172E4	98.37
1-3 days	19840	1.14
4-9 days	3439	0.20
10+ days	5119	0.29

Frequency Missing = 171479.77356

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q33a Frequency Percent		
None	159E4	90.84
1-3 days	12E4	6.88
4-9 days	20864	1.19
10+ days	18893	1.08

Frequency Missing = 149345.11784

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q32e Frequency Percent		
None	159E4	93.56
1-3 times	88759	5.21
4-9 times	12998	0.76
10+ times	7849	0.46

Frequency Missing = 144759.91459

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q32a Frequency Percent		
None	16E5	92.08
1-3 times	117E3	6.77
4-9 times	12784	0.74
10+ times	7181	0.41

Frequency Missing = 189718.08426

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q33b Frequency Percent		
None	157E4	90.14
1-3 days	94914	5.43
4-9 days	30623	1.75
10+ days	46757	2.68

Frequency Missing = 158387.51426

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q32f Frequency Percent		
None	159E4	93.10
1-3 times	71860	4.21
4-9 times	18818	1.10
10+ times	26923	1.58

Frequency Missing = 145930.2073

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q32b Frequency Percent		
None	158E4	91.32
1-3 times	111E3	6.40
4-9 times	21348	1.24
10+ times	17876	1.03

Frequency Missing = 187946.53556

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q33c Frequency Percent		
None	17E5	97.57
1-3 days	28769	1.65
4-9 days	6304	0.36
10+ days	7356	0.42

Frequency Missing = 165204.56081

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q32g Frequency Percent		
None	16E5	93.73
1-3 times	79797	4.67
4-9 times	13730	0.80
10+ times	11667	0.68
5	676	0.04
6	241	0.01
7	1135	0.07

Frequency Missing = 148749.47038

CRITICIZED BY DATE BECAUSE OF DRINKING		
q32c Frequency Percent		
None	16E5	92.82
1-3 times	101E3	5.87
4-9 times	13815	0.80
10+ times	8684	0.50

Frequency Missing = 183795.03427

CLASS DAYS HIGH ON OTHER DRUG(S)		
q33d Frequency Percent		
None	164E4	93.60
1-3 days	69408	3.96
4-9 days	20780	1.18
10+ days	22203	1.27

Frequency Missing = 172545.84661

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q32h Frequency Percent		
None	167E4	97.41
1-3 times	34977	2.04
4-9 times	4915	0.29
10+ times	4527	0.26

Frequency Missing = 138074.21207

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q32d Frequency Percent		
None	166E4	96.49
1-3 times	50280	2.92
4-9 times	5627	0.33
10+ times	4523	0.26

Frequency Missing = 176294.61349

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 7-12 Large
Spring 2006**

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q34a Frequency Percent		
Never	692E3	39.32
Seldom	184E3	10.48
Half the time	132E3	7.52
Most of the time	221E3	12.57
Always	308E3	17.52
Don't know	35442	2.01
Didn't attend	186E3	10.56

Frequency Missing = 134020.6252

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q34b Frequency Percent		
Never	911E3	51.54
Seldom	192E3	10.85
Half the time	131E3	7.43
Most of the time	142E3	8.05
Always	149E3	8.43
Don't know	54602	3.09
Didn't attend	188E3	10.62

Frequency Missing = 124413.69949

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q35 Frequency Percent		
No	15E5	92.75
Yes	117E3	7.25

Frequency Missing = 277466.2874

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q36a Frequency Percent		
No	117E4	67.80
Yes	556E3	32.20

Frequency Missing = 165652.93107

WOULD SEEK HELP OUTSIDE OF SCHOOL		
q36b Frequency Percent		
No	117E4	68.44
Yes	538E3	31.56

Frequency Missing = 189590.42051

WOULD SEEK HELP FROM OTHER COUNSELOR		
q36c Frequency Percent		
No	106E4	62.43
Yes	636E3	37.57

Frequency Missing = 200153.93047

WOULD SEEK HELP FROM PARENTS		
q36d Frequency Percent		
No	694E3	40.64
Yes	101E4	59.36

Frequency Missing = 184320.09339

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q36e Frequency Percent		
No	979E3	57.74
Yes	716E3	42.26

Frequency Missing = 197881.55156

WOULD SEEK HELP FROM FRIENDS		
q36f Frequency Percent		
No	485E3	28.40
Yes	122E4	71.60

Frequency Missing = 185238.65093

WOULD SEEK HELP FROM ANOTHER ADULT		
q36g Frequency Percent		
No	679E3	39.87
Yes	102E4	60.13

Frequency Missing = 189137.95204

WOULD NOT SEEK HELP		
q36h Frequency Percent		
No	144E4	84.92
Yes	256E3	15.08

Frequency Missing = 194240.34216

DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS		
q37a Frequency Percent		
No	763E3	50.97
Yes	734E3	49.03

Frequency Missing = 396687.72271

DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM		
q37b Frequency Percent		
No	766E3	51.66
Yes	717E3	48.34

Frequency Missing = 410202.32807

DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR		
q37c Frequency Percent		
No	111E4	76.31
Yes	346E3	23.69

Frequency Missing = 431934.44611

**State : Grades 7-12 Large
Spring 2006**

DRUG/ALCOHOL INFO--SCIENCE CLASS		
q37d	Frequency	Percent
No	1E6	68.30
Yes	465E3	31.70

Frequency Missing = 426489.22733

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS		
q37e	Frequency	Percent
No	127E4	86.56
Yes	197E3	13.44

Frequency Missing = 429202.35858

DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB		
q37f	Frequency	Percent
No	125E4	84.80
Yes	225E3	15.20

Frequency Missing = 415182.01529

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST		
q37g	Frequency	Percent
No	966E3	65.17
Yes	516E3	34.83

Frequency Missing = 410766.68609

DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE		
q37h	Frequency	Percent
No	994E3	66.70
Yes	496E3	33.30

Frequency Missing = 402069.17322

DRUG/ALCOHOL INFO-- WEBSITE/ONLINE CHAT GROUP		
q38a	Frequency	Percent
No	127E4	75.30
Yes	417E3	24.70

Frequency Missing = 204786.82982

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Frequency
No	852E3
Yes	835E3

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Percent
No	50.48
Yes	49.52

Frequency Missing = 206120.00644

DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO		
q38c	Frequency	Percent
No	751E3	44.51
Yes	937E3	55.49

Frequency Missing = 204715.55154

DRUG/ALCOHOL INFO--PARENTS		
q38d	Frequency	Percent
No	825E3	48.53
Yes	874E3	51.47

Frequency Missing = 193776.34306

PARENTS FEEL ABOUT KIDS SMOKING CIGARET		
q39a	Frequency	Percent
Strong disapprove	128E4	73.94
Mild disapprove	164E3	9.46
Neither	116E3	6.69
Mildly approve	21595	1.25
Strongly approve	16643	0.96
Don't know	133E3	7.71

Frequency Missing = 163604.68832

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b	Frequency	Percent
Strong disapprove	108E4	62.57
Mild disapprove	267E3	15.46
Neither	171E3	9.88
Mildly approve	56634	3.28
Strongly approve	22623	1.31
Don't know	129E3	7.49

Frequency Missing = 167383.11239

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c	Frequency	Percent
Strong disapprove	141E4	81.88
Mild disapprove	85422	4.95
Neither	66998	3.88
Mildly approve	16727	0.97
Strongly approve	22197	1.29
Don't know	121E3	7.03

Frequency Missing = 168395.23675

TESTED FOR DRUG USE AT SCHOOL		
q40	Frequency	Percent
No	157E4	90.18
Yes	171E3	9.82

Frequency Missing = 155540.62826

State : Grades 7-12 Large
Spring 2006

PURCHASED LOTTERY TICKET IN PAST YEAR		
q41	Frequency	Percent
No	148E4	85.37
Yes	253E3	14.63

Frequency Missing = 162518.74565

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state