

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2018



**STATE REPORT**

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	60
Table B-7: Students Reporting A Grades on Average . . . . .	64
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	68
Table B-9: Students Living with 2 Parents . . . . .	72
Table B-10: Students Not Living with 2 Parents . . . . .	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	84
<b>3 Margin Tables</b>	<b>88</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>111</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data for the entire state of Texas. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.**

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	16.3%	19.9%	30.3%	69.7%
Grade 7	5.6%	6.9%	13.8%	86.2%
Grade 8	8.9%	11.2%	20.5%	79.5%
Grade 9	14.8%	18.7%	29.2%	70.8%
Grade 10	19.4%	24.0%	35.1%	64.9%
Grade 11	22.4%	26.8%	39.9%	60.1%
Grade 12	29.7%	34.9%	46.9%	53.1%
Cigarettes?				
All	4.1%	6.2%	13.7%	86.3%
Grade 7	1.3%	1.8%	5.8%	94.2%
Grade 8	1.8%	3.0%	8.3%	91.7%
Grade 9	3.5%	5.1%	12.1%	87.9%
Grade 10	4.7%	7.0%	16.1%	83.9%
Grade 11	5.5%	8.3%	19.0%	81.0%
Grade 12	9.0%	13.1%	23.0%	77.0%
Smokeless Tobacco?				
All	2.7%	3.9%	7.3%	92.7%
Grade 7	0.8%	1.1%	3.3%	96.7%
Grade 8	1.4%	2.2%	4.5%	95.5%
Grade 9	2.4%	3.4%	6.7%	93.3%
Grade 10	3.4%	5.1%	8.8%	91.2%
Grade 11	3.8%	5.3%	9.6%	90.4%
Grade 12	5.1%	6.9%	11.7%	88.3%
Electronic Vapor Products?				
All	12.1%	16.2%	25.7%	74.3%
Grade 7	3.2%	4.7%	10.1%	89.9%
Grade 8	5.7%	8.3%	16.1%	83.9%
Grade 9	11.6%	15.7%	25.1%	74.9%
Grade 10	14.3%	19.2%	30.3%	69.7%
Grade 11	16.9%	22.3%	34.9%	65.1%
Grade 12	23.3%	29.5%	41.2%	58.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 126

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	87.0%	1.2%	1.2%	1.7%	2.5%	2.3%	3.9%
Grade 7	95.7%	0.1%	0.2%	0.4%	0.8%	1.1%	1.7%
Grade 8	92.8%	0.4%	0.4%	0.9%	1.4%	1.5%	2.6%
Grade 9	88.8%	0.7%	1.0%	1.4%	2.3%	2.1%	3.8%
Grade 10	84.7%	1.7%	1.3%	1.9%	3.4%	2.6%	4.5%
Grade 11	81.9%	1.9%	2.3%	2.6%	3.0%	3.3%	5.1%
Grade 12	76.1%	3.1%	2.5%	3.6%	4.4%	3.8%	6.5%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.5	10.9	11.5	12.6	13.3	14.1	14.9

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	30.3%	19.3%	7.0%	9.4%	14.1%	19.8%
Grade 7	40.3%	31.9%	7.6%	7.3%	7.3%	5.6%
Grade 8	34.2%	26.3%	8.7%	9.5%	11.6%	9.8%
Grade 9	30.6%	19.7%	7.8%	10.5%	14.7%	16.7%
Grade 10	28.1%	16.1%	6.9%	11.6%	16.7%	20.5%
Grade 11	25.6%	11.8%	6.1%	10.1%	19.8%	26.6%
Grade 12	21.3%	7.7%	4.4%	7.3%	15.3%	44.0%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	70.1%	18.1%	7.3%	3.6%	0.9%
Grade 7	86.6%	9.6%	2.8%	0.8%	0.2%
Grade 8	81.4%	12.9%	3.7%	1.7%	0.3%
Grade 9	71.2%	17.5%	7.2%	3.4%	0.7%
Grade 10	64.5%	20.9%	9.2%	4.3%	1.0%
Grade 11	59.2%	24.0%	9.9%	5.3%	1.6%
Grade 12	53.8%	25.7%	12.2%	6.6%	1.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.3%	7.5%	5.9%	0.9%	0.6%	6.8%
Grade 7	85.0%	2.9%	2.1%	0.4%	0.6%	8.9%
Grade 8	83.5%	4.7%	3.4%	0.9%	0.6%	6.9%
Grade 9	78.7%	7.6%	5.5%	0.6%	0.6%	6.9%
Grade 10	77.0%	8.0%	6.7%	0.9%	0.5%	6.8%
Grade 11	75.1%	9.6%	7.7%	1.1%	0.7%	5.9%
Grade 12	68.4%	13.1%	11.1%	1.7%	0.5%	5.2%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	61.2%	23.7%	8.1%	1.8%	5.1%
	Grade 7	76.4%	14.9%	3.4%	0.7%	4.7%
	Grade 8	68.6%	19.9%	5.2%	1.2%	5.1%
	Grade 9	59.1%	24.2%	9.0%	2.1%	5.6%
	Grade 10	55.6%	27.0%	9.8%	2.1%	5.6%
	Grade 11	54.1%	28.7%	9.8%	2.3%	5.1%
	Grade 12	51.3%	28.8%	12.6%	2.9%	4.4%
Electronic Vapor Products?						
	All	54.7%	12.4%	14.6%	11.8%	6.5%
	Grade 7	71.1%	11.6%	6.6%	4.6%	6.1%
	Grade 8	62.5%	12.7%	10.2%	8.0%	6.6%
	Grade 9	51.4%	12.3%	15.9%	14.0%	6.6%
	Grade 10	48.3%	13.3%	17.8%	13.3%	7.3%
	Grade 11	47.3%	13.0%	19.6%	14.6%	5.6%
	Grade 12	45.6%	11.8%	18.4%	17.5%	6.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 5 of 126



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	29.0%	34.4%	51.5%	48.5%
Grade 7	14.7%	17.1%	34.3%	65.7%
Grade 8	20.4%	24.1%	42.5%	57.5%
Grade 9	27.7%	32.4%	50.1%	49.9%
Grade 10	33.1%	39.7%	55.9%	44.1%
Grade 11	34.9%	43.2%	61.6%	38.4%
Grade 12	46.6%	54.1%	68.5%	31.5%
<b>Beer?</b>				
All	12.0%	18.0%	39.6%	60.4%
Grade 7	3.9%	5.8%	24.9%	75.1%
Grade 8	6.9%	10.3%	32.6%	67.4%
Grade 9	10.6%	16.5%	37.3%	62.7%
Grade 10	14.3%	21.2%	43.0%	57.0%
Grade 11	14.8%	23.5%	47.7%	52.3%
Grade 12	23.7%	33.8%	55.5%	44.5%
<b>Wine Coolers?</b>				
All	9.8%	15.1%	31.9%	68.1%
Grade 7	2.8%	4.3%	15.5%	84.5%
Grade 8	5.8%	8.5%	22.1%	77.9%
Grade 9	7.9%	12.5%	29.8%	70.2%
Grade 10	11.6%	17.1%	36.5%	63.5%
Grade 11	12.7%	20.7%	41.1%	58.9%
Grade 12	20.2%	30.6%	50.1%	49.9%
<b>Wine?</b>				
All	8.1%	13.2%	33.2%	66.8%
Grade 7	3.5%	4.9%	19.5%	80.5%
Grade 8	5.3%	8.2%	24.8%	75.2%
Grade 9	6.8%	11.6%	32.3%	67.7%
Grade 10	8.6%	14.6%	36.3%	63.7%
Grade 11	9.8%	16.9%	40.8%	59.2%
Grade 12	16.0%	25.2%	48.7%	51.3%
<b>Liquor?</b>				
All	12.6%	18.6%	35.6%	64.4%
Grade 7	3.1%	4.7%	15.1%	84.9%
Grade 8	6.3%	9.6%	23.1%	76.9%
Grade 9	10.3%	16.2%	33.9%	66.1%
Grade 10	14.6%	22.5%	41.2%	58.8%
Grade 11	16.9%	25.3%	47.3%	52.7%
Grade 12	27.1%	37.2%	57.4%	42.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 126

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	61.7%	0.2%	1.9%	6.7%	11.4%	9.7%	8.3%
Grade 7	81.9%	0.1%	0.5%	1.5%	4.2%	5.1%	6.8%
Grade 8	74.1%	0.1%	0.8%	3.4%	6.1%	7.4%	8.1%
Grade 9	64.4%	0.3%	1.9%	5.6%	10.6%	9.1%	8.1%
Grade 10	56.0%	0.4%	2.2%	7.9%	14.3%	10.8%	8.3%
Grade 11	49.6%	0.3%	2.8%	9.7%	15.9%	12.8%	9.0%
Grade 12	39.5%	0.3%	3.7%	14.0%	19.2%	13.9%	9.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	64.2%	35.8%	7.1%	17.1%	11.5%
	Grade 7	78.3%	21.7%	1.5%	8.4%	11.8%
	Grade 8	71.5%	28.5%	3.1%	12.5%	12.9%
	Grade 9	66.2%	33.8%	5.6%	16.2%	12.0%
	Grade 10	60.7%	39.3%	9.0%	19.2%	11.1%
	Grade 11	56.7%	43.3%	10.6%	22.0%	10.7%
	Grade 12	48.7%	51.3%	14.5%	26.5%	10.4%
<b>Wine Coolers</b>						
	All	71.2%	28.8%	5.4%	16.5%	6.9%
	Grade 7	87.1%	12.9%	1.1%	6.2%	5.6%
	Grade 8	80.6%	19.4%	2.3%	10.2%	7.0%
	Grade 9	72.9%	27.1%	4.2%	15.1%	7.8%
	Grade 10	66.9%	33.1%	6.9%	18.8%	7.4%
	Grade 11	62.0%	38.0%	7.5%	23.8%	6.6%
	Grade 12	54.0%	46.0%	11.6%	27.6%	6.8%
<b>Wine</b>						
	All	70.8%	29.2%	2.4%	15.0%	11.8%
	Grade 7	83.2%	16.8%	0.7%	6.3%	9.7%
	Grade 8	79.1%	20.9%	1.3%	8.8%	10.8%
	Grade 9	71.5%	28.5%	1.9%	13.6%	13.0%
	Grade 10	67.4%	32.6%	2.8%	17.3%	12.5%
	Grade 11	64.1%	35.9%	2.8%	20.9%	12.2%
	Grade 12	56.4%	43.6%	5.2%	25.4%	13.0%
<b>Liquor</b>						
	All	66.6%	33.4%	8.1%	17.0%	8.3%
	Grade 7	86.5%	13.5%	1.4%	5.3%	6.9%
	Grade 8	79.5%	20.5%	3.1%	8.9%	8.5%
	Grade 9	68.6%	31.4%	6.8%	15.6%	9.1%
	Grade 10	60.7%	39.3%	9.8%	20.9%	8.7%
	Grade 11	55.2%	44.8%	12.1%	23.9%	8.8%
	Grade 12	44.6%	55.4%	17.4%	30.0%	8.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.3%	4.4%	2.5%	2.4%	0.9%	1.5%
Grade 7	96.2%	1.8%	0.8%	0.4%	0.2%	0.6%
Grade 8	94.2%	2.5%	1.0%	1.1%	0.3%	0.9%
Grade 9	90.0%	3.8%	2.4%	1.8%	0.7%	1.3%
Grade 10	86.6%	4.8%	2.8%	2.9%	1.1%	1.7%
Grade 11	84.5%	5.9%	3.5%	3.1%	1.0%	2.0%
Grade 12	76.5%	7.9%	4.8%	5.9%	2.0%	2.9%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.1	10.6	11.3	12.4	13.3	14.0	14.8

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	23.5%	13.1%	5.6%	11.0%	19.2%	27.7%
Grade 7	35.2%	23.5%	7.3%	9.6%	12.1%	12.3%
Grade 8	28.2%	18.1%	6.8%	11.4%	16.8%	18.8%
Grade 9	22.8%	13.0%	5.6%	10.6%	19.1%	28.9%
Grade 10	20.8%	9.7%	5.4%	11.7%	21.2%	31.3%
Grade 11	18.0%	7.5%	3.6%	10.9%	23.4%	36.5%
Grade 12	14.3%	5.0%	4.4%	11.9%	23.5%	41.0%

**Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.1%	2.9%	0.5%	0.4%
Grade 7	97.5%	1.9%	0.4%	0.2%
Grade 8	97.0%	2.4%	0.3%	0.3%
Grade 9	95.4%	3.6%	0.4%	0.6%
Grade 10	95.4%	3.5%	0.5%	0.6%
Grade 11	96.3%	2.7%	0.6%	0.4%
Grade 12	94.9%	3.6%	1.1%	0.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 9 of 126

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.3
Alcohol Non-Users	3.3
Average Days Conduct Problems Reported	
Alcohol Users	2.3
Alcohol Non-Users	0.8

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a Car When You Have Had a Good Bit to Drink?</b>				
High School	95.5%	3.5%	0.4%	0.6%
Grade 9	97.5%	2.0%	0.3%	0.3%
Grade 10	96.6%	2.6%	0.3%	0.4%
Grade 11	95.2%	3.9%	0.5%	0.4%
Grade 12	92.0%	6.1%	0.7%	1.2%
<b>Had Difficulties of Any Kind with Your Friends Because of Your Drinking?</b>				
All	96.3%	3.2%	0.4%	0.2%
Grade 7	98.3%	1.4%	0.1%	0.1%
Grade 8	97.4%	2.3%	0.2%	0.1%
Grade 9	96.1%	3.0%	0.5%	0.4%
Grade 10	95.5%	4.0%	0.3%	0.2%
Grade 11	95.4%	4.1%	0.4%	0.1%
Grade 12	94.4%	4.7%	0.6%	0.2%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	48.4%	23.8%	14.0%	10.5%	3.2%
Grade 7	75.8%	16.2%	5.4%	2.2%	0.5%
Grade 8	64.1%	21.3%	9.2%	4.4%	1.0%
Grade 9	48.0%	25.3%	15.0%	9.4%	2.3%
Grade 10	39.5%	26.8%	17.7%	13.0%	3.1%
Grade 11	31.6%	28.2%	19.2%	15.8%	5.2%
Grade 12	27.2%	25.6%	18.6%	20.5%	8.0%

*Percentages have been weighted to reflect proportions within the population.*

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	50.3%	7.3%	5.5%	8.4%	10.4%	1.9%	16.2%
Grade 7	71.9%	5.3%	3.6%	3.6%	2.1%	2.3%	11.0%
Grade 8	64.4%	7.9%	5.1%	4.4%	3.5%	2.4%	12.4%
Grade 9	49.4%	8.8%	6.9%	8.6%	6.5%	2.2%	17.7%
Grade 10	43.8%	7.5%	6.7%	10.5%	12.3%	1.4%	17.7%
Grade 11	35.6%	7.0%	6.1%	11.4%	17.5%	1.5%	20.7%
Grade 12	32.9%	6.9%	4.7%	12.9%	23.0%	1.1%	18.4%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 11 of 126

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	59.8%	16.2%	15.9%	5.4%	2.7%
	Grade 7	72.4%	15.5%	9.0%	2.3%	0.7%
	Grade 8	67.3%	15.1%	12.7%	3.5%	1.4%
	Grade 9	61.8%	15.5%	14.4%	5.4%	2.9%
	Grade 10	57.4%	16.5%	17.5%	5.9%	2.8%
	Grade 11	52.2%	16.7%	20.2%	6.9%	4.0%
	Grade 12	44.6%	18.5%	23.0%	9.2%	4.5%
<b>Friends?</b>						
	All	59.8%	16.0%	11.3%	9.8%	3.2%
	Grade 7	76.6%	17.4%	3.6%	1.9%	0.5%
	Grade 8	70.3%	17.8%	6.8%	3.9%	1.1%
	Grade 9	62.7%	15.7%	10.8%	8.2%	2.6%
	Grade 10	54.9%	15.9%	12.7%	12.7%	3.8%
	Grade 11	49.2%	14.5%	17.0%	14.8%	4.4%
	Grade 12	40.8%	14.2%	18.4%	19.2%	7.3%
<b>A Store?</b>						
	All	62.6%	29.5%	3.8%	2.8%	1.4%
	Grade 7	76.7%	21.1%	1.3%	0.6%	0.3%
	Grade 8	71.8%	24.6%	2.1%	1.0%	0.5%
	Grade 9	65.0%	29.1%	3.3%	1.8%	0.8%
	Grade 10	58.8%	32.4%	4.2%	3.2%	1.4%
	Grade 11	54.0%	34.4%	5.5%	4.1%	2.0%
	Grade 12	45.3%	37.3%	7.0%	6.7%	3.6%
<b>Parties?</b>						
	All	58.0%	14.5%	9.6%	10.1%	7.7%
	Grade 7	73.1%	16.1%	5.7%	3.4%	1.8%
	Grade 8	67.3%	15.4%	8.5%	5.6%	3.3%
	Grade 9	60.9%	14.1%	9.2%	9.8%	6.0%
	Grade 10	54.1%	14.0%	10.3%	12.3%	9.4%
	Grade 11	49.3%	12.4%	11.9%	14.3%	12.1%
	Grade 12	39.9%	14.8%	13.0%	16.9%	15.3%
<b>Other Sources?</b>						
	All	63.5%	21.5%	7.2%	4.3%	3.6%
	Grade 7	75.7%	17.2%	4.3%	1.7%	1.0%
	Grade 8	70.8%	18.6%	5.5%	3.0%	2.1%
	Grade 9	65.9%	19.9%	6.4%	3.9%	3.9%
	Grade 10	60.7%	22.0%	7.9%	5.1%	4.3%
	Grade 11	55.5%	24.3%	9.8%	5.3%	5.2%
	Grade 12	48.9%	28.4%	9.9%	7.4%	5.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	62.0%	14.4%	12.3%	3.9%	1.0%	6.5%
Grade 7	76.0%	8.2%	4.7%	1.6%	0.8%	8.7%
Grade 8	71.3%	10.3%	8.0%	2.4%	1.0%	7.0%
Grade 9	62.5%	14.4%	12.4%	3.2%	1.0%	6.5%
Grade 10	58.1%	16.9%	13.4%	4.3%	0.9%	6.4%
Grade 11	54.4%	18.3%	15.9%	5.0%	1.1%	5.2%
Grade 12	47.0%	19.2%	20.6%	7.5%	1.3%	4.5%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	49.2%	29.7%	14.3%	2.6%	4.1%
Grade 7	61.6%	22.9%	9.5%	1.6%	4.4%
Grade 8	52.7%	26.9%	13.7%	2.6%	4.2%
Grade 9	47.9%	29.2%	15.3%	3.1%	4.4%
Grade 10	44.7%	32.0%	15.6%	3.0%	4.7%
Grade 11	44.9%	33.0%	15.3%	3.1%	3.6%
Grade 12	42.1%	35.5%	16.9%	2.3%	3.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 13 of 126



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	13.9%	17.9%	23.5%	76.5%
Grade 7	4.3%	6.3%	8.5%	91.5%
Grade 8	8.0%	10.5%	13.4%	86.6%
Grade 9	13.7%	17.8%	22.3%	77.7%
Grade 10	15.3%	19.7%	26.2%	73.8%
Grade 11	19.5%	24.7%	33.3%	66.7%
Grade 12	24.9%	31.2%	40.6%	59.4%
<b>Marijuana?</b>				
All	13.6%	16.3%	22.1%	77.9%
Grade 7	4.0%	4.9%	6.7%	93.3%
Grade 8	7.7%	9.0%	12.1%	87.9%
Grade 9	13.5%	15.9%	20.7%	79.3%
Grade 10	15.1%	18.2%	25.0%	75.0%
Grade 11	18.8%	22.7%	32.0%	68.0%
Grade 12	24.6%	29.6%	39.7%	60.3%
<b>Cocaine?</b>				
All	1.3%	1.5%	2.5%	97.5%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.8%	0.9%	1.4%	98.6%
Grade 9	1.1%	1.3%	2.0%	98.0%
Grade 10	1.3%	1.5%	2.6%	97.4%
Grade 11	1.5%	1.8%	3.5%	96.5%
Grade 12	2.5%	3.1%	5.4%	94.6%
<b>Crack?</b>				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Hallucinogens?</b>				
All	0.8%	1.5%	3.1%	96.9%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.8%	1.3%	2.6%	97.4%
Grade 10	1.0%	1.6%	3.5%	96.5%
Grade 11	1.2%	2.3%	4.5%	95.5%
Grade 12	1.6%	3.3%	7.1%	92.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 14 of 126

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.4%	99.6%
Steroids?				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.4%	0.6%	1.5%	98.5%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	0.4%	0.6%	1.3%	98.7%
Grade 10	0.2%	0.4%	1.5%	98.5%
Grade 11	0.5%	0.7%	1.7%	98.3%
Grade 12	0.3%	0.5%	1.3%	98.7%
Ecstasy?				
All	0.6%	1.0%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.8%	1.2%	2.0%	98.0%
Grade 10	0.7%	1.1%	2.4%	97.6%
Grade 11	0.8%	1.3%	3.2%	96.8%
Grade 12	1.0%	1.9%	4.2%	95.8%
Heroin?				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.4%	99.6%
Methamphetamine?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.5%	1.0%	99.0%
Grade 10	0.2%	0.4%	0.8%	99.2%
Grade 11	0.4%	0.5%	0.9%	99.1%
Grade 12	0.3%	0.5%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 15 of 126

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.0%	1.5%	3.4%	96.6%
Grade 7	0.5%	0.9%	1.5%	98.5%
Grade 8	1.0%	1.5%	2.8%	97.2%
Grade 9	1.5%	1.9%	4.0%	96.0%
Grade 10	1.1%	1.6%	3.7%	96.3%
Grade 11	1.2%	1.7%	4.4%	95.6%
Grade 12	0.8%	1.3%	4.4%	95.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 16 of 126

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	81.4%	1.7%	2.2%	3.2%	3.8%	3.7%	4.1%
	Grade 7	95.2%	0.4%	0.4%	0.7%	1.0%	0.9%	1.4%
	Grade 8	90.4%	0.5%	0.9%	1.6%	2.4%	1.9%	2.3%
	Grade 9	82.7%	1.6%	2.5%	3.1%	3.2%	3.3%	3.6%
	Grade 10	78.8%	2.1%	2.5%	3.6%	4.4%	4.2%	4.4%
	Grade 11	72.9%	2.2%	2.6%	4.5%	5.8%	5.8%	6.2%
	Grade 12	65.0%	3.6%	4.5%	6.3%	6.7%	6.5%	7.3%
Cocaine?								
	All	98.3%	0.0%	0.1%	0.1%	0.3%	0.4%	0.6%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.2%	0.0%	0.0%	0.1%	0.1%	0.2%	0.4%
	Grade 9	98.8%	0.0%	0.0%	0.1%	0.4%	0.3%	0.4%
	Grade 10	98.2%	0.1%	0.1%	0.2%	0.3%	0.4%	0.6%
	Grade 11	97.8%	0.0%	0.2%	0.2%	0.4%	0.5%	0.9%
	Grade 12	95.9%	0.0%	0.2%	0.2%	0.8%	1.3%	1.5%
Crack?								
	All	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%
Steroids?								
	All	99.3%	0.0%	0.0%	0.1%	0.1%	0.1%	0.3%
	Grade 7	99.3%	0.1%	0.0%	0.1%	0.1%	0.2%	0.3%
	Grade 8	99.3%	0.0%	0.0%	0.1%	0.0%	0.1%	0.3%
	Grade 9	99.6%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%
	Grade 10	99.4%	0.1%	0.0%	0.0%	0.1%	0.1%	0.3%
	Grade 11	99.2%	0.1%	0.0%	0.0%	0.2%	0.1%	0.4%
	Grade 12	99.2%	0.0%	0.0%	0.0%	0.0%	0.2%	0.5%
Ecstasy?								
	All	98.4%	0.0%	0.1%	0.2%	0.3%	0.5%	0.6%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.3%	0.0%	0.0%	0.1%	0.1%	0.2%	0.2%
	Grade 9	98.4%	0.1%	0.0%	0.3%	0.3%	0.5%	0.4%
	Grade 10	98.2%	0.0%	0.1%	0.3%	0.4%	0.5%	0.5%
	Grade 11	97.5%	0.0%	0.1%	0.2%	0.3%	0.8%	1.1%
	Grade 12	96.7%	0.0%	0.2%	0.3%	0.5%	0.9%	1.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 9	99.5%	0.1%	0.0%	0.0%	0.1%	0.2%	0.1%
	Grade 10	99.6%	0.0%	0.1%	0.0%	0.1%	0.0%	0.2%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Methamphetamine?								
	All	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.8%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 9	99.4%	0.0%	0.1%	0.0%	0.1%	0.1%	0.2%
	Grade 10	99.4%	0.1%	0.0%	0.0%	0.2%	0.0%	0.2%
	Grade 11	99.3%	0.1%	0.0%	0.1%	0.1%	0.1%	0.3%
	Grade 12	99.1%	0.1%	0.0%	0.0%	0.1%	0.2%	0.5%
Synthetic Marijuana?								
	All	97.7%	0.1%	0.1%	0.3%	0.4%	0.5%	0.9%
	Grade 7	98.9%	0.0%	0.0%	0.2%	0.2%	0.3%	0.3%
	Grade 8	98.3%	0.0%	0.1%	0.3%	0.4%	0.3%	0.5%
	Grade 9	97.1%	0.1%	0.4%	0.4%	0.4%	0.7%	1.0%
	Grade 10	97.4%	0.1%	0.1%	0.3%	0.4%	0.6%	1.1%
	Grade 11	97.3%	0.1%	0.1%	0.3%	0.6%	0.6%	1.0%
	Grade 12	97.3%	0.0%	0.1%	0.1%	0.3%	0.6%	1.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.5	12.4	13.1	13.9	14.6	15.2
Cocaine	14.8	11.4	12.6	13.5	14.5	15.4	15.9
Crack	13.3	11.9	11.6	12.3	13.2	14.9	15.0
Steroids	12.5	10.4	11.6	12.1	12.6	14.2	14.8
Ecstasy	14.7	11.7	12.7	13.5	14.4	15.2	16.1
Heroin	12.6	10.9	11.2	12.3	13.2	13.9	14.9
Methamphetamine	13.8	11.2	12.0	13.4	14.0	15.1	14.9
Synthetic Marijuana	13.6	11.5	12.4	13.2	13.9	14.6	14.6

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	All	28.8%	21.2%	7.4%	9.1%	12.7%	20.8%
	Grade 7	41.5%	36.3%	7.8%	4.9%	4.7%	4.7%
	Grade 8	34.1%	31.2%	8.9%	8.0%	8.3%	9.6%
	Grade 9	27.4%	20.3%	8.2%	10.2%	13.4%	20.5%
	Grade 10	25.3%	15.5%	6.8%	11.3%	15.9%	25.3%
	Grade 11	22.8%	11.7%	6.7%	10.3%	17.7%	30.8%
	Grade 12	19.6%	9.5%	5.7%	10.4%	17.5%	37.3%
<b>Cocaine?</b>							
	All	39.7%	31.9%	11.9%	7.7%	4.3%	4.5%
	Grade 7	46.0%	41.2%	7.0%	3.2%	1.2%	1.4%
	Grade 8	41.6%	39.1%	9.7%	4.8%	2.5%	2.4%
	Grade 9	38.8%	32.0%	12.5%	7.3%	4.7%	4.8%
	Grade 10	37.6%	29.0%	13.8%	9.4%	5.1%	5.1%
	Grade 11	37.4%	25.7%	15.1%	9.9%	5.8%	6.1%
	Grade 12	35.9%	22.5%	13.5%	12.6%	7.5%	8.0%
<b>Crack?</b>							
	All	42.0%	32.9%	12.2%	6.5%	3.2%	3.3%
	Grade 7	47.9%	40.1%	6.6%	2.9%	1.2%	1.3%
	Grade 8	43.1%	39.1%	9.7%	4.0%	2.0%	2.0%
	Grade 9	40.0%	33.2%	12.1%	6.9%	3.9%	3.9%
	Grade 10	40.1%	30.5%	14.2%	7.6%	3.8%	3.8%
	Grade 11	40.7%	27.4%	15.7%	7.9%	3.8%	4.4%
	Grade 12	39.5%	25.3%	16.1%	10.3%	4.5%	4.3%
<b>Steroids?</b>							
	All	43.4%	31.1%	11.6%	6.9%	3.5%	3.5%
	Grade 7	49.3%	37.8%	6.3%	3.4%	1.7%	1.4%
	Grade 8	44.7%	36.3%	9.3%	4.8%	2.7%	2.3%
	Grade 9	41.8%	31.2%	11.6%	7.4%	4.1%	4.0%
	Grade 10	42.2%	29.0%	12.9%	8.2%	3.7%	4.0%
	Grade 11	41.7%	26.6%	14.5%	8.3%	4.2%	4.7%
	Grade 12	40.4%	24.2%	15.9%	9.6%	5.0%	4.9%
<b>Ecstasy?</b>							
	All	49.7%	27.5%	9.6%	5.7%	3.7%	3.8%
	Grade 7	61.7%	29.8%	4.6%	2.0%	1.0%	0.9%
	Grade 8	55.4%	31.3%	6.9%	3.1%	1.7%	1.7%
	Grade 9	48.2%	28.4%	9.8%	5.6%	3.6%	4.3%
	Grade 10	46.6%	27.1%	11.0%	6.5%	3.9%	4.9%
	Grade 11	44.1%	25.1%	12.3%	7.7%	5.5%	5.3%
	Grade 12	40.5%	22.3%	13.8%	10.2%	6.9%	6.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 20 of 126

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	46.6%	33.6%	11.0%	4.2%	2.0%	2.6%
	Grade 7	53.9%	36.2%	5.6%	2.2%	1.0%	1.1%
	Grade 8	49.1%	37.5%	7.6%	3.0%	1.4%	1.3%
	Grade 9	45.1%	33.9%	10.9%	4.9%	2.1%	3.1%
	Grade 10	43.9%	33.0%	12.7%	4.4%	2.6%	3.4%
	Grade 11	43.6%	31.1%	14.3%	4.9%	2.4%	3.6%
	Grade 12	42.9%	28.6%	16.1%	6.5%	2.6%	3.3%
<b>Methamphetamine?</b>							
	All	48.9%	31.5%	10.4%	4.1%	2.2%	2.9%
	Grade 7	58.2%	32.8%	5.2%	1.7%	1.1%	1.0%
	Grade 8	52.3%	34.7%	7.0%	3.0%	1.6%	1.4%
	Grade 9	47.1%	32.5%	10.2%	4.8%	2.2%	3.2%
	Grade 10	45.8%	30.9%	12.3%	4.9%	2.5%	3.6%
	Grade 11	45.1%	30.0%	13.3%	5.1%	2.4%	4.1%
	Grade 12	43.8%	27.1%	15.8%	5.7%	3.4%	4.2%
<b>Synthetic Marijuana?</b>							
	All	48.9%	26.4%	8.5%	6.0%	4.7%	5.6%
	Grade 7	59.0%	30.6%	5.1%	2.1%	1.5%	1.6%
	Grade 8	52.1%	31.4%	7.1%	3.6%	2.6%	3.2%
	Grade 9	46.8%	26.4%	8.1%	7.0%	5.3%	6.3%
	Grade 10	45.7%	25.0%	9.3%	7.3%	5.8%	6.9%
	Grade 11	45.0%	23.1%	10.1%	7.4%	6.6%	7.9%
	Grade 12	43.5%	20.7%	11.7%	8.7%	6.9%	8.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	92.9%	4.1%	1.3%	1.7%
Grade 7	97.3%	1.9%	0.4%	0.3%
Grade 8	95.7%	2.9%	0.6%	0.8%
Grade 9	92.5%	4.3%	1.4%	1.7%
Grade 10	91.5%	4.6%	1.5%	2.4%
Grade 11	91.4%	4.9%	1.6%	2.1%
Grade 12	88.4%	6.0%	2.4%	3.2%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	97.1%	1.9%	0.5%	0.5%
Grade 7	98.6%	1.0%	0.2%	0.2%
Grade 8	97.8%	1.4%	0.3%	0.5%
Grade 9	96.3%	2.2%	0.8%	0.7%
Grade 10	96.0%	2.8%	0.7%	0.5%
Grade 11	97.1%	1.9%	0.5%	0.5%
Grade 12	96.3%	2.3%	0.8%	0.6%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.5
Marijuana Non-Users	3.5
Average Days Conduct Problems Reported	
Marijuana Users	3.4
Marijuana Non-Users	1.0

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	93.8%	3.9%	0.9%	1.4%
Grade 9	97.0%	2.3%	0.3%	0.4%
Grade 10	95.8%	2.9%	0.6%	0.6%
Grade 11	93.3%	4.4%	1.0%	1.3%
Grade 12	88.0%	6.7%	1.7%	3.5%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.6%	2.8%	0.4%	0.2%
Grade 7	98.1%	1.6%	0.2%	0.1%
Grade 8	97.5%	2.1%	0.3%	0.2%
Grade 9	96.1%	3.1%	0.4%	0.4%
Grade 10	95.7%	3.8%	0.3%	0.2%
Grade 11	96.3%	3.0%	0.4%	0.3%
Grade 12	95.8%	3.3%	0.7%	0.3%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	56.9%	19.4%	11.2%	9.5%	3.0%
Grade 7	82.4%	10.3%	3.9%	2.6%	0.7%
Grade 8	72.7%	15.4%	6.3%	4.3%	1.3%
Grade 9	54.9%	20.9%	11.1%	10.1%	3.0%
Grade 10	48.6%	22.6%	13.9%	11.2%	3.7%
Grade 11	41.3%	24.6%	16.2%	13.8%	4.0%
Grade 12	37.5%	23.8%	17.1%	15.9%	5.7%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	59.7%	5.6%	4.3%	5.9%	6.1%	2.1%	16.2%
Grade 7	81.1%	2.9%	1.3%	1.1%	0.9%	1.7%	11.0%
Grade 8	75.2%	3.8%	2.5%	2.4%	1.7%	2.2%	12.2%
Grade 9	58.8%	5.9%	4.6%	6.0%	4.3%	2.6%	17.8%
Grade 10	52.7%	7.1%	6.1%	6.9%	7.3%	2.2%	17.8%
Grade 11	45.1%	7.6%	5.5%	9.1%	10.0%	2.0%	20.6%
Grade 12	41.4%	6.9%	6.3%	11.0%	14.3%	1.7%	18.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.5%	6.8%	7.0%	1.9%	1.3%	6.5%
Grade 7	84.8%	2.3%	2.3%	0.8%	0.9%	8.9%
Grade 8	83.0%	4.0%	4.4%	1.2%	1.0%	6.4%
Grade 9	76.1%	7.0%	7.3%	1.8%	1.2%	6.6%
Grade 10	74.1%	7.1%	8.0%	2.7%	1.5%	6.5%
Grade 11	71.3%	9.9%	9.4%	2.5%	1.6%	5.2%
Grade 12	68.0%	11.2%	11.7%	2.4%	1.8%	4.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	56.0%	13.7%	12.6%	13.0%	4.7%
	Grade 7	79.1%	8.7%	4.6%	3.2%	4.5%
	Grade 8	67.6%	13.2%	8.0%	6.8%	4.5%
	Grade 9	53.2%	16.3%	12.3%	13.1%	5.2%
	Grade 10	47.4%	16.1%	15.6%	15.8%	5.1%
	Grade 11	45.0%	13.9%	18.0%	18.7%	4.5%
	Grade 12	40.1%	14.1%	18.5%	22.8%	4.4%
Cocaine?						
	All	86.9%	6.1%	0.9%	0.6%	5.5%
	Grade 7	89.5%	4.5%	0.6%	0.4%	5.0%
	Grade 8	87.8%	5.9%	1.0%	0.4%	4.9%
	Grade 9	85.2%	6.6%	1.1%	0.9%	6.2%
	Grade 10	85.1%	7.0%	1.0%	0.6%	6.3%
	Grade 11	87.3%	6.1%	0.8%	0.8%	5.0%
	Grade 12	86.8%	6.3%	0.8%	0.4%	5.8%
Crack?						
	All	88.0%	4.9%	0.7%	0.5%	5.9%
	Grade 7	89.4%	4.2%	0.6%	0.4%	5.4%
	Grade 8	88.1%	5.2%	0.8%	0.4%	5.5%
	Grade 9	86.1%	5.5%	0.9%	0.8%	6.7%
	Grade 10	86.5%	5.9%	0.6%	0.5%	6.5%
	Grade 11	89.1%	4.4%	0.7%	0.6%	5.2%
	Grade 12	88.9%	4.2%	0.6%	0.2%	6.1%
Ecstasy?						
	All	81.6%	7.2%	1.8%	0.7%	8.6%
	Grade 7	85.0%	4.3%	0.7%	0.4%	9.7%
	Grade 8	83.2%	6.1%	1.3%	0.6%	8.8%
	Grade 9	80.0%	7.7%	1.7%	1.2%	9.4%
	Grade 10	79.7%	8.9%	2.1%	0.8%	8.6%
	Grade 11	81.2%	8.0%	2.6%	0.9%	7.3%
	Grade 12	80.1%	8.8%	2.7%	0.7%	7.8%
Steroids?						
	All	76.8%	11.6%	3.4%	1.0%	7.2%
	Grade 7	81.7%	8.5%	2.3%	0.6%	6.9%
	Grade 8	79.0%	10.8%	2.4%	0.9%	6.9%
	Grade 9	73.9%	12.8%	4.5%	1.3%	7.4%
	Grade 10	73.7%	13.3%	3.6%	1.2%	8.2%
	Grade 11	76.1%	12.1%	4.1%	1.3%	6.5%
	Grade 12	76.5%	12.0%	3.5%	0.9%	7.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 25 of 126

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	88.3%	4.0%	0.6%	0.5%	6.6%
	Grade 7	88.0%	3.9%	0.6%	0.4%	7.1%
	Grade 8	87.5%	4.7%	0.7%	0.5%	6.6%
	Grade 9	86.8%	4.7%	0.7%	0.7%	7.0%
	Grade 10	87.4%	4.3%	0.7%	0.6%	6.9%
	Grade 11	90.2%	3.2%	0.5%	0.5%	5.6%
	Grade 12	90.2%	3.0%	0.4%	0.2%	6.2%
<b>Methamphetamine?</b>						
	All	87.9%	3.9%	0.7%	0.5%	7.0%
	Grade 7	87.5%	3.8%	0.5%	0.4%	7.8%
	Grade 8	87.3%	4.1%	0.7%	0.5%	7.4%
	Grade 9	85.9%	4.7%	1.0%	0.8%	7.6%
	Grade 10	87.2%	4.4%	0.6%	0.5%	7.2%
	Grade 11	89.8%	3.3%	0.7%	0.6%	5.6%
	Grade 12	90.0%	3.2%	0.5%	0.2%	6.1%
<b>Synthetic Marijuana?</b>						
	All	80.9%	7.4%	2.3%	1.2%	8.2%
	Grade 7	85.3%	4.6%	1.3%	0.6%	8.2%
	Grade 8	83.0%	6.7%	1.8%	1.0%	7.5%
	Grade 9	77.4%	9.0%	2.9%	1.8%	8.9%
	Grade 10	78.3%	8.9%	2.9%	1.2%	8.7%
	Grade 11	80.4%	7.8%	2.5%	1.6%	7.6%
	Grade 12	80.9%	7.5%	2.5%	0.8%	8.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	7.1%	10.5%	18.5%	81.5%
Grade 7	6.1%	8.3%	14.9%	85.1%
Grade 8	7.1%	9.6%	16.1%	83.9%
Grade 9	7.9%	11.5%	18.9%	81.1%
Grade 10	7.0%	11.1%	19.5%	80.5%
Grade 11	6.9%	10.7%	20.4%	79.6%
Grade 12	7.4%	12.0%	21.6%	78.4%
<b>Codeine Cough Syrup?</b>				
All	3.9%	6.6%	12.8%	87.2%
Grade 7	3.6%	5.6%	10.5%	89.5%
Grade 8	4.5%	6.6%	11.8%	88.2%
Grade 9	4.7%	7.6%	14.0%	86.0%
Grade 10	3.7%	6.7%	13.3%	86.7%
Grade 11	3.6%	6.5%	13.6%	86.4%
Grade 12	3.1%	6.4%	13.6%	86.4%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	1.0%	2.0%	3.8%	96.2%
Grade 7	0.5%	0.8%	1.3%	98.7%
Grade 8	0.8%	1.3%	1.9%	98.1%
Grade 9	1.1%	2.0%	3.4%	96.6%
Grade 10	1.1%	2.3%	4.6%	95.4%
Grade 11	1.1%	2.7%	5.2%	94.8%
Grade 12	1.5%	3.1%	7.0%	93.0%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.6%	2.7%	5.3%	94.7%
Grade 7	0.6%	0.9%	1.7%	98.3%
Grade 8	1.4%	1.9%	3.3%	96.7%
Grade 9	2.3%	3.5%	5.6%	94.4%
Grade 10	1.9%	3.3%	6.6%	93.4%
Grade 11	1.6%	3.0%	6.5%	93.5%
Grade 12	2.1%	3.7%	8.6%	91.4%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.5%	2.4%	4.3%	95.7%
Grade 7	0.6%	0.9%	1.5%	98.5%
Grade 8	0.7%	1.1%	2.1%	97.9%
Grade 9	1.8%	2.4%	3.8%	96.2%
Grade 10	1.6%	2.8%	4.9%	95.1%
Grade 11	1.9%	3.0%	6.2%	93.8%
Grade 12	2.6%	4.4%	8.1%	91.9%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 27 of 126

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.0%	4.2%	7.9%	92.1%
Grade 7	3.2%	4.3%	8.4%	91.6%
Grade 8	3.1%	4.3%	7.9%	92.1%
Grade 9	3.4%	4.6%	8.3%	91.7%
Grade 10	2.8%	4.2%	7.6%	92.4%
Grade 11	2.9%	3.9%	7.6%	92.4%
Grade 12	2.7%	3.7%	7.3%	92.7%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.2%	1.8%	3.4%	96.6%
Grade 7	1.3%	2.0%	3.8%	96.2%
Grade 8	1.5%	2.1%	3.9%	96.1%
Grade 9	1.5%	2.3%	3.9%	96.1%
Grade 10	1.0%	1.5%	3.1%	96.9%
Grade 11	1.1%	1.4%	2.9%	97.1%
Grade 12	0.9%	1.1%	2.5%	97.5%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.4%	12.8%	3.5%	1.4%	6.8%
Grade 7	81.4%	8.5%	2.5%	1.0%	6.6%
Grade 8	77.8%	11.0%	3.3%	1.2%	6.7%
Grade 9	73.2%	13.3%	4.2%	2.0%	7.3%
Grade 10	72.2%	15.1%	3.9%	1.1%	7.7%
Grade 11	74.4%	14.1%	3.7%	1.8%	6.0%
Grade 12	73.1%	15.6%	3.6%	1.0%	6.6%

*Percentages have been weighted to reflect proportions within the population.*

## Inhalants

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Inhalant?</b>				
All	4.2%	5.8%	11.7%	88.3%
Grade 7	5.5%	6.9%	13.3%	86.7%
Grade 8	5.7%	7.6%	14.0%	86.0%
Grade 9	4.6%	6.4%	12.9%	87.1%
Grade 10	3.0%	4.4%	9.7%	90.3%
Grade 11	3.0%	4.4%	10.0%	90.0%
Grade 12	3.1%	4.5%	9.7%	90.3%
<b>Spray Paint?</b>				
All	0.4%	0.7%	1.9%	98.1%
Grade 7	0.5%	0.7%	2.0%	98.0%
Grade 8	0.4%	0.7%	1.9%	98.1%
Grade 9	0.4%	0.6%	2.4%	97.6%
Grade 10	0.4%	0.6%	1.5%	98.5%
Grade 11	0.3%	0.7%	1.9%	98.1%
Grade 12	0.4%	0.6%	1.4%	98.6%
<b>Whiteout, Correction Fluid, or Magic Markers?</b>				
All	1.0%	1.5%	4.5%	95.5%
Grade 7	1.4%	2.2%	5.9%	94.1%
Grade 8	1.4%	2.1%	5.9%	94.1%
Grade 9	1.2%	1.8%	5.4%	94.6%
Grade 10	0.7%	1.0%	3.3%	96.7%
Grade 11	0.8%	0.9%	3.5%	96.5%
Grade 12	0.6%	0.7%	2.4%	97.6%
<b>Computer Dusting Sprays?</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.5%	0.7%	1.6%	98.4%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.4%	0.7%	0.9%	99.1%
<b>Helium, Butane, Propane, Whippets, or Freon?</b>				
All	1.5%	2.3%	5.9%	94.1%
Grade 7	1.8%	2.6%	6.7%	93.3%
Grade 8	1.9%	2.9%	6.5%	93.5%
Grade 9	1.5%	2.4%	6.8%	93.2%
Grade 10	1.3%	2.2%	5.0%	95.0%
Grade 11	0.8%	1.6%	5.0%	95.0%
Grade 12	1.6%	2.4%	5.2%	94.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 29 of 126



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.5%	0.6%	1.4%	98.6%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	0.3%	0.5%	1.2%	98.8%
Grade 10	0.3%	0.4%	1.0%	99.0%
Grade 11	0.1%	0.2%	0.7%	99.3%
Grade 12	0.4%	0.5%	1.1%	98.9%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.2%	0.5%	0.9%	99.1%
Grade 9	0.3%	0.5%	1.2%	98.8%
Grade 10	0.3%	0.5%	0.9%	99.1%
Grade 11	0.2%	0.3%	0.8%	99.2%
Grade 12	0.5%	0.5%	1.0%	99.0%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.7%	1.0%	1.9%	98.1%
Grade 7	1.0%	1.2%	2.2%	97.8%
Grade 8	1.0%	1.2%	2.2%	97.8%
Grade 9	0.5%	1.0%	2.4%	97.6%
Grade 10	0.6%	0.7%	1.5%	98.5%
Grade 11	0.6%	0.9%	1.9%	98.1%
Grade 12	0.6%	0.7%	1.2%	98.8%
<b>Other Aerosols/Sprays?</b>				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.7%	0.9%	2.0%	98.0%
Grade 8	0.6%	0.8%	1.8%	98.2%
Grade 9	0.5%	0.8%	1.7%	98.3%
Grade 10	0.5%	0.7%	1.1%	98.9%
Grade 11	0.2%	0.3%	1.0%	99.0%
Grade 12	0.4%	0.6%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 30 of 126

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.2%	0.1%	0.1%	0.3%	0.5%	0.6%	1.2%
Grade 7	96.2%	0.1%	0.3%	0.4%	0.6%	0.8%	1.5%
Grade 8	96.5%	0.1%	0.1%	0.5%	0.6%	1.1%	1.1%
Grade 9	96.8%	0.1%	0.2%	0.4%	0.6%	0.4%	1.6%
Grade 10	98.0%	0.1%	0.0%	0.2%	0.3%	0.4%	0.9%
Grade 11	97.7%	0.1%	0.0%	0.2%	0.5%	0.6%	0.9%
Grade 12	98.3%	0.0%	0.1%	0.1%	0.2%	0.2%	1.1%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	90.3%	5.9%	2.8%	1.1%
Grade 7	88.2%	7.2%	3.4%	1.3%
Grade 8	88.5%	6.7%	3.8%	1.0%
Grade 9	88.9%	6.4%	3.4%	1.3%
Grade 10	92.0%	5.1%	2.0%	0.9%
Grade 11	92.1%	4.5%	2.4%	1.0%
Grade 12	92.7%	5.0%	1.3%	1.0%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.7	10.6	11.3	11.2	12.2	12.4	13.9

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.2%	0.5%	0.1%	0.2%
Grade 7	99.1%	0.6%	0.2%	0.1%
Grade 8	98.9%	0.7%	0.2%	0.2%
Grade 9	99.0%	0.7%	0.1%	0.3%
Grade 10	99.1%	0.5%	0.1%	0.3%
Grade 11	99.6%	0.3%	0.0%	0.1%
Grade 12	99.5%	0.2%	0.1%	0.2%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.5
Inhalant Non-Users	3.6
Average Days Conduct Problems Reported	
Inhalant Users	3.7
Inhalant Non-Users	1.3

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	93.2%	4.9%	1.3%	0.4%	0.2%
Grade 7	92.1%	5.9%	1.4%	0.4%	0.1%
Grade 8	92.5%	5.4%	1.5%	0.5%	0.1%
Grade 9	91.8%	5.6%	1.6%	0.6%	0.4%
Grade 10	93.5%	4.8%	1.1%	0.5%	0.1%
Grade 11	94.1%	4.1%	1.3%	0.3%	0.2%
Grade 12	95.4%	3.1%	1.1%	0.2%	0.1%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.1%	14.0%	4.8%	1.6%	7.7%
Grade 7	75.9%	12.0%	4.1%	1.2%	6.8%
Grade 8	73.2%	13.4%	5.1%	1.4%	6.9%
Grade 9	69.0%	15.4%	5.6%	2.1%	7.9%
Grade 10	69.8%	15.8%	4.9%	1.6%	7.9%
Grade 11	72.0%	13.0%	4.8%	1.6%	8.5%
Grade 12	72.6%	14.1%	3.8%	1.4%	8.1%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	43.0%	15.9%	3.9%	5.3%	8.6%	23.3%
Grade 7	48.8%	23.9%	4.0%	4.5%	6.1%	12.7%
Grade 8	44.1%	20.6%	4.1%	4.9%	8.2%	18.1%
Grade 9	41.2%	16.0%	4.0%	5.4%	9.1%	24.3%
Grade 10	41.4%	13.7%	4.1%	6.0%	9.6%	25.4%
Grade 11	41.4%	11.5%	3.7%	5.3%	9.7%	28.3%
Grade 12	40.6%	8.1%	3.6%	5.8%	9.4%	32.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 32 of 126

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
<b>A School Health Class</b>		
	All	40.1%
	Grade 7	37.2%
	Grade 8	47.3%
	Grade 9	41.6%
	Grade 10	41.4%
	Grade 11	38.1%
	Grade 12	33.9%
<b>An Assembly Program</b>		
	All	40.5%
	Grade 7	45.5%
	Grade 8	47.2%
	Grade 9	41.2%
	Grade 10	38.4%
	Grade 11	35.5%
	Grade 12	34.3%
<b>Guidance Counselor</b>		
	All	26.7%
	Grade 7	35.0%
	Grade 8	35.0%
	Grade 9	26.0%
	Grade 10	22.7%
	Grade 11	20.4%
	Grade 12	19.5%
<b>School Nurse</b>		
	All	16.7%
	Grade 7	22.3%
	Grade 8	18.8%
	Grade 9	16.0%
	Grade 10	15.2%
	Grade 11	13.1%
	Grade 12	14.4%
<b>Science or Social Studies Class</b>		
	All	26.5%
	Grade 7	30.7%
	Grade 8	25.9%
	Grade 9	27.7%
	Grade 10	24.2%
	Grade 11	24.9%
	Grade 12	25.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 33 of 126

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<hr/>		
Student Group or Club Meeting at School		
	All	14.6%
	Grade 7	13.9%
	Grade 8	13.2%
	Grade 9	15.7%
	Grade 10	14.7%
	Grade 11	14.7%
	Grade 12	15.7%
An Invited School Guest		
	All	27.6%
	Grade 7	30.4%
	Grade 8	34.2%
	Grade 9	26.6%
	Grade 10	25.5%
	Grade 11	24.7%
	Grade 12	23.3%
Another Source at School		
	All	28.6%
	Grade 7	30.6%
	Grade 8	31.0%
	Grade 9	29.5%
	Grade 10	27.7%
	Grade 11	27.1%
	Grade 12	25.3%
Any School Source		
	All	64.7%
	Grade 7	68.3%
	Grade 8	72.7%
	Grade 9	65.0%
	Grade 10	63.7%
	Grade 11	60.5%
	Grade 12	56.4%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 34 of 126

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<hr/>		
Counselor/Program In-School		
	All	40.1%
	Grade 7	53.1%
	Grade 8	46.5%
	Grade 9	39.4%
	Grade 10	33.7%
	Grade 11	34.1%
	Grade 12	32.0%
School Nurse		
	All	24.2%
	Grade 7	35.3%
	Grade 8	27.5%
	Grade 9	23.3%
	Grade 10	20.3%
	Grade 11	18.9%
	Grade 12	18.5%
Another Adult In School		
	All	43.0%
	Grade 7	50.6%
	Grade 8	46.7%
	Grade 9	42.3%
	Grade 10	38.8%
	Grade 11	39.7%
	Grade 12	39.3%
Counselor/Program Outside-School		
	All	40.8%
	Grade 7	47.6%
	Grade 8	44.7%
	Grade 9	40.4%
	Grade 10	37.1%
	Grade 11	38.1%
	Grade 12	35.8%
Your Parents		
	All	70.6%
	Grade 7	79.6%
	Grade 8	74.9%
	Grade 9	70.0%
	Grade 10	67.3%
	Grade 11	67.0%
	Grade 12	63.1%
<hr/>		

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 35 of 126

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<hr/>		
A Medical Doctor		
	All	58.2%
	Grade 7	68.7%
	Grade 8	64.3%
	Grade 9	56.3%
	Grade 10	52.0%
	Grade 11	54.1%
	Grade 12	52.3%
Your Friends		
	All	63.5%
	Grade 7	52.5%
	Grade 8	59.0%
	Grade 9	63.8%
	Grade 10	66.4%
	Grade 11	70.0%
	Grade 12	70.6%
Another Adult		
	All	59.9%
	Grade 7	63.2%
	Grade 8	63.1%
	Grade 9	60.5%
	Grade 10	58.2%
	Grade 11	57.6%
	Grade 12	56.1%
<hr/>		

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
		<hr/>
	All	6.4%
	Grade 7	6.4%
	Grade 8	6.5%
	Grade 9	7.3%
	Grade 10	6.1%
	Grade 11	6.2%
	Grade 12	5.8%
		<hr/>

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 36 of 126

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	5.3%	20.7%	22.5%	37.7%	13.8%
Grade 7	6.7%	18.4%	19.3%	36.1%	19.5%
Grade 8	5.8%	20.2%	21.3%	37.2%	15.5%
Grade 9	5.5%	21.1%	23.3%	37.1%	13.2%
Grade 10	4.8%	22.1%	23.8%	37.0%	12.2%
Grade 11	4.4%	21.3%	23.8%	39.1%	11.5%
Grade 12	4.4%	21.1%	24.1%	40.4%	10.0%
<b>Sometimes Carry Weapons?</b>					
All	78.6%	13.7%	4.7%	2.0%	1.1%
Grade 7	87.1%	9.0%	2.3%	0.9%	0.7%
Grade 8	82.8%	10.9%	3.8%	1.7%	0.7%
Grade 9	77.5%	14.1%	5.4%	2.0%	1.1%
Grade 10	76.7%	14.7%	5.1%	2.4%	1.1%
Grade 11	74.6%	15.9%	5.4%	2.9%	1.2%
Grade 12	71.4%	18.4%	6.1%	2.4%	1.6%
<b>Care About Making Good Grades?</b>					
All	2.1%	11.0%	23.3%	43.0%	20.6%
Grade 7	2.6%	12.5%	23.7%	37.2%	24.0%
Grade 8	2.2%	10.8%	24.6%	39.9%	22.5%
Grade 9	2.4%	11.4%	24.5%	43.5%	18.2%
Grade 10	2.0%	11.0%	23.4%	44.0%	19.7%
Grade 11	1.8%	9.7%	21.8%	46.8%	19.9%
Grade 12	1.8%	10.5%	21.4%	47.5%	18.8%
<b>Belong/Want to Belong to a Gang?</b>					
All	85.1%	9.9%	3.0%	1.2%	0.9%
Grade 7	84.9%	10.8%	2.6%	1.0%	0.8%
Grade 8	83.6%	11.1%	3.3%	1.3%	0.8%
Grade 9	81.4%	11.7%	3.9%	2.0%	1.1%
Grade 10	84.7%	10.1%	3.5%	0.9%	0.8%
Grade 11	87.5%	8.2%	2.6%	1.1%	0.7%
Grade 12	89.4%	6.7%	2.0%	0.6%	1.3%
<b>Wish They Could Drop Out of School?</b>					
All	50.6%	29.1%	12.1%	5.1%	3.1%
Grade 7	59.6%	25.0%	9.2%	4.3%	2.0%
Grade 8	54.9%	27.7%	10.6%	5.0%	1.8%
Grade 9	45.3%	31.9%	13.9%	5.5%	3.3%
Grade 10	45.4%	32.3%	13.3%	5.6%	3.5%
Grade 11	47.7%	29.9%	13.4%	4.9%	4.1%
Grade 12	50.7%	27.6%	12.0%	5.2%	4.4%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 37 of 126



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	86.3%	11.9%	0.8%	0.3%	0.7%
Grade 7	85.9%	12.2%	0.8%	0.5%	0.7%
Grade 8	85.3%	13.2%	0.7%	0.2%	0.7%
Grade 9	85.1%	13.1%	0.7%	0.3%	0.7%
Grade 10	86.3%	12.1%	0.9%	0.2%	0.5%
Grade 11	87.9%	10.4%	0.7%	0.3%	0.7%
Grade 12	88.0%	10.0%	0.8%	0.4%	0.7%
<b>Out In Your Neighborhood?</b>					
All	46.2%	44.4%	5.8%	1.2%	2.3%
Grade 7	39.3%	47.6%	8.1%	1.7%	3.2%
Grade 8	39.8%	48.6%	7.2%	1.4%	2.9%
Grade 9	45.0%	46.0%	5.4%	1.1%	2.5%
Grade 10	48.7%	43.0%	5.5%	0.9%	2.0%
Grade 11	52.6%	40.7%	4.0%	1.0%	1.6%
Grade 12	53.5%	39.4%	4.3%	1.2%	1.5%
<b>At School?</b>					
All	35.8%	47.2%	9.2%	4.2%	3.6%
Grade 7	41.4%	43.1%	8.5%	3.3%	3.8%
Grade 8	37.2%	47.3%	8.4%	3.5%	3.6%
Grade 9	31.1%	50.4%	9.7%	4.5%	4.4%
Grade 10	31.5%	49.1%	11.0%	4.7%	3.7%
Grade 11	35.1%	47.3%	9.5%	5.1%	3.0%
Grade 12	39.1%	46.0%	8.2%	4.0%	2.7%

*Percentages have been weighted to reflect proportions within the population.*

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.3%	19.9%	30.3%	69.7%
Grade 7	5.6%	6.9%	13.8%	86.2%
Grade 8	8.9%	11.2%	20.5%	79.5%
Grade 9	14.8%	18.7%	29.2%	70.8%
Grade 10	19.4%	24.0%	35.1%	64.9%
Grade 11	22.4%	26.8%	39.9%	60.1%
Grade 12	29.7%	34.9%	46.9%	53.1%
<b>Any Alcohol Product</b>				
All	29.0%	34.4%	51.5%	48.5%
Grade 7	14.7%	17.1%	34.3%	65.7%
Grade 8	20.4%	24.1%	42.5%	57.5%
Grade 9	27.7%	32.4%	50.1%	49.9%
Grade 10	33.1%	39.7%	55.9%	44.1%
Grade 11	34.9%	43.2%	61.6%	38.4%
Grade 12	46.6%	54.1%	68.5%	31.5%
<b>Any Illicit Drug</b>				
All	13.9%	17.9%	23.5%	76.5%
Grade 7	4.3%	6.3%	8.5%	91.5%
Grade 8	8.0%	10.5%	13.4%	86.6%
Grade 9	13.7%	17.8%	22.3%	77.7%
Grade 10	15.3%	19.7%	26.2%	73.8%
Grade 11	19.5%	24.7%	33.3%	66.7%
Grade 12	24.9%	31.2%	40.6%	59.4%
<b>Any Prescription Drug</b>				
All	7.1%	10.5%	18.5%	81.5%
Grade 7	6.1%	8.3%	14.9%	85.1%
Grade 8	7.1%	9.6%	16.1%	83.9%
Grade 9	7.9%	11.5%	18.9%	81.1%
Grade 10	7.0%	11.1%	19.5%	80.5%
Grade 11	6.9%	10.7%	20.4%	79.6%
Grade 12	7.4%	12.0%	21.6%	78.4%
<b>Any Inhalant</b>				
All	4.2%	5.8%	11.7%	88.3%
Grade 7	5.5%	6.9%	13.3%	86.7%
Grade 8	5.7%	7.6%	14.0%	86.0%
Grade 9	4.6%	6.4%	12.9%	87.1%
Grade 10	3.0%	4.4%	9.7%	90.3%
Grade 11	3.0%	4.4%	10.0%	90.0%
Grade 12	3.1%	4.5%	9.7%	90.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 40 of 126

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	12.1%	16.2%	25.7%	74.3%
Grade 7	3.2%	4.7%	10.1%	89.9%
Grade 8	5.7%	8.3%	16.1%	83.9%
Grade 9	11.6%	15.7%	25.1%	74.9%
Grade 10	14.3%	19.2%	30.3%	69.7%
Grade 11	16.9%	22.3%	34.9%	65.1%
Grade 12	23.3%	29.5%	41.2%	58.8%
<b>Marijuana</b>				
All	13.6%	16.3%	22.1%	77.9%
Grade 7	4.0%	4.9%	6.7%	93.3%
Grade 8	7.7%	9.0%	12.1%	87.9%
Grade 9	13.5%	15.9%	20.7%	79.3%
Grade 10	15.1%	18.2%	25.0%	75.0%
Grade 11	18.8%	22.7%	32.0%	68.0%
Grade 12	24.6%	29.6%	39.7%	60.3%
<b>Marijuana Only</b>				
All	8.2%	10.3%	15.2%	84.8%
Grade 7	2.1%	2.9%	4.3%	95.7%
Grade 8	4.2%	5.2%	7.7%	92.3%
Grade 9	8.3%	10.2%	14.3%	85.7%
Grade 10	9.0%	11.7%	17.6%	82.4%
Grade 11	11.8%	14.8%	22.6%	77.4%
Grade 12	14.7%	18.6%	26.9%	73.1%
<b>Cocaine or Crack</b>				
All	1.4%	1.6%	2.7%	97.3%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	1.0%	1.1%	1.7%	98.3%
Grade 9	1.2%	1.5%	2.2%	97.8%
Grade 10	1.4%	1.6%	2.8%	97.2%
Grade 11	1.6%	2.0%	3.6%	96.4%
Grade 12	2.6%	3.2%	5.6%	94.4%
<b>Cocaine</b>				
All	1.3%	1.5%	2.5%	97.5%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.8%	0.9%	1.4%	98.6%
Grade 9	1.1%	1.3%	2.0%	98.0%
Grade 10	1.3%	1.5%	2.6%	97.4%
Grade 11	1.5%	1.8%	3.5%	96.5%
Grade 12	2.5%	3.1%	5.4%	94.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 41 of 126

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Hallucinogens</b>				
All	0.8%	1.5%	3.1%	96.9%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.8%	1.3%	2.6%	97.4%
Grade 10	1.0%	1.6%	3.5%	96.5%
Grade 11	1.2%	2.3%	4.5%	95.5%
Grade 12	1.6%	3.3%	7.1%	92.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.4%	99.6%
<b>Steroids</b>				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.4%	0.6%	1.5%	98.5%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	0.4%	0.6%	1.3%	98.7%
Grade 10	0.2%	0.4%	1.5%	98.5%
Grade 11	0.5%	0.7%	1.7%	98.3%
Grade 12	0.3%	0.5%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.6%	1.0%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.8%	1.2%	2.0%	98.0%
Grade 10	0.7%	1.1%	2.4%	97.6%
Grade 11	0.8%	1.3%	3.2%	96.8%
Grade 12	1.0%	1.9%	4.2%	95.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	1.0%	1.5%	3.4%	96.6%
Grade 7	0.5%	0.9%	1.5%	98.5%
Grade 8	1.0%	1.5%	2.8%	97.2%
Grade 9	1.5%	1.9%	4.0%	96.0%
Grade 10	1.1%	1.6%	3.7%	96.3%
Grade 11	1.2%	1.7%	4.4%	95.6%
Grade 12	0.8%	1.3%	4.4%	95.6%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.5%	1.0%	99.0%
Grade 10	0.2%	0.4%	0.8%	99.2%
Grade 11	0.4%	0.5%	0.9%	99.1%
Grade 12	0.3%	0.5%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 43 of 126

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.8%	21.3%	31.6%	68.4%
Grade 7	6.4%	7.5%	14.4%	85.6%
Grade 8	8.8%	11.4%	21.8%	78.2%
Grade 9	15.5%	19.6%	29.3%	70.7%
Grade 10	21.1%	25.4%	35.3%	64.7%
Grade 11	23.9%	28.2%	41.6%	58.4%
Grade 12	34.7%	39.6%	51.6%	48.4%
<b>Any Alcohol Product</b>				
All	27.3%	32.4%	49.8%	50.2%
Grade 7	13.6%	16.1%	34.3%	65.7%
Grade 8	18.9%	22.8%	42.6%	57.4%
Grade 9	24.7%	29.6%	46.2%	53.8%
Grade 10	31.5%	37.1%	54.1%	45.9%
Grade 11	33.3%	40.7%	58.5%	41.5%
Grade 12	46.0%	52.6%	66.6%	33.4%
<b>Any Illicit Drug</b>				
All	13.9%	17.7%	23.4%	76.6%
Grade 7	4.2%	5.7%	8.2%	91.8%
Grade 8	7.6%	10.1%	13.6%	86.4%
Grade 9	13.3%	17.2%	22.0%	78.0%
Grade 10	15.1%	19.8%	26.1%	73.9%
Grade 11	19.3%	24.6%	33.0%	67.0%
Grade 12	26.6%	31.9%	41.8%	58.2%
<b>Any Prescription Drug</b>				
All	7.1%	10.7%	19.3%	80.7%
Grade 7	5.7%	8.1%	14.4%	85.6%
Grade 8	6.9%	9.6%	16.3%	83.7%
Grade 9	8.2%	11.7%	19.6%	80.4%
Grade 10	7.0%	11.4%	20.7%	79.3%
Grade 11	7.3%	11.1%	22.0%	78.0%
Grade 12	7.7%	12.7%	23.9%	76.1%
<b>Any Inhalant</b>				
All	3.9%	5.3%	11.3%	88.7%
Grade 7	4.3%	5.4%	11.4%	88.6%
Grade 8	5.1%	6.9%	13.3%	86.7%
Grade 9	4.5%	6.2%	12.6%	87.4%
Grade 10	2.7%	4.3%	9.5%	90.5%
Grade 11	3.0%	4.1%	10.4%	89.6%
Grade 12	3.3%	4.4%	10.4%	89.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 44 of 126

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	12.8%	17.1%	26.7%	73.3%
Grade 7	3.8%	5.2%	10.8%	89.2%
Grade 8	5.4%	8.4%	16.7%	83.3%
Grade 9	12.3%	16.6%	25.0%	75.0%
Grade 10	14.5%	19.4%	30.1%	69.9%
Grade 11	17.5%	22.9%	36.4%	63.6%
Grade 12	25.9%	32.8%	44.7%	55.3%
<b>Marijuana</b>				
All	13.5%	16.1%	22.1%	77.9%
Grade 7	3.8%	4.5%	6.7%	93.3%
Grade 8	7.2%	8.7%	12.3%	87.7%
Grade 9	13.0%	15.4%	20.4%	79.6%
Grade 10	14.8%	18.3%	24.9%	75.1%
Grade 11	18.7%	22.2%	31.7%	68.3%
Grade 12	26.3%	30.5%	40.8%	59.2%
<b>Marijuana Only</b>				
All	7.9%	9.8%	14.8%	85.2%
Grade 7	2.1%	2.7%	4.3%	95.7%
Grade 8	3.6%	4.8%	7.7%	92.3%
Grade 9	8.1%	10.0%	14.3%	85.7%
Grade 10	9.4%	12.4%	18.1%	81.9%
Grade 11	10.6%	13.2%	20.9%	79.1%
Grade 12	14.6%	17.5%	25.8%	74.2%
<b>Cocaine or Crack</b>				
All	1.4%	1.7%	3.0%	97.0%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.6%	0.9%	1.5%	98.5%
Grade 9	1.1%	1.2%	2.1%	97.9%
Grade 10	1.3%	1.5%	2.7%	97.3%
Grade 11	1.9%	2.4%	4.6%	95.4%
Grade 12	3.2%	4.1%	7.3%	92.7%
<b>Cocaine</b>				
All	1.3%	1.6%	2.9%	97.1%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	0.9%	1.0%	2.0%	98.0%
Grade 10	1.2%	1.4%	2.6%	97.4%
Grade 11	1.9%	2.4%	4.5%	95.5%
Grade 12	3.1%	4.0%	7.1%	92.9%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 45 of 126



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.4%	0.5%	0.6%	99.4%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.3%	0.4%	0.8%	99.2%
<b>Hallucinogens</b>				
All	1.0%	1.8%	3.7%	96.3%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.3%	0.7%	1.5%	98.5%
Grade 9	0.7%	1.2%	2.7%	97.3%
Grade 10	1.3%	1.7%	3.5%	96.5%
Grade 11	1.7%	3.1%	5.5%	94.5%
Grade 12	2.3%	4.5%	9.2%	90.8%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.5%	99.5%
<b>Steroids</b>				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.5%	0.6%	1.6%	98.4%
Grade 8	0.4%	0.7%	1.5%	98.5%
Grade 9	0.4%	0.5%	1.0%	99.0%
Grade 10	0.3%	0.3%	1.3%	98.7%
Grade 11	0.7%	0.8%	1.4%	98.6%
Grade 12	0.5%	0.8%	1.6%	98.4%
<b>Ecstasy</b>				
All	0.7%	1.1%	2.4%	97.6%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.4%	98.6%
Grade 9	0.9%	1.2%	2.3%	97.7%
Grade 10	0.7%	0.9%	1.9%	98.1%
Grade 11	1.1%	1.7%	3.8%	96.2%
Grade 12	0.9%	2.1%	4.8%	95.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 46 of 126

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.3%	99.7%
Grade 11	0.3%	0.5%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	1.0%	1.4%	3.4%	96.6%
Grade 7	0.4%	0.7%	1.4%	98.6%
Grade 8	1.1%	1.7%	3.0%	97.0%
Grade 9	1.3%	1.9%	3.9%	96.1%
Grade 10	0.9%	1.2%	2.9%	97.1%
Grade 11	1.1%	1.6%	4.3%	95.7%
Grade 12	1.2%	1.6%	5.0%	95.0%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.5%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.7%	99.3%
Grade 11	0.5%	0.5%	1.0%	99.0%
Grade 12	0.4%	0.6%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 47 of 126

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.9%	18.6%	29.1%	70.9%
Grade 7	4.9%	6.3%	13.2%	86.8%
Grade 8	9.0%	11.0%	19.2%	80.8%
Grade 9	14.2%	18.0%	29.5%	70.5%
Grade 10	17.6%	22.6%	34.9%	65.1%
Grade 11	21.0%	25.6%	38.5%	61.5%
Grade 12	25.1%	30.6%	42.5%	57.5%
<b>Any Alcohol Product</b>				
All	30.7%	36.5%	53.3%	46.7%
Grade 7	15.9%	18.2%	34.3%	65.7%
Grade 8	21.9%	25.6%	42.4%	57.6%
Grade 9	31.0%	35.4%	54.3%	45.7%
Grade 10	34.7%	42.2%	57.7%	42.3%
Grade 11	37.0%	46.1%	64.9%	35.1%
Grade 12	47.2%	55.6%	69.9%	30.1%
<b>Any Illicit Drug</b>				
All	14.0%	18.2%	23.5%	76.5%
Grade 7	4.4%	6.9%	8.7%	91.3%
Grade 8	8.4%	11.0%	13.3%	86.7%
Grade 9	14.3%	18.5%	22.8%	77.2%
Grade 10	15.6%	19.6%	26.2%	73.8%
Grade 11	19.7%	25.0%	33.9%	66.1%
Grade 12	23.5%	30.5%	39.4%	60.6%
<b>Any Prescription Drug</b>				
All	7.0%	10.3%	17.6%	82.4%
Grade 7	6.4%	8.6%	15.4%	84.6%
Grade 8	7.4%	9.7%	15.9%	84.1%
Grade 9	7.6%	11.3%	18.3%	81.7%
Grade 10	7.0%	10.8%	18.2%	81.8%
Grade 11	6.5%	10.4%	18.8%	81.2%
Grade 12	7.2%	11.2%	19.3%	80.7%
<b>Any Inhalant</b>				
All	4.6%	6.3%	12.1%	87.9%
Grade 7	6.6%	8.4%	15.2%	84.8%
Grade 8	6.3%	8.3%	14.7%	85.3%
Grade 9	4.8%	6.6%	13.4%	86.6%
Grade 10	3.2%	4.5%	9.8%	90.2%
Grade 11	3.0%	4.7%	9.6%	90.4%
Grade 12	2.9%	4.5%	9.0%	91.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.4%	15.3%	24.9%	75.1%
Grade 7	2.7%	4.2%	9.5%	90.5%
Grade 8	5.9%	8.2%	15.6%	84.4%
Grade 9	11.0%	15.0%	25.5%	74.5%
Grade 10	13.8%	18.9%	30.2%	69.8%
Grade 11	16.4%	21.7%	33.6%	66.4%
Grade 12	20.9%	26.5%	37.9%	62.1%
<b>Marijuana</b>				
All	13.7%	16.4%	22.0%	78.0%
Grade 7	4.1%	5.2%	6.8%	93.2%
Grade 8	8.1%	9.3%	11.8%	88.2%
Grade 9	14.1%	16.5%	21.1%	78.9%
Grade 10	15.5%	18.1%	24.9%	75.1%
Grade 11	19.1%	23.3%	32.5%	67.5%
Grade 12	23.3%	28.8%	38.5%	61.5%
<b>Marijuana Only</b>				
All	8.5%	10.8%	15.6%	84.4%
Grade 7	2.2%	3.2%	4.4%	95.6%
Grade 8	4.8%	5.7%	7.8%	92.2%
Grade 9	8.6%	10.5%	14.6%	85.4%
Grade 10	8.7%	11.0%	17.0%	83.0%
Grade 11	13.0%	16.4%	24.4%	75.6%
Grade 12	15.0%	19.7%	27.9%	72.1%
<b>Cocaine or Crack</b>				
All	1.4%	1.6%	2.4%	97.6%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	1.3%	1.4%	1.8%	98.2%
Grade 9	1.4%	1.7%	2.2%	97.8%
Grade 10	1.4%	1.6%	2.8%	97.2%
Grade 11	1.4%	1.5%	2.7%	97.3%
Grade 12	2.1%	2.4%	4.0%	96.0%
<b>Cocaine</b>				
All	1.3%	1.4%	2.2%	97.8%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	1.1%	1.2%	1.5%	98.5%
Grade 9	1.4%	1.7%	2.1%	97.9%
Grade 10	1.4%	1.6%	2.6%	97.4%
Grade 11	1.2%	1.3%	2.5%	97.5%
Grade 12	2.0%	2.3%	3.7%	96.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 49 of 126

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.2%	0.3%	0.9%	99.1%
<b>Hallucinogens</b>				
All	0.6%	1.2%	2.5%	97.5%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.9%	1.5%	2.5%	97.5%
Grade 10	0.6%	1.3%	3.4%	96.6%
Grade 11	0.9%	1.6%	3.6%	96.4%
Grade 12	1.1%	2.2%	5.0%	95.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.3%	0.3%	99.7%
Grade 12	0.2%	0.3%	0.4%	99.6%
<b>Steroids</b>				
All	0.3%	0.6%	1.5%	98.5%
Grade 7	0.3%	0.6%	1.3%	98.7%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	0.5%	0.7%	1.7%	98.3%
Grade 10	0.2%	0.4%	1.6%	98.4%
Grade 11	0.4%	0.6%	1.9%	98.1%
Grade 12	0.1%	0.2%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.8%	1.2%	1.8%	98.2%
Grade 10	0.8%	1.3%	3.0%	97.0%
Grade 11	0.6%	1.0%	2.5%	97.5%
Grade 12	1.1%	1.8%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 50 of 126

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.1%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	1.1%	1.6%	3.5%	96.5%
Grade 7	0.7%	1.1%	1.6%	98.4%
Grade 8	0.8%	1.4%	2.5%	97.5%
Grade 9	1.7%	2.0%	4.2%	95.8%
Grade 10	1.2%	2.0%	4.4%	95.6%
Grade 11	1.3%	1.8%	4.5%	95.5%
Grade 12	0.5%	1.1%	3.8%	96.2%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.6%	0.9%	99.1%
Grade 10	0.1%	0.5%	0.9%	99.1%
Grade 11	0.3%	0.5%	0.9%	99.1%
Grade 12	0.2%	0.4%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 51 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	20.2%	23.9%	33.3%	66.7%
Grade 7	4.4%	5.4%	12.4%	87.6%
Grade 8	10.3%	12.6%	21.2%	78.8%
Grade 9	16.0%	21.1%	30.9%	69.1%
Grade 10	26.0%	30.4%	39.9%	60.1%
Grade 11	29.0%	33.5%	44.5%	55.5%
Grade 12	36.2%	41.1%	51.4%	48.6%
<b>Any Alcohol Product</b>				
All	28.9%	35.0%	52.8%	47.2%
Grade 7	12.1%	14.4%	32.3%	67.7%
Grade 8	20.1%	24.0%	43.6%	56.4%
Grade 9	24.5%	31.0%	48.1%	51.9%
Grade 10	33.0%	40.3%	57.9%	42.1%
Grade 11	35.7%	45.6%	64.4%	35.6%
Grade 12	48.8%	55.9%	71.7%	28.3%
<b>Any Illicit Drug</b>				
All	11.8%	16.3%	21.8%	78.2%
Grade 7	1.4%	3.0%	4.9%	95.1%
Grade 8	4.7%	6.5%	8.8%	91.2%
Grade 9	9.9%	15.1%	19.6%	80.4%
Grade 10	13.3%	18.1%	24.6%	75.4%
Grade 11	18.5%	25.1%	33.4%	66.6%
Grade 12	23.3%	30.6%	40.3%	59.7%
<b>Any Prescription Drug</b>				
All	6.9%	10.9%	19.0%	81.0%
Grade 7	6.6%	9.1%	14.8%	85.2%
Grade 8	5.8%	8.8%	16.1%	83.9%
Grade 9	6.9%	11.4%	18.4%	81.6%
Grade 10	7.4%	12.6%	20.6%	79.4%
Grade 11	6.2%	9.8%	20.9%	79.1%
Grade 12	8.3%	13.5%	23.4%	76.6%
<b>Any Inhalant</b>				
All	3.2%	4.9%	11.2%	88.8%
Grade 7	3.8%	5.2%	11.8%	88.2%
Grade 8	5.2%	7.3%	12.5%	87.5%
Grade 9	2.9%	4.9%	12.0%	88.0%
Grade 10	2.4%	3.7%	9.7%	90.3%
Grade 11	2.3%	3.7%	10.2%	89.8%
Grade 12	2.9%	5.0%	10.8%	89.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 52 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.8%	20.3%	29.1%	70.9%
Grade 7	2.6%	4.0%	9.6%	90.4%
Grade 8	7.0%	9.6%	16.5%	83.5%
Grade 9	12.7%	17.8%	27.0%	73.0%
Grade 10	20.3%	26.1%	35.0%	65.0%
Grade 11	22.7%	28.2%	40.7%	59.3%
Grade 12	30.6%	36.7%	46.3%	53.7%
Marijuana				
All	11.5%	14.6%	20.6%	79.4%
Grade 7	1.2%	2.0%	3.6%	96.4%
Grade 8	4.4%	5.4%	7.8%	92.2%
Grade 9	9.7%	12.6%	17.8%	82.2%
Grade 10	13.1%	16.6%	23.4%	76.6%
Grade 11	17.8%	22.7%	32.4%	67.6%
Grade 12	23.1%	28.9%	39.7%	60.3%
Marijuana Only				
All	6.6%	9.1%	14.3%	85.7%
Grade 7	0.7%	1.5%	2.4%	97.6%
Grade 8	2.2%	2.8%	4.9%	95.1%
Grade 9	5.6%	8.0%	12.2%	87.8%
Grade 10	7.6%	10.5%	16.8%	83.2%
Grade 11	10.2%	13.9%	22.4%	77.6%
Grade 12	13.6%	18.2%	27.5%	72.5%
Cocaine or Crack				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.8%	0.9%	1.2%	98.8%
Grade 9	0.4%	0.5%	1.4%	98.6%
Grade 10	1.1%	1.2%	2.4%	97.6%
Grade 11	2.2%	2.4%	4.3%	95.7%
Grade 12	2.5%	3.2%	5.3%	94.7%
Cocaine				
All	1.1%	1.3%	2.4%	97.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.6%	0.7%	0.9%	99.1%
Grade 9	0.4%	0.5%	1.4%	98.6%
Grade 10	1.0%	1.2%	2.3%	97.7%
Grade 11	2.2%	2.4%	4.2%	95.8%
Grade 12	2.4%	3.1%	5.3%	94.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.6%	0.6%	0.7%	99.3%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.9%	99.1%
<b>Hallucinogens</b>				
All	0.7%	1.6%	3.6%	96.4%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.9%	2.3%	97.7%
Grade 10	0.7%	1.9%	4.5%	95.5%
Grade 11	1.3%	2.9%	6.0%	94.0%
Grade 12	1.9%	3.8%	7.8%	92.2%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.1%	0.4%	99.6%
<b>Steroids</b>				
All	0.3%	0.6%	1.5%	98.5%
Grade 7	0.2%	0.4%	1.2%	98.8%
Grade 8	0.3%	0.6%	1.3%	98.7%
Grade 9	0.4%	0.7%	1.6%	98.4%
Grade 10	0.3%	0.3%	1.6%	98.4%
Grade 11	0.6%	1.0%	1.9%	98.1%
Grade 12	0.4%	0.7%	1.6%	98.4%
<b>Ecstasy</b>				
All	0.4%	0.7%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.5%	1.1%	98.9%
Grade 10	0.4%	0.6%	2.1%	97.9%
Grade 11	0.9%	1.5%	2.8%	97.2%
Grade 12	0.7%	1.8%	3.8%	96.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 54 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.1%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	0.6%	1.0%	2.7%	97.3%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.5%	1.2%	1.9%	98.1%
Grade 9	0.7%	1.0%	3.2%	96.8%
Grade 10	0.6%	1.0%	2.9%	97.1%
Grade 11	1.1%	1.6%	4.5%	95.5%
Grade 12	0.5%	0.6%	3.1%	96.9%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.8%	0.9%	1.3%	98.7%
Grade 12	0.4%	0.6%	2.1%	97.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 55 of 126

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.1%	12.0%	20.4%	79.6%
Grade 7	4.4%	5.2%	9.9%	90.1%
Grade 8	5.9%	8.1%	16.7%	83.3%
Grade 9	5.9%	7.7%	17.6%	82.4%
Grade 10	4.8%	9.7%	20.4%	79.6%
Grade 11	17.0%	20.1%	27.0%	73.0%
Grade 12	21.2%	27.4%	37.9%	62.1%
<b>Any Alcohol Product</b>				
All	22.0%	27.0%	43.3%	56.7%
Grade 7	14.8%	17.1%	31.2%	68.8%
Grade 8	17.5%	21.1%	35.3%	64.7%
Grade 9	20.4%	22.5%	41.2%	58.8%
Grade 10	22.9%	26.3%	42.2%	57.8%
Grade 11	24.8%	34.9%	56.9%	43.1%
Grade 12	38.0%	48.6%	62.3%	37.7%
<b>Any Illicit Drug</b>				
All	13.4%	16.7%	21.9%	78.1%
Grade 7	4.5%	7.0%	9.0%	91.0%
Grade 8	7.3%	9.4%	12.7%	87.3%
Grade 9	12.6%	15.5%	20.8%	79.2%
Grade 10	9.3%	14.6%	22.7%	77.3%
Grade 11	25.0%	28.6%	35.2%	64.8%
Grade 12	28.6%	33.0%	40.6%	59.4%
<b>Any Prescription Drug</b>				
All	6.5%	8.5%	17.1%	82.9%
Grade 7	5.1%	7.0%	12.8%	87.2%
Grade 8	7.0%	7.9%	14.3%	85.7%
Grade 9	6.8%	7.5%	15.0%	85.0%
Grade 10	6.1%	8.8%	17.3%	82.7%
Grade 11	6.3%	9.0%	22.8%	77.2%
Grade 12	8.1%	12.4%	23.5%	76.5%
<b>Any Inhalant</b>				
All	3.9%	5.4%	10.0%	90.0%
Grade 7	5.1%	6.5%	12.1%	87.9%
Grade 8	5.5%	7.1%	12.4%	87.6%
Grade 9	3.0%	3.5%	8.8%	91.2%
Grade 10	2.7%	4.1%	6.7%	93.3%
Grade 11	3.4%	7.3%	12.7%	87.3%
Grade 12	2.6%	2.8%	5.6%	94.4%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 56 of 126

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.3%	9.5%	17.7%	82.3%
Grade 7	1.2%	2.4%	6.4%	93.6%
Grade 8	2.9%	5.2%	12.7%	87.3%
Grade 9	4.9%	7.0%	15.2%	84.8%
Grade 10	4.1%	7.1%	18.0%	82.0%
Grade 11	11.2%	16.1%	25.6%	74.4%
Grade 12	17.7%	25.3%	35.9%	64.1%
<b>Marijuana</b>				
All	13.0%	15.6%	20.9%	79.1%
Grade 7	4.0%	5.2%	6.9%	93.1%
Grade 8	6.6%	7.9%	11.4%	88.6%
Grade 9	12.6%	15.3%	20.0%	80.0%
Grade 10	9.2%	13.3%	22.0%	78.0%
Grade 11	23.8%	27.1%	34.7%	65.3%
Grade 12	28.6%	32.6%	40.0%	60.0%
<b>Marijuana Only</b>				
All	9.8%	12.2%	16.5%	83.5%
Grade 7	2.2%	3.3%	4.8%	95.2%
Grade 8	5.3%	6.6%	9.2%	90.8%
Grade 9	11.2%	13.8%	18.5%	81.5%
Grade 10	7.1%	11.0%	18.9%	81.1%
Grade 11	17.1%	20.4%	24.9%	75.1%
Grade 12	20.3%	23.6%	29.7%	70.3%
<b>Cocaine or Crack</b>				
All	0.8%	0.9%	1.0%	99.0%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.8%	1.0%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.4%	0.5%	99.5%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	2.9%	3.1%	3.2%	96.8%
<b>Cocaine</b>				
All	0.7%	0.8%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.3%	0.4%	99.6%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	2.7%	2.8%	2.9%	97.1%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 57 of 126

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.7%	1.2%	1.6%	98.4%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	1.6%	3.4%	4.6%	95.4%
Grade 12	2.5%	3.2%	4.3%	95.7%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	1.4%	98.6%
<b>Steroids</b>				
All	0.4%	0.4%	1.6%	98.4%
Grade 7	1.1%	1.1%	2.0%	98.0%
Grade 8	0.3%	0.5%	1.5%	98.5%
Grade 9	0.1%	0.1%	1.5%	98.5%
Grade 10	0.5%	0.5%	1.6%	98.4%
Grade 11	0.0%	0.0%	2.6%	97.4%
Grade 12	0.3%	0.3%	0.3%	99.7%
<b>Ecstasy</b>				
All	0.4%	0.7%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	1.3%	1.5%	3.9%	96.1%
Grade 12	1.8%	3.2%	3.9%	96.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	0.0%	0.2%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	0.6%	0.8%	1.9%	98.1%
Grade 7	0.5%	0.7%	1.1%	98.9%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	1.0%	1.0%	1.1%	98.9%
Grade 10	0.2%	0.3%	1.6%	98.4%
Grade 11	0.7%	1.5%	3.4%	96.6%
Grade 12	0.4%	0.4%	4.2%	95.8%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.3%	99.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 59 of 126

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.9%	19.6%	31.1%	68.9%
Grade 7	6.5%	8.0%	15.3%	84.7%
Grade 8	9.0%	11.3%	20.7%	79.3%
Grade 9	16.1%	19.9%	31.5%	68.5%
Grade 10	18.9%	23.7%	35.9%	64.1%
Grade 11	19.9%	24.8%	40.4%	59.6%
Grade 12	27.2%	32.6%	46.4%	53.6%
<b>Any Alcohol Product</b>				
All	31.1%	36.3%	53.1%	46.9%
Grade 7	16.1%	18.6%	36.1%	63.9%
Grade 8	21.8%	25.3%	43.5%	56.5%
Grade 9	31.9%	36.1%	53.8%	46.2%
Grade 10	36.5%	43.2%	58.4%	41.6%
Grade 11	36.7%	43.9%	61.8%	38.2%
Grade 12	46.9%	54.2%	68.5%	31.5%
<b>Any Illicit Drug</b>				
All	15.3%	19.3%	25.0%	75.0%
Grade 7	5.8%	7.9%	10.1%	89.9%
Grade 8	10.1%	13.1%	16.2%	83.8%
Grade 9	16.2%	20.0%	24.5%	75.5%
Grade 10	17.6%	22.0%	28.1%	71.9%
Grade 11	19.0%	24.2%	33.4%	66.6%
Grade 12	24.8%	30.8%	40.9%	59.1%
<b>Any Prescription Drug</b>				
All	7.2%	10.6%	18.2%	81.8%
Grade 7	5.6%	7.8%	14.7%	85.3%
Grade 8	7.8%	10.4%	16.5%	83.5%
Grade 9	8.5%	12.1%	19.7%	80.3%
Grade 10	7.1%	10.9%	19.4%	80.6%
Grade 11	7.2%	11.3%	19.4%	80.6%
Grade 12	6.9%	10.8%	19.6%	80.4%
<b>Any Inhalant</b>				
All	4.7%	6.2%	12.1%	87.9%
Grade 7	6.4%	8.0%	14.3%	85.7%
Grade 8	6.0%	7.8%	15.0%	85.0%
Grade 9	5.7%	7.6%	14.0%	86.0%
Grade 10	3.5%	4.9%	10.1%	89.9%
Grade 11	3.1%	4.2%	9.2%	90.8%
Grade 12	3.1%	4.2%	9.4%	90.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 60 of 126

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.3%	15.4%	25.8%	74.2%
Grade 7	4.1%	5.6%	11.1%	88.9%
Grade 8	5.7%	8.4%	16.4%	83.6%
Grade 9	12.5%	16.7%	26.7%	73.3%
Grade 10	13.0%	17.8%	30.5%	69.5%
Grade 11	14.5%	20.1%	33.6%	66.4%
Grade 12	19.5%	25.7%	39.0%	61.0%
<b>Marijuana</b>				
All	15.0%	17.6%	23.5%	76.5%
Grade 7	5.5%	6.3%	8.3%	91.7%
Grade 8	9.9%	11.4%	14.7%	85.3%
Grade 9	16.0%	18.2%	22.8%	77.2%
Grade 10	17.4%	20.4%	26.9%	73.1%
Grade 11	18.6%	22.3%	32.0%	68.0%
Grade 12	24.4%	29.2%	40.0%	60.0%
<b>Marijuana Only</b>				
All	8.8%	10.8%	15.8%	84.2%
Grade 7	2.9%	3.5%	5.3%	94.7%
Grade 8	5.2%	6.3%	9.1%	90.9%
Grade 9	9.3%	10.9%	15.0%	85.0%
Grade 10	10.5%	13.0%	18.4%	81.6%
Grade 11	11.5%	14.2%	22.6%	77.4%
Grade 12	14.5%	18.2%	27.0%	73.0%
<b>Cocaine or Crack</b>				
All	1.7%	2.0%	3.1%	96.9%
Grade 7	0.9%	1.1%	1.4%	98.6%
Grade 8	1.2%	1.4%	1.9%	98.1%
Grade 9	1.9%	2.3%	3.0%	97.0%
Grade 10	1.8%	1.9%	3.4%	96.6%
Grade 11	1.5%	1.9%	3.8%	96.2%
Grade 12	2.7%	3.3%	5.8%	94.2%
<b>Cocaine</b>				
All	1.5%	1.8%	2.9%	97.1%
Grade 7	0.7%	0.8%	1.1%	98.9%
Grade 8	1.1%	1.2%	1.8%	98.2%
Grade 9	1.8%	2.1%	2.7%	97.3%
Grade 10	1.7%	1.9%	3.2%	96.8%
Grade 11	1.4%	1.8%	3.6%	96.4%
Grade 12	2.6%	3.2%	5.5%	94.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 61 of 126



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.8%	0.8%	1.1%	98.9%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.4%	0.8%	99.2%
<b>Hallucinogens</b>				
All	0.9%	1.5%	3.1%	96.9%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.7%	1.6%	98.4%
Grade 9	1.2%	1.8%	3.3%	96.7%
Grade 10	1.2%	1.6%	3.6%	96.4%
Grade 11	1.1%	1.7%	3.8%	96.2%
Grade 12	1.4%	2.9%	6.6%	93.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.2%	99.8%
<b>Steroids</b>				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.3%	0.6%	1.3%	98.7%
Grade 8	0.7%	0.8%	1.5%	98.5%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.1%	0.3%	1.3%	98.7%
Grade 11	0.5%	0.6%	1.4%	98.6%
Grade 12	0.3%	0.4%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.8%	1.2%	2.6%	97.4%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	1.4%	1.9%	2.9%	97.1%
Grade 10	0.9%	1.5%	3.0%	97.0%
Grade 11	0.8%	1.3%	3.3%	96.7%
Grade 12	1.1%	1.9%	4.6%	95.4%

*Percentages have been weighted to reflect proportions within the population.*

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.4%	0.6%	0.9%	99.1%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.2%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	1.4%	2.0%	4.2%	95.8%
Grade 7	0.8%	1.3%	2.2%	97.8%
Grade 8	1.3%	2.0%	3.7%	96.3%
Grade 9	2.1%	2.7%	5.1%	94.9%
Grade 10	1.4%	2.2%	4.4%	95.6%
Grade 11	1.4%	1.9%	4.8%	95.2%
Grade 12	1.1%	1.9%	5.0%	95.0%
<b>Methamphetamine</b>				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.6%	0.8%	1.4%	98.6%
Grade 10	0.3%	0.6%	0.9%	99.1%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.2%	0.5%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 63 of 126

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.6%	15.8%	24.5%	75.5%
Grade 7	2.7%	3.4%	8.3%	91.7%
Grade 8	6.3%	8.9%	16.0%	84.0%
Grade 9	9.5%	12.2%	21.0%	79.0%
Grade 10	15.0%	19.0%	27.4%	72.6%
Grade 11	17.1%	20.9%	32.3%	67.7%
Grade 12	26.2%	31.9%	43.3%	56.7%
<b>Any Alcohol Product</b>				
All	24.0%	29.6%	47.5%	52.5%
Grade 7	9.5%	11.6%	27.4%	72.6%
Grade 8	16.7%	20.0%	39.3%	60.7%
Grade 9	19.6%	24.5%	42.6%	57.4%
Grade 10	26.4%	34.0%	50.8%	49.2%
Grade 11	29.8%	37.4%	58.3%	41.7%
Grade 12	43.5%	51.8%	68.7%	31.3%
<b>Any Illicit Drug</b>				
All	8.6%	12.0%	16.5%	83.5%
Grade 7	1.3%	2.8%	4.2%	95.8%
Grade 8	3.9%	5.8%	7.9%	92.1%
Grade 9	7.0%	10.3%	13.8%	86.2%
Grade 10	8.2%	11.1%	15.7%	84.3%
Grade 11	13.3%	17.0%	24.0%	76.0%
Grade 12	18.7%	26.0%	34.5%	65.5%
<b>Any Prescription Drug</b>				
All	5.2%	8.3%	14.5%	85.5%
Grade 7	4.6%	6.9%	13.2%	86.8%
Grade 8	5.9%	8.3%	13.6%	86.4%
Grade 9	4.7%	7.7%	12.6%	87.4%
Grade 10	5.3%	9.5%	14.9%	85.1%
Grade 11	6.1%	9.2%	16.4%	83.6%
Grade 12	5.0%	8.4%	16.6%	83.4%
<b>Any Inhalant</b>				
All	2.6%	4.0%	9.0%	91.0%
Grade 7	2.9%	4.4%	9.7%	90.3%
Grade 8	4.4%	7.0%	13.2%	86.8%
Grade 9	2.7%	3.9%	9.5%	90.5%
Grade 10	1.4%	2.4%	6.8%	93.2%
Grade 11	2.3%	3.5%	7.7%	92.3%
Grade 12	2.0%	2.8%	6.8%	93.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 64 of 126

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.1%	13.5%	21.1%	78.9%
Grade 7	1.3%	2.3%	5.8%	94.2%
Grade 8	4.5%	7.1%	13.0%	87.0%
Grade 9	7.9%	10.7%	18.2%	81.8%
Grade 10	12.2%	16.4%	24.0%	76.0%
Grade 11	13.6%	17.2%	28.5%	71.5%
Grade 12	22.0%	28.3%	38.5%	61.5%
<b>Marijuana</b>				
All	8.4%	10.5%	15.2%	84.8%
Grade 7	1.1%	1.6%	2.6%	97.4%
Grade 8	3.6%	4.6%	6.8%	93.2%
Grade 9	6.8%	8.4%	12.1%	87.9%
Grade 10	8.0%	9.8%	14.7%	85.3%
Grade 11	13.0%	15.3%	23.0%	77.0%
Grade 12	18.4%	24.2%	33.4%	66.6%
<b>Marijuana Only</b>				
All	5.5%	7.2%	11.3%	88.7%
Grade 7	0.4%	0.8%	1.7%	98.3%
Grade 8	2.2%	3.1%	4.9%	95.1%
Grade 9	4.1%	5.3%	8.3%	91.7%
Grade 10	5.4%	6.8%	11.2%	88.8%
Grade 11	9.4%	11.2%	17.9%	82.1%
Grade 12	11.8%	16.7%	24.9%	75.1%
<b>Cocaine or Crack</b>				
All	0.7%	1.0%	1.7%	98.3%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.7%	0.9%	1.7%	98.3%
Grade 10	0.5%	0.8%	1.3%	98.7%
Grade 11	0.5%	1.0%	1.7%	98.3%
Grade 12	1.9%	2.6%	4.2%	95.8%
<b>Cocaine</b>				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.7%	0.8%	1.6%	98.4%
Grade 10	0.4%	0.7%	1.2%	98.8%
Grade 11	0.5%	0.9%	1.7%	98.3%
Grade 12	1.8%	2.6%	4.1%	95.9%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 65 of 126

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.3%	0.4%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.2%	0.3%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.5%	0.9%	2.0%	98.0%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.4%	0.7%	1.5%	98.5%
Grade 10	0.3%	0.8%	1.8%	98.2%
Grade 11	0.9%	1.5%	2.7%	97.3%
Grade 12	1.1%	2.3%	5.1%	94.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.2%	0.3%	1.0%	99.0%
Grade 8	0.3%	0.5%	1.4%	98.6%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.1%	0.3%	1.1%	98.9%
Grade 11	0.2%	0.3%	1.7%	98.3%
Grade 12	0.3%	0.4%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.4%	0.9%	1.6%	98.4%
Grade 10	0.1%	0.4%	0.9%	99.1%
Grade 11	0.5%	0.9%	1.5%	98.5%
Grade 12	0.8%	1.2%	2.7%	97.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 66 of 126

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.1%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	0.3%	0.6%	1.7%	98.3%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.6%	1.1%	98.9%
Grade 9	0.7%	0.9%	2.2%	97.8%
Grade 10	0.4%	0.7%	1.4%	98.6%
Grade 11	0.2%	0.5%	2.3%	97.7%
Grade 12	0.3%	0.6%	2.4%	97.6%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.5%	0.5%	0.8%	99.2%
Grade 12	0.3%	0.4%	0.7%	99.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 67 of 126

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.1%	21.8%	33.0%	67.0%
Grade 7	7.0%	8.6%	16.4%	83.6%
Grade 8	10.1%	12.5%	22.8%	77.2%
Grade 9	17.4%	21.9%	33.0%	67.0%
Grade 10	21.5%	26.7%	39.0%	61.0%
Grade 11	25.5%	30.3%	44.4%	55.6%
Grade 12	31.9%	36.6%	48.6%	51.4%
<b>Any Alcohol Product</b>				
All	31.2%	36.6%	53.4%	46.6%
Grade 7	17.1%	19.8%	37.7%	62.3%
Grade 8	22.4%	26.6%	44.6%	55.4%
Grade 9	31.4%	36.0%	53.5%	46.5%
Grade 10	36.7%	42.8%	58.7%	41.3%
Grade 11	37.7%	46.4%	63.4%	36.6%
Grade 12	47.6%	54.7%	68.1%	31.9%
<b>Any Illicit Drug</b>				
All	16.3%	20.7%	26.9%	73.1%
Grade 7	5.8%	8.2%	10.6%	89.4%
Grade 8	10.3%	13.2%	16.6%	83.4%
Grade 9	16.3%	20.8%	26.1%	73.9%
Grade 10	18.6%	23.5%	31.4%	68.6%
Grade 11	22.8%	28.8%	38.3%	61.7%
Grade 12	28.5%	34.5%	44.8%	55.2%
<b>Any Prescription Drug</b>				
All	7.9%	11.4%	20.4%	79.6%
Grade 7	6.8%	8.8%	15.8%	84.2%
Grade 8	7.8%	10.5%	17.5%	82.5%
Grade 9	9.0%	12.8%	21.9%	78.1%
Grade 10	8.1%	12.0%	21.5%	78.5%
Grade 11	7.0%	11.5%	22.8%	77.2%
Grade 12	8.7%	13.4%	24.1%	75.9%
<b>Any Inhalant</b>				
All	5.1%	6.8%	13.3%	86.7%
Grade 7	6.8%	8.2%	14.9%	85.1%
Grade 8	6.5%	8.3%	14.8%	85.2%
Grade 9	5.6%	7.7%	14.9%	85.1%
Grade 10	3.7%	5.1%	11.2%	88.8%
Grade 11	3.5%	5.2%	11.4%	88.6%
Grade 12	3.9%	5.4%	12.0%	88.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 68 of 126

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.0%	17.4%	27.8%	72.2%
Grade 7	4.4%	6.1%	12.2%	87.8%
Grade 8	6.3%	9.1%	17.6%	82.4%
Grade 9	13.3%	18.1%	28.4%	71.6%
Grade 10	14.9%	20.2%	33.2%	66.8%
Grade 11	18.9%	25.2%	38.7%	61.3%
Grade 12	24.0%	30.0%	42.4%	57.6%
<b>Marijuana</b>				
All	16.0%	18.9%	25.4%	74.6%
Grade 7	5.4%	6.4%	8.7%	91.3%
Grade 8	10.0%	11.5%	15.0%	85.0%
Grade 9	16.2%	19.0%	24.6%	75.4%
Grade 10	18.5%	22.1%	30.2%	69.8%
Grade 11	21.9%	26.6%	36.8%	63.2%
Grade 12	28.2%	32.8%	43.9%	56.1%
<b>Marijuana Only</b>				
All	9.4%	11.7%	17.1%	82.9%
Grade 7	2.9%	3.9%	5.5%	94.5%
Grade 8	5.4%	6.5%	9.4%	90.6%
Grade 9	10.2%	12.5%	17.5%	82.5%
Grade 10	10.7%	13.8%	20.9%	79.1%
Grade 11	13.3%	16.8%	25.2%	74.8%
Grade 12	16.6%	20.0%	28.7%	71.3%
<b>Cocaine or Crack</b>				
All	1.7%	1.9%	3.2%	96.8%
Grade 7	0.9%	1.0%	1.2%	98.8%
Grade 8	1.3%	1.4%	2.2%	97.8%
Grade 9	1.4%	1.6%	2.3%	97.7%
Grade 10	1.9%	2.0%	3.6%	96.4%
Grade 11	2.2%	2.5%	4.4%	95.6%
Grade 12	3.1%	3.6%	6.3%	93.7%
<b>Cocaine</b>				
All	1.6%	1.8%	2.9%	97.1%
Grade 7	0.7%	0.8%	0.9%	99.1%
Grade 8	1.0%	1.2%	1.8%	98.2%
Grade 9	1.3%	1.5%	2.1%	97.9%
Grade 10	1.8%	2.0%	3.3%	96.7%
Grade 11	2.1%	2.4%	4.4%	95.6%
Grade 12	2.9%	3.4%	6.0%	94.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 69 of 126



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.3%	0.4%	0.7%	99.3%
Grade 12	0.4%	0.4%	1.1%	98.9%
<b>Hallucinogens</b>				
All	1.0%	1.7%	3.6%	96.4%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.8%	1.5%	98.5%
Grade 9	0.9%	1.5%	2.9%	97.1%
Grade 10	1.4%	2.0%	4.7%	95.3%
Grade 11	1.4%	2.7%	5.5%	94.5%
Grade 12	1.8%	3.5%	8.2%	91.8%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.4%	99.6%
<b>Steroids</b>				
All	0.5%	0.7%	1.6%	98.4%
Grade 7	0.5%	0.8%	1.8%	98.2%
Grade 8	0.5%	0.8%	1.5%	98.5%
Grade 9	0.5%	0.7%	1.7%	98.3%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	0.6%	0.9%	1.8%	98.2%
Grade 12	0.3%	0.5%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.8%	1.2%	2.6%	97.4%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.4%	98.6%
Grade 9	1.0%	1.2%	2.2%	97.8%
Grade 10	1.2%	1.7%	3.2%	96.8%
Grade 11	1.0%	1.6%	4.1%	95.9%
Grade 12	0.9%	2.3%	4.9%	95.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.8%	99.2%
Grade 11	0.3%	0.4%	0.6%	99.4%
Grade 12	0.1%	0.2%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.3%	1.9%	4.2%	95.8%
Grade 7	0.7%	1.2%	2.0%	98.0%
Grade 8	1.5%	2.1%	3.7%	96.3%
Grade 9	1.7%	2.2%	4.7%	95.3%
Grade 10	1.4%	2.0%	4.5%	95.5%
Grade 11	1.6%	2.4%	5.5%	94.5%
Grade 12	1.1%	1.7%	5.5%	94.5%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.4%	0.7%	1.2%	98.8%
Grade 10	0.3%	0.6%	1.2%	98.8%
Grade 11	0.4%	0.5%	1.1%	98.9%
Grade 12	0.2%	0.4%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 71 of 126

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.0%	17.2%	26.2%	73.8%
Grade 7	4.4%	5.5%	10.4%	89.6%
Grade 8	6.9%	8.6%	15.8%	84.2%
Grade 9	12.0%	15.3%	24.5%	75.5%
Grade 10	17.8%	22.3%	32.0%	68.0%
Grade 11	19.7%	23.8%	36.0%	64.0%
Grade 12	27.2%	32.1%	44.3%	55.7%
<b>Any Alcohol Product</b>				
All	26.0%	31.1%	47.4%	52.6%
Grade 7	12.3%	14.6%	31.0%	69.0%
Grade 8	17.6%	21.0%	37.9%	62.1%
Grade 9	23.7%	28.0%	44.8%	55.2%
Grade 10	31.3%	37.1%	52.8%	47.2%
Grade 11	32.3%	40.5%	58.7%	41.3%
Grade 12	44.4%	51.6%	65.4%	34.6%
<b>Any Illicit Drug</b>				
All	10.5%	14.1%	18.7%	81.3%
Grade 7	2.9%	4.6%	6.3%	93.7%
Grade 8	5.3%	7.4%	9.7%	90.3%
Grade 9	9.8%	13.4%	17.0%	83.0%
Grade 10	11.8%	15.4%	20.4%	79.6%
Grade 11	15.1%	19.6%	27.5%	72.5%
Grade 12	21.1%	27.7%	36.3%	63.7%
<b>Any Prescription Drug</b>				
All	6.1%	9.0%	16.1%	83.9%
Grade 7	5.9%	8.0%	14.2%	85.8%
Grade 8	6.0%	8.2%	14.0%	86.0%
Grade 9	6.6%	9.9%	16.3%	83.7%
Grade 10	5.7%	8.9%	15.9%	84.1%
Grade 11	6.0%	9.0%	17.8%	82.2%
Grade 12	6.7%	10.3%	18.8%	81.2%
<b>Any Inhalant</b>				
All	3.9%	5.2%	10.8%	89.2%
Grade 7	5.0%	6.3%	12.4%	87.6%
Grade 8	4.8%	6.6%	12.6%	87.4%
Grade 9	4.3%	5.7%	11.7%	88.3%
Grade 10	3.1%	4.4%	9.3%	90.7%
Grade 11	2.9%	4.0%	8.9%	91.1%
Grade 12	2.6%	3.8%	8.8%	91.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 72 of 126

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.5%	14.1%	22.3%	77.7%
Grade 7	2.4%	3.8%	7.7%	92.3%
Grade 8	4.5%	6.3%	12.0%	88.0%
Grade 9	9.3%	13.2%	21.1%	78.9%
Grade 10	13.4%	18.2%	27.8%	72.2%
Grade 11	14.9%	19.6%	31.2%	68.8%
Grade 12	21.6%	27.7%	39.2%	60.8%
<b>Marijuana</b>				
All	10.2%	12.4%	17.3%	82.7%
Grade 7	2.6%	3.3%	4.7%	95.3%
Grade 8	5.0%	6.1%	8.4%	91.6%
Grade 9	9.6%	11.3%	15.3%	84.7%
Grade 10	11.7%	14.0%	19.3%	80.7%
Grade 11	14.5%	17.3%	25.9%	74.1%
Grade 12	20.9%	25.8%	35.4%	64.6%
<b>Marijuana Only</b>				
All	6.4%	8.1%	12.3%	87.7%
Grade 7	1.4%	2.0%	3.0%	97.0%
Grade 8	2.9%	3.6%	5.6%	94.4%
Grade 9	6.0%	7.4%	10.9%	89.1%
Grade 10	7.2%	9.3%	13.8%	86.2%
Grade 11	9.6%	11.6%	19.1%	80.9%
Grade 12	13.0%	17.0%	25.2%	74.8%
<b>Cocaine or Crack</b>				
All	1.0%	1.2%	2.0%	98.0%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	1.1%	1.3%	1.7%	98.3%
Grade 10	1.0%	1.1%	2.1%	97.9%
Grade 11	1.2%	1.4%	2.6%	97.4%
Grade 12	1.8%	2.2%	4.3%	95.7%
<b>Cocaine</b>				
All	0.9%	1.0%	1.8%	98.2%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	1.0%	1.2%	1.6%	98.4%
Grade 10	0.9%	1.0%	1.9%	98.1%
Grade 11	1.0%	1.2%	2.4%	97.6%
Grade 12	1.7%	2.1%	4.1%	95.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.6%	1.1%	2.3%	97.7%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.6%	1.0%	1.7%	98.3%
Grade 10	0.7%	1.1%	2.5%	97.5%
Grade 11	0.9%	1.7%	3.4%	96.6%
Grade 12	1.3%	2.5%	5.7%	94.3%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.1%	0.1%	99.9%
<b>Steroids</b>				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.1%	0.5%	1.1%	98.9%
Grade 8	0.3%	0.6%	1.3%	98.7%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	0.3%	0.4%	1.4%	98.6%
Grade 11	0.5%	0.7%	1.7%	98.3%
Grade 12	0.2%	0.4%	0.9%	99.1%
<b>Ecstasy</b>				
All	0.4%	0.7%	1.6%	98.4%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.7%	0.8%	1.4%	98.6%
Grade 10	0.5%	0.9%	1.8%	98.2%
Grade 11	0.5%	0.9%	2.4%	97.6%
Grade 12	0.7%	1.4%	3.2%	96.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 74 of 126

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	0.8%	1.1%	2.3%	97.7%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.6%	1.1%	1.8%	98.2%
Grade 9	1.1%	1.5%	2.7%	97.3%
Grade 10	0.9%	1.2%	2.7%	97.3%
Grade 11	0.8%	1.2%	3.1%	96.9%
Grade 12	1.0%	1.2%	3.2%	96.8%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.1%	0.3%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 75 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	20.1%	24.3%	36.9%	63.1%
Grade 7	7.9%	9.5%	20.3%	79.7%
Grade 8	12.4%	15.6%	28.2%	71.8%
Grade 9	19.1%	24.0%	36.8%	63.2%
Grade 10	21.8%	26.8%	40.1%	59.9%
Grade 11	26.4%	31.4%	45.6%	54.4%
Grade 12	33.4%	39.1%	50.8%	49.2%
<b>Any Alcohol Product</b>				
All	33.7%	39.7%	58.0%	42.0%
Grade 7	19.5%	22.0%	40.7%	59.3%
Grade 8	25.0%	29.3%	50.0%	50.0%
Grade 9	34.0%	39.2%	58.4%	41.6%
Grade 10	35.7%	43.5%	60.7%	39.3%
Grade 11	39.1%	47.4%	65.9%	34.1%
Grade 12	49.5%	57.5%	72.8%	27.2%
<b>Any Illicit Drug</b>				
All	19.5%	24.3%	31.2%	68.8%
Grade 7	6.9%	9.6%	12.7%	87.3%
Grade 8	12.7%	15.8%	19.9%	80.1%
Grade 9	19.9%	24.7%	30.6%	69.4%
Grade 10	20.5%	26.3%	35.3%	64.7%
Grade 11	26.6%	32.8%	42.2%	57.8%
Grade 12	30.6%	36.6%	46.9%	53.1%
<b>Any Prescription Drug</b>				
All	8.6%	12.9%	22.3%	77.7%
Grade 7	6.5%	8.9%	16.2%	83.8%
Grade 8	9.1%	12.0%	19.7%	80.3%
Grade 9	10.1%	14.2%	23.1%	76.9%
Grade 10	8.8%	14.4%	25.0%	75.0%
Grade 11	8.1%	13.3%	24.3%	75.7%
Grade 12	8.6%	14.4%	25.4%	74.6%
<b>Any Inhalant</b>				
All	4.7%	6.5%	13.2%	86.8%
Grade 7	6.4%	8.2%	15.3%	84.7%
Grade 8	7.1%	9.2%	16.4%	83.6%
Grade 9	5.0%	7.2%	14.6%	85.4%
Grade 10	2.8%	4.3%	10.4%	89.6%
Grade 11	3.1%	5.1%	11.6%	88.4%
Grade 12	3.9%	5.2%	10.7%	89.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 76 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	14.8%	19.5%	31.3%	68.7%
Grade 7	4.7%	6.4%	14.6%	85.4%
Grade 8	7.7%	11.6%	22.9%	77.1%
Grade 9	15.3%	20.0%	31.5%	68.5%
Grade 10	15.7%	21.0%	34.4%	65.6%
Grade 11	19.9%	26.2%	40.2%	59.8%
Grade 12	25.6%	32.0%	44.1%	55.9%
<b>Marijuana</b>				
All	19.1%	22.7%	29.9%	70.1%
Grade 7	6.5%	7.8%	10.5%	89.5%
Grade 8	12.2%	14.1%	18.5%	81.5%
Grade 9	19.8%	23.3%	29.4%	70.6%
Grade 10	20.2%	24.7%	33.8%	66.2%
Grade 11	25.8%	31.0%	41.3%	58.7%
Grade 12	30.2%	35.2%	46.0%	54.0%
<b>Marijuana Only</b>				
All	11.1%	13.9%	19.9%	80.1%
Grade 7	3.5%	4.7%	6.8%	93.2%
Grade 8	6.4%	8.0%	11.5%	88.5%
Grade 9	12.2%	14.7%	20.1%	79.9%
Grade 10	11.7%	15.3%	23.6%	76.4%
Grade 11	15.3%	19.6%	27.9%	72.1%
Grade 12	17.3%	21.0%	29.6%	70.4%
<b>Cocaine or Crack</b>				
All	2.0%	2.4%	3.8%	96.2%
Grade 7	0.9%	1.0%	1.3%	98.7%
Grade 8	1.6%	1.8%	2.6%	97.4%
Grade 9	1.3%	1.6%	2.8%	97.2%
Grade 10	2.0%	2.3%	3.7%	96.3%
Grade 11	2.3%	2.8%	5.1%	94.9%
Grade 12	3.8%	4.8%	7.6%	92.4%
<b>Cocaine</b>				
All	1.8%	2.2%	3.6%	96.4%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	1.3%	1.6%	2.3%	97.7%
Grade 9	1.3%	1.5%	2.6%	97.4%
Grade 10	1.9%	2.2%	3.6%	96.4%
Grade 11	2.3%	2.8%	5.1%	94.9%
Grade 12	3.6%	4.6%	7.4%	92.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 77 of 126



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.5%	0.9%	99.1%
Grade 10	0.4%	0.5%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.4%	0.5%	1.4%	98.6%
<b>Hallucinogens</b>				
All	1.2%	2.2%	4.5%	95.5%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	0.5%	0.9%	1.6%	98.4%
Grade 9	1.1%	1.9%	3.8%	96.2%
Grade 10	1.4%	2.2%	5.2%	94.8%
Grade 11	1.8%	3.4%	6.3%	93.7%
Grade 12	2.2%	4.4%	9.2%	90.8%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.4%	0.4%	0.9%	99.1%
<b>Steroids</b>				
All	0.5%	0.7%	1.8%	98.2%
Grade 7	0.7%	0.9%	2.1%	97.9%
Grade 8	0.8%	1.0%	1.8%	98.2%
Grade 9	0.5%	0.7%	1.9%	98.1%
Grade 10	0.2%	0.4%	1.6%	98.4%
Grade 11	0.6%	0.7%	1.7%	98.3%
Grade 12	0.5%	0.8%	1.9%	98.1%
<b>Ecstasy</b>				
All	1.0%	1.5%	3.1%	96.9%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.6%	98.4%
Grade 9	1.2%	1.8%	3.0%	97.0%
Grade 10	1.1%	1.4%	3.4%	96.6%
Grade 11	1.4%	2.0%	4.4%	95.6%
Grade 12	1.5%	2.8%	5.8%	94.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.2%	0.3%	0.7%	99.3%
Grade 11	0.4%	0.5%	0.9%	99.1%
Grade 12	0.1%	0.3%	0.6%	99.4%
Synthetic Marijuana				
All	1.4%	2.2%	5.2%	94.8%
Grade 7	1.0%	1.8%	2.8%	97.2%
Grade 8	1.6%	2.4%	4.5%	95.5%
Grade 9	2.1%	2.6%	6.1%	93.9%
Grade 10	1.3%	2.2%	5.1%	94.9%
Grade 11	1.8%	2.6%	6.4%	93.6%
Grade 12	0.7%	1.5%	5.9%	94.1%
Methamphetamine				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.7%	0.9%	1.7%	98.3%
Grade 10	0.3%	0.7%	1.3%	98.7%
Grade 11	0.6%	0.7%	1.1%	98.9%
Grade 12	0.5%	0.7%	2.1%	97.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.9%	18.3%	28.4%	71.6%
Grade 7	4.4%	5.6%	12.0%	88.0%
Grade 8	7.9%	9.9%	19.1%	80.9%
Grade 9	12.4%	16.2%	26.0%	74.0%
Grade 10	18.2%	22.5%	33.3%	66.7%
Grade 11	21.1%	25.7%	38.7%	61.3%
Grade 12	29.1%	34.4%	46.1%	53.9%
<b>Any Alcohol Product</b>				
All	27.2%	32.6%	50.3%	49.7%
Grade 7	12.9%	15.2%	32.6%	67.4%
Grade 8	18.5%	21.8%	40.7%	59.3%
Grade 9	25.0%	29.7%	47.7%	52.3%
Grade 10	33.0%	39.6%	56.0%	44.0%
Grade 11	33.4%	42.0%	61.7%	38.3%
Grade 12	45.2%	53.1%	68.0%	32.0%
<b>Any Illicit Drug</b>				
All	12.2%	16.0%	21.1%	78.9%
Grade 7	3.2%	4.9%	6.9%	93.1%
Grade 8	6.8%	9.0%	11.8%	88.2%
Grade 9	11.3%	15.1%	19.2%	80.8%
Grade 10	13.5%	18.2%	24.0%	76.0%
Grade 11	17.1%	22.3%	30.7%	69.3%
Grade 12	24.2%	30.3%	39.0%	61.0%
<b>Any Prescription Drug</b>				
All	6.3%	9.5%	16.9%	83.1%
Grade 7	5.7%	7.7%	14.0%	86.0%
Grade 8	6.5%	8.8%	14.9%	85.1%
Grade 9	6.7%	10.0%	17.4%	82.6%
Grade 10	6.1%	9.9%	17.7%	82.3%
Grade 11	6.1%	9.9%	18.2%	81.8%
Grade 12	6.9%	11.0%	19.7%	80.3%
<b>Any Inhalant</b>				
All	3.6%	4.9%	10.6%	89.4%
Grade 7	4.5%	5.8%	12.0%	88.0%
Grade 8	5.1%	6.8%	12.8%	87.2%
Grade 9	3.7%	4.9%	10.8%	89.2%
Grade 10	2.6%	3.9%	9.3%	90.7%
Grade 11	2.5%	3.7%	9.4%	90.6%
Grade 12	2.6%	3.7%	8.5%	91.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 80 of 126

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.1%	15.0%	24.1%	75.9%
Grade 7	2.5%	3.9%	8.9%	91.1%
Grade 8	5.1%	7.2%	14.9%	85.1%
Grade 9	9.6%	13.6%	22.2%	77.8%
Grade 10	13.3%	18.1%	28.7%	71.3%
Grade 11	16.3%	21.7%	34.0%	66.0%
Grade 12	22.8%	29.2%	40.4%	59.6%
<b>Marijuana</b>				
All	11.9%	14.5%	19.9%	80.1%
Grade 7	2.9%	3.7%	5.4%	94.6%
Grade 8	6.5%	7.6%	10.6%	89.4%
Grade 9	11.1%	13.3%	17.8%	82.2%
Grade 10	13.3%	16.6%	22.9%	77.1%
Grade 11	16.6%	20.5%	29.5%	70.5%
Grade 12	24.1%	28.8%	38.3%	61.7%
<b>Marijuana Only</b>				
All	7.5%	9.6%	14.3%	85.7%
Grade 7	1.7%	2.3%	3.6%	96.4%
Grade 8	3.7%	4.5%	7.0%	93.0%
Grade 9	7.5%	9.2%	13.3%	86.7%
Grade 10	8.6%	11.4%	17.0%	83.0%
Grade 11	10.6%	13.7%	21.3%	78.7%
Grade 12	15.1%	18.9%	27.1%	72.9%
<b>Cocaine or Crack</b>				
All	1.0%	1.3%	2.2%	97.8%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.9%	1.0%	1.6%	98.4%
Grade 9	0.8%	1.0%	1.6%	98.4%
Grade 10	1.1%	1.3%	2.1%	97.9%
Grade 11	1.2%	1.4%	3.0%	97.0%
Grade 12	2.2%	2.7%	5.1%	94.9%
<b>Cocaine</b>				
All	1.0%	1.2%	2.1%	97.9%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.7%	0.8%	1.3%	98.7%
Grade 9	0.8%	1.0%	1.6%	98.4%
Grade 10	1.0%	1.2%	2.1%	97.9%
Grade 11	1.1%	1.4%	2.9%	97.1%
Grade 12	2.1%	2.6%	5.0%	95.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 81 of 126

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.2%	0.3%	0.7%	99.3%
<b>Hallucinogens</b>				
All	0.6%	1.2%	2.6%	97.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.5%	1.0%	99.0%
Grade 9	0.5%	0.8%	1.8%	98.2%
Grade 10	0.7%	1.3%	2.9%	97.1%
Grade 11	1.0%	1.9%	4.1%	95.9%
Grade 12	1.3%	2.9%	6.0%	94.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.1%	0.2%	99.8%
<b>Steroids</b>				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.2%	0.5%	1.2%	98.8%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.4%	0.5%	1.2%	98.8%
Grade 10	0.2%	0.3%	1.2%	98.8%
Grade 11	0.4%	0.5%	1.4%	98.6%
Grade 12	0.1%	0.3%	1.0%	99.0%
<b>Ecstasy</b>				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.6%	1.0%	1.4%	98.6%
Grade 10	0.5%	0.8%	2.0%	98.0%
Grade 11	0.6%	1.1%	2.6%	97.4%
Grade 12	0.8%	1.5%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	0.8%	1.2%	2.8%	97.2%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.9%	1.3%	2.3%	97.7%
Grade 9	1.0%	1.4%	2.9%	97.1%
Grade 10	0.7%	1.1%	2.9%	97.1%
Grade 11	0.9%	1.5%	3.9%	96.1%
Grade 12	0.8%	1.3%	3.8%	96.2%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.4%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 83 of 126

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	24.7%	29.2%	41.1%	58.9%
Grade 7	14.4%	15.9%	27.1%	72.9%
Grade 8	15.8%	19.8%	30.4%	69.6%
Grade 9	25.5%	30.8%	43.1%	56.9%
Grade 10	26.4%	32.1%	44.1%	55.9%
Grade 11	31.3%	35.9%	49.0%	51.0%
Grade 12	31.1%	36.0%	47.7%	52.3%
<b>Any Alcohol Product</b>				
All	39.6%	45.9%	60.9%	39.1%
Grade 7	29.0%	32.3%	49.5%	50.5%
Grade 8	32.0%	39.1%	55.0%	45.0%
Grade 9	39.9%	44.7%	61.5%	38.5%
Grade 10	37.3%	45.2%	61.0%	39.0%
Grade 11	45.3%	52.5%	65.2%	34.8%
Grade 12	50.6%	57.5%	69.7%	30.3%
<b>Any Illicit Drug</b>				
All	23.0%	28.6%	36.2%	63.8%
Grade 7	11.3%	16.2%	19.8%	80.2%
Grade 8	15.8%	21.0%	25.4%	74.6%
Grade 9	23.4%	28.9%	35.5%	64.5%
Grade 10	23.4%	27.5%	35.1%	64.9%
Grade 11	31.7%	37.9%	47.3%	52.7%
Grade 12	28.5%	36.4%	48.6%	51.4%
<b>Any Prescription Drug</b>				
All	11.1%	16.1%	26.6%	73.4%
Grade 7	9.5%	13.8%	22.6%	77.4%
Grade 8	11.8%	15.1%	23.6%	76.4%
Grade 9	14.2%	18.7%	26.1%	73.9%
Grade 10	11.1%	17.0%	26.7%	73.3%
Grade 11	10.4%	15.0%	31.5%	68.5%
Grade 12	9.4%	16.1%	27.4%	72.6%
<b>Any Inhalant</b>				
All	7.5%	10.2%	17.7%	82.3%
Grade 7	12.2%	15.1%	23.8%	76.2%
Grade 8	8.9%	12.8%	21.9%	78.1%
Grade 9	9.3%	12.4%	21.7%	78.3%
Grade 10	4.2%	6.3%	12.9%	87.1%
Grade 11	6.4%	9.2%	14.6%	85.4%
Grade 12	5.4%	7.1%	13.5%	86.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 84 of 126

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	17.9%	23.3%	34.8%	65.2%
Grade 7	9.3%	10.9%	19.5%	80.5%
Grade 8	10.0%	15.1%	24.1%	75.9%
Grade 9	20.1%	26.4%	37.8%	62.2%
Grade 10	19.4%	25.7%	38.0%	62.0%
Grade 11	21.4%	27.2%	42.7%	57.3%
Grade 12	23.6%	30.0%	40.9%	59.1%
<b>Marijuana</b>				
All	22.2%	26.0%	33.6%	66.4%
Grade 7	10.6%	13.0%	16.1%	83.9%
Grade 8	15.0%	18.1%	22.0%	78.0%
Grade 9	22.8%	26.1%	32.6%	67.4%
Grade 10	23.1%	26.1%	33.3%	66.7%
Grade 11	29.9%	34.2%	44.6%	55.4%
Grade 12	28.0%	34.3%	47.0%	53.0%
<b>Marijuana Only</b>				
All	12.5%	15.4%	21.8%	78.2%
Grade 7	5.5%	7.5%	10.4%	89.6%
Grade 8	8.3%	11.1%	14.8%	85.2%
Grade 9	11.4%	13.8%	19.6%	80.4%
Grade 10	12.1%	14.5%	21.2%	78.8%
Grade 11	18.4%	21.6%	30.5%	69.5%
Grade 12	16.9%	21.4%	31.0%	69.0%
<b>Cocaine or Crack</b>				
All	3.0%	3.4%	5.0%	95.0%
Grade 7	1.7%	2.1%	2.7%	97.3%
Grade 8	1.5%	1.7%	2.2%	97.8%
Grade 9	3.2%	3.4%	4.4%	95.6%
Grade 10	2.8%	3.0%	5.8%	94.2%
Grade 11	4.4%	4.9%	6.8%	93.2%
Grade 12	3.7%	4.4%	6.9%	93.1%
<b>Cocaine</b>				
All	2.6%	3.0%	4.4%	95.6%
Grade 7	1.3%	1.6%	2.2%	97.8%
Grade 8	1.4%	1.5%	1.9%	98.1%
Grade 9	2.7%	2.9%	3.7%	96.3%
Grade 10	2.6%	2.8%	5.1%	94.9%
Grade 11	3.8%	4.4%	6.3%	93.7%
Grade 12	3.5%	4.3%	6.2%	93.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.9%	1.5%	98.5%
Grade 7	1.0%	1.2%	1.6%	98.4%
Grade 8	0.5%	0.6%	1.2%	98.8%
Grade 9	1.0%	1.1%	1.5%	98.5%
Grade 10	0.6%	0.6%	1.8%	98.2%
Grade 11	1.4%	1.4%	1.9%	98.1%
Grade 12	0.2%	0.2%	1.0%	99.0%
<b>Hallucinogens</b>				
All	1.8%	2.9%	5.6%	94.4%
Grade 7	0.5%	0.8%	1.5%	98.5%
Grade 8	0.9%	1.2%	1.9%	98.1%
Grade 9	1.7%	3.2%	5.9%	94.1%
Grade 10	1.9%	2.9%	5.3%	94.7%
Grade 11	2.1%	4.2%	6.7%	93.3%
Grade 12	3.1%	4.2%	10.5%	89.5%
<b>Synthetic Cathinones</b>				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.2%	0.9%	1.7%	98.3%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.8%	0.8%	1.2%	98.8%
<b>Steroids</b>				
All	0.8%	1.2%	2.7%	97.3%
Grade 7	0.7%	1.4%	2.7%	97.3%
Grade 8	1.1%	2.0%	3.8%	96.2%
Grade 9	0.7%	1.0%	1.9%	98.1%
Grade 10	0.2%	0.7%	3.1%	96.9%
Grade 11	1.3%	1.7%	3.4%	96.6%
Grade 12	0.6%	0.7%	1.4%	98.6%
<b>Ecstasy</b>				
All	1.5%	2.0%	4.2%	95.8%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.8%	1.7%	98.3%
Grade 9	2.1%	2.2%	5.1%	94.9%
Grade 10	1.9%	2.1%	4.1%	95.9%
Grade 11	2.0%	2.9%	6.1%	93.9%
Grade 12	2.0%	3.4%	6.3%	93.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	0.7%	0.8%	1.4%	98.6%
Grade 9	0.5%	0.6%	1.0%	99.0%
Grade 10	0.1%	0.3%	1.0%	99.0%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.0%	0.1%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	2.2%	2.8%	6.4%	93.6%
Grade 7	1.5%	2.3%	4.1%	95.9%
Grade 8	2.2%	3.4%	5.7%	94.3%
Grade 9	3.1%	3.8%	8.5%	91.5%
Grade 10	2.7%	3.1%	6.6%	93.4%
Grade 11	2.7%	3.3%	7.3%	92.7%
Grade 12	0.9%	1.1%	5.3%	94.7%
<b>Methamphetamine</b>				
All	0.6%	0.9%	1.7%	98.3%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	0.3%	0.6%	1.6%	98.4%
Grade 9	0.7%	1.0%	2.1%	97.9%
Grade 10	0.3%	1.0%	1.5%	98.5%
Grade 11	1.4%	1.5%	2.1%	97.9%
Grade 12	0.3%	0.5%	1.9%	98.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 87 of 126

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	1,095,042	49.6%
Female	1,114,259	50.4%
Frequency Missing	14,943	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	1,017,153	46.6%
Yes	1,164,404	53.4%
Frequency Missing	42,686	

**Grade**

Q2	Frequency	Percent
Grade 7	384,270	17.3%
Grade 8	378,851	17.1%
Grade 9	408,286	18.4%
Grade 10	371,367	16.7%
Grade 11	355,949	16.0%
Grade 12	319,626	14.4%
Frequency Missing	5,894	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	49,476	2.4%
Asian American	47,927	2.4%
African American	260,366	12.9%
Pacific Islander	9,972	0.5%
White	979,253	48.3%
Other	386,998	19.1%
More Than One Race	291,546	14.4%
Frequency Missing	198,706	

**Live with Both Parents**

Q3	Frequency	Percent
No	841,692	38.3%
Yes	1,357,270	61.7%
Frequency Missing	25,282	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	6,322	0.3%
Mostly D's	22,079	1.1%
Mostly C's	254,890	12.9%
Mostly B's	967,691	49.1%
Mostly A's	719,400	36.5%
Frequency Missing	253,862	

**Age**

Q4	Frequency	Percent
11 or younger	2,773	0.1%
12	144,737	6.5%
13	364,420	16.5%
14	362,057	16.4%
15	406,414	18.4%
16	366,408	16.5%
17	349,500	15.8%
18	198,857	9.0%
19 or older	19,242	0.9%
Frequency Missing	9,837	

**Do You Have a Job**

Q7	Frequency	Percent
No	1,592,432	80.2%
Yes	392,423	19.8%
Frequency Missing	239,389	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	685,879	34.8%
Yes	800,148	40.6%
Don't Know	483,276	24.5%
Frequency Missing	254,941	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	1,543,816	92.4%
Yes	126,273	7.6%
Frequency Missing	554,155	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	920,384	49.5%
Yes	938,742	50.5%
Frequency Missing	365,118	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	1,298,612	75.9%
Yes	413,235	24.1%
Frequency Missing	512,396	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	1,338,321	77.4%
Yes	391,534	22.6%
Frequency Missing	494,389	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	1,213,263	70.9%
Yes	496,987	29.1%
Frequency Missing	513,995	

**Participate in School Choir**

Q9c	Frequency	Percent
No	1,511,087	89.7%
Yes	172,930	10.3%
Frequency Missing	540,227	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	1,161,748	66.8%
Yes	576,984	33.2%
Frequency Missing	485,512	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	1,547,784	92.2%
Yes	131,374	7.8%
Frequency Missing	545,085	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	1,302,298	76.5%
Yes	400,406	23.5%
Frequency Missing	521,539	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

### Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	1,908,105	86.3%
Somewhat Safe	263,652	11.9%
Not Very Safe	16,601	0.8%
Not Safe At All	6,874	0.3%
Don't Know	14,648	0.7%
Frequency Missing	14,364	

### Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	156,676	7.4%
Some High School	231,904	11.0%
Finished High School	408,582	19.4%
Some College	335,643	16.0%
Finished College	480,290	22.8%
Post-Secondary	282,066	13.4%
Don't Know or N/A	209,154	9.9%
Frequency Missing	119,929	

### Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	1,014,842	46.2%
Somewhat Safe	975,593	44.4%
Not Very Safe	127,936	5.8%
Not Safe At All	26,843	1.2%
Don't Know	50,685	2.3%
Frequency Missing	28,344	

### Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	1,235,635	63.6%
Yes	708,199	36.4%
Frequency Missing	280,410	

### Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	785,488	35.8%
Somewhat Safe	1,036,990	47.2%
Not Very Safe	202,534	9.2%
Not Safe At All	91,542	4.2%
Don't Know	78,148	3.6%
Frequency Missing	29,542	

### Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	114,489	5.3%
A Few	447,285	20.7%
Some	487,386	22.5%
Most	815,388	37.7%
All	298,028	13.8%
Frequency Missing	61,667	

### Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	165,804	7.9%
Some High School	260,879	12.5%
Finished High School	463,692	22.2%
Some College	269,204	12.9%
Finished College	372,889	17.8%
Post-Secondary	244,369	11.7%
Don't Know or N/A	316,178	15.1%
Frequency Missing	131,230	

### How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	46,205	2.1%
A Few	238,524	11.0%
Some	504,538	23.3%
Most	929,815	43.0%
All	444,803	20.6%
Frequency Missing	60,359	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 91 of 126

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	1,074,890	50.6%
A Few	618,789	29.1%
Some	256,353	12.1%
Most	107,862	5.1%
All	66,537	3.1%
Frequency Missing	99,813	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	2,069,624	95.5%
In Your Lifetime	64,662	3.0%
Since School Began	10,005	0.5%
In the Past Month	22,103	1.0%
Frequency Missing	57,850	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	1,688,037	78.6%
A Few	293,519	13.7%
Some	100,050	4.7%
Most	43,785	2.0%
All	22,797	1.1%
Frequency Missing	76,056	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	2,134,410	99.1%
In Your Lifetime	9,709	0.5%
Since School Began	3,691	0.2%
In the Past Month	5,968	0.3%
Frequency Missing	70,466	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	1,836,132	85.1%
A Few	213,557	9.9%
Some	64,903	3.0%
Most	24,979	1.2%
All	19,076	0.9%
Frequency Missing	65,596	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	2,036,864	94.1%
In Your Lifetime	77,351	3.6%
Since School Began	17,942	0.8%
In the Past Month	32,900	1.5%
Frequency Missing	59,187	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	2,132,887	98.1%
In Your Lifetime	26,810	1.2%
Since School Began	5,191	0.2%
In the Past Month	9,032	0.4%
Frequency Missing	50,324	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	2,138,233	98.9%
In Your Lifetime	14,154	0.7%
Since School Began	3,199	0.1%
In the Past Month	7,215	0.3%
Frequency Missing	61,443	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	2,135,489	99.1%
In Your Lifetime	10,592	0.5%
Since School Began	2,941	0.1%
In the Past Month	6,699	0.3%
Frequency Missing	68,522	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	1,994,072	92.7%
In Your Lifetime	72,458	3.4%
Since School Began	25,260	1.2%
In the Past Month	58,554	2.7%
Frequency Missing	73,899	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	2,118,088	98.1%
In Your Lifetime	21,465	1.0%
Since School Began	4,919	0.2%
In the Past Month	15,735	0.7%
Frequency Missing	64,037	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	1,377,321	64.9%
In Your Lifetime	350,283	16.5%
Since School Began	132,087	6.2%
In the Past Month	262,973	12.4%
Frequency Missing	101,580	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	1,555,023	72.7%
In Your Lifetime	252,525	11.8%
Since School Began	115,032	5.4%
In the Past Month	215,196	10.1%
Frequency Missing	86,468	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	2,133,333	98.5%
In Your Lifetime	16,626	0.8%
Since School Began	4,175	0.2%
In the Past Month	10,698	0.5%
Frequency Missing	59,413	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	1,502,816	71.0%
In Your Lifetime	324,315	15.3%
Since School Began	110,869	5.2%
In the Past Month	177,344	8.4%
Frequency Missing	108,900	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	1,870,330	86.3%
In Your Lifetime	163,071	7.5%
Since School Began	43,891	2.0%
In the Past Month	89,800	4.1%
Frequency Missing	57,151	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	1,452,039	68.0%
In Your Lifetime	276,162	12.9%
Since School Began	132,164	6.2%
In the Past Month	275,617	12.9%
Frequency Missing	88,262	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	2,125,587	97.8%
In Your Lifetime	24,974	1.1%
Since School Began	7,507	0.3%
In the Past Month	15,122	0.7%
Frequency Missing	51,054	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	2,085,082	96.7%
In Your Lifetime	44,562	2.1%
Since School Began	9,885	0.5%
In the Past Month	16,435	0.8%
Frequency Missing	68,280	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	2,157,842	99.6%
In Your Lifetime	5,171	0.2%
Since School Began	1,093	0.1%
In the Past Month	3,335	0.2%
Frequency Missing	56,803	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	1,605,269	74.3%
In Your Lifetime	206,474	9.6%
Since School Began	87,397	4.0%
In the Past Month	261,846	12.1%
Frequency Missing	63,257	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	2,099,684	96.9%
In Your Lifetime	35,102	1.6%
Since School Began	14,326	0.7%
In the Past Month	18,077	0.8%
Frequency Missing	57,055	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	1,727,386	79.4%
In Your Lifetime	181,809	8.4%
Since School Began	79,565	3.7%
In the Past Month	185,700	8.5%
Frequency Missing	49,784	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	2,160,877	99.6%
In Your Lifetime	4,948	0.2%
Since School Began	1,171	0.1%
In the Past Month	2,544	0.1%
Frequency Missing	54,705	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	2,143,327	98.8%
In Your Lifetime	13,892	0.6%
Since School Began	4,267	0.2%
In the Past Month	6,872	0.3%
Frequency Missing	55,886	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	2,098,534	97.0%
In Your Lifetime	40,307	1.9%
Since School Began	8,510	0.4%
In the Past Month	17,119	0.8%
Frequency Missing	59,774	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	2,120,480	98.1%
In Your Lifetime	22,956	1.1%
Since School Began	6,257	0.3%
In the Past Month	12,148	0.6%
Frequency Missing	62,404	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	1,862,946	87.2%
In Your Lifetime	131,735	6.2%
Since School Began	57,681	2.7%
In the Past Month	83,159	3.9%
Frequency Missing	88,723	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	2,159,920	99.7%
In Your Lifetime	3,694	0.2%
Since School Began	672	0.0%
In the Past Month	3,028	0.1%
Frequency Missing	56,930	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	2,049,403	96.2%
In Your Lifetime	38,814	1.8%
Since School Began	20,639	1.0%
In the Past Month	21,423	1.0%
Frequency Missing	93,965	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	2,153,450	99.3%
In Your Lifetime	8,264	0.4%
Since School Began	1,615	0.1%
In the Past Month	5,530	0.3%
Frequency Missing	55,385	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	2,013,402	94.7%
In Your Lifetime	54,858	2.6%
Since School Began	22,642	1.1%
In the Past Month	34,887	1.6%
Frequency Missing	98,454	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	2,034,340	95.7%
In Your Lifetime	41,230	1.9%
Since School Began	18,268	0.9%
In the Past Month	32,232	1.5%
Frequency Missing	98,174	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	1,588,209	74.8%
1-2 times	336,454	15.8%
3-10 times	141,334	6.7%
11+ times	57,219	2.7%
Frequency Missing	101,028	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	1,953,249	92.1%
In Your Lifetime	77,924	3.7%
Since School Began	24,902	1.2%
In the Past Month	64,155	3.0%
Frequency Missing	104,013	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	2,094,857	98.5%
1-2 times	23,050	1.1%
3-10 times	5,722	0.3%
11+ times	3,404	0.2%
Frequency Missing	97,211	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	2,056,472	96.6%
In Your Lifetime	34,331	1.6%
Since School Began	11,365	0.5%
In the Past Month	26,412	1.2%
Frequency Missing	95,664	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	1,861,473	87.4%
1-2 times	128,694	6.0%
3-10 times	67,612	3.2%
11+ times	73,053	3.4%
Frequency Missing	93,411	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	1,958,450	91.9%
1-2 times	90,726	4.3%
3-10 times	37,312	1.8%
11+ times	43,581	2.0%
Frequency Missing	94,175	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	2,109,449	99.0%
1-2 times	15,282	0.7%
3-10 times	4,045	0.2%
11+ times	2,997	0.1%
Frequency Missing	92,471	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	2,124,163	99.7%
1-2 times	3,852	0.2%
3-10 times	959	0.0%
11+ times	1,064	0.0%
Frequency Missing	94,205	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	1,208,117	56.9%
A few	412,700	19.4%
Some	238,234	11.2%
Most	201,280	9.5%
All	63,610	3.0%
Frequency Missing	100,302	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	1,490,194	70.1%
A few	385,949	18.1%
Some	156,148	7.3%
Most	76,030	3.6%
All	18,693	0.9%
Frequency Missing	97,230	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	1,813,259	85.8%
8 or younger	19,213	0.9%
9 years old	10,025	0.5%
10 years old	15,475	0.7%
11 years old	15,994	0.8%
12 years old	32,670	1.5%
13 years old	43,869	2.1%
14 years old	44,893	2.1%
15 years old	47,359	2.2%
16 years old	40,714	1.9%
17 years old	22,256	1.1%
18 or older	8,222	0.4%
Frequency Missing	110,294	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	1,028,624	48.4%
A few	505,878	23.8%
Some	297,354	14.0%
Most	223,900	10.5%
All	67,758	3.2%
Frequency Missing	100,729	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	1,226,472	58.4%
8 or younger	88,430	4.2%
9 years old	27,186	1.3%
10 years old	46,356	2.2%
11 years old	50,048	2.4%
12 years old	97,030	4.6%
13 years old	116,449	5.5%
14 years old	133,879	6.4%
15 years old	147,000	7.0%
16 years old	103,975	4.9%
17 years old	47,453	2.3%
18 or older	16,464	0.8%
Frequency Missing	123,501	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	1,972,655	93.2%
A few	103,329	4.9%
Some	28,423	1.3%
Most	9,318	0.4%
All	3,994	0.2%
Frequency Missing	106,525	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	2,038,782	96.7%
8 or younger	11,142	0.5%
9 years old	5,158	0.2%
10 years old	6,554	0.3%
11 years old	6,038	0.3%
12 years old	13,516	0.6%
13 years old	11,199	0.5%
14 years old	6,194	0.3%
15 years old	4,297	0.2%
16 years old	3,317	0.2%
17 years old	1,124	0.1%
18 or older	244	0.0%
Frequency Missing	116,680	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	2,074,688	98.1%
8 or younger	597	0.0%
9 years old	412	0.0%
10 years old	622	0.0%
11 years old	737	0.0%
12 years old	2,524	0.1%
13 years old	4,320	0.2%
14 years old	6,504	0.3%
15 years old	8,410	0.4%
16 years old	9,379	0.4%
17 years old	6,298	0.3%
18 or older	1,361	0.1%
Frequency Missing	108,392	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	1,685,095	79.8%
8 or younger	9,243	0.4%
9 years old	6,475	0.3%
10 years old	11,297	0.5%
11 years old	17,226	0.8%
12 years old	43,112	2.0%
13 years old	63,711	3.0%
14 years old	83,059	3.9%
15 years old	86,667	4.1%
16 years old	67,837	3.2%
17 years old	29,192	1.4%
18 or older	9,943	0.5%
Frequency Missing	111,387	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	2,108,843	99.6%
8 or younger	587	0.0%
9 years old	280	0.0%
10 years old	564	0.0%
11 years old	465	0.0%
12 years old	538	0.0%
13 years old	1,281	0.1%
14 years old	1,162	0.1%
15 years old	1,019	0.0%
16 years old	1,058	0.0%
17 years old	649	0.0%
18 or older	71	0.0%
Frequency Missing	107,727	

Percentages and frequencies have been weighted to reflect proportions within the population.

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	2,090,013	99.0%
8 or younger	3,393	0.2%
9 years old	1,451	0.1%
10 years old	1,376	0.1%
11 years old	1,228	0.1%
12 years old	2,109	0.1%
13 years old	3,129	0.1%
14 years old	3,173	0.2%
15 years old	2,461	0.1%
16 years old	2,298	0.1%
17 years old	1,315	0.1%
18 or older	40	0.0%
Frequency Missing	112,257	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	2,109,528	99.7%
8 or younger	699	0.0%
9 years old	175	0.0%
10 years old	649	0.0%
11 years old	400	0.0%
12 years old	763	0.0%
13 years old	1,097	0.1%
14 years old	1,177	0.1%
15 years old	644	0.0%
16 years old	487	0.0%
17 years old	223	0.0%
18 or older	117	0.0%
Frequency Missing	108,286	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	2,069,215	98.2%
8 or younger	245	0.0%
9 years old	143	0.0%
10 years old	232	0.0%
11 years old	1,025	0.0%
12 years old	2,165	0.1%
13 years old	3,768	0.2%
14 years old	8,132	0.4%
15 years old	8,335	0.4%
16 years old	7,526	0.4%
17 years old	3,966	0.2%
18 or older	1,558	0.1%
Frequency Missing	117,933	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	2,103,904	99.4%
8 or younger	769	0.0%
9 years old	159	0.0%
10 years old	483	0.0%
11 years old	379	0.0%
12 years old	934	0.0%
13 years old	1,586	0.1%
14 years old	1,840	0.1%
15 years old	2,706	0.1%
16 years old	1,747	0.1%
17 years old	865	0.0%
18 or older	334	0.0%
Frequency Missing	108,537	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Synthetic Marijuana**

Q211	Frequency	Percent
Never used it	2,054,970	97.3%
8 or younger	1,077	0.1%
9 years old	445	0.0%
10 years old	1,889	0.1%
11 years old	4,361	0.2%
12 years old	6,674	0.3%
13 years old	10,804	0.5%
14 years old	11,645	0.6%
15 years old	11,416	0.5%
16 years old	5,620	0.3%
17 years old	2,680	0.1%
18 or older	570	0.0%
Frequency Missing	112,094	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	639,084	30.3%
Impossible	407,183	19.3%
Very Difficult	147,359	7.0%
Somewhat diff	198,875	9.4%
Somewhat easy	298,152	14.1%
Very easy	417,113	19.8%
Frequency Missing	116,477	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	493,949	23.5%
Impossible	274,891	13.1%
Very Difficult	116,878	5.6%
Somewhat diff	231,049	11.0%
Somewhat easy	403,311	19.2%
Very easy	582,020	27.7%
Frequency Missing	122,145	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	899,834	43.0%
Impossible	333,478	15.9%
Very Difficult	82,183	3.9%
Somewhat diff	110,639	5.3%
Somewhat easy	181,054	8.6%
Very easy	486,876	23.3%
Frequency Missing	130,180	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	604,601	28.8%
Impossible	444,852	21.2%
Very Difficult	155,639	7.4%
Somewhat diff	191,866	9.1%
Somewhat easy	267,766	12.7%
Very easy	436,974	20.8%
Frequency Missing	122,546	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	832,581	39.7%
Impossible	669,798	31.9%
Very Difficult	248,769	11.9%
Somewhat diff	161,141	7.7%
Somewhat easy	91,181	4.3%
Very easy	95,428	4.5%
Frequency Missing	125,345	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	878,603	42.0%
Impossible	688,340	32.9%
Very Difficult	256,114	12.2%
Somewhat diff	135,894	6.5%
Somewhat easy	66,207	3.2%
Very easy	68,255	3.3%
Frequency Missing	130,831	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

### Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	908,296	43.4%
Impossible	650,155	31.1%
Very Difficult	242,370	11.6%
Somewhat diff	143,904	6.9%
Somewhat easy	73,714	3.5%
Very easy	73,182	3.5%
Frequency Missing	132,624	

### Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	1,023,507	48.9%
Impossible	553,120	26.4%
Very Difficult	177,095	8.5%
Somewhat diff	124,760	6.0%
Somewhat easy	98,478	4.7%
Very easy	118,110	5.6%
Frequency Missing	129,174	

### Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	1,038,977	49.7%
Impossible	574,207	27.5%
Very Difficult	200,680	9.6%
Somewhat diff	118,992	5.7%
Somewhat easy	76,725	3.7%
Very easy	79,437	3.8%
Frequency Missing	135,226	

### How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	26,112	1.2%
Several times/wk	25,958	1.2%
Several times/mo	36,108	1.7%
About once/month	52,190	2.5%
About once/year	48,678	2.3%
Less than once/year	82,303	3.9%
Never used	1,823,887	87.0%
Frequency Missing	129,007	

### Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	976,662	46.6%
Impossible	703,793	33.6%
Very Difficult	231,250	11.0%
Somewhat diff	88,936	4.2%
Somewhat easy	41,801	2.0%
Very easy	54,866	2.6%
Frequency Missing	126,934	

### How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	4,860	0.2%
Several times/wk	40,120	1.9%
Several times/mo	140,653	6.7%
About once/month	238,169	11.4%
About once/year	202,176	9.7%
Less than once/year	172,132	8.3%
Never used	1,287,514	61.7%
Frequency Missing	138,619	

### Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	1,026,468	48.9%
Impossible	661,212	31.5%
Very Difficult	219,468	10.4%
Somewhat diff	87,043	4.1%
Somewhat easy	45,313	2.2%
Very easy	60,671	2.9%
Frequency Missing	124,070	

Percentages and frequencies have been weighted to reflect proportions within the population.



### How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	1,831	0.1%
Several times/wk	3,026	0.1%
Several times/mo	6,646	0.3%
About once/month	9,972	0.5%
About once/year	12,345	0.6%
Less than once/year	24,934	1.2%
Never used	2,033,156	97.2%
Frequency Missing	132,335	

### How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	504	0.0%
Several times/wk	350	0.0%
Several times/mo	438	0.0%
About once/month	1,287	0.1%
About once/year	1,358	0.1%
Less than once/year	3,259	0.2%
Never used	2,085,312	99.7%
Frequency Missing	131,736	

### How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	35,094	1.7%
Several times/wk	45,157	2.2%
Several times/mo	67,326	3.2%
About once/month	79,528	3.8%
About once/year	76,610	3.7%
Less than once/year	85,483	4.1%
Never used	1,704,711	81.4%
Frequency Missing	130,334	

### How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	1,035	0.0%
Several times/wk	392	0.0%
Several times/mo	1,268	0.1%
About once/month	1,573	0.1%
About once/year	2,538	0.1%
Less than once/year	6,904	0.3%
Never used	2,075,633	99.3%
Frequency Missing	134,900	

### How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	674	0.0%
Several times/wk	2,227	0.1%
Several times/mo	2,784	0.1%
About once/month	6,852	0.3%
About once/year	9,352	0.4%
Less than once/year	12,923	0.6%
Never used	2,055,529	98.3%
Frequency Missing	133,902	

### How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	485	0.0%
Several times/wk	1,182	0.1%
Several times/mo	3,995	0.2%
About once/month	5,461	0.3%
About once/year	10,317	0.5%
Less than once/year	11,938	0.6%
Never used	2,055,322	98.4%
Frequency Missing	135,544	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	455	0.0%
Several times/wk	746	0.0%
Several times/mo	475	0.0%
About once/month	930	0.0%
About once/year	1,363	0.1%
Less than once/year	2,746	0.1%
Never used	2,086,638	99.7%
Frequency Missing	130,890	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	1,352,436	64.2%
12+ drinks	46,293	2.2%
9-11 drinks	32,091	1.5%
5-8 drinks	71,448	3.4%
3-4 drinks	107,557	5.1%
2 drinks	113,706	5.4%
1 drink	139,759	6.6%
Less than 1 drink	242,395	11.5%
Frequency Missing	118,560	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	978	0.0%
Several times/wk	656	0.0%
Several times/mo	895	0.0%
About once/month	1,934	0.1%
About once/year	1,814	0.1%
Less than once/year	4,774	0.2%
Never used	2,080,090	99.5%
Frequency Missing	133,103	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	1,493,595	71.2%
12+ drinks	30,084	1.4%
9-11 drinks	22,927	1.1%
5-8 drinks	60,289	2.9%
3-4 drinks	108,406	5.2%
2 drinks	107,643	5.1%
1 drink	131,042	6.2%
Less than 1 drink	144,326	6.9%
Frequency Missing	125,931	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	1,340	0.1%
Several times/wk	2,853	0.1%
Several times/mo	5,708	0.3%
About once/month	7,506	0.4%
About once/year	11,255	0.5%
Less than once/year	18,394	0.9%
Never used	2,038,183	97.7%
Frequency Missing	139,006	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	1,482,524	70.8%
12+ drinks	15,113	0.7%
9-11 drinks	10,285	0.5%
5-8 drinks	24,047	1.1%
3-4 drinks	58,721	2.8%
2 drinks	89,258	4.3%
1 drink	166,715	8.0%
Less than 1 drink	248,169	11.8%
Frequency Missing	129,411	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	1,397,289	66.6%
12+ drinks	45,582	2.2%
9-11 drinks	37,122	1.8%
5-8 drinks	87,262	4.2%
3-4 drinks	123,870	5.9%
2 drinks	111,522	5.3%
1 drink	120,840	5.8%
Less than 1 drink	174,658	8.3%
Frequency Missing	126,099	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	1,253,472	59.8%
Never	335,580	16.0%
Seldom	236,566	11.3%
Most of the Time	205,310	9.8%
Always	66,404	3.2%
Frequency Missing	126,912	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	1,225,593	58.9%
0 days	612,073	29.4%
1 day	90,569	4.4%
2 days	51,873	2.5%
3 to 5 days	50,640	2.4%
6 to 9 days	18,152	0.9%
10 or more days	31,309	1.5%
Frequency Missing	144,034	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	1,308,188	62.6%
Never	617,487	29.5%
Seldom	79,090	3.8%
Most of the Time	57,745	2.8%
Always	28,733	1.4%
Frequency Missing	133,000	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	1,256,399	59.8%
Never	340,907	16.2%
Seldom	333,133	15.9%
Most of the Time	113,850	5.4%
Always	55,908	2.7%
Frequency Missing	124,048	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	1,217,381	58.0%
Never	303,543	14.5%
Seldom	202,065	9.6%
Most of the Time	212,808	10.1%
Always	161,643	7.7%
Frequency Missing	126,804	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	1,317,906	63.5%
Never	446,055	21.5%
Seldom	148,964	7.2%
Most of the Time	89,538	4.3%
Always	74,013	3.6%
Frequency Missing	147,767	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	1,277,942	61.2%
Somewhat	494,457	23.7%
Not very	170,052	8.1%
Not at all	38,531	1.8%
Don't know	106,816	5.1%
Frequency Missing	136,445	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	1,807,133	86.9%
Somewhat	125,925	6.1%
Not very	18,493	0.9%
Not at all	12,061	0.6%
Don't know	115,278	5.5%
Frequency Missing	145,354	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	1,024,402	49.2%
Somewhat	618,187	29.7%
Not very	297,818	14.3%
Not at all	54,689	2.6%
Don't know	85,955	4.1%
Frequency Missing	143,193	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	1,830,487	88.0%
Somewhat	102,312	4.9%
Not very	14,829	0.7%
Not at all	10,425	0.5%
Don't know	122,965	5.9%
Frequency Missing	143,225	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	1,494,728	72.1%
Somewhat	289,429	14.0%
Not very	98,924	4.8%
Not at all	32,216	1.6%
Don't know	159,083	7.7%
Frequency Missing	149,864	

**Dangerous for Kids to Use Ecstasy**

Q27g	Frequency	Percent
Very	1,694,427	81.6%
Somewhat	150,309	7.2%
Not very	37,607	1.8%
Not at all	15,357	0.7%
Don't know	179,667	8.6%
Frequency Missing	146,877	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	1,164,894	56.0%
Somewhat	285,285	13.7%
Not very	261,652	12.6%
Not at all	271,537	13.0%
Don't know	97,676	4.7%
Frequency Missing	143,200	

**Dangerous for Kids to Use Steroids**

Q27h	Frequency	Percent
Very	1,595,012	76.8%
Somewhat	240,324	11.6%
Not very	70,289	3.4%
Not at all	21,230	1.0%
Don't know	149,242	7.2%
Frequency Missing	148,146	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Heroin**

Q27i	Frequency	Percent
Very	1,834,607	88.3%
Somewhat	83,079	4.0%
Not very	12,958	0.6%
Not at all	10,452	0.5%
Don't know	137,127	6.6%
Frequency Missing	146,021	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27m	Frequency	Percent
Very	1,132,793	54.7%
Somewhat	257,678	12.4%
Not very	302,020	14.6%
Not at all	244,695	11.8%
Don't know	134,112	6.5%
Frequency Missing	152,945	

**Dangerous for Kids to Use Methamphetamine**

Q27j	Frequency	Percent
Very	1,826,458	87.9%
Somewhat	81,883	3.9%
Not very	13,943	0.7%
Not at all	10,749	0.5%
Don't know	145,385	7.0%
Frequency Missing	145,825	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	1,680,238	81.3%
1-3 days	284,020	13.8%
4-9 days	64,077	3.1%
10+ days	37,253	1.8%
Frequency Missing	158,657	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27k	Frequency	Percent
Very	1,677,288	80.9%
Somewhat	153,708	7.4%
Not very	48,201	2.3%
Not at all	24,786	1.2%
Don't know	170,497	8.2%
Frequency Missing	149,762	

**Days Ill Since September**

Q28b	Frequency	Percent
None	697,606	33.8%
1-3 days	1,029,770	49.9%
4-9 days	269,104	13.0%
10+ days	66,421	3.2%
Frequency Missing	161,343	

**Dangerous for Kids to Use Any Prescription**

Q27l	Frequency	Percent
Very	1,562,114	75.4%
Somewhat	266,015	12.8%
Not very	72,887	3.5%
Not at all	27,995	1.4%
Don't know	141,616	6.8%
Frequency Missing	153,618	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	849,527	41.6%
1-3 days	985,270	48.3%
4-9 days	157,057	7.7%
10+ days	49,408	2.4%
Frequency Missing	182,981	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	1,812,364	87.9%
1-3 days	191,428	9.3%
4-9 days	31,777	1.5%
10+ days	25,179	1.2%
Frequency Missing	163,496	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	1,979,338	96.6%
1-3 times	57,556	2.8%
4-9 times	7,712	0.4%
10+ times	4,888	0.2%
Frequency Missing	174,750	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	1,861,728	90.5%
1-3 days	150,096	7.3%
4-9 days	23,902	1.2%
10+ days	21,049	1.0%
Frequency Missing	167,469	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	1,954,615	95.5%
1-3 times	59,096	2.9%
4-9 times	13,127	0.6%
10+ times	19,818	1.0%
Frequency Missing	177,588	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	1,979,422	96.3%
1-3 times	65,749	3.2%
4-9 times	7,232	0.4%
10+ times	4,029	0.2%
Frequency Missing	167,810	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	1,970,976	96.1%
1-3 days	60,484	2.9%
4-9 days	11,057	0.5%
10+ days	8,314	0.4%
Frequency Missing	173,413	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	1,981,400	96.6%
1-3 times	54,166	2.6%
4-9 times	7,207	0.4%
10+ times	8,536	0.4%
Frequency Missing	172,935	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	1,902,559	92.9%
1-3 days	83,067	4.1%
4-9 days	26,295	1.3%
10+ days	34,983	1.7%
Frequency Missing	177,340	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	2,025,635	99.2%
1-3 days	10,513	0.5%
4-9 days	2,235	0.1%
10+ days	4,275	0.2%
Frequency Missing	181,586	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	1,757,966	93.6%
Yes	120,231	6.4%
Frequency Missing	346,046	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	1,979,750	97.1%
1-3 days	38,886	1.9%
4-9 days	10,717	0.5%
10+ days	10,352	0.5%
Frequency Missing	184,537	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	1,195,066	59.9%
Yes	799,767	40.1%
Frequency Missing	229,411	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	1,028,843	50.3%
Seldom	148,447	7.3%
Half the time	113,261	5.5%
Most of the Time	172,202	8.4%
Always	212,367	10.4%
Don't Know	37,877	1.9%
Didn't attend	331,921	16.2%
Frequency Missing	179,326	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	1,502,275	75.8%
Yes	478,621	24.2%
Frequency Missing	243,348	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	1,129,037	57.0%
Yes	852,286	43.0%
Frequency Missing	242,920	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	1,217,703	59.7%
Seldom	115,120	5.6%
Half the time	87,911	4.3%
Most of the Time	120,486	5.9%
Always	125,357	6.1%
Don't Know	42,515	2.1%
Didn't attend	331,059	16.2%
Frequency Missing	184,093	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	589,468	29.4%
Yes	1,413,511	70.6%
Frequency Missing	221,265	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	826,556	41.8%
Yes	1,148,863	58.2%
Frequency Missing	248,825	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	1,176,890	59.9%
Yes	786,662	40.1%
Frequency Missing	260,692	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	722,111	36.5%
Yes	1,256,908	63.5%
Frequency Missing	245,225	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	1,162,946	59.5%
Yes	793,015	40.5%
Frequency Missing	268,283	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	793,951	40.1%
Yes	1,187,412	59.9%
Frequency Missing	242,880	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	1,428,958	73.3%
Yes	519,534	26.7%
Frequency Missing	275,751	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	1,173,367	59.2%
Yes	807,417	40.8%
Frequency Missing	243,459	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	1,618,075	83.3%
Yes	324,523	16.7%
Frequency Missing	281,645	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	1,575,148	81.7%
Yes	352,513	18.3%
Frequency Missing	296,583	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	1,427,260	73.5%
Yes	514,092	26.5%
Frequency Missing	282,892	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 109 of 126



**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	1,655,964	85.4%
Yes	283,875	14.6%
Frequency Missing	284,404	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	1,407,648	72.4%
Yes	535,949	27.6%
Frequency Missing	280,647	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	1,382,164	71.4%
Yes	553,626	28.6%
Frequency Missing	288,454	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	1,604,909	78.3%
Mild disapprove	153,317	7.5%
Neither	121,755	5.9%
Mildly approve	18,519	0.9%
Strongly approve	12,180	0.6%
Don't know	140,295	6.8%
Frequency Missing	173,269	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	1,268,368	62.0%
Mild disapprove	293,992	14.4%
Neither	250,635	12.3%
Mildly approve	79,056	3.9%
Strongly approve	20,644	1.0%
Don't know	131,878	6.5%
Frequency Missing	179,671	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	1,564,619	76.5%
Mild disapprove	138,772	6.8%
Neither	143,718	7.0%
Mildly approve	38,387	1.9%
Strongly approve	26,976	1.3%
Don't know	132,456	6.5%
Frequency Missing	179,316	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 110 of 126

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.



<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_l)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.



## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale.1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

