

♀

State - Grades 4-6
Spring 1998

AA

Table T-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
AA					
Any tobacco product	All	16.6%	10.5%	6.0%	83.4%
	Grade 4	9.3%	5.9%	3.4%	90.7%
	Grade 5	15.0%	9.0%	6.1%	85.0%
	Grade 6	25.3%	16.7%	8.6%	74.7%
AA					
Cigarettes	All	15.2%	9.7%	5.5%	84.8%
	Grade 4	8.0%	5.0%	3.0%	92.0%
	Grade 5	13.7%	8.2%	5.5%	86.3%
	Grade 6	23.7%	15.7%	8.0%	76.3%
AA					
Smokeless tobacco	All	3.6%	1.9%	1.7%	96.4%
	Grade 4	2.4%	1.4%	1.0%	97.6%
	Grade 5	3.2%	1.6%	1.6%	96.8%
	Grade 6	5.0%	2.6%	2.4%	95.0%

AA

Table T-2: Average number of times selected tobacco products were used by those who reported use of ...

Any tobacco product

	School Year	Li feti me
All	3.9	4.0
Grade 4	3.3	3.3
Grade 5	3.5	3.5
Grade 6	4.4	4.5

Cigarettes

	School Year	Li feti me
All	3.7	3.8
Grade 4	3.0	3.0
Grade 5	3.3	3.3
Grade 6	4.1	4.3

Smokeless tobacco

	School Year	Li feti me
All	3.0	2.9
Grade 4	3.0	2.9
Grade 5	2.7	2.7
Grade 6	3.1	2.9

♀

State - Grades 4-6
Spring 1998

AA

Table T-3: Average age of first use of tobacco:

	Grade 4	Grade 5	Grade 6
Tobacco	8.4	9.1	9.9

AA

Table T-4: Average age of first use of tobacco by family situation:

Two Parent Family

	Never	7 or Under	8	9	10	11	12 or Over
All	86.6%	2.3%	1.6%	2.4%	3.1%	2.7%	1.2%
Grade 4	92.6%	2.0%	1.7%	2.4%	1.2%	0.1%	0.0%
Grade 5	87.3%	2.5%	1.4%	2.5%	4.0%	2.0%	0.2%
Grade 6	79.8%	2.5%	1.6%	2.3%	4.2%	6.1%	3.5%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	76.2%	4.5%	3.0%	4.5%	5.2%	4.4%	2.2%
Grade 4	86.0%	4.5%	2.8%	4.1%	2.2%	0.3%	0.0%
Grade 5	78.9%	4.0%	2.9%	4.7%	6.2%	2.8%	0.5%
Grade 6	64.8%	5.0%	3.3%	4.8%	7.0%	9.5%	5.6%

AA

Table T-5: About how many of your close friends use ...

Any tobacco product?

	Never Heard of	None	Some	Most
All	1.9%	68.0%	25.9%	4.2%
Grade 4	2.8%	78.2%	16.7%	2.3%
Grade 5	1.8%	70.8%	24.5%	2.9%
Grade 6	1.1%	55.1%	36.5%	7.3%

Cigarettes?

	Never Heard of	None	Some	Most
All	3.0%	68.0%	25.1%	3.8%
Grade 4	4.4%	77.8%	15.8%	2.0%
Grade 5	2.9%	70.9%	23.7%	2.5%
Grade 6	1.7%	55.7%	35.7%	6.9%

Smokeless tobacco?

	Never Heard of	None	Some	Most
All	4.3%	87.6%	7.1%	1.1%
Grade 4	7.1%	87.7%	4.5%	0.8%
Grade 5	3.5%	89.7%	6.0%	0.9%
Grade 6	2.3%	85.5%	10.7%	1.5%

♀

State - Grades 4-6
Spring 1998

AA

Table T-6: Have you ever been offered ...

Any tobacco product?

	Never Heard of	Yes	No
All	1.8%	28.3%	69.9%
Grade 4	2.4%	20.2%	77.3%
Grade 5	1.7%	27.0%	71.3%
Grade 6	1.2%	37.7%	61.2%

Cigarettes?

	Never Heard of	Yes	No
All	2.8%	26.3%	70.9%
Grade 4	3.8%	18.3%	77.8%
Grade 5	2.7%	24.8%	72.5%
Grade 6	1.7%	35.6%	62.6%

Smokeless tobacco?

	Never Heard of	Yes	No
All	4.4%	8.5%	87.1%
Grade 4	6.9%	5.6%	87.5%
Grade 5	3.6%	7.9%	88.5%
Grade 6	2.8%	11.9%	85.4%

AA

Table T-7: How dangerous do you think it is for kids your age to use ...

Any tobacco product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.3%	66.6%	24.9%	1.7%	5.5%
Grade 4	1.9%	74.0%	17.9%	1.2%	5.0%
Grade 5	1.3%	68.4%	23.9%	1.3%	5.2%

Grade 6 0.8% 98State456.out 57.5% 32.8% 2.5% 6.4%
 Cigarettes?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	2.3%	53.0%	34.6%	2.4%	7.7%
Grade 4	3.2%	62.5%	25.7%	1.6%	7.0%
Grade 5	2.3%	53.9%	34.8%	1.8%	7.2%
Grade 6	1.3%	42.7%	43.2%	3.8%	8.9%

Smokeless tobacco?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	3.1%	58.9%	26.6%	2.3%	9.2%
Grade 4	5.2%	64.6%	20.0%	1.6%	8.6%
Grade 5	2.5%	61.3%	26.0%	1.9%	8.3%
Grade 6	1.5%	50.9%	33.5%	3.3%	10.8%

♀
♂

State - Grades 4-6
 Spring 1998

AA

Table A-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Any alcohol product	All	29.2%	20.0%	9.2%	70.8%
	Grade 4	20.4%	13.7%	6.7%	79.6%
	Grade 5	28.2%	18.6%	9.6%	71.8%
	Grade 6	38.8%	27.6%	11.2%	61.2%
Beer	All	18.7%	11.4%	7.3%	81.3%
	Grade 4	12.9%	7.9%	5.0%	87.1%
	Grade 5	17.4%	10.1%	7.4%	82.6%
	Grade 6	25.6%	16.0%	9.7%	74.4%
Wine coolers	All	17.6%	11.6%	6.0%	82.4%
	Grade 4	9.7%	6.5%	3.2%	90.3%
	Grade 5	16.5%	10.4%	6.1%	83.5%
	Grade 6	26.4%	17.8%	8.7%	73.6%
Wine	All	13.9%	8.7%	5.2%	86.1%
	Grade 4	8.4%	5.4%	3.0%	91.6%
	Grade 5	12.5%	7.7%	4.8%	87.5%
	Grade 6	20.6%	13.0%	7.6%	79.4%
Liquor	All	8.0%	5.2%	2.9%	92.0%
	Grade 4	3.5%	2.1%	1.4%	96.5%
	Grade 5	6.7%	4.1%	2.6%	93.3%
	Grade 6	13.8%	9.2%	4.6%	86.2%

AA

Table A-2: Average number of times selected alcohol products were used by those who reported use of ...

Any alcohol product

	School Year	Li feti me
All	5.2	5.8
Grade 4	3.8	4.0
Grade 5	4.6	5.1
Grade 6	6.3	7.1

Beer

	School Year	Li feti me
All	3.0	3.1
Grade 4	2.5	2.6
Grade 5	2.8	2.9
Grade 6	3.3	3.5

Li quor

	School Year	Li feti me
All	3.0	3.1
Grade 4	2.5	2.5
Grade 5	2.7	2.8
Grade 6	3.2	3.4

State - Grades 4-6
Spring 1998

AA

Wi ne

	School Year	Li feti me
All	2.6	2.7
Grade 4	2.3	2.4
Grade 5	2.5	2.6
Grade 6	2.7	2.9

Wi ne cool ers

	School Year	Li feti me
All	3.0	3.2
Grade 4	2.6	2.7
Grade 5	2.8	2.9
Grade 6	3.3	3.6

AA

Table A-3: In the past year, how many times have you had two or more drinks at one time of ...

	Never	1 Time	2 Times	3+ Times	Ever
Beer?					
All	84.8%	8.4%	3.3%	3.5%	15.2%
Grade 4	88.2%	7.2%	2.4%	2.2%	11.8%
Grade 5	86.5%	7.8%	3.0%	2.8%	13.5%
Grade 6	79.9%	10.3%	4.4%	5.4%	20.1%
Wine Coolers?					
All	84.8%	7.5%	3.8%	3.9%	15.2%
Grade 4	90.6%	5.2%	2.1%	2.2%	9.4%
Grade 5	85.7%	7.5%	3.7%	3.1%	14.3%
Grade 6	78.2%	9.7%	5.7%	6.4%	21.8%
Wine?					
All	88.1%	6.9%	2.7%	2.3%	11.9%
Grade 4	91.9%	4.9%	1.7%	1.5%	8.1%
Grade 5	89.3%	6.4%	2.4%	1.9%	10.7%
Grade 6	83.3%	9.3%	3.9%	3.6%	16.7%
Liquor?					
All	92.7%	3.7%	1.5%	2.1%	7.3%
Grade 4	96.3%	2.1%	0.7%	0.8%	3.7%
Grade 5	94.2%	3.1%	1.3%	1.5%	5.8%
Grade 6	87.8%	5.8%	2.7%	3.8%	12.2%

♀

State - Grades 4-6
Spring 1998

AA

Table A-4: Average age of first use of alcohol:

	Grade 4	Grade 5	Grade 6
Alcohol	8.2	8.9	9.5
Beer	8.1	8.8	9.4
Wine Coolers	8.5	9.4	10.1
Wine	8.6	9.4	10.1
Liquor	8.7	9.5	10.4

AA

Table A-5: Average age of first use of alcohol by family situation:

Two Parent Family

98State456.out

	Never	7 or Under	8	9	10	11	12 or Over
All	75.3%	6.2%	3.7%	4.4%	4.6%	3.9%	1.8%
Grade 4	82.6%	6.4%	4.0%	4.4%	2.2%	0.2%	0.1%
Grade 5	76.0%	6.0%	3.5%	4.6%	6.0%	3.5%	0.5%
Grade 6	67.1%	6.3%	3.6%	4.2%	5.7%	8.3%	4.8%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	63.3%	9.9%	5.6%	6.4%	6.8%	5.4%	2.6%
Grade 4	73.4%	10.0%	6.4%	6.0%	3.8%	0.3%	0.1%
Grade 5	65.0%	8.6%	5.5%	7.0%	8.4%	4.7%	0.8%
Grade 6	52.9%	11.1%	5.1%	6.2%	7.9%	10.4%	6.4%

AA

Table A-6: Lifetime prevalence of use of alcohol by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Alcohol	20.2%	68.6%	44.9%	75.4%

AA

Table A-7: When you drink alcohol, do you get it from ...

Home?

	Don't Drink	Yes	No
All	70.9%	13.0%	16.1%
Grade 4	76.2%	9.6%	14.2%
Grade 5	71.9%	12.8%	15.3%
Grade 6	64.6%	16.6%	18.7%

Friends?

	Don't Drink	Yes	No
All	70.7%	8.1%	21.2%
Grade 4	76.2%	3.6%	20.3%
Grade 5	72.2%	6.5%	21.3%
Grade 6	63.9%	14.0%	22.0%

State - Grades 4-6
Spring 1998

AA

Somewhere else?

	98State456.out Drink	Yes	No
All	69.5%	11.5%	19.0%
Grade 4	74.8%	7.2%	18.0%
Grade 5	70.9%	10.8%	18.3%
Grade 6	63.0%	16.5%	20.6%

AA

Table A-8: About how many of your close friends use ...

Any alcohol product?

	Never Heard of	None	Some	Most
All	1.5%	64.1%	26.6%	7.7%
Grade 4	2.1%	73.4%	20.0%	4.5%
Grade 5	1.5%	66.2%	26.2%	6.1%
Grade 6	1.0%	52.9%	33.5%	12.5%

Beer?

	Never Heard of	None	Some	Most
All	1.7%	71.1%	22.3%	4.8%
Grade 4	2.4%	78.3%	16.5%	2.8%
Grade 5	1.6%	73.7%	20.9%	3.9%
Grade 6	1.1%	61.8%	29.3%	7.8%

Wine coolers?

	Never Heard of	None	Some	Most
All	7.7%	70.3%	17.3%	4.7%
Grade 4	12.0%	75.5%	10.2%	2.3%
Grade 5	7.3%	72.6%	16.4%	3.6%
Grade 6	3.9%	63.0%	25.0%	8.1%

Wine?

	Never Heard of	None	Some	Most
All	2.7%	81.0%	13.6%	2.7%
Grade 4	4.0%	85.8%	8.6%	1.5%
Grade 5	2.7%	83.1%	12.3%	2.0%
Grade 6	1.5%	74.2%	19.6%	4.6%

Liquor?

	Never Heard of	None	Some	Most
All	6.6%	81.1%	10.0%	2.3%
Grade 4	11.4%	82.9%	4.6%	1.1%
Grade 5	5.7%	84.5%	8.4%	1.4%
Grade 6	3.1%	75.9%	16.7%	4.4%

♀

98State456.out

State - Grades 4-6
Spring 1998

AA

Table A-9: Have you ever been offered ...

Any alcohol product?

	Never Heard of	Yes	No
All	1.5%	32.7%	65.9%
Grade 4	1.9%	24.9%	73.2%
Grade 5	1.4%	31.5%	67.0%
Grade 6	1.1%	41.4%	57.5%

Beer?

	Never Heard of	Yes	No
All	1.7%	26.0%	72.3%
Grade 4	2.1%	19.8%	78.0%
Grade 5	1.6%	24.4%	74.0%
Grade 6	1.3%	33.6%	65.1%

Wine coolers?

	Never Heard of	Yes	No
All	7.6%	17.5%	74.8%
Grade 4	11.5%	10.1%	78.4%
Grade 5	7.1%	16.2%	76.8%
Grade 6	4.5%	26.0%	69.5%

Wine?

	Never Heard of	Yes	No
All	2.6%	14.3%	83.1%
Grade 4	3.6%	9.0%	87.4%
Grade 5	2.4%	12.7%	84.9%
Grade 6	1.8%	21.0%	77.2%

Liquor?

	Never Heard of	Yes	No
All	6.4%	10.2%	83.5%
Grade 4	10.6%	5.0%	84.4%
Grade 5	5.6%	8.6%	85.8%
Grade 6	3.1%	16.6%	80.3%

AA

Table A-10: How do your parents feel about kids your age drinking beer?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	80.0%	2.6%	1.0%	16.5%
Grade 4	80.3%	2.2%	1.1%	16.4%
Grade 5	80.8%	2.2%	0.8%	16.2%
Grade 6	78.9%	3.2%	1.1%	16.8%

♀

State - Grades 4-6
Spring 1998

AA

Table A-11: How dangerous do you think it is for kids your age to use ...

Any alcohol product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.0%	66.5%	24.0%	2.9%	5.5%
Grade 4	1.3%	72.6%	18.3%	2.4%	5.4%
Grade 5	1.1%	67.8%	23.6%	2.3%	5.2%
Grade 6	0.6%	59.1%	30.0%	4.1%	6.1%

Beer?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.1%	43.6%	39.3%	6.7%	9.3%
Grade 4	1.4%	49.9%	33.7%	5.3%	9.6%
Grade 5	1.1%	44.4%	40.2%	5.4%	8.9%
Grade 6	0.7%	36.7%	43.9%	9.3%	9.3%

Wine coolers?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	6.8%	37.2%	32.3%	10.6%	13.1%
Grade 4	10.2%	46.0%	25.4%	6.3%	12.0%
Grade 5	6.7%	37.4%	33.3%	9.6%	12.9%
Grade 6	3.6%	28.6%	38.0%	15.6%	14.3%

Wine?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.6%	43.6%	34.9%	7.9%	12.0%
Grade 4	2.4%	51.5%	29.5%	5.4%	11.2%
Grade 5	1.5%	44.7%	35.3%	6.9%	11.7%
Grade 6	0.9%	34.9%	39.8%	11.3%	13.1%

Liquor?

	Never Heard of	98State456.out Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	4.7%	61.8%	22.9%	2.5%	8.1%
Grade 4	8.1%	66.2%	16.3%	1.7%	7.7%
Grade 5	4.2%	63.4%	22.9%	1.9%	7.6%
Grade 6	2.0%	56.1%	29.2%	3.8%	8.9%

♀

State - Grades 4-6
Spring 1998

AA

Table D-1: How recently, if ever, have you used...

	Ever Used	School Year	Not Past Year	Never Used
Marijuana	All 3.8%	2.7%	1.0%	96.2%
	Grade 4 1.3%	0.9%	0.4%	98.7%
	Grade 5 2.6%	1.9%	0.8%	97.4%
	Grade 6 7.3%	5.3%	2.0%	92.7%

AA

Table D-2: Average number of times marijuana was used by those reporting usage:

	School Year	Li feti me
All	4.2	4.4
Grade 4	3.8	4.1
Grade 5	3.7	3.9
Grade 6	4.5	4.6

AA

Table D-3: Average age of first use of marijuana:

	Grade 4	Grade 5	Grade 6
Marijuana	8.8	9.6	10.5

AA

Table D-4: Average age of first use of marijuana by family situation:

Two Parent Family

	Never	7 or Under	8	9	10	11	12 or Over
All	97.5%	0.3%	0.1%	0.2%	0.6%	0.7%	0.6%
Grade 4	99.3%	0.3%	0.1%	0.1%	0.2%	0.0%	0.0%
Grade 5	98.0%	0.3%	0.1%	0.3%	0.7%	0.5%	0.1%
Grade 6	95.1%	0.4%	0.2%	0.3%	0.9%	1.6%	1.6%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	94.0%	0.7%	0.4%	0.9%	1.2%	1.4%	1.5%
Grade 4	97.6%	0.5%	0.3%	0.9%	0.5%	0.1%	0.1%
Grade 5	96.4%	0.6%	0.3%	0.7%	1.2%	0.8%	0.2%
Grade 6	88.6%	1.0%	0.6%	1.0%	1.9%	3.1%	3.8%

♀

State - Grades 4-6
Spring 1998

AA

Table D-5: Lifetime prevalence of use of marijuana by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Marijuana	1.2%	27.0%	8.8%	33.3%

AA

Table D-6: About how many of your close friends use marijuana?

	Never Heard of	None	Some	Most
All	7.0%	80.7%	9.2%	3.1%
Grade 4	12.8%	81.6%	4.2%	1.3%
Grade 5	5.2%	85.6%	7.4%	1.7%
Grade 6	3.2%	75.1%	15.7%	6.0%

AA

Table D-7: Have you ever been offered marijuana?

	Never Heard of	Yes	No
All	6.6%	10.3%	83.1%
Grade 4	11.8%	5.7%	82.5%
Grade 5	4.8%	8.5%	86.7%
Grade 6	3.3%	16.5%	80.2%

AA

Table D-8: How do your parents feel about kids your age smoking marijuana?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	84.6%	1.6%	0.5%	13.3%
Grade 4	82.8%	1.3%	0.5%	15.5%
Grade 5	85.8%	1.4%	0.3%	12.4%
Grade 6	85.3%	2.0%	0.6%	12.0%

AA

Table D-9: How dangerous do you think it is for kids your age to use marijuana?

98State456.out

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.1%	78.5%	9.4%	1.6%	5.4%
Grade 4	9.7%	75.8%	7.9%	1.0%	5.6%
Grade 5	3.7%	81.4%	8.7%	1.1%	5.0%
Grade 6	2.0%	78.2%	11.6%	2.7%	5.6%

♀

State - Grades 4-6
Spring 1998

AA

Table I-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Inhalants	All	12.3%	9.3%	3.0%	87.7%
	Grade 4	10.5%	7.9%	2.7%	89.5%
	Grade 5	10.9%	8.1%	2.9%	89.1%
	Grade 6	15.4%	11.8%	3.6%	84.6%

AA

Table I-2: Have you ever snifed any of the following inhalants to get high?

Correction Fluid/Whitout

	Not Used	Used
All	95.2%	4.8%
Grade 4	97.3%	2.7%
Grade 5	96.3%	3.7%
Grade 6	92.2%	7.8%

Gasoline

	Not Used	Used
All	96.9%	3.1%
Grade 4	96.9%	3.1%
Grade 5	97.3%	2.7%
Grade 6	96.6%	3.4%

Glue

	Not Used	Used
All	95.5%	4.5%
Grade 4	95.3%	4.7%
Grade 5	96.3%	3.7%
Grade 6	94.9%	5.1%

Paint Thinner

Not Used	Used
----------	------

98State456.out		
All	97.7%	2.3%
Grade 4	97.8%	2.2%
Grade 5	98.2%	1.8%
Grade 6	97.2%	2.8%

Spray Paint

	Not Used	Used
All	96.5%	3.5%
Grade 4	96.6%	3.4%
Grade 5	97.0%	3.0%
Grade 6	95.8%	4.2%

Other Inhalants

	Not Used	Used
All	94.3%	5.7%
Grade 4	95.7%	4.3%
Grade 5	95.0%	5.0%
Grade 6	92.3%	7.7%

State - Grades 4-6
Spring 1998

AA

Table I-3: Average number of times inhalants were used by those reporting usage:

	School Year	Li feti me
All	3.4	3.5
Grade 4	3.5	3.2
Grade 5	3.4	3.4
Grade 6	3.4	3.7

AA

Table I-4: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	88.6%	5.7%	4.3%	1.4%
Grade 4	90.3%	5.0%	3.4%	1.2%
Grade 5	90.0%	5.4%	3.5%	1.1%
Grade 6	85.5%	6.8%	5.9%	1.8%

AA

Table I-5: Average age of first use of inhalants:

	Grade 4	Grade 5	Grade 6
Inhalants	8.3	9.3	10.1

AA

Table I-6: Average age of first use of inhalants by family situation:

Two Parent Family

	Never	7 or Under	8	9	10	11	12 or Over
All	93.6%	1.2%	0.8%	1.1%	1.5%	1.3%	0.7%
Grade 4	96.0%	1.4%	0.9%	1.0%	0.6%	0.1%	0.0%
Grade 5	94.1%	1.2%	0.7%	1.0%	1.7%	1.1%	0.1%
Grade 6	90.5%	1.0%	0.6%	1.2%	2.0%	2.8%	1.9%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	90.9%	1.5%	0.9%	1.5%	2.0%	2.1%	1.1%
Grade 4	94.6%	1.8%	0.9%	1.3%	1.1%	0.2%	0.0%
Grade 5	92.5%	1.3%	0.9%	1.4%	2.1%	1.6%	0.3%
Grade 6	86.1%	1.5%	1.0%	1.7%	2.8%	4.3%	2.7%

AA

Table I-7: Lifetime prevalence of use of inhalants by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Inhalants	4.5%	28.3%	13.6%	33.8%

±

State - Grades 4-6
Spring 1998

AA

Table I-8: About how many of your close friends use inhalants?

	Never Heard of	None	Some	Most
All	5.6%	79.6%	11.7%	3.1%
Grade 4	9.1%	83.0%	6.4%	1.5%
Grade 5	4.7%	82.4%	10.4%	2.5%
Grade 6	3.2%	73.4%	18.1%	5.3%

AA

Table I-9: Have you ever been offered inhalants?

	Never Heard of	Yes	No
All	5.4%	10.0%	84.6%
Grade 4	8.5%	5.2%	86.3%
Grade 5	4.5%	9.0%	86.5%
Grade 6	3.3%	15.5%	81.2%

AA

Table I-10: How dangerous do you think it is for kids your age to use inhalants?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	3.9%	63.2%	21.2%	3.1%	8.5%
Grade 4	6.7%	63.4%	18.3%	2.5%	9.1%
Grade 5	3.4%	64.8%	21.0%	2.7%	8.1%
Grade 6	1.8%	61.4%	24.3%	4.1%	8.4%

♀
+
♀

State - Grades 4-6
Spring 1998

AA

Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ...

An Assembly Program?

	No	Yes
All	36.7%	63.3%
Grade 4	36.9%	63.1%
Grade 5	32.3%	67.7%
Grade 6	40.9%	59.1%

Guidance Counselor?

	No	Yes
All	45.5%	54.5%
Grade 4	38.7%	61.3%
Grade 5	42.8%	57.2%
Grade 6	54.7%	45.3%

Visitor to Class?

	No	Yes
All	33.6%	66.4%
Grade 4	38.9%	61.1%
Grade 5	24.7%	75.3%
Grade 6	37.3%	62.7%

Someone Else at School?

	No	Yes
All	55.2%	44.8%
Grade 4	57.3%	42.7%
Grade 5	52.9%	47.1%
Grade 6	55.3%	44.7%

Your Teacher?

98State456.out

All	27.9%	72.1%
Grade 4	27.4%	72.6%
Grade 5	27.1%	72.9%
Grade 6	29.2%	70.8%

Any School Source?

	No	Yes
All	8.2%	91.8%
Grade 4	9.4%	90.6%
Grade 5	5.5%	94.5%
Grade 6	9.8%	90.2%

State - Grades 4-6
Spring 1998

Table B1: Prevalence and recency of use of selected substances by grade
--> All Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	16.6%	10.5%	6.0%	83.4%
	Grade 4	9.3%	5.9%	3.4%	90.7%
	Grade 5	15.0%	9.0%	6.1%	85.0%
	Grade 6	25.3%	16.7%	8.6%	74.7%
AA					
Alcohol	All	29.2%	20.0%	9.2%	70.8%
	Grade 4	20.4%	13.7%	6.7%	79.6%
	Grade 5	28.2%	18.6%	9.6%	71.8%
	Grade 6	38.8%	27.6%	11.2%	61.2%
AA					
Inhalants	All	12.3%	9.3%	3.0%	87.7%
	Grade 4	10.5%	7.9%	2.7%	89.5%
	Grade 5	10.9%	8.1%	2.9%	89.1%
	Grade 6	15.4%	11.8%	3.6%	84.6%
AA					
Marijuana	All	3.8%	2.7%	1.0%	96.2%
	Grade 4	1.3%	0.9%	0.4%	98.7%
	Grade 5	2.6%	1.9%	0.8%	97.4%
	Grade 6	7.3%	5.3%	2.0%	92.7%
AA					

Table B2: Prevalence and recency of use of selected substances by grade
--> Male Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	19.4%	11.9%	7.6%	80.6%
	Grade 4	11.6%	7.1%	4.5%	88.4%
	Grade 5	18.3%	10.7%	7.6%	81.7%
	Grade 6	28.3%	17.8%	10.5%	71.7%
AA					
Alcohol	All	33.1%	22.3%	10.8%	66.9%
	Grade 4	24.4%	16.5%	8.0%	75.6%
	Grade 5	33.1%	21.6%	11.4%	66.9%

98State456.out

	Grade 6	41.9%	28.8%	13.1%	58.1%
AA					
Inhalants	All	13.8%	10.2%	3.7%	86.2%
	Grade 4	12.5%	9.3%	3.2%	87.5%
	Grade 5	13.1%	9.5%	3.7%	86.9%
	Grade 6	15.9%	11.7%	4.2%	84.1%
AA					
Marijuana	All	4.8%	3.5%	1.3%	95.2%
	Grade 4	1.7%	1.3%	0.4%	98.3%
	Grade 5	3.6%	2.6%	1.0%	96.4%
	Grade 6	9.0%	6.5%	2.5%	91.0%
AA					

State - Grades 4-6
Spring 1998

Table B3: Prevalence and recency of use of selected substances by grade
--> Female Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	13.7%	9.2%	4.5%	86.3%
	Grade 4	6.8%	4.6%	2.2%	93.2%
	Grade 5	11.8%	7.2%	4.5%	88.2%
	Grade 6	22.3%	15.7%	6.6%	77.7%
AA					
Alcohol	All	25.3%	17.8%	7.5%	74.7%
	Grade 4	16.3%	10.9%	5.5%	83.7%
	Grade 5	23.5%	15.7%	7.7%	76.5%
	Grade 6	35.9%	26.5%	9.3%	64.1%
AA					
Inhalants	All	10.8%	8.4%	2.4%	89.2%
	Grade 4	8.5%	6.4%	2.1%	91.5%
	Grade 5	8.8%	6.7%	2.1%	91.2%
	Grade 6	14.9%	12.0%	2.9%	85.1%
AA					
Marijuana	All	2.7%	2.0%	0.7%	97.3%
	Grade 4	0.9%	0.6%	0.3%	99.1%
	Grade 5	1.8%	1.2%	0.5%	98.2%
	Grade 6	5.5%	4.1%	1.4%	94.5%
AA					

Table B4: Prevalence and recency of use of selected substances by grade
--> White Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	15.5%	9.8%	5.7%	84.5%
	Grade 4	9.0%	5.6%	3.4%	91.0%
	Grade 5	13.6%	8.0%	5.6%	86.4%
	Grade 6	23.7%	15.6%	8.0%	76.3%
AA					
Alcohol	All	23.9%	16.2%	7.7%	76.1%
	Grade 4	17.3%	11.4%	5.9%	82.7%
	Grade 5	21.7%	13.8%	7.9%	78.3%
	Grade 6	32.3%	23.1%	9.2%	67.7%
AA					

		98State456.out			
Inhalants	All	10.4%	7.7%	2.7%	89.6%
	Grade 4	9.4%	7.0%	2.4%	90.6%
	Grade 5	9.0%	6.4%	2.6%	91.0%
	Grade 6	12.7%	9.6%	3.1%	87.3%
AA					
Marijuana	All	2.7%	2.0%	0.8%	97.3%
	Grade 4	1.0%	0.8%	0.3%	99.0%
	Grade 5	1.8%	1.2%	0.7%	98.2%
	Grade 6	5.2%	3.8%	1.3%	94.8%
AA					

State - Grades 4-6
Spring 1998

Table B5: Prevalence and recency of use of selected substances by grade
--> African/American Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	15.0%	8.6%	6.5%	85.0%
	Grade 4	9.4%	6.6%	2.8%	90.6%
	Grade 5	14.3%	7.2%	7.1%	85.7%
	Grade 6	21.9%	12.2%	9.6%	78.1%
AA					
Alcohol	All	35.4%	23.2%	12.2%	64.6%
	Grade 4	26.3%	17.3%	9.0%	73.7%
	Grade 5	36.2%	23.5%	12.8%	63.8%
	Grade 6	44.1%	29.1%	15.0%	55.9%
AA					
Inhalants	All	10.3%	7.9%	2.4%	89.7%
	Grade 4	9.4%	7.4%	2.0%	90.6%
	Grade 5	8.8%	6.7%	2.1%	91.2%
	Grade 6	12.9%	9.8%	3.1%	87.1%
AA					
Marijuana	All	3.0%	2.1%	0.9%	97.0%
	Grade 4	1.1%	1.0%	0.2%	98.9%
	Grade 5	1.6%	1.1%	0.5%	98.4%
	Grade 6	6.4%	4.4%	2.0%	93.6%
AA					

Table B6: Prevalence and recency of use of selected substances by grade
--> Mexican/American Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	19.1%	12.7%	6.4%	80.9%
	Grade 4	9.8%	6.2%	3.5%	90.2%
	Grade 5	17.2%	11.0%	6.2%	82.8%
	Grade 6	30.1%	20.8%	9.3%	69.9%
AA					
Alcohol	All	33.4%	23.9%	9.5%	66.6%
	Grade 4	21.9%	15.2%	6.8%	78.1%
	Grade 5	31.9%	22.2%	9.7%	68.1%
	Grade 6	46.0%	33.9%	12.1%	54.0%
AA					
Inhalants	All	15.0%	11.5%	3.5%	85.0%
	Grade 4	11.3%	8.6%	2.8%	88.7%

98State456.out

		Grade 5	Grade 6	Grade 5	Grade 6	Grade 5	Grade 6
	Grade 5	13.8%	19.7%	10.3%	15.5%	3.5%	4.3%
	Grade 6	10.3%	15.5%	3.5%	4.3%	86.2%	80.3%
AA							
Marijuana	All	5.4%	4.0%	4.0%	3.0%	1.4%	1.0%
	Grade 4	1.5%	4.0%	1.1%	3.0%	0.4%	1.0%
	Grade 5	4.0%	4.0%	3.0%	3.0%	1.0%	1.0%
	Grade 6	10.6%	10.6%	7.8%	7.8%	2.9%	2.9%
AA							

State - Grades 4-6
Spring 1998

Table B7: Prevalence and recency of use of selected substances by grade
--> Students Reporting A and B Grades

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	14.6%	9.0%	5.6%	85.4%
	Grade 4	8.4%	5.2%	3.3%	91.6%
	Grade 5	13.5%	7.9%	5.6%	86.5%
	Grade 6	22.1%	14.2%	8.0%	77.9%
AA					
Alcohol	All	26.9%	18.2%	8.7%	73.1%
	Grade 4	19.0%	12.5%	6.5%	81.0%
	Grade 5	26.5%	17.4%	9.0%	73.5%
	Grade 6	35.6%	24.8%	10.7%	64.4%
AA					
Inhalants	All	11.1%	8.3%	2.7%	88.9%
	Grade 4	9.9%	7.3%	2.5%	90.1%
	Grade 5	9.9%	7.3%	2.6%	90.1%
	Grade 6	13.5%	10.4%	3.1%	86.5%
AA					
Marijuana	All	2.8%	1.9%	0.8%	97.2%
	Grade 4	1.0%	0.7%	0.3%	99.0%
	Grade 5	2.1%	1.5%	0.7%	97.9%
	Grade 6	5.3%	3.7%	1.6%	94.7%
AA					

Table B8: Prevalence and recency of use of selected substances by grade
--> Students Reporting C, D, and F Grades

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	25.8%	17.7%	8.2%	74.2%
	Grade 4	14.0%	9.9%	4.1%	86.0%
	Grade 5	22.2%	13.8%	8.3%	77.8%
	Grade 6	37.8%	26.8%	11.0%	62.2%
AA					
Alcohol	All	40.3%	28.9%	11.4%	59.7%
	Grade 4	28.4%	20.2%	8.2%	71.6%
	Grade 5	36.7%	24.7%	12.0%	63.3%
	Grade 6	52.0%	38.9%	13.1%	48.0%
AA					
Inhalants	All	18.2%	13.8%	4.4%	81.8%
	Grade 4	14.3%	11.0%	3.2%	85.7%
	Grade 5	16.3%	11.9%	4.3%	83.7%
	Grade 6	22.6%	17.4%	5.2%	77.4%

98State456.out

Substance	Grade	Ever Used	School Year	Not Past Year	Never Used
Marijuana	All	8.3%	6.4%	1.9%	91.7%
	Grade 4	3.0%	2.3%	0.7%	97.0%
	Grade 5	5.1%	3.9%	1.2%	94.9%
	Grade 6	14.9%	11.4%	3.4%	85.1%

♀

State - Grades 4-6
Spring 1998

Table B9: Prevalence and recency of use of selected substances by grade
--> Students Living With 2 Parents

Substance	Grade	Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	13.2%	8.3%	4.9%	86.8%
	Grade 4	7.2%	4.6%	2.7%	92.8%
	Grade 5	12.6%	7.4%	5.2%	87.4%
	Grade 6	20.2%	13.3%	6.9%	79.8%
Alcohol	All	25.0%	17.2%	7.8%	75.0%
	Grade 4	17.2%	11.7%	5.5%	82.8%
	Grade 5	24.4%	16.5%	7.9%	75.6%
	Grade 6	33.6%	23.7%	9.9%	66.4%
Inhalants	All	11.3%	8.6%	2.8%	88.7%
	Grade 4	10.0%	7.5%	2.5%	90.0%
	Grade 5	10.4%	7.8%	2.7%	89.6%
	Grade 6	13.6%	10.4%	3.2%	86.4%
Marijuana	All	2.6%	1.9%	0.8%	97.4%
	Grade 4	0.7%	0.5%	0.2%	99.3%
	Grade 5	2.2%	1.6%	0.6%	97.8%
	Grade 6	5.0%	3.5%	1.5%	95.0%

Table B10: Prevalence and recency of use of selected substances by grade
--> Students Not Living With 2 Parents

Substance	Grade	Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	23.4%	15.0%	8.3%	76.6%
	Grade 4	13.7%	8.8%	4.9%	86.3%
	Grade 5	20.1%	12.2%	7.9%	79.9%
	Grade 6	34.9%	23.1%	11.7%	65.1%
Alcohol	All	37.9%	25.9%	12.0%	62.1%
	Grade 4	27.4%	18.1%	9.3%	72.6%
	Grade 5	36.1%	23.3%	12.9%	63.9%
	Grade 6	48.8%	35.2%	13.6%	51.2%
Inhalants	All	14.3%	10.7%	3.6%	85.7%
	Grade 4	11.7%	8.7%	3.0%	88.3%
	Grade 5	12.0%	8.8%	3.2%	88.0%
	Grade 6	18.7%	14.4%	4.3%	81.3%
Marijuana	All	6.1%	4.5%	1.5%	93.9%

98State456.out				
Grade 4	2.5%	1.9%	0.7%	97.5%
Grade 5	3.6%	2.5%	1.0%	96.4%
Grade 6	11.4%	8.6%	2.8%	88.6%

State - Grades 4-6
Spring 1998

Table B11: Prevalence and recency of use of selected substances by grade
--> Students Living in Town More Than 3 Years

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
AI I		16.4%	10.5%	5.8%	83.6%
Grade 4		8.5%	5.5%	3.0%	91.5%
Grade 5		14.9%	8.9%	6.0%	85.1%
Grade 6		24.9%	16.7%	8.2%	75.1%
Alcohol					
AI I		29.5%	20.4%	9.1%	70.5%
Grade 4		19.8%	13.3%	6.5%	80.2%
Grade 5		28.4%	19.0%	9.4%	71.6%
Grade 6		39.3%	28.1%	11.1%	60.7%
Inhalants					
AI I		12.3%	9.3%	3.0%	87.7%
Grade 4		10.3%	7.7%	2.6%	89.7%
Grade 5		10.9%	8.0%	2.8%	89.1%
Grade 6		15.4%	11.8%	3.6%	84.6%
Marijuana					
AI I		3.8%	2.8%	1.0%	96.2%
Grade 4		1.2%	0.9%	0.3%	98.8%
Grade 5		2.8%	2.0%	0.8%	97.2%
Grade 6		7.1%	5.2%	1.9%	92.9%

Table B12: Prevalence and recency of use of selected substances by grade
--> Students Living in Town 3 Years or Less

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
AI I		18.9%	11.1%	7.8%	81.1%
Grade 4		12.6%	7.5%	5.0%	87.4%
Grade 5		16.3%	9.3%	7.0%	83.7%
Grade 6		28.0%	16.6%	11.3%	72.0%
Alcohol					
AI I		29.4%	19.2%	10.2%	70.6%
Grade 4		23.5%	15.2%	8.3%	76.5%
Grade 5		27.3%	17.1%	10.1%	72.7%
Grade 6		37.6%	25.3%	12.3%	62.4%
Inhalants					
AI I		12.6%	9.6%	3.0%	87.4%
Grade 4		10.7%	8.2%	2.6%	89.3%
Grade 5		11.9%	8.7%	3.2%	88.1%
Grade 6		15.2%	11.8%	3.3%	84.8%
Marijuana					
AI I		3.6%	2.6%	1.0%	96.4%
Grade 4		1.3%	1.0%	0.2%	98.7%
Grade 5		2.2%	1.5%	0.6%	97.8%

98State456.out
 Grade 6 7.5% 5.4% 2.1% 92.5%
 AA

State - Grades 4-6
 Spring 1998

GENDER

Q1	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Female	446141.4	50.2
Male	443136.4	49.8

Frequency Missing = 1967.2456953

GRADE LEVEL

Q2	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Grade 4	297029	33.3
Grade 5	296183	33.2
Grade 6	298033	33.4

DO YOU LIVE WITH BOTH PARENTS?

Q3	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	291060.4	33.0
Yes	590827.3	67.0

Frequency Missing = 9357.32427

AGE

Q4	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
8 or younger	747.8188	0.1
9	80948.65	9.2
10	269875.6	30.6
11	283446.2	32.1
12	215364.2	24.4
13 or older	32293.55	3.7

Frequency Missing = 8568.9607424

ETHNICITY

Q5	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		

98State456.out		
Afri can/Ameri can	122182.2	14.0
Asi an/Ameri can	21903.16	2.5
Mexi can/Ameri can	320163.6	36.8
Nati ve/Ameri can	16070.21	1.8
Other	48491.49	5.6
Whi te	341809	39.3

Frequency Mi ssi ng = 20625.278013

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 4-6
Spring 1998

♀

WHAT GRADES DO YOU USUALLY GET

Q6	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Mostly A's	336035.3	38.5
Mostly B's	385492.9	44.1
Mostly C's	120263.4	13.8
Mostly D's	19187.42	2.2
Mostly F's	12214.73	1.4

Frequency Mi ssi ng = 18051.29685

LIVED IN THIS TOWN FOR MORE THAN 3 YEARS

Q7	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Don't Know	57815.51	6.6
No	134000.2	15.2
Yes	689499.2	78.2

Frequency Mi ssi ng = 9930.0537293

EITHER PARENT GRADUATE FROM COLLEGE

Q8	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Don't Know	307052.9	34.9
No	171225.1	19.4

98State456.out
 Yes 402284.2 45.7
 Frequency Missing = 10682.713196

QUALIFY FOR A FREE/REDUCED
 PRICE LUNCH?

Q9 Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Don't Know 201256.7 23.0
 No 320833.8 36.7
 Yes 351473.7 40.2
 Frequency Missing = 17680.771179

PARENTS ATTEND PTA MEETINGS?

Q10 Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 403950.1 46.0
 Yes 474182.3 54.0
 Frequency Missing = 13112.580613

The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the state
 State - Grades 4-6
 Spring 1998

♀

EVER INHALED GASOLINE
 TO GET HIGH?

Q11A Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Not Used 830715.7 96.9
 Used 26342.66 3.1
 Frequency Missing = 34186.654501

EVER INHALED PAINT THINNER
 TO GET HIGH?

Q11B Frequency Percent
 Page 25

98State456.out
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Not Used 812437.4 97.7
 Used 18970.07 2.3

Frequency Missing = 59837.517456

EVER INHALED GLUE TO GET HIGH?

Q11C Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Not Used 792259.8 95.5
 Used 37458.2 4.5

Frequency Missing = 61527.022436

EVER INHALED WHITEOUT
 TO GET HIGH?

Q11D Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Not Used 779974.6 95.2
 Used 39048.4 4.8

Frequency Missing = 72221.951108

EVER INHALED SPRAY
 PAINT TO GET HIGH?

Q11E Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Not Used 796292.5 96.5
 Used 29082.38 3.5

Frequency Missing = 65870.114243

EVER USED OTHER INHALANTS
 TO GET HIGH?

Q11F Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Not Used 772085 94.3
 Used 46378.12 5.7

Frequency Missing = 72781.92744

The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the state
 State - Grades 4-6

98State456.out
Spring 1998

CIGARETTE USE DURING LIFETIME

Q12A	Frequency	Percent
Never heard of	31512.44	3.7
Never used	704582.9	81.6
1-2 times	84028.66	9.7
3-10 times	25875.76	3.0
11+ times	17201.51	2.0

Frequency Missing = 28043.689795

SNUFF/CHEWING TOBACCO
USE IN LIFETIME

Q12B	Frequency	Percent
Never heard of	55503.18	6.6
Never used	762613.6	90.1
1-2 times	21758.17	2.6
3-10 times	3959.194	0.5
11+ times	2359.337	0.3

Frequency Missing = 45051.572029

BEER USE DURING LIFETIME

Q12C	Frequency	Percent
Never heard of	12361.18	1.5
Never used	664810.9	80.1
1-2 times	113139.8	13.6
3-10 times	27075.27	3.3
11+ times	12135.39	1.5

Frequency Missing = 61722.497938

WINE COOLER USE DURING LIFETIME

Q12D	Frequency	Percent
Never heard of	83466.94	10.2
Never used	590482.8	72.4
1-2 times	102679	12.6
3-10 times	26043.6	3.2
11+ times	12545.11	1.5

Frequency Missing = 76027.45665

WI NE USE DURING LI FETIME

Q12E	Frequency	Percent
Never heard of	23151.36	2.9
Never used	677584.2	83.6
1-2 times	86911.97	10.7
3-10 times	17355.44	2.1
11+ times	5025.894	0.6

Frequency Mi ssi ng = 81216.152967

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 4-6
Spring 1998

LI QUOR USE DURING LI FETIME

Q12F	Frequency	Percent
Never heard of	78624.08	9.5
Never used	688107.9	82.7
1-2 times	47575.92	5.7
3-10 times	12424.78	1.5
11+ times	5128.007	0.6

Frequency Mi ssi ng = 59384.32036

IN HALANT USE DURING LI FETIME

Q12H	Frequency	Percent
Never heard of	57026.44	6.9
Never used	707978.6	85.7
1-2 times	42843.24	5.2
3-10 times	11930.14	1.4
11+ times	6688.18	0.8

Frequency Mi ssi ng = 64778.41533

MARI JUANA USE DURING LI FETIME

Q12I	Frequency	Percent
Never heard of	73048.45	8.9
Never used	716170.7	87.4
1-2 times	18462.79	2.3
3-10 times	6397.493	0.8
11+ times	5166.233	0.6

♀

98State456.out
 Frequency Missing = 71999.328831

CIGARETTE USE IN PAST SCHOOL YEAR

Q13A	Frequency	Percent
Never heard of	29089.61	3.4
Never used	748717.5	86.8
1-2 times	55721.17	6.5
3-10 times	19167.86	2.2
11+ times	10049	1.2

Frequency Missing = 28499.841812

SNUFF/CHEWING TOBACCO
 USE IN PAST YEAR

Q13B	Frequency	Percent
Never heard of	48046.5	5.7
Never used	780236.6	92.4
1-2 times	12253.86	1.5
3-10 times	2768.552	0.3
11+ times	1339.47	0.2

Frequency Missing = 46599.983953

The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the state
 State - Grades 4-6
 Spring 1998

♀

BEER USE IN PAST SCHOOL YEAR

Q13C	Frequency	Percent
Never heard of	11592.18	1.4
Never used	709903.7	86.6
1-2 times	73957.88	9.0
3-10 times	17364.67	2.1
11+ times	6783.083	0.8

Frequency Missing = 71643.447978

WINE COOLER USE IN PAST SCHOOL YEAR

Q13D	Frequency	Percent
Never heard of	77343.9	9.6
Never used	631033	78.1

	98State456.out	
1-2 times	74629.89	9.2
3-10 times	18070.42	2.2
11+ times	6709.576	0.8

Frequency Missing = 83458.249758

WINE USE IN PAST SCHOOL YEAR

Q13E	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Never heard of	22240.79	2.7
Never used	712315.3	88.0
1-2 times	61276.43	7.6
3-10 times	10403.02	1.3
11+ times	3214.034	0.4

Frequency Missing = 81795.439566

LIQUOR USE IN PAST SCHOOL YEAR

Q13F	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Never heard of	71269.04	8.6
Never used	714603.9	86.0
1-2 times	33625.84	4.0
3-10 times	8166.721	1.0
11+ times	2938.613	0.4

Frequency Missing = 60640.881839

INHALANT USE IN PAST SCHOOL YEAR

Q13H	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Never heard of	53138.15	6.4
Never used	727051.1	87.6
1-2 times	35311.3	4.3
3-10 times	9603.863	1.2
11+ times	5092.884	0.6

Frequency Missing = 61047.671048

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 4-6
 Spring 1998

MARIJUANA USE IN PAST SCHOOL YEAR

98State456.out

Q13I	Frequency	Percent
Never heard of	68596.88	8.4
Never used	728830.3	88.8
1-2 times	14522.38	1.8
3-10 times	4958.291	0.6
11+ times	3913.922	0.5

Frequency Missing = 70423.214104

AGE WHEN FIRST USED CIGARETTES

Q14A	Frequency	Percent
7 or younger	21490.11	2.5
8 years old	15534.62	1.8
9 years old	24936.19	2.9
10 years old	31411.22	3.7
11 years old	27340.93	3.2
12 or older	13114.54	1.5
13	715300.9	84.2

Frequency Missing = 42116.521849

AGE WHEN FIRST USED SNUFF/CHEW TOBACCO

Q14B	Frequency	Percent
7 or younger	6566.994	0.8
8 years old	3971.384	0.5
9 years old	5443.652	0.7
10 years old	6197.933	0.7
11 years old	4842.061	0.6
12 or older	2439.17	0.3
13	799730.4	96.4

Frequency Missing = 62053.378187

AGE WHEN FIRST USED BEER

Q14C	Frequency	Percent
7 or younger	46684.18	5.9
8 years old	24509.23	3.1
9 years old	25094.52	3.1
10 years old	27423.5	3.4
11 years old	21314.69	2.7
12 or older	11352.16	1.4
13	640775.7	80.4

Frequency Missing = 94090.997072

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 4-6
 Spring 1998

♀

AGE WHEN FIRST USED WINE COOLERS

Q14D	Frequency	Percent
7 or younger	18520.05	2.3
8 years old	18294	2.3
9 years old	26073.76	3.3
10 years old	32274.07	4.1
11 years old	28293.12	3.6
12 or older	15356.67	1.9
13	651630.1	82.4

Frequency Missing = 100803.22715

AGE WHEN FIRST USED WINE

Q14E	Frequency	Percent
7 or younger	13389.28	1.7
8 years old	12822.01	1.6
9 years old	20474.33	2.6
10 years old	24402.39	3.1
11 years old	22171.74	2.8
12 or older	11530.12	1.5
13	687931.2	86.8

Frequency Missing = 98523.96608

AGE WHEN FIRST USED LIQUOR

Q14F	Frequency	Percent
7 or younger	6092.382	0.7
8 years old	5397.017	0.7
9 years old	8936.074	1.1
10 years old	12552.82	1.5
11 years old	15223.79	1.9
12 or older	10029.69	1.2

98State456.out
 13 763442.5 92.9

Frequency Missing = 69570.749921

AGE WHEN FIRST USED INHALANTS

Q14H	Frequency	Percent
7 or younger	10688.38	1.3
8 years old	6626.358	0.8
9 years old	9792.406	1.2
10 years old	13421.76	1.6
11 years old	12903.05	1.6
12 or older	6602.834	0.8
13	760604.7	92.7

Frequency Missing = 70605.537614

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 4-6
 Spring 1998

AGE WHEN FIRST USED MARIJUANA

Q14I	Frequency	Percent
7 or younger	3499.403	0.4
8 years old	1678.686	0.2
9 years old	3602.305	0.4
10 years old	6396.389	0.8
11 years old	7562.428	0.9
12 or older	6983.54	0.9
13	779489.2	96.3

Frequency Missing = 82033.09665

CLOSE FRIENDS USE CIGARETTES

Q15A	Frequency	Percent
Never heard of	25815.85	3.0
None	580932	68.0
Some	214641.5	25.1
Most	32639.6	3.8

♀

98State456.out

Frequency Missing = 37216.099875

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO

Q15B	Frequency	Percent
Never heard of	3576.28	4.3
None	729523.4	87.6
Some	58802.6	7.1
Most	8814.577	1.1

Frequency Missing = 58528.125035

CLOSE FRIENDS USE BEER

Q15C	Frequency	Percent
Never heard of	13881.1	1.7
None	581290.5	71.1
Some	182511.4	22.3
Most	39573.54	4.8

Frequency Missing = 73988.491256

CLOSE FRIENDS USE WINE COOLERS

Q15D	Frequency	Percent
Never heard of	61615.93	7.7
None	563619.2	70.3
Some	139007	17.3
Most	37933.6	4.7

Frequency Missing = 89069.299469

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 4-6
 Spring 1998

CLOSE FRIENDS USE WINE

Q15E	Frequency	Percent
Never heard of	21787.58	2.7
None	647689.1	81.0

98State456.out
 Some 108756.6 13.6
 Most 21846.84 2.7

Frequency Missing = 91164.869128

CLOSE FRIENDS USE LIQUOR

Q15F Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Never heard of 54245.48 6.6
 None 661327.2 81.1
 Some 81279.67 10.0
 Most 18975.33 2.3

Frequency Missing = 75417.267655

CLOSE FRIENDS USE INHALANTS

Q15H Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Never heard of 45562.62 5.6
 None 645538.6 79.6
 Some 94973.73 11.7
 Most 25391.45 3.1

Frequency Missing = 79778.634906

CLOSE FRIENDS USE MARIJUANA

Q15I Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Never heard of 56729.45 7.0
 None 654275.6 80.7
 Some 74749.28 9.2
 Most 25018.55 3.1

Frequency Missing = 80472.08236

EVER BEEN OFFERED CIGARETTES

Q16A Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Never heard of 23643.83 2.8
 No 607628 70.9
 Yes 225514.5 26.3

Frequency Missing = 34458.604565

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 4-6
 Spring 1998

♀

EVER BEEN OFFERED SNUFF/CHEWING TOBACCO

Q16B	Frequency	Percent
AAAAA		
Never heard of	36913.8	4.4
No	730596.4	87.1
Yes	71238.03	8.5

Frequency Missing = 52496.773581

EVER BEEN OFFERED BEER

Q16C	Frequency	Percent
AAAAA		
Never heard of	13869.89	1.7
No	601481.8	72.3
Yes	216433.4	26.0

Frequency Missing = 59459.889659

EVER BEEN OFFERED WINE COOLERS

Q16D	Frequency	Percent
AAAAA		
Never heard of	62366.24	7.6
No	611906.2	74.8
Yes	143326.5	17.5

Frequency Missing = 73646.075263

EVER BEEN OFFERED WINE

Q16E	Frequency	Percent
AAAAA		
Never heard of	21274.54	2.6
No	679923.4	83.1
Yes	117084.2	14.3

98State456.out
Frequency Missing = 72962.856153

EVER BEEN OFFERED LIQUOR

Q16F	Frequency	Percent
AA		
Never heard of	52875.5	6.4
No	691292.8	83.5
Yes	84143.18	10.2

Frequency Missing = 62933.491068

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state
State - Grades 4-6
Spring 1998

♀

EVER BEEN OFFERED INHALANTS

Q16H	Frequency	Percent
AA		
Never heard of	44415.54	5.4
No	698854	84.6
Yes	82550.34	10.0

Frequency Missing = 65425.108845

EVER BEEN OFFERED MARIJUANA

Q16I	Frequency	Percent
AA		
Never heard of	54188.72	6.6
No	685483	83.1
Yes	84864.25	10.3

Frequency Missing = 66709.018283

IS ALCOHOL OBTAINED FROM HOME

Q17A	Frequency	Percent
------	-----------	---------

98State456.out
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Do Not Drink 588590.4 70.9
 No 133300.2 16.1
 Yes 107813.9 13.0

Frequency Missing = 61540.546466

IS ALCOHOL OBTAINED FROM FRIENDS

Q17B Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Do Not Drink 543778 70.7
 No 163172 21.2
 Yes 62035.86 8.1

Frequency Missing = 122259.15855

IS ALCOHOL OBTAINED SOMEWHERE ELSE

Q17C Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Do Not Drink 541293.9 69.5
 No 147681.1 19.0
 Yes 89810.06 11.5

Frequency Missing = 112459.98728

The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the state
 State - Grades 4-6
 Spring 1998

DANGEROUS FOR KIDS TO USE CIGARETTES

Q18A Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Very dangerous 448885.5 53.0
 Dangerous 293088.5 34.6
 Not at all 20304.33 2.4
 Don't know 65353.23 7.7
 6 19228.42 2.3

98State456.out
Frequency Missing = 44385.076814

DANGEROUS TO USE SNUFF/CHEWING
TOBACCO

Q18B	Frequency	Percent
Very dangerous	482715.2	58.9
Dangerous	217678.2	26.6
Not at all	18471.62	2.3
Don't know	75602.9	9.2
6	25102.72	3.1

Frequency Missing = 71674.341823

DANGEROUS FOR KIDS TO USE BEER

Q18C	Frequency	Percent
Very dangerous	343412.7	43.6
Dangerous	309591.2	39.3
Not at all	52894.75	6.7
Don't know	73160.37	9.3
6	8379.555	1.1

Frequency Missing = 103806.50191

DANGEROUS FOR KIDS
TO USE WINE COOLERS

Q18D	Frequency	Percent
Very dangerous	285005	37.2
Dangerous	247592.7	32.3
Not at all	80919.94	10.6
Don't know	100320	13.1
6	52185.55	6.8

Frequency Missing = 125221.87396

DANGEROUS FOR KIDS TO USE WINE

Q18E	Frequency	Percent
Very dangerous	333218.5	43.6
Dangerous	267141.4	34.9
Not at all	60331.29	7.9
Don't know	91870.79	12.0
6	12318.42	1.6

98State456.out

Frequency Missing = 126364.57784

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 4-6
Spring 1998

♀

DANGEROUS FOR KIDS TO USE LIQUOR

Q18F	Frequency	Percent
Very dangerous	492247.9	61.8
Dangerous	182123.7	22.9
Not at all	19641.04	2.5
Don't know	64365.94	8.1
6	37721.94	4.7

Frequency Missing = 95144.420024

DANGEROUS FOR KIDS TO USE INHALANTS

Q18H	Frequency	Percent
Very dangerous	500526.4	63.2
Dangerous	168247.2	21.2
Not at all	24579.19	3.1
Don't know	67395.42	8.5
6	31152.56	3.9

Frequency Missing = 99344.233357

DANGEROUS FOR KIDS TO USE MARIJUANA

Q18I	Frequency	Percent
Very dangerous	608290.9	78.5
Dangerous	73187	9.4
Not at all	12638.13	1.6
Don't know	41662	5.4
6	39430.73	5.1

Frequency Missing = 116036.24716

DRUG/ALCOHOL INFO FROM TEACHER

Q19A	Frequency	Percent
No	228543.2	27.9
Yes	589368.6	72.1

98State456.out
Frequency Missing = 73333.16219

DRUG/ALC INFO FROM
VISITOR TO CLASS

Q19B	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	260734.9	33.6
Yes	514948.2	66.4

Frequency Missing = 115561.91523

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state
State - Grades 4-6
Spring 1998

♀

DRUG/ALC INFO FROM
ASSEMBLY PROGRAM

Q19C	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	283233.3	36.7
Yes	488233.9	63.3

Frequency Missing = 119777.76727

DRUG/ALC INFO FROM
GUIDE COUNSELOR

Q19D	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	345856.3	45.5
Yes	414243.4	54.5

Frequency Missing = 131145.27673

DRUG/ALC INF FROM SOMEONE
ELSE AT SCHOOL

Q19E	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	426248.2	55.2
Yes	346243.1	44.8

98State456.out

Frequency Missing = 118753.76327

BEER, TWO OR MORE AT ONE TIME

Q20A	Frequency	Percent
Never	719572.6	84.8
1 time	71524.39	8.4
2 times	27725.46	3.3
3+ times	29404.65	3.5

Frequency Missing = 43017.904231

WINE COOLERS, TWO OR MORE AT ONE TIME

Q20B	Frequency	Percent
Never	686118.1	84.8
1 time	60522.58	7.5
2 times	31125.61	3.8
3+ times	31698.18	3.9

Frequency Missing = 81780.523302

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 4-6
Spring 1998

WINE, TWO OR MORE AT ONE TIME

Q20C	Frequency	Percent
Never	709819.7	88.1
1 time	55339.61	6.9
2 times	21716.23	2.7
3+ times	18854.91	2.3

Frequency Missing = 85514.561112

♀

98State456.out
 LIQUOR, TWO OR MORE
 AT ONE TIME

Q20D	Frequency	Percent
Never	732216.9	92.7
1 time	29094	3.7
2 times	12209.47	1.5
3+ times	16199.04	2.1

Frequency Missing = 101525.56848

MI SSED SCHOOL WITHOUT
 PARENT' S CONSENT

Q21	Frequency	Percent
No	825042.2	96.2
Yes	32800.77	3.8

Frequency Missing = 33402.035371

SENT TO PRINCIPAL/DEAN
 SINCE SEPTEMBER

Q22	Frequency	Percent
No	591386	68.9
Yes	266811.6	31.1

Frequency Missing = 33047.425943

PARENTS FEEL ABOUT KIDS DRINKING BEER

Q23	Frequency	Percent
Don' t like it	681265.2	80.0
Don' t care	21713.2	2.6
Thi nk i t' s O. K.	8374.999	1.0
Don' t know	140060.9	16.5

Frequency Missing = 39830.678199

♀

98State456.out
analysis reflects the distribution of students by grade
level in the state
State - Grades 4-6
Spring 1998

PARENTS FEEL ABOUT KIDS
USING MARIJUANA

Q24	Frequency	Percent
AA		
Don't like it	721316	84.6
Don't care	13480.54	1.6
Think it's O.K.	4089.561	0.5
Don't know	113400.1	13.3

Frequency Missing = 38958.784081

98State456.out

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state