

State - Grades 7-12
Spring 1998

AA

Table T-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
AA					
Any tobacco product	All	26.3%	35.6%	54.7%	45.3%
	Grade 7	15.6%	22.7%	40.2%	59.8%
	Grade 8	21.2%	30.7%	50.2%	49.8%
	Grade 9	27.2%	37.6%	57.0%	43.0%
	Grade 10	29.8%	39.9%	59.9%	40.1%
	Grade 11	32.4%	42.0%	61.7%	38.3%
	Grade 12	36.0%	45.2%	63.5%	36.5%
AA					
Cigarettes	All	25.1%	34.3%	53.4%	46.6%
	Grade 7	14.8%	21.8%	39.0%	61.0%
	Grade 8	20.4%	29.9%	49.2%	50.8%
	Grade 9	25.8%	36.1%	55.8%	44.2%
	Grade 10	28.5%	38.4%	58.5%	41.5%
	Grade 11	30.9%	40.4%	60.1%	39.9%
	Grade 12	34.3%	43.5%	61.9%	38.1%
AA					
Smokeless tobacco	All	5.2%	7.8%	14.3%	85.7%
	Grade 7	2.8%	4.3%	8.8%	91.2%
	Grade 8	3.9%	6.1%	11.3%	88.7%
	Grade 9	5.4%	8.0%	14.2%	85.8%
	Grade 10	5.5%	8.8%	16.2%	83.8%
	Grade 11	6.8%	10.1%	17.9%	82.1%
	Grade 12	7.9%	11.4%	20.0%	80.0%

AA

Table T-2: How often do you normally use...

Any tobacco product?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	51.0%	8.9%	5.4%	6.6%	9.1%	7.7%	11.4%
Grade 7	64.7%	2.6%	3.8%	4.9%	7.7%	7.1%	9.3%
Grade 8	54.9%	4.5%	5.2%	6.7%	9.6%	8.3%	10.8%
Grade 9	48.8%	8.5%	5.9%	7.5%	9.8%	8.2%	11.3%
Grade 10	46.2%	11.6%	5.8%	6.8%	9.1%	7.8%	12.7%
Grade 11	44.9%	13.6%	5.8%	6.8%	9.0%	7.3%	12.6%
Grade 12	42.5%	15.9%	6.2%	7.0%	9.3%	7.2%	12.0%

Cigarettes?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	51.4%	8.2%	5.3%	6.6%	9.3%	7.7%	11.6%
Grade 7	65.1%	2.4%	3.7%	4.8%	7.7%	7.0%	9.3%
Grade 8	55.1%	4.3%	5.0%	6.7%	9.7%	8.3%	11.0%
Grade 9	48.9%	7.9%	5.7%	7.4%	10.0%	8.3%	11.8%
Grade 10	46.6%	10.9%	5.6%	6.8%	9.3%	7.7%	13.1%
Grade 11	45.4%	12.5%	5.8%	6.9%	9.2%	7.2%	13.0%
Grade 12	43.3%	14.3%	6.1%	7.1%	9.6%	7.3%	12.2%

State - Grades 7-12
Spring 1998

AA

Smokeless tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	87.3%	1.2%	1.0%	1.4%	2.1%	2.4%	4.7%
Grade 7	92.5%	0.4%	0.6%	0.9%	1.3%	1.6%	2.6%
Grade 8	89.7%	0.5%	0.9%	1.3%	2.0%	2.2%	3.4%
Grade 9	87.2%	1.0%	1.1%	1.6%	2.3%	2.4%	4.4%
Grade 10	85.6%	1.3%	1.2%	1.3%	2.3%	2.8%	5.4%
Grade 11	84.2%	1.9%	1.0%	1.6%	2.5%	2.8%	6.1%
Grade 12	82.0%	2.4%	1.2%	1.7%	2.6%	2.7%	7.3%

AA

Table T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	>1 But <10 Per Day	>10 But <1 Pack Per Day	>1 Pack But <2 Packs/Day	>2 Packs Per Day
All	72.5%	13.9%	8.5%	2.9%	1.7%	0.5%
Grade 7	82.3%	10.7%	5.0%	1.0%	0.6%	0.4%
Grade 8	76.4%	13.5%	7.2%	1.7%	0.9%	0.4%
Grade 9	71.4%	14.7%	9.1%	2.7%	1.6%	0.5%
Grade 10	69.7%	14.4%	9.6%	3.9%	2.0%	0.4%
Grade 11	67.5%	14.9%	10.1%	4.4%	2.6%	0.5%
Grade 12	64.1%	16.0%	11.2%	4.9%	3.2%	0.6%

AA

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.7	11.3	12.0	12.6	13.2	13.8

AA

Table T-5: If you wanted some, how difficult would it be to get...

Cigarettes?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	6.9%	9.4%	4.1%	7.0%	18.9%	53.6%
Grade 7	11.8%	20.9%	8.4%	10.7%	19.6%	28.6%
Grade 8	8.8%	13.1%	5.7%	10.4%	22.2%	39.9%
Grade 9	6.5%	7.5%	3.5%	7.0%	22.4%	53.2%
Grade 10	5.4%	5.2%	2.7%	5.8%	19.3%	61.7%
Grade 11	4.1%	3.7%	2.1%	4.3%	17.5%	68.3%
Grade 12	3.5%	2.5%	1.0%	2.1%	9.0%	82.0%

Smokeless Tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	17.9%	15.3%	6.8%	10.1%	15.8%	34.1%
Grade 7	24.7%	31.0%	11.2%	10.9%	10.3%	11.9%
Grade 8	22.1%	22.0%	9.8%	12.6%	14.5%	19.0%
Grade 9	18.6%	13.1%	7.0%	12.3%	19.0%	30.0%
Grade 10	15.5%	9.4%	5.0%	10.1%	20.0%	40.1%
Grade 11	12.9%	6.7%	3.9%	8.0%	18.4%	50.1%
Grade 12	10.3%	4.1%	1.9%	4.2%	11.9%	67.6%

♀

State - Grades 7-12
Spring 1998

AA

Table T-6: About how many of your close friends...

Use any tobacco product?

	Never heard None	A Few	Some	Most	All
All	25.7%	30.8%	20.6%	18.2%	4.7%
Grade 7	44.4%	30.6%	13.0%	9.2%	2.8%
Grade 8	32.1%	32.3%	17.7%	13.8%	4.1%
Grade 9	22.2%	31.0%	21.5%	19.6%	5.6%
Grade 10	18.6%	30.4%	23.8%	22.0%	5.2%
Grade 11	17.3%	30.6%	24.4%	22.4%	5.2%
Grade 12	14.6%	29.4%	25.4%	25.1%	5.5%

Smoke cigarettes?

	Never heard None	A Few	Some	Most	All
--	---------------------	-------	------	------	-----

98State712.out

All	26.9%	31.6%	19.8%	17.3%	4.4%
Grade 7	45.4%	30.7%	12.4%	8.9%	2.6%
Grade 8	33.2%	32.4%	17.2%	13.3%	3.9%
Grade 9	23.7%	32.0%	20.5%	18.7%	5.2%
Grade 10	19.7%	31.8%	22.9%	20.8%	4.9%
Grade 11	18.7%	31.9%	23.5%	21.0%	5.0%
Grade 12	15.8%	30.6%	24.9%	23.6%	5.2%

Use a smokeless tobacco product?

	Never heard None	A Few	Some	Most	All
All	66.7%	19.5%	9.2%	3.5%	1.0%
Grade 7	81.1%	12.6%	3.9%	1.6%	0.7%
Grade 8	74.5%	16.0%	6.1%	2.6%	0.9%
Grade 9	64.9%	20.5%	9.5%	3.9%	1.3%
Grade 10	60.3%	23.1%	11.6%	4.1%	1.0%
Grade 11	58.6%	23.1%	12.6%	4.8%	0.9%
Grade 12	56.0%	24.2%	13.8%	4.8%	1.1%

AA

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	65.5%	13.9%	9.5%	1.8%	1.1%	8.2%
Grade 7	74.7%	6.5%	3.6%	1.0%	1.3%	12.8%
Grade 8	72.4%	9.7%	5.9%	1.4%	1.1%	9.5%
Grade 9	66.5%	13.4%	9.2%	1.9%	1.1%	7.8%
Grade 10	62.7%	15.9%	11.6%	2.1%	1.0%	6.7%
Grade 11	59.3%	18.7%	13.3%	2.1%	0.8%	5.7%
Grade 12	52.0%	22.7%	16.1%	2.5%	1.0%	5.7%

♀

State - Grades 7-12
Spring 1998

AA

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	40.0%	33.5%	16.5%	4.0%	6.0%
Grade 7	52.8%	26.9%	10.2%	2.4%	7.7%
Grade 8	43.3%	31.2%	14.8%	3.5%	7.2%
Grade 9	38.0%	34.4%	17.1%	4.1%	6.5%
Grade 10	36.3%	35.1%	18.7%	4.6%	5.3%
Grade 11	34.9%	36.8%	19.6%	4.5%	4.3%
Grade 12	31.5%	38.6%	20.8%	5.3%	3.8%

♀

State - Grades 7-12
Spring 1998

AA

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product	All	38.0%	52.0%	72.1%	27.9%
	Grade 7	22.5%	32.0%	54.7%	45.3%
	Grade 8	30.6%	43.7%	66.8%	33.2%
	Grade 9	38.9%	54.1%	74.3%	25.7%
	Grade 10	44.0%	59.9%	78.5%	21.5%
	Grade 11	46.6%	62.3%	81.0%	19.0%
	Grade 12	51.8%	67.6%	82.8%	17.2%
Beer	All	27.2%	38.8%	57.1%	42.9%
	Grade 7	14.4%	21.6%	39.7%	60.3%
	Grade 8	20.1%	30.5%	50.5%	49.5%
	Grade 9	27.2%	39.8%	58.7%	41.3%
	Grade 10	31.9%	45.6%	63.6%	36.4%
	Grade 11	35.4%	48.9%	67.0%	33.0%
	Grade 12	40.0%	53.0%	69.0%	31.0%
Wine coolers	All	25.2%	40.1%	59.6%	40.4%
	Grade 7	15.0%	23.4%	41.0%	59.0%
	Grade 8	21.0%	33.2%	53.7%	46.3%
	Grade 9	25.7%	41.5%	61.3%	38.7%
	Grade 10	29.3%	47.0%	66.8%	33.2%
	Grade 11	31.2%	48.7%	69.3%	30.7%
	Grade 12	33.1%	52.8%	71.6%	28.4%
Wine	All	17.8%	30.9%	50.6%	49.4%
	Grade 7	10.7%	17.7%	33.1%	66.9%
	Grade 8	14.6%	25.4%	44.6%	55.4%
	Grade 9	19.6%	33.4%	52.9%	47.1%
	Grade 10	20.3%	35.3%	56.9%	43.1%
	Grade 11	20.3%	37.1%	59.5%	40.5%
	Grade 12	23.2%	40.7%	62.2%	37.8%
Liquor	All	25.3%	37.2%	51.9%	48.1%
	Grade 7	10.5%	16.4%	27.4%	72.6%
	Grade 8	17.7%	27.1%	41.4%	58.6%
	Grade 9	26.4%	38.4%	54.1%	45.9%
	Grade 10	30.6%	45.3%	61.2%	38.8%
	Grade 11	33.7%	49.5%	66.1%	33.9%
	Grade 12	38.6%	54.6%	69.7%	30.3%

AA

Table A-2: How often do you normally use...

Any alcohol product?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	33.8%	0.9%	6.8%	17.1%	17.7%	14.0%	9.7%
Grade 7	52.8%	0.9%	4.0%	8.5%	11.2%	12.4%	10.4%
Grade 8	40.1%	1.1%	6.0%	12.7%	15.2%	14.7%	10.2%
Grade 9	31.5%	1.0%	7.2%	17.1%	19.5%	14.0%	9.6%
Grade 10	26.5%	0.8%	7.0%	20.7%	20.8%	15.0%	9.3%
Grade 11	24.0%	1.0%	8.0%	22.8%	20.6%	14.1%	9.6%
Grade 12	21.2%	1.0%	9.8%	25.1%	20.5%	13.6%	8.7%

♀

State - Grades 7-12
Spring 1998

AA

Beer?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	45.0%	0.5%	5.5%	13.5%	14.7%	11.2%	9.6%
Grade 7	63.2%	0.4%	2.8%	6.2%	9.2%	9.1%	9.1%
Grade 8	51.6%	0.5%	4.5%	9.4%	12.6%	11.6%	9.8%
Grade 9	43.3%	0.5%	5.5%	13.5%	16.0%	11.6%	9.5%
Grade 10	37.9%	0.5%	5.9%	16.4%	17.5%	12.0%	10.0%
Grade 11	34.9%	0.7%	6.8%	18.4%	17.2%	11.7%	10.1%
Grade 12	32.8%	0.8%	8.6%	20.5%	16.6%	11.3%	9.4%

Wine coolers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	43.5%	0.3%	3.7%	12.2%	16.2%	14.6%	9.4%
Grade 7	63.2%	0.4%	2.6%	6.3%	9.1%	10.3%	8.0%
Grade 8	50.3%	0.5%	4.1%	9.4%	13.0%	13.6%	9.2%
Grade 9	41.6%	0.4%	4.1%	12.9%	17.1%	14.6%	9.1%
Grade 10	35.8%	0.2%	3.7%	14.7%	19.3%	16.4%	9.8%
Grade 11	33.3%	0.2%	3.9%	15.7%	20.0%	16.5%	10.5%
Grade 12	30.1%	0.1%	3.5%	16.7%	21.4%	17.7%	10.5%

Wine?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	51.7%	0.2%	2.4%	7.8%	11.9%	16.0%	10.0%

		98State712.out						
Grade 7	70.5%	0.2%	1.6%	4.2%	6.4%	9.9%	7.2%	
Grade 8	58.4%	0.2%	2.7%	6.2%	9.6%	13.6%	9.2%	
Grade 9	49.7%	0.2%	2.6%	8.5%	13.2%	16.2%	9.6%	
Grade 10	45.1%	0.1%	2.6%	9.1%	14.0%	17.9%	11.0%	
Grade 11	41.5%	0.1%	2.5%	9.5%	14.6%	19.8%	11.9%	
Grade 12	38.7%	0.1%	2.6%	10.3%	15.2%	20.7%	12.4%	

Li quor?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	51.8%	0.3%	3.7%	11.7%	14.1%	11.0%	7.6%
Grade 7	76.4%	0.2%	2.0%	4.3%	5.4%	6.4%	5.4%
Grade 8	62.5%	0.4%	3.2%	7.6%	9.8%	9.4%	7.1%
Grade 9	49.8%	0.4%	4.1%	11.8%	14.9%	11.4%	7.7%
Grade 10	42.2%	0.2%	4.1%	14.7%	17.8%	13.1%	8.0%
Grade 11	37.3%	0.3%	4.2%	15.9%	19.7%	13.5%	9.0%
Grade 12	33.0%	0.3%	5.0%	19.0%	20.0%	13.7%	9.0%

♀

State - Grades 7-12
Spring 1998

AA

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

Beer

	Never	Ever	5 or More	1 to 4	Less Than 1
All	43.0%	57.0%	16.6%	27.6%	12.7%
Grade 7	58.6%	41.4%	6.6%	21.3%	13.6%
Grade 8	48.4%	51.6%	10.7%	26.5%	14.4%
Grade 9	41.1%	58.9%	16.5%	29.3%	13.1%
Grade 10	37.1%	62.9%	20.6%	30.1%	12.1%
Grade 11	34.7%	65.3%	23.6%	30.1%	11.6%
Grade 12	33.5%	66.5%	26.3%	29.6%	10.6%

Wi ne Coolers

	Never	Ever	5 or More	1 to 4	Less Than 1
All	39.3%	60.7%	15.3%	36.3%	9.1%
Grade 7	56.7%	43.3%	8.6%	24.1%	10.5%
Grade 8	44.7%	55.3%	13.2%	31.8%	10.3%
Grade 9	36.9%	63.1%	16.9%	37.3%	8.9%
Grade 10	32.5%	67.5%	18.8%	40.5%	8.2%
Grade 11	31.0%	69.0%	18.1%	42.9%	8.0%
Grade 12	29.7%	70.3%	17.3%	45.2%	7.8%

Wi ne

98State712.out

	Never	Ever	5 or More	1 to 4	Less Than 1
All	48.8%	51.2%	6.5%	29.9%	14.7%
Grade 7	64.7%	35.3%	4.2%	18.3%	12.8%
Grade 8	53.9%	46.1%	5.4%	26.2%	14.4%
Grade 9	46.0%	54.0%	7.7%	31.6%	14.7%
Grade 10	43.4%	56.6%	7.5%	34.0%	15.1%
Grade 11	41.1%	58.9%	7.5%	35.4%	15.9%
Grade 12	40.1%	59.9%	7.0%	36.7%	16.2%

Li quor

	Never	Ever	5 or More	1 to 4	Less Than 1
All	47.7%	52.3%	14.0%	28.0%	10.4%
Grade 7	72.1%	27.9%	4.7%	14.1%	9.0%
Grade 8	57.6%	42.4%	9.1%	21.8%	11.5%
Grade 9	45.7%	54.3%	14.5%	28.9%	10.9%
Grade 10	38.3%	61.7%	18.3%	32.7%	10.6%
Grade 11	34.2%	65.8%	19.0%	36.6%	10.1%
Grade 12	30.9%	69.1%	21.3%	38.3%	9.5%

AA

Table A-4: During the past twelve months, how often have you had five or more drinks at one time?

Beer

	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	63.6%	36.4%	3.9%	17.6%	14.9%
Grade 7	77.5%	22.5%	1.9%	8.6%	11.9%
Grade 8	70.1%	29.9%	3.0%	12.8%	14.1%
Grade 9	63.1%	36.9%	3.9%	17.7%	15.2%
Grade 10	58.3%	41.7%	4.2%	21.6%	15.9%
Grade 11	55.1%	44.9%	4.9%	23.4%	16.6%
Grade 12	52.1%	47.9%	6.4%	25.4%	16.1%

State - Grades 7-12
Spring 1998

AA

Wi ne Coolers

	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	60.6%	39.4%	3.0%	18.1%	18.2%
Grade 7	74.1%	25.9%	2.5%	10.0%	13.4%
Grade 8	66.3%	33.7%	3.6%	14.5%	15.6%
Grade 9	59.1%	40.9%	3.5%	19.4%	18.0%
Grade 10	55.0%	45.0%	3.2%	21.6%	20.2%
Grade 11	53.7%	46.3%	2.7%	22.4%	21.2%

	Grade 12	51.2%	48.8%	2.4%	23.4%	23.0%
Wine		Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All		67.6%	32.4%	1.7%	11.4%	19.3%
Grade 7		79.7%	20.3%	1.4%	6.7%	12.2%
Grade 8		72.5%	27.5%	1.9%	9.7%	15.9%
Grade 9		65.9%	34.1%	2.0%	12.7%	19.4%
Grade 10		63.4%	36.6%	1.7%	13.2%	21.6%
Grade 11		61.5%	38.5%	1.7%	13.0%	23.8%
Grade 12		59.7%	40.3%	1.6%	13.6%	25.1%
Liquor		Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All		63.4%	36.6%	3.1%	17.9%	15.6%
Grade 7		82.2%	17.8%	1.8%	6.8%	9.2%
Grade 8		72.3%	27.7%	2.7%	11.9%	13.1%
Grade 9		62.3%	37.7%	3.6%	18.7%	15.5%
Grade 10		56.3%	43.7%	3.6%	22.1%	18.0%
Grade 11		52.8%	47.2%	3.3%	24.6%	19.3%
Grade 12		48.7%	51.3%	3.7%	27.1%	20.5%

AA

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	10.4	11.0	11.8	12.5	13.1	13.7
Beer	10.4	11.1	11.9	12.6	13.3	13.9
Wine Coolers	10.8	11.5	12.3	13.0	13.7	14.3
Wine	10.8	11.6	12.3	13.0	13.6	14.2
Liquor	11.1	11.9	12.8	13.6	14.2	14.8

AA

Table A-6: If you wanted some, how difficult would it be to get...

Beer?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	6.3%	9.1%	4.9%	10.5%	23.0%	46.2%
Grade 7	11.0%	20.5%	8.5%	12.6%	18.4%	29.0%
Grade 8	8.0%	12.4%	6.9%	12.3%	22.0%	38.5%
Grade 9	6.0%	7.2%	4.5%	11.3%	23.1%	47.9%
Grade 10	4.9%	4.8%	3.1%	8.8%	24.1%	54.2%
Grade 11	3.3%	3.8%	3.0%	8.5%	24.2%	57.2%
Grade 12	3.0%	3.2%	2.1%	8.2%	28.0%	55.5%

98State712.out
 State - Grades 7-12
 Spring 1998

AA

Wine coolers?

	Never Heard Of	Impossi bl e	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All	7.4%	9.6%	5.5%	11.0%	23.0%	43.4%
Grade 7	13.9%	22.3%	9.7%	13.0%	17.0%	24.2%
Grade 8	9.4%	13.3%	7.6%	13.2%	21.7%	34.7%
Grade 9	6.7%	7.6%	5.4%	11.8%	23.6%	44.9%
Grade 10	5.4%	4.9%	3.6%	9.8%	24.6%	51.8%
Grade 11	3.8%	3.5%	3.0%	8.6%	24.9%	56.3%
Grade 12	3.4%	2.9%	2.2%	8.2%	28.0%	55.3%

Wine?

	Never Heard Of	Impossi bl e	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All	8.0%	11.9%	7.2%	12.5%	21.4%	39.0%
Grade 7	13.7%	26.3%	11.5%	12.4%	14.5%	21.5%
Grade 8	10.1%	16.8%	9.7%	14.0%	18.8%	30.7%
Grade 9	7.5%	9.7%	7.3%	13.7%	22.0%	39.8%
Grade 10	6.5%	6.5%	5.1%	12.3%	23.3%	46.2%
Grade 11	4.6%	4.5%	4.3%	11.4%	24.6%	50.4%
Grade 12	3.5%	3.8%	3.3%	10.0%	27.4%	51.9%

Liquor?

	Never Heard Of	Impossi bl e	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All	8.0%	13.1%	7.5%	11.5%	19.9%	40.0%
Grade 7	14.7%	29.3%	11.9%	10.9%	12.7%	20.5%
Grade 8	10.3%	18.9%	10.1%	12.8%	16.6%	31.2%
Grade 9	7.1%	10.3%	7.8%	12.7%	20.5%	41.6%
Grade 10	5.8%	7.0%	5.3%	10.9%	22.4%	48.5%
Grade 11	4.4%	4.8%	4.5%	10.9%	23.3%	52.1%
Grade 12	3.5%	4.3%	3.4%	10.0%	26.2%	52.6%

AA

Table A-7: Since school began in the fall, on how many days (if any) have you...

Attended class while drunk on alcohol?

	None	1-3 Days	4-9 Days	10+ Days
All	89.5%	7.9%	1.4%	1.1%
Grade 7	92.2%	6.3%	0.8%	0.7%
Grade 8	90.0%	7.5%	1.4%	1.1%
Grade 9	88.4%	8.7%	1.6%	1.3%

		98State712.out		
Grade 9	96.1%	3.1%	0.5%	0.3%
Grade 10	95.6%	3.8%	0.4%	0.2%
Grade 11	93.9%	5.5%	0.5%	0.2%
Grade 12	92.6%	6.6%	0.6%	0.3%

AA

Table A-10: About how many of your close friends use...

Any alcohol product?

	Never heard None	A Few	Some	Most	All
All	19.8%	23.0%	19.5%	24.8%	12.9%
Grade 7	41.4%	27.3%	13.8%	11.7%	5.8%
Grade 8	26.3%	27.6%	18.8%	17.9%	9.4%
Grade 9	15.5%	23.0%	21.5%	25.9%	14.1%
Grade 10	12.0%	20.1%	22.0%	30.3%	15.6%
Grade 11	9.7%	19.7%	21.3%	32.5%	16.7%
Grade 12	8.5%	17.7%	19.9%	36.0%	17.9%

Beer?

	Never heard None	A Few	Some	Most	All
All	25.9%	23.0%	19.6%	21.9%	9.6%
Grade 7	50.3%	24.8%	12.5%	9.0%	3.4%
Grade 8	34.4%	27.1%	18.0%	14.3%	6.1%
Grade 9	21.6%	23.8%	21.6%	22.7%	10.3%
Grade 10	16.9%	21.1%	22.7%	27.4%	11.9%
Grade 11	13.9%	20.7%	22.4%	29.5%	13.4%
Grade 12	12.3%	18.7%	21.0%	33.3%	14.8%

State - Grades 7-12
Spring 1998

AA

Wine coolers?

	Never heard None	A Few	Some	Most	All
All	30.1%	24.1%	19.9%	18.0%	7.8%
Grade 7	53.4%	22.3%	11.5%	8.7%	4.1%
Grade 8	38.0%	25.7%	16.3%	13.3%	6.6%
Grade 9	26.7%	24.9%	20.6%	18.8%	9.0%
Grade 10	21.3%	23.4%	23.8%	22.4%	9.1%
Grade 11	18.8%	24.3%	24.3%	23.1%	9.5%
Grade 12	16.1%	23.5%	26.0%	25.1%	9.3%

Wine?

98State712.out

	Never heard None	A Few	Some	Most	All
All	44.2%	24.4%	15.1%	11.0%	5.2%
Grade 7	65.1%	18.6%	8.3%	5.4%	2.5%
Grade 8	51.6%	23.1%	12.3%	8.8%	4.1%
Grade 9	41.0%	25.0%	16.1%	11.8%	6.2%
Grade 10	36.0%	26.5%	18.0%	13.3%	6.2%
Grade 11	34.2%	26.6%	19.1%	13.7%	6.4%
Grade 12	31.8%	28.1%	18.9%	14.8%	6.3%

Liquor?

	Never heard None	A Few	Some	Most	All
All	35.8%	20.1%	17.1%	18.6%	8.5%
Grade 7	64.7%	17.2%	8.6%	6.7%	2.9%
Grade 8	47.2%	21.4%	13.9%	11.8%	5.7%
Grade 9	31.4%	21.8%	18.1%	18.9%	9.7%
Grade 10	24.8%	20.2%	20.7%	23.8%	10.6%
Grade 11	21.3%	20.1%	21.6%	25.9%	11.2%
Grade 12	17.9%	19.4%	21.7%	28.9%	12.1%

AA

Table A-11: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	91.5%	7.2%	0.9%	0.4%
Grade 7	95.8%	3.6%	0.4%	0.3%
Grade 8	93.9%	5.2%	0.6%	0.3%
Grade 9	91.3%	7.4%	0.9%	0.4%
Grade 10	89.7%	8.8%	1.1%	0.4%
Grade 11	89.2%	9.3%	1.1%	0.3%
Grade 12	87.5%	10.7%	1.2%	0.6%

Been criticized by someone you were dating because of drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	92.7%	5.9%	0.8%	0.5%
Grade 7	97.1%	2.3%	0.4%	0.2%
Grade 8	95.4%	3.7%	0.5%	0.4%
Grade 9	92.9%	5.9%	0.8%	0.5%
Grade 10	91.0%	7.4%	1.0%	0.6%
Grade 11	90.0%	7.9%	1.3%	0.8%
Grade 12	87.7%	10.0%	1.4%	1.0%

♀

AA

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Sel dom	Hal f the Time	Most Of the Time	Al ways	Don' t Know	Di dn' t Attend
All	31.0%	11.3%	8.3%	14.9%	23.0%	2.2%	9.3%
Grade 7	57.5%	12.6%	6.9%	6.9%	5.2%	2.8%	8.1%
Grade 8	42.4%	16.0%	9.9%	11.7%	9.6%	2.8%	7.7%
Grade 9	26.6%	12.2%	9.9%	17.0%	21.8%	2.6%	10.0%
Grade 10	20.7%	9.8%	8.2%	19.2%	30.4%	2.1%	9.6%
Grade 11	16.5%	8.2%	7.7%	17.8%	37.6%	1.3%	10.8%
Grade 12	14.9%	6.9%	6.4%	18.1%	42.8%	1.1%	9.8%

AA

Table A-13: How often, if ever, do you get alcoholic beverages from...

At home

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	37.7%	27.9%	23.4%	8.1%	2.9%
Grade 7	51.2%	21.6%	18.2%	6.7%	2.3%
Grade 8	42.3%	24.7%	21.7%	8.6%	2.7%
Grade 9	36.1%	27.7%	24.6%	8.7%	2.9%
Grade 10	32.2%	30.7%	25.2%	8.7%	3.3%
Grade 11	31.3%	32.6%	25.8%	7.5%	2.8%
Grade 12	29.7%	32.9%	26.2%	8.1%	3.2%

From friends

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	31.5%	13.9%	17.7%	25.3%	11.6%
Grade 7	49.1%	21.7%	12.9%	12.4%	4.0%
Grade 8	37.4%	17.9%	18.1%	19.2%	7.4%
Grade 9	29.4%	13.6%	19.3%	26.2%	11.5%
Grade 10	24.8%	10.9%	19.5%	30.2%	14.6%
Grade 11	22.7%	9.2%	18.4%	32.5%	17.3%
Grade 12	21.1%	7.7%	17.7%	35.3%	18.1%

From a store

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	33.6%	39.9%	12.4%	9.1%	4.9%
Grade 7	50.7%	39.9%	5.4%	2.8%	1.2%
Grade 8	39.9%	44.1%	8.8%	5.1%	2.1%
Grade 9	31.5%	42.7%	13.3%	8.7%	3.8%
Grade 10	27.1%	39.9%	15.3%	11.6%	6.1%

		98State712.out			
Grade 11	24.7%	36.3%	17.0%	13.4%	8.5%
Grade 12	22.9%	33.9%	17.0%	15.9%	10.3%

At parties

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	30.7%	13.3%	14.3%	21.0%	20.8%
Grade 7	47.0%	19.7%	12.7%	12.4%	8.3%
Grade 8	36.0%	16.2%	15.8%	18.0%	14.0%
Grade 9	28.7%	12.4%	14.9%	21.7%	22.3%
Grade 10	24.4%	11.2%	13.9%	24.2%	26.3%
Grade 11	22.9%	9.5%	14.3%	25.1%	28.2%
Grade 12	21.1%	8.7%	14.0%	27.3%	28.9%

State - Grades 7-12
Spring 1998

AA

Other source

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	35.0%	24.4%	18.0%	11.6%	11.1%
Grade 7	50.3%	23.1%	13.0%	7.7%	6.0%
Grade 8	40.2%	23.8%	16.0%	10.6%	9.4%
Grade 9	33.3%	24.3%	18.5%	12.3%	11.7%
Grade 10	28.8%	24.7%	19.8%	13.9%	12.7%
Grade 11	27.2%	24.5%	20.8%	13.3%	14.1%
Grade 12	25.7%	26.4%	21.3%	12.6%	14.1%

AA

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	62.9%	16.1%	9.3%	2.8%	1.2%	7.7%
Grade 7	70.9%	9.2%	4.4%	1.5%	1.4%	12.6%
Grade 8	68.3%	12.1%	7.0%	2.0%	1.4%	9.2%
Grade 9	62.3%	15.9%	10.0%	3.0%	1.2%	7.5%
Grade 10	60.6%	18.5%	10.5%	3.3%	1.1%	6.0%
Grade 11	58.6%	20.3%	11.6%	3.4%	1.0%	5.0%
Grade 12	53.3%	22.9%	13.9%	4.3%	1.1%	4.5%

AA

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
--	----------------	--------------------	--------------------	----------------------	-------------

98State712.out

All	43.7%	35.3%	14.4%	3.0%	3.7%
Grade 7	49.6%	29.0%	13.1%	2.8%	5.6%
Grade 8	42.0%	33.4%	16.1%	3.8%	4.7%
Grade 9	41.6%	34.9%	16.3%	3.4%	3.8%
Grade 10	42.7%	37.4%	14.1%	2.9%	2.9%
Grade 11	43.2%	38.9%	13.3%	2.4%	2.2%
Grade 12	42.8%	40.3%	12.5%	2.3%	2.0%

0
+

State - Grades 7-12
Spring 1998

AA

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
AA					
Marijuana?	All	15.2%	22.9%	34.5%	65.5%
	Grade 7	7.1%	10.3%	16.7%	83.3%
	Grade 8	12.4%	18.1%	27.1%	72.9%
	Grade 9	16.9%	25.0%	36.6%	63.4%
	Grade 10	19.0%	28.5%	42.6%	57.4%
	Grade 11	18.8%	29.1%	43.8%	56.2%
	Grade 12	19.0%	30.0%	46.0%	54.0%
AA					
Cocaine?	All	3.2%	5.3%	8.7%	91.3%
	Grade 7	1.3%	2.1%	3.6%	96.4%
	Grade 8	2.3%	3.8%	6.3%	93.7%
	Grade 9	3.6%	5.5%	9.2%	90.8%
	Grade 10	4.0%	6.6%	10.8%	89.2%
	Grade 11	4.3%	7.0%	11.3%	88.7%
	Grade 12	4.4%	7.8%	12.9%	87.1%
AA					
Crack?	All	1.0%	1.7%	3.2%	96.8%
	Grade 7	0.9%	1.5%	2.6%	97.4%
	Grade 8	1.2%	1.9%	3.3%	96.7%
	Grade 9	1.1%	1.9%	3.5%	96.5%
	Grade 10	1.0%	1.9%	3.3%	96.7%
	Grade 11	0.9%	1.5%	3.5%	96.5%
	Grade 12	0.8%	1.5%	3.2%	96.8%
AA					
Hallicogens?	All	2.5%	4.3%	7.3%	92.7%
	Grade 7	1.0%	1.6%	2.5%	97.5%
	Grade 8	1.6%	2.5%	4.2%	95.8%
	Grade 9	2.9%	4.6%	7.4%	92.6%
	Grade 10	3.3%	5.6%	9.1%	90.9%
	Grade 11	3.5%	6.0%	10.5%	89.5%
	Grade 12	3.4%	6.4%	12.3%	87.7%
AA					
Uppers?	All	3.1%	5.1%	8.2%	91.8%
	Grade 7	1.3%	1.9%	3.0%	97.0%

98State712.out					
Grade 8		2.2%	3.6%	5.6%	94.4%
Grade 9		3.5%	5.6%	8.7%	91.3%
Grade 10		4.2%	6.9%	10.8%	89.2%
Grade 11		4.1%	6.7%	10.8%	89.2%
Grade 12		3.8%	6.7%	12.0%	88.0%
Downers?					
All		2.6%	4.1%	6.6%	93.4%
Grade 7		1.0%	1.4%	2.5%	97.5%
Grade 8		1.7%	2.8%	4.3%	95.7%
Grade 9		2.9%	4.5%	7.1%	92.9%
Grade 10		3.4%	5.6%	8.8%	91.2%
Grade 11		3.4%	5.5%	8.9%	91.1%
Grade 12		3.2%	5.3%	9.4%	90.6%
Rohypnol ?					
All		2.6%	4.1%	6.7%	93.3%
Grade 7		1.9%	2.7%	4.1%	95.9%
Grade 8		2.7%	4.0%	6.0%	94.0%
Grade 9		3.2%	4.7%	7.3%	92.7%
Grade 10		2.9%	5.0%	7.9%	92.1%
Grade 11		2.3%	4.1%	7.4%	92.6%
Grade 12		2.4%	4.4%	7.7%	92.3%
Steroi ds?					
All		0.7%	1.1%	2.1%	97.9%
Grade 7		0.7%	1.1%	2.3%	97.7%
Grade 8		0.8%	1.1%	2.4%	97.6%
Grade 9		0.6%	1.0%	2.0%	98.0%
Grade 10		0.6%	1.0%	1.9%	98.1%
Grade 11		0.8%	1.1%	2.1%	97.9%
Grade 12		0.8%	1.1%	2.3%	97.7%

State - Grades 7-12
Spring 1998

State - Grades 7-12 Spring 1998					
		Past Month	School Year	Ever Used	Never Used
Ecstasy?					
All		1.4%	2.4%	4.5%	95.5%
Grade 7		0.5%	0.9%	1.4%	98.6%
Grade 8		1.1%	1.6%	2.8%	97.2%
Grade 9		1.6%	2.5%	4.4%	95.6%
Grade 10		1.7%	3.0%	5.4%	94.6%
Grade 11		2.0%	3.3%	6.4%	93.6%
Grade 12		2.0%	3.7%	7.7%	92.3%
Heroin?					
All		0.7%	1.2%	2.4%	97.6%
Grade 7		0.9%	1.5%	2.6%	97.4%
Grade 8		0.9%	1.5%	2.8%	97.2%
Grade 9		0.6%	1.1%	2.3%	97.7%
Grade 10		0.7%	1.1%	2.1%	97.9%
Grade 11		0.6%	0.9%	2.3%	97.7%
Grade 12		0.6%	1.0%	2.3%	97.7%

Table D-2: How often do you normally use...

Marijuana?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	70.2%	2.6%	3.9%	5.3%	6.2%	5.4%	6.3%
Grade 7	85.9%	1.1%	2.3%	2.6%	3.1%	2.5%	2.5%
Grade 8	76.3%	1.9%	3.6%	5.0%	4.9%	4.2%	4.1%
Grade 9	67.8%	2.9%	4.7%	6.0%	7.0%	5.6%	6.0%
Grade 10	63.0%	3.3%	4.6%	6.5%	7.8%	6.7%	8.1%
Grade 11	62.3%	3.4%	4.2%	6.3%	7.8%	6.8%	9.2%
Grade 12	60.8%	4.0%	3.8%	5.9%	7.3%	8.0%	10.3%

Cocaine?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	92.8%	0.1%	0.6%	1.1%	1.7%	1.7%	2.0%
Grade 7	97.0%	0.1%	0.3%	0.5%	0.8%	0.7%	0.6%
Grade 8	94.7%	0.1%	0.5%	0.8%	1.3%	1.3%	1.3%
Grade 9	92.4%	0.2%	0.8%	1.1%	1.7%	1.7%	2.0%
Grade 10	91.1%	0.1%	0.6%	1.4%	2.1%	2.3%	2.4%
Grade 11	90.3%	0.1%	0.7%	1.7%	2.2%	2.0%	3.0%
Grade 12	89.3%	0.1%	0.6%	1.5%	2.5%	2.7%	3.4%

Crack?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.4%	0.1%	0.2%	0.4%	0.5%	0.6%	0.9%
Grade 7	98.0%	0.1%	0.2%	0.3%	0.4%	0.5%	0.5%
Grade 8	97.3%	0.1%	0.2%	0.5%	0.5%	0.7%	0.8%
Grade 9	97.1%	0.1%	0.2%	0.4%	0.5%	0.7%	1.0%
Grade 10	97.2%	0.1%	0.2%	0.3%	0.6%	0.7%	1.0%
Grade 11	97.3%	0.1%	0.1%	0.3%	0.5%	0.6%	1.2%
Grade 12	97.2%	0.0%	0.2%	0.3%	0.4%	0.6%	1.2%

♀

State - Grades 7-12
Spring 1998

AA

Hallucinogens?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
--	------------	-----------	----------------------	-----------------------	--------------------	-------------------	-----------------------

98State712.out

All	93.8%	0.0%	0.2%	0.7%	1.5%	1.8%	1.9%
Grade 7	98.0%	0.0%	0.2%	0.3%	0.5%	0.6%	0.4%
Grade 8	96.6%	0.1%	0.2%	0.4%	1.0%	0.9%	0.9%
Grade 9	93.9%	0.1%	0.2%	0.8%	1.7%	1.8%	1.6%
Grade 10	92.0%	0.0%	0.2%	1.1%	2.1%	2.2%	2.4%
Grade 11	90.9%	0.0%	0.1%	0.8%	2.1%	2.8%	3.2%
Grade 12	89.6%	0.0%	0.1%	0.7%	2.3%	3.2%	4.0%

Uppers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	92.9%	0.2%	0.5%	1.0%	1.7%	1.8%	2.0%
Grade 7	97.4%	0.1%	0.3%	0.4%	0.7%	0.6%	0.5%
Grade 8	95.1%	0.1%	0.3%	0.9%	1.3%	1.2%	1.1%
Grade 9	92.3%	0.2%	0.6%	1.1%	2.0%	1.9%	1.9%
Grade 10	90.6%	0.3%	0.5%	1.4%	2.4%	2.3%	2.6%
Grade 11	90.5%	0.2%	0.7%	1.2%	2.3%	2.3%	2.9%
Grade 12	89.8%	0.2%	0.5%	1.2%	2.0%	2.8%	3.5%

Downers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.1%	0.1%	0.4%	0.9%	1.4%	1.5%	1.5%
Grade 7	97.7%	0.1%	0.3%	0.4%	0.5%	0.5%	0.5%
Grade 8	96.1%	0.1%	0.3%	0.8%	0.9%	1.0%	0.8%
Grade 9	93.6%	0.2%	0.5%	0.9%	1.7%	1.7%	1.5%
Grade 10	92.1%	0.1%	0.4%	1.2%	2.0%	2.1%	2.1%
Grade 11	92.1%	0.2%	0.5%	1.2%	1.9%	2.0%	2.1%
Grade 12	91.6%	0.1%	0.4%	1.1%	1.9%	2.3%	2.7%

Rohypnol ?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.4%	0.1%	0.5%	0.8%	1.3%	1.4%	1.4%
Grade 7	96.7%	0.1%	0.5%	0.6%	0.8%	0.7%	0.6%
Grade 8	95.0%	0.2%	0.6%	0.9%	1.3%	1.1%	0.9%
Grade 9	93.9%	0.1%	0.5%	1.1%	1.5%	1.6%	1.3%
Grade 10	93.6%	0.1%	0.4%	1.0%	1.4%	1.8%	1.7%
Grade 11	93.8%	0.1%	0.4%	0.6%	1.4%	1.8%	2.0%
Grade 12	93.1%	0.0%	0.3%	0.6%	1.6%	1.9%	2.5%

Steroi ds?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
--	------------	-----------	----------------------	-----------------------	--------------------	-------------------	-----------------------

98State712.out

All	98.3%	0.1%	0.1%	0.2%	0.2%	0.4%	0.7%
Grade 7	98.2%	0.1%	0.1%	0.2%	0.3%	0.5%	0.6%
Grade 8	98.3%	0.1%	0.1%	0.2%	0.3%	0.4%	0.6%
Grade 9	98.4%	0.2%	0.1%	0.2%	0.2%	0.4%	0.6%
Grade 10	98.5%	0.1%	0.1%	0.1%	0.2%	0.3%	0.6%
Grade 11	98.3%	0.1%	0.2%	0.3%	0.2%	0.3%	0.7%
Grade 12	98.0%	0.1%	0.2%	0.3%	0.2%	0.3%	1.0%

State - Grades 7-12
Spring 1998

AA

Ecstasy?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.1%	0.0%	0.1%	0.4%	0.8%	1.2%	1.3%
Grade 7	98.8%	0.0%	0.1%	0.2%	0.3%	0.3%	0.3%
Grade 8	97.7%	0.1%	0.1%	0.3%	0.6%	0.7%	0.7%
Grade 9	96.2%	0.0%	0.1%	0.4%	0.9%	1.2%	1.1%
Grade 10	95.3%	0.0%	0.1%	0.5%	1.1%	1.5%	1.5%
Grade 11	94.3%	0.0%	0.1%	0.5%	1.1%	1.9%	2.0%
Grade 12	93.2%	0.0%	0.1%	0.4%	1.1%	2.3%	2.9%

Heroin?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.1%	0.1%	0.1%	0.2%	0.3%	0.4%	0.8%
Grade 7	98.0%	0.1%	0.2%	0.3%	0.4%	0.4%	0.6%
Grade 8	98.0%	0.1%	0.1%	0.2%	0.4%	0.5%	0.6%
Grade 9	98.1%	0.1%	0.1%	0.1%	0.3%	0.4%	0.8%
Grade 10	98.3%	0.1%	0.1%	0.2%	0.3%	0.5%	0.7%
Grade 11	98.1%	0.1%	0.1%	0.1%	0.2%	0.4%	1.0%
Grade 12	97.9%	0.1%	0.1%	0.2%	0.3%	0.4%	1.0%

AA

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.5	12.2	13.0	13.7	14.4	14.9
Cocaine	12.0	12.9	13.8	14.6	15.2	15.9
Crack	11.8	12.7	13.6	14.4	15.1	15.5
Hallucinogens	11.8	12.7	13.6	14.4	14.9	15.4
Uppers	11.6	12.5	13.4	14.2	14.8	15.4
Downers	11.6	12.5	13.4	14.0	14.7	15.3
Rohypnol	11.7	12.5	13.5	14.2	15.0	15.7

	98State712.out					
Steroids	11.4	12.3	13.0	13.9	14.7	15.5
Ecstasy	12.2	12.9	13.7	14.5	15.3	15.9
Heroin	11.8	12.6	13.6	14.2	14.8	15.6

AA

Table D-4: Age of first use of marijuana by family situation:

Two parent family

	Never	9 or Under	10-11	12-13	14-15	16-17	18 or Over
All	69.7%	1.0%	2.8%	9.7%	12.0%	4.5%	0.3%
Grade 7	86.6%	1.5%	4.3%	7.2%	0.4%	* %	0.0%
Grade 8	77.7%	1.4%	3.8%	13.3%	3.8%	0.0%	0.0%
Grade 9	68.4%	1.2%	3.3%	12.3%	14.2%	0.5%	0.0%
Grade 10	62.3%	0.6%	2.4%	10.4%	20.1%	4.2%	0.0%
Grade 11	60.7%	0.4%	1.5%	7.2%	18.6%	11.4%	0.2%
Grade 12	57.8%	0.4%	0.9%	5.8%	17.2%	15.8%	2.2%

State - Grades 7-12
Spring 1998

AA

Other family situation

	Never	9 or Under	10-11	12-13	14-15	16-17	18 or Over
All	53.4%	2.3%	5.6%	16.4%	16.4%	5.4%	0.4%
Grade 7	74.9%	2.8%	8.2%	12.8%	1.3%	0.0%	0.0%
Grade 8	60.6%	3.0%	8.2%	21.5%	6.7%	0.1%	0.0%
Grade 9	50.5%	2.6%	6.2%	21.2%	18.6%	0.9%	0.0%
Grade 10	44.0%	2.2%	4.5%	17.5%	27.2%	4.7%	0.0%
Grade 11	43.8%	1.5%	3.0%	12.5%	25.9%	12.9%	0.3%
Grade 12	43.5%	1.3%	2.0%	9.1%	21.2%	20.2%	2.8%

AA

Table D-5: If you wanted some, how difficult would it be to get...

Marijuana?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	9.5%	20.5%	8.5%	11.3%	17.5%	32.7%
Grade 7	15.0%	42.4%	11.3%	8.9%	9.2%	13.2%
Grade 8	11.9%	28.6%	10.2%	11.9%	13.5%	24.0%
Grade 9	8.9%	16.4%	8.7%	12.5%	18.5%	35.0%
Grade 10	7.2%	11.7%	7.1%	11.8%	20.4%	41.8%
Grade 11	6.4%	9.7%	6.2%	11.3%	22.3%	44.0%
Grade 12	5.7%	8.4%	6.0%	11.7%	24.1%	44.2%

98State712. out

Cocaine?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	14.4%	28.9%	15.7%	16.2%	11.7%	13.2%
Grade 7	19.5%	49.2%	13.3%	7.9%	4.8%	5.4%
Grade 8	16.8%	38.3%	14.9%	12.6%	8.1%	9.3%
Grade 9	14.5%	26.1%	16.6%	17.0%	12.0%	13.8%
Grade 10	12.4%	20.9%	15.9%	19.4%	14.6%	16.8%
Grade 11	11.3%	17.4%	15.9%	21.3%	16.3%	17.8%
Grade 12	9.9%	15.6%	17.8%	21.8%	16.6%	18.4%

Crack?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	15.8%	30.3%	17.1%	16.3%	10.1%	10.4%
Grade 7	20.0%	49.9%	13.1%	7.9%	4.2%	4.9%
Grade 8	18.0%	39.2%	15.4%	12.2%	7.4%	7.7%
Grade 9	15.9%	27.8%	17.9%	16.8%	10.6%	11.0%
Grade 10	14.2%	22.3%	17.5%	19.9%	12.8%	13.3%
Grade 11	12.9%	19.3%	18.8%	21.6%	13.6%	13.9%
Grade 12	11.8%	17.7%	21.3%	22.1%	13.8%	13.3%

Heroin?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	28.5%	26.2%	14.8%	12.5%	8.5%	9.5%
Grade 7	41.1%	37.3%	9.8%	5.1%	3.0%	3.7%
Grade 8	35.4%	32.5%	12.1%	8.4%	5.3%	6.4%
Grade 9	27.7%	25.2%	15.9%	12.6%	8.6%	9.9%
Grade 10	23.6%	21.4%	16.0%	15.6%	11.0%	12.4%
Grade 11	20.1%	19.6%	17.3%	17.1%	12.2%	13.7%
Grade 12	18.6%	17.3%	19.7%	18.8%	13.1%	12.5%

State - Grades 7-12
Spring 1998

AA

Uppers?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	34.7%	20.5%	11.5%	11.9%	9.9%	11.4%
Grade 7	48.2%	30.5%	8.5%	5.1%	3.4%	4.3%
Grade 8	43.0%	25.8%	9.8%	8.2%	6.0%	7.3%
Grade 9	34.2%	19.7%	12.0%	12.2%	10.1%	11.9%
Grade 10	29.4%	16.1%	12.3%	14.6%	13.1%	14.5%
Grade 11	25.6%	14.5%	12.9%	16.6%	14.0%	16.3%

	Grade 12	22.6%	13.6%	98State712.out 14.3%	17.4%	15.3%	16.8%
Downers?							
		Never Heard Of	Impossi bl e	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All		34.7%	20.7%	11.5%	11.8%	9.9%	11.2%
Grade 7		48.2%	30.8%	8.6%	5.0%	3.4%	4.0%
Grade 8		43.4%	25.9%	9.9%	7.8%	5.9%	7.1%
Grade 9		34.1%	19.9%	11.9%	12.2%	10.1%	11.8%
Grade 10		29.6%	16.3%	12.3%	14.5%	13.1%	14.2%
Grade 11		25.5%	14.7%	13.1%	16.5%	14.1%	16.1%
Grade 12		22.5%	13.8%	14.3%	17.4%	15.4%	16.5%
Rohypnol ?							
		Never Heard Of	Impossi bl e	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All		40.6%	19.4%	10.6%	10.0%	8.3%	11.2%
Grade 7		49.5%	29.5%	7.9%	4.5%	3.4%	5.2%
Grade 8		44.2%	24.8%	9.2%	7.4%	6.0%	8.4%
Grade 9		39.8%	18.1%	11.2%	10.2%	8.7%	12.1%
Grade 10		37.7%	14.9%	11.1%	11.7%	10.8%	13.8%
Grade 11		35.4%	13.4%	12.0%	13.6%	11.0%	14.6%
Grade 12		34.0%	12.4%	13.0%	14.6%	11.6%	14.3%
Steroi ds?							
		Never Heard Of	Impossi bl e	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All		20.1%	30.0%	15.9%	14.4%	9.7%	9.9%
Grade 7		25.7%	46.3%	11.9%	7.1%	4.3%	4.7%
Grade 8		23.1%	38.9%	14.3%	10.3%	6.4%	7.0%
Grade 9		20.5%	28.7%	16.7%	14.4%	9.7%	10.1%
Grade 10		18.5%	22.6%	17.3%	18.2%	11.9%	11.5%
Grade 11		15.6%	20.2%	17.9%	18.9%	13.3%	14.1%
Grade 12		14.6%	18.6%	18.3%	19.9%	15.0%	13.7%
Ecstasy?							
		Never Heard Of	Impossi bl e	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All		37.8%	21.6%	12.3%	11.0%	8.0%	9.4%
Grade 7		51.4%	30.4%	8.2%	4.1%	2.5%	3.4%
Grade 8		45.7%	26.9%	9.8%	7.1%	4.4%	6.0%
Grade 9		38.0%	20.9%	12.8%	11.2%	7.6%	9.6%
Grade 10		32.8%	17.5%	13.6%	13.6%	10.4%	12.1%
Grade 11		28.2%	16.1%	14.7%	15.3%	11.9%	13.8%
Grade 12		25.0%	14.6%	16.2%	17.0%	13.7%	13.6%

♀

AA

Heroin?

	Never Heard Of	Impossi ble	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All	19.7%	34.0%	17.5%	12.7%	7.4%	8.8%
Grade 7	24.9%	49.5%	11.7%	5.6%	3.5%	4.8%
Grade 8	22.5%	41.9%	14.0%	8.9%	5.6%	7.2%
Grade 9	19.9%	32.4%	18.0%	12.8%	7.6%	9.3%
Grade 10	18.2%	27.4%	19.6%	15.7%	8.9%	10.3%
Grade 11	15.9%	25.1%	21.3%	17.0%	9.5%	11.2%
Grade 12	15.1%	22.6%	22.4%	18.9%	10.3%	10.7%

AA

Table D-6: Since school began in the fall, on how many days (if any) have you...

Attended class while high from marijuana use?

	None	1-3 Days	4-9 Days	10+ Days
All	86.8%	7.3%	2.5%	3.4%
Grade 7	92.4%	4.7%	1.5%	1.4%
Grade 8	88.2%	7.1%	2.3%	2.4%
Grade 9	84.2%	8.5%	3.1%	4.2%
Grade 10	83.8%	8.7%	3.2%	4.4%
Grade 11	85.5%	7.5%	2.6%	4.4%
Grade 12	86.5%	7.0%	2.3%	4.1%

Attended class while high from use of some other drug?

	None	1-3 Days	4-9 Days	10+ Days
All	93.3%	4.2%	1.2%	1.2%
Grade 7	95.0%	3.4%	0.9%	0.8%
Grade 8	94.0%	4.0%	1.0%	1.0%
Grade 9	92.1%	4.8%	1.5%	1.5%
Grade 10	92.1%	5.2%	1.6%	1.2%
Grade 11	93.5%	3.9%	1.2%	1.4%
Grade 12	93.7%	3.7%	1.2%	1.4%

Gotten into trouble with teachers because of your drug use?

	None	1-3 Days	4-9 Days	10+ Days
All	98.2%	1.3%	0.2%	0.3%
Grade 7	98.5%	1.0%	0.2%	0.3%
Grade 8	97.9%	1.6%	0.3%	0.3%
Grade 9	97.7%	1.7%	0.3%	0.3%
Grade 10	98.0%	1.6%	0.2%	0.3%
Grade 11	98.7%	1.1%	0.1%	0.1%
Grade 12	98.8%	0.9%	0.2%	0.1%

AA

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons:

Marijuana Users: 5.2 days per student
 Marijuana Non-users: 4.1 days per student

Average days conduct problems reported:

Marijuana Users: 5.2 days per student
 Marijuana Non-users: 1.6 days per student

♀

State - Grades 7-12
 Spring 1998

AA

Table D-8: During the past twelve months, how many times have you...

Driven a car when you've felt high from drugs?

	None	1-3 Times	4-9 Times	10+ Times
All	87.7%	7.4%	2.0%	2.9%
Grade 9	92.5%	5.1%	1.2%	1.1%
Grade 10	89.0%	7.1%	1.7%	2.2%
Grade 11	84.3%	9.1%	2.6%	4.0%
Grade 12	82.2%	9.5%	2.9%	5.4%

Gotten into trouble with the police because of drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	96.9%	2.4%	0.4%	0.3%
Grade 7	97.5%	1.7%	0.4%	0.4%
Grade 8	96.7%	2.4%	0.5%	0.4%
Grade 9	96.4%	2.6%	0.5%	0.4%
Grade 10	96.9%	2.6%	0.3%	0.2%
Grade 11	97.0%	2.5%	0.3%	0.2%
Grade 12	97.2%	2.3%	0.3%	0.2%

AA

Table D-9: About how many of your close friends use marijuana?

	Never heard None	A Few	Some	Most	All
All	44.5%	20.7%	14.3%	13.8%	6.7%
Grade 7	68.4%	14.7%	6.8%	6.7%	3.4%
Grade 8	51.8%	18.8%	11.3%	11.7%	6.5%

	98State712.out				
Grade 9	39.8%	20.9%	15.1%	15.9%	8.3%
Grade 10	34.9%	22.3%	17.6%	17.1%	8.1%
Grade 11	34.1%	24.4%	18.4%	16.1%	7.1%
Grade 12	33.2%	25.3%	18.9%	16.3%	6.3%

AA

Table D-10: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	93.4%	5.4%	0.8%	0.4%
Grade 7	95.5%	3.7%	0.5%	0.3%
Grade 8	93.7%	5.0%	0.9%	0.4%
Grade 9	92.5%	6.2%	0.9%	0.5%
Grade 10	92.4%	6.3%	0.9%	0.5%
Grade 11	92.7%	5.9%	1.0%	0.4%
Grade 12	94.1%	4.9%	0.6%	0.4%

Been criticized by someone you were dating because of drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	93.7%	4.9%	0.8%	0.6%
Grade 7	97.0%	2.4%	0.3%	0.3%
Grade 8	95.2%	3.8%	0.6%	0.5%
Grade 9	93.0%	5.6%	0.8%	0.6%
Grade 10	92.1%	6.2%	1.0%	0.7%
Grade 11	92.2%	5.9%	0.9%	1.0%
Grade 12	92.0%	6.1%	1.1%	0.8%

♀

State - Grades 7-12
Spring 1998

AA

Table D-11: Thinking of parties you attended this school year, how often was marijuana used?

	Never	Sel dom	Hal f the Time	Most Of the Time	Al ways	Don' t Know	Di dn' t Attend
All	43.5%	12.3%	9.0%	10.6%	12.2%	3.2%	9.3%
Grade 7	69.4%	7.9%	4.3%	4.1%	4.0%	2.4%	8.0%
Grade 8	56.0%	11.4%	6.8%	7.7%	7.4%	2.9%	7.7%
Grade 9	40.0%	13.5%	9.4%	10.7%	13.1%	3.4%	9.9%
Grade 10	32.6%	13.7%	10.8%	13.9%	16.0%	3.4%	9.7%
Grade 11	28.3%	13.6%	11.9%	14.1%	17.5%	3.8%	10.9%
Grade 12	27.1%	14.3%	12.5%	15.0%	17.9%	3.4%	9.8%

AA

Table D-12: How often, if ever, do you smoke marijuana in...

Joints?

	Never	Sel dom	Hal f the Time	Most of the Time	Al ways	Don' t Know
All	68.8%	9.8%	6.7%	8.7%	5.0%	1.1%
Grade 7	82.9%	5.2%	3.9%	4.1%	2.7%	1.3%
Grade 8	73.8%	7.8%	5.5%	7.0%	4.8%	1.1%
Grade 9	66.3%	10.1%	7.1%	9.5%	5.9%	1.1%
Grade 10	63.1%	11.5%	8.3%	10.7%	5.5%	1.0%
Grade 11	63.2%	11.9%	8.0%	10.5%	5.4%	1.1%
Grade 12	62.2%	13.0%	7.8%	10.9%	5.3%	0.7%

Blunts?

	Never	Sel dom	Hal f the Time	Most of the Time	Al ways	Don' t Know
All	74.8%	10.1%	5.2%	4.6%	4.1%	1.2%
Grade 7	86.9%	4.9%	2.7%	2.3%	1.8%	1.4%
Grade 8	79.6%	7.7%	4.2%	3.7%	3.5%	1.3%
Grade 9	73.0%	10.1%	5.8%	5.3%	4.5%	1.3%
Grade 10	69.2%	12.4%	6.5%	5.7%	5.0%	1.3%
Grade 11	69.3%	12.8%	6.1%	5.3%	5.3%	1.2%
Grade 12	70.1%	13.3%	5.7%	5.2%	4.7%	1.0%

Bongs or water pipes?

	Never	Sel dom	Hal f the Time	Most of the Time	Al ways	Don' t Know
All	79.3%	8.9%	4.7%	3.7%	2.3%	1.1%
Grade 7	90.4%	3.7%	1.9%	1.6%	1.0%	1.4%
Grade 8	84.4%	5.9%	3.6%	2.9%	1.8%	1.4%
Grade 9	78.5%	8.9%	5.0%	3.9%	2.8%	1.0%
Grade 10	73.9%	11.7%	5.7%	4.9%	2.9%	1.0%
Grade 11	74.3%	11.1%	6.2%	4.8%	2.7%	0.9%
Grade 12	73.1%	13.2%	6.6%	4.2%	2.3%	0.7%

Pipes?

	Never	Sel dom	Hal f the Time	Most of the Time	Al ways	Don' t Know
All	78.2%	8.9%	5.2%	4.3%	2.4%	1.0%
Grade 7	89.5%	4.3%	2.1%	1.7%	1.1%	1.2%
Grade 8	83.4%	6.3%	3.8%	3.3%	2.2%	1.1%
Grade 9	77.0%	8.6%	5.7%	4.8%	3.0%	0.9%
Grade 10	72.7%	11.0%	6.7%	5.7%	2.9%	1.1%
Grade 11	73.2%	10.8%	6.7%	5.5%	2.8%	0.9%
Grade 12	72.1%	13.0%	6.8%	5.1%	2.3%	0.7%

♀

AA

Some other way?

	Never	Sel dom	Hal f the Time	Most of the Time	Al ways	Don' t Know
All	84.1%	7.7%	1.8%	1.6%	2.0%	2.6%
Grade 7	90.5%	3.6%	1.3%	1.4%	1.3%	2.0%
Grade 8	86.3%	5.7%	2.0%	1.8%	1.9%	2.4%
Grade 9	82.4%	8.2%	2.1%	1.8%	2.8%	2.8%
Grade 10	80.6%	9.7%	2.2%	1.8%	2.4%	3.3%
Grade 11	82.6%	9.5%	1.9%	1.6%	1.8%	2.7%
Grade 12	82.4%	10.4%	1.5%	1.4%	1.7%	2.6%

AA

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mi l d l y Disapprove	Nei ther	Mi l d l y Approve	Strongly Approve	Don' t Know
All	81.4%	5.2%	3.9%	1.0%	1.3%	7.2%
Grade 7	81.6%	2.5%	2.0%	0.7%	1.7%	11.6%
Grade 8	82.0%	3.9%	3.0%	0.9%	1.6%	8.6%
Grade 9	80.7%	5.4%	4.3%	1.3%	1.4%	7.0%
Grade 10	81.2%	6.4%	4.5%	1.1%	1.1%	5.7%
Grade 11	82.4%	6.2%	4.7%	1.0%	1.1%	4.7%
Grade 12	80.6%	7.7%	5.1%	1.1%	1.0%	4.6%

AA

Table D-14: How dangerous do you think it is for kids your age to use...

Mari j uana?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	58.5%	19.8%	11.6%	6.6%	3.6%
Grade 7	74.5%	12.0%	5.5%	3.0%	5.0%
Grade 8	64.8%	16.5%	8.7%	5.5%	4.6%
Grade 9	55.6%	20.7%	12.5%	7.4%	3.8%
Grade 10	51.9%	22.8%	14.3%	8.1%	2.9%
Grade 11	51.1%	23.6%	14.7%	8.3%	2.3%
Grade 12	49.4%	25.0%	15.3%	8.1%	2.2%

Cocai ne?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	86.1%	7.5%	1.5%	0.8%	4.2%
Grade 7	85.7%	6.5%	1.2%	0.9%	5.6%
Grade 8	84.4%	7.6%	1.7%	1.0%	5.3%

98State712.out

Grade 9	84.7%	8.5%	1.7%	0.9%	4.2%
Grade 10	86.3%	8.1%	1.5%	0.6%	3.6%
Grade 11	87.8%	7.4%	1.3%	0.5%	3.0%
Grade 12	89.1%	6.5%	1.3%	0.5%	2.6%

Crack?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	88.3%	5.7%	0.9%	0.6%	4.5%
Grade 7	86.3%	6.1%	1.1%	0.8%	5.7%
Grade 8	85.6%	6.8%	1.2%	0.9%	5.5%
Grade 9	87.0%	6.5%	1.0%	0.7%	4.7%
Grade 10	89.0%	5.9%	0.7%	0.5%	4.0%
Grade 11	91.0%	4.7%	0.5%	0.4%	3.3%
Grade 12	92.7%	3.3%	0.5%	0.5%	3.0%

State - Grades 7-12
Spring 1998

AA

Ecstasy?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.0%	8.6%	3.0%	1.4%	13.0%
Grade 7	75.3%	5.5%	1.4%	0.9%	16.9%
Grade 8	73.6%	7.3%	1.9%	1.3%	15.9%
Grade 9	72.7%	8.9%	3.2%	1.6%	13.7%
Grade 10	73.0%	9.9%	4.0%	1.6%	11.5%
Grade 11	74.8%	9.8%	4.1%	1.5%	9.8%
Grade 12	75.7%	10.8%	3.9%	1.4%	8.3%

Steroids?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.9%	13.6%	3.1%	1.0%	7.3%
Grade 7	74.7%	11.7%	2.9%	1.2%	9.4%
Grade 8	73.6%	12.8%	3.3%	1.3%	8.9%
Grade 9	73.3%	14.7%	3.4%	1.1%	7.5%
Grade 10	74.9%	14.5%	3.5%	0.8%	6.4%
Grade 11	76.7%	14.1%	2.9%	0.7%	5.6%
Grade 12	77.5%	14.2%	2.7%	0.7%	4.9%

Heroin?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	89.1%	4.0%	0.7%	0.6%	5.6%

		98State712.out				
Grade 7	86.1%	4.6%	1.0%	0.7%	7.6%	
Grade 8	86.4%	5.0%	0.8%	0.8%	7.0%	
Grade 9	88.4%	4.5%	0.8%	0.6%	5.7%	
Grade 10	90.6%	3.7%	0.6%	0.4%	4.8%	
Grade 11	92.2%	3.1%	0.4%	0.4%	4.0%	
Grade 12	93.0%	2.6%	0.3%	0.4%	3.7%	

♀
♂

State - Grades 7-12
Spring 1998

AA

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
AA					
Any inhalant?	All	8.2%	12.3%	22.0%	78.0%
	Grade 7	11.5%	15.6%	25.0%	75.0%
	Grade 8	11.4%	16.5%	26.2%	73.8%
	Grade 9	8.4%	12.8%	23.0%	77.0%
	Grade 10	6.2%	10.2%	20.3%	79.7%
	Grade 11	5.3%	8.8%	18.4%	81.6%
	Grade 12	4.3%	7.5%	16.5%	83.5%
AA					
Liquid or spray paint?	All	2.1%	3.8%	9.3%	90.7%
	Grade 7	3.1%	5.2%	10.9%	89.1%
	Grade 8	3.3%	5.8%	12.3%	87.7%
	Grade 9	2.3%	4.3%	10.5%	89.5%
	Grade 10	1.4%	2.8%	7.9%	92.1%
	Grade 11	1.1%	2.0%	6.6%	93.4%
	Grade 12	0.9%	1.5%	5.8%	94.2%
AA					
Whiteout, correction fluid?	All	2.3%	4.3%	10.3%	89.7%
	Grade 7	4.1%	7.1%	13.5%	86.5%
	Grade 8	3.5%	6.8%	13.9%	86.1%
	Grade 9	2.3%	4.3%	10.9%	89.1%
	Grade 10	1.4%	2.8%	8.3%	91.7%
	Grade 11	1.0%	2.0%	6.9%	93.1%
	Grade 12	0.8%	1.5%	6.3%	93.7%
AA					
Gasoline?	All	1.5%	2.4%	5.8%	94.2%
	Grade 7	2.1%	3.3%	6.6%	93.4%
	Grade 8	2.0%	3.3%	7.1%	92.9%
	Grade 9	1.6%	2.7%	6.2%	93.8%
	Grade 10	1.2%	2.1%	5.4%	94.6%
	Grade 11	0.8%	1.4%	4.6%	95.4%
	Grade 12	0.7%	1.1%	4.1%	95.9%
AA					
Freon?	All	0.7%	1.3%	2.7%	97.3%
	Grade 7	0.7%	1.3%	2.3%	97.7%
	Grade 8	0.9%	1.6%	3.0%	97.0%
	Grade 9	0.8%	1.4%	3.0%	97.0%

98State712.out

Grade 9	1.5%	2.3%	5.0%	95.0%
Grade 10	0.9%	1.4%	3.6%	96.4%
Grade 11	0.6%	1.0%	2.5%	97.5%
Grade 12	0.5%	0.8%	2.2%	97.8%
Other inhalants?				
All	3.6%	5.6%	10.6%	89.4%
Grade 7	5.0%	7.4%	13.3%	86.7%
Grade 8	5.3%	8.3%	14.6%	85.4%
Grade 9	3.7%	6.1%	11.9%	88.1%
Grade 10	2.6%	4.2%	8.7%	91.3%
Grade 11	2.2%	3.5%	7.2%	92.8%
Grade 12	1.7%	2.5%	5.6%	94.4%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	89.8%	0.2%	0.6%	1.1%	1.9%	2.3%	4.2%
Grade 7	87.6%	0.4%	1.2%	2.1%	2.6%	2.7%	3.4%
Grade 8	87.0%	0.4%	0.9%	1.5%	3.0%	3.1%	4.2%
Grade 9	89.3%	0.3%	0.5%	1.0%	1.9%	2.4%	4.6%
Grade 10	90.9%	0.1%	0.3%	0.6%	1.4%	2.1%	4.6%
Grade 11	92.6%	0.1%	0.1%	0.3%	0.9%	1.6%	4.3%
Grade 12	93.2%	0.1%	0.1%	0.3%	0.8%	1.3%	4.1%

Table I-3: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	80.4%	7.6%	6.8%	5.2%
Grade 7	77.7%	7.9%	8.0%	6.4%
Grade 8	77.0%	7.7%	8.1%	7.1%
Grade 9	79.7%	7.6%	7.3%	5.4%
Grade 10	81.9%	7.6%	6.1%	4.4%
Grade 11	83.5%	7.5%	5.3%	3.6%
Grade 12	85.0%	7.0%	4.8%	3.3%

♀

State - Grades 7-12
Spring 1998

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.9	11.6	12.3	12.8	13.3	13.6

AA

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Days	4-9 Days	10+ Days
All	96.7%	2.3%	0.5%	0.5%
Grade 7	94.9%	3.7%	0.7%	0.7%
Grade 8	95.0%	3.6%	0.8%	0.6%
Grade 9	96.5%	2.3%	0.6%	0.5%
Grade 10	97.8%	1.6%	0.3%	0.3%
Grade 11	98.4%	1.1%	0.2%	0.3%
Grade 12	98.8%	0.8%	0.2%	0.2%

AA

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons:

Inhalants Users: 5.2 days per student
 Inhalants Non-users: 4.2 days per student

Average days conduct problems reported:

Inhalants Users: 5.3 days per student
 Inhalants Non-users: 2.0 days per student

AA

Table I-7: About how many of your close friends use inhalants?

	Never heard None	A Few	Some	Most	All
All	79.5%	13.5%	4.5%	1.8%	0.7%
Grade 7	76.1%	14.2%	5.5%	3.2%	1.0%
Grade 8	74.0%	15.7%	6.5%	2.8%	1.0%
Grade 9	77.4%	14.8%	5.1%	1.8%	0.8%
Grade 10	81.0%	13.7%	3.6%	1.2%	0.4%
Grade 11	85.1%	10.8%	2.9%	0.8%	0.4%
Grade 12	86.7%	9.9%	2.4%	0.7%	0.4%

AA

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.6%	14.7%	3.3%	1.0%	5.4%
Grade 7	73.1%	14.4%	4.2%	1.4%	7.0%
Grade 8	72.6%	15.5%	4.2%	1.4%	6.2%
Grade 9	74.1%	15.9%	3.6%	1.1%	5.4%
Grade 10	76.6%	14.9%	3.0%	0.7%	4.8%

98State712.out						
Grade 11	79.0%	13.8%	2.2%	0.6%	4.3%	
Grade 12	80.7%	12.9%	1.8%	0.6%	4.0%	

State - Grades 7-12
Spring 1998

AA

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

Health class

	No	Yes
All	50.9%	49.1%
Grade 7	50.6%	49.4%
Grade 8	54.5%	45.5%
Grade 9	41.0%	59.0%
Grade 10	45.1%	54.9%
Grade 11	56.5%	43.5%
Grade 12	63.7%	36.3%

An assembly program

	No	Yes
All	49.4%	50.6%
Grade 7	46.5%	53.5%
Grade 8	44.5%	55.5%
Grade 9	51.7%	48.3%
Grade 10	50.1%	49.9%
Grade 11	51.5%	48.5%
Grade 12	52.2%	47.8%

Guidance counselor

	No	Yes
All	76.9%	23.1%
Grade 7	69.0%	31.0%
Grade 8	68.0%	32.0%
Grade 9	78.6%	21.4%
Grade 10	80.4%	19.6%
Grade 11	83.8%	16.2%
Grade 12	83.1%	16.9%

Science class

	No	Yes
All	67.9%	32.1%
Grade 7	44.1%	55.9%

	98State712.out	
Grade 8	63.7%	36.3%
Grade 9	69.3%	30.7%
Grade 10	72.5%	27.5%
Grade 11	78.2%	21.8%
Grade 12	83.1%	16.9%

Social studies class

	No	Yes
All	87.8%	12.2%
Grade 7	86.2%	13.8%
Grade 8	85.4%	14.6%
Grade 9	87.6%	12.4%
Grade 10	89.1%	10.9%
Grade 11	89.3%	10.7%
Grade 12	89.7%	10.3%

State - Grades 7-12
Spring 1998

AA

Student group session

	No	Yes
All	83.1%	16.9%
Grade 7	82.6%	17.4%
Grade 8	81.2%	18.8%
Grade 9	82.8%	17.2%
Grade 10	84.0%	16.0%
Grade 11	83.9%	16.1%
Grade 12	84.6%	15.4%

An invited school guest

	No	Yes
All	57.7%	42.3%
Grade 7	52.3%	47.7%
Grade 8	52.7%	47.3%
Grade 9	60.0%	40.0%
Grade 10	60.0%	40.0%
Grade 11	60.6%	39.4%
Grade 12	60.6%	39.4%

Some other school source

	No	Yes
All	63.8%	36.2%
Grade 7	59.6%	40.4%
Grade 8	60.3%	39.7%
Grade 9	63.7%	36.3%

	98State712.out	
Grade 10	66.0%	34.0%
Grade 11	66.8%	33.2%
Grade 12	66.9%	33.1%

Any school source

	No	Yes
All	35.3%	64.7%
Grade 7	36.8%	63.2%
Grade 8	37.3%	62.7%
Grade 9	32.2%	67.8%
Grade 10	33.1%	66.9%
Grade 11	35.6%	64.4%
Grade 12	37.8%	62.2%

AA

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

A counselor or program in school

	No	Yes
All	65.7%	34.3%
Grade 7	56.0%	44.0%
Grade 8	60.6%	39.4%
Grade 9	66.0%	34.0%
Grade 10	69.4%	30.6%
Grade 11	72.2%	27.8%
Grade 12	73.8%	26.2%

‡

State - Grades 7-12
Spring 1998

AA

Another adult in school (such as a nurse or teacher)

	No	Yes
All	68.4%	31.6%
Grade 7	63.1%	36.9%
Grade 8	65.7%	34.3%
Grade 9	69.5%	30.5%
Grade 10	71.1%	28.9%
Grade 11	71.4%	28.6%
Grade 12	70.7%	29.3%

A counselor or program outside of school

	No	Yes
All	58.2%	41.8%
Grade 7	54.8%	45.2%

98State712.out

Grade 8	56.4%	43.6%
Grade 9	58.6%	41.4%
Grade 10	60.3%	39.7%
Grade 11	60.3%	39.7%
Grade 12	59.6%	40.4%

Your parents

	No	Yes
All	42.0%	58.0%
Grade 7	35.5%	64.5%
Grade 8	41.6%	58.4%
Grade 9	43.1%	56.9%
Grade 10	44.7%	55.3%
Grade 11	44.2%	55.8%
Grade 12	43.9%	56.1%

A medical doctor

	No	Yes
All	60.5%	39.5%
Grade 7	55.2%	44.8%
Grade 8	59.4%	40.6%
Grade 9	61.7%	38.3%
Grade 10	63.5%	36.5%
Grade 11	62.2%	37.8%
Grade 12	61.8%	38.2%

Your friends

	No	Yes
All	25.2%	74.8%
Grade 7	35.3%	64.7%
Grade 8	29.2%	70.8%
Grade 9	23.7%	76.3%
Grade 10	20.8%	79.2%
Grade 11	19.3%	80.7%
Grade 12	20.7%	79.3%

Another adult (a relative, clergyman, or other family friend)

	No	Yes
All	39.0%	61.0%
Grade 7	39.9%	60.1%
Grade 8	39.7%	60.3%
Grade 9	38.2%	61.8%
Grade 10	38.8%	61.2%
Grade 11	38.1%	61.9%
Grade 12	39.2%	60.8%

		98State	712.out		
Grade 11	2.0%	12.8%	21.3%	47.6%	16.3%
Grade 12	2.1%	10.9%	21.5%	49.8%	15.6%

Belong/want to belong to a gang?

	None	A Few	Some	Most	All
All	69.3%	16.8%	7.9%	4.3%	1.7%
Grade 7	69.9%	16.0%	7.4%	4.7%	2.0%
Grade 8	63.2%	19.1%	9.6%	5.9%	2.2%
Grade 9	66.3%	17.9%	8.8%	5.0%	2.0%
Grade 10	69.4%	17.1%	8.1%	3.9%	1.6%
Grade 11	74.2%	15.2%	6.6%	2.8%	1.1%
Grade 12	76.2%	14.5%	6.1%	2.3%	1.1%

State - Grades 7-12
Spring 1998

AA

Wish they could drop out of school?

	None	A Few	Some	Most	All
All	54.4%	28.0%	10.3%	4.6%	2.8%
Grade 7	59.4%	22.9%	8.9%	4.9%	3.9%
Grade 8	55.4%	25.6%	10.5%	5.1%	3.3%
Grade 9	50.5%	29.6%	11.3%	5.5%	3.0%
Grade 10	50.3%	31.6%	11.3%	4.7%	2.2%
Grade 11	53.8%	30.6%	10.0%	3.7%	2.0%
Grade 12	58.2%	28.1%	9.1%	3.0%	1.6%

State - Grades 7-12
Spring 1998

Table B1: Prevalence and recency of use of selected substances by grade
--> All students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	26.3%	35.6%	54.7%	45.3%
	Grade 7	15.6%	22.7%	40.2%	59.8%
	Grade 8	21.2%	30.7%	50.2%	49.8%
	Grade 9	27.2%	37.6%	57.0%	43.0%
	Grade 10	29.8%	39.9%	59.9%	40.1%
	Grade 11	32.4%	42.0%	61.7%	38.3%
	Grade 12	36.0%	45.2%	63.5%	36.5%
Alcohol	All	38.0%	52.0%	72.1%	27.9%
	Grade 7	22.5%	32.0%	54.7%	45.3%
	Grade 8	30.6%	43.7%	66.8%	33.2%
	Grade 9	38.9%	54.1%	74.3%	25.7%
	Grade 10	44.0%	59.9%	78.5%	21.5%
	Grade 11	46.6%	62.3%	81.0%	19.0%

		98State712.out				
		Grade 12	51.8%	67.6%	82.8%	17.2%
Inhalants	All	8.2%	12.3%	22.0%	78.0%	
	Grade 7	11.5%	15.6%	25.0%	75.0%	
	Grade 8	11.4%	16.5%	26.2%	73.8%	
	Grade 9	8.4%	12.8%	23.0%	77.0%	
	Grade 10	6.2%	10.2%	20.3%	79.7%	
	Grade 11	5.3%	8.8%	18.4%	81.6%	
	Grade 12	4.3%	7.5%	16.5%	83.5%	
Any Illicit Drug	All	17.0%	24.6%	36.1%	63.9%	
	Grade 7	8.5%	11.8%	18.4%	81.6%	
	Grade 8	14.2%	19.9%	29.1%	70.9%	
	Grade 9	18.7%	26.7%	38.3%	61.7%	
	Grade 10	20.9%	30.4%	44.3%	55.7%	
	Grade 11	20.7%	30.5%	45.1%	54.9%	
	Grade 12	20.8%	31.7%	47.2%	52.8%	
Marijuana	All	15.2%	22.9%	34.5%	65.5%	
	Grade 7	7.1%	10.3%	16.7%	83.3%	
	Grade 8	12.4%	18.1%	27.1%	72.9%	
	Grade 9	16.9%	25.0%	36.6%	63.4%	
	Grade 10	19.0%	28.5%	42.6%	57.4%	
	Grade 11	18.8%	29.1%	43.8%	56.2%	
	Grade 12	19.0%	30.0%	46.0%	54.0%	
Marijuana Only	All	6.0%	10.3%	18.3%	81.7%	
	Grade 7	3.2%	4.9%	9.3%	90.7%	
	Grade 8	5.2%	8.4%	14.7%	85.3%	
	Grade 9	6.7%	11.1%	19.4%	80.6%	
	Grade 10	7.4%	12.5%	22.3%	77.7%	
	Grade 11	7.1%	13.2%	23.5%	76.5%	
	Grade 12	6.7%	13.0%	23.4%	76.6%	
Cocaine or Crack	All	3.5%	5.7%	9.3%	90.7%	
	Grade 7	1.7%	2.6%	4.4%	95.6%	
	Grade 8	2.9%	4.4%	7.3%	92.7%	
	Grade 9	3.8%	5.9%	9.8%	90.2%	
	Grade 10	4.2%	7.0%	11.4%	88.6%	
	Grade 11	4.5%	7.2%	11.8%	88.2%	
	Grade 12	4.6%	8.0%	13.2%	86.8%	
Cocaine	All	3.2%	5.3%	8.7%	91.3%	
	Grade 7	1.3%	2.1%	3.6%	96.4%	
	Grade 8	2.3%	3.8%	6.3%	93.7%	
	Grade 9	3.6%	5.5%	9.2%	90.8%	
	Grade 10	4.0%	6.6%	10.8%	89.2%	
	Grade 11	4.3%	7.0%	11.3%	88.7%	
	Grade 12	4.4%	7.8%	12.9%	87.1%	

State - Grades 7-12
Spring 1998

Table B1 continued from previous page

Past Month School Year Ever Used Never Used

♀

98State712.out

Crack	All	1.0%	1.7%	3.2%	96.8%
	Grade 7	0.9%	1.5%	2.6%	97.4%
	Grade 8	1.2%	1.9%	3.3%	96.7%
	Grade 9	1.1%	1.9%	3.5%	96.5%
	Grade 10	1.0%	1.9%	3.3%	96.7%
	Grade 11	0.9%	1.5%	3.5%	96.5%
	Grade 12	0.8%	1.5%	3.2%	96.8%
Hal I uci nogens	All	2.5%	4.3%	7.3%	92.7%
	Grade 7	1.0%	1.6%	2.5%	97.5%
	Grade 8	1.6%	2.5%	4.2%	95.8%
	Grade 9	2.9%	4.6%	7.4%	92.6%
	Grade 10	3.3%	5.6%	9.1%	90.9%
	Grade 11	3.5%	6.0%	10.5%	89.5%
	Grade 12	3.4%	6.4%	12.3%	87.7%
Uppers	All	3.1%	5.1%	8.2%	91.8%
	Grade 7	1.3%	1.9%	3.0%	97.0%
	Grade 8	2.2%	3.6%	5.6%	94.4%
	Grade 9	3.5%	5.6%	8.7%	91.3%
	Grade 10	4.2%	6.9%	10.8%	89.2%
	Grade 11	4.1%	6.7%	10.8%	89.2%
	Grade 12	3.8%	6.7%	12.0%	88.0%
Downers	All	2.6%	4.1%	6.6%	93.4%
	Grade 7	1.0%	1.4%	2.5%	97.5%
	Grade 8	1.7%	2.8%	4.3%	95.7%
	Grade 9	2.9%	4.5%	7.1%	92.9%
	Grade 10	3.4%	5.6%	8.8%	91.2%
	Grade 11	3.4%	5.5%	8.9%	91.1%
	Grade 12	3.2%	5.3%	9.4%	90.6%
Rohypnol	All	2.6%	4.1%	6.7%	93.3%
	Grade 7	1.9%	2.7%	4.1%	95.9%
	Grade 8	2.7%	4.0%	6.0%	94.0%
	Grade 9	3.2%	4.7%	7.3%	92.7%
	Grade 10	2.9%	5.0%	7.9%	92.1%
	Grade 11	2.3%	4.1%	7.4%	92.6%
	Grade 12	2.4%	4.4%	7.7%	92.3%
Steroi ds	All	0.7%	1.1%	2.1%	97.9%
	Grade 7	0.7%	1.1%	2.3%	97.7%
	Grade 8	0.8%	1.1%	2.4%	97.6%
	Grade 9	0.6%	1.0%	2.0%	98.0%
	Grade 10	0.6%	1.0%	1.9%	98.1%
	Grade 11	0.8%	1.1%	2.1%	97.9%
	Grade 12	0.8%	1.1%	2.3%	97.7%
Ecstasy	All	1.4%	2.4%	4.5%	95.5%
	Grade 7	0.5%	0.9%	1.4%	98.6%
	Grade 8	1.1%	1.6%	2.8%	97.2%
	Grade 9	1.6%	2.5%	4.4%	95.6%
	Grade 10	1.7%	3.0%	5.4%	94.6%
	Grade 11	2.0%	3.3%	6.4%	93.6%
	Grade 12	2.0%	3.7%	7.7%	92.3%

98State712.out

AA					
Heroin	All	0.7%	1.2%	2.4%	97.6%
	Grade 7	0.9%	1.5%	2.6%	97.4%
	Grade 8	0.9%	1.5%	2.8%	97.2%
	Grade 9	0.6%	1.1%	2.3%	97.7%
	Grade 10	0.7%	1.1%	2.1%	97.9%
	Grade 11	0.6%	0.9%	2.3%	97.7%
	Grade 12	0.6%	1.0%	2.3%	97.7%
State - Grades 7-12					
Spring 1998					

Table B2: Prevalence and recency of use of selected substances by grade
--> Male students

AA					
		Past Month	School Year	Ever Used	Never Used
AA					
Tobacco	All	28.9%	38.5%	57.9%	42.1%
	Grade 7	16.3%	24.3%	43.5%	56.5%
	Grade 8	21.9%	31.4%	51.8%	48.2%
	Grade 9	29.6%	40.1%	59.7%	40.3%
	Grade 10	33.0%	42.8%	62.9%	37.1%
	Grade 11	37.1%	47.3%	66.6%	33.4%
	Grade 12	41.8%	51.4%	68.5%	31.5%
AA					
Alcohol	All	39.2%	52.3%	72.1%	27.9%
	Grade 7	22.9%	32.8%	56.4%	43.6%
	Grade 8	30.4%	42.8%	66.4%	33.6%
	Grade 9	39.2%	53.7%	73.8%	26.2%
	Grade 10	45.8%	59.8%	77.8%	22.2%
	Grade 11	49.4%	64.1%	81.4%	18.6%
	Grade 12	55.5%	69.4%	83.0%	17.0%
AA					
Inhalants	All	8.8%	13.2%	23.4%	76.6%
	Grade 7	11.6%	15.8%	25.4%	74.6%
	Grade 8	11.0%	15.7%	25.0%	75.0%
	Grade 9	9.1%	13.5%	24.0%	76.0%
	Grade 10	7.4%	11.6%	21.9%	78.1%
	Grade 11	6.5%	10.7%	21.9%	78.1%
	Grade 12	5.6%	9.8%	20.4%	79.6%
AA					
Any Illicit Drug	All	19.8%	27.7%	40.1%	59.9%
	Grade 7	9.5%	13.5%	21.1%	78.9%
	Grade 8	15.6%	21.4%	31.6%	68.4%
	Grade 9	21.3%	29.7%	42.8%	57.2%
	Grade 10	24.5%	34.3%	48.9%	51.1%
	Grade 11	25.6%	35.9%	50.4%	49.6%
	Grade 12	25.7%	36.9%	52.5%	47.5%
AA					
Marijuana	All	18.0%	26.2%	39.0%	61.0%
	Grade 7	8.2%	12.2%	19.8%	80.2%
	Grade 8	13.9%	19.9%	30.4%	69.6%
	Grade 9	19.6%	28.1%	41.6%	58.4%
	Grade 10	22.5%	32.3%	47.9%	52.1%
	Grade 11	23.3%	34.4%	49.4%	50.6%
	Grade 12	23.6%	35.1%	51.7%	48.3%

98State712.out

98State712.out					
Marijuana Only	All	7.3%	12.1%	21.0%	79.0%
	Grade 7	4.0%	6.2%	11.5%	88.5%
	Grade 8	6.2%	9.7%	17.1%	82.9%
	Grade 9	8.1%	13.0%	22.6%	77.4%
	Grade 10	9.4%	15.2%	26.0%	74.0%
	Grade 11	8.8%	15.4%	26.2%	73.8%
	Grade 12	8.2%	14.7%	25.2%	74.8%
Cocaine or Crack	All	4.3%	6.7%	10.7%	89.3%
	Grade 7	1.7%	2.6%	4.5%	95.5%
	Grade 8	3.2%	4.6%	7.7%	92.3%
	Grade 9	4.6%	6.8%	11.1%	88.9%
	Grade 10	5.1%	8.0%	12.6%	87.4%
	Grade 11	6.1%	9.4%	14.3%	85.7%
	Grade 12	6.4%	10.5%	16.6%	83.4%
Cocaine	All	4.0%	6.3%	10.1%	89.9%
	Grade 7	1.4%	2.1%	3.8%	96.2%
	Grade 8	2.6%	4.0%	6.9%	93.1%
	Grade 9	4.4%	6.5%	10.6%	89.4%
	Grade 10	4.8%	7.6%	12.1%	87.9%
	Grade 11	5.9%	9.1%	13.8%	86.2%
	Grade 12	6.3%	10.3%	16.2%	83.8%

State - Grades 7-12
Spring 1998

Table B2 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.2%	1.9%	3.6%	96.4%
	Grade 7	0.8%	1.5%	2.6%	97.4%
	Grade 8	1.3%	1.9%	3.4%	96.6%
	Grade 9	1.3%	2.1%	3.9%	96.1%
	Grade 10	1.2%	2.1%	3.6%	96.4%
	Grade 11	1.2%	1.8%	4.0%	96.0%
	Grade 12	1.1%	1.8%	4.1%	95.9%
Hallucinogens	All	3.3%	5.3%	8.7%	91.3%
	Grade 7	1.2%	1.9%	3.1%	96.9%
	Grade 8	1.9%	3.0%	4.8%	95.2%
	Grade 9	3.6%	5.4%	8.8%	91.2%
	Grade 10	4.0%	6.4%	10.2%	89.8%
	Grade 11	4.9%	7.9%	12.9%	87.1%
	Grade 12	4.8%	8.6%	15.2%	84.8%
Uppers	All	3.2%	5.2%	8.1%	91.9%
	Grade 7	1.2%	1.9%	2.8%	97.2%
	Grade 8	2.0%	3.3%	5.2%	94.8%
	Grade 9	3.4%	5.1%	8.4%	91.6%
	Grade 10	4.4%	6.8%	10.3%	89.7%
	Grade 11	4.9%	7.5%	11.5%	88.5%
	Grade 12	4.4%	7.6%	12.5%	87.5%

		98State712.out			
Downers	All	2.8%	4.5%	7.1%	92.9%
	Grade 7	1.0%	1.5%	2.5%	97.5%
	Grade 8	1.6%	2.8%	4.3%	95.7%
	Grade 9	2.8%	4.5%	7.5%	92.5%
	Grade 10	3.7%	5.8%	8.9%	91.1%
	Grade 11	4.2%	7.0%	10.5%	89.5%
	Grade 12	4.2%	6.8%	11.1%	88.9%
AA					
Rohypnol	All	3.0%	4.6%	7.2%	92.8%
	Grade 7	1.9%	2.7%	4.2%	95.8%
	Grade 8	2.8%	3.9%	5.9%	94.1%
	Grade 9	3.5%	5.0%	7.6%	92.4%
	Grade 10	3.4%	5.6%	8.4%	91.6%
	Grade 11	2.8%	5.2%	8.7%	91.3%
	Grade 12	3.5%	5.9%	9.3%	90.7%
AA					
Sterol ds	All	1.0%	1.5%	3.0%	97.0%
	Grade 7	0.8%	1.4%	2.7%	97.3%
	Grade 8	1.0%	1.4%	2.8%	97.2%
	Grade 9	0.9%	1.3%	2.6%	97.4%
	Grade 10	1.0%	1.6%	2.9%	97.1%
	Grade 11	1.2%	1.7%	3.1%	96.9%
	Grade 12	1.5%	2.2%	4.2%	95.8%
AA					
Ecstasy	All	1.7%	2.8%	4.9%	95.1%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.1%	1.6%	2.6%	97.4%
	Grade 9	1.8%	2.8%	4.8%	95.2%
	Grade 10	1.9%	3.5%	5.9%	94.1%
	Grade 11	2.8%	4.3%	7.8%	92.2%
	Grade 12	2.7%	4.7%	8.7%	91.3%
AA					
Heroin	All	0.9%	1.4%	2.7%	97.3%
	Grade 7	0.9%	1.6%	2.8%	97.2%
	Grade 8	1.0%	1.5%	2.6%	97.4%
	Grade 9	0.9%	1.2%	2.6%	97.4%
	Grade 10	0.9%	1.4%	2.5%	97.5%
	Grade 11	0.8%	1.2%	2.9%	97.1%
	Grade 12	0.9%	1.4%	3.2%	96.8%

State - Grades 7-12
Spring 1998

Table B3: Prevalence and recency of use of selected substances by grade
--> Female students

		Past Month	School Year	Ever Used	Never Used
AA					
Tobacco	All	23.9%	32.9%	51.7%	48.3%
	Grade 7	14.9%	21.3%	37.1%	62.9%
	Grade 8	20.6%	30.1%	48.6%	51.4%
	Grade 9	25.1%	35.2%	54.6%	45.4%
	Grade 10	26.9%	37.2%	57.2%	42.8%
	Grade 11	27.9%	37.0%	57.1%	42.9%
	Grade 12	30.7%	39.6%	59.0%	41.0%
AA					

		98State	712	out	
Alcohol	All	36.9%	51.8%	72.2%	27.8%
	Grade 7	22.0%	31.2%	53.2%	46.8%
	Grade 8	30.8%	44.5%	67.2%	32.8%
	Grade 9	38.7%	54.4%	74.8%	25.2%
	Grade 10	42.4%	60.0%	79.3%	20.7%
	Grade 11	43.8%	60.5%	80.7%	19.3%
Grade 12	48.3%	66.0%	82.7%	17.3%	
AA					
Inhalants	All	7.6%	11.5%	20.7%	79.3%
	Grade 7	11.3%	15.4%	24.5%	75.5%
	Grade 8	11.7%	17.2%	27.4%	72.6%
	Grade 9	7.8%	12.2%	22.0%	78.0%
	Grade 10	5.1%	8.9%	18.7%	81.3%
	Grade 11	4.2%	7.0%	15.2%	84.8%
Grade 12	3.1%	5.4%	12.8%	87.2%	
AA					
Any Illicit Drug	All	14.3%	21.6%	32.4%	67.6%
	Grade 7	7.5%	10.2%	15.8%	84.2%
	Grade 8	13.0%	18.5%	26.6%	73.4%
	Grade 9	16.3%	24.0%	34.2%	65.8%
	Grade 10	17.6%	26.8%	40.1%	59.9%
	Grade 11	15.9%	25.4%	40.1%	59.9%
Grade 12	16.4%	27.1%	42.3%	57.7%	
AA					
Marijuana	All	12.6%	19.9%	30.4%	69.6%
	Grade 7	5.9%	8.6%	13.7%	86.3%
	Grade 8	11.0%	16.4%	24.0%	76.0%
	Grade 9	14.5%	22.2%	32.1%	67.9%
	Grade 10	15.8%	25.0%	37.7%	62.3%
	Grade 11	14.4%	24.1%	38.6%	61.4%
Grade 12	14.7%	25.4%	40.8%	59.2%	
AA					
Marijuana Only	All	4.7%	8.6%	15.8%	84.2%
	Grade 7	2.5%	3.7%	7.0%	93.0%
	Grade 8	4.1%	7.3%	12.5%	87.5%
	Grade 9	5.5%	9.5%	16.5%	83.5%
	Grade 10	5.6%	10.1%	18.9%	81.1%
	Grade 11	5.4%	10.9%	20.9%	79.1%
Grade 12	5.3%	11.5%	21.6%	78.4%	
AA					
Cocaine or Crack	All	2.8%	4.8%	8.1%	91.9%
	Grade 7	1.7%	2.6%	4.3%	95.7%
	Grade 8	2.6%	4.3%	6.9%	93.1%
	Grade 9	3.1%	5.1%	8.6%	91.4%
	Grade 10	3.4%	6.1%	10.2%	89.8%
	Grade 11	2.9%	5.2%	9.4%	90.6%
Grade 12	2.9%	5.8%	10.2%	89.8%	
AA					
Cocaine	All	2.5%	4.3%	7.4%	92.6%
	Grade 7	1.3%	2.1%	3.4%	96.6%
	Grade 8	2.1%	3.5%	5.8%	94.2%
	Grade 9	2.8%	4.7%	8.0%	92.0%
	Grade 10	3.3%	5.6%	9.6%	90.4%
	Grade 11	2.8%	5.1%	9.0%	91.0%
Grade 12	2.7%	5.5%	9.9%	90.1%	

State - Grades 7-12

Table B3 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.8%	1.5%	2.9%	97.1%
	Grade 7	0.9%	1.4%	2.6%	97.4%
	Grade 8	1.1%	1.9%	3.3%	96.7%
	Grade 9	0.9%	1.7%	3.1%	96.9%
	Grade 10	0.9%	1.7%	3.0%	97.0%
	Grade 11	0.6%	1.2%	3.0%	97.0%
	Grade 12	0.5%	1.2%	2.4%	97.6%
Hallucinogens	All	1.9%	3.4%	6.1%	93.9%
	Grade 7	0.7%	1.2%	2.0%	98.0%
	Grade 8	1.3%	2.1%	3.6%	96.4%
	Grade 9	2.2%	3.9%	6.2%	93.8%
	Grade 10	2.7%	4.9%	8.1%	91.9%
	Grade 11	2.2%	4.3%	8.4%	91.6%
	Grade 12	2.2%	4.5%	9.6%	90.4%
Uppers	All	3.0%	5.0%	8.3%	91.7%
	Grade 7	1.4%	1.9%	3.1%	96.9%
	Grade 8	2.4%	3.9%	6.0%	94.0%
	Grade 9	3.7%	6.0%	9.0%	91.0%
	Grade 10	3.9%	6.9%	11.2%	88.8%
	Grade 11	3.5%	5.9%	10.3%	89.7%
	Grade 12	3.4%	5.9%	11.5%	88.5%
Downers	All	2.3%	3.7%	6.1%	93.9%
	Grade 7	0.9%	1.3%	2.4%	97.6%
	Grade 8	1.8%	2.8%	4.3%	95.7%
	Grade 9	2.9%	4.5%	6.8%	93.2%
	Grade 10	3.2%	5.4%	8.7%	91.3%
	Grade 11	2.6%	4.2%	7.5%	92.5%
	Grade 12	2.4%	3.9%	7.8%	92.2%
Rohypnol	All	2.3%	3.7%	6.2%	93.8%
	Grade 7	1.9%	2.7%	4.1%	95.9%
	Grade 8	2.7%	4.1%	6.1%	93.9%
	Grade 9	2.9%	4.4%	7.1%	92.9%
	Grade 10	2.5%	4.4%	7.4%	92.6%
	Grade 11	1.7%	3.1%	6.1%	93.9%
	Grade 12	1.5%	3.1%	6.4%	93.6%
Steroids	All	0.4%	0.6%	1.4%	98.6%
	Grade 7	0.6%	0.8%	1.9%	98.1%
	Grade 8	0.5%	0.9%	2.0%	98.0%
	Grade 9	0.4%	0.6%	1.4%	98.6%
	Grade 10	0.2%	0.5%	1.0%	99.0%
	Grade 11	0.3%	0.5%	1.1%	98.9%
	Grade 12	0.1%	0.2%	0.7%	99.3%
Ecstasy	All	1.1%	2.0%	4.0%	96.0%

		98State712.out			
	Grade 7	0.5%	0.9%	1.4%	98.6%
	Grade 8	1.1%	1.6%	2.9%	97.1%
	Grade 9	1.4%	2.2%	4.0%	96.0%
	Grade 10	1.4%	2.6%	4.9%	95.1%
	Grade 11	1.2%	2.3%	5.1%	94.9%
	Grade 12	1.3%	2.8%	6.8%	93.2%
Heroin	All	0.6%	1.0%	2.1%	97.9%
	Grade 7	0.8%	1.3%	2.3%	97.7%
	Grade 8	0.9%	1.4%	2.9%	97.1%
	Grade 9	0.4%	0.9%	2.0%	98.0%
	Grade 10	0.5%	0.9%	1.8%	98.2%
	Grade 11	0.4%	0.6%	1.7%	98.3%
	Grade 12	0.3%	0.6%	1.6%	98.4%
		State - Grades 7-12			
		Spring 1998			

Table B4: Prevalence and recency of use of selected substances by grade
--> White students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	30.6%	40.6%	57.2%	42.8%
	Grade 7	14.4%	22.3%	37.8%	62.2%
	Grade 8	22.3%	32.2%	49.3%	50.7%
	Grade 9	31.5%	42.3%	59.2%	40.8%
	Grade 10	36.4%	47.7%	64.5%	35.5%
	Grade 11	39.1%	49.1%	66.1%	33.9%
	Grade 12	43.2%	53.2%	69.5%	30.5%
Alcohol	All	38.8%	53.8%	71.3%	28.7%
	Grade 7	18.0%	28.4%	49.3%	50.7%
	Grade 8	27.5%	42.1%	63.5%	36.5%
	Grade 9	39.6%	56.0%	73.6%	26.4%
	Grade 10	46.4%	63.0%	78.9%	21.1%
	Grade 11	49.6%	66.3%	81.6%	18.4%
	Grade 12	56.1%	71.8%	84.3%	15.7%
Inhalants	All	7.8%	12.3%	22.5%	77.5%
	Grade 7	9.5%	13.7%	22.4%	77.6%
	Grade 8	10.4%	15.5%	25.3%	74.7%
	Grade 9	8.4%	13.4%	24.0%	76.0%
	Grade 10	6.6%	11.1%	21.9%	78.1%
	Grade 11	6.3%	10.6%	20.9%	79.1%
	Grade 12	4.7%	8.7%	19.3%	80.7%
Any Illicit Drug	All	16.9%	25.1%	35.5%	64.5%
	Grade 7	5.9%	9.1%	14.2%	85.8%
	Grade 8	12.0%	17.4%	25.1%	74.9%
	Grade 9	18.2%	26.5%	36.3%	63.7%
	Grade 10	21.7%	32.2%	44.8%	55.2%
	Grade 11	22.6%	33.3%	46.6%	53.4%
	Grade 12	22.9%	34.8%	50.1%	49.9%
Marijuana	All	15.2%	23.5%	33.9%	66.1%

		98State712.out			
	Grade 7	4.6%	7.8%	12.6%	87.4%
	Grade 8	10.3%	15.7%	23.1%	76.9%
	Grade 9	16.6%	25.0%	34.7%	65.3%
	Grade 10	20.0%	30.5%	42.9%	57.1%
	Grade 11	20.6%	31.9%	45.5%	54.5%
	Grade 12	20.8%	32.9%	48.8%	51.2%
AA					
Marijuana Only	All	5.0%	9.4%	16.4%	83.6%
	Grade 7	1.8%	3.5%	6.8%	93.2%
	Grade 8	3.6%	6.5%	11.6%	88.4%
	Grade 9	5.9%	9.9%	16.8%	83.2%
	Grade 10	6.6%	12.2%	20.9%	79.1%
	Grade 11	6.2%	12.5%	21.8%	78.2%
	Grade 12	6.0%	12.8%	22.5%	77.5%
AA					
Cocaine or Crack	All	2.8%	5.1%	8.5%	91.5%
	Grade 7	0.9%	1.5%	3.0%	97.0%
	Grade 8	1.9%	3.2%	5.7%	94.3%
	Grade 9	2.7%	4.6%	8.2%	91.8%
	Grade 10	3.6%	6.3%	10.5%	89.5%
	Grade 11	4.1%	7.3%	11.8%	88.2%
	Grade 12	4.3%	8.3%	13.3%	86.7%
AA					
Cocaine	All	2.5%	4.6%	7.8%	92.2%
	Grade 7	0.7%	1.1%	2.3%	97.7%
	Grade 8	1.4%	2.4%	4.5%	95.5%
	Grade 9	2.4%	4.3%	7.5%	92.5%
	Grade 10	3.3%	5.6%	9.4%	90.6%
	Grade 11	3.8%	7.0%	11.2%	88.8%
	Grade 12	4.0%	8.0%	12.8%	87.2%

State - Grades 7-12
Spring 1998

Table B4 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AA					
Crack	All	0.8%	1.5%	3.2%	96.8%
	Grade 7	0.5%	0.9%	2.0%	98.0%
	Grade 8	1.0%	1.6%	3.2%	96.8%
	Grade 9	0.7%	1.7%	3.4%	96.6%
	Grade 10	1.0%	1.9%	3.7%	96.3%
	Grade 11	0.8%	1.6%	3.7%	96.3%
	Grade 12	0.7%	1.5%	3.5%	96.5%
AA					
Hal l uci nogens	All	3.5%	6.0%	10.1%	89.9%
	Grade 7	1.0%	1.6%	2.5%	97.5%
	Grade 8	2.1%	3.3%	5.4%	94.6%
	Grade 9	4.0%	6.6%	10.3%	89.7%
	Grade 10	4.5%	7.8%	12.5%	87.5%
	Grade 11	5.1%	8.7%	14.8%	85.2%
	Grade 12	4.3%	8.6%	16.9%	83.1%
AA					
Uppers	All	4.2%	6.9%	11.1%	88.9%
	Grade 7	1.2%	1.8%	3.0%	97.0%

98State712.out					
	Grade 8	2.7%	4.4%	7.0%	93.0%
	Grade 9	4.9%	7.8%	11.7%	88.3%
	Grade 10	5.6%	9.4%	14.9%	85.1%
	Grade 11	5.7%	9.3%	14.9%	85.1%
	Grade 12	5.2%	9.4%	16.4%	83.6%
Downers					
	All	3.2%	5.1%	8.3%	91.7%
	Grade 7	0.8%	1.3%	2.3%	97.7%
	Grade 8	1.9%	3.1%	5.0%	95.0%
	Grade 9	3.6%	5.6%	8.7%	91.3%
	Grade 10	4.2%	7.0%	11.3%	88.7%
	Grade 11	4.5%	7.3%	11.5%	88.5%
	Grade 12	4.2%	6.6%	11.7%	88.3%
Rohypnol					
	All	2.0%	3.4%	5.7%	94.3%
	Grade 7	1.1%	1.8%	2.8%	97.2%
	Grade 8	1.7%	2.7%	4.2%	95.8%
	Grade 9	2.3%	3.7%	6.0%	94.0%
	Grade 10	2.5%	4.1%	6.6%	93.4%
	Grade 11	2.3%	4.0%	7.1%	92.9%
	Grade 12	2.1%	4.5%	8.2%	91.8%
Steroids					
	All	0.7%	1.2%	2.5%	97.5%
	Grade 7	0.5%	1.0%	2.3%	97.7%
	Grade 8	0.7%	1.1%	2.7%	97.3%
	Grade 9	0.7%	1.2%	2.5%	97.5%
	Grade 10	0.7%	1.2%	2.3%	97.7%
	Grade 11	0.9%	1.4%	2.6%	97.4%
	Grade 12	0.6%	1.1%	2.4%	97.6%
Ecstasy					
	All	1.8%	3.2%	6.2%	93.8%
	Grade 7	0.4%	0.7%	1.3%	98.7%
	Grade 8	1.1%	1.8%	3.5%	96.5%
	Grade 9	1.9%	3.2%	5.9%	94.1%
	Grade 10	2.2%	4.1%	7.4%	92.6%
	Grade 11	2.8%	4.6%	9.0%	91.0%
	Grade 12	2.5%	4.8%	10.9%	89.1%
Heroin					
	All	0.6%	1.1%	2.5%	97.5%
	Grade 7	0.5%	0.9%	1.9%	98.1%
	Grade 8	0.8%	1.2%	2.5%	97.5%
	Grade 9	0.7%	1.1%	2.6%	97.4%
	Grade 10	0.6%	1.2%	2.5%	97.5%
	Grade 11	0.8%	1.1%	2.7%	97.3%
	Grade 12	0.5%	1.1%	3.0%	97.0%

State - Grades 7-12
Spring 1998

Table B5: Prevalence and recency of use of selected substances by grade
--> Black students

	Past Month	School Year	Ever Used	Never Used	
Tobacco					
	All	12.9%	19.6%	42.0%	58.0%
	Grade 7	11.4%	17.2%	36.3%	63.7%

98State712.out

	Grade 8	10.9%	17.4%	41.7%	58.3%
	Grade 9	11.7%	19.3%	43.0%	57.0%
	Grade 10	14.2%	20.6%	45.7%	54.3%
	Grade 11	14.3%	21.2%	42.9%	57.1%
	Grade 12	17.1%	23.8%	43.1%	56.9%
AAAAAA	All	29.7%	43.8%	70.8%	29.2%
Alcohol	Grade 7	22.2%	31.6%	59.9%	40.1%
	Grade 8	26.2%	37.4%	67.3%	32.7%
	Grade 9	27.3%	42.3%	71.2%	28.8%
	Grade 10	35.1%	50.1%	75.3%	24.7%
	Grade 11	33.2%	49.6%	76.2%	23.8%
	Grade 12	39.6%	59.7%	80.1%	19.9%
AAAAAA	All	4.6%	6.6%	12.7%	87.3%
Inhalants	Grade 7	7.9%	11.3%	19.8%	80.2%
	Grade 8	6.0%	8.5%	15.7%	84.3%
	Grade 9	4.1%	5.8%	11.0%	89.0%
	Grade 10	3.3%	5.2%	11.3%	88.7%
	Grade 11	2.7%	4.0%	8.3%	91.7%
	Grade 12	2.0%	3.0%	6.8%	93.2%
AAAAAA	All	14.0%	21.0%	33.6%	66.4%
Any Illicit Drug	Grade 7	7.0%	9.7%	17.1%	82.9%
	Grade 8	12.3%	17.0%	27.2%	72.8%
	Grade 9	14.6%	22.4%	36.3%	63.7%
	Grade 10	17.2%	25.6%	41.3%	58.7%
	Grade 11	16.6%	25.6%	41.9%	58.1%
	Grade 12	19.2%	30.4%	44.2%	55.8%
AAAAAA	All	13.6%	20.5%	33.2%	66.8%
Marijuana	Grade 7	6.5%	8.8%	16.3%	83.7%
	Grade 8	11.3%	16.1%	26.3%	73.7%
	Grade 9	14.0%	21.9%	35.9%	64.1%
	Grade 10	17.0%	25.4%	41.2%	58.8%
	Grade 11	16.3%	25.5%	41.7%	58.3%
	Grade 12	19.1%	30.4%	44.3%	55.7%
AAAAAA	All	10.9%	17.1%	28.7%	71.3%
Marijuana Only	Grade 7	4.7%	6.5%	12.4%	87.6%
	Grade 8	9.2%	13.5%	22.9%	77.1%
	Grade 9	10.8%	17.7%	30.5%	69.5%
	Grade 10	14.3%	21.9%	36.4%	63.6%
	Grade 11	13.9%	22.2%	37.5%	62.5%
	Grade 12	15.4%	25.7%	38.8%	61.2%
AAAAAA	All	0.7%	0.9%	1.5%	98.5%
Cocaine or Crack	Grade 7	1.0%	1.2%	2.1%	97.9%
	Grade 8	0.8%	1.0%	1.4%	98.6%
	Grade 9	0.5%	0.7%	1.6%	98.4%
	Grade 10	0.4%	0.6%	1.1%	98.9%
	Grade 11	0.6%	0.9%	1.5%	98.5%
	Grade 12	0.8%	1.0%	1.3%	98.7%
AAAAAA	All	0.5%	0.7%	1.3%	98.7%
Cocaine	Grade 7	0.5%	0.7%	1.5%	98.5%

98State712.out				
Grade 8	0.5%	0.7%	1.0%	99.0%
Grade 9	0.3%	0.6%	1.4%	98.6%
Grade 10	0.4%	0.6%	1.1%	98.9%
Grade 11	0.7%	0.9%	1.4%	98.6%
Grade 12	0.8%	1.0%	1.3%	98.7%
State - Grades 7-12				
Spring 1998				

Table B5 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.4%	0.5%	0.8%	99.2%
	Grade 7	0.9%	1.0%	1.4%	98.6%
	Grade 8	0.4%	0.6%	0.9%	99.1%
	Grade 9	0.3%	0.3%	0.6%	99.4%
	Grade 10	0.2%	0.2%	0.3%	99.7%
	Grade 11	0.2%	0.3%	0.8%	99.2%
	Grade 12	0.4%	0.7%	0.8%	99.2%
Hal lucinogens	All	0.5%	0.8%	1.4%	98.6%
	Grade 7	0.3%	0.4%	1.0%	99.0%
	Grade 8	0.4%	0.5%	0.7%	99.3%
	Grade 9	0.7%	0.8%	1.5%	98.5%
	Grade 10	0.6%	1.1%	1.6%	98.4%
	Grade 11	0.4%	0.6%	1.2%	98.8%
	Grade 12	1.0%	1.9%	2.6%	97.4%
Uppers	All	0.7%	1.1%	1.5%	98.5%
	Grade 7	0.6%	1.0%	1.2%	98.8%
	Grade 8	0.9%	1.1%	1.3%	98.7%
	Grade 9	0.7%	1.3%	1.6%	98.4%
	Grade 10	0.9%	1.3%	1.9%	98.1%
	Grade 11	0.4%	0.7%	1.4%	98.6%
	Grade 12	0.6%	0.9%	1.8%	98.2%
Downers	All	0.5%	0.8%	1.2%	98.8%
	Grade 7	0.3%	0.6%	1.0%	99.0%
	Grade 8	0.3%	0.5%	0.7%	99.3%
	Grade 9	0.4%	1.0%	1.4%	98.6%
	Grade 10	0.9%	1.0%	1.6%	98.4%
	Grade 11	0.5%	0.8%	1.5%	98.5%
	Grade 12	0.4%	0.7%	1.2%	98.8%
Rohypnol	All	0.6%	0.8%	1.3%	98.7%
	Grade 7	0.4%	0.9%	1.8%	98.2%
	Grade 8	0.6%	0.8%	1.3%	98.7%
	Grade 9	0.7%	0.8%	1.3%	98.7%
	Grade 10	0.8%	0.9%	1.4%	98.6%
	Grade 11	0.4%	0.6%	0.8%	99.2%
	Grade 12	0.5%	0.8%	1.1%	98.9%
Steroids	All	0.5%	0.7%	1.3%	98.7%
	Grade 7	0.5%	0.8%	1.5%	98.5%
	Grade 8	0.4%	0.5%	1.2%	98.8%

98State712.out

	Grade 9	0.5%	0.7%	1.2%	98.8%
	Grade 10	0.5%	0.8%	1.3%	98.7%
	Grade 11	0.5%	0.6%	1.2%	98.8%
	Grade 12	0.8%	0.9%	1.6%	98.4%
AA					
Ecstasy	All	0.4%	0.6%	0.9%	99.1%
	Grade 7	0.2%	0.3%	0.4%	99.6%
	Grade 8	0.4%	0.5%	0.6%	99.4%
	Grade 9	0.7%	0.8%	1.0%	99.0%
	Grade 10	0.4%	0.5%	1.1%	98.9%
	Grade 11	0.5%	0.6%	0.9%	99.1%
	Grade 12	0.6%	1.1%	1.5%	98.5%
AA					
Heroin	All	0.4%	0.6%	0.9%	99.1%
	Grade 7	0.7%	0.9%	1.4%	98.6%
	Grade 8	0.4%	0.7%	0.9%	99.1%
	Grade 9	0.2%	0.4%	0.6%	99.4%
	Grade 10	0.4%	0.5%	0.7%	99.3%
	Grade 11	0.4%	0.6%	0.7%	99.3%
	Grade 12	0.5%	0.7%	0.9%	99.1%

State - Grades 7-12
Spring 1998

Table B6: Prevalence and recency of use of selected substances by grade
--> Mexican/American students

		Past Month	School Year	Ever Used	Never Used
AA					
Tobacco	All	27.1%	37.2%	58.6%	41.4%
	Grade 7	18.7%	26.0%	45.8%	54.2%
	Grade 8	24.8%	35.3%	55.9%	44.1%
	Grade 9	29.1%	40.6%	61.9%	38.1%
	Grade 10	28.9%	39.5%	62.6%	37.4%
	Grade 11	31.5%	42.4%	65.7%	34.3%
	Grade 12	34.7%	44.2%	65.0%	35.0%
AA					
Alcohol	All	42.1%	55.3%	76.1%	23.9%
	Grade 7	28.6%	37.7%	61.0%	39.0%
	Grade 8	36.5%	49.1%	71.8%	28.2%
	Grade 9	44.7%	58.8%	79.1%	20.9%
	Grade 10	47.1%	62.9%	82.5%	17.5%
	Grade 11	51.2%	65.4%	85.3%	14.7%
	Grade 12	53.1%	67.6%	84.2%	15.8%
AA					
Inhalants	All	10.1%	14.6%	25.2%	74.8%
	Grade 7	14.9%	19.1%	29.5%	70.5%
	Grade 8	14.6%	20.7%	31.5%	68.5%
	Grade 9	9.8%	14.7%	26.3%	73.7%
	Grade 10	6.9%	11.3%	21.6%	78.4%
	Grade 11	5.2%	8.2%	19.4%	80.6%
	Grade 12	4.4%	7.1%	15.6%	84.4%
AA					
Any Illicit Drug	All	19.0%	26.6%	39.8%	60.2%
	Grade 7	12.0%	15.8%	24.2%	75.8%
	Grade 8	18.0%	24.6%	35.5%	64.5%

		98State712.out			
	Grade 9	21.9%	30.2%	43.9%	56.1%
	Grade 10	22.5%	32.0%	47.4%	52.6%
	Grade 11	20.9%	30.3%	47.3%	52.7%
	Grade 12	20.0%	29.6%	47.1%	52.9%
AAAAA					
Marijuana	All	16.6%	24.4%	37.8%	62.2%
	Grade 7	10.1%	14.1%	22.2%	77.8%
	Grade 8	15.6%	22.4%	33.2%	66.8%
	Grade 9	19.4%	27.8%	41.6%	58.4%
	Grade 10	19.7%	29.1%	45.2%	54.8%
	Grade 11	18.3%	28.2%	45.3%	54.7%
	Grade 12	17.7%	27.7%	45.8%	54.2%
AAAAA					
Marijuana Only	All	5.7%	9.4%	18.0%	82.0%
	Grade 7	4.4%	6.2%	11.7%	88.3%
	Grade 8	5.6%	9.1%	16.1%	83.9%
	Grade 9	6.6%	10.9%	19.9%	80.1%
	Grade 10	6.2%	10.4%	20.4%	79.6%
	Grade 11	6.2%	10.9%	22.0%	78.0%
	Grade 12	4.7%	9.1%	20.5%	79.5%
AAAAA					
Cocaine or Crack	All	5.8%	8.7%	13.8%	86.2%
	Grade 7	2.9%	4.2%	6.5%	93.5%
	Grade 8	5.0%	7.4%	11.5%	88.5%
	Grade 9	6.7%	9.8%	15.2%	84.8%
	Grade 10	7.0%	11.0%	17.5%	82.5%
	Grade 11	7.2%	10.7%	17.0%	83.0%
	Grade 12	7.0%	11.4%	19.2%	80.8%
AAAAA					
Cocaine	All	5.4%	8.3%	13.3%	86.7%
	Grade 7	2.3%	3.5%	5.6%	94.4%
	Grade 8	4.3%	6.6%	10.6%	89.4%
	Grade 9	6.4%	9.3%	14.7%	85.3%
	Grade 10	6.9%	10.7%	17.3%	82.7%
	Grade 11	7.1%	10.6%	16.9%	83.1%
	Grade 12	6.9%	11.3%	19.1%	80.9%

State - Grades 7-12
Spring 1998

Table B6 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AAAAA					
Crack	All	1.5%	2.4%	4.1%	95.9%
	Grade 7	1.2%	1.9%	3.3%	96.7%
	Grade 8	1.7%	2.7%	4.2%	95.8%
	Grade 9	1.8%	2.8%	4.8%	95.2%
	Grade 10	1.5%	2.7%	4.1%	95.9%
	Grade 11	1.4%	2.0%	4.3%	95.7%
	Grade 12	1.1%	1.6%	3.7%	96.3%
AAAAA					
Hal lucinogens	All	2.0%	3.4%	5.8%	94.2%
	Grade 7	0.9%	1.5%	2.6%	97.4%
	Grade 8	1.5%	2.4%	4.0%	96.0%
	Grade 9	2.2%	3.7%	6.4%	93.6%

98State712.out					
	Grade 10	2.6%	4.4%	7.0%	93.0%
	Grade 11	2.2%	4.3%	8.0%	92.0%
	Grade 12	3.1%	5.0%	8.9%	91.1%
Uppers	All	2.8%	4.4%	7.2%	92.8%
	Grade 7	1.7%	2.2%	3.5%	96.5%
	Grade 8	2.3%	4.0%	5.9%	94.1%
	Grade 9	3.2%	4.8%	8.0%	92.0%
	Grade 10	3.5%	5.8%	8.8%	91.2%
	Grade 11	3.6%	5.6%	9.4%	90.6%
	Grade 12	3.1%	5.0%	9.3%	90.7%
Downers	All	2.7%	4.2%	6.7%	93.3%
	Grade 7	1.5%	1.9%	3.1%	96.9%
	Grade 8	2.3%	3.5%	5.0%	95.0%
	Grade 9	3.3%	4.9%	7.7%	92.3%
	Grade 10	3.5%	5.7%	8.5%	91.5%
	Grade 11	2.9%	5.2%	8.7%	91.3%
	Grade 12	2.7%	4.9%	8.8%	91.2%
Rohypnol	All	4.4%	6.6%	10.4%	89.6%
	Grade 7	3.3%	4.5%	6.5%	93.5%
	Grade 8	5.0%	6.9%	10.2%	89.8%
	Grade 9	5.3%	7.6%	11.5%	88.5%
	Grade 10	4.6%	8.1%	12.7%	87.3%
	Grade 11	3.3%	6.4%	11.5%	88.5%
	Grade 12	3.9%	5.9%	10.3%	89.7%
Steroids	All	0.7%	1.0%	1.9%	98.1%
	Grade 7	0.8%	1.3%	2.2%	97.8%
	Grade 8	1.0%	1.3%	2.3%	97.7%
	Grade 9	0.5%	0.8%	1.6%	98.4%
	Grade 10	0.5%	0.7%	1.4%	98.6%
	Grade 11	0.6%	0.8%	1.5%	98.5%
	Grade 12	0.8%	1.1%	2.3%	97.7%
Ecstasy	All	1.2%	2.0%	3.4%	96.6%
	Grade 7	0.5%	1.0%	1.5%	98.5%
	Grade 8	1.3%	1.7%	2.6%	97.4%
	Grade 9	1.5%	2.2%	3.7%	96.3%
	Grade 10	1.2%	2.2%	3.9%	96.1%
	Grade 11	1.6%	2.5%	5.0%	95.0%
	Grade 12	1.4%	2.6%	4.9%	95.1%
Heroin	All	0.9%	1.4%	2.7%	97.3%
	Grade 7	1.2%	1.9%	3.3%	96.7%
	Grade 8	1.4%	2.1%	3.9%	96.1%
	Grade 9	0.8%	1.2%	2.5%	97.5%
	Grade 10	0.8%	1.1%	2.0%	98.0%
	Grade 11	0.4%	0.6%	2.2%	97.8%
	Grade 12	0.7%	0.9%	1.9%	98.1%

State - Grades 7-12
Spring 1998

Table B7: Prevalence and recency of use of selected substances by grade
--> Students reporting A and B grades

		Past Month	School Year	Ever Used	Never Used	
AAAAA	Tobacco	All	23.1%	32.0%	50.7%	49.3%
		Grade 7	12.4%	18.8%	35.3%	64.7%
		Grade 8	17.4%	26.2%	45.0%	55.0%
		Grade 9	22.8%	32.5%	51.8%	48.2%
		Grade 10	26.3%	36.4%	56.6%	43.4%
		Grade 11	29.6%	39.0%	58.3%	41.7%
		Grade 12	34.1%	43.1%	61.6%	38.4%
AAAAA	Alcohol	All	35.0%	49.3%	69.7%	30.3%
		Grade 7	18.9%	28.2%	50.6%	49.4%
		Grade 8	26.8%	39.8%	63.5%	36.5%
		Grade 9	35.2%	50.5%	71.1%	28.9%
		Grade 10	40.8%	57.3%	76.6%	23.4%
		Grade 11	43.7%	59.8%	79.3%	20.7%
		Grade 12	50.4%	66.4%	82.0%	18.0%
AAAAA	Inhalants	All	6.5%	10.1%	18.9%	81.1%
		Grade 7	9.4%	13.1%	21.6%	78.4%
		Grade 8	9.0%	13.5%	22.7%	77.3%
		Grade 9	6.4%	10.3%	19.2%	80.8%
		Grade 10	4.8%	8.2%	17.2%	82.8%
		Grade 11	4.4%	7.3%	16.3%	83.7%
		Grade 12	3.8%	6.6%	14.9%	85.1%
AAAAA	Any Illicit Drug	All	13.6%	20.6%	31.4%	68.6%
		Grade 7	5.8%	8.5%	13.9%	86.1%
		Grade 8	10.6%	15.4%	23.5%	76.5%
		Grade 9	14.1%	21.2%	31.8%	68.2%
		Grade 10	17.4%	26.1%	39.4%	60.6%
		Grade 11	17.3%	27.0%	40.9%	59.1%
		Grade 12	18.7%	29.1%	44.2%	55.8%
AAAAA	Marijuana	All	12.1%	19.1%	29.8%	70.2%
		Grade 7	4.8%	7.3%	12.3%	87.7%
		Grade 8	9.1%	13.9%	21.6%	78.4%
		Grade 9	12.6%	19.6%	29.9%	70.1%
		Grade 10	15.6%	24.2%	37.5%	62.5%
		Grade 11	15.6%	25.6%	39.7%	60.3%
		Grade 12	17.0%	27.6%	43.0%	57.0%
AAAAA	Marijuana Only	All	4.9%	8.9%	16.4%	83.6%
		Grade 7	2.4%	3.7%	7.3%	92.7%
		Grade 8	3.9%	6.7%	12.2%	87.8%
		Grade 9	5.3%	9.4%	17.0%	83.0%
		Grade 10	6.2%	10.9%	20.3%	79.7%
		Grade 11	6.1%	12.0%	22.3%	77.7%
		Grade 12	6.0%	12.0%	22.1%	77.9%
AAAAA	Cocaine or Crack	All	2.4%	4.2%	7.3%	92.7%
		Grade 7	0.9%	1.5%	2.8%	97.2%
		Grade 8	1.8%	3.0%	5.2%	94.8%
		Grade 9	2.4%	3.8%	6.8%	93.2%

98State712. out				
Grade 10	3.1%	5.3%	9.0%	91.0%
Grade 11	3.3%	5.6%	9.5%	90.5%
Grade 12	3.7%	6.8%	11.8%	88.2%
AAAAAAA				
Cocaine	All	2.2%	3.9%	6.7%
	Grade 7	0.7%	1.1%	2.2%
	Grade 8	1.4%	2.5%	4.5%
	Grade 9	2.2%	3.5%	6.4%
	Grade 10	2.9%	5.0%	8.4%
	Grade 11	3.1%	5.4%	9.1%
	Grade 12	3.5%	6.6%	11.5%
State - Grades 7-12				
Spring 1998				

Table B7 continued from previous page

	Past Month	School Year	Ever Used	Never Used
AAAAAAA				
Crack	All	0.7%	1.2%	2.4%
	Grade 7	0.5%	0.9%	1.8%
	Grade 8	0.7%	1.2%	2.4%
	Grade 9	0.7%	1.3%	2.4%
	Grade 10	0.8%	1.4%	2.6%
	Grade 11	0.6%	1.2%	2.7%
	Grade 12	0.7%	1.3%	2.9%
AAAAAAA				
Hallucinogens	All	1.9%	3.5%	6.2%
	Grade 7	0.6%	1.1%	1.9%
	Grade 8	1.2%	2.0%	3.3%
	Grade 9	2.0%	3.4%	5.8%
	Grade 10	2.6%	4.7%	7.7%
	Grade 11	2.7%	4.8%	8.9%
	Grade 12	2.9%	5.7%	11.4%
AAAAAAA				
Uppers	All	2.5%	4.2%	7.1%
	Grade 7	0.9%	1.3%	2.2%
	Grade 8	1.7%	2.9%	4.7%
	Grade 9	2.6%	4.4%	7.0%
	Grade 10	3.2%	5.8%	9.5%
	Grade 11	3.4%	5.6%	9.3%
	Grade 12	3.4%	6.0%	11.2%
AAAAAAA				
Downers	All	1.9%	3.2%	5.4%
	Grade 7	0.6%	0.9%	1.8%
	Grade 8	1.1%	2.0%	3.3%
	Grade 9	1.9%	3.2%	5.3%
	Grade 10	2.7%	4.6%	7.6%
	Grade 11	2.7%	4.6%	7.4%
	Grade 12	2.9%	4.6%	8.4%
AAAAAAA				
Rohypnol	All	1.8%	3.0%	5.2%
	Grade 7	1.2%	1.7%	2.7%
	Grade 8	1.8%	2.8%	4.4%
	Grade 9	2.1%	3.3%	5.4%
	Grade 10	2.1%	3.8%	6.4%

98State712.out

Grade 11	1.5%	3.1%	5.7%	94.3%
Grade 12	2.0%	3.8%	7.0%	93.0%
Steroids				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.5%	0.9%	2.0%	98.0%
Grade 8	0.6%	0.9%	2.0%	98.0%
Grade 9	0.5%	0.9%	1.7%	98.3%
Grade 10	0.5%	0.8%	1.6%	98.4%
Grade 11	0.6%	0.8%	1.7%	98.3%
Grade 12	0.7%	1.0%	2.1%	97.9%
Ecstasy				
All	1.0%	1.9%	3.7%	96.3%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	0.7%	1.2%	2.2%	97.8%
Grade 9	0.9%	1.7%	3.3%	96.7%
Grade 10	1.3%	2.4%	4.5%	95.5%
Grade 11	1.6%	2.7%	5.4%	94.6%
Grade 12	1.6%	3.1%	7.0%	93.0%
Heroin				
All	0.5%	0.8%	1.8%	98.2%
Grade 7	0.6%	1.0%	1.8%	98.2%
Grade 8	0.6%	1.0%	2.0%	98.0%
Grade 9	0.4%	0.7%	1.6%	98.4%
Grade 10	0.4%	0.8%	1.6%	98.4%
Grade 11	0.5%	0.7%	1.7%	98.3%
Grade 12	0.5%	0.8%	2.0%	98.0%

State - Grades 7-12
Spring 1998

Table B8: Prevalence and recency of use of selected substances by grade
--> Students reporting C, D, and F grades

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	37.8%	48.8%	69.1%	30.9%
Grade 7	26.3%	36.2%	56.9%	43.1%
Grade 8	34.0%	45.9%	67.3%	32.7%
Grade 9	40.3%	52.7%	72.8%	27.2%
Grade 10	42.1%	52.3%	71.6%	28.4%
Grade 11	44.2%	54.7%	76.3%	23.7%
Grade 12	46.4%	57.1%	73.9%	26.1%
Alcohol				
All	48.6%	62.2%	81.1%	18.9%
Grade 7	34.5%	45.2%	68.7%	31.3%
Grade 8	43.3%	56.9%	77.8%	22.2%
Grade 9	50.0%	65.0%	84.0%	16.0%
Grade 10	55.4%	69.2%	85.8%	14.2%
Grade 11	58.2%	72.2%	88.5%	11.5%
Grade 12	59.5%	74.4%	87.6%	12.4%
Inhalants				
All	14.2%	20.2%	32.9%	67.1%
Grade 7	18.7%	24.5%	36.4%	63.6%
Grade 8	19.1%	26.3%	38.0%	62.0%
Grade 9	14.2%	20.1%	33.8%	66.2%
Grade 10	10.9%	17.1%	30.6%	69.4%

98State712.out					
	Grade 11	9.1%	14.6%	27.4%	72.6%
	Grade 12	7.2%	12.2%	24.6%	75.4%
Any Illicit Drug					
	All	28.8%	38.6%	52.9%	47.1%
	Grade 7	17.6%	22.9%	33.4%	66.6%
	Grade 8	26.3%	34.7%	47.4%	52.6%
	Grade 9	32.3%	43.2%	58.0%	42.0%
	Grade 10	33.3%	45.2%	61.3%	38.7%
	Grade 11	34.8%	45.7%	62.9%	37.1%
	Grade 12	32.2%	45.5%	63.0%	37.0%
Marijuana					
	All	26.2%	36.5%	51.3%	48.7%
	Grade 7	14.8%	20.5%	31.3%	68.7%
	Grade 8	23.2%	32.1%	44.9%	55.1%
	Grade 9	29.7%	41.2%	56.8%	43.2%
	Grade 10	31.2%	43.3%	60.0%	40.0%
	Grade 11	32.1%	44.2%	61.4%	38.6%
	Grade 12	29.4%	43.0%	61.7%	38.3%
Marijuana Only					
	All	9.8%	15.1%	24.9%	75.1%
	Grade 7	6.2%	8.9%	15.8%	84.2%
	Grade 8	9.3%	14.2%	23.1%	76.9%
	Grade 9	10.9%	16.2%	26.8%	73.2%
	Grade 10	11.6%	18.1%	29.2%	70.8%
	Grade 11	11.2%	17.7%	28.3%	71.7%
	Grade 12	10.2%	18.1%	30.1%	69.9%
Cocaine or Crack					
	All	7.4%	11.0%	16.8%	83.2%
	Grade 7	4.2%	6.1%	9.5%	90.5%
	Grade 8	6.8%	9.5%	14.0%	86.0%
	Grade 9	8.2%	12.2%	18.7%	81.3%
	Grade 10	7.9%	12.6%	19.6%	80.4%
	Grade 11	9.5%	14.3%	21.6%	78.4%
	Grade 12	9.1%	14.1%	20.8%	79.2%
Cocaine					
	All	6.8%	10.3%	15.8%	84.2%
	Grade 7	3.3%	5.2%	8.2%	91.8%
	Grade 8	5.5%	8.1%	12.4%	87.6%
	Grade 9	7.8%	11.5%	17.8%	82.2%
	Grade 10	7.6%	12.0%	19.0%	81.0%
	Grade 11	9.3%	14.1%	21.0%	79.0%
	Grade 12	8.9%	13.9%	20.3%	79.7%

State - Grades 7-12
Spring 1998

Table B8 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack					
	All	2.2%	3.4%	6.1%	93.9%
	Grade 7	2.1%	3.0%	5.2%	94.8%
	Grade 8	3.0%	4.2%	6.4%	93.6%
	Grade 9	2.4%	3.7%	6.9%	93.1%
	Grade 10	1.7%	3.4%	5.8%	94.2%
	Grade 11	2.1%	3.0%	6.9%	93.1%

98State712.out

	Grade 12	1.7%	2.5%	5.0%	95.0%
Hal I uci nogens	All	4.6%	7.2%	11.3%	88.7%
	Grade 7	1.9%	2.9%	4.7%	95.3%
	Grade 8	2.8%	4.4%	6.8%	93.2%
	Grade 9	5.4%	8.2%	12.6%	87.4%
	Grade 10	5.7%	8.9%	14.0%	86.0%
	Grade 11	7.0%	11.2%	17.7%	82.3%
	Grade 12	6.4%	10.3%	16.9%	83.1%
Uppers	All	5.5%	8.2%	12.4%	87.6%
	Grade 7	2.7%	3.7%	5.5%	94.5%
	Grade 8	3.8%	6.2%	8.7%	91.3%
	Grade 9	6.4%	9.2%	14.0%	86.0%
	Grade 10	7.5%	10.5%	15.4%	84.6%
	Grade 11	7.3%	11.2%	17.9%	82.1%
	Grade 12	6.1%	10.6%	16.4%	83.6%
Downers	All	4.8%	7.3%	10.9%	89.1%
	Grade 7	2.3%	3.2%	4.8%	95.2%
	Grade 8	3.9%	5.7%	7.7%	92.3%
	Grade 9	5.7%	8.5%	12.8%	87.2%
	Grade 10	6.0%	9.0%	13.1%	86.9%
	Grade 11	6.0%	9.6%	15.7%	84.3%
	Grade 12	5.2%	8.9%	14.4%	85.6%
Rohypnol	All	5.5%	8.1%	12.1%	87.9%
	Grade 7	4.4%	6.3%	9.0%	91.0%
	Grade 8	5.8%	7.9%	11.3%	88.7%
	Grade 9	6.4%	9.0%	13.4%	86.6%
	Grade 10	5.7%	9.2%	12.9%	87.1%
	Grade 11	5.6%	8.6%	14.6%	85.4%
	Grade 12	4.6%	7.5%	11.3%	88.7%
Steroi ds	All	1.2%	1.8%	3.3%	96.7%
	Grade 7	1.4%	1.9%	3.6%	96.4%
	Grade 8	1.5%	2.1%	3.6%	96.4%
	Grade 9	0.8%	1.2%	2.7%	97.3%
	Grade 10	0.9%	1.7%	3.1%	96.9%
	Grade 11	1.5%	2.3%	3.6%	96.4%
	Grade 12	1.5%	1.9%	3.8%	96.2%
Ecstasy	All	2.8%	4.3%	7.1%	92.9%
	Grade 7	0.9%	1.7%	2.5%	97.5%
	Grade 8	2.4%	3.1%	4.8%	95.2%
	Grade 9	3.5%	4.9%	7.7%	92.3%
	Grade 10	3.0%	5.1%	8.5%	91.5%
	Grade 11	3.7%	5.8%	10.8%	89.2%
	Grade 12	4.0%	6.5%	11.8%	88.2%
Heroi n	All	1.6%	2.4%	4.6%	95.4%
	Grade 7	1.8%	2.9%	4.9%	95.1%
	Grade 8	2.2%	3.3%	5.5%	94.5%
	Grade 9	1.3%	2.1%	4.3%	95.7%
	Grade 10	1.6%	2.2%	3.9%	96.1%
	Grade 11	1.2%	1.8%	4.8%	95.2%

98State712.out
 Grade 12 1.4% 1.9% 3.9% 96.1%
 State - Grades 7-12
 Spring 1998

Table B9: Prevalence and recency of use of selected substances by grade
 --> Students living with two parents

		Past Month	School Year	Ever Used	Never Used	
AAAAA	Tobacco	All	23.7%	32.5%	50.2%	49.8%
		Grade 7	12.8%	19.3%	34.7%	65.3%
		Grade 8	18.4%	26.9%	44.3%	55.7%
		Grade 9	23.9%	33.6%	52.1%	47.9%
		Grade 10	27.1%	37.0%	56.6%	43.4%
		Grade 11	30.5%	40.0%	58.6%	41.4%
		Grade 12	34.8%	44.1%	60.9%	39.1%
AAAAA	Alcohol	All	35.4%	48.6%	67.9%	32.1%
		Grade 7	19.8%	28.3%	49.5%	50.5%
		Grade 8	27.2%	39.0%	61.5%	38.5%
		Grade 9	36.0%	50.3%	70.1%	29.9%
		Grade 10	41.5%	56.9%	75.1%	24.9%
		Grade 11	44.6%	59.8%	78.0%	22.0%
		Grade 12	50.6%	65.5%	80.1%	19.9%
AAAAA	Inhalants	All	7.6%	11.4%	20.2%	79.8%
		Grade 7	10.6%	14.4%	22.9%	77.1%
		Grade 8	10.3%	15.0%	23.9%	76.1%
		Grade 9	7.8%	11.8%	21.1%	78.9%
		Grade 10	5.8%	9.4%	18.6%	81.4%
		Grade 11	5.0%	8.1%	16.9%	83.1%
		Grade 12	4.0%	7.2%	15.2%	84.8%
AAAAA	Any Illicit Drug	All	13.9%	20.5%	30.5%	69.5%
		Grade 7	6.2%	9.1%	14.3%	85.7%
		Grade 8	11.1%	15.5%	23.1%	76.9%
		Grade 9	15.1%	21.9%	32.1%	67.9%
		Grade 10	17.5%	26.0%	37.9%	62.1%
		Grade 11	17.9%	27.0%	39.5%	60.5%
		Grade 12	18.4%	28.1%	42.1%	57.9%
AAAAA	Marijuana	All	12.2%	19.0%	28.8%	71.2%
		Grade 7	4.9%	7.7%	12.7%	87.3%
		Grade 8	9.3%	13.8%	21.1%	78.9%
		Grade 9	13.4%	20.2%	30.2%	69.8%
		Grade 10	15.6%	24.1%	36.1%	63.9%
		Grade 11	16.1%	25.7%	38.0%	62.0%
		Grade 12	16.6%	26.6%	40.9%	59.1%
AAAAA	Marijuana Only	All	4.7%	8.4%	15.1%	84.9%
		Grade 7	2.2%	3.7%	7.0%	93.0%
		Grade 8	3.6%	6.1%	11.2%	88.8%
		Grade 9	5.3%	8.9%	15.9%	84.1%
		Grade 10	6.0%	10.5%	18.8%	81.2%
		Grade 11	6.2%	11.8%	20.5%	79.5%

98State712.out

AA					
Rohypnol	All	2.2%	3.6%	5.8%	94.2%
	Grade 7	1.4%	2.1%	3.3%	96.7%
	Grade 8	2.3%	3.3%	5.0%	95.0%
	Grade 9	2.7%	3.9%	6.6%	93.4%
	Grade 10	2.6%	4.4%	6.9%	93.1%
	Grade 11	2.1%	3.9%	6.7%	93.3%
	Grade 12	2.2%	4.1%	7.0%	93.0%
AA					
Steroids	All	0.7%	1.0%	2.0%	98.0%
	Grade 7	0.7%	1.0%	2.0%	98.0%
	Grade 8	0.8%	1.1%	2.4%	97.6%
	Grade 9	0.6%	0.9%	1.8%	98.2%
	Grade 10	0.5%	0.9%	1.8%	98.2%
	Grade 11	0.7%	1.0%	1.8%	98.2%
	Grade 12	0.8%	1.2%	2.3%	97.7%
AA					
Ecstasy	All	1.2%	2.0%	3.7%	96.3%
	Grade 7	0.3%	0.7%	1.1%	98.9%
	Grade 8	0.9%	1.4%	2.4%	97.6%
	Grade 9	1.3%	2.0%	3.5%	96.5%
	Grade 10	1.3%	2.5%	4.5%	95.5%
	Grade 11	1.6%	2.7%	5.2%	94.8%
	Grade 12	1.9%	3.3%	6.6%	93.4%
AA					
Heroin	All	0.6%	1.0%	2.0%	98.0%
	Grade 7	0.7%	1.1%	2.0%	98.0%
	Grade 8	0.8%	1.2%	2.4%	97.6%
	Grade 9	0.6%	0.9%	1.9%	98.1%
	Grade 10	0.6%	1.0%	1.8%	98.2%
	Grade 11	0.6%	0.8%	2.0%	98.0%
	Grade 12	0.5%	0.8%	1.8%	98.2%

State - Grades 7-12
Spring 1998

Table B10: Prevalence and recency of use of selected substances by grade
--> Students not living with two parents

		Past Month	School Year	Ever Used	Never Used
AA					
Tobacco	All	30.9%	41.0%	62.5%	37.5%
	Grade 7	20.7%	29.0%	50.5%	49.5%
	Grade 8	26.2%	37.4%	60.5%	39.5%
	Grade 9	32.8%	44.3%	65.5%	34.5%
	Grade 10	34.5%	44.8%	65.6%	34.4%
	Grade 11	35.8%	45.3%	67.1%	32.9%
	Grade 12	38.1%	47.1%	68.1%	31.9%
AA					
Alcohol	All	42.6%	58.2%	79.5%	20.5%
	Grade 7	27.4%	38.9%	64.6%	35.4%
	Grade 8	36.5%	51.8%	75.9%	24.1%
	Grade 9	44.0%	60.6%	81.5%	18.5%
	Grade 10	48.6%	65.4%	84.4%	15.6%
	Grade 11	50.1%	66.6%	86.6%	13.4%
	Grade 12	53.8%	71.2%	87.6%	12.4%

		98State712. out			
Crack	All	1.2%	2.2%	4.1%	95.9%
	Grade 7	1.3%	2.1%	3.6%	96.4%
	Grade 8	1.4%	2.2%	4.1%	95.9%
	Grade 9	1.3%	2.4%	4.5%	95.5%
	Grade 10	1.3%	2.3%	4.2%	95.8%
	Grade 11	1.0%	1.9%	4.3%	95.7%
	Grade 12	1.0%	1.6%	3.8%	96.2%
AA					
Hallucinogens	All	3.3%	5.6%	9.6%	90.4%
	Grade 7	1.5%	2.2%	3.5%	96.5%
	Grade 8	2.1%	3.4%	5.8%	94.2%
	Grade 9	3.8%	6.1%	10.1%	89.9%
	Grade 10	4.2%	7.3%	11.9%	88.1%
	Grade 11	4.8%	8.4%	14.1%	85.9%
	Grade 12	4.2%	7.6%	14.6%	85.4%
AA					
Uppers	All	4.0%	6.4%	10.5%	89.5%
	Grade 7	1.7%	2.5%	4.2%	95.8%
	Grade 8	2.8%	4.7%	7.5%	92.5%
	Grade 9	4.9%	7.2%	11.1%	88.9%
	Grade 10	5.4%	8.5%	13.4%	86.6%
	Grade 11	5.2%	8.4%	13.6%	86.4%
	Grade 12	4.3%	7.8%	14.4%	85.6%
AA					
Downers	All	3.3%	5.2%	8.6%	91.4%
	Grade 7	1.3%	1.9%	3.5%	96.5%
	Grade 8	2.3%	3.7%	6.0%	94.0%
	Grade 9	4.2%	6.2%	9.4%	90.6%
	Grade 10	4.5%	7.0%	11.2%	88.8%
	Grade 11	4.2%	7.0%	11.3%	88.7%
	Grade 12	3.5%	5.4%	10.9%	89.1%
AA					
Rohypnol	All	3.2%	5.1%	8.1%	91.9%
	Grade 7	2.9%	3.9%	5.7%	94.3%
	Grade 8	3.4%	5.0%	7.8%	92.2%
	Grade 9	4.1%	5.9%	8.6%	91.4%
	Grade 10	3.5%	5.9%	9.3%	90.7%
	Grade 11	2.4%	4.5%	8.5%	91.5%
	Grade 12	2.8%	4.9%	9.0%	91.0%
AA					
Steroids	All	0.7%	1.2%	2.4%	97.6%
	Grade 7	0.7%	1.3%	2.9%	97.1%
	Grade 8	0.8%	1.2%	2.4%	97.6%
	Grade 9	0.7%	1.0%	2.2%	97.8%
	Grade 10	0.7%	1.2%	2.1%	97.9%
	Grade 11	0.9%	1.3%	2.5%	97.5%
	Grade 12	0.7%	1.0%	2.4%	97.6%
AA					
Ecstasy	All	1.9%	3.1%	5.8%	94.2%
	Grade 7	0.8%	1.2%	2.0%	98.0%
	Grade 8	1.4%	2.0%	3.4%	96.6%
	Grade 9	2.2%	3.3%	5.8%	94.2%
	Grade 10	2.3%	3.9%	6.7%	93.3%
	Grade 11	2.7%	4.3%	8.7%	91.3%
	Grade 12	2.0%	4.2%	9.6%	90.4%
AA					

		98State	712. out			
Heroin	All		0.9%		1.5%	96.9%
	Grade 7		1.2%		2.1%	96.5%
	Grade 8		1.2%		1.8%	96.5%
	Grade 9		0.8%		1.4%	97.2%
	Grade 10		0.8%		1.3%	97.3%
	Grade 11		0.7%		1.1%	97.2%
	Grade 12		0.8%		1.3%	96.8%
		State - Grades 7-12				
		Spring 1998				

Table B11: Prevalence and recency of use of selected substances by grade
 --> Students who would seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
AA					
Tobacco	All	23.8%	32.7%	51.9%	48.1%
	Grade 7	12.5%	19.1%	36.4%	63.6%
	Grade 8	18.3%	27.1%	46.4%	53.6%
	Grade 9	24.8%	34.8%	54.4%	45.6%
	Grade 10	27.4%	37.2%	57.5%	42.5%
	Grade 11	29.8%	39.2%	59.5%	40.5%
	Grade 12	34.0%	42.8%	61.5%	38.5%
AA					
Alcohol	All	35.6%	49.5%	70.2%	29.8%
	Grade 7	19.3%	28.2%	50.9%	49.1%
	Grade 8	27.3%	40.1%	63.8%	36.2%
	Grade 9	36.7%	51.7%	72.6%	27.4%
	Grade 10	41.9%	57.9%	77.4%	22.6%
	Grade 11	44.1%	60.2%	79.6%	20.4%
	Grade 12	50.0%	66.1%	81.9%	18.1%
AA					
Inhalants	All	6.9%	10.6%	19.6%	80.4%
	Grade 7	9.3%	13.0%	21.4%	78.6%
	Grade 8	9.8%	14.3%	23.4%	76.6%
	Grade 9	7.2%	11.1%	20.6%	79.4%
	Grade 10	5.4%	9.1%	18.5%	81.5%
	Grade 11	4.4%	7.7%	16.4%	83.6%
	Grade 12	3.6%	6.7%	15.0%	85.0%
AA					
Any Illicit Drug	All	14.4%	21.6%	32.9%	67.1%
	Grade 7	6.3%	9.2%	15.1%	84.9%
	Grade 8	11.6%	16.7%	25.3%	74.7%
	Grade 9	16.1%	23.6%	34.9%	65.1%
	Grade 10	18.2%	27.3%	41.2%	58.8%
	Grade 11	17.6%	27.1%	41.8%	58.2%
	Grade 12	18.5%	28.8%	44.2%	55.8%
AA					
Marijuana	All	12.9%	20.2%	31.4%	68.6%
	Grade 7	5.2%	8.0%	13.5%	86.5%
	Grade 8	10.1%	15.1%	23.5%	76.5%
	Grade 9	14.6%	22.2%	33.3%	66.7%
	Grade 10	16.5%	25.5%	39.5%	60.5%
	Grade 11	16.1%	25.9%	40.6%	59.4%
	Grade 12	16.9%	27.4%	43.2%	56.8%
AA					

		98State712.out			
Marijuana Only	All	5.2%	9.3%	17.3%	82.7%
	Grade 7	2.5%	4.0%	7.9%	92.1%
	Grade 8	4.3%	7.3%	13.4%	86.6%
	Grade 9	6.0%	10.2%	18.4%	81.6%
	Grade 10	6.7%	11.6%	21.7%	78.3%
	Grade 11	6.2%	12.1%	23.0%	77.0%
	Grade 12	6.1%	12.2%	22.4%	77.6%
AA					
Cocaine or Crack	All	2.7%	4.6%	7.9%	92.1%
	Grade 7	1.1%	1.9%	3.2%	96.8%
	Grade 8	2.2%	3.5%	5.9%	94.1%
	Grade 9	2.9%	4.8%	8.3%	91.7%
	Grade 10	3.4%	5.9%	9.8%	90.2%
	Grade 11	3.5%	5.9%	10.2%	89.8%
	Grade 12	3.7%	6.6%	11.8%	88.2%
AA					
Cocaine	All	2.5%	4.3%	7.4%	92.6%
	Grade 7	0.9%	1.5%	2.5%	97.5%
	Grade 8	1.8%	3.0%	5.2%	94.8%
	Grade 9	2.7%	4.5%	7.8%	92.2%
	Grade 10	3.2%	5.6%	9.4%	90.6%
	Grade 11	3.5%	5.8%	9.8%	90.2%
	Grade 12	3.5%	6.5%	11.5%	88.5%

State - Grades 7-12
Spring 1998

Table B11 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AA					
Crack	All	0.7%	1.2%	2.5%	97.5%
	Grade 7	0.5%	1.0%	1.9%	98.1%
	Grade 8	0.9%	1.4%	2.5%	97.5%
	Grade 9	0.7%	1.4%	2.7%	97.3%
	Grade 10	0.8%	1.5%	2.8%	97.2%
	Grade 11	0.6%	1.1%	2.8%	97.2%
	Grade 12	0.5%	1.0%	2.5%	97.5%
AA					
Hallucinogens	All	2.0%	3.5%	6.3%	93.7%
	Grade 7	0.7%	1.3%	2.0%	98.0%
	Grade 8	1.2%	1.9%	3.3%	96.7%
	Grade 9	2.2%	3.7%	6.3%	93.7%
	Grade 10	2.6%	4.7%	7.8%	92.2%
	Grade 11	2.8%	4.9%	9.1%	90.9%
	Grade 12	2.7%	5.5%	11.0%	89.0%
AA					
Uppers	All	2.4%	4.2%	7.1%	92.9%
	Grade 7	0.8%	1.3%	2.2%	97.8%
	Grade 8	1.7%	3.0%	4.7%	95.3%
	Grade 9	2.8%	4.6%	7.4%	92.6%
	Grade 10	3.3%	5.8%	9.6%	90.4%
	Grade 11	3.3%	5.6%	9.3%	90.7%
	Grade 12	3.0%	5.6%	11.0%	89.0%
AA					
Downers	All	2.0%	3.3%	5.7%	94.3%

98State712.out				
Grade 7	0.7%	1.0%	1.8%	98.2%
Grade 8	1.1%	2.0%	3.3%	96.7%
Grade 9	2.3%	3.7%	6.1%	93.9%
Grade 10	2.7%	4.8%	7.9%	92.1%
Grade 11	2.8%	4.4%	7.4%	92.6%
Grade 12	2.7%	4.4%	8.5%	91.5%
Rohypnol				
All	2.0%	3.4%	5.7%	94.3%
Grade 7	1.3%	2.0%	3.1%	96.9%
Grade 8	2.2%	3.3%	5.1%	94.9%
Grade 9	2.5%	3.9%	6.4%	93.6%
Grade 10	2.3%	4.2%	6.9%	93.1%
Grade 11	1.9%	3.5%	6.4%	93.6%
Grade 12	2.0%	3.7%	7.0%	93.0%
Steroids				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.5%	0.8%	1.9%	98.1%
Grade 8	0.6%	0.9%	2.0%	98.0%
Grade 9	0.5%	0.8%	1.7%	98.3%
Grade 10	0.5%	0.8%	1.7%	98.3%
Grade 11	0.6%	0.9%	1.8%	98.2%
Grade 12	0.6%	0.9%	2.0%	98.0%
Ecstasy				
All	1.1%	2.0%	3.9%	96.1%
Grade 7	0.4%	0.7%	1.1%	98.9%
Grade 8	0.8%	1.3%	2.2%	97.8%
Grade 9	1.3%	2.0%	3.7%	96.3%
Grade 10	1.2%	2.4%	4.6%	95.4%
Grade 11	1.5%	2.7%	5.5%	94.5%
Grade 12	1.5%	3.1%	7.1%	92.9%
Heroin				
All	0.5%	0.8%	1.8%	98.2%
Grade 7	0.5%	1.0%	1.9%	98.1%
Grade 8	0.7%	1.1%	2.1%	97.9%
Grade 9	0.4%	0.7%	1.7%	98.3%
Grade 10	0.4%	0.7%	1.5%	98.5%
Grade 11	0.4%	0.6%	1.8%	98.2%
Grade 12	0.4%	0.7%	1.9%	98.1%

State - Grades 7-12
Spring 1998

Table B12: Prevalence and recency of use of selected substances by grade
--> Students who wouldn't seek help from adults for substance abuse problems

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	37.2%	48.5%	66.9%	33.1%
Grade 7	27.7%	37.3%	56.5%	43.5%
Grade 8	32.7%	45.3%	64.9%	35.1%
Grade 9	37.3%	49.7%	67.8%	32.2%
Grade 10	40.5%	51.5%	70.5%	29.5%
Grade 11	43.1%	53.6%	71.1%	28.9%
Grade 12	45.6%	56.7%	72.9%	27.1%
Alcohol				
All	48.5%	63.3%	80.6%	19.4%

	98	State	712	out	
	Grade 7	34.5%	46.5%	69.2%	30.8%
	Grade 8	42.7%	57.7%	78.1%	21.9%
	Grade 9	49.0%	65.0%	81.6%	18.4%
	Grade 10	53.0%	69.0%	83.4%	16.6%
	Grade 11	56.8%	71.6%	87.2%	12.8%
	Grade 12	60.2%	75.0%	87.6%	12.4%
AAAAA					
Inhalants	All	13.3%	19.1%	31.7%	68.3%
	Grade 7	20.3%	26.1%	38.7%	61.3%
	Grade 8	17.3%	24.6%	37.9%	62.1%
	Grade 9	13.6%	20.3%	32.8%	67.2%
	Grade 10	9.3%	14.8%	27.0%	73.0%
	Grade 11	9.3%	13.7%	26.3%	73.7%
	Grade 12	6.9%	11.2%	22.6%	77.4%
AAAAA					
Any Illicit Drug	All	27.2%	36.8%	49.4%	50.6%
	Grade 7	16.7%	22.2%	31.9%	68.1%
	Grade 8	23.8%	31.8%	43.0%	57.0%
	Grade 9	28.9%	38.9%	51.5%	48.5%
	Grade 10	31.6%	42.7%	56.2%	43.8%
	Grade 11	32.8%	44.6%	58.7%	41.3%
	Grade 12	31.3%	44.4%	59.6%	40.4%
AAAAA					
Marijuana	All	24.3%	34.4%	47.3%	52.7%
	Grade 7	14.1%	19.8%	29.5%	70.5%
	Grade 8	21.0%	29.6%	40.3%	59.7%
	Grade 9	26.0%	36.1%	49.2%	50.8%
	Grade 10	29.0%	40.3%	54.3%	45.7%
	Grade 11	29.6%	42.4%	57.3%	42.7%
	Grade 12	28.1%	41.3%	57.7%	42.3%
AAAAA					
Marijuana Only	All	8.8%	14.1%	22.2%	77.8%
	Grade 7	5.8%	8.4%	14.7%	85.3%
	Grade 8	8.3%	12.7%	19.9%	80.1%
	Grade 9	9.2%	14.9%	23.2%	76.8%
	Grade 10	10.4%	16.4%	24.9%	75.1%
	Grade 11	10.4%	17.1%	25.9%	74.1%
	Grade 12	9.0%	16.2%	26.9%	73.1%
AAAAA					
Cocaine or Crack	All	6.8%	10.0%	15.0%	85.0%
	Grade 7	4.3%	5.8%	9.0%	91.0%
	Grade 8	5.3%	7.7%	12.2%	87.8%
	Grade 9	7.5%	10.6%	15.8%	84.2%
	Grade 10	7.3%	10.8%	17.0%	83.0%
	Grade 11	8.3%	12.4%	18.0%	82.0%
	Grade 12	8.7%	14.4%	19.6%	80.4%
AAAAA					
Cocaine	All	6.1%	9.2%	13.9%	86.1%
	Grade 7	3.4%	4.8%	7.9%	92.1%
	Grade 8	4.5%	6.6%	10.5%	89.5%
	Grade 9	6.9%	9.9%	15.1%	84.9%
	Grade 10	6.8%	9.9%	16.0%	84.0%
	Grade 11	7.6%	11.9%	17.3%	82.7%
	Grade 12	8.2%	13.7%	18.8%	81.2%

State - Grades
7-12
Spring 1998

Table B12 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	2.3%	3.5%	6.1%	93.9%
	Grade 7	2.5%	3.4%	5.5%	94.5%
	Grade 8	2.4%	3.7%	6.3%	93.7%
	Grade 9	2.6%	4.0%	6.5%	93.5%
	Grade 10	1.8%	3.3%	5.5%	94.5%
	Grade 11	2.1%	3.2%	6.3%	93.7%
	Grade 12	2.1%	3.4%	6.3%	93.7%
Hallucinogens	All	4.9%	7.6%	11.8%	88.2%
	Grade 7	2.1%	3.0%	5.0%	95.0%
	Grade 8	3.2%	4.9%	7.6%	92.4%
	Grade 9	5.6%	8.3%	11.9%	88.1%
	Grade 10	6.0%	9.3%	14.4%	85.6%
	Grade 11	6.6%	10.6%	16.9%	83.1%
	Grade 12	6.7%	10.9%	17.8%	82.2%
Uppers	All	6.2%	9.1%	13.2%	86.8%
	Grade 7	3.6%	4.7%	6.9%	93.1%
	Grade 8	4.3%	6.4%	9.7%	90.3%
	Grade 9	6.5%	9.5%	13.6%	86.4%
	Grade 10	7.6%	11.1%	15.8%	84.2%
	Grade 11	7.7%	11.5%	18.0%	82.0%
	Grade 12	8.0%	12.4%	17.5%	82.5%
Downers	All	5.0%	7.5%	10.8%	89.2%
	Grade 7	2.7%	3.7%	5.5%	94.5%
	Grade 8	4.2%	5.8%	8.2%	91.8%
	Grade 9	5.1%	7.5%	11.0%	89.0%
	Grade 10	6.3%	8.8%	12.6%	87.4%
	Grade 11	6.1%	10.4%	15.7%	84.3%
	Grade 12	5.8%	9.7%	13.7%	86.3%
Rohypnol	All	4.8%	7.1%	10.5%	89.5%
	Grade 7	3.9%	5.5%	7.9%	92.1%
	Grade 8	4.9%	6.8%	9.9%	90.1%
	Grade 9	6.0%	8.2%	11.4%	88.6%
	Grade 10	5.2%	7.5%	11.7%	88.3%
	Grade 11	3.7%	6.6%	10.9%	89.1%
	Grade 12	4.3%	7.6%	11.3%	88.7%
Steroids	All	1.3%	1.9%	3.4%	96.6%
	Grade 7	1.4%	2.3%	4.1%	95.9%
	Grade 8	1.5%	2.2%	3.6%	96.4%
	Grade 9	1.2%	1.6%	2.9%	97.1%
	Grade 10	0.9%	1.7%	2.8%	97.2%
	Grade 11	1.2%	1.8%	3.3%	96.7%
	Grade 12	1.4%	2.1%	4.0%	96.0%
Ecstasy	All	2.9%	4.4%	7.3%	92.7%
	Grade 7	1.2%	1.9%	2.9%	97.1%

98State712.out				
Grade 8	2.3%	3.2%	5.4%	94.6%
Grade 9	2.8%	4.4%	6.8%	93.2%
Grade 10	3.7%	5.3%	8.3%	91.7%
Grade 11	4.3%	5.8%	10.9%	89.1%
Grade 12	3.7%	6.4%	11.0%	89.0%
Heroin				
All	1.9%	2.8%	4.9%	95.1%
Grade 7	2.4%	3.6%	5.5%	94.5%
Grade 8	2.0%	3.0%	5.5%	94.5%
Grade 9	1.8%	2.7%	4.7%	95.3%
Grade 10	1.9%	2.9%	4.6%	95.4%
Grade 11	1.6%	2.2%	4.5%	95.5%
Grade 12	1.1%	2.2%	4.1%	95.9%
State - Grades 7-12 Spring 1998				

Table B13: Prevalence and recency of use of selected substances by grade
--> Students living in town three years or less

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	26.4%	35.4%	55.3%	44.7%
	Grade 7	16.5%	23.7%	42.6%	57.4%
	Grade 8	23.2%	32.1%	51.8%	48.2%
	Grade 9	28.7%	38.5%	59.0%	41.0%
	Grade 10	31.6%	40.9%	60.5%	39.5%
	Grade 11	32.8%	42.6%	63.3%	36.7%
	Grade 12	36.7%	46.0%	66.6%	33.4%
Alcohol	All	36.5%	49.3%	70.8%	29.2%
	Grade 7	24.0%	32.5%	55.7%	44.3%
	Grade 8	32.0%	44.5%	68.3%	31.7%
	Grade 9	38.8%	52.1%	73.3%	26.7%
	Grade 10	43.0%	58.7%	78.0%	22.0%
	Grade 11	45.2%	60.4%	80.7%	19.3%
	Grade 12	51.5%	65.7%	82.7%	17.3%
Inhalants	All	9.5%	13.9%	24.8%	75.2%
	Grade 7	12.4%	16.8%	27.1%	72.9%
	Grade 8	11.8%	16.8%	27.0%	73.0%
	Grade 9	9.2%	13.8%	25.4%	74.6%
	Grade 10	7.9%	12.3%	23.0%	77.0%
	Grade 11	5.6%	9.3%	20.3%	79.7%
	Grade 12	5.0%	9.0%	21.3%	78.7%
Any Illicit Drug	All	18.3%	25.5%	37.5%	62.5%
	Grade 7	9.5%	12.9%	21.1%	78.9%
	Grade 8	16.4%	21.9%	31.6%	68.4%
	Grade 9	20.5%	28.9%	40.7%	59.3%
	Grade 10	23.6%	33.2%	47.7%	52.3%
	Grade 11	22.5%	32.1%	48.2%	51.8%
	Grade 12	24.5%	35.6%	52.8%	47.2%
Marijuana	All	16.4%	23.9%	36.0%	64.0%
	Grade 7	8.0%	11.3%	19.4%	80.6%

		98State712.out			
	Grade 8	14.5%	20.2%	29.8%	70.2%
	Grade 9	18.5%	27.2%	39.4%	60.6%
	Grade 10	21.5%	31.4%	46.4%	53.6%
	Grade 11	20.8%	30.8%	47.0%	53.0%
	Grade 12	22.0%	33.2%	51.3%	48.7%
AA					
Marijuana Only	All	6.4%	10.4%	18.7%	81.3%
	Grade 7	3.6%	5.5%	10.7%	89.3%
	Grade 8	6.1%	9.2%	16.1%	83.9%
	Grade 9	7.2%	11.5%	20.0%	80.0%
	Grade 10	8.2%	13.3%	23.5%	76.5%
	Grade 11	8.2%	13.9%	25.5%	74.5%
	Grade 12	6.8%	13.0%	23.8%	76.2%
AA					
Cocaine or Crack	All	3.7%	6.0%	10.2%	89.8%
	Grade 7	1.9%	3.0%	5.2%	94.8%
	Grade 8	3.3%	4.8%	8.3%	91.7%
	Grade 9	4.3%	6.8%	11.2%	88.8%
	Grade 10	4.6%	7.8%	13.2%	86.8%
	Grade 11	4.8%	7.5%	12.6%	87.4%
	Grade 12	4.6%	9.1%	16.7%	83.3%
AA					
Cocaine	All	3.4%	5.5%	9.4%	90.6%
	Grade 7	1.4%	2.2%	4.0%	96.0%
	Grade 8	2.7%	4.1%	7.2%	92.8%
	Grade 9	4.0%	6.3%	10.6%	89.4%
	Grade 10	4.5%	7.5%	12.7%	87.3%
	Grade 11	4.7%	7.3%	12.0%	88.0%
	Grade 12	4.4%	9.0%	16.3%	83.7%

State - Grades 7-12
Spring 1998

Table B13 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AA					
Crack	All	1.1%	1.9%	3.8%	96.2%
	Grade 7	1.1%	1.8%	3.4%	96.6%
	Grade 8	1.2%	1.9%	3.6%	96.4%
	Grade 9	1.4%	2.3%	4.1%	95.9%
	Grade 10	1.1%	2.1%	4.1%	95.9%
	Grade 11	0.8%	1.5%	4.0%	96.0%
	Grade 12	0.7%	1.3%	4.4%	95.6%
AA					
Hallucinogens	All	2.7%	4.5%	8.0%	92.0%
	Grade 7	1.2%	1.8%	3.0%	97.0%
	Grade 8	1.6%	2.7%	4.8%	95.2%
	Grade 9	2.9%	4.9%	8.6%	91.4%
	Grade 10	4.0%	6.4%	11.0%	89.0%
	Grade 11	3.7%	6.5%	11.7%	88.3%
	Grade 12	4.4%	8.9%	16.6%	83.4%
AA					
Uppers	All	3.5%	5.6%	8.9%	91.1%
	Grade 7	1.5%	2.3%	3.6%	96.4%
	Grade 8	2.4%	4.0%	6.1%	93.9%

		98State712.out			
	Grade 9	4.3%	6.5%	10.1%	89.9%
	Grade 10	5.1%	7.9%	12.4%	87.6%
	Grade 11	4.4%	7.3%	11.9%	88.1%
	Grade 12	4.5%	8.5%	15.6%	84.4%
AA					
Downers	All	2.8%	4.4%	7.2%	92.8%
	Grade 7	0.9%	1.4%	2.8%	97.2%
	Grade 8	2.1%	3.2%	4.9%	95.1%
	Grade 9	3.6%	5.2%	8.8%	91.2%
	Grade 10	4.0%	6.4%	10.2%	89.8%
	Grade 11	3.6%	5.9%	9.3%	90.7%
	Grade 12	3.5%	6.5%	11.6%	88.4%
AA					
Rohypnol	All	2.8%	4.2%	6.8%	93.2%
	Grade 7	2.4%	3.1%	4.6%	95.4%
	Grade 8	3.1%	4.4%	6.8%	93.2%
	Grade 9	3.3%	4.6%	7.2%	92.8%
	Grade 10	3.2%	5.1%	7.9%	92.1%
	Grade 11	2.0%	4.1%	7.6%	92.4%
	Grade 12	2.2%	4.7%	8.6%	91.4%
AA					
Steroids	All	0.7%	1.1%	2.3%	97.7%
	Grade 7	0.7%	1.2%	2.6%	97.4%
	Grade 8	0.6%	1.0%	2.3%	97.7%
	Grade 9	0.8%	1.1%	2.2%	97.8%
	Grade 10	0.6%	0.9%	1.7%	98.3%
	Grade 11	0.7%	1.1%	2.4%	97.6%
	Grade 12	0.4%	0.8%	2.3%	97.7%
AA					
Ecstasy	All	1.5%	2.5%	4.8%	95.2%
	Grade 7	0.7%	1.1%	1.8%	98.2%
	Grade 8	0.9%	1.5%	2.6%	97.4%
	Grade 9	1.8%	2.8%	4.9%	95.1%
	Grade 10	1.9%	3.3%	6.2%	93.8%
	Grade 11	2.0%	3.3%	7.2%	92.8%
	Grade 12	2.4%	5.2%	11.4%	88.6%
AA					
Heroin	All	0.8%	1.4%	2.9%	97.1%
	Grade 7	1.0%	1.8%	3.2%	96.8%
	Grade 8	0.7%	1.3%	2.9%	97.1%
	Grade 9	0.9%	1.5%	3.0%	97.0%
	Grade 10	0.9%	1.5%	2.7%	97.3%
	Grade 11	0.6%	0.8%	2.6%	97.4%
	Grade 12	0.4%	1.2%	3.2%	96.8%

State - Grades 7-12
Spring 1998

Table B14: Prevalence and recency of use of selected substances by grade
--> Students living in town more than three years

		Past Month	School Year	Ever Used	Never Used
AA					
Tobacco	All	26.2%	35.7%	54.5%	45.5%
	Grade 7	15.1%	22.1%	39.0%	61.0%
	Grade 8	20.3%	30.1%	49.4%	50.6%

98State712.out

	Grade 9	26.7%	37.3%	56.4%	43.6%
	Grade 10	29.2%	39.6%	59.8%	40.2%
	Grade 11	32.2%	41.7%	61.1%	38.9%
	Grade 12	35.9%	45.1%	62.9%	37.1%
AAAAA	All	38.6%	53.1%	72.7%	27.3%
Alcohol	Grade 7	21.6%	31.8%	54.2%	45.8%
	Grade 8	30.0%	43.4%	66.2%	33.8%
	Grade 9	39.1%	55.0%	74.8%	25.2%
	Grade 10	44.5%	60.5%	78.8%	21.2%
	Grade 11	46.9%	62.8%	81.1%	18.9%
	Grade 12	52.0%	68.0%	82.9%	17.1%
AAAAA	All	7.7%	11.7%	21.0%	79.0%
Inhalants	Grade 7	11.0%	15.0%	23.8%	76.2%
	Grade 8	11.2%	16.3%	25.9%	74.1%
	Grade 9	8.1%	12.5%	22.0%	78.0%
	Grade 10	5.6%	9.5%	19.2%	80.8%
	Grade 11	5.2%	8.6%	17.8%	82.2%
	Grade 12	4.2%	7.3%	15.6%	84.4%
AAAAA	All	16.5%	24.2%	35.6%	64.4%
Any Illicit Drug	Grade 7	7.9%	11.2%	17.0%	83.0%
	Grade 8	13.3%	19.0%	27.9%	72.1%
	Grade 9	17.9%	25.8%	37.4%	62.6%
	Grade 10	20.0%	29.4%	43.1%	56.9%
	Grade 11	20.0%	29.9%	44.0%	56.0%
	Grade 12	20.3%	31.1%	46.1%	53.9%
AAAAA	All	14.7%	22.6%	33.9%	66.1%
Marijuana	Grade 7	6.6%	9.8%	15.3%	84.7%
	Grade 8	11.4%	17.2%	25.9%	74.1%
	Grade 9	16.2%	24.2%	35.6%	64.4%
	Grade 10	18.1%	27.4%	41.2%	58.8%
	Grade 11	18.0%	28.5%	42.6%	57.4%
	Grade 12	18.5%	29.5%	45.0%	55.0%
AAAAA	All	5.8%	10.2%	18.1%	81.9%
Marijuana Only	Grade 7	3.0%	4.6%	8.5%	91.5%
	Grade 8	4.8%	8.2%	14.2%	85.8%
	Grade 9	6.5%	11.0%	19.2%	80.8%
	Grade 10	7.2%	12.3%	21.9%	78.1%
	Grade 11	6.7%	12.9%	22.8%	77.2%
	Grade 12	6.7%	13.0%	23.2%	76.8%
AAAAA	All	3.5%	5.6%	9.0%	91.0%
Cocaine or Crack	Grade 7	1.6%	2.4%	4.0%	96.0%
	Grade 8	2.8%	4.3%	6.8%	93.2%
	Grade 9	3.6%	5.5%	9.2%	90.8%
	Grade 10	4.1%	6.7%	10.7%	89.3%
	Grade 11	4.4%	7.2%	11.5%	88.5%
	Grade 12	4.6%	7.9%	12.7%	87.3%
AAAAA	All	3.2%	5.2%	8.5%	91.5%
Cocaine	Grade 7	1.3%	2.0%	3.4%	96.6%
	Grade 8	2.2%	3.6%	5.9%	94.1%

98State712.out				
Grade 9	3.4%	5.2%	8.6%	91.4%
Grade 10	3.8%	6.2%	10.1%	89.9%
Grade 11	4.2%	7.0%	11.1%	88.9%
Grade 12	4.4%	7.6%	12.4%	87.6%
State - Grades 7-12				
Spring 1998				

Table B14 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.9%	1.6%	3.0%	97.0%
	Grade 7	0.8%	1.3%	2.3%	97.7%
	Grade 8	1.2%	1.9%	3.2%	96.8%
	Grade 9	1.0%	1.7%	3.3%	96.7%
	Grade 10	1.0%	1.8%	3.0%	97.0%
	Grade 11	0.9%	1.5%	3.3%	96.7%
	Grade 12	0.9%	1.5%	3.0%	97.0%
Hallucinogens	All	2.5%	4.2%	7.0%	93.0%
	Grade 7	0.9%	1.5%	2.3%	97.7%
	Grade 8	1.6%	2.4%	3.9%	96.1%
	Grade 9	2.9%	4.5%	7.0%	93.0%
	Grade 10	3.0%	5.4%	8.4%	91.6%
	Grade 11	3.4%	5.8%	10.1%	89.9%
	Grade 12	3.3%	6.0%	11.5%	88.5%
Uppers	All	3.0%	4.9%	8.0%	92.0%
	Grade 7	1.2%	1.7%	2.7%	97.3%
	Grade 8	2.1%	3.5%	5.5%	94.5%
	Grade 9	3.2%	5.2%	8.2%	91.8%
	Grade 10	3.8%	6.5%	10.2%	89.8%
	Grade 11	4.0%	6.4%	10.5%	89.5%
	Grade 12	3.7%	6.4%	11.3%	88.7%
Downers	All	2.5%	4.0%	6.4%	93.6%
	Grade 7	1.0%	1.5%	2.3%	97.7%
	Grade 8	1.6%	2.6%	4.1%	95.9%
	Grade 9	2.6%	4.2%	6.5%	93.5%
	Grade 10	3.2%	5.3%	8.3%	91.7%
	Grade 11	3.3%	5.4%	8.8%	91.2%
	Grade 12	3.2%	5.1%	8.9%	91.1%
Rohypnol	All	2.5%	4.1%	6.6%	93.4%
	Grade 7	1.6%	2.5%	3.8%	96.2%
	Grade 8	2.6%	3.8%	5.7%	94.3%
	Grade 9	3.1%	4.7%	7.4%	92.6%
	Grade 10	2.8%	4.9%	7.9%	92.1%
	Grade 11	2.3%	4.1%	7.3%	92.7%
	Grade 12	2.5%	4.4%	7.6%	92.4%
Steroids	All	0.7%	1.1%	2.1%	97.9%
	Grade 7	0.7%	1.1%	2.2%	97.8%
	Grade 8	0.9%	1.2%	2.4%	97.6%
	Grade 9	0.6%	0.9%	1.9%	98.1%

98State712.out

	Grade 10	Grade 11	Grade 12	All
	0.6%	0.8%	0.9%	1.4%
	1.0%	1.1%	1.2%	2.4%
	2.0%	1.9%	2.3%	4.4%
98.0%				
98.1%				
97.7%				
Ecstasy				
	Grade 7	Grade 8	Grade 9	Grade 10
	0.4%	1.1%	1.5%	1.6%
	0.8%	2.4%	2.9%	2.0%
	1.3%	4.2%	5.1%	3.2%
	98.7%	97.1%	95.8%	94.9%
	Grade 11	Grade 12	All	
	2.0%	1.9%	0.7%	
	3.2%	3.4%	1.1%	
	6.2%	7.1%	2.2%	
	93.8%	92.9%	97.8%	
Heroin				
	Grade 7	Grade 8	Grade 9	Grade 10
	0.8%	1.0%	0.5%	0.6%
	1.3%	1.5%	0.9%	0.6%
	2.2%	2.8%	2.1%	2.2%
	97.8%	97.2%	97.9%	98.1%
	Grade 11	Grade 12	All	
	0.6%	0.6%	0.7%	
	0.9%	1.0%	1.1%	
	2.2%	2.2%	2.2%	
	97.8%	97.8%	97.8%	
State - Grades 7-12 Spring 1998				

GENDER

Q1	Frequency	Percent
Female	853375.4	51.7
Male	796801.2	48.3

Frequency Missing = 6045.3903001

GRADE

Q2	Frequency	Percent
Grade 7	303371	18.3
Grade 8	292711	17.7
Grade 9	348093	21.0
Grade 10	270634	16.3
Grade 11	234187	14.1
Grade 12	207226	12.5

LIVE WITH BOTH PARENTS

Q3	Frequency	Percent
No	597681.3	36.4
Yes	1046449	63.6

Frequency Missing = 12091.486357

98State712.out

AGE

Q4	Frequency	Percent
11 or younger	3917.803	0.2
12	78443.62	4.8
13	258756.3	15.7
14	291240.2	17.7
15	318618.5	19.3
16	280654.8	17.0
17	242264.6	14.7
18	148529.9	9.0
19 or older	26171.13	1.6

Frequency Missing = 7625.1317671

ETHNICITY

Q5	Frequency	Percent
African/American	215831.7	13.3
Asian/American	50080.22	3.1
Mexican/American	541906.3	33.4
Native/American	14372.44	0.9
Other	76677.3	4.7
White	725645.1	44.7

Frequency Missing = 31708.956882

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

ON AVERAGE WHAT GRADES DO YOU GET

Q6	Frequency	Percent
Mostly A's	484779.7	29.7
Mostly B's	793432.7	48.6
Mostly C's	296838.1	18.2
Mostly D's	40849.87	2.5
Mostly F's	18118.06	1.1

Frequency Missing = 22203.474188

LENGTH OF TIME IN THIS DISTRICT

Q7	Frequency	Percent
<1 year	172168.8	10.5
2-3 years	274411.5	16.8
>4 years	1186231	72.6

Frequency Missing = 23411.148018

DO YOU HAVE A JOB

Q8	Frequency	Percent
No	1160257	70.9
Yes	477192	29.1

Frequency Missing = 18772.570073

DO YOU GET AN ALLOWANCE

Q9	Frequency	Percent
No	898546.2	55.2
Yes	728470	44.8

Frequency Missing = 29205.815201

EITHER PARENT COLLEGE GRADUATE

Q10	Frequency	Percent
Don't Know	261145.8	16.0
No	609185.1	37.2
Yes	766349.6	46.8

Frequency Missing = 19541.536832

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

♀

QUALIFY FOR FREE/REDUCED
 PRICE LUNCH

Q11	Frequency	Percent
Don't Know	210553	12.9
No	913720.5	55.9
Yes	509289.8	31.2

Frequency Missing = 22658.705307

PARTICIPATE IN ATHLETICS

Q12A	Frequency	Percent
No	75652.8	48.9
Yes	789595.8	51.1

Frequency Missing = 110973.48068

PARTICIPATE IN BAND/ORCHESTRA

Q12B	Frequency	Percent
No	1113484	79.5
Yes	287468.7	20.5

Frequency Missing = 255269.31293

PARTICIPATE IN CHOIR

Q12C	Frequency	Percent
No	1186165	86.2
Yes	190203.7	13.8

Frequency Missing = 279853.39877

PARTICIPATE IN DRAMA/SPEECH

Q12D	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1145906	83.6
Yes	225499.6	16.4

Frequency Missing = 284816.08387

PARTICIPATE IN DRILL
TEAM/CHEERLEADING

Q12E	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1245555	89.6
Yes	144460.1	10.4

Frequency Missing = 266207.38005

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

PARTICIPATE IN STUDENT
GOVERNMENT

Q12F	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1274069	93.8
Yes	83672.42	6.2

Frequency Missing = 298480.83292

PARTICIPATE IN SCHOOL
NEWSPAPER/YEARBOOK

Q12G	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1275792	93.5
Yes	89277.96	6.5

Frequency Missing = 291151.88326

♀

98State712.out

PARTICIPATE IN ACADEMIC
CLUBS/SOCIETIES

Q12H	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1037595	75.2
Yes	341556.7	24.8

Frequency Missing = 277070.53494

PARTICIPATE IN SERVICE CLUBS

Q12I	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1198240	88.2
Yes	160703.4	11.8

Frequency Missing = 297278.88301

PARTICIPATE IN VOE/DE/WORK-STUDY

Q12J	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1261635	95.6
Yes	58426.64	4.4

Frequency Missing = 336160.17336

PARTICIPATE IN OTHER CLUBS

Q12K	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	91995.4	64.9
Yes	498651.9	35.1

Frequency Missing = 237574.63117

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state
State - Grades 7-12
Spring 1998

DO YOU FEEL SAFE IN YOUR HOME

98State712.out

Q13A	Frequency	Percent
Very Safe	1253473	76.3
Somewhat Safe	338135.4	20.6
Not Very Safe	22815.61	1.4
Not Safe At All	7348.956	0.4
Don't Know	21036.31	1.3

Frequency Missing = 13413.004285

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD

Q13B	Frequency	Percent
Very Safe	644306.1	39.7
Somewhat Safe	767617.7	47.3
Not Very Safe	141399.2	8.7
Not Safe At All	37000.28	2.3
Don't Know	32634.97	2.0

Frequency Missing = 33263.784206

DO YOU FEEL SAFE AT SCHOOL

Q13C	Frequency	Percent
Very Safe	553938.7	34.0
Somewhat Safe	815412.9	50.0
Not Very Safe	152264.8	9.3
Not Safe At All	58306.33	3.6
Don't Know	51146.58	3.1

Frequency Missing = 25152.696657

FRIENDS FEELING CLOSE
TO THEIR PARENTS

Q14A	Frequency	Percent
None	79246.7	4.9
A Few	458480.4	28.1
Some	436771.6	26.8
Most	518451.7	31.8
All	136409.9	8.4

Frequency Missing = 26861.698246

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

♀

HOW MANY FRIENDS
 CARRY WEAPONS

Q14B	Frequency	Percent
None	935301.8	59.2
A Few	367222	23.3
Some	174795.9	11.1
Most	71913.45	4.6
All	30134.19	1.9

Frequency Missing = 76854.702141

HOW MANY FRIENDS CARE
 ABOUT GOOD GRADES

Q14C	Frequency	Percent
None	49481.9	3.1
A Few	241108.3	15.2
Some	358337	22.6
Most	652970.5	41.1
All	285324.6	18.0

Frequency Missing = 68999.730763

HOW MANY FRIENDS
 BELONG TO A GANG

Q14D	Frequency	Percent
------	-----------	---------

98State712.out

AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
None	1110376	69.3
A Few	269596.8	16.8
Some	126778.2	7.9
Most	68368.35	4.3
All	27634.07	1.7

Frequency Missing = 53468.702557

FRIENDS WISHING TO
DROP OUT OF SCHOOL

Q14E	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
None	868121.4	54.4
A Few	446708.7	28.0
Some	163898.5	10.3
Most	73645.8	4.6
All	44172.71	2.8

Frequency Missing = 59674.870475

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state
State - Grades 7-12
Spring 1998

PARENTS ATTEND PTA/SCHOOL
OPEN HOUSES

Q15	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	841283.6	55.0
Yes	688455.4	45.0

Frequency Missing = 126482.97434

EVER INHALED SPRAY PAINT FOR KICKS

98State712.out

Q16A	Frequency	Percent
AA		
Never Heard/Used	1468790	90.7
In Your Lifetime	89765.62	5.5
Since School Began	27024.22	1.7
In the Past Month	34386.92	2.1

Frequency Missing = 36254.851078

EVER INHALED WHITEOUT FOR KICKS

Q16B	Frequency	Percent
AA		
Never Heard/Used	1394565	89.7
In Your Lifetime	93402.07	6.0
Since School Began	31083.32	2.0
In the Past Month	36313.28	2.3

Frequency Missing = 100857.8441

EVER INHALED GASOLINE FOR KICKS

Q16C	Frequency	Percent
AA		
Never Heard/Used	1468935	94.2
In Your Lifetime	52583.03	3.4
Since School Began	15209.84	1.0
In the Past Month	22632.58	1.5

Frequency Missing = 96861.958666

EVER INHALED FREON FOR KICKS

Q16D	Frequency	Percent
AA		
Never Heard/Used	1495791	97.3
In Your Lifetime	21611.19	1.4
Since School Began	8797.325	0.6
In the Past Month	10449.19	0.7

Frequency Missing = 119573.38556

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

♀

EVER INHALED POPPERS, ETC. FOR KICKS

Q16E	Frequency	Percent
AAAAA		
Never Heard/Used	1516322	97.5
In Your Lifetime	17502.17	1.1
Since School Began	7827.34	0.5
In the Past Month	12984.25	0.8

Frequency Missing = 101585.77078

EVER INHALED GLUE FOR KICKS

Q16F	Frequency	Percent
AAAAA		
Never Heard/Used	1439800	94.3
In Your Lifetime	53055.06	3.5
Since School Began	15040.58	1.0
In the Past Month	19566.19	1.3

Frequency Missing = 128760.10254

EVER INHALED PAINT THINNERS FOR KICKS

Q16G	Frequency	Percent
AAAAA		
Never Heard/Used	1453395	93.9
In Your Lifetime	51631.51	3.3
Since School Began	18097.15	1.2
In the Past Month	24215.53	1.6

Frequency Missing = 108882.34917

EVER INHALED NITROUS OXIDE FOR KICKS

Q16H	Frequency	Percent
AAAAA		
Never Heard/Used	1425938	93.5
In Your Lifetime	47927.24	3.1

98State712.out
 Since School Began 23182.39 1.5
 In the Past Month 27304.97 1.8

Frequency Missing = 131869.2001

EVER INHALED OCTANE BOOSTER FOR KICKS

Q16I Frequency Percent
 AA
 Never Heard/Used 1508967 97.8
 In Your Lifetime 17824.77 1.2
 Since School Began 6947.335 0.5
 In the Past Month 9592.497 0.6

Frequency Missing = 112890.24231

The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the state
 State - Grades 7-12
 Spring 1998

♀

EVER INHALED OTHER SPRAYS FOR KICKS

Q16J Frequency Percent
 AA
 Never Heard/Used 1459199 95.1
 In Your Lifetime 38553.73 2.5
 Since School Began 13918.92 0.9
 In the Past Month 22763.69 1.5

Frequency Missing = 121786.49029

EVER INHALED OTHER INHALANTS FOR KICKS

Q16K Frequency Percent
 AA
 Never Heard/Used 1405826 89.4
 In Your Lifetime 79583.35 5.1
 Since School Began 31280.68 2.0
 In the Past Month 56347.45 3.6

Frequency Missing = 83184.524843

RECENT CI GARETTE USE

Q17A	Frequency	Percent
Never Heard/Used	759300.6	46.6
In Your Li fetime	310954	19.1
Since School Began	150459.4	9.2
In the Past Month	408270.9	25.1

Frequency Mi ssi ng = 27237.122354

RECENT SMOKELESS TOBACCO USE

Q17B	Frequency	Percent
Never Heard/Used	1364210	85.7
In Your Li fetime	102952.2	6.5
Since School Began	41678.78	2.6
In the Past Month	82725.56	5.2

Frequency Mi ssi ng = 64655.82182

RECENT BEER USE

Q17C	Frequency	Percent
Never Heard/Used	684193.1	42.9
In Your Li fetime	291980.2	18.3
Since School Began	184867.8	11.6
In the Past Month	433475.1	27.2

Frequency Mi ssi ng = 61705.811925

The frequencies have been weighted so that the
 analysi s reflects the distri buti on of students by grade
 level in the state
 State - Grades 7-12
 Spri ng 1998

RECENT WINE COOLER USE

Q17D	Frequency	Percent
------	-----------	---------

98State712.out
 Never Heard/Used 635873.2 40.4
 In Your Lifetime 307870.8 19.5
 Since School Began 234221.3 14.9
 In the Past Month 397730.4 25.2

Frequency Missing = 80526.262457

RECENT WINE USE

Q17E Frequency Percent
 AA
 Never Heard/Used 778134.6 49.4
 In Your Lifetime 310823.8 19.7
 Since School Began 206923.9 13.1
 In the Past Month 280341.8 17.8

Frequency Missing = 79997.900695

RECENT LIQUOR USE

Q17F Frequency Percent
 AA
 Never Heard/Used 757946.3 48.1
 In Your Lifetime 231353.2 14.7
 Since School Began 187909 11.9
 In the Past Month 398925.4 25.3

Frequency Missing = 80088.031452

RECENT MARIJUANA USE

Q18A Frequency Percent
 AA
 Never Heard/Used 1059111 65.5
 In Your Lifetime 187228.2 11.6
 Since School Began 125049.1 7.7
 In the Past Month 245573.4 15.2

Frequency Missing = 39260.411879

RECENT COCAINE USE

Q18B Frequency Percent
 AA

98State712.out

Never Heard/Used	1428861	91.3
In Your Li fetime	53958.16	3.4
Since School Began	31937.58	2.0
In the Past Month	50527.42	3.2

Frequency Mi ssi ng = 90937.536762

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

RECENT CRACK USE

Q18C	Frequency	Percent
AAAAA		
Never Heard/Used	1493234	96.8
In Your Li fetime	23644.64	1.5
Since School Began	10996.93	0.7
In the Past Month	15387.5	1.0

Frequency Mi ssi ng = 112958.43713

RECENT HALLUCINOGEN USE

Q18E	Frequency	Percent
AAAAA		
Never Heard/Used	1451334	92.7
In Your Li fetime	47190.07	3.0
Since School Began	27463.34	1.8
In the Past Month	39558.91	2.5

Frequency Mi ssi ng = 90676.098287

RECENT UPPER USE

Q18F	Frequency	Percent
AAAAA		
Never Heard/Used	1384175	91.8
In Your Li fetime	47128.07	3.1
Since School Began	29633.11	2.0
In the Past Month	47199.9	3.1

Frequency Mi ssi ng = 148086.07169

RECENT DOWNER USE

Q18G	Frequency	Percent
Never Heard/Used	1414669	93.4
In Your Lifetime	38462.57	2.5
Since School Began	23116.55	1.5
In the Past Month	38630.26	2.6

Frequency Missing = 141343.33152

RECENT ROHYPNOL USE

Q18H	Frequency	Percent
Never Heard/Used	1445502	93.3
In Your Lifetime	39292.26	2.5
Since School Began	23722.88	1.5
In the Past Month	40254.54	2.6

Frequency Missing = 107450.25043

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

RECENT STEROID USE

Q18I	Frequency	Percent
Never Heard/Used	1475568	97.9
In Your Lifetime	16341.2	1.1
Since School Began	5540.837	0.4
In the Past Month	10517.08	0.7

Frequency Missing = 148255.31966

RECENT ECSTASY USE

98State712.out

Q18J	Frequency	Percent
Never Heard/Used	1428450	95.5
In Your Lifetime	30796.53	2.1
Since School Began	14542.46	1.0
In the Past Month	21448.34	1.4

Frequency Missing = 160984.53241

RECENT HEROIN USE

Q18K	Frequency	Percent
Never Heard/Used	1489630	97.6
In Your Lifetime	18656.08	1.2
Since School Began	6791.542	0.4
In the Past Month	11283.3	0.7

Frequency Missing = 129861.50667

TOBACCO USE IN PAST MONTH

Q19A	Frequency	Percent
Never Heard/Used	1252614	78.7
1-2 times	96342.93	6.1
3-10 times	77059.67	4.8
11+ times	165120	10.4

Frequency Missing = 65085.745787

ALCOHOL USE IN PAST MONTH

Q19B	Frequency	Percent
Never Heard/Used	1037323	66.5
1-2 times	235934.2	15.1
3-10 times	202676.9	13.0
11+ times	84068.04	5.4

Frequency Missing = 96220.302892

98State712.out
 The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the state
 State - Grades 7-12
 Spring 1998

♀

INHALANT USE IN PAST MONTH

Q19C	Frequency	Percent
AA		
Never Heard/Used	1474988	94.0
1-2 times	68065.05	4.3
3-10 times	17955.13	1.1
11+ times	7546.087	0.5

Frequency Missing = 87667.263533

MARIJUANA USE IN PAST MONTH

Q19D	Frequency	Percent
AA		
Never Heard/Used	1285524	84.7
1-2 times	86393.8	5.7
3-10 times	69499.78	4.6
11+ times	77089.7	5.1

Frequency Missing = 137714.72329

COCAINE USE IN PAST MONTH

Q19E	Frequency	Percent
AA		
Never Heard/Used	1457637	96.8
1-2 times	25484.86	1.7
3-10 times	13282.06	0.9
11+ times	8843.431	0.6

Frequency Missing = 150974.58216

CRACK USE IN PAST MONTH

Q19F	Frequency	Percent
AA		
Never Heard/Used	1516387	99.0
1-2 times	9266.325	0.6
3-10 times	3362.65	0.2
11+ times	3121.274	0.2

98State712.out

Frequency Missing = 124084.53773

CLOSE FRIENDS USE CIGARETTES

Q20A	Frequency	Percent
Never heard/None	434181.1	26.9
A few	509095.2	31.6
Some	319207.6	19.8
Most	278102.5	17.3
All	71257.51	4.4

Frequency Missing = 44378.003012

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

♀

CLOSE FRIENDS USE SMOKELESS TOBACCO

Q20B	Frequency	Percent
Never heard/None	1049755	66.7
A few	307334.2	19.5
Some	144997.2	9.2
Most	55619.48	3.5
All	15547.51	1.0

Frequency Missing = 82968.998595

CLOSE FRIENDS USE BEER

Q20C	Frequency	Percent
Never heard/None	410807.1	25.9
A few	364799.5	23.0
Some	309652.8	19.6
Most	346005.4	21.9
All	152262.2	9.6

Frequency Missing = 72695.000404

CLOSE FRIENDS USE WINE COOLERS

Q20D	Frequency	Percent
Never heard/None	469195.1	30.1
A few	375256.6	24.1
Some	310645.1	19.9
Most	280873	18.0
All	121887.9	7.8

Frequency Missing = 98364.235414

CLOSE FRIENDS USE WINE

Q20E	Frequency	Percent
Never heard/None	687360.2	44.2
A few	379130.2	24.4
Some	235113	15.1
Most	171168.7	11.0
All	81209.15	5.2

Frequency Missing = 102240.75259

CLOSE FRIENDS USE LIQUOR

Q20F	Frequency	Percent
Never heard/None	549245.9	35.8
A few	307804.5	20.1
Some	261257.4	17.1
Most	284267.3	18.6
All	129555	8.5

Frequency Missing = 124092.02212

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

CLOSE FRIENDS USE INHALANTS

Q20G	Frequency	Percent
Never heard/None	1242858	79.5
A few	210761.9	13.5

	98State712.out	
Some	70427.93	4.5
Most	28859.12	1.8
All	11229.1	0.7

Frequency Missing = 92086.334511

CLOSE FRIENDS USE MARIJUANA

	Q20H	Frequency	Percent
AAAAA			
Never heard/None		694911.9	44.5
A few		323200.1	20.7
Some		223779.1	14.3
Most		215150.9	13.8
All		104022.9	6.7

Frequency Missing = 95157.089123

DIFFICULT TO GET CIGARETTES

	Q21A	Frequency	Percent
AAAAA			
Never heard of		110534.7	6.9
Impossible		149006.6	9.4
Very difficult		65394.72	4.1
Somewhat diff		112093.4	7.0
Somewhat easy		301316.4	18.9
Very easy		852250.3	53.6

Frequency Missing = 65625.908935

DIFFICULT TO GET SMOKELESS TOBACCO

	Q21B	Frequency	Percent
AAAAA			
Never heard of		275103.7	17.9
Impossible		234034.1	15.3
Very difficult		104654.9	6.8
Somewhat diff		154950.7	10.1
Somewhat easy		242476.5	15.8
Very easy		522529	34.1

Frequency Missing = 122473.08685

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

♀

DIFFICULT TO GET BEER

Q21C	Frequency	Percent
Never heard of	96811.3	6.3
Impossible	140431.1	9.1
Very difficult	75140.62	4.9
Somewhat difficult	161614.7	10.5
Somewhat easy	353520.5	23.0
Very easy	709276.3	46.2

Frequency Missing = 119427.47496

DIFFICULT TO GET WINE COOLERS

Q21D	Frequency	Percent
Never heard of	111241.1	7.4
Impossible	143893.9	9.6
Very difficult	82442.03	5.5
Somewhat difficult	164769.6	11.0
Somewhat easy	343592.6	23.0
Very easy	649824.5	43.4

Frequency Missing = 160458.23489

DIFFICULT TO GET WINE

Q21E	Frequency	Percent
Never heard of	119618.4	8.0
Impossible	178310.4	11.9
Very difficult	107018.2	7.2
Somewhat difficult	187172.3	12.5

98State712.out
 Somewhat easy 319227.5 21.4
 Very easy 583126.5 39.0

Frequency Missing = 161748.65715

DIFFICULT TO GET LIQUOR

Q21F	Frequency	Percent
AA		
Never heard of	116993.3	8.0
Impossible	192954.5	13.1
Very difficult	110458.5	7.5
Somewhat diff	169020	11.5
Somewhat easy	291679.9	19.9
Very easy	588042.7	40.0

Frequency Missing = 187073.02856

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

♀

DIFFICULT TO GET INHALANTS

Q21G	Frequency	Percent
AA		
Never heard of	245148.1	16.0
Impossible	198304.4	13.0
Very difficult	59477.08	3.9
Somewhat diff	82776.13	5.4
Somewhat easy	156610.7	10.2
Very easy	786297.1	51.4

Frequency Missing = 127608.62466

DIFFICULT TO GET MARIJUANA

98State712.out

Q21H	Frequency	Percent
Never heard of	141386.9	9.5
Impossible	305292.4	20.5
Very difficult	126303.5	8.5
Somewhat difficult	169230.8	11.3
Somewhat easy	261425.6	17.5
Very easy	488485.4	32.7

Frequency Missing = 164097.414

DIFFICULT TO GET COCAINE

Q21I	Frequency	Percent
Never heard of	215296.4	14.4
Impossible	433084.3	28.9
Very difficult	234505.6	15.7
Somewhat difficult	243001.3	16.2
Somewhat easy	174511.6	11.7
Very easy	196921.2	13.2

Frequency Missing = 158901.5962

DIFFICULT TO GET CRACK

Q21J	Frequency	Percent
Never heard of	229293	15.8
Impossible	440660.4	30.3
Very difficult	248467.9	17.1
Somewhat difficult	236562.2	16.3
Somewhat easy	146914.6	10.1
Very easy	151372.2	10.4

Frequency Missing = 202951.64431

The frequencies have been weighted so that the analysis reflects the distribution of students by grade

98State712.out
 level in the state
 State - Grades 7-12
 Spring 1998

DIFFICULT TO GET HALLUCINOGENS

Q21L	Frequency	Percent
Never heard of	431011.7	28.5
Impossible	396235.5	26.2
Very difficult	224071	14.8
Somewhat difficult	188370.6	12.5
Somewhat easy	128560.5	8.5
Very easy	143327.9	9.5

Frequency Missing = 144644.69979

DIFFICULT TO GET UPPERS

Q21M	Frequency	Percent
Never heard of	506937.3	34.7
Impossible	300021.3	20.5
Very difficult	167227.2	11.5
Somewhat difficult	174224.5	11.9
Somewhat easy	144781.1	9.9
Very easy	166995.3	11.4

Frequency Missing = 196035.17062

DIFFICULT TO GET DOWNERS

Q21N	Frequency	Percent
Never heard of	492890.4	34.7
Impossible	294483	20.7
Very difficult	163427.1	11.5
Somewhat difficult	167903.5	11.8
Somewhat easy	141210.7	9.9
Very easy	159289.5	11.2

Frequency Missing = 237017.82834

DIFFICULT TO GET ROHYPNOL

Q21O	Frequency	Percent
------	-----------	---------

98State712.out		
Never heard of	610194.5	40.6
Impossible	291815.3	19.4
Very difficult	159104.6	10.6
Somewhat difficult	150490.4	10.0
Somewhat easy	125335.4	8.3
Very easy	167818	11.2

Frequency Missing = 151463.8909

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

♀

DIFFICULT TO GET STEROIDS

Q21P	Frequency	Percent
AA		
Never heard of	290770.6	20.1
Impossible	435568.1	30.0
Very difficult	230625.8	15.9
Somewhat difficult	208679.2	14.4
Somewhat easy	140972	9.7
Very easy	143379.9	9.9

Frequency Missing = 206226.49622

DIFFICULT TO GET ECSTASY

Q21Q	Frequency	Percent
AA		
Never heard of	559836.9	37.8
Impossible	319555	21.6
Very difficult	182609.3	12.3
Somewhat difficult	162486.2	11.0
Somewhat easy	118395.1	8.0
Very easy	139513.2	9.4

Frequency Missing = 173826.36106

DIFFICULT TO GET HEROIN

Q21R	Frequency	Percent
Never heard of	293461.4	19.7
Impossible	504825.9	34.0
Very difficult	260024.6	17.5
Somewhat difficult	188415.4	12.7
Somewhat easy	109613.4	7.4
Very easy	130089.1	8.8

Frequency Missing = 169792.23641

AGE WHEN FIRST USED CIGARETTES

Q22A	Frequency	Percent
9 or younger	132153.9	15.0
10 years old	87959.16	10.0
11 years old	102727.1	11.6
12 years old	145016.6	16.4
13 years old	147533.1	16.7
14 years old	111069.6	12.6
15 years old	80517.73	9.1
16 years old	48507.93	5.5
17 years old	20791.62	2.4
18 or older	6507.692	0.7

Frequency Missing = 773437.52939

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

AGE WHEN FIRST USED
 SMOKELESS TOBACCO

Q22B	Frequency	Percent
9 or younger	31196.24	13.1
10 years old	18829.75	7.9
11 years old	24989.69	10.5

	98State712.out	
12 years old	32203.02	13.5
13 years old	36583.79	15.3
14 years old	35502.39	14.9
15 years old	30582.08	12.8
16 years old	19001.19	8.0
17 years old	7808.258	3.3
18 or older	2121.334	0.9

Frequency Missing = 1417404.264

AGE WHEN FIRST USED BEER

Q22C	Frequency	Percent
9 or younger	207571.3	21.5
10 years old	80688.29	8.4
11 years old	84259.18	8.7
12 years old	121694.9	12.6
13 years old	143832.4	14.9
14 years old	130922.3	13.6
15 years old	111235.4	11.5
16 years old	59274.09	6.1
17 years old	19911.89	2.1
18 or older	6618.562	0.7

Frequency Missing = 690213.63415

AGE WHEN FIRST USED WINE COOLERS

Q22D	Frequency	Percent
9 or younger	117553.2	12.3
10 years old	76149.29	8.0
11 years old	96225.15	10.1
12 years old	141419.6	14.8
13 years old	162248.4	17.0
14 years old	145436.7	15.2
15 years old	120486.8	12.6
16 years old	65840.03	6.9
17 years old	21626.28	2.3
18 or older	7064.919	0.7

Frequency Missing = 702171.57912

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

♀

AGE WHEN FIRST USED WINE

Q22E	Frequency	Percent
9 or younger	108518.2	13.3
10 years old	63038.37	7.7
11 years old	80354.84	9.8
12 years old	116745.4	14.3
13 years old	134121.2	16.4
14 years old	125394.5	15.3
15 years old	102220.4	12.5
16 years old	59651.01	7.3
17 years old	20967.62	2.6
18 or older	6937.2	0.8

Frequency Missing = 838273.17648

AGE WHEN FIRST USED LIQUOR

Q22F	Frequency	Percent
9 or younger	65072.14	8.3
10 years old	40009.22	5.1
11 years old	57305.22	7.3
12 years old	98458.69	12.6
13 years old	135139	17.2
14 years old	142280.7	18.2
15 years old	129461.1	16.5
16 years old	80088.54	10.2
17 years old	27812.58	3.5
18 or older	8126.476	1.0

Frequency Missing = 872468.35599

AGE WHEN FIRST USED INHALANTS

98State712. out

Q22G	Frequency	Percent
9 or younger	28884.98	14.0
10 years old	19016.82	9.2
11 years old	27844.11	13.5
12 years old	38972.17	18.9
13 years old	38929.7	18.9
14 years old	25929.99	12.6
15 years old	15826.08	7.7
16 years old	7288.592	3.5
17 years old	2553.713	1.2
18 or older	783.3501	0.4

Frequency Missing = 1450192.4986

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

AGE WHEN FIRST USED MARIJUANA

Q22H	Frequency	Percent
9 or younger	21392.22	4.1
10 years old	19489.72	3.7
11 years old	36729.61	7.0
12 years old	70912.15	13.4
13 years old	105985.8	20.1
14 years old	107884.2	20.4
15 years old	90011.06	17.0
16 years old	51182.01	9.7
17 years old	19302.56	3.7
18 or older	5154.682	1.0

Frequency Missing = 1128177.9114

98State712.out
 AGE WHEN FIRST USED COCAINE

Q22I	Frequency	Percent
9 or younger	2326.723	1.8
10 years old	1908.673	1.5
11 years old	4081.444	3.1
12 years old	10017.84	7.7
13 years old	19037.02	14.6
14 years old	25884.92	19.8
15 years old	29333.7	22.4
16 years old	22491.94	17.2
17 years old	12166.84	9.3
18 or older	3434.943	2.6

Frequency Missing = 1525537.9575

AGE WHEN FIRST USED CRACK

Q22J	Frequency	Percent
9 or younger	1844.684	4.1
10 years old	1257.507	2.8
11 years old	2998.597	6.6
12 years old	4335.572	9.6
13 years old	7791.857	17.2
14 years old	9140.305	20.1
15 years old	7894.506	17.4
16 years old	6153.142	13.6
17 years old	2941.73	6.5
18 or older	1022.034	2.3

Frequency Missing = 1610842.0655

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12

98State712.out
Spring 1998

AGE WHEN FIRST USED HALLUCINOGENS

Q22L	Frequency	Percent
9 or younger	1899.858	1.8
10 years old	1990.605	1.9
11 years old	3632.419	3.4
12 years old	7893.235	7.3
13 years old	16137.2	15.0
14 years old	25069.68	23.3
15 years old	25274.94	23.5
16 years old	17887.18	16.6
17 years old	6037.085	5.6
18 or older	1679.644	1.6

Frequency Missing = 1548720.1538

AGE WHEN FIRST USED UPPERS

Q22M	Frequency	Percent
9 or younger	2787.61	2.3
10 years old	2949.993	2.4
11 years old	5280.502	4.3
12 years old	11520.63	9.4
13 years old	21141.15	17.3
14 years old	27551.86	22.6
15 years old	25545.88	20.9
16 years old	17279.43	14.2
17 years old	6309.501	5.2
18 or older	1726.369	1.4

Frequency Missing = 1534129.0738

AGE WHEN FIRST USED DOWNERS

Q22N	Frequency	Percent
9 or younger	2733.986	2.8
10 years old	2435.52	2.5
11 years old	4836.284	4.9
12 years old	9555.169	9.7
13 years old	16990.04	17.2
14 years old	23494.53	23.8
15 years old	20518.75	20.8
16 years old	12921.66	13.1
17 years old	4113.624	4.2
18 or older	1122.295	1.1

98State712.out

Frequency Missing = 1557500.1462

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

♀

AGE WHEN FIRST USED ROHYPNOL

Q220	Frequency	Percent
9 or younger	2424.296	2.5
10 years old	2978.645	3.1
11 years old	5558.933	5.7
12 years old	11102.35	11.4
13 years old	16934.86	17.4
14 years old	19391.47	19.9
15 years old	18856	19.4
16 years old	12886.72	13.2
17 years old	5797.295	6.0
18 or older	1355.562	1.4

Frequency Missing = 1558935.8681

AGE WHEN FIRST USED STEROIDS

Q22P	Frequency	Percent
9 or younger	3098.324	10.1
10 years old	1874.912	6.1
11 years old	2618.109	8.5
12 years old	3456.105	11.3
13 years old	4831.555	15.7
14 years old	4533.698	14.8
15 years old	3996.376	13.0
16 years old	3269.958	10.6

	98State712.out	
17 years old	1875.702	6.1
18 or older	1162.69	3.8

Frequency Missing = 1625504.5719

AGE WHEN FIRST USED ECSTASY

Q22Q	Frequency	Percent
9 or younger	1173.24	1.8
10 years old	911.7258	1.4
11 years old	1569.601	2.4
12 years old	4201.459	6.5
13 years old	8444.624	13.1
14 years old	12889.12	20.0
15 years old	14825.08	23.0
16 years old	12494.77	19.4
17 years old	6107.578	9.5
18 or older	1801.99	2.8

Frequency Missing = 1591802.8142

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

♀

AGE WHEN FIRST USED HEROIN

Q22R	Frequency	Percent
9 or younger	1950.954	6.0
10 years old	1432.204	4.4
11 years old	2001.8	6.1
12 years old	3535.662	10.8
13 years old	5347.261	16.4
14 years old	5967.094	18.3

	98State712.out	
15 years old	5511.985	16.9
16 years old	4044.347	12.4
17 years old	1992.916	6.1
18 or older	895.2956	2.7

Frequency Missing = 1623542.4841

HOW OFTEN NORMALLY USE CIGARETTES

Q23A	Frequency	Percent
AA		
Every day	131292.4	8.2
Several times/wk	84354.65	5.3
Several times/mo	105358.4	6.6
About once/month	147956	9.3
About once/year	122819.2	7.7
< once/year	185898.5	11.6
Never used	821345.1	51.4

Frequency Missing = 57197.810429

HOW OFTEN NORMALLY USE
SMOKELESS TOBACCO

Q23B	Frequency	Percent
AA		
Every day	18549.72	1.2
Several times/wk	15733.61	1.0
Several times/mo	21797.62	1.4
About once/month	34254.24	2.1
About once/year	38402.73	2.4
< once/year	74974.45	4.7
Never used	1397555	87.3

Frequency Missing = 54954.786994

HOW OFTEN NORMALLY USE BEER

Q23C	Frequency	Percent
AA		
Every day	8531.305	0.5
Several times/wk	85364.68	5.5
Several times/mo	210795.6	13.5
About once/month	228659	14.7
About once/year	174708.8	11.2
< once/year	150320.9	9.6
Never used	701558.2	45.0

98State712.out

Frequency Missing = 96283.473057

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

♀

HOW OFTEN NORMALLY USE WINE COOLERS

Q23D	Frequency	Percent
Every day	5168.12	0.3
Several times/wk	55788.98	3.7
Several times/mo	186522	12.2
About once/month	247392.7	16.2
About once/year	222331.3	14.6
< once/year	142984.2	9.4
Never used	662578.3	43.5

Frequency Missing = 133456.36529

HOW OFTEN NORMALLY USE WINE

Q23E	Frequency	Percent
Every day	2805.338	0.2
Several times/wk	37476.5	2.4
Several times/mo	119916	7.8
About once/month	183623.2	11.9
About once/year	245987.5	16.0
< once/year	154290.2	10.0
Never used	796448.6	51.7

Frequency Missing = 115674.57405

HOW OFTEN NORMALLY USE LIQUOR

Q23F	Frequency	Percent
Every day	4782.025	0.3
Several times/wk	56423.58	3.7
Several times/mo	178856.6	11.7
About once/month	215752.3	14.1
About once/year	168547.6	11.0
< once/year	115864.8	7.6

98State712.out
 Never used 794375.2 51.8

Frequency Missing = 121619.86174

HOW OFTEN NORMALLY USE INHALANTS

Q23G	Frequency	Percent
Every day	3859.663	0.2
Several times/wk	9288.553	0.6
Several times/mo	17094.28	1.1
About once/month	30018.32	1.9
About once/year	36491.66	2.3
< once/year	67782.88	4.2
Never used	1448317	89.8

Frequency Missing = 43369.213047

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

♀

HOW OFTEN NORMALLY USE MARIJUANA

Q23H	Frequency	Percent
Every day	41815.05	2.6
Several times/wk	60933.92	3.9
Several times/mo	84052.04	5.3
About once/month	97823.33	6.2
About once/year	85739.39	5.4
< once/year	99918.56	6.3
Never used	1108236	70.2

Frequency Missing = 77704.184705

HOW OFTEN NORMALLY USE COCAINE

Q23I	Frequency	Percent
Every day	2027.655	0.1

	98State712.out	
Several times/wk	9155.612	0.6
Several times/mo	17606.39	1.1
About once/month	26982.45	1.7
About once/year	27105	1.7
< once/year	31777.1	2.0
Never used	1469583	92.8

Frequency Missing = 71984.597712

HOW OFTEN NORMALLY USE CRACK

	Q23J	Frequency	Percent
AA			
Every day	1080.484		0.1
Several times/wk	2571.857		0.2
Several times/mo	5509.727		0.4
About once/month	8022.747		0.5
About once/year	9970.285		0.6
< once/year	14305.76		0.9
Never used	1531664		97.4

Frequency Missing = 83097.078307

HOW OFTEN NORMALLY USE HALLUCINOGENS

	Q23L	Frequency	Percent
AA			
Every day	730.8216		0.0
Several times/wk	2862.263		0.2
Several times/mo	10582.34		0.7
About once/month	24670.38		1.5
About once/year	28977.7		1.8
< once/year	30516.05		1.9
Never used	1497275		93.8

Frequency Missing = 60607.268003

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

98State712.out
HOW OFTEN NORMALLY USE UPPERS

Q23M	Frequency	Percent
Every day	2687.883	0.2
Several times/wk	7448.239	0.5
Several times/mo	15495.21	1.0
About once/month	27004.72	1.7
About once/year	27521.02	1.8
< once/year	30671.94	2.0
Never used	1440748	92.9

Frequency Missing = 104645.00839

HOW OFTEN NORMALLY USE DOWNERS

Q23N	Frequency	Percent
Every day	1884.724	0.1
Several times/wk	6206.773	0.4
Several times/mo	14126.08	0.9
About once/month	22398.43	1.4
About once/year	23949.13	1.5
< once/year	23678.87	1.5
Never used	1465719	94.1

Frequency Missing = 98259.202453

HOW OFTEN NORMALLY USE ROHYPNOL

Q230	Frequency	Percent
Every day	1430.832	0.1
Several times/wk	7289.935	0.5
Several times/mo	13358.97	0.8
About once/month	21156.44	1.3
About once/year	22853.96	1.4
< once/year	22385.98	1.4
Never used	1499397	94.4

Frequency Missing = 68348.613309

HOW OFTEN NORMALLY USE STEROIDS

Q23P	Frequency	Percent
Every day	1948.86	0.1

	98State712.out	
Several times/wk	1934.724	0.1
Several times/mo	3207.839	0.2
About once/month	3473.726	0.2
About once/year	5831.774	0.4
< once/year	10321.3	0.7
Never used	1526861	98.3

Frequency Missing = 102643.14973

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

♀

HOW OFTEN NORMALLY USE ECSTASY

	Q23Q	Frequency	Percent
AA			
Every day	662.8284	0.0	
Several times/wk	1903.742	0.1	
Several times/mo	5783.841	0.4	
About once/month	12349.85	0.8	
About once/year	19099.07	1.2	
< once/year	20257.89	1.3	
Never used	1490776	96.1	

Frequency Missing = 105388.56212

HOW OFTEN NORMALLY USE HEROIN

	Q23R	Frequency	Percent
AA			
Every day	1442.697	0.1	
Several times/wk	1759.322	0.1	
Several times/mo	3082.873	0.2	
About once/month	4897.683	0.3	
About once/year	6836.883	0.4	
< once/year	12040.75	0.8	
Never used	1539002	98.1	

Frequency Missing = 87159.296042

98State712.out
HOW MANY CIGARETTES IN PAST 30 DAYS

Q24	Frequency	Percent
None	1151947	72.5
Less than 1	220911.2	13.9
> 1 and < 10	135289.6	8.5
> 10 and < 1pk	46772.62	2.9
> 1pk and < 2pks	27070.27	1.7
More than 2pks	7243.223	0.5

Frequency Missing = 66988.080952

AMOUNT OF BEER AT ONE TIME

Q25A	Frequency	Percent
Never drink this	677328.4	43.0
12+ drinks	82812.7	5.3
9-11 drinks	55294.86	3.5
5-8 drinks	123476.3	7.8
3-4 drinks	145617.1	9.2
2 drinks	130166.5	8.3
1 drink	159455.9	10.1
< 1 drink	200103.4	12.7

Frequency Missing = 81966.866674

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

AMOUNT OF WINE COOLERS AT ONE TIME

Q25B	Frequency	Percent
Never drink this	602937.5	39.3
12+ drinks	68588.19	4.5
9-11 drinks	46778.38	3.1
5-8 drinks	119428.3	7.8
3-4 drinks	199702.7	13.0
2 drinks	173541.4	11.3
1 drink	183204.3	12.0
< 1 drink	138904	9.1

98State712.out

Frequency Missing = 123137.14739

AMOUNT OF WINE AT ONE TIME

Q25C	Frequency	Percent
AA		
Never drink this	746731.2	48.8
12+ drinks	31963.49	2.1
9-11 drinks	19493.32	1.3
5-8 drinks	48622.29	3.2
3-4 drinks	98968.72	6.5
2 drinks	138178.5	9.0
1 drink	219971.5	14.4
< 1 drink	225537	14.7

Frequency Missing = 126756.15312

AMOUNT OF LIQUOR AT ONE TIME

Q25D	Frequency	Percent
AA		
Never drink this	726386.9	47.7
12+ drinks	58799.9	3.9
9-11 drinks	42575.55	2.8
5-8 drinks	111403.2	7.3
3-4 drinks	155426.7	10.2
2 drinks	127674	8.4
1 drink	143365.7	9.4
< 1 drink	157675.8	10.4

Frequency Missing = 132914.2591

BEERS, FIVE OR MORE AT ONE TIME

Q26A	Frequency	Percent
AA		
Never drink this	733355.8	47.0
Never 5+ at time	260020	16.6
Every day	5829.008	0.4
Several times/wk	55059.62	3.5
Several times/mo	146789.4	9.4
About once/month	128772.3	8.2
< once/month	114240	7.3
< once/year	117786.3	7.5

Frequency Missing = 94369.532562

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

♀

WINE COOLERS, FIVE OR MORE AT ONE TIME

Q26B	Frequency	Percent
Never drink this	665854	43.5
Never 5+ at time	262735.4	17.1
Every day	5367.736	0.4
Several times/wk	41077.96	2.7
Several times/mo	134408.5	8.8
About once/month	143525.3	9.4
< once/month	151352.3	9.9
< once/year	127778.2	8.3

Frequency Missing = 124122.74444

WINE, FIVE OR MORE AT ONE TIME

Q26C	Frequency	Percent
Never drink this	776100.3	51.6
Never 5+ at time	241188.1	16.0
Every day	1799.19	0.1
Several times/wk	24294.81	1.6
Several times/mo	72174.3	4.8
About once/month	98725.15	6.6
< once/month	138043.4	9.2
< once/year	151434.4	10.1

Frequency Missing = 152462.25254

LIQUOR, FIVE OR MORE AT ONE TIME

Q26D	Frequency	Percent
Never drink this	738652.7	49.5
Never 5+ at time	208009.5	13.9
Every day	4026.501	0.3
Several times/wk	42068.83	2.8
Several times/mo	134534.9	9.0
About once/month	132935.9	8.9

98State712.out
 < once/month 127253.8 8.5
 < once/year 105656.1 7.1

Frequency Missing = 163083.78246

GET ALCOHOLIC BEVERAGES FROM HOME

Q27A	Frequency	Percent
Do not Drink	589539.6	37.7
Never	436045.9	27.9
Seldom	365787.7	23.4
Most of the Time	125943.2	8.1
Always	44578.21	2.9

Frequency Missing = 94327.441007

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

♀

GET ALCOHOLIC BEVERAGES FROM FRIENDS

Q27B	Frequency	Percent
Do not Drink	483216.3	31.5
Never	213819.8	13.9
Seldom	270898.2	17.7
Most of the Time	387309.8	25.3
Always	178455.1	11.6

Frequency Missing = 122522.84781

GET ALCOHOLIC BEVERAGES FROM A STORE

Q27C	Frequency	Percent
Do not Drink	511325.5	33.6
Never	608348.4	39.9
Seldom	189535.3	12.4
Most of the Time	138762.5	9.1
Always	75386.84	4.9

98State712.out

Frequency Missing = 132863.46516

GET ALCOHOLIC BEVERAGES AT PARTIES

Q27D	Frequency	Percent
Do not Drink	462129.9	30.7
Never	199826.9	13.3
Seldom	215267.2	14.3
Most of the Time	316965.2	21.0
Always	312725.4	20.8

Frequency Missing = 149307.40341

GET ALCOHOLIC BEVERAGES FROM OTHER

Q27E	Frequency	Percent
Do not Drink	520016.9	35.0
Never	362204.3	24.4
Seldom	267041.3	18.0
Most of the Time	172965	11.6
Always	164863.3	11.1

Frequency Missing = 169131.13715

DANGEROUS FOR KIDS
TO USE TOBACCO

Q28A	Frequency	Percent
Very	624712.2	40.0
Somewhat	522366.8	33.5
Not very	258076.1	16.5
Not at all	62041.49	4.0
Don't know	93510.41	6.0

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

Frequency Missing = 95515.0207

98State712.out

DANGEROUS FOR KIDS
TO USE ALCOHOL

Q28B	Frequency	Percent
Very	655232.2	43.7
Somewhat	529449.4	35.3
Not very	216357.1	14.4
Not at all	44722.6	3.0
Don't know	54974.05	3.7

Frequency Missing = 155486.73007

DANGEROUS FOR KIDS
TO USE INHALANTS

Q28C	Frequency	Percent
Very	1127675	75.6
Somewhat	219369.9	14.7
Not very	48877.5	3.3
Not at all	14886.82	1.0
Don't know	80433.78	5.4

Frequency Missing = 164979.53763

DANGEROUS FOR KIDS
TO USE MARIJUANA

Q28D	Frequency	Percent
Very	855805.4	58.5
Somewhat	288977.2	19.8
Not very	169364.6	11.6
Not at all	96684.41	6.6
Don't know	52264.73	3.6

Frequency Missing = 193125.71253

DANGEROUS FOR KIDS
TO USE COCAINE

Q28E	Frequency	Percent
------	-----------	---------

98State712.out		
Very	1274600	86.1
Somewhat	111230.5	7.5
Not very	21693.76	1.5
Not at all	11260.3	0.8
Don't know	61574.86	4.2

Frequency Missing = 175862.83937

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

DANGEROUS FOR KIDS TO USE CRACK

Q28F	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Very	1266664	88.3
Somewhat	81995.49	5.7
Not very	12700.13	0.9
Not at all	9054.378	0.6
Don't know	64192.43	4.5

Frequency Missing = 221615.29715

DANGEROUS FOR KIDS TO USE ECSTASY

Q28G	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Very	1088947	74.0
Somewhat	125757.1	8.6
Not very	44137.32	3.0
Not at all	20203.24	1.4
Don't know	191520.4	13.0

Frequency Missing = 185656.8351

DANGEROUS FOR KIDS TO USE STEROIDS

Q28H	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		

	98State712.out	
Very	1086902	74.9
Somewhat	197982.8	13.6
Not very	45522.16	3.1
Not at all	14516.77	1.0
Don't know	106074	7.3

Frequency Missing = 205224.25494

DANGEROUS FOR KIDS TO USE HEROIN

Q28I	Frequency	Percent
Very	1330971	89.1
Somewhat	60060.08	4.0
Not very	9887.506	0.7
Not at all	8587.682	0.6
Don't know	83879.28	5.6

Frequency Missing = 162836.20648

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

USE MARIJUANA AS JOINTS

Q29A	Frequency	Percent
Never	821866.8	68.8
Seldom	117027.5	9.8
Half the time	80220.25	6.7
Most of the time	104113	8.7
Always	59204.38	5.0
Don't know	12680.36	1.1

Frequency Missing = 461109.72313

98State712.out

USE MARIJUANA AS BLUNTS

Q29B	Frequency	Percent
Never	866554.8	74.8
Seldom	116517	10.1
Half the time	59975.39	5.2
Most of the time	53236.96	4.6
Always	47581.01	4.1
Don't know	14455.66	1.2

Frequency Missing = 497901.15412

USE MARIJUANA IN BONGS OR WATER PIPES

Q29C	Frequency	Percent
Never	928059.1	79.3
Seldom	104071.2	8.9
Half the time	55557.65	4.7
Most of the time	43260.59	3.7
Always	26689.16	2.3
Don't know	12412.81	1.1

Frequency Missing = 486171.48919

USE MARIJUANA IN PIPES

Q29D	Frequency	Percent
Never	903080.3	78.2
Seldom	102422.6	8.9
Half the time	60586.28	5.2
Most of the time	50103.29	4.3
Always	27839.04	2.4
Don't know	11185.43	1.0

Frequency Missing = 501005.06008

98State712.out

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Grades 7-12
Spring 1998

♀

USE MARIJUANA OTHER WAYS

Q29E	Frequency	Percent
AA		
Never	981592.3	84.1
Seldom	90393.44	7.7
Half the time	21561.54	1.8
Most of the time	19031.83	1.6
Always	23631.96	2.0
Don't know	30584.53	2.6

Frequency Missing = 489426.38463

DAYS SKIPPED SINCE SEPTEMBER

Q30A	Frequency	Percent
AA		
None	1134652	72.0
1-3 days	297462.1	18.9
4-9 days	86475.12	5.5
10+ days	57288.87	3.6

Frequency Missing = 80343.893783

DAYS ILL SINCE SEPTEMBER

Q30B	Frequency	Percent
AA		
None	394004.8	25.3
1-3 days	767289.8	49.3
4-9 days	309242.8	19.9
10+ days	84305.45	5.4

Frequency Missing = 101379.13419

OTHER DAYS MISSED
SINCE SEPTEMBER

Q30C	Frequency	Percent
------	-----------	---------

98State712.out
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 None 605565 39.1
 1-3 days 778333.6 50.2
 4-9 days 129821.2 8.4
 10+ days 36311.09 2.3

Frequency Missing = 106191.15906

SENT TO PRINCIPAL/DEAN
 SINCE SEPTEMBER

Q30D Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 None 1229938 78.7
 1-3 days 232837.2 14.9
 4-9 days 57141.16 3.7
 10+ days 43100.87 2.8

Frequency Missing = 93204.987643

The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the state
 State - Grades 7-12
 Spring 1998

SOMEONE CALLED HOME
 SINCE SEPTEMBER

Q30E Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 None 1323449 84.8
 1-3 days 183403.3 11.8
 4-9 days 33412.74 2.1
 10+ days 20085.43 1.3

Frequency Missing = 95871.122985

IN TROUBLE FOR DRINKING
 SINCE SEPTEMBER

Q30F Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 None 1516892 98.6
 1-3 days 15055.38 1.0
 4-9 days 3125.935 0.2
 10+ days 3301.087 0.2

Frequency Missing = 117847.19915

98State712.out

IN TROUBLE FOR DRUG
USE SINCE SEPTEMBER

Q30G	Frequency	Percent
None	1520108	98.2
1-3 days	20615.66	1.3
4-9 days	3343.756	0.2
10+ days	3870.433	0.3

Frequency Missing = 108284.62587

DAYS SKIPPED IN PAST MONTH

Q31A	Frequency	Percent
None	1296236	83.4
1-3 days	215021.7	13.8
4-9 days	29820.45	1.9
10+ days	12776.69	0.8

Frequency Missing = 102366.98801

DAYS ILL IN PAST MONTH

Q31B	Frequency	Percent
None	933801.3	61.6
1-3 days	508772.3	33.5
4-9 days	59984.85	4.0
10+ days	14434.6	1.0

Frequency Missing = 139228.95219

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state
State - Grades 7-12
Spring 1998

OTHER DAYS MISSED
IN PAST MONTH

Q31C	Frequency	Percent
------	-----------	---------

98State712.out
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 None 1021437 67.3
 1-3 days 447352.6 29.5
 4-9 days 39398.94 2.6
 10+ days 9745.16 0.6

Frequency Missing = 138288.43161

SENT TO PRINCIPAL/DEAN
 IN PAST MONTH

Q31D Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 None 1363197 89.2
 1-3 days 130884 8.6
 4-9 days 22664.64 1.5
 10+ days 11593.81 0.8

Frequency Missing = 127882.98932

SOMEONE CALLED HOME
 IN PAST MONTH

Q31E Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 None 1429208 93.1
 1-3 days 86408.47 5.6
 4-9 days 12358.11 0.8
 10+ days 7689.254 0.5

Frequency Missing = 120557.94695

TROUBLE WITH FRIENDS
 BECAUSE OF DRINKING

Q32A Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 None 1415747 91.5
 1-3 times 112149.2 7.2
 4-9 times 13412.62 0.9
 10+ times 5655.294 0.4

Frequency Missing = 109257.52832

98State712.out
 DRIVEN A CAR AFTER
 A GOOD BIT TO DRINK

Q32B	Frequency	Percent
None	1328229	89.2
1-3 times	116355.9	7.8
4-9 times	24253.41	1.6
10+ times	19600.71	1.3

Frequency Missing = 167783.14727

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

CRTICIZED BY DATE
 BECAUSE OF DRINKING

Q32C	Frequency	Percent
None	1391917	92.7
1-3 times	89302.39	5.9
4-9 times	12580.21	0.8
10+ times	8180.51	0.5

Frequency Missing = 154242.26151

TROUBLE WITH POLICE
 BECAUSE OF DRINKING

Q32D	Frequency	Percent
None	1381334	95.7
1-3 times	52609.94	3.6
4-9 times	6482.984	0.4
10+ times	3598.802	0.2

Frequency Missing = 212196.13288

TROUBLE WITH FRIENDS
 BECAUSE OF DRUG USE

Q32E	Frequency	Percent
None	1407700	93.4
1-3 times	80630.48	5.4
4-9 times	11981.12	0.8

98State712.out
 10+ times 6131.684 0.4
 Frequency Missing = 149779.02443

DRIVEN A CAR WHILE
 HIGH FROM DRUGS

Q32F Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 None 1284325 90.7
 1-3 times 81147.54 5.7
 4-9 times 21493.7 1.5
 10+ times 29231.69 2.1
 Frequency Missing = 240023.71237

CRITICIZED BY DATE
 BECAUSE OF DRUG USE

Q32G Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 None 1356672 93.7
 1-3 times 71305.73 4.9
 4-9 times 11290.82 0.8
 10+ times 9052.206 0.6
 Frequency Missing = 207901.65438

The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the state
 State - Grades 7-12
 Spring 1998

TROUBLE WITH POLICE
 BECAUSE OF DRUG USE

Q32H Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 None 1405540 96.9
 1-3 times 34410.33 2.4
 4-9 times 5955.101 0.4
 10+ times 4522.055 0.3
 Frequency Missing = 205794.04076

CLASS DAYS DRUNK ON

98State712.out
ALCOHOL SINCE SEPT

Q33A	Frequency	Percent
None	1358362	89.5
1-3 days	120340.2	7.9
4-9 days	21620.62	1.4
10+ days	16867.91	1.1

Frequency Missing = 139031.62354

CLASS DAYS HIGH ON MARIJUANA
SINCE SEPT

Q33B	Frequency	Percent
None	1254511	86.8
1-3 days	105028.3	7.3
4-9 days	36545.52	2.5
10+ days	49564.06	3.4

Frequency Missing = 210572.85009

CLASS DAYS HIGH ON INHALANTS
SINCE SEPT

Q33C	Frequency	Percent
None	1413236	96.7
1-3 days	33634.55	2.3
4-9 days	7303.81	0.5
10+ days	6689.485	0.5

Frequency Missing = 195358.1555

CLASS DAYS HIGH
ON OTHER DRUG(S)

Q33D	Frequency	Percent
None	1380359	93.3
1-3 days	62176.09	4.2
4-9 days	18259.9	1.2
10+ days	17987.34	1.2

Frequency Missing = 177440.0167

98State712.out
 The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the state
 State - Grades 7-12
 Spring 1998

♀

ALCOHOL USE AT PARTIES
 THIS SCHOOL YEAR

Q34A	Frequency	Percent
Never	479835.6	31.0
Seldom	175092.1	11.3
Half the time	128706.9	8.3
Most of the time	230378.2	14.9
Always	356674.8	23.0
Don't know	34374.46	2.2
Didn't attend	143657	9.3

Frequency Missing = 107502.89609

DRUG USE AT PARTIES THIS SCHOOL YEAR

Q34B	Frequency	Percent
Never	670517.9	43.5
Seldom	189503	12.3
Half the time	138746.9	9.0
Most of the time	162624	10.6
Always	187836.4	12.2
Don't know	49142.82	3.2
Didn't attend	142983.4	9.3

Frequency Missing = 114867.66603

SOUGHT HELP FOR DRUG/ALCOHOL
 PROBLEM

Q35	Frequency	Percent
No	1339881	93.1
Yes	100005.2	6.9

Frequency Missing = 216335.84485

WOULD SEEK HELP FROM
 SCHOOL COUNSELOR

98State712.out

Q36A	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	988583.5	65.7
Yes	516278.3	34.3

Frequency Missing = 151360.19991

WOULD SEEK HELP OUTSIDE
OF SCHOOL

Q36B	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1006379	68.4
Yes	465379.9	31.6

Frequency Missing = 184463.03828

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state
State - Grades 7-12
Spring 1998

♀

WOULD SEEK HELP FROM
OTHER COUNSELOR

Q36C	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	827875.9	58.2
Yes	594952.5	41.8

Frequency Missing = 233393.617

WOULD SEEK HELP FROM PARENTS

Q36D	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	596079.8	42.0
Yes	822467.7	58.0

Frequency Missing = 237674.50728

WOULD SEEK HELP FROM
A MEDICAL DOCTOR

98State712.out
 Q36E Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 855043 60.5
 Yes 557624 39.5
 Frequency Missing = 24355.00572

WOULD SEEK HELP FROM FRIENDS

Q36F Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 359429.8 25.2
 Yes 1068705 74.8
 Frequency Missing = 228087.14566

WOULD SEEK HELP FROM ANOTHER ADULT

Q36G Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 572041.9 39.0
 Yes 895960.9 61.0
 Frequency Missing = 188219.1889

WOULD NOT SEEK HELP

Q36H Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 1156514 82.9
 Yes 238976.6 17.1
 Frequency Missing = 260731.52696

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

DRUG/ALCOHOL INFO--HEALTH CLASS

Q37A Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 679437 50.9
 Yes 654774.5 49.1

98State712.out

Frequency Missing = 322010.47159

DRUG/ALCOHOL INFO--ASSEMBLY
PROGRAM

Q37B	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	642123.6	49.4
Yes	658066.5	50.6

Frequency Missing = 356031.86975

DRUG/ALCOHOL INFO--GUIDANCE
COUNSELOR

Q37C	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	996765.7	76.9
Yes	298907.3	23.1

Frequency Missing = 360548.95877

DRUG/ALCOHOL INFO--SCIENCE CLASS

Q37D	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	868090.5	67.9
Yes	410235.4	32.1

Frequency Missing = 377896.04368

DRUG/ALCOHOL INFO--SOCIAL
STUDIES CLASS

Q37E	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1128120	87.8
Yes	156832.8	12.2

Frequency Missing = 371269.10531

98State712.out

DRUG/ALCOHOL INFO--DRUG
RAP SESSION

Q37F	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1052083	83.1
Yes	213727.4	16.9

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state
State - Grades 7-12
Spring 1998

Frequency Missing = 390411.32939

DRUG/ALCOHOL INFO--INVITED
SCHOOL GUEST

Q37G	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	744054.7	57.7
Yes	546205	42.3

Frequency Missing = 365962.31404

DRUG/ALCOHOL INFO--OTHER
SCHOOL SOURCE

Q37H	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	816534.2	63.8
Yes	464292	36.2

Frequency Missing = 375395.87197

PARENTS FEEL ABOUT KIDS SMOKING CIGARET

Q38A	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Strong disapprove	995040.9	65.5
Mild disapprove	211383.2	13.9
Neither	144677.8	9.5
Mildly approve	27465.6	1.8
Strongly approve	16416.72	1.1

♀

98State712.out
 Don't know 124817.4 8.2

Frequency Missing = 136420.37368

PARENTS FEEL ABOUT KIDS DRINKING BEER

Q38B	Frequency	Percent
Strongly disapprove	916912.3	62.9
Mildly disapprove	234357	16.1
Neither	135883.7	9.3
Mildly approve	41401.32	2.8
Strongly approve	17822.73	1.2
Don't know	112095.3	7.7

Frequency Missing = 197749.59127

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Grades 7-12
 Spring 1998

♀

PARENTS FEEL ABOUT KIDS USING MARIJUANA

Q38C	Frequency	Percent
Strongly disapprove	1212236	81.4
Mildly disapprove	77532.84	5.2
Neither	57368.86	3.9
Mildly approve	14713.04	1.0
Strongly approve	19926.83	1.3
Don't know	107240	7.2

Frequency Missing = 167203.99764

PURCHASED LOTTERY TICKET
 IN PAST YEAR

98State712.out

Q39	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1034056	67.7
Yes	492674.8	32.3

Frequency Missing = 129490.84126

NON-LOTTERY GAMBLING
IN PAST YEAR

Q40	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	940485	61.5
Yes	588500.7	38.5

Frequency Missing = 127236.29145

MONEY SPENT ON GAMBLING
IN PAST YEAR

Q41	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
\$0	824557.1	54.0
\$1 - \$10	384946.5	25.2
\$11 - \$50	194108.7	12.7
\$51 - \$100	58325.17	3.8
\$100+	64786.31	4.2

Frequency Missing = 129498.22254

The frequencies have been weighted so that the analysis reflects the distribution of students by grade

98State712.out
level in the state