
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2016



PRESCRIPTION DRUG ADDENDUM

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

1	Border Tables	1
	Table B-1: All Students	2
	Table B-2: Male Students	4
	Table B-3: Female Students	6
	Table B-4: White Non-Hispanic Students	8
	Table B-5: African American Non-Hispanic Students	10
	Table B-6: Hispanic or Latino Students	12
2	State Tables	14
	Table B-7: All Students	15
	Table B-8: Male Students	17
	Table B-9: Female Students	19
	Table B-10: White Non-Hispanic Students	21
	Table B-11: African American Non-Hispanic Students	23
	Table B-12: Hispanic or Latino Students	25

1 Border Tables

**Table B-1: Prevalence and Recency of Use of Prescription Drugs by Grade
Border All Students**

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	7.8%	10.2%	14.9%	85.1%
Grade 7	6.5%	8.3%	12.1%	87.9%
Grade 8	7.8%	10.0%	14.3%	85.7%
Grade 9	9.0%	11.5%	16.4%	83.6%
Grade 10	7.7%	10.1%	15.7%	84.3%
Grade 11	6.5%	9.7%	13.9%	86.1%
Grade 12	9.2%	11.5%	16.5%	83.5%
Codeine Cough Syrup?				
All	5.0%	6.7%	10.7%	89.3%
Grade 7	3.6%	4.7%	8.2%	91.8%
Grade 8	4.7%	6.6%	10.1%	89.9%
Grade 9	5.8%	7.2%	11.2%	88.8%
Grade 10	4.9%	6.5%	11.2%	88.8%
Grade 11	4.5%	7.0%	10.3%	89.7%
Grade 12	6.4%	8.9%	13.7%	86.3%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.1%	1.6%	2.6%	97.4%
Grade 7	0.3%	0.6%	1.0%	99.0%
Grade 8	0.8%	1.1%	1.6%	98.4%
Grade 9	1.1%	1.7%	3.0%	97.0%
Grade 10	1.1%	1.7%	2.6%	97.4%
Grade 11	1.5%	2.2%	3.5%	96.5%
Grade 12	2.3%	3.3%	4.8%	95.2%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.3%	2.0%	3.1%	96.9%
Grade 7	0.5%	0.7%	0.9%	99.1%
Grade 8	0.6%	1.1%	1.8%	98.2%
Grade 9	1.8%	2.3%	3.5%	96.5%
Grade 10	1.4%	2.5%	4.2%	95.8%
Grade 11	1.7%	2.7%	4.2%	95.8%
Grade 12	1.9%	3.0%	4.5%	95.5%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.7%	1.0%	1.9%	98.1%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.8%	1.1%	2.5%	97.5%
Grade 10	0.7%	0.9%	1.6%	98.4%
Grade 11	0.7%	1.4%	2.3%	97.7%
Grade 12	1.7%	2.0%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Prescription Drugs by Grade
Border All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.5%	4.6%	7.5%	92.5%
Grade 7	4.0%	4.8%	7.2%	92.8%
Grade 8	3.7%	4.7%	7.8%	92.2%
Grade 9	4.6%	6.4%	9.9%	90.1%
Grade 10	3.3%	3.7%	6.9%	93.1%
Grade 11	2.1%	3.5%	5.9%	94.1%
Grade 12	2.4%	2.8%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Prescription Drugs by Grade
Border Male Students**

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	7.5%	10.0%	14.8%	85.2%
Grade 7	6.2%	8.1%	12.3%	87.7%
Grade 8	6.6%	8.8%	13.3%	86.7%
Grade 9	8.1%	11.0%	15.4%	84.6%
Grade 10	7.4%	9.9%	16.0%	84.0%
Grade 11	7.6%	10.4%	14.3%	85.7%
Grade 12	10.0%	12.8%	18.5%	81.5%
Codeine Cough Syrup?				
All	4.8%	6.6%	11.1%	88.9%
Grade 7	3.3%	4.3%	8.0%	92.0%
Grade 8	4.4%	6.3%	10.3%	89.7%
Grade 9	4.9%	6.5%	11.0%	89.0%
Grade 10	5.2%	6.9%	12.2%	87.8%
Grade 11	5.3%	7.3%	11.3%	88.7%
Grade 12	6.5%	9.5%	15.7%	84.3%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.2%	1.9%	3.0%	97.0%
Grade 7	0.2%	0.5%	1.2%	98.8%
Grade 8	0.4%	0.8%	1.3%	98.7%
Grade 9	0.9%	1.8%	3.4%	96.6%
Grade 10	1.5%	2.1%	3.1%	96.9%
Grade 11	2.0%	2.9%	4.5%	95.5%
Grade 12	2.9%	4.1%	5.9%	94.1%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.5%	2.1%	3.3%	96.7%
Grade 7	0.5%	0.8%	0.9%	99.1%
Grade 8	0.6%	1.0%	1.7%	98.3%
Grade 9	2.1%	2.6%	3.9%	96.1%
Grade 10	1.2%	2.2%	4.0%	96.0%
Grade 11	2.2%	3.1%	4.9%	95.1%
Grade 12	2.7%	3.9%	5.6%	94.4%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.8%	1.2%	2.2%	97.8%
Grade 7	0.5%	0.8%	1.2%	98.8%
Grade 8	0.2%	0.5%	1.2%	98.8%
Grade 9	0.7%	1.1%	3.2%	96.8%
Grade 10	0.7%	0.9%	1.5%	98.5%
Grade 11	0.9%	1.8%	2.7%	97.3%
Grade 12	2.1%	2.6%	3.3%	96.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Prescription Drugs by Grade
Border Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.1%	4.1%	6.5%	93.5%
Grade 7	3.3%	4.3%	6.3%	93.7%
Grade 8	2.9%	3.8%	6.6%	93.4%
Grade 9	3.7%	5.4%	8.2%	91.8%
Grade 10	2.7%	3.2%	6.4%	93.6%
Grade 11	2.9%	4.0%	5.8%	94.2%
Grade 12	2.5%	2.9%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Prescription Drugs by Grade
Border Female Students**

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	8.2%	10.4%	15.0%	85.0%
Grade 7	6.8%	8.5%	11.9%	88.1%
Grade 8	9.1%	11.4%	15.5%	84.5%
Grade 9	9.7%	11.8%	17.1%	82.9%
Grade 10	7.9%	10.2%	15.5%	84.5%
Grade 11	5.4%	9.1%	13.7%	86.3%
Grade 12	8.7%	10.5%	14.8%	85.2%
Codeine Cough Syrup?				
All	5.1%	6.9%	10.3%	89.7%
Grade 7	3.8%	5.3%	8.5%	91.5%
Grade 8	5.0%	6.9%	10.1%	89.9%
Grade 9	6.4%	7.7%	11.1%	88.9%
Grade 10	4.5%	6.0%	10.2%	89.8%
Grade 11	3.7%	6.8%	9.5%	90.5%
Grade 12	6.5%	8.6%	12.1%	87.9%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.1%	1.4%	2.3%	97.7%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	1.2%	1.5%	1.9%	98.1%
Grade 9	1.3%	1.6%	2.7%	97.3%
Grade 10	0.7%	1.2%	2.1%	97.9%
Grade 11	0.9%	1.5%	2.6%	97.4%
Grade 12	1.8%	2.5%	3.7%	96.3%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.1%	1.8%	2.8%	97.2%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	0.6%	1.3%	1.9%	98.1%
Grade 9	1.6%	2.1%	3.3%	96.7%
Grade 10	1.6%	2.8%	4.4%	95.6%
Grade 11	1.3%	2.3%	3.5%	96.5%
Grade 12	1.2%	2.2%	3.5%	96.5%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.9%	1.0%	1.9%	98.1%
Grade 10	0.8%	0.9%	1.6%	98.4%
Grade 11	0.5%	1.0%	1.9%	98.1%
Grade 12	1.3%	1.4%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

**Table B-3: Prevalence and Recency of Use of Prescription Drugs by Grade
Border Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.0%	5.1%	8.4%	91.6%
Grade 7	4.6%	5.2%	8.1%	91.9%
Grade 8	4.6%	5.7%	9.2%	90.8%
Grade 9	5.5%	7.5%	11.4%	88.6%
Grade 10	3.8%	4.3%	7.5%	92.5%
Grade 11	1.3%	3.0%	6.1%	93.9%
Grade 12	2.3%	2.7%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 7 of 26

**Table B-4: Prevalence and Recency of Use of Prescription Drugs by Grade
Border White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	6.6%	9.8%	15.2%	84.8%
Grade 7	5.5%	7.8%	11.9%	88.1%
Grade 8	7.2%	11.3%	16.6%	83.4%
Grade 9	3.9%	3.9%	12.1%	87.9%
Grade 10	2.8%	8.8%	14.9%	85.1%
Grade 11	6.0%	13.0%	17.5%	82.5%
Grade 12	20.3%	24.3%	26.7%	73.3%
Codeine Cough Syrup?				
All	2.8%	5.2%	9.5%	90.5%
Grade 7	0.6%	1.0%	6.4%	93.6%
Grade 8	4.2%	7.8%	10.6%	89.4%
Grade 9	1.1%	1.1%	5.8%	94.2%
Grade 10	1.5%	4.8%	9.7%	90.3%
Grade 11	4.7%	8.6%	11.4%	88.6%
Grade 12	8.8%	17.8%	22.3%	77.7%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.2%	3.0%	4.1%	95.9%
Grade 7	0.3%	1.7%	2.0%	98.0%
Grade 8	1.2%	2.1%	2.1%	97.9%
Grade 9	0.7%	0.7%	2.4%	97.6%
Grade 10	0.0%	2.3%	4.2%	95.8%
Grade 11	0.0%	1.7%	5.0%	95.0%
Grade 12	8.3%	18.1%	18.1%	81.9%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.2%	2.0%	2.8%	97.2%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	0.0%	3.4%	3.4%	96.6%
Grade 11	0.0%	3.3%	5.0%	95.0%
Grade 12	8.9%	10.9%	13.3%	86.7%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.8%	1.6%	2.9%	97.1%
Grade 7	0.8%	2.1%	2.5%	97.5%
Grade 8	0.0%	0.0%	1.9%	98.1%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	1.3%	1.3%	1.9%	98.1%
Grade 11	0.0%	1.7%	8.1%	91.9%
Grade 12	3.1%	6.3%	6.3%	93.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Prescription Drugs by Grade
Border White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.4%	4.3%	7.0%	93.0%
Grade 7	4.8%	5.4%	7.0%	93.0%
Grade 8	2.5%	4.1%	7.8%	92.2%
Grade 9	2.9%	2.9%	4.8%	95.2%
Grade 10	0.9%	0.9%	5.5%	94.5%
Grade 11	1.3%	3.0%	8.0%	92.0%
Grade 12	9.0%	11.0%	11.0%	89.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Prescription Drugs by Grade
Border African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	10.6%	11.6%	21.2%	78.8%
Grade 7	1.7%	1.7%	9.9%	90.1%
Grade 8	12.1%	14.0%	19.0%	81.0%
Grade 9	16.4%	16.4%	24.8%	75.2%
Grade 10	18.0%	18.0%	18.0%	82.0%
Grade 11	4.3%	9.4%	12.8%	87.2%
Grade 12	6.9%	6.9%	49.7%	50.3%
Codeine Cough Syrup?				
All	1.9%	4.0%	15.3%	84.7%
Grade 7	0.0%	1.7%	8.2%	91.8%
Grade 8	0.0%	1.9%	12.1%	87.9%
Grade 9	0.0%	0.0%	8.7%	91.3%
Grade 10	11.9%	18.0%	18.0%	82.0%
Grade 11	4.3%	9.4%	12.8%	87.2%
Grade 12	0.0%	0.0%	49.7%	50.3%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.5%	2.2%	7.7%	92.3%
Grade 7	0.0%	0.0%	4.8%	95.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	3.0%	3.0%	14.3%	85.7%
Grade 10	0.0%	6.1%	6.1%	93.9%
Grade 11	0.0%	0.0%	3.6%	96.4%
Grade 12	6.9%	6.9%	20.8%	79.2%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	2.2%	5.7%	6.8%	93.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	11.4%	11.4%	88.6%
Grade 10	18.0%	18.0%	18.0%	82.0%
Grade 11	0.0%	0.0%	3.6%	96.4%
Grade 12	0.0%	6.9%	13.9%	86.1%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.7%	0.7%	4.7%	95.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	11.4%	88.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.6%	96.4%
Grade 12	6.9%	6.9%	13.9%	86.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Prescription Drugs by Grade
 Border African American Non-Hispanic Students**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	8.8%	8.8%	14.0%	86.0%
Grade 7	1.8%	1.8%	8.7%	91.3%
Grade 8	12.1%	12.1%	17.0%	83.0%
Grade 9	13.4%	13.4%	24.8%	75.2%
Grade 10	11.9%	11.9%	11.9%	88.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	6.9%	6.9%	6.9%	93.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Prescription Drugs by Grade
Border Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	7.9%	10.2%	14.9%	85.1%
Grade 7	6.6%	8.4%	12.2%	87.8%
Grade 8	7.8%	10.0%	14.2%	85.8%
Grade 9	9.3%	11.9%	16.9%	83.1%
Grade 10	7.7%	10.0%	15.7%	84.3%
Grade 11	6.4%	9.4%	13.7%	86.3%
Grade 12	8.9%	11.1%	15.9%	84.1%
Codeine Cough Syrup?				
All	5.1%	6.9%	10.8%	89.2%
Grade 7	3.8%	5.0%	8.3%	91.7%
Grade 8	4.8%	6.7%	10.2%	89.8%
Grade 9	6.2%	7.7%	11.7%	88.3%
Grade 10	4.9%	6.4%	11.2%	88.8%
Grade 11	4.4%	6.8%	10.2%	89.8%
Grade 12	6.5%	8.8%	13.3%	86.7%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.1%	1.6%	2.5%	97.5%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.8%	1.1%	1.6%	98.4%
Grade 9	1.1%	1.7%	3.0%	97.0%
Grade 10	1.1%	1.5%	2.5%	97.5%
Grade 11	1.5%	2.2%	3.5%	96.5%
Grade 12	2.1%	2.7%	4.2%	95.8%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.3%	1.9%	3.0%	97.0%
Grade 7	0.5%	0.7%	1.0%	99.0%
Grade 8	0.6%	1.2%	1.9%	98.1%
Grade 9	1.8%	2.3%	3.6%	96.4%
Grade 10	1.3%	2.3%	4.1%	95.9%
Grade 11	1.8%	2.7%	4.2%	95.8%
Grade 12	1.7%	2.7%	4.1%	95.9%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.7%	1.0%	1.8%	98.2%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.8%	1.1%	2.5%	97.5%
Grade 10	0.6%	0.8%	1.5%	98.5%
Grade 11	0.8%	1.4%	2.1%	97.9%
Grade 12	1.6%	1.8%	2.6%	97.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Prescription Drugs by Grade
Border Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.5%	4.6%	7.4%	92.6%
Grade 7	3.9%	4.7%	7.1%	92.9%
Grade 8	3.7%	4.7%	7.8%	92.2%
Grade 9	4.7%	6.6%	10.2%	89.8%
Grade 10	3.2%	3.7%	6.9%	93.1%
Grade 11	2.1%	3.5%	5.8%	94.2%
Grade 12	2.2%	2.5%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

2 State Tables

**Table B-7: Prevalence and Recency of Use of Prescription Drugs by Grade
State All Students**

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	10.3%	13.7%	18.5%	81.5%
Grade 7	7.5%	9.8%	13.8%	86.2%
Grade 8	8.4%	10.8%	14.9%	85.1%
Grade 9	10.0%	13.3%	18.4%	81.6%
Grade 10	11.2%	14.8%	19.9%	80.1%
Grade 11	12.5%	17.3%	22.1%	77.9%
Grade 12	13.6%	18.5%	24.4%	75.6%
Codeine Cough Syrup?				
All	6.0%	8.6%	12.8%	87.2%
Grade 7	4.6%	6.6%	9.9%	90.1%
Grade 8	5.2%	7.2%	10.9%	89.1%
Grade 9	5.9%	8.7%	13.0%	87.0%
Grade 10	6.6%	9.0%	13.4%	86.6%
Grade 11	6.6%	10.0%	14.4%	85.6%
Grade 12	7.6%	11.4%	16.6%	83.4%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.4%	3.6%	5.0%	95.0%
Grade 7	0.8%	0.9%	1.3%	98.7%
Grade 8	1.0%	1.4%	2.0%	98.0%
Grade 9	1.6%	2.4%	3.7%	96.3%
Grade 10	3.0%	4.5%	5.9%	94.1%
Grade 11	3.8%	5.9%	8.7%	91.3%
Grade 12	5.4%	8.4%	11.0%	89.0%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.9%	2.8%	4.0%	96.0%
Grade 7	0.5%	0.8%	1.1%	98.9%
Grade 8	1.0%	1.4%	1.8%	98.2%
Grade 9	1.5%	2.3%	3.3%	96.7%
Grade 10	2.5%	3.5%	5.4%	94.6%
Grade 11	3.1%	4.8%	6.8%	93.2%
Grade 12	3.3%	5.1%	7.3%	92.7%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.8%	2.6%	4.0%	96.0%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	1.1%	1.4%	2.0%	98.0%
Grade 9	1.3%	1.9%	3.1%	96.9%
Grade 10	2.2%	3.1%	4.7%	95.3%
Grade 11	3.2%	4.5%	6.9%	93.1%
Grade 12	3.5%	5.4%	8.0%	92.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Prescription Drugs by Grade
State All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.0%	5.4%	8.5%	91.5%
Grade 7	3.8%	4.9%	7.8%	92.2%
Grade 8	4.0%	5.6%	8.2%	91.8%
Grade 9	4.2%	5.9%	9.3%	90.7%
Grade 10	4.0%	5.2%	8.9%	91.1%
Grade 11	4.0%	5.5%	8.2%	91.8%
Grade 12	4.1%	5.5%	8.4%	91.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Prescription Drugs by Grade State Male Students

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	10.5%	14.1%	19.0%	81.0%
Grade 7	6.5%	9.1%	12.8%	87.2%
Grade 8	8.2%	10.7%	14.6%	85.4%
Grade 9	10.2%	13.4%	18.4%	81.6%
Grade 10	10.7%	14.1%	19.8%	80.2%
Grade 11	13.5%	18.5%	23.6%	76.4%
Grade 12	15.9%	21.4%	28.2%	71.8%
Codeine Cough Syrup?				
All	6.3%	9.1%	13.7%	86.3%
Grade 7	3.8%	5.9%	8.9%	91.1%
Grade 8	5.2%	7.4%	10.9%	89.1%
Grade 9	6.4%	9.1%	13.5%	86.5%
Grade 10	6.7%	8.8%	14.1%	85.9%
Grade 11	7.7%	10.9%	16.4%	83.6%
Grade 12	9.0%	14.1%	20.7%	79.3%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.5%	3.9%	5.4%	94.6%
Grade 7	0.6%	0.7%	1.3%	98.7%
Grade 8	0.9%	1.4%	1.9%	98.1%
Grade 9	1.4%	2.2%	3.5%	96.5%
Grade 10	2.9%	4.4%	5.8%	94.2%
Grade 11	4.1%	6.6%	9.4%	90.6%
Grade 12	6.6%	10.5%	13.8%	86.2%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.9%	2.8%	4.0%	96.0%
Grade 7	0.6%	0.9%	1.1%	98.9%
Grade 8	1.1%	1.3%	1.6%	98.4%
Grade 9	1.5%	2.1%	3.0%	97.0%
Grade 10	2.2%	3.0%	4.8%	95.2%
Grade 11	3.2%	4.9%	6.8%	93.2%
Grade 12	3.7%	6.0%	8.6%	91.4%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	2.0%	2.9%	4.6%	95.4%
Grade 7	0.4%	0.8%	1.3%	98.7%
Grade 8	1.3%	1.7%	2.4%	97.6%
Grade 9	1.1%	1.8%	3.4%	96.6%
Grade 10	2.5%	3.3%	5.2%	94.8%
Grade 11	3.3%	4.4%	7.2%	92.8%
Grade 12	4.3%	6.7%	10.3%	89.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Prescription Drugs by Grade
State Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.0%	5.2%	8.0%	92.0%
Grade 7	3.6%	4.6%	7.2%	92.8%
Grade 8	4.0%	5.4%	7.9%	92.1%
Grade 9	3.7%	4.9%	8.1%	91.9%
Grade 10	3.9%	4.9%	8.3%	91.7%
Grade 11	4.1%	5.4%	7.7%	92.3%
Grade 12	4.9%	6.5%	9.4%	90.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Prescription Drugs by Grade
State Female Students**

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	10.1%	13.4%	18.0%	82.0%
Grade 7	8.5%	10.5%	14.8%	85.2%
Grade 8	8.6%	11.0%	15.3%	84.7%
Grade 9	9.6%	13.1%	18.3%	81.7%
Grade 10	11.6%	15.4%	20.0%	80.0%
Grade 11	11.5%	16.0%	20.5%	79.5%
Grade 12	11.5%	15.7%	20.9%	79.1%
Codeine Cough Syrup?				
All	5.6%	8.2%	11.9%	88.1%
Grade 7	5.5%	7.4%	11.0%	89.0%
Grade 8	5.2%	7.1%	10.8%	89.2%
Grade 9	5.3%	8.1%	12.4%	87.6%
Grade 10	6.4%	9.1%	12.6%	87.4%
Grade 11	5.5%	8.9%	12.2%	87.8%
Grade 12	6.2%	8.8%	12.7%	87.3%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.3%	3.3%	4.6%	95.4%
Grade 7	0.9%	1.1%	1.3%	98.7%
Grade 8	1.1%	1.5%	2.2%	97.8%
Grade 9	1.7%	2.5%	3.9%	96.1%
Grade 10	3.0%	4.5%	6.0%	94.0%
Grade 11	3.4%	5.3%	7.9%	92.1%
Grade 12	4.4%	6.3%	8.4%	91.6%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.8%	2.8%	4.0%	96.0%
Grade 7	0.5%	0.7%	1.0%	99.0%
Grade 8	1.0%	1.5%	2.0%	98.0%
Grade 9	1.5%	2.4%	3.6%	96.4%
Grade 10	2.7%	4.1%	6.1%	93.9%
Grade 11	3.0%	4.7%	6.7%	93.3%
Grade 12	2.9%	4.2%	6.2%	93.8%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.7%	2.3%	3.4%	96.6%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.9%	1.1%	1.6%	98.4%
Grade 9	1.5%	1.8%	2.7%	97.3%
Grade 10	1.9%	2.8%	4.3%	95.7%
Grade 11	3.1%	4.6%	6.6%	93.4%
Grade 12	2.7%	4.1%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

**Table B-9: Prevalence and Recency of Use of Prescription Drugs by Grade
State Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.0%	5.6%	8.9%	91.1%
Grade 7	4.0%	5.3%	8.4%	91.6%
Grade 8	4.0%	5.8%	8.6%	91.4%
Grade 9	4.8%	6.8%	10.4%	89.6%
Grade 10	4.1%	5.6%	9.4%	90.6%
Grade 11	3.8%	5.6%	8.8%	91.2%
Grade 12	3.3%	4.6%	7.6%	92.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 20 of 26

**Table B-10: Prevalence and Recency of Use of Prescription Drugs by Grade
State White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	10.8%	14.9%	18.9%	81.1%
Grade 7	8.0%	10.8%	15.2%	84.8%
Grade 8	8.1%	11.1%	14.8%	85.2%
Grade 9	9.7%	13.3%	17.5%	82.5%
Grade 10	12.2%	16.9%	20.6%	79.4%
Grade 11	12.7%	17.6%	21.9%	78.1%
Grade 12	15.2%	21.0%	25.2%	74.8%
Codeine Cough Syrup?				
All	5.7%	8.7%	11.8%	88.2%
Grade 7	4.9%	7.5%	10.3%	89.7%
Grade 8	4.9%	7.0%	9.8%	90.2%
Grade 9	4.4%	7.3%	10.3%	89.7%
Grade 10	6.4%	10.2%	13.2%	86.8%
Grade 11	6.2%	9.5%	12.7%	87.3%
Grade 12	7.5%	11.6%	15.1%	84.9%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	3.1%	4.8%	6.5%	93.5%
Grade 7	0.9%	1.0%	1.3%	98.7%
Grade 8	0.9%	1.5%	2.2%	97.8%
Grade 9	1.8%	3.0%	5.0%	95.0%
Grade 10	4.1%	6.1%	8.2%	91.8%
Grade 11	4.6%	7.7%	10.8%	89.2%
Grade 12	7.2%	11.3%	13.4%	86.6%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	2.0%	3.1%	4.5%	95.5%
Grade 7	0.5%	0.8%	1.1%	98.9%
Grade 8	0.8%	1.2%	1.6%	98.4%
Grade 9	1.6%	2.7%	3.9%	96.1%
Grade 10	2.6%	4.0%	6.1%	93.9%
Grade 11	3.1%	4.8%	7.3%	92.7%
Grade 12	3.9%	6.1%	8.1%	91.9%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	2.5%	3.6%	5.6%	94.4%
Grade 7	0.5%	0.8%	1.4%	98.6%
Grade 8	1.1%	1.4%	2.4%	97.6%
Grade 9	1.6%	2.3%	3.8%	96.2%
Grade 10	2.8%	4.7%	7.1%	92.9%
Grade 11	3.7%	5.6%	9.0%	91.0%
Grade 12	5.7%	8.2%	11.6%	88.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Prescription Drugs by Grade
State White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.6%	6.4%	9.9%	90.1%
Grade 7	4.4%	6.1%	10.3%	89.7%
Grade 8	4.3%	6.4%	9.8%	90.2%
Grade 9	4.9%	6.8%	10.0%	90.0%
Grade 10	5.0%	6.8%	10.4%	89.6%
Grade 11	4.5%	5.9%	9.9%	90.1%
Grade 12	4.5%	6.2%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 22 of 26

**Table B-11: Prevalence and Recency of Use of Prescription Drugs by Grade
State African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	10.2%	13.7%	20.7%	79.3%
Grade 7	5.6%	7.8%	13.3%	86.7%
Grade 8	5.7%	7.5%	11.5%	88.5%
Grade 9	9.1%	14.0%	20.4%	79.6%
Grade 10	14.5%	17.0%	24.9%	75.1%
Grade 11	16.1%	20.8%	27.9%	72.1%
Grade 12	11.9%	18.1%	30.6%	69.4%
Codeine Cough Syrup?				
All	6.4%	9.3%	15.5%	84.5%
Grade 7	4.0%	6.1%	11.5%	88.5%
Grade 8	3.9%	4.5%	8.5%	91.5%
Grade 9	4.9%	9.6%	14.5%	85.5%
Grade 10	9.8%	10.8%	17.6%	82.4%
Grade 11	10.5%	14.2%	21.1%	78.9%
Grade 12	6.0%	12.4%	22.8%	77.2%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.5%	3.3%	5.3%	94.7%
Grade 7	1.6%	1.8%	2.8%	97.2%
Grade 8	0.7%	0.8%	1.0%	99.0%
Grade 9	1.4%	2.4%	3.8%	96.2%
Grade 10	4.3%	4.4%	5.1%	94.9%
Grade 11	3.8%	5.2%	10.5%	89.5%
Grade 12	3.7%	6.6%	10.5%	89.5%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.7%	2.5%	3.4%	96.6%
Grade 7	0.6%	0.8%	1.3%	98.7%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.3%	1.4%	1.9%	98.1%
Grade 10	3.1%	4.0%	4.5%	95.5%
Grade 11	3.3%	4.6%	5.9%	94.1%
Grade 12	2.9%	4.5%	7.3%	92.7%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.2%	1.7%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	1.0%	1.5%	2.6%	97.4%
Grade 10	2.7%	3.0%	3.9%	96.1%
Grade 11	1.8%	1.9%	4.0%	96.0%
Grade 12	1.0%	3.8%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Prescription Drugs by Grade
State African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.1%	4.3%	6.9%	93.1%
Grade 7	1.6%	2.1%	3.2%	96.8%
Grade 8	2.5%	3.7%	5.2%	94.8%
Grade 9	4.4%	6.0%	9.0%	91.0%
Grade 10	2.3%	4.1%	7.5%	92.5%
Grade 11	5.1%	6.3%	7.9%	92.1%
Grade 12	2.8%	4.2%	9.6%	90.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Prescription Drugs by Grade State Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	9.8%	12.7%	17.5%	82.5%
Grade 7	7.2%	9.1%	12.5%	87.5%
Grade 8	9.2%	11.4%	15.7%	84.3%
Grade 9	10.1%	12.9%	17.9%	82.1%
Grade 10	9.7%	12.7%	18.1%	81.9%
Grade 11	11.1%	15.5%	20.2%	79.8%
Grade 12	12.9%	16.8%	22.7%	77.3%
Codeine Cough Syrup?				
All	6.0%	8.4%	12.7%	87.3%
Grade 7	4.4%	5.9%	8.9%	91.1%
Grade 8	5.7%	8.0%	12.0%	88.0%
Grade 9	6.9%	9.2%	13.9%	86.1%
Grade 10	6.0%	7.7%	12.4%	87.6%
Grade 11	5.5%	9.0%	13.5%	86.5%
Grade 12	8.2%	11.3%	17.1%	82.9%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.0%	2.8%	4.0%	96.0%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	1.2%	1.6%	2.2%	97.8%
Grade 9	1.3%	1.9%	3.0%	97.0%
Grade 10	2.0%	3.2%	4.3%	95.7%
Grade 11	3.2%	4.7%	6.6%	93.4%
Grade 12	4.7%	6.6%	9.4%	90.6%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.8%	2.5%	3.7%	96.3%
Grade 7	0.5%	0.7%	0.9%	99.1%
Grade 8	1.2%	1.6%	2.1%	97.9%
Grade 9	1.6%	2.2%	3.4%	96.6%
Grade 10	2.1%	3.0%	4.9%	95.1%
Grade 11	3.1%	4.1%	6.0%	94.0%
Grade 12	3.0%	4.5%	6.9%	93.1%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.5%	2.1%	3.2%	96.8%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	1.2%	1.6%	2.1%	97.9%
Grade 9	1.1%	1.6%	2.7%	97.3%
Grade 10	1.7%	2.2%	3.5%	96.5%
Grade 11	3.1%	4.1%	5.6%	94.4%
Grade 12	2.5%	3.9%	6.0%	94.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Prescription Drugs by Grade
State Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.8%	5.0%	7.8%	92.2%
Grade 7	3.6%	4.5%	6.7%	93.3%
Grade 8	4.2%	5.5%	7.9%	92.1%
Grade 9	3.9%	5.2%	8.6%	91.4%
Grade 10	3.6%	4.4%	8.3%	91.7%
Grade 11	3.3%	4.7%	6.8%	93.2%
Grade 12	4.0%	5.4%	8.0%	92.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

