

**Border: Grades 4-6  
Spring 2008**

**Table T-1: How recently, if ever, have you used...**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Any tobacco product</b>					
	<b>All</b>	5.4%	3.3%	2.1%	94.6%
	<b>Grade 4</b>	3.2%	1.8%	1.4%	96.8%
	<b>Grade 5</b>	3.3%	1.9%	1.4%	96.7%
	<b>Grade 6</b>	9.5%	6.1%	3.4%	90.5%
<b>Cigarettes</b>					
	<b>All</b>	5.0%	3.1%	2.0%	95.0%
	<b>Grade 4</b>	2.8%	1.5%	1.3%	97.2%
	<b>Grade 5</b>	3.0%	1.7%	1.3%	97.0%
	<b>Grade 6</b>	9.0%	5.8%	3.2%	91.0%
<b>Smokeless tobacco</b>					
	<b>All</b>	1.0%	0.7%	0.4%	99.0%
	<b>Grade 4</b>	0.6%	0.3%	0.3%	99.4%
	<b>Grade 5</b>	0.5%	0.4%	0.2%	99.5%
	<b>Grade 6</b>	1.9%	1.3%	0.6%	98.1%

**Table T-2: Average number of times selected tobacco products were used by those who reported use of ..**

	<b>School Year</b>	<b>Lifetime</b>
<b>All</b>	2.8	2.7
<b>Grade 4</b>	2.3	2.3
<b>Grade 5</b>	2.2	2.1
<b>Grade 6</b>	3.1	3.0

**Border: Grades 4-6  
Spring 2008**

**Table T-3: Average age of first use of tobacco:**

	<b>Grade 4</b>	<b>Grade 5</b>	<b>Grade 6</b>
<b>Cigarettes</b>			
	8.4	9.4	10.1
<b>Smokeless Tobacco</b>			
	8.9	9.2	10.6
<b>Any Tobacco</b>			
	8.4	9.3	10.1

**Table T-4: Age of first use of tobacco by family situation:**

		<b>Never</b>	<b>Under 8</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>Over 11</b>
<b>Two Parent Family</b>								
	<b>All</b>	95.4%	1.1%	0.5%	0.6%	0.8%	0.9%	0.8%
	<b>Grade 4</b>	97.0%	1.0%	0.7%	0.7%	0.4%	0.1%	0.0%
	<b>Grade 5</b>	96.7%	0.9%	0.4%	0.5%	0.6%	0.6%	0.2%
	<b>Grade 6</b>	92.3%	1.4%	0.4%	0.5%	1.4%	1.9%	2.1%
<b>Other Family Situation</b>								
	<b>All</b>	91.7%	1.3%	1.0%	0.9%	1.3%	1.7%	2.2%
	<b>Grade 4</b>	95.9%	1.2%	1.0%	0.9%	0.4%	0.5%	0.2%
	<b>Grade 5</b>	95.5%	1.0%	0.2%	0.3%	1.5%	1.4%	0.2%
	<b>Grade 6</b>	84.4%	1.8%	1.7%	1.5%	1.9%	3.0%	5.6%

**Table T-5: About how many of your close friends use ...**

		<b>Never Heard Of</b>	<b>None</b>	<b>Some</b>	<b>Most</b>
<b>Any tobacco product?</b>					
	<b>All</b>	3.2%	82.4%	13.1%	1.2%
	<b>Grade 4</b>	4.6%	87.7%	7.1%	0.6%
	<b>Grade 5</b>	2.8%	86.4%	10.0%	0.9%
	<b>Grade 6</b>	2.3%	73.6%	21.8%	2.2%
<b>Cigarettes?</b>					
	<b>All</b>	4.5%	82.2%	12.3%	1.0%
	<b>Grade 4</b>	6.4%	86.6%	6.5%	0.4%
	<b>Grade 5</b>	3.9%	86.0%	9.4%	0.7%
	<b>Grade 6</b>	3.4%	74.3%	20.4%	1.9%
<b>Smokeless tobacco?</b>					
	<b>All</b>	8.2%	87.2%	4.0%	0.6%
	<b>Grade 4</b>	12.6%	85.4%	1.7%	0.3%
	<b>Grade 5</b>	7.7%	89.2%	2.7%	0.4%
	<b>Grade 6</b>	4.4%	87.2%	7.3%	1.1%

**Border: Grades 4-6  
Spring 2008**

**Table T-6: Have you ever been offered ...**

		Never Heard Of	Yes	No
<b>Any tobacco product?</b>				
	<b>All</b>	3.5%	11.1%	85.4%
	<b>Grade 4</b>	4.7%	8.4%	86.9%
	<b>Grade 5</b>	3.1%	8.6%	88.3%
	<b>Grade 6</b>	2.8%	16.0%	81.2%
<b>Cigarettes?</b>				
	<b>All</b>	4.7%	10.2%	85.1%
	<b>Grade 4</b>	6.2%	7.7%	86.1%
	<b>Grade 5</b>	4.4%	7.7%	87.8%
	<b>Grade 6</b>	3.6%	14.8%	81.5%
<b>Smokeless tobacco?</b>				
	<b>All</b>	8.6%	3.2%	88.2%
	<b>Grade 4</b>	12.9%	1.8%	85.3%
	<b>Grade 5</b>	8.0%	2.4%	89.6%
	<b>Grade 6</b>	4.9%	5.3%	89.8%

**Table T-7: How dangerous do you think it is for kids your age to use ...**

		Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
<b>Any tobacco product?</b>						
	<b>All</b>	1.9%	77.3%	14.2%	1.1%	5.5%
	<b>Grade 4</b>	2.9%	81.4%	9.7%	0.7%	5.3%
	<b>Grade 5</b>	1.4%	81.9%	11.9%	0.7%	4.0%
	<b>Grade 6</b>	1.3%	68.9%	20.9%	2.0%	7.0%
<b>Cigarettes?</b>						
	<b>All</b>	2.9%	65.4%	23.4%	1.5%	6.9%
	<b>Grade 4</b>	4.2%	71.8%	16.7%	0.8%	6.5%
	<b>Grade 5</b>	2.2%	70.2%	21.1%	0.9%	5.6%
	<b>Grade 6</b>	2.1%	54.4%	32.2%	2.8%	8.5%
<b>Smokeless tobacco?</b>						
	<b>All</b>	5.7%	71.0%	14.9%	1.3%	7.1%
	<b>Grade 4</b>	9.1%	73.3%	9.9%	0.7%	7.0%
	<b>Grade 5</b>	5.2%	75.9%	12.5%	0.8%	5.6%
	<b>Grade 6</b>	2.8%	64.1%	21.9%	2.4%	8.7%

**Border: Grades 4-6  
Spring 2008**

**Table T-8: How do your parents feel about kids your age smoking cigarettes?**

	<b>Don't Like</b>	<b>Don't Care</b>	<b>Think It's OK</b>	<b>Don't know</b>
<b>All</b>	86.9%	1.4%	0.5%	11.3%
<b>Grade 4</b>	87.0%	1.0%	0.4%	11.5%
<b>Grade 5</b>	88.1%	1.0%	0.4%	10.5%
<b>Grade 6</b>	85.5%	2.2%	0.7%	11.7%

**Border: Grades 4-6  
Spring 2008**

**Table A-1: How recently, if ever, have you used..**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Any alcohol product</b>					
	<b>All</b>	21.6%	14.3%	7.3%	78.4%
	<b>Grade 4</b>	14.1%	9.0%	5.2%	85.9%
	<b>Grade 5</b>	17.8%	10.8%	7.1%	82.2%
	<b>Grade 6</b>	32.4%	22.8%	9.6%	67.6%
<b>Beer</b>					
	<b>All</b>	13.9%	8.2%	5.7%	86.1%
	<b>Grade 4</b>	9.3%	5.1%	4.2%	90.7%
	<b>Grade 5</b>	10.8%	6.0%	4.9%	89.2%
	<b>Grade 6</b>	21.2%	13.1%	8.0%	78.8%
<b>Wine coolers</b>					
	<b>All</b>	10.6%	7.3%	3.4%	89.4%
	<b>Grade 4</b>	5.1%	3.3%	1.8%	94.9%
	<b>Grade 5</b>	7.6%	4.7%	2.9%	92.4%
	<b>Grade 6</b>	18.7%	13.4%	5.3%	81.3%
<b>Wine</b>					
	<b>All</b>	8.9%	5.5%	3.4%	91.1%
	<b>Grade 4</b>	4.8%	3.0%	1.8%	95.2%
	<b>Grade 5</b>	6.7%	3.9%	2.8%	93.3%
	<b>Grade 6</b>	14.9%	9.4%	5.6%	85.1%
<b>Liquor</b>					
	<b>All</b>	5.3%	3.4%	1.9%	94.7%
	<b>Grade 4</b>	2.0%	1.2%	0.8%	98.0%
	<b>Grade 5</b>	3.3%	1.9%	1.4%	96.7%
	<b>Grade 6</b>	10.3%	6.8%	3.4%	89.7%

**Border: Grades 4-6  
Spring 2008**

**Table A-2: Average number of times selected alcohol products were used by those who reported use of ..**

		<b>School Year</b>	<b>Lifetime</b>
<b>Beer</b>	All	2.9	2.7
	Grade 4	2.4	2.3
	Grade 5	2.3	2.2
	Grade 6	3.2	3.1
<b>Liquor</b>	All	2.9	2.8
	Grade 4	2.1	2.5
	Grade 5	2.5	2.2
	Grade 6	3.1	3.0
<b>Wine</b>	All	2.8	2.5
	Grade 4	2.6	2.3
	Grade 5	2.5	2.1
	Grade 6	2.9	2.8

**Border: Grades 4-6  
Spring 2008**

**Table A-3: In the past year, how many times have you had two or more drinks at one time of ..**

		<b>Never</b>	<b>1 Time</b>	<b>2 Times</b>	<b>3+ Times</b>	<b>Ever</b>
<b>Beer?</b>						
	<b>All</b>	86.7%	7.7%	2.7%	2.9%	13.3%
	<b>Grade 4</b>	90.1%	6.6%	2.0%	1.4%	9.9%
	<b>Grade 5</b>	89.4%	6.7%	2.2%	1.7%	10.6%
	<b>Grade 6</b>	80.8%	9.8%	4.0%	5.4%	19.2%
<b>Wine Coolers?</b>						
	<b>All</b>	91.6%	4.5%	1.9%	2.0%	8.4%
	<b>Grade 4</b>	96.5%	2.1%	0.7%	0.8%	3.5%
	<b>Grade 5</b>	94.1%	3.6%	1.3%	1.0%	5.9%
	<b>Grade 6</b>	84.4%	7.6%	3.8%	4.2%	15.6%
<b>Wine?</b>						
	<b>All</b>	91.5%	5.3%	1.7%	1.5%	8.5%
	<b>Grade 4</b>	95.0%	3.3%	0.9%	0.9%	5.0%
	<b>Grade 5</b>	93.0%	4.6%	1.6%	0.9%	7.0%
	<b>Grade 6</b>	86.6%	8.0%	2.6%	2.8%	13.4%
<b>Liquor?</b>						
	<b>All</b>	95.0%	2.5%	1.1%	1.4%	5.0%
	<b>Grade 4</b>	98.1%	1.2%	0.4%	0.3%	1.9%
	<b>Grade 5</b>	96.7%	1.9%	0.7%	0.7%	3.3%
	<b>Grade 6</b>	90.3%	4.5%	2.0%	3.2%	9.7%

**Border: Grades 4-6  
Spring 2008**

**Table A-4: Average age of first use of alcohol:**

	<b>Grade 4</b>	<b>Grade 5</b>	<b>Grade 6</b>
<b>Beer</b>	8.2	8.8	9.7
<b>Wine Coolers</b>	8.6	9.5	10.4
<b>Wine</b>	8.8	9.7	10.4
<b>Liquor</b>	8.9	10.0	10.7
<b>Any Alcohol</b>	8.2	9.0	9.8

**Table A-5: Age of first use of alcohol by family situation:**

	<b>Never</b>	<b>Under 8</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>Over 11</b>
<b>Two Parent Family</b>							
<b>All</b>	80.8%	5.1%	2.3%	2.9%	3.6%	3.0%	2.2%
<b>Grade 4</b>	86.9%	5.2%	2.5%	3.1%	1.9%	0.1%	0.1%
<b>Grade 5</b>	83.8%	4.7%	2.1%	2.2%	3.9%	2.6%	0.6%
<b>Grade 6</b>	71.6%	5.5%	2.4%	3.2%	5.0%	6.4%	6.0%
<b>Other Family Situation</b>							
<b>All</b>	75.4%	6.5%	2.4%	2.9%	4.7%	4.1%	4.1%
<b>Grade 4</b>	86.6%	5.6%	2.7%	2.3%	2.1%	0.8%	0.0%
<b>Grade 5</b>	81.3%	6.2%	1.7%	3.0%	4.1%	2.6%	1.1%
<b>Grade 6</b>	60.5%	7.7%	2.8%	3.2%	7.4%	8.2%	10.2%

**Table A-6 : Lifetime prevalence of use of alcohol by reported conduct problems this school year:**

<b>No Absences or Conduct Problems</b>	<b>Cut School</b>	<b>Sent to Principal</b>	<b>Both</b>
14.8%	59.0%	38.1%	66.2%



**Border: Grades 4-6  
Spring 2008**

**Table A-7: When you drink alcohol, do you get it from ..**

		<b>Don't Drink</b>	<b>Yes</b>	<b>No</b>
<b>Home?</b>				
	<b>All</b>	77.6%	7.0%	15.4%
	<b>Grade 4</b>	81.4%	4.0%	14.6%
	<b>Grade 5</b>	81.4%	5.7%	13.0%
	<b>Grade 6</b>	70.1%	11.3%	18.6%
<b>Friends?</b>				
	<b>All</b>	77.3%	3.4%	19.3%
	<b>Grade 4</b>	80.4%	1.1%	18.5%
	<b>Grade 5</b>	81.5%	1.8%	16.7%
	<b>Grade 6</b>	70.3%	7.1%	22.5%
<b>Somewhere else?</b>				
	<b>All</b>	76.1%	8.2%	15.7%
	<b>Grade 4</b>	79.3%	4.9%	15.8%
	<b>Grade 5</b>	79.9%	6.2%	13.8%
	<b>Grade 6</b>	69.1%	13.5%	17.4%

**Border: Grades 4-6  
Spring 2008**

**Table A-8: About how many of your close friends use ..**

		Never Heard Of	None	Some	Most
<b>Any alcohol product?</b>					
	<b>All</b>	2.4%	72.8%	20.1%	4.7%
	<b>Grade 4</b>	3.2%	80.9%	13.7%	2.2%
	<b>Grade 5</b>	2.0%	78.0%	17.5%	2.5%
	<b>Grade 6</b>	2.1%	60.1%	28.8%	9.0%
<b>Beer?</b>					
	<b>All</b>	2.9%	77.4%	16.7%	3.0%
	<b>Grade 4</b>	4.0%	83.6%	11.0%	1.4%
	<b>Grade 5</b>	2.6%	82.1%	14.0%	1.4%
	<b>Grade 6</b>	2.2%	67.1%	24.7%	6.0%
<b>Wine coolers?</b>					
	<b>All</b>	12.5%	75.3%	10.0%	2.1%
	<b>Grade 4</b>	17.3%	77.3%	4.6%	0.9%
	<b>Grade 5</b>	12.4%	79.0%	7.4%	1.2%
	<b>Grade 6</b>	8.0%	70.1%	17.7%	4.2%
<b>Wine?</b>					
	<b>All</b>	6.0%	83.2%	9.3%	1.4%
	<b>Grade 4</b>	8.9%	85.6%	4.9%	0.6%
	<b>Grade 5</b>	5.5%	86.5%	7.3%	0.7%
	<b>Grade 6</b>	3.7%	78.1%	15.3%	2.9%
<b>Liquor?</b>					
	<b>All</b>	9.8%	81.8%	7.0%	1.4%
	<b>Grade 4</b>	15.3%	81.4%	2.9%	0.5%
	<b>Grade 5</b>	9.3%	85.0%	5.1%	0.5%
	<b>Grade 6</b>	4.9%	79.2%	12.7%	3.2%

**Border: Grades 4-6  
Spring 2008**

**Table A-9: Have you ever been offered ..**

		Never Heard Of	Yes	No
<b>Any alcohol product?</b>				
	<b>All</b>	2.7%	21.7%	75.6%
	<b>Grade 4</b>	3.5%	16.8%	79.7%
	<b>Grade 5</b>	2.3%	18.7%	78.9%
	<b>Grade 6</b>	2.4%	29.2%	68.4%
<b>Beer?</b>				
	<b>All</b>	3.1%	17.5%	79.4%
	<b>Grade 4</b>	3.9%	13.9%	82.1%
	<b>Grade 5</b>	2.7%	14.9%	82.4%
	<b>Grade 6</b>	2.7%	23.2%	74.1%
<b>Wine coolers?</b>				
	<b>All</b>	12.3%	8.6%	79.1%
	<b>Grade 4</b>	16.5%	4.3%	79.2%
	<b>Grade 5</b>	12.3%	6.2%	81.5%
	<b>Grade 6</b>	8.3%	15.0%	76.8%
<b>Wine?</b>				
	<b>All</b>	6.2%	8.4%	85.4%
	<b>Grade 4</b>	9.4%	5.2%	85.4%
	<b>Grade 5</b>	5.5%	6.8%	87.8%
	<b>Grade 6</b>	3.8%	12.9%	83.3%
<b>Liquor?</b>				
	<b>All</b>	9.4%	5.8%	84.7%
	<b>Grade 4</b>	14.5%	3.4%	82.1%
	<b>Grade 5</b>	9.4%	3.7%	86.9%
	<b>Grade 6</b>	4.7%	10.1%	85.2%

**Border: Grades 4-6  
Spring 2008**

**Table A-10: How do your parents feel about kids your age drinking beer?**

	<b>Don't Like</b>	<b>Don't Care</b>	<b>Think It's OK</b>	<b>Don't know</b>
<b>All</b>	83.3%	2.3%	1.0%	13.4%
<b>Grade 4</b>	84.7%	1.8%	0.8%	12.7%
<b>Grade 5</b>	84.8%	1.7%	0.8%	12.8%
<b>Grade 6</b>	80.5%	3.5%	1.3%	14.7%

**Table A-11: How dangerous do you think it is for kids your age to use ..**

	<b>Never Heard Of</b>	<b>Very Dangerous</b>	<b>Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>Any alcohol product?</b>					
<b>All</b>	1.6%	71.6%	18.4%	2.4%	6.0%
<b>Grade 4</b>	2.2%	78.5%	12.5%	1.3%	5.5%
<b>Grade 5</b>	1.1%	75.9%	16.4%	1.8%	4.8%
<b>Grade 6</b>	1.3%	60.6%	26.2%	4.2%	7.6%
<b>Beer?</b>					
<b>All</b>	1.7%	53.8%	30.4%	4.9%	9.2%
<b>Grade 4</b>	2.4%	61.7%	24.3%	3.2%	8.5%
<b>Grade 5</b>	1.2%	59.0%	28.4%	3.4%	8.0%
<b>Grade 6</b>	1.5%	41.4%	38.3%	8.0%	10.9%
<b>Wine coolers?</b>					
<b>All</b>	9.5%	53.3%	21.0%	5.1%	11.0%
<b>Grade 4</b>	12.7%	61.1%	14.1%	2.1%	10.0%
<b>Grade 5</b>	9.2%	58.2%	19.5%	3.7%	9.4%
<b>Grade 6</b>	6.8%	41.0%	29.2%	9.4%	13.6%
<b>Wine?</b>					
<b>All</b>	3.9%	55.7%	25.0%	4.9%	10.5%
<b>Grade 4</b>	6.3%	63.7%	18.6%	2.3%	9.1%
<b>Grade 5</b>	3.4%	60.7%	23.2%	3.6%	9.1%
<b>Grade 6</b>	2.2%	43.2%	32.9%	8.6%	13.1%
<b>Liquor?</b>					
<b>All</b>	6.8%	63.7%	18.7%	2.3%	8.6%
<b>Grade 4</b>	10.6%	68.2%	12.7%	1.0%	7.5%
<b>Grade 5</b>	6.7%	67.6%	16.7%	1.5%	7.6%
<b>Grade 6</b>	3.1%	55.7%	26.4%	4.3%	10.5%

**Border: Grades 4-6  
Spring 2008**

**Table D-1: How recently, if ever, have you used Marijuana..**

	<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>All</b>	1.8%	1.3%	0.5%	98.2%
<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
<b>Grade 5</b>	0.9%	0.6%	0.3%	99.1%
<b>Grade 6</b>	3.6%	2.7%	0.9%	96.4%

**Table D-2: Average number of times marijuana was used by those reporting usage:**

	<b>School Year</b>	<b>Lifetime</b>
<b>All</b>	3.9	3.8
<b>Grade 4</b>	3.1	3.3
<b>Grade 5</b>	3.8	3.2
<b>Grade 6</b>	4.1	4.1

**Border: Grades 4-6  
Spring 2008**

**Table D-3: Average age of first use of marijuana:**

<b>Grade 4</b>	<b>Grade 5</b>	<b>Grade 6</b>
8.5	9.0	10.8

**Table D-4: Age of first use of marijuana by family situation:**

		<b>Never</b>	<b>Under 8</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>Over 11</b>
<b>Two Parent Family</b>								
	<b>All</b>	98.8%	0.2%	0.1%	0.2%	0.1%	0.2%	0.5%
	<b>Grade 4</b>	99.5%	0.2%	0.1%	0.2%	0.0%	0.0%	0.0%
	<b>Grade 5</b>	99.3%	0.3%	0.1%	0.0%	0.1%	0.1%	0.1%
	<b>Grade 6</b>	97.4%	0.1%	0.1%	0.3%	0.2%	0.5%	1.3%
<b>Other Family Situation</b>								
	<b>All</b>	97.0%	0.3%	0.3%	0.2%	0.3%	0.6%	1.2%
	<b>Grade 4</b>	99.2%	0.3%	0.1%	0.1%	0.2%	0.3%	0.0%
	<b>Grade 5</b>	98.6%	0.6%	0.2%	0.1%	0.1%	0.3%	0.1%
	<b>Grade 6</b>	93.8%	0.2%	0.6%	0.4%	0.6%	1.2%	3.2%

**Border: Grades 4-6  
Spring 2008**

**Table D-5 : Lifetime prevalence of use of marijuana by reported conduct problems this school year:**

<b>No Absences or Conduct Problems</b>	<b>Cut School</b>	<b>Sent to Principal</b>	<b>Both</b>
0.5%	14.1%	5.1%	18.6%

**Table D-6: About how many of your close friends use marijuana?**

	<b>Never Heard Of</b>	<b>None</b>	<b>Some</b>	<b>Most</b>
<b>All</b>	10.7%	81.6%	5.9%	1.8%
<b>Grade 4</b>	16.6%	80.3%	2.3%	0.9%
<b>Grade 5</b>	9.6%	85.9%	3.7%	0.8%
<b>Grade 6</b>	6.0%	79.0%	11.4%	3.7%

**Table D-7: Have you ever been offered marijuana?**

	<b>Never Heard Of</b>	<b>Yes</b>	<b>No</b>
<b>All</b>	10.1%	5.6%	84.3%
<b>Grade 4</b>	15.6%	3.4%	81.0%
<b>Grade 5</b>	9.5%	4.0%	86.6%
<b>Grade 6</b>	5.4%	9.2%	85.4%

**Table D-8: How do your parents feel about kids your age smoking marijuana?**

	<b>Don't Like</b>	<b>Don't Care</b>	<b>Think It's OK</b>	<b>Don't know</b>
<b>All</b>	87.4%	1.2%	0.4%	11.1%
<b>Grade 4</b>	86.2%	0.9%	0.3%	12.6%
<b>Grade 5</b>	88.5%	1.0%	0.3%	10.2%
<b>Grade 6</b>	87.4%	1.6%	0.5%	10.4%

**Table D-9: How dangerous do you think it is for kids your age to use marijuana?**

	<b>Never Heard Of</b>	<b>Very Dangerous</b>	<b>Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	7.2%	77.7%	7.9%	1.4%	5.8%
<b>Grade 4</b>	11.5%	75.9%	6.1%	0.9%	5.6%
<b>Grade 5</b>	6.6%	81.1%	7.0%	0.8%	4.6%
<b>Grade 6</b>	3.6%	76.3%	10.4%	2.5%	7.2%

**Border: Grades 4-6  
Spring 2008**

**Table I-1: How recently, if ever, have you used Inhalants..**

	<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>All</b>	11.0%	8.0%	3.0%	89.0%
<b>Grade 4</b>	11.2%	7.6%	3.5%	88.8%
<b>Grade 5</b>	8.1%	6.2%	1.9%	91.9%
<b>Grade 6</b>	13.5%	10.0%	3.4%	86.5%

**Table I-2: Have you ever sniffed any of the following inhalants to get high?**

	<b>Not Used</b>	<b>Used</b>
<b>Correction Fluid/Whiteout</b>		
<b>All</b>	96.7%	3.3%
<b>Grade 4</b>	97.5%	2.5%
<b>Grade 5</b>	97.6%	2.4%
<b>Grade 6</b>	95.1%	4.9%
<b>Gasoline</b>		
<b>All</b>	96.3%	3.7%
<b>Grade 4</b>	96.0%	4.0%
<b>Grade 5</b>	97.2%	2.8%
<b>Grade 6</b>	95.9%	4.1%
<b>Glue</b>		
<b>All</b>	96.2%	3.8%
<b>Grade 4</b>	95.0%	5.0%
<b>Grade 5</b>	96.9%	3.1%
<b>Grade 6</b>	96.6%	3.4%
<b>Paint Thinner</b>		
<b>All</b>	97.3%	2.7%
<b>Grade 4</b>	97.2%	2.8%
<b>Grade 5</b>	97.9%	2.1%
<b>Grade 6</b>	96.9%	3.1%
<b>Spray Paint</b>		
<b>All</b>	96.3%	3.7%
<b>Grade 4</b>	96.3%	3.7%
<b>Grade 5</b>	97.3%	2.7%
<b>Grade 6</b>	95.5%	4.5%
<b>Other Inhalants</b>		
<b>All</b>	95.5%	4.5%
<b>Grade 4</b>	96.6%	3.4%
<b>Grade 5</b>	97.3%	2.7%
<b>Grade 6</b>	92.7%	7.3%



**Border: Grades 4-6  
Spring 2008**

**Table I-3: Average number of times inhalants were used by those reporting usage:**

	<b>School Year</b>	<b>Lifetime</b>
<b>All</b>	3.2	3.2
<b>Grade 4</b>	2.5	2.8
<b>Grade 5</b>	3.0	3.2
<b>Grade 6</b>	3.6	3.3

**Table I-4: Number of different kinds of inhalants used:**

	<b>None</b>	<b>One</b>	<b>Two to Three</b>	<b>Four Plus</b>
<b>All</b>	89.7%	5.2%	3.9%	1.2%
<b>Grade 4</b>	89.6%	5.5%	3.8%	1.2%
<b>Grade 5</b>	92.4%	3.7%	3.0%	0.9%
<b>Grade 6</b>	87.3%	6.3%	4.8%	1.6%

**Border: Grades 4-6  
Spring 2008**

**Table I-5: Average age of first use of inhalants:**

<b>Grade 4</b>	<b>Grade 5</b>	<b>Grade 6</b>
8.6	9.1	10.4

**Table I-6: Age of first use of inhalants by family situation:**

		<b>Never</b>	<b>Under 8</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>Over 11</b>
<b>Two Parent Family</b>								
	<b>All</b>	94.7%	1.0%	0.7%	0.8%	0.9%	1.0%	0.9%
	<b>Grade 4</b>	96.5%	1.0%	0.8%	1.1%	0.5%	0.1%	0.0%
	<b>Grade 5</b>	95.8%	1.0%	0.6%	0.6%	1.0%	0.9%	0.1%
	<b>Grade 6</b>	91.8%	0.9%	0.6%	0.7%	1.3%	2.0%	2.7%
<b>Other Family Situation</b>								
	<b>All</b>	93.5%	0.9%	0.6%	0.8%	1.4%	1.3%	1.5%
	<b>Grade 4</b>	96.7%	0.8%	0.4%	0.7%	1.3%	0.0%	0.0%
	<b>Grade 5</b>	96.4%	0.7%	0.6%	0.5%	1.1%	0.4%	0.2%
	<b>Grade 6</b>	88.1%	1.1%	0.7%	1.2%	1.7%	3.2%	3.9%

**Border: Grades 4-6  
Spring 2008**

**Table I-7: Lifetime prevalence of use of inhalants by reported conduct problems this school year:**

<b>No Absences or Conduct Problems</b>	<b>Cut School</b>	<b>Sent to Principal</b>	<b>Both</b>
3.6%	25.3%	11.5%	30.2%

**Table I-8: About how many of your close friends use inhalants?**

	<b>Never Heard Of</b>	<b>None</b>	<b>Some</b>	<b>Most</b>
<b>All</b>	8.2%	81.3%	8.1%	2.4%
<b>Grade 4</b>	12.5%	82.3%	4.2%	1.0%
<b>Grade 5</b>	7.8%	85.2%	5.9%	1.2%
<b>Grade 6</b>	4.4%	77.0%	13.9%	4.8%

**Border: Grades 4-6  
Spring 2008**

**Table I-9: Have you ever been offered inhalants?**

	<b>Never Heard Of</b>	<b>Yes</b>	<b>No</b>
<b>All</b>	8.3%	6.1%	85.7%
<b>Grade 4</b>	12.8%	3.2%	84.0%
<b>Grade 5</b>	7.7%	3.9%	88.4%
<b>Grade 6</b>	4.6%	10.7%	84.8%

**Table I-10: How dangerous do you think it is for kids your age to use inhalants?**

	<b>Never Heard Of</b>	<b>Very Dangerous</b>	<b>Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	6.0%	65.9%	16.4%	2.9%	8.8%
<b>Grade 4</b>	9.7%	67.5%	12.5%	1.6%	8.6%
<b>Grade 5</b>	5.5%	70.1%	14.4%	2.1%	7.9%
<b>Grade 6</b>	2.7%	60.4%	22.0%	5.0%	9.9%

**Border: Grades 4-6  
Spring 2008**

**Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ..**

<b>CATEGORY</b>		<b>Yes</b>
<b>An Assembly Program?</b>	<b>All</b>	62.8%
	<b>Grade 4</b>	64.0%
	<b>Grade 5</b>	71.3%
	<b>Grade 6</b>	53.7%
<b>Guidance Counselor?</b>	<b>All</b>	73.2%
	<b>Grade 4</b>	78.3%
	<b>Grade 5</b>	83.4%
	<b>Grade 6</b>	58.5%
<b>Visitor to Class?</b>	<b>All</b>	55.9%
	<b>Grade 4</b>	54.7%
	<b>Grade 5</b>	59.0%
	<b>Grade 6</b>	54.3%
<b>Someone Else at School?</b>	<b>All</b>	48.6%
	<b>Grade 4</b>	46.1%
	<b>Grade 5</b>	52.6%
	<b>Grade 6</b>	47.4%
<b>Your Teacher?</b>	<b>All</b>	67.3%
	<b>Grade 4</b>	59.7%
	<b>Grade 5</b>	67.2%
	<b>Grade 6</b>	74.6%
<b>Any School Source?</b>	<b>All</b>	89.6%
	<b>Grade 4</b>	88.0%
	<b>Grade 5</b>	91.6%
	<b>Grade 6</b>	89.3%

**Border: Grades 4-6  
Spring 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.4%	3.3%	2.1%	94.6%
	<b>Grade 4</b>	3.2%	1.8%	1.4%	96.8%
	<b>Grade 5</b>	3.3%	1.9%	1.4%	96.7%
	<b>Grade 6</b>	9.5%	6.1%	3.4%	90.5%
<b>Alcohol</b>					
	<b>All</b>	21.6%	14.3%	7.3%	78.4%
	<b>Grade 4</b>	14.1%	9.0%	5.2%	85.9%
	<b>Grade 5</b>	17.8%	10.8%	7.1%	82.2%
	<b>Grade 6</b>	32.4%	22.8%	9.6%	67.6%
<b>Inhalants</b>					
	<b>All</b>	11.0%	8.0%	3.0%	89.0%
	<b>Grade 4</b>	11.2%	7.6%	3.5%	88.8%
	<b>Grade 5</b>	8.1%	6.2%	1.9%	91.9%
	<b>Grade 6</b>	13.5%	10.0%	3.4%	86.5%
<b>Marijuana</b>					
	<b>All</b>	1.8%	1.3%	0.5%	98.2%
	<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
	<b>Grade 5</b>	0.9%	0.6%	0.3%	99.1%
	<b>Grade 6</b>	3.6%	2.7%	0.9%	96.4%

**Border: Grades 4-6  
Spring 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>	<b>All</b>	6.7%	4.0%	2.8%	93.3%
	<b>Grade 4</b>	4.4%	2.4%	2.0%	95.6%
	<b>Grade 5</b>	4.4%	2.5%	1.9%	95.6%
	<b>Grade 6</b>	11.2%	6.9%	4.3%	88.8%
<b>Alcohol</b>	<b>All</b>	25.0%	15.5%	9.5%	75.0%
	<b>Grade 4</b>	17.9%	11.2%	6.8%	82.1%
	<b>Grade 5</b>	22.5%	12.6%	9.9%	77.5%
	<b>Grade 6</b>	34.3%	22.4%	11.9%	65.7%
<b>Inhalants</b>	<b>All</b>	12.6%	8.9%	3.7%	87.4%
	<b>Grade 4</b>	13.7%	9.2%	4.5%	86.3%
	<b>Grade 5</b>	9.9%	7.4%	2.5%	90.1%
	<b>Grade 6</b>	13.9%	9.8%	4.1%	86.1%
<b>Marijuana</b>	<b>All</b>	2.3%	1.6%	0.7%	97.7%
	<b>Grade 4</b>	1.0%	0.6%	0.4%	99.0%
	<b>Grade 5</b>	1.4%	1.0%	0.4%	98.6%
	<b>Grade 6</b>	4.3%	3.0%	1.3%	95.7%

**Border: Grades 4-6  
Spring 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	4.2%	2.7%	1.6%	95.8%
	<b>Grade 4</b>	2.0%	1.1%	0.8%	98.0%
	<b>Grade 5</b>	2.4%	1.4%	1.1%	97.6%
	<b>Grade 6</b>	8.2%	5.4%	2.7%	91.8%
<b>Alcohol</b>					
	<b>All</b>	18.7%	13.3%	5.4%	81.3%
	<b>Grade 4</b>	10.5%	6.8%	3.7%	89.5%
	<b>Grade 5</b>	13.8%	9.2%	4.6%	86.2%
	<b>Grade 6</b>	31.8%	23.8%	8.0%	68.2%
<b>Inhalants</b>					
	<b>All</b>	9.8%	7.4%	2.4%	90.2%
	<b>Grade 4</b>	8.8%	6.1%	2.7%	91.2%
	<b>Grade 5</b>	6.5%	5.1%	1.4%	93.5%
	<b>Grade 6</b>	14.0%	11.0%	3.1%	86.0%
<b>Marijuana</b>					
	<b>All</b>	1.4%	1.1%	0.3%	98.6%
	<b>Grade 4</b>	0.5%	0.3%	0.2%	99.5%
	<b>Grade 5</b>	0.5%	0.3%	0.2%	99.5%
	<b>Grade 6</b>	3.1%	2.6%	0.6%	96.9%



**Border: Grades 4-6  
Spring 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>	<b>All</b>	3.7%	1.7%	2.0%	96.3%
	<b>Grade 4</b>	1.9%	0.8%	1.1%	98.1%
	<b>Grade 5</b>	2.9%	1.7%	1.2%	97.1%
	<b>Grade 6</b>	5.7%	2.5%	3.2%	94.3%
<b>Alcohol</b>	<b>All</b>	22.7%	13.7%	8.9%	77.3%
	<b>Grade 4</b>	13.0%	9.2%	3.9%	87.0%
	<b>Grade 5</b>	21.1%	10.4%	10.7%	78.9%
	<b>Grade 6</b>	31.9%	19.7%	12.2%	68.1%
<b>Inhalants</b>	<b>All</b>	11.0%	7.4%	3.6%	89.0%
	<b>Grade 4</b>	13.1%	8.0%	5.1%	86.9%
	<b>Grade 5</b>	9.2%	6.0%	3.2%	90.8%
	<b>Grade 6</b>	10.3%	7.8%	2.6%	89.7%
<b>Marijuana</b>	<b>All</b>	0.9%	0.7%	0.2%	99.1%
	<b>Grade 4</b>	0.2%	0.2%	0.0%	99.8%
	<b>Grade 5</b>	0.9%	0.0%	0.9%	99.1%
	<b>Grade 6</b>	1.5%	1.5%	0.0%	98.5%

**Border: Grades 4-6  
Spring 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
African/American Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>	<b>All</b>	4.5%	2.9%	1.6%	95.5%
	<b>Grade 4</b>	2.0%	1.1%	0.9%	98.0%
	<b>Grade 5</b>	3.6%	3.2%	0.4%	96.4%
	<b>Grade 6</b>	8.6%	4.9%	3.7%	91.4%
<b>Alcohol</b>	<b>All</b>	17.4%	10.9%	6.5%	82.6%
	<b>Grade 4</b>	9.5%	3.8%	5.7%	90.5%
	<b>Grade 5</b>	16.5%	12.3%	4.1%	83.5%
	<b>Grade 6</b>	28.2%	18.4%	9.8%	71.8%
<b>Inhalants</b>	<b>All</b>	10.3%	8.6%	1.7%	89.7%
	<b>Grade 4</b>	9.9%	8.2%	1.7%	90.1%
	<b>Grade 5</b>	7.9%	7.0%	0.9%	92.1%
	<b>Grade 6</b>	13.1%	10.5%	2.6%	86.9%
<b>Marijuana</b>	<b>All</b>	1.0%	0.7%	0.3%	99.0%
	<b>Grade 4</b>	0.8%	0.4%	0.4%	99.2%
	<b>Grade 5</b>	0.4%	0.4%	0.0%	99.6%
	<b>Grade 6</b>	1.9%	1.5%	0.4%	98.1%

**Border: Grades 4-6  
Spring 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.5%	3.4%	2.1%	94.5%
	<b>Grade 4</b>	3.3%	1.8%	1.5%	96.7%
	<b>Grade 5</b>	3.4%	2.0%	1.4%	96.6%
	<b>Grade 6</b>	9.8%	6.4%	3.4%	90.2%
<b>Alcohol</b>					
	<b>All</b>	22.1%	14.6%	7.5%	77.9%
	<b>Grade 4</b>	14.7%	9.3%	5.4%	85.3%
	<b>Grade 5</b>	17.9%	10.8%	7.1%	82.1%
	<b>Grade 6</b>	33.4%	23.5%	9.9%	66.6%
<b>Inhalants</b>					
	<b>All</b>	11.2%	8.2%	3.1%	88.8%
	<b>Grade 4</b>	11.1%	7.6%	3.6%	88.9%
	<b>Grade 5</b>	8.1%	6.2%	1.9%	91.9%
	<b>Grade 6</b>	14.3%	10.6%	3.7%	85.7%
<b>Marijuana</b>					
	<b>All</b>	1.9%	1.3%	0.5%	98.1%
	<b>Grade 4</b>	0.8%	0.5%	0.3%	99.2%
	<b>Grade 5</b>	1.0%	0.7%	0.3%	99.0%
	<b>Grade 6</b>	3.8%	2.8%	1.0%	96.2%

**Border: Grades 4-6  
Spring 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	2.5%	1.1%	1.4%	97.5%
	<b>Grade 4</b>	1.9%	0.7%	1.1%	98.1%
	<b>Grade 5</b>	2.0%	0.5%	1.5%	98.0%
	<b>Grade 6</b>	3.7%	2.1%	1.6%	96.3%
<b>Alcohol</b>					
	<b>All</b>	17.9%	11.4%	6.5%	82.1%
	<b>Grade 4</b>	11.8%	7.6%	4.3%	88.2%
	<b>Grade 5</b>	16.5%	8.9%	7.7%	83.5%
	<b>Grade 6</b>	26.1%	18.4%	7.7%	73.9%
<b>Inhalants</b>					
	<b>All</b>	7.9%	5.5%	2.3%	92.1%
	<b>Grade 4</b>	8.1%	5.4%	2.7%	91.9%
	<b>Grade 5</b>	6.4%	4.5%	1.8%	93.6%
	<b>Grade 6</b>	9.2%	6.8%	2.4%	90.8%
<b>Marijuana</b>					
	<b>All</b>	0.6%	0.3%	0.3%	99.4%
	<b>Grade 4</b>	0.6%	0.3%	0.3%	99.4%
	<b>Grade 5</b>	0.2%	0.1%	0.2%	99.8%
	<b>Grade 6</b>	1.1%	0.6%	0.5%	98.9%

**Border: Grades 4-6  
Spring 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students Reporting grades lower than A**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>	<b>All</b>	6.4%	4.1%	2.4%	93.6%
	<b>Grade 4</b>	3.7%	2.1%	1.5%	96.3%
	<b>Grade 5</b>	3.8%	2.4%	1.4%	96.2%
	<b>Grade 6</b>	11.3%	7.4%	4.0%	88.7%
<b>Alcohol</b>	<b>All</b>	23.1%	15.5%	7.7%	76.9%
	<b>Grade 4</b>	15.1%	9.5%	5.5%	84.9%
	<b>Grade 5</b>	18.5%	11.5%	6.9%	81.5%
	<b>Grade 6</b>	34.9%	24.6%	10.3%	65.1%
<b>Inhalants</b>	<b>All</b>	12.3%	9.0%	3.2%	87.7%
	<b>Grade 4</b>	12.3%	8.5%	3.8%	87.7%
	<b>Grade 5</b>	8.8%	6.8%	2.0%	91.2%
	<b>Grade 6</b>	15.4%	11.5%	3.9%	84.6%
<b>Marijuana</b>	<b>All</b>	2.2%	1.6%	0.6%	97.8%
	<b>Grade 4</b>	0.8%	0.5%	0.3%	99.2%
	<b>Grade 5</b>	1.2%	0.8%	0.4%	98.8%
	<b>Grade 6</b>	4.5%	3.4%	1.0%	95.5%

**Border: Grades 4-6  
Spring 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	4.5%	2.6%	1.9%	95.5%
	<b>Grade 4</b>	3.0%	1.6%	1.4%	97.0%
	<b>Grade 5</b>	3.0%	1.6%	1.3%	97.0%
	<b>Grade 6</b>	7.6%	4.6%	3.0%	92.4%
<b>Alcohol</b>					
	<b>All</b>	20.4%	13.2%	7.2%	79.6%
	<b>Grade 4</b>	14.1%	8.9%	5.2%	85.9%
	<b>Grade 5</b>	17.2%	10.0%	7.2%	82.8%
	<b>Grade 6</b>	30.1%	20.9%	9.2%	69.9%
<b>Inhalants</b>					
	<b>All</b>	10.8%	7.9%	2.8%	89.2%
	<b>Grade 4</b>	11.4%	7.8%	3.5%	88.6%
	<b>Grade 5</b>	8.5%	6.5%	2.0%	91.5%
	<b>Grade 6</b>	12.3%	9.4%	2.9%	87.7%
<b>Marijuana</b>					
	<b>All</b>	1.3%	0.9%	0.4%	98.7%
	<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
	<b>Grade 5</b>	0.7%	0.4%	0.3%	99.3%
	<b>Grade 6</b>	2.6%	1.9%	0.7%	97.4%

**Border: Grades 4-6  
Spring 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students Not Living With 2 Parents**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	8.0%	5.2%	2.8%	92.0%
	<b>Grade 4</b>	3.8%	2.1%	1.8%	96.2%
	<b>Grade 5</b>	4.4%	2.6%	1.8%	95.6%
	<b>Grade 6</b>	15.0%	10.3%	4.7%	85.0%
<b>Alcohol</b>					
	<b>All</b>	25.9%	17.6%	8.2%	74.1%
	<b>Grade 4</b>	14.8%	9.4%	5.4%	85.2%
	<b>Grade 5</b>	19.8%	12.8%	7.0%	80.2%
	<b>Grade 6</b>	40.8%	29.1%	11.8%	59.2%
<b>Inhalants</b>					
	<b>All</b>	12.2%	8.6%	3.6%	87.8%
	<b>Grade 4</b>	10.8%	7.2%	3.5%	89.2%
	<b>Grade 5</b>	7.2%	5.4%	1.8%	92.8%
	<b>Grade 6</b>	17.9%	12.7%	5.2%	82.1%
<b>Marijuana</b>					
	<b>All</b>	3.1%	2.4%	0.7%	96.9%
	<b>Grade 4</b>	0.8%	0.5%	0.4%	99.2%
	<b>Grade 5</b>	1.6%	1.3%	0.3%	98.4%
	<b>Grade 6</b>	6.5%	5.1%	1.4%	93.5%

**Border: Grades 4-6  
Spring 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students Living in Town More Than 3 Years**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.4%	3.3%	2.1%	94.6%
	<b>Grade 4</b>	3.3%	1.6%	1.6%	96.7%
	<b>Grade 5</b>	3.2%	1.8%	1.4%	96.8%
	<b>Grade 6</b>	9.3%	6.2%	3.1%	90.7%
<b>Alcohol</b>					
	<b>All</b>	22.1%	14.7%	7.4%	77.9%
	<b>Grade 4</b>	14.1%	8.7%	5.4%	85.9%
	<b>Grade 5</b>	17.7%	10.6%	7.1%	82.3%
	<b>Grade 6</b>	33.3%	23.7%	9.5%	66.7%
<b>Inhalants</b>					
	<b>All</b>	11.0%	8.1%	2.9%	89.0%
	<b>Grade 4</b>	10.9%	7.5%	3.5%	89.1%
	<b>Grade 5</b>	7.9%	6.0%	1.9%	92.1%
	<b>Grade 6</b>	14.0%	10.5%	3.5%	86.0%
<b>Marijuana</b>					
	<b>All</b>	1.7%	1.3%	0.4%	98.3%
	<b>Grade 4</b>	0.5%	0.4%	0.2%	99.5%
	<b>Grade 5</b>	0.8%	0.5%	0.3%	99.2%
	<b>Grade 6</b>	3.6%	2.8%	0.8%	96.4%



**Border: Grades 4-6  
Spring 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students Living in Town 3 Years or Less**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	7.2%	4.4%	2.8%	92.8%
	<b>Grade 4</b>	3.7%	3.0%	0.7%	96.3%
	<b>Grade 5</b>	4.0%	2.1%	1.9%	96.0%
	<b>Grade 6</b>	14.3%	8.4%	5.9%	85.7%
<b>Alcohol</b>					
	<b>All</b>	22.7%	13.8%	8.9%	77.3%
	<b>Grade 4</b>	13.3%	9.1%	4.2%	86.7%
	<b>Grade 5</b>	20.8%	11.3%	9.4%	79.2%
	<b>Grade 6</b>	35.1%	21.4%	13.7%	64.9%
<b>Inhalants</b>					
	<b>All</b>	12.7%	9.2%	3.5%	87.3%
	<b>Grade 4</b>	15.5%	11.0%	4.5%	84.5%
	<b>Grade 5</b>	9.4%	7.0%	2.4%	90.6%
	<b>Grade 6</b>	13.1%	9.5%	3.6%	86.9%
<b>Marijuana</b>					
	<b>All</b>	2.6%	1.5%	1.1%	97.4%
	<b>Grade 4</b>	2.4%	1.0%	1.4%	97.6%
	<b>Grade 5</b>	1.0%	0.6%	0.4%	99.0%
	<b>Grade 6</b>	4.6%	2.9%	1.7%	95.4%

**Border: Grades 4-6  
Spring 2008**

The FREQ Procedure

GENDER			
Q1	Frequency	Percent	
Female	82825	50.66	
Male	80664	49.34	

Frequency Missing = 3225.4171029

GRADE LEVEL			
Q2	Frequency	Percent	
Grade 4	56078	33.64	
Grade 5	52910	31.74	
Grade 6	57726	34.63	

DO YOU LIVE WITH BOTH PARENTS?			
Q3	Frequency	Percent	
No	43634	26.92	
Yes	118E3	73.08	

Frequency Missing = 4645.0906672

AGE			
Q4	Frequency	Percent	
8 or younger	155	0.09	
9	15067	9.09	
10	45751	27.62	
11	53921	32.55	
12	41905	25.29	
13 or older	8874	5.36	

Frequency Missing = 1042.070263

ETHNICITY			
Q5	Frequency	Percent	
African/American	3164	2.01	
Asian/American	277	0.18	
Mexican/American	145E3	92.42	
Native/American	922	0.59	
Other	2271	1.44	
White	5296	3.37	

Frequency Missing = 9333.3122668

WHAT GRADES DO YOU USUALLY GET			
Q6	Frequency	Percent	
Mostly A's	40870	25.42	
Mostly B's	80452	50.03	
Mostly C's	31618	19.66	
Mostly D's	5391	3.35	
Mostly F's	2470	1.54	

Frequency Missing = 5912.8251966

LIVED IN THIS TOWN FOR MORE THAN 3 YEARS			
Q7	Frequency	Percent	
Don't Know	15000	9.21	
No	15224	9.35	
Yes	133E3	81.43	

Frequency Missing = 3912.6543977

EITHER PARENT GRADUATE FROM COLLEGE			
Q8	Frequency	Percent	
Don't Know	73395	44.98	
No	38984	23.89	
Yes	50801	31.13	

Frequency Missing = 3535.4705746

QUALIFY FOR A FREE/REDUCED PRICE LUNCH?			
Q9	Frequency	Percent	
Don't Know	45596	28.54	
No	16921	10.59	
Yes	97264	60.87	

Frequency Missing = 6933.2505077

PARENTS ATTEND PTA MEETINGS?			
Q10	Frequency	Percent	
No	58737	36.48	
Yes	102E3	63.52	

Frequency Missing = 5684.4319506

EVER INHALED GASOLINE TO GET HIGH?			
Q11a	Frequency	Percent	
Not Used	149E3	96.34	
Used	5671	3.66	

Frequency Missing = 11728.49795

EVER INHALED PAINT THINNER TO GET HIGH?			
Q11b	Frequency	Percent	
Not Used	149E3	97.34	
Used	4067	2.66	

Frequency Missing = 13686.605953

EVER INHALED GLUE TO GET HIGH?			
Q11c	Frequency	Percent	
Not Used	148E3	96.19	
Used	5853	3.81	

Frequency Missing = 13192.387099

EVER INHALED WHITEOUT TO GET HIGH?			
Q11d	Frequency	Percent	
Not Used	149E3	96.71	
Used	5061	3.29	

Frequency Missing = 12866.675431

EVER INHALED SPRAY PAINT TO GET HIGH?			
Q11e	Frequency	Percent	
Not Used	149E3	96.33	
Used	5684	3.67	

Frequency Missing = 11784.393146

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6  
Spring 2008**

<b>EVER USED OTHER INHALANTS TO GET HIGH?</b>		
<b>Q11f</b>	<b>Frequency</b>	<b>Percent</b>
<b>Not Used</b>	149E3	95.52
<b>Used</b>	6987	4.48

Frequency Missing = 10882.520688

<b>WINE COOLER USE DURING LIFETIME</b>		
	<b>Q12D Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	32048	20.56
<b>Never used</b>	108E3	69.12
<b>1-2 times</b>	11886	7.62
<b>3-10 times</b>	2625	1.68
<b>11+ times</b>	1580	1.01

Frequency Missing = 10816.77059

<b>INHALANT USE DURING LIFETIME</b>		
	<b>Q12H Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	16579	10.60
<b>Never used</b>	131E3	83.67
<b>1-2 times</b>	6697	4.28
<b>3-10 times</b>	1471	0.94
<b>11+ times</b>	782	0.50

Frequency Missing = 10380.570362

<b>CIGARETTE USE DURING LIFETIME</b>		
	<b>Q12A Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	9027	5.61
<b>Never used</b>	144E3	89.66
<b>1-2 times</b>	6143	3.82
<b>3-10 times</b>	1035	0.64
<b>11+ times</b>	419	0.26

Frequency Missing = 5894.4291071

<b>WINE USE DURING LIFETIME</b>		
	<b>Q12E Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	11821	7.77
<b>Never used</b>	127E3	83.43
<b>1-2 times</b>	11304	7.43
<b>3-10 times</b>	1355	0.89
<b>11+ times</b>	712	0.47

Frequency Missing = 14653.682376

<b>MARIJUANA USE DURING LIFETIME</b>		
	<b>Q12I Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	22724	14.33
<b>Never used</b>	133E3	83.98
<b>1-2 times</b>	1792	1.13
<b>3-10 times</b>	480	0.30
<b>11+ times</b>	409	0.26

Frequency Missing = 8158.4510609

<b>SNUFF/CHEWING TOBACCO USE IN LIFETIME</b>		
	<b>Q12B Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	22663	14.31
<b>Never used</b>	134E3	84.81
<b>1-2 times</b>	1094	0.69
<b>3-10 times</b>	193	0.12
<b>11+ times</b>	112	0.07

Frequency Missing = 8341.7184344

<b>LIQUOR USE DURING LIFETIME</b>		
	<b>Q12F Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	22046	14.11
<b>Never used</b>	126E3	80.81
<b>1-2 times</b>	6363	4.07
<b>3-10 times</b>	1059	0.68
<b>11+ times</b>	514	0.33

Frequency Missing = 10460.244225

<b>CIGARETTE USE IN PAST SCHOOL YEAR</b>		
	<b>Q13A Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	8001	4.89
<b>Never used</b>	15E4	92.02
<b>1-2 times</b>	4004	2.45
<b>3-10 times</b>	751	0.46
<b>11+ times</b>	292	0.18

Frequency Missing = 3250.6672323

<b>BEER USE DURING LIFETIME</b>		
	<b>Q12C Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	4294	2.75
<b>Never used</b>	131E3	83.76
<b>1-2 times</b>	17155	10.99
<b>3-10 times</b>	2629	1.68
<b>11+ times</b>	1270	0.81

Frequency Missing = 10581.60588

<b>SHIMERON USE DURING LIFETIME</b>		
	<b>Q12G Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	98275	63.82
<b>Never used</b>	55717	36.18

Frequency Missing = 12722.715829

<b>SNUFF/CHEWING TOBACCO USE IN PAST YEAR</b>		
	<b>Q13B Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	19377	12.04
<b>Never used</b>	14E4	87.27
<b>1-2 times</b>	904	0.56
<b>3-10 times</b>	99	0.06
<b>11+ times</b>	112	0.07

Frequency Missing = 5758.6118751

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6  
Spring 2008**

<b>BEER USE IN PAST SCHOOL YEAR</b>		
	<b>Q13C Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	4058	2.56
<b>Never used</b>	141E3	88.97
<b>1-2 times</b>	10513	6.64
<b>3-10 times</b>	2092	1.32
<b>11+ times</b>	815	0.51

Frequency Missing = 8320.1753189

<b>WINE COOLER USE IN PAST SCHOOL YEAR</b>		
	<b>Q13D Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	28151	17.60
<b>Never used</b>	12E4	74.99
<b>1-2 times</b>	8780	5.49
<b>3-10 times</b>	1839	1.15
<b>11+ times</b>	1243	0.78

Frequency Missing = 6740.0674457

<b>WINE USE IN PAST SCHOOL YEAR</b>		
	<b>Q13E Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	11630	7.38
<b>Never used</b>	137E3	86.94
<b>1-2 times</b>	7198	4.56
<b>3-10 times</b>	1210	0.77
<b>11+ times</b>	554	0.35

Frequency Missing = 9015.0161596

<b>LIQUOR USE IN PAST SCHOOL YEAR</b>		
	<b>Q13F Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	21009	13.15
<b>Never used</b>	133E3	83.38
<b>1-2 times</b>	4396	2.75
<b>3-10 times</b>	743	0.47
<b>11+ times</b>	407	0.25

Frequency Missing = 6912.8548883

<b>SHIMERON USE IN PAST SCHOOL YEAR</b>		
	<b>Q13G Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	92590	58.18
<b>Never used</b>	66541	41.82

Frequency Missing = 7582.7393014

<b>INHALANT USE IN PAST SCHOOL YEAR</b>		
	<b>Q13H Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	15906	9.98
<b>Never used</b>	136E3	85.49
<b>1-2 times</b>	5382	3.38
<b>3-10 times</b>	1137	0.71
<b>11+ times</b>	701	0.44

Frequency Missing = 7366.3643192

<b>MARIJUANA USE IN PAST SCHOOL YEAR</b>		
	<b>Q13I Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	21510	13.42
<b>Never used</b>	137E3	85.27
<b>1-2 times</b>	1384	0.86
<b>3-10 times</b>	372	0.23
<b>11+ times</b>	338	0.21

Frequency Missing = 6453.9148986

<b>AGE WHEN FIRST USED CIGARETTES</b>		
	<b>Q14A Frequency</b>	<b>Percent</b>
<b>7 or younger</b>	1705	1.05
<b>8 years old</b>	998	0.61
<b>9 years old</b>	1049	0.65
<b>10 years old</b>	1462	0.90
<b>11 years old</b>	1733	1.07
<b>12 or older</b>	1696	1.04
<b>Never heard/used</b>	154E3	94.68

Frequency Missing = 4229.155342

<b>AGE WHEN FIRST USED SNUFF/CHEW TOBACCO</b>		
	<b>Q14B Frequency</b>	<b>Percent</b>
<b>7 or younger</b>	285	0.18
<b>8 years old</b>	150	0.09
<b>9 years old</b>	95	0.06
<b>10 years old</b>	281	0.17
<b>11 years old</b>	315	0.20
<b>12 or older</b>	501	0.31
<b>Never heard/used</b>	159E3	98.99

Frequency Missing = 6299.319902

<b>AGE WHEN FIRST USED BEER</b>		
	<b>Q14C Frequency</b>	<b>Percent</b>
<b>7 or younger</b>	6717	4.24
<b>8 years old</b>	2637	1.66
<b>9 years old</b>	3021	1.91
<b>10 years old</b>	3870	2.44
<b>11 years old</b>	3110	1.96
<b>12 or older</b>	2828	1.79
<b>Never heard/used</b>	136E3	86.00

Frequency Missing = 8298.6133067

<b>AGE WHEN FIRST USED WINE COOLERS</b>		
	<b>Q14D Frequency</b>	<b>Percent</b>
<b>7 or younger</b>	2064	1.30
<b>8 years old</b>	1188	0.75
<b>9 years old</b>	1926	1.21
<b>10 years old</b>	3092	1.94
<b>11 years old</b>	3467	2.18
<b>12 or older</b>	3120	1.96
<b>Never heard/used</b>	144E3	90.66

Frequency Missing = 7581.9907007

<b>AGE WHEN FIRST USED WINE</b>		
	<b>Q14E Frequency</b>	<b>Percent</b>
<b>7 or younger</b>	1269	0.81
<b>8 years old</b>	1289	0.82
<b>9 years old</b>	1841	1.17
<b>10 years old</b>	3045	1.94
<b>11 years old</b>	3031	1.93
<b>12 or older</b>	2438	1.55
<b>Never heard/used</b>	144E3	91.78

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6  
Spring 2008**

Frequency Missing = 9540.4865455

<b>AGE WHEN FIRST USED LIQUOR</b>		
<b>Q14F Frequency Percent</b>		
7 or younger	679	0.43
8 years old	499	0.31
9 years old	689	0.43
10 years old	1636	1.03
11 years old	2024	1.28
12 or older	1901	1.20
Never heard/used	151E3	95.32

Frequency Missing = 8088.0681743

<b>AGE WHEN FIRST USED SHIMERON</b>		
<b>Q14G Frequency Percent</b>		
Never heard/used	158E3	100.00

Frequency Missing = 8975.1966999

<b>AGE WHEN FIRST USED INHALANTS</b>		
<b>Q14H Frequency Percent</b>		
7 or younger	1490	0.94
8 years old	1023	0.64
9 years old	1234	0.78
10 years old	1715	1.08
11 years old	1747	1.10
12 or older	1705	1.08
Never heard/used	15E4	94.38

Frequency Missing = 8144.8006377

<b>AGE WHEN FIRST USED MARIJUANA</b>		
<b>Q14I Frequency Percent</b>		
7 or younger	361	0.23
8 years old	241	0.15
9 years old	293	0.18
10 years old	244	0.15
11 years old	465	0.29
12 or older	1051	0.66
Never heard/used	157E3	98.33

Frequency Missing = 7374.7490468

<b>CLOSE FRIENDS USE CIGARETTES</b>		
<b>Q15A Frequency Percent</b>		
Never heard of	7322	4.54
None	133E3	82.17
Some	19807	12.28
Most	1615	1.00

Frequency Missing = 5470.1879179

<b>CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO</b>		
<b>Q15B Frequency Percent</b>		
Never heard of	12937	8.18
None	138E3	87.24
Some	6307	3.99
Most	944	0.60

Frequency Missing = 8520.7311424

<b>CLOSE FRIENDS USE BEER</b>		
<b>Q15C Frequency Percent</b>		
Never heard of	4547	2.90
None	121E3	77.39
Some	26180	16.72
Most	4671	2.98

Frequency Missing = 10165.091666

<b>CLOSE FRIENDS USE WINE COOLERS</b>		
<b>Q15D Frequency Percent</b>		
Never heard of	19635	12.50
None	118E3	75.34
Some	15752	10.03
Most	3359	2.14

Frequency Missing = 9605.9450749

<b>CLOSE FRIENDS USE WINE</b>		
<b>Q15E Frequency Percent</b>		
Never heard of	9344	6.02
None	129E3	83.25
Some	14413	9.29
Most	2228	1.44

Frequency Missing = 11587.933943

<b>CLOSE FRIENDS USE LIQUOR</b>		
<b>Q15F Frequency Percent</b>		
Never heard of	15287	9.76
None	128E3	81.78
Some	10963	7.00
Most	2267	1.45

Frequency Missing = 10164.529446

<b>CLOSE FRIENDS USE SHIMERON</b>		
<b>Q15G Frequency Percent</b>		
Never heard of	73572	46.96
None	81231	51.85
Some	1425	0.91
Most	443	0.28

Frequency Missing = 10044.829517

<b>CLOSE FRIENDS USE INHALANTS</b>		
<b>Q15H Frequency Percent</b>		
Never heard of	12785	8.15
None	128E3	81.35
Some	12726	8.12
Most	3740	2.39

Frequency Missing = 9899.2562244

<b>CLOSE FRIENDS USE MARIJUANA</b>		
<b>Q15I Frequency Percent</b>		
Never heard of	16850	10.67
None	129E3	81.60
Some	9362	5.93
Most	2857	1.81

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6  
Spring 2008**

Frequency Missing = 8767.9028649

<b>EVER BEEN OFFERED CIGARETTES</b>		
<b>Q16a</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	7613	4.73
No	137E3	85.08
Yes	16388	10.19

Frequency Missing = 5860.7359723

<b>EVER BEEN OFFERED SNUFF/CHEWING TOBACCO</b>		
<b>Q16b</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	13522	8.56
No	139E3	88.24
Yes	5057	3.20

Frequency Missing = 8736.560116

<b>EVER BEEN OFFERED BEER</b>		
<b>Q16c</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	4929	3.13
No	125E3	79.39
Yes	27559	17.49

Frequency Missing = 9107.897961

<b>EVER BEEN OFFERED WINE COOLERS</b>		
<b>Q16d</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	19202	12.28
No	124E3	79.10
Yes	13460	8.61

Frequency Missing = 10403.013288

<b>EVER BEEN OFFERED WINE</b>		
<b>Q16e</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	9658	6.19
No	133E3	85.44
Yes	13051	8.37

Frequency Missing = 10759.756499

<b>EVER BEEN OFFERED LIQUOR</b>		
<b>Q16f</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	14708	9.45
No	132E3	84.74
Yes	9041	5.81

Frequency Missing = 11074.883926

<b>EVER BEEN OFFERED SHIMERON</b>		
<b>Q16g</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	69647	44.76
No	84444	54.26
Yes	1526	0.98

Frequency Missing = 11098.438931

<b>EVER BEEN OFFERED INHALANTS</b>		
<b>Q16h</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	12871	8.27
No	133E3	85.67
Yes	9441	6.06

Frequency Missing = 11010.770338

<b>EVER BEEN OFFERED MARIJUANA</b>		
<b>Q16i</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	15888	10.08
No	133E3	84.32
Yes	8841	5.61

Frequency Missing = 9027.7225559

<b>IS ALCOHOL OBTAINED FROM HOME</b>		
<b>Q17a</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	121E3	77.56
No	24087	15.43
Yes	10930	7.00

Frequency Missing = 10644.053697

<b>IS ALCOHOL OBTAINED FROM FRIENDS</b>		
<b>Q17b</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	118E3	77.34
No	29581	19.31
Yes	5135	3.35

Frequency Missing = 13530.288866

<b>IS ALCOHOL OBTAINED SOMEWHERE ELSE</b>		
<b>Q17c</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	118E3	76.05
No	24295	15.71
Yes	12748	8.24

Frequency Missing = 12024.659943

<b>DANGEROUS FOR KIDS TO USE CIGARETTES</b>		
	<b>Q18A Frequency</b>	<b>Percent</b>
Very dangerous	103E3	65.36
Dangerous	36774	23.38
Not at all	2374	1.51
Don't know	10810	6.87
Never heard of	4525	2.88

Frequency Missing = 9444.7441884

<b>DANGEROUS TO USE SNUFF/CHEWING TOBACCO</b>		
	<b>Q18B Frequency</b>	<b>Percent</b>
Very dangerous	11E4	70.96
Dangerous	23042	14.88
Not at all	2035	1.31
Don't know	11071	7.15
Never heard of	8822	5.70

Frequency Missing = 11845.611953

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6  
Spring 2008**

<b>DANGEROUS FOR KIDS TO USE BEER</b>		
	<b>Q18C</b>	<b>Frequency Percent</b>
<b>Very dangerous</b>	82986	53.85
<b>Dangerous</b>	46831	30.39
<b>Not at all</b>	7545	4.90
<b>Don't know</b>	14115	9.16
<b>Never heard of</b>	2634	1.71

Frequency Missing = 12603.83655

<b>DANGEROUS FOR KIDS TO USE WINE COOLERS</b>		
	<b>Q18D</b>	<b>Frequency Percent</b>
<b>Very dangerous</b>	81828	53.25
<b>Dangerous</b>	32328	21.04
<b>Not at all</b>	7894	5.14
<b>Don't know</b>	16967	11.04
<b>Never heard of</b>	14650	9.53

Frequency Missing = 13047.778348

<b>DANGEROUS FOR KIDS TO USE WINE</b>		
	<b>Q18E</b>	<b>Frequency Percent</b>
<b>Very dangerous</b>	85011	55.69
<b>Dangerous</b>	38168	25.00
<b>Not at all</b>	7500	4.91
<b>Don't know</b>	15978	10.47
<b>Never heard of</b>	6003	3.93

Frequency Missing = 14054.83686

<b>DANGEROUS FOR KIDS TO USE LIQUOR</b>		
	<b>Q18F</b>	<b>Frequency Percent</b>
<b>Very dangerous</b>	97533	63.68
<b>Dangerous</b>	28592	18.67
<b>Not at all</b>	3524	2.30
<b>Don't know</b>	13109	8.56
<b>Never heard of</b>	10400	6.79

Frequency Missing = 13556.924215

<b>DANGEROUS FOR KIDS TO USE SHIMERON</b>		
	<b>Q18G</b>	<b>Frequency Percent</b>
<b>Very dangerous</b>	63229	41.26
<b>Dangerous</b>	9522	6.21
<b>Not at all</b>	1200	0.78
<b>Don't know</b>	13308	8.69
<b>Never heard of</b>	65970	43.05

Frequency Missing = 13484.081254

<b>DANGEROUS FOR KIDS TO USE INHALANTS</b>		
	<b>Q18H</b>	<b>Frequency Percent</b>
<b>Very dangerous</b>	101E3	65.87
<b>Dangerous</b>	25188	16.42
<b>Not at all</b>	4493	2.93
<b>Don't know</b>	13537	8.83
<b>Never heard of</b>	9129	5.95

Frequency Missing = 13320.22097

<b>DANGEROUS FOR KIDS TO USE MARIJUANA</b>		
	<b>Q18I</b>	<b>Frequency Percent</b>
<b>Very dangerous</b>	12E4	77.70
<b>Dangerous</b>	12180	7.87
<b>Not at all</b>	2162	1.40
<b>Don't know</b>	9029	5.83
<b>Never heard of</b>	11138	7.20

Frequency Missing = 11943.604373

<b>DRUG/ALCOHOL INFO FROM TEACHER</b>		
	<b>Q19a</b>	<b>Frequency Percent</b>
<b>No</b>	49691	32.74
<b>Yes</b>	102E3	67.26

Frequency Missing = 14943.290822

<b>DRUG/ALC INFO FROM VISITOR TO CLASS</b>		
	<b>Q19b</b>	<b>Frequency Percent</b>
<b>No</b>	65932	44.07
<b>Yes</b>	83675	55.93

Frequency Missing = 17107.802341

<b>DRUG/ALC INFO FROM ASSEMBLY PROGRAM</b>		
	<b>Q19c</b>	<b>Frequency Percent</b>
<b>No</b>	55824	37.20
<b>Yes</b>	94226	62.80

Frequency Missing = 16664.667504

<b>DRUG/ALC INFO FROM GUIDE COUNSELOR</b>		
	<b>Q19d</b>	<b>Frequency Percent</b>
<b>No</b>	40776	26.78
<b>Yes</b>	111E3	73.22

Frequency Missing = 14478.754464

<b>DRUG/ALC INF FROM SOMEONE ELSE AT SCHOOL</b>		
	<b>Q19e</b>	<b>Frequency Percent</b>
<b>No</b>	77283	51.37
<b>Yes</b>	73164	48.63

Frequency Missing = 16267.224933

<b>BEER, TWO OR MORE AT ONE TIME</b>		
	<b>Q20a</b>	<b>Frequency Percent</b>
<b>Never</b>	135E3	86.73
<b>1 time</b>	12018	7.70
<b>2 times</b>	4236	2.71
<b>3+ times</b>	4470	2.86

Frequency Missing = 10556.662477

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6  
Spring 2008**

**WINE COOLERS, TWO  
OR MORE AT ONE TIME**

<b>Q20b Frequency Percent</b>		
Never	14E4	91.59
1 time	6813	4.46
2 times	2955	1.93
3+ times	3085	2.02

Frequency Missing = 13911.389328

**WINE, TWO OR MORE  
AT ONE TIME**

<b>Q20c Frequency Percent</b>		
Never	14E4	91.46
1 time	8118	5.31
2 times	2596	1.70
3+ times	2353	1.54

Frequency Missing = 13795.734803

**LIQUOR, TWO OR MORE  
AT ONE TIME**

<b>Q20d Frequency Percent</b>		
Never	146E3	94.98
1 time	3917	2.55
2 times	1618	1.05
3+ times	2181	1.42

Frequency Missing = 12914.558576

**MISSED SCHOOL  
WITHOUT PARENT'S  
CONSENT**

<b>Q21 Frequency Percent</b>		
No	151E3	95.44
Yes	7213	4.56

Frequency Missing = 8393.4756276

**SENT TO  
PRINCIPAL/DEAN  
SINCE SEPTEMBER**

<b>Q22 Frequency Percent</b>		
No	119E3	74.44
Yes	40705	25.56

Frequency Missing = 7479.6362626

**PARENTS FEEL ABOUT KIDS  
SMOKING CIGARETTES**

<b>Q23 Frequency Percent</b>		
Don't like it	137E3	86.86
Don't care	2220	1.40
Think it's O.K.	772	0.49
Don't know	17791	11.25

Frequency Missing = 8599.1306514

**PARENTS FEEL ABOUT KIDS  
DRINKING BEER**

<b>Q24 Frequency Percent</b>		
Don't like it	132E3	83.28
Don't care	3689	2.33
Think it's O.K.	1557	0.98
Don't know	21201	13.40

Frequency Missing = 8508.7685096

**PARENTS FEEL ABOUT KIDS  
USING MARIJUANA**

<b>q25 Frequency Percent</b>		
Don't like it	138E3	87.35
Don't care	1864	1.18
Think it's O.K.	612	0.39
Don't know	17551	11.09

Frequency Missing = 8397.2362629