
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2022



BORDER REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	109

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in border regions of the state. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	11.0%	13.9%	22.7%	77.3%
Grade 7	4.4%	5.3%	11.4%	88.6%
Grade 8	6.0%	7.8%	13.8%	86.2%
Grade 9	12.5%	15.0%	23.5%	76.5%
Grade 10	10.8%	14.8%	26.2%	73.8%
Grade 11	15.0%	19.1%	29.2%	70.8%
Grade 12	16.2%	19.7%	30.0%	70.0%
Cigarettes?				
All	2.3%	3.6%	9.0%	91.0%
Grade 7	0.5%	0.9%	3.7%	96.3%
Grade 8	1.2%	2.0%	4.8%	95.2%
Grade 9	2.8%	3.3%	7.4%	92.6%
Grade 10	1.1%	2.3%	9.5%	90.5%
Grade 11	2.8%	5.8%	12.4%	87.6%
Grade 12	5.0%	6.7%	15.4%	84.6%
Smokeless Tobacco?				
All	1.0%	1.4%	3.4%	96.6%
Grade 7	0.2%	0.5%	1.4%	98.6%
Grade 8	0.6%	1.0%	2.1%	97.9%
Grade 9	1.6%	1.7%	3.2%	96.8%
Grade 10	0.5%	0.6%	2.4%	97.6%
Grade 11	0.9%	1.5%	3.8%	96.2%
Grade 12	2.4%	3.3%	7.0%	93.0%
Electronic Vapor Products?				
All	8.3%	11.2%	19.9%	80.1%
Grade 7	2.8%	3.9%	9.2%	90.8%
Grade 8	4.3%	6.3%	11.9%	88.1%
Grade 9	10.2%	12.4%	21.0%	79.0%
Grade 10	8.1%	12.4%	23.4%	76.6%
Grade 11	11.8%	15.6%	26.8%	73.2%
Grade 12	11.1%	15.2%	25.0%	75.0%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	92.5%	0.4%	0.5%	0.7%	1.7%	1.4%	2.7%
Grade 7	97.9%	0.0%	0.2%	0.2%	0.6%	0.5%	0.5%
Grade 8	96.5%	0.2%	0.2%	0.3%	0.6%	0.6%	1.6%
Grade 9	94.7%	0.6%	0.1%	1.0%	1.6%	0.5%	1.4%
Grade 10	91.5%	0.0%	0.4%	0.6%	0.9%	2.5%	4.0%
Grade 11	87.9%	0.5%	1.0%	1.0%	3.5%	1.9%	4.2%
Grade 12	87.1%	0.8%	0.7%	1.2%	3.0%	2.5%	4.7%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.6	11.3	11.6	12.3	13.4	14.0	15.0

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	44.8%	19.0%	6.5%	9.1%	10.4%	10.1%
Grade 7	54.7%	24.9%	6.7%	6.1%	4.3%	3.2%
Grade 8	47.1%	25.3%	7.7%	7.8%	6.4%	5.6%
Grade 9	44.9%	19.2%	5.9%	10.2%	9.7%	10.1%
Grade 10	41.9%	18.8%	6.5%	11.1%	11.8%	9.9%
Grade 11	40.2%	15.4%	5.1%	11.0%	12.1%	16.2%
Grade 12	41.5%	11.3%	7.3%	7.9%	17.5%	14.5%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	83.2%	10.7%	4.1%	1.5%	0.5%
Grade 7	92.7%	5.1%	1.5%	0.4%	0.3%
Grade 8	89.0%	7.6%	2.1%	0.9%	0.4%
Grade 9	84.3%	9.1%	4.6%	1.0%	1.0%
Grade 10	82.2%	12.6%	4.3%	0.7%	0.2%
Grade 11	76.1%	15.7%	4.4%	3.3%	0.5%
Grade 12	76.0%	13.4%	7.0%	2.7%	0.8%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.6%	5.7%	4.8%	0.8%	0.6%	9.5%
Grade 7	80.1%	3.2%	3.1%	0.3%	0.2%	13.1%
Grade 8	83.0%	3.9%	3.6%	0.4%	0.4%	8.7%
Grade 9	76.8%	6.4%	5.4%	0.7%	1.1%	9.6%
Grade 10	81.3%	5.3%	5.2%	0.6%	0.3%	7.3%
Grade 11	77.4%	7.0%	4.8%	1.7%	0.0%	9.0%
Grade 12	73.8%	7.7%	6.6%	0.9%	1.3%	9.7%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	68.1%	19.4%	5.0%	1.2%	6.4%
Grade 7	80.5%	12.6%	1.9%	0.6%	4.5%
Grade 8	74.4%	15.7%	3.6%	0.9%	5.3%
Grade 9	64.0%	21.9%	6.4%	1.8%	5.9%
Grade 10	70.2%	20.3%	3.2%	1.0%	5.3%
Grade 11	63.6%	20.5%	7.3%	1.4%	7.1%
Grade 12	57.6%	24.0%	7.2%	1.2%	10.0%
Electronic Vapor Products?					
All	64.8%	16.4%	8.6%	3.4%	6.8%
Grade 7	76.5%	11.3%	4.7%	2.2%	5.3%
Grade 8	71.1%	14.0%	6.9%	2.5%	5.4%
Grade 9	60.1%	16.4%	11.2%	4.9%	7.4%
Grade 10	63.7%	17.8%	10.1%	3.1%	5.4%
Grade 11	60.7%	18.1%	9.6%	3.8%	7.8%
Grade 12	58.8%	20.0%	8.3%	3.8%	9.1%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	22.1%	25.8%	40.9%	59.1%
Grade 7	13.9%	15.4%	28.0%	72.0%
Grade 8	14.7%	17.7%	32.4%	67.6%
Grade 9	21.5%	24.1%	38.3%	61.7%
Grade 10	22.7%	26.5%	44.7%	55.3%
Grade 11	27.3%	32.7%	48.2%	51.8%
Grade 12	31.3%	37.1%	52.0%	48.0%
Beer?				
All	8.3%	12.7%	32.1%	67.9%
Grade 7	3.9%	4.8%	21.6%	78.4%
Grade 8	4.8%	7.4%	24.3%	75.7%
Grade 9	8.7%	12.2%	31.2%	68.8%
Grade 10	7.8%	12.5%	34.8%	65.2%
Grade 11	11.1%	18.5%	38.3%	61.7%
Grade 12	12.4%	19.7%	40.8%	59.2%
Wine Coolers?				
All	6.7%	10.3%	22.1%	77.9%
Grade 7	1.8%	2.4%	9.7%	90.3%
Grade 8	2.9%	4.3%	13.9%	86.1%
Grade 9	6.1%	9.5%	19.5%	80.5%
Grade 10	6.2%	10.1%	24.2%	75.8%
Grade 11	10.3%	15.7%	30.5%	69.5%
Grade 12	11.8%	18.4%	33.4%	66.6%
Wine?				
All	4.6%	7.4%	22.5%	77.5%
Grade 7	1.7%	2.4%	12.0%	88.0%
Grade 8	2.7%	4.2%	16.9%	83.1%
Grade 9	4.7%	7.0%	21.2%	78.8%
Grade 10	4.3%	7.0%	24.1%	75.9%
Grade 11	5.4%	11.0%	28.1%	71.9%
Grade 12	8.1%	12.2%	31.4%	68.6%
Liquor?				
All	7.8%	12.1%	25.3%	74.7%
Grade 7	1.6%	2.0%	8.7%	91.3%
Grade 8	3.6%	5.7%	15.9%	84.1%
Grade 9	7.4%	10.0%	22.3%	77.7%
Grade 10	9.3%	13.7%	29.1%	70.9%
Grade 11	11.0%	19.7%	34.4%	65.6%
Grade 12	13.1%	20.2%	39.2%	60.8%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	72.2%	0.1%	1.1%	4.2%	7.5%	8.2%	6.7%
Grade 7	86.8%	0.1%	0.9%	1.1%	2.8%	3.9%	4.4%
Grade 8	82.6%	0.1%	0.4%	2.3%	5.0%	4.3%	5.3%
Grade 9	75.9%	0.2%	0.8%	3.5%	5.4%	7.2%	7.1%
Grade 10	68.4%	0.2%	0.5%	4.0%	8.9%	9.9%	8.0%
Grade 11	62.0%	0.0%	1.9%	7.5%	10.7%	10.6%	7.3%
Grade 12	59.0%	0.2%	1.8%	6.5%	11.9%	12.7%	7.9%

2022
Border Report

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	73.1%	26.9%	4.5%	13.2%	9.2%
	Grade 7	82.3%	17.7%	1.0%	7.6%	9.1%
	Grade 8	79.7%	20.3%	1.9%	8.8%	9.6%
	Grade 9	74.4%	25.6%	3.0%	12.3%	10.3%
	Grade 10	71.9%	28.1%	4.1%	15.2%	8.8%
	Grade 11	66.0%	34.0%	7.4%	16.9%	9.7%
	Grade 12	65.7%	34.3%	8.9%	17.8%	7.6%
Wine Coolers						
	All	80.7%	19.3%	3.1%	11.1%	5.1%
	Grade 7	92.2%	7.8%	0.5%	4.4%	2.9%
	Grade 8	88.5%	11.5%	1.4%	6.1%	3.9%
	Grade 9	84.3%	15.7%	1.6%	7.8%	6.3%
	Grade 10	77.3%	22.7%	3.6%	13.7%	5.4%
	Grade 11	72.6%	27.4%	6.1%	15.2%	6.1%
	Grade 12	70.8%	29.2%	5.0%	18.9%	5.3%
Wine						
	All	80.9%	19.1%	1.1%	9.6%	8.4%
	Grade 7	89.7%	10.3%	0.5%	4.0%	5.9%
	Grade 8	86.4%	13.6%	0.4%	5.2%	7.9%
	Grade 9	82.1%	17.9%	0.5%	9.0%	8.5%
	Grade 10	79.2%	20.8%	1.6%	10.6%	8.6%
	Grade 11	76.0%	24.0%	1.8%	13.0%	9.2%
	Grade 12	73.2%	26.8%	1.5%	15.3%	10.1%
Liquor						
	All	77.3%	22.7%	4.5%	12.0%	6.2%
	Grade 7	92.5%	7.5%	0.3%	3.3%	3.9%
	Grade 8	86.8%	13.2%	1.8%	6.8%	4.6%
	Grade 9	80.1%	19.9%	2.0%	11.4%	6.4%
	Grade 10	73.5%	26.5%	6.4%	13.3%	6.7%
	Grade 11	68.6%	31.4%	8.2%	15.8%	7.3%
	Grade 12	64.4%	35.6%	7.7%	20.2%	7.6%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	92.7%	3.2%	1.4%	1.3%	0.5%	0.8%
Grade 7	96.8%	1.5%	0.6%	0.4%	0.1%	0.6%
Grade 8	96.1%	1.6%	1.0%	0.4%	0.1%	0.8%
Grade 9	94.4%	2.1%	0.8%	1.3%	0.7%	0.7%
Grade 10	92.0%	4.2%	1.7%	0.6%	0.6%	0.9%
Grade 11	91.1%	4.2%	1.8%	1.5%	0.9%	0.6%
Grade 12	86.7%	5.6%	2.5%	3.6%	0.4%	1.2%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.3	10.2	11.1	12.3	13.5	14.2	15.3

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	37.1%	12.8%	5.9%	9.5%	15.9%	18.7%
Grade 7	47.9%	19.2%	6.5%	7.9%	10.4%	8.2%
Grade 8	39.6%	19.0%	6.3%	10.1%	12.3%	12.6%
Grade 9	37.4%	13.4%	5.1%	10.8%	15.0%	18.3%
Grade 10	35.1%	10.3%	6.7%	10.2%	17.5%	20.2%
Grade 11	31.4%	10.2%	4.6%	9.4%	18.4%	26.0%
Grade 12	33.0%	5.7%	6.7%	8.2%	21.2%	25.2%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.8%	1.7%	0.2%	0.2%
Grade 7	98.1%	1.5%	0.3%	0.1%
Grade 8	97.8%	1.7%	0.2%	0.3%
Grade 9	97.7%	2.0%	0.2%	0.0%
Grade 10	98.2%	1.4%	0.0%	0.3%
Grade 11	97.5%	2.1%	0.4%	0.0%
Grade 12	97.6%	1.5%	0.2%	0.6%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	6.0
Alcohol Non-Users	4.6
Average Days Conduct Problems Reported	
Alcohol Users	2.4
Alcohol Non-Users	0.9

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	97.6%	1.7%	0.5%	0.3%
Grade 9	98.9%	0.7%	0.2%	0.2%
Grade 10	98.5%	1.2%	0.4%	0.0%
Grade 11	96.2%	2.7%	1.0%	0.2%
Grade 12	96.6%	2.3%	0.3%	0.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	98.2%	1.7%	0.0%	0.0%
Grade 7	98.9%	0.9%	0.1%	0.1%
Grade 8	98.6%	1.2%	0.2%	0.0%
Grade 9	97.8%	2.2%	0.0%	0.0%
Grade 10	99.0%	1.0%	0.0%	0.0%
Grade 11	97.2%	2.7%	0.0%	0.1%
Grade 12	97.8%	2.2%	0.0%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	61.1%	20.7%	9.3%	6.9%	2.1%
Grade 7	81.2%	12.2%	4.0%	2.1%	0.4%
Grade 8	75.8%	14.4%	6.3%	2.7%	0.8%
Grade 9	59.8%	21.9%	11.1%	5.2%	2.0%
Grade 10	57.0%	22.9%	11.0%	7.7%	1.4%
Grade 11	47.9%	24.9%	11.9%	11.9%	3.4%
Grade 12	49.0%	26.0%	9.9%	10.9%	4.2%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	57.6%	5.2%	4.7%	7.6%	8.2%	1.9%	14.8%
Grade 7	74.5%	4.1%	3.7%	3.8%	3.2%	2.0%	8.7%
Grade 8	70.9%	5.0%	3.5%	4.3%	3.0%	2.3%	11.0%
Grade 9	59.0%	5.2%	4.2%	7.9%	4.8%	2.9%	15.9%
Grade 10	50.7%	5.9%	4.9%	9.7%	8.6%	1.1%	19.0%
Grade 11	48.0%	6.0%	6.9%	9.1%	13.8%	1.2%	15.1%
Grade 12	45.0%	4.8%	5.0%	10.0%	15.2%	2.0%	17.9%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	68.9%	14.7%	10.1%	4.3%	1.9%
	Grade 7	79.6%	11.3%	5.7%	2.7%	0.7%
	Grade 8	73.9%	14.7%	7.3%	3.4%	0.7%
	Grade 9	70.2%	16.8%	8.3%	3.3%	1.5%
	Grade 10	66.0%	16.9%	10.5%	4.4%	2.2%
	Grade 11	62.7%	14.1%	15.2%	5.3%	2.7%
	Grade 12	62.5%	13.5%	13.3%	6.9%	3.7%
Friends?						
	All	68.0%	16.7%	8.6%	4.8%	1.9%
	Grade 7	81.0%	14.4%	2.3%	2.0%	0.3%
	Grade 8	76.9%	16.7%	3.9%	2.1%	0.4%
	Grade 9	67.0%	19.5%	9.0%	2.9%	1.6%
	Grade 10	64.2%	17.9%	9.8%	6.3%	1.8%
	Grade 11	61.2%	15.4%	12.5%	7.9%	2.9%
	Grade 12	59.6%	16.0%	12.8%	7.2%	4.4%
A Store?						
	All	70.7%	23.6%	2.8%	1.7%	1.2%
	Grade 7	82.3%	16.2%	0.8%	0.5%	0.2%
	Grade 8	76.9%	19.4%	2.3%	0.7%	0.7%
	Grade 9	70.2%	26.0%	1.9%	1.1%	0.7%
	Grade 10	67.0%	28.1%	2.2%	1.1%	1.6%
	Grade 11	65.8%	24.1%	5.0%	3.8%	1.3%
	Grade 12	63.5%	26.5%	4.7%	2.9%	2.4%
Parties?						
	All	66.2%	13.3%	7.8%	7.4%	5.2%
	Grade 7	78.3%	12.6%	4.4%	3.0%	1.7%
	Grade 8	73.1%	14.9%	5.3%	4.7%	2.0%
	Grade 9	64.6%	17.8%	7.1%	6.6%	4.0%
	Grade 10	62.1%	12.2%	10.7%	8.9%	6.1%
	Grade 11	62.4%	9.6%	9.5%	11.2%	7.3%
	Grade 12	58.8%	12.4%	9.5%	9.7%	9.6%
Other Sources?						
	All	72.2%	19.1%	4.3%	2.6%	1.8%
	Grade 7	81.7%	13.7%	2.4%	1.6%	0.6%
	Grade 8	76.7%	16.9%	3.5%	1.5%	1.4%
	Grade 9	70.0%	20.9%	4.4%	3.0%	1.7%
	Grade 10	70.1%	22.5%	4.2%	2.1%	1.1%
	Grade 11	70.5%	17.7%	5.8%	3.2%	2.8%
	Grade 12	65.3%	22.2%	5.4%	3.7%	3.4%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	59.4%	13.2%	13.5%	4.1%	0.9%	8.9%
Grade 7	68.9%	8.5%	6.3%	2.4%	0.6%	13.2%
Grade 8	68.5%	10.6%	9.1%	2.2%	0.6%	9.0%
Grade 9	58.9%	14.0%	13.6%	2.8%	1.2%	9.5%
Grade 10	59.0%	14.8%	14.9%	4.4%	1.0%	6.0%
Grade 11	55.1%	15.0%	16.3%	5.7%	0.3%	7.5%
Grade 12	47.5%	15.8%	19.4%	6.7%	1.7%	8.8%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	53.1%	27.2%	12.5%	2.3%	4.9%
Grade 7	60.1%	22.7%	11.9%	2.0%	3.4%
Grade 8	57.1%	25.2%	11.7%	1.9%	4.1%
Grade 9	53.6%	23.6%	14.1%	3.5%	5.1%
Grade 10	51.5%	29.1%	12.2%	2.7%	4.5%
Grade 11	48.2%	29.7%	14.4%	1.9%	5.9%
Grade 12	48.7%	32.7%	10.3%	1.9%	6.4%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	10.9%	14.0%	17.5%	82.5%
Grade 7	3.5%	4.7%	5.9%	94.1%
Grade 8	5.1%	7.3%	9.2%	90.8%
Grade 9	10.1%	11.8%	14.3%	85.7%
Grade 10	10.6%	14.4%	19.3%	80.7%
Grade 11	17.4%	21.6%	26.6%	73.4%
Grade 12	17.3%	22.8%	28.5%	71.5%
Marijuana?				
All	10.3%	12.0%	15.6%	84.4%
Grade 7	3.0%	3.3%	4.2%	95.8%
Grade 8	4.6%	5.5%	7.1%	92.9%
Grade 9	9.6%	10.3%	12.3%	87.7%
Grade 10	10.0%	11.6%	17.1%	82.9%
Grade 11	17.0%	19.0%	24.6%	75.4%
Grade 12	16.5%	21.1%	26.7%	73.3%
Cocaine?				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.9%	1.1%	1.1%	98.9%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.4%	0.7%	1.5%	98.5%
Grade 12	1.3%	1.4%	3.0%	97.0%
Crack?				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.4%	0.4%	0.6%	99.4%
Hallucinogens?				
All	0.8%	1.1%	2.6%	97.4%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	0.8%	1.0%	1.9%	98.1%
Grade 10	0.3%	1.0%	2.3%	97.7%
Grade 11	2.3%	2.4%	5.3%	94.7%
Grade 12	0.7%	1.4%	4.7%	95.3%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids?				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.4%	0.7%	1.3%	98.7%
Grade 12	0.4%	0.5%	0.8%	99.2%
Ecstasy?				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.2%	0.4%	1.2%	98.8%
Grade 11	1.0%	1.3%	1.9%	98.1%
Grade 12	0.1%	0.5%	2.4%	97.6%
Heroin?				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.3%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.4%	99.6%
Methamphetamine?				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.2%	0.5%	99.5%
Grade 11	0.5%	0.5%	1.4%	98.6%
Grade 12	0.0%	0.1%	0.5%	99.5%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.8%	1.2%	2.1%	97.9%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	1.1%	1.1%	1.6%	98.4%
Grade 10	0.2%	0.7%	2.0%	98.0%
Grade 11	2.1%	3.0%	4.5%	95.5%
Grade 12	0.9%	1.3%	2.5%	97.5%
Delta 8?				
All	2.0%	2.9%	4.2%	95.8%
Grade 7	0.5%	0.7%	1.1%	98.9%
Grade 8	0.7%	0.9%	1.7%	98.3%
Grade 9	2.2%	3.0%	3.7%	96.3%
Grade 10	1.7%	2.3%	4.5%	95.5%
Grade 11	3.4%	5.5%	7.6%	92.4%
Grade 12	3.2%	4.4%	6.4%	93.6%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	87.5%	1.1%	1.8%	2.0%	2.6%	2.4%	2.5%
	Grade 7	97.1%	0.1%	0.4%	0.5%	0.7%	0.3%	0.9%
	Grade 8	95.1%	0.6%	0.8%	0.8%	0.9%	1.0%	0.8%
	Grade 9	90.1%	1.3%	1.2%	1.8%	2.8%	1.5%	1.4%
	Grade 10	84.9%	0.4%	2.4%	1.6%	3.0%	3.0%	4.7%
	Grade 11	78.4%	2.5%	3.8%	4.3%	4.1%	4.2%	2.7%
	Grade 12	80.6%	1.7%	1.9%	3.1%	3.7%	4.3%	4.7%
Cocaine?								
	All	99.2%	0.0%	0.0%	0.1%	0.2%	0.2%	0.3%
	Grade 7	99.6%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 9	99.0%	0.0%	0.0%	0.0%	0.3%	0.6%	0.1%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.2%	0.0%	0.2%
	Grade 11	99.4%	0.0%	0.1%	0.1%	0.3%	0.0%	0.1%
	Grade 12	98.2%	0.0%	0.0%	0.3%	0.0%	0.3%	1.2%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.8%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
Steroids?								
	All	99.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 10	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 11	99.2%	0.3%	0.0%	0.0%	0.2%	0.2%	0.1%
	Grade 12	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
Ecstasy?								
	All	99.2%	0.1%	0.0%	0.1%	0.1%	0.2%	0.3%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.2%	0.1%	0.1%
	Grade 10	98.9%	0.0%	0.0%	0.2%	0.0%	0.7%	0.2%
	Grade 11	98.6%	0.5%	0.0%	0.1%	0.3%	0.2%	0.3%
	Grade 12	98.7%	0.0%	0.0%	0.0%	0.0%	0.3%	1.0%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 8	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 11	99.1%	0.0%	0.0%	0.0%	0.0%	0.5%	0.4%
	Grade 12	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%
Synthetic Marijuana?								
	All	98.7%	0.0%	0.2%	0.2%	0.2%	0.4%	0.3%
	Grade 7	99.5%	0.0%	0.0%	0.0%	0.1%	0.3%	0.0%
	Grade 8	99.5%	0.0%	0.1%	0.1%	0.0%	0.2%	0.1%
	Grade 9	99.2%	0.0%	0.0%	0.3%	0.0%	0.3%	0.2%
	Grade 10	98.8%	0.1%	0.0%	0.0%	0.0%	0.5%	0.5%
	Grade 11	96.5%	0.1%	1.0%	0.2%	0.8%	0.8%	0.6%
	Grade 12	98.7%	0.0%	0.1%	0.3%	0.1%	0.2%	0.7%
Delta 8?								
	All	96.8%	0.1%	0.4%	0.7%	0.8%	0.5%	0.7%
	Grade 7	99.2%	0.1%	0.1%	0.1%	0.1%	0.3%	0.1%
	Grade 8	98.8%	0.1%	0.1%	0.3%	0.3%	0.2%	0.1%
	Grade 9	97.5%	0.2%	0.1%	0.9%	0.5%	0.5%	0.2%
	Grade 10	96.1%	0.0%	0.2%	1.0%	0.5%	0.9%	1.3%
	Grade 11	94.1%	0.1%	1.0%	1.2%	1.5%	0.7%	1.4%
	Grade 12	95.5%	0.1%	1.0%	0.6%	1.7%	0.5%	0.7%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.3	11.7	12.3	13.4	14.0	14.7	15.2
Cocaine	14.0	12.0	11.5	13.6	13.8	14.5	14.7
Crack	12.2	11.3	11.3	12.0	8.5	11.3	15.9
Steroids	12.9	10.6	12.5	13.8	12.8	12.6	15.3
Ecstasy	14.5	8.7	12.3	13.9	14.6	13.8	15.8
Heroin	11.3	11.2	9.9	12.9	12.9	10.4	9.6
Methamphetamine	13.2	10.0	11.2	10.0	14.9	13.9	13.8
Synthetic Marijuana	13.8	11.6	12.2	13.3	13.1	14.2	15.4
Delta 8?	15.0	11.7	12.6	13.6	14.5	15.3	16.8

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	42.6%	20.4%	6.7%	7.8%	10.2%	12.3%
	Grade 7	55.3%	27.8%	6.3%	4.5%	3.9%	2.2%
	Grade 8	46.5%	27.9%	7.5%	7.0%	5.9%	5.2%
	Grade 9	43.3%	20.9%	7.4%	7.5%	9.5%	11.5%
	Grade 10	39.5%	18.0%	6.9%	8.3%	13.3%	14.0%
	Grade 11	35.1%	16.4%	4.8%	9.8%	13.2%	20.7%
	Grade 12	37.4%	12.7%	7.0%	9.3%	14.7%	18.9%
Cocaine?							
	All	51.5%	28.0%	9.5%	5.6%	2.9%	2.5%
	Grade 7	58.3%	30.9%	5.8%	2.8%	1.3%	0.8%
	Grade 8	50.6%	33.2%	7.5%	4.3%	3.0%	1.4%
	Grade 9	51.0%	28.3%	9.2%	5.6%	3.4%	2.4%
	Grade 10	47.7%	28.5%	11.9%	6.6%	2.7%	2.6%
	Grade 11	49.2%	24.9%	10.8%	7.7%	3.9%	3.5%
	Grade 12	53.0%	22.9%	11.3%	6.0%	2.7%	4.1%
Crack?							
	All	53.6%	28.6%	9.1%	4.6%	2.2%	1.8%
	Grade 7	60.5%	29.9%	5.4%	2.4%	1.2%	0.6%
	Grade 8	52.9%	32.5%	7.4%	3.8%	2.2%	1.2%
	Grade 9	53.0%	28.4%	9.1%	5.0%	2.5%	1.9%
	Grade 10	49.9%	30.3%	10.8%	4.7%	2.5%	1.8%
	Grade 11	50.4%	27.0%	10.3%	6.8%	3.0%	2.5%
	Grade 12	55.6%	23.9%	11.2%	4.7%	1.7%	2.9%
Steroids?							
	All	55.3%	25.8%	8.4%	5.3%	2.8%	2.5%
	Grade 7	62.7%	27.3%	4.9%	2.6%	1.6%	0.8%
	Grade 8	55.5%	29.6%	6.2%	4.3%	2.2%	2.1%
	Grade 9	54.8%	26.3%	8.0%	6.7%	3.0%	1.2%
	Grade 10	52.5%	27.0%	9.6%	5.5%	2.1%	3.2%
	Grade 11	51.0%	23.7%	10.6%	6.3%	4.5%	3.9%
	Grade 12	56.0%	21.0%	10.5%	5.8%	3.1%	3.6%
Ecstasy?							
	All	61.6%	23.7%	6.8%	3.7%	2.1%	2.2%
	Grade 7	69.0%	23.8%	3.8%	1.8%	1.0%	0.6%
	Grade 8	62.3%	27.0%	4.7%	2.7%	1.8%	1.6%
	Grade 9	63.1%	23.2%	6.9%	3.3%	1.6%	1.8%
	Grade 10	59.6%	24.7%	7.4%	3.5%	1.7%	3.0%
	Grade 11	56.4%	22.4%	9.0%	6.0%	3.1%	3.1%
	Grade 12	59.9%	21.1%	8.3%	4.7%	3.2%	2.7%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	57.7%	28.0%	7.8%	3.6%	1.2%	1.8%
	Grade 7	66.2%	25.6%	4.2%	2.3%	1.0%	0.7%
	Grade 8	58.1%	29.9%	5.7%	3.3%	1.9%	1.2%
	Grade 9	59.1%	27.6%	7.1%	3.4%	1.5%	1.2%
	Grade 10	53.8%	29.2%	9.6%	4.0%	1.3%	2.0%
	Grade 11	53.3%	28.7%	9.1%	4.9%	1.1%	2.9%
	Grade 12	56.8%	26.7%	10.2%	3.4%	0.5%	2.4%
Methamphetamine?							
	All	59.7%	26.8%	7.2%	3.4%	1.2%	1.8%
	Grade 7	67.6%	24.7%	4.1%	2.0%	0.9%	0.7%
	Grade 8	60.5%	28.9%	4.8%	2.8%	1.7%	1.5%
	Grade 9	61.2%	25.6%	7.2%	4.0%	0.6%	1.4%
	Grade 10	58.1%	27.3%	8.1%	3.2%	1.7%	1.6%
	Grade 11	53.4%	28.6%	8.3%	4.8%	1.7%	3.2%
	Grade 12	58.4%	25.7%	10.1%	3.1%	0.4%	2.2%
Synthetic Marijuana?							
	All	61.3%	22.6%	5.9%	4.2%	3.0%	3.1%
	Grade 7	68.7%	23.5%	3.7%	1.8%	1.2%	1.0%
	Grade 8	62.1%	26.0%	4.8%	3.1%	2.0%	2.1%
	Grade 9	62.6%	21.4%	5.8%	4.6%	2.6%	2.9%
	Grade 10	58.9%	22.9%	7.9%	3.8%	3.9%	2.6%
	Grade 11	55.6%	21.1%	7.0%	4.9%	4.7%	6.6%
	Grade 12	60.5%	20.8%	5.8%	6.3%	3.5%	3.1%
Delta 8?							
	All	62.8%	20.1%	5.1%	3.7%	3.7%	4.6%
	Grade 7	68.9%	22.8%	3.3%	2.1%	1.7%	1.2%
	Grade 8	62.7%	24.3%	4.3%	3.5%	2.6%	2.5%
	Grade 9	64.4%	20.9%	4.2%	3.3%	2.9%	4.4%
	Grade 10	60.2%	19.7%	7.5%	3.1%	4.9%	4.5%
	Grade 11	57.4%	18.0%	5.6%	5.3%	5.2%	8.5%
	Grade 12	63.8%	15.6%	5.3%	4.9%	4.4%	6.0%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	94.4%	2.8%	0.8%	2.0%
Grade 7	98.3%	1.3%	0.1%	0.3%
Grade 8	97.3%	1.4%	0.5%	0.8%
Grade 9	95.6%	1.8%	0.4%	2.2%
Grade 10	94.3%	3.3%	0.9%	1.5%
Grade 11	88.8%	5.1%	1.4%	4.7%
Grade 12	92.5%	4.0%	1.3%	2.2%
Attended Class While High from Use of Some Other Drug?				
All	98.0%	1.2%	0.3%	0.5%
Grade 7	98.8%	0.9%	0.1%	0.2%
Grade 8	98.6%	1.0%	0.2%	0.2%
Grade 9	96.9%	2.2%	0.2%	0.7%
Grade 10	98.2%	1.2%	0.2%	0.4%
Grade 11	97.3%	1.0%	0.6%	1.1%
Grade 12	98.3%	1.0%	0.6%	0.0%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.8
Marijuana Non-Users	4.8
Average Days Conduct Problems Reported	
Marijuana Users	3.5
Marijuana Non-Users	1.1

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	96.4%	2.6%	0.5%	0.6%
Grade 9	98.9%	0.7%	0.1%	0.3%
Grade 10	97.7%	2.1%	0.0%	0.2%
Grade 11	93.0%	5.1%	1.1%	0.8%
Grade 12	96.0%	2.6%	0.5%	0.9%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.6%	2.0%	0.4%	0.0%
Grade 7	98.8%	0.9%	0.2%	0.1%
Grade 8	97.9%	1.7%	0.3%	0.0%
Grade 9	97.8%	1.4%	0.8%	0.0%
Grade 10	97.2%	2.5%	0.2%	0.0%
Grade 11	96.1%	2.9%	1.0%	0.0%
Grade 12	97.8%	2.2%	0.0%	0.0%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	70.5%	15.4%	7.0%	5.3%	1.8%
Grade 7	89.2%	7.5%	1.8%	0.8%	0.7%
Grade 8	82.8%	10.4%	3.9%	2.1%	0.7%
Grade 9	70.3%	15.0%	8.2%	4.7%	1.7%
Grade 10	66.5%	18.6%	7.2%	6.1%	1.6%
Grade 11	57.8%	20.2%	9.1%	9.5%	3.4%
Grade 12	59.6%	18.9%	10.7%	8.1%	2.7%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	65.4%	4.5%	3.3%	4.8%	4.8%	2.4%	14.9%
Grade 7	83.8%	2.3%	1.6%	0.8%	0.7%	2.2%	8.7%
Grade 8	80.0%	3.1%	1.2%	1.5%	1.2%	1.8%	11.2%
Grade 9	66.0%	4.5%	3.5%	4.4%	2.5%	2.8%	16.3%
Grade 10	56.9%	5.9%	4.3%	6.4%	5.5%	1.6%	19.3%
Grade 11	56.1%	4.6%	5.2%	7.7%	9.4%	1.8%	15.1%
Grade 12	52.7%	6.0%	3.6%	7.2%	8.8%	3.9%	17.8%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.7%	6.4%	6.6%	1.5%	1.1%	8.7%
Grade 7	80.6%	2.3%	3.2%	0.5%	0.4%	12.9%
Grade 8	82.1%	4.1%	4.3%	0.7%	0.6%	8.0%
Grade 9	74.7%	6.6%	6.9%	0.5%	1.8%	9.5%
Grade 10	77.8%	7.7%	6.9%	1.0%	0.8%	5.8%
Grade 11	73.2%	7.1%	8.0%	3.3%	0.9%	7.4%
Grade 12	67.0%	10.1%	9.7%	2.5%	1.7%	8.9%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	64.1%	14.1%	9.9%	6.4%	5.7%
	Grade 7	82.3%	9.0%	3.3%	1.2%	4.2%
	Grade 8	74.0%	11.8%	6.1%	3.2%	4.9%
	Grade 9	66.1%	12.5%	9.4%	5.5%	6.5%
	Grade 10	62.4%	17.5%	9.8%	5.6%	4.7%
	Grade 11	53.4%	14.9%	14.2%	10.8%	6.6%
	Grade 12	48.1%	18.2%	15.6%	11.3%	6.8%
Cocaine?	All	87.1%	5.3%	0.9%	0.5%	6.3%
	Grade 7	88.1%	6.5%	0.7%	0.4%	4.3%
	Grade 8	86.7%	6.2%	1.4%	0.5%	5.1%
	Grade 9	84.8%	5.6%	1.4%	0.9%	7.3%
	Grade 10	89.4%	5.2%	0.4%	0.3%	4.6%
	Grade 11	86.9%	3.8%	0.8%	0.4%	8.1%
	Grade 12	86.7%	4.5%	0.5%	0.3%	7.9%
Crack?	All	87.6%	4.5%	0.6%	0.4%	6.9%
	Grade 7	88.0%	5.9%	0.7%	0.3%	5.1%
	Grade 8	87.6%	5.3%	0.9%	0.5%	5.7%
	Grade 9	86.1%	4.5%	0.6%	0.7%	8.1%
	Grade 10	90.2%	4.1%	0.4%	0.3%	4.9%
	Grade 11	86.9%	3.8%	0.6%	0.3%	8.4%
	Grade 12	87.3%	3.5%	0.1%	0.3%	8.9%
Ecstasy?	All	81.7%	5.8%	1.0%	0.5%	11.0%
	Grade 7	84.3%	5.9%	0.5%	0.4%	8.9%
	Grade 8	82.4%	5.7%	0.9%	0.5%	10.5%
	Grade 9	77.8%	6.1%	1.3%	0.6%	14.2%
	Grade 10	83.4%	5.7%	0.5%	0.9%	9.4%
	Grade 11	81.8%	5.7%	1.3%	0.4%	10.9%
	Grade 12	81.1%	5.4%	1.2%	0.3%	12.0%
Steroids?	All	78.0%	10.1%	2.6%	0.7%	8.6%
	Grade 7	82.8%	8.5%	1.3%	0.4%	7.0%
	Grade 8	79.2%	10.0%	2.5%	0.9%	7.4%
	Grade 9	75.0%	9.8%	3.9%	1.0%	10.3%
	Grade 10	81.4%	8.7%	3.0%	0.8%	6.1%
	Grade 11	76.2%	11.4%	2.6%	0.5%	9.4%
	Grade 12	74.5%	12.2%	1.8%	0.7%	10.8%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	86.4%	4.2%	0.6%	0.5%	8.3%
	Grade 7	85.7%	5.7%	0.7%	0.5%	7.3%
	Grade 8	85.2%	5.5%	0.9%	0.6%	7.9%
	Grade 9	82.8%	4.8%	0.6%	0.9%	11.0%
	Grade 10	89.5%	3.7%	0.5%	0.3%	5.9%
	Grade 11	88.8%	2.6%	0.7%	0.3%	7.6%
	Grade 12	86.6%	3.1%	0.1%	0.3%	9.9%
Methamphetamine?						
	All	86.3%	4.0%	0.6%	0.4%	8.6%
	Grade 7	86.6%	5.2%	0.9%	0.2%	7.1%
	Grade 8	85.4%	4.7%	1.1%	0.6%	8.3%
	Grade 9	83.6%	4.3%	0.6%	0.6%	10.9%
	Grade 10	88.8%	4.1%	0.5%	0.3%	6.3%
	Grade 11	87.6%	2.7%	0.7%	0.3%	8.6%
	Grade 12	86.2%	3.4%	0.1%	0.3%	10.0%
Synthetic Marijuana?						
	All	79.5%	6.5%	2.3%	1.0%	10.8%
	Grade 7	84.9%	5.9%	0.9%	0.5%	7.8%
	Grade 8	81.7%	6.2%	2.0%	1.1%	9.1%
	Grade 9	75.6%	6.2%	2.8%	1.2%	14.1%
	Grade 10	82.2%	6.3%	2.3%	1.3%	8.0%
	Grade 11	75.6%	7.8%	3.2%	1.5%	12.0%
	Grade 12	77.8%	6.2%	2.2%	0.7%	13.1%
Delta 8?						
	All	74.5%	7.8%	4.0%	2.3%	11.5%
	Grade 7	83.1%	7.4%	1.6%	0.6%	7.3%
	Grade 8	78.8%	7.2%	2.8%	1.7%	9.5%
	Grade 9	70.4%	7.4%	4.2%	1.9%	16.1%
	Grade 10	76.0%	8.0%	4.5%	2.6%	9.0%
	Grade 11	70.3%	6.9%	5.9%	4.9%	11.9%
	Grade 12	69.5%	9.7%	4.7%	1.8%	14.3%
Fictional Drug?						
	All	80.9%	4.1%	0.5%	0.4%	14.1%
	Grade 7	84.2%	5.5%	0.4%	0.3%	9.6%
	Grade 8	82.3%	4.8%	0.8%	0.6%	11.5%
	Grade 9	75.9%	4.5%	0.5%	0.6%	18.4%
	Grade 10	84.0%	3.6%	0.3%	0.3%	11.7%
	Grade 11	80.7%	2.8%	0.6%	0.4%	15.4%
	Grade 12	78.9%	3.5%	0.1%	0.3%	17.2%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	4.1%	5.8%	10.9%	89.1%
Grade 7	3.4%	4.8%	8.5%	91.5%
Grade 8	4.8%	6.3%	10.7%	89.3%
Grade 9	4.7%	5.7%	9.5%	90.5%
Grade 10	2.5%	4.4%	10.1%	89.9%
Grade 11	5.2%	7.1%	14.4%	85.6%
Grade 12	3.7%	6.2%	11.9%	88.1%
Codeine Cough Syrup?				
All	1.9%	3.0%	6.8%	93.2%
Grade 7	2.1%	3.1%	5.9%	94.1%
Grade 8	2.3%	3.5%	6.8%	93.2%
Grade 9	1.6%	3.2%	6.1%	93.9%
Grade 10	1.3%	2.3%	6.4%	93.6%
Grade 11	2.9%	4.0%	9.4%	90.6%
Grade 12	1.2%	2.0%	5.9%	94.1%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.4%	0.7%	1.4%	98.6%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.4%	0.5%	1.0%	99.0%
Grade 10	0.2%	0.5%	1.2%	98.8%
Grade 11	0.8%	1.2%	1.9%	98.1%
Grade 12	0.6%	1.4%	2.6%	97.4%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.5%	1.0%	2.7%	97.3%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.7%	1.2%	2.0%	98.0%
Grade 9	0.5%	1.0%	2.1%	97.9%
Grade 10	0.1%	0.9%	3.5%	96.5%
Grade 11	1.2%	1.5%	3.8%	96.2%
Grade 12	0.4%	1.1%	3.8%	96.2%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.0%	1.5%	2.6%	97.4%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	1.0%	1.2%	1.9%	98.1%
Grade 9	1.5%	1.7%	2.9%	97.1%
Grade 10	0.9%	1.7%	2.9%	97.1%
Grade 11	2.0%	2.7%	4.6%	95.4%
Grade 12	0.2%	0.8%	1.6%	98.4%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.2%	2.8%	4.8%	95.2%
Grade 7	1.5%	2.1%	4.2%	95.8%
Grade 8	2.3%	2.7%	5.0%	95.0%
Grade 9	2.5%	2.8%	5.2%	94.8%
Grade 10	1.1%	2.0%	3.6%	96.4%
Grade 11	2.8%	3.7%	5.0%	95.0%
Grade 12	2.5%	3.4%	5.5%	94.5%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.8%	1.1%	2.0%	98.0%
Grade 7	0.8%	0.8%	2.3%	97.7%
Grade 8	0.9%	1.4%	2.9%	97.1%
Grade 9	1.2%	2.0%	3.1%	96.9%
Grade 10	0.2%	0.5%	1.0%	99.0%
Grade 11	1.1%	1.4%	2.2%	97.8%
Grade 12	0.4%	0.4%	0.6%	99.4%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.3%	10.7%	2.9%	1.2%	8.9%
Grade 7	81.3%	7.9%	3.0%	1.0%	6.7%
Grade 8	77.7%	10.0%	3.5%	1.0%	7.8%
Grade 9	72.5%	11.5%	3.3%	1.5%	11.3%
Grade 10	77.3%	11.3%	2.4%	2.1%	6.9%
Grade 11	73.8%	12.6%	3.9%	0.6%	9.1%
Grade 12	76.1%	10.5%	1.2%	0.9%	11.3%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.6%	5.0%	9.9%	90.1%
Grade 7	4.9%	5.9%	10.7%	89.3%
Grade 8	5.1%	6.4%	12.7%	87.3%
Grade 9	3.0%	5.0%	9.5%	90.5%
Grade 10	3.4%	4.6%	9.5%	90.5%
Grade 11	2.8%	4.3%	9.0%	91.0%
Grade 12	2.8%	3.9%	8.5%	91.5%
Spray Paint?				
All	0.3%	0.5%	1.6%	98.4%
Grade 7	0.3%	0.7%	1.6%	98.4%
Grade 8	0.6%	0.8%	2.0%	98.0%
Grade 9	0.4%	0.7%	1.7%	98.3%
Grade 10	0.2%	0.4%	1.8%	98.2%
Grade 11	0.2%	0.2%	1.5%	98.5%
Grade 12	0.1%	0.3%	0.5%	99.5%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.8%	1.2%	3.5%	96.5%
Grade 7	1.2%	1.7%	4.3%	95.7%
Grade 8	1.3%	2.0%	5.1%	94.9%
Grade 9	0.6%	0.8%	3.7%	96.3%
Grade 10	0.6%	1.0%	3.1%	96.9%
Grade 11	0.4%	0.8%	3.2%	96.8%
Grade 12	0.8%	1.0%	2.1%	97.9%
Computer Dusting Sprays?				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.4%	0.7%	1.0%	99.0%
Grade 8	0.2%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.4%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.0%	0.2%	0.5%	99.5%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.9%	1.3%	4.4%	95.6%
Grade 7	1.2%	1.6%	4.4%	95.6%
Grade 8	1.5%	2.0%	6.1%	93.9%
Grade 9	0.6%	1.0%	3.2%	96.8%
Grade 10	0.6%	0.7%	3.9%	96.1%
Grade 11	0.6%	1.3%	4.9%	95.1%
Grade 12	1.0%	1.4%	4.2%	95.8%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.6%	0.8%	1.8%	98.2%
Grade 8	0.3%	0.7%	1.6%	98.4%
Grade 9	0.2%	0.2%	1.2%	98.8%
Grade 10	0.1%	0.1%	1.5%	98.5%
Grade 11	0.0%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.3%	0.3%	99.7%
Toluene, Paint Thinner, or Other Solvents?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.7%	0.8%	1.4%	98.6%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.1%	0.3%	0.9%	99.1%
Grade 10	0.0%	0.1%	1.0%	99.0%
Grade 11	0.1%	0.3%	0.6%	99.4%
Grade 12	0.4%	0.6%	0.6%	99.4%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	0.8%	1.9%	98.1%
Grade 7	0.9%	1.2%	2.3%	97.7%
Grade 8	1.0%	1.6%	3.5%	96.5%
Grade 9	0.1%	0.3%	1.2%	98.8%
Grade 10	0.6%	0.7%	2.6%	97.4%
Grade 11	0.6%	0.6%	1.6%	98.4%
Grade 12	0.2%	0.4%	0.9%	99.1%
Other Aerosols/Sprays?				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.5%	0.6%	1.8%	98.2%
Grade 8	0.9%	1.1%	2.3%	97.7%
Grade 9	0.1%	0.2%	1.1%	98.9%
Grade 10	0.7%	0.7%	1.0%	99.0%
Grade 11	0.2%	0.2%	1.5%	98.5%
Grade 12	0.0%	0.4%	0.4%	99.6%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.9%	0.1%	0.2%	0.2%	0.4%	0.4%	0.8%
Grade 7	97.7%	0.1%	0.3%	0.2%	0.4%	0.6%	0.7%
Grade 8	96.5%	0.2%	0.2%	0.3%	0.4%	1.4%	1.0%
Grade 9	97.8%	0.0%	0.2%	0.2%	0.7%	0.1%	1.0%
Grade 10	98.0%	0.0%	0.3%	0.2%	0.4%	0.5%	0.6%
Grade 11	98.1%	0.0%	0.0%	0.3%	0.1%	0.0%	1.4%
Grade 12	99.3%	0.0%	0.0%	0.3%	0.0%	0.1%	0.2%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	92.3%	4.3%	2.4%	1.0%
Grade 7	91.2%	5.0%	2.5%	1.4%
Grade 8	89.7%	5.3%	3.4%	1.6%
Grade 9	92.1%	4.6%	2.9%	0.3%
Grade 10	93.1%	3.5%	2.0%	1.4%
Grade 11	93.2%	3.3%	2.4%	1.1%
Grade 12	94.3%	4.1%	1.3%	0.3%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.4	10.0	10.0	11.9	11.0	13.0	14.8

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.1%	0.5%	0.1%	0.3%
Grade 7	99.0%	0.8%	0.0%	0.2%
Grade 8	99.1%	0.6%	0.2%	0.1%
Grade 9	98.4%	0.7%	0.0%	0.9%
Grade 10	99.7%	0.0%	0.0%	0.3%
Grade 11	99.3%	0.3%	0.3%	0.0%
Grade 12	99.1%	0.5%	0.1%	0.3%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.3
Inhalant Non-Users	5.0
Average Days Conduct Problems Reported	
Inhalant Users	4.7
Inhalant Non-Users	1.3

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	94.1%	3.8%	1.4%	0.6%	0.2%
Grade 7	93.6%	4.6%	1.1%	0.4%	0.2%
Grade 8	93.2%	4.2%	1.4%	0.9%	0.2%
Grade 9	93.6%	3.7%	2.0%	0.7%	0.0%
Grade 10	93.6%	4.2%	1.6%	0.4%	0.2%
Grade 11	93.8%	4.0%	1.4%	0.7%	0.1%
Grade 12	96.5%	2.1%	0.8%	0.3%	0.2%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.5%	13.0%	4.1%	1.2%	8.2%
Grade 7	75.7%	13.6%	4.0%	1.3%	5.5%
Grade 8	72.9%	13.8%	5.3%	1.5%	6.5%
Grade 9	70.8%	12.1%	6.0%	1.6%	9.5%
Grade 10	73.3%	14.7%	3.5%	1.1%	7.4%
Grade 11	73.2%	12.3%	3.8%	0.7%	10.0%
Grade 12	75.6%	11.4%	1.6%	1.3%	10.1%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	53.9%	14.5%	3.3%	4.3%	7.0%	17.0%
Grade 7	59.7%	18.3%	3.0%	3.4%	6.4%	9.2%
Grade 8	52.5%	19.1%	3.8%	4.8%	6.7%	13.2%
Grade 9	53.7%	12.8%	2.8%	3.8%	5.5%	21.3%
Grade 10	49.6%	15.1%	3.6%	4.1%	10.2%	17.3%
Grade 11	50.8%	13.4%	2.8%	5.6%	6.4%	20.9%
Grade 12	57.8%	9.0%	4.1%	4.0%	6.8%	18.3%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	44.4%
	Grade 7	49.0%
	Grade 8	43.5%
	Grade 9	41.8%
	Grade 10	44.0%
	Grade 11	43.4%
	Grade 12	45.0%
An Assembly Program		
	All	46.0%
	Grade 7	46.2%
	Grade 8	51.8%
	Grade 9	46.3%
	Grade 10	42.4%
	Grade 11	42.9%
	Grade 12	47.0%
Guidance Counselor		
	All	34.7%
	Grade 7	41.5%
	Grade 8	42.7%
	Grade 9	33.6%
	Grade 10	32.3%
	Grade 11	28.1%
	Grade 12	31.5%
School Nurse		
	All	21.4%
	Grade 7	26.3%
	Grade 8	24.0%
	Grade 9	23.1%
	Grade 10	18.9%
	Grade 11	17.5%
	Grade 12	19.5%
Science or Social Studies Class		
	All	31.0%
	Grade 7	35.1%
	Grade 8	28.9%
	Grade 9	34.7%
	Grade 10	27.6%
	Grade 11	27.4%
	Grade 12	32.2%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

	Yes
Student Group or Club Meeting at School	
All	18.5%
Grade 7	18.4%
Grade 8	18.2%
Grade 9	19.1%
Grade 10	17.8%
Grade 11	18.3%
Grade 12	19.3%
An Invited School Guest	
All	31.3%
Grade 7	34.2%
Grade 8	36.5%
Grade 9	28.9%
Grade 10	29.8%
Grade 11	28.7%
Grade 12	30.3%
Another Source at School	
All	30.6%
Grade 7	31.5%
Grade 8	31.4%
Grade 9	29.6%
Grade 10	33.8%
Grade 11	28.7%
Grade 12	29.1%
Any School Source	
All	66.7%
Grade 7	69.8%
Grade 8	70.0%
Grade 9	66.3%
Grade 10	67.0%
Grade 11	63.2%
Grade 12	64.8%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	37.4%
	Grade 7	49.6%
	Grade 8	40.1%
	Grade 9	36.6%
	Grade 10	33.0%
	Grade 11	32.7%
	Grade 12	34.1%
School Nurse		
	All	24.6%
	Grade 7	35.9%
	Grade 8	27.6%
	Grade 9	22.9%
	Grade 10	25.0%
	Grade 11	19.0%
	Grade 12	19.0%
Another Adult In School		
	All	43.2%
	Grade 7	52.0%
	Grade 8	45.5%
	Grade 9	39.6%
	Grade 10	41.3%
	Grade 11	40.2%
	Grade 12	41.8%
Counselor/Program Outside-School		
	All	44.2%
	Grade 7	47.8%
	Grade 8	44.8%
	Grade 9	42.2%
	Grade 10	46.1%
	Grade 11	42.9%
	Grade 12	42.0%
Your Parents		
	All	70.6%
	Grade 7	76.4%
	Grade 8	71.6%
	Grade 9	69.9%
	Grade 10	69.4%
	Grade 11	66.3%
	Grade 12	70.9%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	60.7%
	Grade 7	71.2%
	Grade 8	64.1%
	Grade 9	56.3%
	Grade 10	57.2%
	Grade 11	58.5%
	Grade 12	58.7%
Your Friends		
	All	62.1%
	Grade 7	57.5%
	Grade 8	60.4%
	Grade 9	61.0%
	Grade 10	64.2%
	Grade 11	66.4%
	Grade 12	62.3%
Another Adult		
	All	59.4%
	Grade 7	64.8%
	Grade 8	61.0%
	Grade 9	59.4%
	Grade 10	57.4%
	Grade 11	59.3%
	Grade 12	55.2%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	5.8%
	Grade 7	5.2%
	Grade 8	6.0%
	Grade 9	6.5%
	Grade 10	5.0%
	Grade 11	6.0%
	Grade 12	5.9%

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	8.1%	24.0%	25.5%	28.7%	13.7%
Grade 7	11.4%	19.6%	22.1%	27.7%	19.1%
Grade 8	10.4%	22.6%	24.4%	28.0%	14.5%
Grade 9	8.5%	25.3%	26.6%	27.3%	12.3%
Grade 10	6.7%	25.8%	23.3%	32.4%	11.8%
Grade 11	5.7%	26.2%	29.8%	25.4%	12.9%
Grade 12	6.7%	23.8%	25.8%	31.3%	12.5%
Sometimes Carry Weapons?					
All	87.3%	8.5%	2.6%	0.9%	0.7%
Grade 7	91.0%	6.4%	2.0%	0.5%	0.2%
Grade 8	88.8%	7.1%	2.5%	0.8%	0.7%
Grade 9	86.5%	7.7%	2.9%	1.8%	1.1%
Grade 10	89.4%	7.6%	2.3%	0.4%	0.3%
Grade 11	84.0%	11.2%	2.9%	1.1%	0.8%
Grade 12	84.3%	11.0%	2.8%	0.8%	1.0%
Care About Making Good Grades?					
All	2.9%	13.5%	25.5%	38.8%	19.3%
Grade 7	4.7%	14.0%	25.4%	34.2%	21.7%
Grade 8	4.2%	13.0%	25.9%	37.9%	19.0%
Grade 9	3.2%	16.5%	25.7%	36.9%	17.7%
Grade 10	1.7%	13.2%	26.4%	39.7%	19.0%
Grade 11	2.3%	12.4%	21.8%	43.4%	20.1%
Grade 12	1.6%	11.2%	28.3%	40.3%	18.5%
Belong/Want to Belong to a Gang?					
All	90.7%	6.1%	2.1%	0.5%	0.6%
Grade 7	90.9%	6.1%	1.9%	0.5%	0.6%
Grade 8	90.2%	6.2%	2.2%	0.8%	0.7%
Grade 9	88.5%	7.5%	2.7%	0.5%	0.9%
Grade 10	92.1%	5.5%	1.7%	0.5%	0.2%
Grade 11	90.8%	5.4%	2.7%	0.3%	0.7%
Grade 12	92.1%	5.5%	1.6%	0.2%	0.6%
Wish They Could Drop Out of School?					
All	47.9%	28.5%	14.0%	6.6%	2.9%
Grade 7	49.3%	26.6%	13.8%	7.2%	3.1%
Grade 8	47.2%	27.7%	15.0%	6.6%	3.4%
Grade 9	46.7%	29.4%	13.8%	6.9%	3.1%
Grade 10	49.8%	27.1%	14.3%	7.0%	1.8%
Grade 11	44.6%	31.9%	13.9%	6.5%	3.1%
Grade 12	50.4%	27.8%	13.4%	5.5%	2.9%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	87.4%	10.7%	0.9%	0.2%	0.8%
Grade 7	87.6%	10.7%	0.9%	0.1%	0.7%
Grade 8	85.6%	11.9%	1.6%	0.2%	0.7%
Grade 9	86.5%	11.0%	1.5%	0.0%	1.0%
Grade 10	88.9%	10.1%	0.2%	0.2%	0.7%
Grade 11	87.4%	11.1%	0.5%	0.4%	0.7%
Grade 12	88.6%	9.6%	0.6%	0.1%	1.0%
Out In Your Neighborhood?					
All	42.2%	47.4%	6.7%	1.2%	2.5%
Grade 7	37.5%	47.7%	8.4%	2.0%	4.4%
Grade 8	40.9%	47.7%	8.0%	1.2%	2.3%
Grade 9	41.2%	48.5%	6.3%	1.2%	2.8%
Grade 10	44.0%	46.9%	6.3%	1.0%	1.9%
Grade 11	42.9%	47.9%	7.0%	0.7%	1.5%
Grade 12	46.3%	45.8%	4.5%	1.1%	2.3%
At School?					
All	35.0%	49.9%	8.5%	3.4%	3.3%
Grade 7	40.3%	45.4%	7.2%	3.0%	4.1%
Grade 8	37.5%	46.1%	8.4%	4.1%	4.0%
Grade 9	31.9%	51.2%	8.0%	4.9%	4.0%
Grade 10	33.5%	50.7%	10.2%	3.0%	2.6%
Grade 11	32.9%	54.8%	8.5%	2.5%	1.4%
Grade 12	35.3%	50.1%	8.3%	2.5%	3.7%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.0%	13.9%	22.7%	77.3%
Grade 7	4.4%	5.3%	11.4%	88.6%
Grade 8	6.0%	7.8%	13.8%	86.2%
Grade 9	12.5%	15.0%	23.5%	76.5%
Grade 10	10.8%	14.8%	26.2%	73.8%
Grade 11	15.0%	19.1%	29.2%	70.8%
Grade 12	16.2%	19.7%	30.0%	70.0%
Any Alcohol Product				
All	22.1%	25.8%	40.9%	59.1%
Grade 7	13.9%	15.4%	28.0%	72.0%
Grade 8	14.7%	17.7%	32.4%	67.6%
Grade 9	21.5%	24.1%	38.3%	61.7%
Grade 10	22.7%	26.5%	44.7%	55.3%
Grade 11	27.3%	32.7%	48.2%	51.8%
Grade 12	31.3%	37.1%	52.0%	48.0%
Any Illicit Drug				
All	10.9%	14.0%	17.5%	82.5%
Grade 7	3.5%	4.7%	5.9%	94.1%
Grade 8	5.1%	7.3%	9.2%	90.8%
Grade 9	10.1%	11.8%	14.3%	85.7%
Grade 10	10.6%	14.4%	19.3%	80.7%
Grade 11	17.4%	21.6%	26.6%	73.4%
Grade 12	17.3%	22.8%	28.5%	71.5%
Any Prescription Drug				
All	4.1%	5.8%	10.9%	89.1%
Grade 7	3.4%	4.8%	8.5%	91.5%
Grade 8	4.8%	6.3%	10.7%	89.3%
Grade 9	4.7%	5.7%	9.5%	90.5%
Grade 10	2.5%	4.4%	10.1%	89.9%
Grade 11	5.2%	7.1%	14.4%	85.6%
Grade 12	3.7%	6.2%	11.9%	88.1%
Any Inhalant				
All	3.6%	5.0%	9.9%	90.1%
Grade 7	4.9%	5.9%	10.7%	89.3%
Grade 8	5.1%	6.4%	12.7%	87.3%
Grade 9	3.0%	5.0%	9.5%	90.5%
Grade 10	3.4%	4.6%	9.5%	90.5%
Grade 11	2.8%	4.3%	9.0%	91.0%
Grade 12	2.8%	3.9%	8.5%	91.5%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.3%	11.2%	19.9%	80.1%
Grade 7	2.8%	3.9%	9.2%	90.8%
Grade 8	4.3%	6.3%	11.9%	88.1%
Grade 9	10.2%	12.4%	21.0%	79.0%
Grade 10	8.1%	12.4%	23.4%	76.6%
Grade 11	11.8%	15.6%	26.8%	73.2%
Grade 12	11.1%	15.2%	25.0%	75.0%
Marijuana				
All	10.3%	12.0%	15.6%	84.4%
Grade 7	3.0%	3.3%	4.2%	95.8%
Grade 8	4.6%	5.5%	7.1%	92.9%
Grade 9	9.6%	10.3%	12.3%	87.7%
Grade 10	10.0%	11.6%	17.1%	82.9%
Grade 11	17.0%	19.0%	24.6%	75.4%
Grade 12	16.5%	21.1%	26.7%	73.3%
Marijuana Only				
All	5.1%	6.3%	9.1%	90.9%
Grade 7	1.5%	1.8%	2.5%	97.5%
Grade 8	2.2%	2.7%	4.1%	95.9%
Grade 9	5.0%	5.4%	7.3%	92.7%
Grade 10	5.6%	6.4%	10.1%	89.9%
Grade 11	6.9%	8.6%	12.9%	87.1%
Grade 12	8.6%	12.1%	17.2%	82.8%
Cocaine or Crack				
All	0.8%	0.9%	1.6%	98.4%
Grade 7	1.0%	1.1%	1.3%	98.7%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.9%	1.1%	1.5%	98.5%
Grade 10	0.4%	0.6%	1.3%	98.7%
Grade 11	0.5%	0.7%	1.5%	98.5%
Grade 12	1.2%	1.4%	3.0%	97.0%
Cocaine				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.9%	1.1%	1.1%	98.9%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.4%	0.7%	1.5%	98.5%
Grade 12	1.3%	1.4%	3.0%	97.0%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.4%	0.4%	0.6%	99.4%
Hallucinogens				
All	0.8%	1.1%	2.6%	97.4%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	0.8%	1.0%	1.9%	98.1%
Grade 10	0.3%	1.0%	2.3%	97.7%
Grade 11	2.3%	2.4%	5.3%	94.7%
Grade 12	0.7%	1.4%	4.7%	95.3%
Synthetic Cathinones				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.4%	0.7%	1.3%	98.7%
Grade 12	0.4%	0.5%	0.8%	99.2%
Ecstasy				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.2%	0.4%	1.2%	98.8%
Grade 11	1.0%	1.3%	1.9%	98.1%
Grade 12	0.1%	0.5%	2.4%	97.6%

2022
Border Report

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.3%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.4%	99.6%
Synthetic Marijuana				
All	0.8%	1.2%	2.1%	97.9%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	1.1%	1.1%	1.6%	98.4%
Grade 10	0.2%	0.7%	2.0%	98.0%
Grade 11	2.1%	3.0%	4.5%	95.5%
Grade 12	0.9%	1.3%	2.5%	97.5%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.2%	0.5%	99.5%
Grade 11	0.5%	0.5%	1.4%	98.6%
Grade 12	0.0%	0.1%	0.5%	99.5%
Delta 8				
All	2.0%	2.9%	4.2%	95.8%
Grade 7	0.5%	0.7%	1.1%	98.9%
Grade 8	0.7%	0.9%	1.7%	98.3%
Grade 9	2.2%	3.0%	3.7%	96.3%
Grade 10	1.7%	2.3%	4.5%	95.5%
Grade 11	3.4%	5.5%	7.6%	92.4%
Grade 12	3.2%	4.4%	6.4%	93.6%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.9%	12.5%	20.3%	79.7%
Grade 7	3.4%	4.6%	9.1%	90.9%
Grade 8	4.7%	6.1%	11.8%	88.2%
Grade 9	11.1%	14.1%	22.0%	78.0%
Grade 10	11.6%	15.7%	24.7%	75.3%
Grade 11	11.9%	14.4%	24.4%	75.6%
Grade 12	15.3%	18.1%	26.9%	73.1%
Any Alcohol Product				
All	19.5%	23.0%	38.2%	61.8%
Grade 7	12.3%	13.5%	25.5%	74.5%
Grade 8	13.3%	16.0%	30.0%	70.0%
Grade 9	20.2%	22.9%	36.7%	63.3%
Grade 10	19.7%	23.5%	42.8%	57.2%
Grade 11	24.9%	30.2%	45.8%	54.2%
Grade 12	25.4%	30.6%	46.6%	53.4%
Any Illicit Drug				
All	10.5%	12.9%	16.2%	83.8%
Grade 7	3.1%	3.8%	5.1%	94.9%
Grade 8	4.6%	5.8%	7.8%	92.2%
Grade 9	9.3%	10.6%	13.7%	86.3%
Grade 10	10.9%	13.7%	18.1%	81.9%
Grade 11	15.3%	19.2%	23.7%	76.3%
Grade 12	19.0%	23.0%	27.2%	72.8%
Any Prescription Drug				
All	3.7%	5.0%	10.2%	89.8%
Grade 7	3.1%	4.0%	7.6%	92.4%
Grade 8	4.2%	5.1%	9.2%	90.8%
Grade 9	3.7%	4.4%	8.4%	91.6%
Grade 10	3.2%	4.7%	11.4%	88.6%
Grade 11	4.6%	5.9%	13.5%	86.5%
Grade 12	3.2%	5.7%	11.3%	88.7%
Any Inhalant				
All	2.9%	4.0%	8.6%	91.4%
Grade 7	3.9%	4.5%	7.7%	92.3%
Grade 8	4.3%	5.6%	10.6%	89.4%
Grade 9	2.1%	4.3%	7.8%	92.2%
Grade 10	3.7%	4.8%	9.1%	90.9%
Grade 11	2.0%	2.2%	7.7%	92.3%
Grade 12	2.1%	2.9%	8.7%	91.3%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.4%	9.8%	17.2%	82.8%
Grade 7	1.8%	3.0%	7.4%	92.6%
Grade 8	3.4%	4.9%	9.8%	90.2%
Grade 9	8.6%	11.1%	18.5%	81.5%
Grade 10	9.0%	12.9%	22.5%	77.5%
Grade 11	10.1%	11.9%	21.6%	78.4%
Grade 12	10.5%	13.6%	21.4%	78.6%
Marijuana				
All	10.0%	11.4%	14.5%	85.5%
Grade 7	2.5%	3.0%	4.0%	96.0%
Grade 8	4.1%	4.6%	6.1%	93.9%
Grade 9	8.9%	9.7%	12.2%	87.8%
Grade 10	10.7%	11.9%	16.0%	84.0%
Grade 11	15.2%	16.9%	21.8%	78.2%
Grade 12	17.5%	21.4%	25.4%	74.6%
Marijuana Only				
All	4.8%	5.9%	8.5%	91.5%
Grade 7	1.3%	1.6%	2.6%	97.4%
Grade 8	1.7%	2.1%	3.3%	96.7%
Grade 9	5.2%	5.6%	8.0%	92.0%
Grade 10	5.4%	6.1%	9.4%	90.6%
Grade 11	6.7%	7.9%	11.7%	88.3%
Grade 12	7.9%	11.1%	14.7%	85.3%
Cocaine or Crack				
All	0.7%	0.8%	1.6%	98.4%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.3%	0.7%	1.4%	98.6%
Grade 10	0.4%	0.7%	1.7%	98.3%
Grade 11	0.8%	0.8%	1.7%	98.3%
Grade 12	1.3%	1.3%	2.9%	97.1%
Cocaine				
All	0.5%	0.8%	1.4%	98.6%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.3%	0.6%	0.6%	99.4%
Grade 10	0.4%	0.7%	1.7%	98.3%
Grade 11	0.4%	0.8%	1.7%	98.3%
Grade 12	1.3%	1.3%	2.9%	97.1%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.3%	99.7%
Hallucinogens				
All	0.5%	1.0%	2.6%	97.4%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.3%	0.9%	99.1%
Grade 9	0.1%	0.5%	1.1%	98.9%
Grade 10	0.6%	2.0%	2.3%	97.7%
Grade 11	1.0%	1.3%	4.2%	95.8%
Grade 12	1.1%	1.9%	6.7%	93.3%
Synthetic Cathinones				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.6%	0.6%	1.1%	98.9%
Grade 12	0.1%	0.2%	0.2%	99.8%
Ecstasy				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.4%	0.8%	1.4%	98.6%
Grade 11	1.3%	1.6%	1.8%	98.2%
Grade 12	0.2%	0.3%	3.4%	96.6%

2022
Border Report

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.7%	1.1%	98.9%
Grade 12	0.3%	0.3%	0.3%	99.7%
Synthetic Marijuana				
All	0.5%	0.8%	1.6%	98.4%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	1.1%	1.1%	1.3%	98.7%
Grade 10	0.2%	0.6%	1.9%	98.1%
Grade 11	0.5%	1.8%	3.1%	96.9%
Grade 12	0.3%	0.5%	1.6%	98.4%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.3%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.3%	99.7%
Delta 8				
All	1.8%	2.7%	4.2%	95.8%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	0.6%	0.8%	1.9%	98.1%
Grade 9	1.5%	2.0%	3.0%	97.0%
Grade 10	1.1%	1.8%	3.7%	96.3%
Grade 11	3.1%	5.1%	7.0%	93.0%
Grade 12	3.6%	5.7%	8.0%	92.0%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.1%	15.3%	25.4%	74.6%
Grade 7	5.2%	6.0%	13.7%	86.3%
Grade 8	7.5%	9.8%	16.0%	84.0%
Grade 9	14.2%	16.2%	25.5%	74.5%
Grade 10	9.9%	13.8%	28.0%	72.0%
Grade 11	17.6%	23.2%	33.7%	66.3%
Grade 12	17.3%	21.5%	33.6%	66.4%
Any Alcohol Product				
All	24.9%	28.8%	43.8%	56.2%
Grade 7	15.3%	17.3%	30.5%	69.5%
Grade 8	16.2%	19.7%	35.1%	64.9%
Grade 9	23.0%	25.6%	40.1%	59.9%
Grade 10	25.8%	29.3%	46.9%	53.1%
Grade 11	29.7%	35.3%	50.9%	49.1%
Grade 12	37.8%	44.4%	58.0%	42.0%
Any Illicit Drug				
All	11.1%	15.0%	18.9%	81.1%
Grade 7	3.9%	5.7%	6.7%	93.3%
Grade 8	5.7%	9.0%	10.8%	89.2%
Grade 9	11.2%	13.4%	15.0%	85.0%
Grade 10	10.5%	15.1%	20.6%	79.4%
Grade 11	18.4%	23.1%	28.9%	71.1%
Grade 12	15.7%	22.7%	30.2%	69.8%
Any Prescription Drug				
All	4.4%	6.5%	11.5%	88.5%
Grade 7	3.8%	5.7%	9.5%	90.5%
Grade 8	5.5%	7.6%	12.3%	87.7%
Grade 9	5.7%	7.0%	10.7%	89.3%
Grade 10	1.8%	4.2%	9.1%	90.9%
Grade 11	5.5%	7.9%	14.7%	85.3%
Grade 12	4.3%	6.8%	12.6%	87.4%
Any Inhalant				
All	4.3%	6.0%	11.2%	88.8%
Grade 7	5.8%	7.1%	13.6%	86.4%
Grade 8	5.9%	7.2%	14.9%	85.1%
Grade 9	4.1%	5.9%	11.5%	88.5%
Grade 10	2.9%	4.3%	9.5%	90.5%
Grade 11	3.8%	6.6%	10.4%	89.6%
Grade 12	3.4%	5.0%	8.0%	92.0%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.1%	12.6%	22.9%	77.1%
Grade 7	3.9%	4.7%	11.1%	88.9%
Grade 8	5.4%	7.9%	14.2%	85.8%
Grade 9	12.2%	14.1%	24.2%	75.8%
Grade 10	7.1%	11.8%	24.5%	75.5%
Grade 11	12.9%	18.7%	31.9%	68.1%
Grade 12	11.9%	17.0%	29.0%	71.0%
Marijuana				
All	10.5%	12.5%	16.7%	83.3%
Grade 7	3.4%	3.7%	4.4%	95.6%
Grade 8	5.2%	6.4%	8.3%	91.7%
Grade 9	10.6%	11.1%	12.6%	87.4%
Grade 10	9.5%	11.3%	18.2%	81.8%
Grade 11	17.8%	20.3%	26.7%	73.3%
Grade 12	15.6%	21.1%	28.4%	71.6%
Marijuana Only				
All	5.3%	6.7%	9.9%	90.1%
Grade 7	1.7%	1.9%	2.5%	97.5%
Grade 8	2.7%	3.3%	5.1%	94.9%
Grade 9	4.7%	5.3%	6.5%	93.5%
Grade 10	5.9%	6.8%	11.0%	89.0%
Grade 11	6.8%	9.0%	14.0%	86.0%
Grade 12	9.5%	13.4%	20.1%	79.9%
Cocaine or Crack				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	1.2%	1.3%	1.5%	98.5%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	1.6%	1.6%	1.7%	98.3%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.3%	0.6%	1.5%	98.5%
Grade 12	1.2%	1.6%	3.2%	96.8%
Cocaine				
All	0.8%	1.0%	1.5%	98.5%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	1.6%	1.6%	1.7%	98.3%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.3%	0.6%	1.5%	98.5%
Grade 12	1.2%	1.6%	3.2%	96.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.9%	0.9%	0.9%	99.1%
Hallucinogens				
All	0.9%	1.1%	2.6%	97.4%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.6%	1.1%	98.9%
Grade 9	1.6%	1.6%	2.9%	97.1%
Grade 10	0.0%	0.0%	2.3%	97.7%
Grade 11	3.1%	3.1%	6.0%	94.0%
Grade 12	0.2%	0.9%	2.6%	97.4%
Synthetic Cathinones				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.4%	0.5%	99.5%
Grade 11	0.3%	0.7%	1.6%	98.4%
Grade 12	0.8%	0.8%	1.5%	98.5%
Ecstasy				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.6%	0.7%	99.3%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.7%	1.1%	2.1%	97.9%
Grade 12	0.0%	0.6%	1.4%	98.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	1.1%	1.5%	2.5%	97.5%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	1.0%	1.0%	1.9%	98.1%
Grade 10	0.3%	0.9%	1.9%	98.1%
Grade 11	3.2%	3.6%	5.4%	94.6%
Grade 12	1.5%	2.1%	3.4%	96.6%
Methamphetamine				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.7%	0.7%	1.3%	98.7%
Grade 12	0.1%	0.2%	0.7%	99.3%
Delta 8				
All	2.1%	2.9%	4.2%	95.8%
Grade 7	0.4%	0.8%	1.0%	99.0%
Grade 8	0.9%	1.0%	1.6%	98.4%
Grade 9	3.0%	4.2%	4.5%	95.5%
Grade 10	2.2%	2.8%	5.0%	95.0%
Grade 11	2.7%	5.1%	7.5%	92.5%
Grade 12	2.8%	3.2%	4.7%	95.3%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.0%	16.3%	25.7%	74.3%
Grade 7	2.1%	3.1%	10.9%	89.1%
Grade 8	5.9%	6.8%	16.8%	83.2%
Grade 9	4.8%	13.2%	14.8%	85.2%
Grade 10	5.1%	15.8%	26.6%	73.4%
Grade 11	21.7%	25.6%	39.8%	60.2%
Grade 12	16.0%	20.5%	29.4%	70.6%
Any Alcohol Product				
All	26.4%	33.0%	44.6%	55.4%
Grade 7	8.4%	8.8%	23.0%	77.0%
Grade 8	12.4%	21.9%	38.9%	61.1%
Grade 9	32.1%	38.0%	44.9%	55.1%
Grade 10	23.4%	23.4%	35.9%	64.1%
Grade 11	36.4%	49.9%	54.1%	45.9%
Grade 12	29.2%	34.9%	56.9%	43.1%
Any Illicit Drug				
All	15.7%	20.2%	22.9%	77.1%
Grade 7	3.3%	3.3%	3.3%	96.7%
Grade 8	10.3%	11.9%	11.9%	88.1%
Grade 9	8.1%	13.7%	14.3%	85.7%
Grade 10	5.7%	13.5%	16.6%	83.4%
Grade 11	35.4%	42.8%	44.7%	55.3%
Grade 12	14.3%	14.3%	23.9%	76.1%
Any Prescription Drug				
All	6.2%	7.3%	13.8%	86.2%
Grade 7	2.9%	5.6%	7.9%	92.1%
Grade 8	6.9%	7.9%	13.4%	86.6%
Grade 9	11.5%	11.8%	15.8%	84.2%
Grade 10	4.5%	4.5%	16.2%	83.8%
Grade 11	7.1%	9.2%	13.6%	86.4%
Grade 12	2.7%	3.5%	14.1%	85.9%
Any Inhalant				
All	4.8%	6.4%	8.6%	91.4%
Grade 7	5.7%	5.7%	14.7%	85.3%
Grade 8	12.1%	13.3%	16.9%	83.1%
Grade 9	0.3%	0.3%	2.7%	97.3%
Grade 10	4.4%	4.4%	5.4%	94.6%
Grade 11	1.9%	7.5%	8.0%	92.0%
Grade 12	8.6%	8.6%	9.4%	90.6%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.9%	12.4%	21.9%	78.1%
Grade 7	0.7%	1.8%	8.2%	91.8%
Grade 8	3.5%	4.4%	11.7%	88.3%
Grade 9	4.8%	7.5%	9.1%	90.9%
Grade 10	5.1%	14.8%	18.8%	81.2%
Grade 11	13.2%	17.3%	38.3%	61.7%
Grade 12	14.4%	20.7%	30.4%	69.6%
Marijuana				
All	15.3%	19.1%	20.8%	79.2%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	9.3%	9.3%	9.3%	90.7%
Grade 9	7.8%	13.5%	14.0%	86.0%
Grade 10	5.1%	12.8%	15.9%	84.1%
Grade 11	37.0%	42.7%	44.7%	55.3%
Grade 12	14.3%	14.3%	17.3%	82.7%
Marijuana Only				
All	7.5%	9.9%	11.5%	88.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	7.8%	13.5%	13.7%	86.3%
Grade 10	5.1%	5.1%	8.2%	91.8%
Grade 11	17.4%	23.0%	25.0%	75.0%
Grade 12	4.3%	4.3%	7.3%	92.7%
Cocaine or Crack				
All	0.6%	0.7%	1.6%	98.4%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.6%	0.6%	99.4%
Grade 12	1.8%	1.8%	7.6%	92.4%
Cocaine				
All	0.4%	0.5%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.6%	0.6%	99.4%
Grade 12	1.8%	1.8%	7.6%	92.4%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.2%	99.8%
	Grade 7	1.5%	1.5%	1.5%	98.5%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	1.6%	1.7%	4.4%	95.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	1.3%	4.5%	95.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	5.9%	5.9%	8.5%	91.5%
	Grade 12	0.5%	0.5%	10.8%	89.2%
Synthetic Cathinones	All	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.4%	0.4%	0.6%	99.4%
	Grade 7	0.0%	0.0%	1.3%	98.7%
	Grade 8	1.0%	1.0%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	1.3%	1.3%	1.3%	98.7%
Ecstasy	All	1.4%	1.6%	1.8%	98.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	5.1%	5.5%	5.5%	94.5%
	Grade 12	0.4%	0.4%	1.8%	98.2%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.8%	3.2%	3.9%	96.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.7%	1.7%	4.9%	95.1%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.6%	8.4%	8.4%	91.6%
Grade 11	5.7%	5.7%	5.7%	94.3%
Grade 12	0.0%	0.0%	2.1%	97.9%
Methamphetamine				
All	0.2%	0.4%	0.6%	99.4%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.3%	98.7%
Delta 8				
All	2.1%	5.8%	6.2%	93.8%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	4.2%	7.5%	7.5%	92.5%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	7.7%	7.7%	92.3%
Grade 11	6.1%	13.5%	13.5%	86.5%
Grade 12	0.4%	0.4%	1.8%	98.2%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.5%	7.6%	16.5%	83.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	3.9%	7.3%	92.7%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	18.9%	21.1%	46.6%	53.4%
Any Alcohol Product				
All	12.4%	17.5%	33.9%	66.1%
Grade 7	7.1%	8.8%	17.7%	82.3%
Grade 8	4.9%	6.9%	14.6%	85.4%
Grades 9–10	10.3%	10.3%	29.9%	70.1%
Grades 11–12	21.9%	35.4%	58.8%	41.2%
Any Illicit Drug				
All	15.9%	16.2%	18.2%	81.8%
Grade 7	0.0%	1.3%	1.3%	98.7%
Grade 8	2.0%	2.0%	7.2%	92.8%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	47.9%	47.9%	51.1%	48.9%
Any Prescription Drug				
All	7.2%	8.0%	10.7%	89.3%
Grade 7	1.3%	5.3%	9.7%	90.3%
Grade 8	2.0%	2.0%	5.4%	94.6%
Grades 9–10	2.8%	2.8%	6.6%	93.4%
Grades 11–12	17.8%	17.8%	17.8%	82.2%
Any Inhalant				
All	0.2%	0.2%	6.9%	93.1%
Grade 7	1.1%	1.1%	2.4%	97.6%
Grade 8	0.0%	0.0%	1.6%	98.4%
Grades 9–10	0.0%	0.0%	6.5%	93.5%
Grades 11–12	0.0%	0.0%	13.2%	86.8%
Electronic Vapor Products				
All	6.5%	7.6%	16.6%	83.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	3.9%	7.3%	92.7%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	18.9%	21.1%	46.6%	53.4%
Marijuana				
All	15.9%	15.9%	17.9%	82.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	2.0%	7.2%	92.8%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	47.9%	47.9%	51.1%	48.9%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.8%	5.8%	7.8%	92.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	2.0%	7.2%	92.8%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	16.9%	16.9%	20.1%	79.9%
Cocaine or Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Ecstasy				
All	0.0%	0.0%	5.8%	94.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	17.8%	82.2%
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	4.3%	4.3%	10.1%	89.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	13.2%	13.2%	31.0%	69.0%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.1%	13.9%	22.7%	77.3%
Grade 7	4.5%	5.5%	11.6%	88.4%
Grade 8	6.1%	8.0%	13.7%	86.3%
Grade 9	12.7%	15.1%	24.0%	76.0%
Grade 10	11.3%	15.1%	26.5%	73.5%
Grade 11	14.5%	18.7%	28.4%	71.6%
Grade 12	16.2%	19.7%	29.8%	70.2%
Any Alcohol Product				
All	22.1%	25.7%	40.8%	59.2%
Grade 7	14.2%	15.8%	28.4%	71.6%
Grade 8	14.9%	17.8%	32.3%	67.7%
Grade 9	21.1%	23.7%	37.9%	62.1%
Grade 10	23.1%	26.8%	45.4%	54.6%
Grade 11	26.8%	31.7%	47.5%	52.5%
Grade 12	31.7%	37.5%	51.7%	48.3%
Any Illicit Drug				
All	10.6%	13.7%	17.3%	82.7%
Grade 7	3.5%	4.8%	6.1%	93.9%
Grade 8	4.9%	7.1%	9.1%	90.9%
Grade 9	10.1%	11.7%	14.2%	85.8%
Grade 10	11.0%	14.8%	19.6%	80.4%
Grade 11	16.1%	20.2%	25.5%	74.5%
Grade 12	17.1%	22.7%	28.4%	71.6%
Any Prescription Drug				
All	4.0%	5.7%	10.8%	89.2%
Grade 7	3.5%	4.7%	8.4%	91.6%
Grade 8	4.8%	6.3%	10.6%	89.4%
Grade 9	4.5%	5.6%	9.4%	90.6%
Grade 10	2.4%	4.5%	10.0%	90.0%
Grade 11	4.9%	6.8%	14.3%	85.7%
Grade 12	3.8%	6.4%	11.8%	88.2%
Any Inhalant				
All	3.6%	4.9%	9.9%	90.1%
Grade 7	4.9%	5.9%	10.7%	89.3%
Grade 8	4.9%	6.3%	12.7%	87.3%
Grade 9	3.2%	5.3%	9.9%	90.1%
Grade 10	3.1%	4.4%	9.0%	91.0%
Grade 11	3.0%	4.1%	8.9%	91.1%
Grade 12	2.6%	3.7%	8.6%	91.4%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.3%	11.3%	19.9%	80.1%
Grade 7	3.0%	4.0%	9.4%	90.6%
Grade 8	4.4%	6.4%	11.9%	88.1%
Grade 9	10.3%	12.6%	21.6%	78.4%
Grade 10	8.4%	12.6%	23.8%	76.2%
Grade 11	11.7%	15.6%	26.0%	74.0%
Grade 12	11.1%	15.2%	24.6%	75.4%
Marijuana				
All	10.1%	11.7%	15.3%	84.7%
Grade 7	3.1%	3.5%	4.4%	95.6%
Grade 8	4.5%	5.3%	7.0%	93.0%
Grade 9	9.6%	10.1%	12.3%	87.7%
Grade 10	10.4%	11.8%	17.2%	82.8%
Grade 11	15.7%	17.5%	23.4%	76.6%
Grade 12	16.2%	21.1%	26.9%	73.1%
Marijuana Only				
All	4.9%	6.1%	9.1%	90.9%
Grade 7	1.6%	1.8%	2.6%	97.4%
Grade 8	2.2%	2.7%	4.1%	95.9%
Grade 9	4.7%	5.0%	7.0%	93.0%
Grade 10	5.8%	6.6%	10.4%	89.6%
Grade 11	6.3%	7.7%	12.3%	87.7%
Grade 12	8.6%	12.4%	17.6%	82.4%
Cocaine or Crack				
All	0.8%	0.9%	1.6%	98.4%
Grade 7	1.0%	1.1%	1.3%	98.7%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	0.9%	1.2%	1.6%	98.4%
Grade 10	0.5%	0.6%	1.3%	98.7%
Grade 11	0.6%	0.7%	1.5%	98.5%
Grade 12	1.2%	1.4%	2.8%	97.2%
Cocaine				
All	0.7%	0.9%	1.4%	98.6%
Grade 7	0.9%	0.9%	1.1%	98.9%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.9%	1.1%	1.2%	98.8%
Grade 10	0.3%	0.5%	1.2%	98.8%
Grade 11	0.4%	0.7%	1.5%	98.5%
Grade 12	1.2%	1.4%	2.8%	97.2%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.5%	0.5%	0.6%	99.4%
Hallucinogens				
All	0.7%	1.1%	2.6%	97.4%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	0.9%	1.0%	2.0%	98.0%
Grade 10	0.3%	1.0%	2.5%	97.5%
Grade 11	2.2%	2.3%	5.1%	94.9%
Grade 12	0.6%	1.4%	4.5%	95.5%
Synthetic Cathinones				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.3%	99.7%
Steroids				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.5%	0.7%	1.5%	98.5%
Grade 12	0.4%	0.4%	0.8%	99.2%
Ecstasy				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.2%	0.4%	1.3%	98.7%
Grade 11	0.7%	1.1%	1.6%	98.4%
Grade 12	0.1%	0.4%	2.1%	97.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.4%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.4%	99.6%
Synthetic Marijuana				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	1.1%	1.2%	1.7%	98.3%
Grade 10	0.2%	0.4%	1.8%	98.2%
Grade 11	1.9%	2.9%	4.5%	95.5%
Grade 12	0.9%	1.3%	2.5%	97.5%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.2%	0.5%	99.5%
Grade 11	0.6%	0.6%	1.5%	98.5%
Grade 12	0.0%	0.1%	0.5%	99.5%
Delta 8				
All	2.0%	2.8%	4.1%	95.9%
Grade 7	0.6%	0.8%	1.1%	98.9%
Grade 8	0.6%	0.7%	1.6%	98.4%
Grade 9	2.3%	3.2%	3.9%	96.1%
Grade 10	1.8%	2.1%	4.1%	95.9%
Grade 11	3.0%	4.7%	7.1%	92.9%
Grade 12	3.4%	4.6%	6.3%	93.7%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.2%	9.7%	16.8%	83.2%
Grade 7	2.0%	2.3%	7.0%	93.0%
Grade 8	3.9%	5.4%	8.6%	91.4%
Grade 9	5.7%	7.6%	17.6%	82.4%
Grade 10	9.1%	13.2%	20.1%	79.9%
Grade 11	14.3%	17.7%	27.7%	72.3%
Grade 12	8.0%	11.2%	19.7%	80.3%
Any Alcohol Product				
All	19.2%	23.4%	38.2%	61.8%
Grade 7	10.0%	12.2%	26.7%	73.3%
Grade 8	14.0%	17.1%	30.7%	69.3%
Grade 9	14.1%	16.8%	32.4%	67.6%
Grade 10	24.3%	27.7%	40.1%	59.9%
Grade 11	28.0%	35.5%	50.5%	49.5%
Grade 12	24.0%	30.4%	48.8%	51.2%
Any Illicit Drug				
All	7.1%	9.6%	12.7%	87.3%
Grade 7	2.1%	3.6%	4.4%	95.6%
Grade 8	2.5%	4.1%	5.4%	94.6%
Grade 9	6.4%	6.5%	8.4%	91.6%
Grade 10	8.2%	11.2%	14.4%	85.6%
Grade 11	16.0%	20.3%	26.5%	73.5%
Grade 12	7.3%	11.6%	16.5%	83.5%
Any Prescription Drug				
All	4.1%	5.5%	10.0%	90.0%
Grade 7	4.2%	5.7%	9.7%	90.3%
Grade 8	4.3%	6.5%	10.4%	89.6%
Grade 9	1.5%	2.3%	5.0%	95.0%
Grade 10	3.3%	4.7%	9.4%	90.6%
Grade 11	6.2%	7.2%	14.0%	86.0%
Grade 12	4.8%	6.4%	10.6%	89.4%
Any Inhalant				
All	2.6%	3.4%	8.0%	92.0%
Grade 7	4.6%	5.2%	11.2%	88.8%
Grade 8	3.6%	4.3%	11.0%	89.0%
Grade 9	1.6%	1.8%	2.8%	97.2%
Grade 10	1.8%	2.7%	6.3%	93.7%
Grade 11	2.1%	3.9%	9.8%	90.2%
Grade 12	1.9%	2.0%	6.2%	93.8%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.0%	8.4%	15.1%	84.9%
Grade 7	1.3%	1.7%	5.5%	94.5%
Grade 8	3.0%	4.3%	7.8%	92.2%
Grade 9	4.7%	5.8%	15.0%	85.0%
Grade 10	8.2%	12.4%	18.9%	81.1%
Grade 11	11.3%	15.4%	25.7%	74.3%
Grade 12	7.0%	10.5%	17.6%	82.4%
Marijuana				
All	6.8%	8.2%	11.4%	88.6%
Grade 7	1.7%	2.1%	2.3%	97.7%
Grade 8	2.4%	3.1%	4.7%	95.3%
Grade 9	6.4%	6.4%	7.9%	92.1%
Grade 10	7.8%	9.0%	12.8%	87.2%
Grade 11	15.7%	17.7%	25.5%	74.5%
Grade 12	6.3%	10.7%	14.7%	85.3%
Marijuana Only				
All	3.1%	4.3%	6.7%	93.3%
Grade 7	0.8%	1.2%	1.3%	98.7%
Grade 8	1.0%	1.4%	2.8%	97.2%
Grade 9	3.3%	3.3%	4.7%	95.3%
Grade 10	5.7%	6.3%	9.4%	90.6%
Grade 11	3.8%	5.8%	10.5%	89.5%
Grade 12	4.2%	8.2%	11.7%	88.3%
Cocaine or Crack				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.8%	0.8%	0.9%	99.1%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.5%	0.5%	2.3%	97.7%
Grade 12	0.1%	0.1%	1.4%	98.6%
Cocaine				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.5%	0.5%	2.3%	97.7%
Grade 12	0.1%	0.1%	1.4%	98.6%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.1%	0.5%	99.5%
Grade 10	0.0%	0.6%	1.7%	98.3%
Grade 11	1.7%	2.0%	4.5%	95.5%
Grade 12	0.0%	0.2%	1.7%	98.3%
Synthetic Cathinones				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.7%	1.0%	99.0%
Grade 11	1.2%	1.3%	2.0%	98.0%
Grade 12	0.2%	0.2%	0.2%	99.8%
Ecstasy				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.6%	1.1%	98.9%
Grade 11	2.6%	3.1%	3.6%	96.4%
Grade 12	0.0%	0.0%	0.4%	99.6%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana				
All	0.5%	0.9%	1.3%	98.7%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	1.7%	1.7%	1.9%	98.1%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	1.1%	2.9%	4.0%	96.0%
Grade 12	0.2%	0.2%	0.4%	99.6%
Methamphetamine				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	1.3%	98.7%
Grade 12	0.0%	0.2%	0.2%	99.8%
Delta 8				
All	1.2%	2.2%	3.0%	97.0%
Grade 7	0.4%	0.7%	0.9%	99.1%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.5%	1.7%	1.9%	98.1%
Grade 10	0.0%	0.6%	1.0%	99.0%
Grade 11	3.5%	7.7%	10.6%	89.4%
Grade 12	1.9%	1.9%	3.0%	97.0%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.4%	15.4%	25.2%	74.8%
Grade 7	5.3%	6.6%	13.2%	86.8%
Grade 8	7.0%	8.9%	16.6%	83.4%
Grade 9	14.1%	17.0%	24.7%	75.3%
Grade 10	12.0%	16.5%	30.6%	69.4%
Grade 11	15.3%	20.1%	30.8%	69.2%
Grade 12	19.3%	21.6%	33.3%	66.7%
Any Alcohol Product				
All	23.1%	26.6%	41.7%	58.3%
Grade 7	15.7%	17.0%	28.6%	71.4%
Grade 8	14.7%	17.8%	33.1%	66.9%
Grade 9	22.7%	25.5%	39.5%	60.5%
Grade 10	23.3%	27.8%	48.1%	51.9%
Grade 11	27.4%	32.3%	47.1%	52.9%
Grade 12	33.0%	37.9%	52.2%	47.8%
Any Illicit Drug				
All	12.5%	15.7%	19.7%	80.3%
Grade 7	3.9%	5.2%	6.5%	93.5%
Grade 8	6.6%	9.0%	11.2%	88.8%
Grade 9	10.8%	13.0%	16.0%	84.0%
Grade 10	12.1%	16.8%	22.9%	77.1%
Grade 11	18.7%	22.2%	27.3%	72.7%
Grade 12	21.9%	27.1%	33.2%	66.8%
Any Prescription Drug				
All	4.1%	5.9%	11.2%	88.8%
Grade 7	3.0%	4.3%	7.9%	92.1%
Grade 8	5.1%	6.3%	10.8%	89.2%
Grade 9	5.1%	6.3%	10.5%	89.5%
Grade 10	2.4%	4.6%	10.7%	89.3%
Grade 11	5.4%	7.5%	15.0%	85.0%
Grade 12	3.2%	6.3%	12.4%	87.6%
Any Inhalant				
All	4.1%	5.7%	10.6%	89.4%
Grade 7	5.0%	6.0%	10.3%	89.7%
Grade 8	5.9%	7.4%	13.6%	86.4%
Grade 9	3.7%	6.3%	10.4%	89.6%
Grade 10	3.9%	5.2%	11.1%	88.9%
Grade 11	3.2%	4.7%	9.3%	90.7%
Grade 12	3.1%	4.5%	9.5%	90.5%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.0%	12.0%	21.8%	78.2%
Grade 7	3.4%	4.7%	10.8%	89.2%
Grade 8	5.1%	7.2%	14.3%	85.7%
Grade 9	11.3%	14.0%	22.2%	77.8%
Grade 10	8.8%	13.5%	27.2%	72.8%
Grade 11	11.8%	16.0%	28.2%	71.8%
Grade 12	12.3%	15.4%	26.8%	73.2%
Marijuana				
All	11.8%	13.4%	17.4%	82.6%
Grade 7	3.4%	3.8%	5.0%	95.0%
Grade 8	5.8%	6.6%	8.3%	91.7%
Grade 9	10.1%	11.0%	13.3%	86.7%
Grade 10	11.3%	13.3%	20.3%	79.7%
Grade 11	18.3%	20.3%	25.6%	74.4%
Grade 12	21.1%	24.9%	31.1%	68.9%
Marijuana Only				
All	5.8%	6.9%	10.1%	89.9%
Grade 7	1.6%	1.9%	2.9%	97.1%
Grade 8	2.9%	3.4%	4.9%	95.1%
Grade 9	4.8%	5.4%	7.5%	92.5%
Grade 10	6.1%	7.0%	11.6%	88.4%
Grade 11	8.3%	9.8%	14.5%	85.5%
Grade 12	10.5%	13.3%	18.9%	81.1%
Cocaine or Crack				
All	0.9%	1.1%	1.8%	98.2%
Grade 7	1.2%	1.2%	1.5%	98.5%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.8%	1.1%	1.8%	98.2%
Grade 10	0.3%	0.5%	1.3%	98.7%
Grade 11	0.6%	0.8%	1.4%	98.6%
Grade 12	1.9%	2.1%	3.6%	96.4%
Cocaine				
All	0.8%	1.0%	1.6%	98.4%
Grade 7	0.9%	1.0%	1.2%	98.8%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.8%	1.1%	1.1%	98.9%
Grade 10	0.3%	0.5%	1.3%	98.7%
Grade 11	0.4%	0.8%	1.4%	98.6%
Grade 12	1.9%	2.1%	3.6%	96.4%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.7%	0.7%	0.9%	99.1%
Hallucinogens				
All	1.0%	1.4%	3.2%	96.8%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.4%	1.0%	99.0%
Grade 9	1.2%	1.4%	2.4%	97.6%
Grade 10	0.5%	1.0%	2.6%	97.4%
Grade 11	2.8%	2.9%	5.9%	94.1%
Grade 12	1.0%	2.1%	6.4%	93.6%
Synthetic Cathinones				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.4%	99.6%
Steroids				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.6%	0.6%	1.1%	98.9%
Ecstasy				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.5%	99.5%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	0.4%	0.7%	1.4%	98.6%
Grade 12	0.1%	0.7%	3.5%	96.5%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.3%	0.5%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.6%	99.4%
Synthetic Marijuana				
All	1.0%	1.4%	2.5%	97.5%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	1.0%	1.1%	1.4%	98.6%
Grade 10	0.4%	1.1%	2.9%	97.1%
Grade 11	2.5%	3.0%	4.6%	95.4%
Grade 12	1.3%	1.8%	3.6%	96.4%
Methamphetamine				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.7%	99.3%
Grade 11	0.8%	0.8%	1.6%	98.4%
Grade 12	0.0%	0.1%	0.6%	99.4%
Delta 8				
All	2.4%	3.2%	4.9%	95.1%
Grade 7	0.6%	0.8%	1.3%	98.7%
Grade 8	0.8%	1.1%	2.2%	97.8%
Grade 9	3.1%	3.5%	4.5%	95.5%
Grade 10	2.4%	3.2%	6.2%	93.8%
Grade 11	3.5%	4.9%	7.0%	93.0%
Grade 12	3.5%	5.4%	7.9%	92.1%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.1%	11.3%	19.1%	80.9%
Grade 7	3.6%	4.2%	9.2%	90.8%
Grade 8	5.2%	6.1%	10.2%	89.8%
Grade 9	9.3%	11.7%	20.2%	79.8%
Grade 10	7.9%	12.2%	21.6%	78.4%
Grade 11	14.8%	17.9%	27.1%	72.9%
Grade 12	13.9%	15.9%	26.1%	73.9%
Any Alcohol Product				
All	20.8%	24.2%	37.3%	62.7%
Grade 7	12.4%	13.6%	25.0%	75.0%
Grade 8	13.2%	16.1%	28.5%	71.5%
Grade 9	20.2%	23.8%	36.0%	64.0%
Grade 10	23.1%	25.9%	40.7%	59.3%
Grade 11	28.5%	32.6%	47.5%	52.5%
Grade 12	27.7%	33.1%	46.0%	54.0%
Any Illicit Drug				
All	8.8%	11.0%	14.0%	86.0%
Grade 7	3.5%	4.4%	5.4%	94.6%
Grade 8	3.1%	5.1%	6.7%	93.3%
Grade 9	7.7%	8.8%	10.6%	89.4%
Grade 10	9.0%	12.0%	16.0%	84.0%
Grade 11	15.7%	18.6%	23.5%	76.5%
Grade 12	14.1%	17.8%	22.6%	77.4%
Any Prescription Drug				
All	4.1%	5.6%	10.1%	89.9%
Grade 7	4.0%	5.3%	8.4%	91.6%
Grade 8	4.0%	5.4%	9.5%	90.5%
Grade 9	4.8%	5.7%	9.8%	90.2%
Grade 10	2.2%	4.7%	9.2%	90.8%
Grade 11	5.7%	7.4%	13.5%	86.5%
Grade 12	3.8%	4.8%	9.8%	90.2%
Any Inhalant				
All	3.8%	5.2%	9.6%	90.4%
Grade 7	5.8%	6.7%	10.8%	89.2%
Grade 8	4.2%	5.4%	11.2%	88.8%
Grade 9	3.7%	5.9%	10.0%	90.0%
Grade 10	3.2%	4.3%	8.7%	91.3%
Grade 11	2.7%	4.5%	9.0%	91.0%
Grade 12	3.0%	3.9%	7.3%	92.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.8%	9.3%	17.1%	82.9%
Grade 7	2.4%	3.0%	7.4%	92.6%
Grade 8	3.5%	4.6%	8.7%	91.3%
Grade 9	8.1%	10.6%	18.5%	81.5%
Grade 10	5.8%	10.5%	20.3%	79.7%
Grade 11	10.8%	14.2%	25.5%	74.5%
Grade 12	10.0%	12.9%	21.7%	78.3%
Marijuana				
All	8.3%	9.4%	12.4%	87.6%
Grade 7	2.9%	3.2%	3.8%	96.2%
Grade 8	2.7%	3.5%	4.9%	95.1%
Grade 9	7.6%	7.7%	9.3%	90.7%
Grade 10	8.3%	9.3%	14.0%	86.0%
Grade 11	15.2%	16.8%	22.0%	78.0%
Grade 12	13.1%	16.3%	21.2%	78.8%
Marijuana Only				
All	3.9%	4.8%	7.2%	92.8%
Grade 7	1.1%	1.2%	1.8%	98.2%
Grade 8	1.1%	1.8%	3.0%	97.0%
Grade 9	3.1%	3.1%	4.7%	95.3%
Grade 10	5.3%	6.1%	9.3%	90.7%
Grade 11	5.6%	6.7%	11.0%	89.0%
Grade 12	7.4%	10.2%	14.6%	85.4%
Cocaine or Crack				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	1.3%	1.3%	1.4%	98.6%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.6%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.6%	0.6%	1.3%	98.7%
Grade 12	1.0%	1.0%	2.0%	98.0%
Cocaine				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.3%	0.6%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.4%	0.6%	1.3%	98.7%
Grade 12	1.0%	1.0%	2.0%	98.0%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.6%	0.6%	0.6%	99.4%
Hallucinogens				
All	0.8%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.3%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	1.1%	1.4%	2.0%	98.0%
Grade 10	0.5%	1.3%	2.4%	97.6%
Grade 11	2.2%	2.4%	4.8%	95.2%
Grade 12	0.3%	0.5%	3.2%	96.8%
Synthetic Cathinones				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.4%	99.6%
Steroids				
All	0.0%	0.1%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.1%	0.1%	0.7%	99.3%
Ecstasy				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.3%	0.4%	0.5%	99.5%
Grade 10	0.1%	0.4%	1.4%	98.6%
Grade 11	1.1%	1.4%	1.8%	98.2%
Grade 12	0.0%	0.5%	1.7%	98.3%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.3%	0.5%	0.9%	99.1%
Grade 12	0.3%	0.3%	0.4%	99.6%
Synthetic Marijuana				
All	0.7%	1.0%	1.6%	98.4%
Grade 7	0.2%	0.4%	0.9%	99.1%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.6%	0.7%	0.8%	99.2%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	2.3%	3.7%	4.5%	95.5%
Grade 12	0.6%	0.7%	2.0%	98.0%
Methamphetamine				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.8%	0.8%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.7%	99.3%
Delta 8				
All	1.7%	2.3%	3.3%	96.7%
Grade 7	0.5%	0.8%	1.3%	98.7%
Grade 8	0.6%	0.7%	1.1%	98.9%
Grade 9	1.5%	2.4%	3.0%	97.0%
Grade 10	1.4%	1.4%	3.0%	97.0%
Grade 11	2.8%	5.0%	7.3%	92.7%
Grade 12	3.0%	3.3%	4.3%	95.7%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.2%	18.2%	28.8%	71.2%
Grade 7	6.1%	7.8%	16.1%	83.9%
Grade 8	7.4%	10.9%	19.7%	80.3%
Grade 9	17.6%	20.6%	29.4%	70.6%
Grade 10	15.5%	19.0%	34.0%	66.0%
Grade 11	14.7%	20.6%	32.3%	67.7%
Grade 12	19.4%	24.8%	35.5%	64.5%
Any Alcohol Product				
All	24.3%	28.8%	47.2%	52.8%
Grade 7	16.7%	19.1%	34.3%	65.7%
Grade 8	16.5%	19.6%	39.2%	60.8%
Grade 9	24.7%	25.8%	43.5%	56.5%
Grade 10	22.5%	27.9%	51.6%	48.4%
Grade 11	25.2%	32.9%	49.3%	50.7%
Grade 12	35.9%	42.3%	59.4%	40.6%
Any Illicit Drug				
All	14.4%	19.0%	23.6%	76.4%
Grade 7	3.6%	5.6%	7.2%	92.8%
Grade 8	8.8%	11.3%	13.5%	86.5%
Grade 9	14.6%	17.4%	21.0%	79.0%
Grade 10	13.4%	18.4%	24.8%	75.2%
Grade 11	19.6%	26.1%	31.3%	68.7%
Grade 12	21.9%	29.5%	36.7%	63.3%
Any Prescription Drug				
All	4.1%	6.2%	12.4%	87.6%
Grade 7	2.4%	3.8%	8.8%	91.2%
Grade 8	6.3%	7.8%	12.7%	87.3%
Grade 9	4.7%	5.9%	9.6%	90.4%
Grade 10	3.0%	4.1%	11.6%	88.4%
Grade 11	4.7%	6.8%	16.2%	83.8%
Grade 12	3.7%	8.2%	14.8%	85.2%
Any Inhalant				
All	3.4%	4.8%	10.5%	89.5%
Grade 7	3.1%	4.2%	10.8%	89.2%
Grade 8	6.6%	8.1%	14.9%	85.1%
Grade 9	2.1%	3.8%	9.1%	90.9%
Grade 10	3.7%	5.2%	11.0%	89.0%
Grade 11	3.0%	4.0%	8.3%	91.7%
Grade 12	2.5%	4.0%	10.2%	89.8%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.6%	14.3%	24.7%	75.3%
Grade 7	3.9%	5.9%	12.9%	87.1%
Grade 8	5.8%	9.3%	17.1%	82.9%
Grade 9	13.6%	15.4%	25.6%	74.4%
Grade 10	11.8%	15.4%	28.6%	71.4%
Grade 11	12.8%	17.5%	28.8%	71.2%
Grade 12	12.7%	18.4%	29.6%	70.4%
Marijuana				
All	13.8%	16.5%	21.1%	78.9%
Grade 7	3.1%	3.7%	5.2%	94.8%
Grade 8	8.1%	9.2%	11.0%	89.0%
Grade 9	13.6%	15.1%	18.0%	82.0%
Grade 10	12.9%	15.5%	22.2%	77.8%
Grade 11	19.4%	22.2%	28.5%	71.5%
Grade 12	21.3%	27.8%	34.4%	65.6%
Marijuana Only				
All	7.0%	8.8%	12.4%	87.6%
Grade 7	2.3%	2.9%	4.2%	95.8%
Grade 8	4.3%	4.6%	6.3%	93.7%
Grade 9	8.4%	9.4%	11.9%	88.1%
Grade 10	6.1%	7.0%	11.6%	88.4%
Grade 11	8.3%	11.0%	15.4%	84.6%
Grade 12	10.3%	14.8%	20.9%	79.1%
Cocaine or Crack				
All	1.0%	1.2%	2.4%	97.6%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.6%	0.7%	0.8%	99.2%
Grade 9	1.9%	2.0%	3.1%	96.9%
Grade 10	0.6%	1.0%	2.4%	97.6%
Grade 11	0.4%	0.8%	2.0%	98.0%
Grade 12	1.5%	1.9%	4.4%	95.6%
Cocaine				
All	0.9%	1.2%	2.2%	97.8%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.7%	0.7%	99.3%
Grade 9	1.9%	2.0%	2.0%	98.0%
Grade 10	0.6%	1.0%	2.4%	97.6%
Grade 11	0.4%	0.8%	2.0%	98.0%
Grade 12	1.5%	1.9%	4.4%	95.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.6%	99.4%
	Grade 7	0.6%	0.6%	0.6%	99.4%
	Grade 8	0.4%	0.6%	0.6%	99.4%
	Grade 9	0.0%	0.0%	1.1%	98.9%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.2%	0.2%	0.6%	99.4%
	Hallucinogens	All	0.7%	1.2%	3.4%
Grade 7		0.0%	0.0%	0.2%	99.8%
Grade 8		0.2%	0.8%	1.8%	98.2%
Grade 9		0.4%	0.5%	1.8%	98.2%
Grade 10		0.0%	0.5%	2.2%	97.8%
Grade 11		2.5%	2.5%	6.3%	93.7%
Grade 12		1.2%	2.6%	6.7%	93.3%
Synthetic Cathinones		All	0.0%	0.1%	0.2%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.2%	0.2%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.4%	0.4%	99.6%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%
	Steroids	All	0.5%	0.6%	1.1%
Grade 7		0.0%	0.0%	0.1%	99.9%
Grade 8		0.1%	0.2%	1.0%	99.0%
Grade 9		0.7%	0.7%	2.1%	97.9%
Grade 10		0.0%	0.0%	0.0%	100.0%
Grade 11		1.2%	1.8%	2.0%	98.0%
Grade 12		0.9%	0.9%	0.9%	99.1%
Ecstasy		All	0.3%	0.5%	1.3%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.5%	0.5%	0.8%	99.2%
	Grade 9	0.0%	0.1%	0.2%	99.8%
	Grade 10	0.4%	0.4%	0.9%	99.1%
	Grade 11	0.9%	1.2%	2.0%	98.0%
	Grade 12	0.2%	0.5%	3.4%	96.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.7%	0.7%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.2%	1.6%	3.0%	97.0%
Grade 7	0.1%	0.3%	0.4%	99.6%
Grade 8	0.8%	1.1%	2.6%	97.4%
Grade 9	1.9%	1.9%	3.0%	97.0%
Grade 10	0.6%	1.8%	3.4%	96.6%
Grade 11	1.9%	1.9%	4.5%	95.5%
Grade 12	1.3%	2.0%	3.1%	96.9%
Methamphetamine				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.4%	1.1%	98.9%
Grade 11	0.1%	0.1%	1.5%	98.5%
Grade 12	0.1%	0.2%	0.2%	99.8%
Delta 8				
All	2.6%	4.0%	5.9%	94.1%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	1.0%	1.4%	3.0%	97.0%
Grade 9	3.4%	4.2%	5.0%	95.0%
Grade 10	2.0%	3.7%	6.9%	93.1%
Grade 11	4.3%	6.4%	8.3%	91.7%
Grade 12	3.5%	6.0%	9.2%	90.8%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.9%	12.2%	20.9%	79.1%
Grade 7	3.5%	4.1%	9.6%	90.4%
Grade 8	4.5%	5.9%	10.8%	89.2%
Grade 9	9.6%	11.9%	20.1%	79.9%
Grade 10	10.7%	13.9%	25.6%	74.4%
Grade 11	14.7%	17.9%	28.0%	72.0%
Grade 12	15.6%	18.4%	29.9%	70.1%
Any Alcohol Product				
All	20.9%	24.6%	40.1%	59.9%
Grade 7	12.2%	13.5%	26.3%	73.7%
Grade 8	12.1%	15.1%	28.3%	71.7%
Grade 9	19.5%	22.0%	37.1%	62.9%
Grade 10	22.1%	26.0%	45.2%	54.8%
Grade 11	26.8%	32.5%	48.8%	51.2%
Grade 12	31.8%	37.3%	53.8%	46.2%
Any Illicit Drug				
All	9.5%	12.6%	15.9%	84.1%
Grade 7	2.3%	3.3%	4.2%	95.8%
Grade 8	3.4%	5.4%	6.3%	93.7%
Grade 9	8.1%	9.9%	12.2%	87.8%
Grade 10	9.2%	12.6%	18.5%	81.5%
Grade 11	16.8%	21.3%	25.8%	74.2%
Grade 12	16.2%	22.0%	27.4%	72.6%
Any Prescription Drug				
All	3.6%	5.1%	10.3%	89.7%
Grade 7	3.2%	4.5%	8.1%	91.9%
Grade 8	3.7%	4.9%	8.8%	91.2%
Grade 9	4.0%	4.8%	8.3%	91.7%
Grade 10	2.1%	3.8%	10.1%	89.9%
Grade 11	4.9%	6.7%	14.3%	85.7%
Grade 12	3.8%	5.8%	11.7%	88.3%
Any Inhalant				
All	3.1%	4.3%	9.0%	91.0%
Grade 7	3.6%	4.5%	9.2%	90.8%
Grade 8	3.7%	4.9%	10.5%	89.5%
Grade 9	2.9%	4.4%	8.5%	91.5%
Grade 10	3.1%	4.1%	8.3%	91.7%
Grade 11	2.5%	3.9%	8.8%	91.2%
Grade 12	3.1%	4.0%	8.8%	91.2%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.5%	10.0%	18.4%	81.6%
Grade 7	2.1%	2.9%	7.6%	92.4%
Grade 8	3.2%	4.7%	9.3%	90.7%
Grade 9	8.0%	10.1%	18.3%	81.7%
Grade 10	8.3%	11.6%	22.6%	77.4%
Grade 11	11.0%	14.7%	26.3%	73.7%
Grade 12	12.1%	15.1%	24.9%	75.1%
Marijuana				
All	9.1%	10.8%	14.1%	85.9%
Grade 7	1.9%	2.2%	2.9%	97.1%
Grade 8	3.1%	3.8%	4.7%	95.3%
Grade 9	8.1%	8.8%	10.6%	89.4%
Grade 10	8.6%	9.8%	16.3%	83.7%
Grade 11	16.7%	18.7%	23.6%	76.4%
Grade 12	15.6%	20.6%	25.8%	74.2%
Marijuana Only				
All	4.6%	5.9%	8.7%	91.3%
Grade 7	0.9%	1.2%	1.8%	98.2%
Grade 8	1.4%	1.9%	2.5%	97.5%
Grade 9	5.0%	5.6%	7.2%	92.8%
Grade 10	5.5%	5.9%	10.6%	89.4%
Grade 11	6.2%	7.8%	11.9%	88.1%
Grade 12	8.4%	12.4%	17.4%	82.6%
Cocaine or Crack				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.7%	0.8%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.5%	0.6%	1.2%	98.8%
Grade 10	0.1%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.4%	1.4%	98.6%
Grade 12	0.6%	0.6%	1.6%	98.4%
Cocaine				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.5%	0.6%	0.6%	99.4%
Grade 10	0.1%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.4%	1.4%	98.6%
Grade 12	0.6%	0.6%	1.6%	98.4%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.3%	99.7%
	Grade 7	0.5%	0.5%	0.6%	99.4%
	Grade 8	0.3%	0.3%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.2%	0.2%	0.4%	99.6%
Hallucinogens	All	0.4%	0.8%	2.2%	97.8%
	Grade 7	0.0%	0.1%	0.2%	99.8%
	Grade 8	0.0%	0.3%	0.6%	99.4%
	Grade 9	0.1%	0.4%	1.3%	98.7%
	Grade 10	0.0%	0.5%	1.9%	98.1%
	Grade 11	2.0%	2.0%	5.0%	95.0%
	Grade 12	0.4%	1.2%	4.4%	95.6%
Synthetic Cathinones	All	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.2%	0.2%	99.8%
	Grade 11	0.4%	0.4%	0.4%	99.6%
	Grade 12	0.2%	0.2%	0.3%	99.7%
Steroids	All	0.2%	0.2%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.0%	0.1%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.8%	99.2%
	Grade 10	0.0%	0.3%	0.4%	99.6%
	Grade 11	0.4%	0.5%	1.3%	98.7%
	Grade 12	0.4%	0.4%	0.6%	99.4%
Ecstasy	All	0.2%	0.4%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.1%	0.1%	0.2%	99.8%
	Grade 9	0.0%	0.1%	0.3%	99.7%
	Grade 10	0.2%	0.5%	1.0%	99.0%
	Grade 11	0.9%	1.3%	1.9%	98.1%
	Grade 12	0.0%	0.2%	1.4%	98.6%

2022
Border Report

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.5%	99.5%
Synthetic Marijuana				
All	0.6%	0.9%	1.7%	98.3%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	0.3%	0.9%	1.8%	98.2%
Grade 11	1.4%	2.4%	3.8%	96.2%
Grade 12	0.9%	0.9%	1.9%	98.1%
Methamphetamine				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.1%	0.3%	99.7%
Delta 8				
All	1.6%	2.5%	3.7%	96.3%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.6%	0.7%	1.4%	98.6%
Grade 9	1.1%	1.8%	2.3%	97.7%
Grade 10	1.4%	2.3%	4.1%	95.9%
Grade 11	3.2%	5.4%	7.9%	92.1%
Grade 12	2.8%	4.0%	5.5%	94.5%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.0%	22.1%	31.4%	68.6%
Grade 7	10.5%	14.0%	25.2%	74.8%
Grade 8	14.2%	17.1%	26.9%	73.1%
Grade 9	22.5%	27.0%	33.8%	66.2%
Grade 10	12.2%	17.2%	30.4%	69.6%
Grade 11	19.0%	25.8%	35.9%	64.1%
Grade 12	20.3%	27.5%	33.6%	66.4%
Any Alcohol Product				
All	28.9%	33.3%	46.2%	53.8%
Grade 7	26.4%	29.7%	40.4%	59.6%
Grade 8	27.3%	30.9%	52.4%	47.6%
Grade 9	28.2%	31.2%	41.1%	58.9%
Grade 10	25.6%	29.4%	43.2%	56.8%
Grade 11	31.2%	37.0%	49.1%	50.9%
Grade 12	33.6%	40.2%	50.3%	49.7%
Any Illicit Drug				
All	17.9%	22.1%	26.6%	73.4%
Grade 7	11.7%	15.1%	17.0%	83.0%
Grade 8	13.1%	16.5%	21.8%	78.2%
Grade 9	20.6%	23.2%	26.6%	73.4%
Grade 10	15.2%	22.4%	24.4%	75.6%
Grade 11	19.5%	24.1%	31.3%	68.7%
Grade 12	24.1%	28.0%	34.7%	65.3%
Any Prescription Drug				
All	6.3%	9.0%	14.6%	85.4%
Grade 7	5.7%	7.4%	11.7%	88.3%
Grade 8	10.2%	13.0%	20.2%	79.8%
Grade 9	6.2%	8.3%	13.7%	86.3%
Grade 10	4.7%	7.8%	12.0%	88.0%
Grade 11	8.0%	9.0%	14.6%	85.4%
Grade 12	3.5%	8.7%	14.8%	85.2%
Any Inhalant				
All	6.4%	9.3%	14.9%	85.1%
Grade 7	10.5%	12.2%	18.5%	81.5%
Grade 8	12.9%	14.2%	23.1%	76.9%
Grade 9	5.7%	12.1%	16.2%	83.8%
Grade 10	4.8%	6.9%	13.0%	87.0%
Grade 11	4.9%	7.2%	11.5%	88.5%
Grade 12	1.8%	4.5%	9.0%	91.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.8%	17.8%	27.3%	72.7%
Grade 7	8.7%	11.4%	21.6%	78.4%
Grade 8	10.4%	13.9%	23.3%	76.7%
Grade 9	19.8%	22.8%	29.4%	70.6%
Grade 10	9.0%	16.1%	27.6%	72.4%
Grade 11	17.5%	22.5%	31.8%	68.2%
Grade 12	8.6%	17.2%	27.4%	72.6%
Marijuana				
All	16.9%	19.2%	24.1%	75.9%
Grade 7	10.4%	11.3%	12.4%	87.6%
Grade 8	11.4%	13.4%	18.4%	81.6%
Grade 9	19.5%	20.4%	23.2%	76.8%
Grade 10	15.2%	19.1%	22.3%	77.7%
Grade 11	19.1%	21.8%	30.2%	69.8%
Grade 12	22.4%	25.5%	33.4%	66.6%
Marijuana Only				
All	8.0%	9.4%	13.3%	86.7%
Grade 7	6.0%	6.7%	7.5%	92.5%
Grade 8	5.6%	6.7%	11.4%	88.6%
Grade 9	7.1%	7.1%	9.9%	90.1%
Grade 10	6.9%	8.8%	10.7%	89.3%
Grade 11	10.9%	13.4%	19.5%	80.5%
Grade 12	10.6%	12.5%	18.9%	81.1%
Cocaine or Crack				
All	2.3%	2.8%	4.1%	95.9%
Grade 7	2.7%	2.7%	3.5%	96.5%
Grade 8	0.4%	0.7%	1.7%	98.3%
Grade 9	3.3%	4.5%	4.5%	95.5%
Grade 10	1.1%	1.1%	3.0%	97.0%
Grade 11	1.5%	1.7%	2.3%	97.7%
Grade 12	4.5%	5.5%	8.7%	91.3%
Cocaine				
All	2.0%	2.7%	4.0%	96.0%
Grade 7	2.2%	2.2%	2.7%	97.3%
Grade 8	0.4%	0.7%	1.7%	98.3%
Grade 9	3.2%	4.4%	4.4%	95.6%
Grade 10	1.1%	1.1%	3.0%	97.0%
Grade 11	0.4%	1.7%	2.3%	97.7%
Grade 12	4.5%	5.5%	8.7%	91.3%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.7%	0.9%	99.1%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.3%	0.6%	1.2%	98.8%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.1%	1.1%	1.5%	98.5%
Grade 12	1.9%	1.9%	1.9%	98.1%
Hallucinogens				
All	2.0%	2.4%	4.1%	95.9%
Grade 7	0.3%	1.3%	1.4%	98.6%
Grade 8	1.0%	1.3%	2.5%	97.5%
Grade 9	3.1%	3.1%	4.9%	95.1%
Grade 10	0.0%	1.1%	3.0%	97.0%
Grade 11	4.9%	4.9%	5.8%	94.2%
Grade 12	1.8%	2.0%	5.8%	94.2%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.3%	0.5%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.7%	0.7%	0.8%	99.2%
Grade 12	0.7%	0.7%	2.0%	98.0%
Ecstasy				
All	0.7%	0.9%	2.5%	97.5%
Grade 7	0.3%	0.3%	1.7%	98.3%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	1.2%	1.2%	1.2%	98.8%
Grade 10	0.0%	0.0%	2.4%	97.6%
Grade 11	1.1%	1.2%	1.7%	98.3%
Grade 12	0.4%	1.4%	6.6%	93.4%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.8%	0.8%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	1.1%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana				
All	2.2%	2.7%	4.1%	95.9%
Grade 7	0.9%	1.7%	2.6%	97.4%
Grade 8	0.5%	0.8%	2.8%	97.2%
Grade 9	3.9%	3.9%	3.9%	96.1%
Grade 10	0.1%	0.1%	2.4%	97.6%
Grade 11	6.4%	6.5%	7.0%	93.0%
Grade 12	0.9%	2.6%	5.1%	94.9%
Methamphetamine				
All	0.5%	0.5%	1.5%	98.5%
Grade 7	0.2%	0.2%	1.4%	98.6%
Grade 8	0.7%	0.8%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.0%	2.0%	4.6%	95.4%
Grade 12	0.0%	0.0%	1.3%	98.7%
Delta 8				
All	4.0%	4.9%	7.0%	93.0%
Grade 7	1.9%	2.4%	3.4%	96.6%
Grade 8	1.2%	1.8%	2.6%	97.4%
Grade 9	5.8%	7.5%	9.5%	90.5%
Grade 10	3.3%	3.3%	6.4%	93.6%
Grade 11	4.7%	5.5%	6.2%	93.8%
Grade 12	5.6%	7.0%	11.7%	88.3%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	171,066	51.3%
Female	162,494	48.7%
Frequency Missing	3,162	

Hispanic or Latino

Q5a	Frequency	Percent
No	17,424	5.2%
Yes	316,323	94.8%
Frequency Missing	2,975	

Grade

Q2	Frequency	Percent
Grade 7	49,205	14.7%
Grade 8	51,078	15.2%
Grade 9	65,507	19.5%
Grade 10	58,357	17.4%
Grade 11	56,887	17.0%
Grade 12	54,344	16.2%
Frequency Missing	1,344	

Ethnicity

Q5b	Frequency	Percent
American Indian	6,973	2.3%
Asian American	1,246	0.4%
African American	10,089	3.3%
Pacific Islander	915	0.3%
White	174,550	56.4%
Other	80,879	26.1%
More Than One Race	34,730	11.2%
Frequency Missing	27,340	

Live with Both Parents

Q3	Frequency	Percent
No	125,380	37.6%
Yes	207,788	62.4%
Frequency Missing	3,555	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	1,597	0.5%
Mostly D's	4,994	1.6%
Mostly C's	50,743	16.2%
Mostly B's	161,214	51.6%
Mostly A's	93,973	30.1%
Frequency Missing	24,201	

Age

Q4	Frequency	Percent
11 or younger	124	0.0%
12	19,969	5.9%
13	48,254	14.4%
14	54,057	16.1%
15	60,927	18.1%
16	59,466	17.7%
17	55,968	16.7%
18	32,712	9.7%
19 or older	4,301	1.3%
Frequency Missing	943	

Do You Have a Job

Q7	Frequency	Percent
No	266,567	84.8%
Yes	47,820	15.2%
Frequency Missing	22,335	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	26,911	8.6%
Yes	171,627	55.0%
Don't Know	113,362	36.3%
Frequency Missing	24,823	

**Participate in School Athletics (UIL, Varsity,
Jr Varsity)**

Q9a	Frequency	Percent
No	166,193	55.7%
Yes	132,206	44.3%
Frequency Missing	38,323	

**Participate in Academic
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	228,654	81.5%
Yes	52,016	18.5%
Frequency Missing	56,053	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	233,803	82.4%
Yes	49,893	17.6%
Frequency Missing	53,026	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	219,671	78.3%
Yes	60,905	21.7%
Frequency Missing	56,146	

Participate in School Choir

Q9c	Frequency	Percent
No	262,456	94.4%
Yes	15,427	5.6%
Frequency Missing	58,839	

**Participate in Athletic Teams Outside of
School**

Q9h	Frequency	Percent
No	209,183	73.5%
Yes	75,540	26.5%
Frequency Missing	51,999	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	260,521	93.5%
Yes	18,232	6.5%
Frequency Missing	57,969	

**Participate in Other Clubs or Groups
Outside of School**

Q9i	Frequency	Percent
No	237,135	85.0%
Yes	41,865	15.0%
Frequency Missing	57,722	

**Participate in Student Government/School
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	259,474	93.5%
Yes	17,982	6.5%
Frequency Missing	59,266	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	293,033	87.4%
Somewhat Safe	35,927	10.7%
Not Very Safe	2,948	0.9%
Not Safe At All	532	0.2%
Don't Know	2,749	0.8%
Frequency Missing	1,533	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	140,423	42.2%
Somewhat Safe	157,849	47.4%
Not Very Safe	22,254	6.7%
Not Safe At All	3,961	1.2%
Don't Know	8,317	2.5%
Frequency Missing	3,917	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	116,380	35.0%
Somewhat Safe	166,169	49.9%
Not Very Safe	28,170	8.5%
Not Safe At All	11,266	3.4%
Don't Know	10,869	3.3%
Frequency Missing	3,868	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	29,666	9.4%
Some High School	46,486	14.7%
Finished High School	74,725	23.6%
Some College	32,592	10.3%
Finished College	43,184	13.6%
Post-Secondary	24,350	7.7%
Don't Know or N/A	66,005	20.8%
Frequency Missing	19,715	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	31,523	9.9%
Some High School	42,410	13.3%
Finished High School	69,562	21.8%
Some College	41,530	13.0%
Finished College	56,667	17.7%
Post-Secondary	34,633	10.8%
Don't Know or N/A	43,237	13.5%
Frequency Missing	17,159	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	195,946	63.9%
Yes	110,570	36.1%
Frequency Missing	30,206	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	26,911	8.1%
A Few	79,520	24.0%
Some	84,160	25.5%
Most	94,834	28.7%
All	45,226	13.7%
Frequency Missing	6,071	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	9,650	2.9%
A Few	44,641	13.5%
Some	84,556	25.5%
Most	128,387	38.8%
All	63,773	19.3%
Frequency Missing	5,716	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	155,823	47.9%
A Few	92,645	28.5%
Some	45,663	14.0%
Most	21,473	6.6%
All	9,449	2.9%
Frequency Missing	11,669	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	286,664	87.3%
A Few	28,027	8.5%
Some	8,510	2.6%
Most	3,089	0.9%
All	2,257	0.7%
Frequency Missing	8,176	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	326,823	99.3%
In Your Lifetime	1,163	0.4%
Since School Began	525	0.2%
In the Past Month	607	0.2%
Frequency Missing	7,604	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	299,259	90.7%
A Few	19,999	6.1%
Some	7,086	2.1%
Most	1,491	0.5%
All	1,981	0.6%
Frequency Missing	6,907	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	316,696	95.6%
In Your Lifetime	10,132	3.1%
Since School Began	1,320	0.4%
In the Past Month	2,986	0.9%
Frequency Missing	5,588	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	326,291	98.4%
In Your Lifetime	3,460	1.0%
Since School Began	692	0.2%
In the Past Month	990	0.3%
Frequency Missing	5,289	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	327,100	98.9%
In Your Lifetime	2,605	0.8%
Since School Began	512	0.2%
In the Past Month	647	0.2%
Frequency Missing	5,858	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	319,215	96.5%
In Your Lifetime	7,855	2.4%
Since School Began	1,277	0.4%
In the Past Month	2,585	0.8%
Frequency Missing	5,790	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	327,340	99.1%
In Your Lifetime	1,728	0.5%
Since School Began	516	0.2%
In the Past Month	851	0.3%
Frequency Missing	6,288	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	324,099	98.1%
In Your Lifetime	3,860	1.2%
Since School Began	755	0.2%
In the Past Month	1,830	0.6%
Frequency Missing	6,177	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	234,928	71.9%
In Your Lifetime	49,594	15.2%
Since School Began	14,829	4.5%
In the Past Month	27,432	8.4%
Frequency Missing	9,939	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	326,474	98.7%
In Your Lifetime	2,700	0.8%
Since School Began	426	0.1%
In the Past Month	1,248	0.4%
Frequency Missing	5,874	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	269,434	81.9%
In Your Lifetime	25,439	7.7%
Since School Began	11,966	3.6%
In the Past Month	22,074	6.7%
Frequency Missing	7,809	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	301,792	91.0%
In Your Lifetime	17,901	5.4%
Since School Began	4,240	1.3%
In the Past Month	7,529	2.3%
Frequency Missing	5,260	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	263,596	81.1%
In Your Lifetime	36,972	11.4%
Since School Began	9,419	2.9%
In the Past Month	15,150	4.7%
Frequency Missing	11,585	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	318,707	96.6%
In Your Lifetime	6,298	1.9%
Since School Began	1,295	0.4%
In the Past Month	3,454	1.0%
Frequency Missing	6,967	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	255,235	77.9%
In Your Lifetime	32,190	9.8%
Since School Began	14,171	4.3%
In the Past Month	25,947	7.9%
Frequency Missing	9,180	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	322,243	97.6%
In Your Lifetime	5,664	1.7%
Since School Began	1,012	0.3%
In the Past Month	1,100	0.3%
Frequency Missing	6,704	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	264,370	80.1%
In Your Lifetime	28,793	8.7%
Since School Began	9,737	2.9%
In the Past Month	27,317	8.3%
Frequency Missing	6,505	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	321,942	97.4%
In Your Lifetime	5,038	1.5%
Since School Began	1,159	0.4%
In the Past Month	2,486	0.8%
Frequency Missing	6,098	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	283,984	85.7%
In Your Lifetime	20,911	6.3%
Since School Began	6,667	2.0%
In the Past Month	19,723	6.0%
Frequency Missing	5,437	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	330,194	99.8%
In Your Lifetime	116	0.0%
Since School Began	157	0.0%
In the Past Month	354	0.1%
Frequency Missing	5,902	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	327,788	99.0%
In Your Lifetime	1,959	0.6%
Since School Began	667	0.2%
In the Past Month	730	0.2%
Frequency Missing	5,579	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	329,081	99.5%
In Your Lifetime	865	0.3%
Since School Began	180	0.1%
In the Past Month	660	0.2%
Frequency Missing	5,936	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	329,887	99.9%
In Your Lifetime	135	0.0%
Since School Began	29	0.0%
In the Past Month	199	0.1%
Frequency Missing	6,472	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	327,305	99.1%
In Your Lifetime	1,535	0.5%
Since School Began	544	0.2%
In the Past Month	760	0.2%
Frequency Missing	6,578	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	329,715	99.7%
In Your Lifetime	374	0.1%
Since School Began	0	0.0%
In the Past Month	487	0.1%
Frequency Missing	6,146	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	306,087	93.2%
In Your Lifetime	12,276	3.7%
Since School Began	3,786	1.2%
In the Past Month	6,147	1.9%
Frequency Missing	8,426	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	330,086	99.6%
In Your Lifetime	613	0.2%
Since School Began	180	0.1%
In the Past Month	394	0.1%
Frequency Missing	5,449	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	323,644	98.6%
In Your Lifetime	2,093	0.6%
Since School Began	1,022	0.3%
In the Past Month	1,351	0.4%
Frequency Missing	8,612	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	324,870	98.2%
In Your Lifetime	2,887	0.9%
Since School Began	1,089	0.3%
In the Past Month	2,130	0.6%
Frequency Missing	5,746	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	319,016	97.3%
In Your Lifetime	5,555	1.7%
Since School Began	1,649	0.5%
In the Past Month	1,682	0.5%
Frequency Missing	8,819	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	316,713	96.2%
In Your Lifetime	5,145	1.6%
Since School Began	2,352	0.7%
In the Past Month	5,170	1.6%
Frequency Missing	7,341	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	319,378	97.4%
In Your Lifetime	3,527	1.1%
Since School Began	1,434	0.4%
In the Past Month	3,439	1.0%
Frequency Missing	8,944	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	311,455	95.2%
In Your Lifetime	6,470	2.0%
Since School Began	2,067	0.6%
In the Past Month	7,036	2.2%
Frequency Missing	9,694	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	322,700	98.7%
1-2 times	3,298	1.0%
3-10 times	1,000	0.3%
11+ times	96	0.0%
Frequency Missing	9,628	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	320,468	98.0%
In Your Lifetime	2,992	0.9%
Since School Began	1,145	0.3%
In the Past Month	2,545	0.8%
Frequency Missing	9,572	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	295,388	90.2%
1-2 times	15,262	4.7%
3-10 times	8,095	2.5%
11+ times	8,586	2.6%
Frequency Missing	9,391	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	312,490	95.6%
1-2 times	9,076	2.8%
3-10 times	2,631	0.8%
11+ times	2,732	0.8%
Frequency Missing	9,793	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	325,744	99.4%
1-2 times	1,252	0.4%
3-10 times	314	0.1%
11+ times	347	0.1%
Frequency Missing	9,065	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	266,452	81.7%
1-2 times	40,065	12.3%
3-10 times	13,725	4.2%
11+ times	5,974	1.8%
Frequency Missing	10,505	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	327,050	99.8%
1-2 times	475	0.1%
3-10 times	36	0.0%
11+ times	82	0.0%
Frequency Missing	9,079	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	271,506	83.2%
A few	35,003	10.7%
Some	13,324	4.1%
Most	4,926	1.5%
All	1,753	0.5%
Frequency Missing	10,210	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	199,909	61.1%
A few	67,604	20.7%
Some	30,265	9.3%
Most	22,432	6.9%
All	6,767	2.1%
Frequency Missing	9,746	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	307,224	94.1%
A few	12,335	3.8%
Some	4,636	1.4%
Most	1,869	0.6%
All	494	0.2%
Frequency Missing	10,166	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	230,219	70.5%
A few	50,174	15.4%
Some	22,888	7.0%
Most	17,475	5.3%
All	5,921	1.8%
Frequency Missing	10,045	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	295,989	91.3%
8 or younger	2,474	0.8%
9 years old	832	0.3%
10 years old	1,047	0.3%
11 years old	1,580	0.5%
12 years old	2,681	0.8%
13 years old	3,970	1.2%
14 years old	3,136	1.0%
15 years old	4,355	1.3%
16 years old	4,358	1.3%
17 years old	2,519	0.8%
18 or older	1,163	0.4%
Frequency Missing	12,618	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	220,176	68.2%
8 or younger	11,333	3.5%
9 years old	3,077	1.0%
10 years old	5,653	1.8%
11 years old	4,699	1.5%
12 years old	8,436	2.6%
13 years old	11,246	3.5%
14 years old	16,382	5.1%
15 years old	18,597	5.8%
16 years old	12,592	3.9%
17 years old	7,628	2.4%
18 or older	3,003	0.9%
Frequency Missing	13,901	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	317,041	97.8%
8 or younger	1,768	0.5%
9 years old	348	0.1%
10 years old	758	0.2%
11 years old	685	0.2%
12 years old	941	0.3%
13 years old	1,032	0.3%
14 years old	649	0.2%
15 years old	372	0.1%
16 years old	197	0.1%
17 years old	33	0.0%
18 or older	269	0.1%
Frequency Missing	12,630	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	279,094	86.2%
8 or younger	816	0.3%
9 years old	458	0.1%
10 years old	358	0.1%
11 years old	2,102	0.6%
12 years old	3,840	1.2%
13 years old	5,962	1.8%
14 years old	7,749	2.4%
15 years old	11,607	3.6%
16 years old	7,578	2.3%
17 years old	2,999	0.9%
18 or older	1,076	0.3%
Frequency Missing	13,083	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	321,175	98.9%
8 or younger	399	0.1%
9 years old	62	0.0%
10 years old	0	0.0%
11 years old	73	0.0%
12 years old	200	0.1%
13 years old	217	0.1%
14 years old	651	0.2%
15 years old	839	0.3%
16 years old	550	0.2%
17 years old	307	0.1%
18 or older	175	0.1%
Frequency Missing	12,075	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	320,672	99.1%
8 or younger	155	0.0%
9 years old	30	0.0%
10 years old	0	0.0%
11 years old	14	0.0%
12 years old	85	0.0%
13 years old	378	0.1%
14 years old	588	0.2%
15 years old	796	0.2%
16 years old	298	0.1%
17 years old	408	0.1%
18 or older	131	0.0%
Frequency Missing	13,167	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	324,103	99.7%
8 or younger	230	0.1%
9 years old	16	0.0%
10 years old	0	0.0%
11 years old	49	0.0%
12 years old	214	0.1%
13 years old	113	0.0%
14 years old	66	0.0%
15 years old	131	0.0%
16 years old	11	0.0%
17 years old	100	0.0%
Frequency Missing	11,690	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	323,993	99.8%
8 or younger	216	0.1%
9 years old	31	0.0%
10 years old	0	0.0%
11 years old	54	0.0%
12 years old	30	0.0%
13 years old	197	0.1%
14 years old	124	0.0%
15 years old	23	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	12,055	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	323,034	99.5%
8 or younger	185	0.1%
9 years old	14	0.0%
10 years old	17	0.0%
11 years old	16	0.0%
12 years old	377	0.1%
13 years old	208	0.1%
14 years old	160	0.0%
15 years old	427	0.1%
16 years old	89	0.0%
17 years old	5	0.0%
18 or older	0	0.0%
Frequency Missing	12,191	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	323,788	99.6%
8 or younger	193	0.1%
9 years old	15	0.0%
10 years old	17	0.0%
11 years old	41	0.0%
12 years old	145	0.0%
13 years old	172	0.1%
14 years old	93	0.0%
15 years old	274	0.1%
16 years old	95	0.0%
17 years old	170	0.1%
Frequency Missing	11,718	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	319,852	98.5%
8 or younger	262	0.1%
9 years old	115	0.0%
10 years old	6	0.0%
11 years old	337	0.1%
12 years old	274	0.1%
13 years old	706	0.2%
14 years old	1,143	0.4%
15 years old	753	0.2%
16 years old	1,063	0.3%
17 years old	200	0.1%
18 or older	44	0.0%
Frequency Missing	11,967	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	312,342	96.4%
8 or younger	66	0.0%
9 years old	113	0.0%
10 years old	0	0.0%
11 years old	295	0.1%
12 years old	415	0.1%
13 years old	1,419	0.4%
14 years old	2,030	0.6%
15 years old	2,801	0.9%
16 years old	1,879	0.6%
17 years old	2,101	0.6%
18 or older	663	0.2%
Frequency Missing	12,598	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	144,618	44.8%
Impossible	61,212	19.0%
Very Difficult	20,982	6.5%
Somewhat diff	29,470	9.1%
Somewhat easy	33,676	10.4%
Very easy	32,583	10.1%
Frequency Missing	14,182	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	119,428	37.1%
Impossible	41,193	12.8%
Very Difficult	19,122	5.9%
Somewhat diff	30,501	9.5%
Somewhat easy	51,272	15.9%
Very easy	60,053	18.7%
Frequency Missing	15,153	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	172,954	53.9%
Impossible	46,525	14.5%
Very Difficult	10,747	3.3%
Somewhat diff	13,777	4.3%
Somewhat easy	22,483	7.0%
Very easy	54,469	17.0%
Frequency Missing	15,768	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	136,700	42.6%
Impossible	65,498	20.4%
Very Difficult	21,402	6.7%
Somewhat diff	25,085	7.8%
Somewhat easy	32,846	10.2%
Very easy	39,652	12.3%
Frequency Missing	15,538	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	165,290	51.5%
Impossible	89,920	28.0%
Very Difficult	30,488	9.5%
Somewhat diff	17,911	5.6%
Somewhat easy	9,247	2.9%
Very easy	8,063	2.5%
Frequency Missing	15,803	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	171,757	53.6%
Impossible	91,772	28.6%
Very Difficult	29,333	9.1%
Somewhat diff	14,866	4.6%
Somewhat easy	7,080	2.2%
Very easy	5,924	1.8%
Frequency Missing	15,990	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	192,025	59.7%
Impossible	86,073	26.8%
Very Difficult	23,050	7.2%
Somewhat diff	10,831	3.4%
Somewhat easy	3,795	1.2%
Very easy	5,731	1.8%
Frequency Missing	15,217	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	177,092	55.3%
Impossible	82,592	25.8%
Very Difficult	26,906	8.4%
Somewhat diff	17,049	5.3%
Somewhat easy	8,920	2.8%
Very easy	7,968	2.5%
Frequency Missing	16,195	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	196,810	61.3%
Impossible	72,471	22.6%
Very Difficult	18,954	5.9%
Somewhat diff	13,335	4.2%
Somewhat easy	9,743	3.0%
Very easy	9,976	3.1%
Frequency Missing	15,432	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	197,241	61.6%
Impossible	75,778	23.7%
Very Difficult	21,654	6.8%
Somewhat diff	11,919	3.7%
Somewhat easy	6,625	2.1%
Very easy	6,966	2.2%
Frequency Missing	16,539	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	201,022	62.8%
Impossible	64,465	20.1%
Very Difficult	16,246	5.1%
Somewhat diff	11,890	3.7%
Somewhat easy	11,757	3.7%
Very easy	14,765	4.6%
Frequency Missing	16,577	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	185,426	57.7%
Impossible	89,905	28.0%
Very Difficult	24,924	7.8%
Somewhat diff	11,455	3.6%
Somewhat easy	3,885	1.2%
Very easy	5,700	1.8%
Frequency Missing	15,428	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	1,153	0.4%
Several times/wk	1,491	0.5%
Several times/mo	2,374	0.7%
About once/month	5,564	1.7%
About once/year	4,583	1.4%
Less than once/year	8,824	2.7%
Never used	297,034	92.5%
Frequency Missing	15,697	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	404	0.1%
Several times/wk	3,438	1.1%
Several times/mo	13,501	4.2%
About once/month	24,000	7.5%
About once/year	26,229	8.2%
Less than once/year	21,506	6.7%
Never used	230,817	72.2%
Frequency Missing	16,827	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	29	0.0%
Several times/wk	80	0.0%
Several times/mo	225	0.1%
About once/month	541	0.2%
About once/year	605	0.2%
Less than once/year	992	0.3%
Never used	318,714	99.2%
Frequency Missing	15,535	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	183	0.1%
Several times/wk	549	0.2%
Several times/mo	781	0.2%
About once/month	1,159	0.4%
About once/year	1,377	0.4%
Less than once/year	2,587	0.8%
Never used	314,142	97.9%
Frequency Missing	15,945	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	113	0.0%
Several times/wk	30	0.0%
Several times/mo	117	0.0%
About once/month	104	0.0%
About once/year	51	0.0%
Less than once/year	190	0.1%
Never used	320,943	99.8%
Frequency Missing	15,174	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	3,686	1.1%
Several times/wk	5,718	1.8%
Several times/mo	6,573	2.0%
About once/month	8,252	2.6%
About once/year	7,738	2.4%
Less than once/year	8,173	2.5%
Never used	280,864	87.5%
Frequency Missing	15,719	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	192	0.1%
Several times/wk	27	0.0%
Several times/mo	52	0.0%
About once/month	127	0.0%
About once/year	317	0.1%
Less than once/year	436	0.1%
Never used	319,585	99.6%
Frequency Missing	15,987	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	277	0.1%
Several times/wk	0	0.0%
Several times/mo	192	0.1%
About once/month	334	0.1%
About once/year	745	0.2%
Less than once/year	882	0.3%
Never used	318,259	99.2%
Frequency Missing	16,033	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	128	0.0%
Several times/wk	689	0.2%
Several times/mo	541	0.2%
About once/month	552	0.2%
About once/year	1,254	0.4%
Less than once/year	1,116	0.3%
Never used	316,280	98.7%
Frequency Missing	16,163	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	57	0.0%
Several times/wk	36	0.0%
Several times/mo	0	0.0%
About once/month	145	0.0%
About once/year	222	0.1%
Less than once/year	120	0.0%
Never used	320,421	99.8%
Frequency Missing	15,722	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	329	0.1%
Several times/wk	1,363	0.4%
Several times/mo	2,243	0.7%
About once/month	2,494	0.8%
About once/year	1,705	0.5%
Less than once/year	2,073	0.7%
Never used	308,359	96.8%
Frequency Missing	18,156	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	54	0.0%
Several times/wk	34	0.0%
Several times/mo	0	0.0%
About once/month	96	0.0%
About once/year	312	0.1%
Less than once/year	577	0.2%
Never used	319,862	99.7%
Frequency Missing	15,787	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	234,746	73.1%
12+ drinks	4,076	1.3%
9-11 drinks	3,397	1.1%
5-8 drinks	6,844	2.1%
3-4 drinks	11,524	3.6%
2 drinks	13,996	4.4%
1 drink	16,997	5.3%
Less than 1 drink	29,574	9.2%
Frequency Missing	15,567	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	258,424	80.7%
12+ drinks	2,488	0.8%
9-11 drinks	2,278	0.7%
5-8 drinks	5,128	1.6%
3-4 drinks	11,575	3.6%
2 drinks	9,650	3.0%
1 drink	14,446	4.5%
Less than 1 drink	16,212	5.1%
Frequency Missing	16,521	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	190,949	60.3%
0 days	102,707	32.4%
1 day	10,240	3.2%
2 days	4,469	1.4%
3 to 5 days	4,181	1.3%
6 to 9 days	1,569	0.5%
10 or more days	2,585	0.8%
Frequency Missing	20,021	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	258,541	80.9%
12+ drinks	913	0.3%
9-11 drinks	798	0.2%
5-8 drinks	1,717	0.5%
3-4 drinks	5,369	1.7%
2 drinks	8,818	2.8%
1 drink	16,576	5.2%
Less than 1 drink	26,848	8.4%
Frequency Missing	17,143	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	219,472	68.9%
Never	46,731	14.7%
Seldom	32,268	10.1%
Most of the Time	13,838	4.3%
Always	6,152	1.9%
Frequency Missing	18,260	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	247,611	77.3%
12+ drinks	2,650	0.8%
9-11 drinks	3,083	1.0%
5-8 drinks	8,652	2.7%
3-4 drinks	14,611	4.6%
2 drinks	11,178	3.5%
1 drink	12,687	4.0%
Less than 1 drink	19,791	6.2%
Frequency Missing	16,460	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	216,286	68.0%
Never	53,243	16.7%
Seldom	27,242	8.6%
Most of the Time	15,227	4.8%
Always	6,153	1.9%
Frequency Missing	18,570	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	224,558	70.7%
Never	75,103	23.6%
Seldom	8,948	2.8%
Most of the Time	5,436	1.7%
Always	3,706	1.2%
Frequency Missing	18,971	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	211,371	66.2%
Never	42,418	13.3%
Seldom	25,023	7.8%
Most of the Time	23,749	7.4%
Always	16,615	5.2%
Frequency Missing	17,547	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	231,953	73.5%
Somewhat	40,950	13.0%
Not very	12,835	4.1%
Not at all	3,895	1.2%
Don't know	25,964	8.2%
Frequency Missing	21,123	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	227,997	72.2%
Never	60,444	19.1%
Seldom	13,619	4.3%
Most of the Time	8,065	2.6%
Always	5,844	1.8%
Frequency Missing	20,753	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	202,438	64.1%
Somewhat	44,424	14.1%
Not very	31,186	9.9%
Not at all	20,093	6.4%
Don't know	17,885	5.7%
Frequency Missing	20,695	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	215,747	68.1%
Somewhat	61,357	19.4%
Not very	15,938	5.0%
Not at all	3,656	1.2%
Don't know	20,252	6.4%
Frequency Missing	19,773	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	274,745	87.1%
Somewhat	16,667	5.3%
Not very	2,826	0.9%
Not at all	1,499	0.5%
Don't know	19,820	6.3%
Frequency Missing	21,165	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	167,963	53.1%
Somewhat	85,982	27.2%
Not very	39,509	12.5%
Not at all	7,415	2.3%
Don't know	15,602	4.9%
Frequency Missing	20,250	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	277,400	87.6%
Somewhat	14,207	4.5%
Not very	1,765	0.6%
Not at all	1,271	0.4%
Don't know	21,858	6.9%
Frequency Missing	20,222	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	258,432	81.7%
Somewhat	18,258	5.8%
Not very	3,090	1.0%
Not at all	1,646	0.5%
Don't know	34,938	11.0%
Frequency Missing	20,359	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	251,170	79.5%
Somewhat	20,394	6.5%
Not very	7,127	2.3%
Not at all	3,299	1.0%
Don't know	34,125	10.8%
Frequency Missing	20,607	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	246,807	78.0%
Somewhat	32,029	10.1%
Not very	8,077	2.6%
Not at all	2,267	0.7%
Don't know	27,054	8.6%
Frequency Missing	20,488	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	234,566	74.5%
Somewhat	24,546	7.8%
Not very	12,532	4.0%
Not at all	7,180	2.3%
Don't know	36,236	11.5%
Frequency Missing	21,662	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	272,896	86.4%
Somewhat	13,238	4.2%
Not very	1,851	0.6%
Not at all	1,540	0.5%
Don't know	26,299	8.3%
Frequency Missing	20,899	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	240,154	76.3%
Somewhat	33,692	10.7%
Not very	9,054	2.9%
Not at all	3,754	1.2%
Don't know	28,083	8.9%
Frequency Missing	21,985	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	272,717	86.3%
Somewhat	12,769	4.0%
Not very	1,983	0.6%
Not at all	1,240	0.4%
Don't know	27,141	8.6%
Frequency Missing	20,872	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	204,494	64.8%
Somewhat	51,615	16.4%
Not very	27,085	8.6%
Not at all	10,795	3.4%
Don't know	21,369	6.8%
Frequency Missing	21,363	

Days Skipped Since September

Q28a	Frequency	Percent
None	248,762	79.7%
1-3 days	39,670	12.7%
4-9 days	11,552	3.7%
10+ days	11,965	3.8%
Frequency Missing	24,774	

Someone Called Home Since September

Q28e	Frequency	Percent
None	286,802	91.9%
1-3 days	20,610	6.6%
4-9 days	2,665	0.9%
10+ days	1,895	0.6%
Frequency Missing	24,750	

Days Ill Since September

Q28b	Frequency	Percent
None	99,983	32.0%
1-3 days	117,605	37.7%
4-9 days	54,829	17.6%
10+ days	39,871	12.8%
Frequency Missing	24,434	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	306,320	98.2%
1-3 times	5,401	1.7%
4-9 times	137	0.0%
10+ times	152	0.0%
Frequency Missing	24,713	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	115,023	37.2%
1-3 days	143,729	46.5%
4-9 days	32,010	10.4%
10+ days	18,080	5.9%
Frequency Missing	27,879	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	305,959	98.1%
1-3 times	4,066	1.3%
4-9 times	1,005	0.3%
10+ times	716	0.2%
Frequency Missing	24,976	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	286,498	91.7%
1-3 days	20,872	6.7%
4-9 days	2,830	0.9%
10+ days	2,339	0.7%
Frequency Missing	24,182	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	303,911	97.6%
1-3 times	6,150	2.0%
4-9 times	1,332	0.4%
10+ times	66	0.0%
Frequency Missing	25,264	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	302,796	97.4%
1-3 times	5,833	1.9%
4-9 times	982	0.3%
10+ times	1,284	0.4%
Frequency Missing	25,826	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	304,836	97.8%
1-3 days	5,332	1.7%
4-9 days	678	0.2%
10+ days	720	0.2%
Frequency Missing	25,156	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	293,682	94.4%
1-3 days	8,860	2.8%
4-9 days	2,471	0.8%
10+ days	6,241	2.0%
Frequency Missing	25,470	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	307,577	99.1%
1-3 days	1,509	0.5%
4-9 days	371	0.1%
10+ days	961	0.3%
Frequency Missing	26,304	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	304,119	98.0%
1-3 days	3,828	1.2%
4-9 days	1,025	0.3%
10+ days	1,430	0.5%
Frequency Missing	26,321	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	179,026	57.6%
Seldom	16,152	5.2%
Half the time	14,722	4.7%
Most of the Time	23,583	7.6%
Always	25,571	8.2%
Don't Know	5,978	1.9%
Didn't attend	45,928	14.8%
Frequency Missing	25,762	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	202,983	65.4%
Seldom	13,818	4.5%
Half the time	10,266	3.3%
Most of the Time	14,789	4.8%
Always	14,824	4.8%
Don't Know	7,338	2.4%
Didn't attend	46,257	14.9%
Frequency Missing	26,447	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	272,723	94.2%
Yes	16,754	5.8%
Frequency Missing	47,245	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	191,419	62.6%
Yes	114,470	37.4%
Frequency Missing	30,833	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	229,412	75.4%
Yes	74,979	24.6%
Frequency Missing	32,330	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	123,777	40.6%
Yes	181,235	59.4%
Frequency Missing	31,710	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	172,251	56.8%
Yes	130,862	43.2%
Frequency Missing	33,609	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	169,787	55.8%
Yes	134,371	44.2%
Frequency Missing	32,565	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	90,156	29.4%
Yes	216,409	70.6%
Frequency Missing	30,158	

Would Not Seek Help

Q33i	Frequency	Percent
No	226,172	75.8%
Yes	72,080	24.2%
Frequency Missing	38,469	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	119,497	39.3%
Yes	184,773	60.7%
Frequency Missing	32,452	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	168,320	55.6%
Yes	134,191	44.4%
Frequency Missing	34,212	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	115,290	37.9%
Yes	188,759	62.1%
Frequency Missing	32,673	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	162,620	54.0%
Yes	138,766	46.0%
Frequency Missing	35,337	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	196,571	65.3%
Yes	104,488	34.7%
Frequency Missing	35,663	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	208,274	69.4%
Yes	91,948	30.6%
Frequency Missing	36,500	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	235,912	78.6%
Yes	64,303	21.4%
Frequency Missing	36,507	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	242,707	78.6%
Mild disapprove	17,506	5.7%
Neither	14,921	4.8%
Mildly approve	2,423	0.8%
Strongly approve	1,715	0.6%
Don't know	29,373	9.5%
Frequency Missing	28,076	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	207,112	69.0%
Yes	92,896	31.0%
Frequency Missing	36,714	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	183,256	59.4%
Mild disapprove	40,894	13.2%
Neither	41,537	13.5%
Mildly approve	12,604	4.1%
Strongly approve	2,867	0.9%
Don't know	27,573	8.9%
Frequency Missing	27,990	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	244,191	81.5%
Yes	55,515	18.5%
Frequency Missing	37,016	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	233,360	75.7%
Mild disapprove	19,850	6.4%
Neither	20,336	6.6%
Mildly approve	4,490	1.5%
Strongly approve	3,267	1.1%
Don't know	26,783	8.7%
Frequency Missing	28,637	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	206,988	68.7%
Yes	94,087	31.3%
Frequency Missing	35,647	

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

