
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2024



BORDER REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	109

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in border regions of the state. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	7.4%	9.4%	16.9%	83.1%
Grade 7	4.5%	5.8%	11.3%	88.7%
Grade 8	5.2%	6.2%	14.1%	85.9%
Grade 9	8.2%	10.1%	18.2%	81.8%
Grade 10	7.2%	9.0%	15.2%	84.8%
Grade 11	9.1%	11.9%	21.3%	78.7%
Grade 12	11.9%	15.7%	24.2%	75.8%
Cigarettes?				
All	1.5%	2.2%	6.3%	93.7%
Grade 7	1.1%	1.5%	3.8%	96.2%
Grade 8	0.8%	1.1%	4.8%	95.2%
Grade 9	1.9%	1.9%	6.8%	93.2%
Grade 10	1.8%	2.3%	6.1%	93.9%
Grade 11	1.6%	2.3%	7.6%	92.4%
Grade 12	2.3%	4.5%	10.3%	89.7%
Smokeless Tobacco?				
All	1.0%	1.4%	2.8%	97.2%
Grade 7	0.7%	1.0%	1.7%	98.3%
Grade 8	0.6%	0.7%	1.9%	98.1%
Grade 9	0.8%	1.3%	2.7%	97.3%
Grade 10	1.4%	1.9%	3.3%	96.7%
Grade 11	1.7%	2.1%	3.9%	96.1%
Grade 12	0.9%	1.8%	3.7%	96.3%
Electronic Vapor Products?				
All	5.3%	7.5%	14.8%	85.2%
Grade 7	3.0%	4.5%	9.8%	90.2%
Grade 8	3.2%	4.7%	11.7%	88.3%
Grade 9	5.0%	6.8%	15.3%	84.7%
Grade 10	5.5%	7.7%	13.6%	86.4%
Grade 11	7.0%	10.1%	19.1%	80.9%
Grade 12	9.5%	13.1%	21.5%	78.5%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.9%	0.4%	0.4%	0.4%	1.1%	0.9%	1.9%
Grade 7	97.8%	0.1%	0.3%	0.1%	0.7%	0.4%	0.7%
Grade 8	96.8%	0.0%	0.4%	0.4%	0.5%	0.7%	1.2%
Grade 9	93.7%	0.1%	0.1%	0.4%	1.6%	0.8%	3.3%
Grade 10	95.1%	1.0%	0.5%	0.2%	0.9%	0.9%	1.4%
Grade 11	93.3%	0.9%	0.7%	0.2%	1.6%	1.0%	2.4%
Grade 12	91.3%	0.4%	0.4%	1.1%	1.3%	2.2%	3.2%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.1	10.6	11.4	12.3	12.8	13.9	15.1

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	50.4%	19.0%	5.9%	8.1%	8.2%	8.3%
Grade 7	58.2%	23.5%	4.9%	5.2%	4.3%	3.8%
Grade 8	54.1%	23.4%	5.1%	6.6%	5.7%	5.1%
Grade 9	46.2%	18.7%	7.9%	8.6%	9.4%	9.2%
Grade 10	48.8%	17.9%	5.7%	10.3%	8.2%	9.1%
Grade 11	44.7%	15.5%	6.5%	9.9%	12.0%	11.6%
Grade 12	47.9%	13.0%	6.0%	8.7%	11.2%	13.3%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	86.5%	9.1%	2.8%	1.1%	0.5%
Grade 7	90.7%	6.8%	1.6%	0.4%	0.5%
Grade 8	89.4%	7.9%	1.6%	0.8%	0.3%
Grade 9	84.9%	10.4%	2.6%	1.8%	0.3%
Grade 10	86.5%	8.6%	3.6%	0.7%	0.6%
Grade 11	83.9%	10.9%	2.8%	1.9%	0.6%
Grade 12	81.6%	11.1%	5.3%	1.2%	0.9%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	81.2%	5.1%	4.3%	0.6%	0.4%	8.5%
Grade 7	83.2%	2.6%	2.4%	0.5%	0.1%	11.2%
Grade 8	81.6%	4.8%	3.7%	1.0%	0.6%	8.3%
Grade 9	81.8%	5.2%	5.1%	0.5%	0.3%	7.2%
Grade 10	79.3%	6.2%	4.7%	0.4%	0.4%	9.0%
Grade 11	79.0%	7.2%	5.1%	0.6%	0.4%	7.8%
Grade 12	81.8%	5.5%	5.2%	0.5%	0.4%	6.7%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	72.0%	17.6%	4.5%	1.1%	4.7%
Grade 7	78.1%	12.5%	2.8%	1.0%	5.7%
Grade 8	75.2%	15.1%	4.3%	1.1%	4.3%
Grade 9	71.7%	18.7%	4.3%	1.4%	3.9%
Grade 10	69.3%	19.9%	4.7%	1.3%	4.8%
Grade 11	67.2%	20.4%	6.4%	1.0%	4.9%
Grade 12	68.4%	21.0%	5.3%	0.7%	4.6%
Electronic Vapor Products?					
All	73.0%	14.4%	5.8%	2.0%	4.8%
Grade 7	75.9%	12.6%	4.3%	1.6%	5.5%
Grade 8	74.8%	13.5%	5.2%	2.2%	4.3%
Grade 9	73.1%	15.2%	5.7%	1.5%	4.5%
Grade 10	70.3%	16.2%	6.6%	2.1%	4.8%
Grade 11	68.5%	15.9%	8.0%	2.9%	4.8%
Grade 12	74.7%	13.3%	5.5%	1.8%	4.7%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	19.8%	22.7%	36.8%	63.2%
Grade 7	13.1%	15.4%	30.0%	70.0%
Grade 8	14.4%	16.8%	29.8%	70.2%
Grade 9	19.6%	21.8%	36.4%	63.6%
Grade 10	19.4%	22.3%	37.1%	62.9%
Grade 11	26.7%	31.3%	45.2%	54.8%
Grade 12	28.9%	32.4%	46.2%	53.8%
Beer?				
All	7.5%	10.8%	27.6%	72.4%
Grade 7	3.9%	5.3%	23.2%	76.8%
Grade 8	4.5%	6.2%	22.5%	77.5%
Grade 9	6.6%	9.5%	26.4%	73.6%
Grade 10	7.7%	12.1%	27.2%	72.8%
Grade 11	10.7%	14.5%	33.1%	66.9%
Grade 12	13.7%	20.1%	36.0%	64.0%
Wine Coolers?				
All	5.6%	8.2%	19.4%	80.6%
Grade 7	2.6%	3.4%	11.4%	88.6%
Grade 8	2.7%	4.1%	13.5%	86.5%
Grade 9	5.7%	8.2%	19.2%	80.8%
Grade 10	5.1%	8.0%	18.9%	81.1%
Grade 11	8.6%	12.5%	27.7%	72.3%
Grade 12	10.6%	15.8%	29.2%	70.8%
Wine?				
All	3.4%	5.5%	18.1%	81.9%
Grade 7	1.5%	2.2%	12.2%	87.8%
Grade 8	1.6%	3.0%	12.7%	87.3%
Grade 9	2.4%	4.0%	17.8%	82.2%
Grade 10	3.8%	6.0%	18.8%	81.2%
Grade 11	5.0%	8.7%	23.7%	76.3%
Grade 12	6.8%	11.1%	26.7%	73.3%
Liquor?				
All	6.5%	9.8%	21.7%	78.3%
Grade 7	3.0%	3.9%	11.6%	88.4%
Grade 8	3.1%	4.7%	15.5%	84.5%
Grade 9	5.2%	7.7%	19.7%	80.3%
Grade 10	6.9%	10.8%	22.9%	77.1%
Grade 11	10.3%	15.4%	32.0%	68.0%
Grade 12	12.1%	19.2%	32.6%	67.4%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	76.2%	0.1%	0.8%	3.4%	6.8%	6.8%	6.0%
Grade 7	86.5%	0.1%	0.3%	1.3%	3.1%	4.0%	4.6%
Grade 8	83.0%	0.1%	0.4%	2.3%	4.5%	5.1%	4.6%
Grade 9	75.9%	0.2%	0.6%	3.5%	7.2%	5.8%	6.8%
Grade 10	75.1%	0.1%	1.3%	2.5%	7.0%	7.8%	6.1%
Grade 11	67.9%	0.1%	0.7%	4.6%	10.1%	9.8%	6.9%
Grade 12	63.8%	0.1%	1.6%	7.2%	10.3%	9.1%	8.0%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	76.3%	23.7%	3.8%	11.8%	8.2%
	Grade 7	81.0%	19.0%	1.6%	8.2%	9.2%
	Grade 8	80.6%	19.4%	2.1%	8.3%	9.1%
	Grade 9	77.5%	22.5%	3.0%	10.8%	8.7%
	Grade 10	76.2%	23.8%	4.0%	12.3%	7.4%
	Grade 11	71.8%	28.2%	5.7%	15.0%	7.5%
	Grade 12	67.7%	32.3%	7.3%	18.2%	6.8%
Wine Coolers						
	All	83.7%	16.3%	3.1%	9.3%	4.0%
	Grade 7	91.8%	8.2%	1.3%	3.6%	3.4%
	Grade 8	88.8%	11.2%	1.2%	6.1%	4.0%
	Grade 9	83.7%	16.3%	2.5%	9.9%	3.9%
	Grade 10	83.4%	16.6%	3.2%	9.7%	3.8%
	Grade 11	76.0%	24.0%	5.2%	13.5%	5.3%
	Grade 12	74.5%	25.5%	6.1%	15.7%	3.7%
Wine						
	All	84.8%	15.2%	0.8%	7.3%	7.1%
	Grade 7	90.5%	9.5%	0.5%	3.5%	5.6%
	Grade 8	88.7%	11.3%	0.7%	4.9%	5.7%
	Grade 9	84.9%	15.1%	0.7%	6.2%	8.1%
	Grade 10	85.4%	14.6%	1.2%	6.4%	6.9%
	Grade 11	80.1%	19.9%	0.8%	10.4%	8.7%
	Grade 12	76.3%	23.7%	1.0%	14.4%	8.3%
Liquor						
	All	81.0%	19.0%	3.5%	10.0%	5.6%
	Grade 7	91.7%	8.3%	1.1%	3.4%	3.8%
	Grade 8	86.1%	13.9%	2.1%	6.1%	5.8%
	Grade 9	82.3%	17.7%	2.8%	8.2%	6.7%
	Grade 10	80.0%	20.0%	3.2%	11.8%	5.0%
	Grade 11	71.1%	28.9%	5.7%	16.8%	6.4%
	Grade 12	70.1%	29.9%	7.3%	16.3%	6.3%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	92.9%	3.1%	1.7%	1.0%	0.4%	1.0%
Grade 7	96.2%	2.2%	0.4%	0.4%	0.4%	0.5%
Grade 8	95.5%	1.5%	1.0%	0.7%	0.1%	1.1%
Grade 9	93.6%	2.7%	1.6%	0.8%	0.6%	0.9%
Grade 10	92.5%	3.7%	2.0%	0.7%	0.2%	0.9%
Grade 11	90.5%	4.1%	2.4%	1.6%	0.4%	1.1%
Grade 12	87.5%	5.2%	3.1%	2.3%	0.6%	1.4%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.1	10.4	11.4	12.5	13.5	14.5	14.9

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	41.9%	12.9%	5.7%	10.4%	13.4%	15.7%
Grade 7	49.9%	17.4%	6.9%	8.9%	8.0%	9.0%
Grade 8	45.9%	15.7%	5.3%	10.7%	11.0%	11.4%
Grade 9	37.6%	14.0%	6.9%	10.9%	13.6%	17.1%
Grade 10	41.1%	10.0%	4.8%	11.7%	17.2%	15.3%
Grade 11	36.4%	9.6%	5.6%	10.1%	15.8%	22.5%
Grade 12	37.8%	9.2%	4.2%	10.5%	16.4%	22.0%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.5%	1.9%	0.3%	0.2%
Grade 7	97.8%	1.7%	0.3%	0.2%
Grade 8	97.4%	1.7%	0.3%	0.7%
Grade 9	96.8%	2.8%	0.2%	0.3%
Grade 10	98.4%	1.3%	0.2%	0.2%
Grade 11	98.1%	1.3%	0.5%	0.1%
Grade 12	96.3%	3.2%	0.5%	0.0%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.7
Alcohol Non-Users	4.3
Average Days Conduct Problems Reported	
Alcohol Users	2.8
Alcohol Non-Users	1.0

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	97.6%	2.0%	0.3%	0.1%
Grade 9	98.9%	1.0%	0.1%	0.1%
Grade 10	98.2%	1.4%	0.2%	0.2%
Grade 11	95.9%	3.4%	0.6%	0.1%
Grade 12	97.2%	2.2%	0.5%	0.1%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	98.0%	1.7%	0.2%	0.1%
Grade 7	97.9%	1.8%	0.1%	0.2%
Grade 8	98.7%	1.0%	0.2%	0.1%
Grade 9	97.8%	1.6%	0.4%	0.2%
Grade 10	98.0%	1.7%	0.2%	0.1%
Grade 11	97.5%	2.2%	0.1%	0.2%
Grade 12	98.0%	2.0%	0.0%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	66.9%	18.3%	7.8%	5.4%	1.6%
Grade 7	79.6%	14.1%	3.8%	1.5%	1.0%
Grade 8	74.9%	17.1%	4.6%	2.6%	0.8%
Grade 9	63.3%	21.2%	7.9%	5.5%	2.1%
Grade 10	65.2%	19.0%	9.1%	5.7%	1.0%
Grade 11	57.3%	20.7%	11.0%	8.1%	3.0%
Grade 12	55.6%	18.8%	12.5%	10.7%	2.4%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	63.6%	5.4%	4.1%	5.7%	6.1%	1.6%	13.5%
Grade 7	75.1%	5.1%	3.2%	3.5%	2.2%	1.7%	9.3%
Grade 8	71.6%	5.2%	4.1%	3.7%	2.5%	1.9%	11.0%
Grade 9	61.5%	6.9%	3.4%	6.0%	6.3%	1.8%	14.1%
Grade 10	61.2%	5.5%	4.7%	5.9%	6.4%	1.7%	14.5%
Grade 11	54.8%	4.1%	4.1%	7.9%	9.6%	1.4%	18.2%
Grade 12	52.3%	6.1%	5.2%	8.6%	11.6%	1.1%	15.1%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	71.6%	13.1%	10.2%	3.6%	1.4%
	Grade 7	76.7%	13.7%	7.0%	2.0%	0.5%
	Grade 8	75.1%	12.0%	8.4%	3.3%	1.2%
	Grade 9	73.6%	12.5%	9.6%	2.4%	1.8%
	Grade 10	71.7%	12.8%	10.2%	3.5%	1.7%
	Grade 11	64.8%	15.3%	13.7%	4.7%	1.5%
	Grade 12	65.0%	12.2%	13.9%	6.6%	2.2%
Friends?						
	All	72.8%	14.3%	6.5%	5.0%	1.5%
	Grade 7	80.0%	15.4%	2.5%	1.7%	0.5%
	Grade 8	77.8%	14.8%	3.8%	2.8%	0.8%
	Grade 9	73.3%	13.5%	7.2%	4.4%	1.7%
	Grade 10	73.6%	13.4%	6.6%	5.0%	1.3%
	Grade 11	64.7%	15.0%	10.0%	7.9%	2.4%
	Grade 12	63.4%	13.3%	10.7%	9.7%	3.0%
A Store?						
	All	75.3%	19.2%	2.7%	1.9%	0.9%
	Grade 7	80.4%	16.8%	1.0%	0.9%	0.8%
	Grade 8	79.4%	17.9%	1.5%	1.0%	0.3%
	Grade 9	78.1%	17.4%	2.5%	1.4%	0.6%
	Grade 10	75.4%	19.8%	2.5%	1.4%	0.9%
	Grade 11	68.3%	22.8%	4.1%	3.2%	1.6%
	Grade 12	67.6%	21.6%	5.4%	3.8%	1.7%
Parties?						
	All	70.1%	12.0%	7.8%	6.1%	4.0%
	Grade 7	77.2%	13.2%	4.3%	4.0%	1.3%
	Grade 8	75.2%	12.6%	6.0%	4.3%	1.9%
	Grade 9	70.4%	11.6%	9.3%	4.8%	3.8%
	Grade 10	69.9%	11.5%	8.7%	5.7%	4.1%
	Grade 11	61.9%	12.3%	10.2%	8.9%	6.8%
	Grade 12	62.4%	10.2%	9.7%	10.4%	7.3%
Other Sources?						
	All	76.3%	16.2%	3.6%	2.4%	1.4%
	Grade 7	80.8%	15.0%	2.0%	1.4%	0.7%
	Grade 8	79.1%	15.2%	3.1%	1.6%	1.0%
	Grade 9	76.4%	15.1%	4.5%	2.4%	1.6%
	Grade 10	77.6%	15.2%	3.1%	2.2%	1.8%
	Grade 11	70.4%	20.0%	4.4%	3.5%	1.7%
	Grade 12	71.5%	17.0%	5.3%	4.2%	2.0%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	62.6%	12.9%	11.8%	4.0%	0.6%	8.2%
Grade 7	70.4%	9.0%	6.3%	2.4%	0.3%	11.6%
Grade 8	68.2%	9.9%	9.7%	3.2%	1.0%	8.0%
Grade 9	63.8%	13.0%	12.4%	3.6%	0.3%	6.9%
Grade 10	58.6%	14.9%	13.2%	4.5%	0.5%	8.3%
Grade 11	54.4%	17.3%	15.6%	4.6%	0.4%	7.7%
Grade 12	57.0%	14.6%	15.9%	6.2%	0.9%	5.5%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	56.6%	24.5%	13.0%	2.0%	3.9%
Grade 7	58.2%	22.1%	12.5%	1.9%	5.3%
Grade 8	58.8%	21.3%	13.9%	2.4%	3.5%
Grade 9	55.5%	24.4%	15.2%	2.3%	2.6%
Grade 10	55.9%	26.2%	12.3%	2.2%	3.4%
Grade 11	54.2%	27.9%	11.8%	1.6%	4.5%
Grade 12	56.2%	26.0%	12.3%	1.7%	3.8%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	7.9%	10.5%	14.1%	85.9%
Grade 7	4.0%	5.5%	7.8%	92.2%
Grade 8	5.5%	8.0%	10.2%	89.8%
Grade 9	8.7%	11.3%	13.6%	86.4%
Grade 10	7.4%	9.9%	13.7%	86.3%
Grade 11	10.3%	13.6%	19.5%	80.5%
Grade 12	13.7%	17.1%	23.2%	76.8%
Marijuana?				
All	7.3%	8.8%	12.3%	87.7%
Grade 7	3.4%	4.1%	5.8%	94.2%
Grade 8	4.8%	6.1%	8.3%	91.7%
Grade 9	8.3%	9.6%	11.6%	88.4%
Grade 10	6.8%	7.7%	11.6%	88.4%
Grade 11	9.5%	12.2%	18.3%	81.7%
Grade 12	12.9%	15.1%	21.3%	78.7%
Cocaine?				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.9%	1.0%	1.3%	98.7%
Grade 9	0.9%	0.9%	1.0%	99.0%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	1.2%	1.2%	2.1%	97.9%
Crack?				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.6%	99.4%
Hallucinogens?				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.6%	0.8%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.4%	98.6%
Grade 9	0.2%	0.6%	1.5%	98.5%
Grade 10	1.2%	1.5%	2.6%	97.4%
Grade 11	1.0%	1.6%	3.0%	97.0%
Grade 12	0.6%	1.3%	3.6%	96.4%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids?				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.3%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.7%	99.3%
Ecstasy?				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.1%	0.3%	0.9%	99.1%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.2%	0.4%	1.1%	98.9%
Heroin?				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Methamphetamine?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.3%	0.3%	1.0%	99.0%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.6%	0.9%	1.3%	98.7%
Grade 8	0.8%	1.0%	1.7%	98.3%
Grade 9	0.9%	1.3%	2.6%	97.4%
Grade 10	1.1%	1.3%	2.3%	97.7%
Grade 11	0.8%	1.0%	2.5%	97.5%
Grade 12	0.5%	1.5%	2.6%	97.4%
Delta 8?				
All	0.9%	1.5%	2.7%	97.3%
Grade 7	0.8%	1.2%	1.8%	98.2%
Grade 8	1.1%	1.3%	2.1%	97.9%
Grade 9	0.7%	1.4%	2.6%	97.4%
Grade 10	1.1%	1.6%	2.6%	97.4%
Grade 11	0.8%	2.0%	4.2%	95.8%
Grade 12	0.7%	1.3%	3.1%	96.9%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	90.9%	1.0%	1.0%	1.2%	1.7%	1.8%	2.4%
	Grade 7	95.9%	0.2%	0.5%	0.6%	0.8%	0.7%	1.3%
	Grade 8	94.0%	0.7%	0.6%	0.5%	1.3%	1.5%	1.4%
	Grade 9	90.8%	1.0%	1.1%	1.1%	1.7%	1.9%	2.4%
	Grade 10	91.4%	1.3%	1.0%	1.1%	1.0%	1.7%	2.5%
	Grade 11	86.8%	1.9%	1.3%	2.1%	2.1%	2.5%	3.2%
	Grade 12	84.1%	1.1%	2.0%	2.4%	3.5%	2.6%	4.3%
Cocaine?								
	All	99.3%	0.0%	0.1%	0.1%	0.1%	0.1%	0.3%
	Grade 7	99.6%	0.0%	0.1%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.3%	0.0%	0.1%	0.1%	0.2%	0.1%	0.2%
	Grade 9	99.5%	0.0%	0.0%	0.1%	0.4%	0.0%	0.1%
	Grade 10	99.2%	0.0%	0.0%	0.1%	0.0%	0.1%	0.5%
	Grade 11	99.2%	0.0%	0.0%	0.2%	0.0%	0.2%	0.4%
	Grade 12	99.1%	0.0%	0.1%	0.1%	0.1%	0.3%	0.3%
Crack?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%
	Grade 9	99.1%	0.2%	0.2%	0.1%	0.2%	0.2%	0.0%
	Grade 10	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
Ecstasy?								
	All	99.5%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%
	Grade 7	99.8%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
	Grade 8	99.7%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%
	Grade 9	99.1%	0.0%	0.0%	0.0%	0.0%	0.4%	0.5%
	Grade 10	99.4%	0.0%	0.1%	0.1%	0.0%	0.2%	0.2%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 12	99.3%	0.0%	0.0%	0.1%	0.0%	0.0%	0.5%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.7%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.8%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
	Grade 8	99.6%	0.0%	0.1%	0.0%	0.1%	0.1%	0.2%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 11	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Synthetic Marijuana?								
	All	98.6%	0.2%	0.1%	0.1%	0.3%	0.3%	0.4%
	Grade 7	99.0%	0.2%	0.2%	0.1%	0.4%	0.0%	0.1%
	Grade 8	99.0%	0.0%	0.1%	0.2%	0.0%	0.6%	0.2%
	Grade 9	98.1%	0.4%	0.0%	0.0%	0.5%	0.2%	0.8%
	Grade 10	98.5%	0.3%	0.4%	0.0%	0.2%	0.4%	0.3%
	Grade 11	98.5%	0.0%	0.0%	0.2%	0.2%	0.7%	0.4%
	Grade 12	98.7%	0.0%	0.1%	0.4%	0.2%	0.1%	0.5%
Delta 8?								
	All	98.1%	0.2%	0.2%	0.2%	0.4%	0.3%	0.7%
	Grade 7	98.4%	0.2%	0.1%	0.2%	0.6%	0.2%	0.4%
	Grade 8	98.4%	0.1%	0.2%	0.4%	0.2%	0.3%	0.3%
	Grade 9	97.7%	0.5%	0.0%	0.0%	0.5%	0.4%	0.8%
	Grade 10	98.3%	0.4%	0.2%	0.0%	0.2%	0.3%	0.7%
	Grade 11	97.2%	0.0%	0.2%	0.2%	0.4%	0.7%	1.4%
	Grade 12	98.2%	0.0%	0.3%	0.2%	0.5%	0.2%	0.6%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.8	11.4	12.4	12.9	13.7	14.4	15.2
Cocaine	14.2	12.2	12.8	14.6	15.0	15.5	14.5
Crack	13.6	11.8	12.9	N/A	14.5	16.0	15.4
Steroids	12.8	10.6	12.1	14.8	14.2	14.6	14.3
Ecstasy	13.9	12.6	12.0	13.8	14.1	14.4	15.7
Heroin	10.5	10.1	12.6	8.0	9.0	N/A	14.0
Methamphetamine	13.1	11.9	13.0	N/A	14.8	14.0	12.9
Synthetic Marijuana	13.9	10.6	12.8	13.8	13.6	15.7	15.7
Delta 8?	13.9	11.2	12.7	13.9	13.8	15.2	15.4

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	48.7%	20.3%	6.1%	7.0%	8.2%	9.8%
	Grade 7	57.8%	25.0%	5.2%	5.2%	3.2%	3.7%
	Grade 8	53.5%	23.7%	5.7%	5.7%	5.1%	6.2%
	Grade 9	44.9%	21.7%	7.2%	7.6%	7.8%	10.8%
	Grade 10	46.9%	17.5%	6.6%	7.4%	10.2%	11.5%
	Grade 11	42.4%	16.6%	6.7%	8.0%	11.9%	14.4%
	Grade 12	43.1%	15.0%	5.1%	8.7%	13.5%	14.5%
Cocaine?							
	All	56.0%	26.1%	7.6%	5.1%	2.6%	2.7%
	Grade 7	61.1%	28.6%	4.5%	2.9%	1.5%	1.4%
	Grade 8	59.0%	27.4%	6.0%	3.6%	1.8%	2.2%
	Grade 9	52.1%	26.5%	9.3%	5.9%	2.7%	3.4%
	Grade 10	55.1%	25.5%	8.4%	6.0%	2.2%	2.9%
	Grade 11	51.8%	25.4%	9.1%	6.7%	3.5%	3.5%
	Grade 12	55.2%	21.7%	9.2%	6.1%	4.3%	3.5%
Crack?							
	All	58.2%	26.6%	7.1%	4.2%	1.8%	2.0%
	Grade 7	62.4%	28.0%	4.6%	2.2%	1.7%	1.1%
	Grade 8	60.1%	28.0%	6.0%	2.8%	1.3%	1.7%
	Grade 9	55.0%	26.3%	9.1%	5.0%	2.2%	2.4%
	Grade 10	57.3%	26.0%	7.5%	5.2%	1.8%	2.2%
	Grade 11	55.4%	26.6%	8.7%	4.9%	2.0%	2.3%
	Grade 12	57.9%	23.9%	7.6%	6.0%	2.1%	2.5%
Steroids?							
	All	60.0%	23.7%	6.8%	4.7%	2.6%	2.3%
	Grade 7	65.9%	24.8%	4.5%	2.3%	1.4%	1.0%
	Grade 8	63.5%	23.3%	5.1%	3.6%	2.2%	2.2%
	Grade 9	56.3%	24.3%	8.3%	5.4%	2.6%	3.1%
	Grade 10	57.0%	24.1%	7.4%	5.7%	3.2%	2.6%
	Grade 11	56.9%	23.5%	8.9%	6.3%	2.4%	2.2%
	Grade 12	58.5%	21.5%	7.1%	5.6%	4.1%	3.2%
Ecstasy?							
	All	66.6%	21.1%	5.6%	3.3%	1.5%	2.0%
	Grade 7	71.9%	21.6%	3.6%	1.4%	0.6%	0.9%
	Grade 8	70.8%	19.9%	3.9%	2.5%	1.3%	1.7%
	Grade 9	65.6%	20.6%	6.2%	3.2%	2.1%	2.3%
	Grade 10	63.8%	22.0%	5.8%	4.5%	1.5%	2.4%
	Grade 11	62.5%	22.3%	7.5%	4.1%	1.3%	2.3%
	Grade 12	63.0%	20.1%	7.2%	4.5%	2.6%	2.6%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	63.3%	24.7%	6.0%	3.0%	1.4%	1.6%
	Grade 7	69.2%	23.8%	3.2%	1.8%	0.7%	1.5%
	Grade 8	66.6%	24.2%	3.8%	2.3%	1.7%	1.4%
	Grade 9	60.7%	24.3%	8.2%	3.4%	1.8%	1.6%
	Grade 10	60.9%	25.1%	7.0%	4.0%	1.4%	1.6%
	Grade 11	58.5%	27.0%	7.6%	3.6%	1.3%	2.0%
	Grade 12	62.1%	23.7%	7.3%	3.6%	1.6%	1.7%
Methamphetamine?							
	All	64.0%	24.2%	5.8%	2.8%	1.6%	1.6%
	Grade 7	70.3%	23.7%	2.8%	1.2%	0.9%	1.2%
	Grade 8	66.6%	23.8%	4.3%	2.4%	1.5%	1.5%
	Grade 9	60.8%	24.3%	7.1%	3.5%	2.6%	1.6%
	Grade 10	62.6%	23.5%	6.9%	3.3%	1.8%	1.9%
	Grade 11	59.5%	25.5%	7.9%	3.7%	1.4%	2.0%
	Grade 12	62.4%	24.5%	6.5%	3.0%	1.8%	1.8%
Synthetic Marijuana?							
	All	65.6%	20.6%	4.8%	3.3%	2.8%	2.9%
	Grade 7	70.8%	22.0%	2.9%	1.4%	1.5%	1.3%
	Grade 8	68.4%	20.5%	3.4%	3.1%	2.5%	2.1%
	Grade 9	62.9%	21.1%	5.7%	3.4%	3.0%	3.9%
	Grade 10	64.0%	20.0%	5.4%	4.1%	3.3%	3.2%
	Grade 11	61.6%	21.2%	6.3%	3.8%	3.1%	4.0%
	Grade 12	64.1%	18.3%	5.5%	4.6%	3.9%	3.6%
Delta 8?							
	All	67.1%	18.9%	4.6%	3.1%	2.9%	3.4%
	Grade 7	70.8%	20.6%	3.3%	1.9%	1.4%	1.9%
	Grade 8	69.0%	19.0%	3.4%	3.0%	2.8%	2.7%
	Grade 9	66.3%	18.7%	6.0%	2.8%	2.9%	3.2%
	Grade 10	66.2%	17.9%	5.0%	3.7%	3.7%	3.5%
	Grade 11	63.0%	19.3%	5.5%	3.5%	3.6%	5.1%
	Grade 12	66.2%	17.1%	4.4%	3.8%	3.7%	4.8%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	95.4%	2.5%	0.7%	1.5%
Grade 7	97.4%	1.6%	0.4%	0.6%
Grade 8	96.5%	1.8%	0.6%	1.1%
Grade 9	94.4%	3.1%	1.1%	1.3%
Grade 10	96.1%	1.8%	0.4%	1.7%
Grade 11	93.8%	2.7%	1.1%	2.5%
Grade 12	93.3%	4.4%	0.5%	1.9%
Attended Class While High from Use of Some Other Drug?				
All	98.5%	1.1%	0.2%	0.2%
Grade 7	98.7%	0.6%	0.4%	0.2%
Grade 8	98.2%	1.2%	0.2%	0.4%
Grade 9	98.0%	1.7%	0.1%	0.1%
Grade 10	98.5%	1.0%	0.1%	0.4%
Grade 11	98.7%	0.9%	0.3%	0.1%
Grade 12	98.6%	1.1%	0.2%	0.1%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.1
Marijuana Non-Users	4.6
Average Days Conduct Problems Reported	
Marijuana Users	4.0
Marijuana Non-Users	1.3

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	97.6%	1.6%	0.3%	0.4%
Grade 9	98.7%	1.1%	0.1%	0.1%
Grade 10	98.7%	0.8%	0.3%	0.2%
Grade 11	96.5%	2.1%	0.4%	1.0%
Grade 12	96.4%	2.7%	0.4%	0.5%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.9%	1.7%	0.2%	0.3%
Grade 7	98.5%	1.0%	0.1%	0.3%
Grade 8	97.9%	1.8%	0.2%	0.1%
Grade 9	96.7%	2.5%	0.2%	0.7%
Grade 10	97.4%	2.1%	0.2%	0.4%
Grade 11	98.4%	1.2%	0.2%	0.2%
Grade 12	98.5%	1.4%	0.1%	0.0%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	77.3%	12.3%	5.4%	3.6%	1.4%
Grade 7	87.7%	7.2%	2.6%	1.5%	1.0%
Grade 8	82.3%	11.6%	2.9%	2.5%	0.8%
Grade 9	74.6%	13.9%	5.2%	4.5%	1.8%
Grade 10	77.3%	11.5%	6.4%	3.1%	1.6%
Grade 11	69.7%	16.8%	7.5%	4.4%	1.6%
Grade 12	68.6%	14.1%	8.8%	6.9%	1.6%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	71.6%	3.7%	3.0%	3.2%	3.1%	2.1%	13.3%
Grade 7	83.6%	2.3%	1.3%	1.2%	0.5%	1.8%	9.4%
Grade 8	80.2%	2.7%	1.8%	1.3%	1.4%	1.8%	10.9%
Grade 9	69.6%	5.2%	3.8%	3.1%	2.4%	1.3%	14.5%
Grade 10	69.2%	3.8%	2.8%	3.4%	3.8%	2.7%	14.3%
Grade 11	61.0%	3.9%	4.6%	5.2%	5.1%	2.4%	17.8%
Grade 12	60.7%	4.9%	4.7%	5.8%	6.6%	2.8%	14.5%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	80.0%	5.3%	4.9%	1.1%	0.6%	8.2%
Grade 7	82.4%	2.6%	2.6%	0.7%	0.2%	11.4%
Grade 8	80.7%	4.4%	4.1%	1.5%	0.9%	8.3%
Grade 9	81.4%	5.4%	5.3%	0.5%	0.7%	6.8%
Grade 10	78.9%	5.2%	5.7%	1.0%	0.8%	8.4%
Grade 11	77.7%	7.0%	6.3%	1.3%	0.3%	7.5%
Grade 12	78.2%	8.1%	5.9%	1.4%	0.5%	5.9%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	70.9%	13.6%	7.7%	3.6%	4.3%
	Grade 7	79.8%	9.3%	3.4%	2.0%	5.6%
	Grade 8	76.5%	11.9%	4.5%	2.8%	4.3%
	Grade 9	70.0%	15.3%	8.3%	2.8%	3.6%
	Grade 10	68.8%	13.9%	8.6%	4.8%	3.9%
	Grade 11	62.6%	16.7%	12.2%	4.3%	4.1%
	Grade 12	63.8%	16.0%	10.9%	5.8%	3.6%
Cocaine?						
	All	88.4%	5.4%	1.1%	0.5%	4.5%
	Grade 7	86.4%	6.2%	1.3%	0.7%	5.5%
	Grade 8	88.3%	5.5%	0.9%	0.8%	4.5%
	Grade 9	87.1%	7.0%	1.5%	0.8%	3.5%
	Grade 10	88.5%	5.7%	0.8%	0.5%	4.5%
	Grade 11	89.7%	4.1%	1.1%	0.2%	4.8%
	Grade 12	91.6%	3.8%	0.5%	0.2%	4.0%
Crack?						
	All	89.5%	4.3%	0.7%	0.5%	5.1%
	Grade 7	87.2%	4.8%	0.8%	0.6%	6.6%
	Grade 8	88.4%	5.2%	0.8%	0.7%	5.0%
	Grade 9	89.1%	5.0%	1.3%	0.7%	3.9%
	Grade 10	89.6%	4.4%	0.6%	0.5%	5.0%
	Grade 11	91.0%	3.4%	0.4%	0.2%	4.9%
	Grade 12	92.6%	2.3%	0.4%	0.2%	4.5%
Ecstasy?						
	All	84.5%	4.9%	1.1%	0.6%	8.9%
	Grade 7	83.2%	4.8%	0.7%	0.7%	10.6%
	Grade 8	83.6%	4.7%	1.2%	0.8%	9.7%
	Grade 9	83.8%	5.6%	1.7%	0.6%	8.3%
	Grade 10	85.0%	5.2%	0.9%	0.5%	8.4%
	Grade 11	85.0%	4.3%	1.2%	0.4%	9.1%
	Grade 12	87.2%	5.1%	1.2%	0.2%	6.2%
Steroids?						
	All	80.6%	9.1%	2.9%	1.1%	6.2%
	Grade 7	81.4%	7.7%	1.9%	1.2%	7.8%
	Grade 8	80.6%	9.3%	3.0%	1.3%	5.8%
	Grade 9	78.7%	10.9%	3.8%	1.3%	5.3%
	Grade 10	81.0%	8.9%	3.0%	1.2%	5.9%
	Grade 11	79.8%	9.4%	3.6%	0.6%	6.6%
	Grade 12	82.1%	9.0%	2.5%	0.8%	5.6%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	88.2%	4.2%	0.7%	0.5%	6.3%
	Grade 7	84.6%	5.5%	0.6%	0.6%	8.6%
	Grade 8	86.4%	5.0%	1.0%	0.6%	7.0%
	Grade 9	86.9%	5.3%	1.7%	0.5%	5.6%
	Grade 10	89.6%	3.5%	0.5%	0.7%	5.7%
	Grade 11	91.1%	2.6%	0.5%	0.2%	5.6%
	Grade 12	92.0%	2.9%	0.2%	0.2%	4.6%
Methamphetamine?						
	All	88.7%	3.7%	0.7%	0.5%	6.4%
	Grade 7	86.0%	4.0%	0.9%	0.6%	8.6%
	Grade 8	87.4%	4.9%	0.6%	0.6%	6.5%
	Grade 9	87.7%	4.9%	1.3%	0.7%	5.5%
	Grade 10	89.1%	3.5%	0.5%	0.5%	6.3%
	Grade 11	90.9%	2.8%	0.5%	0.2%	5.7%
	Grade 12	92.6%	1.9%	0.2%	0.2%	5.1%
Synthetic Marijuana?						
	All	82.6%	6.0%	2.1%	0.9%	8.4%
	Grade 7	84.5%	4.6%	1.4%	0.8%	8.7%
	Grade 8	82.4%	6.6%	2.2%	0.9%	7.9%
	Grade 9	80.6%	7.5%	2.6%	1.0%	8.4%
	Grade 10	81.9%	6.6%	2.4%	1.1%	8.0%
	Grade 11	82.0%	5.2%	2.5%	0.8%	9.5%
	Grade 12	83.8%	5.8%	1.9%	1.0%	7.5%
Delta 8?						
	All	79.8%	6.7%	2.8%	1.6%	9.1%
	Grade 7	81.8%	6.3%	2.1%	1.0%	8.9%
	Grade 8	80.1%	7.8%	2.4%	1.4%	8.4%
	Grade 9	78.6%	8.0%	3.3%	1.2%	8.9%
	Grade 10	78.7%	7.2%	2.8%	2.2%	9.2%
	Grade 11	77.6%	6.0%	3.4%	2.3%	10.6%
	Grade 12	81.7%	4.8%	3.1%	1.9%	8.5%
Fictional Drug?						
	All	84.0%	4.2%	0.6%	0.5%	10.8%
	Grade 7	82.8%	4.7%	0.7%	0.6%	11.3%
	Grade 8	83.4%	4.2%	0.8%	0.7%	10.8%
	Grade 9	82.6%	5.2%	1.1%	0.6%	10.5%
	Grade 10	84.5%	3.8%	0.2%	0.5%	10.9%
	Grade 11	83.9%	3.7%	0.3%	0.2%	11.8%
	Grade 12	87.8%	2.9%	0.1%	0.2%	8.9%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	3.3%	4.7%	8.9%	91.1%
Grade 7	3.9%	5.4%	9.3%	90.7%
Grade 8	3.6%	5.3%	10.8%	89.2%
Grade 9	3.1%	4.4%	8.1%	91.9%
Grade 10	3.6%	5.1%	9.2%	90.8%
Grade 11	3.2%	4.5%	8.7%	91.3%
Grade 12	2.2%	2.9%	6.8%	93.2%
Codeine Cough Syrup?				
All	1.9%	3.0%	6.3%	93.7%
Grade 7	2.8%	4.1%	7.5%	92.5%
Grade 8	2.4%	3.8%	8.0%	92.0%
Grade 9	1.8%	3.2%	5.8%	94.2%
Grade 10	1.9%	2.8%	5.9%	94.1%
Grade 11	1.4%	2.4%	5.7%	94.3%
Grade 12	0.8%	1.1%	4.1%	95.9%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.3%	0.6%	1.3%	98.7%
Grade 10	0.3%	0.4%	1.2%	98.8%
Grade 11	0.5%	0.9%	1.7%	98.3%
Grade 12	0.1%	0.1%	1.0%	99.0%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.5%	0.7%	1.8%	98.2%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.5%	0.7%	1.5%	98.5%
Grade 10	0.5%	1.0%	2.2%	97.8%
Grade 11	0.6%	1.2%	2.8%	97.2%
Grade 12	0.8%	1.0%	2.9%	97.1%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.6%	1.0%	1.8%	98.2%
Grade 7	0.3%	0.6%	1.2%	98.8%
Grade 8	0.7%	1.3%	2.2%	97.8%
Grade 9	0.8%	0.9%	1.6%	98.4%
Grade 10	0.6%	0.9%	1.9%	98.1%
Grade 11	0.9%	1.3%	2.0%	98.0%
Grade 12	0.4%	0.8%	1.9%	98.1%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	1.3%	2.0%	3.9%	96.1%
Grade 7	1.5%	2.4%	4.0%	96.0%
Grade 8	1.4%	2.1%	4.7%	95.3%
Grade 9	1.3%	1.9%	4.0%	96.0%
Grade 10	1.7%	2.5%	4.6%	95.4%
Grade 11	1.1%	1.8%	3.3%	96.7%
Grade 12	1.0%	1.3%	2.5%	97.5%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.7%	1.0%	1.7%	98.3%
Grade 7	1.5%	1.8%	3.0%	97.0%
Grade 8	1.2%	1.8%	2.5%	97.5%
Grade 9	0.1%	0.4%	1.3%	98.7%
Grade 10	0.8%	0.8%	1.8%	98.2%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.2%	0.3%	0.8%	99.2%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	80.7%	9.0%	2.6%	1.2%	6.6%
Grade 7	80.6%	8.0%	2.5%	1.6%	7.2%
Grade 8	79.1%	9.9%	2.1%	1.9%	7.1%
Grade 9	79.7%	10.1%	2.9%	1.0%	6.4%
Grade 10	81.1%	8.9%	2.8%	1.0%	6.2%
Grade 11	80.5%	9.3%	2.4%	1.1%	6.7%
Grade 12	83.7%	7.9%	2.7%	0.4%	5.3%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.5%	4.7%	8.4%	91.6%
Grade 7	5.7%	6.8%	10.9%	89.1%
Grade 8	3.9%	5.2%	8.4%	91.6%
Grade 9	3.8%	4.9%	9.4%	90.6%
Grade 10	2.6%	4.3%	7.6%	92.4%
Grade 11	2.0%	3.1%	5.8%	94.2%
Grade 12	2.5%	3.5%	7.4%	92.6%
Spray Paint?				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.7%	0.9%	2.1%	97.9%
Grade 8	0.2%	0.5%	1.1%	98.9%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.5%	0.7%	1.1%	98.9%
Grade 12	0.1%	0.2%	1.4%	98.6%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.6%	1.0%	2.8%	97.2%
Grade 7	0.8%	1.2%	4.0%	96.0%
Grade 8	0.9%	1.4%	3.3%	96.7%
Grade 9	1.0%	1.2%	3.7%	96.3%
Grade 10	0.6%	1.3%	2.5%	97.5%
Grade 11	0.1%	0.3%	1.0%	99.0%
Grade 12	0.3%	0.3%	2.2%	97.8%
Computer Dusting Sprays?				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.7%	99.3%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.7%	1.0%	2.8%	97.2%
Grade 7	1.4%	1.8%	3.7%	96.3%
Grade 8	0.7%	1.2%	2.8%	97.2%
Grade 9	1.1%	1.6%	3.4%	96.6%
Grade 10	0.4%	0.8%	2.6%	97.4%
Grade 11	0.0%	0.2%	1.4%	98.6%
Grade 12	0.3%	0.4%	2.8%	97.2%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.9%	1.2%	2.5%	97.5%
Grade 8	0.5%	0.8%	1.6%	98.4%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.2%	0.3%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.2%	0.4%	1.4%	98.6%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.6%	1.4%	98.6%
Grade 8	0.5%	0.7%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.6%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.6%	99.4%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.4%	0.7%	1.8%	98.2%
Grade 7	1.1%	1.6%	3.5%	96.5%
Grade 8	0.2%	0.6%	1.8%	98.2%
Grade 9	0.4%	0.5%	1.7%	98.3%
Grade 10	0.4%	0.6%	1.4%	98.6%
Grade 11	0.1%	0.1%	0.7%	99.3%
Grade 12	0.1%	0.2%	1.4%	98.6%
Other Aerosols/Sprays?				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.5%	0.9%	2.2%	97.8%
Grade 8	0.5%	0.7%	1.6%	98.4%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	0.2%	0.4%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.9%	99.1%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.2%	0.1%	0.1%	0.2%	0.4%	0.3%	0.7%
Grade 7	97.5%	0.1%	0.2%	0.5%	0.4%	0.6%	0.7%
Grade 8	97.7%	0.0%	0.1%	0.2%	0.5%	0.7%	0.7%
Grade 9	97.7%	0.1%	0.0%	0.2%	0.5%	0.3%	1.1%
Grade 10	98.5%	0.0%	0.1%	0.0%	0.5%	0.2%	0.7%
Grade 11	99.4%	0.2%	0.0%	0.2%	0.0%	0.0%	0.2%
Grade 12	98.7%	0.2%	0.2%	0.0%	0.1%	0.1%	0.6%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	93.8%	3.5%	1.8%	0.9%
Grade 7	91.4%	4.0%	2.9%	1.7%
Grade 8	93.4%	3.4%	2.4%	0.8%
Grade 9	92.6%	4.9%	1.7%	0.8%
Grade 10	94.2%	3.7%	1.4%	0.7%
Grade 11	96.5%	2.5%	0.8%	0.2%
Grade 12	95.4%	2.5%	1.0%	1.1%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.5	10.3	10.6	12.0	12.2	12.7	13.0

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.1%	0.6%	0.1%	0.2%
Grade 7	98.9%	0.8%	0.2%	0.1%
Grade 8	99.1%	0.5%	0.2%	0.2%
Grade 9	98.7%	0.9%	0.1%	0.3%
Grade 10	99.3%	0.4%	0.0%	0.3%
Grade 11	99.4%	0.4%	0.2%	0.0%
Grade 12	99.4%	0.3%	0.1%	0.2%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	7.1
Inhalant Non-Users	4.6
Average Days Conduct Problems Reported	
Inhalant Users	6.3
Inhalant Non-Users	1.4

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	94.7%	3.6%	1.2%	0.3%	0.3%
Grade 7	92.1%	5.6%	1.5%	0.3%	0.4%
Grade 8	93.7%	5.0%	1.0%	0.2%	0.1%
Grade 9	93.0%	4.5%	1.8%	0.3%	0.4%
Grade 10	96.1%	2.0%	1.3%	0.3%	0.3%
Grade 11	98.3%	1.1%	0.2%	0.2%	0.2%
Grade 12	95.3%	2.8%	1.1%	0.6%	0.3%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.2%	11.5%	3.9%	1.1%	6.3%
Grade 7	73.8%	12.7%	3.9%	1.6%	8.0%
Grade 8	75.9%	11.9%	5.0%	1.7%	5.5%
Grade 9	77.2%	12.2%	4.7%	0.7%	5.2%
Grade 10	77.3%	12.4%	3.3%	1.0%	5.9%
Grade 11	77.7%	10.5%	4.0%	0.6%	7.1%
Grade 12	83.2%	8.1%	2.5%	0.4%	5.8%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	57.7%	14.7%	3.6%	4.3%	6.5%	13.2%
Grade 7	62.1%	16.9%	3.1%	3.8%	4.9%	9.1%
Grade 8	59.3%	17.3%	3.5%	4.0%	4.8%	11.2%
Grade 9	55.1%	14.4%	4.3%	5.3%	8.0%	12.9%
Grade 10	56.3%	13.3%	3.6%	4.2%	8.1%	14.6%
Grade 11	55.1%	13.4%	4.2%	4.6%	6.8%	15.9%
Grade 12	57.1%	11.5%	3.2%	3.9%	7.0%	17.3%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	51.9%
	Grade 7	40.2%
	Grade 8	47.5%
	Grade 9	55.3%
	Grade 10	60.1%
	Grade 11	56.6%
	Grade 12	54.8%
An Assembly Program		
	All	56.9%
	Grade 7	48.8%
	Grade 8	58.7%
	Grade 9	55.1%
	Grade 10	60.8%
	Grade 11	58.6%
	Grade 12	61.3%
Guidance Counselor		
	All	42.8%
	Grade 7	41.7%
	Grade 8	44.2%
	Grade 9	41.6%
	Grade 10	44.3%
	Grade 11	41.0%
	Grade 12	44.0%
School Nurse		
	All	27.1%
	Grade 7	26.4%
	Grade 8	30.1%
	Grade 9	24.0%
	Grade 10	28.7%
	Grade 11	24.1%
	Grade 12	29.5%
Science or Social Studies Class		
	All	32.7%
	Grade 7	27.1%
	Grade 8	30.0%
	Grade 9	33.0%
	Grade 10	36.8%
	Grade 11	33.7%
	Grade 12	38.1%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

	Yes
Student Group or Club Meeting at School	
All	22.1%
Grade 7	14.9%
Grade 8	23.0%
Grade 9	20.3%
Grade 10	24.8%
Grade 11	24.2%
Grade 12	27.7%
An Invited School Guest	
All	41.7%
Grade 7	34.2%
Grade 8	42.7%
Grade 9	37.4%
Grade 10	46.1%
Grade 11	44.4%
Grade 12	47.6%
Another Source at School	
All	37.1%
Grade 7	28.7%
Grade 8	37.2%
Grade 9	37.8%
Grade 10	40.2%
Grade 11	39.0%
Grade 12	42.2%
Any School Source	
All	72.9%
Grade 7	64.9%
Grade 8	69.7%
Grade 9	74.5%
Grade 10	77.2%
Grade 11	76.0%
Grade 12	77.8%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	39.5%
	Grade 7	44.7%
	Grade 8	42.0%
	Grade 9	39.2%
	Grade 10	35.4%
	Grade 11	36.4%
	Grade 12	37.9%
School Nurse		
	All	29.0%
	Grade 7	33.6%
	Grade 8	31.3%
	Grade 9	28.9%
	Grade 10	25.7%
	Grade 11	26.5%
	Grade 12	26.3%
Another Adult In School		
	All	43.9%
	Grade 7	43.1%
	Grade 8	42.8%
	Grade 9	43.8%
	Grade 10	41.8%
	Grade 11	44.9%
	Grade 12	48.0%
Counselor/Program Outside-School		
	All	42.6%
	Grade 7	41.8%
	Grade 8	44.5%
	Grade 9	41.1%
	Grade 10	41.9%
	Grade 11	43.6%
	Grade 12	42.7%
Your Parents		
	All	72.0%
	Grade 7	74.6%
	Grade 8	72.1%
	Grade 9	72.1%
	Grade 10	70.1%
	Grade 11	72.2%
	Grade 12	70.1%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	61.5%
	Grade 7	62.8%
	Grade 8	62.7%
	Grade 9	62.5%
	Grade 10	57.0%
	Grade 11	62.0%
	Grade 12	62.1%
Your Friends		
	All	60.8%
	Grade 7	50.4%
	Grade 8	56.1%
	Grade 9	59.0%
	Grade 10	65.2%
	Grade 11	66.7%
	Grade 12	71.3%
Another Adult		
	All	59.4%
	Grade 7	58.1%
	Grade 8	61.1%
	Grade 9	60.1%
	Grade 10	59.8%
	Grade 11	59.7%
	Grade 12	57.4%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	6.6%
	Grade 7	6.7%
	Grade 8	6.2%
	Grade 9	7.5%
	Grade 10	8.1%
	Grade 11	5.4%
	Grade 12	5.9%

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	7.4%	20.2%	22.5%	33.0%	17.0%
Grade 7	9.1%	22.7%	19.6%	30.5%	18.1%
Grade 8	9.2%	19.1%	21.1%	31.6%	19.0%
Grade 9	7.1%	20.3%	22.1%	34.6%	15.9%
Grade 10	6.5%	19.2%	22.6%	35.5%	16.2%
Grade 11	6.4%	20.3%	24.0%	33.4%	15.9%
Grade 12	5.0%	18.8%	26.8%	33.1%	16.3%
Sometimes Carry Weapons?					
All	88.8%	6.9%	2.5%	1.0%	0.8%
Grade 7	91.4%	6.0%	1.2%	0.7%	0.7%
Grade 8	89.0%	7.2%	2.0%	1.2%	0.6%
Grade 9	90.1%	6.3%	2.1%	1.1%	0.4%
Grade 10	88.9%	6.4%	3.2%	0.9%	0.6%
Grade 11	88.2%	6.8%	3.0%	0.6%	1.4%
Grade 12	84.0%	9.1%	4.2%	1.6%	1.0%
Care About Making Good Grades?					
All	3.1%	11.8%	24.1%	38.7%	22.4%
Grade 7	4.4%	13.2%	24.2%	35.5%	22.6%
Grade 8	3.7%	13.3%	26.0%	35.0%	21.9%
Grade 9	2.6%	10.8%	24.7%	40.4%	21.4%
Grade 10	2.8%	12.7%	24.3%	38.5%	21.7%
Grade 11	1.7%	9.1%	22.7%	43.0%	23.5%
Grade 12	2.7%	10.9%	22.1%	40.9%	23.5%
Belong/Want to Belong to a Gang?					
All	89.9%	6.9%	1.7%	0.6%	1.0%
Grade 7	87.8%	9.3%	1.2%	0.5%	1.3%
Grade 8	86.5%	9.4%	2.2%	0.8%	1.2%
Grade 9	90.1%	6.5%	1.9%	0.8%	0.7%
Grade 10	90.9%	6.2%	1.4%	0.6%	0.9%
Grade 11	92.1%	5.4%	1.3%	0.3%	0.9%
Grade 12	93.4%	3.2%	2.0%	0.5%	0.9%
Wish They Could Drop Out of School?					
All	50.5%	26.7%	13.9%	5.8%	3.1%
Grade 7	48.4%	25.6%	14.9%	7.2%	4.0%
Grade 8	48.0%	27.1%	14.9%	6.6%	3.3%
Grade 9	50.0%	28.9%	13.4%	5.1%	2.5%
Grade 10	49.9%	28.0%	13.0%	6.3%	2.8%
Grade 11	52.6%	25.9%	14.2%	4.9%	2.3%
Grade 12	55.4%	24.7%	12.7%	3.9%	3.4%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	89.6%	9.1%	0.5%	0.1%	0.8%
Grade 7	87.9%	10.8%	0.4%	0.0%	0.8%
Grade 8	89.2%	9.2%	0.4%	0.1%	1.2%
Grade 9	89.5%	9.1%	0.9%	0.0%	0.5%
Grade 10	90.2%	8.4%	0.5%	0.2%	0.7%
Grade 11	91.1%	7.8%	0.4%	0.1%	0.6%
Grade 12	89.9%	9.1%	0.2%	0.2%	0.6%
Out In Your Neighborhood?					
All	44.5%	46.4%	5.9%	0.9%	2.3%
Grade 7	37.6%	49.1%	8.1%	1.7%	3.7%
Grade 8	37.9%	49.9%	7.5%	1.1%	3.6%
Grade 9	45.5%	46.7%	6.2%	0.4%	1.3%
Grade 10	49.6%	42.6%	5.5%	0.7%	1.5%
Grade 11	47.8%	45.7%	4.1%	0.8%	1.7%
Grade 12	51.5%	43.0%	3.2%	0.7%	1.6%
At School?					
All	32.9%	50.3%	9.1%	3.7%	4.1%
Grade 7	32.1%	47.2%	10.6%	5.0%	5.2%
Grade 8	30.5%	48.2%	10.8%	4.2%	6.2%
Grade 9	32.9%	53.1%	9.0%	2.6%	2.4%
Grade 10	32.2%	50.5%	9.3%	3.8%	4.3%
Grade 11	33.5%	54.6%	6.7%	2.2%	2.9%
Grade 12	37.1%	48.8%	7.3%	3.9%	2.9%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.4%	9.4%	16.9%	83.1%
Grade 7	4.5%	5.8%	11.3%	88.7%
Grade 8	5.2%	6.2%	14.1%	85.9%
Grade 9	8.2%	10.1%	18.2%	81.8%
Grade 10	7.2%	9.0%	15.2%	84.8%
Grade 11	9.1%	11.9%	21.3%	78.7%
Grade 12	11.9%	15.7%	24.2%	75.8%
Any Alcohol Product				
All	19.8%	22.7%	36.8%	63.2%
Grade 7	13.1%	15.4%	30.0%	70.0%
Grade 8	14.4%	16.8%	29.8%	70.2%
Grade 9	19.6%	21.8%	36.4%	63.6%
Grade 10	19.4%	22.3%	37.1%	62.9%
Grade 11	26.7%	31.3%	45.2%	54.8%
Grade 12	28.9%	32.4%	46.2%	53.8%
Any Illicit Drug				
All	7.9%	10.5%	14.1%	85.9%
Grade 7	4.0%	5.5%	7.8%	92.2%
Grade 8	5.5%	8.0%	10.2%	89.8%
Grade 9	8.7%	11.3%	13.6%	86.4%
Grade 10	7.4%	9.9%	13.7%	86.3%
Grade 11	10.3%	13.6%	19.5%	80.5%
Grade 12	13.7%	17.1%	23.2%	76.8%
Any Prescription Drug				
All	3.3%	4.7%	8.9%	91.1%
Grade 7	3.9%	5.4%	9.3%	90.7%
Grade 8	3.6%	5.3%	10.8%	89.2%
Grade 9	3.1%	4.4%	8.1%	91.9%
Grade 10	3.6%	5.1%	9.2%	90.8%
Grade 11	3.2%	4.5%	8.7%	91.3%
Grade 12	2.2%	2.9%	6.8%	93.2%
Any Inhalant				
All	3.5%	4.7%	8.4%	91.6%
Grade 7	5.7%	6.8%	10.9%	89.1%
Grade 8	3.9%	5.2%	8.4%	91.6%
Grade 9	3.8%	4.9%	9.4%	90.6%
Grade 10	2.6%	4.3%	7.6%	92.4%
Grade 11	2.0%	3.1%	5.8%	94.2%
Grade 12	2.5%	3.5%	7.4%	92.6%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.3%	7.5%	14.8%	85.2%
Grade 7	3.0%	4.5%	9.8%	90.2%
Grade 8	3.2%	4.7%	11.7%	88.3%
Grade 9	5.0%	6.8%	15.3%	84.7%
Grade 10	5.5%	7.7%	13.6%	86.4%
Grade 11	7.0%	10.1%	19.1%	80.9%
Grade 12	9.5%	13.1%	21.5%	78.5%
Marijuana				
All	7.3%	8.8%	12.3%	87.7%
Grade 7	3.4%	4.1%	5.8%	94.2%
Grade 8	4.8%	6.1%	8.3%	91.7%
Grade 9	8.3%	9.6%	11.6%	88.4%
Grade 10	6.8%	7.7%	11.6%	88.4%
Grade 11	9.5%	12.2%	18.3%	81.7%
Grade 12	12.9%	15.1%	21.3%	78.7%
Marijuana Only				
All	4.0%	4.9%	7.8%	92.2%
Grade 7	2.0%	2.6%	4.0%	96.0%
Grade 8	2.1%	3.0%	4.7%	95.3%
Grade 9	5.3%	6.0%	7.6%	92.4%
Grade 10	3.4%	3.8%	7.2%	92.8%
Grade 11	4.3%	6.3%	11.0%	89.0%
Grade 12	8.1%	9.4%	14.1%	85.9%
Cocaine or Crack				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.9%	1.0%	1.3%	98.7%
Grade 9	0.9%	0.9%	1.0%	99.0%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.6%	0.6%	1.2%	98.8%
Grade 12	1.2%	1.2%	2.2%	97.8%
Cocaine				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.9%	1.0%	1.3%	98.7%
Grade 9	0.9%	0.9%	1.0%	99.0%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	1.2%	1.2%	2.1%	97.9%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.6%	99.4%
Hallucinogens				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.6%	0.8%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.4%	98.6%
Grade 9	0.2%	0.6%	1.5%	98.5%
Grade 10	1.2%	1.5%	2.6%	97.4%
Grade 11	1.0%	1.6%	3.0%	97.0%
Grade 12	0.6%	1.3%	3.6%	96.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.3%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.7%	99.3%
Ecstasy				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.1%	0.3%	0.9%	99.1%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.2%	0.4%	1.1%	98.9%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.6%	0.9%	1.3%	98.7%
Grade 8	0.8%	1.0%	1.7%	98.3%
Grade 9	0.9%	1.3%	2.6%	97.4%
Grade 10	1.1%	1.3%	2.3%	97.7%
Grade 11	0.8%	1.0%	2.5%	97.5%
Grade 12	0.5%	1.5%	2.6%	97.4%
Methamphetamine				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.3%	0.3%	1.0%	99.0%
Delta 8				
All	0.9%	1.5%	2.7%	97.3%
Grade 7	0.8%	1.2%	1.8%	98.2%
Grade 8	1.1%	1.3%	2.1%	97.9%
Grade 9	0.7%	1.4%	2.6%	97.4%
Grade 10	1.1%	1.6%	2.6%	97.4%
Grade 11	0.8%	2.0%	4.2%	95.8%
Grade 12	0.7%	1.3%	3.1%	96.9%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.9%	8.3%	15.1%	84.9%
Grade 7	3.6%	4.2%	8.7%	91.3%
Grade 8	4.7%	5.4%	11.7%	88.3%
Grade 9	6.2%	6.3%	13.7%	86.3%
Grade 10	7.5%	8.7%	14.4%	85.6%
Grade 11	9.8%	13.1%	22.7%	77.3%
Grade 12	11.8%	14.9%	23.1%	76.9%
Any Alcohol Product				
All	19.5%	22.8%	35.9%	64.1%
Grade 7	11.6%	15.0%	29.4%	70.6%
Grade 8	13.3%	15.6%	28.2%	71.8%
Grade 9	18.6%	21.1%	33.4%	66.6%
Grade 10	20.4%	23.5%	37.5%	62.5%
Grade 11	27.4%	32.6%	45.3%	54.7%
Grade 12	31.5%	34.9%	47.5%	52.5%
Any Illicit Drug				
All	7.7%	10.2%	13.4%	86.6%
Grade 7	3.6%	4.6%	6.8%	93.2%
Grade 8	5.0%	7.0%	9.1%	90.9%
Grade 9	6.2%	9.0%	11.1%	88.9%
Grade 10	9.1%	11.4%	15.0%	85.0%
Grade 11	11.0%	14.7%	19.8%	80.2%
Grade 12	14.3%	17.8%	22.9%	77.1%
Any Prescription Drug				
All	3.4%	5.2%	10.2%	89.8%
Grade 7	4.3%	5.7%	9.6%	90.4%
Grade 8	3.4%	5.7%	12.5%	87.5%
Grade 9	2.5%	4.2%	8.1%	91.9%
Grade 10	4.9%	7.0%	12.0%	88.0%
Grade 11	2.8%	4.6%	10.0%	90.0%
Grade 12	2.2%	3.5%	8.8%	91.2%
Any Inhalant				
All	3.9%	5.0%	8.5%	91.5%
Grade 7	6.3%	7.0%	10.4%	89.6%
Grade 8	4.1%	5.8%	9.1%	90.9%
Grade 9	3.1%	4.3%	8.4%	91.6%
Grade 10	3.0%	4.6%	7.4%	92.6%
Grade 11	2.6%	3.8%	6.9%	93.1%
Grade 12	3.4%	3.9%	7.7%	92.3%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.4%	6.1%	12.5%	87.5%
Grade 7	2.1%	3.0%	7.2%	92.8%
Grade 8	2.6%	4.2%	8.6%	91.4%
Grade 9	2.5%	2.8%	10.3%	89.7%
Grade 10	5.4%	7.4%	12.4%	87.6%
Grade 11	6.7%	9.9%	19.6%	80.4%
Grade 12	8.7%	12.0%	20.5%	79.5%
Marijuana				
All	7.1%	8.4%	11.4%	88.6%
Grade 7	2.6%	3.1%	4.3%	95.7%
Grade 8	4.1%	5.1%	7.2%	92.8%
Grade 9	5.8%	6.8%	8.5%	91.5%
Grade 10	8.3%	9.0%	13.0%	87.0%
Grade 11	10.9%	13.7%	18.6%	81.4%
Grade 12	13.9%	16.1%	21.8%	78.2%
Marijuana Only				
All	3.3%	4.1%	6.4%	93.6%
Grade 7	1.1%	1.5%	2.5%	97.5%
Grade 8	1.6%	2.2%	3.9%	96.1%
Grade 9	3.6%	4.0%	5.1%	94.9%
Grade 10	3.0%	3.5%	6.6%	93.4%
Grade 11	3.9%	6.1%	9.1%	90.9%
Grade 12	8.3%	9.5%	13.9%	86.1%
Cocaine or Crack				
All	0.9%	0.9%	1.4%	98.6%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	1.4%	1.4%	2.2%	97.8%
Grade 11	1.2%	1.2%	1.9%	98.1%
Grade 12	2.1%	2.2%	3.3%	96.7%
Cocaine				
All	0.9%	0.9%	1.4%	98.6%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	1.4%	1.4%	2.2%	97.8%
Grade 11	1.2%	1.2%	1.9%	98.1%
Grade 12	2.1%	2.2%	3.3%	96.7%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.3%	0.3%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	0.0%	0.0%	0.5%	99.5%
	Grade 12	0.5%	0.5%	1.1%	98.9%
Hallucinogens	All	0.9%	1.3%	2.6%	97.4%
	Grade 7	0.9%	1.0%	1.1%	98.9%
	Grade 8	0.4%	0.6%	1.5%	98.5%
	Grade 9	0.1%	0.7%	1.2%	98.8%
	Grade 10	1.8%	2.4%	3.8%	96.2%
	Grade 11	1.2%	1.5%	4.1%	95.9%
	Grade 12	1.0%	1.7%	4.9%	95.1%
Synthetic Cathinones	All	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.0%	0.2%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.2%	0.3%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.4%	0.4%	1.0%	99.0%
	Grade 7	0.1%	0.1%	1.0%	99.0%
	Grade 8	0.4%	0.4%	1.2%	98.8%
	Grade 9	1.0%	1.0%	1.4%	98.6%
	Grade 10	0.2%	0.2%	0.6%	99.4%
	Grade 11	0.4%	0.4%	0.5%	99.5%
	Grade 12	0.2%	0.2%	1.2%	98.8%
Ecstasy	All	0.4%	0.5%	1.0%	99.0%
	Grade 7	0.0%	0.1%	0.1%	99.9%
	Grade 8	1.1%	1.1%	1.4%	98.6%
	Grade 9	0.1%	0.1%	0.7%	99.3%
	Grade 10	0.7%	0.8%	1.9%	98.1%
	Grade 11	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.4%	0.8%	1.6%	98.4%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	0.8%	1.2%	2.1%	97.9%
Grade 7	0.7%	1.0%	1.7%	98.3%
Grade 8	0.7%	0.8%	1.2%	98.8%
Grade 9	0.7%	1.1%	2.4%	97.6%
Grade 10	1.5%	1.9%	2.7%	97.3%
Grade 11	0.6%	0.9%	2.7%	97.3%
Grade 12	0.5%	1.7%	2.2%	97.8%
Methamphetamine				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.1%	0.1%	1.1%	98.9%
Delta 8				
All	1.0%	1.7%	3.2%	96.8%
Grade 7	1.2%	1.4%	2.1%	97.9%
Grade 8	1.0%	1.0%	2.1%	97.9%
Grade 9	0.8%	1.8%	2.9%	97.1%
Grade 10	1.8%	2.7%	4.0%	96.0%
Grade 11	1.0%	2.6%	5.8%	94.2%
Grade 12	0.4%	0.9%	2.6%	97.4%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.0%	10.6%	18.8%	81.2%
Grade 7	5.5%	7.4%	13.7%	86.3%
Grade 8	5.7%	7.1%	16.3%	83.7%
Grade 9	10.1%	13.8%	22.5%	77.5%
Grade 10	7.2%	9.4%	16.3%	83.7%
Grade 11	8.7%	11.2%	20.6%	79.4%
Grade 12	12.1%	16.5%	25.2%	74.8%
Any Alcohol Product				
All	20.1%	22.7%	37.7%	62.3%
Grade 7	14.7%	16.1%	30.8%	69.2%
Grade 8	15.7%	18.2%	31.3%	68.7%
Grade 9	20.4%	22.4%	39.2%	60.8%
Grade 10	18.5%	20.9%	36.6%	63.4%
Grade 11	26.4%	30.5%	45.5%	54.5%
Grade 12	27.0%	30.6%	45.1%	54.9%
Any Illicit Drug				
All	8.3%	11.0%	14.9%	85.1%
Grade 7	4.5%	6.2%	8.6%	91.4%
Grade 8	6.1%	9.1%	11.3%	88.7%
Grade 9	11.2%	13.6%	16.1%	83.9%
Grade 10	6.2%	8.9%	12.8%	87.2%
Grade 11	9.9%	13.1%	19.8%	80.2%
Grade 12	13.4%	16.7%	23.4%	76.6%
Any Prescription Drug				
All	3.3%	4.3%	7.8%	92.2%
Grade 7	3.6%	5.2%	8.9%	91.1%
Grade 8	3.9%	4.9%	9.2%	90.8%
Grade 9	3.6%	4.7%	8.2%	91.8%
Grade 10	2.6%	3.5%	7.1%	92.9%
Grade 11	3.5%	4.4%	7.6%	92.4%
Grade 12	2.2%	2.5%	5.3%	94.7%
Any Inhalant				
All	3.2%	4.5%	8.2%	91.8%
Grade 7	5.1%	6.7%	11.3%	88.7%
Grade 8	3.7%	4.6%	7.7%	92.3%
Grade 9	4.5%	5.5%	10.5%	89.5%
Grade 10	2.2%	3.7%	7.1%	92.9%
Grade 11	1.6%	2.6%	5.0%	95.0%
Grade 12	1.8%	3.2%	7.2%	92.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.2%	8.9%	16.9%	83.1%
Grade 7	3.8%	6.0%	12.1%	87.9%
Grade 8	3.8%	5.3%	14.5%	85.5%
Grade 9	7.3%	10.6%	20.1%	79.9%
Grade 10	5.7%	8.1%	14.9%	85.1%
Grade 11	7.4%	10.6%	19.2%	80.8%
Grade 12	10.1%	14.1%	22.6%	77.4%
Marijuana				
All	7.5%	9.2%	13.1%	86.9%
Grade 7	4.1%	4.9%	7.1%	92.9%
Grade 8	5.6%	7.2%	9.4%	90.6%
Grade 9	10.6%	12.4%	14.5%	85.5%
Grade 10	5.7%	6.7%	10.6%	89.4%
Grade 11	8.5%	11.2%	18.4%	81.6%
Grade 12	12.2%	14.4%	20.9%	79.1%
Marijuana Only				
All	4.7%	5.7%	9.1%	90.9%
Grade 7	2.9%	3.4%	5.4%	94.6%
Grade 8	2.8%	3.8%	5.6%	94.4%
Grade 9	6.9%	7.8%	9.9%	90.1%
Grade 10	3.8%	4.3%	7.8%	92.2%
Grade 11	4.9%	6.7%	13.0%	87.0%
Grade 12	7.9%	9.4%	14.1%	85.9%
Cocaine or Crack				
All	0.7%	0.8%	1.1%	98.9%
Grade 7	0.6%	0.7%	1.0%	99.0%
Grade 8	1.2%	1.5%	1.8%	98.2%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.5%	0.5%	1.4%	98.6%
Cocaine				
All	0.7%	0.7%	1.0%	99.0%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	1.2%	1.5%	1.8%	98.2%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.5%	0.5%	1.1%	98.9%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
Hallucinogens				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.3%	0.4%	1.4%	98.6%
Grade 9	0.2%	0.6%	1.7%	98.3%
Grade 10	0.7%	0.7%	1.6%	98.4%
Grade 11	0.9%	1.6%	2.1%	97.9%
Grade 12	0.4%	1.1%	2.6%	97.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.4%	99.6%
Steroids				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.6%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.3%	99.7%
Ecstasy				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.6%	1.1%	98.9%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.7%	99.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.5%	0.8%	0.9%	99.1%
Grade 8	1.0%	1.1%	2.2%	97.8%
Grade 9	1.1%	1.6%	2.8%	97.2%
Grade 10	0.8%	0.8%	2.0%	98.0%
Grade 11	1.0%	1.1%	2.3%	97.7%
Grade 12	0.6%	1.3%	2.8%	97.2%
Methamphetamine				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.5%	0.5%	0.9%	99.1%
Delta 8				
All	0.7%	1.2%	2.2%	97.8%
Grade 7	0.4%	1.1%	1.5%	98.5%
Grade 8	1.2%	1.4%	2.0%	98.0%
Grade 9	0.6%	0.9%	2.2%	97.8%
Grade 10	0.6%	0.7%	1.5%	98.5%
Grade 11	0.7%	1.6%	2.8%	97.2%
Grade 12	0.9%	1.6%	3.4%	96.6%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.1%	7.2%	11.5%	88.5%
Grade 7	0.0%	0.0%	2.1%	97.9%
Grade 8	5.0%	6.1%	13.2%	86.8%
Grade 9	5.7%	5.7%	8.8%	91.2%
Grade 10	8.2%	8.2%	9.0%	91.0%
Grade 11	10.8%	14.0%	14.9%	85.1%
Grade 12	11.2%	14.8%	28.7%	71.3%
Any Alcohol Product				
All	16.0%	17.7%	30.4%	69.6%
Grade 7	4.5%	4.5%	17.5%	82.5%
Grade 8	11.2%	14.3%	26.5%	73.5%
Grade 9	9.0%	10.8%	29.3%	70.7%
Grade 10	28.4%	30.5%	41.4%	58.6%
Grade 11	23.8%	26.0%	32.6%	67.4%
Grade 12	32.8%	33.9%	47.6%	52.4%
Any Illicit Drug				
All	4.7%	6.8%	8.4%	91.6%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	2.3%	6.9%	10.2%	89.8%
Grade 9	2.1%	2.1%	3.7%	96.3%
Grade 10	8.2%	8.2%	8.2%	91.8%
Grade 11	9.5%	12.7%	14.7%	85.3%
Grade 12	11.6%	17.3%	19.5%	80.5%
Any Prescription Drug				
All	2.3%	3.6%	8.3%	91.7%
Grade 7	3.2%	4.0%	9.6%	90.4%
Grade 8	1.9%	3.0%	9.1%	90.9%
Grade 9	0.6%	3.7%	5.8%	94.2%
Grade 10	5.5%	8.2%	12.4%	87.6%
Grade 11	2.7%	2.7%	6.6%	93.4%
Grade 12	0.0%	0.0%	5.8%	94.2%
Any Inhalant				
All	1.7%	3.3%	8.5%	91.5%
Grade 7	2.3%	2.3%	9.5%	90.5%
Grade 8	2.0%	5.1%	10.9%	89.1%
Grade 9	1.6%	1.6%	4.7%	95.3%
Grade 10	2.7%	5.5%	8.0%	92.0%
Grade 11	1.3%	1.3%	5.4%	94.6%
Grade 12	0.0%	4.6%	12.7%	87.3%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.1%	6.6%	10.5%	89.5%
Grade 7	0.0%	0.0%	2.1%	97.9%
Grade 8	2.6%	5.5%	11.7%	88.3%
Grade 9	4.1%	4.1%	8.8%	91.2%
Grade 10	8.2%	8.2%	8.2%	91.8%
Grade 11	10.8%	14.0%	14.9%	85.1%
Grade 12	10.1%	13.7%	23.2%	76.8%
Marijuana				
All	4.1%	5.4%	7.0%	93.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	2.3%	5.9%	9.1%	90.9%
Grade 9	2.1%	2.1%	3.7%	96.3%
Grade 10	8.2%	8.2%	8.2%	91.8%
Grade 11	9.5%	12.7%	14.7%	85.3%
Grade 12	6.1%	7.2%	9.4%	90.6%
Marijuana Only				
All	1.4%	2.6%	3.6%	96.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.5%	3.8%	4.4%	95.6%
Grade 9	0.6%	0.6%	2.1%	97.9%
Grade 10	4.7%	4.7%	4.7%	95.3%
Grade 11	0.0%	3.2%	5.1%	94.9%
Grade 12	5.0%	5.0%	7.2%	92.8%
Cocaine or Crack				
All	0.6%	0.6%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	3.5%	3.5%	3.5%	96.5%
Grade 11	0.7%	0.7%	3.9%	96.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.6%	0.6%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	3.5%	3.5%	3.5%	96.5%
Grade 11	0.7%	0.7%	3.9%	96.1%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	2.7%	2.7%	2.7%	97.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	0.8%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.0%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	3.5%	96.5%
Grade 11	0.0%	0.0%	3.2%	96.8%
Grade 12	5.5%	5.5%	6.6%	93.4%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.0%	0.8%	99.2%
Grade 7	0.0%	0.0%	1.9%	98.1%
Grade 8	0.0%	0.0%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.3%	0.3%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.7%	97.3%
Grade 11	0.0%	0.0%	3.2%	96.8%
Grade 12	2.3%	2.3%	2.3%	97.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.7%	0.7%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	1.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	3.5%	96.5%
Grade 11	2.4%	2.4%	3.1%	96.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.5%	0.5%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	1.0%	3.6%	96.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.7%	97.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.3%	2.3%	2.3%	97.7%
Delta 8				
All	0.5%	1.1%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.8%	1.8%	2.7%	97.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	3.5%	96.5%
Grade 11	0.0%	3.2%	6.4%	93.6%
Grade 12	0.0%	1.1%	1.1%	98.9%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.6%	8.0%	9.9%	90.1%
Grade 7	6.0%	6.0%	8.7%	91.3%
Grade 8	1.3%	2.7%	5.6%	94.4%
Grade 9	32.1%	32.1%	32.1%	67.9%
Grades 10–12	7.2%	7.2%	7.2%	92.8%
Any Alcohol Product				
All	17.0%	22.1%	26.0%	74.0%
Grade 7	35.6%	38.3%	38.3%	61.7%
Grade 8	4.1%	4.7%	16.5%	83.5%
Grade 9	21.4%	32.1%	32.1%	67.9%
Grades 10–12	7.2%	19.4%	19.4%	80.6%
Any Illicit Drug				
All	11.5%	13.0%	18.4%	81.6%
Grade 7	25.0%	29.2%	37.1%	62.9%
Grade 8	1.4%	2.0%	2.0%	98.0%
Grade 9	10.7%	10.7%	10.7%	89.3%
Grades 10–12	7.2%	7.2%	19.4%	80.6%
Any Prescription Drug				
All	6.6%	7.5%	13.1%	86.9%
Grade 7	7.9%	10.6%	13.8%	86.2%
Grade 8	10.1%	10.1%	24.5%	75.5%
Grade 9	6.6%	6.6%	6.6%	93.4%
Grades 10–12	0.0%	0.0%	0.0%	100.0%
Any Inhalant				
All	18.9%	24.8%	25.4%	74.6%
Grade 7	57.3%	57.3%	59.1%	40.9%
Grade 8	1.3%	12.2%	12.2%	87.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–12	0.0%	9.5%	9.5%	90.5%
Electronic Vapor Products				
All	5.9%	8.0%	9.9%	90.1%
Grade 7	6.0%	6.0%	8.7%	91.3%
Grade 8	1.3%	2.7%	5.6%	94.4%
Grade 9	32.1%	32.1%	32.1%	67.9%
Grades 10–12	0.0%	7.2%	7.2%	92.8%
Marijuana				
All	2.8%	2.8%	5.6%	94.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	10.7%	10.7%	10.7%	89.3%
Grades 10–12	7.2%	7.2%	19.4%	80.6%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	1.1%	1.1%	3.7%	96.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	9.3%	9.3%	9.3%	90.7%
Grades 10–12	0.0%	0.0%	10.2%	89.8%
Cocaine or Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–12	0.0%	0.0%	0.0%	100.0%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	7.1%	7.1%	7.1%	92.9%
Grade 7	21.7%	21.7%	21.7%	78.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.0%	3.7%	96.3%
Grade 7	0.0%	0.0%	11.2%	88.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grades 10–12	0.0%	0.0%	0.0%	100.0%
Heroin	All	0.0%	0.0%	2.6%	97.4%
	Grade 7	0.0%	0.0%	7.9%	92.1%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grades 10–12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	1.6%	1.6%	1.6%	98.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grades 10–12	7.2%	7.2%	7.2%	92.8%
Methamphetamine	All	1.1%	1.1%	1.1%	98.9%
	Grade 7	3.3%	3.3%	3.3%	96.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grades 10–12	0.0%	0.0%	0.0%	100.0%
Delta 8	All	0.5%	2.1%	2.1%	97.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.4%	1.4%	1.4%	98.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grades 10–12	0.0%	7.2%	7.2%	92.8%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.5%	9.5%	17.2%	82.8%
Grade 7	4.7%	6.0%	11.7%	88.3%
Grade 8	5.2%	6.2%	14.3%	85.7%
Grade 9	8.1%	10.2%	18.6%	81.4%
Grade 10	7.0%	8.8%	15.2%	84.8%
Grade 11	9.1%	12.0%	21.7%	78.3%
Grade 12	12.0%	15.9%	24.3%	75.7%
Any Alcohol Product				
All	20.1%	23.0%	37.3%	62.7%
Grade 7	13.2%	15.5%	30.4%	69.6%
Grade 8	14.8%	17.2%	30.3%	69.7%
Grade 9	20.0%	22.2%	36.7%	63.3%
Grade 10	19.3%	22.1%	37.1%	62.9%
Grade 11	27.1%	31.8%	45.9%	54.1%
Grade 12	29.1%	32.6%	46.5%	53.5%
Any Illicit Drug				
All	8.0%	10.6%	14.3%	85.7%
Grade 7	3.8%	5.3%	7.6%	92.4%
Grade 8	5.7%	8.2%	10.3%	89.7%
Grade 9	8.9%	11.6%	14.0%	86.0%
Grade 10	7.3%	9.9%	13.6%	86.4%
Grade 11	10.4%	13.8%	19.8%	80.2%
Grade 12	13.9%	17.2%	23.4%	76.6%
Any Prescription Drug				
All	3.3%	4.7%	8.9%	91.1%
Grade 7	3.9%	5.4%	9.2%	90.8%
Grade 8	3.5%	5.2%	10.5%	89.5%
Grade 9	3.1%	4.4%	8.2%	91.8%
Grade 10	3.6%	4.9%	9.1%	90.9%
Grade 11	3.3%	4.7%	8.8%	91.2%
Grade 12	2.3%	3.0%	6.9%	93.1%
Any Inhalant				
All	3.4%	4.6%	8.2%	91.8%
Grade 7	4.9%	6.1%	10.2%	89.8%
Grade 8	3.9%	5.0%	8.1%	91.9%
Grade 9	3.9%	5.0%	9.8%	90.2%
Grade 10	2.6%	4.2%	7.4%	92.6%
Grade 11	2.1%	3.1%	5.8%	94.2%
Grade 12	2.6%	3.5%	7.4%	92.6%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.3%	7.6%	15.0%	85.0%
Grade 7	3.0%	4.6%	10.1%	89.9%
Grade 8	3.2%	4.7%	11.8%	88.2%
Grade 9	4.9%	6.7%	15.5%	84.5%
Grade 10	5.4%	7.6%	13.7%	86.3%
Grade 11	6.9%	10.1%	19.4%	80.6%
Grade 12	9.6%	13.2%	21.7%	78.3%
Marijuana				
All	7.4%	8.9%	12.5%	87.5%
Grade 7	3.4%	4.2%	6.1%	93.9%
Grade 8	5.0%	6.3%	8.4%	91.6%
Grade 9	8.4%	9.8%	11.8%	88.2%
Grade 10	6.7%	7.6%	11.5%	88.5%
Grade 11	9.5%	12.3%	18.5%	81.5%
Grade 12	13.1%	15.4%	21.8%	78.2%
Marijuana Only				
All	4.1%	5.1%	8.0%	92.0%
Grade 7	2.1%	2.7%	4.3%	95.7%
Grade 8	2.2%	3.0%	4.8%	95.2%
Grade 9	5.3%	6.0%	7.7%	92.3%
Grade 10	3.4%	3.9%	7.2%	92.8%
Grade 11	4.5%	6.5%	11.3%	88.7%
Grade 12	8.2%	9.6%	14.4%	85.6%
Cocaine or Crack				
All	0.8%	0.9%	1.2%	98.8%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.9%	1.0%	1.3%	98.7%
Grade 9	0.9%	0.9%	1.0%	99.0%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.6%	0.6%	1.1%	98.9%
Grade 12	1.2%	1.3%	2.3%	97.7%
Cocaine				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.9%	1.0%	1.3%	98.7%
Grade 9	0.9%	0.9%	1.0%	99.0%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	1.2%	1.3%	2.2%	97.8%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.6%	99.4%
Hallucinogens				
All	0.6%	1.0%	2.0%	98.0%
Grade 7	0.3%	0.5%	0.6%	99.4%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	0.2%	0.7%	1.5%	98.5%
Grade 10	1.2%	1.5%	2.5%	97.5%
Grade 11	1.0%	1.5%	2.9%	97.1%
Grade 12	0.5%	1.2%	3.6%	96.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.7%	99.3%
Ecstasy				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.1%	0.4%	0.9%	99.1%
Grade 10	0.4%	0.5%	1.1%	98.9%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.3%	1.1%	98.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.6%	0.9%	1.3%	98.7%
Grade 8	0.8%	1.0%	1.7%	98.3%
Grade 9	0.9%	1.4%	2.7%	97.3%
Grade 10	1.0%	1.3%	2.2%	97.8%
Grade 11	0.6%	0.9%	2.4%	97.6%
Grade 12	0.6%	1.5%	2.7%	97.3%
Methamphetamine				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.3%	0.3%	1.0%	99.0%
Delta 8				
All	0.9%	1.5%	2.7%	97.3%
Grade 7	0.8%	1.3%	1.8%	98.2%
Grade 8	1.0%	1.3%	2.1%	97.9%
Grade 9	0.7%	1.4%	2.7%	97.3%
Grade 10	1.1%	1.6%	2.5%	97.5%
Grade 11	0.7%	1.9%	4.0%	96.0%
Grade 12	0.7%	1.3%	3.1%	96.9%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	5.1%	7.1%	13.9%	86.1%
Grade 7	1.7%	3.0%	6.9%	93.1%
Grade 8	2.9%	3.8%	8.2%	91.8%
Grade 9	5.3%	7.6%	15.6%	84.4%
Grade 10	4.1%	5.0%	11.8%	88.2%
Grade 11	8.0%	10.4%	18.0%	82.0%
Grade 12	9.0%	13.2%	23.5%	76.5%
Any Alcohol Product				
All	16.1%	19.1%	32.9%	67.1%
Grade 7	7.9%	9.4%	23.2%	76.8%
Grade 8	8.2%	11.6%	23.0%	77.0%
Grade 9	15.1%	16.5%	29.5%	70.5%
Grade 10	15.8%	19.3%	34.7%	65.3%
Grade 11	25.5%	30.1%	43.3%	56.7%
Grade 12	24.3%	28.4%	44.6%	55.4%
Any Illicit Drug				
All	5.0%	7.0%	10.4%	89.6%
Grade 7	2.0%	2.2%	4.0%	96.0%
Grade 8	2.8%	4.6%	5.5%	94.5%
Grade 9	5.4%	6.9%	9.2%	90.8%
Grade 10	2.3%	5.2%	8.5%	91.5%
Grade 11	6.8%	9.7%	15.0%	85.0%
Grade 12	11.1%	14.5%	20.7%	79.3%
Any Prescription Drug				
All	2.6%	3.9%	7.6%	92.4%
Grade 7	3.0%	4.3%	8.8%	91.2%
Grade 8	2.9%	5.3%	10.5%	89.5%
Grade 9	2.3%	3.7%	6.2%	93.8%
Grade 10	2.2%	3.8%	7.8%	92.2%
Grade 11	3.5%	4.2%	7.7%	92.3%
Grade 12	1.6%	1.9%	4.4%	95.6%
Any Inhalant				
All	2.0%	2.9%	5.8%	94.2%
Grade 7	3.6%	4.4%	8.1%	91.9%
Grade 8	2.1%	3.2%	4.8%	95.2%
Grade 9	1.6%	2.2%	6.0%	94.0%
Grade 10	2.4%	4.3%	7.5%	92.5%
Grade 11	0.8%	1.1%	3.4%	96.6%
Grade 12	1.1%	2.1%	4.7%	95.3%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	3.8%	5.9%	12.1%	87.9%
Grade 7	1.2%	2.4%	6.0%	94.0%
Grade 8	1.7%	2.6%	5.5%	94.5%
Grade 9	2.9%	5.2%	13.7%	86.3%
Grade 10	3.7%	5.1%	10.7%	89.3%
Grade 11	6.5%	9.4%	16.0%	84.0%
Grade 12	7.2%	11.1%	21.1%	78.9%
Marijuana				
All	4.6%	5.8%	9.1%	90.9%
Grade 7	1.9%	1.9%	3.4%	96.6%
Grade 8	2.8%	3.3%	4.3%	95.7%
Grade 9	5.4%	6.7%	8.5%	91.5%
Grade 10	1.9%	3.1%	6.8%	93.2%
Grade 11	5.9%	8.1%	13.0%	87.0%
Grade 12	10.3%	12.6%	19.7%	80.3%
Marijuana Only				
All	2.7%	3.3%	5.9%	94.1%
Grade 7	0.7%	0.7%	1.8%	98.2%
Grade 8	0.9%	1.2%	2.2%	97.8%
Grade 9	4.1%	4.6%	5.7%	94.3%
Grade 10	0.9%	1.0%	4.6%	95.4%
Grade 11	3.2%	5.1%	9.5%	90.5%
Grade 12	6.8%	7.6%	12.1%	87.9%
Cocaine or Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.6%	0.6%	99.4%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	1.0%	99.0%
Cocaine				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.6%	0.6%	99.4%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	1.0%	99.0%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.3%	1.0%	99.0%
Grade 9	0.1%	0.6%	1.4%	98.6%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	0.6%	0.8%	1.6%	98.4%
Grade 12	0.3%	0.3%	3.1%	96.9%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	0.5%	99.5%
Steroids				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.7%	0.8%	99.2%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.2%	0.2%	99.8%
Grade 11	0.7%	0.7%	0.9%	99.1%
Grade 12	0.1%	0.1%	0.3%	99.7%
Ecstasy				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.5%	1.2%	98.8%
Grade 10	0.6%	0.6%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.3%	0.3%	1.1%	98.9%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.4%	0.7%	1.3%	98.7%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	0.3%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.7%	1.4%	98.6%
Grade 10	0.2%	0.6%	1.0%	99.0%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.9%	1.2%	2.6%	97.4%
Methamphetamine				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.8%	1.1%	1.7%	98.3%
Grade 8	0.7%	0.7%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.7%	0.9%	1.6%	98.4%
Grade 11	1.1%	1.8%	2.2%	97.8%
Grade 12	0.6%	1.1%	3.5%	96.5%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.8%	10.8%	18.6%	81.4%
Grade 7	6.0%	7.2%	13.2%	86.8%
Grade 8	6.3%	7.3%	16.9%	83.1%
Grade 9	10.4%	12.0%	20.2%	79.8%
Grade 10	9.0%	11.1%	17.0%	83.0%
Grade 11	9.8%	12.8%	23.4%	76.6%
Grade 12	13.9%	17.4%	24.7%	75.3%
Any Alcohol Product				
All	21.8%	24.7%	39.1%	60.9%
Grade 7	15.6%	18.3%	33.1%	66.9%
Grade 8	17.3%	19.2%	33.0%	67.0%
Grade 9	22.9%	25.7%	41.2%	58.8%
Grade 10	21.4%	23.9%	38.6%	61.4%
Grade 11	27.4%	32.0%	46.3%	53.7%
Grade 12	31.6%	34.6%	47.4%	52.6%
Any Illicit Drug				
All	9.6%	12.5%	16.2%	83.8%
Grade 7	5.0%	7.1%	9.6%	90.4%
Grade 8	6.6%	9.6%	12.3%	87.7%
Grade 9	11.1%	14.4%	16.7%	83.3%
Grade 10	10.4%	12.5%	16.4%	83.6%
Grade 11	12.6%	16.3%	22.5%	77.5%
Grade 12	15.5%	18.9%	24.9%	75.1%
Any Prescription Drug				
All	3.8%	5.1%	9.7%	90.3%
Grade 7	4.4%	5.9%	9.5%	90.5%
Grade 8	3.9%	5.3%	11.0%	89.0%
Grade 9	3.7%	5.0%	9.6%	90.4%
Grade 10	4.2%	5.7%	9.9%	90.1%
Grade 11	3.2%	4.7%	9.2%	90.8%
Grade 12	2.7%	3.6%	8.3%	91.7%
Any Inhalant				
All	4.4%	5.8%	9.8%	90.2%
Grade 7	6.5%	7.9%	12.1%	87.9%
Grade 8	4.7%	6.1%	10.0%	90.0%
Grade 9	5.1%	6.5%	11.7%	88.3%
Grade 10	2.6%	4.3%	7.6%	92.4%
Grade 11	2.9%	4.6%	7.4%	92.6%
Grade 12	3.5%	4.4%	9.3%	90.7%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.1%	8.4%	16.2%	83.8%
Grade 7	3.9%	5.5%	11.5%	88.5%
Grade 8	3.8%	5.6%	14.5%	85.5%
Grade 9	6.5%	7.9%	16.3%	83.7%
Grade 10	6.6%	9.2%	15.0%	85.0%
Grade 11	7.1%	10.5%	21.0%	79.0%
Grade 12	11.1%	14.5%	21.8%	78.2%
Marijuana				
All	8.8%	10.4%	14.0%	86.0%
Grade 7	4.1%	5.1%	6.9%	93.1%
Grade 8	5.7%	7.4%	10.1%	89.9%
Grade 9	10.2%	11.8%	13.7%	86.3%
Grade 10	9.6%	10.3%	14.2%	85.8%
Grade 11	11.9%	15.0%	21.6%	78.4%
Grade 12	14.6%	16.8%	22.4%	77.6%
Marijuana Only				
All	4.7%	5.9%	8.7%	91.3%
Grade 7	2.6%	3.5%	5.1%	94.9%
Grade 8	2.7%	3.8%	5.9%	94.1%
Grade 9	6.1%	7.0%	8.9%	91.1%
Grade 10	4.9%	5.4%	8.6%	91.4%
Grade 11	5.0%	7.1%	11.8%	88.2%
Grade 12	9.0%	10.7%	15.4%	84.6%
Cocaine or Crack				
All	1.1%	1.1%	1.7%	98.3%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	1.2%	1.2%	1.6%	98.4%
Grade 9	1.0%	1.0%	1.2%	98.8%
Grade 10	1.2%	1.2%	1.7%	98.3%
Grade 11	1.1%	1.1%	2.0%	98.0%
Grade 12	1.7%	1.8%	3.1%	96.9%
Cocaine				
All	1.1%	1.1%	1.6%	98.4%
Grade 7	0.6%	0.7%	0.7%	99.3%
Grade 8	1.2%	1.2%	1.6%	98.4%
Grade 9	1.0%	1.0%	1.2%	98.8%
Grade 10	1.2%	1.2%	1.7%	98.3%
Grade 11	0.9%	0.9%	1.9%	98.1%
Grade 12	1.7%	1.8%	2.9%	97.1%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.4%	0.4%	1.0%	99.0%
Hallucinogens				
All	0.9%	1.3%	2.5%	97.5%
Grade 7	0.8%	0.9%	1.2%	98.8%
Grade 8	0.6%	0.6%	1.7%	98.3%
Grade 9	0.2%	0.6%	1.6%	98.4%
Grade 10	1.6%	2.0%	3.3%	96.7%
Grade 11	1.3%	2.1%	3.9%	96.1%
Grade 12	0.9%	2.0%	3.9%	96.1%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	1.2%	1.2%	1.6%	98.4%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.3%	0.3%	1.0%	99.0%
Ecstasy				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.8%	0.9%	1.1%	98.9%
Grade 9	0.1%	0.2%	0.7%	99.3%
Grade 10	0.3%	0.3%	1.3%	98.7%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.1%	0.4%	1.2%	98.8%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	1.0%	1.4%	2.6%	97.4%
Grade 7	0.5%	1.0%	1.4%	98.6%
Grade 8	1.0%	1.1%	2.0%	98.0%
Grade 9	1.4%	1.7%	3.3%	96.7%
Grade 10	1.6%	1.7%	3.1%	96.9%
Grade 11	1.1%	1.5%	3.6%	96.4%
Grade 12	0.3%	1.7%	2.6%	97.4%
Methamphetamine				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.3%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.5%	0.5%	1.7%	98.3%
Delta 8				
All	1.0%	1.8%	3.1%	96.9%
Grade 7	0.8%	1.3%	1.8%	98.2%
Grade 8	1.3%	1.6%	2.4%	97.6%
Grade 9	1.0%	2.2%	3.8%	96.2%
Grade 10	1.3%	2.0%	3.2%	96.8%
Grade 11	0.6%	2.3%	5.5%	94.5%
Grade 12	0.8%	1.4%	2.8%	97.2%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.5%	8.3%	14.0%	86.0%
Grade 7	3.9%	5.0%	9.2%	90.8%
Grade 8	4.8%	5.8%	11.6%	88.4%
Grade 9	6.7%	8.6%	14.3%	85.7%
Grade 10	6.1%	7.1%	12.5%	87.5%
Grade 11	8.6%	11.5%	19.0%	81.0%
Grade 12	9.9%	13.3%	19.9%	80.1%
Any Alcohol Product				
All	18.0%	20.3%	33.9%	66.1%
Grade 7	12.3%	13.9%	27.6%	72.4%
Grade 8	12.5%	13.9%	26.4%	73.6%
Grade 9	17.6%	19.5%	32.6%	67.4%
Grade 10	17.3%	20.0%	34.9%	65.1%
Grade 11	25.6%	29.5%	42.6%	57.4%
Grade 12	26.4%	28.6%	43.0%	57.0%
Any Illicit Drug				
All	6.0%	8.5%	11.4%	88.6%
Grade 7	2.5%	4.1%	6.1%	93.9%
Grade 8	4.0%	6.3%	7.4%	92.6%
Grade 9	6.3%	9.1%	11.0%	89.0%
Grade 10	6.2%	8.6%	11.7%	88.3%
Grade 11	8.5%	11.4%	16.4%	83.6%
Grade 12	10.1%	13.3%	18.3%	81.7%
Any Prescription Drug				
All	3.3%	4.6%	8.3%	91.7%
Grade 7	4.1%	5.4%	8.6%	91.4%
Grade 8	4.1%	5.6%	11.0%	89.0%
Grade 9	3.0%	4.1%	7.3%	92.7%
Grade 10	3.0%	4.7%	8.6%	91.4%
Grade 11	3.2%	4.7%	7.9%	92.1%
Grade 12	1.7%	2.2%	5.3%	94.7%
Any Inhalant				
All	3.5%	4.5%	7.5%	92.5%
Grade 7	6.1%	6.7%	10.6%	89.4%
Grade 8	4.4%	5.6%	8.0%	92.0%
Grade 9	3.7%	4.5%	9.2%	90.8%
Grade 10	2.1%	3.4%	6.3%	93.7%
Grade 11	1.7%	2.6%	4.4%	95.6%
Grade 12	2.3%	3.1%	5.9%	94.1%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.5%	6.4%	12.1%	87.9%
Grade 7	2.6%	3.9%	7.7%	92.3%
Grade 8	2.9%	4.4%	9.8%	90.2%
Grade 9	3.9%	5.3%	11.7%	88.3%
Grade 10	4.4%	5.8%	10.8%	89.2%
Grade 11	6.9%	9.5%	17.1%	82.9%
Grade 12	7.7%	10.8%	17.4%	82.6%
Marijuana				
All	5.4%	6.6%	9.5%	90.5%
Grade 7	2.3%	2.8%	4.1%	95.9%
Grade 8	3.4%	4.4%	5.6%	94.4%
Grade 9	5.7%	6.9%	8.4%	91.6%
Grade 10	5.4%	6.2%	9.6%	90.4%
Grade 11	7.8%	9.9%	15.1%	84.9%
Grade 12	9.6%	11.2%	16.9%	83.1%
Marijuana Only				
All	3.1%	3.9%	6.2%	93.8%
Grade 7	1.0%	1.3%	2.4%	97.6%
Grade 8	1.5%	2.2%	3.1%	96.9%
Grade 9	3.9%	4.7%	6.2%	93.8%
Grade 10	3.1%	3.4%	6.3%	93.7%
Grade 11	3.9%	5.8%	9.9%	90.1%
Grade 12	6.2%	7.3%	11.1%	88.9%
Cocaine or Crack				
All	0.7%	0.7%	1.0%	99.0%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	0.8%	0.9%	1.2%	98.8%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	1.0%	1.0%	1.2%	98.8%
Grade 11	0.6%	0.6%	1.2%	98.8%
Grade 12	0.8%	0.8%	1.3%	98.7%
Cocaine				
All	0.7%	0.7%	1.0%	99.0%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	0.8%	0.9%	1.2%	98.8%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	1.0%	1.0%	1.2%	98.8%
Grade 11	0.6%	0.6%	1.2%	98.8%
Grade 12	0.8%	0.8%	1.3%	98.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	1.2%	1.5%	2.2%	97.8%
Grade 11	0.7%	0.9%	2.2%	97.8%
Grade 12	0.7%	1.0%	1.8%	98.2%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.1%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.7%	99.3%
Ecstasy				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.6%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.1%	0.7%	99.3%
Grade 10	0.1%	0.2%	0.9%	99.1%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.7%	99.3%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.7%	1.0%	1.6%	98.4%
Grade 7	0.5%	0.8%	1.3%	98.7%
Grade 8	0.7%	0.9%	1.3%	98.7%
Grade 9	1.1%	1.2%	1.8%	98.2%
Grade 10	1.0%	1.3%	1.8%	98.2%
Grade 11	0.3%	0.6%	1.0%	99.0%
Grade 12	0.5%	1.1%	2.4%	97.6%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.8%	99.2%
Delta 8				
All	0.7%	1.2%	2.1%	97.9%
Grade 7	0.7%	1.2%	1.8%	98.2%
Grade 8	0.9%	1.0%	1.5%	98.5%
Grade 9	0.6%	1.2%	2.0%	98.0%
Grade 10	0.9%	1.3%	2.1%	97.9%
Grade 11	0.7%	1.5%	2.9%	97.1%
Grade 12	0.4%	0.9%	2.5%	97.5%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.2%	11.6%	22.1%	77.9%
Grade 7	5.7%	7.2%	14.4%	85.6%
Grade 8	5.9%	6.8%	18.8%	81.2%
Grade 9	11.0%	13.0%	25.8%	74.2%
Grade 10	9.2%	12.2%	20.1%	79.9%
Grade 11	10.3%	13.0%	26.1%	73.9%
Grade 12	14.9%	19.4%	30.8%	69.2%
Any Alcohol Product				
All	23.1%	27.1%	42.3%	57.7%
Grade 7	14.8%	17.9%	33.9%	66.1%
Grade 8	18.2%	22.3%	36.4%	63.6%
Grade 9	23.6%	26.5%	44.3%	55.7%
Grade 10	23.4%	26.5%	41.0%	59.0%
Grade 11	29.0%	34.5%	49.9%	50.1%
Grade 12	32.9%	38.3%	51.5%	48.5%
Any Illicit Drug				
All	11.4%	14.3%	19.1%	80.9%
Grade 7	6.7%	8.0%	10.4%	89.6%
Grade 8	8.2%	11.5%	15.6%	84.4%
Grade 9	13.3%	15.6%	18.8%	81.2%
Grade 10	9.5%	12.4%	17.1%	82.9%
Grade 11	13.8%	17.9%	25.6%	74.4%
Grade 12	19.3%	23.0%	30.7%	69.3%
Any Prescription Drug				
All	3.5%	5.0%	10.2%	89.8%
Grade 7	3.7%	5.6%	10.6%	89.4%
Grade 8	2.7%	4.7%	10.6%	89.4%
Grade 9	3.3%	5.2%	9.9%	90.1%
Grade 10	4.7%	5.8%	10.4%	89.6%
Grade 11	3.5%	4.4%	10.4%	89.6%
Grade 12	3.0%	4.0%	9.3%	90.7%
Any Inhalant				
All	3.6%	5.3%	9.9%	90.1%
Grade 7	5.1%	7.2%	11.7%	88.3%
Grade 8	2.9%	4.4%	9.1%	90.9%
Grade 9	4.1%	5.7%	10.3%	89.7%
Grade 10	3.4%	5.9%	9.9%	90.1%
Grade 11	2.7%	4.1%	8.4%	91.6%
Grade 12	2.9%	4.1%	9.7%	90.3%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.7%	9.7%	19.5%	80.5%
Grade 7	3.7%	5.6%	12.7%	87.3%
Grade 8	3.7%	5.3%	15.1%	84.9%
Grade 9	7.2%	9.5%	22.1%	77.9%
Grade 10	7.5%	11.2%	18.7%	81.3%
Grade 11	7.2%	11.5%	23.4%	76.6%
Grade 12	12.2%	16.6%	27.9%	72.1%
Marijuana				
All	10.6%	12.7%	17.3%	82.7%
Grade 7	5.3%	6.3%	8.3%	91.7%
Grade 8	7.5%	9.5%	13.4%	86.6%
Grade 9	13.1%	14.9%	17.5%	82.5%
Grade 10	9.2%	10.3%	15.2%	84.8%
Grade 11	12.8%	16.8%	24.4%	75.6%
Grade 12	17.9%	21.0%	28.3%	71.7%
Marijuana Only				
All	5.6%	6.8%	10.5%	89.5%
Grade 7	3.8%	4.7%	6.4%	93.6%
Grade 8	3.3%	4.5%	7.8%	92.2%
Grade 9	7.8%	8.2%	10.3%	89.7%
Grade 10	3.9%	4.6%	8.7%	91.3%
Grade 11	5.2%	7.4%	13.3%	86.7%
Grade 12	10.9%	12.6%	18.6%	81.4%
Cocaine or Crack				
All	1.0%	1.0%	1.7%	98.3%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	1.1%	1.1%	1.4%	98.6%
Grade 9	1.9%	1.9%	2.2%	97.8%
Grade 10	0.4%	0.4%	1.4%	98.6%
Grade 11	0.7%	0.7%	1.3%	98.7%
Grade 12	1.8%	1.9%	3.7%	96.3%
Cocaine				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	1.1%	1.1%	1.4%	98.6%
Grade 9	1.9%	1.9%	2.2%	97.8%
Grade 10	0.4%	0.4%	1.4%	98.6%
Grade 11	0.4%	0.4%	1.1%	98.9%
Grade 12	1.8%	1.9%	3.4%	96.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.5%	0.5%	1.4%	98.6%
Hallucinogens				
All	0.9%	1.6%	3.2%	96.8%
Grade 7	1.1%	1.2%	1.6%	98.4%
Grade 8	0.4%	0.5%	2.3%	97.7%
Grade 9	0.5%	1.8%	2.2%	97.8%
Grade 10	1.3%	1.4%	3.2%	96.8%
Grade 11	1.5%	2.8%	4.4%	95.6%
Grade 12	0.5%	1.9%	6.3%	93.7%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	0.5%	99.5%
Steroids				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.1%	0.3%	1.1%	98.9%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.5%	0.5%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.7%	99.3%
Ecstasy				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.6%	0.6%	1.4%	98.6%
Grade 9	0.2%	0.7%	1.3%	98.7%
Grade 10	0.9%	0.9%	1.5%	98.5%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.3%	0.8%	1.8%	98.2%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.0%	1.5%	3.0%	97.0%
Grade 7	0.7%	1.0%	1.2%	98.8%
Grade 8	1.1%	1.1%	2.4%	97.6%
Grade 9	0.5%	1.7%	4.0%	96.0%
Grade 10	1.2%	1.2%	3.1%	96.9%
Grade 11	1.6%	1.8%	5.1%	94.9%
Grade 12	0.7%	2.1%	2.9%	97.1%
Methamphetamine				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.4%	0.4%	1.3%	98.7%
Delta 8				
All	1.1%	2.0%	3.7%	96.3%
Grade 7	0.8%	1.3%	1.8%	98.2%
Grade 8	1.4%	1.8%	3.4%	96.6%
Grade 9	0.7%	1.6%	3.7%	96.3%
Grade 10	1.4%	2.3%	3.6%	96.4%
Grade 11	1.1%	2.9%	6.6%	93.4%
Grade 12	1.1%	2.0%	4.0%	96.0%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.2%	8.1%	15.3%	84.7%
Grade 7	3.1%	3.9%	8.2%	91.8%
Grade 8	3.7%	4.7%	12.3%	87.7%
Grade 9	6.9%	9.1%	16.9%	83.1%
Grade 10	6.8%	8.6%	14.7%	85.3%
Grade 11	7.8%	10.3%	19.1%	80.9%
Grade 12	10.5%	14.2%	23.5%	76.5%
Any Alcohol Product				
All	18.3%	21.1%	35.7%	64.3%
Grade 7	10.8%	13.0%	28.4%	71.6%
Grade 8	12.6%	15.1%	28.6%	71.4%
Grade 9	17.0%	19.2%	34.3%	65.7%
Grade 10	18.8%	20.9%	36.4%	63.6%
Grade 11	25.6%	30.3%	43.8%	56.2%
Grade 12	28.4%	31.7%	46.4%	53.6%
Any Illicit Drug				
All	6.7%	8.8%	12.0%	88.0%
Grade 7	2.7%	3.5%	5.1%	94.9%
Grade 8	4.2%	6.1%	8.0%	92.0%
Grade 9	6.9%	9.5%	11.4%	88.6%
Grade 10	6.9%	8.9%	12.0%	88.0%
Grade 11	9.0%	11.9%	16.6%	83.4%
Grade 12	12.2%	15.3%	21.9%	78.1%
Any Prescription Drug				
All	3.1%	4.4%	8.3%	91.7%
Grade 7	3.7%	5.4%	8.7%	91.3%
Grade 8	3.9%	5.5%	10.7%	89.3%
Grade 9	2.1%	3.5%	6.9%	93.1%
Grade 10	3.7%	5.0%	9.0%	91.0%
Grade 11	2.6%	3.8%	8.0%	92.0%
Grade 12	2.0%	2.7%	6.1%	93.9%
Any Inhalant				
All	2.9%	4.0%	7.3%	92.7%
Grade 7	4.2%	5.0%	8.7%	91.3%
Grade 8	3.2%	4.3%	7.5%	92.5%
Grade 9	3.6%	4.5%	8.9%	91.1%
Grade 10	2.3%	4.1%	7.0%	93.0%
Grade 11	1.7%	2.6%	4.6%	95.4%
Grade 12	2.3%	3.2%	7.2%	92.8%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.7%	6.6%	13.4%	86.6%
Grade 7	2.0%	3.1%	7.2%	92.8%
Grade 8	2.5%	3.7%	9.9%	90.1%
Grade 9	4.3%	6.1%	14.2%	85.8%
Grade 10	5.5%	7.6%	13.4%	86.6%
Grade 11	6.2%	8.8%	17.2%	82.8%
Grade 12	8.7%	12.1%	21.3%	78.7%
Marijuana				
All	6.0%	7.2%	10.3%	89.7%
Grade 7	1.9%	2.2%	3.3%	96.7%
Grade 8	3.5%	4.5%	6.3%	93.7%
Grade 9	6.6%	7.9%	9.3%	90.7%
Grade 10	6.2%	7.1%	10.4%	89.6%
Grade 11	8.3%	10.9%	15.6%	84.4%
Grade 12	11.1%	12.9%	19.6%	80.4%
Marijuana Only				
All	3.4%	4.2%	6.6%	93.4%
Grade 7	1.1%	1.4%	2.2%	97.8%
Grade 8	1.4%	2.0%	3.5%	96.5%
Grade 9	4.6%	5.3%	6.6%	93.4%
Grade 10	3.1%	3.4%	6.6%	93.4%
Grade 11	4.0%	5.8%	9.3%	90.7%
Grade 12	7.3%	8.4%	13.7%	86.3%
Cocaine or Crack				
All	0.6%	0.6%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.8%	1.0%	1.2%	98.8%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	1.2%	1.2%	1.7%	98.3%
Cocaine				
All	0.6%	0.6%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.8%	1.0%	1.2%	98.8%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	1.2%	1.2%	1.5%	98.5%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.2%	0.3%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.3%	0.3%	0.7%	99.3%
Hallucinogens	All	0.5%	0.7%	1.6%	98.4%
	Grade 7	0.6%	0.7%	0.9%	99.1%
	Grade 8	0.2%	0.4%	0.8%	99.2%
	Grade 9	0.1%	0.3%	0.8%	99.2%
	Grade 10	1.3%	1.6%	2.5%	97.5%
	Grade 11	0.3%	0.6%	2.1%	97.9%
	Grade 12	0.5%	0.8%	2.6%	97.4%
Synthetic Cathinones	All	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.1%	0.2%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.1%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.2%	0.2%	0.3%	99.7%
Steroids	All	0.2%	0.2%	0.5%	99.5%
	Grade 7	0.0%	0.2%	0.6%	99.4%
	Grade 8	0.2%	0.2%	0.7%	99.3%
	Grade 9	0.3%	0.4%	0.6%	99.4%
	Grade 10	0.2%	0.2%	0.4%	99.6%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.2%	0.2%	0.4%	99.6%
Ecstasy	All	0.2%	0.3%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.6%	0.6%	0.8%	99.2%
	Grade 9	0.0%	0.3%	0.5%	99.5%
	Grade 10	0.3%	0.3%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	0.2%	0.5%	0.7%	99.3%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.7%	0.8%	1.2%	98.8%
Grade 9	0.3%	0.7%	1.9%	98.1%
Grade 10	0.9%	1.2%	2.1%	97.9%
Grade 11	0.8%	0.8%	2.1%	97.9%
Grade 12	0.6%	1.7%	2.8%	97.2%
Methamphetamine				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.4%	0.4%	1.1%	98.9%
Delta 8				
All	0.6%	1.1%	2.2%	97.8%
Grade 7	0.5%	0.6%	1.2%	98.8%
Grade 8	0.7%	0.9%	1.7%	98.3%
Grade 9	0.2%	0.9%	2.1%	97.9%
Grade 10	1.1%	1.6%	2.2%	97.8%
Grade 11	0.5%	1.6%	3.8%	96.2%
Grade 12	0.5%	0.9%	2.4%	97.6%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.5%	14.9%	24.5%	75.5%
Grade 7	11.1%	13.8%	23.3%	76.7%
Grade 8	11.5%	12.6%	23.3%	76.7%
Grade 9	14.5%	15.8%	27.1%	72.9%
Grade 10	9.2%	10.3%	19.4%	80.6%
Grade 11	14.2%	17.8%	29.4%	70.6%
Grade 12	16.3%	22.1%	25.9%	74.1%
Any Alcohol Product				
All	26.3%	30.6%	42.8%	57.2%
Grade 7	21.7%	24.6%	35.4%	64.6%
Grade 8	23.3%	26.1%	38.1%	61.9%
Grade 9	31.9%	34.9%	47.4%	52.6%
Grade 10	22.8%	29.2%	42.2%	57.8%
Grade 11	27.3%	32.7%	48.4%	51.6%
Grade 12	35.3%	40.8%	50.1%	49.9%
Any Illicit Drug				
All	13.4%	18.3%	24.4%	75.6%
Grade 7	10.7%	14.8%	20.5%	79.5%
Grade 8	11.1%	17.7%	20.0%	80.0%
Grade 9	16.8%	20.1%	24.3%	75.7%
Grade 10	9.9%	14.9%	22.7%	77.3%
Grade 11	16.5%	21.8%	34.4%	65.6%
Grade 12	18.0%	23.2%	28.0%	72.0%
Any Prescription Drug				
All	4.5%	6.0%	11.2%	88.8%
Grade 7	5.3%	6.2%	12.0%	88.0%
Grade 8	3.1%	4.8%	10.1%	89.9%
Grade 9	6.7%	7.8%	14.2%	85.8%
Grade 10	3.0%	5.2%	9.6%	90.4%
Grade 11	5.4%	7.3%	11.5%	88.5%
Grade 12	3.2%	4.1%	9.7%	90.3%
Any Inhalant				
All	6.7%	9.0%	13.7%	86.3%
Grade 7	11.4%	14.1%	19.8%	80.2%
Grade 8	8.6%	10.9%	15.2%	84.8%
Grade 9	4.9%	7.3%	12.7%	87.3%
Grade 10	4.2%	6.9%	11.9%	88.1%
Grade 11	4.5%	7.1%	11.8%	88.2%
Grade 12	4.8%	5.3%	7.3%	92.7%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.6%	12.1%	21.0%	79.0%
Grade 7	7.8%	11.5%	21.2%	78.8%
Grade 8	6.8%	9.2%	20.0%	80.0%
Grade 9	8.2%	10.7%	21.9%	78.1%
Grade 10	5.6%	8.0%	15.3%	84.7%
Grade 11	11.1%	16.4%	26.3%	73.7%
Grade 12	14.5%	20.2%	22.7%	77.3%
Marijuana				
All	12.8%	15.0%	21.5%	78.5%
Grade 7	10.7%	12.6%	17.7%	82.3%
Grade 8	10.8%	14.1%	16.9%	83.1%
Grade 9	15.7%	17.2%	21.4%	78.6%
Grade 10	9.7%	10.2%	18.3%	81.7%
Grade 11	14.6%	17.0%	30.7%	69.3%
Grade 12	18.0%	22.4%	28.0%	72.0%
Marijuana Only				
All	6.9%	8.6%	13.7%	86.3%
Grade 7	6.6%	7.9%	12.8%	87.2%
Grade 8	5.4%	7.8%	10.0%	90.0%
Grade 9	7.9%	8.9%	11.9%	88.1%
Grade 10	6.0%	6.4%	12.2%	87.8%
Grade 11	6.0%	8.4%	19.8%	80.2%
Grade 12	10.8%	14.5%	18.0%	82.0%
Cocaine or Crack				
All	1.5%	1.6%	2.2%	97.8%
Grade 7	1.1%	1.5%	1.5%	98.5%
Grade 8	1.3%	1.4%	1.7%	98.3%
Grade 9	2.2%	2.2%	2.6%	97.4%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	3.4%	3.4%	4.0%	96.0%
Grade 12	0.4%	0.4%	2.7%	97.3%
Cocaine				
All	1.4%	1.5%	2.1%	97.9%
Grade 7	1.1%	1.5%	1.5%	98.5%
Grade 8	1.3%	1.4%	1.7%	98.3%
Grade 9	2.2%	2.2%	2.6%	97.4%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	2.9%	2.9%	3.4%	96.6%
Grade 12	0.4%	0.4%	2.7%	97.3%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	1.1%	1.5%	1.5%	98.5%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.6%	0.6%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.4%	99.6%
Hallucinogens				
All	1.1%	2.0%	4.0%	96.0%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	1.2%	1.2%	4.1%	95.9%
Grade 9	0.3%	1.8%	4.3%	95.7%
Grade 10	0.0%	0.6%	2.5%	97.5%
Grade 11	3.4%	5.2%	6.6%	93.4%
Grade 12	1.0%	3.8%	7.4%	92.6%
Synthetic Cathinones				
All	0.0%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.3%	0.9%	99.1%
Grade 8	0.0%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.6%	1.2%	1.9%	98.1%
Grade 8	0.2%	0.2%	1.2%	98.8%
Grade 9	2.4%	2.4%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	2.3%	97.7%
Ecstasy				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.6%	1.0%	1.3%	98.7%
Grade 9	0.3%	0.8%	3.2%	96.8%
Grade 10	0.2%	0.2%	2.2%	97.8%
Grade 11	1.0%	1.0%	1.6%	98.4%
Grade 12	0.0%	0.0%	1.5%	98.5%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.5%	99.5%
Grade 7	0.1%	0.3%	1.7%	98.3%
Grade 8	0.0%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.7%	2.2%	3.7%	96.3%
Grade 7	1.9%	3.3%	3.4%	96.6%
Grade 8	1.9%	2.0%	3.7%	96.3%
Grade 9	3.2%	4.4%	6.0%	94.0%
Grade 10	1.4%	1.4%	3.0%	97.0%
Grade 11	1.0%	1.0%	3.8%	96.2%
Grade 12	0.6%	0.6%	1.8%	98.2%
Methamphetamine				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.7%	0.7%	1.3%	98.7%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	1.2%	1.2%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Delta 8				
All	2.1%	3.1%	4.7%	95.3%
Grade 7	2.1%	4.0%	4.5%	95.5%
Grade 8	3.2%	3.2%	3.8%	96.2%
Grade 9	2.8%	3.3%	5.0%	95.0%
Grade 10	0.4%	0.9%	4.2%	95.8%
Grade 11	2.9%	3.9%	5.5%	94.5%
Grade 12	1.1%	3.5%	5.8%	94.2%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	135,168	48.1%
Female	145,801	51.9%
Frequency Missing	2,275	

Hispanic or Latino

Q5a	Frequency	Percent
No	13,720	4.9%
Yes	267,858	95.1%
Frequency Missing	1,666	

Grade

Q2	Frequency	Percent
Grade 7	55,555	19.6%
Grade 8	49,876	17.6%
Grade 9	44,330	15.7%
Grade 10	48,319	17.1%
Grade 11	45,760	16.2%
Grade 12	39,074	13.8%
Frequency Missing	330	

Ethnicity

Q5b	Frequency	Percent
American Indian	5,197	1.9%
Asian American	1,710	0.6%
African American	7,813	2.9%
Pacific Islander	500	0.2%
White	144,680	53.6%
Other	79,061	29.3%
More Than One Race	31,061	11.5%
Frequency Missing	13,222	

Live with Both Parents

Q3	Frequency	Percent
No	102,422	36.4%
Yes	178,763	63.6%
Frequency Missing	2,059	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	1,134	0.4%
Mostly D's	3,093	1.1%
Mostly C's	35,792	12.9%
Mostly B's	136,912	49.2%
Mostly A's	101,523	36.5%
Frequency Missing	4,791	

Age

Q4	Frequency	Percent
11 or younger	607	0.2%
12	20,858	7.4%
13	48,998	17.3%
14	45,921	16.3%
15	44,524	15.8%
16	47,920	17.0%
17	44,953	15.9%
18	25,145	8.9%
19 or older	3,494	1.2%
Frequency Missing	825	

Do You Have a Job

Q7	Frequency	Percent
No	241,168	86.7%
Yes	37,023	13.3%
Frequency Missing	5,054	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	28,076	10.1%
Yes	141,070	50.9%
Don't Know	108,205	39.0%
Frequency Missing	5,894	

**Participate in School Athletics (UIL, Varsity,
Jr Varsity)**

Q9a	Frequency	Percent
No	147,582	55.3%
Yes	119,074	44.7%
Frequency Missing	16,588	

**Participate in Academic
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	200,833	79.3%
Yes	52,332	20.7%
Frequency Missing	30,079	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	206,273	81.3%
Yes	47,458	18.7%
Frequency Missing	29,513	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	189,368	74.9%
Yes	63,456	25.1%
Frequency Missing	30,420	

Participate in School Choir

Q9c	Frequency	Percent
No	236,282	95.1%
Yes	12,209	4.9%
Frequency Missing	34,753	

**Participate in Athletic Teams Outside of
School**

Q9h	Frequency	Percent
No	184,274	72.0%
Yes	71,511	28.0%
Frequency Missing	27,460	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	233,336	93.2%
Yes	17,117	6.8%
Frequency Missing	32,792	

**Participate in Other Clubs or Groups
Outside of School**

Q9i	Frequency	Percent
No	208,979	83.0%
Yes	42,667	17.0%
Frequency Missing	31,599	

**Participate in Student Government/School
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	229,458	92.3%
Yes	19,098	7.7%
Frequency Missing	34,688	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	252,598	89.6%
Somewhat Safe	25,650	9.1%
Not Very Safe	1,289	0.5%
Not Safe At All	307	0.1%
Don't Know	2,125	0.8%
Frequency Missing	1,277	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	124,956	44.5%
Somewhat Safe	130,145	46.4%
Not Very Safe	16,560	5.9%
Not Safe At All	2,616	0.9%
Don't Know	6,456	2.3%
Frequency Missing	2,512	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	166,671	60.6%
Yes	108,167	39.4%
Frequency Missing	8,407	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	92,313	32.9%
Somewhat Safe	141,180	50.3%
Not Very Safe	25,435	9.1%
Not Safe At All	10,273	3.7%
Don't Know	11,539	4.1%
Frequency Missing	2,504	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	20,434	7.4%
A Few	56,032	20.2%
Some	62,403	22.5%
Most	91,708	33.0%
All	47,203	17.0%
Frequency Missing	5,463	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	24,168	8.8%
Some High School	35,734	13.0%
Finished High School	63,117	23.0%
Some College	28,927	10.6%
Finished College	37,492	13.7%
Post-Secondary	25,045	9.1%
Don't Know or N/A	59,469	21.7%
Frequency Missing	9,291	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	8,479	3.1%
A Few	32,747	11.8%
Some	66,859	24.1%
Most	107,309	38.7%
All	62,142	22.4%
Frequency Missing	5,709	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	23,497	8.6%
Some High School	34,435	12.5%
Finished High School	57,486	20.9%
Some College	36,337	13.2%
Finished College	50,314	18.3%
Post-Secondary	32,617	11.9%
Don't Know or N/A	40,009	14.6%
Frequency Missing	8,550	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	138,968	50.5%
A Few	73,578	26.7%
Some	38,304	13.9%
Most	15,920	5.8%
All	8,506	3.1%
Frequency Missing	7,969	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	245,756	88.8%
A Few	19,079	6.9%
Some	7,000	2.5%
Most	2,752	1.0%
All	2,137	0.8%
Frequency Missing	6,520	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	276,036	99.4%
In Your Lifetime	885	0.3%
Since School Began	327	0.1%
In the Past Month	330	0.1%
Frequency Missing	5,667	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	249,031	89.9%
A Few	18,991	6.9%
Some	4,582	1.7%
Most	1,580	0.6%
All	2,730	1.0%
Frequency Missing	6,331	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	270,405	97.2%
In Your Lifetime	4,950	1.8%
Since School Began	947	0.3%
In the Past Month	1,874	0.7%
Frequency Missing	5,069	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	274,782	98.7%
In Your Lifetime	2,207	0.8%
Since School Began	467	0.2%
In the Past Month	995	0.4%
Frequency Missing	4,793	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	274,511	98.7%
In Your Lifetime	2,116	0.8%
Since School Began	426	0.2%
In the Past Month	1,033	0.4%
Frequency Missing	5,158	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	269,959	97.2%
In Your Lifetime	5,111	1.8%
Since School Began	1,025	0.4%
In the Past Month	1,769	0.6%
Frequency Missing	5,381	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	275,979	99.2%
In Your Lifetime	1,023	0.4%
Since School Began	412	0.1%
In the Past Month	667	0.2%
Frequency Missing	5,164	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	273,093	98.2%
In Your Lifetime	3,269	1.2%
Since School Began	647	0.2%
In the Past Month	1,169	0.4%
Frequency Missing	5,065	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	213,358	77.2%
In Your Lifetime	32,995	11.9%
Since School Began	9,139	3.3%
In the Past Month	20,989	7.6%
Frequency Missing	6,763	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	275,073	98.8%
In Your Lifetime	1,864	0.7%
Since School Began	455	0.2%
In the Past Month	1,003	0.4%
Frequency Missing	4,849	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	235,600	85.0%
In Your Lifetime	18,611	6.7%
Since School Began	7,261	2.6%
In the Past Month	15,685	5.7%
Frequency Missing	6,088	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	260,517	93.7%
In Your Lifetime	11,595	4.2%
Since School Began	1,742	0.6%
In the Past Month	4,290	1.5%
Frequency Missing	5,101	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	235,416	85.1%
In Your Lifetime	25,700	9.3%
Since School Began	6,101	2.2%
In the Past Month	9,376	3.4%
Frequency Missing	6,653	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	269,129	97.2%
In Your Lifetime	3,707	1.3%
Since School Began	1,210	0.4%
In the Past Month	2,750	1.0%
Frequency Missing	6,449	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	226,808	82.1%
In Your Lifetime	22,158	8.0%
Since School Began	9,251	3.3%
In the Past Month	18,040	6.5%
Frequency Missing	6,987	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	272,320	98.1%
In Your Lifetime	3,263	1.2%
Since School Began	549	0.2%
In the Past Month	1,425	0.5%
Frequency Missing	5,688	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	237,212	85.2%
In Your Lifetime	20,122	7.2%
Since School Began	6,221	2.2%
In the Past Month	14,723	5.3%
Frequency Missing	4,966	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	272,479	97.9%
In Your Lifetime	2,937	1.1%
Since School Began	974	0.3%
In the Past Month	1,882	0.7%
Frequency Missing	4,974	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	248,697	89.4%
In Your Lifetime	15,374	5.5%
Since School Began	4,417	1.6%
In the Past Month	9,792	3.5%
Frequency Missing	4,965	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	277,641	99.7%
In Your Lifetime	380	0.1%
Since School Began	117	0.0%
In the Past Month	212	0.1%
Frequency Missing	4,894	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	275,791	99.1%
In Your Lifetime	1,385	0.5%
Since School Began	256	0.1%
In the Past Month	845	0.3%
Frequency Missing	4,968	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	276,511	99.4%
In Your Lifetime	1,095	0.4%
Since School Began	117	0.0%
In the Past Month	563	0.2%
Frequency Missing	4,958	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	277,373	99.8%
In Your Lifetime	295	0.1%
Since School Began	74	0.0%
In the Past Month	130	0.0%
Frequency Missing	5,372	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	276,333	99.3%
In Your Lifetime	1,164	0.4%
Since School Began	229	0.1%
In the Past Month	534	0.2%
Frequency Missing	4,985	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	278,033	99.8%
In Your Lifetime	128	0.0%
Since School Began	72	0.0%
In the Past Month	246	0.1%
Frequency Missing	4,766	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	258,725	93.7%
In Your Lifetime	9,121	3.3%
Since School Began	2,973	1.1%
In the Past Month	5,283	1.9%
Frequency Missing	7,141	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	277,485	99.7%
In Your Lifetime	434	0.2%
Since School Began	63	0.0%
In the Past Month	435	0.2%
Frequency Missing	4,826	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	272,824	98.8%
In Your Lifetime	1,904	0.7%
Since School Began	440	0.2%
In the Past Month	929	0.3%
Frequency Missing	7,148	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	273,906	98.4%
In Your Lifetime	2,120	0.8%
Since School Began	787	0.3%
In the Past Month	1,490	0.5%
Frequency Missing	4,942	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	270,824	98.2%
In Your Lifetime	2,810	1.0%
Since School Began	706	0.3%
In the Past Month	1,319	0.5%
Frequency Missing	7,585	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	271,520	97.7%
In Your Lifetime	3,322	1.2%
Since School Began	1,283	0.5%
In the Past Month	1,715	0.6%
Frequency Missing	5,405	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	270,715	98.2%
In Your Lifetime	2,273	0.8%
Since School Began	1,015	0.4%
In the Past Month	1,640	0.6%
Frequency Missing	7,601	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	264,746	96.1%
In Your Lifetime	5,173	1.9%
Since School Began	1,878	0.7%
In the Past Month	3,718	1.3%
Frequency Missing	7,729	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	272,559	98.8%
1-2 times	2,559	0.9%
3-10 times	337	0.1%
11+ times	277	0.1%
Frequency Missing	7,513	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	269,176	98.3%
In Your Lifetime	2,160	0.8%
Since School Began	620	0.2%
In the Past Month	1,997	0.7%
Frequency Missing	9,293	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	257,543	93.2%
1-2 times	9,396	3.4%
3-10 times	3,788	1.4%
11+ times	5,595	2.0%
Frequency Missing	6,923	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	267,761	96.9%
1-2 times	4,501	1.6%
3-10 times	2,259	0.8%
11+ times	1,882	0.7%
Frequency Missing	6,841	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	274,499	99.4%
1-2 times	1,278	0.5%
3-10 times	136	0.0%
11+ times	312	0.1%
Frequency Missing	7,020	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	229,769	83.2%
1-2 times	31,038	11.2%
3-10 times	10,546	3.8%
11+ times	4,690	1.7%
Frequency Missing	7,201	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	275,231	99.9%
1-2 times	323	0.1%
3-10 times	16	0.0%
11+ times	59	0.0%
Frequency Missing	7,616	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	238,625	86.5%
A few	25,128	9.1%
Some	7,706	2.8%
Most	3,003	1.1%
All	1,408	0.5%
Frequency Missing	7,375	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	184,409	66.9%
A few	50,470	18.3%
Some	21,591	7.8%
Most	14,807	5.4%
All	4,538	1.6%
Frequency Missing	7,429	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	199,138	72.3%
8 or younger	7,967	2.9%
9 years old	2,745	1.0%
10 years old	4,264	1.5%
11 years old	4,990	1.8%
12 years old	8,444	3.1%
13 years old	9,147	3.3%
14 years old	10,833	3.9%
15 years old	11,604	4.2%
16 years old	9,092	3.3%
17 years old	4,632	1.7%
18 or older	2,417	0.9%
Frequency Missing	7,973	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	260,096	94.7%
A few	9,874	3.6%
Some	3,219	1.2%
Most	808	0.3%
All	790	0.3%
Frequency Missing	8,457	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	268,997	98.0%
8 or younger	1,367	0.5%
9 years old	338	0.1%
10 years old	393	0.1%
11 years old	362	0.1%
12 years old	1,116	0.4%
13 years old	613	0.2%
14 years old	459	0.2%
15 years old	539	0.2%
16 years old	301	0.1%
17 years old	92	0.0%
18 or older	29	0.0%
Frequency Missing	8,639	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	213,306	77.3%
A few	33,925	12.3%
Some	14,810	5.4%
Most	9,966	3.6%
All	3,761	1.4%
Frequency Missing	7,475	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	246,364	89.4%
8 or younger	781	0.3%
9 years old	213	0.1%
10 years old	830	0.3%
11 years old	1,953	0.7%
12 years old	3,035	1.1%
13 years old	5,549	2.0%
14 years old	5,643	2.0%
15 years old	5,343	1.9%
16 years old	3,619	1.3%
17 years old	1,572	0.6%
18 or older	562	0.2%
Frequency Missing	7,779	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	259,909	94.2%
8 or younger	1,584	0.6%
9 years old	404	0.1%
10 years old	694	0.3%
11 years old	1,237	0.4%
12 years old	1,989	0.7%
13 years old	2,340	0.8%
14 years old	2,633	1.0%
15 years old	1,941	0.7%
16 years old	1,678	0.6%
17 years old	875	0.3%
18 or older	653	0.2%
Frequency Missing	7,307	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	273,685	99.3%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	56	0.0%
11 years old	203	0.1%
12 years old	132	0.0%
13 years old	286	0.1%
14 years old	420	0.2%
15 years old	387	0.1%
16 years old	309	0.1%
17 years old	196	0.1%
18 or older	29	0.0%
Frequency Missing	7,541	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	274,083	99.5%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	30	0.0%
11 years old	0	0.0%
12 years old	142	0.1%
13 years old	280	0.1%
14 years old	410	0.1%
15 years old	276	0.1%
16 years old	49	0.0%
17 years old	78	0.0%
18 or older	0	0.0%
Frequency Missing	7,897	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	275,052	99.8%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	25	0.0%
11 years old	98	0.0%
12 years old	30	0.0%
13 years old	233	0.1%
14 years old	53	0.0%
15 years old	0	0.0%
16 years old	123	0.0%
17 years old	56	0.0%
Frequency Missing	7,575	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	275,303	99.8%
8 or younger	171	0.1%
9 years old	63	0.0%
10 years old	0	0.0%
11 years old	32	0.0%
12 years old	58	0.0%
13 years old	43	0.0%
14 years old	86	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	7,489	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	274,390	99.6%
8 or younger	139	0.1%
9 years old	10	0.0%
10 years old	80	0.0%
11 years old	59	0.0%
12 years old	236	0.1%
13 years old	0	0.0%
14 years old	208	0.1%
15 years old	183	0.1%
16 years old	194	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	7,747	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	274,857	99.7%
8 or younger	67	0.0%
9 years old	0	0.0%
10 years old	22	0.0%
11 years old	14	0.0%
12 years old	136	0.0%
13 years old	85	0.0%
14 years old	275	0.1%
15 years old	133	0.0%
16 years old	24	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	7,630	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	271,347	98.5%
8 or younger	169	0.1%
9 years old	29	0.0%
10 years old	103	0.0%
11 years old	108	0.0%
12 years old	689	0.3%
13 years old	508	0.2%
14 years old	818	0.3%
15 years old	694	0.3%
16 years old	642	0.2%
17 years old	334	0.1%
18 or older	61	0.0%
Frequency Missing	7,742	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	269,384	97.8%
8 or younger	191	0.1%
9 years old	43	0.0%
10 years old	188	0.1%
11 years old	246	0.1%
12 years old	557	0.2%
13 years old	864	0.3%
14 years old	1,548	0.6%
15 years old	1,018	0.4%
16 years old	840	0.3%
17 years old	448	0.2%
18 or older	47	0.0%
Frequency Missing	7,870	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	137,760	50.4%
Impossible	52,046	19.0%
Very Difficult	16,246	5.9%
Somewhat diff	22,022	8.1%
Somewhat easy	22,426	8.2%
Very easy	22,801	8.3%
Frequency Missing	9,943	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	114,493	41.9%
Impossible	35,267	12.9%
Very Difficult	15,489	5.7%
Somewhat diff	28,394	10.4%
Somewhat easy	36,480	13.4%
Very easy	42,834	15.7%
Frequency Missing	10,287	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	157,021	57.7%
Impossible	39,880	14.7%
Very Difficult	9,900	3.6%
Somewhat diff	11,653	4.3%
Somewhat easy	17,717	6.5%
Very easy	35,889	13.2%
Frequency Missing	11,186	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	132,606	48.7%
Impossible	55,222	20.3%
Very Difficult	16,575	6.1%
Somewhat diff	18,999	7.0%
Somewhat easy	22,478	8.2%
Very easy	26,611	9.8%
Frequency Missing	10,754	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	152,578	56.0%
Impossible	71,047	26.1%
Very Difficult	20,610	7.6%
Somewhat diff	13,780	5.1%
Somewhat easy	7,002	2.6%
Very easy	7,483	2.7%
Frequency Missing	10,745	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	158,591	58.2%
Impossible	72,468	26.6%
Very Difficult	19,443	7.1%
Somewhat diff	11,494	4.2%
Somewhat easy	5,012	1.8%
Very easy	5,461	2.0%
Frequency Missing	10,775	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	174,437	64.0%
Impossible	65,786	24.2%
Very Difficult	15,695	5.8%
Somewhat diff	7,575	2.8%
Somewhat easy	4,426	1.6%
Very easy	4,477	1.6%
Frequency Missing	10,848	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	163,489	60.0%
Impossible	64,511	23.7%
Very Difficult	18,471	6.8%
Somewhat diff	12,769	4.7%
Somewhat easy	7,031	2.6%
Very easy	6,281	2.3%
Frequency Missing	10,692	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	178,479	65.6%
Impossible	56,104	20.6%
Very Difficult	12,966	4.8%
Somewhat diff	8,955	3.3%
Somewhat easy	7,649	2.8%
Very easy	7,975	2.9%
Frequency Missing	11,117	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	181,114	66.6%
Impossible	57,427	21.1%
Very Difficult	15,159	5.6%
Somewhat diff	8,884	3.3%
Somewhat easy	4,075	1.5%
Very easy	5,313	2.0%
Frequency Missing	11,273	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	182,264	67.1%
Impossible	51,293	18.9%
Very Difficult	12,392	4.6%
Somewhat diff	8,327	3.1%
Somewhat easy	7,968	2.9%
Very easy	9,359	3.4%
Frequency Missing	11,641	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	171,986	63.3%
Impossible	66,990	24.7%
Very Difficult	16,297	6.0%
Somewhat diff	8,259	3.0%
Somewhat easy	3,757	1.4%
Very easy	4,386	1.6%
Frequency Missing	11,569	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	1,148	0.4%
Several times/wk	1,060	0.4%
Several times/mo	991	0.4%
About once/month	2,899	1.1%
About once/year	2,573	0.9%
Less than once/year	5,217	1.9%
Never used	258,530	94.9%
Frequency Missing	10,826	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	292	0.1%
Several times/wk	2,113	0.8%
Several times/mo	9,184	3.4%
About once/month	18,409	6.8%
About once/year	18,395	6.8%
Less than once/year	16,414	6.0%
Never used	207,489	76.2%
Frequency Missing	10,949	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	151	0.1%
Several times/mo	244	0.1%
About once/month	335	0.1%
About once/year	353	0.1%
Less than once/year	761	0.3%
Never used	270,348	99.3%
Frequency Missing	11,052	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	303	0.1%
Several times/wk	302	0.1%
Several times/mo	551	0.2%
About once/month	973	0.4%
About once/year	865	0.3%
Less than once/year	1,835	0.7%
Never used	267,256	98.2%
Frequency Missing	11,159	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	13	0.0%
Several times/wk	25	0.0%
Several times/mo	7	0.0%
About once/month	25	0.0%
About once/year	49	0.0%
Less than once/year	163	0.1%
Never used	272,348	99.9%
Frequency Missing	10,615	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	2,735	1.0%
Several times/wk	2,809	1.0%
Several times/mo	3,355	1.2%
About once/month	4,506	1.7%
About once/year	4,777	1.8%
Less than once/year	6,556	2.4%
Never used	247,842	90.9%
Frequency Missing	10,665	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	149	0.1%
Several times/wk	131	0.0%
Several times/mo	66	0.0%
About once/month	129	0.0%
About once/year	171	0.1%
Less than once/year	284	0.1%
Never used	271,441	99.7%
Frequency Missing	10,874	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	17	0.0%
Several times/wk	97	0.0%
Several times/mo	152	0.1%
About once/month	59	0.0%
About once/year	348	0.1%
Less than once/year	607	0.2%
Never used	271,168	99.5%
Frequency Missing	10,797	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	411	0.2%
Several times/wk	298	0.1%
Several times/mo	369	0.1%
About once/month	739	0.3%
About once/year	855	0.3%
Less than once/year	1,035	0.4%
Never used	268,593	98.6%
Frequency Missing	10,945	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	139	0.1%
Several times/wk	13	0.0%
Several times/mo	0	0.0%
About once/month	103	0.0%
About once/year	13	0.0%
Less than once/year	91	0.0%
Never used	272,055	99.9%
Frequency Missing	10,830	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	539	0.2%
Several times/wk	427	0.2%
Several times/mo	445	0.2%
About once/month	1,085	0.4%
About once/year	931	0.3%
Less than once/year	1,813	0.7%
Never used	265,507	98.1%
Frequency Missing	12,498	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	50	0.0%
Several times/wk	32	0.0%
Several times/mo	72	0.0%
About once/month	44	0.0%
About once/year	100	0.0%
Less than once/year	146	0.1%
Never used	272,140	99.8%
Frequency Missing	10,659	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	207,923	76.3%
12+ drinks	3,110	1.1%
9-11 drinks	1,857	0.7%
5-8 drinks	5,286	1.9%
3-4 drinks	9,790	3.6%
2 drinks	9,512	3.5%
1 drink	12,797	4.7%
Less than 1 drink	22,357	8.2%
Frequency Missing	10,613	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	227,984	83.7%
12+ drinks	1,738	0.6%
9-11 drinks	1,211	0.4%
5-8 drinks	5,376	2.0%
3-4 drinks	8,129	3.0%
2 drinks	7,884	2.9%
1 drink	9,330	3.4%
Less than 1 drink	10,849	4.0%
Frequency Missing	10,744	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	163,958	60.7%
0 days	86,870	32.2%
1 day	8,426	3.1%
2 days	4,457	1.7%
3 to 5 days	2,708	1.0%
6 to 9 days	978	0.4%
10 or more days	2,572	1.0%
Frequency Missing	13,275	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	230,671	84.8%
12+ drinks	569	0.2%
9-11 drinks	346	0.1%
5-8 drinks	1,292	0.5%
3-4 drinks	2,745	1.0%
2 drinks	4,808	1.8%
1 drink	12,175	4.5%
Less than 1 drink	19,307	7.1%
Frequency Missing	11,333	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	195,015	71.6%
Never	35,759	13.1%
Seldom	27,900	10.2%
Most of the Time	9,861	3.6%
Always	3,946	1.4%
Frequency Missing	10,764	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	220,565	81.0%
12+ drinks	2,390	0.9%
9-11 drinks	1,426	0.5%
5-8 drinks	5,647	2.1%
3-4 drinks	9,008	3.3%
2 drinks	8,612	3.2%
1 drink	9,488	3.5%
Less than 1 drink	15,162	5.6%
Frequency Missing	10,947	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	197,651	72.8%
Never	38,845	14.3%
Seldom	17,576	6.5%
Most of the Time	13,468	5.0%
Always	4,088	1.5%
Frequency Missing	11,618	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	204,353	75.3%
Never	52,099	19.2%
Seldom	7,270	2.7%
Most of the Time	5,035	1.9%
Always	2,523	0.9%
Frequency Missing	11,964	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	190,494	70.1%
Never	32,607	12.0%
Seldom	21,256	7.8%
Most of the Time	16,668	6.1%
Always	10,841	4.0%
Frequency Missing	11,379	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	209,701	77.2%
Somewhat	31,102	11.5%
Not very	10,720	3.9%
Not at all	2,865	1.1%
Don't know	17,166	6.3%
Frequency Missing	11,690	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	206,788	76.3%
Never	43,749	16.2%
Seldom	9,820	3.6%
Most of the Time	6,636	2.4%
Always	3,890	1.4%
Frequency Missing	12,362	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	192,712	70.9%
Somewhat	36,890	13.6%
Not very	20,866	7.7%
Not at all	9,869	3.6%
Don't know	11,558	4.3%
Frequency Missing	11,350	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	196,025	72.0%
Somewhat	47,962	17.6%
Not very	12,324	4.5%
Not at all	2,957	1.1%
Don't know	12,913	4.7%
Frequency Missing	11,063	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	240,300	88.4%
Somewhat	14,785	5.4%
Not very	2,861	1.1%
Not at all	1,449	0.5%
Don't know	12,291	4.5%
Frequency Missing	11,559	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	153,680	56.6%
Somewhat	66,490	24.5%
Not very	35,329	13.0%
Not at all	5,510	2.0%
Don't know	10,635	3.9%
Frequency Missing	11,600	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	243,441	89.5%
Somewhat	11,635	4.3%
Not very	1,976	0.7%
Not at all	1,311	0.5%
Don't know	13,765	5.1%
Frequency Missing	11,116	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	229,714	84.5%
Somewhat	13,376	4.9%
Not very	3,110	1.1%
Not at all	1,513	0.6%
Don't know	24,129	8.9%
Frequency Missing	11,402	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	224,281	82.6%
Somewhat	16,302	6.0%
Not very	5,828	2.1%
Not at all	2,560	0.9%
Don't know	22,697	8.4%
Frequency Missing	11,577	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	219,074	80.6%
Somewhat	24,866	9.1%
Not very	7,999	2.9%
Not at all	2,920	1.1%
Don't know	16,917	6.2%
Frequency Missing	11,469	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	216,535	79.8%
Somewhat	18,276	6.7%
Not very	7,597	2.8%
Not at all	4,436	1.6%
Don't know	24,638	9.1%
Frequency Missing	11,763	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	239,564	88.2%
Somewhat	11,505	4.2%
Not very	2,021	0.7%
Not at all	1,304	0.5%
Don't know	17,230	6.3%
Frequency Missing	11,620	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	219,215	80.7%
Somewhat	24,459	9.0%
Not very	6,962	2.6%
Not at all	3,248	1.2%
Don't know	17,808	6.6%
Frequency Missing	11,553	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	241,360	88.7%
Somewhat	10,162	3.7%
Not very	1,862	0.7%
Not at all	1,311	0.5%
Don't know	17,385	6.4%
Frequency Missing	11,165	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	198,427	73.0%
Somewhat	39,161	14.4%
Not very	15,904	5.8%
Not at all	5,494	2.0%
Don't know	12,997	4.8%
Frequency Missing	11,262	

Days Skipped Since September

Q28a	Frequency	Percent
None	216,136	80.8%
1-3 days	33,435	12.5%
4-9 days	9,428	3.5%
10+ days	8,641	3.2%
Frequency Missing	15,604	

Someone Called Home Since September

Q28e	Frequency	Percent
None	238,421	89.1%
1-3 days	23,891	8.9%
4-9 days	2,567	1.0%
10+ days	2,623	1.0%
Frequency Missing	15,742	

Days Ill Since September

Q28b	Frequency	Percent
None	76,613	28.7%
1-3 days	127,790	47.8%
4-9 days	44,813	16.8%
10+ days	18,048	6.8%
Frequency Missing	15,981	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	262,061	98.0%
1-3 times	4,544	1.7%
4-9 times	476	0.2%
10+ times	311	0.1%
Frequency Missing	15,853	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	96,344	36.5%
1-3 days	126,701	48.0%
4-9 days	27,529	10.4%
10+ days	13,321	5.0%
Frequency Missing	19,351	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	262,212	98.1%
1-3 times	3,999	1.5%
4-9 times	634	0.2%
10+ times	371	0.1%
Frequency Missing	16,029	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	239,393	89.5%
1-3 days	22,555	8.4%
4-9 days	3,408	1.3%
10+ days	2,228	0.8%
Frequency Missing	15,660	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	261,589	97.9%
1-3 times	4,430	1.7%
4-9 times	434	0.2%
10+ times	740	0.3%
Frequency Missing	16,052	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	262,219	98.2%
1-3 times	3,233	1.2%
4-9 times	582	0.2%
10+ times	864	0.3%
Frequency Missing	16,347	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	260,721	97.5%
1-3 days	5,170	1.9%
4-9 days	868	0.3%
10+ days	633	0.2%
Frequency Missing	15,854	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	169,727	63.6%
Seldom	14,502	5.4%
Half the time	10,838	4.1%
Most of the Time	15,269	5.7%
Always	16,262	6.1%
Don't Know	4,314	1.6%
Didn't attend	35,924	13.5%
Frequency Missing	16,410	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	255,058	95.4%
1-3 days	6,622	2.5%
4-9 days	1,772	0.7%
10+ days	3,895	1.5%
Frequency Missing	15,897	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	190,754	71.6%
Seldom	9,808	3.7%
Half the time	8,080	3.0%
Most of the Time	8,488	3.2%
Always	8,197	3.1%
Don't Know	5,597	2.1%
Didn't attend	35,554	13.3%
Frequency Missing	16,767	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	264,474	99.1%
1-3 days	1,502	0.6%
4-9 days	373	0.1%
10+ days	450	0.2%
Frequency Missing	16,446	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	239,892	93.4%
Yes	17,050	6.6%
Frequency Missing	26,303	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	262,348	98.5%
1-3 days	2,834	1.1%
4-9 days	647	0.2%
10+ days	632	0.2%
Frequency Missing	16,783	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	158,755	60.5%
Yes	103,794	39.5%
Frequency Missing	20,695	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	184,766	71.0%
Yes	75,378	29.0%
Frequency Missing	23,101	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	106,167	40.6%
Yes	155,212	59.4%
Frequency Missing	21,865	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	146,379	56.1%
Yes	114,569	43.9%
Frequency Missing	22,296	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	149,688	57.4%
Yes	111,215	42.6%
Frequency Missing	22,341	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	73,585	28.0%
Yes	189,321	72.0%
Frequency Missing	20,339	

Would Not Seek Help

Q33i	Frequency	Percent
No	193,149	75.0%
Yes	64,484	25.0%
Frequency Missing	25,611	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	100,413	38.5%
Yes	160,674	61.5%
Frequency Missing	22,157	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	126,511	48.1%
Yes	136,368	51.9%
Frequency Missing	20,365	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	102,239	39.2%
Yes	158,303	60.8%
Frequency Missing	22,702	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	112,887	43.1%
Yes	148,824	56.9%
Frequency Missing	21,533	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	149,473	57.2%
Yes	111,658	42.8%
Frequency Missing	22,113	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	163,773	62.9%
Yes	96,521	37.1%
Frequency Missing	22,950	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	189,912	72.9%
Yes	70,720	27.1%
Frequency Missing	22,612	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	215,417	81.2%
Mild disapprove	13,617	5.1%
Neither	11,296	4.3%
Mildly approve	1,544	0.6%
Strongly approve	974	0.4%
Don't know	22,601	8.5%
Frequency Missing	17,796	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	175,208	67.3%
Yes	85,237	32.7%
Frequency Missing	22,800	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	166,200	62.6%
Mild disapprove	34,233	12.9%
Neither	31,436	11.8%
Mildly approve	10,490	4.0%
Strongly approve	1,463	0.6%
Don't know	21,706	8.2%
Frequency Missing	17,716	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	202,559	77.9%
Yes	57,501	22.1%
Frequency Missing	23,185	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	212,046	80.0%
Mild disapprove	13,923	5.3%
Neither	12,928	4.9%
Mildly approve	2,795	1.1%
Strongly approve	1,478	0.6%
Don't know	21,816	8.2%
Frequency Missing	18,259	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	152,200	58.3%
Yes	108,858	41.7%
Frequency Missing	22,186	

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

