

**Texas School Survey of Drug and Alcohol Use: 2012
Non-Border - Grades 7-12 Large**

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table of Contents

1. General Substance Tables	Page 5
Tobacco	
Alcohol	
Drugs	
Inhalants	
Miscellaneous	
2. Prevalence Tables	Page 53
Table B1: All Students	
Table B2: Male Students	
Table B3: Female Students	
Table B4: White Students	
Table B5: African/American Students	
Table B6: Mexican/American Students	
Table B7: Students Reporting A Grades	
Table B8: Students Reporting Grades Lower Than an A	
Table B9: Students Living With 2 Parents	
Table B10: Students Not Living With 2 Parents	
Table B11: Students who would seek help from adults	
Table B12: Students who wouldn't seek help from adults	
Table B13: Students Living in Town 3 Years or Less Table	
Table B14: Students Living in Town More Than 3 Years	
3. Margin Tables	Page 111

**Non-Border - Grades 7-12 Large
SPRING 2012**

1. General Substance Tables

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product?					
	All	10.9%	15.1%	27.3%	72.7%
	Grade 7	3.6%	5.3%	13.2%	86.8%
	Grade 8	5.1%	8.2%	18.9%	81.1%
	Grade 9	9.7%	13.7%	26.7%	73.3%
	Grade 10	12.5%	17.5%	30.8%	69.2%
	Grade 11	15.7%	21.2%	36.1%	63.9%
	Grade 12	21.1%	28.0%	41.7%	58.3%
Cigarettes?					
	All	9.5%	13.4%	25.2%	74.8%
	Grade 7	3.2%	4.6%	12.0%	88.0%
	Grade 8	4.3%	7.1%	17.3%	82.7%
	Grade 9	8.1%	11.8%	24.4%	75.6%
	Grade 10	11.1%	15.5%	28.5%	71.5%
	Grade 11	13.7%	18.8%	33.2%	66.8%
	Grade 12	18.6%	25.3%	39.0%	61.0%
Smokeless tobacco?					
	All	3.8%	5.6%	9.8%	90.2%
	Grade 7	1.1%	1.7%	3.9%	96.1%
	Grade 8	1.9%	2.9%	5.8%	94.2%
	Grade 9	3.4%	5.1%	9.1%	90.9%
	Grade 10	4.2%	6.1%	10.8%	89.2%
	Grade 11	6.0%	8.3%	14.1%	85.9%
	Grade 12	7.3%	10.4%	16.8%	83.2%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table T-2: How often do you normally use ..

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?							
All	75.8%	3.2%	2.2%	2.8%	4.6%	4.0%	7.4%
Grade 7	88.8%	0.4%	0.8%	1.3%	2.2%	2.3%	4.2%
Grade 8	84.0%	0.8%	1.4%	1.8%	3.1%	3.0%	5.9%
Grade 9	76.5%	2.3%	1.9%	2.7%	4.6%	4.3%	7.8%
Grade 10	73.2%	3.8%	2.3%	3.6%	5.1%	4.3%	7.8%
Grade 11	67.8%	5.2%	3.1%	3.5%	6.1%	5.1%	9.2%
Grade 12	61.0%	8.0%	4.0%	4.7%	7.0%	5.1%	10.1%
Cigarettes?							
All	77.3%	2.5%	2.0%	2.6%	4.5%	3.9%	7.2%
Grade 7	89.5%	0.3%	0.8%	1.2%	2.1%	2.2%	4.0%
Grade 8	85.0%	0.6%	1.2%	1.5%	2.9%	3.0%	5.7%
Grade 9	78.3%	1.7%	1.7%	2.3%	4.4%	4.1%	7.4%
Grade 10	75.1%	2.8%	2.0%	3.4%	5.1%	4.1%	7.6%
Grade 11	69.7%	4.1%	2.8%	3.4%	5.8%	5.0%	9.3%
Grade 12	63.0%	6.1%	3.7%	4.4%	7.1%	5.3%	10.3%
Smokeless tobacco?							
All	91.4%	1.1%	0.7%	1.0%	1.5%	1.5%	2.9%
Grade 7	96.9%	0.2%	0.2%	0.4%	0.6%	0.7%	1.0%
Grade 8	95.0%	0.3%	0.5%	0.8%	0.9%	0.7%	2.0%
Grade 9	92.1%	0.8%	0.5%	1.2%	1.3%	1.4%	2.8%
Grade 10	90.5%	1.3%	0.8%	1.0%	1.7%	1.6%	3.2%
Grade 11	87.2%	1.8%	1.3%	1.0%	2.2%	2.4%	4.1%
Grade 12	84.9%	2.5%	1.2%	1.6%	2.3%	2.6%	4.9%

Table T-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Cigarettes						
	10.8	11.4	12.3	13.2	13.8	14.6
Smokeless tobacco						
	11.1	11.8	12.8	13.5	14.3	14.9
Any Tobacco						
	10.8	11.4	12.3	13.1	13.8	14.5

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table T-4: If you wanted some, how difficult would it be to get...

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Any tobacco product?						
All	14.9%	18.8%	6.5%	9.5%	16.8%	33.4%
Grade 7	22.2%	34.3%	8.9%	9.9%	12.6%	12.1%
Grade 8	18.3%	26.6%	9.7%	11.8%	15.2%	18.4%
Grade 9	13.9%	18.4%	7.4%	11.3%	20.9%	28.0%
Grade 10	13.0%	14.0%	5.3%	10.5%	20.2%	37.0%
Grade 11	11.2%	10.5%	4.4%	8.4%	19.3%	46.2%
Grade 12	9.0%	5.9%	2.4%	4.2%	11.9%	66.7%
Cigarettes?						
All	15.2%	19.5%	6.9%	10.0%	17.0%	31.4%
Grade 7	22.5%	35.2%	9.1%	10.0%	12.3%	10.9%
Grade 8	18.8%	27.4%	10.1%	12.2%	14.9%	16.6%
Grade 9	14.3%	19.3%	8.1%	12.1%	20.8%	25.3%
Grade 10	13.4%	14.7%	5.9%	11.4%	20.8%	33.9%
Grade 11	11.4%	10.9%	4.8%	9.0%	20.0%	43.9%
Grade 12	9.1%	6.1%	2.4%	4.4%	12.4%	65.6%
Smokeless Tobacco?						
All	25.2%	22.8%	8.3%	9.7%	11.9%	22.0%
Grade 7	34.1%	37.8%	9.6%	7.5%	5.6%	5.4%
Grade 8	29.6%	32.4%	11.3%	9.4%	8.2%	8.9%
Grade 9	25.3%	23.1%	9.7%	11.9%	13.8%	16.1%
Grade 10	23.8%	17.8%	7.5%	12.2%	15.5%	23.2%
Grade 11	19.4%	13.9%	7.0%	10.4%	16.6%	32.7%
Grade 12	16.7%	7.7%	3.8%	6.4%	12.3%	53.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table T-5: About how many of your close friends...

	None	A Few	Some	Most	ALL
Use any tobacco product?					
All	46.8%	29.5%	14.9%	7.6%	1.2%
Grade 7	70.4%	20.9%	6.2%	2.2%	0.3%
Grade 8	60.6%	25.3%	9.6%	4.0%	0.6%
Grade 9	45.5%	32.2%	14.5%	6.5%	1.2%
Grade 10	39.4%	32.1%	17.6%	9.2%	1.7%
Grade 11	33.7%	33.3%	19.9%	11.3%	1.9%
Grade 12	26.4%	34.5%	23.6%	13.7%	1.8%
Smoke cigarettes?					
All	50.3%	29.7%	13.1%	5.9%	0.9%
Grade 7	72.8%	19.7%	5.5%	1.7%	0.3%
Grade 8	63.3%	24.8%	8.4%	3.1%	0.4%
Grade 9	49.7%	31.7%	12.5%	5.1%	1.1%
Grade 10	43.9%	32.6%	15.0%	7.2%	1.3%
Grade 11	37.4%	34.3%	18.1%	8.8%	1.4%
Grade 12	29.7%	36.6%	21.3%	11.1%	1.3%
Use a smokeless tobacco product?					
All	69.5%	17.5%	8.8%	3.6%	0.6%
Grade 7	87.0%	9.2%	2.9%	0.8%	0.1%
Grade 8	81.1%	12.5%	4.4%	1.6%	0.3%
Grade 9	68.9%	19.4%	7.9%	3.2%	0.5%
Grade 10	64.0%	20.1%	10.7%	4.3%	0.9%
Grade 11	58.2%	21.8%	13.2%	5.7%	1.1%
Grade 12	53.8%	23.3%	15.4%	6.6%	0.9%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	77.1%	8.1%	6.7%	1.2%	0.9%	6.0%
Grade 7	85.8%	3.0%	2.2%	0.6%	0.9%	7.4%
Grade 8	83.0%	5.4%	3.5%	0.7%	0.7%	6.7%
Grade 9	79.9%	7.5%	5.3%	0.9%	0.7%	5.6%
Grade 10	74.9%	8.9%	7.8%	1.9%	0.6%	5.9%
Grade 11	72.2%	10.8%	9.4%	1.5%	1.0%	5.1%
Grade 12	63.3%	14.4%	13.8%	2.1%	1.2%	5.1%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	55.9%	25.9%	10.4%	3.1%	4.8%
Grade 7	74.3%	15.0%	4.6%	1.3%	4.8%
Grade 8	63.9%	21.8%	7.2%	2.0%	5.0%
Grade 9	54.4%	27.0%	10.5%	3.1%	5.0%
Grade 10	50.9%	28.8%	12.5%	3.0%	4.8%
Grade 11	47.0%	30.9%	13.4%	4.0%	4.6%
Grade 12	40.9%	33.9%	15.6%	5.5%	4.1%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product?					
	All	24.9%	35.3%	57.8%	42.2%
	Grade 7	11.5%	16.4%	37.1%	62.9%
	Grade 8	16.4%	23.6%	47.3%	52.7%
	Grade 9	24.2%	34.5%	59.9%	40.1%
	Grade 10	28.1%	40.8%	63.8%	36.2%
	Grade 11	31.8%	45.8%	68.9%	31.1%
	Grade 12	41.0%	55.4%	73.4%	26.6%
Beer?					
	All	17.1%	25.7%	45.2%	54.8%
	Grade 7	6.8%	10.0%	26.8%	73.2%
	Grade 8	9.7%	15.5%	35.0%	65.0%
	Grade 9	16.0%	24.3%	46.0%	54.0%
	Grade 10	19.4%	30.1%	49.7%	50.3%
	Grade 11	23.3%	35.0%	56.6%	43.4%
	Grade 12	30.5%	43.7%	61.1%	38.9%
Wine coolers?					
	All	14.7%	23.3%	39.7%	60.3%
	Grade 7	6.6%	9.8%	21.0%	79.0%
	Grade 8	9.1%	14.2%	29.0%	71.0%
	Grade 9	14.5%	22.5%	39.7%	60.3%
	Grade 10	16.8%	27.1%	45.3%	54.7%
	Grade 11	18.9%	31.0%	50.8%	49.2%
	Grade 12	24.4%	38.8%	56.6%	43.4%
Wine?					
	All	10.5%	18.3%	37.9%	62.1%
	Grade 7	5.2%	8.0%	21.7%	78.3%
	Grade 8	7.4%	12.0%	29.4%	70.6%
	Grade 9	10.5%	18.0%	39.7%	60.3%
	Grade 10	11.4%	21.0%	42.6%	57.4%
	Grade 11	13.1%	24.1%	46.2%	53.8%
	Grade 12	16.8%	28.9%	50.3%	49.7%
Liquor?					
	All	16.4%	25.6%	41.4%	58.6%
	Grade 7	4.5%	7.2%	16.9%	83.1%
	Grade 8	8.2%	13.7%	28.0%	72.0%
	Grade 9	15.4%	24.5%	42.2%	57.8%
	Grade 10	18.8%	30.4%	47.9%	52.1%
	Grade 11	22.9%	35.8%	55.5%	44.5%
	Grade 12	31.8%	46.4%	62.9%	37.1%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table A-2: How often do you normally use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?							
All	48.2%	0.5%	3.2%	10.8%	13.3%	12.7%	11.3%
Grade 7	70.6%	0.2%	1.7%	4.0%	5.5%	7.8%	10.2%
Grade 8	60.1%	0.4%	2.3%	5.3%	8.5%	11.3%	12.1%
Grade 9	46.1%	0.6%	3.0%	9.9%	14.0%	13.7%	12.6%
Grade 10	41.5%	0.5%	3.5%	12.3%	15.9%	14.3%	11.9%
Grade 11	36.3%	0.4%	4.3%	15.2%	16.9%	15.5%	11.3%
Grade 12	30.4%	0.5%	4.8%	20.2%	20.4%	14.1%	9.6%
Beer?							
All	57.5%	0.2%	2.5%	8.2%	11.0%	10.2%	10.4%
Grade 7	77.2%	0.1%	1.1%	2.9%	4.5%	6.0%	8.2%
Grade 8	68.2%	0.2%	1.6%	3.8%	6.5%	9.5%	10.2%
Grade 9	56.7%	0.3%	2.3%	6.9%	11.5%	10.8%	11.5%
Grade 10	52.3%	0.2%	2.7%	9.5%	13.4%	11.2%	10.7%
Grade 11	46.0%	0.2%	3.6%	11.9%	14.3%	12.0%	11.9%
Grade 12	40.4%	0.4%	3.9%	16.4%	17.2%	12.1%	9.7%
Wine coolers?							
All	63.9%	0.1%	1.5%	6.3%	9.6%	10.2%	8.4%
Grade 7	84.5%	0.1%	0.8%	2.0%	3.3%	4.4%	4.8%
Grade 8	75.6%	0.2%	1.2%	3.2%	5.0%	7.4%	7.4%
Grade 9	63.7%	0.3%	1.7%	5.7%	9.5%	10.4%	8.8%
Grade 10	58.2%	0.1%	1.4%	7.4%	11.8%	11.7%	9.4%
Grade 11	51.3%	0.1%	2.0%	8.8%	12.8%	14.5%	10.4%
Grade 12	45.2%	0.1%	2.1%	12.2%	16.8%	13.6%	10.0%
Wine?							
All	64.6%	0.1%	1.1%	4.2%	7.8%	11.5%	10.7%
Grade 7	82.5%	0.0%	0.7%	1.5%	3.0%	5.3%	6.9%
Grade 8	74.2%	0.0%	0.9%	2.4%	4.5%	8.7%	9.4%
Grade 9	62.9%	0.1%	1.0%	4.0%	8.3%	12.5%	11.2%
Grade 10	59.8%	0.1%	1.1%	4.9%	9.3%	13.4%	11.4%
Grade 11	54.6%	0.2%	1.6%	6.0%	10.1%	14.9%	12.6%
Grade 12	49.9%	0.1%	1.4%	7.2%	12.7%	15.5%	13.3%
Liquor?							
All	60.9%	0.2%	1.9%	8.0%	10.6%	10.3%	8.1%
Grade 7	85.6%	0.1%	0.6%	2.2%	2.8%	4.1%	4.7%
Grade 8	75.0%	0.2%	1.2%	3.3%	5.1%	7.9%	7.1%
Grade 9	60.4%	0.2%	2.1%	6.8%	10.8%	10.6%	9.1%
Grade 10	53.9%	0.2%	2.1%	9.4%	12.9%	12.1%	9.4%
Grade 11	46.6%	0.2%	2.7%	11.6%	15.3%	14.4%	9.1%
Grade 12	38.5%	0.1%	3.1%	16.5%	18.8%	13.7%	9.2%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever Used	5 or More	1 to 4	Less than 1
Beer						
	All	53.8%	46.2%	11.5%	21.5%	13.2%
	Grade 7	72.3%	27.7%	3.0%	12.0%	12.8%
	Grade 8	63.5%	36.5%	4.7%	16.4%	15.4%
	Grade 9	52.7%	47.3%	9.8%	22.5%	15.0%
	Grade 10	49.0%	51.0%	14.2%	25.1%	11.6%
	Grade 11	42.6%	57.4%	17.9%	27.0%	12.5%
	Grade 12	38.5%	61.5%	22.2%	27.6%	11.6%
Wine Coolers						
	All	59.9%	40.1%	7.4%	23.8%	8.9%
	Grade 7	80.1%	19.9%	2.6%	10.2%	7.1%
	Grade 8	71.3%	28.7%	3.7%	15.6%	9.5%
	Grade 9	59.3%	40.7%	7.3%	23.5%	9.9%
	Grade 10	54.4%	45.6%	8.8%	28.3%	8.6%
	Grade 11	47.9%	52.1%	11.1%	31.5%	9.4%
	Grade 12	42.0%	58.0%	12.4%	36.9%	8.6%
Wine						
	All	61.1%	38.9%	3.2%	20.0%	15.7%
	Grade 7	78.3%	21.7%	1.5%	8.5%	11.6%
	Grade 8	69.5%	30.5%	1.9%	13.9%	14.7%
	Grade 9	58.6%	41.4%	3.2%	20.5%	17.6%
	Grade 10	56.4%	43.6%	3.6%	23.7%	16.2%
	Grade 11	52.4%	47.6%	4.4%	26.1%	17.1%
	Grade 12	48.1%	51.9%	4.9%	29.9%	17.1%
Liquor						
	All	57.7%	42.3%	10.7%	22.1%	9.5%
	Grade 7	82.6%	17.4%	2.7%	7.5%	7.3%
	Grade 8	71.4%	28.6%	4.5%	14.1%	9.9%
	Grade 9	56.7%	43.3%	10.0%	21.8%	11.4%
	Grade 10	51.0%	49.0%	12.6%	26.8%	9.6%
	Grade 11	43.5%	56.5%	16.4%	30.9%	9.2%
	Grade 12	35.7%	64.3%	20.4%	34.8%	9.1%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	82.6%	5.9%	3.7%	4.1%	1.7%	2.1%
Grade 7	93.2%	2.8%	1.4%	1.2%	0.6%	0.9%
Grade 8	90.1%	4.1%	2.0%	2.1%	0.7%	1.2%
Grade 9	83.9%	5.8%	3.7%	3.5%	1.0%	2.0%
Grade 10	80.7%	5.8%	4.4%	4.5%	2.3%	2.3%
Grade 11	75.6%	8.0%	4.9%	6.5%	2.4%	2.5%
Grade 12	68.8%	9.6%	6.2%	7.7%	3.7%	3.9%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Beer	10.4	11.3	12.1	13.0	13.7	14.3
Wine Coolers	11.0	11.7	12.5	13.4	14.0	14.6
Wine	10.9	11.6	12.4	13.1	13.8	14.5
Liquor	11.2	12.1	13.0	13.8	14.5	15.1
Any Alcohol	10.5	11.2	12.0	12.8	13.5	14.1

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	13.1%	14.4%	6.5%	12.2%	20.0%	33.8%
	Grade 7	20.5%	28.3%	8.8%	11.1%	13.6%	17.8%
	Grade 8	16.6%	19.9%	8.2%	13.8%	16.8%	24.7%
	Grade 9	12.1%	12.6%	6.8%	13.0%	21.2%	34.3%
	Grade 10	11.0%	10.0%	5.2%	12.2%	21.1%	40.5%
	Grade 11	9.1%	7.7%	4.6%	11.3%	22.0%	45.3%
	Grade 12	7.7%	5.6%	4.7%	11.9%	26.6%	43.5%
Wine coolers?							
	All	18.4%	16.8%	7.5%	12.3%	17.9%	27.0%
	Grade 7	30.5%	31.1%	8.6%	8.5%	9.6%	11.7%
	Grade 8	23.2%	24.5%	9.9%	12.2%	14.0%	16.3%
	Grade 9	16.8%	16.1%	8.2%	13.6%	18.8%	26.4%
	Grade 10	15.3%	11.4%	6.4%	13.4%	20.1%	33.4%
	Grade 11	12.8%	8.9%	5.7%	13.2%	21.1%	38.3%
	Grade 12	9.9%	5.8%	5.6%	13.5%	25.4%	39.8%
Wine?							
	All	15.2%	17.1%	8.3%	13.0%	18.2%	28.2%
	Grade 7	22.9%	32.8%	10.6%	9.6%	11.6%	12.6%
	Grade 8	19.1%	23.9%	10.6%	13.2%	14.8%	18.4%
	Grade 9	14.2%	15.4%	8.7%	14.9%	18.5%	28.2%
	Grade 10	13.2%	11.6%	7.0%	14.4%	19.9%	33.9%
	Grade 11	11.2%	9.7%	6.1%	12.4%	21.3%	39.3%
	Grade 12	9.3%	6.4%	6.1%	13.5%	24.5%	40.1%
Liquor?							
	All	14.7%	19.1%	8.8%	12.0%	17.1%	28.3%
	Grade 7	24.3%	36.6%	10.6%	8.5%	8.6%	11.6%
	Grade 8	18.7%	27.1%	11.4%	12.1%	12.9%	17.8%
	Grade 9	13.3%	17.8%	9.4%	13.5%	18.1%	27.9%
	Grade 10	12.1%	12.9%	7.8%	13.0%	19.6%	34.5%
	Grade 11	10.0%	10.3%	6.3%	12.2%	20.4%	40.7%
	Grade 12	8.1%	6.8%	6.3%	12.9%	24.7%	41.3%
Any alcohol product?							
	All	12.0%	12.1%	5.5%	10.7%	19.6%	40.1%
	Grade 7	18.9%	24.7%	8.4%	11.0%	14.9%	22.0%
	Grade 8	15.2%	16.8%	7.4%	12.3%	17.8%	30.4%
	Grade 9	10.9%	10.4%	5.3%	11.0%	21.1%	41.3%
	Grade 10	10.1%	7.8%	4.0%	10.2%	20.0%	47.8%
	Grade 11	8.4%	6.6%	3.6%	9.2%	20.1%	52.1%
	Grade 12	7.2%	4.4%	3.9%	9.9%	24.5%	50.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1- 3 Times	4- 9 Times	10+ Times
Attended class while drunk on alcohol?				
All	93.6%	4.9%	0.9%	0.7%
Grade 7	95.9%	3.2%	0.3%	0.6%
Grade 8	94.7%	4.2%	0.6%	0.4%
Grade 9	92.9%	5.3%	1.1%	0.8%
Grade 10	92.7%	5.6%	1.1%	0.6%
Grade 11	92.6%	5.5%	1.1%	0.9%
Grade 12	92.2%	5.6%	1.3%	0.9%
Gotten into trouble with teachers because of your drinking?				
All	99.0%	0.6%	0.1%	0.2%
Grade 7	99.3%	0.5%	0.1%	0.1%
Grade 8	99.1%	0.5%	0.1%	0.3%
Grade 9	99.2%	0.5%	0.1%	0.2%
Grade 10	99.0%	0.7%	0.1%	0.2%
Grade 11	98.8%	0.8%	0.2%	0.3%
Grade 12	98.8%	0.8%	0.1%	0.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.4
Alcohol Non- use	3.4

Average days conduct problems reported	
Alcohol Users:	2.8
Alcohol Non- use	1.1

Table A-9: During the past twelve months, how many times have you...

	None	1- 3 Times	4- 9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	92.4%	5.9%	1.0%	0.7%
Grade 9	97.0%	2.2%	0.4%	0.4%
Grade 10	94.5%	4.4%	0.6%	0.5%
Grade 11	91.1%	7.1%	1.0%	0.9%
Grade 12	85.3%	11.4%	2.1%	1.3%
Gotten into trouble with the police because of drinking?				
All	97.6%	2.0%	0.2%	0.2%
Grade 7	98.9%	0.8%	0.1%	0.2%
Grade 8	98.4%	1.3%	0.1%	0.2%
Grade 9	97.8%	1.8%	0.1%	0.3%
Grade 10	97.2%	2.3%	0.2%	0.2%
Grade 11	97.0%	2.6%	0.2%	0.2%
Grade 12	96.0%	3.4%	0.4%	0.2%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table A-10: About how many of your close friends use...

	None	A Few	Some	Most	ALL
Any alcohol product?					
All	32.9%	24.0%	18.3%	18.3%	6.5%
Grade 7	60.2%	22.3%	10.4%	5.4%	1.7%
Grade 8	46.5%	26.5%	14.1%	9.7%	3.2%
Grade 9	28.9%	26.9%	20.4%	18.1%	5.8%
Grade 10	23.2%	24.8%	22.2%	22.0%	7.8%
Grade 11	19.3%	22.2%	22.3%	26.6%	9.5%
Grade 12	14.4%	20.4%	21.6%	31.0%	12.7%
Beer?					
All	38.0%	23.5%	17.7%	15.9%	5.0%
Grade 7	66.2%	19.6%	8.8%	4.3%	1.1%
Grade 8	52.3%	24.7%	13.1%	8.0%	1.9%
Grade 9	34.9%	26.5%	19.7%	14.8%	4.1%
Grade 10	28.3%	24.5%	21.4%	19.7%	6.1%
Grade 11	22.9%	23.2%	22.7%	23.8%	7.4%
Grade 12	18.2%	21.8%	21.4%	28.0%	10.7%
Wine coolers?					
All	51.9%	19.9%	14.6%	10.3%	3.2%
Grade 7	77.6%	13.3%	5.8%	2.5%	0.8%
Grade 8	67.2%	17.0%	8.9%	5.3%	1.5%
Grade 9	50.4%	22.6%	14.8%	9.5%	2.7%
Grade 10	43.4%	21.9%	18.5%	12.3%	3.9%
Grade 11	37.7%	22.5%	19.8%	15.3%	4.8%
Grade 12	29.5%	22.9%	22.0%	19.0%	6.6%
Wine?					
All	58.1%	21.9%	12.0%	6.0%	2.1%
Grade 7	78.8%	14.3%	4.7%	1.8%	0.5%
Grade 8	70.4%	18.3%	7.0%	3.2%	1.0%
Grade 9	56.5%	23.2%	12.8%	5.7%	1.7%
Grade 10	51.8%	24.0%	14.7%	6.9%	2.7%
Grade 11	46.2%	25.5%	16.4%	8.7%	3.2%
Grade 12	40.6%	27.3%	17.7%	10.7%	3.7%
Liquor?					
All	45.5%	20.4%	15.6%	13.9%	4.6%
Grade 7	76.8%	13.5%	5.9%	2.9%	0.8%
Grade 8	62.7%	19.5%	9.9%	6.1%	1.8%
Grade 9	42.4%	23.5%	17.0%	13.1%	4.0%
Grade 10	34.9%	22.5%	19.9%	17.1%	5.6%
Grade 11	28.6%	22.4%	20.9%	21.3%	6.9%
Grade 12	21.7%	20.8%	21.7%	25.8%	10.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table A-11: During the past twelve months, how many times have you...

	None	1- 3 Times	4- 9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	94.4%	4.9%	0.4%	0.3%
Grade 7	97.5%	2.1%	0.2%	0.2%
Grade 8	95.7%	3.7%	0.3%	0.4%
Grade 9	94.6%	4.6%	0.5%	0.3%
Grade 10	93.6%	5.6%	0.5%	0.3%
Grade 11	92.3%	6.7%	0.6%	0.4%
Grade 12	91.9%	7.2%	0.7%	0.2%
Been criticized by someone you were dating because of drinking?				
All	93.5%	5.3%	0.7%	0.5%
Grade 7	97.7%	1.9%	0.2%	0.2%
Grade 8	95.9%	3.4%	0.4%	0.3%
Grade 9	93.7%	5.4%	0.6%	0.3%
Grade 10	91.9%	6.7%	0.7%	0.7%
Grade 11	91.3%	6.8%	1.1%	0.7%
Grade 12	89.6%	8.3%	1.3%	0.8%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	45.4%	8.9%	6.3%	9.8%	14.7%	1.7%	13.2%
Grade 7	72.1%	7.5%	3.9%	2.9%	2.5%	1.6%	9.6%
Grade 8	60.4%	10.0%	5.5%	6.0%	5.2%	1.7%	11.3%
Grade 9	42.6%	10.9%	8.2%	10.9%	11.1%	2.0%	14.4%
Grade 10	36.1%	9.0%	8.0%	13.1%	17.6%	1.8%	14.5%
Grade 11	30.0%	8.8%	6.6%	12.9%	24.6%	1.7%	15.3%
Grade 12	25.6%	6.5%	5.4%	14.3%	32.2%	1.3%	14.7%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home?						
	All	48.3%	23.1%	19.9%	6.0%	2.7%
	Grade 7	62.8%	21.4%	11.8%	2.8%	1.2%
	Grade 8	55.0%	20.5%	17.4%	5.1%	2.1%
	Grade 9	48.2%	20.8%	21.3%	6.9%	2.7%
	Grade 10	44.1%	24.0%	22.1%	6.6%	3.2%
	Grade 11	40.9%	25.4%	23.1%	7.0%	3.7%
	Grade 12	35.5%	27.5%	24.7%	8.4%	3.8%
From friends?						
	All	46.9%	18.7%	15.0%	14.2%	5.2%
	Grade 7	64.1%	23.1%	6.8%	4.6%	1.3%
	Grade 8	56.2%	24.1%	10.8%	6.9%	2.1%
	Grade 9	47.1%	18.9%	16.3%	13.5%	4.2%
	Grade 10	41.9%	16.9%	17.7%	17.3%	6.2%
	Grade 11	36.5%	14.7%	19.6%	21.2%	8.0%
	Grade 12	31.4%	13.1%	20.6%	24.4%	10.5%
From a store?						
	All	49.2%	39.1%	6.1%	3.8%	1.9%
	Grade 7	65.0%	31.2%	1.8%	1.4%	0.5%
	Grade 8	57.8%	37.0%	3.1%	1.3%	0.7%
	Grade 9	49.3%	40.7%	5.5%	3.0%	1.5%
	Grade 10	44.8%	41.4%	7.5%	4.3%	2.0%
	Grade 11	40.0%	42.4%	8.2%	6.3%	3.1%
	Grade 12	34.4%	43.0%	11.7%	7.0%	3.8%
At parties?						
	All	45.3%	16.8%	12.3%	13.0%	12.6%
	Grade 7	61.8%	20.9%	8.1%	5.7%	3.5%
	Grade 8	53.8%	19.9%	11.2%	9.5%	5.6%
	Grade 9	45.0%	17.0%	13.9%	12.5%	11.6%
	Grade 10	40.6%	15.2%	13.6%	14.9%	15.7%
	Grade 11	35.9%	14.1%	13.4%	17.6%	19.0%
	Grade 12	31.3%	12.6%	13.8%	19.4%	22.9%
Other source?						
	All	49.3%	26.1%	12.0%	6.7%	5.9%
	Grade 7	63.9%	23.5%	7.0%	3.2%	2.3%
	Grade 8	57.1%	25.2%	9.3%	4.9%	3.4%
	Grade 9	49.3%	26.0%	12.2%	6.6%	5.9%
	Grade 10	45.2%	26.5%	13.6%	7.5%	7.2%
	Grade 11	40.5%	27.5%	14.9%	9.0%	8.1%
	Grade 12	35.6%	28.6%	16.4%	10.1%	9.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table A-14: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	64.9%	14.3%	10.6%	3.6%	1.1%	5.5%
Grade 7	78.3%	7.2%	4.6%	1.6%	1.0%	7.2%
Grade 8	72.1%	10.6%	7.4%	2.4%	1.1%	6.4%
Grade 9	65.2%	15.2%	10.0%	3.5%	1.0%	5.1%
Grade 10	61.3%	15.8%	12.0%	4.5%	1.2%	5.3%
Grade 11	57.8%	18.1%	14.0%	4.6%	1.1%	4.4%
Grade 12	51.3%	20.7%	17.2%	5.3%	1.4%	4.2%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	49.8%	30.3%	13.3%	3.2%	3.3%
Grade 7	63.9%	20.9%	9.2%	2.2%	3.8%
Grade 8	53.7%	25.5%	13.3%	3.6%	4.0%
Grade 9	46.4%	31.2%	15.2%	3.9%	3.3%
Grade 10	45.3%	33.3%	15.2%	3.1%	3.2%
Grade 11	45.6%	34.5%	13.6%	3.3%	2.9%
Grade 12	41.9%	38.9%	13.7%	2.9%	2.6%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	11.1%	16.0%	26.2%	73.8%
	Grade 7	3.2%	4.5%	8.8%	91.2%
	Grade 8	6.0%	8.8%	15.3%	84.7%
	Grade 9	11.1%	16.2%	26.0%	74.0%
	Grade 10	13.5%	19.5%	31.8%	68.2%
	Grade 11	15.3%	22.6%	36.7%	63.3%
	Grade 12	19.4%	27.4%	42.1%	57.9%
Cocaine?					
	All	1.0%	1.7%	3.7%	96.3%
	Grade 7	0.3%	0.6%	1.3%	98.7%
	Grade 8	0.4%	0.7%	1.6%	98.4%
	Grade 9	0.8%	1.4%	3.1%	96.9%
	Grade 10	1.3%	2.1%	4.5%	95.5%
	Grade 11	1.7%	2.7%	6.1%	93.9%
	Grade 12	2.0%	3.3%	6.2%	93.8%
Crack?					
	All	0.3%	0.6%	1.2%	98.8%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.3%	0.5%	1.2%	98.8%
	Grade 9	0.3%	0.6%	1.0%	99.0%
	Grade 10	0.4%	0.6%	1.6%	98.4%
	Grade 11	0.3%	0.5%	1.4%	98.6%
	Grade 12	0.2%	0.4%	0.9%	99.1%
Hallucinogens?					
	All	1.3%	2.2%	4.1%	95.9%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	0.8%	1.3%	2.4%	97.6%
	Grade 9	1.4%	2.1%	3.8%	96.2%
	Grade 10	1.4%	2.7%	5.4%	94.6%
	Grade 11	1.7%	2.9%	5.9%	94.1%
	Grade 12	2.0%	3.7%	6.7%	93.3%
Uppers?					
	All	1.7%	2.6%	4.5%	95.5%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.7%	0.9%	1.5%	98.5%
	Grade 9	1.4%	1.9%	3.4%	96.6%
	Grade 10	2.3%	3.4%	5.7%	94.3%
	Grade 11	2.5%	4.4%	7.5%	92.5%
	Grade 12	3.3%	5.3%	9.2%	90.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table D-1: How recently, if ever, have you used...
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Downers?	All	1.8%	2.8%	4.6%	95.4%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.6%	0.9%	1.4%	98.6%
	Grade 9	1.5%	2.3%	3.5%	96.5%
	Grade 10	2.4%	3.6%	5.8%	94.2%
	Grade 11	2.9%	4.7%	7.5%	92.5%
	Grade 12	3.7%	5.6%	9.5%	90.5%
Rohypnol?	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.6%	0.8%	1.7%	98.3%
	Grade 9	0.7%	1.0%	1.8%	98.2%
	Grade 10	0.6%	0.9%	1.7%	98.3%
	Grade 11	0.3%	0.6%	1.4%	98.6%
	Grade 12	0.3%	0.6%	1.1%	98.9%
Steroids?	All	0.4%	0.7%	1.5%	98.5%
	Grade 7	0.6%	0.8%	1.5%	98.5%
	Grade 8	0.3%	0.5%	1.6%	98.4%
	Grade 9	0.2%	0.4%	1.2%	98.8%
	Grade 10	0.6%	0.8%	1.3%	98.7%
	Grade 11	0.6%	0.8%	1.6%	98.4%
	Grade 12	0.5%	0.8%	1.5%	98.5%
Ecstasy?	All	1.5%	2.6%	5.2%	94.8%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.7%	1.1%	2.3%	97.7%
	Grade 9	1.6%	2.5%	4.6%	95.4%
	Grade 10	1.8%	3.2%	6.6%	93.4%
	Grade 11	2.2%	3.9%	8.3%	91.7%
	Grade 12	2.4%	4.3%	8.9%	91.1%
Heroin?	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.3%	0.4%	1.0%	99.0%
	Grade 8	0.2%	0.4%	0.9%	99.1%
	Grade 9	0.4%	0.5%	1.1%	98.9%
	Grade 10	0.3%	0.6%	1.2%	98.8%
	Grade 11	0.4%	0.4%	1.1%	98.9%
	Grade 12	0.4%	0.6%	1.2%	98.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	75.2%	3.0%	3.1%	4.2%	4.9%	4.4%	5.3%
	Grade 7	91.6%	0.7%	1.3%	1.4%	1.7%	1.5%	1.8%
	Grade 8	85.4%	1.5%	1.8%	2.8%	2.8%	2.4%	3.3%
	Grade 9	75.2%	3.2%	3.1%	4.5%	5.3%	4.4%	4.5%
	Grade 10	70.2%	3.1%	4.1%	5.0%	6.3%	5.0%	6.4%
	Grade 11	65.3%	4.6%	4.1%	5.3%	6.5%	6.4%	7.9%
	Grade 12	60.1%	5.6%	4.7%	6.4%	7.2%	7.1%	8.9%
Cocaine?								
	All	96.9%	0.1%	0.2%	0.4%	0.6%	0.7%	1.1%
	Grade 7	99.0%	0.1%	0.0%	0.1%	0.1%	0.3%	0.4%
	Grade 8	98.6%	0.1%	0.1%	0.2%	0.2%	0.4%	0.4%
	Grade 9	97.5%	0.1%	0.3%	0.2%	0.5%	0.5%	0.8%
	Grade 10	96.2%	0.1%	0.2%	0.4%	0.8%	0.8%	1.5%
	Grade 11	94.9%	0.1%	0.3%	0.6%	1.0%	1.2%	1.9%
	Grade 12	94.4%	0.1%	0.3%	0.8%	1.1%	1.2%	2.1%
Crack?								
	All	98.9%	0.1%	0.1%	0.1%	0.2%	0.2%	0.4%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.2%	0.2%	0.4%
	Grade 8	99.0%	0.0%	0.0%	0.3%	0.2%	0.2%	0.3%
	Grade 9	99.1%	0.1%	0.1%	0.2%	0.2%	0.2%	0.3%
	Grade 10	98.6%	0.1%	0.1%	0.1%	0.3%	0.2%	0.5%
	Grade 11	98.6%	0.1%	0.3%	0.1%	0.2%	0.4%	0.4%
	Grade 12	99.2%	0.1%	0.1%	0.1%	0.2%	0.2%	0.2%
Hallucinogens?								
	All	96.5%	0.1%	0.1%	0.3%	0.7%	1.2%	1.2%
	Grade 7	98.9%	0.1%	0.1%	0.2%	0.2%	0.2%	0.3%
	Grade 8	98.1%	0.0%	0.1%	0.2%	0.3%	0.7%	0.6%
	Grade 9	97.0%	0.1%	0.1%	0.4%	0.6%	1.0%	0.8%
	Grade 10	95.7%	0.1%	0.0%	0.3%	0.9%	1.4%	1.5%
	Grade 11	94.8%	0.1%	0.2%	0.3%	0.9%	1.7%	2.0%
	Grade 12	94.1%	0.0%	0.1%	0.3%	1.2%	2.3%	1.9%
Uppers?								
	All	95.7%	0.2%	0.3%	0.7%	1.0%	1.0%	1.1%
	Grade 7	99.0%	0.0%	0.1%	0.2%	0.2%	0.3%	0.1%
	Grade 8	98.3%	0.1%	0.1%	0.4%	0.3%	0.5%	0.4%
	Grade 9	96.9%	0.1%	0.3%	0.6%	0.7%	0.7%	0.7%
	Grade 10	94.5%	0.2%	0.3%	0.7%	1.6%	1.2%	1.3%
	Grade 11	93.3%	0.4%	0.4%	1.0%	1.7%	1.6%	1.6%
	Grade 12	91.3%	0.3%	0.4%	1.2%	2.1%	2.2%	2.6%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table D-2: How often do you normally use...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Downers?								
	All	95.6%	0.2%	0.3%	0.7%	1.1%	1.0%	1.1%
	Grade 7	99.2%	0.0%	0.0%	0.2%	0.2%	0.2%	0.1%
	Grade 8	98.4%	0.1%	0.1%	0.3%	0.3%	0.3%	0.5%
	Grade 9	96.7%	0.1%	0.3%	0.6%	0.7%	0.8%	0.7%
	Grade 10	94.4%	0.2%	0.3%	0.8%	1.7%	1.3%	1.4%
	Grade 11	93.1%	0.3%	0.4%	1.1%	1.7%	1.4%	1.8%
	Grade 12	90.9%	0.2%	0.5%	1.3%	2.5%	2.0%	2.5%
Rohypnol?								
	All	98.9%	0.0%	0.1%	0.1%	0.2%	0.3%	0.4%
	Grade 7	99.2%	0.0%	0.0%	0.2%	0.2%	0.1%	0.2%
	Grade 8	98.8%	0.0%	0.1%	0.1%	0.2%	0.3%	0.4%
	Grade 9	98.6%	0.1%	0.1%	0.1%	0.3%	0.3%	0.5%
	Grade 10	98.7%	0.1%	0.1%	0.1%	0.3%	0.4%	0.4%
	Grade 11	98.7%	0.0%	0.1%	0.2%	0.1%	0.3%	0.5%
	Grade 12	99.2%	0.0%	0.0%	0.1%	0.1%	0.2%	0.3%
Steroids?								
	All	98.9%	0.1%	0.1%	0.1%	0.2%	0.2%	0.5%
	Grade 7	98.9%	0.1%	0.0%	0.1%	0.2%	0.2%	0.4%
	Grade 8	98.9%	0.2%	0.1%	0.0%	0.2%	0.2%	0.5%
	Grade 9	99.1%	0.1%	0.1%	0.0%	0.1%	0.2%	0.4%
	Grade 10	98.9%	0.0%	0.1%	0.1%	0.2%	0.3%	0.5%
	Grade 11	98.8%	0.1%	0.1%	0.1%	0.1%	0.2%	0.6%
	Grade 12	98.8%	0.1%	0.1%	0.1%	0.2%	0.3%	0.4%
Ecstasy?								
	All	95.4%	0.0%	0.2%	0.4%	0.9%	1.4%	1.6%
	Grade 7	99.1%	0.0%	0.1%	0.2%	0.2%	0.3%	0.2%
	Grade 8	98.1%	0.0%	0.1%	0.3%	0.5%	0.5%	0.5%
	Grade 9	95.8%	0.1%	0.4%	0.3%	0.9%	1.2%	1.3%
	Grade 10	94.1%	0.0%	0.2%	0.6%	1.1%	2.0%	2.0%
	Grade 11	92.6%	0.1%	0.2%	0.7%	1.4%	2.1%	2.8%
	Grade 12	91.6%	0.1%	0.1%	0.6%	1.5%	2.4%	3.6%
Heroin?								
	All	99.2%	0.1%	0.1%	0.1%	0.1%	0.2%	0.3%
	Grade 7	99.3%	0.0%	0.1%	0.1%	0.2%	0.2%	0.2%
	Grade 8	99.5%	0.0%	0.1%	0.1%	0.1%	0.1%	0.1%
	Grade 9	99.2%	0.1%	0.0%	0.1%	0.1%	0.2%	0.3%
	Grade 10	99.1%	0.1%	0.0%	0.1%	0.1%	0.2%	0.5%
	Grade 11	98.8%	0.1%	0.2%	0.1%	0.1%	0.3%	0.6%
	Grade 12	99.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.4%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.6	12.3	12.9	13.7	14.3	14.9
Cocaine	11.9	12.6	13.5	14.3	14.9	15.6
Crack	11.6	12.1	13.1	13.7	14.1	15.0
Hallucinogens	11.2	12.4	13.5	14.3	15.0	15.8
Uppers	11.4	12.4	13.4	14.2	14.7	15.4
Downers	11.5	12.4	13.2	14.1	14.4	15.2
Rohypnol	11.6	12.3	13.3	13.7	13.9	14.9
Steroids	10.7	11.4	12.7	13.3	14.3	14.3
Ecstasy	11.4	12.6	13.6	14.3	15.1	16.0
Heroin	11.4	11.9	13.6	13.8	14.0	15.3

Table D-4: Age of first use of marijuana by family situation:

	Never	9/ Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family							
All	79.2%	0.7%	1.5%	5.5%	8.4%	4.4%	0.3%
Grade 7	94.1%	0.4%	1.6%	3.6%	0.3%	0.0%	0.0%
Grade 8	90.2%	0.3%	1.7%	5.2%	2.4%	0.0%	0.1%
Grade 9	79.5%	1.0%	2.2%	7.2%	9.5%	0.5%	0.0%
Grade 10	75.0%	0.9%	1.1%	6.5%	13.3%	3.1%	0.0%
Grade 11	67.1%	1.2%	1.3%	5.4%	14.1%	10.6%	0.3%
Grade 12	63.6%	0.4%	0.7%	4.8%	12.6%	15.8%	2.1%
Other family situation							
All	64.7%	2.4%	3.6%	10.7%	12.5%	5.6%	0.4%
Grade 7	85.9%	2.1%	4.4%	7.0%	0.5%	0.0%	0.0%
Grade 8	75.6%	2.9%	4.0%	12.6%	4.8%	0.0%	0.0%
Grade 9	65.5%	3.1%	4.2%	13.6%	13.2%	0.3%	0.1%
Grade 10	57.3%	1.8%	3.4%	11.6%	21.8%	4.1%	0.0%
Grade 11	54.9%	2.7%	2.7%	10.1%	17.8%	11.4%	0.4%
Grade 12	48.4%	2.0%	2.8%	8.4%	16.5%	19.5%	2.4%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	17.2%	27.3%	8.0%	9.1%	12.4%	26.1%
	Grade 7	27.4%	47.1%	7.4%	5.7%	5.2%	7.2%
	Grade 8	20.9%	39.7%	9.2%	7.8%	8.8%	13.6%
	Grade 9	15.7%	26.0%	8.7%	10.4%	13.5%	25.8%
	Grade 10	14.3%	19.6%	7.5%	10.2%	15.4%	33.0%
	Grade 11	12.3%	15.1%	8.1%	10.4%	15.6%	38.4%
	Grade 12	10.8%	12.0%	6.7%	10.6%	17.1%	42.7%
Cocaine?							
	All	23.5%	38.4%	14.4%	10.5%	5.9%	7.3%
	Grade 7	30.9%	52.2%	8.0%	4.5%	2.2%	2.3%
	Grade 8	26.4%	49.1%	11.5%	5.9%	3.5%	3.7%
	Grade 9	23.1%	38.2%	15.2%	10.3%	6.3%	6.8%
	Grade 10	21.5%	32.7%	15.8%	13.3%	7.9%	8.9%
	Grade 11	19.1%	29.6%	17.6%	14.2%	7.8%	11.6%
	Grade 12	18.2%	25.2%	19.7%	16.0%	8.8%	12.0%
Crack?							
	All	24.6%	39.3%	15.2%	9.8%	5.2%	5.9%
	Grade 7	31.6%	52.0%	7.9%	4.0%	2.3%	2.3%
	Grade 8	26.8%	49.3%	11.2%	5.5%	3.5%	3.6%
	Grade 9	23.8%	39.4%	15.6%	9.9%	5.3%	6.0%
	Grade 10	23.1%	34.2%	16.9%	12.0%	6.8%	7.0%
	Grade 11	21.2%	30.2%	19.0%	14.1%	6.8%	8.6%
	Grade 12	20.0%	27.6%	22.0%	14.7%	7.0%	8.7%
Hallucinogens?							
	All	39.6%	28.6%	11.8%	8.5%	5.3%	6.3%
	Grade 7	56.4%	32.2%	5.1%	3.1%	1.3%	1.7%
	Grade 8	47.3%	33.6%	8.4%	4.5%	2.7%	3.4%
	Grade 9	39.6%	29.0%	12.3%	7.9%	5.1%	6.1%
	Grade 10	34.4%	27.3%	13.5%	10.5%	7.0%	7.2%
	Grade 11	30.0%	25.2%	15.2%	12.4%	7.8%	9.5%
	Grade 12	26.4%	22.5%	17.5%	14.1%	8.7%	10.7%
Uppers?							
	All	52.3%	21.6%	8.1%	6.3%	4.9%	6.9%
	Grade 7	64.0%	27.1%	4.1%	2.2%	1.1%	1.4%
	Grade 8	60.1%	25.1%	6.1%	3.9%	2.1%	2.7%
	Grade 9	54.5%	21.4%	8.1%	5.7%	4.5%	5.8%
	Grade 10	49.2%	19.2%	9.0%	7.6%	6.4%	8.5%
	Grade 11	43.0%	19.3%	9.8%	8.9%	7.7%	11.3%
	Grade 12	39.2%	16.0%	12.3%	10.6%	8.9%	13.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-5: If you wanted some, how difficult would it be to get..

Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Downers?	All	52.2%	21.5%	8.2%	6.2%	4.8%	7.0%
	Grade 7	64.3%	26.9%	4.1%	2.1%	1.1%	1.6%
	Grade 8	59.9%	25.0%	6.5%	3.8%	2.1%	2.7%
	Grade 9	54.2%	21.5%	8.2%	5.6%	4.3%	6.2%
	Grade 10	49.1%	19.3%	9.0%	7.6%	6.4%	8.6%
	Grade 11	43.2%	19.2%	10.2%	8.8%	7.3%	11.3%
	Grade 12	39.2%	15.9%	12.4%	10.7%	8.5%	13.2%
Rohypnol?	All	46.9%	27.9%	11.1%	6.3%	3.2%	4.6%
	Grade 7	61.1%	30.0%	4.4%	2.1%	1.0%	1.3%
	Grade 8	54.0%	31.1%	7.1%	3.5%	1.8%	2.4%
	Grade 9	46.7%	28.2%	11.2%	6.1%	3.3%	4.5%
	Grade 10	42.4%	26.9%	12.8%	7.6%	4.8%	5.5%
	Grade 11	39.3%	26.2%	14.3%	8.9%	4.1%	7.1%
	Grade 12	34.5%	24.2%	18.8%	10.5%	4.5%	7.5%
Steroids?	All	27.7%	39.1%	13.9%	8.9%	4.6%	5.8%
	Grade 7	34.9%	48.6%	7.8%	4.1%	2.2%	2.4%
	Grade 8	30.2%	47.5%	10.9%	5.3%	2.7%	3.4%
	Grade 9	27.6%	39.2%	14.4%	8.7%	4.7%	5.3%
	Grade 10	25.7%	35.8%	15.5%	10.8%	5.7%	6.6%
	Grade 11	24.5%	32.4%	16.8%	11.9%	6.4%	8.0%
	Grade 12	22.2%	28.0%	19.3%	13.7%	6.9%	9.9%
Ecstasy?	All	35.7%	30.2%	11.2%	8.2%	6.2%	8.6%
	Grade 7	56.2%	33.1%	4.9%	2.7%	1.3%	1.8%
	Grade 8	45.4%	35.2%	8.4%	4.0%	3.0%	3.9%
	Grade 9	34.1%	32.1%	12.4%	7.8%	5.8%	7.8%
	Grade 10	27.7%	30.0%	12.1%	11.2%	8.4%	10.5%
	Grade 11	25.1%	25.9%	13.9%	11.3%	9.6%	14.2%
	Grade 12	21.8%	22.8%	16.3%	13.5%	10.4%	15.2%
Heroin?	All	33.5%	38.4%	13.3%	6.7%	3.3%	4.8%
	Grade 7	45.8%	41.8%	5.9%	3.2%	1.6%	1.7%
	Grade 8	38.4%	44.0%	8.8%	3.9%	2.1%	2.8%
	Grade 9	32.5%	39.1%	13.0%	6.9%	3.5%	4.9%
	Grade 10	28.9%	37.3%	16.0%	8.2%	4.2%	5.3%
	Grade 11	27.7%	34.4%	17.5%	9.0%	4.8%	6.6%
	Grade 12	25.2%	32.2%	20.7%	9.7%	4.2%	8.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1- 3 Times	4- 9 Times	10+ Times
Attended class while high from marijuana use?				
All	89.4%	5.4%	2.0%	3.2%
Grade 7	96.2%	2.4%	0.7%	0.7%
Grade 8	92.8%	4.3%	1.3%	1.6%
Grade 9	88.9%	5.7%	2.2%	3.1%
Grade 10	87.2%	6.7%	2.3%	3.9%
Grade 11	85.4%	7.0%	2.9%	4.8%
Grade 12	84.6%	6.8%	2.9%	5.7%
Attended class while high from use of some other drug?				
All	95.5%	2.7%	0.8%	1.0%
Grade 7	97.9%	1.4%	0.2%	0.5%
Grade 8	96.5%	2.3%	0.6%	0.6%
Grade 9	95.2%	2.9%	1.0%	0.9%
Grade 10	94.5%	3.5%	1.1%	0.9%
Grade 11	94.1%	3.2%	1.1%	1.6%
Grade 12	94.1%	3.1%	1.1%	1.6%
Gotten into trouble with teachers because of your drug use?				
All	98.7%	0.8%	0.1%	0.3%
Grade 7	99.1%	0.5%	0.2%	0.2%
Grade 8	99.1%	0.5%	0.1%	0.3%
Grade 9	98.7%	1.0%	0.1%	0.3%
Grade 10	98.5%	1.1%	0.1%	0.3%
Grade 11	98.2%	1.2%	0.3%	0.3%
Grade 12	98.7%	0.9%	0.1%	0.4%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	4.6
Marijuana Non- use	3.6
Average days conduct problems reported	
Marijuana Users:	3.9
Marijuana Non- use	1.2

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-8: During the past twelve months, how many times have you..

	None	1- 3 Times	4- 9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	90.8%	5.5%	1.6%	2.1%
Grade 9	95.9%	2.9%	0.5%	0.7%
Grade 10	93.0%	4.4%	1.4%	1.2%
Grade 11	89.3%	6.3%	1.9%	2.5%
Grade 12	83.3%	9.3%	2.9%	4.5%
Gotten into trouble with the police because of drug use?				
All	97.9%	1.8%	0.2%	0.2%
Grade 7	98.8%	0.8%	0.2%	0.2%
Grade 8	98.6%	1.2%	0.1%	0.2%
Grade 9	97.8%	1.8%	0.2%	0.2%
Grade 10	97.5%	2.2%	0.2%	0.2%
Grade 11	97.1%	2.6%	0.3%	0.1%
Grade 12	97.2%	2.3%	0.3%	0.3%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	49.0%	18.6%	14.1%	13.4%	4.9%
Grade 7	76.8%	11.8%	6.2%	3.8%	1.3%
Grade 8	63.2%	16.4%	9.1%	8.5%	2.9%
Grade 9	44.5%	20.5%	14.7%	15.2%	5.0%
Grade 10	39.0%	20.7%	17.4%	16.0%	6.9%
Grade 11	34.5%	21.2%	19.2%	18.5%	6.7%
Grade 12	31.3%	21.7%	19.3%	20.4%	7.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-10: During the past twelve months, how many times have you..

	None	1- 3 Times	4- 9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	94.8%	4.2%	0.6%	0.3%
Grade 7	97.3%	2.2%	0.4%	0.2%
Grade 8	96.1%	3.1%	0.5%	0.4%
Grade 9	94.2%	4.8%	0.7%	0.3%
Grade 10	93.5%	5.2%	0.9%	0.4%
Grade 11	93.5%	5.5%	0.5%	0.4%
Grade 12	94.0%	5.0%	0.6%	0.4%
Been criticized by someone you were dating because of drug use?				
All	93.7%	4.8%	0.7%	0.7%
Grade 7	97.7%	1.8%	0.3%	0.3%
Grade 8	95.2%	3.6%	0.5%	0.7%
Grade 9	93.5%	5.5%	0.5%	0.6%
Grade 10	92.0%	6.1%	0.9%	1.0%
Grade 11	92.0%	6.0%	1.1%	0.9%
Grade 12	91.3%	6.6%	1.0%	1.0%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
*	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	80.1%	8.2%	4.5%	3.6%	2.9%	0.8%
	Grade 7	92.4%	2.5%	1.8%	1.7%	1.0%	0.6%
	Grade 8	86.9%	4.4%	3.1%	2.7%	2.2%	0.8%
	Grade 9	79.9%	8.2%	4.0%	3.8%	3.2%	0.8%
	Grade 10	75.9%	9.2%	6.3%	4.2%	3.6%	0.8%
	Grade 11	73.0%	11.5%	5.7%	4.8%	4.1%	0.9%
	Grade 12	69.8%	14.9%	6.6%	4.8%	3.4%	0.6%
Blunts?	All	79.6%	6.7%	3.8%	4.6%	4.5%	0.8%
	Grade 7	92.1%	2.5%	1.6%	1.9%	1.3%	0.6%
	Grade 8	87.2%	4.2%	2.7%	2.8%	2.4%	0.7%
	Grade 9	79.1%	6.5%	3.7%	4.6%	5.2%	0.8%
	Grade 10	75.6%	7.4%	4.8%	5.7%	5.6%	0.9%
	Grade 11	72.3%	9.2%	4.6%	6.2%	6.6%	1.1%
	Grade 12	68.6%	11.4%	5.8%	7.0%	6.5%	0.7%
Bongs or water pipes?	All	83.6%	6.0%	3.6%	3.3%	2.9%	0.6%
	Grade 7	94.9%	1.9%	1.1%	0.8%	0.8%	0.5%
	Grade 8	90.7%	3.2%	2.0%	2.0%	1.6%	0.5%
	Grade 9	83.7%	5.4%	3.6%	3.3%	3.3%	0.7%
	Grade 10	80.1%	7.3%	4.2%	4.1%	3.5%	0.8%
	Grade 11	76.6%	8.4%	5.3%	4.9%	4.1%	0.7%
	Grade 12	72.8%	11.0%	6.2%	5.2%	4.2%	0.6%
Pipes?	All	82.6%	5.3%	3.5%	4.4%	3.5%	0.7%
	Grade 7	94.5%	1.7%	1.3%	0.9%	1.0%	0.6%
	Grade 8	90.1%	3.1%	1.8%	2.5%	2.0%	0.6%
	Grade 9	82.4%	5.5%	3.5%	3.9%	3.8%	0.8%
	Grade 10	79.1%	6.2%	4.0%	5.5%	4.4%	0.8%
	Grade 11	75.8%	7.0%	5.1%	6.8%	4.5%	0.8%
	Grade 12	71.0%	9.3%	5.7%	7.8%	5.8%	0.5%
Some other way?	All	87.8%	5.3%	1.6%	1.4%	2.1%	1.8%
	Grade 7	95.4%	1.7%	0.6%	0.5%	0.9%	0.9%
	Grade 8	92.0%	3.1%	1.2%	1.1%	1.5%	1.2%
	Grade 9	87.2%	5.1%	1.5%	1.6%	2.3%	2.2%
	Grade 10	85.9%	5.5%	2.0%	1.6%	2.7%	2.2%
	Grade 11	83.6%	7.2%	2.4%	2.0%	2.8%	2.1%
	Grade 12	81.4%	10.5%	1.7%	1.5%	2.5%	2.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	80.4%	5.9%	5.5%	1.4%	1.4%	5.5%
Grade 7	86.7%	2.3%	2.0%	0.8%	1.2%	6.9%
Grade 8	83.9%	3.8%	3.8%	1.0%	1.3%	6.3%
Grade 9	81.4%	5.6%	5.1%	1.7%	1.2%	5.0%
Grade 10	78.2%	6.7%	6.6%	1.6%	1.5%	5.4%
Grade 11	76.9%	8.1%	7.1%	1.5%	1.9%	4.5%
Grade 12	73.1%	9.9%	9.1%	1.8%	1.7%	4.4%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	57.3%	14.1%	12.2%	12.7%	3.6%
	Grade 7	80.4%	7.9%	3.9%	3.8%	3.9%
	Grade 8	69.2%	11.5%	7.7%	7.4%	4.2%
	Grade 9	54.8%	15.7%	13.6%	12.4%	3.5%
	Grade 10	49.4%	16.5%	14.9%	15.8%	3.3%
	Grade 11	46.7%	15.4%	16.3%	18.3%	3.3%
	Grade 12	38.9%	18.8%	18.3%	20.5%	3.5%
Cocaine?						
	All	85.5%	7.8%	1.5%	0.8%	4.3%
	Grade 7	87.9%	5.9%	1.2%	0.6%	4.3%
	Grade 8	85.2%	7.3%	1.7%	1.0%	4.8%
	Grade 9	83.5%	9.2%	1.7%	0.8%	4.8%
	Grade 10	84.7%	8.7%	1.7%	0.8%	4.2%
	Grade 11	86.3%	7.6%	1.3%	0.9%	4.0%
	Grade 12	85.5%	8.0%	1.5%	1.0%	4.0%
Crack?						
	All	87.0%	6.6%	1.2%	0.8%	4.5%
	Grade 7	88.8%	5.1%	1.0%	0.6%	4.6%
	Grade 8	85.4%	7.0%	1.6%	0.9%	5.1%
	Grade 9	84.9%	8.2%	1.4%	0.8%	4.8%
	Grade 10	87.0%	7.0%	1.1%	0.7%	4.2%
	Grade 11	88.4%	6.0%	1.0%	0.9%	3.7%
	Grade 12	88.1%	5.9%	0.9%	0.9%	4.3%
Ecstasy?						
	All	78.5%	10.2%	3.3%	1.3%	6.7%
	Grade 7	84.4%	5.0%	1.5%	0.6%	8.5%
	Grade 8	79.9%	7.9%	2.5%	1.3%	8.3%
	Grade 9	76.0%	11.5%	3.7%	1.3%	7.4%
	Grade 10	76.9%	12.1%	3.9%	1.6%	5.5%
	Grade 11	77.5%	11.9%	4.1%	1.6%	4.9%
	Grade 12	75.6%	13.6%	4.3%	1.6%	4.9%
Steroids?						
	All	76.0%	13.0%	4.1%	1.5%	5.4%
	Grade 7	81.3%	8.7%	3.0%	1.3%	5.7%
	Grade 8	77.0%	11.7%	4.0%	1.5%	5.8%
	Grade 9	73.7%	14.6%	4.4%	1.4%	5.9%
	Grade 10	75.1%	14.4%	4.0%	1.5%	4.9%
	Grade 11	75.1%	13.6%	4.9%	1.5%	4.9%
	Grade 12	72.9%	15.7%	4.7%	1.7%	5.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table D-14: How dangerous do you think it is for kids your age to use...
(Continued)**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Heroin?					
All	87.1%	5.2%	1.0%	0.8%	5.9%
Grade 7	87.1%	4.2%	0.9%	0.6%	7.1%
Grade 8	85.0%	5.6%	1.3%	0.8%	7.2%
Grade 9	84.6%	6.9%	1.3%	1.0%	6.3%
Grade 10	87.9%	5.4%	1.0%	0.7%	5.0%
Grade 11	89.3%	4.5%	0.8%	0.9%	4.5%
Grade 12	89.3%	4.3%	0.6%	0.9%	4.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-15: How recently, if ever, have you taken...

	Past Month	School Year	Ever Used	Never Used
Methamphetamine?				
All	0.8%	1.2%	2.5%	97.5%
Grade 7	0.5%	0.8%	1.6%	98.4%
Grade 8	0.5%	0.9%	1.9%	98.1%
Grade 9	0.6%	1.0%	2.3%	97.7%
Grade 10	0.9%	1.5%	2.8%	97.2%
Grade 11	1.1%	1.5%	3.4%	96.6%
Grade 12	1.1%	1.8%	3.4%	96.6%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-16: How recently, if ever, have you taken the following PRESCRIPTION DRUGS...

	Past Month	School Year	Ever Used	Never Used
Codeine?				
All	4.0%	6.9%	11.1%	88.9%
Grade 7	3.3%	5.3%	7.7%	92.3%
Grade 8	3.4%	5.0%	8.2%	91.8%
Grade 9	3.9%	6.7%	10.6%	89.4%
Grade 10	4.5%	7.5%	12.2%	87.8%
Grade 11	4.7%	8.4%	13.9%	86.1%
Grade 12	4.4%	9.1%	14.9%	85.1%
Oxycontin, Percodan, Percocet or Oxycodone?				
All	1.2%	2.2%	3.8%	96.2%
Grade 7	0.4%	0.7%	1.3%	98.7%
Grade 8	0.5%	0.9%	1.8%	98.2%
Grade 9	1.2%	2.1%	3.8%	96.2%
Grade 10	1.5%	2.9%	4.7%	95.3%
Grade 11	2.0%	3.3%	5.4%	94.6%
Grade 12	1.9%	3.8%	6.7%	93.3%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.9%	5.5%	8.2%	91.8%
Grade 7	0.7%	1.3%	1.9%	98.1%
Grade 8	1.2%	2.0%	3.1%	96.9%
Grade 9	2.8%	5.0%	7.1%	92.9%
Grade 10	3.8%	7.4%	10.5%	89.5%
Grade 11	4.6%	8.5%	13.1%	86.9%
Grade 12	4.9%	10.3%	15.6%	84.4%
Valium or Diazepam?				
All	0.7%	1.2%	2.1%	97.9%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.8%	1.3%	2.0%	98.0%
Grade 10	0.9%	1.5%	2.6%	97.4%
Grade 11	1.0%	1.6%	3.0%	97.0%
Grade 12	1.1%	2.2%	3.9%	96.1%
Xanax or Alprazolam?				
All	1.5%	2.6%	4.0%	96.0%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.7%	1.1%	1.9%	98.1%
Grade 9	1.5%	2.7%	3.9%	96.1%
Grade 10	1.7%	3.0%	4.7%	95.3%
Grade 11	2.5%	3.6%	5.6%	94.4%
Grade 12	2.3%	4.8%	7.6%	92.4%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table D-17: How recently, if ever, have you taken the following OVER-THE COUNTER drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple C?				
All	1.7%	2.7%	4.6%	95.4%
Grade 7	1.7%	2.3%	3.8%	96.2%
Grade 8	2.1%	2.8%	4.4%	95.6%
Grade 9	1.8%	2.8%	4.6%	95.4%
Grade 10	1.6%	2.9%	4.9%	95.1%
Grade 11	1.7%	2.8%	5.2%	94.8%
Grade 12	1.4%	2.4%	4.5%	95.5%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table I-1: How recently, if ever, have you used...

	Past Month	School Year	Ever Used	Never Used
Spray paint?				
All	0.7%	1.1%	3.5%	96.5%
Grade 7	1.0%	1.4%	4.0%	96.0%
Grade 8	0.9%	1.5%	4.0%	96.0%
Grade 9	0.7%	1.4%	4.2%	95.8%
Grade 10	0.6%	1.0%	3.2%	96.8%
Grade 11	0.4%	0.6%	2.7%	97.3%
Grade 12	0.4%	0.6%	2.8%	97.2%
Whiteout, correction fld?				
All	1.8%	3.1%	8.2%	91.8%
Grade 7	3.4%	5.5%	12.2%	87.8%
Grade 8	2.2%	4.0%	10.1%	89.9%
Grade 9	2.0%	3.7%	9.6%	90.4%
Grade 10	1.4%	2.2%	6.5%	93.5%
Grade 11	1.0%	1.6%	5.4%	94.6%
Grade 12	0.6%	1.1%	4.2%	95.8%
Computer dusting sprays?				
All	0.5%	0.8%	2.1%	97.9%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.4%	0.9%	2.1%	97.9%
Grade 10	0.6%	1.0%	2.2%	97.8%
Grade 11	0.5%	1.0%	3.0%	97.0%
Grade 12	0.4%	0.7%	2.6%	97.4%
Helium, butane, propane, whippets, freon?				
All	2.3%	3.5%	7.8%	92.2%
Grade 7	2.9%	4.4%	8.8%	91.2%
Grade 8	2.5%	3.8%	8.1%	91.9%
Grade 9	2.3%	3.6%	8.6%	91.4%
Grade 10	2.2%	3.6%	7.1%	92.9%
Grade 11	1.6%	2.6%	6.9%	93.1%
Grade 12	1.7%	2.8%	6.8%	93.2%
Glue?				
All	0.5%	0.7%	1.6%	98.4%
Grade 7	0.6%	0.8%	2.0%	98.0%
Grade 8	0.5%	0.9%	2.0%	98.0%
Grade 9	0.5%	0.7%	1.8%	98.2%
Grade 10	0.6%	0.7%	1.5%	98.5%
Grade 11	0.2%	0.4%	1.0%	99.0%
Grade 12	0.3%	0.4%	1.2%	98.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table I-1: How recently, if ever, have you used...
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Toluene,paint thinner,other solvents?				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.7%	1.0%	1.8%	98.2%
Grade 8	0.6%	0.8%	1.8%	98.2%
Grade 9	0.6%	1.0%	2.4%	97.6%
Grade 10	0.3%	0.7%	1.6%	98.4%
Grade 11	0.3%	0.5%	1.3%	98.7%
Grade 12	0.4%	0.6%	1.5%	98.5%
Gasoline,octane booster,carburetor cleaner?				
All	0.9%	1.3%	2.9%	97.1%
Grade 7	1.3%	1.8%	3.7%	96.3%
Grade 8	0.9%	1.5%	3.3%	96.7%
Grade 9	1.1%	1.4%	3.5%	96.5%
Grade 10	0.9%	1.3%	2.5%	97.5%
Grade 11	0.5%	0.7%	1.9%	98.1%
Grade 12	0.7%	1.0%	2.0%	98.0%
Other aerosols/sprays?				
All	0.9%	1.4%	3.0%	97.0%
Grade 7	1.4%	2.0%	4.0%	96.0%
Grade 8	1.4%	1.9%	3.9%	96.1%
Grade 9	1.0%	1.5%	3.3%	96.7%
Grade 10	0.7%	1.2%	2.7%	97.3%
Grade 11	0.3%	0.7%	2.2%	97.8%
Grade 12	0.4%	0.6%	1.8%	98.2%
Any inhalant?				
All	4.5%	6.9%	15.0%	85.0%
Grade 7	6.8%	9.7%	18.4%	81.6%
Grade 8	5.4%	8.5%	17.1%	82.9%
Grade 9	4.8%	7.4%	16.5%	83.5%
Grade 10	3.9%	5.8%	13.6%	86.4%
Grade 11	2.7%	4.5%	12.4%	87.6%
Grade 12	2.7%	4.3%	10.9%	89.1%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	94.2%	0.1%	0.3%	0.6%	0.9%	1.2%	2.8%
Grade 7	92.9%	0.3%	0.6%	1.0%	1.6%	1.5%	2.2%
Grade 8	93.1%	0.2%	0.6%	0.9%	1.0%	1.6%	2.6%
Grade 9	93.7%	0.1%	0.3%	0.5%	0.9%	1.2%	3.4%
Grade 10	95.1%	0.1%	0.2%	0.3%	0.5%	1.0%	2.8%
Grade 11	95.4%	0.0%	0.2%	0.2%	0.6%	0.9%	2.6%
Grade 12	95.3%	0.0%	0.1%	0.3%	0.7%	0.7%	2.9%

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	85.1%	8.0%	4.9%	2.0%
Grade 7	81.8%	9.6%	6.2%	2.5%
Grade 8	83.1%	9.0%	5.8%	2.1%
Grade 9	83.7%	8.2%	5.5%	2.6%
Grade 10	86.5%	7.6%	4.1%	1.8%
Grade 11	87.7%	7.1%	3.8%	1.4%
Grade 12	89.2%	6.0%	3.3%	1.6%

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.7	11.4	11.9	12.6	13.4	13.7

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1- 3 Times	4- 9 Times	10+ Times
All	98.3%	1.2%	0.2%	0.3%
Grade 7	97.5%	1.8%	0.3%	0.4%
Grade 8	98.0%	1.4%	0.3%	0.4%
Grade 9	98.2%	1.2%	0.2%	0.4%
Grade 10	98.6%	1.0%	0.1%	0.3%
Grade 11	98.7%	0.8%	0.2%	0.3%
Grade 12	98.7%	0.7%	0.2%	0.3%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	4.7
Inhalants Non- use	3.7
Average days conduct problems reported	
Inhalants Users:	3.9
Inhalants Non- use	1.5

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	84.7%	10.5%	3.4%	1.2%	0.4%
Grade 7	85.1%	9.1%	3.8%	1.5%	0.5%
Grade 8	83.8%	11.1%	3.7%	1.2%	0.3%
Grade 9	82.5%	12.5%	3.7%	1.2%	0.2%
Grade 10	84.8%	10.5%	3.2%	1.1%	0.4%
Grade 11	85.8%	9.6%	3.2%	0.9%	0.5%
Grade 12	86.6%	9.6%	2.4%	1.0%	0.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	73.6%	14.9%	4.5%	1.6%	5.4%
Grade 7	76.3%	12.0%	4.9%	1.7%	5.1%
Grade 8	72.6%	14.2%	5.4%	2.0%	5.8%
Grade 9	71.2%	16.6%	5.1%	1.5%	5.6%
Grade 10	72.8%	16.4%	3.7%	1.6%	5.5%
Grade 11	74.7%	14.4%	3.9%	1.8%	5.2%
Grade 12	74.5%	15.7%	3.4%	1.2%	5.2%

Table I-9: If you wanted some, how difficult would it be to get..

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Inhalants?						
All	25.1%	19.1%	5.8%	6.8%	10.7%	32.6%
Grade 7	31.7%	30.0%	5.2%	5.6%	7.8%	19.6%
Grade 8	27.0%	24.5%	6.4%	6.7%	10.1%	25.3%
Grade 9	24.1%	18.7%	6.2%	7.5%	10.7%	32.8%
Grade 10	24.1%	15.3%	6.2%	7.3%	11.9%	35.1%
Grade 11	21.9%	14.0%	5.7%	7.3%	11.7%	39.4%
Grade 12	20.6%	9.5%	4.9%	6.3%	12.5%	46.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A school health class	All 46.0%
	Grade 7 42.3%
	Grade 8 48.1%
	Grade 9 49.7%
	Grade 10 48.3%
	Grade 11 44.9%
	Grade 12 42.0%
An assembly program	All 46.9%
	Grade 7 50.4%
	Grade 8 53.8%
	Grade 9 46.2%
	Grade 10 43.8%
	Grade 11 42.2%
	Grade 12 43.8%
Guidance counselor	All 23.9%
	Grade 7 31.3%
	Grade 8 31.8%
	Grade 9 22.2%
	Grade 10 19.1%
	Grade 11 19.2%
	Grade 12 18.5%
Science class	All 32.4%
	Grade 7 41.5%
	Grade 8 31.0%
	Grade 9 35.7%
	Grade 10 29.4%
	Grade 11 27.0%
	Grade 12 28.6%
Social studies class	All 14.8%
	Grade 7 14.4%
	Grade 8 13.9%
	Grade 9 15.3%
	Grade 10 14.0%
	Grade 11 17.2%
	Grade 12 14.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?
(Continued)**

CATEGORY	Yes
Student group session	All 14.2%
	Grade 7 13.8%
	Grade 8 13.9%
	Grade 9 13.6%
	Grade 10 13.2%
	Grade 11 15.3%
	Grade 12 15.5%
An invited school guest	All 32.9%
	Grade 7 38.4%
	Grade 8 37.9%
	Grade 9 31.7%
	Grade 10 28.8%
	Grade 11 29.9%
	Grade 12 29.7%
Another source at school	All 29.6%
	Grade 7 31.2%
	Grade 8 31.5%
	Grade 9 30.8%
	Grade 10 27.5%
	Grade 11 29.3%
	Grade 12 26.9%
Any school source	All 57.0%
	Grade 7 56.6%
	Grade 8 60.9%
	Grade 9 57.9%
	Grade 10 55.5%
	Grade 11 54.3%
	Grade 12 56.4%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY	Yes
Counselor/program in- school	All 35.3%
	Grade 7 48.0%
	Grade 8 40.2%
	Grade 9 33.7%
	Grade 10 29.6%
	Grade 11 30.7%
	Grade 12 27.3%
Another adult in school	All 40.1%
	Grade 7 46.9%
	Grade 8 44.5%
	Grade 9 38.6%
	Grade 10 35.7%
	Grade 11 37.2%
	Grade 12 36.2%
Counselor/program outside- school	All 39.2%
	Grade 7 44.8%
	Grade 8 40.7%
	Grade 9 39.1%
	Grade 10 35.9%
	Grade 11 37.5%
	Grade 12 36.1%
Your parents	All 63.1%
	Grade 7 72.0%
	Grade 8 64.1%
	Grade 9 61.3%
	Grade 10 59.4%
	Grade 11 61.4%
	Grade 12 59.6%
A medical doctor	All 46.9%
	Grade 7 58.0%
	Grade 8 49.7%
	Grade 9 45.6%
	Grade 10 41.7%
	Grade 11 42.4%
	Grade 12 42.4%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)**

CATEGORY	Yes
Your friends	All 67.8%
	Grade 7 59.0%
	Grade 8 64.6%
	Grade 9 69.6%
	Grade 10 70.7%
	Grade 11 71.8%
	Grade 12 72.5%
Another adult	All 61.5%
	Grade 7 63.2%
	Grade 8 62.0%
	Grade 9 62.2%
	Grade 10 60.2%
	Grade 11 61.5%
	Grade 12 59.5%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY		Yes
Seek Help	All	7.2%
	Grade 7	6.8%
	Grade 8	7.9%
	Grade 9	8.6%
	Grade 10	7.3%
	Grade 11	6.5%
	Grade 12	5.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	4.5%	24.0%	25.6%	36.7%	9.2%
Grade 7	5.8%	21.8%	21.7%	36.7%	14.0%
Grade 8	5.0%	24.0%	24.4%	36.6%	10.0%
Grade 9	3.9%	25.2%	25.8%	37.0%	8.1%
Grade 10	4.4%	24.7%	28.3%	35.0%	7.7%
Grade 11	4.3%	23.9%	26.5%	37.9%	7.5%
Grade 12	3.3%	24.3%	27.5%	37.5%	7.4%
Sometimes carry weapons?					
All	66.1%	20.9%	8.3%	3.4%	1.3%
Grade 7	76.6%	15.8%	4.8%	1.8%	1.0%
Grade 8	70.8%	18.9%	6.6%	2.6%	1.0%
Grade 9	64.9%	21.8%	9.0%	3.0%	1.3%
Grade 10	63.2%	22.2%	9.0%	4.0%	1.6%
Grade 11	60.1%	24.0%	9.7%	4.5%	1.6%
Grade 12	59.0%	23.3%	11.0%	5.1%	1.6%
Care about making good grades?					
All	2.5%	12.1%	22.3%	44.6%	18.6%
Grade 7	2.2%	13.7%	20.3%	39.0%	24.7%
Grade 8	2.8%	13.8%	22.3%	41.7%	19.4%
Grade 9	2.5%	12.4%	24.0%	44.3%	16.7%
Grade 10	2.7%	12.2%	23.2%	45.2%	16.7%
Grade 11	2.0%	10.3%	22.2%	48.5%	17.1%
Grade 12	2.4%	9.4%	21.5%	50.0%	16.6%
Belong/want to belong to a gang?					
All	76.9%	13.9%	5.6%	2.4%	1.1%
Grade 7	79.4%	13.1%	4.7%	2.1%	0.8%
Grade 8	74.3%	15.5%	6.6%	2.6%	1.1%
Grade 9	74.6%	15.5%	5.9%	3.1%	1.0%
Grade 10	76.8%	13.8%	5.8%	2.4%	1.2%
Grade 11	77.1%	13.6%	5.7%	2.1%	1.4%
Grade 12	80.2%	11.6%	4.6%	2.3%	1.3%
Wish they could drop out of school?					
All	59.4%	26.9%	8.5%	3.4%	1.8%
Grade 7	67.1%	21.2%	6.7%	3.3%	1.6%
Grade 8	61.0%	25.6%	8.2%	3.7%	1.5%
Grade 9	55.5%	29.1%	9.8%	3.6%	2.0%
Grade 10	55.1%	29.8%	9.5%	4.0%	1.6%
Grade 11	55.8%	29.6%	8.8%	3.7%	2.0%
Grade 12	62.2%	26.3%	7.7%	1.9%	1.9%

**Non-Border - Grades 7-12 Large
SPRING 2012**

Table X-5: How safe do you feel when you are:

		Very Safe	Somewh at Safe	Not Very Safe	Not Safe at All	Don't Know
In your home?						
	All	83.0%	14.7%	1.0%	0.4%	0.9%
	Grade 7	81.5%	16.0%	1.1%	0.3%	1.1%
	Grade 8	80.6%	16.4%	1.3%	0.5%	1.2%
	Grade 9	82.0%	15.6%	1.1%	0.3%	1.0%
	Grade 10	83.2%	14.7%	0.8%	0.4%	0.9%
	Grade 11	85.1%	12.5%	1.1%	0.5%	0.7%
	Grade 12	86.1%	12.5%	0.7%	0.4%	0.3%
Out in your neighborhood?						
	All	44.7%	45.7%	6.2%	1.7%	1.7%
	Grade 7	37.9%	49.6%	7.9%	2.2%	2.3%
	Grade 8	40.3%	48.8%	6.9%	1.8%	2.2%
	Grade 9	43.0%	48.0%	5.7%	1.6%	1.7%
	Grade 10	46.3%	44.9%	5.7%	1.5%	1.5%
	Grade 11	49.9%	41.6%	5.8%	1.5%	1.3%
	Grade 12	53.0%	39.6%	4.9%	1.6%	1.0%
At school?						
	All	45.6%	42.9%	6.1%	2.8%	2.6%
	Grade 7	49.2%	38.1%	6.9%	3.0%	2.8%
	Grade 8	47.1%	40.2%	6.2%	2.9%	3.6%
	Grade 9	40.9%	47.8%	6.3%	2.4%	2.7%
	Grade 10	42.5%	45.9%	6.2%	3.2%	2.3%
	Grade 11	45.7%	43.8%	5.6%	2.8%	2.1%
	Grade 12	49.3%	40.9%	5.3%	2.6%	1.9%

**Non-Border - Grades 7-12 Large
SPRING 2012**

2. Prevalence Tables

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B1: Prevalence and recency of use of selected substances by grade
All students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	10.9%	15.1%	27.3%	72.7%
	Grade 7	3.6%	5.3%	13.2%	86.8%
	Grade 8	5.1%	8.2%	18.9%	81.1%
	Grade 9	9.7%	13.7%	26.7%	73.3%
	Grade 10	12.5%	17.5%	30.8%	69.2%
	Grade 11	15.7%	21.2%	36.1%	63.9%
	Grade 12	21.1%	28.0%	41.7%	58.3%
Alcohol					
	All	24.9%	35.3%	57.8%	42.2%
	Grade 7	11.5%	16.4%	37.1%	62.9%
	Grade 8	16.4%	23.6%	47.3%	52.7%
	Grade 9	24.2%	34.5%	59.9%	40.1%
	Grade 10	28.1%	40.8%	63.8%	36.2%
	Grade 11	31.8%	45.8%	68.9%	31.1%
	Grade 12	41.0%	55.4%	73.4%	26.6%
Inhalants					
	All	4.5%	6.9%	15.0%	85.0%
	Grade 7	6.8%	9.7%	18.4%	81.6%
	Grade 8	5.4%	8.5%	17.1%	82.9%
	Grade 9	4.8%	7.4%	16.5%	83.5%
	Grade 10	3.9%	5.8%	13.6%	86.4%
	Grade 11	2.7%	4.5%	12.4%	87.6%
	Grade 12	2.7%	4.3%	10.9%	89.1%
Any Illicit Drug					
	All	12.2%	17.0%	27.0%	73.0%
	Grade 7	4.1%	5.5%	10.3%	89.7%
	Grade 8	6.8%	9.5%	16.3%	83.7%
	Grade 9	11.9%	16.9%	26.7%	73.3%
	Grade 10	14.7%	20.5%	32.6%	67.4%
	Grade 11	16.7%	23.7%	37.4%	62.6%
	Grade 12	20.8%	28.3%	42.6%	57.4%
Marijuana					
	All	11.1%	16.0%	26.2%	73.8%
	Grade 7	3.2%	4.5%	8.8%	91.2%
	Grade 8	6.0%	8.8%	15.3%	84.7%
	Grade 9	11.1%	16.2%	26.0%	74.0%
	Grade 10	13.5%	19.5%	31.8%	68.2%
	Grade 11	15.3%	22.6%	36.7%	63.3%
	Grade 12	19.4%	27.4%	42.1%	57.9%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	5.4%	8.4%	15.8%	84.2%
	Grade 7	1.7%	2.4%	5.6%	94.4%
	Grade 8	3.1%	5.0%	9.7%	90.3%
	Grade 9	5.7%	8.7%	16.0%	84.0%
	Grade 10	6.7%	10.4%	19.3%	80.7%
	Grade 11	7.0%	11.5%	21.8%	78.2%
	Grade 12	8.7%	13.9%	24.8%	75.2%
Cocaine or Crack					
	All	1.2%	1.9%	4.0%	96.0%
	Grade 7	0.5%	0.9%	1.8%	98.2%
	Grade 8	0.6%	1.0%	2.1%	97.9%
	Grade 9	0.9%	1.6%	3.4%	96.6%
	Grade 10	1.4%	2.3%	4.9%	95.1%
	Grade 11	1.7%	2.8%	6.3%	93.7%
	Grade 12	2.0%	3.4%	6.3%	93.7%
Cocaine					
	All	1.0%	1.7%	3.7%	96.3%
	Grade 7	0.3%	0.6%	1.3%	98.7%
	Grade 8	0.4%	0.7%	1.6%	98.4%
	Grade 9	0.8%	1.4%	3.1%	96.9%
	Grade 10	1.3%	2.1%	4.5%	95.5%
	Grade 11	1.7%	2.7%	6.1%	93.9%
	Grade 12	2.0%	3.3%	6.2%	93.8%
Crack					
	All	0.3%	0.6%	1.2%	98.8%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.3%	0.5%	1.2%	98.8%
	Grade 9	0.3%	0.6%	1.0%	99.0%
	Grade 10	0.4%	0.6%	1.6%	98.4%
	Grade 11	0.3%	0.5%	1.4%	98.6%
	Grade 12	0.2%	0.4%	0.9%	99.1%
Hallucinogens					
	All	1.3%	2.2%	4.1%	95.9%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	0.8%	1.3%	2.4%	97.6%
	Grade 9	1.4%	2.1%	3.8%	96.2%
	Grade 10	1.4%	2.7%	5.4%	94.6%
	Grade 11	1.7%	2.9%	5.9%	94.1%
	Grade 12	2.0%	3.7%	6.7%	93.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	1.7%	2.6%	4.5%	95.5%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.7%	0.9%	1.5%	98.5%
	Grade 9	1.4%	1.9%	3.4%	96.6%
	Grade 10	2.3%	3.4%	5.7%	94.3%
	Grade 11	2.5%	4.4%	7.5%	92.5%
	Grade 12	3.3%	5.3%	9.2%	90.8%
	Downers	All	1.8%	2.8%	4.6%
Grade 7		0.3%	0.5%	0.8%	99.2%
Grade 8		0.6%	0.9%	1.4%	98.6%
Grade 9		1.5%	2.3%	3.5%	96.5%
Grade 10		2.4%	3.6%	5.8%	94.2%
Grade 11		2.9%	4.7%	7.5%	92.5%
Grade 12		3.7%	5.6%	9.5%	90.5%
Rohypnol		All	0.5%	0.7%	1.4%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.6%	0.8%	1.7%	98.3%
	Grade 9	0.7%	1.0%	1.8%	98.2%
	Grade 10	0.6%	0.9%	1.7%	98.3%
	Grade 11	0.3%	0.6%	1.4%	98.6%
	Grade 12	0.3%	0.6%	1.1%	98.9%
	Steroids	All	0.4%	0.7%	1.5%
Grade 7		0.6%	0.8%	1.5%	98.5%
Grade 8		0.3%	0.5%	1.6%	98.4%
Grade 9		0.2%	0.4%	1.2%	98.8%
Grade 10		0.6%	0.8%	1.3%	98.7%
Grade 11		0.6%	0.8%	1.6%	98.4%
Grade 12		0.5%	0.8%	1.5%	98.5%
Ecstasy		All	1.5%	2.6%	5.2%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.7%	1.1%	2.3%	97.7%
	Grade 9	1.6%	2.5%	4.6%	95.4%
	Grade 10	1.8%	3.2%	6.6%	93.4%
	Grade 11	2.2%	3.9%	8.3%	91.7%
	Grade 12	2.4%	4.3%	8.9%	91.1%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	0.4%	0.5%	1.1%	98.9%
Grade 10	0.3%	0.6%	1.2%	98.8%
Grade 11	0.4%	0.4%	1.1%	98.9%
Grade 12	0.4%	0.6%	1.2%	98.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.1%	17.7%	30.7%	69.3%
	Grade 7	4.1%	5.9%	14.4%	85.6%
	Grade 8	5.8%	9.0%	21.0%	79.0%
	Grade 9	11.3%	15.4%	29.4%	70.6%
	Grade 10	14.8%	20.3%	34.4%	65.6%
	Grade 11	19.2%	24.9%	41.0%	59.0%
	Grade 12	26.8%	34.7%	48.4%	51.6%
Alcohol					
	All	24.7%	33.9%	56.2%	43.8%
	Grade 7	10.8%	15.3%	37.1%	62.9%
	Grade 8	15.3%	21.6%	45.4%	54.6%
	Grade 9	22.5%	32.1%	57.3%	42.7%
	Grade 10	27.7%	39.3%	61.1%	38.9%
	Grade 11	32.6%	44.3%	66.9%	33.1%
	Grade 12	43.7%	56.3%	73.7%	26.3%
Inhalants					
	All	3.9%	6.1%	13.8%	86.2%
	Grade 7	5.8%	8.1%	16.2%	83.8%
	Grade 8	4.8%	7.3%	14.8%	85.2%
	Grade 9	3.8%	6.1%	13.6%	86.4%
	Grade 10	3.2%	5.1%	12.5%	87.5%
	Grade 11	2.5%	4.4%	12.5%	87.5%
	Grade 12	3.2%	5.1%	12.6%	87.4%
Any Illicit Drug					
	All	13.8%	18.7%	29.4%	70.6%
	Grade 7	4.5%	6.0%	11.2%	88.8%
	Grade 8	7.0%	10.1%	17.9%	82.1%
	Grade 9	12.6%	17.4%	28.5%	71.5%
	Grade 10	16.6%	22.6%	35.3%	64.7%
	Grade 11	19.5%	26.7%	41.3%	58.7%
	Grade 12	25.6%	33.1%	47.0%	53.0%
Marijuana					
	All	12.7%	17.9%	28.8%	71.2%
	Grade 7	3.6%	5.2%	10.1%	89.9%
	Grade 8	6.2%	9.5%	17.3%	82.7%
	Grade 9	11.9%	16.9%	28.1%	71.9%
	Grade 10	14.9%	21.5%	34.4%	65.6%
	Grade 11	17.5%	25.3%	40.6%	59.4%
	Grade 12	24.3%	32.4%	46.7%	53.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	6.0%	9.3%	17.2%	82.8%
	Grade 7	2.1%	3.1%	6.5%	93.5%
	Grade 8	3.4%	5.5%	11.1%	88.9%
	Grade 9	6.0%	8.9%	17.6%	82.4%
	Grade 10	7.4%	11.6%	21.0%	79.0%
	Grade 11	8.1%	12.9%	23.9%	76.1%
	Grade 12	10.2%	15.4%	25.7%	74.3%
Cocaine or Crack					
	All	1.5%	2.3%	4.7%	95.3%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	0.7%	1.0%	2.2%	97.8%
	Grade 9	1.0%	1.7%	3.6%	96.4%
	Grade 10	1.8%	2.6%	5.5%	94.5%
	Grade 11	2.3%	3.5%	7.6%	92.4%
	Grade 12	2.9%	4.9%	8.4%	91.6%
Cocaine					
	All	1.3%	2.1%	4.4%	95.6%
	Grade 7	0.3%	0.6%	1.3%	98.7%
	Grade 8	0.5%	0.7%	1.9%	98.1%
	Grade 9	0.9%	1.5%	3.3%	96.7%
	Grade 10	1.5%	2.3%	5.2%	94.8%
	Grade 11	2.2%	3.4%	7.5%	92.5%
	Grade 12	2.8%	4.7%	8.4%	91.6%
Crack					
	All	0.4%	0.6%	1.2%	98.8%
	Grade 7	0.3%	0.5%	0.9%	99.1%
	Grade 8	0.3%	0.5%	1.0%	99.0%
	Grade 9	0.3%	0.5%	1.0%	99.0%
	Grade 10	0.5%	0.9%	1.7%	98.3%
	Grade 11	0.5%	0.7%	1.7%	98.3%
	Grade 12	0.3%	0.6%	1.3%	98.7%
Hallucinogens					
	All	1.6%	2.7%	5.1%	94.9%
	Grade 7	0.6%	0.9%	1.3%	98.7%
	Grade 8	1.0%	1.7%	3.1%	96.9%
	Grade 9	1.6%	2.4%	4.4%	95.6%
	Grade 10	1.6%	2.8%	6.1%	93.9%
	Grade 11	2.5%	4.2%	7.8%	92.2%
	Grade 12	2.8%	5.1%	8.7%	91.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	1.8%	2.8%	4.8%	95.2%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.7%	0.9%	1.6%	98.4%
	Grade 9	1.4%	2.0%	3.4%	96.6%
	Grade 10	2.3%	3.3%	5.5%	94.5%
	Grade 11	2.6%	4.5%	7.6%	92.4%
	Grade 12	4.0%	6.5%	11.0%	89.0%
Downers	All	2.1%	3.2%	5.1%	94.9%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.7%	1.0%	1.6%	98.4%
	Grade 9	1.5%	2.3%	3.4%	96.6%
	Grade 10	2.4%	3.8%	6.1%	93.9%
	Grade 11	3.3%	5.1%	8.4%	91.6%
	Grade 12	4.7%	7.1%	11.8%	88.2%
Rohypnol	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.5%	0.8%	1.5%	98.5%
	Grade 9	0.5%	0.7%	1.6%	98.4%
	Grade 10	0.7%	0.9%	1.5%	98.5%
	Grade 11	0.5%	0.6%	1.3%	98.7%
	Grade 12	0.4%	0.8%	1.5%	98.5%
Steroids	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.8%	0.9%	1.6%	98.4%
	Grade 8	0.3%	0.5%	1.9%	98.1%
	Grade 9	0.2%	0.4%	1.3%	98.7%
	Grade 10	0.8%	0.9%	1.6%	98.4%
	Grade 11	1.0%	1.3%	2.3%	97.7%
	Grade 12	0.7%	1.4%	2.2%	97.8%
Ecstasy	All	1.7%	2.8%	5.6%	94.4%
	Grade 7	0.5%	0.8%	1.3%	98.7%
	Grade 8	0.7%	1.1%	2.3%	97.7%
	Grade 9	1.5%	2.4%	4.7%	95.3%
	Grade 10	1.8%	3.3%	6.7%	93.3%
	Grade 11	2.9%	4.5%	9.3%	90.7%
	Grade 12	2.9%	5.4%	10.2%	89.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.2%	0.4%	1.0%	99.0%
Grade 10	0.4%	0.8%	1.4%	98.6%
Grade 11	0.4%	0.6%	1.2%	98.8%
Grade 12	0.4%	0.7%	1.4%	98.6%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	8.8%	12.7%	24.1%	75.9%
	Grade 7	3.1%	4.7%	11.8%	88.2%
	Grade 8	4.4%	7.4%	16.7%	83.3%
	Grade 9	8.1%	12.1%	24.3%	75.7%
	Grade 10	10.5%	14.9%	27.2%	72.8%
	Grade 11	12.5%	17.8%	31.7%	68.3%
	Grade 12	15.8%	21.7%	35.6%	64.4%
Alcohol					
	All	25.0%	36.5%	59.2%	40.8%
	Grade 7	12.0%	17.3%	37.0%	63.0%
	Grade 8	17.5%	25.3%	49.0%	51.0%
	Grade 9	25.8%	36.8%	62.4%	37.6%
	Grade 10	28.1%	42.0%	66.2%	33.8%
	Grade 11	31.0%	47.1%	70.7%	29.3%
	Grade 12	38.6%	54.8%	73.3%	26.7%
Inhalants					
	All	4.9%	7.5%	16.1%	83.9%
	Grade 7	7.6%	11.0%	20.4%	79.6%
	Grade 8	6.1%	9.8%	19.1%	80.9%
	Grade 9	5.7%	8.7%	19.2%	80.8%
	Grade 10	4.1%	6.2%	14.3%	85.7%
	Grade 11	2.8%	4.4%	12.1%	87.9%
	Grade 12	2.2%	3.5%	9.4%	90.6%
Any Illicit Drug					
	All	10.5%	15.2%	24.6%	75.4%
	Grade 7	3.8%	5.0%	9.3%	90.7%
	Grade 8	6.6%	8.8%	14.7%	85.3%
	Grade 9	11.2%	16.4%	25.1%	74.9%
	Grade 10	13.0%	18.5%	29.9%	70.1%
	Grade 11	13.8%	20.8%	33.8%	66.2%
	Grade 12	16.3%	23.9%	38.5%	61.5%
Marijuana					
	All	9.6%	14.3%	23.6%	76.4%
	Grade 7	2.7%	3.7%	7.6%	92.4%
	Grade 8	5.7%	8.0%	13.5%	86.5%
	Grade 9	10.3%	15.5%	24.0%	76.0%
	Grade 10	12.1%	17.7%	29.2%	70.8%
	Grade 11	13.0%	20.0%	33.1%	66.9%
	Grade 12	14.9%	22.8%	37.8%	62.2%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	4.7%	7.6%	14.5%	85.5%
	Grade 7	1.3%	1.7%	4.6%	95.4%
	Grade 8	2.7%	4.3%	8.4%	91.6%
	Grade 9	5.4%	8.5%	14.5%	85.5%
	Grade 10	6.1%	9.4%	17.7%	82.3%
	Grade 11	5.9%	10.2%	20.0%	80.0%
	Grade 12	7.4%	12.6%	24.1%	75.9%
Cocaine or Crack					
	All	0.9%	1.6%	3.4%	96.6%
	Grade 7	0.5%	1.0%	2.0%	98.0%
	Grade 8	0.6%	1.0%	1.9%	98.1%
	Grade 9	0.9%	1.4%	3.2%	96.8%
	Grade 10	1.1%	2.1%	4.3%	95.7%
	Grade 11	1.1%	2.1%	5.0%	95.0%
	Grade 12	1.2%	2.0%	4.2%	95.8%
Cocaine					
	All	0.8%	1.4%	3.0%	97.0%
	Grade 7	0.3%	0.6%	1.3%	98.7%
	Grade 8	0.4%	0.6%	1.3%	98.7%
	Grade 9	0.8%	1.2%	2.9%	97.1%
	Grade 10	1.0%	2.0%	4.0%	96.0%
	Grade 11	1.1%	1.9%	4.7%	95.3%
	Grade 12	1.2%	2.0%	4.2%	95.8%
Crack					
	All	0.3%	0.5%	1.2%	98.8%
	Grade 7	0.4%	0.7%	1.5%	98.5%
	Grade 8	0.4%	0.5%	1.3%	98.7%
	Grade 9	0.4%	0.6%	1.1%	98.9%
	Grade 10	0.3%	0.4%	1.5%	98.5%
	Grade 11	0.1%	0.4%	1.1%	98.9%
	Grade 12	0.1%	0.2%	0.5%	99.5%
Hallucinogens					
	All	1.0%	1.6%	3.2%	96.8%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	1.2%	1.8%	3.2%	96.8%
	Grade 10	1.3%	2.3%	4.5%	95.5%
	Grade 11	1.0%	1.8%	4.2%	95.8%
	Grade 12	1.2%	2.3%	4.7%	95.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	1.6%	2.4%	4.2%	95.8%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.6%	0.8%	1.3%	98.7%
	Grade 9	1.3%	1.9%	3.3%	96.7%
	Grade 10	2.4%	3.6%	5.8%	94.2%
	Grade 11	2.3%	4.1%	7.2%	92.8%
	Grade 12	2.7%	4.2%	7.4%	92.6%
Downers	All	1.6%	2.4%	4.0%	96.0%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.5%	0.8%	1.2%	98.8%
	Grade 9	1.4%	2.2%	3.5%	96.5%
	Grade 10	2.4%	3.4%	5.6%	94.4%
	Grade 11	2.5%	4.1%	6.6%	93.4%
	Grade 12	2.7%	4.1%	7.4%	92.6%
Rohypnol	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.4%	0.4%	0.7%	99.3%
	Grade 8	0.7%	0.8%	1.8%	98.2%
	Grade 9	0.8%	1.2%	1.9%	98.1%
	Grade 10	0.6%	0.9%	1.8%	98.2%
	Grade 11	0.2%	0.6%	1.5%	98.5%
	Grade 12	0.2%	0.4%	0.8%	99.2%
Steroids	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.4%	0.7%	1.4%	98.6%
	Grade 8	0.3%	0.6%	1.3%	98.7%
	Grade 9	0.2%	0.4%	1.1%	98.9%
	Grade 10	0.3%	0.7%	1.1%	98.9%
	Grade 11	0.1%	0.3%	1.0%	99.0%
	Grade 12	0.2%	0.4%	0.8%	99.2%
Ecstasy	All	1.3%	2.3%	4.8%	95.2%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.7%	1.0%	2.4%	97.6%
	Grade 9	1.6%	2.6%	4.6%	95.4%
	Grade 10	1.8%	3.2%	6.5%	93.5%
	Grade 11	1.5%	3.3%	7.5%	92.5%
	Grade 12	1.9%	3.3%	7.6%	92.4%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.6%	1.3%	98.7%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	0.5%	0.7%	1.2%	98.8%
Grade 10	0.2%	0.3%	1.0%	99.0%
Grade 11	0.3%	0.3%	1.1%	98.9%
Grade 12	0.3%	0.5%	0.9%	99.1%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B4: Prevalence and recency of use of selected substances by grade
White students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.7%	18.2%	28.7%	71.3%
	Grade 7	3.3%	4.9%	11.3%	88.7%
	Grade 8	5.6%	8.5%	17.9%	82.1%
	Grade 9	11.8%	15.6%	26.4%	73.6%
	Grade 10	16.9%	22.4%	32.9%	67.1%
	Grade 11	20.0%	25.9%	39.8%	60.2%
	Grade 12	26.2%	33.7%	45.8%	54.2%
Alcohol					
	All	24.2%	35.0%	55.6%	44.4%
	Grade 7	8.4%	13.3%	32.0%	68.0%
	Grade 8	12.6%	19.5%	41.7%	58.3%
	Grade 9	22.1%	33.7%	56.9%	43.1%
	Grade 10	28.3%	40.9%	61.6%	38.4%
	Grade 11	33.6%	47.6%	69.4%	30.6%
	Grade 12	42.5%	57.3%	73.9%	26.1%
Inhalants					
	All	4.0%	6.1%	14.1%	85.9%
	Grade 7	5.5%	8.3%	15.8%	84.2%
	Grade 8	4.0%	6.7%	14.1%	85.9%
	Grade 9	4.2%	6.1%	15.4%	84.6%
	Grade 10	4.2%	6.0%	14.2%	85.8%
	Grade 11	2.8%	4.8%	12.9%	87.1%
	Grade 12	2.9%	4.8%	12.1%	87.9%
Any Illicit Drug					
	All	10.7%	15.3%	23.2%	76.8%
	Grade 7	2.8%	3.7%	6.1%	93.9%
	Grade 8	4.6%	6.8%	10.7%	89.3%
	Grade 9	9.2%	13.3%	20.0%	80.0%
	Grade 10	13.3%	18.5%	28.2%	71.8%
	Grade 11	15.8%	23.9%	36.2%	63.8%
	Grade 12	19.4%	27.0%	40.5%	59.5%
Marijuana					
	All	9.6%	14.3%	22.3%	77.7%
	Grade 7	2.3%	3.0%	5.0%	95.0%
	Grade 8	3.8%	6.1%	9.6%	90.4%
	Grade 9	8.2%	12.5%	19.0%	81.0%
	Grade 10	12.2%	17.5%	27.3%	72.7%
	Grade 11	14.4%	22.5%	35.2%	64.8%
	Grade 12	17.6%	25.5%	39.9%	60.1%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	4.1%	7.1%	12.8%	87.2%
	Grade 7	1.0%	1.5%	2.9%	97.1%
	Grade 8	1.9%	3.5%	5.8%	94.2%
	Grade 9	3.7%	6.4%	11.3%	88.7%
	Grade 10	5.2%	8.5%	15.5%	84.5%
	Grade 11	6.7%	12.0%	20.7%	79.3%
	Grade 12	6.7%	11.6%	21.8%	78.2%
Cocaine or Crack					
	All	0.8%	1.5%	3.1%	96.9%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.5%	0.7%	1.4%	98.6%
	Grade 9	0.6%	1.1%	1.9%	98.1%
	Grade 10	1.2%	1.9%	3.7%	96.3%
	Grade 11	1.2%	2.3%	4.9%	95.1%
	Grade 12	1.3%	2.8%	5.8%	94.2%
Cocaine					
	All	0.8%	1.3%	2.8%	97.2%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.3%	0.4%	0.9%	99.1%
	Grade 9	0.6%	1.0%	1.8%	98.2%
	Grade 10	1.1%	1.8%	3.5%	96.5%
	Grade 11	1.1%	2.0%	4.6%	95.4%
	Grade 12	1.2%	2.7%	5.8%	94.2%
Crack					
	All	0.3%	0.5%	1.0%	99.0%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.2%	0.5%	0.9%	99.1%
	Grade 9	0.1%	0.3%	0.6%	99.4%
	Grade 10	0.4%	0.6%	1.4%	98.6%
	Grade 11	0.4%	0.8%	1.6%	98.4%
	Grade 12	0.2%	0.4%	0.9%	99.1%
Hallucinogens					
	All	1.4%	2.6%	4.9%	95.1%
	Grade 7	0.5%	0.8%	1.3%	98.7%
	Grade 8	0.6%	1.1%	2.1%	97.9%
	Grade 9	1.3%	2.2%	4.2%	95.8%
	Grade 10	1.8%	3.3%	6.4%	93.6%
	Grade 11	1.9%	3.8%	7.3%	92.7%
	Grade 12	2.4%	4.8%	8.8%	91.2%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	2.1%	3.1%	5.3%	94.7%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.8%	1.0%	1.7%	98.3%
	Grade 9	1.4%	2.0%	3.5%	96.5%
	Grade 10	3.1%	4.3%	6.9%	93.1%
	Grade 11	2.8%	4.8%	8.5%	91.5%
	Grade 12	4.3%	6.7%	11.0%	89.0%
Downers	All	2.1%	3.2%	5.0%	95.0%
	Grade 7	0.3%	0.4%	0.6%	99.4%
	Grade 8	0.6%	0.9%	1.4%	98.6%
	Grade 9	1.4%	2.0%	3.1%	96.9%
	Grade 10	3.1%	4.6%	6.8%	93.2%
	Grade 11	3.2%	4.9%	8.0%	92.0%
	Grade 12	4.5%	6.6%	11.0%	89.0%
Rohypnol	All	0.4%	0.5%	1.1%	98.9%
	Grade 7	0.4%	0.5%	0.7%	99.3%
	Grade 8	0.2%	0.4%	1.0%	99.0%
	Grade 9	0.3%	0.5%	1.1%	98.9%
	Grade 10	0.6%	0.8%	1.6%	98.4%
	Grade 11	0.5%	0.7%	1.4%	98.6%
	Grade 12	0.2%	0.5%	1.0%	99.0%
Steroids	All	0.5%	0.7%	1.5%	98.5%
	Grade 7	0.4%	0.5%	1.3%	98.7%
	Grade 8	0.3%	0.4%	1.5%	98.5%
	Grade 9	0.2%	0.4%	1.3%	98.7%
	Grade 10	0.7%	1.0%	1.6%	98.4%
	Grade 11	0.7%	0.9%	1.7%	98.3%
	Grade 12	0.5%	1.0%	1.7%	98.3%
Ecstasy	All	1.3%	2.5%	4.9%	95.1%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.5%	0.7%	1.7%	98.3%
	Grade 9	0.9%	1.9%	3.6%	96.4%
	Grade 10	2.0%	3.5%	6.4%	93.6%
	Grade 11	1.8%	3.2%	7.9%	92.1%
	Grade 12	2.4%	5.2%	9.5%	90.5%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.4%	0.5%	1.2%	98.8%
Grade 12	0.4%	0.5%	1.2%	98.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	6.6%	9.3%	20.3%	79.7%
	Grade 7	3.1%	4.1%	11.9%	88.1%
	Grade 8	2.8%	4.2%	15.5%	84.5%
	Grade 9	5.7%	8.9%	20.1%	79.9%
	Grade 10	6.0%	8.3%	20.7%	79.3%
	Grade 11	10.3%	14.5%	26.3%	73.7%
	Grade 12	13.0%	17.4%	29.3%	70.7%
Alcohol					
	All	21.0%	31.1%	54.5%	45.5%
	Grade 7	8.9%	13.2%	33.5%	66.5%
	Grade 8	17.0%	24.4%	45.3%	54.7%
	Grade 9	20.7%	28.4%	57.7%	42.3%
	Grade 10	21.6%	34.8%	59.5%	40.5%
	Grade 11	27.3%	41.7%	65.8%	34.2%
	Grade 12	33.2%	48.0%	68.5%	31.5%
Inhalants					
	All	3.6%	5.9%	12.0%	88.0%
	Grade 7	5.3%	7.0%	12.5%	87.5%
	Grade 8	5.6%	9.1%	16.5%	83.5%
	Grade 9	4.0%	7.3%	15.1%	84.9%
	Grade 10	2.4%	3.6%	9.2%	90.8%
	Grade 11	2.1%	3.7%	10.7%	89.3%
	Grade 12	2.1%	3.8%	6.9%	93.1%
Any Illicit Drug					
	All	12.0%	16.5%	27.1%	72.9%
	Grade 7	3.8%	4.4%	10.3%	89.7%
	Grade 8	7.4%	9.0%	18.5%	81.5%
	Grade 9	11.5%	17.1%	27.8%	72.2%
	Grade 10	14.2%	21.1%	31.8%	68.2%
	Grade 11	16.5%	21.7%	34.9%	65.1%
	Grade 12	20.7%	28.5%	42.5%	57.5%
Marijuana					
	All	11.4%	16.1%	26.9%	73.1%
	Grade 7	2.8%	3.7%	9.2%	90.8%
	Grade 8	6.4%	8.2%	17.9%	82.1%
	Grade 9	11.4%	17.0%	27.6%	72.4%
	Grade 10	13.3%	19.7%	31.3%	68.7%
	Grade 11	15.7%	21.6%	35.7%	64.3%
	Grade 12	20.6%	29.0%	42.9%	57.1%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	7.7%	11.2%	20.1%	79.9%
	Grade 7	2.2%	2.5%	6.8%	93.2%
	Grade 8	4.5%	5.8%	13.3%	86.7%
	Grade 9	7.5%	11.5%	20.7%	79.3%
	Grade 10	9.7%	14.8%	24.3%	75.7%
	Grade 11	10.0%	13.9%	25.1%	74.9%
	Grade 12	13.9%	20.7%	32.9%	67.1%
Cocaine or Crack					
	All	0.6%	0.9%	1.7%	98.3%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.3%	0.3%	1.2%	98.8%
	Grade 9	0.8%	1.2%	2.0%	98.0%
	Grade 10	0.4%	0.8%	2.1%	97.9%
	Grade 11	1.2%	1.8%	2.9%	97.1%
	Grade 12	0.4%	0.6%	0.9%	99.1%
Cocaine					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.3%	0.3%	0.8%	99.2%
	Grade 8	0.0%	0.0%	0.8%	99.2%
	Grade 9	0.7%	1.1%	1.5%	98.5%
	Grade 10	0.2%	0.5%	1.8%	98.2%
	Grade 11	1.2%	1.7%	2.9%	97.1%
	Grade 12	0.4%	0.4%	0.8%	99.2%
Crack					
	All	0.2%	0.4%	0.8%	99.2%
	Grade 7	0.4%	0.4%	1.0%	99.0%
	Grade 8	0.3%	0.3%	0.8%	99.2%
	Grade 9	0.4%	0.5%	1.0%	99.0%
	Grade 10	0.2%	0.5%	0.8%	99.2%
	Grade 11	0.2%	0.6%	0.7%	99.3%
	Grade 12	0.1%	0.3%	0.4%	99.6%
Hallucinogens					
	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.5%	0.9%	1.8%	98.2%
	Grade 9	0.4%	0.6%	1.4%	98.6%
	Grade 10	0.3%	1.2%	2.5%	97.5%
	Grade 11	1.1%	1.8%	3.2%	96.8%
	Grade 12	1.3%	1.6%	2.1%	97.9%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	0.8%	1.2%	2.3%	97.7%
	Grade 7	0.4%	0.5%	1.2%	98.8%
	Grade 8	0.3%	0.4%	0.8%	99.2%
	Grade 9	0.6%	0.7%	1.8%	98.2%
	Grade 10	0.5%	0.6%	1.7%	98.3%
	Grade 11	1.6%	3.1%	4.7%	95.3%
	Grade 12	1.6%	2.4%	3.8%	96.2%
	Downers	All	1.0%	1.6%	2.6%
Grade 7		0.1%	0.3%	0.9%	99.1%
Grade 8		0.4%	0.6%	0.7%	99.3%
Grade 9		0.7%	1.1%	2.2%	97.8%
Grade 10		0.3%	0.8%	1.6%	98.4%
Grade 11		2.8%	4.1%	5.9%	94.1%
Grade 12		1.7%	3.2%	4.9%	95.1%
Rohypnol		All	0.3%	0.4%	0.8%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.5%	0.5%	1.1%	98.9%
	Grade 9	0.5%	0.8%	1.4%	98.6%
	Grade 10	0.1%	0.3%	0.6%	99.4%
	Grade 11	0.1%	0.2%	0.5%	99.5%
	Grade 12	0.2%	0.3%	0.8%	99.2%
	Steroids	All	0.3%	0.5%	1.3%
Grade 7		0.8%	1.1%	1.7%	98.3%
Grade 8		0.7%	0.7%	2.5%	97.5%
Grade 9		0.0%	0.3%	0.6%	99.4%
Grade 10		0.3%	0.4%	0.7%	99.3%
Grade 11		0.0%	0.0%	1.7%	98.3%
Grade 12		0.2%	0.2%	0.8%	99.2%
Ecstasy		All	1.1%	1.7%	2.8%
	Grade 7	0.7%	0.8%	1.2%	98.8%
	Grade 8	0.4%	0.5%	1.0%	99.0%
	Grade 9	1.8%	2.3%	3.5%	96.5%
	Grade 10	0.6%	1.7%	3.0%	97.0%
	Grade 11	1.5%	2.6%	4.0%	96.0%
	Grade 12	1.8%	2.3%	4.3%	95.7%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.6%	0.9%	99.1%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.4%	0.9%	1.0%	99.0%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.6%	0.6%	0.7%	99.3%
Grade 12	0.4%	0.4%	0.7%	99.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	10.0%	14.7%	29.1%	70.9%
	Grade 7	4.1%	6.1%	15.4%	84.6%
	Grade 8	5.4%	9.3%	21.2%	78.8%
	Grade 9	9.6%	14.3%	30.1%	69.9%
	Grade 10	10.8%	16.3%	32.9%	67.1%
	Grade 11	13.8%	19.5%	37.3%	62.7%
	Grade 12	19.2%	26.7%	43.3%	56.7%
Alcohol					
	All	27.6%	37.9%	61.9%	38.1%
	Grade 7	15.5%	20.6%	43.4%	56.6%
	Grade 8	20.0%	27.1%	53.5%	46.5%
	Grade 9	28.3%	38.6%	64.4%	35.6%
	Grade 10	30.8%	43.8%	68.6%	31.4%
	Grade 11	32.6%	46.4%	70.9%	29.1%
	Grade 12	43.7%	57.7%	76.2%	23.8%
Inhalants					
	All	5.2%	7.9%	16.9%	83.1%
	Grade 7	8.5%	11.9%	22.8%	77.2%
	Grade 8	6.5%	10.1%	20.0%	80.0%
	Grade 9	5.7%	8.9%	18.1%	81.9%
	Grade 10	4.0%	6.4%	14.6%	85.4%
	Grade 11	2.8%	4.5%	12.3%	87.7%
	Grade 12	2.7%	3.8%	11.1%	88.9%
Any Illicit Drug					
	All	13.9%	19.1%	31.3%	68.7%
	Grade 7	5.6%	7.8%	14.4%	85.6%
	Grade 8	8.7%	12.3%	21.2%	78.8%
	Grade 9	15.1%	20.6%	33.3%	66.7%
	Grade 10	16.6%	22.6%	38.0%	62.0%
	Grade 11	17.7%	24.7%	40.8%	59.2%
	Grade 12	22.5%	30.3%	45.7%	54.3%
Marijuana					
	All	12.7%	18.1%	30.3%	69.7%
	Grade 7	4.3%	6.3%	12.6%	87.4%
	Grade 8	8.1%	11.7%	20.1%	79.9%
	Grade 9	14.0%	19.8%	32.5%	67.5%
	Grade 10	15.0%	21.5%	37.2%	62.8%
	Grade 11	16.1%	23.7%	40.2%	59.8%
	Grade 12	21.4%	29.4%	45.1%	54.9%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	5.8%	8.9%	17.7%	82.3%
	Grade 7	2.4%	3.4%	7.8%	92.2%
	Grade 8	3.8%	6.2%	12.4%	87.6%
	Grade 9	7.0%	10.0%	19.0%	81.0%
	Grade 10	7.3%	10.7%	21.7%	78.3%
	Grade 11	6.3%	10.4%	22.6%	77.4%
	Grade 12	9.3%	14.4%	25.7%	74.3%
Cocaine or Crack					
	All	1.7%	2.8%	6.0%	94.0%
	Grade 7	0.7%	1.5%	3.1%	96.9%
	Grade 8	0.9%	1.5%	3.0%	97.0%
	Grade 9	1.3%	2.2%	5.4%	94.6%
	Grade 10	2.2%	3.4%	7.4%	92.6%
	Grade 11	2.7%	3.9%	9.4%	90.6%
	Grade 12	3.4%	5.3%	9.1%	90.9%
Cocaine					
	All	1.6%	2.5%	5.6%	94.4%
	Grade 7	0.5%	1.0%	2.1%	97.9%
	Grade 8	0.6%	1.1%	2.6%	97.4%
	Grade 9	1.2%	1.9%	5.1%	94.9%
	Grade 10	1.9%	3.1%	6.9%	93.1%
	Grade 11	2.7%	4.0%	9.4%	90.6%
	Grade 12	3.4%	5.2%	9.1%	90.9%
Crack					
	All	0.4%	0.7%	1.6%	98.4%
	Grade 7	0.5%	1.1%	2.1%	97.9%
	Grade 8	0.4%	0.7%	1.5%	98.5%
	Grade 9	0.6%	0.9%	1.5%	98.5%
	Grade 10	0.5%	0.7%	2.1%	97.9%
	Grade 11	0.2%	0.3%	1.5%	98.5%
	Grade 12	0.2%	0.4%	0.9%	99.1%
Hallucinogens					
	All	1.4%	2.1%	4.1%	95.9%
	Grade 7	0.7%	0.9%	1.5%	98.5%
	Grade 8	1.0%	1.6%	3.1%	96.9%
	Grade 9	2.0%	2.5%	4.3%	95.7%
	Grade 10	1.4%	2.4%	5.3%	94.7%
	Grade 11	1.7%	2.3%	5.4%	94.6%
	Grade 12	1.7%	3.3%	6.1%	93.9%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	1.7%	2.6%	4.6%	95.4%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.7%	0.9%	1.6%	98.4%
	Grade 9	1.7%	2.4%	3.9%	96.1%
	Grade 10	2.4%	3.7%	6.3%	93.7%
	Grade 11	2.6%	4.4%	7.5%	92.5%
	Grade 12	2.7%	4.9%	9.1%	90.9%
Downers	All	1.8%	2.8%	4.8%	95.2%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.6%	0.9%	1.7%	98.3%
	Grade 9	1.8%	2.9%	4.2%	95.8%
	Grade 10	2.5%	3.8%	6.7%	93.3%
	Grade 11	2.6%	4.5%	7.6%	92.4%
	Grade 12	3.4%	5.2%	9.8%	90.2%
Rohypnol	All	0.7%	1.0%	1.9%	98.1%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	1.1%	1.3%	2.6%	97.4%
	Grade 9	1.1%	1.5%	2.6%	97.4%
	Grade 10	0.9%	1.2%	2.0%	98.0%
	Grade 11	0.3%	0.7%	1.8%	98.2%
	Grade 12	0.4%	0.9%	1.3%	98.7%
Steroids	All	0.4%	0.7%	1.4%	98.6%
	Grade 7	0.6%	0.8%	1.4%	98.6%
	Grade 8	0.1%	0.5%	1.3%	98.7%
	Grade 9	0.2%	0.4%	1.3%	98.7%
	Grade 10	0.6%	0.9%	1.4%	98.6%
	Grade 11	0.5%	0.7%	1.4%	98.6%
	Grade 12	0.4%	0.9%	1.5%	98.5%
Ecstasy	All	1.8%	3.0%	6.3%	93.7%
	Grade 7	0.5%	0.8%	1.4%	98.6%
	Grade 8	1.0%	1.5%	3.4%	96.6%
	Grade 9	2.3%	3.2%	6.1%	93.9%
	Grade 10	2.1%	3.6%	8.2%	91.8%
	Grade 11	2.8%	5.3%	10.5%	89.5%
	Grade 12	2.6%	4.2%	10.0%	90.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.6%	1.4%	98.6%
Grade 7	0.4%	0.6%	1.5%	98.5%
Grade 8	0.2%	0.5%	1.2%	98.8%
Grade 9	0.6%	0.6%	1.4%	98.6%
Grade 10	0.2%	0.7%	1.6%	98.4%
Grade 11	0.2%	0.3%	1.3%	98.7%
Grade 12	0.3%	0.7%	1.2%	98.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	6.1%	9.1%	17.0%	83.0%
	Grade 7	1.4%	2.2%	6.6%	93.4%
	Grade 8	2.1%	4.0%	9.8%	90.2%
	Grade 9	4.5%	6.7%	13.8%	86.2%
	Grade 10	6.5%	9.7%	18.2%	81.8%
	Grade 11	10.3%	14.7%	26.1%	73.9%
	Grade 12	13.7%	20.2%	31.8%	68.2%
Alcohol					
	All	17.9%	27.1%	48.2%	51.8%
	Grade 7	6.8%	9.9%	27.4%	72.6%
	Grade 8	9.6%	15.2%	36.0%	64.0%
	Grade 9	16.2%	25.2%	48.5%	51.5%
	Grade 10	17.9%	30.7%	53.4%	46.6%
	Grade 11	24.4%	38.7%	63.8%	36.2%
	Grade 12	36.9%	49.7%	67.7%	32.3%
Inhalants					
	All	2.6%	4.2%	9.9%	90.1%
	Grade 7	4.2%	6.1%	12.3%	87.7%
	Grade 8	3.0%	5.2%	10.6%	89.4%
	Grade 9	2.7%	4.3%	10.5%	89.5%
	Grade 10	1.8%	3.1%	8.5%	91.5%
	Grade 11	1.4%	2.7%	8.2%	91.8%
	Grade 12	2.1%	3.5%	8.8%	91.2%
Any Illicit Drug					
	All	6.5%	9.7%	15.7%	84.3%
	Grade 7	1.7%	2.1%	4.4%	95.6%
	Grade 8	2.5%	3.5%	6.5%	93.5%
	Grade 9	5.3%	8.2%	12.4%	87.6%
	Grade 10	6.8%	10.2%	17.4%	82.6%
	Grade 11	10.3%	15.6%	25.4%	74.6%
	Grade 12	14.6%	21.6%	32.9%	67.1%
Marijuana					
	All	5.7%	9.0%	14.9%	85.1%
	Grade 7	1.3%	1.6%	3.7%	96.3%
	Grade 8	2.1%	3.2%	5.9%	94.1%
	Grade 9	4.7%	7.7%	11.8%	88.2%
	Grade 10	5.8%	9.4%	16.7%	83.3%
	Grade 11	9.2%	14.3%	24.0%	76.0%
	Grade 12	13.3%	20.8%	32.3%	67.7%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	3.0%	5.2%	9.7%	90.3%
	Grade 7	0.8%	0.8%	2.5%	97.5%
	Grade 8	1.2%	2.0%	3.9%	96.1%
	Grade 9	2.5%	4.7%	7.8%	92.2%
	Grade 10	3.6%	6.0%	11.3%	88.7%
	Grade 11	4.3%	7.9%	15.6%	84.4%
	Grade 12	6.6%	11.5%	20.3%	79.7%
Cocaine or Crack					
	All	0.6%	0.8%	1.9%	98.1%
	Grade 7	0.2%	0.4%	0.9%	99.1%
	Grade 8	0.2%	0.2%	0.8%	99.2%
	Grade 9	0.3%	0.5%	1.4%	98.6%
	Grade 10	0.8%	1.0%	2.0%	98.0%
	Grade 11	0.8%	1.5%	3.4%	96.6%
	Grade 12	1.2%	1.8%	3.4%	96.6%
Cocaine					
	All	0.5%	0.8%	1.7%	98.3%
	Grade 7	0.2%	0.4%	0.6%	99.4%
	Grade 8	0.1%	0.1%	0.6%	99.4%
	Grade 9	0.2%	0.5%	1.3%	98.7%
	Grade 10	0.7%	0.8%	1.8%	98.2%
	Grade 11	0.8%	1.4%	3.2%	96.8%
	Grade 12	1.2%	1.8%	3.4%	96.6%
Crack					
	All	0.2%	0.3%	0.8%	99.2%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	0.1%	0.1%	0.5%	99.5%
	Grade 9	0.1%	0.2%	0.5%	99.5%
	Grade 10	0.5%	0.5%	0.9%	99.1%
	Grade 11	0.3%	0.4%	1.4%	98.6%
	Grade 12	0.1%	0.2%	0.7%	99.3%
Hallucinogens					
	All	0.8%	1.3%	2.5%	97.5%
	Grade 7	0.4%	0.5%	0.7%	99.3%
	Grade 8	0.3%	0.6%	1.2%	98.8%
	Grade 9	0.5%	0.9%	1.6%	98.4%
	Grade 10	0.9%	1.5%	2.7%	97.3%
	Grade 11	1.1%	1.9%	3.9%	96.1%
	Grade 12	1.6%	3.0%	5.3%	94.7%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	0.9%	1.5%	2.4%	97.6%
	Grade 7	0.1%	0.2%	0.3%	99.7%
	Grade 8	0.3%	0.4%	0.6%	99.4%
	Grade 9	0.8%	1.0%	1.8%	98.2%
	Grade 10	1.0%	1.5%	2.3%	97.7%
	Grade 11	1.6%	2.6%	4.6%	95.4%
	Grade 12	2.2%	3.5%	5.9%	94.1%
Downers	All	0.9%	1.4%	2.5%	97.5%
	Grade 7	0.1%	0.2%	0.3%	99.7%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.6%	1.0%	1.9%	98.1%
	Grade 10	1.1%	1.5%	2.4%	97.6%
	Grade 11	1.3%	2.2%	4.2%	95.8%
	Grade 12	2.5%	3.8%	6.2%	93.8%
Rohypnol	All	0.2%	0.3%	0.7%	99.3%
	Grade 7	0.2%	0.3%	0.3%	99.7%
	Grade 8	0.1%	0.2%	0.6%	99.4%
	Grade 9	0.4%	0.5%	1.1%	98.9%
	Grade 10	0.2%	0.3%	0.8%	99.2%
	Grade 11	0.1%	0.3%	0.7%	99.3%
	Grade 12	0.2%	0.3%	0.7%	99.3%
Steroids	All	0.4%	0.7%	1.3%	98.7%
	Grade 7	0.6%	0.8%	1.6%	98.4%
	Grade 8	0.3%	0.5%	1.2%	98.8%
	Grade 9	0.3%	0.4%	0.9%	99.1%
	Grade 10	0.5%	0.7%	1.0%	99.0%
	Grade 11	0.8%	1.0%	1.7%	98.3%
	Grade 12	0.2%	0.7%	1.1%	98.9%
Ecstasy	All	0.8%	1.4%	2.7%	97.3%
	Grade 7	0.3%	0.6%	0.8%	99.2%
	Grade 8	0.1%	0.2%	0.8%	99.2%
	Grade 9	0.5%	1.0%	1.8%	98.2%
	Grade 10	0.8%	1.2%	2.5%	97.5%
	Grade 11	1.4%	2.4%	5.0%	95.0%
	Grade 12	1.6%	3.0%	6.3%	93.7%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.4%	0.7%	99.3%
Grade 12	0.3%	0.5%	0.9%	99.1%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.1%	18.0%	32.1%	67.9%
	Grade 7	4.8%	7.0%	16.9%	83.1%
	Grade 8	6.5%	10.2%	23.1%	76.9%
	Grade 9	11.7%	16.4%	31.7%	68.3%
	Grade 10	15.0%	20.7%	36.1%	63.9%
	Grade 11	18.3%	24.3%	40.8%	59.2%
	Grade 12	25.0%	32.0%	46.7%	53.3%
Alcohol					
	All	28.2%	39.2%	62.3%	37.7%
	Grade 7	14.1%	20.0%	42.5%	57.5%
	Grade 8	19.7%	27.6%	52.8%	47.2%
	Grade 9	27.4%	38.3%	64.5%	35.5%
	Grade 10	32.3%	45.1%	68.4%	31.6%
	Grade 11	35.3%	49.1%	71.3%	28.7%
	Grade 12	43.2%	58.5%	76.4%	23.6%
Inhalants					
	All	5.3%	8.0%	17.4%	82.6%
	Grade 7	8.1%	11.7%	21.8%	78.2%
	Grade 8	6.5%	10.0%	20.1%	79.9%
	Grade 9	5.7%	8.8%	19.0%	81.0%
	Grade 10	4.7%	7.0%	15.7%	84.3%
	Grade 11	3.3%	5.4%	14.3%	85.7%
	Grade 12	2.9%	4.6%	12.0%	88.0%
Any Illicit Drug					
	All	14.8%	20.4%	32.3%	67.7%
	Grade 7	5.5%	7.5%	13.5%	86.5%
	Grade 8	8.8%	12.3%	20.9%	79.1%
	Grade 9	14.5%	20.5%	32.5%	67.5%
	Grade 10	18.1%	25.0%	39.1%	60.9%
	Grade 11	19.5%	27.4%	42.9%	57.1%
	Grade 12	23.9%	31.9%	47.5%	52.5%
Marijuana					
	All	13.6%	19.4%	31.4%	68.6%
	Grade 7	4.2%	6.1%	11.7%	88.3%
	Grade 8	7.9%	11.4%	19.8%	80.2%
	Grade 9	13.6%	19.6%	31.7%	68.3%
	Grade 10	16.7%	23.8%	38.2%	61.8%
	Grade 11	18.0%	26.4%	42.5%	57.5%
	Grade 12	22.6%	30.8%	47.0%	53.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	6.5%	10.0%	18.7%	81.3%
	Grade 7	2.3%	3.3%	7.2%	92.8%
	Grade 8	4.0%	6.3%	12.3%	87.7%
	Grade 9	6.9%	10.3%	19.3%	80.7%
	Grade 10	8.1%	12.4%	22.7%	77.3%
	Grade 11	8.3%	13.2%	24.7%	75.3%
	Grade 12	9.9%	15.3%	27.1%	72.9%
Cocaine or Crack					
	All	1.5%	2.4%	5.0%	95.0%
	Grade 7	0.7%	1.2%	2.4%	97.6%
	Grade 8	0.9%	1.4%	2.7%	97.3%
	Grade 9	1.2%	2.0%	4.1%	95.9%
	Grade 10	1.6%	2.8%	6.1%	93.9%
	Grade 11	2.1%	3.4%	7.5%	92.5%
	Grade 12	2.4%	4.2%	7.7%	92.3%
Cocaine					
	All	1.3%	2.2%	4.6%	95.4%
	Grade 7	0.4%	0.8%	1.7%	98.3%
	Grade 8	0.5%	0.9%	2.1%	97.9%
	Grade 9	1.1%	1.8%	3.8%	96.2%
	Grade 10	1.5%	2.6%	5.7%	94.3%
	Grade 11	2.0%	3.2%	7.4%	92.6%
	Grade 12	2.4%	4.1%	7.7%	92.3%
Crack					
	All	0.4%	0.7%	1.5%	98.5%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	0.4%	0.7%	1.5%	98.5%
	Grade 9	0.4%	0.8%	1.3%	98.7%
	Grade 10	0.3%	0.7%	1.9%	98.1%
	Grade 11	0.3%	0.6%	1.4%	98.6%
	Grade 12	0.3%	0.5%	1.0%	99.0%
Hallucinogens					
	All	1.5%	2.6%	4.9%	95.1%
	Grade 7	0.7%	0.9%	1.5%	98.5%
	Grade 8	1.1%	1.7%	3.0%	97.0%
	Grade 9	1.8%	2.6%	4.6%	95.4%
	Grade 10	1.6%	3.1%	6.5%	93.5%
	Grade 11	2.0%	3.4%	6.9%	93.1%
	Grade 12	2.2%	4.1%	7.4%	92.6%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	2.1%	3.2%	5.5%	94.5%
	Grade 7	0.6%	0.7%	1.4%	98.6%
	Grade 8	0.9%	1.1%	1.9%	98.1%
	Grade 9	1.6%	2.4%	4.1%	95.9%
	Grade 10	2.9%	4.2%	7.2%	92.8%
	Grade 11	3.0%	5.2%	8.9%	91.1%
	Grade 12	3.9%	6.3%	10.8%	89.2%
	Downers	All	2.3%	3.4%	5.6%
Grade 7		0.5%	0.6%	1.1%	98.9%
Grade 8		0.8%	1.1%	1.8%	98.2%
Grade 9		1.8%	2.8%	4.1%	95.9%
Grade 10		2.9%	4.5%	7.4%	92.6%
Grade 11		3.7%	5.8%	9.1%	90.9%
Grade 12		4.2%	6.4%	11.2%	88.8%
Rohypnol		All	0.7%	0.9%	1.8%
	Grade 7	0.5%	0.6%	1.1%	98.9%
	Grade 8	0.9%	1.1%	2.2%	97.8%
	Grade 9	0.8%	1.1%	2.0%	98.0%
	Grade 10	0.8%	1.2%	2.1%	97.9%
	Grade 11	0.5%	0.8%	1.8%	98.2%
	Grade 12	0.4%	0.7%	1.4%	98.6%
	Steroids	All	0.4%	0.7%	1.6%
Grade 7		0.6%	0.8%	1.5%	98.5%
Grade 8		0.3%	0.5%	1.9%	98.1%
Grade 9		0.2%	0.4%	1.3%	98.7%
Grade 10		0.6%	0.9%	1.5%	98.5%
Grade 11		0.4%	0.6%	1.6%	98.4%
Grade 12		0.6%	1.0%	1.7%	98.3%
Ecstasy		All	1.8%	3.1%	6.3%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	1.0%	1.5%	3.1%	96.9%
	Grade 9	2.0%	3.1%	5.8%	94.2%
	Grade 10	2.2%	4.1%	8.4%	91.6%
	Grade 11	2.4%	4.5%	9.8%	90.2%
	Grade 12	2.7%	4.9%	10.0%	90.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.4%	0.6%	1.4%	98.6%
Grade 8	0.3%	0.6%	1.3%	98.7%
Grade 9	0.5%	0.7%	1.3%	98.7%
Grade 10	0.4%	0.7%	1.4%	98.6%
Grade 11	0.4%	0.5%	1.4%	98.6%
Grade 12	0.3%	0.6%	1.2%	98.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	8.6%	12.2%	22.3%	77.7%
	Grade 7	2.1%	3.1%	8.9%	91.1%
	Grade 8	3.7%	6.1%	13.6%	86.4%
	Grade 9	7.5%	10.9%	21.8%	78.2%
	Grade 10	10.0%	14.4%	26.2%	73.8%
	Grade 11	13.0%	17.7%	31.5%	68.5%
	Grade 12	18.4%	24.7%	37.2%	62.8%
Alcohol					
	All	21.9%	31.2%	52.6%	47.4%
	Grade 7	9.7%	13.7%	32.2%	67.8%
	Grade 8	13.4%	19.3%	40.4%	59.6%
	Grade 9	21.1%	30.9%	55.0%	45.0%
	Grade 10	24.2%	35.6%	59.0%	41.0%
	Grade 11	29.7%	42.4%	65.4%	34.6%
	Grade 12	38.9%	52.6%	69.9%	30.1%
Inhalants					
	All	3.9%	6.1%	13.4%	86.6%
	Grade 7	5.9%	8.8%	16.6%	83.4%
	Grade 8	4.6%	7.0%	14.5%	85.5%
	Grade 9	4.3%	6.7%	14.7%	85.3%
	Grade 10	3.4%	5.0%	12.3%	87.7%
	Grade 11	2.3%	4.0%	11.3%	88.7%
	Grade 12	2.2%	3.8%	9.8%	90.2%
Any Illicit Drug					
	All	9.5%	13.3%	21.6%	78.4%
	Grade 7	2.8%	3.8%	7.4%	92.6%
	Grade 8	4.4%	6.2%	10.7%	89.3%
	Grade 9	9.4%	13.5%	21.4%	78.6%
	Grade 10	11.5%	16.1%	26.3%	73.7%
	Grade 11	13.9%	20.0%	32.6%	67.4%
	Grade 12	17.4%	23.5%	36.5%	63.5%
Marijuana					
	All	8.4%	12.3%	20.6%	79.4%
	Grade 7	1.9%	2.8%	6.0%	94.0%
	Grade 8	3.6%	5.4%	9.5%	90.5%
	Grade 9	8.4%	12.6%	20.4%	79.6%
	Grade 10	10.1%	14.9%	25.4%	74.6%
	Grade 11	12.4%	18.9%	31.9%	68.1%
	Grade 12	16.4%	22.9%	36.0%	64.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	4.2%	6.6%	12.6%	87.4%
	Grade 7	1.2%	1.6%	3.8%	96.2%
	Grade 8	1.7%	2.8%	5.8%	94.2%
	Grade 9	4.5%	6.9%	12.6%	87.4%
	Grade 10	5.1%	8.2%	15.4%	84.6%
	Grade 11	6.1%	9.9%	19.2%	80.8%
	Grade 12	7.9%	12.2%	21.9%	78.1%
Cocaine or Crack					
	All	1.0%	1.6%	3.2%	96.8%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.4%	0.8%	1.4%	98.6%
	Grade 9	1.0%	1.5%	2.8%	97.2%
	Grade 10	1.3%	2.1%	4.5%	95.5%
	Grade 11	1.5%	2.3%	5.3%	94.7%
	Grade 12	1.5%	2.7%	4.9%	95.1%
Cocaine					
	All	0.9%	1.4%	3.0%	97.0%
	Grade 7	0.3%	0.5%	0.9%	99.1%
	Grade 8	0.3%	0.5%	1.1%	98.9%
	Grade 9	0.9%	1.4%	2.6%	97.4%
	Grade 10	1.2%	1.9%	4.2%	95.8%
	Grade 11	1.5%	2.1%	5.0%	95.0%
	Grade 12	1.5%	2.6%	4.9%	95.1%
Crack					
	All	0.3%	0.4%	1.0%	99.0%
	Grade 7	0.2%	0.4%	0.9%	99.1%
	Grade 8	0.3%	0.5%	0.9%	99.1%
	Grade 9	0.3%	0.5%	0.8%	99.2%
	Grade 10	0.3%	0.5%	1.5%	98.5%
	Grade 11	0.2%	0.5%	1.1%	98.9%
	Grade 12	0.1%	0.3%	0.5%	99.5%
Hallucinogens					
	All	1.0%	1.7%	3.1%	96.9%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	1.2%	1.6%	2.6%	97.4%
	Grade 10	1.1%	2.1%	4.1%	95.9%
	Grade 11	1.7%	2.5%	4.7%	95.3%
	Grade 12	1.3%	2.9%	5.1%	94.9%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers					
	All	1.2%	1.8%	3.3%	96.7%
	Grade 7	0.3%	0.4%	0.6%	99.4%
	Grade 8	0.4%	0.4%	0.8%	99.2%
	Grade 9	1.2%	1.6%	2.7%	97.3%
	Grade 10	1.4%	2.2%	4.0%	96.0%
	Grade 11	1.8%	3.2%	5.8%	94.2%
	Grade 12	2.4%	4.0%	7.0%	93.0%
Downers					
	All	1.2%	1.9%	3.2%	96.8%
	Grade 7	0.2%	0.3%	0.5%	99.5%
	Grade 8	0.3%	0.5%	0.7%	99.3%
	Grade 9	1.0%	1.6%	2.4%	97.6%
	Grade 10	1.2%	2.2%	4.1%	95.9%
	Grade 11	2.1%	3.5%	5.7%	94.3%
	Grade 12	2.9%	4.3%	7.4%	92.6%
Rohypnol					
	All	0.4%	0.6%	1.1%	98.9%
	Grade 7	0.3%	0.4%	0.6%	99.4%
	Grade 8	0.4%	0.6%	1.2%	98.8%
	Grade 9	0.5%	0.7%	1.3%	98.7%
	Grade 10	0.5%	0.6%	1.3%	98.7%
	Grade 11	0.3%	0.6%	1.3%	98.7%
	Grade 12	0.3%	0.5%	0.9%	99.1%
Steroids					
	All	0.4%	0.7%	1.3%	98.7%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.4%	0.7%	1.6%	98.4%
	Grade 9	0.2%	0.3%	0.9%	99.1%
	Grade 10	0.4%	0.7%	1.2%	98.8%
	Grade 11	0.7%	0.9%	1.7%	98.3%
	Grade 12	0.5%	0.9%	1.5%	98.5%
Ecstasy					
	All	1.1%	1.9%	4.0%	96.0%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.3%	0.6%	1.5%	98.5%
	Grade 9	1.2%	1.9%	3.8%	96.2%
	Grade 10	1.4%	2.3%	4.9%	95.1%
	Grade 11	1.7%	3.3%	7.0%	93.0%
	Grade 12	1.8%	3.6%	7.3%	92.7%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.2%	0.4%	1.0%	99.0%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.5%	0.9%	99.1%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.4%	19.7%	35.0%	65.0%
	Grade 7	6.2%	8.9%	20.5%	79.5%
	Grade 8	7.4%	11.7%	27.2%	72.8%
	Grade 9	12.9%	17.8%	34.2%	65.8%
	Grade 10	16.4%	22.1%	37.8%	62.2%
	Grade 11	19.8%	26.4%	43.1%	56.9%
	Grade 12	24.7%	32.3%	47.9%	52.1%
Alcohol					
	All	29.5%	41.6%	65.7%	34.3%
	Grade 7	14.7%	21.2%	45.7%	54.3%
	Grade 8	21.2%	30.3%	57.9%	42.1%
	Grade 9	29.1%	40.1%	67.6%	32.4%
	Grade 10	34.0%	48.9%	71.2%	28.8%
	Grade 11	35.1%	51.1%	74.2%	25.8%
	Grade 12	43.8%	59.2%	78.3%	21.7%
Inhalants					
	All	5.3%	8.1%	17.5%	82.5%
	Grade 7	8.4%	11.4%	22.0%	78.0%
	Grade 8	6.5%	10.7%	20.9%	79.1%
	Grade 9	5.6%	8.6%	19.4%	80.6%
	Grade 10	4.6%	7.1%	15.6%	84.4%
	Grade 11	3.3%	5.3%	13.9%	86.1%
	Grade 12	3.2%	4.8%	12.4%	87.6%
Any Illicit Drug					
	All	16.3%	22.7%	35.5%	64.5%
	Grade 7	6.5%	8.6%	15.5%	84.5%
	Grade 8	10.6%	14.8%	25.1%	74.9%
	Grade 9	15.7%	22.2%	35.1%	64.9%
	Grade 10	19.7%	27.3%	42.4%	57.6%
	Grade 11	20.7%	29.4%	44.9%	55.1%
	Grade 12	25.2%	34.8%	50.9%	49.1%
Marijuana					
	All	15.2%	21.8%	34.8%	65.2%
	Grade 7	5.4%	7.5%	14.1%	85.9%
	Grade 8	9.9%	14.3%	24.5%	75.5%
	Grade 9	15.0%	21.5%	34.5%	65.5%
	Grade 10	18.6%	26.5%	41.6%	58.4%
	Grade 11	19.5%	28.3%	44.2%	55.8%
	Grade 12	23.4%	33.4%	50.4%	49.6%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	7.1%	11.3%	20.9%	79.1%
	Grade 7	2.7%	3.8%	8.8%	91.2%
	Grade 8	5.4%	8.5%	15.9%	84.1%
	Grade 9	7.3%	11.4%	21.3%	78.7%
	Grade 10	9.2%	13.8%	25.2%	74.8%
	Grade 11	8.4%	14.0%	26.0%	74.0%
	Grade 12	10.0%	16.5%	29.0%	71.0%
Cocaine or Crack					
	All	1.5%	2.5%	5.2%	94.8%
	Grade 7	0.8%	1.5%	2.8%	97.2%
	Grade 8	0.9%	1.4%	3.1%	96.9%
	Grade 9	0.9%	1.6%	4.2%	95.8%
	Grade 10	1.6%	2.7%	5.5%	94.5%
	Grade 11	2.0%	3.6%	7.8%	92.2%
	Grade 12	2.6%	4.3%	8.0%	92.0%
Cocaine					
	All	1.3%	2.2%	4.8%	95.2%
	Grade 7	0.5%	0.9%	2.0%	98.0%
	Grade 8	0.6%	1.0%	2.4%	97.6%
	Grade 9	0.7%	1.4%	3.8%	96.2%
	Grade 10	1.4%	2.3%	5.2%	94.8%
	Grade 11	2.0%	3.6%	7.7%	92.3%
	Grade 12	2.6%	4.2%	8.0%	92.0%
Crack					
	All	0.4%	0.7%	1.6%	98.4%
	Grade 7	0.7%	1.1%	1.8%	98.2%
	Grade 8	0.4%	0.7%	1.6%	98.4%
	Grade 9	0.4%	0.7%	1.4%	98.6%
	Grade 10	0.5%	0.8%	1.6%	98.4%
	Grade 11	0.4%	0.5%	1.8%	98.2%
	Grade 12	0.3%	0.5%	1.2%	98.8%
Hallucinogens					
	All	1.7%	2.9%	5.8%	94.2%
	Grade 7	0.9%	1.2%	1.9%	98.1%
	Grade 8	1.1%	1.9%	3.4%	96.6%
	Grade 9	1.8%	2.9%	5.6%	94.4%
	Grade 10	1.9%	3.6%	7.3%	92.7%
	Grade 11	1.7%	3.4%	7.7%	92.3%
	Grade 12	2.8%	4.8%	8.8%	91.2%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers					
	All	2.5%	3.8%	6.4%	93.6%
	Grade 7	0.5%	0.8%	1.7%	98.3%
	Grade 8	1.2%	1.6%	2.5%	97.5%
	Grade 9	1.5%	2.5%	4.4%	95.6%
	Grade 10	3.8%	5.4%	8.3%	91.7%
	Grade 11	3.6%	6.2%	9.9%	90.1%
	Grade 12	4.4%	7.1%	12.0%	88.0%
Downers					
	All	2.8%	4.1%	6.6%	93.4%
	Grade 7	0.5%	0.8%	1.4%	98.6%
	Grade 8	1.1%	1.5%	2.5%	97.5%
	Grade 9	2.1%	3.2%	5.0%	95.0%
	Grade 10	4.1%	5.8%	8.7%	91.3%
	Grade 11	4.3%	6.5%	10.2%	89.8%
	Grade 12	4.7%	7.2%	12.4%	87.6%
Rohypnol					
	All	0.7%	1.0%	1.9%	98.1%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	0.9%	1.2%	2.4%	97.6%
	Grade 9	1.0%	1.3%	2.5%	97.5%
	Grade 10	0.9%	1.4%	2.2%	97.8%
	Grade 11	0.4%	0.7%	1.6%	98.4%
	Grade 12	0.3%	0.7%	1.4%	98.6%
Steroids					
	All	0.5%	0.7%	1.7%	98.3%
	Grade 7	0.9%	1.2%	2.2%	97.8%
	Grade 8	0.2%	0.3%	1.6%	98.4%
	Grade 9	0.3%	0.5%	1.7%	98.3%
	Grade 10	0.8%	1.0%	1.6%	98.4%
	Grade 11	0.4%	0.5%	1.6%	98.4%
	Grade 12	0.4%	0.8%	1.5%	98.5%
Ecstasy					
	All	2.1%	3.6%	7.0%	93.0%
	Grade 7	1.1%	1.4%	2.2%	97.8%
	Grade 8	1.2%	1.7%	3.6%	96.4%
	Grade 9	2.1%	3.4%	6.0%	94.0%
	Grade 10	2.5%	4.8%	9.4%	90.6%
	Grade 11	2.8%	4.8%	10.3%	89.7%
	Grade 12	3.1%	5.3%	10.9%	89.1%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.3%	0.5%	1.4%	98.6%
Grade 8	0.1%	0.4%	0.8%	99.2%
Grade 9	0.4%	0.7%	1.6%	98.4%
Grade 10	0.5%	0.8%	1.5%	98.5%
Grade 11	0.3%	0.6%	1.5%	98.5%
Grade 12	0.4%	0.7%	1.5%	98.5%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	9.1%	12.9%	24.2%	75.8%
	Grade 7	2.6%	4.0%	10.6%	89.4%
	Grade 8	4.0%	6.6%	16.1%	83.9%
	Grade 9	7.5%	11.0%	23.2%	76.8%
	Grade 10	10.4%	15.1%	27.7%	72.3%
	Grade 11	14.0%	18.8%	33.1%	66.9%
	Grade 12	19.4%	25.6%	39.1%	60.9%
Alcohol					
	All	22.6%	32.7%	55.3%	44.7%
	Grade 7	9.6%	13.6%	33.1%	66.9%
	Grade 8	13.6%	20.2%	44.4%	55.6%
	Grade 9	21.4%	31.7%	57.7%	42.3%
	Grade 10	26.2%	39.2%	62.5%	37.5%
	Grade 11	29.8%	44.2%	67.5%	32.5%
	Grade 12	39.9%	54.2%	73.0%	27.0%
Inhalants					
	All	3.9%	5.9%	13.4%	86.6%
	Grade 7	5.7%	8.1%	15.6%	84.4%
	Grade 8	4.4%	7.1%	14.7%	85.3%
	Grade 9	4.4%	6.7%	15.4%	84.6%
	Grade 10	3.5%	5.2%	12.6%	87.4%
	Grade 11	2.3%	3.8%	10.8%	89.2%
	Grade 12	2.3%	3.5%	9.8%	90.2%
Any Illicit Drug					
	All	9.9%	14.2%	23.6%	76.4%
	Grade 7	2.8%	3.8%	7.7%	92.3%
	Grade 8	5.3%	7.5%	13.5%	86.5%
	Grade 9	9.2%	13.7%	23.0%	77.0%
	Grade 10	12.3%	17.6%	28.8%	71.2%
	Grade 11	14.1%	20.6%	33.7%	66.3%
	Grade 12	18.3%	26.0%	40.3%	59.7%
Marijuana					
	All	9.1%	13.6%	22.8%	77.2%
	Grade 7	2.3%	3.2%	6.7%	93.3%
	Grade 8	4.8%	6.9%	12.6%	87.4%
	Grade 9	8.5%	13.1%	22.2%	77.8%
	Grade 10	11.3%	16.8%	28.0%	72.0%
	Grade 11	13.1%	19.8%	33.1%	66.9%
	Grade 12	17.1%	25.1%	39.8%	60.2%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	4.7%	7.6%	14.7%	85.3%
	Grade 7	1.2%	1.8%	4.5%	95.5%
	Grade 8	2.6%	4.2%	8.8%	91.2%
	Grade 9	4.7%	7.4%	14.5%	85.5%
	Grade 10	6.3%	9.9%	18.3%	81.7%
	Grade 11	6.6%	10.8%	21.1%	78.9%
	Grade 12	8.2%	13.6%	24.6%	75.4%
Cocaine or Crack					
	All	0.8%	1.3%	3.0%	97.0%
	Grade 7	0.3%	0.5%	1.1%	98.9%
	Grade 8	0.4%	0.6%	1.5%	98.5%
	Grade 9	0.7%	1.1%	2.6%	97.4%
	Grade 10	1.1%	1.6%	3.7%	96.3%
	Grade 11	1.2%	1.8%	4.6%	95.4%
	Grade 12	1.3%	2.3%	5.0%	95.0%
Cocaine					
	All	0.7%	1.2%	2.7%	97.3%
	Grade 7	0.2%	0.3%	0.8%	99.2%
	Grade 8	0.3%	0.5%	1.2%	98.8%
	Grade 9	0.7%	1.0%	2.4%	97.6%
	Grade 10	1.0%	1.5%	3.4%	96.6%
	Grade 11	1.2%	1.8%	4.4%	95.6%
	Grade 12	1.3%	2.3%	5.0%	95.0%
Crack					
	All	0.2%	0.3%	0.8%	99.2%
	Grade 7	0.2%	0.3%	0.8%	99.2%
	Grade 8	0.2%	0.3%	0.8%	99.2%
	Grade 9	0.3%	0.4%	0.8%	99.2%
	Grade 10	0.2%	0.3%	1.0%	99.0%
	Grade 11	0.1%	0.2%	0.8%	99.2%
	Grade 12	0.1%	0.2%	0.6%	99.4%
Hallucinogens					
	All	0.9%	1.6%	3.3%	96.7%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.5%	0.8%	1.8%	98.2%
	Grade 9	1.0%	1.6%	2.8%	97.2%
	Grade 10	1.1%	2.0%	4.1%	95.9%
	Grade 11	1.1%	2.2%	5.0%	95.0%
	Grade 12	1.7%	3.2%	6.0%	94.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	1.3%	2.1%	3.7%	96.3%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.5%	0.7%	1.1%	98.9%
	Grade 9	1.1%	1.6%	2.7%	97.3%
	Grade 10	1.7%	2.7%	4.7%	95.3%
	Grade 11	2.0%	3.7%	6.7%	93.3%
	Grade 12	2.6%	4.4%	7.9%	92.1%
Downers	All	1.4%	2.2%	3.7%	96.3%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.5%	0.6%	1.0%	99.0%
	Grade 9	1.1%	1.7%	2.7%	97.3%
	Grade 10	1.8%	2.9%	4.8%	95.2%
	Grade 11	2.2%	3.8%	6.4%	93.6%
	Grade 12	3.1%	4.5%	8.2%	91.8%
Rohypnol	All	0.3%	0.5%	1.0%	99.0%
	Grade 7	0.2%	0.3%	0.4%	99.6%
	Grade 8	0.3%	0.5%	1.0%	99.0%
	Grade 9	0.4%	0.6%	1.2%	98.8%
	Grade 10	0.4%	0.6%	1.2%	98.8%
	Grade 11	0.3%	0.6%	1.3%	98.7%
	Grade 12	0.1%	0.3%	0.8%	99.2%
Steroids	All	0.3%	0.5%	1.2%	98.8%
	Grade 7	0.3%	0.5%	1.1%	98.9%
	Grade 8	0.2%	0.3%	1.3%	98.7%
	Grade 9	0.2%	0.4%	0.9%	99.1%
	Grade 10	0.4%	0.6%	1.0%	99.0%
	Grade 11	0.3%	0.5%	1.4%	98.6%
	Grade 12	0.4%	0.7%	1.4%	98.6%
Ecstasy	All	1.0%	1.9%	4.2%	95.8%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.4%	0.6%	1.5%	98.5%
	Grade 9	1.2%	1.9%	3.9%	96.1%
	Grade 10	1.4%	2.4%	5.3%	94.7%
	Grade 11	1.4%	2.8%	6.9%	93.1%
	Grade 12	1.9%	3.8%	8.2%	91.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.2%	0.3%	0.7%	99.3%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.2%	0.3%	0.6%	99.4%
	Grade 9	0.3%	0.4%	0.8%	99.2%
	Grade 10	0.2%	0.3%	0.8%	99.2%
	Grade 11	0.2%	0.2%	0.7%	99.3%
	Grade 12	0.2%	0.2%	0.6%	99.4%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	17.0%	23.2%	37.9%	62.1%
	Grade 7	8.3%	10.6%	24.8%	75.2%
	Grade 8	10.2%	15.7%	31.0%	69.0%
	Grade 9	16.8%	22.4%	37.5%	62.5%
	Grade 10	19.6%	25.3%	39.5%	60.5%
	Grade 11	21.4%	29.5%	44.6%	55.4%
	Grade 12	25.9%	35.7%	50.1%	49.9%
Alcohol					
	All	33.7%	45.3%	67.3%	32.7%
	Grade 7	20.4%	29.8%	56.2%	43.8%
	Grade 8	28.1%	37.7%	60.4%	39.6%
	Grade 9	33.7%	44.5%	68.5%	31.5%
	Grade 10	36.4%	48.6%	69.3%	30.7%
	Grade 11	39.1%	51.8%	74.1%	25.9%
	Grade 12	44.1%	59.4%	74.8%	25.2%
Inhalants					
	All	6.9%	10.7%	21.9%	78.1%
	Grade 7	11.5%	16.9%	31.4%	68.6%
	Grade 8	10.0%	14.7%	26.9%	73.1%
	Grade 9	6.8%	11.2%	22.6%	77.4%
	Grade 10	5.2%	7.8%	17.9%	82.1%
	Grade 11	4.8%	7.6%	18.2%	81.8%
	Grade 12	3.3%	6.4%	14.7%	85.3%
Any Illicit Drug					
	All	20.6%	27.3%	39.7%	60.3%
	Grade 7	9.6%	12.9%	21.8%	78.2%
	Grade 8	13.2%	18.4%	28.7%	71.3%
	Grade 9	19.8%	26.2%	38.1%	61.9%
	Grade 10	24.8%	32.2%	46.3%	53.7%
	Grade 11	27.0%	36.0%	50.3%	49.7%
	Grade 12	29.0%	37.8%	52.7%	47.3%
Marijuana					
	All	18.4%	25.6%	38.5%	61.5%
	Grade 7	6.7%	9.9%	18.0%	82.0%
	Grade 8	11.7%	17.0%	27.6%	72.4%
	Grade 9	18.4%	25.2%	37.6%	62.4%
	Grade 10	22.1%	30.2%	45.5%	54.5%
	Grade 11	24.3%	34.4%	49.4%	50.6%
	Grade 12	26.7%	36.4%	52.1%	47.9%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	8.2%	12.1%	20.6%	79.4%
	Grade 7	3.9%	5.1%	10.8%	89.2%
	Grade 8	5.6%	8.6%	14.8%	85.2%
	Grade 9	8.9%	12.2%	20.5%	79.5%
	Grade 10	9.5%	14.1%	24.2%	75.8%
	Grade 11	9.5%	14.9%	24.4%	75.6%
	Grade 12	11.7%	17.3%	29.0%	71.0%
Cocaine or Crack					
	All	2.6%	4.4%	7.8%	92.2%
	Grade 7	1.5%	2.7%	4.4%	95.6%
	Grade 8	1.8%	3.0%	5.1%	94.9%
	Grade 9	2.1%	3.0%	5.6%	94.4%
	Grade 10	2.5%	3.7%	8.1%	91.9%
	Grade 11	3.9%	7.3%	13.2%	86.8%
	Grade 12	3.8%	6.9%	10.4%	89.6%
Cocaine					
	All	2.2%	3.8%	7.0%	93.0%
	Grade 7	0.9%	1.8%	2.8%	97.2%
	Grade 8	1.0%	1.8%	3.5%	96.5%
	Grade 9	2.0%	2.7%	5.3%	94.7%
	Grade 10	2.0%	3.0%	7.4%	92.6%
	Grade 11	3.8%	6.9%	12.8%	87.2%
	Grade 12	3.9%	6.9%	10.5%	89.5%
Crack					
	All	0.9%	1.6%	2.8%	97.2%
	Grade 7	1.0%	2.1%	3.4%	96.6%
	Grade 8	1.2%	1.8%	3.0%	97.0%
	Grade 9	0.6%	1.2%	2.1%	97.9%
	Grade 10	0.9%	1.4%	3.2%	96.8%
	Grade 11	0.9%	2.1%	3.7%	96.3%
	Grade 12	0.6%	0.8%	1.5%	98.5%
Hallucinogens					
	All	2.4%	4.0%	7.1%	92.9%
	Grade 7	1.0%	1.2%	2.4%	97.6%
	Grade 8	1.9%	3.2%	4.8%	95.2%
	Grade 9	2.7%	3.9%	7.4%	92.6%
	Grade 10	2.6%	4.5%	8.9%	91.1%
	Grade 11	3.0%	4.6%	9.4%	90.6%
	Grade 12	3.4%	6.2%	9.4%	90.6%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	3.4%	4.8%	7.3%	92.7%
	Grade 7	1.1%	1.3%	2.2%	97.8%
	Grade 8	1.5%	1.7%	2.9%	97.1%
	Grade 9	2.3%	3.2%	5.6%	94.4%
	Grade 10	4.5%	6.1%	9.1%	90.9%
	Grade 11	4.9%	7.7%	11.2%	88.8%
	Grade 12	5.9%	9.0%	13.3%	86.7%
Downers	All	3.4%	5.1%	7.6%	92.4%
	Grade 7	0.6%	0.8%	1.4%	98.6%
	Grade 8	1.5%	2.2%	3.1%	96.9%
	Grade 9	2.0%	3.8%	5.6%	94.4%
	Grade 10	4.3%	6.0%	9.3%	90.7%
	Grade 11	6.1%	9.0%	12.6%	87.4%
	Grade 12	5.9%	9.3%	14.0%	86.0%
Rohypnol	All	1.2%	1.6%	2.8%	97.2%
	Grade 7	0.8%	0.9%	1.6%	98.4%
	Grade 8	1.6%	1.9%	3.8%	96.2%
	Grade 9	1.7%	2.3%	3.7%	96.3%
	Grade 10	1.1%	1.8%	2.9%	97.1%
	Grade 11	0.4%	0.8%	1.9%	98.1%
	Grade 12	1.1%	1.8%	2.6%	97.4%
Steroids	All	0.7%	1.2%	2.2%	97.8%
	Grade 7	1.6%	1.7%	3.1%	96.9%
	Grade 8	0.6%	1.4%	3.1%	96.9%
	Grade 9	0.4%	0.5%	1.8%	98.2%
	Grade 10	0.6%	1.3%	1.8%	98.2%
	Grade 11	0.6%	0.9%	1.7%	98.3%
	Grade 12	0.6%	1.4%	2.0%	98.0%
Ecstasy	All	3.0%	4.7%	8.8%	91.2%
	Grade 7	1.6%	2.0%	3.2%	96.8%
	Grade 8	2.0%	3.0%	6.1%	93.9%
	Grade 9	3.2%	4.7%	7.6%	92.4%
	Grade 10	3.7%	5.9%	11.2%	88.8%
	Grade 11	3.8%	6.4%	12.9%	87.1%
	Grade 12	3.4%	6.1%	11.2%	88.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.7%	1.2%	2.2%	97.8%
Grade 7	0.8%	0.8%	1.9%	98.1%
Grade 8	0.3%	1.1%	2.3%	97.7%
Grade 9	0.9%	1.2%	1.9%	98.1%
Grade 10	0.5%	1.1%	2.2%	97.8%
Grade 11	1.0%	1.1%	2.6%	97.4%
Grade 12	0.7%	1.6%	2.4%	97.6%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	11.1%	15.2%	29.3%	70.7%
	Grade 7	4.1%	6.1%	17.1%	82.9%
	Grade 8	6.7%	9.9%	22.6%	77.4%
	Grade 9	10.5%	14.7%	29.5%	70.5%
	Grade 10	13.8%	18.5%	33.8%	66.2%
	Grade 11	16.3%	21.7%	39.3%	60.7%
	Grade 12	24.6%	32.4%	47.6%	52.4%
Alcohol					
	All	24.3%	33.8%	57.9%	42.1%
	Grade 7	12.3%	17.5%	39.5%	60.5%
	Grade 8	20.0%	26.8%	52.0%	48.0%
	Grade 9	25.4%	35.4%	60.5%	39.5%
	Grade 10	28.4%	40.7%	65.3%	34.7%
	Grade 11	31.5%	44.4%	69.6%	30.4%
	Grade 12	39.9%	53.4%	75.2%	24.8%
Inhalants					
	All	5.4%	8.1%	17.2%	82.8%
	Grade 7	7.9%	10.9%	21.4%	78.6%
	Grade 8	6.4%	9.1%	19.8%	80.2%
	Grade 9	5.3%	8.7%	17.6%	82.4%
	Grade 10	4.1%	6.9%	14.3%	85.7%
	Grade 11	3.5%	5.4%	13.9%	86.1%
	Grade 12	2.8%	4.5%	11.7%	88.3%
Any Illicit Drug					
	All	12.7%	17.6%	29.1%	70.9%
	Grade 7	5.1%	6.2%	13.1%	86.9%
	Grade 8	8.9%	12.6%	21.3%	78.7%
	Grade 9	13.3%	19.1%	30.1%	69.9%
	Grade 10	15.6%	22.0%	36.7%	63.3%
	Grade 11	17.8%	25.2%	41.1%	58.9%
	Grade 12	24.5%	31.3%	47.5%	52.5%
Marijuana					
	All	11.7%	16.7%	28.2%	71.8%
	Grade 7	4.0%	5.1%	11.7%	88.3%
	Grade 8	8.0%	11.7%	20.0%	80.0%
	Grade 9	12.3%	18.5%	29.8%	70.2%
	Grade 10	14.1%	21.0%	35.9%	64.1%
	Grade 11	16.8%	24.6%	40.5%	59.5%
	Grade 12	23.4%	30.7%	47.0%	53.0%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	5.8%	8.7%	17.4%	82.6%
	Grade 7	2.1%	2.4%	7.5%	92.5%
	Grade 8	4.0%	6.3%	12.3%	87.7%
	Grade 9	6.1%	9.7%	18.4%	81.6%
	Grade 10	7.2%	10.9%	22.1%	77.9%
	Grade 11	8.8%	13.4%	25.4%	74.6%
	Grade 12	10.6%	15.2%	27.2%	72.8%
Cocaine or Crack					
	All	1.4%	2.0%	4.3%	95.7%
	Grade 7	0.6%	0.9%	1.9%	98.1%
	Grade 8	0.9%	1.5%	2.9%	97.1%
	Grade 9	1.1%	1.8%	3.4%	96.6%
	Grade 10	1.8%	2.5%	5.7%	94.3%
	Grade 11	2.1%	2.7%	6.4%	93.6%
	Grade 12	2.7%	4.2%	8.1%	91.9%
Cocaine					
	All	1.3%	1.8%	4.0%	96.0%
	Grade 7	0.4%	0.6%	1.6%	98.4%
	Grade 8	0.7%	1.2%	2.3%	97.7%
	Grade 9	1.1%	1.6%	3.2%	96.8%
	Grade 10	1.7%	2.4%	5.6%	94.4%
	Grade 11	2.1%	2.6%	6.2%	93.8%
	Grade 12	2.6%	4.2%	8.1%	91.9%
Crack					
	All	0.3%	0.6%	1.3%	98.7%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	0.2%	0.5%	1.9%	98.1%
	Grade 9	0.3%	0.6%	1.0%	99.0%
	Grade 10	0.3%	0.4%	1.3%	98.7%
	Grade 11	0.4%	0.6%	1.2%	98.8%
	Grade 12	0.2%	0.7%	1.0%	99.0%
Hallucinogens					
	All	1.2%	2.3%	4.5%	95.5%
	Grade 7	0.6%	1.1%	1.8%	98.2%
	Grade 8	1.1%	1.8%	3.5%	96.5%
	Grade 9	1.4%	2.3%	4.8%	95.2%
	Grade 10	1.5%	2.9%	6.3%	93.7%
	Grade 11	1.3%	3.3%	5.7%	94.3%
	Grade 12	2.1%	3.5%	7.6%	92.4%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers					
	All	1.7%	2.6%	4.8%	95.2%
	Grade 7	0.3%	0.6%	1.3%	98.7%
	Grade 8	1.1%	1.2%	2.4%	97.6%
	Grade 9	1.5%	2.2%	3.8%	96.2%
	Grade 10	2.7%	4.0%	6.8%	93.2%
	Grade 11	2.3%	4.3%	7.7%	92.3%
	Grade 12	4.0%	5.8%	11.2%	88.8%
Downers					
	All	2.0%	2.8%	4.6%	95.4%
	Grade 7	0.3%	0.6%	1.0%	99.0%
	Grade 8	1.1%	1.4%	2.4%	97.6%
	Grade 9	2.2%	3.1%	4.3%	95.7%
	Grade 10	2.4%	3.8%	6.4%	93.6%
	Grade 11	3.0%	4.4%	7.5%	92.5%
	Grade 12	4.8%	6.0%	10.8%	89.2%
Rohypnol					
	All	0.5%	0.7%	1.5%	98.5%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	0.8%	0.8%	1.8%	98.2%
	Grade 9	0.6%	1.0%	1.8%	98.2%
	Grade 10	0.5%	0.8%	1.7%	98.3%
	Grade 11	0.5%	0.7%	1.6%	98.4%
	Grade 12	0.5%	0.8%	2.0%	98.0%
Steroids					
	All	0.5%	0.7%	1.6%	98.4%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.4%	0.7%	2.0%	98.0%
	Grade 9	0.1%	0.3%	1.0%	99.0%
	Grade 10	0.8%	1.2%	1.8%	98.2%
	Grade 11	0.5%	0.7%	2.0%	98.0%
	Grade 12	0.3%	0.5%	1.5%	98.5%
Ecstasy					
	All	1.7%	2.7%	5.5%	94.5%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.2%	1.5%	3.4%	96.6%
	Grade 9	2.0%	2.8%	5.2%	94.8%
	Grade 10	2.6%	4.3%	8.3%	91.7%
	Grade 11	2.0%	3.5%	8.1%	91.9%
	Grade 12	2.9%	4.7%	9.9%	90.1%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	0.2%	0.3%	0.9%	99.1%
Grade 10	0.4%	0.6%	1.2%	98.8%
Grade 11	0.2%	0.4%	1.5%	98.5%
Grade 12	0.4%	0.5%	1.5%	98.5%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	10.9%	15.1%	26.6%	73.4%
	Grade 7	3.4%	4.9%	11.4%	88.6%
	Grade 8	4.5%	7.6%	17.3%	82.7%
	Grade 9	9.3%	13.3%	25.6%	74.4%
	Grade 10	12.1%	17.1%	29.6%	70.4%
	Grade 11	15.7%	21.1%	35.3%	64.7%
	Grade 12	20.5%	27.2%	40.6%	59.4%
Alcohol					
	All	25.2%	35.9%	57.9%	42.1%
	Grade 7	11.2%	16.0%	36.2%	63.8%
	Grade 8	15.1%	22.4%	45.6%	54.4%
	Grade 9	23.9%	34.4%	59.9%	40.1%
	Grade 10	27.9%	40.9%	63.4%	36.6%
	Grade 11	32.2%	46.4%	69.0%	31.0%
	Grade 12	41.2%	55.8%	73.1%	26.9%
Inhalants					
	All	4.2%	6.4%	14.3%	85.7%
	Grade 7	6.4%	9.3%	17.2%	82.8%
	Grade 8	5.1%	8.4%	16.2%	83.8%
	Grade 9	4.6%	7.0%	16.1%	83.9%
	Grade 10	3.8%	5.5%	13.3%	86.7%
	Grade 11	2.5%	4.3%	11.8%	88.2%
	Grade 12	2.6%	4.2%	10.8%	89.2%
Any Illicit Drug					
	All	12.0%	16.8%	26.4%	73.6%
	Grade 7	3.7%	5.2%	9.1%	90.9%
	Grade 8	6.0%	8.4%	14.5%	85.5%
	Grade 9	11.4%	16.2%	25.7%	74.3%
	Grade 10	14.4%	20.1%	31.1%	68.9%
	Grade 11	16.4%	23.4%	36.4%	63.6%
	Grade 12	20.1%	27.8%	41.7%	58.3%
Marijuana					
	All	10.9%	15.9%	25.5%	74.5%
	Grade 7	2.8%	4.1%	7.6%	92.4%
	Grade 8	5.2%	7.7%	13.6%	86.4%
	Grade 9	10.6%	15.4%	24.8%	75.2%
	Grade 10	13.2%	19.0%	30.3%	69.7%
	Grade 11	14.8%	22.2%	35.7%	64.3%
	Grade 12	18.8%	26.8%	41.2%	58.8%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	5.2%	8.3%	15.3%	84.7%
	Grade 7	1.5%	2.4%	4.7%	95.3%
	Grade 8	2.7%	4.5%	8.8%	91.2%
	Grade 9	5.5%	8.3%	15.2%	84.8%
	Grade 10	6.5%	10.2%	18.3%	81.7%
	Grade 11	6.5%	11.0%	20.8%	79.2%
	Grade 12	8.4%	13.8%	24.3%	75.7%
Cocaine or Crack					
	All	1.1%	1.9%	3.9%	96.1%
	Grade 7	0.5%	1.0%	1.9%	98.1%
	Grade 8	0.5%	0.8%	1.7%	98.3%
	Grade 9	0.9%	1.5%	3.4%	96.6%
	Grade 10	1.3%	2.2%	4.6%	95.4%
	Grade 11	1.6%	2.8%	6.3%	93.7%
	Grade 12	1.9%	3.2%	5.9%	94.1%
Cocaine					
	All	1.0%	1.7%	3.6%	96.4%
	Grade 7	0.3%	0.6%	1.2%	98.8%
	Grade 8	0.3%	0.5%	1.3%	98.7%
	Grade 9	0.8%	1.3%	3.1%	96.9%
	Grade 10	1.1%	2.0%	4.2%	95.8%
	Grade 11	1.6%	2.7%	6.1%	93.9%
	Grade 12	1.9%	3.2%	5.9%	94.1%
Crack					
	All	0.3%	0.6%	1.2%	98.8%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.3%	0.5%	0.9%	99.1%
	Grade 9	0.4%	0.6%	1.1%	98.9%
	Grade 10	0.4%	0.7%	1.7%	98.3%
	Grade 11	0.2%	0.5%	1.5%	98.5%
	Grade 12	0.2%	0.4%	0.8%	99.2%
Hallucinogens					
	All	1.3%	2.1%	4.0%	96.0%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	0.7%	1.1%	2.0%	98.0%
	Grade 9	1.4%	2.0%	3.5%	96.5%
	Grade 10	1.4%	2.5%	5.0%	95.0%
	Grade 11	1.8%	2.8%	6.1%	93.9%
	Grade 12	2.0%	3.8%	6.5%	93.5%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers					
	All	1.7%	2.7%	4.4%	95.6%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.5%	0.7%	1.1%	98.9%
	Grade 9	1.3%	1.9%	3.3%	96.7%
	Grade 10	2.2%	3.2%	5.3%	94.7%
	Grade 11	2.6%	4.4%	7.4%	92.6%
	Grade 12	3.2%	5.3%	8.8%	91.2%
Downers					
	All	1.8%	2.8%	4.5%	95.5%
	Grade 7	0.4%	0.4%	0.7%	99.3%
	Grade 8	0.5%	0.6%	1.0%	99.0%
	Grade 9	1.2%	2.0%	3.2%	96.8%
	Grade 10	2.4%	3.5%	5.6%	94.4%
	Grade 11	2.9%	4.7%	7.5%	92.5%
	Grade 12	3.5%	5.5%	9.3%	90.7%
Rohypnol					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.6%	0.8%	1.6%	98.4%
	Grade 9	0.7%	0.9%	1.8%	98.2%
	Grade 10	0.7%	0.9%	1.6%	98.4%
	Grade 11	0.3%	0.5%	1.3%	98.7%
	Grade 12	0.3%	0.6%	1.0%	99.0%
Steroids					
	All	0.4%	0.7%	1.4%	98.6%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	0.2%	0.5%	1.5%	98.5%
	Grade 9	0.2%	0.4%	1.3%	98.7%
	Grade 10	0.5%	0.7%	1.2%	98.8%
	Grade 11	0.6%	0.8%	1.5%	98.5%
	Grade 12	0.5%	0.9%	1.5%	98.5%
Ecstasy					
	All	1.4%	2.5%	5.1%	94.9%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	0.5%	0.9%	1.9%	98.1%
	Grade 9	1.5%	2.4%	4.5%	95.5%
	Grade 10	1.5%	2.9%	6.1%	93.9%
	Grade 11	2.2%	4.1%	8.4%	91.6%
	Grade 12	2.3%	4.2%	8.7%	91.3%

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.2%	0.4%	0.8%	99.2%
	Grade 9	0.4%	0.6%	1.2%	98.8%
	Grade 10	0.3%	0.5%	1.2%	98.8%
	Grade 11	0.4%	0.5%	1.0%	99.0%
	Grade 12	0.4%	0.6%	1.1%	98.9%

3. Margin Tables

**Non-Border - Grades 7-12 Large
SPRING 2012**

**Non-Border - Grades 7-12 Large
SPRING 2012**

GENDER		
q1	Frequency	Percent
Female	668,072	51.8%
Male	622,823	48.2%

Frequency Missing = 6754.8572097

GRADE		
q2	Frequency	Percent
Grade 7	226,942	17.5%
Grade 8	221,128	17.0%
Grade 9	245,005	18.9%
Grade 10	218,121	16.8%
Grade 11	201,641	15.5%
Grade 12	184,814	14.2%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	504,886	39.3%
Yes	779,399	60.7%

Frequency Missing = 13364.819338

AGE		
q4	Frequency	Percent
11 or younger	1,500	0.1%
12	72,058	5.6%
13	197,284	15.3%
14	220,435	17.1%
15	241,306	18.7%
16	217,795	16.9%
17	202,179	15.7%
18	127,482	9.9%
19 or older	10,647	0.8%

Frequency Missing = 6965.0034651

ETHNICITY		
q5	Frequency	Percent
African/American	204,280	16.0%
Asian/American	21,992	1.7%
Mexican/American	500,940	39.1%
Native/American	6,746	0.5%
Other	36,313	2.8%
White	509,770	39.8%

Frequency Missing = 17607.652218

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	406,806	31.8%
Mostly B's	659,688	51.6%
Mostly C's	183,970	14.4%
Mostly D's	20,959	1.6%
Mostly F's	8,034	0.6%

Frequency Missing = 18193.222746

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	118,669	9.3%
2- 3 years	206,309	16.1%
>4 years	956,887	74.6%

Frequency Missing = 15785.749916

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	1,004,427	78.4%
Yes	276,694	21.6%

Frequency Missing = 16528.862006

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	849,030	66.5%
Yes	426,991	33.5%

Frequency Missing = 21629.308644

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	205,619	16.1%
No	490,914	38.3%
Yes	583,866	45.6%

Frequency Missing = 17250.358846

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	171,460	13.4%
No	564,864	44.1%
Yes	544,490	42.5%

Frequency Missing = 16835.92412

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q12a	Frequency	Percent
No	592,113	49.2%
Yes	611,185	50.8%

Frequency Missing = 94353.020969

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	904,214	81.6%
Yes	204,322	18.4%

Frequency Missing = 189114.54383

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	942,867	87.2%
Yes	138,068	12.8%

Frequency Missing = 216714.96624

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	868,886	79.8%
Yes	219,345	20.2%

Frequency Missing = 209419.1691

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	797,469	72.2%
Yes	306,335	27.8%

Frequency Missing = 193846.63437

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	862,079	79.4%
Yes	223,989	20.6%

Frequency Missing = 211582.82994

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	944,303	86.8%
Yes	143,883	13.2%

Frequency Missing = 209464.35008

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	1,065,326	83.0%
Somewhat Safe	189,342	14.7%
Not Very Safe	13,052	1.0%
Not Safe At All	4,997	0.4%
Don't Know	11,310	0.9%

Frequency Missing = 13623.361709

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	982,923	91.3%
Yes	93,732	8.7%

Frequency Missing = 220995.10461

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	980,518	90.7%
Yes	100,825	9.3%

Frequency Missing = 216307.83698

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	570,883	44.7%
Somewhat Safe	583,626	45.7%
Not Very Safe	79,048	6.2%
Not Safe At All	22,011	1.7%
Don't Know	21,659	1.7%

Frequency Missing = 20422.175161

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	1,022,625	95.8%
Yes	44,490	4.2%

Frequency Missing = 230535.22312

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	850,686	78.4%
Yes	233,883	21.6%

Frequency Missing = 213081.52743

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	582,117	45.6%
Somewhat Safe	547,150	42.9%
Not Very Safe	77,989	6.1%
Not Safe At All	35,671	2.8%
Don't Know	33,086	2.6%

Frequency Missing = 21637.129794

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	1,019,590	95.3%
Yes	50,373	4.7%

Frequency Missing = 227687.14312

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	714,403	63.6%
Yes	408,727	36.4%

Frequency Missing = 174520.65518

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	56,942	4.5%
A Few	306,502	24.0%
Some	327,436	25.6%
Most	469,678	36.7%
All	117,554	9.2%

Frequency Missing = 19537.787304

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e	Frequency	Percent
None	755,539	59.4%
A Few	342,483	26.9%
Some	107,835	8.5%
Most	43,531	3.4%
All	22,522	1.8%

Frequency Missing = 25740.835052

RECENT INHALANT USE - COMPUTER DUSTING SPRAYS		
Q16C	Frequency	Percent
Never Heard/Used	1,219,826	97.9%
In Your Lifetime	16,032	1.3%
Since School Began	4,189	0.3%
In the Past Month	5,770	0.5%

Frequency Missing = 51833.706796

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	829,595	66.1%
A Few	262,503	20.9%
Some	103,621	8.3%
Most	43,244	3.4%
All	16,673	1.3%

Frequency Missing = 42014.066575

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15	Frequency	Percent
No	687,695	60.5%
Yes	448,785	39.5%

Frequency Missing = 161169.81252

RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON		
Q16D	Frequency	Percent
Never Heard/Used	1,155,319	92.2%
In Your Lifetime	53,323	4.3%
Since School Began	15,887	1.3%
In the Past Month	28,255	2.3%

Frequency Missing = 44866.117263

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c	Frequency	Percent
None	30,438	2.5%
A Few	149,815	12.1%
Some	277,185	22.3%
Most	553,663	44.6%
All	231,139	18.6%

Frequency Missing = 55409.651661

RECENT INHALANT USE - SPRAY PAINT

Q16A	Frequency	Percent
Never Heard/Used	1,226,153	96.5%
In Your Lifetime	30,778	2.4%
Since School Began	5,404	0.4%
In the Past Month	8,745	0.7%

Frequency Missing = 26570.834742

RECENT INHALANT USE - GLUE		
Q16E	Frequency	Percent
Never Heard/Used	1,218,359	98.4%
In Your Lifetime	11,375	0.9%
Since School Began	2,576	0.2%
In the Past Month	5,729	0.5%

Frequency Missing = 59611.659504

HOW MANY FRIENDS BELONG TO A GANG		
q14d	Frequency	Percent
None	978,543	76.9%
A Few	177,189	13.9%
Some	70,786	5.6%
Most	31,017	2.4%
All	14,178	1.1%

Frequency Missing = 25937.405463

RECENT INHALANT USE - WHITEOUT, CORRECTION FLUID, MAGIC MARKERS

Q16B	Frequency	Percent
Never Heard/Used	1,154,060	91.8%
In Your Lifetime	63,968	5.1%
Since School Began	16,145	1.3%
In the Past Month	22,951	1.8%

Frequency Missing = 40525.730971

RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS		
Q16F	Frequency	Percent
Never Heard/Used	1,216,317	98.3%
In Your Lifetime	12,039	1.0%
Since School Began	3,528	0.3%
In the Past Month	6,058	0.5%

Frequency Missing = 59709.01977

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER Q16G Frequency Percent			RECENT BEER USE Q17C Frequency Percent			RECENT INHALANT USE Q17G Frequency Percent		
Never Heard/Used	1,208,659	97.1%	Never Heard/Used	668,369	54.8%	Never Heard/Used	1,152,418	93.2%
In Your Lifetime	19,705	1.6%	In Your Lifetime	237,698	19.5%	In Your Lifetime	52,467	4.2%
Since School Began	4,492	0.4%	Since School Began	105,132	8.6%	Since School Began	11,784	1.0%
In the Past Month	11,633	0.9%	In the Past Month	208,879	17.1%	In the Past Month	19,993	1.6%
Frequency Missing = 53160.86173			Frequency Missing = 77572.841275			Frequency Missing = 60988.833787		

RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS Q16H Frequency Percent			RECENT WINE COOLER USE Q17D Frequency Percent			RECENT MARIJUANA USE Q18A Frequency Percent		
Never Heard/Used	1,220,601	97.0%	Never Heard/Used	746,036	60.3%	Never Heard/Used	924,858	73.8%
In Your Lifetime	21,249	1.7%	In Your Lifetime	202,914	16.4%	In Your Lifetime	126,544	10.1%
Since School Began	5,780	0.5%	Since School Began	106,684	8.6%	Since School Began	62,126	5.0%
In the Past Month	11,343	0.9%	In the Past Month	181,430	14.7%	In the Past Month	138,851	11.1%
Frequency Missing = 38677.079432			Frequency Missing = 60586.692999			Frequency Missing = 45271.52539		

RECENT CIGARETTE USE Q17A Frequency Percent			RECENT WINE USE Q17E Frequency Percent			RECENT COCAINE USE Q18B Frequency Percent		
Never Heard/Used	938,583	74.8%	Never Heard/Used	748,850	62.1%	Never Heard/Used	1,188,912	96.3%
In Your Lifetime	147,871	11.8%	In Your Lifetime	236,187	19.6%	In Your Lifetime	24,137	2.0%
Since School Began	48,924	3.9%	Since School Began	93,185	7.7%	Since School Began	8,460	0.7%
In the Past Month	118,765	9.5%	In the Past Month	126,892	10.5%	In the Past Month	12,892	1.0%
Frequency Missing = 43507.113185			Frequency Missing = 92536.565802			Frequency Missing = 63249.759526		

RECENT SMOKELESS TOBACCO USE Q17B Frequency Percent			RECENT LIQUOR USE Q17F Frequency Percent			RECENT CRACK USE Q18C Frequency Percent		
Never Heard/Used	1,109,132	90.2%	Never Heard/Used	724,719	58.6%	Never Heard/Used	1,207,111	98.8%
In Your Lifetime	51,887	4.2%	In Your Lifetime	195,721	15.8%	In Your Lifetime	8,107	0.7%
Since School Began	21,291	1.7%	Since School Began	113,383	9.2%	Since School Began	2,820	0.2%
In the Past Month	47,114	3.8%	In the Past Month	202,534	16.4%	In the Past Month	3,978	0.3%
Frequency Missing = 68225.694726			Frequency Missing = 61294.185163			Frequency Missing = 75632.986311		

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

RECENT HALLUCINOGEN USE			RECENT STEROID USE			ALCOHOL USE IN PAST MONTH		
	Q18E Frequency	Percent		Q18I Frequency	Percent		q19b Frequency	Percent
Never Heard/Used	1,167,855	95.9%	Never Heard/Used	1,193,643	98.5%	Never Heard/Used	867,230	69.7%
In Your Lifetime	23,662	1.9%	In Your Lifetime	9,442	0.8%	1- 2 times	228,537	18.4%
Since School Began	10,732	0.9%	Since School Began	2,911	0.2%	3- 10 times	105,065	8.4%
In the Past Month	15,811	1.3%	In the Past Month	5,354	0.4%	11+ times	43,170	3.5%
Frequency Missing = 79590.553486			Frequency Missing = 86300.117002			Frequency Missing = 53648.110039		

RECENT UPPER USE			RECENT ECSTASY USE			INHALANT USE IN PAST MONTH		
	Q18F Frequency	Percent		Q18J Frequency	Percent		q19c Frequency	Percent
Never Heard/Used	1,151,523	95.5%	Never Heard/Used	1,153,860	94.8%	Never Heard/Used	1,193,182	97.4%
In Your Lifetime	22,565	1.9%	In Your Lifetime	31,821	2.6%	1- 2 times	24,632	2.0%
Since School Began	11,187	0.9%	Since School Began	13,019	1.1%	3- 10 times	5,492	0.4%
In the Past Month	20,521	1.7%	In the Past Month	18,100	1.5%	11+ times	1,925	0.2%
Frequency Missing = 91853.489282			Frequency Missing = 80850.196729			Frequency Missing = 72419.20334		

RECENT DOWNER USE			RECENT HEROIN USE			MARIJUANA USE IN PAST MONTH		
	Q18G Frequency	Percent		Q18K Frequency	Percent		q19d Frequency	Percent
Never Heard/Used	1,156,671	95.4%	Never Heard/Used	1,217,320	98.9%	Never Heard/Used	1,025,403	84.0%
In Your Lifetime	21,490	1.8%	In Your Lifetime	7,144	0.6%	1- 2 times	84,476	6.9%
Since School Began	11,589	1.0%	Since School Began	2,128	0.2%	3- 10 times	50,171	4.1%
In the Past Month	22,139	1.8%	In the Past Month	4,021	0.3%	11+ times	61,137	5.0%
Frequency Missing = 85760.769841			Frequency Missing = 67035.979696			Frequency Missing = 76463.106745		

RECENT ROHYPNOL USE			TOBACCO USE IN PAST MONTH			COCAINE USE IN PAST MONTH		
	Q18H Frequency	Percent		q19a Frequency	Percent		q19e Frequency	Percent
Never Heard/Used	1,198,980	98.6%	Never Heard/Used	1,084,704	87.2%	Never Heard/Used	1,207,522	98.2%
In Your Lifetime	8,276	0.7%	1- 2 times	69,513	5.6%	1- 2 times	13,850	1.1%
Since School Began	2,803	0.2%	3- 10 times	36,707	3.0%	3- 10 times	4,806	0.4%
In the Past Month	6,116	0.5%	11+ times	52,903	4.3%	11+ times	2,938	0.2%
Frequency Missing = 81475.227728			Frequency Missing = 53822.841717			Frequency Missing = 68534.242557		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

©Copyright 2012, Texas A&M University.
All rights reserved.

**Non-Border - Grades 7-12 Large
SPRING 2012**

CRACK USE IN PAST MONTH		
	q19f Frequency	Percent
Never Heard/Used	1,234,152	99.4%
1- 2 times	5,164	0.4%
3- 10 times	971	0.1%
11+ times	1,717	0.1%
Frequency Missing = 55647.283339		

CLOSE FRIENDS USE WINE COOLERS		
	q20d Frequency	Percent
Never heard/None	623,982	51.9%
A few	239,421	19.9%
Some	175,783	14.6%
Most	123,457	10.3%
All	38,885	3.2%
Frequency Missing = 96122.779808		

CLOSE FRIENDS USE MARIJUANA		
	q20h Frequency	Percent
Never heard/None	592,352	49.0%
A few	224,975	18.6%
Some	170,200	14.1%
Most	162,576	13.4%
All	59,459	4.9%
Frequency Missing = 88088.502429		

CLOSE FRIENDS USE CIGARETTES		
	q20a Frequency	Percent
Never heard/None	617,967	50.3%
A few	364,247	29.7%
Some	160,950	13.1%
Most	73,033	5.9%
All	11,369	0.9%
Frequency Missing = 70084.120441		

CLOSE FRIENDS USE WINE		
	q20e Frequency	Percent
Never heard/None	695,111	58.1%
A few	261,883	21.9%
Some	143,211	12.0%
Most	71,326	6.0%
All	24,556	2.1%
Frequency Missing = 101562.47412		

DIFFICULT TO GET CIGARETTES		
	q21a Frequency	Percent
Never heard of	183,269	15.2%
Impossible	235,774	19.5%
Very difficult	83,747	6.9%
Somewhat diff	121,370	10.0%
Somewhat easy	205,253	17.0%
Very easy	379,475	31.4%
Frequency Missing = 88760.962133		

CLOSE FRIENDS USE SMOKELESS TOBACCO		
	q20b Frequency	Percent
Never heard/None	841,088	69.5%
A few	212,029	17.5%
Some	106,638	8.8%
Most	43,313	3.6%
All	7,390	0.6%
Frequency Missing = 87191.977847		

CLOSE FRIENDS USE LIQUOR		
	q20f Frequency	Percent
Never heard/None	547,888	45.5%
A few	245,309	20.4%
Some	187,862	15.6%
Most	167,191	13.9%
All	55,793	4.6%
Frequency Missing = 93606.177074		

DIFFICULT TO GET SMOKELESS TOBACCO		
	q21b Frequency	Percent
Never heard of	300,945	25.2%
Impossible	271,807	22.8%
Very difficult	99,503	8.3%
Somewhat diff	116,195	9.7%
Somewhat easy	142,308	11.9%
Very easy	263,101	22.0%
Frequency Missing = 103790.33836		

CLOSE FRIENDS USE BEER		
	q20c Frequency	Percent
Never heard/None	458,495	38.0%
A few	282,774	23.5%
Some	212,805	17.7%
Most	191,532	15.9%
All	59,779	5.0%
Frequency Missing = 92263.984329		

CLOSE FRIENDS USE INHALANTS		
	q20g Frequency	Percent
Never heard/None	1,022,828	84.7%
A few	126,360	10.5%
Some	40,637	3.4%
Most	14,018	1.2%
All	4,414	0.4%
Frequency Missing = 89392.884277		

DIFFICULT TO GET BEER		
	q21c Frequency	Percent
Never heard of	155,529	13.1%
Impossible	171,265	14.4%
Very difficult	76,938	6.5%
Somewhat diff	145,295	12.2%
Somewhat easy	237,568	20.0%
Very easy	401,818	33.8%
Frequency Missing = 109236.82882		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

DIFFICULT TO GET WINE COOLERS		
	q21d Frequency	Percent
Never heard of	220,046	18.4%
Impossible	200,466	16.8%
Very difficult	89,931	7.5%
Somewhat diff	147,385	12.3%
Somewhat easy	213,269	17.9%
Very easy	322,691	27.0%
Frequency Missing = 103861.61064		

DIFFICULT TO GET MARIJUANA		
	q21h Frequency	Percent
Never heard of	202,962	17.2%
Impossible	322,471	27.3%
Very difficult	94,507	8.0%
Somewhat diff	107,869	9.1%
Somewhat easy	146,887	12.4%
Very easy	308,505	26.1%
Frequency Missing = 114449.35728		

DIFFICULT TO GET UPPERS		
	q21m Frequency	Percent
Never heard of	605,169	52.3%
Impossible	250,059	21.6%
Very difficult	93,591	8.1%
Somewhat diff	72,792	6.3%
Somewhat easy	57,124	4.9%
Very easy	79,370	6.9%
Frequency Missing = 139544.67176		

DIFFICULT TO GET WINE		
	q21e Frequency	Percent
Never heard of	180,036	15.2%
Impossible	201,758	17.1%
Very difficult	98,081	8.3%
Somewhat diff	153,574	13.0%
Somewhat easy	214,785	18.2%
Very easy	333,082	28.2%
Frequency Missing = 116334.58987		

DIFFICULT TO GET COCAINE		
	q21i Frequency	Percent
Never heard of	274,413	23.5%
Impossible	449,129	38.4%
Very difficult	168,543	14.4%
Somewhat diff	122,238	10.5%
Somewhat easy	69,460	5.9%
Very easy	85,537	7.3%
Frequency Missing = 128329.52429		

DIFFICULT TO GET DOWNERS		
	q21n Frequency	Percent
Never heard of	603,245	52.2%
Impossible	248,636	21.5%
Very difficult	95,041	8.2%
Somewhat diff	72,024	6.2%
Somewhat easy	55,174	4.8%
Very easy	80,607	7.0%
Frequency Missing = 142923.61954		

DIFFICULT TO GET LIQUOR		
	q21f Frequency	Percent
Never heard of	175,835	14.7%
Impossible	228,455	19.1%
Very difficult	104,972	8.8%
Somewhat diff	143,462	12.0%
Somewhat easy	204,352	17.1%
Very easy	338,355	28.3%
Frequency Missing = 102219.1535		

DIFFICULT TO GET CRACK		
	q21j Frequency	Percent
Never heard of	286,426	24.6%
Impossible	457,651	39.3%
Very difficult	176,419	15.2%
Somewhat diff	114,177	9.8%
Somewhat easy	60,539	5.2%
Very easy	68,667	5.9%
Frequency Missing = 133770.62826		

DIFFICULT TO GET ROHYPNOL		
	q21o Frequency	Percent
Never heard of	543,707	46.9%
Impossible	323,988	27.9%
Very difficult	129,378	11.1%
Somewhat diff	73,093	6.3%
Somewhat easy	36,992	3.2%
Very easy	53,194	4.6%
Frequency Missing = 137298.43627		

DIFFICULT TO GET INHALANTS		
	q21g Frequency	Percent
Never heard of	297,822	25.1%
Impossible	226,519	19.1%
Very difficult	68,715	5.8%
Somewhat diff	80,859	6.8%
Somewhat easy	126,832	10.7%
Very easy	386,585	32.6%
Frequency Missing = 110318.83353		

DIFFICULT TO GET HALLUCINOGENS		
	q21l Frequency	Percent
Never heard of	463,058	39.6%
Impossible	333,856	28.6%
Very difficult	137,696	11.8%
Somewhat diff	99,210	8.5%
Somewhat easy	61,594	5.3%
Very easy	73,046	6.3%
Frequency Missing = 129189.98822		

DIFFICULT TO GET STEROIDS		
	q21p Frequency	Percent
Never heard of	319,490	27.7%
Impossible	449,719	39.1%
Very difficult	160,022	13.9%
Somewhat diff	102,118	8.9%
Somewhat easy	53,481	4.6%
Very easy	66,498	5.8%
Frequency Missing = 146321.13796		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

DIFFICULT TO GET ECSTASY		
	q21q Frequency	Percent
Never heard of	412,927	35.7%
Impossible	349,154	30.2%
Very difficult	129,170	11.2%
Somewhat diff	94,860	8.2%
Somewhat easy	72,000	6.2%
Very easy	99,742	8.6%
Frequency Missing = 139796.65782		

DIFFICULT TO GET HEROIN		
	q21r Frequency	Percent
Never heard of	384,811	33.5%
Impossible	441,739	38.4%
Very difficult	153,574	13.3%
Somewhat diff	77,016	6.7%
Somewhat easy	38,399	3.3%
Very easy	54,841	4.8%
Frequency Missing = 147271.52406		

AGE WHEN FIRST USED CIGARETTES		
	q22a Frequency	Percent
9 or younger	41,286	13.0%
10 years old	21,687	6.8%
11 years old	25,006	7.8%
12 years old	36,713	11.5%
13 years old	47,051	14.8%
14 years old	45,659	14.3%
15 years old	42,199	13.2%
16 years old	32,913	10.3%
17 years old	18,695	5.9%
18 or older	7,587	2.4%
Frequency Missing = 978854.82299		

AGE WHEN FIRST USED SMOKELESS TOBACCO		
	q22b Frequency	Percent
9 or younger	9,285	8.0%
10 years old	5,920	5.1%
11 years old	6,353	5.5%
12 years old	12,373	10.7%
13 years old	15,200	13.1%
14 years old	20,726	17.8%
15 years old	21,580	18.6%
16 years old	15,084	13.0%
17 years old	6,695	5.8%
18 or older	2,939	2.5%
Frequency Missing = 1181496.0268		

AGE WHEN FIRST USED BEER		
	q22c Frequency	Percent
9 or younger	105,487	18.2%
10 years old	41,763	7.2%
11 years old	39,601	6.8%
12 years old	63,628	11.0%
13 years old	83,626	14.4%
14 years old	85,376	14.7%
15 years old	80,356	13.9%
16 years old	52,109	9.0%
17 years old	20,809	3.6%
18 or older	6,715	1.2%
Frequency Missing = 718181.3124		

AGE WHEN FIRST USED WINE COOLERS		
	q22d Frequency	Percent
9 or younger	46,584	9.8%
10 years old	28,577	6.0%
11 years old	33,599	7.1%
12 years old	54,694	11.5%
13 years old	76,536	16.1%
14 years old	81,387	17.2%
15 years old	76,933	16.2%
16 years old	49,499	10.4%
17 years old	20,012	4.2%
18 or older	6,192	1.3%
Frequency Missing = 823635.85929		

AGE WHEN FIRST USED WINE		
	q22e Frequency	Percent
9 or younger	54,169	11.4%
10 years old	34,274	7.2%
11 years old	36,993	7.8%
12 years old	58,036	12.2%
13 years old	77,769	16.4%
14 years old	74,374	15.7%
15 years old	68,825	14.5%
16 years old	44,148	9.3%
17 years old	19,752	4.2%
18 or older	5,808	1.2%
Frequency Missing = 823500.34665		

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

AGE WHEN FIRST USED LIQUOR		
	q22f Frequency	Percent
9 or younger	28,959	5.8%
10 years old	20,047	4.0%
11 years old	28,821	5.7%
12 years old	49,913	9.9%
13 years old	81,068	16.1%
14 years old	93,248	18.5%
15 years old	96,497	19.2%
16 years old	65,569	13.0%
17 years old	29,570	5.9%
18 or older	9,525	1.9%

Frequency Missing = 794433.64764

AGE WHEN FIRST USED MARIJUANA		
	q22h Frequency	Percent
9 or younger	16,345	5.3%
10 years old	10,514	3.4%
11 years old	16,544	5.4%
12 years old	33,236	10.8%
13 years old	54,293	17.6%
14 years old	60,551	19.6%
15 years old	55,962	18.1%
16 years old	39,896	12.9%
17 years old	16,778	5.4%
18 or older	4,570	1.5%

Frequency Missing = 988962.38829

AGE WHEN FIRST USED CRACK		
	q22j Frequency	Percent
9 or younger	1,336	10.3%
10 years old	677	5.2%
11 years old	490	3.8%
12 years old	1,870	14.4%
13 years old	2,436	18.7%
14 years old	1,987	15.3%
15 years old	1,959	15.0%
16 years old	1,455	11.2%
17 years old	609	4.7%
18 or older	203	1.6%

Frequency Missing = 1284628.6843

AGE WHEN FIRST USED INHALANTS		
	q22g Frequency	Percent
9 or younger	15,614	19.0%
10 years old	7,921	9.6%
11 years old	9,470	11.5%
12 years old	13,221	16.1%
13 years old	13,946	17.0%
14 years old	10,261	12.5%
15 years old	6,771	8.2%
16 years old	3,560	4.3%
17 years old	1,053	1.3%
18 or older	311	0.4%

Frequency Missing = 1215520.0896

AGE WHEN FIRST USED COCAINE		
	q22i Frequency	Percent
9 or younger	1,345	3.2%
10 years old	895	2.2%
11 years old	1,198	2.9%
12 years old	3,173	7.7%
13 years old	5,482	13.3%
14 years old	7,521	18.2%
15 years old	8,154	19.7%
16 years old	7,567	18.3%
17 years old	4,810	11.6%
18 or older	1,224	3.0%

Frequency Missing = 1256279.8006

AGE WHEN FIRST USED HALLUCINOGENS		
	q22l Frequency	Percent
9 or younger	1,409	3.3%
10 years old	1,196	2.8%
11 years old	1,724	4.0%
12 years old	2,752	6.4%
13 years old	5,754	13.4%
14 years old	7,840	18.2%
15 years old	8,762	20.3%
16 years old	7,673	17.8%
17 years old	4,963	11.5%
18 or older	1,014	2.4%

Frequency Missing = 1254563.1456

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

AGE WHEN FIRST USED UPPERS		
	q22m Frequency	Percent
9 or younger	1,171	2.2%
10 years old	993	1.9%
11 years old	2,082	4.0%
12 years old	3,861	7.3%
13 years old	6,940	13.2%
14 years old	10,549	20.0%
15 years old	12,857	24.4%
16 years old	9,080	17.2%
17 years old	4,131	7.8%
18 or older	992	1.9%

Frequency Missing = 1244994.4312

AGE WHEN FIRST USED ROHYPNOL		
	q22o Frequency	Percent
9 or younger	828	5.9%
10 years old	633	4.5%
11 years old	1,011	7.2%
12 years old	1,889	13.5%
13 years old	2,877	20.5%
14 years old	2,616	18.6%
15 years old	2,460	17.5%
16 years old	1,164	8.3%
17 years old	418	3.0%
18 or older	137	1.0%

Frequency Missing = 1283618.4756

AGE WHEN FIRST USED ECSTASY		
	q22q Frequency	Percent
9 or younger	1,057	1.8%
10 years old	1,229	2.1%
11 years old	1,397	2.4%
12 years old	3,312	5.6%
13 years old	7,281	12.4%
14 years old	10,621	18.0%
15 years old	14,134	24.0%
16 years old	11,690	19.8%
17 years old	6,622	11.2%
18 or older	1,567	2.7%

Frequency Missing = 1238742.733

AGE WHEN FIRST USED DOWNERS		
	q22n Frequency	Percent
9 or younger	1,770	3.3%
10 years old	1,076	2.0%
11 years old	1,729	3.3%
12 years old	3,941	7.4%
13 years old	7,871	14.8%
14 years old	10,281	19.4%
15 years old	13,435	25.3%
16 years old	8,730	16.4%
17 years old	3,332	6.3%
18 or older	935	1.8%

Frequency Missing = 1244550.6986

AGE WHEN FIRST USED STEROIDS		
	q22p Frequency	Percent
9 or younger	3,275	22.0%
10 years old	888	6.0%
11 years old	1,327	8.9%
12 years old	1,309	8.8%
13 years old	1,732	11.6%
14 years old	2,024	13.6%
15 years old	1,733	11.6%
16 years old	1,713	11.5%
17 years old	582	3.9%
18 or older	316	2.1%

Frequency Missing = 1282751.2045

AGE WHEN FIRST USED HEROIN		
	q22r Frequency	Percent
9 or younger	917	8.9%
10 years old	734	7.1%
11 years old	700	6.8%
12 years old	1,204	11.6%
13 years old	1,668	16.1%
14 years old	1,501	14.5%
15 years old	1,574	15.2%
16 years old	1,252	12.1%
17 years old	526	5.1%
18 or older	261	2.5%

Frequency Missing = 1287313.6924

HOW OFTEN NORMALLY USE CIGARETTES		
	q23a Frequency	Percent
Every day	29,225	2.5%
Several times/wk	23,602	2.0%
Several times/mo	31,293	2.6%
About once/month	53,240	4.5%
About once/year	46,130	3.9%
< once/year	86,130	7.2%
Never used	920,096	77.3%

Frequency Missing = 107933.61663

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q23b	Frequency	Percent
Every day	12,757	1.1%
Several times/wk	8,159	0.7%
Several times/mo	11,335	1.0%
About once/month	17,147	1.5%
About once/year	17,716	1.5%
< once/year	33,936	2.9%
Never used	1,068,984	91.4%
Frequency Missing = 127617.34903		

HOW OFTEN NORMALLY USE WINE		
q23e	Frequency	Percent
Every day	994	0.1%
Several times/wk	12,634	1.1%
Several times/mo	49,116	4.2%
About once/month	90,728	7.8%
About once/year	134,177	11.5%
< once/year	124,337	10.7%
Never used	750,270	64.6%
Frequency Missing = 135393.27958		

HOW OFTEN NORMALLY USE MARIJUANA		
q23h	Frequency	Percent
Every day	33,393	3.0%
Several times/wk	34,751	3.1%
Several times/mo	46,245	4.2%
About once/month	54,344	4.9%
About once/year	48,400	4.4%
< once/year	58,989	5.3%
Never used	836,235	75.2%
Frequency Missing = 185293.00812		

HOW OFTEN NORMALLY USE BEER		
q23c	Frequency	Percent
Every day	2,714	0.2%
Several times/wk	28,908	2.5%
Several times/mo	96,913	8.2%
About once/month	129,408	11.0%
About once/year	119,961	10.2%
< once/year	122,061	10.4%
Never used	676,163	57.5%
Frequency Missing = 121522.16431		

HOW OFTEN NORMALLY USE LIQUOR		
q23f	Frequency	Percent
Every day	2,041	0.2%
Several times/wk	22,640	1.9%
Several times/mo	93,923	8.0%
About once/month	125,237	10.6%
About once/year	121,393	10.3%
< once/year	95,123	8.1%
Never used	717,200	60.9%
Frequency Missing = 120093.88553		

HOW OFTEN NORMALLY USE COCAINE		
q23i	Frequency	Percent
Every day	1,189	0.1%
Several times/wk	2,096	0.2%
Several times/mo	3,945	0.4%
About once/month	6,701	0.6%
About once/year	7,986	0.7%
< once/year	12,490	1.1%
Never used	1,076,058	96.9%
Frequency Missing = 187184.54413		

HOW OFTEN NORMALLY USE WINE COOLERS		
q23d	Frequency	Percent
Every day	1,593	0.1%
Several times/wk	17,685	1.5%
Several times/mo	74,180	6.3%
About once/month	112,254	9.6%
About once/year	118,848	10.2%
< once/year	98,364	8.4%
Never used	747,652	63.9%
Frequency Missing = 127073.15169		

HOW OFTEN NORMALLY USE INHALANTS		
q23g	Frequency	Percent
Every day	1,374	0.1%
Several times/wk	3,644	0.3%
Several times/mo	6,219	0.6%
About once/month	9,949	0.9%
About once/year	13,278	1.2%
< once/year	30,843	2.8%
Never used	1,054,381	94.2%
Frequency Missing = 177962.79004		

HOW OFTEN NORMALLY USE CRACK		
q23j	Frequency	Percent
Every day	877	0.1%
Several times/wk	1,061	0.1%
Several times/mo	1,502	0.1%
About once/month	2,170	0.2%
About once/year	2,353	0.2%
< once/year	4,065	0.4%
Never used	1,104,433	98.9%
Frequency Missing = 181189.7506		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

HOW OFTEN NORMALLY USE HALLUCINOGENS			HOW OFTEN NORMALLY USE ROHYPNOL			HOW OFTEN NORMALLY USE HEROIN		
q23l Frequency Percent			q23o Frequency Percent			q23r Frequency Percent		
Every day	683	0.1%	Every day	514	0.0%	Every day	656	0.1%
Several times/wk	1,200	0.1%	Several times/wk	865	0.1%	Several times/wk	786	0.1%
Several times/mo	3,166	0.3%	Several times/mo	1,494	0.1%	Several times/mo	1,308	0.1%
About once/month	7,280	0.7%	About once/month	2,305	0.2%	About once/month	1,182	0.1%
About once/year	13,319	1.2%	About once/year	3,149	0.3%	About once/year	1,988	0.2%
< once/year	12,956	1.2%	< once/year	4,502	0.4%	< once/year	3,834	0.3%
Never used	1,078,662	96.5%	Never used	1,114,659	98.9%	Never used	1,145,510	99.2%
Frequency Missing = 180384.5627			Frequency Missing = 170162.8685			Frequency Missing = 142386.61515		

HOW OFTEN NORMALLY USE UPPERS			HOW OFTEN NORMALLY USE STEROIDS		
q23m Frequency Percent			q23p Frequency Percent		
Every day	1,951	0.2%	Every day	1,210	0.1%
Several times/wk	2,898	0.3%	Several times/wk	1,022	0.1%
Several times/mo	7,252	0.7%	Several times/mo	827	0.1%
About once/month	11,658	1.0%	About once/month	1,706	0.2%
About once/year	11,648	1.0%	About once/year	2,388	0.2%
< once/year	11,948	1.1%	< once/year	5,134	0.5%
Never used	1,063,818	95.7%	Never used	1,106,363	98.9%
Frequency Missing = 186476.7662			Frequency Missing = 179000.63605		

AMOUNT OF BEER AT ONE TIME		
q24a Frequency Percent		
Never drink this	640,270	53.8%
12+ drinks	39,908	3.4%
9- 11 drinks	32,138	2.7%
5- 8 drinks	64,977	5.5%
3- 4 drinks	81,315	6.8%
2 drinks	77,835	6.5%
1 drink	96,440	8.1%
< 1 drink	157,668	13.2%
Frequency Missing = 107098.82221		

HOW OFTEN NORMALLY USE DOWNERS			HOW OFTEN NORMALLY USE ECSTASY		
q23n Frequency Percent			q23q Frequency Percent		
Every day	1,801	0.2%	Every day	538	0.0%
Several times/wk	3,077	0.3%	Several times/wk	2,099	0.2%
Several times/mo	7,732	0.7%	Several times/mo	5,001	0.4%
About once/month	12,656	1.1%	About once/month	10,273	0.9%
About once/year	10,945	1.0%	About once/year	15,683	1.4%
< once/year	12,576	1.1%	< once/year	18,754	1.6%
Never used	1,069,921	95.6%	Never used	1,084,885	95.4%
Frequency Missing = 178942.16359			Frequency Missing = 160416.98659		

AMOUNT OF WINE COOLERS AT ONE TIME		
q24b Frequency Percent		
Never drink this	703,224	59.9%
12+ drinks	21,241	1.8%
9- 11 drinks	17,401	1.5%
5- 8 drinks	48,585	4.1%
3- 4 drinks	84,530	7.2%
2 drinks	93,764	8.0%
1 drink	100,543	8.6%
< 1 drink	104,003	8.9%
Frequency Missing = 124359.10281		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

AMOUNT OF WINE AT ONE TIME		
	q24c Frequency	Percent
Never drink this	712,569	61.1%
12+ drinks	11,951	1.0%
9- 11 drinks	7,492	0.6%
5- 8 drinks	17,853	1.5%
3- 4 drinks	40,625	3.5%
2 drinks	67,017	5.7%
1 drink	126,014	10.8%
< 1 drink	183,096	15.7%
Frequency Missing = 131033.20531		

AMOUNT OF LIQUOR AT ONE TIME		
	q24d Frequency	Percent
Never drink this	677,053	57.7%
12+ drinks	33,710	2.9%
9- 11 drinks	27,620	2.4%
5- 8 drinks	64,478	5.5%
3- 4 drinks	94,457	8.1%
2 drinks	77,876	6.6%
1 drink	86,913	7.4%
< 1 drink	111,036	9.5%
Frequency Missing = 124506.10573		

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
	q25 Frequency	Percent
Never 5+ at time	568,697	46.7%
None	437,677	35.9%
1 day	71,543	5.9%
2 days	44,607	3.7%
3 to 5 days	49,823	4.1%
6 to 9 days	20,723	1.7%
10 or more days	25,265	2.1%
Frequency Missing = 79314.216566		

GET ALCOHOLIC BEVERAGES FROM HOME		
	q26a Frequency	Percent
Do not Drink	577,976	48.3%
Never	276,175	23.1%
Seldom	238,019	19.9%
Most of the Time	72,412	6.0%
Always	32,630	2.7%
Frequency Missing = 100437.99661		

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
	q26b Frequency	Percent
Do not Drink	553,054	46.9%
Never	220,935	18.7%
Seldom	177,564	15.0%
Most of the Time	167,826	14.2%
Always	60,812	5.2%
Frequency Missing = 117458.43601		

GET ALCOHOLIC BEVERAGES FROM A STORE		
	q26c Frequency	Percent
Do not Drink	578,094	49.2%
Never	459,706	39.1%
Seldom	71,683	6.1%
Most of the Time	44,162	3.8%
Always	21,786	1.9%
Frequency Missing = 122219.44312		

GET ALCOHOLIC BEVERAGES AT PARTIES		
	q26d Frequency	Percent
Do not Drink	535,896	45.3%
Never	198,485	16.8%
Seldom	145,153	12.3%
Most of the Time	153,637	13.0%
Always	149,200	12.6%
Frequency Missing = 115279.41053		

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
	q26e Frequency	Percent
Do not Drink	580,256	49.3%
Never	307,740	26.1%
Seldom	141,660	12.0%
Most of the Time	79,048	6.7%
Always	69,151	5.9%
Frequency Missing = 119793.76111		

USE MARIJUANA AS JOINTS		
	q27a Frequency	Percent
Never	954,208	80.1%
Seldom	97,170	8.2%
Half the time	53,397	4.5%
Most of the time	42,873	3.6%
Always	34,314	2.9%
Don't know	9,030	0.8%
Frequency Missing = 106658.62774		

USE MARIJUANA AS BLUNTS		
	q27b Frequency	Percent
Never	939,606	79.6%
Seldom	78,878	6.7%
Half the time	44,466	3.8%
Most of the time	53,932	4.6%
Always	53,200	4.5%
Don't know	9,684	0.8%
Frequency Missing = 117884.51081		

USE MARIJUANA IN BONGS OR WATER PIPES		
	q27c Frequency	Percent
Never	979,882	83.6%
Seldom	70,123	6.0%
Half the time	42,340	3.6%
Most of the time	38,613	3.3%
Always	33,405	2.9%
Don't know	7,508	0.6%
Frequency Missing = 125778.91532		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

USE MARIJUANA IN PIPES		
	q27d Frequency	Percent
Never	963,158	82.6%
Seldom	62,153	5.3%
Half the time	40,341	3.5%
Most of the time	51,351	4.4%
Always	40,795	3.5%
Don't know	7,860	0.7%
Frequency Missing = 131992.3742		

RECENT PRECRIPTION DRUG USE - OXYCONTIN ETC		
	q29b Frequency	Percent
Never heard/used	1,113,145	96.2%
At least once/month	14,054	1.2%
At least once/year	11,586	1.0%
At least once/life	18,712	1.6%
Frequency Missing = 140153.20644		

TAKE DXM, TRIPLE CS, ETC. TO GET HIGH		
	q30 Frequency	Percent
Never heard/used	1,119,968	95.4%
At least once/month	20,153	1.7%
At least once/year	11,209	1.0%
At least once/life	22,107	1.9%
Frequency Missing = 124212.61842		

USE MARIJUANA OTHER WAYS		
	q27e Frequency	Percent
Never	1,025,538	87.8%
Seldom	62,077	5.3%
Half the time	18,295	1.6%
Most of the time	16,050	1.4%
Always	24,550	2.1%
Don't know	21,088	1.8%
Frequency Missing = 130052.28425		

RECENT PRECRIPTION DRUG USE - VICODIN ETC		
	q29c Frequency	Percent
Never heard/used	1,055,712	91.8%
At least once/month	33,688	2.9%
At least once/year	29,839	2.6%
At least once/life	31,153	2.7%
Frequency Missing = 147257.60563		

DANGEROUS FOR KIDS TO USE TOBACCO		
	q31a Frequency	Percent
Very	652,764	55.9%
Somewhat	302,030	25.9%
Not very	121,541	10.4%
Not at all	35,770	3.1%
Don't know	55,510	4.8%
Frequency Missing = 130035.79754		

USED METHAMPHETAMINE EVEN ONE TIME		
	q28 Frequency	Percent
Never heard/used	1,176,258	97.5%
At least once/month	9,257	0.8%
At least once/year	5,541	0.5%
At least once/life	15,732	1.3%
Frequency Missing = 90862.465707		

RECENT PRECRIPTION DRUG USE - VALIUM ETC		
	q29d Frequency	Percent
Never heard/used	1,125,167	97.9%
At least once/month	7,779	0.7%
At least once/year	5,799	0.5%
At least once/life	10,664	0.9%
Frequency Missing = 148241.79347		

DANGEROUS FOR KIDS TO USE ALCOHOL		
	q31b Frequency	Percent
Very	570,119	49.8%
Somewhat	347,542	30.3%
Not very	152,852	13.3%
Not at all	36,472	3.2%
Don't know	38,155	3.3%
Frequency Missing = 152510.80816		

RECENT PRECRIPTION DRUG USE - CODEINE		
	q29a Frequency	Percent
Never heard/used	1,048,283	88.9%
At least once/month	47,170	4.0%
At least once/year	34,121	2.9%
At least once/life	49,346	4.2%
Frequency Missing = 118730.13389		

RECENT PRECRIPTION DRUG USE - XANAX ETC		
	q29e Frequency	Percent
Never heard/used	1,109,689	96.0%
At least once/month	17,163	1.5%
At least once/year	12,434	1.1%
At least once/life	16,788	1.5%
Frequency Missing = 141576.50755		

DANGEROUS FOR KIDS TO USE INHALANTS		
	q31c Frequency	Percent
Very	829,220	73.6%
Somewhat	167,441	14.9%
Not very	50,360	4.5%
Not at all	18,465	1.6%
Don't know	61,069	5.4%
Frequency Missing = 171095.49546		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

DANGEROUS FOR KIDS TO USE MARIJUANA		
q31d	Frequency	Percent
Very	645,833	57.3%
Somewhat	159,090	14.1%
Not very	137,449	12.2%
Not at all	142,938	12.7%
Don't know	41,007	3.6%
Frequency Missing = 171332.74431		

DANGEROUS FOR KIDS TO USE STEROIDS		
q31h	Frequency	Percent
Very	839,448	76.0%
Somewhat	143,919	13.0%
Not very	45,661	4.1%
Not at all	16,329	1.5%
Don't know	59,705	5.4%
Frequency Missing = 192588.78505		

DAYS ILL SINCE SEPTEMBER		
q32b	Frequency	Percent
None	341,497	29.3%
1- 3 days	603,197	51.8%
4- 9 days	176,564	15.2%
10+ days	43,121	3.7%
Frequency Missing = 133271.21843		

DANGEROUS FOR KIDS TO USE COCAINE		
q31e	Frequency	Percent
Very	949,261	85.5%
Somewhat	86,502	7.8%
Not very	16,919	1.5%
Not at all	9,378	0.8%
Don't know	48,300	4.3%
Frequency Missing = 187290.44401		

DANGEROUS FOR KIDS TO USE HEROIN		
q31i	Frequency	Percent
Very	966,042	87.1%
Somewhat	57,906	5.2%
Not very	11,333	1.0%
Not at all	8,893	0.8%
Don't know	65,426	5.9%
Frequency Missing = 188050.68193		

OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER		
q32c	Frequency	Percent
None	439,849	38.4%
1- 3 days	574,137	50.1%
4- 9 days	101,709	8.9%
10+ days	31,028	2.7%
Frequency Missing = 150927.80577		

DANGEROUS FOR KIDS TO USE CRACK		
q31f	Frequency	Percent
Very	956,357	87.0%
Somewhat	72,179	6.6%
Not very	12,883	1.2%
Not at all	8,484	0.8%
Don't know	49,053	4.5%
Frequency Missing = 198693.59178		

DANGEROUS FOR KIDS TO USE METHAMPHETAMINE		
q31j	Frequency	Percent
Very	950,781	84.7%
Somewhat	57,019	5.1%
Not very	11,798	1.1%
Not at all	8,339	0.7%
Don't know	93,977	8.4%
Frequency Missing = 175737.38022		

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q32d	Frequency	Percent
None	973,270	83.9%
1- 3 days	141,079	12.2%
4- 9 days	26,275	2.3%
10+ days	18,991	1.6%
Frequency Missing = 138035.02336		

DANGEROUS FOR KIDS TO USE ECSTASY		
q31g	Frequency	Percent
Very	863,736	78.5%
Somewhat	112,299	10.2%
Not very	36,213	3.3%
Not at all	14,570	1.3%
Don't know	73,663	6.7%
Frequency Missing = 197168.76083		

DAYS SKIPPED SINCE SEPTEMBER		
q32a	Frequency	Percent
None	916,303	78.2%
1- 3 days	187,825	16.0%
4- 9 days	43,405	3.7%
10+ days	24,452	2.1%
Frequency Missing = 125665.49948		

SOMEONE CALLED HOME SINCE SEPTEMBER		
q32e	Frequency	Percent
None	1,004,389	87.4%
1- 3 days	112,822	9.8%
4- 9 days	19,842	1.7%
10+ days	12,638	1.1%
Frequency Missing = 147958.72493		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q32f	Frequency	Percent
None	1,122,356	99.0%
1- 3 days	6,911	0.6%
4- 9 days	1,254	0.1%
10+ days	2,600	0.2%

Frequency Missing = 164528.36483

CRITICIZED BY DATE BECAUSE OF DRINKING		
q33c	Frequency	Percent
None	1,034,717	93.5%
1- 3 times	58,517	5.3%
4- 9 times	7,464	0.7%
10+ times	5,420	0.5%

Frequency Missing = 191531.21912

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q33g	Frequency	Percent
None	989,572	93.7%
1- 3 times	51,163	4.8%
4- 9 times	7,402	0.7%
10+ times	7,518	0.7%

Frequency Missing = 241995.34486

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q32g	Frequency	Percent
None	1,122,563	98.7%
1- 3 days	9,628	0.8%
4- 9 days	1,679	0.1%
10+ days	3,138	0.3%

Frequency Missing = 160641.87819

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q33d	Frequency	Percent
None	1,065,754	97.6%
1- 3 times	21,691	2.0%
4- 9 times	2,084	0.2%
10+ times	2,242	0.2%

Frequency Missing = 205879.4665

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q33h	Frequency	Percent
None	1,039,617	97.9%
1- 3 times	18,729	1.8%
4- 9 times	2,222	0.2%
10+ times	1,875	0.2%

Frequency Missing = 235207.0016

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q33a	Frequency	Percent
None	1,076,752	94.4%
1- 3 times	55,431	4.9%
4- 9 times	5,059	0.4%
10+ times	3,373	0.3%

Frequency Missing = 157034.8339

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q33e	Frequency	Percent
None	1,033,383	94.8%
1- 3 times	46,165	4.2%
4- 9 times	6,404	0.6%
10+ times	3,716	0.3%

Frequency Missing = 207983.26969

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q34a	Frequency	Percent
None	1,079,132	93.6%
1- 3 days	56,040	4.9%
4- 9 days	10,192	0.9%
10+ days	8,023	0.7%

Frequency Missing = 144263.17529

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q33b	Frequency	Percent
None	1,055,805	94.5%
1- 3 times	47,669	4.3%
4- 9 times	7,846	0.7%
10+ times	5,804	0.5%

Frequency Missing = 180526.96654

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q33f	Frequency	Percent
None	1,000,040	93.5%
1- 3 times	41,971	3.9%
4- 9 times	11,971	1.1%
10+ times	15,592	1.5%

Frequency Missing = 228076.23313

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q34b	Frequency	Percent
None	1,026,276	89.4%
1- 3 days	61,788	5.4%
4- 9 days	23,049	2.0%
10+ days	36,481	3.2%

Frequency Missing = 150055.24775

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q34c	Frequency	Percent
None	1,126,144	98.3%
1- 3 days	13,274	1.2%
4- 9 days	2,624	0.2%
10+ days	3,978	0.3%

Frequency Missing = 151630.38787

CLASS DAYS HIGH ON OTHER DRUG(S)		
q34d	Frequency	Percent
None	1,098,715	95.5%
1- 3 days	31,366	2.7%
4- 9 days	9,611	0.8%
10+ days	11,382	1.0%

Frequency Missing = 146576.23617

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q35a	Frequency	Percent
Never	528,349	45.4%
Seldom	103,216	8.9%
Half the time	72,879	6.3%
Most of the time	114,051	9.8%
Always	171,328	14.7%
Don't know	19,669	1.7%
Didn't attend	153,524	13.2%

Frequency Missing = 134634.25662

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q35b	Frequency	Percent
Never	634,373	54.6%
Seldom	96,010	8.3%
Half the time	66,548	5.7%
Most of the time	80,904	7.0%
Always	104,405	9.0%
Don't know	25,474	2.2%
Didn't attend	153,894	13.2%

Frequency Missing = 136041.70536

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q36	Frequency	Percent
No	1,001,318	92.8%
Yes	77,787	7.2%

Frequency Missing = 218545.14705

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q37a	Frequency	Percent
No	728,575	64.7%
Yes	397,911	35.3%

Frequency Missing = 171164.63476

WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL		
q37b	Frequency	Percent
No	667,214	59.9%
Yes	445,803	40.1%

Frequency Missing = 184632.68545

WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL		
q37c	Frequency	Percent
No	666,577	60.8%
Yes	429,111	39.2%

Frequency Missing = 201962.08444

WOULD SEEK HELP FROM PARENTS		
q37d	Frequency	Percent
No	407,722	36.9%
Yes	698,028	63.1%

Frequency Missing = 191899.66735

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q37e	Frequency	Percent
No	583,324	53.1%
Yes	515,093	46.9%

Frequency Missing = 199232.77964

WOULD SEEK HELP FROM FRIENDS		
q37f	Frequency	Percent
No	355,933	32.2%
Yes	749,785	67.8%

Frequency Missing = 191931.95947

WOULD SEEK HELP FROM ANOTHER ADULT		
q37g	Frequency	Percent
No	427,612	38.5%
Yes	683,928	61.5%

Frequency Missing = 186109.9848

WOULD NOT SEEK HELP		
q37h	Frequency	Percent
No	926,717	84.3%
Yes	172,124	15.7%

Frequency Missing = 198808.67703

DRUG/ALCOHOL INFO - - SCHOOL HEALTH CLASS		
q38a	Frequency	Percent
No	538,313	54.0%
Yes	459,342	46.0%

Frequency Missing = 299994.62272

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**Non-Border - Grades 7-12 Large
SPRING 2012**

DRUG/ALCOHOL INFO- - SCHOOL ASSEMBLY PROGRAM		
q38b	Frequency	Percent
No	519,475	53.1%
Yes	458,721	46.9%

Frequency Missing = 319454.21305

DRUG/ALCOHOL INFO- - INVITED SCHOOL GUEST		
q38g	Frequency	Percent
No	657,832	67.1%
Yes	321,851	32.9%

Frequency Missing = 317966.88168

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c	Frequency	Percent
Strong disapprove	905,320	80.4%
Mild disapprove	66,247	5.9%
Neither	61,653	5.5%
Mildly approve	15,517	1.4%
Strongly approve	16,248	1.4%
Don't know	61,530	5.5%

Frequency Missing = 171133.76583

DRUG/ALCOHOL INFO- - SCHOOL GUIDANCE COUNSELOR		
q38c	Frequency	Percent
No	736,766	76.1%
Yes	231,695	23.9%

Frequency Missing = 329188.7982

DRUG/ALCOHOL INFO- - ANOTHER SCHOOL SOURCE		
q38h	Frequency	Percent
No	696,762	70.4%
Yes	293,176	29.6%

Frequency Missing = 307711.80785

TESTED FOR DRUG USE AT SCHOOL		
q40	Frequency	Percent
No	1,014,374	87.7%
Yes	141,815	12.3%

Frequency Missing = 141461.24054

DRUG/ALCOHOL INFO- - SCIENCE CLASS		
q38d	Frequency	Percent
No	651,844	67.6%
Yes	312,737	32.4%

Frequency Missing = 333068.59266

PARENTS FEEL ABOUT KIDS SMOKING CIGARETTES		
q39a	Frequency	Percent
Strong disapprove	871,293	77.1%
Mild disapprove	91,308	8.1%
Neither	75,760	6.7%
Mildly approve	13,923	1.2%
Strongly approve	9,660	0.9%
Don't know	68,128	6.0%

Frequency Missing = 167578.76988

DRUG TESTING SHOULD BE REQUIRED FOR ALL STUDENT ATHLETES		
q41	Frequency	Percent
Don't Know	252,231	21.7%
No	250,232	21.5%
Yes	661,075	56.8%

Frequency Missing = 134111.52377

DRUG/ALCOHOL INFO- - SOCIAL STUDIES CLASS		
q38e	Frequency	Percent
No	823,686	85.2%
Yes	143,383	14.8%

Frequency Missing = 330581.22595

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b	Frequency	Percent
Strong disapprove	728,930	64.9%
Mild disapprove	160,869	14.3%
Neither	118,623	10.6%
Mildly approve	40,022	3.6%
Strongly approve	12,645	1.1%
Don't know	61,597	5.5%

Frequency Missing = 174964.97146

DRUG/ALCOHOL INFO- - SCHOOL STUDENT GROUP OR CLUB		
q38f	Frequency	Percent
No	834,584	85.8%
Yes	137,780	14.2%

Frequency Missing = 325285.55935

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district.