

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2020



**NON-BORDER REPORT**

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Pearson

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>3</b>
Tobacco . . . . .	4
Alcohol . . . . .	7
Drugs . . . . .	15
Inhalants . . . . .	30
Miscellaneous . . . . .	34
<b>2 Prevalence Tables</b>	<b>40</b>
Table B-1: All Students . . . . .	41
Table B-2: Male Students . . . . .	45
Table B-3: Female Students . . . . .	49
Table B-4: White Non-Hispanic Students . . . . .	53
Table B-5: African American Non-Hispanic Students . . . . .	57
Table B-6: Hispanic or Latino Students . . . . .	61
Table B-7: Students Reporting A Grades on Average . . . . .	65
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	69
Table B-9: Students Living with 2 Parents . . . . .	73
Table B-10: Students Not Living with 2 Parents . . . . .	77
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	81
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	85
<b>3 Margin Tables</b>	<b>89</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>112</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in non-border regions of the state. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

During the 2019-2020 school year, schools across Texas were closed from early March through the end of the school year due to the COVID-19 pandemic. Due to this sudden and unexpected closure, many schools that had registered for the survey were unable to complete it. Please

note that both the drop in participation along with the fact that those that did complete did so before March may have impacted the data.

# 1 General Substance Use Tables

## Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	14.6%	18.4%	30.7%	69.3%
Grade 7	4.5%	5.9%	13.8%	86.2%
Grade 8	10.1%	12.7%	24.1%	75.9%
Grade 9	14.2%	16.9%	28.7%	71.3%
Grade 10	16.2%	21.8%	36.4%	63.6%
Grade 11	18.7%	23.6%	38.1%	61.9%
Grade 12	26.7%	33.1%	47.8%	52.2%
Cigarettes?				
All	2.7%	4.1%	11.2%	88.8%
Grade 7	0.8%	1.2%	4.8%	95.2%
Grade 8	1.6%	2.3%	9.1%	90.9%
Grade 9	2.0%	2.9%	9.1%	90.9%
Grade 10	3.4%	4.9%	12.1%	87.9%
Grade 11	3.1%	5.8%	13.3%	86.7%
Grade 12	5.7%	8.6%	21.4%	78.6%
Smokeless Tobacco?				
All	2.3%	3.2%	6.7%	93.3%
Grade 7	0.5%	0.8%	2.6%	97.4%
Grade 8	1.6%	2.2%	4.8%	95.2%
Grade 9	2.1%	3.0%	6.0%	94.0%
Grade 10	2.4%	4.0%	8.5%	91.5%
Grade 11	2.7%	3.7%	8.3%	91.7%
Grade 12	4.8%	6.5%	11.3%	88.7%
Electronic Vapor Products?				
All	11.4%	15.8%	27.8%	72.2%
Grade 7	2.6%	4.2%	11.1%	88.9%
Grade 8	7.1%	10.1%	21.2%	78.8%
Grade 9	10.7%	14.3%	25.9%	74.1%
Grade 10	12.7%	19.2%	33.1%	66.9%
Grade 11	15.3%	20.6%	35.5%	64.5%
Grade 12	22.4%	29.4%	44.2%	55.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 4 of 127

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	87.5%	2.0%	1.2%	1.5%	1.9%	1.9%	3.9%
Grade 7	95.6%	0.0%	0.1%	0.5%	0.9%	0.8%	2.1%
Grade 8	91.9%	0.5%	0.4%	1.0%	1.2%	1.9%	3.1%
Grade 9	89.4%	1.2%	1.0%	1.7%	2.0%	1.2%	3.5%
Grade 10	86.5%	1.9%	1.1%	1.6%	2.5%	2.2%	4.2%
Grade 11	83.4%	3.8%	1.6%	1.8%	2.2%	2.0%	5.3%
Grade 12	75.9%	5.4%	3.2%	2.7%	3.0%	4.0%	5.8%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.2	10.7	11.3	12.3	13.3	13.8	14.6

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	30.1%	21.9%	8.2%	10.6%	13.6%	15.6%
Grade 7	39.0%	34.9%	8.7%	6.8%	6.1%	4.6%
Grade 8	31.1%	31.2%	9.1%	9.6%	10.9%	8.1%
Grade 9	29.8%	22.4%	9.4%	10.9%	13.9%	13.5%
Grade 10	26.3%	15.3%	9.3%	13.8%	16.9%	18.5%
Grade 11	26.3%	14.9%	6.8%	12.2%	17.2%	22.6%
Grade 12	27.2%	9.2%	5.3%	10.4%	18.2%	29.7%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	74.0%	15.1%	6.0%	3.7%	1.2%
Grade 7	89.1%	8.4%	1.7%	0.6%	0.3%
Grade 8	83.1%	11.0%	4.1%	1.4%	0.4%
Grade 9	75.4%	15.8%	4.4%	3.3%	1.1%
Grade 10	70.0%	17.2%	7.8%	3.5%	1.5%
Grade 11	64.6%	19.3%	8.9%	5.5%	1.7%
Grade 12	57.6%	20.3%	10.6%	9.3%	2.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.4%	7.6%	4.9%	1.0%	0.6%	7.5%
Grade 7	83.3%	4.2%	1.8%	0.3%	0.3%	10.1%
Grade 8	83.1%	4.9%	2.9%	0.7%	1.0%	7.4%
Grade 9	80.1%	7.4%	4.2%	1.1%	0.5%	6.8%
Grade 10	77.6%	8.1%	5.2%	0.9%	0.6%	7.6%
Grade 11	75.5%	10.3%	5.7%	1.2%	0.6%	6.5%
Grade 12	69.1%	11.6%	10.3%	2.2%	0.7%	6.2%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	60.8%	25.3%	6.9%	1.6%	5.5%
	Grade 7	73.6%	16.9%	3.7%	0.5%	5.2%
	Grade 8	67.7%	21.4%	4.9%	1.2%	4.8%
	Grade 9	62.7%	23.9%	7.4%	1.4%	4.6%
	Grade 10	56.3%	27.4%	7.7%	1.9%	6.7%
	Grade 11	52.2%	32.2%	7.7%	2.1%	5.8%
	Grade 12	49.0%	31.9%	10.6%	2.6%	5.8%
Electronic Vapor Products?						
	All	61.1%	19.5%	10.3%	3.5%	5.7%
	Grade 7	75.0%	13.2%	4.3%	1.5%	5.9%
	Grade 8	66.1%	16.2%	8.4%	3.8%	5.5%
	Grade 9	61.4%	19.8%	10.1%	3.0%	5.7%
	Grade 10	56.6%	21.7%	12.0%	4.2%	5.4%
	Grade 11	54.2%	22.6%	13.5%	4.3%	5.4%
	Grade 12	50.5%	24.8%	14.3%	4.3%	6.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	27.3%	32.4%	51.1%	48.9%
Grade 7	16.9%	19.3%	37.2%	62.8%
Grade 8	22.0%	25.4%	44.5%	55.5%
Grade 9	25.7%	30.8%	51.3%	48.7%
Grade 10	29.6%	35.8%	55.8%	44.2%
Grade 11	31.0%	38.3%	57.0%	43.0%
Grade 12	41.6%	49.0%	64.2%	35.8%
Beer?				
All	9.6%	15.5%	37.7%	62.3%
Grade 7	4.4%	6.9%	27.8%	72.2%
Grade 8	6.5%	9.3%	33.3%	66.7%
Grade 9	8.2%	13.8%	35.9%	64.1%
Grade 10	11.1%	18.9%	41.1%	58.9%
Grade 11	12.3%	19.7%	42.2%	57.8%
Grade 12	17.1%	27.3%	49.1%	50.9%
Wine Coolers?				
All	8.6%	14.0%	30.5%	69.5%
Grade 7	2.9%	4.5%	15.8%	84.2%
Grade 8	4.8%	7.4%	22.3%	77.7%
Grade 9	7.4%	12.4%	29.2%	70.8%
Grade 10	10.0%	16.7%	35.4%	64.6%
Grade 11	11.1%	18.5%	37.5%	62.5%
Grade 12	17.5%	27.7%	47.1%	52.9%
Wine?				
All	6.9%	12.1%	33.2%	66.8%
Grade 7	3.2%	5.4%	22.2%	77.8%
Grade 8	5.2%	8.2%	27.9%	72.1%
Grade 9	6.6%	11.6%	32.2%	67.8%
Grade 10	7.2%	13.3%	36.5%	63.5%
Grade 11	7.3%	14.3%	37.6%	62.4%
Grade 12	12.9%	21.9%	45.7%	54.3%
Liquor?				
All	10.7%	17.2%	35.3%	64.7%
Grade 7	2.9%	5.1%	17.7%	82.3%
Grade 8	6.1%	9.2%	25.8%	74.2%
Grade 9	9.7%	14.8%	33.9%	66.1%
Grade 10	12.2%	20.1%	40.9%	59.1%
Grade 11	14.3%	23.7%	43.0%	57.0%
Grade 12	21.4%	34.2%	55.1%	44.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 7 of 127

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	62.3%	0.3%	1.3%	5.8%	10.7%	10.3%	9.4%
Grade 7	78.9%	0.2%	0.5%	1.7%	4.1%	6.1%	8.5%
Grade 8	71.1%	0.2%	0.6%	3.8%	6.3%	8.5%	9.5%
Grade 9	64.5%	0.2%	1.1%	3.8%	11.3%	9.6%	9.5%
Grade 10	57.4%	0.2%	1.4%	6.0%	12.9%	12.0%	10.0%
Grade 11	53.1%	0.2%	2.1%	8.4%	13.4%	13.1%	9.7%
Grade 12	44.1%	0.7%	2.3%	12.5%	17.9%	13.3%	9.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	66.0%	34.0%	5.6%	16.1%	12.3%
	Grade 7	75.2%	24.8%	1.0%	10.5%	13.3%
	Grade 8	70.2%	29.8%	2.8%	12.2%	14.7%
	Grade 9	68.2%	31.8%	4.2%	14.7%	12.9%
	Grade 10	63.4%	36.6%	6.2%	18.0%	12.4%
	Grade 11	61.6%	38.4%	9.3%	18.8%	10.3%
	Grade 12	54.5%	45.5%	11.5%	24.5%	9.5%
<b>Wine Coolers</b>						
	All	72.5%	27.5%	5.3%	15.5%	6.7%
	Grade 7	86.5%	13.5%	0.9%	6.3%	6.2%
	Grade 8	80.7%	19.3%	2.3%	9.4%	7.6%
	Grade 9	74.1%	25.9%	4.0%	15.0%	6.9%
	Grade 10	68.9%	31.1%	5.2%	18.8%	7.1%
	Grade 11	65.4%	34.6%	7.6%	19.9%	7.1%
	Grade 12	55.9%	44.1%	13.2%	25.6%	5.3%
<b>Wine</b>						
	All	71.2%	28.8%	2.0%	13.8%	13.0%
	Grade 7	81.4%	18.6%	0.6%	7.5%	10.6%
	Grade 8	76.2%	23.8%	1.2%	9.5%	13.1%
	Grade 9	72.4%	27.6%	1.4%	13.4%	12.8%
	Grade 10	67.8%	32.2%	1.9%	15.4%	14.9%
	Grade 11	67.3%	32.7%	2.9%	16.1%	13.7%
	Grade 12	59.4%	40.6%	4.3%	22.9%	13.4%
<b>Liquor</b>						
	All	67.1%	32.9%	7.5%	15.8%	9.6%
	Grade 7	83.9%	16.1%	1.3%	6.6%	8.2%
	Grade 8	77.2%	22.8%	3.5%	8.7%	10.7%
	Grade 9	68.9%	31.1%	5.7%	15.2%	10.2%
	Grade 10	62.1%	37.9%	8.1%	20.2%	9.6%
	Grade 11	59.3%	40.7%	11.6%	19.3%	9.7%
	Grade 12	46.3%	53.7%	17.3%	27.5%	8.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 9 of 127

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	89.7%	3.8%	2.3%	2.2%	0.6%	1.3%
Grade 7	96.0%	1.9%	0.6%	0.4%	0.2%	0.9%
Grade 8	95.0%	1.5%	1.2%	1.3%	0.3%	0.7%
Grade 9	91.2%	3.9%	1.6%	1.9%	0.5%	0.9%
Grade 10	89.1%	4.7%	1.9%	1.8%	0.9%	1.5%
Grade 11	85.6%	4.9%	4.0%	3.3%	0.8%	1.5%
Grade 12	79.3%	6.6%	5.2%	5.2%	1.4%	2.4%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.8	10.3	11.1	12.1	12.9	13.9	14.6

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	23.6%	13.8%	6.1%	10.8%	18.5%	27.2%
Grade 7	32.2%	23.9%	8.4%	10.2%	12.9%	12.3%
Grade 8	24.9%	19.5%	8.1%	13.0%	16.3%	18.2%
Grade 9	23.7%	13.6%	6.2%	11.2%	18.1%	27.2%
Grade 10	19.8%	8.0%	5.0%	11.5%	21.2%	34.4%
Grade 11	19.3%	9.4%	4.3%	10.2%	21.2%	35.7%
Grade 12	20.3%	6.6%	4.2%	7.9%	22.5%	38.4%

**Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.3%	2.9%	0.5%	0.3%
Grade 7	97.8%	2.0%	0.1%	0.1%
Grade 8	96.5%	3.0%	0.4%	0.2%
Grade 9	95.9%	3.3%	0.6%	0.2%
Grade 10	95.4%	3.8%	0.5%	0.3%
Grade 11	95.9%	2.6%	1.0%	0.5%
Grade 12	96.1%	3.0%	0.5%	0.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 10 of 127

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	3.9
Alcohol Non-Users	2.9
Average Days Conduct Problems Reported	
Alcohol Users	1.9
Alcohol Non-Users	0.7

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.5%	2.5%	0.6%	0.4%
Grade 9	98.8%	1.0%	0.1%	0.1%
Grade 10	97.3%	2.0%	0.5%	0.2%
Grade 11	96.6%	2.5%	0.5%	0.4%
Grade 12	92.5%	5.2%	1.3%	1.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.3%	3.3%	0.3%	0.1%
Grade 7	97.6%	2.0%	0.2%	0.2%
Grade 8	97.5%	2.0%	0.5%	0.0%
Grade 9	95.7%	3.9%	0.3%	0.2%
Grade 10	95.5%	4.1%	0.3%	0.1%
Grade 11	95.9%	3.6%	0.3%	0.2%
Grade 12	95.2%	4.2%	0.5%	0.1%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	52.6%	22.1%	12.7%	9.5%	3.1%
Grade 7	76.4%	16.5%	4.7%	1.7%	0.7%
Grade 8	64.0%	22.1%	9.0%	3.9%	1.0%
Grade 9	52.9%	24.4%	12.9%	8.0%	1.8%
Grade 10	44.1%	24.3%	16.7%	11.4%	3.5%
Grade 11	39.2%	23.2%	17.8%	14.7%	5.0%
Grade 12	33.9%	22.1%	16.6%	19.9%	7.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	51.2%	6.8%	4.8%	8.3%	8.9%	2.2%	17.8%
Grade 7	71.7%	6.7%	3.1%	3.6%	1.4%	2.1%	11.5%
Grade 8	62.6%	6.5%	5.3%	5.0%	4.0%	2.2%	14.3%
Grade 9	51.5%	7.3%	5.8%	6.9%	5.5%	3.2%	19.8%
Grade 10	41.7%	7.6%	5.2%	12.0%	10.1%	2.4%	21.1%
Grade 11	40.0%	6.0%	4.4%	11.0%	14.7%	1.8%	22.1%
Grade 12	36.4%	6.8%	4.7%	12.5%	20.0%	1.1%	18.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	60.1%	15.8%	15.6%	5.4%	3.0%
	Grade 7	69.2%	15.1%	11.6%	3.1%	1.0%
	Grade 8	66.3%	15.3%	13.0%	3.8%	1.6%
	Grade 9	62.6%	14.8%	15.2%	5.0%	2.5%
	Grade 10	57.7%	13.9%	17.7%	6.5%	4.2%
	Grade 11	54.7%	18.5%	17.2%	5.8%	3.8%
	Grade 12	47.3%	18.0%	20.1%	8.9%	5.8%
Friends?						
	All	61.6%	17.0%	10.4%	8.3%	2.7%
	Grade 7	75.4%	19.7%	3.1%	1.6%	0.3%
	Grade 8	70.2%	17.6%	6.7%	4.6%	0.9%
	Grade 9	64.1%	16.6%	10.4%	6.9%	2.0%
	Grade 10	57.5%	16.6%	13.1%	9.9%	2.8%
	Grade 11	53.1%	17.2%	13.4%	11.5%	4.8%
	Grade 12	45.5%	13.7%	17.1%	17.2%	6.5%
A Store?						
	All	64.7%	29.1%	2.9%	2.0%	1.2%
	Grade 7	75.7%	21.9%	1.2%	0.9%	0.3%
	Grade 8	71.3%	25.8%	1.4%	0.8%	0.7%
	Grade 9	67.4%	28.2%	2.2%	1.5%	0.7%
	Grade 10	61.0%	32.4%	3.2%	1.8%	1.6%
	Grade 11	58.7%	32.2%	4.3%	2.8%	2.0%
	Grade 12	50.5%	35.9%	6.0%	5.1%	2.5%
Parties?						
	All	60.3%	15.3%	9.4%	8.9%	6.1%
	Grade 7	72.1%	16.2%	6.9%	3.6%	1.2%
	Grade 8	67.5%	15.9%	8.9%	5.2%	2.6%
	Grade 9	62.4%	15.0%	9.1%	8.1%	5.4%
	Grade 10	57.0%	15.7%	9.4%	10.6%	7.4%
	Grade 11	53.9%	16.3%	10.6%	11.1%	8.0%
	Grade 12	45.7%	12.5%	12.1%	16.4%	13.3%
Other Sources?						
	All	64.8%	21.4%	7.0%	3.8%	3.0%
	Grade 7	75.1%	18.0%	4.4%	1.6%	0.8%
	Grade 8	70.7%	18.8%	6.1%	2.6%	1.9%
	Grade 9	66.5%	21.5%	6.4%	3.2%	2.4%
	Grade 10	61.3%	22.8%	7.5%	4.5%	3.9%
	Grade 11	59.5%	24.0%	7.9%	4.5%	4.1%
	Grade 12	52.5%	24.3%	10.3%	7.1%	5.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)



**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	60.4%	14.9%	12.2%	4.5%	0.9%	7.1%
Grade 7	72.3%	10.1%	5.8%	1.5%	0.3%	10.1%
Grade 8	69.6%	11.4%	7.8%	3.0%	0.9%	7.3%
Grade 9	61.9%	16.7%	10.0%	3.5%	0.8%	7.0%
Grade 10	55.5%	18.0%	13.9%	4.2%	1.3%	7.1%
Grade 11	54.5%	17.0%	16.7%	5.4%	1.1%	5.3%
Grade 12	46.1%	16.1%	20.6%	10.4%	1.3%	5.5%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	47.3%	30.8%	14.9%	2.7%	4.4%
Grade 7	57.4%	25.2%	10.7%	1.9%	4.7%
Grade 8	51.4%	28.3%	13.3%	2.4%	4.6%
Grade 9	48.1%	30.4%	14.9%	2.8%	3.8%
Grade 10	43.1%	31.8%	17.8%	2.8%	4.5%
Grade 11	41.4%	34.8%	15.8%	3.3%	4.7%
Grade 12	40.8%	35.3%	17.2%	2.8%	3.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 14 of 127

## Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	12.8%	17.1%	22.8%	77.2%
Grade 7	4.6%	6.2%	8.0%	92.0%
Grade 8	8.0%	11.1%	15.2%	84.8%
Grade 9	11.5%	15.3%	18.6%	81.4%
Grade 10	14.7%	19.9%	27.0%	73.0%
Grade 11	17.5%	23.0%	30.5%	69.5%
Grade 12	23.2%	30.5%	42.4%	57.6%
Marijuana?				
All	12.2%	15.1%	20.9%	79.1%
Grade 7	3.6%	4.1%	5.5%	94.5%
Grade 8	7.2%	8.4%	11.9%	88.1%
Grade 9	11.0%	13.4%	17.0%	83.0%
Grade 10	14.5%	18.2%	25.3%	74.7%
Grade 11	17.1%	21.5%	29.6%	70.4%
Grade 12	22.7%	28.3%	41.3%	58.7%
Cocaine?				
All	0.9%	1.1%	1.9%	98.1%
Grade 7	0.6%	0.7%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.2%	98.8%
Grade 9	0.9%	0.9%	1.4%	98.6%
Grade 10	0.7%	1.0%	1.9%	98.1%
Grade 11	0.9%	1.2%	2.1%	97.9%
Grade 12	2.0%	2.3%	4.5%	95.5%
Crack?				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.2%	0.5%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.7%	99.3%
Grade 12	0.5%	0.7%	1.0%	99.0%
Hallucinogens?				
All	1.2%	1.7%	3.4%	96.6%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	1.0%	1.5%	2.8%	97.2%
Grade 10	1.5%	1.9%	3.9%	96.1%
Grade 11	1.8%	2.6%	5.0%	95.0%
Grade 12	2.5%	4.1%	7.6%	92.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 15 of 127

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.1%	0.2%	0.4%	99.6%
Steroids?				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.2%	0.4%	1.4%	98.6%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.3%	0.5%	1.4%	98.6%
Grade 10	0.3%	0.7%	2.0%	98.0%
Grade 11	0.3%	0.3%	1.1%	98.9%
Grade 12	0.2%	0.5%	1.4%	98.6%
Ecstasy?				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.7%	0.9%	2.3%	97.7%
Grade 11	0.7%	1.3%	3.1%	96.9%
Grade 12	1.8%	2.4%	4.8%	95.2%
Heroin?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.2%	99.8%
Methamphetamine?				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.4%	0.6%	99.4%
Grade 12	0.4%	0.5%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 16 of 127

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.1%	1.6%	3.2%	96.8%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	1.2%	1.7%	3.1%	96.9%
Grade 9	1.2%	1.8%	3.2%	96.8%
Grade 10	1.2%	2.1%	4.2%	95.8%
Grade 11	1.4%	1.9%	3.8%	96.2%
Grade 12	0.9%	1.4%	3.5%	96.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	82.1%	1.7%	1.9%	2.8%	3.6%	3.8%	4.1%
Grade 7	96.3%	0.1%	0.5%	0.5%	0.6%	1.2%	0.9%
Grade 8	90.3%	0.6%	1.1%	1.5%	1.7%	2.1%	2.6%
Grade 9	85.6%	1.6%	1.7%	2.4%	3.0%	2.9%	2.8%
Grade 10	77.0%	1.6%	1.9%	4.5%	4.1%	5.0%	5.9%
Grade 11	75.1%	3.1%	2.8%	3.1%	6.0%	4.5%	5.3%
Grade 12	64.0%	3.8%	3.9%	5.2%	6.9%	8.1%	8.0%
Cocaine?							
All	98.6%	0.0%	0.1%	0.1%	0.2%	0.4%	0.6%
Grade 7	99.4%	0.1%	0.0%	0.0%	0.2%	0.1%	0.2%
Grade 8	99.3%	0.0%	0.0%	0.1%	0.1%	0.2%	0.3%
Grade 9	98.9%	0.0%	0.2%	0.2%	0.1%	0.4%	0.3%
Grade 10	98.6%	0.0%	0.0%	0.1%	0.2%	0.5%	0.5%
Grade 11	98.4%	0.0%	0.0%	0.3%	0.2%	0.4%	0.7%
Grade 12	96.9%	0.0%	0.1%	0.1%	0.1%	0.7%	2.0%
Crack?							
All	99.5%	0.0%	0.1%	0.1%	0.0%	0.2%	0.2%
Grade 7	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
Grade 8	99.3%	0.0%	0.1%	0.1%	0.0%	0.2%	0.4%
Grade 9	99.5%	0.0%	0.2%	0.1%	0.0%	0.1%	0.1%
Grade 10	99.5%	0.0%	0.2%	0.0%	0.0%	0.3%	0.1%
Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
Grade 12	99.3%	0.0%	0.1%	0.0%	0.0%	0.2%	0.4%
Steroids?							
All	99.2%	0.1%	0.0%	0.0%	0.1%	0.1%	0.4%
Grade 7	99.4%	0.0%	0.0%	0.1%	0.1%	0.1%	0.3%
Grade 8	99.3%	0.0%	0.1%	0.0%	0.1%	0.2%	0.4%
Grade 9	99.3%	0.2%	0.0%	0.0%	0.2%	0.1%	0.3%
Grade 10	98.9%	0.3%	0.0%	0.0%	0.0%	0.2%	0.6%
Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%
Grade 12	99.0%	0.0%	0.0%	0.1%	0.4%	0.0%	0.5%
Ecstasy?							
All	98.3%	0.0%	0.1%	0.1%	0.3%	0.5%	0.7%
Grade 7	99.7%	0.0%	0.1%	0.0%	0.1%	0.1%	0.0%
Grade 8	99.1%	0.0%	0.0%	0.2%	0.1%	0.2%	0.4%
Grade 9	99.1%	0.0%	0.0%	0.1%	0.2%	0.1%	0.4%
Grade 10	98.2%	0.1%	0.1%	0.2%	0.2%	0.4%	0.8%
Grade 11	97.4%	0.0%	0.1%	0.1%	0.3%	1.0%	1.1%
Grade 12	95.8%	0.1%	0.1%	0.2%	0.7%	1.6%	1.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.6%	0.1%	0.0%	0.0%	0.0%	0.2%	0.1%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.5%	0.1%	0.2%	0.0%	0.0%	0.1%	0.1%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Methamphetamine?								
	All	99.5%	0.1%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.6%	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 9	99.4%	0.1%	0.1%	0.0%	0.0%	0.1%	0.3%
	Grade 10	99.3%	0.2%	0.1%	0.1%	0.1%	0.2%	0.0%
	Grade 11	99.5%	0.1%	0.0%	0.0%	0.1%	0.1%	0.3%
	Grade 12	99.3%	0.0%	0.1%	0.1%	0.0%	0.3%	0.2%
Synthetic Marijuana?								
	All	97.7%	0.1%	0.2%	0.3%	0.5%	0.5%	0.8%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.1%	0.1%	0.4%
	Grade 8	97.9%	0.1%	0.3%	0.4%	0.6%	0.1%	0.5%
	Grade 9	97.5%	0.0%	0.1%	0.5%	0.7%	0.5%	0.7%
	Grade 10	97.2%	0.1%	0.3%	0.3%	0.6%	0.8%	0.8%
	Grade 11	96.7%	0.1%	0.4%	0.1%	0.6%	0.9%	1.2%
	Grade 12	97.7%	0.1%	0.1%	0.0%	0.4%	0.6%	1.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.2	12.1	13.1	13.8	14.5	15.2
Cocaine	14.3	11.2	12.4	13.0	14.8	14.6	15.7
Crack	13.4	11.6	12.8	14.0	15.2	13.8	14.0
Steroids	12.4	9.7	10.8	12.1	13.7	12.9	13.7
Ecstasy	14.6	11.4	12.3	13.5	13.8	15.1	15.8
Heroin	12.4	9.9	10.0	13.7	14.0	13.4	14.8
Methamphetamine	13.6	10.4	12.2	12.5	13.4	15.6	16.2
Synthetic Marijuana	13.7	10.9	11.8	13.5	13.8	14.7	15.3

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 20 of 127

Non-Border Report

2020

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	29.2%	23.9%	7.9%	9.0%	12.1%	17.9%
	Grade 7	41.2%	40.3%	7.4%	4.7%	3.4%	3.0%
	Grade 8	31.4%	35.3%	9.6%	7.4%	7.1%	9.2%
	Grade 9	28.9%	24.2%	9.6%	10.6%	13.2%	13.5%
	Grade 10	24.0%	17.2%	7.9%	11.5%	15.6%	23.9%
	Grade 11	23.9%	13.5%	7.8%	10.6%	17.0%	27.2%
	Grade 12	24.1%	9.1%	4.6%	9.2%	17.8%	35.2%
Cocaine?							
	All	38.8%	35.5%	12.2%	7.1%	3.0%	3.6%
	Grade 7	44.0%	45.5%	6.1%	2.4%	1.1%	0.8%
	Grade 8	37.5%	44.4%	9.8%	4.5%	1.6%	2.4%
	Grade 9	37.4%	37.3%	13.0%	7.3%	2.5%	2.5%
	Grade 10	35.3%	31.6%	15.1%	9.2%	4.2%	4.7%
	Grade 11	37.3%	28.2%	15.4%	9.8%	4.4%	4.9%
	Grade 12	41.1%	22.6%	14.5%	10.2%	4.6%	7.0%
Crack?							
	All	40.6%	36.5%	12.3%	5.7%	2.1%	2.8%
	Grade 7	45.5%	44.4%	6.1%	2.1%	1.0%	0.8%
	Grade 8	39.0%	44.7%	9.2%	3.5%	1.3%	2.3%
	Grade 9	38.9%	37.9%	13.0%	5.7%	2.3%	2.2%
	Grade 10	37.3%	33.4%	14.9%	7.9%	2.5%	4.1%
	Grade 11	39.6%	30.0%	16.4%	7.7%	2.5%	3.9%
	Grade 12	43.9%	25.9%	15.1%	7.8%	3.4%	4.0%
Steroids?							
	All	42.5%	33.6%	11.7%	6.2%	2.8%	3.1%
	Grade 7	47.8%	40.5%	6.7%	3.0%	0.9%	1.0%
	Grade 8	41.9%	40.1%	9.8%	4.5%	1.5%	2.2%
	Grade 9	40.6%	36.0%	11.6%	6.7%	2.8%	2.3%
	Grade 10	38.3%	30.8%	14.7%	7.1%	4.1%	5.1%
	Grade 11	41.4%	27.4%	14.5%	8.0%	4.0%	4.7%
	Grade 12	45.4%	24.2%	13.8%	8.8%	4.1%	3.8%
Ecstasy?							
	All	49.4%	28.8%	9.4%	5.3%	3.3%	3.8%
	Grade 7	60.4%	32.5%	4.5%	1.3%	0.6%	0.7%
	Grade 8	53.8%	33.0%	7.1%	3.0%	1.3%	1.9%
	Grade 9	48.2%	31.1%	9.4%	5.0%	3.4%	3.0%
	Grade 10	43.4%	27.3%	12.3%	6.8%	4.5%	5.7%
	Grade 11	44.2%	25.4%	12.0%	8.9%	4.3%	5.2%
	Grade 12	44.9%	21.7%	12.0%	7.9%	6.2%	7.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 21 of 127



**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	44.8%	37.3%	10.5%	3.8%	1.3%	2.3%
	Grade 7	51.2%	40.1%	5.3%	1.7%	0.6%	1.1%
	Grade 8	45.3%	40.9%	8.5%	2.7%	1.1%	1.5%
	Grade 9	43.1%	39.2%	10.5%	3.7%	1.6%	1.8%
	Grade 10	39.2%	37.6%	12.8%	5.7%	1.5%	3.2%
	Grade 11	43.3%	33.4%	14.0%	4.6%	1.3%	3.4%
	Grade 12	46.6%	31.2%	12.9%	4.9%	1.7%	2.8%
<b>Methamphetamine?</b>							
	All	46.9%	34.9%	9.9%	3.9%	1.8%	2.6%
	Grade 7	55.3%	36.9%	4.7%	1.8%	0.6%	0.7%
	Grade 8	49.2%	37.6%	7.7%	3.0%	0.8%	1.8%
	Grade 9	45.2%	36.1%	10.9%	3.8%	1.8%	2.1%
	Grade 10	40.9%	35.6%	11.9%	5.3%	2.8%	3.5%
	Grade 11	44.8%	31.8%	13.1%	4.3%	2.1%	3.9%
	Grade 12	45.8%	30.0%	11.9%	5.2%	3.0%	4.1%
<b>Synthetic Marijuana?</b>							
	All	48.3%	28.1%	8.0%	5.7%	4.6%	5.2%
	Grade 7	57.0%	34.1%	4.6%	2.1%	1.0%	1.2%
	Grade 8	50.5%	33.3%	6.7%	3.7%	2.3%	3.6%
	Grade 9	47.4%	29.6%	7.8%	5.5%	5.0%	4.7%
	Grade 10	42.0%	25.9%	9.3%	8.2%	7.1%	7.5%
	Grade 11	45.0%	22.8%	10.9%	7.7%	5.9%	7.7%
	Grade 12	47.5%	21.3%	9.7%	8.0%	6.4%	7.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	92.5%	4.0%	1.3%	2.3%
Grade 7	98.4%	1.2%	0.2%	0.1%
Grade 8	95.5%	2.5%	1.0%	0.9%
Grade 9	92.1%	3.4%	1.4%	3.1%
Grade 10	91.5%	5.2%	1.8%	1.5%
Grade 11	89.2%	5.6%	1.8%	3.4%
Grade 12	86.9%	6.6%	1.6%	5.0%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	97.0%	2.0%	0.4%	0.6%
Grade 7	98.5%	1.3%	0.1%	0.1%
Grade 8	97.0%	2.4%	0.3%	0.4%
Grade 9	96.3%	2.0%	0.9%	0.8%
Grade 10	97.1%	2.1%	0.2%	0.6%
Grade 11	96.4%	2.3%	0.6%	0.7%
Grade 12	96.8%	1.9%	0.5%	0.8%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.2
Marijuana Non-Users	3.1
Average Days Conduct Problems Reported	
Marijuana Users	2.6
Marijuana Non-Users	0.9

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.1%	3.4%	1.0%	1.5%
Grade 9	98.3%	0.9%	0.3%	0.4%
Grade 10	96.4%	2.3%	0.4%	0.9%
Grade 11	92.7%	4.5%	1.0%	1.9%
Grade 12	87.4%	6.8%	2.4%	3.3%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.7%	2.7%	0.3%	0.2%
Grade 7	98.5%	1.4%	0.1%	0.0%
Grade 8	96.8%	2.4%	0.6%	0.2%
Grade 9	96.6%	2.5%	0.3%	0.6%
Grade 10	95.9%	3.7%	0.3%	0.2%
Grade 11	95.9%	3.4%	0.4%	0.2%
Grade 12	96.5%	3.2%	0.1%	0.2%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	61.4%	17.0%	9.9%	9.0%	2.8%
Grade 7	86.4%	9.7%	2.0%	1.3%	0.6%
Grade 8	75.1%	13.9%	5.6%	4.1%	1.3%
Grade 9	62.7%	17.4%	9.0%	7.6%	3.3%
Grade 10	51.5%	20.5%	12.6%	11.4%	3.9%
Grade 11	47.3%	20.5%	15.1%	13.9%	3.2%
Grade 12	39.4%	20.9%	17.3%	17.7%	4.8%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	59.7%	5.7%	3.7%	5.1%	5.5%	2.5%	17.8%
Grade 7	82.3%	2.4%	0.8%	1.0%	0.5%	1.6%	11.3%
Grade 8	73.1%	4.4%	2.0%	2.0%	2.3%	2.1%	14.1%
Grade 9	59.7%	5.0%	3.7%	4.4%	3.8%	3.7%	19.8%
Grade 10	49.5%	8.4%	5.4%	6.8%	5.7%	3.1%	21.1%
Grade 11	47.6%	6.4%	4.6%	8.6%	8.8%	2.2%	21.7%
Grade 12	42.2%	8.4%	6.3%	9.0%	13.3%	1.8%	18.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.0%	7.4%	7.3%	1.9%	1.3%	7.1%
Grade 7	83.9%	3.0%	2.2%	0.8%	0.3%	9.8%
Grade 8	82.1%	4.5%	3.6%	1.7%	1.1%	7.1%
Grade 9	76.9%	7.3%	5.6%	1.8%	1.4%	7.0%
Grade 10	70.9%	10.0%	8.8%	1.4%	1.9%	7.1%
Grade 11	70.6%	8.9%	10.7%	2.3%	2.1%	5.5%
Grade 12	63.9%	11.3%	14.2%	3.7%	1.2%	5.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 25 of 127

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	56.1%	14.3%	13.4%	10.9%	5.3%
	Grade 7	77.7%	10.7%	3.6%	2.8%	5.2%
	Grade 8	67.4%	12.8%	8.5%	5.7%	5.5%
	Grade 9	59.9%	15.3%	11.7%	7.9%	5.2%
	Grade 10	47.2%	16.0%	16.7%	14.7%	5.5%
	Grade 11	42.6%	15.5%	19.9%	16.5%	5.5%
	Grade 12	36.6%	16.1%	22.3%	20.2%	4.8%
Cocaine?						
	All	86.7%	6.6%	0.8%	0.4%	5.5%
	Grade 7	88.2%	5.8%	0.6%	0.3%	5.2%
	Grade 8	86.1%	7.3%	0.7%	0.4%	5.6%
	Grade 9	86.5%	6.6%	0.9%	0.4%	5.6%
	Grade 10	85.8%	7.4%	1.1%	0.2%	5.5%
	Grade 11	86.8%	6.1%	1.0%	0.7%	5.4%
	Grade 12	86.7%	6.0%	0.8%	0.3%	6.1%
Crack?						
	All	87.3%	5.7%	0.7%	0.4%	5.9%
	Grade 7	87.2%	6.3%	0.6%	0.3%	5.6%
	Grade 8	86.2%	6.4%	1.0%	0.4%	6.1%
	Grade 9	87.1%	6.0%	0.8%	0.4%	5.8%
	Grade 10	87.3%	6.0%	1.0%	0.2%	5.5%
	Grade 11	87.8%	5.1%	0.5%	0.6%	6.0%
	Grade 12	88.6%	4.1%	0.6%	0.3%	6.4%
Ecstasy?						
	All	80.4%	7.9%	2.0%	0.7%	9.0%
	Grade 7	83.1%	4.9%	0.8%	0.3%	10.8%
	Grade 8	80.3%	6.9%	1.2%	0.5%	11.0%
	Grade 9	80.5%	8.3%	1.8%	0.6%	8.8%
	Grade 10	79.5%	9.2%	2.1%	1.1%	8.0%
	Grade 11	78.7%	9.7%	2.9%	0.8%	7.8%
	Grade 12	80.2%	8.3%	3.5%	0.9%	7.2%
Steroids?						
	All	76.1%	12.1%	3.5%	0.9%	7.4%
	Grade 7	80.9%	9.5%	1.9%	0.5%	7.2%
	Grade 8	77.8%	10.7%	2.7%	0.8%	8.0%
	Grade 9	75.9%	12.4%	3.8%	1.1%	6.7%
	Grade 10	74.3%	13.3%	3.9%	1.1%	7.4%
	Grade 11	72.4%	14.5%	4.6%	1.0%	7.5%
	Grade 12	74.4%	12.4%	4.7%	0.8%	7.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	88.1%	4.3%	0.6%	0.4%	6.6%
	Grade 7	87.0%	4.5%	0.5%	0.4%	7.6%
	Grade 8	86.4%	5.2%	0.8%	0.4%	7.1%
	Grade 9	87.9%	4.9%	0.6%	0.4%	6.2%
	Grade 10	89.1%	4.2%	0.8%	0.2%	5.7%
	Grade 11	89.2%	3.7%	0.3%	0.6%	6.2%
	Grade 12	89.5%	2.9%	0.3%	0.4%	6.9%
Methamphetamine?						
	All	87.7%	4.4%	0.6%	0.4%	6.8%
	Grade 7	87.4%	4.1%	0.6%	0.3%	7.7%
	Grade 8	85.6%	5.3%	0.9%	0.3%	7.9%
	Grade 9	87.2%	5.0%	0.6%	0.4%	6.8%
	Grade 10	87.7%	4.9%	1.1%	0.2%	6.0%
	Grade 11	89.5%	3.7%	0.2%	0.9%	5.7%
	Grade 12	89.3%	3.2%	0.3%	0.4%	6.8%
Synthetic Marijuana?						
	All	79.8%	7.9%	2.7%	1.1%	8.5%
	Grade 7	83.5%	5.5%	1.2%	0.9%	8.9%
	Grade 8	80.2%	7.3%	2.4%	1.0%	9.1%
	Grade 9	79.4%	8.5%	2.9%	1.0%	8.3%
	Grade 10	78.7%	9.1%	3.3%	1.2%	7.7%
	Grade 11	78.4%	8.5%	3.2%	1.3%	8.6%
	Grade 12	78.6%	8.4%	3.1%	1.2%	8.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	6.1%	9.0%	17.5%	82.5%
Grade 7	5.4%	8.0%	14.2%	85.8%
Grade 8	7.3%	10.6%	19.3%	80.7%
Grade 9	7.1%	9.4%	17.9%	82.1%
Grade 10	5.0%	8.7%	16.6%	83.4%
Grade 11	5.7%	8.4%	16.6%	83.4%
Grade 12	5.8%	9.0%	20.9%	79.1%
<b>Codeine Cough Syrup?</b>				
All	2.8%	4.7%	11.1%	88.9%
Grade 7	3.0%	5.0%	9.8%	90.2%
Grade 8	3.7%	6.0%	12.6%	87.4%
Grade 9	3.6%	5.4%	12.5%	87.5%
Grade 10	1.9%	4.2%	10.2%	89.8%
Grade 11	1.9%	3.5%	9.5%	90.5%
Grade 12	2.3%	4.0%	11.9%	88.1%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.7%	1.2%	3.1%	96.9%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.6%	0.8%	1.7%	98.3%
Grade 9	1.0%	1.3%	2.6%	97.4%
Grade 10	0.7%	1.2%	2.8%	97.2%
Grade 11	1.0%	1.8%	4.8%	95.2%
Grade 12	1.1%	2.2%	7.1%	92.9%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.0%	2.0%	4.5%	95.5%
Grade 7	0.4%	1.0%	2.0%	98.0%
Grade 8	0.9%	1.7%	3.9%	96.1%
Grade 9	1.6%	2.7%	4.7%	95.3%
Grade 10	0.9%	1.9%	4.3%	95.7%
Grade 11	1.5%	2.4%	5.6%	94.4%
Grade 12	1.0%	2.2%	7.2%	92.8%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.9%	2.9%	5.6%	94.4%
Grade 7	0.8%	1.3%	2.9%	97.1%
Grade 8	1.3%	1.9%	3.8%	96.2%
Grade 9	2.2%	2.9%	5.3%	94.7%
Grade 10	2.1%	3.5%	5.9%	94.1%
Grade 11	2.8%	3.8%	6.9%	93.1%
Grade 12	2.5%	4.2%	9.8%	90.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 28 of 127

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.0%	4.4%	8.6%	91.4%
Grade 7	2.7%	4.7%	9.0%	91.0%
Grade 8	3.9%	5.4%	10.3%	89.7%
Grade 9	3.5%	4.7%	8.7%	91.3%
Grade 10	3.0%	4.1%	8.2%	91.8%
Grade 11	2.7%	4.1%	7.3%	92.7%
Grade 12	2.1%	3.4%	8.0%	92.0%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.3%	1.7%	3.2%	96.8%
Grade 7	1.3%	1.8%	3.2%	96.8%
Grade 8	1.9%	2.2%	3.8%	96.2%
Grade 9	1.3%	1.7%	3.5%	96.5%
Grade 10	1.0%	1.3%	3.3%	96.7%
Grade 11	1.2%	1.7%	2.6%	97.4%
Grade 12	1.0%	1.1%	2.7%	97.3%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.2%	14.2%	4.2%	1.3%	7.1%
Grade 7	79.2%	9.1%	2.9%	0.7%	8.1%
Grade 8	73.7%	13.5%	4.4%	1.6%	6.8%
Grade 9	72.8%	14.7%	4.5%	1.6%	6.5%
Grade 10	71.8%	15.5%	4.9%	1.5%	6.2%
Grade 11	70.5%	16.1%	4.9%	1.3%	7.2%
Grade 12	70.4%	17.0%	3.8%	1.0%	7.9%

*Percentages have been weighted to reflect proportions within the population.*



## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.3%	5.9%	12.7%	87.3%
Grade 7	5.5%	6.8%	14.8%	85.2%
Grade 8	6.3%	8.3%	15.7%	84.3%
Grade 9	4.0%	6.1%	13.0%	87.0%
Grade 10	3.5%	5.8%	12.3%	87.7%
Grade 11	2.6%	3.5%	9.8%	90.2%
Grade 12	3.2%	4.3%	9.6%	90.4%
Spray Paint?				
All	0.4%	0.7%	2.2%	97.8%
Grade 7	0.6%	0.8%	2.3%	97.7%
Grade 8	0.8%	1.2%	3.0%	97.0%
Grade 9	0.1%	0.3%	1.6%	98.4%
Grade 10	0.4%	0.7%	2.6%	97.4%
Grade 11	0.4%	0.5%	1.4%	98.6%
Grade 12	0.4%	0.7%	2.3%	97.7%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	1.8%	5.5%	94.5%
Grade 7	1.4%	2.3%	7.0%	93.0%
Grade 8	2.0%	3.2%	7.5%	92.5%
Grade 9	1.0%	2.1%	5.8%	94.2%
Grade 10	0.7%	1.6%	5.4%	94.6%
Grade 11	0.3%	0.5%	3.1%	96.9%
Grade 12	0.6%	1.1%	3.3%	96.7%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.1%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.5%	0.8%	99.2%
Grade 10	0.5%	0.8%	1.6%	98.4%
Grade 11	0.1%	0.4%	0.9%	99.1%
Grade 12	0.5%	0.6%	1.3%	98.7%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.1%	1.8%	6.1%	93.9%
Grade 7	1.5%	2.2%	6.7%	93.3%
Grade 8	1.8%	2.5%	7.6%	92.4%
Grade 9	0.8%	1.4%	5.7%	94.3%
Grade 10	0.9%	2.1%	6.8%	93.2%
Grade 11	0.7%	1.1%	4.2%	95.8%
Grade 12	0.8%	1.3%	5.0%	95.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 30 of 127

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.4%	0.6%	1.6%	98.4%
Grade 8	0.4%	0.7%	1.7%	98.3%
Grade 9	0.4%	0.5%	1.0%	99.0%
Grade 10	0.2%	0.4%	1.2%	98.8%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.4%	0.6%	1.2%	98.8%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.2%	0.4%	0.9%	99.1%
Grade 10	0.1%	0.4%	1.5%	98.5%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.5%	0.7%	1.3%	98.7%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	0.7%	1.0%	2.6%	97.4%
Grade 8	1.0%	1.4%	3.1%	96.9%
Grade 9	0.5%	0.6%	1.8%	98.2%
Grade 10	0.6%	0.9%	2.2%	97.8%
Grade 11	0.7%	1.0%	1.8%	98.2%
Grade 12	0.7%	0.8%	2.1%	97.9%
Other Aerosols/Sprays?				
All	0.4%	0.7%	1.7%	98.3%
Grade 7	0.5%	0.8%	2.5%	97.5%
Grade 8	0.5%	0.9%	2.2%	97.8%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.3%	0.6%	1.6%	98.4%
Grade 11	0.2%	0.4%	1.2%	98.8%
Grade 12	0.5%	0.5%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 31 of 127

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.8%	0.0%	0.3%	0.2%	0.6%	0.6%	1.5%
Grade 7	96.0%	0.0%	0.7%	0.2%	0.8%	0.7%	1.5%
Grade 8	96.1%	0.1%	0.2%	0.5%	1.1%	0.7%	1.4%
Grade 9	97.0%	0.1%	0.3%	0.2%	0.5%	0.6%	1.4%
Grade 10	96.4%	0.0%	0.2%	0.2%	0.3%	0.6%	2.2%
Grade 11	97.6%	0.0%	0.0%	0.3%	0.4%	0.4%	1.3%
Grade 12	97.6%	0.1%	0.2%	0.0%	0.5%	0.3%	1.3%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.2%	6.2%	3.2%	1.3%
Grade 7	87.5%	6.8%	4.1%	1.6%
Grade 8	86.2%	8.0%	4.1%	1.7%
Grade 9	88.8%	7.2%	3.0%	0.9%
Grade 10	89.1%	5.9%	3.3%	1.8%
Grade 11	91.9%	4.9%	2.5%	0.7%
Grade 12	92.3%	4.0%	2.2%	1.4%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.8	10.5	11.1	11.7	12.8	12.7	13.9

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.7%	0.9%	0.2%	0.2%
Grade 7	98.8%	0.8%	0.1%	0.3%
Grade 8	98.4%	1.4%	0.1%	0.1%
Grade 9	98.3%	1.0%	0.4%	0.2%
Grade 10	98.5%	1.1%	0.0%	0.4%
Grade 11	99.1%	0.6%	0.1%	0.2%
Grade 12	99.2%	0.3%	0.3%	0.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.3
Inhalant Non-Users	3.2
Average Days Conduct Problems Reported	
Inhalant Users	3.7
Inhalant Non-Users	1.0

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	93.1%	4.5%	1.5%	0.5%	0.3%
Grade 7	92.5%	5.0%	1.3%	0.7%	0.5%
Grade 8	91.8%	5.5%	2.1%	0.5%	0.2%
Grade 9	92.2%	5.0%	2.0%	0.4%	0.4%
Grade 10	93.4%	4.3%	1.2%	0.6%	0.4%
Grade 11	94.4%	3.7%	1.3%	0.3%	0.3%
Grade 12	94.8%	3.4%	0.9%	0.7%	0.2%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	69.8%	15.3%	5.2%	1.5%	8.1%
Grade 7	73.1%	13.9%	4.3%	1.3%	7.4%
Grade 8	69.1%	14.5%	6.3%	1.8%	8.3%
Grade 9	69.2%	17.6%	5.1%	1.3%	6.8%
Grade 10	67.4%	15.3%	6.3%	1.9%	9.2%
Grade 11	69.0%	16.2%	5.2%	1.1%	8.5%
Grade 12	71.0%	14.2%	4.0%	1.7%	9.1%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	41.4%	16.7%	4.5%	5.4%	8.8%	23.2%
Grade 7	46.4%	25.2%	4.7%	4.7%	7.0%	12.0%
Grade 8	41.2%	22.6%	4.8%	6.0%	7.7%	17.7%
Grade 9	39.8%	17.3%	5.6%	5.9%	9.3%	22.1%
Grade 10	36.2%	12.3%	4.5%	6.2%	10.3%	30.5%
Grade 11	40.3%	11.6%	3.5%	5.2%	8.9%	30.4%
Grade 12	45.2%	9.3%	3.5%	3.8%	9.6%	28.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 33 of 127

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	37.8%
	Grade 7	32.7%
	Grade 8	44.4%
	Grade 9	40.2%
	Grade 10	39.3%
	Grade 11	33.8%
	Grade 12	35.7%
An Assembly Program		
	All	41.0%
	Grade 7	41.0%
	Grade 8	46.6%
	Grade 9	41.5%
	Grade 10	41.6%
	Grade 11	34.9%
	Grade 12	39.6%
Guidance Counselor		
	All	22.2%
	Grade 7	25.4%
	Grade 8	26.3%
	Grade 9	21.2%
	Grade 10	20.4%
	Grade 11	19.5%
	Grade 12	20.1%
School Nurse		
	All	13.6%
	Grade 7	15.8%
	Grade 8	16.4%
	Grade 9	12.3%
	Grade 10	13.2%
	Grade 11	10.7%
	Grade 12	13.0%
Science or Social Studies Class		
	All	27.1%
	Grade 7	28.8%
	Grade 8	27.4%
	Grade 9	30.7%
	Grade 10	26.6%
	Grade 11	20.9%
	Grade 12	27.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 34 of 127

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

	Yes
Student Group or Club Meeting at School	
All	12.6%
Grade 7	10.3%
Grade 8	12.3%
Grade 9	13.0%
Grade 10	12.2%
Grade 11	13.7%
Grade 12	14.3%
An Invited School Guest	
All	28.5%
Grade 7	25.5%
Grade 8	27.5%
Grade 9	29.5%
Grade 10	30.5%
Grade 11	26.8%
Grade 12	31.1%
Another Source at School	
All	27.9%
Grade 7	25.5%
Grade 8	30.6%
Grade 9	28.4%
Grade 10	28.4%
Grade 11	26.9%
Grade 12	27.6%
Any School Source	
All	66.1%
Grade 7	64.8%
Grade 8	69.5%
Grade 9	68.7%
Grade 10	68.4%
Grade 11	60.2%
Grade 12	64.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 35 of 127

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<hr/>		
Counselor/Program In-School		
	All	35.6%
	Grade 7	48.2%
	Grade 8	40.6%
	Grade 9	36.6%
	Grade 10	28.9%
	Grade 11	29.5%
	Grade 12	27.8%
School Nurse		
	All	21.0%
	Grade 7	31.4%
	Grade 8	24.1%
	Grade 9	21.5%
	Grade 10	16.0%
	Grade 11	16.5%
	Grade 12	15.3%
Another Adult In School		
	All	41.7%
	Grade 7	49.5%
	Grade 8	45.1%
	Grade 9	39.3%
	Grade 10	37.1%
	Grade 11	39.0%
	Grade 12	39.8%
Counselor/Program Outside-School		
	All	39.4%
	Grade 7	46.4%
	Grade 8	41.4%
	Grade 9	38.3%
	Grade 10	35.5%
	Grade 11	36.2%
	Grade 12	37.8%
Your Parents		
	All	68.7%
	Grade 7	76.7%
	Grade 8	71.8%
	Grade 9	68.1%
	Grade 10	62.0%
	Grade 11	67.0%
	Grade 12	66.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 36 of 127

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<hr/>		
A Medical Doctor		
All		56.1%
Grade 7		68.5%
Grade 8		62.7%
Grade 9		54.5%
Grade 10		47.6%
Grade 11		50.9%
Grade 12		51.4%
Your Friends		
All		64.6%
Grade 7		52.0%
Grade 8		60.5%
Grade 9		63.7%
Grade 10		70.3%
Grade 11		70.6%
Grade 12		72.1%
Another Adult		
All		58.6%
Grade 7		63.0%
Grade 8		61.4%
Grade 9		56.9%
Grade 10		54.9%
Grade 11		57.2%
Grade 12		58.0%
<hr/>		

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
<hr/>		
All		5.9%
Grade 7		5.1%
Grade 8		5.4%
Grade 9		8.5%
Grade 10		5.9%
Grade 11		4.2%
Grade 12		5.5%
<hr/>		

*Percentages have been weighted to reflect proportions within the population.*



**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	4.8%	20.5%	22.9%	37.4%	14.4%
Grade 7	6.1%	18.0%	18.3%	36.3%	21.3%
Grade 8	5.4%	19.8%	21.2%	37.7%	15.9%
Grade 9	3.9%	20.5%	25.8%	36.6%	13.2%
Grade 10	4.4%	22.1%	23.9%	38.8%	10.7%
Grade 11	4.2%	19.9%	24.5%	38.1%	13.3%
Grade 12	4.5%	22.7%	24.2%	37.3%	11.2%
<b>Sometimes Carry Weapons?</b>					
All	78.9%	13.4%	4.6%	2.2%	0.9%
Grade 7	86.9%	8.9%	2.4%	1.2%	0.6%
Grade 8	82.7%	11.9%	3.2%	1.4%	0.8%
Grade 9	80.0%	14.2%	3.5%	1.3%	1.0%
Grade 10	75.5%	15.5%	5.0%	2.7%	1.2%
Grade 11	75.2%	14.7%	6.4%	3.0%	0.7%
Grade 12	70.7%	16.0%	7.9%	4.2%	1.2%
<b>Care About Making Good Grades?</b>					
All	1.8%	10.9%	23.2%	44.0%	20.1%
Grade 7	2.2%	10.8%	24.0%	38.8%	24.1%
Grade 8	1.9%	11.3%	24.3%	41.4%	21.0%
Grade 9	1.7%	10.9%	22.6%	45.7%	19.0%
Grade 10	1.7%	11.0%	24.0%	47.0%	16.4%
Grade 11	1.3%	9.2%	22.7%	46.7%	20.2%
Grade 12	2.0%	12.3%	21.2%	45.0%	19.5%
<b>Belong/Want to Belong to a Gang?</b>					
All	85.7%	9.4%	3.0%	1.1%	0.8%
Grade 7	85.9%	9.1%	2.9%	1.2%	0.9%
Grade 8	83.7%	10.6%	3.6%	1.1%	1.1%
Grade 9	84.6%	10.4%	3.2%	1.2%	0.6%
Grade 10	84.8%	10.1%	2.9%	1.6%	0.6%
Grade 11	87.2%	9.0%	2.2%	0.9%	0.7%
Grade 12	88.5%	6.9%	2.9%	0.9%	0.8%
<b>Wish They Could Drop Out of School?</b>					
All	45.9%	30.2%	13.5%	6.4%	4.0%
Grade 7	54.4%	25.5%	11.0%	6.2%	2.9%
Grade 8	48.7%	31.4%	12.0%	5.0%	2.9%
Grade 9	43.1%	31.2%	14.6%	6.9%	4.3%
Grade 10	40.3%	33.1%	15.3%	7.3%	4.0%
Grade 11	44.2%	30.5%	14.5%	5.8%	4.9%
Grade 12	44.4%	29.5%	13.8%	7.3%	5.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	85.8%	12.0%	0.9%	0.3%	1.0%
Grade 7	85.2%	12.9%	1.0%	0.1%	0.8%
Grade 8	83.8%	13.4%	0.9%	0.3%	1.7%
Grade 9	85.5%	12.5%	0.7%	0.5%	0.8%
Grade 10	84.4%	13.2%	1.2%	0.5%	0.8%
Grade 11	87.9%	10.0%	0.6%	0.4%	1.1%
Grade 12	88.6%	9.5%	1.0%	0.1%	0.8%
<b>Out In Your Neighborhood?</b>					
All	48.7%	42.3%	5.0%	1.3%	2.7%
Grade 7	43.6%	44.4%	6.5%	1.7%	3.8%
Grade 8	42.9%	47.5%	5.5%	1.3%	2.8%
Grade 9	47.5%	43.8%	5.1%	1.2%	2.5%
Grade 10	50.5%	41.3%	4.6%	1.3%	2.4%
Grade 11	53.9%	39.2%	3.7%	0.6%	2.6%
Grade 12	55.8%	36.6%	4.5%	1.5%	1.7%
<b>At School?</b>					
All	37.1%	46.8%	8.7%	3.7%	3.8%
Grade 7	41.1%	45.7%	7.3%	3.1%	2.8%
Grade 8	38.7%	44.0%	9.5%	4.2%	3.7%
Grade 9	33.6%	50.1%	8.6%	3.5%	4.2%
Grade 10	33.7%	50.0%	8.9%	3.5%	4.0%
Grade 11	37.4%	44.1%	9.9%	4.2%	4.4%
Grade 12	38.4%	46.5%	8.0%	3.6%	3.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 39 of 127

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.6%	18.4%	30.7%	69.3%
Grade 7	4.5%	5.9%	13.8%	86.2%
Grade 8	10.1%	12.7%	24.1%	75.9%
Grade 9	14.2%	16.9%	28.7%	71.3%
Grade 10	16.2%	21.8%	36.4%	63.6%
Grade 11	18.7%	23.6%	38.1%	61.9%
Grade 12	26.7%	33.1%	47.8%	52.2%
<b>Any Alcohol Product</b>				
All	27.3%	32.4%	51.1%	48.9%
Grade 7	16.9%	19.3%	37.2%	62.8%
Grade 8	22.0%	25.4%	44.5%	55.5%
Grade 9	25.7%	30.8%	51.3%	48.7%
Grade 10	29.6%	35.8%	55.8%	44.2%
Grade 11	31.0%	38.3%	57.0%	43.0%
Grade 12	41.6%	49.0%	64.2%	35.8%
<b>Any Illicit Drug</b>				
All	12.8%	17.1%	22.8%	77.2%
Grade 7	4.6%	6.2%	8.0%	92.0%
Grade 8	8.0%	11.1%	15.2%	84.8%
Grade 9	11.5%	15.3%	18.6%	81.4%
Grade 10	14.7%	19.9%	27.0%	73.0%
Grade 11	17.5%	23.0%	30.5%	69.5%
Grade 12	23.2%	30.5%	42.4%	57.6%
<b>Any Prescription Drug</b>				
All	6.1%	9.0%	17.5%	82.5%
Grade 7	5.4%	8.0%	14.2%	85.8%
Grade 8	7.3%	10.6%	19.3%	80.7%
Grade 9	7.1%	9.4%	17.9%	82.1%
Grade 10	5.0%	8.7%	16.6%	83.4%
Grade 11	5.7%	8.4%	16.6%	83.4%
Grade 12	5.8%	9.0%	20.9%	79.1%
<b>Any Inhalant</b>				
All	4.3%	5.9%	12.7%	87.3%
Grade 7	5.5%	6.8%	14.8%	85.2%
Grade 8	6.3%	8.3%	15.7%	84.3%
Grade 9	4.0%	6.1%	13.0%	87.0%
Grade 10	3.5%	5.8%	12.3%	87.7%
Grade 11	2.6%	3.5%	9.8%	90.2%
Grade 12	3.2%	4.3%	9.6%	90.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 41 of 127

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.4%	15.8%	27.8%	72.2%
Grade 7	2.6%	4.2%	11.1%	88.9%
Grade 8	7.1%	10.1%	21.2%	78.8%
Grade 9	10.7%	14.3%	25.9%	74.1%
Grade 10	12.7%	19.2%	33.1%	66.9%
Grade 11	15.3%	20.6%	35.5%	64.5%
Grade 12	22.4%	29.4%	44.2%	55.8%
Marijuana				
All	12.2%	15.1%	20.9%	79.1%
Grade 7	3.6%	4.1%	5.5%	94.5%
Grade 8	7.2%	8.4%	11.9%	88.1%
Grade 9	11.0%	13.4%	17.0%	83.0%
Grade 10	14.5%	18.2%	25.3%	74.7%
Grade 11	17.1%	21.5%	29.6%	70.4%
Grade 12	22.7%	28.3%	41.3%	58.7%
Marijuana Only				
All	7.1%	9.3%	14.2%	85.8%
Grade 7	1.8%	2.1%	3.2%	96.8%
Grade 8	4.0%	4.8%	7.6%	92.4%
Grade 9	6.0%	7.9%	11.0%	89.0%
Grade 10	9.0%	12.0%	17.9%	82.1%
Grade 11	9.9%	13.2%	20.0%	80.0%
Grade 12	13.4%	17.7%	29.0%	71.0%
Cocaine or Crack				
All	1.1%	1.3%	2.2%	97.8%
Grade 7	1.0%	1.1%	1.6%	98.4%
Grade 8	1.0%	1.1%	1.5%	98.5%
Grade 9	0.9%	0.9%	1.5%	98.5%
Grade 10	0.9%	1.4%	2.2%	97.8%
Grade 11	1.0%	1.3%	2.3%	97.7%
Grade 12	2.1%	2.4%	4.7%	95.3%
Cocaine				
All	0.9%	1.1%	1.9%	98.1%
Grade 7	0.6%	0.7%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.2%	98.8%
Grade 9	0.9%	0.9%	1.4%	98.6%
Grade 10	0.7%	1.0%	1.9%	98.1%
Grade 11	0.9%	1.2%	2.1%	97.9%
Grade 12	2.0%	2.3%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 42 of 127

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.2%	0.5%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.7%	99.3%
Grade 12	0.5%	0.7%	1.0%	99.0%
<b>Hallucinogens</b>				
All	1.2%	1.7%	3.4%	96.6%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	1.0%	1.5%	2.8%	97.2%
Grade 10	1.5%	1.9%	3.9%	96.1%
Grade 11	1.8%	2.6%	5.0%	95.0%
Grade 12	2.5%	4.1%	7.6%	92.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.1%	0.2%	0.4%	99.6%
<b>Steroids</b>				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.2%	0.4%	1.4%	98.6%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.3%	0.5%	1.4%	98.6%
Grade 10	0.3%	0.7%	2.0%	98.0%
Grade 11	0.3%	0.3%	1.1%	98.9%
Grade 12	0.2%	0.5%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.7%	0.9%	2.3%	97.7%
Grade 11	0.7%	1.3%	3.1%	96.9%
Grade 12	1.8%	2.4%	4.8%	95.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 43 of 127

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.2%	99.8%
Synthetic Marijuana				
All	1.1%	1.6%	3.2%	96.8%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	1.2%	1.7%	3.1%	96.9%
Grade 9	1.2%	1.8%	3.2%	96.8%
Grade 10	1.2%	2.1%	4.2%	95.8%
Grade 11	1.4%	1.9%	3.8%	96.2%
Grade 12	0.9%	1.4%	3.5%	96.5%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.4%	0.6%	99.4%
Grade 12	0.4%	0.5%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 44 of 127

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.7%	17.5%	29.5%	70.5%
Grade 7	5.2%	6.6%	14.9%	85.1%
Grade 8	9.8%	11.7%	23.3%	76.7%
Grade 9	13.7%	15.6%	25.7%	74.3%
Grade 10	15.6%	19.4%	33.4%	66.6%
Grade 11	19.6%	22.6%	36.7%	63.3%
Grade 12	29.2%	34.4%	49.4%	50.6%
<b>Any Alcohol Product</b>				
All	25.1%	29.8%	48.8%	51.2%
Grade 7	17.4%	20.5%	39.8%	60.2%
Grade 8	20.8%	23.4%	42.1%	57.9%
Grade 9	22.0%	26.8%	48.1%	51.9%
Grade 10	26.6%	31.6%	50.7%	49.3%
Grade 11	28.2%	35.0%	53.9%	46.1%
Grade 12	40.1%	46.8%	62.4%	37.6%
<b>Any Illicit Drug</b>				
All	12.9%	16.7%	22.4%	77.6%
Grade 7	5.3%	6.8%	9.0%	91.0%
Grade 8	8.3%	10.9%	14.4%	85.6%
Grade 9	10.7%	14.3%	17.5%	82.5%
Grade 10	13.4%	17.7%	24.8%	75.2%
Grade 11	17.8%	23.4%	31.1%	68.9%
Grade 12	25.7%	32.3%	44.9%	55.1%
<b>Any Prescription Drug</b>				
All	6.4%	9.2%	17.9%	82.1%
Grade 7	6.1%	8.7%	15.3%	84.7%
Grade 8	7.3%	9.6%	18.1%	81.9%
Grade 9	7.2%	9.7%	18.5%	81.5%
Grade 10	5.1%	9.1%	15.3%	84.7%
Grade 11	5.7%	8.0%	17.4%	82.6%
Grade 12	7.0%	10.4%	24.1%	75.9%
<b>Any Inhalant</b>				
All	4.2%	5.7%	11.8%	88.2%
Grade 7	4.7%	5.9%	13.4%	86.6%
Grade 8	5.2%	6.9%	12.3%	87.7%
Grade 9	3.9%	5.9%	12.0%	88.0%
Grade 10	3.5%	5.5%	10.9%	89.1%
Grade 11	3.3%	4.2%	10.8%	89.2%
Grade 12	4.2%	5.7%	10.5%	89.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 45 of 127



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.9%	14.4%	25.9%	74.1%
Grade 7	2.8%	4.3%	11.7%	88.3%
Grade 8	6.0%	8.4%	19.9%	80.1%
Grade 9	10.2%	12.9%	22.2%	77.8%
Grade 10	11.5%	16.2%	29.5%	70.5%
Grade 11	15.3%	19.5%	33.9%	66.1%
Grade 12	23.3%	29.9%	44.7%	55.3%
Marijuana				
All	12.1%	14.8%	20.4%	79.6%
Grade 7	3.7%	4.3%	5.9%	94.1%
Grade 8	7.5%	8.6%	11.1%	88.9%
Grade 9	10.2%	12.7%	16.3%	83.7%
Grade 10	12.9%	16.2%	23.0%	77.0%
Grade 11	17.3%	21.7%	30.0%	70.0%
Grade 12	25.3%	30.2%	43.5%	56.5%
Marijuana Only				
All	6.6%	8.5%	13.1%	86.9%
Grade 7	2.0%	2.4%	3.5%	96.5%
Grade 8	4.3%	4.9%	7.0%	93.0%
Grade 9	4.9%	6.9%	9.7%	90.3%
Grade 10	7.6%	9.8%	15.5%	84.5%
Grade 11	9.6%	12.8%	19.9%	80.1%
Grade 12	13.5%	17.2%	28.1%	71.9%
Cocaine or Crack				
All	1.4%	1.6%	2.6%	97.4%
Grade 7	1.4%	1.5%	2.0%	98.0%
Grade 8	1.1%	1.2%	1.4%	98.6%
Grade 9	1.1%	1.2%	1.9%	98.1%
Grade 10	1.1%	1.7%	2.2%	97.8%
Grade 11	1.1%	1.4%	2.5%	97.5%
Grade 12	2.5%	3.0%	6.3%	93.7%
Cocaine				
All	1.0%	1.3%	2.2%	97.8%
Grade 7	0.6%	0.7%	1.1%	98.9%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	1.1%	1.2%	1.7%	98.3%
Grade 10	0.7%	1.1%	1.5%	98.5%
Grade 11	1.1%	1.4%	2.5%	97.5%
Grade 12	2.2%	2.7%	6.0%	94.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 46 of 127

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	1.0%	1.0%	1.5%	98.5%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.4%	0.9%	0.9%	99.1%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.9%	1.1%	1.7%	98.3%
<b>Hallucinogens</b>				
All	1.5%	2.0%	4.1%	95.9%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.6%	0.8%	1.7%	98.3%
Grade 9	1.2%	1.7%	3.5%	96.5%
Grade 10	1.9%	2.3%	4.7%	95.3%
Grade 11	1.7%	2.6%	4.9%	95.1%
Grade 12	3.5%	5.4%	10.7%	89.3%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Steroids</b>				
All	0.3%	0.5%	1.7%	98.3%
Grade 7	0.2%	0.4%	1.7%	98.3%
Grade 8	0.5%	0.6%	1.7%	98.3%
Grade 9	0.2%	0.3%	1.5%	98.5%
Grade 10	0.7%	1.0%	2.7%	97.3%
Grade 11	0.1%	0.2%	1.0%	99.0%
Grade 12	0.2%	0.5%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.8%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.4%	1.6%	98.4%
Grade 9	0.4%	0.6%	1.1%	98.9%
Grade 10	0.7%	0.8%	2.9%	97.1%
Grade 11	0.9%	1.2%	2.7%	97.3%
Grade 12	2.6%	3.3%	6.1%	93.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 47 of 127

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.1%	0.7%	99.3%
Grade 10	0.5%	0.6%	1.1%	98.9%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.1%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	1.0%	1.5%	3.0%	97.0%
Grade 7	0.5%	0.7%	1.7%	98.3%
Grade 8	1.0%	1.6%	2.9%	97.1%
Grade 9	1.1%	1.4%	2.5%	97.5%
Grade 10	1.2%	2.1%	3.9%	96.1%
Grade 11	1.3%	1.7%	3.9%	96.1%
Grade 12	1.0%	1.5%	3.7%	96.3%
<b>Methamphetamine</b>				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.6%	0.6%	0.8%	99.2%
Grade 11	0.2%	0.4%	0.5%	99.5%
Grade 12	0.5%	0.6%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 48 of 127

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.3%	19.2%	32.0%	68.0%
Grade 7	3.5%	5.0%	12.5%	87.5%
Grade 8	10.3%	13.7%	24.8%	75.2%
Grade 9	14.2%	17.8%	31.1%	68.9%
Grade 10	17.0%	24.1%	39.7%	60.3%
Grade 11	18.3%	24.9%	40.3%	59.7%
Grade 12	24.3%	31.7%	46.3%	53.7%
<b>Any Alcohol Product</b>				
All	29.4%	35.0%	53.5%	46.5%
Grade 7	16.3%	17.9%	34.4%	65.6%
Grade 8	23.3%	27.3%	46.9%	53.1%
Grade 9	28.7%	34.0%	53.7%	46.3%
Grade 10	32.7%	40.2%	61.3%	38.7%
Grade 11	34.1%	41.8%	60.8%	39.2%
Grade 12	43.0%	51.1%	65.8%	34.2%
<b>Any Illicit Drug</b>				
All	12.7%	17.5%	23.1%	76.9%
Grade 7	3.8%	5.5%	6.9%	93.1%
Grade 8	7.5%	11.2%	15.8%	84.2%
Grade 9	11.8%	15.9%	19.3%	80.7%
Grade 10	16.0%	22.2%	29.3%	70.7%
Grade 11	17.5%	23.1%	30.2%	69.8%
Grade 12	20.8%	28.6%	40.0%	60.0%
<b>Any Prescription Drug</b>				
All	5.7%	8.8%	17.0%	83.0%
Grade 7	4.7%	7.3%	12.9%	87.1%
Grade 8	7.1%	11.4%	20.4%	79.6%
Grade 9	6.7%	9.0%	17.0%	83.0%
Grade 10	5.0%	8.4%	17.9%	82.1%
Grade 11	5.8%	8.9%	16.1%	83.9%
Grade 12	4.7%	7.6%	17.8%	82.2%
<b>Any Inhalant</b>				
All	4.3%	6.0%	13.5%	86.5%
Grade 7	6.3%	7.8%	16.3%	83.7%
Grade 8	7.5%	9.4%	19.0%	81.0%
Grade 9	4.2%	6.4%	14.0%	86.0%
Grade 10	3.5%	6.1%	13.5%	86.5%
Grade 11	1.9%	2.8%	8.7%	91.3%
Grade 12	2.2%	2.9%	8.7%	91.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 49 of 127

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.9%	17.0%	29.6%	70.4%
Grade 7	2.4%	4.0%	10.4%	89.6%
Grade 8	8.3%	11.9%	22.5%	77.5%
Grade 9	10.9%	15.3%	28.9%	71.1%
Grade 10	13.9%	22.0%	36.8%	63.2%
Grade 11	15.7%	22.1%	37.6%	62.4%
Grade 12	21.4%	28.6%	43.6%	56.4%
<b>Marijuana</b>				
All	12.3%	15.3%	21.3%	78.7%
Grade 7	3.3%	3.7%	5.0%	95.0%
Grade 8	6.8%	8.1%	12.7%	87.3%
Grade 9	11.5%	13.7%	17.4%	82.6%
Grade 10	16.0%	20.2%	27.6%	72.4%
Grade 11	17.4%	21.7%	29.5%	70.5%
Grade 12	20.2%	26.3%	39.0%	61.0%
<b>Marijuana Only</b>				
All	7.6%	10.1%	15.3%	84.7%
Grade 7	1.6%	1.9%	2.8%	97.2%
Grade 8	3.7%	4.7%	8.4%	91.6%
Grade 9	7.1%	8.9%	12.3%	87.7%
Grade 10	10.4%	14.4%	20.5%	79.5%
Grade 11	10.4%	13.8%	20.4%	79.6%
Grade 12	13.2%	18.2%	29.8%	70.2%
<b>Cocaine or Crack</b>				
All	0.9%	1.0%	1.8%	98.2%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.8%	0.8%	1.4%	98.6%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	0.7%	1.1%	2.4%	97.6%
Grade 11	0.9%	1.1%	2.2%	97.8%
Grade 12	1.5%	1.8%	3.0%	97.0%
<b>Cocaine</b>				
All	0.8%	0.9%	1.7%	98.3%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	0.7%	0.9%	2.2%	97.8%
Grade 11	0.8%	1.1%	1.7%	98.3%
Grade 12	1.5%	1.8%	3.0%	97.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 50 of 127

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.1%	0.1%	0.1%	99.9%
<b>Hallucinogens</b>				
All	0.9%	1.4%	2.8%	97.2%
Grade 7	0.2%	0.2%	0.9%	99.1%
Grade 8	0.3%	0.4%	1.4%	98.6%
Grade 9	0.9%	1.4%	2.0%	98.0%
Grade 10	1.0%	1.6%	3.1%	96.9%
Grade 11	1.9%	2.7%	5.1%	94.9%
Grade 12	1.4%	2.7%	4.5%	95.5%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.2%	0.2%	99.8%
<b>Steroids</b>				
All	0.2%	0.5%	1.2%	98.8%
Grade 7	0.2%	0.4%	1.1%	98.9%
Grade 8	0.3%	0.7%	1.1%	98.9%
Grade 9	0.4%	0.7%	1.4%	98.6%
Grade 10	0.0%	0.5%	1.2%	98.8%
Grade 11	0.4%	0.4%	1.3%	98.7%
Grade 12	0.1%	0.3%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.5%	0.6%	1.0%	99.0%
Grade 10	0.6%	0.9%	1.7%	98.3%
Grade 11	0.5%	1.5%	3.6%	96.4%
Grade 12	1.2%	1.5%	3.5%	96.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 51 of 127

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.1%	1.6%	3.2%	96.8%
Grade 7	0.5%	0.7%	0.9%	99.1%
Grade 8	1.4%	1.7%	3.2%	96.8%
Grade 9	1.3%	2.1%	3.5%	96.5%
Grade 10	1.1%	2.0%	4.4%	95.6%
Grade 11	1.4%	2.1%	3.8%	96.2%
Grade 12	0.9%	1.1%	3.1%	96.9%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.0%	0.3%	0.8%	99.2%
Grade 12	0.2%	0.3%	0.5%	99.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 52 of 127

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.0%	21.1%	32.3%	67.7%
Grade 7	3.0%	4.4%	11.1%	88.9%
Grade 8	7.6%	10.5%	19.2%	80.8%
Grade 9	14.6%	18.2%	28.0%	72.0%
Grade 10	19.2%	24.3%	37.4%	62.6%
Grade 11	24.2%	29.5%	45.3%	54.7%
Grade 12	36.5%	42.9%	56.8%	43.2%
<b>Any Alcohol Product</b>				
All	28.8%	34.4%	52.9%	47.1%
Grade 7	13.3%	15.3%	34.1%	65.9%
Grade 8	17.6%	21.9%	41.1%	58.9%
Grade 9	26.3%	32.4%	50.7%	49.3%
Grade 10	33.2%	39.0%	59.4%	40.6%
Grade 11	36.9%	45.5%	63.0%	37.0%
Grade 12	48.9%	55.8%	72.3%	27.7%
<b>Any Illicit Drug</b>				
All	11.1%	14.8%	20.6%	79.4%
Grade 7	2.2%	2.8%	3.6%	96.4%
Grade 8	5.1%	7.3%	9.7%	90.3%
Grade 9	8.3%	11.5%	16.3%	83.7%
Grade 10	12.7%	16.5%	22.8%	77.2%
Grade 11	16.9%	22.8%	31.1%	68.9%
Grade 12	23.6%	31.0%	43.6%	56.4%
<b>Any Prescription Drug</b>				
All	5.9%	9.3%	18.2%	81.8%
Grade 7	3.9%	7.0%	15.4%	84.6%
Grade 8	6.0%	8.8%	16.8%	83.2%
Grade 9	6.5%	9.0%	16.2%	83.8%
Grade 10	5.8%	10.1%	17.4%	82.6%
Grade 11	5.9%	9.2%	16.4%	83.6%
Grade 12	7.3%	11.9%	28.2%	71.8%
<b>Any Inhalant</b>				
All	3.6%	4.9%	11.6%	88.4%
Grade 7	3.9%	5.2%	11.0%	89.0%
Grade 8	5.1%	6.2%	14.3%	85.7%
Grade 9	3.9%	5.1%	12.4%	87.6%
Grade 10	1.7%	3.9%	10.6%	89.4%
Grade 11	3.1%	4.3%	10.0%	90.0%
Grade 12	3.8%	4.7%	11.3%	88.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.6%	18.4%	29.2%	70.8%
Grade 7	2.0%	3.5%	8.2%	91.8%
Grade 8	5.5%	8.7%	16.4%	83.6%
Grade 9	11.8%	16.1%	25.1%	74.9%
Grade 10	14.6%	21.1%	34.2%	65.8%
Grade 11	20.6%	26.2%	42.2%	57.8%
Grade 12	29.8%	38.0%	53.5%	46.5%
<b>Marijuana</b>				
All	10.6%	13.1%	19.0%	81.0%
Grade 7	1.5%	1.8%	2.4%	97.6%
Grade 8	4.1%	5.0%	7.1%	92.9%
Grade 9	7.7%	9.8%	14.8%	85.2%
Grade 10	12.2%	15.0%	20.8%	79.2%
Grade 11	16.7%	20.6%	29.3%	70.7%
Grade 12	23.5%	29.0%	43.1%	56.9%
<b>Marijuana Only</b>				
All	5.8%	7.8%	12.8%	87.2%
Grade 7	0.8%	1.2%	1.7%	98.3%
Grade 8	2.3%	3.1%	5.0%	95.0%
Grade 9	3.6%	5.1%	9.3%	90.7%
Grade 10	6.5%	9.0%	13.7%	86.3%
Grade 11	10.0%	13.2%	20.6%	79.4%
Grade 12	12.6%	16.6%	29.1%	70.9%
<b>Cocaine or Crack</b>				
All	0.9%	1.0%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.7%	0.8%	1.5%	98.5%
Grade 10	0.6%	0.7%	1.8%	98.2%
Grade 11	0.6%	0.7%	2.2%	97.8%
Grade 12	3.1%	3.6%	6.4%	93.6%
<b>Cocaine</b>				
All	0.9%	1.0%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.7%	0.7%	1.4%	98.6%
Grade 10	0.6%	0.7%	1.7%	98.3%
Grade 11	0.6%	0.7%	1.9%	98.1%
Grade 12	2.9%	3.4%	6.2%	93.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	1.0%	1.3%	1.5%	98.5%
<b>Hallucinogens</b>				
All	1.2%	1.8%	3.8%	96.2%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.2%	1.2%	98.8%
Grade 9	1.4%	1.9%	2.9%	97.1%
Grade 10	2.1%	2.8%	5.5%	94.5%
Grade 11	1.2%	2.1%	5.5%	94.5%
Grade 12	2.7%	4.1%	7.8%	92.2%
<b>Synthetic Cathinones</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.5%	0.6%	0.7%	99.3%
Grade 10	0.6%	0.7%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.4%	0.6%	99.4%
<b>Steroids</b>				
All	0.2%	0.5%	1.7%	98.3%
Grade 7	0.1%	0.5%	1.9%	98.1%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.2%	0.3%	1.6%	98.4%
Grade 10	0.3%	0.5%	1.8%	98.2%
Grade 11	0.2%	0.2%	1.4%	98.6%
Grade 12	0.0%	0.8%	2.1%	97.9%
<b>Ecstasy</b>				
All	0.7%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.8%	1.3%	1.5%	98.5%
Grade 10	1.0%	1.4%	2.4%	97.6%
Grade 11	0.6%	1.0%	3.1%	96.9%
Grade 12	1.8%	2.2%	5.0%	95.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.3%	0.4%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	0.9%	1.4%	2.6%	97.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.9%	1.1%	1.9%	98.1%
Grade 9	1.5%	1.9%	3.1%	96.9%
Grade 10	1.3%	2.2%	3.4%	96.6%
Grade 11	0.8%	1.3%	2.8%	97.2%
Grade 12	1.0%	1.8%	4.0%	96.0%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.1%	0.4%	0.8%	99.2%
Grade 12	0.1%	0.4%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 56 of 127

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.5%	13.4%	25.2%	74.8%
Grade 7	2.5%	3.5%	9.3%	90.7%
Grade 8	12.1%	14.9%	25.9%	74.1%
Grade 9	9.5%	11.5%	22.9%	77.1%
Grade 10	12.9%	19.9%	35.0%	65.0%
Grade 11	5.9%	11.2%	24.4%	75.6%
Grade 12	15.2%	20.3%	35.8%	64.2%
<b>Any Alcohol Product</b>				
All	19.4%	24.4%	41.5%	58.5%
Grade 7	9.3%	10.4%	26.6%	73.4%
Grade 8	22.8%	25.0%	43.4%	56.6%
Grade 9	18.1%	21.1%	36.5%	63.5%
Grade 10	22.2%	29.9%	48.0%	52.0%
Grade 11	14.8%	24.8%	46.6%	53.4%
Grade 12	31.8%	39.0%	50.0%	50.0%
<b>Any Illicit Drug</b>				
All	12.4%	16.4%	21.8%	78.2%
Grade 7	3.9%	5.2%	6.4%	93.6%
Grade 8	8.2%	12.6%	18.5%	81.5%
Grade 9	11.7%	14.4%	15.4%	84.6%
Grade 10	14.6%	18.0%	27.7%	72.3%
Grade 11	15.1%	18.3%	25.2%	74.8%
Grade 12	24.3%	34.9%	43.8%	56.2%
<b>Any Prescription Drug</b>				
All	6.8%	9.4%	15.3%	84.7%
Grade 7	5.8%	7.8%	12.2%	87.8%
Grade 8	12.7%	15.4%	23.2%	76.8%
Grade 9	5.7%	7.5%	12.6%	87.4%
Grade 10	5.1%	10.8%	15.6%	84.4%
Grade 11	4.9%	5.9%	13.5%	86.5%
Grade 12	6.1%	8.3%	13.9%	86.1%
<b>Any Inhalant</b>				
All	3.9%	5.3%	11.2%	88.8%
Grade 7	5.2%	6.3%	13.5%	86.5%
Grade 8	6.2%	9.1%	16.6%	83.4%
Grade 9	2.0%	3.1%	7.1%	92.9%
Grade 10	5.0%	7.3%	10.5%	89.5%
Grade 11	0.0%	0.0%	9.4%	90.6%
Grade 12	4.9%	5.3%	9.8%	90.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 57 of 127

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.5%	11.1%	22.5%	77.5%
Grade 7	0.6%	1.6%	6.8%	93.2%
Grade 8	7.0%	10.1%	23.2%	76.8%
Grade 9	7.7%	8.8%	22.0%	78.0%
Grade 10	11.5%	18.3%	29.1%	70.9%
Grade 11	5.7%	11.1%	24.1%	75.9%
Grade 12	13.9%	18.3%	32.0%	68.0%
Marijuana				
All	11.6%	14.2%	19.8%	80.2%
Grade 7	2.1%	2.4%	3.4%	96.6%
Grade 8	7.8%	9.1%	14.0%	86.0%
Grade 9	11.6%	12.7%	13.7%	86.3%
Grade 10	14.3%	17.1%	26.8%	73.2%
Grade 11	13.7%	18.1%	25.0%	75.0%
Grade 12	23.5%	30.1%	42.2%	57.8%
Marijuana Only				
All	7.2%	8.9%	14.1%	85.9%
Grade 7	0.7%	1.1%	2.1%	97.9%
Grade 8	3.5%	3.6%	8.2%	91.8%
Grade 9	5.9%	7.0%	7.9%	92.1%
Grade 10	10.2%	12.4%	20.7%	79.3%
Grade 11	8.2%	11.2%	18.0%	82.0%
Grade 12	17.2%	21.6%	32.5%	67.5%
Cocaine or Crack				
All	1.2%	1.2%	1.3%	98.7%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	2.0%	2.3%	2.5%	97.5%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	1.1%	1.1%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.1%	1.1%	1.1%	98.9%
Cocaine				
All	0.7%	0.7%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.1%	1.4%	2.4%	97.6%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.1%	1.1%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 58 of 127

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	0.7%	1.0%	99.0%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	1.0%	1.0%	1.6%	98.4%
Grade 9	1.0%	1.0%	1.8%	98.2%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.7%	0.8%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	1.4%	1.4%	2.5%	97.5%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	1.1%	1.1%	2.4%	97.6%
Grade 11	0.0%	0.9%	1.0%	99.0%
Grade 12	1.6%	1.7%	4.6%	95.4%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	1.6%	98.4%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.7%	1.3%	98.7%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.1%	1.2%	1.7%	98.3%
Grade 10	1.4%	1.4%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.8%	1.8%	98.2%
<b>Ecstasy</b>				
All	0.3%	0.3%	1.6%	98.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.0%	1.1%	2.5%	97.5%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.0%	0.0%	2.3%	97.7%
Grade 11	0.4%	0.4%	1.6%	98.4%
Grade 12	0.0%	0.0%	1.9%	98.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 59 of 127

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	1.5%	1.5%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.7%	1.9%	3.2%	96.8%
Grade 7	1.7%	1.7%	1.9%	98.1%
Grade 8	1.5%	1.6%	3.2%	96.8%
Grade 9	1.1%	1.1%	2.4%	97.6%
Grade 10	2.0%	2.1%	3.9%	96.1%
Grade 11	3.3%	3.3%	4.2%	95.8%
Grade 12	0.8%	1.6%	3.5%	96.5%
<b>Methamphetamine</b>				
All	0.4%	0.5%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.8%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	1.3%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 60 of 127

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.5%	18.3%	31.6%	68.4%
Grade 7	5.6%	7.2%	16.0%	84.0%
Grade 8	11.2%	13.5%	25.8%	74.2%
Grade 9	15.5%	18.0%	31.4%	68.6%
Grade 10	16.0%	21.4%	37.7%	62.3%
Grade 11	18.4%	22.7%	36.8%	63.2%
Grade 12	22.8%	30.4%	46.6%	53.4%
<b>Any Alcohol Product</b>				
All	28.8%	33.8%	53.6%	46.4%
Grade 7	21.1%	24.2%	42.6%	57.4%
Grade 8	24.7%	27.6%	47.0%	53.0%
Grade 9	27.8%	32.6%	56.2%	43.8%
Grade 10	29.9%	36.3%	57.7%	42.3%
Grade 11	32.2%	37.7%	56.4%	43.6%
Grade 12	40.0%	48.1%	64.4%	35.6%
<b>Any Illicit Drug</b>				
All	14.0%	18.9%	24.8%	75.2%
Grade 7	5.8%	8.0%	10.6%	89.4%
Grade 8	9.2%	12.8%	17.2%	82.8%
Grade 9	13.6%	18.4%	21.3%	78.7%
Grade 10	17.0%	23.6%	30.5%	69.5%
Grade 11	18.5%	25.1%	32.2%	67.8%
Grade 12	22.7%	29.2%	42.6%	57.4%
<b>Any Prescription Drug</b>				
All	6.0%	8.7%	17.4%	82.6%
Grade 7	5.9%	8.2%	13.5%	86.5%
Grade 8	6.7%	10.6%	18.5%	81.5%
Grade 9	7.8%	10.1%	20.5%	79.5%
Grade 10	4.5%	7.3%	16.9%	83.1%
Grade 11	5.4%	8.1%	17.4%	82.6%
Grade 12	4.8%	7.2%	17.7%	82.3%
<b>Any Inhalant</b>				
All	4.8%	6.8%	13.9%	86.1%
Grade 7	5.9%	7.3%	17.1%	82.9%
Grade 8	7.7%	9.9%	16.5%	83.5%
Grade 9	4.8%	7.8%	14.8%	85.2%
Grade 10	4.6%	7.0%	14.9%	85.1%
Grade 11	2.4%	3.5%	9.6%	90.4%
Grade 12	2.6%	4.1%	9.0%	91.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.1%	15.5%	28.5%	71.5%
Grade 7	3.4%	5.3%	13.4%	86.6%
Grade 8	8.1%	10.6%	22.8%	77.2%
Grade 9	11.1%	15.1%	28.2%	71.8%
Grade 10	12.1%	18.8%	34.6%	65.4%
Grade 11	14.6%	19.2%	33.4%	66.6%
Grade 12	19.3%	26.8%	42.9%	57.1%
<b>Marijuana</b>				
All	13.5%	16.7%	22.8%	77.2%
Grade 7	4.6%	5.1%	7.4%	92.6%
Grade 8	8.7%	10.0%	13.8%	86.2%
Grade 9	13.2%	16.1%	19.7%	80.3%
Grade 10	17.0%	21.7%	29.0%	71.0%
Grade 11	18.3%	23.3%	31.5%	68.5%
Grade 12	22.2%	27.3%	41.1%	58.9%
<b>Marijuana Only</b>				
All	8.0%	10.4%	15.4%	84.6%
Grade 7	2.1%	2.4%	3.9%	96.1%
Grade 8	5.1%	6.2%	9.1%	90.9%
Grade 9	7.8%	10.1%	13.3%	86.7%
Grade 10	11.0%	14.9%	21.0%	79.0%
Grade 11	10.3%	13.7%	20.4%	79.6%
Grade 12	13.1%	17.4%	29.0%	71.0%
<b>Cocaine or Crack</b>				
All	1.2%	1.5%	2.5%	97.5%
Grade 7	1.7%	1.8%	2.4%	97.6%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.7%	0.7%	1.4%	98.6%
Grade 10	1.1%	2.1%	3.0%	97.0%
Grade 11	1.4%	1.8%	2.9%	97.1%
Grade 12	1.9%	2.2%	4.5%	95.5%
<b>Cocaine</b>				
All	1.0%	1.2%	2.1%	97.9%
Grade 7	1.0%	1.2%	1.5%	98.5%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.6%	0.7%	1.3%	98.7%
Grade 10	1.0%	1.6%	2.6%	97.4%
Grade 11	1.3%	1.7%	2.5%	97.5%
Grade 12	1.7%	2.1%	4.3%	95.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	1.0%	1.1%	1.8%	98.2%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.4%	0.5%	0.6%	99.4%
Grade 10	0.1%	0.7%	0.7%	99.3%
Grade 11	0.4%	0.5%	1.0%	99.0%
Grade 12	0.4%	0.4%	1.0%	99.0%
<b>Hallucinogens</b>				
All	1.3%	1.9%	3.7%	96.3%
Grade 7	0.4%	0.4%	1.1%	98.9%
Grade 8	0.5%	0.6%	1.3%	98.7%
Grade 9	1.1%	1.6%	2.9%	97.1%
Grade 10	1.3%	1.8%	3.3%	96.7%
Grade 11	2.8%	3.4%	5.8%	94.2%
Grade 12	2.4%	4.6%	8.8%	91.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Steroids</b>				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.3%	0.4%	1.5%	98.5%
Grade 8	0.3%	0.8%	1.6%	98.4%
Grade 9	0.4%	0.5%	1.4%	98.6%
Grade 10	0.1%	0.7%	2.3%	97.7%
Grade 11	0.5%	0.5%	1.5%	98.5%
Grade 12	0.3%	0.3%	0.7%	99.3%
<b>Ecstasy</b>				
All	0.7%	1.1%	2.1%	97.9%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.7%	0.8%	2.3%	97.7%
Grade 11	0.9%	1.8%	3.6%	96.4%
Grade 12	2.4%	3.4%	5.3%	94.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	1.1%	1.7%	3.6%	96.4%
Grade 7	0.5%	0.9%	2.1%	97.9%
Grade 8	1.5%	2.0%	3.4%	96.6%
Grade 9	1.2%	2.1%	3.7%	96.3%
Grade 10	1.1%	1.9%	4.9%	95.1%
Grade 11	1.2%	1.8%	4.3%	95.7%
Grade 12	0.9%	1.1%	3.5%	96.5%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.0%	0.4%	0.6%	99.4%
Grade 12	0.5%	0.5%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 64 of 127

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.3%	13.7%	24.3%	75.7%
Grade 7	1.7%	2.7%	8.1%	91.9%
Grade 8	5.1%	7.2%	15.9%	84.1%
Grade 9	7.6%	10.0%	19.9%	80.1%
Grade 10	10.9%	16.8%	30.9%	69.1%
Grade 11	14.2%	18.2%	34.1%	65.9%
Grade 12	25.0%	31.0%	41.2%	58.8%
Any Alcohol Product				
All	22.8%	28.0%	46.5%	53.5%
Grade 7	12.9%	14.9%	31.2%	68.8%
Grade 8	16.7%	20.0%	39.5%	60.5%
Grade 9	19.4%	24.8%	45.1%	54.9%
Grade 10	24.5%	31.8%	52.1%	47.9%
Grade 11	28.7%	35.6%	54.8%	45.2%
Grade 12	38.1%	45.0%	59.5%	40.5%
Any Illicit Drug				
All	7.2%	10.9%	15.4%	84.6%
Grade 7	1.9%	2.9%	4.4%	95.6%
Grade 8	3.5%	6.3%	8.4%	91.6%
Grade 9	5.0%	7.2%	9.6%	90.4%
Grade 10	7.3%	13.2%	19.2%	80.8%
Grade 11	11.6%	15.1%	21.6%	78.4%
Grade 12	15.8%	23.3%	32.9%	67.1%
Any Prescription Drug				
All	4.9%	7.2%	14.2%	85.8%
Grade 7	5.1%	8.0%	13.7%	86.3%
Grade 8	5.5%	8.6%	15.9%	84.1%
Grade 9	5.9%	7.4%	13.7%	86.3%
Grade 10	2.5%	4.4%	11.5%	88.5%
Grade 11	5.1%	7.1%	12.9%	87.1%
Grade 12	5.2%	7.5%	17.5%	82.5%
Any Inhalant				
All	2.5%	3.7%	10.3%	89.7%
Grade 7	4.1%	5.6%	12.8%	87.2%
Grade 8	3.9%	5.1%	11.5%	88.5%
Grade 9	2.5%	3.8%	12.6%	87.4%
Grade 10	1.7%	3.5%	8.9%	91.1%
Grade 11	1.2%	2.2%	7.9%	92.1%
Grade 12	0.9%	1.7%	7.5%	92.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 65 of 127

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.6%	12.3%	22.1%	77.9%
Grade 7	1.4%	2.4%	6.4%	93.6%
Grade 8	4.0%	6.1%	14.5%	85.5%
Grade 9	6.2%	8.8%	17.6%	82.4%
Grade 10	9.2%	15.6%	28.5%	71.5%
Grade 11	12.5%	16.6%	31.4%	68.6%
Grade 12	21.2%	27.6%	38.4%	61.6%
<b>Marijuana</b>				
All	6.9%	9.2%	14.0%	86.0%
Grade 7	1.4%	1.7%	3.1%	96.9%
Grade 8	2.9%	3.7%	5.8%	94.2%
Grade 9	4.7%	5.5%	8.3%	91.7%
Grade 10	7.1%	11.5%	17.4%	82.6%
Grade 11	11.4%	14.1%	20.8%	79.2%
Grade 12	15.7%	21.5%	32.8%	67.2%
<b>Marijuana Only</b>				
All	4.1%	6.0%	9.9%	90.1%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	1.7%	2.5%	4.2%	95.8%
Grade 9	2.6%	3.3%	5.6%	94.4%
Grade 10	4.5%	8.3%	13.3%	86.7%
Grade 11	6.7%	8.7%	14.5%	85.5%
Grade 12	10.1%	14.5%	23.5%	76.5%
<b>Cocaine or Crack</b>				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	0.0%	0.1%	0.7%	99.3%
Grade 11	0.3%	1.0%	1.5%	98.5%
Grade 12	1.2%	1.3%	2.5%	97.5%
<b>Cocaine</b>				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.5%	0.7%	0.9%	99.1%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.0%	0.1%	0.7%	99.3%
Grade 11	0.3%	1.0%	1.5%	98.5%
Grade 12	1.2%	1.3%	2.4%	97.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 66 of 127

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.2%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.1%	99.9%
<b>Hallucinogens</b>				
All	0.7%	1.1%	1.9%	98.1%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.1%	0.3%	0.9%	99.1%
Grade 9	0.5%	0.7%	1.1%	98.9%
Grade 10	0.5%	0.5%	1.2%	98.8%
Grade 11	1.2%	2.3%	3.5%	96.5%
Grade 12	2.0%	2.6%	4.8%	95.2%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.2%	0.6%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.3%	0.4%	1.3%	98.7%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.4%	1.7%	98.3%
<b>Ecstasy</b>				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.5%	0.8%	1.0%	99.0%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.4%	0.6%	1.4%	98.6%
Grade 12	0.6%	0.8%	3.0%	97.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 67 of 127

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.1%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.5%	0.7%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	0.6%	0.7%	1.8%	98.2%
Grade 10	0.8%	1.5%	2.9%	97.1%
Grade 11	0.3%	0.8%	2.8%	97.2%
Grade 12	0.3%	0.4%	2.7%	97.3%
Methamphetamine				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.4%	0.9%	99.1%
Grade 10	0.0%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.5%	0.6%	99.4%
Grade 12	0.3%	0.4%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 68 of 127

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.6%	19.3%	32.8%	67.2%
Grade 7	6.5%	8.3%	17.8%	82.2%
Grade 8	13.3%	15.7%	29.0%	71.0%
Grade 9	16.9%	19.8%	33.1%	66.9%
Grade 10	16.8%	21.7%	37.3%	62.7%
Grade 11	18.8%	23.6%	37.9%	62.1%
Grade 12	24.6%	31.0%	47.2%	52.8%
Any Alcohol Product				
All	28.7%	33.4%	52.3%	47.7%
Grade 7	19.8%	22.4%	41.7%	58.3%
Grade 8	25.4%	28.7%	48.3%	51.7%
Grade 9	29.1%	33.9%	54.4%	45.6%
Grade 10	30.7%	35.6%	55.8%	44.2%
Grade 11	29.9%	36.8%	55.0%	45.0%
Grade 12	41.0%	48.0%	62.9%	37.1%
Any Illicit Drug				
All	14.9%	19.6%	25.7%	74.3%
Grade 7	6.4%	8.6%	10.6%	89.4%
Grade 8	10.5%	13.8%	19.3%	80.7%
Grade 9	14.9%	20.5%	24.0%	76.0%
Grade 10	16.6%	21.4%	28.6%	71.4%
Grade 11	19.4%	25.8%	33.8%	66.2%
Grade 12	25.5%	32.2%	44.9%	55.1%
Any Prescription Drug				
All	6.4%	9.5%	18.7%	81.3%
Grade 7	5.5%	8.2%	14.9%	85.1%
Grade 8	8.1%	11.3%	20.9%	79.1%
Grade 9	7.6%	10.4%	20.4%	79.6%
Grade 10	6.4%	10.0%	18.2%	81.8%
Grade 11	5.5%	8.4%	18.7%	81.3%
Grade 12	4.7%	8.2%	19.9%	80.1%
Any Inhalant				
All	5.0%	7.0%	14.2%	85.8%
Grade 7	6.4%	8.0%	16.7%	83.3%
Grade 8	8.0%	10.3%	18.3%	81.7%
Grade 9	5.2%	8.0%	14.7%	85.3%
Grade 10	3.2%	6.0%	12.8%	87.2%
Grade 11	2.4%	3.5%	10.6%	89.4%
Grade 12	4.0%	5.1%	10.1%	89.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 69 of 127



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.7%	15.9%	29.3%	70.7%
Grade 7	3.6%	5.7%	14.5%	85.5%
Grade 8	9.2%	12.2%	25.5%	74.5%
Grade 9	12.0%	16.2%	29.6%	70.4%
Grade 10	12.5%	18.3%	33.7%	66.3%
Grade 11	15.2%	20.1%	34.7%	65.3%
Grade 12	20.6%	27.2%	43.7%	56.3%
Marijuana				
All	14.3%	17.2%	23.4%	76.6%
Grade 7	5.2%	5.9%	7.6%	92.4%
Grade 8	9.6%	11.1%	15.8%	84.2%
Grade 9	14.4%	17.9%	21.7%	78.3%
Grade 10	16.3%	19.4%	26.7%	73.3%
Grade 11	19.4%	24.2%	32.9%	67.1%
Grade 12	24.9%	29.6%	43.3%	56.7%
Marijuana Only				
All	8.4%	10.5%	15.8%	84.2%
Grade 7	2.7%	3.2%	4.5%	95.5%
Grade 8	5.1%	6.0%	9.9%	90.1%
Grade 9	7.8%	10.6%	13.8%	86.2%
Grade 10	10.4%	12.8%	18.7%	81.3%
Grade 11	11.8%	15.3%	22.6%	77.4%
Grade 12	15.0%	18.7%	31.1%	68.9%
Cocaine or Crack				
All	1.4%	1.6%	2.4%	97.6%
Grade 7	1.2%	1.2%	1.6%	98.4%
Grade 8	1.5%	1.6%	2.0%	98.0%
Grade 9	1.3%	1.4%	2.0%	98.0%
Grade 10	0.9%	1.5%	1.9%	98.1%
Grade 11	1.5%	1.5%	2.8%	97.2%
Grade 12	2.3%	2.7%	4.7%	95.3%
Cocaine				
All	1.2%	1.3%	2.1%	97.9%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	1.0%	1.1%	1.6%	98.4%
Grade 9	1.3%	1.4%	1.9%	98.1%
Grade 10	0.8%	1.1%	1.5%	98.5%
Grade 11	1.4%	1.5%	2.6%	97.4%
Grade 12	2.0%	2.5%	4.4%	95.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.8%	1.1%	98.9%
Grade 7	0.7%	0.8%	1.0%	99.0%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	0.7%	0.8%	1.2%	98.8%
Grade 10	0.2%	0.8%	0.8%	99.2%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.8%	1.1%	1.6%	98.4%
<b>Hallucinogens</b>				
All	1.3%	1.9%	3.9%	96.1%
Grade 7	0.2%	0.2%	1.2%	98.8%
Grade 8	0.8%	0.9%	2.0%	98.0%
Grade 9	1.4%	1.9%	4.1%	95.9%
Grade 10	1.4%	2.3%	4.2%	95.8%
Grade 11	1.9%	2.5%	5.5%	94.5%
Grade 12	2.6%	4.5%	7.6%	92.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.4%	99.6%
Grade 12	0.1%	0.2%	0.5%	99.5%
<b>Steroids</b>				
All	0.3%	0.6%	1.6%	98.4%
Grade 7	0.2%	0.2%	1.7%	98.3%
Grade 8	0.4%	0.8%	1.6%	98.4%
Grade 9	0.5%	0.8%	2.1%	97.9%
Grade 10	0.2%	0.8%	2.3%	97.7%
Grade 11	0.3%	0.3%	1.0%	99.0%
Grade 12	0.4%	0.6%	1.0%	99.0%
<b>Ecstasy</b>				
All	0.7%	1.1%	2.1%	97.9%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.7%	98.3%
Grade 9	0.4%	0.6%	1.1%	98.9%
Grade 10	0.7%	1.1%	1.9%	98.1%
Grade 11	0.9%	1.9%	4.0%	96.0%
Grade 12	2.3%	3.0%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 71 of 127

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.1%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.3%	1.9%	3.4%	96.6%
Grade 7	0.8%	1.1%	1.9%	98.1%
Grade 8	1.5%	2.2%	4.1%	95.9%
Grade 9	1.5%	2.3%	3.7%	96.3%
Grade 10	1.3%	1.9%	4.4%	95.6%
Grade 11	1.3%	2.0%	3.5%	96.5%
Grade 12	1.4%	1.7%	3.2%	96.8%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.6%	1.2%	98.8%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.2%	0.4%	0.6%	99.4%
Grade 12	0.5%	0.6%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.9%	15.2%	26.3%	73.7%
Grade 7	2.8%	4.1%	10.2%	89.8%
Grade 8	7.5%	9.5%	18.5%	81.5%
Grade 9	10.4%	12.7%	22.9%	77.1%
Grade 10	13.9%	18.6%	33.5%	66.5%
Grade 11	16.7%	20.9%	34.7%	65.3%
Grade 12	24.1%	30.8%	44.9%	55.1%
<b>Any Alcohol Product</b>				
All	24.7%	29.5%	47.4%	52.6%
Grade 7	17.0%	18.6%	33.3%	66.7%
Grade 8	19.1%	21.8%	40.0%	60.0%
Grade 9	21.5%	26.3%	45.8%	54.2%
Grade 10	27.3%	34.0%	53.6%	46.4%
Grade 11	28.7%	36.0%	55.4%	44.6%
Grade 12	39.2%	45.8%	61.6%	38.4%
<b>Any Illicit Drug</b>				
All	10.0%	13.8%	18.5%	81.5%
Grade 7	3.5%	4.8%	6.6%	93.4%
Grade 8	5.2%	7.4%	10.2%	89.8%
Grade 9	8.4%	11.8%	14.4%	85.6%
Grade 10	12.1%	17.1%	22.7%	77.3%
Grade 11	13.0%	19.1%	25.6%	74.4%
Grade 12	21.1%	27.4%	38.3%	61.7%
<b>Any Prescription Drug</b>				
All	5.5%	8.2%	15.4%	84.6%
Grade 7	4.6%	7.6%	13.1%	86.9%
Grade 8	6.4%	9.1%	16.0%	84.0%
Grade 9	6.4%	8.7%	16.5%	83.5%
Grade 10	4.7%	8.1%	15.0%	85.0%
Grade 11	5.0%	7.6%	13.8%	86.2%
Grade 12	5.6%	8.2%	18.5%	81.5%
<b>Any Inhalant</b>				
All	4.1%	5.4%	11.5%	88.5%
Grade 7	5.2%	6.3%	13.9%	86.1%
Grade 8	5.5%	6.7%	12.8%	87.2%
Grade 9	4.1%	5.7%	12.1%	87.9%
Grade 10	3.8%	5.2%	11.5%	88.5%
Grade 11	2.4%	3.4%	9.0%	91.0%
Grade 12	3.1%	4.3%	8.7%	91.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 73 of 127

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.3%	13.2%	23.7%	76.3%
Grade 7	1.6%	3.1%	8.1%	91.9%
Grade 8	5.1%	7.4%	15.5%	84.5%
Grade 9	7.7%	10.9%	20.6%	79.4%
Grade 10	11.5%	17.1%	30.5%	69.5%
Grade 11	13.8%	18.6%	32.6%	67.4%
Grade 12	19.7%	26.6%	41.6%	58.4%
Marijuana				
All	9.5%	11.9%	16.6%	83.4%
Grade 7	2.5%	2.9%	4.3%	95.7%
Grade 8	4.6%	5.2%	7.3%	92.7%
Grade 9	8.1%	9.7%	12.7%	87.3%
Grade 10	11.8%	15.5%	21.0%	79.0%
Grade 11	12.9%	17.3%	24.4%	75.6%
Grade 12	20.9%	25.3%	37.0%	63.0%
Marijuana Only				
All	5.6%	7.5%	11.6%	88.4%
Grade 7	1.0%	1.3%	2.1%	97.9%
Grade 8	2.5%	3.0%	4.8%	95.2%
Grade 9	4.3%	5.6%	8.1%	91.9%
Grade 10	7.2%	10.6%	15.6%	84.4%
Grade 11	8.0%	11.1%	17.4%	82.6%
Grade 12	12.6%	16.3%	26.6%	73.4%
Cocaine or Crack				
All	0.8%	1.0%	1.6%	98.4%
Grade 7	0.6%	0.7%	1.1%	98.9%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.8%	0.8%	1.3%	98.7%
Grade 10	0.6%	1.2%	1.6%	98.4%
Grade 11	0.9%	1.0%	1.9%	98.1%
Grade 12	1.6%	2.0%	3.9%	96.1%
Cocaine				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.8%	0.8%	1.2%	98.8%
Grade 10	0.5%	1.0%	1.4%	98.6%
Grade 11	0.8%	1.0%	1.8%	98.2%
Grade 12	1.4%	1.7%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 74 of 127

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.1%	0.4%	0.4%	99.6%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.6%	0.6%	0.8%	99.2%
Hallucinogens				
All	1.0%	1.3%	2.7%	97.3%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.5%	0.8%	2.1%	97.9%
Grade 10	1.1%	1.5%	3.2%	96.8%
Grade 11	1.5%	1.8%	3.9%	96.1%
Grade 12	2.3%	3.6%	6.4%	93.6%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.2%	0.4%	99.6%
Steroids				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.1%	0.3%	1.4%	98.6%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.2%	0.7%	1.9%	98.1%
Grade 11	0.1%	0.1%	1.0%	99.0%
Grade 12	0.2%	0.4%	1.0%	99.0%
Ecstasy				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.3%	0.5%	99.5%
Grade 10	0.4%	0.5%	1.5%	98.5%
Grade 11	0.6%	0.9%	2.1%	97.9%
Grade 12	2.0%	2.5%	4.6%	95.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 75 of 127

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.1%	0.5%	99.5%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	0.7%	1.2%	2.3%	97.7%
Grade 7	0.5%	0.7%	1.3%	98.7%
Grade 8	0.9%	1.2%	2.1%	97.9%
Grade 9	0.7%	1.3%	2.4%	97.6%
Grade 10	0.7%	1.7%	3.0%	97.0%
Grade 11	1.2%	1.3%	2.7%	97.3%
Grade 12	0.4%	1.0%	2.6%	97.4%
Methamphetamine				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.5%	0.6%	99.4%
Grade 12	0.3%	0.5%	0.7%	99.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 76 of 127

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	19.1%	23.8%	38.4%	61.6%
Grade 7	7.2%	8.9%	19.9%	80.1%
Grade 8	14.6%	18.1%	33.9%	66.1%
Grade 9	21.5%	25.5%	40.9%	59.1%
Grade 10	20.2%	27.1%	41.6%	58.4%
Grade 11	21.9%	27.9%	43.7%	56.3%
Grade 12	30.5%	36.4%	51.7%	48.3%
<b>Any Alcohol Product</b>				
All	31.8%	37.7%	57.8%	42.2%
Grade 7	16.8%	20.7%	43.9%	56.1%
Grade 8	27.2%	31.6%	52.3%	47.7%
Grade 9	34.7%	40.4%	63.6%	36.4%
Grade 10	33.2%	38.8%	59.7%	40.3%
Grade 11	34.7%	42.1%	60.3%	39.7%
Grade 12	45.5%	53.9%	67.6%	32.4%
<b>Any Illicit Drug</b>				
All	17.6%	22.7%	30.2%	69.8%
Grade 7	6.5%	8.6%	10.5%	89.5%
Grade 8	12.6%	17.5%	23.8%	76.2%
Grade 9	17.7%	22.5%	27.3%	72.7%
Grade 10	19.3%	24.9%	34.4%	65.6%
Grade 11	24.4%	29.1%	38.3%	61.7%
Grade 12	26.1%	34.9%	48.7%	51.3%
<b>Any Prescription Drug</b>				
All	7.1%	10.4%	20.9%	79.1%
Grade 7	6.3%	8.3%	15.3%	84.7%
Grade 8	9.0%	13.1%	24.8%	75.2%
Grade 9	8.9%	11.5%	21.4%	78.6%
Grade 10	5.6%	9.8%	19.1%	80.9%
Grade 11	6.5%	9.5%	21.1%	78.9%
Grade 12	6.3%	10.1%	24.3%	75.7%
<b>Any Inhalant</b>				
All	4.5%	6.7%	14.7%	85.3%
Grade 7	5.7%	7.7%	16.3%	83.7%
Grade 8	8.0%	11.0%	20.6%	79.4%
Grade 9	3.9%	6.6%	14.7%	85.3%
Grade 10	3.1%	6.8%	13.9%	86.1%
Grade 11	2.8%	3.5%	11.0%	89.0%
Grade 12	3.5%	4.5%	11.1%	88.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 77 of 127



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	15.0%	20.2%	34.8%	65.2%
Grade 7	4.3%	6.1%	16.2%	83.8%
Grade 8	10.7%	14.6%	31.3%	68.7%
Grade 9	16.8%	21.2%	37.1%	62.9%
Grade 10	14.9%	22.8%	37.6%	62.4%
Grade 11	17.7%	24.0%	40.3%	59.7%
Grade 12	26.3%	33.2%	47.6%	52.4%
<b>Marijuana</b>				
All	16.8%	20.4%	28.3%	71.7%
Grade 7	5.2%	6.0%	7.6%	92.4%
Grade 8	11.7%	13.6%	19.9%	80.1%
Grade 9	16.9%	20.8%	25.9%	74.1%
Grade 10	19.1%	22.8%	32.6%	67.4%
Grade 11	23.7%	28.0%	37.7%	62.3%
Grade 12	25.4%	32.6%	47.8%	52.2%
<b>Marijuana Only</b>				
All	9.6%	12.3%	18.7%	81.3%
Grade 7	3.2%	3.7%	5.1%	94.9%
Grade 8	6.3%	7.6%	12.6%	87.4%
Grade 9	9.0%	12.2%	16.6%	83.4%
Grade 10	12.0%	14.6%	22.1%	77.9%
Grade 11	13.1%	16.5%	24.3%	75.7%
Grade 12	14.6%	19.9%	32.7%	67.3%
<b>Cocaine or Crack</b>				
All	1.7%	1.9%	3.2%	96.8%
Grade 7	1.5%	1.6%	2.2%	97.8%
Grade 8	2.0%	2.0%	2.7%	97.3%
Grade 9	1.2%	1.3%	2.1%	97.9%
Grade 10	1.3%	1.7%	3.3%	96.7%
Grade 11	1.2%	1.7%	2.9%	97.1%
Grade 12	2.8%	3.2%	5.8%	94.2%
<b>Cocaine</b>				
All	1.4%	1.5%	2.8%	97.2%
Grade 7	0.9%	0.9%	1.4%	98.6%
Grade 8	1.5%	1.5%	2.5%	97.5%
Grade 9	1.2%	1.2%	2.0%	98.0%
Grade 10	0.9%	1.0%	2.6%	97.4%
Grade 11	1.1%	1.6%	2.4%	97.6%
Grade 12	2.8%	3.2%	5.8%	94.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	0.8%	0.9%	1.3%	98.7%
Grade 8	0.8%	0.8%	1.4%	98.6%
Grade 9	0.6%	0.7%	0.9%	99.1%
Grade 10	0.5%	0.8%	1.1%	98.9%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.5%	0.8%	1.3%	98.7%
Hallucinogens				
All	1.6%	2.4%	4.8%	95.2%
Grade 7	0.0%	0.1%	1.1%	98.9%
Grade 8	0.5%	0.6%	2.8%	97.2%
Grade 9	2.1%	2.9%	4.3%	95.7%
Grade 10	2.1%	2.6%	5.1%	94.9%
Grade 11	2.4%	3.8%	6.6%	93.4%
Grade 12	2.7%	4.8%	9.2%	90.8%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.3%	0.4%	0.7%	99.3%
Grade 10	0.2%	0.3%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.3%	99.7%
Steroids				
All	0.3%	0.6%	1.7%	98.3%
Grade 7	0.3%	0.4%	1.4%	98.6%
Grade 8	0.3%	0.9%	1.7%	98.3%
Grade 9	0.1%	0.6%	2.0%	98.0%
Grade 10	0.5%	0.7%	2.1%	97.9%
Grade 11	0.5%	0.6%	1.2%	98.8%
Grade 12	0.1%	0.7%	2.0%	98.0%
Ecstasy				
All	0.9%	1.4%	3.1%	96.9%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.6%	0.6%	2.7%	97.3%
Grade 9	1.1%	1.5%	2.3%	97.7%
Grade 10	1.1%	1.5%	3.6%	96.4%
Grade 11	0.9%	2.0%	4.7%	95.3%
Grade 12	1.6%	2.5%	5.2%	94.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.1%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	1.6%	2.2%	4.5%	95.5%
Grade 7	0.4%	0.7%	1.5%	98.5%
Grade 8	1.6%	2.5%	4.7%	95.3%
Grade 9	2.3%	2.8%	5.0%	95.0%
Grade 10	2.0%	2.8%	6.2%	93.8%
Grade 11	1.4%	2.4%	5.3%	94.7%
Grade 12	1.7%	2.0%	4.8%	95.2%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.5%	1.2%	98.8%
Grade 9	0.6%	0.7%	1.5%	98.5%
Grade 10	1.0%	1.0%	1.7%	98.3%
Grade 11	0.0%	0.2%	0.6%	99.4%
Grade 12	0.4%	0.6%	1.8%	98.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.0%	16.7%	28.7%	71.3%
Grade 7	3.2%	4.3%	11.4%	88.6%
Grade 8	8.5%	10.4%	21.1%	78.9%
Grade 9	11.7%	14.6%	26.6%	73.4%
Grade 10	14.3%	20.1%	33.9%	66.1%
Grade 11	17.3%	22.0%	37.0%	63.0%
Grade 12	26.3%	32.5%	46.9%	53.1%
<b>Any Alcohol Product</b>				
All	25.2%	30.1%	49.8%	50.2%
Grade 7	14.2%	16.5%	34.1%	65.9%
Grade 8	18.9%	21.9%	41.7%	58.3%
Grade 9	23.4%	28.3%	50.3%	49.7%
Grade 10	27.0%	33.2%	54.7%	45.3%
Grade 11	29.3%	35.9%	56.4%	43.6%
Grade 12	42.0%	49.3%	65.4%	34.6%
<b>Any Illicit Drug</b>				
All	11.3%	15.4%	21.0%	79.0%
Grade 7	3.3%	4.6%	5.9%	94.1%
Grade 8	6.4%	9.2%	12.7%	87.3%
Grade 9	8.9%	12.4%	15.7%	84.3%
Grade 10	12.8%	18.0%	25.4%	74.6%
Grade 11	16.1%	21.5%	29.1%	70.9%
Grade 12	23.3%	30.7%	42.6%	57.4%
<b>Any Prescription Drug</b>				
All	5.6%	8.4%	16.2%	83.8%
Grade 7	5.1%	7.2%	13.0%	87.0%
Grade 8	7.1%	10.0%	18.2%	81.8%
Grade 9	5.8%	8.3%	15.8%	84.2%
Grade 10	4.6%	8.0%	14.9%	85.1%
Grade 11	4.9%	7.6%	15.5%	84.5%
Grade 12	6.0%	9.3%	20.7%	79.3%
<b>Any Inhalant</b>				
All	3.4%	4.8%	11.1%	88.9%
Grade 7	3.8%	4.9%	12.2%	87.8%
Grade 8	5.6%	7.4%	14.6%	85.4%
Grade 9	2.8%	5.0%	11.6%	88.4%
Grade 10	2.8%	4.6%	10.0%	90.0%
Grade 11	2.6%	3.1%	9.3%	90.7%
Grade 12	2.2%	3.3%	8.5%	91.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.3%	14.5%	25.9%	74.1%
Grade 7	2.1%	3.3%	9.0%	91.0%
Grade 8	6.1%	8.3%	18.4%	81.6%
Grade 9	9.2%	12.8%	24.0%	76.0%
Grade 10	11.0%	17.6%	30.9%	69.1%
Grade 11	13.9%	19.2%	34.2%	65.8%
Grade 12	22.4%	29.3%	43.4%	56.6%
<b>Marijuana</b>				
All	10.8%	13.5%	19.3%	80.7%
Grade 7	2.2%	2.6%	3.9%	96.1%
Grade 8	5.7%	6.7%	9.8%	90.2%
Grade 9	8.5%	10.6%	14.3%	85.7%
Grade 10	12.6%	16.6%	24.0%	76.0%
Grade 11	15.7%	19.9%	28.1%	71.9%
Grade 12	22.9%	28.6%	41.5%	58.5%
<b>Marijuana Only</b>				
All	6.7%	8.9%	14.0%	86.0%
Grade 7	1.5%	1.8%	2.8%	97.2%
Grade 8	3.1%	3.9%	6.5%	93.5%
Grade 9	5.2%	7.0%	10.2%	89.8%
Grade 10	8.6%	12.1%	18.7%	81.3%
Grade 11	9.3%	12.5%	20.0%	80.0%
Grade 12	14.2%	18.5%	30.3%	69.7%
<b>Cocaine or Crack</b>				
All	0.8%	1.0%	1.6%	98.4%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	0.5%	0.7%	1.4%	98.6%
Grade 11	0.8%	1.0%	1.9%	98.1%
Grade 12	1.8%	2.1%	3.9%	96.1%
<b>Cocaine</b>				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.4%	0.6%	1.4%	98.6%
Grade 11	0.8%	1.0%	1.7%	98.3%
Grade 12	1.7%	2.0%	3.7%	96.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.4%	99.6%
<b>Hallucinogens</b>				
All	1.1%	1.5%	2.8%	97.2%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.6%	0.7%	1.6%	98.4%
Grade 9	0.8%	1.2%	1.8%	98.2%
Grade 10	1.1%	1.6%	2.8%	97.2%
Grade 11	1.8%	2.4%	4.0%	96.0%
Grade 12	2.2%	3.6%	6.9%	93.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.3%	99.7%
<b>Steroids</b>				
All	0.2%	0.3%	1.2%	98.8%
Grade 7	0.1%	0.2%	1.2%	98.8%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.2%	0.5%	1.3%	98.7%
Grade 11	0.3%	0.3%	1.2%	98.8%
Grade 12	0.2%	0.3%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.6%	0.8%	99.2%
Grade 10	0.5%	0.7%	1.5%	98.5%
Grade 11	0.7%	1.4%	3.0%	97.0%
Grade 12	1.7%	2.3%	4.6%	95.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	0.9%	1.2%	2.5%	97.5%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	1.3%	1.6%	2.6%	97.4%
Grade 9	0.7%	1.0%	2.1%	97.9%
Grade 10	0.9%	1.6%	3.1%	96.9%
Grade 11	1.1%	1.7%	3.3%	96.7%
Grade 12	0.9%	1.2%	3.4%	96.6%
<b>Methamphetamine</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.4%	0.5%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	23.6%	28.2%	42.3%	57.7%
Grade 7	9.7%	13.1%	24.8%	75.2%
Grade 8	17.4%	24.0%	37.6%	62.4%
Grade 9	26.0%	28.7%	39.4%	60.6%
Grade 10	25.2%	30.4%	47.9%	52.1%
Grade 11	28.7%	33.4%	47.7%	52.3%
Grade 12	32.3%	37.9%	54.1%	45.9%
<b>Any Alcohol Product</b>				
All	39.1%	45.9%	60.6%	39.4%
Grade 7	31.8%	35.1%	54.0%	46.0%
Grade 8	37.8%	42.0%	59.3%	40.7%
Grade 9	38.9%	45.1%	60.1%	39.9%
Grade 10	39.8%	48.7%	63.5%	36.5%
Grade 11	41.9%	51.6%	63.5%	36.5%
Grade 12	43.5%	51.3%	62.2%	37.8%
<b>Any Illicit Drug</b>				
All	20.9%	27.8%	33.4%	66.6%
Grade 7	11.5%	15.8%	17.5%	82.5%
Grade 8	15.0%	22.1%	28.0%	72.0%
Grade 9	22.7%	29.7%	32.3%	67.7%
Grade 10	24.0%	30.3%	35.2%	64.8%
Grade 11	25.5%	34.0%	39.9%	60.1%
Grade 12	24.1%	32.1%	45.7%	54.3%
<b>Any Prescription Drug</b>				
All	8.7%	12.6%	24.5%	75.5%
Grade 7	6.9%	12.4%	20.2%	79.8%
Grade 8	9.2%	14.5%	26.8%	73.2%
Grade 9	12.3%	13.7%	27.8%	72.2%
Grade 10	7.5%	13.3%	24.8%	75.2%
Grade 11	10.6%	13.3%	23.4%	76.6%
Grade 12	5.0%	8.1%	23.0%	77.0%
<b>Any Inhalant</b>				
All	7.0%	10.0%	18.4%	81.6%
Grade 7	11.2%	14.1%	24.4%	75.6%
Grade 8	8.8%	12.9%	21.6%	78.4%
Grade 9	8.2%	10.3%	18.3%	81.7%
Grade 10	5.9%	10.1%	20.7%	79.3%
Grade 11	2.4%	5.9%	13.6%	86.4%
Grade 12	5.8%	6.9%	11.9%	88.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	18.4%	23.8%	38.9%	61.1%
Grade 7	5.7%	9.2%	20.7%	79.3%
Grade 8	13.2%	19.9%	35.1%	64.9%
Grade 9	17.9%	22.0%	35.6%	64.4%
Grade 10	20.7%	27.5%	45.1%	54.9%
Grade 11	25.3%	29.9%	45.6%	54.4%
Grade 12	25.7%	32.7%	49.2%	50.8%
Marijuana				
All	20.1%	24.2%	29.8%	70.2%
Grade 7	9.8%	11.2%	11.7%	88.3%
Grade 8	13.9%	16.3%	20.4%	79.6%
Grade 9	22.1%	26.8%	29.4%	70.6%
Grade 10	23.7%	26.8%	32.0%	68.0%
Grade 11	25.4%	32.0%	38.8%	61.2%
Grade 12	23.2%	29.1%	43.8%	56.2%
Marijuana Only				
All	10.3%	13.2%	17.7%	82.3%
Grade 7	3.8%	4.1%	4.6%	95.4%
Grade 8	8.3%	9.6%	13.5%	86.5%
Grade 9	11.2%	14.4%	16.6%	83.4%
Grade 10	12.0%	14.3%	19.2%	80.8%
Grade 11	14.9%	19.1%	24.4%	75.6%
Grade 12	10.6%	15.9%	26.5%	73.5%
Cocaine or Crack				
All	2.6%	2.9%	4.9%	95.1%
Grade 7	3.5%	3.5%	5.2%	94.8%
Grade 8	1.1%	1.2%	1.5%	98.5%
Grade 9	2.0%	2.0%	3.5%	96.5%
Grade 10	2.5%	3.3%	5.0%	95.0%
Grade 11	2.0%	2.5%	4.9%	95.1%
Grade 12	4.5%	4.6%	9.5%	90.5%
Cocaine				
All	2.1%	2.3%	4.3%	95.7%
Grade 7	2.6%	2.6%	4.3%	95.7%
Grade 8	1.1%	1.2%	1.4%	98.6%
Grade 9	1.9%	1.9%	3.4%	96.6%
Grade 10	1.6%	1.7%	3.4%	96.6%
Grade 11	1.6%	2.1%	4.5%	95.5%
Grade 12	4.1%	4.2%	9.1%	90.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 86 of 127

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.2%	1.7%	2.1%	97.9%
Grade 7	2.0%	2.0%	3.0%	97.0%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.3%	0.4%	1.6%	98.4%
Grade 10	1.2%	2.6%	2.7%	97.3%
Grade 11	1.1%	1.5%	1.6%	98.4%
Grade 12	2.8%	3.5%	3.7%	96.3%
<b>Hallucinogens</b>				
All	2.3%	3.4%	7.2%	92.8%
Grade 7	0.8%	0.9%	2.4%	97.6%
Grade 8	0.3%	0.3%	2.3%	97.7%
Grade 9	2.1%	3.0%	6.9%	93.1%
Grade 10	3.5%	4.1%	8.5%	91.5%
Grade 11	2.6%	4.4%	9.5%	90.5%
Grade 12	4.0%	7.2%	12.6%	87.4%
<b>Synthetic Cathinones</b>				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.3%	1.6%	98.4%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.6%	0.6%	1.7%	98.3%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.6%	0.6%	99.4%
<b>Steroids</b>				
All	0.7%	1.3%	2.8%	97.2%
Grade 7	0.5%	1.0%	2.6%	97.4%
Grade 8	0.9%	1.3%	2.4%	97.6%
Grade 9	0.8%	0.8%	2.4%	97.6%
Grade 10	1.2%	2.1%	4.4%	95.6%
Grade 11	0.4%	0.4%	1.2%	98.8%
Grade 12	0.1%	2.0%	3.2%	96.8%
<b>Ecstasy</b>				
All	1.2%	1.7%	3.9%	96.1%
Grade 7	0.5%	1.0%	1.2%	98.8%
Grade 8	0.3%	0.3%	3.9%	96.1%
Grade 9	0.3%	1.1%	2.0%	98.0%
Grade 10	1.6%	2.2%	5.8%	94.2%
Grade 11	1.3%	1.5%	3.5%	96.5%
Grade 12	3.1%	4.0%	6.8%	93.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 87 of 127

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.3%	0.4%	1.5%	98.5%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	1.2%	1.3%	2.7%	97.3%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.7%	0.7%	0.7%	99.3%
Synthetic Marijuana				
All	2.1%	3.5%	5.9%	94.1%
Grade 7	2.1%	2.6%	4.0%	96.0%
Grade 8	1.2%	3.2%	4.8%	95.2%
Grade 9	3.3%	5.5%	8.5%	91.5%
Grade 10	2.5%	4.4%	6.5%	93.5%
Grade 11	1.8%	2.4%	6.0%	94.0%
Grade 12	1.3%	2.4%	4.6%	95.4%
Methamphetamine				
All	0.5%	1.0%	1.9%	98.1%
Grade 7	0.0%	0.6%	1.1%	98.9%
Grade 8	0.1%	0.6%	1.6%	98.4%
Grade 9	0.4%	0.5%	2.0%	98.0%
Grade 10	2.1%	2.1%	2.1%	97.9%
Grade 11	0.1%	1.5%	1.7%	98.3%
Grade 12	0.2%	0.8%	2.6%	97.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 88 of 127

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	990,958	49.7%
Female	1,001,408	50.3%
Frequency Missing	13,665	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	1,032,565	52.5%
Yes	934,116	47.5%
Frequency Missing	39,349	

**Grade**

Q2	Frequency	Percent
Grade 7	353,485	17.8%
Grade 8	338,066	17.0%
Grade 9	374,335	18.8%
Grade 10	333,959	16.8%
Grade 11	304,253	15.3%
Grade 12	285,387	14.3%
Frequency Missing	16,546	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	46,081	2.5%
Asian American	59,867	3.3%
African American	279,364	15.3%
Pacific Islander	9,100	0.5%
White	835,048	45.8%
Other	305,875	16.8%
More Than One Race	288,840	15.8%
Frequency Missing	181,855	

**Live with Both Parents**

Q3	Frequency	Percent
No	742,817	37.6%
Yes	1,233,214	62.4%
Frequency Missing	30,000	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	6,008	0.4%
Mostly D's	15,174	0.9%
Mostly C's	210,441	12.3%
Mostly B's	823,862	48.3%
Mostly A's	651,669	38.2%
Frequency Missing	298,877	

**Age**

Q4	Frequency	Percent
11 or younger	3,677	0.2%
12	174,167	8.8%
13	323,571	16.3%
14	350,577	17.6%
15	354,629	17.8%
16	324,787	16.3%
17	297,784	15.0%
18	149,752	7.5%
19 or older	10,628	0.5%
Frequency Missing	16,458	

**Do You Have a Job**

Q7	Frequency	Percent
No	1,394,840	80.7%
Yes	333,319	19.3%
Frequency Missing	277,871	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	648,181	37.7%
Yes	602,733	35.1%
Don't Know	467,338	27.2%
Frequency Missing	287,779	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	1,335,708	92.0%
Yes	116,931	8.0%
Frequency Missing	553,392	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	733,609	45.1%
Yes	891,658	54.9%
Frequency Missing	380,764	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	1,108,756	74.5%
Yes	379,192	25.5%
Frequency Missing	518,083	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	1,149,520	76.1%
Yes	360,685	23.9%
Frequency Missing	495,826	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	1,095,195	74.2%
Yes	381,636	25.8%
Frequency Missing	529,199	

**Participate in School Choir**

Q9c	Frequency	Percent
No	1,329,616	91.3%
Yes	126,991	8.7%
Frequency Missing	549,423	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	1,020,358	67.6%
Yes	488,641	32.4%
Frequency Missing	497,032	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	1,351,464	92.7%
Yes	106,227	7.3%
Frequency Missing	548,340	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	1,149,524	77.6%
Yes	331,009	22.4%
Frequency Missing	525,498	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	1,692,199	85.8%
Somewhat Safe	237,158	12.0%
Not Very Safe	17,533	0.9%
Not Safe At All	6,334	0.3%
Don't Know	19,411	1.0%
Frequency Missing	33,396	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	130,635	7.0%
Some High School	157,802	8.4%
Finished High School	325,327	17.4%
Some College	269,080	14.4%
Finished College	465,853	24.9%
Post-Secondary	310,690	16.6%
Don't Know or N/A	209,306	11.2%
Frequency Missing	137,337	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	953,096	48.7%
Somewhat Safe	828,788	42.3%
Not Very Safe	98,553	5.0%
Not Safe At All	24,755	1.3%
Don't Know	51,934	2.7%
Frequency Missing	48,905	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	1,109,194	63.4%
Yes	639,906	36.6%
Frequency Missing	256,931	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	725,172	37.1%
Somewhat Safe	914,922	46.8%
Not Very Safe	169,622	8.7%
Not Safe At All	71,575	3.7%
Don't Know	73,471	3.8%
Frequency Missing	51,268	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	93,835	4.8%
A Few	403,001	20.5%
Some	452,139	22.9%
Most	737,755	37.4%
All	283,583	14.4%
Frequency Missing	35,717	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	129,804	7.0%
Some High School	191,763	10.3%
Finished High School	385,060	20.6%
Some College	210,441	11.3%
Finished College	339,653	18.2%
Post-Secondary	283,065	15.2%
Don't Know or N/A	326,231	17.5%
Frequency Missing	140,014	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	35,712	1.8%
A Few	215,069	10.9%
Some	457,298	23.2%
Most	867,769	44.0%
All	395,262	20.1%
Frequency Missing	34,921	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	887,586	45.9%
A Few	583,217	30.2%
Some	260,693	13.5%
Most	123,989	6.4%
All	76,522	4.0%
Frequency Missing	74,024	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	1,860,101	94.5%
In Your Lifetime	71,953	3.7%
Since School Began	15,384	0.8%
In the Past Month	20,414	1.0%
Frequency Missing	38,178	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	1,541,401	78.9%
A Few	262,564	13.4%
Some	89,227	4.6%
Most	43,103	2.2%
All	17,923	0.9%
Frequency Missing	51,812	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	1,932,378	99.0%
In Your Lifetime	10,216	0.5%
Since School Began	4,494	0.2%
In the Past Month	5,634	0.3%
Frequency Missing	53,309	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	1,680,190	85.7%
A Few	185,219	9.4%
Some	57,872	3.0%
Most	22,097	1.1%
All	15,449	0.8%
Frequency Missing	45,204	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	1,847,440	93.9%
In Your Lifetime	84,274	4.3%
Since School Began	13,573	0.7%
In the Past Month	21,651	1.1%
Frequency Missing	39,092	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	1,932,259	97.8%
In Your Lifetime	29,578	1.5%
Since School Began	4,947	0.3%
In the Past Month	8,824	0.4%
Frequency Missing	30,422	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	1,938,315	98.7%
In Your Lifetime	15,466	0.8%
Since School Began	3,452	0.2%
In the Past Month	6,521	0.3%
Frequency Missing	42,277	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	1,943,345	98.9%
In Your Lifetime	13,061	0.7%
Since School Began	4,211	0.2%
In the Past Month	4,724	0.2%
Frequency Missing	40,690	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	1,824,618	93.3%
In Your Lifetime	67,861	3.5%
Since School Began	18,854	1.0%
In the Past Month	44,414	2.3%
Frequency Missing	50,284	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	1,917,545	97.7%
In Your Lifetime	25,804	1.3%
Since School Began	5,307	0.3%
In the Past Month	13,407	0.7%
Frequency Missing	43,967	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	1,284,757	66.6%
In Your Lifetime	337,149	17.5%
Since School Began	116,674	6.0%
In the Past Month	190,562	9.9%
Frequency Missing	76,888	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	1,932,782	98.3%
In Your Lifetime	20,209	1.0%
Since School Began	4,341	0.2%
In the Past Month	8,584	0.4%
Frequency Missing	40,115	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	1,444,957	74.2%
In Your Lifetime	224,955	11.6%
Since School Began	107,024	5.5%
In the Past Month	170,206	8.7%
Frequency Missing	58,888	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	1,748,553	88.8%
In Your Lifetime	141,005	7.2%
Since School Began	28,232	1.4%
In the Past Month	52,231	2.7%
Frequency Missing	36,009	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	1,372,770	71.1%
In Your Lifetime	319,990	16.6%
Since School Began	103,300	5.3%
In the Past Month	135,609	7.0%
Frequency Missing	74,361	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	1,336,407	68.4%
In Your Lifetime	277,450	14.2%
Since School Began	128,067	6.6%
In the Past Month	211,575	10.8%
Frequency Missing	52,533	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	1,928,983	98.2%
In Your Lifetime	21,608	1.1%
Since School Began	4,762	0.2%
In the Past Month	8,216	0.4%
Frequency Missing	42,460	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	1,883,909	96.1%
In Your Lifetime	47,782	2.4%
Since School Began	10,907	0.6%
In the Past Month	18,157	0.9%
Frequency Missing	45,276	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	1,944,270	99.4%
In Your Lifetime	6,342	0.3%
Since School Began	2,580	0.1%
In the Past Month	3,469	0.2%
Frequency Missing	49,370	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	1,418,088	72.2%
In Your Lifetime	236,501	12.0%
Since School Began	85,583	4.4%
In the Past Month	223,759	11.4%
Frequency Missing	42,100	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	1,886,459	96.6%
In Your Lifetime	33,418	1.7%
Since School Began	10,422	0.5%
In the Past Month	23,495	1.2%
Frequency Missing	52,237	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	1,579,953	80.3%
In Your Lifetime	172,557	8.8%
Since School Began	67,387	3.4%
In the Past Month	146,638	7.5%
Frequency Missing	39,495	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	1,948,191	99.5%
In Your Lifetime	5,618	0.3%
Since School Began	1,107	0.1%
In the Past Month	2,653	0.1%
Frequency Missing	48,461	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	1,933,131	98.8%
In Your Lifetime	16,274	0.8%
Since School Began	3,167	0.2%
In the Past Month	4,309	0.2%
Frequency Missing	49,150	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	1,901,364	97.2%
In Your Lifetime	30,818	1.6%
Since School Began	6,267	0.3%
In the Past Month	17,353	0.9%
Frequency Missing	50,230	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	1,921,618	98.2%
In Your Lifetime	18,889	1.0%
Since School Began	5,059	0.3%
In the Past Month	10,549	0.5%
Frequency Missing	49,915	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	1,712,304	88.9%
In Your Lifetime	122,639	6.4%
Since School Began	38,369	2.0%
In the Past Month	53,014	2.8%
Frequency Missing	79,704	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	1,953,320	99.7%
In Your Lifetime	3,941	0.2%
Since School Began	633	0.0%
In the Past Month	2,154	0.1%
Frequency Missing	45,983	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	1,857,557	96.9%
In Your Lifetime	37,334	1.9%
Since School Began	9,143	0.5%
In the Past Month	13,581	0.7%
Frequency Missing	88,414	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	1,947,205	99.3%
In Your Lifetime	6,184	0.3%
Since School Began	2,372	0.1%
In the Past Month	4,389	0.2%
Frequency Missing	45,880	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	1,822,666	95.5%
In Your Lifetime	48,577	2.5%
Since School Began	17,764	0.9%
In the Past Month	19,732	1.0%
Frequency Missing	97,292	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	1,797,023	94.4%
In Your Lifetime	51,369	2.7%
Since School Began	18,367	1.0%
In the Past Month	36,683	1.9%
Frequency Missing	102,589	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	1,473,241	76.5%
1-2 times	292,056	15.2%
3-10 times	122,107	6.3%
11+ times	39,061	2.0%
Frequency Missing	79,566	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	1,733,198	91.4%
In Your Lifetime	79,170	4.2%
Since School Began	27,097	1.4%
In the Past Month	57,198	3.0%
Frequency Missing	109,367	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	1,897,118	98.1%
1-2 times	24,136	1.2%
3-10 times	7,991	0.4%
11+ times	4,317	0.2%
Frequency Missing	72,468	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	1,855,521	96.8%
In Your Lifetime	29,996	1.6%
Since School Began	7,563	0.4%
In the Past Month	24,312	1.3%
Frequency Missing	88,639	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	1,709,462	88.4%
1-2 times	105,367	5.4%
3-10 times	49,670	2.6%
11+ times	69,425	3.6%
Frequency Missing	72,105	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	1,789,590	92.5%
1-2 times	66,848	3.5%
3-10 times	29,640	1.5%
11+ times	49,394	2.6%
Frequency Missing	70,558	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	1,918,994	99.2%
1-2 times	11,337	0.6%
3-10 times	2,258	0.1%
11+ times	1,563	0.1%
Frequency Missing	71,879	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	1,923,378	99.6%
1-2 times	4,574	0.2%
3-10 times	1,106	0.1%
11+ times	1,132	0.1%
Frequency Missing	75,841	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	1,175,841	61.4%
A few	324,766	17.0%
Some	190,340	9.9%
Most	171,821	9.0%
All	53,021	2.8%
Frequency Missing	90,242	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	1,425,731	74.0%
A few	290,573	15.1%
Some	116,209	6.0%
Most	71,443	3.7%
All	22,365	1.2%
Frequency Missing	79,709	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	1,602,880	86.5%
8 or younger	14,948	0.8%
9 years old	9,279	0.5%
10 years old	15,935	0.9%
11 years old	16,256	0.9%
12 years old	30,514	1.6%
13 years old	35,087	1.9%
14 years old	41,038	2.2%
15 years old	42,279	2.3%
16 years old	30,330	1.6%
17 years old	12,091	0.7%
18 or older	2,652	0.1%
Frequency Missing	152,743	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	1,006,500	52.6%
A few	422,882	22.1%
Some	244,008	12.7%
Most	182,303	9.5%
All	58,493	3.1%
Frequency Missing	91,844	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	1,076,144	58.5%
8 or younger	92,263	5.0%
9 years old	30,502	1.7%
10 years old	53,333	2.9%
11 years old	43,234	2.3%
12 years old	89,295	4.9%
13 years old	108,543	5.9%
14 years old	109,420	5.9%
15 years old	115,528	6.3%
16 years old	78,630	4.3%
17 years old	31,349	1.7%
18 or older	11,519	0.6%
Frequency Missing	166,272	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	1,781,587	93.1%
A few	86,793	4.5%
Some	28,798	1.5%
Most	10,111	0.5%
All	6,514	0.3%
Frequency Missing	92,227	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	1,767,785	96.3%
8 or younger	8,827	0.5%
9 years old	4,419	0.2%
10 years old	6,689	0.4%
11 years old	9,662	0.5%
12 years old	11,067	0.6%
13 years old	10,495	0.6%
14 years old	7,551	0.4%
15 years old	4,771	0.3%
16 years old	2,166	0.1%
17 years old	2,105	0.1%
18 or older	348	0.0%
Frequency Missing	170,144	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	1,812,071	98.5%
8 or younger	170	0.0%
9 years old	883	0.0%
10 years old	918	0.0%
11 years old	1,147	0.1%
12 years old	1,656	0.1%
13 years old	3,617	0.2%
14 years old	4,074	0.2%
15 years old	5,877	0.3%
16 years old	4,871	0.3%
17 years old	3,380	0.2%
18 or older	611	0.0%
Frequency Missing	166,756	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	1,476,959	80.5%
8 or younger	8,890	0.5%
9 years old	3,606	0.2%
10 years old	9,774	0.5%
11 years old	14,441	0.8%
12 years old	35,121	1.9%
13 years old	56,453	3.1%
14 years old	74,588	4.1%
15 years old	70,193	3.8%
16 years old	55,741	3.0%
17 years old	25,291	1.4%
18 or older	4,549	0.2%
Frequency Missing	170,426	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	1,825,685	99.5%
8 or younger	227	0.0%
9 years old	129	0.0%
10 years old	375	0.0%
11 years old	635	0.0%
12 years old	1,129	0.1%
13 years old	1,931	0.1%
14 years old	2,240	0.1%
15 years old	1,489	0.1%
16 years old	1,113	0.1%
17 years old	139	0.0%
Frequency Missing	170,938	

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	1,811,467	98.9%
8 or younger	3,364	0.2%
9 years old	756	0.0%
10 years old	852	0.0%
11 years old	1,674	0.1%
12 years old	3,507	0.2%
13 years old	2,756	0.2%
14 years old	3,204	0.2%
15 years old	2,464	0.1%
16 years old	1,391	0.1%
17 years old	843	0.0%
18 or older	107	0.0%
Frequency Missing	173,646	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	1,797,151	98.3%
8 or younger	672	0.0%
9 years old	395	0.0%
10 years old	233	0.0%
11 years old	1,436	0.1%
12 years old	2,189	0.1%
13 years old	3,441	0.2%
14 years old	4,731	0.3%
15 years old	5,200	0.3%
16 years old	8,867	0.5%
17 years old	3,779	0.2%
18 or older	701	0.0%
Frequency Missing	177,234	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	1,827,890	99.4%
8 or younger	583	0.0%
9 years old	908	0.0%
10 years old	75	0.0%
11 years old	188	0.0%
12 years old	902	0.0%
13 years old	2,049	0.1%
14 years old	1,948	0.1%
15 years old	1,219	0.1%
16 years old	1,460	0.1%
17 years old	1,053	0.1%
18 or older	277	0.0%
Frequency Missing	167,479	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	1,833,187	99.6%
8 or younger	1,203	0.1%
9 years old	588	0.0%
10 years old	156	0.0%
11 years old	52	0.0%
12 years old	614	0.0%
13 years old	1,285	0.1%
14 years old	993	0.1%
15 years old	820	0.0%
16 years old	566	0.0%
17 years old	257	0.0%
Frequency Missing	166,311	

**Age When First Used Synthetic Marijuana**

Q21l	Frequency	Percent
Never used it	1,789,599	97.5%
8 or younger	1,225	0.1%
9 years old	1,160	0.1%
10 years old	1,560	0.1%
11 years old	1,140	0.1%
12 years old	5,983	0.3%
13 years old	7,002	0.4%
14 years old	10,876	0.6%
15 years old	8,945	0.5%
16 years old	4,423	0.2%
17 years old	3,276	0.2%
18 or older	332	0.0%
Frequency Missing	170,508	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	576,954	30.1%
Impossible	418,666	21.9%
Very Difficult	157,312	8.2%
Somewhat diff	202,480	10.6%
Somewhat easy	261,397	13.6%
Very easy	298,323	15.6%
Frequency Missing	90,898	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 100 of 127

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	450,767	23.6%
Impossible	263,999	13.8%
Very Difficult	117,456	6.1%
Somewhat diff	205,946	10.8%
Somewhat easy	354,297	18.5%
Very easy	520,307	27.2%
Frequency Missing	93,259	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	773,864	40.6%
Impossible	694,689	36.5%
Very Difficult	233,625	12.3%
Somewhat diff	107,917	5.7%
Somewhat easy	40,294	2.1%
Very easy	53,388	2.8%
Frequency Missing	102,254	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	788,560	41.4%
Impossible	318,065	16.7%
Very Difficult	85,695	4.5%
Somewhat diff	101,791	5.4%
Somewhat easy	166,767	8.8%
Very easy	441,610	23.2%
Frequency Missing	103,541	

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	807,584	42.5%
Impossible	637,855	33.6%
Very Difficult	222,705	11.7%
Somewhat diff	118,612	6.2%
Somewhat easy	53,348	2.8%
Very easy	58,879	3.1%
Frequency Missing	107,049	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	557,250	29.2%
Impossible	456,052	23.9%
Very Difficult	150,940	7.9%
Somewhat diff	170,651	9.0%
Somewhat easy	229,936	12.1%
Very easy	340,960	17.9%
Frequency Missing	100,241	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	935,631	49.4%
Impossible	545,308	28.8%
Very Difficult	178,077	9.4%
Somewhat diff	100,720	5.3%
Somewhat easy	62,234	3.3%
Very easy	72,910	3.8%
Frequency Missing	111,152	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	738,644	38.8%
Impossible	675,636	35.5%
Very Difficult	232,202	12.2%
Somewhat diff	134,810	7.1%
Somewhat easy	56,688	3.0%
Very easy	67,732	3.6%
Frequency Missing	100,319	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	854,437	44.8%
Impossible	712,163	37.3%
Very Difficult	200,263	10.5%
Somewhat diff	72,950	3.8%
Somewhat easy	24,601	1.3%
Very easy	43,400	2.3%
Frequency Missing	98,217	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	894,112	46.9%
Impossible	663,725	34.9%
Very Difficult	189,026	9.9%
Somewhat diff	73,364	3.9%
Somewhat easy	34,453	1.8%
Very easy	49,807	2.6%
Frequency Missing	101,545	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	5,464	0.3%
Several times/wk	24,201	1.3%
Several times/mo	109,024	5.8%
About once/month	202,673	10.7%
About once/year	193,929	10.3%
Less than once/year	177,777	9.4%
Never used	1,175,880	62.3%
Frequency Missing	117,083	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	918,351	48.3%
Impossible	534,522	28.1%
Very Difficult	152,910	8.0%
Somewhat diff	109,220	5.7%
Somewhat easy	86,473	4.6%
Very easy	98,316	5.2%
Frequency Missing	106,239	

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	886	0.0%
Several times/wk	5,239	0.3%
Several times/mo	4,534	0.2%
About once/month	11,321	0.6%
About once/year	10,493	0.6%
Less than once/year	28,505	1.5%
Never used	1,829,806	96.8%
Frequency Missing	115,246	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	37,764	2.0%
Several times/wk	21,936	1.2%
Several times/mo	28,912	1.5%
About once/month	36,728	1.9%
About once/year	36,865	1.9%
Less than once/year	74,448	3.9%
Never used	1,662,040	87.5%
Frequency Missing	107,337	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	32,051	1.7%
Several times/wk	36,326	1.9%
Several times/mo	52,871	2.8%
About once/month	67,389	3.6%
About once/year	72,348	3.8%
Less than once/year	77,638	4.1%
Never used	1,554,209	82.1%
Frequency Missing	113,200	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	273	0.0%
Several times/wk	1,159	0.1%
Several times/mo	2,508	0.1%
About once/month	3,107	0.2%
About once/year	7,114	0.4%
Less than once/year	11,765	0.6%
Never used	1,863,514	98.6%
Frequency Missing	116,591	

**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	752	0.0%
Several times/wk	1,122	0.1%
Several times/mo	2,327	0.1%
About once/month	5,048	0.3%
About once/year	10,185	0.5%
Less than once/year	12,384	0.7%
Never used	1,852,514	98.3%
Frequency Missing	121,698	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	40	0.0%
Several times/wk	1,599	0.1%
Several times/mo	1,005	0.1%
About once/month	306	0.0%
About once/year	3,154	0.2%
Less than once/year	4,207	0.2%
Never used	1,883,968	99.5%
Frequency Missing	111,752	

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	614	0.0%
Several times/wk	849	0.0%
Several times/mo	183	0.0%
About once/month	371	0.0%
About once/year	1,478	0.1%
Less than once/year	1,197	0.1%
Never used	1,888,268	99.8%
Frequency Missing	113,071	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	1,630	0.1%
Several times/wk	428	0.0%
Several times/mo	718	0.0%
About once/month	2,354	0.1%
About once/year	2,248	0.1%
Less than once/year	7,205	0.4%
Never used	1,877,515	99.2%
Frequency Missing	113,932	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	1,258	0.1%
Several times/wk	740	0.0%
Several times/mo	614	0.0%
About once/month	922	0.0%
About once/year	2,929	0.2%
Less than once/year	3,259	0.2%
Never used	1,881,105	99.5%
Frequency Missing	115,204	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	1,629	0.1%
Several times/wk	3,827	0.2%
Several times/mo	4,939	0.3%
About once/month	9,057	0.5%
About once/year	9,264	0.5%
Less than once/year	14,777	0.8%
Never used	1,836,883	97.7%
Frequency Missing	125,653	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	1,344,520	71.2%
12+ drinks	13,329	0.7%
9-11 drinks	7,424	0.4%
5-8 drinks	16,458	0.9%
3-4 drinks	53,170	2.8%
2 drinks	71,426	3.8%
1 drink	136,445	7.2%
Less than 1 drink	246,391	13.0%
Frequency Missing	116,868	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	1,255,600	66.0%
12+ drinks	36,645	1.9%
9-11 drinks	21,228	1.1%
5-8 drinks	48,343	2.5%
3-4 drinks	84,189	4.4%
2 drinks	93,742	4.9%
1 drink	129,327	6.8%
Less than 1 drink	234,124	12.3%
Frequency Missing	102,834	

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	1,270,382	67.1%
12+ drinks	38,575	2.0%
9-11 drinks	31,351	1.7%
5-8 drinks	72,963	3.9%
3-4 drinks	106,092	5.6%
2 drinks	83,796	4.4%
1 drink	110,132	5.8%
Less than 1 drink	181,258	9.6%
Frequency Missing	111,483	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	1,376,991	72.5%
12+ drinks	24,628	1.3%
9-11 drinks	21,315	1.1%
5-8 drinks	53,826	2.8%
3-4 drinks	97,943	5.2%
2 drinks	95,204	5.0%
1 drink	100,175	5.3%
Less than 1 drink	128,011	6.7%
Frequency Missing	107,937	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	1,135,969	60.4%
0 days	550,823	29.3%
1 day	72,204	3.8%
2 days	43,293	2.3%
3 to 5 days	41,285	2.2%
6 to 9 days	12,158	0.6%
10 or more days	24,037	1.3%
Frequency Missing	126,262	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	1,137,331	60.1%
Never	299,222	15.8%
Seldom	295,220	15.6%
Most of the Time	102,094	5.4%
Always	57,328	3.0%
Frequency Missing	114,836	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	1,213,118	64.8%
Never	401,491	21.4%
Seldom	130,567	7.0%
Most of the Time	71,076	3.8%
Always	56,522	3.0%
Frequency Missing	133,256	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	1,162,373	61.6%
Never	320,299	17.0%
Seldom	195,710	10.4%
Most of the Time	156,435	8.3%
Always	51,637	2.7%
Frequency Missing	119,578	

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	1,114,633	60.8%
Somewhat	463,844	25.3%
Not very	126,765	6.9%
Not at all	29,103	1.6%
Don't know	99,974	5.5%
Frequency Missing	171,712	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	1,216,289	64.7%
Never	547,612	29.1%
Seldom	54,917	2.9%
Most of the Time	38,256	2.0%
Always	23,226	1.2%
Frequency Missing	125,731	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	865,965	47.3%
Somewhat	563,017	30.8%
Not very	272,028	14.9%
Not at all	48,888	2.7%
Don't know	79,623	4.4%
Frequency Missing	176,509	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	1,135,902	60.3%
Never	288,493	15.3%
Seldom	176,778	9.4%
Most of the Time	167,384	8.9%
Always	113,908	6.1%
Frequency Missing	123,566	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	1,261,438	69.8%
Somewhat	277,230	15.3%
Not very	94,645	5.2%
Not at all	27,165	1.5%
Don't know	147,211	8.1%
Frequency Missing	198,342	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	1,013,506	56.1%
Somewhat	258,989	14.3%
Not very	242,027	13.4%
Not at all	196,776	10.9%
Don't know	95,702	5.3%
Frequency Missing	199,031	

**Dangerous for Kids to Use Steroids**

Q27h	Frequency	Percent
Very	1,368,803	76.1%
Somewhat	217,487	12.1%
Not very	63,858	3.5%
Not at all	16,206	0.9%
Don't know	133,107	7.4%
Frequency Missing	206,570	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	1,561,631	86.7%
Somewhat	118,346	6.6%
Not very	15,023	0.8%
Not at all	6,790	0.4%
Don't know	99,863	5.5%
Frequency Missing	204,378	

**Dangerous for Kids to Use Heroin**

Q27i	Frequency	Percent
Very	1,590,848	88.1%
Somewhat	77,440	4.3%
Not very	10,243	0.6%
Not at all	7,255	0.4%
Don't know	119,405	6.6%
Frequency Missing	200,839	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	1,574,157	87.3%
Somewhat	102,783	5.7%
Not very	13,293	0.7%
Not at all	6,485	0.4%
Don't know	105,939	5.9%
Frequency Missing	203,374	

**Dangerous for Kids to Use Methamphetamine**

Q27j	Frequency	Percent
Very	1,580,754	87.7%
Somewhat	79,730	4.4%
Not very	11,324	0.6%
Not at all	7,504	0.4%
Don't know	122,794	6.8%
Frequency Missing	203,924	

**Dangerous for Kids to Use Ecstasy**

Q27g	Frequency	Percent
Very	1,449,963	80.4%
Somewhat	141,760	7.9%
Not very	36,110	2.0%
Not at all	12,735	0.7%
Don't know	162,469	9.0%
Frequency Missing	202,993	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27k	Frequency	Percent
Very	1,436,597	79.8%
Somewhat	141,496	7.9%
Not very	48,005	2.7%
Not at all	19,699	1.1%
Don't know	153,427	8.5%
Frequency Missing	206,805	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 106 of 127

**Dangerous for Kids to Use Any Prescription**

Q27l	Frequency	Percent
Very	1,314,527	73.2%
Somewhat	254,975	14.2%
Not very	75,940	4.2%
Not at all	22,843	1.3%
Don't know	127,182	7.1%
Frequency Missing	210,563	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	781,189	43.6%
1-3 days	843,264	47.1%
4-9 days	126,667	7.1%
10+ days	38,823	2.2%
Frequency Missing	216,087	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27m	Frequency	Percent
Very	1,102,324	61.1%
Somewhat	352,788	19.5%
Not very	185,420	10.3%
Not at all	62,689	3.5%
Don't know	102,367	5.7%
Frequency Missing	200,444	

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	1,613,800	88.2%
1-3 days	172,648	9.4%
4-9 days	22,808	1.2%
10+ days	19,637	1.1%
Frequency Missing	177,138	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	1,545,008	84.2%
1-3 days	230,924	12.6%
4-9 days	39,546	2.2%
10+ days	18,913	1.0%
Frequency Missing	171,639	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	1,667,342	91.4%
1-3 days	122,057	6.7%
4-9 days	18,881	1.0%
10+ days	15,972	0.9%
Frequency Missing	181,778	

**Days Ill Since September**

Q28b	Frequency	Percent
None	677,532	37.3%
1-3 days	885,886	48.8%
4-9 days	206,484	11.4%
10+ days	44,236	2.4%
Frequency Missing	191,892	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	1,759,734	96.3%
1-3 times	59,819	3.3%
4-9 times	6,020	0.3%
10+ times	2,598	0.1%
Frequency Missing	177,859	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	1,772,578	97.5%
1-3 times	34,052	1.9%
4-9 times	7,068	0.4%
10+ times	5,255	0.3%
Frequency Missing	187,077	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	1,655,418	92.5%
1-3 days	71,387	4.0%
4-9 days	23,168	1.3%
10+ days	40,619	2.3%
Frequency Missing	215,439	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	1,754,573	96.7%
1-3 times	49,815	2.7%
4-9 times	5,654	0.3%
10+ times	4,307	0.2%
Frequency Missing	191,681	

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	1,760,573	98.7%
1-3 days	16,094	0.9%
4-9 days	3,080	0.2%
10+ days	4,029	0.2%
Frequency Missing	222,254	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	1,730,867	95.8%
1-3 times	45,033	2.5%
4-9 times	11,983	0.7%
10+ times	18,843	1.0%
Frequency Missing	199,305	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	1,724,131	97.0%
1-3 days	35,298	2.0%
4-9 days	7,770	0.4%
10+ days	9,855	0.6%
Frequency Missing	228,977	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	1,736,194	96.3%
1-3 days	53,104	2.9%
4-9 days	9,104	0.5%
10+ days	4,909	0.3%
Frequency Missing	202,719	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	917,986	51.2%
Seldom	122,500	6.8%
Half the time	85,541	4.8%
Most of the Time	149,086	8.3%
Always	158,866	8.9%
Don't Know	38,891	2.2%
Didn't attend	319,332	17.8%
Frequency Missing	213,828	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	1,068,354	59.7%
Seldom	102,579	5.7%
Half the time	66,595	3.7%
Most of the Time	91,989	5.1%
Always	97,755	5.5%
Don't Know	44,126	2.5%
Didn't attend	317,783	17.8%
Frequency Missing	216,851	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	1,576,714	94.1%
Yes	98,146	5.9%
Frequency Missing	331,171	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	1,156,190	64.4%
Yes	639,161	35.6%
Frequency Missing	210,679	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	1,408,782	79.0%
Yes	374,775	21.0%
Frequency Missing	222,473	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	1,040,515	58.3%
Yes	744,347	41.7%
Frequency Missing	221,169	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	562,232	31.3%
Yes	1,234,346	68.7%
Frequency Missing	209,453	

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	781,617	43.9%
Yes	999,501	56.1%
Frequency Missing	224,913	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	632,610	35.4%
Yes	1,152,231	64.6%
Frequency Missing	221,190	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	740,957	41.4%
Yes	1,047,563	58.6%
Frequency Missing	217,510	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	1,081,002	60.6%
Yes	702,016	39.4%
Frequency Missing	223,012	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Would Not Seek Help**

Q33i	Frequency	Percent
No	1,438,841	82.3%
Yes	308,676	17.7%
Frequency Missing	258,513	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	1,259,468	72.9%
Yes	468,195	27.1%
Frequency Missing	278,367	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	1,090,456	62.2%
Yes	661,549	37.8%
Frequency Missing	254,025	

**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	1,511,160	87.4%
Yes	217,234	12.6%
Frequency Missing	277,637	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	1,031,860	59.0%
Yes	715,974	41.0%
Frequency Missing	258,196	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	1,242,628	71.5%
Yes	494,429	28.5%
Frequency Missing	268,973	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	1,353,759	77.8%
Yes	386,697	22.2%
Frequency Missing	265,574	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	1,249,868	72.1%
Yes	483,769	27.9%
Frequency Missing	272,394	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	1,496,359	86.4%
Yes	235,475	13.6%
Frequency Missing	274,196	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	1,433,107	78.4%
Mild disapprove	139,122	7.6%
Neither	89,030	4.9%
Mildly approve	19,162	1.0%
Strongly approve	11,099	0.6%
Don't know	136,479	7.5%
Frequency Missing	178,032	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	1,102,478	60.4%
Mild disapprove	271,519	14.9%
Neither	222,261	12.2%
Mildly approve	82,115	4.5%
Strongly approve	17,304	0.9%
Don't know	129,569	7.1%
Frequency Missing	180,784	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	1,369,931	75.0%
Mild disapprove	134,726	7.4%
Neither	133,046	7.3%
Mildly approve	34,587	1.9%
Strongly approve	23,641	1.3%
Don't know	129,495	7.1%
Frequency Missing	180,604	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.



## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.



**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

