
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2022



NON-BORDER REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	110

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in non-border regions of the state. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	10.7%	13.6%	22.4%	77.6%
Grade 7	4.5%	5.8%	12.6%	87.4%
Grade 8	7.4%	9.0%	16.2%	83.8%
Grade 9	9.3%	12.9%	22.1%	77.9%
Grade 10	12.6%	15.9%	25.0%	75.0%
Grade 11	15.4%	19.1%	30.0%	70.0%
Grade 12	17.4%	21.4%	32.0%	68.0%
Cigarettes?				
All	1.4%	2.6%	7.9%	92.1%
Grade 7	0.6%	1.1%	3.9%	96.1%
Grade 8	0.9%	1.4%	4.6%	95.4%
Grade 9	1.4%	2.5%	7.2%	92.8%
Grade 10	1.4%	2.7%	8.6%	91.4%
Grade 11	1.7%	3.8%	11.4%	88.6%
Grade 12	2.6%	4.9%	13.4%	86.6%
Smokeless Tobacco?				
All	1.4%	1.9%	4.3%	95.7%
Grade 7	0.5%	1.1%	1.8%	98.2%
Grade 8	0.9%	1.1%	2.7%	97.3%
Grade 9	0.9%	1.1%	3.5%	96.5%
Grade 10	1.5%	2.4%	5.2%	94.8%
Grade 11	2.2%	2.8%	5.9%	94.1%
Grade 12	2.6%	3.5%	7.7%	92.3%
Electronic Vapor Products?				
All	8.2%	11.4%	19.9%	80.1%
Grade 7	3.2%	4.6%	10.0%	90.0%
Grade 8	5.4%	7.5%	14.6%	85.4%
Grade 9	7.2%	11.0%	19.6%	80.4%
Grade 10	9.5%	13.3%	22.0%	78.0%
Grade 11	11.9%	16.1%	27.6%	72.4%
Grade 12	14.0%	18.5%	29.2%	70.8%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	92.3%	1.3%	0.8%	0.8%	1.2%	1.2%	2.5%
Grade 7	96.9%	0.1%	0.2%	0.5%	0.5%	0.5%	1.2%
Grade 8	95.4%	0.3%	0.3%	0.6%	0.9%	0.9%	1.7%
Grade 9	93.1%	1.3%	0.5%	0.9%	0.9%	1.1%	2.3%
Grade 10	91.5%	1.0%	0.7%	1.0%	1.0%	2.2%	2.5%
Grade 11	88.7%	2.0%	1.7%	0.9%	2.4%	1.3%	3.0%
Grade 12	85.8%	3.6%	1.4%	1.0%	1.9%	1.7%	4.7%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.0	10.5	11.4	12.3	13.0	13.6	14.0

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	37.7%	22.2%	8.2%	9.2%	11.1%	11.6%
Grade 7	41.8%	33.2%	8.3%	6.9%	6.4%	3.4%
Grade 8	38.6%	27.5%	10.0%	9.7%	8.3%	5.9%
Grade 9	38.1%	22.2%	7.9%	10.0%	10.5%	11.2%
Grade 10	39.2%	17.6%	7.2%	9.7%	12.8%	13.5%
Grade 11	34.7%	16.0%	8.0%	9.8%	14.0%	17.5%
Grade 12	32.4%	13.1%	7.1%	9.5%	16.5%	21.5%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	82.4%	11.0%	3.6%	2.2%	0.8%
Grade 7	91.2%	6.3%	1.7%	0.7%	0.1%
Grade 8	86.9%	9.0%	2.7%	1.1%	0.3%
Grade 9	81.6%	11.9%	4.0%	1.5%	1.0%
Grade 10	81.0%	11.5%	4.0%	2.3%	1.1%
Grade 11	76.7%	13.6%	4.7%	4.1%	0.9%
Grade 12	73.9%	15.0%	5.2%	4.3%	1.6%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.8%	7.0%	5.3%	0.9%	0.6%	9.5%
Grade 7	80.8%	4.4%	2.7%	0.5%	0.5%	11.1%
Grade 8	81.5%	5.2%	3.8%	0.5%	0.3%	8.6%
Grade 9	75.9%	6.3%	5.9%	1.2%	0.9%	9.8%
Grade 10	74.8%	6.5%	6.8%	1.5%	0.8%	9.7%
Grade 11	74.0%	10.1%	6.5%	0.7%	0.6%	8.1%
Grade 12	71.4%	10.9%	6.7%	1.2%	0.4%	9.4%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	64.7%	21.8%	6.2%	1.2%	6.1%
Grade 7	74.3%	15.9%	3.7%	0.6%	5.6%
Grade 8	69.2%	19.0%	4.7%	1.0%	6.0%
Grade 9	64.2%	22.0%	6.5%	0.8%	6.4%
Grade 10	61.7%	23.1%	6.6%	1.6%	6.9%
Grade 11	59.3%	25.7%	7.6%	1.7%	5.7%
Grade 12	55.8%	27.6%	8.7%	1.5%	6.4%
Electronic Vapor Products?					
All	62.3%	18.5%	9.2%	3.5%	6.6%
Grade 7	70.9%	13.6%	6.1%	2.5%	6.9%
Grade 8	65.8%	16.3%	8.8%	3.1%	6.0%
Grade 9	61.7%	19.2%	9.2%	3.4%	6.5%
Grade 10	60.3%	19.6%	9.7%	3.9%	6.5%
Grade 11	56.8%	22.4%	10.8%	3.6%	6.3%
Grade 12	55.3%	21.2%	11.1%	4.9%	7.5%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	22.6%	26.7%	42.5%	57.5%
Grade 7	14.0%	16.1%	35.4%	64.6%
Grade 8	16.9%	20.0%	37.2%	62.8%
Grade 9	19.8%	23.2%	38.6%	61.4%
Grade 10	24.6%	28.8%	42.3%	57.7%
Grade 11	29.6%	36.1%	50.5%	49.5%
Grade 12	34.4%	40.6%	54.9%	45.1%
Beer?				
All	7.5%	12.1%	30.9%	69.1%
Grade 7	3.2%	5.2%	24.4%	75.6%
Grade 8	4.8%	8.0%	26.8%	73.2%
Grade 9	6.5%	9.7%	27.7%	72.3%
Grade 10	7.7%	12.0%	30.0%	70.0%
Grade 11	10.8%	18.8%	39.0%	61.0%
Grade 12	13.7%	21.8%	40.5%	59.5%
Wine Coolers?				
All	7.2%	11.4%	25.4%	74.6%
Grade 7	2.4%	3.8%	13.9%	86.1%
Grade 8	4.0%	6.7%	19.4%	80.6%
Grade 9	5.2%	8.0%	23.5%	76.5%
Grade 10	8.2%	12.2%	27.1%	72.9%
Grade 11	11.1%	17.9%	34.4%	65.6%
Grade 12	14.6%	23.2%	38.4%	61.6%
Wine?				
All	4.9%	8.6%	26.3%	73.7%
Grade 7	2.1%	3.3%	19.2%	80.8%
Grade 8	3.4%	6.2%	21.8%	78.2%
Grade 9	4.0%	6.7%	23.8%	76.2%
Grade 10	5.9%	9.0%	25.9%	74.1%
Grade 11	7.5%	13.7%	34.3%	65.7%
Grade 12	7.8%	14.5%	35.7%	64.3%
Liquor?				
All	8.3%	13.1%	28.3%	71.7%
Grade 7	2.6%	4.1%	15.3%	84.7%
Grade 8	4.7%	7.9%	21.1%	78.9%
Grade 9	6.7%	10.1%	24.8%	75.2%
Grade 10	9.4%	14.6%	29.9%	70.1%
Grade 11	12.5%	19.9%	38.4%	61.6%
Grade 12	16.6%	26.0%	45.4%	54.6%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	70.6%	0.2%	1.2%	4.2%	8.3%	7.9%	7.6%
Grade 7	81.7%	0.0%	0.6%	1.5%	3.1%	5.5%	7.6%
Grade 8	76.9%	0.1%	0.6%	2.5%	5.8%	6.4%	7.7%
Grade 9	74.4%	0.4%	1.1%	2.9%	7.5%	6.8%	6.9%
Grade 10	69.5%	0.1%	1.5%	4.4%	8.9%	7.8%	7.7%
Grade 11	61.2%	0.1%	1.9%	6.3%	12.6%	9.7%	8.3%
Grade 12	54.8%	0.3%	2.0%	9.1%	14.0%	12.5%	7.3%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	73.7%	26.3%	4.4%	12.4%	9.5%
	Grade 7	79.3%	20.7%	1.2%	7.0%	12.5%
	Grade 8	77.3%	22.7%	1.9%	9.8%	11.1%
	Grade 9	77.1%	22.9%	3.3%	11.1%	8.5%
	Grade 10	74.0%	26.0%	4.4%	13.7%	7.8%
	Grade 11	65.8%	34.2%	7.6%	18.2%	8.4%
	Grade 12	66.1%	33.9%	9.4%	16.5%	8.0%
Wine Coolers						
	All	77.8%	22.2%	4.2%	12.4%	5.6%
	Grade 7	88.9%	11.1%	1.2%	4.6%	5.3%
	Grade 8	83.3%	16.7%	1.5%	8.8%	6.3%
	Grade 9	79.8%	20.2%	2.9%	10.7%	6.6%
	Grade 10	76.4%	23.6%	4.8%	13.6%	5.3%
	Grade 11	69.4%	30.6%	6.6%	19.1%	4.8%
	Grade 12	64.8%	35.2%	9.7%	20.7%	4.7%
Wine						
	All	78.3%	21.7%	1.3%	10.7%	9.7%
	Grade 7	84.0%	16.0%	0.7%	5.4%	9.8%
	Grade 8	81.6%	18.4%	0.7%	8.0%	9.7%
	Grade 9	80.1%	19.9%	1.0%	9.8%	9.1%
	Grade 10	78.5%	21.5%	1.3%	10.8%	9.4%
	Grade 11	72.1%	27.9%	1.7%	16.3%	9.9%
	Grade 12	71.0%	29.0%	3.0%	15.7%	10.2%
Liquor						
	All	74.6%	25.4%	5.2%	12.6%	7.6%
	Grade 7	86.9%	13.1%	1.2%	5.1%	6.8%
	Grade 8	81.6%	18.4%	2.0%	8.2%	8.2%
	Grade 9	78.0%	22.0%	4.3%	10.3%	7.4%
	Grade 10	73.2%	26.8%	6.5%	12.8%	7.6%
	Grade 11	65.0%	35.0%	7.9%	19.8%	7.3%
	Grade 12	57.5%	42.5%	11.7%	22.8%	8.1%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	92.1%	2.6%	2.1%	1.6%	0.6%	1.0%
Grade 7	96.9%	1.0%	0.8%	0.4%	0.2%	0.7%
Grade 8	95.8%	1.9%	0.9%	0.8%	0.1%	0.4%
Grade 9	93.1%	2.3%	2.0%	1.4%	0.3%	1.0%
Grade 10	92.1%	2.5%	2.3%	1.5%	0.8%	0.9%
Grade 11	88.7%	3.9%	3.0%	2.0%	0.8%	1.5%
Grade 12	83.9%	4.7%	4.2%	4.3%	1.4%	1.5%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.7	10.2	11.0	12.3	13.0	13.8	14.6

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	31.6%	14.4%	6.2%	9.7%	15.4%	22.7%
Grade 7	35.9%	22.3%	7.8%	10.3%	13.0%	10.7%
Grade 8	32.7%	17.5%	7.4%	11.1%	13.7%	17.6%
Grade 9	32.3%	14.2%	6.4%	10.4%	14.8%	21.9%
Grade 10	33.2%	12.0%	5.1%	9.3%	14.5%	25.9%
Grade 11	28.6%	9.9%	5.0%	8.4%	17.8%	30.2%
Grade 12	25.3%	7.6%	4.9%	8.5%	20.0%	33.7%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.0%	2.2%	0.5%	0.4%
Grade 7	97.8%	1.6%	0.3%	0.4%
Grade 8	97.4%	2.0%	0.3%	0.3%
Grade 9	96.7%	2.4%	0.7%	0.2%
Grade 10	96.9%	2.4%	0.4%	0.4%
Grade 11	96.2%	2.6%	0.7%	0.6%
Grade 12	96.6%	2.0%	0.6%	0.8%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.8
Alcohol Non-Users	4.4
Average Days Conduct Problems Reported	
Alcohol Users	2.6
Alcohol Non-Users	0.9

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.9%	2.3%	0.5%	0.3%
Grade 9	98.3%	1.3%	0.4%	0.0%
Grade 10	98.0%	1.7%	0.3%	0.1%
Grade 11	96.5%	2.1%	0.8%	0.6%
Grade 12	94.7%	4.1%	0.7%	0.5%
 Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	97.2%	2.3%	0.3%	0.2%
Grade 7	97.9%	1.4%	0.4%	0.3%
Grade 8	97.9%	1.7%	0.3%	0.1%
Grade 9	97.7%	1.9%	0.3%	0.1%
Grade 10	96.4%	3.1%	0.2%	0.3%
Grade 11	96.9%	2.5%	0.5%	0.1%
Grade 12	95.9%	3.8%	0.2%	0.1%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	62.0%	19.1%	9.5%	7.1%	2.3%
Grade 7	80.0%	13.8%	4.1%	1.5%	0.5%
Grade 8	70.5%	17.9%	7.4%	3.5%	0.6%
Grade 9	61.6%	22.0%	9.1%	5.4%	2.0%
Grade 10	58.9%	19.4%	10.4%	8.4%	2.9%
Grade 11	48.9%	22.2%	13.6%	11.6%	3.7%
Grade 12	46.1%	20.3%	14.1%	14.1%	5.4%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	59.1%	5.2%	4.0%	6.7%	7.3%	1.6%	16.1%
Grade 7	70.3%	4.9%	3.3%	3.7%	2.6%	1.7%	13.6%
Grade 8	67.3%	5.1%	3.8%	4.2%	3.0%	2.0%	14.5%
Grade 9	59.9%	5.4%	4.1%	5.7%	5.8%	1.7%	17.4%
Grade 10	56.6%	4.8%	3.9%	7.2%	7.7%	1.8%	17.9%
Grade 11	49.7%	4.8%	4.2%	9.9%	11.2%	1.1%	19.0%
Grade 12	46.0%	6.1%	4.9%	10.9%	16.0%	1.4%	14.6%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	67.2%	13.3%	12.4%	4.7%	2.4%
	Grade 7	72.8%	14.0%	9.3%	2.6%	1.3%
	Grade 8	71.6%	13.1%	10.1%	4.1%	1.2%
	Grade 9	70.4%	12.6%	11.8%	3.1%	2.1%
	Grade 10	67.5%	13.2%	11.5%	5.5%	2.3%
	Grade 11	60.7%	13.3%	16.4%	6.4%	3.2%
	Grade 12	57.2%	13.3%	17.2%	7.5%	4.8%
Friends?						
	All	69.0%	15.5%	8.1%	5.7%	1.7%
	Grade 7	77.8%	17.1%	3.1%	1.5%	0.5%
	Grade 8	75.2%	16.2%	5.5%	2.7%	0.4%
	Grade 9	70.4%	14.9%	8.6%	4.9%	1.3%
	Grade 10	68.6%	14.9%	7.1%	7.1%	2.3%
	Grade 11	61.4%	14.9%	12.6%	8.4%	2.8%
	Grade 12	56.2%	14.7%	13.7%	11.9%	3.5%
A Store?						
	All	71.2%	22.6%	2.8%	2.4%	0.9%
	Grade 7	78.3%	19.6%	0.9%	0.8%	0.4%
	Grade 8	76.9%	20.7%	1.4%	0.8%	0.2%
	Grade 9	74.2%	21.4%	2.5%	1.3%	0.5%
	Grade 10	70.4%	23.0%	3.3%	2.9%	0.5%
	Grade 11	64.2%	25.9%	3.8%	4.3%	1.9%
	Grade 12	59.5%	26.7%	5.9%	5.5%	2.4%
Parties?						
	All	67.2%	13.8%	7.9%	6.8%	4.4%
	Grade 7	74.8%	15.8%	5.6%	2.8%	1.0%
	Grade 8	73.4%	14.3%	6.3%	4.3%	1.8%
	Grade 9	69.7%	13.0%	8.0%	5.7%	3.6%
	Grade 10	66.3%	13.2%	7.6%	7.5%	5.5%
	Grade 11	59.6%	12.7%	10.7%	10.1%	6.9%
	Grade 12	55.2%	13.3%	10.2%	12.3%	8.9%
Other Sources?						
	All	71.8%	18.2%	5.2%	2.8%	2.0%
	Grade 7	78.2%	16.4%	3.1%	1.5%	0.7%
	Grade 8	76.3%	16.5%	4.5%	2.0%	0.8%
	Grade 9	74.1%	16.3%	5.0%	2.3%	2.2%
	Grade 10	71.9%	18.5%	3.9%	3.0%	2.7%
	Grade 11	65.3%	19.9%	8.3%	3.6%	2.8%
	Grade 12	62.1%	22.9%	6.9%	4.9%	3.3%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	57.8%	14.0%	13.5%	5.0%	0.9%	8.8%
Grade 7	68.3%	11.0%	6.8%	2.4%	0.7%	10.8%
Grade 8	66.4%	12.0%	9.8%	3.1%	0.3%	8.4%
Grade 9	58.5%	13.5%	13.1%	4.3%	1.5%	9.1%
Grade 10	54.8%	13.4%	15.6%	6.1%	1.6%	8.5%
Grade 11	48.9%	18.3%	17.5%	6.9%	1.0%	7.4%
Grade 12	44.7%	17.0%	20.8%	8.5%	0.8%	8.2%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	50.3%	29.0%	13.2%	2.5%	5.0%
Grade 7	55.4%	25.8%	11.6%	2.2%	5.0%
Grade 8	51.5%	28.1%	13.2%	2.4%	4.8%
Grade 9	51.5%	27.0%	13.9%	2.6%	4.9%
Grade 10	49.0%	30.6%	12.0%	2.8%	5.6%
Grade 11	48.3%	29.6%	15.2%	2.4%	4.5%
Grade 12	44.0%	34.4%	13.4%	2.8%	5.4%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	11.4%	15.0%	19.5%	80.5%
Grade 7	4.5%	6.8%	8.7%	91.3%
Grade 8	5.9%	9.0%	11.3%	88.7%
Grade 9	9.4%	12.7%	16.8%	83.2%
Grade 10	14.6%	19.0%	23.9%	76.1%
Grade 11	16.9%	21.0%	28.2%	71.8%
Grade 12	19.9%	25.0%	32.9%	67.1%
Marijuana?				
All	10.3%	12.6%	17.0%	83.0%
Grade 7	3.5%	4.4%	5.6%	94.4%
Grade 8	5.3%	6.6%	8.9%	91.1%
Grade 9	7.8%	9.5%	13.6%	86.4%
Grade 10	13.3%	16.2%	21.2%	78.8%
Grade 11	15.9%	19.4%	26.1%	73.9%
Grade 12	19.2%	23.3%	31.4%	68.6%
Cocaine?				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.6%	0.7%	1.3%	98.7%
Grade 11	1.3%	1.4%	2.1%	97.9%
Grade 12	1.0%	1.1%	1.9%	98.1%
Crack?				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.6%	0.7%	0.8%	99.2%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.5%	0.6%	0.8%	99.2%
Hallucinogens?				
All	0.8%	1.5%	2.9%	97.1%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.4%	0.9%	1.7%	98.3%
Grade 10	1.0%	1.9%	3.7%	96.3%
Grade 11	1.7%	2.7%	5.0%	95.0%
Grade 12	1.4%	2.9%	6.3%	93.7%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.4%	0.5%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.3%	0.5%	0.6%	99.4%
Steroids?				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.3%	1.0%	99.0%
Grade 8	0.6%	0.8%	1.6%	98.4%
Grade 9	0.3%	0.4%	1.2%	98.8%
Grade 10	0.1%	0.2%	1.1%	98.9%
Grade 11	0.2%	0.6%	1.5%	98.5%
Grade 12	0.4%	0.6%	1.3%	98.7%
Ecstasy?				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.5%	0.7%	0.7%	99.3%
Grade 10	0.2%	0.4%	1.4%	98.6%
Grade 11	0.7%	0.8%	2.5%	97.5%
Grade 12	0.5%	0.7%	2.0%	98.0%
Heroin?				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.5%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.4%	99.6%
Methamphetamine?				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.3%	0.5%	0.7%	99.3%
Grade 11	0.4%	0.6%	0.9%	99.1%
Grade 12	0.4%	0.5%	0.9%	99.1%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.0%	1.5%	2.5%	97.5%
Grade 7	0.8%	0.9%	1.4%	98.6%
Grade 8	0.6%	0.9%	1.5%	98.5%
Grade 9	1.1%	1.5%	2.6%	97.4%
Grade 10	1.3%	1.8%	2.8%	97.2%
Grade 11	1.3%	1.8%	3.7%	96.3%
Grade 12	1.1%	2.1%	3.5%	96.5%
Delta 8?				
All	3.0%	4.4%	6.4%	93.6%
Grade 7	0.7%	0.9%	1.8%	98.2%
Grade 8	1.0%	1.6%	2.6%	97.4%
Grade 9	2.0%	2.6%	4.3%	95.7%
Grade 10	4.2%	5.4%	7.7%	92.3%
Grade 11	4.6%	7.1%	10.9%	89.1%
Grade 12	6.7%	10.6%	13.6%	86.4%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	86.7%	1.5%	1.8%	2.0%	2.5%	2.7%	2.9%
Grade 7	96.1%	0.2%	0.7%	0.6%	0.9%	0.6%	0.9%
Grade 8	93.5%	0.5%	0.9%	1.2%	1.0%	1.2%	1.7%
Grade 9	89.6%	0.7%	1.1%	1.8%	1.9%	2.1%	2.8%
Grade 10	83.7%	1.7%	3.4%	2.2%	2.7%	2.8%	3.6%
Grade 11	78.8%	2.6%	2.7%	3.1%	4.4%	4.4%	4.0%
Grade 12	73.7%	3.6%	2.2%	4.0%	5.2%	6.2%	5.1%
Cocaine?							
All	99.3%	0.0%	0.1%	0.1%	0.1%	0.1%	0.3%
Grade 7	99.5%	0.0%	0.2%	0.0%	0.1%	0.1%	0.2%
Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 9	99.7%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%
Grade 10	99.2%	0.0%	0.0%	0.1%	0.1%	0.3%	0.3%
Grade 11	98.7%	0.0%	0.2%	0.1%	0.4%	0.1%	0.5%
Grade 12	98.8%	0.1%	0.0%	0.2%	0.1%	0.2%	0.6%
Crack?							
All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 7	99.8%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 9	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	99.8%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%
Steroids?							
All	99.5%	0.1%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 7	99.5%	0.1%	0.0%	0.0%	0.0%	0.2%	0.2%
Grade 8	99.2%	0.0%	0.0%	0.0%	0.1%	0.2%	0.5%
Grade 9	99.6%	0.0%	0.0%	0.2%	0.0%	0.2%	0.0%
Grade 10	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 11	99.3%	0.2%	0.0%	0.0%	0.0%	0.0%	0.5%
Grade 12	99.6%	0.3%	0.0%	0.0%	0.0%	0.0%	0.2%
Ecstasy?							
All	99.2%	0.0%	0.0%	0.1%	0.1%	0.2%	0.4%
Grade 7	99.8%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
Grade 8	99.7%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%
Grade 9	99.3%	0.1%	0.1%	0.2%	0.0%	0.1%	0.1%
Grade 10	99.0%	0.0%	0.0%	0.1%	0.0%	0.3%	0.6%
Grade 11	98.3%	0.1%	0.0%	0.0%	0.3%	0.3%	1.0%
Grade 12	98.8%	0.0%	0.1%	0.0%	0.2%	0.2%	0.7%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%
	Grade 9	99.7%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 10	99.4%	0.0%	0.1%	0.0%	0.0%	0.1%	0.3%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.6%	0.1%	0.0%	0.1%	0.1%	0.1%	0.1%
	Grade 7	99.8%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 9	99.7%	0.1%	0.0%	0.2%	0.0%	0.0%	0.0%
	Grade 10	99.5%	0.0%	0.0%	0.1%	0.1%	0.0%	0.3%
	Grade 11	99.4%	0.1%	0.0%	0.0%	0.1%	0.0%	0.3%
	Grade 12	99.5%	0.1%	0.1%	0.0%	0.1%	0.2%	0.0%
Synthetic Marijuana?								
	All	98.3%	0.1%	0.2%	0.2%	0.4%	0.4%	0.4%
	Grade 7	99.1%	0.1%	0.1%	0.1%	0.2%	0.3%	0.2%
	Grade 8	99.0%	0.1%	0.2%	0.1%	0.3%	0.2%	0.1%
	Grade 9	98.5%	0.4%	0.1%	0.1%	0.2%	0.2%	0.4%
	Grade 10	97.8%	0.0%	0.3%	0.3%	0.5%	0.5%	0.6%
	Grade 11	97.5%	0.3%	0.2%	0.4%	0.3%	0.6%	0.6%
	Grade 12	97.3%	0.0%	0.2%	0.2%	0.8%	0.7%	0.7%
Delta 8?								
	All	94.9%	0.4%	0.5%	0.9%	1.3%	1.2%	0.8%
	Grade 7	98.7%	0.0%	0.1%	0.2%	0.4%	0.3%	0.3%
	Grade 8	97.8%	0.2%	0.3%	0.4%	0.4%	0.5%	0.5%
	Grade 9	96.7%	0.3%	0.3%	0.5%	0.8%	0.6%	0.9%
	Grade 10	94.0%	0.2%	0.8%	1.3%	1.5%	1.3%	0.9%
	Grade 11	91.6%	0.8%	0.8%	1.2%	2.2%	2.2%	1.1%
	Grade 12	89.1%	0.9%	1.3%	1.8%	2.8%	2.7%	1.4%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.5	12.3	13.1	13.8	14.6	15.1
Cocaine	14.3	10.6	12.2	12.9	14.3	15.5	15.9
Crack	12.1	10.5	10.1	11.5	13.2	14.8	12.5
Steroids	12.4	10.8	11.1	12.9	12.6	13.0	14.7
Ecstasy	14.4	11.5	11.9	13.0	14.2	15.3	15.4
Heroin	12.7	9.8	12.2	11.0	14.3	15.1	15.4
Methamphetamine	12.9	9.7	10.7	11.9	12.9	15.5	13.2
Synthetic Marijuana	14.0	11.9	12.4	13.3	14.4	14.5	15.6
Delta 8?	15.2	12.0	12.8	13.7	14.8	15.7	16.6

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	37.0%	24.0%	8.0%	7.9%	9.8%	13.2%
	Grade 7	44.3%	36.0%	7.9%	5.0%	3.3%	3.4%
	Grade 8	39.7%	32.6%	8.6%	6.9%	6.1%	6.2%
	Grade 9	36.8%	25.6%	8.3%	8.7%	9.1%	11.4%
	Grade 10	36.9%	17.6%	7.6%	8.7%	11.8%	17.2%
	Grade 11	32.3%	15.4%	7.4%	10.6%	14.7%	19.5%
	Grade 12	29.6%	11.6%	8.1%	8.4%	16.5%	25.9%
Cocaine?							
	All	45.0%	33.8%	10.3%	6.0%	2.4%	2.5%
	Grade 7	47.3%	40.4%	7.1%	3.0%	1.3%	0.9%
	Grade 8	44.6%	39.9%	8.7%	3.9%	1.3%	1.7%
	Grade 9	43.5%	34.5%	10.3%	6.2%	2.9%	2.7%
	Grade 10	46.2%	30.4%	11.2%	6.3%	3.2%	2.6%
	Grade 11	44.5%	28.6%	11.7%	8.7%	2.7%	3.7%
	Grade 12	43.5%	26.0%	14.2%	8.9%	3.7%	3.7%
Crack?							
	All	46.3%	34.6%	10.5%	5.0%	1.7%	2.0%
	Grade 7	48.1%	40.4%	6.8%	2.6%	1.1%	0.9%
	Grade 8	45.8%	39.8%	8.4%	3.7%	1.0%	1.3%
	Grade 9	44.4%	35.8%	10.4%	5.1%	2.1%	2.3%
	Grade 10	48.2%	31.2%	10.9%	5.8%	2.0%	2.0%
	Grade 11	46.1%	29.7%	12.8%	6.6%	1.8%	3.1%
	Grade 12	44.6%	27.8%	15.0%	7.4%	2.5%	2.7%
Steroids?							
	All	48.0%	31.4%	9.7%	5.6%	3.0%	2.3%
	Grade 7	50.6%	36.3%	6.9%	3.3%	1.7%	1.1%
	Grade 8	47.9%	36.2%	8.5%	3.7%	2.3%	1.4%
	Grade 9	46.5%	31.9%	10.4%	5.3%	3.6%	2.4%
	Grade 10	48.8%	28.9%	9.8%	6.9%	3.4%	2.2%
	Grade 11	47.3%	27.3%	11.7%	7.4%	3.2%	3.2%
	Grade 12	46.5%	25.2%	11.8%	8.2%	4.1%	4.1%
Ecstasy?							
	All	55.7%	28.4%	8.0%	3.8%	2.0%	2.1%
	Grade 7	63.1%	30.0%	4.3%	1.4%	0.6%	0.7%
	Grade 8	58.2%	31.3%	6.1%	2.1%	1.2%	1.1%
	Grade 9	53.0%	30.9%	8.1%	3.5%	2.4%	2.1%
	Grade 10	55.6%	26.6%	8.1%	5.0%	2.3%	2.4%
	Grade 11	52.0%	25.5%	10.7%	5.6%	2.8%	3.4%
	Grade 12	49.6%	25.2%	11.8%	6.3%	3.3%	3.7%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	51.4%	33.7%	8.6%	3.3%	1.4%	1.6%
	Grade 7	57.3%	34.0%	5.2%	1.7%	1.1%	0.8%
	Grade 8	51.4%	37.1%	6.4%	2.5%	1.2%	1.4%
	Grade 9	49.3%	34.7%	8.9%	3.1%	2.1%	2.0%
	Grade 10	51.2%	33.3%	8.8%	3.6%	1.8%	1.3%
	Grade 11	49.2%	32.3%	11.1%	4.2%	1.0%	2.3%
	Grade 12	48.5%	29.6%	13.0%	5.3%	1.3%	2.1%
Methamphetamine?							
	All	52.9%	32.3%	8.4%	3.0%	1.5%	1.9%
	Grade 7	59.0%	32.8%	5.2%	1.5%	0.8%	0.8%
	Grade 8	54.2%	34.9%	6.5%	2.3%	0.9%	1.2%
	Grade 9	51.3%	33.0%	8.4%	3.1%	2.0%	2.3%
	Grade 10	52.1%	31.8%	9.4%	3.1%	1.8%	1.8%
	Grade 11	49.8%	31.4%	9.9%	4.2%	1.8%	2.9%
	Grade 12	49.6%	28.6%	12.4%	4.8%	1.8%	2.8%
Synthetic Marijuana?							
	All	55.1%	27.2%	7.1%	4.1%	2.9%	3.6%
	Grade 7	61.1%	30.2%	4.5%	1.9%	1.2%	1.0%
	Grade 8	56.9%	31.2%	6.1%	2.5%	1.6%	1.8%
	Grade 9	52.5%	29.5%	7.4%	4.2%	3.0%	3.4%
	Grade 10	54.0%	26.2%	7.6%	3.9%	3.5%	4.8%
	Grade 11	52.6%	23.3%	8.2%	6.3%	4.1%	5.4%
	Grade 12	51.5%	21.1%	9.6%	6.7%	4.9%	6.2%
Delta 8?							
	All	55.1%	24.7%	6.0%	4.1%	4.0%	6.2%
	Grade 7	60.9%	29.5%	4.3%	2.2%	1.6%	1.6%
	Grade 8	57.1%	29.2%	5.7%	3.2%	2.3%	2.6%
	Grade 9	54.2%	25.7%	6.7%	3.9%	4.0%	5.5%
	Grade 10	54.3%	23.5%	6.2%	4.6%	4.3%	7.1%
	Grade 11	51.8%	19.7%	7.2%	5.5%	6.0%	9.8%
	Grade 12	50.3%	18.0%	6.5%	5.6%	6.8%	12.7%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	93.5%	3.3%	1.2%	2.0%
Grade 7	97.6%	1.7%	0.2%	0.5%
Grade 8	96.0%	2.5%	0.7%	0.8%
Grade 9	95.0%	2.8%	0.8%	1.3%
Grade 10	90.3%	5.1%	1.6%	2.9%
Grade 11	90.5%	3.7%	2.4%	3.4%
Grade 12	90.4%	4.8%	1.3%	3.5%
Attended Class While High from Use of Some Other Drug?				
All	98.0%	1.1%	0.5%	0.4%
Grade 7	98.3%	1.1%	0.4%	0.2%
Grade 8	97.9%	1.4%	0.5%	0.2%
Grade 9	98.0%	1.1%	0.7%	0.3%
Grade 10	97.8%	1.0%	0.5%	0.7%
Grade 11	97.7%	1.1%	0.6%	0.6%
Grade 12	98.1%	1.0%	0.4%	0.6%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.5
Marijuana Non-Users	4.6
Average Days Conduct Problems Reported	
Marijuana Users	3.7
Marijuana Non-Users	1.1

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.8%	2.6%	0.6%	1.0%
Grade 9	98.7%	1.1%	0.1%	0.0%
Grade 10	96.8%	2.2%	0.5%	0.5%
Grade 11	94.9%	3.2%	0.7%	1.2%
Grade 12	92.1%	4.1%	1.1%	2.7%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.3%	2.2%	0.3%	0.2%
Grade 7	98.0%	1.4%	0.4%	0.2%
Grade 8	97.6%	2.1%	0.2%	0.1%
Grade 9	98.3%	1.4%	0.1%	0.2%
Grade 10	96.4%	3.0%	0.3%	0.2%
Grade 11	96.5%	2.7%	0.4%	0.4%
Grade 12	97.1%	2.5%	0.2%	0.1%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	71.3%	13.5%	7.0%	6.3%	2.0%
Grade 7	89.6%	5.9%	2.1%	1.8%	0.7%
Grade 8	81.8%	10.1%	4.5%	3.0%	0.6%
Grade 9	73.6%	14.3%	5.2%	5.4%	1.5%
Grade 10	65.1%	15.2%	8.8%	8.2%	2.7%
Grade 11	57.7%	18.6%	11.0%	9.3%	3.4%
Grade 12	53.3%	19.2%	12.3%	11.7%	3.6%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	67.1%	4.5%	3.3%	3.6%	3.6%	1.8%	16.1%
Grade 7	80.1%	2.0%	1.4%	1.1%	0.6%	1.4%	13.4%
Grade 8	75.4%	3.4%	1.8%	2.1%	0.8%	1.8%	14.6%
Grade 9	66.8%	5.1%	3.3%	2.4%	2.8%	2.1%	17.4%
Grade 10	63.8%	4.2%	3.7%	3.8%	4.8%	1.8%	18.0%
Grade 11	56.5%	5.8%	5.0%	6.5%	5.3%	1.4%	19.3%
Grade 12	54.3%	7.1%	5.6%	7.0%	9.2%	2.4%	14.4%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	73.8%	7.0%	7.0%	1.9%	1.3%	9.0%
Grade 7	81.6%	3.2%	2.4%	0.8%	0.9%	11.1%
Grade 8	81.6%	4.5%	3.9%	1.0%	0.6%	8.5%
Grade 9	73.5%	7.3%	7.2%	1.5%	1.2%	9.3%
Grade 10	68.9%	7.6%	9.6%	2.5%	2.5%	8.9%
Grade 11	68.6%	10.2%	8.8%	3.3%	1.4%	7.8%
Grade 12	64.9%	10.6%	12.1%	3.1%	1.2%	8.1%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	59.4%	14.9%	11.9%	7.8%	5.9%
	Grade 7	77.2%	9.2%	4.3%	2.5%	6.8%
	Grade 8	69.4%	14.0%	7.0%	3.6%	6.1%
	Grade 9	60.0%	16.3%	11.0%	6.9%	5.9%
	Grade 10	52.9%	16.3%	14.7%	10.3%	5.7%
	Grade 11	48.8%	16.6%	17.4%	12.2%	5.0%
	Grade 12	41.3%	18.7%	20.2%	13.8%	6.0%
Cocaine?						
	All	86.0%	6.4%	0.8%	0.5%	6.3%
	Grade 7	85.6%	6.0%	1.2%	0.6%	6.4%
	Grade 8	85.6%	6.8%	0.7%	0.4%	6.5%
	Grade 9	85.7%	7.6%	0.8%	0.1%	5.8%
	Grade 10	85.4%	5.7%	0.8%	0.7%	7.4%
	Grade 11	86.8%	6.2%	0.9%	0.5%	5.6%
	Grade 12	87.2%	5.8%	0.2%	0.4%	6.3%
Crack?						
	All	87.1%	5.1%	0.6%	0.4%	6.8%
	Grade 7	86.0%	5.9%	0.9%	0.3%	6.9%
	Grade 8	86.2%	5.8%	0.6%	0.3%	7.0%
	Grade 9	86.6%	6.0%	0.6%	0.1%	6.7%
	Grade 10	86.6%	4.8%	0.6%	0.7%	7.3%
	Grade 11	89.0%	3.9%	0.5%	0.6%	6.0%
	Grade 12	89.1%	3.8%	0.2%	0.4%	6.4%
Ecstasy?						
	All	78.7%	7.1%	1.3%	0.6%	12.3%
	Grade 7	79.2%	5.5%	1.1%	0.6%	13.8%
	Grade 8	79.1%	6.7%	1.0%	0.4%	12.9%
	Grade 9	77.8%	7.9%	0.9%	0.2%	13.2%
	Grade 10	77.7%	7.7%	1.8%	0.8%	11.9%
	Grade 11	79.3%	7.7%	1.5%	0.8%	10.6%
	Grade 12	78.9%	7.8%	1.5%	0.8%	11.0%
Steroids?						
	All	74.8%	11.7%	3.5%	1.1%	8.9%
	Grade 7	77.2%	10.0%	3.1%	1.1%	8.6%
	Grade 8	76.2%	11.3%	3.1%	0.7%	8.7%
	Grade 9	73.0%	12.3%	4.1%	1.0%	9.6%
	Grade 10	74.6%	12.0%	2.9%	1.6%	8.9%
	Grade 11	74.1%	12.7%	3.8%	1.2%	8.2%
	Grade 12	72.6%	12.3%	4.6%	1.1%	9.4%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	85.8%	4.4%	0.7%	0.4%	8.7%
	Grade 7	82.9%	5.0%	1.3%	0.5%	10.3%
	Grade 8	84.5%	5.3%	0.7%	0.2%	9.2%
	Grade 9	85.0%	5.0%	0.8%	0.1%	9.1%
	Grade 10	85.8%	4.3%	0.6%	0.6%	8.7%
	Grade 11	88.2%	3.9%	0.7%	0.5%	6.7%
	Grade 12	89.3%	2.5%	0.2%	0.4%	7.5%
Methamphetamine?						
	All	85.5%	4.4%	0.7%	0.5%	8.9%
	Grade 7	83.2%	4.8%	1.0%	0.6%	10.4%
	Grade 8	84.5%	5.0%	0.7%	0.3%	9.5%
	Grade 9	85.0%	4.7%	0.8%	0.5%	9.0%
	Grade 10	85.2%	4.8%	0.6%	0.7%	8.7%
	Grade 11	87.1%	4.2%	0.8%	0.5%	7.4%
	Grade 12	88.9%	2.6%	0.3%	0.4%	7.8%
Synthetic Marijuana?						
	All	75.9%	7.9%	2.9%	1.4%	11.8%
	Grade 7	80.7%	5.4%	1.6%	0.9%	11.4%
	Grade 8	78.6%	7.2%	1.9%	0.7%	11.5%
	Grade 9	75.5%	8.5%	2.6%	1.1%	12.3%
	Grade 10	73.8%	9.1%	3.2%	2.1%	11.8%
	Grade 11	72.7%	9.4%	4.0%	2.0%	11.9%
	Grade 12	72.5%	8.7%	4.3%	2.0%	12.4%
Delta 8?						
	All	70.1%	8.9%	5.4%	3.2%	12.3%
	Grade 7	77.9%	7.2%	2.2%	1.5%	11.2%
	Grade 8	74.9%	8.5%	3.1%	1.4%	12.1%
	Grade 9	70.8%	9.0%	4.6%	2.3%	13.3%
	Grade 10	66.5%	10.6%	6.7%	3.8%	12.4%
	Grade 11	64.7%	9.4%	8.0%	5.6%	12.3%
	Grade 12	62.9%	9.2%	9.5%	5.8%	12.6%
Fictional Drug?						
	All	78.4%	4.8%	0.5%	0.4%	15.9%
	Grade 7	79.5%	5.1%	0.8%	0.5%	14.0%
	Grade 8	78.6%	5.5%	0.5%	0.3%	15.1%
	Grade 9	76.4%	5.5%	0.4%	0.2%	17.5%
	Grade 10	78.3%	4.7%	0.6%	0.5%	15.8%
	Grade 11	77.9%	4.2%	0.4%	0.4%	17.0%
	Grade 12	79.6%	3.3%	0.2%	0.4%	16.5%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	5.2%	7.2%	13.4%	86.6%
Grade 7	5.5%	7.4%	12.7%	87.3%
Grade 8	6.1%	8.2%	13.9%	86.1%
Grade 9	5.0%	7.0%	12.1%	87.9%
Grade 10	4.2%	5.4%	11.9%	88.1%
Grade 11	5.3%	7.8%	16.1%	83.9%
Grade 12	4.6%	7.1%	13.8%	86.2%
Codeine Cough Syrup?				
All	2.4%	3.8%	8.3%	91.7%
Grade 7	3.3%	5.0%	8.6%	91.4%
Grade 8	3.0%	4.9%	9.3%	90.7%
Grade 9	1.8%	3.0%	7.1%	92.9%
Grade 10	1.6%	2.6%	7.0%	93.0%
Grade 11	2.6%	4.1%	10.2%	89.8%
Grade 12	1.7%	2.6%	6.9%	93.1%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.5%	0.9%	2.3%	97.7%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.5%	0.6%	1.3%	98.7%
Grade 9	0.7%	1.1%	1.8%	98.2%
Grade 10	0.2%	0.5%	2.1%	97.9%
Grade 11	1.0%	1.7%	4.5%	95.5%
Grade 12	0.8%	1.3%	3.5%	96.5%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.7%	1.1%	2.7%	97.3%
Grade 7	0.6%	0.6%	1.3%	98.7%
Grade 8	0.4%	0.9%	1.8%	98.2%
Grade 9	0.8%	1.4%	2.3%	97.7%
Grade 10	0.5%	1.0%	2.8%	97.2%
Grade 11	0.7%	1.5%	4.7%	95.3%
Grade 12	1.1%	1.6%	3.9%	96.1%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.3%	2.0%	3.6%	96.4%
Grade 7	1.1%	1.5%	2.3%	97.7%
Grade 8	1.1%	1.5%	3.1%	96.9%
Grade 9	1.2%	2.1%	3.4%	96.6%
Grade 10	1.1%	1.5%	2.9%	97.1%
Grade 11	1.8%	2.8%	5.5%	94.5%
Grade 12	1.9%	2.9%	5.0%	95.0%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.4%	3.2%	6.4%	93.6%
Grade 7	2.3%	3.1%	6.6%	93.4%
Grade 8	3.3%	4.4%	8.0%	92.0%
Grade 9	2.1%	2.9%	6.1%	93.9%
Grade 10	2.2%	2.7%	5.6%	94.4%
Grade 11	2.3%	3.2%	6.6%	93.4%
Grade 12	1.9%	2.5%	5.1%	94.9%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.8%	1.1%	2.4%	97.6%
Grade 7	1.5%	1.9%	4.0%	96.0%
Grade 8	1.0%	1.4%	2.7%	97.3%
Grade 9	0.6%	0.9%	1.9%	98.1%
Grade 10	0.6%	1.0%	1.8%	98.2%
Grade 11	0.5%	0.7%	1.7%	98.3%
Grade 12	0.5%	0.8%	1.8%	98.2%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.4%	12.8%	3.4%	1.3%	9.1%
Grade 7	75.2%	10.9%	3.3%	1.4%	9.1%
Grade 8	73.4%	12.7%	3.7%	1.6%	8.7%
Grade 9	73.1%	12.8%	3.2%	1.1%	9.8%
Grade 10	73.0%	13.0%	3.9%	1.1%	9.0%
Grade 11	72.0%	14.9%	3.5%	1.4%	8.2%
Grade 12	73.6%	13.0%	2.4%	1.2%	9.7%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.1%	5.4%	10.8%	89.2%
Grade 7	6.0%	6.9%	12.8%	87.2%
Grade 8	4.6%	6.3%	11.5%	88.5%
Grade 9	3.3%	4.1%	9.9%	90.1%
Grade 10	3.8%	5.6%	10.8%	89.2%
Grade 11	3.6%	4.9%	10.4%	89.6%
Grade 12	2.7%	4.2%	8.8%	91.2%
Spray Paint?				
All	0.4%	0.6%	1.8%	98.2%
Grade 7	0.4%	0.8%	2.1%	97.9%
Grade 8	0.6%	0.7%	2.1%	97.9%
Grade 9	0.5%	0.7%	1.7%	98.3%
Grade 10	0.4%	0.7%	2.0%	98.0%
Grade 11	0.3%	0.5%	1.5%	98.5%
Grade 12	0.3%	0.4%	1.2%	98.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.8%	1.2%	3.9%	96.1%
Grade 7	1.2%	1.7%	5.1%	94.9%
Grade 8	1.4%	1.9%	5.0%	95.0%
Grade 9	0.4%	0.9%	3.6%	96.4%
Grade 10	0.8%	1.4%	3.9%	96.1%
Grade 11	0.4%	0.6%	2.9%	97.1%
Grade 12	0.4%	0.6%	2.2%	97.8%
Computer Dusting Sprays?				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.0%	0.2%	0.4%	99.6%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.2%	0.7%	99.3%
Grade 12	0.3%	0.4%	0.8%	99.2%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.1%	1.6%	4.7%	95.3%
Grade 7	1.4%	1.8%	5.3%	94.7%
Grade 8	1.4%	1.8%	5.2%	94.8%
Grade 9	0.7%	1.2%	3.9%	96.1%
Grade 10	1.3%	1.6%	4.1%	95.9%
Grade 11	1.1%	1.6%	4.9%	95.1%
Grade 12	0.9%	1.7%	4.6%	95.4%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.3%	0.5%	1.1%	98.9%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.1%	0.3%	1.1%	98.9%
Grade 10	0.4%	0.5%	1.2%	98.8%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.3%	0.4%	1.2%	98.8%
Toluene, Paint Thinner, or Other Solvents?				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.1%	0.5%	0.8%	99.2%
Grade 10	0.3%	0.5%	1.2%	98.8%
Grade 11	0.3%	0.5%	1.2%	98.8%
Grade 12	0.4%	0.5%	1.0%	99.0%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	1.1%	1.6%	3.4%	96.6%
Grade 8	1.0%	1.4%	3.0%	97.0%
Grade 9	0.4%	0.7%	1.6%	98.4%
Grade 10	0.7%	1.1%	2.1%	97.9%
Grade 11	0.3%	0.3%	1.5%	98.5%
Grade 12	0.7%	0.7%	2.1%	97.9%
Other Aerosols/Sprays?				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.9%	1.1%	2.2%	97.8%
Grade 8	0.7%	0.9%	1.7%	98.3%
Grade 9	0.5%	0.6%	1.0%	99.0%
Grade 10	0.6%	0.6%	1.4%	98.6%
Grade 11	0.2%	0.3%	1.2%	98.8%
Grade 12	0.4%	0.4%	1.0%	99.0%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.4%	0.1%	0.2%	0.3%	0.5%	0.5%	1.0%
Grade 7	96.1%	0.1%	0.3%	0.6%	0.8%	0.9%	1.2%
Grade 8	96.6%	0.1%	0.3%	0.4%	0.7%	0.7%	1.2%
Grade 9	98.5%	0.1%	0.3%	0.1%	0.2%	0.1%	0.6%
Grade 10	97.5%	0.0%	0.2%	0.1%	0.7%	0.3%	1.1%
Grade 11	98.1%	0.1%	0.1%	0.0%	0.4%	0.1%	1.1%
Grade 12	98.3%	0.0%	0.0%	0.2%	0.2%	0.5%	0.8%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	91.7%	4.7%	2.4%	1.1%
Grade 7	89.3%	5.8%	3.6%	1.3%
Grade 8	90.7%	4.9%	3.0%	1.5%
Grade 9	92.2%	4.9%	2.2%	0.7%
Grade 10	92.2%	4.4%	2.2%	1.2%
Grade 11	92.8%	4.7%	1.2%	1.3%
Grade 12	93.6%	3.5%	2.1%	0.9%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.4	10.1	10.7	11.4	11.9	13.0	13.7

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.0%	0.7%	0.2%	0.2%
Grade 7	98.7%	1.0%	0.2%	0.1%
Grade 8	98.7%	1.0%	0.2%	0.1%
Grade 9	99.5%	0.3%	0.1%	0.1%
Grade 10	98.6%	0.8%	0.4%	0.2%
Grade 11	99.1%	0.5%	0.2%	0.2%
Grade 12	99.5%	0.2%	0.1%	0.1%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.1
Inhalant Non-Users	4.8
Average Days Conduct Problems Reported	
Inhalant Users	3.5
Inhalant Non-Users	1.3

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	94.3%	4.0%	1.1%	0.5%	0.2%
Grade 7	92.6%	5.6%	1.2%	0.5%	0.1%
Grade 8	93.3%	4.9%	1.1%	0.5%	0.1%
Grade 9	94.4%	3.5%	1.1%	0.7%	0.3%
Grade 10	94.9%	3.1%	1.5%	0.2%	0.2%
Grade 11	94.6%	4.0%	0.7%	0.4%	0.3%
Grade 12	96.4%	2.3%	0.9%	0.4%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	71.2%	14.2%	4.6%	1.1%	8.8%
Grade 7	71.6%	14.2%	5.2%	1.5%	7.5%
Grade 8	69.9%	15.0%	5.4%	1.4%	8.2%
Grade 9	70.6%	14.7%	5.3%	0.9%	8.5%
Grade 10	71.2%	13.8%	3.9%	1.0%	10.1%
Grade 11	71.6%	13.4%	4.4%	1.1%	9.6%
Grade 12	72.4%	14.2%	3.1%	0.8%	9.4%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	47.6%	17.6%	4.3%	5.2%	7.8%	17.4%
Grade 7	48.9%	24.3%	4.3%	4.8%	6.6%	11.0%
Grade 8	46.4%	21.0%	4.9%	5.9%	7.4%	14.4%
Grade 9	46.2%	16.8%	4.5%	6.2%	7.9%	18.4%
Grade 10	49.8%	15.7%	3.7%	5.2%	7.3%	18.3%
Grade 11	47.8%	13.3%	4.1%	5.5%	8.4%	20.9%
Grade 12	46.2%	12.3%	4.3%	3.7%	9.7%	23.9%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	39.4%
	Grade 7	28.9%
	Grade 8	38.8%
	Grade 9	43.5%
	Grade 10	46.1%
	Grade 11	42.4%
	Grade 12	37.4%
An Assembly Program		
	All	37.3%
	Grade 7	36.2%
	Grade 8	40.8%
	Grade 9	43.0%
	Grade 10	34.2%
	Grade 11	34.6%
	Grade 12	34.5%
Guidance Counselor		
	All	25.5%
	Grade 7	27.7%
	Grade 8	30.9%
	Grade 9	26.6%
	Grade 10	25.8%
	Grade 11	21.6%
	Grade 12	18.1%
School Nurse		
	All	14.7%
	Grade 7	14.5%
	Grade 8	16.1%
	Grade 9	17.1%
	Grade 10	15.1%
	Grade 11	13.5%
	Grade 12	11.0%
Science or Social Studies Class		
	All	25.6%
	Grade 7	25.8%
	Grade 8	23.6%
	Grade 9	26.9%
	Grade 10	27.0%
	Grade 11	25.2%
	Grade 12	24.9%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	12.3%
	Grade 7	10.1%
	Grade 8	11.2%
	Grade 9	15.0%
	Grade 10	14.4%
	Grade 11	12.9%
	Grade 12	10.5%
An Invited School Guest		
	All	22.8%
	Grade 7	23.5%
	Grade 8	25.0%
	Grade 9	26.1%
	Grade 10	22.1%
	Grade 11	19.0%
	Grade 12	20.7%
Another Source at School		
	All	26.7%
	Grade 7	26.8%
	Grade 8	29.1%
	Grade 9	30.6%
	Grade 10	25.1%
	Grade 11	24.0%
	Grade 12	24.1%
Any School Source		
	All	62.6%
	Grade 7	58.8%
	Grade 8	65.8%
	Grade 9	66.2%
	Grade 10	64.3%
	Grade 11	62.0%
	Grade 12	58.1%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
<hr/>		
Counselor/Program In-School		
	All	32.1%
	Grade 7	44.2%
	Grade 8	33.8%
	Grade 9	30.4%
	Grade 10	29.3%
	Grade 11	26.0%
	Grade 12	26.3%
School Nurse		
	All	21.2%
	Grade 7	30.1%
	Grade 8	22.5%
	Grade 9	19.8%
	Grade 10	19.0%
	Grade 11	17.1%
	Grade 12	16.6%
Another Adult In School		
	All	39.0%
	Grade 7	45.8%
	Grade 8	40.3%
	Grade 9	36.0%
	Grade 10	35.1%
	Grade 11	38.7%
	Grade 12	36.8%
Counselor/Program Outside-School		
	All	38.0%
	Grade 7	40.7%
	Grade 8	38.7%
	Grade 9	38.4%
	Grade 10	35.9%
	Grade 11	35.9%
	Grade 12	38.1%
Your Parents		
	All	67.1%
	Grade 7	74.2%
	Grade 8	68.9%
	Grade 9	65.7%
	Grade 10	64.3%
	Grade 11	65.3%
	Grade 12	61.9%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
<hr/>		
A Medical Doctor		
All		58.0%
Grade 7		66.5%
Grade 8		58.7%
Grade 9		56.8%
Grade 10		53.9%
Grade 11		56.5%
Grade 12		53.7%
Your Friends		
All		62.1%
Grade 7		55.3%
Grade 8		60.4%
Grade 9		61.5%
Grade 10		63.5%
Grade 11		67.5%
Grade 12		65.9%
Another Adult		
All		55.5%
Grade 7		60.5%
Grade 8		57.7%
Grade 9		53.0%
Grade 10		55.5%
Grade 11		53.0%
Grade 12		52.1%
<hr/>		

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
<hr/>		
All		5.9%
Grade 7		5.6%
Grade 8		6.8%
Grade 9		6.6%
Grade 10		6.1%
Grade 11		6.2%
Grade 12		3.7%
<hr/>		

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	6.7%	22.8%	24.3%	33.0%	13.2%
Grade 7	7.2%	20.9%	20.2%	34.1%	17.7%
Grade 8	7.3%	21.6%	23.3%	34.0%	13.8%
Grade 9	6.8%	22.2%	25.1%	33.4%	12.4%
Grade 10	7.1%	23.5%	25.1%	32.3%	12.0%
Grade 11	6.8%	25.3%	26.5%	30.5%	11.0%
Grade 12	4.6%	23.8%	26.5%	33.5%	11.6%
Sometimes Carry Weapons?					
All	81.2%	11.6%	4.4%	1.8%	1.0%
Grade 7	86.4%	8.9%	2.7%	1.6%	0.4%
Grade 8	84.2%	10.7%	3.1%	1.4%	0.7%
Grade 9	81.0%	11.9%	4.3%	1.4%	1.4%
Grade 10	78.8%	12.8%	5.0%	2.0%	1.4%
Grade 11	79.0%	12.4%	5.4%	2.1%	1.1%
Grade 12	76.0%	13.9%	6.5%	2.4%	1.2%
Care About Making Good Grades?					
All	2.6%	13.3%	24.9%	40.9%	18.4%
Grade 7	2.9%	13.8%	23.0%	39.7%	20.7%
Grade 8	2.8%	13.9%	26.1%	39.2%	17.9%
Grade 9	3.3%	11.2%	25.6%	40.3%	19.6%
Grade 10	2.2%	14.3%	24.9%	41.5%	17.0%
Grade 11	2.3%	13.5%	24.4%	42.1%	17.8%
Grade 12	1.8%	12.7%	25.2%	43.6%	16.6%
Belong/Want to Belong to a Gang?					
All	89.3%	7.1%	2.0%	0.8%	0.8%
Grade 7	88.1%	8.2%	2.2%	0.8%	0.7%
Grade 8	88.1%	8.1%	2.2%	0.8%	0.8%
Grade 9	89.3%	6.6%	2.1%	1.1%	0.9%
Grade 10	88.3%	7.9%	2.0%	0.8%	1.0%
Grade 11	90.1%	6.4%	1.8%	0.6%	1.1%
Grade 12	92.7%	4.8%	1.5%	0.5%	0.4%
Wish They Could Drop Out of School?					
All	43.1%	29.5%	15.6%	7.8%	4.0%
Grade 7	50.1%	27.3%	12.4%	6.7%	3.5%
Grade 8	42.0%	31.7%	15.3%	7.5%	3.6%
Grade 9	40.7%	30.4%	17.6%	6.9%	4.4%
Grade 10	38.7%	31.2%	16.7%	9.3%	4.1%
Grade 11	42.1%	30.7%	14.6%	8.1%	4.5%
Grade 12	44.1%	25.5%	18.1%	8.3%	4.1%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	85.0%	12.7%	1.1%	0.3%	1.0%
Grade 7	83.7%	13.5%	1.1%	0.3%	1.3%
Grade 8	84.6%	13.6%	0.9%	0.2%	0.7%
Grade 9	84.7%	13.1%	1.0%	0.2%	1.0%
Grade 10	86.8%	10.5%	1.2%	0.3%	1.2%
Grade 11	85.7%	11.9%	1.4%	0.3%	0.8%
Grade 12	84.5%	13.4%	1.0%	0.3%	0.9%
Out In Your Neighborhood?					
All	43.7%	46.4%	5.7%	1.3%	2.9%
Grade 7	36.8%	50.7%	6.9%	1.6%	4.0%
Grade 8	38.3%	51.4%	6.2%	1.5%	2.7%
Grade 9	45.4%	44.7%	4.9%	1.7%	3.4%
Grade 10	46.4%	44.4%	5.7%	1.0%	2.6%
Grade 11	48.1%	43.0%	5.0%	1.0%	2.8%
Grade 12	49.7%	42.6%	5.3%	0.9%	1.5%
At School?					
All	31.4%	50.7%	9.9%	3.6%	4.4%
Grade 7	32.6%	48.2%	10.5%	3.6%	5.2%
Grade 8	29.7%	51.5%	10.7%	3.6%	4.5%
Grade 9	30.6%	51.9%	9.3%	3.1%	5.1%
Grade 10	30.9%	51.0%	9.9%	3.7%	4.5%
Grade 11	32.5%	50.9%	9.0%	3.8%	3.8%
Grade 12	32.4%	51.3%	9.9%	3.6%	2.8%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.7%	13.6%	22.4%	77.6%
Grade 7	4.5%	5.8%	12.6%	87.4%
Grade 8	7.4%	9.0%	16.2%	83.8%
Grade 9	9.3%	12.9%	22.1%	77.9%
Grade 10	12.6%	15.9%	25.0%	75.0%
Grade 11	15.4%	19.1%	30.0%	70.0%
Grade 12	17.4%	21.4%	32.0%	68.0%
Any Alcohol Product				
All	22.6%	26.7%	42.5%	57.5%
Grade 7	14.0%	16.1%	35.4%	64.6%
Grade 8	16.9%	20.0%	37.2%	62.8%
Grade 9	19.8%	23.2%	38.6%	61.4%
Grade 10	24.6%	28.8%	42.3%	57.7%
Grade 11	29.6%	36.1%	50.5%	49.5%
Grade 12	34.4%	40.6%	54.9%	45.1%
Any Illicit Drug				
All	11.4%	15.0%	19.5%	80.5%
Grade 7	4.5%	6.8%	8.7%	91.3%
Grade 8	5.9%	9.0%	11.3%	88.7%
Grade 9	9.4%	12.7%	16.8%	83.2%
Grade 10	14.6%	19.0%	23.9%	76.1%
Grade 11	16.9%	21.0%	28.2%	71.8%
Grade 12	19.9%	25.0%	32.9%	67.1%
Any Prescription Drug				
All	5.2%	7.2%	13.4%	86.6%
Grade 7	5.5%	7.4%	12.7%	87.3%
Grade 8	6.1%	8.2%	13.9%	86.1%
Grade 9	5.0%	7.0%	12.1%	87.9%
Grade 10	4.2%	5.4%	11.9%	88.1%
Grade 11	5.3%	7.8%	16.1%	83.9%
Grade 12	4.6%	7.1%	13.8%	86.2%
Any Inhalant				
All	4.1%	5.4%	10.8%	89.2%
Grade 7	6.0%	6.9%	12.8%	87.2%
Grade 8	4.6%	6.3%	11.5%	88.5%
Grade 9	3.3%	4.1%	9.9%	90.1%
Grade 10	3.8%	5.6%	10.8%	89.2%
Grade 11	3.6%	4.9%	10.4%	89.6%
Grade 12	2.7%	4.2%	8.8%	91.2%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.2%	11.4%	19.9%	80.1%
Grade 7	3.2%	4.6%	10.0%	90.0%
Grade 8	5.4%	7.5%	14.6%	85.4%
Grade 9	7.2%	11.0%	19.6%	80.4%
Grade 10	9.5%	13.3%	22.0%	78.0%
Grade 11	11.9%	16.1%	27.6%	72.4%
Grade 12	14.0%	18.5%	29.2%	70.8%
Marijuana				
All	10.3%	12.6%	17.0%	83.0%
Grade 7	3.5%	4.4%	5.6%	94.4%
Grade 8	5.3%	6.6%	8.9%	91.1%
Grade 9	7.8%	9.5%	13.6%	86.4%
Grade 10	13.3%	16.2%	21.2%	78.8%
Grade 11	15.9%	19.4%	26.1%	73.9%
Grade 12	19.2%	23.3%	31.4%	68.6%
Marijuana Only				
All	4.3%	5.7%	8.9%	91.1%
Grade 7	1.7%	2.3%	3.2%	96.8%
Grade 8	2.7%	3.6%	5.3%	94.7%
Grade 9	3.8%	4.9%	8.3%	91.7%
Grade 10	5.9%	7.7%	11.2%	88.8%
Grade 11	6.2%	8.2%	12.8%	87.2%
Grade 12	6.2%	8.4%	14.6%	85.4%
Cocaine or Crack				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	1.0%	1.1%	1.6%	98.4%
Grade 10	0.7%	0.9%	1.6%	98.4%
Grade 11	1.4%	1.5%	2.3%	97.7%
Grade 12	1.2%	1.4%	2.2%	97.8%
Cocaine				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.6%	0.7%	1.3%	98.7%
Grade 11	1.3%	1.4%	2.1%	97.9%
Grade 12	1.0%	1.1%	1.9%	98.1%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.6%	0.7%	0.8%	99.2%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.5%	0.6%	0.8%	99.2%
Hallucinogens				
All	0.8%	1.5%	2.9%	97.1%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.4%	0.9%	1.7%	98.3%
Grade 10	1.0%	1.9%	3.7%	96.3%
Grade 11	1.7%	2.7%	5.0%	95.0%
Grade 12	1.4%	2.9%	6.3%	93.7%
Synthetic Cathinones				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.4%	0.5%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.3%	0.5%	0.6%	99.4%
Steroids				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.3%	1.0%	99.0%
Grade 8	0.6%	0.8%	1.6%	98.4%
Grade 9	0.3%	0.4%	1.2%	98.8%
Grade 10	0.1%	0.2%	1.1%	98.9%
Grade 11	0.2%	0.6%	1.5%	98.5%
Grade 12	0.4%	0.6%	1.3%	98.7%
Ecstasy				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.5%	0.7%	0.7%	99.3%
Grade 10	0.2%	0.4%	1.4%	98.6%
Grade 11	0.7%	0.8%	2.5%	97.5%
Grade 12	0.5%	0.7%	2.0%	98.0%

2022
Non-Border Report

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.5%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.4%	99.6%
Synthetic Marijuana				
All	1.0%	1.5%	2.5%	97.5%
Grade 7	0.8%	0.9%	1.4%	98.6%
Grade 8	0.6%	0.9%	1.5%	98.5%
Grade 9	1.1%	1.5%	2.6%	97.4%
Grade 10	1.3%	1.8%	2.8%	97.2%
Grade 11	1.3%	1.8%	3.7%	96.3%
Grade 12	1.1%	2.1%	3.5%	96.5%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.3%	0.5%	0.7%	99.3%
Grade 11	0.4%	0.6%	0.9%	99.1%
Grade 12	0.4%	0.5%	0.9%	99.1%
Delta 8				
All	3.0%	4.4%	6.4%	93.6%
Grade 7	0.7%	0.9%	1.8%	98.2%
Grade 8	1.0%	1.6%	2.6%	97.4%
Grade 9	2.0%	2.6%	4.3%	95.7%
Grade 10	4.2%	5.4%	7.7%	92.3%
Grade 11	4.6%	7.1%	10.9%	89.1%
Grade 12	6.7%	10.6%	13.6%	86.4%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.5%	11.5%	20.3%	79.7%
Grade 7	3.9%	4.9%	11.9%	88.1%
Grade 8	6.1%	7.4%	14.3%	85.7%
Grade 9	7.9%	10.0%	20.1%	79.9%
Grade 10	9.6%	12.2%	21.1%	78.9%
Grade 11	15.0%	17.9%	28.8%	71.2%
Grade 12	17.1%	20.0%	29.6%	70.4%
Any Alcohol Product				
All	20.1%	23.8%	39.9%	60.1%
Grade 7	13.0%	14.9%	34.8%	65.2%
Grade 8	15.7%	18.3%	34.6%	65.4%
Grade 9	15.6%	18.9%	35.2%	64.8%
Grade 10	21.1%	24.4%	38.4%	61.6%
Grade 11	27.5%	34.6%	49.1%	50.9%
Grade 12	31.3%	36.3%	51.6%	48.4%
Any Illicit Drug				
All	10.2%	13.3%	17.7%	82.3%
Grade 7	3.8%	5.4%	7.1%	92.9%
Grade 8	5.2%	7.7%	9.5%	90.5%
Grade 9	8.1%	10.7%	16.0%	84.0%
Grade 10	11.7%	15.7%	19.9%	80.1%
Grade 11	16.7%	20.6%	27.9%	72.1%
Grade 12	18.6%	23.2%	31.3%	68.7%
Any Prescription Drug				
All	4.5%	6.4%	12.7%	87.3%
Grade 7	4.6%	6.4%	11.1%	88.9%
Grade 8	4.6%	6.0%	11.5%	88.5%
Grade 9	4.2%	6.8%	12.5%	87.5%
Grade 10	4.0%	4.8%	11.5%	88.5%
Grade 11	5.5%	7.7%	16.3%	83.7%
Grade 12	3.9%	7.3%	14.3%	85.7%
Any Inhalant				
All	4.1%	5.3%	10.2%	89.8%
Grade 7	5.7%	6.6%	11.8%	88.2%
Grade 8	4.2%	5.9%	10.5%	89.5%
Grade 9	2.6%	3.4%	8.7%	91.3%
Grade 10	4.0%	5.2%	9.6%	90.4%
Grade 11	4.2%	5.3%	9.8%	90.2%
Grade 12	3.3%	5.2%	10.5%	89.5%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.5%	9.0%	17.0%	83.0%
Grade 7	2.7%	3.7%	8.8%	91.2%
Grade 8	3.9%	5.7%	12.3%	87.7%
Grade 9	5.0%	7.4%	16.5%	83.5%
Grade 10	6.2%	9.2%	17.6%	82.4%
Grade 11	10.7%	14.3%	25.4%	74.6%
Grade 12	12.9%	16.1%	25.2%	74.8%
Marijuana				
All	9.1%	11.3%	15.6%	84.4%
Grade 7	3.2%	4.0%	5.1%	94.9%
Grade 8	4.6%	6.2%	8.0%	92.0%
Grade 9	6.3%	8.1%	12.7%	87.3%
Grade 10	10.3%	13.1%	17.5%	82.5%
Grade 11	15.4%	18.6%	25.9%	74.1%
Grade 12	18.2%	21.4%	30.0%	70.0%
Marijuana Only				
All	3.5%	4.8%	8.0%	92.0%
Grade 7	1.4%	1.9%	2.6%	97.4%
Grade 8	2.8%	3.7%	5.1%	94.9%
Grade 9	3.1%	4.2%	8.0%	92.0%
Grade 10	4.2%	6.0%	8.8%	91.2%
Grade 11	5.7%	7.4%	12.5%	87.5%
Grade 12	4.6%	6.3%	13.0%	87.0%
Cocaine or Crack				
All	1.1%	1.2%	1.7%	98.3%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	1.1%	1.2%	1.3%	98.7%
Grade 10	1.1%	1.4%	1.9%	98.1%
Grade 11	2.0%	2.1%	3.2%	96.8%
Grade 12	1.5%	1.7%	2.6%	97.4%
Cocaine				
All	0.9%	1.0%	1.4%	98.6%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.8%	1.1%	1.6%	98.4%
Grade 11	1.8%	1.9%	3.0%	97.0%
Grade 12	1.3%	1.5%	2.4%	97.6%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.5%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.7%	0.7%	0.8%	99.2%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	0.5%	0.5%	0.6%	99.4%
Grade 12	0.8%	0.8%	0.9%	99.1%
Hallucinogens				
All	1.0%	1.8%	3.1%	96.9%
Grade 7	0.5%	0.7%	1.0%	99.0%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.6%	1.3%	98.7%
Grade 10	1.4%	2.6%	4.1%	95.9%
Grade 11	2.1%	3.1%	5.3%	94.7%
Grade 12	1.8%	4.3%	7.9%	92.1%
Synthetic Cathinones				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.5%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.4%	0.8%	1.0%	99.0%
Steroids				
All	0.4%	0.5%	1.5%	98.5%
Grade 7	0.2%	0.4%	1.2%	98.8%
Grade 8	0.3%	0.4%	1.4%	98.6%
Grade 9	0.5%	0.8%	1.3%	98.7%
Grade 10	0.2%	0.2%	1.6%	98.4%
Grade 11	0.3%	0.4%	1.9%	98.1%
Grade 12	0.8%	1.2%	2.0%	98.0%
Ecstasy				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.4%	0.5%	1.2%	98.8%
Grade 11	0.9%	1.1%	2.5%	97.5%
Grade 12	0.5%	0.9%	2.3%	97.7%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.3%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.4%	99.6%
Synthetic Marijuana				
All	0.8%	1.2%	2.2%	97.8%
Grade 7	0.8%	0.9%	1.4%	98.6%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.8%	1.2%	2.2%	97.8%
Grade 10	1.0%	1.4%	2.0%	98.0%
Grade 11	1.1%	1.7%	3.4%	96.6%
Grade 12	0.9%	2.0%	4.0%	96.0%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.5%	0.8%	1.0%	99.0%
Grade 11	0.6%	0.6%	1.2%	98.8%
Grade 12	0.4%	0.6%	1.1%	98.9%
Delta 8				
All	2.9%	4.2%	6.2%	93.8%
Grade 7	0.7%	1.0%	1.8%	98.2%
Grade 8	0.8%	1.4%	2.1%	97.9%
Grade 9	1.2%	1.9%	3.8%	96.2%
Grade 10	3.5%	4.7%	7.0%	93.0%
Grade 11	5.2%	7.5%	11.4%	88.6%
Grade 12	7.3%	10.8%	13.6%	86.4%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.9%	15.5%	24.2%	75.8%
Grade 7	5.2%	6.8%	13.2%	86.8%
Grade 8	8.5%	10.5%	17.7%	82.3%
Grade 9	10.6%	15.6%	23.5%	76.5%
Grade 10	15.9%	19.9%	29.0%	71.0%
Grade 11	15.5%	20.0%	31.0%	69.0%
Grade 12	17.8%	22.9%	34.3%	65.7%
Any Alcohol Product				
All	25.0%	29.5%	44.9%	55.1%
Grade 7	15.1%	17.3%	36.0%	64.0%
Grade 8	17.9%	21.5%	39.5%	60.5%
Grade 9	23.9%	27.5%	41.6%	58.4%
Grade 10	27.8%	33.0%	46.0%	54.0%
Grade 11	31.7%	37.7%	51.6%	48.4%
Grade 12	37.2%	44.4%	58.1%	41.9%
Any Illicit Drug				
All	12.5%	16.7%	21.2%	78.8%
Grade 7	5.2%	8.4%	10.5%	89.5%
Grade 8	6.5%	10.1%	12.9%	87.1%
Grade 9	10.5%	14.5%	17.6%	82.4%
Grade 10	17.5%	22.6%	27.9%	72.1%
Grade 11	17.1%	21.4%	28.3%	71.7%
Grade 12	20.8%	26.2%	34.2%	65.8%
Any Prescription Drug				
All	5.8%	7.9%	14.1%	85.9%
Grade 7	6.5%	8.5%	14.4%	85.6%
Grade 8	7.6%	10.2%	16.2%	83.8%
Grade 9	5.6%	7.1%	11.7%	88.3%
Grade 10	4.4%	6.1%	12.4%	87.6%
Grade 11	5.2%	7.9%	15.7%	84.3%
Grade 12	5.3%	7.0%	13.7%	86.3%
Any Inhalant				
All	4.1%	5.5%	11.5%	88.5%
Grade 7	6.2%	7.2%	13.9%	86.1%
Grade 8	4.9%	6.7%	12.4%	87.6%
Grade 9	4.1%	4.9%	11.3%	88.7%
Grade 10	3.6%	6.1%	12.3%	87.7%
Grade 11	3.1%	4.5%	11.0%	89.0%
Grade 12	2.0%	3.1%	7.1%	92.9%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.8%	13.8%	22.5%	77.5%
Grade 7	3.8%	5.4%	11.1%	88.9%
Grade 8	6.7%	9.1%	16.3%	83.7%
Grade 9	9.0%	14.4%	22.3%	77.7%
Grade 10	13.0%	17.5%	26.6%	73.4%
Grade 11	13.2%	17.9%	29.5%	70.5%
Grade 12	15.2%	21.0%	33.0%	67.0%
Marijuana				
All	11.5%	13.9%	18.3%	81.7%
Grade 7	3.8%	4.8%	6.1%	93.9%
Grade 8	5.9%	7.0%	9.7%	90.3%
Grade 9	9.0%	10.7%	14.5%	85.5%
Grade 10	16.6%	19.4%	24.9%	75.1%
Grade 11	16.4%	20.2%	26.2%	73.8%
Grade 12	19.9%	24.9%	32.6%	67.4%
Marijuana Only				
All	5.1%	6.6%	9.9%	90.1%
Grade 7	2.0%	2.8%	3.8%	96.2%
Grade 8	2.7%	3.5%	5.5%	94.5%
Grade 9	4.6%	5.6%	8.8%	91.2%
Grade 10	7.8%	9.7%	13.8%	86.2%
Grade 11	6.7%	8.9%	13.2%	86.8%
Grade 12	7.7%	10.4%	16.3%	83.7%
Cocaine or Crack				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	0.9%	1.0%	1.4%	98.6%
Grade 8	0.5%	0.5%	1.2%	98.8%
Grade 9	0.9%	1.1%	1.8%	98.2%
Grade 10	0.3%	0.4%	1.2%	98.8%
Grade 11	0.8%	0.9%	1.3%	98.7%
Grade 12	0.9%	1.1%	1.8%	98.2%
Cocaine				
All	0.6%	0.6%	1.1%	98.9%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	0.8%	0.9%	1.3%	98.7%
Grade 12	0.7%	0.8%	1.4%	98.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.6%	0.8%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.2%	0.4%	0.5%	99.5%
Hallucinogens				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.1%	0.2%	0.9%	99.1%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.7%	1.1%	2.1%	97.9%
Grade 10	0.6%	1.2%	3.2%	96.8%
Grade 11	1.3%	2.4%	4.7%	95.3%
Grade 12	1.0%	1.8%	4.8%	95.2%
Synthetic Cathinones				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.1%	0.4%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.2%	0.3%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.3%	99.7%
Steroids				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.8%	1.1%	1.7%	98.3%
Grade 9	0.0%	0.1%	1.0%	99.0%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.7%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.6%	99.4%
Ecstasy				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.6%	1.0%	1.1%	98.9%
Grade 10	0.0%	0.3%	1.3%	98.7%
Grade 11	0.5%	0.5%	2.5%	97.5%
Grade 12	0.4%	0.5%	1.7%	98.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.5%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.4%	0.7%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.4%	99.6%
Synthetic Marijuana				
All	1.2%	1.7%	2.7%	97.3%
Grade 7	0.7%	0.8%	1.4%	98.6%
Grade 8	0.9%	1.4%	1.9%	98.1%
Grade 9	1.5%	1.7%	3.1%	96.9%
Grade 10	1.6%	2.3%	3.5%	96.5%
Grade 11	1.5%	1.8%	3.7%	96.3%
Grade 12	1.3%	2.2%	3.2%	96.8%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.4%	0.5%	1.0%	99.0%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.3%	0.6%	0.7%	99.3%
Grade 12	0.4%	0.4%	0.8%	99.2%
Delta 8				
All	3.2%	4.6%	6.6%	93.4%
Grade 7	0.7%	1.0%	1.9%	98.1%
Grade 8	1.3%	1.9%	3.1%	96.9%
Grade 9	2.8%	3.3%	4.7%	95.3%
Grade 10	4.9%	6.2%	8.0%	92.0%
Grade 11	4.2%	6.7%	10.3%	89.7%
Grade 12	6.2%	10.2%	13.3%	86.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.6%	17.3%	26.0%	74.0%
Grade 7	2.9%	3.9%	10.1%	89.9%
Grade 8	7.3%	9.5%	17.2%	82.8%
Grade 9	11.7%	16.8%	24.1%	75.9%
Grade 10	15.8%	19.1%	28.8%	71.2%
Grade 11	20.4%	26.8%	38.7%	61.3%
Grade 12	24.9%	29.3%	39.5%	60.5%
Any Alcohol Product				
All	26.3%	30.6%	48.0%	52.0%
Grade 7	12.6%	13.9%	36.2%	63.8%
Grade 8	17.3%	20.6%	39.2%	60.8%
Grade 9	20.7%	23.3%	41.1%	58.9%
Grade 10	29.2%	33.7%	48.1%	51.9%
Grade 11	37.6%	44.9%	60.3%	39.7%
Grade 12	43.0%	50.5%	65.9%	34.1%
Any Illicit Drug				
All	10.9%	15.6%	20.2%	79.8%
Grade 7	2.5%	4.2%	5.4%	94.6%
Grade 8	4.0%	7.8%	9.2%	90.8%
Grade 9	9.4%	13.0%	17.3%	82.7%
Grade 10	12.7%	19.1%	24.7%	75.3%
Grade 11	16.8%	23.0%	30.5%	69.5%
Grade 12	21.4%	28.6%	36.7%	63.3%
Any Prescription Drug				
All	5.9%	8.5%	15.4%	84.6%
Grade 7	5.0%	6.6%	12.0%	88.0%
Grade 8	8.5%	11.2%	16.5%	83.5%
Grade 9	6.3%	8.5%	15.3%	84.7%
Grade 10	4.0%	6.4%	13.9%	86.1%
Grade 11	5.0%	8.5%	16.8%	83.2%
Grade 12	6.3%	9.9%	18.2%	81.8%
Any Inhalant				
All	3.6%	4.9%	11.5%	88.5%
Grade 7	4.9%	6.1%	13.0%	87.0%
Grade 8	4.5%	5.8%	11.7%	88.3%
Grade 9	2.5%	3.2%	10.1%	89.9%
Grade 10	3.8%	5.4%	12.6%	87.4%
Grade 11	3.2%	4.5%	10.1%	89.9%
Grade 12	2.5%	4.2%	11.3%	88.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.4%	14.7%	23.3%	76.7%
Grade 7	1.6%	2.9%	7.1%	92.9%
Grade 8	5.1%	7.7%	14.6%	85.4%
Grade 9	8.5%	14.2%	22.2%	77.8%
Grade 10	12.1%	16.2%	24.6%	75.4%
Grade 11	16.0%	22.5%	36.5%	63.5%
Grade 12	20.7%	26.5%	37.0%	63.0%
Marijuana				
All	9.8%	12.8%	17.2%	82.8%
Grade 7	2.2%	2.4%	3.1%	96.9%
Grade 8	3.3%	4.7%	6.3%	93.7%
Grade 9	7.5%	9.5%	13.9%	86.1%
Grade 10	11.3%	14.0%	20.4%	79.6%
Grade 11	15.8%	21.3%	27.8%	72.2%
Grade 12	20.5%	26.7%	34.1%	65.9%
Marijuana Only				
All	2.4%	3.8%	6.6%	93.4%
Grade 7	0.8%	1.0%	1.4%	98.6%
Grade 8	1.6%	2.1%	2.8%	97.2%
Grade 9	2.7%	3.5%	7.1%	92.9%
Grade 10	2.5%	4.2%	7.3%	92.7%
Grade 11	3.5%	6.0%	10.1%	89.9%
Grade 12	3.6%	6.3%	11.6%	88.4%
Cocaine or Crack				
All	0.8%	1.0%	1.6%	98.4%
Grade 7	0.6%	0.7%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.7%	1.0%	1.5%	98.5%
Grade 10	0.3%	0.4%	1.2%	98.8%
Grade 11	1.4%	1.4%	2.4%	97.6%
Grade 12	1.8%	2.0%	2.9%	97.1%
Cocaine				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.6%	99.4%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	1.1%	1.2%	2.2%	97.8%
Grade 12	1.7%	1.9%	2.8%	97.2%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.6%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.8%	0.8%	0.9%	99.1%
Hallucinogens				
All	0.8%	1.7%	3.4%	96.6%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.2%	0.6%	1.7%	98.3%
Grade 10	0.6%	2.0%	3.6%	96.4%
Grade 11	1.3%	2.0%	5.0%	95.0%
Grade 12	2.4%	5.6%	9.7%	90.3%
Synthetic Cathinones				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	0.7%	0.8%	1.1%	98.9%
Steroids				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.8%	1.1%	1.9%	98.1%
Grade 9	0.5%	0.9%	1.2%	98.8%
Grade 10	0.1%	0.1%	1.4%	98.6%
Grade 11	0.4%	0.9%	2.2%	97.8%
Grade 12	0.5%	0.5%	1.1%	98.9%
Ecstasy				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.9%	1.2%	1.3%	98.7%
Grade 10	0.1%	0.2%	1.3%	98.7%
Grade 11	0.6%	0.7%	2.2%	97.8%
Grade 12	1.0%	1.5%	2.3%	97.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.5%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.4%	0.4%	0.6%	99.4%
Synthetic Marijuana				
All	1.2%	1.9%	3.4%	96.6%
Grade 7	0.6%	0.7%	1.1%	98.9%
Grade 8	0.3%	0.6%	1.0%	99.0%
Grade 9	0.8%	1.4%	2.7%	97.3%
Grade 10	2.5%	3.0%	4.6%	95.4%
Grade 11	1.4%	2.0%	5.1%	94.9%
Grade 12	2.1%	4.2%	6.2%	93.8%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.5%	0.5%	0.6%	99.4%
Grade 11	0.2%	0.3%	0.9%	99.1%
Grade 12	1.1%	1.3%	2.0%	98.0%
Delta 8				
All	4.4%	6.7%	9.6%	90.4%
Grade 7	0.8%	1.1%	2.0%	98.0%
Grade 8	1.1%	1.9%	3.0%	97.0%
Grade 9	2.7%	3.7%	6.5%	93.5%
Grade 10	5.9%	7.6%	10.8%	89.2%
Grade 11	6.4%	10.1%	15.5%	84.5%
Grade 12	10.6%	17.4%	21.5%	78.5%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.4%	9.9%	17.3%	82.7%
Grade 7	3.1%	4.7%	11.7%	88.3%
Grade 8	5.5%	6.6%	12.6%	87.4%
Grade 9	6.0%	10.7%	18.5%	81.5%
Grade 10	7.1%	9.4%	19.0%	81.0%
Grade 11	11.6%	14.0%	21.3%	78.7%
Grade 12	13.6%	18.1%	25.0%	75.0%
Any Alcohol Product				
All	18.1%	21.1%	36.4%	63.6%
Grade 7	11.2%	13.3%	33.1%	66.9%
Grade 8	13.3%	15.5%	32.7%	67.3%
Grade 9	16.8%	20.2%	29.6%	70.4%
Grade 10	18.9%	20.8%	36.4%	63.6%
Grade 11	22.9%	27.6%	42.1%	57.9%
Grade 12	30.2%	34.7%	47.4%	52.6%
Any Illicit Drug				
All	12.4%	15.1%	19.6%	80.4%
Grade 7	5.8%	7.7%	11.5%	88.5%
Grade 8	6.0%	8.1%	11.5%	88.5%
Grade 9	10.4%	13.9%	16.7%	83.3%
Grade 10	13.8%	16.7%	22.0%	78.0%
Grade 11	18.8%	20.8%	26.5%	73.5%
Grade 12	24.1%	29.0%	35.4%	64.6%
Any Prescription Drug				
All	4.8%	6.1%	11.3%	88.7%
Grade 7	6.6%	8.8%	14.7%	85.3%
Grade 8	2.6%	3.6%	7.9%	92.1%
Grade 9	5.3%	5.8%	7.9%	92.1%
Grade 10	2.9%	4.0%	7.8%	92.2%
Grade 11	5.2%	6.6%	16.1%	83.9%
Grade 12	7.0%	8.4%	13.6%	86.4%
Any Inhalant				
All	2.8%	4.1%	7.7%	92.3%
Grade 7	4.1%	4.5%	9.4%	90.6%
Grade 8	3.0%	4.3%	7.8%	92.2%
Grade 9	1.6%	2.6%	4.2%	95.8%
Grade 10	1.8%	3.6%	8.0%	92.0%
Grade 11	2.7%	4.0%	9.3%	90.7%
Grade 12	3.2%	5.1%	6.1%	93.9%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.7%	8.3%	15.4%	84.6%
Grade 7	2.4%	3.2%	9.4%	90.6%
Grade 8	4.0%	5.7%	12.1%	87.9%
Grade 9	5.1%	9.2%	17.6%	82.4%
Grade 10	5.5%	8.8%	16.9%	83.1%
Grade 11	9.1%	11.5%	18.6%	81.4%
Grade 12	10.2%	14.2%	21.8%	78.2%
Marijuana				
All	11.5%	13.3%	17.5%	82.5%
Grade 7	5.2%	6.1%	8.7%	91.3%
Grade 8	5.7%	7.0%	10.3%	89.7%
Grade 9	8.6%	10.7%	13.9%	86.1%
Grade 10	13.3%	15.5%	20.8%	79.2%
Grade 11	17.4%	19.0%	23.3%	76.7%
Grade 12	23.1%	27.0%	33.8%	66.2%
Marijuana Only				
All	7.4%	8.7%	12.3%	87.7%
Grade 7	3.2%	3.5%	5.7%	94.3%
Grade 8	3.3%	4.5%	7.3%	92.7%
Grade 9	7.4%	9.3%	12.0%	88.0%
Grade 10	10.9%	12.8%	17.8%	82.2%
Grade 11	9.8%	10.2%	14.2%	85.8%
Grade 12	11.6%	13.8%	19.1%	80.9%
Cocaine or Crack				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.3%	1.4%	98.6%
Grade 9	1.4%	1.4%	1.9%	98.1%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	1.8%	1.8%	1.9%	98.1%
Grade 12	0.8%	1.2%	2.5%	97.5%
Cocaine				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.1%	0.1%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	1.1%	1.1%	1.2%	98.8%
Grade 12	0.8%	0.8%	1.7%	98.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.4%	0.4%	0.8%	99.2%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.3%	0.3%	1.2%	98.8%
	Grade 9	1.4%	1.4%	1.9%	98.1%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.0%	0.4%	1.3%	98.7%
Hallucinogens	All	0.6%	1.0%	1.6%	98.4%
	Grade 7	0.1%	0.9%	1.0%	99.0%
	Grade 8	0.1%	0.3%	0.5%	99.5%
	Grade 9	0.5%	0.5%	0.9%	99.1%
	Grade 10	0.3%	0.5%	1.1%	98.9%
	Grade 11	1.5%	2.2%	3.5%	96.5%
	Grade 12	1.5%	2.0%	3.6%	96.4%
Synthetic Cathinones	All	0.1%	0.4%	0.5%	99.5%
	Grade 7	0.4%	0.4%	0.6%	99.4%
	Grade 8	0.0%	0.2%	0.2%	99.8%
	Grade 9	0.0%	1.4%	1.4%	98.6%
	Grade 10	0.0%	0.1%	0.7%	99.3%
	Grade 11	0.0%	0.3%	0.3%	99.7%
	Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids	All	0.2%	0.3%	1.2%	98.8%
	Grade 7	0.0%	0.0%	0.8%	99.2%
	Grade 8	0.4%	0.5%	1.0%	99.0%
	Grade 9	0.1%	0.1%	2.0%	98.0%
	Grade 10	0.1%	0.1%	0.8%	99.2%
	Grade 11	0.0%	0.4%	1.7%	98.3%
	Grade 12	0.4%	0.5%	1.7%	98.3%
Ecstasy	All	0.6%	0.7%	1.2%	98.8%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.6%	0.6%	1.0%	99.0%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.4%	0.5%	0.6%	99.4%
	Grade 11	2.3%	2.3%	3.6%	96.4%
	Grade 12	0.5%	0.6%	2.2%	97.8%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.3%	0.6%	0.9%	99.1%
Grade 7	0.8%	0.9%	1.3%	98.7%
Grade 8	0.2%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.1%	0.9%	1.3%	98.7%
Grade 11	0.4%	0.8%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.1%	99.9%
Methamphetamine				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.4%	0.5%	0.5%	99.5%
Grade 11	1.4%	1.4%	1.8%	98.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.7%	2.4%	3.4%	96.6%
Grade 7	0.8%	0.8%	2.0%	98.0%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	1.2%	1.4%	1.5%	98.5%
Grade 11	3.9%	5.7%	8.0%	92.0%
Grade 12	4.7%	8.0%	9.4%	90.6%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.0%	12.4%	21.8%	78.2%
Grade 7	6.0%	7.5%	14.5%	85.5%
Grade 8	8.2%	9.6%	17.0%	83.0%
Grade 9	9.2%	11.5%	22.9%	77.1%
Grade 10	11.9%	15.5%	24.2%	75.8%
Grade 11	13.1%	15.7%	26.7%	73.3%
Grade 12	13.0%	17.0%	28.9%	71.1%
Any Alcohol Product				
All	22.0%	26.2%	41.5%	58.5%
Grade 7	15.9%	18.3%	35.4%	64.6%
Grade 8	18.5%	22.0%	38.2%	61.8%
Grade 9	20.7%	24.2%	39.3%	60.7%
Grade 10	23.5%	28.2%	41.9%	58.1%
Grade 11	26.1%	32.7%	47.5%	52.5%
Grade 12	31.1%	36.2%	50.3%	49.7%
Any Illicit Drug				
All	11.7%	15.0%	19.5%	80.5%
Grade 7	5.3%	8.2%	9.8%	90.2%
Grade 8	7.5%	10.6%	13.1%	86.9%
Grade 9	10.4%	13.3%	17.8%	82.2%
Grade 10	15.5%	19.8%	24.2%	75.8%
Grade 11	16.7%	19.9%	26.6%	73.4%
Grade 12	18.0%	21.6%	30.4%	69.6%
Any Prescription Drug				
All	4.7%	6.5%	12.6%	87.4%
Grade 7	6.0%	8.0%	13.1%	86.9%
Grade 8	5.1%	7.4%	13.3%	86.7%
Grade 9	4.3%	6.0%	10.6%	89.4%
Grade 10	3.6%	4.3%	11.3%	88.7%
Grade 11	5.7%	7.7%	15.5%	84.5%
Grade 12	2.9%	5.2%	11.2%	88.8%
Any Inhalant				
All	4.6%	6.1%	11.2%	88.8%
Grade 7	6.7%	7.7%	13.4%	86.6%
Grade 8	5.5%	7.4%	12.5%	87.5%
Grade 9	3.7%	4.5%	10.3%	89.7%
Grade 10	4.5%	6.4%	11.1%	88.9%
Grade 11	3.9%	5.4%	10.9%	89.1%
Grade 12	2.4%	3.9%	7.8%	92.2%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.7%	10.5%	19.4%	80.6%
Grade 7	4.5%	6.1%	12.3%	87.7%
Grade 8	6.6%	8.4%	15.8%	84.2%
Grade 9	7.1%	9.8%	19.5%	80.5%
Grade 10	8.8%	12.5%	21.8%	78.2%
Grade 11	9.8%	13.2%	24.0%	76.0%
Grade 12	10.3%	14.7%	26.2%	73.8%
Marijuana				
All	10.5%	12.7%	17.1%	82.9%
Grade 7	4.1%	5.5%	6.5%	93.5%
Grade 8	6.8%	8.2%	10.7%	89.3%
Grade 9	8.7%	10.3%	14.6%	85.4%
Grade 10	13.9%	17.4%	21.6%	78.4%
Grade 11	15.5%	18.2%	25.1%	74.9%
Grade 12	17.3%	20.0%	29.6%	70.4%
Marijuana Only				
All	4.9%	6.3%	9.8%	90.2%
Grade 7	2.0%	3.2%	3.8%	96.2%
Grade 8	3.3%	4.4%	6.5%	93.5%
Grade 9	4.4%	5.4%	9.2%	90.8%
Grade 10	6.5%	8.6%	11.7%	88.3%
Grade 11	7.1%	8.9%	13.6%	86.4%
Grade 12	7.1%	8.6%	16.6%	83.4%
Cocaine or Crack				
All	1.1%	1.2%	1.7%	98.3%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	1.2%	1.2%	1.6%	98.4%
Grade 10	1.2%	1.2%	1.8%	98.2%
Grade 11	1.6%	1.7%	2.5%	97.5%
Grade 12	1.1%	1.3%	1.8%	98.2%
Cocaine				
All	0.9%	0.9%	1.4%	98.6%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	0.9%	0.9%	1.2%	98.8%
Grade 10	0.9%	0.9%	1.5%	98.5%
Grade 11	1.6%	1.7%	2.5%	97.5%
Grade 12	0.7%	0.8%	1.3%	98.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.5%	0.7%	99.3%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.8%	0.8%	1.2%	98.8%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.5%	0.6%	0.7%	99.3%
Hallucinogens				
All	0.9%	1.4%	2.9%	97.1%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.5%	0.7%	1.2%	98.8%
Grade 9	0.7%	1.2%	2.0%	98.0%
Grade 10	0.9%	1.8%	4.4%	95.6%
Grade 11	2.2%	3.4%	5.6%	94.4%
Grade 12	0.6%	1.2%	4.5%	95.5%
Synthetic Cathinones				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.6%	0.6%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.4%	0.4%	99.6%
Steroids				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.3%	0.5%	1.1%	98.9%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.1%	0.1%	0.6%	99.4%
Grade 10	0.1%	0.2%	1.1%	98.9%
Grade 11	0.1%	0.5%	0.9%	99.1%
Grade 12	0.1%	0.5%	1.1%	98.9%
Ecstasy				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.2%	0.6%	1.8%	98.2%
Grade 11	0.3%	0.4%	2.6%	97.4%
Grade 12	0.1%	0.3%	1.9%	98.1%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.5%	0.5%	0.5%	99.5%
Synthetic Marijuana				
All	1.1%	1.5%	2.5%	97.5%
Grade 7	0.8%	1.0%	1.5%	98.5%
Grade 8	1.0%	1.4%	2.2%	97.8%
Grade 9	1.5%	1.8%	3.0%	97.0%
Grade 10	0.6%	1.2%	2.0%	98.0%
Grade 11	1.7%	2.2%	3.7%	96.3%
Grade 12	0.9%	1.5%	2.7%	97.3%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.2%	0.5%	1.0%	99.0%
Grade 11	0.3%	0.6%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.2%	99.8%
Delta 8				
All	2.5%	3.4%	5.2%	94.8%
Grade 7	0.6%	1.0%	1.8%	98.2%
Grade 8	1.3%	2.0%	3.1%	96.9%
Grade 9	1.9%	2.5%	3.9%	96.1%
Grade 10	3.8%	4.9%	7.3%	92.7%
Grade 11	3.6%	5.3%	8.2%	91.8%
Grade 12	4.4%	5.9%	8.4%	91.6%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.6%	10.5%	17.6%	82.4%
Grade 7	2.2%	3.0%	7.6%	92.4%
Grade 8	3.2%	4.3%	8.8%	91.2%
Grade 9	6.2%	9.2%	14.1%	85.9%
Grade 10	8.7%	12.8%	21.2%	78.8%
Grade 11	11.8%	15.8%	24.9%	75.1%
Grade 12	13.6%	17.9%	29.1%	70.9%
Any Alcohol Product				
All	19.3%	23.5%	39.9%	60.1%
Grade 7	9.5%	11.5%	31.6%	68.4%
Grade 8	12.5%	14.5%	31.7%	68.3%
Grade 9	13.0%	16.6%	31.2%	68.8%
Grade 10	21.7%	26.7%	41.1%	58.9%
Grade 11	26.1%	32.1%	46.8%	53.2%
Grade 12	32.9%	39.7%	56.6%	43.4%
Any Illicit Drug				
All	7.3%	11.0%	15.1%	84.9%
Grade 7	2.1%	3.9%	5.2%	94.8%
Grade 8	2.7%	4.5%	6.0%	94.0%
Grade 9	4.9%	7.3%	10.0%	90.0%
Grade 10	9.0%	14.7%	19.0%	81.0%
Grade 11	10.3%	15.2%	21.6%	78.4%
Grade 12	14.6%	20.6%	29.0%	71.0%
Any Prescription Drug				
All	4.4%	5.9%	11.1%	88.9%
Grade 7	4.2%	5.9%	11.0%	89.0%
Grade 8	5.8%	7.4%	12.8%	87.2%
Grade 9	5.1%	6.2%	10.6%	89.4%
Grade 10	4.4%	5.4%	9.6%	90.4%
Grade 11	3.4%	5.1%	11.7%	88.3%
Grade 12	3.3%	5.4%	10.8%	89.2%
Any Inhalant				
All	2.7%	3.9%	8.6%	91.4%
Grade 7	4.4%	5.7%	10.0%	90.0%
Grade 8	3.1%	4.4%	9.0%	91.0%
Grade 9	2.3%	2.6%	9.0%	91.0%
Grade 10	2.8%	4.4%	10.2%	89.8%
Grade 11	2.0%	3.2%	6.7%	93.3%
Grade 12	1.8%	2.9%	7.2%	92.8%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.4%	9.3%	16.1%	83.9%
Grade 7	1.5%	2.4%	6.0%	94.0%
Grade 8	2.5%	3.7%	7.9%	92.1%
Grade 9	5.0%	8.0%	12.4%	87.6%
Grade 10	7.5%	11.8%	19.6%	80.4%
Grade 11	10.0%	13.9%	23.7%	76.3%
Grade 12	12.1%	16.4%	26.9%	73.1%
Marijuana				
All	6.5%	9.0%	13.1%	86.9%
Grade 7	1.4%	1.7%	2.6%	97.4%
Grade 8	2.4%	2.9%	4.4%	95.6%
Grade 9	4.7%	5.9%	8.1%	91.9%
Grade 10	7.4%	11.2%	16.3%	83.7%
Grade 11	9.5%	13.5%	19.2%	80.8%
Grade 12	13.8%	19.2%	28.0%	72.0%
Marijuana Only				
All	2.5%	4.0%	6.9%	93.1%
Grade 7	0.5%	0.7%	1.2%	98.8%
Grade 8	1.2%	1.5%	2.5%	97.5%
Grade 9	2.7%	3.6%	5.2%	94.8%
Grade 10	2.8%	5.2%	8.5%	91.5%
Grade 11	3.7%	6.1%	9.5%	90.5%
Grade 12	4.3%	7.0%	14.2%	85.8%
Cocaine or Crack				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.1%	0.4%	0.9%	99.1%
Grade 10	0.6%	1.0%	2.2%	97.8%
Grade 11	0.6%	0.7%	1.1%	98.9%
Grade 12	0.4%	0.8%	1.3%	98.7%
Cocaine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.2%	0.6%	1.4%	98.6%
Grade 11	0.6%	0.7%	1.1%	98.9%
Grade 12	0.3%	0.6%	1.1%	98.9%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.1%	0.3%	0.4%	99.6%
Grade 10	0.5%	0.6%	1.2%	98.8%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.3%	0.5%	0.7%	99.3%
Hallucinogens				
All	0.5%	0.9%	1.9%	98.1%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.4%	0.5%	0.9%	99.1%
Grade 10	0.5%	1.4%	2.7%	97.3%
Grade 11	1.0%	1.4%	2.8%	97.2%
Grade 12	0.7%	1.5%	3.9%	96.1%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.4%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.4%	0.4%	0.5%	99.5%
Steroids				
All	0.3%	0.3%	1.2%	98.8%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.3%	0.5%	1.2%	98.8%
Grade 9	0.1%	0.1%	1.2%	98.8%
Grade 10	0.1%	0.1%	1.5%	98.5%
Grade 11	0.4%	0.5%	1.2%	98.8%
Grade 12	0.6%	0.6%	1.0%	99.0%
Ecstasy				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.4%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.2%	0.3%	1.1%	98.9%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.4%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.4%	0.7%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.2%	0.2%	0.3%	99.7%
Synthetic Marijuana				
All	0.6%	1.0%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.6%	0.9%	99.1%
Grade 9	0.6%	0.7%	2.0%	98.0%
Grade 10	1.0%	1.3%	2.1%	97.9%
Grade 11	1.0%	1.3%	2.5%	97.5%
Grade 12	0.7%	2.0%	2.8%	97.2%
Methamphetamine				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.6%	99.4%
Grade 11	0.3%	0.5%	0.5%	99.5%
Grade 12	0.5%	0.5%	1.1%	98.9%
Delta 8				
All	2.0%	3.4%	5.1%	94.9%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.6%	1.0%	1.3%	98.7%
Grade 9	0.9%	1.2%	1.9%	98.1%
Grade 10	2.6%	3.5%	5.8%	94.2%
Grade 11	3.3%	5.7%	9.4%	90.6%
Grade 12	4.3%	8.1%	10.9%	89.1%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.5%	15.3%	24.9%	75.1%
Grade 7	5.7%	7.2%	14.9%	85.1%
Grade 8	9.6%	11.4%	20.0%	80.0%
Grade 9	11.8%	15.6%	27.0%	73.0%
Grade 10	14.4%	17.1%	26.5%	73.5%
Grade 11	17.5%	21.0%	32.7%	67.3%
Grade 12	19.7%	23.6%	33.3%	66.7%
Any Alcohol Product				
All	24.2%	28.2%	43.7%	56.3%
Grade 7	16.0%	18.1%	37.3%	62.7%
Grade 8	19.2%	22.6%	39.9%	60.1%
Grade 9	24.3%	27.6%	42.8%	57.2%
Grade 10	25.3%	29.0%	42.0%	58.0%
Grade 11	31.0%	37.9%	52.3%	47.7%
Grade 12	34.6%	40.3%	52.7%	47.3%
Any Illicit Drug				
All	13.8%	17.3%	22.0%	78.0%
Grade 7	5.7%	8.3%	10.4%	89.6%
Grade 8	7.5%	11.2%	13.8%	86.2%
Grade 9	12.7%	16.4%	21.2%	78.8%
Grade 10	17.3%	21.0%	26.2%	73.8%
Grade 11	21.5%	24.7%	32.5%	67.5%
Grade 12	23.5%	27.9%	34.9%	65.1%
Any Prescription Drug				
All	5.6%	7.9%	14.6%	85.4%
Grade 7	6.1%	8.1%	13.6%	86.4%
Grade 8	6.0%	8.4%	14.4%	85.6%
Grade 9	5.3%	7.7%	13.0%	87.0%
Grade 10	3.9%	5.2%	13.0%	87.0%
Grade 11	6.7%	9.8%	19.0%	81.0%
Grade 12	5.5%	8.2%	15.6%	84.4%
Any Inhalant				
All	4.9%	6.4%	12.1%	87.9%
Grade 7	6.8%	7.6%	14.3%	85.7%
Grade 8	5.5%	7.4%	12.9%	87.1%
Grade 9	3.9%	4.9%	10.6%	89.4%
Grade 10	4.3%	6.2%	11.1%	88.9%
Grade 11	4.8%	6.1%	13.0%	87.0%
Grade 12	3.4%	5.4%	9.8%	90.2%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.1%	12.5%	21.8%	78.2%
Grade 7	4.0%	5.5%	11.7%	88.3%
Grade 8	7.0%	9.5%	17.9%	82.1%
Grade 9	8.9%	13.3%	23.9%	76.1%
Grade 10	10.2%	13.5%	22.7%	77.3%
Grade 11	12.9%	17.1%	29.5%	70.5%
Grade 12	14.9%	19.7%	29.8%	70.2%
Marijuana				
All	12.6%	14.7%	19.1%	80.9%
Grade 7	4.6%	5.7%	7.0%	93.0%
Grade 8	6.7%	8.4%	11.0%	89.0%
Grade 9	10.0%	11.9%	17.2%	82.8%
Grade 10	16.2%	18.5%	23.5%	76.5%
Grade 11	20.2%	23.2%	30.6%	69.4%
Grade 12	22.8%	26.0%	32.9%	67.1%
Marijuana Only				
All	5.4%	6.6%	10.1%	89.9%
Grade 7	2.4%	3.2%	4.2%	95.8%
Grade 8	3.4%	4.5%	6.5%	93.5%
Grade 9	4.6%	5.6%	10.0%	90.0%
Grade 10	7.6%	9.0%	12.5%	87.5%
Grade 11	8.2%	9.9%	15.4%	84.6%
Grade 12	7.5%	9.4%	14.6%	85.4%
Cocaine or Crack				
All	1.3%	1.3%	1.8%	98.2%
Grade 7	0.9%	1.0%	1.1%	98.9%
Grade 8	0.7%	0.7%	1.3%	98.7%
Grade 9	1.6%	1.7%	2.0%	98.0%
Grade 10	0.8%	0.8%	1.2%	98.8%
Grade 11	2.1%	2.2%	3.0%	97.0%
Grade 12	1.7%	1.8%	2.9%	97.1%
Cocaine				
All	1.0%	1.0%	1.5%	98.5%
Grade 7	0.8%	0.8%	0.9%	99.1%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.8%	0.8%	1.1%	98.9%
Grade 10	0.8%	0.8%	1.2%	98.8%
Grade 11	1.8%	2.0%	2.8%	97.2%
Grade 12	1.4%	1.5%	2.4%	97.6%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.5%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	1.0%	1.0%	1.1%	98.9%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.7%	0.7%	0.9%	99.1%
Hallucinogens				
All	1.0%	1.8%	3.5%	96.5%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.5%	1.2%	2.2%	97.8%
Grade 10	1.3%	2.3%	4.4%	95.6%
Grade 11	2.2%	3.6%	6.2%	93.8%
Grade 12	1.8%	3.8%	8.0%	92.0%
Synthetic Cathinones				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.6%	0.7%	0.8%	99.2%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.2%	0.5%	0.7%	99.3%
Steroids				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.8%	0.9%	1.8%	98.2%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	0.1%	0.2%	0.9%	99.1%
Grade 11	0.1%	0.6%	1.8%	98.2%
Grade 12	0.3%	0.7%	1.6%	98.4%
Ecstasy				
All	0.4%	0.7%	1.6%	98.4%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.6%	0.8%	0.9%	99.1%
Grade 10	0.3%	0.6%	1.9%	98.1%
Grade 11	0.9%	1.1%	3.5%	96.5%
Grade 12	0.7%	1.1%	2.7%	97.3%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.4%	0.5%	0.5%	99.5%
Synthetic Marijuana				
All	1.3%	1.8%	2.9%	97.1%
Grade 7	1.0%	1.2%	1.7%	98.3%
Grade 8	0.8%	1.1%	1.8%	98.2%
Grade 9	1.5%	2.1%	3.2%	96.8%
Grade 10	1.5%	2.2%	3.2%	96.8%
Grade 11	1.5%	2.0%	4.1%	95.9%
Grade 12	1.5%	2.3%	4.2%	95.8%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.9%	99.1%
Grade 10	0.2%	0.4%	0.8%	99.2%
Grade 11	0.5%	0.7%	1.3%	98.7%
Grade 12	0.3%	0.4%	0.7%	99.3%
Delta 8				
All	3.5%	4.9%	7.0%	93.0%
Grade 7	0.6%	1.0%	2.0%	98.0%
Grade 8	1.3%	2.0%	3.2%	96.8%
Grade 9	2.8%	3.6%	5.9%	94.1%
Grade 10	4.7%	6.1%	8.4%	91.6%
Grade 11	5.3%	7.5%	11.2%	88.8%
Grade 12	8.2%	11.9%	15.0%	85.0%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.8%	11.0%	18.5%	81.5%
Grade 7	3.3%	4.4%	9.6%	90.4%
Grade 8	5.2%	6.7%	12.9%	87.1%
Grade 9	7.7%	9.9%	17.3%	82.7%
Grade 10	11.1%	14.2%	21.9%	78.1%
Grade 11	12.5%	15.7%	25.6%	74.4%
Grade 12	15.6%	18.3%	27.9%	72.1%
Any Alcohol Product				
All	20.7%	24.4%	39.2%	60.8%
Grade 7	12.5%	13.9%	32.4%	67.6%
Grade 8	15.7%	18.1%	34.9%	65.1%
Grade 9	17.0%	19.9%	34.3%	65.7%
Grade 10	24.3%	28.3%	39.3%	60.7%
Grade 11	26.6%	33.6%	46.7%	53.3%
Grade 12	32.4%	37.6%	51.3%	48.7%
Any Illicit Drug				
All	8.7%	12.1%	15.8%	84.2%
Grade 7	2.7%	5.0%	6.2%	93.8%
Grade 8	4.2%	6.6%	8.3%	91.7%
Grade 9	7.7%	10.1%	12.9%	87.1%
Grade 10	11.0%	15.6%	19.7%	80.3%
Grade 11	13.0%	17.5%	24.0%	76.0%
Grade 12	17.0%	21.8%	28.6%	71.4%
Any Prescription Drug				
All	4.9%	6.5%	12.2%	87.8%
Grade 7	4.9%	6.8%	11.7%	88.3%
Grade 8	6.3%	8.3%	13.5%	86.5%
Grade 9	4.6%	6.0%	11.1%	88.9%
Grade 10	4.7%	5.8%	11.3%	88.7%
Grade 11	4.5%	6.4%	13.8%	86.2%
Grade 12	3.8%	5.5%	11.5%	88.5%
Any Inhalant				
All	3.7%	4.9%	9.8%	90.2%
Grade 7	4.9%	5.7%	11.5%	88.5%
Grade 8	4.3%	5.8%	10.9%	89.1%
Grade 9	2.6%	3.5%	9.1%	90.9%
Grade 10	3.9%	5.5%	9.5%	90.5%
Grade 11	3.3%	4.7%	9.8%	90.2%
Grade 12	2.5%	3.6%	7.4%	92.6%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.5%	9.0%	16.5%	83.5%
Grade 7	2.0%	3.2%	7.7%	92.3%
Grade 8	3.8%	5.7%	11.6%	88.4%
Grade 9	5.9%	8.3%	15.1%	84.9%
Grade 10	8.3%	11.5%	19.0%	81.0%
Grade 11	9.5%	13.0%	23.7%	76.3%
Grade 12	11.8%	15.2%	25.4%	74.6%
Marijuana				
All	7.8%	9.9%	13.4%	86.6%
Grade 7	2.0%	2.6%	3.4%	96.6%
Grade 8	3.7%	4.4%	6.1%	93.9%
Grade 9	6.5%	7.8%	10.8%	89.2%
Grade 10	9.9%	12.8%	17.1%	82.9%
Grade 11	12.0%	15.6%	21.4%	78.6%
Grade 12	16.1%	20.1%	27.1%	72.9%
Marijuana Only				
All	3.3%	4.6%	7.2%	92.8%
Grade 7	1.0%	1.5%	2.0%	98.0%
Grade 8	2.0%	2.5%	3.7%	96.3%
Grade 9	4.0%	5.0%	7.5%	92.5%
Grade 10	3.9%	5.7%	8.2%	91.8%
Grade 11	4.6%	6.8%	10.9%	89.1%
Grade 12	5.0%	7.3%	12.9%	87.1%
Cocaine or Crack				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.8%	1.0%	1.1%	98.9%
Grade 10	0.5%	0.7%	1.2%	98.8%
Grade 11	0.6%	0.7%	1.4%	98.6%
Grade 12	1.1%	1.2%	2.0%	98.0%
Cocaine				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.5%	0.7%	1.0%	99.0%
Grade 11	0.6%	0.6%	1.3%	98.7%
Grade 12	0.7%	0.8%	1.6%	98.4%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.6%	0.7%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.6%	0.8%	0.9%	99.1%
Hallucinogens				
All	0.7%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	1.4%	2.0%	3.3%	96.7%
Grade 11	1.4%	1.8%	3.4%	96.6%
Grade 12	1.4%	2.5%	5.4%	94.6%
Synthetic Cathinones				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.3%	0.6%	0.7%	99.3%
Steroids				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.5%	0.6%	1.4%	98.6%
Grade 9	0.1%	0.3%	1.1%	98.9%
Grade 10	0.1%	0.2%	0.8%	99.2%
Grade 11	0.1%	0.4%	1.3%	98.7%
Grade 12	0.7%	1.0%	1.6%	98.4%
Ecstasy				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.1%	0.2%	1.2%	98.8%
Grade 11	0.3%	0.3%	1.2%	98.8%
Grade 12	0.3%	0.5%	1.4%	98.6%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
Synthetic Marijuana				
All	0.9%	1.2%	2.0%	98.0%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.8%	0.9%	1.2%	98.8%
Grade 10	1.6%	2.0%	2.9%	97.1%
Grade 11	1.5%	1.9%	3.7%	96.3%
Grade 12	1.0%	1.8%	2.7%	97.3%
Methamphetamine				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.8%	99.2%
Delta 8				
All	2.2%	3.4%	4.9%	95.1%
Grade 7	0.2%	0.5%	1.0%	99.0%
Grade 8	0.5%	1.0%	1.7%	98.3%
Grade 9	1.1%	1.6%	2.3%	97.7%
Grade 10	3.5%	4.5%	6.7%	93.3%
Grade 11	3.2%	5.4%	8.4%	91.6%
Grade 12	5.7%	9.3%	11.8%	88.2%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.0%	17.8%	28.9%	71.1%
Grade 7	6.9%	8.6%	18.2%	81.8%
Grade 8	10.9%	12.6%	21.6%	78.4%
Grade 9	12.1%	17.9%	30.6%	69.4%
Grade 10	14.9%	18.5%	29.8%	70.2%
Grade 11	20.5%	25.3%	37.9%	62.1%
Grade 12	20.3%	26.5%	38.5%	61.5%
Any Alcohol Product				
All	25.8%	30.7%	48.3%	51.7%
Grade 7	16.9%	20.3%	41.2%	58.8%
Grade 8	19.1%	23.4%	41.2%	58.8%
Grade 9	24.8%	29.1%	46.1%	53.9%
Grade 10	25.4%	29.6%	46.9%	53.1%
Grade 11	34.5%	40.3%	57.0%	43.0%
Grade 12	37.4%	45.2%	60.5%	39.5%
Any Illicit Drug				
All	15.9%	19.9%	25.9%	74.1%
Grade 7	7.9%	10.6%	13.8%	86.2%
Grade 8	8.6%	12.6%	15.9%	84.1%
Grade 9	12.4%	17.1%	23.7%	76.3%
Grade 10	19.9%	24.1%	30.1%	69.9%
Grade 11	24.3%	27.7%	36.0%	64.0%
Grade 12	24.3%	29.8%	39.5%	60.5%
Any Prescription Drug				
All	5.7%	8.4%	15.6%	84.4%
Grade 7	6.7%	8.7%	14.9%	85.1%
Grade 8	5.6%	7.9%	14.6%	85.4%
Grade 9	5.9%	8.9%	14.0%	86.0%
Grade 10	3.3%	4.9%	12.8%	87.2%
Grade 11	7.0%	10.8%	20.5%	79.5%
Grade 12	6.1%	9.7%	17.7%	82.3%
Any Inhalant				
All	4.7%	6.3%	12.4%	87.6%
Grade 7	7.6%	8.9%	15.1%	84.9%
Grade 8	5.1%	7.0%	12.4%	87.6%
Grade 9	4.6%	5.3%	11.5%	88.5%
Grade 10	3.5%	5.6%	12.8%	87.2%
Grade 11	4.2%	5.3%	11.5%	88.5%
Grade 12	2.9%	5.2%	10.9%	89.1%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.1%	15.4%	25.8%	74.2%
Grade 7	5.6%	7.2%	14.6%	85.4%
Grade 8	7.9%	10.3%	19.4%	80.6%
Grade 9	9.4%	15.8%	27.5%	72.5%
Grade 10	11.5%	16.0%	26.6%	73.4%
Grade 11	16.4%	21.8%	34.7%	65.3%
Grade 12	17.4%	23.9%	35.1%	64.9%
Marijuana				
All	14.6%	17.3%	23.1%	76.9%
Grade 7	6.5%	7.9%	9.9%	90.1%
Grade 8	7.9%	10.2%	13.5%	86.5%
Grade 9	10.0%	12.4%	18.7%	81.3%
Grade 10	18.4%	21.2%	27.4%	72.6%
Grade 11	23.1%	26.7%	34.8%	65.2%
Grade 12	23.9%	28.2%	38.0%	62.0%
Marijuana Only				
All	6.0%	7.5%	11.9%	88.1%
Grade 7	3.0%	4.0%	5.4%	94.6%
Grade 8	3.9%	5.5%	8.0%	92.0%
Grade 9	3.5%	4.8%	9.8%	90.2%
Grade 10	8.9%	10.8%	15.7%	84.3%
Grade 11	9.1%	10.7%	16.6%	83.4%
Grade 12	7.8%	9.8%	17.1%	82.9%
Cocaine or Crack				
All	1.4%	1.5%	2.3%	97.7%
Grade 7	1.3%	1.4%	1.9%	98.1%
Grade 8	0.6%	0.7%	1.4%	98.6%
Grade 9	1.1%	1.1%	2.2%	97.8%
Grade 10	1.0%	1.1%	2.0%	98.0%
Grade 11	2.9%	3.2%	3.9%	96.1%
Grade 12	1.5%	1.7%	2.6%	97.4%
Cocaine				
All	1.1%	1.2%	1.9%	98.1%
Grade 7	1.2%	1.3%	1.5%	98.5%
Grade 8	0.5%	0.5%	1.3%	98.7%
Grade 9	0.4%	0.5%	1.5%	98.5%
Grade 10	0.7%	0.7%	1.5%	98.5%
Grade 11	2.5%	2.9%	3.5%	96.5%
Grade 12	1.4%	1.6%	2.4%	97.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.6%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	0.7%	0.8%	1.0%	99.0%
Grade 11	0.8%	0.8%	0.9%	99.1%
Grade 12	0.3%	0.3%	0.6%	99.4%
Hallucinogens				
All	1.0%	2.1%	4.2%	95.8%
Grade 7	0.6%	0.7%	1.5%	98.5%
Grade 8	0.6%	0.7%	1.4%	98.6%
Grade 9	0.8%	1.7%	3.0%	97.0%
Grade 10	0.5%	1.8%	4.3%	95.7%
Grade 11	2.2%	4.3%	7.9%	92.1%
Grade 12	1.3%	3.6%	7.9%	92.1%
Synthetic Cathinones				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.5%	0.6%	99.4%
Grade 10	0.6%	0.7%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.4%	99.6%
Steroids				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.4%	0.6%	1.5%	98.5%
Grade 8	0.7%	1.0%	1.8%	98.2%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.1%	0.2%	1.6%	98.4%
Grade 11	0.4%	0.9%	2.0%	98.0%
Grade 12	0.1%	0.1%	0.9%	99.1%
Ecstasy				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	0.9%	1.3%	1.4%	98.6%
Grade 10	0.3%	0.7%	1.6%	98.4%
Grade 11	1.4%	1.7%	4.8%	95.2%
Grade 12	0.8%	1.1%	3.0%	97.0%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.2%	0.2%	1.2%	98.8%
Grade 9	0.7%	1.1%	1.4%	98.6%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.4%	0.4%	0.6%	99.4%
Synthetic Marijuana				
All	1.2%	1.9%	3.3%	96.7%
Grade 7	1.8%	1.9%	2.5%	97.5%
Grade 8	0.8%	1.4%	2.2%	97.8%
Grade 9	1.8%	2.6%	5.1%	94.9%
Grade 10	0.8%	1.7%	2.6%	97.4%
Grade 11	1.0%	1.5%	3.3%	96.7%
Grade 12	1.4%	2.6%	4.8%	95.2%
Methamphetamine				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.7%	0.7%	1.3%	98.7%
Grade 10	0.2%	0.5%	1.1%	98.9%
Grade 11	0.8%	1.3%	2.1%	97.9%
Grade 12	0.7%	1.0%	1.2%	98.8%
Delta 8				
All	4.5%	6.1%	9.0%	91.0%
Grade 7	1.5%	1.9%	3.4%	96.6%
Grade 8	1.9%	2.6%	4.1%	95.9%
Grade 9	3.6%	4.4%	7.7%	92.3%
Grade 10	5.2%	6.7%	9.1%	90.9%
Grade 11	7.3%	10.1%	15.4%	84.6%
Grade 12	8.4%	12.6%	16.3%	83.7%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.8%	11.3%	19.7%	80.3%
Grade 7	3.2%	4.3%	10.3%	89.7%
Grade 8	5.5%	6.7%	13.3%	86.7%
Grade 9	7.1%	10.5%	19.2%	80.8%
Grade 10	10.9%	13.8%	22.6%	77.4%
Grade 11	13.0%	16.6%	26.9%	73.1%
Grade 12	15.8%	19.7%	30.6%	69.4%
Any Alcohol Product				
All	20.7%	24.5%	40.8%	59.2%
Grade 7	11.6%	13.5%	33.3%	66.7%
Grade 8	14.6%	17.4%	34.5%	65.5%
Grade 9	17.8%	20.7%	36.3%	63.7%
Grade 10	23.1%	27.2%	41.4%	58.6%
Grade 11	28.5%	34.5%	49.0%	51.0%
Grade 12	33.8%	39.9%	55.5%	44.5%
Any Illicit Drug				
All	9.4%	12.7%	17.0%	83.0%
Grade 7	3.1%	4.9%	6.6%	93.4%
Grade 8	4.3%	6.9%	8.8%	91.2%
Grade 9	7.4%	10.4%	13.9%	86.1%
Grade 10	12.6%	16.8%	21.9%	78.1%
Grade 11	14.5%	18.3%	25.3%	74.7%
Grade 12	17.7%	23.1%	31.1%	68.9%
Any Prescription Drug				
All	4.6%	6.4%	12.3%	87.7%
Grade 7	5.1%	6.8%	11.7%	88.3%
Grade 8	5.3%	7.0%	12.6%	87.4%
Grade 9	4.5%	6.5%	11.6%	88.4%
Grade 10	3.6%	5.0%	11.4%	88.6%
Grade 11	5.2%	7.1%	14.5%	85.5%
Grade 12	3.3%	5.6%	12.1%	87.9%
Any Inhalant				
All	3.3%	4.4%	9.2%	90.8%
Grade 7	4.7%	5.4%	10.8%	89.2%
Grade 8	3.9%	5.2%	9.4%	90.6%
Grade 9	2.5%	3.2%	8.6%	91.4%
Grade 10	3.2%	4.8%	10.0%	90.0%
Grade 11	3.0%	4.3%	9.0%	91.0%
Grade 12	1.9%	3.2%	6.9%	93.1%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.8%	9.5%	17.4%	82.6%
Grade 7	2.1%	3.1%	7.8%	92.2%
Grade 8	3.9%	5.4%	11.9%	88.1%
Grade 9	5.3%	8.9%	16.8%	83.2%
Grade 10	8.1%	11.5%	19.9%	80.1%
Grade 11	10.6%	14.4%	24.7%	75.3%
Grade 12	12.9%	17.1%	27.9%	72.1%
Marijuana				
All	8.5%	10.6%	14.6%	85.4%
Grade 7	2.5%	3.0%	3.9%	96.1%
Grade 8	3.8%	5.0%	6.8%	93.2%
Grade 9	6.0%	7.7%	11.1%	88.9%
Grade 10	11.3%	14.0%	19.0%	81.0%
Grade 11	13.8%	16.6%	23.0%	77.0%
Grade 12	17.2%	21.4%	29.4%	70.6%
Marijuana Only				
All	3.8%	5.1%	8.2%	91.8%
Grade 7	1.1%	1.4%	2.1%	97.9%
Grade 8	2.1%	3.1%	4.6%	95.4%
Grade 9	3.1%	4.3%	7.2%	92.8%
Grade 10	5.2%	7.0%	10.6%	89.4%
Grade 11	5.9%	7.5%	12.4%	87.6%
Grade 12	6.4%	8.7%	15.2%	84.8%
Cocaine or Crack				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.6%	0.7%	1.0%	99.0%
Grade 10	0.9%	0.9%	1.5%	98.5%
Grade 11	0.8%	0.9%	1.5%	98.5%
Grade 12	0.7%	0.9%	1.5%	98.5%
Cocaine				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.1%	0.5%	99.5%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.8%	0.9%	1.5%	98.5%
Grade 12	0.5%	0.7%	1.3%	98.7%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.4%	0.4%	99.6%
Hallucinogens				
All	0.5%	1.1%	2.3%	97.7%
Grade 7	0.3%	0.5%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.3%	0.5%	1.2%	98.8%
Grade 10	0.6%	1.2%	3.2%	96.8%
Grade 11	1.1%	2.0%	3.7%	96.3%
Grade 12	0.9%	2.3%	5.2%	94.8%
Synthetic Cathinones				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.4%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.3%	99.7%
Steroids				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	0.5%	0.6%	1.3%	98.7%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.1%	0.1%	1.1%	98.9%
Grade 11	0.2%	0.3%	1.3%	98.7%
Grade 12	0.2%	0.2%	0.7%	99.3%
Ecstasy				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.4%	0.5%	99.5%
Grade 10	0.2%	0.4%	1.2%	98.8%
Grade 11	0.3%	0.4%	1.7%	98.3%
Grade 12	0.3%	0.5%	1.6%	98.4%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.1%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.3%	0.3%	0.3%	99.7%
Synthetic Marijuana				
All	0.8%	1.2%	2.0%	98.0%
Grade 7	0.6%	0.7%	1.1%	98.9%
Grade 8	0.4%	0.7%	1.1%	98.9%
Grade 9	1.0%	1.3%	1.8%	98.2%
Grade 10	0.9%	1.5%	2.4%	97.6%
Grade 11	1.0%	1.3%	2.8%	97.2%
Grade 12	0.8%	1.8%	3.1%	96.9%
Methamphetamine				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.3%	0.5%	0.7%	99.3%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.5%	99.5%
Delta 8				
All	2.4%	3.5%	5.3%	94.7%
Grade 7	0.4%	0.7%	1.3%	98.7%
Grade 8	0.7%	1.0%	1.9%	98.1%
Grade 9	1.6%	2.1%	3.4%	96.6%
Grade 10	3.8%	4.7%	6.8%	93.2%
Grade 11	3.5%	5.9%	8.8%	91.2%
Grade 12	5.7%	8.7%	12.2%	87.8%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.9%	21.3%	31.3%	68.7%
Grade 7	11.4%	14.3%	24.5%	75.5%
Grade 8	15.5%	18.4%	27.2%	72.8%
Grade 9	17.8%	21.6%	31.1%	68.9%
Grade 10	17.7%	21.7%	30.9%	69.1%
Grade 11	22.9%	26.9%	40.0%	60.0%
Grade 12	22.1%	25.2%	34.5%	65.5%
Any Alcohol Product				
All	29.5%	34.8%	48.6%	51.4%
Grade 7	24.8%	27.9%	45.0%	55.0%
Grade 8	26.3%	31.2%	47.8%	52.2%
Grade 9	29.1%	34.3%	47.7%	52.3%
Grade 10	27.6%	33.1%	44.8%	55.2%
Grade 11	34.8%	42.5%	56.3%	43.7%
Grade 12	35.2%	40.9%	51.1%	48.9%
Any Illicit Drug				
All	18.5%	23.9%	27.6%	72.4%
Grade 7	11.1%	16.7%	20.0%	80.0%
Grade 8	12.1%	18.1%	21.0%	79.0%
Grade 9	17.2%	22.4%	26.4%	73.6%
Grade 10	19.3%	25.5%	28.3%	71.7%
Grade 11	26.2%	31.3%	36.0%	64.0%
Grade 12	26.2%	30.4%	35.1%	64.9%
Any Prescription Drug				
All	7.7%	10.2%	17.0%	83.0%
Grade 7	8.9%	11.6%	18.8%	81.2%
Grade 8	9.6%	12.8%	18.8%	81.2%
Grade 9	7.1%	8.3%	11.7%	88.3%
Grade 10	5.4%	6.3%	12.8%	87.2%
Grade 11	5.8%	10.2%	21.5%	78.5%
Grade 12	9.3%	12.9%	20.0%	80.0%
Any Inhalant				
All	6.1%	8.5%	15.7%	84.3%
Grade 7	11.4%	14.0%	21.9%	78.1%
Grade 8	7.3%	10.5%	18.9%	81.1%
Grade 9	5.6%	6.4%	13.1%	86.9%
Grade 10	3.9%	6.6%	12.4%	87.6%
Grade 11	4.3%	5.8%	15.5%	84.5%
Grade 12	4.6%	8.1%	13.5%	86.5%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.6%	18.0%	28.4%	71.6%
Grade 7	8.6%	12.0%	20.7%	79.3%
Grade 8	12.3%	16.3%	24.9%	75.1%
Grade 9	14.4%	18.9%	29.3%	70.7%
Grade 10	14.2%	18.2%	27.0%	73.0%
Grade 11	15.1%	20.6%	37.2%	62.8%
Grade 12	17.2%	22.2%	31.9%	68.1%
Marijuana				
All	16.6%	20.2%	24.1%	75.9%
Grade 7	8.1%	10.8%	13.3%	86.7%
Grade 8	11.3%	13.1%	16.4%	83.6%
Grade 9	14.7%	16.9%	21.2%	78.8%
Grade 10	18.0%	22.3%	26.4%	73.6%
Grade 11	22.9%	30.0%	34.2%	65.8%
Grade 12	25.3%	29.4%	34.2%	65.8%
Marijuana Only				
All	6.4%	8.4%	11.0%	89.0%
Grade 7	5.1%	7.5%	9.3%	90.7%
Grade 8	5.0%	5.6%	7.4%	92.6%
Grade 9	7.0%	8.2%	11.7%	88.3%
Grade 10	6.9%	9.6%	11.2%	88.8%
Grade 11	6.5%	9.8%	12.5%	87.5%
Grade 12	7.9%	9.9%	14.3%	85.7%
Cocaine or Crack				
All	1.9%	2.1%	3.2%	96.8%
Grade 7	2.2%	2.3%	3.0%	97.0%
Grade 8	1.1%	1.3%	2.8%	97.2%
Grade 9	2.5%	3.0%	3.9%	96.1%
Grade 10	0.3%	0.3%	1.3%	98.7%
Grade 11	3.7%	3.9%	5.1%	94.9%
Grade 12	2.0%	2.2%	3.4%	96.6%
Cocaine				
All	1.6%	1.7%	2.7%	97.3%
Grade 7	2.1%	2.2%	2.3%	97.7%
Grade 8	1.0%	1.1%	2.5%	97.5%
Grade 9	2.0%	2.0%	2.9%	97.1%
Grade 10	0.2%	0.3%	1.2%	98.8%
Grade 11	2.7%	2.9%	4.1%	95.9%
Grade 12	1.8%	2.0%	3.2%	96.8%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	1.0%	1.0%	1.6%	98.4%
Grade 8	0.3%	0.5%	1.2%	98.8%
Grade 9	0.5%	1.0%	1.1%	98.9%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	1.1%	1.1%	1.2%	98.8%
Grade 12	0.7%	0.7%	1.2%	98.8%
Hallucinogens				
All	1.6%	2.5%	5.0%	95.0%
Grade 7	0.4%	0.4%	2.3%	97.7%
Grade 8	0.6%	0.8%	1.4%	98.6%
Grade 9	0.9%	1.6%	3.1%	96.9%
Grade 10	2.0%	3.9%	5.6%	94.4%
Grade 11	2.7%	3.8%	9.4%	90.6%
Grade 12	2.9%	4.3%	8.6%	91.4%
Synthetic Cathinones				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.1%	1.1%	98.9%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.1%	0.4%	99.6%
Grade 10	0.2%	0.3%	0.3%	99.7%
Grade 11	0.5%	0.8%	1.7%	98.3%
Grade 12	0.5%	0.5%	0.5%	99.5%
Steroids				
All	0.6%	1.1%	2.3%	97.7%
Grade 7	1.0%	1.0%	2.1%	97.9%
Grade 8	1.2%	1.5%	2.9%	97.1%
Grade 9	0.1%	0.9%	2.3%	97.7%
Grade 10	0.2%	0.4%	1.3%	98.7%
Grade 11	0.2%	2.2%	3.0%	97.0%
Grade 12	0.6%	0.6%	2.4%	97.6%
Ecstasy				
All	0.8%	1.1%	2.6%	97.4%
Grade 7	0.1%	0.3%	1.1%	98.9%
Grade 8	0.5%	0.5%	1.4%	98.6%
Grade 9	1.4%	1.8%	1.9%	98.1%
Grade 10	0.3%	0.6%	2.4%	97.6%
Grade 11	1.7%	1.9%	6.1%	93.9%
Grade 12	1.0%	1.3%	3.0%	97.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.2%	1.1%	1.2%	98.8%
Grade 8	0.2%	0.2%	1.1%	98.9%
Grade 9	0.8%	0.8%	0.9%	99.1%
Grade 10	0.4%	0.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.1%	0.1%	0.2%	99.8%
Synthetic Marijuana				
All	2.1%	2.8%	4.5%	95.5%
Grade 7	1.2%	1.4%	2.0%	98.0%
Grade 8	1.9%	2.4%	3.5%	96.5%
Grade 9	1.9%	2.5%	4.9%	95.1%
Grade 10	3.1%	3.9%	5.0%	95.0%
Grade 11	2.3%	3.6%	7.0%	93.0%
Grade 12	1.9%	2.8%	4.7%	95.3%
Methamphetamine				
All	0.9%	1.1%	1.9%	98.1%
Grade 7	1.7%	1.7%	1.9%	98.1%
Grade 8	0.0%	0.1%	1.1%	98.9%
Grade 9	0.8%	0.9%	2.1%	97.9%
Grade 10	0.5%	0.6%	1.1%	98.9%
Grade 11	1.3%	2.1%	3.4%	96.6%
Grade 12	1.2%	1.6%	2.3%	97.7%
Delta 8				
All	5.3%	7.2%	9.9%	90.1%
Grade 7	1.2%	1.6%	3.3%	96.7%
Grade 8	2.4%	3.5%	5.3%	94.7%
Grade 9	3.3%	4.1%	7.5%	92.5%
Grade 10	6.9%	8.3%	10.9%	89.1%
Grade 11	9.5%	12.1%	17.0%	83.0%
Grade 12	9.2%	14.3%	16.4%	83.6%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	975,862	49.5%
Female	997,105	50.5%
Frequency Missing	18,556	

Hispanic or Latino

Q5a	Frequency	Percent
No	1,041,151	53.1%
Yes	921,252	46.9%
Frequency Missing	29,120	

Grade

Q2	Frequency	Percent
Grade 7	364,954	18.4%
Grade 8	370,807	18.7%
Grade 9	323,357	16.3%
Grade 10	326,942	16.5%
Grade 11	314,528	15.8%
Grade 12	286,546	14.4%
Frequency Missing	4,389	

Ethnicity

Q5b	Frequency	Percent
American Indian	38,162	2.0%
Asian American	53,932	2.9%
African American	286,271	15.2%
Pacific Islander	10,652	0.6%
White	827,629	43.9%
Other	416,433	22.1%
More Than One Race	251,941	13.4%
Frequency Missing	106,503	

Live with Both Parents

Q3	Frequency	Percent
No	732,058	37.1%
Yes	1,240,874	62.9%
Frequency Missing	18,592	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	9,578	0.5%
Mostly D's	23,924	1.2%
Mostly C's	233,284	12.2%
Mostly B's	932,421	48.6%
Mostly A's	717,748	37.4%
Frequency Missing	74,569	

Age

Q4	Frequency	Percent
11 or younger	2,087	0.1%
12	147,178	7.4%
13	351,305	17.7%
14	324,055	16.3%
15	319,412	16.1%
16	329,287	16.6%
17	311,476	15.7%
18	184,142	9.3%
19 or older	18,434	0.9%
Frequency Missing	4,149	

Do You Have a Job

Q7	Frequency	Percent
No	1,490,530	77.5%
Yes	433,136	22.5%
Frequency Missing	67,858	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	352,187	18.4%
Yes	869,030	45.4%
Don't Know	693,140	36.2%
Frequency Missing	77,166	

**Participate in School Athletics (UIL, Varsity,
Jr Varsity)**

Q9a	Frequency	Percent
No	997,514	54.6%
Yes	830,736	45.4%
Frequency Missing	163,273	

**Participate in Academic
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	1,411,767	81.9%
Yes	311,109	18.1%
Frequency Missing	268,647	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	1,450,018	83.6%
Yes	285,331	16.4%
Frequency Missing	256,174	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	1,324,064	76.9%
Yes	398,108	23.1%
Frequency Missing	269,350	

Participate in School Choir

Q9c	Frequency	Percent
No	1,575,932	92.2%
Yes	134,220	7.8%
Frequency Missing	281,371	

**Participate in Athletic Teams Outside of
School**

Q9h	Frequency	Percent
No	1,242,047	70.9%
Yes	510,200	29.1%
Frequency Missing	239,277	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	1,602,015	93.9%
Yes	104,311	6.1%
Frequency Missing	285,197	

**Participate in Other Clubs or Groups
Outside of School**

Q9i	Frequency	Percent
No	1,384,193	80.7%
Yes	330,148	19.3%
Frequency Missing	277,183	

**Participate in Student Government/School
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	1,597,353	94.2%
Yes	97,700	5.8%
Frequency Missing	296,470	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	1,681,325	85.0%
Somewhat Safe	251,298	12.7%
Not Very Safe	21,477	1.1%
Not Safe At All	5,314	0.3%
Don't Know	19,164	1.0%
Frequency Missing	12,946	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	860,206	43.7%
Somewhat Safe	913,175	46.4%
Not Very Safe	112,640	5.7%
Not Safe At All	25,717	1.3%
Don't Know	56,381	2.9%
Frequency Missing	23,404	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	618,055	31.4%
Somewhat Safe	998,275	50.7%
Not Very Safe	195,053	9.9%
Not Safe At All	70,022	3.6%
Don't Know	86,376	4.4%
Frequency Missing	23,743	

**Highest Level of Schooling Completed by
Father**

Q11a	Frequency	Percent
Grade School or Less	167,165	8.8%
Some High School	215,927	11.3%
Finished High School	393,449	20.6%
Some College	186,167	9.8%
Finished College	333,526	17.5%
Post-Secondary	221,072	11.6%
Don't Know or N/A	389,177	20.4%
Frequency Missing	85,040	

**Highest Level of Schooling Completed by
Mother**

Q11b	Frequency	Percent
Grade School or Less	166,880	8.7%
Some High School	171,503	9.0%
Finished High School	348,035	18.2%
Some College	236,553	12.4%
Finished College	434,344	22.7%
Post-Secondary	283,021	14.8%
Don't Know or N/A	273,721	14.3%
Frequency Missing	77,466	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	1,240,844	65.2%
Yes	663,594	34.8%
Frequency Missing	87,084	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	129,509	6.7%
A Few	439,940	22.8%
Some	469,317	24.3%
Most	638,023	33.0%
All	255,724	13.2%
Frequency Missing	59,010	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	49,965	2.6%
A Few	256,242	13.3%
Some	480,196	24.9%
Most	790,476	40.9%
All	354,711	18.4%
Frequency Missing	59,934	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	823,186	43.1%
A Few	564,576	29.5%
Some	299,106	15.6%
Most	148,253	7.8%
All	76,501	4.0%
Frequency Missing	79,900	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	1,558,726	81.2%
A Few	223,288	11.6%
Some	84,100	4.4%
Most	34,321	1.8%
All	19,123	1.0%
Frequency Missing	71,964	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	1,909,451	99.2%
In Your Lifetime	7,989	0.4%
Since School Began	2,247	0.1%
In the Past Month	5,286	0.3%
Frequency Missing	66,550	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	1,719,175	89.3%
A Few	136,776	7.1%
Some	38,291	2.0%
Most	15,126	0.8%
All	15,586	0.8%
Frequency Missing	66,568	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	1,838,919	95.3%
In Your Lifetime	59,491	3.1%
Since School Began	9,717	0.5%
In the Past Month	21,931	1.1%
Frequency Missing	61,465	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	1,900,182	98.2%
In Your Lifetime	22,726	1.2%
Since School Began	4,123	0.2%
In the Past Month	7,935	0.4%
Frequency Missing	56,557	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	1,906,424	98.8%
In Your Lifetime	13,756	0.7%
Since School Began	2,392	0.1%
In the Past Month	6,409	0.3%
Frequency Missing	62,542	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	1,857,095	96.1%
In Your Lifetime	50,800	2.6%
Since School Began	8,150	0.4%
In the Past Month	15,587	0.8%
Frequency Missing	59,891	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	1,907,878	99.0%
In Your Lifetime	10,388	0.5%
Since School Began	3,415	0.2%
In the Past Month	5,977	0.3%
Frequency Missing	63,865	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	1,884,424	97.7%
In Your Lifetime	25,409	1.3%
Since School Began	5,404	0.3%
In the Past Month	13,991	0.7%
Frequency Missing	62,296	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	1,406,275	73.3%
In Your Lifetime	278,363	14.5%
Since School Began	89,267	4.7%
In the Past Month	145,412	7.6%
Frequency Missing	72,207	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	1,900,580	98.5%
In Your Lifetime	15,303	0.8%
Since School Began	2,458	0.1%
In the Past Month	10,492	0.5%
Frequency Missing	62,689	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	1,516,192	78.8%
In Your Lifetime	186,812	9.7%
Since School Began	81,248	4.2%
In the Past Month	140,357	7.3%
Frequency Missing	66,913	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	1,783,810	92.1%
In Your Lifetime	101,640	5.2%
Since School Began	24,317	1.3%
In the Past Month	26,643	1.4%
Frequency Missing	55,113	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	1,485,019	77.6%
In Your Lifetime	263,163	13.7%
Since School Began	71,123	3.7%
In the Past Month	95,549	5.0%
Frequency Missing	76,669	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	1,845,811	95.7%
In Your Lifetime	45,726	2.4%
Since School Began	10,422	0.5%
In the Past Month	26,601	1.4%
Frequency Missing	62,964	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	1,449,957	75.5%
In Your Lifetime	216,550	11.3%
Since School Began	92,908	4.8%
In the Past Month	161,556	8.4%
Frequency Missing	70,552	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	1,870,653	97.0%
In Your Lifetime	36,583	1.9%
Since School Began	7,136	0.4%
In the Past Month	14,737	0.8%
Frequency Missing	62,414	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	1,548,408	80.1%
In Your Lifetime	163,894	8.5%
Since School Began	61,741	3.2%
In the Past Month	158,868	8.2%
Frequency Missing	58,612	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	1,875,614	97.1%
In Your Lifetime	28,047	1.5%
Since School Began	12,364	0.6%
In the Past Month	15,785	0.8%
Frequency Missing	59,713	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	1,635,756	84.6%
In Your Lifetime	132,935	6.9%
Since School Began	52,703	2.7%
In the Past Month	113,204	5.9%
Frequency Missing	56,925	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	1,922,496	99.5%
In Your Lifetime	4,025	0.2%
Since School Began	1,685	0.1%
In the Past Month	4,013	0.2%
Frequency Missing	59,304	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	1,915,125	99.0%
In Your Lifetime	10,258	0.5%
Since School Began	3,307	0.2%
In the Past Month	5,234	0.3%
Frequency Missing	57,598	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	1,911,928	99.1%
In Your Lifetime	10,126	0.5%
Since School Began	4,003	0.2%
In the Past Month	4,163	0.2%
Frequency Missing	61,303	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	1,922,949	99.6%
In Your Lifetime	3,558	0.2%
Since School Began	822	0.0%
In the Past Month	2,945	0.2%
Frequency Missing	61,250	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	1,909,051	98.9%
In Your Lifetime	12,628	0.7%
Since School Began	2,974	0.2%
In the Past Month	5,190	0.3%
Frequency Missing	61,680	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	1,924,058	99.6%
In Your Lifetime	4,575	0.2%
Since School Began	1,265	0.1%
In the Past Month	1,933	0.1%
Frequency Missing	59,693	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	1,756,952	91.7%
In Your Lifetime	85,764	4.5%
Since School Began	26,185	1.4%
In the Past Month	46,064	2.4%
Frequency Missing	76,557	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	1,919,481	99.5%
In Your Lifetime	4,835	0.3%
Since School Began	1,926	0.1%
In the Past Month	3,789	0.2%
Frequency Missing	61,492	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	1,869,552	97.7%
In Your Lifetime	26,485	1.4%
Since School Began	6,191	0.3%
In the Past Month	10,435	0.5%
Frequency Missing	78,861	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	1,893,302	98.0%
In Your Lifetime	17,516	0.9%
Since School Began	7,164	0.4%
In the Past Month	13,313	0.7%
Frequency Missing	60,228	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	1,857,700	97.3%
In Your Lifetime	29,891	1.6%
Since School Began	8,979	0.5%
In the Past Month	12,858	0.7%
Frequency Missing	82,094	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	1,816,015	94.1%
In Your Lifetime	39,351	2.0%
Since School Began	26,379	1.4%
In the Past Month	47,905	2.5%
Frequency Missing	61,873	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	1,837,475	96.4%
In Your Lifetime	31,423	1.6%
Since School Began	12,188	0.6%
In the Past Month	25,547	1.3%
Frequency Missing	84,891	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	1,781,655	93.6%
In Your Lifetime	61,247	3.2%
Since School Began	15,130	0.8%
In the Past Month	45,417	2.4%
Frequency Missing	88,074	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	1,879,216	98.5%
1-2 times	19,781	1.0%
3-10 times	6,068	0.3%
11+ times	3,564	0.2%
Frequency Missing	82,894	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	1,860,049	97.6%
In Your Lifetime	22,980	1.2%
Since School Began	6,765	0.4%
In the Past Month	15,124	0.8%
Frequency Missing	86,606	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	1,723,237	90.2%
1-2 times	82,131	4.3%
3-10 times	45,546	2.4%
11+ times	59,508	3.1%
Frequency Missing	81,101	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	1,816,616	95.0%
1-2 times	43,934	2.3%
3-10 times	17,961	0.9%
11+ times	34,118	1.8%
Frequency Missing	78,895	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	1,898,148	99.4%
1-2 times	7,460	0.4%
3-10 times	2,663	0.1%
11+ times	1,482	0.1%
Frequency Missing	81,770	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	1,532,264	80.4%
1-2 times	237,972	12.5%
3-10 times	95,438	5.0%
11+ times	40,912	2.1%
Frequency Missing	84,938	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	1,899,810	99.7%
1-2 times	3,748	0.2%
3-10 times	413	0.0%
11+ times	824	0.0%
Frequency Missing	86,727	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	1,570,129	82.4%
A few	208,931	11.0%
Some	68,494	3.6%
Most	42,763	2.2%
All	15,026	0.8%
Frequency Missing	86,180	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	1,180,520	62.0%
A few	363,203	19.1%
Some	180,766	9.5%
Most	134,457	7.1%
All	44,661	2.3%
Frequency Missing	87,917	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	1,790,487	94.3%
A few	76,077	4.0%
Some	20,560	1.1%
Most	8,901	0.5%
All	3,620	0.2%
Frequency Missing	91,878	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	1,354,028	71.3%
A few	255,798	13.5%
Some	133,541	7.0%
Most	118,897	6.3%
All	37,566	2.0%
Frequency Missing	91,693	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	1,729,136	91.0%
8 or younger	14,891	0.8%
9 years old	8,181	0.4%
10 years old	9,858	0.5%
11 years old	13,766	0.7%
12 years old	18,134	1.0%
13 years old	24,797	1.3%
14 years old	27,110	1.4%
15 years old	27,318	1.4%
16 years old	16,583	0.9%
17 years old	7,332	0.4%
18 or older	2,663	0.1%
Frequency Missing	91,754	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	1,268,146	67.0%
8 or younger	82,035	4.3%
9 years old	28,336	1.5%
10 years old	36,371	1.9%
11 years old	43,526	2.3%
12 years old	66,876	3.5%
13 years old	87,576	4.6%
14 years old	88,433	4.7%
15 years old	89,008	4.7%
16 years old	58,903	3.1%
17 years old	31,344	1.7%
18 or older	11,893	0.6%
Frequency Missing	99,076	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	1,839,405	97.2%
8 or younger	12,183	0.6%
9 years old	3,330	0.2%
10 years old	6,111	0.3%
11 years old	4,022	0.2%
12 years old	8,900	0.5%
13 years old	7,415	0.4%
14 years old	3,849	0.2%
15 years old	4,263	0.2%
16 years old	1,895	0.1%
17 years old	1,167	0.1%
18 or older	255	0.0%
Frequency Missing	98,728	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	1,615,485	85.2%
8 or younger	5,400	0.3%
9 years old	4,324	0.2%
10 years old	7,853	0.4%
11 years old	11,141	0.6%
12 years old	27,102	1.4%
13 years old	40,665	2.1%
14 years old	59,941	3.2%
15 years old	57,112	3.0%
16 years old	42,331	2.2%
17 years old	19,214	1.0%
18 or older	6,281	0.3%
Frequency Missing	94,674	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	1,881,379	99.1%
8 or younger	853	0.0%
9 years old	292	0.0%
10 years old	573	0.0%
11 years old	886	0.0%
12 years old	563	0.0%
13 years old	2,065	0.1%
14 years old	1,722	0.1%
15 years old	3,477	0.2%
16 years old	2,474	0.1%
17 years old	2,603	0.1%
18 or older	829	0.0%
Frequency Missing	93,808	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	1,873,789	99.0%
8 or younger	29	0.0%
9 years old	279	0.0%
10 years old	203	0.0%
11 years old	867	0.0%
12 years old	1,779	0.1%
13 years old	1,899	0.1%
14 years old	2,676	0.1%
15 years old	5,275	0.3%
16 years old	2,726	0.1%
17 years old	2,167	0.1%
18 or older	199	0.0%
Frequency Missing	99,636	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	1,892,932	99.8%
8 or younger	1,062	0.1%
9 years old	0	0.0%
10 years old	258	0.0%
11 years old	205	0.0%
12 years old	284	0.0%
13 years old	231	0.0%
14 years old	789	0.0%
15 years old	461	0.0%
16 years old	350	0.0%
17 years old	140	0.0%
Frequency Missing	94,812	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	1,891,825	99.8%
8 or younger	571	0.0%
9 years old	12	0.0%
10 years old	75	0.0%
11 years old	536	0.0%
12 years old	616	0.0%
13 years old	1,047	0.1%
14 years old	577	0.0%
15 years old	481	0.0%
16 years old	573	0.0%
17 years old	24	0.0%
Frequency Missing	95,187	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	1,878,319	99.1%
8 or younger	2,489	0.1%
9 years old	1,569	0.1%
10 years old	1,149	0.1%
11 years old	876	0.0%
12 years old	2,895	0.2%
13 years old	2,250	0.1%
14 years old	1,669	0.1%
15 years old	2,273	0.1%
16 years old	1,016	0.1%
17 years old	690	0.0%
18 or older	933	0.0%
Frequency Missing	95,395	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	1,887,804	99.5%
8 or younger	1,801	0.1%
9 years old	66	0.0%
10 years old	61	0.0%
11 years old	1,260	0.1%
12 years old	285	0.0%
13 years old	1,664	0.1%
14 years old	854	0.0%
15 years old	1,261	0.1%
16 years old	1,236	0.1%
17 years old	1,070	0.1%
Frequency Missing	94,161	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	1,864,722	98.5%
8 or younger	224	0.0%
9 years old	647	0.0%
10 years old	750	0.0%
11 years old	1,102	0.1%
12 years old	2,675	0.1%
13 years old	5,517	0.3%
14 years old	4,550	0.2%
15 years old	6,753	0.4%
16 years old	4,884	0.3%
17 years old	1,647	0.1%
18 or older	312	0.0%
Frequency Missing	97,739	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	1,790,656	94.5%
8 or younger	553	0.0%
9 years old	322	0.0%
10 years old	1,534	0.1%
11 years old	1,665	0.1%
12 years old	3,906	0.2%
13 years old	8,760	0.5%
14 years old	11,409	0.6%
15 years old	23,942	1.3%
16 years old	28,133	1.5%
17 years old	18,414	1.0%
18 or older	4,897	0.3%
Frequency Missing	97,330	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	704,816	37.7%
Impossible	415,227	22.2%
Very Difficult	152,479	8.2%
Somewhat diff	172,243	9.2%
Somewhat easy	207,371	11.1%
Very easy	216,280	11.6%
Frequency Missing	123,106	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	590,580	31.6%
Impossible	268,354	14.4%
Very Difficult	115,818	6.2%
Somewhat diff	181,881	9.7%
Somewhat easy	288,129	15.4%
Very easy	423,198	22.7%
Frequency Missing	123,564	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	882,778	47.6%
Impossible	326,662	17.6%
Very Difficult	79,849	4.3%
Somewhat diff	97,210	5.2%
Somewhat easy	144,713	7.8%
Very easy	323,593	17.4%
Frequency Missing	136,717	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	689,529	37.0%
Impossible	446,020	24.0%
Very Difficult	149,129	8.0%
Somewhat diff	147,652	7.9%
Somewhat easy	183,364	9.8%
Very easy	246,111	13.2%
Frequency Missing	129,717	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	837,029	45.0%
Impossible	628,534	33.8%
Very Difficult	191,781	10.3%
Somewhat diff	110,904	6.0%
Somewhat easy	45,500	2.4%
Very easy	45,650	2.5%
Frequency Missing	132,124	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	860,860	46.3%
Impossible	642,910	34.6%
Very Difficult	194,604	10.5%
Somewhat diff	93,461	5.0%
Somewhat easy	31,579	1.7%
Very easy	36,869	2.0%
Frequency Missing	131,239	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	983,891	52.9%
Impossible	599,446	32.3%
Very Difficult	156,088	8.4%
Somewhat diff	56,635	3.0%
Somewhat easy	27,592	1.5%
Very easy	35,013	1.9%
Frequency Missing	132,859	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	892,503	48.0%
Impossible	582,734	31.4%
Very Difficult	180,098	9.7%
Somewhat diff	104,764	5.6%
Somewhat easy	55,073	3.0%
Very easy	42,888	2.3%
Frequency Missing	133,463	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	1,022,484	55.1%
Impossible	505,703	27.2%
Very Difficult	131,458	7.1%
Somewhat diff	75,848	4.1%
Somewhat easy	54,480	2.9%
Very easy	67,048	3.6%
Frequency Missing	134,502	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	1,032,023	55.7%
Impossible	527,222	28.4%
Very Difficult	147,470	8.0%
Somewhat diff	70,924	3.8%
Somewhat easy	37,058	2.0%
Very easy	39,167	2.1%
Frequency Missing	137,659	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	1,021,645	55.1%
Impossible	457,638	24.7%
Very Difficult	111,557	6.0%
Somewhat diff	75,204	4.1%
Somewhat easy	73,978	4.0%
Very easy	114,804	6.2%
Frequency Missing	136,699	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	955,051	51.4%
Impossible	626,240	33.7%
Very Difficult	160,630	8.6%
Somewhat diff	61,071	3.3%
Somewhat easy	25,999	1.4%
Very easy	29,908	1.6%
Frequency Missing	132,624	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	23,629	1.3%
Several times/wk	14,026	0.8%
Several times/mo	14,937	0.8%
About once/month	22,787	1.2%
About once/year	23,227	1.2%
Less than once/year	45,756	2.5%
Never used	1,720,951	92.3%
Frequency Missing	126,210	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	2,936	0.2%
Several times/wk	22,800	1.2%
Several times/mo	78,629	4.2%
About once/month	154,380	8.3%
About once/year	147,096	7.9%
Less than once/year	141,370	7.6%
Never used	1,314,279	70.6%
Frequency Missing	130,033	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	322	0.0%
Several times/wk	1,604	0.1%
Several times/mo	1,260	0.1%
About once/month	1,887	0.1%
About once/year	2,619	0.1%
Less than once/year	5,572	0.3%
Never used	1,844,922	99.3%
Frequency Missing	133,337	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	1,422	0.1%
Several times/wk	4,023	0.2%
Several times/mo	4,945	0.3%
About once/month	9,987	0.5%
About once/year	8,851	0.5%
Less than once/year	18,863	1.0%
Never used	1,810,396	97.4%
Frequency Missing	133,036	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	429	0.0%
Several times/wk	635	0.0%
Several times/mo	78	0.0%
About once/month	489	0.0%
About once/year	1,072	0.1%
Less than once/year	1,011	0.1%
Never used	1,857,945	99.8%
Frequency Missing	129,864	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	27,090	1.5%
Several times/wk	33,162	1.8%
Several times/mo	37,892	2.0%
About once/month	46,946	2.5%
About once/year	49,909	2.7%
Less than once/year	53,679	2.9%
Never used	1,614,534	86.7%
Frequency Missing	128,312	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	1,679	0.1%
Several times/wk	91	0.0%
Several times/mo	638	0.0%
About once/month	548	0.0%
About once/year	1,926	0.1%
Less than once/year	5,242	0.3%
Never used	1,847,139	99.5%
Frequency Missing	134,261	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	658	0.0%
Several times/wk	668	0.0%
Several times/mo	1,481	0.1%
About once/month	1,794	0.1%
About once/year	3,320	0.2%
Less than once/year	7,308	0.4%
Never used	1,842,962	99.2%
Frequency Missing	133,332	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	2,723	0.1%
Several times/wk	2,920	0.2%
Several times/mo	3,748	0.2%
About once/month	6,979	0.4%
About once/year	7,787	0.4%
Less than once/year	7,996	0.4%
Never used	1,824,692	98.3%
Frequency Missing	134,679	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	590	0.0%
Several times/wk	586	0.0%
Several times/mo	641	0.0%
About once/month	583	0.0%
About once/year	1,116	0.1%
Less than once/year	2,233	0.1%
Never used	1,854,573	99.7%
Frequency Missing	131,201	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	6,733	0.4%
Several times/wk	10,025	0.5%
Several times/mo	15,809	0.9%
About once/month	23,541	1.3%
About once/year	22,094	1.2%
Less than once/year	15,392	0.8%
Never used	1,755,739	94.9%
Frequency Missing	142,191	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	1,006	0.1%
Several times/wk	869	0.0%
Several times/mo	965	0.1%
About once/month	975	0.1%
About once/year	991	0.1%
Less than once/year	2,703	0.1%
Never used	1,852,221	99.6%
Frequency Missing	131,793	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	1,373,855	73.7%
12+ drinks	23,777	1.3%
9-11 drinks	15,007	0.8%
5-8 drinks	42,663	2.3%
3-4 drinks	60,711	3.3%
2 drinks	73,294	3.9%
1 drink	97,077	5.2%
Less than 1 drink	178,009	9.5%
Frequency Missing	127,129	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	1,447,839	77.8%
12+ drinks	17,764	1.0%
9-11 drinks	12,667	0.7%
5-8 drinks	47,309	2.5%
3-4 drinks	70,311	3.8%
2 drinks	73,430	3.9%
1 drink	87,377	4.7%
Less than 1 drink	103,326	5.6%
Frequency Missing	131,501	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	1,116,445	60.6%
0 days	581,031	31.5%
1 day	48,177	2.6%
2 days	38,121	2.1%
3 to 5 days	29,979	1.6%
6 to 9 days	10,613	0.6%
10 or more days	17,955	1.0%
Frequency Missing	149,201	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	1,453,750	78.3%
12+ drinks	6,317	0.3%
9-11 drinks	3,486	0.2%
5-8 drinks	14,759	0.8%
3-4 drinks	33,390	1.8%
2 drinks	54,177	2.9%
1 drink	110,437	6.0%
Less than 1 drink	179,649	9.7%
Frequency Missing	135,558	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	1,247,067	67.2%
Never	246,250	13.3%
Seldom	230,602	12.4%
Most of the Time	87,296	4.7%
Always	44,045	2.4%
Frequency Missing	136,264	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	1,388,946	74.6%
12+ drinks	23,101	1.2%
9-11 drinks	21,438	1.2%
5-8 drinks	53,142	2.9%
3-4 drinks	85,242	4.6%
2 drinks	67,178	3.6%
1 drink	82,295	4.4%
Less than 1 drink	140,677	7.6%
Frequency Missing	129,505	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	1,276,476	69.0%
Never	287,379	15.5%
Seldom	149,402	8.1%
Most of the Time	106,069	5.7%
Always	30,938	1.7%
Frequency Missing	141,259	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	1,316,628	71.2%
Never	418,060	22.6%
Seldom	51,911	2.8%
Most of the Time	45,013	2.4%
Always	16,753	0.9%
Frequency Missing	143,158	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	1,242,581	67.2%
Never	255,165	13.8%
Seldom	146,047	7.9%
Most of the Time	125,727	6.8%
Always	80,484	4.4%
Frequency Missing	141,518	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	1,310,796	71.2%
Somewhat	262,325	14.2%
Not very	85,056	4.6%
Not at all	21,131	1.1%
Don't know	162,366	8.8%
Frequency Missing	149,848	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	1,322,165	71.8%
Never	335,212	18.2%
Seldom	95,087	5.2%
Most of the Time	51,233	2.8%
Always	36,566	2.0%
Frequency Missing	151,261	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	1,095,794	59.4%
Somewhat	275,338	14.9%
Not very	219,689	11.9%
Not at all	144,427	7.8%
Don't know	109,129	5.9%
Frequency Missing	147,146	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	1,196,825	64.7%
Somewhat	404,282	21.8%
Not very	113,902	6.2%
Not at all	21,962	1.2%
Don't know	113,476	6.1%
Frequency Missing	141,077	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	1,585,612	86.0%
Somewhat	117,861	6.4%
Not very	14,510	0.8%
Not at all	8,696	0.5%
Don't know	117,037	6.3%
Frequency Missing	147,806	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	928,279	50.3%
Somewhat	535,909	29.0%
Not very	243,228	13.2%
Not at all	46,730	2.5%
Don't know	93,010	5.0%
Frequency Missing	144,367	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	1,605,700	87.1%
Somewhat	94,187	5.1%
Not very	10,936	0.6%
Not at all	7,532	0.4%
Don't know	124,452	6.8%
Frequency Missing	148,715	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	1,449,533	78.7%
Somewhat	131,261	7.1%
Not very	23,848	1.3%
Not at all	10,895	0.6%
Don't know	226,522	12.3%
Frequency Missing	149,463	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	1,396,257	75.9%
Somewhat	146,175	7.9%
Not very	52,671	2.9%
Not at all	26,485	1.4%
Don't know	217,868	11.8%
Frequency Missing	152,066	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	1,377,212	74.8%
Somewhat	215,423	11.7%
Not very	65,040	3.5%
Not at all	20,416	1.1%
Don't know	163,417	8.9%
Frequency Missing	150,015	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	1,287,670	70.1%
Somewhat	163,947	8.9%
Not very	99,813	5.4%
Not at all	59,540	3.2%
Don't know	225,635	12.3%
Frequency Missing	154,918	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	1,578,012	85.8%
Somewhat	81,249	4.4%
Not very	13,577	0.7%
Not at all	7,416	0.4%
Don't know	159,851	8.7%
Frequency Missing	151,418	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	1,349,840	73.4%
Somewhat	235,572	12.8%
Not very	61,962	3.4%
Not at all	24,180	1.3%
Don't know	166,979	9.1%
Frequency Missing	152,990	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	1,575,483	85.5%
Somewhat	81,618	4.4%
Not very	12,900	0.7%
Not at all	9,748	0.5%
Don't know	163,423	8.9%
Frequency Missing	148,352	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	1,145,762	62.3%
Somewhat	339,707	18.5%
Not very	168,443	9.2%
Not at all	64,125	3.5%
Don't know	121,268	6.6%
Frequency Missing	152,218	

Days Skipped Since September

Q28a	Frequency	Percent
None	1,422,612	78.5%
1-3 days	272,102	15.0%
4-9 days	62,003	3.4%
10+ days	54,970	3.0%
Frequency Missing	179,837	

Someone Called Home Since September

Q28e	Frequency	Percent
None	1,639,205	90.5%
1-3 days	138,948	7.7%
4-9 days	18,836	1.0%
10+ days	13,689	0.8%
Frequency Missing	180,845	

Days Ill Since September

Q28b	Frequency	Percent
None	536,486	29.6%
1-3 days	780,115	43.0%
4-9 days	314,765	17.4%
10+ days	181,584	10.0%
Frequency Missing	178,573	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	1,755,537	97.2%
1-3 times	41,969	2.3%
4-9 times	5,795	0.3%
10+ times	3,176	0.2%
Frequency Missing	185,047	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	639,290	35.7%
1-3 days	874,447	48.8%
4-9 days	188,208	10.5%
10+ days	90,112	5.0%
Frequency Missing	199,466	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	1,764,015	97.9%
1-3 times	28,421	1.6%
4-9 times	6,341	0.4%
10+ times	3,652	0.2%
Frequency Missing	189,094	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	1,618,105	89.2%
1-3 days	154,391	8.5%
4-9 days	25,268	1.4%
10+ days	16,025	0.9%
Frequency Missing	177,734	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	1,755,153	97.3%
1-3 times	39,442	2.2%
4-9 times	5,049	0.3%
10+ times	3,394	0.2%
Frequency Missing	188,485	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	1,747,008	97.1%
1-3 times	32,148	1.8%
4-9 times	7,279	0.4%
10+ times	12,544	0.7%
Frequency Missing	192,544	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	1,747,613	97.0%
1-3 days	38,853	2.2%
4-9 days	8,361	0.5%
10+ days	7,588	0.4%
Frequency Missing	189,107	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	1,066,518	59.1%
Seldom	93,203	5.2%
Half the time	72,090	4.0%
Most of the Time	120,388	6.7%
Always	131,168	7.3%
Don't Know	29,651	1.6%
Didn't attend	290,275	16.1%
Frequency Missing	188,232	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	1,685,123	93.5%
1-3 days	60,158	3.3%
4-9 days	20,814	1.2%
10+ days	35,461	2.0%
Frequency Missing	189,967	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	1,205,043	67.1%
Seldom	79,993	4.5%
Half the time	59,678	3.3%
Most of the Time	65,047	3.6%
Always	65,403	3.6%
Don't Know	32,307	1.8%
Didn't attend	289,700	16.1%
Frequency Missing	194,353	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	1,780,733	99.0%
1-3 days	12,173	0.7%
4-9 days	3,401	0.2%
10+ days	2,876	0.2%
Frequency Missing	192,341	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	1,611,487	94.1%
Yes	100,713	5.9%
Frequency Missing	279,324	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	1,760,539	98.0%
1-3 days	19,967	1.1%
4-9 days	9,001	0.5%
10+ days	7,323	0.4%
Frequency Missing	194,693	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	1,193,226	67.9%
Yes	564,987	32.1%
Frequency Missing	233,311	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	1,376,115	78.8%
Yes	370,404	21.2%
Frequency Missing	245,004	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	779,275	44.5%
Yes	973,422	55.5%
Frequency Missing	238,826	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	1,068,646	61.0%
Yes	683,984	39.0%
Frequency Missing	238,893	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	1,083,346	62.0%
Yes	665,042	38.0%
Frequency Missing	243,135	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	581,243	32.9%
Yes	1,183,595	67.1%
Frequency Missing	226,685	

Would Not Seek Help

Q33i	Frequency	Percent
No	1,322,709	77.0%
Yes	394,635	23.0%
Frequency Missing	274,179	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	735,256	42.0%
Yes	1,015,419	58.0%
Frequency Missing	240,848	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	1,061,251	60.6%
Yes	688,618	39.4%
Frequency Missing	241,654	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	665,205	37.9%
Yes	1,087,962	62.1%
Frequency Missing	238,356	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	1,092,965	62.7%
Yes	650,561	37.3%
Frequency Missing	247,997	

**Drug/Alcohol Info–School Guidance
Counselor**

Q34c	Frequency	Percent
No	1,293,734	74.5%
Yes	442,355	25.5%
Frequency Missing	255,433	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	1,269,534	73.3%
Yes	463,035	26.7%
Frequency Missing	258,955	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	1,477,008	85.3%
Yes	253,540	14.7%
Frequency Missing	260,975	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	1,373,392	76.8%
Mild disapprove	125,150	7.0%
Neither	93,914	5.3%
Mildly approve	16,057	0.9%
Strongly approve	10,800	0.6%
Don't know	169,521	9.5%
Frequency Missing	202,688	

**Drug/Alcohol Info–Science or Social Studies
Class**

Q34e	Frequency	Percent
No	1,288,340	74.4%
Yes	442,479	25.6%
Frequency Missing	260,703	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	1,032,793	57.8%
Mild disapprove	250,094	14.0%
Neither	241,226	13.5%
Mildly approve	89,816	5.0%
Strongly approve	16,971	0.9%
Don't know	156,825	8.8%
Frequency Missing	203,797	

**Drug/Alcohol Info–School Student Group or
Club**

Q34f	Frequency	Percent
No	1,516,220	87.7%
Yes	212,803	12.3%
Frequency Missing	262,500	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	1,318,982	73.8%
Mild disapprove	124,789	7.0%
Neither	125,109	7.0%
Mildly approve	34,679	1.9%
Strongly approve	23,094	1.3%
Don't know	160,363	9.0%
Frequency Missing	204,507	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	1,337,171	77.2%
Yes	395,542	22.8%
Frequency Missing	258,810	

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

