

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2024



**NON-BORDER REPORT**

---

---

Prepared by

The Department of Public Service and Administration  
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	60
Table B-7: Students Reporting A Grades on Average . . . . .	64
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	68
Table B-9: Students Living with 2 Parents . . . . .	72
Table B-10: Students Not Living with 2 Parents . . . . .	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	84
<b>3 Margin Tables</b>	<b>88</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>110</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in non-border regions of the state. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	8.2%	10.1%	18.6%	81.4%
Grade 7	4.1%	5.4%	12.2%	87.8%
Grade 8	6.0%	7.8%	14.5%	85.5%
Grade 9	6.9%	9.2%	17.5%	82.5%
Grade 10	9.0%	11.6%	20.8%	79.2%
Grade 11	10.9%	13.1%	23.7%	76.3%
Grade 12	15.7%	17.2%	27.3%	72.7%
<b>Cigarettes?</b>				
All	1.5%	2.1%	6.7%	93.3%
Grade 7	0.6%	0.8%	3.5%	96.5%
Grade 8	0.7%	1.3%	4.4%	95.6%
Grade 9	0.6%	1.1%	5.6%	94.4%
Grade 10	0.8%	1.8%	5.7%	94.3%
Grade 11	3.9%	4.7%	12.5%	87.5%
Grade 12	3.8%	4.6%	11.4%	88.6%
<b>Smokeless Tobacco?</b>				
All	1.1%	1.5%	3.4%	96.6%
Grade 7	0.5%	0.8%	1.9%	98.1%
Grade 8	0.7%	1.0%	2.7%	97.3%
Grade 9	0.5%	0.7%	2.8%	97.2%
Grade 10	0.9%	1.3%	3.0%	97.0%
Grade 11	1.9%	2.9%	5.3%	94.7%
Grade 12	2.8%	3.4%	5.9%	94.1%
<b>Electronic Vapor Products?</b>				
All	5.9%	8.2%	16.0%	84.0%
Grade 7	2.2%	3.8%	10.2%	89.8%
Grade 8	3.9%	6.1%	12.8%	87.2%
Grade 9	4.7%	7.4%	15.3%	84.7%
Grade 10	7.4%	9.8%	18.4%	81.6%
Grade 11	7.2%	10.1%	19.4%	80.6%
Grade 12	12.8%	14.8%	23.4%	76.6%

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	93.9%	0.7%	0.5%	0.6%	1.1%	0.8%	2.4%
Grade 7	96.8%	0.1%	0.2%	0.2%	0.8%	0.5%	1.4%
Grade 8	95.7%	0.2%	0.4%	0.4%	0.6%	0.8%	1.8%
Grade 9	95.2%	0.6%	0.3%	0.3%	0.5%	0.7%	2.4%
Grade 10	93.5%	0.9%	0.8%	0.4%	1.8%	0.7%	1.9%
Grade 11	91.3%	1.3%	0.6%	1.3%	1.8%	0.8%	2.9%
Grade 12	88.4%	1.5%	0.9%	1.2%	1.7%	1.3%	5.0%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.7	10.7	11.4	12.0	13.1	13.4	13.5

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	44.0%	21.5%	7.5%	8.3%	9.3%	9.5%
Grade 7	46.4%	30.2%	8.1%	6.5%	5.5%	3.3%
Grade 8	42.7%	27.7%	9.2%	8.1%	7.3%	5.0%
Grade 9	51.1%	17.9%	6.2%	7.5%	8.8%	8.4%
Grade 10	42.4%	17.6%	8.8%	9.0%	11.3%	10.9%
Grade 11	43.1%	16.0%	5.2%	9.0%	11.5%	15.1%
Grade 12	34.4%	15.2%	6.5%	10.5%	13.7%	19.7%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	86.2%	9.1%	2.9%	1.4%	0.5%
Grade 7	91.6%	5.8%	2.1%	0.4%	0.1%
Grade 8	88.3%	8.0%	2.4%	1.1%	0.2%
Grade 9	86.9%	9.2%	2.4%	1.0%	0.6%
Grade 10	83.5%	11.3%	2.6%	2.3%	0.4%
Grade 11	84.8%	8.9%	3.6%	2.0%	0.8%
Grade 12	78.4%	13.0%	5.4%	2.3%	0.9%

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.2%	6.4%	4.7%	0.7%	0.6%	9.5%
Grade 7	83.6%	3.5%	2.7%	0.6%	0.6%	9.0%
Grade 8	82.1%	5.0%	3.2%	0.7%	0.3%	8.8%
Grade 9	75.8%	5.4%	6.0%	0.9%	0.5%	11.5%
Grade 10	77.3%	8.0%	5.1%	0.4%	0.2%	8.9%
Grade 11	73.6%	8.6%	5.4%	0.7%	1.2%	10.6%
Grade 12	73.8%	10.0%	6.8%	0.5%	0.9%	8.0%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>						
	All	68.8%	19.3%	4.8%	1.0%	6.1%
	Grade 7	74.8%	15.3%	3.1%	0.8%	5.9%
	Grade 8	70.6%	19.2%	4.0%	0.7%	5.5%
	Grade 9	67.7%	18.7%	5.2%	0.8%	7.7%
	Grade 10	65.1%	23.1%	5.4%	0.8%	5.6%
	Grade 11	68.0%	18.4%	5.9%	1.1%	6.7%
	Grade 12	63.7%	23.0%	6.0%	2.0%	5.2%
<b>Electronic Vapor Products?</b>						
	All	69.1%	15.4%	6.8%	2.1%	6.6%
	Grade 7	75.0%	12.2%	5.1%	1.8%	6.0%
	Grade 8	71.7%	14.7%	6.0%	1.9%	5.7%
	Grade 9	67.2%	15.3%	6.8%	2.3%	8.4%
	Grade 10	66.8%	17.5%	7.2%	2.1%	6.4%
	Grade 11	66.4%	17.6%	7.0%	2.0%	7.0%
	Grade 12	64.7%	16.6%	10.1%	2.8%	5.9%



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	20.1%	23.2%	38.9%	61.1%
Grade 7	12.5%	14.6%	32.1%	67.9%
Grade 8	18.2%	20.7%	38.4%	61.6%
Grade 9	18.4%	21.9%	36.1%	63.9%
Grade 10	22.6%	25.5%	39.8%	60.2%
Grade 11	23.9%	27.9%	43.3%	56.7%
Grade 12	29.3%	33.7%	47.7%	52.3%
<b>Beer?</b>				
All	6.8%	9.8%	27.6%	72.4%
Grade 7	2.6%	4.4%	22.2%	77.8%
Grade 8	4.5%	6.7%	26.5%	73.5%
Grade 9	5.6%	8.2%	24.4%	75.6%
Grade 10	8.3%	11.5%	29.0%	71.0%
Grade 11	9.0%	13.8%	32.3%	67.7%
Grade 12	13.8%	18.1%	34.8%	65.2%
<b>Wine Coolers?</b>				
All	5.9%	8.6%	20.9%	79.1%
Grade 7	2.1%	3.3%	12.4%	87.6%
Grade 8	4.5%	6.5%	19.1%	80.9%
Grade 9	5.1%	7.3%	19.7%	80.3%
Grade 10	6.1%	9.8%	22.9%	77.1%
Grade 11	9.3%	13.1%	26.1%	73.9%
Grade 12	10.9%	15.4%	30.0%	70.0%
<b>Wine?</b>				
All	4.1%	6.4%	22.2%	77.8%
Grade 7	2.3%	3.6%	16.5%	83.5%
Grade 8	3.5%	5.4%	20.5%	79.5%
Grade 9	3.5%	5.2%	20.5%	79.5%
Grade 10	3.6%	6.2%	22.8%	77.2%
Grade 11	6.9%	9.9%	27.4%	72.6%
Grade 12	5.9%	10.6%	29.4%	70.6%
<b>Liquor?</b>				
All	6.4%	9.8%	24.3%	75.7%
Grade 7	1.9%	3.2%	13.8%	86.2%
Grade 8	4.2%	6.3%	20.3%	79.7%
Grade 9	3.9%	7.3%	21.7%	78.3%
Grade 10	8.3%	12.8%	28.4%	71.6%
Grade 11	9.1%	13.4%	31.2%	68.8%
Grade 12	15.3%	21.0%	36.9%	63.1%

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	74.8%	0.2%	0.9%	3.2%	7.0%	6.7%	7.2%
Grade 7	83.4%	0.1%	0.3%	1.3%	3.1%	4.5%	7.4%
Grade 8	77.6%	0.2%	0.7%	2.0%	4.7%	7.0%	7.9%
Grade 9	78.7%	0.0%	1.1%	2.0%	5.7%	6.3%	6.1%
Grade 10	72.1%	0.5%	0.9%	2.8%	9.1%	7.6%	7.0%
Grade 11	67.2%	0.1%	1.6%	5.3%	11.7%	6.1%	8.1%
Grade 12	63.5%	0.3%	1.1%	8.1%	10.5%	9.7%	6.9%

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	76.6%	23.4%	3.8%	10.4%	9.2%
	Grade 7	81.2%	18.8%	1.1%	6.3%	11.4%
	Grade 8	77.2%	22.8%	1.6%	9.3%	11.8%
	Grade 9	80.3%	19.7%	2.8%	9.5%	7.5%
	Grade 10	75.1%	24.9%	4.8%	12.4%	7.8%
	Grade 11	72.7%	27.3%	7.1%	12.0%	8.3%
	Grade 12	69.4%	30.6%	8.3%	15.4%	6.9%
Wine Coolers	All	82.5%	17.5%	3.1%	9.8%	4.6%
	Grade 7	90.3%	9.7%	0.8%	4.5%	4.5%
	Grade 8	84.1%	15.9%	1.7%	7.8%	6.4%
	Grade 9	84.7%	15.3%	2.4%	8.9%	4.0%
	Grade 10	80.4%	19.6%	3.5%	11.9%	4.2%
	Grade 11	76.9%	23.1%	6.5%	12.3%	4.4%
	Grade 12	73.3%	26.7%	6.0%	16.9%	3.8%
Wine	All	82.0%	18.0%	1.3%	8.2%	8.5%
	Grade 7	86.4%	13.6%	0.8%	4.6%	8.1%
	Grade 8	82.7%	17.3%	0.9%	6.9%	9.6%
	Grade 9	84.3%	15.7%	1.0%	6.6%	8.0%
	Grade 10	81.4%	18.6%	1.0%	9.2%	8.3%
	Grade 11	77.0%	23.0%	2.8%	11.6%	8.5%
	Grade 12	76.7%	23.3%	1.8%	13.4%	8.2%
Liquor	All	78.9%	21.1%	3.7%	11.2%	6.2%
	Grade 7	88.4%	11.6%	0.9%	4.2%	6.5%
	Grade 8	82.3%	17.7%	1.8%	7.9%	8.0%
	Grade 9	82.1%	17.9%	3.2%	8.5%	6.1%
	Grade 10	75.0%	25.0%	4.2%	14.5%	6.2%
	Grade 11	71.7%	28.3%	5.6%	17.6%	5.2%
	Grade 12	66.8%	33.2%	8.9%	20.0%	4.3%

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	93.4%	2.4%	1.5%	1.2%	0.5%	1.0%
Grade 7	97.1%	1.3%	0.4%	0.1%	0.3%	0.8%
Grade 8	95.7%	1.6%	1.0%	0.7%	0.1%	0.9%
Grade 9	95.6%	2.0%	0.8%	0.7%	0.2%	0.8%
Grade 10	91.6%	2.9%	1.9%	0.9%	1.3%	1.4%
Grade 11	89.4%	3.5%	2.7%	2.7%	0.4%	1.3%
Grade 12	87.8%	4.5%	2.9%	3.3%	0.6%	0.8%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.5	10.1	11.1	12.1	13.3	13.3	14.3

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	36.4%	14.1%	6.6%	9.5%	14.7%	18.7%
Grade 7	38.7%	22.1%	8.0%	9.6%	11.2%	10.5%
Grade 8	35.4%	17.6%	7.7%	11.3%	13.5%	14.6%
Grade 9	43.2%	12.0%	5.0%	10.7%	13.3%	15.8%
Grade 10	31.8%	12.3%	7.5%	8.5%	17.8%	22.0%
Grade 11	36.7%	9.3%	5.0%	6.6%	15.8%	26.7%
Grade 12	29.2%	7.8%	6.1%	9.3%	19.1%	28.5%

**Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.3%	2.2%	0.2%	0.3%
Grade 7	98.1%	1.5%	0.2%	0.2%
Grade 8	97.3%	2.0%	0.3%	0.4%
Grade 9	96.6%	2.8%	0.5%	0.1%
Grade 10	97.9%	1.8%	0.0%	0.3%
Grade 11	97.2%	1.9%	0.2%	0.7%
Grade 12	96.1%	3.3%	0.2%	0.3%

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.5
Alcohol Non-Users	4.2
Average Days Conduct Problems Reported	
Alcohol Users	2.9
Alcohol Non-Users	1.2

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1–3 Times	4–9 Times	10+ Times
<b>Driven a Car When You Have Had a Good Bit to Drink?</b>				
High School	97.4%	2.1%	0.1%	0.3%
Grade 9	98.7%	1.1%	0.1%	0.1%
Grade 10	98.3%	1.2%	0.2%	0.4%
Grade 11	95.7%	3.8%	0.2%	0.3%
Grade 12	96.5%	2.9%	0.2%	0.4%
 <b>Had Difficulties of Any Kind with Your Friends Because of Your Drinking?</b>				
All	97.6%	1.9%	0.3%	0.2%
Grade 7	98.3%	1.3%	0.3%	0.2%
Grade 8	97.7%	1.9%	0.1%	0.3%
Grade 9	98.1%	1.5%	0.2%	0.1%
Grade 10	97.6%	2.2%	0.2%	0.0%
Grade 11	97.5%	2.0%	0.3%	0.2%
Grade 12	96.1%	2.9%	0.7%	0.3%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	67.5%	17.8%	8.4%	4.8%	1.6%
Grade 7	81.7%	12.2%	4.5%	1.1%	0.5%
Grade 8	71.1%	18.5%	6.8%	2.9%	0.7%
Grade 9	70.4%	15.5%	8.6%	4.3%	1.1%
Grade 10	59.8%	23.3%	10.4%	4.7%	1.8%
Grade 11	62.1%	17.3%	10.4%	7.9%	2.2%
Grade 12	52.0%	22.1%	11.3%	10.4%	4.3%

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	64.6%	4.7%	2.7%	5.4%	5.2%	1.6%	15.8%
Grade 7	75.9%	4.3%	2.4%	2.6%	1.8%	1.8%	11.2%
Grade 8	69.0%	5.3%	2.7%	3.8%	3.2%	2.2%	14.0%
Grade 9	65.8%	4.8%	3.4%	5.0%	3.7%	1.0%	16.4%
Grade 10	62.7%	4.1%	2.3%	5.9%	5.1%	1.4%	18.5%
Grade 11	55.7%	4.3%	2.5%	6.5%	9.7%	2.0%	19.4%
Grade 12	51.0%	5.6%	2.9%	11.0%	11.1%	1.4%	16.9%

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	71.1%	11.8%	11.0%	3.9%	2.2%
	Grade 7	75.3%	13.0%	9.0%	1.8%	0.9%
	Grade 8	71.3%	12.6%	11.5%	3.1%	1.4%
	Grade 9	74.5%	10.7%	9.3%	3.4%	2.2%
	Grade 10	67.0%	12.1%	13.8%	4.5%	2.6%
	Grade 11	70.2%	9.4%	10.6%	5.8%	4.0%
	Grade 12	65.6%	13.0%	12.8%	5.9%	2.8%
<b>Friends?</b>						
	All	73.8%	14.8%	5.8%	4.4%	1.1%
	Grade 7	80.5%	15.4%	2.8%	1.0%	0.3%
	Grade 8	77.2%	15.6%	4.7%	2.0%	0.5%
	Grade 9	77.3%	13.7%	4.8%	3.5%	0.8%
	Grade 10	69.2%	17.4%	7.7%	4.7%	0.9%
	Grade 11	68.3%	15.4%	7.1%	7.1%	2.2%
	Grade 12	65.3%	10.5%	9.8%	11.8%	2.7%
<b>A Store?</b>						
	All	75.3%	20.3%	2.2%	1.6%	0.7%
	Grade 7	80.6%	17.7%	1.0%	0.4%	0.2%
	Grade 8	78.0%	18.9%	1.7%	0.9%	0.5%
	Grade 9	78.5%	18.5%	1.7%	0.8%	0.4%
	Grade 10	71.1%	24.2%	2.0%	1.4%	1.2%
	Grade 11	71.7%	21.9%	2.8%	2.9%	0.8%
	Grade 12	67.2%	22.0%	5.2%	4.1%	1.4%
<b>Parties?</b>						
	All	71.6%	13.1%	6.4%	5.5%	3.4%
	Grade 7	76.9%	15.0%	4.9%	2.2%	1.0%
	Grade 8	74.1%	14.1%	6.9%	3.2%	1.7%
	Grade 9	75.9%	11.5%	4.9%	5.2%	2.5%
	Grade 10	67.4%	15.5%	7.2%	5.9%	4.1%
	Grade 11	68.0%	11.1%	5.9%	8.2%	6.8%
	Grade 12	62.6%	10.2%	10.0%	11.3%	5.9%
<b>Other Sources?</b>						
	All	75.7%	16.0%	4.2%	2.3%	1.8%
	Grade 7	79.9%	14.6%	3.6%	1.1%	0.8%
	Grade 8	77.6%	15.3%	3.7%	2.1%	1.3%
	Grade 9	79.5%	13.6%	3.7%	1.9%	1.3%
	Grade 10	71.0%	20.0%	4.6%	2.4%	2.1%
	Grade 11	73.4%	16.5%	4.1%	2.3%	3.6%
	Grade 12	69.1%	17.3%	6.7%	4.6%	2.3%

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	60.8%	13.0%	12.5%	3.7%	1.0%	9.0%
Grade 7	71.9%	9.3%	6.6%	2.3%	0.9%	9.1%
Grade 8	65.5%	12.3%	10.4%	2.5%	0.8%	8.4%
Grade 9	61.2%	12.0%	12.2%	3.6%	0.9%	10.1%
Grade 10	56.7%	14.6%	15.4%	4.2%	0.7%	8.4%
Grade 11	52.2%	14.7%	16.0%	5.1%	1.8%	10.1%
Grade 12	50.5%	17.9%	17.7%	5.4%	1.1%	7.4%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	53.9%	26.9%	11.7%	2.1%	5.4%
Grade 7	57.9%	24.5%	10.8%	1.9%	4.9%
Grade 8	52.1%	28.1%	13.3%	2.0%	4.6%
Grade 9	52.5%	25.1%	13.3%	2.1%	7.0%
Grade 10	52.0%	29.0%	12.4%	1.7%	4.9%
Grade 11	55.6%	26.1%	9.9%	2.1%	6.3%
Grade 12	53.2%	29.8%	9.6%	2.9%	4.4%



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	8.7%	11.4%	15.7%	84.3%
Grade 7	3.3%	5.0%	6.7%	93.3%
Grade 8	6.4%	9.1%	11.5%	88.5%
Grade 9	8.9%	10.3%	13.7%	86.3%
Grade 10	12.6%	14.9%	19.4%	80.6%
Grade 11	9.9%	13.6%	20.4%	79.6%
Grade 12	14.0%	19.1%	28.8%	71.2%
<b>Marijuana?</b>				
All	7.9%	9.4%	13.4%	86.6%
Grade 7	2.4%	3.0%	4.1%	95.9%
Grade 8	5.4%	6.7%	9.0%	91.0%
Grade 9	8.5%	9.1%	12.2%	87.8%
Grade 10	11.4%	12.7%	16.9%	83.1%
Grade 11	9.7%	11.8%	18.1%	81.9%
Grade 12	12.5%	16.4%	26.5%	73.5%
<b>Cocaine?</b>				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.5%	0.9%	99.1%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.3%	0.5%	0.8%	99.2%
Grade 12	1.0%	1.2%	3.8%	96.2%
<b>Crack?</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.8%	0.8%	1.3%	98.7%
<b>Hallucinogens?</b>				
All	0.6%	1.3%	2.5%	97.5%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.3%	0.5%	1.1%	98.9%
Grade 10	0.4%	1.2%	2.8%	97.2%
Grade 11	0.7%	2.4%	4.3%	95.7%
Grade 12	1.7%	3.2%	6.4%	93.6%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Synthetic Cathinones?</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.4%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Steroids?</b>				
All	0.6%	0.8%	1.6%	98.4%
Grade 7	0.4%	0.8%	1.8%	98.2%
Grade 8	0.3%	0.5%	1.2%	98.8%
Grade 9	0.6%	0.7%	1.0%	99.0%
Grade 10	0.4%	0.5%	1.7%	98.3%
Grade 11	0.9%	1.4%	2.2%	97.8%
Grade 12	1.1%	1.2%	1.9%	98.1%
<b>Ecstasy?</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.2%	0.2%	1.4%	98.6%
<b>Heroin?</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Methamphetamine?</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.7%	1.0%	1.2%	98.8%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.8%	0.9%	1.5%	98.5%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.7%	1.1%	2.1%	97.9%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.5%	0.9%	1.7%	98.3%
Grade 9	0.6%	1.0%	1.6%	98.4%
Grade 10	1.6%	1.9%	2.9%	97.1%
Grade 11	0.9%	1.3%	1.9%	98.1%
Grade 12	0.8%	1.2%	4.4%	95.6%
Delta 8?				
All	1.6%	2.4%	4.3%	95.7%
Grade 7	0.4%	0.7%	1.6%	98.4%
Grade 8	0.9%	1.4%	2.4%	97.6%
Grade 9	1.4%	1.9%	3.0%	97.0%
Grade 10	1.7%	3.2%	5.1%	94.9%
Grade 11	2.5%	3.5%	5.8%	94.2%
Grade 12	3.7%	5.1%	10.7%	89.3%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	90.0%	1.1%	1.2%	1.6%	1.7%	1.8%	2.6%
	Grade 7	97.1%	0.1%	0.1%	0.5%	0.6%	0.5%	1.1%
	Grade 8	93.3%	0.6%	0.9%	1.1%	1.1%	1.2%	1.9%
	Grade 9	91.3%	0.9%	1.3%	1.8%	2.0%	1.3%	1.5%
	Grade 10	86.7%	1.8%	1.6%	1.5%	2.8%	2.1%	3.5%
	Grade 11	85.7%	1.3%	1.1%	2.7%	1.8%	3.0%	4.4%
	Grade 12	80.5%	2.5%	3.0%	3.0%	2.6%	4.0%	4.4%
Cocaine?								
	All	99.4%	0.1%	0.0%	0.0%	0.1%	0.2%	0.2%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.2%	0.1%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 9	99.3%	0.2%	0.0%	0.1%	0.1%	0.1%	0.2%
	Grade 10	99.1%	0.1%	0.0%	0.0%	0.0%	0.7%	0.1%
	Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%
	Grade 12	98.7%	0.2%	0.0%	0.1%	0.1%	0.2%	0.7%
Crack?								
	All	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.6%	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.1%	0.7%	0.0%	0.0%	0.0%	0.0%	0.2%
Steroids?								
	All	99.1%	0.2%	0.2%	0.0%	0.1%	0.1%	0.3%
	Grade 7	98.8%	0.1%	0.2%	0.0%	0.2%	0.2%	0.5%
	Grade 8	99.4%	0.2%	0.0%	0.0%	0.1%	0.0%	0.3%
	Grade 9	99.6%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 10	99.2%	0.1%	0.2%	0.0%	0.0%	0.0%	0.5%
	Grade 11	98.8%	0.2%	0.6%	0.0%	0.0%	0.0%	0.4%
	Grade 12	98.5%	0.9%	0.0%	0.2%	0.2%	0.0%	0.2%
Ecstasy?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.6%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%
	Grade 9	99.7%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%
	Grade 10	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 12	99.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.6%

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.6%	0.0%	0.1%	0.1%	0.1%	0.0%	0.1%
	Grade 8	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.6%	0.0%	0.2%	0.0%	0.0%	0.0%	0.2%
Methamphetamine?								
	All	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.6%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.7%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.4%	0.0%	0.0%	0.0%	0.0%	0.1%	0.5%
Synthetic Marijuana?								
	All	98.6%	0.1%	0.1%	0.2%	0.2%	0.5%	0.5%
	Grade 7	99.5%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%
	Grade 8	98.8%	0.1%	0.1%	0.1%	0.4%	0.2%	0.3%
	Grade 9	98.9%	0.1%	0.2%	0.1%	0.1%	0.1%	0.5%
	Grade 10	98.1%	0.0%	0.1%	0.6%	0.2%	0.5%	0.5%
	Grade 11	98.4%	0.1%	0.0%	0.3%	0.2%	0.5%	0.4%
	Grade 12	97.0%	0.0%	0.2%	0.1%	0.1%	1.6%	1.0%
Delta 8?								
	All	96.8%	0.2%	0.3%	0.4%	0.5%	0.9%	0.8%
	Grade 7	98.8%	0.0%	0.1%	0.1%	0.2%	0.2%	0.5%
	Grade 8	98.3%	0.2%	0.2%	0.1%	0.5%	0.3%	0.3%
	Grade 9	97.7%	0.2%	0.3%	0.3%	0.4%	0.6%	0.6%
	Grade 10	96.2%	0.1%	0.4%	0.7%	0.6%	0.8%	1.2%
	Grade 11	95.7%	0.5%	0.2%	0.3%	0.9%	1.6%	0.8%
	Grade 12	91.7%	0.5%	1.0%	1.0%	0.9%	2.9%	2.0%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.6	11.4	12.0	12.9	13.5	14.2	14.8
Cocaine	14.2	10.7	12.5	13.5	15.3	15.2	14.7
Crack	12.2	10.4	11.7	11.1	14.0	15.3	13.0
Steroids	11.9	9.8	11.2	11.7	11.9	14.4	13.0
Ecstasy	13.0	11.1	11.9	11.3	12.2	15.4	14.0
Heroin	10.9	10.5	9.5	9.0	13.3	16.0	12.3
Methamphetamine	12.4	10.8	11.0	12.7	13.4	13.3	13.3
Synthetic Marijuana	13.7	10.6	12.2	13.6	14.0	14.8	15.1
Delta 8?	14.1	11.2	12.2	13.4	14.2	14.4	15.5

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	All	42.9%	23.7%	7.8%	7.0%	8.3%	10.3%
	Grade 7	48.4%	33.3%	7.9%	4.7%	3.4%	2.3%
	Grade 8	43.2%	30.6%	8.2%	7.1%	5.7%	5.2%
	Grade 9	47.8%	20.8%	7.7%	6.4%	8.6%	8.7%
	Grade 10	38.0%	18.0%	10.2%	8.5%	10.9%	14.3%
	Grade 11	42.0%	18.6%	5.4%	7.3%	11.7%	15.0%
	Grade 12	33.9%	15.7%	6.8%	9.1%	11.9%	22.6%
<b>Cocaine?</b>							
	All	49.9%	32.3%	8.9%	4.6%	2.1%	2.2%
	Grade 7	49.4%	39.4%	6.8%	2.4%	1.1%	0.8%
	Grade 8	47.6%	38.0%	7.7%	3.7%	1.6%	1.4%
	Grade 9	56.2%	28.3%	8.1%	3.6%	2.0%	1.7%
	Grade 10	47.9%	28.8%	12.8%	5.5%	2.1%	2.9%
	Grade 11	50.7%	28.7%	8.0%	5.4%	2.8%	4.4%
	Grade 12	46.5%	27.2%	11.0%	8.5%	3.5%	3.3%
<b>Crack?</b>							
	All	51.2%	32.9%	8.7%	3.6%	1.8%	1.7%
	Grade 7	50.9%	38.5%	6.8%	2.2%	0.9%	0.7%
	Grade 8	48.6%	37.7%	8.2%	2.9%	1.4%	1.2%
	Grade 9	56.3%	29.1%	8.2%	2.7%	1.8%	1.9%
	Grade 10	49.5%	30.8%	11.7%	3.6%	1.8%	2.6%
	Grade 11	53.5%	28.8%	7.8%	5.2%	2.3%	2.4%
	Grade 12	47.5%	29.7%	10.8%	6.7%	3.2%	2.0%
<b>Steroids?</b>							
	All	53.2%	28.6%	7.9%	5.4%	2.5%	2.5%
	Grade 7	52.8%	34.0%	6.6%	3.2%	1.7%	1.6%
	Grade 8	51.0%	32.9%	7.9%	4.8%	1.8%	1.5%
	Grade 9	57.9%	25.6%	7.7%	4.7%	2.2%	1.9%
	Grade 10	53.5%	28.0%	8.5%	4.2%	2.4%	3.4%
	Grade 11	54.2%	23.9%	7.4%	6.5%	4.0%	4.1%
	Grade 12	48.2%	24.1%	9.8%	11.4%	3.6%	2.9%
<b>Ecstasy?</b>							
	All	62.6%	25.5%	6.2%	2.7%	1.3%	1.7%
	Grade 7	65.7%	26.9%	4.9%	1.3%	0.6%	0.6%
	Grade 8	61.5%	29.4%	5.7%	1.8%	0.7%	0.9%
	Grade 9	67.1%	22.4%	5.9%	2.3%	0.7%	1.6%
	Grade 10	61.3%	24.7%	7.2%	3.2%	0.9%	2.7%
	Grade 11	59.9%	25.2%	7.0%	3.5%	2.2%	2.2%
	Grade 12	57.2%	23.4%	7.3%	5.7%	3.7%	2.7%

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	56.6%	30.6%	7.2%	2.7%	1.2%	1.7%
	Grade 7	59.8%	31.6%	5.3%	1.6%	0.8%	0.9%
	Grade 8	55.9%	33.8%	6.0%	2.2%	0.9%	1.3%
	Grade 9	60.2%	27.9%	6.3%	2.6%	1.5%	1.3%
	Grade 10	53.8%	30.5%	8.9%	3.2%	1.1%	2.5%
	Grade 11	55.8%	29.3%	8.2%	3.1%	1.2%	2.3%
	Grade 12	51.9%	29.8%	9.8%	4.5%	1.9%	2.2%
<b>Methamphetamine?</b>							
	All	57.9%	29.4%	6.9%	2.8%	1.4%	1.8%
	Grade 7	60.3%	31.2%	5.1%	1.6%	0.9%	0.7%
	Grade 8	56.9%	32.9%	5.8%	2.2%	0.9%	1.3%
	Grade 9	62.5%	24.9%	7.1%	2.5%	1.3%	1.7%
	Grade 10	56.1%	29.2%	7.3%	3.5%	1.1%	2.8%
	Grade 11	55.5%	29.9%	7.5%	3.2%	1.8%	2.2%
	Grade 12	53.5%	27.6%	9.9%	4.4%	2.4%	2.3%
<b>Synthetic Marijuana?</b>							
	All	61.3%	24.2%	6.0%	3.0%	2.6%	3.0%
	Grade 7	63.6%	28.0%	4.8%	2.0%	0.8%	0.8%
	Grade 8	59.2%	29.0%	5.7%	2.4%	1.9%	1.7%
	Grade 9	66.4%	20.0%	6.4%	2.0%	2.7%	2.5%
	Grade 10	58.8%	24.0%	6.6%	3.5%	2.5%	4.6%
	Grade 11	60.0%	21.7%	5.6%	4.0%	4.7%	4.1%
	Grade 12	57.7%	20.1%	7.1%	5.5%	4.0%	5.5%
<b>Delta 8?</b>							
	All	61.5%	22.0%	5.6%	3.2%	2.9%	4.7%
	Grade 7	64.2%	26.3%	4.9%	2.0%	1.4%	1.2%
	Grade 8	59.3%	28.0%	5.6%	2.7%	1.9%	2.4%
	Grade 9	66.2%	19.2%	5.9%	2.2%	2.9%	3.6%
	Grade 10	58.9%	20.2%	6.3%	2.8%	5.2%	6.4%
	Grade 11	62.2%	18.6%	4.7%	3.8%	2.9%	7.7%
	Grade 12	56.3%	16.2%	6.6%	7.0%	3.7%	10.2%



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	95.3%	2.2%	0.6%	2.0%
Grade 7	98.7%	1.0%	0.1%	0.2%
Grade 8	97.0%	1.7%	0.5%	0.7%
Grade 9	95.6%	2.2%	0.6%	1.6%
Grade 10	93.2%	2.4%	0.8%	3.6%
Grade 11	93.6%	2.7%	0.8%	2.9%
Grade 12	91.1%	3.7%	0.9%	4.3%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	98.7%	1.0%	0.2%	0.2%
Grade 7	98.9%	0.7%	0.1%	0.2%
Grade 8	98.5%	1.0%	0.2%	0.3%
Grade 9	98.8%	1.0%	0.1%	0.1%
Grade 10	98.7%	0.9%	0.3%	0.1%
Grade 11	98.8%	0.8%	0.2%	0.2%
Grade 12	98.1%	1.8%	0.0%	0.1%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.2
Marijuana Non-Users	4.4
Average Days Conduct Problems Reported	
Marijuana Users	4.6
Marijuana Non-Users	1.4

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	96.7%	2.1%	0.4%	0.8%
Grade 9	99.1%	0.7%	0.1%	0.2%
Grade 10	97.2%	2.0%	0.2%	0.6%
Grade 11	95.3%	3.1%	0.1%	1.5%
Grade 12	93.9%	3.4%	1.3%	1.4%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.6%	2.0%	0.2%	0.2%
Grade 7	98.2%	1.5%	0.2%	0.1%
Grade 8	97.7%	1.8%	0.2%	0.3%
Grade 9	98.2%	1.6%	0.1%	0.2%
Grade 10	97.3%	2.5%	0.2%	0.1%
Grade 11	97.1%	2.4%	0.3%	0.2%
Grade 12	96.9%	2.8%	0.1%	0.3%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	77.7%	11.7%	5.3%	4.1%	1.2%
Grade 7	90.0%	6.6%	2.1%	1.0%	0.4%
Grade 8	81.9%	10.3%	4.1%	3.0%	0.8%
Grade 9	78.5%	10.7%	5.0%	4.9%	1.0%
Grade 10	70.0%	17.3%	6.8%	4.4%	1.5%
Grade 11	73.5%	13.5%	6.7%	4.2%	2.1%
Grade 12	65.7%	13.8%	9.2%	9.3%	1.9%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	72.3%	3.1%	1.9%	2.9%	2.4%	1.8%	15.7%
Grade 7	83.3%	2.3%	0.8%	0.7%	0.4%	1.5%	11.1%
Grade 8	77.5%	2.7%	1.6%	1.4%	1.0%	1.9%	13.9%
Grade 9	73.6%	3.1%	1.6%	1.9%	1.8%	2.3%	15.7%
Grade 10	69.3%	2.5%	2.4%	3.3%	2.7%	1.2%	18.6%
Grade 11	63.6%	3.8%	2.8%	4.4%	3.6%	2.6%	19.3%
Grade 12	59.1%	4.9%	2.7%	8.2%	6.5%	1.1%	17.5%

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.3%	6.6%	5.7%	1.5%	0.9%	8.9%
Grade 7	84.3%	3.2%	2.2%	0.8%	0.6%	8.9%
Grade 8	81.7%	4.1%	3.8%	1.4%	0.7%	8.2%
Grade 9	73.7%	7.5%	7.1%	0.9%	1.2%	9.6%
Grade 10	73.3%	9.8%	6.1%	1.9%	0.4%	8.5%
Grade 11	69.1%	8.4%	8.9%	1.2%	1.5%	10.9%
Grade 12	71.0%	8.6%	8.0%	3.8%	1.7%	6.8%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	66.1%	14.1%	9.4%	4.2%	6.2%
	Grade 7	78.5%	10.5%	3.4%	1.4%	6.1%
	Grade 8	72.3%	13.3%	5.9%	3.0%	5.4%
	Grade 9	63.5%	13.9%	10.2%	5.1%	7.3%
	Grade 10	61.9%	15.2%	12.2%	4.2%	6.5%
	Grade 11	59.0%	16.4%	12.3%	4.9%	7.5%
	Grade 12	54.4%	17.1%	15.7%	8.7%	4.1%
Cocaine?						
	All	87.5%	5.5%	0.6%	0.3%	6.1%
	Grade 7	86.6%	5.9%	1.0%	0.5%	6.1%
	Grade 8	87.0%	5.9%	1.2%	0.4%	5.5%
	Grade 9	86.3%	5.9%	0.4%	0.3%	7.2%
	Grade 10	87.7%	4.9%	0.4%	0.2%	6.8%
	Grade 11	88.7%	4.6%	0.2%	0.1%	6.5%
	Grade 12	89.5%	5.6%	0.3%	0.3%	4.3%
Crack?						
	All	88.1%	4.5%	0.6%	0.3%	6.5%
	Grade 7	86.5%	5.0%	0.9%	0.5%	7.1%
	Grade 8	87.3%	5.2%	1.0%	0.4%	6.1%
	Grade 9	87.2%	4.7%	0.4%	0.3%	7.5%
	Grade 10	88.6%	4.0%	0.5%	0.1%	6.8%
	Grade 11	89.4%	3.7%	0.3%	0.1%	6.4%
	Grade 12	90.7%	4.2%	0.1%	0.3%	4.6%
Ecstasy?						
	All	80.3%	5.3%	0.8%	0.4%	13.2%
	Grade 7	79.9%	4.8%	0.9%	0.7%	13.6%
	Grade 8	80.4%	5.3%	1.1%	0.4%	12.9%
	Grade 9	79.0%	5.2%	0.4%	0.3%	15.1%
	Grade 10	80.0%	4.7%	0.8%	0.2%	14.3%
	Grade 11	82.8%	4.9%	0.4%	0.2%	11.7%
	Grade 12	80.1%	7.3%	1.3%	0.5%	10.9%
Steroids?						
	All	75.4%	11.1%	3.5%	0.9%	9.0%
	Grade 7	76.3%	10.0%	3.7%	1.2%	8.9%
	Grade 8	75.3%	11.8%	3.7%	1.0%	8.2%
	Grade 9	73.4%	11.4%	3.6%	0.7%	10.9%
	Grade 10	74.1%	11.4%	3.7%	0.7%	10.1%
	Grade 11	77.5%	9.5%	3.3%	1.4%	8.3%
	Grade 12	76.7%	12.5%	3.1%	0.5%	7.3%

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	85.8%	4.2%	0.6%	0.4%	9.0%
	Grade 7	82.8%	5.0%	0.9%	0.6%	10.7%
	Grade 8	84.2%	5.1%	1.0%	0.5%	9.2%
	Grade 9	84.9%	3.8%	0.3%	0.4%	10.6%
	Grade 10	87.0%	3.1%	0.4%	0.1%	9.4%
	Grade 11	88.1%	4.1%	0.4%	0.1%	7.3%
	Grade 12	90.3%	3.8%	0.2%	0.3%	5.4%
<b>Methamphetamine?</b>						
	All	86.5%	4.0%	0.4%	0.4%	8.7%
	Grade 7	83.5%	5.0%	0.6%	0.5%	10.4%
	Grade 8	85.5%	4.3%	0.8%	0.6%	8.8%
	Grade 9	86.0%	4.1%	0.4%	0.4%	9.2%
	Grade 10	86.9%	4.4%	0.3%	0.2%	8.3%
	Grade 11	88.4%	2.7%	0.2%	0.1%	8.5%
	Grade 12	91.0%	2.9%	0.1%	0.2%	5.7%
<b>Synthetic Marijuana?</b>						
	All	78.2%	6.9%	2.2%	0.8%	11.9%
	Grade 7	80.7%	5.8%	1.0%	0.8%	11.6%
	Grade 8	80.2%	6.2%	1.8%	1.0%	10.7%
	Grade 9	77.0%	6.5%	2.2%	0.6%	13.7%
	Grade 10	75.9%	8.6%	2.3%	0.5%	12.7%
	Grade 11	77.4%	6.2%	3.4%	0.8%	12.2%
	Grade 12	77.1%	8.5%	3.3%	1.1%	10.0%
<b>Delta 8?</b>						
	All	73.3%	8.2%	4.1%	1.9%	12.6%
	Grade 7	78.0%	7.3%	1.9%	1.0%	11.8%
	Grade 8	77.0%	7.4%	3.1%	1.5%	11.0%
	Grade 9	71.8%	8.2%	3.6%	1.7%	14.6%
	Grade 10	70.9%	9.2%	4.8%	1.5%	13.5%
	Grade 11	72.4%	7.4%	5.7%	2.1%	12.4%
	Grade 12	66.6%	10.2%	6.8%	4.3%	12.1%
<b>Fictional Drug?</b>						
	All	80.2%	3.5%	0.5%	0.3%	15.5%
	Grade 7	80.3%	4.1%	0.7%	0.5%	14.5%
	Grade 8	80.1%	4.3%	0.7%	0.3%	14.5%
	Grade 9	79.9%	4.0%	0.3%	0.3%	15.5%
	Grade 10	79.3%	3.0%	0.5%	0.1%	17.1%
	Grade 11	82.4%	2.5%	0.1%	0.1%	14.8%
	Grade 12	79.6%	2.7%	0.3%	0.4%	17.0%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	4.4%	6.5%	11.4%	88.6%
Grade 7	5.3%	7.4%	13.1%	86.9%
Grade 8	4.9%	7.2%	12.7%	87.3%
Grade 9	3.9%	5.5%	9.4%	90.6%
Grade 10	4.4%	6.6%	11.0%	89.0%
Grade 11	4.7%	6.2%	10.6%	89.4%
Grade 12	2.9%	5.7%	11.2%	88.8%
<b>Codeine Cough Syrup?</b>				
All	2.1%	3.6%	7.1%	92.9%
Grade 7	3.1%	4.6%	9.2%	90.8%
Grade 8	2.7%	4.4%	8.7%	91.3%
Grade 9	1.9%	3.2%	5.8%	94.2%
Grade 10	1.7%	3.4%	7.0%	93.0%
Grade 11	1.5%	2.7%	4.9%	95.1%
Grade 12	1.1%	2.8%	6.2%	93.8%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.4%	0.6%	1.8%	98.2%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	0.2%	0.4%	1.2%	98.8%
Grade 9	0.3%	0.5%	1.1%	98.9%
Grade 10	0.5%	0.9%	2.1%	97.9%
Grade 11	0.3%	0.7%	2.4%	97.6%
Grade 12	0.4%	0.7%	3.8%	96.2%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.5%	0.6%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.5%	0.8%	1.5%	98.5%
Grade 11	0.9%	1.5%	2.7%	97.3%
Grade 12	0.2%	0.6%	3.1%	96.9%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.1%	1.7%	2.9%	97.1%
Grade 7	0.8%	1.3%	2.0%	98.0%
Grade 8	1.0%	1.4%	2.8%	97.2%
Grade 9	0.5%	1.1%	2.1%	97.9%
Grade 10	1.9%	2.6%	3.7%	96.3%
Grade 11	1.0%	2.1%	3.5%	96.5%
Grade 12	1.4%	1.9%	4.3%	95.7%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.1%	3.1%	5.8%	94.2%
Grade 7	2.5%	3.5%	6.9%	93.1%
Grade 8	2.7%	3.9%	7.5%	92.5%
Grade 9	2.5%	3.4%	5.7%	94.3%
Grade 10	1.3%	2.0%	4.0%	96.0%
Grade 11	2.5%	3.0%	5.4%	94.6%
Grade 12	0.8%	2.1%	4.8%	95.2%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.0%	1.4%	2.5%	97.5%
Grade 7	1.4%	1.9%	3.8%	96.2%
Grade 8	1.4%	1.9%	3.3%	96.7%
Grade 9	1.4%	1.5%	2.0%	98.0%
Grade 10	0.6%	0.8%	2.1%	97.9%
Grade 11	0.6%	1.0%	1.8%	98.2%
Grade 12	0.4%	0.7%	1.5%	98.5%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.9%	11.2%	2.9%	0.8%	9.2%
Grade 7	77.1%	10.3%	2.9%	1.0%	8.9%
Grade 8	75.3%	11.6%	3.5%	1.3%	8.3%
Grade 9	74.3%	10.7%	3.4%	0.9%	10.7%
Grade 10	75.2%	11.8%	3.0%	0.5%	9.5%
Grade 11	76.9%	10.4%	2.6%	0.4%	9.6%
Grade 12	77.2%	12.9%	1.5%	0.5%	7.9%

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.3%	4.3%	9.2%	90.8%
Grade 7	4.5%	6.0%	11.4%	88.6%
Grade 8	4.3%	6.0%	10.9%	89.1%
Grade 9	2.9%	3.4%	7.6%	92.4%
Grade 10	2.5%	2.9%	7.1%	92.9%
Grade 11	2.8%	3.5%	9.4%	90.6%
Grade 12	2.1%	2.8%	8.4%	91.6%
Spray Paint?				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.4%	0.5%	1.5%	98.5%
Grade 8	0.3%	0.5%	1.4%	98.6%
Grade 9	0.3%	0.4%	1.1%	98.9%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.7%	0.9%	2.4%	97.6%
Grade 12	0.1%	0.2%	1.4%	98.6%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.7%	1.0%	3.2%	96.8%
Grade 7	1.0%	1.7%	4.7%	95.3%
Grade 8	1.0%	1.5%	4.1%	95.9%
Grade 9	0.5%	0.7%	2.8%	97.2%
Grade 10	0.8%	0.9%	2.5%	97.5%
Grade 11	0.2%	0.2%	1.7%	98.3%
Grade 12	0.5%	0.6%	2.9%	97.1%
Computer Dusting Sprays?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.1%	0.3%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.6%	99.4%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.6%	1.1%	3.7%	96.3%
Grade 7	0.7%	1.3%	4.1%	95.9%
Grade 8	0.9%	1.5%	4.1%	95.9%
Grade 9	0.3%	0.6%	2.6%	97.4%
Grade 10	0.6%	0.8%	3.2%	96.8%
Grade 11	0.9%	1.4%	4.1%	95.9%
Grade 12	0.2%	1.0%	4.2%	95.8%



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.5%	0.8%	1.9%	98.1%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.0%	0.2%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.2%	1.6%	98.4%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.0%	0.2%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.2%	0.4%	0.6%	99.4%
Grade 12	0.1%	0.2%	0.9%	99.1%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.6%	0.8%	2.0%	98.0%
Grade 7	1.0%	1.3%	3.2%	96.8%
Grade 8	1.1%	1.5%	3.1%	96.9%
Grade 9	0.6%	0.6%	1.4%	98.6%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.2%	0.5%	1.8%	98.2%
Grade 12	0.2%	0.3%	1.4%	98.6%
<b>Other Aerosols/Sprays?</b>				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.8%	1.1%	2.5%	97.5%
Grade 8	0.7%	0.9%	2.0%	98.0%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.7%	0.9%	1.4%	98.6%
Grade 12	0.2%	0.2%	1.0%	99.0%

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.2%	0.1%	0.1%	0.2%	0.3%	0.4%	0.8%
Grade 7	97.1%	0.1%	0.2%	0.2%	0.6%	0.6%	1.1%
Grade 8	97.2%	0.2%	0.1%	0.4%	0.6%	0.3%	1.1%
Grade 9	98.5%	0.0%	0.2%	0.1%	0.3%	0.2%	0.6%
Grade 10	99.0%	0.0%	0.0%	0.2%	0.0%	0.3%	0.4%
Grade 11	99.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.6%
Grade 12	98.5%	0.0%	0.0%	0.0%	0.1%	0.6%	0.8%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	92.7%	4.4%	2.0%	0.9%
Grade 7	90.5%	4.7%	3.5%	1.2%
Grade 8	91.3%	4.6%	2.8%	1.2%
Grade 9	94.6%	3.1%	1.7%	0.6%
Grade 10	94.0%	4.6%	0.9%	0.5%
Grade 11	92.3%	5.8%	1.1%	0.8%
Grade 12	93.7%	3.6%	1.6%	1.0%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.0	10.0	10.7	11.7	10.6	11.2	12.8

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.5%	0.3%	0.1%	0.1%
Grade 7	99.2%	0.6%	0.1%	0.0%
Grade 8	99.3%	0.4%	0.1%	0.3%
Grade 9	99.7%	0.1%	0.2%	0.0%
Grade 10	99.8%	0.1%	0.0%	0.1%
Grade 11	99.8%	0.1%	0.0%	0.1%
Grade 12	99.5%	0.4%	0.0%	0.2%

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.9
Inhalant Non-Users	4.5
Average Days Conduct Problems Reported	
Inhalant Users	4.3
Inhalant Non-Users	1.6

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	95.1%	3.5%	0.9%	0.4%	0.1%
Grade 7	92.9%	5.0%	1.4%	0.5%	0.2%
Grade 8	93.8%	4.3%	1.4%	0.3%	0.1%
Grade 9	96.0%	2.6%	0.8%	0.4%	0.1%
Grade 10	96.2%	3.1%	0.4%	0.2%	0.1%
Grade 11	95.5%	3.4%	0.7%	0.4%	0.0%
Grade 12	96.9%	1.9%	0.7%	0.5%	0.1%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.5%	12.1%	3.9%	1.1%	8.4%
Grade 7	72.5%	13.2%	4.7%	1.3%	8.2%
Grade 8	72.3%	13.6%	5.2%	1.4%	7.6%
Grade 9	73.0%	12.5%	4.0%	0.7%	9.9%
Grade 10	76.9%	11.9%	2.2%	0.5%	8.5%
Grade 11	79.9%	7.8%	2.0%	1.1%	9.2%
Grade 12	74.0%	13.0%	4.6%	1.6%	6.8%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	53.4%	16.0%	4.0%	4.7%	6.9%	15.0%
Grade 7	52.2%	22.7%	4.4%	4.2%	6.7%	9.8%
Grade 8	50.4%	19.8%	5.0%	5.6%	7.1%	12.1%
Grade 9	60.3%	13.5%	3.7%	4.0%	6.2%	12.3%
Grade 10	52.2%	13.6%	4.7%	6.4%	6.3%	16.9%
Grade 11	56.3%	11.6%	3.0%	4.7%	4.7%	19.7%
Grade 12	47.2%	11.5%	2.8%	3.3%	11.4%	23.8%

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	38.2%
	Grade 7	34.6%
	Grade 8	44.5%
	Grade 9	36.6%
	Grade 10	39.0%
	Grade 11	37.1%
	Grade 12	36.5%
An Assembly Program		
	All	50.2%
	Grade 7	45.6%
	Grade 8	50.3%
	Grade 9	49.6%
	Grade 10	52.8%
	Grade 11	51.1%
	Grade 12	54.0%
Guidance Counselor		
	All	31.3%
	Grade 7	31.7%
	Grade 8	34.7%
	Grade 9	29.7%
	Grade 10	31.1%
	Grade 11	28.9%
	Grade 12	30.9%
School Nurse		
	All	18.6%
	Grade 7	19.1%
	Grade 8	18.6%
	Grade 9	18.3%
	Grade 10	18.8%
	Grade 11	17.9%
	Grade 12	19.3%
Science or Social Studies Class		
	All	28.1%
	Grade 7	25.7%
	Grade 8	26.8%
	Grade 9	29.8%
	Grade 10	29.1%
	Grade 11	28.2%
	Grade 12	29.9%

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	15.8%
	Grade 7	11.6%
	Grade 8	13.9%
	Grade 9	17.8%
	Grade 10	17.8%
	Grade 11	17.4%
	Grade 12	17.8%
<b>An Invited School Guest</b>		
	All	30.0%
	Grade 7	26.5%
	Grade 8	30.8%
	Grade 9	28.9%
	Grade 10	32.4%
	Grade 11	30.2%
	Grade 12	32.6%
<b>Another Source at School</b>		
	All	31.9%
	Grade 7	29.5%
	Grade 8	31.6%
	Grade 9	32.3%
	Grade 10	33.2%
	Grade 11	33.3%
	Grade 12	32.1%
<b>Any School Source</b>		
	All	67.8%
	Grade 7	65.7%
	Grade 8	69.7%
	Grade 9	67.0%
	Grade 10	68.1%
	Grade 11	69.0%
	Grade 12	67.3%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	36.5%
	Grade 7	44.1%
	Grade 8	37.5%
	Grade 9	33.9%
	Grade 10	32.6%
	Grade 11	32.4%
	Grade 12	36.7%
<b>School Nurse</b>		
	All	24.1%
	Grade 7	30.7%
	Grade 8	25.1%
	Grade 9	23.9%
	Grade 10	19.6%
	Grade 11	19.5%
	Grade 12	23.9%
<b>Another Adult In School</b>		
	All	40.1%
	Grade 7	44.1%
	Grade 8	39.5%
	Grade 9	38.2%
	Grade 10	37.7%
	Grade 11	37.4%
	Grade 12	44.1%
<b>Counselor/Program Outside-School</b>		
	All	38.0%
	Grade 7	42.7%
	Grade 8	38.4%
	Grade 9	38.2%
	Grade 10	32.8%
	Grade 11	36.4%
	Grade 12	38.1%
<b>Your Parents</b>		
	All	68.2%
	Grade 7	76.1%
	Grade 8	71.1%
	Grade 9	69.0%
	Grade 10	64.4%
	Grade 11	61.3%
	Grade 12	63.4%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<hr/>		
A Medical Doctor		
All		57.6%
Grade 7		66.3%
Grade 8		62.2%
Grade 9		52.9%
Grade 10		52.7%
Grade 11		54.4%
Grade 12		54.0%
Your Friends		
All		57.3%
Grade 7		52.1%
Grade 8		55.6%
Grade 9		59.6%
Grade 10		55.2%
Grade 11		61.1%
Grade 12		62.4%
Another Adult		
All		56.1%
Grade 7		60.8%
Grade 8		58.4%
Grade 9		57.0%
Grade 10		51.5%
Grade 11		51.7%
Grade 12		55.1%
<hr/>		

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
<hr/>		
All		5.6%
Grade 7		5.4%
Grade 8		6.4%
Grade 9		6.6%
Grade 10		5.4%
Grade 11		4.8%
Grade 12		4.6%
<hr/>		

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	6.2%	20.4%	22.9%	34.1%	16.4%
Grade 7	5.7%	16.8%	19.5%	37.5%	20.5%
Grade 8	6.7%	19.4%	21.2%	35.5%	17.3%
Grade 9	6.6%	22.8%	23.1%	32.4%	15.1%
Grade 10	7.4%	19.4%	25.1%	30.2%	17.9%
Grade 11	5.2%	23.1%	25.5%	34.2%	11.9%
Grade 12	4.9%	21.5%	25.1%	34.7%	13.9%
<b>Sometimes Carry Weapons?</b>					
All	83.5%	10.0%	4.0%	1.6%	0.9%
Grade 7	88.8%	7.3%	2.6%	0.6%	0.7%
Grade 8	83.3%	10.6%	3.5%	1.7%	0.9%
Grade 9	84.2%	9.2%	3.3%	1.9%	1.3%
Grade 10	83.3%	11.2%	3.4%	1.7%	0.4%
Grade 11	83.1%	9.0%	5.2%	1.7%	1.0%
Grade 12	74.9%	14.4%	7.5%	2.0%	1.1%
<b>Care About Making Good Grades?</b>					
All	2.4%	12.8%	24.3%	39.8%	20.7%
Grade 7	2.7%	12.0%	24.4%	39.4%	21.4%
Grade 8	2.9%	13.1%	26.0%	39.4%	18.7%
Grade 9	2.1%	13.1%	24.5%	38.1%	22.2%
Grade 10	2.7%	11.9%	22.3%	38.7%	24.4%
Grade 11	1.8%	13.0%	22.8%	42.4%	20.1%
Grade 12	1.9%	14.0%	25.3%	42.5%	16.3%
<b>Belong/Want to Belong to a Gang?</b>					
All	90.9%	5.7%	2.0%	0.8%	0.7%
Grade 7	89.9%	6.8%	1.8%	0.8%	0.6%
Grade 8	88.3%	7.7%	2.5%	0.9%	0.6%
Grade 9	90.8%	4.5%	2.2%	1.3%	1.2%
Grade 10	93.0%	4.1%	2.0%	0.4%	0.5%
Grade 11	92.7%	4.6%	2.0%	0.3%	0.5%
Grade 12	92.0%	5.7%	1.0%	0.8%	0.5%
<b>Wish They Could Drop Out of School?</b>					
All	48.2%	28.0%	13.7%	6.5%	3.6%
Grade 7	48.4%	27.8%	12.7%	6.5%	4.6%
Grade 8	45.9%	29.3%	14.1%	7.4%	3.2%
Grade 9	47.0%	28.2%	15.3%	6.7%	2.8%
Grade 10	48.5%	29.1%	13.8%	5.0%	3.6%
Grade 11	52.4%	26.5%	12.7%	5.1%	3.3%
Grade 12	48.0%	26.2%	12.9%	8.7%	4.2%



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	86.1%	11.9%	0.7%	0.2%	1.0%
Grade 7	87.0%	11.0%	1.1%	0.2%	0.7%
Grade 8	86.7%	11.9%	0.6%	0.3%	0.6%
Grade 9	86.8%	10.5%	0.8%	0.5%	1.4%
Grade 10	84.2%	13.9%	0.8%	0.0%	1.1%
Grade 11	85.0%	12.5%	0.4%	0.1%	2.0%
Grade 12	86.6%	12.3%	0.4%	0.1%	0.6%
<b>Out In Your Neighborhood?</b>					
All	44.8%	45.1%	6.0%	1.0%	3.1%
Grade 7	39.3%	47.9%	7.4%	1.6%	3.8%
Grade 8	42.8%	45.8%	7.2%	1.1%	3.1%
Grade 9	45.1%	44.8%	6.0%	0.8%	3.3%
Grade 10	46.2%	44.9%	5.4%	0.7%	2.7%
Grade 11	45.4%	46.7%	4.4%	0.4%	3.1%
Grade 12	53.1%	38.9%	4.3%	1.1%	2.5%
<b>At School?</b>					
All	28.7%	51.6%	11.5%	4.0%	4.1%
Grade 7	30.1%	49.9%	11.2%	5.1%	3.7%
Grade 8	29.0%	51.3%	10.7%	4.4%	4.7%
Grade 9	28.1%	50.6%	11.9%	4.5%	4.9%
Grade 10	28.0%	53.4%	12.4%	2.6%	3.6%
Grade 11	24.8%	54.8%	12.1%	3.5%	4.7%
Grade 12	32.9%	50.0%	11.0%	3.5%	2.6%

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.2%	10.1%	18.6%	81.4%
Grade 7	4.1%	5.4%	12.2%	87.8%
Grade 8	6.0%	7.8%	14.5%	85.5%
Grade 9	6.9%	9.2%	17.5%	82.5%
Grade 10	9.0%	11.6%	20.8%	79.2%
Grade 11	10.9%	13.1%	23.7%	76.3%
Grade 12	15.7%	17.2%	27.3%	72.7%
<b>Any Alcohol Product</b>				
All	20.1%	23.2%	38.9%	61.1%
Grade 7	12.5%	14.6%	32.1%	67.9%
Grade 8	18.2%	20.7%	38.4%	61.6%
Grade 9	18.4%	21.9%	36.1%	63.9%
Grade 10	22.6%	25.5%	39.8%	60.2%
Grade 11	23.9%	27.9%	43.3%	56.7%
Grade 12	29.3%	33.7%	47.7%	52.3%
<b>Any Illicit Drug</b>				
All	8.7%	11.4%	15.7%	84.3%
Grade 7	3.3%	5.0%	6.7%	93.3%
Grade 8	6.4%	9.1%	11.5%	88.5%
Grade 9	8.9%	10.3%	13.7%	86.3%
Grade 10	12.6%	14.9%	19.4%	80.6%
Grade 11	9.9%	13.6%	20.4%	79.6%
Grade 12	14.0%	19.1%	28.8%	71.2%
<b>Any Prescription Drug</b>				
All	4.4%	6.5%	11.4%	88.6%
Grade 7	5.3%	7.4%	13.1%	86.9%
Grade 8	4.9%	7.2%	12.7%	87.3%
Grade 9	3.9%	5.5%	9.4%	90.6%
Grade 10	4.4%	6.6%	11.0%	89.0%
Grade 11	4.7%	6.2%	10.6%	89.4%
Grade 12	2.9%	5.7%	11.2%	88.8%
<b>Any Inhalant</b>				
All	3.3%	4.3%	9.2%	90.8%
Grade 7	4.5%	6.0%	11.4%	88.6%
Grade 8	4.3%	6.0%	10.9%	89.1%
Grade 9	2.9%	3.4%	7.6%	92.4%
Grade 10	2.5%	2.9%	7.1%	92.9%
Grade 11	2.8%	3.5%	9.4%	90.6%
Grade 12	2.1%	2.8%	8.4%	91.6%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	5.9%	8.2%	16.0%	84.0%
Grade 7	2.2%	3.8%	10.2%	89.8%
Grade 8	3.9%	6.1%	12.8%	87.2%
Grade 9	4.7%	7.4%	15.3%	84.7%
Grade 10	7.4%	9.8%	18.4%	81.6%
Grade 11	7.2%	10.1%	19.4%	80.6%
Grade 12	12.8%	14.8%	23.4%	76.6%
<b>Marijuana</b>				
All	7.9%	9.4%	13.4%	86.6%
Grade 7	2.4%	3.0%	4.1%	95.9%
Grade 8	5.4%	6.7%	9.0%	91.0%
Grade 9	8.5%	9.1%	12.2%	87.8%
Grade 10	11.4%	12.7%	16.9%	83.1%
Grade 11	9.7%	11.8%	18.1%	81.9%
Grade 12	12.5%	16.4%	26.5%	73.5%
<b>Marijuana Only</b>				
All	3.6%	4.5%	7.6%	92.4%
Grade 7	1.0%	1.4%	2.3%	97.7%
Grade 8	2.8%	3.7%	5.5%	94.5%
Grade 9	4.7%	5.1%	7.8%	92.2%
Grade 10	6.4%	7.0%	10.5%	89.5%
Grade 11	3.6%	4.9%	9.6%	90.4%
Grade 12	3.4%	5.3%	12.1%	87.9%
<b>Cocaine or Crack</b>				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.7%	0.8%	1.1%	98.9%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.6%	0.7%	1.3%	98.7%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.4%	0.6%	1.0%	99.0%
Grade 12	1.7%	1.9%	4.5%	95.5%
<b>Cocaine</b>				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.5%	0.9%	99.1%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.3%	0.5%	0.8%	99.2%
Grade 12	1.0%	1.2%	3.8%	96.2%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.3%	0.3%	0.5%	99.5%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.2%	0.3%	0.3%	99.7%
	Grade 9	0.2%	0.2%	0.5%	99.5%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	0.2%	0.2%	0.3%	99.7%
	Grade 12	0.8%	0.8%	1.3%	98.7%
Hallucinogens	All	0.6%	1.3%	2.5%	97.5%
	Grade 7	0.2%	0.4%	0.8%	99.2%
	Grade 8	0.5%	0.7%	1.4%	98.6%
	Grade 9	0.3%	0.5%	1.1%	98.9%
	Grade 10	0.4%	1.2%	2.8%	97.2%
	Grade 11	0.7%	2.4%	4.3%	95.7%
	Grade 12	1.7%	3.2%	6.4%	93.6%
Synthetic Cathinones	All	0.1%	0.2%	0.3%	99.7%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.1%	0.4%	0.4%	99.6%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids	All	0.6%	0.8%	1.6%	98.4%
	Grade 7	0.4%	0.8%	1.8%	98.2%
	Grade 8	0.3%	0.5%	1.2%	98.8%
	Grade 9	0.6%	0.7%	1.0%	99.0%
	Grade 10	0.4%	0.5%	1.7%	98.3%
	Grade 11	0.9%	1.4%	2.2%	97.8%
	Grade 12	1.1%	1.2%	1.9%	98.1%
Ecstasy	All	0.1%	0.2%	0.5%	99.5%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.3%	0.4%	0.6%	99.4%
	Grade 9	0.2%	0.3%	0.5%	99.5%
	Grade 10	0.1%	0.1%	0.4%	99.6%
	Grade 11	0.0%	0.1%	0.2%	99.8%
	Grade 12	0.2%	0.2%	1.4%	98.6%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Synthetic Marijuana</b>				
All	0.7%	1.1%	2.1%	97.9%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.5%	0.9%	1.7%	98.3%
Grade 9	0.6%	1.0%	1.6%	98.4%
Grade 10	1.6%	1.9%	2.9%	97.1%
Grade 11	0.9%	1.3%	1.9%	98.1%
Grade 12	0.8%	1.2%	4.4%	95.6%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.7%	1.0%	1.2%	98.8%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.8%	0.9%	1.5%	98.5%
<b>Delta 8</b>				
All	1.6%	2.4%	4.3%	95.7%
Grade 7	0.4%	0.7%	1.6%	98.4%
Grade 8	0.9%	1.4%	2.4%	97.6%
Grade 9	1.4%	1.9%	3.0%	97.0%
Grade 10	1.7%	3.2%	5.1%	94.9%
Grade 11	2.5%	3.5%	5.8%	94.2%
Grade 12	3.7%	5.1%	10.7%	89.3%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.6%	10.3%	18.1%	81.9%
Grade 7	3.4%	4.3%	11.0%	89.0%
Grade 8	6.4%	7.8%	14.4%	85.6%
Grade 9	7.6%	9.2%	17.2%	82.8%
Grade 10	9.2%	11.5%	18.3%	81.7%
Grade 11	13.4%	15.6%	26.6%	73.4%
Grade 12	15.2%	17.0%	25.6%	74.4%
<b>Any Alcohol Product</b>				
All	19.7%	22.5%	38.8%	61.2%
Grade 7	11.0%	12.8%	31.1%	68.9%
Grade 8	16.5%	19.3%	38.5%	61.5%
Grade 9	19.3%	22.0%	36.6%	63.4%
Grade 10	22.6%	25.8%	39.5%	60.5%
Grade 11	25.7%	29.3%	46.0%	54.0%
Grade 12	27.7%	31.3%	45.3%	54.7%
<b>Any Illicit Drug</b>				
All	7.9%	10.5%	14.5%	85.5%
Grade 7	2.5%	4.0%	5.2%	94.8%
Grade 8	6.7%	9.4%	11.7%	88.3%
Grade 9	8.1%	9.4%	13.2%	86.8%
Grade 10	8.9%	11.8%	15.6%	84.4%
Grade 11	13.0%	15.9%	23.6%	76.4%
Grade 12	10.8%	15.8%	23.1%	76.9%
<b>Any Prescription Drug</b>				
All	4.5%	7.0%	12.2%	87.8%
Grade 7	4.9%	7.1%	11.7%	88.3%
Grade 8	5.4%	8.1%	12.8%	87.2%
Grade 9	4.7%	6.5%	11.8%	88.2%
Grade 10	5.3%	7.9%	14.2%	85.8%
Grade 11	2.8%	4.5%	9.6%	90.4%
Grade 12	3.5%	7.1%	12.7%	87.3%
<b>Any Inhalant</b>				
All	3.0%	3.9%	8.7%	91.3%
Grade 7	3.8%	5.0%	10.0%	90.0%
Grade 8	3.9%	5.5%	10.0%	90.0%
Grade 9	2.9%	3.4%	7.5%	92.5%
Grade 10	2.5%	2.9%	7.3%	92.7%
Grade 11	2.8%	3.5%	9.8%	90.2%
Grade 12	1.9%	2.4%	7.3%	92.7%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	5.8%	7.8%	15.1%	84.9%
Grade 7	1.5%	2.6%	8.5%	91.5%
Grade 8	3.8%	5.9%	12.3%	87.7%
Grade 9	5.0%	7.2%	14.6%	85.4%
Grade 10	7.3%	8.9%	16.8%	83.2%
Grade 11	9.1%	11.5%	21.0%	79.0%
Grade 12	11.2%	13.4%	20.8%	79.2%
<b>Marijuana</b>				
All	7.3%	8.9%	12.7%	87.3%
Grade 7	1.7%	2.1%	3.2%	96.8%
Grade 8	5.6%	7.0%	9.3%	90.7%
Grade 9	7.7%	8.6%	11.6%	88.4%
Grade 10	8.4%	10.1%	13.7%	86.3%
Grade 11	12.7%	15.0%	21.8%	78.2%
Grade 12	10.3%	14.1%	22.2%	77.8%
<b>Marijuana Only</b>				
All	2.8%	3.8%	6.5%	93.5%
Grade 7	0.9%	1.3%	2.0%	98.0%
Grade 8	2.8%	3.5%	5.4%	94.6%
Grade 9	3.3%	3.8%	6.4%	93.6%
Grade 10	3.3%	4.1%	7.1%	92.9%
Grade 11	4.5%	6.3%	10.6%	89.4%
Grade 12	2.2%	4.7%	9.9%	90.1%
<b>Cocaine or Crack</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	0.4%	0.5%	1.5%	98.5%
Grade 11	0.6%	0.6%	0.9%	99.1%
Grade 12	1.2%	1.4%	2.4%	97.6%
<b>Cocaine</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.4%	0.4%	1.5%	98.5%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	1.1%	1.4%	2.4%	97.6%



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.2%	0.2%	1.1%	98.9%
<b>Hallucinogens</b>				
All	0.7%	1.6%	2.7%	97.3%
Grade 7	0.2%	0.5%	0.7%	99.3%
Grade 8	0.7%	1.0%	1.6%	98.4%
Grade 9	0.4%	0.7%	1.3%	98.7%
Grade 10	0.9%	1.2%	2.3%	97.7%
Grade 11	0.6%	3.6%	5.5%	94.5%
Grade 12	2.0%	3.4%	6.5%	93.5%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Steroids</b>				
All	0.7%	1.0%	2.0%	98.0%
Grade 7	0.5%	0.8%	2.1%	97.9%
Grade 8	0.3%	0.6%	1.4%	98.6%
Grade 9	0.7%	0.8%	1.3%	98.7%
Grade 10	0.7%	0.9%	2.4%	97.6%
Grade 11	1.8%	2.5%	3.6%	96.4%
Grade 12	0.4%	0.7%	1.7%	98.3%
<b>Ecstasy</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.3%	0.7%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.2%	0.3%	1.7%	98.3%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.8%	1.4%	98.6%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	1.1%	98.9%
<b>Synthetic Marijuana</b>				
All	0.6%	1.0%	1.8%	98.2%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.5%	0.9%	1.7%	98.3%
Grade 9	0.5%	1.0%	1.7%	98.3%
Grade 10	1.5%	1.8%	2.6%	97.4%
Grade 11	1.0%	1.4%	1.8%	98.2%
Grade 12	0.5%	0.7%	2.8%	97.2%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.5%	0.6%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.3%	1.1%	98.9%
<b>Delta 8</b>				
All	2.1%	3.0%	4.7%	95.3%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	1.1%	1.8%	2.9%	97.1%
Grade 9	1.9%	2.7%	4.0%	96.0%
Grade 10	2.5%	4.0%	5.3%	94.7%
Grade 11	2.9%	3.8%	7.0%	93.0%
Grade 12	5.4%	6.8%	10.6%	89.4%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	7.7%	9.9%	18.9%	81.1%
Grade 7	4.8%	6.6%	13.5%	86.5%
Grade 8	5.7%	7.7%	14.5%	85.5%
Grade 9	6.4%	9.3%	17.8%	82.2%
Grade 10	8.7%	11.5%	22.8%	77.2%
Grade 11	8.6%	10.7%	20.9%	79.1%
Grade 12	15.2%	16.4%	28.6%	71.4%
<b>Any Alcohol Product</b>				
All	20.3%	23.6%	38.8%	61.2%
Grade 7	14.0%	16.3%	33.0%	67.0%
Grade 8	19.6%	22.0%	38.5%	61.5%
Grade 9	17.5%	21.7%	35.7%	64.3%
Grade 10	22.4%	25.1%	39.9%	60.1%
Grade 11	22.4%	26.6%	40.8%	59.2%
Grade 12	30.5%	35.7%	50.3%	49.7%
<b>Any Illicit Drug</b>				
All	9.4%	12.0%	16.5%	83.5%
Grade 7	4.1%	6.0%	8.2%	91.8%
Grade 8	6.2%	8.8%	11.3%	88.7%
Grade 9	9.8%	11.2%	14.3%	85.7%
Grade 10	15.7%	17.4%	22.4%	77.6%
Grade 11	7.0%	11.4%	17.4%	82.6%
Grade 12	16.2%	21.5%	32.8%	67.2%
<b>Any Prescription Drug</b>				
All	4.4%	6.0%	10.6%	89.4%
Grade 7	5.7%	7.7%	14.7%	85.3%
Grade 8	4.5%	6.6%	12.6%	87.4%
Grade 9	3.3%	4.6%	7.3%	92.7%
Grade 10	3.6%	5.2%	7.9%	92.1%
Grade 11	6.5%	7.8%	11.6%	88.4%
Grade 12	2.3%	3.8%	9.5%	90.5%
<b>Any Inhalant</b>				
All	3.6%	4.6%	9.6%	90.4%
Grade 7	5.2%	7.0%	12.8%	87.2%
Grade 8	4.8%	6.6%	11.8%	88.2%
Grade 9	2.9%	3.5%	7.7%	92.3%
Grade 10	2.6%	3.0%	7.0%	93.0%
Grade 11	2.9%	3.5%	9.2%	90.8%
Grade 12	2.4%	3.5%	8.4%	91.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	5.8%	8.4%	16.7%	83.3%
Grade 7	3.0%	5.1%	11.9%	88.1%
Grade 8	4.1%	6.3%	13.1%	86.9%
Grade 9	4.5%	7.5%	15.9%	84.1%
Grade 10	7.6%	10.5%	19.7%	80.3%
Grade 11	5.3%	8.7%	18.1%	81.9%
Grade 12	13.5%	15.3%	25.6%	74.4%
<b>Marijuana</b>				
All	8.3%	9.7%	13.9%	86.1%
Grade 7	3.2%	3.8%	5.1%	94.9%
Grade 8	5.2%	6.6%	8.8%	91.2%
Grade 9	9.2%	9.7%	12.8%	87.2%
Grade 10	13.9%	14.7%	19.5%	80.5%
Grade 11	7.0%	8.9%	14.8%	85.2%
Grade 12	13.9%	18.0%	29.1%	70.9%
<b>Marijuana Only</b>				
All	4.5%	5.2%	8.5%	91.5%
Grade 7	1.2%	1.6%	2.6%	97.4%
Grade 8	2.9%	3.9%	5.8%	94.2%
Grade 9	6.0%	6.3%	9.0%	91.0%
Grade 10	9.0%	9.5%	13.5%	86.5%
Grade 11	2.7%	3.7%	8.6%	91.4%
Grade 12	4.9%	6.2%	13.5%	86.5%
<b>Cocaine or Crack</b>				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	1.0%	1.2%	1.6%	98.4%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.9%	1.0%	1.4%	98.6%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.3%	0.7%	1.1%	98.9%
Grade 12	2.1%	2.1%	5.0%	95.0%
<b>Cocaine</b>				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.8%	1.1%	1.5%	98.5%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.6%	0.7%	1.0%	99.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.3%	0.6%	1.0%	99.0%
Grade 12	0.6%	0.6%	3.4%	96.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	1.5%	1.5%	1.5%	98.5%
<b>Hallucinogens</b>				
All	0.4%	0.8%	2.1%	97.9%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.0%	1.0%	3.0%	97.0%
Grade 11	0.8%	1.4%	3.1%	96.9%
Grade 12	1.3%	1.5%	4.9%	95.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.9%	99.1%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Steroids</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.4%	0.7%	1.4%	98.6%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.1%	0.1%	1.0%	99.0%
Grade 11	0.1%	0.4%	1.0%	99.0%
Grade 12	1.9%	1.9%	2.1%	97.9%
<b>Ecstasy</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.2%	0.2%	1.0%	99.0%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.4%	0.4%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	0.9%	1.2%	2.4%	97.6%
Grade 7	0.5%	0.5%	1.3%	98.7%
Grade 8	0.5%	0.9%	1.7%	98.3%
Grade 9	0.7%	0.9%	1.5%	98.5%
Grade 10	1.8%	2.1%	3.1%	96.9%
Grade 11	0.7%	1.2%	2.0%	98.0%
Grade 12	1.2%	1.8%	6.2%	93.8%
<b>Methamphetamine</b>				
All	0.2%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.8%	1.4%	1.6%	98.4%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Delta 8</b>				
All	1.1%	1.9%	3.9%	96.1%
Grade 7	0.5%	0.9%	2.2%	97.8%
Grade 8	0.7%	1.1%	2.0%	98.0%
Grade 9	0.9%	1.2%	2.0%	98.0%
Grade 10	1.1%	2.5%	5.0%	95.0%
Grade 11	2.2%	3.1%	4.6%	95.4%
Grade 12	1.7%	3.2%	10.8%	89.2%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.7%	10.8%	19.7%	80.3%
Grade 7	2.7%	3.9%	9.8%	90.2%
Grade 8	5.1%	6.5%	12.6%	87.4%
Grade 9	7.7%	12.4%	20.4%	79.6%
Grade 10	11.7%	13.9%	24.5%	75.5%
Grade 11	15.6%	18.2%	36.3%	63.7%
Grade 12	20.3%	21.9%	33.1%	66.9%
<b>Any Alcohol Product</b>				
All	20.6%	25.0%	42.4%	57.6%
Grade 7	9.8%	12.0%	30.7%	69.3%
Grade 8	18.6%	21.5%	40.2%	59.8%
Grade 9	21.4%	28.9%	44.0%	56.0%
Grade 10	23.1%	26.4%	44.1%	55.9%
Grade 11	30.8%	38.6%	52.0%	48.0%
Grade 12	33.6%	40.1%	59.1%	40.9%
<b>Any Illicit Drug</b>				
All	6.8%	9.7%	14.1%	85.9%
Grade 7	2.3%	3.5%	5.0%	95.0%
Grade 8	4.7%	7.3%	8.7%	91.3%
Grade 9	8.9%	10.2%	13.2%	86.8%
Grade 10	7.7%	11.5%	20.0%	80.0%
Grade 11	11.8%	16.4%	25.0%	75.0%
Grade 12	12.2%	18.5%	28.8%	71.2%
<b>Any Prescription Drug</b>				
All	5.1%	7.5%	13.7%	86.3%
Grade 7	4.5%	6.6%	13.5%	86.5%
Grade 8	6.2%	9.3%	15.4%	84.6%
Grade 9	5.8%	7.4%	13.5%	86.5%
Grade 10	5.3%	7.7%	13.2%	86.8%
Grade 11	4.7%	7.1%	11.9%	88.1%
Grade 12	3.6%	5.6%	13.2%	86.8%
<b>Any Inhalant</b>				
All	3.5%	4.7%	9.1%	90.9%
Grade 7	2.7%	3.9%	7.9%	92.1%
Grade 8	4.3%	6.0%	10.5%	89.5%
Grade 9	2.4%	2.9%	7.1%	92.9%
Grade 10	5.0%	5.4%	9.9%	90.1%
Grade 11	3.0%	4.2%	9.1%	90.9%
Grade 12	4.0%	6.4%	10.4%	89.6%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.3%	9.0%	17.0%	83.0%
Grade 7	1.3%	2.9%	7.4%	92.6%
Grade 8	3.0%	5.6%	11.1%	88.9%
Grade 9	5.9%	10.7%	17.4%	82.6%
Grade 10	9.0%	11.6%	22.8%	77.2%
Grade 11	12.2%	15.1%	30.6%	69.4%
Grade 12	15.8%	18.2%	29.5%	70.5%
Marijuana				
All	6.1%	7.8%	12.0%	88.0%
Grade 7	1.7%	2.2%	3.0%	97.0%
Grade 8	3.7%	5.2%	6.8%	93.2%
Grade 9	8.2%	9.0%	11.7%	88.3%
Grade 10	6.7%	9.0%	17.0%	83.0%
Grade 11	11.6%	14.5%	23.3%	76.7%
Grade 12	11.7%	16.0%	26.1%	73.9%
Marijuana Only				
All	2.1%	3.2%	6.3%	93.7%
Grade 7	0.7%	1.0%	1.7%	98.3%
Grade 8	1.8%	2.8%	3.9%	96.1%
Grade 9	4.1%	4.7%	6.6%	93.4%
Grade 10	2.1%	2.8%	9.2%	90.8%
Grade 11	2.1%	4.3%	11.3%	88.7%
Grade 12	2.9%	6.2%	12.4%	87.6%
Cocaine or Crack				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.5%	0.7%	0.8%	99.2%
Grade 10	0.5%	0.5%	1.2%	98.8%
Grade 11	1.1%	1.1%	2.2%	97.8%
Grade 12	0.5%	0.5%	2.2%	97.8%
Cocaine				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.5%	0.7%	0.7%	99.3%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	1.1%	1.1%	2.2%	97.8%
Grade 12	0.5%	0.5%	2.2%	97.8%



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.2%	0.2%	0.3%	99.7%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.1%	0.1%	0.2%	99.8%
	Grade 11	0.2%	0.2%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens	All	0.5%	0.9%	2.1%	97.9%
	Grade 7	0.0%	0.2%	0.4%	99.6%
	Grade 8	0.5%	0.5%	1.2%	98.8%
	Grade 9	0.1%	0.5%	1.3%	98.7%
	Grade 10	0.2%	0.7%	1.9%	98.1%
	Grade 11	1.1%	2.0%	5.2%	94.8%
	Grade 12	2.3%	3.0%	6.2%	93.8%
Synthetic Cathinones	All	0.2%	0.2%	0.5%	99.5%
	Grade 7	0.3%	0.3%	0.8%	99.2%
	Grade 8	0.3%	0.4%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.2%	0.2%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.1%	0.1%	0.6%	99.4%
Steroids	All	0.3%	0.6%	1.5%	98.5%
	Grade 7	0.5%	0.9%	2.2%	97.8%
	Grade 8	0.2%	0.4%	1.3%	98.7%
	Grade 9	0.3%	0.3%	0.4%	99.6%
	Grade 10	0.6%	1.0%	1.7%	98.3%
	Grade 11	0.2%	1.0%	1.5%	98.5%
	Grade 12	0.0%	0.3%	1.5%	98.5%
Ecstasy	All	0.3%	0.3%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.5%	0.7%	0.9%	99.1%
	Grade 9	0.3%	0.3%	0.8%	99.2%
	Grade 10	0.3%	0.3%	1.0%	99.0%
	Grade 11	0.0%	0.0%	0.7%	99.3%
	Grade 12	0.5%	0.5%	2.3%	97.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.7%	99.3%
<b>Synthetic Marijuana</b>				
All	1.0%	1.3%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.9%	1.6%	98.4%
Grade 9	1.3%	1.6%	2.2%	97.8%
Grade 10	2.1%	2.8%	4.3%	95.7%
Grade 11	1.7%	1.9%	3.4%	96.6%
Grade 12	2.0%	2.2%	5.2%	94.8%
<b>Methamphetamine</b>				
All	0.1%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.4%	0.7%	99.3%
Grade 12	0.0%	0.4%	1.0%	99.0%
<b>Delta 8</b>				
All	1.8%	2.6%	5.0%	95.0%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	0.7%	1.2%	2.4%	97.6%
Grade 9	1.9%	2.4%	4.5%	95.5%
Grade 10	3.1%	4.7%	7.3%	92.7%
Grade 11	4.1%	5.4%	10.0%	90.0%
Grade 12	3.5%	5.1%	12.0%	88.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	5.0%	5.6%	12.8%	87.2%
Grade 7	4.0%	4.3%	10.6%	89.4%
Grade 8	4.2%	6.7%	12.3%	87.7%
Grade 9	6.2%	6.2%	15.7%	84.3%
Grade 10	2.8%	2.8%	14.5%	85.5%
Grade 11	6.6%	6.7%	11.7%	88.3%
Grade 12	7.1%	7.1%	11.6%	88.4%
<b>Any Alcohol Product</b>				
All	11.7%	13.3%	29.4%	70.6%
Grade 7	10.6%	12.2%	26.8%	73.2%
Grade 8	14.3%	16.9%	33.9%	66.1%
Grade 9	7.7%	9.6%	23.7%	76.3%
Grade 10	10.6%	10.6%	26.0%	74.0%
Grade 11	11.5%	11.6%	32.7%	67.3%
Grade 12	17.9%	21.6%	37.2%	62.8%
<b>Any Illicit Drug</b>				
All	6.2%	8.7%	13.0%	87.0%
Grade 7	3.8%	5.1%	6.5%	93.5%
Grade 8	7.9%	9.9%	12.8%	87.2%
Grade 9	6.4%	6.9%	10.5%	89.5%
Grade 10	9.6%	10.7%	14.2%	85.8%
Grade 11	2.2%	7.1%	12.8%	87.2%
Grade 12	7.3%	15.4%	27.1%	72.9%
<b>Any Prescription Drug</b>				
All	3.1%	4.3%	7.6%	92.4%
Grade 7	8.5%	10.8%	15.1%	84.9%
Grade 8	3.3%	4.7%	9.6%	90.4%
Grade 9	1.8%	2.5%	5.3%	94.7%
Grade 10	2.3%	3.9%	7.5%	92.5%
Grade 11	0.5%	0.5%	1.9%	98.1%
Grade 12	0.3%	0.3%	2.7%	97.3%
<b>Any Inhalant</b>				
All	2.9%	3.4%	7.9%	92.1%
Grade 7	3.6%	4.4%	6.8%	93.2%
Grade 8	3.5%	5.1%	8.6%	91.4%
Grade 9	3.9%	4.1%	8.0%	92.0%
Grade 10	0.2%	0.3%	2.3%	97.7%
Grade 11	4.8%	5.1%	16.4%	83.6%
Grade 12	0.1%	0.2%	6.4%	93.6%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	2.7%	3.3%	9.2%	90.8%
Grade 7	2.1%	2.7%	7.9%	92.1%
Grade 8	2.8%	5.5%	10.4%	89.6%
Grade 9	2.0%	2.1%	9.7%	90.3%
Grade 10	2.5%	2.5%	9.8%	90.2%
Grade 11	0.8%	0.9%	6.0%	94.0%
Grade 12	7.0%	7.1%	11.4%	88.6%
<b>Marijuana</b>				
All	4.7%	6.1%	9.9%	90.1%
Grade 7	2.2%	2.8%	3.6%	96.4%
Grade 8	5.8%	7.1%	10.0%	90.0%
Grade 9	6.2%	6.9%	10.5%	89.5%
Grade 10	9.5%	9.7%	12.2%	87.8%
Grade 11	2.1%	2.7%	7.2%	92.8%
Grade 12	1.3%	8.0%	19.7%	80.3%
<b>Marijuana Only</b>				
All	3.4%	4.4%	7.2%	92.8%
Grade 7	1.1%	1.7%	2.2%	97.8%
Grade 8	4.5%	5.2%	7.4%	92.6%
Grade 9	4.5%	4.8%	8.4%	91.6%
Grade 10	7.0%	7.2%	9.6%	90.4%
Grade 11	1.5%	2.1%	6.4%	93.6%
Grade 12	0.7%	5.8%	10.5%	89.5%
<b>Cocaine or Crack</b>				
All	1.1%	1.2%	1.4%	98.6%
Grade 7	1.1%	1.5%	1.5%	98.5%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	6.0%	6.0%	7.3%	92.7%
<b>Cocaine</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.7%	0.8%	1.0%	99.0%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.7%	0.7%	2.0%	98.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.9%	1.1%	98.9%
Grade 7	0.4%	0.8%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	6.0%	6.0%	6.0%	94.0%
<b>Hallucinogens</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.9%	0.9%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	1.0%	1.1%	1.8%	98.2%
Grade 7	0.4%	0.4%	1.8%	98.2%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.4%	0.8%	1.2%	98.8%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	1.1%	1.1%	1.8%	98.2%
Grade 12	5.3%	5.3%	5.3%	94.7%
<b>Ecstasy</b>				
All	0.0%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.6%	0.8%	1.1%	98.9%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	0.7%	0.7%	99.3%
<b>Synthetic Marijuana</b>				
All	0.4%	0.4%	1.2%	98.8%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.4%	0.5%	1.8%	98.2%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.1%	0.1%	1.1%	98.9%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	1.0%	1.0%	2.4%	97.6%
<b>Methamphetamine</b>				
All	0.4%	0.5%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.6%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.7%	0.7%	0.7%	99.3%
<b>Delta 8</b>				
All	0.6%	0.7%	2.1%	97.9%
Grade 7	0.3%	0.3%	1.3%	98.7%
Grade 8	0.8%	1.1%	1.6%	98.4%
Grade 9	0.8%	0.8%	1.4%	98.6%
Grade 10	1.1%	1.2%	2.2%	97.8%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.3%	0.3%	7.1%	92.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.2%	11.4%	20.3%	79.7%
Grade 7	5.1%	7.0%	15.3%	84.7%
Grade 8	6.6%	8.4%	16.2%	83.8%
Grade 9	6.5%	8.7%	17.5%	82.5%
Grade 10	10.5%	13.0%	21.2%	78.8%
Grade 11	11.3%	13.9%	23.7%	76.3%
Grade 12	17.3%	19.0%	30.2%	69.8%
<b>Any Alcohol Product</b>				
All	23.1%	26.2%	40.9%	59.1%
Grade 7	15.7%	18.0%	36.1%	63.9%
Grade 8	19.1%	21.5%	37.9%	62.1%
Grade 9	21.9%	25.1%	38.6%	61.4%
Grade 10	25.6%	29.1%	43.2%	56.8%
Grade 11	26.0%	29.7%	43.9%	56.1%
Grade 12	31.8%	35.2%	46.9%	53.1%
<b>Any Illicit Drug</b>				
All	10.3%	13.0%	17.7%	82.3%
Grade 7	3.8%	6.0%	8.2%	91.8%
Grade 8	6.6%	9.9%	12.5%	87.5%
Grade 9	10.4%	12.2%	16.1%	83.9%
Grade 10	13.6%	15.9%	19.6%	80.4%
Grade 11	11.5%	14.8%	21.6%	78.4%
Grade 12	16.2%	20.5%	30.7%	69.3%
<b>Any Prescription Drug</b>				
All	4.3%	6.4%	11.2%	88.8%
Grade 7	4.9%	6.7%	11.9%	88.1%
Grade 8	4.4%	6.4%	11.5%	88.5%
Grade 9	4.3%	5.9%	9.7%	90.3%
Grade 10	4.1%	6.5%	11.1%	88.9%
Grade 11	5.6%	6.9%	11.7%	88.3%
Grade 12	2.4%	6.1%	12.0%	88.0%
<b>Any Inhalant</b>				
All	3.2%	4.2%	9.4%	90.6%
Grade 7	5.6%	7.5%	14.4%	85.6%
Grade 8	4.3%	6.0%	11.6%	88.4%
Grade 9	3.2%	3.9%	8.3%	91.7%
Grade 10	2.4%	2.7%	7.0%	93.0%
Grade 11	2.4%	3.0%	8.3%	91.7%
Grade 12	1.5%	2.0%	7.3%	92.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.8%	9.3%	17.8%	82.2%
Grade 7	2.9%	4.9%	13.6%	86.4%
Grade 8	4.7%	6.8%	14.5%	85.5%
Grade 9	4.4%	7.1%	16.3%	83.7%
Grade 10	8.7%	10.8%	19.0%	81.0%
Grade 11	7.6%	11.3%	19.9%	80.1%
Grade 12	14.3%	16.7%	25.2%	74.8%
<b>Marijuana</b>				
All	9.5%	11.1%	15.5%	84.5%
Grade 7	3.1%	3.7%	5.4%	94.6%
Grade 8	6.0%	7.4%	9.9%	90.1%
Grade 9	9.9%	10.5%	13.9%	86.1%
Grade 10	12.0%	13.3%	17.0%	83.0%
Grade 11	11.4%	13.7%	20.0%	80.0%
Grade 12	15.6%	19.2%	29.6%	70.4%
<b>Marijuana Only</b>				
All	4.1%	5.0%	8.4%	91.6%
Grade 7	1.2%	1.8%	2.8%	97.2%
Grade 8	2.8%	3.7%	5.8%	94.2%
Grade 9	5.4%	5.8%	8.8%	91.2%
Grade 10	5.8%	6.6%	9.7%	90.3%
Grade 11	4.7%	6.2%	10.5%	89.5%
Grade 12	4.3%	5.4%	13.1%	86.9%
<b>Cocaine or Crack</b>				
All	0.8%	0.9%	1.7%	98.3%
Grade 7	0.8%	1.0%	1.3%	98.7%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.8%	0.8%	1.6%	98.4%
Grade 10	0.9%	0.9%	1.6%	98.4%
Grade 11	0.4%	0.5%	0.7%	99.3%
Grade 12	1.4%	1.6%	5.1%	94.9%
<b>Cocaine</b>				
All	0.6%	0.7%	1.6%	98.4%
Grade 7	0.7%	1.0%	1.3%	98.7%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.4%	0.5%	1.1%	98.9%
Grade 10	0.9%	0.9%	1.6%	98.4%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	1.3%	1.5%	5.0%	95.0%



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.1%	0.9%	99.1%
<b>Hallucinogens</b>				
All	0.7%	1.7%	3.1%	96.9%
Grade 7	0.3%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	0.4%	0.7%	1.3%	98.7%
Grade 10	0.6%	1.7%	3.6%	96.4%
Grade 11	0.8%	3.3%	4.6%	95.4%
Grade 12	1.9%	4.0%	7.8%	92.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Steroids</b>				
All	0.6%	0.8%	1.5%	98.5%
Grade 7	0.4%	0.8%	1.4%	98.6%
Grade 8	0.3%	0.6%	1.0%	99.0%
Grade 9	0.8%	0.9%	1.2%	98.8%
Grade 10	0.4%	0.5%	1.8%	98.2%
Grade 11	1.1%	1.6%	2.4%	97.6%
Grade 12	0.7%	0.7%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.2%	0.2%	1.5%	98.5%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	0.8%	1.3%	2.3%	97.7%
Grade 7	0.4%	0.8%	1.6%	98.4%
Grade 8	0.6%	1.2%	1.9%	98.1%
Grade 9	0.5%	1.0%	1.7%	98.3%
Grade 10	2.0%	2.3%	2.8%	97.2%
Grade 11	0.8%	1.4%	1.9%	98.1%
Grade 12	0.3%	0.9%	4.5%	95.5%
<b>Methamphetamine</b>				
All	0.4%	0.6%	0.9%	99.1%
Grade 7	0.2%	0.4%	0.9%	99.1%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.8%	1.4%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	2.0%	98.0%
<b>Delta 8</b>				
All	1.8%	2.9%	4.8%	95.2%
Grade 7	0.5%	0.9%	2.2%	97.8%
Grade 8	0.8%	1.4%	2.4%	97.6%
Grade 9	1.5%	2.1%	3.0%	97.0%
Grade 10	1.6%	3.5%	5.5%	94.5%
Grade 11	2.7%	3.9%	6.1%	93.9%
Grade 12	4.2%	6.1%	11.4%	88.6%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	5.6%	7.0%	14.3%	85.7%
Grade 7	1.6%	2.4%	7.3%	92.7%
Grade 8	2.2%	3.0%	6.8%	93.2%
Grade 9	5.0%	6.6%	12.8%	87.2%
Grade 10	6.1%	8.0%	15.8%	84.2%
Grade 11	7.7%	9.5%	22.2%	77.8%
Grade 12	13.6%	15.4%	25.3%	74.7%
<b>Any Alcohol Product</b>				
All	15.7%	19.2%	35.4%	64.6%
Grade 7	8.4%	10.2%	26.4%	73.6%
Grade 8	10.6%	13.6%	31.0%	69.0%
Grade 9	13.5%	16.8%	36.8%	63.2%
Grade 10	18.2%	21.6%	32.3%	67.7%
Grade 11	20.5%	26.3%	44.4%	55.6%
Grade 12	27.0%	31.5%	45.3%	54.7%
<b>Any Illicit Drug</b>				
All	5.2%	7.6%	11.1%	88.9%
Grade 7	1.9%	3.1%	4.0%	96.0%
Grade 8	2.5%	3.8%	5.1%	94.9%
Grade 9	4.4%	5.3%	7.4%	92.6%
Grade 10	8.8%	10.3%	13.5%	86.5%
Grade 11	4.0%	8.3%	16.0%	84.0%
Grade 12	11.6%	17.7%	25.4%	74.6%
<b>Any Prescription Drug</b>				
All	4.3%	5.9%	10.7%	89.3%
Grade 7	6.0%	7.9%	13.6%	86.4%
Grade 8	5.0%	7.1%	12.3%	87.7%
Grade 9	4.9%	5.6%	9.6%	90.4%
Grade 10	1.7%	3.5%	6.6%	93.4%
Grade 11	5.6%	6.8%	9.6%	90.4%
Grade 12	1.9%	3.7%	11.5%	88.5%
<b>Any Inhalant</b>				
All	2.3%	3.1%	7.4%	92.6%
Grade 7	2.2%	3.4%	8.4%	91.6%
Grade 8	3.3%	4.6%	8.6%	91.4%
Grade 9	2.6%	3.0%	7.9%	92.1%
Grade 10	1.0%	1.4%	4.8%	95.2%
Grade 11	2.3%	2.5%	7.9%	92.1%
Grade 12	2.0%	3.0%	5.9%	94.1%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade**  
**Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	4.1%	5.9%	11.4%	88.6%
Grade 7	0.8%	1.8%	5.2%	94.8%
Grade 8	1.6%	2.3%	5.5%	94.5%
Grade 9	3.0%	5.1%	10.0%	90.0%
Grade 10	5.7%	7.6%	12.7%	87.3%
Grade 11	4.3%	7.4%	16.7%	83.3%
Grade 12	11.6%	13.8%	21.9%	78.1%
<b>Marijuana</b>				
All	4.4%	5.7%	9.2%	90.8%
Grade 7	1.2%	1.4%	1.9%	98.1%
Grade 8	1.7%	2.4%	3.6%	96.4%
Grade 9	4.2%	4.7%	6.8%	93.2%
Grade 10	8.5%	9.4%	12.6%	87.4%
Grade 11	4.0%	5.5%	12.7%	87.3%
Grade 12	8.8%	13.7%	22.0%	78.0%
<b>Marijuana Only</b>				
All	2.3%	2.9%	5.6%	94.4%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	1.2%	1.8%	2.8%	97.2%
Grade 9	1.8%	2.2%	3.9%	96.1%
Grade 10	5.8%	6.2%	8.8%	91.2%
Grade 11	2.1%	3.0%	9.1%	90.9%
Grade 12	3.7%	5.1%	10.5%	89.5%
<b>Cocaine or Crack</b>				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.4%	0.7%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.3%	0.5%	99.5%
Grade 12	2.5%	2.5%	5.4%	94.6%
<b>Cocaine</b>				
All	0.3%	0.3%	1.0%	99.0%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.3%	0.5%	99.5%
Grade 12	0.9%	0.9%	3.8%	96.2%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.5%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.8%	1.8%	2.3%	97.7%
<b>Hallucinogens</b>				
All	0.3%	0.4%	1.4%	98.6%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.1%	1.1%	98.9%
Grade 12	1.2%	1.5%	5.8%	94.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Steroids</b>				
All	0.5%	0.8%	1.5%	98.5%
Grade 7	0.7%	1.0%	1.9%	98.1%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.1%	0.3%	1.0%	99.0%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	0.0%	0.7%	1.7%	98.3%
Grade 12	2.0%	2.2%	2.2%	97.8%
<b>Ecstasy</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.2%	0.3%	1.6%	98.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.8%	99.2%
<b>Synthetic Marijuana</b>				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.4%	0.4%	1.4%	98.6%
Grade 10	1.4%	1.4%	2.0%	98.0%
Grade 11	0.4%	0.7%	1.4%	98.6%
Grade 12	0.9%	1.3%	3.7%	96.3%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.7%	99.3%
<b>Delta 8</b>				
All	0.7%	1.0%	2.5%	97.5%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	0.7%	0.8%	2.0%	98.0%
Grade 10	1.0%	1.3%	3.6%	96.4%
Grade 11	0.7%	1.3%	2.4%	97.6%
Grade 12	1.6%	2.7%	7.5%	92.5%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.8%	12.0%	20.9%	79.1%
Grade 7	5.7%	7.3%	15.4%	84.6%
Grade 8	8.5%	10.8%	19.1%	80.9%
Grade 9	7.7%	10.2%	19.4%	80.6%
Grade 10	10.4%	13.3%	23.5%	76.5%
Grade 11	13.3%	15.7%	24.2%	75.8%
Grade 12	17.4%	18.6%	28.3%	71.7%
<b>Any Alcohol Product</b>				
All	22.6%	25.4%	40.5%	59.5%
Grade 7	15.2%	17.5%	35.6%	64.4%
Grade 8	22.8%	25.1%	42.8%	57.2%
Grade 9	20.7%	24.2%	35.1%	64.9%
Grade 10	24.5%	27.0%	43.0%	57.0%
Grade 11	26.2%	29.0%	42.2%	57.8%
Grade 12	30.5%	34.9%	48.8%	51.2%
<b>Any Illicit Drug</b>				
All	10.9%	13.6%	18.5%	81.5%
Grade 7	4.2%	6.2%	8.4%	91.6%
Grade 8	8.8%	12.4%	15.4%	84.6%
Grade 9	11.0%	12.6%	16.8%	83.2%
Grade 10	15.0%	17.7%	22.7%	77.3%
Grade 11	13.9%	17.0%	23.1%	76.9%
Grade 12	16.0%	20.0%	31.7%	68.3%
<b>Any Prescription Drug</b>				
All	4.5%	6.8%	11.7%	88.3%
Grade 7	4.9%	7.1%	12.9%	87.1%
Grade 8	5.0%	7.4%	12.8%	87.2%
Grade 9	3.5%	5.1%	8.8%	91.2%
Grade 10	5.8%	8.2%	13.3%	86.7%
Grade 11	4.1%	5.9%	11.4%	88.6%
Grade 12	3.6%	7.1%	11.2%	88.8%
<b>Any Inhalant</b>				
All	4.0%	5.0%	10.5%	89.5%
Grade 7	6.0%	7.7%	13.3%	86.7%
Grade 8	5.0%	6.8%	12.4%	87.6%
Grade 9	3.1%	3.7%	7.4%	92.6%
Grade 10	3.4%	3.8%	8.5%	91.5%
Grade 11	3.4%	4.3%	10.9%	89.1%
Grade 12	2.2%	2.8%	10.6%	89.4%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.9%	9.5%	18.5%	81.5%
Grade 7	3.2%	5.1%	13.4%	86.6%
Grade 8	5.4%	8.5%	17.0%	83.0%
Grade 9	5.5%	8.2%	17.6%	82.4%
Grade 10	8.2%	10.8%	21.4%	78.6%
Grade 11	9.2%	12.0%	20.7%	79.3%
Grade 12	13.8%	15.7%	23.8%	76.2%
Marijuana				
All	10.0%	11.5%	16.0%	84.0%
Grade 7	3.3%	4.0%	5.6%	94.4%
Grade 8	7.6%	9.4%	12.3%	87.7%
Grade 9	10.3%	11.1%	14.8%	85.2%
Grade 10	13.2%	14.6%	19.4%	80.6%
Grade 11	13.8%	15.9%	21.6%	78.4%
Grade 12	15.5%	18.3%	30.1%	69.9%
Marijuana Only				
All	4.4%	5.4%	8.8%	91.2%
Grade 7	1.5%	2.0%	3.2%	96.8%
Grade 8	3.9%	4.8%	7.2%	92.8%
Grade 9	6.1%	6.5%	9.7%	90.3%
Grade 10	6.9%	7.6%	11.5%	88.5%
Grade 11	4.7%	6.3%	9.9%	90.1%
Grade 12	3.2%	5.3%	13.3%	86.7%
Cocaine or Crack				
All	0.8%	0.9%	1.6%	98.4%
Grade 7	0.8%	0.9%	1.1%	98.9%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.9%	0.9%	1.5%	98.5%
Grade 10	1.0%	1.0%	1.6%	98.4%
Grade 11	0.7%	0.9%	1.4%	98.6%
Grade 12	1.2%	1.4%	4.0%	96.0%
Cocaine				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.6%	0.7%	1.0%	99.0%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	0.9%	1.0%	1.6%	98.4%
Grade 11	0.5%	0.6%	1.1%	98.9%
Grade 12	1.2%	1.4%	3.9%	96.1%



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.8%	1.8%	3.1%	96.9%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.7%	1.0%	2.0%	98.0%
Grade 9	0.3%	0.6%	1.1%	98.9%
Grade 10	0.7%	1.8%	4.0%	96.0%
Grade 11	1.2%	4.0%	6.3%	93.7%
Grade 12	2.2%	4.7%	7.2%	92.8%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.2%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.6%	0.8%	1.6%	98.4%
Grade 7	0.3%	0.6%	1.6%	98.4%
Grade 8	0.3%	0.5%	1.3%	98.7%
Grade 9	0.9%	0.9%	1.0%	99.0%
Grade 10	0.4%	0.6%	1.7%	98.3%
Grade 11	1.6%	2.0%	2.7%	97.3%
Grade 12	0.4%	0.5%	1.8%	98.2%
<b>Ecstasy</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	0.2%	0.5%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	1.3%	98.7%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.6%	1.1%	98.9%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Synthetic Marijuana</b>				
All	0.9%	1.3%	2.5%	97.5%
Grade 7	0.5%	0.6%	1.4%	98.6%
Grade 8	0.6%	1.3%	2.4%	97.6%
Grade 9	0.8%	1.3%	1.8%	98.2%
Grade 10	1.8%	2.2%	3.3%	96.7%
Grade 11	1.0%	1.6%	2.2%	97.8%
Grade 12	0.7%	1.0%	4.9%	95.1%
<b>Methamphetamine</b>				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.9%	1.4%	1.7%	98.3%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	1.3%	1.4%	2.3%	97.7%
<b>Delta 8</b>				
All	2.1%	3.3%	5.4%	94.6%
Grade 7	0.6%	1.1%	2.3%	97.7%
Grade 8	1.3%	2.2%	3.6%	96.4%
Grade 9	1.7%	2.5%	3.4%	96.6%
Grade 10	2.1%	4.2%	6.0%	94.0%
Grade 11	3.5%	4.7%	7.7%	92.3%
Grade 12	5.4%	7.3%	13.3%	86.7%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	6.7%	8.0%	14.7%	85.3%
Grade 7	3.1%	4.1%	9.5%	90.5%
Grade 8	4.4%	5.5%	10.6%	89.4%
Grade 9	5.7%	7.0%	14.5%	85.5%
Grade 10	7.0%	8.1%	13.6%	86.4%
Grade 11	9.2%	10.9%	20.0%	80.0%
Grade 12	15.0%	16.3%	25.4%	74.6%
<b>Any Alcohol Product</b>				
All	18.6%	21.4%	36.3%	63.7%
Grade 7	11.0%	12.6%	29.6%	70.4%
Grade 8	16.0%	18.3%	35.0%	65.0%
Grade 9	18.6%	22.2%	35.7%	64.3%
Grade 10	17.9%	21.3%	33.5%	66.5%
Grade 11	24.1%	27.1%	41.9%	58.1%
Grade 12	29.9%	33.3%	47.1%	52.9%
<b>Any Illicit Drug</b>				
All	7.0%	9.1%	12.9%	87.1%
Grade 7	2.6%	3.9%	5.2%	94.8%
Grade 8	4.3%	6.7%	8.3%	91.7%
Grade 9	7.3%	8.5%	11.6%	88.4%
Grade 10	8.6%	10.2%	14.2%	85.8%
Grade 11	9.2%	11.8%	18.1%	81.9%
Grade 12	13.1%	18.2%	27.2%	72.8%
<b>Any Prescription Drug</b>				
All	4.2%	6.2%	10.6%	89.4%
Grade 7	4.8%	6.7%	12.5%	87.5%
Grade 8	5.0%	7.1%	12.2%	87.8%
Grade 9	4.5%	5.9%	10.3%	89.7%
Grade 10	2.5%	4.6%	8.3%	91.7%
Grade 11	5.0%	6.4%	10.1%	89.9%
Grade 12	2.4%	6.2%	9.1%	90.9%
<b>Any Inhalant</b>				
All	2.9%	3.7%	8.5%	91.5%
Grade 7	4.0%	5.2%	10.2%	89.8%
Grade 8	4.3%	5.6%	10.1%	89.9%
Grade 9	2.3%	3.0%	7.8%	92.2%
Grade 10	1.6%	2.0%	6.4%	93.6%
Grade 11	3.0%	3.5%	8.9%	91.1%
Grade 12	1.2%	1.7%	6.4%	93.6%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	4.9%	6.5%	12.6%	87.4%
Grade 7	1.7%	2.7%	7.8%	92.2%
Grade 8	2.8%	4.3%	8.9%	91.1%
Grade 9	4.4%	6.1%	13.4%	86.6%
Grade 10	5.8%	6.9%	12.1%	87.9%
Grade 11	5.7%	8.6%	16.9%	83.1%
Grade 12	12.2%	13.9%	20.9%	79.1%
<b>Marijuana</b>				
All	6.0%	7.2%	10.9%	89.1%
Grade 7	1.9%	2.2%	3.2%	96.8%
Grade 8	3.2%	4.4%	5.9%	94.1%
Grade 9	6.6%	7.3%	10.2%	89.8%
Grade 10	7.6%	8.3%	12.1%	87.9%
Grade 11	9.2%	10.6%	16.9%	83.1%
Grade 12	10.8%	14.9%	23.9%	76.1%
<b>Marijuana Only</b>				
All	2.8%	3.4%	6.3%	93.7%
Grade 7	0.7%	1.0%	1.7%	98.3%
Grade 8	1.7%	2.4%	3.6%	96.4%
Grade 9	3.7%	4.0%	6.7%	93.3%
Grade 10	3.8%	4.2%	7.4%	92.6%
Grade 11	3.9%	4.6%	9.8%	90.2%
Grade 12	3.6%	5.6%	12.3%	87.7%
<b>Cocaine or Crack</b>				
All	0.8%	0.9%	1.2%	98.8%
Grade 7	0.5%	0.8%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.7%	0.8%	1.0%	99.0%
Grade 10	0.8%	0.8%	1.6%	98.4%
Grade 11	0.5%	0.7%	0.8%	99.2%
Grade 12	2.2%	2.2%	3.4%	96.6%
<b>Cocaine</b>				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.4%	0.5%	0.5%	99.5%
Grade 10	0.8%	0.8%	1.6%	98.4%
Grade 11	0.3%	0.5%	0.5%	99.5%
Grade 12	1.0%	1.1%	2.3%	97.7%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	1.2%	1.2%	1.8%	98.2%
<b>Hallucinogens</b>				
All	0.3%	0.8%	1.6%	98.4%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.0%	0.9%	1.7%	98.3%
Grade 11	0.3%	1.7%	2.9%	97.1%
Grade 12	1.5%	2.2%	4.1%	95.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.1%	0.4%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Steroids</b>				
All	0.5%	0.8%	1.4%	98.6%
Grade 7	0.3%	0.7%	1.5%	98.5%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.9%	1.1%	1.4%	98.6%
Grade 10	0.3%	0.4%	1.3%	98.7%
Grade 11	0.1%	0.8%	1.5%	98.5%
Grade 12	1.4%	1.4%	2.4%	97.6%
<b>Ecstasy</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	1.5%	98.5%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.3%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.3%	0.3%	1.1%	98.9%
<b>Synthetic Marijuana</b>				
All	0.5%	0.9%	1.9%	98.1%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.2%	0.6%	1.2%	98.8%
Grade 9	0.6%	1.0%	1.5%	98.5%
Grade 10	1.1%	1.5%	2.5%	97.5%
Grade 11	0.4%	0.9%	1.7%	98.3%
Grade 12	0.7%	1.0%	4.5%	95.5%
<b>Methamphetamine</b>				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.6%	1.1%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.2%	0.9%	99.1%
<b>Delta 8</b>				
All	1.3%	1.9%	3.3%	96.7%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.5%	1.0%	1.6%	98.4%
Grade 9	1.3%	1.5%	2.4%	97.6%
Grade 10	0.9%	2.2%	3.6%	96.4%
Grade 11	2.0%	2.7%	4.2%	95.8%
Grade 12	3.9%	4.9%	9.8%	90.2%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	10.7%	13.8%	25.1%	74.9%
Grade 7	5.9%	7.9%	17.6%	82.4%
Grade 8	9.1%	12.0%	21.7%	78.3%
Grade 9	9.0%	13.0%	22.4%	77.6%
Grade 10	11.6%	16.5%	31.7%	68.3%
Grade 11	13.6%	16.5%	29.7%	70.3%
Grade 12	16.8%	18.5%	30.0%	70.0%
<b>Any Alcohol Product</b>				
All	22.3%	26.0%	43.2%	56.8%
Grade 7	15.1%	18.3%	36.9%	63.1%
Grade 8	22.1%	25.0%	44.6%	55.4%
Grade 9	18.0%	21.4%	37.0%	63.0%
Grade 10	29.5%	31.5%	49.1%	50.9%
Grade 11	23.2%	28.8%	45.4%	54.6%
Grade 12	28.3%	33.9%	48.6%	51.4%
<b>Any Illicit Drug</b>				
All	11.7%	15.2%	20.5%	79.5%
Grade 7	4.7%	7.2%	9.6%	90.4%
Grade 8	10.2%	13.5%	17.4%	82.6%
Grade 9	11.6%	13.3%	17.3%	82.7%
Grade 10	18.3%	21.8%	26.9%	73.1%
Grade 11	10.7%	16.5%	24.2%	75.8%
Grade 12	15.5%	20.5%	31.4%	68.6%
<b>Any Prescription Drug</b>				
All	4.8%	6.8%	12.5%	87.5%
Grade 7	6.2%	8.6%	14.1%	85.9%
Grade 8	4.6%	7.4%	13.6%	86.4%
Grade 9	3.1%	4.8%	7.9%	92.1%
Grade 10	6.5%	8.9%	14.5%	85.5%
Grade 11	4.3%	5.8%	11.3%	88.7%
Grade 12	3.7%	4.5%	14.5%	85.5%
<b>Any Inhalant</b>				
All	4.0%	5.3%	10.4%	89.6%
Grade 7	5.4%	7.5%	13.7%	86.3%
Grade 8	4.4%	7.0%	12.2%	87.8%
Grade 9	3.7%	4.2%	7.0%	93.0%
Grade 10	4.0%	4.4%	8.3%	91.7%
Grade 11	2.5%	3.6%	10.4%	89.6%
Grade 12	3.4%	4.7%	11.5%	88.5%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.5%	10.9%	21.6%	78.4%
Grade 7	3.3%	5.9%	14.7%	85.3%
Grade 8	6.1%	9.7%	20.0%	80.0%
Grade 9	5.3%	9.4%	18.5%	81.5%
Grade 10	9.2%	13.7%	27.9%	72.1%
Grade 11	9.4%	12.4%	23.7%	76.3%
Grade 12	13.7%	16.2%	27.2%	72.8%
<b>Marijuana</b>				
All	11.0%	12.9%	17.8%	82.2%
Grade 7	3.6%	4.5%	5.9%	94.1%
Grade 8	9.3%	11.0%	14.7%	85.3%
Grade 9	11.5%	12.2%	15.7%	84.3%
Grade 10	16.8%	18.9%	23.9%	76.1%
Grade 11	10.4%	13.6%	20.1%	79.9%
Grade 12	15.2%	18.9%	30.6%	69.4%
<b>Marijuana Only</b>				
All	5.1%	6.3%	9.8%	90.2%
Grade 7	1.7%	2.3%	3.5%	96.5%
Grade 8	5.0%	6.1%	9.1%	90.9%
Grade 9	6.3%	6.8%	9.6%	90.4%
Grade 10	10.3%	11.5%	15.5%	84.5%
Grade 11	3.0%	5.5%	9.3%	90.7%
Grade 12	3.1%	4.9%	11.8%	88.2%
<b>Cocaine or Crack</b>				
All	0.6%	0.7%	1.9%	98.1%
Grade 7	0.8%	0.9%	1.4%	98.6%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.5%	0.5%	1.7%	98.3%
Grade 10	0.5%	0.5%	0.6%	99.4%
Grade 11	0.3%	0.5%	1.2%	98.8%
Grade 12	1.0%	1.4%	6.1%	93.9%
<b>Cocaine</b>				
All	0.5%	0.6%	1.8%	98.2%
Grade 7	0.5%	0.6%	1.3%	98.7%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	0.5%	0.5%	1.7%	98.3%
Grade 10	0.5%	0.5%	0.6%	99.4%
Grade 11	0.3%	0.5%	1.2%	98.8%
Grade 12	1.0%	1.3%	6.1%	93.9%



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.2%	0.3%	0.5%	99.5%
<b>Hallucinogens</b>				
All	1.0%	2.0%	3.9%	96.1%
Grade 7	0.2%	0.4%	1.1%	98.9%
Grade 8	1.1%	1.3%	2.6%	97.4%
Grade 9	0.6%	1.0%	2.0%	98.0%
Grade 10	1.1%	1.8%	3.7%	96.3%
Grade 11	1.4%	3.7%	6.3%	93.7%
Grade 12	2.1%	4.9%	10.1%	89.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.3%	99.7%
<b>Steroids</b>				
All	0.7%	0.9%	1.7%	98.3%
Grade 7	0.7%	0.8%	2.3%	97.7%
Grade 8	0.5%	0.8%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.5%	0.7%	1.4%	98.6%
Grade 11	2.3%	2.5%	3.5%	96.5%
Grade 12	0.5%	0.9%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.5%	0.6%	1.3%	98.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.5%	0.5%	1.3%	98.7%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	1.1%	1.5%	2.5%	97.5%
Grade 7	0.4%	0.7%	1.3%	98.7%
Grade 8	0.7%	1.3%	2.5%	97.5%
Grade 9	0.6%	0.9%	1.8%	98.2%
Grade 10	2.5%	2.7%	3.5%	96.5%
Grade 11	1.5%	1.9%	2.0%	98.0%
Grade 12	0.8%	1.6%	4.1%	95.9%
<b>Methamphetamine</b>				
All	0.5%	0.5%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.8%	0.8%	0.9%	99.1%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	2.0%	2.0%	2.5%	97.5%
<b>Delta 8</b>				
All	2.1%	3.4%	5.9%	94.1%
Grade 7	0.9%	1.4%	2.8%	97.2%
Grade 8	1.4%	2.2%	3.8%	96.2%
Grade 9	1.5%	2.6%	4.0%	96.0%
Grade 10	3.0%	4.7%	6.7%	93.3%
Grade 11	3.1%	4.6%	8.2%	91.8%
Grade 12	3.3%	5.5%	12.1%	87.9%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	6.5%	7.8%	16.0%	84.0%
Grade 7	3.3%	4.3%	9.8%	90.2%
Grade 8	4.6%	5.9%	11.6%	88.4%
Grade 9	6.2%	7.8%	15.4%	84.6%
Grade 10	7.2%	8.4%	18.1%	81.9%
Grade 11	7.0%	8.5%	21.1%	78.9%
Grade 12	14.1%	15.7%	26.3%	73.7%
<b>Any Alcohol Product</b>				
All	18.6%	21.6%	37.8%	62.2%
Grade 7	10.4%	11.8%	29.3%	70.7%
Grade 8	16.2%	18.4%	36.1%	63.9%
Grade 9	17.5%	20.8%	35.1%	64.9%
Grade 10	22.3%	25.7%	40.5%	59.5%
Grade 11	21.7%	25.9%	42.4%	57.6%
Grade 12	30.5%	34.5%	50.5%	49.5%
<b>Any Illicit Drug</b>				
All	6.8%	9.2%	13.4%	86.6%
Grade 7	2.2%	3.5%	4.9%	95.1%
Grade 8	5.3%	7.4%	9.1%	90.9%
Grade 9	7.0%	8.5%	12.1%	87.9%
Grade 10	10.5%	12.5%	17.5%	82.5%
Grade 11	7.8%	11.1%	18.1%	81.9%
Grade 12	11.1%	16.5%	26.1%	73.9%
<b>Any Prescription Drug</b>				
All	4.4%	6.5%	10.9%	89.1%
Grade 7	4.6%	6.7%	12.3%	87.7%
Grade 8	4.6%	7.0%	12.0%	88.0%
Grade 9	4.3%	5.4%	8.6%	91.4%
Grade 10	5.0%	7.6%	11.1%	88.9%
Grade 11	5.2%	6.8%	9.9%	90.1%
Grade 12	2.4%	5.6%	11.5%	88.5%
<b>Any Inhalant</b>				
All	2.8%	3.6%	7.9%	92.1%
Grade 7	3.9%	5.2%	10.0%	90.0%
Grade 8	3.4%	4.5%	9.0%	91.0%
Grade 9	2.1%	2.5%	5.7%	94.3%
Grade 10	2.6%	3.0%	6.6%	93.4%
Grade 11	2.0%	2.5%	7.3%	92.7%
Grade 12	2.0%	3.1%	8.6%	91.4%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	4.7%	6.3%	13.6%	86.4%
Grade 7	1.9%	2.9%	8.0%	92.0%
Grade 8	2.9%	4.5%	10.0%	90.0%
Grade 9	4.1%	6.0%	13.3%	86.7%
Grade 10	5.8%	7.2%	15.7%	84.3%
Grade 11	5.7%	7.4%	18.2%	81.8%
Grade 12	11.2%	13.6%	21.8%	78.2%
<b>Marijuana</b>				
All	6.0%	7.3%	11.3%	88.7%
Grade 7	1.4%	1.7%	2.5%	97.5%
Grade 8	4.4%	5.3%	7.0%	93.0%
Grade 9	6.4%	7.2%	10.4%	89.6%
Grade 10	9.1%	10.2%	15.0%	85.0%
Grade 11	7.7%	9.4%	16.0%	84.0%
Grade 12	10.1%	13.9%	24.2%	75.8%
<b>Marijuana Only</b>				
All	2.9%	3.6%	6.8%	93.2%
Grade 7	0.7%	1.0%	1.6%	98.4%
Grade 8	2.6%	3.3%	4.9%	95.1%
Grade 9	4.4%	4.9%	7.8%	92.2%
Grade 10	4.9%	5.6%	9.7%	90.3%
Grade 11	2.5%	3.4%	8.2%	91.8%
Grade 12	2.5%	4.2%	12.2%	87.8%
<b>Cocaine or Crack</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.5%	0.6%	0.8%	99.2%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.3%	0.5%	0.7%	99.3%
Grade 12	0.8%	1.0%	2.8%	97.2%
<b>Cocaine</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.2%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.1%	0.3%	0.5%	99.5%
Grade 12	0.8%	1.0%	2.8%	97.2%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.3%	99.7%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.2%	0.2%	0.2%	99.8%
	Grade 9	0.3%	0.3%	0.6%	99.4%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	0.2%	0.2%	0.3%	99.7%
	Grade 12	0.0%	0.0%	0.4%	99.6%
Hallucinogens	All	0.5%	0.9%	1.9%	98.1%
	Grade 7	0.2%	0.3%	0.5%	99.5%
	Grade 8	0.3%	0.5%	1.0%	99.0%
	Grade 9	0.2%	0.3%	0.6%	99.4%
	Grade 10	0.5%	0.9%	2.5%	97.5%
	Grade 11	0.4%	1.6%	3.0%	97.0%
	Grade 12	1.5%	2.3%	6.1%	93.9%
Synthetic Cathinones	All	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.1%	0.1%	0.2%	99.8%
	Grade 9	0.1%	0.4%	0.4%	99.6%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.4%	0.6%	1.5%	98.5%
	Grade 8	0.3%	0.5%	1.0%	99.0%
	Grade 9	0.8%	0.8%	1.1%	98.9%
	Grade 10	0.3%	0.4%	1.9%	98.1%
	Grade 11	0.9%	1.6%	2.4%	97.6%
	Grade 12	0.3%	0.3%	0.8%	99.2%
Ecstasy	All	0.1%	0.2%	0.4%	99.6%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.3%	0.3%	0.4%	99.6%
	Grade 9	0.1%	0.4%	0.4%	99.6%
	Grade 10	0.1%	0.1%	0.4%	99.6%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.1%	0.2%	0.9%	99.1%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.2%	0.2%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	0.5%	0.8%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.6%	1.0%	99.0%
Grade 9	0.4%	0.8%	1.2%	98.8%
Grade 10	1.3%	1.4%	2.1%	97.9%
Grade 11	0.6%	1.1%	1.8%	98.2%
Grade 12	0.6%	0.9%	2.7%	97.3%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.8%	0.8%	0.9%	99.1%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Delta 8</b>				
All	1.4%	1.9%	3.5%	96.5%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.6%	1.0%	1.5%	98.5%
Grade 9	1.2%	1.4%	2.0%	98.0%
Grade 10	1.1%	2.2%	4.2%	95.8%
Grade 11	2.5%	3.2%	5.8%	94.2%
Grade 12	3.9%	5.2%	9.6%	90.4%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.7%	18.3%	27.7%	72.3%
Grade 7	8.6%	11.7%	25.4%	74.6%
Grade 8	11.6%	15.4%	25.4%	74.6%
Grade 9	8.6%	14.3%	23.0%	77.0%
Grade 10	14.1%	19.3%	29.9%	70.1%
Grade 11	25.1%	27.0%	32.0%	68.0%
Grade 12	22.5%	23.3%	31.8%	68.2%
<b>Any Alcohol Product</b>				
All	25.2%	29.3%	43.9%	56.1%
Grade 7	24.5%	30.0%	48.8%	51.2%
Grade 8	27.1%	29.8%	48.4%	51.6%
Grade 9	18.1%	23.8%	39.4%	60.6%
Grade 10	21.8%	24.3%	37.9%	62.1%
Grade 11	33.5%	37.6%	45.6%	54.4%
Grade 12	28.8%	32.7%	44.6%	55.4%
<b>Any Illicit Drug</b>				
All	15.5%	19.4%	23.8%	76.2%
Grade 7	9.5%	13.7%	16.4%	83.6%
Grade 8	10.3%	15.3%	20.3%	79.7%
Grade 9	15.1%	16.9%	19.6%	80.4%
Grade 10	17.6%	21.2%	23.7%	76.3%
Grade 11	19.2%	23.0%	29.5%	70.5%
Grade 12	22.0%	27.6%	35.4%	64.6%
<b>Any Prescription Drug</b>				
All	5.0%	6.6%	13.4%	86.6%
Grade 7	9.6%	11.8%	19.4%	80.6%
Grade 8	6.7%	9.3%	17.0%	83.0%
Grade 9	4.0%	6.3%	10.8%	89.2%
Grade 10	2.6%	3.3%	9.6%	90.4%
Grade 11	3.5%	4.6%	14.0%	86.0%
Grade 12	3.8%	4.8%	10.1%	89.9%
<b>Any Inhalant</b>				
All	5.2%	7.1%	14.2%	85.8%
Grade 7	7.8%	11.1%	18.2%	81.8%
Grade 8	8.4%	12.6%	20.0%	80.0%
Grade 9	3.3%	4.7%	12.0%	88.0%
Grade 10	2.7%	3.2%	7.9%	92.1%
Grade 11	7.0%	8.5%	21.0%	79.0%
Grade 12	2.5%	2.5%	6.1%	93.9%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.4%	15.0%	24.0%	76.0%
Grade 7	4.5%	9.3%	22.9%	77.1%
Grade 8	8.0%	12.7%	23.2%	76.8%
Grade 9	6.0%	12.0%	19.7%	80.3%
Grade 10	11.1%	16.3%	26.3%	73.7%
Grade 11	14.2%	19.1%	24.3%	75.7%
Grade 12	20.6%	21.6%	29.3%	70.7%
<b>Marijuana</b>				
All	14.3%	16.6%	20.9%	79.1%
Grade 7	8.4%	10.0%	12.8%	87.2%
Grade 8	8.6%	12.0%	16.4%	83.6%
Grade 9	14.9%	15.5%	18.2%	81.8%
Grade 10	16.6%	18.7%	21.8%	78.2%
Grade 11	19.1%	20.5%	26.3%	73.7%
Grade 12	18.6%	23.9%	31.7%	68.3%
<b>Marijuana Only</b>				
All	6.5%	7.9%	10.9%	89.1%
Grade 7	2.8%	4.1%	5.9%	94.1%
Grade 8	3.8%	5.0%	8.6%	91.4%
Grade 9	6.7%	7.0%	9.5%	90.5%
Grade 10	9.6%	10.7%	12.8%	87.2%
Grade 11	8.9%	9.7%	14.8%	85.2%
Grade 12	7.5%	11.0%	14.4%	85.6%
<b>Cocaine or Crack</b>				
All	1.8%	1.9%	3.0%	97.0%
Grade 7	2.1%	3.0%	4.5%	95.5%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	1.0%	1.1%	3.0%	97.0%
Grade 10	1.9%	1.9%	2.3%	97.7%
Grade 11	1.2%	1.2%	1.3%	98.7%
Grade 12	4.2%	4.3%	6.2%	93.8%
<b>Cocaine</b>				
All	1.2%	1.3%	2.4%	97.6%
Grade 7	1.9%	2.4%	3.8%	96.2%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	1.0%	1.1%	3.0%	97.0%
Grade 10	1.8%	1.8%	2.2%	97.8%
Grade 11	1.2%	1.2%	1.3%	98.7%
Grade 12	0.9%	0.9%	2.8%	97.2%



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Crack</b>					
	All	0.7%	0.9%	1.3%	98.7%
	Grade 7	0.5%	1.3%	3.3%	96.7%
	Grade 8	0.7%	0.7%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.1%	0.3%	99.7%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	3.3%	3.4%	3.9%	96.1%
<b>Hallucinogens</b>					
	All	1.2%	2.5%	4.6%	95.4%
	Grade 7	0.4%	0.9%	2.5%	97.5%
	Grade 8	1.4%	1.7%	3.3%	96.7%
	Grade 9	0.9%	1.3%	2.8%	97.2%
	Grade 10	0.4%	2.3%	4.4%	95.6%
	Grade 11	1.9%	6.1%	10.0%	90.0%
	Grade 12	2.2%	3.4%	4.8%	95.2%
<b>Synthetic Cathinones</b>					
	All	0.1%	0.2%	0.5%	99.5%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.3%	0.5%	1.4%	98.6%
	Grade 9	0.0%	0.4%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Steroids</b>					
	All	1.1%	1.4%	2.4%	97.6%
	Grade 7	0.7%	1.6%	3.0%	97.0%
	Grade 8	0.3%	0.6%	2.1%	97.9%
	Grade 9	0.0%	0.0%	0.7%	99.3%
	Grade 10	0.9%	0.9%	1.5%	98.5%
	Grade 11	1.3%	1.5%	2.1%	97.9%
	Grade 12	4.2%	4.9%	6.2%	93.8%
<b>Ecstasy</b>					
	All	0.3%	0.4%	1.0%	99.0%
	Grade 7	0.4%	0.4%	0.6%	99.4%
	Grade 8	0.5%	0.8%	1.4%	98.6%
	Grade 9	0.4%	0.4%	0.9%	99.1%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.0%	0.2%	0.5%	99.5%
	Grade 12	0.5%	0.6%	2.3%	97.7%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.4%	1.0%	1.7%	98.3%
Grade 8	0.2%	0.4%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	1.5%	2.3%	4.6%	95.4%
Grade 7	1.3%	1.9%	3.9%	96.1%
Grade 8	1.2%	2.3%	4.6%	95.4%
Grade 9	1.7%	2.3%	4.0%	96.0%
Grade 10	2.0%	2.9%	4.1%	95.9%
Grade 11	1.5%	1.9%	2.3%	97.7%
Grade 12	1.2%	2.4%	9.3%	90.7%
<b>Methamphetamine</b>				
All	0.3%	0.7%	1.4%	98.6%
Grade 7	0.3%	0.5%	1.6%	98.4%
Grade 8	0.7%	0.8%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.6%	2.4%	2.5%	97.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.4%	1.7%	98.3%
<b>Delta 8</b>				
All	2.7%	4.3%	7.4%	92.6%
Grade 7	1.6%	2.3%	4.7%	95.3%
Grade 8	2.0%	3.2%	6.6%	93.4%
Grade 9	2.2%	3.5%	4.9%	95.1%
Grade 10	4.4%	7.4%	8.4%	91.6%
Grade 11	3.6%	4.9%	6.9%	93.1%
Grade 12	2.5%	4.6%	13.8%	86.2%

### 3 Margin Tables

### Gender

Q1	Frequency	Percent
Male	918,248	49.4%
Female	940,467	50.6%
Frequency Missing	12,310	

### Hispanic or Latino

Q5a	Frequency	Percent
No	835,707	45.1%
Yes	1,017,363	54.9%
Frequency Missing	17,955	

### Grade

Q2	Frequency	Percent
Grade 7	346,363	18.6%
Grade 8	356,566	19.1%
Grade 9	359,093	19.3%
Grade 10	302,901	16.3%
Grade 11	269,992	14.5%
Grade 12	228,609	12.3%
Frequency Missing	7,503	

### Ethnicity

Q5b	Frequency	Percent
American Indian	42,026	2.4%
Asian American	59,070	3.3%
African American	278,604	15.8%
Pacific Islander	6,749	0.4%
White	626,158	35.4%
Other	472,780	26.8%
More Than One Race	281,128	15.9%
Frequency Missing	104,510	

### Live with Both Parents

Q3	Frequency	Percent
No	685,006	36.9%
Yes	1,171,766	63.1%
Frequency Missing	14,252	

### On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	11,801	0.6%
Mostly D's	28,838	1.6%
Mostly C's	245,827	13.4%
Mostly B's	849,322	46.4%
Mostly A's	694,250	37.9%
Frequency Missing	40,987	

### Age

Q4	Frequency	Percent
11 or younger	2,890	0.2%
12	147,528	7.9%
13	334,886	17.9%
14	320,698	17.2%
15	336,604	18.0%
16	295,164	15.8%
17	282,932	15.1%
18	134,347	7.2%
19 or older	12,985	0.7%
Frequency Missing	2,993	

### Do You Have a Job

Q7	Frequency	Percent
No	1,454,461	79.4%
Yes	378,436	20.6%
Frequency Missing	38,129	

### Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	383,052	20.9%
Yes	785,368	42.8%
Don't Know	664,970	36.3%
Frequency Missing	37,635	

**Participate in School Athletics (UIL, Varsity,  
Jr Varsity)**

Q9a	Frequency	Percent
No	974,514	55.3%
Yes	788,525	44.7%
Frequency Missing	107,986	

**Participate in Academic  
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	1,363,043	81.0%
Yes	319,660	19.0%
Frequency Missing	188,322	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	1,338,394	78.6%
Yes	363,770	21.4%
Frequency Missing	168,861	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	1,299,106	77.0%
Yes	387,674	23.0%
Frequency Missing	184,245	

**Participate in School Choir**

Q9c	Frequency	Percent
No	1,513,208	90.6%
Yes	156,442	9.4%
Frequency Missing	201,376	

**Participate in Athletic Teams Outside of  
School**

Q9h	Frequency	Percent
No	1,229,807	72.0%
Yes	477,868	28.0%
Frequency Missing	163,349	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	1,569,715	93.8%
Yes	103,841	6.2%
Frequency Missing	197,469	

**Participate in Other Clubs or Groups  
Outside of School**

Q9i	Frequency	Percent
No	1,373,509	81.9%
Yes	303,512	18.1%
Frequency Missing	194,004	

**Participate in Student Government/School  
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	1,570,685	94.2%
Yes	95,895	5.8%
Frequency Missing	204,445	

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	1,600,661	86.1%
Somewhat Safe	221,620	11.9%
Not Very Safe	12,938	0.7%
Not Safe At All	4,243	0.2%
Don't Know	19,365	1.0%
Frequency Missing	12,198	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	829,368	44.8%
Somewhat Safe	835,970	45.1%
Not Very Safe	110,446	6.0%
Not Safe At All	18,037	1.0%
Don't Know	58,001	3.1%
Frequency Missing	19,204	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	1,187,664	65.1%
Yes	636,382	34.9%
Frequency Missing	46,979	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	532,232	28.7%
Somewhat Safe	956,142	51.6%
Not Very Safe	213,663	11.5%
Not Safe At All	74,484	4.0%
Don't Know	76,393	4.1%
Frequency Missing	18,111	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	112,300	6.2%
A Few	370,306	20.4%
Some	417,250	22.9%
Most	620,576	34.1%
All	297,911	16.4%
Frequency Missing	52,681	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	172,141	9.5%
Some High School	197,162	10.9%
Finished High School	390,576	21.6%
Some College	163,706	9.0%
Finished College	267,086	14.8%
Post-Secondary	168,078	9.3%
Don't Know or N/A	451,953	25.0%
Frequency Missing	60,322	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	43,623	2.4%
A Few	232,697	12.8%
Some	441,382	24.3%
Most	724,669	39.8%
All	376,472	20.7%
Frequency Missing	52,182	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	145,911	8.1%
Some High School	171,978	9.5%
Finished High School	336,652	18.6%
Some College	222,887	12.3%
Finished College	373,643	20.6%
Post-Secondary	245,855	13.6%
Don't Know or N/A	313,929	17.3%
Frequency Missing	60,170	

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	867,900	48.2%
A Few	504,151	28.0%
Some	246,487	13.7%
Most	117,840	6.5%
All	64,573	3.6%
Frequency Missing	70,075	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	1,510,981	83.5%
A Few	181,882	10.0%
Some	73,014	4.0%
Most	28,364	1.6%
All	16,127	0.9%
Frequency Missing	60,656	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	1,798,966	99.4%
In Your Lifetime	5,453	0.3%
Since School Began	1,858	0.1%
In the Past Month	4,125	0.2%
Frequency Missing	60,623	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	1,648,230	90.9%
A Few	102,471	5.7%
Some	35,690	2.0%
Most	14,116	0.8%
All	12,287	0.7%
Frequency Missing	58,231	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	1,748,562	96.3%
In Your Lifetime	47,087	2.6%
Since School Began	8,279	0.5%
In the Past Month	11,349	0.6%
Frequency Missing	55,748	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	1,791,862	98.6%
In Your Lifetime	17,668	1.0%
Since School Began	1,621	0.1%
In the Past Month	6,916	0.4%
Frequency Missing	52,958	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	1,792,141	98.9%
In Your Lifetime	14,063	0.8%
Since School Began	2,682	0.1%
In the Past Month	3,748	0.2%
Frequency Missing	58,392	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	1,755,948	96.8%
In Your Lifetime	40,393	2.2%
Since School Began	5,210	0.3%
In the Past Month	12,847	0.7%
Frequency Missing	56,627	

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	1,799,631	99.4%
In Your Lifetime	7,255	0.4%
Since School Began	2,025	0.1%
In the Past Month	2,306	0.1%
Frequency Missing	59,807	

**Recent Inhalant Use - Gasoline, Octane  
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	1,777,664	98.0%
In Your Lifetime	21,946	1.2%
Since School Began	3,555	0.2%
In the Past Month	11,269	0.6%
Frequency Missing	56,592	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	1,393,024	77.0%
In Your Lifetime	237,257	13.1%
Since School Began	54,259	3.0%
In the Past Month	123,541	6.8%
Frequency Missing	62,944	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	1,787,764	98.6%
In Your Lifetime	14,666	0.8%
Since School Began	2,416	0.1%
In the Past Month	8,642	0.5%
Frequency Missing	57,537	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	1,498,332	82.8%
In Your Lifetime	153,460	8.5%
Since School Began	49,496	2.7%
In the Past Month	107,780	6.0%
Frequency Missing	61,956	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	1,696,187	93.3%
In Your Lifetime	83,142	4.6%
Since School Began	11,558	0.6%
In the Past Month	27,479	1.5%
Frequency Missing	52,659	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	1,471,261	81.6%
In Your Lifetime	214,763	11.9%
Since School Began	43,154	2.4%
In the Past Month	74,314	4.1%
Frequency Missing	67,533	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	1,751,706	96.6%
In Your Lifetime	33,774	1.9%
Since School Began	8,173	0.5%
In the Past Month	19,497	1.1%
Frequency Missing	57,874	

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	1,426,391	79.1%
In Your Lifetime	197,467	11.0%
Since School Began	61,042	3.4%
In the Past Month	117,416	6.5%
Frequency Missing	68,708	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	1,776,248	98.1%
In Your Lifetime	23,588	1.3%
Since School Began	3,069	0.2%
In the Past Month	8,399	0.5%
Frequency Missing	59,721	



**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	1,525,698	84.0%
In Your Lifetime	141,138	7.8%
Since School Began	41,438	2.3%
In the Past Month	107,035	5.9%
Frequency Missing	55,716	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	1,771,118	97.5%
In Your Lifetime	22,269	1.2%
Since School Began	12,128	0.7%
In the Past Month	10,753	0.6%
Frequency Missing	54,756	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	1,598,629	88.0%
In Your Lifetime	108,224	6.0%
Since School Began	33,807	1.9%
In the Past Month	76,400	4.2%
Frequency Missing	53,965	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	1,811,038	99.7%
In Your Lifetime	2,786	0.2%
Since School Began	1,059	0.1%
In the Past Month	1,763	0.1%
Frequency Missing	54,379	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	1,799,792	99.0%
In Your Lifetime	12,783	0.7%
Since School Began	1,982	0.1%
In the Past Month	2,634	0.1%
Frequency Missing	53,835	

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	1,793,575	98.8%
In Your Lifetime	11,699	0.6%
Since School Began	3,597	0.2%
In the Past Month	6,086	0.3%
Frequency Missing	56,068	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	1,810,926	99.7%
In Your Lifetime	3,365	0.2%
Since School Began	556	0.0%
In the Past Month	1,077	0.1%
Frequency Missing	55,102	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	1,805,936	99.6%
In Your Lifetime	4,520	0.2%
Since School Began	893	0.0%
In the Past Month	1,595	0.1%
Frequency Missing	58,082	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	1,810,918	99.7%
In Your Lifetime	3,026	0.2%
Since School Began	1,255	0.1%
In the Past Month	1,817	0.1%
Frequency Missing	54,009	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	1,666,842	92.9%
In Your Lifetime	62,736	3.5%
Since School Began	27,463	1.5%
In the Past Month	37,362	2.1%
Frequency Missing	76,622	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	1,805,000	99.5%
In Your Lifetime	2,539	0.1%
Since School Began	1,792	0.1%
In the Past Month	5,251	0.3%
Frequency Missing	56,443	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	1,760,846	98.2%
In Your Lifetime	21,159	1.2%
Since School Began	4,364	0.2%
In the Past Month	6,549	0.4%
Frequency Missing	78,106	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	1,786,882	98.4%
In Your Lifetime	14,301	0.8%
Since School Began	4,671	0.3%
In the Past Month	10,467	0.6%
Frequency Missing	54,704	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	1,758,854	98.3%
In Your Lifetime	16,909	0.9%
Since School Began	4,994	0.3%
In the Past Month	8,521	0.5%
Frequency Missing	81,748	

**Recent Delta 8 Use**

Q16l	Frequency	Percent
Never Heard/Used	1,744,559	96.3%
In Your Lifetime	30,719	1.7%
Since School Began	13,029	0.7%
In the Past Month	23,724	1.3%
Frequency Missing	58,995	

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	1,737,402	97.1%
In Your Lifetime	23,089	1.3%
Since School Began	10,381	0.6%
In the Past Month	19,261	1.1%
Frequency Missing	80,893	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	1,683,825	94.2%
In Your Lifetime	49,380	2.8%
Since School Began	16,694	0.9%
In the Past Month	38,220	2.1%
Frequency Missing	82,905	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	1,772,465	98.8%
1-2 times	15,022	0.8%
3-10 times	3,839	0.2%
11+ times	2,426	0.1%
Frequency Missing	77,274	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	1,740,227	97.5%
In Your Lifetime	19,968	1.1%
Since School Began	6,488	0.4%
In the Past Month	18,383	1.0%
Frequency Missing	85,958	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	1,665,136	92.6%
1-2 times	59,364	3.3%
3-10 times	30,654	1.7%
11+ times	42,710	2.4%
Frequency Missing	73,161	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	1,725,440	96.0%
1-2 times	41,620	2.3%
3-10 times	11,895	0.7%
11+ times	18,756	1.0%
Frequency Missing	73,314	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	1,788,436	99.6%
1-2 times	5,367	0.3%
3-10 times	1,006	0.1%
11+ times	322	0.0%
Frequency Missing	75,894	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	1,485,802	82.9%
1-2 times	195,000	10.9%
3-10 times	75,219	4.2%
11+ times	37,121	2.1%
Frequency Missing	77,884	

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	1,791,938	99.8%
1-2 times	1,686	0.1%
3-10 times	783	0.0%
11+ times	262	0.0%
Frequency Missing	76,356	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	1,544,669	86.2%
A few	162,856	9.1%
Some	51,558	2.9%
Most	25,405	1.4%
All	8,376	0.5%
Frequency Missing	78,160	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	1,210,421	67.5%
A few	318,737	17.8%
Some	149,789	8.4%
Most	85,364	4.8%
All	28,391	1.6%
Frequency Missing	78,322	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	1,272,760	71.1%
8 or younger	73,849	4.1%
9 years old	25,075	1.4%
10 years old	38,518	2.2%
11 years old	39,992	2.2%
12 years old	60,021	3.4%
13 years old	80,720	4.5%
14 years old	62,693	3.5%
15 years old	64,696	3.6%
16 years old	44,889	2.5%
17 years old	18,976	1.1%
18 or older	7,690	0.4%
Frequency Missing	81,146	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	1,696,809	95.1%
A few	62,599	3.5%
Some	16,607	0.9%
Most	6,966	0.4%
All	2,118	0.1%
Frequency Missing	85,927	

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	1,744,494	97.6%
8 or younger	10,409	0.6%
9 years old	3,906	0.2%
10 years old	4,894	0.3%
11 years old	5,382	0.3%
12 years old	5,366	0.3%
13 years old	6,563	0.4%
14 years old	2,432	0.1%
15 years old	1,194	0.1%
16 years old	2,121	0.1%
17 years old	129	0.0%
18 or older	6	0.0%
Frequency Missing	84,129	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	1,388,820	77.7%
A few	208,851	11.7%
Some	95,013	5.3%
Most	74,142	4.1%
All	21,240	1.2%
Frequency Missing	82,960	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	1,580,291	88.3%
8 or younger	6,186	0.3%
9 years old	2,678	0.1%
10 years old	5,663	0.3%
11 years old	15,369	0.9%
12 years old	27,429	1.5%
13 years old	40,348	2.3%
14 years old	38,407	2.1%
15 years old	37,267	2.1%
16 years old	24,193	1.4%
17 years old	10,073	0.6%
18 or older	1,245	0.1%
Frequency Missing	81,875	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	1,669,739	93.1%
8 or younger	12,172	0.7%
9 years old	5,104	0.3%
10 years old	8,925	0.5%
11 years old	9,883	0.6%
12 years old	18,277	1.0%
13 years old	21,897	1.2%
14 years old	15,202	0.8%
15 years old	15,855	0.9%
16 years old	11,897	0.7%
17 years old	3,983	0.2%
18 or older	987	0.1%
Frequency Missing	77,104	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	1,778,040	99.3%
8 or younger	721	0.0%
9 years old	17	0.0%
10 years old	203	0.0%
11 years old	643	0.0%
12 years old	718	0.0%
13 years old	1,130	0.1%
14 years old	1,835	0.1%
15 years old	3,352	0.2%
16 years old	1,984	0.1%
17 years old	918	0.1%
18 or older	395	0.0%
Frequency Missing	81,069	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	1,783,286	99.7%
8 or younger	419	0.0%
9 years old	167	0.0%
10 years old	210	0.0%
11 years old	713	0.0%
12 years old	558	0.0%
13 years old	483	0.0%
14 years old	748	0.0%
15 years old	576	0.0%
16 years old	864	0.0%
17 years old	210	0.0%
18 or older	33	0.0%
Frequency Missing	82,756	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	1,787,981	99.8%
8 or younger	769	0.0%
9 years old	14	0.0%
10 years old	30	0.0%
11 years old	167	0.0%
12 years old	532	0.0%
13 years old	285	0.0%
14 years old	495	0.0%
15 years old	440	0.0%
16 years old	282	0.0%
17 years old	47	0.0%
Frequency Missing	79,984	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	1,787,209	99.8%
8 or younger	1,757	0.1%
9 years old	260	0.0%
10 years old	288	0.0%
11 years old	97	0.0%
12 years old	484	0.0%
13 years old	678	0.0%
14 years old	70	0.0%
15 years old	214	0.0%
16 years old	459	0.0%
17 years old	0	0.0%
18 or older	33	0.0%
Frequency Missing	79,476	

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	1,773,577	99.0%
8 or younger	5,063	0.3%
9 years old	535	0.0%
10 years old	459	0.0%
11 years old	1,374	0.1%
12 years old	2,409	0.1%
13 years old	1,011	0.1%
14 years old	1,189	0.1%
15 years old	2,982	0.2%
16 years old	738	0.0%
17 years old	1,308	0.1%
18 or older	85	0.0%
Frequency Missing	80,293	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	1,785,758	99.6%
8 or younger	1,017	0.1%
9 years old	513	0.0%
10 years old	81	0.0%
11 years old	476	0.0%
12 years old	980	0.1%
13 years old	1,023	0.1%
14 years old	897	0.1%
15 years old	1,569	0.1%
16 years old	119	0.0%
17 years old	58	0.0%
18 or older	57	0.0%
Frequency Missing	78,477	

**Age When First Used Synthetic Marijuana**

Q21l	Frequency	Percent
Never used it	1,766,218	98.6%
8 or younger	1,055	0.1%
9 years old	675	0.0%
10 years old	203	0.0%
11 years old	996	0.1%
12 years old	3,280	0.2%
13 years old	3,794	0.2%
14 years old	4,689	0.3%
15 years old	6,118	0.3%
16 years old	2,991	0.2%
17 years old	1,093	0.1%
18 or older	309	0.0%
Frequency Missing	79,604	

**Age When First Used Delta 8**

Q21m	Frequency	Percent
Never used it	1,728,333	96.6%
8 or younger	1,287	0.1%
9 years old	522	0.0%
10 years old	1,221	0.1%
11 years old	3,110	0.2%
12 years old	5,606	0.3%
13 years old	8,211	0.5%
14 years old	13,420	0.7%
15 years old	13,880	0.8%
16 years old	9,119	0.5%
17 years old	4,004	0.2%
18 or older	872	0.0%
Frequency Missing	81,441	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	772,743	44.0%
Impossible	378,174	21.5%
Very Difficult	130,967	7.5%
Somewhat diff	145,252	8.3%
Somewhat easy	163,062	9.3%
Very easy	166,542	9.5%
Frequency Missing	114,285	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	637,821	36.4%
Impossible	247,950	14.1%
Very Difficult	116,418	6.6%
Somewhat diff	166,288	9.5%
Somewhat easy	257,908	14.7%
Very easy	327,029	18.7%
Frequency Missing	117,610	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	931,968	53.4%
Impossible	279,180	16.0%
Very Difficult	70,366	4.0%
Somewhat diff	82,511	4.7%
Somewhat easy	120,362	6.9%
Very easy	261,458	15.0%
Frequency Missing	125,180	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	752,050	42.9%
Impossible	415,199	23.7%
Very Difficult	136,464	7.8%
Somewhat diff	122,935	7.0%
Somewhat easy	144,787	8.3%
Very easy	180,809	10.3%
Frequency Missing	118,782	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	874,984	49.9%
Impossible	566,107	32.3%
Very Difficult	155,555	8.9%
Somewhat diff	80,038	4.6%
Somewhat easy	36,408	2.1%
Very easy	39,196	2.2%
Frequency Missing	118,737	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	897,383	51.2%
Impossible	575,568	32.9%
Very Difficult	153,259	8.7%
Somewhat diff	63,633	3.6%
Somewhat easy	31,534	1.8%
Very easy	30,413	1.7%
Frequency Missing	119,235	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	1,014,365	57.9%
Impossible	514,985	29.4%
Very Difficult	120,732	6.9%
Somewhat diff	48,450	2.8%
Somewhat easy	23,680	1.4%
Very easy	30,788	1.8%
Frequency Missing	118,024	

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	929,878	53.2%
Impossible	499,986	28.6%
Very Difficult	137,957	7.9%
Somewhat diff	95,057	5.4%
Somewhat easy	43,412	2.5%
Very easy	42,870	2.5%
Frequency Missing	121,866	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	1,071,663	61.3%
Impossible	422,941	24.2%
Very Difficult	104,387	6.0%
Somewhat diff	53,007	3.0%
Somewhat easy	45,586	2.6%
Very easy	51,677	3.0%
Frequency Missing	121,764	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	1,093,067	62.6%
Impossible	445,666	25.5%
Very Difficult	108,760	6.2%
Somewhat diff	47,886	2.7%
Somewhat easy	22,455	1.3%
Very easy	29,074	1.7%
Frequency Missing	124,116	

**Difficult to Get Delta 8**

Q22m	Frequency	Percent
Never heard of	1,072,720	61.5%
Impossible	383,469	22.0%
Very Difficult	98,286	5.6%
Somewhat diff	55,426	3.2%
Somewhat easy	50,574	2.9%
Very easy	82,623	4.7%
Frequency Missing	127,926	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	990,807	56.6%
Impossible	535,486	30.6%
Very Difficult	125,350	7.2%
Somewhat diff	47,599	2.7%
Somewhat easy	21,214	1.2%
Very easy	29,398	1.7%
Frequency Missing	121,172	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	11,965	0.7%
Several times/wk	8,761	0.5%
Several times/mo	10,230	0.6%
About once/month	19,756	1.1%
About once/year	13,437	0.8%
Less than once/year	42,164	2.4%
Never used	1,648,172	93.9%
Frequency Missing	116,540	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	3,531	0.2%
Several times/wk	15,978	0.9%
Several times/mo	55,964	3.2%
About once/month	121,794	7.0%
About once/year	116,602	6.7%
Less than once/year	126,100	7.2%
Never used	1,306,895	74.8%
Frequency Missing	124,160	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	1,296	0.1%
Several times/wk	200	0.0%
Several times/mo	616	0.0%
About once/month	1,586	0.1%
About once/year	3,601	0.2%
Less than once/year	4,015	0.2%
Never used	1,737,842	99.4%
Frequency Missing	121,868	

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	1,250	0.1%
Several times/wk	2,021	0.1%
Several times/mo	3,201	0.2%
About once/month	5,492	0.3%
About once/year	6,273	0.4%
Less than once/year	14,059	0.8%
Never used	1,717,782	98.2%
Frequency Missing	120,946	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	2,060	0.1%
Several times/wk	194	0.0%
Several times/mo	134	0.0%
About once/month	361	0.0%
About once/year	521	0.0%
Less than once/year	694	0.0%
Never used	1,747,781	99.8%
Frequency Missing	119,281	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	18,581	1.1%
Several times/wk	21,460	1.2%
Several times/mo	28,428	1.6%
About once/month	30,116	1.7%
About once/year	31,514	1.8%
Less than once/year	45,579	2.6%
Never used	1,574,165	90.0%
Frequency Missing	121,180	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	4,035	0.2%
Several times/wk	2,663	0.2%
Several times/mo	784	0.0%
About once/month	1,420	0.1%
About once/year	1,012	0.1%
Less than once/year	5,953	0.3%
Never used	1,735,886	99.1%
Frequency Missing	119,273	



**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	496	0.0%
Several times/wk	477	0.0%
Several times/mo	331	0.0%
About once/month	207	0.0%
About once/year	1,486	0.1%
Less than once/year	2,226	0.1%
Never used	1,746,322	99.7%
Frequency Missing	119,481	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	890	0.1%
Several times/wk	1,643	0.1%
Several times/mo	3,828	0.2%
About once/month	3,117	0.2%
About once/year	7,873	0.5%
Less than once/year	7,907	0.5%
Never used	1,723,600	98.6%
Frequency Missing	122,167	

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	523	0.0%
Several times/wk	757	0.0%
Several times/mo	681	0.0%
About once/month	299	0.0%
About once/year	455	0.0%
Less than once/year	1,433	0.1%
Never used	1,746,862	99.8%
Frequency Missing	120,014	

**How Often Normally Use Delta 8**

Q23m	Frequency	Percent
Every day	4,100	0.2%
Several times/wk	6,019	0.3%
Several times/mo	6,394	0.4%
About once/month	9,457	0.5%
About once/year	15,567	0.9%
Less than once/year	14,506	0.8%
Never used	1,681,932	96.8%
Frequency Missing	133,051	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	930	0.1%
Several times/wk	34	0.0%
Several times/mo	455	0.0%
About once/month	726	0.0%
About once/year	472	0.0%
Less than once/year	2,086	0.1%
Never used	1,747,318	99.7%
Frequency Missing	119,004	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	1,341,204	76.6%
12+ drinks	17,335	1.0%
9-11 drinks	17,912	1.0%
5-8 drinks	31,973	1.8%
3-4 drinks	48,885	2.8%
2 drinks	53,238	3.0%
1 drink	79,616	4.5%
Less than 1 drink	160,490	9.2%
Frequency Missing	120,372	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	1,442,725	82.5%
12+ drinks	16,875	1.0%
9-11 drinks	9,280	0.5%
5-8 drinks	28,610	1.6%
3-4 drinks	56,090	3.2%
2 drinks	49,900	2.9%
1 drink	65,168	3.7%
Less than 1 drink	80,890	4.6%
Frequency Missing	121,487	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	1,025,443	59.2%
0 days	592,920	34.2%
1 day	42,419	2.4%
2 days	25,439	1.5%
3 to 5 days	21,408	1.2%
6 to 9 days	7,843	0.5%
10 or more days	17,018	1.0%
Frequency Missing	138,535	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	1,429,025	82.0%
12+ drinks	7,562	0.4%
9-11 drinks	3,222	0.2%
5-8 drinks	12,001	0.7%
3-4 drinks	21,607	1.2%
2 drinks	40,274	2.3%
1 drink	81,886	4.7%
Less than 1 drink	147,787	8.5%
Frequency Missing	127,661	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	1,239,841	71.1%
Never	206,148	11.8%
Seldom	191,890	11.0%
Most of the Time	67,454	3.9%
Always	38,299	2.2%
Frequency Missing	127,394	

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	1,377,679	78.9%
12+ drinks	19,552	1.1%
9-11 drinks	8,947	0.5%
5-8 drinks	36,065	2.1%
3-4 drinks	74,309	4.3%
2 drinks	52,802	3.0%
1 drink	68,807	3.9%
Less than 1 drink	108,958	6.2%
Frequency Missing	123,906	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	1,285,189	73.8%
Never	258,455	14.8%
Seldom	100,797	5.8%
Most of the Time	77,251	4.4%
Always	18,836	1.1%
Frequency Missing	130,497	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	1,309,268	75.3%
Never	352,572	20.3%
Seldom	38,175	2.2%
Most of the Time	27,073	1.6%
Always	12,243	0.7%
Frequency Missing	131,693	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	1,248,314	71.6%
Never	228,019	13.1%
Seldom	112,220	6.4%
Most of the Time	95,832	5.5%
Always	58,502	3.4%
Frequency Missing	128,138	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	1,294,453	74.5%
Somewhat	210,712	12.1%
Not very	67,230	3.9%
Not at all	18,768	1.1%
Don't know	146,142	8.4%
Frequency Missing	133,719	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	1,311,319	75.7%
Never	277,392	16.0%
Seldom	73,515	4.2%
Most of the Time	39,077	2.3%
Always	30,998	1.8%
Frequency Missing	138,726	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	1,149,989	66.1%
Somewhat	245,383	14.1%
Not very	162,771	9.4%
Not at all	73,763	4.2%
Don't know	108,110	6.2%
Frequency Missing	131,010	

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	1,197,979	68.8%
Somewhat	336,995	19.3%
Not very	83,393	4.8%
Not at all	16,961	1.0%
Don't know	107,081	6.1%
Frequency Missing	128,615	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	1,522,661	87.5%
Somewhat	95,918	5.5%
Not very	10,702	0.6%
Not at all	5,258	0.3%
Don't know	106,407	6.1%
Frequency Missing	130,079	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	939,657	53.9%
Somewhat	468,717	26.9%
Not very	204,350	11.7%
Not at all	36,148	2.1%
Don't know	93,269	5.4%
Frequency Missing	128,884	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	1,533,213	88.1%
Somewhat	78,968	4.5%
Not very	10,268	0.6%
Not at all	5,006	0.3%
Don't know	113,798	6.5%
Frequency Missing	129,771	

**Dangerous for Kids to Use Ecstasy**

Q27h	Frequency	Percent
Very	1,396,918	80.3%
Somewhat	92,028	5.3%
Not very	14,109	0.8%
Not at all	6,255	0.4%
Don't know	230,294	13.2%
Frequency Missing	131,420	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27l	Frequency	Percent
Very	1,361,143	78.2%
Somewhat	119,293	6.9%
Not very	38,316	2.2%
Not at all	14,222	0.8%
Don't know	206,981	11.9%
Frequency Missing	131,069	

**Dangerous for Kids to Use Steroids**

Q27i	Frequency	Percent
Very	1,310,814	75.4%
Somewhat	192,364	11.1%
Not very	61,303	3.5%
Not at all	16,359	0.9%
Don't know	157,058	9.0%
Frequency Missing	133,125	

**Dangerous for Kids to Use Delta 8**

Q27m	Frequency	Percent
Very	1,274,161	73.3%
Somewhat	141,741	8.2%
Not very	70,923	4.1%
Not at all	32,897	1.9%
Don't know	218,422	12.6%
Frequency Missing	132,881	

**Dangerous for Kids to Use Heroin**

Q27j	Frequency	Percent
Very	1,491,388	85.8%
Somewhat	73,581	4.2%
Not very	9,617	0.6%
Not at all	6,408	0.4%
Don't know	157,227	9.0%
Frequency Missing	132,804	

**Dangerous for Kids to Use Any Prescription**

Q27n	Frequency	Percent
Very	1,318,525	75.9%
Somewhat	194,596	11.2%
Not very	50,838	2.9%
Not at all	13,967	0.8%
Don't know	159,441	9.2%
Frequency Missing	133,658	

**Dangerous for Kids to Use Methamphetamine**

Q27k	Frequency	Percent
Very	1,506,754	86.5%
Somewhat	69,795	4.0%
Not very	7,640	0.4%
Not at all	6,121	0.4%
Don't know	151,066	8.7%
Frequency Missing	129,650	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27o	Frequency	Percent
Very	1,202,562	69.1%
Somewhat	268,470	15.4%
Not very	119,002	6.8%
Not at all	36,627	2.1%
Don't know	114,742	6.6%
Frequency Missing	129,621	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	1,297,164	76.2%
1-3 days	273,295	16.0%
4-9 days	69,914	4.1%
10+ days	62,686	3.7%
Frequency Missing	167,967	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	1,522,017	89.5%
1-3 days	139,001	8.2%
4-9 days	23,346	1.4%
10+ days	16,100	0.9%
Frequency Missing	170,561	

**Days Ill Since September**

Q28b	Frequency	Percent
None	512,297	30.0%
1-3 days	782,722	45.9%
4-9 days	304,756	17.9%
10+ days	105,382	6.2%
Frequency Missing	165,868	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	1,658,730	97.6%
1-3 times	31,885	1.9%
4-9 times	4,971	0.3%
10+ times	3,119	0.2%
Frequency Missing	172,320	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	625,446	37.2%
1-3 days	789,938	47.0%
4-9 days	174,446	10.4%
10+ days	92,233	5.5%
Frequency Missing	188,963	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	1,666,087	98.1%
1-3 times	25,239	1.5%
4-9 times	2,048	0.1%
10+ times	4,188	0.2%
Frequency Missing	173,464	

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	1,492,135	87.6%
1-3 days	167,180	9.8%
4-9 days	27,093	1.6%
10+ days	17,579	1.0%
Frequency Missing	167,038	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	1,657,333	97.6%
1-3 times	34,306	2.0%
4-9 times	2,937	0.2%
10+ times	2,947	0.2%
Frequency Missing	173,501	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	1,656,326	97.7%
1-3 times	25,291	1.5%
4-9 times	4,654	0.3%
10+ times	9,624	0.6%
Frequency Missing	175,129	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	1,651,886	97.3%
1-3 days	36,781	2.2%
4-9 days	4,075	0.2%
10+ days	5,437	0.3%
Frequency Missing	172,846	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	1,096,410	64.6%
Seldom	79,883	4.7%
Half the time	45,486	2.7%
Most of the Time	91,376	5.4%
Always	89,002	5.2%
Don't Know	27,541	1.6%
Didn't attend	267,278	15.8%
Frequency Missing	174,049	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	1,616,157	95.3%
1-3 days	36,682	2.2%
4-9 days	9,965	0.6%
10+ days	33,884	2.0%
Frequency Missing	174,337	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	1,224,902	72.3%
Seldom	52,127	3.1%
Half the time	31,865	1.9%
Most of the Time	49,528	2.9%
Always	39,835	2.4%
Don't Know	30,328	1.8%
Didn't attend	265,400	15.7%
Frequency Missing	177,040	

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	1,686,156	99.5%
1-3 days	5,156	0.3%
4-9 days	1,120	0.1%
10+ days	1,866	0.1%
Frequency Missing	176,728	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	1,540,433	94.4%
Yes	92,032	5.6%
Frequency Missing	238,559	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	1,668,771	98.7%
1-3 days	16,903	1.0%
4-9 days	2,634	0.2%
10+ days	3,029	0.2%
Frequency Missing	179,688	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	1,057,233	63.5%
Yes	607,169	36.5%
Frequency Missing	206,623	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	1,256,322	75.9%
Yes	399,841	24.1%
Frequency Missing	214,863	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	725,731	43.9%
Yes	928,298	56.1%
Frequency Missing	216,995	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	991,142	59.9%
Yes	663,532	40.1%
Frequency Missing	216,351	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	1,026,458	62.0%
Yes	628,244	38.0%
Frequency Missing	216,323	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	530,479	31.8%
Yes	1,140,179	68.2%
Frequency Missing	200,367	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	1,252,976	76.5%
Yes	384,483	23.5%
Frequency Missing	233,565	

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	702,709	42.4%
Yes	954,612	57.6%
Frequency Missing	213,705	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	1,024,208	61.8%
Yes	632,590	38.2%
Frequency Missing	214,226	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	709,848	42.7%
Yes	951,471	57.3%
Frequency Missing	209,706	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	822,698	49.8%
Yes	830,819	50.2%
Frequency Missing	217,508	

**Drug/Alcohol Info–School Guidance  
Counselor**

Q34c	Frequency	Percent
No	1,130,848	68.7%
Yes	515,742	31.3%
Frequency Missing	224,435	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	1,119,905	68.1%
Yes	524,259	31.9%
Frequency Missing	226,860	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	1,336,441	81.4%
Yes	306,175	18.6%
Frequency Missing	228,409	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	1,313,993	78.2%
Mild disapprove	107,087	6.4%
Neither	78,260	4.7%
Mildly approve	10,982	0.7%
Strongly approve	9,651	0.6%
Don't know	160,029	9.5%
Frequency Missing	191,023	

**Drug/Alcohol Info–Science or Social Studies  
Class**

Q34e	Frequency	Percent
No	1,183,045	71.9%
Yes	462,026	28.1%
Frequency Missing	225,954	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	1,021,580	60.8%
Mild disapprove	219,063	13.0%
Neither	209,798	12.5%
Mildly approve	61,626	3.7%
Strongly approve	16,555	1.0%
Don't know	150,607	9.0%
Frequency Missing	191,797	

**Drug/Alcohol Info–School Student Group or  
Club**

Q34f	Frequency	Percent
No	1,380,526	84.2%
Yes	259,088	15.8%
Frequency Missing	231,410	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	1,280,722	76.3%
Mild disapprove	111,590	6.6%
Neither	96,029	5.7%
Mildly approve	25,894	1.5%
Strongly approve	15,868	0.9%
Don't know	148,803	8.9%
Frequency Missing	192,120	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	1,152,530	70.0%
Yes	494,745	30.0%
Frequency Missing	223,750	



## Appendix: Reporting Methods for Prevalence & Recency of Use

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Delta 8</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
<b>Question</b>	<b>Updating Rule</b>
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.



## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

