
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2020



HHSC REGION 5 AND 6 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	3
Tobacco	4
Alcohol	7
Drugs	15
Inhalants	30
Miscellaneous	34
2 Prevalence Tables	40
Table B-1: All Students	41
Table B-2: Male Students	45
Table B-3: Female Students	49
Table B-4: White Non-Hispanic Students	53
Table B-5: African American Non-Hispanic Students	57
Table B-6: Hispanic or Latino Students	61
Table B-7: Students Reporting A Grades on Average	65
Table B-8: Students Reporting Grades Lower Than an A on Average	69
Table B-9: Students Living with 2 Parents	73
Table B-10: Students Not Living with 2 Parents	77
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	81
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	85
3 Margin Tables	89
Appendix: Reporting Methods for Prevalence & Recency of Use	112

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 5 and 6. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

During the 2019-2020 school year, schools across Texas were closed from early March through the end of the school year due to the COVID-19 pandemic. Due to this sudden and unexpected closure, many schools that had registered for the survey were unable to complete it. Please

note that both the drop in participation along with the fact that those that did complete did so before March may have impacted the data.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	16.6%	21.0%	33.6%	66.4%
Grade 7	3.8%	6.1%	11.6%	88.4%
Grade 8	9.9%	12.3%	23.5%	76.5%
Grade 9	16.4%	19.8%	31.9%	68.1%
Grade 10	20.8%	27.3%	42.6%	57.4%
Grade 11	21.2%	25.9%	43.1%	56.9%
Grade 12	29.9%	37.5%	53.3%	46.7%
Cigarettes?				
All	2.7%	4.4%	11.7%	88.3%
Grade 7	0.8%	1.4%	3.8%	96.2%
Grade 8	1.6%	1.9%	8.8%	91.2%
Grade 9	2.6%	3.7%	10.1%	89.9%
Grade 10	4.2%	6.6%	14.7%	85.3%
Grade 11	3.8%	6.3%	14.7%	85.3%
Grade 12	3.6%	7.1%	20.0%	80.0%
Smokeless Tobacco?				
All	2.7%	3.9%	7.6%	92.4%
Grade 7	0.8%	1.1%	2.2%	97.8%
Grade 8	2.2%	2.8%	6.3%	93.7%
Grade 9	2.5%	3.4%	7.1%	92.9%
Grade 10	2.6%	5.0%	9.8%	90.2%
Grade 11	3.7%	4.9%	10.0%	90.0%
Grade 12	5.1%	6.9%	11.4%	88.6%
Electronic Vapor Products?				
All	12.9%	17.6%	30.4%	69.6%
Grade 7	2.5%	4.6%	8.8%	91.2%
Grade 8	7.1%	9.7%	20.0%	80.0%
Grade 9	11.0%	15.5%	29.3%	70.7%
Grade 10	16.5%	23.9%	40.0%	60.0%
Grade 11	17.4%	22.3%	39.7%	60.3%
Grade 12	25.4%	32.5%	48.5%	51.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 4 of 127

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	85.9%	2.5%	1.3%	1.6%	2.5%	1.9%	4.3%
Grade 7	96.5%	0.0%	0.2%	0.5%	0.7%	1.0%	0.9%
Grade 8	92.1%	0.6%	0.1%	1.0%	1.3%	1.7%	3.2%
Grade 9	86.8%	1.9%	1.7%	1.5%	3.5%	0.6%	4.0%
Grade 10	83.5%	2.3%	1.3%	1.4%	3.7%	2.9%	4.9%
Grade 11	81.2%	5.0%	1.1%	2.7%	1.9%	1.7%	6.4%
Grade 12	73.0%	5.9%	4.0%	2.4%	4.0%	3.9%	6.7%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.2	10.5	10.8	12.4	13.0	13.4	14.8

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	28.0%	21.2%	7.5%	10.9%	14.4%	18.0%
Grade 7	42.1%	35.1%	7.4%	4.7%	5.7%	4.9%
Grade 8	35.4%	30.9%	7.6%	7.7%	11.4%	6.9%
Grade 9	25.7%	22.4%	10.8%	10.0%	13.8%	17.3%
Grade 10	23.4%	14.3%	7.2%	16.0%	19.2%	19.9%
Grade 11	20.1%	13.9%	5.5%	15.2%	17.2%	28.1%
Grade 12	19.6%	7.8%	5.6%	12.7%	20.0%	34.4%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	70.1%	16.5%	7.5%	4.7%	1.2%
Grade 7	89.9%	8.0%	1.4%	0.6%	0.0%
Grade 8	85.2%	9.8%	4.1%	0.6%	0.4%
Grade 9	68.2%	18.6%	6.5%	4.7%	2.0%
Grade 10	64.7%	20.5%	10.0%	3.3%	1.5%
Grade 11	56.7%	23.9%	10.0%	8.0%	1.4%
Grade 12	52.4%	19.4%	13.9%	12.4%	1.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.4%	7.7%	5.2%	1.1%	0.6%	7.9%
Grade 7	83.9%	2.9%	1.2%	0.3%	0.3%	11.4%
Grade 8	81.5%	5.2%	3.5%	0.4%	1.4%	7.9%
Grade 9	77.1%	8.8%	4.2%	1.5%	0.2%	8.2%
Grade 10	75.2%	7.5%	6.5%	1.0%	0.4%	9.4%
Grade 11	75.4%	10.6%	5.9%	1.6%	0.7%	5.7%
Grade 12	70.3%	12.2%	10.8%	1.7%	0.7%	4.3%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	58.8%	25.5%	7.9%	1.9%	5.8%
Grade 7	73.8%	15.4%	3.8%	1.1%	5.9%
Grade 8	67.8%	19.6%	5.4%	1.4%	5.8%
Grade 9	61.5%	24.4%	8.5%	1.2%	4.5%
Grade 10	53.5%	27.8%	9.5%	2.7%	6.6%
Grade 11	49.0%	35.0%	7.8%	2.0%	6.1%
Grade 12	44.3%	33.0%	13.0%	3.5%	6.1%
Electronic Vapor Products?					
All	58.4%	20.4%	11.1%	4.1%	6.0%
Grade 7	77.5%	10.9%	3.3%	1.7%	6.5%
Grade 8	62.8%	16.0%	9.3%	5.7%	6.2%
Grade 9	60.1%	19.7%	11.2%	3.1%	5.8%
Grade 10	52.2%	24.1%	13.6%	4.6%	5.5%
Grade 11	50.4%	25.4%	14.1%	4.8%	5.3%
Grade 12	45.3%	27.4%	15.7%	4.8%	6.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 127

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	28.6%	34.9%	55.4%	44.6%
Grade 7	15.5%	17.1%	35.3%	64.7%
Grade 8	22.6%	25.8%	46.1%	53.9%
Grade 9	26.2%	33.4%	56.3%	43.7%
Grade 10	30.7%	39.4%	62.1%	37.9%
Grade 11	33.1%	42.3%	66.0%	34.0%
Grade 12	46.4%	55.4%	70.2%	29.8%
Beer?				
All	9.9%	16.7%	40.2%	59.8%
Grade 7	4.0%	6.2%	25.8%	74.2%
Grade 8	6.6%	9.6%	35.1%	64.9%
Grade 9	7.8%	13.9%	37.8%	62.2%
Grade 10	11.4%	20.4%	44.5%	55.5%
Grade 11	12.1%	20.8%	46.7%	53.3%
Grade 12	19.2%	31.8%	54.0%	46.0%
Wine Coolers?				
All	9.1%	15.8%	33.8%	66.2%
Grade 7	3.1%	3.8%	17.0%	83.0%
Grade 8	4.8%	7.1%	22.6%	77.4%
Grade 9	8.5%	15.6%	33.3%	66.7%
Grade 10	10.3%	18.8%	38.3%	61.7%
Grade 11	10.1%	19.6%	42.2%	57.8%
Grade 12	19.5%	32.6%	53.2%	46.8%
Wine?				
All	7.0%	13.8%	37.0%	63.0%
Grade 7	3.1%	5.5%	20.4%	79.6%
Grade 8	4.6%	8.0%	27.6%	72.4%
Grade 9	7.2%	13.6%	36.7%	63.3%
Grade 10	8.2%	16.5%	43.2%	56.8%
Grade 11	7.1%	15.6%	45.3%	54.7%
Grade 12	12.6%	25.4%	51.8%	48.2%
Liquor?				
All	11.4%	19.4%	39.0%	61.0%
Grade 7	3.1%	5.2%	17.7%	82.3%
Grade 8	6.5%	9.5%	27.1%	72.9%
Grade 9	8.7%	15.1%	36.4%	63.6%
Grade 10	13.9%	23.8%	46.4%	53.6%
Grade 11	14.8%	26.9%	48.8%	51.2%
Grade 12	23.9%	39.5%	62.5%	37.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 7 of 127

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	57.9%	0.4%	1.5%	6.5%	12.2%	11.7%	9.8%
Grade 7	79.5%	0.5%	0.8%	1.7%	4.5%	5.9%	7.0%
Grade 8	71.8%	0.3%	0.5%	4.6%	6.7%	7.1%	9.1%
Grade 9	59.5%	0.5%	1.3%	3.7%	12.5%	12.5%	10.1%
Grade 10	49.9%	0.6%	0.9%	6.3%	16.3%	14.4%	11.6%
Grade 11	45.2%	0.2%	2.7%	9.0%	14.5%	16.0%	12.5%
Grade 12	37.5%	0.5%	2.9%	15.4%	20.2%	15.0%	8.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	63.3%	36.7%	5.4%	18.4%	12.9%
	Grade 7	76.6%	23.4%	0.9%	10.9%	11.6%
	Grade 8	67.2%	32.8%	2.3%	15.2%	15.4%
	Grade 9	66.2%	33.8%	4.5%	15.9%	13.4%
	Grade 10	59.2%	40.8%	6.6%	20.5%	13.7%
	Grade 11	57.2%	42.8%	9.6%	20.5%	12.7%
	Grade 12	50.5%	49.5%	9.8%	29.5%	10.3%
Wine Coolers	All	69.1%	30.9%	6.0%	17.8%	7.1%
	Grade 7	85.5%	14.5%	1.2%	6.4%	6.8%
	Grade 8	81.0%	19.0%	2.3%	10.5%	6.2%
	Grade 9	69.7%	30.3%	4.4%	18.5%	7.4%
	Grade 10	65.9%	34.1%	7.0%	19.4%	7.7%
	Grade 11	59.5%	40.5%	8.8%	23.0%	8.7%
	Grade 12	49.8%	50.2%	13.4%	31.0%	5.8%
Wine	All	67.1%	32.9%	2.1%	15.6%	15.2%
	Grade 7	82.5%	17.5%	0.7%	7.7%	9.1%
	Grade 8	75.5%	24.5%	0.9%	9.2%	14.3%
	Grade 9	67.7%	32.3%	1.9%	15.7%	14.7%
	Grade 10	61.2%	38.8%	2.7%	17.8%	18.3%
	Grade 11	58.8%	41.2%	3.7%	17.8%	19.7%
	Grade 12	54.2%	45.8%	3.1%	27.0%	15.7%
Liquor	All	63.2%	36.8%	8.4%	17.6%	10.8%
	Grade 7	84.4%	15.6%	1.4%	7.4%	6.8%
	Grade 8	75.6%	24.4%	3.4%	9.0%	12.0%
	Grade 9	65.8%	34.2%	5.4%	17.9%	11.0%
	Grade 10	56.7%	43.3%	10.2%	21.1%	12.0%
	Grade 11	53.7%	46.3%	12.9%	20.3%	13.2%
	Grade 12	39.2%	60.8%	18.9%	31.9%	10.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	89.0%	4.2%	2.5%	2.6%	0.5%	1.3%
Grade 7	95.4%	2.3%	1.0%	0.4%	0.1%	0.9%
Grade 8	94.1%	1.9%	1.4%	1.9%	0.4%	0.4%
Grade 9	91.4%	4.0%	1.2%	1.7%	0.6%	1.0%
Grade 10	87.8%	4.8%	2.6%	2.1%	1.0%	1.6%
Grade 11	84.8%	5.0%	5.0%	3.3%	0.3%	1.6%
Grade 12	78.5%	7.4%	4.2%	6.8%	0.9%	2.2%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.9	10.5	11.0	12.0	13.0	13.9	14.7

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.7%	12.9%	5.7%	10.6%	19.2%	29.9%
Grade 7	36.5%	23.2%	7.7%	9.2%	12.7%	10.6%
Grade 8	28.9%	20.6%	7.1%	11.9%	14.7%	16.7%
Grade 9	20.8%	13.4%	7.0%	11.7%	18.9%	28.2%
Grade 10	15.0%	6.7%	4.4%	10.2%	24.5%	39.3%
Grade 11	12.9%	6.4%	4.2%	11.0%	23.6%	41.9%
Grade 12	14.1%	5.0%	3.4%	9.5%	21.9%	46.1%

Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.7%	3.3%	0.6%	0.4%
Grade 7	98.3%	1.4%	0.1%	0.2%
Grade 8	95.9%	3.3%	0.5%	0.3%
Grade 9	94.6%	4.5%	0.5%	0.4%
Grade 10	94.8%	4.3%	0.5%	0.4%
Grade 11	93.7%	3.7%	1.9%	0.7%
Grade 12	96.7%	2.6%	0.1%	0.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	3.7
Alcohol Non-Users	2.8
Average Days Conduct Problems Reported	
Alcohol Users	1.8
Alcohol Non-Users	0.7

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.6%	2.9%	0.3%	0.2%
Grade 9	99.2%	0.7%	0.1%	0.0%
Grade 10	97.7%	2.3%	0.0%	0.0%
Grade 11	96.3%	3.2%	0.3%	0.2%
Grade 12	92.5%	6.0%	0.9%	0.5%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.9%	3.6%	0.4%	0.1%
Grade 7	98.1%	1.9%	0.0%	0.0%
Grade 8	97.5%	1.6%	0.9%	0.0%
Grade 9	94.6%	4.6%	0.3%	0.4%
Grade 10	95.5%	4.1%	0.4%	0.0%
Grade 11	95.3%	4.3%	0.4%	0.0%
Grade 12	94.5%	5.1%	0.2%	0.3%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	46.5%	23.2%	15.6%	11.3%	3.4%
Grade 7	75.4%	17.1%	5.0%	1.7%	0.9%
Grade 8	64.5%	21.8%	9.8%	2.9%	1.0%
Grade 9	46.1%	24.8%	17.3%	9.9%	1.9%
Grade 10	35.6%	27.3%	21.2%	13.2%	2.7%
Grade 11	28.5%	26.8%	22.1%	17.6%	5.0%
Grade 12	24.5%	21.6%	19.0%	24.9%	10.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	47.2%	7.1%	5.8%	9.6%	9.7%	2.2%	18.4%
Grade 7	73.0%	7.4%	3.4%	3.3%	1.5%	2.5%	8.8%
Grade 8	65.5%	5.4%	5.2%	6.3%	3.2%	1.9%	12.5%
Grade 9	43.9%	7.3%	7.5%	8.5%	5.9%	3.3%	23.6%
Grade 10	36.1%	7.5%	6.0%	12.1%	10.7%	2.8%	24.7%
Grade 11	33.7%	6.9%	6.3%	11.7%	16.9%	1.8%	22.6%
Grade 12	27.6%	8.2%	6.0%	17.0%	22.6%	0.7%	17.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	56.1%	16.9%	16.9%	6.2%	3.9%
	Grade 7	69.7%	15.9%	9.6%	3.3%	1.5%
	Grade 8	65.1%	16.6%	12.3%	4.4%	1.6%
	Grade 9	57.0%	16.1%	19.5%	4.4%	3.1%
	Grade 10	50.9%	16.0%	18.7%	8.8%	5.6%
	Grade 11	47.9%	19.6%	20.3%	7.1%	5.0%
	Grade 12	43.4%	17.6%	21.6%	10.0%	7.4%
Friends?						
	All	57.1%	18.1%	11.8%	9.9%	3.2%
	Grade 7	73.7%	21.0%	3.2%	1.7%	0.3%
	Grade 8	70.3%	17.5%	7.3%	4.3%	0.7%
	Grade 9	58.3%	18.0%	13.1%	8.7%	1.8%
	Grade 10	50.1%	18.8%	16.4%	11.4%	3.4%
	Grade 11	47.7%	19.7%	14.4%	13.0%	5.1%
	Grade 12	39.2%	13.0%	17.5%	21.8%	8.5%
A Store?						
	All	60.1%	33.3%	3.2%	2.2%	1.1%
	Grade 7	73.7%	24.2%	1.3%	0.7%	0.2%
	Grade 8	70.7%	26.9%	1.1%	0.9%	0.4%
	Grade 9	61.8%	34.1%	1.7%	1.4%	0.8%
	Grade 10	54.2%	38.7%	3.8%	1.8%	1.5%
	Grade 11	53.1%	36.7%	5.3%	3.2%	1.7%
	Grade 12	44.2%	40.4%	6.9%	6.1%	2.3%
Parties?						
	All	55.7%	16.8%	10.9%	9.9%	6.8%
	Grade 7	69.4%	16.6%	8.7%	4.4%	1.0%
	Grade 8	66.9%	15.6%	9.7%	6.1%	1.7%
	Grade 9	56.3%	18.2%	10.6%	8.7%	6.2%
	Grade 10	50.8%	18.7%	8.8%	12.7%	9.0%
	Grade 11	48.5%	18.5%	13.3%	10.7%	9.0%
	Grade 12	39.4%	12.7%	14.8%	17.8%	15.4%
Other Sources?						
	All	60.5%	23.7%	7.9%	4.5%	3.4%
	Grade 7	73.4%	19.5%	4.6%	2.0%	0.4%
	Grade 8	70.2%	20.0%	6.0%	2.4%	1.4%
	Grade 9	60.8%	25.6%	7.2%	2.9%	3.5%
	Grade 10	54.7%	24.4%	9.6%	6.4%	5.0%
	Grade 11	55.0%	25.8%	8.6%	6.2%	4.4%
	Grade 12	46.4%	27.3%	12.4%	7.7%	6.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	57.8%	15.3%	12.7%	5.2%	1.0%	7.9%
Grade 7	70.8%	10.3%	5.4%	1.3%	0.4%	11.9%
Grade 8	67.4%	11.1%	7.7%	3.9%	1.0%	8.7%
Grade 9	59.1%	17.0%	10.4%	3.5%	0.9%	9.1%
Grade 10	53.8%	17.4%	14.3%	4.9%	0.9%	8.7%
Grade 11	50.1%	19.1%	19.1%	6.1%	1.3%	4.3%
Grade 12	43.2%	17.3%	21.6%	12.5%	1.9%	3.5%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	44.3%	31.4%	16.7%	3.0%	4.7%
Grade 7	56.3%	23.5%	13.0%	2.1%	5.2%
Grade 8	48.9%	29.0%	14.1%	2.4%	5.5%
Grade 9	46.5%	31.6%	14.9%	3.3%	3.8%
Grade 10	40.0%	34.4%	16.9%	3.9%	4.8%
Grade 11	36.7%	36.6%	19.1%	2.8%	4.8%
Grade 12	35.2%	34.3%	23.2%	3.5%	3.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 14 of 127

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	15.0%	19.9%	26.0%	74.0%
Grade 7	4.9%	6.7%	8.2%	91.8%
Grade 8	8.4%	11.5%	15.8%	84.2%
Grade 9	13.5%	18.7%	22.0%	78.0%
Grade 10	16.1%	22.5%	31.5%	68.5%
Grade 11	19.3%	26.2%	33.8%	66.2%
Grade 12	30.3%	37.3%	49.3%	50.7%
Marijuana?				
All	14.5%	17.6%	24.0%	76.0%
Grade 7	3.9%	4.6%	5.8%	94.2%
Grade 8	7.7%	9.0%	12.9%	87.1%
Grade 9	13.2%	15.9%	19.9%	80.1%
Grade 10	16.0%	20.6%	29.8%	70.2%
Grade 11	19.3%	23.9%	32.9%	67.1%
Grade 12	29.7%	35.2%	47.3%	52.7%
Cocaine?				
All	0.9%	1.1%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	1.4%	1.4%	1.5%	98.5%
Grade 9	1.1%	1.2%	1.6%	98.4%
Grade 10	0.6%	0.9%	2.7%	97.3%
Grade 11	0.9%	1.2%	1.9%	98.1%
Grade 12	1.0%	1.6%	2.4%	97.6%
Crack?				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.1%	0.7%	1.0%	99.0%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.5%	0.5%	0.8%	99.2%
Hallucinogens?				
All	1.5%	2.2%	4.1%	95.9%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.8%	0.8%	1.3%	98.7%
Grade 9	1.2%	1.9%	3.0%	97.0%
Grade 10	1.4%	1.9%	4.1%	95.9%
Grade 11	2.5%	3.0%	6.0%	94.0%
Grade 12	3.3%	6.6%	10.6%	89.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.1%	0.5%	99.5%
Steroids?				
All	0.1%	0.4%	1.3%	98.7%
Grade 7	0.2%	0.5%	1.2%	98.8%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	0.1%	0.1%	0.8%	99.2%
Grade 10	0.0%	0.7%	1.7%	98.3%
Grade 11	0.0%	0.0%	1.4%	98.6%
Grade 12	0.3%	0.5%	1.6%	98.4%
Ecstasy?				
All	0.9%	1.4%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	1.3%	98.7%
Grade 9	0.6%	0.9%	1.3%	98.7%
Grade 10	1.2%	1.5%	3.4%	96.6%
Grade 11	1.1%	2.2%	4.6%	95.4%
Grade 12	2.6%	3.6%	5.9%	94.1%
Heroin?				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.2%	0.8%	99.2%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.1%	0.2%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.1%	0.1%	99.9%
Methamphetamine?				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.4%	0.8%	99.2%
Grade 9	0.4%	0.4%	1.3%	98.7%
Grade 10	0.8%	0.8%	1.5%	98.5%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.6%	0.7%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.0%	1.9%	3.5%	96.5%
Grade 7	0.8%	1.1%	1.7%	98.3%
Grade 8	1.1%	1.9%	2.9%	97.1%
Grade 9	0.9%	1.9%	3.6%	96.4%
Grade 10	1.0%	2.5%	4.7%	95.3%
Grade 11	1.1%	1.7%	4.0%	96.0%
Grade 12	1.3%	2.2%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	78.6%	1.9%	2.6%	3.5%	4.1%	4.4%	4.8%
	Grade 7	95.6%	0.1%	0.7%	0.5%	0.4%	2.1%	0.6%
	Grade 8	89.2%	1.1%	1.3%	1.5%	2.0%	2.5%	2.4%
	Grade 9	82.1%	1.1%	1.8%	2.8%	4.0%	4.4%	3.8%
	Grade 10	72.0%	1.8%	2.0%	5.7%	4.5%	5.7%	8.4%
	Grade 11	72.0%	4.1%	4.3%	3.3%	6.2%	4.4%	5.6%
	Grade 12	56.8%	4.0%	6.5%	7.6%	8.3%	8.0%	8.9%
Cocaine?								
	All	98.7%	0.0%	0.0%	0.2%	0.1%	0.4%	0.5%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 8	99.4%	0.0%	0.0%	0.2%	0.0%	0.3%	0.2%
	Grade 9	98.5%	0.0%	0.0%	0.4%	0.1%	0.6%	0.4%
	Grade 10	98.1%	0.0%	0.0%	0.3%	0.1%	0.7%	0.8%
	Grade 11	98.4%	0.0%	0.0%	0.1%	0.4%	0.4%	0.7%
	Grade 12	98.4%	0.0%	0.0%	0.2%	0.2%	0.4%	0.9%
Crack?								
	All	99.4%	0.0%	0.0%	0.1%	0.0%	0.2%	0.2%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%
	Grade 8	99.2%	0.0%	0.2%	0.2%	0.0%	0.2%	0.3%
	Grade 9	99.4%	0.0%	0.0%	0.3%	0.0%	0.1%	0.3%
	Grade 10	99.3%	0.0%	0.0%	0.0%	0.0%	0.7%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 12	99.2%	0.0%	0.0%	0.1%	0.0%	0.2%	0.5%
Steroids?								
	All	99.3%	0.0%	0.0%	0.1%	0.0%	0.1%	0.5%
	Grade 7	99.3%	0.0%	0.0%	0.2%	0.0%	0.0%	0.5%
	Grade 8	99.2%	0.0%	0.0%	0.0%	0.0%	0.2%	0.5%
	Grade 9	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 10	98.9%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%
	Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%
	Grade 12	98.9%	0.0%	0.0%	0.2%	0.2%	0.1%	0.5%
Ecstasy?								
	All	97.5%	0.1%	0.1%	0.2%	0.3%	0.8%	1.0%
	Grade 7	99.5%	0.0%	0.2%	0.0%	0.0%	0.2%	0.0%
	Grade 8	99.2%	0.0%	0.0%	0.0%	0.0%	0.4%	0.3%
	Grade 9	98.9%	0.0%	0.0%	0.2%	0.4%	0.3%	0.2%
	Grade 10	96.6%	0.3%	0.1%	0.4%	0.3%	0.5%	1.8%
	Grade 11	95.5%	0.0%	0.0%	0.2%	0.2%	1.8%	2.3%
	Grade 12	94.7%	0.2%	0.0%	0.5%	1.0%	2.1%	1.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 7	99.3%	0.2%	0.0%	0.0%	0.0%	0.4%	0.1%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Methamphetamine?								
	All	99.4%	0.0%	0.1%	0.1%	0.1%	0.2%	0.1%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%
	Grade 8	99.5%	0.0%	0.0%	0.0%	0.2%	0.1%	0.2%
	Grade 9	99.5%	0.1%	0.0%	0.1%	0.0%	0.3%	0.1%
	Grade 10	98.9%	0.1%	0.1%	0.1%	0.3%	0.5%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 12	99.1%	0.0%	0.2%	0.3%	0.0%	0.1%	0.3%
Synthetic Marijuana?								
	All	97.3%	0.1%	0.1%	0.3%	0.7%	0.6%	0.8%
	Grade 7	99.1%	0.3%	0.2%	0.0%	0.1%	0.2%	0.2%
	Grade 8	97.8%	0.2%	0.2%	0.4%	1.0%	0.0%	0.4%
	Grade 9	97.6%	0.0%	0.1%	0.7%	0.9%	0.5%	0.2%
	Grade 10	95.9%	0.0%	0.0%	0.5%	0.9%	1.5%	1.1%
	Grade 11	96.1%	0.0%	0.3%	0.0%	0.7%	1.1%	1.7%
	Grade 12	97.4%	0.0%	0.1%	0.0%	0.9%	0.4%	1.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.1	11.3	11.8	13.3	13.9	14.5	15.3
Cocaine	14.7	12.0	13.4	13.1	15.0	15.0	16.5
Crack	14.3	12.9	13.0	14.0	15.4	13.5	15.3
Steroids	12.4	10.1	11.0	12.7	13.5	11.6	14.0
Ecstasy	14.8	10.1	12.7	14.0	14.0	15.7	16.0
Heroin	12.2	10.0	9.2	13.7	15.5	N/A	17.0
Methamphetamine	13.4	8.8	13.0	12.3	13.3	15.8	15.7
Synthetic Marijuana	14.1	12.0	11.2	13.7	13.9	15.2	15.8

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 20 of 127

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	27.4%	21.8%	7.7%	9.1%	13.0%	21.0%
	Grade 7	45.0%	38.4%	6.6%	3.1%	4.2%	2.7%
	Grade 8	35.3%	32.4%	7.7%	6.7%	7.6%	10.3%
	Grade 9	25.7%	24.8%	9.8%	11.3%	12.9%	15.5%
	Grade 10	19.6%	15.6%	7.7%	13.2%	16.1%	27.8%
	Grade 11	18.1%	10.0%	9.9%	10.9%	18.5%	32.6%
	Grade 12	18.4%	6.2%	4.3%	9.4%	20.1%	41.5%
Cocaine?							
	All	37.6%	34.8%	12.6%	8.1%	3.3%	3.6%
	Grade 7	48.8%	43.1%	5.5%	0.9%	1.1%	0.6%
	Grade 8	42.8%	40.3%	7.9%	5.2%	1.9%	1.9%
	Grade 9	34.9%	40.3%	11.5%	8.4%	2.1%	2.9%
	Grade 10	32.1%	32.7%	15.7%	11.2%	4.2%	4.0%
	Grade 11	30.5%	28.1%	19.4%	11.5%	5.5%	5.0%
	Grade 12	35.6%	21.7%	16.7%	12.3%	5.7%	7.9%
Crack?							
	All	39.1%	36.0%	12.9%	6.4%	2.3%	3.1%
	Grade 7	50.2%	41.5%	5.6%	1.1%	0.8%	0.7%
	Grade 8	43.7%	41.0%	8.0%	3.9%	1.7%	1.8%
	Grade 9	36.4%	39.7%	12.4%	6.4%	2.3%	2.7%
	Grade 10	33.6%	35.1%	15.5%	9.6%	2.5%	3.7%
	Grade 11	32.0%	30.0%	21.0%	9.3%	3.1%	4.7%
	Grade 12	38.1%	26.8%	16.4%	8.9%	4.0%	5.7%
Steroids?							
	All	41.6%	32.9%	12.2%	6.8%	3.3%	3.2%
	Grade 7	53.0%	38.2%	5.4%	1.9%	0.5%	0.9%
	Grade 8	47.5%	36.6%	8.7%	4.2%	1.6%	1.4%
	Grade 9	39.7%	37.7%	10.9%	6.9%	2.3%	2.5%
	Grade 10	34.2%	32.0%	15.3%	8.6%	4.9%	5.1%
	Grade 11	35.2%	27.6%	18.6%	8.7%	5.8%	4.2%
	Grade 12	39.1%	23.3%	15.8%	11.2%	5.3%	5.5%
Ecstasy?							
	All	46.9%	28.9%	9.3%	6.2%	3.9%	4.8%
	Grade 7	61.3%	33.1%	3.9%	0.6%	0.4%	0.6%
	Grade 8	57.1%	31.0%	6.3%	2.5%	1.5%	1.7%
	Grade 9	46.8%	32.2%	8.3%	5.8%	3.1%	3.8%
	Grade 10	38.1%	28.2%	13.0%	7.1%	6.3%	7.2%
	Grade 11	37.0%	26.4%	12.9%	12.2%	5.4%	6.1%
	Grade 12	38.6%	21.0%	12.1%	10.2%	7.5%	10.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	43.0%	37.7%	11.4%	3.8%	1.7%	2.4%
	Grade 7	55.4%	38.1%	4.5%	0.7%	0.5%	0.8%
	Grade 8	50.9%	37.0%	7.7%	2.2%	1.3%	0.9%
	Grade 9	40.8%	40.8%	10.9%	3.8%	1.8%	1.9%
	Grade 10	34.6%	39.1%	14.4%	6.8%	2.3%	2.8%
	Grade 11	35.1%	37.3%	17.1%	4.1%	2.2%	4.1%
	Grade 12	39.8%	33.1%	14.9%	5.4%	2.3%	4.4%
Methamphetamine?							
	All	45.1%	35.2%	11.1%	3.8%	1.9%	2.9%
	Grade 7	58.2%	35.1%	4.7%	0.9%	0.3%	0.8%
	Grade 8	53.7%	34.8%	6.9%	2.2%	1.3%	1.2%
	Grade 9	44.1%	37.1%	10.8%	4.0%	1.9%	2.1%
	Grade 10	36.3%	36.5%	14.5%	6.2%	3.0%	3.5%
	Grade 11	37.3%	35.6%	16.6%	3.4%	2.4%	4.8%
	Grade 12	39.3%	31.5%	14.0%	6.6%	2.9%	5.7%
Synthetic Marijuana?							
	All	46.2%	27.3%	8.0%	6.5%	5.8%	6.2%
	Grade 7	59.6%	32.6%	4.1%	1.6%	1.1%	1.1%
	Grade 8	53.3%	31.2%	6.1%	4.0%	2.8%	2.5%
	Grade 9	45.6%	29.6%	7.2%	6.6%	5.8%	5.3%
	Grade 10	38.6%	25.2%	8.6%	9.6%	9.1%	8.9%
	Grade 11	37.2%	23.4%	12.1%	9.0%	8.2%	10.0%
	Grade 12	41.4%	20.7%	10.4%	8.9%	8.2%	10.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	90.3%	5.0%	1.7%	3.0%
Grade 7	98.0%	1.7%	0.2%	0.1%
Grade 8	95.0%	2.6%	1.1%	1.4%
Grade 9	91.1%	3.4%	1.9%	3.6%
Grade 10	88.7%	6.8%	2.5%	2.0%
Grade 11	85.5%	6.6%	3.3%	4.7%
Grade 12	81.9%	9.5%	1.6%	6.9%
Attended Class While High from Use of Some Other Drug?				
All	96.5%	2.3%	0.6%	0.6%
Grade 7	98.3%	1.4%	0.2%	0.1%
Grade 8	96.9%	2.4%	0.4%	0.2%
Grade 9	95.9%	2.3%	0.8%	0.9%
Grade 10	95.5%	3.6%	0.3%	0.6%
Grade 11	95.7%	2.6%	1.1%	0.6%
Grade 12	96.9%	1.3%	0.5%	1.3%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	3.9
Marijuana Non-Users	3.0
Average Days Conduct Problems Reported	
Marijuana Users	2.2
Marijuana Non-Users	0.9

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	92.9%	4.2%	1.2%	1.7%
Grade 9	98.6%	0.8%	0.4%	0.1%
Grade 10	95.0%	3.4%	0.4%	1.2%
Grade 11	91.9%	4.5%	1.5%	2.1%
Grade 12	84.4%	9.0%	2.6%	3.9%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.1%	3.3%	0.4%	0.2%
Grade 7	98.4%	1.5%	0.1%	0.0%
Grade 8	97.5%	1.7%	0.6%	0.2%
Grade 9	95.9%	3.1%	0.3%	0.7%
Grade 10	94.8%	4.7%	0.4%	0.0%
Grade 11	94.9%	4.4%	0.5%	0.2%
Grade 12	95.1%	4.4%	0.2%	0.3%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	55.9%	17.9%	11.7%	11.3%	3.2%
Grade 7	87.4%	8.7%	2.2%	1.2%	0.5%
Grade 8	76.9%	11.8%	6.5%	3.2%	1.6%
Grade 9	56.6%	18.8%	10.5%	9.5%	4.7%
Grade 10	43.2%	21.9%	16.6%	14.1%	4.2%
Grade 11	34.6%	26.2%	17.9%	17.4%	3.9%
Grade 12	31.5%	20.8%	18.2%	24.6%	4.9%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	55.7%	5.8%	4.3%	6.4%	6.9%	2.8%	18.1%
Grade 7	84.6%	2.5%	0.8%	1.2%	0.5%	1.9%	8.5%
Grade 8	75.2%	4.4%	2.0%	2.2%	2.0%	2.4%	11.9%
Grade 9	53.4%	4.7%	5.4%	5.3%	4.1%	3.9%	23.1%
Grade 10	41.1%	8.4%	6.1%	8.6%	7.2%	3.5%	25.1%
Grade 11	42.4%	6.2%	4.4%	9.8%	12.1%	3.2%	21.8%
Grade 12	34.5%	9.0%	7.0%	12.1%	17.3%	1.9%	18.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	73.7%	7.3%	8.2%	2.0%	1.4%	7.5%
Grade 7	83.3%	3.1%	1.5%	0.3%	0.4%	11.4%
Grade 8	79.6%	4.1%	4.4%	2.1%	1.3%	8.5%
Grade 9	75.7%	7.2%	5.3%	2.8%	1.1%	7.9%
Grade 10	69.9%	9.4%	9.8%	1.2%	1.3%	8.4%
Grade 11	69.1%	8.6%	13.4%	1.8%	3.0%	4.1%
Grade 12	62.5%	11.8%	16.3%	4.1%	1.5%	3.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	51.8%	14.9%	15.6%	11.9%	5.8%
	Grade 7	76.0%	12.4%	3.7%	2.1%	5.8%
	Grade 8	66.1%	13.8%	7.7%	6.1%	6.1%
	Grade 9	55.3%	18.2%	13.6%	7.2%	5.6%
	Grade 10	44.7%	16.2%	17.0%	16.0%	6.1%
	Grade 11	36.0%	13.6%	27.0%	17.2%	6.3%
	Grade 12	28.2%	14.8%	27.4%	25.1%	4.6%
Cocaine?						
	All	86.0%	6.7%	1.0%	0.4%	6.0%
	Grade 7	88.3%	5.0%	0.9%	0.3%	5.5%
	Grade 8	84.0%	7.9%	1.2%	0.6%	6.3%
	Grade 9	85.6%	7.5%	1.2%	0.1%	5.6%
	Grade 10	84.7%	7.6%	1.7%	0.4%	5.6%
	Grade 11	86.9%	7.0%	0.5%	0.0%	5.6%
	Grade 12	86.6%	5.0%	0.4%	0.8%	7.2%
Crack?						
	All	86.5%	5.9%	0.9%	0.4%	6.3%
	Grade 7	87.3%	5.5%	0.7%	0.3%	6.2%
	Grade 8	83.2%	7.9%	1.5%	0.6%	6.8%
	Grade 9	86.7%	6.9%	1.0%	0.2%	5.2%
	Grade 10	86.3%	6.0%	1.4%	0.4%	5.9%
	Grade 11	86.8%	5.7%	0.6%	0.0%	6.9%
	Grade 12	88.9%	2.8%	0.2%	0.8%	7.3%
Ecstasy?						
	All	78.6%	8.3%	2.5%	0.9%	9.7%
	Grade 7	85.1%	3.7%	1.1%	0.3%	9.8%
	Grade 8	78.1%	7.2%	1.5%	1.3%	11.9%
	Grade 9	78.9%	9.5%	1.7%	0.4%	9.6%
	Grade 10	75.8%	11.1%	2.4%	1.5%	9.2%
	Grade 11	75.8%	10.1%	3.9%	0.1%	10.1%
	Grade 12	77.4%	8.0%	5.2%	2.0%	7.4%
Steroids?						
	All	74.8%	11.7%	4.1%	1.0%	8.4%
	Grade 7	82.0%	7.9%	2.3%	0.3%	7.4%
	Grade 8	76.8%	9.9%	3.5%	0.8%	9.0%
	Grade 9	72.4%	15.2%	3.7%	1.2%	7.5%
	Grade 10	74.5%	11.6%	4.3%	1.2%	8.4%
	Grade 11	70.2%	14.0%	5.5%	0.6%	9.7%
	Grade 12	72.7%	11.1%	5.8%	1.7%	8.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	87.4%	4.2%	0.7%	0.4%	7.2%
	Grade 7	87.6%	3.5%	0.9%	0.4%	7.6%
	Grade 8	84.1%	6.1%	1.3%	0.8%	7.8%
	Grade 9	87.2%	5.4%	0.5%	0.1%	6.8%
	Grade 10	88.7%	3.8%	1.0%	0.4%	6.2%
	Grade 11	88.1%	3.7%	0.1%	0.0%	8.1%
	Grade 12	89.1%	2.5%	0.3%	1.0%	7.1%
Methamphetamine?						
	All	87.2%	4.1%	0.8%	0.5%	7.4%
	Grade 7	88.2%	3.3%	0.8%	0.3%	7.4%
	Grade 8	84.6%	5.2%	1.3%	0.8%	8.1%
	Grade 9	86.1%	5.2%	0.6%	0.2%	7.9%
	Grade 10	86.8%	4.8%	1.4%	0.4%	6.7%
	Grade 11	88.8%	3.5%	0.0%	0.4%	7.3%
	Grade 12	89.2%	2.3%	0.5%	1.0%	6.9%
Synthetic Marijuana?						
	All	79.0%	7.7%	3.2%	1.2%	8.9%
	Grade 7	85.1%	4.4%	1.6%	0.8%	8.1%
	Grade 8	79.8%	6.3%	3.0%	1.5%	9.3%
	Grade 9	77.9%	8.9%	3.1%	1.0%	9.1%
	Grade 10	76.1%	9.7%	3.4%	1.9%	9.0%
	Grade 11	77.2%	8.5%	5.1%	0.3%	8.9%
	Grade 12	77.7%	8.2%	3.5%	1.4%	9.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	6.5%	9.2%	18.7%	81.3%
Grade 7	4.3%	5.7%	10.8%	89.2%
Grade 8	6.8%	10.1%	18.3%	81.7%
Grade 9	7.0%	9.7%	19.4%	80.6%
Grade 10	6.6%	9.4%	19.1%	80.9%
Grade 11	6.8%	9.4%	21.3%	78.7%
Grade 12	7.6%	11.2%	24.1%	75.9%
Codeine Cough Syrup?				
All	2.7%	4.7%	11.3%	88.7%
Grade 7	2.4%	3.6%	7.2%	92.8%
Grade 8	3.7%	6.6%	11.7%	88.3%
Grade 9	3.3%	6.1%	13.6%	86.4%
Grade 10	2.5%	4.1%	10.7%	89.3%
Grade 11	2.0%	3.7%	12.4%	87.6%
Grade 12	2.4%	3.9%	12.0%	88.0%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.8%	1.1%	2.8%	97.2%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.5%	0.7%	1.2%	98.8%
Grade 9	0.7%	1.1%	2.2%	97.8%
Grade 10	1.1%	1.1%	3.1%	96.9%
Grade 11	1.0%	1.3%	5.1%	94.9%
Grade 12	1.5%	2.7%	5.3%	94.7%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.1%	1.9%	4.5%	95.5%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.8%	1.8%	4.0%	96.0%
Grade 9	1.6%	2.7%	4.2%	95.8%
Grade 10	1.2%	2.0%	4.7%	95.3%
Grade 11	1.6%	2.3%	6.8%	93.2%
Grade 12	1.0%	2.3%	6.5%	93.5%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	2.3%	3.4%	6.5%	93.5%
Grade 7	0.2%	0.3%	1.2%	98.8%
Grade 8	1.6%	2.2%	4.1%	95.9%
Grade 9	1.6%	2.5%	5.0%	95.0%
Grade 10	3.5%	5.0%	8.2%	91.8%
Grade 11	3.0%	4.2%	8.3%	91.7%
Grade 12	3.8%	6.7%	13.0%	87.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.4%	4.5%	9.1%	90.9%
Grade 7	2.5%	3.3%	6.4%	93.6%
Grade 8	2.7%	3.7%	7.9%	92.1%
Grade 9	3.7%	5.3%	9.6%	90.4%
Grade 10	4.3%	5.5%	11.2%	88.8%
Grade 11	4.8%	6.0%	11.1%	88.9%
Grade 12	2.7%	3.4%	8.2%	91.8%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.5%	1.9%	3.2%	96.8%
Grade 7	1.9%	2.3%	3.4%	96.6%
Grade 8	1.6%	1.6%	3.0%	97.0%
Grade 9	2.3%	3.0%	4.6%	95.4%
Grade 10	0.7%	1.1%	3.0%	97.0%
Grade 11	1.2%	1.8%	2.6%	97.4%
Grade 12	1.0%	1.2%	2.8%	97.2%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	71.2%	15.7%	4.3%	1.3%	7.4%
Grade 7	81.7%	8.2%	2.1%	0.7%	7.4%
Grade 8	73.3%	12.8%	4.2%	2.5%	7.2%
Grade 9	70.9%	17.1%	4.0%	1.1%	7.0%
Grade 10	68.3%	17.6%	6.1%	1.3%	6.7%
Grade 11	67.1%	17.8%	5.8%	1.1%	8.1%
Grade 12	64.9%	21.5%	4.0%	1.3%	8.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.2%	6.4%	13.0%	87.0%
Grade 7	5.1%	7.0%	13.7%	86.3%
Grade 8	7.6%	9.9%	17.1%	82.9%
Grade 9	3.3%	6.7%	12.6%	87.4%
Grade 10	3.9%	7.5%	15.1%	84.9%
Grade 11	2.2%	2.7%	10.2%	89.8%
Grade 12	2.5%	3.7%	8.7%	91.3%
Spray Paint?				
All	0.3%	0.5%	1.9%	98.1%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	1.0%	1.2%	2.7%	97.3%
Grade 9	0.1%	0.5%	1.7%	98.3%
Grade 10	0.1%	0.1%	2.4%	97.6%
Grade 11	0.1%	0.2%	1.4%	98.6%
Grade 12	0.2%	0.3%	1.9%	98.1%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	1.9%	5.8%	94.2%
Grade 7	2.1%	3.2%	6.6%	93.4%
Grade 8	2.3%	3.6%	9.1%	90.9%
Grade 9	0.3%	1.7%	5.5%	94.5%
Grade 10	1.1%	1.9%	7.3%	92.7%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	0.3%	0.9%	3.0%	97.0%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	0.2%	0.6%	1.3%	98.7%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	1.0%	1.0%	1.8%	98.2%
Grade 11	0.0%	0.1%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.7%	99.3%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.2%	2.1%	5.9%	94.1%
Grade 7	1.7%	2.8%	5.6%	94.4%
Grade 8	2.7%	3.2%	7.7%	92.3%
Grade 9	0.8%	1.9%	5.4%	94.6%
Grade 10	0.6%	2.2%	7.4%	92.6%
Grade 11	0.5%	1.0%	4.7%	95.3%
Grade 12	0.9%	1.3%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 30 of 127

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	0.6%	1.0%	1.8%	98.2%
Grade 9	0.4%	0.5%	0.7%	99.3%
Grade 10	0.3%	0.6%	1.2%	98.8%
Grade 11	0.1%	0.1%	1.3%	98.7%
Grade 12	0.3%	0.5%	0.8%	99.2%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.5%	1.2%	98.8%
Grade 7	0.2%	0.8%	1.2%	98.8%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	0.1%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.3%	2.1%	97.9%
Grade 11	0.1%	0.2%	1.0%	99.0%
Grade 12	0.4%	0.5%	0.9%	99.1%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.8%	1.1%	2.4%	97.6%
Grade 7	0.9%	1.1%	1.9%	98.1%
Grade 8	1.6%	2.3%	3.6%	96.4%
Grade 9	0.6%	0.9%	2.8%	97.2%
Grade 10	0.5%	1.1%	2.6%	97.4%
Grade 11	0.4%	0.5%	1.8%	98.2%
Grade 12	0.5%	0.5%	1.6%	98.4%
Other Aerosols/Sprays?				
All	0.4%	0.8%	1.9%	98.1%
Grade 7	0.4%	0.9%	2.7%	97.3%
Grade 8	0.5%	0.9%	2.3%	97.7%
Grade 9	0.9%	0.9%	1.5%	98.5%
Grade 10	0.5%	1.3%	2.3%	97.7%
Grade 11	0.0%	0.3%	1.3%	98.7%
Grade 12	0.2%	0.2%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.3%	0.0%	0.3%	0.3%	0.7%	0.5%	1.9%
Grade 7	96.6%	0.0%	0.6%	0.0%	0.8%	0.7%	1.3%
Grade 8	96.1%	0.0%	0.0%	0.7%	1.5%	0.3%	1.3%
Grade 9	96.9%	0.0%	0.6%	0.2%	0.4%	0.3%	1.7%
Grade 10	94.0%	0.0%	0.3%	0.4%	0.4%	1.2%	3.6%
Grade 11	96.8%	0.0%	0.0%	0.3%	0.8%	0.0%	2.1%
Grade 12	97.3%	0.1%	0.3%	0.1%	0.3%	0.5%	1.5%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.1%	6.2%	3.2%	1.4%
Grade 7	89.0%	6.2%	3.5%	1.3%
Grade 8	85.9%	7.8%	4.3%	2.1%
Grade 9	89.2%	6.8%	2.9%	1.1%
Grade 10	86.3%	7.8%	3.6%	2.3%
Grade 11	91.8%	4.7%	2.5%	0.9%
Grade 12	93.0%	3.5%	2.5%	1.0%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	12.0	10.8	11.0	12.0	13.2	11.6	13.9

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.6%	1.1%	0.2%	0.1%
Grade 7	99.0%	1.0%	0.0%	0.0%
Grade 8	98.6%	1.3%	0.0%	0.0%
Grade 9	97.9%	1.6%	0.4%	0.0%
Grade 10	98.0%	1.7%	0.0%	0.3%
Grade 11	99.3%	0.6%	0.1%	0.0%
Grade 12	98.9%	0.3%	0.4%	0.4%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	3.8
Inhalant Non-Users	3.1
Average Days Conduct Problems Reported	
Inhalant Users	3.2
Inhalant Non-Users	1.1

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	91.9%	5.4%	1.8%	0.6%	0.4%
Grade 7	92.0%	6.0%	0.7%	0.8%	0.5%
Grade 8	92.4%	4.1%	2.6%	0.6%	0.3%
Grade 9	89.0%	7.3%	2.8%	0.5%	0.4%
Grade 10	92.1%	4.5%	2.3%	0.9%	0.3%
Grade 11	92.1%	6.3%	1.2%	0.1%	0.3%
Grade 12	94.3%	4.1%	0.7%	0.5%	0.4%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	68.6%	15.4%	5.7%	1.5%	8.8%
Grade 7	73.6%	13.1%	4.6%	1.5%	7.2%
Grade 8	69.0%	13.0%	7.6%	1.7%	8.6%
Grade 9	68.8%	18.6%	5.4%	0.5%	6.7%
Grade 10	65.5%	15.0%	7.0%	2.3%	10.3%
Grade 11	66.4%	17.8%	5.1%	0.6%	10.1%
Grade 12	68.2%	14.6%	4.0%	2.4%	10.8%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	39.8%	16.1%	4.1%	5.1%	9.1%	25.9%
Grade 7	50.1%	26.9%	3.5%	2.9%	4.8%	11.8%
Grade 8	45.9%	22.5%	4.6%	5.9%	7.2%	13.9%
Grade 9	36.6%	17.9%	6.0%	4.8%	9.6%	25.2%
Grade 10	32.7%	11.8%	2.4%	7.4%	11.7%	34.1%
Grade 11	34.4%	7.7%	4.2%	5.8%	11.7%	36.2%
Grade 12	38.8%	7.5%	3.6%	3.7%	9.8%	36.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	37.4%
	Grade 7	36.3%
	Grade 8	33.5%
	Grade 9	41.5%
	Grade 10	43.1%
	Grade 11	36.1%
	Grade 12	32.8%
An Assembly Program		
	All	30.4%
	Grade 7	36.8%
	Grade 8	41.0%
	Grade 9	34.2%
	Grade 10	26.9%
	Grade 11	21.4%
	Grade 12	19.9%
Guidance Counselor		
	All	19.2%
	Grade 7	23.3%
	Grade 8	23.2%
	Grade 9	21.9%
	Grade 10	18.7%
	Grade 11	16.2%
	Grade 12	10.4%
School Nurse		
	All	11.4%
	Grade 7	17.2%
	Grade 8	15.6%
	Grade 9	8.5%
	Grade 10	10.8%
	Grade 11	8.8%
	Grade 12	7.2%
Science or Social Studies Class		
	All	27.6%
	Grade 7	26.9%
	Grade 8	30.6%
	Grade 9	29.6%
	Grade 10	28.7%
	Grade 11	19.9%
	Grade 12	29.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 34 of 127

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

	Yes
Student Group or Club Meeting at School	
All	11.3%
Grade 7	12.7%
Grade 8	12.5%
Grade 9	11.0%
Grade 10	10.2%
Grade 11	11.1%
Grade 12	9.9%
An Invited School Guest	
All	23.1%
Grade 7	27.0%
Grade 8	25.2%
Grade 9	26.1%
Grade 10	23.0%
Grade 11	19.2%
Grade 12	16.9%
Another Source at School	
All	25.7%
Grade 7	24.3%
Grade 8	30.0%
Grade 9	27.2%
Grade 10	26.0%
Grade 11	24.4%
Grade 12	21.8%
Any School Source	
All	62.4%
Grade 7	61.4%
Grade 8	61.2%
Grade 9	66.4%
Grade 10	66.7%
Grade 11	58.4%
Grade 12	58.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	35.8%
	Grade 7	48.1%
	Grade 8	38.7%
	Grade 9	42.8%
	Grade 10	30.5%
	Grade 11	30.8%
	Grade 12	21.0%
School Nurse		
	All	18.4%
	Grade 7	29.6%
	Grade 8	21.4%
	Grade 9	20.2%
	Grade 10	14.1%
	Grade 11	13.1%
	Grade 12	10.2%
Another Adult In School		
	All	40.8%
	Grade 7	50.9%
	Grade 8	41.1%
	Grade 9	40.3%
	Grade 10	36.7%
	Grade 11	39.8%
	Grade 12	34.9%
Counselor/Program Outside-School		
	All	39.5%
	Grade 7	48.1%
	Grade 8	40.0%
	Grade 9	38.9%
	Grade 10	35.1%
	Grade 11	38.3%
	Grade 12	35.7%
Your Parents		
	All	69.1%
	Grade 7	80.0%
	Grade 8	72.6%
	Grade 9	68.5%
	Grade 10	59.3%
	Grade 11	69.2%
	Grade 12	64.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	56.5%
	Grade 7	69.1%
	Grade 8	59.1%
	Grade 9	53.9%
	Grade 10	49.2%
	Grade 11	52.3%
	Grade 12	54.7%
Your Friends		
	All	64.1%
	Grade 7	54.5%
	Grade 8	56.4%
	Grade 9	63.7%
	Grade 10	68.3%
	Grade 11	71.5%
	Grade 12	72.1%
Another Adult		
	All	59.7%
	Grade 7	66.3%
	Grade 8	61.2%
	Grade 9	57.0%
	Grade 10	55.7%
	Grade 11	62.2%
	Grade 12	55.7%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	6.4%
	Grade 7	6.1%
	Grade 8	4.5%
	Grade 9	8.5%
	Grade 10	6.7%
	Grade 11	6.0%
	Grade 12	6.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.5%	22.4%	23.9%	35.3%	12.9%
Grade 7	7.3%	19.4%	19.9%	31.4%	22.1%
Grade 8	5.8%	21.1%	23.6%	33.6%	15.8%
Grade 9	4.9%	22.7%	24.5%	36.9%	11.0%
Grade 10	4.4%	24.6%	25.3%	36.4%	9.3%
Grade 11	5.3%	23.4%	23.5%	37.8%	10.0%
Grade 12	5.2%	23.4%	26.9%	36.2%	8.3%
Sometimes Carry Weapons?					
All	76.4%	15.2%	4.7%	2.5%	1.2%
Grade 7	88.1%	7.8%	1.6%	2.0%	0.5%
Grade 8	81.8%	11.1%	3.6%	1.9%	1.6%
Grade 9	76.8%	16.9%	3.1%	1.8%	1.4%
Grade 10	73.5%	17.9%	4.1%	3.0%	1.6%
Grade 11	69.6%	17.7%	8.2%	3.2%	1.3%
Grade 12	66.0%	20.9%	8.7%	3.4%	1.0%
Care About Making Good Grades?					
All	1.8%	11.4%	25.3%	42.8%	18.7%
Grade 7	1.5%	12.0%	24.5%	36.4%	25.6%
Grade 8	2.2%	12.0%	24.3%	39.2%	22.3%
Grade 9	1.9%	12.3%	26.2%	44.4%	15.2%
Grade 10	1.4%	11.8%	26.4%	45.1%	15.2%
Grade 11	1.6%	10.4%	25.7%	44.8%	17.5%
Grade 12	2.5%	9.2%	24.6%	47.9%	15.8%
Belong/Want to Belong to a Gang?					
All	84.0%	10.4%	3.1%	1.5%	1.0%
Grade 7	85.5%	9.1%	2.4%	1.8%	1.1%
Grade 8	81.9%	9.6%	5.0%	1.3%	2.1%
Grade 9	80.6%	14.0%	3.6%	1.4%	0.5%
Grade 10	82.9%	11.6%	2.8%	1.5%	1.1%
Grade 11	84.5%	11.1%	1.8%	1.8%	0.7%
Grade 12	89.3%	6.3%	2.7%	1.2%	0.6%
Wish They Could Drop Out of School?					
All	43.9%	31.7%	13.9%	6.2%	4.3%
Grade 7	56.0%	25.9%	11.4%	4.2%	2.6%
Grade 8	48.1%	31.6%	12.6%	4.9%	2.7%
Grade 9	37.6%	33.5%	15.5%	8.6%	4.9%
Grade 10	39.9%	36.0%	13.4%	6.7%	4.0%
Grade 11	39.0%	33.0%	16.0%	6.0%	6.0%
Grade 12	42.5%	30.0%	14.7%	6.9%	5.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 38 of 127

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	85.3%	12.4%	1.0%	0.1%	1.2%
Grade 7	86.2%	11.6%	1.0%	0.0%	1.2%
Grade 8	84.2%	13.4%	0.6%	0.2%	1.6%
Grade 9	85.0%	12.9%	0.6%	0.1%	1.4%
Grade 10	82.7%	14.8%	1.6%	0.0%	0.9%
Grade 11	86.2%	11.3%	1.2%	0.2%	1.1%
Grade 12	87.7%	9.8%	1.2%	0.4%	0.9%
Out In Your Neighborhood?					
All	44.8%	45.4%	5.6%	1.2%	3.0%
Grade 7	43.3%	43.2%	7.4%	1.8%	4.3%
Grade 8	41.2%	48.1%	6.1%	1.4%	3.2%
Grade 9	42.7%	47.3%	6.3%	0.5%	3.2%
Grade 10	43.1%	47.7%	5.0%	2.0%	2.3%
Grade 11	45.6%	46.8%	4.4%	0.2%	2.9%
Grade 12	54.2%	38.3%	4.0%	1.5%	2.0%
At School?					
All	31.6%	48.8%	10.9%	4.3%	4.5%
Grade 7	39.4%	45.6%	8.5%	3.4%	3.0%
Grade 8	34.5%	43.9%	10.9%	6.4%	4.3%
Grade 9	28.1%	53.1%	9.7%	3.4%	5.6%
Grade 10	29.6%	50.9%	12.1%	3.8%	3.6%
Grade 11	26.3%	50.0%	14.2%	4.3%	5.2%
Grade 12	31.2%	48.8%	10.3%	4.5%	5.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 39 of 127

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.6%	21.0%	33.6%	66.4%
Grade 7	3.8%	6.1%	11.6%	88.4%
Grade 8	9.9%	12.3%	23.5%	76.5%
Grade 9	16.4%	19.8%	31.9%	68.1%
Grade 10	20.8%	27.3%	42.6%	57.4%
Grade 11	21.2%	25.9%	43.1%	56.9%
Grade 12	29.9%	37.5%	53.3%	46.7%
Any Alcohol Product				
All	28.6%	34.9%	55.4%	44.6%
Grade 7	15.5%	17.1%	35.3%	64.7%
Grade 8	22.6%	25.8%	46.1%	53.9%
Grade 9	26.2%	33.4%	56.3%	43.7%
Grade 10	30.7%	39.4%	62.1%	37.9%
Grade 11	33.1%	42.3%	66.0%	34.0%
Grade 12	46.4%	55.4%	70.2%	29.8%
Any Illicit Drug				
All	15.0%	19.9%	26.0%	74.0%
Grade 7	4.9%	6.7%	8.2%	91.8%
Grade 8	8.4%	11.5%	15.8%	84.2%
Grade 9	13.5%	18.7%	22.0%	78.0%
Grade 10	16.1%	22.5%	31.5%	68.5%
Grade 11	19.3%	26.2%	33.8%	66.2%
Grade 12	30.3%	37.3%	49.3%	50.7%
Any Prescription Drug				
All	6.5%	9.2%	18.7%	81.3%
Grade 7	4.3%	5.7%	10.8%	89.2%
Grade 8	6.8%	10.1%	18.3%	81.7%
Grade 9	7.0%	9.7%	19.4%	80.6%
Grade 10	6.6%	9.4%	19.1%	80.9%
Grade 11	6.8%	9.4%	21.3%	78.7%
Grade 12	7.6%	11.2%	24.1%	75.9%
Any Inhalant				
All	4.2%	6.4%	13.0%	87.0%
Grade 7	5.1%	7.0%	13.7%	86.3%
Grade 8	7.6%	9.9%	17.1%	82.9%
Grade 9	3.3%	6.7%	12.6%	87.4%
Grade 10	3.9%	7.5%	15.1%	84.9%
Grade 11	2.2%	2.7%	10.2%	89.8%
Grade 12	2.5%	3.7%	8.7%	91.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 41 of 127

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.9%	17.6%	30.4%	69.6%
Grade 7	2.5%	4.6%	8.8%	91.2%
Grade 8	7.1%	9.7%	20.0%	80.0%
Grade 9	11.0%	15.5%	29.3%	70.7%
Grade 10	16.5%	23.9%	40.0%	60.0%
Grade 11	17.4%	22.3%	39.7%	60.3%
Grade 12	25.4%	32.5%	48.5%	51.5%
Marijuana				
All	14.5%	17.6%	24.0%	76.0%
Grade 7	3.9%	4.6%	5.8%	94.2%
Grade 8	7.7%	9.0%	12.9%	87.1%
Grade 9	13.2%	15.9%	19.9%	80.1%
Grade 10	16.0%	20.6%	29.8%	70.2%
Grade 11	19.3%	23.9%	32.9%	67.1%
Grade 12	29.7%	35.2%	47.3%	52.7%
Marijuana Only				
All	8.0%	10.4%	15.9%	84.1%
Grade 7	1.9%	2.3%	3.2%	96.8%
Grade 8	3.9%	4.8%	8.2%	91.8%
Grade 9	7.3%	9.5%	12.9%	87.1%
Grade 10	9.8%	13.3%	21.1%	78.9%
Grade 11	9.5%	13.2%	21.5%	78.5%
Grade 12	17.1%	21.5%	31.9%	68.1%
Cocaine or Crack				
All	1.1%	1.3%	2.1%	97.9%
Grade 7	0.8%	0.8%	1.4%	98.6%
Grade 8	1.8%	1.8%	1.9%	98.1%
Grade 9	1.2%	1.2%	1.7%	98.3%
Grade 10	0.6%	1.2%	3.0%	97.0%
Grade 11	0.9%	1.2%	2.3%	97.7%
Grade 12	1.3%	1.9%	2.7%	97.3%
Cocaine				
All	0.9%	1.1%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	1.4%	1.4%	1.5%	98.5%
Grade 9	1.1%	1.2%	1.6%	98.4%
Grade 10	0.6%	0.9%	2.7%	97.3%
Grade 11	0.9%	1.2%	1.9%	98.1%
Grade 12	1.0%	1.6%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 42 of 127

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.4%	0.5%	0.8%	99.2%
	Grade 7	0.7%	0.7%	1.1%	98.9%
	Grade 8	0.7%	0.7%	1.0%	99.0%
	Grade 9	0.3%	0.3%	0.7%	99.3%
	Grade 10	0.1%	0.7%	1.0%	99.0%
	Grade 11	0.2%	0.2%	0.5%	99.5%
	Grade 12	0.5%	0.5%	0.8%	99.2%
	Hallucinogens	All	1.5%	2.2%	4.1%
Grade 7		0.0%	0.0%	0.5%	99.5%
Grade 8		0.8%	0.8%	1.3%	98.7%
Grade 9		1.2%	1.9%	3.0%	97.0%
Grade 10		1.4%	1.9%	4.1%	95.9%
Grade 11		2.5%	3.0%	6.0%	94.0%
Grade 12		3.3%	6.6%	10.6%	89.4%
Synthetic Cathinones		All	0.2%	0.2%	0.6%
	Grade 7	0.2%	0.2%	0.8%	99.2%
	Grade 8	0.3%	0.4%	0.6%	99.4%
	Grade 9	0.2%	0.3%	0.7%	99.3%
	Grade 10	0.1%	0.1%	0.5%	99.5%
	Grade 11	0.1%	0.1%	0.3%	99.7%
	Grade 12	0.0%	0.1%	0.5%	99.5%
	Steroids	All	0.1%	0.4%	1.3%
Grade 7		0.2%	0.5%	1.2%	98.8%
Grade 8		0.2%	0.4%	1.0%	99.0%
Grade 9		0.1%	0.1%	0.8%	99.2%
Grade 10		0.0%	0.7%	1.7%	98.3%
Grade 11		0.0%	0.0%	1.4%	98.6%
Grade 12		0.3%	0.5%	1.6%	98.4%
Ecstasy		All	0.9%	1.4%	2.7%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	0.1%	0.1%	1.3%	98.7%
	Grade 9	0.6%	0.9%	1.3%	98.7%
	Grade 10	1.2%	1.5%	3.4%	96.6%
	Grade 11	1.1%	2.2%	4.6%	95.4%
	Grade 12	2.6%	3.6%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.2%	0.8%	99.2%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.1%	0.2%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.1%	0.1%	99.9%
Synthetic Marijuana				
All	1.0%	1.9%	3.5%	96.5%
Grade 7	0.8%	1.1%	1.7%	98.3%
Grade 8	1.1%	1.9%	2.9%	97.1%
Grade 9	0.9%	1.9%	3.6%	96.4%
Grade 10	1.0%	2.5%	4.7%	95.3%
Grade 11	1.1%	1.7%	4.0%	96.0%
Grade 12	1.3%	2.2%	4.4%	95.6%
Methamphetamine				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.4%	0.8%	99.2%
Grade 9	0.4%	0.4%	1.3%	98.7%
Grade 10	0.8%	0.8%	1.5%	98.5%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.6%	0.7%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 44 of 127

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.7%	18.7%	32.0%	68.0%
Grade 7	3.9%	6.3%	12.8%	87.2%
Grade 8	9.8%	11.3%	24.8%	75.2%
Grade 9	14.0%	15.6%	29.4%	70.6%
Grade 10	20.0%	24.7%	39.1%	60.9%
Grade 11	20.4%	22.8%	40.2%	59.8%
Grade 12	30.2%	36.2%	51.1%	48.9%
Any Alcohol Product				
All	25.5%	31.0%	52.4%	47.6%
Grade 7	15.4%	17.4%	35.6%	64.4%
Grade 8	24.1%	27.1%	47.2%	52.8%
Grade 9	20.9%	27.8%	52.2%	47.8%
Grade 10	27.3%	33.4%	57.7%	42.3%
Grade 11	28.7%	37.0%	62.3%	37.7%
Grade 12	40.5%	48.1%	63.4%	36.6%
Any Illicit Drug				
All	13.9%	19.0%	24.5%	75.5%
Grade 7	5.0%	6.6%	8.6%	91.4%
Grade 8	8.9%	11.9%	15.9%	84.1%
Grade 9	12.2%	16.7%	19.4%	80.6%
Grade 10	13.0%	19.7%	28.4%	71.6%
Grade 11	18.2%	25.8%	34.0%	66.0%
Grade 12	30.0%	37.7%	46.8%	53.2%
Any Prescription Drug				
All	6.3%	8.7%	19.1%	80.9%
Grade 7	4.4%	5.5%	12.8%	87.2%
Grade 8	6.0%	8.1%	17.4%	82.6%
Grade 9	6.4%	9.9%	21.2%	78.8%
Grade 10	5.9%	8.8%	16.8%	83.2%
Grade 11	6.8%	8.6%	21.8%	78.2%
Grade 12	8.5%	11.8%	25.8%	74.2%
Any Inhalant				
All	4.0%	5.8%	12.5%	87.5%
Grade 7	3.9%	5.2%	10.9%	89.1%
Grade 8	7.3%	9.3%	14.5%	85.5%
Grade 9	3.2%	6.1%	12.7%	87.3%
Grade 10	4.1%	6.5%	15.1%	84.9%
Grade 11	2.7%	3.6%	12.5%	87.5%
Grade 12	2.7%	4.0%	8.6%	91.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 45 of 127

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.0%	15.3%	28.1%	71.9%
Grade 7	2.8%	4.8%	9.0%	91.0%
Grade 8	6.5%	8.4%	20.9%	79.1%
Grade 9	10.0%	12.3%	25.9%	74.1%
Grade 10	15.5%	20.9%	35.9%	64.1%
Grade 11	16.3%	19.3%	36.4%	63.6%
Grade 12	23.7%	29.6%	45.3%	54.7%
Marijuana				
All	13.5%	17.0%	22.6%	77.4%
Grade 7	3.5%	4.7%	6.2%	93.8%
Grade 8	8.6%	10.2%	13.7%	86.3%
Grade 9	12.0%	14.7%	18.0%	82.0%
Grade 10	12.9%	18.1%	26.8%	73.2%
Grade 11	18.3%	23.1%	32.7%	67.3%
Grade 12	29.3%	35.4%	44.4%	55.6%
Marijuana Only				
All	7.3%	9.8%	14.6%	85.4%
Grade 7	2.0%	2.6%	3.6%	96.4%
Grade 8	4.7%	5.7%	8.4%	91.6%
Grade 9	6.7%	8.6%	11.1%	88.9%
Grade 10	7.7%	10.9%	18.7%	81.3%
Grade 11	9.4%	13.7%	22.1%	77.9%
Grade 12	15.4%	19.5%	27.5%	72.5%
Cocaine or Crack				
All	1.2%	1.6%	2.4%	97.6%
Grade 7	0.9%	0.9%	2.1%	97.9%
Grade 8	1.6%	1.6%	1.8%	98.2%
Grade 9	0.8%	0.9%	1.6%	98.4%
Grade 10	1.1%	1.7%	2.6%	97.4%
Grade 11	1.0%	1.8%	2.8%	97.2%
Grade 12	2.1%	2.8%	3.8%	96.2%
Cocaine				
All	1.0%	1.2%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	1.6%	1.6%	1.8%	98.2%
Grade 9	0.8%	0.9%	1.6%	98.4%
Grade 10	1.1%	1.1%	2.0%	98.0%
Grade 11	1.0%	1.8%	2.8%	97.2%
Grade 12	1.4%	2.1%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 46 of 127

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.4%	0.6%	1.0%	99.0%
	Grade 7	0.9%	0.9%	1.7%	98.3%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.2%	1.4%	1.5%	98.5%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	1.1%	1.1%	1.6%	98.4%
Hallucinogens	All	1.4%	2.3%	4.4%	95.6%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.8%	0.8%	1.5%	98.5%
	Grade 9	1.1%	1.8%	3.5%	96.5%
	Grade 10	1.5%	1.8%	3.5%	96.5%
	Grade 11	2.1%	2.8%	5.9%	94.1%
	Grade 12	3.5%	7.5%	13.6%	86.4%
Synthetic Cathinones	All	0.0%	0.1%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.0%	0.1%	0.1%	99.9%
	Grade 9	0.0%	0.2%	0.8%	99.2%
	Grade 10	0.2%	0.2%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.0%	0.0%	0.9%	99.1%
Steroids	All	0.2%	0.3%	1.5%	98.5%
	Grade 7	0.0%	0.2%	0.9%	99.1%
	Grade 8	0.4%	0.4%	1.4%	98.6%
	Grade 9	0.1%	0.1%	0.9%	99.1%
	Grade 10	0.0%	0.6%	2.4%	97.6%
	Grade 11	0.0%	0.0%	1.4%	98.6%
	Grade 12	0.5%	0.5%	2.3%	97.7%
Ecstasy	All	0.9%	1.2%	2.7%	97.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.2%	0.2%	1.7%	98.3%
	Grade 9	0.3%	0.7%	0.9%	99.1%
	Grade 10	1.4%	1.6%	4.0%	96.0%
	Grade 11	1.4%	1.9%	4.4%	95.6%
	Grade 12	2.2%	3.3%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.3%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	0.6%	1.5%	3.2%	96.8%
Grade 7	0.6%	0.8%	1.9%	98.1%
Grade 8	0.8%	1.9%	3.4%	96.6%
Grade 9	0.6%	1.3%	2.9%	97.1%
Grade 10	0.4%	2.3%	4.1%	95.9%
Grade 11	0.3%	0.6%	2.8%	97.2%
Grade 12	1.0%	2.2%	4.1%	95.9%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	0.5%	0.5%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.4%	23.1%	35.3%	64.7%
Grade 7	3.4%	5.6%	10.1%	89.9%
Grade 8	9.8%	13.0%	21.8%	78.2%
Grade 9	18.8%	24.1%	34.6%	65.4%
Grade 10	21.7%	29.7%	45.9%	54.1%
Grade 11	22.2%	29.2%	46.4%	53.6%
Grade 12	29.7%	38.6%	55.3%	44.7%
Any Alcohol Product				
All	31.4%	38.4%	58.3%	41.7%
Grade 7	15.4%	16.6%	34.8%	65.2%
Grade 8	20.8%	24.0%	44.6%	55.4%
Grade 9	31.1%	38.2%	59.9%	40.1%
Grade 10	33.9%	44.9%	66.2%	33.8%
Grade 11	37.2%	47.4%	69.7%	30.3%
Grade 12	51.8%	62.1%	76.4%	23.6%
Any Illicit Drug				
All	15.9%	20.9%	27.4%	72.6%
Grade 7	4.6%	6.6%	7.4%	92.6%
Grade 8	7.5%	10.9%	15.3%	84.7%
Grade 9	15.0%	20.8%	24.8%	75.2%
Grade 10	19.0%	25.1%	34.3%	65.7%
Grade 11	20.6%	26.7%	33.3%	66.7%
Grade 12	30.5%	36.8%	51.4%	48.6%
Any Prescription Drug				
All	6.6%	9.6%	18.2%	81.8%
Grade 7	4.0%	5.8%	8.7%	91.3%
Grade 8	7.7%	12.2%	19.4%	80.6%
Grade 9	7.0%	9.0%	17.1%	82.9%
Grade 10	7.2%	9.9%	21.2%	78.8%
Grade 11	6.9%	10.2%	20.8%	79.2%
Grade 12	6.9%	10.7%	22.6%	77.4%
Any Inhalant				
All	4.2%	6.8%	13.5%	86.5%
Grade 7	6.3%	8.8%	16.4%	83.6%
Grade 8	7.7%	10.1%	19.6%	80.4%
Grade 9	3.5%	7.4%	12.7%	87.3%
Grade 10	3.8%	8.5%	15.1%	84.9%
Grade 11	1.7%	1.9%	7.3%	92.7%
Grade 12	2.2%	3.4%	8.8%	91.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.8%	19.9%	32.8%	67.2%
Grade 7	2.0%	4.2%	8.4%	91.6%
Grade 8	7.3%	10.7%	18.7%	81.3%
Grade 9	12.0%	18.8%	32.9%	67.1%
Grade 10	17.3%	26.6%	43.8%	56.2%
Grade 11	18.7%	25.6%	43.4%	56.6%
Grade 12	27.0%	35.0%	51.3%	48.7%
Marijuana				
All	15.4%	18.3%	25.3%	74.7%
Grade 7	4.0%	4.1%	5.2%	94.8%
Grade 8	6.7%	7.7%	12.1%	87.9%
Grade 9	14.3%	17.1%	21.9%	78.1%
Grade 10	18.9%	22.9%	32.6%	67.4%
Grade 11	20.4%	24.8%	32.7%	67.3%
Grade 12	29.9%	34.9%	49.9%	50.1%
Marijuana Only				
All	8.7%	11.1%	17.2%	82.8%
Grade 7	1.8%	1.9%	2.9%	97.1%
Grade 8	3.2%	3.8%	8.0%	92.0%
Grade 9	8.1%	10.4%	14.8%	85.2%
Grade 10	11.7%	15.5%	23.4%	76.6%
Grade 11	9.7%	12.6%	20.3%	79.7%
Grade 12	18.6%	23.2%	35.8%	64.2%
Cocaine or Crack				
All	0.9%	1.1%	1.8%	98.2%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	1.6%	1.6%	1.7%	98.3%
Grade 9	1.6%	1.6%	1.7%	98.3%
Grade 10	0.3%	0.8%	3.3%	96.7%
Grade 11	0.7%	0.7%	1.8%	98.2%
Grade 12	0.6%	1.2%	1.7%	98.3%
Cocaine				
All	0.8%	1.0%	1.6%	98.4%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	0.8%	0.8%	0.9%	99.1%
Grade 9	1.4%	1.4%	1.6%	98.4%
Grade 10	0.3%	0.8%	3.3%	96.7%
Grade 11	0.7%	0.7%	1.0%	99.0%
Grade 12	0.6%	1.2%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.4%	0.4%	0.6%	99.4%
	Grade 7	0.5%	0.5%	0.5%	99.5%
	Grade 8	1.1%	1.1%	1.2%	98.8%
	Grade 9	0.7%	0.7%	0.8%	99.2%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.8%	99.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	1.5%	2.2%	3.6%	96.4%
	Grade 7	0.0%	0.1%	0.6%	99.4%
	Grade 8	0.7%	0.7%	1.1%	98.9%
	Grade 9	1.4%	1.9%	2.3%	97.7%
	Grade 10	1.2%	2.0%	4.7%	95.3%
	Grade 11	3.0%	3.2%	6.2%	93.8%
	Grade 12	3.1%	5.8%	7.7%	92.3%
Synthetic Cathinones	All	0.3%	0.3%	0.6%	99.4%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.7%	0.7%	1.0%	99.0%
	Grade 9	0.3%	0.3%	0.7%	99.3%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.3%	0.3%	0.5%	99.5%
	Grade 12	0.0%	0.2%	0.2%	99.8%
Steroids	All	0.1%	0.4%	1.0%	99.0%
	Grade 7	0.4%	0.8%	1.5%	98.5%
	Grade 8	0.0%	0.4%	0.6%	99.4%
	Grade 9	0.1%	0.1%	0.7%	99.3%
	Grade 10	0.0%	0.7%	1.1%	98.9%
	Grade 11	0.0%	0.0%	1.5%	98.5%
	Grade 12	0.0%	0.5%	0.9%	99.1%
Ecstasy	All	0.9%	1.5%	2.8%	97.2%
	Grade 7	0.4%	0.4%	1.0%	99.0%
	Grade 8	0.0%	0.0%	0.9%	99.1%
	Grade 9	0.9%	1.0%	1.5%	98.5%
	Grade 10	1.0%	1.5%	3.0%	97.0%
	Grade 11	0.7%	2.5%	4.8%	95.2%
	Grade 12	2.9%	3.8%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.4%	2.2%	3.8%	96.2%
Grade 7	0.7%	1.1%	1.2%	98.8%
Grade 8	1.5%	1.9%	2.3%	97.7%
Grade 9	1.3%	2.5%	4.2%	95.8%
Grade 10	1.5%	2.6%	5.3%	94.7%
Grade 11	1.8%	2.9%	5.3%	94.7%
Grade 12	1.6%	2.2%	4.6%	95.4%
Methamphetamine				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.7%	0.7%	1.6%	98.4%
Grade 10	0.9%	0.9%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.9%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.6%	25.6%	38.3%	61.7%
Grade 7	3.3%	5.1%	12.6%	87.4%
Grade 8	7.8%	10.9%	21.4%	78.6%
Grade 9	20.4%	25.8%	37.5%	62.5%
Grade 10	24.3%	31.1%	45.3%	54.7%
Grade 11	31.0%	37.4%	55.1%	44.9%
Grade 12	38.7%	45.4%	60.2%	39.8%
Any Alcohol Product				
All	31.4%	37.9%	60.0%	40.0%
Grade 7	13.4%	15.8%	40.5%	59.5%
Grade 8	20.6%	24.3%	49.3%	50.7%
Grade 9	29.6%	36.6%	58.6%	41.4%
Grade 10	35.5%	42.6%	66.8%	33.2%
Grade 11	42.0%	51.9%	74.2%	25.8%
Grade 12	48.9%	58.2%	72.1%	27.9%
Any Illicit Drug				
All	14.2%	18.5%	23.9%	76.1%
Grade 7	2.6%	3.2%	3.6%	96.4%
Grade 8	4.5%	6.5%	9.1%	90.9%
Grade 9	13.8%	17.4%	22.0%	78.0%
Grade 10	16.2%	20.5%	26.8%	73.2%
Grade 11	21.8%	30.3%	37.2%	62.8%
Grade 12	27.7%	34.8%	47.2%	52.8%
Any Prescription Drug				
All	7.1%	10.8%	19.8%	80.2%
Grade 7	4.5%	6.9%	14.1%	85.9%
Grade 8	4.7%	7.8%	13.8%	86.2%
Grade 9	9.1%	12.8%	23.3%	76.7%
Grade 10	8.5%	12.1%	21.5%	78.5%
Grade 11	8.0%	11.3%	19.9%	80.1%
Grade 12	7.8%	14.1%	26.3%	73.7%
Any Inhalant				
All	4.1%	5.9%	12.6%	87.4%
Grade 7	4.7%	6.5%	11.8%	88.2%
Grade 8	4.4%	4.7%	12.3%	87.7%
Grade 9	5.4%	7.6%	15.2%	84.8%
Grade 10	2.6%	5.7%	13.7%	86.3%
Grade 11	3.4%	5.4%	11.9%	88.1%
Grade 12	4.2%	5.3%	10.6%	89.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.4%	21.7%	34.4%	65.6%
Grade 7	2.2%	3.5%	8.7%	91.3%
Grade 8	6.0%	9.3%	17.7%	82.3%
Grade 9	14.8%	20.4%	33.1%	66.9%
Grade 10	18.5%	25.9%	42.6%	57.4%
Grade 11	25.8%	32.6%	51.0%	49.0%
Grade 12	32.4%	40.2%	55.4%	44.6%
Marijuana				
All	13.6%	16.3%	22.0%	78.0%
Grade 7	1.5%	2.1%	2.4%	97.6%
Grade 8	3.4%	4.1%	6.8%	93.2%
Grade 9	12.9%	15.2%	20.4%	79.6%
Grade 10	16.1%	18.5%	24.2%	75.8%
Grade 11	21.4%	26.7%	34.8%	65.2%
Grade 12	27.5%	32.9%	46.0%	54.0%
Marijuana Only				
All	7.0%	9.3%	14.5%	85.5%
Grade 7	0.9%	1.5%	1.8%	98.2%
Grade 8	1.4%	2.2%	4.5%	95.5%
Grade 9	6.1%	7.3%	11.8%	88.2%
Grade 10	8.1%	10.3%	15.3%	84.7%
Grade 11	11.6%	16.3%	23.6%	76.4%
Grade 12	14.4%	19.6%	31.4%	68.6%
Cocaine or Crack				
All	0.7%	0.9%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.7%	1.7%	1.8%	98.2%
Grade 9	0.9%	1.2%	1.8%	98.2%
Grade 10	0.3%	0.3%	2.4%	97.6%
Grade 11	0.7%	0.7%	2.9%	97.1%
Grade 12	0.8%	1.5%	3.3%	96.7%
Cocaine				
All	0.7%	0.8%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.7%	1.7%	1.8%	98.2%
Grade 9	0.7%	1.0%	1.6%	98.4%
Grade 10	0.3%	0.3%	2.4%	97.6%
Grade 11	0.7%	0.7%	2.7%	97.3%
Grade 12	0.6%	1.2%	3.1%	96.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 54 of 127

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.3%	0.3%	0.3%	99.7%
Hallucinogens				
All	1.8%	2.7%	4.8%	95.2%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.4%	0.4%	1.7%	98.3%
Grade 9	2.2%	3.0%	4.2%	95.8%
Grade 10	2.6%	3.5%	6.8%	93.2%
Grade 11	2.2%	2.8%	6.9%	93.1%
Grade 12	3.6%	6.8%	9.3%	90.7%
Synthetic Cathinones				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.5%	0.5%	1.2%	98.8%
Grade 12	0.0%	0.3%	1.0%	99.0%
Steroids				
All	0.2%	0.4%	1.7%	98.3%
Grade 7	0.0%	0.7%	2.3%	97.7%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.3%	0.3%	1.1%	98.9%
Grade 10	0.0%	0.4%	1.3%	98.7%
Grade 11	0.1%	0.1%	2.7%	97.3%
Grade 12	0.1%	0.1%	2.0%	98.0%
Ecstasy				
All	1.0%	1.6%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.7%	2.1%	2.6%	97.4%
Grade 10	2.0%	2.6%	4.9%	95.1%
Grade 11	0.8%	2.1%	3.9%	96.1%
Grade 12	2.0%	2.3%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.6%	1.2%	98.8%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.3%	0.3%	99.7%
Synthetic Marijuana				
All	1.2%	1.8%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.3%	1.9%	2.1%	97.9%
Grade 9	1.5%	1.9%	4.6%	95.4%
Grade 10	1.6%	2.1%	3.8%	96.2%
Grade 11	1.3%	1.9%	3.6%	96.4%
Grade 12	1.5%	2.8%	4.6%	95.4%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	0.9%	0.9%	2.1%	97.9%
Grade 11	0.1%	0.5%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.5%	99.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 56 of 127

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.9%	13.7%	25.0%	75.0%
Grade 7	1.8%	3.7%	7.1%	92.9%
Grade 8	9.1%	11.1%	19.8%	80.2%
Grade 9	6.2%	8.7%	21.7%	78.3%
Grade 10	19.8%	25.7%	38.0%	62.0%
Grade 11	5.3%	10.4%	27.3%	72.7%
Grade 12	19.0%	25.1%	40.1%	59.9%
Any Alcohol Product				
All	19.3%	26.3%	43.9%	56.1%
Grade 7	12.6%	14.0%	26.8%	73.2%
Grade 8	19.5%	21.9%	43.1%	56.9%
Grade 9	12.4%	19.0%	32.7%	67.3%
Grade 10	25.1%	37.5%	55.9%	44.1%
Grade 11	13.3%	26.0%	56.1%	43.9%
Grade 12	35.8%	42.9%	54.9%	45.1%
Any Illicit Drug				
All	12.7%	17.5%	23.6%	76.4%
Grade 7	5.7%	7.8%	8.0%	92.0%
Grade 8	5.2%	9.1%	18.2%	81.8%
Grade 9	7.8%	12.9%	14.0%	86.0%
Grade 10	15.2%	19.9%	30.5%	69.5%
Grade 11	14.7%	19.4%	28.9%	71.1%
Grade 12	30.9%	39.7%	48.3%	51.7%
Any Prescription Drug				
All	5.7%	7.6%	14.4%	85.6%
Grade 7	3.0%	4.6%	6.7%	93.3%
Grade 8	11.5%	12.7%	19.5%	80.5%
Grade 9	3.3%	3.3%	9.5%	90.5%
Grade 10	5.6%	10.2%	17.6%	82.4%
Grade 11	3.3%	5.5%	16.2%	83.8%
Grade 12	8.2%	10.7%	19.2%	80.8%
Any Inhalant				
All	3.4%	5.0%	10.5%	89.5%
Grade 7	5.5%	7.1%	12.8%	87.2%
Grade 8	8.9%	14.8%	19.5%	80.5%
Grade 9	0.0%	0.0%	4.4%	95.6%
Grade 10	4.7%	6.5%	8.4%	91.6%
Grade 11	0.0%	0.0%	12.7%	87.3%
Grade 12	1.1%	1.6%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 57 of 127

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.6%	10.8%	23.4%	76.6%
Grade 7	0.7%	2.7%	4.2%	95.8%
Grade 8	2.0%	4.1%	15.6%	84.4%
Grade 9	3.3%	4.6%	22.3%	77.7%
Grade 10	19.3%	24.1%	37.2%	62.8%
Grade 11	4.6%	9.7%	27.3%	72.7%
Grade 12	16.6%	21.2%	36.8%	63.2%
Marijuana				
All	11.5%	15.0%	21.1%	78.9%
Grade 7	2.3%	2.3%	4.1%	95.9%
Grade 8	5.2%	7.2%	14.3%	85.7%
Grade 9	6.7%	10.5%	11.6%	88.4%
Grade 10	14.7%	18.2%	28.8%	71.2%
Grade 11	14.7%	19.4%	28.9%	71.1%
Grade 12	29.5%	36.9%	45.5%	54.5%
Marijuana Only				
All	7.5%	9.9%	15.7%	84.3%
Grade 7	0.7%	0.7%	2.5%	97.5%
Grade 8	0.0%	0.0%	6.8%	93.2%
Grade 9	5.2%	8.9%	10.0%	90.0%
Grade 10	11.7%	13.4%	23.7%	76.3%
Grade 11	9.4%	14.1%	23.5%	76.5%
Grade 12	20.6%	25.2%	32.3%	67.7%
Cocaine or Crack				
All	1.2%	1.2%	1.4%	98.6%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	2.0%	2.0%	2.4%	97.6%
Grade 9	2.4%	2.4%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	1.4%	98.6%
Cocaine				
All	1.0%	1.0%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	2.0%	2.4%	97.6%
Grade 9	2.4%	2.4%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.9%	0.9%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	2.9%	2.9%	3.3%	96.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.8%	2.8%	7.0%	93.0%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.9%	1.3%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.4%	0.9%	99.1%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.4%	3.3%	96.7%
Ecstasy				
All	0.0%	0.0%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	2.4%	97.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.1%	96.9%
Grade 12	0.0%	0.0%	1.9%	98.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.4%	1.7%	2.8%	97.2%
Grade 7	3.2%	3.2%	3.2%	96.8%
Grade 8	0.0%	0.0%	2.4%	97.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.8%	2.5%	3.0%	97.0%
Grade 11	2.1%	2.1%	2.1%	97.9%
Grade 12	1.4%	2.8%	6.7%	93.3%
Methamphetamine				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.5%	20.7%	33.6%	66.4%
Grade 7	4.2%	6.8%	11.7%	88.3%
Grade 8	11.2%	12.7%	24.2%	75.8%
Grade 9	17.6%	20.9%	32.0%	68.0%
Grade 10	18.7%	24.9%	42.3%	57.7%
Grade 11	21.2%	24.7%	41.0%	59.0%
Grade 12	29.0%	38.3%	55.9%	44.1%
Any Alcohol Product				
All	30.0%	36.1%	57.3%	42.7%
Grade 7	17.4%	18.8%	36.2%	63.8%
Grade 8	23.5%	26.4%	44.7%	55.3%
Grade 9	29.8%	37.6%	63.7%	36.3%
Grade 10	29.5%	38.6%	63.4%	36.6%
Grade 11	35.0%	41.9%	64.4%	35.6%
Grade 12	49.0%	58.2%	75.6%	24.4%
Any Illicit Drug				
All	15.8%	21.6%	27.8%	72.2%
Grade 7	4.7%	7.3%	9.9%	90.1%
Grade 8	10.5%	14.0%	17.2%	82.8%
Grade 9	15.7%	22.3%	25.4%	74.6%
Grade 10	16.6%	24.8%	34.1%	65.9%
Grade 11	19.7%	27.1%	34.2%	65.8%
Grade 12	31.3%	38.1%	51.9%	48.1%
Any Prescription Drug				
All	6.0%	8.0%	18.2%	81.8%
Grade 7	3.5%	4.2%	9.8%	90.2%
Grade 8	6.0%	9.5%	16.7%	83.3%
Grade 9	6.6%	9.0%	19.8%	80.2%
Grade 10	5.8%	7.0%	17.6%	82.4%
Grade 11	7.4%	8.9%	22.5%	77.5%
Grade 12	6.8%	9.7%	24.2%	75.8%
Any Inhalant				
All	4.3%	7.1%	14.1%	85.9%
Grade 7	4.5%	6.4%	14.0%	86.0%
Grade 8	9.6%	11.5%	19.2%	80.8%
Grade 9	3.6%	9.2%	14.4%	85.6%
Grade 10	4.1%	8.9%	18.4%	81.6%
Grade 11	2.0%	2.0%	8.9%	91.1%
Grade 12	1.5%	3.2%	8.4%	91.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 61 of 127

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.8%	17.5%	30.2%	69.8%
Grade 7	3.0%	5.4%	9.4%	90.6%
Grade 8	9.0%	10.6%	20.8%	79.2%
Grade 9	11.2%	17.1%	29.3%	70.7%
Grade 10	14.0%	22.3%	39.2%	60.8%
Grade 11	17.5%	20.4%	36.6%	63.4%
Grade 12	24.8%	32.8%	50.8%	49.2%
Marijuana				
All	15.7%	19.2%	25.9%	74.1%
Grade 7	4.5%	5.6%	7.3%	92.7%
Grade 8	10.1%	11.6%	14.8%	85.2%
Grade 9	15.7%	18.5%	22.8%	77.2%
Grade 10	16.6%	22.9%	33.0%	67.0%
Grade 11	19.8%	24.4%	33.7%	66.3%
Grade 12	30.8%	36.2%	49.5%	50.5%
Marijuana Only				
All	8.8%	11.3%	16.9%	83.1%
Grade 7	1.7%	2.1%	3.2%	96.8%
Grade 8	6.5%	7.6%	10.0%	90.0%
Grade 9	9.4%	11.6%	15.3%	84.7%
Grade 10	10.3%	15.4%	23.7%	76.3%
Grade 11	8.6%	11.5%	19.8%	80.2%
Grade 12	17.8%	21.8%	33.4%	66.6%
Cocaine or Crack				
All	1.1%	1.6%	2.4%	97.6%
Grade 7	1.0%	1.0%	2.3%	97.7%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	1.1%	2.3%	4.1%	95.9%
Grade 11	1.4%	2.2%	2.9%	97.1%
Grade 12	1.7%	2.7%	3.2%	96.8%
Cocaine				
All	0.8%	1.2%	1.8%	98.2%
Grade 7	0.6%	0.6%	1.3%	98.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	1.1%	1.7%	3.5%	96.5%
Grade 11	1.4%	2.2%	2.2%	97.8%
Grade 12	1.2%	2.2%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.6%	0.8%	1.2%	98.8%
	Grade 7	0.8%	0.8%	1.7%	98.3%
	Grade 8	1.1%	1.1%	1.1%	98.9%
	Grade 9	0.6%	0.6%	0.6%	99.4%
	Grade 10	0.0%	1.2%	1.5%	98.5%
	Grade 11	0.0%	0.0%	0.7%	99.3%
	Grade 12	1.0%	1.0%	1.5%	98.5%
Hallucinogens	All	1.4%	2.5%	4.5%	95.5%
	Grade 7	0.0%	0.1%	0.6%	99.4%
	Grade 8	0.4%	0.4%	0.7%	99.3%
	Grade 9	1.2%	1.8%	2.9%	97.1%
	Grade 10	1.4%	2.0%	3.7%	96.3%
	Grade 11	3.6%	4.3%	7.9%	92.1%
	Grade 12	2.5%	7.5%	13.0%	87.0%
Synthetic Cathinones	All	0.1%	0.1%	0.6%	99.4%
	Grade 7	0.0%	0.1%	1.1%	98.9%
	Grade 8	0.4%	0.4%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.0%	0.0%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.5%	99.5%
Steroids	All	0.1%	0.4%	1.2%	98.8%
	Grade 7	0.4%	0.5%	0.7%	99.3%
	Grade 8	0.1%	0.4%	1.1%	98.9%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.0%	1.2%	2.8%	97.2%
	Grade 11	0.0%	0.0%	1.4%	98.6%
	Grade 12	0.5%	0.5%	0.5%	99.5%
Ecstasy	All	1.2%	1.7%	2.9%	97.1%
	Grade 7	0.4%	0.4%	0.8%	99.2%
	Grade 8	0.0%	0.0%	0.8%	99.2%
	Grade 9	0.6%	0.6%	0.6%	99.4%
	Grade 10	1.4%	1.4%	3.8%	96.2%
	Grade 11	1.8%	3.4%	5.6%	94.4%
	Grade 12	3.6%	5.4%	7.4%	92.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.0%	0.3%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.9%	2.0%	4.0%	96.0%
Grade 7	0.3%	0.8%	2.1%	97.9%
Grade 8	1.6%	2.4%	3.6%	96.4%
Grade 9	1.2%	2.9%	4.5%	95.5%
Grade 10	0.6%	2.5%	5.5%	94.5%
Grade 11	0.7%	1.8%	4.8%	95.2%
Grade 12	1.2%	1.7%	3.8%	96.2%
Methamphetamine				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.4%	0.8%	1.2%	98.8%
Grade 9	0.6%	0.6%	1.6%	98.4%
Grade 10	1.2%	1.2%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.7%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 64 of 127

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.8%	16.0%	26.6%	73.4%
Grade 7	2.3%	3.9%	8.4%	91.6%
Grade 8	3.3%	5.8%	15.8%	84.2%
Grade 9	8.2%	11.8%	19.6%	80.4%
Grade 10	15.6%	22.3%	38.5%	61.5%
Grade 11	17.0%	20.4%	37.0%	63.0%
Grade 12	28.4%	36.4%	46.9%	53.1%
Any Alcohol Product				
All	23.1%	30.1%	50.5%	49.5%
Grade 7	12.8%	13.9%	30.8%	69.2%
Grade 8	15.6%	19.8%	43.5%	56.5%
Grade 9	17.5%	25.6%	48.5%	51.5%
Grade 10	25.0%	36.1%	59.0%	41.0%
Grade 11	32.0%	42.2%	64.8%	35.2%
Grade 12	41.2%	49.7%	63.0%	37.0%
Any Illicit Drug				
All	8.6%	11.7%	17.0%	83.0%
Grade 7	2.1%	3.2%	5.1%	94.9%
Grade 8	2.6%	7.0%	9.4%	90.6%
Grade 9	5.3%	6.5%	9.0%	91.0%
Grade 10	10.0%	15.1%	23.3%	76.7%
Grade 11	12.2%	14.7%	20.0%	80.0%
Grade 12	22.5%	27.0%	39.2%	60.8%
Any Prescription Drug				
All	5.7%	7.6%	15.2%	84.8%
Grade 7	1.8%	4.3%	10.7%	89.3%
Grade 8	7.3%	9.7%	14.7%	85.3%
Grade 9	6.4%	8.9%	15.2%	84.8%
Grade 10	4.3%	5.0%	14.8%	85.2%
Grade 11	7.3%	8.4%	17.6%	82.4%
Grade 12	8.0%	10.4%	20.1%	79.9%
Any Inhalant				
All	2.3%	3.9%	8.9%	91.1%
Grade 7	4.3%	6.5%	11.0%	89.0%
Grade 8	2.8%	3.5%	10.3%	89.7%
Grade 9	1.3%	3.7%	8.7%	91.3%
Grade 10	0.9%	3.9%	8.8%	91.2%
Grade 11	3.1%	3.1%	8.5%	91.5%
Grade 12	1.1%	1.9%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.6%	14.1%	24.2%	75.8%
Grade 7	1.8%	3.3%	6.4%	93.6%
Grade 8	2.3%	4.8%	13.8%	86.2%
Grade 9	6.6%	10.9%	19.3%	80.7%
Grade 10	11.7%	19.3%	35.2%	64.8%
Grade 11	13.4%	16.5%	33.3%	66.7%
Grade 12	25.2%	33.3%	43.1%	56.9%
Marijuana				
All	8.5%	10.5%	15.6%	84.4%
Grade 7	2.1%	2.3%	2.5%	97.5%
Grade 8	2.6%	3.6%	6.0%	94.0%
Grade 9	5.3%	5.6%	8.6%	91.4%
Grade 10	10.0%	14.5%	22.7%	77.3%
Grade 11	12.2%	13.6%	19.0%	81.0%
Grade 12	22.1%	26.4%	39.2%	60.8%
Marijuana Only				
All	4.9%	6.5%	10.6%	89.4%
Grade 7	1.0%	1.2%	1.2%	98.8%
Grade 8	1.8%	2.8%	5.1%	94.9%
Grade 9	3.8%	3.8%	6.4%	93.6%
Grade 10	6.3%	9.7%	15.8%	84.2%
Grade 11	5.8%	6.7%	11.9%	88.1%
Grade 12	12.2%	16.3%	25.9%	74.1%
Cocaine or Crack				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	1.7%	98.3%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.1%	1.5%	1.8%	98.2%
Grade 12	0.3%	0.3%	0.9%	99.1%
Cocaine				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.1%	1.5%	1.8%	98.2%
Grade 12	0.3%	0.3%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 66 of 127

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.2%	1.7%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.7%	1.0%	1.4%	98.6%
Grade 10	0.6%	0.6%	1.6%	98.4%
Grade 11	1.7%	3.6%	5.9%	94.1%
Grade 12	4.9%	6.5%	8.5%	91.5%
Synthetic Cathinones				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.5%	1.1%	98.9%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.8%	1.4%	98.6%
Ecstasy				
All	0.6%	0.7%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.7%	1.2%	1.4%	98.6%
Grade 10	0.5%	0.5%	1.8%	98.2%
Grade 11	0.6%	1.0%	3.3%	96.7%
Grade 12	2.0%	2.0%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	1.0%	2.1%	97.9%
Grade 7	0.0%	0.3%	0.9%	99.1%
Grade 8	0.6%	0.6%	0.7%	99.3%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	1.9%	2.3%	5.5%	94.5%
Grade 11	0.4%	1.5%	2.1%	97.9%
Grade 12	0.5%	0.9%	2.4%	97.6%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	1.2%	1.6%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.9%	20.9%	34.4%	65.6%
Grade 7	4.4%	7.1%	13.3%	86.7%
Grade 8	13.0%	14.7%	25.9%	74.1%
Grade 9	19.2%	22.9%	37.7%	62.3%
Grade 10	19.1%	25.4%	41.1%	58.9%
Grade 11	21.1%	26.1%	45.4%	54.6%
Grade 12	30.6%	36.6%	52.8%	47.2%
Any Alcohol Product				
All	29.2%	34.8%	55.0%	45.0%
Grade 7	16.1%	17.9%	36.9%	63.1%
Grade 8	25.7%	28.2%	46.4%	53.6%
Grade 9	30.6%	37.6%	59.9%	40.1%
Grade 10	30.1%	36.3%	59.8%	40.2%
Grade 11	32.2%	40.5%	64.7%	35.3%
Grade 12	47.0%	56.8%	71.0%	29.0%
Any Illicit Drug				
All	16.0%	21.9%	28.0%	72.0%
Grade 7	6.3%	8.5%	9.8%	90.2%
Grade 8	11.4%	14.0%	19.1%	80.9%
Grade 9	16.5%	24.7%	28.4%	71.6%
Grade 10	13.8%	21.4%	30.1%	69.9%
Grade 11	21.2%	29.4%	38.2%	61.8%
Grade 12	32.3%	40.6%	52.8%	47.2%
Any Prescription Drug				
All	6.8%	9.6%	19.9%	80.1%
Grade 7	5.7%	6.7%	11.3%	88.7%
Grade 8	7.0%	10.6%	19.7%	80.3%
Grade 9	7.9%	10.8%	22.5%	77.5%
Grade 10	8.1%	11.2%	20.8%	79.2%
Grade 11	6.4%	8.8%	22.7%	77.3%
Grade 12	5.7%	9.7%	24.9%	75.1%
Any Inhalant				
All	5.1%	7.9%	14.9%	85.1%
Grade 7	5.5%	7.3%	14.9%	85.1%
Grade 8	9.8%	12.5%	19.9%	80.1%
Grade 9	4.3%	8.9%	15.8%	84.2%
Grade 10	4.5%	9.2%	15.7%	84.3%
Grade 11	1.8%	2.7%	11.5%	88.5%
Grade 12	3.3%	5.0%	9.6%	90.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.8%	17.1%	30.9%	69.1%
Grade 7	2.8%	5.3%	10.1%	89.9%
Grade 8	9.3%	11.4%	22.1%	77.9%
Grade 9	11.9%	17.4%	33.9%	66.1%
Grade 10	15.2%	21.8%	39.5%	60.5%
Grade 11	17.5%	22.4%	41.3%	58.7%
Grade 12	24.9%	30.2%	48.0%	52.0%
Marijuana				
All	15.4%	19.1%	25.7%	74.3%
Grade 7	5.0%	6.0%	7.8%	92.2%
Grade 8	10.5%	12.1%	16.7%	83.3%
Grade 9	15.9%	20.3%	25.0%	75.0%
Grade 10	13.7%	18.5%	27.0%	73.0%
Grade 11	21.3%	27.4%	37.8%	62.2%
Grade 12	31.7%	38.1%	50.4%	49.6%
Marijuana Only				
All	8.4%	11.2%	17.0%	83.0%
Grade 7	2.5%	3.0%	4.4%	95.6%
Grade 8	5.2%	6.0%	9.9%	90.1%
Grade 9	8.6%	12.2%	16.0%	84.0%
Grade 10	8.0%	11.5%	19.6%	80.4%
Grade 11	11.4%	16.0%	25.4%	74.6%
Grade 12	18.6%	23.2%	34.4%	65.6%
Cocaine or Crack				
All	1.6%	1.9%	2.6%	97.4%
Grade 7	1.0%	1.0%	1.3%	98.7%
Grade 8	2.5%	2.5%	2.6%	97.4%
Grade 9	1.7%	1.8%	2.3%	97.7%
Grade 10	1.3%	2.5%	3.4%	96.6%
Grade 11	1.5%	1.6%	3.2%	96.8%
Grade 12	1.8%	2.6%	3.4%	96.6%
Cocaine				
All	1.3%	1.5%	2.1%	97.9%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	1.9%	1.9%	2.0%	98.0%
Grade 9	1.6%	1.7%	2.2%	97.8%
Grade 10	1.3%	1.9%	2.8%	97.2%
Grade 11	1.5%	1.6%	2.5%	97.5%
Grade 12	1.2%	2.0%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.9%	1.3%	98.7%
Grade 7	1.0%	1.0%	1.2%	98.8%
Grade 8	1.1%	1.1%	1.5%	98.5%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.2%	1.4%	1.7%	98.3%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	1.0%	1.0%	1.5%	98.5%
Hallucinogens				
All	1.6%	2.3%	4.4%	95.6%
Grade 7	0.0%	0.1%	0.8%	99.2%
Grade 8	1.2%	1.2%	1.8%	98.2%
Grade 9	1.5%	2.2%	4.0%	96.0%
Grade 10	1.4%	2.4%	5.2%	94.8%
Grade 11	3.2%	3.2%	6.5%	93.5%
Grade 12	2.9%	6.6%	11.0%	89.0%
Synthetic Cathinones				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.5%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.1%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.2%	0.9%	99.1%
Steroids				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.3%	0.5%	1.2%	98.8%
Grade 8	0.0%	0.3%	1.0%	99.0%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.0%	1.2%	2.3%	97.7%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.5%	0.5%	1.2%	98.8%
Ecstasy				
All	1.0%	1.6%	2.9%	97.1%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.2%	2.0%	98.0%
Grade 9	0.6%	1.0%	1.6%	98.4%
Grade 10	0.9%	1.6%	3.4%	96.6%
Grade 11	1.5%	3.1%	5.5%	94.5%
Grade 12	3.0%	4.5%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.1%	0.1%	1.0%	99.0%
Grade 10	0.0%	0.2%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.1%	2.0%	3.5%	96.5%
Grade 7	1.3%	1.6%	2.2%	97.8%
Grade 8	1.3%	2.4%	3.9%	96.1%
Grade 9	0.9%	2.0%	4.2%	95.8%
Grade 10	0.5%	1.7%	3.1%	96.9%
Grade 11	0.9%	1.6%	3.5%	96.5%
Grade 12	1.8%	2.5%	4.3%	95.7%
Methamphetamine				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.6%	1.1%	98.9%
Grade 9	0.8%	0.8%	1.8%	98.2%
Grade 10	0.9%	0.9%	1.3%	98.7%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.4%	0.4%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.3%	18.1%	29.8%	70.2%
Grade 7	2.6%	5.0%	9.9%	90.1%
Grade 8	7.7%	9.7%	20.4%	79.6%
Grade 9	12.4%	14.9%	25.3%	74.7%
Grade 10	19.0%	23.6%	39.4%	60.6%
Grade 11	18.3%	22.1%	36.9%	63.1%
Grade 12	29.0%	37.1%	52.3%	47.7%
Any Alcohol Product				
All	25.6%	32.0%	51.9%	48.1%
Grade 7	15.7%	17.1%	33.0%	67.0%
Grade 8	19.4%	22.7%	42.2%	57.8%
Grade 9	21.5%	29.2%	51.7%	48.3%
Grade 10	27.7%	35.9%	57.1%	42.9%
Grade 11	30.2%	39.7%	64.7%	35.3%
Grade 12	43.1%	52.2%	67.3%	32.7%
Any Illicit Drug				
All	12.1%	17.0%	22.0%	78.0%
Grade 7	3.8%	5.5%	7.2%	92.8%
Grade 8	5.4%	6.9%	10.1%	89.9%
Grade 9	11.6%	16.9%	19.1%	80.9%
Grade 10	14.0%	19.5%	27.5%	72.5%
Grade 11	11.9%	20.2%	26.5%	73.5%
Grade 12	28.5%	36.4%	46.4%	53.6%
Any Prescription Drug				
All	6.0%	8.6%	16.8%	83.2%
Grade 7	3.2%	4.7%	9.5%	90.5%
Grade 8	5.8%	9.0%	15.7%	84.3%
Grade 9	7.2%	9.6%	19.4%	80.6%
Grade 10	5.8%	9.0%	17.0%	83.0%
Grade 11	5.9%	8.5%	17.1%	82.9%
Grade 12	8.2%	10.9%	22.2%	77.8%
Any Inhalant				
All	4.3%	5.9%	12.5%	87.5%
Grade 7	5.0%	6.4%	12.9%	87.1%
Grade 8	6.8%	7.7%	15.2%	84.8%
Grade 9	3.0%	6.0%	12.0%	88.0%
Grade 10	5.2%	7.1%	14.6%	85.4%
Grade 11	2.5%	3.4%	11.1%	88.9%
Grade 12	2.9%	4.3%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 73 of 127

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.3%	15.4%	26.9%	73.1%
Grade 7	1.7%	3.9%	7.2%	92.8%
Grade 8	5.0%	7.2%	16.1%	83.9%
Grade 9	8.3%	12.5%	23.9%	76.1%
Grade 10	15.8%	21.1%	36.3%	63.7%
Grade 11	15.5%	19.1%	34.3%	65.7%
Grade 12	24.8%	32.0%	48.6%	51.4%
Marijuana				
All	11.7%	14.6%	19.8%	80.2%
Grade 7	3.0%	3.6%	4.7%	95.3%
Grade 8	5.1%	5.7%	8.5%	91.5%
Grade 9	11.2%	12.9%	16.0%	84.0%
Grade 10	14.0%	18.2%	26.3%	73.7%
Grade 11	11.9%	17.1%	25.0%	75.0%
Grade 12	27.8%	33.6%	43.7%	56.3%
Marijuana Only				
All	6.6%	8.8%	13.3%	86.7%
Grade 7	1.5%	1.9%	2.4%	97.6%
Grade 8	2.4%	2.7%	5.0%	95.0%
Grade 9	5.8%	6.9%	9.4%	90.6%
Grade 10	8.7%	12.4%	19.8%	80.2%
Grade 11	6.6%	10.3%	17.2%	82.8%
Grade 12	16.5%	21.0%	30.1%	69.9%
Cocaine or Crack				
All	0.8%	0.9%	1.6%	98.4%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	1.0%	1.0%	1.1%	98.9%
Grade 9	1.0%	1.0%	1.5%	98.5%
Grade 10	0.5%	1.0%	1.9%	98.1%
Grade 11	0.8%	0.9%	1.6%	98.4%
Grade 12	1.0%	1.6%	2.4%	97.6%
Cocaine				
All	0.6%	0.8%	1.3%	98.7%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.7%	0.7%	0.8%	99.2%
Grade 9	1.0%	1.0%	1.5%	98.5%
Grade 10	0.5%	1.0%	1.9%	98.1%
Grade 11	0.8%	0.9%	1.5%	98.5%
Grade 12	0.5%	1.1%	1.9%	98.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.5%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.9%	0.9%	1.3%	98.7%
Hallucinogens				
All	1.0%	1.6%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.8%	99.2%
Grade 9	0.7%	1.1%	2.4%	97.6%
Grade 10	0.9%	1.6%	3.5%	96.5%
Grade 11	1.3%	1.3%	4.1%	95.9%
Grade 12	2.8%	5.7%	9.1%	90.9%
Synthetic Cathinones				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Steroids				
All	0.1%	0.3%	1.2%	98.8%
Grade 7	0.0%	0.3%	1.1%	98.9%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.1%	0.1%	0.9%	99.1%
Grade 10	0.0%	1.1%	1.3%	98.7%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	0.4%	0.4%	1.3%	98.7%
Ecstasy				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.4%	0.7%	99.3%
Grade 10	0.6%	0.6%	2.4%	97.6%
Grade 11	0.9%	1.3%	2.9%	97.1%
Grade 12	2.9%	3.5%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.0%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.0%	1.7%	3.4%	96.6%
Grade 7	1.0%	1.3%	2.0%	98.0%
Grade 8	0.9%	1.2%	2.5%	97.5%
Grade 9	0.7%	1.7%	3.8%	96.2%
Grade 10	0.8%	2.4%	4.1%	95.9%
Grade 11	1.8%	2.1%	3.7%	96.3%
Grade 12	1.0%	1.8%	4.3%	95.7%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.1%	0.1%	1.2%	98.8%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	1.0%	1.0%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.2%	25.5%	39.8%	60.2%
Grade 7	5.0%	7.2%	13.6%	86.4%
Grade 8	13.8%	16.7%	28.8%	71.2%
Grade 9	23.2%	28.6%	44.5%	55.5%
Grade 10	23.8%	33.3%	48.2%	51.8%
Grade 11	25.3%	31.0%	51.8%	48.2%
Grade 12	31.7%	38.0%	54.8%	45.2%
Any Alcohol Product				
All	33.2%	39.6%	61.3%	38.7%
Grade 7	14.9%	17.0%	38.2%	61.8%
Grade 8	27.8%	30.6%	52.1%	47.9%
Grade 9	36.4%	42.1%	67.0%	33.0%
Grade 10	35.0%	44.6%	69.8%	30.2%
Grade 11	36.8%	45.8%	68.2%	31.8%
Grade 12	51.0%	59.9%	74.7%	25.3%
Any Illicit Drug				
All	19.3%	24.6%	32.4%	67.6%
Grade 7	6.0%	8.1%	9.2%	90.8%
Grade 8	13.5%	19.4%	25.3%	74.7%
Grade 9	16.7%	21.9%	27.4%	72.6%
Grade 10	19.6%	27.5%	38.1%	61.9%
Grade 11	29.7%	34.4%	44.1%	55.9%
Grade 12	32.5%	38.3%	53.4%	46.6%
Any Prescription Drug				
All	7.2%	10.1%	21.6%	78.4%
Grade 7	5.3%	6.6%	12.0%	88.0%
Grade 8	8.7%	12.0%	22.2%	77.8%
Grade 9	7.1%	10.6%	20.5%	79.5%
Grade 10	7.4%	9.8%	22.3%	77.7%
Grade 11	8.0%	10.5%	26.9%	73.1%
Grade 12	6.9%	11.7%	27.1%	72.9%
Any Inhalant				
All	4.0%	6.9%	13.7%	86.3%
Grade 7	4.7%	7.2%	13.9%	86.1%
Grade 8	9.3%	13.7%	20.1%	79.9%
Grade 9	4.1%	7.5%	13.4%	86.6%
Grade 10	2.2%	8.3%	16.1%	83.9%
Grade 11	1.5%	1.6%	9.0%	91.0%
Grade 12	1.9%	2.9%	9.0%	91.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.4%	21.2%	36.2%	63.8%
Grade 7	3.1%	5.0%	10.5%	89.5%
Grade 8	10.6%	14.2%	26.6%	73.4%
Grade 9	15.6%	21.1%	39.8%	60.2%
Grade 10	17.5%	28.4%	46.3%	53.7%
Grade 11	20.2%	26.9%	47.5%	52.5%
Grade 12	26.6%	32.9%	48.3%	51.7%
Marijuana				
All	18.6%	22.2%	30.6%	69.4%
Grade 7	4.6%	5.4%	7.0%	93.0%
Grade 8	12.0%	14.4%	20.3%	79.7%
Grade 9	16.3%	21.0%	27.0%	73.0%
Grade 10	19.3%	24.5%	35.7%	64.3%
Grade 11	29.6%	33.1%	44.1%	55.9%
Grade 12	31.9%	37.3%	52.4%	47.6%
Marijuana Only				
All	10.2%	12.9%	20.1%	79.9%
Grade 7	2.5%	2.9%	4.5%	95.5%
Grade 8	6.5%	8.2%	13.4%	86.6%
Grade 9	9.5%	13.5%	18.7%	81.3%
Grade 10	11.8%	14.9%	23.7%	76.3%
Grade 11	13.8%	17.2%	27.6%	72.4%
Grade 12	18.2%	22.4%	35.0%	65.0%
Cocaine or Crack				
All	1.5%	1.9%	2.9%	97.1%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	3.1%	3.1%	3.2%	96.8%
Grade 9	1.6%	1.8%	2.0%	98.0%
Grade 10	0.7%	1.5%	4.6%	95.4%
Grade 11	0.9%	1.7%	3.3%	96.7%
Grade 12	1.7%	2.5%	3.2%	96.8%
Cocaine				
All	1.3%	1.5%	2.4%	97.6%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	2.6%	2.6%	2.7%	97.3%
Grade 9	1.4%	1.6%	1.8%	98.2%
Grade 10	0.7%	0.7%	3.8%	96.2%
Grade 11	0.9%	1.7%	2.5%	97.5%
Grade 12	1.7%	2.5%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.5%	0.5%	1.2%	98.8%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.2%	0.9%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	2.2%	3.2%	5.5%	94.5%
Grade 7	0.0%	0.1%	1.3%	98.7%
Grade 8	0.9%	0.9%	2.3%	97.7%
Grade 9	2.3%	3.3%	4.1%	95.9%
Grade 10	2.0%	2.3%	5.1%	94.9%
Grade 11	4.2%	5.1%	8.4%	91.6%
Grade 12	4.0%	8.0%	12.1%	87.9%
Synthetic Cathinones				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.5%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.0%	0.2%	0.4%	99.6%
Steroids				
All	0.2%	0.4%	1.3%	98.7%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	0.4%	0.9%	1.4%	98.6%
Grade 9	0.1%	0.1%	0.6%	99.4%
Grade 10	0.0%	0.0%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.6%	2.0%	98.0%
Ecstasy				
All	1.2%	2.1%	4.1%	95.9%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.1%	0.1%	3.0%	97.0%
Grade 9	1.4%	2.0%	2.5%	97.5%
Grade 10	2.1%	2.9%	5.1%	94.9%
Grade 11	1.4%	3.6%	6.8%	93.2%
Grade 12	2.1%	3.8%	6.6%	93.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	1.1%	2.0%	3.8%	96.2%
Grade 7	0.4%	0.6%	1.2%	98.8%
Grade 8	1.5%	3.0%	3.7%	96.3%
Grade 9	1.5%	2.4%	3.4%	96.6%
Grade 10	1.4%	2.7%	5.8%	94.2%
Grade 11	0.1%	0.9%	4.3%	95.7%
Grade 12	1.8%	2.7%	4.6%	95.4%
Methamphetamine				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.6%	1.6%	98.4%
Grade 9	1.0%	1.0%	1.5%	98.5%
Grade 10	1.3%	1.3%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.3%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.1%	19.4%	32.3%	67.7%
Grade 7	2.7%	4.3%	10.0%	90.0%
Grade 8	8.7%	10.4%	21.2%	78.8%
Grade 9	15.0%	18.5%	29.9%	70.1%
Grade 10	17.7%	24.6%	40.6%	59.4%
Grade 11	20.3%	24.6%	43.5%	56.5%
Grade 12	29.5%	38.1%	53.9%	46.1%
Any Alcohol Product				
All	26.8%	32.9%	54.7%	45.3%
Grade 7	14.7%	16.4%	35.3%	64.7%
Grade 8	19.1%	22.2%	43.6%	56.4%
Grade 9	23.4%	31.0%	55.4%	44.6%
Grade 10	28.0%	36.2%	60.3%	39.7%
Grade 11	32.1%	40.3%	65.2%	34.8%
Grade 12	47.3%	56.0%	72.7%	27.3%
Any Illicit Drug				
All	13.6%	18.0%	24.4%	75.6%
Grade 7	3.3%	4.8%	6.2%	93.8%
Grade 8	6.6%	9.3%	13.1%	86.9%
Grade 9	11.9%	16.4%	19.8%	80.2%
Grade 10	13.8%	20.1%	29.8%	70.2%
Grade 11	19.0%	25.2%	33.2%	66.8%
Grade 12	30.0%	36.3%	50.0%	50.0%
Any Prescription Drug				
All	6.3%	8.9%	18.1%	81.9%
Grade 7	3.7%	5.1%	10.1%	89.9%
Grade 8	7.1%	10.3%	17.6%	82.4%
Grade 9	6.7%	9.6%	19.2%	80.8%
Grade 10	6.3%	9.1%	18.3%	81.7%
Grade 11	6.0%	7.9%	19.9%	80.1%
Grade 12	8.2%	12.1%	24.7%	75.3%
Any Inhalant				
All	3.6%	5.4%	11.8%	88.2%
Grade 7	3.7%	5.0%	11.8%	88.2%
Grade 8	6.9%	8.8%	15.7%	84.3%
Grade 9	2.3%	5.6%	11.5%	88.5%
Grade 10	4.3%	7.2%	13.2%	86.8%
Grade 11	2.6%	2.7%	10.1%	89.9%
Grade 12	1.9%	3.1%	7.9%	92.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 81 of 127

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.8%	16.4%	29.1%	70.9%
Grade 7	2.0%	3.5%	7.5%	92.5%
Grade 8	6.0%	8.3%	17.6%	82.4%
Grade 9	10.2%	14.7%	27.1%	72.9%
Grade 10	13.7%	21.2%	37.8%	62.2%
Grade 11	16.1%	20.7%	39.7%	60.3%
Grade 12	25.1%	33.0%	49.7%	50.3%
Marijuana				
All	13.2%	16.0%	22.7%	77.3%
Grade 7	2.4%	2.8%	4.2%	95.8%
Grade 8	6.0%	7.1%	10.5%	89.5%
Grade 9	11.5%	13.7%	18.0%	82.0%
Grade 10	13.7%	18.6%	28.8%	71.2%
Grade 11	18.8%	22.8%	32.1%	67.9%
Grade 12	29.7%	34.7%	48.1%	51.9%
Marijuana Only				
All	7.6%	9.8%	15.7%	84.3%
Grade 7	1.3%	1.7%	2.8%	97.2%
Grade 8	3.6%	4.4%	7.5%	92.5%
Grade 9	6.9%	8.8%	12.5%	87.5%
Grade 10	9.1%	12.9%	21.5%	78.5%
Grade 11	8.6%	11.9%	20.6%	79.4%
Grade 12	17.6%	21.3%	33.2%	66.8%
Cocaine or Crack				
All	0.7%	1.0%	1.6%	98.4%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	1.1%	1.1%	1.3%	98.7%
Grade 9	0.9%	1.0%	1.5%	98.5%
Grade 10	0.1%	0.5%	1.9%	98.1%
Grade 11	0.9%	1.3%	2.2%	97.8%
Grade 12	1.2%	1.9%	2.7%	97.3%
Cocaine				
All	0.6%	0.9%	1.4%	98.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.7%	0.7%	0.8%	99.2%
Grade 9	0.9%	1.0%	1.5%	98.5%
Grade 10	0.1%	0.5%	1.9%	98.1%
Grade 11	0.9%	1.3%	1.7%	98.3%
Grade 12	0.9%	1.7%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.9%	0.9%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.6%	99.4%
Hallucinogens				
All	1.4%	2.1%	3.7%	96.3%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	1.3%	1.9%	2.8%	97.2%
Grade 10	0.5%	1.2%	2.8%	97.2%
Grade 11	2.9%	3.5%	5.8%	94.2%
Grade 12	3.2%	5.9%	10.5%	89.5%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.0%	0.1%	0.6%	99.4%
Steroids				
All	0.1%	0.3%	1.2%	98.8%
Grade 7	0.0%	0.3%	1.1%	98.9%
Grade 8	0.2%	0.5%	1.1%	98.9%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.0%	0.5%	1.6%	98.4%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	0.3%	0.3%	1.6%	98.4%
Ecstasy				
All	0.8%	1.3%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.7%	1.0%	1.3%	98.7%
Grade 10	0.7%	0.9%	2.6%	97.4%
Grade 11	1.3%	2.6%	5.4%	94.6%
Grade 12	2.2%	3.5%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.1%	0.1%	99.9%
Synthetic Marijuana				
All	1.0%	1.5%	3.0%	97.0%
Grade 7	0.7%	1.0%	1.2%	98.8%
Grade 8	1.1%	1.4%	2.3%	97.7%
Grade 9	1.1%	1.6%	2.4%	97.6%
Grade 10	1.1%	1.8%	4.3%	95.7%
Grade 11	0.7%	1.5%	4.1%	95.9%
Grade 12	1.2%	2.0%	4.3%	95.7%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.7%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	26.3%	32.1%	44.7%	55.3%
Grade 7	8.3%	16.2%	21.7%	78.3%
Grade 8	14.3%	21.4%	34.2%	65.8%
Grade 9	24.3%	28.2%	40.8%	59.2%
Grade 10	36.0%	42.4%	56.8%	43.2%
Grade 11	37.8%	43.4%	55.5%	44.5%
Grade 12	35.0%	39.6%	56.3%	43.7%
Any Alcohol Product				
All	40.7%	48.6%	62.7%	37.3%
Grade 7	24.7%	25.0%	39.6%	60.4%
Grade 8	44.3%	47.4%	60.2%	39.8%
Grade 9	40.1%	45.9%	61.1%	38.9%
Grade 10	41.4%	54.2%	74.0%	26.0%
Grade 11	44.1%	56.2%	70.9%	29.1%
Grade 12	48.0%	60.1%	66.1%	33.9%
Any Illicit Drug				
All	24.0%	32.9%	37.3%	62.7%
Grade 7	14.6%	19.7%	19.9%	80.1%
Grade 8	17.7%	23.6%	27.2%	72.8%
Grade 9	22.4%	31.5%	33.8%	66.2%
Grade 10	28.1%	35.7%	43.3%	56.7%
Grade 11	28.5%	44.9%	50.3%	49.7%
Grade 12	31.3%	42.9%	49.3%	50.7%
Any Prescription Drug				
All	8.6%	11.7%	23.5%	76.5%
Grade 7	7.0%	8.8%	16.0%	84.0%
Grade 8	5.9%	11.0%	24.3%	75.7%
Grade 9	10.5%	12.5%	22.8%	77.2%
Grade 10	9.0%	12.4%	25.5%	74.5%
Grade 11	13.6%	19.0%	31.4%	68.6%
Grade 12	6.2%	8.0%	21.4%	78.6%
Any Inhalant				
All	6.1%	10.4%	18.7%	81.3%
Grade 7	11.3%	15.1%	20.8%	79.2%
Grade 8	10.1%	14.9%	22.7%	77.3%
Grade 9	5.5%	8.3%	13.8%	86.2%
Grade 10	3.4%	11.3%	25.6%	74.4%
Grade 11	0.4%	4.2%	12.8%	87.2%
Grade 12	5.9%	7.5%	14.3%	85.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	21.1%	27.6%	41.5%	58.5%
Grade 7	3.8%	10.3%	15.7%	84.3%
Grade 8	13.1%	18.9%	33.6%	66.4%
Grade 9	16.4%	23.0%	39.2%	60.8%
Grade 10	29.5%	38.2%	55.8%	44.2%
Grade 11	35.5%	40.3%	53.1%	46.9%
Grade 12	28.4%	33.6%	47.4%	52.6%
Marijuana				
All	22.7%	28.4%	33.3%	66.7%
Grade 7	11.7%	14.7%	15.2%	84.8%
Grade 8	16.0%	19.0%	22.6%	77.4%
Grade 9	21.9%	27.2%	29.4%	70.6%
Grade 10	27.8%	31.7%	38.5%	61.5%
Grade 11	28.5%	40.3%	49.1%	50.9%
Grade 12	28.5%	37.9%	45.9%	54.1%
Marijuana Only				
All	12.3%	16.0%	20.4%	79.6%
Grade 7	6.7%	6.9%	7.2%	92.8%
Grade 8	8.1%	8.9%	12.4%	87.6%
Grade 9	11.6%	14.1%	16.4%	83.6%
Grade 10	13.7%	16.9%	23.5%	76.5%
Grade 11	20.7%	29.3%	38.1%	61.9%
Grade 12	14.1%	22.1%	27.8%	72.2%
Cocaine or Crack				
All	2.6%	2.9%	4.6%	95.4%
Grade 7	3.2%	3.2%	4.6%	95.4%
Grade 8	1.7%	1.7%	1.7%	98.3%
Grade 9	2.8%	2.8%	3.3%	96.7%
Grade 10	3.3%	5.0%	8.8%	91.2%
Grade 11	1.4%	1.4%	5.0%	95.0%
Grade 12	2.4%	2.6%	3.3%	96.7%
Cocaine				
All	2.1%	2.1%	3.8%	96.2%
Grade 7	0.9%	0.9%	2.3%	97.7%
Grade 8	1.7%	1.7%	1.7%	98.3%
Grade 9	2.5%	2.5%	3.0%	97.0%
Grade 10	3.3%	3.3%	7.2%	92.8%
Grade 11	1.4%	1.4%	5.0%	95.0%
Grade 12	1.9%	2.1%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.1%	1.7%	2.4%	97.6%
Grade 7	2.9%	2.9%	4.3%	95.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.4%	1.9%	98.1%
Grade 10	0.4%	3.8%	4.6%	95.4%
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	1.9%	1.9%	1.9%	98.1%
Hallucinogens				
All	1.9%	3.5%	6.7%	93.3%
Grade 7	0.0%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.0%	2.5%	97.5%
Grade 9	1.2%	2.1%	4.7%	95.3%
Grade 10	5.0%	5.2%	10.1%	89.9%
Grade 11	1.4%	1.4%	8.5%	91.5%
Grade 12	3.0%	10.7%	12.8%	87.2%
Synthetic Cathinones				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.5%	0.5%	2.3%	97.7%
Grade 10	0.6%	0.6%	2.8%	97.2%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	1.0%	1.8%	98.2%
Grade 7	1.6%	1.9%	2.3%	97.7%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.0%	0.0%	2.3%	97.7%
Grade 10	0.0%	1.7%	2.0%	98.0%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.2%	1.7%	1.9%	98.1%
Ecstasy				
All	1.8%	2.2%	4.5%	95.5%
Grade 7	1.6%	1.6%	2.3%	97.7%
Grade 8	0.0%	0.0%	5.3%	94.7%
Grade 9	0.2%	0.7%	1.6%	98.4%
Grade 10	3.4%	4.4%	7.9%	92.1%
Grade 11	0.0%	0.8%	2.0%	98.0%
Grade 12	5.2%	5.2%	6.7%	93.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	1.4%	98.6%
Grade 7	0.4%	0.4%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.0%	0.7%	4.3%	95.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.4%	3.9%	6.2%	93.8%
Grade 7	2.2%	2.2%	5.5%	94.5%
Grade 8	1.3%	5.5%	5.8%	94.2%
Grade 9	0.6%	4.2%	9.1%	90.9%
Grade 10	1.2%	5.4%	6.9%	93.1%
Grade 11	1.4%	1.5%	2.9%	97.1%
Grade 12	1.9%	3.3%	5.3%	94.7%
Methamphetamine				
All	0.7%	1.1%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	1.3%	2.7%	97.3%
Grade 9	0.4%	0.4%	2.9%	97.1%
Grade 10	2.4%	2.4%	2.4%	97.6%
Grade 11	0.0%	1.1%	1.4%	98.6%
Grade 12	1.0%	1.0%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	327,278	49.7%
Female	330,610	50.3%
Frequency Missing	2,542	

Hispanic or Latino

Q5a	Frequency	Percent
No	335,504	51.8%
Yes	312,290	48.2%
Frequency Missing	12,636	

Grade

Q2	Frequency	Percent
Grade 7	115,205	17.5%
Grade 8	110,891	16.8%
Grade 9	122,410	18.6%
Grade 10	110,252	16.8%
Grade 11	101,731	15.5%
Grade 12	97,639	14.8%
Frequency Missing	2,302	

Ethnicity

Q5b	Frequency	Percent
American Indian	20,579	3.5%
Asian American	13,553	2.3%
African American	119,757	20.1%
Pacific Islander	3,364	0.6%
White	223,649	37.6%
Other	112,305	18.9%
More Than One Race	101,967	17.1%
Frequency Missing	65,256	

Live with Both Parents

Q3	Frequency	Percent
No	257,316	39.4%
Yes	395,152	60.6%
Frequency Missing	7,962	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	2,231	0.4%
Mostly D's	6,601	1.2%
Mostly C's	73,770	13.2%
Mostly B's	289,333	51.6%
Mostly A's	188,783	33.7%
Frequency Missing	99,713	

Age

Q4	Frequency	Percent
11 or younger	1,289	0.2%
12	53,436	8.1%
13	105,234	16.0%
14	117,002	17.8%
15	114,383	17.4%
16	106,466	16.2%
17	100,384	15.3%
18	55,576	8.5%
19 or older	3,416	0.5%
Frequency Missing	3,245	

Do You Have a Job

Q7	Frequency	Percent
No	453,429	80.4%
Yes	110,829	19.6%
Frequency Missing	96,173	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	181,973	32.3%
Yes	214,422	38.1%
Don't Know	166,268	29.6%
Frequency Missing	97,768	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	448,060	93.4%
Yes	31,406	6.6%
Frequency Missing	180,964	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	271,123	50.8%
Yes	262,758	49.2%
Frequency Missing	126,549	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	362,965	73.9%
Yes	128,447	26.1%
Frequency Missing	169,019	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	395,127	79.2%
Yes	104,029	20.8%
Frequency Missing	161,274	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	362,901	74.8%
Yes	122,173	25.2%
Frequency Missing	175,356	

Participate in School Choir

Q9c	Frequency	Percent
No	447,893	93.3%
Yes	32,056	6.7%
Frequency Missing	180,481	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	346,213	69.5%
Yes	151,816	30.5%
Frequency Missing	162,401	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	451,076	93.9%
Yes	29,487	6.1%
Frequency Missing	179,868	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	390,731	80.6%
Yes	93,828	19.4%
Frequency Missing	175,871	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	557,949	85.3%
Somewhat Safe	80,946	12.4%
Not Very Safe	6,683	1.0%
Not Safe At All	947	0.1%
Don't Know	7,812	1.2%
Frequency Missing	6,093	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	51,109	8.2%
Some High School	50,122	8.0%
Finished High School	113,748	18.2%
Some College	98,631	15.8%
Finished College	143,546	23.0%
Post-Secondary	88,799	14.2%
Don't Know or N/A	77,443	12.4%
Frequency Missing	37,032	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	290,959	44.8%
Somewhat Safe	294,641	45.4%
Not Very Safe	36,323	5.6%
Not Safe At All	7,916	1.2%
Don't Know	19,484	3.0%
Frequency Missing	11,106	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	371,790	64.5%
Yes	204,977	35.5%
Frequency Missing	83,663	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	204,718	31.6%
Somewhat Safe	316,047	48.8%
Not Very Safe	70,642	10.9%
Not Safe At All	27,783	4.3%
Don't Know	28,957	4.5%
Frequency Missing	12,284	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	35,712	5.5%
A Few	145,809	22.4%
Some	155,421	23.9%
Most	230,014	35.3%
All	83,957	12.9%
Frequency Missing	9,516	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	50,602	8.1%
Some High School	65,809	10.6%
Finished High School	136,718	22.0%
Some College	76,677	12.3%
Finished College	107,078	17.2%
Post-Secondary	68,135	11.0%
Don't Know or N/A	115,896	18.7%
Frequency Missing	39,516	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	11,920	1.8%
A Few	74,087	11.4%
Some	164,925	25.3%
Most	278,833	42.8%
All	121,564	18.7%
Frequency Missing	9,101	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	280,843	43.9%
A Few	202,303	31.7%
Some	88,773	13.9%
Most	39,689	6.2%
All	27,400	4.3%
Frequency Missing	21,423	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	610,258	94.2%
In Your Lifetime	25,222	3.9%
Since School Began	5,718	0.9%
In the Past Month	6,803	1.0%
Frequency Missing	12,429	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	491,738	76.4%
A Few	97,911	15.2%
Some	30,435	4.7%
Most	16,030	2.5%
All	7,935	1.2%
Frequency Missing	16,381	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	635,138	99.0%
In Your Lifetime	3,480	0.5%
Since School Began	1,206	0.2%
In the Past Month	1,890	0.3%
Frequency Missing	18,717	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	542,596	84.0%
A Few	67,356	10.4%
Some	19,994	3.1%
Most	9,754	1.5%
All	6,602	1.0%
Frequency Missing	14,129	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	610,468	94.1%
In Your Lifetime	24,473	3.8%
Since School Began	5,559	0.9%
In the Past Month	8,047	1.2%
Frequency Missing	11,884	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	638,859	98.1%
In Your Lifetime	8,809	1.4%
Since School Began	1,007	0.2%
In the Past Month	2,239	0.3%
Frequency Missing	9,516	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	637,937	98.8%
In Your Lifetime	4,125	0.6%
Since School Began	1,279	0.2%
In the Past Month	2,393	0.4%
Frequency Missing	14,696	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	639,433	98.8%
In Your Lifetime	4,527	0.7%
Since School Began	1,821	0.3%
In the Past Month	1,407	0.2%
Frequency Missing	13,242	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	594,993	92.4%
In Your Lifetime	23,983	3.7%
Since School Began	7,739	1.2%
In the Past Month	17,488	2.7%
Frequency Missing	16,226	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	628,722	97.6%
In Your Lifetime	8,658	1.3%
Since School Began	2,073	0.3%
In the Past Month	4,896	0.8%
Frequency Missing	16,082	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	404,830	63.9%
In Your Lifetime	119,476	18.9%
Since School Began	44,244	7.0%
In the Past Month	64,917	10.2%
Frequency Missing	26,964	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	456,437	71.2%
In Your Lifetime	81,649	12.7%
Since School Began	43,897	6.8%
In the Past Month	59,479	9.3%
Frequency Missing	18,968	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	634,551	98.1%
In Your Lifetime	6,938	1.1%
Since School Began	2,175	0.3%
In the Past Month	2,903	0.4%
Frequency Missing	13,863	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	426,977	67.3%
In Your Lifetime	117,836	18.6%
Since School Began	44,192	7.0%
In the Past Month	45,784	7.2%
Frequency Missing	25,642	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	573,429	88.3%
In Your Lifetime	47,459	7.3%
Since School Began	10,925	1.7%
In the Past Month	17,726	2.7%
Frequency Missing	10,891	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	415,529	64.6%
In Your Lifetime	101,277	15.7%
Since School Began	51,877	8.1%
In the Past Month	74,659	11.6%
Frequency Missing	17,088	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	637,338	98.4%
In Your Lifetime	6,660	1.0%
Since School Began	1,694	0.3%
In the Past Month	1,898	0.3%
Frequency Missing	12,841	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	618,449	95.6%
In Your Lifetime	18,535	2.9%
Since School Began	4,990	0.8%
In the Past Month	5,017	0.8%
Frequency Missing	13,438	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	642,330	99.3%
In Your Lifetime	2,174	0.3%
Since School Began	958	0.1%
In the Past Month	1,386	0.2%
Frequency Missing	13,582	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	450,224	69.6%
In Your Lifetime	82,900	12.8%
Since School Began	30,575	4.7%
In the Past Month	83,630	12.9%
Frequency Missing	13,101	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	619,591	95.9%
In Your Lifetime	11,720	1.8%
Since School Began	5,021	0.8%
In the Past Month	9,439	1.5%
Frequency Missing	14,659	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	503,752	77.5%
In Your Lifetime	58,295	9.0%
Since School Began	26,064	4.0%
In the Past Month	61,591	9.5%
Frequency Missing	10,728	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	643,865	99.4%
In Your Lifetime	2,426	0.4%
Since School Began	312	0.0%
In the Past Month	981	0.2%
Frequency Missing	12,847	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	638,549	98.9%
In Your Lifetime	5,507	0.9%
Since School Began	1,301	0.2%
In the Past Month	546	0.1%
Frequency Missing	14,528	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	625,715	96.8%
In Your Lifetime	12,179	1.9%
Since School Began	2,604	0.4%
In the Past Month	5,830	0.9%
Frequency Missing	14,103	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	630,541	97.6%
In Your Lifetime	7,701	1.2%
Since School Began	2,860	0.4%
In the Past Month	4,981	0.8%
Frequency Missing	14,347	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	568,823	88.7%
In Your Lifetime	41,938	6.5%
Since School Began	12,802	2.0%
In the Past Month	17,468	2.7%
Frequency Missing	19,399	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	644,527	99.6%
In Your Lifetime	1,960	0.3%
Since School Began	289	0.0%
In the Past Month	543	0.1%
Frequency Missing	13,111	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	621,198	97.2%
In Your Lifetime	10,346	1.6%
Since School Began	2,325	0.4%
In the Past Month	4,921	0.8%
Frequency Missing	21,639	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	642,953	99.3%
In Your Lifetime	2,171	0.3%
Since School Began	437	0.1%
In the Past Month	2,076	0.3%
Frequency Missing	12,793	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	608,682	95.5%
In Your Lifetime	16,149	2.5%
Since School Began	5,295	0.8%
In the Past Month	6,944	1.1%
Frequency Missing	23,360	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	596,779	93.5%
In Your Lifetime	19,554	3.1%
Since School Began	7,221	1.1%
In the Past Month	14,420	2.3%
Frequency Missing	22,457	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	478,453	74.8%
1-2 times	103,631	16.2%
3-10 times	45,337	7.1%
11+ times	12,539	2.0%
Frequency Missing	20,470	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	576,100	90.9%
In Your Lifetime	28,626	4.5%
Since School Began	7,019	1.1%
In the Past Month	21,763	3.4%
Frequency Missing	26,923	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	627,580	97.8%
1-2 times	9,349	1.5%
3-10 times	2,994	0.5%
11+ times	1,704	0.3%
Frequency Missing	18,804	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	616,510	96.8%
In Your Lifetime	8,858	1.4%
Since School Began	2,426	0.4%
In the Past Month	9,418	1.5%
Frequency Missing	23,218	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	554,574	86.3%
1-2 times	40,063	6.2%
3-10 times	21,501	3.3%
11+ times	26,204	4.1%
Frequency Missing	18,088	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	588,386	91.3%
1-2 times	24,760	3.8%
3-10 times	11,757	1.8%
11+ times	19,376	3.0%
Frequency Missing	16,151	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	639,066	99.2%
1-2 times	3,793	0.6%
3-10 times	742	0.1%
11+ times	644	0.1%
Frequency Missing	16,186	

Percentages and frequencies have been weighted to reflect proportions within the population.

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	639,556	99.7%
1-2 times	1,289	0.2%
3-10 times	478	0.1%
11+ times	300	0.0%
Frequency Missing	18,808	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	356,309	55.9%
A few	113,924	17.9%
Some	74,591	11.7%
Most	71,905	11.3%
All	20,691	3.2%
Frequency Missing	23,011	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	449,164	70.1%
A few	105,890	16.5%
Some	47,756	7.5%
Most	30,241	4.7%
All	7,736	1.2%
Frequency Missing	19,643	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	530,523	85.2%
8 or younger	6,134	1.0%
9 years old	4,569	0.7%
10 years old	5,098	0.8%
11 years old	5,127	0.8%
12 years old	10,326	1.7%
13 years old	11,730	1.9%
14 years old	15,623	2.5%
15 years old	17,312	2.8%
16 years old	12,310	2.0%
17 years old	3,412	0.5%
18 or older	741	0.1%
Frequency Missing	37,525	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	296,284	46.5%
A few	147,967	23.2%
Some	99,280	15.6%
Most	72,085	11.3%
All	21,581	3.4%
Frequency Missing	23,233	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	334,283	54.0%
8 or younger	31,728	5.1%
9 years old	10,046	1.6%
10 years old	20,209	3.3%
11 years old	14,187	2.3%
12 years old	34,154	5.5%
13 years old	36,445	5.9%
14 years old	42,021	6.8%
15 years old	50,097	8.1%
16 years old	28,869	4.7%
17 years old	12,429	2.0%
18 or older	4,634	0.7%
Frequency Missing	41,328	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	584,341	91.9%
A few	34,473	5.4%
Some	11,184	1.8%
Most	3,675	0.6%
All	2,289	0.4%
Frequency Missing	24,469	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	592,327	95.5%
8 or younger	3,494	0.6%
9 years old	1,349	0.2%
10 years old	2,260	0.4%
11 years old	4,319	0.7%
12 years old	3,875	0.6%
13 years old	4,751	0.8%
14 years old	3,828	0.6%
15 years old	1,836	0.3%
16 years old	920	0.1%
17 years old	1,008	0.2%
18 or older	217	0.0%
Frequency Missing	40,247	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	611,161	98.6%
8 or younger	0	0.0%
9 years old	341	0.1%
10 years old	26	0.0%
11 years old	0	0.0%
12 years old	190	0.0%
13 years old	996	0.2%
14 years old	1,666	0.3%
15 years old	2,347	0.4%
16 years old	1,703	0.3%
17 years old	1,058	0.2%
18 or older	77	0.0%
Frequency Missing	40,866	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	478,567	77.3%
8 or younger	3,356	0.5%
9 years old	752	0.1%
10 years old	3,739	0.6%
11 years old	4,608	0.7%
12 years old	12,406	2.0%
13 years old	23,063	3.7%
14 years old	30,425	4.9%
15 years old	26,843	4.3%
16 years old	24,385	3.9%
17 years old	9,066	1.5%
18 or older	1,561	0.3%
Frequency Missing	41,659	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	616,734	99.5%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	178	0.0%
13 years old	872	0.1%
14 years old	774	0.1%
15 years old	827	0.1%
16 years old	643	0.1%
17 years old	18	0.0%
Frequency Missing	40,383	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	611,270	99.0%
8 or younger	1,113	0.2%
9 years old	290	0.0%
10 years old	256	0.0%
11 years old	350	0.1%
12 years old	1,208	0.2%
13 years old	509	0.1%
14 years old	1,100	0.2%
15 years old	779	0.1%
16 years old	309	0.0%
17 years old	409	0.1%
18 or older	77	0.0%
Frequency Missing	42,761	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	600,584	97.4%
8 or younger	379	0.1%
9 years old	0	0.0%
10 years old	226	0.0%
11 years old	77	0.0%
12 years old	1,162	0.2%
13 years old	1,208	0.2%
14 years old	2,805	0.5%
15 years old	3,400	0.6%
16 years old	3,616	0.6%
17 years old	2,227	0.4%
18 or older	715	0.1%
Frequency Missing	44,032	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	615,961	99.2%
8 or younger	269	0.0%
9 years old	538	0.1%
10 years old	0	0.0%
11 years old	34	0.0%
12 years old	152	0.0%
13 years old	1,322	0.2%
14 years old	582	0.1%
15 years old	671	0.1%
16 years old	1,081	0.2%
17 years old	95	0.0%
18 or older	0	0.0%
Frequency Missing	39,725	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	618,719	99.7%
8 or younger	667	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	38	0.0%
12 years old	255	0.0%
13 years old	106	0.0%
14 years old	110	0.0%
15 years old	341	0.1%
16 years old	316	0.1%
17 years old	77	0.0%
Frequency Missing	39,802	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	602,555	97.3%
8 or younger	341	0.1%
9 years old	0	0.0%
10 years old	527	0.1%
11 years old	316	0.1%
12 years old	1,847	0.3%
13 years old	1,617	0.3%
14 years old	5,330	0.9%
15 years old	4,155	0.7%
16 years old	1,275	0.2%
17 years old	1,560	0.3%
18 or older	62	0.0%
Frequency Missing	40,846	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	178,178	28.0%
Impossible	134,648	21.2%
Very Difficult	47,511	7.5%
Somewhat diff	69,240	10.9%
Somewhat easy	91,311	14.4%
Very easy	114,668	18.0%
Frequency Missing	24,874	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	137,843	21.7%
Impossible	81,678	12.9%
Very Difficult	36,471	5.7%
Somewhat diff	67,467	10.6%
Somewhat easy	122,217	19.2%
Very easy	189,927	29.9%
Frequency Missing	24,827	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	247,395	39.1%
Impossible	227,745	36.0%
Very Difficult	81,811	12.9%
Somewhat diff	40,549	6.4%
Somewhat easy	14,766	2.3%
Very easy	19,748	3.1%
Frequency Missing	28,415	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	251,610	39.8%
Impossible	101,532	16.1%
Very Difficult	25,784	4.1%
Somewhat diff	32,068	5.1%
Somewhat easy	57,279	9.1%
Very easy	163,633	25.9%
Frequency Missing	28,524	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	262,703	41.6%
Impossible	207,844	32.9%
Very Difficult	77,181	12.2%
Somewhat diff	42,642	6.8%
Somewhat easy	20,773	3.3%
Very easy	20,077	3.2%
Frequency Missing	29,210	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	173,688	27.4%
Impossible	138,519	21.8%
Very Difficult	48,994	7.7%
Somewhat diff	57,622	9.1%
Somewhat easy	82,199	13.0%
Very easy	133,284	21.0%
Frequency Missing	26,125	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	295,161	46.9%
Impossible	181,953	28.9%
Very Difficult	58,557	9.3%
Somewhat diff	38,968	6.2%
Somewhat easy	24,749	3.9%
Very easy	30,527	4.8%
Frequency Missing	30,515	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	237,777	37.6%
Impossible	220,341	34.8%
Very Difficult	79,468	12.6%
Somewhat diff	51,048	8.1%
Somewhat easy	20,909	3.3%
Very easy	22,838	3.6%
Frequency Missing	28,049	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	272,483	43.0%
Impossible	239,238	37.7%
Very Difficult	72,370	11.4%
Somewhat diff	23,937	3.8%
Somewhat easy	10,788	1.7%
Very easy	15,265	2.4%
Frequency Missing	26,350	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	285,702	45.1%
Impossible	222,876	35.2%
Very Difficult	70,258	11.1%
Somewhat diff	24,179	3.8%
Somewhat easy	12,078	1.9%
Very easy	18,456	2.9%
Frequency Missing	26,880	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	2,770	0.4%
Several times/wk	9,159	1.5%
Several times/mo	41,004	6.5%
About once/month	77,065	12.2%
About once/year	73,632	11.7%
Less than once/year	61,472	9.8%
Never used	364,582	57.9%
Frequency Missing	30,744	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	291,663	46.2%
Impossible	172,739	27.3%
Very Difficult	50,266	8.0%
Somewhat diff	41,302	6.5%
Somewhat easy	36,573	5.8%
Very easy	39,164	6.2%
Frequency Missing	28,722	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	106	0.0%
Several times/wk	1,967	0.3%
Several times/mo	1,692	0.3%
About once/month	4,425	0.7%
About once/year	3,179	0.5%
Less than once/year	12,069	1.9%
Never used	607,978	96.3%
Frequency Missing	29,014	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	15,841	2.5%
Several times/wk	8,419	1.3%
Several times/mo	9,997	1.6%
About once/month	15,928	2.5%
About once/year	12,075	1.9%
Less than once/year	27,059	4.3%
Never used	543,937	85.9%
Frequency Missing	27,174	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	12,151	1.9%
Several times/wk	16,684	2.6%
Several times/mo	21,891	3.5%
About once/month	25,966	4.1%
About once/year	28,097	4.4%
Less than once/year	30,431	4.8%
Never used	496,699	78.6%
Frequency Missing	28,512	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	32	0.0%
Several times/wk	18	0.0%
Several times/mo	1,273	0.2%
About once/month	694	0.1%
About once/year	2,593	0.4%
Less than once/year	3,357	0.5%
Never used	623,391	98.7%
Frequency Missing	29,072	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	563	0.1%
Several times/wk	336	0.1%
Several times/mo	1,246	0.2%
About once/month	1,945	0.3%
About once/year	5,330	0.8%
Less than once/year	6,109	1.0%
Never used	613,556	97.5%
Frequency Missing	31,344	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	224	0.0%
Several times/mo	731	0.1%
About once/month	0	0.0%
About once/year	1,430	0.2%
Less than once/year	1,334	0.2%
Never used	628,325	99.4%
Frequency Missing	28,386	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	199	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	77	0.0%
About once/year	791	0.1%
Less than once/year	292	0.0%
Never used	630,307	99.8%
Frequency Missing	28,766	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	117	0.0%
Several times/wk	69	0.0%
Several times/mo	425	0.1%
About once/month	246	0.0%
About once/year	684	0.1%
Less than once/year	3,177	0.5%
Never used	627,598	99.3%
Frequency Missing	28,115	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	148	0.0%
Several times/wk	356	0.1%
Several times/mo	423	0.1%
About once/month	637	0.1%
About once/year	1,230	0.2%
Less than once/year	704	0.1%
Never used	627,545	99.4%
Frequency Missing	29,387	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	510	0.1%
Several times/wk	889	0.1%
Several times/mo	1,765	0.3%
About once/month	4,681	0.7%
About once/year	3,961	0.6%
Less than once/year	4,967	0.8%
Never used	610,948	97.3%
Frequency Missing	32,708	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	421,758	67.1%
12+ drinks	3,672	0.6%
9-11 drinks	3,025	0.5%
5-8 drinks	6,562	1.0%
3-4 drinks	18,878	3.0%
2 drinks	28,371	4.5%
1 drink	51,034	8.1%
Less than 1 drink	95,714	15.2%
Frequency Missing	31,417	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	401,278	63.3%
12+ drinks	10,773	1.7%
9-11 drinks	5,982	0.9%
5-8 drinks	17,691	2.8%
3-4 drinks	30,555	4.8%
2 drinks	35,337	5.6%
1 drink	50,975	8.0%
Less than 1 drink	81,827	12.9%
Frequency Missing	26,011	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	399,037	63.2%
12+ drinks	13,865	2.2%
9-11 drinks	11,496	1.8%
5-8 drinks	27,499	4.4%
3-4 drinks	39,156	6.2%
2 drinks	31,961	5.1%
1 drink	40,066	6.3%
Less than 1 drink	68,173	10.8%
Frequency Missing	29,177	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	438,683	69.1%
12+ drinks	9,711	1.5%
9-11 drinks	8,232	1.3%
5-8 drinks	19,950	3.1%
3-4 drinks	37,419	5.9%
2 drinks	36,557	5.8%
1 drink	39,131	6.2%
Less than 1 drink	45,123	7.1%
Frequency Missing	25,624	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	372,295	59.4%
0 days	185,366	29.6%
1 day	26,054	4.2%
2 days	15,567	2.5%
3 to 5 days	16,306	2.6%
6 to 9 days	3,335	0.5%
10 or more days	7,989	1.3%
Frequency Missing	33,517	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	353,121	56.1%
Never	106,359	16.9%
Seldom	106,144	16.9%
Most of the Time	39,065	6.2%
Always	24,796	3.9%
Frequency Missing	30,944	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	377,448	60.5%
Never	147,623	23.7%
Seldom	49,572	7.9%
Most of the Time	27,882	4.5%
Always	21,438	3.4%
Frequency Missing	36,467	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	357,481	57.1%
Never	113,257	18.1%
Seldom	74,243	11.8%
Most of the Time	61,848	9.9%
Always	19,750	3.2%
Frequency Missing	33,851	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	366,107	58.8%
Somewhat	159,015	25.5%
Not very	49,363	7.9%
Not at all	12,033	1.9%
Don't know	36,153	5.8%
Frequency Missing	37,759	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	376,521	60.1%
Never	208,549	33.3%
Seldom	20,136	3.2%
Most of the Time	14,070	2.2%
Always	7,169	1.1%
Frequency Missing	33,985	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	275,214	44.3%
Somewhat	195,342	31.4%
Not very	103,601	16.7%
Not at all	18,598	3.0%
Don't know	28,966	4.7%
Frequency Missing	38,710	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	349,801	55.7%
Never	105,458	16.8%
Seldom	68,280	10.9%
Most of the Time	61,884	9.9%
Always	42,802	6.8%
Frequency Missing	32,204	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	421,852	68.6%
Somewhat	94,510	15.4%
Not very	34,752	5.7%
Not at all	9,118	1.5%
Don't know	54,343	8.8%
Frequency Missing	45,855	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	319,205	51.8%
Somewhat	91,762	14.9%
Not very	96,181	15.6%
Not at all	73,057	11.9%
Don't know	35,522	5.8%
Frequency Missing	44,703	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	460,718	74.8%
Somewhat	71,721	11.7%
Not very	25,412	4.1%
Not at all	5,927	1.0%
Don't know	51,752	8.4%
Frequency Missing	44,900	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	527,795	86.0%
Somewhat	41,152	6.7%
Not very	6,212	1.0%
Not at all	2,235	0.4%
Don't know	36,603	6.0%
Frequency Missing	46,433	

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	537,692	87.4%
Somewhat	25,892	4.2%
Not very	4,259	0.7%
Not at all	2,669	0.4%
Don't know	44,590	7.2%
Frequency Missing	45,328	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	532,278	86.5%
Somewhat	36,285	5.9%
Not very	5,616	0.9%
Not at all	2,300	0.4%
Don't know	38,958	6.3%
Frequency Missing	44,992	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	536,291	87.2%
Somewhat	25,369	4.1%
Not very	4,859	0.8%
Not at all	3,030	0.5%
Don't know	45,478	7.4%
Frequency Missing	45,403	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	483,530	78.6%
Somewhat	50,866	8.3%
Not very	15,642	2.5%
Not at all	5,615	0.9%
Don't know	59,665	9.7%
Frequency Missing	45,113	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	485,466	79.0%
Somewhat	47,183	7.7%
Not very	19,958	3.2%
Not at all	7,155	1.2%
Don't know	54,902	8.9%
Frequency Missing	45,766	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	436,538	71.2%
Somewhat	96,360	15.7%
Not very	26,606	4.3%
Not at all	8,058	1.3%
Don't know	45,382	7.4%
Frequency Missing	47,487	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	274,158	44.9%
1-3 days	288,174	47.2%
4-9 days	37,957	6.2%
10+ days	10,348	1.7%
Frequency Missing	49,793	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	359,496	58.4%
Somewhat	125,322	20.4%
Not very	68,158	11.1%
Not at all	25,177	4.1%
Don't know	37,014	6.0%
Frequency Missing	45,264	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	544,580	87.8%
1-3 days	62,049	10.0%
4-9 days	7,573	1.2%
10+ days	6,363	1.0%
Frequency Missing	39,866	

Days Skipped Since September

Q28a	Frequency	Percent
None	519,319	83.7%
1-3 days	82,897	13.4%
4-9 days	13,859	2.2%
10+ days	4,742	0.8%
Frequency Missing	39,613	

Someone Called Home Since September

Q28e	Frequency	Percent
None	563,467	91.0%
1-3 days	44,246	7.1%
4-9 days	6,498	1.0%
10+ days	5,260	0.8%
Frequency Missing	40,959	

Days Ill Since September

Q28b	Frequency	Percent
None	242,543	39.3%
1-3 days	299,460	48.5%
4-9 days	65,756	10.6%
10+ days	9,899	1.6%
Frequency Missing	42,772	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	593,912	95.9%
1-3 times	22,159	3.6%
4-9 times	2,363	0.4%
10+ times	808	0.1%
Frequency Missing	41,188	

Percentages and frequencies have been weighted to reflect proportions within the population.

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	603,075	97.5%
1-3 times	13,021	2.1%
4-9 times	1,324	0.2%
10+ times	947	0.2%
Frequency Missing	42,064	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	553,054	90.3%
1-3 days	30,435	5.0%
4-9 days	10,717	1.7%
10+ days	18,473	3.0%
Frequency Missing	47,753	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	592,510	96.1%
1-3 times	20,199	3.3%
4-9 times	2,216	0.4%
10+ times	1,492	0.2%
Frequency Missing	44,013	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	602,060	98.6%
1-3 days	6,919	1.1%
4-9 days	959	0.2%
10+ days	678	0.1%
Frequency Missing	49,814	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	585,179	95.0%
1-3 times	18,390	3.0%
4-9 times	4,746	0.8%
10+ times	7,357	1.2%
Frequency Missing	44,758	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	587,417	96.5%
1-3 days	13,849	2.3%
4-9 days	3,415	0.6%
10+ days	3,827	0.6%
Frequency Missing	51,922	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	587,135	95.7%
1-3 days	20,468	3.3%
4-9 days	3,496	0.6%
10+ days	2,702	0.4%
Frequency Missing	46,629	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	289,944	47.2%
Seldom	43,861	7.1%
Half the time	35,434	5.8%
Most of the Time	59,246	9.6%
Always	59,853	9.7%
Don't Know	13,625	2.2%
Didn't attend	112,946	18.4%
Frequency Missing	45,521	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	341,510	55.7%
Seldom	35,410	5.8%
Half the time	26,060	4.3%
Most of the Time	38,995	6.4%
Always	42,260	6.9%
Don't Know	17,402	2.8%
Didn't attend	111,003	18.1%
Frequency Missing	47,791	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	532,179	93.6%
Yes	36,353	6.4%
Frequency Missing	91,898	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	388,895	64.2%
Yes	216,701	35.8%
Frequency Missing	54,834	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	490,711	81.6%
Yes	110,552	18.4%
Frequency Missing	59,167	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	357,107	59.2%
Yes	245,695	40.8%
Frequency Missing	57,628	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	187,615	30.9%
Yes	419,822	69.1%
Frequency Missing	52,993	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	261,459	43.5%
Yes	339,850	56.5%
Frequency Missing	59,121	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	215,863	35.9%
Yes	385,989	64.1%
Frequency Missing	58,578	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	243,541	40.3%
Yes	360,750	59.7%
Frequency Missing	56,139	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	364,015	60.5%
Yes	237,269	39.5%
Frequency Missing	59,146	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Not Seek Help

Q33i	Frequency	Percent
No	482,009	82.1%
Yes	104,784	17.9%
Frequency Missing	73,637	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	423,737	72.4%
Yes	161,597	27.6%
Frequency Missing	75,096	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	370,931	62.6%
Yes	221,417	37.4%
Frequency Missing	68,082	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	518,653	88.7%
Yes	65,858	11.3%
Frequency Missing	75,918	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	410,206	69.6%
Yes	178,911	30.4%
Frequency Missing	71,313	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	450,671	76.9%
Yes	135,513	23.1%
Frequency Missing	74,247	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	475,449	80.8%
Yes	112,873	19.2%
Frequency Missing	72,108	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	435,957	74.3%
Yes	150,733	25.7%
Frequency Missing	73,740	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	519,244	88.6%
Yes	67,086	11.4%
Frequency Missing	74,100	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	480,826	77.4%
Mild disapprove	48,142	7.7%
Neither	32,439	5.2%
Mildly approve	6,812	1.1%
Strongly approve	3,812	0.6%
Don't know	49,298	7.9%
Frequency Missing	39,100	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	358,899	57.8%
Mild disapprove	94,895	15.3%
Neither	79,083	12.7%
Mildly approve	32,203	5.2%
Strongly approve	6,475	1.0%
Don't know	48,866	7.9%
Frequency Missing	40,009	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	457,073	73.7%
Mild disapprove	45,084	7.3%
Neither	50,624	8.2%
Mildly approve	12,514	2.0%
Strongly approve	8,589	1.4%
Don't know	46,423	7.5%
Frequency Missing	40,124	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

