
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2022



HHSC REGION 1 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	110

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 1. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	13.5%	17.3%	28.2%	71.8%
Grade 7	5.3%	7.5%	16.3%	83.7%
Grade 8	9.6%	12.4%	22.2%	77.8%
Grade 9	9.6%	12.8%	24.8%	75.2%
Grade 10	14.9%	19.1%	29.7%	70.3%
Grade 11	20.4%	25.6%	38.2%	61.8%
Grade 12	23.8%	29.1%	41.3%	58.7%
Cigarettes?				
All	2.3%	3.3%	10.3%	89.7%
Grade 7	0.4%	0.4%	4.1%	95.9%
Grade 8	1.5%	1.8%	8.0%	92.0%
Grade 9	1.5%	2.2%	7.2%	92.8%
Grade 10	3.2%	4.1%	11.8%	88.2%
Grade 11	2.7%	4.1%	14.1%	85.9%
Grade 12	5.1%	8.2%	18.1%	81.9%
Smokeless Tobacco?				
All	2.0%	2.4%	5.9%	94.1%
Grade 7	0.5%	0.7%	2.2%	97.8%
Grade 8	0.8%	1.3%	3.0%	97.0%
Grade 9	1.7%	2.0%	3.5%	96.5%
Grade 10	2.5%	2.8%	6.2%	93.8%
Grade 11	3.1%	3.5%	9.3%	90.7%
Grade 12	4.1%	4.9%	12.6%	87.4%
Electronic Vapor Products?				
All	10.5%	14.5%	26.0%	74.0%
Grade 7	3.4%	5.8%	14.9%	85.1%
Grade 8	7.4%	10.2%	20.3%	79.7%
Grade 9	8.0%	11.6%	23.3%	76.7%
Grade 10	11.2%	15.6%	27.3%	72.7%
Grade 11	16.3%	22.0%	35.3%	64.7%
Grade 12	18.8%	24.3%	37.6%	62.4%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	89.4%	1.8%	0.9%	1.1%	1.8%	1.8%	3.2%
Grade 7	96.9%	0.0%	0.0%	0.3%	0.5%	0.7%	1.5%
Grade 8	93.6%	0.0%	0.7%	0.7%	0.8%	1.9%	2.4%
Grade 9	93.6%	0.5%	0.8%	0.1%	1.6%	1.1%	2.3%
Grade 10	86.6%	2.2%	1.2%	2.0%	1.3%	2.7%	4.0%
Grade 11	84.3%	3.2%	1.5%	0.8%	4.0%	2.4%	3.8%
Grade 12	79.2%	5.9%	1.2%	3.0%	2.9%	2.1%	5.7%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.1	10.5	11.2	12.3	12.9	13.5	14.2

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	37.7%	20.7%	7.5%	9.1%	11.7%	13.2%
Grade 7	46.1%	29.5%	8.6%	6.8%	5.2%	3.8%
Grade 8	36.4%	29.0%	8.8%	8.9%	9.9%	7.0%
Grade 9	43.4%	19.5%	7.3%	8.6%	10.4%	10.8%
Grade 10	38.3%	17.9%	7.2%	8.2%	11.9%	16.4%
Grade 11	33.2%	13.9%	6.9%	9.5%	15.7%	20.8%
Grade 12	27.4%	11.8%	6.2%	13.1%	18.3%	23.1%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	79.6%	12.0%	4.3%	3.0%	1.1%
Grade 7	88.8%	8.1%	1.7%	0.7%	0.7%
Grade 8	84.7%	10.9%	3.1%	1.2%	0.1%
Grade 9	86.4%	8.8%	2.5%	2.0%	0.3%
Grade 10	80.2%	10.8%	3.9%	3.5%	1.5%
Grade 11	70.9%	15.8%	7.9%	3.8%	1.6%
Grade 12	63.7%	18.6%	7.4%	7.6%	2.8%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.4%	7.5%	7.0%	1.1%	0.7%	8.2%
Grade 7	84.3%	3.3%	2.5%	0.9%	0.4%	8.6%
Grade 8	84.0%	2.5%	4.2%	1.1%	0.3%	7.8%
Grade 9	73.0%	9.7%	5.7%	0.8%	0.4%	10.5%
Grade 10	70.7%	7.2%	9.7%	2.1%	1.7%	8.6%
Grade 11	72.2%	10.9%	7.7%	1.1%	0.5%	7.6%
Grade 12	66.3%	12.3%	13.2%	0.8%	1.3%	6.3%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	61.0%	23.4%	7.4%	1.3%	6.8%
	Grade 7	73.1%	16.9%	3.2%	0.1%	6.8%
	Grade 8	69.7%	20.7%	4.9%	0.1%	4.6%
	Grade 9	62.1%	22.2%	6.5%	1.0%	8.2%
	Grade 10	58.4%	23.4%	10.1%	2.0%	6.0%
	Grade 11	49.9%	29.7%	9.8%	1.7%	8.8%
	Grade 12	49.9%	29.1%	10.8%	3.2%	7.0%
Electronic Vapor Products?						
	All	63.2%	16.7%	9.8%	3.1%	7.2%
	Grade 7	73.7%	12.9%	4.5%	1.9%	7.0%
	Grade 8	68.9%	14.5%	9.3%	1.7%	5.6%
	Grade 9	63.2%	14.6%	11.0%	2.3%	8.9%
	Grade 10	61.8%	17.7%	9.1%	5.0%	6.4%
	Grade 11	57.1%	19.3%	11.7%	3.5%	8.3%
	Grade 12	52.4%	21.8%	13.7%	4.6%	7.4%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	26.8%	30.9%	48.3%	51.7%
Grade 7	14.8%	16.9%	35.0%	65.0%
Grade 8	21.3%	23.4%	41.5%	58.5%
Grade 9	22.7%	27.7%	45.9%	54.1%
Grade 10	28.6%	33.0%	47.0%	53.0%
Grade 11	33.9%	39.4%	59.6%	40.4%
Grade 12	43.0%	48.8%	64.4%	35.6%
Beer?				
All	9.9%	14.8%	37.2%	62.8%
Grade 7	3.8%	5.5%	27.4%	72.6%
Grade 8	7.4%	10.1%	31.2%	68.8%
Grade 9	7.3%	11.7%	32.0%	68.0%
Grade 10	8.8%	15.4%	35.9%	64.1%
Grade 11	13.2%	21.4%	47.0%	53.0%
Grade 12	20.3%	27.6%	53.3%	46.7%
Wine Coolers?				
All	8.7%	12.6%	28.7%	71.3%
Grade 7	2.1%	3.5%	12.1%	87.9%
Grade 8	6.0%	7.3%	21.2%	78.8%
Grade 9	7.5%	10.9%	25.2%	74.8%
Grade 10	8.6%	12.1%	30.5%	69.5%
Grade 11	10.8%	18.2%	39.9%	60.1%
Grade 12	18.7%	26.4%	47.4%	52.6%
Wine?				
All	6.3%	9.7%	28.2%	71.8%
Grade 7	2.7%	4.1%	18.6%	81.4%
Grade 8	5.0%	6.5%	23.0%	77.0%
Grade 9	5.7%	7.7%	25.5%	74.5%
Grade 10	5.9%	9.5%	28.3%	71.7%
Grade 11	7.3%	12.9%	33.2%	66.8%
Grade 12	12.3%	19.0%	43.5%	56.5%
Liquor?				
All	10.9%	16.0%	34.3%	65.7%
Grade 7	3.0%	4.5%	17.1%	82.9%
Grade 8	7.7%	10.0%	25.7%	74.3%
Grade 9	7.9%	12.0%	29.0%	71.0%
Grade 10	10.9%	17.0%	35.5%	64.5%
Grade 11	15.2%	24.5%	47.8%	52.2%
Grade 12	23.0%	31.5%	55.4%	44.6%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	64.6%	0.4%	1.3%	6.0%	10.3%	8.4%	9.1%
Grade 7	81.4%	0.0%	1.5%	1.2%	3.4%	6.7%	5.9%
Grade 8	73.1%	0.1%	0.1%	3.6%	6.8%	6.4%	9.9%
Grade 9	70.3%	0.3%	1.0%	2.9%	10.7%	6.4%	8.4%
Grade 10	61.3%	0.8%	1.0%	5.7%	12.0%	8.8%	10.5%
Grade 11	52.3%	1.0%	1.4%	8.3%	14.5%	12.5%	10.0%
Grade 12	44.9%	0.6%	3.0%	15.5%	16.1%	9.9%	10.0%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	67.1%	32.9%	6.9%	15.0%	11.1%
	Grade 7	76.4%	23.6%	1.5%	8.1%	13.9%
	Grade 8	73.6%	26.4%	2.1%	11.9%	12.5%
	Grade 9	70.6%	29.4%	3.7%	14.7%	11.1%
	Grade 10	67.0%	33.0%	9.0%	15.5%	8.5%
	Grade 11	59.9%	40.1%	9.9%	20.5%	9.7%
	Grade 12	51.9%	48.1%	17.0%	20.9%	10.2%
Wine Coolers	All	74.3%	25.7%	5.2%	14.6%	6.0%
	Grade 7	90.4%	9.6%	0.8%	4.1%	4.8%
	Grade 8	81.6%	18.4%	2.0%	10.2%	6.2%
	Grade 9	77.4%	22.6%	3.0%	12.5%	7.1%
	Grade 10	70.9%	29.1%	8.8%	14.4%	5.9%
	Grade 11	64.7%	35.3%	7.8%	21.7%	5.9%
	Grade 12	56.5%	43.5%	10.2%	27.2%	6.1%
Wine	All	76.6%	23.4%	2.3%	11.5%	9.6%
	Grade 7	85.4%	14.6%	1.0%	5.3%	8.3%
	Grade 8	80.9%	19.1%	1.5%	8.8%	8.7%
	Grade 9	78.9%	21.1%	1.5%	9.9%	9.7%
	Grade 10	76.3%	23.7%	2.7%	12.3%	8.6%
	Grade 11	72.6%	27.4%	2.3%	13.6%	11.6%
	Grade 12	63.0%	37.0%	5.1%	20.6%	11.3%
Liquor	All	68.5%	31.5%	7.9%	15.5%	8.2%
	Grade 7	84.8%	15.2%	1.1%	6.5%	7.5%
	Grade 8	77.1%	22.9%	3.2%	9.3%	10.3%
	Grade 9	73.4%	26.6%	4.5%	13.1%	9.0%
	Grade 10	67.3%	32.7%	11.4%	15.9%	5.4%
	Grade 11	56.1%	43.9%	10.4%	25.1%	8.5%
	Grade 12	48.0%	52.0%	18.7%	25.4%	7.9%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.9%	4.6%	2.5%	2.0%	0.6%	1.3%
Grade 7	94.4%	3.0%	1.0%	0.5%	0.0%	1.1%
Grade 8	95.4%	2.6%	0.8%	0.3%	0.4%	0.6%
Grade 9	90.8%	4.2%	2.0%	2.1%	0.0%	0.9%
Grade 10	87.3%	6.1%	1.3%	2.6%	0.9%	1.8%
Grade 11	85.3%	5.1%	4.7%	2.7%	0.7%	1.6%
Grade 12	78.7%	7.5%	5.6%	4.6%	2.0%	1.7%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.0	10.4	11.1	12.5	13.2	13.9	14.7

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	28.6%	14.3%	6.8%	10.7%	16.6%	22.9%
Grade 7	39.9%	21.9%	8.5%	8.4%	11.8%	9.6%
Grade 8	27.8%	19.5%	9.0%	11.8%	14.5%	17.4%
Grade 9	33.5%	11.9%	8.3%	10.3%	15.5%	20.5%
Grade 10	29.6%	12.4%	5.7%	10.1%	16.8%	25.3%
Grade 11	22.2%	10.8%	3.2%	12.2%	20.5%	31.2%
Grade 12	16.8%	7.7%	5.5%	11.8%	21.6%	36.5%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.8%	3.1%	0.6%	0.5%
Grade 7	97.4%	1.8%	0.5%	0.2%
Grade 8	95.9%	3.3%	0.7%	0.1%
Grade 9	96.9%	2.6%	0.4%	0.1%
Grade 10	96.3%	2.8%	0.3%	0.6%
Grade 11	95.5%	3.1%	0.6%	0.8%
Grade 12	92.4%	5.2%	1.2%	1.2%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.7
Alcohol Non-Users	4.6
Average Days Conduct Problems Reported	
Alcohol Users	2.4
Alcohol Non-Users	0.9

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	93.8%	4.4%	0.7%	1.0%
Grade 9	97.8%	1.5%	0.4%	0.3%
Grade 10	95.5%	3.0%	0.8%	0.7%
Grade 11	94.9%	4.2%	0.4%	0.4%
Grade 12	86.9%	9.2%	1.3%	2.6%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.7%	3.6%	0.4%	0.3%
Grade 7	96.6%	2.8%	0.1%	0.5%
Grade 8	97.1%	2.4%	0.5%	0.0%
Grade 9	96.6%	2.5%	0.2%	0.7%
Grade 10	95.2%	4.1%	0.4%	0.3%
Grade 11	96.0%	3.5%	0.4%	0.1%
Grade 12	92.1%	6.4%	1.0%	0.5%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	54.2%	23.2%	10.9%	9.0%	2.7%
Grade 7	75.1%	17.6%	4.5%	1.7%	1.1%
Grade 8	63.0%	24.4%	7.8%	4.2%	0.7%
Grade 9	59.1%	24.6%	8.9%	5.6%	1.8%
Grade 10	49.6%	24.1%	11.1%	12.3%	2.9%
Grade 11	40.4%	25.6%	17.5%	13.0%	3.5%
Grade 12	33.1%	22.9%	17.1%	19.8%	7.1%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	54.3%	5.5%	5.1%	7.8%	8.6%	1.8%	16.8%
Grade 7	73.2%	5.1%	3.8%	3.0%	2.9%	2.3%	9.7%
Grade 8	62.9%	6.2%	5.6%	3.7%	2.7%	1.8%	17.1%
Grade 9	55.6%	6.8%	5.3%	5.9%	5.1%	2.4%	18.9%
Grade 10	49.2%	4.5%	3.8%	9.8%	10.7%	1.7%	20.4%
Grade 11	43.4%	4.7%	7.0%	11.8%	13.5%	0.7%	18.9%
Grade 12	38.0%	5.8%	5.2%	13.8%	18.6%	1.9%	16.7%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	64.7%	13.5%	13.6%	5.9%	2.3%
	Grade 7	76.0%	13.3%	6.5%	2.8%	1.4%
	Grade 8	69.6%	15.7%	8.9%	4.2%	1.6%
	Grade 9	70.3%	11.2%	12.6%	3.8%	2.0%
	Grade 10	62.9%	13.7%	13.6%	7.7%	2.2%
	Grade 11	56.3%	13.5%	20.9%	6.6%	2.7%
	Grade 12	50.2%	13.7%	20.8%	10.9%	4.3%
Friends?						
	All	64.8%	14.6%	10.3%	7.8%	2.5%
	Grade 7	78.6%	15.6%	3.7%	1.6%	0.5%
	Grade 8	70.5%	16.2%	8.2%	4.2%	0.9%
	Grade 9	69.1%	13.4%	9.5%	5.0%	3.0%
	Grade 10	63.7%	15.3%	10.5%	8.6%	2.0%
	Grade 11	55.6%	15.6%	13.5%	12.6%	2.7%
	Grade 12	47.9%	11.5%	17.6%	16.5%	6.5%
A Store?						
	All	67.9%	24.1%	3.8%	3.0%	1.2%
	Grade 7	79.4%	18.1%	0.9%	1.2%	0.4%
	Grade 8	73.4%	22.7%	2.5%	1.2%	0.2%
	Grade 9	73.8%	21.5%	2.9%	1.0%	0.8%
	Grade 10	65.7%	26.0%	3.4%	4.6%	0.3%
	Grade 11	59.6%	27.8%	5.4%	4.7%	2.5%
	Grade 12	52.4%	29.7%	8.7%	6.1%	3.1%
Parties?						
	All	63.0%	13.8%	9.3%	8.2%	5.8%
	Grade 7	76.4%	13.3%	5.1%	3.3%	1.8%
	Grade 8	68.6%	17.0%	6.3%	5.9%	2.3%
	Grade 9	67.4%	11.2%	11.0%	5.1%	5.3%
	Grade 10	61.1%	13.7%	10.0%	9.0%	6.1%
	Grade 11	54.8%	15.4%	10.8%	12.8%	6.2%
	Grade 12	46.4%	11.9%	13.4%	14.4%	14.0%
Other Sources?						
	All	68.5%	18.4%	6.8%	3.6%	2.8%
	Grade 7	80.0%	14.6%	3.3%	0.9%	1.2%
	Grade 8	73.1%	18.1%	4.9%	3.1%	0.9%
	Grade 9	72.4%	14.8%	6.9%	3.0%	2.9%
	Grade 10	66.7%	19.9%	5.9%	4.8%	2.8%
	Grade 11	61.3%	21.6%	8.9%	4.3%	3.9%
	Grade 12	54.5%	22.3%	11.6%	5.9%	5.8%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	56.2%	14.4%	14.9%	5.0%	1.1%	8.3%
Grade 7	72.7%	8.9%	6.3%	2.6%	0.6%	9.0%
Grade 8	67.1%	11.8%	9.3%	4.0%	0.5%	7.2%
Grade 9	52.5%	16.3%	15.2%	4.7%	1.2%	10.2%
Grade 10	52.6%	15.2%	16.6%	4.6%	1.9%	9.1%
Grade 11	48.9%	17.0%	18.6%	6.7%	0.9%	7.9%
Grade 12	41.2%	17.6%	24.8%	8.1%	1.8%	6.5%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	48.1%	30.0%	13.8%	2.8%	5.3%
Grade 7	52.8%	27.6%	12.2%	1.3%	6.1%
Grade 8	52.6%	28.5%	13.1%	1.9%	3.9%
Grade 9	45.8%	31.1%	13.5%	2.9%	6.8%
Grade 10	49.2%	29.9%	13.5%	3.5%	4.0%
Grade 11	46.1%	29.1%	16.3%	2.6%	5.9%
Grade 12	40.9%	34.1%	14.8%	5.2%	5.0%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	13.3%	17.1%	22.4%	77.6%
Grade 7	3.8%	6.4%	7.8%	92.2%
Grade 8	6.6%	10.4%	12.1%	87.9%
Grade 9	11.1%	14.0%	20.1%	79.9%
Grade 10	17.9%	20.9%	25.3%	74.7%
Grade 11	20.0%	24.8%	34.2%	65.8%
Grade 12	23.5%	29.0%	39.3%	60.7%
Marijuana?				
All	12.7%	15.0%	20.5%	79.5%
Grade 7	3.3%	4.0%	5.5%	94.5%
Grade 8	6.3%	8.3%	10.2%	89.8%
Grade 9	10.5%	12.2%	18.1%	81.9%
Grade 10	17.3%	19.1%	23.8%	76.2%
Grade 11	18.9%	22.6%	32.5%	67.5%
Grade 12	22.8%	27.2%	37.3%	62.7%
Cocaine?				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	1.4%	1.4%	2.1%	97.9%
Grade 11	1.2%	1.4%	2.9%	97.1%
Grade 12	1.5%	1.5%	3.3%	96.7%
Crack?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.5%	0.5%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.4%	99.6%
Hallucinogens?				
All	0.8%	1.4%	2.8%	97.2%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.3%	0.6%	1.6%	98.4%
Grade 10	1.4%	2.3%	4.5%	95.5%
Grade 11	1.4%	3.0%	4.1%	95.9%
Grade 12	1.5%	2.4%	5.9%	94.1%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.1%	0.4%	99.6%
Grade 10	0.1%	0.5%	0.7%	99.3%
Grade 11	0.2%	0.5%	0.5%	99.5%
Grade 12	0.1%	0.4%	0.6%	99.4%
Steroids?				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.0%	0.2%	1.2%	98.8%
Grade 9	1.0%	1.5%	3.0%	97.0%
Grade 10	0.8%	0.8%	1.1%	98.9%
Grade 11	0.6%	0.6%	1.1%	98.9%
Grade 12	0.2%	0.4%	1.1%	98.9%
Ecstasy?				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.4%	0.5%	1.8%	98.2%
Grade 11	0.2%	0.5%	1.6%	98.4%
Grade 12	0.4%	0.6%	1.9%	98.1%
Heroin?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.2%	99.8%
Methamphetamine?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.3%	0.6%	99.4%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.0%	1.5%	2.5%	97.5%
Grade 7	0.4%	0.5%	1.2%	98.8%
Grade 8	0.4%	1.0%	1.2%	98.8%
Grade 9	1.2%	1.5%	2.6%	97.4%
Grade 10	1.8%	2.9%	4.4%	95.6%
Grade 11	1.1%	1.8%	3.1%	96.9%
Grade 12	1.6%	1.7%	2.6%	97.4%
Delta 8?				
All	3.3%	4.8%	7.2%	92.8%
Grade 7	0.3%	1.0%	2.2%	97.8%
Grade 8	0.8%	1.9%	3.1%	96.9%
Grade 9	3.6%	4.5%	6.5%	93.5%
Grade 10	5.6%	7.0%	8.9%	91.1%
Grade 11	4.5%	7.5%	11.7%	88.3%
Grade 12	5.6%	8.2%	12.7%	87.3%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	83.0%	2.4%	1.9%	2.2%	3.4%	3.0%	4.2%
	Grade 7	95.2%	0.2%	0.4%	0.9%	1.2%	1.0%	1.1%
	Grade 8	90.3%	0.4%	1.4%	1.0%	2.4%	2.8%	1.7%
	Grade 9	86.9%	2.2%	1.1%	1.2%	2.3%	2.2%	4.0%
	Grade 10	78.8%	2.3%	3.6%	4.5%	3.7%	2.9%	4.2%
	Grade 11	74.9%	5.4%	1.8%	1.9%	5.3%	4.6%	6.2%
	Grade 12	68.8%	4.3%	3.2%	3.8%	6.0%	5.2%	8.7%
Cocaine?								
	All	99.1%	0.0%	0.0%	0.1%	0.1%	0.2%	0.5%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.0%	0.0%	0.1%	0.2%	0.2%	0.0%	0.6%
	Grade 11	98.2%	0.0%	0.0%	0.2%	0.3%	0.6%	0.8%
	Grade 12	97.8%	0.0%	0.2%	0.0%	0.0%	0.2%	1.7%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.4%	0.1%	0.1%	0.1%	0.0%	0.1%	0.2%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 12	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Steroids?								
	All	99.3%	0.0%	0.1%	0.0%	0.1%	0.1%	0.3%
	Grade 7	99.4%	0.0%	0.0%	0.1%	0.0%	0.1%	0.4%
	Grade 8	99.2%	0.0%	0.0%	0.0%	0.0%	0.4%	0.4%
	Grade 9	99.1%	0.0%	0.4%	0.0%	0.3%	0.0%	0.3%
	Grade 10	99.5%	0.0%	0.0%	0.1%	0.0%	0.1%	0.3%
	Grade 11	99.3%	0.2%	0.2%	0.0%	0.2%	0.2%	0.0%
	Grade 12	99.1%	0.0%	0.0%	0.0%	0.2%	0.0%	0.7%
Ecstasy?								
	All	99.3%	0.0%	0.0%	0.1%	0.0%	0.1%	0.4%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	98.9%	0.0%	0.0%	0.3%	0.0%	0.1%	0.7%
	Grade 11	98.5%	0.0%	0.0%	0.0%	0.2%	0.5%	0.8%
	Grade 12	98.9%	0.0%	0.0%	0.4%	0.0%	0.0%	0.8%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 12	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
	Grade 9	99.7%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.2%	0.0%	0.1%	0.2%	0.0%	0.0%	0.5%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Synthetic Marijuana?								
	All	98.2%	0.1%	0.1%	0.3%	0.4%	0.5%	0.4%
	Grade 7	99.1%	0.0%	0.0%	0.1%	0.0%	0.4%	0.4%
	Grade 8	98.9%	0.0%	0.0%	0.2%	0.6%	0.3%	0.0%
	Grade 9	98.5%	0.0%	0.3%	0.4%	0.3%	0.1%	0.4%
	Grade 10	96.8%	0.2%	0.1%	0.6%	1.0%	0.5%	0.8%
	Grade 11	97.4%	0.1%	0.0%	0.4%	0.2%	1.2%	0.7%
	Grade 12	98.2%	0.2%	0.4%	0.2%	0.2%	0.5%	0.2%
Delta 8?								
	All	94.6%	0.3%	0.5%	0.9%	1.6%	0.9%	1.1%
	Grade 7	98.4%	0.0%	0.1%	0.1%	0.3%	0.4%	0.7%
	Grade 8	97.7%	0.2%	0.0%	0.5%	1.1%	0.4%	0.2%
	Grade 9	95.6%	0.1%	0.4%	1.4%	1.0%	0.7%	0.8%
	Grade 10	93.1%	0.6%	1.2%	1.4%	2.0%	0.7%	0.9%
	Grade 11	91.1%	0.8%	0.3%	1.3%	2.4%	2.1%	2.0%
	Grade 12	90.7%	0.5%	1.1%	1.0%	3.1%	1.0%	2.7%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.9	11.0	12.2	13.4	13.7	14.4	15.0
Cocaine	14.9	10.0	13.0	14.0	13.9	14.7	16.7
Crack	12.8	11.6	8.0	14.0	13.2	13.9	8.0
Steroids	11.8	8.6	8.0	11.2	12.8	15.5	15.5
Ecstasy	14.6	N/A	13.0	12.0	14.1	14.7	16.3
Heroin	13.7	N/A	13.0	N/A	12.0	13.7	16.5
Methamphetamine	13.1	N/A	13.0	10.8	13.5	13.4	16.8
Synthetic Marijuana	13.7	9.2	12.9	13.0	13.5	14.8	15.8
Delta 8?	15.1	11.8	13.0	13.7	14.3	15.7	16.7

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	35.2%	23.2%	8.4%	8.1%	10.5%	14.6%
	Grade 7	49.9%	32.1%	7.0%	4.3%	2.8%	3.9%
	Grade 8	35.4%	33.4%	10.3%	7.2%	6.9%	6.8%
	Grade 9	39.1%	20.7%	9.2%	7.8%	9.7%	13.5%
	Grade 10	33.9%	21.4%	7.0%	8.9%	12.3%	16.5%
	Grade 11	27.7%	16.2%	8.1%	8.8%	15.8%	23.4%
	Grade 12	22.9%	12.9%	8.7%	12.0%	17.0%	26.6%
Cocaine?							
	All	46.2%	32.6%	10.2%	5.5%	2.5%	3.0%
	Grade 7	51.9%	36.7%	7.4%	1.8%	0.5%	1.7%
	Grade 8	44.0%	39.3%	10.5%	3.4%	1.7%	1.1%
	Grade 9	49.4%	31.6%	9.4%	5.1%	2.7%	1.9%
	Grade 10	45.7%	32.1%	9.1%	6.9%	3.2%	2.9%
	Grade 11	44.3%	28.3%	11.0%	6.2%	4.2%	6.0%
	Grade 12	41.3%	25.9%	14.0%	10.6%	3.2%	4.9%
Crack?							
	All	47.7%	33.5%	10.2%	4.2%	2.1%	2.4%
	Grade 7	52.5%	37.0%	7.2%	0.9%	0.7%	1.7%
	Grade 8	45.3%	39.8%	9.7%	2.4%	1.5%	1.4%
	Grade 9	49.4%	32.5%	9.7%	4.7%	2.1%	1.6%
	Grade 10	46.8%	32.9%	9.5%	5.4%	3.3%	2.0%
	Grade 11	47.0%	30.3%	11.2%	5.2%	2.3%	4.0%
	Grade 12	44.7%	27.1%	14.3%	7.1%	2.9%	3.9%
Steroids?							
	All	49.3%	30.6%	8.9%	5.4%	3.2%	2.6%
	Grade 7	54.3%	31.6%	7.7%	3.1%	1.2%	2.0%
	Grade 8	46.0%	37.5%	8.5%	3.9%	2.5%	1.5%
	Grade 9	52.6%	27.9%	8.0%	6.5%	2.6%	2.4%
	Grade 10	48.3%	30.8%	8.5%	5.9%	4.6%	1.9%
	Grade 11	47.1%	28.9%	10.8%	4.3%	4.5%	4.5%
	Grade 12	47.0%	25.5%	10.3%	9.4%	4.3%	3.6%
Ecstasy?							
	All	57.5%	27.1%	7.4%	4.0%	2.0%	2.1%
	Grade 7	66.9%	25.5%	5.1%	0.8%	0.6%	1.1%
	Grade 8	56.9%	31.3%	7.0%	2.3%	1.5%	0.9%
	Grade 9	62.0%	24.4%	7.1%	4.6%	0.9%	1.0%
	Grade 10	55.1%	27.7%	7.0%	4.8%	4.0%	1.5%
	Grade 11	54.1%	26.8%	8.4%	4.2%	2.4%	4.1%
	Grade 12	48.3%	26.6%	9.9%	7.9%	3.0%	4.2%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	52.7%	32.2%	8.6%	3.3%	1.4%	1.7%
	Grade 7	60.0%	31.0%	6.1%	1.1%	0.7%	1.1%
	Grade 8	50.9%	37.4%	7.0%	2.0%	1.6%	1.2%
	Grade 9	56.9%	29.9%	7.1%	4.6%	0.8%	0.7%
	Grade 10	51.6%	32.1%	8.5%	4.7%	1.8%	1.2%
	Grade 11	48.3%	32.0%	11.1%	3.4%	2.0%	3.3%
	Grade 12	47.3%	30.5%	12.8%	4.5%	1.8%	3.0%
Methamphetamine?							
	All	53.7%	30.9%	8.7%	3.1%	1.8%	1.8%
	Grade 7	61.4%	29.4%	6.4%	1.1%	0.6%	1.0%
	Grade 8	53.1%	36.3%	7.1%	1.5%	0.9%	1.1%
	Grade 9	58.8%	26.9%	6.2%	4.8%	2.2%	1.0%
	Grade 10	51.5%	31.7%	8.4%	4.5%	2.7%	1.2%
	Grade 11	49.3%	30.4%	11.7%	2.4%	3.0%	3.3%
	Grade 12	47.0%	30.2%	13.3%	4.4%	1.7%	3.3%
Synthetic Marijuana?							
	All	55.7%	26.1%	7.3%	3.6%	3.5%	3.8%
	Grade 7	63.1%	28.3%	5.3%	1.2%	0.7%	1.3%
	Grade 8	55.4%	30.7%	6.9%	2.4%	2.8%	1.8%
	Grade 9	59.5%	23.0%	6.2%	4.0%	3.3%	4.0%
	Grade 10	52.7%	26.7%	6.6%	3.9%	5.9%	4.2%
	Grade 11	52.6%	23.9%	8.6%	2.5%	5.3%	7.0%
	Grade 12	49.6%	23.2%	10.4%	7.9%	3.6%	5.3%
Delta 8?							
	All	55.3%	24.2%	6.3%	3.9%	4.1%	6.0%
	Grade 7	63.5%	27.3%	5.4%	0.7%	1.8%	1.2%
	Grade 8	53.4%	28.5%	6.7%	4.9%	3.8%	2.8%
	Grade 9	60.4%	21.8%	6.1%	4.6%	1.8%	5.3%
	Grade 10	53.7%	25.7%	6.0%	3.9%	3.7%	7.0%
	Grade 11	51.3%	20.2%	7.0%	2.8%	7.7%	11.0%
	Grade 12	48.4%	21.1%	6.8%	6.9%	6.6%	10.2%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	92.7%	3.7%	1.2%	2.5%
Grade 7	97.7%	1.9%	0.2%	0.2%
Grade 8	95.7%	3.0%	0.4%	0.9%
Grade 9	94.7%	2.5%	1.3%	1.5%
Grade 10	90.0%	5.7%	1.4%	2.9%
Grade 11	89.4%	3.8%	2.0%	4.8%
Grade 12	87.4%	5.6%	1.8%	5.2%
Attended Class While High from Use of Some Other Drug?				
All	97.8%	1.6%	0.2%	0.4%
Grade 7	97.7%	1.8%	0.2%	0.3%
Grade 8	97.6%	2.0%	0.2%	0.1%
Grade 9	99.2%	0.4%	0.0%	0.4%
Grade 10	97.8%	1.6%	0.1%	0.6%
Grade 11	97.1%	1.9%	0.6%	0.4%
Grade 12	97.2%	1.9%	0.2%	0.7%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.1
Marijuana Non-Users	4.8
Average Days Conduct Problems Reported	
Marijuana Users	3.0
Marijuana Non-Users	1.2

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.0%	3.1%	0.8%	2.1%
Grade 9	98.3%	1.1%	0.3%	0.3%
Grade 10	94.5%	3.2%	0.6%	1.6%
Grade 11	93.7%	2.6%	1.0%	2.6%
Grade 12	89.0%	5.3%	1.5%	4.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.8%	2.3%	0.5%	0.4%
Grade 7	97.9%	1.5%	0.5%	0.0%
Grade 8	96.4%	3.3%	0.3%	0.0%
Grade 9	97.1%	1.7%	0.8%	0.4%
Grade 10	96.0%	2.6%	0.3%	1.0%
Grade 11	97.5%	1.7%	0.5%	0.3%
Grade 12	95.6%	2.9%	0.8%	0.6%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	66.8%	15.8%	7.6%	6.6%	3.1%
Grade 7	86.8%	8.8%	2.3%	1.5%	0.6%
Grade 8	77.1%	13.5%	4.4%	4.1%	0.9%
Grade 9	71.6%	14.4%	6.3%	5.0%	2.6%
Grade 10	62.6%	14.8%	9.3%	9.4%	4.0%
Grade 11	51.7%	22.3%	12.1%	8.1%	5.8%
Grade 12	45.9%	22.8%	12.8%	12.6%	5.8%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	63.9%	4.9%	4.0%	3.7%	4.4%	2.4%	16.7%
Grade 7	82.2%	1.6%	1.9%	0.7%	1.0%	2.6%	10.0%
Grade 8	72.0%	3.5%	3.5%	0.7%	1.5%	2.2%	16.6%
Grade 9	66.7%	4.4%	3.0%	1.3%	2.8%	2.6%	19.3%
Grade 10	57.7%	4.5%	4.7%	5.9%	5.0%	1.7%	20.4%
Grade 11	54.9%	6.0%	5.2%	5.7%	8.1%	1.9%	18.3%
Grade 12	46.2%	10.1%	5.8%	9.1%	9.1%	3.7%	16.0%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	74.2%	6.5%	7.2%	2.5%	1.4%	8.3%
Grade 7	85.2%	2.2%	2.2%	0.7%	0.4%	9.2%
Grade 8	84.7%	3.0%	3.2%	1.1%	1.0%	7.0%
Grade 9	71.1%	8.5%	7.2%	1.6%	1.2%	10.5%
Grade 10	69.0%	6.5%	9.0%	3.7%	2.7%	9.1%
Grade 11	66.9%	10.1%	10.5%	3.8%	0.7%	8.0%
Grade 12	66.1%	9.1%	12.2%	4.3%	2.4%	5.9%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	60.1%	14.8%	11.8%	7.5%	5.9%
	Grade 7	78.5%	8.5%	5.2%	1.7%	6.1%
	Grade 8	72.5%	14.1%	7.1%	1.4%	4.9%
	Grade 9	59.2%	15.1%	11.7%	7.0%	7.0%
	Grade 10	56.5%	15.4%	12.5%	10.9%	4.8%
	Grade 11	46.8%	17.9%	16.6%	11.1%	7.6%
	Grade 12	42.7%	18.7%	19.1%	14.4%	5.1%
Cocaine?	All	86.9%	5.6%	0.6%	0.3%	6.5%
	Grade 7	86.3%	5.7%	1.3%	0.0%	6.7%
	Grade 8	90.3%	4.1%	0.5%	0.2%	4.9%
	Grade 9	86.1%	6.2%	0.4%	0.0%	7.3%
	Grade 10	86.2%	7.0%	0.7%	0.8%	5.3%
	Grade 11	84.6%	6.3%	0.2%	0.7%	8.2%
	Grade 12	87.6%	4.7%	0.3%	0.5%	6.9%
Crack?	All	87.7%	4.6%	0.5%	0.3%	6.9%
	Grade 7	86.8%	5.4%	0.9%	0.0%	7.0%
	Grade 8	91.6%	2.9%	0.5%	0.0%	5.1%
	Grade 9	85.1%	6.2%	0.8%	0.0%	7.9%
	Grade 10	87.6%	5.5%	0.5%	0.7%	5.7%
	Grade 11	86.4%	4.4%	0.2%	0.4%	8.6%
	Grade 12	88.4%	3.3%	0.1%	0.7%	7.5%
Ecstasy?	All	80.7%	6.0%	0.9%	0.3%	12.1%
	Grade 7	81.3%	5.9%	0.7%	0.1%	12.1%
	Grade 8	84.1%	4.1%	0.6%	0.1%	11.1%
	Grade 9	80.2%	6.4%	0.9%	0.0%	12.6%
	Grade 10	79.3%	7.3%	1.1%	0.9%	11.3%
	Grade 11	78.0%	6.5%	0.4%	0.2%	15.0%
	Grade 12	80.5%	6.2%	1.8%	1.0%	10.5%
Steroids?	All	77.8%	10.3%	2.8%	0.6%	8.4%
	Grade 7	79.1%	9.8%	3.2%	0.6%	7.3%
	Grade 8	83.6%	7.5%	1.8%	0.5%	6.6%
	Grade 9	74.7%	12.5%	3.1%	0.2%	9.5%
	Grade 10	76.8%	11.2%	3.0%	1.0%	8.1%
	Grade 11	76.2%	10.7%	2.3%	0.8%	10.1%
	Grade 12	75.8%	10.6%	3.5%	0.7%	9.3%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	86.3%	4.5%	0.4%	0.3%	8.5%
	Grade 7	84.6%	5.7%	0.5%	0.0%	9.2%
	Grade 8	88.3%	2.8%	0.7%	0.0%	8.2%
	Grade 9	85.7%	5.0%	0.7%	0.0%	8.6%
	Grade 10	84.9%	5.8%	0.5%	0.9%	8.0%
	Grade 11	86.2%	4.0%	0.0%	0.2%	9.6%
	Grade 12	88.0%	3.7%	0.1%	0.7%	7.5%
Methamphetamine?						
	All	86.3%	4.0%	0.5%	0.3%	8.8%
	Grade 7	85.0%	4.6%	0.4%	0.0%	10.0%
	Grade 8	88.2%	2.5%	0.3%	0.1%	8.9%
	Grade 9	84.2%	5.1%	1.1%	0.1%	9.5%
	Grade 10	86.9%	4.5%	0.7%	0.6%	7.3%
	Grade 11	86.0%	3.9%	0.0%	0.2%	9.9%
	Grade 12	87.8%	3.5%	0.4%	1.0%	7.3%
Synthetic Marijuana?						
	All	78.9%	6.6%	2.2%	0.9%	11.4%
	Grade 7	82.8%	5.6%	1.0%	0.0%	10.7%
	Grade 8	84.9%	4.2%	1.1%	0.4%	9.4%
	Grade 9	75.5%	8.9%	1.5%	0.7%	13.4%
	Grade 10	76.1%	8.0%	2.7%	2.0%	11.3%
	Grade 11	74.6%	7.6%	4.1%	1.0%	12.8%
	Grade 12	78.6%	6.0%	3.0%	1.5%	10.9%
Delta 8?						
	All	73.3%	8.1%	3.6%	2.7%	12.3%
	Grade 7	80.8%	5.7%	1.7%	0.5%	11.4%
	Grade 8	80.2%	6.6%	2.3%	0.5%	10.3%
	Grade 9	72.0%	9.5%	3.3%	2.2%	13.0%
	Grade 10	70.1%	9.2%	3.8%	4.2%	12.7%
	Grade 11	67.6%	8.9%	4.9%	3.5%	15.1%
	Grade 12	66.9%	9.0%	6.2%	6.1%	11.8%
Fictional Drug?						
	All	80.9%	4.2%	0.4%	0.2%	14.3%
	Grade 7	81.3%	4.5%	0.4%	0.0%	13.7%
	Grade 8	84.6%	3.3%	0.3%	0.0%	11.8%
	Grade 9	81.4%	4.5%	0.7%	0.0%	13.4%
	Grade 10	78.9%	5.0%	0.5%	0.7%	15.0%
	Grade 11	78.6%	3.7%	0.0%	0.2%	17.5%
	Grade 12	79.9%	4.2%	0.6%	0.5%	14.8%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	5.4%	8.3%	14.9%	85.1%
Grade 7	5.0%	7.7%	13.6%	86.4%
Grade 8	5.0%	7.6%	12.0%	88.0%
Grade 9	5.8%	8.4%	15.0%	85.0%
Grade 10	6.8%	9.2%	16.2%	83.8%
Grade 11	4.8%	8.0%	16.6%	83.4%
Grade 12	4.9%	9.0%	16.6%	83.4%
Codeine Cough Syrup?				
All	2.7%	5.0%	9.8%	90.2%
Grade 7	2.7%	5.0%	9.0%	91.0%
Grade 8	2.0%	5.1%	8.7%	91.3%
Grade 9	2.9%	4.9%	9.7%	90.3%
Grade 10	4.2%	5.5%	9.8%	90.2%
Grade 11	1.7%	4.8%	11.3%	88.7%
Grade 12	2.5%	4.6%	10.6%	89.4%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.9%	1.4%	3.4%	96.6%
Grade 7	0.1%	0.1%	1.0%	99.0%
Grade 8	0.8%	1.1%	1.9%	98.1%
Grade 9	1.0%	1.6%	3.2%	96.8%
Grade 10	1.3%	1.5%	4.3%	95.7%
Grade 11	0.8%	1.7%	4.2%	95.8%
Grade 12	1.4%	2.9%	6.1%	93.9%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.8%	1.3%	3.0%	97.0%
Grade 7	0.8%	0.9%	1.6%	98.4%
Grade 8	1.0%	1.4%	1.5%	98.5%
Grade 9	1.2%	1.9%	3.5%	96.5%
Grade 10	0.2%	0.8%	3.2%	96.8%
Grade 11	0.6%	1.5%	3.5%	96.5%
Grade 12	1.2%	1.4%	5.0%	95.0%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.3%	1.9%	3.7%	96.3%
Grade 7	0.9%	1.5%	1.7%	98.3%
Grade 8	1.9%	1.9%	2.2%	97.8%
Grade 9	1.4%	2.0%	4.1%	95.9%
Grade 10	0.4%	0.4%	2.7%	97.3%
Grade 11	1.5%	2.6%	6.2%	93.8%
Grade 12	2.0%	3.1%	5.8%	94.2%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.2%	3.4%	7.0%	93.0%
Grade 7	2.0%	3.3%	6.7%	93.3%
Grade 8	2.7%	3.6%	7.1%	92.9%
Grade 9	2.9%	4.0%	8.0%	92.0%
Grade 10	3.4%	4.2%	7.9%	92.1%
Grade 11	1.3%	2.7%	6.9%	93.1%
Grade 12	1.1%	2.7%	5.2%	94.8%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.7%	1.1%	2.4%	97.6%
Grade 7	0.8%	0.9%	3.3%	96.7%
Grade 8	1.2%	1.6%	2.8%	97.2%
Grade 9	0.3%	0.3%	1.8%	98.2%
Grade 10	1.4%	2.2%	3.6%	96.4%
Grade 11	0.3%	0.7%	1.2%	98.8%
Grade 12	0.1%	0.8%	1.8%	98.2%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.3%	11.6%	3.4%	1.2%	8.5%
Grade 7	78.0%	9.2%	3.5%	1.6%	7.7%
Grade 8	79.3%	9.0%	4.0%	1.0%	6.7%
Grade 9	74.2%	12.6%	2.8%	0.2%	10.2%
Grade 10	73.4%	12.4%	4.4%	1.7%	8.1%
Grade 11	72.2%	13.1%	3.4%	0.7%	10.6%
Grade 12	74.1%	14.1%	2.4%	1.8%	7.6%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.9%	5.5%	11.0%	89.0%
Grade 7	4.0%	5.3%	11.0%	89.0%
Grade 8	6.0%	7.1%	10.8%	89.2%
Grade 9	3.7%	4.8%	11.9%	88.1%
Grade 10	2.9%	5.9%	10.6%	89.4%
Grade 11	3.0%	4.2%	10.4%	89.6%
Grade 12	3.1%	5.4%	11.4%	88.6%
Spray Paint?				
All	0.2%	0.3%	2.0%	98.0%
Grade 7	0.1%	0.2%	2.0%	98.0%
Grade 8	0.8%	1.0%	2.9%	97.1%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.2%	0.3%	1.5%	98.5%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.0%	0.1%	2.7%	97.3%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.6%	0.9%	3.6%	96.4%
Grade 7	1.2%	1.2%	4.5%	95.5%
Grade 8	1.1%	1.9%	4.8%	95.2%
Grade 9	0.6%	0.6%	4.9%	95.1%
Grade 10	0.4%	0.6%	2.9%	97.1%
Grade 11	0.3%	0.3%	1.7%	98.3%
Grade 12	0.2%	0.4%	2.3%	97.7%
Computer Dusting Sprays?				
All	0.1%	0.2%	1.0%	99.0%
Grade 7	0.2%	0.3%	1.3%	98.7%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.2%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.2%	1.3%	98.7%
Grade 12	0.4%	0.4%	1.8%	98.2%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.0%	1.7%	5.4%	94.6%
Grade 7	1.5%	2.0%	5.6%	94.4%
Grade 8	1.2%	2.3%	5.5%	94.5%
Grade 9	0.5%	1.1%	5.8%	94.2%
Grade 10	0.7%	2.1%	4.2%	95.8%
Grade 11	0.8%	1.1%	5.3%	94.7%
Grade 12	1.3%	1.8%	6.0%	94.0%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.6%	99.4%
Grade 9	0.1%	0.5%	1.2%	98.8%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.0%	0.1%	0.8%	99.2%
Toluene, Paint Thinner, or Other Solvents?				
All	0.1%	0.3%	1.0%	99.0%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.3%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.2%	0.7%	99.3%
Grade 10	0.1%	0.5%	1.3%	98.7%
Grade 11	0.0%	0.1%	0.9%	99.1%
Grade 12	0.0%	0.1%	1.7%	98.3%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	0.7%	2.2%	97.8%
Grade 7	0.7%	0.7%	3.3%	96.7%
Grade 8	1.2%	1.2%	2.4%	97.6%
Grade 9	0.6%	0.6%	2.2%	97.8%
Grade 10	0.5%	0.7%	1.0%	99.0%
Grade 11	0.3%	0.3%	1.8%	98.2%
Grade 12	0.1%	0.4%	2.5%	97.5%
Other Aerosols/Sprays?				
All	0.3%	0.4%	1.4%	98.6%
Grade 7	0.3%	0.3%	2.7%	97.3%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	0.3%	0.8%	2.1%	97.9%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.1%	1.1%	98.9%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.5%	0.0%	0.2%	0.2%	0.3%	0.3%	1.4%
Grade 7	96.3%	0.0%	0.1%	0.1%	0.7%	0.2%	2.6%
Grade 8	97.6%	0.0%	0.6%	0.5%	0.1%	0.2%	0.8%
Grade 9	98.0%	0.0%	0.0%	0.3%	0.5%	0.4%	0.9%
Grade 10	97.1%	0.0%	0.3%	0.3%	0.1%	0.3%	2.0%
Grade 11	98.7%	0.0%	0.0%	0.1%	0.4%	0.1%	0.7%
Grade 12	97.7%	0.2%	0.0%	0.0%	0.2%	0.8%	1.1%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	91.6%	4.3%	3.0%	1.1%
Grade 7	90.6%	4.4%	3.7%	1.3%
Grade 8	91.1%	4.1%	3.4%	1.5%
Grade 9	90.3%	5.0%	3.8%	1.0%
Grade 10	93.6%	3.1%	3.0%	0.3%
Grade 11	92.7%	4.5%	1.8%	1.0%
Grade 12	91.4%	4.8%	2.4%	1.4%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.7	10.3	10.7	11.2	12.3	13.8	13.1

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.8%	0.6%	0.3%	0.3%
Grade 7	99.1%	0.7%	0.0%	0.2%
Grade 8	98.8%	0.7%	0.3%	0.1%
Grade 9	99.0%	0.7%	0.2%	0.2%
Grade 10	98.1%	0.9%	0.6%	0.4%
Grade 11	99.5%	0.2%	0.0%	0.2%
Grade 12	98.1%	0.3%	0.6%	1.0%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	3.9
Inhalant Non-Users	4.9
Average Days Conduct Problems Reported	
Inhalant Users	2.4
Inhalant Non-Users	1.3

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.2%	4.8%	1.2%	0.6%	0.3%
Grade 7	92.0%	5.7%	1.1%	0.8%	0.4%
Grade 8	89.6%	7.5%	1.3%	1.5%	0.1%
Grade 9	93.7%	5.2%	0.5%	0.5%	0.2%
Grade 10	93.7%	3.7%	1.7%	0.3%	0.7%
Grade 11	95.7%	2.9%	1.1%	0.2%	0.0%
Grade 12	95.2%	2.9%	1.6%	0.0%	0.3%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.5%	13.0%	4.3%	1.3%	8.8%
Grade 7	72.7%	11.8%	5.2%	1.4%	8.9%
Grade 8	74.8%	12.9%	5.4%	0.9%	5.9%
Grade 9	71.9%	12.6%	4.5%	1.2%	9.8%
Grade 10	71.6%	12.9%	4.3%	2.0%	9.2%
Grade 11	72.6%	12.2%	3.5%	1.1%	10.6%
Grade 12	71.2%	15.8%	2.8%	1.4%	8.8%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	48.4%	16.9%	4.4%	4.6%	7.2%	18.4%
Grade 7	54.3%	20.3%	5.8%	4.3%	6.1%	9.2%
Grade 8	43.5%	22.5%	4.3%	4.3%	9.2%	16.2%
Grade 9	52.3%	15.1%	5.9%	5.1%	6.6%	15.0%
Grade 10	48.1%	16.2%	4.0%	4.0%	7.7%	20.0%
Grade 11	47.3%	13.1%	3.2%	3.8%	6.9%	25.7%
Grade 12	44.8%	13.0%	3.1%	6.2%	6.5%	26.4%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	33.6%
	Grade 7	26.1%
	Grade 8	39.1%
	Grade 9	38.1%
	Grade 10	33.4%
	Grade 11	34.1%
	Grade 12	30.9%
An Assembly Program		
	All	45.4%
	Grade 7	55.0%
	Grade 8	56.0%
	Grade 9	41.6%
	Grade 10	38.0%
	Grade 11	39.5%
	Grade 12	40.6%
Guidance Counselor		
	All	26.1%
	Grade 7	30.8%
	Grade 8	34.2%
	Grade 9	25.0%
	Grade 10	20.6%
	Grade 11	20.3%
	Grade 12	24.4%
School Nurse		
	All	17.6%
	Grade 7	20.5%
	Grade 8	18.2%
	Grade 9	18.1%
	Grade 10	15.3%
	Grade 11	15.3%
	Grade 12	17.8%
Science or Social Studies Class		
	All	22.2%
	Grade 7	26.8%
	Grade 8	18.2%
	Grade 9	22.5%
	Grade 10	22.1%
	Grade 11	21.2%
	Grade 12	22.6%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

	Yes
Student Group or Club Meeting at School	
All	12.8%
Grade 7	12.9%
Grade 8	11.7%
Grade 9	13.3%
Grade 10	10.9%
Grade 11	13.3%
Grade 12	14.7%
An Invited School Guest	
All	32.7%
Grade 7	40.3%
Grade 8	41.4%
Grade 9	28.8%
Grade 10	27.6%
Grade 11	27.4%
Grade 12	28.9%
Another Source at School	
All	26.6%
Grade 7	25.3%
Grade 8	29.7%
Grade 9	26.9%
Grade 10	28.0%
Grade 11	24.5%
Grade 12	24.8%
Any School Source	
All	61.8%
Grade 7	68.2%
Grade 8	75.0%
Grade 9	60.8%
Grade 10	56.9%
Grade 11	54.0%
Grade 12	53.5%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	32.1%
	Grade 7	44.1%
	Grade 8	36.8%
	Grade 9	29.8%
	Grade 10	27.5%
	Grade 11	24.4%
	Grade 12	28.3%
School Nurse		
	All	20.9%
	Grade 7	31.2%
	Grade 8	25.4%
	Grade 9	20.3%
	Grade 10	15.5%
	Grade 11	14.8%
	Grade 12	16.7%
Another Adult In School		
	All	39.1%
	Grade 7	44.2%
	Grade 8	43.4%
	Grade 9	40.2%
	Grade 10	32.6%
	Grade 11	33.3%
	Grade 12	39.6%
Counselor/Program Outside-School		
	All	38.9%
	Grade 7	39.3%
	Grade 8	41.1%
	Grade 9	40.4%
	Grade 10	36.0%
	Grade 11	35.9%
	Grade 12	40.4%
Your Parents		
	All	70.2%
	Grade 7	76.3%
	Grade 8	72.7%
	Grade 9	67.6%
	Grade 10	68.4%
	Grade 11	69.8%
	Grade 12	65.6%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
 (Continued)

		Yes
A Medical Doctor		
	All	54.1%
	Grade 7	66.4%
	Grade 8	62.5%
	Grade 9	53.5%
	Grade 10	47.4%
	Grade 11	46.6%
	Grade 12	45.4%
Your Friends		
	All	61.3%
	Grade 7	55.0%
	Grade 8	60.8%
	Grade 9	60.1%
	Grade 10	62.0%
	Grade 11	64.5%
	Grade 12	66.5%
Another Adult		
	All	57.7%
	Grade 7	59.5%
	Grade 8	63.3%
	Grade 9	58.1%
	Grade 10	53.2%
	Grade 11	54.4%
	Grade 12	56.9%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	6.7%
	Grade 7	4.1%
	Grade 8	7.4%
	Grade 9	5.9%
	Grade 10	6.8%
	Grade 11	7.2%
	Grade 12	9.1%

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.7%	22.5%	24.6%	32.7%	14.4%
Grade 7	6.4%	21.7%	21.9%	29.8%	20.1%
Grade 8	5.1%	19.9%	23.8%	35.1%	16.1%
Grade 9	8.1%	25.9%	24.4%	30.6%	11.0%
Grade 10	6.9%	26.3%	24.2%	30.3%	12.3%
Grade 11	3.5%	21.4%	25.3%	35.7%	14.1%
Grade 12	3.8%	20.3%	28.5%	35.2%	12.3%
Sometimes Carry Weapons?					
All	75.4%	14.0%	5.9%	3.0%	1.7%
Grade 7	85.4%	11.0%	2.1%	0.6%	0.9%
Grade 8	83.3%	11.5%	3.3%	1.6%	0.2%
Grade 9	78.8%	10.9%	4.9%	3.8%	1.6%
Grade 10	72.3%	13.8%	8.3%	3.8%	1.8%
Grade 11	65.4%	18.9%	8.8%	3.8%	3.0%
Grade 12	63.8%	19.3%	9.0%	4.9%	3.0%
Care About Making Good Grades?					
All	3.1%	13.8%	25.7%	39.5%	17.9%
Grade 7	2.6%	14.2%	24.1%	38.7%	20.3%
Grade 8	2.9%	11.8%	25.4%	39.0%	20.8%
Grade 9	4.1%	15.3%	25.6%	39.1%	15.9%
Grade 10	4.4%	17.3%	26.0%	34.9%	17.4%
Grade 11	1.8%	12.3%	28.8%	41.4%	15.8%
Grade 12	2.6%	11.7%	24.8%	44.2%	16.6%
Belong/Want to Belong to a Gang?					
All	88.2%	7.5%	2.6%	1.1%	0.7%
Grade 7	87.4%	8.0%	3.1%	0.9%	0.6%
Grade 8	88.3%	9.3%	1.8%	0.5%	0.2%
Grade 9	89.8%	5.3%	2.5%	1.3%	1.1%
Grade 10	88.2%	7.6%	2.4%	1.3%	0.5%
Grade 11	85.8%	8.2%	3.4%	1.6%	1.0%
Grade 12	89.3%	6.3%	2.6%	1.0%	0.8%
Wish They Could Drop Out of School?					
All	42.3%	30.0%	16.3%	7.4%	4.0%
Grade 7	52.0%	28.2%	11.4%	5.5%	3.0%
Grade 8	42.1%	33.1%	15.1%	7.4%	2.2%
Grade 9	37.4%	30.6%	17.0%	9.3%	5.7%
Grade 10	38.5%	30.2%	16.3%	9.3%	5.7%
Grade 11	38.7%	28.3%	23.3%	5.6%	4.0%
Grade 12	44.1%	29.4%	15.6%	6.9%	4.0%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.6%	11.3%	1.0%	0.2%	0.9%
Grade 7	84.6%	12.3%	1.3%	0.0%	1.8%
Grade 8	85.2%	13.2%	0.3%	0.3%	1.0%
Grade 9	87.7%	10.3%	0.7%	0.2%	1.0%
Grade 10	85.6%	11.5%	1.6%	0.2%	1.1%
Grade 11	87.3%	11.2%	0.6%	0.4%	0.6%
Grade 12	89.8%	8.7%	1.4%	0.0%	0.1%
Out In Your Neighborhood?					
All	46.5%	45.1%	4.8%	1.2%	2.3%
Grade 7	39.9%	49.7%	5.3%	2.1%	3.0%
Grade 8	43.3%	47.0%	6.3%	0.7%	2.7%
Grade 9	44.3%	45.5%	5.2%	1.9%	3.1%
Grade 10	47.3%	45.6%	3.6%	0.7%	2.9%
Grade 11	51.7%	40.3%	5.9%	1.2%	1.0%
Grade 12	54.6%	41.3%	2.2%	0.7%	1.1%
At School?					
All	36.5%	46.4%	8.4%	4.7%	4.0%
Grade 7	40.6%	43.3%	7.4%	5.1%	3.6%
Grade 8	37.5%	47.0%	8.4%	3.5%	3.5%
Grade 9	32.6%	48.3%	9.3%	4.7%	5.1%
Grade 10	29.5%	49.9%	9.7%	6.2%	4.7%
Grade 11	37.0%	46.6%	7.7%	4.4%	4.4%
Grade 12	41.9%	43.1%	7.7%	4.2%	3.0%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.5%	17.3%	28.2%	71.8%
Grade 7	5.3%	7.5%	16.3%	83.7%
Grade 8	9.6%	12.4%	22.2%	77.8%
Grade 9	9.6%	12.8%	24.8%	75.2%
Grade 10	14.9%	19.1%	29.7%	70.3%
Grade 11	20.4%	25.6%	38.2%	61.8%
Grade 12	23.8%	29.1%	41.3%	58.7%
Any Alcohol Product				
All	26.8%	30.9%	48.3%	51.7%
Grade 7	14.8%	16.9%	35.0%	65.0%
Grade 8	21.3%	23.4%	41.5%	58.5%
Grade 9	22.7%	27.7%	45.9%	54.1%
Grade 10	28.6%	33.0%	47.0%	53.0%
Grade 11	33.9%	39.4%	59.6%	40.4%
Grade 12	43.0%	48.8%	64.4%	35.6%
Any Illicit Drug				
All	13.3%	17.1%	22.4%	77.6%
Grade 7	3.8%	6.4%	7.8%	92.2%
Grade 8	6.6%	10.4%	12.1%	87.9%
Grade 9	11.1%	14.0%	20.1%	79.9%
Grade 10	17.9%	20.9%	25.3%	74.7%
Grade 11	20.0%	24.8%	34.2%	65.8%
Grade 12	23.5%	29.0%	39.3%	60.7%
Any Prescription Drug				
All	5.4%	8.3%	14.9%	85.1%
Grade 7	5.0%	7.7%	13.6%	86.4%
Grade 8	5.0%	7.6%	12.0%	88.0%
Grade 9	5.8%	8.4%	15.0%	85.0%
Grade 10	6.8%	9.2%	16.2%	83.8%
Grade 11	4.8%	8.0%	16.6%	83.4%
Grade 12	4.9%	9.0%	16.6%	83.4%
Any Inhalant				
All	3.9%	5.5%	11.0%	89.0%
Grade 7	4.0%	5.3%	11.0%	89.0%
Grade 8	6.0%	7.1%	10.8%	89.2%
Grade 9	3.7%	4.8%	11.9%	88.1%
Grade 10	2.9%	5.9%	10.6%	89.4%
Grade 11	3.0%	4.2%	10.4%	89.6%
Grade 12	3.1%	5.4%	11.4%	88.6%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.5%	14.5%	26.0%	74.0%
Grade 7	3.4%	5.8%	14.9%	85.1%
Grade 8	7.4%	10.2%	20.3%	79.7%
Grade 9	8.0%	11.6%	23.3%	76.7%
Grade 10	11.2%	15.6%	27.3%	72.7%
Grade 11	16.3%	22.0%	35.3%	64.7%
Grade 12	18.8%	24.3%	37.6%	62.4%
Marijuana				
All	12.7%	15.0%	20.5%	79.5%
Grade 7	3.3%	4.0%	5.5%	94.5%
Grade 8	6.3%	8.3%	10.2%	89.8%
Grade 9	10.5%	12.2%	18.1%	81.9%
Grade 10	17.3%	19.1%	23.8%	76.2%
Grade 11	18.9%	22.6%	32.5%	67.5%
Grade 12	22.8%	27.2%	37.3%	62.7%
Marijuana Only				
All	6.3%	7.7%	11.9%	88.1%
Grade 7	2.2%	2.6%	3.3%	96.7%
Grade 8	4.0%	4.7%	6.2%	93.8%
Grade 9	4.8%	5.9%	10.7%	89.3%
Grade 10	7.9%	9.1%	12.7%	87.3%
Grade 11	9.7%	11.8%	19.8%	80.2%
Grade 12	10.3%	13.3%	21.2%	78.8%
Cocaine or Crack				
All	0.8%	0.9%	1.6%	98.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	1.5%	1.5%	2.2%	97.8%
Grade 11	1.3%	1.5%	2.9%	97.1%
Grade 12	1.5%	1.5%	3.3%	96.7%
Cocaine				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	1.4%	1.4%	2.1%	97.9%
Grade 11	1.2%	1.4%	2.9%	97.1%
Grade 12	1.5%	1.5%	3.3%	96.7%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.5%	0.5%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.4%	99.6%
Hallucinogens				
All	0.8%	1.4%	2.8%	97.2%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.3%	0.6%	1.6%	98.4%
Grade 10	1.4%	2.3%	4.5%	95.5%
Grade 11	1.4%	3.0%	4.1%	95.9%
Grade 12	1.5%	2.4%	5.9%	94.1%
Synthetic Cathinones				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.1%	0.4%	99.6%
Grade 10	0.1%	0.5%	0.7%	99.3%
Grade 11	0.2%	0.5%	0.5%	99.5%
Grade 12	0.1%	0.4%	0.6%	99.4%
Steroids				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.0%	0.2%	1.2%	98.8%
Grade 9	1.0%	1.5%	3.0%	97.0%
Grade 10	0.8%	0.8%	1.1%	98.9%
Grade 11	0.6%	0.6%	1.1%	98.9%
Grade 12	0.2%	0.4%	1.1%	98.9%
Ecstasy				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.4%	0.5%	1.8%	98.2%
Grade 11	0.2%	0.5%	1.6%	98.4%
Grade 12	0.4%	0.6%	1.9%	98.1%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	1.0%	1.5%	2.5%	97.5%
Grade 7	0.4%	0.5%	1.2%	98.8%
Grade 8	0.4%	1.0%	1.2%	98.8%
Grade 9	1.2%	1.5%	2.6%	97.4%
Grade 10	1.8%	2.9%	4.4%	95.6%
Grade 11	1.1%	1.8%	3.1%	96.9%
Grade 12	1.6%	1.7%	2.6%	97.4%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.3%	0.6%	99.4%
Delta 8				
All	3.3%	4.8%	7.2%	92.8%
Grade 7	0.3%	1.0%	2.2%	97.8%
Grade 8	0.8%	1.9%	3.1%	96.9%
Grade 9	3.6%	4.5%	6.5%	93.5%
Grade 10	5.6%	7.0%	8.9%	91.1%
Grade 11	4.5%	7.5%	11.7%	88.3%
Grade 12	5.6%	8.2%	12.7%	87.3%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.8%	15.7%	25.8%	74.2%
Grade 7	5.1%	7.5%	14.6%	85.4%
Grade 8	4.5%	6.5%	16.0%	84.0%
Grade 9	8.5%	11.5%	21.2%	78.8%
Grade 10	12.0%	14.9%	25.9%	74.1%
Grade 11	23.8%	28.4%	39.3%	60.7%
Grade 12	26.0%	28.8%	42.3%	57.7%
Any Alcohol Product				
All	24.1%	27.7%	45.3%	54.7%
Grade 7	16.1%	17.4%	37.3%	62.7%
Grade 8	15.1%	16.6%	36.5%	63.5%
Grade 9	17.9%	22.7%	38.9%	61.1%
Grade 10	24.5%	28.7%	40.7%	59.3%
Grade 11	34.8%	39.1%	59.1%	40.9%
Grade 12	39.4%	45.7%	62.4%	37.6%
Any Illicit Drug				
All	11.8%	15.0%	20.6%	79.4%
Grade 7	2.9%	4.8%	5.6%	94.4%
Grade 8	5.3%	6.5%	9.4%	90.6%
Grade 9	8.7%	12.2%	18.0%	82.0%
Grade 10	12.7%	15.8%	20.9%	79.1%
Grade 11	20.8%	27.0%	36.6%	63.4%
Grade 12	23.5%	27.4%	38.5%	61.5%
Any Prescription Drug				
All	5.6%	8.5%	15.8%	84.2%
Grade 7	4.5%	7.1%	12.6%	87.4%
Grade 8	4.1%	5.1%	9.1%	90.9%
Grade 9	4.1%	7.1%	14.1%	85.9%
Grade 10	7.6%	8.9%	16.5%	83.5%
Grade 11	6.9%	11.9%	24.6%	75.4%
Grade 12	6.8%	11.9%	19.6%	80.4%
Any Inhalant				
All	3.8%	5.5%	11.2%	88.8%
Grade 7	4.4%	5.8%	10.6%	89.4%
Grade 8	4.4%	5.7%	10.2%	89.8%
Grade 9	3.6%	4.6%	9.8%	90.2%
Grade 10	2.7%	5.3%	10.1%	89.9%
Grade 11	4.4%	5.3%	13.5%	86.5%
Grade 12	2.9%	6.2%	13.5%	86.5%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.4%	12.6%	23.5%	76.5%
Grade 7	2.8%	5.4%	13.0%	87.0%
Grade 8	4.4%	6.4%	14.1%	85.9%
Grade 9	5.7%	8.7%	18.7%	81.3%
Grade 10	10.0%	12.5%	23.8%	76.2%
Grade 11	17.6%	23.8%	37.4%	62.6%
Grade 12	18.3%	21.7%	37.8%	62.2%
Marijuana				
All	11.2%	13.2%	18.9%	81.1%
Grade 7	2.5%	3.5%	4.0%	96.0%
Grade 8	5.1%	6.4%	8.9%	91.1%
Grade 9	8.3%	10.7%	16.2%	83.8%
Grade 10	11.6%	13.3%	19.0%	81.0%
Grade 11	19.5%	23.2%	34.0%	66.0%
Grade 12	22.8%	25.8%	36.4%	63.6%
Marijuana Only				
All	5.1%	5.9%	9.9%	90.1%
Grade 7	1.0%	1.6%	1.8%	98.2%
Grade 8	3.3%	3.6%	6.1%	93.9%
Grade 9	4.1%	5.4%	9.0%	91.0%
Grade 10	4.8%	5.6%	9.0%	91.0%
Grade 11	9.3%	10.8%	18.6%	81.4%
Grade 12	9.2%	10.0%	17.7%	82.3%
Cocaine or Crack				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	1.3%	1.3%	1.7%	98.3%
Grade 11	1.7%	2.0%	4.1%	95.9%
Grade 12	1.1%	1.1%	2.3%	97.7%
Cocaine				
All	0.7%	0.7%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	1.1%	1.1%	1.5%	98.5%
Grade 11	1.7%	2.0%	4.1%	95.9%
Grade 12	1.1%	1.1%	2.3%	97.7%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	1.0%	99.0%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
Hallucinogens				
All	0.8%	2.0%	3.4%	96.6%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.2%	0.8%	1.6%	98.4%
Grade 10	1.0%	2.9%	4.3%	95.7%
Grade 11	1.5%	4.8%	6.1%	93.9%
Grade 12	1.7%	3.6%	8.0%	92.0%
Synthetic Cathinones				
All	0.0%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.2%	1.0%	99.0%
Grade 10	0.2%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.7%	1.0%	99.0%
Steroids				
All	0.5%	0.7%	2.0%	98.0%
Grade 7	0.4%	0.4%	1.3%	98.7%
Grade 8	0.0%	0.3%	2.0%	98.0%
Grade 9	1.4%	2.1%	4.2%	95.8%
Grade 10	0.8%	0.8%	1.2%	98.8%
Grade 11	0.3%	0.3%	1.4%	98.6%
Grade 12	0.4%	0.7%	2.2%	97.8%
Ecstasy				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.0%	0.5%	2.2%	97.8%
Grade 12	0.7%	0.7%	3.1%	96.9%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.3%	0.3%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	1.2%	2.1%	97.9%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	0.3%	0.7%	0.7%	99.3%
Grade 9	0.2%	0.6%	2.5%	97.5%
Grade 10	0.9%	0.9%	2.3%	97.7%
Grade 11	1.3%	2.8%	4.2%	95.8%
Grade 12	1.7%	1.7%	2.9%	97.1%
Methamphetamine				
All	0.2%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.2%	0.2%	99.8%
Grade 10	1.3%	1.3%	1.6%	98.4%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.7%	0.8%	99.2%
Delta 8				
All	3.1%	4.7%	7.7%	92.3%
Grade 7	0.2%	1.1%	2.0%	98.0%
Grade 8	0.8%	1.4%	2.8%	97.2%
Grade 9	2.1%	3.4%	6.4%	93.6%
Grade 10	4.5%	5.5%	7.9%	92.1%
Grade 11	5.2%	9.1%	13.8%	86.2%
Grade 12	7.1%	8.9%	15.5%	84.5%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.2%	18.6%	30.4%	69.6%
Grade 7	5.7%	6.7%	18.0%	82.0%
Grade 8	14.0%	17.3%	27.4%	72.6%
Grade 9	10.4%	13.8%	27.6%	72.4%
Grade 10	17.9%	23.5%	33.9%	66.1%
Grade 11	17.0%	22.7%	37.2%	62.8%
Grade 12	21.7%	29.7%	40.1%	59.9%
Any Alcohol Product				
All	29.5%	34.0%	51.3%	48.7%
Grade 7	13.4%	15.9%	32.3%	67.7%
Grade 8	27.0%	29.7%	46.4%	53.6%
Grade 9	26.4%	31.7%	51.4%	48.6%
Grade 10	32.5%	37.2%	52.7%	47.3%
Grade 11	33.1%	39.8%	60.1%	39.9%
Grade 12	46.6%	51.9%	66.8%	33.2%
Any Illicit Drug				
All	14.9%	19.0%	24.1%	75.9%
Grade 7	4.9%	8.2%	10.5%	89.5%
Grade 8	8.0%	13.7%	14.3%	85.7%
Grade 9	12.5%	14.9%	21.4%	78.6%
Grade 10	23.4%	26.4%	30.0%	70.0%
Grade 11	19.4%	22.7%	31.8%	68.2%
Grade 12	23.5%	30.8%	39.8%	60.2%
Any Prescription Drug				
All	5.2%	8.2%	14.1%	85.9%
Grade 7	5.7%	8.6%	15.0%	85.0%
Grade 8	6.0%	10.2%	14.6%	85.4%
Grade 9	7.2%	9.6%	15.6%	84.4%
Grade 10	6.2%	9.7%	16.3%	83.7%
Grade 11	2.7%	4.2%	9.1%	90.9%
Grade 12	3.0%	6.1%	13.4%	86.6%
Any Inhalant				
All	3.9%	5.4%	10.7%	89.3%
Grade 7	3.6%	4.7%	11.2%	88.8%
Grade 8	7.1%	7.9%	11.0%	89.0%
Grade 9	3.8%	5.0%	13.4%	86.6%
Grade 10	3.2%	6.5%	10.9%	89.1%
Grade 11	1.8%	3.1%	7.5%	92.5%
Grade 12	3.4%	4.6%	9.3%	90.7%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.5%	16.1%	28.2%	71.8%
Grade 7	4.2%	5.4%	16.6%	83.4%
Grade 8	9.7%	13.0%	25.6%	74.4%
Grade 9	9.6%	13.7%	26.8%	73.2%
Grade 10	12.3%	18.6%	31.0%	69.0%
Grade 11	14.8%	20.1%	33.4%	66.6%
Grade 12	19.4%	27.4%	37.2%	62.8%
Marijuana				
All	14.4%	16.8%	22.0%	78.0%
Grade 7	4.3%	4.7%	7.4%	92.6%
Grade 8	7.5%	9.7%	11.0%	89.0%
Grade 9	11.8%	12.8%	19.3%	80.7%
Grade 10	23.4%	25.3%	28.8%	71.2%
Grade 11	18.6%	22.3%	31.1%	68.9%
Grade 12	23.0%	29.0%	38.3%	61.7%
Marijuana Only				
All	7.5%	9.4%	13.8%	86.2%
Grade 7	3.8%	3.9%	5.3%	94.7%
Grade 8	4.8%	5.9%	6.4%	93.6%
Grade 9	4.9%	5.9%	11.7%	88.3%
Grade 10	11.1%	12.8%	16.3%	83.7%
Grade 11	10.1%	13.0%	20.9%	79.1%
Grade 12	11.6%	16.8%	24.5%	75.5%
Cocaine or Crack				
All	0.9%	1.0%	1.9%	98.1%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	1.7%	1.7%	2.7%	97.3%
Grade 11	1.0%	1.1%	1.7%	98.3%
Grade 12	1.9%	1.9%	4.4%	95.6%
Cocaine				
All	0.8%	0.9%	1.8%	98.2%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	1.7%	1.7%	2.7%	97.3%
Grade 11	0.7%	0.9%	1.7%	98.3%
Grade 12	1.9%	1.9%	4.4%	95.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.5%	0.5%	0.5%	99.5%
Hallucinogens				
All	0.8%	0.9%	2.2%	97.8%
Grade 7	0.3%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.4%	0.4%	1.5%	98.5%
Grade 10	1.8%	1.8%	4.7%	95.3%
Grade 11	1.3%	1.3%	2.1%	97.9%
Grade 12	1.2%	1.2%	3.8%	96.2%
Synthetic Cathinones				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.4%	0.7%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.4%	0.7%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.7%	1.1%	1.8%	98.2%
Grade 10	0.8%	0.8%	1.1%	98.9%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.1%	0.2%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.3%	2.5%	97.5%
Grade 11	0.4%	0.4%	1.1%	98.9%
Grade 12	0.2%	0.5%	0.7%	99.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.3%	99.7%
Synthetic Marijuana				
All	1.3%	1.9%	2.8%	97.2%
Grade 7	0.6%	0.6%	1.7%	98.3%
Grade 8	0.4%	1.4%	1.6%	98.4%
Grade 9	1.7%	1.9%	2.4%	97.6%
Grade 10	2.9%	5.0%	6.6%	93.4%
Grade 11	0.9%	0.9%	2.1%	97.9%
Grade 12	1.5%	1.6%	2.3%	97.7%
Methamphetamine				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.4%	0.4%	1.6%	98.4%
Grade 10	0.2%	0.2%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.4%	99.6%
Delta 8				
All	3.4%	5.0%	6.7%	93.3%
Grade 7	0.5%	0.9%	2.4%	97.6%
Grade 8	0.8%	2.3%	2.9%	97.1%
Grade 9	4.6%	5.2%	6.3%	93.7%
Grade 10	6.9%	8.7%	10.1%	89.9%
Grade 11	4.0%	6.0%	9.9%	90.1%
Grade 12	4.1%	7.6%	9.9%	90.1%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.6%	17.3%	28.3%	71.7%
Grade 7	3.7%	3.7%	9.7%	90.3%
Grade 8	7.1%	10.1%	17.1%	82.9%
Grade 9	7.4%	11.9%	25.5%	74.5%
Grade 10	15.1%	19.4%	32.4%	67.6%
Grade 11	26.4%	29.4%	43.6%	56.4%
Grade 12	23.2%	30.7%	43.6%	56.4%
Any Alcohol Product				
All	26.0%	30.6%	48.6%	51.4%
Grade 7	9.5%	10.8%	29.5%	70.5%
Grade 8	17.3%	18.9%	33.7%	66.3%
Grade 9	17.1%	24.7%	48.1%	51.9%
Grade 10	30.2%	35.8%	50.4%	49.6%
Grade 11	35.2%	40.4%	65.6%	34.4%
Grade 12	48.0%	54.5%	66.9%	33.1%
Any Illicit Drug				
All	9.2%	13.5%	18.0%	82.0%
Grade 7	0.7%	1.1%	2.5%	97.5%
Grade 8	3.8%	7.9%	8.5%	91.5%
Grade 9	5.8%	8.8%	15.1%	84.9%
Grade 10	12.5%	16.7%	19.4%	80.6%
Grade 11	16.1%	21.1%	28.6%	71.4%
Grade 12	17.5%	26.6%	35.8%	64.2%
Any Prescription Drug				
All	4.4%	7.8%	15.3%	84.7%
Grade 7	5.2%	8.6%	12.2%	87.8%
Grade 8	4.8%	9.2%	13.7%	86.3%
Grade 9	4.9%	6.3%	15.2%	84.8%
Grade 10	4.1%	8.0%	17.4%	82.6%
Grade 11	4.0%	6.5%	18.0%	82.0%
Grade 12	3.6%	7.7%	15.7%	84.3%
Any Inhalant				
All	3.4%	4.9%	11.7%	88.3%
Grade 7	1.0%	1.9%	7.1%	92.9%
Grade 8	5.1%	6.4%	9.3%	90.7%
Grade 9	3.1%	4.2%	13.7%	86.3%
Grade 10	3.2%	5.2%	10.4%	89.6%
Grade 11	3.9%	4.6%	13.0%	87.0%
Grade 12	3.7%	6.7%	17.0%	83.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.4%	14.0%	25.2%	74.8%
Grade 7	1.8%	2.3%	7.8%	92.2%
Grade 8	6.1%	9.1%	15.1%	84.9%
Grade 9	5.6%	10.1%	22.3%	77.7%
Grade 10	11.6%	14.7%	28.5%	71.5%
Grade 11	19.6%	23.2%	40.2%	59.8%
Grade 12	18.9%	25.5%	39.2%	60.8%
Marijuana				
All	8.5%	11.5%	16.1%	83.9%
Grade 7	0.7%	0.7%	1.7%	98.3%
Grade 8	3.2%	6.2%	6.8%	93.2%
Grade 9	5.4%	6.2%	12.4%	87.6%
Grade 10	12.1%	13.7%	17.1%	82.9%
Grade 11	14.0%	17.6%	26.7%	73.3%
Grade 12	16.5%	25.2%	33.5%	66.5%
Marijuana Only				
All	3.5%	5.2%	8.4%	91.6%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	3.2%	4.1%	4.7%	95.3%
Grade 9	1.1%	1.6%	6.2%	93.8%
Grade 10	2.4%	3.6%	6.2%	93.8%
Grade 11	6.0%	7.9%	15.0%	85.0%
Grade 12	8.0%	13.5%	18.8%	81.2%
Cocaine or Crack				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	1.4%	1.4%	3.1%	96.9%
Grade 12	1.2%	1.2%	3.2%	96.8%
Cocaine				
All	0.6%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	1.1%	1.1%	3.1%	96.9%
Grade 12	1.2%	1.2%	3.2%	96.8%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.1%	0.6%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	1.4%	98.6%
Grade 10	0.0%	1.0%	2.5%	97.5%
Grade 11	0.6%	2.4%	3.4%	96.6%
Grade 12	0.0%	0.0%	5.0%	95.0%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.3%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.6%	98.4%
Grade 9	1.0%	1.0%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.1%	0.1%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.7%	0.7%	1.5%	98.5%
Grade 11	0.0%	0.0%	1.4%	98.6%
Grade 12	0.0%	0.0%	1.0%	99.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
 White Non-Hispanic Students**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	1.0%	2.1%	97.9%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.6%	1.1%	1.7%	98.3%
Grade 10	2.4%	3.7%	6.1%	93.9%
Grade 11	0.3%	1.4%	3.1%	96.9%
Grade 12	0.1%	0.1%	0.8%	99.2%
Methamphetamine				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.3%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	3.3%	5.0%	7.1%	92.9%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.0%	0.8%	1.7%	98.3%
Grade 9	3.1%	4.1%	4.7%	95.3%
Grade 10	7.0%	7.9%	9.9%	90.1%
Grade 11	5.2%	8.9%	13.1%	86.9%
Grade 12	4.9%	8.6%	12.9%	87.1%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.1%	13.9%	25.1%	74.9%
Grade 7	6.0%	14.8%	28.9%	71.1%
Grade 8	3.4%	5.8%	9.2%	90.8%
Grade 9	2.0%	3.6%	11.1%	88.9%
Grade 10	12.8%	30.4%	43.8%	56.2%
Grade 11	11.0%	16.5%	32.5%	67.5%
Grade 12	16.8%	16.8%	32.5%	67.5%
Any Alcohol Product				
All	21.8%	27.6%	39.2%	60.8%
Grade 7	10.9%	22.9%	34.0%	66.0%
Grade 8	12.1%	15.5%	27.4%	72.6%
Grade 9	25.8%	28.8%	36.8%	63.2%
Grade 10	25.7%	32.8%	44.2%	55.8%
Grade 11	34.1%	44.6%	55.6%	44.4%
Grade 12	24.3%	24.3%	41.8%	58.2%
Any Illicit Drug				
All	19.2%	23.5%	28.2%	71.8%
Grade 7	6.0%	12.0%	12.0%	88.0%
Grade 8	3.5%	7.1%	7.1%	92.9%
Grade 9	16.8%	18.9%	32.6%	67.4%
Grade 10	35.1%	39.8%	41.6%	58.4%
Grade 11	39.0%	41.7%	49.4%	50.6%
Grade 12	19.5%	27.1%	30.3%	69.7%
Any Prescription Drug				
All	6.3%	7.1%	11.7%	88.3%
Grade 7	0.0%	0.0%	6.0%	94.0%
Grade 8	0.0%	0.0%	1.8%	98.2%
Grade 9	6.2%	6.2%	14.3%	85.7%
Grade 10	19.0%	20.9%	20.9%	79.1%
Grade 11	9.5%	9.5%	15.7%	84.3%
Grade 12	3.7%	7.5%	11.9%	88.1%
Any Inhalant				
All	2.5%	4.1%	4.8%	95.2%
Grade 7	2.8%	2.8%	2.8%	97.2%
Grade 8	5.3%	5.3%	5.3%	94.7%
Grade 9	0.0%	2.0%	2.0%	98.0%
Grade 10	2.4%	10.0%	11.8%	88.2%
Grade 11	3.2%	3.2%	6.0%	94.0%
Grade 12	1.6%	1.6%	1.6%	98.4%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.4%	10.1%	22.9%	77.1%
Grade 7	0.0%	8.8%	28.9%	71.1%
Grade 8	0.0%	2.5%	6.0%	94.0%
Grade 9	2.2%	3.8%	11.8%	88.2%
Grade 10	4.0%	20.7%	39.6%	60.4%
Grade 11	11.0%	16.5%	30.3%	69.7%
Grade 12	11.8%	11.8%	26.3%	73.7%
Marijuana				
All	17.6%	20.0%	26.3%	73.7%
Grade 7	6.0%	6.0%	6.0%	94.0%
Grade 8	3.5%	3.5%	7.1%	92.9%
Grade 9	15.3%	17.3%	31.1%	68.9%
Grade 10	27.5%	33.6%	41.6%	58.4%
Grade 11	39.0%	41.7%	49.4%	50.6%
Grade 12	19.5%	23.2%	26.5%	73.5%
Marijuana Only				
All	13.4%	15.0%	20.2%	79.8%
Grade 7	5.9%	5.9%	5.9%	94.1%
Grade 8	3.4%	3.4%	6.8%	93.2%
Grade 9	13.5%	13.5%	27.0%	73.0%
Grade 10	24.8%	29.4%	31.2%	68.8%
Grade 11	22.5%	25.0%	32.1%	67.9%
Grade 12	11.8%	15.5%	18.7%	81.3%
Cocaine or Crack				
All	0.5%	0.5%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.4%	1.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	1.6%	98.4%
Cocaine				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	1.6%	98.4%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.4%	1.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	2.2%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.4%	8.7%	8.7%	91.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.7%	5.6%	6.2%	93.8%
Synthetic Cathinones				
All	0.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	6.3%	6.3%	93.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	1.0%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.0%	6.0%	94.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	6.2%	6.2%	7.6%	92.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.0%	1.8%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.0%	2.4%	8.7%	91.3%
Grade 11	2.8%	5.8%	5.8%	94.2%
Grade 12	1.6%	1.6%	1.6%	98.4%
Methamphetamine				
All	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	6.2%	6.2%	6.2%	93.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	2.3%	2.8%	3.5%	96.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	3.6%	96.4%
Grade 10	2.4%	2.4%	2.4%	97.6%
Grade 11	6.3%	9.2%	9.2%	90.8%
Grade 12	7.5%	7.5%	7.5%	92.5%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.2%	17.8%	28.9%	71.1%
Grade 7	6.1%	8.6%	18.7%	81.3%
Grade 8	11.8%	14.6%	26.9%	73.1%
Grade 9	12.7%	15.6%	27.9%	72.1%
Grade 10	14.8%	17.5%	26.7%	73.3%
Grade 11	18.1%	24.7%	36.5%	63.5%
Grade 12	24.2%	28.8%	39.6%	60.4%
Any Alcohol Product				
All	27.9%	31.5%	49.4%	50.6%
Grade 7	18.0%	19.4%	37.5%	62.5%
Grade 8	24.7%	27.0%	47.5%	52.5%
Grade 9	26.9%	31.1%	48.0%	52.0%
Grade 10	27.4%	30.9%	45.4%	54.6%
Grade 11	33.6%	39.1%	57.0%	43.0%
Grade 12	40.0%	45.6%	64.3%	35.7%
Any Illicit Drug				
All	15.3%	18.6%	24.6%	75.4%
Grade 7	5.0%	8.7%	10.2%	89.8%
Grade 8	8.6%	12.0%	14.5%	85.5%
Grade 9	14.6%	17.1%	22.7%	77.3%
Grade 10	20.3%	22.3%	27.9%	72.1%
Grade 11	20.4%	25.5%	36.7%	63.3%
Grade 12	27.2%	30.1%	41.7%	58.3%
Any Prescription Drug				
All	6.0%	8.8%	15.0%	85.0%
Grade 7	5.4%	7.6%	14.8%	85.2%
Grade 8	5.3%	6.9%	11.1%	88.9%
Grade 9	6.5%	10.6%	15.7%	84.3%
Grade 10	7.6%	9.1%	15.3%	84.7%
Grade 11	5.2%	8.5%	16.2%	83.8%
Grade 12	6.0%	10.4%	17.8%	82.2%
Any Inhalant				
All	4.4%	6.2%	11.5%	88.5%
Grade 7	6.0%	7.7%	14.5%	85.5%
Grade 8	6.4%	7.5%	12.0%	88.0%
Grade 9	4.8%	5.9%	12.7%	87.3%
Grade 10	3.1%	6.3%	11.2%	88.8%
Grade 11	2.7%	4.4%	9.1%	90.9%
Grade 12	2.8%	4.8%	8.7%	91.3%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.3%	15.5%	27.2%	72.8%
Grade 7	4.7%	7.5%	17.6%	82.4%
Grade 8	8.7%	11.6%	25.2%	74.8%
Grade 9	10.9%	14.5%	26.9%	73.1%
Grade 10	11.8%	15.5%	25.5%	74.5%
Grade 11	15.0%	22.4%	33.7%	66.3%
Grade 12	19.1%	24.6%	36.7%	63.3%
Marijuana				
All	15.0%	16.9%	23.0%	77.0%
Grade 7	4.5%	5.6%	7.7%	92.3%
Grade 8	8.5%	10.0%	12.6%	87.4%
Grade 9	14.0%	16.2%	21.5%	78.5%
Grade 10	20.5%	21.9%	27.3%	72.7%
Grade 11	20.0%	23.6%	34.8%	65.2%
Grade 12	27.0%	28.4%	40.2%	59.8%
Marijuana Only				
All	7.2%	8.4%	13.3%	86.7%
Grade 7	2.9%	3.6%	4.9%	95.1%
Grade 8	4.4%	4.9%	6.8%	93.2%
Grade 9	6.3%	8.0%	12.2%	87.8%
Grade 10	9.5%	10.5%	15.2%	84.8%
Grade 11	10.4%	12.7%	21.8%	78.2%
Grade 12	11.3%	12.6%	22.5%	77.5%
Cocaine or Crack				
All	1.0%	1.1%	1.9%	98.1%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	2.0%	2.0%	3.5%	96.5%
Grade 11	1.5%	1.9%	2.7%	97.3%
Grade 12	1.7%	1.7%	3.7%	96.3%
Cocaine				
All	1.0%	1.0%	1.8%	98.2%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	2.0%	2.0%	3.5%	96.5%
Grade 11	1.5%	1.9%	2.7%	97.3%
Grade 12	1.7%	1.7%	3.7%	96.3%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.3%	0.3%	0.7%	99.3%
	Grade 7	0.2%	0.3%	0.9%	99.1%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	0.8%	0.8%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.9%	99.1%
	Grade 12	0.3%	0.3%	0.7%	99.3%
Hallucinogens	All	1.2%	1.9%	3.4%	96.6%
	Grade 7	0.3%	0.6%	0.8%	99.2%
	Grade 8	0.0%	0.0%	1.6%	98.4%
	Grade 9	0.4%	0.9%	2.1%	97.9%
	Grade 10	2.4%	2.8%	5.8%	94.2%
	Grade 11	2.2%	4.1%	4.5%	95.5%
	Grade 12	2.5%	3.9%	6.7%	93.3%
Synthetic Cathinones	All	0.1%	0.3%	0.6%	99.4%
	Grade 7	0.0%	0.2%	0.7%	99.3%
	Grade 8	0.0%	0.3%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.2%	0.2%	0.6%	99.4%
	Grade 11	0.4%	0.7%	0.7%	99.3%
	Grade 12	0.0%	0.7%	1.0%	99.0%
Steroids	All	0.5%	0.8%	1.8%	98.2%
	Grade 7	0.3%	0.3%	1.0%	99.0%
	Grade 8	0.0%	0.3%	1.1%	98.9%
	Grade 9	1.2%	2.2%	4.0%	96.0%
	Grade 10	0.7%	0.7%	1.1%	98.9%
	Grade 11	1.1%	1.1%	2.0%	98.0%
	Grade 12	0.0%	0.4%	1.4%	98.6%
Ecstasy	All	0.3%	0.4%	1.4%	98.6%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.1%	0.1%	1.2%	98.8%
	Grade 10	0.2%	0.6%	2.4%	97.6%
	Grade 11	0.4%	0.9%	2.0%	98.0%
	Grade 12	0.7%	0.9%	2.8%	97.2%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	1.4%	1.8%	2.6%	97.4%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.7%	1.8%	1.8%	98.2%
Grade 9	1.6%	1.8%	3.5%	96.5%
Grade 10	1.8%	2.5%	3.0%	97.0%
Grade 11	1.6%	1.9%	3.1%	96.9%
Grade 12	2.6%	2.6%	3.9%	96.1%
Methamphetamine				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.8%	0.8%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.7%	0.9%	99.1%
Delta 8				
All	3.5%	5.1%	7.8%	92.2%
Grade 7	0.6%	1.6%	2.8%	97.2%
Grade 8	1.4%	2.5%	4.2%	95.8%
Grade 9	4.7%	5.8%	8.4%	91.6%
Grade 10	5.5%	7.6%	9.1%	90.9%
Grade 11	4.4%	6.4%	11.2%	88.8%
Grade 12	5.4%	7.7%	12.9%	87.1%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.4%	13.0%	23.6%	76.4%
Grade 7	3.1%	3.1%	9.1%	90.9%
Grade 8	4.3%	7.7%	15.6%	84.4%
Grade 9	5.5%	8.6%	21.5%	78.5%
Grade 10	11.9%	17.3%	28.3%	71.7%
Grade 11	10.8%	14.6%	28.8%	71.2%
Grade 12	19.9%	26.0%	38.9%	61.1%
Any Alcohol Product				
All	22.8%	26.7%	46.8%	53.2%
Grade 7	9.1%	10.2%	29.9%	70.1%
Grade 8	12.7%	15.1%	33.7%	66.3%
Grade 9	19.9%	25.8%	46.2%	53.8%
Grade 10	27.4%	30.8%	50.3%	49.7%
Grade 11	23.3%	27.3%	56.0%	44.0%
Grade 12	43.6%	50.8%	66.1%	33.9%
Any Illicit Drug				
All	7.8%	11.0%	15.1%	84.9%
Grade 7	0.9%	2.5%	3.1%	96.9%
Grade 8	3.3%	6.7%	7.3%	92.7%
Grade 9	4.2%	7.4%	12.2%	87.8%
Grade 10	10.4%	13.6%	17.5%	82.5%
Grade 11	8.5%	10.1%	15.8%	84.2%
Grade 12	18.5%	24.3%	33.8%	66.2%
Any Prescription Drug				
All	4.9%	7.4%	12.6%	87.4%
Grade 7	8.5%	12.8%	19.7%	80.3%
Grade 8	5.0%	6.4%	9.5%	90.5%
Grade 9	5.2%	6.0%	8.9%	91.1%
Grade 10	5.4%	7.0%	14.3%	85.7%
Grade 11	2.4%	4.3%	8.9%	91.1%
Grade 12	2.5%	6.7%	12.4%	87.6%
Any Inhalant				
All	2.2%	3.5%	9.3%	90.7%
Grade 7	2.2%	3.6%	10.0%	90.0%
Grade 8	1.7%	2.1%	5.9%	94.1%
Grade 9	2.0%	3.8%	11.7%	88.3%
Grade 10	1.8%	3.3%	7.1%	92.9%
Grade 11	1.3%	1.5%	7.6%	92.4%
Grade 12	3.9%	6.4%	13.2%	86.8%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.8%	10.5%	20.9%	79.1%
Grade 7	1.3%	1.9%	7.3%	92.7%
Grade 8	3.2%	6.6%	13.7%	86.3%
Grade 9	4.8%	7.9%	20.0%	80.0%
Grade 10	8.1%	13.8%	25.2%	74.8%
Grade 11	8.5%	12.2%	24.4%	75.6%
Grade 12	14.6%	20.3%	35.4%	64.6%
Marijuana				
All	7.4%	9.4%	13.4%	86.6%
Grade 7	0.9%	0.9%	1.1%	98.9%
Grade 8	2.5%	5.2%	5.6%	94.4%
Grade 9	4.2%	5.4%	8.9%	91.1%
Grade 10	10.4%	11.4%	15.0%	85.0%
Grade 11	7.6%	10.0%	15.7%	84.3%
Grade 12	18.0%	22.3%	32.3%	67.7%
Marijuana Only				
All	4.0%	5.4%	8.6%	91.4%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	2.1%	3.6%	3.6%	96.4%
Grade 9	1.3%	1.9%	4.6%	95.4%
Grade 10	6.0%	6.8%	10.4%	89.6%
Grade 11	4.6%	6.1%	10.7%	89.3%
Grade 12	8.9%	12.3%	20.6%	79.4%
Cocaine or Crack				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.8%	0.8%	1.8%	98.2%
Grade 12	0.3%	0.3%	1.9%	98.1%
Cocaine				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.5%	0.5%	1.8%	98.2%
Grade 12	0.3%	0.3%	1.9%	98.1%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.3%	99.7%
Hallucinogens				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.7%	98.3%
Grade 11	0.5%	1.1%	1.4%	98.6%
Grade 12	0.0%	0.3%	2.2%	97.8%
Synthetic Cathinones				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.6%	1.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.4%	1.1%	98.9%
Grade 9	1.3%	1.3%	2.8%	97.2%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.2%	0.2%	1.0%	99.0%
Ecstasy				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	1.4%	98.6%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	0.2%	0.2%	0.5%	99.5%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
 Students Reporting A Grades on Average**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.4%	0.4%	0.4%	99.6%
Synthetic Marijuana				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	2.1%	2.8%	2.8%	97.2%
Grade 11	0.6%	0.6%	2.3%	97.7%
Grade 12	0.6%	0.7%	2.3%	97.7%
Methamphetamine				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.2%	99.8%
Delta 8				
All	1.9%	2.2%	3.5%	96.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	1.7%	2.3%	3.2%	96.8%
Grade 10	3.0%	3.0%	3.5%	96.5%
Grade 11	1.5%	1.6%	4.5%	95.5%
Grade 12	4.4%	5.4%	8.4%	91.6%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.1%	20.0%	30.9%	69.1%
Grade 7	6.8%	10.3%	21.2%	78.8%
Grade 8	12.1%	14.3%	25.3%	74.7%
Grade 9	11.4%	14.5%	24.7%	75.3%
Grade 10	17.0%	21.3%	30.9%	69.1%
Grade 11	26.8%	32.6%	45.0%	55.0%
Grade 12	28.9%	34.3%	45.5%	54.5%
Any Alcohol Product				
All	29.5%	33.8%	49.2%	50.8%
Grade 7	19.5%	22.5%	39.1%	60.9%
Grade 8	27.3%	29.5%	46.4%	53.6%
Grade 9	23.2%	27.8%	44.5%	55.5%
Grade 10	29.4%	34.1%	45.3%	54.7%
Grade 11	41.5%	48.4%	64.1%	35.9%
Grade 12	42.7%	47.6%	62.3%	37.7%
Any Illicit Drug				
All	16.0%	19.8%	25.8%	74.2%
Grade 7	6.3%	8.4%	10.7%	89.3%
Grade 8	7.7%	11.2%	13.5%	86.5%
Grade 9	12.6%	15.8%	21.3%	78.7%
Grade 10	20.5%	23.7%	29.4%	70.6%
Grade 11	27.4%	33.3%	45.5%	54.5%
Grade 12	28.2%	33.9%	44.6%	55.4%
Any Prescription Drug				
All	5.8%	8.8%	15.7%	84.3%
Grade 7	2.7%	4.5%	9.6%	90.4%
Grade 8	5.2%	8.2%	13.6%	86.4%
Grade 9	5.9%	9.2%	16.8%	83.2%
Grade 10	7.7%	10.0%	15.4%	84.6%
Grade 11	6.1%	10.2%	20.9%	79.1%
Grade 12	7.7%	11.5%	19.4%	80.6%
Any Inhalant				
All	4.6%	6.3%	11.9%	88.1%
Grade 7	4.7%	6.0%	11.2%	88.8%
Grade 8	8.0%	9.3%	12.8%	87.2%
Grade 9	3.4%	4.4%	11.9%	88.1%
Grade 10	3.8%	6.9%	12.8%	87.2%
Grade 11	4.3%	6.0%	11.8%	88.2%
Grade 12	2.9%	5.2%	10.7%	89.3%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.7%	16.9%	28.8%	71.2%
Grade 7	4.9%	8.5%	19.8%	80.2%
Grade 8	8.8%	11.1%	23.8%	76.2%
Grade 9	9.0%	12.8%	22.8%	77.2%
Grade 10	13.5%	17.8%	28.4%	71.6%
Grade 11	21.4%	27.9%	43.2%	56.8%
Grade 12	23.8%	29.7%	41.5%	58.5%
Marijuana				
All	15.3%	17.6%	23.9%	76.1%
Grade 7	5.4%	6.1%	8.8%	91.2%
Grade 8	7.6%	8.9%	11.5%	88.5%
Grade 9	11.7%	13.7%	19.5%	80.5%
Grade 10	20.3%	22.5%	28.1%	71.9%
Grade 11	26.1%	29.9%	43.2%	56.8%
Grade 12	27.2%	32.1%	42.0%	58.0%
Marijuana Only				
All	7.1%	8.5%	13.2%	86.8%
Grade 7	3.4%	3.6%	5.0%	95.0%
Grade 8	4.1%	4.4%	7.0%	93.0%
Grade 9	4.9%	6.4%	10.7%	89.3%
Grade 10	8.4%	9.9%	14.2%	85.8%
Grade 11	13.8%	16.2%	26.7%	73.3%
Grade 12	11.0%	13.6%	20.8%	79.2%
Cocaine or Crack				
All	1.2%	1.3%	2.0%	98.0%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.6%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	1.7%	1.7%	2.4%	97.6%
Grade 11	1.9%	2.3%	3.9%	96.1%
Grade 12	2.9%	2.9%	4.9%	95.1%
Cocaine				
All	1.1%	1.2%	1.8%	98.2%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.6%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	1.7%	1.7%	2.4%	97.6%
Grade 11	1.9%	2.3%	3.9%	96.1%
Grade 12	2.9%	2.9%	4.9%	95.1%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.6%	99.4%
Hallucinogens				
All	1.2%	2.1%	3.7%	96.3%
Grade 7	0.7%	1.0%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.5%	0.9%	2.3%	97.7%
Grade 10	1.9%	2.9%	4.7%	95.3%
Grade 11	1.8%	4.2%	5.4%	94.6%
Grade 12	2.8%	4.7%	10.1%	89.9%
Synthetic Cathinones				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.4%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.8%	0.8%	99.2%
Steroids				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	1.0%	1.9%	3.5%	96.5%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.8%	0.8%	1.2%	98.8%
Grade 12	0.2%	0.2%	1.0%	99.0%
Ecstasy				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	1.0%	99.0%
Grade 10	0.2%	0.5%	1.5%	98.5%
Grade 11	0.4%	0.9%	1.9%	98.1%
Grade 12	0.8%	0.8%	3.4%	96.6%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.3%	0.3%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	1.3%	1.9%	2.8%	97.2%
Grade 7	0.8%	1.0%	2.0%	98.0%
Grade 8	0.4%	1.3%	1.6%	98.4%
Grade 9	1.7%	2.0%	3.6%	96.4%
Grade 10	1.7%	3.1%	4.7%	95.3%
Grade 11	1.4%	1.7%	2.2%	97.8%
Grade 12	2.5%	2.5%	2.7%	97.3%
Methamphetamine				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.4%	0.5%	99.5%
Grade 9	0.4%	0.5%	1.4%	98.6%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.8%	1.2%	98.8%
Delta 8				
All	4.4%	6.3%	9.5%	90.5%
Grade 7	0.6%	1.9%	3.9%	96.1%
Grade 8	1.0%	2.1%	4.0%	96.0%
Grade 9	4.5%	5.2%	7.9%	92.1%
Grade 10	7.4%	9.6%	11.8%	88.2%
Grade 11	7.6%	10.8%	16.1%	83.9%
Grade 12	7.1%	11.4%	17.6%	82.4%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.3%	15.0%	26.0%	74.0%
Grade 7	3.4%	4.8%	12.1%	87.9%
Grade 8	4.5%	7.1%	16.5%	83.5%
Grade 9	9.8%	13.2%	23.0%	77.0%
Grade 10	10.5%	15.4%	28.7%	71.3%
Grade 11	18.1%	22.7%	37.4%	62.6%
Grade 12	23.6%	29.9%	42.3%	57.7%
Any Alcohol Product				
All	25.6%	29.5%	46.4%	53.6%
Grade 7	14.2%	16.1%	33.2%	66.8%
Grade 8	17.5%	18.7%	34.4%	65.6%
Grade 9	22.5%	28.4%	47.0%	53.0%
Grade 10	28.0%	30.8%	46.1%	53.9%
Grade 11	31.2%	36.7%	58.0%	42.0%
Grade 12	43.7%	50.5%	64.1%	35.9%
Any Illicit Drug				
All	10.0%	12.9%	17.3%	82.7%
Grade 7	2.3%	3.7%	5.0%	95.0%
Grade 8	3.8%	5.6%	6.3%	93.7%
Grade 9	8.8%	12.3%	16.6%	83.4%
Grade 10	10.1%	11.9%	16.9%	83.1%
Grade 11	15.4%	19.7%	28.2%	71.8%
Grade 12	21.7%	27.3%	34.8%	65.2%
Any Prescription Drug				
All	5.5%	8.3%	14.1%	85.9%
Grade 7	5.0%	6.6%	12.6%	87.4%
Grade 8	5.2%	7.0%	11.6%	88.4%
Grade 9	7.4%	10.5%	15.5%	84.5%
Grade 10	5.7%	8.2%	14.9%	85.1%
Grade 11	3.8%	6.5%	14.0%	86.0%
Grade 12	5.8%	11.4%	16.9%	83.1%
Any Inhalant				
All	4.0%	5.4%	10.7%	89.3%
Grade 7	3.8%	5.2%	10.8%	89.2%
Grade 8	4.1%	4.4%	7.0%	93.0%
Grade 9	5.4%	6.5%	13.6%	86.4%
Grade 10	2.6%	4.6%	8.1%	91.9%
Grade 11	3.7%	4.7%	10.8%	89.2%
Grade 12	4.2%	7.3%	14.5%	85.5%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.7%	12.5%	23.3%	76.7%
Grade 7	2.0%	3.8%	11.0%	89.0%
Grade 8	3.7%	6.3%	14.0%	86.0%
Grade 9	7.6%	12.0%	21.3%	78.7%
Grade 10	8.1%	12.2%	25.7%	74.3%
Grade 11	14.3%	19.2%	33.6%	66.4%
Grade 12	18.3%	24.3%	38.1%	61.9%
Marijuana				
All	9.3%	11.3%	15.6%	84.4%
Grade 7	1.9%	2.0%	3.1%	96.9%
Grade 8	3.3%	4.4%	5.3%	94.7%
Grade 9	8.3%	9.9%	13.6%	86.4%
Grade 10	10.1%	10.7%	15.4%	84.6%
Grade 11	13.7%	17.0%	26.4%	73.6%
Grade 12	20.9%	26.2%	33.8%	66.2%
Marijuana Only				
All	4.1%	5.4%	8.8%	91.2%
Grade 7	1.0%	1.1%	1.1%	98.9%
Grade 8	1.9%	2.8%	3.1%	96.9%
Grade 9	3.5%	4.9%	7.1%	92.9%
Grade 10	3.7%	4.3%	8.3%	91.7%
Grade 11	7.1%	8.9%	16.5%	83.5%
Grade 12	8.2%	11.7%	18.9%	81.1%
Cocaine or Crack				
All	0.9%	0.9%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	1.7%	1.7%	1.7%	98.3%
Grade 11	1.6%	1.6%	2.0%	98.0%
Grade 12	1.5%	1.5%	3.5%	96.5%
Cocaine				
All	0.8%	0.8%	1.4%	98.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	1.7%	1.7%	1.7%	98.3%
Grade 11	1.4%	1.4%	2.0%	98.0%
Grade 12	1.5%	1.5%	3.5%	96.5%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.6%	99.4%
Hallucinogens				
All	0.7%	1.0%	2.2%	97.8%
Grade 7	0.1%	0.4%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	2.1%	97.9%
Grade 10	0.5%	0.5%	2.0%	98.0%
Grade 11	1.7%	2.6%	3.5%	96.5%
Grade 12	1.6%	2.3%	5.5%	94.5%
Synthetic Cathinones				
All	0.2%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.2%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.4%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.6%	0.6%	99.4%
Steroids				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.0%	0.3%	0.9%	99.1%
Grade 9	1.6%	2.1%	4.8%	95.2%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.2%	0.2%	1.4%	98.6%
Ecstasy				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.1%	0.1%	1.0%	99.0%
Grade 10	0.7%	0.7%	1.7%	98.3%
Grade 11	0.4%	0.8%	1.6%	98.4%
Grade 12	0.6%	0.6%	1.7%	98.3%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.1%	99.9%
Synthetic Marijuana				
All	1.1%	1.6%	2.3%	97.7%
Grade 7	0.2%	0.4%	1.3%	98.7%
Grade 8	0.3%	0.8%	0.8%	99.2%
Grade 9	1.6%	1.9%	3.0%	97.0%
Grade 10	1.7%	2.6%	3.6%	96.4%
Grade 11	1.2%	1.8%	3.1%	96.9%
Grade 12	2.1%	2.1%	2.6%	97.4%
Methamphetamine				
All	0.1%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.7%	1.9%	98.1%
Grade 10	0.4%	0.4%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.6%	0.8%	99.2%
Delta 8				
All	2.8%	4.1%	5.9%	94.1%
Grade 7	0.2%	1.0%	1.9%	98.1%
Grade 8	0.7%	1.2%	1.7%	98.3%
Grade 9	3.2%	3.9%	5.2%	94.8%
Grade 10	3.6%	4.2%	6.1%	93.9%
Grade 11	3.3%	5.8%	9.8%	90.2%
Grade 12	6.4%	9.3%	11.8%	88.2%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.7%	20.4%	31.5%	68.5%
Grade 7	9.0%	12.4%	24.2%	75.8%
Grade 8	16.4%	19.7%	30.3%	69.7%
Grade 9	9.3%	11.8%	26.5%	73.5%
Grade 10	20.4%	23.9%	31.1%	68.9%
Grade 11	23.6%	29.6%	39.5%	60.5%
Grade 12	23.6%	27.5%	39.5%	60.5%
Any Alcohol Product				
All	28.4%	32.8%	51.2%	48.8%
Grade 7	15.7%	17.8%	38.3%	61.7%
Grade 8	26.6%	30.1%	51.7%	48.3%
Grade 9	22.6%	26.8%	44.6%	55.4%
Grade 10	29.6%	36.0%	48.0%	52.0%
Grade 11	37.4%	43.0%	62.1%	37.9%
Grade 12	41.3%	45.6%	65.0%	35.0%
Any Illicit Drug				
All	17.9%	22.6%	29.4%	70.6%
Grade 7	6.0%	10.9%	12.6%	87.4%
Grade 8	10.6%	17.0%	20.0%	80.0%
Grade 9	13.1%	15.1%	23.3%	76.7%
Grade 10	27.5%	32.0%	35.8%	64.2%
Grade 11	26.7%	32.1%	42.7%	57.3%
Grade 12	25.6%	31.1%	45.8%	54.2%
Any Prescription Drug				
All	5.1%	8.1%	15.7%	84.3%
Grade 7	4.6%	9.5%	14.2%	85.8%
Grade 8	5.0%	8.7%	12.8%	87.2%
Grade 9	3.6%	5.6%	13.6%	86.4%
Grade 10	8.3%	10.5%	18.1%	81.9%
Grade 11	5.9%	9.7%	20.3%	79.7%
Grade 12	3.1%	5.0%	16.0%	84.0%
Any Inhalant				
All	3.5%	5.4%	11.3%	88.7%
Grade 7	2.9%	4.1%	10.2%	89.8%
Grade 8	8.8%	10.8%	16.0%	84.0%
Grade 9	1.9%	3.0%	10.4%	89.6%
Grade 10	3.3%	7.4%	13.8%	86.2%
Grade 11	2.2%	3.6%	10.0%	90.0%
Grade 12	1.2%	2.2%	6.3%	93.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.0%	17.2%	29.8%	70.2%
Grade 7	5.9%	9.3%	21.9%	78.1%
Grade 8	12.3%	15.6%	29.3%	70.7%
Grade 9	8.2%	10.6%	25.2%	74.8%
Grade 10	15.3%	20.0%	29.6%	70.4%
Grade 11	18.9%	25.9%	37.9%	62.1%
Grade 12	19.2%	24.1%	36.5%	63.5%
Marijuana				
All	17.4%	20.2%	27.3%	72.7%
Grade 7	5.4%	7.2%	9.6%	90.4%
Grade 8	10.4%	13.6%	16.7%	83.3%
Grade 9	13.0%	14.4%	23.0%	77.0%
Grade 10	26.4%	29.6%	34.4%	65.6%
Grade 11	26.7%	30.9%	41.2%	58.8%
Grade 12	25.0%	28.3%	42.5%	57.5%
Marijuana Only				
All	9.2%	10.6%	16.1%	83.9%
Grade 7	3.9%	4.8%	6.9%	93.1%
Grade 8	6.8%	7.4%	10.5%	89.5%
Grade 9	6.0%	6.5%	14.4%	85.6%
Grade 10	13.0%	15.1%	18.1%	81.9%
Grade 11	13.4%	16.0%	24.3%	75.7%
Grade 12	13.4%	15.4%	24.6%	75.4%
Cocaine or Crack				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.5%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	1.2%	1.2%	2.8%	97.2%
Grade 11	0.9%	1.5%	4.1%	95.9%
Grade 12	1.2%	1.2%	2.6%	97.4%
Cocaine				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.5%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	1.0%	1.0%	2.6%	97.4%
Grade 11	0.9%	1.5%	4.1%	95.9%
Grade 12	1.2%	1.2%	2.7%	97.3%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens				
All	0.9%	1.9%	3.7%	96.3%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	0.0%	0.5%	1.2%	98.8%
Grade 10	2.6%	4.7%	7.6%	92.4%
Grade 11	0.9%	3.7%	4.9%	95.1%
Grade 12	1.1%	2.5%	6.5%	93.5%
Synthetic Cathinones				
All	0.0%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.9%	1.3%	98.7%
Grade 11	0.0%	0.4%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.7%	99.3%
Steroids				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.5%	98.5%
Grade 9	0.3%	0.9%	1.0%	99.0%
Grade 10	1.5%	1.5%	1.7%	98.3%
Grade 11	0.8%	0.8%	1.5%	98.5%
Grade 12	0.2%	0.7%	0.7%	99.3%
Ecstasy				
All	0.0%	0.1%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.4%	2.0%	98.0%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	0.2%	0.6%	2.3%	97.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	1.5%	98.5%
Grade 12	0.2%	0.2%	0.4%	99.6%
Synthetic Marijuana				
All	0.9%	1.5%	2.6%	97.4%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.5%	1.4%	1.7%	98.3%
Grade 9	0.7%	1.0%	2.1%	97.9%
Grade 10	2.0%	3.2%	5.5%	94.5%
Grade 11	1.1%	1.8%	3.2%	96.8%
Grade 12	0.5%	0.7%	2.4%	97.6%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.2%	1.2%	1.3%	98.7%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.4%	99.6%
Delta 8				
All	3.9%	5.9%	9.2%	90.8%
Grade 7	0.5%	1.2%	2.8%	97.2%
Grade 8	1.0%	2.8%	5.0%	95.0%
Grade 9	3.6%	4.8%	7.4%	92.6%
Grade 10	8.2%	10.6%	12.4%	87.6%
Grade 11	6.4%	9.9%	14.6%	85.4%
Grade 12	4.2%	6.4%	14.0%	86.0%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.7%	15.4%	26.0%	74.0%
Grade 7	4.2%	6.4%	14.7%	85.3%
Grade 8	7.8%	10.1%	18.9%	81.1%
Grade 9	8.7%	12.3%	23.1%	76.9%
Grade 10	13.6%	17.6%	29.1%	70.9%
Grade 11	17.0%	22.5%	36.1%	63.9%
Grade 12	21.2%	26.0%	37.9%	62.1%
Any Alcohol Product				
All	25.5%	29.4%	47.5%	52.5%
Grade 7	13.4%	14.7%	32.6%	67.4%
Grade 8	19.7%	21.6%	38.3%	61.7%
Grade 9	21.5%	26.6%	45.1%	54.9%
Grade 10	27.1%	31.5%	48.5%	51.5%
Grade 11	32.1%	37.5%	59.1%	40.9%
Grade 12	42.6%	48.9%	65.8%	34.2%
Any Illicit Drug				
All	11.4%	14.8%	19.8%	80.2%
Grade 7	3.7%	5.1%	6.5%	93.5%
Grade 8	5.7%	9.0%	10.6%	89.4%
Grade 9	7.4%	10.4%	15.2%	84.8%
Grade 10	15.7%	19.0%	24.4%	75.6%
Grade 11	16.2%	20.4%	28.9%	71.1%
Grade 12	22.3%	27.7%	37.5%	62.5%
Any Prescription Drug				
All	4.6%	7.2%	13.8%	86.2%
Grade 7	5.2%	8.2%	13.1%	86.9%
Grade 8	3.3%	5.6%	9.3%	90.7%
Grade 9	5.6%	8.3%	16.1%	83.9%
Grade 10	5.6%	7.3%	14.9%	85.1%
Grade 11	4.1%	6.3%	15.1%	84.9%
Grade 12	4.0%	7.3%	15.1%	84.9%
Any Inhalant				
All	3.3%	4.7%	9.9%	90.1%
Grade 7	3.2%	4.7%	9.5%	90.5%
Grade 8	5.1%	6.2%	9.8%	90.2%
Grade 9	3.2%	4.4%	10.8%	89.2%
Grade 10	3.1%	5.2%	9.7%	90.3%
Grade 11	2.0%	3.0%	9.3%	90.7%
Grade 12	2.6%	4.3%	10.0%	90.0%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.2%	13.1%	23.8%	76.2%
Grade 7	2.4%	5.0%	13.5%	86.5%
Grade 8	6.9%	9.2%	17.7%	82.3%
Grade 9	6.8%	11.0%	21.0%	79.0%
Grade 10	10.1%	14.2%	26.8%	73.2%
Grade 11	13.6%	19.7%	32.7%	67.3%
Grade 12	17.0%	22.0%	34.5%	65.5%
Marijuana				
All	11.1%	13.3%	18.3%	81.7%
Grade 7	3.3%	3.4%	4.6%	95.4%
Grade 8	5.5%	7.6%	9.0%	91.0%
Grade 9	7.2%	8.4%	13.7%	86.3%
Grade 10	15.7%	17.6%	23.0%	77.0%
Grade 11	15.7%	19.1%	27.8%	72.2%
Grade 12	21.8%	26.8%	36.1%	63.9%
Marijuana Only				
All	5.7%	7.0%	11.3%	88.7%
Grade 7	2.2%	2.4%	3.0%	97.0%
Grade 8	3.3%	4.1%	5.6%	94.4%
Grade 9	3.3%	3.9%	8.6%	91.4%
Grade 10	7.2%	8.7%	13.5%	86.5%
Grade 11	8.3%	10.2%	18.1%	81.9%
Grade 12	11.2%	14.5%	21.7%	78.3%
Cocaine or Crack				
All	0.7%	0.7%	1.4%	98.6%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	1.9%	1.9%	2.7%	97.3%
Grade 11	0.5%	0.6%	1.6%	98.4%
Grade 12	1.2%	1.2%	3.4%	96.6%
Cocaine				
All	0.7%	0.7%	1.4%	98.6%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	1.9%	1.9%	2.7%	97.3%
Grade 11	0.5%	0.6%	1.6%	98.4%
Grade 12	1.2%	1.2%	3.4%	96.6%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.5%	99.5%
Hallucinogens				
All	0.6%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	1.3%	2.1%	4.3%	95.7%
Grade 11	0.9%	2.7%	3.3%	96.7%
Grade 12	1.3%	1.9%	4.3%	95.7%
Synthetic Cathinones				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	1.1%	1.5%	2.5%	97.5%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.3%	0.7%	99.3%
Ecstasy				
All	0.1%	0.1%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	0.0%	0.3%	1.1%	98.9%
Grade 12	0.0%	0.0%	1.2%	98.8%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.9%	1.3%	2.0%	98.0%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	0.5%	1.3%	1.3%	98.7%
Grade 9	0.8%	1.3%	1.7%	98.3%
Grade 10	1.8%	2.6%	3.7%	96.3%
Grade 11	0.7%	1.2%	2.3%	97.7%
Grade 12	1.2%	1.2%	2.4%	97.6%
Methamphetamine				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.5%	0.5%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.1%	99.9%
Delta 8				
All	2.6%	4.0%	6.2%	93.8%
Grade 7	0.3%	1.1%	1.9%	98.1%
Grade 8	0.9%	1.8%	3.3%	96.7%
Grade 9	2.7%	3.2%	4.2%	95.8%
Grade 10	4.7%	6.1%	8.2%	91.8%
Grade 11	3.5%	5.9%	8.7%	91.3%
Grade 12	4.4%	7.1%	11.9%	88.1%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.0%	25.0%	37.6%	62.4%
Grade 7	13.3%	16.0%	29.6%	70.4%
Grade 8	17.3%	22.1%	38.8%	61.2%
Grade 9	11.6%	15.2%	29.7%	70.3%
Grade 10	20.7%	24.2%	32.9%	67.1%
Grade 11	25.7%	31.7%	41.7%	58.3%
Grade 12	30.2%	39.6%	52.4%	47.6%
Any Alcohol Product				
All	33.3%	38.2%	54.0%	46.0%
Grade 7	22.8%	28.7%	42.8%	57.2%
Grade 8	33.1%	38.2%	62.4%	37.6%
Grade 9	23.4%	28.5%	49.6%	50.4%
Grade 10	38.8%	41.6%	47.8%	52.2%
Grade 11	36.9%	41.0%	60.5%	39.5%
Grade 12	43.7%	50.4%	60.6%	39.4%
Any Illicit Drug				
All	18.2%	24.4%	31.0%	69.0%
Grade 7	7.0%	13.5%	16.2%	83.8%
Grade 8	8.9%	18.2%	18.7%	81.3%
Grade 9	14.6%	18.7%	27.3%	72.7%
Grade 10	22.0%	25.0%	27.3%	72.7%
Grade 11	26.4%	34.1%	47.3%	52.7%
Grade 12	27.4%	34.5%	45.0%	55.0%
Any Prescription Drug				
All	7.0%	10.8%	16.4%	83.6%
Grade 7	2.7%	4.5%	9.4%	90.6%
Grade 8	10.6%	12.4%	17.6%	82.4%
Grade 9	5.8%	8.0%	10.6%	89.4%
Grade 10	11.0%	13.1%	19.0%	81.0%
Grade 11	4.1%	9.7%	19.6%	80.4%
Grade 12	7.5%	16.6%	21.2%	78.8%
Any Inhalant				
All	5.0%	8.0%	15.4%	84.6%
Grade 7	8.4%	9.0%	18.5%	81.5%
Grade 8	10.0%	12.5%	16.7%	83.3%
Grade 9	2.6%	4.1%	14.2%	85.8%
Grade 10	2.6%	8.8%	12.8%	87.2%
Grade 11	3.8%	5.0%	13.4%	86.6%
Grade 12	4.1%	9.6%	17.7%	82.3%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.8%	19.8%	33.9%	66.1%
Grade 7	8.4%	11.1%	25.5%	74.5%
Grade 8	9.6%	14.4%	34.5%	65.5%
Grade 9	8.6%	12.0%	27.0%	73.0%
Grade 10	14.6%	18.2%	28.3%	71.7%
Grade 11	22.4%	27.9%	39.6%	60.4%
Grade 12	23.8%	33.3%	47.7%	52.3%
Marijuana				
All	16.0%	19.5%	27.0%	73.0%
Grade 7	5.4%	7.6%	12.2%	87.8%
Grade 8	7.1%	10.9%	13.1%	86.9%
Grade 9	12.6%	16.4%	22.5%	77.5%
Grade 10	18.6%	20.3%	23.7%	76.3%
Grade 11	22.8%	28.1%	44.7%	55.3%
Grade 12	26.4%	30.3%	41.4%	58.6%
Marijuana Only				
All	8.3%	10.1%	15.4%	84.6%
Grade 7	3.6%	3.6%	5.5%	94.5%
Grade 8	5.8%	5.8%	8.0%	92.0%
Grade 9	8.3%	11.5%	14.3%	85.7%
Grade 10	5.9%	6.3%	7.5%	92.5%
Grade 11	14.7%	18.2%	30.4%	69.6%
Grade 12	10.0%	13.0%	23.8%	76.2%
Cocaine or Crack				
All	1.2%	1.5%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	1.2%	1.2%	98.8%
Grade 9	0.6%	0.6%	1.7%	98.3%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	4.2%	5.1%	6.6%	93.4%
Grade 12	1.3%	1.3%	1.3%	98.7%
Cocaine				
All	1.0%	1.3%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.2%	1.2%	98.8%
Grade 9	0.6%	0.6%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	3.6%	4.5%	6.6%	93.4%
Grade 12	1.3%	1.3%	1.3%	98.7%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.7%	0.7%	1.5%	98.5%
Grade 12	0.5%	0.5%	0.5%	99.5%
Hallucinogens				
All	1.0%	2.0%	4.2%	95.8%
Grade 7	2.5%	3.1%	3.1%	96.9%
Grade 8	0.0%	0.0%	3.3%	96.7%
Grade 9	0.6%	0.6%	1.7%	98.3%
Grade 10	1.8%	4.0%	5.8%	94.2%
Grade 11	1.2%	2.1%	4.3%	95.7%
Grade 12	0.0%	2.0%	7.1%	92.9%
Synthetic Cathinones				
All	0.5%	1.2%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.7%	1.7%	1.7%	98.3%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.0%	2.2%	2.2%	97.8%
Grade 11	1.2%	2.7%	2.7%	97.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	1.4%	1.4%	2.2%	97.8%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.4%	1.4%	3.1%	96.9%
Grade 10	3.7%	3.7%	3.7%	96.3%
Grade 11	1.8%	1.8%	2.7%	97.3%
Grade 12	1.1%	1.1%	1.4%	98.6%
Ecstasy				
All	0.5%	0.8%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	1.4%	2.4%	3.2%	96.8%
Grade 11	1.2%	1.2%	2.7%	97.3%
Grade 12	0.0%	0.8%	2.8%	97.2%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.5%	0.5%	1.0%	99.0%
Synthetic Marijuana				
All	1.5%	2.0%	4.2%	95.8%
Grade 7	1.2%	1.2%	4.6%	95.4%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.6%	0.6%	4.3%	95.7%
Grade 10	3.0%	5.0%	7.2%	92.8%
Grade 11	2.6%	3.5%	5.6%	94.4%
Grade 12	1.4%	1.4%	1.8%	98.2%
Methamphetamine				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.6%	2.4%	97.6%
Grade 10	2.2%	2.2%	2.2%	97.8%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.5%	99.5%
Delta 8				
All	5.1%	6.5%	9.8%	90.2%
Grade 7	0.8%	1.4%	5.6%	94.4%
Grade 8	1.3%	1.9%	2.8%	97.2%
Grade 9	3.5%	3.5%	8.0%	92.0%
Grade 10	10.2%	10.8%	11.5%	88.5%
Grade 11	5.4%	8.6%	15.7%	84.3%
Grade 12	8.0%	11.3%	13.5%	86.5%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	33,212	50.0%
Female	33,230	50.0%
Frequency Missing	574	

Hispanic or Latino

Q5a	Frequency	Percent
No	29,449	45.0%
Yes	36,001	55.0%
Frequency Missing	1,564	

Grade

Q2	Frequency	Percent
Grade 7	11,761	17.6%
Grade 8	12,286	18.4%
Grade 9	11,637	17.4%
Grade 10	10,568	15.8%
Grade 11	10,372	15.5%
Grade 12	10,267	15.3%
Frequency Missing	124	

Ethnicity

Q5b	Frequency	Percent
American Indian	1,834	3.0%
Asian American	695	1.2%
African American	4,909	8.1%
Pacific Islander	125	0.2%
White	30,108	49.9%
Other	13,072	21.7%
More Than One Race	9,554	15.8%
Frequency Missing	6,716	

Live with Both Parents

Q3	Frequency	Percent
No	27,817	41.9%
Yes	38,518	58.1%
Frequency Missing	681	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	207	0.3%
Mostly D's	853	1.4%
Mostly C's	7,352	12.0%
Mostly B's	27,956	45.5%
Mostly A's	25,062	40.8%
Frequency Missing	5,585	

Age

Q4	Frequency	Percent
11 or younger	28	0.0%
12	4,420	6.6%
13	11,779	17.7%
14	10,830	16.2%
15	11,565	17.3%
16	10,237	15.3%
17	10,680	16.0%
18	6,550	9.8%
19 or older	648	1.0%
Frequency Missing	278	

Do You Have a Job

Q7	Frequency	Percent
No	46,113	74.7%
Yes	15,593	25.3%
Frequency Missing	5,309	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	10,815	17.7%
Yes	26,546	43.5%
Don't Know	23,595	38.7%
Frequency Missing	6,059	

**Participate in School Athletics (UIL, Varsity,
Jr Varsity)**

Q9a	Frequency	Percent
No	24,613	41.9%
Yes	34,084	58.1%
Frequency Missing	8,318	

**Participate in Academic
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	39,524	73.7%
Yes	14,103	26.3%
Frequency Missing	13,388	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	38,944	71.3%
Yes	15,713	28.7%
Frequency Missing	12,358	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	40,395	76.0%
Yes	12,767	24.0%
Frequency Missing	13,854	

Participate in School Choir

Q9c	Frequency	Percent
No	47,633	91.1%
Yes	4,668	8.9%
Frequency Missing	14,715	

**Participate in Athletic Teams Outside of
School**

Q9h	Frequency	Percent
No	37,638	69.1%
Yes	16,823	30.9%
Frequency Missing	12,554	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	48,341	91.8%
Yes	4,306	8.2%
Frequency Missing	14,367	

**Participate in Other Clubs or Groups
Outside of School**

Q9i	Frequency	Percent
No	42,662	81.0%
Yes	10,006	19.0%
Frequency Missing	14,347	

**Participate in Student Government/School
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	47,474	91.1%
Yes	4,623	8.9%
Frequency Missing	14,918	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	57,701	86.6%
Somewhat Safe	7,503	11.3%
Not Very Safe	647	1.0%
Not Safe At All	134	0.2%
Don't Know	624	0.9%
Frequency Missing	405	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	30,820	46.5%
Somewhat Safe	29,846	45.1%
Not Very Safe	3,185	4.8%
Not Safe At All	815	1.2%
Don't Know	1,550	2.3%
Frequency Missing	799	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	30,812	51.0%
Yes	29,600	49.0%
Frequency Missing	6,603	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	24,126	36.5%
Somewhat Safe	30,614	46.4%
Not Very Safe	5,525	8.4%
Not Safe At All	3,082	4.7%
Don't Know	2,672	4.0%
Frequency Missing	997	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	3,733	5.7%
A Few	14,799	22.5%
Some	16,134	24.6%
Most	21,497	32.7%
All	9,478	14.4%
Frequency Missing	1,374	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	4,431	7.0%
Some High School	7,007	11.1%
Finished High School	16,017	25.4%
Some College	7,597	12.1%
Finished College	9,594	15.2%
Post-Secondary	5,968	9.5%
Don't Know or N/A	12,376	19.6%
Frequency Missing	4,025	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	2,019	3.1%
A Few	9,028	13.8%
Some	16,876	25.7%
Most	25,898	39.5%
All	11,753	17.9%
Frequency Missing	1,441	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	3,965	6.2%
Some High School	5,703	9.0%
Finished High School	13,917	21.9%
Some College	9,867	15.6%
Finished College	13,763	21.7%
Post-Secondary	8,840	13.9%
Don't Know or N/A	7,391	11.6%
Frequency Missing	3,569	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	27,313	42.3%
A Few	19,389	30.0%
Some	10,549	16.3%
Most	4,751	7.4%
All	2,612	4.0%
Frequency Missing	2,401	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	49,061	75.4%
A Few	9,110	14.0%
Some	3,819	5.9%
Most	1,954	3.0%
All	1,084	1.7%
Frequency Missing	1,986	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	64,483	99.0%
In Your Lifetime	480	0.7%
Since School Began	78	0.1%
In the Past Month	67	0.1%
Frequency Missing	1,908	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	57,664	88.2%
A Few	4,890	7.5%
Some	1,704	2.6%
Most	713	1.1%
All	444	0.7%
Frequency Missing	1,600	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	61,918	94.6%
In Your Lifetime	2,405	3.7%
Since School Began	466	0.7%
In the Past Month	671	1.0%
Frequency Missing	1,554	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	64,431	98.0%
In Your Lifetime	1,168	1.8%
Since School Began	42	0.1%
In the Past Month	137	0.2%
Frequency Missing	1,237	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	65,067	99.3%
In Your Lifetime	283	0.4%
Since School Began	96	0.1%
In the Past Month	66	0.1%
Frequency Missing	1,504	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	63,249	96.4%
In Your Lifetime	1,808	2.8%
Since School Began	152	0.2%
In the Past Month	422	0.6%
Frequency Missing	1,385	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	64,884	99.0%
In Your Lifetime	471	0.7%
Since School Began	131	0.2%
In the Past Month	73	0.1%
Frequency Missing	1,456	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	64,013	97.8%
In Your Lifetime	1,022	1.6%
Since School Began	46	0.1%
In the Past Month	382	0.6%
Frequency Missing	1,552	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	43,574	67.7%
In Your Lifetime	11,035	17.1%
Since School Began	3,278	5.1%
In the Past Month	6,486	10.1%
Frequency Missing	2,641	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	64,644	98.6%
In Your Lifetime	650	1.0%
Since School Began	69	0.1%
In the Past Month	180	0.3%
Frequency Missing	1,472	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	49,605	76.4%
In Your Lifetime	6,988	10.8%
Since School Began	2,596	4.0%
In the Past Month	5,713	8.8%
Frequency Missing	2,112	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	58,702	89.7%
In Your Lifetime	4,525	6.9%
Since School Began	679	1.0%
In the Past Month	1,503	2.3%
Frequency Missing	1,607	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	48,573	75.7%
In Your Lifetime	9,271	14.4%
Since School Began	2,199	3.4%
In the Past Month	4,144	6.5%
Frequency Missing	2,828	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	61,160	94.1%
In Your Lifetime	2,246	3.5%
Since School Began	257	0.4%
In the Past Month	1,328	2.0%
Frequency Missing	2,024	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	45,357	70.1%
In Your Lifetime	8,843	13.7%
Since School Began	3,364	5.2%
In the Past Month	7,166	11.1%
Frequency Missing	2,284	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	62,835	96.6%
In Your Lifetime	1,560	2.4%
Since School Began	150	0.2%
In the Past Month	480	0.7%
Frequency Missing	1,990	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	48,256	74.0%
In Your Lifetime	7,466	11.5%
Since School Began	2,605	4.0%
In the Past Month	6,848	10.5%
Frequency Missing	1,841	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	63,144	97.2%
In Your Lifetime	919	1.4%
Since School Began	407	0.6%
In the Past Month	510	0.8%
Frequency Missing	2,035	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	53,066	81.4%
In Your Lifetime	5,559	8.5%
Since School Began	1,778	2.7%
In the Past Month	4,811	7.4%
Frequency Missing	1,800	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	64,761	99.5%
In Your Lifetime	141	0.2%
Since School Began	144	0.2%
In the Past Month	67	0.1%
Frequency Missing	1,902	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	64,555	98.8%
In Your Lifetime	516	0.8%
Since School Began	108	0.2%
In the Past Month	180	0.3%
Frequency Missing	1,655	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	64,465	99.0%
In Your Lifetime	343	0.5%
Since School Began	94	0.1%
In the Past Month	222	0.3%
Frequency Missing	1,892	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	64,873	99.7%
In Your Lifetime	124	0.2%
Since School Began	11	0.0%
In the Past Month	35	0.1%
Frequency Missing	1,972	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	64,332	99.1%
In Your Lifetime	447	0.7%
Since School Began	58	0.1%
In the Past Month	93	0.1%
Frequency Missing	2,084	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	64,884	99.8%
In Your Lifetime	105	0.2%
Since School Began	0	0.0%
In the Past Month	47	0.1%
Frequency Missing	1,980	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	58,049	90.2%
In Your Lifetime	3,111	4.8%
Since School Began	1,496	2.3%
In the Past Month	1,713	2.7%
Frequency Missing	2,646	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	64,829	99.6%
In Your Lifetime	125	0.2%
Since School Began	57	0.1%
In the Past Month	79	0.1%
Frequency Missing	1,926	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	62,033	96.6%
In Your Lifetime	1,225	1.9%
Since School Began	368	0.6%
In the Past Month	558	0.9%
Frequency Missing	2,832	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	63,821	98.0%
In Your Lifetime	580	0.9%
Since School Began	208	0.3%
In the Past Month	526	0.8%
Frequency Missing	1,880	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	62,299	97.0%
In Your Lifetime	1,093	1.7%
Since School Began	307	0.5%
In the Past Month	540	0.8%
Frequency Missing	2,776	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	60,680	93.4%
In Your Lifetime	1,633	2.5%
Since School Began	743	1.1%
In the Past Month	1,906	2.9%
Frequency Missing	2,053	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	61,552	96.3%
In Your Lifetime	1,163	1.8%
Since School Began	352	0.6%
In the Past Month	854	1.3%
Frequency Missing	3,094	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	59,363	93.0%
In Your Lifetime	2,263	3.5%
Since School Began	777	1.2%
In the Past Month	1,424	2.2%
Frequency Missing	3,188	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	63,141	98.4%
1-2 times	750	1.2%
3-10 times	129	0.2%
11+ times	118	0.2%
Frequency Missing	2,877	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	62,583	97.6%
In Your Lifetime	857	1.3%
Since School Began	245	0.4%
In the Past Month	456	0.7%
Frequency Missing	2,874	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	56,445	88.1%
1-2 times	3,445	5.4%
3-10 times	1,622	2.5%
11+ times	2,575	4.0%
Frequency Missing	2,928	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	59,946	93.3%
1-2 times	1,959	3.0%
3-10 times	851	1.3%
11+ times	1,520	2.4%
Frequency Missing	2,739	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	63,701	99.4%
1-2 times	278	0.4%
3-10 times	65	0.1%
11+ times	47	0.1%
Frequency Missing	2,924	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	48,833	76.2%
1-2 times	9,404	14.7%
3-10 times	3,928	6.1%
11+ times	1,907	3.0%
Frequency Missing	2,943	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	64,028	99.8%
1-2 times	17	0.0%
3-10 times	40	0.1%
11+ times	58	0.1%
Frequency Missing	2,873	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	50,534	79.6%
A few	7,605	12.0%
Some	2,731	4.3%
Most	1,901	3.0%
All	702	1.1%
Frequency Missing	3,542	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	34,421	54.2%
A few	14,705	23.2%
Some	6,911	10.9%
Most	5,745	9.0%
All	1,717	2.7%
Frequency Missing	3,517	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	59,221	93.2%
A few	3,034	4.8%
Some	756	1.2%
Most	376	0.6%
All	173	0.3%
Frequency Missing	3,456	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	42,509	66.8%
A few	10,076	15.8%
Some	4,848	7.6%
Most	4,184	6.6%
All	2,000	3.1%
Frequency Missing	3,398	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	55,749	88.3%
8 or younger	607	1.0%
9 years old	325	0.5%
10 years old	405	0.6%
11 years old	419	0.7%
12 years old	732	1.2%
13 years old	1,172	1.9%
14 years old	1,443	2.3%
15 years old	1,055	1.7%
16 years old	905	1.4%
17 years old	321	0.5%
18 or older	38	0.1%
Frequency Missing	3,845	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	37,784	60.0%
8 or younger	2,556	4.1%
9 years old	861	1.4%
10 years old	1,558	2.5%
11 years old	1,842	2.9%
12 years old	2,805	4.5%
13 years old	3,758	6.0%
14 years old	3,693	5.9%
15 years old	3,531	5.6%
16 years old	2,642	4.2%
17 years old	1,504	2.4%
18 or older	471	0.7%
Frequency Missing	4,011	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	60,792	96.9%
8 or younger	318	0.5%
9 years old	183	0.3%
10 years old	197	0.3%
11 years old	199	0.3%
12 years old	309	0.5%
13 years old	319	0.5%
14 years old	124	0.2%
15 years old	154	0.2%
16 years old	163	0.3%
17 years old	0	0.0%
18 or older	8	0.0%
Frequency Missing	4,250	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	51,556	81.7%
8 or younger	376	0.6%
9 years old	177	0.3%
10 years old	256	0.4%
11 years old	576	0.9%
12 years old	1,143	1.8%
13 years old	1,707	2.7%
14 years old	2,282	3.6%
15 years old	2,392	3.8%
16 years old	1,636	2.6%
17 years old	842	1.3%
18 or older	181	0.3%
Frequency Missing	3,890	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	62,631	99.0%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	37	0.1%
11 years old	0	0.0%
12 years old	16	0.0%
13 years old	35	0.1%
14 years old	97	0.2%
15 years old	251	0.4%
16 years old	50	0.1%
17 years old	90	0.1%
18 or older	35	0.1%
Frequency Missing	3,774	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	62,563	99.2%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	14	0.0%
12 years old	66	0.1%
13 years old	80	0.1%
14 years old	45	0.1%
15 years old	123	0.2%
16 years old	40	0.1%
17 years old	85	0.1%
18 or older	21	0.0%
Frequency Missing	3,977	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	63,151	99.7%
8 or younger	15	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	11	0.0%
12 years old	47	0.1%
13 years old	12	0.0%
14 years old	51	0.1%
15 years old	23	0.0%
16 years old	5	0.0%
17 years old	0	0.0%
Frequency Missing	3,700	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	62,988	99.8%
8 or younger	15	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	12	0.0%
13 years old	25	0.0%
14 years old	40	0.1%
15 years old	16	0.0%
16 years old	8	0.0%
17 years old	24	0.0%
Frequency Missing	3,886	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	62,682	99.0%
8 or younger	196	0.3%
9 years old	54	0.1%
10 years old	14	0.0%
11 years old	70	0.1%
12 years old	61	0.1%
13 years old	0	0.0%
14 years old	47	0.1%
15 years old	88	0.1%
16 years old	70	0.1%
17 years old	38	0.1%
18 or older	11	0.0%
Frequency Missing	3,685	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	62,951	99.5%
8 or younger	31	0.0%
9 years old	0	0.0%
10 years old	41	0.1%
11 years old	11	0.0%
12 years old	0	0.0%
13 years old	79	0.1%
14 years old	57	0.1%
15 years old	44	0.1%
16 years old	8	0.0%
17 years old	42	0.1%
Frequency Missing	3,749	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	61,882	98.0%
8 or younger	60	0.1%
9 years old	37	0.1%
10 years old	14	0.0%
11 years old	57	0.1%
12 years old	124	0.2%
13 years old	302	0.5%
14 years old	89	0.1%
15 years old	321	0.5%
16 years old	136	0.2%
17 years old	58	0.1%
18 or older	36	0.1%
Frequency Missing	3,898	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	59,248	93.8%
8 or younger	12	0.0%
9 years old	3	0.0%
10 years old	59	0.1%
11 years old	82	0.1%
12 years old	169	0.3%
13 years old	426	0.7%
14 years old	614	1.0%
15 years old	771	1.2%
16 years old	827	1.3%
17 years old	623	1.0%
18 or older	299	0.5%
Frequency Missing	3,882	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	23,746	37.7%
Impossible	13,025	20.7%
Very Difficult	4,754	7.5%
Somewhat diff	5,741	9.1%
Somewhat easy	7,370	11.7%
Very easy	8,342	13.2%
Frequency Missing	4,036	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	17,968	28.6%
Impossible	9,005	14.3%
Very Difficult	4,290	6.8%
Somewhat diff	6,736	10.7%
Somewhat easy	10,423	16.6%
Very easy	14,384	22.9%
Frequency Missing	4,210	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	30,272	48.4%
Impossible	10,579	16.9%
Very Difficult	2,767	4.4%
Somewhat diff	2,898	4.6%
Somewhat easy	4,503	7.2%
Very easy	11,509	18.4%
Frequency Missing	4,489	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	22,088	35.2%
Impossible	14,573	23.2%
Very Difficult	5,289	8.4%
Somewhat diff	5,053	8.1%
Somewhat easy	6,572	10.5%
Very easy	9,171	14.6%
Frequency Missing	4,269	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	28,971	46.2%
Impossible	20,432	32.6%
Very Difficult	6,386	10.2%
Somewhat diff	3,462	5.5%
Somewhat easy	1,592	2.5%
Very easy	1,860	3.0%
Frequency Missing	4,313	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	29,864	47.7%
Impossible	20,999	33.5%
Very Difficult	6,363	10.2%
Somewhat diff	2,621	4.2%
Somewhat easy	1,299	2.1%
Very easy	1,491	2.4%
Frequency Missing	4,378	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	33,628	53.7%
Impossible	19,323	30.9%
Very Difficult	5,444	8.7%
Somewhat diff	1,921	3.1%
Somewhat easy	1,129	1.8%
Very easy	1,124	1.8%
Frequency Missing	4,446	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	30,806	49.3%
Impossible	19,107	30.6%
Very Difficult	5,568	8.9%
Somewhat diff	3,387	5.4%
Somewhat easy	2,007	3.2%
Very easy	1,626	2.6%
Frequency Missing	4,514	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	34,747	55.7%
Impossible	16,283	26.1%
Very Difficult	4,527	7.3%
Somewhat diff	2,229	3.6%
Somewhat easy	2,198	3.5%
Very easy	2,380	3.8%
Frequency Missing	4,650	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	35,920	57.5%
Impossible	16,923	27.1%
Very Difficult	4,595	7.4%
Somewhat diff	2,501	4.0%
Somewhat easy	1,258	2.0%
Very easy	1,285	2.1%
Frequency Missing	4,532	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	34,421	55.3%
Impossible	15,086	24.2%
Very Difficult	3,931	6.3%
Somewhat diff	2,453	3.9%
Somewhat easy	2,570	4.1%
Very easy	3,760	6.0%
Frequency Missing	4,794	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	32,977	52.7%
Impossible	20,191	32.2%
Very Difficult	5,414	8.6%
Somewhat diff	2,075	3.3%
Somewhat easy	890	1.4%
Very easy	1,067	1.7%
Frequency Missing	4,400	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	1,152	1.8%
Several times/wk	554	0.9%
Several times/mo	695	1.1%
About once/month	1,102	1.8%
About once/year	1,123	1.8%
Less than once/year	2,002	3.2%
Never used	55,890	89.4%
Frequency Missing	4,498	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	271	0.4%
Several times/wk	791	1.3%
Several times/mo	3,717	6.0%
About once/month	6,410	10.3%
About once/year	5,197	8.4%
Less than once/year	5,657	9.1%
Never used	40,170	64.6%
Frequency Missing	4,802	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	28	0.0%
Several times/mo	33	0.1%
About once/month	61	0.1%
About once/year	131	0.2%
Less than once/year	303	0.5%
Never used	61,960	99.1%
Frequency Missing	4,499	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	23	0.0%
Several times/wk	116	0.2%
Several times/mo	133	0.2%
About once/month	209	0.3%
About once/year	209	0.3%
Less than once/year	845	1.4%
Never used	60,824	97.5%
Frequency Missing	4,658	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	9	0.0%
Several times/wk	12	0.0%
Several times/mo	31	0.0%
About once/month	0	0.0%
About once/year	49	0.1%
Less than once/year	32	0.1%
Never used	62,459	99.8%
Frequency Missing	4,423	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	1,474	2.4%
Several times/wk	1,173	1.9%
Several times/mo	1,350	2.2%
About once/month	2,121	3.4%
About once/year	1,905	3.0%
Less than once/year	2,604	4.2%
Never used	51,979	83.0%
Frequency Missing	4,409	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	17	0.0%
Several times/wk	55	0.1%
Several times/mo	25	0.0%
About once/month	63	0.1%
About once/year	87	0.1%
Less than once/year	218	0.3%
Never used	62,085	99.3%
Frequency Missing	4,465	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	65	0.1%
About once/month	21	0.0%
About once/year	87	0.1%
Less than once/year	243	0.4%
Never used	62,128	99.3%
Frequency Missing	4,470	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	54	0.1%
Several times/wk	83	0.1%
Several times/mo	202	0.3%
About once/month	237	0.4%
About once/year	300	0.5%
Less than once/year	253	0.4%
Never used	61,100	98.2%
Frequency Missing	4,785	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	9	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	25	0.0%
About once/year	0	0.0%
Less than once/year	36	0.1%
Never used	62,538	99.9%
Frequency Missing	4,407	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	208	0.3%
Several times/wk	308	0.5%
Several times/mo	570	0.9%
About once/month	993	1.6%
About once/year	542	0.9%
Less than once/year	713	1.1%
Never used	58,886	94.6%
Frequency Missing	4,795	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	27	0.0%
Several times/wk	12	0.0%
Several times/mo	17	0.0%
About once/month	25	0.0%
About once/year	0	0.0%
Less than once/year	77	0.1%
Never used	62,369	99.7%
Frequency Missing	4,488	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	41,846	67.1%
12+ drinks	1,427	2.3%
9-11 drinks	936	1.5%
5-8 drinks	1,918	3.1%
3-4 drinks	2,511	4.0%
2 drinks	3,243	5.2%
1 drink	3,604	5.8%
Less than 1 drink	6,917	11.1%
Frequency Missing	4,613	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	46,140	74.3%
12+ drinks	802	1.3%
9-11 drinks	709	1.1%
5-8 drinks	1,712	2.8%
3-4 drinks	2,849	4.6%
2 drinks	2,914	4.7%
1 drink	3,303	5.3%
Less than 1 drink	3,709	6.0%
Frequency Missing	4,878	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	36,262	59.0%
0 days	18,401	29.9%
1 day	2,857	4.6%
2 days	1,521	2.5%
3 to 5 days	1,257	2.0%
6 to 9 days	385	0.6%
10 or more days	771	1.3%
Frequency Missing	5,561	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	47,480	76.6%
12+ drinks	403	0.7%
9-11 drinks	253	0.4%
5-8 drinks	767	1.2%
3-4 drinks	1,356	2.2%
2 drinks	2,202	3.6%
1 drink	3,562	5.7%
Less than 1 drink	5,962	9.6%
Frequency Missing	5,030	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	40,100	64.7%
Never	8,390	13.5%
Seldom	8,423	13.6%
Most of the Time	3,629	5.9%
Always	1,439	2.3%
Frequency Missing	5,035	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	42,642	68.5%
12+ drinks	1,564	2.5%
9-11 drinks	1,194	1.9%
5-8 drinks	2,130	3.4%
3-4 drinks	3,351	5.4%
2 drinks	2,987	4.8%
1 drink	3,279	5.3%
Less than 1 drink	5,091	8.2%
Frequency Missing	4,777	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	40,013	64.8%
Never	9,042	14.6%
Seldom	6,364	10.3%
Most of the Time	4,819	7.8%
Always	1,549	2.5%
Frequency Missing	5,228	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	41,733	67.9%
Never	14,802	24.1%
Seldom	2,354	3.8%
Most of the Time	1,853	3.0%
Always	712	1.2%
Frequency Missing	5,561	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	38,838	63.0%
Never	8,506	13.8%
Seldom	5,740	9.3%
Most of the Time	5,053	8.2%
Always	3,552	5.8%
Frequency Missing	5,326	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	44,060	72.5%
Somewhat	7,894	13.0%
Not very	2,634	4.3%
Not at all	808	1.3%
Don't know	5,338	8.8%
Frequency Missing	6,281	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	42,097	68.5%
Never	11,295	18.4%
Seldom	4,163	6.8%
Most of the Time	2,183	3.6%
Always	1,715	2.8%
Frequency Missing	5,561	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	36,621	60.1%
Somewhat	9,013	14.8%
Not very	7,165	11.8%
Not at all	4,556	7.5%
Don't know	3,609	5.9%
Frequency Missing	6,051	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	37,416	61.0%
Somewhat	14,362	23.4%
Not very	4,535	7.4%
Not at all	785	1.3%
Don't know	4,194	6.8%
Frequency Missing	5,724	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	53,018	86.9%
Somewhat	3,441	5.6%
Not very	343	0.6%
Not at all	213	0.3%
Don't know	3,972	6.5%
Frequency Missing	6,029	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	29,375	48.1%
Somewhat	18,302	30.0%
Not very	8,456	13.8%
Not at all	1,732	2.8%
Don't know	3,220	5.3%
Frequency Missing	5,930	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	53,420	87.7%
Somewhat	2,795	4.6%
Not very	318	0.5%
Not at all	168	0.3%
Don't know	4,219	6.9%
Frequency Missing	6,095	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	49,236	80.7%
Somewhat	3,660	6.0%
Not very	567	0.9%
Not at all	212	0.3%
Don't know	7,367	12.1%
Frequency Missing	5,974	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	48,045	78.9%
Somewhat	4,045	6.6%
Not very	1,320	2.2%
Not at all	542	0.9%
Don't know	6,920	11.4%
Frequency Missing	6,144	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	47,346	77.8%
Somewhat	6,277	10.3%
Not very	1,701	2.8%
Not at all	381	0.6%
Don't know	5,125	8.4%
Frequency Missing	6,184	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	44,465	73.3%
Somewhat	4,889	8.1%
Not very	2,201	3.6%
Not at all	1,656	2.7%
Don't know	7,490	12.3%
Frequency Missing	6,314	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	52,526	86.3%
Somewhat	2,725	4.5%
Not very	268	0.4%
Not at all	164	0.3%
Don't know	5,185	8.5%
Frequency Missing	6,147	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	45,661	75.3%
Somewhat	7,036	11.6%
Not very	2,081	3.4%
Not at all	706	1.2%
Don't know	5,125	8.5%
Frequency Missing	6,407	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	52,647	86.3%
Somewhat	2,443	4.0%
Not very	295	0.5%
Not at all	202	0.3%
Don't know	5,393	8.8%
Frequency Missing	6,035	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	38,330	63.2%
Somewhat	10,105	16.7%
Not very	5,941	9.8%
Not at all	1,884	3.1%
Don't know	4,396	7.2%
Frequency Missing	6,359	

Days Skipped Since September

Q28a	Frequency	Percent
None	48,107	79.6%
1-3 days	8,608	14.2%
4-9 days	2,088	3.5%
10+ days	1,637	2.7%
Frequency Missing	6,575	

Someone Called Home Since September

Q28e	Frequency	Percent
None	54,747	91.0%
1-3 days	4,251	7.1%
4-9 days	596	1.0%
10+ days	560	0.9%
Frequency Missing	6,861	

Days Ill Since September

Q28b	Frequency	Percent
None	15,686	26.1%
1-3 days	27,201	45.2%
4-9 days	11,210	18.6%
10+ days	6,046	10.1%
Frequency Missing	6,873	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	57,473	95.7%
1-3 times	2,147	3.6%
4-9 times	260	0.4%
10+ times	204	0.3%
Frequency Missing	6,931	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	20,381	34.3%
1-3 days	28,579	48.0%
4-9 days	7,072	11.9%
10+ days	3,463	5.8%
Frequency Missing	7,520	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	57,262	95.6%
1-3 times	1,960	3.3%
4-9 times	272	0.5%
10+ times	417	0.7%
Frequency Missing	7,104	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	52,736	87.7%
1-3 days	5,722	9.5%
4-9 days	821	1.4%
10+ days	875	1.5%
Frequency Missing	6,862	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	58,148	96.8%
1-3 times	1,384	2.3%
4-9 times	321	0.5%
10+ times	224	0.4%
Frequency Missing	6,938	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	57,383	95.6%
1-3 times	1,414	2.4%
4-9 times	393	0.7%
10+ times	836	1.4%
Frequency Missing	6,989	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	57,240	95.8%
1-3 days	1,861	3.1%
4-9 days	360	0.6%
10+ days	289	0.5%
Frequency Missing	7,267	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	55,412	92.7%
1-3 days	2,207	3.7%
4-9 days	692	1.2%
10+ days	1,494	2.5%
Frequency Missing	7,211	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	58,999	98.8%
1-3 days	357	0.6%
4-9 days	164	0.3%
10+ days	201	0.3%
Frequency Missing	7,295	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	58,426	97.8%
1-3 days	957	1.6%
4-9 days	122	0.2%
10+ days	243	0.4%
Frequency Missing	7,265	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	32,406	54.3%
Seldom	3,301	5.5%
Half the time	3,043	5.1%
Most of the Time	4,636	7.8%
Always	5,136	8.6%
Don't Know	1,082	1.8%
Didn't attend	10,052	16.8%
Frequency Missing	7,361	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	38,008	63.9%
Seldom	2,921	4.9%
Half the time	2,350	4.0%
Most of the Time	2,220	3.7%
Always	2,621	4.4%
Don't Know	1,446	2.4%
Didn't attend	9,912	16.7%
Frequency Missing	7,538	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	50,046	93.3%
Yes	3,603	6.7%
Frequency Missing	13,366	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	39,033	67.9%
Yes	18,425	32.1%
Frequency Missing	9,557	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	45,362	79.1%
Yes	11,995	20.9%
Frequency Missing	9,658	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	24,328	42.3%
Yes	33,181	57.7%
Frequency Missing	9,506	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	34,855	60.9%
Yes	22,346	39.1%
Frequency Missing	9,814	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	34,991	61.1%
Yes	22,313	38.9%
Frequency Missing	9,711	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	17,227	29.8%
Yes	40,596	70.2%
Frequency Missing	9,192	

Would Not Seek Help

Q33i	Frequency	Percent
No	42,801	76.6%
Yes	13,097	23.4%
Frequency Missing	11,117	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	26,401	45.9%
Yes	31,077	54.1%
Frequency Missing	9,538	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	37,599	66.4%
Yes	19,035	33.6%
Frequency Missing	10,381	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	22,243	38.7%
Yes	35,258	61.3%
Frequency Missing	9,514	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	30,883	54.6%
Yes	25,715	45.4%
Frequency Missing	10,417	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	41,575	73.9%
Yes	14,708	26.1%
Frequency Missing	10,732	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	41,068	73.4%
Yes	14,855	26.6%
Frequency Missing	11,093	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	46,404	82.4%
Yes	9,891	17.6%
Frequency Missing	10,719	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	44,459	75.4%
Mild disapprove	4,412	7.5%
Neither	4,150	7.0%
Mildly approve	665	1.1%
Strongly approve	437	0.7%
Don't know	4,864	8.2%
Frequency Missing	8,028	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	43,660	77.8%
Yes	12,481	22.2%
Frequency Missing	10,874	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	33,069	56.2%
Mild disapprove	8,445	14.4%
Neither	8,751	14.9%
Mildly approve	2,967	5.0%
Strongly approve	666	1.1%
Don't know	4,899	8.3%
Frequency Missing	8,217	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	49,024	87.2%
Yes	7,193	12.8%
Frequency Missing	10,798	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	43,623	74.2%
Mild disapprove	3,797	6.5%
Neither	4,243	7.2%
Mildly approve	1,455	2.5%
Strongly approve	812	1.4%
Don't know	4,877	8.3%
Frequency Missing	8,209	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	37,899	67.3%
Yes	18,388	32.7%
Frequency Missing	10,727	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

