
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2022



HHSC REGION 10 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	109

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 10. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	8.5%	11.0%	19.1%	80.9%
Grade 7	3.7%	5.0%	9.7%	90.3%
Grade 8	5.9%	7.5%	15.2%	84.8%
Grade 9	6.5%	9.3%	16.9%	83.1%
Grade 10	7.5%	10.0%	20.3%	79.7%
Grade 11	11.0%	14.7%	22.6%	77.4%
Grade 12	17.8%	21.1%	31.1%	68.9%
Cigarettes?				
All	1.6%	2.5%	6.8%	93.2%
Grade 7	0.4%	1.1%	2.6%	97.4%
Grade 8	1.1%	1.7%	4.9%	95.1%
Grade 9	1.0%	1.7%	6.2%	93.8%
Grade 10	0.7%	0.8%	6.7%	93.3%
Grade 11	2.9%	4.5%	8.6%	91.4%
Grade 12	3.7%	5.8%	12.6%	87.4%
Smokeless Tobacco?				
All	0.9%	1.3%	2.9%	97.1%
Grade 7	0.1%	0.3%	1.4%	98.6%
Grade 8	0.8%	1.2%	2.4%	97.6%
Grade 9	0.4%	0.8%	2.1%	97.9%
Grade 10	0.2%	0.2%	2.6%	97.4%
Grade 11	1.9%	3.0%	3.9%	96.1%
Grade 12	2.2%	2.7%	5.3%	94.7%
Electronic Vapor Products?				
All	6.6%	9.3%	17.0%	83.0%
Grade 7	2.3%	3.9%	8.2%	91.8%
Grade 8	4.1%	6.4%	13.3%	86.7%
Grade 9	5.3%	7.5%	15.6%	84.4%
Grade 10	5.1%	8.0%	17.3%	82.7%
Grade 11	9.6%	12.9%	20.6%	79.4%
Grade 12	14.4%	18.5%	28.3%	71.7%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.6%	0.3%	0.4%	0.5%	1.4%	1.1%	1.7%
Grade 7	97.8%	0.0%	0.3%	0.0%	0.2%	0.6%	1.1%
Grade 8	96.2%	0.2%	0.1%	0.6%	1.4%	0.7%	0.9%
Grade 9	95.7%	0.0%	0.4%	0.3%	1.3%	0.8%	1.5%
Grade 10	93.6%	0.0%	0.4%	1.2%	1.3%	2.0%	1.5%
Grade 11	94.9%	1.0%	0.7%	0.1%	0.7%	0.9%	1.5%
Grade 12	88.9%	0.6%	0.5%	0.7%	3.8%	1.8%	3.8%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.0	10.9	11.4	11.7	14.0	13.2	13.9

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	43.1%	19.5%	8.3%	9.0%	10.2%	10.0%
Grade 7	44.8%	29.5%	10.6%	6.1%	4.7%	4.4%
Grade 8	42.4%	26.7%	7.9%	8.8%	7.2%	6.9%
Grade 9	49.6%	16.9%	6.0%	10.2%	9.0%	8.2%
Grade 10	35.4%	20.9%	8.5%	11.4%	13.6%	10.1%
Grade 11	42.3%	11.9%	7.0%	9.4%	13.5%	15.9%
Grade 12	42.8%	9.6%	9.9%	7.8%	14.1%	15.8%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	85.0%	9.9%	3.4%	1.2%	0.5%
Grade 7	92.6%	5.4%	1.2%	0.8%	0.0%
Grade 8	87.7%	8.4%	2.2%	1.3%	0.4%
Grade 9	86.1%	9.9%	2.8%	0.6%	0.5%
Grade 10	83.9%	10.8%	4.2%	0.9%	0.2%
Grade 11	82.9%	11.5%	2.5%	2.4%	0.7%
Grade 12	75.7%	14.0%	7.6%	1.5%	1.1%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	80.8%	4.7%	4.9%	0.6%	0.5%	8.4%
Grade 7	85.8%	3.8%	2.0%	0.5%	0.2%	7.6%
Grade 8	84.4%	4.0%	3.5%	0.2%	0.6%	7.4%
Grade 9	83.3%	5.3%	2.2%	0.5%	0.3%	8.3%
Grade 10	78.5%	5.4%	6.5%	0.1%	0.7%	8.9%
Grade 11	78.7%	4.0%	6.8%	2.2%	0.1%	8.1%
Grade 12	72.9%	5.5%	9.4%	0.6%	1.2%	10.4%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	68.9%	20.3%	4.4%	0.9%	5.6%
Grade 7	77.4%	15.6%	2.4%	0.5%	4.0%
Grade 8	70.5%	19.2%	4.8%	0.6%	4.9%
Grade 9	70.3%	20.6%	3.2%	0.7%	5.2%
Grade 10	66.4%	23.3%	2.7%	1.0%	6.6%
Grade 11	66.3%	21.1%	6.4%	1.2%	5.0%
Grade 12	61.4%	21.9%	7.4%	1.4%	7.8%
Electronic Vapor Products?					
All	66.6%	16.5%	8.4%	2.8%	5.6%
Grade 7	73.8%	14.3%	5.3%	1.5%	5.1%
Grade 8	68.3%	15.4%	7.2%	3.7%	5.3%
Grade 9	64.3%	16.8%	10.6%	3.0%	5.3%
Grade 10	66.8%	17.0%	8.1%	2.7%	5.5%
Grade 11	65.9%	18.3%	8.6%	2.2%	4.9%
Grade 12	60.1%	17.6%	10.7%	3.7%	7.8%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	19.4%	23.0%	38.2%	61.8%
Grade 7	11.4%	13.2%	24.5%	75.5%
Grade 8	13.6%	16.4%	32.4%	67.6%
Grade 9	19.2%	21.2%	35.9%	64.1%
Grade 10	18.7%	23.1%	43.0%	57.0%
Grade 11	22.5%	27.6%	43.7%	56.3%
Grade 12	32.2%	38.3%	51.2%	48.8%
Beer?				
All	8.0%	12.1%	29.3%	70.7%
Grade 7	2.0%	3.4%	17.0%	83.0%
Grade 8	4.7%	7.3%	22.5%	77.5%
Grade 9	7.6%	11.4%	29.7%	70.3%
Grade 10	5.6%	9.0%	31.9%	68.1%
Grade 11	10.8%	16.6%	33.8%	66.2%
Grade 12	18.6%	26.2%	42.1%	57.9%
Wine Coolers?				
All	5.5%	8.7%	20.9%	79.1%
Grade 7	1.5%	3.0%	9.9%	90.1%
Grade 8	3.0%	4.8%	16.8%	83.2%
Grade 9	4.3%	6.0%	17.7%	82.3%
Grade 10	3.7%	6.2%	22.6%	77.4%
Grade 11	6.5%	12.5%	27.2%	72.8%
Grade 12	14.6%	21.3%	33.2%	66.8%
Wine?				
All	4.5%	7.8%	22.9%	77.1%
Grade 7	1.6%	3.1%	12.8%	87.2%
Grade 8	2.4%	4.8%	18.9%	81.1%
Grade 9	3.1%	5.2%	18.4%	81.6%
Grade 10	3.5%	6.9%	28.1%	71.9%
Grade 11	5.5%	10.4%	26.5%	73.5%
Grade 12	11.6%	17.5%	34.5%	65.5%
Liquor?				
All	7.1%	10.9%	23.2%	76.8%
Grade 7	1.7%	3.0%	10.0%	90.0%
Grade 8	3.4%	5.4%	16.4%	83.6%
Grade 9	4.8%	8.2%	20.9%	79.1%
Grade 10	6.9%	10.3%	26.7%	73.3%
Grade 11	9.3%	16.2%	29.5%	70.5%
Grade 12	17.8%	24.4%	37.8%	62.2%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	76.0%	0.0%	1.1%	2.8%	6.9%	6.9%	6.2%
Grade 7	89.6%	0.1%	0.3%	1.0%	2.3%	2.7%	4.0%
Grade 8	84.0%	0.1%	0.6%	2.0%	4.0%	4.0%	5.4%
Grade 9	76.6%	0.0%	1.1%	2.1%	5.1%	7.3%	7.9%
Grade 10	73.0%	0.0%	0.7%	3.2%	7.8%	9.9%	5.4%
Grade 11	68.2%	0.0%	2.5%	2.4%	9.1%	10.0%	7.8%
Grade 12	62.7%	0.0%	1.5%	6.7%	14.2%	8.1%	6.8%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	75.7%	24.3%	3.9%	12.3%	8.1%
	Grade 7	86.6%	13.4%	0.3%	5.5%	7.5%
	Grade 8	81.5%	18.5%	1.9%	8.1%	8.4%
	Grade 9	75.1%	24.9%	3.3%	12.2%	9.4%
	Grade 10	74.3%	25.7%	3.0%	13.2%	9.5%
	Grade 11	70.4%	29.6%	6.1%	16.0%	7.6%
	Grade 12	64.9%	35.1%	9.6%	19.7%	5.8%
Wine Coolers	All	81.5%	18.5%	2.6%	10.5%	5.4%
	Grade 7	91.8%	8.2%	0.4%	4.0%	3.8%
	Grade 8	85.2%	14.8%	1.1%	7.3%	6.4%
	Grade 9	84.7%	15.3%	1.6%	7.1%	6.7%
	Grade 10	79.3%	20.7%	2.3%	11.6%	6.9%
	Grade 11	75.1%	24.9%	4.9%	15.2%	4.8%
	Grade 12	70.6%	29.4%	6.2%	19.7%	3.5%
Wine	All	80.8%	19.2%	1.1%	9.3%	8.7%
	Grade 7	88.8%	11.2%	0.0%	4.6%	6.6%
	Grade 8	84.6%	15.4%	0.6%	6.0%	8.8%
	Grade 9	84.4%	15.6%	0.6%	6.8%	8.3%
	Grade 10	76.4%	23.6%	0.9%	11.2%	11.6%
	Grade 11	76.9%	23.1%	1.7%	11.9%	9.6%
	Grade 12	72.3%	27.7%	3.0%	17.0%	7.7%
Liquor	All	79.2%	20.8%	3.8%	10.4%	6.6%
	Grade 7	91.8%	8.2%	0.1%	3.3%	4.9%
	Grade 8	85.2%	14.8%	2.3%	6.8%	5.6%
	Grade 9	81.4%	18.6%	1.8%	9.5%	7.3%
	Grade 10	76.7%	23.3%	4.6%	12.0%	6.7%
	Grade 11	72.3%	27.7%	5.0%	14.3%	8.4%
	Grade 12	65.5%	34.5%	10.1%	17.4%	7.0%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	94.0%	2.6%	1.0%	1.2%	0.3%	0.9%
Grade 7	98.3%	0.8%	0.3%	0.2%	0.0%	0.3%
Grade 8	95.8%	1.1%	0.9%	1.2%	0.0%	1.1%
Grade 9	96.5%	0.8%	0.7%	0.8%	0.5%	0.7%
Grade 10	93.0%	3.7%	1.0%	1.7%	0.4%	0.1%
Grade 11	93.1%	3.8%	0.6%	1.3%	0.4%	0.8%
Grade 12	86.7%	6.0%	2.3%	1.9%	0.7%	2.5%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.0	9.8	11.0	12.4	13.5	14.2	14.4

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	36.3%	12.8%	7.2%	10.0%	14.3%	19.4%
Grade 7	38.9%	20.5%	9.8%	9.4%	11.0%	10.4%
Grade 8	36.4%	16.8%	8.2%	11.2%	13.4%	14.0%
Grade 9	40.8%	13.7%	4.0%	10.1%	12.7%	18.6%
Grade 10	30.2%	12.8%	6.5%	11.8%	17.7%	20.9%
Grade 11	38.0%	6.0%	5.3%	8.6%	14.8%	27.3%
Grade 12	33.0%	5.7%	9.5%	8.6%	16.5%	26.7%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.0%	1.6%	0.1%	0.3%
Grade 7	98.5%	1.5%	0.0%	0.0%
Grade 8	97.2%	1.9%	0.4%	0.5%
Grade 9	98.5%	1.4%	0.0%	0.1%
Grade 10	99.5%	0.5%	0.0%	0.0%
Grade 11	97.6%	2.1%	0.3%	0.0%
Grade 12	96.7%	2.1%	0.2%	1.0%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.4
Alcohol Non-Users	4.3
Average Days Conduct Problems Reported	
Alcohol Users	1.8
Alcohol Non-Users	0.7

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	97.4%	2.1%	0.2%	0.3%
Grade 9	99.3%	0.4%	0.0%	0.3%
Grade 10	98.6%	1.2%	0.1%	0.0%
Grade 11	96.4%	3.3%	0.2%	0.1%
Grade 12	94.7%	4.1%	0.5%	0.7%
 Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	98.3%	1.5%	0.1%	0.0%
Grade 7	98.7%	1.1%	0.1%	0.1%
Grade 8	98.0%	1.4%	0.3%	0.2%
Grade 9	99.3%	0.6%	0.1%	0.0%
Grade 10	98.5%	1.5%	0.0%	0.0%
Grade 11	97.9%	2.1%	0.0%	0.0%
Grade 12	97.3%	2.7%	0.0%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	66.5%	17.7%	8.3%	5.8%	1.7%
Grade 7	83.2%	11.9%	3.3%	1.6%	0.0%
Grade 8	75.5%	14.9%	5.9%	2.8%	1.0%
Grade 9	66.8%	16.9%	8.9%	6.4%	1.0%
Grade 10	60.6%	21.4%	13.1%	4.2%	0.8%
Grade 11	61.7%	19.2%	8.2%	7.3%	3.6%
Grade 12	49.9%	22.3%	10.8%	12.7%	4.4%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	60.7%	6.2%	4.8%	5.6%	6.7%	2.0%	14.1%
Grade 7	72.1%	5.4%	3.6%	3.4%	3.1%	2.0%	10.4%
Grade 8	68.1%	5.6%	3.4%	4.5%	3.0%	2.8%	12.5%
Grade 9	59.1%	4.3%	6.8%	6.4%	4.5%	3.4%	15.5%
Grade 10	57.7%	8.3%	5.2%	4.7%	7.4%	1.1%	15.6%
Grade 11	56.0%	8.2%	5.9%	4.6%	9.6%	0.4%	15.2%
Grade 12	49.8%	5.6%	3.6%	10.0%	13.7%	1.9%	15.3%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	72.0%	12.9%	9.7%	3.9%	1.4%
	Grade 7	78.4%	12.8%	6.1%	1.5%	1.2%
	Grade 8	77.7%	12.3%	6.7%	2.6%	0.7%
	Grade 9	75.5%	10.5%	8.5%	3.9%	1.5%
	Grade 10	68.8%	15.0%	10.2%	3.4%	2.6%
	Grade 11	67.7%	14.8%	11.8%	5.1%	0.6%
	Grade 12	62.0%	12.4%	16.2%	7.4%	1.9%
Friends?						
	All	72.3%	14.3%	7.6%	4.5%	1.3%
	Grade 7	81.4%	14.7%	2.4%	1.3%	0.3%
	Grade 8	79.8%	13.4%	4.8%	1.5%	0.5%
	Grade 9	75.3%	14.4%	5.6%	3.2%	1.5%
	Grade 10	68.0%	17.8%	8.9%	4.2%	1.1%
	Grade 11	67.8%	12.4%	11.0%	7.7%	1.1%
	Grade 12	59.5%	12.7%	14.1%	10.2%	3.5%
A Store?						
	All	74.2%	20.5%	2.7%	1.5%	1.0%
	Grade 7	80.5%	17.9%	0.5%	0.8%	0.3%
	Grade 8	80.8%	16.2%	1.9%	0.4%	0.8%
	Grade 9	77.4%	19.3%	1.1%	1.4%	0.8%
	Grade 10	70.1%	24.2%	3.2%	1.2%	1.3%
	Grade 11	69.8%	22.4%	3.6%	2.5%	1.7%
	Grade 12	64.7%	24.0%	7.0%	3.0%	1.3%
Parties?						
	All	69.3%	11.3%	8.1%	6.3%	5.0%
	Grade 7	77.4%	13.7%	5.0%	2.4%	1.6%
	Grade 8	76.7%	11.3%	6.1%	3.6%	2.3%
	Grade 9	72.6%	12.5%	6.4%	5.4%	3.2%
	Grade 10	64.5%	12.6%	11.1%	6.1%	5.8%
	Grade 11	66.5%	7.8%	9.3%	8.9%	7.5%
	Grade 12	56.5%	9.1%	11.5%	12.3%	10.5%
Other Sources?						
	All	75.0%	16.6%	4.7%	2.1%	1.7%
	Grade 7	81.9%	14.2%	2.1%	1.2%	0.6%
	Grade 8	80.4%	13.6%	2.7%	1.5%	1.9%
	Grade 9	77.5%	15.3%	4.1%	1.6%	1.5%
	Grade 10	72.2%	20.3%	5.1%	1.5%	0.8%
	Grade 11	71.4%	17.6%	7.2%	2.0%	1.7%
	Grade 12	64.8%	19.2%	7.4%	4.9%	3.7%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	62.3%	13.1%	12.0%	3.7%	1.0%	7.9%
Grade 7	75.4%	9.0%	5.6%	2.1%	0.3%	7.6%
Grade 8	72.3%	9.1%	9.0%	1.5%	0.5%	7.6%
Grade 9	63.4%	14.3%	10.7%	2.9%	0.9%	7.9%
Grade 10	55.2%	18.7%	12.9%	4.3%	0.8%	8.1%
Grade 11	55.5%	15.0%	15.6%	6.2%	1.4%	6.2%
Grade 12	50.0%	12.8%	19.1%	6.1%	2.3%	9.6%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	54.1%	28.0%	11.6%	2.2%	4.2%
Grade 7	58.0%	27.5%	10.2%	1.2%	3.1%
Grade 8	55.0%	27.0%	11.8%	2.0%	4.2%
Grade 9	58.9%	23.7%	11.1%	2.0%	4.3%
Grade 10	51.8%	32.0%	10.4%	2.3%	3.6%
Grade 11	50.7%	26.7%	15.1%	3.2%	4.2%
Grade 12	48.2%	31.6%	11.4%	2.9%	5.9%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	9.2%	12.1%	15.9%	84.1%
Grade 7	3.7%	5.9%	7.1%	92.9%
Grade 8	7.0%	9.3%	10.8%	89.2%
Grade 9	5.1%	7.0%	10.3%	89.7%
Grade 10	8.6%	12.6%	17.1%	82.9%
Grade 11	12.0%	14.8%	20.3%	79.7%
Grade 12	20.6%	25.1%	32.0%	68.0%
Marijuana?				
All	8.7%	10.3%	13.8%	86.2%
Grade 7	3.0%	3.2%	4.2%	95.8%
Grade 8	6.5%	7.1%	8.5%	91.5%
Grade 9	4.9%	5.4%	8.4%	91.6%
Grade 10	8.0%	10.0%	14.9%	85.1%
Grade 11	11.3%	13.8%	18.9%	81.1%
Grade 12	20.1%	24.5%	30.4%	69.6%
Cocaine?				
All	1.0%	1.1%	1.7%	98.3%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.7%	0.8%	0.8%	99.2%
Grade 9	0.4%	0.5%	0.6%	99.4%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	1.7%	2.4%	3.3%	96.7%
Grade 12	2.7%	2.7%	4.5%	95.5%
Crack?				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.4%	0.4%	1.2%	98.8%
Grade 12	1.0%	1.0%	1.0%	99.0%
Hallucinogens?				
All	0.9%	1.3%	2.6%	97.4%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.4%	1.0%	1.8%	98.2%
Grade 9	0.6%	0.8%	2.1%	97.9%
Grade 10	0.5%	0.6%	2.3%	97.7%
Grade 11	2.0%	2.6%	3.8%	96.2%
Grade 12	1.8%	2.8%	4.9%	95.1%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids?				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.3%	0.3%	0.3%	99.7%
Ecstasy?				
All	0.3%	0.8%	1.6%	98.4%
Grade 7	0.1%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.9%	99.1%
Grade 11	1.1%	2.2%	3.8%	96.2%
Grade 12	0.3%	1.4%	3.5%	96.5%
Heroin?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.6%	99.4%
Methamphetamine?				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.3%	0.3%	1.6%	98.4%
Grade 12	0.1%	0.2%	0.9%	99.1%

Table D-1: How Recently, If Ever, Have You Used...
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.8%	1.1%	2.0%	98.0%
Grade 7	0.1%	0.3%	0.6%	99.4%
Grade 8	0.9%	1.2%	1.9%	98.1%
Grade 9	0.7%	0.8%	1.5%	98.5%
Grade 10	0.6%	0.7%	1.6%	98.4%
Grade 11	1.0%	1.6%	3.8%	96.2%
Grade 12	1.7%	2.0%	3.1%	96.9%
Delta 8?				
All	1.1%	1.5%	2.4%	97.6%
Grade 7	0.8%	1.1%	1.5%	98.5%
Grade 8	1.0%	1.1%	2.0%	98.0%
Grade 9	0.8%	1.1%	1.5%	98.5%
Grade 10	0.6%	0.6%	1.3%	98.7%
Grade 11	2.0%	2.6%	4.0%	96.0%
Grade 12	1.8%	3.1%	4.4%	95.6%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	89.3%	1.0%	1.5%	1.6%	2.2%	2.0%	2.5%
	Grade 7	97.0%	0.1%	0.4%	0.2%	0.6%	0.6%	1.2%
	Grade 8	93.7%	1.2%	1.3%	1.4%	0.8%	0.5%	1.1%
	Grade 9	92.9%	0.8%	1.0%	1.0%	1.6%	1.6%	1.1%
	Grade 10	88.3%	0.3%	2.3%	0.7%	2.8%	1.2%	4.5%
	Grade 11	85.2%	2.3%	1.7%	2.1%	2.4%	2.7%	3.5%
	Grade 12	76.6%	1.6%	2.4%	4.5%	5.3%	5.8%	3.8%
Cocaine?								
	All	99.2%	0.0%	0.0%	0.1%	0.1%	0.2%	0.3%
	Grade 7	99.6%	0.1%	0.0%	0.1%	0.1%	0.0%	0.0%
	Grade 8	99.5%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%
	Grade 9	99.4%	0.0%	0.0%	0.0%	0.0%	0.3%	0.2%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 11	97.8%	0.1%	0.3%	0.5%	0.6%	0.2%	0.5%
	Grade 12	98.8%	0.0%	0.0%	0.2%	0.0%	0.5%	0.5%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.1%	0.3%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 11	99.7%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Steroids?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.7%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%
Ecstasy?								
	All	98.9%	0.0%	0.0%	0.1%	0.2%	0.4%	0.5%
	Grade 7	99.4%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.2%	0.3%	0.1%
	Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%
	Grade 10	99.3%	0.0%	0.0%	0.0%	0.1%	0.5%	0.1%
	Grade 11	97.3%	0.0%	0.0%	0.5%	0.6%	0.4%	1.1%
	Grade 12	97.9%	0.1%	0.0%	0.0%	0.0%	0.5%	1.5%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.4%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.7%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%
	Grade 11	99.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.6%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
Synthetic Marijuana?								
	All	98.8%	0.2%	0.1%	0.3%	0.1%	0.1%	0.4%
	Grade 7	99.7%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.0%	0.0%	0.1%	0.3%	0.1%	0.3%	0.1%
	Grade 9	98.6%	0.0%	0.0%	0.6%	0.2%	0.1%	0.5%
	Grade 10	99.0%	0.4%	0.1%	0.0%	0.1%	0.3%	0.1%
	Grade 11	98.3%	0.6%	0.1%	0.1%	0.0%	0.0%	0.8%
	Grade 12	98.1%	0.0%	0.4%	0.5%	0.1%	0.1%	0.7%
Delta 8?								
	All	98.2%	0.2%	0.2%	0.4%	0.3%	0.3%	0.4%
	Grade 7	99.1%	0.1%	0.3%	0.0%	0.2%	0.1%	0.2%
	Grade 8	98.7%	0.1%	0.3%	0.3%	0.2%	0.4%	0.0%
	Grade 9	98.5%	0.1%	0.0%	0.7%	0.1%	0.0%	0.6%
	Grade 10	99.2%	0.0%	0.1%	0.1%	0.0%	0.5%	0.1%
	Grade 11	97.5%	0.5%	0.3%	0.8%	0.5%	0.0%	0.5%
	Grade 12	95.7%	0.2%	0.4%	0.9%	0.9%	0.9%	1.0%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.2	11.9	11.9	13.6	14.3	14.4	15.3
Cocaine	13.9	12.0	12.7	15.1	13.7	13.3	14.6
Crack	12.0	12.0	12.1	14.0	13.0	11.3	17.0
Steroids	12.2	10.1	11.0	N/A	13.8	9.9	16.0
Ecstasy	13.7	9.0	11.8	13.7	14.2	13.4	14.9
Heroin	12.2	12.6	12.4	N/A	8.0	14.0	8.0
Methamphetamine	12.3	10.6	11.8	N/A	14.4	12.7	11.9
Synthetic Marijuana	13.6	10.8	12.1	13.7	13.2	12.7	15.9
Delta 8?	14.4	12.1	12.1	13.9	15.0	13.8	16.9

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	41.6%	20.8%	7.3%	8.7%	9.5%	12.1%
	Grade 7	43.8%	32.5%	9.4%	6.5%	4.7%	3.0%
	Grade 8	40.6%	28.0%	8.0%	9.3%	6.6%	7.5%
	Grade 9	48.5%	16.6%	8.2%	8.9%	8.8%	8.9%
	Grade 10	35.9%	21.0%	5.8%	13.1%	10.1%	14.0%
	Grade 11	41.6%	14.2%	5.7%	7.4%	11.2%	19.9%
	Grade 12	38.1%	11.0%	6.4%	6.8%	16.2%	21.4%
Cocaine?							
	All	49.1%	28.5%	11.1%	5.4%	3.3%	2.7%
	Grade 7	46.7%	37.3%	9.2%	3.9%	1.3%	1.6%
	Grade 8	45.7%	35.1%	8.9%	5.3%	3.2%	1.9%
	Grade 9	54.5%	24.6%	10.2%	4.9%	3.3%	2.5%
	Grade 10	42.7%	31.9%	15.3%	3.9%	3.5%	2.7%
	Grade 11	51.4%	22.4%	8.9%	7.5%	4.8%	5.0%
	Grade 12	53.4%	18.3%	13.9%	7.5%	4.0%	2.8%
Crack?							
	All	50.6%	29.3%	10.5%	5.0%	2.5%	2.1%
	Grade 7	48.4%	36.5%	9.2%	3.0%	1.6%	1.3%
	Grade 8	46.5%	36.7%	7.9%	5.0%	2.5%	1.4%
	Grade 9	55.6%	25.0%	10.0%	4.8%	2.1%	2.4%
	Grade 10	44.0%	32.7%	14.8%	3.8%	2.6%	2.1%
	Grade 11	52.2%	23.9%	8.5%	8.1%	3.6%	3.8%
	Grade 12	56.9%	20.3%	12.5%	5.9%	2.8%	1.6%
Steroids?							
	All	52.5%	28.1%	9.2%	5.0%	3.0%	2.0%
	Grade 7	49.6%	34.5%	8.7%	3.7%	2.0%	1.5%
	Grade 8	48.7%	34.9%	7.2%	4.7%	2.8%	1.7%
	Grade 9	57.6%	24.4%	8.8%	4.4%	3.2%	1.7%
	Grade 10	45.9%	32.7%	11.3%	5.2%	3.0%	2.0%
	Grade 11	54.6%	23.2%	7.3%	6.3%	4.5%	4.0%
	Grade 12	58.9%	18.2%	12.2%	6.3%	2.9%	1.6%
Ecstasy?							
	All	57.5%	25.0%	8.0%	4.1%	3.0%	2.3%
	Grade 7	58.2%	29.3%	6.8%	2.1%	2.1%	1.5%
	Grade 8	56.0%	29.7%	6.1%	3.9%	2.0%	2.3%
	Grade 9	62.7%	21.9%	7.0%	3.7%	2.9%	1.7%
	Grade 10	53.2%	28.7%	10.3%	2.7%	3.1%	2.0%
	Grade 11	56.1%	20.9%	6.4%	7.6%	4.4%	4.7%
	Grade 12	58.0%	18.8%	11.7%	5.5%	3.7%	2.4%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	54.7%	29.0%	9.6%	3.4%	1.7%	1.6%
	Grade 7	53.2%	33.6%	7.6%	2.9%	1.5%	1.3%
	Grade 8	52.3%	34.1%	6.9%	4.0%	1.4%	1.3%
	Grade 9	60.1%	24.9%	9.7%	2.8%	1.2%	1.3%
	Grade 10	48.1%	33.1%	13.2%	2.8%	1.7%	1.1%
	Grade 11	55.4%	26.0%	7.0%	5.1%	2.6%	3.9%
	Grade 12	58.7%	21.6%	13.2%	3.3%	2.1%	1.1%
Methamphetamine?							
	All	56.4%	28.1%	8.9%	3.1%	1.9%	1.6%
	Grade 7	55.9%	31.6%	7.5%	2.5%	1.3%	1.3%
	Grade 8	54.2%	32.6%	6.3%	3.4%	1.8%	1.6%
	Grade 9	62.2%	24.1%	8.2%	3.4%	0.8%	1.2%
	Grade 10	51.4%	32.3%	11.2%	1.6%	2.0%	1.5%
	Grade 11	54.5%	26.3%	7.6%	4.5%	4.2%	3.0%
	Grade 12	59.4%	21.6%	13.0%	3.2%	1.5%	1.3%
Synthetic Marijuana?							
	All	58.4%	24.1%	7.9%	3.7%	3.2%	2.7%
	Grade 7	58.3%	29.4%	6.3%	2.7%	1.6%	1.7%
	Grade 8	56.2%	28.4%	6.0%	3.5%	2.7%	3.1%
	Grade 9	64.6%	18.9%	8.8%	2.4%	3.4%	2.0%
	Grade 10	53.8%	28.6%	9.8%	2.6%	3.1%	2.1%
	Grade 11	56.8%	20.1%	7.1%	7.4%	3.9%	4.7%
	Grade 12	59.9%	18.7%	9.6%	4.4%	4.5%	2.9%
Delta 8?							
	All	60.3%	22.5%	7.0%	3.8%	3.0%	3.5%
	Grade 7	58.6%	28.8%	5.5%	2.5%	2.3%	2.2%
	Grade 8	57.3%	26.9%	5.5%	3.8%	3.1%	3.4%
	Grade 9	66.1%	18.1%	7.5%	2.6%	3.2%	2.5%
	Grade 10	56.0%	26.0%	9.1%	2.9%	3.3%	2.6%
	Grade 11	59.3%	18.7%	5.2%	7.1%	2.1%	7.6%
	Grade 12	63.8%	15.6%	8.8%	4.4%	3.8%	3.6%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	94.7%	2.3%	0.8%	2.2%
Grade 7	98.2%	1.1%	0.4%	0.2%
Grade 8	95.5%	1.8%	0.9%	1.8%
Grade 9	96.7%	0.9%	0.1%	2.3%
Grade 10	95.5%	2.1%	1.0%	1.4%
Grade 11	92.6%	1.6%	0.7%	5.1%
Grade 12	88.9%	6.6%	1.7%	2.8%
Attended Class While High from Use of Some Other Drug?				
All	97.7%	1.4%	0.3%	0.6%
Grade 7	98.4%	1.5%	0.1%	0.0%
Grade 8	97.6%	1.3%	0.4%	0.6%
Grade 9	98.3%	1.3%	0.1%	0.3%
Grade 10	97.7%	1.3%	0.1%	1.0%
Grade 11	96.0%	1.3%	0.8%	2.0%
Grade 12	97.8%	1.8%	0.4%	0.1%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.1
Marijuana Non-Users	4.4
Average Days Conduct Problems Reported	
Marijuana Users	2.9
Marijuana Non-Users	0.8

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	96.7%	2.5%	0.3%	0.5%
Grade 9	99.7%	0.1%	0.0%	0.1%
Grade 10	98.4%	1.3%	0.1%	0.2%
Grade 11	94.6%	4.1%	0.3%	1.0%
Grade 12	93.2%	5.2%	0.8%	0.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.2%	2.4%	0.4%	0.0%
Grade 7	98.5%	1.2%	0.3%	0.0%
Grade 8	97.0%	2.2%	0.7%	0.1%
Grade 9	97.7%	1.8%	0.5%	0.0%
Grade 10	97.3%	2.6%	0.1%	0.0%
Grade 11	95.4%	3.4%	1.2%	0.0%
Grade 12	96.7%	3.3%	0.0%	0.0%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	71.8%	14.1%	7.8%	4.6%	1.8%
Grade 7	87.2%	9.2%	2.0%	1.2%	0.4%
Grade 8	77.5%	13.0%	4.9%	3.2%	1.3%
Grade 9	72.8%	14.0%	8.0%	4.2%	1.0%
Grade 10	67.6%	16.9%	9.2%	4.3%	2.1%
Grade 11	64.9%	16.6%	7.9%	8.2%	2.4%
Grade 12	59.1%	15.0%	14.9%	7.5%	3.6%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	68.3%	5.2%	2.8%	3.8%	3.5%	2.3%	14.1%
Grade 7	81.3%	3.3%	1.1%	0.7%	0.9%	2.2%	10.4%
Grade 8	75.0%	3.2%	1.9%	2.8%	1.7%	2.9%	12.5%
Grade 9	67.8%	4.3%	4.5%	2.8%	1.8%	3.5%	15.3%
Grade 10	64.4%	4.6%	3.8%	6.1%	3.0%	1.4%	16.7%
Grade 11	63.3%	8.9%	2.6%	2.4%	6.7%	0.8%	15.4%
Grade 12	56.4%	7.3%	2.7%	8.4%	8.1%	2.6%	14.5%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.3%	6.3%	6.1%	1.3%	1.2%	7.8%
Grade 7	85.8%	2.3%	2.9%	0.5%	0.6%	7.9%
Grade 8	80.4%	5.6%	5.0%	1.0%	0.9%	7.1%
Grade 9	80.2%	4.9%	4.3%	1.7%	0.9%	8.0%
Grade 10	74.4%	9.6%	6.7%	0.8%	0.9%	7.6%
Grade 11	73.3%	8.5%	7.6%	1.9%	2.3%	6.4%
Grade 12	68.1%	7.2%	11.1%	2.0%	1.9%	9.6%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	63.2%	14.5%	11.0%	6.6%	4.7%
	Grade 7	79.2%	11.2%	4.5%	1.0%	4.1%
	Grade 8	68.1%	13.1%	8.5%	5.2%	5.2%
	Grade 9	66.8%	12.8%	10.6%	5.4%	4.4%
	Grade 10	58.3%	17.1%	11.5%	8.0%	5.1%
	Grade 11	56.5%	16.8%	15.6%	7.4%	3.6%
	Grade 12	47.3%	17.1%	16.6%	13.5%	5.6%
Cocaine?	All	86.5%	6.6%	0.9%	0.4%	5.6%
	Grade 7	87.1%	7.8%	0.6%	0.1%	4.5%
	Grade 8	86.4%	7.0%	0.9%	0.5%	5.1%
	Grade 9	86.9%	7.2%	0.5%	0.3%	5.2%
	Grade 10	86.7%	5.8%	1.0%	0.1%	6.4%
	Grade 11	86.7%	5.7%	2.0%	0.8%	4.8%
	Grade 12	85.3%	5.8%	0.8%	0.4%	7.8%
Crack?	All	87.9%	5.3%	0.7%	0.3%	5.9%
	Grade 7	87.7%	6.6%	0.6%	0.1%	5.0%
	Grade 8	87.5%	5.4%	0.9%	0.6%	5.5%
	Grade 9	89.1%	4.9%	0.6%	0.2%	5.2%
	Grade 10	87.3%	4.9%	0.9%	0.1%	6.7%
	Grade 11	88.5%	5.4%	1.0%	0.2%	4.9%
	Grade 12	86.9%	4.4%	0.1%	0.2%	8.3%
Ecstasy?	All	81.5%	7.3%	1.2%	0.5%	9.4%
	Grade 7	82.2%	7.0%	0.8%	0.1%	9.8%
	Grade 8	81.2%	7.0%	1.0%	0.8%	10.0%
	Grade 9	80.5%	8.5%	1.1%	0.4%	9.5%
	Grade 10	81.1%	6.6%	0.6%	1.0%	10.8%
	Grade 11	84.8%	5.5%	3.1%	0.7%	5.8%
	Grade 12	79.8%	9.1%	0.9%	0.2%	10.0%
Steroids?	All	79.4%	10.2%	2.4%	0.6%	7.4%
	Grade 7	81.3%	10.6%	1.4%	0.2%	6.5%
	Grade 8	79.8%	9.7%	2.7%	1.0%	6.7%
	Grade 9	79.6%	10.8%	1.8%	0.3%	7.5%
	Grade 10	80.1%	9.2%	2.8%	1.8%	6.1%
	Grade 11	79.6%	10.6%	3.8%	0.2%	5.8%
	Grade 12	75.7%	10.2%	2.2%	0.2%	11.7%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	86.8%	4.9%	0.8%	0.3%	7.2%
	Grade 7	85.1%	7.1%	0.4%	0.4%	7.0%
	Grade 8	86.0%	5.8%	0.8%	0.5%	6.8%
	Grade 9	86.8%	5.9%	0.3%	0.3%	6.7%
	Grade 10	86.8%	3.5%	1.3%	0.1%	8.3%
	Grade 11	89.6%	3.5%	1.5%	0.2%	5.2%
	Grade 12	86.9%	3.4%	0.5%	0.2%	9.0%
Methamphetamine?						
	All	87.0%	4.7%	0.8%	0.3%	7.3%
	Grade 7	85.6%	6.0%	0.7%	0.2%	7.5%
	Grade 8	86.6%	5.1%	0.8%	0.5%	7.0%
	Grade 9	87.2%	4.8%	0.5%	0.2%	7.2%
	Grade 10	86.3%	4.7%	1.2%	0.1%	7.8%
	Grade 11	89.6%	3.4%	1.5%	0.2%	5.2%
	Grade 12	86.9%	3.6%	0.1%	0.4%	9.0%
Synthetic Marijuana?						
	All	79.4%	7.5%	2.5%	0.9%	9.7%
	Grade 7	81.8%	7.7%	1.2%	0.4%	8.9%
	Grade 8	79.9%	6.9%	3.1%	1.1%	9.0%
	Grade 9	79.7%	7.3%	2.7%	0.6%	9.7%
	Grade 10	78.1%	7.4%	2.3%	0.6%	11.6%
	Grade 11	79.9%	8.7%	2.9%	1.0%	7.6%
	Grade 12	77.1%	7.1%	2.6%	2.0%	11.2%
Delta 8?						
	All	75.6%	8.5%	3.6%	2.1%	10.3%
	Grade 7	79.5%	9.3%	1.4%	0.7%	9.1%
	Grade 8	76.3%	8.5%	3.4%	2.3%	9.5%
	Grade 9	75.8%	8.8%	3.4%	1.0%	11.0%
	Grade 10	74.7%	7.5%	4.4%	1.7%	11.6%
	Grade 11	77.0%	8.2%	3.9%	3.3%	7.7%
	Grade 12	69.7%	8.4%	5.2%	4.1%	12.7%
Fictional Drug?						
	All	81.2%	5.4%	0.6%	0.2%	12.6%
	Grade 7	82.3%	5.8%	0.5%	0.1%	11.2%
	Grade 8	81.1%	5.7%	0.6%	0.5%	12.0%
	Grade 9	79.6%	6.5%	0.6%	0.2%	13.1%
	Grade 10	81.6%	4.8%	0.5%	0.1%	13.0%
	Grade 11	83.7%	4.3%	1.0%	0.2%	10.7%
	Grade 12	79.1%	5.2%	0.2%	0.2%	15.3%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	3.4%	5.0%	9.8%	90.2%
Grade 7	4.5%	6.2%	9.7%	90.3%
Grade 8	4.8%	6.5%	11.9%	88.1%
Grade 9	2.3%	4.3%	10.5%	89.5%
Grade 10	2.3%	3.1%	7.3%	92.7%
Grade 11	3.5%	4.2%	8.7%	91.3%
Grade 12	2.9%	5.7%	10.7%	89.3%
Codeine Cough Syrup?				
All	2.0%	2.8%	6.5%	93.5%
Grade 7	2.9%	4.2%	6.5%	93.5%
Grade 8	1.9%	3.1%	7.6%	92.4%
Grade 9	1.5%	2.5%	7.5%	92.5%
Grade 10	1.2%	1.6%	4.1%	95.9%
Grade 11	2.4%	2.5%	5.7%	94.3%
Grade 12	2.1%	3.1%	7.1%	92.9%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.1%	0.2%	1.2%	98.8%
Grade 9	0.1%	0.5%	1.1%	98.9%
Grade 10	0.1%	0.3%	0.8%	99.2%
Grade 11	1.1%	1.1%	2.4%	97.6%
Grade 12	1.1%	1.5%	3.3%	96.7%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.5%	1.2%	2.4%	97.6%
Grade 7	0.8%	1.1%	1.8%	98.2%
Grade 8	0.7%	1.6%	2.9%	97.1%
Grade 9	0.4%	0.8%	2.0%	98.0%
Grade 10	0.2%	0.6%	2.5%	97.5%
Grade 11	0.7%	1.7%	2.8%	97.2%
Grade 12	0.4%	1.7%	2.7%	97.3%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	1.2%	1.6%	2.7%	97.3%
Grade 9	0.4%	0.7%	1.8%	98.2%
Grade 10	0.6%	0.7%	1.4%	98.6%
Grade 11	1.1%	1.1%	2.4%	97.6%
Grade 12	0.9%	1.2%	2.8%	97.2%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	1.5%	2.2%	4.3%	95.7%
Grade 7	1.4%	1.8%	4.7%	95.3%
Grade 8	2.7%	3.5%	5.9%	94.1%
Grade 9	1.4%	2.7%	5.5%	94.5%
Grade 10	0.5%	0.7%	1.8%	98.2%
Grade 11	1.8%	2.5%	3.6%	96.4%
Grade 12	1.1%	1.9%	4.0%	96.0%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.6%	0.8%	1.6%	98.4%
Grade 7	1.6%	1.6%	2.6%	97.4%
Grade 8	0.4%	0.8%	2.3%	97.7%
Grade 9	0.0%	0.7%	1.1%	98.9%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	1.2%	1.2%	2.1%	97.9%
Grade 12	0.2%	0.3%	0.6%	99.4%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.8%	12.4%	3.0%	1.2%	6.6%
Grade 7	77.6%	11.1%	3.5%	1.3%	6.6%
Grade 8	76.7%	12.1%	3.2%	1.6%	6.4%
Grade 9	76.5%	11.3%	3.9%	0.7%	7.6%
Grade 10	76.8%	13.9%	2.1%	1.6%	5.7%
Grade 11	77.7%	13.1%	3.2%	1.0%	5.0%
Grade 12	75.8%	13.2%	1.6%	1.1%	8.2%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.2%	4.5%	9.2%	90.8%
Grade 7	4.6%	5.3%	10.8%	89.2%
Grade 8	4.7%	6.0%	11.2%	88.8%
Grade 9	2.6%	3.5%	9.3%	90.7%
Grade 10	1.2%	2.8%	6.9%	93.1%
Grade 11	3.0%	4.5%	8.5%	91.5%
Grade 12	3.4%	4.8%	8.6%	91.4%
Spray Paint?				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.1%	0.3%	0.9%	99.1%
Grade 8	0.7%	0.8%	1.7%	98.3%
Grade 9	0.6%	1.1%	1.8%	98.2%
Grade 10	0.0%	0.1%	1.1%	98.9%
Grade 11	0.3%	0.3%	1.6%	98.4%
Grade 12	0.4%	0.4%	0.8%	99.2%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.8%	1.2%	3.0%	97.0%
Grade 7	1.3%	2.0%	5.0%	95.0%
Grade 8	1.1%	1.6%	4.0%	96.0%
Grade 9	0.6%	1.0%	2.4%	97.6%
Grade 10	0.2%	0.6%	2.6%	97.4%
Grade 11	0.4%	0.9%	2.5%	97.5%
Grade 12	1.2%	1.2%	1.4%	98.6%
Computer Dusting Sprays?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.0%	0.1%	0.7%	99.3%
Grade 11	0.6%	0.6%	1.1%	98.9%
Grade 12	0.1%	0.1%	0.1%	99.9%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.7%	1.0%	3.6%	96.4%
Grade 7	0.9%	1.1%	4.5%	95.5%
Grade 8	1.3%	1.7%	4.6%	95.4%
Grade 9	0.2%	0.8%	4.1%	95.9%
Grade 10	0.2%	0.3%	2.3%	97.7%
Grade 11	1.1%	1.4%	3.2%	96.8%
Grade 12	0.3%	0.9%	2.8%	97.2%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.4%	0.5%	2.0%	98.0%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.1%	0.6%	0.9%	99.1%
Grade 12	0.0%	0.4%	0.4%	99.6%
Toluene, Paint Thinner, or Other Solvents?				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.3%	0.4%	0.6%	99.4%
Grade 12	0.5%	0.5%	0.6%	99.4%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	0.8%	1.7%	98.3%
Grade 7	0.5%	0.6%	2.2%	97.8%
Grade 8	1.2%	1.4%	2.5%	97.5%
Grade 9	0.2%	0.3%	1.5%	98.5%
Grade 10	0.1%	0.6%	1.2%	98.8%
Grade 11	1.4%	1.4%	2.2%	97.8%
Grade 12	0.9%	0.9%	0.9%	99.1%
Other Aerosols/Sprays?				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.3%	0.6%	2.2%	97.8%
Grade 8	1.0%	1.2%	2.1%	97.9%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.0%	0.4%	0.5%	99.5%
Grade 11	1.1%	1.1%	1.2%	98.8%
Grade 12	0.2%	0.7%	0.7%	99.3%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.0%	0.1%	0.1%	0.2%	0.3%	0.5%	0.9%
Grade 7	97.2%	0.1%	0.1%	0.5%	0.6%	0.5%	1.1%
Grade 8	96.3%	0.3%	0.4%	0.4%	0.4%	0.9%	1.4%
Grade 9	98.5%	0.0%	0.0%	0.2%	0.0%	0.4%	1.0%
Grade 10	98.2%	0.0%	0.1%	0.0%	0.6%	0.3%	0.8%
Grade 11	99.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.7%
Grade 12	98.7%	0.0%	0.0%	0.0%	0.1%	0.6%	0.6%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	93.3%	4.0%	1.9%	0.8%
Grade 7	90.6%	5.3%	2.9%	1.2%
Grade 8	91.7%	4.7%	2.6%	1.0%
Grade 9	92.3%	5.3%	1.6%	0.7%
Grade 10	95.2%	2.9%	1.3%	0.6%
Grade 11	94.0%	2.9%	2.3%	0.8%
Grade 12	96.0%	2.7%	0.8%	0.4%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.2	10.3	10.4	11.0	11.6	11.8	13.3

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.9%	0.6%	0.2%	0.2%
Grade 7	99.1%	0.8%	0.1%	0.0%
Grade 8	98.3%	0.9%	0.5%	0.3%
Grade 9	98.8%	0.8%	0.1%	0.3%
Grade 10	99.9%	0.0%	0.1%	0.0%
Grade 11	98.9%	0.9%	0.0%	0.2%
Grade 12	98.7%	0.5%	0.3%	0.5%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	6.8
Inhalant Non-Users	4.5
Average Days Conduct Problems Reported	
Inhalant Users	2.4
Inhalant Non-Users	1.0

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.2%	4.6%	1.5%	0.5%	0.2%
Grade 7	91.8%	5.8%	1.7%	0.3%	0.3%
Grade 8	91.4%	6.6%	1.0%	0.9%	0.1%
Grade 9	93.6%	4.3%	1.7%	0.4%	0.0%
Grade 10	91.1%	5.6%	2.9%	0.5%	0.0%
Grade 11	96.6%	1.8%	0.7%	0.3%	0.6%
Grade 12	95.4%	3.3%	1.0%	0.4%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.6%	14.1%	4.4%	1.1%	6.8%
Grade 7	70.2%	17.0%	5.2%	1.6%	5.9%
Grade 8	68.9%	16.8%	6.0%	1.7%	6.6%
Grade 9	76.3%	11.3%	4.9%	0.9%	6.6%
Grade 10	73.5%	14.1%	4.0%	1.0%	7.4%
Grade 11	75.1%	14.3%	3.9%	0.7%	6.0%
Grade 12	77.8%	11.0%	2.3%	0.5%	8.4%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	49.8%	15.1%	4.9%	4.7%	8.2%	17.2%
Grade 7	46.8%	22.0%	6.1%	4.0%	8.5%	12.5%
Grade 8	45.9%	18.6%	4.6%	6.0%	8.3%	16.7%
Grade 9	55.5%	12.3%	4.7%	4.4%	5.8%	17.3%
Grade 10	44.0%	17.0%	4.8%	4.5%	10.7%	19.0%
Grade 11	50.4%	10.6%	3.7%	6.3%	8.1%	20.8%
Grade 12	56.1%	9.3%	5.6%	3.5%	8.0%	17.5%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	57.4%
	Grade 7	63.0%
	Grade 8	54.3%
	Grade 9	53.6%
	Grade 10	67.1%
	Grade 11	50.2%
	Grade 12	55.6%
An Assembly Program		
	All	48.3%
	Grade 7	49.5%
	Grade 8	58.1%
	Grade 9	42.8%
	Grade 10	45.9%
	Grade 11	48.0%
	Grade 12	46.4%
Guidance Counselor		
	All	38.1%
	Grade 7	40.8%
	Grade 8	48.5%
	Grade 9	35.6%
	Grade 10	33.4%
	Grade 11	32.3%
	Grade 12	37.8%
School Nurse		
	All	25.7%
	Grade 7	24.7%
	Grade 8	25.9%
	Grade 9	25.3%
	Grade 10	22.8%
	Grade 11	23.3%
	Grade 12	32.4%
Science or Social Studies Class		
	All	32.1%
	Grade 7	28.1%
	Grade 8	29.6%
	Grade 9	33.0%
	Grade 10	34.0%
	Grade 11	31.9%
	Grade 12	36.2%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
 (Continued)

		Yes
Student Group or Club Meeting at School		
	All	22.2%
	Grade 7	16.5%
	Grade 8	22.2%
	Grade 9	21.2%
	Grade 10	22.7%
	Grade 11	21.9%
	Grade 12	29.3%
An Invited School Guest		
	All	37.8%
	Grade 7	36.3%
	Grade 8	42.7%
	Grade 9	33.6%
	Grade 10	41.9%
	Grade 11	34.7%
	Grade 12	38.2%
Another Source at School		
	All	34.9%
	Grade 7	33.9%
	Grade 8	38.8%
	Grade 9	34.4%
	Grade 10	37.3%
	Grade 11	29.7%
	Grade 12	34.9%
Any School Source		
	All	72.4%
	Grade 7	77.9%
	Grade 8	76.2%
	Grade 9	70.1%
	Grade 10	76.0%
	Grade 11	66.9%
	Grade 12	66.6%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	36.0%
	Grade 7	41.9%
	Grade 8	35.8%
	Grade 9	40.5%
	Grade 10	29.2%
	Grade 11	31.8%
	Grade 12	35.9%
School Nurse		
	All	26.6%
	Grade 7	31.6%
	Grade 8	25.3%
	Grade 9	27.2%
	Grade 10	23.2%
	Grade 11	26.1%
	Grade 12	26.0%
Another Adult In School		
	All	42.8%
	Grade 7	47.2%
	Grade 8	42.3%
	Grade 9	41.7%
	Grade 10	39.7%
	Grade 11	40.1%
	Grade 12	45.6%
Counselor/Program Outside-School		
	All	41.0%
	Grade 7	44.0%
	Grade 8	37.7%
	Grade 9	43.2%
	Grade 10	39.5%
	Grade 11	39.6%
	Grade 12	41.7%
Your Parents		
	All	71.0%
	Grade 7	76.6%
	Grade 8	70.4%
	Grade 9	71.4%
	Grade 10	70.2%
	Grade 11	64.6%
	Grade 12	72.2%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
 (Continued)

		Yes
A Medical Doctor		
	All	62.6%
	Grade 7	69.9%
	Grade 8	59.2%
	Grade 9	61.6%
	Grade 10	60.6%
	Grade 11	61.6%
	Grade 12	63.0%
Your Friends		
	All	63.0%
	Grade 7	59.3%
	Grade 8	60.2%
	Grade 9	63.5%
	Grade 10	65.5%
	Grade 11	64.6%
	Grade 12	65.2%
Another Adult		
	All	58.5%
	Grade 7	64.2%
	Grade 8	61.9%
	Grade 9	59.4%
	Grade 10	55.4%
	Grade 11	53.0%
	Grade 12	56.4%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	6.6%
	Grade 7	6.3%
	Grade 8	6.0%
	Grade 9	5.8%
	Grade 10	6.9%
	Grade 11	7.1%
	Grade 12	7.6%

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	8.0%	23.8%	25.8%	30.0%	12.5%
Grade 7	8.7%	23.0%	25.1%	28.4%	14.7%
Grade 8	7.8%	22.0%	26.8%	31.9%	11.5%
Grade 9	8.3%	24.0%	26.4%	30.8%	10.4%
Grade 10	7.0%	23.1%	27.6%	30.4%	11.9%
Grade 11	9.2%	27.3%	23.9%	26.8%	12.8%
Grade 12	6.8%	23.5%	24.5%	31.2%	13.9%
Sometimes Carry Weapons?					
All	86.0%	9.7%	3.3%	0.6%	0.4%
Grade 7	87.4%	9.0%	2.6%	0.7%	0.2%
Grade 8	85.9%	10.2%	2.7%	1.0%	0.3%
Grade 9	87.2%	7.7%	3.8%	0.4%	1.0%
Grade 10	87.6%	9.5%	2.5%	0.1%	0.3%
Grade 11	84.1%	10.6%	4.5%	0.7%	0.1%
Grade 12	83.2%	11.7%	3.7%	0.8%	0.6%
Care About Making Good Grades?					
All	2.9%	14.1%	24.8%	40.7%	17.5%
Grade 7	3.0%	14.6%	25.6%	34.9%	22.0%
Grade 8	2.9%	12.2%	27.8%	41.4%	15.7%
Grade 9	2.5%	14.6%	26.2%	40.7%	16.0%
Grade 10	2.9%	13.6%	26.0%	43.0%	14.4%
Grade 11	4.0%	16.8%	19.5%	41.6%	18.2%
Grade 12	2.1%	13.0%	22.7%	42.8%	19.3%
Belong/Want to Belong to a Gang?					
All	88.2%	8.4%	2.3%	0.7%	0.5%
Grade 7	87.1%	9.6%	2.3%	0.6%	0.4%
Grade 8	85.7%	9.8%	2.3%	1.6%	0.7%
Grade 9	86.8%	8.2%	3.6%	0.4%	1.0%
Grade 10	89.8%	8.9%	0.8%	0.2%	0.3%
Grade 11	90.7%	6.0%	2.0%	1.0%	0.3%
Grade 12	89.4%	7.6%	2.3%	0.7%	0.0%
Wish They Could Drop Out of School?					
All	43.6%	29.6%	17.3%	6.8%	2.7%
Grade 7	43.6%	30.8%	15.7%	7.0%	2.9%
Grade 8	40.2%	30.9%	18.1%	7.2%	3.7%
Grade 9	41.8%	30.7%	18.6%	6.1%	2.8%
Grade 10	47.1%	25.2%	20.3%	5.6%	1.8%
Grade 11	43.1%	32.5%	14.4%	7.0%	3.1%
Grade 12	46.4%	27.7%	15.8%	7.9%	2.1%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	87.2%	11.0%	0.9%	0.2%	0.6%
Grade 7	86.9%	11.8%	0.8%	0.1%	0.4%
Grade 8	86.3%	12.2%	0.8%	0.3%	0.4%
Grade 9	87.3%	11.3%	0.6%	0.0%	0.8%
Grade 10	87.5%	11.4%	0.8%	0.0%	0.2%
Grade 11	87.0%	10.8%	1.1%	0.7%	0.4%
Grade 12	88.4%	8.4%	1.5%	0.5%	1.2%
Out In Your Neighborhood?					
All	44.7%	47.3%	5.1%	1.0%	1.8%
Grade 7	35.6%	54.0%	7.6%	0.8%	1.9%
Grade 8	41.5%	50.6%	5.5%	1.3%	1.2%
Grade 9	43.9%	47.1%	5.8%	0.6%	2.6%
Grade 10	47.3%	48.3%	2.2%	1.0%	1.2%
Grade 11	51.5%	40.4%	5.1%	1.3%	1.6%
Grade 12	49.2%	42.6%	4.6%	1.3%	2.2%
At School?					
All	31.7%	51.8%	10.0%	3.5%	3.0%
Grade 7	29.5%	53.1%	10.0%	4.2%	3.3%
Grade 8	28.8%	52.4%	10.8%	4.2%	3.8%
Grade 9	28.9%	55.1%	8.9%	3.5%	3.5%
Grade 10	32.2%	51.0%	11.9%	1.6%	3.3%
Grade 11	34.7%	49.8%	9.7%	4.0%	1.9%
Grade 12	36.9%	48.5%	9.1%	3.6%	1.9%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.5%	11.0%	19.1%	80.9%
Grade 7	3.7%	5.0%	9.7%	90.3%
Grade 8	5.9%	7.5%	15.2%	84.8%
Grade 9	6.5%	9.3%	16.9%	83.1%
Grade 10	7.5%	10.0%	20.3%	79.7%
Grade 11	11.0%	14.7%	22.6%	77.4%
Grade 12	17.8%	21.1%	31.1%	68.9%
Any Alcohol Product				
All	19.4%	23.0%	38.2%	61.8%
Grade 7	11.4%	13.2%	24.5%	75.5%
Grade 8	13.6%	16.4%	32.4%	67.6%
Grade 9	19.2%	21.2%	35.9%	64.1%
Grade 10	18.7%	23.1%	43.0%	57.0%
Grade 11	22.5%	27.6%	43.7%	56.3%
Grade 12	32.2%	38.3%	51.2%	48.8%
Any Illicit Drug				
All	9.2%	12.1%	15.9%	84.1%
Grade 7	3.7%	5.9%	7.1%	92.9%
Grade 8	7.0%	9.3%	10.8%	89.2%
Grade 9	5.1%	7.0%	10.3%	89.7%
Grade 10	8.6%	12.6%	17.1%	82.9%
Grade 11	12.0%	14.8%	20.3%	79.7%
Grade 12	20.6%	25.1%	32.0%	68.0%
Any Prescription Drug				
All	3.4%	5.0%	9.8%	90.2%
Grade 7	4.5%	6.2%	9.7%	90.3%
Grade 8	4.8%	6.5%	11.9%	88.1%
Grade 9	2.3%	4.3%	10.5%	89.5%
Grade 10	2.3%	3.1%	7.3%	92.7%
Grade 11	3.5%	4.2%	8.7%	91.3%
Grade 12	2.9%	5.7%	10.7%	89.3%
Any Inhalant				
All	3.2%	4.5%	9.2%	90.8%
Grade 7	4.6%	5.3%	10.8%	89.2%
Grade 8	4.7%	6.0%	11.2%	88.8%
Grade 9	2.6%	3.5%	9.3%	90.7%
Grade 10	1.2%	2.8%	6.9%	93.1%
Grade 11	3.0%	4.5%	8.5%	91.5%
Grade 12	3.4%	4.8%	8.6%	91.4%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.6%	9.3%	17.0%	83.0%
Grade 7	2.3%	3.9%	8.2%	91.8%
Grade 8	4.1%	6.4%	13.3%	86.7%
Grade 9	5.3%	7.5%	15.6%	84.4%
Grade 10	5.1%	8.0%	17.3%	82.7%
Grade 11	9.6%	12.9%	20.6%	79.4%
Grade 12	14.4%	18.5%	28.3%	71.7%
Marijuana				
All	8.7%	10.3%	13.8%	86.2%
Grade 7	3.0%	3.2%	4.2%	95.8%
Grade 8	6.5%	7.1%	8.5%	91.5%
Grade 9	4.9%	5.4%	8.4%	91.6%
Grade 10	8.0%	10.0%	14.9%	85.1%
Grade 11	11.3%	13.8%	18.9%	81.1%
Grade 12	20.1%	24.5%	30.4%	69.6%
Marijuana Only				
All	4.8%	6.1%	9.0%	91.0%
Grade 7	1.4%	1.6%	2.4%	97.6%
Grade 8	2.7%	3.3%	4.7%	95.3%
Grade 9	2.5%	2.6%	5.1%	94.9%
Grade 10	5.6%	7.4%	11.4%	88.6%
Grade 11	5.6%	7.0%	11.3%	88.7%
Grade 12	11.6%	15.4%	20.0%	80.0%
Cocaine or Crack				
All	1.0%	1.2%	1.8%	98.2%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.8%	1.0%	1.0%	99.0%
Grade 9	0.4%	0.5%	0.7%	99.3%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	1.7%	2.4%	3.3%	96.7%
Grade 12	2.7%	2.7%	4.5%	95.5%
Cocaine				
All	1.0%	1.1%	1.7%	98.3%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.7%	0.8%	0.8%	99.2%
Grade 9	0.4%	0.5%	0.6%	99.4%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	1.7%	2.4%	3.3%	96.7%
Grade 12	2.7%	2.7%	4.5%	95.5%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.4%	0.4%	1.2%	98.8%
Grade 12	1.0%	1.0%	1.0%	99.0%
Hallucinogens				
All	0.9%	1.3%	2.6%	97.4%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.4%	1.0%	1.8%	98.2%
Grade 9	0.6%	0.8%	2.1%	97.9%
Grade 10	0.5%	0.6%	2.3%	97.7%
Grade 11	2.0%	2.6%	3.8%	96.2%
Grade 12	1.8%	2.8%	4.9%	95.1%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.3%	0.3%	0.3%	99.7%
Ecstasy				
All	0.3%	0.8%	1.6%	98.4%
Grade 7	0.1%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.9%	99.1%
Grade 11	1.1%	2.2%	3.8%	96.2%
Grade 12	0.3%	1.4%	3.5%	96.5%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.6%	99.4%
Synthetic Marijuana				
All	0.8%	1.1%	2.0%	98.0%
Grade 7	0.1%	0.3%	0.6%	99.4%
Grade 8	0.9%	1.2%	1.9%	98.1%
Grade 9	0.7%	0.8%	1.5%	98.5%
Grade 10	0.6%	0.7%	1.6%	98.4%
Grade 11	1.0%	1.6%	3.8%	96.2%
Grade 12	1.7%	2.0%	3.1%	96.9%
Methamphetamine				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.3%	0.3%	1.6%	98.4%
Grade 12	0.1%	0.2%	0.9%	99.1%
Delta 8				
All	1.1%	1.5%	2.4%	97.6%
Grade 7	0.8%	1.1%	1.5%	98.5%
Grade 8	1.0%	1.1%	2.0%	98.0%
Grade 9	0.8%	1.1%	1.5%	98.5%
Grade 10	0.6%	0.6%	1.3%	98.7%
Grade 11	2.0%	2.6%	4.0%	96.0%
Grade 12	1.8%	3.1%	4.4%	95.6%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.6%	9.6%	17.5%	82.5%
Grade 7	3.1%	4.6%	8.4%	91.6%
Grade 8	5.1%	6.0%	14.0%	86.0%
Grade 9	6.3%	7.9%	14.0%	86.0%
Grade 10	5.9%	7.8%	18.4%	81.6%
Grade 11	10.5%	13.8%	21.5%	78.5%
Grade 12	16.3%	19.8%	31.0%	69.0%
Any Alcohol Product				
All	17.4%	21.0%	36.5%	63.5%
Grade 7	9.7%	11.0%	22.4%	77.6%
Grade 8	12.0%	14.2%	30.5%	69.5%
Grade 9	15.7%	18.0%	33.4%	66.6%
Grade 10	15.8%	19.9%	42.0%	58.0%
Grade 11	23.8%	29.2%	44.6%	55.4%
Grade 12	29.6%	36.6%	48.0%	52.0%
Any Illicit Drug				
All	8.2%	10.9%	14.5%	85.5%
Grade 7	3.7%	4.9%	5.9%	94.1%
Grade 8	5.5%	6.8%	9.1%	90.9%
Grade 9	4.3%	5.6%	9.3%	90.7%
Grade 10	10.1%	13.0%	16.5%	83.5%
Grade 11	11.1%	13.9%	18.5%	81.5%
Grade 12	16.4%	23.5%	30.9%	69.1%
Any Prescription Drug				
All	3.4%	4.6%	9.4%	90.6%
Grade 7	4.8%	5.9%	10.1%	89.9%
Grade 8	5.6%	6.7%	12.3%	87.7%
Grade 9	0.9%	3.2%	8.4%	91.6%
Grade 10	2.4%	3.0%	7.5%	92.5%
Grade 11	3.4%	3.4%	7.5%	92.5%
Grade 12	3.9%	6.0%	10.8%	89.2%
Any Inhalant				
All	2.9%	4.1%	8.2%	91.8%
Grade 7	4.0%	4.7%	9.0%	91.0%
Grade 8	4.9%	5.4%	9.2%	90.8%
Grade 9	1.2%	1.9%	6.2%	93.8%
Grade 10	0.7%	3.1%	7.0%	93.0%
Grade 11	4.7%	5.7%	10.0%	90.0%
Grade 12	2.4%	4.3%	8.5%	91.5%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.6%	7.9%	15.2%	84.8%
Grade 7	1.8%	3.6%	6.7%	93.3%
Grade 8	3.7%	4.9%	12.0%	88.0%
Grade 9	4.6%	5.5%	12.0%	88.0%
Grade 10	3.5%	6.0%	15.5%	84.5%
Grade 11	8.7%	11.9%	19.7%	80.3%
Grade 12	12.6%	17.2%	27.4%	72.6%
Marijuana				
All	7.6%	9.6%	12.9%	87.1%
Grade 7	3.3%	3.5%	4.3%	95.7%
Grade 8	4.8%	5.0%	7.1%	92.9%
Grade 9	4.1%	4.8%	8.2%	91.8%
Grade 10	8.9%	10.9%	14.4%	85.6%
Grade 11	10.2%	13.0%	17.6%	82.4%
Grade 12	16.2%	22.6%	28.9%	71.1%
Marijuana Only				
All	4.0%	5.5%	8.6%	91.4%
Grade 7	1.4%	1.6%	2.2%	97.8%
Grade 8	1.9%	2.1%	4.1%	95.9%
Grade 9	2.0%	2.0%	5.3%	94.7%
Grade 10	6.3%	8.0%	11.3%	88.7%
Grade 11	5.5%	7.4%	11.3%	88.7%
Grade 12	7.3%	12.9%	19.0%	81.0%
Cocaine or Crack				
All	0.8%	0.9%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.6%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	2.1%	2.1%	2.1%	97.9%
Grade 12	2.3%	2.3%	4.3%	95.7%
Cocaine				
All	0.8%	0.8%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	2.1%	2.1%	2.1%	97.9%
Grade 12	2.3%	2.3%	4.3%	95.7%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.2%	1.6%	2.2%	97.8%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.4%	0.9%	1.7%	98.3%
Grade 9	0.7%	0.9%	1.8%	98.2%
Grade 10	1.0%	1.0%	1.3%	98.7%
Grade 11	1.9%	3.0%	3.3%	96.7%
Grade 12	3.4%	3.9%	5.2%	94.8%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.8%	99.2%
Steroids				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.7%	0.7%	0.7%	99.3%
Ecstasy				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.2%	0.2%	99.8%
Grade 10	0.4%	0.4%	1.5%	98.5%
Grade 11	1.9%	1.9%	2.6%	97.4%
Grade 12	0.7%	1.6%	3.3%	96.7%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	0.7%	1.0%	1.8%	98.2%
Grade 7	0.0%	0.1%	0.8%	99.2%
Grade 8	0.4%	0.8%	1.1%	98.9%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	1.0%	1.0%	2.3%	97.7%
Grade 11	0.9%	1.9%	2.4%	97.6%
Grade 12	1.3%	1.8%	3.4%	96.6%
Methamphetamine				
All	0.0%	0.1%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.2%	1.5%	98.5%
Delta 8				
All	1.3%	1.5%	2.4%	97.6%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	0.7%	0.7%	1.5%	98.5%
Grade 9	0.8%	1.1%	1.4%	98.6%
Grade 10	0.8%	0.8%	1.7%	98.3%
Grade 11	2.8%	3.0%	4.9%	95.1%
Grade 12	2.2%	3.3%	4.3%	95.7%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.4%	12.5%	20.8%	79.2%
Grade 7	4.0%	5.0%	10.7%	89.3%
Grade 8	6.6%	9.1%	16.4%	83.6%
Grade 9	6.9%	10.9%	20.2%	79.8%
Grade 10	9.3%	12.4%	22.5%	77.5%
Grade 11	11.3%	15.7%	23.9%	76.1%
Grade 12	19.0%	22.3%	31.2%	68.8%
Any Alcohol Product				
All	21.3%	25.0%	39.9%	60.1%
Grade 7	12.8%	15.1%	26.8%	73.2%
Grade 8	15.3%	18.7%	34.3%	65.7%
Grade 9	22.4%	24.2%	38.4%	61.6%
Grade 10	22.1%	26.8%	44.5%	55.5%
Grade 11	20.2%	25.2%	42.0%	58.0%
Grade 12	34.4%	39.8%	53.8%	46.2%
Any Illicit Drug				
All	10.2%	13.4%	17.3%	82.7%
Grade 7	3.4%	6.8%	8.1%	91.9%
Grade 8	8.7%	11.8%	12.6%	87.4%
Grade 9	6.1%	8.4%	11.5%	88.5%
Grade 10	7.2%	12.3%	17.9%	82.1%
Grade 11	12.3%	15.1%	21.6%	78.4%
Grade 12	24.2%	26.6%	33.1%	66.9%
Any Prescription Drug				
All	3.3%	5.4%	10.3%	89.7%
Grade 7	4.2%	6.7%	9.4%	90.6%
Grade 8	4.0%	6.2%	11.6%	88.4%
Grade 9	3.6%	5.6%	12.7%	87.3%
Grade 10	2.2%	3.4%	6.9%	93.1%
Grade 11	3.8%	5.1%	9.8%	90.2%
Grade 12	2.1%	5.5%	10.5%	89.5%
Any Inhalant				
All	3.5%	4.7%	10.2%	89.8%
Grade 7	4.9%	5.6%	12.3%	87.7%
Grade 8	4.5%	6.6%	13.3%	86.7%
Grade 9	4.1%	4.8%	12.3%	87.7%
Grade 10	1.7%	2.4%	6.8%	93.2%
Grade 11	1.1%	3.3%	7.0%	93.0%
Grade 12	4.1%	5.1%	8.6%	91.4%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.7%	10.9%	19.0%	81.0%
Grade 7	2.7%	4.0%	9.4%	90.6%
Grade 8	4.6%	7.9%	14.6%	85.4%
Grade 9	6.2%	9.7%	19.5%	80.5%
Grade 10	6.8%	10.3%	19.5%	80.5%
Grade 11	10.8%	14.2%	21.9%	78.1%
Grade 12	15.9%	19.5%	29.1%	70.9%
Marijuana				
All	9.8%	11.1%	14.8%	85.2%
Grade 7	2.5%	2.7%	3.9%	96.1%
Grade 8	8.2%	9.2%	10.1%	89.9%
Grade 9	5.8%	6.2%	8.9%	91.1%
Grade 10	7.2%	9.2%	15.6%	84.4%
Grade 11	11.7%	14.0%	19.7%	80.3%
Grade 12	23.5%	26.2%	31.8%	68.2%
Marijuana Only				
All	5.5%	6.6%	9.3%	90.7%
Grade 7	1.3%	1.6%	2.8%	97.2%
Grade 8	3.6%	4.5%	5.5%	94.5%
Grade 9	3.0%	3.3%	4.9%	95.1%
Grade 10	4.9%	6.9%	11.7%	88.3%
Grade 11	4.7%	5.7%	10.5%	89.5%
Grade 12	15.4%	17.6%	21.0%	79.0%
Cocaine or Crack				
All	1.2%	1.4%	2.2%	97.8%
Grade 7	0.5%	0.7%	1.3%	98.7%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	1.4%	2.7%	4.7%	95.3%
Grade 12	3.1%	3.1%	4.7%	95.3%
Cocaine				
All	1.2%	1.4%	2.1%	97.9%
Grade 7	0.5%	0.7%	1.0%	99.0%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	1.4%	2.7%	4.7%	95.3%
Grade 12	3.1%	3.1%	4.7%	95.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.6%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.6%	0.6%	1.3%	98.7%
Grade 12	1.8%	1.8%	1.8%	98.2%
Hallucinogens				
All	0.6%	1.1%	2.9%	97.1%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.4%	1.2%	2.0%	98.0%
Grade 9	0.6%	0.6%	2.5%	97.5%
Grade 10	0.0%	0.2%	3.5%	96.5%
Grade 11	2.2%	2.2%	4.5%	95.5%
Grade 12	0.5%	1.9%	4.7%	95.3%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.2%	0.8%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.4%	1.2%	98.8%
Grade 9	0.0%	0.6%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.3%	2.6%	5.1%	94.9%
Grade 12	0.0%	1.2%	3.8%	96.2%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.9%	99.1%
Synthetic Marijuana				
All	1.0%	1.2%	2.3%	97.7%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	1.3%	1.5%	2.6%	97.4%
Grade 9	0.9%	1.0%	2.1%	97.9%
Grade 10	0.2%	0.4%	0.8%	99.2%
Grade 11	1.1%	1.4%	5.5%	94.5%
Grade 12	2.0%	2.2%	2.9%	97.1%
Methamphetamine				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.6%	0.6%	2.3%	97.7%
Grade 12	0.2%	0.2%	0.4%	99.6%
Delta 8				
All	1.0%	1.5%	2.4%	97.6%
Grade 7	1.0%	1.4%	1.8%	98.2%
Grade 8	1.2%	1.4%	2.5%	97.5%
Grade 9	0.8%	1.0%	1.8%	98.2%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	1.1%	2.1%	3.1%	96.9%
Grade 12	1.5%	2.9%	4.6%	95.4%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.0%	12.2%	20.5%	79.5%
Grade 7	0.0%	2.4%	13.4%	86.6%
Grade 8	9.5%	9.5%	23.7%	76.3%
Grade 9	0.0%	8.0%	13.2%	86.8%
Grade 10	3.2%	20.2%	35.5%	64.5%
Grade 11	6.4%	6.4%	6.4%	93.6%
Grade 12	32.2%	32.2%	35.5%	64.5%
Any Alcohol Product				
All	19.7%	23.6%	38.5%	61.5%
Grade 7	4.9%	4.9%	15.8%	84.2%
Grade 8	11.5%	18.5%	33.2%	66.8%
Grade 9	21.1%	21.1%	39.5%	60.5%
Grade 10	15.3%	15.3%	38.7%	61.3%
Grade 11	34.1%	47.9%	61.7%	38.3%
Grade 12	37.1%	40.4%	49.2%	50.8%
Any Illicit Drug				
All	8.3%	10.4%	14.4%	85.6%
Grade 7	2.4%	2.4%	2.4%	97.6%
Grade 8	7.0%	9.5%	9.5%	90.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	6.4%	6.4%	21.7%	78.3%
Grade 11	16.9%	27.4%	27.4%	72.6%
Grade 12	21.6%	21.6%	35.5%	64.5%
Any Prescription Drug				
All	5.6%	6.7%	12.2%	87.8%
Grade 7	4.9%	8.1%	8.1%	91.9%
Grade 8	7.5%	7.5%	14.8%	85.2%
Grade 9	8.0%	8.0%	21.1%	78.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.5%	96.5%
Grade 12	11.1%	14.3%	20.8%	79.2%
Any Inhalant				
All	2.7%	3.7%	10.0%	90.0%
Grade 7	4.9%	4.9%	17.4%	82.6%
Grade 8	9.0%	11.5%	16.0%	84.0%
Grade 9	0.0%	0.0%	8.0%	92.0%
Grade 10	0.0%	0.0%	4.9%	95.1%
Grade 11	0.0%	3.0%	6.3%	93.7%
Grade 12	0.0%	0.0%	3.3%	96.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.9%	10.3%	17.6%	82.4%
Grade 7	0.0%	2.4%	13.4%	86.6%
Grade 8	7.1%	7.1%	13.6%	86.4%
Grade 9	0.0%	8.0%	13.2%	86.8%
Grade 10	3.2%	15.3%	35.5%	64.5%
Grade 11	6.4%	6.4%	6.4%	93.6%
Grade 12	21.1%	26.7%	29.9%	70.1%
Marijuana				
All	7.1%	8.6%	12.1%	87.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	5.0%	5.0%	5.0%	95.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.2%	3.2%	18.5%	81.5%
Grade 11	16.9%	27.4%	27.4%	72.6%
Grade 12	21.6%	21.6%	32.2%	67.8%
Marijuana Only				
All	4.2%	5.7%	9.2%	90.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.2%	3.2%	18.5%	81.5%
Grade 11	9.5%	19.1%	19.1%	80.9%
Grade 12	15.6%	15.6%	25.8%	74.2%
Cocaine or Crack				
All	0.8%	1.3%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	3.0%	3.0%	97.0%
Grade 12	5.5%	5.5%	5.5%	94.5%
Cocaine				
All	0.8%	1.3%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	3.0%	3.0%	97.0%
Grade 12	5.5%	5.5%	5.5%	94.5%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.4%	1.0%	2.3%	97.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	2.5%	2.5%	97.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	3.0%	3.0%	6.4%	93.6%
	Grade 12	0.0%	0.0%	5.5%	94.5%
Synthetic Cathinones	All	0.0%	0.0%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	3.0%	97.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	1.6%	1.6%	1.6%	98.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	2.0%	2.0%	2.0%	98.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	3.2%	3.2%	3.2%	96.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	5.5%	5.5%	5.5%	94.5%
Ecstasy	All	0.0%	0.4%	1.3%	98.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	3.0%	3.0%	97.0%
	Grade 12	0.0%	0.0%	5.5%	94.5%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.9%	0.9%	0.9%	99.1%
Grade 7	2.4%	2.4%	2.4%	97.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.2%	3.2%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.4%	1.4%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.5%	2.5%	2.5%	97.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.2%	3.2%	3.2%	96.8%
Grade 11	3.0%	3.0%	3.0%	97.0%
Grade 12	0.0%	0.0%	8.8%	91.2%
Methamphetamine				
All	0.4%	0.9%	1.7%	98.3%
Grade 7	2.4%	2.4%	2.4%	97.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	3.2%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.5%	94.5%
Delta 8				
All	0.8%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	2.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.0%	3.0%	3.0%	97.0%
Grade 12	0.0%	0.0%	5.5%	94.5%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	5.3%	7.9%	13.2%	86.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.1%	8.1%	12.0%	88.0%
Grades 9–12	7.7%	10.8%	18.5%	81.5%
Any Alcohol Product				
All	14.5%	26.9%	39.1%	60.9%
Grade 7	10.1%	14.3%	26.0%	74.0%
Grade 8	3.8%	7.9%	24.0%	76.0%
Grades 9–12	20.0%	38.5%	49.5%	50.5%
Any Illicit Drug				
All	14.1%	14.8%	18.2%	81.8%
Grade 7	0.0%	3.2%	3.2%	96.8%
Grade 8	4.1%	4.1%	11.7%	88.3%
Grades 9–12	23.1%	23.1%	26.2%	73.8%
Any Prescription Drug				
All	3.4%	4.0%	10.4%	89.6%
Grade 7	3.2%	5.8%	16.4%	83.6%
Grade 8	4.1%	4.1%	11.2%	88.8%
Grades 9–12	3.3%	3.3%	7.9%	92.1%
Any Inhalant				
All	0.6%	0.6%	5.7%	94.3%
Grade 7	2.7%	2.7%	5.8%	94.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	7.7%	92.3%
Electronic Vapor Products				
All	5.3%	7.9%	13.2%	86.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.1%	8.1%	12.0%	88.0%
Grades 9–12	7.7%	10.8%	18.5%	81.5%
Marijuana				
All	14.1%	14.1%	17.5%	82.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.1%	4.1%	11.7%	88.3%
Grades 9–12	23.1%	23.1%	26.2%	73.8%
Marijuana Only				
All	14.1%	14.1%	17.5%	82.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.1%	4.1%	11.7%	88.3%
Grades 9–12	23.1%	23.1%	26.2%	73.8%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Cocaine or Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.6%	11.0%	19.1%	80.9%
Grade 7	4.1%	5.2%	9.7%	90.3%
Grade 8	5.7%	7.4%	14.7%	85.3%
Grade 9	6.8%	9.4%	17.3%	82.7%
Grade 10	7.9%	9.9%	20.3%	79.7%
Grade 11	11.5%	15.3%	24.0%	76.0%
Grade 12	16.5%	20.1%	29.9%	70.1%
Any Alcohol Product				
All	19.6%	23.1%	38.2%	61.8%
Grade 7	11.9%	13.6%	25.1%	74.9%
Grade 8	14.0%	16.5%	32.7%	67.3%
Grade 9	19.2%	21.4%	36.1%	63.9%
Grade 10	18.9%	23.5%	43.5%	56.5%
Grade 11	22.2%	26.9%	43.4%	56.6%
Grade 12	32.3%	37.8%	49.8%	50.2%
Any Illicit Drug				
All	9.2%	12.2%	15.9%	84.1%
Grade 7	3.8%	6.2%	7.4%	92.6%
Grade 8	7.1%	9.5%	10.9%	89.1%
Grade 9	5.2%	7.2%	10.7%	89.3%
Grade 10	9.0%	13.2%	17.4%	82.6%
Grade 11	11.8%	14.3%	20.0%	80.0%
Grade 12	19.4%	24.0%	30.5%	69.5%
Any Prescription Drug				
All	3.2%	4.9%	9.5%	90.5%
Grade 7	4.4%	6.1%	9.6%	90.4%
Grade 8	4.7%	6.5%	11.8%	88.2%
Grade 9	2.0%	4.0%	9.8%	90.2%
Grade 10	2.2%	3.0%	7.4%	92.6%
Grade 11	3.8%	4.5%	9.1%	90.9%
Grade 12	2.3%	5.2%	9.6%	90.4%
Any Inhalant				
All	3.3%	4.5%	9.3%	90.7%
Grade 7	4.7%	5.5%	10.6%	89.4%
Grade 8	4.5%	5.8%	11.2%	88.8%
Grade 9	2.8%	3.5%	9.4%	90.6%
Grade 10	1.1%	2.8%	6.6%	93.4%
Grade 11	3.2%	4.8%	9.0%	91.0%
Grade 12	3.7%	4.9%	8.8%	91.2%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.8%	9.4%	17.2%	82.8%
Grade 7	2.6%	4.0%	8.1%	91.9%
Grade 8	4.0%	6.4%	13.3%	86.7%
Grade 9	5.5%	7.5%	16.0%	84.0%
Grade 10	5.3%	8.0%	17.2%	82.8%
Grade 11	10.2%	13.5%	21.9%	78.1%
Grade 12	14.0%	18.1%	27.8%	72.2%
Marijuana				
All	8.7%	10.3%	13.8%	86.2%
Grade 7	3.2%	3.5%	4.4%	95.6%
Grade 8	6.7%	7.3%	8.7%	91.3%
Grade 9	5.0%	5.5%	8.8%	91.2%
Grade 10	8.4%	10.6%	15.2%	84.8%
Grade 11	10.9%	13.2%	18.5%	81.5%
Grade 12	19.0%	23.7%	29.3%	70.7%
Marijuana Only				
All	4.6%	6.0%	8.8%	91.2%
Grade 7	1.5%	1.8%	2.6%	97.4%
Grade 8	2.9%	3.5%	4.9%	95.1%
Grade 9	2.6%	2.8%	5.4%	94.6%
Grade 10	5.8%	7.8%	11.5%	88.5%
Grade 11	5.1%	6.1%	10.6%	89.4%
Grade 12	10.4%	14.5%	18.7%	81.3%
Cocaine or Crack				
All	1.0%	1.1%	1.8%	98.2%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.9%	1.1%	1.1%	98.9%
Grade 9	0.4%	0.6%	0.7%	99.3%
Grade 10	0.3%	0.3%	1.1%	98.9%
Grade 11	1.9%	2.4%	3.5%	96.5%
Grade 12	2.4%	2.4%	4.3%	95.7%
Cocaine				
All	1.0%	1.1%	1.8%	98.2%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.8%	0.9%	0.9%	99.1%
Grade 9	0.4%	0.5%	0.6%	99.4%
Grade 10	0.3%	0.3%	1.1%	98.9%
Grade 11	1.9%	2.4%	3.5%	96.5%
Grade 12	2.4%	2.4%	4.3%	95.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.4%	0.4%	1.3%	98.7%
Grade 12	1.1%	1.1%	1.1%	98.9%
Hallucinogens				
All	0.9%	1.3%	2.6%	97.4%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.5%	1.0%	1.8%	98.2%
Grade 9	0.7%	0.7%	2.0%	98.0%
Grade 10	0.5%	0.6%	2.5%	97.5%
Grade 11	2.0%	2.7%	3.9%	96.1%
Grade 12	1.7%	2.7%	4.7%	95.3%
Synthetic Cathinones				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.7%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.1%	99.9%
Ecstasy				
All	0.4%	0.7%	1.6%	98.4%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.0%	0.4%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.9%	99.1%
Grade 11	1.2%	2.2%	4.0%	96.0%
Grade 12	0.4%	1.2%	3.3%	96.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.6%	99.4%
Synthetic Marijuana				
All	0.8%	1.1%	2.0%	98.0%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.8%	1.1%	1.9%	98.1%
Grade 9	0.8%	0.9%	1.6%	98.4%
Grade 10	0.6%	0.7%	1.6%	98.4%
Grade 11	1.0%	1.6%	4.0%	96.0%
Grade 12	1.8%	2.2%	2.9%	97.1%
Methamphetamine				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.3%	0.3%	1.7%	98.3%
Grade 12	0.1%	0.2%	0.8%	99.2%
Delta 8				
All	1.2%	1.6%	2.4%	97.6%
Grade 7	0.9%	1.2%	1.6%	98.4%
Grade 8	1.0%	1.0%	2.1%	97.9%
Grade 9	0.9%	1.1%	1.6%	98.4%
Grade 10	0.6%	0.6%	1.4%	98.6%
Grade 11	2.0%	2.6%	4.2%	95.8%
Grade 12	1.9%	3.0%	4.2%	95.8%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	5.6%	7.8%	14.9%	85.1%
Grade 7	2.4%	3.5%	6.8%	93.2%
Grade 8	5.1%	6.0%	11.8%	88.2%
Grade 9	6.7%	10.7%	17.7%	82.3%
Grade 10	1.6%	2.6%	12.1%	87.9%
Grade 11	9.4%	11.5%	18.0%	82.0%
Grade 12	9.7%	14.9%	25.2%	74.8%
Any Alcohol Product				
All	14.6%	19.6%	35.1%	64.9%
Grade 7	10.3%	12.3%	25.7%	74.3%
Grade 8	10.5%	15.0%	32.2%	67.8%
Grade 9	16.4%	19.1%	33.4%	66.6%
Grade 10	14.3%	20.6%	38.6%	61.4%
Grade 11	13.9%	19.5%	34.8%	65.2%
Grade 12	23.2%	32.9%	47.4%	52.6%
Any Illicit Drug				
All	5.5%	7.4%	10.6%	89.4%
Grade 7	3.2%	5.6%	5.6%	94.4%
Grade 8	3.2%	5.5%	5.8%	94.2%
Grade 9	2.4%	2.4%	5.2%	94.8%
Grade 10	3.4%	7.0%	11.2%	88.8%
Grade 11	11.7%	12.5%	17.8%	82.2%
Grade 12	11.3%	13.8%	21.4%	78.6%
Any Prescription Drug				
All	3.7%	5.1%	9.4%	90.6%
Grade 7	5.2%	7.4%	12.3%	87.7%
Grade 8	2.3%	4.1%	8.9%	91.1%
Grade 9	1.6%	3.5%	8.5%	91.5%
Grade 10	3.9%	4.3%	5.2%	94.8%
Grade 11	5.7%	5.7%	9.9%	90.1%
Grade 12	4.6%	5.9%	12.6%	87.4%
Any Inhalant				
All	2.2%	3.1%	8.1%	91.9%
Grade 7	4.1%	4.9%	12.0%	88.0%
Grade 8	2.3%	2.9%	8.4%	91.6%
Grade 9	3.2%	3.9%	6.6%	93.4%
Grade 10	1.1%	3.5%	8.6%	91.4%
Grade 11	2.0%	2.5%	8.3%	91.7%
Grade 12	0.6%	0.6%	4.5%	95.5%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.3%	6.7%	13.4%	86.6%
Grade 7	1.5%	2.6%	5.3%	94.7%
Grade 8	3.7%	5.4%	10.5%	89.5%
Grade 9	5.5%	8.4%	16.3%	83.7%
Grade 10	1.6%	2.6%	11.9%	88.1%
Grade 11	6.9%	9.5%	15.6%	84.4%
Grade 12	7.5%	13.6%	22.4%	77.6%
Marijuana				
All	4.9%	6.2%	9.3%	90.7%
Grade 7	2.1%	2.6%	2.6%	97.4%
Grade 8	3.2%	4.1%	5.0%	95.0%
Grade 9	2.4%	2.4%	3.8%	96.2%
Grade 10	3.1%	5.5%	9.8%	90.2%
Grade 11	10.1%	11.0%	16.3%	83.7%
Grade 12	10.6%	13.8%	21.4%	78.6%
Marijuana Only				
All	3.4%	4.5%	7.1%	92.9%
Grade 7	0.8%	1.2%	1.2%	98.8%
Grade 8	1.3%	2.2%	3.1%	96.9%
Grade 9	1.9%	1.9%	3.3%	96.7%
Grade 10	3.0%	5.4%	9.2%	90.8%
Grade 11	5.3%	6.1%	10.1%	89.9%
Grade 12	9.1%	11.6%	17.9%	82.1%
Cocaine or Crack				
All	0.6%	0.6%	0.9%	99.1%
Grade 7	1.2%	1.5%	1.5%	98.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	2.1%	2.1%	3.3%	96.7%
Grade 12	0.4%	0.4%	1.1%	98.9%
Cocaine				
All	0.6%	0.6%	0.9%	99.1%
Grade 7	1.2%	1.5%	1.5%	98.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	2.1%	2.1%	3.3%	96.7%
Grade 12	0.4%	0.4%	1.1%	98.9%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.5%	0.5%	3.3%	96.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.2%	0.6%	1.5%	98.5%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.3%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.4%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.5%	2.1%	3.3%	96.7%
Grade 12	0.0%	0.2%	2.5%	97.5%
Synthetic Cathinones				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.6%	1.6%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	0.5%	0.5%	1.0%	99.0%
Grade 12	0.8%	0.8%	0.8%	99.2%
Ecstasy				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.4%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.1%	2.1%	4.5%	95.5%
Grade 12	0.0%	0.0%	1.1%	98.9%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	0.6%	0.9%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.0%	1.6%	4.4%	95.6%
Grade 12	0.7%	0.7%	0.7%	99.3%
Methamphetamine				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.5%	0.5%	3.3%	96.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	1.4%	1.4%	1.4%	98.6%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.0%	12.6%	21.1%	78.9%
Grade 7	4.1%	5.5%	10.9%	89.1%
Grade 8	6.4%	8.4%	17.3%	82.7%
Grade 9	6.4%	8.8%	16.5%	83.5%
Grade 10	11.0%	14.5%	25.3%	74.7%
Grade 11	11.1%	15.4%	24.0%	76.0%
Grade 12	21.5%	24.0%	33.7%	66.3%
Any Alcohol Product				
All	21.7%	24.7%	39.7%	60.3%
Grade 7	11.4%	13.2%	23.5%	76.5%
Grade 8	15.3%	17.2%	32.4%	67.6%
Grade 9	20.5%	22.1%	37.1%	62.9%
Grade 10	21.2%	24.6%	46.1%	53.9%
Grade 11	25.9%	30.9%	47.4%	52.6%
Grade 12	36.4%	40.8%	52.8%	47.2%
Any Illicit Drug				
All	11.2%	14.6%	18.6%	81.4%
Grade 7	4.1%	6.3%	8.1%	91.9%
Grade 8	9.4%	11.8%	13.8%	86.2%
Grade 9	6.4%	8.9%	12.5%	87.5%
Grade 10	11.9%	16.2%	20.9%	79.1%
Grade 11	11.5%	15.2%	20.9%	79.1%
Grade 12	24.8%	30.2%	36.8%	63.2%
Any Prescription Drug				
All	3.1%	4.9%	9.9%	90.1%
Grade 7	3.9%	5.6%	8.4%	91.6%
Grade 8	6.3%	7.8%	13.4%	86.6%
Grade 9	2.5%	4.5%	11.1%	88.9%
Grade 10	1.4%	2.4%	8.4%	91.6%
Grade 11	2.5%	3.2%	8.0%	92.0%
Grade 12	2.2%	5.7%	9.8%	90.2%
Any Inhalant				
All	3.5%	4.9%	9.6%	90.4%
Grade 7	4.3%	4.8%	9.7%	90.3%
Grade 8	5.7%	7.5%	12.6%	87.4%
Grade 9	2.2%	3.1%	10.3%	89.7%
Grade 10	1.3%	2.4%	6.2%	93.8%
Grade 11	3.3%	5.4%	8.3%	91.7%
Grade 12	4.7%	6.7%	10.5%	89.5%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.7%	10.5%	18.8%	81.2%
Grade 7	2.4%	4.1%	9.3%	90.7%
Grade 8	4.3%	6.8%	15.2%	84.8%
Grade 9	5.2%	7.3%	15.2%	84.8%
Grade 10	7.1%	11.3%	20.7%	79.3%
Grade 11	10.3%	13.6%	22.0%	78.0%
Grade 12	17.6%	20.7%	31.0%	69.0%
Marijuana				
All	10.7%	12.5%	16.2%	83.8%
Grade 7	3.5%	3.7%	5.1%	94.9%
Grade 8	8.5%	9.0%	10.7%	89.3%
Grade 9	6.1%	6.7%	10.4%	89.6%
Grade 10	11.0%	12.9%	18.2%	81.8%
Grade 11	11.1%	14.5%	19.6%	80.4%
Grade 12	24.5%	29.3%	34.4%	65.6%
Marijuana Only				
All	5.6%	6.9%	10.0%	90.0%
Grade 7	1.7%	1.9%	3.2%	96.8%
Grade 8	3.7%	4.1%	5.8%	94.2%
Grade 9	2.8%	2.9%	5.8%	94.2%
Grade 10	7.2%	8.8%	13.1%	86.9%
Grade 11	5.5%	7.2%	11.8%	88.2%
Grade 12	12.8%	17.1%	21.0%	79.0%
Cocaine or Crack				
All	1.2%	1.4%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	1.0%	1.2%	1.2%	98.8%
Grade 9	0.6%	0.8%	1.0%	99.0%
Grade 10	0.4%	0.4%	1.5%	98.5%
Grade 11	1.7%	2.6%	3.4%	96.6%
Grade 12	3.8%	3.8%	6.1%	93.9%
Cocaine				
All	1.2%	1.4%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.9%	1.0%	1.0%	99.0%
Grade 9	0.5%	0.7%	0.8%	99.2%
Grade 10	0.4%	0.4%	1.5%	98.5%
Grade 11	1.7%	2.6%	3.4%	96.6%
Grade 12	3.8%	3.8%	6.1%	93.9%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	1.4%	1.4%	1.4%	98.6%
Hallucinogens				
All	1.2%	1.7%	3.1%	96.9%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.5%	1.3%	2.3%	97.7%
Grade 9	0.9%	0.9%	2.4%	97.6%
Grade 10	0.8%	1.0%	3.6%	96.4%
Grade 11	2.3%	2.5%	3.6%	96.4%
Grade 12	2.7%	4.0%	6.0%	94.0%
Synthetic Cathinones				
All	0.0%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.5%	99.5%
Steroids				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.2%	99.8%
Ecstasy				
All	0.3%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.2%	0.7%	99.3%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	0.0%	0.5%	0.7%	99.3%
Grade 10	0.3%	0.3%	1.3%	98.7%
Grade 11	0.7%	2.3%	3.6%	96.4%
Grade 12	0.5%	2.0%	4.7%	95.3%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
 Students Reporting Grades Lower Than an A on Average**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.9%	99.1%
Synthetic Marijuana				
All	1.0%	1.2%	2.4%	97.6%
Grade 7	0.0%	0.1%	0.6%	99.4%
Grade 8	0.8%	1.1%	2.2%	97.8%
Grade 9	1.0%	1.2%	2.1%	97.9%
Grade 10	0.8%	1.0%	2.3%	97.7%
Grade 11	1.1%	1.3%	3.3%	96.7%
Grade 12	2.1%	2.6%	4.2%	95.8%
Methamphetamine				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.2%	0.3%	1.4%	98.6%
Delta 8				
All	1.5%	2.1%	3.2%	96.8%
Grade 7	0.9%	1.2%	1.7%	98.3%
Grade 8	1.3%	1.4%	2.9%	97.1%
Grade 9	1.2%	1.4%	2.1%	97.9%
Grade 10	1.0%	1.0%	2.0%	98.0%
Grade 11	2.9%	3.8%	5.2%	94.8%
Grade 12	2.0%	3.8%	5.8%	94.2%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.5%	9.5%	16.6%	83.4%
Grade 7	3.0%	3.9%	7.8%	92.2%
Grade 8	4.4%	5.6%	11.0%	89.0%
Grade 9	6.0%	8.4%	15.4%	84.6%
Grade 10	7.5%	10.2%	18.6%	81.4%
Grade 11	9.4%	11.0%	19.0%	81.0%
Grade 12	15.5%	18.6%	29.2%	70.8%
Any Alcohol Product				
All	18.0%	21.5%	35.8%	64.2%
Grade 7	8.6%	10.5%	22.0%	78.0%
Grade 8	12.3%	15.7%	29.5%	70.5%
Grade 9	20.5%	22.5%	34.7%	65.3%
Grade 10	15.7%	20.0%	40.9%	59.1%
Grade 11	20.2%	25.2%	43.6%	56.4%
Grade 12	31.5%	36.3%	46.1%	53.9%
Any Illicit Drug				
All	7.5%	9.8%	12.7%	87.3%
Grade 7	3.6%	5.2%	6.0%	94.0%
Grade 8	4.5%	6.5%	7.2%	92.8%
Grade 9	5.4%	6.9%	9.7%	90.3%
Grade 10	7.6%	10.7%	13.5%	86.5%
Grade 11	8.3%	10.9%	15.0%	85.0%
Grade 12	16.8%	19.9%	26.2%	73.8%
Any Prescription Drug				
All	3.6%	4.9%	9.6%	90.4%
Grade 7	4.3%	5.6%	9.2%	90.8%
Grade 8	4.5%	5.7%	10.8%	89.2%
Grade 9	2.7%	4.3%	10.6%	89.4%
Grade 10	3.6%	4.8%	9.8%	90.2%
Grade 11	3.2%	4.0%	7.8%	92.2%
Grade 12	3.4%	4.9%	8.9%	91.1%
Any Inhalant				
All	3.2%	4.1%	8.3%	91.7%
Grade 7	4.6%	5.6%	10.2%	89.8%
Grade 8	3.6%	4.4%	9.3%	90.7%
Grade 9	3.6%	4.5%	10.8%	89.2%
Grade 10	1.4%	2.2%	5.5%	94.5%
Grade 11	3.0%	4.3%	7.4%	92.6%
Grade 12	3.0%	3.5%	6.1%	93.9%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.2%	8.5%	15.3%	84.7%
Grade 7	2.0%	3.1%	6.5%	93.5%
Grade 8	2.7%	4.4%	9.1%	90.9%
Grade 9	5.5%	7.7%	14.9%	85.1%
Grade 10	6.2%	9.4%	17.9%	82.1%
Grade 11	8.2%	10.0%	17.4%	82.6%
Grade 12	13.5%	17.4%	26.9%	73.1%
Marijuana				
All	7.1%	8.2%	10.9%	89.1%
Grade 7	2.7%	2.7%	3.1%	96.9%
Grade 8	4.1%	4.6%	5.3%	94.7%
Grade 9	5.1%	5.4%	7.8%	92.2%
Grade 10	7.3%	8.9%	12.4%	87.6%
Grade 11	7.5%	9.9%	14.0%	86.0%
Grade 12	16.7%	19.1%	24.2%	75.8%
Marijuana Only				
All	3.7%	4.6%	6.9%	93.1%
Grade 7	1.0%	1.0%	1.3%	98.7%
Grade 8	2.0%	2.5%	3.2%	96.8%
Grade 9	2.1%	2.4%	4.6%	95.4%
Grade 10	4.6%	6.2%	8.7%	91.3%
Grade 11	3.9%	4.7%	8.5%	91.5%
Grade 12	9.3%	11.6%	15.8%	84.2%
Cocaine or Crack				
All	0.9%	1.0%	1.5%	98.5%
Grade 7	0.4%	0.6%	0.8%	99.2%
Grade 8	0.4%	0.5%	0.5%	99.5%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	1.9%	1.9%	2.9%	97.1%
Grade 12	2.6%	2.6%	4.0%	96.0%
Cocaine				
All	0.9%	1.0%	1.5%	98.5%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.5%	0.5%	99.5%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	1.9%	1.9%	2.9%	97.1%
Grade 12	2.6%	2.6%	4.0%	96.0%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.9%	0.9%	0.9%	99.1%
Hallucinogens				
All	0.9%	1.2%	2.1%	97.9%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.7%	1.0%	99.0%
Grade 9	1.1%	1.1%	1.8%	98.2%
Grade 10	0.8%	0.8%	2.4%	97.6%
Grade 11	1.6%	2.4%	2.4%	97.6%
Grade 12	1.1%	1.9%	3.9%	96.1%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.6%	99.4%
Steroids				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.2%	1.0%	99.0%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.6%	0.6%	0.6%	99.4%
Ecstasy				
All	0.4%	0.9%	1.7%	98.3%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.5%	0.7%	99.3%
Grade 10	0.3%	0.3%	1.2%	98.8%
Grade 11	1.6%	2.4%	3.4%	96.6%
Grade 12	0.2%	1.9%	4.2%	95.8%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.8%	99.2%
Synthetic Marijuana				
All	0.5%	0.8%	1.6%	98.4%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	1.0%	1.1%	1.5%	98.5%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	1.0%	2.1%	3.1%	96.9%
Grade 12	0.2%	0.7%	2.3%	97.7%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.2%	1.4%	98.6%
Delta 8				
All	1.0%	1.4%	2.2%	97.8%
Grade 7	1.1%	1.4%	1.8%	98.2%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	1.2%	1.4%	2.0%	98.0%
Grade 10	0.7%	0.7%	1.6%	98.4%
Grade 11	1.5%	2.3%	3.9%	96.1%
Grade 12	1.0%	2.1%	3.3%	96.7%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.0%	13.4%	22.7%	77.3%
Grade 7	5.1%	7.0%	13.3%	86.7%
Grade 8	7.6%	9.9%	20.3%	79.7%
Grade 9	7.4%	10.9%	19.5%	80.5%
Grade 10	7.7%	9.8%	23.3%	76.7%
Grade 11	12.1%	19.1%	27.2%	72.8%
Grade 12	21.2%	25.0%	33.9%	66.1%
Any Alcohol Product				
All	21.7%	25.5%	41.6%	58.4%
Grade 7	16.4%	17.9%	28.6%	71.4%
Grade 8	14.6%	16.4%	35.8%	64.2%
Grade 9	17.5%	19.5%	38.4%	61.6%
Grade 10	23.7%	28.4%	46.5%	53.5%
Grade 11	26.1%	31.6%	43.3%	56.7%
Grade 12	33.7%	41.6%	58.2%	41.8%
Any Illicit Drug				
All	11.8%	15.7%	20.7%	79.3%
Grade 7	3.9%	7.4%	9.1%	90.9%
Grade 8	10.5%	12.9%	15.5%	84.5%
Grade 9	4.7%	7.0%	11.0%	89.0%
Grade 10	10.5%	16.1%	23.2%	76.8%
Grade 11	16.5%	19.6%	27.2%	72.8%
Grade 12	26.4%	33.3%	41.2%	58.8%
Any Prescription Drug				
All	3.0%	5.2%	10.2%	89.8%
Grade 7	4.5%	7.1%	10.3%	89.7%
Grade 8	5.4%	7.5%	13.0%	87.0%
Grade 9	1.6%	4.4%	10.5%	89.5%
Grade 10	0.3%	0.6%	3.6%	96.4%
Grade 11	4.2%	4.6%	10.2%	89.8%
Grade 12	2.3%	7.0%	13.5%	86.5%
Any Inhalant				
All	3.3%	5.0%	10.5%	89.5%
Grade 7	4.5%	4.7%	11.8%	88.2%
Grade 8	6.1%	7.8%	13.1%	86.9%
Grade 9	1.1%	1.8%	6.9%	93.1%
Grade 10	0.9%	3.7%	9.5%	90.5%
Grade 11	3.1%	5.0%	9.2%	90.8%
Grade 12	4.1%	7.0%	12.6%	87.4%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
 Students Not Living with 2 Parents**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.1%	10.4%	19.5%	80.5%
Grade 7	3.0%	5.3%	11.3%	88.7%
Grade 8	5.6%	8.7%	18.4%	81.6%
Grade 9	5.1%	7.4%	16.8%	83.2%
Grade 10	3.5%	6.0%	17.0%	83.0%
Grade 11	10.5%	16.0%	24.3%	75.7%
Grade 12	15.8%	20.2%	30.3%	69.7%
Marijuana				
All	11.2%	13.6%	18.4%	81.6%
Grade 7	3.6%	4.2%	6.0%	94.0%
Grade 8	9.7%	10.4%	12.7%	87.3%
Grade 9	4.6%	5.4%	9.5%	90.5%
Grade 10	9.4%	12.2%	19.3%	80.7%
Grade 11	15.8%	18.6%	25.3%	74.7%
Grade 12	25.5%	33.0%	40.3%	59.7%
Marijuana Only				
All	6.3%	8.2%	12.2%	87.8%
Grade 7	2.0%	2.7%	4.5%	95.5%
Grade 8	3.8%	4.5%	6.8%	93.2%
Grade 9	3.0%	3.0%	5.8%	94.2%
Grade 10	7.2%	9.5%	15.9%	84.1%
Grade 11	6.7%	9.0%	14.3%	85.7%
Grade 12	15.4%	21.4%	26.8%	73.2%
Cocaine or Crack				
All	1.1%	1.4%	2.2%	97.8%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	1.6%	1.6%	1.6%	98.4%
Grade 9	0.1%	0.4%	0.6%	99.4%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	1.6%	3.2%	4.1%	95.9%
Grade 12	2.6%	2.6%	5.1%	94.9%
Cocaine				
All	1.1%	1.4%	2.1%	97.9%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.1%	0.4%	0.6%	99.4%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	1.6%	3.2%	4.1%	95.9%
Grade 12	2.6%	2.6%	5.1%	94.9%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.6%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.9%	0.9%	1.8%	98.2%
Grade 12	1.1%	1.1%	1.1%	98.9%
Hallucinogens				
All	1.0%	1.5%	3.4%	96.6%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.5%	1.5%	3.0%	97.0%
Grade 9	0.0%	0.3%	2.6%	97.4%
Grade 10	0.0%	0.3%	2.4%	97.6%
Grade 11	2.6%	2.9%	6.1%	93.9%
Grade 12	3.0%	4.2%	6.2%	93.8%
Synthetic Cathinones				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	0.3%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.3%	0.6%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.7%	0.7%	1.7%	98.3%
Grade 9	0.0%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.4%	1.9%	4.4%	95.6%
Grade 12	0.6%	0.6%	2.3%	97.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	1.3%	1.5%	2.7%	97.3%
Grade 7	0.0%	0.4%	0.7%	99.3%
Grade 8	1.2%	1.7%	3.0%	97.0%
Grade 9	0.3%	0.3%	1.6%	98.4%
Grade 10	1.3%	1.6%	1.9%	98.1%
Grade 11	1.1%	1.1%	5.0%	95.0%
Grade 12	4.0%	4.0%	4.3%	95.7%
Methamphetamine				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.7%	0.7%	2.8%	97.2%
Grade 12	0.3%	0.3%	0.3%	99.7%
Delta 8				
All	1.3%	1.8%	2.6%	97.4%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	1.4%	1.6%	3.2%	96.8%
Grade 9	0.2%	0.5%	0.8%	99.2%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	2.8%	3.1%	4.3%	95.7%
Grade 12	3.1%	4.7%	6.3%	93.7%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.6%	9.7%	17.0%	83.0%
Grade 7	3.2%	3.9%	8.3%	91.7%
Grade 8	4.5%	5.5%	11.9%	88.1%
Grade 9	5.2%	7.7%	13.9%	86.1%
Grade 10	7.9%	9.5%	18.7%	81.3%
Grade 11	9.6%	13.4%	21.0%	79.0%
Grade 12	17.2%	20.1%	30.6%	69.4%
Any Alcohol Product				
All	18.3%	21.6%	37.4%	62.6%
Grade 7	10.1%	11.6%	23.1%	76.9%
Grade 8	11.9%	14.1%	30.7%	69.3%
Grade 9	16.9%	18.9%	33.6%	66.4%
Grade 10	17.6%	21.8%	43.4%	56.6%
Grade 11	23.1%	28.5%	45.8%	54.2%
Grade 12	32.4%	38.1%	52.0%	48.0%
Any Illicit Drug				
All	8.3%	11.1%	14.6%	85.4%
Grade 7	2.9%	4.8%	5.7%	94.3%
Grade 8	5.3%	7.0%	7.8%	92.2%
Grade 9	4.5%	6.5%	8.9%	91.1%
Grade 10	7.6%	10.9%	16.0%	84.0%
Grade 11	11.9%	15.5%	20.2%	79.8%
Grade 12	19.6%	24.8%	32.3%	67.7%
Any Prescription Drug				
All	3.3%	4.7%	9.2%	90.8%
Grade 7	4.3%	5.8%	9.6%	90.4%
Grade 8	4.1%	5.5%	10.6%	89.4%
Grade 9	2.1%	3.6%	9.5%	90.5%
Grade 10	2.6%	3.2%	6.4%	93.6%
Grade 11	3.9%	4.7%	9.2%	90.8%
Grade 12	2.9%	5.5%	9.8%	90.2%
Any Inhalant				
All	2.9%	4.0%	8.7%	91.3%
Grade 7	4.7%	5.1%	10.7%	89.3%
Grade 8	3.6%	4.8%	9.2%	90.8%
Grade 9	2.0%	3.0%	8.2%	91.8%
Grade 10	1.1%	1.9%	5.8%	94.2%
Grade 11	3.2%	4.9%	9.4%	90.6%
Grade 12	2.9%	4.5%	8.7%	91.3%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.0%	8.2%	15.3%	84.7%
Grade 7	1.8%	2.7%	6.7%	93.3%
Grade 8	3.3%	4.7%	10.8%	89.2%
Grade 9	3.7%	5.7%	12.7%	87.3%
Grade 10	5.6%	7.2%	16.3%	83.7%
Grade 11	8.7%	12.8%	20.1%	79.9%
Grade 12	14.8%	18.4%	27.8%	72.2%
Marijuana				
All	8.0%	9.6%	12.8%	87.2%
Grade 7	2.4%	2.7%	3.4%	96.6%
Grade 8	4.9%	5.2%	6.1%	93.9%
Grade 9	4.5%	5.2%	7.0%	93.0%
Grade 10	6.9%	7.9%	13.6%	86.4%
Grade 11	11.9%	15.1%	20.1%	79.9%
Grade 12	19.4%	24.1%	30.5%	69.5%
Marijuana Only				
All	4.7%	6.0%	8.8%	91.2%
Grade 7	1.3%	1.6%	2.3%	97.7%
Grade 8	1.8%	2.1%	3.1%	96.9%
Grade 9	3.1%	3.3%	4.6%	95.4%
Grade 10	6.0%	6.9%	11.7%	88.3%
Grade 11	5.5%	7.5%	12.1%	87.9%
Grade 12	11.6%	16.1%	21.6%	78.4%
Cocaine or Crack				
All	0.8%	1.0%	1.3%	98.7%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	1.3%	2.0%	2.6%	97.4%
Grade 12	2.6%	2.6%	3.9%	96.1%
Cocaine				
All	0.8%	0.9%	1.3%	98.7%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	1.3%	2.0%	2.6%	97.4%
Grade 12	2.6%	2.6%	3.9%	96.1%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.7%	0.7%	0.7%	99.3%
Hallucinogens				
All	0.6%	1.0%	2.2%	97.8%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.5%	1.2%	98.8%
Grade 9	0.0%	0.1%	1.8%	98.2%
Grade 10	0.1%	0.3%	1.8%	98.2%
Grade 11	2.5%	2.7%	4.2%	95.8%
Grade 12	1.6%	2.8%	4.3%	95.7%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.5%	99.5%
Steroids				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.8%	99.2%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
Ecstasy				
All	0.2%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.5%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.8%	2.1%	3.8%	96.2%
Grade 12	0.0%	0.9%	2.7%	97.3%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.6%	99.4%
Synthetic Marijuana				
All	0.7%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	1.0%	1.2%	1.9%	98.1%
Grade 9	0.3%	0.4%	1.3%	98.7%
Grade 10	0.7%	0.8%	1.3%	98.7%
Grade 11	1.2%	1.4%	3.2%	96.8%
Grade 12	1.1%	1.2%	2.7%	97.3%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.2%	0.2%	1.1%	98.9%
Delta 8				
All	0.7%	1.1%	1.8%	98.2%
Grade 7	0.5%	0.7%	0.9%	99.1%
Grade 8	0.7%	0.8%	1.5%	98.5%
Grade 9	0.0%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	2.1%	2.9%	4.2%	95.8%
Grade 12	1.0%	2.6%	4.1%	95.9%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.1%	17.9%	28.0%	72.0%
Grade 7	7.4%	12.1%	19.2%	80.8%
Grade 8	13.0%	16.1%	29.4%	70.6%
Grade 9	14.8%	17.7%	30.7%	69.3%
Grade 10	6.4%	13.1%	25.8%	74.2%
Grade 11	15.4%	19.9%	28.5%	71.5%
Grade 12	20.9%	27.6%	32.1%	67.9%
Any Alcohol Product				
All	24.7%	29.5%	42.4%	57.6%
Grade 7	20.1%	24.7%	35.4%	64.6%
Grade 8	23.0%	28.0%	41.3%	58.7%
Grade 9	28.9%	29.9%	42.9%	57.1%
Grade 10	21.3%	27.7%	45.7%	54.3%
Grade 11	21.9%	27.9%	39.7%	60.3%
Grade 12	32.7%	38.3%	47.5%	52.5%
Any Illicit Drug				
All	12.3%	16.3%	20.5%	79.5%
Grade 7	9.0%	14.7%	16.4%	83.6%
Grade 8	13.5%	19.6%	23.1%	76.9%
Grade 9	9.4%	10.4%	16.2%	83.8%
Grade 10	9.7%	17.9%	20.8%	79.2%
Grade 11	9.8%	10.5%	18.0%	82.0%
Grade 12	22.8%	25.5%	28.3%	71.7%
Any Prescription Drug				
All	2.9%	5.4%	11.8%	88.2%
Grade 7	4.2%	8.3%	10.7%	89.3%
Grade 8	6.6%	9.6%	16.7%	83.3%
Grade 9	4.3%	8.2%	13.8%	86.2%
Grade 10	0.9%	1.9%	8.3%	91.7%
Grade 11	0.6%	0.6%	6.3%	93.7%
Grade 12	1.4%	5.4%	15.3%	84.7%
Any Inhalant				
All	4.9%	6.1%	11.9%	88.1%
Grade 7	5.0%	7.9%	12.9%	87.1%
Grade 8	10.0%	11.9%	20.2%	79.8%
Grade 9	6.6%	6.6%	14.7%	85.3%
Grade 10	0.6%	1.5%	7.1%	92.9%
Grade 11	0.7%	2.1%	5.8%	94.2%
Grade 12	7.1%	7.9%	11.6%	88.4%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.3%	15.5%	24.4%	75.6%
Grade 7	5.5%	11.4%	17.8%	82.2%
Grade 8	8.9%	14.0%	23.6%	76.4%
Grade 9	14.8%	17.0%	29.1%	70.9%
Grade 10	3.3%	13.1%	22.1%	77.9%
Grade 11	14.2%	15.6%	23.7%	76.3%
Grade 12	14.1%	21.1%	28.5%	71.5%
Marijuana				
All	11.4%	13.8%	18.0%	82.0%
Grade 7	7.0%	7.0%	8.7%	91.3%
Grade 8	12.9%	14.9%	18.4%	81.6%
Grade 9	8.6%	8.6%	15.4%	84.6%
Grade 10	9.7%	16.5%	19.4%	80.6%
Grade 11	8.5%	9.1%	16.7%	83.3%
Grade 12	21.4%	25.5%	27.6%	72.4%
Marijuana Only				
All	5.1%	7.2%	10.8%	89.2%
Grade 7	2.2%	2.2%	3.0%	97.0%
Grade 8	5.6%	7.6%	11.1%	88.9%
Grade 9	0.2%	0.2%	7.0%	93.0%
Grade 10	3.3%	10.2%	12.7%	87.3%
Grade 11	7.1%	7.1%	12.8%	87.2%
Grade 12	12.3%	15.0%	16.4%	83.6%
Cocaine or Crack				
All	1.8%	2.0%	3.6%	96.4%
Grade 7	2.2%	2.2%	4.5%	95.5%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	3.1%	3.1%	3.1%	96.9%
Grade 10	0.0%	0.0%	2.7%	97.3%
Grade 11	1.4%	2.1%	4.5%	95.5%
Grade 12	4.3%	4.3%	6.8%	93.2%
Cocaine				
All	1.7%	1.9%	3.4%	96.6%
Grade 7	2.2%	2.2%	3.4%	96.6%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	2.4%	2.4%	2.4%	97.6%
Grade 10	0.0%	0.0%	2.7%	97.3%
Grade 11	1.4%	2.1%	4.5%	95.5%
Grade 12	4.3%	4.3%	6.8%	93.2%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.7%	1.1%	98.9%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	2.8%	2.8%	2.8%	97.2%
Hallucinogens				
All	1.6%	2.0%	3.3%	96.7%
Grade 7	1.2%	2.2%	2.2%	97.8%
Grade 8	1.9%	3.2%	5.0%	95.0%
Grade 9	4.5%	4.5%	4.5%	95.5%
Grade 10	0.0%	0.0%	3.0%	97.0%
Grade 11	0.7%	0.7%	1.4%	98.6%
Grade 12	1.5%	1.5%	3.6%	96.4%
Synthetic Cathinones				
All	0.2%	0.7%	1.0%	99.0%
Grade 7	0.0%	0.9%	0.9%	99.1%
Grade 8	1.3%	1.3%	1.9%	98.1%
Grade 9	0.0%	2.2%	2.2%	97.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.6%	0.7%	1.9%	98.1%
Grade 7	1.2%	1.2%	3.0%	97.0%
Grade 8	1.3%	1.3%	2.6%	97.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.7%	2.5%	97.5%
Grade 12	1.5%	1.5%	3.6%	96.4%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.9%	0.9%	2.2%	97.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.7%	1.9%	2.4%	97.6%
Grade 7	1.2%	1.2%	2.2%	97.8%
Grade 8	0.6%	1.3%	1.9%	98.1%
Grade 9	3.2%	3.2%	3.2%	96.8%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.7%	0.7%	2.5%	97.5%
Grade 12	4.4%	4.4%	4.4%	95.6%
Methamphetamine				
All	0.0%	0.1%	0.7%	99.3%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.6%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	2.9%	3.0%	4.7%	95.3%
Grade 7	3.3%	4.4%	5.3%	94.7%
Grade 8	1.9%	1.9%	3.7%	96.3%
Grade 9	5.1%	5.1%	7.4%	92.6%
Grade 10	0.6%	0.6%	3.7%	96.3%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	5.8%	5.8%	7.2%	92.8%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	38,611	49.8%
Female	38,871	50.2%
Frequency Missing	714	

Hispanic or Latino

Q5a	Frequency	Percent
No	5,751	7.4%
Yes	71,939	92.6%
Frequency Missing	506	

Grade

Q2	Frequency	Percent
Grade 7	12,664	16.2%
Grade 8	13,236	17.0%
Grade 9	14,847	19.0%
Grade 10	13,173	16.9%
Grade 11	11,589	14.9%
Grade 12	12,501	16.0%
Frequency Missing	186	

Ethnicity

Q5b	Frequency	Percent
American Indian	1,857	2.5%
Asian American	556	0.7%
African American	2,644	3.5%
Pacific Islander	178	0.2%
White	39,583	53.1%
Other	19,582	26.3%
More Than One Race	10,193	13.7%
Frequency Missing	3,603	

Live with Both Parents

Q3	Frequency	Percent
No	30,492	39.4%
Yes	46,935	60.6%
Frequency Missing	769	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	361	0.5%
Mostly D's	1,171	1.5%
Mostly C's	9,864	12.9%
Mostly B's	39,905	52.1%
Mostly A's	25,316	33.0%
Frequency Missing	1,579	

Age

Q4	Frequency	Percent
11 or younger	119	0.2%
12	4,860	6.2%
13	12,487	16.0%
14	14,050	18.0%
15	13,387	17.1%
16	13,228	16.9%
17	12,260	15.7%
18	6,929	8.9%
19 or older	775	1.0%
Frequency Missing	101	

Do You Have a Job

Q7	Frequency	Percent
No	65,276	85.1%
Yes	11,414	14.9%
Frequency Missing	1,505	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	5,827	7.6%
Yes	42,007	54.9%
Don't Know	28,651	37.5%
Frequency Missing	1,711	

**Participate in School Athletics (UIL, Varsity,
Jr Varsity)**

Q9a	Frequency	Percent
No	44,902	61.6%
Yes	27,958	38.4%
Frequency Missing	5,336	

**Participate in Academic
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	56,837	81.6%
Yes	12,809	18.4%
Frequency Missing	8,549	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	58,110	82.9%
Yes	11,995	17.1%
Frequency Missing	8,090	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	52,490	75.7%
Yes	16,866	24.3%
Frequency Missing	8,839	

Participate in School Choir

Q9c	Frequency	Percent
No	64,122	92.7%
Yes	5,037	7.3%
Frequency Missing	9,037	

**Participate in Athletic Teams Outside of
School**

Q9h	Frequency	Percent
No	51,040	72.0%
Yes	19,809	28.0%
Frequency Missing	7,347	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	65,677	95.3%
Yes	3,212	4.7%
Frequency Missing	9,306	

**Participate in Other Clubs or Groups
Outside of School**

Q9i	Frequency	Percent
No	58,654	84.8%
Yes	10,533	15.2%
Frequency Missing	9,009	

**Participate in Student Government/School
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	63,583	92.2%
Yes	5,388	7.8%
Frequency Missing	9,226	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	67,728	87.2%
Somewhat Safe	8,558	11.0%
Not Very Safe	705	0.9%
Not Safe At All	189	0.2%
Don't Know	450	0.6%
Frequency Missing	565	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	34,552	44.7%
Somewhat Safe	36,573	47.3%
Not Very Safe	3,972	5.1%
Not Safe At All	792	1.0%
Don't Know	1,398	1.8%
Frequency Missing	910	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	24,547	31.7%
Somewhat Safe	40,127	51.8%
Not Very Safe	7,780	10.0%
Not Safe At All	2,723	3.5%
Don't Know	2,306	3.0%
Frequency Missing	714	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	7,510	9.9%
Some High School	9,515	12.6%
Finished High School	16,603	22.0%
Some College	9,634	12.8%
Finished College	10,928	14.5%
Post-Secondary	6,628	8.8%
Don't Know or N/A	14,736	19.5%
Frequency Missing	2,641	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	7,063	9.3%
Some High School	9,623	12.7%
Finished High School	14,420	19.0%
Some College	11,103	14.6%
Finished College	14,893	19.6%
Post-Secondary	9,416	12.4%
Don't Know or N/A	9,355	12.3%
Frequency Missing	2,324	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	45,698	60.6%
Yes	29,744	39.4%
Frequency Missing	2,754	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	6,081	8.0%
A Few	18,124	23.8%
Some	19,696	25.8%
Most	22,885	30.0%
All	9,502	12.5%
Frequency Missing	1,908	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	2,200	2.9%
A Few	10,725	14.1%
Some	18,906	24.8%
Most	31,025	40.7%
All	13,345	17.5%
Frequency Missing	1,994	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	33,091	43.6%
A Few	22,467	29.6%
Some	13,110	17.3%
Most	5,142	6.8%
All	2,057	2.7%
Frequency Missing	2,329	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	65,413	86.0%
A Few	7,382	9.7%
Some	2,485	3.3%
Most	450	0.6%
All	332	0.4%
Frequency Missing	2,134	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	75,541	99.4%
In Your Lifetime	232	0.3%
Since School Began	12	0.0%
In the Past Month	178	0.2%
Frequency Missing	2,233	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	67,185	88.2%
A Few	6,403	8.4%
Some	1,719	2.3%
Most	558	0.7%
All	351	0.5%
Frequency Missing	1,979	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	73,544	96.4%
In Your Lifetime	1,966	2.6%
Since School Began	281	0.4%
In the Past Month	501	0.7%
Frequency Missing	1,903	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	75,341	98.7%
In Your Lifetime	612	0.8%
Since School Began	111	0.1%
In the Past Month	289	0.4%
Frequency Missing	1,843	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	75,502	99.0%
In Your Lifetime	460	0.6%
Since School Began	147	0.2%
In the Past Month	131	0.2%
Frequency Missing	1,956	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	73,884	97.0%
In Your Lifetime	1,344	1.8%
Since School Began	316	0.4%
In the Past Month	610	0.8%
Frequency Missing	2,042	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	75,639	99.3%
In Your Lifetime	336	0.4%
Since School Began	15	0.0%
In the Past Month	206	0.3%
Frequency Missing	1,999	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	74,882	98.3%
In Your Lifetime	675	0.9%
Since School Began	106	0.1%
In the Past Month	529	0.7%
Frequency Missing	2,004	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	57,151	75.2%
In Your Lifetime	9,644	12.7%
Since School Began	3,081	4.1%
In the Past Month	6,166	8.1%
Frequency Missing	2,153	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	75,186	98.7%
In Your Lifetime	421	0.6%
Since School Began	166	0.2%
In the Past Month	368	0.5%
Frequency Missing	2,055	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	63,345	83.2%
In Your Lifetime	6,077	8.0%
Since School Began	2,478	3.3%
In the Past Month	4,191	5.5%
Frequency Missing	2,105	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	71,304	93.2%
In Your Lifetime	3,289	4.3%
Since School Began	729	1.0%
In the Past Month	1,190	1.6%
Frequency Missing	1,684	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	61,430	81.1%
In Your Lifetime	8,382	11.1%
Since School Began	2,504	3.3%
In the Past Month	3,451	4.6%
Frequency Missing	2,430	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	73,978	97.1%
In Your Lifetime	1,194	1.6%
Since School Began	307	0.4%
In the Past Month	689	0.9%
Frequency Missing	2,028	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	60,858	80.2%
In Your Lifetime	6,695	8.8%
Since School Began	2,932	3.9%
In the Past Month	5,429	7.2%
Frequency Missing	2,282	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	74,456	97.7%
In Your Lifetime	1,071	1.4%
Since School Began	374	0.5%
In the Past Month	316	0.4%
Frequency Missing	1,979	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	63,339	83.0%
In Your Lifetime	5,868	7.7%
Since School Began	2,042	2.7%
In the Past Month	5,062	6.6%
Frequency Missing	1,885	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	74,463	97.4%
In Your Lifetime	957	1.3%
Since School Began	315	0.4%
In the Past Month	691	0.9%
Frequency Missing	1,769	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	67,071	87.7%
In Your Lifetime	4,262	5.6%
Since School Began	1,337	1.7%
In the Past Month	3,765	4.9%
Frequency Missing	1,760	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	76,086	99.7%
In Your Lifetime	73	0.1%
Since School Began	61	0.1%
In the Past Month	107	0.1%
Frequency Missing	1,868	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	75,457	98.7%
In Your Lifetime	483	0.6%
Since School Began	175	0.2%
In the Past Month	336	0.4%
Frequency Missing	1,745	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	76,072	99.6%
In Your Lifetime	226	0.3%
Since School Began	0	0.0%
In the Past Month	57	0.1%
Frequency Missing	1,841	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	76,243	99.8%
In Your Lifetime	51	0.1%
Since School Began	29	0.0%
In the Past Month	42	0.1%
Frequency Missing	1,831	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	75,283	98.6%
In Your Lifetime	583	0.8%
Since School Began	258	0.3%
In the Past Month	248	0.3%
Frequency Missing	1,824	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	76,196	99.8%
In Your Lifetime	69	0.1%
Since School Began	0	0.0%
In the Past Month	69	0.1%
Frequency Missing	1,862	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	70,852	93.5%
In Your Lifetime	2,741	3.6%
Since School Began	654	0.9%
In the Past Month	1,493	2.0%
Frequency Missing	2,455	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	76,187	99.7%
In Your Lifetime	156	0.2%
Since School Began	14	0.0%
In the Past Month	76	0.1%
Frequency Missing	1,764	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	74,535	98.4%
In Your Lifetime	700	0.9%
Since School Began	163	0.2%
In the Past Month	321	0.4%
Frequency Missing	2,477	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	75,018	98.3%
In Your Lifetime	663	0.9%
Since School Began	172	0.2%
In the Past Month	486	0.6%
Frequency Missing	1,858	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	73,870	97.6%
In Your Lifetime	905	1.2%
Since School Began	543	0.7%
In the Past Month	397	0.5%
Frequency Missing	2,481	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	74,768	98.1%
In Your Lifetime	547	0.7%
Since School Began	189	0.2%
In the Past Month	677	0.9%
Frequency Missing	2,015	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	74,072	97.9%
In Your Lifetime	805	1.1%
Since School Began	196	0.3%
In the Past Month	563	0.7%
Frequency Missing	2,559	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	72,270	95.7%
In Your Lifetime	1,607	2.1%
Since School Began	532	0.7%
In the Past Month	1,125	1.5%
Frequency Missing	2,662	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	74,914	98.7%
1-2 times	747	1.0%
3-10 times	188	0.2%
11+ times	38	0.0%
Frequency Missing	2,308	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	74,119	98.4%
In Your Lifetime	562	0.7%
Since School Began	180	0.2%
In the Past Month	459	0.6%
Frequency Missing	2,876	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	69,775	91.9%
1-2 times	3,187	4.2%
3-10 times	1,404	1.9%
11+ times	1,541	2.0%
Frequency Missing	2,289	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	73,470	96.8%
1-2 times	1,735	2.3%
3-10 times	324	0.4%
11+ times	392	0.5%
Frequency Missing	2,275	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	75,310	99.2%
1-2 times	359	0.5%
3-10 times	72	0.1%
11+ times	184	0.2%
Frequency Missing	2,272	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	63,984	84.5%
1-2 times	7,891	10.4%
3-10 times	2,665	3.5%
11+ times	1,146	1.5%
Frequency Missing	2,509	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	75,693	99.7%
1-2 times	204	0.3%
3-10 times	17	0.0%
11+ times	30	0.0%
Frequency Missing	2,253	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	64,329	85.0%
A few	7,528	9.9%
Some	2,575	3.4%
Most	907	1.2%
All	360	0.5%
Frequency Missing	2,497	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	50,346	66.5%
A few	13,380	17.7%
Some	6,309	8.3%
Most	4,357	5.8%
All	1,293	1.7%
Frequency Missing	2,512	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	70,331	93.2%
A few	3,504	4.6%
Some	1,145	1.5%
Most	345	0.5%
All	120	0.2%
Frequency Missing	2,751	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	54,286	71.8%
A few	10,627	14.1%
Some	5,862	7.8%
Most	3,509	4.6%
All	1,328	1.8%
Frequency Missing	2,584	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	70,778	93.6%
8 or younger	388	0.5%
9 years old	223	0.3%
10 years old	328	0.4%
11 years old	419	0.6%
12 years old	634	0.8%
13 years old	579	0.8%
14 years old	696	0.9%
15 years old	650	0.9%
16 years old	607	0.8%
17 years old	277	0.4%
18 or older	71	0.1%
Frequency Missing	2,547	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	53,764	71.4%
8 or younger	2,804	3.7%
9 years old	842	1.1%
10 years old	1,064	1.4%
11 years old	1,208	1.6%
12 years old	1,789	2.4%
13 years old	2,953	3.9%
14 years old	3,342	4.4%
15 years old	3,670	4.9%
16 years old	2,034	2.7%
17 years old	1,315	1.7%
18 or older	531	0.7%
Frequency Missing	2,880	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	73,640	97.5%
8 or younger	423	0.6%
9 years old	126	0.2%
10 years old	233	0.3%
11 years old	177	0.2%
12 years old	361	0.5%
13 years old	263	0.3%
14 years old	55	0.1%
15 years old	211	0.3%
16 years old	13	0.0%
17 years old	14	0.0%
18 or older	0	0.0%
Frequency Missing	2,681	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	66,568	88.2%
8 or younger	158	0.2%
9 years old	11	0.0%
10 years old	68	0.1%
11 years old	384	0.5%
12 years old	817	1.1%
13 years old	1,489	2.0%
14 years old	1,769	2.3%
15 years old	2,148	2.8%
16 years old	1,114	1.5%
17 years old	696	0.9%
18 or older	287	0.4%
Frequency Missing	2,688	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	74,797	98.9%
8 or younger	112	0.1%
9 years old	16	0.0%
10 years old	0	0.0%
11 years old	13	0.0%
12 years old	43	0.1%
13 years old	56	0.1%
14 years old	207	0.3%
15 years old	202	0.3%
16 years old	104	0.1%
17 years old	72	0.1%
18 or older	44	0.1%
Frequency Missing	2,529	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	74,547	98.7%
8 or younger	121	0.2%
9 years old	30	0.0%
10 years old	0	0.0%
11 years old	14	0.0%
12 years old	42	0.1%
13 years old	101	0.1%
14 years old	274	0.4%
15 years old	221	0.3%
16 years old	66	0.1%
17 years old	115	0.2%
18 or older	14	0.0%
Frequency Missing	2,651	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	75,436	99.7%
8 or younger	54	0.1%
9 years old	16	0.0%
10 years old	0	0.0%
11 years old	43	0.1%
12 years old	0	0.0%
13 years old	57	0.1%
14 years old	54	0.1%
15 years old	14	0.0%
16 years old	11	0.0%
17 years old	13	0.0%
Frequency Missing	2,499	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	75,474	99.8%
8 or younger	28	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	13	0.0%
12 years old	18	0.0%
13 years old	27	0.0%
14 years old	64	0.1%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	2,571	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	75,400	99.7%
8 or younger	45	0.1%
9 years old	14	0.0%
10 years old	17	0.0%
11 years old	16	0.0%
12 years old	43	0.1%
13 years old	17	0.0%
14 years old	0	0.0%
15 years old	65	0.1%
16 years old	28	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	2,552	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	75,347	99.5%
8 or younger	109	0.1%
9 years old	15	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	34	0.0%
13 years old	11	0.0%
14 years old	69	0.1%
15 years old	22	0.0%
16 years old	95	0.1%
17 years old	0	0.0%
Frequency Missing	2,494	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	74,522	98.6%
8 or younger	79	0.1%
9 years old	18	0.0%
10 years old	0	0.0%
11 years old	68	0.1%
12 years old	130	0.2%
13 years old	183	0.2%
14 years old	139	0.2%
15 years old	237	0.3%
16 years old	100	0.1%
17 years old	59	0.1%
18 or older	44	0.1%
Frequency Missing	2,615	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	74,185	98.2%
8 or younger	66	0.1%
9 years old	18	0.0%
10 years old	0	0.0%
11 years old	77	0.1%
12 years old	98	0.1%
13 years old	247	0.3%
14 years old	158	0.2%
15 years old	120	0.2%
16 years old	227	0.3%
17 years old	280	0.4%
18 or older	92	0.1%
Frequency Missing	2,627	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	32,137	43.1%
Impossible	14,561	19.5%
Very Difficult	6,198	8.3%
Somewhat diff	6,708	9.0%
Somewhat easy	7,590	10.2%
Very easy	7,447	10.0%
Frequency Missing	3,554	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	27,073	36.3%
Impossible	9,579	12.8%
Very Difficult	5,351	7.2%
Somewhat diff	7,466	10.0%
Somewhat easy	10,646	14.3%
Very easy	14,429	19.4%
Frequency Missing	3,652	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	36,960	49.8%
Impossible	11,201	15.1%
Very Difficult	3,662	4.9%
Somewhat diff	3,522	4.7%
Somewhat easy	6,077	8.2%
Very easy	12,756	17.2%
Frequency Missing	4,018	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	30,920	41.6%
Impossible	15,432	20.8%
Very Difficult	5,445	7.3%
Somewhat diff	6,496	8.7%
Somewhat easy	7,040	9.5%
Very easy	8,989	12.1%
Frequency Missing	3,872	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	36,498	49.1%
Impossible	21,169	28.5%
Very Difficult	8,223	11.1%
Somewhat diff	4,027	5.4%
Somewhat easy	2,463	3.3%
Very easy	1,998	2.7%
Frequency Missing	3,819	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	37,588	50.6%
Impossible	21,786	29.3%
Very Difficult	7,800	10.5%
Somewhat diff	3,717	5.0%
Somewhat easy	1,846	2.5%
Very easy	1,550	2.1%
Frequency Missing	3,909	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	41,952	56.4%
Impossible	20,925	28.1%
Very Difficult	6,629	8.9%
Somewhat diff	2,280	3.1%
Somewhat easy	1,385	1.9%
Very easy	1,201	1.6%
Frequency Missing	3,823	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	39,018	52.5%
Impossible	20,894	28.1%
Very Difficult	6,870	9.2%
Somewhat diff	3,735	5.0%
Somewhat easy	2,256	3.0%
Very easy	1,503	2.0%
Frequency Missing	3,919	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	43,479	58.4%
Impossible	17,893	24.1%
Very Difficult	5,913	7.9%
Somewhat diff	2,760	3.7%
Somewhat easy	2,359	3.2%
Very easy	1,996	2.7%
Frequency Missing	3,795	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	42,613	57.5%
Impossible	18,516	25.0%
Very Difficult	5,948	8.0%
Somewhat diff	3,075	4.1%
Somewhat easy	2,209	3.0%
Very easy	1,741	2.3%
Frequency Missing	4,094	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	44,741	60.3%
Impossible	16,673	22.5%
Very Difficult	5,179	7.0%
Somewhat diff	2,789	3.8%
Somewhat easy	2,216	3.0%
Very easy	2,630	3.5%
Frequency Missing	3,967	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	40,663	54.7%
Impossible	21,524	29.0%
Very Difficult	7,152	9.6%
Somewhat diff	2,549	3.4%
Somewhat easy	1,253	1.7%
Very easy	1,184	1.6%
Frequency Missing	3,872	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	210	0.3%
Several times/wk	288	0.4%
Several times/mo	368	0.5%
About once/month	1,072	1.4%
About once/year	825	1.1%
Less than once/year	1,273	1.7%
Never used	70,683	94.6%
Frequency Missing	3,478	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	29	0.0%
Several times/wk	800	1.1%
Several times/mo	2,121	2.8%
About once/month	5,142	6.9%
About once/year	5,147	6.9%
Less than once/year	4,626	6.2%
Never used	56,685	76.0%
Frequency Missing	3,644	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	29	0.0%
Several times/wk	30	0.0%
Several times/mo	103	0.1%
About once/month	101	0.1%
About once/year	178	0.2%
Less than once/year	194	0.3%
Never used	74,084	99.2%
Frequency Missing	3,477	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	51	0.1%
Several times/wk	67	0.1%
Several times/mo	139	0.2%
About once/month	226	0.3%
About once/year	349	0.5%
Less than once/year	686	0.9%
Never used	73,041	98.0%
Frequency Missing	3,637	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	30	0.0%
Several times/mo	0	0.0%
About once/month	33	0.0%
About once/year	40	0.1%
Less than once/year	23	0.0%
Never used	74,550	99.8%
Frequency Missing	3,520	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	759	1.0%
Several times/wk	1,108	1.5%
Several times/mo	1,192	1.6%
About once/month	1,634	2.2%
About once/year	1,476	2.0%
Less than once/year	1,831	2.5%
Never used	66,647	89.3%
Frequency Missing	3,548	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	14	0.0%
Several times/wk	27	0.0%
Several times/mo	28	0.0%
About once/month	0	0.0%
About once/year	0	0.0%
Less than once/year	50	0.1%
Never used	74,560	99.8%
Frequency Missing	3,516	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	13	0.0%
Several times/wk	0	0.0%
Several times/mo	53	0.1%
About once/month	127	0.2%
About once/year	279	0.4%
Less than once/year	363	0.5%
Never used	73,800	98.9%
Frequency Missing	3,561	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	122	0.2%
Several times/wk	104	0.1%
Several times/mo	203	0.3%
About once/month	80	0.1%
About once/year	101	0.1%
Less than once/year	267	0.4%
Never used	73,722	98.8%
Frequency Missing	3,596	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	14	0.0%
Several times/wk	27	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	18	0.0%
Less than once/year	71	0.1%
Never used	74,495	99.8%
Frequency Missing	3,571	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	123	0.2%
Several times/wk	167	0.2%
Several times/mo	327	0.4%
About once/month	226	0.3%
About once/year	237	0.3%
Less than once/year	287	0.4%
Never used	72,874	98.2%
Frequency Missing	3,954	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	11	0.0%
Several times/wk	14	0.0%
Several times/mo	0	0.0%
About once/month	27	0.0%
About once/year	39	0.1%
Less than once/year	112	0.2%
Never used	74,443	99.7%
Frequency Missing	3,549	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	56,384	75.7%
12+ drinks	765	1.0%
9-11 drinks	668	0.9%
5-8 drinks	1,484	2.0%
3-4 drinks	2,240	3.0%
2 drinks	2,690	3.6%
1 drink	4,194	5.6%
Less than 1 drink	6,046	8.1%
Frequency Missing	3,723	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	60,637	81.5%
12+ drinks	441	0.6%
9-11 drinks	314	0.4%
5-8 drinks	1,191	1.6%
3-4 drinks	2,364	3.2%
2 drinks	2,376	3.2%
1 drink	3,090	4.2%
Less than 1 drink	4,027	5.4%
Frequency Missing	3,754	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	44,643	60.6%
0 days	24,599	33.4%
1 day	1,926	2.6%
2 days	712	1.0%
3 to 5 days	857	1.2%
6 to 9 days	249	0.3%
10 or more days	653	0.9%
Frequency Missing	4,557	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	59,921	80.8%
12+ drinks	181	0.2%
9-11 drinks	147	0.2%
5-8 drinks	460	0.6%
3-4 drinks	1,111	1.5%
2 drinks	2,120	2.9%
1 drink	3,695	5.0%
Less than 1 drink	6,481	8.7%
Frequency Missing	4,080	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	53,457	72.0%
Never	9,557	12.9%
Seldom	7,225	9.7%
Most of the Time	2,917	3.9%
Always	1,071	1.4%
Frequency Missing	3,968	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	58,896	79.2%
12+ drinks	702	0.9%
9-11 drinks	631	0.8%
5-8 drinks	1,517	2.0%
3-4 drinks	2,908	3.9%
2 drinks	1,658	2.2%
1 drink	3,143	4.2%
Less than 1 drink	4,916	6.6%
Frequency Missing	3,825	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	53,651	72.3%
Never	10,618	14.3%
Seldom	5,609	7.6%
Most of the Time	3,351	4.5%
Always	964	1.3%
Frequency Missing	4,002	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	55,041	74.2%
Never	15,228	20.5%
Seldom	2,039	2.7%
Most of the Time	1,110	1.5%
Always	751	1.0%
Frequency Missing	4,027	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	51,453	69.3%
Never	8,381	11.3%
Seldom	6,015	8.1%
Most of the Time	4,664	6.3%
Always	3,683	5.0%
Frequency Missing	3,999	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	54,515	73.6%
Somewhat	10,422	14.1%
Not very	3,281	4.4%
Not at all	798	1.1%
Don't know	5,046	6.8%
Frequency Missing	4,133	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	55,344	75.0%
Never	12,251	16.6%
Seldom	3,439	4.7%
Most of the Time	1,521	2.1%
Always	1,244	1.7%
Frequency Missing	4,396	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	46,904	63.2%
Somewhat	10,804	14.5%
Not very	8,188	11.0%
Not at all	4,907	6.6%
Don't know	3,456	4.7%
Frequency Missing	3,936	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	51,177	68.9%
Somewhat	15,060	20.3%
Not very	3,232	4.4%
Not at all	675	0.9%
Don't know	4,129	5.6%
Frequency Missing	3,923	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	64,211	86.5%
Somewhat	4,888	6.6%
Not very	692	0.9%
Not at all	270	0.4%
Don't know	4,147	5.6%
Frequency Missing	3,987	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	40,058	54.1%
Somewhat	20,720	28.0%
Not very	8,569	11.6%
Not at all	1,656	2.2%
Don't know	3,107	4.2%
Frequency Missing	4,086	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	65,170	87.9%
Somewhat	3,906	5.3%
Not very	512	0.7%
Not at all	189	0.3%
Don't know	4,381	5.9%
Frequency Missing	4,037	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	60,497	81.5%
Somewhat	5,444	7.3%
Not very	909	1.2%
Not at all	394	0.5%
Don't know	6,972	9.4%
Frequency Missing	3,978	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	58,996	79.4%
Somewhat	5,556	7.5%
Not very	1,827	2.5%
Not at all	691	0.9%
Don't know	7,187	9.7%
Frequency Missing	3,938	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	58,895	79.4%
Somewhat	7,555	10.2%
Not very	1,795	2.4%
Not at all	476	0.6%
Don't know	5,454	7.4%
Frequency Missing	4,021	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	55,885	75.6%
Somewhat	6,263	8.5%
Not very	2,640	3.6%
Not at all	1,541	2.1%
Don't know	7,635	10.3%
Frequency Missing	4,232	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	64,301	86.8%
Somewhat	3,660	4.9%
Not very	589	0.8%
Not at all	220	0.3%
Don't know	5,325	7.2%
Frequency Missing	4,100	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	56,998	76.8%
Somewhat	9,199	12.4%
Not very	2,193	3.0%
Not at all	883	1.2%
Don't know	4,911	6.6%
Frequency Missing	4,011	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	64,420	87.0%
Somewhat	3,444	4.7%
Not very	573	0.8%
Not at all	204	0.3%
Don't know	5,414	7.3%
Frequency Missing	4,141	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	49,409	66.6%
Somewhat	12,258	16.5%
Not very	6,266	8.4%
Not at all	2,102	2.8%
Don't know	4,183	5.6%
Frequency Missing	3,978	

Days Skipped Since September

Q28a	Frequency	Percent
None	61,807	84.9%
1-3 days	7,073	9.7%
4-9 days	2,059	2.8%
10+ days	1,870	2.6%
Frequency Missing	5,386	

Someone Called Home Since September

Q28e	Frequency	Percent
None	67,980	93.3%
1-3 days	4,013	5.5%
4-9 days	508	0.7%
10+ days	330	0.5%
Frequency Missing	5,365	

Days Ill Since September

Q28b	Frequency	Percent
None	23,405	32.1%
1-3 days	30,660	42.0%
4-9 days	11,838	16.2%
10+ days	7,046	9.7%
Frequency Missing	5,246	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	71,646	98.3%
1-3 times	1,111	1.5%
4-9 times	69	0.1%
10+ times	32	0.0%
Frequency Missing	5,337	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	28,376	39.4%
1-3 days	34,439	47.9%
4-9 days	6,228	8.7%
10+ days	2,920	4.1%
Frequency Missing	6,232	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	71,439	98.1%
1-3 times	1,104	1.5%
4-9 times	106	0.1%
10+ times	143	0.2%
Frequency Missing	5,404	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	68,225	93.5%
1-3 days	3,913	5.4%
4-9 days	427	0.6%
10+ days	405	0.6%
Frequency Missing	5,225	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	70,627	97.2%
1-3 times	1,719	2.4%
4-9 times	323	0.4%
10+ times	11	0.0%
Frequency Missing	5,516	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	70,972	97.6%
1-3 times	1,331	1.8%
4-9 times	130	0.2%
10+ times	259	0.4%
Frequency Missing	5,505	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	71,305	98.0%
1-3 days	1,146	1.6%
4-9 days	100	0.1%
10+ days	197	0.3%
Frequency Missing	5,448	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	44,045	60.7%
Seldom	4,472	6.2%
Half the time	3,473	4.8%
Most of the Time	4,053	5.6%
Always	4,871	6.7%
Don't Know	1,452	2.0%
Didn't attend	10,242	14.1%
Frequency Missing	5,586	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	68,916	94.7%
1-3 days	1,668	2.3%
4-9 days	563	0.8%
10+ days	1,603	2.2%
Frequency Missing	5,446	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	49,430	68.3%
Seldom	3,730	5.2%
Half the time	2,041	2.8%
Most of the Time	2,763	3.8%
Always	2,560	3.5%
Don't Know	1,656	2.3%
Didn't attend	10,220	14.1%
Frequency Missing	5,794	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	71,907	98.9%
1-3 days	467	0.6%
4-9 days	146	0.2%
10+ days	155	0.2%
Frequency Missing	5,520	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	64,671	93.4%
Yes	4,562	6.6%
Frequency Missing	8,962	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	70,981	97.7%
1-3 days	1,025	1.4%
4-9 days	214	0.3%
10+ days	456	0.6%
Frequency Missing	5,519	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	45,668	64.0%
Yes	25,732	36.0%
Frequency Missing	6,795	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	52,025	73.4%
Yes	18,841	26.6%
Frequency Missing	7,330	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	29,578	41.5%
Yes	41,777	58.5%
Frequency Missing	6,840	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	40,621	57.2%
Yes	30,341	42.8%
Frequency Missing	7,233	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	41,808	59.0%
Yes	29,096	41.0%
Frequency Missing	7,291	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	20,743	29.0%
Yes	50,850	71.0%
Frequency Missing	6,603	

Would Not Seek Help

Q33i	Frequency	Percent
No	51,156	73.6%
Yes	18,343	26.4%
Frequency Missing	8,697	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	26,535	37.4%
Yes	44,469	62.6%
Frequency Missing	7,192	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	30,501	42.6%
Yes	41,089	57.4%
Frequency Missing	6,605	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	26,312	37.0%
Yes	44,816	63.0%
Frequency Missing	7,067	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	36,869	51.7%
Yes	34,509	48.3%
Frequency Missing	6,818	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	44,019	61.9%
Yes	27,133	38.1%
Frequency Missing	7,043	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	46,143	65.1%
Yes	24,763	34.9%
Frequency Missing	7,290	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	52,765	74.3%
Yes	18,241	25.7%
Frequency Missing	7,189	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	58,293	80.8%
Mild disapprove	3,394	4.7%
Neither	3,545	4.9%
Mildly approve	460	0.6%
Strongly approve	379	0.5%
Don't know	6,083	8.4%
Frequency Missing	6,042	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	48,132	67.9%
Yes	22,751	32.1%
Frequency Missing	7,312	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	44,926	62.3%
Mild disapprove	9,464	13.1%
Neither	8,633	12.0%
Mildly approve	2,696	3.7%
Strongly approve	733	1.0%
Don't know	5,668	7.9%
Frequency Missing	6,078	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	54,989	77.8%
Yes	15,700	22.2%
Frequency Missing	7,506	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	55,753	77.3%
Mild disapprove	4,522	6.3%
Neither	4,435	6.1%
Mildly approve	946	1.3%
Strongly approve	877	1.2%
Don't know	5,610	7.8%
Frequency Missing	6,053	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	44,146	62.2%
Yes	26,875	37.8%
Frequency Missing	7,175	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

