

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2022



HHSC REGION 11 REPORT

---

---

Prepared by

The Department of Public Service and Administration  
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	58
Table B-7: Students Reporting A Grades on Average . . . . .	62
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	66
Table B-9: Students Living with 2 Parents . . . . .	70
Table B-10: Students Not Living with 2 Parents . . . . .	74
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	78
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	82
<b>3 Margin Tables</b>	<b>86</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>108</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 11. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	11.0%	13.5%	22.1%	77.9%
Grade 7	3.5%	4.2%	11.0%	89.0%
Grade 8	4.8%	6.3%	10.9%	89.1%
Grade 9	14.7%	17.2%	25.6%	74.4%
Grade 10	13.0%	17.2%	29.0%	71.0%
Grade 11	14.3%	18.2%	26.7%	73.3%
Grade 12	16.6%	19.7%	31.3%	68.7%
<b>Cigarettes?</b>				
All	2.4%	3.6%	9.4%	90.6%
Grade 7	0.4%	0.7%	3.6%	96.4%
Grade 8	1.0%	1.7%	3.9%	96.1%
Grade 9	3.9%	4.1%	8.2%	91.8%
Grade 10	1.5%	3.1%	12.4%	87.6%
Grade 11	1.9%	4.7%	11.4%	88.6%
Grade 12	5.6%	7.8%	18.3%	81.7%
<b>Smokeless Tobacco?</b>				
All	1.0%	1.4%	3.1%	96.9%
Grade 7	0.1%	0.4%	1.1%	98.9%
Grade 8	0.4%	0.6%	1.5%	98.5%
Grade 9	2.2%	2.2%	4.0%	96.0%
Grade 10	0.5%	0.9%	3.1%	96.9%
Grade 11	0.3%	0.5%	1.7%	98.3%
Grade 12	2.9%	4.1%	7.6%	92.4%
<b>Electronic Vapor Products?</b>				
All	8.2%	11.0%	19.2%	80.8%
Grade 7	2.4%	3.0%	9.1%	90.9%
Grade 8	3.5%	5.0%	9.5%	90.5%
Grade 9	12.0%	14.7%	23.0%	77.0%
Grade 10	9.2%	14.1%	25.5%	74.5%
Grade 11	11.6%	15.7%	25.1%	74.9%
Grade 12	10.9%	14.7%	25.3%	74.7%

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	92.3%	0.4%	0.3%	0.8%	1.8%	1.4%	3.0%
Grade 7	97.9%	0.0%	0.2%	0.3%	0.6%	0.3%	0.7%
Grade 8	97.3%	0.1%	0.2%	0.1%	0.6%	0.2%	1.4%
Grade 9	94.1%	0.9%	0.0%	1.4%	2.1%	0.0%	1.4%
Grade 10	89.6%	0.2%	0.4%	0.9%	0.8%	3.1%	5.0%
Grade 11	87.8%	0.1%	0.5%	1.0%	3.7%	2.0%	4.9%
Grade 12	85.3%	0.9%	0.4%	1.5%	3.4%	3.1%	5.4%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.7	11.2	11.8	12.6	13.0	14.2	15.3

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	42.8%	21.1%	6.6%	9.7%	10.4%	9.3%
Grade 7	52.0%	28.9%	6.0%	6.4%	3.7%	3.0%
Grade 8	43.5%	28.5%	9.5%	7.7%	6.3%	4.5%
Grade 9	40.3%	20.0%	6.8%	10.6%	10.6%	11.8%
Grade 10	42.8%	17.7%	5.6%	12.8%	11.7%	9.3%
Grade 11	39.4%	17.1%	4.5%	12.3%	12.1%	14.8%
Grade 12	37.9%	12.9%	7.0%	8.8%	19.5%	13.8%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	83.2%	10.8%	4.1%	1.5%	0.4%
Grade 7	93.8%	4.4%	1.4%	0.1%	0.3%
Grade 8	90.1%	7.2%	2.2%	0.4%	0.1%
Grade 9	83.4%	8.8%	5.5%	1.1%	1.2%
Grade 10	80.3%	13.3%	5.1%	0.9%	0.3%
Grade 11	75.6%	17.7%	3.9%	2.7%	0.0%
Grade 12	74.1%	14.5%	7.2%	3.8%	0.4%

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.4%	5.9%	4.6%	0.7%	0.5%	8.9%
Grade 7	81.2%	3.1%	2.6%	0.0%	0.1%	13.0%
Grade 8	85.3%	3.3%	3.1%	0.6%	0.3%	7.5%
Grade 9	73.6%	7.0%	7.3%	0.7%	1.0%	10.3%
Grade 10	80.4%	6.3%	5.3%	1.1%	0.2%	6.7%
Grade 11	80.1%	8.5%	3.3%	1.0%	0.1%	7.0%
Grade 12	75.0%	7.5%	6.5%	1.2%	1.3%	8.5%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>					
All	68.3%	19.6%	5.1%	1.1%	6.0%
Grade 7	80.3%	13.3%	1.9%	0.5%	4.0%
Grade 8	75.2%	15.9%	3.3%	0.5%	5.1%
Grade 9	60.6%	23.4%	7.9%	2.8%	5.2%
Grade 10	69.9%	19.8%	4.1%	0.9%	5.3%
Grade 11	65.0%	19.5%	7.1%	0.9%	7.5%
Grade 12	56.5%	27.1%	6.6%	0.8%	9.0%
<b>Electronic Vapor Products?</b>					
All	64.7%	16.6%	8.8%	3.2%	6.8%
Grade 7	76.6%	11.8%	4.3%	2.2%	5.1%
Grade 8	72.5%	12.7%	7.1%	2.4%	5.4%
Grade 9	55.5%	17.1%	13.8%	5.3%	8.3%
Grade 10	61.1%	18.0%	11.6%	3.1%	6.2%
Grade 11	60.0%	19.3%	9.1%	3.7%	7.9%
Grade 12	59.8%	21.6%	8.0%	2.6%	8.1%



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	22.2%	25.6%	41.3%	58.7%
Grade 7	14.7%	15.7%	30.5%	69.5%
Grade 8	15.1%	18.0%	34.3%	65.7%
Grade 9	22.2%	25.2%	38.9%	61.1%
Grade 10	25.5%	28.2%	47.7%	52.3%
Grade 11	25.9%	30.8%	45.3%	54.7%
Grade 12	31.8%	38.0%	53.5%	46.5%
<b>Beer?</b>				
All	7.5%	11.5%	31.8%	68.2%
Grade 7	4.3%	4.9%	23.4%	76.6%
Grade 8	4.3%	7.5%	26.1%	73.9%
Grade 9	8.3%	11.6%	30.5%	69.5%
Grade 10	8.5%	12.8%	36.7%	63.3%
Grade 11	9.6%	15.7%	35.1%	64.9%
Grade 12	10.8%	18.1%	40.9%	59.1%
<b>Wine Coolers?</b>				
All	6.8%	10.2%	21.9%	78.1%
Grade 7	2.0%	2.2%	9.9%	90.1%
Grade 8	3.2%	5.3%	15.7%	84.3%
Grade 9	6.9%	11.1%	20.9%	79.1%
Grade 10	7.3%	10.9%	25.5%	74.5%
Grade 11	10.5%	14.7%	27.6%	72.4%
Grade 12	12.1%	18.9%	34.3%	65.7%
<b>Wine?</b>				
All	4.3%	7.1%	23.3%	76.7%
Grade 7	1.7%	2.3%	14.4%	85.6%
Grade 8	2.4%	5.0%	18.8%	81.2%
Grade 9	4.6%	7.1%	23.7%	76.3%
Grade 10	4.9%	7.6%	25.5%	74.5%
Grade 11	4.8%	9.4%	25.6%	74.4%
Grade 12	7.9%	12.1%	33.7%	66.3%
<b>Liquor?</b>				
All	7.3%	11.3%	24.7%	75.3%
Grade 7	1.5%	1.8%	9.3%	90.7%
Grade 8	3.0%	5.3%	15.7%	84.3%
Grade 9	7.2%	10.0%	23.1%	76.9%
Grade 10	10.7%	13.6%	30.3%	69.7%
Grade 11	10.3%	18.7%	31.4%	68.6%
Grade 12	12.3%	20.3%	41.4%	58.6%

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	71.8%	0.1%	0.7%	4.0%	7.7%	8.8%	7.0%
Grade 7	84.5%	0.1%	1.0%	1.4%	2.8%	4.3%	5.9%
Grade 8	81.3%	0.0%	0.3%	2.0%	5.1%	5.6%	5.8%
Grade 9	75.2%	0.0%	0.8%	3.8%	6.5%	6.9%	6.8%
Grade 10	66.0%	0.0%	0.5%	3.5%	10.2%	10.1%	9.7%
Grade 11	63.6%	0.0%	0.8%	7.7%	10.2%	11.7%	6.0%
Grade 12	57.0%	0.4%	0.8%	6.0%	12.4%	15.0%	8.4%

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	73.3%	26.7%	3.4%	12.5%	10.9%
	Grade 7	80.4%	19.6%	1.0%	6.6%	12.1%
	Grade 8	78.3%	21.7%	1.3%	8.5%	11.9%
	Grade 9	74.2%	25.8%	3.2%	12.0%	10.7%
	Grade 10	70.5%	29.5%	4.3%	15.2%	10.0%
	Grade 11	68.7%	31.3%	3.5%	16.5%	11.3%
	Grade 12	66.1%	33.9%	7.6%	17.3%	9.0%
<b>Wine Coolers</b>						
	All	81.2%	18.8%	2.4%	11.0%	5.3%
	Grade 7	92.3%	7.7%	1.0%	3.4%	3.3%
	Grade 8	88.0%	12.0%	1.0%	6.4%	4.7%
	Grade 9	83.7%	16.3%	1.7%	7.9%	6.7%
	Grade 10	76.5%	23.5%	3.3%	14.4%	5.8%
	Grade 11	74.7%	25.3%	3.9%	14.6%	6.8%
	Grade 12	70.0%	30.0%	4.1%	21.1%	4.8%
<b>Wine</b>						
	All	80.1%	19.9%	0.6%	9.6%	9.7%
	Grade 7	88.0%	12.0%	0.5%	3.6%	7.9%
	Grade 8	85.3%	14.7%	0.3%	4.4%	10.0%
	Grade 9	79.9%	20.1%	0.2%	11.0%	8.9%
	Grade 10	78.0%	22.0%	1.1%	11.8%	9.2%
	Grade 11	78.0%	22.0%	0.8%	11.9%	9.3%
	Grade 12	69.8%	30.2%	0.7%	16.6%	12.9%
<b>Liquor</b>						
	All	77.9%	22.1%	4.0%	11.3%	6.8%
	Grade 7	91.9%	8.1%	0.3%	2.7%	5.1%
	Grade 8	87.3%	12.7%	1.0%	5.9%	5.8%
	Grade 9	79.1%	20.9%	2.3%	11.9%	6.7%
	Grade 10	72.5%	27.5%	6.7%	14.1%	6.7%
	Grade 11	71.3%	28.7%	7.7%	13.2%	7.8%
	Grade 12	62.5%	37.5%	6.9%	21.8%	8.8%

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	93.1%	3.3%	1.5%	1.2%	0.4%	0.5%
Grade 7	96.9%	1.4%	0.7%	0.4%	0.1%	0.5%
Grade 8	96.9%	1.3%	0.6%	0.2%	0.1%	0.8%
Grade 9	94.1%	2.4%	1.2%	0.9%	1.0%	0.4%
Grade 10	90.7%	5.4%	2.1%	0.4%	0.6%	0.8%
Grade 11	91.5%	4.3%	2.5%	1.1%	0.4%	0.1%
Grade 12	87.4%	5.6%	1.7%	4.2%	0.5%	0.6%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.2	10.1	10.8	12.3	13.5	14.1	15.5

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.9%	14.1%	5.7%	10.0%	16.1%	18.2%
Grade 7	45.6%	22.2%	6.1%	8.6%	9.4%	8.1%
Grade 8	36.6%	20.8%	6.1%	11.2%	12.5%	12.8%
Grade 9	33.8%	12.4%	5.6%	12.3%	16.0%	19.9%
Grade 10	36.5%	9.7%	5.7%	10.7%	16.9%	20.6%
Grade 11	31.0%	11.8%	4.8%	8.2%	19.2%	25.0%
Grade 12	30.6%	6.4%	6.1%	8.7%	23.8%	24.4%

**Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.1%	1.4%	0.3%	0.2%
Grade 7	98.2%	1.3%	0.4%	0.1%
Grade 8	97.5%	1.9%	0.1%	0.5%
Grade 9	97.7%	1.9%	0.4%	0.0%
Grade 10	98.1%	1.4%	0.1%	0.3%
Grade 11	98.4%	1.1%	0.5%	0.0%
Grade 12	98.8%	0.6%	0.3%	0.3%

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.9
Alcohol Non-Users	4.5
Average Days Conduct Problems Reported	
Alcohol Users	2.2
Alcohol Non-Users	0.9

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a Car When You Have Had a Good Bit to Drink?</b>				
High School	98.6%	1.2%	0.2%	0.0%
Grade 9	99.0%	0.9%	0.0%	0.0%
Grade 10	99.4%	0.6%	0.0%	0.0%
Grade 11	97.7%	1.8%	0.5%	0.0%
Grade 12	98.2%	1.6%	0.3%	0.0%
<b>Had Difficulties of Any Kind with Your Friends Because of Your Drinking?</b>				
All	98.4%	1.5%	0.0%	0.0%
Grade 7	99.5%	0.4%	0.0%	0.1%
Grade 8	98.7%	1.2%	0.1%	0.0%
Grade 9	97.2%	2.8%	0.0%	0.0%
Grade 10	99.2%	0.7%	0.1%	0.1%
Grade 11	97.6%	2.4%	0.0%	0.0%
Grade 12	98.0%	1.9%	0.1%	0.0%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	61.2%	21.4%	9.7%	6.2%	1.6%
Grade 7	81.9%	11.5%	4.0%	2.2%	0.5%
Grade 8	76.7%	14.7%	6.3%	2.2%	0.2%
Grade 9	56.8%	24.4%	11.9%	4.9%	1.9%
Grade 10	55.7%	24.7%	11.8%	6.8%	1.0%
Grade 11	46.1%	25.3%	15.0%	11.3%	2.3%
Grade 12	46.3%	29.1%	10.0%	10.7%	3.8%

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.4%	5.2%	4.7%	7.9%	7.7%	1.9%	14.1%
Grade 7	75.9%	3.9%	3.7%	3.6%	2.5%	1.7%	8.7%
Grade 8	72.0%	4.3%	3.7%	3.5%	3.1%	1.9%	11.4%
Grade 9	59.9%	5.8%	4.2%	9.1%	4.4%	2.9%	13.8%
Grade 10	47.9%	5.7%	4.7%	12.5%	7.4%	1.5%	20.4%
Grade 11	48.0%	6.3%	6.8%	10.4%	13.0%	1.3%	14.3%
Grade 12	43.3%	5.4%	5.4%	9.6%	16.8%	2.3%	17.3%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	68.2%	14.5%	10.8%	4.5%	2.1%
	Grade 7	79.3%	10.5%	6.6%	2.7%	0.9%
	Grade 8	70.9%	16.0%	8.2%	4.2%	0.6%
	Grade 9	67.3%	18.5%	9.0%	2.9%	2.1%
	Grade 10	63.8%	16.7%	12.5%	4.9%	2.1%
	Grade 11	64.8%	11.3%	15.7%	5.3%	2.9%
	Grade 12	61.0%	14.1%	13.6%	7.2%	4.2%
Friends?						
	All	67.2%	17.9%	8.7%	4.5%	1.7%
	Grade 7	80.6%	15.3%	1.7%	2.2%	0.2%
	Grade 8	74.1%	20.2%	2.3%	3.2%	0.3%
	Grade 9	62.9%	21.2%	11.6%	2.8%	1.5%
	Grade 10	62.4%	19.4%	11.2%	5.7%	1.3%
	Grade 11	62.8%	14.4%	13.3%	6.6%	2.9%
	Grade 12	58.3%	16.8%	13.7%	6.9%	4.2%
A Store?						
	All	70.3%	24.8%	2.8%	1.4%	0.8%
	Grade 7	82.4%	16.6%	0.7%	0.2%	0.1%
	Grade 8	73.8%	23.3%	1.9%	0.5%	0.6%
	Grade 9	67.6%	28.9%	2.4%	0.8%	0.3%
	Grade 10	65.6%	29.4%	2.5%	1.1%	1.4%
	Grade 11	68.2%	23.6%	5.1%	2.6%	0.5%
	Grade 12	62.3%	27.9%	4.7%	3.1%	2.0%
Parties?						
	All	65.9%	14.7%	7.7%	7.4%	4.3%
	Grade 7	78.6%	13.7%	4.0%	2.5%	1.2%
	Grade 8	70.8%	18.0%	4.5%	5.4%	1.3%
	Grade 9	60.8%	21.0%	7.4%	7.5%	3.2%
	Grade 10	60.8%	12.4%	10.9%	10.3%	5.6%
	Grade 11	64.6%	8.5%	9.5%	11.1%	6.3%
	Grade 12	58.1%	13.9%	10.5%	8.4%	9.1%
Other Sources?						
	All	71.6%	20.0%	4.3%	2.7%	1.5%
	Grade 7	81.4%	15.0%	1.6%	1.6%	0.4%
	Grade 8	73.0%	20.3%	4.6%	1.2%	0.9%
	Grade 9	67.5%	22.9%	5.0%	3.0%	1.6%
	Grade 10	68.2%	23.4%	4.7%	2.8%	1.0%
	Grade 11	74.1%	14.5%	5.0%	3.6%	2.8%
	Grade 12	64.2%	24.4%	5.2%	4.0%	2.1%

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	60.3%	13.6%	12.9%	3.9%	0.8%	8.6%
Grade 7	69.0%	8.9%	5.8%	2.7%	0.4%	13.2%
Grade 8	70.5%	10.5%	7.8%	2.3%	0.6%	8.3%
Grade 9	57.4%	14.3%	14.9%	3.3%	1.0%	9.2%
Grade 10	61.0%	13.8%	15.1%	3.8%	1.2%	5.2%
Grade 11	56.8%	17.2%	14.9%	4.2%	0.1%	6.8%
Grade 12	45.3%	17.7%	20.2%	7.2%	1.7%	8.0%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	52.8%	27.1%	13.3%	2.1%	4.7%
Grade 7	59.0%	22.8%	12.8%	2.5%	3.0%
Grade 8	56.3%	27.1%	11.3%	1.1%	4.2%
Grade 9	50.1%	23.6%	17.2%	4.4%	4.7%
Grade 10	53.1%	26.4%	13.2%	1.6%	5.6%
Grade 11	47.6%	30.7%	14.3%	1.7%	5.7%
Grade 12	49.5%	33.0%	11.0%	1.4%	5.1%



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	9.3%	12.4%	15.7%	84.3%
Grade 7	3.6%	4.2%	5.1%	94.9%
Grade 8	2.8%	4.8%	6.8%	93.2%
Grade 9	11.1%	13.1%	15.3%	84.7%
Grade 10	10.9%	14.8%	20.5%	79.5%
Grade 11	14.4%	18.8%	23.1%	76.9%
Grade 12	14.5%	20.5%	26.0%	74.0%
<b>Marijuana?</b>				
All	8.7%	10.2%	13.6%	86.4%
Grade 7	2.6%	2.9%	3.5%	96.5%
Grade 8	2.0%	2.6%	4.2%	95.8%
Grade 9	10.7%	11.2%	13.2%	86.8%
Grade 10	10.2%	11.9%	18.3%	81.7%
Grade 11	14.2%	15.9%	21.1%	78.9%
Grade 12	13.6%	18.5%	24.0%	76.0%
<b>Cocaine?</b>				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	1.0%	1.3%	1.3%	98.7%
Grade 10	0.5%	0.7%	1.3%	98.7%
Grade 11	0.0%	0.3%	1.3%	98.7%
Grade 12	1.0%	1.2%	3.0%	97.0%
<b>Crack?</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.6%	99.4%
<b>Hallucinogens?</b>				
All	0.6%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.9%	0.9%	1.8%	98.2%
Grade 10	0.4%	1.5%	2.9%	97.1%
Grade 11	2.2%	2.3%	4.7%	95.3%
Grade 12	0.4%	1.0%	4.5%	95.5%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids?				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.1%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.0%	0.3%	0.4%	99.6%
Grade 11	0.1%	0.3%	0.8%	99.2%
Grade 12	0.4%	0.4%	0.7%	99.3%
Ecstasy?				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.6%	1.8%	98.2%
Grade 11	0.3%	0.5%	0.6%	99.4%
Grade 12	0.1%	0.3%	2.7%	97.3%
Heroin?				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.3%	0.5%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	0.7%	0.8%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.5%	99.5%

**Table D-1: How Recently, If Ever, Have You Used...**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.2%	1.1%	2.6%	97.4%
Grade 11	2.2%	3.1%	4.6%	95.4%
Grade 12	0.3%	0.6%	2.1%	97.9%
Delta 8?				
All	1.9%	2.9%	4.1%	95.9%
Grade 7	0.3%	0.7%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	2.4%	3.6%	3.9%	96.1%
Grade 10	2.4%	3.8%	5.8%	94.2%
Grade 11	2.6%	5.0%	7.3%	92.7%
Grade 12	3.7%	4.6%	7.0%	93.0%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	88.9%	1.1%	1.3%	1.6%	2.3%	2.3%	2.5%
	Grade 7	97.7%	0.2%	0.4%	0.4%	0.6%	0.2%	0.6%
	Grade 8	97.1%	0.3%	0.2%	0.2%	0.7%	0.7%	0.9%
	Grade 9	89.5%	1.3%	1.6%	1.9%	3.1%	1.5%	1.1%
	Grade 10	83.4%	0.8%	1.7%	2.1%	2.9%	3.9%	5.2%
	Grade 11	81.5%	2.4%	2.8%	2.9%	4.0%	3.8%	2.7%
	Grade 12	82.2%	1.9%	1.6%	2.1%	2.9%	3.9%	5.3%
Cocaine?								
	All	99.2%	0.0%	0.0%	0.1%	0.2%	0.2%	0.4%
	Grade 7	99.5%	0.0%	0.1%	0.0%	0.1%	0.0%	0.3%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 9	98.7%	0.0%	0.0%	0.0%	0.5%	0.8%	0.0%
	Grade 10	99.3%	0.0%	0.0%	0.0%	0.3%	0.0%	0.3%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%
	Grade 12	97.7%	0.0%	0.0%	0.3%	0.0%	0.3%	1.7%
Crack?								
	All	99.9%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.7%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.7%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%
Steroids?								
	All	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%
	Grade 11	99.4%	0.0%	0.0%	0.0%	0.3%	0.2%	0.0%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Ecstasy?								
	All	99.3%	0.0%	0.0%	0.1%	0.1%	0.2%	0.3%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.6%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%
	Grade 10	98.4%	0.0%	0.1%	0.3%	0.0%	0.9%	0.3%
	Grade 11	99.4%	0.3%	0.0%	0.0%	0.2%	0.1%	0.0%
	Grade 12	98.4%	0.0%	0.0%	0.0%	0.0%	0.3%	1.3%

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 8	99.5%	0.1%	0.3%	0.0%	0.0%	0.0%	0.1%
	Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.5%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 11	99.0%	0.0%	0.0%	0.0%	0.0%	0.7%	0.3%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
Synthetic Marijuana?								
	All	98.7%	0.0%	0.1%	0.1%	0.2%	0.5%	0.4%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.1%	0.3%	0.0%
	Grade 8	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.5%	0.0%
	Grade 10	98.5%	0.0%	0.1%	0.0%	0.1%	0.5%	0.9%
	Grade 11	96.1%	0.1%	0.5%	0.3%	1.0%	1.3%	0.8%
	Grade 12	98.7%	0.0%	0.0%	0.3%	0.1%	0.3%	0.7%
Delta 8?								
	All	96.6%	0.1%	0.3%	0.6%	1.1%	0.4%	0.8%
	Grade 7	99.2%	0.1%	0.1%	0.0%	0.4%	0.2%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.2%	0.0%	0.2%
	Grade 9	97.5%	0.3%	0.2%	0.5%	0.8%	0.7%	0.0%
	Grade 10	94.4%	0.0%	0.2%	1.4%	1.2%	0.6%	2.2%
	Grade 11	93.3%	0.0%	0.9%	1.0%	1.9%	0.6%	2.2%
	Grade 12	94.9%	0.1%	0.8%	0.6%	2.4%	0.6%	0.7%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.2	11.2	12.3	13.4	14.1	14.8	15.2
Cocaine	13.9	11.6	10.8	13.4	13.4	16.9	14.6
Crack	12.6	8.0	12.5	12.0	8.0	N/A	15.9
Steroids	11.9	9.3	12.2	13.3	11.3	12.0	N/A
Ecstasy	15.0	8.0	12.8	13.9	14.5	14.6	16.0
Heroin	10.6	10.3	8.0	13.0	14.0	8.0	N/A
Methamphetamine	13.8	9.5	8.0	N/A	15.0	14.6	15.4
Synthetic Marijuana	13.7	11.3	13.0	14.0	13.0	14.2	14.6
Delta 8?	15.1	11.8	11.1	13.4	14.5	15.3	16.8

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	41.4%	23.6%	7.2%	7.3%	9.6%	10.9%
	Grade 7	53.3%	33.7%	6.0%	3.0%	2.7%	1.3%
	Grade 8	44.3%	33.4%	9.3%	5.0%	4.8%	3.4%
	Grade 9	39.3%	22.5%	8.8%	7.3%	9.9%	12.2%
	Grade 10	39.9%	17.0%	5.8%	8.5%	14.6%	14.2%
	Grade 11	34.1%	18.6%	5.0%	10.9%	12.0%	19.4%
	Grade 12	35.8%	14.4%	8.2%	9.7%	15.1%	16.7%
Cocaine?							
	All	49.2%	31.5%	9.0%	5.5%	2.7%	2.1%
	Grade 7	55.0%	36.9%	4.6%	2.4%	0.7%	0.3%
	Grade 8	46.5%	37.7%	7.7%	3.5%	3.3%	1.2%
	Grade 9	47.8%	30.3%	9.1%	7.0%	3.2%	2.6%
	Grade 10	49.1%	29.6%	10.1%	6.5%	2.2%	2.4%
	Grade 11	47.0%	27.6%	10.8%	7.9%	4.1%	2.5%
	Grade 12	49.3%	25.6%	12.2%	6.1%	2.9%	3.9%
Crack?							
	All	51.3%	32.1%	8.8%	4.5%	1.8%	1.6%
	Grade 7	57.3%	35.6%	4.2%	2.2%	0.5%	0.2%
	Grade 8	49.5%	36.4%	8.1%	3.1%	1.9%	1.1%
	Grade 9	49.6%	30.6%	9.3%	6.1%	2.2%	2.1%
	Grade 10	51.3%	32.2%	8.6%	4.3%	2.3%	1.2%
	Grade 11	48.0%	29.9%	10.4%	7.1%	3.1%	1.5%
	Grade 12	51.6%	26.9%	12.6%	4.4%	1.2%	3.4%
Steroids?							
	All	53.3%	28.1%	8.0%	5.7%	2.4%	2.4%
	Grade 7	60.3%	31.9%	3.9%	2.3%	1.0%	0.4%
	Grade 8	52.0%	33.6%	6.0%	4.7%	1.6%	2.1%
	Grade 9	53.0%	26.8%	7.6%	8.5%	3.0%	1.1%
	Grade 10	53.8%	27.1%	8.9%	5.7%	1.3%	3.2%
	Grade 11	48.5%	24.8%	11.8%	6.9%	4.8%	3.4%
	Grade 12	51.8%	23.2%	10.8%	6.7%	3.0%	4.4%
Ecstasy?							
	All	61.5%	25.2%	6.1%	3.6%	1.6%	1.9%
	Grade 7	67.8%	27.2%	2.7%	1.7%	0.4%	0.2%
	Grade 8	62.8%	28.0%	4.2%	1.9%	1.6%	1.5%
	Grade 9	61.5%	24.7%	7.0%	3.7%	0.7%	2.4%
	Grade 10	62.9%	23.6%	5.9%	3.8%	0.8%	2.9%
	Grade 11	56.1%	23.7%	9.3%	5.7%	3.2%	2.0%
	Grade 12	57.0%	23.6%	8.3%	5.3%	3.2%	2.7%

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	56.2%	30.7%	7.0%	3.6%	0.9%	1.7%
	Grade 7	64.1%	29.3%	3.6%	1.9%	0.5%	0.7%
	Grade 8	56.0%	33.1%	4.9%	2.9%	1.6%	1.4%
	Grade 9	56.7%	30.3%	6.1%	4.2%	1.2%	1.6%
	Grade 10	55.3%	29.8%	7.9%	4.1%	1.3%	1.7%
	Grade 11	51.4%	31.1%	9.5%	5.0%	0.8%	2.1%
	Grade 12	52.6%	30.4%	10.6%	3.4%	0.1%	2.9%
<b>Methamphetamine?</b>							
	All	58.8%	29.0%	6.5%	3.3%	0.8%	1.7%
	Grade 7	65.8%	28.3%	3.2%	1.8%	0.4%	0.4%
	Grade 8	60.0%	30.5%	4.3%	2.1%	1.5%	1.7%
	Grade 9	58.6%	28.3%	7.3%	4.0%	0.2%	1.6%
	Grade 10	60.7%	26.9%	6.2%	3.8%	1.3%	1.1%
	Grade 11	51.4%	31.1%	8.0%	5.3%	1.2%	2.9%
	Grade 12	55.2%	28.7%	10.3%	3.0%	0.2%	2.6%
<b>Synthetic Marijuana?</b>							
	All	60.5%	24.2%	5.2%	4.5%	3.0%	2.6%
	Grade 7	67.4%	26.7%	2.7%	1.7%	0.8%	0.6%
	Grade 8	61.3%	28.2%	4.6%	2.4%	2.1%	1.4%
	Grade 9	61.3%	22.8%	4.9%	5.9%	2.5%	2.6%
	Grade 10	60.7%	21.4%	6.8%	5.2%	3.8%	2.2%
	Grade 11	53.7%	22.7%	7.2%	5.4%	5.0%	5.9%
	Grade 12	57.5%	23.0%	5.0%	7.1%	3.9%	3.5%
<b>Delta 8?</b>							
	All	62.4%	21.2%	4.5%	3.9%	3.6%	4.5%
	Grade 7	67.3%	26.0%	2.6%	2.4%	1.0%	0.6%
	Grade 8	62.9%	25.8%	4.2%	2.7%	2.6%	1.8%
	Grade 9	62.6%	21.9%	3.6%	4.1%	2.9%	4.9%
	Grade 10	63.0%	16.9%	6.1%	3.3%	5.5%	5.1%
	Grade 11	57.2%	18.9%	5.7%	5.1%	5.3%	7.8%
	Grade 12	61.0%	16.4%	4.7%	5.8%	4.7%	7.3%



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	95.3%	2.5%	0.6%	1.7%
Grade 7	98.8%	1.0%	0.0%	0.2%
Grade 8	99.2%	0.6%	0.1%	0.1%
Grade 9	95.2%	2.0%	0.5%	2.3%
Grade 10	93.4%	3.5%	1.4%	1.6%
Grade 11	90.1%	4.6%	1.1%	4.3%
Grade 12	94.2%	3.4%	0.7%	1.7%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	98.3%	1.1%	0.4%	0.2%
Grade 7	98.9%	0.8%	0.1%	0.3%
Grade 8	99.2%	0.4%	0.4%	0.1%
Grade 9	96.5%	2.6%	0.4%	0.5%
Grade 10	98.0%	1.5%	0.5%	0.1%
Grade 11	98.7%	0.3%	0.5%	0.5%
Grade 12	98.4%	1.0%	0.6%	0.0%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.8
Marijuana Non-Users	4.7
Average Days Conduct Problems Reported	
Marijuana Users	3.5
Marijuana Non-Users	1.1

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	97.4%	2.0%	0.3%	0.4%
Grade 9	99.0%	0.8%	0.2%	0.0%
Grade 10	97.9%	1.6%	0.1%	0.4%
Grade 11	95.4%	3.5%	0.5%	0.6%
Grade 12	97.1%	1.9%	0.3%	0.6%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.8%	1.8%	0.3%	0.0%
Grade 7	99.2%	0.6%	0.1%	0.1%
Grade 8	98.5%	1.4%	0.1%	0.0%
Grade 9	97.5%	1.6%	0.9%	0.0%
Grade 10	97.0%	2.6%	0.5%	0.0%
Grade 11	97.0%	2.6%	0.3%	0.1%
Grade 12	97.5%	2.4%	0.0%	0.1%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	73.0%	14.1%	6.8%	4.8%	1.3%
Grade 7	92.6%	5.3%	1.1%	0.5%	0.5%
Grade 8	87.3%	8.5%	3.3%	0.8%	0.0%
Grade 9	69.2%	14.1%	10.0%	5.0%	1.8%
Grade 10	65.6%	19.1%	7.3%	6.9%	1.0%
Grade 11	59.5%	20.2%	9.5%	8.9%	1.9%
Grade 12	60.5%	18.7%	10.6%	7.5%	2.7%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	67.0%	3.9%	3.4%	4.3%	4.4%	2.6%	14.3%
Grade 7	85.7%	1.4%	1.5%	0.3%	0.4%	2.0%	8.7%
Grade 8	81.5%	2.3%	1.3%	1.0%	0.6%	1.5%	11.8%
Grade 9	67.5%	4.6%	3.2%	5.1%	2.4%	2.6%	14.5%
Grade 10	53.8%	6.9%	4.8%	6.1%	5.6%	2.2%	20.5%
Grade 11	57.9%	3.4%	5.5%	7.5%	9.0%	2.3%	14.3%
Grade 12	51.8%	5.6%	4.5%	6.7%	9.1%	5.0%	17.3%

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.5%	6.0%	6.1%	1.3%	0.9%	8.2%
Grade 7	81.2%	3.0%	2.6%	0.3%	0.2%	12.7%
Grade 8	85.7%	3.2%	3.2%	0.5%	0.4%	7.1%
Grade 9	72.4%	7.0%	9.5%	0.2%	2.0%	8.9%
Grade 10	79.9%	6.6%	6.1%	1.1%	1.0%	5.3%
Grade 11	77.9%	6.2%	6.4%	3.1%	0.1%	6.3%
Grade 12	67.0%	10.6%	9.8%	2.8%	1.7%	8.1%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	66.4%	13.6%	8.7%	6.0%	5.3%
	Grade 7	84.9%	7.7%	2.4%	1.1%	3.9%
	Grade 8	77.6%	10.7%	4.7%	2.4%	4.5%
	Grade 9	64.1%	13.2%	9.8%	6.8%	6.0%
	Grade 10	62.6%	17.0%	9.5%	6.0%	4.9%
	Grade 11	55.8%	14.8%	12.3%	10.1%	7.0%
	Grade 12	49.4%	19.5%	14.8%	10.5%	5.7%
Cocaine?						
	All	87.8%	4.8%	0.8%	0.5%	6.2%
	Grade 7	88.5%	6.1%	0.6%	0.3%	4.5%
	Grade 8	87.7%	5.9%	1.2%	0.7%	4.6%
	Grade 9	83.7%	4.8%	2.0%	1.3%	8.2%
	Grade 10	90.7%	3.9%	0.3%	0.1%	5.0%
	Grade 11	87.7%	3.6%	0.0%	0.1%	8.6%
	Grade 12	88.6%	4.2%	0.3%	0.4%	6.5%
Crack?						
	All	87.8%	4.3%	0.5%	0.3%	7.1%
	Grade 7	87.5%	6.2%	0.7%	0.2%	5.6%
	Grade 8	88.0%	5.4%	1.0%	0.4%	5.3%
	Grade 9	84.5%	4.1%	0.9%	1.0%	9.5%
	Grade 10	91.3%	2.9%	0.3%	0.0%	5.6%
	Grade 11	87.6%	3.4%	0.0%	0.1%	8.9%
	Grade 12	88.5%	3.3%	0.0%	0.4%	7.9%
Ecstasy?						
	All	81.6%	5.3%	0.8%	0.4%	11.9%
	Grade 7	84.5%	5.2%	0.4%	0.4%	9.5%
	Grade 8	81.8%	5.2%	0.6%	0.7%	11.7%
	Grade 9	75.1%	5.9%	1.5%	0.8%	16.7%
	Grade 10	84.8%	4.7%	0.7%	0.3%	9.4%
	Grade 11	81.3%	6.1%	0.3%	0.1%	12.2%
	Grade 12	81.7%	4.6%	1.6%	0.4%	11.7%
Steroids?						
	All	77.7%	10.2%	2.6%	0.8%	8.7%
	Grade 7	81.6%	9.1%	2.3%	0.3%	6.7%
	Grade 8	78.8%	10.5%	2.3%	1.1%	7.4%
	Grade 9	71.6%	10.1%	4.6%	1.5%	12.2%
	Grade 10	83.0%	7.1%	2.8%	0.0%	7.1%
	Grade 11	76.4%	11.5%	1.9%	0.7%	9.6%
	Grade 12	74.6%	13.0%	1.8%	1.0%	9.6%

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	86.5%	4.0%	0.5%	0.5%	8.6%
	Grade 7	85.8%	5.1%	0.8%	0.5%	7.8%
	Grade 8	85.7%	4.5%	1.2%	0.4%	8.2%
	Grade 9	80.2%	4.8%	0.9%	1.4%	12.8%
	Grade 10	90.5%	3.2%	0.3%	0.0%	6.0%
	Grade 11	89.5%	2.6%	0.0%	0.1%	7.8%
	Grade 12	87.4%	3.4%	0.0%	0.4%	8.9%
Methamphetamine?						
	All	86.2%	3.9%	0.5%	0.4%	9.1%
	Grade 7	86.5%	4.8%	0.7%	0.2%	7.8%
	Grade 8	85.8%	3.8%	0.8%	0.8%	8.9%
	Grade 9	80.6%	4.8%	0.9%	0.8%	13.0%
	Grade 10	89.3%	3.4%	0.3%	0.0%	7.0%
	Grade 11	88.2%	2.7%	0.0%	0.1%	9.1%
	Grade 12	87.0%	3.7%	0.0%	0.4%	9.0%
Synthetic Marijuana?						
	All	79.7%	5.8%	1.8%	1.0%	11.6%
	Grade 7	85.8%	4.7%	0.6%	0.4%	8.4%
	Grade 8	81.6%	6.4%	1.0%	1.0%	10.0%
	Grade 9	72.0%	5.8%	3.6%	1.4%	17.3%
	Grade 10	83.2%	5.2%	1.9%	1.3%	8.3%
	Grade 11	76.3%	7.4%	1.8%	1.7%	12.7%
	Grade 12	78.9%	5.5%	2.1%	0.5%	13.0%
Delta 8?						
	All	74.5%	7.2%	4.2%	2.1%	12.0%
	Grade 7	84.0%	6.5%	1.4%	0.5%	7.5%
	Grade 8	79.2%	6.5%	2.7%	1.0%	10.6%
	Grade 9	67.0%	7.5%	5.1%	2.7%	17.7%
	Grade 10	75.5%	7.0%	5.2%	2.2%	10.0%
	Grade 11	69.9%	6.1%	6.7%	4.6%	12.7%
	Grade 12	69.7%	9.9%	4.4%	1.8%	14.2%
Fictional Drug?						
	All	80.4%	3.7%	0.4%	0.4%	15.1%
	Grade 7	83.7%	5.1%	0.3%	0.3%	10.6%
	Grade 8	81.3%	4.2%	0.9%	0.7%	13.0%
	Grade 9	73.1%	3.8%	0.7%	0.8%	21.6%
	Grade 10	85.0%	2.3%	0.3%	0.0%	12.4%
	Grade 11	80.7%	2.8%	0.0%	0.3%	16.1%
	Grade 12	78.3%	3.4%	0.0%	0.4%	17.9%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	4.4%	6.0%	11.2%	88.8%
Grade 7	4.3%	5.3%	9.8%	90.2%
Grade 8	5.4%	7.4%	12.3%	87.7%
Grade 9	5.8%	6.6%	10.2%	89.8%
Grade 10	2.1%	4.3%	9.8%	90.2%
Grade 11	4.8%	7.1%	13.5%	86.5%
Grade 12	3.7%	5.5%	12.0%	88.0%
<b>Codeine Cough Syrup?</b>				
All	1.9%	3.3%	6.8%	93.2%
Grade 7	2.4%	3.5%	6.7%	93.3%
Grade 8	2.1%	3.9%	8.1%	91.9%
Grade 9	1.8%	3.9%	6.2%	93.8%
Grade 10	1.3%	2.6%	5.6%	94.4%
Grade 11	2.7%	4.2%	8.8%	91.2%
Grade 12	0.8%	1.4%	5.2%	94.8%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.3%	0.6%	1.1%	98.9%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.3%	0.8%	1.4%	98.6%
Grade 11	0.5%	0.9%	1.2%	98.8%
Grade 12	0.4%	1.1%	2.3%	97.7%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	0.3%	0.7%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.7%	0.9%	1.5%	98.5%
Grade 9	0.1%	0.9%	2.0%	98.0%
Grade 10	0.0%	0.8%	4.0%	96.0%
Grade 11	0.7%	0.7%	2.3%	97.7%
Grade 12	0.3%	1.0%	4.6%	95.4%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.0%	1.5%	2.4%	97.6%
Grade 7	0.5%	0.6%	1.3%	98.7%
Grade 8	0.7%	0.8%	2.0%	98.0%
Grade 9	2.0%	2.1%	3.3%	96.7%
Grade 10	0.8%	1.8%	3.3%	96.7%
Grade 11	1.6%	2.6%	3.5%	96.5%
Grade 12	0.1%	0.9%	1.3%	98.7%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.7%	3.3%	5.6%	94.4%
Grade 7	2.4%	2.9%	6.0%	94.0%
Grade 8	3.5%	4.2%	6.8%	93.2%
Grade 9	3.3%	3.4%	6.0%	94.0%
Grade 10	1.6%	2.7%	4.6%	95.4%
Grade 11	2.6%	3.6%	5.0%	95.0%
Grade 12	2.5%	2.9%	5.1%	94.9%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.0%	1.3%	2.3%	97.7%
Grade 7	0.4%	0.4%	2.2%	97.8%
Grade 8	2.1%	2.6%	3.7%	96.3%
Grade 9	1.4%	1.8%	3.5%	96.5%
Grade 10	0.2%	0.6%	1.1%	98.9%
Grade 11	1.2%	1.8%	2.6%	97.4%
Grade 12	0.4%	0.4%	0.4%	99.6%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.0%	11.0%	2.8%	1.0%	9.1%
Grade 7	82.3%	7.8%	2.5%	0.7%	6.6%
Grade 8	76.2%	11.1%	3.4%	1.2%	8.1%
Grade 9	67.9%	13.6%	4.0%	1.8%	12.8%
Grade 10	78.1%	10.7%	2.4%	1.6%	7.3%
Grade 11	73.4%	13.0%	4.0%	0.1%	9.5%
Grade 12	77.6%	10.0%	0.7%	1.0%	10.7%

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.8%	5.1%	10.0%	90.0%
Grade 7	4.7%	5.6%	10.5%	89.5%
Grade 8	6.0%	7.3%	13.6%	86.4%
Grade 9	3.3%	5.2%	10.4%	89.6%
Grade 10	3.3%	4.4%	8.7%	91.3%
Grade 11	2.2%	3.3%	7.8%	92.2%
Grade 12	3.2%	4.5%	8.4%	91.6%
Spray Paint?				
All	0.3%	0.6%	1.6%	98.4%
Grade 7	0.3%	0.6%	2.0%	98.0%
Grade 8	0.5%	0.7%	2.3%	97.7%
Grade 9	0.4%	0.7%	1.9%	98.1%
Grade 10	0.3%	0.6%	2.0%	98.0%
Grade 11	0.3%	0.3%	1.1%	98.9%
Grade 12	0.0%	0.3%	0.3%	99.7%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.9%	1.4%	4.1%	95.9%
Grade 7	1.4%	1.7%	4.2%	95.8%
Grade 8	1.7%	2.8%	6.2%	93.8%
Grade 9	0.7%	0.8%	4.9%	95.1%
Grade 10	0.6%	1.1%	3.6%	96.4%
Grade 11	0.3%	0.8%	3.2%	96.8%
Grade 12	0.8%	1.1%	2.2%	97.8%
Computer Dusting Sprays?				
All	0.1%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.6%	1.4%	98.6%
Grade 8	0.2%	0.5%	0.9%	99.1%
Grade 9	0.1%	0.4%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.3%	0.6%	99.4%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.1%	1.4%	4.4%	95.6%
Grade 7	1.2%	1.4%	4.0%	96.0%
Grade 8	1.8%	2.0%	6.5%	93.5%
Grade 9	0.8%	0.9%	2.8%	97.2%
Grade 10	1.0%	1.3%	3.8%	96.2%
Grade 11	0.4%	1.2%	4.6%	95.4%
Grade 12	1.5%	1.8%	5.0%	95.0%



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.2%	0.4%	1.4%	98.6%
Grade 7	0.6%	0.7%	1.4%	98.6%
Grade 8	0.3%	0.8%	2.0%	98.0%
Grade 9	0.3%	0.3%	1.9%	98.1%
Grade 10	0.2%	0.2%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.3%	0.5%	99.5%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.8%	0.9%	1.9%	98.1%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.1%	0.1%	0.9%	99.1%
Grade 10	0.0%	0.2%	1.2%	98.8%
Grade 11	0.0%	0.3%	0.8%	99.2%
Grade 12	0.4%	0.7%	0.7%	99.3%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.4%	0.7%	1.9%	98.1%
Grade 7	0.8%	1.3%	2.3%	97.7%
Grade 8	0.7%	1.4%	3.5%	96.5%
Grade 9	0.1%	0.4%	1.0%	99.0%
Grade 10	0.5%	0.5%	2.6%	97.4%
Grade 11	0.1%	0.1%	0.9%	99.1%
Grade 12	0.0%	0.3%	0.8%	99.2%
<b>Other Aerosols/Sprays?</b>				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.4%	0.9%	2.1%	97.9%
Grade 8	1.0%	1.5%	2.4%	97.6%
Grade 9	0.1%	0.2%	1.5%	98.5%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.0%	0.3%	0.3%	99.7%

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.6%	0.1%	0.2%	0.2%	0.5%	0.5%	1.0%
Grade 7	97.6%	0.2%	0.2%	0.0%	0.3%	0.9%	0.9%
Grade 8	95.9%	0.3%	0.0%	0.4%	0.9%	1.7%	0.8%
Grade 9	97.1%	0.0%	0.3%	0.0%	1.1%	0.0%	1.5%
Grade 10	98.2%	0.0%	0.5%	0.1%	0.2%	0.5%	0.6%
Grade 11	98.0%	0.0%	0.0%	0.0%	0.2%	0.0%	1.8%
Grade 12	99.4%	0.0%	0.0%	0.6%	0.0%	0.0%	0.1%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	91.7%	4.5%	2.6%	1.1%
Grade 7	91.3%	4.9%	2.2%	1.6%
Grade 8	88.2%	6.2%	3.7%	1.9%
Grade 9	91.1%	5.3%	3.3%	0.3%
Grade 10	92.8%	3.1%	2.4%	1.7%
Grade 11	93.8%	3.0%	2.4%	0.8%
Grade 12	93.6%	4.6%	1.5%	0.3%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.1	9.1	9.9	12.2	10.5	13.1	17.2

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.3%	0.4%	0.0%	0.3%
Grade 7	99.1%	0.7%	0.0%	0.2%
Grade 8	99.2%	0.7%	0.1%	0.1%
Grade 9	98.6%	0.4%	0.0%	1.0%
Grade 10	99.8%	0.1%	0.0%	0.2%
Grade 11	100.0%	0.0%	0.0%	0.0%
Grade 12	99.0%	0.6%	0.0%	0.3%

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	3.6
Inhalant Non-Users	4.9
Average Days Conduct Problems Reported	
Inhalant Users	3.0
Inhalant Non-Users	1.2

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	94.4%	3.6%	1.3%	0.5%	0.1%
Grade 7	94.0%	4.0%	1.4%	0.4%	0.2%
Grade 8	94.4%	3.6%	1.2%	0.7%	0.1%
Grade 9	93.4%	3.8%	1.9%	0.8%	0.0%
Grade 10	94.0%	4.0%	1.4%	0.5%	0.1%
Grade 11	94.2%	4.1%	1.2%	0.5%	0.0%
Grade 12	96.8%	1.7%	0.8%	0.3%	0.3%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.8%	13.5%	4.4%	1.3%	8.0%
Grade 7	76.5%	14.1%	3.7%	0.9%	4.8%
Grade 8	71.6%	14.4%	6.3%	1.8%	6.0%
Grade 9	65.3%	13.4%	8.3%	2.0%	11.0%
Grade 10	74.1%	13.5%	3.4%	1.2%	7.8%
Grade 11	72.7%	12.9%	3.9%	0.6%	9.9%
Grade 12	76.1%	12.7%	0.3%	1.6%	9.3%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	52.9%	15.3%	3.0%	4.6%	7.0%	17.2%
Grade 7	57.9%	20.0%	2.6%	3.5%	5.6%	10.5%
Grade 8	49.9%	19.8%	4.5%	5.5%	7.4%	12.9%
Grade 9	51.8%	13.4%	2.2%	3.8%	6.2%	22.6%
Grade 10	51.2%	13.1%	3.0%	4.1%	10.1%	18.5%
Grade 11	49.9%	14.6%	2.3%	6.3%	6.0%	20.9%
Grade 12	56.3%	9.9%	3.3%	4.5%	7.0%	18.9%

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	41.4%
	Grade 7	39.7%
	Grade 8	36.3%
	Grade 9	44.6%
	Grade 10	37.7%
	Grade 11	45.3%
	Grade 12	45.4%
An Assembly Program		
	All	44.7%
	Grade 7	40.1%
	Grade 8	45.5%
	Grade 9	49.5%
	Grade 10	40.8%
	Grade 11	43.1%
	Grade 12	49.6%
Guidance Counselor		
	All	34.5%
	Grade 7	37.9%
	Grade 8	38.8%
	Grade 9	33.8%
	Grade 10	33.2%
	Grade 11	30.0%
	Grade 12	32.7%
School Nurse		
	All	18.6%
	Grade 7	22.3%
	Grade 8	20.8%
	Grade 9	22.2%
	Grade 10	15.7%
	Grade 11	14.3%
	Grade 12	15.5%
Science or Social Studies Class		
	All	31.2%
	Grade 7	36.3%
	Grade 8	25.8%
	Grade 9	37.6%
	Grade 10	26.1%
	Grade 11	28.0%
	Grade 12	33.2%

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

	Yes
Student Group or Club Meeting at School	
All	16.7%
Grade 7	16.2%
Grade 8	15.3%
Grade 9	18.7%
Grade 10	16.2%
Grade 11	16.9%
Grade 12	16.8%
An Invited School Guest	
All	27.7%
Grade 7	28.7%
Grade 8	29.6%
Grade 9	25.5%
Grade 10	24.2%
Grade 11	28.7%
Grade 12	28.8%
Another Source at School	
All	28.8%
Grade 7	28.3%
Grade 8	27.6%
Grade 9	27.6%
Grade 10	33.2%
Grade 11	27.2%
Grade 12	28.9%
Any School Source	
All	65.5%
Grade 7	63.9%
Grade 8	65.3%
Grade 9	68.0%
Grade 10	63.9%
Grade 11	64.7%
Grade 12	67.5%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	38.7%
	Grade 7	51.9%
	Grade 8	42.1%
	Grade 9	35.6%
	Grade 10	34.8%
	Grade 11	32.1%
	Grade 12	33.5%
<b>School Nurse</b>		
	All	24.9%
	Grade 7	37.3%
	Grade 8	27.6%
	Grade 9	19.9%
	Grade 10	27.0%
	Grade 11	18.1%
	Grade 12	17.9%
<b>Another Adult In School</b>		
	All	44.3%
	Grade 7	55.2%
	Grade 8	46.5%
	Grade 9	36.9%
	Grade 10	42.2%
	Grade 11	41.0%
	Grade 12	42.0%
<b>Counselor/Program Outside-School</b>		
	All	45.1%
	Grade 7	49.9%
	Grade 8	48.6%
	Grade 9	38.5%
	Grade 10	46.8%
	Grade 11	43.4%
	Grade 12	42.4%
<b>Your Parents</b>		
	All	71.5%
	Grade 7	78.8%
	Grade 8	72.6%
	Grade 9	69.2%
	Grade 10	67.5%
	Grade 11	68.2%
	Grade 12	71.2%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	61.8%
	Grade 7	73.2%
	Grade 8	67.4%
	Grade 9	54.0%
	Grade 10	55.6%
	Grade 11	60.3%
	Grade 12	58.1%
<b>Your Friends</b>		
	All	62.0%
	Grade 7	58.1%
	Grade 8	60.8%
	Grade 9	59.4%
	Grade 10	63.4%
	Grade 11	68.9%
	Grade 12	62.0%
<b>Another Adult</b>		
	All	61.4%
	Grade 7	67.1%
	Grade 8	61.6%
	Grade 9	60.2%
	Grade 10	58.4%
	Grade 11	63.3%
	Grade 12	56.6%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	5.5%
	Grade 7	3.9%
	Grade 8	5.6%
	Grade 9	8.0%
	Grade 10	5.2%
	Grade 11	4.4%
	Grade 12	6.1%

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	7.2%	23.5%	25.2%	30.1%	14.0%
Grade 7	10.5%	18.4%	20.1%	30.8%	20.2%
Grade 8	9.3%	21.6%	24.1%	29.5%	15.6%
Grade 9	7.8%	26.0%	25.9%	27.0%	13.3%
Grade 10	5.9%	29.3%	21.1%	33.0%	10.7%
Grade 11	4.3%	24.2%	33.1%	26.3%	12.0%
Grade 12	4.9%	21.9%	27.4%	34.3%	11.5%
<b>Sometimes Carry Weapons?</b>					
All	89.5%	7.4%	1.7%	0.8%	0.5%
Grade 7	92.9%	5.7%	1.2%	0.3%	0.0%
Grade 8	92.1%	5.2%	1.8%	0.7%	0.3%
Grade 9	87.5%	7.4%	2.1%	2.2%	0.8%
Grade 10	92.1%	5.9%	1.4%	0.3%	0.3%
Grade 11	86.7%	9.9%	2.0%	0.7%	0.7%
Grade 12	85.5%	11.1%	2.0%	0.6%	0.7%
<b>Care About Making Good Grades?</b>					
All	2.5%	13.2%	25.9%	39.6%	18.9%
Grade 7	4.2%	14.4%	24.4%	35.4%	21.6%
Grade 8	3.3%	12.3%	26.1%	38.7%	19.6%
Grade 9	3.2%	17.4%	27.7%	35.0%	16.7%
Grade 10	0.9%	13.7%	26.0%	40.1%	19.3%
Grade 11	1.7%	11.4%	21.0%	47.1%	18.8%
Grade 12	1.3%	9.4%	30.1%	42.3%	17.0%
<b>Belong/Want to Belong to a Gang?</b>					
All	92.4%	5.1%	1.7%	0.3%	0.4%
Grade 7	93.6%	4.1%	1.1%	0.6%	0.5%
Grade 8	94.1%	4.3%	1.3%	0.2%	0.1%
Grade 9	89.1%	7.6%	2.3%	0.4%	0.6%
Grade 10	93.2%	4.7%	1.4%	0.5%	0.2%
Grade 11	92.0%	4.8%	2.7%	0.0%	0.5%
Grade 12	92.6%	5.0%	1.7%	0.0%	0.7%
<b>Wish They Could Drop Out of School?</b>					
All	50.2%	28.3%	12.6%	6.5%	2.4%
Grade 7	55.4%	25.2%	11.6%	5.7%	2.1%
Grade 8	49.1%	28.7%	13.9%	5.4%	2.8%
Grade 9	47.4%	29.9%	11.7%	8.4%	2.7%
Grade 10	50.8%	26.8%	12.0%	8.3%	2.0%
Grade 11	45.5%	33.2%	13.4%	6.3%	1.7%
Grade 12	52.9%	26.0%	13.3%	5.0%	2.8%



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	87.2%	11.0%	0.9%	0.1%	0.8%
Grade 7	87.4%	10.6%	0.7%	0.1%	1.2%
Grade 8	85.3%	12.7%	1.5%	0.0%	0.5%
Grade 9	85.1%	11.9%	2.3%	0.0%	0.8%
Grade 10	88.0%	11.0%	0.0%	0.3%	0.7%
Grade 11	87.5%	11.4%	0.6%	0.1%	0.5%
Grade 12	90.3%	8.3%	0.4%	0.0%	1.1%
<b>Out In Your Neighborhood?</b>					
All	40.4%	48.5%	7.2%	1.2%	2.7%
Grade 7	39.0%	46.2%	8.0%	2.3%	4.4%
Grade 8	41.2%	46.8%	8.6%	1.0%	2.3%
Grade 9	40.0%	49.2%	6.1%	1.6%	3.0%
Grade 10	39.5%	49.2%	7.9%	1.1%	2.3%
Grade 11	38.9%	51.5%	7.7%	0.5%	1.3%
Grade 12	44.0%	48.5%	4.3%	0.7%	2.5%
<b>At School?</b>					
All	34.9%	50.5%	8.3%	2.8%	3.5%
Grade 7	44.6%	43.3%	6.3%	1.9%	3.8%
Grade 8	40.4%	47.4%	6.6%	2.2%	3.4%
Grade 9	29.0%	53.4%	8.0%	5.5%	4.1%
Grade 10	30.5%	51.7%	11.9%	3.1%	2.8%
Grade 11	30.0%	57.2%	9.1%	2.0%	1.7%
Grade 12	33.9%	50.8%	8.4%	1.9%	4.9%

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.0%	13.5%	22.1%	77.9%
Grade 7	3.5%	4.2%	11.0%	89.0%
Grade 8	4.8%	6.3%	10.9%	89.1%
Grade 9	14.7%	17.2%	25.6%	74.4%
Grade 10	13.0%	17.2%	29.0%	71.0%
Grade 11	14.3%	18.2%	26.7%	73.3%
Grade 12	16.6%	19.7%	31.3%	68.7%
<b>Any Alcohol Product</b>				
All	22.2%	25.6%	41.3%	58.7%
Grade 7	14.7%	15.7%	30.5%	69.5%
Grade 8	15.1%	18.0%	34.3%	65.7%
Grade 9	22.2%	25.2%	38.9%	61.1%
Grade 10	25.5%	28.2%	47.7%	52.3%
Grade 11	25.9%	30.8%	45.3%	54.7%
Grade 12	31.8%	38.0%	53.5%	46.5%
<b>Any Illicit Drug</b>				
All	9.3%	12.4%	15.7%	84.3%
Grade 7	3.6%	4.2%	5.1%	94.9%
Grade 8	2.8%	4.8%	6.8%	93.2%
Grade 9	11.1%	13.1%	15.3%	84.7%
Grade 10	10.9%	14.8%	20.5%	79.5%
Grade 11	14.4%	18.8%	23.1%	76.9%
Grade 12	14.5%	20.5%	26.0%	74.0%
<b>Any Prescription Drug</b>				
All	4.4%	6.0%	11.2%	88.8%
Grade 7	4.3%	5.3%	9.8%	90.2%
Grade 8	5.4%	7.4%	12.3%	87.7%
Grade 9	5.8%	6.6%	10.2%	89.8%
Grade 10	2.1%	4.3%	9.8%	90.2%
Grade 11	4.8%	7.1%	13.5%	86.5%
Grade 12	3.7%	5.5%	12.0%	88.0%
<b>Any Inhalant</b>				
All	3.8%	5.1%	10.0%	90.0%
Grade 7	4.7%	5.6%	10.5%	89.5%
Grade 8	6.0%	7.3%	13.6%	86.4%
Grade 9	3.3%	5.2%	10.4%	89.6%
Grade 10	3.3%	4.4%	8.7%	91.3%
Grade 11	2.2%	3.3%	7.8%	92.2%
Grade 12	3.2%	4.5%	8.4%	91.6%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.2%	11.0%	19.2%	80.8%
Grade 7	2.4%	3.0%	9.1%	90.9%
Grade 8	3.5%	5.0%	9.5%	90.5%
Grade 9	12.0%	14.7%	23.0%	77.0%
Grade 10	9.2%	14.1%	25.5%	74.5%
Grade 11	11.6%	15.7%	25.1%	74.9%
Grade 12	10.9%	14.7%	25.3%	74.7%
<b>Marijuana</b>				
All	8.7%	10.2%	13.6%	86.4%
Grade 7	2.6%	2.9%	3.5%	96.5%
Grade 8	2.0%	2.6%	4.2%	95.8%
Grade 9	10.7%	11.2%	13.2%	86.8%
Grade 10	10.2%	11.9%	18.3%	81.7%
Grade 11	14.2%	15.9%	21.1%	78.9%
Grade 12	13.6%	18.5%	24.0%	76.0%
<b>Marijuana Only</b>				
All	4.1%	5.0%	7.8%	92.2%
Grade 7	1.6%	1.8%	2.3%	97.7%
Grade 8	1.3%	1.5%	2.9%	97.1%
Grade 9	5.9%	6.4%	8.4%	91.6%
Grade 10	5.0%	5.6%	9.9%	90.1%
Grade 11	5.3%	6.6%	10.6%	89.4%
Grade 12	5.7%	9.2%	14.1%	85.9%
<b>Cocaine or Crack</b>				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	1.0%	1.3%	1.7%	98.3%
Grade 10	0.6%	0.9%	1.5%	98.5%
Grade 11	0.3%	0.3%	1.3%	98.7%
Grade 12	1.0%	1.2%	3.0%	97.0%
<b>Cocaine</b>				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	1.0%	1.3%	1.3%	98.7%
Grade 10	0.5%	0.7%	1.3%	98.7%
Grade 11	0.0%	0.3%	1.3%	98.7%
Grade 12	1.0%	1.2%	3.0%	97.0%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.6%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.9%	0.9%	1.8%	98.2%
Grade 10	0.4%	1.5%	2.9%	97.1%
Grade 11	2.2%	2.3%	4.7%	95.3%
Grade 12	0.4%	1.0%	4.5%	95.5%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.3%	0.3%	0.3%	99.7%
<b>Steroids</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.1%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.0%	0.3%	0.4%	99.6%
Grade 11	0.1%	0.3%	0.8%	99.2%
Grade 12	0.4%	0.4%	0.7%	99.3%
<b>Ecstasy</b>				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.6%	1.8%	98.2%
Grade 11	0.3%	0.5%	0.6%	99.4%
Grade 12	0.1%	0.3%	2.7%	97.3%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
 All Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.3%	0.5%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.2%	1.1%	2.6%	97.4%
Grade 11	2.2%	3.1%	4.6%	95.4%
Grade 12	0.3%	0.6%	2.1%	97.9%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	0.7%	0.8%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.5%	99.5%
<b>Delta 8</b>				
All	1.9%	2.9%	4.1%	95.9%
Grade 7	0.3%	0.7%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	2.4%	3.6%	3.9%	96.1%
Grade 10	2.4%	3.8%	5.8%	94.2%
Grade 11	2.6%	5.0%	7.3%	92.7%
Grade 12	3.7%	4.6%	7.0%	93.0%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.8%	12.2%	19.5%	80.5%
Grade 7	3.0%	3.8%	8.8%	91.2%
Grade 8	3.4%	4.8%	9.4%	90.6%
Grade 9	12.7%	15.1%	23.4%	76.6%
Grade 10	14.2%	19.0%	28.0%	72.0%
Grade 11	9.5%	12.3%	21.2%	78.8%
Grade 12	16.1%	18.7%	27.1%	72.9%
<b>Any Alcohol Product</b>				
All	19.4%	22.6%	38.2%	61.8%
Grade 7	12.8%	13.6%	27.2%	72.8%
Grade 8	13.5%	15.9%	30.9%	69.1%
Grade 9	21.9%	24.1%	38.1%	61.9%
Grade 10	22.2%	26.1%	45.3%	54.7%
Grade 11	21.6%	26.1%	42.1%	57.9%
Grade 12	24.6%	30.2%	47.0%	53.0%
<b>Any Illicit Drug</b>				
All	9.1%	11.3%	14.4%	85.6%
Grade 7	3.3%	3.6%	4.8%	95.2%
Grade 8	2.5%	3.8%	5.3%	94.7%
Grade 9	9.8%	10.9%	13.7%	86.3%
Grade 10	10.4%	13.1%	19.2%	80.8%
Grade 11	10.9%	15.5%	19.7%	80.3%
Grade 12	17.8%	21.6%	25.5%	74.5%
<b>Any Prescription Drug</b>				
All	3.3%	4.7%	9.4%	90.6%
Grade 7	2.8%	3.4%	6.4%	93.6%
Grade 8	3.5%	4.1%	8.3%	91.7%
Grade 9	4.3%	4.5%	8.5%	91.5%
Grade 10	3.2%	5.5%	10.5%	89.5%
Grade 11	4.3%	6.4%	12.0%	88.0%
Grade 12	1.5%	4.2%	11.1%	88.9%
<b>Any Inhalant</b>				
All	2.9%	4.0%	8.6%	91.4%
Grade 7	4.4%	5.1%	7.9%	92.1%
Grade 8	3.9%	6.3%	11.6%	88.4%
Grade 9	2.0%	4.3%	8.4%	91.6%
Grade 10	2.4%	3.1%	7.5%	92.5%
Grade 11	1.8%	1.9%	7.5%	92.5%
Grade 12	2.5%	3.2%	8.6%	91.4%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.3%	9.6%	16.5%	83.5%
Grade 7	1.7%	2.5%	7.4%	92.6%
Grade 8	2.3%	3.7%	7.5%	92.5%
Grade 9	9.9%	12.6%	19.9%	80.1%
Grade 10	10.6%	15.3%	25.2%	74.8%
Grade 11	8.5%	10.2%	18.2%	81.8%
Grade 12	11.1%	13.9%	21.5%	78.5%
<b>Marijuana</b>				
All	8.4%	9.5%	12.4%	87.6%
Grade 7	1.9%	2.3%	3.2%	96.8%
Grade 8	1.8%	1.9%	2.7%	97.3%
Grade 9	9.7%	9.8%	12.1%	87.9%
Grade 10	10.5%	11.4%	16.9%	83.1%
Grade 11	10.8%	12.0%	17.0%	83.0%
Grade 12	16.1%	19.9%	23.9%	76.1%
<b>Marijuana Only</b>				
All	4.1%	4.8%	7.2%	92.8%
Grade 7	1.2%	1.4%	2.3%	97.7%
Grade 8	1.2%	1.3%	1.7%	98.3%
Grade 9	6.9%	7.0%	9.2%	90.8%
Grade 10	4.6%	4.9%	9.1%	90.9%
Grade 11	4.9%	5.4%	9.1%	90.9%
Grade 12	5.4%	8.6%	11.7%	88.3%
<b>Cocaine or Crack</b>				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.2%	0.8%	1.5%	98.5%
Grade 10	0.7%	1.3%	2.0%	98.0%
Grade 11	0.5%	0.5%	1.9%	98.1%
Grade 12	1.2%	1.2%	3.0%	97.0%
<b>Cocaine</b>				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.2%	0.8%	0.8%	99.2%
Grade 10	0.7%	1.3%	2.0%	98.0%
Grade 11	0.0%	0.5%	1.9%	98.1%
Grade 12	1.2%	1.2%	3.0%	97.0%



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.4%	0.9%	2.4%	97.6%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.8%	2.9%	2.9%	97.1%
Grade 11	1.0%	1.2%	3.3%	96.7%
Grade 12	0.8%	1.5%	7.7%	92.3%
<b>Synthetic Cathinones</b>				
All	0.2%	0.3%	0.3%	99.7%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	1.4%	2.0%	98.0%
Grade 11	0.5%	1.0%	1.0%	99.0%
Grade 12	0.1%	0.1%	4.4%	95.6%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.5%	1.0%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.3%	0.6%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.1%	0.7%	2.3%	97.7%
Grade 11	0.7%	2.1%	3.5%	96.5%
Grade 12	0.1%	0.1%	1.6%	98.4%
<b>Methamphetamine</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.7%	0.7%	99.3%
Grade 11	0.5%	0.5%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Delta 8</b>				
All	1.5%	2.6%	3.9%	96.1%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.0%	0.1%	0.8%	99.2%
Grade 9	0.8%	1.6%	2.1%	97.9%
Grade 10	1.8%	3.3%	5.2%	94.8%
Grade 11	1.3%	4.0%	5.2%	94.8%
Grade 12	4.8%	6.4%	9.7%	90.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.2%	15.0%	24.9%	75.1%
Grade 7	4.2%	4.6%	13.6%	86.4%
Grade 8	6.2%	7.6%	12.3%	87.7%
Grade 9	17.0%	19.8%	28.3%	71.7%
Grade 10	12.0%	15.8%	30.3%	69.7%
Grade 11	19.1%	24.1%	32.4%	67.6%
Grade 12	17.3%	21.1%	36.4%	63.6%
<b>Any Alcohol Product</b>				
All	25.3%	28.9%	44.7%	55.3%
Grade 7	16.7%	18.0%	33.7%	66.3%
Grade 8	16.5%	19.9%	37.7%	62.3%
Grade 9	22.6%	26.4%	39.6%	60.4%
Grade 10	28.0%	29.8%	49.7%	50.3%
Grade 11	31.0%	36.3%	49.2%	50.8%
Grade 12	40.5%	47.5%	61.8%	38.2%
<b>Any Illicit Drug</b>				
All	9.6%	13.6%	17.1%	82.9%
Grade 7	4.0%	5.0%	5.5%	94.5%
Grade 8	3.1%	5.7%	8.2%	91.8%
Grade 9	12.7%	15.8%	17.3%	82.7%
Grade 10	11.5%	16.5%	21.8%	78.2%
Grade 11	17.2%	21.5%	26.1%	73.9%
Grade 12	10.8%	19.5%	26.7%	73.3%
<b>Any Prescription Drug</b>				
All	5.5%	7.5%	13.0%	87.0%
Grade 7	5.9%	7.2%	12.9%	87.1%
Grade 8	7.1%	10.3%	15.9%	84.1%
Grade 9	7.4%	8.9%	12.0%	88.0%
Grade 10	1.2%	3.3%	9.3%	90.7%
Grade 11	5.3%	8.1%	14.8%	85.2%
Grade 12	6.2%	7.0%	13.2%	86.8%
<b>Any Inhalant</b>				
All	4.8%	6.2%	11.5%	88.5%
Grade 7	4.8%	6.0%	13.1%	86.9%
Grade 8	7.8%	8.1%	15.4%	84.6%
Grade 9	4.9%	6.4%	12.9%	87.1%
Grade 10	4.0%	5.6%	9.8%	90.2%
Grade 11	2.7%	4.8%	8.3%	91.7%
Grade 12	4.1%	6.1%	8.3%	91.7%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.0%	12.4%	22.3%	77.7%
Grade 7	3.2%	3.7%	11.0%	89.0%
Grade 8	4.6%	6.1%	11.3%	88.7%
Grade 9	14.6%	17.2%	26.8%	73.2%
Grade 10	8.1%	13.2%	26.0%	74.0%
Grade 11	14.6%	21.1%	32.0%	68.0%
Grade 12	10.8%	15.7%	29.9%	70.1%
Marijuana				
All	8.9%	11.0%	14.8%	85.2%
Grade 7	3.4%	3.6%	3.8%	96.2%
Grade 8	2.3%	3.2%	5.6%	94.4%
Grade 9	11.8%	12.9%	14.5%	85.5%
Grade 10	10.1%	12.5%	19.6%	80.4%
Grade 11	16.8%	19.1%	24.7%	75.3%
Grade 12	10.8%	17.1%	24.2%	75.8%
Marijuana Only				
All	4.0%	5.3%	8.5%	91.5%
Grade 7	2.0%	2.2%	2.3%	97.7%
Grade 8	1.4%	1.7%	4.1%	95.9%
Grade 9	4.5%	5.6%	7.2%	92.8%
Grade 10	5.4%	6.3%	10.7%	89.3%
Grade 11	5.3%	7.4%	11.9%	88.1%
Grade 12	6.2%	10.0%	17.0%	83.0%
Cocaine or Crack				
All	0.8%	0.9%	1.4%	98.6%
Grade 7	1.5%	1.5%	1.7%	98.3%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	1.9%	2.0%	2.0%	98.0%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.7%	1.3%	3.1%	96.9%
Cocaine				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	1.0%	1.0%	1.7%	98.3%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	1.9%	2.0%	2.0%	98.0%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.7%	1.3%	3.1%	96.9%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.5%	99.5%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	0.7%	0.7%	99.3%
<b>Hallucinogens</b>				
All	0.9%	1.1%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.4%	0.6%	99.4%
Grade 9	2.0%	2.0%	3.4%	96.6%
Grade 10	0.0%	0.4%	3.0%	97.0%
Grade 11	3.5%	3.5%	6.2%	93.8%
Grade 12	0.0%	0.5%	0.7%	99.3%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.5%	0.5%	0.5%	99.5%
<b>Steroids</b>				
All	0.1%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.0%	0.5%	0.6%	99.4%
Grade 11	0.0%	0.6%	1.1%	98.9%
Grade 12	0.8%	0.8%	1.6%	98.4%
<b>Ecstasy</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.5%	0.7%	99.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
 Female Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.9%	0.9%	1.9%	98.1%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.8%	1.2%	2.2%	97.8%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.5%	0.5%	1.4%	98.6%
Grade 10	0.3%	1.4%	2.9%	97.1%
Grade 11	3.7%	4.2%	5.9%	94.1%
Grade 12	0.5%	1.2%	2.8%	97.2%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	1.0%	1.1%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.9%	99.1%
<b>Delta 8</b>				
All	2.1%	3.2%	4.3%	95.7%
Grade 7	0.0%	0.8%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	4.3%	6.2%	6.2%	93.8%
Grade 10	2.9%	4.3%	6.4%	93.6%
Grade 11	3.4%	5.5%	9.0%	91.0%
Grade 12	2.4%	2.5%	3.9%	96.1%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.5%	15.6%	24.9%	75.1%
Grade 7	1.7%	2.1%	6.5%	93.5%
Grade 8	6.7%	9.0%	17.4%	82.6%
Grade 9	11.1%	16.9%	22.8%	77.2%
Grade 10	12.9%	26.1%	39.9%	60.1%
Grade 11	15.9%	18.0%	24.3%	75.7%
Grade 12	24.1%	25.5%	44.2%	55.8%
<b>Any Alcohol Product</b>				
All	26.5%	31.4%	45.9%	54.1%
Grade 7	6.1%	8.6%	25.3%	74.7%
Grade 8	22.8%	25.5%	44.7%	55.3%
Grade 9	38.1%	45.4%	51.2%	48.8%
Grade 10	30.8%	35.9%	52.3%	47.7%
Grade 11	22.3%	33.0%	37.1%	62.9%
Grade 12	43.9%	45.4%	70.4%	29.6%
<b>Any Illicit Drug</b>				
All	11.2%	15.0%	18.8%	81.2%
Grade 7	1.7%	1.7%	2.1%	97.9%
Grade 8	0.0%	0.0%	2.3%	97.7%
Grade 9	17.4%	20.3%	21.8%	78.2%
Grade 10	11.6%	26.7%	28.0%	72.0%
Grade 11	18.0%	22.2%	23.2%	76.8%
Grade 12	23.1%	24.5%	43.3%	56.7%
<b>Any Prescription Drug</b>				
All	6.1%	7.7%	17.3%	82.7%
Grade 7	10.2%	10.5%	15.0%	85.0%
Grade 8	9.6%	12.6%	23.9%	76.1%
Grade 9	11.5%	11.5%	14.5%	85.5%
Grade 10	2.6%	5.2%	18.4%	81.6%
Grade 11	1.0%	3.1%	12.9%	87.1%
Grade 12	0.0%	1.5%	18.7%	81.3%
<b>Any Inhalant</b>				
All	4.7%	6.0%	9.5%	90.5%
Grade 7	3.4%	3.7%	10.1%	89.9%
Grade 8	9.0%	11.2%	13.5%	86.5%
Grade 9	1.5%	2.9%	8.8%	91.2%
Grade 10	0.0%	1.3%	5.2%	94.8%
Grade 11	2.1%	4.2%	5.2%	94.8%
Grade 12	12.8%	12.8%	14.3%	85.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.5%	13.3%	22.0%	78.0%
Grade 7	0.8%	1.1%	2.4%	97.6%
Grade 8	4.5%	6.8%	14.9%	85.1%
Grade 9	11.1%	15.5%	21.3%	78.7%
Grade 10	7.9%	25.1%	30.4%	69.6%
Grade 11	7.9%	11.3%	25.1%	74.9%
Grade 12	23.3%	24.9%	47.1%	52.9%
<b>Marijuana</b>				
All	11.2%	14.7%	17.6%	82.4%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.0%	2.3%	97.7%
Grade 9	17.4%	20.3%	21.8%	78.2%
Grade 10	11.6%	25.4%	26.7%	73.3%
Grade 11	19.5%	22.9%	25.1%	74.9%
Grade 12	23.1%	24.5%	36.3%	63.7%
<b>Marijuana Only</b>				
All	6.0%	7.1%	9.5%	90.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	2.2%	97.8%
Grade 9	17.4%	20.3%	21.8%	78.2%
Grade 10	1.3%	5.2%	6.5%	93.5%
Grade 11	13.8%	13.8%	15.0%	85.0%
Grade 12	5.8%	5.8%	14.5%	85.5%
<b>Cocaine or Crack</b>				
All	0.4%	0.4%	1.7%	98.3%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.3%	97.7%
Grade 12	1.5%	1.5%	8.5%	91.5%
<b>Cocaine</b>				
All	0.2%	0.2%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.3%	97.7%
Grade 12	1.5%	1.5%	8.5%	91.5%



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.2%	99.8%
	Grade 7	1.0%	1.0%	1.0%	99.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.2%	1.1%	4.1%	95.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	3.9%	5.2%	94.8%
	Grade 11	0.0%	0.0%	3.4%	96.6%
	Grade 12	1.6%	3.2%	20.6%	79.4%
Synthetic Cathinones	All	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.2%	0.2%	0.6%	99.4%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	1.3%	98.7%
	Grade 11	1.0%	1.0%	1.0%	99.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	0.2%	0.2%	1.0%	99.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	2.1%	97.9%
	Grade 12	1.5%	1.5%	4.4%	95.6%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.3%	2.2%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	11.2%	12.4%	87.6%
Grade 11	2.1%	2.1%	3.1%	96.9%
Grade 12	0.0%	0.0%	2.9%	97.1%
<b>Methamphetamine</b>				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	1.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	1.5%	98.5%
<b>Delta 8</b>				
All	1.7%	4.6%	5.7%	94.3%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.9%	18.9%	18.9%	81.1%
Grade 11	4.5%	5.6%	9.0%	91.0%
Grade 12	2.9%	4.4%	7.3%	92.7%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
Grades 9–12	4.1%	4.1%	26.9%	73.1%
Any Alcohol Product				
Grades 9–12	6.8%	10.9%	34.6%	65.4%
Any Illicit Drug				
Grades 9–12	31.0%	31.0%	31.0%	69.0%
Any Prescription Drug				
Grades 9–12	19.0%	19.0%	19.0%	81.0%
Any Inhalant				
Grades 9–12	0.0%	0.0%	3.1%	96.9%
Electronic Vapor Products				
Grades 9–12	4.1%	4.1%	26.9%	73.1%
Marijuana				
Grades 9–12	31.0%	31.0%	31.0%	69.0%
Marijuana Only				
Grades 9–12	11.9%	11.9%	11.9%	88.1%
Cocaine or Crack				
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Cocaine				
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Crack				
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Steroids				
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
Grades 9–12	0.0%	0.0%	19.0%	81.0%
Heroin				
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
Grades 9–12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
 African American Non-Hispanic Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Methamphetamine				
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Delta 8				
Grades 9–12	0.0%	0.0%	19.0%	81.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.0%	13.5%	21.8%	78.2%
Grade 7	3.7%	4.4%	11.1%	88.9%
Grade 8	4.8%	6.2%	10.1%	89.9%
Grade 9	14.6%	17.0%	25.7%	74.3%
Grade 10	13.1%	16.9%	28.7%	71.3%
Grade 11	14.4%	18.3%	27.0%	73.0%
Grade 12	16.1%	19.4%	30.2%	69.8%
<b>Any Alcohol Product</b>				
All	22.2%	25.5%	41.1%	58.9%
Grade 7	15.5%	16.5%	30.9%	69.1%
Grade 8	14.9%	17.8%	33.4%	66.6%
Grade 9	21.2%	24.0%	38.3%	61.7%
Grade 10	25.3%	28.0%	47.9%	52.1%
Grade 11	26.3%	30.8%	45.6%	54.4%
Grade 12	31.6%	37.9%	52.6%	47.4%
<b>Any Illicit Drug</b>				
All	9.0%	12.1%	15.3%	84.7%
Grade 7	3.3%	4.0%	4.9%	95.1%
Grade 8	3.0%	5.1%	6.6%	93.4%
Grade 9	10.5%	12.4%	14.8%	85.2%
Grade 10	10.9%	14.2%	20.2%	79.8%
Grade 11	14.1%	18.5%	23.1%	76.9%
Grade 12	13.4%	19.9%	24.6%	75.4%
<b>Any Prescription Drug</b>				
All	4.3%	5.9%	10.9%	89.1%
Grade 7	4.1%	5.0%	9.6%	90.4%
Grade 8	5.2%	7.1%	11.6%	88.4%
Grade 9	5.6%	6.5%	10.1%	89.9%
Grade 10	2.1%	4.2%	9.2%	90.8%
Grade 11	4.5%	7.0%	13.1%	86.9%
Grade 12	3.9%	5.8%	11.7%	88.3%
<b>Any Inhalant</b>				
All	3.6%	4.9%	9.9%	90.1%
Grade 7	4.2%	5.2%	10.1%	89.9%
Grade 8	5.7%	7.0%	13.5%	86.5%
Grade 9	3.5%	5.4%	10.5%	89.5%
Grade 10	3.0%	4.1%	8.5%	91.5%
Grade 11	2.3%	3.3%	8.1%	91.9%
Grade 12	2.8%	4.1%	8.1%	91.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.2%	10.9%	19.0%	81.0%
Grade 7	2.6%	3.2%	9.3%	90.7%
Grade 8	3.5%	4.9%	8.8%	91.2%
Grade 9	11.9%	14.4%	23.0%	77.0%
Grade 10	9.5%	13.6%	25.4%	74.6%
Grade 11	11.9%	16.0%	25.1%	74.9%
Grade 12	10.2%	14.1%	23.7%	76.3%
<b>Marijuana</b>				
All	8.4%	9.9%	13.3%	86.7%
Grade 7	2.8%	3.1%	3.7%	96.3%
Grade 8	2.2%	2.8%	4.0%	96.0%
Grade 9	10.1%	10.4%	12.5%	87.5%
Grade 10	10.1%	11.1%	17.9%	82.1%
Grade 11	13.8%	15.4%	20.9%	79.1%
Grade 12	12.5%	17.7%	22.8%	77.2%
<b>Marijuana Only</b>				
All	3.9%	4.9%	7.6%	92.4%
Grade 7	1.7%	1.9%	2.5%	97.5%
Grade 8	1.4%	1.6%	2.6%	97.4%
Grade 9	5.0%	5.4%	7.4%	92.6%
Grade 10	5.1%	5.6%	10.1%	89.9%
Grade 11	4.7%	6.1%	10.4%	89.6%
Grade 12	5.6%	9.3%	14.1%	85.9%
<b>Cocaine or Crack</b>				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	1.3%	1.3%	1.4%	98.6%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	1.0%	1.4%	1.8%	98.2%
Grade 10	0.7%	1.0%	1.6%	98.4%
Grade 11	0.3%	0.3%	1.3%	98.7%
Grade 12	1.0%	1.2%	2.8%	97.2%
<b>Cocaine</b>				
All	0.6%	0.8%	1.4%	98.6%
Grade 7	0.9%	0.9%	1.2%	98.8%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	1.0%	1.4%	1.4%	98.6%
Grade 10	0.5%	0.8%	1.4%	98.6%
Grade 11	0.0%	0.3%	1.3%	98.7%
Grade 12	1.0%	1.2%	2.8%	97.2%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.3%	0.3%	0.5%	99.5%
	Grade 7	0.8%	0.8%	0.8%	99.2%
	Grade 8	0.1%	0.1%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.4%	0.4%	0.7%	99.3%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	0.4%	0.4%	0.6%	99.4%
Hallucinogens	All	0.7%	1.0%	2.2%	97.8%
	Grade 7	0.0%	0.1%	0.1%	99.9%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	1.0%	1.0%	1.9%	98.1%
	Grade 10	0.4%	1.4%	2.8%	97.2%
	Grade 11	2.4%	2.5%	4.8%	95.2%
	Grade 12	0.4%	1.0%	3.8%	96.2%
Synthetic Cathinones	All	0.1%	0.2%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.3%	0.3%	99.7%
	Grade 11	0.5%	0.5%	0.5%	99.5%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids	All	0.1%	0.3%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.0%	0.3%	0.6%	99.4%
	Grade 9	0.4%	0.4%	1.0%	99.0%
	Grade 10	0.0%	0.3%	0.4%	99.6%
	Grade 11	0.0%	0.3%	0.8%	99.2%
	Grade 12	0.4%	0.4%	0.8%	99.2%
Ecstasy	All	0.2%	0.4%	0.9%	99.1%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.5%	0.5%	0.5%	99.5%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	0.3%	0.6%	1.9%	98.1%
	Grade 11	0.3%	0.5%	0.5%	99.5%
	Grade 12	0.0%	0.3%	2.0%	98.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.3%	0.5%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.2%	0.5%	2.0%	98.0%
Grade 11	2.2%	3.2%	4.8%	95.2%
Grade 12	0.3%	0.6%	2.1%	97.9%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	0.8%	0.8%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Delta 8</b>				
All	1.9%	2.8%	4.0%	96.0%
Grade 7	0.3%	0.8%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	2.5%	3.8%	4.1%	95.9%
Grade 10	2.3%	2.9%	5.1%	94.9%
Grade 11	2.5%	5.0%	7.2%	92.8%
Grade 12	3.7%	4.5%	6.5%	93.5%



**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	6.3%	9.0%	15.9%	84.1%
Grade 7	1.4%	1.5%	7.9%	92.1%
Grade 8	2.7%	4.0%	5.9%	94.1%
Grade 9	4.1%	6.7%	18.2%	81.8%
Grade 10	13.3%	20.1%	27.3%	72.7%
Grade 11	11.7%	17.0%	25.0%	75.0%
Grade 12	7.4%	8.4%	19.4%	80.6%
<b>Any Alcohol Product</b>				
All	19.8%	23.5%	38.1%	61.9%
Grade 7	9.1%	11.4%	28.4%	71.6%
Grade 8	15.6%	17.3%	31.1%	68.9%
Grade 9	12.6%	17.7%	31.1%	68.9%
Grade 10	30.0%	32.9%	42.8%	57.2%
Grade 11	30.3%	38.0%	50.9%	49.1%
Grade 12	25.0%	29.4%	50.9%	49.1%
<b>Any Illicit Drug</b>				
All	6.1%	8.4%	11.6%	88.4%
Grade 7	3.5%	4.3%	4.8%	95.2%
Grade 8	1.3%	2.1%	3.8%	96.2%
Grade 9	8.8%	10.0%	12.3%	87.7%
Grade 10	11.1%	14.3%	17.5%	82.5%
Grade 11	9.9%	16.1%	23.3%	76.7%
Grade 12	5.6%	8.3%	14.2%	85.8%
<b>Any Prescription Drug</b>				
All	4.0%	5.9%	10.7%	89.3%
Grade 7	4.0%	5.0%	9.4%	90.6%
Grade 8	4.2%	7.3%	12.5%	87.5%
Grade 9	2.0%	2.0%	4.2%	95.8%
Grade 10	4.2%	6.8%	12.6%	87.4%
Grade 11	5.0%	7.0%	14.2%	85.8%
Grade 12	3.9%	5.8%	8.4%	91.6%
<b>Any Inhalant</b>				
All	3.8%	4.3%	8.7%	91.3%
Grade 7	6.0%	6.3%	11.1%	88.9%
Grade 8	5.1%	5.4%	11.8%	88.2%
Grade 9	1.4%	1.8%	4.5%	95.5%
Grade 10	1.9%	2.5%	5.2%	94.8%
Grade 11	3.2%	4.2%	9.1%	90.9%
Grade 12	3.3%	3.3%	6.6%	93.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	5.6%	8.2%	14.2%	85.8%
Grade 7	1.1%	1.1%	6.5%	93.5%
Grade 8	2.1%	3.0%	5.5%	94.5%
Grade 9	3.3%	4.9%	14.0%	86.0%
Grade 10	11.2%	18.4%	25.4%	74.6%
Grade 11	11.1%	17.3%	23.4%	76.6%
Grade 12	7.3%	8.4%	17.9%	82.1%
<b>Marijuana</b>				
All	5.5%	6.7%	10.2%	89.8%
Grade 7	2.2%	2.5%	2.5%	97.5%
Grade 8	1.3%	1.5%	3.2%	96.8%
Grade 9	8.8%	10.0%	12.3%	87.7%
Grade 10	10.4%	12.0%	16.3%	83.7%
Grade 11	9.9%	12.2%	22.4%	77.6%
Grade 12	4.2%	6.8%	11.0%	89.0%
<b>Marijuana Only</b>				
All	2.3%	3.2%	5.8%	94.2%
Grade 7	1.6%	1.9%	1.9%	98.1%
Grade 8	0.6%	0.6%	2.3%	97.7%
Grade 9	5.1%	6.3%	8.6%	91.4%
Grade 10	6.0%	6.5%	9.6%	90.4%
Grade 11	1.1%	3.0%	9.2%	90.8%
Grade 12	0.8%	3.4%	7.3%	92.7%
<b>Cocaine or Crack</b>				
All	0.4%	0.4%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.8%	1.0%	1.0%	99.0%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	2.9%	97.1%
Grade 12	0.0%	0.0%	1.5%	98.5%
<b>Cocaine</b>				
All	0.3%	0.3%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.8%	1.0%	1.0%	99.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	2.9%	97.1%
Grade 12	0.0%	0.0%	1.5%	98.5%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.2%	0.5%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	1.6%	3.7%	96.3%
Grade 11	0.8%	1.0%	3.2%	96.8%
Grade 12	0.0%	0.3%	2.4%	97.6%
<b>Synthetic Cathinones</b>				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.1%	0.1%	1.4%	98.6%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.0%	1.2%	98.8%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.0%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	1.0%	2.0%	98.0%
Grade 11	0.0%	0.8%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.6%	99.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.1%	0.6%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.2%	2.8%	3.6%	96.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.2%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	1.0%	2.4%	3.1%	96.9%
Grade 7	0.2%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.8%	3.2%	3.2%	96.8%
Grade 10	0.3%	1.6%	2.2%	97.8%
Grade 11	3.2%	8.0%	10.1%	89.9%
Grade 12	2.5%	2.8%	5.1%	94.9%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.7%	15.2%	24.7%	75.3%
Grade 7	4.7%	5.7%	12.5%	87.5%
Grade 8	6.0%	7.5%	14.4%	85.6%
Grade 9	17.1%	19.9%	26.9%	73.1%
Grade 10	13.8%	17.8%	32.5%	67.5%
Grade 11	15.4%	19.4%	28.7%	71.3%
Grade 12	19.8%	21.6%	34.8%	65.2%
<b>Any Alcohol Product</b>				
All	23.0%	26.2%	42.1%	57.9%
Grade 7	18.1%	18.6%	31.3%	68.7%
Grade 8	14.4%	17.3%	35.9%	64.1%
Grade 9	23.2%	25.9%	40.0%	60.0%
Grade 10	26.2%	29.5%	52.2%	47.8%
Grade 11	24.6%	28.8%	42.4%	57.6%
Grade 12	32.5%	38.3%	53.1%	46.9%
<b>Any Illicit Drug</b>				
All	10.6%	13.7%	17.4%	82.6%
Grade 7	3.1%	3.8%	4.9%	95.1%
Grade 8	3.7%	5.9%	8.3%	91.7%
Grade 9	11.1%	13.3%	16.1%	83.9%
Grade 10	11.4%	16.4%	23.8%	76.2%
Grade 11	17.1%	19.6%	23.5%	76.5%
Grade 12	18.2%	24.5%	29.8%	70.2%
<b>Any Prescription Drug</b>				
All	4.3%	5.9%	11.3%	88.7%
Grade 7	4.0%	5.0%	9.9%	90.1%
Grade 8	4.7%	5.8%	10.8%	89.2%
Grade 9	6.2%	7.4%	11.4%	88.6%
Grade 10	1.6%	3.6%	8.9%	91.1%
Grade 11	5.5%	8.1%	13.6%	86.4%
Grade 12	3.4%	5.5%	13.3%	86.7%
<b>Any Inhalant</b>				
All	3.9%	5.5%	10.5%	89.5%
Grade 7	4.4%	5.5%	10.2%	89.8%
Grade 8	6.3%	8.2%	14.7%	85.3%
Grade 9	4.2%	6.6%	10.3%	89.7%
Grade 10	3.4%	4.5%	10.0%	90.0%
Grade 11	1.8%	3.1%	8.3%	91.7%
Grade 12	3.3%	4.7%	9.1%	90.9%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.1%	11.8%	21.3%	78.7%
Grade 7	3.2%	4.1%	10.2%	89.8%
Grade 8	4.4%	6.1%	12.3%	87.7%
Grade 9	13.8%	16.9%	24.7%	75.3%
Grade 10	9.8%	14.2%	28.3%	71.7%
Grade 11	11.7%	15.6%	27.0%	73.0%
Grade 12	11.4%	14.2%	26.2%	73.8%
<b>Marijuana</b>				
All	9.9%	11.4%	15.1%	84.9%
Grade 7	2.7%	3.0%	3.9%	96.1%
Grade 8	2.8%	3.3%	5.1%	94.9%
Grade 9	10.4%	10.9%	12.9%	87.1%
Grade 10	10.4%	12.5%	21.1%	78.9%
Grade 11	16.7%	18.1%	22.2%	77.8%
Grade 12	17.3%	21.8%	27.7%	72.3%
<b>Marijuana Only</b>				
All	4.6%	5.4%	8.5%	91.5%
Grade 7	1.4%	1.6%	2.4%	97.6%
Grade 8	1.9%	2.1%	3.6%	96.4%
Grade 9	5.1%	5.6%	7.6%	92.4%
Grade 10	5.2%	6.0%	11.8%	88.2%
Grade 11	7.0%	7.8%	11.7%	88.3%
Grade 12	7.2%	10.2%	15.5%	84.5%
<b>Cocaine or Crack</b>				
All	0.8%	1.0%	1.6%	98.4%
Grade 7	1.4%	1.4%	1.5%	98.5%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.7%	1.1%	1.7%	98.3%
Grade 10	0.3%	0.8%	1.3%	98.7%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	1.5%	1.9%	3.4%	96.6%
<b>Cocaine</b>				
All	0.6%	0.9%	1.5%	98.5%
Grade 7	1.1%	1.1%	1.2%	98.8%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.7%	1.1%	1.1%	98.9%
Grade 10	0.3%	0.8%	1.3%	98.7%
Grade 11	0.0%	0.4%	0.9%	99.1%
Grade 12	1.5%	1.9%	3.4%	96.6%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.5%	0.5%	0.9%	99.1%
<b>Hallucinogens</b>				
All	1.0%	1.3%	2.8%	97.2%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	1.4%	1.4%	2.2%	97.8%
Grade 10	0.6%	1.4%	2.8%	97.2%
Grade 11	3.2%	3.3%	5.8%	94.2%
Grade 12	0.6%	1.5%	6.1%	93.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.5%	0.5%	99.5%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Steroids</b>				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.5%	99.5%
Grade 9	0.6%	0.6%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.6%	0.6%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.6%	0.6%	2.0%	98.0%
Grade 11	0.4%	0.5%	0.6%	99.4%
Grade 12	0.1%	0.5%	3.9%	96.1%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.4%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.8%	1.2%	2.3%	97.7%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.4%	1.7%	3.7%	96.3%
Grade 11	3.0%	3.4%	5.1%	94.9%
Grade 12	0.5%	0.9%	3.3%	96.7%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.5%	0.8%	99.2%
Grade 11	1.2%	1.2%	2.0%	98.0%
Grade 12	0.0%	0.0%	0.7%	99.3%
<b>Delta 8</b>				
All	2.3%	3.1%	4.7%	95.3%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	3.4%	4.0%	4.5%	95.5%
Grade 10	3.4%	5.1%	7.7%	92.3%
Grade 11	2.4%	4.2%	7.1%	92.9%
Grade 12	3.9%	5.2%	8.1%	91.9%



**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.8%	10.7%	18.1%	81.9%
Grade 7	2.7%	3.0%	7.9%	92.1%
Grade 8	4.4%	5.0%	8.9%	91.1%
Grade 9	10.9%	13.3%	22.0%	78.0%
Grade 10	9.2%	13.8%	24.1%	75.9%
Grade 11	15.0%	17.4%	24.7%	75.3%
Grade 12	13.6%	15.3%	27.0%	73.0%
<b>Any Alcohol Product</b>				
All	20.9%	23.9%	37.5%	62.5%
Grade 7	13.5%	13.9%	26.5%	73.5%
Grade 8	14.4%	16.8%	32.2%	67.8%
Grade 9	21.0%	25.2%	36.3%	63.7%
Grade 10	26.3%	28.8%	42.7%	57.3%
Grade 11	28.0%	31.1%	46.2%	53.8%
Grade 12	26.5%	33.1%	47.0%	53.0%
<b>Any Illicit Drug</b>				
All	7.4%	9.5%	12.3%	87.7%
Grade 7	2.9%	3.3%	4.0%	96.0%
Grade 8	2.0%	3.7%	5.7%	94.3%
Grade 9	8.1%	9.4%	10.9%	89.1%
Grade 10	9.8%	13.0%	18.4%	81.6%
Grade 11	13.7%	15.9%	20.6%	79.4%
Grade 12	11.0%	15.5%	19.2%	80.8%
<b>Any Prescription Drug</b>				
All	4.4%	5.8%	10.5%	89.5%
Grade 7	4.6%	5.5%	10.0%	90.0%
Grade 8	4.8%	6.6%	11.4%	88.6%
Grade 9	6.0%	6.7%	10.6%	89.4%
Grade 10	1.6%	4.0%	8.5%	91.5%
Grade 11	5.8%	7.9%	13.2%	86.8%
Grade 12	3.0%	3.1%	8.9%	91.1%
<b>Any Inhalant</b>				
All	3.8%	5.3%	9.7%	90.3%
Grade 7	5.2%	6.0%	10.9%	89.1%
Grade 8	5.0%	6.5%	11.9%	88.1%
Grade 9	3.8%	6.4%	10.7%	89.3%
Grade 10	2.8%	3.8%	7.8%	92.2%
Grade 11	1.7%	3.2%	7.6%	92.4%
Grade 12	3.7%	4.9%	8.0%	92.0%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.4%	8.8%	16.2%	83.8%
Grade 7	1.9%	2.1%	6.3%	93.7%
Grade 8	2.9%	3.7%	7.9%	92.1%
Grade 9	9.4%	12.0%	19.8%	80.2%
Grade 10	6.0%	11.3%	22.2%	77.8%
Grade 11	11.3%	14.8%	23.9%	76.1%
Grade 12	9.2%	12.0%	22.2%	77.8%
<b>Marijuana</b>				
All	6.8%	7.8%	10.8%	89.2%
Grade 7	2.3%	2.5%	3.0%	97.0%
Grade 8	1.1%	1.5%	3.3%	96.7%
Grade 9	8.1%	8.2%	9.9%	90.1%
Grade 10	8.9%	10.0%	16.2%	83.8%
Grade 11	13.4%	14.6%	19.3%	80.7%
Grade 12	10.0%	13.8%	18.2%	81.8%
<b>Marijuana Only</b>				
All	3.0%	3.7%	6.2%	93.8%
Grade 7	0.9%	1.1%	1.5%	98.5%
Grade 8	0.5%	0.8%	2.4%	97.6%
Grade 9	2.9%	3.1%	4.7%	95.3%
Grade 10	5.6%	6.1%	10.2%	89.8%
Grade 11	5.1%	5.8%	10.1%	89.9%
Grade 12	4.3%	7.5%	11.2%	88.8%
<b>Cocaine or Crack</b>				
All	0.6%	0.7%	1.0%	99.0%
Grade 7	1.6%	1.6%	1.6%	98.4%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.2%	0.7%	0.7%	99.3%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.4%	0.4%	1.1%	98.9%
Grade 12	0.6%	0.6%	1.6%	98.4%
<b>Cocaine</b>				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	1.1%	1.1%	1.5%	98.5%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.2%	0.7%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.4%	1.1%	98.9%
Grade 12	0.6%	0.6%	1.6%	98.4%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.6%	0.6%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.8%	1.0%	1.9%	98.1%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	1.4%	1.4%	2.1%	97.9%
Grade 10	0.5%	1.7%	3.0%	97.0%
Grade 11	2.6%	2.7%	4.0%	96.0%
Grade 12	0.0%	0.0%	2.9%	97.1%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.7%	0.7%	0.7%	99.3%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Steroids</b>				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Ecstasy</b>				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.1%	0.5%	1.9%	98.1%
Grade 11	0.4%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.0%	1.5%	98.5%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.4%	0.8%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.4%	0.7%	1.3%	98.7%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.1%	1.3%	98.7%
Grade 11	2.4%	3.9%	4.6%	95.4%
Grade 12	0.0%	0.1%	1.4%	98.6%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.1%	1.1%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.7%	99.3%
<b>Delta 8</b>				
All	1.5%	2.2%	3.3%	96.7%
Grade 7	0.2%	0.8%	1.1%	98.9%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	1.9%	3.2%	3.4%	96.6%
Grade 10	1.8%	2.1%	4.2%	95.8%
Grade 11	2.1%	4.2%	6.9%	93.1%
Grade 12	3.7%	3.8%	5.1%	94.9%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.0%	19.0%	29.6%	70.4%
Grade 7	5.7%	7.3%	18.5%	81.5%
Grade 8	5.9%	9.4%	15.2%	84.8%
Grade 9	21.4%	24.6%	33.1%	66.9%
Grade 10	19.1%	22.7%	37.2%	62.8%
Grade 11	12.7%	19.1%	29.9%	70.1%
Grade 12	20.6%	25.7%	37.3%	62.7%
<b>Any Alcohol Product</b>				
All	24.9%	29.1%	48.8%	51.2%
Grade 7	17.2%	19.9%	40.8%	59.2%
Grade 8	16.2%	20.6%	39.8%	60.2%
Grade 9	26.2%	27.1%	45.5%	54.5%
Grade 10	24.4%	27.7%	56.3%	43.7%
Grade 11	21.8%	29.8%	43.8%	56.2%
Grade 12	38.2%	44.1%	61.5%	38.5%
<b>Any Illicit Drug</b>				
All	13.1%	18.2%	22.5%	77.5%
Grade 7	5.5%	6.8%	7.9%	92.1%
Grade 8	4.8%	7.5%	9.1%	90.9%
Grade 9	17.6%	20.9%	24.7%	75.3%
Grade 10	12.7%	17.8%	24.0%	76.0%
Grade 11	15.1%	23.3%	27.1%	72.9%
Grade 12	19.2%	27.4%	35.0%	65.0%
<b>Any Prescription Drug</b>				
All	4.5%	6.7%	12.8%	87.2%
Grade 7	3.7%	4.8%	10.0%	90.0%
Grade 8	6.9%	9.1%	14.3%	85.7%
Grade 9	6.0%	7.0%	10.2%	89.8%
Grade 10	3.0%	4.7%	11.8%	88.2%
Grade 11	2.9%	5.9%	14.1%	85.9%
Grade 12	4.6%	8.6%	16.1%	83.9%
<b>Any Inhalant</b>				
All	3.9%	4.9%	10.5%	89.5%
Grade 7	3.4%	4.7%	9.8%	90.2%
Grade 8	8.5%	9.2%	17.6%	82.4%
Grade 9	2.6%	3.5%	10.6%	89.4%
Grade 10	4.1%	5.2%	10.2%	89.8%
Grade 11	3.3%	3.6%	7.5%	92.5%
Grade 12	2.7%	4.0%	9.1%	90.9%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.3%	15.1%	25.0%	75.0%
Grade 7	3.9%	5.6%	15.7%	84.3%
Grade 8	5.0%	8.0%	12.7%	87.3%
Grade 9	16.7%	19.6%	29.6%	70.4%
Grade 10	14.3%	18.5%	30.7%	69.3%
Grade 11	11.7%	16.8%	26.7%	73.3%
Grade 12	13.3%	18.4%	29.5%	70.5%
<b>Marijuana</b>				
All	12.3%	14.9%	19.2%	80.8%
Grade 7	3.5%	3.9%	4.8%	95.2%
Grade 8	4.3%	5.3%	6.2%	93.8%
Grade 9	16.3%	17.6%	20.2%	79.8%
Grade 10	12.3%	15.1%	21.7%	78.3%
Grade 11	14.9%	17.7%	23.8%	76.2%
Grade 12	18.5%	24.9%	31.8%	68.2%
<b>Marijuana Only</b>				
All	6.1%	7.6%	11.1%	88.9%
Grade 7	3.2%	3.6%	4.3%	95.7%
Grade 8	3.4%	3.4%	4.3%	95.7%
Grade 9	11.8%	13.0%	15.7%	84.3%
Grade 10	4.1%	4.9%	9.5%	90.5%
Grade 11	5.0%	7.3%	11.1%	88.9%
Grade 12	7.6%	11.5%	18.2%	81.8%
<b>Cocaine or Crack</b>				
All	0.9%	1.2%	2.5%	97.5%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	2.5%	2.5%	3.7%	96.3%
Grade 10	0.7%	1.4%	2.9%	97.1%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	1.5%	2.1%	4.9%	95.1%
<b>Cocaine</b>				
All	0.9%	1.1%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	2.5%	2.5%	2.5%	97.5%
Grade 10	0.7%	1.4%	2.9%	97.1%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	1.5%	2.1%	4.9%	95.1%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.5%	1.1%	3.2%	96.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	0.8%	99.2%
Grade 9	0.1%	0.1%	1.5%	98.5%
Grade 10	0.1%	1.4%	3.0%	97.0%
Grade 11	1.5%	1.7%	6.0%	94.0%
Grade 12	0.9%	2.4%	6.6%	93.4%
<b>Synthetic Cathinones</b>				
All	0.2%	0.4%	0.4%	99.6%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.7%	1.2%	98.8%
Grade 7	0.1%	0.1%	1.6%	98.4%
Grade 8	0.0%	0.9%	1.3%	98.7%
Grade 9	1.2%	1.2%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.9%	0.9%	99.1%
Grade 12	0.9%	0.9%	0.9%	99.1%
<b>Ecstasy</b>				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.8%	0.8%	1.6%	98.4%
Grade 11	0.0%	0.1%	0.4%	99.6%
Grade 12	0.2%	0.7%	4.3%	95.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	1.2%	1.2%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.9%	1.3%	2.9%	97.1%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	1.2%	98.8%
Grade 9	1.4%	1.4%	2.6%	97.4%
Grade 10	0.6%	2.7%	4.7%	95.3%
Grade 11	1.8%	1.8%	4.8%	95.2%
Grade 12	0.7%	1.3%	3.2%	96.8%
<b>Methamphetamine</b>				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.8%	1.3%	98.7%
Grade 11	0.0%	0.2%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Delta 8</b>				
All	2.5%	4.2%	5.8%	94.2%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	3.5%	4.7%	5.1%	94.9%
Grade 10	3.1%	6.4%	8.3%	91.7%
Grade 11	3.5%	6.5%	8.1%	91.9%
Grade 12	3.6%	5.6%	9.5%	90.5%



**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.9%	11.8%	20.3%	79.7%
Grade 7	2.8%	3.2%	9.5%	90.5%
Grade 8	3.8%	4.9%	8.5%	91.5%
Grade 9	12.2%	14.3%	22.6%	77.4%
Grade 10	12.4%	15.6%	28.2%	71.8%
Grade 11	14.6%	17.1%	25.7%	74.3%
Grade 12	15.6%	17.9%	30.9%	69.1%
<b>Any Alcohol Product</b>				
All	20.7%	24.0%	40.0%	60.0%
Grade 7	12.8%	13.7%	28.7%	71.3%
Grade 8	11.8%	14.5%	27.6%	72.4%
Grade 9	20.3%	23.0%	38.3%	61.7%
Grade 10	24.2%	27.1%	47.7%	52.3%
Grade 11	25.5%	30.9%	46.4%	53.6%
Grade 12	32.4%	38.0%	55.0%	45.0%
<b>Any Illicit Drug</b>				
All	7.7%	10.8%	13.9%	86.1%
Grade 7	2.8%	3.3%	3.9%	96.1%
Grade 8	1.7%	3.6%	4.4%	95.6%
Grade 9	8.7%	10.7%	13.2%	86.8%
Grade 10	8.4%	12.4%	18.9%	81.1%
Grade 11	13.5%	18.3%	22.4%	77.6%
Grade 12	12.7%	18.9%	23.7%	76.3%
<b>Any Prescription Drug</b>				
All	3.9%	5.3%	10.2%	89.8%
Grade 7	3.8%	4.7%	8.8%	91.2%
Grade 8	4.1%	5.5%	9.5%	90.5%
Grade 9	4.9%	5.7%	8.6%	91.4%
Grade 10	2.0%	4.2%	10.1%	89.9%
Grade 11	4.9%	7.2%	13.4%	86.6%
Grade 12	3.4%	4.5%	10.9%	89.1%
<b>Any Inhalant</b>				
All	3.1%	4.1%	8.5%	91.5%
Grade 7	3.3%	4.2%	8.5%	91.5%
Grade 8	3.7%	5.0%	10.7%	89.3%
Grade 9	3.3%	4.5%	9.3%	90.7%
Grade 10	2.9%	3.7%	6.9%	93.1%
Grade 11	1.7%	2.4%	7.2%	92.8%
Grade 12	3.9%	4.6%	8.1%	91.9%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.5%	9.8%	17.7%	82.3%
Grade 7	1.8%	2.3%	7.7%	92.3%
Grade 8	2.6%	3.7%	7.5%	92.5%
Grade 9	10.3%	12.9%	20.8%	79.2%
Grade 10	9.2%	12.8%	24.0%	76.0%
Grade 11	11.5%	15.5%	24.7%	75.3%
Grade 12	11.5%	13.9%	25.0%	75.0%
<b>Marijuana</b>				
All	7.2%	8.8%	12.0%	88.0%
Grade 7	1.7%	1.9%	2.4%	97.6%
Grade 8	1.3%	1.7%	2.4%	97.6%
Grade 9	8.7%	9.4%	11.5%	88.5%
Grade 10	7.9%	9.5%	16.8%	83.2%
Grade 11	13.2%	15.0%	19.8%	80.2%
Grade 12	12.0%	17.1%	22.0%	78.0%
<b>Marijuana Only</b>				
All	3.4%	4.4%	7.1%	92.9%
Grade 7	1.0%	1.1%	1.5%	98.5%
Grade 8	0.8%	1.0%	1.5%	98.5%
Grade 9	5.3%	6.0%	8.1%	91.9%
Grade 10	4.1%	4.8%	10.0%	90.0%
Grade 11	4.6%	5.9%	9.7%	90.3%
Grade 12	5.4%	9.0%	13.8%	86.2%
<b>Cocaine or Crack</b>				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	1.0%	1.0%	1.1%	98.9%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.8%	0.9%	1.5%	98.5%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.9%	99.1%
<b>Cocaine</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.8%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.9%	99.1%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Hallucinogens</b>				
All	0.4%	0.7%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.1%	1.1%	2.6%	97.4%
Grade 11	2.1%	2.1%	4.1%	95.9%
Grade 12	0.0%	0.7%	3.9%	96.1%
<b>Synthetic Cathinones</b>				
All	0.2%	0.3%	0.3%	99.7%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.3%	99.7%
<b>Steroids</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.7%	99.3%
Grade 12	0.5%	0.5%	0.5%	99.5%
<b>Ecstasy</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.8%	1.6%	98.4%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	1.0%	99.0%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.4%	0.7%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.3%	1.4%	2.6%	97.4%
Grade 11	1.3%	2.4%	4.0%	96.0%
Grade 12	0.3%	0.4%	1.3%	98.7%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.4%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Delta 8</b>				
All	1.5%	2.5%	3.6%	96.4%
Grade 7	0.2%	0.6%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	1.2%	2.5%	2.7%	97.3%
Grade 10	2.0%	3.7%	5.2%	94.8%
Grade 11	2.3%	4.9%	7.6%	92.4%
Grade 12	3.1%	3.7%	5.4%	94.6%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.0%	23.4%	32.4%	67.6%
Grade 7	10.2%	13.3%	25.6%	74.4%
Grade 8	12.2%	14.1%	21.0%	79.0%
Grade 9	23.9%	29.9%	35.6%	64.4%
Grade 10	19.0%	23.9%	38.1%	61.9%
Grade 11	17.3%	25.5%	34.7%	65.3%
Grade 12	22.3%	30.3%	37.8%	62.2%
<b>Any Alcohol Product</b>				
All	30.6%	35.6%	48.9%	51.1%
Grade 7	32.2%	34.7%	43.9%	56.1%
Grade 8	25.6%	31.3%	59.9%	40.1%
Grade 9	30.3%	35.1%	41.2%	58.8%
Grade 10	32.9%	35.3%	48.0%	52.0%
Grade 11	27.8%	32.1%	43.3%	56.7%
Grade 12	35.0%	43.9%	55.1%	44.9%
<b>Any Illicit Drug</b>				
All	18.8%	23.4%	28.0%	72.0%
Grade 7	11.3%	13.7%	15.3%	84.7%
Grade 8	7.6%	11.3%	19.3%	80.7%
Grade 9	24.9%	29.2%	31.1%	68.9%
Grade 10	21.2%	28.4%	32.0%	68.0%
Grade 11	18.4%	22.5%	28.8%	71.2%
Grade 12	26.6%	31.8%	37.5%	62.5%
<b>Any Prescription Drug</b>				
All	7.5%	10.0%	17.0%	83.0%
Grade 7	9.5%	10.4%	19.3%	80.7%
Grade 8	12.9%	14.7%	22.4%	77.6%
Grade 9	7.1%	9.1%	16.1%	83.9%
Grade 10	3.9%	7.5%	14.0%	86.0%
Grade 11	5.9%	5.9%	11.2%	88.8%
Grade 12	5.5%	11.4%	18.7%	81.3%
<b>Any Inhalant</b>				
All	7.6%	11.4%	17.4%	82.6%
Grade 7	10.6%	12.0%	21.1%	78.9%
Grade 8	15.7%	16.0%	24.2%	75.8%
Grade 9	7.0%	14.5%	19.4%	80.6%
Grade 10	6.4%	10.2%	15.5%	84.5%
Grade 11	6.4%	10.5%	13.0%	87.0%
Grade 12	0.4%	4.6%	10.9%	89.1%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.3%	18.8%	27.9%	72.1%
Grade 7	9.7%	11.2%	21.8%	78.2%
Grade 8	9.7%	12.0%	19.2%	80.8%
Grade 9	21.1%	25.4%	31.4%	68.6%
Grade 10	13.5%	21.1%	34.9%	65.1%
Grade 11	14.8%	21.5%	29.9%	70.1%
Grade 12	9.3%	19.5%	29.3%	70.7%
<b>Marijuana</b>				
All	18.0%	20.0%	25.5%	74.5%
Grade 7	10.8%	11.8%	12.2%	87.8%
Grade 8	6.2%	7.6%	15.0%	85.0%
Grade 9	24.9%	25.3%	27.3%	72.7%
Grade 10	21.2%	24.5%	30.3%	69.7%
Grade 11	17.8%	20.1%	28.8%	71.2%
Grade 12	24.6%	28.2%	36.0%	64.0%
<b>Marijuana Only</b>				
All	8.6%	9.7%	14.0%	86.0%
Grade 7	7.7%	8.7%	9.2%	90.8%
Grade 8	4.1%	4.4%	11.8%	88.2%
Grade 9	13.5%	14.0%	15.9%	84.1%
Grade 10	8.7%	9.6%	12.9%	87.1%
Grade 11	7.9%	9.9%	15.9%	84.1%
Grade 12	9.0%	11.0%	16.8%	83.2%
<b>Cocaine or Crack</b>				
All	2.7%	3.4%	4.6%	95.4%
Grade 7	2.7%	2.7%	2.7%	97.3%
Grade 8	0.0%	0.4%	1.1%	98.9%
Grade 9	2.9%	4.8%	4.8%	95.2%
Grade 10	2.0%	2.0%	3.9%	96.1%
Grade 11	2.0%	2.0%	2.3%	97.7%
Grade 12	6.1%	7.7%	11.8%	88.2%
<b>Cocaine</b>				
All	2.3%	3.3%	4.6%	95.4%
Grade 7	2.2%	2.2%	2.2%	97.8%
Grade 8	0.0%	0.4%	1.1%	98.9%
Grade 9	2.9%	4.8%	4.8%	95.2%
Grade 10	2.0%	2.0%	3.9%	96.1%
Grade 11	0.0%	2.0%	2.3%	97.7%
Grade 12	6.1%	7.7%	11.8%	88.2%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	0.8%	0.8%	99.2%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.0%	2.0%	2.0%	98.0%
Grade 12	2.1%	2.1%	2.1%	97.9%
<b>Hallucinogens</b>				
All	1.6%	2.2%	4.2%	95.8%
Grade 7	0.0%	0.9%	0.9%	99.1%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	2.0%	2.0%	4.9%	95.1%
Grade 10	0.0%	2.5%	4.8%	95.2%
Grade 11	4.0%	4.8%	5.7%	94.3%
Grade 12	2.5%	2.5%	7.4%	92.6%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.0%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.7%	3.0%	97.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.1%	97.9%
<b>Ecstasy</b>				
All	0.9%	1.2%	3.7%	96.3%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	0.0%	0.0%	4.1%	95.9%
Grade 11	2.0%	2.3%	2.3%	97.7%
Grade 12	0.4%	2.0%	11.2%	88.8%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	2.0%	2.0%	98.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.6%	2.1%	3.5%	96.5%
Grade 7	0.9%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.5%	2.6%	97.4%
Grade 11	8.6%	8.6%	8.6%	91.4%
Grade 12	0.0%	1.5%	6.1%	93.9%
<b>Methamphetamine</b>				
All	0.7%	0.7%	2.0%	98.0%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.7%	3.7%	7.9%	92.1%
Grade 12	0.0%	0.0%	2.1%	97.9%
<b>Delta 8</b>				
All	4.2%	5.4%	7.2%	92.8%
Grade 7	0.9%	0.9%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	4.8%	7.6%	8.5%	91.5%
Grade 10	6.1%	7.1%	9.2%	90.8%
Grade 11	5.3%	5.6%	6.2%	93.8%
Grade 12	7.3%	9.7%	15.8%	84.2%



### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	116,353	50.8%
Female	112,882	49.2%
Frequency Missing	1,768	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	14,075	6.2%
Yes	214,330	93.8%
Frequency Missing	2,599	

**Grade**

Q2	Frequency	Percent
Grade 7	40,243	17.5%
Grade 8	40,505	17.6%
Grade 9	41,232	17.9%
Grade 10	36,466	15.9%
Grade 11	36,313	15.8%
Grade 12	35,139	15.3%
Frequency Missing	1,106	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	3,806	1.9%
Asian American	728	0.4%
African American	5,726	2.8%
Pacific Islander	589	0.3%
White	128,284	62.4%
Other	45,429	22.1%
More Than One Race	20,919	10.2%
Frequency Missing	25,522	

**Live with Both Parents**

Q3	Frequency	Percent
No	79,095	34.6%
Yes	149,317	65.4%
Frequency Missing	2,591	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	1,112	0.5%
Mostly D's	3,173	1.5%
Mostly C's	34,337	16.7%
Mostly B's	104,533	51.0%
Mostly A's	61,992	30.2%
Frequency Missing	25,857	

**Age**

Q4	Frequency	Percent
11 or younger	114	0.0%
12	19,797	8.6%
13	39,078	17.0%
14	36,906	16.0%
15	36,651	15.9%
16	37,675	16.4%
17	35,226	15.3%
18	21,512	9.3%
19 or older	3,231	1.4%
Frequency Missing	813	

**Do You Have a Job**

Q7	Frequency	Percent
No	180,984	87.4%
Yes	26,087	12.6%
Frequency Missing	23,933	

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	18,355	9.0%
Yes	111,869	54.7%
Don't Know	74,337	36.3%
Frequency Missing	26,443	

**Participate in School Athletics (UIL, Varsity,  
Jr Varsity)**

Q9a	Frequency	Percent
No	103,740	53.0%
Yes	91,905	47.0%
Frequency Missing	35,359	

**Participate in Academic  
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	147,568	80.7%
Yes	35,304	19.3%
Frequency Missing	48,131	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	154,343	83.4%
Yes	30,616	16.6%
Frequency Missing	46,044	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	145,252	79.7%
Yes	36,984	20.3%
Frequency Missing	48,767	

**Participate in School Choir**

Q9c	Frequency	Percent
No	172,001	95.2%
Yes	8,728	4.8%
Frequency Missing	50,274	

**Participate in Athletic Teams Outside of  
School**

Q9h	Frequency	Percent
No	134,387	72.6%
Yes	50,831	27.4%
Frequency Missing	45,785	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	169,370	93.4%
Yes	11,951	6.6%
Frequency Missing	49,682	

**Participate in Other Clubs or Groups  
Outside of School**

Q9i	Frequency	Percent
No	153,482	84.8%
Yes	27,507	15.2%
Frequency Missing	50,015	

**Participate in Student Government/School  
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	169,337	93.7%
Yes	11,335	6.3%
Frequency Missing	50,331	

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	200,555	87.2%
Somewhat Safe	25,367	11.0%
Not Very Safe	2,184	0.9%
Not Safe At All	174	0.1%
Don't Know	1,821	0.8%
Frequency Missing	902	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	92,245	40.4%
Somewhat Safe	110,766	48.5%
Not Very Safe	16,348	7.2%
Not Safe At All	2,827	1.2%
Don't Know	6,114	2.7%
Frequency Missing	2,702	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	130,907	64.8%
Yes	71,058	35.2%
Frequency Missing	29,039	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	79,614	34.9%
Somewhat Safe	115,352	50.5%
Not Very Safe	18,982	8.3%
Not Safe At All	6,424	2.8%
Don't Know	7,926	3.5%
Frequency Missing	2,704	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	16,404	7.2%
A Few	53,439	23.5%
Some	57,206	25.2%
Most	68,282	30.1%
All	31,877	14.0%
Frequency Missing	3,795	

**Highest Level of Schooling Completed by  
Father**

Q11a	Frequency	Percent
Grade School or Less	18,588	8.7%
Some High School	30,452	14.3%
Finished High School	47,053	22.1%
Some College	20,828	9.8%
Finished College	33,140	15.6%
Post-Secondary	18,254	8.6%
Don't Know or N/A	44,731	21.0%
Frequency Missing	17,957	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	5,690	2.5%
A Few	30,124	13.2%
Some	58,935	25.9%
Most	90,130	39.6%
All	42,976	18.9%
Frequency Missing	3,149	

**Highest Level of Schooling Completed by  
Mother**

Q11b	Frequency	Percent
Grade School or Less	21,136	9.8%
Some High School	28,257	13.2%
Finished High School	43,420	20.2%
Some College	26,734	12.5%
Finished College	39,917	18.6%
Post-Secondary	25,196	11.7%
Don't Know or N/A	30,030	14.0%
Frequency Missing	16,313	

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	111,593	50.2%
A Few	62,881	28.3%
Some	28,108	12.6%
Most	14,470	6.5%
All	5,252	2.4%
Frequency Missing	8,699	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	201,813	89.5%
A Few	16,760	7.4%
Some	3,918	1.7%
Most	1,847	0.8%
All	1,066	0.5%
Frequency Missing	5,600	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	224,212	99.2%
In Your Lifetime	1,097	0.5%
Since School Began	503	0.2%
In the Past Month	297	0.1%
Frequency Missing	4,895	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	209,360	92.4%
A Few	11,573	5.1%
Some	3,922	1.7%
Most	682	0.3%
All	985	0.4%
Frequency Missing	4,482	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	217,829	95.6%
In Your Lifetime	6,889	3.0%
Since School Began	686	0.3%
In the Past Month	2,540	1.1%
Frequency Missing	3,059	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	224,784	98.4%
In Your Lifetime	2,444	1.1%
Since School Began	580	0.3%
In the Past Month	679	0.3%
Frequency Missing	2,517	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	224,499	98.6%
In Your Lifetime	2,241	1.0%
Since School Began	372	0.2%
In the Past Month	543	0.2%
Frequency Missing	3,348	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	218,662	95.9%
In Your Lifetime	6,204	2.7%
Since School Began	1,068	0.5%
In the Past Month	2,121	0.9%
Frequency Missing	2,948	

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	224,931	98.9%
In Your Lifetime	1,532	0.7%
Since School Began	382	0.2%
In the Past Month	631	0.3%
Frequency Missing	3,527	

**Recent Inhalant Use - Gasoline, Octane  
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	223,364	98.1%
In Your Lifetime	2,663	1.2%
Since School Began	681	0.3%
In the Past Month	877	0.4%
Frequency Missing	3,418	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	161,459	72.1%
In Your Lifetime	36,105	16.1%
Since School Began	9,195	4.1%
In the Past Month	17,179	7.7%
Frequency Missing	7,065	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	224,342	98.5%
In Your Lifetime	1,990	0.9%
Since School Began	582	0.3%
In the Past Month	881	0.4%
Frequency Missing	3,209	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	184,996	81.7%
In Your Lifetime	17,949	7.9%
Since School Began	7,805	3.4%
In the Past Month	15,586	6.9%
Frequency Missing	4,668	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	206,819	90.6%
In Your Lifetime	13,219	5.8%
Since School Began	2,818	1.2%
In the Past Month	5,365	2.4%
Frequency Missing	2,782	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	178,541	80.3%
In Your Lifetime	27,567	12.4%
Since School Began	6,442	2.9%
In the Past Month	9,792	4.4%
Frequency Missing	8,661	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	220,019	96.9%
In Your Lifetime	3,801	1.7%
Since School Began	843	0.4%
In the Past Month	2,379	1.0%
Frequency Missing	3,960	

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	176,863	78.2%
In Your Lifetime	23,561	10.4%
Since School Began	9,070	4.0%
In the Past Month	16,649	7.4%
Frequency Missing	4,861	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	221,896	97.7%
In Your Lifetime	3,967	1.7%
Since School Began	577	0.3%
In the Past Month	639	0.3%
Frequency Missing	3,924	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	183,427	80.8%
In Your Lifetime	18,738	8.2%
Since School Began	6,435	2.8%
In the Past Month	18,550	8.2%
Frequency Missing	3,854	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	221,893	97.7%
In Your Lifetime	3,013	1.3%
Since School Began	752	0.3%
In the Past Month	1,471	0.6%
Frequency Missing	3,874	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	198,723	87.2%
In Your Lifetime	13,358	5.9%
Since School Began	4,112	1.8%
In the Past Month	11,599	5.1%
Frequency Missing	3,212	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	226,921	99.8%
In Your Lifetime	29	0.0%
Since School Began	112	0.0%
In the Past Month	416	0.2%
Frequency Missing	3,524	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	225,315	99.0%
In Your Lifetime	1,544	0.7%
Since School Began	491	0.2%
In the Past Month	326	0.1%
Frequency Missing	3,327	

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	226,247	99.5%
In Your Lifetime	554	0.2%
Since School Began	222	0.1%
In the Past Month	344	0.2%
Frequency Missing	3,636	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	226,773	99.9%
In Your Lifetime	23	0.0%
Since School Began	0	0.0%
In the Past Month	111	0.0%
Frequency Missing	4,097	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	225,175	99.3%
In Your Lifetime	876	0.4%
Since School Began	414	0.2%
In the Past Month	215	0.1%
Frequency Missing	4,324	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	226,813	99.7%
In Your Lifetime	237	0.1%
Since School Began	0	0.0%
In the Past Month	335	0.1%
Frequency Missing	3,617	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	210,109	93.2%
In Your Lifetime	7,873	3.5%
Since School Began	3,230	1.4%
In the Past Month	4,184	1.9%
Frequency Missing	5,607	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	227,001	99.7%
In Your Lifetime	287	0.1%
Since School Began	178	0.1%
In the Past Month	313	0.1%
Frequency Missing	3,224	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	222,841	98.9%
In Your Lifetime	1,117	0.5%
Since School Began	611	0.3%
In the Past Month	676	0.3%
Frequency Missing	5,759	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	224,076	98.4%
In Your Lifetime	1,729	0.8%
Since School Began	696	0.3%
In the Past Month	1,114	0.5%
Frequency Missing	3,388	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	219,734	97.6%
In Your Lifetime	3,794	1.7%
Since School Began	943	0.4%
In the Past Month	702	0.3%
Frequency Missing	5,830	

**Recent Delta 8 Use**

Q16l	Frequency	Percent
Never Heard/Used	217,917	96.1%
In Your Lifetime	3,210	1.4%
Since School Began	1,892	0.8%
In the Past Month	3,645	1.6%
Frequency Missing	4,340	

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	219,656	97.6%
In Your Lifetime	2,116	0.9%
Since School Began	1,161	0.5%
In the Past Month	2,158	1.0%
Frequency Missing	5,912	



**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	211,639	94.4%
In Your Lifetime	5,186	2.3%
Since School Began	1,396	0.6%
In the Past Month	6,005	2.7%
Frequency Missing	6,777	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	221,022	98.7%
1-2 times	2,336	1.0%
3-10 times	556	0.2%
11+ times	101	0.0%
Frequency Missing	6,988	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	219,937	97.7%
In Your Lifetime	2,304	1.0%
Since School Began	661	0.3%
In the Past Month	2,205	1.0%
Frequency Missing	5,896	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	205,784	91.8%
1-2 times	8,389	3.7%
3-10 times	4,890	2.2%
11+ times	5,170	2.3%
Frequency Missing	6,770	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	213,499	95.3%
1-2 times	6,927	3.1%
3-10 times	1,633	0.7%
11+ times	1,986	0.9%
Frequency Missing	6,959	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	223,454	99.5%
1-2 times	869	0.4%
3-10 times	129	0.1%
11+ times	111	0.0%
Frequency Missing	6,440	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	181,053	81.1%
1-2 times	29,724	13.3%
3-10 times	9,542	4.3%
11+ times	2,911	1.3%
Frequency Missing	7,772	

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	224,236	99.9%
1-2 times	313	0.1%
3-10 times	19	0.0%
11+ times	0	0.0%
Frequency Missing	6,435	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	185,897	83.2%
A few	24,072	10.8%
Some	9,221	4.1%
Most	3,275	1.5%
All	896	0.4%
Frequency Missing	7,641	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	136,833	61.2%
A few	47,780	21.4%
Some	21,747	9.7%
Most	13,811	6.2%
All	3,531	1.6%
Frequency Missing	7,302	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	211,419	94.4%
A few	7,970	3.6%
Some	2,961	1.3%
Most	1,225	0.5%
All	275	0.1%
Frequency Missing	7,153	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	163,215	73.0%
A few	31,523	14.1%
Some	15,319	6.8%
Most	10,670	4.8%
All	2,912	1.3%
Frequency Missing	7,364	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	201,058	91.1%
8 or younger	1,898	0.9%
9 years old	474	0.2%
10 years old	696	0.3%
11 years old	1,059	0.5%
12 years old	1,871	0.8%
13 years old	2,167	1.0%
14 years old	2,238	1.0%
15 years old	2,651	1.2%
16 years old	3,414	1.5%
17 years old	1,952	0.9%
18 or older	1,119	0.5%
Frequency Missing	10,407	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	150,057	68.3%
8 or younger	8,518	3.9%
9 years old	2,200	1.0%
10 years old	4,303	2.0%
11 years old	4,082	1.9%
12 years old	6,016	2.7%
13 years old	7,351	3.3%
14 years old	9,511	4.3%
15 years old	11,684	5.3%
16 years old	8,461	3.9%
17 years old	5,346	2.4%
18 or older	2,033	0.9%
Frequency Missing	11,440	

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	215,762	97.7%
8 or younger	1,741	0.8%
9 years old	153	0.1%
10 years old	483	0.2%
11 years old	508	0.2%
12 years old	488	0.2%
13 years old	709	0.3%
14 years old	347	0.2%
15 years old	109	0.0%
16 years old	160	0.1%
17 years old	39	0.0%
18 or older	269	0.1%
Frequency Missing	10,235	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	193,904	87.9%
8 or younger	667	0.3%
9 years old	172	0.1%
10 years old	267	0.1%
11 years old	1,061	0.5%
12 years old	2,561	1.2%
13 years old	2,976	1.3%
14 years old	4,749	2.2%
15 years old	7,686	3.5%
16 years old	4,282	1.9%
17 years old	1,512	0.7%
18 or older	665	0.3%
Frequency Missing	10,502	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	218,652	98.9%
8 or younger	280	0.1%
9 years old	0	0.0%
10 years old	113	0.1%
11 years old	41	0.0%
12 years old	130	0.1%
13 years old	110	0.0%
14 years old	425	0.2%
15 years old	630	0.3%
16 years old	321	0.1%
17 years old	230	0.1%
18 or older	117	0.1%
Frequency Missing	9,954	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	218,406	99.2%
8 or younger	34	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	55	0.0%
13 years old	156	0.1%
14 years old	359	0.2%
15 years old	452	0.2%
16 years old	287	0.1%
17 years old	220	0.1%
18 or older	117	0.1%
Frequency Missing	10,919	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	220,837	99.8%
8 or younger	124	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	192	0.1%
13 years old	23	0.0%
14 years old	0	0.0%
15 years old	117	0.1%
16 years old	0	0.0%
17 years old	87	0.0%
Frequency Missing	9,624	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	220,551	99.8%
8 or younger	219	0.1%
9 years old	25	0.0%
10 years old	0	0.0%
11 years old	41	0.0%
12 years old	0	0.0%
13 years old	170	0.1%
14 years old	60	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	9,937	

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	219,745	99.5%
8 or younger	136	0.1%
9 years old	176	0.1%
10 years old	0	0.0%
11 years old	112	0.1%
12 years old	379	0.2%
13 years old	8	0.0%
14 years old	61	0.0%
15 years old	269	0.1%
16 years old	0	0.0%
17 years old	20	0.0%
18 or older	0	0.0%
Frequency Missing	10,097	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	220,597	99.7%
8 or younger	85	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	41	0.0%
12 years old	100	0.0%
13 years old	100	0.0%
14 years old	0	0.0%
15 years old	231	0.1%
16 years old	0	0.0%
17 years old	195	0.1%
Frequency Missing	9,655	

**Age When First Used Synthetic Marijuana**

Q21l	Frequency	Percent
Never used it	218,272	98.7%
8 or younger	183	0.1%
9 years old	51	0.0%
10 years old	0	0.0%
11 years old	170	0.1%
12 years old	134	0.1%
13 years old	475	0.2%
14 years old	876	0.4%
15 years old	382	0.2%
16 years old	591	0.3%
17 years old	80	0.0%
18 or older	0	0.0%
Frequency Missing	9,790	

**Age When First Used Delta 8**

Q21m	Frequency	Percent
Never used it	212,233	96.3%
8 or younger	0	0.0%
9 years old	89	0.0%
10 years old	0	0.0%
11 years old	109	0.0%
12 years old	186	0.1%
13 years old	1,071	0.5%
14 years old	1,632	0.7%
15 years old	1,936	0.9%
16 years old	1,076	0.5%
17 years old	1,643	0.7%
18 or older	510	0.2%
Frequency Missing	10,517	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	94,152	42.8%
Impossible	46,462	21.1%
Very Difficult	14,460	6.6%
Somewhat diff	21,322	9.7%
Somewhat easy	22,899	10.4%
Very easy	20,535	9.3%
Frequency Missing	11,173	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	78,501	35.9%
Impossible	30,969	14.1%
Very Difficult	12,544	5.7%
Somewhat diff	21,805	10.0%
Somewhat easy	35,264	16.1%
Very easy	39,831	18.2%
Frequency Missing	12,089	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	115,548	52.9%
Impossible	33,390	15.3%
Very Difficult	6,541	3.0%
Somewhat diff	10,074	4.6%
Somewhat easy	15,350	7.0%
Very easy	37,688	17.2%
Frequency Missing	12,412	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	90,532	41.4%
Impossible	51,675	23.6%
Very Difficult	15,759	7.2%
Somewhat diff	15,926	7.3%
Somewhat easy	21,097	9.6%
Very easy	23,876	10.9%
Frequency Missing	12,138	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	107,539	49.2%
Impossible	68,922	31.5%
Very Difficult	19,610	9.0%
Somewhat diff	12,033	5.5%
Somewhat easy	5,957	2.7%
Very easy	4,635	2.1%
Frequency Missing	12,308	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	111,840	51.3%
Impossible	69,978	32.1%
Very Difficult	19,123	8.8%
Somewhat diff	9,815	4.5%
Somewhat easy	4,024	1.8%
Very easy	3,399	1.6%
Frequency Missing	12,824	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	128,889	58.8%
Impossible	63,550	29.0%
Very Difficult	14,143	6.5%
Somewhat diff	7,209	3.3%
Somewhat easy	1,782	0.8%
Very easy	3,694	1.7%
Frequency Missing	11,737	

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	116,516	53.3%
Impossible	61,335	28.1%
Very Difficult	17,571	8.0%
Somewhat diff	12,557	5.7%
Somewhat easy	5,264	2.4%
Very easy	5,175	2.4%
Frequency Missing	12,585	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	132,449	60.5%
Impossible	53,041	24.2%
Very Difficult	11,305	5.2%
Somewhat diff	9,918	4.5%
Somewhat easy	6,515	3.0%
Very easy	5,796	2.6%
Frequency Missing	11,978	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	134,390	61.5%
Impossible	55,100	25.2%
Very Difficult	13,375	6.1%
Somewhat diff	7,875	3.6%
Somewhat easy	3,540	1.6%
Very easy	4,166	1.9%
Frequency Missing	12,558	

**Difficult to Get Delta 8**

Q22m	Frequency	Percent
Never heard of	136,220	62.4%
Impossible	46,194	21.2%
Very Difficult	9,727	4.5%
Somewhat diff	8,431	3.9%
Somewhat easy	7,848	3.6%
Very easy	9,788	4.5%
Frequency Missing	12,795	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	123,136	56.2%
Impossible	67,244	30.7%
Very Difficult	15,309	7.0%
Somewhat diff	7,783	3.6%
Somewhat easy	2,031	0.9%
Very easy	3,702	1.7%
Frequency Missing	11,797	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	778	0.4%
Several times/wk	627	0.3%
Several times/mo	1,818	0.8%
About once/month	4,012	1.8%
About once/year	3,055	1.4%
Less than once/year	6,641	3.0%
Never used	201,948	92.3%
Frequency Missing	12,123	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	165	0.1%
Several times/wk	1,517	0.7%
Several times/mo	8,697	4.0%
About once/month	16,769	7.7%
About once/year	19,101	8.8%
Less than once/year	15,342	7.0%
Never used	156,668	71.8%
Frequency Missing	12,745	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	51	0.0%
Several times/mo	133	0.1%
About once/month	427	0.2%
About once/year	391	0.2%
Less than once/year	833	0.4%
Never used	217,187	99.2%
Frequency Missing	11,981	

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	181	0.1%
Several times/wk	362	0.2%
Several times/mo	375	0.2%
About once/month	1,014	0.5%
About once/year	1,178	0.5%
Less than once/year	2,084	1.0%
Never used	213,683	97.6%
Frequency Missing	12,126	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	113	0.1%
Several times/wk	0	0.0%
Several times/mo	117	0.1%
About once/month	64	0.0%
About once/year	0	0.0%
Less than once/year	0	0.0%
Never used	219,230	99.9%
Frequency Missing	11,480	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	2,456	1.1%
Several times/wk	2,886	1.3%
Several times/mo	3,409	1.6%
About once/month	5,063	2.3%
About once/year	4,932	2.3%
Less than once/year	5,529	2.5%
Never used	194,710	88.9%
Frequency Missing	12,019	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	7	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	142	0.1%
About once/year	230	0.1%
Less than once/year	241	0.1%
Never used	218,027	99.7%
Frequency Missing	12,356	

**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	91	0.0%
Several times/wk	19	0.0%
Several times/mo	252	0.1%
About once/month	199	0.1%
About once/year	425	0.2%
Less than once/year	570	0.3%
Never used	217,146	99.3%
Frequency Missing	12,300	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	20	0.0%
Several times/wk	269	0.1%
Several times/mo	209	0.1%
About once/month	448	0.2%
About once/year	1,000	0.5%
Less than once/year	828	0.4%
Never used	215,831	98.7%
Frequency Missing	12,400	

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	43	0.0%
Several times/wk	97	0.0%
Several times/mo	0	0.0%
About once/month	133	0.1%
About once/year	194	0.1%
Less than once/year	43	0.0%
Never used	218,418	99.8%
Frequency Missing	12,075	

**How Often Normally Use Delta 8**

Q23m	Frequency	Percent
Every day	205	0.1%
Several times/wk	751	0.3%
Several times/mo	1,238	0.6%
About once/month	2,421	1.1%
About once/year	933	0.4%
Less than once/year	1,802	0.8%
Never used	210,212	96.6%
Frequency Missing	13,441	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	43	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	41	0.0%
About once/year	280	0.1%
Less than once/year	440	0.2%
Never used	217,971	99.6%
Frequency Missing	12,228	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	160,615	73.3%
12+ drinks	1,543	0.7%
9-11 drinks	1,899	0.9%
5-8 drinks	3,920	1.8%
3-4 drinks	7,354	3.4%
2 drinks	9,452	4.3%
1 drink	10,564	4.8%
Less than 1 drink	23,861	10.9%
Frequency Missing	11,794	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	177,317	81.2%
12+ drinks	1,432	0.7%
9-11 drinks	922	0.4%
5-8 drinks	2,961	1.4%
3-4 drinks	7,498	3.4%
2 drinks	5,952	2.7%
1 drink	10,600	4.9%
Less than 1 drink	11,594	5.3%
Frequency Missing	12,726	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	135,594	62.9%
0 days	64,921	30.1%
1 day	7,181	3.3%
2 days	3,144	1.5%
3 to 5 days	2,524	1.2%
6 to 9 days	957	0.4%
10 or more days	1,150	0.5%
Frequency Missing	15,534	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	174,606	80.1%
12+ drinks	347	0.2%
9-11 drinks	359	0.2%
5-8 drinks	563	0.3%
3-4 drinks	3,690	1.7%
2 drinks	5,978	2.7%
1 drink	11,333	5.2%
Less than 1 drink	21,043	9.7%
Frequency Missing	13,086	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	147,733	68.2%
Never	31,431	14.5%
Seldom	23,367	10.8%
Most of the Time	9,734	4.5%
Always	4,507	2.1%
Frequency Missing	14,231	

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	170,150	77.9%
12+ drinks	1,362	0.6%
9-11 drinks	1,924	0.9%
5-8 drinks	5,457	2.5%
3-4 drinks	9,398	4.3%
2 drinks	7,687	3.5%
1 drink	7,529	3.4%
Less than 1 drink	14,787	6.8%
Frequency Missing	12,709	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	145,249	67.2%
Never	38,707	17.9%
Seldom	18,860	8.7%
Most of the Time	9,681	4.5%
Always	3,630	1.7%
Frequency Missing	14,877	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	151,650	70.3%
Never	53,412	24.8%
Seldom	6,060	2.8%
Most of the Time	2,928	1.4%
Always	1,734	0.8%
Frequency Missing	15,219	



**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	142,979	65.9%
Never	31,789	14.7%
Seldom	16,613	7.7%
Most of the Time	16,114	7.4%
Always	9,389	4.3%
Frequency Missing	14,120	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	154,811	72.8%
Somewhat	28,730	13.5%
Not very	9,268	4.4%
Not at all	2,862	1.3%
Don't know	17,126	8.0%
Frequency Missing	18,206	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	153,584	71.6%
Never	42,885	20.0%
Seldom	9,243	4.3%
Most of the Time	5,688	2.7%
Always	3,111	1.5%
Frequency Missing	16,492	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	141,572	66.4%
Somewhat	29,007	13.6%
Not very	18,573	8.7%
Not at all	12,800	6.0%
Don't know	11,339	5.3%
Frequency Missing	17,712	

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	146,059	68.3%
Somewhat	41,989	19.6%
Not very	10,847	5.1%
Not at all	2,273	1.1%
Don't know	12,742	6.0%
Frequency Missing	17,094	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	186,718	87.8%
Somewhat	10,223	4.8%
Not very	1,614	0.8%
Not at all	1,008	0.5%
Don't know	13,148	6.2%
Frequency Missing	18,293	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	112,653	52.8%
Somewhat	57,925	27.1%
Not very	28,349	13.3%
Not at all	4,521	2.1%
Don't know	9,981	4.7%
Frequency Missing	17,573	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	187,705	87.8%
Somewhat	9,127	4.3%
Not very	1,031	0.5%
Not at all	729	0.3%
Don't know	15,079	7.1%
Frequency Missing	17,332	

**Dangerous for Kids to Use Ecstasy**

Q27h	Frequency	Percent
Very	174,100	81.6%
Somewhat	11,246	5.3%
Not very	1,792	0.8%
Not at all	953	0.4%
Don't know	25,340	11.9%
Frequency Missing	17,573	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27l	Frequency	Percent
Very	169,906	79.7%
Somewhat	12,433	5.8%
Not very	3,848	1.8%
Not at all	2,199	1.0%
Don't know	24,688	11.6%
Frequency Missing	17,929	

**Dangerous for Kids to Use Steroids**

Q27i	Frequency	Percent
Very	165,775	77.7%
Somewhat	21,803	10.2%
Not very	5,512	2.6%
Not at all	1,652	0.8%
Don't know	18,545	8.7%
Frequency Missing	17,717	

**Dangerous for Kids to Use Delta 8**

Q27m	Frequency	Percent
Very	158,424	74.5%
Somewhat	15,319	7.2%
Not very	8,883	4.2%
Not at all	4,419	2.1%
Don't know	25,552	12.0%
Frequency Missing	18,406	

**Dangerous for Kids to Use Heroin**

Q27j	Frequency	Percent
Very	184,296	86.5%
Somewhat	8,467	4.0%
Not very	1,139	0.5%
Not at all	974	0.5%
Don't know	18,281	8.6%
Frequency Missing	17,845	

**Dangerous for Kids to Use Any Prescription**

Q27n	Frequency	Percent
Very	161,094	76.0%
Somewhat	23,244	11.0%
Not very	5,982	2.8%
Not at all	2,222	1.0%
Don't know	19,294	9.1%
Frequency Missing	19,168	

**Dangerous for Kids to Use Methamphetamine**

Q27k	Frequency	Percent
Very	183,502	86.2%
Somewhat	8,214	3.9%
Not very	974	0.5%
Not at all	816	0.4%
Don't know	19,414	9.1%
Frequency Missing	18,083	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27o	Frequency	Percent
Very	137,361	64.7%
Somewhat	35,166	16.6%
Not very	18,771	8.8%
Not at all	6,727	3.2%
Don't know	14,342	6.8%
Frequency Missing	18,637	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	167,853	79.6%
1-3 days	27,230	12.9%
4-9 days	7,657	3.6%
10+ days	8,014	3.8%
Frequency Missing	20,250	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	195,093	92.6%
1-3 days	12,669	6.0%
4-9 days	1,965	0.9%
10+ days	884	0.4%
Frequency Missing	20,392	

**Days Ill Since September**

Q28b	Frequency	Percent
None	70,325	33.3%
1-3 days	75,883	36.0%
4-9 days	36,790	17.4%
10+ days	27,983	13.3%
Frequency Missing	20,022	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	207,081	98.4%
1-3 times	3,236	1.5%
4-9 times	84	0.0%
10+ times	69	0.0%
Frequency Missing	20,533	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	81,874	39.2%
1-3 days	93,418	44.7%
4-9 days	21,150	10.1%
10+ days	12,473	6.0%
Frequency Missing	22,089	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	208,052	98.9%
1-3 times	1,921	0.9%
4-9 times	272	0.1%
10+ times	40	0.0%
Frequency Missing	20,718	

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	194,442	92.1%
1-3 days	13,295	6.3%
4-9 days	2,091	1.0%
10+ days	1,205	0.6%
Frequency Missing	19,969	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	205,562	97.8%
1-3 times	3,832	1.8%
4-9 times	651	0.3%
10+ times	98	0.0%
Frequency Missing	20,860	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	206,063	98.3%
1-3 times	2,716	1.3%
4-9 times	360	0.2%
10+ times	576	0.3%
Frequency Missing	21,289	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	205,954	98.1%
1-3 days	2,894	1.4%
4-9 days	612	0.3%
10+ days	430	0.2%
Frequency Missing	21,112	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	122,471	58.4%
Seldom	10,883	5.2%
Half the time	9,862	4.7%
Most of the Time	16,601	7.9%
Always	16,110	7.7%
Don't Know	4,032	1.9%
Didn't attend	29,587	14.1%
Frequency Missing	21,458	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	199,655	95.3%
1-3 days	5,138	2.5%
4-9 days	1,288	0.6%
10+ days	3,491	1.7%
Frequency Missing	21,431	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	140,175	67.0%
Seldom	8,236	3.9%
Half the time	7,103	3.4%
Most of the Time	9,059	4.3%
Always	9,147	4.4%
Don't Know	5,413	2.6%
Didn't attend	29,943	14.3%
Frequency Missing	21,926	

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	207,335	99.3%
1-3 days	855	0.4%
4-9 days	23	0.0%
10+ days	618	0.3%
Frequency Missing	22,172	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	179,962	94.5%
Yes	10,420	5.5%
Frequency Missing	40,622	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	205,195	98.3%
1-3 days	2,248	1.1%
4-9 days	824	0.4%
10+ days	479	0.2%
Frequency Missing	22,257	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	126,051	61.3%
Yes	79,543	38.7%
Frequency Missing	25,409	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	153,477	75.1%
Yes	50,875	24.9%
Frequency Missing	26,652	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	79,077	38.6%
Yes	125,624	61.4%
Frequency Missing	26,302	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	113,168	55.7%
Yes	89,876	44.3%
Frequency Missing	27,960	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	112,271	54.9%
Yes	92,155	45.1%
Frequency Missing	26,578	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	58,692	28.5%
Yes	146,897	71.5%
Frequency Missing	25,415	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	156,462	78.2%
Yes	43,744	21.8%
Frequency Missing	30,797	

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	77,966	38.2%
Yes	126,325	61.8%
Frequency Missing	26,713	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	118,218	58.6%
Yes	83,512	41.4%
Frequency Missing	29,274	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	77,553	38.0%
Yes	126,548	62.0%
Frequency Missing	26,902	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	111,076	55.3%
Yes	89,697	44.7%
Frequency Missing	30,230	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	131,523	65.5%
Yes	69,397	34.5%
Frequency Missing	30,083	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	142,769	71.2%
Yes	57,667	28.8%
Frequency Missing	30,567	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	163,280	81.4%
Yes	37,190	18.6%
Frequency Missing	30,533	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	165,012	79.4%
Mild disapprove	12,161	5.9%
Neither	9,521	4.6%
Mildly approve	1,557	0.7%
Strongly approve	1,017	0.5%
Don't know	18,562	8.9%
Frequency Missing	23,173	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	137,771	68.8%
Yes	62,460	31.2%
Frequency Missing	30,772	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	125,398	60.3%
Mild disapprove	28,261	13.6%
Neither	26,786	12.9%
Mildly approve	8,029	3.9%
Strongly approve	1,686	0.8%
Don't know	17,785	8.6%
Frequency Missing	23,056	

**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	166,777	83.3%
Yes	33,322	16.7%
Frequency Missing	30,904	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	160,704	77.5%
Mild disapprove	12,426	6.0%
Neither	12,736	6.1%
Mildly approve	2,708	1.3%
Strongly approve	1,783	0.9%
Don't know	16,942	8.2%
Frequency Missing	23,703	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	145,341	72.3%
Yes	55,568	27.7%
Frequency Missing	30,094	

## Appendix: Reporting Methods for Prevalence & Recency of Use

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.



## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Delta 8</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

