
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2022



HHSC REGION 2 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	109

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 2. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	10.5%	12.6%	22.3%	77.7%
Grade 7	5.1%	6.3%	16.2%	83.8%
Grade 8	8.3%	10.3%	19.8%	80.2%
Grade 9	9.9%	11.7%	19.9%	80.1%
Grade 10	8.8%	12.2%	22.0%	78.0%
Grade 11	16.1%	18.5%	30.3%	69.7%
Grade 12	16.8%	19.3%	28.6%	71.4%
Cigarettes?				
All	1.4%	2.7%	7.1%	92.9%
Grade 7	0.3%	1.2%	3.6%	96.4%
Grade 8	1.2%	1.7%	4.9%	95.1%
Grade 9	1.5%	3.7%	5.9%	94.1%
Grade 10	0.2%	1.3%	7.1%	92.9%
Grade 11	3.8%	5.3%	12.4%	87.6%
Grade 12	1.9%	3.5%	10.1%	89.9%
Smokeless Tobacco?				
All	0.9%	1.2%	3.4%	96.6%
Grade 7	0.4%	0.7%	1.6%	98.4%
Grade 8	0.3%	0.4%	1.5%	98.5%
Grade 9	1.1%	1.1%	2.5%	97.5%
Grade 10	0.3%	0.7%	1.4%	98.6%
Grade 11	1.7%	2.2%	8.7%	91.3%
Grade 12	1.8%	2.4%	5.9%	94.1%
Electronic Vapor Products?				
All	8.0%	10.2%	19.4%	80.6%
Grade 7	4.6%	5.9%	13.6%	86.4%
Grade 8	5.8%	8.2%	16.8%	83.2%
Grade 9	6.4%	7.6%	17.5%	82.5%
Grade 10	7.7%	11.6%	19.9%	80.1%
Grade 11	12.2%	14.5%	26.2%	73.8%
Grade 12	13.6%	16.3%	25.3%	74.7%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	91.8%	1.5%	0.9%	0.8%	1.1%	1.5%	2.5%
Grade 7	95.7%	0.1%	0.3%	0.6%	0.7%	1.2%	1.5%
Grade 8	93.1%	0.2%	0.6%	0.6%	0.8%	1.7%	2.9%
Grade 9	92.4%	1.3%	0.5%	0.9%	1.5%	1.1%	2.2%
Grade 10	93.8%	1.3%	0.3%	0.0%	1.4%	1.5%	1.7%
Grade 11	86.6%	2.1%	2.6%	0.8%	1.8%	1.8%	4.4%
Grade 12	87.7%	4.8%	1.1%	1.8%	0.3%	2.0%	2.2%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.9	10.8	11.7	12.3	12.6	13.4	14.3

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	30.5%	24.7%	10.6%	10.5%	12.1%	11.6%
Grade 7	34.6%	33.0%	10.3%	9.4%	7.4%	5.3%
Grade 8	31.0%	30.6%	11.0%	9.6%	9.6%	8.1%
Grade 9	32.9%	26.4%	11.2%	10.2%	12.7%	6.6%
Grade 10	24.7%	22.4%	13.9%	12.9%	10.5%	15.5%
Grade 11	26.6%	20.1%	11.3%	9.5%	14.3%	18.2%
Grade 12	31.9%	10.9%	5.5%	12.0%	20.2%	19.5%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	82.9%	11.0%	2.6%	2.9%	0.6%
Grade 7	91.9%	6.0%	1.1%	0.8%	0.2%
Grade 8	85.3%	10.7%	2.5%	1.3%	0.2%
Grade 9	84.7%	11.7%	2.0%	1.0%	0.7%
Grade 10	82.8%	11.1%	3.5%	2.4%	0.2%
Grade 11	77.5%	12.4%	3.5%	6.1%	0.5%
Grade 12	71.1%	15.8%	4.0%	7.0%	2.2%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.9%	7.2%	4.8%	0.8%	0.6%	8.6%
Grade 7	80.6%	4.6%	3.6%	0.3%	0.3%	10.7%
Grade 8	80.2%	5.6%	6.9%	1.0%	0.7%	5.7%
Grade 9	78.8%	6.5%	4.1%	0.5%	0.0%	10.0%
Grade 10	79.0%	5.1%	5.7%	1.6%	1.1%	7.5%
Grade 11	73.0%	12.2%	4.9%	0.7%	0.4%	8.8%
Grade 12	74.4%	10.4%	3.6%	0.7%	1.5%	9.3%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	65.5%	22.3%	6.1%	0.9%	5.2%
Grade 7	73.1%	19.0%	3.4%	0.4%	4.1%
Grade 8	71.3%	18.7%	4.9%	0.8%	4.2%
Grade 9	68.7%	16.9%	7.3%	0.4%	6.7%
Grade 10	59.7%	25.9%	8.4%	0.4%	5.6%
Grade 11	58.3%	26.7%	8.0%	1.5%	5.6%
Grade 12	57.2%	29.3%	5.9%	2.3%	5.2%
Electronic Vapor Products?					
All	64.5%	18.1%	8.9%	2.8%	5.6%
Grade 7	72.8%	12.6%	6.7%	1.8%	6.0%
Grade 8	70.1%	16.7%	7.1%	2.5%	3.5%
Grade 9	63.2%	20.2%	8.4%	1.6%	6.7%
Grade 10	60.3%	19.6%	9.8%	5.1%	5.2%
Grade 11	58.0%	19.2%	13.3%	1.9%	7.6%
Grade 12	58.3%	22.5%	9.4%	4.9%	4.9%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	20.8%	24.4%	41.6%	58.4%
Grade 7	13.7%	15.3%	34.3%	65.7%
Grade 8	16.1%	19.1%	38.5%	61.5%
Grade 9	18.6%	23.3%	38.0%	62.0%
Grade 10	24.1%	27.0%	46.4%	53.6%
Grade 11	25.1%	30.5%	46.5%	53.5%
Grade 12	31.2%	36.2%	50.1%	49.9%
Beer?				
All	7.4%	11.2%	31.1%	68.9%
Grade 7	4.4%	5.2%	26.3%	73.7%
Grade 8	5.0%	7.9%	28.8%	71.2%
Grade 9	6.1%	9.3%	27.2%	72.8%
Grade 10	7.4%	11.8%	32.5%	67.5%
Grade 11	10.3%	18.5%	36.5%	63.5%
Grade 12	13.5%	17.4%	38.4%	61.6%
Wine Coolers?				
All	6.8%	9.7%	23.8%	76.2%
Grade 7	2.4%	3.5%	13.0%	87.0%
Grade 8	4.3%	6.1%	19.2%	80.8%
Grade 9	3.5%	7.5%	23.5%	76.5%
Grade 10	7.7%	9.7%	23.5%	76.5%
Grade 11	10.3%	16.3%	33.5%	66.5%
Grade 12	15.2%	18.6%	34.5%	65.5%
Wine?				
All	4.6%	7.3%	24.6%	75.4%
Grade 7	2.4%	2.6%	16.8%	83.2%
Grade 8	2.5%	4.7%	20.6%	79.4%
Grade 9	4.2%	7.7%	22.1%	77.9%
Grade 10	3.9%	7.1%	29.2%	70.8%
Grade 11	4.9%	9.9%	29.4%	70.6%
Grade 12	11.2%	13.8%	33.9%	66.1%
Liquor?				
All	7.2%	10.3%	26.8%	73.2%
Grade 7	3.2%	3.9%	16.4%	83.6%
Grade 8	5.5%	7.7%	21.2%	78.8%
Grade 9	5.7%	8.3%	22.5%	77.5%
Grade 10	9.0%	11.8%	29.1%	70.9%
Grade 11	7.8%	13.8%	36.3%	63.7%
Grade 12	14.1%	19.3%	40.7%	59.3%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	70.5%	0.3%	1.1%	3.3%	6.8%	8.7%	9.2%
Grade 7	82.4%	0.0%	0.2%	1.3%	3.6%	3.5%	8.8%
Grade 8	74.3%	0.2%	1.1%	1.7%	5.5%	7.5%	9.7%
Grade 9	74.5%	1.1%	1.1%	2.3%	4.3%	7.7%	9.1%
Grade 10	66.2%	0.2%	1.2%	3.9%	6.3%	10.3%	11.9%
Grade 11	60.8%	0.0%	1.0%	3.7%	12.3%	12.8%	9.4%
Grade 12	60.1%	0.8%	2.0%	8.4%	10.2%	12.2%	6.3%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	72.1%	27.9%	4.1%	12.3%	11.5%
	Grade 7	78.0%	22.0%	0.9%	9.2%	12.0%
	Grade 8	74.6%	25.4%	1.1%	10.0%	14.3%
	Grade 9	74.8%	25.2%	3.9%	8.5%	12.8%
	Grade 10	69.9%	30.1%	3.6%	14.6%	11.9%
	Grade 11	67.0%	33.0%	7.8%	16.9%	8.3%
	Grade 12	65.5%	34.5%	9.0%	16.9%	8.6%
Wine Coolers						
	All	79.4%	20.6%	3.9%	11.2%	5.5%
	Grade 7	90.1%	9.9%	1.2%	5.0%	3.7%
	Grade 8	83.3%	16.7%	1.4%	7.9%	7.4%
	Grade 9	79.6%	20.4%	2.3%	13.0%	5.1%
	Grade 10	80.1%	19.9%	2.9%	10.9%	6.0%
	Grade 11	70.9%	29.1%	9.5%	14.2%	5.4%
	Grade 12	68.2%	31.8%	7.6%	18.8%	5.4%
Wine						
	All	79.3%	20.7%	1.2%	9.8%	9.7%
	Grade 7	86.4%	13.6%	0.5%	5.3%	7.8%
	Grade 8	82.3%	17.7%	1.1%	6.2%	10.5%
	Grade 9	80.9%	19.1%	0.3%	10.9%	7.9%
	Grade 10	76.5%	23.5%	1.0%	11.0%	11.6%
	Grade 11	74.8%	25.2%	3.1%	12.9%	9.2%
	Grade 12	71.7%	28.3%	1.3%	15.1%	11.9%
Liquor						
	All	75.6%	24.4%	4.3%	10.9%	9.1%
	Grade 7	86.1%	13.9%	1.1%	5.3%	7.5%
	Grade 8	80.6%	19.4%	3.2%	5.9%	10.3%
	Grade 9	80.0%	20.0%	2.1%	9.8%	8.0%
	Grade 10	74.1%	25.9%	5.4%	12.2%	8.4%
	Grade 11	65.9%	34.1%	6.6%	17.3%	10.2%
	Grade 12	62.2%	37.8%	8.9%	18.2%	10.7%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	93.0%	2.7%	1.6%	1.3%	0.4%	1.1%
Grade 7	96.4%	2.0%	0.4%	0.6%	0.3%	0.2%
Grade 8	96.5%	2.1%	0.4%	0.5%	0.2%	0.3%
Grade 9	91.5%	1.8%	1.1%	2.3%	0.7%	2.6%
Grade 10	91.7%	4.3%	3.1%	0.4%	0.0%	0.6%
Grade 11	92.8%	3.0%	2.1%	0.9%	0.7%	0.4%
Grade 12	86.8%	3.8%	2.9%	3.4%	0.3%	2.7%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.8	10.4	11.2	12.4	13.2	13.9	14.7

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	25.0%	16.3%	8.5%	11.0%	17.8%	21.5%
Grade 7	28.8%	24.8%	10.5%	10.6%	13.6%	11.7%
Grade 8	26.2%	21.6%	9.0%	11.0%	14.8%	17.4%
Grade 9	27.7%	14.0%	8.6%	13.8%	16.7%	19.2%
Grade 10	18.8%	15.0%	7.6%	13.7%	16.0%	28.8%
Grade 11	21.6%	10.5%	9.5%	10.3%	22.1%	25.9%
Grade 12	25.4%	7.9%	4.3%	6.4%	25.7%	30.3%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.4%	1.8%	0.5%	0.4%
Grade 7	98.0%	1.3%	0.1%	0.7%
Grade 8	97.4%	2.4%	0.2%	0.0%
Grade 9	97.1%	2.7%	0.3%	0.0%
Grade 10	97.5%	0.5%	1.8%	0.2%
Grade 11	97.0%	1.8%	0.6%	0.7%
Grade 12	97.0%	1.6%	0.4%	0.9%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.9
Alcohol Non-Users	4.4
Average Days Conduct Problems Reported	
Alcohol Users	2.3
Alcohol Non-Users	1.0

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.7%	2.3%	0.4%	0.6%
Grade 9	99.0%	1.0%	0.0%	0.0%
Grade 10	99.4%	0.6%	0.0%	0.0%
Grade 11	96.7%	2.9%	0.4%	0.0%
Grade 12	91.4%	4.9%	1.1%	2.6%
 Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	97.6%	2.0%	0.2%	0.1%
Grade 7	98.6%	1.2%	0.2%	0.0%
Grade 8	98.1%	1.6%	0.2%	0.0%
Grade 9	95.7%	3.5%	0.3%	0.5%
Grade 10	98.0%	2.0%	0.0%	0.0%
Grade 11	98.1%	1.9%	0.0%	0.0%
Grade 12	96.9%	2.3%	0.4%	0.4%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	62.3%	20.9%	9.8%	5.4%	1.7%
Grade 7	78.8%	13.9%	4.1%	3.0%	0.3%
Grade 8	67.9%	20.1%	9.0%	2.5%	0.5%
Grade 9	68.6%	20.1%	7.5%	2.2%	1.6%
Grade 10	54.4%	25.9%	12.9%	5.8%	1.0%
Grade 11	48.1%	25.7%	14.4%	9.7%	2.2%
Grade 12	48.4%	21.8%	13.2%	11.3%	5.2%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	57.9%	6.1%	2.3%	5.5%	5.4%	1.6%	21.2%
Grade 7	74.8%	3.0%	1.7%	2.5%	1.7%	1.3%	14.9%
Grade 8	64.5%	7.4%	2.6%	3.8%	2.1%	2.4%	17.2%
Grade 9	58.1%	7.5%	0.3%	5.7%	1.6%	1.2%	25.6%
Grade 10	52.1%	6.7%	3.5%	7.2%	3.9%	2.6%	23.9%
Grade 11	47.3%	5.5%	3.5%	6.6%	10.3%	1.5%	25.2%
Grade 12	43.2%	6.6%	2.5%	8.9%	15.0%	0.7%	23.1%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	68.8%	13.1%	13.2%	3.5%	1.5%
	Grade 7	75.1%	13.5%	8.9%	1.6%	0.8%
	Grade 8	70.2%	12.3%	13.7%	2.5%	1.2%
	Grade 9	69.4%	15.8%	11.8%	2.2%	0.7%
	Grade 10	69.2%	11.1%	13.3%	4.5%	2.0%
	Grade 11	66.6%	11.9%	14.1%	5.6%	1.8%
	Grade 12	59.5%	13.8%	18.5%	5.3%	2.9%
Friends?						
	All	70.4%	15.3%	8.2%	4.7%	1.4%
	Grade 7	80.5%	13.4%	3.5%	1.7%	0.9%
	Grade 8	73.3%	18.1%	5.2%	3.0%	0.4%
	Grade 9	75.3%	16.4%	5.2%	2.3%	0.9%
	Grade 10	70.2%	15.9%	9.3%	4.7%	0.0%
	Grade 11	63.3%	13.4%	13.0%	8.2%	2.0%
	Grade 12	55.5%	14.6%	15.3%	9.8%	4.7%
A Store?						
	All	72.7%	21.8%	2.6%	1.8%	1.1%
	Grade 7	81.6%	16.7%	1.0%	0.3%	0.4%
	Grade 8	75.9%	21.5%	1.1%	1.2%	0.4%
	Grade 9	76.2%	21.1%	1.1%	0.5%	1.2%
	Grade 10	72.1%	24.3%	2.4%	1.3%	0.0%
	Grade 11	66.7%	24.4%	4.6%	1.9%	2.4%
	Grade 12	59.6%	24.2%	6.9%	6.6%	2.7%
Parties?						
	All	70.1%	15.5%	7.1%	4.6%	2.7%
	Grade 7	79.8%	13.8%	2.7%	2.1%	1.7%
	Grade 8	72.1%	16.4%	7.6%	2.9%	1.0%
	Grade 9	74.3%	14.1%	7.8%	2.5%	1.3%
	Grade 10	69.1%	17.4%	7.3%	4.7%	1.6%
	Grade 11	63.3%	15.5%	8.2%	8.0%	5.0%
	Grade 12	58.1%	15.9%	10.2%	9.1%	6.8%
Other Sources?						
	All	72.8%	18.1%	4.7%	2.9%	1.5%
	Grade 7	81.8%	14.5%	1.1%	1.5%	1.0%
	Grade 8	73.5%	18.2%	4.1%	3.0%	1.2%
	Grade 9	75.2%	16.5%	3.9%	2.6%	1.9%
	Grade 10	71.6%	19.5%	5.8%	2.1%	1.0%
	Grade 11	67.6%	18.1%	8.9%	4.0%	1.5%
	Grade 12	64.1%	23.5%	5.6%	4.3%	2.5%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	57.3%	15.0%	14.9%	3.3%	0.9%	8.6%
Grade 7	68.0%	10.0%	9.4%	1.8%	0.3%	10.5%
Grade 8	65.0%	12.7%	12.7%	2.5%	0.9%	6.2%
Grade 9	56.2%	16.9%	14.5%	2.1%	0.3%	10.1%
Grade 10	55.7%	16.1%	17.2%	2.7%	0.8%	7.5%
Grade 11	49.8%	17.1%	18.1%	5.3%	1.1%	8.6%
Grade 12	43.1%	19.5%	20.6%	6.1%	2.0%	8.8%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	51.1%	30.6%	12.4%	1.8%	4.0%
Grade 7	57.1%	26.1%	11.4%	1.7%	3.8%
Grade 8	56.1%	27.1%	11.8%	2.1%	2.9%
Grade 9	51.3%	32.1%	10.1%	1.8%	4.8%
Grade 10	45.9%	34.3%	14.0%	1.5%	4.2%
Grade 11	46.7%	32.4%	15.0%	1.3%	4.5%
Grade 12	45.9%	34.5%	12.9%	2.3%	4.4%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	8.0%	10.9%	14.8%	85.2%
Grade 7	4.9%	6.6%	8.6%	91.4%
Grade 8	6.3%	9.0%	11.0%	89.0%
Grade 9	3.8%	6.1%	9.9%	90.1%
Grade 10	4.5%	7.9%	14.4%	85.6%
Grade 11	14.9%	17.7%	23.0%	77.0%
Grade 12	16.0%	20.7%	25.8%	74.2%
Marijuana?				
All	7.5%	9.2%	13.3%	86.7%
Grade 7	4.3%	5.4%	6.9%	93.1%
Grade 8	5.9%	6.9%	8.7%	91.3%
Grade 9	3.2%	4.7%	7.9%	92.1%
Grade 10	4.3%	6.2%	13.7%	86.3%
Grade 11	14.1%	16.5%	21.8%	78.2%
Grade 12	15.5%	18.1%	25.2%	74.8%
Cocaine?				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.0%	1.7%	98.3%
Grade 12	1.4%	1.4%	2.4%	97.6%
Crack?				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.3%	0.4%	99.6%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.7%	0.7%	0.7%	99.3%
Hallucinogens?				
All	1.0%	1.0%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.6%	99.4%
Grade 9	0.1%	0.1%	2.0%	98.0%
Grade 10	0.6%	0.9%	2.0%	98.0%
Grade 11	2.9%	2.9%	6.7%	93.3%
Grade 12	1.9%	2.1%	5.4%	94.6%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.2%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	1.0%	1.0%	99.0%
Steroids?				
All	0.3%	0.3%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	0.5%	0.5%	1.3%	98.7%
Grade 9	1.0%	1.0%	1.8%	98.2%
Grade 10	0.0%	0.0%	2.3%	97.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.9%	99.1%
Ecstasy?				
All	0.3%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	1.1%	1.1%	3.5%	96.5%
Grade 12	0.4%	0.6%	1.5%	98.5%
Heroin?				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.9%	0.9%	0.9%	99.1%
Methamphetamine?				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.7%	0.7%	0.7%	99.3%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.5%	0.9%	1.7%	98.3%
Grade 7	0.6%	0.9%	1.1%	98.9%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	0.5%	0.5%	1.8%	98.2%
Grade 10	0.0%	0.3%	0.8%	99.2%
Grade 11	0.0%	1.3%	1.5%	98.5%
Grade 12	1.3%	2.0%	4.0%	96.0%
Delta 8?				
All	1.6%	3.1%	4.6%	95.4%
Grade 7	1.0%	1.4%	2.6%	97.4%
Grade 8	1.3%	2.4%	3.4%	96.6%
Grade 9	0.6%	1.2%	2.0%	98.0%
Grade 10	1.4%	2.2%	3.5%	96.5%
Grade 11	3.3%	7.0%	10.1%	89.9%
Grade 12	2.7%	5.1%	6.9%	93.1%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	89.3%	1.7%	0.9%	1.6%	1.5%	1.3%	3.7%
Grade 7	95.2%	0.2%	0.7%	0.6%	1.2%	0.7%	1.5%
Grade 8	92.4%	0.7%	1.2%	1.3%	1.5%	1.0%	2.0%
Grade 9	96.3%	0.2%	0.0%	0.4%	1.4%	0.0%	1.7%
Grade 10	88.6%	2.2%	0.2%	0.7%	0.8%	0.3%	7.1%
Grade 11	81.1%	3.2%	2.1%	3.1%	2.6%	2.0%	6.0%
Grade 12	78.7%	4.6%	1.6%	4.0%	1.5%	4.2%	5.3%
Cocaine?							
All	99.5%	0.0%	0.1%	0.1%	0.0%	0.1%	0.2%
Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	99.5%	0.2%	0.1%	0.1%	0.0%	0.1%	0.1%
Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Grade 10	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	97.8%	0.0%	0.4%	0.4%	0.2%	0.4%	0.7%
Crack?							
All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	99.6%	0.0%	0.1%	0.0%	0.2%	0.1%	0.0%
Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?							
All	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%
Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 8	99.6%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%
Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Grade 10	98.3%	0.0%	0.0%	0.0%	0.0%	0.6%	1.1%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	99.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%
Ecstasy?							
All	99.3%	0.1%	0.0%	0.1%	0.0%	0.1%	0.5%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Grade 9	99.3%	0.4%	0.0%	0.0%	0.0%	0.0%	0.3%
Grade 10	98.9%	0.0%	0.0%	0.0%	0.0%	0.6%	0.5%
Grade 11	98.2%	0.0%	0.0%	0.5%	0.0%	0.0%	1.3%
Grade 12	98.9%	0.0%	0.0%	0.0%	0.0%	0.2%	0.9%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 8	99.7%	0.1%	0.0%	0.1%	0.0%	0.1%	0.1%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.8%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.5%	0.2%	0.0%	0.0%	0.2%	0.0%	0.1%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Synthetic Marijuana?								
	All	99.1%	0.1%	0.1%	0.1%	0.1%	0.3%	0.2%
	Grade 7	99.0%	0.1%	0.3%	0.1%	0.1%	0.3%	0.0%
	Grade 8	99.2%	0.2%	0.1%	0.1%	0.1%	0.1%	0.2%
	Grade 9	98.5%	0.4%	0.0%	0.2%	0.0%	0.0%	0.9%
	Grade 10	99.1%	0.0%	0.0%	0.0%	0.3%	0.6%	0.0%
	Grade 11	99.5%	0.0%	0.0%	0.0%	0.2%	0.3%	0.0%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.3%	0.3%	0.0%
Delta 8?								
	All	96.5%	0.2%	0.3%	0.4%	0.9%	0.6%	1.0%
	Grade 7	98.0%	0.3%	0.3%	0.2%	0.0%	0.6%	0.7%
	Grade 8	96.7%	0.1%	0.7%	0.1%	0.4%	1.0%	0.9%
	Grade 9	98.6%	0.0%	0.3%	0.2%	0.0%	0.3%	0.7%
	Grade 10	96.4%	0.5%	0.0%	0.3%	1.4%	0.6%	0.9%
	Grade 11	92.8%	0.6%	0.2%	1.7%	2.4%	0.2%	2.1%
	Grade 12	96.1%	0.0%	0.4%	0.3%	1.5%	1.2%	0.6%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.7	11.5	12.4	12.3	13.6	14.0	15.3
Cocaine	13.7	8.0	12.8	10.2	15.3	14.6	14.7
Crack	11.3	9.5	11.2	10.2	15.0	15.0	10.0
Steroids	11.3	10.5	10.9	12.6	10.0	14.0	12.0
Ecstasy	15.1	11.3	12.9	N/A	15.3	15.1	15.7
Heroin	12.8	11.8	10.9	N/A	N/A	N/A	16.0
Methamphetamine	12.8	N/A	11.5	16.0	N/A	N/A	N/A
Synthetic Marijuana	14.1	12.4	11.8	14.0	16.0	13.0	16.2
Delta 8?	14.7	12.1	12.6	14.1	15.5	15.7	16.6

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	31.2%	31.2%	9.2%	9.1%	8.2%	11.2%
	Grade 7	35.8%	42.2%	8.9%	4.7%	4.9%	3.6%
	Grade 8	31.4%	36.4%	11.2%	9.1%	5.7%	6.2%
	Grade 9	36.4%	36.3%	6.5%	8.9%	5.8%	6.0%
	Grade 10	24.0%	29.5%	11.0%	9.6%	10.5%	15.5%
	Grade 11	26.9%	23.1%	9.6%	13.0%	9.5%	17.9%
	Grade 12	30.6%	14.0%	7.7%	10.2%	15.1%	22.5%
Cocaine?							
	All	37.8%	39.8%	13.9%	4.6%	2.0%	1.9%
	Grade 7	41.5%	45.3%	8.4%	2.5%	1.4%	0.9%
	Grade 8	36.6%	44.5%	13.0%	3.0%	1.4%	1.5%
	Grade 9	38.2%	43.4%	10.4%	4.8%	0.9%	2.3%
	Grade 10	33.2%	40.4%	17.0%	6.4%	1.7%	1.3%
	Grade 11	34.5%	38.2%	19.4%	3.7%	1.4%	2.9%
	Grade 12	42.5%	22.9%	17.3%	8.5%	5.8%	3.0%
Crack?							
	All	38.5%	41.1%	12.9%	4.6%	1.4%	1.5%
	Grade 7	41.6%	45.9%	7.9%	2.3%	1.5%	0.8%
	Grade 8	37.6%	44.4%	12.5%	2.8%	1.0%	1.6%
	Grade 9	38.7%	44.3%	10.3%	4.3%	1.3%	1.1%
	Grade 10	33.7%	41.8%	16.4%	6.5%	0.3%	1.3%
	Grade 11	35.5%	41.4%	15.3%	3.8%	2.1%	2.0%
	Grade 12	43.9%	24.9%	17.4%	9.3%	2.3%	2.2%
Steroids?							
	All	39.9%	36.6%	11.7%	6.3%	3.4%	2.2%
	Grade 7	43.7%	41.0%	7.4%	4.2%	2.3%	1.3%
	Grade 8	38.4%	41.4%	12.0%	3.5%	3.2%	1.5%
	Grade 9	39.7%	39.8%	10.1%	5.1%	4.4%	0.9%
	Grade 10	36.0%	36.4%	13.4%	8.3%	3.1%	2.8%
	Grade 11	36.3%	35.5%	15.3%	8.0%	2.6%	2.3%
	Grade 12	45.0%	21.9%	13.0%	10.2%	5.1%	4.8%
Ecstasy?							
	All	50.0%	34.0%	8.7%	3.7%	2.0%	1.6%
	Grade 7	53.2%	38.2%	5.5%	1.7%	0.4%	0.9%
	Grade 8	49.4%	37.2%	9.1%	2.3%	0.9%	1.0%
	Grade 9	54.1%	34.5%	4.4%	4.4%	1.3%	1.3%
	Grade 10	48.0%	34.2%	10.0%	4.1%	2.5%	1.3%
	Grade 11	43.0%	35.8%	11.8%	3.3%	3.3%	2.7%
	Grade 12	51.8%	20.9%	12.6%	7.7%	4.2%	2.9%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	43.2%	40.9%	10.6%	2.8%	1.2%	1.3%
	Grade 7	46.6%	42.5%	7.6%	1.8%	0.8%	0.7%
	Grade 8	42.5%	42.7%	9.6%	2.0%	1.6%	1.5%
	Grade 9	44.6%	43.3%	7.2%	2.4%	1.5%	0.9%
	Grade 10	37.9%	44.1%	12.6%	4.3%	0.5%	0.7%
	Grade 11	39.0%	43.6%	12.6%	1.8%	0.9%	2.0%
	Grade 12	48.1%	27.2%	15.7%	5.0%	1.7%	2.2%
Methamphetamine?							
	All	44.9%	38.5%	10.9%	2.5%	1.6%	1.6%
	Grade 7	50.2%	39.0%	7.8%	1.5%	0.7%	0.9%
	Grade 8	43.6%	41.2%	10.0%	2.3%	1.7%	1.2%
	Grade 9	47.3%	40.4%	7.3%	2.5%	0.9%	1.6%
	Grade 10	39.1%	41.9%	12.7%	2.8%	2.1%	1.3%
	Grade 11	42.1%	39.5%	11.4%	2.3%	2.7%	2.0%
	Grade 12	45.8%	27.5%	18.0%	4.2%	1.8%	2.8%
Synthetic Marijuana?							
	All	49.0%	33.0%	8.8%	4.7%	2.1%	2.4%
	Grade 7	50.6%	38.4%	5.8%	2.8%	1.3%	1.3%
	Grade 8	47.6%	36.2%	9.6%	3.8%	1.5%	1.4%
	Grade 9	51.7%	35.9%	5.3%	2.4%	2.9%	1.9%
	Grade 10	43.1%	35.1%	10.8%	6.2%	2.0%	2.8%
	Grade 11	48.3%	30.4%	10.4%	4.7%	2.1%	4.1%
	Grade 12	52.2%	18.8%	12.3%	9.5%	3.4%	3.8%
Delta 8?							
	All	49.9%	30.6%	8.0%	4.2%	2.6%	4.7%
	Grade 7	50.4%	37.1%	6.4%	2.3%	1.3%	2.5%
	Grade 8	46.9%	33.8%	8.5%	5.0%	2.8%	3.0%
	Grade 9	55.8%	32.5%	5.5%	2.9%	1.1%	2.1%
	Grade 10	45.0%	32.6%	9.4%	6.9%	1.9%	4.3%
	Grade 11	48.5%	27.2%	9.3%	2.7%	3.5%	8.8%
	Grade 12	52.6%	17.2%	9.7%	6.2%	5.3%	9.0%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	95.3%	2.4%	0.8%	1.5%
Grade 7	97.6%	1.3%	0.2%	0.8%
Grade 8	96.2%	2.5%	0.7%	0.5%
Grade 9	97.0%	2.8%	0.0%	0.2%
Grade 10	94.7%	2.3%	1.6%	1.4%
Grade 11	92.6%	3.0%	1.8%	2.7%
Grade 12	92.2%	3.0%	0.6%	4.2%
Attended Class While High from Use of Some Other Drug?				
All	98.6%	0.8%	0.2%	0.4%
Grade 7	98.5%	1.1%	0.1%	0.3%
Grade 8	98.4%	1.2%	0.2%	0.2%
Grade 9	99.7%	0.0%	0.0%	0.3%
Grade 10	96.6%	1.1%	0.9%	1.4%
Grade 11	99.2%	0.8%	0.0%	0.0%
Grade 12	98.9%	0.2%	0.4%	0.4%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.4
Marijuana Non-Users	4.7
Average Days Conduct Problems Reported	
Marijuana Users	3.5
Marijuana Non-Users	1.2

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.6%	3.0%	0.3%	1.1%
Grade 9	99.1%	0.7%	0.0%	0.2%
Grade 10	98.3%	1.7%	0.0%	0.0%
Grade 11	95.2%	3.7%	0.0%	1.1%
Grade 12	89.2%	6.2%	1.5%	3.1%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	98.5%	1.3%	0.3%	0.0%
Grade 7	98.6%	1.3%	0.1%	0.0%
Grade 8	98.2%	1.1%	0.7%	0.0%
Grade 9	98.1%	1.6%	0.3%	0.0%
Grade 10	98.8%	1.2%	0.0%	0.0%
Grade 11	99.6%	0.4%	0.0%	0.0%
Grade 12	97.6%	2.0%	0.4%	0.0%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	75.3%	13.3%	6.1%	4.3%	1.0%
Grade 7	88.3%	6.6%	2.3%	2.1%	0.6%
Grade 8	78.6%	11.7%	5.9%	3.5%	0.4%
Grade 9	84.0%	9.8%	3.7%	2.2%	0.4%
Grade 10	68.9%	20.1%	7.6%	2.8%	0.6%
Grade 11	66.1%	16.0%	11.0%	3.9%	2.9%
Grade 12	59.6%	18.6%	7.7%	12.7%	1.3%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	65.2%	4.3%	2.4%	2.9%	2.3%	2.0%	20.9%
Grade 7	79.3%	1.4%	1.6%	1.0%	0.4%	1.2%	15.2%
Grade 8	72.0%	4.0%	2.0%	2.4%	1.1%	2.0%	16.6%
Grade 9	67.1%	3.7%	1.0%	0.7%	0.6%	1.4%	25.4%
Grade 10	60.7%	5.1%	2.7%	3.0%	1.8%	3.2%	23.5%
Grade 11	55.4%	4.9%	3.9%	4.5%	4.1%	2.3%	24.9%
Grade 12	50.0%	7.8%	3.8%	6.8%	6.9%	2.0%	22.7%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.1%	6.4%	6.7%	1.8%	1.5%	8.6%
Grade 7	82.8%	2.9%	2.9%	0.7%	0.6%	10.0%
Grade 8	80.7%	4.0%	7.6%	1.0%	1.1%	5.5%
Grade 9	76.8%	5.6%	6.0%	1.2%	0.1%	10.2%
Grade 10	72.1%	6.0%	7.3%	3.4%	1.1%	10.1%
Grade 11	67.8%	11.3%	9.0%	0.7%	3.9%	7.2%
Grade 12	65.7%	10.3%	8.4%	4.4%	2.4%	8.9%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	62.6%	14.2%	10.3%	7.4%	5.5%
	Grade 7	78.5%	11.1%	3.3%	2.6%	4.6%
	Grade 8	70.1%	14.4%	6.7%	4.5%	4.4%
	Grade 9	69.3%	11.2%	8.2%	4.5%	6.9%
	Grade 10	54.4%	20.5%	9.3%	9.9%	5.9%
	Grade 11	46.9%	16.8%	17.7%	12.5%	6.1%
	Grade 12	48.3%	12.8%	20.3%	13.1%	5.5%
Cocaine?						
	All	87.7%	5.5%	0.4%	0.3%	6.0%
	Grade 7	87.9%	5.9%	0.4%	0.4%	5.4%
	Grade 8	89.1%	5.6%	0.9%	0.3%	4.2%
	Grade 9	87.6%	4.9%	0.2%	0.0%	7.4%
	Grade 10	86.6%	7.1%	0.0%	0.2%	6.1%
	Grade 11	86.8%	4.0%	0.7%	0.4%	8.1%
	Grade 12	87.6%	6.0%	0.2%	0.7%	5.5%
Crack?						
	All	88.9%	4.4%	0.4%	0.3%	6.0%
	Grade 7	88.2%	5.3%	0.3%	0.4%	5.8%
	Grade 8	89.3%	5.0%	1.3%	0.1%	4.4%
	Grade 9	89.1%	4.1%	0.0%	0.0%	6.9%
	Grade 10	88.3%	5.0%	0.0%	0.2%	6.5%
	Grade 11	88.6%	2.9%	0.7%	0.4%	7.4%
	Grade 12	90.0%	3.8%	0.0%	0.7%	5.5%
Ecstasy?						
	All	80.0%	5.8%	1.4%	0.4%	12.4%
	Grade 7	81.5%	4.7%	1.1%	0.4%	12.3%
	Grade 8	83.0%	4.9%	0.9%	0.2%	11.0%
	Grade 9	79.4%	5.5%	0.7%	0.0%	14.4%
	Grade 10	79.0%	6.7%	0.0%	0.4%	13.9%
	Grade 11	77.1%	4.8%	3.7%	0.4%	14.0%
	Grade 12	78.9%	9.1%	2.1%	1.1%	8.8%
Steroids?						
	All	75.1%	11.7%	4.2%	0.9%	8.0%
	Grade 7	78.8%	9.8%	3.1%	0.5%	7.9%
	Grade 8	79.1%	10.4%	3.8%	0.7%	6.0%
	Grade 9	73.8%	13.3%	3.0%	0.4%	9.5%
	Grade 10	71.1%	12.2%	6.3%	2.2%	8.2%
	Grade 11	76.1%	9.9%	3.8%	1.2%	9.0%
	Grade 12	69.2%	16.0%	5.8%	1.0%	8.0%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	87.4%	4.0%	0.4%	0.2%	7.9%
	Grade 7	85.8%	5.5%	0.3%	0.3%	8.1%
	Grade 8	88.3%	3.7%	0.8%	0.0%	7.2%
	Grade 9	85.9%	4.8%	0.0%	0.0%	9.3%
	Grade 10	87.9%	3.7%	0.0%	0.2%	8.2%
	Grade 11	86.2%	3.9%	0.7%	0.4%	8.8%
	Grade 12	90.7%	2.2%	0.4%	0.7%	6.0%
Methamphetamine?						
	All	87.2%	4.1%	0.5%	0.3%	8.0%
	Grade 7	86.1%	4.7%	0.3%	0.3%	8.6%
	Grade 8	88.9%	3.7%	0.9%	0.1%	6.5%
	Grade 9	86.4%	4.4%	0.0%	0.0%	9.1%
	Grade 10	87.0%	3.5%	0.0%	0.2%	9.3%
	Grade 11	85.5%	4.2%	1.3%	0.4%	8.7%
	Grade 12	89.2%	3.9%	0.4%	0.7%	5.7%
Synthetic Marijuana?						
	All	78.3%	6.8%	2.3%	1.1%	11.5%
	Grade 7	83.0%	6.0%	0.9%	0.7%	9.3%
	Grade 8	81.7%	6.1%	1.7%	1.3%	9.2%
	Grade 9	77.4%	6.7%	1.3%	1.0%	13.6%
	Grade 10	72.9%	8.6%	2.5%	0.9%	15.1%
	Grade 11	74.5%	6.9%	3.2%	1.2%	14.2%
	Grade 12	77.5%	7.1%	4.7%	1.8%	8.8%
Delta 8?						
	All	72.7%	7.6%	4.1%	3.3%	12.5%
	Grade 7	79.9%	7.4%	1.5%	1.0%	10.3%
	Grade 8	79.9%	6.4%	2.5%	2.5%	8.7%
	Grade 9	75.5%	6.1%	2.4%	1.0%	15.1%
	Grade 10	65.4%	9.4%	5.3%	3.2%	16.7%
	Grade 11	61.5%	9.1%	5.8%	7.5%	16.2%
	Grade 12	69.2%	7.7%	8.6%	5.2%	9.3%
Fictional Drug?						
	All	79.2%	3.8%	0.5%	0.3%	16.3%
	Grade 7	81.6%	4.5%	0.6%	0.4%	13.0%
	Grade 8	82.5%	4.4%	0.7%	0.2%	12.2%
	Grade 9	80.0%	3.5%	0.0%	0.0%	16.5%
	Grade 10	75.2%	2.3%	0.0%	0.2%	22.3%
	Grade 11	77.1%	3.0%	0.7%	0.4%	18.8%
	Grade 12	76.4%	4.8%	0.7%	0.7%	17.4%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	5.3%	7.6%	14.2%	85.8%
Grade 7	4.8%	7.2%	13.5%	86.5%
Grade 8	6.1%	9.0%	13.3%	86.7%
Grade 9	5.6%	9.5%	15.3%	84.7%
Grade 10	5.2%	7.2%	14.5%	85.5%
Grade 11	5.9%	6.3%	17.3%	82.7%
Grade 12	4.1%	5.6%	11.3%	88.7%
Codeine Cough Syrup?				
All	2.8%	4.5%	9.0%	91.0%
Grade 7	2.7%	5.0%	9.3%	90.7%
Grade 8	3.0%	5.0%	8.4%	91.6%
Grade 9	3.9%	6.6%	9.5%	90.5%
Grade 10	2.2%	4.2%	7.7%	92.3%
Grade 11	2.9%	2.9%	10.5%	89.5%
Grade 12	1.9%	2.8%	8.1%	91.9%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.6%	0.7%	2.4%	97.6%
Grade 7	0.2%	0.5%	1.3%	98.7%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.6%	0.6%	2.6%	97.4%
Grade 10	1.0%	1.0%	1.4%	98.6%
Grade 11	1.3%	1.3%	5.5%	94.5%
Grade 12	0.6%	0.7%	3.2%	96.8%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.6%	1.0%	2.6%	97.4%
Grade 7	0.7%	0.9%	1.6%	98.4%
Grade 8	0.6%	1.5%	2.7%	97.3%
Grade 9	0.0%	0.1%	1.1%	98.9%
Grade 10	0.2%	0.2%	3.0%	97.0%
Grade 11	1.5%	1.9%	4.7%	95.3%
Grade 12	0.6%	1.1%	3.0%	97.0%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.0%	1.3%	4.0%	96.0%
Grade 7	1.0%	1.4%	3.0%	97.0%
Grade 8	1.2%	1.9%	3.6%	96.4%
Grade 9	0.6%	0.6%	3.5%	96.5%
Grade 10	1.3%	1.3%	4.8%	95.2%
Grade 11	1.0%	1.0%	5.3%	94.7%
Grade 12	1.1%	1.8%	4.3%	95.7%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.5%	3.5%	7.6%	92.4%
Grade 7	2.5%	3.6%	7.7%	92.3%
Grade 8	3.4%	4.5%	7.9%	92.1%
Grade 9	2.7%	4.6%	9.3%	90.7%
Grade 10	2.7%	4.0%	8.3%	91.7%
Grade 11	1.7%	1.7%	7.4%	92.6%
Grade 12	2.0%	2.3%	4.8%	95.2%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	1.2%	1.7%	2.8%	97.2%
Grade 8	1.3%	1.3%	2.4%	97.6%
Grade 9	0.0%	0.2%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.6%	99.4%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.6%	11.7%	3.1%	1.3%	7.3%
Grade 7	76.7%	11.3%	3.3%	1.5%	7.1%
Grade 8	80.4%	9.8%	4.3%	1.0%	4.5%
Grade 9	78.0%	11.9%	2.9%	0.4%	6.8%
Grade 10	75.1%	11.1%	1.3%	2.9%	9.6%
Grade 11	73.8%	11.7%	3.7%	0.4%	10.4%
Grade 12	73.8%	15.5%	2.4%	2.0%	6.2%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	2.8%	4.0%	8.5%	91.5%
Grade 7	3.8%	4.7%	9.4%	90.6%
Grade 8	4.5%	5.6%	9.9%	90.1%
Grade 9	2.0%	2.8%	6.4%	93.6%
Grade 10	0.9%	2.8%	8.8%	91.2%
Grade 11	1.9%	3.0%	5.9%	94.1%
Grade 12	3.5%	5.0%	10.2%	89.8%
Spray Paint?				
All	0.1%	0.2%	1.5%	98.5%
Grade 7	0.2%	0.3%	1.6%	98.4%
Grade 8	0.1%	0.2%	1.7%	98.3%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.0%	0.0%	1.4%	98.6%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.4%	0.6%	2.7%	97.3%
Grade 7	0.8%	1.0%	4.1%	95.9%
Grade 8	0.7%	1.0%	4.4%	95.6%
Grade 9	0.2%	0.2%	2.1%	97.9%
Grade 10	0.0%	0.6%	3.5%	96.5%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.4%	0.4%	1.1%	98.9%
Computer Dusting Sprays?				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.4%	0.9%	99.1%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.6%	0.8%	3.7%	96.3%
Grade 7	0.7%	1.0%	3.3%	96.7%
Grade 8	0.9%	1.3%	4.5%	95.5%
Grade 9	0.3%	0.3%	1.7%	98.3%
Grade 10	0.0%	0.6%	5.5%	94.5%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	1.6%	1.6%	5.7%	94.3%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.1%	0.2%	0.9%	99.1%
Grade 8	0.3%	0.5%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.4%	0.7%	99.3%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.1%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.4%	0.4%	1.0%	99.0%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	0.7%	1.7%	98.3%
Grade 7	0.8%	0.8%	2.0%	98.0%
Grade 8	0.8%	0.8%	2.6%	97.4%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.9%	0.9%	2.0%	98.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	1.2%	1.2%	2.3%	97.7%
Other Aerosols/Sprays?				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.5%	0.9%	1.7%	98.3%
Grade 8	0.3%	0.3%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.4%	99.6%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.3%	0.1%	0.1%	0.1%	0.6%	0.2%	0.7%
Grade 7	98.3%	0.0%	0.4%	0.0%	0.4%	0.4%	0.6%
Grade 8	96.7%	0.3%	0.2%	0.2%	1.0%	0.4%	1.2%
Grade 9	98.2%	0.0%	0.0%	0.3%	0.7%	0.0%	0.9%
Grade 10	99.3%	0.0%	0.0%	0.0%	0.6%	0.2%	0.0%
Grade 11	99.2%	0.0%	0.0%	0.0%	0.3%	0.0%	0.5%
Grade 12	98.5%	0.0%	0.0%	0.0%	0.4%	0.0%	1.1%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	93.6%	3.8%	1.8%	0.7%
Grade 7	91.9%	4.7%	2.4%	1.0%
Grade 8	91.6%	3.9%	3.3%	1.2%
Grade 9	96.0%	2.8%	0.6%	0.6%
Grade 10	93.0%	4.7%	1.5%	0.8%
Grade 11	96.6%	3.1%	0.3%	0.0%
Grade 12	92.8%	3.9%	2.7%	0.6%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.1	10.8	10.3	12.0	10.4	12.8	11.1

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.9%	0.7%	0.3%	0.1%
Grade 7	98.7%	0.9%	0.1%	0.4%
Grade 8	99.0%	0.9%	0.1%	0.0%
Grade 9	98.6%	1.4%	0.0%	0.0%
Grade 10	98.6%	0.9%	0.5%	0.0%
Grade 11	99.3%	0.0%	0.7%	0.0%
Grade 12	98.9%	0.2%	0.4%	0.4%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	8.3
Inhalant Non-Users	4.8
Average Days Conduct Problems Reported	
Inhalant Users	4.1
Inhalant Non-Users	1.3

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	94.8%	4.0%	0.8%	0.3%	0.1%
Grade 7	93.8%	4.3%	0.8%	0.8%	0.2%
Grade 8	94.0%	4.1%	1.2%	0.6%	0.1%
Grade 9	94.6%	4.3%	0.9%	0.0%	0.2%
Grade 10	94.7%	4.9%	0.4%	0.0%	0.0%
Grade 11	96.3%	2.6%	0.7%	0.4%	0.0%
Grade 12	95.7%	3.5%	0.7%	0.0%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.3%	13.6%	4.2%	1.2%	7.6%
Grade 7	75.2%	13.1%	4.1%	1.4%	6.3%
Grade 8	73.2%	14.2%	4.6%	1.4%	6.5%
Grade 9	75.4%	14.5%	1.6%	1.2%	7.4%
Grade 10	67.3%	17.1%	4.2%	2.2%	9.1%
Grade 11	72.2%	10.7%	7.0%	0.4%	9.7%
Grade 12	75.4%	12.5%	3.9%	0.7%	7.5%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	39.5%	21.9%	5.6%	6.0%	10.1%	16.8%
Grade 7	40.4%	28.9%	6.1%	5.6%	9.1%	9.9%
Grade 8	38.1%	27.8%	5.8%	4.7%	7.2%	16.3%
Grade 9	42.7%	21.1%	4.0%	6.1%	11.1%	15.0%
Grade 10	34.2%	18.6%	7.3%	8.6%	13.0%	18.3%
Grade 11	39.6%	17.9%	7.1%	7.2%	9.5%	18.8%
Grade 12	42.2%	13.1%	3.2%	4.2%	12.3%	24.9%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	33.4%
	Grade 7	44.4%
	Grade 8	40.8%
	Grade 9	33.1%
	Grade 10	24.6%
	Grade 11	26.6%
	Grade 12	24.6%
An Assembly Program		
	All	44.9%
	Grade 7	49.5%
	Grade 8	52.3%
	Grade 9	41.0%
	Grade 10	41.2%
	Grade 11	44.5%
	Grade 12	36.7%
Guidance Counselor		
	All	22.8%
	Grade 7	30.4%
	Grade 8	28.2%
	Grade 9	21.9%
	Grade 10	17.6%
	Grade 11	17.9%
	Grade 12	16.3%
School Nurse		
	All	14.2%
	Grade 7	17.9%
	Grade 8	15.4%
	Grade 9	13.9%
	Grade 10	11.5%
	Grade 11	10.6%
	Grade 12	14.2%
Science or Social Studies Class		
	All	24.8%
	Grade 7	28.7%
	Grade 8	24.3%
	Grade 9	27.6%
	Grade 10	26.7%
	Grade 11	20.2%
	Grade 12	20.8%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
<hr/>		
Student Group or Club Meeting at School		
	All	11.8%
	Grade 7	12.9%
	Grade 8	14.2%
	Grade 9	11.0%
	Grade 10	9.4%
	Grade 11	9.1%
	Grade 12	13.0%
An Invited School Guest		
	All	31.1%
	Grade 7	37.4%
	Grade 8	41.3%
	Grade 9	20.7%
	Grade 10	31.3%
	Grade 11	25.8%
	Grade 12	25.6%
Another Source at School		
	All	27.1%
	Grade 7	30.2%
	Grade 8	33.6%
	Grade 9	24.9%
	Grade 10	24.2%
	Grade 11	23.2%
	Grade 12	23.6%
Any School Source		
	All	64.0%
	Grade 7	74.4%
	Grade 8	76.8%
	Grade 9	60.8%
	Grade 10	57.5%
	Grade 11	56.5%
	Grade 12	50.0%
<hr/>		

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
<hr/>		
Counselor/Program In-School		
	All	35.8%
	Grade 7	44.2%
	Grade 8	39.0%
	Grade 9	36.4%
	Grade 10	29.2%
	Grade 11	30.9%
	Grade 12	31.5%
School Nurse		
	All	22.1%
	Grade 7	29.6%
	Grade 8	26.1%
	Grade 9	21.5%
	Grade 10	14.3%
	Grade 11	18.5%
	Grade 12	19.1%
Another Adult In School		
	All	40.2%
	Grade 7	44.7%
	Grade 8	44.2%
	Grade 9	38.9%
	Grade 10	31.9%
	Grade 11	37.6%
	Grade 12	40.7%
Counselor/Program Outside-School		
	All	45.4%
	Grade 7	48.4%
	Grade 8	48.5%
	Grade 9	46.7%
	Grade 10	37.7%
	Grade 11	42.2%
	Grade 12	46.8%
Your Parents		
	All	70.4%
	Grade 7	77.9%
	Grade 8	75.1%
	Grade 9	70.7%
	Grade 10	60.4%
	Grade 11	72.0%
	Grade 12	61.3%
<hr/>		

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	59.4%
	Grade 7	65.6%
	Grade 8	63.9%
	Grade 9	61.6%
	Grade 10	53.1%
	Grade 11	54.1%
	Grade 12	54.1%
Your Friends		
	All	65.2%
	Grade 7	58.1%
	Grade 8	62.3%
	Grade 9	67.4%
	Grade 10	68.0%
	Grade 11	69.0%
	Grade 12	69.3%
Another Adult		
	All	60.5%
	Grade 7	64.9%
	Grade 8	64.4%
	Grade 9	66.0%
	Grade 10	56.9%
	Grade 11	53.4%
	Grade 12	54.5%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	4.9%
	Grade 7	5.0%
	Grade 8	5.8%
	Grade 9	6.4%
	Grade 10	4.3%
	Grade 11	4.0%
	Grade 12	3.4%

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.1%	21.4%	23.8%	37.1%	12.7%
Grade 7	4.5%	21.0%	22.2%	36.8%	15.4%
Grade 8	4.8%	20.9%	26.5%	34.5%	13.3%
Grade 9	5.3%	23.6%	19.4%	39.6%	12.1%
Grade 10	6.4%	19.4%	24.7%	35.6%	14.0%
Grade 11	4.3%	24.8%	22.1%	41.0%	7.7%
Grade 12	5.6%	17.8%	28.7%	34.7%	13.2%
Sometimes Carry Weapons?					
All	76.7%	15.0%	5.1%	2.1%	1.1%
Grade 7	84.6%	10.2%	2.5%	1.5%	1.2%
Grade 8	78.6%	14.1%	4.8%	1.6%	0.9%
Grade 9	79.4%	15.0%	3.0%	2.0%	0.6%
Grade 10	78.1%	15.4%	3.4%	1.3%	1.8%
Grade 11	70.4%	16.5%	8.5%	4.0%	0.5%
Grade 12	65.9%	20.7%	9.1%	2.3%	2.0%
Care About Making Good Grades?					
All	2.4%	11.7%	25.4%	42.3%	18.2%
Grade 7	2.1%	13.0%	23.7%	36.6%	24.5%
Grade 8	1.9%	15.0%	28.4%	37.9%	16.8%
Grade 9	3.0%	10.5%	24.4%	48.4%	13.7%
Grade 10	4.3%	9.5%	23.6%	46.7%	15.8%
Grade 11	1.5%	7.9%	28.6%	43.4%	18.6%
Grade 12	2.1%	13.1%	22.9%	42.6%	19.3%
Belong/Want to Belong to a Gang?					
All	91.7%	5.4%	1.6%	0.5%	0.7%
Grade 7	88.7%	7.5%	2.5%	0.6%	0.7%
Grade 8	90.8%	6.7%	1.2%	0.7%	0.5%
Grade 9	94.4%	4.4%	0.4%	0.6%	0.2%
Grade 10	91.3%	6.5%	0.8%	0.0%	1.4%
Grade 11	91.9%	3.9%	2.9%	0.2%	1.1%
Grade 12	93.8%	3.0%	1.7%	0.9%	0.7%
Wish They Could Drop Out of School?					
All	41.2%	28.5%	17.4%	8.9%	4.0%
Grade 7	48.6%	28.8%	11.5%	7.1%	4.0%
Grade 8	38.7%	31.3%	17.5%	9.1%	3.4%
Grade 9	42.2%	28.7%	16.4%	9.2%	3.5%
Grade 10	41.0%	24.4%	21.0%	6.9%	6.7%
Grade 11	33.6%	30.9%	22.2%	10.2%	3.1%
Grade 12	42.2%	25.8%	17.2%	11.4%	3.4%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.2%	12.0%	0.7%	0.3%	0.8%
Grade 7	85.9%	12.7%	0.7%	0.2%	0.5%
Grade 8	86.4%	12.1%	0.8%	0.0%	0.7%
Grade 9	85.0%	11.7%	1.2%	0.0%	2.1%
Grade 10	83.5%	14.1%	1.0%	0.8%	0.5%
Grade 11	89.3%	9.0%	0.2%	0.5%	1.0%
Grade 12	87.5%	12.0%	0.0%	0.4%	0.0%
Out In Your Neighborhood?					
All	50.0%	41.1%	5.2%	1.0%	2.6%
Grade 7	44.1%	44.1%	7.2%	1.2%	3.4%
Grade 8	44.4%	46.1%	6.1%	0.5%	2.9%
Grade 9	52.8%	37.2%	5.3%	1.4%	3.3%
Grade 10	50.6%	40.1%	4.7%	1.0%	3.6%
Grade 11	54.2%	38.4%	4.4%	1.2%	1.8%
Grade 12	57.0%	39.4%	2.8%	0.8%	0.0%
At School?					
All	40.2%	43.5%	8.6%	3.4%	4.3%
Grade 7	43.6%	43.1%	7.5%	2.4%	3.4%
Grade 8	41.8%	42.3%	8.7%	3.4%	3.8%
Grade 9	36.9%	45.8%	9.6%	3.0%	4.6%
Grade 10	33.3%	48.7%	6.5%	6.3%	5.2%
Grade 11	42.2%	41.6%	8.2%	1.9%	6.0%
Grade 12	43.1%	39.2%	11.8%	3.2%	2.7%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.5%	12.6%	22.3%	77.7%
Grade 7	5.1%	6.3%	16.2%	83.8%
Grade 8	8.3%	10.3%	19.8%	80.2%
Grade 9	9.9%	11.7%	19.9%	80.1%
Grade 10	8.8%	12.2%	22.0%	78.0%
Grade 11	16.1%	18.5%	30.3%	69.7%
Grade 12	16.8%	19.3%	28.6%	71.4%
Any Alcohol Product				
All	20.8%	24.4%	41.6%	58.4%
Grade 7	13.7%	15.3%	34.3%	65.7%
Grade 8	16.1%	19.1%	38.5%	61.5%
Grade 9	18.6%	23.3%	38.0%	62.0%
Grade 10	24.1%	27.0%	46.4%	53.6%
Grade 11	25.1%	30.5%	46.5%	53.5%
Grade 12	31.2%	36.2%	50.1%	49.9%
Any Illicit Drug				
All	8.0%	10.9%	14.8%	85.2%
Grade 7	4.9%	6.6%	8.6%	91.4%
Grade 8	6.3%	9.0%	11.0%	89.0%
Grade 9	3.8%	6.1%	9.9%	90.1%
Grade 10	4.5%	7.9%	14.4%	85.6%
Grade 11	14.9%	17.7%	23.0%	77.0%
Grade 12	16.0%	20.7%	25.8%	74.2%
Any Prescription Drug				
All	5.3%	7.6%	14.2%	85.8%
Grade 7	4.8%	7.2%	13.5%	86.5%
Grade 8	6.1%	9.0%	13.3%	86.7%
Grade 9	5.6%	9.5%	15.3%	84.7%
Grade 10	5.2%	7.2%	14.5%	85.5%
Grade 11	5.9%	6.3%	17.3%	82.7%
Grade 12	4.1%	5.6%	11.3%	88.7%
Any Inhalant				
All	2.8%	4.0%	8.5%	91.5%
Grade 7	3.8%	4.7%	9.4%	90.6%
Grade 8	4.5%	5.6%	9.9%	90.1%
Grade 9	2.0%	2.8%	6.4%	93.6%
Grade 10	0.9%	2.8%	8.8%	91.2%
Grade 11	1.9%	3.0%	5.9%	94.1%
Grade 12	3.5%	5.0%	10.2%	89.8%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.0%	10.2%	19.4%	80.6%
Grade 7	4.6%	5.9%	13.6%	86.4%
Grade 8	5.8%	8.2%	16.8%	83.2%
Grade 9	6.4%	7.6%	17.5%	82.5%
Grade 10	7.7%	11.6%	19.9%	80.1%
Grade 11	12.2%	14.5%	26.2%	73.8%
Grade 12	13.6%	16.3%	25.3%	74.7%
Marijuana				
All	7.5%	9.2%	13.3%	86.7%
Grade 7	4.3%	5.4%	6.9%	93.1%
Grade 8	5.9%	6.9%	8.7%	91.3%
Grade 9	3.2%	4.7%	7.9%	92.1%
Grade 10	4.3%	6.2%	13.7%	86.3%
Grade 11	14.1%	16.5%	21.8%	78.2%
Grade 12	15.5%	18.1%	25.2%	74.8%
Marijuana Only				
All	3.1%	4.1%	7.4%	92.6%
Grade 7	2.4%	3.2%	4.5%	95.5%
Grade 8	2.8%	3.7%	5.1%	94.9%
Grade 9	1.3%	1.9%	4.6%	95.4%
Grade 10	2.0%	2.2%	8.3%	91.7%
Grade 11	4.8%	6.5%	10.2%	89.8%
Grade 12	6.4%	8.4%	13.7%	86.3%
Cocaine or Crack				
All	0.6%	0.6%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.0%	1.7%	98.3%
Grade 12	1.7%	1.7%	2.7%	97.3%
Cocaine				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.0%	1.7%	98.3%
Grade 12	1.4%	1.4%	2.4%	97.6%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.3%	0.3%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.1%	0.3%	0.4%	99.6%
	Grade 9	0.7%	0.7%	0.7%	99.3%
	Grade 10	0.2%	0.2%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.7%	0.7%	0.7%	99.3%
	Hallucinogens	All	1.0%	1.0%	2.7%
Grade 7		0.2%	0.2%	0.5%	99.5%
Grade 8		0.4%	0.5%	0.6%	99.4%
Grade 9		0.1%	0.1%	2.0%	98.0%
Grade 10		0.6%	0.9%	2.0%	98.0%
Grade 11		2.9%	2.9%	6.7%	93.3%
Grade 12		1.9%	2.1%	5.4%	94.6%
Synthetic Cathinones		All	0.2%	0.3%	0.4%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.2%	0.5%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.4%	1.0%	1.0%	99.0%
	Steroids	All	0.3%	0.3%	1.2%
Grade 7		0.1%	0.1%	0.9%	99.1%
Grade 8		0.5%	0.5%	1.3%	98.7%
Grade 9		1.0%	1.0%	1.8%	98.2%
Grade 10		0.0%	0.0%	2.3%	97.7%
Grade 11		0.0%	0.0%	0.3%	99.7%
Grade 12		0.0%	0.0%	0.9%	99.1%
Ecstasy		All	0.3%	0.3%	1.1%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.0%	0.1%	0.1%	99.9%
	Grade 9	0.4%	0.4%	0.6%	99.4%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 11	1.1%	1.1%	3.5%	96.5%
	Grade 12	0.4%	0.6%	1.5%	98.5%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.9%	0.9%	0.9%	99.1%
Synthetic Marijuana				
All	0.5%	0.9%	1.7%	98.3%
Grade 7	0.6%	0.9%	1.1%	98.9%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	0.5%	0.5%	1.8%	98.2%
Grade 10	0.0%	0.3%	0.8%	99.2%
Grade 11	0.0%	1.3%	1.5%	98.5%
Grade 12	1.3%	2.0%	4.0%	96.0%
Methamphetamine				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.7%	0.7%	0.7%	99.3%
Delta 8				
All	1.6%	3.1%	4.6%	95.4%
Grade 7	1.0%	1.4%	2.6%	97.4%
Grade 8	1.3%	2.4%	3.4%	96.6%
Grade 9	0.6%	1.2%	2.0%	98.0%
Grade 10	1.4%	2.2%	3.5%	96.5%
Grade 11	3.3%	7.0%	10.1%	89.9%
Grade 12	2.7%	5.1%	6.9%	93.1%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.6%	10.7%	19.9%	80.1%
Grade 7	4.3%	5.2%	15.6%	84.4%
Grade 8	7.2%	9.4%	17.0%	83.0%
Grade 9	10.1%	12.5%	18.9%	81.1%
Grade 10	3.3%	6.1%	15.2%	84.8%
Grade 11	13.0%	14.7%	27.4%	72.6%
Grade 12	15.6%	18.8%	27.8%	72.2%
Any Alcohol Product				
All	17.4%	20.9%	39.7%	60.3%
Grade 7	12.2%	14.1%	34.6%	65.4%
Grade 8	15.5%	19.1%	39.6%	60.4%
Grade 9	15.3%	20.1%	34.0%	66.0%
Grade 10	16.9%	19.6%	41.9%	58.1%
Grade 11	20.2%	26.1%	45.4%	54.6%
Grade 12	27.6%	29.7%	45.6%	54.4%
Any Illicit Drug				
All	6.5%	9.5%	13.5%	86.5%
Grade 7	3.2%	4.1%	6.3%	93.7%
Grade 8	5.2%	7.6%	9.2%	90.8%
Grade 9	2.7%	6.3%	11.8%	88.2%
Grade 10	2.0%	5.5%	9.9%	90.1%
Grade 11	15.6%	19.3%	23.4%	76.6%
Grade 12	12.1%	17.3%	24.8%	75.2%
Any Prescription Drug				
All	4.9%	7.0%	13.1%	86.9%
Grade 7	5.0%	8.1%	13.8%	86.2%
Grade 8	4.6%	6.6%	10.5%	89.5%
Grade 9	3.5%	6.8%	9.4%	90.6%
Grade 10	4.6%	5.4%	11.4%	88.6%
Grade 11	7.3%	8.0%	20.9%	79.1%
Grade 12	4.8%	7.4%	13.1%	86.9%
Any Inhalant				
All	2.5%	3.6%	8.5%	91.5%
Grade 7	2.7%	3.0%	7.7%	92.3%
Grade 8	4.6%	5.2%	9.6%	90.4%
Grade 9	0.8%	2.4%	6.8%	93.2%
Grade 10	1.7%	3.7%	9.4%	90.6%
Grade 11	2.3%	3.3%	6.9%	93.1%
Grade 12	2.4%	3.6%	10.9%	89.1%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.8%	7.7%	16.1%	83.9%
Grade 7	3.7%	4.8%	12.0%	88.0%
Grade 8	4.1%	6.7%	13.0%	87.0%
Grade 9	4.0%	5.2%	13.9%	86.1%
Grade 10	3.0%	5.1%	13.3%	86.7%
Grade 11	10.8%	12.4%	24.4%	75.6%
Grade 12	10.7%	13.8%	23.1%	76.9%
Marijuana				
All	5.9%	8.1%	12.2%	87.8%
Grade 7	2.9%	3.6%	5.3%	94.7%
Grade 8	4.8%	5.8%	7.4%	92.6%
Grade 9	1.5%	4.4%	7.9%	92.1%
Grade 10	2.0%	5.5%	9.9%	90.1%
Grade 11	15.2%	19.3%	23.4%	76.6%
Grade 12	11.1%	12.7%	23.9%	76.1%
Marijuana Only				
All	2.2%	3.1%	6.5%	93.5%
Grade 7	1.3%	1.8%	3.2%	96.8%
Grade 8	2.5%	3.3%	4.7%	95.3%
Grade 9	0.0%	1.2%	4.0%	96.0%
Grade 10	0.0%	0.3%	4.1%	95.9%
Grade 11	5.9%	8.4%	11.6%	88.4%
Grade 12	3.9%	4.4%	13.7%	86.3%
Cocaine or Crack				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.9%	0.9%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	1.7%	1.7%	2.3%	97.7%
Cocaine				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.9%	0.9%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	1.2%	1.2%	1.7%	98.3%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	1.4%	98.6%
Hallucinogens				
All	1.1%	1.2%	2.9%	97.1%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.3%	0.3%	3.5%	96.5%
Grade 10	1.1%	1.1%	2.0%	98.0%
Grade 11	3.7%	3.7%	8.5%	91.5%
Grade 12	1.8%	2.1%	4.1%	95.9%
Synthetic Cathinones				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.9%	0.9%	0.9%	99.1%
Steroids				
All	0.4%	0.4%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.1%	0.1%	1.1%	98.9%
Grade 9	1.9%	1.9%	2.3%	97.7%
Grade 10	0.0%	0.0%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.8%	99.2%
Ecstasy				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	1.7%	98.3%
Grade 11	0.9%	0.9%	4.2%	95.8%
Grade 12	0.9%	1.2%	1.2%	98.8%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.9%	1.9%	1.9%	98.1%
Synthetic Marijuana				
All	0.6%	1.2%	2.0%	98.0%
Grade 7	1.0%	1.0%	1.1%	98.9%
Grade 8	0.7%	0.7%	1.5%	98.5%
Grade 9	1.0%	1.0%	2.3%	97.7%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	2.2%	2.2%	97.8%
Grade 12	0.9%	2.3%	4.6%	95.4%
Methamphetamine				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	1.0%	1.0%	99.0%
Grade 12	1.4%	1.4%	1.4%	98.6%
Delta 8				
All	1.7%	3.3%	4.5%	95.5%
Grade 7	1.0%	1.5%	2.4%	97.6%
Grade 8	0.9%	1.1%	1.4%	98.6%
Grade 9	1.2%	2.4%	3.1%	96.9%
Grade 10	2.0%	3.4%	5.2%	94.8%
Grade 11	3.5%	6.2%	9.0%	91.0%
Grade 12	2.3%	6.9%	8.0%	92.0%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.5%	14.3%	24.8%	75.2%
Grade 7	6.1%	7.5%	16.7%	83.3%
Grade 8	9.6%	11.3%	23.0%	77.0%
Grade 9	9.7%	11.0%	21.2%	78.8%
Grade 10	14.4%	16.9%	28.0%	72.0%
Grade 11	20.1%	22.5%	33.8%	66.2%
Grade 12	17.9%	19.9%	29.5%	70.5%
Any Alcohol Product				
All	24.3%	28.1%	43.5%	56.5%
Grade 7	15.3%	16.8%	34.1%	65.9%
Grade 8	16.5%	18.2%	36.7%	63.3%
Grade 9	22.4%	27.0%	42.6%	57.4%
Grade 10	32.4%	35.6%	50.1%	49.9%
Grade 11	30.6%	35.6%	48.7%	51.3%
Grade 12	34.7%	42.6%	54.6%	45.4%
Any Illicit Drug				
All	9.5%	12.1%	15.8%	84.2%
Grade 7	6.7%	9.3%	11.1%	88.9%
Grade 8	7.6%	10.7%	13.1%	86.9%
Grade 9	5.1%	5.9%	8.0%	92.0%
Grade 10	6.0%	9.4%	17.2%	82.8%
Grade 11	13.8%	15.7%	22.6%	77.4%
Grade 12	19.8%	24.0%	26.9%	73.1%
Any Prescription Drug				
All	5.7%	8.2%	15.3%	84.7%
Grade 7	4.5%	6.1%	13.1%	86.9%
Grade 8	7.5%	11.5%	16.2%	83.8%
Grade 9	7.6%	12.3%	21.4%	78.6%
Grade 10	6.1%	9.9%	17.1%	82.9%
Grade 11	4.7%	4.7%	13.9%	86.1%
Grade 12	3.4%	3.7%	9.6%	90.4%
Any Inhalant				
All	3.3%	4.6%	8.5%	91.5%
Grade 7	4.9%	6.6%	11.2%	88.8%
Grade 8	4.4%	6.0%	10.4%	89.6%
Grade 9	3.2%	3.2%	6.1%	93.9%
Grade 10	0.0%	1.8%	8.4%	91.6%
Grade 11	1.4%	2.8%	5.1%	94.9%
Grade 12	4.7%	6.4%	9.4%	90.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.4%	12.6%	22.7%	77.3%
Grade 7	5.5%	7.1%	15.4%	84.6%
Grade 8	7.7%	9.8%	21.2%	78.8%
Grade 9	9.0%	10.3%	21.5%	78.5%
Grade 10	12.0%	16.6%	25.4%	74.6%
Grade 11	14.2%	16.4%	28.3%	71.7%
Grade 12	16.5%	18.7%	27.4%	72.6%
Marijuana				
All	9.0%	10.2%	14.1%	85.9%
Grade 7	5.9%	7.4%	8.6%	91.4%
Grade 8	7.2%	8.3%	10.3%	89.7%
Grade 9	5.1%	5.1%	8.0%	92.0%
Grade 10	5.6%	5.6%	15.5%	84.5%
Grade 11	12.5%	13.3%	20.1%	79.9%
Grade 12	19.8%	23.5%	26.4%	73.6%
Marijuana Only				
All	4.1%	5.1%	8.0%	92.0%
Grade 7	3.7%	4.8%	5.9%	94.1%
Grade 8	3.0%	4.1%	5.5%	94.5%
Grade 9	2.6%	2.6%	5.4%	94.6%
Grade 10	3.2%	3.2%	10.9%	89.1%
Grade 11	3.7%	4.5%	9.0%	91.0%
Grade 12	8.8%	12.5%	13.6%	86.4%
Cocaine or Crack				
All	0.7%	0.7%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	1.7%	1.7%	3.1%	96.9%
Cocaine				
All	0.7%	0.7%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	1.7%	1.7%	3.1%	96.9%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.5%	0.7%	99.3%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.8%	0.9%	2.5%	97.5%
Grade 7	0.2%	0.2%	0.9%	99.1%
Grade 8	0.7%	0.8%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.6%	2.1%	97.9%
Grade 11	2.1%	2.1%	4.9%	95.1%
Grade 12	2.1%	2.1%	6.8%	93.2%
Synthetic Cathinones				
All	0.1%	0.3%	0.3%	99.7%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.2%	1.2%	98.8%
Steroids				
All	0.2%	0.2%	1.3%	98.7%
Grade 7	0.2%	0.2%	1.1%	98.9%
Grade 8	0.8%	1.0%	1.5%	98.5%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.0%	0.0%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.9%	99.1%
Ecstasy				
All	0.2%	0.2%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	1.4%	1.4%	2.8%	97.2%
Grade 12	0.0%	0.0%	1.8%	98.2%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.4%	0.7%	1.4%	98.6%
Grade 7	0.2%	0.7%	1.2%	98.8%
Grade 8	0.3%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.0%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.5%	0.9%	99.1%
Grade 12	1.8%	1.8%	3.4%	96.6%
Methamphetamine				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.6%	2.8%	4.6%	95.4%
Grade 7	0.9%	1.3%	2.7%	97.3%
Grade 8	1.8%	3.9%	5.8%	94.2%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.7%	0.7%	1.6%	98.4%
Grade 11	3.2%	7.4%	10.9%	89.1%
Grade 12	3.1%	3.4%	5.9%	94.1%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.6%	11.6%	21.0%	79.0%
Grade 7	3.1%	3.4%	12.5%	87.5%
Grade 8	7.7%	9.5%	18.2%	81.8%
Grade 9	9.9%	11.8%	17.8%	82.2%
Grade 10	5.2%	8.3%	17.0%	83.0%
Grade 11	16.9%	19.6%	33.7%	66.3%
Grade 12	15.8%	18.2%	28.7%	71.3%
Any Alcohol Product				
All	20.4%	24.0%	42.7%	57.3%
Grade 7	12.4%	13.0%	32.1%	67.9%
Grade 8	15.6%	18.5%	39.9%	60.1%
Grade 9	17.9%	22.0%	40.0%	60.0%
Grade 10	18.2%	22.7%	43.7%	56.3%
Grade 11	27.1%	33.1%	51.8%	48.2%
Grade 12	33.2%	37.9%	50.8%	49.2%
Any Illicit Drug				
All	7.3%	10.3%	13.7%	86.3%
Grade 7	2.5%	3.9%	5.0%	95.0%
Grade 8	5.0%	7.9%	8.9%	91.1%
Grade 9	4.2%	8.3%	13.5%	86.5%
Grade 10	2.4%	3.7%	9.0%	91.0%
Grade 11	17.0%	21.4%	26.2%	73.8%
Grade 12	13.5%	18.0%	21.3%	78.7%
Any Prescription Drug				
All	5.8%	7.7%	14.5%	85.5%
Grade 7	4.5%	6.4%	11.7%	88.3%
Grade 8	3.8%	7.6%	11.8%	88.2%
Grade 9	6.4%	9.1%	17.2%	82.8%
Grade 10	7.4%	8.4%	16.4%	83.6%
Grade 11	7.1%	7.8%	17.5%	82.5%
Grade 12	6.1%	6.8%	12.7%	87.3%
Any Inhalant				
All	2.3%	3.4%	8.5%	91.5%
Grade 7	2.1%	2.7%	5.9%	94.1%
Grade 8	3.6%	4.1%	8.6%	91.4%
Grade 9	2.0%	3.5%	7.6%	92.4%
Grade 10	1.6%	3.1%	11.4%	88.6%
Grade 11	1.3%	2.3%	6.2%	93.8%
Grade 12	2.9%	5.1%	11.8%	88.2%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.8%	9.6%	18.2%	81.8%
Grade 7	2.5%	2.8%	9.4%	90.6%
Grade 8	5.3%	7.4%	14.4%	85.6%
Grade 9	5.8%	6.6%	14.7%	85.3%
Grade 10	4.7%	7.1%	14.5%	85.5%
Grade 11	15.0%	17.8%	32.5%	67.5%
Grade 12	14.8%	17.5%	25.7%	74.3%
Marijuana				
All	6.8%	8.8%	12.1%	87.9%
Grade 7	1.8%	2.7%	3.3%	96.7%
Grade 8	4.7%	5.2%	6.1%	93.9%
Grade 9	3.1%	5.7%	9.8%	90.2%
Grade 10	2.1%	3.4%	9.0%	91.0%
Grade 11	16.6%	20.4%	25.3%	74.7%
Grade 12	13.5%	16.7%	21.3%	78.7%
Marijuana Only				
All	2.3%	3.6%	6.3%	93.7%
Grade 7	0.9%	1.6%	2.3%	97.7%
Grade 8	2.0%	2.5%	3.2%	96.8%
Grade 9	0.7%	1.8%	5.8%	94.2%
Grade 10	1.1%	1.4%	5.5%	94.5%
Grade 11	5.1%	7.7%	11.0%	89.0%
Grade 12	4.6%	7.8%	11.4%	88.6%
Cocaine or Crack				
All	0.6%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	2.0%	2.0%	2.0%	98.0%
Cocaine				
All	0.6%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	2.0%	2.0%	2.0%	98.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.3%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.4%	0.4%	99.6%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	0.3%	0.3%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.7%	0.7%	0.7%	99.3%
Hallucinogens	All	1.0%	1.0%	3.0%	97.0%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.4%	0.4%	0.4%	99.6%
	Grade 9	0.0%	0.0%	3.4%	96.6%
	Grade 10	0.0%	0.0%	0.9%	99.1%
	Grade 11	4.2%	4.2%	9.2%	90.8%
	Grade 12	1.5%	1.7%	4.4%	95.6%
Synthetic Cathinones	All	0.2%	0.4%	0.6%	99.4%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.0%	0.5%	0.5%	99.5%
	Grade 9	0.0%	0.0%	1.1%	98.9%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.7%	1.7%	1.7%	98.3%
Steroids	All	0.0%	0.0%	1.3%	98.7%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.7%	99.3%
	Grade 9	0.0%	0.0%	1.6%	98.4%
	Grade 10	0.0%	0.0%	4.2%	95.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	1.4%	98.6%
Ecstasy	All	0.4%	0.4%	1.1%	98.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.7%	0.7%	1.1%	98.9%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	0.8%	0.8%	3.9%	96.1%
	Grade 12	0.7%	1.0%	1.3%	98.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
 White Non-Hispanic Students**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	0.7%	0.7%	99.3%
Synthetic Marijuana				
All	0.7%	1.2%	2.1%	97.9%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.9%	1.0%	1.5%	98.5%
Grade 9	0.7%	0.7%	3.1%	96.9%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	2.3%	2.6%	97.4%
Grade 12	2.2%	3.0%	4.6%	95.4%
Methamphetamine				
All	0.2%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.8%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.9%	0.9%	99.1%
Grade 12	0.7%	0.7%	0.7%	99.3%
Delta 8				
All	1.8%	3.1%	4.6%	95.4%
Grade 7	0.8%	1.5%	2.0%	98.0%
Grade 8	1.1%	2.9%	3.1%	96.9%
Grade 9	0.8%	2.0%	2.7%	97.3%
Grade 10	0.3%	0.3%	1.9%	98.1%
Grade 11	4.2%	7.6%	11.9%	88.1%
Grade 12	3.7%	4.7%	6.4%	93.6%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	5.2%	7.2%	17.7%	82.3%
Grade 7	4.7%	10.6%	24.1%	75.9%
Grade 8	0.0%	2.5%	7.9%	92.1%
Grades 9–10	5.9%	5.9%	17.8%	82.2%
Grades 11–12	10.8%	10.8%	21.7%	78.3%
Any Alcohol Product				
All	14.5%	15.0%	31.1%	68.9%
Grade 7	11.1%	13.1%	29.0%	71.0%
Grade 8	19.4%	19.4%	37.4%	62.6%
Grades 9–10	17.8%	17.8%	29.6%	70.4%
Grades 11–12	6.6%	6.6%	28.3%	71.7%
Any Illicit Drug				
All	5.7%	8.9%	11.7%	88.3%
Grade 7	4.2%	6.5%	18.3%	81.7%
Grade 8	2.8%	5.3%	5.3%	94.7%
Grades 9–10	0.0%	5.9%	5.9%	94.1%
Grades 11–12	21.7%	21.7%	21.7%	78.3%
Any Prescription Drug				
All	3.1%	3.8%	7.5%	92.5%
Grade 7	4.9%	4.9%	9.5%	90.5%
Grade 8	8.2%	11.0%	13.8%	86.2%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	10.8%	89.2%
Any Inhalant				
All	5.5%	7.6%	11.1%	88.9%
Grade 7	9.3%	11.3%	17.7%	82.3%
Grade 8	5.3%	11.9%	11.9%	88.1%
Grades 9–10	0.0%	0.0%	5.9%	94.1%
Grades 11–12	10.8%	10.8%	10.8%	89.2%
Electronic Vapor Products				
All	3.2%	5.2%	15.7%	84.3%
Grade 7	4.7%	10.6%	24.1%	75.9%
Grade 8	0.0%	2.5%	7.9%	92.1%
Grades 9–10	0.0%	0.0%	11.9%	88.1%
Grades 11–12	10.8%	10.8%	21.7%	78.3%
Marijuana				
All	5.2%	7.8%	10.1%	89.9%
Grade 7	2.4%	2.4%	11.8%	88.2%
Grade 8	2.8%	5.3%	5.3%	94.7%
Grades 9–10	0.0%	5.9%	5.9%	94.1%
Grades 11–12	21.7%	21.7%	21.7%	78.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.4%	2.9%	4.5%	95.5%
Grade 7	2.3%	2.3%	9.3%	90.7%
Grade 8	0.0%	2.5%	2.5%	97.5%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	8.9%	8.9%	8.9%	91.1%
Cocaine or Crack				
All	0.7%	0.7%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.8%	2.8%	2.8%	97.2%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.7%	0.7%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.8%	2.8%	2.8%	97.2%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	2.0%	2.0%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	10.8%	10.8%	10.8%	89.2%
Synthetic Cathinones				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.0%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.8%	97.2%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Ecstasy				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	0.0%	2.0%	3.2%	96.8%
Grade 7	0.0%	0.0%	4.7%	95.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	5.9%	5.9%	94.1%
Grades 11–12	0.0%	0.0%	0.0%	100.0%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.5%	15.8%	26.1%	73.9%
Grade 7	8.6%	10.3%	20.4%	79.6%
Grade 8	10.9%	13.0%	24.9%	75.1%
Grade 9	10.8%	12.7%	26.1%	73.9%
Grade 10	15.4%	17.8%	28.9%	71.1%
Grade 11	19.0%	21.6%	29.8%	70.2%
Grade 12	19.7%	22.9%	29.3%	70.7%
Any Alcohol Product				
All	23.7%	28.0%	43.4%	56.6%
Grade 7	16.0%	18.8%	37.9%	62.1%
Grade 8	16.9%	20.4%	36.9%	63.1%
Grade 9	20.3%	27.8%	39.2%	60.8%
Grade 10	38.5%	39.3%	58.9%	41.1%
Grade 11	26.4%	31.1%	42.4%	57.6%
Grade 12	31.5%	38.5%	52.5%	47.5%
Any Illicit Drug				
All	10.3%	12.6%	17.7%	82.3%
Grade 7	8.6%	10.5%	11.8%	88.2%
Grade 8	9.3%	11.8%	15.7%	84.3%
Grade 9	3.8%	3.8%	6.7%	93.3%
Grade 10	8.1%	12.9%	23.2%	76.8%
Grade 11	13.8%	14.6%	21.1%	78.9%
Grade 12	20.4%	25.2%	34.3%	65.7%
Any Prescription Drug				
All	5.4%	8.8%	15.6%	84.4%
Grade 7	5.4%	8.7%	17.3%	82.7%
Grade 8	9.7%	11.6%	15.7%	84.3%
Grade 9	6.4%	13.7%	16.8%	83.2%
Grade 10	2.9%	7.8%	13.2%	86.8%
Grade 11	4.9%	4.9%	17.9%	82.1%
Grade 12	0.8%	3.9%	11.1%	88.9%
Any Inhalant				
All	3.2%	4.2%	7.8%	92.2%
Grade 7	4.8%	6.2%	12.7%	87.3%
Grade 8	5.7%	6.7%	11.1%	88.9%
Grade 9	1.8%	1.8%	3.7%	96.3%
Grade 10	0.0%	2.0%	5.3%	94.7%
Grade 11	3.3%	5.2%	7.2%	92.8%
Grade 12	1.7%	1.7%	3.9%	96.1%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.7%	12.4%	22.9%	77.1%
Grade 7	8.2%	10.2%	18.3%	81.7%
Grade 8	7.5%	10.3%	22.6%	77.4%
Grade 9	9.0%	11.0%	26.1%	73.9%
Grade 10	12.6%	17.8%	26.4%	73.6%
Grade 11	10.7%	12.5%	21.2%	78.8%
Grade 12	11.7%	14.9%	24.4%	75.6%
Marijuana				
All	9.7%	10.8%	16.6%	83.4%
Grade 7	8.6%	10.3%	11.4%	88.6%
Grade 8	8.5%	9.8%	13.4%	86.6%
Grade 9	3.9%	3.9%	6.9%	93.1%
Grade 10	8.1%	8.1%	20.7%	79.3%
Grade 11	12.0%	12.9%	19.2%	80.8%
Grade 12	19.5%	22.0%	34.3%	65.7%
Marijuana Only				
All	4.8%	5.4%	9.9%	90.1%
Grade 7	4.6%	5.7%	6.6%	93.4%
Grade 8	4.5%	5.4%	8.3%	91.7%
Grade 9	1.8%	1.8%	3.6%	96.4%
Grade 10	4.5%	4.5%	15.3%	84.7%
Grade 11	3.7%	4.6%	9.0%	91.0%
Grade 12	10.5%	11.3%	20.1%	79.9%
Cocaine or Crack				
All	0.6%	0.6%	1.6%	98.4%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.4%	97.6%
Grade 12	1.7%	1.7%	4.8%	95.2%
Cocaine				
All	0.5%	0.5%	1.4%	98.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.4%	97.6%
Grade 12	0.8%	0.8%	3.9%	96.1%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.8%	0.8%	0.8%	99.2%
Hallucinogens				
All	0.9%	1.0%	2.5%	97.5%
Grade 7	0.6%	0.6%	1.3%	98.7%
Grade 8	0.4%	0.6%	0.9%	99.1%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	2.0%	2.8%	2.8%	97.2%
Grade 11	1.5%	1.5%	4.4%	95.6%
Grade 12	0.8%	0.8%	6.3%	93.7%
Synthetic Cathinones				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.8%	0.9%	1.3%	98.7%
Grade 7	0.3%	0.3%	1.3%	98.7%
Grade 8	1.3%	1.5%	2.1%	97.9%
Grade 9	2.9%	2.9%	2.9%	97.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.3%	0.3%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	1.9%	1.9%	3.9%	96.1%
Grade 12	0.0%	0.0%	2.4%	97.6%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	0.8%	99.2%
Synthetic Marijuana				
All	0.4%	0.7%	1.4%	98.6%
Grade 7	1.2%	2.0%	2.6%	97.4%
Grade 8	0.2%	0.4%	1.2%	98.8%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.8%	3.9%	96.1%
Methamphetamine				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	0.8%	99.2%
Delta 8				
All	1.7%	3.4%	5.0%	95.0%
Grade 7	1.6%	1.8%	3.3%	96.7%
Grade 8	1.9%	2.1%	4.7%	95.3%
Grade 9	0.4%	0.4%	1.6%	98.4%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	2.7%	8.0%	9.9%	90.1%
Grade 12	1.7%	7.0%	9.4%	90.6%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	5.6%	7.6%	16.3%	83.7%
Grade 7	1.5%	2.2%	9.3%	90.7%
Grade 8	5.2%	7.4%	15.2%	84.8%
Grade 9	6.1%	6.1%	13.4%	86.6%
Grade 10	2.2%	6.9%	15.1%	84.9%
Grade 11	8.1%	10.1%	21.8%	78.2%
Grade 12	9.8%	13.0%	22.9%	77.1%
Any Alcohol Product				
All	18.2%	22.0%	38.7%	61.3%
Grade 7	12.9%	13.9%	29.9%	70.1%
Grade 8	12.2%	15.6%	35.4%	64.6%
Grade 9	15.8%	20.3%	32.3%	67.7%
Grade 10	16.3%	19.6%	43.6%	56.4%
Grade 11	23.5%	28.8%	44.8%	55.2%
Grade 12	28.9%	34.1%	47.3%	52.7%
Any Illicit Drug				
All	3.9%	6.6%	10.1%	89.9%
Grade 7	0.7%	1.6%	3.7%	96.3%
Grade 8	2.1%	5.7%	8.0%	92.0%
Grade 9	2.8%	3.8%	6.9%	93.1%
Grade 10	1.6%	3.1%	9.1%	90.9%
Grade 11	4.3%	7.5%	12.3%	87.7%
Grade 12	11.6%	17.6%	20.4%	79.6%
Any Prescription Drug				
All	4.0%	6.2%	12.3%	87.7%
Grade 7	3.4%	5.6%	12.1%	87.9%
Grade 8	5.1%	8.4%	12.3%	87.7%
Grade 9	3.3%	6.2%	14.0%	86.0%
Grade 10	3.0%	4.9%	11.7%	88.3%
Grade 11	4.4%	5.2%	14.7%	85.3%
Grade 12	4.5%	6.4%	9.2%	90.8%
Any Inhalant				
All	1.8%	2.7%	6.2%	93.8%
Grade 7	1.6%	2.2%	5.1%	94.9%
Grade 8	2.3%	3.5%	7.2%	92.8%
Grade 9	0.8%	0.8%	3.9%	96.1%
Grade 10	1.6%	3.2%	7.9%	92.1%
Grade 11	1.5%	1.5%	4.8%	95.2%
Grade 12	3.2%	5.1%	8.5%	91.5%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.3%	6.5%	14.2%	85.8%
Grade 7	1.4%	2.1%	7.4%	92.6%
Grade 8	3.0%	5.6%	13.0%	87.0%
Grade 9	4.7%	4.7%	12.1%	87.9%
Grade 10	2.3%	7.0%	14.5%	85.5%
Grade 11	6.6%	8.6%	17.7%	82.3%
Grade 12	7.5%	11.0%	20.4%	79.6%
Marijuana				
All	3.8%	5.3%	8.7%	91.3%
Grade 7	0.7%	1.6%	3.1%	96.9%
Grade 8	2.1%	3.1%	4.7%	95.3%
Grade 9	2.9%	2.9%	3.8%	96.2%
Grade 10	1.2%	2.8%	9.1%	90.9%
Grade 11	4.3%	6.3%	12.3%	87.7%
Grade 12	11.2%	14.5%	19.1%	80.9%
Marijuana Only				
All	1.5%	2.6%	5.7%	94.3%
Grade 7	0.7%	1.4%	2.8%	97.2%
Grade 8	0.7%	1.7%	2.8%	97.2%
Grade 9	0.8%	0.8%	1.7%	98.3%
Grade 10	0.5%	0.5%	5.8%	94.2%
Grade 11	1.3%	3.3%	9.2%	90.8%
Grade 12	4.8%	8.1%	12.2%	87.8%
Cocaine or Crack				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
Cocaine				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.7%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.4%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	1.0%	99.0%
Grade 9	0.0%	0.0%	2.8%	97.2%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.8%	0.8%	1.7%	98.3%
Grade 12	0.8%	0.8%	3.9%	96.1%
Synthetic Cathinones				
All	0.0%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.8%	0.8%	99.2%
Steroids				
All	0.0%	0.0%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	3.8%	96.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.8%	99.2%
Ecstasy				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
Synthetic Marijuana				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.8%	1.6%	4.1%	95.9%
Methamphetamine				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.7%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	0.8%	2.0%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	1.0%	2.2%	3.2%	96.8%
Grade 9	0.5%	0.5%	1.5%	98.5%
Grade 10	0.7%	2.2%	2.2%	97.8%
Grade 11	0.8%	3.0%	3.0%	97.0%
Grade 12	1.5%	3.9%	3.9%	96.1%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.4%	17.6%	28.3%	71.7%
Grade 7	7.7%	9.0%	20.8%	79.2%
Grade 8	10.6%	12.4%	22.9%	77.1%
Grade 9	14.9%	18.2%	28.5%	71.5%
Grade 10	16.7%	19.4%	29.6%	70.4%
Grade 11	24.8%	27.1%	39.1%	60.9%
Grade 12	28.5%	30.6%	38.5%	61.5%
Any Alcohol Product				
All	23.0%	26.8%	44.4%	55.6%
Grade 7	14.5%	16.5%	37.6%	62.4%
Grade 8	18.8%	21.6%	40.6%	59.4%
Grade 9	21.7%	27.2%	44.0%	56.0%
Grade 10	32.4%	34.5%	48.2%	51.8%
Grade 11	28.6%	34.8%	51.4%	48.6%
Grade 12	33.1%	38.9%	53.5%	46.5%
Any Illicit Drug				
All	12.1%	15.2%	19.5%	80.5%
Grade 7	7.7%	9.9%	11.9%	88.1%
Grade 8	9.4%	11.2%	12.9%	87.1%
Grade 9	5.4%	9.2%	13.0%	87.0%
Grade 10	7.3%	13.4%	21.2%	78.8%
Grade 11	26.1%	28.9%	34.6%	65.4%
Grade 12	23.6%	27.3%	37.2%	62.8%
Any Prescription Drug				
All	6.3%	8.6%	15.7%	84.3%
Grade 7	5.9%	8.5%	14.7%	85.3%
Grade 8	6.8%	9.5%	14.0%	86.0%
Grade 9	8.4%	12.5%	17.3%	82.7%
Grade 10	5.5%	8.2%	15.4%	84.6%
Grade 11	6.7%	6.7%	18.8%	81.2%
Grade 12	3.1%	4.2%	14.6%	85.4%
Any Inhalant				
All	3.9%	5.5%	11.0%	89.0%
Grade 7	5.2%	6.4%	12.4%	87.6%
Grade 8	5.9%	6.9%	11.9%	88.1%
Grade 9	3.0%	4.7%	9.3%	90.7%
Grade 10	0.4%	3.0%	11.1%	88.9%
Grade 11	2.5%	4.9%	7.7%	92.3%
Grade 12	4.8%	5.9%	13.6%	86.4%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.7%	14.0%	24.4%	75.6%
Grade 7	6.8%	8.4%	17.6%	82.4%
Grade 8	7.8%	10.0%	19.3%	80.7%
Grade 9	8.8%	10.9%	24.5%	75.5%
Grade 10	13.9%	17.7%	25.2%	74.8%
Grade 11	18.2%	20.9%	35.2%	64.8%
Grade 12	23.3%	25.4%	33.0%	67.0%
Marijuana				
All	11.2%	13.2%	17.9%	82.1%
Grade 7	6.9%	8.1%	9.7%	90.3%
Grade 8	8.6%	9.7%	11.4%	88.6%
Grade 9	4.1%	7.1%	11.7%	88.3%
Grade 10	7.3%	9.9%	19.5%	80.5%
Grade 11	24.4%	27.7%	32.2%	67.8%
Grade 12	22.8%	25.0%	37.2%	62.8%
Marijuana Only				
All	4.8%	5.8%	9.3%	90.7%
Grade 7	3.7%	4.5%	5.7%	94.3%
Grade 8	4.2%	5.1%	6.7%	93.3%
Grade 9	1.9%	3.2%	7.0%	93.0%
Grade 10	4.1%	4.4%	11.8%	88.2%
Grade 11	8.7%	10.4%	12.6%	87.4%
Grade 12	8.7%	9.4%	17.5%	82.5%
Cocaine or Crack				
All	0.9%	0.9%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	3.6%	96.4%
Grade 12	4.2%	4.2%	7.0%	93.0%
Cocaine				
All	0.8%	0.8%	1.8%	98.2%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	3.6%	96.4%
Grade 12	3.5%	3.5%	6.3%	93.7%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	1.9%	1.9%	1.9%	98.1%
Hallucinogens				
All	1.4%	1.5%	3.5%	96.5%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.3%	0.3%	1.6%	98.4%
Grade 10	0.0%	0.6%	2.1%	97.9%
Grade 11	5.2%	5.2%	11.5%	88.5%
Grade 12	4.1%	4.5%	8.9%	91.1%
Synthetic Cathinones				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.6%	1.6%	98.4%
Steroids				
All	0.6%	0.6%	1.5%	98.5%
Grade 7	0.2%	0.2%	1.3%	98.7%
Grade 8	0.8%	0.9%	1.6%	98.4%
Grade 9	2.0%	2.0%	2.5%	97.5%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	1.2%	98.8%
Ecstasy				
All	0.6%	0.7%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	2.3%	2.3%	7.3%	92.7%
Grade 12	1.2%	1.6%	3.7%	96.3%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
 Students Reporting Grades Lower Than an A on Average**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.9%	1.9%	1.9%	98.1%
Synthetic Marijuana				
All	0.8%	1.5%	2.3%	97.7%
Grade 7	1.0%	1.5%	1.9%	98.1%
Grade 8	0.8%	1.0%	1.8%	98.2%
Grade 9	1.1%	1.1%	2.4%	97.6%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.0%	2.6%	2.6%	97.4%
Grade 12	2.4%	3.1%	4.7%	95.3%
Methamphetamine				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	1.1%	1.1%	98.9%
Grade 12	1.9%	1.9%	1.9%	98.1%
Delta 8				
All	2.2%	3.9%	6.4%	93.6%
Grade 7	1.6%	2.2%	3.7%	96.3%
Grade 8	1.5%	2.4%	3.4%	96.6%
Grade 9	0.8%	2.1%	2.8%	97.2%
Grade 10	1.1%	1.1%	4.3%	95.7%
Grade 11	5.2%	11.0%	16.6%	83.4%
Grade 12	3.9%	6.9%	11.8%	88.2%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.5%	9.0%	17.9%	82.1%
Grade 7	3.0%	3.4%	11.9%	88.1%
Grade 8	6.9%	8.4%	16.9%	83.1%
Grade 9	6.6%	8.7%	15.9%	84.1%
Grade 10	6.1%	8.2%	16.1%	83.9%
Grade 11	8.3%	10.1%	23.6%	76.4%
Grade 12	16.1%	17.6%	25.4%	74.6%
Any Alcohol Product				
All	19.1%	22.3%	38.4%	61.6%
Grade 7	12.5%	13.5%	30.9%	69.1%
Grade 8	14.0%	16.4%	33.9%	66.1%
Grade 9	15.2%	20.0%	33.8%	66.2%
Grade 10	24.5%	27.0%	43.9%	56.1%
Grade 11	18.0%	22.2%	39.3%	60.7%
Grade 12	35.8%	40.5%	54.6%	45.4%
Any Illicit Drug				
All	6.5%	8.9%	11.7%	88.3%
Grade 7	2.8%	3.9%	4.9%	95.1%
Grade 8	5.0%	7.1%	8.7%	91.3%
Grade 9	4.2%	5.9%	8.3%	91.7%
Grade 10	3.6%	5.4%	9.9%	90.1%
Grade 11	11.7%	13.6%	16.4%	83.6%
Grade 12	13.4%	20.0%	25.8%	74.2%
Any Prescription Drug				
All	4.7%	6.9%	12.5%	87.5%
Grade 7	2.7%	5.0%	10.8%	89.2%
Grade 8	5.7%	9.2%	12.7%	87.3%
Grade 9	6.0%	10.4%	15.2%	84.8%
Grade 10	4.5%	5.3%	9.8%	90.2%
Grade 11	4.8%	5.5%	14.2%	85.8%
Grade 12	4.4%	4.6%	11.9%	88.1%
Any Inhalant				
All	2.8%	4.2%	8.1%	91.9%
Grade 7	2.9%	4.3%	8.2%	91.8%
Grade 8	4.2%	4.6%	8.7%	91.3%
Grade 9	2.2%	3.2%	5.7%	94.3%
Grade 10	0.3%	3.2%	8.1%	91.9%
Grade 11	1.9%	2.9%	4.4%	95.6%
Grade 12	4.7%	7.3%	14.4%	85.6%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.8%	7.1%	15.0%	85.0%
Grade 7	2.8%	3.2%	9.3%	90.7%
Grade 8	4.4%	5.9%	14.2%	85.8%
Grade 9	4.9%	5.9%	14.6%	85.4%
Grade 10	6.2%	8.3%	13.5%	86.5%
Grade 11	7.0%	7.9%	18.7%	81.3%
Grade 12	11.5%	13.3%	21.9%	78.1%
Marijuana				
All	5.9%	7.4%	10.4%	89.6%
Grade 7	2.4%	3.1%	3.6%	96.4%
Grade 8	4.6%	4.9%	6.3%	93.7%
Grade 9	3.5%	4.6%	7.0%	93.0%
Grade 10	3.6%	5.4%	9.9%	90.1%
Grade 11	10.6%	12.5%	15.4%	84.6%
Grade 12	12.5%	16.2%	24.7%	75.3%
Marijuana Only				
All	2.7%	3.4%	6.0%	94.0%
Grade 7	1.0%	1.5%	2.0%	98.0%
Grade 8	2.4%	2.5%	3.8%	96.2%
Grade 9	2.2%	2.2%	4.5%	95.5%
Grade 10	1.7%	1.7%	5.7%	94.3%
Grade 11	4.4%	5.4%	7.1%	92.9%
Grade 12	5.1%	8.2%	15.3%	84.7%
Cocaine or Crack				
All	0.7%	0.7%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	1.1%	1.1%	1.4%	98.6%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	1.5%	1.5%	3.2%	96.8%
Cocaine				
All	0.6%	0.6%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	1.1%	1.1%	1.4%	98.6%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	1.0%	1.0%	2.7%	97.3%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.4%	0.5%	99.5%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	1.2%	1.2%	1.2%	98.8%
Hallucinogens				
All	0.7%	0.7%	2.2%	97.8%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	1.1%	1.1%	1.7%	98.3%
Grade 11	1.7%	1.7%	7.8%	92.2%
Grade 12	0.8%	0.8%	3.5%	96.5%
Synthetic Cathinones				
All	0.2%	0.4%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	1.5%	1.5%	98.5%
Steroids				
All	0.1%	0.2%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.7%	99.3%
Ecstasy				
All	0.2%	0.3%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.0%	0.0%	1.7%	98.3%
Grade 11	0.0%	0.0%	3.6%	96.4%
Grade 12	0.8%	0.8%	2.3%	97.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	1.6%	98.4%
Synthetic Marijuana				
All	0.6%	1.0%	1.4%	98.6%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	1.4%	1.4%	98.6%
Grade 12	2.3%	3.5%	4.2%	95.8%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.7%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	1.2%	98.8%
Delta 8				
All	1.4%	1.9%	2.9%	97.1%
Grade 7	0.4%	1.0%	1.9%	98.1%
Grade 8	0.9%	1.7%	2.2%	97.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.7%	1.7%	3.5%	96.5%
Grade 11	2.9%	3.6%	5.5%	94.5%
Grade 12	3.5%	4.5%	5.8%	94.2%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.3%	17.3%	28.4%	71.6%
Grade 7	7.9%	10.1%	21.9%	78.1%
Grade 8	10.2%	13.0%	24.1%	75.9%
Grade 9	14.1%	15.5%	25.1%	74.9%
Grade 10	12.5%	17.6%	30.0%	70.0%
Grade 11	25.6%	28.7%	38.5%	61.5%
Grade 12	17.4%	21.5%	33.1%	66.9%
Any Alcohol Product				
All	22.9%	27.2%	46.1%	53.9%
Grade 7	14.9%	17.5%	38.7%	61.3%
Grade 8	19.3%	23.1%	45.5%	54.5%
Grade 9	23.1%	27.6%	43.7%	56.3%
Grade 10	23.6%	26.9%	50.4%	49.6%
Grade 11	33.9%	40.7%	55.7%	44.3%
Grade 12	24.5%	30.1%	44.0%	56.0%
Any Illicit Drug				
All	10.2%	13.5%	19.0%	81.0%
Grade 7	7.5%	10.2%	13.4%	86.6%
Grade 8	8.4%	11.9%	14.6%	85.4%
Grade 9	3.1%	6.0%	11.7%	88.3%
Grade 10	5.7%	11.1%	20.5%	79.5%
Grade 11	18.9%	22.7%	31.1%	68.9%
Grade 12	19.9%	21.4%	25.6%	74.4%
Any Prescription Drug				
All	5.9%	8.3%	16.3%	83.7%
Grade 7	7.6%	10.1%	17.2%	82.8%
Grade 8	6.2%	8.3%	13.9%	86.1%
Grade 9	4.6%	7.8%	15.1%	84.9%
Grade 10	4.9%	8.7%	19.6%	80.4%
Grade 11	7.4%	7.4%	21.1%	78.9%
Grade 12	3.8%	7.0%	10.0%	90.0%
Any Inhalant				
All	2.9%	3.8%	8.9%	91.1%
Grade 7	4.9%	5.4%	11.2%	88.8%
Grade 8	4.8%	6.8%	11.6%	88.4%
Grade 9	1.7%	2.3%	7.3%	92.7%
Grade 10	1.7%	2.4%	10.1%	89.9%
Grade 11	1.8%	3.2%	7.9%	92.1%
Grade 12	1.9%	1.9%	4.0%	96.0%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.9%	14.4%	25.4%	74.6%
Grade 7	6.9%	9.4%	19.4%	80.6%
Grade 8	7.6%	11.4%	20.7%	79.3%
Grade 9	8.2%	9.6%	21.3%	78.7%
Grade 10	9.8%	15.9%	28.3%	71.7%
Grade 11	18.5%	22.3%	35.3%	64.7%
Grade 12	16.1%	20.3%	29.9%	70.1%
Marijuana				
All	9.7%	11.7%	17.2%	82.8%
Grade 7	6.9%	8.4%	11.2%	88.8%
Grade 8	7.9%	10.0%	12.3%	87.7%
Grade 9	2.5%	4.5%	8.8%	91.2%
Grade 10	5.3%	7.4%	18.9%	81.1%
Grade 11	18.4%	21.5%	29.7%	70.3%
Grade 12	19.9%	20.6%	25.6%	74.4%
Marijuana Only				
All	3.8%	5.2%	9.3%	90.7%
Grade 7	4.4%	5.5%	7.8%	92.2%
Grade 8	3.3%	5.4%	7.0%	93.0%
Grade 9	0.0%	1.4%	4.7%	95.3%
Grade 10	2.5%	2.8%	11.6%	88.4%
Grade 11	5.2%	7.8%	14.1%	85.9%
Grade 12	8.2%	8.8%	11.7%	88.3%
Cocaine or Crack				
All	0.5%	0.5%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.0%	0.0%	3.2%	96.8%
Grade 12	2.1%	2.1%	2.1%	97.9%
Cocaine				
All	0.4%	0.4%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.0%	0.0%	3.2%	96.8%
Grade 12	2.1%	2.1%	2.1%	97.9%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.3%	1.5%	3.3%	96.7%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	4.0%	96.0%
Grade 10	0.0%	0.6%	2.4%	97.6%
Grade 11	4.4%	4.4%	5.4%	94.6%
Grade 12	3.6%	4.0%	8.2%	91.8%
Synthetic Cathinones				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.4%	0.4%	99.6%
Steroids				
All	0.5%	0.5%	1.7%	98.3%
Grade 7	0.2%	0.2%	1.5%	98.5%
Grade 8	0.9%	0.9%	1.8%	98.2%
Grade 9	1.5%	1.5%	3.0%	97.0%
Grade 10	0.0%	0.0%	2.9%	97.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.1%	98.9%
Ecstasy				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	2.4%	2.4%	3.4%	96.6%
Grade 12	0.0%	0.4%	0.4%	99.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.3%	0.8%	2.1%	97.9%
Grade 7	0.9%	1.5%	2.0%	98.0%
Grade 8	0.6%	0.9%	2.1%	97.9%
Grade 9	0.0%	0.0%	2.5%	97.5%
Grade 10	0.0%	0.7%	0.7%	99.3%
Grade 11	0.0%	1.3%	1.8%	98.2%
Grade 12	0.0%	0.0%	3.8%	96.2%
Methamphetamine				
All	0.0%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	1.2%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.9%	4.5%	6.7%	93.3%
Grade 7	1.7%	1.9%	3.4%	96.6%
Grade 8	2.0%	3.5%	5.3%	94.7%
Grade 9	1.1%	2.7%	4.5%	95.5%
Grade 10	1.1%	2.7%	3.6%	96.4%
Grade 11	3.8%	11.2%	15.7%	84.3%
Grade 12	1.7%	5.5%	8.0%	92.0%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.2%	11.2%	20.6%	79.4%
Grade 7	4.1%	4.9%	12.9%	87.1%
Grade 8	7.0%	8.9%	17.7%	82.3%
Grade 9	9.3%	11.9%	20.3%	79.7%
Grade 10	8.1%	11.2%	20.5%	79.5%
Grade 11	15.8%	17.4%	29.3%	70.7%
Grade 12	13.1%	16.2%	26.6%	73.4%
Any Alcohol Product				
All	19.5%	22.9%	40.2%	59.8%
Grade 7	12.7%	14.1%	31.9%	68.1%
Grade 8	14.0%	16.6%	35.4%	64.6%
Grade 9	19.8%	24.9%	40.4%	59.6%
Grade 10	18.8%	21.0%	41.5%	58.5%
Grade 11	26.6%	31.6%	47.1%	52.9%
Grade 12	29.7%	34.5%	50.5%	49.5%
Any Illicit Drug				
All	6.8%	9.8%	13.7%	86.3%
Grade 7	3.7%	5.5%	7.6%	92.4%
Grade 8	5.7%	8.4%	10.5%	89.5%
Grade 9	3.1%	5.7%	9.7%	90.3%
Grade 10	3.4%	7.5%	13.5%	86.5%
Grade 11	13.1%	16.2%	22.0%	78.0%
Grade 12	13.5%	17.8%	22.9%	77.1%
Any Prescription Drug				
All	5.0%	7.1%	13.7%	86.3%
Grade 7	4.2%	6.6%	12.8%	87.2%
Grade 8	5.4%	7.8%	12.4%	87.6%
Grade 9	6.0%	8.8%	14.5%	85.5%
Grade 10	4.9%	7.9%	13.7%	86.3%
Grade 11	6.1%	6.5%	18.2%	81.8%
Grade 12	3.4%	4.9%	10.5%	89.5%
Any Inhalant				
All	2.6%	3.7%	7.5%	92.5%
Grade 7	2.8%	3.5%	8.1%	91.9%
Grade 8	4.6%	5.6%	9.4%	90.6%
Grade 9	2.2%	3.4%	6.7%	93.3%
Grade 10	1.3%	2.2%	6.4%	93.6%
Grade 11	1.4%	2.8%	5.2%	94.8%
Grade 12	2.6%	3.7%	8.5%	91.5%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.2%	9.2%	18.1%	81.9%
Grade 7	3.9%	4.7%	11.0%	89.0%
Grade 8	4.5%	6.8%	15.3%	84.7%
Grade 9	6.7%	8.4%	18.0%	82.0%
Grade 10	7.8%	10.4%	18.8%	81.2%
Grade 11	11.1%	13.0%	25.5%	74.5%
Grade 12	11.7%	15.0%	24.1%	75.9%
Marijuana				
All	6.4%	8.3%	12.3%	87.7%
Grade 7	3.3%	4.5%	5.9%	94.1%
Grade 8	5.2%	6.2%	7.9%	92.1%
Grade 9	2.8%	4.9%	8.9%	91.1%
Grade 10	3.2%	5.1%	12.4%	87.6%
Grade 11	12.4%	15.1%	20.5%	79.5%
Grade 12	13.2%	16.1%	22.6%	77.4%
Marijuana Only				
All	3.1%	4.2%	7.7%	92.3%
Grade 7	2.2%	3.1%	4.3%	95.7%
Grade 8	2.8%	3.8%	5.1%	94.9%
Grade 9	1.3%	2.2%	6.2%	93.8%
Grade 10	2.5%	2.7%	9.2%	90.8%
Grade 11	4.8%	6.5%	11.0%	89.0%
Grade 12	5.6%	7.8%	13.2%	86.8%
Cocaine or Crack				
All	0.5%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	1.7%	1.7%	2.0%	98.0%
Cocaine				
All	0.5%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	1.3%	1.3%	1.7%	98.3%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.4%	0.4%	0.4%	99.6%
Hallucinogens				
All	0.6%	0.6%	2.0%	98.0%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	2.4%	2.4%	5.9%	94.1%
Grade 12	0.9%	1.1%	4.5%	95.5%
Synthetic Cathinones				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.8%	0.8%	99.2%
Steroids				
All	0.1%	0.2%	1.1%	98.9%
Grade 7	0.1%	0.1%	1.0%	99.0%
Grade 8	0.5%	0.6%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.1%	98.9%
Ecstasy				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.8%	0.8%	3.0%	97.0%
Grade 12	0.0%	0.2%	0.4%	99.6%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
Synthetic Marijuana				
All	0.4%	0.7%	1.3%	98.7%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	1.0%	1.0%	99.0%
Grade 12	1.2%	2.1%	4.5%	95.5%
Methamphetamine				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
Delta 8				
All	1.3%	2.6%	3.8%	96.2%
Grade 7	0.6%	1.0%	1.9%	98.1%
Grade 8	0.9%	1.9%	2.9%	97.1%
Grade 9	0.5%	0.9%	1.4%	98.6%
Grade 10	0.5%	1.5%	2.7%	97.3%
Grade 11	2.8%	6.0%	8.7%	91.3%
Grade 12	3.0%	5.1%	6.0%	94.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.4%	19.8%	30.3%	69.7%
Grade 7	10.8%	14.3%	39.9%	60.1%
Grade 8	18.2%	21.1%	34.2%	65.8%
Grade 9	14.5%	14.5%	18.4%	81.6%
Grade 10	12.5%	18.7%	26.1%	73.9%
Grade 11	13.8%	21.1%	32.2%	67.8%
Grade 12	26.3%	27.4%	32.9%	67.1%
Any Alcohol Product				
All	26.9%	32.9%	49.4%	50.6%
Grade 7	16.9%	20.8%	54.1%	45.9%
Grade 8	28.0%	33.1%	56.2%	43.8%
Grade 9	14.2%	21.0%	30.0%	70.0%
Grade 10	41.8%	46.4%	61.3%	38.7%
Grade 11	22.6%	32.2%	47.4%	52.6%
Grade 12	33.1%	39.4%	47.7%	52.3%
Any Illicit Drug				
All	12.6%	15.8%	20.1%	79.9%
Grade 7	11.3%	12.6%	15.3%	84.7%
Grade 8	11.8%	14.5%	16.4%	83.6%
Grade 9	5.8%	8.5%	15.0%	85.0%
Grade 10	6.7%	9.3%	14.6%	85.4%
Grade 11	19.7%	22.2%	24.7%	75.3%
Grade 12	20.2%	26.8%	32.9%	67.1%
Any Prescription Drug				
All	6.7%	9.5%	16.4%	83.6%
Grade 7	8.7%	9.5%	17.1%	82.9%
Grade 8	11.7%	18.7%	20.7%	79.3%
Grade 9	4.5%	12.5%	23.8%	76.2%
Grade 10	4.6%	4.6%	12.9%	87.1%
Grade 11	5.5%	5.5%	10.9%	89.1%
Grade 12	6.0%	7.3%	14.2%	85.8%
Any Inhalant				
All	4.0%	6.5%	13.7%	86.3%
Grade 7	10.5%	13.8%	18.9%	81.1%
Grade 8	4.0%	5.8%	15.0%	85.0%
Grade 9	2.9%	2.9%	9.7%	90.3%
Grade 10	0.0%	6.5%	13.7%	86.3%
Grade 11	2.0%	2.0%	8.9%	91.1%
Grade 12	5.8%	8.9%	16.1%	83.9%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.6%	16.7%	26.5%	73.5%
Grade 7	7.7%	12.3%	32.0%	68.0%
Grade 8	15.2%	18.6%	29.0%	71.0%
Grade 9	8.7%	8.7%	18.0%	82.0%
Grade 10	8.2%	18.7%	22.4%	77.6%
Grade 11	12.1%	17.1%	28.4%	71.6%
Grade 12	21.5%	22.6%	29.7%	70.3%
Marijuana				
All	12.1%	13.6%	18.3%	81.7%
Grade 7	10.4%	10.7%	13.4%	86.6%
Grade 8	11.4%	12.8%	15.2%	84.8%
Grade 9	5.8%	5.8%	8.1%	91.9%
Grade 10	6.7%	9.3%	14.6%	85.4%
Grade 11	17.7%	20.2%	24.7%	75.3%
Grade 12	20.2%	22.2%	31.8%	68.2%
Marijuana Only				
All	4.9%	5.8%	9.0%	91.0%
Grade 7	5.9%	6.2%	8.2%	91.8%
Grade 8	3.3%	4.2%	6.3%	93.7%
Grade 9	2.7%	2.7%	2.7%	97.3%
Grade 10	3.0%	3.0%	8.2%	91.8%
Grade 11	7.4%	9.8%	12.3%	87.7%
Grade 12	7.2%	9.2%	15.5%	84.5%
Cocaine or Crack				
All	1.2%	1.2%	2.6%	97.4%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	1.9%	1.9%	3.2%	96.8%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	3.0%	97.0%
Grade 12	2.0%	2.0%	5.4%	94.6%
Cocaine				
All	1.2%	1.2%	2.6%	97.4%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	1.9%	1.9%	3.2%	96.8%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	3.0%	97.0%
Grade 12	2.0%	2.0%	5.4%	94.6%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	1.1%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.9%	2.7%	97.3%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.0%	2.0%	2.0%	98.0%
Hallucinogens				
All	2.1%	2.4%	5.0%	95.0%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	2.4%	2.9%	3.4%	96.6%
Grade 9	0.0%	0.0%	6.0%	94.0%
Grade 10	0.0%	1.3%	3.7%	96.3%
Grade 11	3.0%	3.0%	5.5%	94.5%
Grade 12	5.6%	5.6%	9.2%	90.8%
Synthetic Cathinones				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.0%	2.0%	2.0%	98.0%
Steroids				
All	0.4%	0.4%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	2.3%	2.3%	3.9%	96.1%
Grade 10	0.0%	0.0%	5.3%	94.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.9%	0.9%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	3.0%	3.0%	3.0%	97.0%
Grade 12	2.0%	2.0%	5.6%	94.4%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.0%	2.0%	2.0%	98.0%
Synthetic Marijuana				
All	0.7%	1.6%	2.9%	97.1%
Grade 7	0.9%	0.9%	1.9%	98.1%
Grade 8	1.3%	1.9%	2.8%	97.2%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	1.6%	4.2%	95.8%
Grade 11	0.0%	3.5%	4.9%	95.1%
Grade 12	2.0%	2.0%	2.0%	98.0%
Methamphetamine				
All	0.4%	1.2%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.9%	2.2%	97.8%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	3.5%	3.5%	96.5%
Grade 12	2.0%	2.0%	2.0%	98.0%
Delta 8				
All	3.3%	5.1%	7.3%	92.7%
Grade 7	2.6%	2.6%	5.3%	94.7%
Grade 8	4.5%	6.3%	7.7%	92.3%
Grade 9	1.5%	1.5%	3.9%	96.1%
Grade 10	2.4%	2.4%	5.1%	94.9%
Grade 11	7.5%	12.4%	12.4%	87.6%
Grade 12	2.0%	5.8%	9.4%	90.6%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	22,301	52.5%
Female	20,190	47.5%
Frequency Missing	395	

Hispanic or Latino

Q5a	Frequency	Percent
No	27,930	66.0%
Yes	14,392	34.0%
Frequency Missing	565	

Grade

Q2	Frequency	Percent
Grade 7	7,906	18.5%
Grade 8	8,046	18.8%
Grade 9	7,559	17.7%
Grade 10	6,680	15.6%
Grade 11	6,689	15.6%
Grade 12	5,891	13.8%
Frequency Missing	116	

Ethnicity

Q5b	Frequency	Percent
American Indian	611	1.5%
Asian American	668	1.6%
African American	2,790	6.8%
Pacific Islander	103	0.3%
White	25,924	62.8%
Other	4,494	10.9%
More Than One Race	6,680	16.2%
Frequency Missing	1,616	

Live with Both Parents

Q3	Frequency	Percent
No	18,435	43.3%
Yes	24,105	56.7%
Frequency Missing	347	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	158	0.4%
Mostly D's	374	0.9%
Mostly C's	4,049	10.0%
Mostly B's	16,617	41.0%
Mostly A's	19,315	47.7%
Frequency Missing	2,373	

Age

Q4	Frequency	Percent
11 or younger	21	0.0%
12	2,863	6.7%
13	7,709	18.0%
14	9,191	21.5%
15	6,995	16.3%
16	6,805	15.9%
17	6,233	14.6%
18	2,874	6.7%
19 or older	137	0.3%
Frequency Missing	58	

Do You Have a Job

Q7	Frequency	Percent
No	31,111	76.4%
Yes	9,619	23.6%
Frequency Missing	2,156	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	8,948	22.1%
Yes	15,567	38.4%
Don't Know	16,042	39.6%
Frequency Missing	2,329	

**Participate in School Athletics (UIL, Varsity,
Jr Varsity)**

Q9a	Frequency	Percent
No	15,580	40.1%
Yes	23,317	59.9%
Frequency Missing	3,989	

**Participate in Academic
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	27,422	76.5%
Yes	8,413	23.5%
Frequency Missing	7,051	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	26,833	73.1%
Yes	9,884	26.9%
Frequency Missing	6,170	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	27,653	77.6%
Yes	7,968	22.4%
Frequency Missing	7,266	

Participate in School Choir

Q9c	Frequency	Percent
No	32,749	93.0%
Yes	2,451	7.0%
Frequency Missing	7,687	

**Participate in Athletic Teams Outside of
School**

Q9h	Frequency	Percent
No	25,026	68.2%
Yes	11,671	31.8%
Frequency Missing	6,189	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	32,572	92.2%
Yes	2,766	7.8%
Frequency Missing	7,549	

**Participate in Other Clubs or Groups
Outside of School**

Q9i	Frequency	Percent
No	29,016	81.6%
Yes	6,533	18.4%
Frequency Missing	7,337	

**Participate in Student Government/School
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	31,475	89.9%
Yes	3,530	10.1%
Frequency Missing	7,881	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	36,786	86.2%
Somewhat Safe	5,103	12.0%
Not Very Safe	298	0.7%
Not Safe At All	123	0.3%
Don't Know	358	0.8%
Frequency Missing	219	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	21,148	50.0%
Somewhat Safe	17,384	41.1%
Not Very Safe	2,204	5.2%
Not Safe At All	426	1.0%
Don't Know	1,099	2.6%
Frequency Missing	625	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	17,009	40.2%
Somewhat Safe	18,407	43.5%
Not Very Safe	3,652	8.6%
Not Safe At All	1,422	3.4%
Don't Know	1,815	4.3%
Frequency Missing	582	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	2,742	6.6%
Some High School	4,045	9.8%
Finished High School	10,397	25.1%
Some College	4,826	11.7%
Finished College	8,396	20.3%
Post-Secondary	4,061	9.8%
Don't Know or N/A	6,910	16.7%
Frequency Missing	1,508	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	2,607	6.3%
Some High School	2,639	6.4%
Finished High School	8,162	19.7%
Some College	5,497	13.3%
Finished College	11,556	27.9%
Post-Secondary	6,363	15.4%
Don't Know or N/A	4,541	11.0%
Frequency Missing	1,521	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	25,831	64.4%
Yes	14,299	35.6%
Frequency Missing	2,757	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	2,092	5.1%
A Few	8,791	21.4%
Some	9,789	23.8%
Most	15,245	37.1%
All	5,224	12.7%
Frequency Missing	1,746	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	1,006	2.4%
A Few	4,804	11.7%
Some	10,470	25.4%
Most	17,435	42.3%
All	7,505	18.2%
Frequency Missing	1,666	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	16,766	41.2%
A Few	11,624	28.5%
Some	7,081	17.4%
Most	3,640	8.9%
All	1,611	4.0%
Frequency Missing	2,165	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	31,398	76.7%
A Few	6,141	15.0%
Some	2,068	5.1%
Most	845	2.1%
All	466	1.1%
Frequency Missing	1,968	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	40,898	99.7%
In Your Lifetime	57	0.1%
Since School Began	38	0.1%
In the Past Month	38	0.1%
Frequency Missing	1,854	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	37,512	91.7%
A Few	2,227	5.4%
Some	642	1.6%
Most	208	0.5%
All	306	0.7%
Frequency Missing	1,991	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	39,589	96.3%
In Your Lifetime	1,176	2.9%
Since School Began	87	0.2%
In the Past Month	245	0.6%
Frequency Missing	1,789	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	40,565	98.5%
In Your Lifetime	544	1.3%
Since School Began	18	0.0%
In the Past Month	51	0.1%
Frequency Missing	1,708	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	40,921	99.3%
In Your Lifetime	190	0.5%
Since School Began	49	0.1%
In the Past Month	33	0.1%
Frequency Missing	1,693	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	40,071	97.3%
In Your Lifetime	864	2.1%
Since School Began	81	0.2%
In the Past Month	173	0.4%
Frequency Missing	1,699	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	40,848	99.4%
In Your Lifetime	178	0.4%
Since School Began	7	0.0%
In the Past Month	67	0.2%
Frequency Missing	1,787	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	40,407	98.3%
In Your Lifetime	414	1.0%
Since School Began	0	0.0%
In the Past Month	271	0.7%
Frequency Missing	1,795	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	30,257	74.2%
In Your Lifetime	5,864	14.4%
Since School Began	1,556	3.8%
In the Past Month	3,081	7.6%
Frequency Missing	2,128	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	40,825	99.3%
In Your Lifetime	182	0.4%
Since School Began	32	0.1%
In the Past Month	88	0.2%
Frequency Missing	1,759	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	32,897	80.5%
In Your Lifetime	3,943	9.7%
Since School Began	1,225	3.0%
In the Past Month	2,790	6.8%
Frequency Missing	2,032	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	38,212	92.9%
In Your Lifetime	1,780	4.3%
Since School Began	533	1.3%
In the Past Month	589	1.4%
Frequency Missing	1,772	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	32,540	79.7%
In Your Lifetime	5,277	12.9%
Since School Began	1,122	2.7%
In the Past Month	1,883	4.6%
Frequency Missing	2,064	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	39,732	96.6%
In Your Lifetime	931	2.3%
Since School Began	117	0.3%
In the Past Month	367	0.9%
Frequency Missing	1,740	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	31,643	77.2%
In Your Lifetime	5,084	12.4%
Since School Began	1,277	3.1%
In the Past Month	2,962	7.2%
Frequency Missing	1,921	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	40,105	97.7%
In Your Lifetime	631	1.5%
Since School Began	74	0.2%
In the Past Month	221	0.5%
Frequency Missing	1,855	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	33,089	80.6%
In Your Lifetime	3,762	9.2%
Since School Began	909	2.2%
In the Past Month	3,298	8.0%
Frequency Missing	1,829	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	40,035	97.3%
In Your Lifetime	679	1.6%
Since School Began	29	0.1%
In the Past Month	394	1.0%
Frequency Missing	1,750	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	36,482	88.7%
In Your Lifetime	2,225	5.4%
Since School Began	498	1.2%
In the Past Month	1,922	4.7%
Frequency Missing	1,759	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	40,962	99.6%
In Your Lifetime	44	0.1%
Since School Began	57	0.1%
In the Past Month	64	0.2%
Frequency Missing	1,760	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	40,720	99.0%
In Your Lifetime	224	0.5%
Since School Began	38	0.1%
In the Past Month	134	0.3%
Frequency Missing	1,771	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	40,811	99.2%
In Your Lifetime	222	0.5%
Since School Began	0	0.0%
In the Past Month	108	0.3%
Frequency Missing	1,745	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	40,992	99.7%
In Your Lifetime	46	0.1%
Since School Began	0	0.0%
In the Past Month	85	0.2%
Frequency Missing	1,762	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	40,677	99.1%
In Your Lifetime	244	0.6%
Since School Began	14	0.0%
In the Past Month	97	0.2%
Frequency Missing	1,854	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	41,067	99.8%
In Your Lifetime	16	0.0%
Since School Began	0	0.0%
In the Past Month	57	0.1%
Frequency Missing	1,747	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	37,126	91.0%
In Your Lifetime	1,812	4.4%
Since School Began	688	1.7%
In the Past Month	1,152	2.8%
Frequency Missing	2,109	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	41,006	99.7%
In Your Lifetime	21	0.1%
Since School Began	54	0.1%
In the Past Month	53	0.1%
Frequency Missing	1,753	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	39,737	97.6%
In Your Lifetime	679	1.7%
Since School Began	35	0.1%
In the Past Month	251	0.6%
Frequency Missing	2,184	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	40,671	98.7%
In Your Lifetime	279	0.7%
Since School Began	135	0.3%
In the Past Month	120	0.3%
Frequency Missing	1,682	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	39,556	97.4%
In Your Lifetime	675	1.7%
Since School Began	156	0.4%
In the Past Month	244	0.6%
Frequency Missing	2,256	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	39,344	95.7%
In Your Lifetime	703	1.7%
Since School Began	488	1.2%
In the Past Month	567	1.4%
Frequency Missing	1,785	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	38,972	96.0%
In Your Lifetime	1,096	2.7%
Since School Began	123	0.3%
In the Past Month	421	1.0%
Frequency Missing	2,275	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	37,508	92.4%
In Your Lifetime	1,682	4.1%
Since School Began	394	1.0%
In the Past Month	1,022	2.5%
Frequency Missing	2,281	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	40,518	98.9%
1-2 times	333	0.8%
3-10 times	66	0.2%
11+ times	39	0.1%
Frequency Missing	1,930	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	40,019	98.6%
In Your Lifetime	318	0.8%
Since School Began	54	0.1%
In the Past Month	214	0.5%
Frequency Missing	2,281	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	38,080	93.1%
1-2 times	1,206	2.9%
3-10 times	485	1.2%
11+ times	1,132	2.8%
Frequency Missing	1,983	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	38,872	94.9%
1-2 times	830	2.0%
3-10 times	476	1.2%
11+ times	773	1.9%
Frequency Missing	1,936	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	40,725	99.6%
1-2 times	113	0.3%
3-10 times	30	0.1%
11+ times	21	0.1%
Frequency Missing	1,998	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	33,369	82.1%
1-2 times	5,103	12.6%
3-10 times	1,285	3.2%
11+ times	889	2.2%
Frequency Missing	2,241	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	40,795	99.9%
1-2 times	52	0.1%
3-10 times	0	0.0%
11+ times	5	0.0%
Frequency Missing	2,034	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	33,739	82.9%
A few	4,491	11.0%
Some	1,078	2.6%
Most	1,167	2.9%
All	244	0.6%
Frequency Missing	2,166	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	25,371	62.3%
A few	8,511	20.9%
Some	3,993	9.8%
Most	2,194	5.4%
All	672	1.7%
Frequency Missing	2,145	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	38,492	94.8%
A few	1,615	4.0%
Some	333	0.8%
Most	133	0.3%
All	42	0.1%
Frequency Missing	2,272	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	30,625	75.3%
A few	5,393	13.3%
Some	2,497	6.1%
Most	1,733	4.3%
All	402	1.0%
Frequency Missing	2,237	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	36,934	90.7%
8 or younger	376	0.9%
9 years old	190	0.5%
10 years old	110	0.3%
11 years old	230	0.6%
12 years old	481	1.2%
13 years old	703	1.7%
14 years old	657	1.6%
15 years old	464	1.1%
16 years old	419	1.0%
17 years old	122	0.3%
18 or older	15	0.0%
Frequency Missing	2,185	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	27,236	67.4%
8 or younger	1,443	3.6%
9 years old	453	1.1%
10 years old	971	2.4%
11 years old	649	1.6%
12 years old	1,686	4.2%
13 years old	2,488	6.2%
14 years old	1,906	4.7%
15 years old	1,515	3.7%
16 years old	1,409	3.5%
17 years old	449	1.1%
18 or older	211	0.5%
Frequency Missing	2,470	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	39,796	97.9%
8 or younger	229	0.6%
9 years old	35	0.1%
10 years old	119	0.3%
11 years old	29	0.1%
12 years old	177	0.4%
13 years old	105	0.3%
14 years old	100	0.2%
15 years old	17	0.0%
16 years old	24	0.1%
17 years old	20	0.0%
18 or older	0	0.0%
Frequency Missing	2,236	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	36,024	88.5%
8 or younger	117	0.3%
9 years old	131	0.3%
10 years old	161	0.4%
11 years old	133	0.3%
12 years old	663	1.6%
13 years old	913	2.2%
14 years old	595	1.5%
15 years old	927	2.3%
16 years old	700	1.7%
17 years old	330	0.8%
18 or older	5	0.0%
Frequency Missing	2,187	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	40,394	99.2%
8 or younger	46	0.1%
9 years old	0	0.0%
10 years old	25	0.1%
11 years old	0	0.0%
12 years old	0	0.0%
13 years old	32	0.1%
14 years old	48	0.1%
15 years old	102	0.3%
16 years old	61	0.1%
17 years old	24	0.1%
18 or older	0	0.0%
Frequency Missing	2,154	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	40,414	99.3%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	9	0.0%
12 years old	10	0.0%
13 years old	14	0.0%
14 years old	14	0.0%
15 years old	110	0.3%
16 years old	123	0.3%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	2,193	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	40,662	99.7%
8 or younger	44	0.1%
9 years old	0	0.0%
10 years old	25	0.1%
11 years old	0	0.0%
12 years old	3	0.0%
13 years old	5	0.0%
14 years old	0	0.0%
15 years old	46	0.1%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	2,101	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	40,661	99.8%
8 or younger	15	0.0%
9 years old	0	0.0%
10 years old	10	0.0%
11 years old	0	0.0%
12 years old	0	0.0%
13 years old	7	0.0%
14 years old	16	0.0%
15 years old	0	0.0%
16 years old	25	0.1%
17 years old	0	0.0%
Frequency Missing	2,151	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	40,396	99.3%
8 or younger	36	0.1%
9 years old	32	0.1%
10 years old	10	0.0%
11 years old	61	0.1%
12 years old	73	0.2%
13 years old	30	0.1%
14 years old	25	0.1%
15 years old	17	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	2,208	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	40,706	99.9%
8 or younger	10	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	12	0.0%
13 years old	19	0.0%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	17	0.0%
17 years old	0	0.0%
Frequency Missing	2,122	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	40,237	98.9%
8 or younger	10	0.0%
9 years old	0	0.0%
10 years old	14	0.0%
11 years old	20	0.1%
12 years old	40	0.1%
13 years old	110	0.3%
14 years old	74	0.2%
15 years old	31	0.1%
16 years old	88	0.2%
17 years old	67	0.2%
18 or older	0	0.0%
Frequency Missing	2,195	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	39,231	96.4%
8 or younger	31	0.1%
9 years old	5	0.0%
10 years old	12	0.0%
11 years old	16	0.0%
12 years old	94	0.2%
13 years old	263	0.6%
14 years old	131	0.3%
15 years old	298	0.7%
16 years old	342	0.8%
17 years old	262	0.6%
18 or older	5	0.0%
Frequency Missing	2,196	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	12,290	30.5%
Impossible	9,940	24.7%
Very Difficult	4,256	10.6%
Somewhat diff	4,211	10.5%
Somewhat easy	4,865	12.1%
Very easy	4,671	11.6%
Frequency Missing	2,654	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	10,007	25.0%
Impossible	6,501	16.3%
Very Difficult	3,383	8.5%
Somewhat diff	4,397	11.0%
Somewhat easy	7,116	17.8%
Very easy	8,580	21.5%
Frequency Missing	2,901	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	15,671	39.5%
Impossible	8,681	21.9%
Very Difficult	2,233	5.6%
Somewhat diff	2,381	6.0%
Somewhat easy	4,021	10.1%
Very easy	6,652	16.8%
Frequency Missing	3,247	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	12,463	31.2%
Impossible	12,468	31.2%
Very Difficult	3,676	9.2%
Somewhat diff	3,634	9.1%
Somewhat easy	3,284	8.2%
Very easy	4,474	11.2%
Frequency Missing	2,888	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	15,144	37.8%
Impossible	15,940	39.8%
Very Difficult	5,569	13.9%
Somewhat diff	1,830	4.6%
Somewhat easy	794	2.0%
Very easy	765	1.9%
Frequency Missing	2,844	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	15,469	38.5%
Impossible	16,475	41.1%
Very Difficult	5,195	12.9%
Somewhat diff	1,833	4.6%
Somewhat easy	566	1.4%
Very easy	592	1.5%
Frequency Missing	2,756	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	18,011	44.9%
Impossible	15,445	38.5%
Very Difficult	4,369	10.9%
Somewhat diff	1,007	2.5%
Somewhat easy	632	1.6%
Very easy	639	1.6%
Frequency Missing	2,784	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	15,982	39.9%
Impossible	14,676	36.6%
Very Difficult	4,676	11.7%
Somewhat diff	2,518	6.3%
Somewhat easy	1,359	3.4%
Very easy	862	2.2%
Frequency Missing	2,814	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	19,632	49.0%
Impossible	13,223	33.0%
Very Difficult	3,540	8.8%
Somewhat diff	1,877	4.7%
Somewhat easy	851	2.1%
Very easy	964	2.4%
Frequency Missing	2,800	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	20,040	50.0%
Impossible	13,607	34.0%
Very Difficult	3,489	8.7%
Somewhat diff	1,485	3.7%
Somewhat easy	781	2.0%
Very easy	652	1.6%
Frequency Missing	2,832	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	19,932	49.9%
Impossible	12,244	30.6%
Very Difficult	3,205	8.0%
Somewhat diff	1,676	4.2%
Somewhat easy	1,020	2.6%
Very easy	1,892	4.7%
Frequency Missing	2,916	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	17,320	43.2%
Impossible	16,395	40.9%
Very Difficult	4,244	10.6%
Somewhat diff	1,108	2.8%
Somewhat easy	483	1.2%
Very easy	534	1.3%
Frequency Missing	2,802	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	593	1.5%
Several times/wk	349	0.9%
Several times/mo	302	0.8%
About once/month	421	1.1%
About once/year	613	1.5%
Less than once/year	996	2.5%
Never used	36,652	91.8%
Frequency Missing	2,961	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	136	0.3%
Several times/wk	427	1.1%
Several times/mo	1,318	3.3%
About once/month	2,716	6.8%
About once/year	3,457	8.7%
Less than once/year	3,665	9.2%
Never used	28,063	70.5%
Frequency Missing	3,106	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	16	0.0%
Several times/wk	31	0.1%
Several times/mo	30	0.1%
About once/month	9	0.0%
About once/year	30	0.1%
Less than once/year	80	0.2%
Never used	39,756	99.5%
Frequency Missing	2,936	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	23	0.1%
Several times/wk	42	0.1%
Several times/mo	35	0.1%
About once/month	229	0.6%
About once/year	70	0.2%
Less than once/year	297	0.7%
Never used	39,163	98.3%
Frequency Missing	3,029	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	5	0.0%
Several times/mo	0	0.0%
About once/month	19	0.0%
About once/year	5	0.0%
Less than once/year	25	0.1%
Never used	39,941	99.9%
Frequency Missing	2,889	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	669	1.7%
Several times/wk	378	0.9%
Several times/mo	651	1.6%
About once/month	600	1.5%
About once/year	509	1.3%
Less than once/year	1,478	3.7%
Never used	35,625	89.3%
Frequency Missing	2,976	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	5	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	5	0.0%
About once/year	42	0.1%
Less than once/year	158	0.4%
Never used	39,757	99.5%
Frequency Missing	2,918	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	29	0.1%
Several times/wk	0	0.0%
Several times/mo	30	0.1%
About once/month	0	0.0%
About once/year	49	0.1%
Less than once/year	186	0.5%
Never used	39,653	99.3%
Frequency Missing	2,938	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	54	0.1%
Several times/wk	28	0.1%
Several times/mo	26	0.1%
About once/month	59	0.1%
About once/year	102	0.3%
Less than once/year	82	0.2%
Never used	39,648	99.1%
Frequency Missing	2,888	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	20	0.1%
Several times/wk	0	0.0%
Several times/mo	12	0.0%
About once/month	0	0.0%
About once/year	5	0.0%
Less than once/year	27	0.1%
Never used	39,899	99.8%
Frequency Missing	2,923	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	96	0.2%
Several times/wk	137	0.3%
Several times/mo	179	0.4%
About once/month	346	0.9%
About once/year	253	0.6%
Less than once/year	385	1.0%
Never used	38,484	96.5%
Frequency Missing	3,006	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	12	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	19	0.0%
About once/year	0	0.0%
Less than once/year	22	0.1%
Never used	39,953	99.9%
Frequency Missing	2,880	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	28,882	72.1%
12+ drinks	451	1.1%
9-11 drinks	379	0.9%
5-8 drinks	806	2.0%
3-4 drinks	1,180	2.9%
2 drinks	1,588	4.0%
1 drink	2,174	5.4%
Less than 1 drink	4,606	11.5%
Frequency Missing	2,820	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	31,778	79.4%
12+ drinks	477	1.2%
9-11 drinks	241	0.6%
5-8 drinks	853	2.1%
3-4 drinks	1,484	3.7%
2 drinks	1,132	2.8%
1 drink	1,865	4.7%
Less than 1 drink	2,200	5.5%
Frequency Missing	2,857	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	23,336	59.2%
0 days	13,320	33.8%
1 day	1,082	2.7%
2 days	611	1.6%
3 to 5 days	502	1.3%
6 to 9 days	150	0.4%
10 or more days	421	1.1%
Frequency Missing	3,464	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	31,678	79.3%
12+ drinks	176	0.4%
9-11 drinks	125	0.3%
5-8 drinks	164	0.4%
3-4 drinks	730	1.8%
2 drinks	1,184	3.0%
1 drink	2,018	5.1%
Less than 1 drink	3,879	9.7%
Frequency Missing	2,932	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	27,378	68.8%
Never	5,210	13.1%
Seldom	5,245	13.2%
Most of the Time	1,379	3.5%
Always	602	1.5%
Frequency Missing	3,073	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	30,209	75.6%
12+ drinks	491	1.2%
9-11 drinks	358	0.9%
5-8 drinks	868	2.2%
3-4 drinks	1,209	3.0%
2 drinks	1,179	3.0%
1 drink	1,968	4.9%
Less than 1 drink	3,654	9.1%
Frequency Missing	2,951	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	28,013	70.4%
Never	6,101	15.3%
Seldom	3,248	8.2%
Most of the Time	1,863	4.7%
Always	556	1.4%
Frequency Missing	3,106	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	28,893	72.7%
Never	8,646	21.8%
Seldom	1,052	2.6%
Most of the Time	719	1.8%
Always	442	1.1%
Frequency Missing	3,134	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	27,935	70.1%
Never	6,164	15.5%
Seldom	2,830	7.1%
Most of the Time	1,846	4.6%
Always	1,093	2.7%
Frequency Missing	3,019	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	28,743	73.3%
Somewhat	5,351	13.6%
Not very	1,661	4.2%
Not at all	480	1.2%
Don't know	2,992	7.6%
Frequency Missing	3,660	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	28,814	72.8%
Never	7,170	18.1%
Seldom	1,867	4.7%
Most of the Time	1,130	2.9%
Always	582	1.5%
Frequency Missing	3,324	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	24,709	62.6%
Somewhat	5,622	14.2%
Not very	4,082	10.3%
Not at all	2,921	7.4%
Don't know	2,162	5.5%
Frequency Missing	3,390	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	25,885	65.5%
Somewhat	8,806	22.3%
Not very	2,424	6.1%
Not at all	365	0.9%
Don't know	2,036	5.2%
Frequency Missing	3,370	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	34,597	87.7%
Somewhat	2,189	5.5%
Not very	164	0.4%
Not at all	130	0.3%
Don't know	2,375	6.0%
Frequency Missing	3,431	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	20,191	51.1%
Somewhat	12,105	30.6%
Not very	4,903	12.4%
Not at all	711	1.8%
Don't know	1,598	4.0%
Frequency Missing	3,377	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	35,102	88.9%
Somewhat	1,733	4.4%
Not very	171	0.4%
Not at all	109	0.3%
Don't know	2,369	6.0%
Frequency Missing	3,404	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	31,570	80.0%
Somewhat	2,287	5.8%
Not very	557	1.4%
Not at all	150	0.4%
Don't know	4,887	12.4%
Frequency Missing	3,436	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	30,863	78.3%
Somewhat	2,681	6.8%
Not very	904	2.3%
Not at all	449	1.1%
Don't know	4,535	11.5%
Frequency Missing	3,455	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	29,634	75.1%
Somewhat	4,631	11.7%
Not very	1,640	4.2%
Not at all	368	0.9%
Don't know	3,161	8.0%
Frequency Missing	3,452	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	28,616	72.7%
Somewhat	2,979	7.6%
Not very	1,599	4.1%
Not at all	1,284	3.3%
Don't know	4,905	12.5%
Frequency Missing	3,504	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	34,505	87.4%
Somewhat	1,593	4.0%
Not very	157	0.4%
Not at all	96	0.2%
Don't know	3,135	7.9%
Frequency Missing	3,400	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	30,131	76.6%
Somewhat	4,619	11.7%
Not very	1,224	3.1%
Not at all	522	1.3%
Don't know	2,863	7.3%
Frequency Missing	3,526	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	34,352	87.2%
Somewhat	1,609	4.1%
Not very	194	0.5%
Not at all	102	0.3%
Don't know	3,141	8.0%
Frequency Missing	3,489	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	25,454	64.5%
Somewhat	7,162	18.1%
Not very	3,527	8.9%
Not at all	1,117	2.8%
Don't know	2,203	5.6%
Frequency Missing	3,423	

Days Skipped Since September

Q28a	Frequency	Percent
None	31,023	78.9%
1-3 days	6,393	16.3%
4-9 days	1,314	3.3%
10+ days	565	1.4%
Frequency Missing	3,592	

Someone Called Home Since September

Q28e	Frequency	Percent
None	36,366	92.6%
1-3 days	2,316	5.9%
4-9 days	237	0.6%
10+ days	345	0.9%
Frequency Missing	3,622	

Days Ill Since September

Q28b	Frequency	Percent
None	11,178	28.6%
1-3 days	17,000	43.5%
4-9 days	7,373	18.9%
10+ days	3,532	9.0%
Frequency Missing	3,805	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	38,191	97.6%
1-3 times	798	2.0%
4-9 times	78	0.2%
10+ times	57	0.1%
Frequency Missing	3,762	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	13,731	35.6%
1-3 days	18,994	49.3%
4-9 days	4,290	11.1%
10+ days	1,509	3.9%
Frequency Missing	4,363	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	38,155	97.7%
1-3 times	617	1.6%
4-9 times	124	0.3%
10+ times	148	0.4%
Frequency Missing	3,842	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	34,188	87.1%
1-3 days	3,928	10.0%
4-9 days	687	1.8%
10+ days	437	1.1%
Frequency Missing	3,646	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	38,464	98.5%
1-3 times	491	1.3%
4-9 times	101	0.3%
10+ times	0	0.0%
Frequency Missing	3,831	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	37,863	97.0%
1-3 times	812	2.1%
4-9 times	94	0.2%
10+ times	259	0.7%
Frequency Missing	3,858	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	38,069	97.4%
1-3 days	687	1.8%
4-9 days	195	0.5%
10+ days	154	0.4%
Frequency Missing	3,781	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	22,618	57.9%
Seldom	2,370	6.1%
Half the time	906	2.3%
Most of the Time	2,160	5.5%
Always	2,103	5.4%
Don't Know	640	1.6%
Didn't attend	8,293	21.2%
Frequency Missing	3,797	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	37,219	95.3%
1-3 days	956	2.4%
4-9 days	304	0.8%
10+ days	595	1.5%
Frequency Missing	3,813	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	25,423	65.2%
Seldom	1,678	4.3%
Half the time	944	2.4%
Most of the Time	1,141	2.9%
Always	897	2.3%
Don't Know	763	2.0%
Didn't attend	8,174	20.9%
Frequency Missing	3,867	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	38,612	98.9%
1-3 days	291	0.7%
4-9 days	104	0.3%
10+ days	54	0.1%
Frequency Missing	3,825	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	35,252	95.1%
Yes	1,816	4.9%
Frequency Missing	5,819	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	38,533	98.6%
1-3 days	306	0.8%
4-9 days	96	0.2%
10+ days	157	0.4%
Frequency Missing	3,794	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	24,355	64.2%
Yes	13,593	35.8%
Frequency Missing	4,938	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	29,461	77.9%
Yes	8,363	22.1%
Frequency Missing	5,062	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	14,923	39.5%
Yes	22,854	60.5%
Frequency Missing	5,110	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	22,588	59.8%
Yes	15,157	40.2%
Frequency Missing	5,142	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	20,597	54.6%
Yes	17,155	45.4%
Frequency Missing	5,134	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	11,250	29.6%
Yes	26,747	70.4%
Frequency Missing	4,890	

Would Not Seek Help

Q33i	Frequency	Percent
No	29,222	78.8%
Yes	7,884	21.2%
Frequency Missing	5,780	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	15,348	40.6%
Yes	22,443	59.4%
Frequency Missing	5,096	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	24,972	66.6%
Yes	12,513	33.4%
Frequency Missing	5,401	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	13,171	34.8%
Yes	24,681	65.2%
Frequency Missing	5,034	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	20,617	55.1%
Yes	16,779	44.9%
Frequency Missing	5,491	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	28,775	77.2%
Yes	8,478	22.8%
Frequency Missing	5,633	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	27,069	72.9%
Yes	10,070	27.1%
Frequency Missing	5,748	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	31,921	85.8%
Yes	5,271	14.2%
Frequency Missing	5,695	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	30,061	77.9%
Mild disapprove	2,776	7.2%
Neither	1,864	4.8%
Mildly approve	304	0.8%
Strongly approve	246	0.6%
Don't know	3,326	8.6%
Frequency Missing	4,309	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	27,899	75.2%
Yes	9,211	24.8%
Frequency Missing	5,777	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	22,143	57.3%
Mild disapprove	5,796	15.0%
Neither	5,776	14.9%
Mildly approve	1,273	3.3%
Strongly approve	332	0.9%
Don't know	3,328	8.6%
Frequency Missing	4,240	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	32,655	88.2%
Yes	4,367	11.8%
Frequency Missing	5,864	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	28,932	75.1%
Mild disapprove	2,466	6.4%
Neither	2,588	6.7%
Mildly approve	682	1.8%
Strongly approve	573	1.5%
Don't know	3,295	8.6%
Frequency Missing	4,350	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	25,642	68.9%
Yes	11,596	31.1%
Frequency Missing	5,649	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

