
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2022



HHSC REGION 3 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	110

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 3. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	8.1%	10.7%	17.6%	82.4%
Grade 7	2.9%	3.8%	8.0%	92.0%
Grade 8	4.6%	6.1%	12.4%	87.6%
Grade 9	8.4%	11.8%	16.4%	83.6%
Grade 10	10.8%	13.9%	20.6%	79.4%
Grade 11	11.9%	13.7%	23.6%	76.4%
Grade 12	11.1%	16.9%	27.0%	73.0%
Cigarettes?				
All	1.0%	2.1%	5.9%	94.1%
Grade 7	0.3%	0.5%	2.2%	97.8%
Grade 8	0.7%	1.0%	3.4%	96.6%
Grade 9	1.4%	2.8%	5.7%	94.3%
Grade 10	0.9%	2.2%	6.2%	93.8%
Grade 11	1.5%	3.9%	9.6%	90.4%
Grade 12	1.3%	2.7%	9.3%	90.7%
Smokeless Tobacco?				
All	1.1%	1.4%	2.9%	97.1%
Grade 7	0.3%	0.5%	1.1%	98.9%
Grade 8	0.5%	0.7%	1.8%	98.2%
Grade 9	1.0%	1.1%	2.2%	97.8%
Grade 10	1.0%	1.6%	3.5%	96.5%
Grade 11	2.2%	2.6%	4.6%	95.4%
Grade 12	1.9%	2.4%	4.7%	95.3%
Electronic Vapor Products?				
All	6.2%	9.1%	15.6%	84.4%
Grade 7	1.8%	2.7%	6.6%	93.4%
Grade 8	3.6%	5.2%	11.1%	88.9%
Grade 9	6.8%	10.0%	15.1%	84.9%
Grade 10	8.4%	12.3%	17.7%	82.3%
Grade 11	9.4%	11.5%	21.8%	78.2%
Grade 12	8.1%	14.4%	23.6%	76.4%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.6%	0.8%	0.5%	0.3%	1.1%	0.9%	1.8%
Grade 7	98.2%	0.0%	0.1%	0.2%	0.4%	0.4%	0.7%
Grade 8	96.8%	0.3%	0.4%	0.3%	0.3%	0.7%	1.3%
Grade 9	94.8%	1.8%	0.1%	0.7%	0.7%	1.0%	0.9%
Grade 10	93.7%	0.4%	0.8%	0.0%	1.0%	1.7%	2.3%
Grade 11	91.8%	1.3%	1.7%	0.2%	3.0%	0.4%	1.7%
Grade 12	91.0%	1.6%	0.2%	0.3%	1.6%	1.3%	4.0%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.1	10.5	11.2	13.0	13.0	13.8	13.7

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	38.0%	24.4%	8.6%	8.9%	9.7%	10.4%
Grade 7	40.3%	35.7%	8.0%	6.6%	5.6%	3.8%
Grade 8	38.2%	29.9%	10.0%	9.5%	7.3%	5.1%
Grade 9	41.1%	23.1%	9.0%	8.8%	8.0%	10.0%
Grade 10	40.0%	19.5%	8.7%	8.8%	9.5%	13.4%
Grade 11	35.4%	17.7%	8.3%	11.2%	13.5%	13.9%
Grade 12	31.9%	17.9%	7.6%	8.7%	15.6%	18.3%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	85.2%	9.3%	3.0%	1.8%	0.7%
Grade 7	93.3%	5.0%	1.1%	0.5%	0.0%
Grade 8	90.2%	6.7%	1.8%	0.9%	0.4%
Grade 9	82.5%	10.8%	4.6%	0.9%	1.2%
Grade 10	83.6%	8.4%	4.2%	2.6%	1.2%
Grade 11	80.1%	12.4%	3.2%	3.9%	0.4%
Grade 12	79.4%	13.6%	3.5%	2.2%	1.3%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.6%	6.1%	4.1%	0.9%	0.4%	8.8%
Grade 7	85.3%	3.4%	2.1%	0.4%	0.2%	8.7%
Grade 8	84.1%	3.7%	2.9%	0.6%	0.3%	8.5%
Grade 9	77.3%	5.4%	4.7%	1.5%	0.5%	10.5%
Grade 10	77.7%	5.5%	6.0%	1.9%	0.4%	8.5%
Grade 11	76.3%	10.8%	3.8%	0.2%	1.1%	7.8%
Grade 12	75.8%	9.0%	5.6%	0.7%	0.0%	8.8%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	68.2%	20.7%	5.6%	0.5%	5.0%
	Grade 7	77.9%	14.8%	2.6%	0.3%	4.4%
	Grade 8	72.8%	18.3%	3.9%	0.5%	4.5%
	Grade 9	68.7%	17.4%	6.1%	0.4%	7.4%
	Grade 10	64.5%	22.1%	7.3%	0.5%	5.6%
	Grade 11	65.9%	22.7%	6.9%	0.4%	4.1%
	Grade 12	56.6%	30.9%	7.5%	0.9%	4.2%
Electronic Vapor Products?						
	All	66.5%	16.8%	8.3%	2.7%	5.6%
	Grade 7	74.5%	13.5%	5.3%	1.5%	5.2%
	Grade 8	69.8%	15.4%	7.7%	2.1%	5.1%
	Grade 9	69.4%	12.9%	8.2%	2.6%	7.0%
	Grade 10	64.4%	18.8%	8.0%	3.1%	5.7%
	Grade 11	62.7%	20.4%	9.6%	2.3%	5.0%
	Grade 12	55.5%	21.2%	12.0%	5.2%	6.0%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	17.2%	21.3%	35.9%	64.1%
Grade 7	9.9%	11.6%	29.4%	70.6%
Grade 8	12.2%	15.0%	30.9%	69.1%
Grade 9	14.3%	16.7%	29.6%	70.4%
Grade 10	19.3%	24.2%	35.5%	64.5%
Grade 11	20.6%	28.6%	41.5%	58.5%
Grade 12	29.7%	35.5%	52.1%	47.9%
Beer?				
All	4.9%	9.5%	24.7%	75.3%
Grade 7	2.3%	3.1%	19.1%	80.9%
Grade 8	2.9%	5.0%	19.5%	80.5%
Grade 9	5.5%	9.3%	20.1%	79.9%
Grade 10	3.5%	9.1%	24.3%	75.7%
Grade 11	7.6%	15.2%	32.6%	67.4%
Grade 12	8.8%	17.5%	35.7%	64.3%
Wine Coolers?				
All	5.4%	9.1%	20.5%	79.5%
Grade 7	1.9%	2.4%	11.8%	88.2%
Grade 8	2.6%	4.3%	15.0%	85.0%
Grade 9	4.5%	7.4%	16.7%	83.3%
Grade 10	5.4%	8.9%	21.4%	78.6%
Grade 11	8.4%	14.8%	26.8%	73.2%
Grade 12	11.3%	19.6%	34.5%	65.5%
Wine?				
All	3.8%	7.2%	22.8%	77.2%
Grade 7	2.1%	3.1%	16.6%	83.4%
Grade 8	2.7%	4.3%	18.8%	81.2%
Grade 9	3.3%	6.7%	20.3%	79.7%
Grade 10	4.4%	7.5%	19.3%	80.7%
Grade 11	5.5%	11.4%	30.1%	69.9%
Grade 12	5.3%	11.9%	35.0%	65.0%
Liquor?				
All	5.4%	9.7%	22.6%	77.4%
Grade 7	1.8%	2.6%	11.5%	88.5%
Grade 8	2.9%	5.0%	15.9%	84.1%
Grade 9	5.9%	8.6%	17.2%	82.8%
Grade 10	5.6%	11.1%	23.4%	76.6%
Grade 11	7.3%	14.0%	29.7%	70.3%
Grade 12	9.8%	19.4%	42.0%	58.0%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	76.7%	0.1%	1.0%	3.1%	6.4%	6.8%	6.0%
Grade 7	86.2%	0.1%	0.2%	0.8%	2.0%	4.4%	6.4%
Grade 8	83.2%	0.1%	0.6%	1.4%	3.6%	5.2%	5.9%
Grade 9	82.3%	0.4%	0.7%	1.9%	6.7%	4.8%	3.1%
Grade 10	75.7%	0.0%	1.5%	2.8%	6.8%	6.1%	7.1%
Grade 11	69.9%	0.0%	1.3%	5.4%	8.9%	8.2%	6.4%
Grade 12	58.7%	0.0%	1.6%	7.2%	11.7%	13.2%	7.6%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	79.2%	20.8%	2.7%	10.1%	8.0%
	Grade 7	83.7%	16.3%	0.6%	4.9%	10.9%
	Grade 8	83.3%	16.7%	1.0%	6.5%	9.2%
	Grade 9	83.6%	16.4%	2.4%	8.6%	5.4%
	Grade 10	78.6%	21.4%	1.6%	11.8%	8.0%
	Grade 11	72.5%	27.5%	5.9%	14.2%	7.4%
	Grade 12	71.0%	29.0%	5.5%	16.7%	6.8%
Wine Coolers						
	All	82.3%	17.7%	3.4%	9.2%	5.0%
	Grade 7	90.6%	9.4%	0.8%	3.2%	5.3%
	Grade 8	87.9%	12.1%	0.8%	5.6%	5.7%
	Grade 9	84.8%	15.2%	3.2%	7.2%	4.8%
	Grade 10	82.6%	17.4%	4.1%	9.1%	4.2%
	Grade 11	75.7%	24.3%	5.9%	13.7%	4.7%
	Grade 12	69.1%	30.9%	6.4%	19.0%	5.5%
Wine						
	All	81.9%	18.1%	0.7%	8.7%	8.7%
	Grade 7	86.6%	13.4%	0.5%	3.9%	9.0%
	Grade 8	84.7%	15.3%	0.5%	6.0%	8.8%
	Grade 9	84.4%	15.6%	0.6%	8.5%	6.5%
	Grade 10	84.6%	15.4%	0.1%	7.6%	7.7%
	Grade 11	76.3%	23.7%	0.4%	13.7%	9.5%
	Grade 12	72.4%	27.6%	2.8%	13.8%	11.0%
Liquor						
	All	80.4%	19.6%	3.3%	9.5%	6.9%
	Grade 7	90.8%	9.2%	0.5%	3.3%	5.4%
	Grade 8	86.6%	13.4%	1.3%	5.9%	6.1%
	Grade 9	84.5%	15.5%	3.8%	5.5%	6.3%
	Grade 10	80.4%	19.6%	4.2%	8.4%	7.0%
	Grade 11	73.5%	26.5%	3.5%	16.1%	6.9%
	Grade 12	61.9%	38.1%	7.2%	20.6%	10.3%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	94.5%	1.7%	1.6%	1.4%	0.1%	0.7%
Grade 7	98.0%	0.8%	0.4%	0.3%	0.1%	0.5%
Grade 8	97.5%	1.2%	0.3%	0.3%	0.1%	0.5%
Grade 9	95.3%	1.2%	1.1%	1.1%	0.0%	1.3%
Grade 10	94.1%	1.9%	2.6%	0.7%	0.0%	0.7%
Grade 11	92.8%	2.2%	3.2%	1.3%	0.0%	0.5%
Grade 12	88.1%	3.0%	2.3%	5.2%	0.7%	0.8%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.7	10.2	10.9	11.9	13.1	13.6	14.4

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.7%	16.0%	6.4%	8.9%	13.9%	21.2%
Grade 7	35.4%	23.2%	8.7%	9.9%	11.8%	11.0%
Grade 8	34.0%	19.0%	7.9%	9.6%	12.7%	16.8%
Grade 9	38.1%	15.7%	6.0%	8.2%	13.2%	18.8%
Grade 10	36.5%	15.2%	4.3%	10.6%	10.3%	23.3%
Grade 11	30.7%	11.1%	5.7%	7.9%	16.3%	28.3%
Grade 12	25.9%	9.8%	5.8%	6.4%	20.2%	31.8%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.8%	1.3%	0.4%	0.4%
Grade 7	98.8%	0.9%	0.3%	0.1%
Grade 8	98.6%	1.3%	0.0%	0.1%
Grade 9	97.6%	1.8%	0.4%	0.1%
Grade 10	97.8%	1.2%	0.6%	0.4%
Grade 11	96.7%	1.9%	0.9%	0.6%
Grade 12	97.4%	0.9%	0.3%	1.4%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	6.1
Alcohol Non-Users	4.5
Average Days Conduct Problems Reported	
Alcohol Users	2.5
Alcohol Non-Users	0.8

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	98.0%	1.5%	0.3%	0.1%
Grade 9	98.9%	0.7%	0.4%	0.0%
Grade 10	97.9%	2.1%	0.0%	0.0%
Grade 11	97.7%	1.2%	0.6%	0.5%
Grade 12	97.5%	2.3%	0.2%	0.0%
 Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	97.4%	2.3%	0.2%	0.1%
Grade 7	98.8%	1.0%	0.2%	0.1%
Grade 8	97.8%	1.8%	0.3%	0.1%
Grade 9	98.0%	1.6%	0.2%	0.1%
Grade 10	95.9%	3.6%	0.2%	0.3%
Grade 11	96.4%	3.6%	0.0%	0.0%
Grade 12	97.7%	2.2%	0.0%	0.1%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	67.6%	17.4%	8.0%	5.3%	1.7%
Grade 7	85.7%	10.5%	2.8%	0.8%	0.2%
Grade 8	77.3%	14.4%	5.5%	2.2%	0.7%
Grade 9	66.7%	19.4%	8.1%	3.3%	2.5%
Grade 10	65.9%	16.7%	8.9%	6.4%	2.2%
Grade 11	55.7%	23.3%	9.0%	11.0%	1.1%
Grade 12	49.2%	22.0%	15.2%	9.8%	3.8%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	64.1%	4.7%	3.3%	5.1%	5.7%	1.4%	15.8%
Grade 7	74.4%	4.2%	2.0%	2.9%	2.1%	1.5%	13.0%
Grade 8	72.2%	4.5%	3.5%	2.7%	2.0%	1.7%	13.5%
Grade 9	65.6%	4.9%	3.1%	4.3%	5.2%	1.7%	15.3%
Grade 10	62.3%	4.2%	2.8%	4.1%	5.7%	1.5%	19.4%
Grade 11	55.8%	4.8%	3.0%	7.9%	7.7%	0.3%	20.6%
Grade 12	51.3%	5.7%	5.9%	9.6%	13.0%	1.8%	12.7%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	71.6%	12.2%	10.5%	3.4%	2.3%
	Grade 7	76.2%	13.4%	7.5%	1.8%	1.0%
	Grade 8	76.6%	11.4%	8.3%	2.6%	1.2%
	Grade 9	75.4%	10.0%	10.1%	2.1%	2.4%
	Grade 10	71.4%	13.5%	8.7%	4.5%	2.0%
	Grade 11	64.6%	12.4%	14.5%	6.0%	2.5%
	Grade 12	62.9%	12.8%	15.1%	4.1%	5.1%
Friends?						
	All	73.7%	15.0%	6.3%	4.1%	0.9%
	Grade 7	81.2%	15.7%	1.8%	1.1%	0.2%
	Grade 8	79.9%	14.6%	3.4%	1.8%	0.2%
	Grade 9	75.4%	12.6%	7.3%	3.7%	1.0%
	Grade 10	72.5%	16.0%	4.6%	5.4%	1.4%
	Grade 11	66.9%	16.0%	10.1%	6.2%	0.9%
	Grade 12	63.4%	15.0%	12.4%	7.1%	2.1%
A Store?						
	All	75.0%	20.5%	2.2%	1.7%	0.7%
	Grade 7	81.8%	16.6%	0.9%	0.6%	0.1%
	Grade 8	80.5%	17.4%	1.4%	0.6%	0.2%
	Grade 9	77.7%	17.0%	3.1%	1.3%	0.9%
	Grade 10	73.7%	21.0%	2.5%	2.2%	0.6%
	Grade 11	68.3%	25.3%	2.8%	2.7%	0.9%
	Grade 12	64.9%	27.3%	3.3%	3.0%	1.6%
Parties?						
	All	72.3%	13.1%	6.3%	5.3%	2.9%
	Grade 7	78.6%	13.7%	4.5%	2.2%	1.0%
	Grade 8	77.6%	13.1%	4.9%	3.1%	1.3%
	Grade 9	74.9%	11.3%	7.2%	3.8%	2.7%
	Grade 10	72.2%	13.5%	5.4%	4.6%	4.2%
	Grade 11	66.7%	12.7%	8.9%	8.7%	3.0%
	Grade 12	61.0%	14.4%	7.6%	11.3%	5.7%
Other Sources?						
	All	75.4%	16.5%	4.1%	2.4%	1.7%
	Grade 7	81.7%	14.8%	2.2%	0.8%	0.5%
	Grade 8	79.9%	14.8%	3.2%	1.4%	0.7%
	Grade 9	78.5%	13.5%	3.5%	1.7%	2.7%
	Grade 10	76.1%	18.0%	1.3%	2.3%	2.3%
	Grade 11	68.5%	17.1%	9.2%	4.2%	1.1%
	Grade 12	65.0%	21.9%	5.6%	4.4%	3.1%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	62.8%	13.2%	10.9%	4.4%	0.8%	7.9%
Grade 7	75.1%	9.1%	4.9%	1.9%	0.3%	8.7%
Grade 8	70.2%	11.3%	7.4%	2.8%	0.3%	8.0%
Grade 9	65.1%	11.7%	9.1%	3.6%	1.3%	9.2%
Grade 10	59.6%	10.6%	16.5%	5.0%	1.0%	7.2%
Grade 11	53.2%	20.4%	12.0%	5.9%	1.5%	7.0%
Grade 12	50.3%	17.5%	16.9%	8.2%	0.0%	7.1%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	55.7%	26.9%	11.0%	1.9%	4.4%
Grade 7	60.0%	24.9%	10.3%	1.0%	3.7%
Grade 8	56.8%	26.4%	10.8%	2.4%	3.6%
Grade 9	60.1%	21.7%	10.0%	2.6%	5.5%
Grade 10	53.6%	29.1%	10.1%	1.9%	5.3%
Grade 11	55.4%	26.2%	13.4%	0.9%	4.2%
Grade 12	46.6%	34.5%	12.0%	2.8%	4.0%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	9.1%	12.1%	16.4%	83.6%
Grade 7	2.5%	4.1%	5.7%	94.3%
Grade 8	5.1%	7.0%	9.0%	91.0%
Grade 9	7.4%	9.9%	11.9%	88.1%
Grade 10	12.9%	16.9%	20.3%	79.7%
Grade 11	11.6%	15.7%	24.6%	75.4%
Grade 12	17.1%	21.0%	30.9%	69.1%
Marijuana?				
All	8.1%	10.1%	14.1%	85.9%
Grade 7	1.8%	2.1%	3.2%	96.8%
Grade 8	4.5%	5.2%	7.3%	92.7%
Grade 9	6.6%	7.8%	9.4%	90.6%
Grade 10	11.5%	14.5%	18.3%	81.7%
Grade 11	9.9%	13.4%	20.9%	79.1%
Grade 12	16.1%	19.9%	29.4%	70.6%
Cocaine?				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.2%	0.6%	0.6%	99.4%
Grade 11	1.1%	1.1%	1.1%	98.9%
Grade 12	0.1%	0.1%	0.7%	99.3%
Crack?				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens?				
All	0.7%	1.2%	2.0%	98.0%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.5%	0.7%	99.3%
Grade 9	0.3%	1.2%	1.2%	98.8%
Grade 10	1.1%	1.8%	2.4%	97.6%
Grade 11	1.6%	2.5%	3.1%	96.9%
Grade 12	1.1%	1.6%	4.5%	95.5%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.5%	0.6%	99.4%
Steroids?				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.5%	0.5%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.4%	1.2%	98.8%
Grade 12	0.3%	0.8%	1.5%	98.5%
Ecstasy?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.4%	0.4%	1.3%	98.7%
Grade 12	0.2%	0.2%	0.8%	99.2%
Heroin?				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	0.7%	0.8%	99.2%
Methamphetamine?				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.4%	0.4%	0.9%	99.1%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.8%	1.2%	1.9%	98.1%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	1.2%	1.2%	2.7%	97.3%
Grade 10	0.7%	1.0%	1.4%	98.6%
Grade 11	1.3%	1.7%	3.2%	96.8%
Grade 12	1.0%	2.4%	2.7%	97.3%
Delta 8?				
All	2.9%	4.2%	5.8%	94.2%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	1.0%	1.5%	2.5%	97.5%
Grade 9	1.8%	2.4%	3.5%	96.5%
Grade 10	2.8%	4.0%	5.6%	94.4%
Grade 11	5.6%	7.7%	10.7%	89.3%
Grade 12	6.6%	10.8%	13.6%	86.4%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year	
Marijuana?								
All	89.5%	0.8%	1.4%	1.4%	2.2%	2.5%	2.1%	
Grade 7	97.7%	0.1%	0.4%	0.2%	0.4%	0.3%	0.8%	
Grade 8	95.4%	0.4%	0.6%	0.5%	0.8%	1.2%	1.1%	
Grade 9	92.4%	0.6%	1.3%	1.3%	1.8%	1.7%	1.0%	
Grade 10	87.7%	1.6%	2.2%	0.9%	1.9%	3.2%	2.5%	
Grade 11	82.9%	0.7%	2.3%	2.5%	4.3%	4.0%	3.3%	
Grade 12	77.8%	2.0%	1.7%	3.8%	4.8%	5.5%	4.4%	
Cocaine?								
All	99.7%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	
Grade 7	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	
Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	
Grade 9	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Grade 11	98.9%	0.0%	0.5%	0.0%	0.5%	0.0%	0.2%	
Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	
Crack?								
All	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Grade 7	99.9%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	
Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Steroids?								
All	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	
Grade 7	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%	
Grade 8	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Grade 11	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	
Grade 12	99.7%	0.2%	0.0%	0.0%	0.0%	0.0%	0.2%	
Ecstasy?								
All	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	
Grade 7	99.9%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	
Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	
Grade 9	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	
Grade 10	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	
Grade 11	99.1%	0.0%	0.0%	0.0%	0.4%	0.0%	0.4%	
Grade 12	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.6%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.6%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
Synthetic Marijuana?								
	All	98.7%	0.2%	0.2%	0.2%	0.2%	0.5%	0.1%
	Grade 7	99.8%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.1%	0.1%	0.1%	0.1%	0.1%	0.4%	0.1%
	Grade 9	98.2%	0.4%	0.2%	0.0%	0.0%	0.6%	0.6%
	Grade 10	98.9%	0.0%	0.0%	0.3%	0.3%	0.4%	0.0%
	Grade 11	98.3%	0.4%	0.2%	0.6%	0.0%	0.4%	0.0%
	Grade 12	97.8%	0.0%	0.6%	0.0%	0.5%	1.0%	0.1%
Delta 8?								
	All	95.6%	0.3%	0.6%	0.8%	0.9%	1.4%	0.5%
	Grade 7	99.4%	0.0%	0.0%	0.0%	0.2%	0.1%	0.2%
	Grade 8	98.0%	0.2%	0.2%	0.3%	0.2%	0.8%	0.4%
	Grade 9	97.1%	0.0%	0.3%	0.2%	0.9%	0.7%	0.8%
	Grade 10	95.7%	0.0%	0.7%	1.2%	0.6%	1.8%	0.0%
	Grade 11	91.3%	0.5%	1.1%	1.5%	2.4%	2.3%	0.9%
	Grade 12	90.9%	1.1%	1.5%	1.8%	0.9%	3.1%	0.6%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.4	11.4	12.4	13.6	14.2	14.7	15.4
Cocaine	14.8	11.4	13.3	15.0	15.0	15.6	14.3
Crack	9.9	10.0	12.4	N/A	N/A	N/A	8.0
Steroids	13.1	9.4	11.8	12.0	12.0	14.5	15.2
Ecstasy	14.4	11.3	12.9	14.4	15.0	15.0	14.8
Heroin	11.6	9.9	12.0	N/A	N/A	N/A	15.0
Methamphetamine	11.8	10.8	10.4	N/A	N/A	17.0	8.0
Synthetic Marijuana	13.8	11.2	12.4	14.1	15.0	12.6	15.8
Delta 8?	15.5	11.9	12.9	14.4	15.1	15.7	16.7

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	37.8%	25.3%	8.2%	7.5%	9.1%	12.1%
	Grade 7	42.7%	38.8%	7.2%	5.3%	2.7%	3.3%
	Grade 8	39.9%	32.8%	9.7%	6.9%	5.6%	5.1%
	Grade 9	40.7%	26.1%	8.3%	6.7%	9.5%	8.7%
	Grade 10	38.8%	19.7%	7.9%	8.8%	8.6%	16.3%
	Grade 11	33.6%	17.0%	7.1%	10.6%	14.5%	17.2%
	Grade 12	29.2%	13.7%	9.2%	6.9%	15.7%	25.3%
Cocaine?							
	All	43.9%	35.8%	10.7%	5.5%	2.1%	1.9%
	Grade 7	43.9%	42.9%	7.8%	3.0%	1.3%	1.1%
	Grade 8	43.2%	41.0%	9.2%	3.8%	1.5%	1.3%
	Grade 9	45.7%	33.1%	9.8%	6.4%	2.9%	2.0%
	Grade 10	45.2%	33.4%	11.1%	5.6%	2.9%	1.8%
	Grade 11	43.5%	32.0%	11.7%	8.6%	1.3%	2.9%
	Grade 12	41.6%	30.8%	15.9%	6.4%	2.9%	2.4%
Crack?							
	All	45.3%	36.3%	11.0%	4.5%	1.6%	1.4%
	Grade 7	45.8%	41.8%	7.6%	2.6%	1.1%	1.1%
	Grade 8	44.2%	40.6%	9.3%	3.8%	1.1%	0.9%
	Grade 9	47.2%	34.5%	10.2%	4.6%	2.1%	1.4%
	Grade 10	46.5%	33.6%	11.9%	5.2%	1.7%	1.0%
	Grade 11	45.1%	32.8%	12.3%	6.0%	1.3%	2.4%
	Grade 12	42.4%	33.2%	15.5%	5.1%	2.4%	1.4%
Steroids?							
	All	46.5%	33.7%	10.2%	5.2%	2.6%	1.8%
	Grade 7	47.2%	38.7%	6.2%	4.5%	1.7%	1.6%
	Grade 8	45.9%	38.0%	8.6%	4.3%	1.9%	1.3%
	Grade 9	48.4%	30.8%	11.8%	3.3%	4.1%	1.7%
	Grade 10	47.4%	33.1%	9.9%	5.6%	1.8%	2.3%
	Grade 11	46.7%	28.7%	12.4%	6.5%	3.9%	1.9%
	Grade 12	42.9%	31.5%	13.1%	7.5%	2.5%	2.5%
Ecstasy?							
	All	54.5%	30.2%	8.7%	3.0%	2.0%	1.6%
	Grade 7	62.4%	30.2%	4.6%	1.4%	0.5%	0.9%
	Grade 8	56.7%	32.3%	6.8%	2.4%	0.9%	0.9%
	Grade 9	53.6%	31.3%	8.5%	2.5%	2.8%	1.3%
	Grade 10	54.7%	29.6%	8.4%	3.9%	1.2%	2.2%
	Grade 11	51.6%	27.2%	10.7%	4.4%	3.9%	2.3%
	Grade 12	46.3%	30.4%	14.7%	3.3%	2.9%	2.5%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	50.0%	35.8%	8.6%	3.2%	1.1%	1.2%
	Grade 7	54.2%	36.2%	5.7%	1.8%	0.9%	1.2%
	Grade 8	49.5%	38.3%	7.0%	3.2%	0.9%	1.0%
	Grade 9	51.4%	34.8%	7.7%	2.9%	2.1%	1.0%
	Grade 10	50.2%	35.8%	7.5%	4.3%	1.2%	1.0%
	Grade 11	49.2%	34.6%	10.4%	3.5%	0.9%	1.4%
	Grade 12	44.3%	34.9%	14.7%	3.5%	0.7%	1.8%
Methamphetamine?							
	All	51.6%	34.1%	8.8%	2.8%	1.3%	1.5%
	Grade 7	56.4%	34.2%	5.8%	1.7%	0.8%	1.1%
	Grade 8	52.9%	34.9%	7.4%	2.9%	1.1%	0.9%
	Grade 9	53.3%	32.5%	9.0%	2.0%	2.0%	1.2%
	Grade 10	50.8%	35.1%	8.8%	2.8%	1.2%	1.2%
	Grade 11	49.1%	34.1%	8.3%	4.0%	1.5%	2.9%
	Grade 12	45.6%	33.7%	14.5%	3.5%	1.1%	1.6%
Synthetic Marijuana?							
	All	53.5%	29.5%	7.4%	3.5%	3.2%	3.0%
	Grade 7	58.9%	32.4%	4.5%	2.0%	1.0%	1.2%
	Grade 8	54.8%	32.1%	7.1%	2.7%	1.7%	1.6%
	Grade 9	53.1%	30.2%	7.8%	3.3%	3.5%	2.0%
	Grade 10	54.8%	27.8%	7.4%	2.4%	2.9%	4.7%
	Grade 11	50.9%	25.5%	8.1%	6.6%	5.2%	3.6%
	Grade 12	46.5%	28.0%	10.1%	4.5%	5.6%	5.3%
Delta 8?							
	All	53.2%	26.6%	6.7%	3.6%	4.2%	5.7%
	Grade 7	58.9%	31.2%	4.8%	2.2%	1.2%	1.7%
	Grade 8	55.6%	29.6%	6.7%	3.5%	2.3%	2.4%
	Grade 9	54.8%	26.1%	6.9%	3.9%	4.4%	3.9%
	Grade 10	55.3%	25.9%	6.3%	2.8%	3.2%	6.6%
	Grade 11	47.6%	22.3%	8.6%	5.7%	6.4%	9.4%
	Grade 12	45.2%	23.5%	7.4%	3.5%	8.5%	11.9%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	95.3%	2.7%	0.8%	1.2%
Grade 7	98.8%	0.8%	0.3%	0.1%
Grade 8	97.2%	1.5%	0.4%	0.8%
Grade 9	96.7%	1.8%	0.4%	1.1%
Grade 10	92.5%	5.0%	1.0%	1.6%
Grade 11	92.6%	4.3%	2.0%	1.1%
Grade 12	93.4%	3.0%	1.2%	2.4%
Attended Class While High from Use of Some Other Drug?				
All	98.9%	0.7%	0.2%	0.2%
Grade 7	99.2%	0.6%	0.1%	0.2%
Grade 8	99.0%	0.7%	0.0%	0.2%
Grade 9	98.8%	0.9%	0.4%	0.0%
Grade 10	98.5%	0.9%	0.3%	0.3%
Grade 11	98.4%	0.9%	0.5%	0.2%
Grade 12	99.5%	0.3%	0.1%	0.0%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.6
Marijuana Non-Users	4.7
Average Days Conduct Problems Reported	
Marijuana Users	3.7
Marijuana Non-Users	1.0

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	96.7%	2.0%	0.5%	0.8%
Grade 9	98.7%	1.2%	0.1%	0.0%
Grade 10	97.4%	1.2%	0.9%	0.4%
Grade 11	95.0%	3.9%	0.2%	0.9%
Grade 12	95.2%	1.9%	0.9%	2.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.8%	1.8%	0.2%	0.2%
Grade 7	99.2%	0.5%	0.2%	0.1%
Grade 8	98.2%	1.6%	0.1%	0.1%
Grade 9	98.3%	1.3%	0.0%	0.4%
Grade 10	97.1%	2.2%	0.4%	0.3%
Grade 11	95.9%	3.4%	0.2%	0.5%
Grade 12	97.9%	2.0%	0.1%	0.0%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	73.8%	13.1%	6.2%	5.5%	1.4%
Grade 7	92.3%	4.4%	2.0%	1.0%	0.2%
Grade 8	84.3%	9.4%	3.4%	2.1%	0.8%
Grade 9	76.1%	13.8%	4.3%	4.2%	1.7%
Grade 10	70.1%	13.9%	7.3%	7.3%	1.4%
Grade 11	63.7%	17.6%	8.6%	8.8%	1.4%
Grade 12	50.9%	21.9%	13.3%	11.0%	2.9%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	69.8%	3.7%	3.0%	3.0%	2.9%	2.0%	15.8%
Grade 7	81.7%	1.8%	1.0%	0.6%	0.6%	1.4%	12.8%
Grade 8	78.8%	2.4%	1.6%	1.5%	0.6%	1.6%	13.6%
Grade 9	68.6%	4.2%	3.3%	3.7%	2.0%	2.9%	15.4%
Grade 10	68.2%	2.4%	1.6%	2.8%	3.5%	2.1%	19.4%
Grade 11	59.2%	5.7%	4.6%	4.5%	3.8%	1.1%	21.0%
Grade 12	59.1%	6.3%	6.5%	5.3%	7.9%	2.8%	12.1%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.1%	6.8%	6.1%	1.9%	1.2%	8.0%
Grade 7	85.1%	3.6%	1.9%	0.7%	0.2%	8.5%
Grade 8	83.1%	3.9%	3.0%	1.2%	0.5%	8.3%
Grade 9	77.7%	7.7%	3.1%	1.2%	1.3%	9.1%
Grade 10	71.2%	6.7%	11.3%	1.2%	2.3%	7.2%
Grade 11	71.6%	9.9%	5.0%	4.5%	1.5%	7.4%
Grade 12	64.8%	10.2%	13.5%	2.8%	1.1%	7.7%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	62.2%	15.2%	10.7%	6.6%	5.3%
	Grade 7	80.2%	9.8%	3.3%	1.4%	5.3%
	Grade 8	72.5%	12.5%	6.2%	3.8%	4.9%
	Grade 9	64.7%	16.0%	8.4%	4.3%	6.6%
	Grade 10	56.7%	16.1%	12.3%	9.1%	5.7%
	Grade 11	54.0%	16.6%	16.1%	8.8%	4.5%
	Grade 12	39.5%	21.7%	20.4%	13.6%	4.8%
Cocaine?						
	All	87.3%	6.3%	0.6%	0.3%	5.6%
	Grade 7	87.5%	6.4%	0.6%	0.3%	5.2%
	Grade 8	87.6%	6.2%	0.7%	0.3%	5.2%
	Grade 9	86.3%	6.5%	0.6%	0.0%	6.6%
	Grade 10	86.5%	5.8%	0.4%	0.0%	7.3%
	Grade 11	87.3%	7.0%	0.9%	0.5%	4.3%
	Grade 12	88.6%	6.1%	0.3%	0.5%	4.6%
Crack?						
	All	88.1%	5.3%	0.3%	0.2%	6.1%
	Grade 7	87.2%	6.1%	0.5%	0.3%	6.0%
	Grade 8	87.9%	5.4%	0.5%	0.4%	5.8%
	Grade 9	86.7%	5.6%	0.0%	0.0%	7.7%
	Grade 10	86.8%	5.8%	0.0%	0.0%	7.4%
	Grade 11	90.4%	4.1%	0.7%	0.0%	4.8%
	Grade 12	90.2%	4.6%	0.1%	0.5%	4.6%
Ecstasy?						
	All	80.5%	6.9%	1.0%	0.3%	11.3%
	Grade 7	81.1%	5.5%	0.6%	0.2%	12.6%
	Grade 8	80.6%	6.2%	0.9%	0.5%	11.9%
	Grade 9	80.1%	6.2%	0.8%	0.0%	12.9%
	Grade 10	78.7%	6.9%	2.2%	0.3%	11.9%
	Grade 11	81.4%	8.3%	0.7%	0.0%	9.6%
	Grade 12	81.5%	8.6%	0.7%	1.0%	8.2%
Steroids?						
	All	77.0%	11.3%	3.4%	0.9%	7.4%
	Grade 7	79.0%	10.7%	2.6%	0.6%	7.1%
	Grade 8	78.3%	10.7%	2.7%	1.0%	7.3%
	Grade 9	76.4%	9.7%	3.5%	0.4%	10.1%
	Grade 10	75.6%	13.9%	1.9%	1.6%	7.0%
	Grade 11	76.9%	11.7%	4.3%	1.0%	6.1%
	Grade 12	75.7%	11.1%	5.7%	0.7%	6.8%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	87.3%	4.7%	0.6%	0.2%	7.2%
	Grade 7	85.3%	4.8%	0.9%	0.4%	8.7%
	Grade 8	86.0%	5.3%	0.6%	0.3%	7.8%
	Grade 9	87.4%	4.4%	0.4%	0.0%	7.8%
	Grade 10	85.9%	5.6%	0.3%	0.0%	8.2%
	Grade 11	88.9%	4.7%	0.9%	0.0%	5.4%
	Grade 12	91.4%	3.1%	0.1%	0.5%	4.8%
Methamphetamine?						
	All	87.0%	4.8%	0.5%	0.3%	7.3%
	Grade 7	85.2%	5.1%	0.6%	0.2%	9.0%
	Grade 8	85.7%	5.7%	0.5%	0.3%	7.9%
	Grade 9	86.4%	4.4%	0.2%	0.4%	8.6%
	Grade 10	87.0%	5.7%	0.3%	0.3%	6.7%
	Grade 11	88.0%	4.5%	1.1%	0.2%	6.2%
	Grade 12	90.9%	3.2%	0.1%	0.5%	5.3%
Synthetic Marijuana?						
	All	77.4%	8.3%	2.9%	1.1%	10.3%
	Grade 7	82.4%	6.1%	0.9%	0.4%	10.3%
	Grade 8	80.7%	7.0%	1.8%	0.8%	9.6%
	Grade 9	77.2%	7.6%	3.4%	0.3%	11.5%
	Grade 10	75.1%	9.5%	3.1%	1.4%	10.9%
	Grade 11	73.4%	10.2%	4.2%	1.3%	11.0%
	Grade 12	74.1%	9.7%	4.5%	3.0%	8.7%
Delta 8?						
	All	72.6%	8.9%	5.6%	2.5%	10.3%
	Grade 7	79.8%	7.6%	1.8%	0.6%	10.2%
	Grade 8	76.7%	8.3%	3.1%	1.6%	10.2%
	Grade 9	74.8%	7.5%	4.1%	1.5%	12.1%
	Grade 10	69.0%	11.5%	6.9%	2.1%	10.5%
	Grade 11	67.5%	8.8%	9.5%	3.8%	10.4%
	Grade 12	65.5%	10.0%	9.7%	6.6%	8.2%
Fictional Drug?						
	All	80.0%	4.8%	0.3%	0.2%	14.6%
	Grade 7	80.8%	4.8%	0.5%	0.2%	13.6%
	Grade 8	80.3%	5.0%	0.4%	0.4%	13.9%
	Grade 9	78.2%	4.5%	0.0%	0.4%	16.9%
	Grade 10	78.7%	5.7%	0.3%	0.0%	15.3%
	Grade 11	79.6%	4.9%	0.4%	0.0%	15.0%
	Grade 12	83.1%	3.3%	0.1%	0.5%	13.0%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	4.1%	5.9%	11.3%	88.7%
Grade 7	5.0%	6.5%	12.0%	88.0%
Grade 8	4.5%	6.0%	11.0%	89.0%
Grade 9	4.6%	6.1%	10.0%	90.0%
Grade 10	2.7%	5.1%	11.1%	88.9%
Grade 11	4.4%	6.3%	14.1%	85.9%
Grade 12	3.5%	5.1%	9.1%	90.9%
Codeine Cough Syrup?				
All	1.7%	2.7%	6.5%	93.5%
Grade 7	3.0%	4.2%	7.9%	92.1%
Grade 8	2.0%	3.3%	6.7%	93.3%
Grade 9	1.1%	1.9%	5.7%	94.3%
Grade 10	1.1%	2.6%	6.3%	93.7%
Grade 11	1.3%	2.4%	7.9%	92.1%
Grade 12	1.2%	1.9%	4.0%	96.0%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.3%	0.7%	1.7%	98.3%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.5%	1.2%	1.2%	98.8%
Grade 10	0.0%	0.4%	1.8%	98.2%
Grade 11	0.4%	1.7%	3.8%	96.2%
Grade 12	0.3%	0.5%	2.1%	97.9%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.3%	0.7%	1.7%	98.3%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.5%	0.7%	1.2%	98.8%
Grade 9	0.7%	1.1%	1.6%	98.4%
Grade 10	0.0%	0.7%	2.6%	97.4%
Grade 11	0.2%	1.1%	2.7%	97.3%
Grade 12	0.3%	0.3%	1.5%	98.5%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.1%	1.4%	2.3%	97.7%
Grade 7	0.7%	1.1%	2.0%	98.0%
Grade 8	0.9%	1.2%	2.1%	97.9%
Grade 9	0.9%	1.2%	1.3%	98.7%
Grade 10	0.7%	1.3%	2.0%	98.0%
Grade 11	2.2%	2.2%	4.6%	95.4%
Grade 12	1.0%	1.5%	2.1%	97.9%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.1%	2.9%	5.5%	94.5%
Grade 7	2.4%	3.3%	6.5%	93.5%
Grade 8	2.6%	3.7%	6.9%	93.1%
Grade 9	2.3%	2.9%	5.1%	94.9%
Grade 10	1.8%	2.8%	4.4%	95.6%
Grade 11	1.6%	2.2%	5.7%	94.3%
Grade 12	2.0%	2.5%	4.3%	95.7%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	1.3%	1.7%	3.1%	96.9%
Grade 8	0.6%	0.9%	2.1%	97.9%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.4%	0.9%	0.9%	99.1%
Grade 11	0.2%	0.5%	0.9%	99.1%
Grade 12	0.2%	0.2%	1.5%	98.5%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.8%	11.7%	3.5%	1.1%	8.0%
Grade 7	76.7%	11.4%	3.5%	0.9%	7.4%
Grade 8	75.8%	12.3%	3.8%	1.0%	7.2%
Grade 9	76.5%	11.5%	1.3%	1.1%	9.6%
Grade 10	76.0%	10.2%	4.7%	0.4%	8.6%
Grade 11	73.7%	12.7%	5.2%	1.9%	6.5%
Grade 12	75.8%	12.1%	2.3%	1.2%	8.7%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	2.9%	4.1%	9.0%	91.0%
Grade 7	4.5%	5.5%	10.2%	89.8%
Grade 8	3.0%	4.2%	9.0%	91.0%
Grade 9	2.3%	3.1%	8.7%	91.3%
Grade 10	3.6%	5.3%	10.0%	90.0%
Grade 11	2.2%	3.7%	9.7%	90.3%
Grade 12	1.3%	2.4%	5.9%	94.1%
Spray Paint?				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.3%	0.4%	1.7%	98.3%
Grade 8	0.2%	0.3%	1.3%	98.7%
Grade 9	0.3%	0.7%	1.2%	98.8%
Grade 10	0.6%	0.6%	1.7%	98.3%
Grade 11	0.0%	0.2%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.5%	99.5%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.5%	1.0%	2.9%	97.1%
Grade 7	1.0%	1.4%	3.6%	96.4%
Grade 8	0.5%	0.9%	3.5%	96.5%
Grade 9	0.0%	0.7%	3.8%	96.2%
Grade 10	1.2%	2.0%	3.0%	97.0%
Grade 11	0.0%	0.5%	3.1%	96.9%
Grade 12	0.1%	0.1%	0.2%	99.8%
Computer Dusting Sprays?				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.9%	1.3%	3.7%	96.3%
Grade 7	1.3%	1.4%	4.8%	95.2%
Grade 8	0.8%	1.2%	4.0%	96.0%
Grade 9	0.4%	0.9%	1.7%	98.3%
Grade 10	2.1%	2.4%	3.8%	96.2%
Grade 11	0.9%	1.3%	5.1%	94.9%
Grade 12	0.0%	0.6%	2.4%	97.6%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.7%	1.3%	98.7%
Grade 8	0.3%	0.5%	1.3%	98.7%
Grade 9	0.2%	0.5%	0.8%	99.2%
Grade 10	0.6%	0.6%	1.7%	98.3%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.2%	99.8%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.4%	0.4%	99.6%
Grade 10	0.3%	0.6%	1.0%	99.0%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.1%	99.9%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	1.1%	1.3%	2.8%	97.2%
Grade 8	0.3%	0.6%	1.9%	98.1%
Grade 9	0.2%	0.4%	1.1%	98.9%
Grade 10	0.3%	0.7%	1.0%	99.0%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	0.5%	0.5%	0.6%	99.4%
Other Aerosols/Sprays?				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.6%	0.9%	1.6%	98.4%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	1.0%	1.2%	1.2%	98.8%
Grade 10	0.8%	0.8%	1.2%	98.8%
Grade 11	0.2%	0.2%	1.4%	98.6%
Grade 12	0.5%	0.5%	0.5%	99.5%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.5%	0.0%	0.1%	0.2%	0.3%	0.3%	0.7%
Grade 7	97.6%	0.0%	0.3%	0.3%	0.8%	0.4%	0.4%
Grade 8	98.0%	0.1%	0.1%	0.3%	0.3%	0.4%	0.9%
Grade 9	99.1%	0.2%	0.0%	0.1%	0.2%	0.1%	0.2%
Grade 10	98.1%	0.0%	0.0%	0.0%	0.0%	0.4%	1.5%
Grade 11	98.9%	0.0%	0.0%	0.0%	0.2%	0.0%	0.9%
Grade 12	99.4%	0.0%	0.0%	0.1%	0.0%	0.5%	0.0%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	93.1%	4.6%	1.4%	0.8%
Grade 7	91.4%	4.7%	2.8%	1.0%
Grade 8	92.7%	4.3%	2.0%	1.0%
Grade 9	93.4%	5.0%	1.1%	0.5%
Grade 10	93.0%	4.6%	1.4%	1.1%
Grade 11	93.0%	5.0%	0.6%	1.3%
Grade 12	95.7%	4.0%	0.2%	0.0%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.9	9.9	10.7	10.2	12.5	12.5	8.0

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.5%	0.2%	0.2%	0.1%
Grade 7	99.4%	0.4%	0.1%	0.1%
Grade 8	99.2%	0.6%	0.1%	0.0%
Grade 9	99.4%	0.4%	0.0%	0.2%
Grade 10	99.2%	0.0%	0.3%	0.4%
Grade 11	99.6%	0.0%	0.4%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.7
Inhalant Non-Users	4.9
Average Days Conduct Problems Reported	
Inhalant Users	3.1
Inhalant Non-Users	1.2

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	95.5%	3.1%	0.9%	0.4%	0.1%
Grade 7	94.4%	4.3%	1.0%	0.3%	0.0%
Grade 8	94.7%	3.7%	0.9%	0.4%	0.3%
Grade 9	94.8%	3.1%	1.0%	0.9%	0.2%
Grade 10	95.1%	2.6%	1.8%	0.5%	0.0%
Grade 11	96.0%	3.5%	0.0%	0.5%	0.0%
Grade 12	98.4%	1.2%	0.3%	0.0%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.4%	13.9%	4.5%	0.7%	7.4%
Grade 7	74.4%	13.3%	5.3%	0.9%	6.1%
Grade 8	73.8%	13.4%	5.1%	1.2%	6.4%
Grade 9	73.0%	13.8%	4.7%	0.3%	8.3%
Grade 10	71.3%	14.4%	4.4%	0.4%	9.5%
Grade 11	73.5%	14.0%	4.9%	0.9%	6.7%
Grade 12	75.0%	14.5%	2.2%	0.5%	7.8%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	46.2%	19.5%	4.9%	4.7%	8.6%	15.9%
Grade 7	46.2%	26.1%	4.5%	5.3%	6.1%	11.8%
Grade 8	44.5%	22.5%	5.6%	5.5%	8.4%	13.5%
Grade 9	48.9%	17.5%	4.6%	5.7%	7.3%	15.9%
Grade 10	49.5%	18.2%	4.5%	3.8%	8.8%	15.2%
Grade 11	45.2%	14.6%	4.5%	5.9%	10.4%	19.5%
Grade 12	42.5%	17.2%	5.8%	1.7%	11.5%	21.2%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	40.4%
	Grade 7	25.6%
	Grade 8	45.7%
	Grade 9	48.9%
	Grade 10	42.8%
	Grade 11	42.1%
	Grade 12	36.1%
An Assembly Program		
	All	39.8%
	Grade 7	33.9%
	Grade 8	42.1%
	Grade 9	55.1%
	Grade 10	33.5%
	Grade 11	37.4%
	Grade 12	35.7%
Guidance Counselor		
	All	28.0%
	Grade 7	28.2%
	Grade 8	35.2%
	Grade 9	36.0%
	Grade 10	25.4%
	Grade 11	23.9%
	Grade 12	17.3%
School Nurse		
	All	15.5%
	Grade 7	14.2%
	Grade 8	17.0%
	Grade 9	21.4%
	Grade 10	16.2%
	Grade 11	14.8%
	Grade 12	8.5%
Science or Social Studies Class		
	All	26.7%
	Grade 7	25.0%
	Grade 8	28.1%
	Grade 9	29.6%
	Grade 10	27.1%
	Grade 11	26.7%
	Grade 12	22.7%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
<hr/>		
Student Group or Club Meeting at School		
	All	13.3%
	Grade 7	10.1%
	Grade 8	11.9%
	Grade 9	19.0%
	Grade 10	14.1%
	Grade 11	14.5%
	Grade 12	9.4%
An Invited School Guest		
	All	23.5%
	Grade 7	21.5%
	Grade 8	28.8%
	Grade 9	25.5%
	Grade 10	23.1%
	Grade 11	19.9%
	Grade 12	21.2%
Another Source at School		
	All	28.8%
	Grade 7	26.1%
	Grade 8	30.9%
	Grade 9	36.7%
	Grade 10	24.9%
	Grade 11	26.3%
	Grade 12	27.9%
Any School Source		
	All	64.4%
	Grade 7	55.7%
	Grade 8	70.9%
	Grade 9	72.6%
	Grade 10	62.7%
	Grade 11	63.8%
	Grade 12	59.8%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	36.1%
	Grade 7	47.4%
	Grade 8	40.1%
	Grade 9	35.8%
	Grade 10	31.8%
	Grade 11	34.9%
	Grade 12	23.9%
School Nurse		
	All	23.5%
	Grade 7	32.1%
	Grade 8	26.4%
	Grade 9	23.6%
	Grade 10	18.9%
	Grade 11	22.0%
	Grade 12	16.6%
Another Adult In School		
	All	42.7%
	Grade 7	47.9%
	Grade 8	44.3%
	Grade 9	42.0%
	Grade 10	35.7%
	Grade 11	49.0%
	Grade 12	36.6%
Counselor/Program Outside-School		
	All	41.1%
	Grade 7	44.7%
	Grade 8	41.8%
	Grade 9	40.7%
	Grade 10	38.4%
	Grade 11	43.9%
	Grade 12	36.3%
Your Parents		
	All	69.7%
	Grade 7	78.5%
	Grade 8	72.8%
	Grade 9	67.5%
	Grade 10	65.4%
	Grade 11	69.8%
	Grade 12	62.3%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
<hr/>		
A Medical Doctor		
	All	61.4%
	Grade 7	71.2%
	Grade 8	63.8%
	Grade 9	57.4%
	Grade 10	56.7%
	Grade 11	63.0%
	Grade 12	54.9%
Your Friends		
	All	62.8%
	Grade 7	54.8%
	Grade 8	59.8%
	Grade 9	64.2%
	Grade 10	61.5%
	Grade 11	69.8%
	Grade 12	68.5%
Another Adult		
	All	55.9%
	Grade 7	61.7%
	Grade 8	58.5%
	Grade 9	53.7%
	Grade 10	54.7%
	Grade 11	54.2%
	Grade 12	51.8%
<hr/>		

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
<hr/>		
	All	5.2%
	Grade 7	4.1%
	Grade 8	5.6%
	Grade 9	6.8%
	Grade 10	5.7%
	Grade 11	5.4%
	Grade 12	3.2%
<hr/>		

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	6.2%	21.4%	22.8%	36.1%	13.4%
Grade 7	6.1%	17.3%	19.3%	37.5%	19.8%
Grade 8	7.0%	17.8%	23.3%	38.0%	13.9%
Grade 9	5.9%	20.4%	23.2%	37.3%	13.2%
Grade 10	7.0%	22.5%	25.4%	33.9%	11.1%
Grade 11	6.9%	28.0%	21.3%	32.9%	11.0%
Grade 12	4.0%	24.0%	24.5%	37.0%	10.5%
Sometimes Carry Weapons?					
All	83.1%	10.4%	4.3%	1.4%	0.9%
Grade 7	89.8%	7.0%	2.2%	0.6%	0.3%
Grade 8	86.7%	8.9%	2.6%	0.9%	0.9%
Grade 9	80.6%	11.1%	5.8%	1.6%	0.9%
Grade 10	79.2%	12.3%	5.0%	1.6%	1.8%
Grade 11	82.1%	11.5%	4.1%	2.1%	0.2%
Grade 12	78.7%	12.2%	6.5%	1.6%	1.0%
Care About Making Good Grades?					
All	2.6%	12.1%	24.2%	44.6%	16.4%
Grade 7	2.5%	11.7%	24.2%	41.3%	20.4%
Grade 8	2.7%	12.4%	25.4%	42.1%	17.4%
Grade 9	4.5%	8.3%	24.7%	44.3%	18.2%
Grade 10	2.3%	17.2%	22.7%	43.8%	14.1%
Grade 11	2.2%	13.0%	22.6%	48.6%	13.5%
Grade 12	1.5%	10.0%	25.7%	48.6%	14.2%
Belong/Want to Belong to a Gang?					
All	91.1%	5.8%	1.5%	0.7%	0.9%
Grade 7	89.9%	7.1%	1.7%	0.5%	0.8%
Grade 8	89.5%	6.9%	2.5%	0.5%	0.7%
Grade 9	90.8%	5.7%	1.5%	0.8%	1.2%
Grade 10	89.0%	6.0%	1.9%	1.4%	1.7%
Grade 11	93.1%	5.9%	0.2%	0.2%	0.6%
Grade 12	95.2%	2.8%	0.9%	0.7%	0.3%
Wish They Could Drop Out of School?					
All	44.0%	29.1%	15.4%	7.3%	4.2%
Grade 7	50.0%	26.9%	13.2%	6.6%	3.3%
Grade 8	44.7%	29.4%	14.9%	7.1%	3.9%
Grade 9	43.8%	30.8%	16.2%	4.8%	4.4%
Grade 10	36.8%	33.6%	16.8%	8.8%	4.0%
Grade 11	45.0%	29.0%	13.6%	7.9%	4.6%
Grade 12	43.6%	24.1%	18.2%	9.1%	5.0%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.2%	11.7%	1.0%	0.1%	1.0%
Grade 7	85.2%	12.7%	1.0%	0.1%	1.0%
Grade 8	85.1%	13.0%	0.8%	0.1%	1.0%
Grade 9	86.4%	11.7%	0.6%	0.0%	1.3%
Grade 10	88.7%	8.1%	1.9%	0.2%	1.1%
Grade 11	86.6%	11.2%	1.1%	0.2%	0.9%
Grade 12	85.2%	13.5%	0.6%	0.2%	0.5%
Out In Your Neighborhood?					
All	46.7%	44.8%	5.0%	0.9%	2.6%
Grade 7	40.7%	49.5%	5.4%	1.0%	3.3%
Grade 8	43.3%	48.1%	5.1%	1.0%	2.5%
Grade 9	48.3%	42.6%	4.3%	1.1%	3.8%
Grade 10	47.2%	43.2%	6.8%	0.9%	2.0%
Grade 11	52.1%	40.0%	4.8%	0.4%	2.7%
Grade 12	49.6%	45.0%	3.2%	0.9%	1.3%
At School?					
All	33.6%	51.2%	8.6%	2.9%	3.8%
Grade 7	33.9%	48.4%	10.3%	3.2%	4.3%
Grade 8	32.7%	51.7%	9.3%	2.7%	3.5%
Grade 9	29.6%	55.0%	8.5%	1.9%	5.1%
Grade 10	34.2%	49.4%	8.0%	4.6%	3.8%
Grade 11	35.6%	52.8%	6.9%	2.4%	2.3%
Grade 12	36.0%	49.7%	8.5%	2.3%	3.5%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.1%	10.7%	17.6%	82.4%
Grade 7	2.9%	3.8%	8.0%	92.0%
Grade 8	4.6%	6.1%	12.4%	87.6%
Grade 9	8.4%	11.8%	16.4%	83.6%
Grade 10	10.8%	13.9%	20.6%	79.4%
Grade 11	11.9%	13.7%	23.6%	76.4%
Grade 12	11.1%	16.9%	27.0%	73.0%
Any Alcohol Product				
All	17.2%	21.3%	35.9%	64.1%
Grade 7	9.9%	11.6%	29.4%	70.6%
Grade 8	12.2%	15.0%	30.9%	69.1%
Grade 9	14.3%	16.7%	29.6%	70.4%
Grade 10	19.3%	24.2%	35.5%	64.5%
Grade 11	20.6%	28.6%	41.5%	58.5%
Grade 12	29.7%	35.5%	52.1%	47.9%
Any Illicit Drug				
All	9.1%	12.1%	16.4%	83.6%
Grade 7	2.5%	4.1%	5.7%	94.3%
Grade 8	5.1%	7.0%	9.0%	91.0%
Grade 9	7.4%	9.9%	11.9%	88.1%
Grade 10	12.9%	16.9%	20.3%	79.7%
Grade 11	11.6%	15.7%	24.6%	75.4%
Grade 12	17.1%	21.0%	30.9%	69.1%
Any Prescription Drug				
All	4.1%	5.9%	11.3%	88.7%
Grade 7	5.0%	6.5%	12.0%	88.0%
Grade 8	4.5%	6.0%	11.0%	89.0%
Grade 9	4.6%	6.1%	10.0%	90.0%
Grade 10	2.7%	5.1%	11.1%	88.9%
Grade 11	4.4%	6.3%	14.1%	85.9%
Grade 12	3.5%	5.1%	9.1%	90.9%
Any Inhalant				
All	2.9%	4.1%	9.0%	91.0%
Grade 7	4.5%	5.5%	10.2%	89.8%
Grade 8	3.0%	4.2%	9.0%	91.0%
Grade 9	2.3%	3.1%	8.7%	91.3%
Grade 10	3.6%	5.3%	10.0%	90.0%
Grade 11	2.2%	3.7%	9.7%	90.3%
Grade 12	1.3%	2.4%	5.9%	94.1%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.2%	9.1%	15.6%	84.4%
Grade 7	1.8%	2.7%	6.6%	93.4%
Grade 8	3.6%	5.2%	11.1%	88.9%
Grade 9	6.8%	10.0%	15.1%	84.9%
Grade 10	8.4%	12.3%	17.7%	82.3%
Grade 11	9.4%	11.5%	21.8%	78.2%
Grade 12	8.1%	14.4%	23.6%	76.4%
Marijuana				
All	8.1%	10.1%	14.1%	85.9%
Grade 7	1.8%	2.1%	3.2%	96.8%
Grade 8	4.5%	5.2%	7.3%	92.7%
Grade 9	6.6%	7.8%	9.4%	90.6%
Grade 10	11.5%	14.5%	18.3%	81.7%
Grade 11	9.9%	13.4%	20.9%	79.1%
Grade 12	16.1%	19.9%	29.4%	70.6%
Marijuana Only				
All	3.2%	4.5%	7.6%	92.4%
Grade 7	1.0%	1.3%	2.1%	97.9%
Grade 8	2.5%	2.8%	4.3%	95.7%
Grade 9	2.6%	3.6%	5.2%	94.8%
Grade 10	6.8%	9.0%	11.8%	88.2%
Grade 11	2.4%	4.4%	9.8%	90.2%
Grade 12	4.1%	6.0%	13.9%	86.1%
Cocaine or Crack				
All	0.5%	0.6%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.6%	1.0%	1.0%	99.0%
Grade 11	1.1%	1.1%	1.1%	98.9%
Grade 12	0.2%	0.2%	0.8%	99.2%
Cocaine				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.2%	0.6%	0.6%	99.4%
Grade 11	1.1%	1.1%	1.1%	98.9%
Grade 12	0.1%	0.1%	0.7%	99.3%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	0.7%	1.2%	2.0%	98.0%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.5%	0.7%	99.3%
Grade 9	0.3%	1.2%	1.2%	98.8%
Grade 10	1.1%	1.8%	2.4%	97.6%
Grade 11	1.6%	2.5%	3.1%	96.9%
Grade 12	1.1%	1.6%	4.5%	95.5%
Synthetic Cathinones				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.5%	0.6%	99.4%
Steroids				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.5%	0.5%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.4%	1.2%	98.8%
Grade 12	0.3%	0.8%	1.5%	98.5%
Ecstasy				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.4%	0.4%	1.3%	98.7%
Grade 12	0.2%	0.2%	0.8%	99.2%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
 All Students
 (Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	0.7%	0.8%	99.2%
Synthetic Marijuana				
All	0.8%	1.2%	1.9%	98.1%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	1.2%	1.2%	2.7%	97.3%
Grade 10	0.7%	1.0%	1.4%	98.6%
Grade 11	1.3%	1.7%	3.2%	96.8%
Grade 12	1.0%	2.4%	2.7%	97.3%
Methamphetamine				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.4%	0.4%	0.9%	99.1%
Delta 8				
All	2.9%	4.2%	5.8%	94.2%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	1.0%	1.5%	2.5%	97.5%
Grade 9	1.8%	2.4%	3.5%	96.5%
Grade 10	2.8%	4.0%	5.6%	94.4%
Grade 11	5.6%	7.7%	10.7%	89.3%
Grade 12	6.6%	10.8%	13.6%	86.4%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.6%	8.3%	15.0%	85.0%
Grade 7	2.0%	2.6%	6.9%	93.1%
Grade 8	3.4%	4.4%	10.4%	89.6%
Grade 9	6.2%	8.1%	15.0%	85.0%
Grade 10	7.1%	9.4%	16.5%	83.5%
Grade 11	14.7%	15.5%	25.8%	74.2%
Grade 12	7.4%	12.1%	18.2%	81.8%
Any Alcohol Product				
All	13.9%	18.0%	32.6%	67.4%
Grade 7	9.0%	10.9%	28.9%	71.1%
Grade 8	10.9%	13.7%	28.8%	71.2%
Grade 9	9.6%	11.9%	25.0%	75.0%
Grade 10	14.8%	19.4%	32.6%	67.4%
Grade 11	20.1%	28.6%	40.0%	60.0%
Grade 12	22.3%	27.5%	44.9%	55.1%
Any Illicit Drug				
All	7.6%	10.0%	14.3%	85.7%
Grade 7	1.7%	3.1%	4.6%	95.4%
Grade 8	4.5%	5.6%	7.4%	92.6%
Grade 9	6.8%	9.5%	12.0%	88.0%
Grade 10	10.8%	14.4%	17.0%	83.0%
Grade 11	10.7%	14.3%	25.2%	74.8%
Grade 12	13.1%	15.0%	24.6%	75.4%
Any Prescription Drug				
All	3.6%	5.0%	10.1%	89.9%
Grade 7	4.5%	6.1%	11.0%	89.0%
Grade 8	4.8%	5.6%	9.6%	90.4%
Grade 9	4.2%	6.1%	9.7%	90.3%
Grade 10	2.1%	3.3%	9.9%	90.1%
Grade 11	4.0%	4.8%	12.7%	87.3%
Grade 12	1.3%	4.1%	7.2%	92.8%
Any Inhalant				
All	2.5%	3.6%	8.2%	91.8%
Grade 7	3.7%	4.6%	9.5%	90.5%
Grade 8	2.1%	3.2%	8.3%	91.7%
Grade 9	1.5%	2.4%	7.5%	92.5%
Grade 10	3.8%	4.9%	7.7%	92.3%
Grade 11	1.8%	2.7%	8.1%	91.9%
Grade 12	1.6%	3.1%	8.2%	91.8%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.4%	6.2%	12.2%	87.8%
Grade 7	1.1%	1.7%	5.2%	94.8%
Grade 8	2.3%	3.4%	9.0%	91.0%
Grade 9	5.0%	6.3%	13.1%	86.9%
Grade 10	4.5%	7.5%	12.3%	87.7%
Grade 11	9.5%	10.9%	22.5%	77.5%
Grade 12	5.0%	8.6%	13.2%	86.8%
Marijuana				
All	6.4%	8.4%	12.6%	87.4%
Grade 7	1.3%	1.5%	2.5%	97.5%
Grade 8	3.9%	4.6%	6.4%	93.6%
Grade 9	5.9%	8.2%	10.0%	90.0%
Grade 10	9.0%	12.6%	15.1%	84.9%
Grade 11	7.8%	11.7%	22.5%	77.5%
Grade 12	12.8%	14.3%	24.1%	75.9%
Marijuana Only				
All	2.2%	3.5%	6.9%	93.1%
Grade 7	0.6%	0.8%	1.6%	98.4%
Grade 8	2.2%	2.5%	3.8%	96.2%
Grade 9	2.3%	4.1%	5.8%	94.2%
Grade 10	4.5%	7.4%	9.4%	90.6%
Grade 11	1.9%	3.2%	10.7%	89.3%
Grade 12	1.6%	2.7%	11.9%	88.1%
Cocaine or Crack				
All	0.7%	0.8%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	1.1%	1.8%	1.8%	98.2%
Grade 11	2.3%	2.3%	2.3%	97.7%
Grade 12	0.0%	0.0%	0.6%	99.4%
Cocaine				
All	0.5%	0.7%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.4%	1.1%	1.1%	98.9%
Grade 11	2.3%	2.3%	2.3%	97.7%
Grade 12	0.0%	0.0%	0.6%	99.4%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.0%	1.5%	2.0%	98.0%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.3%	1.3%	1.3%	98.7%
Grade 10	2.1%	2.8%	2.8%	97.2%
Grade 11	2.3%	2.7%	2.7%	97.3%
Grade 12	1.3%	2.1%	5.4%	94.6%
Synthetic Cathinones				
All	0.0%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.1%	1.1%	98.9%
Steroids				
All	0.1%	0.3%	1.2%	98.8%
Grade 7	0.2%	0.4%	1.2%	98.8%
Grade 8	0.4%	0.4%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.3%	1.4%	1.8%	98.2%
Ecstasy				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.9%	0.9%	1.8%	98.2%
Grade 12	0.0%	0.0%	1.0%	99.0%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
Synthetic Marijuana				
All	0.8%	1.2%	1.8%	98.2%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.5%	1.3%	98.7%
Grade 9	1.4%	1.4%	2.2%	97.8%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	2.1%	3.0%	4.7%	95.3%
Grade 12	0.0%	2.0%	2.5%	97.5%
Methamphetamine				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	2.6%	3.8%	4.9%	95.1%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	1.0%	1.7%	2.5%	97.5%
Grade 9	1.3%	2.2%	2.5%	97.5%
Grade 10	2.0%	3.6%	4.9%	95.1%
Grade 11	6.7%	7.9%	11.2%	88.8%
Grade 12	6.1%	9.0%	9.9%	90.1%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.7%	13.3%	20.2%	79.8%
Grade 7	3.9%	4.9%	9.2%	90.8%
Grade 8	5.6%	7.6%	14.2%	85.8%
Grade 9	10.4%	15.4%	17.7%	82.3%
Grade 10	15.3%	19.3%	25.8%	74.2%
Grade 11	9.3%	12.1%	21.6%	78.4%
Grade 12	14.3%	21.2%	34.4%	65.6%
Any Alcohol Product				
All	20.5%	24.7%	39.3%	60.7%
Grade 7	11.1%	12.5%	30.2%	69.8%
Grade 8	13.5%	16.3%	32.9%	67.1%
Grade 9	18.9%	21.4%	34.4%	65.6%
Grade 10	24.0%	29.3%	38.6%	61.4%
Grade 11	21.1%	28.8%	42.6%	57.4%
Grade 12	36.1%	42.3%	58.8%	41.2%
Any Illicit Drug				
All	10.6%	14.1%	18.6%	81.4%
Grade 7	3.4%	5.2%	6.9%	93.1%
Grade 8	5.5%	8.1%	10.4%	89.6%
Grade 9	7.8%	10.2%	11.7%	88.3%
Grade 10	15.5%	20.0%	24.6%	75.4%
Grade 11	12.5%	17.1%	24.1%	75.9%
Grade 12	20.2%	25.6%	35.9%	64.1%
Any Prescription Drug				
All	4.7%	6.7%	12.5%	87.5%
Grade 7	5.4%	7.0%	13.1%	86.9%
Grade 8	4.3%	6.5%	12.7%	87.3%
Grade 9	4.9%	6.0%	10.3%	89.7%
Grade 10	3.6%	7.3%	12.7%	87.3%
Grade 11	4.7%	7.7%	15.5%	84.5%
Grade 12	5.3%	6.0%	10.9%	89.1%
Any Inhalant				
All	3.2%	4.6%	9.8%	90.2%
Grade 7	5.4%	6.4%	11.1%	88.9%
Grade 8	3.6%	5.0%	9.5%	90.5%
Grade 9	3.2%	3.8%	9.7%	90.3%
Grade 10	3.4%	5.8%	12.9%	87.1%
Grade 11	2.5%	4.7%	11.2%	88.8%
Grade 12	1.0%	1.9%	4.2%	95.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.1%	12.1%	19.1%	80.9%
Grade 7	2.7%	3.8%	8.1%	91.9%
Grade 8	4.6%	6.8%	13.0%	87.0%
Grade 9	8.5%	13.5%	17.1%	82.9%
Grade 10	13.1%	18.1%	24.2%	75.8%
Grade 11	9.3%	12.2%	21.3%	78.7%
Grade 12	10.8%	19.4%	32.6%	67.4%
Marijuana				
All	9.8%	11.7%	15.7%	84.3%
Grade 7	2.4%	2.7%	3.9%	96.1%
Grade 8	4.9%	5.7%	8.0%	92.0%
Grade 9	7.0%	7.3%	8.8%	91.2%
Grade 10	14.7%	16.9%	22.2%	77.8%
Grade 11	12.1%	15.1%	19.5%	80.5%
Grade 12	19.1%	24.5%	34.1%	65.9%
Marijuana Only				
All	4.3%	5.5%	8.5%	91.5%
Grade 7	1.5%	1.8%	2.7%	97.3%
Grade 8	2.7%	3.2%	4.8%	95.2%
Grade 9	2.9%	3.2%	4.6%	95.4%
Grade 10	9.7%	11.1%	15.0%	85.0%
Grade 11	3.0%	5.5%	8.9%	91.1%
Grade 12	6.2%	8.8%	15.8%	84.2%
Cocaine or Crack				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.4%	99.6%
Cocaine				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.4%	99.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	1.0%	1.9%	98.1%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.2%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.5%	2.0%	98.0%
Grade 11	0.9%	2.3%	3.5%	96.5%
Grade 12	0.9%	1.2%	3.9%	96.1%
Synthetic Cathinones				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.1%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	1.1%	98.9%
Ecstasy				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.4%	99.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.0%	1.0%	1.2%	98.8%
Synthetic Marijuana				
All	0.8%	1.1%	2.0%	98.0%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	1.0%	1.0%	3.1%	96.9%
Grade 10	0.7%	1.4%	2.3%	97.7%
Grade 11	0.4%	0.4%	1.8%	98.2%
Grade 12	1.9%	2.8%	2.9%	97.1%
Methamphetamine				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	0.7%	1.6%	98.4%
Delta 8				
All	3.1%	4.7%	6.8%	93.2%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	1.0%	1.4%	2.6%	97.4%
Grade 9	2.3%	2.3%	4.4%	95.6%
Grade 10	3.8%	4.5%	6.5%	93.5%
Grade 11	4.6%	7.6%	10.3%	89.7%
Grade 12	7.1%	12.5%	16.9%	83.1%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.7%	13.1%	18.9%	81.1%
Grade 7	1.2%	1.9%	5.9%	94.1%
Grade 8	3.7%	5.8%	11.0%	89.0%
Grade 9	11.6%	16.9%	19.4%	80.6%
Grade 10	12.2%	15.6%	21.9%	78.1%
Grade 11	14.9%	18.3%	26.6%	73.4%
Grade 12	14.4%	20.4%	28.5%	71.5%
Any Alcohol Product				
All	20.4%	25.3%	41.2%	58.8%
Grade 7	8.2%	9.7%	27.2%	72.8%
Grade 8	9.7%	12.7%	29.7%	70.3%
Grade 9	20.8%	21.8%	36.8%	63.2%
Grade 10	23.3%	29.7%	41.2%	58.8%
Grade 11	25.4%	33.7%	49.8%	50.2%
Grade 12	35.5%	45.1%	63.6%	36.4%
Any Illicit Drug				
All	7.8%	11.3%	15.5%	84.5%
Grade 7	1.0%	2.4%	3.5%	96.5%
Grade 8	3.2%	4.8%	6.1%	93.9%
Grade 9	7.4%	9.1%	10.2%	89.8%
Grade 10	9.6%	15.4%	18.0%	82.0%
Grade 11	11.5%	15.6%	26.2%	73.8%
Grade 12	14.2%	20.6%	30.2%	69.8%
Any Prescription Drug				
All	4.2%	6.8%	12.5%	87.5%
Grade 7	4.7%	7.0%	12.8%	87.2%
Grade 8	5.6%	7.0%	12.9%	87.1%
Grade 9	7.0%	8.8%	12.1%	87.9%
Grade 10	1.3%	5.6%	13.3%	86.7%
Grade 11	2.9%	7.0%	13.9%	86.1%
Grade 12	3.5%	5.2%	9.8%	90.2%
Any Inhalant				
All	2.2%	3.3%	9.1%	90.9%
Grade 7	3.0%	3.7%	9.3%	90.7%
Grade 8	2.1%	2.6%	6.8%	93.2%
Grade 9	2.5%	2.9%	8.9%	91.1%
Grade 10	4.0%	6.0%	14.1%	85.9%
Grade 11	1.3%	3.1%	8.1%	91.9%
Grade 12	0.0%	1.1%	7.0%	93.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.4%	11.6%	17.1%	82.9%
Grade 7	0.5%	1.2%	4.5%	95.5%
Grade 8	2.4%	4.9%	9.8%	90.2%
Grade 9	9.0%	13.9%	17.6%	82.4%
Grade 10	8.5%	13.9%	18.0%	82.0%
Grade 11	12.8%	16.4%	25.4%	74.6%
Grade 12	11.0%	19.3%	27.4%	72.6%
Marijuana				
All	6.6%	8.8%	12.8%	87.2%
Grade 7	0.6%	0.7%	1.5%	98.5%
Grade 8	2.3%	2.8%	4.3%	95.7%
Grade 9	6.3%	7.3%	8.3%	91.7%
Grade 10	7.7%	10.0%	14.8%	85.2%
Grade 11	9.8%	13.3%	21.4%	78.6%
Grade 12	12.9%	19.3%	27.2%	72.8%
Marijuana Only				
All	1.1%	2.0%	4.8%	95.2%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.8%	0.8%	1.8%	98.2%
Grade 9	0.3%	0.7%	1.7%	98.3%
Grade 10	3.4%	4.7%	7.5%	92.5%
Grade 11	0.6%	1.9%	7.2%	92.8%
Grade 12	1.3%	3.6%	9.7%	90.3%
Cocaine or Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Cocaine				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.4%	0.4%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.5%	1.2%	2.0%	98.0%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.3%	0.5%	0.7%	99.3%
	Grade 9	0.3%	1.2%	1.2%	98.8%
	Grade 10	0.0%	2.1%	3.0%	97.0%
	Grade 11	0.7%	0.7%	2.5%	97.5%
	Grade 12	1.6%	2.7%	4.5%	95.5%
Synthetic Cathinones	All	0.0%	0.1%	0.6%	99.4%
	Grade 7	0.1%	0.4%	0.7%	99.3%
	Grade 8	0.1%	0.1%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	2.5%	97.5%
	Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids	All	0.1%	0.4%	1.0%	99.0%
	Grade 7	0.2%	0.4%	0.8%	99.2%
	Grade 8	0.5%	0.5%	1.7%	98.3%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.0%	0.0%	1.3%	98.7%
	Grade 11	0.0%	1.3%	1.8%	98.2%
	Grade 12	0.0%	0.0%	0.3%	99.7%
Ecstasy	All	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.1%	0.1%	0.1%	99.9%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.8%	99.2%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.3%	1.3%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.5%	99.5%
Synthetic Marijuana				
All	1.0%	1.7%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.7%	0.7%	3.0%	97.0%
Grade 10	1.0%	2.0%	3.3%	96.7%
Grade 11	1.7%	2.3%	4.6%	95.4%
Grade 12	2.6%	5.0%	5.6%	94.4%
Methamphetamine				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.1%	1.1%	1.1%	98.9%
Delta 8				
All	3.6%	5.9%	8.1%	91.9%
Grade 7	0.1%	0.2%	0.9%	99.1%
Grade 8	0.8%	1.2%	2.4%	97.6%
Grade 9	2.9%	3.9%	6.6%	93.4%
Grade 10	3.1%	5.1%	6.4%	93.6%
Grade 11	7.2%	10.1%	13.5%	86.5%
Grade 12	7.7%	15.6%	19.5%	80.5%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.3%	9.5%	15.8%	84.2%
Grade 7	2.4%	3.4%	8.7%	91.3%
Grade 8	5.7%	7.1%	12.5%	87.5%
Grade 9	3.8%	8.9%	13.5%	86.5%
Grade 10	7.0%	9.3%	21.0%	79.0%
Grade 11	10.0%	10.0%	16.7%	83.3%
Grade 12	18.0%	22.8%	25.2%	74.8%
Any Alcohol Product				
All	14.8%	17.4%	29.9%	70.1%
Grade 7	8.0%	10.3%	25.8%	74.2%
Grade 8	12.2%	14.7%	30.1%	69.9%
Grade 9	8.9%	8.9%	14.3%	85.7%
Grade 10	15.9%	15.9%	29.9%	70.1%
Grade 11	13.3%	23.3%	30.0%	70.0%
Grade 12	34.7%	37.1%	50.8%	49.2%
Any Illicit Drug				
All	10.2%	13.2%	18.0%	82.0%
Grade 7	3.1%	5.1%	9.1%	90.9%
Grade 8	7.7%	8.6%	11.2%	88.8%
Grade 9	5.1%	9.7%	13.5%	86.5%
Grade 10	13.5%	15.9%	20.6%	79.4%
Grade 11	10.0%	13.3%	20.0%	80.0%
Grade 12	25.2%	32.4%	40.8%	59.2%
Any Prescription Drug				
All	4.2%	5.7%	10.7%	89.3%
Grade 7	6.3%	6.8%	11.5%	88.5%
Grade 8	2.8%	3.4%	7.6%	92.4%
Grade 9	9.6%	9.6%	9.6%	90.4%
Grade 10	0.0%	2.3%	7.0%	93.0%
Grade 11	3.3%	6.7%	20.0%	80.0%
Grade 12	6.0%	8.4%	10.9%	89.1%
Any Inhalant				
All	2.4%	3.3%	7.0%	93.0%
Grade 7	6.2%	6.9%	10.7%	89.3%
Grade 8	3.5%	5.0%	9.4%	90.6%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	1.9%	4.2%	11.2%	88.8%
Grade 11	0.0%	0.0%	3.3%	96.7%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.1%	7.6%	13.3%	86.7%
Grade 7	1.4%	2.2%	7.6%	92.4%
Grade 8	4.7%	5.8%	11.9%	88.1%
Grade 9	3.8%	7.5%	13.5%	86.5%
Grade 10	4.7%	9.3%	16.3%	83.7%
Grade 11	6.7%	6.7%	13.3%	86.7%
Grade 12	12.0%	16.8%	19.2%	80.8%
Marijuana				
All	9.3%	11.7%	15.9%	84.1%
Grade 7	2.8%	2.9%	5.5%	94.5%
Grade 8	6.9%	7.2%	9.7%	90.3%
Grade 9	5.1%	9.7%	13.5%	86.5%
Grade 10	13.5%	15.9%	20.6%	79.4%
Grade 11	6.7%	10.0%	13.3%	86.7%
Grade 12	24.0%	30.0%	39.6%	60.4%
Marijuana Only				
All	5.3%	6.8%	10.4%	89.6%
Grade 7	1.8%	2.0%	3.8%	96.2%
Grade 8	5.0%	5.3%	6.9%	93.1%
Grade 9	3.6%	8.0%	11.7%	88.3%
Grade 10	12.8%	15.0%	19.5%	80.5%
Grade 11	0.0%	0.0%	3.1%	96.9%
Grade 12	7.1%	10.7%	18.9%	81.1%
Cocaine or Crack				
All	0.7%	0.7%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.3%	3.3%	3.3%	96.7%
Grade 12	0.0%	0.0%	2.4%	97.6%
Cocaine				
All	0.6%	0.6%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.3%	3.3%	3.3%	96.7%
Grade 12	0.0%	0.0%	2.4%	97.6%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.8%	0.8%	1.4%	98.6%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.2%	98.8%
Hallucinogens				
All	1.2%	1.5%	1.8%	98.2%
Grade 7	0.3%	0.5%	0.6%	99.4%
Grade 8	0.4%	0.8%	1.2%	98.8%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.3%	3.3%	3.3%	96.7%
Grade 12	3.6%	4.8%	6.0%	94.0%
Synthetic Cathinones				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.8%	0.8%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	2.5%	97.5%
Ecstasy				
All	0.8%	0.8%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.3%	3.3%	3.3%	96.7%
Grade 12	1.2%	1.2%	3.7%	96.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.4%	1.0%	99.0%
Grade 8	0.6%	1.1%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.5%	0.5%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.3%	3.3%	3.3%	96.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	2.1%	3.3%	4.3%	95.7%
Grade 7	0.1%	0.1%	1.1%	98.9%
Grade 8	0.4%	0.7%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	6.7%	10.0%	13.3%	86.7%
Grade 12	8.4%	13.2%	14.4%	85.6%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.7%	9.8%	17.6%	82.4%
Grade 7	4.5%	5.4%	9.4%	90.6%
Grade 8	5.2%	6.3%	14.3%	85.7%
Grade 9	7.8%	8.8%	16.2%	83.8%
Grade 10	10.3%	14.2%	19.0%	81.0%
Grade 11	10.9%	11.4%	21.7%	78.3%
Grade 12	8.0%	13.6%	27.6%	72.4%
Any Alcohol Product				
All	16.6%	20.5%	35.4%	64.6%
Grade 7	12.4%	13.7%	32.6%	67.4%
Grade 8	14.7%	17.4%	33.6%	66.4%
Grade 9	11.4%	13.8%	26.9%	73.1%
Grade 10	17.0%	23.1%	35.1%	64.9%
Grade 11	18.7%	26.7%	40.9%	59.1%
Grade 12	28.4%	31.8%	46.5%	53.5%
Any Illicit Drug				
All	10.7%	13.4%	17.5%	82.5%
Grade 7	3.5%	5.2%	6.3%	93.7%
Grade 8	6.2%	8.5%	11.1%	88.9%
Grade 9	8.8%	11.3%	14.1%	85.9%
Grade 10	14.6%	18.8%	21.9%	78.1%
Grade 11	13.9%	18.2%	24.4%	75.6%
Grade 12	19.2%	20.9%	31.3%	68.7%
Any Prescription Drug				
All	3.8%	5.1%	10.5%	89.5%
Grade 7	5.0%	6.4%	11.3%	88.7%
Grade 8	4.3%	6.4%	10.8%	89.2%
Grade 9	2.0%	3.4%	7.8%	92.2%
Grade 10	2.2%	3.7%	10.4%	89.6%
Grade 11	6.0%	6.0%	13.7%	86.3%
Grade 12	3.1%	4.9%	9.3%	90.7%
Any Inhalant				
All	3.1%	4.8%	9.3%	90.7%
Grade 7	4.8%	6.1%	10.4%	89.6%
Grade 8	3.4%	5.0%	10.1%	89.9%
Grade 9	1.5%	3.0%	7.9%	92.1%
Grade 10	3.9%	5.4%	7.8%	92.2%
Grade 11	3.2%	5.3%	12.2%	87.8%
Grade 12	1.9%	3.7%	7.3%	92.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.2%	8.3%	15.7%	84.3%
Grade 7	3.2%	4.4%	8.2%	91.8%
Grade 8	4.2%	5.5%	12.7%	87.3%
Grade 9	6.3%	7.3%	14.6%	85.4%
Grade 10	9.1%	12.4%	17.5%	82.5%
Grade 11	8.7%	9.8%	19.5%	80.5%
Grade 12	5.6%	11.6%	23.7%	76.3%
Marijuana				
All	9.5%	11.4%	15.1%	84.9%
Grade 7	2.4%	2.8%	3.6%	96.4%
Grade 8	5.7%	6.8%	9.2%	90.8%
Grade 9	7.9%	8.4%	10.3%	89.7%
Grade 10	12.7%	17.2%	19.3%	80.7%
Grade 11	12.4%	15.6%	21.7%	78.3%
Grade 12	18.3%	20.1%	30.7%	69.3%
Marijuana Only				
All	4.6%	6.1%	9.2%	90.8%
Grade 7	1.4%	1.8%	2.6%	97.4%
Grade 8	3.1%	3.8%	5.7%	94.3%
Grade 9	4.7%	5.2%	7.1%	92.9%
Grade 10	7.4%	10.8%	12.2%	87.8%
Grade 11	5.3%	7.9%	12.3%	87.7%
Grade 12	6.1%	7.5%	17.6%	82.4%
Cocaine or Crack				
All	0.7%	0.7%	0.8%	99.2%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	1.6%	1.6%	1.6%	98.4%
Grade 12	0.6%	0.6%	0.9%	99.1%
Cocaine				
All	0.5%	0.5%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.6%	1.6%	1.6%	98.4%
Grade 12	0.3%	0.3%	0.6%	99.4%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
Hallucinogens				
All	0.4%	0.9%	1.8%	98.2%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.3%	0.6%	99.4%
Grade 9	0.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	2.1%	4.3%	4.3%	95.7%
Grade 12	0.0%	0.0%	4.8%	95.2%
Synthetic Cathinones				
All	0.0%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.2%	1.2%	98.8%
Steroids				
All	0.1%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.4%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	1.2%	2.4%	97.6%
Ecstasy				
All	0.0%	0.1%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
 Hispanic or Latino Students**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.5%	1.5%	1.5%	98.5%
Synthetic Marijuana				
All	0.7%	1.0%	1.8%	98.2%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.6%	98.4%
Grade 9	1.4%	1.4%	2.9%	97.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.6%	2.1%	3.8%	96.2%
Grade 12	0.3%	1.5%	1.8%	98.2%
Methamphetamine				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	2.6%	3.6%	4.9%	95.1%
Grade 7	0.8%	0.9%	1.0%	99.0%
Grade 8	1.3%	2.1%	3.2%	96.8%
Grade 9	1.0%	1.5%	2.0%	98.0%
Grade 10	3.5%	4.8%	6.8%	93.2%
Grade 11	4.3%	5.9%	8.1%	91.9%
Grade 12	5.9%	7.4%	9.8%	90.2%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	5.1%	7.6%	12.0%	88.0%
Grade 7	2.1%	2.4%	4.8%	95.2%
Grade 8	2.0%	3.0%	6.7%	93.3%
Grade 9	3.6%	6.2%	6.8%	93.2%
Grade 10	8.5%	12.9%	16.7%	83.3%
Grade 11	7.5%	9.2%	15.8%	84.2%
Grade 12	7.7%	13.1%	22.6%	77.4%
Any Alcohol Product				
All	14.6%	18.6%	32.6%	67.4%
Grade 7	7.6%	9.0%	24.0%	76.0%
Grade 8	8.8%	10.7%	24.8%	75.2%
Grade 9	6.4%	9.0%	22.3%	77.7%
Grade 10	20.3%	25.5%	33.8%	66.2%
Grade 11	18.0%	24.4%	36.0%	64.0%
Grade 12	28.0%	34.8%	56.2%	43.8%
Any Illicit Drug				
All	5.3%	8.6%	12.5%	87.5%
Grade 7	1.0%	2.5%	3.8%	96.2%
Grade 8	3.3%	4.4%	5.1%	94.9%
Grade 9	1.8%	3.3%	4.6%	95.4%
Grade 10	8.2%	14.1%	15.5%	84.5%
Grade 11	6.5%	11.6%	18.2%	81.8%
Grade 12	11.7%	16.8%	28.7%	71.3%
Any Prescription Drug				
All	4.2%	5.4%	9.8%	90.2%
Grade 7	4.0%	5.8%	11.0%	89.0%
Grade 8	3.9%	5.2%	9.9%	90.1%
Grade 9	5.7%	6.0%	11.1%	88.9%
Grade 10	4.7%	6.6%	8.5%	91.5%
Grade 11	3.5%	4.8%	10.4%	89.6%
Grade 12	3.5%	4.4%	7.3%	92.7%
Any Inhalant				
All	2.0%	3.1%	7.0%	93.0%
Grade 7	3.3%	4.5%	8.6%	91.4%
Grade 8	1.7%	2.8%	7.0%	93.0%
Grade 9	1.0%	1.0%	5.0%	95.0%
Grade 10	3.8%	4.5%	10.9%	89.1%
Grade 11	1.3%	3.5%	6.5%	93.5%
Grade 12	1.3%	2.2%	4.6%	95.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.4%	7.0%	11.4%	88.6%
Grade 7	1.2%	1.7%	4.2%	95.8%
Grade 8	1.5%	2.6%	5.6%	94.4%
Grade 9	3.0%	5.4%	6.5%	93.5%
Grade 10	7.7%	12.3%	16.7%	83.3%
Grade 11	6.8%	8.5%	15.6%	84.4%
Grade 12	6.8%	12.4%	20.9%	79.1%
Marijuana				
All	4.3%	6.9%	10.7%	89.3%
Grade 7	0.8%	0.9%	2.0%	98.0%
Grade 8	2.9%	3.3%	4.1%	95.9%
Grade 9	1.8%	2.8%	3.1%	96.9%
Grade 10	5.0%	10.0%	13.4%	86.6%
Grade 11	5.2%	9.1%	14.8%	85.2%
Grade 12	10.5%	16.3%	28.1%	71.9%
Marijuana Only				
All	1.7%	3.2%	5.9%	94.1%
Grade 7	0.5%	0.6%	1.5%	98.5%
Grade 8	1.7%	2.0%	2.5%	97.5%
Grade 9	1.8%	2.5%	2.8%	97.2%
Grade 10	2.6%	5.7%	7.3%	92.7%
Grade 11	0.4%	3.0%	6.6%	93.4%
Grade 12	3.2%	5.7%	15.1%	84.9%
Cocaine or Crack				
All	0.4%	0.6%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	2.1%	2.1%	97.9%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.8%	99.2%
Cocaine				
All	0.2%	0.4%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.1%	1.1%	98.9%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.5%	99.5%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.6%	99.4%
Hallucinogens				
All	0.7%	1.0%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.7%	2.4%	97.6%
Grade 11	1.8%	2.2%	2.2%	97.8%
Grade 12	1.0%	1.4%	2.2%	97.8%
Synthetic Cathinones				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.1%	0.1%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.0%	0.0%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.5%	99.5%
Ecstasy				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.6%	99.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	0.2%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.2%	2.1%	2.3%	97.7%
Methamphetamine				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.8%	0.8%	1.8%	98.2%
Delta 8				
All	1.3%	2.7%	4.3%	95.7%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.6%	1.0%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	1.7%	2.6%	5.4%	94.6%
Grade 11	3.5%	6.0%	9.0%	91.0%
Grade 12	1.9%	6.6%	9.7%	90.3%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.7%	13.4%	22.1%	77.9%
Grade 7	3.7%	4.9%	10.6%	89.4%
Grade 8	6.8%	8.5%	16.6%	83.4%
Grade 9	12.0%	16.0%	23.5%	76.5%
Grade 10	12.2%	14.5%	23.0%	77.0%
Grade 11	16.4%	18.3%	31.5%	68.5%
Grade 12	14.5%	20.7%	30.6%	69.4%
Any Alcohol Product				
All	19.5%	23.7%	38.8%	61.2%
Grade 7	12.1%	13.9%	34.3%	65.7%
Grade 8	15.1%	18.4%	35.6%	64.4%
Grade 9	20.1%	22.4%	35.2%	64.8%
Grade 10	18.8%	23.5%	36.7%	63.3%
Grade 11	23.3%	33.0%	47.3%	52.7%
Grade 12	30.8%	35.6%	47.8%	52.2%
Any Illicit Drug				
All	12.3%	15.1%	19.8%	80.2%
Grade 7	3.8%	5.6%	7.3%	92.7%
Grade 8	6.6%	9.1%	12.3%	87.7%
Grade 9	11.5%	14.7%	17.3%	82.7%
Grade 10	15.7%	18.6%	23.3%	76.7%
Grade 11	16.8%	19.9%	31.1%	68.9%
Grade 12	22.4%	25.4%	32.3%	67.7%
Any Prescription Drug				
All	4.1%	6.2%	12.5%	87.5%
Grade 7	5.5%	7.1%	12.8%	87.2%
Grade 8	5.0%	6.6%	12.0%	88.0%
Grade 9	3.9%	6.2%	9.3%	90.7%
Grade 10	1.6%	4.2%	12.7%	87.3%
Grade 11	5.3%	7.9%	17.9%	82.1%
Grade 12	3.5%	5.8%	11.0%	89.0%
Any Inhalant				
All	3.5%	4.9%	10.5%	89.5%
Grade 7	5.6%	6.3%	11.6%	88.4%
Grade 8	3.9%	5.3%	10.5%	89.5%
Grade 9	3.3%	4.7%	11.5%	88.5%
Grade 10	3.5%	5.8%	8.9%	91.1%
Grade 11	3.1%	4.0%	12.9%	87.1%
Grade 12	1.2%	2.6%	7.2%	92.8%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.8%	11.0%	19.0%	81.0%
Grade 7	2.3%	3.6%	8.7%	91.3%
Grade 8	5.2%	7.2%	15.0%	85.0%
Grade 9	9.7%	13.4%	21.6%	78.4%
Grade 10	8.9%	12.3%	18.4%	81.6%
Grade 11	12.0%	14.6%	28.1%	71.9%
Grade 12	9.5%	16.6%	25.6%	74.4%
Marijuana				
All	11.3%	12.8%	17.0%	83.0%
Grade 7	2.8%	3.1%	4.2%	95.8%
Grade 8	5.8%	6.8%	9.8%	90.2%
Grade 9	10.1%	11.5%	14.1%	85.9%
Grade 10	15.4%	17.2%	21.3%	78.7%
Grade 11	14.7%	17.7%	27.1%	72.9%
Grade 12	21.7%	23.6%	30.0%	70.0%
Marijuana Only				
All	4.5%	5.6%	9.0%	91.0%
Grade 7	1.5%	1.9%	2.6%	97.4%
Grade 8	3.0%	3.4%	5.6%	94.4%
Grade 9	3.3%	4.5%	7.0%	93.0%
Grade 10	9.3%	11.0%	14.5%	85.5%
Grade 11	4.4%	5.8%	13.0%	87.0%
Grade 12	5.0%	6.4%	11.9%	88.1%
Cocaine or Crack				
All	0.6%	0.6%	0.8%	99.2%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	0.2%	0.2%	0.8%	99.2%
Cocaine				
All	0.5%	0.5%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	0.2%	0.2%	0.8%	99.2%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.7%	1.5%	2.6%	97.4%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.5%	2.0%	2.0%	98.0%
Grade 10	1.1%	1.8%	2.5%	97.5%
Grade 11	1.3%	2.7%	4.0%	96.0%
Grade 12	1.1%	1.8%	6.8%	93.2%
Synthetic Cathinones				
All	0.0%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.0%	1.0%	1.0%	99.0%
Steroids				
All	0.2%	0.5%	1.2%	98.8%
Grade 7	0.2%	0.5%	1.2%	98.8%
Grade 8	0.6%	0.7%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.9%	2.4%	97.6%
Grade 12	0.3%	1.2%	2.5%	97.5%
Ecstasy				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.3%	0.3%	1.0%	99.0%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	1.4%	98.6%
Synthetic Marijuana				
All	1.3%	1.7%	2.7%	97.3%
Grade 7	0.3%	0.5%	0.7%	99.3%
Grade 8	0.5%	0.9%	1.8%	98.2%
Grade 9	2.1%	2.1%	3.9%	96.1%
Grade 10	1.2%	1.7%	1.7%	98.3%
Grade 11	2.1%	2.9%	6.0%	94.0%
Grade 12	1.9%	2.7%	3.1%	96.9%
Methamphetamine				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	4.1%	5.5%	7.2%	92.8%
Grade 7	0.5%	0.6%	1.2%	98.8%
Grade 8	1.3%	2.0%	3.7%	96.3%
Grade 9	3.1%	4.1%	5.9%	94.1%
Grade 10	3.5%	4.9%	5.8%	94.2%
Grade 11	7.7%	9.5%	12.5%	87.5%
Grade 12	11.2%	14.9%	17.5%	82.5%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.2%	8.0%	13.9%	86.1%
Grade 7	1.9%	2.4%	5.6%	94.4%
Grade 8	3.4%	4.4%	10.0%	90.0%
Grade 9	7.2%	9.0%	11.6%	88.4%
Grade 10	8.5%	11.4%	16.3%	83.7%
Grade 11	7.9%	9.2%	19.8%	80.2%
Grade 12	9.4%	13.5%	23.2%	76.8%
Any Alcohol Product				
All	15.2%	18.9%	32.1%	67.9%
Grade 7	8.3%	9.5%	26.1%	73.9%
Grade 8	10.9%	13.2%	28.3%	71.7%
Grade 9	12.5%	14.3%	26.0%	74.0%
Grade 10	17.6%	22.2%	30.1%	69.9%
Grade 11	18.1%	26.5%	38.0%	62.0%
Grade 12	26.3%	31.3%	47.0%	53.0%
Any Illicit Drug				
All	6.9%	9.9%	13.5%	86.5%
Grade 7	1.4%	2.7%	3.6%	96.4%
Grade 8	3.6%	5.2%	6.6%	93.4%
Grade 9	5.1%	7.8%	9.1%	90.9%
Grade 10	10.4%	14.7%	16.3%	83.7%
Grade 11	8.2%	12.9%	21.6%	78.4%
Grade 12	14.6%	18.7%	27.6%	72.4%
Any Prescription Drug				
All	4.0%	5.4%	10.2%	89.8%
Grade 7	4.6%	6.0%	10.7%	89.3%
Grade 8	4.8%	6.1%	10.5%	89.5%
Grade 9	4.3%	4.6%	9.3%	90.7%
Grade 10	3.5%	5.8%	10.3%	89.7%
Grade 11	3.4%	5.6%	13.1%	86.9%
Grade 12	3.0%	3.9%	7.2%	92.8%
Any Inhalant				
All	2.8%	4.0%	8.2%	91.8%
Grade 7	3.8%	4.5%	8.8%	91.2%
Grade 8	2.4%	3.5%	8.4%	91.6%
Grade 9	2.0%	3.2%	8.2%	91.8%
Grade 10	5.3%	6.8%	8.6%	91.4%
Grade 11	2.2%	3.8%	9.7%	90.3%
Grade 12	1.0%	2.5%	5.1%	94.9%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.5%	6.5%	12.2%	87.8%
Grade 7	1.1%	1.6%	4.3%	95.7%
Grade 8	2.7%	4.0%	8.7%	91.3%
Grade 9	5.8%	7.4%	10.3%	89.7%
Grade 10	6.0%	9.6%	14.9%	85.1%
Grade 11	6.2%	7.4%	18.1%	81.9%
Grade 12	5.8%	10.8%	19.6%	80.4%
Marijuana				
All	6.1%	8.0%	11.4%	88.6%
Grade 7	1.0%	1.1%	1.7%	98.3%
Grade 8	3.2%	3.7%	5.2%	94.8%
Grade 9	5.1%	6.4%	7.7%	92.3%
Grade 10	9.4%	12.4%	14.6%	85.4%
Grade 11	6.4%	9.8%	16.6%	83.4%
Grade 12	13.7%	17.6%	26.7%	73.3%
Marijuana Only				
All	2.5%	3.7%	6.2%	93.8%
Grade 7	0.6%	0.7%	1.2%	98.8%
Grade 8	1.8%	2.1%	3.1%	96.9%
Grade 9	3.3%	4.2%	5.5%	94.5%
Grade 10	4.3%	6.8%	7.8%	92.2%
Grade 11	1.7%	3.6%	9.0%	91.0%
Grade 12	3.5%	5.5%	12.6%	87.4%
Cocaine or Crack				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	1.0%	1.0%	99.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.4%	0.4%	1.0%	99.0%
Cocaine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	1.0%	1.0%	99.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.8%	99.2%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.4%	99.6%
Hallucinogens				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	1.9%	1.9%	1.9%	98.1%
Grade 11	1.0%	1.0%	1.6%	98.4%
Grade 12	1.6%	1.9%	4.9%	95.1%
Synthetic Cathinones				
All	0.0%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.0%	0.7%	0.7%	99.3%
Steroids				
All	0.1%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.2%	0.7%	99.3%
Grade 8	0.4%	0.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.6%	1.8%	98.2%
Grade 12	0.5%	1.2%	2.1%	97.9%
Ecstasy				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.6%	99.4%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
 Students Living with 2 Parents**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
Synthetic Marijuana				
All	0.8%	1.2%	1.8%	98.2%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	1.2%	1.8%	2.5%	97.5%
Grade 11	1.5%	2.2%	3.8%	96.2%
Grade 12	0.9%	2.4%	2.7%	97.3%
Methamphetamine				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.7%	99.3%
Delta 8				
All	2.1%	3.3%	4.5%	95.5%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.7%	1.0%	1.6%	98.4%
Grade 9	1.0%	1.7%	1.9%	98.1%
Grade 10	2.4%	3.9%	6.1%	93.9%
Grade 11	3.4%	5.2%	7.8%	92.2%
Grade 12	5.8%	9.0%	11.0%	89.0%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.9%	16.1%	24.9%	75.1%
Grade 7	5.2%	6.8%	13.6%	86.4%
Grade 8	6.7%	9.0%	16.9%	83.1%
Grade 9	10.6%	17.4%	26.4%	73.6%
Grade 10	14.3%	17.6%	27.2%	72.8%
Grade 11	20.7%	23.8%	32.2%	67.8%
Grade 12	14.6%	23.9%	34.9%	65.1%
Any Alcohol Product				
All	21.4%	26.4%	43.8%	56.2%
Grade 7	13.4%	16.3%	37.3%	62.7%
Grade 8	14.7%	18.6%	36.1%	63.9%
Grade 9	17.9%	21.7%	36.6%	63.4%
Grade 10	22.0%	27.5%	44.0%	56.0%
Grade 11	26.2%	33.5%	49.6%	50.4%
Grade 12	36.7%	44.0%	62.8%	37.2%
Any Illicit Drug				
All	13.6%	16.4%	22.5%	77.5%
Grade 7	5.1%	7.4%	10.6%	89.4%
Grade 8	7.8%	10.2%	13.6%	86.4%
Grade 9	11.7%	14.0%	17.6%	82.4%
Grade 10	16.7%	20.2%	26.6%	73.4%
Grade 11	19.1%	22.0%	31.3%	68.7%
Grade 12	22.1%	25.8%	37.6%	62.4%
Any Prescription Drug				
All	4.5%	6.9%	13.4%	86.6%
Grade 7	5.7%	7.8%	15.1%	84.9%
Grade 8	4.0%	5.8%	12.4%	87.6%
Grade 9	5.7%	9.4%	11.4%	88.6%
Grade 10	1.7%	4.2%	12.5%	87.5%
Grade 11	6.5%	7.9%	16.6%	83.4%
Grade 12	4.3%	7.5%	13.1%	86.9%
Any Inhalant				
All	3.0%	4.3%	10.8%	89.2%
Grade 7	6.3%	8.0%	13.9%	86.1%
Grade 8	4.1%	5.8%	10.4%	89.6%
Grade 9	3.0%	3.0%	10.2%	89.8%
Grade 10	1.1%	3.1%	12.2%	87.8%
Grade 11	2.1%	3.5%	9.9%	90.1%
Grade 12	1.8%	2.2%	7.6%	92.4%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.7%	14.2%	22.5%	77.5%
Grade 7	3.5%	5.3%	12.1%	87.9%
Grade 8	5.1%	7.5%	15.8%	84.2%
Grade 9	8.7%	15.1%	25.1%	74.9%
Grade 10	12.0%	16.3%	22.1%	77.9%
Grade 11	16.4%	20.5%	30.1%	69.9%
Grade 12	12.9%	22.0%	31.9%	68.1%
Marijuana				
All	12.0%	14.1%	19.6%	80.4%
Grade 7	3.7%	4.3%	6.6%	93.4%
Grade 8	7.0%	7.9%	11.2%	88.8%
Grade 9	9.2%	10.5%	12.8%	87.2%
Grade 10	14.8%	17.7%	24.0%	76.0%
Grade 11	17.7%	21.3%	30.6%	69.4%
Grade 12	21.0%	24.6%	34.9%	65.1%
Marijuana Only				
All	4.7%	6.1%	10.4%	89.6%
Grade 7	2.0%	2.6%	4.2%	95.8%
Grade 8	3.6%	4.2%	6.6%	93.4%
Grade 9	1.3%	2.6%	4.8%	95.2%
Grade 10	10.4%	12.4%	17.9%	82.1%
Grade 11	4.1%	6.2%	11.6%	88.4%
Grade 12	5.4%	7.1%	16.4%	83.6%
Cocaine or Crack				
All	0.8%	0.8%	1.0%	99.0%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	2.1%	2.1%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.3%	99.7%
Cocaine				
All	0.6%	0.6%	0.7%	99.3%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.1%	2.1%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	2.1%	3.0%	97.0%
Grade 7	0.3%	0.5%	0.7%	99.3%
Grade 8	0.5%	0.7%	1.1%	98.9%
Grade 9	0.5%	3.2%	3.2%	96.8%
Grade 10	0.0%	1.6%	3.3%	96.7%
Grade 11	2.8%	5.8%	6.4%	93.6%
Grade 12	0.0%	1.1%	3.6%	96.4%
Synthetic Cathinones				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.5%	0.7%	1.3%	98.7%
Grade 8	0.4%	0.4%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Ecstasy				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	1.4%	1.4%	2.8%	97.2%
Grade 12	0.0%	0.0%	1.1%	98.9%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	1.7%	98.3%
Synthetic Marijuana				
All	0.9%	1.1%	2.3%	97.7%
Grade 7	0.5%	0.7%	1.1%	98.9%
Grade 8	0.5%	0.9%	1.6%	98.4%
Grade 9	2.5%	2.5%	6.9%	93.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.7%	0.7%	1.9%	98.1%
Grade 12	1.3%	2.5%	2.8%	97.2%
Methamphetamine				
All	0.5%	0.5%	0.6%	99.4%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	1.2%	1.2%	1.2%	98.8%
Delta 8				
All	4.4%	6.1%	8.5%	91.5%
Grade 7	0.8%	0.8%	1.9%	98.1%
Grade 8	1.6%	2.5%	4.4%	95.6%
Grade 9	3.5%	3.9%	7.1%	92.9%
Grade 10	3.5%	4.2%	5.0%	95.0%
Grade 11	10.5%	13.3%	17.1%	82.9%
Grade 12	8.2%	14.5%	19.0%	81.0%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.2%	8.4%	14.7%	85.3%
Grade 7	1.8%	2.5%	5.9%	94.1%
Grade 8	3.3%	4.1%	10.1%	89.9%
Grade 9	5.8%	9.6%	13.7%	86.3%
Grade 10	9.6%	12.4%	18.0%	82.0%
Grade 11	9.4%	10.6%	19.0%	81.0%
Grade 12	8.2%	13.3%	24.7%	75.3%
Any Alcohol Product				
All	15.5%	19.0%	33.8%	66.2%
Grade 7	8.1%	9.7%	26.8%	73.2%
Grade 8	10.4%	12.7%	28.3%	71.7%
Grade 9	12.4%	14.1%	27.4%	72.6%
Grade 10	19.8%	24.4%	36.2%	63.8%
Grade 11	18.5%	25.0%	37.4%	62.6%
Grade 12	27.6%	32.3%	51.6%	48.4%
Any Illicit Drug				
All	7.3%	10.0%	14.2%	85.8%
Grade 7	1.6%	2.7%	4.0%	96.0%
Grade 8	3.7%	5.1%	7.0%	93.0%
Grade 9	5.6%	8.3%	9.4%	90.6%
Grade 10	11.6%	15.7%	19.3%	80.7%
Grade 11	10.6%	14.2%	22.2%	77.8%
Grade 12	12.9%	16.6%	27.6%	72.4%
Any Prescription Drug				
All	3.6%	5.2%	10.4%	89.6%
Grade 7	4.7%	6.1%	11.2%	88.8%
Grade 8	4.3%	5.7%	10.6%	89.4%
Grade 9	4.4%	5.6%	9.5%	90.5%
Grade 10	2.2%	4.9%	10.9%	89.1%
Grade 11	4.1%	5.3%	12.3%	87.7%
Grade 12	1.5%	2.7%	6.9%	93.1%
Any Inhalant				
All	2.7%	3.7%	8.0%	92.0%
Grade 7	3.6%	4.5%	8.9%	91.1%
Grade 8	2.7%	3.5%	7.6%	92.4%
Grade 9	2.2%	2.8%	8.0%	92.0%
Grade 10	3.6%	5.0%	9.8%	90.2%
Grade 11	2.6%	4.5%	9.0%	91.0%
Grade 12	0.8%	1.5%	3.7%	96.3%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.8%	7.3%	13.2%	86.8%
Grade 7	1.0%	1.7%	4.8%	95.2%
Grade 8	2.5%	3.5%	9.1%	90.9%
Grade 9	4.7%	8.1%	12.5%	87.5%
Grade 10	7.4%	11.3%	15.6%	84.4%
Grade 11	8.0%	9.5%	17.6%	82.4%
Grade 12	6.4%	11.7%	22.4%	77.6%
Marijuana				
All	6.5%	8.1%	11.9%	88.1%
Grade 7	1.2%	1.3%	2.1%	97.9%
Grade 8	3.1%	3.7%	5.4%	94.6%
Grade 9	5.0%	6.5%	7.6%	92.4%
Grade 10	9.7%	12.5%	16.5%	83.5%
Grade 11	9.3%	11.4%	18.3%	81.7%
Grade 12	12.6%	15.8%	25.9%	74.1%
Marijuana Only				
All	3.0%	4.1%	7.1%	92.9%
Grade 7	0.7%	0.8%	1.4%	98.6%
Grade 8	1.9%	2.3%	3.7%	96.3%
Grade 9	2.4%	3.7%	4.8%	95.2%
Grade 10	6.4%	8.1%	11.3%	88.7%
Grade 11	3.0%	4.3%	9.1%	90.9%
Grade 12	4.0%	6.0%	14.4%	85.6%
Cocaine or Crack				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%
Cocaine				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.8%	1.3%	98.7%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.4%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.9%	1.4%	98.6%
Grade 11	1.1%	2.2%	2.4%	97.6%
Grade 12	0.1%	0.5%	2.8%	97.2%
Synthetic Cathinones				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.1%	0.2%	0.9%	99.1%
Grade 7	0.1%	0.3%	0.8%	99.2%
Grade 8	0.4%	0.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.5%	99.5%
Ecstasy				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.2%	0.2%	0.8%	99.2%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	0.9%	99.1%
Synthetic Marijuana				
All	0.6%	1.1%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	1.2%	1.2%	1.2%	98.8%
Grade 10	0.4%	0.9%	1.4%	98.6%
Grade 11	1.3%	1.5%	2.5%	97.5%
Grade 12	0.7%	2.6%	2.8%	97.2%
Methamphetamine				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.7%	99.3%
Delta 8				
All	2.0%	3.1%	4.4%	95.6%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	1.0%	1.6%	1.9%	98.1%
Grade 10	2.8%	4.0%	5.3%	94.7%
Grade 11	4.2%	6.5%	9.0%	91.0%
Grade 12	4.2%	6.6%	10.2%	89.8%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.1%	19.0%	28.1%	71.9%
Grade 7	10.2%	12.0%	20.2%	79.8%
Grade 8	11.2%	16.0%	23.7%	76.3%
Grade 9	16.9%	19.9%	25.7%	74.3%
Grade 10	12.0%	16.8%	25.4%	74.6%
Grade 11	23.7%	30.2%	49.7%	50.3%
Grade 12	18.0%	20.7%	28.9%	71.1%
Any Alcohol Product				
All	24.1%	30.2%	43.4%	56.6%
Grade 7	19.1%	20.3%	44.0%	56.0%
Grade 8	21.1%	25.2%	41.7%	58.3%
Grade 9	21.7%	26.9%	39.0%	61.0%
Grade 10	15.9%	22.2%	32.1%	67.9%
Grade 11	34.4%	50.0%	65.2%	34.8%
Grade 12	36.3%	41.6%	48.0%	52.0%
Any Illicit Drug				
All	16.1%	20.4%	24.1%	75.9%
Grade 7	7.8%	13.4%	16.3%	83.7%
Grade 8	11.0%	16.7%	19.4%	80.6%
Grade 9	15.8%	18.2%	20.4%	79.6%
Grade 10	12.9%	17.7%	18.9%	81.1%
Grade 11	20.7%	25.9%	36.7%	63.3%
Grade 12	27.6%	31.0%	35.7%	64.3%
Any Prescription Drug				
All	6.1%	8.7%	14.5%	85.5%
Grade 7	7.0%	9.7%	17.5%	82.5%
Grade 8	5.8%	8.2%	14.6%	85.4%
Grade 9	5.3%	6.9%	8.8%	91.2%
Grade 10	3.4%	5.1%	11.4%	88.6%
Grade 11	5.6%	12.8%	23.3%	76.7%
Grade 12	10.3%	12.3%	16.5%	83.5%
Any Inhalant				
All	2.6%	4.7%	11.8%	88.2%
Grade 7	9.7%	10.7%	16.6%	83.4%
Grade 8	3.8%	7.5%	14.5%	85.5%
Grade 9	3.5%	4.1%	10.0%	90.0%
Grade 10	0.3%	3.4%	7.8%	92.2%
Grade 11	0.0%	0.0%	18.0%	82.0%
Grade 12	0.0%	3.2%	8.4%	91.6%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.4%	15.8%	25.2%	74.8%
Grade 7	7.2%	9.4%	17.5%	82.5%
Grade 8	9.5%	14.3%	21.4%	78.6%
Grade 9	14.0%	16.9%	25.1%	74.9%
Grade 10	10.5%	15.2%	21.9%	78.1%
Grade 11	14.8%	21.8%	46.3%	53.7%
Grade 12	12.0%	17.3%	23.9%	76.1%
Marijuana				
All	14.1%	18.0%	21.4%	78.6%
Grade 7	5.2%	6.8%	9.9%	90.1%
Grade 8	10.3%	12.3%	15.9%	84.1%
Grade 9	13.5%	14.2%	16.5%	83.5%
Grade 10	12.9%	17.7%	18.9%	81.1%
Grade 11	15.5%	25.9%	33.1%	66.9%
Grade 12	25.0%	30.4%	35.1%	64.9%
Marijuana Only				
All	4.2%	5.9%	8.5%	91.5%
Grade 7	2.6%	4.2%	7.0%	93.0%
Grade 8	4.4%	4.7%	7.0%	93.0%
Grade 9	4.8%	4.8%	7.0%	93.0%
Grade 10	4.6%	9.3%	9.3%	90.7%
Grade 11	0.0%	3.6%	8.7%	91.3%
Grade 12	6.9%	6.9%	11.6%	88.4%
Cocaine or Crack				
All	1.4%	1.4%	1.8%	98.2%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	1.2%	1.2%	1.6%	98.4%
Grade 9	2.2%	2.2%	2.2%	97.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.6%	3.6%	3.6%	96.4%
Grade 12	1.2%	1.2%	2.7%	97.3%
Cocaine				
All	1.3%	1.3%	1.6%	98.4%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grade 9	2.2%	2.2%	2.2%	97.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.6%	3.6%	3.6%	96.4%
Grade 12	0.6%	0.6%	2.1%	97.9%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	1.5%	98.5%
Hallucinogens				
All	2.3%	2.5%	4.0%	96.0%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.4%	0.5%	1.5%	98.5%
Grade 9	0.0%	1.0%	1.0%	99.0%
Grade 10	3.6%	3.6%	5.1%	94.9%
Grade 11	3.6%	3.6%	7.1%	92.9%
Grade 12	5.1%	5.1%	8.4%	91.6%
Synthetic Cathinones				
All	0.1%	0.1%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.6%	96.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.8%	1.5%	98.5%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	3.6%	3.6%	96.4%
Grade 12	0.9%	0.9%	3.4%	96.6%
Ecstasy				
All	0.5%	0.7%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.6%	3.6%	3.6%	96.4%
Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.6%	1.9%	3.9%	96.1%
Grade 7	0.6%	1.3%	1.6%	98.4%
Grade 8	1.4%	1.7%	3.5%	96.5%
Grade 9	1.7%	1.7%	6.2%	93.8%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	0.0%	1.6%	7.3%	92.7%
Grade 12	2.8%	2.8%	3.4%	96.6%
Methamphetamine				
All	1.0%	1.0%	1.3%	98.7%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.6%	3.6%	3.6%	96.4%
Grade 12	2.0%	2.0%	2.0%	98.0%
Delta 8				
All	6.3%	8.6%	11.5%	88.5%
Grade 7	2.1%	2.1%	3.4%	96.6%
Grade 8	3.3%	5.5%	8.4%	91.6%
Grade 9	3.9%	4.6%	9.8%	90.2%
Grade 10	3.5%	5.0%	6.5%	93.5%
Grade 11	15.3%	16.9%	24.4%	75.6%
Grade 12	11.8%	19.5%	19.5%	80.5%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	320,572	50.4%
Female	315,726	49.6%
Frequency Missing	5,271	

Hispanic or Latino

Q5a	Frequency	Percent
No	365,791	57.7%
Yes	268,261	42.3%
Frequency Missing	7,518	

Grade

Q2	Frequency	Percent
Grade 7	112,924	17.6%
Grade 8	115,499	18.0%
Grade 9	108,599	17.0%
Grade 10	111,030	17.3%
Grade 11	100,201	15.6%
Grade 12	92,020	14.4%
Frequency Missing	1,296	

Ethnicity

Q5b	Frequency	Percent
American Indian	10,022	1.6%
Asian American	25,959	4.2%
African American	103,484	16.6%
Pacific Islander	3,369	0.5%
White	277,426	44.5%
Other	125,570	20.1%
More Than One Race	77,720	12.5%
Frequency Missing	18,019	

Live with Both Parents

Q3	Frequency	Percent
No	216,418	34.1%
Yes	418,844	65.9%
Frequency Missing	6,307	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	1,955	0.3%
Mostly D's	5,890	0.9%
Mostly C's	58,982	9.4%
Mostly B's	285,777	45.3%
Mostly A's	277,963	44.1%
Frequency Missing	11,003	

Age

Q4	Frequency	Percent
11 or younger	382	0.1%
12	52,810	8.2%
13	111,488	17.4%
14	92,702	14.5%
15	108,361	16.9%
16	109,241	17.0%
17	104,419	16.3%
18	57,426	9.0%
19 or older	4,393	0.7%
Frequency Missing	347	

Do You Have a Job

Q7	Frequency	Percent
No	472,581	74.9%
Yes	158,315	25.1%
Frequency Missing	10,674	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	134,806	21.4%
Yes	280,594	44.6%
Don't Know	213,854	34.0%
Frequency Missing	12,315	

**Participate in School Athletics (UIL, Varsity,
Jr Varsity)**

Q9a	Frequency	Percent
No	324,072	54.1%
Yes	275,051	45.9%
Frequency Missing	42,445	

**Participate in Academic
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	461,202	81.7%
Yes	103,574	18.3%
Frequency Missing	76,793	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	460,743	81.4%
Yes	105,042	18.6%
Frequency Missing	75,783	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	415,847	73.7%
Yes	148,551	26.3%
Frequency Missing	77,172	

Participate in School Choir

Q9c	Frequency	Percent
No	501,794	89.4%
Yes	59,434	10.6%
Frequency Missing	80,342	

**Participate in Athletic Teams Outside of
School**

Q9h	Frequency	Percent
No	399,887	69.3%
Yes	176,971	30.7%
Frequency Missing	64,710	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	526,052	94.7%
Yes	29,432	5.3%
Frequency Missing	86,084	

**Participate in Other Clubs or Groups
Outside of School**

Q9i	Frequency	Percent
No	443,972	78.9%
Yes	119,062	21.1%
Frequency Missing	78,536	

**Participate in Student Government/School
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	525,443	94.9%
Yes	28,232	5.1%
Frequency Missing	87,894	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	550,909	86.2%
Somewhat Safe	74,708	11.7%
Not Very Safe	6,425	1.0%
Not Safe At All	864	0.1%
Don't Know	6,136	1.0%
Frequency Missing	2,526	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	297,217	46.7%
Somewhat Safe	285,635	44.8%
Not Very Safe	31,845	5.0%
Not Safe At All	5,617	0.9%
Don't Know	16,687	2.6%
Frequency Missing	4,569	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	213,828	33.6%
Somewhat Safe	325,924	51.2%
Not Very Safe	54,966	8.6%
Not Safe At All	18,219	2.9%
Don't Know	24,037	3.8%
Frequency Missing	4,594	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	55,318	8.9%
Some High School	66,213	10.7%
Finished High School	110,938	17.9%
Some College	59,703	9.6%
Finished College	122,878	19.8%
Post-Secondary	95,166	15.3%
Don't Know or N/A	110,858	17.8%
Frequency Missing	20,497	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	55,835	8.9%
Some High School	50,101	8.0%
Finished High School	97,218	15.6%
Some College	72,691	11.6%
Finished College	155,077	24.8%
Post-Secondary	114,379	18.3%
Don't Know or N/A	79,515	12.7%
Frequency Missing	16,754	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	410,776	65.3%
Yes	218,424	34.7%
Frequency Missing	12,369	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	38,791	6.2%
A Few	133,822	21.4%
Some	142,258	22.8%
Most	225,437	36.1%
All	83,608	13.4%
Frequency Missing	17,654	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	16,372	2.6%
A Few	75,742	12.1%
Some	150,964	24.2%
Most	277,846	44.6%
All	102,505	16.4%
Frequency Missing	18,140	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	272,187	44.0%
A Few	179,903	29.1%
Some	95,393	15.4%
Most	45,348	7.3%
All	25,730	4.2%
Frequency Missing	23,008	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	515,205	83.1%
A Few	64,616	10.4%
Some	26,588	4.3%
Most	8,502	1.4%
All	5,349	0.9%
Frequency Missing	21,309	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	620,873	99.6%
In Your Lifetime	1,356	0.2%
Since School Began	543	0.1%
In the Past Month	663	0.1%
Frequency Missing	18,133	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	565,969	91.1%
A Few	36,159	5.8%
Some	9,293	1.5%
Most	4,386	0.7%
All	5,623	0.9%
Frequency Missing	20,139	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	602,122	96.3%
In Your Lifetime	14,541	2.3%
Since School Began	2,560	0.4%
In the Past Month	5,786	0.9%
Frequency Missing	16,560	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	618,232	98.7%
In Your Lifetime	5,528	0.9%
Since School Began	740	0.1%
In the Past Month	1,622	0.3%
Frequency Missing	15,446	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	617,681	99.0%
In Your Lifetime	3,355	0.5%
Since School Began	1,196	0.2%
In the Past Month	1,700	0.3%
Frequency Missing	17,638	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	606,422	97.1%
In Your Lifetime	12,417	2.0%
Since School Began	2,966	0.5%
In the Past Month	3,025	0.5%
Frequency Missing	16,739	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	619,313	99.3%
In Your Lifetime	2,178	0.3%
Since School Began	700	0.1%
In the Past Month	1,276	0.2%
Frequency Missing	18,102	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	615,172	98.5%
In Your Lifetime	5,733	0.9%
Since School Began	1,304	0.2%
In the Past Month	2,534	0.4%
Frequency Missing	16,827	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	489,576	78.7%
In Your Lifetime	72,816	11.7%
Since School Began	28,767	4.6%
In the Past Month	30,849	5.0%
Frequency Missing	19,562	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	616,174	98.8%
In Your Lifetime	3,254	0.5%
Since School Began	713	0.1%
In the Past Month	3,570	0.6%
Frequency Missing	17,857	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	520,358	83.4%
In Your Lifetime	46,080	7.4%
Since School Began	22,971	3.7%
In the Past Month	34,239	5.5%
Frequency Missing	17,921	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	589,883	94.1%
In Your Lifetime	23,535	3.8%
Since School Began	6,927	1.1%
In the Past Month	6,315	1.0%
Frequency Missing	14,909	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	503,498	81.0%
In Your Lifetime	72,891	11.7%
Since School Began	21,724	3.5%
In the Past Month	23,679	3.8%
Frequency Missing	19,777	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	606,111	97.1%
In Your Lifetime	9,009	1.4%
Since School Began	2,096	0.3%
In the Past Month	6,828	1.1%
Frequency Missing	17,525	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	502,345	81.0%
In Your Lifetime	56,746	9.2%
Since School Began	27,138	4.4%
In the Past Month	33,791	5.4%
Frequency Missing	21,550	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	611,737	97.9%
In Your Lifetime	7,998	1.3%
Since School Began	1,978	0.3%
In the Past Month	2,866	0.5%
Frequency Missing	16,989	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	528,368	84.4%
In Your Lifetime	40,599	6.5%
Since School Began	18,215	2.9%
In the Past Month	38,901	6.2%
Frequency Missing	15,487	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	614,479	98.0%
In Your Lifetime	4,492	0.7%
Since School Began	3,406	0.5%
In the Past Month	4,391	0.7%
Frequency Missing	14,801	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	545,837	87.0%
In Your Lifetime	36,166	5.8%
Since School Began	15,501	2.5%
In the Past Month	29,743	4.7%
Frequency Missing	14,322	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	624,053	99.6%
In Your Lifetime	1,605	0.3%
Since School Began	610	0.1%
In the Past Month	147	0.0%
Frequency Missing	15,154	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	624,202	99.5%
In Your Lifetime	885	0.1%
Since School Began	667	0.1%
In the Past Month	1,590	0.3%
Frequency Missing	14,225	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	621,305	99.3%
In Your Lifetime	2,642	0.4%
Since School Began	1,112	0.2%
In the Past Month	813	0.1%
Frequency Missing	15,697	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	625,141	99.8%
In Your Lifetime	435	0.1%
Since School Began	85	0.0%
In the Past Month	797	0.1%
Frequency Missing	15,112	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	622,858	99.5%
In Your Lifetime	1,863	0.3%
Since School Began	324	0.1%
In the Past Month	921	0.1%
Frequency Missing	15,603	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	624,728	99.8%
In Your Lifetime	220	0.0%
Since School Began	0	0.0%
In the Past Month	865	0.1%
Frequency Missing	15,756	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	582,105	93.5%
In Your Lifetime	23,279	3.7%
Since School Began	6,810	1.1%
In the Past Month	10,307	1.7%
Frequency Missing	19,067	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	624,424	99.7%
In Your Lifetime	935	0.1%
Since School Began	34	0.0%
In the Past Month	614	0.1%
Frequency Missing	15,562	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	610,921	98.3%
In Your Lifetime	6,104	1.0%
Since School Began	2,725	0.4%
In the Past Month	1,705	0.3%
Frequency Missing	20,115	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	617,935	98.6%
In Your Lifetime	3,971	0.6%
Since School Began	2,018	0.3%
In the Past Month	2,481	0.4%
Frequency Missing	15,165	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	609,396	98.3%
In Your Lifetime	6,416	1.0%
Since School Began	2,368	0.4%
In the Past Month	1,937	0.3%
Frequency Missing	21,452	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	591,583	94.6%
In Your Lifetime	9,522	1.5%
Since School Began	9,632	1.5%
In the Past Month	14,864	2.4%
Frequency Missing	15,968	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	604,637	97.7%
In Your Lifetime	5,677	0.9%
Since School Began	2,225	0.4%
In the Past Month	6,521	1.1%
Frequency Missing	22,509	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	584,561	94.5%
In Your Lifetime	15,967	2.6%
Since School Began	5,014	0.8%
In the Past Month	13,234	2.1%
Frequency Missing	22,794	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	615,802	99.1%
1-2 times	4,234	0.7%
3-10 times	914	0.1%
11+ times	691	0.1%
Frequency Missing	19,929	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	607,938	98.5%
In Your Lifetime	4,960	0.8%
Since School Began	1,529	0.2%
In the Past Month	2,972	0.5%
Frequency Missing	24,169	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	573,892	92.4%
1-2 times	23,224	3.7%
3-10 times	11,106	1.8%
11+ times	13,042	2.1%
Frequency Missing	20,305	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	600,946	96.5%
1-2 times	9,856	1.6%
3-10 times	4,028	0.6%
11+ times	7,941	1.3%
Frequency Missing	18,798	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	619,933	99.6%
1-2 times	1,366	0.2%
3-10 times	477	0.1%
11+ times	489	0.1%
Frequency Missing	19,304	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	526,378	84.7%
1-2 times	64,886	10.4%
3-10 times	20,208	3.3%
11+ times	9,871	1.6%
Frequency Missing	20,225	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	619,908	99.9%
1-2 times	333	0.1%
3-10 times	56	0.0%
11+ times	0	0.0%
Frequency Missing	21,273	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	528,033	85.2%
A few	57,518	9.3%
Some	18,749	3.0%
Most	10,962	1.8%
All	4,620	0.7%
Frequency Missing	21,687	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	419,202	67.6%
A few	108,193	17.4%
Some	49,603	8.0%
Most	33,184	5.3%
All	10,321	1.7%
Frequency Missing	21,066	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	590,639	95.5%
A few	19,379	3.1%
Some	5,397	0.9%
Most	2,554	0.4%
All	575	0.1%
Frequency Missing	23,024	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	456,693	73.8%
A few	81,106	13.1%
Some	38,323	6.2%
Most	33,923	5.5%
All	8,361	1.4%
Frequency Missing	23,163	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	579,740	93.4%
8 or younger	4,387	0.7%
9 years old	1,837	0.3%
10 years old	1,579	0.3%
11 years old	2,963	0.5%
12 years old	2,760	0.4%
13 years old	6,161	1.0%
14 years old	7,803	1.3%
15 years old	6,833	1.1%
16 years old	3,932	0.6%
17 years old	1,766	0.3%
18 or older	959	0.2%
Frequency Missing	20,850	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	451,941	73.1%
8 or younger	24,279	3.9%
9 years old	7,343	1.2%
10 years old	9,999	1.6%
11 years old	10,164	1.6%
12 years old	16,417	2.7%
13 years old	19,843	3.2%
14 years old	27,517	4.4%
15 years old	23,142	3.7%
16 years old	17,530	2.8%
17 years old	6,838	1.1%
18 or older	3,579	0.6%
Frequency Missing	22,978	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	607,518	98.1%
8 or younger	3,027	0.5%
9 years old	826	0.1%
10 years old	1,189	0.2%
11 years old	679	0.1%
12 years old	2,395	0.4%
13 years old	2,157	0.3%
14 years old	831	0.1%
15 years old	434	0.1%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	22,513	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	544,589	87.8%
8 or younger	2,028	0.3%
9 years old	499	0.1%
10 years old	1,042	0.2%
11 years old	970	0.2%
12 years old	6,341	1.0%
13 years old	7,883	1.3%
14 years old	17,010	2.7%
15 years old	18,308	3.0%
16 years old	13,196	2.1%
17 years old	6,033	1.0%
18 or older	2,643	0.4%
Frequency Missing	21,028	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	617,802	99.6%
8 or younger	147	0.0%
9 years old	0	0.0%
10 years old	45	0.0%
11 years old	0	0.0%
12 years old	143	0.0%
13 years old	30	0.0%
14 years old	77	0.0%
15 years old	1,294	0.2%
16 years old	741	0.1%
17 years old	0	0.0%
18 or older	214	0.0%
Frequency Missing	21,077	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	615,711	99.6%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	61	0.0%
11 years old	0	0.0%
12 years old	114	0.0%
13 years old	579	0.1%
14 years old	312	0.1%
15 years old	768	0.1%
16 years old	0	0.0%
17 years old	434	0.1%
18 or older	0	0.0%
Frequency Missing	23,591	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	619,045	99.9%
8 or younger	147	0.0%
9 years old	0	0.0%
10 years old	106	0.0%
11 years old	0	0.0%
12 years old	68	0.0%
13 years old	38	0.0%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	22,165	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	619,046	99.9%
8 or younger	91	0.0%
9 years old	0	0.0%
10 years old	45	0.0%
11 years old	0	0.0%
12 years old	118	0.0%
13 years old	53	0.0%
14 years old	0	0.0%
15 years old	87	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	22,128	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	615,023	99.3%
8 or younger	502	0.1%
9 years old	71	0.0%
10 years old	200	0.0%
11 years old	150	0.0%
12 years old	1,321	0.2%
13 years old	260	0.0%
14 years old	274	0.0%
15 years old	954	0.2%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	654	0.1%
Frequency Missing	22,160	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	618,109	99.8%
8 or younger	634	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	95	0.0%
13 years old	157	0.0%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	434	0.1%
Frequency Missing	22,141	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	612,386	99.0%
8 or younger	35	0.0%
9 years old	538	0.1%
10 years old	28	0.0%
11 years old	121	0.0%
12 years old	150	0.0%
13 years old	1,098	0.2%
14 years old	1,405	0.2%
15 years old	1,903	0.3%
16 years old	907	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	22,997	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	588,106	95.1%
8 or younger	0	0.0%
9 years old	97	0.0%
10 years old	28	0.0%
11 years old	212	0.0%
12 years old	657	0.1%
13 years old	2,036	0.3%
14 years old	2,673	0.4%
15 years old	9,089	1.5%
16 years old	8,356	1.4%
17 years old	5,453	0.9%
18 or older	1,954	0.3%
Frequency Missing	22,907	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	230,573	38.0%
Impossible	147,828	24.4%
Very Difficult	52,409	8.6%
Somewhat diff	54,040	8.9%
Somewhat easy	58,545	9.7%
Very easy	62,884	10.4%
Frequency Missing	35,289	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	204,324	33.7%
Impossible	96,906	16.0%
Very Difficult	39,061	6.4%
Somewhat diff	53,776	8.9%
Somewhat easy	84,065	13.9%
Very easy	128,649	21.2%
Frequency Missing	34,788	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	278,623	46.2%
Impossible	117,766	19.5%
Very Difficult	29,544	4.9%
Somewhat diff	28,589	4.7%
Somewhat easy	51,982	8.6%
Very easy	96,078	15.9%
Frequency Missing	38,987	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	229,054	37.8%
Impossible	153,073	25.3%
Very Difficult	49,966	8.2%
Somewhat diff	45,362	7.5%
Somewhat easy	55,291	9.1%
Very easy	73,410	12.1%
Frequency Missing	35,413	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	265,250	43.9%
Impossible	216,394	35.8%
Very Difficult	64,876	10.7%
Somewhat diff	33,487	5.5%
Somewhat easy	12,739	2.1%
Very easy	11,334	1.9%
Frequency Missing	37,490	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	273,952	45.3%
Impossible	219,656	36.3%
Very Difficult	66,432	11.0%
Somewhat diff	27,266	4.5%
Somewhat easy	9,629	1.6%
Very easy	8,318	1.4%
Frequency Missing	36,315	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	311,504	51.6%
Impossible	205,912	34.1%
Very Difficult	52,992	8.8%
Somewhat diff	16,862	2.8%
Somewhat easy	7,752	1.3%
Very easy	8,789	1.5%
Frequency Missing	37,758	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	281,085	46.5%
Impossible	203,649	33.7%
Very Difficult	61,676	10.2%
Somewhat diff	31,423	5.2%
Somewhat easy	15,717	2.6%
Very easy	11,095	1.8%
Frequency Missing	36,923	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	323,378	53.5%
Impossible	178,235	29.5%
Very Difficult	44,806	7.4%
Somewhat diff	21,208	3.5%
Somewhat easy	19,405	3.2%
Very easy	17,861	3.0%
Frequency Missing	36,677	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	329,592	54.5%
Impossible	182,679	30.2%
Very Difficult	52,490	8.7%
Somewhat diff	17,833	3.0%
Somewhat easy	11,851	2.0%
Very easy	9,860	1.6%
Frequency Missing	37,265	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	321,588	53.2%
Impossible	160,804	26.6%
Very Difficult	40,539	6.7%
Somewhat diff	21,450	3.6%
Somewhat easy	25,117	4.2%
Very easy	34,460	5.7%
Frequency Missing	37,612	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	301,822	50.0%
Impossible	216,327	35.8%
Very Difficult	51,995	8.6%
Somewhat diff	19,310	3.2%
Somewhat easy	6,889	1.1%
Very easy	7,317	1.2%
Frequency Missing	37,910	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	5,169	0.8%
Several times/wk	3,297	0.5%
Several times/mo	1,623	0.3%
About once/month	6,643	1.1%
About once/year	5,465	0.9%
Less than once/year	10,750	1.8%
Never used	575,202	94.6%
Frequency Missing	33,420	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	577	0.1%
Several times/wk	5,831	1.0%
Several times/mo	18,681	3.1%
About once/month	38,532	6.4%
About once/year	41,048	6.8%
Less than once/year	36,592	6.0%
Never used	465,519	76.7%
Frequency Missing	34,790	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	35	0.0%
Several times/wk	477	0.1%
Several times/mo	0	0.0%
About once/month	494	0.1%
About once/year	115	0.0%
Less than once/year	841	0.1%
Never used	603,473	99.7%
Frequency Missing	36,134	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	280	0.0%
Several times/wk	404	0.1%
Several times/mo	915	0.2%
About once/month	1,628	0.3%
About once/year	1,900	0.3%
Less than once/year	4,171	0.7%
Never used	595,216	98.5%
Frequency Missing	37,055	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	15	0.0%
Several times/wk	85	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	99	0.0%
Less than once/year	98	0.0%
Never used	606,997	100.0%
Frequency Missing	34,275	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	5,100	0.8%
Several times/wk	8,340	1.4%
Several times/mo	8,781	1.4%
About once/month	13,296	2.2%
About once/year	15,407	2.5%
Less than once/year	12,712	2.1%
Never used	543,705	89.5%
Frequency Missing	34,228	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	183	0.0%
Several times/wk	0	0.0%
Several times/mo	61	0.0%
About once/month	71	0.0%
About once/year	48	0.0%
Less than once/year	1,301	0.2%
Never used	605,499	99.7%
Frequency Missing	34,407	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	61	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	596	0.1%
About once/year	150	0.0%
Less than once/year	1,313	0.2%
Never used	604,998	99.7%
Frequency Missing	34,451	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	961	0.2%
Several times/wk	1,079	0.2%
Several times/mo	997	0.2%
About once/month	944	0.2%
About once/year	2,825	0.5%
Less than once/year	837	0.1%
Never used	598,645	98.7%
Frequency Missing	35,281	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	108	0.0%
Several times/wk	475	0.1%
Several times/mo	0	0.0%
About once/month	54	0.0%
About once/year	101	0.0%
Less than once/year	136	0.0%
Never used	605,821	99.9%
Frequency Missing	34,876	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	1,600	0.3%
Several times/wk	3,692	0.6%
Several times/mo	4,810	0.8%
About once/month	5,169	0.9%
About once/year	8,450	1.4%
Less than once/year	2,808	0.5%
Never used	577,038	95.6%
Frequency Missing	38,001	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	345	0.1%
Several times/wk	129	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	154	0.0%
Less than once/year	38	0.0%
Never used	606,155	99.9%
Frequency Missing	34,748	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	480,718	79.2%
12+ drinks	4,544	0.7%
9-11 drinks	1,483	0.2%
5-8 drinks	10,306	1.7%
3-4 drinks	13,278	2.2%
2 drinks	19,709	3.2%
1 drink	28,554	4.7%
Less than 1 drink	48,744	8.0%
Frequency Missing	34,233	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	499,248	82.3%
12+ drinks	5,107	0.8%
9-11 drinks	2,370	0.4%
5-8 drinks	12,978	2.1%
3-4 drinks	12,145	2.0%
2 drinks	20,227	3.3%
1 drink	23,610	3.9%
Less than 1 drink	30,613	5.0%
Frequency Missing	35,272	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	380,899	63.5%
0 days	185,864	31.0%
1 day	9,939	1.7%
2 days	9,651	1.6%
3 to 5 days	8,190	1.4%
6 to 9 days	761	0.1%
10 or more days	4,226	0.7%
Frequency Missing	42,040	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	496,033	81.9%
12+ drinks	1,293	0.2%
9-11 drinks	849	0.1%
5-8 drinks	2,398	0.4%
3-4 drinks	6,243	1.0%
2 drinks	13,669	2.3%
1 drink	32,526	5.4%
Less than 1 drink	52,601	8.7%
Frequency Missing	35,957	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	433,292	71.6%
Never	74,025	12.2%
Seldom	63,307	10.5%
Most of the Time	20,798	3.4%
Always	13,619	2.3%
Frequency Missing	36,528	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	487,977	80.4%
12+ drinks	5,171	0.9%
9-11 drinks	3,790	0.6%
5-8 drinks	10,847	1.8%
3-4 drinks	19,190	3.2%
2 drinks	15,023	2.5%
1 drink	23,409	3.9%
Less than 1 drink	41,815	6.9%
Frequency Missing	34,347	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	444,323	73.7%
Never	90,235	15.0%
Seldom	38,039	6.3%
Most of the Time	24,408	4.1%
Always	5,484	0.9%
Frequency Missing	39,081	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	451,329	75.0%
Never	123,169	20.5%
Seldom	13,543	2.2%
Most of the Time	9,991	1.7%
Always	4,042	0.7%
Frequency Missing	39,495	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	436,726	72.3%
Never	79,111	13.1%
Seldom	38,235	6.3%
Most of the Time	32,279	5.3%
Always	17,322	2.9%
Frequency Missing	37,897	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	443,736	73.4%
Somewhat	83,811	13.9%
Not very	27,238	4.5%
Not at all	4,421	0.7%
Don't know	44,955	7.4%
Frequency Missing	37,407	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	453,097	75.4%
Never	98,986	16.5%
Seldom	24,346	4.1%
Most of the Time	14,237	2.4%
Always	10,015	1.7%
Frequency Missing	40,888	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	375,991	62.2%
Somewhat	91,850	15.2%
Not very	64,711	10.7%
Not at all	39,602	6.6%
Don't know	32,152	5.3%
Frequency Missing	37,262	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	412,610	68.2%
Somewhat	124,980	20.7%
Not very	33,988	5.6%
Not at all	2,970	0.5%
Don't know	30,424	5.0%
Frequency Missing	36,597	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	526,531	87.3%
Somewhat	38,176	6.3%
Not very	3,545	0.6%
Not at all	1,513	0.3%
Don't know	33,573	5.6%
Frequency Missing	38,230	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	336,731	55.7%
Somewhat	162,558	26.9%
Not very	66,765	11.0%
Not at all	11,646	1.9%
Don't know	26,630	4.4%
Frequency Missing	37,239	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	530,996	88.1%
Somewhat	31,867	5.3%
Not very	1,875	0.3%
Not at all	1,197	0.2%
Don't know	36,646	6.1%
Frequency Missing	38,989	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	485,534	80.5%
Somewhat	41,381	6.9%
Not very	5,897	1.0%
Not at all	1,935	0.3%
Don't know	68,153	11.3%
Frequency Missing	38,670	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	466,365	77.4%
Somewhat	49,876	8.3%
Not very	17,485	2.9%
Not at all	6,861	1.1%
Don't know	62,322	10.3%
Frequency Missing	38,660	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	464,134	77.0%
Somewhat	67,871	11.3%
Not very	20,255	3.4%
Not at all	5,327	0.9%
Don't know	44,838	7.4%
Frequency Missing	39,144	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	435,765	72.6%
Somewhat	53,508	8.9%
Not very	33,781	5.6%
Not at all	15,279	2.5%
Don't know	62,069	10.3%
Frequency Missing	41,166	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	525,935	87.3%
Somewhat	28,374	4.7%
Not very	3,341	0.6%
Not at all	1,137	0.2%
Don't know	43,531	7.2%
Frequency Missing	39,251	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	456,098	75.8%
Somewhat	70,303	11.7%
Not very	20,948	3.5%
Not at all	6,423	1.1%
Don't know	48,052	8.0%
Frequency Missing	39,744	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	524,868	87.0%
Somewhat	29,200	4.8%
Not very	2,845	0.5%
Not at all	1,847	0.3%
Don't know	44,319	7.3%
Frequency Missing	38,492	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	400,797	66.5%
Somewhat	101,417	16.8%
Not very	50,165	8.3%
Not at all	16,374	2.7%
Don't know	34,044	5.6%
Frequency Missing	38,773	

Days Skipped Since September

Q28a	Frequency	Percent
None	469,660	79.1%
1-3 days	89,710	15.1%
4-9 days	18,584	3.1%
10+ days	15,444	2.6%
Frequency Missing	48,171	

Someone Called Home Since September

Q28e	Frequency	Percent
None	550,398	92.7%
1-3 days	34,606	5.8%
4-9 days	5,554	0.9%
10+ days	3,405	0.6%
Frequency Missing	47,606	

Days Ill Since September

Q28b	Frequency	Percent
None	183,297	30.8%
1-3 days	241,406	40.5%
4-9 days	101,374	17.0%
10+ days	69,262	11.6%
Frequency Missing	46,230	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	578,235	97.4%
1-3 times	13,572	2.3%
4-9 times	1,012	0.2%
10+ times	656	0.1%
Frequency Missing	48,094	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	216,136	36.7%
1-3 days	284,564	48.4%
4-9 days	61,622	10.5%
10+ days	26,047	4.4%
Frequency Missing	53,200	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	583,897	98.6%
1-3 times	6,324	1.1%
4-9 times	1,240	0.2%
10+ times	520	0.1%
Frequency Missing	49,588	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	542,413	91.3%
1-3 days	42,006	7.1%
4-9 days	5,677	1.0%
10+ days	4,309	0.7%
Frequency Missing	47,165	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	578,606	97.8%
1-3 times	10,765	1.8%
4-9 times	1,128	0.2%
10+ times	1,293	0.2%
Frequency Missing	49,777	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	577,348	97.7%
1-3 times	8,090	1.4%
4-9 times	2,251	0.4%
10+ times	3,029	0.5%
Frequency Missing	50,851	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	579,428	97.8%
1-3 days	7,821	1.3%
4-9 days	2,536	0.4%
10+ days	2,481	0.4%
Frequency Missing	49,303	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	379,020	64.1%
Seldom	27,651	4.7%
Half the time	19,427	3.3%
Most of the Time	29,874	5.1%
Always	33,493	5.7%
Don't Know	8,358	1.4%
Didn't attend	93,068	15.8%
Frequency Missing	50,679	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	564,282	95.3%
1-3 days	15,992	2.7%
4-9 days	5,018	0.8%
10+ days	6,814	1.2%
Frequency Missing	49,464	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	411,598	69.8%
Seldom	21,746	3.7%
Half the time	17,465	3.0%
Most of the Time	17,444	3.0%
Always	16,942	2.9%
Don't Know	11,592	2.0%
Didn't attend	92,886	15.8%
Frequency Missing	51,896	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	587,593	99.5%
1-3 days	1,454	0.2%
4-9 days	982	0.2%
10+ days	722	0.1%
Frequency Missing	50,818	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	543,509	94.8%
Yes	29,814	5.2%
Frequency Missing	68,246	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	584,881	98.9%
1-3 days	4,314	0.7%
4-9 days	1,364	0.2%
10+ days	962	0.2%
Frequency Missing	50,047	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	369,752	63.9%
Yes	208,557	36.1%
Frequency Missing	63,260	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	439,932	76.5%
Yes	135,051	23.5%
Frequency Missing	66,586	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	254,690	44.1%
Yes	323,224	55.9%
Frequency Missing	63,655	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	331,365	57.3%
Yes	246,945	42.7%
Frequency Missing	63,260	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	339,154	58.9%
Yes	236,466	41.1%
Frequency Missing	65,950	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	176,566	30.3%
Yes	405,273	69.7%
Frequency Missing	59,730	

Would Not Seek Help

Q33i	Frequency	Percent
No	443,707	77.9%
Yes	126,115	22.1%
Frequency Missing	71,748	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	222,336	38.6%
Yes	353,763	61.4%
Frequency Missing	65,470	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	346,313	59.6%
Yes	234,335	40.4%
Frequency Missing	60,920	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	214,867	37.2%
Yes	363,028	62.8%
Frequency Missing	63,675	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	348,039	60.2%
Yes	229,646	39.8%
Frequency Missing	63,884	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	413,925	72.0%
Yes	161,205	28.0%
Frequency Missing	66,439	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	408,647	71.2%
Yes	165,622	28.8%
Frequency Missing	67,300	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	484,455	84.5%
Yes	89,118	15.5%
Frequency Missing	67,996	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	471,090	79.6%
Mild disapprove	36,273	6.1%
Neither	24,421	4.1%
Mildly approve	5,391	0.9%
Strongly approve	2,401	0.4%
Don't know	51,980	8.8%
Frequency Missing	50,014	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	421,281	73.3%
Yes	153,121	26.7%
Frequency Missing	67,167	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	371,511	62.8%
Mild disapprove	78,106	13.2%
Neither	64,655	10.9%
Mildly approve	26,079	4.4%
Strongly approve	4,523	0.8%
Don't know	46,722	7.9%
Frequency Missing	49,972	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	496,720	86.7%
Yes	76,044	13.3%
Frequency Missing	68,804	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	449,498	76.1%
Mild disapprove	40,353	6.8%
Neither	35,984	6.1%
Mildly approve	10,988	1.9%
Strongly approve	6,811	1.2%
Don't know	47,420	8.0%
Frequency Missing	50,516	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	439,319	76.5%
Yes	134,647	23.5%
Frequency Missing	67,603	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

