

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2022



HHSC REGION 4 REPORT

---

---

Prepared by

The Department of Public Service and Administration  
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	60
Table B-7: Students Reporting A Grades on Average . . . . .	64
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	68
Table B-9: Students Living with 2 Parents . . . . .	72
Table B-10: Students Not Living with 2 Parents . . . . .	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	84
<b>3 Margin Tables</b>	<b>88</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>110</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 4. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	11.7%	14.7%	25.7%	74.3%
Grade 7	6.1%	8.9%	18.9%	81.1%
Grade 8	10.4%	12.7%	23.1%	76.9%
Grade 9	8.2%	10.9%	20.4%	79.6%
Grade 10	12.1%	15.6%	27.7%	72.3%
Grade 11	15.7%	18.4%	32.3%	67.7%
Grade 12	20.0%	23.6%	34.3%	65.7%
Cigarettes?				
All	2.0%	3.3%	9.8%	90.2%
Grade 7	1.0%	1.8%	6.0%	94.0%
Grade 8	1.9%	2.5%	9.2%	90.8%
Grade 9	1.4%	1.8%	7.4%	92.6%
Grade 10	1.8%	4.2%	9.3%	90.7%
Grade 11	2.7%	4.6%	12.2%	87.8%
Grade 12	3.3%	5.4%	16.4%	83.6%
Smokeless Tobacco?				
All	1.7%	2.3%	5.8%	94.2%
Grade 7	1.0%	1.5%	2.9%	97.1%
Grade 8	1.6%	2.0%	7.2%	92.8%
Grade 9	0.6%	1.2%	3.1%	96.9%
Grade 10	1.2%	1.9%	6.3%	93.7%
Grade 11	2.2%	2.7%	6.2%	93.8%
Grade 12	4.3%	5.2%	10.4%	89.6%
Electronic Vapor Products?				
All	8.7%	12.3%	22.9%	77.1%
Grade 7	4.3%	6.8%	17.0%	83.0%
Grade 8	7.1%	11.2%	21.3%	78.7%
Grade 9	5.9%	8.9%	18.1%	81.9%
Grade 10	8.5%	13.0%	23.8%	76.2%
Grade 11	12.6%	15.7%	29.1%	70.9%
Grade 12	15.3%	20.2%	30.3%	69.7%

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	89.7%	2.6%	0.8%	0.8%	1.5%	1.5%	3.1%
Grade 7	95.4%	0.3%	0.5%	0.3%	1.0%	0.8%	1.6%
Grade 8	91.4%	1.3%	0.0%	1.1%	2.1%	0.9%	3.2%
Grade 9	93.0%	0.9%	0.5%	0.4%	0.5%	1.0%	3.7%
Grade 10	88.0%	3.4%	0.8%	0.4%	2.1%	1.8%	3.6%
Grade 11	87.0%	3.4%	1.3%	1.7%	2.0%	1.6%	3.1%
Grade 12	81.4%	7.4%	2.1%	0.8%	1.5%	3.5%	3.3%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.9	10.3	11.4	11.9	13.0	13.2	14.5

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.7%	24.6%	7.5%	9.0%	11.6%	13.6%
Grade 7	36.0%	39.6%	6.9%	5.9%	5.3%	6.2%
Grade 8	28.3%	31.9%	9.3%	11.6%	10.5%	8.4%
Grade 9	35.6%	23.6%	7.8%	8.7%	12.7%	11.7%
Grade 10	32.5%	20.6%	9.5%	10.2%	11.8%	15.3%
Grade 11	34.5%	17.5%	5.7%	8.9%	15.1%	18.2%
Grade 12	34.9%	11.9%	5.4%	8.9%	14.6%	24.2%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	78.1%	13.7%	4.8%	2.5%	0.9%
Grade 7	87.0%	9.0%	2.7%	1.3%	0.1%
Grade 8	79.8%	12.6%	5.1%	2.1%	0.4%
Grade 9	81.3%	14.1%	2.9%	1.1%	0.6%
Grade 10	75.9%	15.1%	4.8%	2.8%	1.3%
Grade 11	74.0%	16.0%	5.5%	3.2%	1.4%
Grade 12	68.2%	15.6%	8.9%	5.4%	1.9%

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.2%	8.0%	7.1%	0.9%	0.9%	7.8%
Grade 7	81.1%	5.6%	3.1%	0.4%	0.7%	9.1%
Grade 8	77.3%	8.3%	5.9%	0.5%	0.5%	7.5%
Grade 9	75.7%	7.7%	6.7%	0.8%	0.8%	8.3%
Grade 10	75.7%	7.3%	8.6%	1.0%	1.4%	5.9%
Grade 11	74.2%	9.4%	8.5%	1.0%	0.6%	6.2%
Grade 12	65.6%	10.3%	10.6%	2.2%	1.4%	10.0%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>					
All	62.5%	23.4%	6.4%	1.9%	5.9%
Grade 7	72.2%	18.7%	3.0%	1.5%	4.5%
Grade 8	66.4%	22.2%	6.5%	1.0%	3.9%
Grade 9	63.7%	22.8%	5.0%	1.2%	7.3%
Grade 10	60.3%	23.9%	7.6%	3.5%	4.7%
Grade 11	55.3%	25.5%	9.2%	1.8%	8.2%
Grade 12	54.9%	28.2%	8.0%	2.3%	6.6%
<b>Electronic Vapor Products?</b>					
All	63.0%	17.7%	9.1%	4.3%	5.9%
Grade 7	69.5%	16.3%	6.5%	2.5%	5.2%
Grade 8	67.9%	15.8%	8.7%	3.9%	3.7%
Grade 9	63.1%	16.6%	8.6%	3.7%	7.9%
Grade 10	61.9%	18.2%	10.6%	4.7%	4.6%
Grade 11	58.1%	18.1%	9.5%	6.9%	7.3%
Grade 12	55.7%	22.0%	11.3%	4.3%	6.7%



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	23.4%	27.9%	45.4%	54.6%
Grade 7	16.4%	19.0%	38.1%	61.9%
Grade 8	23.2%	27.9%	47.7%	52.3%
Grade 9	20.2%	24.4%	41.7%	58.3%
Grade 10	24.4%	29.3%	45.1%	54.9%
Grade 11	26.6%	30.7%	50.6%	49.4%
Grade 12	31.3%	38.3%	50.7%	49.3%
<b>Beer?</b>				
All	7.5%	12.5%	32.5%	67.5%
Grade 7	4.7%	7.7%	27.4%	72.6%
Grade 8	4.7%	10.2%	34.6%	65.4%
Grade 9	6.9%	10.4%	27.5%	72.5%
Grade 10	6.9%	13.2%	32.1%	67.9%
Grade 11	10.0%	15.6%	35.2%	64.8%
Grade 12	12.7%	19.9%	40.0%	60.0%
<b>Wine Coolers?</b>				
All	7.6%	12.2%	29.2%	70.8%
Grade 7	2.1%	3.9%	17.2%	82.8%
Grade 8	6.4%	12.0%	30.6%	69.4%
Grade 9	6.4%	10.5%	26.5%	73.5%
Grade 10	7.4%	13.6%	31.1%	68.9%
Grade 11	12.0%	16.9%	35.6%	64.4%
Grade 12	12.5%	17.9%	36.3%	63.7%
<b>Wine?</b>				
All	4.7%	8.9%	26.9%	73.1%
Grade 7	2.5%	5.2%	18.0%	82.0%
Grade 8	3.9%	8.1%	28.5%	71.5%
Grade 9	4.7%	7.2%	24.7%	75.3%
Grade 10	5.5%	9.6%	28.8%	71.2%
Grade 11	5.5%	12.1%	30.6%	69.4%
Grade 12	6.8%	12.3%	32.0%	68.0%
<b>Liquor?</b>				
All	8.3%	13.7%	31.0%	69.0%
Grade 7	3.4%	5.6%	18.9%	81.1%
Grade 8	5.6%	10.7%	30.9%	69.1%
Grade 9	7.5%	11.4%	26.5%	73.5%
Grade 10	8.2%	14.0%	32.0%	68.0%
Grade 11	11.8%	19.3%	39.2%	60.8%
Grade 12	14.7%	23.1%	41.0%	59.0%

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	68.5%	0.1%	1.2%	4.0%	8.6%	9.5%	8.2%
Grade 7	79.6%	0.1%	0.2%	2.3%	3.4%	6.8%	7.7%
Grade 8	67.1%	0.1%	1.4%	3.8%	6.9%	12.2%	8.6%
Grade 9	72.0%	0.0%	0.8%	2.7%	8.0%	7.6%	8.9%
Grade 10	67.0%	0.5%	1.0%	3.4%	10.6%	8.7%	8.9%
Grade 11	64.0%	0.0%	1.3%	6.4%	8.7%	11.3%	8.3%
Grade 12	58.4%	0.0%	3.1%	6.3%	15.2%	10.8%	6.3%

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	71.9%	28.1%	5.0%	12.8%	10.3%
	Grade 7	75.6%	24.4%	1.5%	9.9%	13.0%
	Grade 8	68.8%	31.2%	2.1%	14.2%	14.9%
	Grade 9	76.7%	23.3%	2.7%	10.9%	9.7%
	Grade 10	71.9%	28.1%	7.2%	12.7%	8.2%
	Grade 11	70.8%	29.2%	8.0%	14.7%	6.4%
	Grade 12	66.0%	34.0%	9.8%	15.3%	8.9%
Wine Coolers	All	74.4%	25.6%	5.1%	13.5%	6.9%
	Grade 7	86.2%	13.8%	1.0%	6.2%	6.6%
	Grade 8	73.0%	27.0%	2.2%	15.2%	9.6%
	Grade 9	77.0%	23.0%	3.2%	11.2%	8.5%
	Grade 10	71.7%	28.3%	6.6%	15.0%	6.7%
	Grade 11	68.5%	31.5%	8.9%	17.0%	5.5%
	Grade 12	68.2%	31.8%	10.2%	17.8%	3.8%
Wine	All	77.3%	22.7%	1.8%	10.5%	10.3%
	Grade 7	83.9%	16.1%	0.8%	5.6%	9.6%
	Grade 8	74.1%	25.9%	1.4%	11.4%	13.1%
	Grade 9	78.5%	21.5%	1.4%	8.3%	11.8%
	Grade 10	75.9%	24.1%	3.0%	10.8%	10.3%
	Grade 11	76.1%	23.9%	2.3%	12.1%	9.5%
	Grade 12	74.4%	25.6%	2.3%	16.2%	7.1%
Liquor	All	72.6%	27.4%	5.9%	13.2%	8.3%
	Grade 7	84.3%	15.7%	1.3%	6.0%	8.4%
	Grade 8	72.5%	27.5%	2.1%	12.8%	12.6%
	Grade 9	77.3%	22.7%	5.1%	9.8%	7.8%
	Grade 10	70.7%	29.3%	7.3%	14.3%	7.6%
	Grade 11	65.3%	34.7%	9.4%	18.3%	7.1%
	Grade 12	62.7%	37.3%	11.6%	20.1%	5.5%

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	91.4%	3.2%	1.9%	1.7%	0.7%	1.2%
Grade 7	94.8%	2.6%	1.1%	0.4%	0.3%	0.8%
Grade 8	92.2%	2.4%	1.3%	1.7%	0.8%	1.6%
Grade 9	93.3%	3.1%	0.8%	1.4%	0.3%	1.1%
Grade 10	93.0%	2.5%	1.7%	1.6%	0.4%	0.8%
Grade 11	88.3%	3.8%	3.0%	2.3%	1.2%	1.4%
Grade 12	85.2%	5.0%	3.8%	3.2%	1.1%	1.7%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.8	10.7	11.8	12.1	12.8	13.8	14.7

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	27.3%	16.8%	6.5%	10.7%	15.9%	22.8%
Grade 7	29.9%	29.7%	7.4%	9.8%	11.6%	11.6%
Grade 8	20.8%	20.4%	8.3%	13.8%	17.3%	19.4%
Grade 9	29.1%	15.4%	6.5%	10.7%	15.3%	23.0%
Grade 10	28.4%	13.6%	7.4%	8.5%	16.0%	26.1%
Grade 11	27.5%	11.6%	4.5%	10.9%	16.2%	29.2%
Grade 12	28.3%	8.4%	4.1%	10.5%	19.4%	29.3%

**Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.4%	2.6%	0.7%	0.3%
Grade 7	96.3%	2.7%	0.8%	0.1%
Grade 8	95.5%	3.1%	1.2%	0.2%
Grade 9	97.1%	2.0%	0.6%	0.3%
Grade 10	97.8%	2.2%	0.1%	0.0%
Grade 11	96.1%	2.5%	0.6%	0.8%
Grade 12	95.5%	3.0%	1.3%	0.2%

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	6.2
Alcohol Non-Users	4.8
Average Days Conduct Problems Reported	
Alcohol Users	2.8
Alcohol Non-Users	1.3

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a Car When You Have Had a Good Bit to Drink?</b>				
High School	97.5%	1.8%	0.3%	0.4%
Grade 9	98.9%	0.8%	0.0%	0.2%
Grade 10	99.0%	0.9%	0.1%	0.0%
Grade 11	95.9%	2.0%	1.0%	1.1%
Grade 12	95.4%	3.8%	0.3%	0.5%
 <b>Had Difficulties of Any Kind with Your Friends Because of Your Drinking?</b>				
All	96.8%	2.4%	0.6%	0.2%
Grade 7	97.1%	2.1%	0.6%	0.1%
Grade 8	96.5%	2.4%	1.0%	0.1%
Grade 9	97.6%	2.3%	0.1%	0.1%
Grade 10	96.9%	2.8%	0.1%	0.1%
Grade 11	96.5%	1.4%	1.3%	0.7%
Grade 12	95.9%	3.8%	0.3%	0.0%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	57.3%	22.7%	10.5%	7.3%	2.2%
Grade 7	72.7%	18.2%	6.2%	2.4%	0.5%
Grade 8	57.2%	24.8%	11.5%	5.7%	0.8%
Grade 9	60.0%	22.6%	9.8%	6.1%	1.5%
Grade 10	54.5%	23.8%	10.1%	8.9%	2.7%
Grade 11	50.8%	25.1%	12.9%	8.6%	2.6%
Grade 12	46.3%	21.9%	13.0%	13.2%	5.6%

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	57.5%	5.9%	4.0%	6.3%	7.4%	1.6%	17.2%
Grade 7	70.5%	4.6%	2.2%	3.2%	3.5%	2.5%	13.5%
Grade 8	60.9%	6.8%	4.2%	6.5%	4.0%	1.1%	16.6%
Grade 9	57.6%	6.2%	4.7%	6.7%	4.0%	2.8%	18.0%
Grade 10	54.7%	6.9%	4.1%	7.4%	8.3%	0.9%	17.7%
Grade 11	49.4%	5.3%	4.6%	7.3%	11.0%	1.8%	20.6%
Grade 12	50.1%	5.7%	4.3%	7.2%	15.7%	0.2%	16.9%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	65.4%	13.6%	14.2%	4.6%	2.2%
	Grade 7	69.2%	15.4%	10.7%	3.0%	1.6%
	Grade 8	62.3%	14.2%	17.0%	4.2%	2.4%
	Grade 9	66.4%	13.3%	13.7%	4.7%	1.9%
	Grade 10	67.0%	11.0%	14.6%	4.9%	2.6%
	Grade 11	64.5%	13.0%	15.6%	5.1%	1.8%
	Grade 12	62.6%	14.8%	13.7%	6.2%	2.8%
Friends?						
	All	67.7%	16.0%	9.0%	5.7%	1.6%
	Grade 7	75.1%	17.1%	5.3%	2.4%	0.1%
	Grade 8	68.3%	16.3%	9.0%	5.5%	0.9%
	Grade 9	69.8%	17.0%	8.6%	3.8%	0.8%
	Grade 10	67.7%	16.8%	8.2%	6.2%	1.0%
	Grade 11	63.7%	15.1%	11.1%	6.9%	3.2%
	Grade 12	59.7%	13.1%	12.6%	10.5%	4.0%
A Store?						
	All	70.6%	23.3%	3.0%	2.0%	1.0%
	Grade 7	76.4%	22.0%	0.9%	0.4%	0.3%
	Grade 8	71.4%	25.2%	2.1%	1.0%	0.3%
	Grade 9	73.1%	23.3%	2.2%	1.2%	0.3%
	Grade 10	71.4%	23.3%	2.3%	2.1%	1.0%
	Grade 11	67.2%	22.8%	4.7%	3.1%	2.2%
	Grade 12	62.4%	23.3%	6.8%	5.0%	2.5%
Parties?						
	All	66.6%	14.8%	8.3%	6.3%	4.0%
	Grade 7	74.9%	17.1%	4.7%	1.8%	1.5%
	Grade 8	66.5%	17.8%	8.0%	5.6%	2.1%
	Grade 9	69.2%	14.5%	7.1%	6.2%	3.0%
	Grade 10	64.4%	15.3%	10.6%	5.7%	4.0%
	Grade 11	63.4%	10.6%	10.2%	9.0%	6.9%
	Grade 12	59.4%	12.6%	10.3%	10.6%	7.1%
Other Sources?						
	All	70.8%	18.4%	5.7%	3.2%	1.8%
	Grade 7	76.2%	18.2%	3.2%	2.1%	0.4%
	Grade 8	67.6%	18.4%	7.8%	4.3%	1.9%
	Grade 9	73.0%	17.5%	5.2%	2.3%	2.0%
	Grade 10	71.2%	18.7%	6.0%	2.6%	1.6%
	Grade 11	68.6%	18.7%	6.4%	3.6%	2.7%
	Grade 12	67.5%	19.4%	5.8%	4.8%	2.6%

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	56.4%	14.5%	15.1%	5.1%	1.3%	7.6%
Grade 7	66.8%	12.5%	7.0%	3.8%	0.8%	9.2%
Grade 8	58.3%	12.7%	15.7%	5.2%	0.5%	7.6%
Grade 9	56.9%	16.4%	12.8%	4.3%	1.3%	8.3%
Grade 10	52.5%	17.8%	17.6%	4.7%	1.8%	5.6%
Grade 11	53.3%	13.9%	17.5%	6.4%	2.1%	6.9%
Grade 12	48.9%	13.2%	21.8%	6.7%	1.2%	8.3%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	50.1%	29.1%	13.2%	2.6%	4.9%
Grade 7	54.7%	28.0%	11.1%	1.2%	4.9%
Grade 8	46.3%	30.9%	16.4%	2.6%	3.7%
Grade 9	49.5%	28.2%	14.1%	2.1%	6.1%
Grade 10	51.7%	28.2%	13.5%	3.7%	2.9%
Grade 11	48.6%	30.4%	11.9%	3.2%	5.9%
Grade 12	49.9%	29.5%	11.6%	3.2%	5.8%



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	9.5%	13.2%	17.8%	82.2%
Grade 7	2.5%	5.3%	6.9%	93.1%
Grade 8	5.1%	9.1%	10.7%	89.3%
Grade 9	7.9%	10.8%	14.5%	85.5%
Grade 10	10.9%	14.1%	20.0%	80.0%
Grade 11	14.6%	19.3%	27.5%	72.5%
Grade 12	17.8%	23.1%	30.4%	69.6%
<b>Marijuana?</b>				
All	9.0%	11.2%	15.7%	84.3%
Grade 7	2.2%	2.9%	4.6%	95.4%
Grade 8	4.5%	6.3%	7.9%	92.1%
Grade 9	7.5%	9.2%	12.7%	87.3%
Grade 10	10.7%	12.5%	17.7%	82.3%
Grade 11	13.8%	17.3%	25.1%	74.9%
Grade 12	17.2%	21.5%	29.2%	70.8%
<b>Cocaine?</b>				
All	0.7%	0.9%	1.7%	98.3%
Grade 7	0.6%	0.9%	1.1%	98.9%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.5%	0.8%	1.2%	98.8%
Grade 10	0.0%	0.3%	0.9%	99.1%
Grade 11	1.2%	1.5%	2.7%	97.3%
Grade 12	1.7%	1.9%	3.4%	96.6%
<b>Crack?</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Hallucinogens?</b>				
All	0.7%	1.3%	2.5%	97.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.3%	0.7%	1.3%	98.7%
Grade 10	1.0%	1.7%	2.4%	97.6%
Grade 11	1.5%	2.8%	5.3%	94.7%
Grade 12	1.6%	2.8%	6.4%	93.6%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.4%	99.6%
Steroids?				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.9%	1.3%	2.7%	97.3%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.5%	0.6%	1.9%	98.1%
Grade 11	0.7%	0.9%	1.2%	98.8%
Grade 12	0.6%	0.8%	1.3%	98.7%
Ecstasy?				
All	0.2%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.0%	0.5%	1.1%	98.9%
Grade 11	0.1%	1.2%	2.5%	97.5%
Grade 12	0.6%	1.0%	3.6%	96.4%
Heroin?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.2%	0.4%	0.6%	99.4%
Methamphetamine?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.4%	0.4%	1.6%	98.4%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.9%	1.2%	2.1%	97.9%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.8%	1.0%	1.5%	98.5%
Grade 9	0.6%	0.7%	1.7%	98.3%
Grade 10	1.8%	2.1%	2.8%	97.2%
Grade 11	1.0%	1.2%	2.3%	97.7%
Grade 12	0.7%	1.5%	3.0%	97.0%
Delta 8?				
All	2.9%	4.4%	6.6%	93.4%
Grade 7	0.5%	1.1%	1.8%	98.2%
Grade 8	1.2%	1.8%	3.6%	96.4%
Grade 9	1.8%	2.9%	4.4%	95.6%
Grade 10	4.0%	5.0%	7.4%	92.6%
Grade 11	5.4%	7.6%	11.7%	88.3%
Grade 12	4.9%	8.9%	12.2%	87.8%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	87.5%	1.8%	1.3%	1.5%	2.1%	2.5%	3.2%
Grade 7	97.0%	0.1%	0.8%	0.4%	0.0%	0.9%	0.8%
Grade 8	93.2%	0.8%	0.8%	1.0%	1.4%	1.3%	1.4%
Grade 9	89.8%	1.2%	0.7%	1.8%	2.0%	1.9%	2.5%
Grade 10	86.1%	1.7%	1.8%	2.1%	2.1%	1.9%	4.3%
Grade 11	78.2%	3.8%	1.7%	1.1%	4.5%	4.3%	6.5%
Grade 12	78.3%	3.8%	2.4%	2.7%	3.2%	5.5%	4.2%
Cocaine?							
All	99.0%	0.0%	0.1%	0.0%	0.2%	0.2%	0.5%
Grade 7	99.5%	0.0%	0.1%	0.2%	0.3%	0.0%	0.0%
Grade 8	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
Grade 9	99.4%	0.0%	0.0%	0.0%	0.1%	0.3%	0.3%
Grade 10	99.5%	0.0%	0.0%	0.0%	0.2%	0.0%	0.3%
Grade 11	97.9%	0.0%	0.4%	0.0%	0.2%	0.6%	0.9%
Grade 12	98.0%	0.0%	0.0%	0.0%	0.3%	0.2%	1.6%
Crack?							
All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 9	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 11	99.8%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?							
All	99.3%	0.2%	0.0%	0.0%	0.1%	0.1%	0.2%
Grade 7	99.6%	0.2%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 8	98.5%	0.2%	0.0%	0.0%	0.4%	0.4%	0.5%
Grade 9	99.8%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
Grade 10	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 11	99.1%	0.5%	0.2%	0.0%	0.2%	0.0%	0.0%
Grade 12	99.1%	0.2%	0.0%	0.2%	0.0%	0.0%	0.5%
Ecstasy?							
All	98.9%	0.0%	0.0%	0.0%	0.1%	0.3%	0.7%
Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	99.5%	0.0%	0.0%	0.1%	0.0%	0.5%	0.0%
Grade 9	99.4%	0.0%	0.0%	0.1%	0.0%	0.3%	0.2%
Grade 10	99.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.9%
Grade 11	98.3%	0.0%	0.0%	0.0%	0.3%	0.4%	1.0%
Grade 12	97.0%	0.0%	0.1%	0.0%	0.1%	0.5%	2.2%

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.6%	0.0%	0.0%	0.0%	0.2%	0.0%	0.2%
Methamphetamine?								
	All	99.8%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.9%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 9	99.7%	0.0%	0.0%	0.2%	0.0%	0.0%	0.1%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.4%	0.0%	0.0%	0.2%	0.0%	0.0%	0.4%
Synthetic Marijuana?								
	All	98.7%	0.0%	0.3%	0.1%	0.3%	0.1%	0.4%
	Grade 7	99.3%	0.0%	0.3%	0.0%	0.4%	0.0%	0.0%
	Grade 8	98.5%	0.0%	0.3%	0.0%	0.4%	0.4%	0.4%
	Grade 9	98.9%	0.0%	0.2%	0.0%	0.4%	0.1%	0.3%
	Grade 10	98.7%	0.0%	0.5%	0.2%	0.1%	0.0%	0.6%
	Grade 11	98.7%	0.2%	0.5%	0.1%	0.0%	0.1%	0.3%
	Grade 12	98.1%	0.0%	0.2%	0.3%	0.6%	0.0%	0.8%
Delta 8?								
	All	94.8%	0.4%	0.7%	0.7%	1.5%	1.0%	0.9%
	Grade 7	98.4%	0.1%	0.2%	0.0%	0.6%	0.2%	0.4%
	Grade 8	97.1%	0.0%	0.5%	0.4%	0.5%	1.0%	0.6%
	Grade 9	95.9%	0.3%	0.2%	0.4%	1.1%	0.6%	1.4%
	Grade 10	94.9%	0.3%	0.7%	1.2%	0.8%	0.9%	1.1%
	Grade 11	91.3%	1.2%	1.5%	1.0%	2.6%	1.3%	1.1%
	Grade 12	90.1%	0.4%	1.0%	1.6%	3.6%	2.3%	0.9%

**Table D-3: Average Age of First Use of...**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.1	11.7	12.6	13.1	13.6	14.7	15.1
Cocaine	14.2	11.1	13.0	13.6	13.5	15.3	14.9
Crack	11.9	8.0	N/A	13.2	8.0	16.0	12.0
Steroids	13.2	10.2	12.3	12.5	14.3	13.6	16.2
Ecstasy	14.8	N/A	12.2	14.1	14.6	15.1	15.3
Heroin	12.5	N/A	13.0	11.7	15.0	N/A	N/A
Methamphetamine	13.5	10.5	13.0	13.3	8.0	15.4	14.3
Synthetic Marijuana	13.9	10.7	12.3	12.8	14.2	15.2	16.1
Delta 8?	14.9	11.1	12.5	13.8	14.5	15.5	16.6

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	All	34.1%	27.0%	7.6%	8.3%	9.9%	13.1%
	Grade 7	40.0%	42.3%	6.3%	4.3%	4.0%	3.2%
	Grade 8	29.6%	41.5%	8.9%	8.5%	4.6%	6.9%
	Grade 9	35.6%	25.8%	8.3%	10.2%	9.2%	11.0%
	Grade 10	33.2%	21.4%	8.7%	9.7%	13.2%	13.7%
	Grade 11	32.1%	16.3%	6.0%	8.2%	15.4%	22.1%
	Grade 12	33.8%	11.5%	7.1%	8.9%	14.4%	24.3%
<b>Cocaine?</b>							
	All	42.2%	38.1%	9.4%	5.2%	2.4%	2.7%
	Grade 7	42.3%	48.3%	5.1%	1.7%	1.1%	1.4%
	Grade 8	36.8%	47.7%	9.0%	3.4%	1.2%	1.9%
	Grade 9	43.3%	37.9%	10.2%	3.7%	2.3%	2.6%
	Grade 10	42.4%	36.1%	9.5%	6.9%	2.7%	2.4%
	Grade 11	43.5%	31.6%	9.8%	7.8%	4.3%	2.9%
	Grade 12	45.2%	24.0%	13.7%	8.6%	2.9%	5.6%
<b>Crack?</b>							
	All	43.1%	38.6%	9.7%	4.3%	1.9%	2.4%
	Grade 7	42.8%	48.8%	4.7%	1.2%	1.0%	1.5%
	Grade 8	36.8%	48.3%	9.4%	2.8%	0.9%	1.8%
	Grade 9	44.1%	37.7%	10.1%	3.5%	2.2%	2.3%
	Grade 10	44.0%	35.5%	10.3%	6.5%	1.5%	2.3%
	Grade 11	45.0%	33.6%	11.3%	5.2%	2.7%	2.2%
	Grade 12	46.8%	25.2%	13.0%	7.2%	3.3%	4.5%
<b>Steroids?</b>							
	All	45.3%	35.1%	9.1%	5.0%	2.7%	2.9%
	Grade 7	46.0%	44.0%	4.3%	1.7%	1.9%	2.0%
	Grade 8	41.0%	43.2%	7.1%	4.6%	2.3%	1.8%
	Grade 9	44.7%	35.0%	11.4%	4.5%	1.7%	2.7%
	Grade 10	45.8%	32.5%	9.4%	5.9%	4.4%	1.9%
	Grade 11	46.6%	31.1%	10.3%	6.0%	2.6%	3.3%
	Grade 12	48.1%	22.6%	12.1%	7.9%	3.5%	5.9%
<b>Ecstasy?</b>							
	All	51.8%	32.9%	7.3%	3.5%	2.1%	2.3%
	Grade 7	57.2%	38.2%	2.7%	0.4%	0.7%	0.8%
	Grade 8	51.4%	38.1%	6.3%	2.1%	1.1%	1.1%
	Grade 9	52.5%	31.2%	9.1%	3.3%	1.5%	2.4%
	Grade 10	50.1%	33.6%	7.3%	4.7%	2.9%	1.3%
	Grade 11	50.1%	30.7%	9.3%	4.4%	2.8%	2.7%
	Grade 12	48.9%	24.3%	9.5%	6.6%	4.3%	6.3%

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	47.7%	37.6%	8.3%	2.7%	1.7%	2.0%
	Grade 7	49.4%	43.3%	4.1%	1.1%	0.7%	1.4%
	Grade 8	43.4%	44.4%	7.9%	1.9%	1.0%	1.5%
	Grade 9	49.0%	35.9%	8.6%	2.4%	1.8%	2.4%
	Grade 10	46.3%	37.7%	8.4%	3.1%	3.0%	1.5%
	Grade 11	49.0%	34.3%	10.3%	2.7%	1.9%	1.9%
	Grade 12	49.0%	28.9%	11.3%	5.5%	1.7%	3.7%
<b>Methamphetamine?</b>							
	All	49.3%	35.7%	7.8%	3.2%	2.0%	2.0%
	Grade 7	51.7%	41.0%	4.7%	0.6%	1.2%	1.0%
	Grade 8	47.4%	41.8%	6.3%	2.6%	0.9%	1.0%
	Grade 9	49.7%	34.7%	9.1%	2.5%	1.6%	2.5%
	Grade 10	47.3%	35.4%	7.6%	5.0%	2.6%	2.1%
	Grade 11	50.7%	32.2%	9.5%	3.0%	2.8%	1.8%
	Grade 12	49.3%	27.4%	10.3%	5.9%	3.1%	4.0%
<b>Synthetic Marijuana?</b>							
	All	52.1%	31.3%	6.3%	3.7%	2.9%	3.7%
	Grade 7	56.2%	38.4%	2.2%	0.3%	1.4%	1.5%
	Grade 8	50.0%	37.8%	5.9%	2.8%	1.3%	2.4%
	Grade 9	51.4%	30.7%	8.0%	3.9%	1.7%	4.3%
	Grade 10	49.0%	30.5%	7.0%	4.9%	4.6%	3.9%
	Grade 11	53.9%	25.9%	7.6%	4.8%	3.8%	4.1%
	Grade 12	52.1%	23.2%	6.9%	6.1%	5.2%	6.5%
<b>Delta 8?</b>							
	All	50.9%	28.3%	5.6%	3.9%	4.3%	7.0%
	Grade 7	55.5%	37.4%	2.3%	1.2%	1.5%	2.1%
	Grade 8	49.4%	36.0%	5.0%	3.6%	3.3%	2.7%
	Grade 9	51.3%	28.1%	8.2%	4.2%	2.7%	5.5%
	Grade 10	49.6%	27.4%	6.1%	4.9%	4.2%	7.9%
	Grade 11	49.2%	20.2%	6.1%	4.4%	7.6%	12.5%
	Grade 12	50.1%	18.2%	5.7%	5.4%	7.7%	12.9%



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	94.1%	2.8%	1.0%	2.1%
Grade 7	98.6%	1.2%	0.1%	0.1%
Grade 8	95.5%	2.8%	0.9%	0.9%
Grade 9	94.4%	2.7%	1.3%	1.6%
Grade 10	92.9%	3.4%	0.9%	2.8%
Grade 11	91.4%	3.7%	0.9%	4.0%
Grade 12	91.4%	3.2%	1.9%	3.5%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	97.8%	1.3%	0.4%	0.5%
Grade 7	98.8%	0.9%	0.1%	0.1%
Grade 8	97.4%	1.8%	0.4%	0.4%
Grade 9	97.5%	1.0%	0.6%	0.9%
Grade 10	98.7%	0.8%	0.1%	0.4%
Grade 11	97.1%	1.5%	0.5%	0.9%
Grade 12	97.7%	1.4%	0.5%	0.3%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.8
Marijuana Non-Users	5.1
Average Days Conduct Problems Reported	
Marijuana Users	4.1
Marijuana Non-Users	1.5

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.8%	2.4%	0.5%	1.3%
Grade 9	98.0%	1.5%	0.3%	0.1%
Grade 10	98.3%	1.0%	0.5%	0.2%
Grade 11	93.5%	2.8%	0.4%	3.3%
Grade 12	92.6%	4.6%	1.0%	1.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.4%	2.1%	0.4%	0.2%
Grade 7	98.0%	1.8%	0.1%	0.1%
Grade 8	97.5%	2.0%	0.4%	0.0%
Grade 9	97.5%	2.0%	0.3%	0.1%
Grade 10	97.0%	2.4%	0.5%	0.1%
Grade 11	96.8%	2.1%	0.2%	0.9%
Grade 12	97.2%	2.1%	0.6%	0.1%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	70.3%	15.1%	7.4%	5.3%	1.8%
Grade 7	87.3%	8.5%	2.8%	1.2%	0.3%
Grade 8	79.2%	13.0%	4.2%	3.0%	0.5%
Grade 9	73.0%	13.3%	6.0%	5.9%	1.7%
Grade 10	64.1%	18.9%	8.0%	6.2%	2.7%
Grade 11	56.6%	21.6%	11.9%	7.4%	2.5%
Grade 12	58.6%	16.4%	12.8%	8.5%	3.6%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	67.5%	4.4%	2.2%	3.3%	3.8%	1.6%	17.1%
Grade 7	79.5%	3.0%	0.6%	0.4%	0.5%	2.5%	13.5%
Grade 8	72.5%	3.7%	1.6%	2.2%	1.8%	1.5%	16.8%
Grade 9	67.1%	4.4%	2.2%	3.3%	2.8%	2.2%	17.9%
Grade 10	64.4%	5.1%	2.6%	4.2%	4.7%	1.3%	17.6%
Grade 11	60.1%	3.9%	2.5%	5.6%	5.9%	1.5%	20.3%
Grade 12	59.5%	6.5%	3.8%	4.7%	8.4%	0.5%	16.5%

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	73.8%	7.5%	7.5%	2.2%	1.3%	7.7%
Grade 7	83.5%	3.7%	2.4%	0.4%	0.5%	9.5%
Grade 8	82.7%	4.6%	4.6%	0.7%	0.6%	6.8%
Grade 9	72.3%	8.4%	7.3%	2.6%	1.5%	7.9%
Grade 10	71.0%	9.1%	10.3%	2.3%	1.6%	5.7%
Grade 11	67.0%	11.8%	7.5%	4.4%	2.0%	7.2%
Grade 12	64.4%	7.5%	14.1%	2.9%	1.7%	9.4%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	60.6%	13.4%	11.8%	8.3%	5.9%
	Grade 7	77.8%	9.5%	4.5%	1.8%	6.4%
	Grade 8	73.4%	13.2%	6.9%	3.3%	3.2%
	Grade 9	60.2%	14.7%	9.9%	8.3%	6.9%
	Grade 10	56.2%	12.5%	15.7%	10.3%	5.2%
	Grade 11	45.7%	15.9%	17.2%	13.6%	7.5%
	Grade 12	47.1%	14.5%	18.3%	13.7%	6.4%
Cocaine?	All	87.8%	5.1%	0.5%	0.5%	6.2%
	Grade 7	88.2%	5.4%	0.6%	0.3%	5.4%
	Grade 8	90.5%	5.0%	0.6%	0.1%	3.8%
	Grade 9	86.3%	5.4%	0.4%	0.6%	7.3%
	Grade 10	89.3%	4.5%	0.6%	0.9%	4.7%
	Grade 11	85.1%	5.4%	0.3%	0.4%	8.8%
	Grade 12	87.5%	4.7%	0.2%	0.5%	7.1%
Crack?	All	88.6%	3.9%	0.4%	0.4%	6.7%
	Grade 7	88.6%	4.1%	0.7%	0.3%	6.3%
	Grade 8	90.2%	4.8%	0.5%	0.1%	4.4%
	Grade 9	88.0%	3.5%	0.2%	0.6%	7.7%
	Grade 10	90.2%	3.7%	0.5%	0.9%	4.7%
	Grade 11	85.7%	4.0%	0.2%	0.3%	9.9%
	Grade 12	88.7%	3.3%	0.3%	0.3%	7.3%
Ecstasy?	All	81.0%	5.7%	1.2%	0.6%	11.6%
	Grade 7	81.6%	4.3%	0.8%	0.6%	12.8%
	Grade 8	83.6%	5.6%	0.7%	0.1%	10.0%
	Grade 9	79.5%	4.8%	1.0%	0.7%	14.1%
	Grade 10	82.7%	5.8%	1.4%	0.8%	9.2%
	Grade 11	77.5%	7.0%	1.3%	0.5%	13.7%
	Grade 12	81.1%	6.9%	1.9%	0.7%	9.4%
Steroids?	All	76.0%	11.3%	2.9%	1.0%	8.7%
	Grade 7	77.7%	9.1%	2.1%	0.8%	10.2%
	Grade 8	77.2%	13.7%	3.0%	0.7%	5.4%
	Grade 9	75.3%	10.8%	2.8%	1.2%	9.9%
	Grade 10	78.5%	10.7%	3.7%	1.1%	5.9%
	Grade 11	73.6%	12.6%	2.1%	0.8%	11.0%
	Grade 12	73.3%	11.1%	4.0%	1.8%	9.8%

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	87.1%	3.6%	0.3%	0.5%	8.4%
	Grade 7	85.0%	4.1%	0.6%	0.6%	9.7%
	Grade 8	88.8%	5.1%	0.1%	0.1%	5.9%
	Grade 9	85.7%	3.7%	0.3%	0.6%	9.7%
	Grade 10	89.2%	3.1%	0.8%	0.8%	6.1%
	Grade 11	86.0%	2.7%	0.0%	0.3%	11.1%
	Grade 12	88.7%	3.0%	0.0%	0.5%	7.8%
<b>Methamphetamine?</b>						
	All	87.0%	3.5%	0.3%	0.6%	8.6%
	Grade 7	85.6%	3.7%	0.5%	0.7%	9.5%
	Grade 8	87.4%	5.1%	0.2%	0.1%	7.2%
	Grade 9	85.3%	3.6%	0.4%	0.8%	9.9%
	Grade 10	89.0%	2.6%	1.0%	1.0%	6.4%
	Grade 11	86.0%	2.8%	0.0%	0.4%	10.7%
	Grade 12	89.0%	3.0%	0.0%	0.3%	7.8%
<b>Synthetic Marijuana?</b>						
	All	79.2%	6.5%	2.4%	1.3%	10.6%
	Grade 7	82.6%	5.9%	1.3%	0.5%	9.7%
	Grade 8	81.4%	7.3%	1.5%	0.9%	8.9%
	Grade 9	77.4%	5.8%	2.2%	2.3%	12.3%
	Grade 10	80.0%	7.1%	2.9%	1.7%	8.3%
	Grade 11	75.6%	7.1%	2.5%	1.3%	13.5%
	Grade 12	77.9%	5.8%	4.2%	1.1%	11.0%
<b>Delta 8?</b>						
	All	72.1%	8.1%	5.2%	3.5%	11.2%
	Grade 7	79.8%	7.5%	1.9%	0.7%	10.2%
	Grade 8	77.6%	8.8%	3.8%	0.9%	8.9%
	Grade 9	71.7%	6.3%	4.7%	2.9%	14.4%
	Grade 10	72.8%	7.7%	5.9%	4.6%	8.9%
	Grade 11	64.2%	9.7%	6.4%	7.0%	12.6%
	Grade 12	64.7%	8.8%	9.2%	5.4%	11.9%
<b>Fictional Drug?</b>						
	All	81.2%	3.5%	0.4%	0.5%	14.4%
	Grade 7	80.5%	4.2%	0.8%	0.3%	14.2%
	Grade 8	83.2%	4.9%	0.3%	0.1%	11.4%
	Grade 9	80.4%	3.0%	0.3%	0.7%	15.6%
	Grade 10	83.7%	2.9%	1.1%	0.7%	11.6%
	Grade 11	77.7%	3.3%	0.0%	0.4%	18.5%
	Grade 12	81.6%	2.5%	0.0%	0.8%	15.1%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	4.4%	6.7%	14.0%	86.0%
Grade 7	5.9%	7.0%	13.2%	86.8%
Grade 8	6.1%	9.7%	18.1%	81.9%
Grade 9	3.3%	5.7%	12.8%	87.2%
Grade 10	4.7%	6.0%	12.7%	87.3%
Grade 11	3.8%	6.5%	14.1%	85.9%
Grade 12	2.3%	4.9%	12.7%	87.3%
<b>Codeine Cough Syrup?</b>				
All	2.1%	3.7%	8.6%	91.4%
Grade 7	3.0%	3.8%	8.2%	91.8%
Grade 8	3.4%	5.6%	10.3%	89.7%
Grade 9	1.9%	4.2%	8.9%	91.1%
Grade 10	2.0%	2.7%	6.6%	93.4%
Grade 11	1.7%	3.7%	8.9%	91.1%
Grade 12	0.7%	1.9%	8.7%	91.3%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.6%	1.0%	3.0%	97.0%
Grade 7	0.7%	0.8%	2.1%	97.9%
Grade 8	0.6%	1.0%	2.2%	97.8%
Grade 9	0.3%	0.4%	1.7%	98.3%
Grade 10	0.4%	0.6%	2.5%	97.5%
Grade 11	1.0%	1.7%	5.1%	94.9%
Grade 12	0.4%	1.3%	5.0%	95.0%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	0.6%	1.0%	3.1%	96.9%
Grade 7	0.7%	0.8%	1.1%	98.9%
Grade 8	0.9%	1.2%	3.0%	97.0%
Grade 9	0.3%	0.6%	2.0%	98.0%
Grade 10	0.5%	1.0%	3.4%	96.6%
Grade 11	0.9%	1.5%	4.7%	95.3%
Grade 12	0.1%	0.8%	4.7%	95.3%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.3%	1.9%	4.0%	96.0%
Grade 7	0.7%	1.3%	2.4%	97.6%
Grade 8	2.1%	2.5%	4.1%	95.9%
Grade 9	0.4%	0.8%	2.7%	97.3%
Grade 10	1.7%	1.9%	3.7%	96.3%
Grade 11	1.6%	2.8%	6.8%	93.2%
Grade 12	1.3%	2.1%	4.7%	95.3%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.2%	3.3%	7.4%	92.6%
Grade 7	2.7%	3.1%	7.3%	92.7%
Grade 8	3.9%	6.0%	11.6%	88.4%
Grade 9	1.8%	2.8%	6.3%	93.7%
Grade 10	2.0%	2.4%	7.0%	93.0%
Grade 11	2.2%	3.8%	7.5%	92.5%
Grade 12	0.6%	1.2%	4.6%	95.4%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.8%	1.1%	2.8%	97.2%
Grade 7	0.7%	0.8%	2.4%	97.6%
Grade 8	2.0%	2.9%	5.3%	94.7%
Grade 9	0.7%	1.2%	2.3%	97.7%
Grade 10	0.9%	0.9%	1.7%	98.3%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.4%	0.8%	3.7%	96.3%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.7%	11.0%	3.8%	1.4%	8.2%
Grade 7	77.4%	9.6%	3.5%	1.0%	8.5%
Grade 8	78.0%	11.2%	3.1%	1.0%	6.8%
Grade 9	73.5%	10.5%	4.2%	2.2%	9.6%
Grade 10	77.2%	12.4%	2.7%	1.9%	5.8%
Grade 11	72.3%	12.0%	4.1%	1.4%	10.2%
Grade 12	75.6%	10.3%	5.2%	0.8%	8.1%

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.1%	5.7%	12.5%	87.5%
Grade 7	3.8%	4.6%	11.4%	88.6%
Grade 8	6.2%	9.1%	18.4%	81.6%
Grade 9	4.5%	6.3%	11.8%	88.2%
Grade 10	2.8%	4.0%	10.1%	89.9%
Grade 11	2.7%	3.9%	10.3%	89.7%
Grade 12	4.4%	6.1%	12.6%	87.4%
Spray Paint?				
All	0.3%	0.5%	1.6%	98.4%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	0.2%	0.3%	2.3%	97.7%
Grade 9	0.1%	0.5%	1.7%	98.3%
Grade 10	0.2%	0.5%	1.7%	98.3%
Grade 11	0.3%	0.3%	1.0%	99.0%
Grade 12	0.7%	0.7%	1.7%	98.3%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	1.6%	4.9%	95.1%
Grade 7	0.7%	1.0%	3.4%	96.6%
Grade 8	2.4%	3.3%	8.9%	91.1%
Grade 9	1.1%	1.9%	4.5%	95.5%
Grade 10	1.0%	1.5%	4.1%	95.9%
Grade 11	0.5%	0.5%	3.2%	96.8%
Grade 12	0.6%	1.3%	5.0%	95.0%
Computer Dusting Sprays?				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.7%	1.2%	98.8%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	1.2%	98.8%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.4%	2.1%	6.2%	93.8%
Grade 7	1.5%	2.0%	5.8%	94.2%
Grade 8	1.7%	3.6%	9.5%	90.5%
Grade 9	1.8%	2.5%	5.4%	94.6%
Grade 10	0.7%	1.2%	4.2%	95.8%
Grade 11	0.7%	0.9%	5.0%	95.0%
Grade 12	1.7%	2.2%	7.4%	92.6%



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.5%	0.9%	2.1%	97.9%
Grade 9	0.4%	0.8%	1.8%	98.2%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.2%	0.2%	1.2%	98.8%
Grade 12	0.4%	0.5%	0.7%	99.3%
Toluene, Paint Thinner, or Other Solvents?				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.8%	1.5%	98.5%
Grade 10	0.3%	0.3%	1.2%	98.8%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.7%	0.9%	1.3%	98.7%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.9%	1.3%	2.9%	97.1%
Grade 7	1.2%	1.4%	2.3%	97.7%
Grade 8	1.1%	1.8%	4.4%	95.6%
Grade 9	0.9%	1.4%	2.8%	97.2%
Grade 10	1.0%	1.6%	3.5%	96.5%
Grade 11	0.4%	0.4%	1.8%	98.2%
Grade 12	0.6%	0.9%	2.2%	97.8%
Other Aerosols/Sprays?				
All	0.5%	0.6%	1.5%	98.5%
Grade 7	0.6%	0.6%	1.5%	98.5%
Grade 8	0.4%	0.8%	2.3%	97.7%
Grade 9	1.1%	1.6%	2.2%	97.8%
Grade 10	0.3%	0.4%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.2%	0.2%	1.3%	98.7%

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.4%	0.1%	0.0%	0.3%	0.4%	0.7%	1.0%
Grade 7	97.8%	0.0%	0.0%	0.1%	0.5%	0.9%	0.7%
Grade 8	95.2%	0.3%	0.0%	0.4%	0.5%	2.5%	1.1%
Grade 9	97.3%	0.1%	0.0%	0.4%	0.3%	0.4%	1.5%
Grade 10	98.3%	0.2%	0.0%	0.4%	0.7%	0.0%	0.4%
Grade 11	98.2%	0.0%	0.0%	0.2%	0.4%	0.4%	0.8%
Grade 12	98.1%	0.0%	0.2%	0.1%	0.2%	0.0%	1.3%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	90.1%	5.1%	3.7%	1.1%
Grade 7	90.8%	5.9%	2.8%	0.5%
Grade 8	84.8%	7.1%	6.4%	1.7%
Grade 9	90.2%	4.8%	3.6%	1.4%
Grade 10	92.1%	4.0%	2.7%	1.1%
Grade 11	92.4%	4.7%	2.4%	0.6%
Grade 12	90.3%	4.1%	4.1%	1.4%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.7	10.5	10.7	12.1	11.5	12.3	14.0

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.8%	0.6%	0.3%	0.3%
Grade 7	99.4%	0.4%	0.0%	0.1%
Grade 8	97.7%	1.3%	0.9%	0.1%
Grade 9	98.7%	0.5%	0.4%	0.5%
Grade 10	99.5%	0.3%	0.2%	0.0%
Grade 11	98.9%	0.5%	0.0%	0.7%
Grade 12	98.6%	0.7%	0.4%	0.3%

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.2
Inhalant Non-Users	5.2
Average Days Conduct Problems Reported	
Inhalant Users	4.4
Inhalant Non-Users	1.7

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	94.1%	3.9%	1.3%	0.4%	0.3%
Grade 7	93.3%	5.0%	1.3%	0.3%	0.1%
Grade 8	90.3%	5.5%	2.8%	1.0%	0.4%
Grade 9	93.2%	4.3%	1.3%	0.6%	0.6%
Grade 10	96.5%	2.6%	0.7%	0.2%	0.0%
Grade 11	95.5%	3.1%	0.8%	0.2%	0.3%
Grade 12	96.5%	2.1%	0.8%	0.1%	0.4%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.3%	13.0%	4.3%	1.2%	8.3%
Grade 7	73.9%	12.8%	4.1%	0.8%	8.3%
Grade 8	73.8%	13.7%	5.2%	1.1%	6.2%
Grade 9	69.9%	14.1%	5.4%	1.3%	9.3%
Grade 10	73.5%	13.5%	5.0%	1.7%	6.3%
Grade 11	71.8%	12.8%	2.4%	1.4%	11.5%
Grade 12	77.6%	10.5%	3.0%	0.6%	8.3%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	43.9%	21.7%	4.2%	4.7%	7.7%	17.8%
Grade 7	43.6%	33.8%	2.8%	4.7%	4.7%	10.3%
Grade 8	38.6%	27.0%	5.7%	5.0%	8.1%	15.6%
Grade 9	43.0%	20.1%	4.8%	3.2%	11.3%	17.6%
Grade 10	43.7%	20.3%	3.6%	5.1%	6.8%	20.5%
Grade 11	47.0%	15.5%	3.9%	6.0%	7.5%	20.1%
Grade 12	48.4%	11.2%	4.3%	4.5%	7.5%	24.2%

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	40.7%
	Grade 7	30.2%
	Grade 8	31.6%
	Grade 9	45.4%
	Grade 10	52.9%
	Grade 11	40.5%
	Grade 12	43.1%
An Assembly Program		
	All	40.7%
	Grade 7	39.9%
	Grade 8	45.8%
	Grade 9	39.0%
	Grade 10	40.3%
	Grade 11	37.2%
	Grade 12	42.3%
Guidance Counselor		
	All	25.7%
	Grade 7	23.6%
	Grade 8	24.6%
	Grade 9	28.3%
	Grade 10	26.8%
	Grade 11	26.3%
	Grade 12	24.2%
School Nurse		
	All	16.7%
	Grade 7	15.8%
	Grade 8	17.4%
	Grade 9	15.2%
	Grade 10	17.2%
	Grade 11	16.4%
	Grade 12	18.7%
Science or Social Studies Class		
	All	26.8%
	Grade 7	21.4%
	Grade 8	27.1%
	Grade 9	32.0%
	Grade 10	26.6%
	Grade 11	23.6%
	Grade 12	29.3%

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<hr/>		
Student Group or Club Meeting at School		
	All	12.3%
	Grade 7	6.2%
	Grade 8	9.8%
	Grade 9	13.9%
	Grade 10	15.9%
	Grade 11	12.0%
	Grade 12	16.2%
An Invited School Guest		
	All	28.2%
	Grade 7	27.0%
	Grade 8	30.0%
	Grade 9	31.8%
	Grade 10	25.7%
	Grade 11	25.9%
	Grade 12	28.0%
Another Source at School		
	All	26.5%
	Grade 7	20.2%
	Grade 8	24.9%
	Grade 9	32.7%
	Grade 10	27.7%
	Grade 11	24.5%
	Grade 12	28.0%
Any School Source		
	All	64.3%
	Grade 7	59.3%
	Grade 8	64.2%
	Grade 9	68.1%
	Grade 10	68.3%
	Grade 11	63.3%
	Grade 12	61.4%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	32.5%
	Grade 7	43.4%
	Grade 8	34.6%
	Grade 9	32.5%
	Grade 10	30.2%
	Grade 11	25.3%
	Grade 12	27.5%
<b>School Nurse</b>		
	All	21.1%
	Grade 7	30.5%
	Grade 8	24.9%
	Grade 9	20.5%
	Grade 10	16.9%
	Grade 11	15.1%
	Grade 12	17.6%
<b>Another Adult In School</b>		
	All	39.3%
	Grade 7	44.6%
	Grade 8	44.4%
	Grade 9	41.7%
	Grade 10	32.7%
	Grade 11	36.5%
	Grade 12	34.8%
<b>Counselor/Program Outside-School</b>		
	All	39.0%
	Grade 7	44.2%
	Grade 8	40.2%
	Grade 9	39.1%
	Grade 10	37.1%
	Grade 11	37.4%
	Grade 12	35.4%
<b>Your Parents</b>		
	All	67.1%
	Grade 7	71.8%
	Grade 8	72.6%
	Grade 9	66.4%
	Grade 10	64.8%
	Grade 11	63.9%
	Grade 12	62.1%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	55.5%
	Grade 7	64.0%
	Grade 8	58.9%
	Grade 9	54.8%
	Grade 10	52.5%
	Grade 11	50.4%
	Grade 12	51.2%
<b>Your Friends</b>		
	All	62.9%
	Grade 7	55.6%
	Grade 8	62.4%
	Grade 9	64.2%
	Grade 10	63.9%
	Grade 11	66.1%
	Grade 12	65.4%
<b>Another Adult</b>		
	All	57.4%
	Grade 7	61.2%
	Grade 8	66.8%
	Grade 9	57.8%
	Grade 10	52.8%
	Grade 11	53.6%
	Grade 12	51.0%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	5.6%
	Grade 7	6.4%
	Grade 8	4.8%
	Grade 9	6.4%
	Grade 10	5.0%
	Grade 11	5.0%
	Grade 12	5.6%

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	6.8%	23.6%	22.6%	32.8%	14.1%
Grade 7	7.5%	21.1%	20.9%	32.8%	17.7%
Grade 8	8.1%	28.7%	17.4%	33.4%	12.4%
Grade 9	6.3%	23.0%	23.6%	31.2%	15.9%
Grade 10	8.3%	22.0%	21.5%	35.2%	13.0%
Grade 11	4.9%	24.1%	27.2%	32.4%	11.4%
Grade 12	5.8%	23.0%	25.4%	32.2%	13.6%
<b>Sometimes Carry Weapons?</b>					
All	75.4%	14.5%	5.3%	2.8%	1.9%
Grade 7	83.2%	11.3%	2.8%	2.0%	0.8%
Grade 8	75.5%	15.4%	4.7%	3.0%	1.4%
Grade 9	76.3%	14.3%	5.0%	2.0%	2.3%
Grade 10	71.8%	15.3%	6.0%	3.5%	3.4%
Grade 11	73.9%	15.9%	5.9%	2.8%	1.5%
Grade 12	70.6%	15.1%	8.2%	4.0%	2.1%
<b>Care About Making Good Grades?</b>					
All	3.2%	14.2%	24.1%	38.8%	19.7%
Grade 7	2.8%	15.1%	21.8%	37.6%	22.7%
Grade 8	3.9%	17.1%	25.5%	37.9%	15.5%
Grade 9	2.0%	12.6%	26.6%	38.2%	20.7%
Grade 10	5.1%	12.8%	24.7%	38.8%	18.7%
Grade 11	2.6%	13.9%	23.6%	40.9%	19.0%
Grade 12	2.9%	13.7%	22.1%	39.9%	21.4%
<b>Belong/Want to Belong to a Gang?</b>					
All	87.9%	8.0%	2.2%	0.8%	1.0%
Grade 7	90.1%	7.7%	0.5%	0.9%	0.9%
Grade 8	86.2%	8.7%	2.9%	1.7%	0.4%
Grade 9	85.6%	10.4%	1.9%	0.8%	1.2%
Grade 10	87.5%	7.1%	3.5%	0.2%	1.7%
Grade 11	89.6%	6.7%	2.1%	0.6%	1.0%
Grade 12	88.8%	6.9%	2.7%	0.8%	0.8%
<b>Wish They Could Drop Out of School?</b>					
All	40.9%	31.2%	15.3%	8.3%	4.3%
Grade 7	49.8%	27.9%	15.2%	4.8%	2.2%
Grade 8	36.2%	37.4%	14.4%	8.4%	3.6%
Grade 9	40.5%	30.5%	16.0%	8.4%	4.6%
Grade 10	36.3%	31.5%	16.9%	11.0%	4.3%
Grade 11	37.5%	32.2%	15.5%	9.3%	5.5%
Grade 12	45.5%	27.2%	13.7%	8.1%	5.5%



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	86.6%	11.8%	0.8%	0.1%	0.6%
Grade 7	83.3%	15.2%	1.1%	0.0%	0.4%
Grade 8	88.4%	10.8%	0.3%	0.0%	0.6%
Grade 9	86.9%	11.1%	1.3%	0.1%	0.6%
Grade 10	84.3%	13.8%	0.7%	0.3%	0.9%
Grade 11	86.7%	11.1%	1.0%	0.3%	0.8%
Grade 12	90.4%	8.4%	0.5%	0.3%	0.5%
<b>Out In Your Neighborhood?</b>					
All	51.7%	38.9%	5.2%	1.3%	3.0%
Grade 7	41.5%	46.4%	7.5%	1.3%	3.3%
Grade 8	46.9%	43.6%	4.6%	1.3%	3.6%
Grade 9	51.7%	39.2%	4.8%	1.5%	2.9%
Grade 10	52.3%	38.9%	4.7%	1.1%	3.0%
Grade 11	56.8%	34.7%	4.1%	1.2%	3.2%
Grade 12	62.6%	29.1%	5.1%	1.3%	1.9%
<b>At School?</b>					
All	37.0%	46.1%	8.4%	4.5%	4.0%
Grade 7	46.3%	44.2%	4.4%	2.5%	2.6%
Grade 8	38.7%	48.1%	6.6%	3.8%	2.8%
Grade 9	33.8%	46.0%	10.6%	4.1%	5.5%
Grade 10	28.8%	48.0%	11.1%	6.6%	5.4%
Grade 11	34.7%	46.0%	9.6%	5.3%	4.4%
Grade 12	40.5%	44.0%	7.6%	4.7%	3.2%

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.7%	14.7%	25.7%	74.3%
Grade 7	6.1%	8.9%	18.9%	81.1%
Grade 8	10.4%	12.7%	23.1%	76.9%
Grade 9	8.2%	10.9%	20.4%	79.6%
Grade 10	12.1%	15.6%	27.7%	72.3%
Grade 11	15.7%	18.4%	32.3%	67.7%
Grade 12	20.0%	23.6%	34.3%	65.7%
<b>Any Alcohol Product</b>				
All	23.4%	27.9%	45.4%	54.6%
Grade 7	16.4%	19.0%	38.1%	61.9%
Grade 8	23.2%	27.9%	47.7%	52.3%
Grade 9	20.2%	24.4%	41.7%	58.3%
Grade 10	24.4%	29.3%	45.1%	54.9%
Grade 11	26.6%	30.7%	50.6%	49.4%
Grade 12	31.3%	38.3%	50.7%	49.3%
<b>Any Illicit Drug</b>				
All	9.5%	13.2%	17.8%	82.2%
Grade 7	2.5%	5.3%	6.9%	93.1%
Grade 8	5.1%	9.1%	10.7%	89.3%
Grade 9	7.9%	10.8%	14.5%	85.5%
Grade 10	10.9%	14.1%	20.0%	80.0%
Grade 11	14.6%	19.3%	27.5%	72.5%
Grade 12	17.8%	23.1%	30.4%	69.6%
<b>Any Prescription Drug</b>				
All	4.4%	6.7%	14.0%	86.0%
Grade 7	5.9%	7.0%	13.2%	86.8%
Grade 8	6.1%	9.7%	18.1%	81.9%
Grade 9	3.3%	5.7%	12.8%	87.2%
Grade 10	4.7%	6.0%	12.7%	87.3%
Grade 11	3.8%	6.5%	14.1%	85.9%
Grade 12	2.3%	4.9%	12.7%	87.3%
<b>Any Inhalant</b>				
All	4.1%	5.7%	12.5%	87.5%
Grade 7	3.8%	4.6%	11.4%	88.6%
Grade 8	6.2%	9.1%	18.4%	81.6%
Grade 9	4.5%	6.3%	11.8%	88.2%
Grade 10	2.8%	4.0%	10.1%	89.9%
Grade 11	2.7%	3.9%	10.3%	89.7%
Grade 12	4.4%	6.1%	12.6%	87.4%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.7%	12.3%	22.9%	77.1%
Grade 7	4.3%	6.8%	17.0%	83.0%
Grade 8	7.1%	11.2%	21.3%	78.7%
Grade 9	5.9%	8.9%	18.1%	81.9%
Grade 10	8.5%	13.0%	23.8%	76.2%
Grade 11	12.6%	15.7%	29.1%	70.9%
Grade 12	15.3%	20.2%	30.3%	69.7%
<b>Marijuana</b>				
All	9.0%	11.2%	15.7%	84.3%
Grade 7	2.2%	2.9%	4.6%	95.4%
Grade 8	4.5%	6.3%	7.9%	92.1%
Grade 9	7.5%	9.2%	12.7%	87.3%
Grade 10	10.7%	12.5%	17.7%	82.3%
Grade 11	13.8%	17.3%	25.1%	74.9%
Grade 12	17.2%	21.5%	29.2%	70.8%
<b>Marijuana Only</b>				
All	3.2%	4.7%	8.0%	92.0%
Grade 7	1.2%	1.8%	2.7%	97.3%
Grade 8	2.1%	3.0%	3.8%	96.2%
Grade 9	3.1%	4.3%	7.0%	93.0%
Grade 10	4.1%	5.5%	9.5%	90.5%
Grade 11	3.8%	5.8%	11.9%	88.1%
Grade 12	5.5%	8.4%	14.4%	85.6%
<b>Cocaine or Crack</b>				
All	0.8%	1.0%	1.8%	98.2%
Grade 7	0.6%	0.9%	1.3%	98.7%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.6%	0.9%	1.4%	98.6%
Grade 10	0.0%	0.4%	1.0%	99.0%
Grade 11	1.2%	1.5%	2.7%	97.3%
Grade 12	1.7%	1.9%	3.5%	96.5%
<b>Cocaine</b>				
All	0.7%	0.9%	1.7%	98.3%
Grade 7	0.6%	0.9%	1.1%	98.9%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.5%	0.8%	1.2%	98.8%
Grade 10	0.0%	0.3%	0.9%	99.1%
Grade 11	1.2%	1.5%	2.7%	97.3%
Grade 12	1.7%	1.9%	3.4%	96.6%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Hallucinogens</b>				
All	0.7%	1.3%	2.5%	97.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.3%	0.7%	1.3%	98.7%
Grade 10	1.0%	1.7%	2.4%	97.6%
Grade 11	1.5%	2.8%	5.3%	94.7%
Grade 12	1.6%	2.8%	6.4%	93.6%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.4%	99.6%
<b>Steroids</b>				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.9%	1.3%	2.7%	97.3%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.5%	0.6%	1.9%	98.1%
Grade 11	0.7%	0.9%	1.2%	98.8%
Grade 12	0.6%	0.8%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.2%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.0%	0.5%	1.1%	98.9%
Grade 11	0.1%	1.2%	2.5%	97.5%
Grade 12	0.6%	1.0%	3.6%	96.4%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.2%	0.4%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	0.9%	1.2%	2.1%	97.9%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.8%	1.0%	1.5%	98.5%
Grade 9	0.6%	0.7%	1.7%	98.3%
Grade 10	1.8%	2.1%	2.8%	97.2%
Grade 11	1.0%	1.2%	2.3%	97.7%
Grade 12	0.7%	1.5%	3.0%	97.0%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.4%	0.4%	1.6%	98.4%
<b>Delta 8</b>				
All	2.9%	4.4%	6.6%	93.4%
Grade 7	0.5%	1.1%	1.8%	98.2%
Grade 8	1.2%	1.8%	3.6%	96.4%
Grade 9	1.8%	2.9%	4.4%	95.6%
Grade 10	4.0%	5.0%	7.4%	92.6%
Grade 11	5.4%	7.6%	11.7%	88.3%
Grade 12	4.9%	8.9%	12.2%	87.8%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.8%	14.1%	24.5%	75.5%
Grade 7	5.4%	8.0%	16.1%	83.9%
Grade 8	10.5%	11.8%	21.1%	78.9%
Grade 9	9.5%	10.7%	20.1%	79.9%
Grade 10	12.4%	15.7%	30.2%	69.8%
Grade 11	13.3%	14.9%	26.6%	73.4%
Grade 12	21.6%	25.4%	34.6%	65.4%
<b>Any Alcohol Product</b>				
All	21.7%	25.6%	43.1%	56.9%
Grade 7	14.9%	17.8%	35.0%	65.0%
Grade 8	18.0%	20.3%	41.2%	58.8%
Grade 9	19.7%	24.0%	41.2%	58.8%
Grade 10	24.6%	28.5%	45.8%	54.2%
Grade 11	22.8%	25.8%	46.1%	53.9%
Grade 12	31.6%	38.9%	50.8%	49.2%
<b>Any Illicit Drug</b>				
All	9.3%	11.8%	16.5%	83.5%
Grade 7	2.6%	3.2%	4.5%	95.5%
Grade 8	3.9%	5.4%	7.7%	92.3%
Grade 9	8.4%	10.9%	15.1%	84.9%
Grade 10	10.9%	13.3%	19.8%	80.2%
Grade 11	13.2%	17.4%	25.0%	75.0%
Grade 12	18.3%	22.2%	29.4%	70.6%
<b>Any Prescription Drug</b>				
All	4.1%	6.5%	14.8%	85.2%
Grade 7	5.0%	6.4%	12.8%	87.2%
Grade 8	3.8%	6.8%	16.2%	83.8%
Grade 9	3.9%	6.0%	14.4%	85.6%
Grade 10	5.1%	6.7%	13.7%	86.3%
Grade 11	4.3%	7.6%	15.7%	84.3%
Grade 12	2.3%	5.5%	16.0%	84.0%
<b>Any Inhalant</b>				
All	3.5%	5.3%	11.3%	88.7%
Grade 7	2.5%	3.4%	9.0%	91.0%
Grade 8	4.9%	8.2%	15.2%	84.8%
Grade 9	3.5%	5.1%	10.6%	89.4%
Grade 10	2.8%	4.4%	10.8%	89.2%
Grade 11	2.4%	3.5%	9.4%	90.6%
Grade 12	5.3%	7.0%	13.4%	86.6%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.8%	10.8%	20.8%	79.2%
Grade 7	3.4%	5.6%	14.9%	85.1%
Grade 8	6.4%	9.7%	18.4%	81.6%
Grade 9	5.2%	7.2%	16.5%	83.5%
Grade 10	7.3%	11.9%	24.6%	75.4%
Grade 11	9.7%	11.8%	22.6%	77.4%
Grade 12	16.1%	20.4%	29.0%	71.0%
<b>Marijuana</b>				
All	8.8%	10.4%	15.0%	85.0%
Grade 7	2.6%	2.6%	4.0%	96.0%
Grade 8	3.0%	3.1%	5.6%	94.4%
Grade 9	8.0%	9.7%	13.6%	86.4%
Grade 10	10.4%	11.9%	17.4%	82.6%
Grade 11	12.4%	15.5%	23.0%	77.0%
Grade 12	17.9%	20.8%	28.4%	71.6%
<b>Marijuana Only</b>				
All	2.7%	3.6%	7.0%	93.0%
Grade 7	1.6%	1.6%	2.6%	97.4%
Grade 8	1.9%	1.9%	2.8%	97.2%
Grade 9	2.8%	3.6%	6.8%	93.2%
Grade 10	3.6%	4.8%	9.1%	90.9%
Grade 11	2.6%	4.5%	10.3%	89.7%
Grade 12	4.0%	5.5%	10.8%	89.2%
<b>Cocaine or Crack</b>				
All	1.0%	1.2%	2.0%	98.0%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	1.1%	1.1%	1.7%	98.3%
Grade 9	0.6%	1.0%	1.3%	98.7%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.8%	1.1%	2.8%	97.2%
Grade 12	2.8%	3.2%	4.8%	95.2%
<b>Cocaine</b>				
All	0.8%	1.0%	1.9%	98.1%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.7%	0.7%	1.3%	98.7%
Grade 9	0.3%	0.7%	0.9%	99.1%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.8%	1.1%	2.8%	97.2%
Grade 12	2.8%	3.2%	4.8%	95.2%



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	1.2%	2.0%	3.4%	96.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	1.4%	2.1%	97.9%
Grade 10	1.6%	2.7%	3.6%	96.4%
Grade 11	2.2%	3.5%	5.7%	94.3%
Grade 12	2.6%	4.4%	9.6%	90.4%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.3%	0.3%	0.7%	99.3%
<b>Steroids</b>				
All	0.6%	0.8%	1.5%	98.5%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	1.1%	1.9%	2.4%	97.6%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.7%	0.7%	3.0%	97.0%
Grade 11	0.4%	0.7%	1.1%	98.9%
Grade 12	0.8%	1.1%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.2%	0.7%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.5%	0.8%	99.2%
Grade 10	0.0%	0.6%	1.4%	98.6%
Grade 11	0.2%	1.9%	3.4%	96.6%
Grade 12	0.7%	1.3%	5.1%	94.9%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.4%	0.8%	1.1%	98.9%
<b>Synthetic Marijuana</b>				
All	0.8%	1.1%	1.9%	98.1%
Grade 7	0.3%	0.3%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.8%	0.8%	1.7%	98.3%
Grade 10	1.6%	2.2%	3.0%	97.0%
Grade 11	1.3%	1.6%	2.7%	97.3%
Grade 12	1.0%	1.8%	2.8%	97.2%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.6%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.8%	0.8%	1.8%	98.2%
<b>Delta 8</b>				
All	3.1%	4.4%	6.8%	93.2%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.5%	0.6%	2.4%	97.6%
Grade 9	2.7%	3.9%	5.5%	94.5%
Grade 10	3.3%	4.2%	7.4%	92.6%
Grade 11	5.6%	6.7%	11.2%	88.8%
Grade 12	6.6%	11.4%	14.2%	85.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.7%	15.3%	26.7%	73.3%
Grade 7	6.6%	9.7%	21.6%	78.4%
Grade 8	10.4%	13.5%	24.1%	75.9%
Grade 9	7.3%	11.4%	20.4%	79.6%
Grade 10	12.1%	15.9%	25.1%	74.9%
Grade 11	17.9%	21.7%	37.8%	62.2%
Grade 12	18.1%	21.5%	33.9%	66.1%
<b>Any Alcohol Product</b>				
All	25.1%	30.2%	47.5%	52.5%
Grade 7	18.1%	20.1%	41.4%	58.6%
Grade 8	28.1%	35.1%	53.1%	46.9%
Grade 9	20.6%	24.9%	42.2%	57.8%
Grade 10	24.0%	30.0%	44.3%	55.7%
Grade 11	30.1%	35.5%	54.8%	45.2%
Grade 12	31.3%	38.0%	50.8%	49.2%
<b>Any Illicit Drug</b>				
All	9.7%	14.7%	19.2%	80.8%
Grade 7	2.4%	7.6%	9.3%	90.7%
Grade 8	6.4%	12.4%	13.4%	86.6%
Grade 9	7.7%	10.9%	14.3%	85.7%
Grade 10	10.7%	14.7%	20.1%	79.9%
Grade 11	16.1%	21.0%	29.8%	70.2%
Grade 12	17.3%	24.3%	31.7%	68.3%
<b>Any Prescription Drug</b>				
All	4.6%	6.7%	13.1%	86.9%
Grade 7	6.9%	7.6%	13.7%	86.3%
Grade 8	8.4%	12.5%	20.2%	79.8%
Grade 9	2.5%	5.1%	10.9%	89.1%
Grade 10	3.9%	5.0%	11.4%	88.6%
Grade 11	3.4%	5.5%	12.9%	87.1%
Grade 12	2.5%	3.9%	9.0%	91.0%
<b>Any Inhalant</b>				
All	4.5%	6.0%	13.5%	86.5%
Grade 7	5.2%	5.8%	13.9%	86.1%
Grade 8	7.1%	9.3%	20.9%	79.1%
Grade 9	5.6%	7.6%	13.2%	86.8%
Grade 10	2.5%	3.3%	9.0%	91.0%
Grade 11	2.7%	3.9%	11.1%	88.9%
Grade 12	3.6%	5.2%	12.0%	88.0%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.6%	13.8%	24.8%	75.2%
Grade 7	4.9%	7.7%	19.1%	80.9%
Grade 8	7.9%	12.5%	23.0%	77.0%
Grade 9	6.7%	10.8%	19.3%	80.7%
Grade 10	9.9%	14.5%	22.9%	77.1%
Grade 11	15.4%	19.2%	35.1%	64.9%
Grade 12	14.4%	19.8%	31.7%	68.3%
<b>Marijuana</b>				
All	9.3%	12.1%	16.5%	83.5%
Grade 7	1.8%	3.2%	5.2%	94.8%
Grade 8	6.1%	9.1%	10.0%	90.0%
Grade 9	7.1%	9.0%	12.2%	87.8%
Grade 10	10.7%	12.7%	17.8%	82.2%
Grade 11	15.3%	18.8%	27.1%	72.9%
Grade 12	16.6%	22.4%	30.4%	69.6%
<b>Marijuana Only</b>				
All	3.7%	5.8%	9.1%	90.9%
Grade 7	0.8%	2.1%	2.8%	97.2%
Grade 8	2.3%	3.7%	4.6%	95.4%
Grade 9	3.4%	5.1%	7.4%	92.6%
Grade 10	4.6%	6.2%	9.9%	90.1%
Grade 11	5.0%	7.2%	13.7%	86.3%
Grade 12	7.3%	11.6%	18.6%	81.4%
<b>Cocaine or Crack</b>				
All	0.6%	0.9%	1.6%	98.4%
Grade 7	0.5%	1.1%	1.9%	98.1%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.6%	0.8%	1.5%	98.5%
Grade 10	0.0%	0.9%	0.9%	99.1%
Grade 11	1.7%	1.9%	2.5%	97.5%
Grade 12	0.5%	0.5%	2.1%	97.9%
<b>Cocaine</b>				
All	0.6%	0.9%	1.5%	98.5%
Grade 7	0.5%	1.1%	1.5%	98.5%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.6%	0.8%	1.5%	98.5%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 11	1.7%	1.9%	2.5%	97.5%
Grade 12	0.5%	0.5%	1.9%	98.1%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.7%	99.3%
<b>Hallucinogens</b>				
All	0.4%	0.7%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.3%	0.8%	1.3%	98.7%
Grade 11	1.0%	2.2%	4.9%	95.1%
Grade 12	0.6%	1.2%	3.1%	96.9%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.6%	0.8%	1.3%	98.7%
Grade 8	0.7%	0.7%	3.0%	97.0%
Grade 9	0.0%	0.1%	0.6%	99.4%
Grade 10	0.3%	0.5%	0.8%	99.2%
Grade 11	1.0%	1.0%	1.3%	98.7%
Grade 12	0.4%	0.6%	1.2%	98.8%
<b>Ecstasy</b>				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.3%	0.8%	99.2%
Grade 11	0.0%	0.6%	1.7%	98.3%
Grade 12	0.5%	0.7%	2.1%	97.9%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
 Female Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.0%	1.3%	2.3%	97.7%
Grade 7	0.5%	1.1%	1.1%	98.9%
Grade 8	1.6%	1.9%	3.0%	97.0%
Grade 9	0.5%	0.7%	1.7%	98.3%
Grade 10	2.0%	2.0%	2.8%	97.2%
Grade 11	0.8%	0.8%	2.0%	98.0%
Grade 12	0.4%	1.2%	3.2%	96.8%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	1.6%	98.4%
<b>Delta 8</b>				
All	2.7%	4.3%	6.4%	93.6%
Grade 7	0.8%	1.9%	2.5%	97.5%
Grade 8	2.0%	2.9%	4.8%	95.2%
Grade 9	1.0%	2.0%	3.5%	96.5%
Grade 10	4.4%	5.6%	7.2%	92.8%
Grade 11	5.3%	8.2%	12.1%	87.9%
Grade 12	3.1%	6.4%	10.1%	89.9%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.5%	18.2%	29.8%	70.2%
Grade 7	6.3%	9.6%	19.1%	80.9%
Grade 8	9.5%	12.9%	23.5%	76.5%
Grade 9	10.0%	13.4%	22.6%	77.4%
Grade 10	15.8%	19.3%	32.8%	67.2%
Grade 11	19.9%	22.9%	40.0%	60.0%
Grade 12	28.0%	33.3%	43.2%	56.8%
<b>Any Alcohol Product</b>				
All	25.7%	30.3%	49.8%	50.2%
Grade 7	15.9%	18.9%	38.3%	61.7%
Grade 8	24.0%	27.5%	50.2%	49.8%
Grade 9	20.6%	25.0%	45.3%	54.7%
Grade 10	27.8%	32.5%	49.1%	50.9%
Grade 11	30.5%	35.8%	59.2%	40.8%
Grade 12	37.7%	44.6%	58.5%	41.5%
<b>Any Illicit Drug</b>				
All	10.3%	13.8%	18.5%	81.5%
Grade 7	2.3%	4.1%	5.8%	94.2%
Grade 8	3.7%	7.9%	9.0%	91.0%
Grade 9	7.4%	9.5%	13.6%	86.4%
Grade 10	13.7%	16.8%	23.1%	76.9%
Grade 11	16.5%	20.1%	30.4%	69.6%
Grade 12	20.3%	26.6%	32.1%	67.9%
<b>Any Prescription Drug</b>				
All	4.7%	7.2%	15.3%	84.7%
Grade 7	6.1%	6.8%	13.2%	86.8%
Grade 8	6.8%	10.6%	16.7%	83.3%
Grade 9	2.2%	4.3%	14.2%	85.8%
Grade 10	5.9%	7.8%	15.0%	85.0%
Grade 11	5.0%	7.7%	16.9%	83.1%
Grade 12	1.9%	5.8%	15.8%	84.2%
<b>Any Inhalant</b>				
All	4.3%	5.9%	14.0%	86.0%
Grade 7	2.5%	3.0%	10.3%	89.7%
Grade 8	6.4%	8.6%	19.9%	80.1%
Grade 9	4.1%	6.2%	12.6%	87.4%
Grade 10	3.9%	5.0%	12.1%	87.9%
Grade 11	2.8%	4.7%	13.5%	86.5%
Grade 12	5.9%	8.0%	15.8%	84.2%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.9%	15.2%	26.5%	73.5%
Grade 7	3.6%	6.5%	16.9%	83.1%
Grade 8	6.4%	11.7%	21.0%	79.0%
Grade 9	7.4%	11.0%	20.3%	79.7%
Grade 10	11.1%	15.1%	27.7%	72.3%
Grade 11	17.0%	20.4%	37.2%	62.8%
Grade 12	21.5%	28.5%	38.1%	61.9%
Marijuana				
All	9.8%	11.6%	16.5%	83.5%
Grade 7	2.0%	2.3%	4.4%	95.6%
Grade 8	2.8%	4.5%	5.8%	94.2%
Grade 9	6.9%	8.1%	12.2%	87.8%
Grade 10	13.1%	14.4%	20.5%	79.5%
Grade 11	16.1%	18.4%	28.5%	71.5%
Grade 12	19.6%	24.2%	30.4%	69.6%
Marijuana Only				
All	2.1%	3.2%	6.9%	93.1%
Grade 7	0.4%	0.7%	1.6%	98.4%
Grade 8	0.8%	1.5%	2.0%	98.0%
Grade 9	2.9%	3.8%	6.7%	93.3%
Grade 10	3.7%	4.7%	9.4%	90.6%
Grade 11	1.7%	2.9%	11.5%	88.5%
Grade 12	3.3%	6.1%	11.1%	88.9%
Cocaine or Crack				
All	0.8%	1.2%	1.9%	98.1%
Grade 7	0.8%	1.3%	1.8%	98.2%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.6%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.9%	1.6%	98.4%
Grade 11	1.6%	1.9%	3.2%	96.8%
Grade 12	1.9%	1.9%	3.0%	97.0%
Cocaine				
All	0.7%	1.1%	1.7%	98.3%
Grade 7	0.8%	1.3%	1.8%	98.2%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.3%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.6%	1.3%	98.7%
Grade 11	1.6%	1.9%	3.2%	96.8%
Grade 12	1.9%	1.9%	3.0%	97.0%



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	1.1%	1.8%	3.1%	96.9%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.5%	1.5%	98.5%
Grade 10	1.3%	2.1%	2.9%	97.1%
Grade 11	2.2%	4.0%	6.3%	93.7%
Grade 12	2.6%	3.7%	8.4%	91.6%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.7%	99.3%
<b>Steroids</b>				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.9%	1.1%	1.7%	98.3%
Grade 8	0.7%	0.9%	1.2%	98.8%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.7%	0.9%	2.1%	97.9%
Grade 11	0.6%	0.9%	1.6%	98.4%
Grade 12	0.8%	0.8%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.2%	0.5%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.3%	1.4%	98.6%
Grade 11	0.0%	1.6%	2.4%	97.6%
Grade 12	0.7%	1.1%	4.3%	95.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.8%	0.8%	99.2%
<b>Synthetic Marijuana</b>				
All	1.1%	1.5%	2.2%	97.8%
Grade 7	0.3%	0.8%	1.9%	98.1%
Grade 8	1.2%	1.3%	1.3%	98.7%
Grade 9	0.3%	0.5%	0.8%	99.2%
Grade 10	3.4%	3.4%	4.5%	95.5%
Grade 11	0.5%	0.5%	1.5%	98.5%
Grade 12	1.4%	2.9%	3.6%	96.4%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.8%	0.8%	1.8%	98.2%
<b>Delta 8</b>				
All	4.3%	6.3%	8.8%	91.2%
Grade 7	0.5%	1.6%	2.6%	97.4%
Grade 8	1.7%	2.1%	3.9%	96.1%
Grade 9	2.3%	3.5%	5.2%	94.8%
Grade 10	6.9%	8.3%	10.1%	89.9%
Grade 11	7.6%	10.8%	15.9%	84.1%
Grade 12	7.4%	12.9%	17.0%	83.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.0%	9.7%	20.6%	79.4%
Grade 7	2.7%	3.9%	16.0%	84.0%
Grade 8	6.3%	6.3%	20.5%	79.5%
Grade 9	3.0%	4.7%	16.5%	83.5%
Grade 10	9.6%	13.5%	19.7%	80.3%
Grade 11	15.6%	18.4%	30.6%	69.4%
Grade 12	12.8%	12.8%	21.6%	78.4%
<b>Any Alcohol Product</b>				
All	21.3%	24.2%	38.2%	61.8%
Grade 7	10.3%	11.9%	27.2%	72.8%
Grade 8	26.5%	30.8%	49.4%	50.6%
Grade 9	16.8%	21.4%	35.4%	64.6%
Grade 10	27.7%	30.8%	42.1%	57.9%
Grade 11	25.9%	27.0%	40.6%	59.4%
Grade 12	22.0%	24.4%	35.9%	64.1%
<b>Any Illicit Drug</b>				
All	10.1%	12.7%	17.2%	82.8%
Grade 7	2.3%	5.9%	8.5%	91.5%
Grade 8	2.2%	4.0%	8.0%	92.0%
Grade 9	7.5%	9.9%	13.4%	86.6%
Grade 10	14.0%	15.5%	19.1%	80.9%
Grade 11	15.7%	19.8%	27.0%	73.0%
Grade 12	21.0%	22.8%	29.6%	70.4%
<b>Any Prescription Drug</b>				
All	3.5%	5.4%	10.3%	89.7%
Grade 7	4.9%	6.1%	10.2%	89.8%
Grade 8	4.1%	6.5%	10.9%	89.1%
Grade 9	2.4%	4.7%	8.4%	91.6%
Grade 10	5.3%	5.3%	11.9%	88.1%
Grade 11	2.4%	5.7%	11.0%	89.0%
Grade 12	1.7%	4.4%	9.8%	90.2%
<b>Any Inhalant</b>				
All	3.5%	5.0%	10.1%	89.9%
Grade 7	1.2%	1.2%	7.6%	92.4%
Grade 8	9.1%	11.3%	17.8%	82.2%
Grade 9	3.2%	5.5%	8.0%	92.0%
Grade 10	1.8%	5.2%	9.7%	90.3%
Grade 11	3.4%	3.4%	9.9%	90.1%
Grade 12	2.8%	3.5%	8.0%	92.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.2%	8.4%	18.4%	81.6%
Grade 7	2.7%	3.9%	16.0%	84.0%
Grade 8	6.4%	6.4%	19.1%	80.9%
Grade 9	2.0%	4.3%	14.6%	85.4%
Grade 10	7.6%	13.6%	17.2%	82.8%
Grade 11	11.3%	13.1%	25.4%	74.6%
Grade 12	8.3%	9.8%	19.1%	80.9%
Marijuana				
All	10.1%	11.8%	15.7%	84.3%
Grade 7	2.3%	4.4%	6.9%	93.1%
Grade 8	2.2%	2.2%	4.3%	95.7%
Grade 9	7.0%	8.9%	11.9%	88.1%
Grade 10	14.1%	14.9%	17.3%	82.7%
Grade 11	15.7%	19.2%	26.4%	73.6%
Grade 12	21.0%	22.8%	29.6%	70.4%
Marijuana Only				
All	8.0%	9.5%	13.0%	87.0%
Grade 7	2.3%	4.3%	6.8%	93.2%
Grade 8	2.2%	2.2%	2.2%	97.8%
Grade 9	5.5%	7.4%	10.3%	89.7%
Grade 10	10.9%	11.8%	14.1%	85.9%
Grade 11	13.2%	15.5%	22.2%	77.8%
Grade 12	15.1%	16.8%	23.2%	76.8%
Cocaine or Crack				
All	0.1%	0.1%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.7%	0.7%	0.7%	99.3%
Cocaine				
All	0.1%	0.1%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.7%	0.7%	0.7%	99.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.0%	0.0%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	2.0%	98.0%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.1%	0.5%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	2.6%	2.6%	97.4%
	Grade 11	0.0%	0.0%	1.0%	99.0%
	Grade 12	0.6%	0.6%	1.3%	98.7%
Synthetic Cathinones	All	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.3%	0.7%	1.4%	98.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.7%	4.0%	5.1%	94.9%
	Grade 9	0.0%	0.0%	1.0%	99.0%
	Grade 10	0.0%	0.0%	2.0%	98.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.6%	0.6%	99.4%
Ecstasy	All	0.2%	0.7%	0.9%	99.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.0%	2.0%	2.0%	98.0%
	Grade 11	0.0%	0.0%	1.0%	99.0%
	Grade 12	0.6%	1.9%	1.9%	98.1%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.1%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.5%	1.9%	98.1%
Grade 10	0.0%	2.0%	2.5%	97.5%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Methamphetamine</b>				
All	0.0%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	2.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.6%	1.8%	98.2%
Grade 11	1.6%	1.6%	1.6%	98.4%
Grade 12	2.9%	2.9%	2.9%	97.1%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.2%	10.7%	20.3%	79.7%
Grade 7	7.3%	10.5%	18.8%	81.2%
Grade 8	10.1%	11.7%	18.3%	81.7%
Grade 9	7.2%	9.6%	17.4%	82.6%
Grade 10	6.7%	10.1%	23.4%	76.6%
Grade 11	7.8%	10.4%	19.4%	80.6%
Grade 12	10.9%	12.7%	26.4%	73.6%
<b>Any Alcohol Product</b>				
All	19.4%	24.3%	40.4%	59.6%
Grade 7	20.1%	22.1%	42.5%	57.5%
Grade 8	17.8%	23.7%	40.6%	59.4%
Grade 9	20.7%	23.8%	36.7%	63.3%
Grade 10	15.9%	22.1%	38.9%	61.1%
Grade 11	17.7%	21.2%	38.4%	61.6%
Grade 12	25.0%	34.9%	47.3%	52.7%
<b>Any Illicit Drug</b>				
All	7.0%	11.7%	16.0%	84.0%
Grade 7	2.7%	6.3%	7.1%	92.9%
Grade 8	7.4%	10.9%	10.9%	89.1%
Grade 9	7.8%	11.9%	15.2%	84.8%
Grade 10	3.9%	8.0%	15.2%	84.8%
Grade 11	9.0%	16.4%	21.8%	78.2%
Grade 12	12.3%	17.9%	29.0%	71.0%
<b>Any Prescription Drug</b>				
All	3.5%	5.3%	12.1%	87.9%
Grade 7	4.2%	5.3%	12.7%	87.3%
Grade 8	4.3%	6.6%	18.8%	81.2%
Grade 9	4.3%	7.6%	12.1%	87.9%
Grade 10	2.6%	3.9%	9.5%	90.5%
Grade 11	2.2%	4.0%	9.4%	90.6%
Grade 12	3.1%	3.6%	9.3%	90.7%
<b>Any Inhalant</b>				
All	3.8%	5.3%	10.4%	89.6%
Grade 7	6.1%	7.6%	14.2%	85.8%
Grade 8	3.7%	7.5%	14.2%	85.8%
Grade 9	5.1%	6.4%	12.5%	87.5%
Grade 10	1.9%	1.9%	5.4%	94.6%
Grade 11	2.4%	3.1%	5.0%	95.0%
Grade 12	3.0%	4.7%	10.1%	89.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	5.7%	8.9%	18.1%	81.9%
Grade 7	5.7%	8.6%	17.5%	82.5%
Grade 8	6.0%	10.1%	17.9%	82.1%
Grade 9	4.7%	7.5%	15.3%	84.7%
Grade 10	4.9%	8.4%	19.9%	80.1%
Grade 11	4.5%	8.3%	16.0%	84.0%
Grade 12	9.0%	11.4%	23.2%	76.8%
<b>Marijuana</b>				
All	6.5%	9.5%	13.7%	86.3%
Grade 7	2.0%	2.8%	3.6%	96.4%
Grade 8	7.4%	9.4%	10.4%	89.6%
Grade 9	7.4%	9.9%	13.1%	86.9%
Grade 10	3.9%	7.0%	12.7%	87.3%
Grade 11	7.5%	12.9%	17.8%	82.2%
Grade 12	11.6%	16.5%	27.9%	72.1%
<b>Marijuana Only</b>				
All	2.6%	4.6%	7.4%	92.6%
Grade 7	2.0%	2.8%	2.8%	97.2%
Grade 8	4.0%	5.5%	6.6%	93.4%
Grade 9	2.0%	3.2%	5.8%	94.2%
Grade 10	1.5%	3.9%	7.8%	92.2%
Grade 11	1.8%	5.2%	7.7%	92.3%
Grade 12	4.8%	8.1%	16.0%	84.0%
<b>Cocaine or Crack</b>				
All	0.9%	1.1%	1.9%	98.1%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.9%	1.2%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	1.4%	1.4%	2.1%	97.9%
Grade 12	1.4%	2.1%	5.7%	94.3%
<b>Cocaine</b>				
All	0.9%	1.1%	1.8%	98.2%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.9%	1.2%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	1.4%	1.4%	2.1%	97.9%
Grade 12	1.4%	2.1%	5.2%	94.8%



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	1.4%	1.4%	2.1%	97.9%
Grade 12	0.0%	0.0%	1.1%	98.9%
<b>Hallucinogens</b>				
All	0.5%	0.9%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.8%	1.2%	1.6%	98.4%
Grade 10	0.8%	0.8%	1.5%	98.5%
Grade 11	0.7%	1.3%	4.7%	95.3%
Grade 12	0.7%	2.5%	5.9%	94.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.5%	0.6%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	1.0%	4.1%	95.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	0.7%	1.3%	1.9%	98.1%
<b>Ecstasy</b>				
All	0.0%	0.2%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.5%	2.8%	97.2%
Grade 12	0.0%	0.0%	3.1%	96.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	0.6%	0.7%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	1.1%	1.1%	2.3%	97.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.1%	2.6%	4.4%	95.6%
Grade 12	0.0%	0.0%	3.5%	96.5%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	2.1%	97.9%
<b>Delta 8</b>				
All	1.4%	2.5%	4.7%	95.3%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.4%	1.4%	1.4%	98.6%
Grade 9	1.9%	2.8%	4.4%	95.6%
Grade 10	1.0%	2.0%	5.8%	94.2%
Grade 11	3.6%	4.6%	8.2%	91.8%
Grade 12	1.7%	5.0%	8.7%	91.3%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.6%	11.7%	21.8%	78.2%
Grade 7	3.3%	6.7%	13.5%	86.5%
Grade 8	5.5%	7.5%	12.4%	87.6%
Grade 9	4.5%	7.9%	19.8%	80.2%
Grade 10	6.6%	8.6%	18.0%	82.0%
Grade 11	13.7%	17.7%	32.9%	67.1%
Grade 12	16.9%	20.5%	32.2%	67.8%
<b>Any Alcohol Product</b>				
All	19.9%	24.5%	42.9%	57.1%
Grade 7	14.4%	16.4%	37.3%	62.7%
Grade 8	12.1%	16.4%	34.1%	65.9%
Grade 9	17.9%	23.3%	43.7%	56.3%
Grade 10	19.8%	23.9%	39.2%	60.8%
Grade 11	25.8%	30.4%	52.1%	47.9%
Grade 12	28.0%	34.6%	48.9%	51.1%
<b>Any Illicit Drug</b>				
All	6.7%	10.1%	14.1%	85.9%
Grade 7	0.5%	2.6%	3.6%	96.4%
Grade 8	2.4%	4.8%	5.0%	95.0%
Grade 9	3.2%	6.6%	10.1%	89.9%
Grade 10	7.6%	9.8%	13.2%	86.8%
Grade 11	12.9%	16.7%	25.2%	74.8%
Grade 12	12.7%	18.9%	25.5%	74.5%
<b>Any Prescription Drug</b>				
All	4.1%	6.3%	12.1%	87.9%
Grade 7	6.4%	7.4%	13.4%	86.6%
Grade 8	5.7%	8.8%	12.8%	87.2%
Grade 9	2.8%	5.4%	11.7%	88.3%
Grade 10	4.3%	5.1%	10.5%	89.5%
Grade 11	2.9%	5.6%	13.1%	86.9%
Grade 12	2.9%	5.9%	11.4%	88.6%
<b>Any Inhalant</b>				
All	2.7%	4.1%	9.9%	90.1%
Grade 7	1.6%	2.9%	8.8%	91.2%
Grade 8	3.5%	5.1%	10.3%	89.7%
Grade 9	4.0%	5.5%	10.9%	89.1%
Grade 10	2.1%	3.7%	9.2%	90.8%
Grade 11	2.5%	2.9%	10.5%	89.5%
Grade 12	2.5%	4.3%	9.3%	90.7%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.3%	10.4%	19.5%	80.5%
Grade 7	2.5%	4.6%	11.6%	88.4%
Grade 8	3.4%	6.4%	11.3%	88.7%
Grade 9	4.2%	7.6%	17.5%	82.5%
Grade 10	5.4%	7.4%	15.7%	84.3%
Grade 11	12.0%	16.1%	31.3%	68.7%
Grade 12	15.4%	19.0%	28.0%	72.0%
<b>Marijuana</b>				
All	6.4%	8.5%	12.3%	87.7%
Grade 7	0.5%	0.9%	1.9%	98.1%
Grade 8	1.3%	1.7%	2.1%	97.9%
Grade 9	3.1%	5.6%	9.4%	90.6%
Grade 10	7.6%	8.5%	10.8%	89.2%
Grade 11	12.3%	15.7%	23.0%	77.0%
Grade 12	12.4%	17.4%	24.2%	75.8%
<b>Marijuana Only</b>				
All	2.4%	3.9%	6.9%	93.1%
Grade 7	0.5%	0.9%	1.2%	98.8%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	1.8%	3.6%	6.1%	93.9%
Grade 10	3.9%	4.6%	6.2%	93.8%
Grade 11	3.5%	6.1%	12.7%	87.3%
Grade 12	3.8%	7.2%	12.9%	87.1%
<b>Cocaine or Crack</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	1.4%	1.8%	2.6%	97.4%
Grade 12	0.4%	0.9%	1.9%	98.1%
<b>Cocaine</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	1.4%	1.8%	2.6%	97.4%
Grade 12	0.4%	0.9%	1.6%	98.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	1.0%	1.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Hallucinogens</b>				
All	0.3%	0.7%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.4%	0.4%	1.2%	98.8%
Grade 11	0.4%	1.9%	4.4%	95.6%
Grade 12	0.8%	1.5%	4.5%	95.5%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Steroids</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.6%	98.4%
Grade 9	0.0%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.2%	1.2%	2.1%	97.9%
Grade 12	0.4%	0.6%	0.6%	99.4%
<b>Ecstasy</b>				
All	0.1%	0.1%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.4%	0.4%	1.7%	98.3%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	1.0%	1.0%	1.8%	98.2%
Grade 12	0.7%	0.7%	1.5%	98.5%
<b>Methamphetamine</b>				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	1.2%	98.8%
<b>Delta 8</b>				
All	2.2%	3.0%	4.8%	95.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.8%	2.0%	3.3%	96.7%
Grade 10	1.7%	1.7%	4.0%	96.0%
Grade 11	5.2%	6.0%	9.8%	90.2%
Grade 12	4.7%	7.2%	10.0%	90.0%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.6%	16.4%	28.0%	72.0%
Grade 7	7.1%	9.5%	21.3%	78.7%
Grade 8	12.8%	15.2%	28.7%	71.3%
Grade 9	10.3%	12.4%	20.5%	79.5%
Grade 10	15.2%	19.6%	33.2%	66.8%
Grade 11	17.1%	19.0%	32.0%	68.0%
Grade 12	22.5%	26.1%	36.0%	64.0%
<b>Any Alcohol Product</b>				
All	25.4%	30.0%	46.9%	53.1%
Grade 7	16.7%	19.6%	38.0%	62.0%
Grade 8	29.5%	34.5%	55.5%	44.5%
Grade 9	21.3%	24.9%	40.5%	59.5%
Grade 10	27.1%	32.4%	48.5%	51.5%
Grade 11	27.2%	31.1%	49.4%	50.6%
Grade 12	34.0%	41.3%	52.1%	47.9%
<b>Any Illicit Drug</b>				
All	11.3%	15.3%	20.2%	79.8%
Grade 7	3.4%	6.7%	8.6%	91.4%
Grade 8	6.7%	11.8%	13.8%	86.2%
Grade 9	10.5%	13.1%	16.7%	83.3%
Grade 10	12.9%	16.6%	23.9%	76.1%
Grade 11	15.8%	21.2%	28.8%	71.2%
Grade 12	21.9%	26.6%	34.4%	65.6%
<b>Any Prescription Drug</b>				
All	4.5%	6.9%	15.2%	84.8%
Grade 7	5.7%	6.8%	13.5%	86.5%
Grade 8	6.4%	10.4%	21.7%	78.3%
Grade 9	3.6%	5.9%	13.5%	86.5%
Grade 10	4.8%	6.4%	13.9%	86.1%
Grade 11	4.4%	7.1%	14.9%	85.1%
Grade 12	1.9%	4.0%	13.7%	86.3%
<b>Any Inhalant</b>				
All	4.8%	6.6%	14.0%	86.0%
Grade 7	4.5%	5.0%	12.4%	87.6%
Grade 8	7.7%	11.4%	23.5%	76.5%
Grade 9	4.8%	6.8%	12.3%	87.7%
Grade 10	3.1%	4.2%	10.7%	89.3%
Grade 11	2.8%	4.5%	10.3%	89.7%
Grade 12	6.1%	7.6%	15.4%	84.6%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.5%	13.4%	24.9%	75.1%
Grade 7	4.8%	7.3%	19.7%	80.3%
Grade 8	8.9%	13.7%	26.6%	73.4%
Grade 9	6.8%	9.5%	18.3%	81.7%
Grade 10	10.2%	16.2%	28.4%	71.6%
Grade 11	12.9%	15.4%	27.6%	72.4%
Grade 12	15.3%	21.2%	32.3%	67.7%
Marijuana				
All	10.7%	13.0%	17.9%	82.1%
Grade 7	3.0%	3.8%	6.0%	94.0%
Grade 8	6.4%	9.0%	11.0%	89.0%
Grade 9	9.9%	11.3%	14.4%	85.6%
Grade 10	12.4%	14.7%	21.6%	78.4%
Grade 11	14.8%	18.3%	26.3%	73.7%
Grade 12	21.2%	24.9%	33.3%	66.7%
Marijuana Only				
All	3.8%	5.2%	8.8%	91.2%
Grade 7	1.6%	2.4%	3.6%	96.4%
Grade 8	3.0%	4.4%	5.6%	94.4%
Grade 9	3.8%	4.8%	7.4%	92.6%
Grade 10	4.3%	6.0%	11.4%	88.6%
Grade 11	3.9%	5.6%	11.2%	88.8%
Grade 12	7.0%	9.3%	15.8%	84.2%
Cocaine or Crack				
All	0.9%	1.3%	2.2%	97.8%
Grade 7	0.7%	1.2%	1.7%	98.3%
Grade 8	0.6%	0.6%	1.8%	98.2%
Grade 9	0.8%	1.3%	2.1%	97.9%
Grade 10	0.0%	0.7%	1.1%	98.9%
Grade 11	1.1%	1.3%	2.7%	97.3%
Grade 12	2.8%	2.8%	4.8%	95.2%
Cocaine				
All	0.9%	1.2%	2.1%	97.9%
Grade 7	0.7%	1.2%	1.4%	98.6%
Grade 8	0.6%	0.6%	1.8%	98.2%
Grade 9	0.7%	1.1%	1.8%	98.2%
Grade 10	0.0%	0.5%	0.9%	99.1%
Grade 11	1.1%	1.3%	2.7%	97.3%
Grade 12	2.8%	2.8%	4.8%	95.2%



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.0%	0.2%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Hallucinogens</b>				
All	1.0%	1.7%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.4%	0.8%	1.9%	98.1%
Grade 10	1.3%	2.5%	3.1%	96.9%
Grade 11	2.3%	3.4%	5.9%	94.1%
Grade 12	2.3%	3.9%	8.0%	92.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Steroids</b>				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.1%	0.6%	99.4%
Grade 8	1.5%	2.1%	3.4%	96.6%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.8%	1.0%	3.0%	97.0%
Grade 11	0.3%	0.6%	0.6%	99.4%
Grade 12	0.7%	1.0%	1.9%	98.1%
<b>Ecstasy</b>				
All	0.2%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.4%	1.0%	99.0%
Grade 10	0.0%	0.7%	1.2%	98.8%
Grade 11	0.1%	2.0%	3.3%	96.7%
Grade 12	0.8%	1.5%	5.3%	94.7%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.1%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.7%	1.0%	99.0%
<b>Synthetic Marijuana</b>				
All	1.1%	1.6%	2.6%	97.4%
Grade 7	0.5%	1.0%	1.4%	98.6%
Grade 8	1.1%	1.3%	1.7%	98.3%
Grade 9	0.8%	0.9%	2.2%	97.8%
Grade 10	2.5%	3.0%	4.0%	96.0%
Grade 11	1.0%	1.3%	2.7%	97.3%
Grade 12	0.7%	2.1%	4.2%	95.8%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.2%	0.7%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.7%	0.7%	2.0%	98.0%
<b>Delta 8</b>				
All	3.3%	5.2%	7.7%	92.3%
Grade 7	0.7%	1.6%	2.6%	97.4%
Grade 8	1.5%	2.3%	4.7%	95.3%
Grade 9	2.4%	3.3%	5.1%	94.9%
Grade 10	5.2%	6.9%	9.4%	90.6%
Grade 11	5.6%	8.8%	13.1%	86.9%
Grade 12	5.1%	10.4%	14.0%	86.0%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.8%	11.2%	19.9%	80.1%
Grade 7	4.6%	7.4%	14.5%	85.5%
Grade 8	7.4%	8.6%	15.2%	84.8%
Grade 9	6.9%	9.0%	16.0%	84.0%
Grade 10	7.5%	10.5%	20.8%	79.2%
Grade 11	10.6%	13.5%	25.2%	74.8%
Grade 12	17.3%	20.0%	30.1%	69.9%
<b>Any Alcohol Product</b>				
All	20.4%	24.9%	41.7%	58.3%
Grade 7	15.5%	17.2%	34.0%	66.0%
Grade 8	17.6%	22.6%	42.1%	57.9%
Grade 9	19.0%	23.5%	40.9%	59.1%
Grade 10	19.8%	24.8%	39.9%	60.1%
Grade 11	22.4%	26.6%	47.2%	52.8%
Grade 12	29.8%	36.9%	47.5%	52.5%
<b>Any Illicit Drug</b>				
All	6.3%	9.9%	14.1%	85.9%
Grade 7	1.9%	4.2%	5.0%	95.0%
Grade 8	3.1%	4.8%	6.2%	93.8%
Grade 9	6.0%	9.3%	12.3%	87.7%
Grade 10	6.1%	9.0%	15.2%	84.8%
Grade 11	9.6%	14.7%	21.7%	78.3%
Grade 12	11.9%	19.0%	26.6%	73.4%
<b>Any Prescription Drug</b>				
All	3.9%	6.0%	11.6%	88.4%
Grade 7	5.8%	7.4%	13.7%	86.3%
Grade 8	4.8%	8.5%	14.1%	85.9%
Grade 9	3.9%	6.2%	12.5%	87.5%
Grade 10	5.0%	5.7%	9.7%	90.3%
Grade 11	2.6%	4.8%	11.7%	88.3%
Grade 12	1.1%	3.3%	7.3%	92.7%
<b>Any Inhalant</b>				
All	3.9%	5.2%	11.4%	88.6%
Grade 7	4.2%	4.9%	11.9%	88.1%
Grade 8	5.7%	7.8%	15.5%	84.5%
Grade 9	4.3%	6.4%	12.3%	87.7%
Grade 10	3.1%	3.5%	8.8%	91.2%
Grade 11	2.7%	3.9%	10.6%	89.4%
Grade 12	3.5%	4.1%	8.9%	91.1%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.6%	9.3%	17.7%	82.3%
Grade 7	2.9%	5.2%	12.5%	87.5%
Grade 8	5.1%	7.7%	14.5%	85.5%
Grade 9	5.4%	7.5%	15.1%	84.9%
Grade 10	5.5%	8.6%	17.8%	82.2%
Grade 11	8.2%	11.1%	22.7%	77.3%
Grade 12	14.0%	17.4%	25.4%	74.6%
<b>Marijuana</b>				
All	5.7%	7.8%	11.8%	88.2%
Grade 7	1.7%	2.4%	3.1%	96.9%
Grade 8	2.4%	2.8%	3.3%	96.7%
Grade 9	5.4%	7.2%	10.2%	89.8%
Grade 10	5.8%	7.4%	12.5%	87.5%
Grade 11	8.3%	11.8%	18.5%	81.5%
Grade 12	11.3%	17.0%	25.4%	74.6%
<b>Marijuana Only</b>				
All	2.3%	3.7%	6.4%	93.6%
Grade 7	0.7%	1.3%	1.3%	98.7%
Grade 8	1.9%	2.1%	2.3%	97.7%
Grade 9	2.7%	4.1%	6.7%	93.3%
Grade 10	2.7%	3.7%	6.9%	93.1%
Grade 11	2.3%	4.6%	9.4%	90.6%
Grade 12	3.3%	6.5%	12.8%	87.2%
<b>Cocaine or Crack</b>				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.7%	1.0%	1.2%	98.8%
Grade 12	0.9%	0.9%	2.3%	97.7%
<b>Cocaine</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.7%	1.0%	1.2%	98.8%
Grade 12	0.9%	0.9%	2.3%	97.7%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.7%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Hallucinogens</b>				
All	0.5%	0.9%	1.7%	98.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.9%	1.7%	98.3%
Grade 10	1.1%	1.1%	1.4%	98.6%
Grade 11	1.0%	1.3%	3.3%	96.7%
Grade 12	0.7%	2.0%	4.1%	95.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Steroids</b>				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.6%	0.7%	0.7%	99.3%
Grade 8	0.6%	0.8%	2.2%	97.8%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.5%	0.8%	1.0%	99.0%
Grade 12	0.4%	0.6%	0.6%	99.4%
<b>Ecstasy</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.1%	0.7%	1.2%	98.8%
Grade 12	0.0%	0.4%	1.4%	98.6%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.4%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	0.4%	0.4%	1.2%	98.8%
Grade 7	0.3%	0.3%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.6%	0.6%	1.0%	99.0%
Grade 11	0.4%	0.4%	1.6%	98.4%
Grade 12	0.6%	0.9%	2.4%	97.6%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.4%	0.4%	1.4%	98.6%
<b>Delta 8</b>				
All	1.8%	3.0%	4.7%	95.3%
Grade 7	0.5%	0.5%	1.8%	98.2%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	1.5%	2.0%	2.6%	97.4%
Grade 10	2.6%	3.2%	5.8%	94.2%
Grade 11	2.9%	4.8%	7.9%	92.1%
Grade 12	3.3%	8.1%	10.6%	89.4%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.6%	19.3%	33.3%	66.7%
Grade 7	7.8%	10.8%	24.5%	75.5%
Grade 8	14.1%	17.7%	32.9%	67.1%
Grade 9	10.0%	13.6%	26.7%	73.3%
Grade 10	17.8%	22.2%	36.7%	63.3%
Grade 11	23.0%	25.5%	42.9%	57.1%
Grade 12	23.6%	28.4%	38.7%	61.3%
<b>Any Alcohol Product</b>				
All	27.3%	31.7%	50.2%	49.8%
Grade 7	17.9%	20.9%	43.4%	56.6%
Grade 8	30.2%	34.4%	55.0%	45.0%
Grade 9	21.6%	25.6%	42.7%	57.3%
Grade 10	30.8%	35.0%	52.1%	47.9%
Grade 11	32.1%	36.3%	54.7%	45.3%
Grade 12	33.1%	40.0%	54.6%	45.4%
<b>Any Illicit Drug</b>				
All	13.7%	17.6%	22.6%	77.4%
Grade 7	3.4%	7.0%	9.1%	90.9%
Grade 8	7.7%	14.3%	16.2%	83.8%
Grade 9	10.5%	12.8%	17.6%	82.4%
Grade 10	17.4%	21.0%	26.2%	73.8%
Grade 11	21.6%	26.0%	36.0%	64.0%
Grade 12	24.6%	27.7%	34.6%	65.4%
<b>Any Prescription Drug</b>				
All	4.9%	7.3%	16.9%	83.1%
Grade 7	5.8%	6.3%	12.5%	87.5%
Grade 8	7.4%	10.8%	22.8%	77.2%
Grade 9	2.6%	5.3%	13.6%	86.4%
Grade 10	4.1%	6.2%	16.7%	83.3%
Grade 11	5.6%	9.2%	17.4%	82.6%
Grade 12	3.7%	6.3%	19.1%	80.9%
<b>Any Inhalant</b>				
All	4.3%	6.4%	13.9%	86.1%
Grade 7	3.4%	4.2%	10.9%	89.1%
Grade 8	6.9%	10.6%	22.0%	78.0%
Grade 9	4.9%	6.4%	10.9%	89.1%
Grade 10	2.2%	4.6%	11.9%	88.1%
Grade 11	2.8%	3.9%	10.2%	89.8%
Grade 12	5.5%	8.6%	17.4%	82.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.4%	16.2%	29.7%	70.3%
Grade 7	5.8%	8.6%	22.8%	77.2%
Grade 8	9.7%	15.6%	29.7%	70.3%
Grade 9	6.4%	10.9%	22.6%	77.4%
Grade 10	12.5%	18.5%	31.6%	68.4%
Grade 11	18.8%	22.2%	38.6%	61.4%
Grade 12	17.1%	23.9%	35.7%	64.3%
<b>Marijuana</b>				
All	13.4%	15.7%	20.7%	79.3%
Grade 7	2.9%	3.7%	6.1%	93.9%
Grade 8	7.2%	10.6%	13.6%	86.4%
Grade 9	10.3%	12.0%	16.3%	83.7%
Grade 10	17.1%	19.3%	24.4%	75.6%
Grade 11	21.6%	25.0%	34.7%	65.3%
Grade 12	24.2%	26.4%	33.5%	66.5%
<b>Marijuana Only</b>				
All	4.4%	6.0%	10.1%	89.9%
Grade 7	1.8%	2.5%	4.5%	95.5%
Grade 8	2.3%	4.0%	5.7%	94.3%
Grade 9	3.3%	4.4%	7.3%	92.7%
Grade 10	6.1%	8.0%	12.8%	87.2%
Grade 11	6.0%	7.8%	16.0%	84.0%
Grade 12	7.8%	9.9%	15.9%	84.1%
<b>Cocaine or Crack</b>				
All	1.2%	1.7%	2.8%	97.2%
Grade 7	0.6%	1.3%	1.6%	98.4%
Grade 8	0.9%	0.9%	1.9%	98.1%
Grade 9	1.3%	1.8%	3.0%	97.0%
Grade 10	0.0%	1.0%	1.4%	98.6%
Grade 11	2.0%	2.3%	4.8%	95.2%
Grade 12	2.5%	3.0%	4.8%	95.2%
<b>Cocaine</b>				
All	1.1%	1.6%	2.6%	97.4%
Grade 7	0.6%	1.3%	1.6%	98.4%
Grade 8	0.9%	0.9%	1.9%	98.1%
Grade 9	1.0%	1.5%	2.5%	97.5%
Grade 10	0.0%	0.7%	1.1%	98.9%
Grade 11	2.0%	2.3%	4.8%	95.2%
Grade 12	2.5%	3.0%	4.5%	95.5%



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.5%	0.5%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Hallucinogens</b>				
All	0.9%	1.8%	3.5%	96.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.8%	2.6%	3.8%	96.2%
Grade 11	1.7%	4.4%	7.6%	92.4%
Grade 12	2.8%	3.6%	9.2%	90.8%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Steroids</b>				
All	0.8%	1.0%	1.8%	98.2%
Grade 7	0.5%	0.5%	1.2%	98.8%
Grade 8	1.2%	1.9%	3.3%	96.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	1.2%	1.4%	2.6%	97.4%
Grade 11	1.0%	1.0%	1.5%	98.5%
Grade 12	0.9%	1.1%	2.0%	98.0%
<b>Ecstasy</b>				
All	0.3%	0.9%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	1.1%	2.3%	97.7%
Grade 11	0.0%	2.0%	4.4%	95.6%
Grade 12	1.4%	1.8%	6.3%	93.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	1.6%	2.2%	3.2%	96.8%
Grade 7	0.5%	1.2%	1.2%	98.8%
Grade 8	1.8%	2.1%	2.7%	97.3%
Grade 9	0.9%	1.1%	3.1%	96.9%
Grade 10	3.4%	4.1%	5.2%	94.8%
Grade 11	2.0%	2.4%	3.4%	96.6%
Grade 12	0.9%	2.2%	3.5%	96.5%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	1.1%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.4%	0.4%	1.7%	98.3%
<b>Delta 8</b>				
All	4.2%	6.1%	9.1%	90.9%
Grade 7	0.5%	1.8%	1.8%	98.2%
Grade 8	2.3%	3.4%	6.6%	93.4%
Grade 9	2.4%	4.1%	7.1%	92.9%
Grade 10	5.8%	7.4%	9.5%	90.5%
Grade 11	8.6%	11.3%	17.0%	83.0%
Grade 12	7.0%	10.2%	14.2%	85.8%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.9%	12.7%	23.8%	76.2%
Grade 7	5.4%	8.1%	17.9%	82.1%
Grade 8	8.2%	10.4%	19.9%	80.1%
Grade 9	8.1%	10.7%	20.7%	79.3%
Grade 10	10.3%	13.5%	25.5%	74.5%
Grade 11	11.3%	14.0%	28.1%	71.9%
Grade 12	18.5%	22.1%	33.6%	66.4%
<b>Any Alcohol Product</b>				
All	20.6%	25.5%	43.8%	56.2%
Grade 7	15.4%	18.2%	35.5%	64.5%
Grade 8	18.5%	23.9%	44.7%	55.3%
Grade 9	19.3%	23.8%	42.8%	57.2%
Grade 10	22.2%	27.2%	43.2%	56.8%
Grade 11	21.3%	26.3%	48.3%	51.7%
Grade 12	29.4%	36.7%	50.6%	49.4%
<b>Any Illicit Drug</b>				
All	7.9%	11.0%	15.2%	84.8%
Grade 7	2.0%	4.2%	5.5%	94.5%
Grade 8	3.7%	6.5%	8.2%	91.8%
Grade 9	7.0%	9.5%	13.2%	86.8%
Grade 10	9.5%	12.3%	17.0%	83.0%
Grade 11	11.0%	14.7%	21.6%	78.4%
Grade 12	16.7%	22.2%	30.2%	69.8%
<b>Any Prescription Drug</b>				
All	3.9%	6.2%	13.1%	86.9%
Grade 7	4.8%	5.7%	12.4%	87.6%
Grade 8	5.5%	8.6%	16.3%	83.7%
Grade 9	3.2%	6.3%	13.1%	86.9%
Grade 10	4.2%	5.9%	12.5%	87.5%
Grade 11	3.1%	5.7%	11.2%	88.8%
Grade 12	2.1%	4.8%	12.6%	87.4%
<b>Any Inhalant</b>				
All	3.1%	4.4%	10.9%	89.1%
Grade 7	2.8%	3.0%	9.8%	90.2%
Grade 8	4.9%	6.9%	16.5%	83.5%
Grade 9	3.6%	5.5%	11.4%	88.6%
Grade 10	2.4%	3.0%	8.6%	91.4%
Grade 11	2.1%	3.0%	8.3%	91.7%
Grade 12	2.8%	4.3%	10.3%	89.7%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.5%	10.8%	21.1%	78.9%
Grade 7	3.8%	6.3%	16.3%	83.7%
Grade 8	6.5%	9.9%	18.5%	81.5%
Grade 9	5.8%	8.6%	18.2%	81.8%
Grade 10	7.3%	11.0%	22.1%	77.9%
Grade 11	8.9%	12.1%	24.8%	75.2%
Grade 12	14.9%	19.2%	29.5%	70.5%
<b>Marijuana</b>				
All	7.6%	9.3%	13.3%	86.7%
Grade 7	1.7%	1.9%	3.4%	96.6%
Grade 8	3.4%	4.5%	6.0%	94.0%
Grade 9	6.7%	8.1%	11.6%	88.4%
Grade 10	9.3%	10.8%	15.2%	84.8%
Grade 11	10.7%	13.4%	19.7%	80.3%
Grade 12	16.3%	20.5%	28.6%	71.4%
<b>Marijuana Only</b>				
All	2.7%	4.0%	6.9%	93.1%
Grade 7	0.8%	1.0%	1.5%	98.5%
Grade 8	1.6%	2.6%	3.1%	96.9%
Grade 9	2.7%	3.9%	6.4%	93.6%
Grade 10	3.5%	4.7%	7.9%	92.1%
Grade 11	2.8%	4.7%	10.1%	89.9%
Grade 12	5.5%	8.3%	14.9%	85.1%
<b>Cocaine or Crack</b>				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.6%	0.9%	1.4%	98.6%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.1%	0.6%	1.1%	98.9%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	1.4%	1.6%	2.4%	97.6%
<b>Cocaine</b>				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.6%	0.9%	1.2%	98.8%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.4%	0.9%	99.1%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	1.4%	1.6%	2.3%	97.7%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Hallucinogens</b>				
All	0.5%	1.0%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.6%	1.1%	98.9%
Grade 10	0.7%	1.3%	1.9%	98.1%
Grade 11	1.2%	2.2%	3.6%	96.4%
Grade 12	0.9%	2.0%	5.8%	94.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.2%	99.8%
<b>Steroids</b>				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.7%	1.1%	2.8%	97.2%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.4%	0.5%	1.7%	98.3%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.3%	0.6%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.0%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.7%	1.5%	98.5%
Grade 12	0.5%	0.8%	3.1%	96.9%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	0.6%	0.8%	1.4%	98.6%
Grade 7	0.2%	0.6%	1.1%	98.9%
Grade 8	0.4%	0.6%	0.6%	99.4%
Grade 9	0.4%	0.4%	1.6%	98.4%
Grade 10	1.7%	1.7%	2.2%	97.8%
Grade 11	0.3%	0.5%	1.6%	98.4%
Grade 12	0.5%	1.1%	1.4%	98.6%
<b>Methamphetamine</b>				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	1.4%	98.6%
<b>Delta 8</b>				
All	2.4%	4.0%	5.8%	94.2%
Grade 7	0.4%	1.0%	1.8%	98.2%
Grade 8	0.6%	1.2%	2.8%	97.2%
Grade 9	1.6%	2.4%	4.3%	95.7%
Grade 10	3.6%	4.7%	6.9%	93.1%
Grade 11	3.7%	6.5%	8.6%	91.4%
Grade 12	5.5%	9.7%	12.5%	87.5%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	19.6%	22.8%	33.6%	66.4%
Grade 7	10.6%	13.5%	28.0%	72.0%
Grade 8	23.4%	25.9%	39.1%	60.9%
Grade 9	9.7%	12.9%	19.7%	80.3%
Grade 10	19.7%	24.7%	36.7%	63.3%
Grade 11	30.4%	31.7%	43.1%	56.9%
Grade 12	23.6%	27.6%	36.1%	63.9%
<b>Any Alcohol Product</b>				
All	33.9%	37.5%	52.5%	47.5%
Grade 7	21.5%	22.6%	55.9%	44.1%
Grade 8	43.9%	44.7%	59.8%	40.2%
Grade 9	25.8%	29.9%	44.1%	55.9%
Grade 10	34.4%	39.0%	53.1%	46.9%
Grade 11	44.3%	46.6%	56.9%	43.1%
Grade 12	33.4%	41.3%	47.8%	52.2%
<b>Any Illicit Drug</b>				
All	15.0%	21.8%	27.2%	72.8%
Grade 7	4.2%	11.5%	15.0%	85.0%
Grade 8	11.6%	23.8%	23.8%	76.2%
Grade 9	12.9%	18.0%	22.1%	77.9%
Grade 10	17.1%	20.5%	29.4%	70.6%
Grade 11	25.1%	33.8%	43.5%	56.5%
Grade 12	15.8%	21.1%	25.6%	74.4%
<b>Any Prescription Drug</b>				
All	6.8%	8.9%	17.9%	82.1%
Grade 7	13.1%	15.6%	21.3%	78.7%
Grade 8	11.0%	16.7%	28.3%	71.7%
Grade 9	3.7%	4.3%	12.9%	87.1%
Grade 10	6.9%	6.9%	14.8%	85.2%
Grade 11	5.6%	9.2%	21.7%	78.3%
Grade 12	2.9%	4.1%	11.8%	88.2%
<b>Any Inhalant</b>				
All	7.2%	10.6%	17.7%	82.3%
Grade 7	8.0%	12.5%	21.2%	78.8%
Grade 8	13.4%	22.1%	29.7%	70.3%
Grade 9	9.5%	11.9%	15.0%	85.0%
Grade 10	3.2%	6.0%	14.5%	85.5%
Grade 11	4.7%	6.8%	13.4%	86.6%
Grade 12	5.6%	7.3%	16.4%	83.6%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.0%	18.7%	30.4%	69.6%
Grade 7	7.7%	9.4%	24.8%	75.2%
Grade 8	10.7%	19.1%	33.0%	67.0%
Grade 9	7.0%	11.7%	18.2%	81.8%
Grade 10	13.2%	20.5%	30.9%	69.1%
Grade 11	25.8%	27.2%	42.5%	57.5%
Grade 12	17.9%	22.7%	33.2%	66.8%
Marijuana				
All	14.2%	18.4%	24.6%	75.4%
Grade 7	4.2%	7.3%	10.8%	89.2%
Grade 8	11.0%	17.5%	20.8%	79.2%
Grade 9	11.4%	15.5%	19.6%	80.4%
Grade 10	16.2%	17.8%	26.7%	73.3%
Grade 11	23.4%	29.2%	39.8%	60.2%
Grade 12	15.8%	20.2%	25.6%	74.4%
Marijuana Only				
All	5.4%	7.4%	12.8%	87.2%
Grade 7	2.6%	5.8%	9.3%	90.7%
Grade 8	4.1%	5.1%	8.3%	91.7%
Grade 9	5.3%	7.2%	11.3%	88.7%
Grade 10	7.1%	8.2%	15.8%	84.2%
Grade 11	7.3%	9.4%	17.3%	82.7%
Grade 12	5.2%	8.1%	12.5%	87.5%
Cocaine or Crack				
All	1.4%	2.0%	3.4%	96.6%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	1.6%	1.6%	3.4%	96.6%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	0.0%	1.5%	1.9%	98.1%
Grade 11	3.3%	4.7%	7.1%	92.9%
Grade 12	1.0%	1.0%	4.8%	95.2%
Cocaine				
All	1.4%	1.8%	3.2%	96.8%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	1.6%	1.6%	3.4%	96.6%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	0.0%	0.8%	1.2%	98.8%
Grade 11	3.3%	4.7%	7.1%	92.9%
Grade 12	1.0%	1.0%	4.8%	95.2%



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.6%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.7%	1.1%	98.9%
Grade 11	1.9%	1.9%	1.9%	98.1%
Grade 12	0.0%	0.0%	1.0%	99.0%
<b>Hallucinogens</b>				
All	1.0%	2.0%	4.5%	95.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.8%	1.4%	3.0%	97.0%
Grade 10	1.1%	2.8%	4.1%	95.9%
Grade 11	2.0%	4.3%	11.5%	88.5%
Grade 12	1.9%	2.7%	5.5%	94.5%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	1.1%	1.4%	1.9%	98.1%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	2.3%	2.8%	2.8%	97.2%
Grade 9	0.0%	0.3%	0.9%	99.1%
Grade 10	1.0%	1.0%	3.4%	96.6%
Grade 11	2.0%	2.8%	2.8%	97.2%
Grade 12	1.0%	1.0%	1.0%	99.0%
<b>Ecstasy</b>				
All	0.1%	1.0%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	1.7%	2.7%	97.3%
Grade 11	0.4%	3.6%	6.1%	93.9%
Grade 12	0.0%	0.0%	3.9%	96.1%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.8%	98.2%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	2.3%	2.7%	4.2%	95.8%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	3.2%	3.2%	7.4%	92.6%
Grade 9	1.4%	2.0%	2.6%	97.4%
Grade 10	1.8%	3.4%	5.3%	94.7%
Grade 11	4.1%	4.1%	4.1%	95.9%
Grade 12	1.6%	1.6%	4.5%	95.5%
<b>Methamphetamine</b>				
All	0.2%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	1.7%	2.0%	98.0%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
<b>Delta 8</b>				
All	5.0%	6.0%	9.1%	90.9%
Grade 7	1.5%	1.5%	2.5%	97.5%
Grade 8	3.5%	3.5%	7.6%	92.4%
Grade 9	2.3%	4.5%	5.4%	94.6%
Grade 10	5.6%	6.7%	7.8%	92.2%
Grade 11	11.9%	12.6%	19.8%	80.2%
Grade 12	3.6%	5.6%	9.6%	90.4%

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	47,186	49.8%
Female	47,629	50.2%
Frequency Missing	889	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	66,031	70.0%
Yes	28,291	30.0%
Frequency Missing	1,382	

**Grade**

Q2	Frequency	Percent
Grade 7	16,303	17.1%
Grade 8	16,128	16.9%
Grade 9	18,126	19.0%
Grade 10	15,771	16.5%
Grade 11	15,234	16.0%
Grade 12	13,824	14.5%
Frequency Missing	318	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	1,957	2.1%
Asian American	497	0.5%
African American	15,110	16.3%
Pacific Islander	321	0.3%
White	51,771	55.9%
Other	13,893	15.0%
More Than One Race	9,073	9.8%
Frequency Missing	3,082	

**Live with Both Parents**

Q3	Frequency	Percent
No	40,694	42.9%
Yes	54,179	57.1%
Frequency Missing	831	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	580	0.6%
Mostly D's	986	1.0%
Mostly C's	10,581	11.2%
Mostly B's	46,710	49.5%
Mostly A's	35,427	37.6%
Frequency Missing	1,420	

**Age**

Q4	Frequency	Percent
11 or younger	101	0.1%
12	5,326	5.6%
13	14,808	15.5%
14	16,665	17.4%
15	18,460	19.3%
16	15,558	16.3%
17	15,325	16.0%
18	8,715	9.1%
19 or older	658	0.7%
Frequency Missing	87	

**Do You Have a Job**

Q7	Frequency	Percent
No	67,300	71.4%
Yes	26,961	28.6%
Frequency Missing	1,442	

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	13,480	14.3%
Yes	47,156	50.1%
Don't Know	33,533	35.6%
Frequency Missing	1,536	

**Participate in School Athletics (UIL, Varsity,  
Jr Varsity)**

Q9a	Frequency	Percent
No	43,374	48.6%
Yes	45,782	51.4%
Frequency Missing	6,548	

**Participate in Academic  
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	64,810	79.9%
Yes	16,301	20.1%
Frequency Missing	14,593	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	63,687	77.3%
Yes	18,727	22.7%
Frequency Missing	13,290	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	61,118	75.2%
Yes	20,190	24.8%
Frequency Missing	14,397	

**Participate in School Choir**

Q9c	Frequency	Percent
No	77,127	96.9%
Yes	2,495	3.1%
Frequency Missing	16,083	

**Participate in Athletic Teams Outside of  
School**

Q9h	Frequency	Percent
No	60,037	71.6%
Yes	23,812	28.4%
Frequency Missing	11,856	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	73,747	91.3%
Yes	7,045	8.7%
Frequency Missing	14,912	

**Participate in Other Clubs or Groups  
Outside of School**

Q9i	Frequency	Percent
No	66,291	82.1%
Yes	14,442	17.9%
Frequency Missing	14,971	

**Participate in Student Government/School  
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	74,107	93.2%
Yes	5,391	6.8%
Frequency Missing	16,207	

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	82,363	86.6%
Somewhat Safe	11,240	11.8%
Not Very Safe	803	0.8%
Not Safe At All	142	0.1%
Don't Know	597	0.6%
Frequency Missing	559	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	48,889	51.7%
Somewhat Safe	36,829	38.9%
Not Very Safe	4,876	5.2%
Not Safe At All	1,207	1.3%
Don't Know	2,850	3.0%
Frequency Missing	1,053	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	62,131	66.8%
Yes	30,945	33.2%
Frequency Missing	2,628	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	35,089	37.0%
Somewhat Safe	43,657	46.1%
Not Very Safe	7,913	8.4%
Not Safe At All	4,243	4.5%
Don't Know	3,825	4.0%
Frequency Missing	978	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	6,422	6.8%
A Few	22,156	23.6%
Some	21,190	22.6%
Most	30,789	32.8%
All	13,199	14.1%
Frequency Missing	1,948	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	9,623	10.4%
Some High School	10,252	11.0%
Finished High School	23,729	25.6%
Some College	10,517	11.3%
Finished College	12,862	13.9%
Post-Secondary	7,326	7.9%
Don't Know or N/A	18,526	20.0%
Frequency Missing	2,870	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	3,002	3.2%
A Few	13,319	14.2%
Some	22,672	24.1%
Most	36,456	38.8%
All	18,477	19.7%
Frequency Missing	1,779	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	7,934	8.5%
Some High School	9,479	10.2%
Finished High School	18,582	20.0%
Some College	13,422	14.4%
Finished College	20,111	21.6%
Post-Secondary	10,971	11.8%
Don't Know or N/A	12,408	13.4%
Frequency Missing	2,796	

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	38,030	40.9%
A Few	28,970	31.2%
Some	14,268	15.3%
Most	7,733	8.3%
All	3,969	4.3%
Frequency Missing	2,735	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	70,293	75.4%
A Few	13,537	14.5%
Some	4,980	5.3%
Most	2,641	2.8%
All	1,800	1.9%
Frequency Missing	2,453	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	92,816	99.3%
In Your Lifetime	446	0.5%
Since School Began	83	0.1%
In the Past Month	82	0.1%
Frequency Missing	2,277	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	82,133	87.9%
A Few	7,481	8.0%
Some	2,098	2.2%
Most	792	0.8%
All	946	1.0%
Frequency Missing	2,254	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	88,054	93.8%
In Your Lifetime	3,864	4.1%
Since School Began	658	0.7%
In the Past Month	1,295	1.4%
Frequency Missing	1,833	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	92,518	98.4%
In Your Lifetime	1,078	1.1%
Since School Began	158	0.2%
In the Past Month	274	0.3%
Frequency Missing	1,676	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	92,820	98.8%
In Your Lifetime	695	0.7%
Since School Began	162	0.2%
In the Past Month	239	0.3%
Frequency Missing	1,788	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	89,326	95.1%
In Your Lifetime	3,021	3.2%
Since School Began	558	0.6%
In the Past Month	979	1.0%
Frequency Missing	1,820	

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	92,733	99.0%
In Your Lifetime	462	0.5%
Since School Began	96	0.1%
In the Past Month	388	0.4%
Frequency Missing	2,025	

**Recent Inhalant Use - Gasoline, Octane  
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	91,293	97.1%
In Your Lifetime	1,526	1.6%
Since School Began	356	0.4%
In the Past Month	822	0.9%
Frequency Missing	1,706	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	67,262	71.9%
In Your Lifetime	14,385	15.4%
Since School Began	4,806	5.1%
In the Past Month	7,045	7.5%
Frequency Missing	2,207	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	92,524	98.5%
In Your Lifetime	819	0.9%
Since School Began	168	0.2%
In the Past Month	435	0.5%
Frequency Missing	1,759	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	71,297	76.0%
In Your Lifetime	10,989	11.7%
Since School Began	4,358	4.6%
In the Past Month	7,183	7.7%
Frequency Missing	1,877	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	84,629	90.2%
In Your Lifetime	6,158	6.6%
Since School Began	1,240	1.3%
In the Past Month	1,847	2.0%
Frequency Missing	1,831	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	72,400	77.5%
In Your Lifetime	12,578	13.5%
Since School Began	3,930	4.2%
In the Past Month	4,483	4.8%
Frequency Missing	2,314	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	88,245	94.2%
In Your Lifetime	3,287	3.5%
Since School Began	536	0.6%
In the Past Month	1,632	1.7%
Frequency Missing	2,005	

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	68,522	73.3%
In Your Lifetime	12,005	12.8%
Since School Began	5,050	5.4%
In the Past Month	7,847	8.4%
Frequency Missing	2,281	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	90,998	97.2%
In Your Lifetime	1,823	1.9%
Since School Began	357	0.4%
In the Past Month	448	0.5%
Frequency Missing	2,078	



**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	72,394	77.1%
In Your Lifetime	9,946	10.6%
Since School Began	3,418	3.6%
In the Past Month	8,145	8.7%
Frequency Missing	1,802	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	91,478	97.5%
In Your Lifetime	1,114	1.2%
Since School Began	539	0.6%
In the Past Month	700	0.7%
Frequency Missing	1,874	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	80,797	85.9%
In Your Lifetime	6,011	6.4%
Since School Began	2,230	2.4%
In the Past Month	5,043	5.4%
Frequency Missing	1,623	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	93,615	99.7%
In Your Lifetime	146	0.2%
Since School Began	18	0.0%
In the Past Month	99	0.1%
Frequency Missing	1,826	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	92,683	98.7%
In Your Lifetime	912	1.0%
Since School Began	177	0.2%
In the Past Month	124	0.1%
Frequency Missing	1,809	

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	92,981	99.0%
In Your Lifetime	378	0.4%
Since School Began	186	0.2%
In the Past Month	372	0.4%
Frequency Missing	1,788	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	93,564	99.7%
In Your Lifetime	211	0.2%
Since School Began	21	0.0%
In the Past Month	43	0.0%
Frequency Missing	1,866	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	92,745	98.8%
In Your Lifetime	728	0.8%
Since School Began	275	0.3%
In the Past Month	129	0.1%
Frequency Missing	1,827	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	93,819	99.8%
In Your Lifetime	66	0.1%
Since School Began	13	0.0%
In the Past Month	77	0.1%
Frequency Missing	1,729	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	85,289	91.4%
In Your Lifetime	4,552	4.9%
Since School Began	1,470	1.6%
In the Past Month	1,986	2.1%
Frequency Missing	2,407	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	93,453	99.5%
In Your Lifetime	331	0.4%
Since School Began	68	0.1%
In the Past Month	100	0.1%
Frequency Missing	1,752	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	90,451	97.0%
In Your Lifetime	1,909	2.0%
Since School Began	376	0.4%
In the Past Month	523	0.6%
Frequency Missing	2,446	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	92,300	98.3%
In Your Lifetime	804	0.9%
Since School Began	194	0.2%
In the Past Month	626	0.7%
Frequency Missing	1,780	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	90,229	96.9%
In Your Lifetime	1,957	2.1%
Since School Began	373	0.4%
In the Past Month	541	0.6%
Frequency Missing	2,604	

**Recent Delta 8 Use**

Q16l	Frequency	Percent
Never Heard/Used	88,090	94.1%
In Your Lifetime	2,392	2.6%
Since School Began	1,027	1.1%
In the Past Month	2,084	2.2%
Frequency Missing	2,111	

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	89,376	96.0%
In Your Lifetime	1,977	2.1%
Since School Began	545	0.6%
In the Past Month	1,187	1.3%
Frequency Missing	2,620	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	86,043	92.6%
In Your Lifetime	3,893	4.2%
Since School Began	959	1.0%
In the Past Month	2,065	2.2%
Frequency Missing	2,746	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	91,980	98.6%
1-2 times	833	0.9%
3-10 times	260	0.3%
11+ times	217	0.2%
Frequency Missing	2,415	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	89,917	97.2%
In Your Lifetime	1,512	1.6%
Since School Began	312	0.3%
In the Past Month	725	0.8%
Frequency Missing	3,238	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	85,566	91.5%
1-2 times	3,185	3.4%
3-10 times	1,855	2.0%
11+ times	2,938	3.1%
Frequency Missing	2,161	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	87,166	93.3%
1-2 times	2,529	2.7%
3-10 times	1,090	1.2%
11+ times	2,593	2.8%
Frequency Missing	2,326	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	92,788	99.4%
1-2 times	398	0.4%
3-10 times	116	0.1%
11+ times	26	0.0%
Frequency Missing	2,377	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	74,786	80.1%
1-2 times	11,298	12.1%
3-10 times	4,498	4.8%
11+ times	2,770	3.0%
Frequency Missing	2,353	

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	93,189	99.9%
1-2 times	29	0.0%
3-10 times	10	0.0%
11+ times	56	0.1%
Frequency Missing	2,421	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	72,700	78.1%
A few	12,721	13.7%
Some	4,484	4.8%
Most	2,371	2.5%
All	855	0.9%
Frequency Missing	2,574	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	53,401	57.3%
A few	21,143	22.7%
Some	9,756	10.5%
Most	6,793	7.3%
All	2,028	2.2%
Frequency Missing	2,584	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	87,374	94.1%
A few	3,579	3.9%
Some	1,214	1.3%
Most	387	0.4%
All	273	0.3%
Frequency Missing	2,877	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	65,311	70.3%
A few	14,061	15.1%
Some	6,892	7.4%
Most	4,901	5.3%
All	1,712	1.8%
Frequency Missing	2,828	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	82,024	88.1%
8 or younger	870	0.9%
9 years old	619	0.7%
10 years old	847	0.9%
11 years old	799	0.9%
12 years old	1,517	1.6%
13 years old	1,316	1.4%
14 years old	1,842	2.0%
15 years old	1,480	1.6%
16 years old	1,222	1.3%
17 years old	383	0.4%
18 or older	191	0.2%
Frequency Missing	2,595	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	59,663	64.2%
8 or younger	3,573	3.8%
9 years old	1,353	1.5%
10 years old	2,006	2.2%
11 years old	2,494	2.7%
12 years old	3,955	4.3%
13 years old	5,646	6.1%
14 years old	4,668	5.0%
15 years old	4,427	4.8%
16 years old	3,129	3.4%
17 years old	1,606	1.7%
18 or older	353	0.4%
Frequency Missing	2,829	

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	89,835	96.9%
8 or younger	404	0.4%
9 years old	165	0.2%
10 years old	385	0.4%
11 years old	408	0.4%
12 years old	611	0.7%
13 years old	219	0.2%
14 years old	280	0.3%
15 years old	186	0.2%
16 years old	175	0.2%
17 years old	38	0.0%
18 or older	26	0.0%
Frequency Missing	2,973	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	80,112	86.2%
8 or younger	147	0.2%
9 years old	175	0.2%
10 years old	348	0.4%
11 years old	451	0.5%
12 years old	1,497	1.6%
13 years old	2,025	2.2%
14 years old	2,588	2.8%
15 years old	2,495	2.7%
16 years old	1,782	1.9%
17 years old	1,021	1.1%
18 or older	300	0.3%
Frequency Missing	2,762	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	91,927	98.9%
8 or younger	14	0.0%
9 years old	18	0.0%
10 years old	37	0.0%
11 years old	28	0.0%
12 years old	54	0.1%
13 years old	201	0.2%
14 years old	232	0.2%
15 years old	140	0.2%
16 years old	224	0.2%
17 years old	119	0.1%
18 or older	0	0.0%
Frequency Missing	2,711	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	91,736	98.8%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	37	0.0%
11 years old	0	0.0%
12 years old	56	0.1%
13 years old	88	0.1%
14 years old	220	0.2%
15 years old	321	0.3%
16 years old	220	0.2%
17 years old	112	0.1%
18 or older	26	0.0%
Frequency Missing	2,889	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	92,906	99.8%
8 or younger	48	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	26	0.0%
13 years old	18	0.0%
14 years old	19	0.0%
15 years old	0	0.0%
16 years old	29	0.0%
17 years old	0	0.0%
Frequency Missing	2,658	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	92,828	99.9%
8 or younger	13	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	24	0.0%
12 years old	10	0.0%
13 years old	39	0.0%
14 years old	0	0.0%
15 years old	32	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	2,757	

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	92,173	99.0%
8 or younger	18	0.0%
9 years old	50	0.1%
10 years old	127	0.1%
11 years old	48	0.1%
12 years old	100	0.1%
13 years old	115	0.1%
14 years old	203	0.2%
15 years old	135	0.1%
16 years old	89	0.1%
17 years old	51	0.1%
18 or older	27	0.0%
Frequency Missing	2,569	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	92,752	99.6%
8 or younger	18	0.0%
9 years old	30	0.0%
10 years old	0	0.0%
11 years old	21	0.0%
12 years old	10	0.0%
13 years old	54	0.1%
14 years old	68	0.1%
15 years old	27	0.0%
16 years old	75	0.1%
17 years old	24	0.0%
Frequency Missing	2,625	

**Age When First Used Synthetic Marijuana**

Q21l	Frequency	Percent
Never used it	91,679	98.6%
8 or younger	35	0.0%
9 years old	30	0.0%
10 years old	45	0.0%
11 years old	82	0.1%
12 years old	54	0.1%
13 years old	297	0.3%
14 years old	218	0.2%
15 years old	179	0.2%
16 years old	273	0.3%
17 years old	134	0.1%
18 or older	0	0.0%
Frequency Missing	2,677	

**Age When First Used Delta 8**

Q21m	Frequency	Percent
Never used it	87,706	94.3%
8 or younger	44	0.0%
9 years old	69	0.1%
10 years old	98	0.1%
11 years old	110	0.1%
12 years old	192	0.2%
13 years old	697	0.7%
14 years old	650	0.7%
15 years old	1,117	1.2%
16 years old	1,200	1.3%
17 years old	1,053	1.1%
18 or older	113	0.1%
Frequency Missing	2,653	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	31,057	33.7%
Impossible	22,708	24.6%
Very Difficult	6,936	7.5%
Somewhat diff	8,321	9.0%
Somewhat easy	10,666	11.6%
Very easy	12,562	13.6%
Frequency Missing	3,454	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	25,171	27.3%
Impossible	15,485	16.8%
Very Difficult	5,948	6.5%
Somewhat diff	9,864	10.7%
Somewhat easy	14,609	15.9%
Very easy	21,025	22.8%
Frequency Missing	3,603	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	40,347	43.9%
Impossible	19,910	21.7%
Very Difficult	3,854	4.2%
Somewhat diff	4,321	4.7%
Somewhat easy	7,110	7.7%
Very easy	16,394	17.8%
Frequency Missing	3,769	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	31,457	34.1%
Impossible	24,907	27.0%
Very Difficult	6,998	7.6%
Somewhat diff	7,669	8.3%
Somewhat easy	9,104	9.9%
Very easy	12,031	13.1%
Frequency Missing	3,539	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	38,839	42.2%
Impossible	35,089	38.1%
Very Difficult	8,693	9.4%
Somewhat diff	4,792	5.2%
Somewhat easy	2,189	2.4%
Very easy	2,494	2.7%
Frequency Missing	3,608	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	39,795	43.1%
Impossible	35,600	38.6%
Very Difficult	8,922	9.7%
Somewhat diff	3,957	4.3%
Somewhat easy	1,755	1.9%
Very easy	2,199	2.4%
Frequency Missing	3,477	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	45,465	49.3%
Impossible	32,871	35.7%
Very Difficult	7,232	7.8%
Somewhat diff	2,915	3.2%
Somewhat easy	1,821	2.0%
Very easy	1,869	2.0%
Frequency Missing	3,531	

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	41,666	45.3%
Impossible	32,345	35.1%
Very Difficult	8,341	9.1%
Somewhat diff	4,593	5.0%
Somewhat easy	2,485	2.7%
Very easy	2,640	2.9%
Frequency Missing	3,634	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	47,945	52.1%
Impossible	28,845	31.3%
Very Difficult	5,757	6.3%
Somewhat diff	3,427	3.7%
Somewhat easy	2,654	2.9%
Very easy	3,427	3.7%
Frequency Missing	3,649	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	47,685	51.8%
Impossible	30,256	32.9%
Very Difficult	6,759	7.3%
Somewhat diff	3,192	3.5%
Somewhat easy	1,976	2.1%
Very easy	2,133	2.3%
Frequency Missing	3,703	

**Difficult to Get Delta 8**

Q22m	Frequency	Percent
Never heard of	46,730	50.9%
Impossible	25,932	28.3%
Very Difficult	5,156	5.6%
Somewhat diff	3,571	3.9%
Somewhat easy	3,973	4.3%
Very easy	6,431	7.0%
Frequency Missing	3,910	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	43,798	47.7%
Impossible	34,593	37.6%
Very Difficult	7,650	8.3%
Somewhat diff	2,459	2.7%
Somewhat easy	1,539	1.7%
Very easy	1,862	2.0%
Frequency Missing	3,803	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	2,397	2.6%
Several times/wk	760	0.8%
Several times/mo	705	0.8%
About once/month	1,382	1.5%
About once/year	1,400	1.5%
Less than once/year	2,856	3.1%
Never used	82,804	89.7%
Frequency Missing	3,401	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	101	0.1%
Several times/wk	1,141	1.2%
Several times/mo	3,708	4.0%
About once/month	7,902	8.6%
About once/year	8,715	9.5%
Less than once/year	7,519	8.2%
Never used	63,128	68.5%
Frequency Missing	3,490	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	68	0.1%
Several times/mo	42	0.0%
About once/month	140	0.2%
About once/year	165	0.2%
Less than once/year	467	0.5%
Never used	91,235	99.0%
Frequency Missing	3,589	

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	81	0.1%
Several times/wk	26	0.0%
Several times/mo	272	0.3%
About once/month	396	0.4%
About once/year	656	0.7%
Less than once/year	915	1.0%
Never used	89,497	97.4%
Frequency Missing	3,860	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	30	0.0%
Several times/mo	0	0.0%
About once/month	10	0.0%
About once/year	19	0.0%
Less than once/year	30	0.0%
Never used	92,148	99.9%
Frequency Missing	3,469	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	1,658	1.8%
Several times/wk	1,194	1.3%
Several times/mo	1,384	1.5%
About once/month	1,966	2.1%
About once/year	2,325	2.5%
Less than once/year	2,961	3.2%
Never used	80,705	87.5%
Frequency Missing	3,511	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	201	0.2%
Several times/wk	31	0.0%
Several times/mo	27	0.0%
About once/month	85	0.1%
About once/year	101	0.1%
Less than once/year	175	0.2%
Never used	91,567	99.3%
Frequency Missing	3,517	



**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	17	0.0%
Several times/mo	22	0.0%
About once/month	64	0.1%
About once/year	253	0.3%
Less than once/year	626	0.7%
Never used	91,115	98.9%
Frequency Missing	3,607	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	29	0.0%
Several times/wk	304	0.3%
Several times/mo	95	0.1%
About once/month	277	0.3%
About once/year	100	0.1%
Less than once/year	366	0.4%
Never used	90,834	98.7%
Frequency Missing	3,700	

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	10	0.0%
About once/month	26	0.0%
About once/year	0	0.0%
Less than once/year	37	0.0%
Never used	92,118	99.9%
Frequency Missing	3,513	

**How Often Normally Use Delta 8**

Q23m	Frequency	Percent
Every day	345	0.4%
Several times/wk	609	0.7%
Several times/mo	679	0.7%
About once/month	1,352	1.5%
About once/year	915	1.0%
Less than once/year	837	0.9%
Never used	86,787	94.8%
Frequency Missing	4,179	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	12	0.0%
Several times/wk	0	0.0%
Several times/mo	55	0.1%
About once/month	12	0.0%
About once/year	0	0.0%
Less than once/year	92	0.1%
Never used	91,976	99.8%
Frequency Missing	3,558	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	66,244	71.9%
12+ drinks	1,268	1.4%
9-11 drinks	1,089	1.2%
5-8 drinks	2,224	2.4%
3-4 drinks	3,491	3.8%
2 drinks	2,966	3.2%
1 drink	5,356	5.8%
Less than 1 drink	9,460	10.3%
Frequency Missing	3,606	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	68,468	74.4%
12+ drinks	1,047	1.1%
9-11 drinks	935	1.0%
5-8 drinks	2,744	3.0%
3-4 drinks	4,071	4.4%
2 drinks	3,659	4.0%
1 drink	4,690	5.1%
Less than 1 drink	6,370	6.9%
Frequency Missing	3,721	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	50,970	56.1%
0 days	32,049	35.3%
1 day	2,891	3.2%
2 days	1,684	1.9%
3 to 5 days	1,575	1.7%
6 to 9 days	594	0.7%
10 or more days	1,097	1.2%
Frequency Missing	4,845	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	70,980	77.3%
12+ drinks	639	0.7%
9-11 drinks	282	0.3%
5-8 drinks	762	0.8%
3-4 drinks	2,017	2.2%
2 drinks	3,047	3.3%
1 drink	4,591	5.0%
Less than 1 drink	9,502	10.3%
Frequency Missing	3,885	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	60,082	65.4%
Never	12,483	13.6%
Seldom	13,040	14.2%
Most of the Time	4,241	4.6%
Always	1,997	2.2%
Frequency Missing	3,859	

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	66,704	72.6%
12+ drinks	1,546	1.7%
9-11 drinks	1,091	1.2%
5-8 drinks	2,789	3.0%
3-4 drinks	4,436	4.8%
2 drinks	3,569	3.9%
1 drink	4,134	4.5%
Less than 1 drink	7,589	8.3%
Frequency Missing	3,848	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	61,990	67.7%
Never	14,655	16.0%
Seldom	8,238	9.0%
Most of the Time	5,217	5.7%
Always	1,453	1.6%
Frequency Missing	4,151	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	64,689	70.6%
Never	21,346	23.3%
Seldom	2,775	3.0%
Most of the Time	1,821	2.0%
Always	937	1.0%
Frequency Missing	4,136	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	61,223	66.6%
Never	13,571	14.8%
Seldom	7,672	8.3%
Most of the Time	5,819	6.3%
Always	3,644	4.0%
Frequency Missing	3,775	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	67,068	73.3%
Somewhat	11,891	13.0%
Not very	3,915	4.3%
Not at all	1,075	1.2%
Don't know	7,590	8.3%
Frequency Missing	4,165	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	64,698	70.8%
Never	16,833	18.4%
Seldom	5,224	5.7%
Most of the Time	2,912	3.2%
Always	1,651	1.8%
Frequency Missing	4,387	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	55,704	60.6%
Somewhat	12,267	13.4%
Not very	10,811	11.8%
Not at all	7,615	8.3%
Don't know	5,451	5.9%
Frequency Missing	3,857	

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	57,466	62.5%
Somewhat	21,510	23.4%
Not very	5,908	6.4%
Not at all	1,704	1.9%
Don't know	5,397	5.9%
Frequency Missing	3,719	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	80,592	87.8%
Somewhat	4,656	5.1%
Not very	415	0.5%
Not at all	451	0.5%
Don't know	5,669	6.2%
Frequency Missing	3,921	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	46,038	50.1%
Somewhat	26,769	29.1%
Not very	12,108	13.2%
Not at all	2,410	2.6%
Don't know	4,510	4.9%
Frequency Missing	3,870	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	81,364	88.6%
Somewhat	3,587	3.9%
Not very	360	0.4%
Not at all	406	0.4%
Don't know	6,152	6.7%
Frequency Missing	3,834	

**Dangerous for Kids to Use Ecstasy**

Q27h	Frequency	Percent
Very	74,297	81.0%
Somewhat	5,197	5.7%
Not very	1,072	1.2%
Not at all	525	0.6%
Don't know	10,672	11.6%
Frequency Missing	3,942	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27l	Frequency	Percent
Very	72,713	79.2%
Somewhat	5,982	6.5%
Not very	2,182	2.4%
Not at all	1,215	1.3%
Don't know	9,738	10.6%
Frequency Missing	3,875	

**Dangerous for Kids to Use Steroids**

Q27i	Frequency	Percent
Very	69,801	76.0%
Somewhat	10,369	11.3%
Not very	2,694	2.9%
Not at all	964	1.0%
Don't know	7,986	8.7%
Frequency Missing	3,890	

**Dangerous for Kids to Use Delta 8**

Q27m	Frequency	Percent
Very	66,096	72.1%
Somewhat	7,389	8.1%
Not very	4,761	5.2%
Not at all	3,203	3.5%
Don't know	10,254	11.2%
Frequency Missing	4,003	

**Dangerous for Kids to Use Heroin**

Q27j	Frequency	Percent
Very	79,880	87.1%
Somewhat	3,343	3.6%
Not very	294	0.3%
Not at all	448	0.5%
Don't know	7,694	8.4%
Frequency Missing	4,045	

**Dangerous for Kids to Use Any Prescription**

Q27n	Frequency	Percent
Very	69,326	75.7%
Somewhat	10,046	11.0%
Not very	3,442	3.8%
Not at all	1,291	1.4%
Don't know	7,519	8.2%
Frequency Missing	4,081	

**Dangerous for Kids to Use Methamphetamine**

Q27k	Frequency	Percent
Very	79,805	87.0%
Somewhat	3,201	3.5%
Not very	321	0.3%
Not at all	540	0.6%
Don't know	7,912	8.6%
Frequency Missing	3,927	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27o	Frequency	Percent
Very	57,908	63.0%
Somewhat	16,258	17.7%
Not very	8,391	9.1%
Not at all	3,948	4.3%
Don't know	5,443	5.9%
Frequency Missing	3,757	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	66,043	73.1%
1-3 days	16,917	18.7%
4-9 days	4,228	4.7%
10+ days	3,146	3.5%
Frequency Missing	5,369	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	80,987	89.8%
1-3 days	7,506	8.3%
4-9 days	951	1.1%
10+ days	729	0.8%
Frequency Missing	5,531	

**Days Ill Since September**

Q28b	Frequency	Percent
None	23,357	25.8%
1-3 days	40,365	44.7%
4-9 days	17,968	19.9%
10+ days	8,671	9.6%
Frequency Missing	5,343	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	87,478	96.8%
1-3 times	2,192	2.4%
4-9 times	511	0.6%
10+ times	182	0.2%
Frequency Missing	5,341	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	29,258	32.6%
1-3 days	45,457	50.7%
4-9 days	9,647	10.8%
10+ days	5,251	5.9%
Frequency Missing	6,092	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	88,552	98.0%
1-3 times	1,298	1.4%
4-9 times	216	0.2%
10+ times	276	0.3%
Frequency Missing	5,362	

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	77,829	86.2%
1-3 days	9,662	10.7%
4-9 days	1,973	2.2%
10+ days	842	0.9%
Frequency Missing	5,398	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	87,894	97.4%
1-3 times	1,876	2.1%
4-9 times	323	0.4%
10+ times	191	0.2%
Frequency Missing	5,420	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	87,510	97.1%
1-3 times	1,557	1.7%
4-9 times	317	0.4%
10+ times	780	0.9%
Frequency Missing	5,540	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	87,015	96.4%
1-3 days	2,321	2.6%
4-9 days	673	0.7%
10+ days	234	0.3%
Frequency Missing	5,462	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	51,898	57.5%
Seldom	5,353	5.9%
Half the time	3,634	4.0%
Most of the Time	5,724	6.3%
Always	6,660	7.4%
Don't Know	1,452	1.6%
Didn't attend	15,506	17.2%
Frequency Missing	5,477	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	84,916	94.1%
1-3 days	2,528	2.8%
4-9 days	882	1.0%
10+ days	1,870	2.1%
Frequency Missing	5,508	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	60,838	67.5%
Seldom	3,950	4.4%
Half the time	1,958	2.2%
Most of the Time	2,998	3.3%
Always	3,460	3.8%
Don't Know	1,466	1.6%
Didn't attend	15,409	17.1%
Frequency Missing	5,625	

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	89,140	98.8%
1-3 days	549	0.6%
4-9 days	280	0.3%
10+ days	256	0.3%
Frequency Missing	5,480	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	82,335	94.4%
Yes	4,862	5.6%
Frequency Missing	8,507	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	88,093	97.8%
1-3 days	1,129	1.3%
4-9 days	337	0.4%
10+ days	470	0.5%
Frequency Missing	5,674	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	59,212	67.5%
Yes	28,491	32.5%
Frequency Missing	8,001	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	68,898	78.9%
Yes	18,395	21.1%
Frequency Missing	8,410	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	37,474	42.6%
Yes	50,576	57.4%
Frequency Missing	7,655	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	53,119	60.7%
Yes	34,450	39.3%
Frequency Missing	8,135	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	53,512	61.0%
Yes	34,243	39.0%
Frequency Missing	7,949	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	29,143	32.9%
Yes	59,484	67.1%
Frequency Missing	7,077	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	64,127	75.4%
Yes	20,928	24.6%
Frequency Missing	10,649	

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	39,007	44.5%
Yes	48,561	55.5%
Frequency Missing	8,136	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	52,119	59.3%
Yes	35,755	40.7%
Frequency Missing	7,830	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	32,623	37.1%
Yes	55,192	62.9%
Frequency Missing	7,890	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	52,145	59.3%
Yes	35,816	40.7%
Frequency Missing	7,743	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	65,082	74.3%
Yes	22,528	25.7%
Frequency Missing	8,095	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	64,019	73.5%
Yes	23,055	26.5%
Frequency Missing	8,630	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	72,666	83.3%
Yes	14,598	16.7%
Frequency Missing	8,440	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	67,579	75.2%
Mild disapprove	7,228	8.0%
Neither	6,397	7.1%
Mildly approve	849	0.9%
Strongly approve	801	0.9%
Don't know	7,024	7.8%
Frequency Missing	5,826	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	63,924	73.2%
Yes	23,372	26.8%
Frequency Missing	8,408	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	50,682	56.4%
Mild disapprove	13,026	14.5%
Neither	13,613	15.1%
Mildly approve	4,583	5.1%
Strongly approve	1,133	1.3%
Don't know	6,876	7.6%
Frequency Missing	5,792	

**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	76,288	87.7%
Yes	10,687	12.3%
Frequency Missing	8,730	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	66,278	73.8%
Mild disapprove	6,712	7.5%
Neither	6,764	7.5%
Mildly approve	1,981	2.2%
Strongly approve	1,171	1.3%
Don't know	6,932	7.7%
Frequency Missing	5,867	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	62,793	71.8%
Yes	24,623	28.2%
Frequency Missing	8,288	



## Appendix: Reporting Methods for Prevalence & Recency of Use

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, &amp; electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Delta 8</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
<b>Question</b>	<b>Updating Rule</b>
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.



## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

