
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2022



HHSC REGION 6 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	110

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 6. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	11.5%	14.4%	23.3%	76.7%
Grade 7	5.0%	6.5%	13.2%	86.8%
Grade 8	7.3%	8.6%	14.5%	85.5%
Grade 9	8.8%	12.8%	25.1%	74.9%
Grade 10	12.5%	15.2%	24.6%	75.4%
Grade 11	16.1%	21.5%	31.5%	68.5%
Grade 12	20.1%	23.0%	33.0%	67.0%
Cigarettes?				
All	1.6%	3.0%	8.5%	91.5%
Grade 7	0.8%	1.4%	4.2%	95.8%
Grade 8	0.6%	1.4%	3.9%	96.1%
Grade 9	1.9%	2.5%	8.4%	91.6%
Grade 10	1.6%	2.8%	9.1%	90.9%
Grade 11	1.7%	3.7%	11.5%	88.5%
Grade 12	3.1%	6.4%	14.9%	85.1%
Smokeless Tobacco?				
All	1.5%	2.2%	4.7%	95.3%
Grade 7	0.4%	1.4%	1.7%	98.3%
Grade 8	1.0%	1.1%	2.6%	97.4%
Grade 9	0.7%	0.7%	4.6%	95.4%
Grade 10	1.8%	3.0%	5.4%	94.6%
Grade 11	2.4%	3.0%	6.0%	94.0%
Grade 12	3.0%	4.2%	8.2%	91.8%
Electronic Vapor Products?				
All	9.0%	12.3%	20.6%	79.4%
Grade 7	3.8%	5.1%	9.5%	90.5%
Grade 8	5.5%	7.2%	13.3%	86.7%
Grade 9	6.4%	11.4%	21.1%	78.9%
Grade 10	9.4%	12.2%	21.8%	78.2%
Grade 11	12.6%	18.7%	28.8%	71.2%
Grade 12	17.1%	20.4%	30.9%	69.1%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	92.1%	1.3%	0.8%	1.1%	1.0%	1.3%	2.4%
Grade 7	96.7%	0.2%	0.3%	0.9%	0.4%	0.3%	1.2%
Grade 8	96.5%	0.2%	0.1%	0.6%	1.0%	0.7%	0.9%
Grade 9	92.6%	0.9%	0.3%	1.2%	0.7%	1.1%	3.2%
Grade 10	92.1%	0.6%	0.7%	1.7%	0.6%	2.2%	2.1%
Grade 11	88.3%	2.2%	1.4%	1.0%	2.0%	1.8%	3.3%
Grade 12	84.9%	4.2%	2.1%	1.3%	1.7%	1.9%	4.0%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.1	10.7	11.3	11.9	13.5	13.8	14.1

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	41.2%	19.7%	7.2%	8.7%	11.6%	11.6%
Grade 7	47.0%	30.2%	8.0%	5.8%	6.9%	2.2%
Grade 8	45.1%	25.3%	8.7%	9.2%	7.3%	4.3%
Grade 9	38.6%	23.2%	6.0%	10.2%	11.6%	10.3%
Grade 10	44.4%	14.1%	5.5%	10.0%	14.8%	11.3%
Grade 11	36.3%	14.2%	7.3%	9.2%	13.5%	19.4%
Grade 12	33.9%	10.0%	7.7%	8.2%	16.5%	23.8%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	82.9%	10.7%	3.5%	2.2%	0.7%
Grade 7	90.6%	6.4%	2.1%	0.8%	0.1%
Grade 8	87.7%	8.5%	2.8%	1.0%	0.0%
Grade 9	83.2%	11.1%	3.2%	1.7%	0.8%
Grade 10	82.6%	12.0%	3.2%	1.3%	1.0%
Grade 11	76.9%	12.7%	5.2%	4.2%	1.0%
Grade 12	75.2%	13.9%	4.8%	4.5%	1.6%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	74.8%	7.4%	5.3%	0.7%	0.8%	11.1%
Grade 7	75.2%	5.0%	3.1%	0.7%	0.8%	15.1%
Grade 8	80.8%	5.9%	3.1%	0.3%	0.4%	9.5%
Grade 9	75.9%	5.2%	6.6%	0.5%	2.1%	9.7%
Grade 10	73.3%	6.5%	6.5%	1.2%	1.0%	11.5%
Grade 11	73.0%	10.0%	7.2%	0.5%	0.3%	9.0%
Grade 12	69.5%	12.1%	5.7%	0.9%	0.3%	11.5%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	63.6%	21.5%	6.5%	1.5%	6.9%
	Grade 7	73.6%	13.8%	5.0%	0.9%	6.8%
	Grade 8	69.5%	16.8%	4.7%	1.5%	7.5%
	Grade 9	61.9%	26.0%	7.1%	0.9%	4.1%
	Grade 10	61.0%	23.7%	5.3%	1.8%	8.2%
	Grade 11	57.4%	26.0%	8.0%	2.6%	6.0%
	Grade 12	56.3%	24.7%	9.4%	1.2%	8.5%
Electronic Vapor Products?						
	All	59.7%	19.2%	9.7%	3.8%	7.6%
	Grade 7	70.5%	10.1%	6.8%	3.4%	9.1%
	Grade 8	64.0%	16.2%	9.0%	3.7%	7.0%
	Grade 9	55.1%	26.7%	9.1%	4.2%	4.9%
	Grade 10	57.7%	20.1%	10.8%	3.9%	7.4%
	Grade 11	53.4%	24.3%	11.4%	3.7%	7.3%
	Grade 12	55.5%	19.9%	11.0%	3.9%	9.6%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	24.9%	28.8%	43.9%	56.1%
Grade 7	15.6%	17.8%	38.4%	61.6%
Grade 8	15.6%	18.6%	35.0%	65.0%
Grade 9	22.6%	26.0%	39.7%	60.3%
Grade 10	26.0%	29.3%	41.8%	58.2%
Grade 11	34.7%	40.2%	54.2%	45.8%
Grade 12	36.2%	42.5%	55.1%	44.9%
Beer?				
All	8.6%	12.9%	31.8%	68.2%
Grade 7	3.3%	5.7%	26.3%	73.7%
Grade 8	4.4%	7.2%	25.7%	74.3%
Grade 9	6.7%	8.9%	29.2%	70.8%
Grade 10	9.8%	12.0%	29.0%	71.0%
Grade 11	12.0%	20.9%	40.7%	59.3%
Grade 12	16.0%	23.3%	40.5%	59.5%
Wine Coolers?				
All	7.8%	12.2%	25.9%	74.1%
Grade 7	2.6%	4.6%	13.8%	86.2%
Grade 8	3.1%	5.9%	17.8%	82.2%
Grade 9	4.0%	5.9%	24.2%	75.8%
Grade 10	9.5%	12.8%	26.2%	73.8%
Grade 11	12.2%	19.7%	36.7%	63.3%
Grade 12	15.6%	25.1%	38.0%	62.0%
Wine?				
All	5.4%	9.2%	26.8%	73.2%
Grade 7	1.9%	2.9%	20.8%	79.2%
Grade 8	2.8%	6.5%	20.0%	80.0%
Grade 9	3.4%	5.3%	23.2%	76.8%
Grade 10	6.5%	8.5%	25.9%	74.1%
Grade 11	9.2%	16.1%	36.7%	63.3%
Grade 12	8.9%	16.0%	34.7%	65.3%
Liquor?				
All	10.1%	14.9%	29.7%	70.3%
Grade 7	2.8%	4.7%	16.3%	83.7%
Grade 8	4.1%	7.8%	19.4%	80.6%
Grade 9	6.5%	9.1%	26.0%	74.0%
Grade 10	11.4%	15.2%	30.7%	69.3%
Grade 11	15.9%	23.5%	41.5%	58.5%
Grade 12	20.6%	30.0%	45.8%	54.2%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	69.1%	0.1%	1.5%	4.6%	9.0%	7.9%	7.8%
Grade 7	79.7%	0.0%	1.1%	1.8%	3.6%	5.8%	8.0%
Grade 8	78.6%	0.0%	0.2%	2.3%	6.0%	5.9%	6.9%
Grade 9	72.6%	0.4%	1.4%	3.1%	6.3%	7.4%	8.8%
Grade 10	70.6%	0.1%	1.6%	4.7%	9.0%	7.8%	6.3%
Grade 11	57.2%	0.1%	2.5%	6.8%	14.9%	8.9%	9.6%
Grade 12	54.0%	0.3%	2.2%	9.5%	14.5%	12.2%	7.2%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	73.0%	27.0%	5.0%	13.3%	8.7%
	Grade 7	78.0%	22.0%	1.4%	8.1%	12.5%
	Grade 8	79.0%	21.0%	1.9%	9.7%	9.5%
	Grade 9	76.2%	23.8%	3.3%	12.0%	8.5%
	Grade 10	75.1%	24.9%	5.4%	14.1%	5.4%
	Grade 11	63.4%	36.6%	7.7%	20.8%	8.0%
	Grade 12	65.5%	34.5%	11.0%	15.5%	7.9%
Wine Coolers	All	77.6%	22.4%	4.3%	13.5%	4.7%
	Grade 7	89.3%	10.7%	1.3%	4.9%	4.6%
	Grade 8	84.3%	15.7%	1.6%	9.4%	4.7%
	Grade 9	80.8%	19.2%	1.7%	11.0%	6.4%
	Grade 10	76.8%	23.2%	4.1%	14.2%	4.9%
	Grade 11	67.5%	32.5%	6.4%	22.1%	3.9%
	Grade 12	65.1%	34.9%	11.3%	20.0%	3.7%
Wine	All	77.8%	22.2%	1.5%	11.9%	8.8%
	Grade 7	82.6%	17.4%	1.0%	6.5%	9.9%
	Grade 8	83.0%	17.0%	0.5%	8.6%	8.0%
	Grade 9	80.6%	19.4%	0.4%	10.3%	8.7%
	Grade 10	78.7%	21.3%	1.6%	11.2%	8.5%
	Grade 11	69.6%	30.4%	2.4%	18.9%	9.1%
	Grade 12	71.9%	28.1%	2.9%	16.3%	8.9%
Liquor	All	73.0%	27.0%	6.3%	13.5%	7.2%
	Grade 7	85.9%	14.1%	1.6%	5.7%	6.8%
	Grade 8	82.7%	17.3%	1.9%	8.0%	7.5%
	Grade 9	77.3%	22.7%	4.0%	11.6%	7.0%
	Grade 10	72.0%	28.0%	7.1%	13.6%	7.2%
	Grade 11	61.4%	38.6%	10.4%	21.0%	7.1%
	Grade 12	56.3%	43.7%	14.0%	22.2%	7.5%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	91.0%	2.9%	2.3%	1.8%	1.0%	1.0%
Grade 7	97.3%	0.4%	0.8%	0.4%	0.4%	0.7%
Grade 8	96.0%	2.2%	1.1%	0.7%	0.0%	0.0%
Grade 9	92.0%	2.7%	2.4%	1.7%	0.7%	0.4%
Grade 10	91.7%	2.0%	1.9%	2.0%	1.5%	0.9%
Grade 11	86.2%	4.8%	3.2%	2.4%	1.5%	2.0%
Grade 12	81.4%	5.6%	5.2%	4.0%	1.9%	1.9%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.0	10.1	11.1	12.6	13.1	13.9	14.9

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	34.2%	12.7%	5.7%	9.1%	16.1%	22.3%
Grade 7	40.9%	20.2%	6.1%	8.9%	14.6%	9.4%
Grade 8	38.5%	16.6%	6.9%	10.6%	12.1%	15.3%
Grade 9	30.9%	14.6%	6.6%	11.7%	14.9%	21.2%
Grade 10	36.8%	9.1%	5.2%	7.7%	16.5%	24.7%
Grade 11	29.5%	8.3%	4.6%	7.4%	19.3%	30.9%
Grade 12	26.6%	6.5%	4.5%	8.6%	19.7%	34.1%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.7%	2.4%	0.5%	0.4%
Grade 7	97.3%	1.9%	0.2%	0.6%
Grade 8	97.8%	1.6%	0.4%	0.2%
Grade 9	96.1%	2.5%	1.1%	0.2%
Grade 10	96.2%	3.2%	0.1%	0.4%
Grade 11	95.7%	3.3%	0.5%	0.5%
Grade 12	96.9%	1.9%	0.6%	0.5%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.6
Alcohol Non-Users	4.2
Average Days Conduct Problems Reported	
Alcohol Users	2.7
Alcohol Non-Users	0.9

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.6%	2.4%	0.7%	0.3%
Grade 9	97.4%	2.1%	0.5%	0.0%
Grade 10	98.4%	1.2%	0.4%	0.1%
Grade 11	96.2%	2.1%	0.9%	0.7%
Grade 12	94.2%	4.4%	0.9%	0.5%
 Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	97.2%	2.2%	0.4%	0.2%
Grade 7	97.3%	1.5%	0.7%	0.6%
Grade 8	98.3%	1.4%	0.2%	0.1%
Grade 9	98.1%	1.5%	0.5%	0.0%
Grade 10	96.6%	2.8%	0.0%	0.5%
Grade 11	97.3%	1.7%	0.8%	0.2%
Grade 12	95.1%	4.8%	0.1%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	61.6%	18.0%	9.8%	7.9%	2.7%
Grade 7	79.4%	13.5%	4.7%	1.9%	0.6%
Grade 8	71.8%	17.1%	7.5%	3.5%	0.2%
Grade 9	60.9%	23.3%	8.5%	6.1%	1.2%
Grade 10	59.6%	18.8%	9.8%	8.4%	3.2%
Grade 11	47.4%	19.6%	16.0%	11.6%	5.4%
Grade 12	48.4%	16.3%	12.6%	16.6%	6.0%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	57.9%	5.0%	4.3%	7.6%	8.3%	1.9%	15.1%
Grade 7	67.5%	5.3%	4.0%	4.8%	3.3%	1.8%	13.4%
Grade 8	68.3%	4.3%	3.6%	4.5%	3.9%	2.3%	13.1%
Grade 9	58.3%	4.5%	4.7%	5.8%	6.3%	1.8%	18.7%
Grade 10	56.7%	4.5%	4.0%	9.2%	8.3%	2.1%	15.3%
Grade 11	47.7%	4.5%	5.1%	10.9%	12.9%	1.9%	17.1%
Grade 12	46.0%	7.0%	4.9%	10.6%	16.5%	1.2%	13.8%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	66.6%	13.7%	12.4%	5.0%	2.3%
	Grade 7	71.4%	13.9%	10.0%	3.0%	1.6%
	Grade 8	73.1%	13.1%	8.6%	4.4%	0.8%
	Grade 9	70.0%	15.0%	10.3%	2.6%	2.0%
	Grade 10	68.9%	13.3%	10.7%	5.2%	1.9%
	Grade 11	59.0%	14.2%	17.0%	6.3%	3.4%
	Grade 12	55.8%	13.1%	18.2%	8.7%	4.2%
Friends?						
	All	68.0%	15.1%	8.5%	6.3%	2.2%
	Grade 7	76.6%	17.4%	3.6%	1.6%	0.8%
	Grade 8	76.4%	15.6%	5.8%	2.1%	0.2%
	Grade 9	69.3%	16.5%	8.5%	4.6%	1.1%
	Grade 10	69.8%	12.3%	7.6%	7.3%	3.0%
	Grade 11	59.1%	14.6%	12.8%	9.1%	4.4%
	Grade 12	54.2%	14.3%	13.8%	14.0%	3.7%
A Store?						
	All	70.5%	22.2%	3.1%	3.2%	1.1%
	Grade 7	77.0%	20.7%	0.7%	1.0%	0.6%
	Grade 8	78.7%	19.5%	1.0%	0.8%	0.0%
	Grade 9	74.3%	22.7%	2.0%	1.0%	0.0%
	Grade 10	71.2%	21.2%	3.7%	3.5%	0.4%
	Grade 11	61.7%	25.6%	4.3%	5.7%	2.6%
	Grade 12	58.3%	24.2%	7.2%	7.3%	3.0%
Parties?						
	All	65.6%	13.4%	8.3%	7.5%	5.2%
	Grade 7	72.6%	16.6%	6.7%	3.2%	1.0%
	Grade 8	74.9%	12.7%	6.2%	4.5%	1.7%
	Grade 9	69.6%	13.6%	7.3%	5.9%	3.6%
	Grade 10	65.4%	11.9%	8.0%	8.6%	6.2%
	Grade 11	55.9%	13.2%	10.6%	10.9%	9.4%
	Grade 12	53.5%	12.4%	11.4%	12.5%	10.2%
Other Sources?						
	All	71.4%	18.7%	5.5%	2.6%	1.8%
	Grade 7	77.1%	16.7%	3.4%	1.8%	0.9%
	Grade 8	78.3%	15.5%	4.2%	1.9%	0.0%
	Grade 9	74.0%	17.9%	5.2%	2.2%	0.7%
	Grade 10	72.3%	17.4%	4.8%	2.5%	3.0%
	Grade 11	62.8%	22.4%	8.1%	2.9%	3.8%
	Grade 12	62.6%	22.9%	7.2%	4.8%	2.5%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	55.1%	13.7%	14.7%	5.2%	1.0%	10.3%
Grade 7	62.1%	11.3%	8.7%	2.5%	1.0%	14.4%
Grade 8	66.9%	11.5%	9.5%	2.5%	0.1%	9.4%
Grade 9	55.9%	11.8%	16.5%	4.5%	2.0%	9.3%
Grade 10	54.0%	13.6%	13.4%	6.9%	2.1%	10.0%
Grade 11	47.0%	17.7%	20.0%	6.6%	0.6%	8.1%
Grade 12	41.6%	16.5%	22.3%	8.7%	0.8%	10.2%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	48.4%	29.4%	13.8%	2.9%	5.6%
Grade 7	54.9%	23.8%	11.5%	3.5%	6.3%
Grade 8	51.4%	27.4%	13.1%	2.3%	5.9%
Grade 9	47.6%	30.4%	15.9%	2.7%	3.4%
Grade 10	47.8%	30.9%	11.8%	3.3%	6.2%
Grade 11	44.6%	30.8%	17.0%	3.0%	4.7%
Grade 12	42.6%	34.4%	13.8%	2.4%	6.8%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	13.3%	17.5%	21.9%	78.1%
Grade 7	5.7%	8.5%	10.5%	89.5%
Grade 8	5.2%	8.8%	11.2%	88.8%
Grade 9	11.2%	15.5%	20.9%	79.1%
Grade 10	15.3%	20.6%	26.2%	73.8%
Grade 11	20.8%	24.8%	29.9%	70.1%
Grade 12	22.3%	27.9%	34.4%	65.6%
Marijuana?				
All	12.1%	14.9%	19.1%	80.9%
Grade 7	4.5%	5.9%	6.9%	93.1%
Grade 8	4.9%	6.6%	8.9%	91.1%
Grade 9	8.2%	10.2%	15.8%	84.2%
Grade 10	13.9%	17.0%	22.7%	77.3%
Grade 11	20.0%	24.1%	28.7%	71.3%
Grade 12	21.7%	26.1%	33.0%	67.0%
Cocaine?				
All	0.9%	1.0%	1.7%	98.3%
Grade 7	1.0%	1.0%	1.2%	98.8%
Grade 8	0.5%	0.5%	1.2%	98.8%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	1.3%	1.5%	2.6%	97.4%
Grade 12	1.7%	2.0%	2.6%	97.4%
Crack?				
All	0.6%	0.7%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	1.6%	1.9%	1.9%	98.1%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.8%	1.0%	1.1%	98.9%
Hallucinogens?				
All	1.0%	1.9%	3.7%	96.3%
Grade 7	0.5%	0.8%	1.7%	98.3%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.6%	0.6%	1.6%	98.4%
Grade 10	1.2%	2.1%	4.2%	95.8%
Grade 11	1.8%	2.9%	6.2%	93.8%
Grade 12	1.8%	4.6%	7.8%	92.2%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.7%	0.7%	99.3%
Grade 10	0.9%	0.9%	1.1%	98.9%
Grade 11	0.4%	0.5%	0.5%	99.5%
Grade 12	0.6%	0.6%	0.7%	99.3%
Steroids?				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.7%	0.9%	1.5%	98.5%
Grade 9	0.4%	0.8%	1.6%	98.4%
Grade 10	0.0%	0.1%	1.1%	98.9%
Grade 11	0.2%	0.7%	2.1%	97.9%
Grade 12	0.7%	0.7%	1.3%	98.7%
Ecstasy?				
All	0.6%	0.8%	1.9%	98.1%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	1.1%	1.4%	1.4%	98.6%
Grade 10	0.2%	0.6%	1.9%	98.1%
Grade 11	1.1%	1.2%	3.6%	96.4%
Grade 12	0.7%	1.2%	2.8%	97.2%
Heroin?				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.5%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.4%	1.1%	1.3%	98.7%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.2%	99.8%
Methamphetamine?				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.3%	0.6%	1.0%	99.0%
Grade 11	0.7%	1.0%	1.5%	98.5%
Grade 12	0.5%	0.7%	1.1%	98.9%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.2%	1.8%	2.8%	97.2%
Grade 7	1.6%	1.6%	2.0%	98.0%
Grade 8	0.6%	1.0%	1.2%	98.8%
Grade 9	1.1%	1.7%	2.2%	97.8%
Grade 10	1.4%	2.1%	3.2%	96.8%
Grade 11	1.5%	2.1%	4.3%	95.7%
Grade 12	1.2%	2.2%	4.3%	95.7%
Delta 8?				
All	3.0%	4.4%	6.5%	93.5%
Grade 7	0.9%	1.1%	1.8%	98.2%
Grade 8	0.6%	1.1%	1.6%	98.4%
Grade 9	1.5%	1.7%	4.0%	96.0%
Grade 10	4.1%	5.2%	7.7%	92.3%
Grade 11	3.9%	6.7%	10.6%	89.4%
Grade 12	7.3%	11.1%	13.7%	86.3%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	84.8%	1.7%	2.3%	2.5%	2.7%	2.9%	3.1%
	Grade 7	95.3%	0.2%	1.0%	0.8%	1.4%	0.7%	0.5%
	Grade 8	93.6%	0.4%	1.0%	1.7%	0.8%	0.6%	2.0%
	Grade 9	87.8%	0.4%	0.7%	2.5%	1.7%	2.3%	4.6%
	Grade 10	82.4%	1.0%	4.9%	2.5%	2.9%	2.4%	3.8%
	Grade 11	77.0%	3.5%	3.4%	3.8%	4.7%	4.3%	3.3%
	Grade 12	70.6%	5.0%	2.6%	3.9%	5.3%	7.7%	5.0%
Cocaine?								
	All	99.1%	0.0%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 7	99.1%	0.0%	0.4%	0.0%	0.0%	0.0%	0.5%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.2%	0.0%	0.0%	0.1%	0.0%	0.3%	0.4%
	Grade 11	98.7%	0.0%	0.0%	0.0%	0.4%	0.2%	0.7%
	Grade 12	98.0%	0.2%	0.0%	0.6%	0.1%	0.3%	0.7%
Crack?								
	All	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.8%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	99.8%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.5%	0.0%	0.0%	0.0%	0.0%	0.3%	0.2%
	Grade 11	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.5%	0.1%	0.2%	0.0%	0.2%	0.0%	0.0%
Steroids?								
	All	99.3%	0.1%	0.0%	0.1%	0.0%	0.1%	0.4%
	Grade 7	99.4%	0.1%	0.0%	0.0%	0.0%	0.4%	0.2%
	Grade 8	99.2%	0.0%	0.0%	0.0%	0.2%	0.0%	0.7%
	Grade 9	99.1%	0.0%	0.0%	0.4%	0.0%	0.4%	0.0%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 11	99.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.8%
	Grade 12	99.6%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
Ecstasy?								
	All	98.8%	0.1%	0.1%	0.1%	0.1%	0.3%	0.6%
	Grade 7	99.7%	0.0%	0.0%	0.2%	0.0%	0.1%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.2%	0.0%	0.0%	0.2%
	Grade 9	98.5%	0.3%	0.4%	0.4%	0.0%	0.3%	0.0%
	Grade 10	98.7%	0.0%	0.0%	0.0%	0.1%	0.3%	0.9%
	Grade 11	97.4%	0.2%	0.0%	0.0%	0.4%	0.6%	1.4%
	Grade 12	98.4%	0.0%	0.2%	0.0%	0.3%	0.4%	0.7%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.5%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%
	Grade 7	99.5%	0.2%	0.0%	0.0%	0.3%	0.0%	0.0%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.0%	0.3%	0.3%
	Grade 9	99.3%	0.0%	0.0%	0.4%	0.0%	0.0%	0.2%
	Grade 10	99.4%	0.0%	0.0%	0.1%	0.0%	0.3%	0.3%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.3%	0.0%	0.1%	0.1%	0.1%	0.1%	0.3%
	Grade 7	99.7%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 9	99.6%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%
	Grade 10	99.4%	0.0%	0.0%	0.0%	0.2%	0.0%	0.4%
	Grade 11	98.7%	0.2%	0.1%	0.1%	0.2%	0.1%	0.6%
	Grade 12	99.2%	0.0%	0.2%	0.0%	0.2%	0.4%	0.0%
Synthetic Marijuana?								
	All	98.0%	0.2%	0.1%	0.2%	0.6%	0.4%	0.6%
	Grade 7	98.5%	0.3%	0.0%	0.2%	0.3%	0.5%	0.2%
	Grade 8	99.2%	0.0%	0.2%	0.1%	0.5%	0.0%	0.0%
	Grade 9	98.8%	0.7%	0.0%	0.0%	0.3%	0.0%	0.2%
	Grade 10	97.5%	0.0%	0.4%	0.0%	0.5%	0.7%	0.9%
	Grade 11	96.9%	0.3%	0.1%	0.4%	0.7%	0.6%	1.0%
	Grade 12	96.7%	0.0%	0.0%	0.2%	1.3%	0.6%	1.2%
Delta 8?								
	All	94.8%	0.4%	0.4%	0.8%	1.4%	1.2%	0.9%
	Grade 7	98.7%	0.0%	0.0%	0.4%	0.5%	0.2%	0.1%
	Grade 8	98.4%	0.0%	0.1%	0.3%	0.4%	0.1%	0.6%
	Grade 9	97.6%	0.4%	0.0%	0.4%	0.3%	0.3%	0.9%
	Grade 10	94.3%	0.1%	0.6%	1.2%	1.9%	0.7%	1.1%
	Grade 11	91.8%	1.1%	0.4%	0.9%	2.1%	2.7%	1.1%
	Grade 12	87.7%	0.8%	1.4%	1.9%	3.6%	3.0%	1.8%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.6	12.3	12.9	13.8	14.6	15.1
Cocaine	14.2	10.3	11.4	12.3	13.9	15.4	16.4
Crack	11.9	11.0	8.0	N/A	12.3	N/A	13.2
Steroids	12.4	11.8	10.5	13.7	13.3	12.1	13.7
Ecstasy	14.4	11.5	9.0	12.6	14.2	15.4	15.3
Heroin	13.3	N/A	12.6	11.7	14.8	15.0	N/A
Methamphetamine	13.3	8.0	11.0	11.7	11.8	15.4	15.0
Synthetic Marijuana	14.2	12.2	12.1	12.6	14.3	15.1	15.5
Delta 8?	15.3	12.0	12.4	13.1	15.0	15.8	16.5

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	39.7%	20.8%	7.6%	7.5%	10.3%	14.0%
	Grade 7	49.4%	31.2%	8.3%	4.5%	3.5%	3.1%
	Grade 8	46.1%	29.9%	7.2%	5.4%	5.7%	5.7%
	Grade 9	35.8%	26.5%	8.6%	8.6%	8.2%	12.2%
	Grade 10	40.5%	13.9%	6.8%	7.6%	13.5%	17.7%
	Grade 11	33.6%	12.7%	7.8%	10.8%	14.5%	20.5%
	Grade 12	30.6%	9.8%	7.3%	8.6%	17.2%	26.4%
Cocaine?							
	All	48.9%	29.6%	9.9%	6.3%	2.6%	2.6%
	Grade 7	54.5%	34.7%	6.5%	3.0%	1.2%	0.2%
	Grade 8	51.2%	35.5%	7.0%	3.6%	0.9%	1.8%
	Grade 9	42.9%	37.1%	10.0%	4.8%	2.9%	2.2%
	Grade 10	51.4%	24.1%	11.4%	7.0%	3.5%	2.6%
	Grade 11	46.3%	24.4%	11.5%	9.7%	3.4%	4.6%
	Grade 12	45.3%	22.0%	13.6%	10.4%	4.2%	4.4%
Crack?							
	All	50.3%	30.6%	10.1%	5.3%	1.6%	2.1%
	Grade 7	54.6%	35.5%	6.0%	2.6%	1.1%	0.2%
	Grade 8	52.7%	35.5%	6.3%	3.4%	0.8%	1.2%
	Grade 9	43.9%	38.1%	9.8%	4.5%	1.8%	1.9%
	Grade 10	53.8%	25.5%	10.0%	6.2%	2.3%	2.2%
	Grade 11	47.9%	25.7%	13.4%	7.3%	1.6%	4.1%
	Grade 12	46.7%	23.6%	15.9%	8.1%	2.3%	3.3%
Steroids?							
	All	52.0%	27.5%	9.1%	5.7%	3.4%	2.3%
	Grade 7	57.2%	31.1%	6.9%	2.6%	1.9%	0.4%
	Grade 8	55.1%	31.8%	8.0%	1.8%	2.6%	0.8%
	Grade 9	46.1%	34.5%	8.7%	5.8%	2.8%	2.1%
	Grade 10	54.0%	22.2%	9.4%	8.0%	5.0%	1.5%
	Grade 11	48.3%	25.2%	11.3%	8.0%	2.9%	4.3%
	Grade 12	49.7%	20.5%	10.4%	8.7%	5.4%	5.3%
Ecstasy?							
	All	58.4%	25.4%	7.4%	4.4%	2.0%	2.3%
	Grade 7	67.2%	27.1%	3.6%	1.4%	0.4%	0.2%
	Grade 8	63.9%	28.1%	4.5%	1.5%	1.3%	0.7%
	Grade 9	52.0%	33.9%	6.8%	3.3%	2.1%	1.8%
	Grade 10	60.2%	20.4%	8.2%	6.1%	3.0%	2.1%
	Grade 11	52.4%	23.0%	10.8%	6.9%	2.3%	4.6%
	Grade 12	52.4%	20.8%	10.7%	7.9%	3.4%	4.8%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	55.1%	30.1%	8.5%	3.2%	1.5%	1.6%
	Grade 7	64.7%	28.6%	4.1%	1.1%	1.2%	0.2%
	Grade 8	58.1%	32.7%	4.5%	1.8%	1.4%	1.5%
	Grade 9	48.3%	36.3%	9.5%	2.4%	1.7%	1.8%
	Grade 10	56.0%	28.0%	10.0%	2.8%	2.4%	0.9%
	Grade 11	49.2%	30.4%	11.4%	5.0%	0.8%	3.1%
	Grade 12	52.2%	25.0%	12.7%	6.6%	1.4%	2.2%
Methamphetamine?							
	All	56.4%	29.2%	8.0%	3.0%	1.5%	1.9%
	Grade 7	65.1%	28.5%	4.5%	1.1%	0.6%	0.3%
	Grade 8	60.5%	31.4%	4.5%	1.6%	0.8%	1.1%
	Grade 9	50.7%	35.2%	7.3%	2.8%	2.0%	2.1%
	Grade 10	57.1%	26.5%	10.0%	2.7%	2.1%	1.7%
	Grade 11	50.4%	29.6%	10.2%	4.9%	1.7%	3.2%
	Grade 12	52.8%	24.7%	11.8%	5.3%	1.8%	3.5%
Synthetic Marijuana?							
	All	58.6%	24.0%	6.6%	4.4%	2.5%	4.0%
	Grade 7	66.2%	25.6%	4.5%	1.9%	1.3%	0.5%
	Grade 8	63.7%	27.8%	4.1%	1.7%	1.1%	1.6%
	Grade 9	52.9%	31.2%	6.9%	3.7%	1.9%	3.5%
	Grade 10	57.4%	22.5%	7.7%	4.2%	3.6%	4.6%
	Grade 11	53.8%	21.2%	7.4%	6.9%	3.3%	7.4%
	Grade 12	55.4%	15.6%	9.6%	8.2%	4.2%	6.9%
Delta 8?							
	All	59.3%	21.5%	5.3%	4.1%	3.7%	6.1%
	Grade 7	66.3%	26.0%	3.4%	1.8%	1.4%	1.1%
	Grade 8	63.5%	26.6%	4.1%	2.0%	1.7%	2.0%
	Grade 9	55.8%	26.2%	6.8%	2.4%	3.4%	5.4%
	Grade 10	58.3%	19.4%	6.0%	5.5%	4.7%	6.1%
	Grade 11	55.4%	17.1%	5.7%	6.5%	5.6%	9.7%
	Grade 12	54.6%	13.6%	6.2%	6.4%	5.8%	13.4%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	91.9%	4.1%	1.4%	2.6%
Grade 7	96.2%	2.7%	0.2%	0.9%
Grade 8	95.7%	2.8%	0.9%	0.6%
Grade 9	93.9%	3.8%	0.9%	1.3%
Grade 10	88.8%	5.6%	1.9%	3.7%
Grade 11	88.4%	3.6%	3.1%	5.0%
Grade 12	88.1%	6.7%	1.1%	4.1%
Attended Class While High from Use of Some Other Drug?				
All	97.5%	1.3%	0.8%	0.5%
Grade 7	98.0%	1.1%	0.8%	0.1%
Grade 8	97.7%	1.6%	0.7%	0.0%
Grade 9	96.8%	1.5%	1.2%	0.5%
Grade 10	97.9%	1.0%	0.5%	0.6%
Grade 11	97.1%	1.0%	1.0%	0.9%
Grade 12	97.2%	1.4%	0.4%	1.0%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.4
Marijuana Non-Users	4.4
Average Days Conduct Problems Reported	
Marijuana Users	3.8
Marijuana Non-Users	1.2

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.3%	3.0%	0.6%	1.1%
Grade 9	99.1%	0.9%	0.0%	0.0%
Grade 10	96.7%	2.9%	0.1%	0.3%
Grade 11	95.0%	2.9%	1.1%	1.0%
Grade 12	90.8%	5.1%	1.1%	3.1%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.1%	2.4%	0.3%	0.2%
Grade 7	97.2%	1.8%	0.7%	0.3%
Grade 8	97.7%	2.2%	0.0%	0.1%
Grade 9	98.5%	1.5%	0.0%	0.0%
Grade 10	96.6%	3.1%	0.1%	0.2%
Grade 11	96.5%	2.5%	0.7%	0.3%
Grade 12	96.4%	3.2%	0.2%	0.2%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	70.7%	12.5%	7.2%	7.1%	2.5%
Grade 7	88.6%	5.4%	2.2%	2.5%	1.2%
Grade 8	83.4%	8.0%	5.1%	3.2%	0.3%
Grade 9	73.9%	14.1%	5.0%	6.0%	1.1%
Grade 10	64.6%	14.6%	9.1%	8.4%	3.3%
Grade 11	55.6%	18.1%	11.3%	10.3%	4.8%
Grade 12	57.0%	15.4%	10.6%	12.8%	4.2%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	66.5%	4.9%	3.5%	4.1%	4.3%	1.6%	15.2%
Grade 7	79.9%	2.0%	1.9%	1.6%	0.5%	1.1%	13.0%
Grade 8	76.4%	4.0%	1.1%	2.5%	0.7%	2.0%	13.5%
Grade 9	66.2%	7.2%	2.9%	0.7%	3.1%	1.5%	18.4%
Grade 10	63.7%	4.8%	5.0%	4.3%	5.6%	1.3%	15.4%
Grade 11	55.5%	5.3%	5.8%	8.0%	6.2%	1.7%	17.5%
Grade 12	54.1%	7.4%	4.7%	7.4%	10.6%	1.9%	14.0%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	71.7%	7.0%	7.7%	1.7%	1.4%	10.5%
Grade 7	77.1%	2.6%	2.8%	0.6%	1.7%	15.2%
Grade 8	81.6%	4.4%	3.2%	0.7%	0.6%	9.4%
Grade 9	70.4%	6.4%	11.7%	1.1%	1.2%	9.3%
Grade 10	66.8%	8.1%	8.5%	3.4%	2.6%	10.6%
Grade 11	67.4%	10.3%	10.9%	1.8%	1.1%	8.6%
Grade 12	64.4%	11.4%	11.0%	2.9%	1.0%	9.3%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	56.8%	14.7%	13.4%	8.6%	6.4%
	Grade 7	75.6%	7.5%	4.9%	3.7%	8.4%
	Grade 8	67.8%	14.4%	7.3%	2.9%	7.5%
	Grade 9	55.9%	16.8%	14.4%	8.9%	4.0%
	Grade 10	50.7%	17.1%	16.0%	10.6%	5.6%
	Grade 11	46.2%	16.1%	18.4%	14.2%	5.1%
	Grade 12	41.2%	17.6%	21.2%	12.7%	7.4%
Cocaine?	All	84.7%	6.7%	1.0%	0.6%	7.0%
	Grade 7	83.6%	5.0%	2.2%	1.2%	7.9%
	Grade 8	83.4%	7.6%	0.6%	0.5%	8.0%
	Grade 9	86.3%	9.6%	0.4%	0.0%	3.7%
	Grade 10	83.8%	6.1%	1.0%	1.2%	7.9%
	Grade 11	86.5%	6.1%	1.0%	0.5%	5.9%
	Grade 12	85.2%	6.3%	0.2%	0.2%	8.1%
Crack?	All	86.5%	4.9%	0.8%	0.5%	7.3%
	Grade 7	84.7%	5.5%	1.5%	0.4%	8.0%
	Grade 8	84.3%	6.2%	0.5%	0.3%	8.6%
	Grade 9	88.8%	6.3%	0.7%	0.0%	4.2%
	Grade 10	85.9%	4.1%	1.1%	1.2%	7.8%
	Grade 11	88.5%	3.7%	0.4%	1.1%	6.4%
	Grade 12	87.8%	3.5%	0.3%	0.2%	8.2%
Ecstasy?	All	76.8%	7.8%	1.6%	0.9%	12.9%
	Grade 7	77.3%	4.8%	1.7%	1.1%	15.0%
	Grade 8	77.8%	7.4%	1.1%	0.2%	13.4%
	Grade 9	75.8%	10.5%	0.9%	0.2%	12.5%
	Grade 10	75.8%	9.5%	1.6%	1.3%	11.9%
	Grade 11	78.2%	7.5%	2.3%	1.6%	10.5%
	Grade 12	75.4%	7.8%	2.0%	0.6%	14.1%
Steroids?	All	72.6%	12.0%	3.8%	1.4%	10.2%
	Grade 7	76.9%	8.1%	3.2%	1.8%	10.0%
	Grade 8	75.7%	11.0%	2.7%	0.4%	10.3%
	Grade 9	68.1%	15.7%	5.4%	1.8%	9.1%
	Grade 10	72.9%	11.3%	3.8%	1.8%	10.3%
	Grade 11	71.3%	13.5%	4.2%	1.4%	9.5%
	Grade 12	68.9%	13.5%	3.9%	1.2%	12.4%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	84.5%	4.0%	1.0%	0.5%	10.0%
	Grade 7	80.7%	4.1%	2.1%	0.7%	12.3%
	Grade 8	83.1%	5.4%	0.5%	0.2%	10.8%
	Grade 9	83.7%	5.4%	1.3%	0.0%	9.5%
	Grade 10	84.9%	3.7%	0.8%	1.1%	9.5%
	Grade 11	88.0%	3.6%	0.8%	0.7%	6.8%
	Grade 12	87.0%	1.9%	0.2%	0.2%	10.7%
Methamphetamine?						
	All	84.1%	4.1%	1.0%	0.7%	10.2%
	Grade 7	80.9%	4.3%	1.6%	1.2%	12.0%
	Grade 8	83.4%	4.4%	0.8%	0.3%	11.1%
	Grade 9	84.8%	4.7%	1.3%	0.9%	8.4%
	Grade 10	83.1%	4.2%	0.9%	1.0%	10.8%
	Grade 11	86.5%	4.6%	0.7%	0.7%	7.4%
	Grade 12	86.6%	2.0%	0.4%	0.2%	10.8%
Synthetic Marijuana?						
	All	73.9%	8.3%	2.9%	1.7%	13.2%
	Grade 7	79.7%	4.2%	2.3%	1.7%	12.1%
	Grade 8	77.7%	7.6%	1.4%	0.5%	12.9%
	Grade 9	73.7%	10.8%	1.7%	1.4%	12.4%
	Grade 10	72.2%	9.6%	3.1%	2.6%	12.5%
	Grade 11	71.2%	9.1%	4.4%	2.6%	12.6%
	Grade 12	67.7%	9.3%	4.7%	1.5%	16.9%
Delta 8?						
	All	67.8%	9.0%	5.6%	3.5%	14.0%
	Grade 7	77.5%	5.8%	2.4%	2.4%	11.9%
	Grade 8	73.9%	8.8%	2.4%	1.1%	13.8%
	Grade 9	66.9%	11.3%	5.0%	2.5%	14.3%
	Grade 10	64.4%	10.9%	6.6%	4.1%	14.0%
	Grade 11	62.7%	9.4%	8.0%	6.5%	13.4%
	Grade 12	59.5%	8.4%	10.2%	4.7%	17.1%
Fictional Drug?						
	All	76.4%	5.1%	0.6%	0.5%	17.3%
	Grade 7	78.8%	5.1%	1.3%	1.0%	13.8%
	Grade 8	76.9%	6.4%	0.4%	0.2%	16.1%
	Grade 9	73.4%	7.0%	0.4%	0.0%	19.1%
	Grade 10	77.3%	4.7%	0.9%	0.9%	16.3%
	Grade 11	76.1%	4.0%	0.4%	0.7%	18.8%
	Grade 12	75.3%	3.5%	0.2%	0.1%	20.9%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	5.8%	7.7%	13.9%	86.1%
Grade 7	6.2%	8.4%	12.6%	87.4%
Grade 8	7.1%	9.0%	14.4%	85.6%
Grade 9	5.2%	7.3%	11.8%	88.2%
Grade 10	4.2%	4.2%	11.1%	88.9%
Grade 11	5.7%	8.7%	17.0%	83.0%
Grade 12	6.1%	8.8%	16.6%	83.4%
Codeine Cough Syrup?				
All	2.8%	4.2%	8.9%	91.1%
Grade 7	3.8%	6.1%	9.1%	90.9%
Grade 8	3.8%	5.8%	10.2%	89.8%
Grade 9	1.9%	2.9%	6.5%	93.5%
Grade 10	1.3%	1.7%	6.2%	93.8%
Grade 11	3.7%	5.2%	12.1%	87.9%
Grade 12	2.2%	3.2%	8.5%	91.5%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.7%	1.0%	2.5%	97.5%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.6%	0.7%	1.2%	98.8%
Grade 9	0.9%	1.2%	2.4%	97.6%
Grade 10	0.1%	0.2%	1.4%	98.6%
Grade 11	1.3%	1.7%	5.2%	94.8%
Grade 12	1.3%	1.9%	4.6%	95.4%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.9%	1.4%	3.2%	96.8%
Grade 7	0.9%	1.0%	1.6%	98.4%
Grade 8	0.2%	0.7%	1.8%	98.2%
Grade 9	1.1%	1.8%	2.4%	97.6%
Grade 10	0.6%	1.0%	2.4%	97.6%
Grade 11	0.7%	1.7%	5.7%	94.3%
Grade 12	2.0%	2.7%	5.3%	94.7%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.6%	2.5%	4.3%	95.7%
Grade 7	1.8%	2.0%	2.5%	97.5%
Grade 8	0.9%	1.3%	3.2%	96.8%
Grade 9	1.1%	3.1%	4.8%	95.2%
Grade 10	1.1%	1.4%	2.9%	97.1%
Grade 11	1.6%	3.3%	5.9%	94.1%
Grade 12	3.0%	4.0%	6.9%	93.1%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.3%	3.0%	6.0%	94.0%
Grade 7	2.2%	2.6%	5.3%	94.7%
Grade 8	3.4%	4.2%	7.4%	92.6%
Grade 9	1.3%	2.3%	5.6%	94.4%
Grade 10	2.3%	2.3%	5.5%	94.5%
Grade 11	2.5%	3.6%	7.0%	93.0%
Grade 12	2.1%	2.6%	5.2%	94.8%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.0%	1.4%	2.8%	97.2%
Grade 7	2.1%	2.7%	5.7%	94.3%
Grade 8	0.6%	1.0%	2.4%	97.6%
Grade 9	1.0%	1.4%	2.5%	97.5%
Grade 10	0.5%	1.0%	1.8%	98.2%
Grade 11	0.7%	1.0%	2.6%	97.4%
Grade 12	0.9%	1.3%	1.9%	98.1%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	71.4%	13.4%	3.1%	1.6%	10.5%
Grade 7	74.5%	8.8%	3.2%	2.2%	11.3%
Grade 8	71.5%	12.3%	3.4%	2.1%	10.7%
Grade 9	68.6%	15.1%	4.4%	1.0%	10.9%
Grade 10	71.1%	14.2%	3.9%	1.3%	9.5%
Grade 11	70.0%	17.3%	2.1%	1.3%	9.2%
Grade 12	71.9%	13.3%	1.8%	1.3%	11.7%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.8%	6.0%	11.1%	88.9%
Grade 7	7.8%	8.4%	14.4%	85.6%
Grade 8	4.8%	6.5%	10.8%	89.2%
Grade 9	2.9%	2.9%	8.4%	91.6%
Grade 10	4.0%	5.5%	10.5%	89.5%
Grade 11	5.2%	6.5%	11.9%	88.1%
Grade 12	3.5%	5.2%	10.2%	89.8%
Spray Paint?				
All	0.6%	1.0%	2.1%	97.9%
Grade 7	0.5%	1.4%	2.5%	97.5%
Grade 8	1.0%	1.1%	2.7%	97.3%
Grade 9	0.8%	0.8%	1.8%	98.2%
Grade 10	0.3%	0.9%	2.0%	98.0%
Grade 11	0.6%	0.8%	1.9%	98.1%
Grade 12	0.6%	0.7%	1.5%	98.5%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.9%	1.2%	4.0%	96.0%
Grade 7	1.6%	2.1%	6.1%	93.9%
Grade 8	2.0%	2.2%	5.0%	95.0%
Grade 9	0.0%	0.0%	1.9%	98.1%
Grade 10	0.5%	1.0%	4.2%	95.8%
Grade 11	0.7%	1.0%	2.9%	97.1%
Grade 12	0.5%	0.8%	3.3%	96.7%
Computer Dusting Sprays?				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.6%	0.7%	1.4%	98.6%
Grade 8	0.6%	0.9%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.8%	1.4%	98.6%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.5%	0.9%	1.2%	98.8%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.3%	1.6%	4.9%	95.1%
Grade 7	1.5%	2.1%	5.5%	94.5%
Grade 8	1.9%	1.9%	4.5%	95.5%
Grade 9	0.6%	0.6%	4.4%	95.6%
Grade 10	0.8%	0.8%	3.4%	96.6%
Grade 11	1.2%	1.8%	5.3%	94.7%
Grade 12	1.5%	2.5%	6.1%	93.9%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.5%	0.5%	1.3%	98.7%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	0.8%	0.8%	1.3%	98.7%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.4%	0.5%	1.2%	98.8%
Grade 11	0.6%	0.6%	1.4%	98.6%
Grade 12	0.6%	0.7%	2.0%	98.0%
Toluene, Paint Thinner, or Other Solvents?				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.7%	1.0%	1.3%	98.7%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	0.0%	0.4%	0.7%	99.3%
Grade 10	0.4%	0.5%	1.2%	98.8%
Grade 11	0.4%	0.9%	1.6%	98.4%
Grade 12	0.7%	0.8%	1.7%	98.3%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.9%	1.2%	2.6%	97.4%
Grade 7	1.3%	2.1%	4.1%	95.9%
Grade 8	1.6%	2.0%	3.3%	96.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.9%	1.2%	2.6%	97.4%
Grade 11	0.6%	0.6%	1.6%	98.4%
Grade 12	1.0%	1.0%	3.4%	96.6%
Other Aerosols/Sprays?				
All	0.6%	0.7%	1.6%	98.4%
Grade 7	1.2%	1.4%	2.5%	97.5%
Grade 8	0.9%	1.1%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.4%	0.5%	1.5%	98.5%
Grade 11	0.3%	0.5%	1.7%	98.3%
Grade 12	0.4%	0.4%	1.4%	98.6%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.8%	0.1%	0.4%	0.2%	0.8%	0.6%	1.2%
Grade 7	94.4%	0.2%	0.4%	0.9%	1.1%	1.4%	1.7%
Grade 8	95.9%	0.1%	0.5%	0.3%	1.0%	0.8%	1.4%
Grade 9	98.8%	0.0%	0.9%	0.0%	0.0%	0.0%	0.3%
Grade 10	97.5%	0.0%	0.2%	0.0%	1.3%	0.1%	0.9%
Grade 11	97.2%	0.3%	0.2%	0.0%	0.7%	0.2%	1.4%
Grade 12	97.5%	0.0%	0.0%	0.1%	0.3%	0.8%	1.3%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	91.7%	4.2%	2.8%	1.3%
Grade 7	88.0%	6.3%	4.3%	1.4%
Grade 8	91.5%	4.1%	2.6%	1.8%
Grade 9	93.5%	4.1%	2.1%	0.2%
Grade 10	92.6%	3.5%	2.7%	1.2%
Grade 11	92.4%	4.6%	1.4%	1.6%
Grade 12	92.6%	2.6%	3.3%	1.5%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.7	10.0	10.8	12.4	11.7	13.0	14.5

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.8%	0.9%	0.2%	0.2%
Grade 7	98.1%	1.4%	0.2%	0.3%
Grade 8	98.7%	1.2%	0.0%	0.1%
Grade 9	100.0%	0.0%	0.0%	0.0%
Grade 10	98.5%	0.9%	0.5%	0.1%
Grade 11	98.4%	1.1%	0.1%	0.4%
Grade 12	99.4%	0.5%	0.0%	0.1%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.0
Inhalant Non-Users	4.6
Average Days Conduct Problems Reported	
Inhalant Users	3.8
Inhalant Non-Users	1.4

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	94.1%	4.2%	1.0%	0.5%	0.2%
Grade 7	91.7%	6.6%	0.8%	0.6%	0.2%
Grade 8	94.0%	4.8%	0.7%	0.5%	0.0%
Grade 9	95.2%	2.9%	0.9%	0.6%	0.4%
Grade 10	95.7%	2.8%	1.2%	0.0%	0.3%
Grade 11	93.1%	4.9%	1.0%	0.5%	0.5%
Grade 12	95.4%	2.5%	1.2%	0.9%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	69.7%	14.2%	4.6%	1.4%	10.0%
Grade 7	70.0%	14.0%	5.3%	2.2%	8.5%
Grade 8	67.4%	16.1%	4.8%	1.5%	10.3%
Grade 9	70.1%	15.3%	5.9%	1.3%	7.5%
Grade 10	71.7%	13.2%	3.4%	1.1%	10.7%
Grade 11	69.8%	12.8%	4.5%	1.2%	11.7%
Grade 12	69.7%	13.9%	4.1%	1.0%	11.4%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	51.8%	15.1%	3.7%	5.5%	6.6%	17.3%
Grade 7	55.0%	21.8%	3.4%	3.8%	6.6%	9.5%
Grade 8	53.4%	18.4%	4.0%	6.4%	5.0%	12.7%
Grade 9	45.6%	17.2%	4.0%	7.2%	7.6%	18.5%
Grade 10	54.9%	13.0%	2.9%	6.0%	5.1%	18.1%
Grade 11	50.7%	11.0%	3.8%	5.5%	6.6%	22.4%
Grade 12	49.6%	9.0%	3.9%	4.2%	9.2%	24.2%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	40.1%
	Grade 7	28.9%
	Grade 8	31.6%
	Grade 9	40.8%
	Grade 10	52.4%
	Grade 11	46.9%
	Grade 12	40.7%
An Assembly Program		
	All	33.1%
	Grade 7	36.5%
	Grade 8	37.7%
	Grade 9	33.1%
	Grade 10	29.9%
	Grade 11	31.2%
	Grade 12	29.3%
Guidance Counselor		
	All	21.7%
	Grade 7	26.1%
	Grade 8	29.2%
	Grade 9	18.4%
	Grade 10	20.5%
	Grade 11	19.1%
	Grade 12	15.0%
School Nurse		
	All	13.5%
	Grade 7	13.9%
	Grade 8	16.6%
	Grade 9	14.0%
	Grade 10	14.6%
	Grade 11	11.5%
	Grade 12	10.1%
Science or Social Studies Class		
	All	24.4%
	Grade 7	23.8%
	Grade 8	19.5%
	Grade 9	25.7%
	Grade 10	25.9%
	Grade 11	25.2%
	Grade 12	27.0%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	11.6%
	Grade 7	10.6%
	Grade 8	11.5%
	Grade 9	11.9%
	Grade 10	14.8%
	Grade 11	11.2%
	Grade 12	9.6%
An Invited School Guest		
	All	18.8%
	Grade 7	25.3%
	Grade 8	22.0%
	Grade 9	21.8%
	Grade 10	15.3%
	Grade 11	12.9%
	Grade 12	15.5%
Another Source at School		
	All	25.0%
	Grade 7	28.5%
	Grade 8	29.8%
	Grade 9	26.5%
	Grade 10	23.2%
	Grade 11	21.5%
	Grade 12	20.0%
Any School Source		
	All	60.5%
	Grade 7	57.8%
	Grade 8	60.0%
	Grade 9	62.3%
	Grade 10	64.0%
	Grade 11	62.6%
	Grade 12	56.1%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
<hr/>		
Counselor/Program In-School		
	All	28.6%
	Grade 7	42.3%
	Grade 8	30.2%
	Grade 9	23.3%
	Grade 10	27.8%
	Grade 11	19.8%
	Grade 12	26.5%
School Nurse		
	All	19.9%
	Grade 7	28.4%
	Grade 8	20.4%
	Grade 9	17.1%
	Grade 10	20.9%
	Grade 11	14.9%
	Grade 12	16.5%
Another Adult In School		
	All	36.5%
	Grade 7	45.7%
	Grade 8	38.9%
	Grade 9	27.2%
	Grade 10	34.2%
	Grade 11	33.1%
	Grade 12	38.1%
Counselor/Program Outside-School		
	All	34.6%
	Grade 7	34.7%
	Grade 8	35.9%
	Grade 9	34.5%
	Grade 10	33.1%
	Grade 11	30.5%
	Grade 12	39.7%
Your Parents		
	All	64.6%
	Grade 7	70.0%
	Grade 8	65.9%
	Grade 9	64.6%
	Grade 10	64.0%
	Grade 11	61.2%
	Grade 12	61.3%
<hr/>		

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
 (Continued)

		Yes
A Medical Doctor		
	All	56.7%
	Grade 7	62.8%
	Grade 8	55.3%
	Grade 9	58.8%
	Grade 10	54.7%
	Grade 11	54.8%
	Grade 12	53.7%
Your Friends		
	All	60.5%
	Grade 7	54.9%
	Grade 8	59.2%
	Grade 9	56.0%
	Grade 10	63.8%
	Grade 11	65.7%
	Grade 12	63.2%
Another Adult		
	All	53.7%
	Grade 7	57.8%
	Grade 8	55.5%
	Grade 9	47.4%
	Grade 10	56.8%
	Grade 11	51.4%
	Grade 12	51.2%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	6.7%
	Grade 7	6.9%
	Grade 8	8.3%
	Grade 9	6.3%
	Grade 10	6.6%
	Grade 11	7.2%
	Grade 12	4.0%

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	7.3%	23.1%	25.5%	30.7%	13.3%
Grade 7	8.4%	23.9%	19.1%	32.2%	16.5%
Grade 8	8.1%	22.7%	23.8%	31.0%	14.3%
Grade 9	7.2%	20.6%	27.0%	31.9%	13.3%
Grade 10	7.6%	24.4%	24.2%	30.8%	13.0%
Grade 11	7.1%	23.4%	31.7%	27.7%	10.2%
Grade 12	5.1%	23.5%	28.1%	30.9%	12.5%
Sometimes Carry Weapons?					
All	82.9%	11.0%	4.0%	1.4%	0.7%
Grade 7	84.3%	9.3%	3.4%	2.7%	0.2%
Grade 8	85.3%	10.4%	2.8%	1.3%	0.2%
Grade 9	86.2%	9.8%	2.7%	0.0%	1.3%
Grade 10	82.3%	11.6%	3.9%	1.5%	0.6%
Grade 11	81.1%	11.4%	5.2%	1.3%	1.0%
Grade 12	78.0%	13.4%	6.1%	1.6%	1.0%
Care About Making Good Grades?					
All	2.5%	13.4%	25.0%	38.4%	20.7%
Grade 7	3.1%	14.6%	20.8%	39.3%	22.1%
Grade 8	2.6%	13.7%	26.7%	37.5%	19.5%
Grade 9	2.8%	11.7%	24.7%	37.7%	23.2%
Grade 10	1.9%	12.6%	27.2%	38.8%	19.6%
Grade 11	2.5%	13.8%	24.4%	37.4%	22.0%
Grade 12	1.9%	13.9%	26.4%	39.7%	18.0%
Belong/Want to Belong to a Gang?					
All	88.5%	7.5%	2.4%	0.8%	0.7%
Grade 7	85.6%	9.4%	3.1%	1.2%	0.8%
Grade 8	88.0%	8.2%	2.0%	0.9%	0.9%
Grade 9	91.1%	4.5%	2.5%	1.5%	0.4%
Grade 10	87.4%	9.8%	2.0%	0.3%	0.5%
Grade 11	88.0%	6.6%	3.0%	0.9%	1.4%
Grade 12	91.9%	5.9%	1.6%	0.2%	0.4%
Wish They Could Drop Out of School?					
All	44.0%	29.1%	15.4%	7.7%	3.9%
Grade 7	50.0%	26.0%	12.2%	7.8%	4.1%
Grade 8	41.2%	33.1%	15.4%	7.0%	3.4%
Grade 9	41.9%	27.6%	18.8%	7.6%	4.2%
Grade 10	42.1%	29.3%	15.6%	9.3%	3.7%
Grade 11	42.5%	31.7%	13.5%	8.0%	4.3%
Grade 12	46.1%	26.0%	17.8%	6.4%	3.6%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	84.2%	13.2%	1.2%	0.4%	1.0%
Grade 7	82.8%	13.2%	1.5%	0.7%	1.8%
Grade 8	84.1%	14.4%	1.0%	0.1%	0.4%
Grade 9	84.4%	13.7%	1.0%	0.5%	0.5%
Grade 10	86.4%	11.1%	0.7%	0.3%	1.5%
Grade 11	84.8%	12.7%	1.6%	0.2%	0.7%
Grade 12	82.7%	14.4%	1.2%	0.4%	1.3%
Out In Your Neighborhood?					
All	40.6%	48.5%	6.4%	1.7%	2.8%
Grade 7	31.5%	53.9%	7.5%	2.3%	4.7%
Grade 8	31.3%	57.4%	7.2%	1.8%	2.2%
Grade 9	44.3%	45.6%	4.8%	2.5%	2.7%
Grade 10	45.2%	45.5%	5.3%	1.1%	3.0%
Grade 11	44.3%	45.7%	5.8%	1.6%	2.6%
Grade 12	48.1%	41.9%	7.6%	1.1%	1.4%
At School?					
All	28.2%	51.7%	11.5%	3.6%	5.0%
Grade 7	27.7%	48.3%	12.6%	4.2%	7.2%
Grade 8	24.0%	53.1%	13.2%	3.9%	5.8%
Grade 9	32.5%	50.2%	9.5%	2.9%	4.9%
Grade 10	29.4%	53.1%	11.0%	1.8%	4.7%
Grade 11	29.2%	50.8%	10.9%	4.7%	4.3%
Grade 12	27.4%	54.4%	11.3%	4.2%	2.7%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.5%	14.4%	23.3%	76.7%
Grade 7	5.0%	6.5%	13.2%	86.8%
Grade 8	7.3%	8.6%	14.5%	85.5%
Grade 9	8.8%	12.8%	25.1%	74.9%
Grade 10	12.5%	15.2%	24.6%	75.4%
Grade 11	16.1%	21.5%	31.5%	68.5%
Grade 12	20.1%	23.0%	33.0%	67.0%
Any Alcohol Product				
All	24.9%	28.8%	43.9%	56.1%
Grade 7	15.6%	17.8%	38.4%	61.6%
Grade 8	15.6%	18.6%	35.0%	65.0%
Grade 9	22.6%	26.0%	39.7%	60.3%
Grade 10	26.0%	29.3%	41.8%	58.2%
Grade 11	34.7%	40.2%	54.2%	45.8%
Grade 12	36.2%	42.5%	55.1%	44.9%
Any Illicit Drug				
All	13.3%	17.5%	21.9%	78.1%
Grade 7	5.7%	8.5%	10.5%	89.5%
Grade 8	5.2%	8.8%	11.2%	88.8%
Grade 9	11.2%	15.5%	20.9%	79.1%
Grade 10	15.3%	20.6%	26.2%	73.8%
Grade 11	20.8%	24.8%	29.9%	70.1%
Grade 12	22.3%	27.9%	34.4%	65.6%
Any Prescription Drug				
All	5.8%	7.7%	13.9%	86.1%
Grade 7	6.2%	8.4%	12.6%	87.4%
Grade 8	7.1%	9.0%	14.4%	85.6%
Grade 9	5.2%	7.3%	11.8%	88.2%
Grade 10	4.2%	4.2%	11.1%	88.9%
Grade 11	5.7%	8.7%	17.0%	83.0%
Grade 12	6.1%	8.8%	16.6%	83.4%
Any Inhalant				
All	4.8%	6.0%	11.1%	88.9%
Grade 7	7.8%	8.4%	14.4%	85.6%
Grade 8	4.8%	6.5%	10.8%	89.2%
Grade 9	2.9%	2.9%	8.4%	91.6%
Grade 10	4.0%	5.5%	10.5%	89.5%
Grade 11	5.2%	6.5%	11.9%	88.1%
Grade 12	3.5%	5.2%	10.2%	89.8%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.0%	12.3%	20.6%	79.4%
Grade 7	3.8%	5.1%	9.5%	90.5%
Grade 8	5.5%	7.2%	13.3%	86.7%
Grade 9	6.4%	11.4%	21.1%	78.9%
Grade 10	9.4%	12.2%	21.8%	78.2%
Grade 11	12.6%	18.7%	28.8%	71.2%
Grade 12	17.1%	20.4%	30.9%	69.1%
Marijuana				
All	12.1%	14.9%	19.1%	80.9%
Grade 7	4.5%	5.9%	6.9%	93.1%
Grade 8	4.9%	6.6%	8.9%	91.1%
Grade 9	8.2%	10.2%	15.8%	84.2%
Grade 10	13.9%	17.0%	22.7%	77.3%
Grade 11	20.0%	24.1%	28.7%	71.3%
Grade 12	21.7%	26.1%	33.0%	67.0%
Marijuana Only				
All	5.3%	6.8%	9.9%	90.1%
Grade 7	2.0%	3.1%	3.9%	96.1%
Grade 8	2.6%	3.8%	5.6%	94.4%
Grade 9	5.2%	6.0%	10.7%	89.3%
Grade 10	6.0%	7.7%	11.2%	88.8%
Grade 11	8.5%	10.6%	14.1%	85.9%
Grade 12	7.3%	9.9%	14.7%	85.3%
Cocaine or Crack				
All	1.2%	1.4%	2.1%	97.9%
Grade 7	1.1%	1.1%	1.4%	98.6%
Grade 8	0.5%	0.5%	1.3%	98.7%
Grade 9	2.0%	2.3%	3.0%	97.0%
Grade 10	0.6%	0.6%	1.3%	98.7%
Grade 11	1.7%	1.9%	2.9%	97.1%
Grade 12	2.0%	2.4%	3.1%	96.9%
Cocaine				
All	0.9%	1.0%	1.7%	98.3%
Grade 7	1.0%	1.0%	1.2%	98.8%
Grade 8	0.5%	0.5%	1.2%	98.8%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	1.3%	1.5%	2.6%	97.4%
Grade 12	1.7%	2.0%	2.6%	97.4%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	1.6%	1.9%	1.9%	98.1%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.8%	1.0%	1.1%	98.9%
Hallucinogens				
All	1.0%	1.9%	3.7%	96.3%
Grade 7	0.5%	0.8%	1.7%	98.3%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.6%	0.6%	1.6%	98.4%
Grade 10	1.2%	2.1%	4.2%	95.8%
Grade 11	1.8%	2.9%	6.2%	93.8%
Grade 12	1.8%	4.6%	7.8%	92.2%
Synthetic Cathinones				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.7%	0.7%	99.3%
Grade 10	0.9%	0.9%	1.1%	98.9%
Grade 11	0.4%	0.5%	0.5%	99.5%
Grade 12	0.6%	0.6%	0.7%	99.3%
Steroids				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.7%	0.9%	1.5%	98.5%
Grade 9	0.4%	0.8%	1.6%	98.4%
Grade 10	0.0%	0.1%	1.1%	98.9%
Grade 11	0.2%	0.7%	2.1%	97.9%
Grade 12	0.7%	0.7%	1.3%	98.7%
Ecstasy				
All	0.6%	0.8%	1.9%	98.1%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	1.1%	1.4%	1.4%	98.6%
Grade 10	0.2%	0.6%	1.9%	98.1%
Grade 11	1.1%	1.2%	3.6%	96.4%
Grade 12	0.7%	1.2%	2.8%	97.2%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.5%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.4%	1.1%	1.3%	98.7%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	1.2%	1.8%	2.8%	97.2%
Grade 7	1.6%	1.6%	2.0%	98.0%
Grade 8	0.6%	1.0%	1.2%	98.8%
Grade 9	1.1%	1.7%	2.2%	97.8%
Grade 10	1.4%	2.1%	3.2%	96.8%
Grade 11	1.5%	2.1%	4.3%	95.7%
Grade 12	1.2%	2.2%	4.3%	95.7%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.3%	0.6%	1.0%	99.0%
Grade 11	0.7%	1.0%	1.5%	98.5%
Grade 12	0.5%	0.7%	1.1%	98.9%
Delta 8				
All	3.0%	4.4%	6.5%	93.5%
Grade 7	0.9%	1.1%	1.8%	98.2%
Grade 8	0.6%	1.1%	1.6%	98.4%
Grade 9	1.5%	1.7%	4.0%	96.0%
Grade 10	4.1%	5.2%	7.7%	92.3%
Grade 11	3.9%	6.7%	10.6%	89.4%
Grade 12	7.3%	11.1%	13.7%	86.3%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.9%	12.0%	21.3%	78.7%
Grade 7	4.5%	5.4%	13.3%	86.7%
Grade 8	5.7%	6.8%	12.2%	87.8%
Grade 9	7.3%	9.3%	23.5%	76.5%
Grade 10	8.8%	11.3%	19.4%	80.6%
Grade 11	13.7%	18.2%	28.2%	71.8%
Grade 12	20.4%	22.1%	33.3%	66.7%
Any Alcohol Product				
All	22.8%	26.3%	42.0%	58.0%
Grade 7	15.2%	17.0%	39.2%	60.8%
Grade 8	15.7%	18.1%	32.1%	67.9%
Grade 9	17.3%	21.4%	38.8%	61.2%
Grade 10	23.3%	25.1%	37.0%	63.0%
Grade 11	31.3%	38.4%	53.4%	46.6%
Grade 12	34.9%	39.2%	52.9%	47.1%
Any Illicit Drug				
All	12.1%	15.8%	20.2%	79.8%
Grade 7	5.4%	6.9%	8.5%	91.5%
Grade 8	4.6%	7.8%	9.0%	91.0%
Grade 9	10.0%	12.6%	20.1%	79.9%
Grade 10	11.3%	16.0%	20.8%	79.2%
Grade 11	20.8%	24.8%	29.4%	70.6%
Grade 12	21.8%	28.3%	35.5%	64.5%
Any Prescription Drug				
All	4.6%	6.7%	13.3%	86.7%
Grade 7	5.3%	7.2%	11.2%	88.8%
Grade 8	2.9%	4.6%	10.6%	89.4%
Grade 9	3.7%	7.4%	13.8%	86.2%
Grade 10	4.9%	4.9%	11.0%	89.0%
Grade 11	5.2%	7.8%	17.2%	82.8%
Grade 12	5.6%	9.1%	16.7%	83.3%
Any Inhalant				
All	5.2%	6.3%	10.6%	89.4%
Grade 7	7.8%	8.4%	13.8%	86.2%
Grade 8	5.7%	6.9%	10.0%	90.0%
Grade 9	1.7%	1.7%	6.8%	93.2%
Grade 10	4.1%	4.9%	9.3%	90.7%
Grade 11	7.1%	8.5%	11.6%	88.4%
Grade 12	4.4%	6.8%	11.7%	88.3%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.4%	10.0%	18.0%	82.0%
Grade 7	3.6%	4.6%	9.1%	90.9%
Grade 8	4.0%	5.6%	11.1%	88.9%
Grade 9	4.1%	7.1%	18.2%	81.8%
Grade 10	5.8%	8.5%	16.8%	83.2%
Grade 11	10.9%	16.1%	24.8%	75.2%
Grade 12	16.5%	19.1%	29.7%	70.3%
Marijuana				
All	11.0%	13.6%	17.7%	82.3%
Grade 7	4.9%	6.2%	7.1%	92.9%
Grade 8	4.1%	6.9%	8.2%	91.8%
Grade 9	6.4%	7.7%	14.4%	85.6%
Grade 10	9.7%	12.4%	17.5%	82.5%
Grade 11	20.4%	23.5%	27.4%	72.6%
Grade 12	21.6%	25.9%	33.7%	66.3%
Marijuana Only				
All	4.5%	5.9%	8.8%	91.2%
Grade 7	1.8%	2.5%	3.0%	97.0%
Grade 8	2.8%	4.5%	5.7%	94.3%
Grade 9	4.2%	4.6%	10.1%	89.9%
Grade 10	4.4%	5.6%	8.2%	91.8%
Grade 11	8.1%	10.2%	13.3%	86.7%
Grade 12	6.0%	8.3%	13.3%	86.7%
Cocaine or Crack				
All	1.6%	1.7%	2.2%	97.8%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	2.7%	2.7%	2.7%	97.3%
Grade 10	0.9%	0.9%	1.2%	98.8%
Grade 11	1.8%	2.1%	3.8%	96.2%
Grade 12	2.5%	2.9%	3.5%	96.5%
Cocaine				
All	1.2%	1.3%	1.8%	98.2%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.9%	0.9%	1.2%	98.8%
Grade 11	1.4%	1.7%	3.4%	96.6%
Grade 12	2.3%	2.7%	3.3%	96.7%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.9%	0.9%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	1.8%	1.8%	1.8%	98.2%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	1.4%	1.4%	1.4%	98.6%
Hallucinogens				
All	1.1%	2.3%	4.1%	95.9%
Grade 7	1.1%	1.5%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	1.2%	2.5%	4.5%	95.5%
Grade 11	1.8%	2.9%	7.0%	93.0%
Grade 12	2.5%	6.9%	9.9%	90.1%
Synthetic Cathinones				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.8%	0.8%	1.2%	98.8%
Steroids				
All	0.5%	0.6%	1.8%	98.2%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.8%	1.7%	2.5%	97.5%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.5%	0.7%	3.2%	96.8%
Grade 12	1.4%	1.4%	2.3%	97.7%
Ecstasy				
All	0.7%	0.9%	1.8%	98.2%
Grade 7	0.6%	0.8%	0.8%	99.2%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.4%	0.5%	1.7%	98.3%
Grade 11	1.4%	1.5%	3.5%	96.5%
Grade 12	0.8%	1.6%	2.9%	97.1%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.4%	0.4%	0.4%	99.6%
Synthetic Marijuana				
All	0.9%	1.3%	2.5%	97.5%
Grade 7	2.0%	2.0%	2.3%	97.7%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.5%	1.3%	2.4%	97.6%
Grade 10	1.0%	1.8%	2.2%	97.8%
Grade 11	0.2%	0.6%	2.4%	97.6%
Grade 12	1.4%	2.2%	5.3%	94.7%
Methamphetamine				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	1.2%	1.4%	98.6%
Grade 11	0.7%	0.7%	1.7%	98.3%
Grade 12	0.8%	1.2%	2.0%	98.0%
Delta 8				
All	2.7%	4.2%	6.7%	93.3%
Grade 7	1.3%	1.5%	2.3%	97.7%
Grade 8	0.0%	0.7%	1.0%	99.0%
Grade 9	0.0%	0.0%	3.8%	96.2%
Grade 10	3.6%	4.2%	6.8%	93.2%
Grade 11	3.5%	7.2%	11.3%	88.7%
Grade 12	8.2%	11.9%	15.8%	84.2%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.9%	16.5%	24.7%	75.3%
Grade 7	5.6%	7.7%	12.9%	87.1%
Grade 8	8.7%	10.1%	15.8%	84.2%
Grade 9	9.8%	16.0%	25.2%	74.8%
Grade 10	15.9%	18.9%	29.3%	70.7%
Grade 11	17.6%	23.7%	33.8%	66.2%
Grade 12	19.8%	23.7%	32.8%	67.2%
Any Alcohol Product				
All	26.8%	31.2%	45.4%	54.6%
Grade 7	16.2%	18.9%	37.7%	62.3%
Grade 8	15.4%	18.8%	37.1%	62.9%
Grade 9	27.9%	30.8%	40.0%	60.0%
Grade 10	28.0%	32.8%	46.0%	54.0%
Grade 11	37.8%	42.2%	54.8%	45.2%
Grade 12	37.1%	45.2%	57.1%	42.9%
Any Illicit Drug				
All	14.2%	18.9%	23.3%	76.7%
Grade 7	6.1%	10.2%	12.7%	87.3%
Grade 8	5.8%	9.7%	13.0%	87.0%
Grade 9	12.0%	18.1%	21.7%	78.3%
Grade 10	19.4%	25.3%	31.1%	68.9%
Grade 11	20.6%	24.7%	30.0%	70.0%
Grade 12	22.2%	27.3%	33.2%	66.8%
Any Prescription Drug				
All	6.9%	8.6%	14.5%	85.5%
Grade 7	7.3%	9.7%	14.0%	86.0%
Grade 8	10.6%	12.7%	17.6%	82.4%
Grade 9	6.2%	6.8%	9.8%	90.2%
Grade 10	3.5%	3.5%	11.0%	89.0%
Grade 11	6.1%	9.2%	16.3%	83.7%
Grade 12	6.7%	8.7%	16.7%	83.3%
Any Inhalant				
All	4.4%	5.7%	11.7%	88.3%
Grade 7	7.7%	8.4%	15.1%	84.9%
Grade 8	4.1%	6.2%	11.5%	88.5%
Grade 9	4.3%	4.3%	10.2%	89.8%
Grade 10	4.1%	6.2%	11.8%	88.2%
Grade 11	3.7%	4.9%	12.3%	87.7%
Grade 12	2.3%	3.6%	8.6%	91.4%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.5%	14.5%	22.7%	77.3%
Grade 7	4.0%	5.7%	9.6%	90.4%
Grade 8	6.7%	8.6%	14.5%	85.5%
Grade 9	8.1%	15.2%	23.2%	76.8%
Grade 10	12.6%	15.6%	26.3%	73.7%
Grade 11	14.1%	21.0%	31.8%	68.2%
Grade 12	17.8%	21.9%	32.1%	67.9%
Marijuana				
All	13.0%	15.9%	20.2%	79.8%
Grade 7	4.1%	5.8%	6.9%	93.1%
Grade 8	5.6%	6.4%	9.5%	90.5%
Grade 9	9.6%	12.3%	17.1%	82.9%
Grade 10	18.1%	21.5%	27.4%	72.6%
Grade 11	19.9%	24.4%	29.4%	70.6%
Grade 12	21.4%	26.0%	32.2%	67.8%
Marijuana Only				
All	6.0%	7.8%	11.2%	88.8%
Grade 7	2.3%	3.7%	4.8%	95.2%
Grade 8	2.5%	3.3%	5.6%	94.4%
Grade 9	6.4%	7.6%	11.8%	88.2%
Grade 10	7.6%	10.1%	14.4%	85.6%
Grade 11	9.0%	11.0%	14.9%	85.1%
Grade 12	8.7%	11.6%	16.3%	83.7%
Cocaine or Crack				
All	0.9%	1.1%	2.1%	97.9%
Grade 7	1.0%	1.0%	1.7%	98.3%
Grade 8	0.2%	0.2%	1.5%	98.5%
Grade 9	1.5%	2.0%	3.4%	96.6%
Grade 10	0.2%	0.2%	1.5%	98.5%
Grade 11	1.2%	1.4%	2.0%	98.0%
Grade 12	1.5%	2.0%	2.8%	97.2%
Cocaine				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	1.0%	1.0%	1.2%	98.8%
Grade 8	0.2%	0.2%	1.3%	98.7%
Grade 9	0.4%	0.4%	1.9%	98.1%
Grade 10	0.2%	0.2%	1.0%	99.0%
Grade 11	1.2%	1.4%	2.0%	98.0%
Grade 12	1.2%	1.4%	2.1%	97.9%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	1.5%	2.0%	2.0%	98.0%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.7%	0.9%	99.1%
Hallucinogens				
All	1.0%	1.5%	3.3%	96.7%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	1.2%	1.2%	2.5%	97.5%
Grade 10	1.1%	1.7%	3.6%	96.4%
Grade 11	1.8%	2.9%	5.7%	94.3%
Grade 12	1.3%	2.5%	5.7%	94.3%
Synthetic Cathinones				
All	0.3%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.3%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.8%	0.8%	99.2%
Grade 10	0.9%	0.9%	1.3%	98.7%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	1.2%	1.6%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.2%	1.0%	99.0%
Grade 11	0.0%	0.7%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.4%	99.6%
Ecstasy				
All	0.5%	0.7%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	1.4%	2.0%	2.0%	98.0%
Grade 10	0.0%	0.6%	1.5%	98.5%
Grade 11	0.9%	0.9%	3.7%	96.3%
Grade 12	0.7%	0.9%	2.8%	97.2%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
 Female Students**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.4%	1.0%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.8%	1.6%	2.0%	98.0%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.6%	2.2%	3.1%	96.9%
Grade 7	1.3%	1.3%	1.7%	98.3%
Grade 8	0.9%	1.7%	1.7%	98.3%
Grade 9	1.8%	2.2%	2.2%	97.8%
Grade 10	1.9%	2.5%	3.9%	96.1%
Grade 11	2.6%	3.2%	5.5%	94.5%
Grade 12	1.1%	2.1%	3.5%	96.5%
Methamphetamine				
All	0.4%	0.6%	0.9%	99.1%
Grade 7	1.0%	1.0%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.8%	0.8%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.7%	1.3%	1.4%	98.6%
Grade 12	0.3%	0.3%	0.3%	99.7%
Delta 8				
All	3.3%	4.6%	6.1%	93.9%
Grade 7	0.7%	0.7%	1.4%	98.6%
Grade 8	1.0%	1.5%	2.2%	97.8%
Grade 9	2.9%	3.4%	4.4%	95.6%
Grade 10	4.6%	6.3%	7.6%	92.4%
Grade 11	4.3%	6.4%	9.8%	90.2%
Grade 12	6.7%	9.8%	11.3%	88.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.7%	21.3%	31.1%	68.9%
Grade 7	2.5%	3.9%	9.1%	90.9%
Grade 8	7.7%	9.6%	17.2%	82.8%
Grade 9	9.2%	15.6%	25.1%	74.9%
Grade 10	18.9%	20.9%	32.9%	67.1%
Grade 11	25.6%	36.7%	50.3%	49.7%
Grade 12	33.8%	37.3%	47.6%	52.4%
Any Alcohol Product				
All	30.9%	34.6%	52.7%	47.3%
Grade 7	15.4%	15.7%	46.0%	54.0%
Grade 8	17.8%	21.3%	40.9%	59.1%
Grade 9	16.6%	18.4%	36.4%	63.6%
Grade 10	33.5%	35.0%	49.5%	50.5%
Grade 11	52.1%	59.1%	71.8%	28.2%
Grade 12	47.6%	54.6%	69.5%	30.5%
Any Illicit Drug				
All	15.0%	21.7%	26.9%	73.1%
Grade 7	3.3%	5.0%	5.7%	94.3%
Grade 8	3.2%	9.0%	10.7%	89.3%
Grade 9	11.9%	17.2%	24.7%	75.3%
Grade 10	15.5%	24.7%	34.0%	66.0%
Grade 11	23.0%	32.4%	36.2%	63.8%
Grade 12	30.2%	38.5%	46.5%	53.5%
Any Prescription Drug				
All	8.3%	10.9%	18.4%	81.6%
Grade 7	5.6%	5.9%	10.6%	89.4%
Grade 8	15.1%	18.2%	21.7%	78.3%
Grade 9	6.2%	8.6%	15.3%	84.7%
Grade 10	5.4%	5.4%	13.7%	86.3%
Grade 11	6.5%	9.4%	19.1%	80.9%
Grade 12	11.0%	17.2%	28.3%	71.7%
Any Inhalant				
All	5.2%	6.2%	13.5%	86.5%
Grade 7	10.2%	12.0%	20.9%	79.1%
Grade 8	6.0%	7.6%	13.4%	86.6%
Grade 9	1.5%	1.5%	9.6%	90.4%
Grade 10	4.8%	4.8%	10.5%	89.5%
Grade 11	5.6%	6.4%	12.2%	87.8%
Grade 12	4.2%	6.1%	15.2%	84.8%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.3%	18.7%	28.2%	71.8%
Grade 7	1.8%	3.2%	4.6%	95.4%
Grade 8	6.9%	8.9%	14.7%	85.3%
Grade 9	5.5%	14.1%	23.8%	76.2%
Grade 10	15.6%	17.5%	28.1%	71.9%
Grade 11	18.7%	30.6%	47.9%	52.1%
Grade 12	29.9%	34.7%	45.7%	54.3%
Marijuana				
All	13.8%	18.2%	23.0%	77.0%
Grade 7	3.3%	3.3%	3.3%	96.7%
Grade 8	2.9%	5.4%	6.8%	93.2%
Grade 9	8.2%	11.4%	18.9%	81.1%
Grade 10	14.1%	17.4%	26.6%	73.4%
Grade 11	22.4%	31.6%	34.6%	65.4%
Grade 12	29.6%	36.6%	44.0%	56.0%
Marijuana Only				
All	3.3%	5.3%	7.9%	92.1%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	1.8%	2.8%	2.8%	97.2%
Grade 9	5.4%	6.5%	12.7%	87.3%
Grade 10	1.4%	3.6%	5.9%	94.1%
Grade 11	4.4%	8.1%	9.5%	90.5%
Grade 12	4.6%	7.9%	12.7%	87.3%
Cocaine or Crack				
All	1.8%	2.0%	3.0%	97.0%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	1.7%	2.4%	3.4%	96.6%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	3.3%	3.3%	4.8%	95.2%
Grade 12	3.7%	4.3%	5.4%	94.6%
Cocaine				
All	1.3%	1.4%	2.3%	97.7%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.6%	2.6%	4.2%	95.8%
Grade 12	3.7%	4.3%	5.4%	94.6%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.9%	1.0%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.7%	2.4%	2.4%	97.6%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	1.9%	1.9%	1.9%	98.1%
Hallucinogens				
All	1.3%	3.0%	5.8%	94.2%
Grade 7	0.0%	0.0%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	1.5%	2.9%	5.3%	94.7%
Grade 11	2.0%	2.9%	7.9%	92.1%
Grade 12	4.3%	11.6%	17.0%	83.0%
Synthetic Cathinones				
All	0.7%	0.7%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.5%	1.5%	1.5%	98.5%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	1.9%	1.9%	2.5%	97.5%
Steroids				
All	0.8%	1.1%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.4%	2.2%	2.2%	97.8%
Grade 9	1.2%	2.3%	2.3%	97.7%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.8%	0.8%	3.6%	96.4%
Grade 12	1.2%	1.2%	1.9%	98.1%
Ecstasy				
All	1.1%	1.4%	2.8%	97.2%
Grade 7	0.0%	0.0%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	2.1%	2.9%	2.9%	97.1%
Grade 10	0.0%	0.0%	2.9%	97.1%
Grade 11	1.4%	1.4%	4.7%	95.3%
Grade 12	2.4%	3.7%	3.7%	96.3%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
 White Non-Hispanic Students**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.5%	0.8%	99.2%
Grade 7	0.0%	1.4%	1.4%	98.6%
Grade 8	0.0%	0.0%	2.2%	97.8%
Grade 9	0.0%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	0.6%	99.4%
Synthetic Marijuana				
All	1.8%	2.8%	4.9%	95.1%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.8%	0.8%	99.2%
Grade 9	0.8%	1.9%	2.7%	97.3%
Grade 10	4.4%	4.4%	6.8%	93.2%
Grade 11	1.6%	2.3%	7.6%	92.4%
Grade 12	2.5%	5.5%	9.2%	90.8%
Methamphetamine				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.6%	0.6%	2.0%	98.0%
Grade 12	1.8%	2.4%	3.7%	96.3%
Delta 8				
All	6.2%	8.9%	12.7%	87.3%
Grade 7	1.8%	1.8%	2.5%	97.5%
Grade 8	1.1%	2.5%	3.0%	97.0%
Grade 9	1.9%	1.9%	5.2%	94.8%
Grade 10	8.3%	9.2%	15.5%	84.5%
Grade 11	7.0%	12.3%	19.9%	80.1%
Grade 12	16.2%	24.5%	28.1%	71.9%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.0%	9.5%	14.8%	85.2%
Grade 7	3.2%	4.5%	11.0%	89.0%
Grade 8	6.2%	7.2%	11.4%	88.6%
Grade 9	5.0%	10.0%	10.0%	90.0%
Grade 10	7.0%	8.5%	15.9%	84.1%
Grade 11	11.5%	15.8%	19.3%	80.7%
Grade 12	9.4%	13.9%	21.3%	78.7%
Any Alcohol Product				
All	18.7%	20.8%	37.6%	62.4%
Grade 7	12.6%	13.9%	38.7%	61.3%
Grade 8	13.4%	15.2%	32.2%	67.8%
Grade 9	20.0%	20.0%	20.0%	80.0%
Grade 10	18.1%	20.7%	36.6%	63.4%
Grade 11	26.6%	27.9%	46.3%	53.7%
Grade 12	26.3%	31.8%	44.2%	55.8%
Any Illicit Drug				
All	14.1%	16.7%	20.7%	79.3%
Grade 7	7.4%	8.7%	13.0%	87.0%
Grade 8	5.8%	9.1%	12.5%	87.5%
Grade 9	15.0%	20.0%	20.0%	80.0%
Grade 10	13.9%	17.1%	22.5%	77.5%
Grade 11	24.5%	25.2%	29.4%	70.6%
Grade 12	23.1%	27.0%	31.6%	68.4%
Any Prescription Drug				
All	5.8%	6.8%	11.6%	88.4%
Grade 7	8.0%	11.9%	18.9%	81.1%
Grade 8	2.3%	3.2%	7.6%	92.4%
Grade 9	5.0%	5.0%	5.0%	95.0%
Grade 10	4.4%	4.4%	7.2%	92.8%
Grade 11	6.8%	6.8%	14.8%	85.2%
Grade 12	9.0%	9.0%	12.9%	87.1%
Any Inhalant				
All	2.6%	3.9%	7.3%	92.7%
Grade 7	1.3%	1.3%	7.1%	92.9%
Grade 8	2.0%	3.0%	5.0%	95.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.5%	2.6%	4.6%	95.4%
Grade 11	4.9%	7.1%	13.7%	86.3%
Grade 12	5.7%	9.6%	10.5%	89.5%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.9%	8.5%	13.6%	86.4%
Grade 7	2.9%	2.9%	7.4%	92.6%
Grade 8	3.9%	6.4%	11.4%	88.6%
Grade 9	5.0%	10.0%	10.0%	90.0%
Grade 10	6.0%	7.5%	15.7%	84.3%
Grade 11	9.5%	13.8%	17.2%	82.8%
Grade 12	9.4%	13.9%	21.3%	78.7%
Marijuana				
All	13.3%	14.8%	18.4%	81.6%
Grade 7	7.4%	8.7%	11.3%	88.7%
Grade 8	5.8%	8.1%	11.5%	88.5%
Grade 9	10.0%	10.0%	10.0%	90.0%
Grade 10	13.2%	15.2%	20.6%	79.4%
Grade 11	23.9%	23.9%	27.6%	72.4%
Grade 12	22.2%	25.1%	29.6%	70.4%
Marijuana Only				
All	8.9%	10.0%	13.2%	86.8%
Grade 7	4.5%	4.5%	7.1%	92.9%
Grade 8	2.4%	4.6%	8.0%	92.0%
Grade 9	9.1%	9.1%	9.1%	90.9%
Grade 10	9.9%	11.8%	17.0%	83.0%
Grade 11	15.1%	15.1%	18.5%	81.5%
Grade 12	14.6%	16.2%	18.9%	81.1%
Cocaine or Crack				
All	1.0%	1.1%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	5.0%	5.0%	5.0%	95.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	1.8%	2.7%	3.7%	96.3%
Cocaine				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.8%	1.8%	1.8%	98.2%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	5.0%	5.0%	5.0%	95.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	0.0%	1.0%	2.0%	98.0%
Hallucinogens				
All	0.2%	0.7%	1.3%	98.7%
Grade 7	0.0%	1.3%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	1.5%	98.5%
Grade 11	0.7%	2.0%	4.2%	95.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.0%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	5.0%	5.0%	95.0%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.0%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.1%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	5.0%	95.0%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.0%	0.7%	3.4%	96.6%
Grade 12	0.0%	0.0%	1.8%	98.2%
Ecstasy				
All	0.7%	0.7%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	2.4%	2.4%	4.8%	95.2%
Grade 12	0.0%	0.0%	1.0%	99.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
 African American Non-Hispanic Students**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.5%	0.8%	0.9%	99.1%
Grade 7	1.6%	1.6%	1.6%	98.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.1%	1.5%	98.5%
Grade 11	0.7%	1.4%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.7%	0.7%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.5%	2.1%	2.8%	97.2%
Grade 7	1.3%	1.3%	2.9%	97.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	2.5%	3.8%	5.8%	94.2%
Grade 12	2.7%	5.6%	5.6%	94.4%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.2%	12.6%	22.3%	77.7%
Grade 7	6.5%	8.1%	15.2%	84.8%
Grade 8	7.2%	8.3%	14.0%	86.0%
Grade 9	10.2%	13.1%	29.9%	70.1%
Grade 10	11.4%	14.3%	23.7%	76.3%
Grade 11	12.8%	16.5%	26.8%	73.2%
Grade 12	13.9%	16.6%	27.3%	72.7%
Any Alcohol Product				
All	24.3%	28.6%	42.1%	57.9%
Grade 7	16.6%	19.7%	34.2%	65.8%
Grade 8	16.5%	20.2%	34.4%	65.6%
Grade 9	27.9%	32.7%	45.8%	54.2%
Grade 10	25.9%	29.8%	42.0%	58.0%
Grade 11	29.2%	34.8%	49.0%	51.0%
Grade 12	32.5%	37.6%	49.8%	50.2%
Any Illicit Drug				
All	12.2%	15.7%	20.2%	79.8%
Grade 7	5.9%	9.3%	11.2%	88.8%
Grade 8	6.3%	9.3%	11.6%	88.4%
Grade 9	12.2%	15.7%	20.8%	79.2%
Grade 10	15.1%	20.0%	24.8%	75.2%
Grade 11	18.2%	20.5%	26.7%	73.3%
Grade 12	16.4%	20.6%	28.1%	71.9%
Any Prescription Drug				
All	4.5%	6.3%	12.3%	87.7%
Grade 7	7.0%	9.7%	13.5%	86.5%
Grade 8	4.2%	6.3%	12.2%	87.8%
Grade 9	4.8%	5.6%	10.3%	89.7%
Grade 10	3.4%	3.4%	10.9%	89.1%
Grade 11	4.8%	8.4%	15.7%	84.3%
Grade 12	2.4%	4.1%	10.4%	89.6%
Any Inhalant				
All	5.2%	6.4%	11.3%	88.7%
Grade 7	8.0%	8.4%	13.5%	86.5%
Grade 8	5.8%	7.7%	11.8%	88.2%
Grade 9	4.2%	4.2%	9.0%	91.0%
Grade 10	5.0%	6.8%	12.4%	87.6%
Grade 11	5.1%	6.6%	12.4%	87.6%
Grade 12	2.4%	3.9%	7.2%	92.8%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.8%	10.6%	19.4%	80.6%
Grade 7	4.7%	6.3%	12.3%	87.7%
Grade 8	6.1%	7.4%	13.6%	86.4%
Grade 9	7.8%	11.2%	23.5%	76.5%
Grade 10	7.7%	10.7%	20.7%	79.3%
Grade 11	10.0%	14.6%	23.8%	76.2%
Grade 12	11.5%	14.3%	25.0%	75.0%
Marijuana				
All	10.8%	13.2%	17.7%	82.3%
Grade 7	4.4%	6.8%	7.5%	92.5%
Grade 8	5.8%	7.2%	9.5%	90.5%
Grade 9	9.5%	11.3%	16.8%	83.2%
Grade 10	13.3%	16.7%	21.8%	78.2%
Grade 11	17.3%	19.9%	25.7%	74.3%
Grade 12	15.9%	18.5%	27.2%	72.8%
Marijuana Only				
All	5.3%	6.8%	10.3%	89.7%
Grade 7	1.8%	3.8%	4.2%	95.8%
Grade 8	2.9%	4.1%	6.1%	93.9%
Grade 9	5.4%	6.2%	11.1%	88.9%
Grade 10	6.3%	8.1%	11.8%	88.2%
Grade 11	8.6%	10.1%	14.5%	85.5%
Grade 12	7.6%	9.2%	15.6%	84.4%
Cocaine or Crack				
All	1.2%	1.3%	1.9%	98.1%
Grade 7	0.9%	0.9%	1.5%	98.5%
Grade 8	0.9%	0.9%	1.4%	98.6%
Grade 9	2.2%	2.2%	3.0%	97.0%
Grade 10	0.9%	0.9%	1.3%	98.7%
Grade 11	1.2%	1.4%	2.8%	97.2%
Grade 12	1.4%	1.6%	1.8%	98.2%
Cocaine				
All	1.0%	1.0%	1.6%	98.4%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	1.3%	1.3%	2.1%	97.9%
Grade 10	0.9%	0.9%	1.3%	98.7%
Grade 11	1.2%	1.4%	2.8%	97.2%
Grade 12	0.8%	1.1%	1.3%	98.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.6%	0.7%	99.3%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.7%	0.7%	99.3%
Hallucinogens				
All	1.2%	1.7%	3.4%	96.6%
Grade 7	1.0%	1.0%	1.8%	98.2%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	1.3%	1.3%	2.6%	97.4%
Grade 10	1.5%	2.7%	5.4%	94.6%
Grade 11	2.4%	3.1%	5.8%	94.2%
Grade 12	0.8%	1.5%	3.8%	96.2%
Synthetic Cathinones				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.5%	0.5%	1.4%	98.6%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.2%	1.1%	98.9%
Grade 11	0.0%	0.7%	1.0%	99.0%
Grade 12	0.2%	0.2%	0.2%	99.8%
Ecstasy				
All	0.3%	0.5%	1.7%	98.3%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.2%	0.9%	2.2%	97.8%
Grade 11	0.5%	0.6%	3.0%	97.0%
Grade 12	0.0%	0.2%	3.1%	96.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.8%	0.8%	1.3%	98.7%
Grade 10	0.1%	0.1%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.3%	1.7%	2.5%	97.5%
Grade 7	1.4%	1.4%	1.9%	98.1%
Grade 8	1.1%	1.6%	2.0%	98.0%
Grade 9	1.7%	2.2%	2.7%	97.3%
Grade 10	0.5%	1.5%	2.4%	97.6%
Grade 11	1.9%	2.5%	3.9%	96.1%
Grade 12	1.1%	1.1%	2.5%	97.5%
Methamphetamine				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.8%	0.8%	1.7%	98.3%
Grade 10	0.0%	0.5%	1.3%	98.7%
Grade 11	0.5%	1.2%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.8%	2.6%	4.3%	95.7%
Grade 7	0.6%	0.8%	1.4%	98.6%
Grade 8	0.6%	1.1%	1.9%	98.1%
Grade 9	1.7%	2.1%	4.7%	95.3%
Grade 10	2.7%	3.6%	5.7%	94.3%
Grade 11	2.7%	4.6%	7.1%	92.9%
Grade 12	2.8%	3.2%	5.4%	94.6%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.4%	13.0%	20.6%	79.4%
Grade 7	2.3%	3.8%	9.2%	90.8%
Grade 8	2.6%	3.6%	5.9%	94.1%
Grade 9	8.7%	13.4%	19.5%	80.5%
Grade 10	7.0%	10.2%	21.2%	78.8%
Grade 11	14.3%	21.3%	30.1%	69.9%
Grade 12	17.7%	21.3%	32.0%	68.0%
Any Alcohol Product				
All	23.2%	27.3%	43.9%	56.1%
Grade 7	11.5%	14.2%	45.4%	54.6%
Grade 8	13.2%	14.4%	33.7%	66.3%
Grade 9	17.5%	21.1%	29.9%	70.1%
Grade 10	19.1%	24.3%	39.8%	60.2%
Grade 11	34.6%	39.4%	53.1%	46.9%
Grade 12	35.9%	42.5%	56.5%	43.5%
Any Illicit Drug				
All	9.5%	14.4%	18.7%	81.3%
Grade 7	3.9%	6.2%	7.1%	92.9%
Grade 8	1.8%	3.8%	6.4%	93.6%
Grade 9	8.3%	12.5%	16.1%	83.9%
Grade 10	8.1%	14.6%	21.8%	78.2%
Grade 11	13.7%	19.7%	24.6%	75.4%
Grade 12	18.1%	25.3%	30.3%	69.7%
Any Prescription Drug				
All	4.6%	5.9%	11.2%	88.8%
Grade 7	4.1%	5.4%	9.6%	90.4%
Grade 8	9.1%	9.9%	15.8%	84.2%
Grade 9	6.2%	7.2%	9.4%	90.6%
Grade 10	2.0%	2.0%	7.1%	92.9%
Grade 11	2.7%	4.3%	10.8%	89.2%
Grade 12	3.8%	6.8%	13.7%	86.3%
Any Inhalant				
All	3.2%	4.5%	9.8%	90.2%
Grade 7	7.1%	8.6%	12.2%	87.8%
Grade 8	3.9%	5.8%	10.6%	89.4%
Grade 9	2.4%	2.4%	11.4%	88.6%
Grade 10	1.6%	3.6%	9.2%	90.8%
Grade 11	2.8%	3.7%	7.2%	92.8%
Grade 12	2.5%	3.4%	9.6%	90.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.2%	11.7%	18.8%	81.2%
Grade 7	2.3%	3.8%	7.1%	92.9%
Grade 8	2.6%	3.1%	5.9%	94.1%
Grade 9	6.8%	11.6%	15.9%	84.1%
Grade 10	6.8%	9.7%	19.2%	80.8%
Grade 11	11.4%	18.6%	28.3%	71.7%
Grade 12	16.3%	19.7%	30.5%	69.5%
Marijuana				
All	9.1%	12.1%	16.3%	83.7%
Grade 7	3.0%	3.2%	3.2%	96.8%
Grade 8	1.8%	2.2%	4.7%	95.3%
Grade 9	8.3%	9.1%	12.7%	87.3%
Grade 10	7.7%	10.9%	18.7%	81.3%
Grade 11	13.2%	18.6%	22.2%	77.8%
Grade 12	17.6%	23.8%	29.8%	70.2%
Marijuana Only				
All	3.3%	5.2%	8.1%	91.9%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	0.7%	1.1%	2.4%	97.6%
Grade 9	4.7%	5.5%	7.6%	92.4%
Grade 10	2.8%	5.3%	10.8%	89.2%
Grade 11	6.1%	9.0%	11.1%	88.9%
Grade 12	4.5%	7.8%	13.0%	87.0%
Cocaine or Crack				
All	0.3%	0.6%	1.8%	98.2%
Grade 7	1.0%	1.0%	1.9%	98.1%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	1.0%	2.5%	97.5%
Grade 10	0.0%	0.0%	2.7%	97.3%
Grade 11	0.0%	0.2%	0.8%	99.2%
Grade 12	0.8%	1.7%	2.1%	97.9%
Cocaine				
All	0.3%	0.4%	1.4%	98.6%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	0.0%	0.2%	0.8%	99.2%
Grade 12	0.8%	1.3%	1.8%	98.2%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	1.1%	1.1%	98.9%
Hallucinogens				
All	0.5%	1.1%	2.6%	97.4%
Grade 7	1.0%	1.0%	3.2%	96.8%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.2%	1.4%	2.2%	97.8%
Grade 11	0.3%	0.5%	2.5%	97.5%
Grade 12	0.5%	2.3%	5.4%	94.6%
Synthetic Cathinones				
All	0.3%	0.5%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	1.5%	1.5%	98.5%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.1%	1.1%	1.1%	98.9%
Steroids				
All	0.4%	0.5%	1.5%	98.5%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.0%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.7%	1.0%	2.7%	97.3%
Grade 12	1.1%	1.1%	1.8%	98.2%
Ecstasy				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	1.0%	1.0%	2.5%	97.5%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.5%	0.5%	1.7%	98.3%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.6%	1.0%	99.0%
Grade 7	0.0%	1.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	1.8%	98.2%
Grade 9	1.5%	2.5%	2.5%	97.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.5%	0.5%	0.5%	99.5%
Synthetic Marijuana				
All	1.2%	1.8%	2.8%	97.2%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	1.1%	1.1%	98.9%
Grade 9	1.5%	1.5%	3.4%	96.6%
Grade 10	1.7%	1.7%	1.7%	98.3%
Grade 11	1.8%	2.4%	4.9%	95.1%
Grade 12	1.1%	2.7%	3.7%	96.3%
Methamphetamine				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.5%	0.5%	1.1%	98.9%
Delta 8				
All	3.0%	4.7%	6.3%	93.7%
Grade 7	2.1%	2.1%	2.1%	97.9%
Grade 8	0.6%	1.1%	1.1%	98.9%
Grade 9	1.5%	1.5%	3.0%	97.0%
Grade 10	2.3%	3.6%	4.6%	95.4%
Grade 11	3.4%	6.5%	10.7%	89.3%
Grade 12	7.3%	11.2%	13.4%	86.6%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.1%	14.6%	23.9%	76.1%
Grade 7	5.6%	7.0%	14.0%	86.0%
Grade 8	8.9%	10.3%	17.6%	82.4%
Grade 9	10.1%	13.7%	29.0%	71.0%
Grade 10	13.9%	16.2%	25.1%	74.9%
Grade 11	16.4%	20.9%	30.5%	69.5%
Grade 12	20.2%	22.5%	32.0%	68.0%
Any Alcohol Product				
All	25.1%	28.8%	43.2%	56.8%
Grade 7	16.4%	18.4%	36.7%	63.3%
Grade 8	16.4%	19.7%	35.2%	64.8%
Grade 9	26.7%	29.8%	44.4%	55.6%
Grade 10	27.0%	29.6%	41.0%	59.0%
Grade 11	33.2%	39.0%	53.2%	46.8%
Grade 12	35.1%	41.0%	52.9%	47.1%
Any Illicit Drug				
All	14.7%	18.5%	23.0%	77.0%
Grade 7	6.1%	9.0%	11.3%	88.7%
Grade 8	6.4%	10.6%	12.6%	87.4%
Grade 9	14.0%	18.3%	24.6%	75.4%
Grade 10	17.6%	22.2%	27.5%	72.5%
Grade 11	24.1%	26.6%	32.1%	67.9%
Grade 12	23.6%	28.3%	35.0%	65.0%
Any Prescription Drug				
All	6.2%	8.4%	14.7%	85.3%
Grade 7	6.8%	9.2%	13.3%	86.7%
Grade 8	6.1%	8.3%	13.6%	86.4%
Grade 9	5.5%	7.7%	12.6%	87.4%
Grade 10	4.8%	4.8%	12.3%	87.7%
Grade 11	7.3%	11.1%	19.6%	80.4%
Grade 12	7.1%	9.4%	17.3%	82.7%
Any Inhalant				
All	5.5%	6.7%	11.7%	88.3%
Grade 7	8.0%	8.4%	15.1%	84.9%
Grade 8	5.4%	6.9%	11.2%	88.8%
Grade 9	3.0%	3.0%	7.0%	93.0%
Grade 10	4.9%	6.2%	11.2%	88.8%
Grade 11	6.5%	8.0%	14.2%	85.8%
Grade 12	4.2%	6.5%	10.0%	90.0%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.0%	12.2%	20.8%	79.2%
Grade 7	4.0%	5.2%	9.8%	90.2%
Grade 8	6.7%	8.8%	15.9%	84.1%
Grade 9	7.1%	12.1%	24.9%	75.1%
Grade 10	9.4%	12.0%	21.9%	78.1%
Grade 11	12.6%	18.0%	27.7%	72.3%
Grade 12	16.3%	19.6%	29.5%	70.5%
Marijuana				
All	13.2%	15.6%	19.8%	80.2%
Grade 7	4.9%	6.5%	7.6%	92.4%
Grade 8	6.0%	8.0%	9.9%	90.1%
Grade 9	9.4%	11.6%	18.2%	81.8%
Grade 10	15.7%	18.5%	23.6%	76.4%
Grade 11	23.2%	26.1%	31.4%	68.6%
Grade 12	23.0%	26.2%	33.0%	67.0%
Marijuana Only				
All	6.1%	7.5%	10.7%	89.3%
Grade 7	2.6%	3.8%	4.8%	95.2%
Grade 8	3.1%	4.5%	6.2%	93.8%
Grade 9	6.0%	6.4%	12.2%	87.8%
Grade 10	7.1%	8.4%	11.2%	88.8%
Grade 11	10.2%	11.9%	16.2%	83.8%
Grade 12	8.8%	11.2%	15.7%	84.3%
Cocaine or Crack				
All	1.7%	1.7%	2.3%	97.7%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.7%	0.7%	1.4%	98.6%
Grade 9	3.2%	3.2%	3.6%	96.4%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	2.6%	2.8%	3.9%	96.1%
Grade 12	2.4%	2.6%	3.5%	96.5%
Cocaine				
All	1.2%	1.3%	1.7%	98.3%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	1.0%	1.0%	1.5%	98.5%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	2.0%	2.3%	3.3%	96.7%
Grade 12	2.0%	2.2%	2.9%	97.1%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	1.0%	99.0%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	2.5%	2.5%	2.5%	97.5%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	1.0%	1.0%	1.2%	98.8%
Hallucinogens				
All	1.2%	2.1%	4.0%	96.0%
Grade 7	0.3%	0.6%	1.1%	98.9%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.3%	0.3%	1.9%	98.1%
Grade 10	1.6%	2.5%	5.3%	94.7%
Grade 11	2.7%	4.2%	7.5%	92.5%
Grade 12	2.3%	5.4%	8.6%	91.4%
Synthetic Cathinones				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	1.2%	1.2%	1.5%	98.5%
Grade 11	0.7%	0.8%	0.8%	99.2%
Grade 12	0.3%	0.3%	0.6%	99.4%
Steroids				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	1.0%	1.0%	1.9%	98.1%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.0%	0.1%	1.1%	98.9%
Grade 11	0.0%	0.6%	2.0%	98.0%
Grade 12	0.4%	0.4%	1.1%	98.9%
Ecstasy				
All	0.6%	0.9%	2.2%	97.8%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	1.1%	1.5%	1.5%	98.5%
Grade 10	0.3%	0.8%	2.8%	97.2%
Grade 11	1.7%	1.8%	5.0%	95.0%
Grade 12	0.8%	1.6%	3.4%	96.6%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.6%	1.0%	99.0%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.3%	1.8%	2.9%	97.1%
Grade 7	1.8%	1.8%	2.3%	97.7%
Grade 8	0.8%	1.0%	1.3%	98.7%
Grade 9	1.1%	2.0%	2.0%	98.0%
Grade 10	1.4%	2.4%	3.9%	96.1%
Grade 11	1.3%	1.7%	3.3%	96.7%
Grade 12	1.4%	2.0%	4.9%	95.1%
Methamphetamine				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.2%	0.6%	1.1%	98.9%
Grade 11	1.0%	1.4%	2.2%	97.8%
Grade 12	0.5%	0.5%	0.8%	99.2%
Delta 8				
All	2.6%	3.9%	6.1%	93.9%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	0.6%	1.2%	1.9%	98.1%
Grade 9	1.7%	2.0%	5.0%	95.0%
Grade 10	4.0%	5.1%	8.3%	91.7%
Grade 11	3.4%	5.8%	9.1%	90.9%
Grade 12	6.4%	9.7%	12.3%	87.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.1%	12.5%	20.1%	79.9%
Grade 7	4.0%	5.9%	10.7%	89.3%
Grade 8	5.1%	6.9%	11.4%	88.6%
Grade 9	6.2%	8.4%	20.1%	79.9%
Grade 10	12.8%	15.5%	23.8%	76.2%
Grade 11	14.0%	18.9%	27.4%	72.6%
Grade 12	19.8%	20.8%	29.3%	70.7%
Any Alcohol Product				
All	23.5%	27.1%	41.6%	58.4%
Grade 7	13.9%	15.4%	37.4%	62.6%
Grade 8	16.2%	18.1%	34.6%	65.4%
Grade 9	18.4%	22.2%	34.7%	65.3%
Grade 10	27.0%	30.6%	41.1%	58.9%
Grade 11	32.0%	37.9%	50.0%	50.0%
Grade 12	35.5%	40.4%	53.0%	47.0%
Any Illicit Drug				
All	10.6%	14.6%	17.9%	82.1%
Grade 7	3.3%	6.4%	7.3%	92.7%
Grade 8	3.9%	7.1%	8.7%	91.3%
Grade 9	10.4%	12.1%	14.8%	85.2%
Grade 10	11.6%	17.0%	22.6%	77.4%
Grade 11	16.5%	21.7%	26.2%	73.8%
Grade 12	19.9%	25.0%	30.1%	69.9%
Any Prescription Drug				
All	5.5%	7.1%	12.7%	87.3%
Grade 7	5.7%	8.1%	11.8%	88.2%
Grade 8	7.9%	9.7%	15.3%	84.7%
Grade 9	4.6%	5.9%	10.4%	89.6%
Grade 10	4.9%	4.9%	11.2%	88.8%
Grade 11	5.4%	7.0%	13.4%	86.6%
Grade 12	4.4%	6.4%	14.1%	85.9%
Any Inhalant				
All	4.1%	5.1%	10.4%	89.6%
Grade 7	6.1%	6.7%	13.1%	86.9%
Grade 8	5.0%	6.7%	11.8%	88.2%
Grade 9	1.6%	1.6%	7.5%	92.5%
Grade 10	3.1%	4.2%	9.6%	90.4%
Grade 11	4.8%	6.3%	11.3%	88.7%
Grade 12	3.7%	4.1%	8.3%	91.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.7%	10.6%	18.1%	81.9%
Grade 7	2.3%	4.3%	8.6%	91.4%
Grade 8	3.7%	6.0%	10.9%	89.1%
Grade 9	4.3%	7.2%	17.0%	83.0%
Grade 10	10.0%	12.5%	20.3%	79.7%
Grade 11	11.1%	16.8%	25.7%	74.3%
Grade 12	16.1%	17.7%	28.0%	72.0%
Marijuana				
All	9.6%	12.0%	15.3%	84.7%
Grade 7	2.3%	3.5%	4.1%	95.9%
Grade 8	3.6%	4.8%	6.2%	93.8%
Grade 9	7.4%	8.4%	11.4%	88.6%
Grade 10	10.4%	13.5%	19.1%	80.9%
Grade 11	16.2%	20.8%	25.1%	74.9%
Grade 12	19.0%	23.0%	28.3%	71.7%
Marijuana Only				
All	4.2%	5.8%	8.1%	91.9%
Grade 7	1.4%	2.2%	2.8%	97.2%
Grade 8	2.0%	2.6%	3.8%	96.2%
Grade 9	5.7%	6.3%	8.9%	91.1%
Grade 10	4.1%	5.8%	8.6%	91.4%
Grade 11	6.2%	9.2%	12.2%	87.8%
Grade 12	6.5%	9.2%	13.4%	86.6%
Cocaine or Crack				
All	0.8%	0.9%	1.4%	98.6%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	2.1%	2.4%	2.4%	97.6%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.4%	0.4%	1.8%	98.2%
Grade 12	1.7%	2.1%	2.7%	97.3%
Cocaine				
All	0.6%	0.6%	1.0%	99.0%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.3%	0.3%	1.7%	98.3%
Grade 12	1.3%	1.5%	2.1%	97.9%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	1.4%	1.8%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	1.0%	1.4%	1.4%	98.6%
Hallucinogens				
All	1.0%	1.6%	3.0%	97.0%
Grade 7	0.2%	0.5%	1.2%	98.8%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	1.4%	2.8%	4.8%	95.2%
Grade 11	1.9%	2.5%	4.5%	95.5%
Grade 12	1.7%	3.7%	6.2%	93.8%
Synthetic Cathinones				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.4%	0.5%	0.5%	99.5%
Grade 12	0.6%	0.6%	0.9%	99.1%
Steroids				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.6%	0.6%	1.4%	98.6%
Grade 9	0.0%	0.6%	1.2%	98.8%
Grade 10	0.0%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.2%	1.2%	98.8%
Grade 12	1.1%	1.1%	1.5%	98.5%
Ecstasy				
All	0.2%	0.3%	1.2%	98.8%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.1%	2.0%	98.0%
Grade 11	0.5%	0.5%	1.8%	98.2%
Grade 12	0.3%	0.8%	2.0%	98.0%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.5%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
Synthetic Marijuana				
All	1.0%	1.3%	2.3%	97.7%
Grade 7	0.4%	0.4%	0.9%	99.1%
Grade 8	0.6%	0.8%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	1.9%	2.2%	3.6%	96.4%
Grade 11	1.7%	2.1%	4.4%	95.6%
Grade 12	0.8%	1.4%	3.0%	97.0%
Methamphetamine				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.6%	0.6%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.9%	99.1%
Delta 8				
All	2.1%	3.5%	5.0%	95.0%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.9%	1.3%	98.7%
Grade 9	0.0%	0.3%	1.3%	98.7%
Grade 10	3.7%	4.3%	6.6%	93.4%
Grade 11	3.2%	6.2%	8.9%	91.1%
Grade 12	6.0%	10.0%	12.3%	87.7%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.8%	17.4%	28.5%	71.5%
Grade 7	6.9%	7.6%	17.4%	82.6%
Grade 8	10.5%	10.8%	19.0%	81.0%
Grade 9	13.9%	21.5%	35.0%	65.0%
Grade 10	12.0%	14.7%	25.7%	74.3%
Grade 11	19.7%	25.8%	38.7%	61.3%
Grade 12	20.5%	26.0%	38.1%	61.9%
Any Alcohol Product				
All	27.2%	31.7%	47.6%	52.4%
Grade 7	18.8%	22.6%	40.9%	59.1%
Grade 8	15.1%	19.7%	36.2%	63.8%
Grade 9	31.1%	33.5%	49.8%	50.2%
Grade 10	25.0%	27.2%	42.8%	57.2%
Grade 11	39.1%	44.1%	61.0%	39.0%
Grade 12	36.7%	45.2%	57.9%	42.1%
Any Illicit Drug				
All	17.7%	22.3%	28.5%	71.5%
Grade 7	10.7%	12.8%	17.1%	82.9%
Grade 8	7.3%	11.0%	14.6%	85.4%
Grade 9	13.0%	22.3%	33.0%	67.0%
Grade 10	21.0%	26.1%	31.4%	68.6%
Grade 11	28.9%	31.1%	37.0%	63.0%
Grade 12	25.1%	31.6%	40.0%	60.0%
Any Prescription Drug				
All	6.2%	8.9%	16.0%	84.0%
Grade 7	7.4%	9.0%	14.5%	85.5%
Grade 8	5.6%	7.7%	12.8%	87.2%
Grade 9	6.4%	10.0%	14.6%	85.4%
Grade 10	3.2%	3.2%	10.7%	89.3%
Grade 11	6.4%	12.2%	23.8%	76.2%
Grade 12	8.7%	12.4%	20.4%	79.6%
Any Inhalant				
All	5.7%	7.2%	12.1%	87.9%
Grade 7	10.1%	10.7%	16.0%	84.0%
Grade 8	4.6%	5.9%	9.1%	90.9%
Grade 9	5.7%	5.7%	10.2%	89.8%
Grade 10	5.1%	7.0%	11.5%	88.5%
Grade 11	6.0%	6.9%	13.3%	86.7%
Grade 12	3.2%	7.1%	13.0%	87.0%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.2%	15.3%	25.0%	75.0%
Grade 7	6.8%	6.8%	11.3%	88.7%
Grade 8	7.8%	8.9%	16.8%	83.2%
Grade 9	10.7%	19.9%	29.5%	70.5%
Grade 10	8.6%	11.9%	24.2%	75.8%
Grade 11	15.4%	22.2%	34.7%	65.3%
Grade 12	18.3%	24.1%	34.9%	65.1%
Marijuana				
All	16.4%	19.6%	25.5%	74.5%
Grade 7	9.0%	11.0%	12.8%	87.2%
Grade 8	7.0%	9.4%	13.0%	87.0%
Grade 9	10.0%	13.9%	24.8%	75.2%
Grade 10	19.1%	22.1%	28.1%	71.9%
Grade 11	27.4%	30.6%	35.6%	64.4%
Grade 12	25.1%	30.2%	39.2%	60.8%
Marijuana Only				
All	6.9%	8.6%	13.0%	87.0%
Grade 7	3.2%	4.8%	6.1%	93.9%
Grade 8	3.7%	5.8%	8.5%	91.5%
Grade 9	4.4%	5.5%	14.4%	85.6%
Grade 10	8.7%	10.6%	15.0%	85.0%
Grade 11	12.9%	13.4%	17.9%	82.1%
Grade 12	8.3%	10.7%	16.2%	83.8%
Cocaine or Crack				
All	2.0%	2.2%	3.3%	96.7%
Grade 7	2.4%	2.4%	3.3%	96.7%
Grade 8	0.5%	0.5%	1.9%	98.1%
Grade 9	2.0%	2.0%	4.1%	95.9%
Grade 10	1.2%	1.2%	2.0%	98.0%
Grade 11	4.1%	4.7%	5.2%	94.8%
Grade 12	2.3%	2.8%	3.8%	96.2%
Cocaine				
All	1.6%	1.8%	2.7%	97.3%
Grade 7	2.2%	2.2%	2.6%	97.4%
Grade 8	0.5%	0.5%	1.9%	98.1%
Grade 9	0.0%	0.0%	2.1%	97.9%
Grade 10	1.2%	1.2%	2.0%	98.0%
Grade 11	3.3%	3.9%	4.4%	95.6%
Grade 12	2.3%	2.8%	3.5%	96.5%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.9%	0.9%	1.2%	98.8%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	2.0%	2.0%	2.0%	98.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	0.5%	0.5%	0.8%	99.2%
Hallucinogens				
All	1.2%	2.2%	5.0%	95.0%
Grade 7	1.2%	1.3%	3.0%	97.0%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	1.2%	1.2%	3.0%	97.0%
Grade 10	0.8%	1.0%	3.5%	96.5%
Grade 11	1.7%	3.7%	9.6%	90.4%
Grade 12	2.0%	5.9%	10.2%	89.8%
Synthetic Cathinones				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.0%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	1.2%	1.2%	98.8%
Grade 10	1.5%	1.5%	1.9%	98.1%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.5%	0.5%	0.5%	99.5%
Steroids				
All	0.5%	0.7%	2.0%	98.0%
Grade 7	0.4%	0.4%	1.5%	98.5%
Grade 8	0.8%	1.2%	1.7%	98.3%
Grade 9	1.2%	1.2%	2.4%	97.6%
Grade 10	0.0%	0.0%	1.8%	98.2%
Grade 11	0.6%	1.7%	3.9%	96.1%
Grade 12	0.0%	0.0%	1.0%	99.0%
Ecstasy				
All	1.2%	1.5%	3.0%	97.0%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.4%	1.3%	98.7%
Grade 9	2.4%	3.2%	3.2%	96.8%
Grade 10	0.5%	1.2%	1.9%	98.1%
Grade 11	2.1%	2.4%	7.0%	93.0%
Grade 12	1.3%	1.8%	4.2%	95.8%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
 Students Not Living with 2 Parents**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	1.2%	2.4%	3.0%	97.0%
Grade 10	0.3%	0.3%	1.2%	98.8%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.6%	2.6%	3.8%	96.2%
Grade 7	4.1%	4.1%	4.2%	95.8%
Grade 8	0.5%	1.3%	1.8%	98.2%
Grade 9	2.0%	3.8%	4.6%	95.4%
Grade 10	0.7%	2.0%	2.6%	97.4%
Grade 11	1.2%	2.1%	3.8%	96.2%
Grade 12	1.9%	3.3%	6.3%	93.7%
Methamphetamine				
All	0.6%	1.0%	1.8%	98.2%
Grade 7	0.9%	0.9%	1.1%	98.9%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	1.2%	1.2%	2.4%	97.6%
Grade 10	0.3%	1.0%	1.9%	98.1%
Grade 11	0.9%	1.8%	3.1%	96.9%
Grade 12	0.9%	1.3%	1.3%	98.7%
Delta 8				
All	4.5%	5.9%	9.0%	91.0%
Grade 7	2.7%	3.0%	4.9%	95.1%
Grade 8	1.1%	1.4%	2.1%	97.9%
Grade 9	4.4%	4.4%	9.6%	90.4%
Grade 10	4.6%	6.5%	9.2%	90.8%
Grade 11	5.3%	7.9%	13.5%	86.5%
Grade 12	9.4%	12.3%	15.5%	84.5%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.6%	12.2%	20.7%	79.3%
Grade 7	3.6%	4.8%	10.7%	89.3%
Grade 8	5.4%	6.0%	11.3%	88.7%
Grade 9	6.8%	10.3%	22.1%	77.9%
Grade 10	10.6%	12.7%	22.4%	77.6%
Grade 11	13.4%	19.2%	28.9%	71.1%
Grade 12	19.5%	22.3%	32.2%	67.8%
Any Alcohol Product				
All	23.1%	26.8%	42.7%	57.3%
Grade 7	12.4%	14.4%	37.4%	62.6%
Grade 8	13.3%	16.0%	32.7%	67.3%
Grade 9	20.6%	23.2%	36.4%	63.6%
Grade 10	23.9%	27.1%	40.6%	59.4%
Grade 11	34.3%	39.4%	54.2%	45.8%
Grade 12	36.9%	44.0%	57.0%	43.0%
Any Illicit Drug				
All	10.9%	14.9%	19.1%	80.9%
Grade 7	3.8%	6.0%	7.9%	92.1%
Grade 8	3.7%	7.0%	8.6%	91.4%
Grade 9	9.8%	13.3%	18.2%	81.8%
Grade 10	12.8%	17.6%	23.8%	76.2%
Grade 11	16.8%	21.0%	26.5%	73.5%
Grade 12	21.1%	27.5%	33.3%	66.7%
Any Prescription Drug				
All	5.3%	7.2%	13.1%	86.9%
Grade 7	6.0%	8.0%	11.7%	88.3%
Grade 8	6.0%	7.6%	13.3%	86.7%
Grade 9	4.4%	7.4%	11.9%	88.1%
Grade 10	3.9%	3.9%	10.8%	89.2%
Grade 11	5.6%	8.1%	14.9%	85.1%
Grade 12	5.4%	8.4%	16.0%	84.0%
Any Inhalant				
All	3.7%	4.6%	9.1%	90.9%
Grade 7	5.9%	6.1%	11.9%	88.1%
Grade 8	4.2%	5.5%	7.7%	92.3%
Grade 9	2.2%	2.2%	6.9%	93.1%
Grade 10	3.1%	4.5%	9.3%	90.7%
Grade 11	3.8%	4.8%	10.0%	90.0%
Grade 12	2.6%	4.0%	8.1%	91.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.5%	10.3%	17.9%	82.1%
Grade 7	2.4%	3.3%	7.0%	93.0%
Grade 8	3.5%	4.5%	9.8%	90.2%
Grade 9	4.5%	9.1%	17.9%	82.1%
Grade 10	7.7%	10.0%	19.8%	80.2%
Grade 11	11.5%	17.4%	26.4%	73.6%
Grade 12	16.9%	19.8%	29.7%	70.3%
Marijuana				
All	10.0%	12.6%	16.4%	83.6%
Grade 7	3.3%	4.1%	4.9%	95.1%
Grade 8	3.4%	5.1%	6.7%	93.3%
Grade 9	6.5%	8.5%	12.8%	87.2%
Grade 10	11.3%	14.7%	20.2%	79.8%
Grade 11	16.6%	20.2%	25.0%	75.0%
Grade 12	20.5%	25.3%	31.9%	68.1%
Marijuana Only				
All	4.5%	6.1%	9.1%	90.9%
Grade 7	1.0%	1.5%	2.3%	97.7%
Grade 8	2.1%	3.6%	5.1%	94.9%
Grade 9	4.2%	5.1%	8.8%	91.2%
Grade 10	4.9%	7.2%	10.9%	89.1%
Grade 11	7.8%	9.7%	14.0%	86.0%
Grade 12	7.6%	10.4%	15.4%	84.6%
Cocaine or Crack				
All	0.8%	0.9%	1.4%	98.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	1.7%	1.7%	2.2%	97.8%
Grade 10	0.6%	0.6%	1.5%	98.5%
Grade 11	0.9%	1.2%	2.2%	97.8%
Grade 12	1.0%	1.3%	2.3%	97.7%
Cocaine				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.9%	1.2%	2.2%	97.8%
Grade 12	0.9%	1.2%	2.1%	97.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	1.7%	1.7%	1.7%	98.3%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.5%	0.5%	99.5%
Hallucinogens				
All	0.8%	1.5%	3.1%	96.9%
Grade 7	0.7%	1.0%	1.3%	98.7%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	1.1%	1.4%	4.2%	95.8%
Grade 11	1.2%	1.9%	4.4%	95.6%
Grade 12	1.6%	4.4%	7.5%	92.5%
Synthetic Cathinones				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.4%	1.0%	1.0%	99.0%
Grade 10	1.1%	1.1%	1.4%	98.6%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.5%	99.5%
Steroids				
All	0.3%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.5%	0.7%	1.0%	99.0%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.3%	0.5%	2.0%	98.0%
Grade 12	0.3%	0.3%	0.9%	99.1%
Ecstasy				
All	0.3%	0.6%	1.3%	98.7%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.6%	1.0%	1.0%	99.0%
Grade 10	0.1%	0.5%	1.7%	98.3%
Grade 11	0.8%	0.9%	2.0%	98.0%
Grade 12	0.2%	0.8%	2.2%	97.8%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.2%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	1.0%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.9%	1.4%	2.4%	97.6%
Grade 7	1.4%	1.4%	1.9%	98.1%
Grade 8	0.3%	0.7%	0.9%	99.1%
Grade 9	1.0%	1.6%	2.3%	97.7%
Grade 10	0.9%	1.7%	2.8%	97.2%
Grade 11	1.0%	1.4%	3.1%	96.9%
Grade 12	1.0%	1.6%	3.7%	96.3%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.3%	0.7%	1.1%	98.9%
Grade 11	0.5%	0.7%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.5%	99.5%
Delta 8				
All	2.5%	3.5%	5.6%	94.4%
Grade 7	0.6%	0.6%	1.3%	98.7%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	1.5%	1.5%	4.1%	95.9%
Grade 10	3.2%	3.7%	6.4%	93.6%
Grade 11	2.5%	5.2%	8.2%	91.8%
Grade 12	7.3%	10.4%	13.6%	86.4%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.1%	21.0%	30.1%	69.9%
Grade 7	10.5%	14.2%	23.6%	76.4%
Grade 8	14.5%	16.1%	22.5%	77.5%
Grade 9	19.5%	23.2%	37.4%	62.6%
Grade 10	18.5%	20.4%	28.1%	71.9%
Grade 11	23.5%	26.9%	35.4%	64.6%
Grade 12	22.7%	26.4%	35.4%	64.6%
Any Alcohol Product				
All	30.7%	35.4%	47.3%	52.7%
Grade 7	27.5%	31.5%	41.9%	58.1%
Grade 8	23.1%	27.8%	41.6%	58.4%
Grade 9	36.3%	41.4%	55.5%	44.5%
Grade 10	28.7%	33.7%	43.7%	56.3%
Grade 11	38.6%	43.3%	54.0%	46.0%
Grade 12	31.6%	36.2%	49.0%	51.0%
Any Illicit Drug				
All	21.2%	26.9%	29.5%	70.5%
Grade 7	13.3%	19.0%	22.4%	77.6%
Grade 8	10.7%	14.7%	17.4%	82.6%
Grade 9	19.5%	27.4%	32.3%	67.7%
Grade 10	23.3%	31.2%	33.3%	66.7%
Grade 11	33.2%	37.3%	37.7%	62.3%
Grade 12	28.0%	32.6%	35.3%	64.7%
Any Prescription Drug				
All	8.2%	10.1%	16.5%	83.5%
Grade 7	9.8%	12.6%	17.6%	82.4%
Grade 8	11.2%	13.6%	17.7%	82.3%
Grade 9	7.9%	7.9%	9.3%	90.7%
Grade 10	4.6%	4.6%	10.5%	89.5%
Grade 11	6.6%	9.5%	22.3%	77.7%
Grade 12	9.5%	12.8%	21.4%	78.6%
Any Inhalant				
All	7.4%	9.7%	17.0%	83.0%
Grade 7	13.6%	16.5%	24.2%	75.8%
Grade 8	6.5%	8.9%	19.3%	80.7%
Grade 9	4.7%	4.7%	11.3%	88.7%
Grade 10	4.9%	6.4%	13.0%	87.0%
Grade 11	6.8%	9.2%	16.2%	83.8%
Grade 12	8.3%	12.6%	17.4%	82.6%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.2%	18.3%	28.0%	72.0%
Grade 7	8.9%	12.7%	19.9%	80.1%
Grade 8	12.5%	15.5%	22.1%	77.9%
Grade 9	16.4%	21.2%	36.7%	63.3%
Grade 10	15.0%	16.9%	24.2%	75.8%
Grade 11	14.9%	20.6%	32.5%	67.5%
Grade 12	18.0%	23.8%	34.8%	65.2%
Marijuana				
All	19.0%	22.3%	25.3%	74.7%
Grade 7	8.7%	12.3%	14.1%	85.9%
Grade 8	10.0%	10.6%	12.6%	87.4%
Grade 9	16.6%	18.9%	24.9%	75.1%
Grade 10	21.3%	24.7%	30.1%	69.9%
Grade 11	30.0%	36.4%	36.8%	63.2%
Grade 12	28.0%	31.6%	34.3%	65.7%
Marijuana Only				
All	8.3%	10.4%	11.8%	88.2%
Grade 7	6.6%	9.8%	11.0%	89.0%
Grade 8	3.8%	4.4%	4.4%	95.6%
Grade 9	10.1%	11.3%	16.1%	83.9%
Grade 10	9.1%	10.3%	11.2%	88.8%
Grade 11	9.7%	12.8%	13.2%	86.8%
Grade 12	11.0%	14.5%	16.7%	83.3%
Cocaine or Crack				
All	2.5%	2.8%	4.3%	95.7%
Grade 7	3.4%	3.4%	4.6%	95.4%
Grade 8	0.7%	0.7%	3.8%	96.2%
Grade 9	3.3%	4.7%	6.9%	93.1%
Grade 10	0.5%	0.5%	1.4%	98.6%
Grade 11	4.3%	4.3%	5.9%	94.1%
Grade 12	3.3%	3.8%	3.8%	96.2%
Cocaine				
All	2.0%	2.1%	3.4%	96.6%
Grade 7	3.2%	3.2%	3.2%	96.8%
Grade 8	0.7%	0.7%	3.8%	96.2%
Grade 9	2.2%	2.2%	4.3%	95.7%
Grade 10	0.5%	0.5%	1.4%	98.6%
Grade 11	2.3%	2.3%	3.9%	96.1%
Grade 12	3.3%	3.8%	3.8%	96.2%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.0%	1.2%	1.7%	98.3%
Grade 7	1.6%	1.6%	2.8%	97.2%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	1.2%	2.6%	2.6%	97.4%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	2.0%	2.0%	2.0%	98.0%
Grade 12	1.0%	1.0%	1.0%	99.0%
Hallucinogens				
All	1.3%	2.7%	5.8%	94.2%
Grade 7	0.0%	0.0%	3.6%	96.4%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	2.2%	2.2%	4.3%	95.7%
Grade 10	1.5%	5.1%	5.4%	94.6%
Grade 11	2.3%	3.9%	12.2%	87.8%
Grade 12	2.1%	5.2%	9.1%	90.9%
Synthetic Cathinones				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.0%	1.8%	98.2%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.9%	1.4%	1.4%	98.6%
Grade 12	1.0%	1.0%	1.0%	99.0%
Steroids				
All	0.6%	1.4%	3.0%	97.0%
Grade 7	1.4%	1.4%	3.1%	96.9%
Grade 8	1.7%	1.7%	3.4%	96.6%
Grade 9	0.0%	2.2%	4.3%	95.7%
Grade 10	0.0%	0.5%	1.9%	98.1%
Grade 11	0.0%	2.0%	3.6%	96.4%
Grade 12	0.5%	0.5%	1.7%	98.3%
Ecstasy				
All	1.4%	1.6%	4.4%	95.6%
Grade 7	0.0%	0.3%	2.2%	97.8%
Grade 8	0.9%	0.9%	1.8%	98.2%
Grade 9	3.9%	3.9%	3.9%	96.1%
Grade 10	0.6%	0.9%	3.8%	96.2%
Grade 11	1.4%	1.4%	9.5%	90.5%
Grade 12	2.1%	2.7%	5.4%	94.6%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.0%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.0%	1.7%	98.3%
Grade 9	2.2%	2.2%	2.2%	97.8%
Grade 10	0.9%	0.9%	2.3%	97.7%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	2.3%	3.3%	4.7%	95.3%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	2.0%	2.7%	2.7%	97.3%
Grade 9	2.2%	3.3%	3.3%	96.7%
Grade 10	4.1%	4.8%	6.3%	93.7%
Grade 11	2.9%	4.7%	8.4%	91.6%
Grade 12	1.1%	3.0%	6.1%	93.9%
Methamphetamine				
All	1.2%	1.6%	2.9%	97.1%
Grade 7	2.9%	2.9%	2.9%	97.1%
Grade 8	0.0%	0.0%	1.7%	98.3%
Grade 9	2.2%	2.2%	4.3%	95.7%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.9%	2.3%	4.8%	95.2%
Grade 12	1.0%	2.1%	3.1%	96.9%
Delta 8				
All	4.7%	6.4%	8.4%	91.6%
Grade 7	0.5%	1.2%	2.2%	97.8%
Grade 8	1.1%	1.8%	1.8%	98.2%
Grade 9	2.2%	2.2%	5.5%	94.5%
Grade 10	9.4%	10.7%	12.5%	87.5%
Grade 11	7.7%	11.2%	14.7%	85.3%
Grade 12	6.8%	10.8%	13.5%	86.5%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	377,485	48.3%
Female	404,679	51.7%
Frequency Missing	8,721	

Hispanic or Latino

Q5a	Frequency	Percent
No	386,001	49.6%
Yes	392,250	50.4%
Frequency Missing	12,634	

Grade

Q2	Frequency	Percent
Grade 7	135,419	17.2%
Grade 8	139,062	17.6%
Grade 9	114,460	14.5%
Grade 10	137,641	17.4%
Grade 11	135,948	17.2%
Grade 12	126,716	16.1%
Frequency Missing	1,639	

Ethnicity

Q5b	Frequency	Percent
American Indian	15,378	2.1%
Asian American	23,645	3.2%
African American	124,577	16.9%
Pacific Islander	5,603	0.8%
White	283,336	38.4%
Other	189,978	25.8%
More Than One Race	94,812	12.9%
Frequency Missing	53,556	

Live with Both Parents

Q3	Frequency	Percent
No	293,962	37.5%
Yes	489,758	62.5%
Frequency Missing	7,166	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	5,112	0.7%
Mostly D's	11,579	1.5%
Mostly C's	114,825	15.2%
Mostly B's	404,544	53.4%
Mostly A's	221,307	29.2%
Frequency Missing	33,518	

Age

Q4	Frequency	Percent
11 or younger	1,308	0.2%
12	50,113	6.4%
13	129,431	16.4%
14	118,804	15.1%
15	118,990	15.1%
16	136,808	17.3%
17	135,393	17.2%
18	87,897	11.1%
19 or older	9,847	1.2%
Frequency Missing	2,295	

Do You Have a Job

Q7	Frequency	Percent
No	597,106	78.3%
Yes	165,144	21.7%
Frequency Missing	28,635	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	137,302	18.1%
Yes	336,603	44.4%
Don't Know	283,512	37.4%
Frequency Missing	33,468	

**Participate in School Athletics (UIL, Varsity,
Jr Varsity)**

Q9a	Frequency	Percent
No	444,931	61.5%
Yes	279,071	38.5%
Frequency Missing	66,882	

**Participate in Academic
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	591,491	85.5%
Yes	100,006	14.5%
Frequency Missing	99,389	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	614,544	88.2%
Yes	82,241	11.8%
Frequency Missing	94,100	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	554,339	80.0%
Yes	138,876	20.0%
Frequency Missing	97,670	

Participate in School Choir

Q9c	Frequency	Percent
No	642,518	93.1%
Yes	47,752	6.9%
Frequency Missing	100,616	

**Participate in Athletic Teams Outside of
School**

Q9h	Frequency	Percent
No	513,658	73.3%
Yes	186,950	26.7%
Frequency Missing	90,278	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	650,813	94.4%
Yes	38,606	5.6%
Frequency Missing	101,467	

**Participate in Other Clubs or Groups
Outside of School**

Q9i	Frequency	Percent
No	567,479	82.4%
Yes	121,026	17.6%
Frequency Missing	102,380	

**Participate in Student Government/School
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	653,235	95.7%
Yes	29,556	4.3%
Frequency Missing	108,094	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	659,735	84.2%
Somewhat Safe	103,601	13.2%
Not Very Safe	9,199	1.2%
Not Safe At All	2,785	0.4%
Don't Know	8,075	1.0%
Frequency Missing	7,490	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	315,906	40.6%
Somewhat Safe	377,943	48.5%
Not Very Safe	49,709	6.4%
Not Safe At All	13,352	1.7%
Don't Know	21,878	2.8%
Frequency Missing	12,097	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	219,737	28.2%
Somewhat Safe	401,944	51.7%
Not Very Safe	89,390	11.5%
Not Safe At All	28,282	3.6%
Don't Know	38,627	5.0%
Frequency Missing	12,905	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	71,951	9.5%
Some High School	92,197	12.2%
Finished High School	150,831	20.0%
Some College	64,221	8.5%
Finished College	123,003	16.3%
Post-Secondary	75,893	10.1%
Don't Know or N/A	176,130	23.4%
Frequency Missing	36,660	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	73,464	9.7%
Some High School	75,450	10.0%
Finished High School	141,275	18.7%
Some College	88,000	11.6%
Finished College	156,363	20.7%
Post-Secondary	96,053	12.7%
Don't Know or N/A	126,380	16.7%
Frequency Missing	33,901	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	501,108	66.9%
Yes	247,608	33.1%
Frequency Missing	42,169	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	55,496	7.3%
A Few	176,161	23.1%
Some	194,538	25.5%
Most	233,728	30.7%
All	101,521	13.3%
Frequency Missing	29,442	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	18,743	2.5%
A Few	102,126	13.4%
Some	190,236	25.0%
Most	291,901	38.4%
All	157,386	20.7%
Frequency Missing	30,494	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	330,941	44.0%
A Few	218,845	29.1%
Some	115,835	15.4%
Most	58,022	7.7%
All	29,148	3.9%
Frequency Missing	38,095	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	626,123	82.9%
A Few	83,041	11.0%
Some	30,437	4.0%
Most	10,809	1.4%
All	5,126	0.7%
Frequency Missing	35,349	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	747,787	98.9%
In Your Lifetime	3,564	0.5%
Since School Began	1,106	0.1%
In the Past Month	3,578	0.5%
Frequency Missing	34,851	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	671,850	88.5%
A Few	57,131	7.5%
Some	17,894	2.4%
Most	6,301	0.8%
All	5,674	0.7%
Frequency Missing	32,036	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	721,131	95.1%
In Your Lifetime	24,357	3.2%
Since School Began	2,923	0.4%
In the Past Month	9,556	1.3%
Frequency Missing	32,919	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	744,176	97.9%
In Your Lifetime	8,571	1.1%
Since School Began	2,417	0.3%
In the Past Month	4,861	0.6%
Frequency Missing	30,861	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	748,008	98.7%
In Your Lifetime	6,027	0.8%
Since School Began	478	0.1%
In the Past Month	3,448	0.5%
Frequency Missing	32,925	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	729,011	96.0%
In Your Lifetime	20,779	2.7%
Since School Began	2,211	0.3%
In the Past Month	7,028	0.9%
Frequency Missing	31,855	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	748,364	98.7%
In Your Lifetime	4,272	0.6%
Since School Began	1,839	0.2%
In the Past Month	3,454	0.5%
Frequency Missing	32,956	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	737,742	97.4%
In Your Lifetime	10,746	1.4%
Since School Began	2,140	0.3%
In the Past Month	6,973	0.9%
Frequency Missing	33,284	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	546,773	72.4%
In Your Lifetime	110,038	14.6%
Since School Began	32,860	4.4%
In the Past Month	65,701	8.7%
Frequency Missing	35,514	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	746,106	98.4%
In Your Lifetime	7,263	1.0%
Since School Began	803	0.1%
In the Past Month	4,206	0.6%
Frequency Missing	32,507	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	589,171	77.9%
In Your Lifetime	73,658	9.7%
Since School Began	34,257	4.5%
In the Past Month	59,391	7.9%
Frequency Missing	34,407	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	697,559	91.5%
In Your Lifetime	42,099	5.5%
Since School Began	10,823	1.4%
In the Past Month	11,851	1.6%
Frequency Missing	28,554	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	575,146	76.4%
In Your Lifetime	107,032	14.2%
Since School Began	28,713	3.8%
In the Past Month	41,468	5.5%
Frequency Missing	38,526	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	724,430	95.3%
In Your Lifetime	18,483	2.4%
Since School Began	5,313	0.7%
In the Past Month	11,681	1.5%
Frequency Missing	30,978	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	560,820	74.0%
In Your Lifetime	83,350	11.0%
Since School Began	36,475	4.8%
In the Past Month	76,989	10.2%
Frequency Missing	33,251	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	731,591	96.4%
In Your Lifetime	16,736	2.2%
Since School Began	3,219	0.4%
In the Past Month	7,682	1.0%
Frequency Missing	31,657	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	603,175	79.4%
In Your Lifetime	63,192	8.3%
Since School Began	25,136	3.3%
In the Past Month	68,595	9.0%
Frequency Missing	30,788	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	731,814	96.3%
In Your Lifetime	14,005	1.8%
Since School Began	6,236	0.8%
In the Past Month	7,832	1.0%
Frequency Missing	30,998	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	629,689	82.8%
In Your Lifetime	55,353	7.3%
Since School Began	24,171	3.2%
In the Past Month	51,564	6.8%
Frequency Missing	30,109	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	754,857	99.3%
In Your Lifetime	1,495	0.2%
Since School Began	776	0.1%
In the Past Month	2,775	0.4%
Frequency Missing	30,982	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	750,943	98.8%
In Your Lifetime	4,996	0.7%
Since School Began	1,565	0.2%
In the Past Month	2,366	0.3%
Frequency Missing	31,015	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	750,508	98.9%
In Your Lifetime	4,554	0.6%
Since School Began	2,084	0.3%
In the Past Month	1,584	0.2%
Frequency Missing	32,156	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	754,555	99.5%
In Your Lifetime	1,736	0.2%
Since School Began	529	0.1%
In the Past Month	1,287	0.2%
Frequency Missing	32,777	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	747,038	98.4%
In Your Lifetime	7,183	0.9%
Since School Began	1,886	0.2%
In the Past Month	3,165	0.4%
Frequency Missing	31,614	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	755,492	99.4%
In Your Lifetime	3,097	0.4%
Since School Began	1,174	0.2%
In the Past Month	362	0.0%
Frequency Missing	30,761	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	683,431	91.1%
In Your Lifetime	34,629	4.6%
Since School Began	10,514	1.4%
In the Past Month	21,304	2.8%
Frequency Missing	41,007	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	751,987	99.2%
In Your Lifetime	2,160	0.3%
Since School Began	1,459	0.2%
In the Past Month	2,102	0.3%
Frequency Missing	33,178	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	730,934	97.5%
In Your Lifetime	11,618	1.5%
Since School Began	1,846	0.2%
In the Past Month	5,484	0.7%
Frequency Missing	41,003	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	741,192	97.6%
In Your Lifetime	7,486	1.0%
Since School Began	3,605	0.5%
In the Past Month	7,048	0.9%
Frequency Missing	31,555	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	724,707	96.8%
In Your Lifetime	12,956	1.7%
Since School Began	4,146	0.6%
In the Past Month	6,648	0.9%
Frequency Missing	42,428	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	714,266	94.0%
In Your Lifetime	15,183	2.0%
Since School Began	10,820	1.4%
In the Past Month	19,247	2.5%
Frequency Missing	31,369	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	714,714	95.7%
In Your Lifetime	13,825	1.9%
Since School Began	6,630	0.9%
In the Past Month	11,728	1.6%
Frequency Missing	43,988	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	700,830	94.0%
In Your Lifetime	22,869	3.1%
Since School Began	4,606	0.6%
In the Past Month	17,511	2.3%
Frequency Missing	45,070	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	730,951	98.1%
1-2 times	9,614	1.3%
3-10 times	3,242	0.4%
11+ times	1,475	0.2%
Frequency Missing	45,603	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	727,179	97.2%
In Your Lifetime	10,866	1.5%
Since School Began	3,205	0.4%
In the Past Month	7,246	1.0%
Frequency Missing	42,390	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	660,599	88.4%
1-2 times	35,262	4.7%
3-10 times	22,782	3.0%
11+ times	28,587	3.8%
Frequency Missing	43,656	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	707,523	94.6%
1-2 times	18,808	2.5%
3-10 times	7,818	1.0%
11+ times	13,499	1.8%
Frequency Missing	43,237	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	740,044	99.2%
1-2 times	4,022	0.5%
3-10 times	1,271	0.2%
11+ times	679	0.1%
Frequency Missing	44,869	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	585,936	78.7%
1-2 times	97,792	13.1%
3-10 times	44,786	6.0%
11+ times	16,062	2.2%
Frequency Missing	46,309	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	740,689	99.6%
1-2 times	2,256	0.3%
3-10 times	145	0.0%
11+ times	589	0.1%
Frequency Missing	47,205	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	618,148	82.9%
A few	79,464	10.7%
Some	26,410	3.5%
Most	16,588	2.2%
All	5,428	0.7%
Frequency Missing	44,848	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	457,943	61.6%
A few	133,448	18.0%
Some	73,143	9.8%
Most	58,494	7.9%
All	20,394	2.7%
Frequency Missing	47,462	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	699,469	94.1%
A few	31,155	4.2%
Some	7,109	1.0%
Most	3,691	0.5%
All	1,752	0.2%
Frequency Missing	47,710	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	525,327	70.7%
A few	92,627	12.5%
Some	53,589	7.2%
Most	52,641	7.1%
All	18,429	2.5%
Frequency Missing	48,272	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	672,761	90.7%
8 or younger	4,410	0.6%
9 years old	3,053	0.4%
10 years old	3,836	0.5%
11 years old	6,144	0.8%
12 years old	7,814	1.1%
13 years old	9,756	1.3%
14 years old	10,689	1.4%
15 years old	11,385	1.5%
16 years old	7,117	1.0%
17 years old	3,845	0.5%
18 or older	1,171	0.2%
Frequency Missing	48,906	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	488,253	66.1%
8 or younger	29,964	4.1%
9 years old	12,171	1.6%
10 years old	10,855	1.5%
11 years old	18,032	2.4%
12 years old	25,218	3.4%
13 years old	34,301	4.6%
14 years old	32,626	4.4%
15 years old	39,972	5.4%
16 years old	25,232	3.4%
17 years old	16,604	2.2%
18 or older	5,449	0.7%
Frequency Missing	52,208	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	714,527	96.6%
8 or younger	5,640	0.8%
9 years old	1,269	0.2%
10 years old	2,559	0.3%
11 years old	1,876	0.3%
12 years old	3,352	0.5%
13 years old	3,232	0.4%
14 years old	1,475	0.2%
15 years old	2,998	0.4%
16 years old	1,180	0.2%
17 years old	994	0.1%
18 or older	217	0.0%
Frequency Missing	51,566	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	617,262	83.4%
8 or younger	1,755	0.2%
9 years old	1,841	0.2%
10 years old	3,974	0.5%
11 years old	5,863	0.8%
12 years old	11,731	1.6%
13 years old	16,741	2.3%
14 years old	26,821	3.6%
15 years old	24,531	3.3%
16 years old	18,106	2.4%
17 years old	8,761	1.2%
18 or older	2,397	0.3%
Frequency Missing	51,103	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	732,553	98.9%
8 or younger	544	0.1%
9 years old	270	0.0%
10 years old	234	0.0%
11 years old	589	0.1%
12 years old	0	0.0%
13 years old	1,241	0.2%
14 years old	653	0.1%
15 years old	1,077	0.1%
16 years old	845	0.1%
17 years old	1,750	0.2%
18 or older	580	0.1%
Frequency Missing	50,548	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	727,189	98.5%
8 or younger	0	0.0%
9 years old	242	0.0%
10 years old	0	0.0%
11 years old	844	0.1%
12 years old	1,124	0.2%
13 years old	686	0.1%
14 years old	1,535	0.2%
15 years old	3,287	0.4%
16 years old	1,862	0.3%
17 years old	1,297	0.2%
18 or older	123	0.0%
Frequency Missing	52,695	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	738,377	99.7%
8 or younger	701	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	154	0.0%
12 years old	0	0.0%
13 years old	0	0.0%
14 years old	580	0.1%
15 years old	226	0.0%
16 years old	217	0.0%
17 years old	0	0.0%
Frequency Missing	50,630	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	738,304	99.7%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	435	0.1%
12 years old	242	0.0%
13 years old	667	0.1%
14 years old	363	0.0%
15 years old	335	0.0%
16 years old	226	0.0%
17 years old	0	0.0%
Frequency Missing	50,314	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	731,698	98.9%
8 or younger	1,114	0.2%
9 years old	853	0.1%
10 years old	682	0.1%
11 years old	307	0.0%
12 years old	748	0.1%
13 years old	1,323	0.2%
14 years old	979	0.1%
15 years old	670	0.1%
16 years old	717	0.1%
17 years old	508	0.1%
18 or older	217	0.0%
Frequency Missing	51,069	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	735,067	99.2%
8 or younger	675	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	1,140	0.2%
12 years old	103	0.0%
13 years old	872	0.1%
14 years old	600	0.1%
15 years old	903	0.1%
16 years old	892	0.1%
17 years old	538	0.1%
Frequency Missing	50,096	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	725,781	98.2%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	562	0.1%
11 years old	584	0.1%
12 years old	1,585	0.2%
13 years old	1,899	0.3%
14 years old	1,598	0.2%
15 years old	3,231	0.4%
16 years old	2,578	0.3%
17 years old	1,199	0.2%
18 or older	104	0.0%
Frequency Missing	51,766	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	699,494	94.7%
8 or younger	178	0.0%
9 years old	0	0.0%
10 years old	1,214	0.2%
11 years old	631	0.1%
12 years old	1,314	0.2%
13 years old	1,807	0.2%
14 years old	3,377	0.5%
15 years old	8,561	1.2%
16 years old	12,539	1.7%
17 years old	8,155	1.1%
18 or older	1,727	0.2%
Frequency Missing	51,887	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	300,510	41.2%
Impossible	143,430	19.7%
Very Difficult	52,858	7.2%
Somewhat diff	63,583	8.7%
Somewhat easy	84,802	11.6%
Very easy	84,584	11.6%
Frequency Missing	61,119	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	249,520	34.2%
Impossible	92,387	12.7%
Very Difficult	41,369	5.7%
Somewhat diff	66,145	9.1%
Somewhat easy	117,464	16.1%
Very easy	162,766	22.3%
Frequency Missing	61,234	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	374,784	51.8%
Impossible	109,504	15.1%
Very Difficult	26,402	3.7%
Somewhat diff	39,736	5.5%
Somewhat easy	47,606	6.6%
Very easy	125,195	17.3%
Frequency Missing	67,659	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	288,179	39.7%
Impossible	150,930	20.8%
Very Difficult	55,345	7.6%
Somewhat diff	54,281	7.5%
Somewhat easy	74,852	10.3%
Very easy	101,424	14.0%
Frequency Missing	65,874	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	354,827	48.9%
Impossible	214,671	29.6%
Very Difficult	71,649	9.9%
Somewhat diff	45,991	6.3%
Somewhat easy	19,101	2.6%
Very easy	18,856	2.6%
Frequency Missing	65,789	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	364,658	50.3%
Impossible	221,916	30.6%
Very Difficult	73,122	10.1%
Somewhat diff	38,454	5.3%
Somewhat easy	11,717	1.6%
Very easy	15,541	2.1%
Frequency Missing	65,477	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	408,997	56.4%
Impossible	211,645	29.2%
Very Difficult	57,731	8.0%
Somewhat diff	21,784	3.0%
Somewhat easy	10,697	1.5%
Very easy	13,918	1.9%
Frequency Missing	66,114	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	376,306	52.0%
Impossible	198,912	27.5%
Very Difficult	65,653	9.1%
Somewhat diff	41,186	5.7%
Somewhat easy	24,556	3.4%
Very easy	16,736	2.3%
Frequency Missing	67,536	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	422,963	58.6%
Impossible	173,093	24.0%
Very Difficult	47,707	6.6%
Somewhat diff	31,444	4.4%
Somewhat easy	18,364	2.5%
Very easy	28,755	4.0%
Frequency Missing	68,561	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	421,014	58.4%
Impossible	182,912	25.4%
Very Difficult	53,016	7.4%
Somewhat diff	32,048	4.4%
Somewhat easy	14,654	2.0%
Very easy	16,658	2.3%
Frequency Missing	70,584	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	427,701	59.3%
Impossible	155,325	21.5%
Very Difficult	38,156	5.3%
Somewhat diff	29,544	4.1%
Somewhat easy	26,876	3.7%
Very easy	44,187	6.1%
Frequency Missing	69,095	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	399,449	55.1%
Impossible	218,077	30.1%
Very Difficult	61,753	8.5%
Somewhat diff	23,446	3.2%
Somewhat easy	10,692	1.5%
Very easy	11,610	1.6%
Frequency Missing	65,858	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	9,483	1.3%
Several times/wk	5,677	0.8%
Several times/mo	7,946	1.1%
About once/month	7,576	1.0%
About once/year	9,677	1.3%
Less than once/year	17,311	2.4%
Never used	668,739	92.1%
Frequency Missing	64,478	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	956	0.1%
Several times/wk	10,889	1.5%
Several times/mo	33,522	4.6%
About once/month	65,184	9.0%
About once/year	57,318	7.9%
Less than once/year	56,280	7.8%
Never used	501,538	69.1%
Frequency Missing	65,198	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	261	0.0%
Several times/wk	544	0.1%
Several times/mo	768	0.1%
About once/month	637	0.1%
About once/year	1,113	0.2%
Less than once/year	2,834	0.4%
Never used	717,017	99.1%
Frequency Missing	67,711	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	741	0.1%
Several times/wk	2,644	0.4%
Several times/mo	1,793	0.2%
About once/month	5,573	0.8%
About once/year	4,022	0.6%
Less than once/year	8,658	1.2%
Never used	701,816	96.8%
Frequency Missing	65,639	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	336	0.0%
Several times/wk	484	0.1%
Several times/mo	0	0.0%
About once/month	217	0.0%
About once/year	517	0.1%
Less than once/year	379	0.1%
Never used	721,870	99.7%
Frequency Missing	67,083	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	12,446	1.7%
Several times/wk	16,552	2.3%
Several times/mo	18,080	2.5%
About once/month	19,903	2.7%
About once/year	21,013	2.9%
Less than once/year	22,316	3.1%
Never used	615,224	84.8%
Frequency Missing	65,350	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	916	0.1%
Several times/wk	0	0.0%
Several times/mo	435	0.1%
About once/month	242	0.0%
About once/year	891	0.1%
Less than once/year	2,566	0.4%
Never used	715,058	99.3%
Frequency Missing	70,777	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	561	0.1%
Several times/wk	623	0.1%
Several times/mo	919	0.1%
About once/month	914	0.1%
About once/year	2,013	0.3%
Less than once/year	3,989	0.6%
Never used	712,667	98.8%
Frequency Missing	69,200	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	1,455	0.2%
Several times/wk	899	0.1%
Several times/mo	1,099	0.2%
About once/month	4,194	0.6%
About once/year	2,988	0.4%
Less than once/year	4,148	0.6%
Never used	706,776	98.0%
Frequency Missing	69,326	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	263	0.0%
Several times/wk	0	0.0%
Several times/mo	526	0.1%
About once/month	409	0.1%
About once/year	783	0.1%
Less than once/year	1,446	0.2%
Never used	720,163	99.5%
Frequency Missing	67,295	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	2,799	0.4%
Several times/wk	2,964	0.4%
Several times/mo	6,089	0.8%
About once/month	10,381	1.4%
About once/year	8,297	1.2%
Less than once/year	6,588	0.9%
Never used	681,707	94.8%
Frequency Missing	72,061	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	219	0.0%
Several times/wk	718	0.1%
Several times/mo	538	0.1%
About once/month	814	0.1%
About once/year	538	0.1%
Less than once/year	1,906	0.3%
Never used	718,300	99.3%
Frequency Missing	67,853	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	530,367	73.0%
12+ drinks	9,891	1.4%
9-11 drinks	7,595	1.0%
5-8 drinks	18,892	2.6%
3-4 drinks	25,878	3.6%
2 drinks	32,001	4.4%
1 drink	38,824	5.3%
Less than 1 drink	63,136	8.7%
Frequency Missing	64,301	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	562,599	77.6%
12+ drinks	5,739	0.8%
9-11 drinks	5,990	0.8%
5-8 drinks	19,333	2.7%
3-4 drinks	31,548	4.4%
2 drinks	31,377	4.3%
1 drink	34,690	4.8%
Less than 1 drink	33,784	4.7%
Frequency Missing	65,826	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	428,118	59.6%
0 days	225,759	31.4%
1 day	20,556	2.9%
2 days	16,821	2.3%
3 to 5 days	13,038	1.8%
6 to 9 days	7,037	1.0%
10 or more days	7,047	1.0%
Frequency Missing	72,510	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	562,262	77.8%
12+ drinks	1,840	0.3%
9-11 drinks	1,212	0.2%
5-8 drinks	7,496	1.0%
3-4 drinks	16,011	2.2%
2 drinks	24,237	3.4%
1 drink	45,484	6.3%
Less than 1 drink	63,850	8.8%
Frequency Missing	68,495	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	480,515	66.6%
Never	99,185	13.7%
Seldom	89,272	12.4%
Most of the Time	36,219	5.0%
Always	16,394	2.3%
Frequency Missing	69,300	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	530,022	73.0%
12+ drinks	9,127	1.3%
9-11 drinks	11,127	1.5%
5-8 drinks	25,854	3.6%
3-4 drinks	37,793	5.2%
2 drinks	30,232	4.2%
1 drink	29,733	4.1%
Less than 1 drink	52,289	7.2%
Frequency Missing	64,708	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	489,842	68.0%
Never	108,772	15.1%
Seldom	61,083	8.5%
Most of the Time	45,084	6.3%
Always	15,646	2.2%
Frequency Missing	70,458	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	507,883	70.5%
Never	160,081	22.2%
Seldom	22,151	3.1%
Most of the Time	22,833	3.2%
Always	7,901	1.1%
Frequency Missing	70,036	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	471,736	65.6%
Never	96,483	13.4%
Seldom	59,798	8.3%
Most of the Time	53,936	7.5%
Always	37,547	5.2%
Frequency Missing	71,386	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	497,615	69.7%
Somewhat	101,220	14.2%
Not very	33,163	4.6%
Not at all	9,917	1.4%
Don't know	71,695	10.0%
Frequency Missing	77,275	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	510,961	71.4%
Never	133,654	18.7%
Seldom	39,057	5.5%
Most of the Time	18,755	2.6%
Always	13,027	1.8%
Frequency Missing	75,431	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	406,599	56.8%
Somewhat	105,387	14.7%
Not very	95,744	13.4%
Not at all	61,866	8.6%
Don't know	45,776	6.4%
Frequency Missing	75,514	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	457,142	63.6%
Somewhat	154,751	21.5%
Not very	46,426	6.5%
Not at all	10,921	1.5%
Don't know	49,637	6.9%
Frequency Missing	72,008	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	605,617	84.7%
Somewhat	47,748	6.7%
Not very	6,871	1.0%
Not at all	4,475	0.6%
Don't know	50,288	7.0%
Frequency Missing	75,887	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	347,148	48.4%
Somewhat	211,058	29.4%
Not very	98,689	13.8%
Not at all	20,531	2.9%
Don't know	40,131	5.6%
Frequency Missing	73,328	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	618,419	86.5%
Somewhat	34,841	4.9%
Not very	5,516	0.8%
Not at all	3,911	0.5%
Don't know	52,121	7.3%
Frequency Missing	76,076	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	548,312	76.8%
Somewhat	55,950	7.8%
Not very	11,562	1.6%
Not at all	6,086	0.9%
Don't know	92,124	12.9%
Frequency Missing	76,852	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	526,236	73.9%
Somewhat	59,041	8.3%
Not very	20,650	2.9%
Not at all	12,165	1.7%
Don't know	93,748	13.2%
Frequency Missing	79,047	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	518,433	72.6%
Somewhat	85,589	12.0%
Not very	27,057	3.8%
Not at all	9,908	1.4%
Don't know	73,174	10.2%
Frequency Missing	76,724	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	483,043	67.8%
Somewhat	64,347	9.0%
Not very	40,135	5.6%
Not at all	25,044	3.5%
Don't know	99,717	14.0%
Frequency Missing	78,599	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	602,371	84.5%
Somewhat	28,862	4.0%
Not very	6,993	1.0%
Not at all	3,711	0.5%
Don't know	71,054	10.0%
Frequency Missing	77,894	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	508,889	71.4%
Somewhat	95,659	13.4%
Not very	22,404	3.1%
Not at all	11,160	1.6%
Don't know	74,949	10.5%
Frequency Missing	77,825	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	601,278	84.1%
Somewhat	29,047	4.1%
Not very	6,815	1.0%
Not at all	5,270	0.7%
Don't know	72,573	10.2%
Frequency Missing	75,902	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	425,285	59.7%
Somewhat	136,839	19.2%
Not very	68,975	9.7%
Not at all	26,996	3.8%
Don't know	54,057	7.6%
Frequency Missing	78,733	

Days Skipped Since September

Q28a	Frequency	Percent
None	548,527	78.4%
1-3 days	102,148	14.6%
4-9 days	23,987	3.4%
10+ days	25,421	3.6%
Frequency Missing	90,802	

Someone Called Home Since September

Q28e	Frequency	Percent
None	621,676	89.0%
1-3 days	63,455	9.1%
4-9 days	7,773	1.1%
10+ days	5,931	0.8%
Frequency Missing	92,051	

Days Ill Since September

Q28b	Frequency	Percent
None	208,267	29.7%
1-3 days	308,492	44.1%
4-9 days	121,992	17.4%
10+ days	61,440	8.8%
Frequency Missing	90,694	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	676,508	97.2%
1-3 times	15,445	2.2%
4-9 times	2,663	0.4%
10+ times	1,682	0.2%
Frequency Missing	94,587	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	250,701	36.2%
1-3 days	332,115	48.0%
4-9 days	70,231	10.2%
10+ days	38,825	5.6%
Frequency Missing	99,014	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	677,859	97.6%
1-3 times	11,802	1.7%
4-9 times	3,165	0.5%
10+ times	1,569	0.2%
Frequency Missing	96,491	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	625,304	89.2%
1-3 days	59,546	8.5%
4-9 days	9,795	1.4%
10+ days	6,276	0.9%
Frequency Missing	89,964	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	675,048	97.1%
1-3 times	16,692	2.4%
4-9 times	2,100	0.3%
10+ times	1,256	0.2%
Frequency Missing	95,789	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	670,354	96.8%
1-3 times	14,082	2.0%
4-9 times	2,881	0.4%
10+ times	5,281	0.8%
Frequency Missing	98,287	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	671,814	96.7%
1-3 days	16,561	2.4%
4-9 days	3,255	0.5%
10+ days	3,025	0.4%
Frequency Missing	96,231	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	638,172	91.9%
1-3 days	28,609	4.1%
4-9 days	9,520	1.4%
10+ days	17,776	2.6%
Frequency Missing	96,808	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	685,200	98.8%
1-3 days	6,301	0.9%
4-9 days	1,098	0.2%
10+ days	1,148	0.2%
Frequency Missing	97,138	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	673,471	97.5%
1-3 days	8,663	1.3%
4-9 days	5,204	0.8%
10+ days	3,550	0.5%
Frequency Missing	99,997	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	403,652	57.9%
Seldom	34,616	5.0%
Half the time	30,242	4.3%
Most of the Time	52,672	7.6%
Always	57,749	8.3%
Don't Know	13,034	1.9%
Didn't attend	105,308	15.1%
Frequency Missing	93,613	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	461,145	66.5%
Seldom	34,331	4.9%
Half the time	24,281	3.5%
Most of the Time	28,231	4.1%
Always	29,563	4.3%
Don't Know	10,859	1.6%
Didn't attend	105,238	15.2%
Frequency Missing	97,238	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	612,940	93.3%
Yes	43,754	6.7%
Frequency Missing	134,192	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	485,522	71.4%
Yes	194,934	28.6%
Frequency Missing	110,430	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	540,317	80.1%
Yes	134,460	19.9%
Frequency Missing	116,108	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	313,202	46.3%
Yes	362,547	53.7%
Frequency Missing	115,137	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	430,007	63.5%
Yes	247,671	36.5%
Frequency Missing	113,207	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	441,406	65.4%
Yes	233,821	34.6%
Frequency Missing	115,659	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	240,741	35.4%
Yes	439,936	64.6%
Frequency Missing	110,208	

Would Not Seek Help

Q33i	Frequency	Percent
No	506,814	76.7%
Yes	153,654	23.3%
Frequency Missing	130,418	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	293,181	43.3%
Yes	383,884	56.7%
Frequency Missing	113,820	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	403,271	59.9%
Yes	270,245	40.1%
Frequency Missing	117,369	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	267,256	39.5%
Yes	409,708	60.5%
Frequency Missing	113,922	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	449,331	66.9%
Yes	222,280	33.1%
Frequency Missing	119,274	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	523,120	78.3%
Yes	145,359	21.7%
Frequency Missing	122,406	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	500,756	75.0%
Yes	167,273	25.0%
Frequency Missing	122,857	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	575,845	86.5%
Yes	90,162	13.5%
Frequency Missing	124,878	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	513,563	74.8%
Mild disapprove	50,482	7.4%
Neither	36,182	5.3%
Mildly approve	4,601	0.7%
Strongly approve	5,428	0.8%
Don't know	76,133	11.1%
Frequency Missing	104,496	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	503,828	75.6%
Yes	162,461	24.4%
Frequency Missing	124,596	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	377,859	55.1%
Mild disapprove	93,762	13.7%
Neither	100,615	14.7%
Mildly approve	35,503	5.2%
Strongly approve	7,182	1.0%
Don't know	70,518	10.3%
Frequency Missing	105,446	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	589,034	88.4%
Yes	77,599	11.6%
Frequency Missing	124,253	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	491,460	71.7%
Mild disapprove	48,267	7.0%
Neither	52,846	7.7%
Mildly approve	11,860	1.7%
Strongly approve	9,408	1.4%
Don't know	71,950	10.5%
Frequency Missing	105,096	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	542,260	81.2%
Yes	125,502	18.8%
Frequency Missing	123,123	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

