

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2022



HHSC REGION 7 REPORT

---

---

Prepared by

The Department of Public Service and Administration  
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	60
Table B-7: Students Reporting A Grades on Average . . . . .	64
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	68
Table B-9: Students Living with 2 Parents . . . . .	72
Table B-10: Students Not Living with 2 Parents . . . . .	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	84
<b>3 Margin Tables</b>	<b>88</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>110</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 7. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	14.6%	17.8%	30.6%	69.4%
Grade 7	3.9%	4.3%	15.8%	84.2%
Grade 8	14.6%	16.8%	25.9%	74.1%
Grade 9	13.7%	20.8%	35.8%	64.2%
Grade 10	20.2%	24.9%	41.5%	58.5%
Grade 11	23.6%	30.0%	47.9%	52.1%
Grade 12	35.1%	36.2%	48.8%	51.2%
<b>Cigarettes?</b>				
All	1.0%	1.8%	8.9%	91.1%
Grade 7	0.0%	1.2%	6.2%	93.8%
Grade 8	1.5%	1.5%	5.3%	94.7%
Grade 9	0.5%	0.5%	5.9%	94.1%
Grade 10	3.7%	3.7%	15.8%	84.2%
Grade 11	1.9%	5.7%	17.4%	82.6%
Grade 12	0.0%	1.5%	18.6%	81.4%
<b>Smokeless Tobacco?</b>				
All	1.8%	3.0%	5.8%	94.2%
Grade 7	1.9%	1.9%	3.0%	97.0%
Grade 8	1.1%	2.4%	4.0%	96.0%
Grade 9	1.6%	2.7%	5.1%	94.9%
Grade 10	2.9%	3.9%	6.9%	93.1%
Grade 11	1.9%	6.7%	12.9%	87.1%
Grade 12	2.4%	4.7%	13.3%	86.7%
<b>Electronic Vapor Products?</b>				
All	10.1%	14.4%	26.3%	73.7%
Grade 7	1.3%	3.2%	11.8%	88.2%
Grade 8	8.6%	11.8%	21.5%	78.5%
Grade 9	10.4%	18.1%	33.2%	66.8%
Grade 10	13.0%	18.3%	35.5%	64.5%
Grade 11	20.4%	28.8%	42.1%	57.9%
Grade 12	27.8%	29.8%	43.1%	56.9%

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	88.2%	1.6%	1.0%	1.1%	1.7%	2.2%	4.2%
Grade 7	94.6%	0.6%	0.0%	0.0%	1.1%	1.2%	2.5%
Grade 8	88.7%	0.0%	0.5%	1.5%	2.1%	2.3%	4.9%
Grade 9	90.3%	2.0%	0.5%	1.6%	1.0%	2.5%	2.1%
Grade 10	85.1%	5.3%	1.5%	0.0%	0.0%	5.6%	2.6%
Grade 11	79.4%	2.9%	3.4%	1.9%	4.3%	1.8%	6.4%
Grade 12	74.8%	3.0%	3.2%	2.4%	3.6%	0.8%	12.1%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.3	9.5	11.3	12.4	12.6	14.2	13.9

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	28.1%	24.9%	10.7%	9.9%	13.1%	13.3%
Grade 7	31.6%	39.9%	11.4%	9.6%	6.4%	1.1%
Grade 8	27.5%	23.2%	16.3%	9.7%	9.5%	13.8%
Grade 9	28.0%	21.5%	11.4%	9.0%	15.0%	15.1%
Grade 10	20.5%	18.9%	5.7%	14.9%	17.7%	22.4%
Grade 11	22.1%	18.5%	7.2%	9.1%	20.8%	22.3%
Grade 12	34.4%	4.4%	0.0%	8.3%	26.4%	26.5%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	77.8%	14.2%	4.5%	2.8%	0.7%
Grade 7	92.2%	7.0%	0.6%	0.0%	0.3%
Grade 8	79.4%	15.3%	3.0%	2.0%	0.3%
Grade 9	77.8%	13.2%	5.5%	2.5%	1.1%
Grade 10	69.9%	18.3%	7.1%	4.6%	0.0%
Grade 11	61.3%	21.6%	5.5%	7.7%	3.9%
Grade 12	53.4%	24.3%	14.6%	7.7%	0.0%

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	73.5%	7.4%	9.4%	1.7%	0.3%	7.8%
Grade 7	83.8%	4.5%	2.8%	0.3%	0.0%	8.5%
Grade 8	74.2%	7.5%	9.6%	0.5%	0.0%	8.2%
Grade 9	71.8%	9.5%	10.8%	1.5%	0.0%	6.5%
Grade 10	70.6%	6.4%	12.0%	2.0%	1.3%	7.6%
Grade 11	65.6%	9.7%	15.7%	2.5%	1.0%	5.5%
Grade 12	58.3%	9.0%	14.4%	7.7%	0.8%	9.9%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>					
All	61.0%	24.2%	6.6%	1.7%	6.6%
Grade 7	74.1%	18.6%	1.9%	0.0%	5.4%
Grade 8	61.2%	23.8%	5.5%	2.4%	7.1%
Grade 9	57.8%	25.7%	6.8%	1.6%	8.0%
Grade 10	54.9%	27.7%	8.5%	3.5%	5.4%
Grade 11	44.9%	30.0%	17.2%	1.0%	6.9%
Grade 12	50.4%	28.5%	11.1%	3.1%	6.9%
<b>Electronic Vapor Products?</b>					
All	61.2%	19.3%	9.7%	2.9%	6.9%
Grade 7	68.2%	18.1%	4.7%	0.8%	8.2%
Grade 8	62.4%	16.5%	12.8%	2.0%	6.2%
Grade 9	56.8%	21.4%	11.3%	2.7%	7.8%
Grade 10	60.3%	16.5%	9.2%	6.9%	7.1%
Grade 11	53.9%	23.7%	14.4%	2.5%	5.5%
Grade 12	54.9%	25.4%	8.1%	7.8%	3.8%



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	28.9%	33.8%	53.3%	46.7%
Grade 7	12.6%	13.8%	37.3%	62.7%
Grade 8	30.3%	32.5%	51.6%	48.4%
Grade 9	25.9%	35.9%	56.1%	43.9%
Grade 10	33.0%	42.1%	61.7%	38.3%
Grade 11	49.3%	57.6%	71.7%	28.3%
Grade 12	57.8%	61.3%	74.6%	25.4%
Beer?				
All	11.6%	17.5%	42.6%	57.4%
Grade 7	2.2%	4.6%	26.8%	73.2%
Grade 8	13.6%	18.4%	44.9%	55.1%
Grade 9	9.3%	14.5%	42.5%	57.5%
Grade 10	10.9%	20.2%	47.0%	53.0%
Grade 11	22.6%	34.9%	61.9%	38.1%
Grade 12	30.0%	41.5%	60.5%	39.5%
Wine Coolers?				
All	12.5%	17.1%	34.9%	65.1%
Grade 7	0.8%	1.6%	13.8%	86.2%
Grade 8	10.4%	14.2%	30.0%	70.0%
Grade 9	12.2%	17.0%	44.0%	56.0%
Grade 10	12.4%	21.3%	41.0%	59.0%
Grade 11	25.2%	36.3%	59.6%	40.4%
Grade 12	43.6%	50.8%	62.4%	37.6%
Wine?				
All	5.4%	9.5%	31.8%	68.2%
Grade 7	0.5%	1.2%	16.9%	83.1%
Grade 8	8.2%	9.6%	31.5%	68.5%
Grade 9	4.3%	7.9%	33.6%	66.4%
Grade 10	6.1%	13.2%	43.4%	56.6%
Grade 11	9.3%	22.2%	47.5%	52.5%
Grade 12	10.4%	22.5%	45.5%	54.5%
Liquor?				
All	11.5%	18.1%	38.4%	61.6%
Grade 7	0.8%	2.3%	16.2%	83.8%
Grade 8	10.9%	13.6%	38.4%	61.6%
Grade 9	9.5%	21.7%	43.3%	56.7%
Grade 10	11.8%	19.9%	46.3%	53.7%
Grade 11	20.1%	38.9%	61.2%	38.8%
Grade 12	43.5%	50.6%	65.6%	34.4%

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	59.1%	0.1%	1.3%	7.6%	11.1%	8.9%	11.8%
Grade 7	81.8%	0.0%	0.0%	1.8%	2.1%	6.1%	8.2%
Grade 8	58.9%	0.6%	1.5%	8.8%	9.0%	5.0%	16.3%
Grade 9	53.9%	0.0%	1.6%	4.7%	14.2%	12.7%	12.9%
Grade 10	48.5%	0.0%	2.5%	8.3%	13.8%	13.4%	13.4%
Grade 11	40.3%	0.0%	1.0%	11.8%	21.1%	13.1%	12.8%
Grade 12	32.3%	0.0%	3.4%	24.0%	24.7%	9.9%	5.7%

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	64.0%	36.0%	7.0%	14.8%	14.2%
	Grade 7	78.3%	21.7%	1.8%	4.9%	15.0%
	Grade 8	59.6%	40.4%	6.2%	19.7%	14.6%
	Grade 9	68.8%	31.2%	5.5%	11.7%	13.9%
	Grade 10	61.7%	38.3%	9.9%	13.6%	14.8%
	Grade 11	43.7%	56.3%	17.8%	22.7%	15.9%
	Grade 12	45.1%	54.9%	13.8%	32.1%	9.0%
Wine Coolers	All	67.3%	32.7%	6.4%	17.9%	8.4%
	Grade 7	88.7%	11.3%	3.0%	3.1%	5.2%
	Grade 8	70.0%	30.0%	4.6%	14.6%	10.9%
	Grade 9	61.8%	38.2%	2.6%	24.2%	11.5%
	Grade 10	62.4%	37.6%	7.9%	20.7%	8.9%
	Grade 11	42.8%	57.2%	17.0%	32.7%	7.5%
	Grade 12	37.9%	62.1%	18.7%	39.6%	3.9%
Wine	All	71.9%	28.1%	1.6%	12.7%	13.8%
	Grade 7	86.5%	13.5%	0.4%	3.1%	10.0%
	Grade 8	70.4%	29.6%	2.6%	13.5%	13.5%
	Grade 9	71.0%	29.0%	0.5%	14.5%	13.9%
	Grade 10	63.3%	36.7%	0.0%	21.0%	15.6%
	Grade 11	57.9%	42.1%	4.9%	17.8%	19.4%
	Grade 12	57.7%	42.3%	4.1%	20.3%	18.0%
Liquor	All	64.8%	35.2%	5.3%	18.4%	11.5%
	Grade 7	86.0%	14.0%	1.0%	5.7%	7.3%
	Grade 8	66.0%	34.0%	3.0%	16.5%	14.5%
	Grade 9	61.1%	38.9%	7.3%	15.1%	16.5%
	Grade 10	58.2%	41.8%	5.5%	26.4%	9.9%
	Grade 11	42.6%	57.4%	12.2%	33.0%	12.2%
	Grade 12	34.5%	65.5%	13.8%	46.1%	5.5%

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	89.7%	3.6%	2.5%	2.1%	1.0%	1.0%
Grade 7	95.3%	1.7%	1.4%	0.0%	0.0%	1.6%
Grade 8	90.9%	4.0%	1.9%	2.6%	0.0%	0.6%
Grade 9	92.4%	1.6%	3.0%	1.0%	1.0%	1.0%
Grade 10	87.9%	4.6%	0.8%	2.6%	3.6%	0.5%
Grade 11	85.6%	3.4%	4.5%	4.0%	1.5%	1.0%
Grade 12	69.3%	11.5%	7.1%	7.5%	3.9%	0.8%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.3	10.5	10.9	12.6	12.9	13.8	14.8

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.7%	14.9%	8.7%	13.9%	16.5%	26.4%
Grade 7	25.5%	27.1%	11.0%	16.5%	12.7%	7.0%
Grade 8	21.4%	9.7%	9.4%	13.9%	17.9%	27.8%
Grade 9	16.8%	14.6%	9.9%	13.6%	14.3%	30.9%
Grade 10	15.5%	10.5%	6.0%	8.0%	24.4%	35.6%
Grade 11	12.8%	10.2%	7.1%	12.2%	17.4%	40.4%
Grade 12	15.2%	2.4%	1.1%	15.3%	19.2%	46.8%

**Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.5%	3.7%	0.4%	0.5%
Grade 7	98.5%	1.0%	0.4%	0.0%
Grade 8	94.3%	4.5%	0.3%	0.9%
Grade 9	92.7%	6.2%	0.5%	0.5%
Grade 10	97.5%	1.5%	0.0%	1.0%
Grade 11	97.0%	3.0%	0.0%	0.0%
Grade 12	92.9%	6.3%	0.8%	0.0%

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.9
Alcohol Non-Users	4.6
Average Days Conduct Problems Reported	
Alcohol Users	2.6
Alcohol Non-Users	1.1

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	94.9%	4.1%	0.8%	0.3%
Grade 9	97.3%	2.7%	0.0%	0.0%
Grade 10	98.0%	1.0%	1.0%	0.0%
Grade 11	91.6%	6.4%	2.0%	0.0%
Grade 12	88.9%	8.4%	1.1%	1.5%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	97.5%	2.1%	0.3%	0.1%
Grade 7	98.8%	1.2%	0.0%	0.0%
Grade 8	98.5%	1.2%	0.3%	0.0%
Grade 9	96.3%	3.7%	0.0%	0.0%
Grade 10	97.5%	1.0%	1.0%	0.5%
Grade 11	97.5%	2.5%	0.0%	0.0%
Grade 12	94.0%	4.5%	1.5%	0.0%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	51.6%	24.9%	11.1%	8.4%	4.1%
Grade 7	73.9%	21.8%	3.1%	0.3%	0.9%
Grade 8	57.4%	23.8%	7.6%	8.6%	2.5%
Grade 9	46.1%	22.0%	17.4%	9.4%	5.2%
Grade 10	40.8%	27.8%	16.7%	10.8%	3.9%
Grade 11	24.7%	33.1%	15.3%	17.8%	9.1%
Grade 12	16.6%	32.4%	21.0%	19.1%	11.0%

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	46.8%	8.0%	6.4%	9.5%	8.7%	1.9%	18.6%
Grade 7	60.5%	6.0%	7.0%	2.3%	0.6%	3.8%	19.8%
Grade 8	54.3%	7.4%	4.9%	8.1%	2.4%	1.0%	22.0%
Grade 9	43.2%	9.7%	7.9%	12.4%	12.3%	0.4%	14.0%
Grade 10	28.5%	8.3%	10.6%	10.8%	14.8%	2.5%	24.5%
Grade 11	32.1%	9.4%	3.6%	15.9%	19.9%	0.8%	18.2%
Grade 12	29.7%	10.4%	3.3%	20.6%	24.3%	2.6%	9.2%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	56.8%	16.5%	16.5%	7.0%	3.3%
	Grade 7	69.4%	17.7%	9.2%	2.3%	1.4%
	Grade 8	59.5%	16.9%	12.5%	9.3%	1.8%
	Grade 9	58.2%	14.5%	19.4%	5.0%	3.0%
	Grade 10	50.0%	22.2%	17.8%	6.0%	4.0%
	Grade 11	38.0%	12.1%	29.6%	11.3%	9.1%
	Grade 12	33.3%	14.1%	28.6%	16.6%	7.4%
Friends?						
	All	60.1%	18.8%	10.5%	8.4%	2.2%
	Grade 7	75.3%	22.0%	1.1%	1.6%	0.0%
	Grade 8	64.5%	18.7%	12.2%	4.3%	0.3%
	Grade 9	61.0%	13.6%	9.7%	11.1%	4.5%
	Grade 10	49.6%	22.1%	10.3%	15.0%	3.0%
	Grade 11	42.3%	19.9%	17.7%	16.2%	4.0%
	Grade 12	28.4%	16.8%	29.1%	19.4%	6.2%
A Store?						
	All	61.9%	31.2%	3.9%	2.1%	0.9%
	Grade 7	75.4%	21.6%	1.6%	1.1%	0.3%
	Grade 8	68.7%	26.6%	2.2%	2.0%	0.3%
	Grade 9	59.9%	34.9%	3.2%	1.0%	1.1%
	Grade 10	53.1%	43.4%	2.5%	1.0%	0.0%
	Grade 11	43.1%	43.0%	9.9%	3.5%	0.5%
	Grade 12	34.2%	38.5%	13.8%	7.8%	5.6%
Parties?						
	All	57.4%	16.8%	10.8%	9.0%	6.0%
	Grade 7	73.0%	20.0%	4.3%	2.8%	0.0%
	Grade 8	62.3%	16.3%	11.9%	4.9%	4.6%
	Grade 9	52.2%	16.9%	10.5%	12.0%	8.4%
	Grade 10	51.7%	16.7%	12.6%	12.0%	7.0%
	Grade 11	38.3%	16.7%	19.4%	17.5%	8.0%
	Grade 12	32.5%	8.2%	18.1%	21.6%	19.7%
Other Sources?						
	All	62.3%	22.5%	7.2%	3.9%	4.1%
	Grade 7	74.1%	19.9%	4.2%	1.7%	0.0%
	Grade 8	68.8%	19.2%	7.9%	1.0%	3.1%
	Grade 9	58.2%	19.1%	8.8%	4.8%	9.2%
	Grade 10	56.5%	28.5%	8.0%	4.9%	2.0%
	Grade 11	46.7%	33.9%	6.6%	7.2%	5.6%
	Grade 12	37.6%	30.1%	10.5%	12.5%	9.3%

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	51.5%	16.7%	16.6%	6.7%	1.1%	7.5%
Grade 7	68.0%	16.8%	4.5%	1.1%	0.0%	9.6%
Grade 8	53.1%	14.9%	18.1%	6.1%	0.5%	7.2%
Grade 9	45.5%	22.2%	16.8%	7.0%	1.9%	6.5%
Grade 10	49.1%	16.5%	17.6%	7.9%	1.8%	7.1%
Grade 11	32.2%	17.9%	29.2%	13.2%	1.5%	6.0%
Grade 12	36.4%	7.7%	32.0%	15.1%	2.4%	6.5%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	39.6%	31.2%	19.9%	3.8%	5.5%
Grade 7	48.1%	27.6%	16.8%	1.5%	6.0%
Grade 8	36.1%	30.8%	22.8%	4.0%	6.4%
Grade 9	39.3%	29.6%	19.8%	5.3%	6.0%
Grade 10	39.5%	35.9%	16.6%	5.0%	3.0%
Grade 11	29.9%	34.8%	25.4%	4.8%	5.0%
Grade 12	34.7%	37.0%	19.6%	4.5%	4.2%



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	9.7%	14.6%	19.1%	80.9%
Grade 7	3.9%	6.7%	10.3%	89.7%
Grade 8	7.6%	12.8%	15.3%	84.7%
Grade 9	10.0%	13.8%	18.0%	82.0%
Grade 10	13.9%	19.5%	28.3%	71.7%
Grade 11	14.7%	23.1%	30.3%	69.7%
Grade 12	23.4%	32.0%	37.9%	62.1%
<b>Marijuana?</b>				
All	8.5%	11.3%	15.3%	84.7%
Grade 7	3.0%	4.1%	5.9%	94.1%
Grade 8	5.5%	7.6%	10.2%	89.8%
Grade 9	8.6%	11.0%	15.0%	85.0%
Grade 10	13.0%	16.6%	24.1%	75.9%
Grade 11	13.8%	20.3%	28.4%	71.6%
Grade 12	23.4%	30.5%	36.4%	63.6%
<b>Cocaine?</b>				
All	0.5%	0.5%	1.3%	98.7%
Grade 7	1.4%	1.4%	1.7%	98.3%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	0.0%	0.0%	4.7%	95.3%
<b>Crack?</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.5%	1.5%	3.0%	97.0%
<b>Hallucinogens?</b>				
All	0.2%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.5%	2.9%	97.1%
Grade 11	0.0%	2.4%	2.4%	97.6%
Grade 12	0.0%	0.8%	2.3%	97.7%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	1.0%	1.0%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids?				
All	0.7%	0.9%	1.4%	98.6%
Grade 7	0.3%	0.7%	0.7%	99.3%
Grade 8	1.7%	1.7%	2.6%	97.4%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.9%	0.9%	1.9%	98.1%
Grade 12	0.0%	0.0%	0.8%	99.2%
Ecstasy?				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.7%	1.7%	3.9%	96.1%
Heroin?				
All	0.0%	0.0%	0.7%	99.3%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.5%	98.5%
Methamphetamine?				
All	0.5%	0.6%	1.6%	98.4%
Grade 7	0.7%	0.7%	3.3%	96.7%
Grade 8	1.2%	1.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.5%	98.5%

**Table D-1: How Recently, If Ever, Have You Used...**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.4%	0.7%	2.0%	98.0%
Grade 7	0.0%	0.3%	2.5%	97.5%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	0.0%	1.4%	2.7%	97.3%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	1.5%	2.4%	6.2%	93.8%
Delta 8?				
All	2.2%	4.4%	6.9%	93.1%
Grade 7	0.0%	1.3%	3.3%	96.7%
Grade 8	2.4%	2.4%	4.1%	95.9%
Grade 9	1.0%	3.0%	4.5%	95.5%
Grade 10	5.6%	8.9%	12.1%	87.9%
Grade 11	0.5%	5.2%	11.4%	88.6%
Grade 12	8.6%	16.8%	21.8%	78.2%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	87.4%	1.7%	0.7%	1.3%	2.4%	3.0%	3.6%
Grade 7	95.3%	0.0%	0.0%	0.0%	1.3%	0.8%	2.6%
Grade 8	92.2%	1.5%	0.3%	0.9%	0.3%	2.7%	2.0%
Grade 9	89.3%	2.0%	1.5%	0.0%	2.0%	2.0%	3.1%
Grade 10	78.9%	4.9%	1.0%	1.0%	2.3%	4.3%	7.6%
Grade 11	76.2%	2.5%	1.5%	1.0%	4.4%	9.6%	4.9%
Grade 12	67.2%	2.3%	0.8%	9.4%	10.1%	4.3%	5.8%
Cocaine?							
All	99.5%	0.0%	0.1%	0.0%	0.1%	0.2%	0.1%
Grade 7	99.4%	0.0%	0.0%	0.0%	0.3%	0.3%	0.0%
Grade 8	99.4%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	99.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
Grade 12	98.5%	0.0%	0.0%	0.0%	0.0%	0.0%	1.5%
Crack?							
All	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
Grade 7	99.7%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%
Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	98.5%	0.0%	0.0%	0.0%	0.0%	0.0%	1.5%
Steroids?							
All	99.0%	0.2%	0.0%	0.0%	0.0%	0.5%	0.3%
Grade 7	99.3%	0.3%	0.0%	0.0%	0.0%	0.0%	0.5%
Grade 8	98.1%	0.0%	0.0%	0.0%	0.0%	1.9%	0.0%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	98.5%	0.0%	0.0%	0.0%	0.0%	0.0%	1.5%
Grade 11	99.0%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	99.1%	0.0%	0.0%	0.0%	0.0%	0.9%	0.0%
Ecstasy?							
All	99.4%	0.0%	0.0%	0.1%	0.1%	0.1%	0.3%
Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	99.4%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	98.7%	0.0%	0.0%	0.0%	0.0%	0.5%	0.8%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	96.8%	0.0%	0.0%	0.0%	0.9%	0.0%	2.3%

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.5%	0.2%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 8	98.7%	0.9%	0.0%	0.0%	0.3%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Synthetic Marijuana?								
	All	98.9%	0.0%	0.0%	0.0%	0.3%	0.3%	0.4%
	Grade 7	98.7%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 10	98.5%	0.0%	0.0%	0.0%	1.0%	0.5%	0.0%
	Grade 11	99.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
	Grade 12	95.3%	0.0%	0.0%	0.0%	2.4%	2.4%	0.0%
Delta 8?								
	All	93.6%	0.2%	0.5%	0.7%	2.0%	0.9%	2.0%
	Grade 7	97.6%	0.0%	0.0%	0.0%	1.0%	0.4%	1.0%
	Grade 8	96.6%	0.9%	0.7%	0.9%	0.0%	0.0%	0.9%
	Grade 9	95.3%	0.0%	0.0%	0.6%	0.5%	1.0%	2.7%
	Grade 10	89.4%	0.0%	2.3%	2.0%	2.5%	0.5%	3.3%
	Grade 11	89.7%	0.0%	0.0%	0.5%	2.9%	3.4%	3.4%
	Grade 12	78.0%	0.0%	0.8%	1.7%	13.0%	2.7%	3.9%

**Table D-3: Average Age of First Use of...**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.8	12.0	12.1	13.8	13.5	15.3	15.1
Cocaine	14.9	12.5	14.0	15.0	N/A	16.5	15.5
Crack	14.1	13.0	12.0	N/A	N/A	N/A	16.0
Steroids	12.0	13.0	10.5	N/A	14.0	12.0	15.0
Ecstasy	13.6	N/A	12.4	N/A	12.4	N/A	15.7
Heroin	10.5	9.4	14.0	N/A	N/A	N/A	N/A
Methamphetamine	10.3	9.9	8.0	N/A	15.7	N/A	N/A
Synthetic Marijuana	13.7	12.5	14.0	13.0	13.1	15.0	16.6
Delta 8?	15.0	13.0	13.5	14.4	14.3	16.1	16.7

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	30.2%	32.2%	8.7%	9.0%	7.2%	12.8%
	Grade 7	36.0%	44.6%	10.3%	4.7%	3.0%	1.4%
	Grade 8	31.6%	36.8%	7.8%	9.3%	4.2%	10.4%
	Grade 9	28.1%	30.9%	7.1%	12.3%	4.9%	16.7%
	Grade 10	24.5%	23.0%	10.9%	10.2%	14.1%	17.3%
	Grade 11	20.0%	22.1%	9.8%	10.6%	13.0%	24.5%
	Grade 12	29.7%	4.7%	5.9%	10.4%	19.9%	29.3%
Cocaine?							
	All	39.3%	41.0%	9.6%	5.7%	1.3%	3.1%
	Grade 7	36.2%	51.3%	7.7%	3.9%	0.0%	0.8%
	Grade 8	38.8%	45.2%	9.4%	3.7%	0.7%	2.2%
	Grade 9	38.5%	38.1%	9.0%	8.4%	0.5%	5.4%
	Grade 10	40.1%	35.5%	14.9%	4.1%	3.0%	2.5%
	Grade 11	39.2%	32.1%	12.4%	8.5%	3.8%	4.0%
	Grade 12	51.9%	18.5%	8.1%	9.7%	4.7%	7.1%
Crack?							
	All	39.5%	42.2%	9.4%	5.0%	0.9%	3.0%
	Grade 7	36.6%	53.5%	6.5%	2.7%	0.0%	0.8%
	Grade 8	39.1%	45.0%	9.7%	3.4%	1.0%	1.9%
	Grade 9	35.8%	42.0%	9.2%	7.1%	0.4%	5.5%
	Grade 10	42.8%	37.0%	9.8%	4.6%	3.0%	2.9%
	Grade 11	41.2%	30.5%	16.5%	5.0%	2.8%	4.0%
	Grade 12	52.7%	16.8%	11.5%	12.8%	0.0%	6.3%
Steroids?							
	All	43.7%	36.2%	10.2%	4.9%	1.0%	4.0%
	Grade 7	41.9%	45.3%	9.3%	1.1%	0.0%	2.4%
	Grade 8	42.5%	40.6%	8.6%	4.1%	0.0%	4.3%
	Grade 9	44.4%	31.4%	9.6%	8.2%	0.0%	6.4%
	Grade 10	41.0%	34.8%	13.0%	4.9%	2.0%	4.4%
	Grade 11	42.1%	28.6%	14.9%	9.3%	3.2%	2.0%
	Grade 12	55.8%	15.1%	11.4%	6.8%	6.4%	4.5%
Ecstasy?							
	All	52.8%	32.5%	8.0%	2.9%	1.1%	2.7%
	Grade 7	54.0%	39.2%	4.1%	1.5%	0.6%	0.6%
	Grade 8	51.2%	37.7%	8.0%	1.3%	0.0%	1.8%
	Grade 9	54.4%	25.2%	9.5%	4.9%	0.0%	6.1%
	Grade 10	47.1%	36.2%	5.8%	4.0%	2.5%	4.4%
	Grade 11	52.3%	27.9%	12.0%	4.0%	1.8%	2.0%
	Grade 12	57.4%	13.1%	15.2%	5.1%	6.2%	3.0%

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	47.4%	37.3%	8.4%	2.6%	1.7%	2.6%
	Grade 7	49.4%	42.1%	5.0%	2.1%	0.8%	0.6%
	Grade 8	43.7%	43.3%	9.4%	0.3%	1.4%	1.9%
	Grade 9	46.0%	31.4%	10.8%	3.9%	2.4%	5.4%
	Grade 10	45.2%	39.7%	7.6%	2.7%	1.5%	3.5%
	Grade 11	46.9%	32.2%	10.8%	5.9%	2.2%	2.0%
	Grade 12	57.8%	21.5%	8.9%	4.6%	3.6%	3.7%
<b>Methamphetamine?</b>							
	All	48.6%	36.3%	7.7%	2.8%	1.4%	3.2%
	Grade 7	49.5%	42.7%	3.5%	3.1%	0.5%	0.8%
	Grade 8	44.0%	43.4%	9.8%	0.0%	0.0%	2.8%
	Grade 9	50.0%	30.2%	8.2%	5.8%	0.5%	5.3%
	Grade 10	47.9%	34.0%	9.0%	1.7%	3.9%	3.5%
	Grade 11	45.0%	32.2%	12.2%	3.4%	3.2%	3.9%
	Grade 12	60.4%	16.7%	7.2%	3.7%	5.9%	6.1%
<b>Synthetic Marijuana?</b>							
	All	50.2%	31.3%	6.8%	4.6%	2.4%	4.7%
	Grade 7	54.5%	36.5%	4.9%	1.8%	1.1%	1.1%
	Grade 8	47.5%	40.0%	10.0%	0.3%	0.0%	2.2%
	Grade 9	48.7%	24.6%	5.1%	10.6%	3.1%	7.9%
	Grade 10	46.2%	29.2%	8.8%	7.8%	3.1%	4.9%
	Grade 11	46.0%	25.4%	11.3%	6.8%	4.1%	6.4%
	Grade 12	56.8%	14.3%	0.9%	5.5%	8.8%	13.7%
<b>Delta 8?</b>							
	All	47.9%	29.9%	6.2%	4.7%	4.3%	7.0%
	Grade 7	52.0%	37.1%	5.2%	2.2%	2.9%	0.6%
	Grade 8	46.7%	39.4%	7.9%	2.7%	1.0%	2.2%
	Grade 9	48.5%	23.4%	7.0%	7.7%	2.0%	11.5%
	Grade 10	44.1%	23.6%	5.7%	7.9%	8.2%	10.5%
	Grade 11	44.3%	24.6%	5.9%	6.4%	8.0%	10.8%
	Grade 12	45.2%	8.8%	3.3%	5.9%	15.0%	21.8%



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	95.1%	2.5%	1.2%	1.2%
Grade 7	99.6%	0.4%	0.0%	0.0%
Grade 8	96.3%	2.8%	0.0%	0.9%
Grade 9	94.8%	1.0%	2.1%	2.1%
Grade 10	91.8%	3.6%	2.0%	2.6%
Grade 11	93.1%	3.3%	2.5%	1.0%
Grade 12	85.4%	8.7%	3.3%	2.6%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	98.4%	1.0%	0.5%	0.2%
Grade 7	99.0%	1.0%	0.0%	0.0%
Grade 8	95.6%	2.2%	1.8%	0.3%
Grade 9	100.0%	0.0%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%
Grade 11	98.0%	1.0%	0.0%	1.0%
Grade 12	99.2%	0.8%	0.0%	0.0%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	7.2
Marijuana Non-Users	4.9
Average Days Conduct Problems Reported	
Marijuana Users	3.6
Marijuana Non-Users	1.5

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.2%	3.3%	0.5%	1.0%
Grade 9	98.0%	2.0%	0.0%	0.0%
Grade 10	97.1%	0.0%	0.8%	2.1%
Grade 11	94.0%	4.0%	0.5%	1.5%
Grade 12	87.7%	9.3%	1.5%	1.5%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.8%	2.0%	0.1%	0.1%
Grade 7	98.2%	1.8%	0.0%	0.0%
Grade 8	96.9%	2.8%	0.0%	0.3%
Grade 9	98.9%	1.1%	0.0%	0.0%
Grade 10	97.5%	1.5%	1.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%
Grade 12	95.2%	4.8%	0.0%	0.0%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	74.6%	14.7%	5.7%	3.5%	1.5%
Grade 7	94.5%	4.7%	0.8%	0.0%	0.0%
Grade 8	79.9%	14.4%	1.6%	4.2%	0.0%
Grade 9	71.1%	17.3%	7.0%	1.1%	3.5%
Grade 10	62.4%	18.2%	11.8%	5.6%	2.0%
Grade 11	55.6%	20.6%	15.1%	5.8%	2.9%
Grade 12	38.5%	30.8%	13.3%	13.1%	4.3%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	62.5%	5.8%	4.8%	3.0%	3.4%	1.9%	18.6%
Grade 7	75.1%	0.3%	2.1%	0.9%	0.0%	1.7%	20.0%
Grade 8	68.7%	4.2%	2.4%	1.5%	0.9%	0.7%	21.6%
Grade 9	58.9%	7.3%	7.2%	3.1%	6.1%	3.3%	14.1%
Grade 10	48.7%	8.2%	5.5%	4.3%	4.8%	3.0%	25.5%
Grade 11	51.1%	11.3%	8.5%	5.4%	4.5%	1.0%	18.2%
Grade 12	43.8%	14.4%	9.8%	9.8%	11.4%	2.6%	8.3%

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	74.9%	6.8%	7.9%	1.5%	1.1%	7.8%
Grade 7	85.5%	3.4%	1.1%	1.4%	0.0%	8.6%
Grade 8	75.6%	7.5%	8.0%	0.3%	0.3%	8.3%
Grade 9	72.2%	6.0%	10.5%	1.3%	2.5%	7.5%
Grade 10	70.2%	11.1%	7.3%	1.5%	1.3%	8.6%
Grade 11	70.5%	10.2%	10.3%	2.0%	0.5%	6.5%
Grade 12	60.1%	7.0%	18.7%	5.3%	3.9%	5.1%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	66.5%	13.5%	7.2%	6.4%	6.3%
	Grade 7	76.5%	9.3%	2.9%	2.6%	8.6%
	Grade 8	69.6%	13.8%	4.8%	4.5%	7.3%
	Grade 9	64.7%	15.9%	7.4%	5.9%	6.0%
	Grade 10	59.8%	16.0%	10.6%	9.1%	4.5%
	Grade 11	50.7%	18.0%	17.0%	9.8%	4.5%
	Grade 12	54.6%	12.8%	13.4%	17.7%	1.6%
Cocaine?						
	All	87.5%	5.5%	0.4%	0.2%	6.5%
	Grade 7	86.6%	5.5%	0.6%	0.0%	7.3%
	Grade 8	86.6%	5.9%	0.3%	0.0%	7.1%
	Grade 9	86.9%	6.3%	0.5%	0.0%	6.3%
	Grade 10	88.1%	4.3%	0.5%	0.5%	6.5%
	Grade 11	85.3%	7.2%	0.0%	0.0%	7.4%
	Grade 12	95.3%	1.7%	0.0%	1.5%	1.5%
Crack?						
	All	87.6%	5.1%	0.2%	0.2%	7.0%
	Grade 7	87.1%	5.3%	0.0%	0.0%	7.7%
	Grade 8	87.1%	5.4%	0.3%	0.0%	7.2%
	Grade 9	86.4%	5.9%	0.5%	0.0%	7.1%
	Grade 10	87.6%	4.8%	0.0%	0.5%	7.0%
	Grade 11	86.6%	5.9%	0.0%	0.0%	7.4%
	Grade 12	93.8%	0.8%	0.0%	1.5%	3.8%
Ecstasy?						
	All	81.3%	5.6%	0.8%	0.5%	11.8%
	Grade 7	77.9%	7.1%	0.3%	0.0%	14.8%
	Grade 8	82.5%	4.8%	1.3%	0.0%	11.4%
	Grade 9	82.2%	3.3%	1.0%	1.1%	12.5%
	Grade 10	83.5%	5.3%	0.8%	1.0%	9.5%
	Grade 11	76.5%	7.3%	0.0%	1.0%	15.2%
	Grade 12	87.7%	7.7%	1.5%	1.5%	1.5%
Steroids?						
	All	77.6%	10.0%	3.1%	0.4%	8.9%
	Grade 7	77.2%	10.4%	2.8%	0.3%	9.3%
	Grade 8	74.3%	11.2%	5.5%	0.0%	9.0%
	Grade 9	81.4%	6.9%	2.1%	0.5%	9.1%
	Grade 10	76.2%	11.3%	2.5%	0.5%	9.5%
	Grade 11	73.2%	12.9%	1.5%	0.0%	12.4%
	Grade 12	85.4%	7.9%	2.0%	1.6%	3.1%

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	86.0%	4.0%	0.5%	0.3%	9.2%
	Grade 7	84.4%	4.9%	0.3%	0.0%	10.5%
	Grade 8	84.6%	5.4%	1.2%	0.0%	8.8%
	Grade 9	85.4%	2.4%	0.5%	0.0%	11.6%
	Grade 10	88.7%	1.8%	0.0%	0.5%	9.0%
	Grade 11	84.1%	5.9%	0.0%	1.0%	9.0%
	Grade 12	95.2%	1.7%	0.0%	1.5%	1.5%
Methamphetamine?						
	All	86.7%	4.0%	0.7%	0.2%	8.4%
	Grade 7	86.8%	3.5%	0.6%	0.0%	9.2%
	Grade 8	86.1%	5.1%	1.2%	0.0%	7.6%
	Grade 9	86.0%	2.9%	0.5%	0.0%	10.5%
	Grade 10	84.1%	5.9%	0.0%	0.5%	9.5%
	Grade 11	84.6%	4.9%	1.0%	0.0%	9.4%
	Grade 12	95.2%	1.7%	0.0%	1.5%	1.5%
Synthetic Marijuana?						
	All	78.8%	6.7%	2.2%	0.9%	11.4%
	Grade 7	79.3%	5.8%	1.6%	0.6%	12.8%
	Grade 8	79.5%	5.6%	3.5%	0.0%	11.5%
	Grade 9	79.8%	4.9%	1.1%	0.5%	13.7%
	Grade 10	78.2%	7.9%	1.3%	1.5%	11.0%
	Grade 11	76.9%	11.0%	2.0%	1.0%	9.0%
	Grade 12	76.1%	11.2%	4.0%	4.7%	4.0%
Delta 8?						
	All	73.6%	7.9%	3.6%	3.2%	11.7%
	Grade 7	74.5%	8.3%	1.9%	1.6%	13.7%
	Grade 8	79.0%	5.2%	3.2%	1.6%	11.1%
	Grade 9	74.0%	9.0%	1.6%	1.7%	13.7%
	Grade 10	70.5%	10.2%	3.6%	5.6%	10.0%
	Grade 11	66.3%	10.4%	7.6%	2.6%	13.1%
	Grade 12	64.3%	7.2%	10.6%	14.3%	3.6%
Fictional Drug?						
	All	81.6%	3.9%	0.5%	0.2%	13.8%
	Grade 7	80.0%	4.3%	0.0%	0.0%	15.7%
	Grade 8	81.5%	4.8%	1.3%	0.0%	12.4%
	Grade 9	83.4%	2.4%	0.5%	0.0%	13.7%
	Grade 10	82.5%	4.0%	0.0%	0.5%	12.9%
	Grade 11	74.7%	5.4%	1.0%	0.0%	18.9%
	Grade 12	88.7%	1.7%	0.0%	1.5%	8.1%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	4.4%	6.5%	13.8%	86.2%
Grade 7	2.9%	4.9%	10.5%	89.5%
Grade 8	8.0%	9.3%	15.2%	84.8%
Grade 9	3.8%	6.5%	14.4%	85.6%
Grade 10	2.0%	4.4%	11.3%	88.7%
Grade 11	4.3%	7.6%	13.5%	86.5%
Grade 12	2.3%	4.7%	22.1%	77.9%
<b>Codeine Cough Syrup?</b>				
All	2.8%	3.7%	10.3%	89.7%
Grade 7	2.7%	3.4%	8.4%	91.6%
Grade 8	5.5%	6.7%	13.3%	86.7%
Grade 9	0.9%	1.6%	7.4%	92.6%
Grade 10	0.5%	2.4%	8.3%	91.7%
Grade 11	3.8%	5.7%	8.7%	91.3%
Grade 12	0.8%	0.8%	18.2%	81.8%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.1%	0.4%	1.5%	98.5%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.0%	0.0%	2.2%	97.8%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.0%	1.0%	1.9%	98.1%
Grade 12	0.0%	2.3%	3.2%	96.8%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	0.2%	0.8%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.9%	3.4%	96.6%
Grade 9	0.4%	1.6%	2.6%	97.4%
Grade 10	0.0%	0.0%	1.7%	98.3%
Grade 11	1.4%	3.4%	3.4%	96.6%
Grade 12	0.0%	0.0%	4.0%	96.0%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	0.8%	1.5%	3.4%	96.6%
Grade 7	0.3%	0.7%	1.4%	98.6%
Grade 8	1.8%	1.8%	4.0%	96.0%
Grade 9	1.5%	2.6%	5.4%	94.6%
Grade 10	0.0%	0.0%	2.2%	97.8%
Grade 11	0.0%	1.9%	3.8%	96.2%
Grade 12	0.0%	1.5%	4.7%	95.3%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.5%	3.7%	8.2%	91.8%
Grade 7	0.3%	1.7%	6.0%	94.0%
Grade 8	5.5%	5.5%	10.3%	89.7%
Grade 9	2.5%	4.5%	8.4%	91.6%
Grade 10	1.5%	2.5%	5.5%	94.5%
Grade 11	2.9%	4.3%	9.5%	90.5%
Grade 12	1.5%	3.1%	10.9%	89.1%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.0%	1.7%	2.8%	97.2%
Grade 7	0.0%	1.0%	2.3%	97.7%
Grade 8	2.8%	2.8%	3.1%	96.9%
Grade 9	0.0%	1.5%	1.5%	98.5%
Grade 10	1.0%	1.0%	3.7%	96.3%
Grade 11	1.0%	1.0%	1.0%	99.0%
Grade 12	0.8%	3.2%	6.8%	93.2%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.0%	14.7%	2.3%	1.6%	8.4%
Grade 7	72.0%	16.2%	1.0%	0.6%	10.2%
Grade 8	72.8%	15.3%	2.2%	2.8%	6.9%
Grade 9	78.2%	9.5%	2.9%	0.5%	8.9%
Grade 10	69.8%	16.6%	3.0%	3.0%	7.5%
Grade 11	66.4%	18.9%	4.5%	0.5%	9.8%
Grade 12	75.1%	13.5%	2.7%	2.7%	6.0%

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	2.8%	5.7%	13.1%	86.9%
Grade 7	2.5%	3.6%	12.5%	87.5%
Grade 8	4.5%	7.1%	15.9%	84.1%
Grade 9	2.4%	7.4%	12.5%	87.5%
Grade 10	1.4%	4.2%	11.4%	88.6%
Grade 11	0.4%	1.8%	6.1%	93.9%
Grade 12	3.9%	10.1%	16.8%	83.2%
Spray Paint?				
All	0.2%	0.2%	1.6%	98.4%
Grade 7	0.0%	0.0%	1.9%	98.1%
Grade 8	0.6%	0.6%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	1.9%	98.1%
Grade 11	0.0%	0.9%	1.9%	98.1%
Grade 12	0.0%	0.0%	3.1%	96.9%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.7%	1.4%	4.8%	95.2%
Grade 7	0.0%	0.8%	6.2%	93.8%
Grade 8	2.1%	2.6%	4.8%	95.2%
Grade 9	0.0%	0.8%	3.4%	96.6%
Grade 10	0.0%	0.5%	3.3%	96.7%
Grade 11	0.0%	0.0%	3.8%	96.2%
Grade 12	1.5%	3.0%	7.0%	93.0%
Computer Dusting Sprays?				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.6%	0.6%	1.4%	98.6%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.4%	1.1%	5.6%	94.4%
Grade 7	0.0%	0.0%	3.6%	96.4%
Grade 8	0.6%	1.1%	8.3%	91.7%
Grade 9	0.0%	1.5%	4.8%	95.2%
Grade 10	1.0%	2.4%	6.2%	93.8%
Grade 11	0.4%	0.4%	2.8%	97.2%
Grade 12	1.5%	3.0%	7.8%	92.2%



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.6%	1.1%	1.4%	98.6%
Grade 9	0.4%	0.8%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.8%	99.2%
Toluene, Paint Thinner, or Other Solvents?				
All	0.1%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.9%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	2.5%	97.5%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	0.9%	3.3%	96.7%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	1.1%	1.1%	4.1%	95.9%
Grade 9	1.5%	1.9%	3.9%	96.1%
Grade 10	0.5%	0.9%	2.3%	97.7%
Grade 11	0.0%	0.4%	1.9%	98.1%
Grade 12	0.0%	1.5%	6.8%	93.2%
Other Aerosols/Sprays?				
All	0.4%	0.6%	1.8%	98.2%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	1.1%	1.7%	2.9%	97.1%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.5%	1.5%	3.1%	96.9%

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.7%	0.0%	0.2%	0.5%	0.4%	0.4%	0.7%
Grade 7	96.8%	0.0%	0.8%	0.3%	0.0%	1.5%	0.5%
Grade 8	97.0%	0.0%	0.0%	1.4%	1.0%	0.0%	0.6%
Grade 9	98.7%	0.0%	0.0%	0.0%	0.7%	0.0%	0.5%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	97.1%	0.0%	0.0%	0.0%	0.0%	0.0%	2.9%
Grade 12	98.3%	0.0%	0.0%	0.8%	0.0%	0.0%	0.8%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	90.1%	5.9%	2.8%	1.3%
Grade 7	90.1%	6.2%	2.8%	0.9%
Grade 8	88.5%	7.1%	2.3%	2.1%
Grade 9	91.1%	5.6%	2.4%	0.9%
Grade 10	90.5%	6.7%	1.9%	0.9%
Grade 11	94.0%	4.2%	0.9%	0.9%
Grade 12	88.0%	2.6%	7.7%	1.6%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.0	10.4	10.7	12.1	8.0	13.7	15.0

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.7%	0.9%	0.3%	0.1%
Grade 7	99.4%	0.6%	0.0%	0.0%
Grade 8	98.1%	1.0%	0.6%	0.3%
Grade 9	97.9%	2.1%	0.0%	0.0%
Grade 10	99.5%	0.5%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%
Grade 12	98.2%	0.0%	1.8%	0.0%

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	6.4
Inhalant Non-Users	5.0
Average Days Conduct Problems Reported	
Inhalant Users	1.8
Inhalant Non-Users	1.6

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	93.6%	4.8%	1.0%	0.4%	0.1%
Grade 7	93.5%	4.5%	1.5%	0.6%	0.0%
Grade 8	92.6%	6.0%	0.9%	0.5%	0.0%
Grade 9	93.9%	5.1%	0.5%	0.0%	0.4%
Grade 10	95.1%	4.9%	0.0%	0.0%	0.0%
Grade 11	95.7%	2.4%	1.4%	0.0%	0.5%
Grade 12	92.8%	4.4%	1.7%	1.1%	0.0%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	69.2%	14.5%	5.8%	1.5%	9.0%
Grade 7	72.5%	13.0%	4.1%	0.8%	9.5%
Grade 8	68.4%	14.0%	7.2%	1.5%	8.9%
Grade 9	67.4%	14.7%	8.0%	1.7%	8.3%
Grade 10	71.8%	15.7%	2.4%	1.5%	8.6%
Grade 11	62.0%	19.6%	7.0%	1.0%	10.5%
Grade 12	69.7%	13.7%	5.3%	3.3%	8.0%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	42.5%	20.3%	5.4%	4.8%	7.8%	19.2%
Grade 7	38.7%	30.8%	9.0%	5.7%	7.5%	8.2%
Grade 8	43.0%	24.4%	4.0%	4.3%	6.6%	17.7%
Grade 9	45.6%	15.4%	5.0%	5.5%	6.8%	21.8%
Grade 10	40.8%	13.4%	3.9%	4.8%	10.3%	26.8%
Grade 11	44.5%	9.9%	6.9%	0.5%	9.1%	29.1%
Grade 12	45.7%	6.3%	0.0%	5.6%	9.9%	32.5%

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	44.4%
	Grade 7	31.1%
	Grade 8	44.5%
	Grade 9	50.8%
	Grade 10	63.0%
	Grade 11	41.9%
	Grade 12	45.5%
An Assembly Program		
	All	32.6%
	Grade 7	36.1%
	Grade 8	43.9%
	Grade 9	25.4%
	Grade 10	25.6%
	Grade 11	24.7%
	Grade 12	23.1%
Guidance Counselor		
	All	26.0%
	Grade 7	29.9%
	Grade 8	26.0%
	Grade 9	22.1%
	Grade 10	28.4%
	Grade 11	21.3%
	Grade 12	25.3%
School Nurse		
	All	9.3%
	Grade 7	11.4%
	Grade 8	7.1%
	Grade 9	8.0%
	Grade 10	7.0%
	Grade 11	12.8%
	Grade 12	12.4%
Science or Social Studies Class		
	All	21.7%
	Grade 7	25.3%
	Grade 8	18.8%
	Grade 9	19.7%
	Grade 10	21.7%
	Grade 11	19.7%
	Grade 12	25.8%

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

	Yes
Student Group or Club Meeting at School	
All	7.5%
Grade 7	6.4%
Grade 8	3.3%
Grade 9	9.5%
Grade 10	10.5%
Grade 11	13.4%
Grade 12	8.8%
An Invited School Guest	
All	18.4%
Grade 7	18.1%
Grade 8	16.2%
Grade 9	24.2%
Grade 10	20.5%
Grade 11	14.8%
Grade 12	14.2%
Another Source at School	
All	26.1%
Grade 7	27.0%
Grade 8	20.0%
Grade 9	34.3%
Grade 10	24.8%
Grade 11	24.8%
Grade 12	26.0%
Any School Source	
All	66.4%
Grade 7	64.2%
Grade 8	71.9%
Grade 9	67.0%
Grade 10	69.2%
Grade 11	58.0%
Grade 12	60.8%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<hr/>		
Counselor/Program In-School		
	All	32.9%
	Grade 7	47.2%
	Grade 8	22.2%
	Grade 9	30.0%
	Grade 10	32.2%
	Grade 11	31.1%
	Grade 12	33.6%
School Nurse		
	All	19.7%
	Grade 7	36.9%
	Grade 8	17.1%
	Grade 9	13.3%
	Grade 10	13.9%
	Grade 11	14.6%
	Grade 12	6.8%
Another Adult In School		
	All	32.5%
	Grade 7	41.1%
	Grade 8	22.2%
	Grade 9	32.0%
	Grade 10	36.4%
	Grade 11	40.5%
	Grade 12	28.2%
Counselor/Program Outside-School		
	All	37.9%
	Grade 7	43.4%
	Grade 8	33.1%
	Grade 9	40.1%
	Grade 10	36.2%
	Grade 11	35.6%
	Grade 12	35.8%
Your Parents		
	All	71.4%
	Grade 7	84.3%
	Grade 8	62.7%
	Grade 9	70.0%
	Grade 10	67.5%
	Grade 11	79.9%
	Grade 12	60.2%
<hr/>		

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<hr/>		
A Medical Doctor		
All		56.9%
Grade 7		71.3%
Grade 8		52.3%
Grade 9		53.2%
Grade 10		44.2%
Grade 11		59.0%
Grade 12		52.4%
Your Friends		
All		63.0%
Grade 7		58.1%
Grade 8		62.0%
Grade 9		63.3%
Grade 10		69.1%
Grade 11		72.9%
Grade 12		61.6%
Another Adult		
All		61.1%
Grade 7		68.1%
Grade 8		53.9%
Grade 9		63.6%
Grade 10		61.9%
Grade 11		69.3%
Grade 12		48.2%
<hr/>		

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
<hr/>		
All		3.5%
Grade 7		3.2%
Grade 8		2.6%
Grade 9		4.1%
Grade 10		3.2%
Grade 11		4.4%
Grade 12		4.8%
<hr/>		

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	7.0%	23.9%	23.7%	33.1%	12.3%
Grade 7	8.4%	19.5%	23.8%	31.4%	16.9%
Grade 8	7.4%	29.0%	20.1%	30.6%	12.9%
Grade 9	5.7%	26.2%	26.0%	33.3%	8.9%
Grade 10	7.1%	25.2%	20.7%	37.7%	9.3%
Grade 11	8.4%	14.1%	25.7%	36.0%	15.8%
Grade 12	3.5%	25.3%	30.5%	36.2%	4.6%
Sometimes Carry Weapons?					
All	71.5%	16.4%	6.0%	3.6%	2.5%
Grade 7	87.7%	9.3%	1.0%	1.9%	0.0%
Grade 8	72.4%	16.9%	5.8%	3.0%	1.9%
Grade 9	64.8%	18.7%	7.8%	3.1%	5.5%
Grade 10	64.2%	19.2%	9.7%	3.9%	2.9%
Grade 11	65.8%	18.9%	8.5%	3.6%	3.3%
Grade 12	47.9%	25.5%	11.1%	11.7%	3.8%
Care About Making Good Grades?					
All	3.9%	15.8%	24.8%	39.3%	16.1%
Grade 7	3.8%	13.5%	23.6%	42.1%	16.9%
Grade 8	6.4%	21.4%	26.4%	29.4%	16.5%
Grade 9	2.8%	15.0%	27.5%	38.1%	16.6%
Grade 10	1.5%	11.7%	24.1%	41.9%	20.7%
Grade 11	3.8%	10.6%	23.9%	48.6%	13.1%
Grade 12	2.5%	18.4%	19.5%	50.3%	9.2%
Belong/Want to Belong to a Gang?					
All	90.0%	6.9%	2.3%	0.2%	0.5%
Grade 7	93.2%	5.9%	0.9%	0.0%	0.0%
Grade 8	87.0%	9.2%	2.0%	0.0%	1.8%
Grade 9	86.9%	8.7%	4.4%	0.0%	0.0%
Grade 10	94.5%	1.9%	2.4%	1.2%	0.0%
Grade 11	94.0%	4.1%	1.9%	0.0%	0.0%
Grade 12	86.4%	8.6%	3.4%	0.8%	0.8%
Wish They Could Drop Out of School?					
All	41.3%	32.0%	14.6%	8.0%	4.2%
Grade 7	50.1%	31.8%	10.6%	4.2%	3.3%
Grade 8	42.4%	26.2%	15.4%	9.8%	6.1%
Grade 9	36.5%	38.9%	11.4%	9.6%	3.6%
Grade 10	30.9%	33.0%	22.3%	9.5%	4.4%
Grade 11	41.7%	32.6%	16.4%	5.9%	3.4%
Grade 12	32.9%	32.3%	21.3%	10.9%	2.7%



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	84.6%	13.2%	1.0%	0.5%	0.7%
Grade 7	84.7%	14.5%	0.0%	0.0%	0.8%
Grade 8	83.3%	12.6%	2.0%	0.9%	1.2%
Grade 9	84.4%	14.9%	0.0%	0.0%	0.7%
Grade 10	89.8%	7.8%	1.0%	1.4%	0.0%
Grade 11	89.7%	8.6%	1.2%	0.0%	0.5%
Grade 12	77.6%	17.9%	3.0%	1.5%	0.0%
<b>Out In Your Neighborhood?</b>					
All	41.8%	43.8%	8.2%	1.8%	4.4%
Grade 7	35.6%	47.3%	10.3%	0.9%	5.8%
Grade 8	39.1%	43.5%	7.4%	4.5%	5.6%
Grade 9	47.2%	40.5%	8.0%	1.7%	2.6%
Grade 10	46.4%	44.0%	5.7%	0.9%	2.9%
Grade 11	47.8%	43.1%	4.6%	0.0%	4.4%
Grade 12	45.7%	41.4%	10.9%	0.0%	1.9%
<b>At School?</b>					
All	31.8%	50.2%	8.5%	4.6%	4.8%
Grade 7	37.5%	51.5%	6.0%	1.5%	3.6%
Grade 8	36.6%	42.4%	8.9%	6.3%	5.8%
Grade 9	22.0%	55.4%	9.7%	5.7%	7.2%
Grade 10	26.4%	52.4%	10.6%	6.0%	4.7%
Grade 11	28.9%	55.3%	6.9%	6.1%	2.8%
Grade 12	31.8%	49.8%	12.3%	4.0%	2.1%

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.6%	17.8%	30.6%	69.4%
Grade 7	3.9%	4.3%	15.8%	84.2%
Grade 8	14.6%	16.8%	25.9%	74.1%
Grade 9	13.7%	20.8%	35.8%	64.2%
Grade 10	20.2%	24.9%	41.5%	58.5%
Grade 11	23.6%	30.0%	47.9%	52.1%
Grade 12	35.1%	36.2%	48.8%	51.2%
<b>Any Alcohol Product</b>				
All	28.9%	33.8%	53.3%	46.7%
Grade 7	12.6%	13.8%	37.3%	62.7%
Grade 8	30.3%	32.5%	51.6%	48.4%
Grade 9	25.9%	35.9%	56.1%	43.9%
Grade 10	33.0%	42.1%	61.7%	38.3%
Grade 11	49.3%	57.6%	71.7%	28.3%
Grade 12	57.8%	61.3%	74.6%	25.4%
<b>Any Illicit Drug</b>				
All	9.7%	14.6%	19.1%	80.9%
Grade 7	3.9%	6.7%	10.3%	89.7%
Grade 8	7.6%	12.8%	15.3%	84.7%
Grade 9	10.0%	13.8%	18.0%	82.0%
Grade 10	13.9%	19.5%	28.3%	71.7%
Grade 11	14.7%	23.1%	30.3%	69.7%
Grade 12	23.4%	32.0%	37.9%	62.1%
<b>Any Prescription Drug</b>				
All	4.4%	6.5%	13.8%	86.2%
Grade 7	2.9%	4.9%	10.5%	89.5%
Grade 8	8.0%	9.3%	15.2%	84.8%
Grade 9	3.8%	6.5%	14.4%	85.6%
Grade 10	2.0%	4.4%	11.3%	88.7%
Grade 11	4.3%	7.6%	13.5%	86.5%
Grade 12	2.3%	4.7%	22.1%	77.9%
<b>Any Inhalant</b>				
All	2.8%	5.7%	13.1%	86.9%
Grade 7	2.5%	3.6%	12.5%	87.5%
Grade 8	4.5%	7.1%	15.9%	84.1%
Grade 9	2.4%	7.4%	12.5%	87.5%
Grade 10	1.4%	4.2%	11.4%	88.6%
Grade 11	0.4%	1.8%	6.1%	93.9%
Grade 12	3.9%	10.1%	16.8%	83.2%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.1%	14.4%	26.3%	73.7%
Grade 7	1.3%	3.2%	11.8%	88.2%
Grade 8	8.6%	11.8%	21.5%	78.5%
Grade 9	10.4%	18.1%	33.2%	66.8%
Grade 10	13.0%	18.3%	35.5%	64.5%
Grade 11	20.4%	28.8%	42.1%	57.9%
Grade 12	27.8%	29.8%	43.1%	56.9%
<b>Marijuana</b>				
All	8.5%	11.3%	15.3%	84.7%
Grade 7	3.0%	4.1%	5.9%	94.1%
Grade 8	5.5%	7.6%	10.2%	89.8%
Grade 9	8.6%	11.0%	15.0%	85.0%
Grade 10	13.0%	16.6%	24.1%	75.9%
Grade 11	13.8%	20.3%	28.4%	71.6%
Grade 12	23.4%	30.5%	36.4%	63.6%
<b>Marijuana Only</b>				
All	4.5%	5.6%	8.1%	91.9%
Grade 7	1.6%	1.6%	1.6%	98.4%
Grade 8	3.4%	4.5%	6.2%	93.8%
Grade 9	7.6%	8.5%	11.4%	88.6%
Grade 10	5.0%	6.7%	12.5%	87.5%
Grade 11	5.6%	11.0%	16.2%	83.8%
Grade 12	8.3%	8.3%	13.4%	86.6%
<b>Cocaine or Crack</b>				
All	0.8%	0.8%	1.7%	98.3%
Grade 7	1.4%	1.4%	1.7%	98.3%
Grade 8	1.2%	1.2%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	1.5%	1.5%	6.1%	93.9%
<b>Cocaine</b>				
All	0.5%	0.5%	1.3%	98.7%
Grade 7	1.4%	1.4%	1.7%	98.3%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	0.0%	0.0%	4.7%	95.3%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.5%	1.5%	3.0%	97.0%
<b>Hallucinogens</b>				
All	0.2%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.5%	2.9%	97.1%
Grade 11	0.0%	2.4%	2.4%	97.6%
Grade 12	0.0%	0.8%	2.3%	97.7%
<b>Synthetic Cathinones</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	1.0%	1.0%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.7%	0.9%	1.4%	98.6%
Grade 7	0.3%	0.7%	0.7%	99.3%
Grade 8	1.7%	1.7%	2.6%	97.4%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.9%	0.9%	1.9%	98.1%
Grade 12	0.0%	0.0%	0.8%	99.2%
<b>Ecstasy</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.7%	1.7%	3.9%	96.1%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.7%	99.3%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.5%	98.5%
<b>Synthetic Marijuana</b>				
All	0.4%	0.7%	2.0%	98.0%
Grade 7	0.0%	0.3%	2.5%	97.5%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	0.0%	1.4%	2.7%	97.3%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	1.5%	2.4%	6.2%	93.8%
<b>Methamphetamine</b>				
All	0.5%	0.6%	1.6%	98.4%
Grade 7	0.7%	0.7%	3.3%	96.7%
Grade 8	1.2%	1.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.5%	98.5%
<b>Delta 8</b>				
All	2.2%	4.4%	6.9%	93.1%
Grade 7	0.0%	1.3%	3.3%	96.7%
Grade 8	2.4%	2.4%	4.1%	95.9%
Grade 9	1.0%	3.0%	4.5%	95.5%
Grade 10	5.6%	8.9%	12.1%	87.9%
Grade 11	0.5%	5.2%	11.4%	88.6%
Grade 12	8.6%	16.8%	21.8%	78.2%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.5%	17.0%	29.1%	70.9%
Grade 7	5.2%	5.2%	19.0%	81.0%
Grade 8	16.8%	17.4%	25.0%	75.0%
Grade 9	12.1%	19.4%	30.7%	69.3%
Grade 10	18.2%	20.3%	38.7%	61.3%
Grade 11	16.9%	24.3%	40.4%	59.6%
Grade 12	35.2%	37.5%	48.8%	51.2%
<b>Any Alcohol Product</b>				
All	26.2%	29.5%	50.9%	49.1%
Grade 7	10.8%	12.5%	38.0%	62.0%
Grade 8	28.9%	30.1%	50.7%	49.3%
Grade 9	24.5%	29.8%	51.4%	48.6%
Grade 10	26.9%	29.9%	49.7%	50.3%
Grade 11	42.6%	53.1%	69.5%	30.5%
Grade 12	51.8%	55.8%	73.0%	27.0%
<b>Any Illicit Drug</b>				
All	8.0%	12.3%	16.7%	83.3%
Grade 7	1.9%	4.9%	9.0%	91.0%
Grade 8	8.6%	12.9%	13.5%	86.5%
Grade 9	5.9%	10.0%	14.9%	85.1%
Grade 10	14.8%	17.8%	24.0%	76.0%
Grade 11	9.1%	14.3%	22.7%	77.3%
Grade 12	21.3%	30.5%	41.1%	58.9%
<b>Any Prescription Drug</b>				
All	4.4%	6.1%	12.7%	87.3%
Grade 7	2.5%	3.6%	7.2%	92.8%
Grade 8	9.5%	9.5%	12.7%	87.3%
Grade 9	3.2%	5.9%	13.1%	86.9%
Grade 10	0.0%	3.1%	11.9%	88.1%
Grade 11	6.4%	10.1%	16.3%	83.7%
Grade 12	0.0%	3.1%	26.9%	73.1%
<b>Any Inhalant</b>				
All	2.9%	6.0%	12.9%	87.1%
Grade 7	2.2%	3.3%	10.8%	89.2%
Grade 8	1.9%	5.1%	11.5%	88.5%
Grade 9	4.2%	11.2%	15.3%	84.7%
Grade 10	3.0%	5.0%	14.1%	85.9%
Grade 11	0.0%	2.6%	7.1%	92.9%
Grade 12	8.2%	11.2%	23.4%	76.6%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.0%	11.2%	22.2%	77.8%
Grade 7	1.1%	3.0%	11.4%	88.6%
Grade 8	7.9%	10.4%	19.0%	81.0%
Grade 9	6.7%	14.2%	25.7%	74.3%
Grade 10	7.1%	10.2%	32.1%	67.9%
Grade 11	10.7%	21.8%	31.0%	69.0%
Grade 12	20.0%	24.0%	39.1%	60.9%
<b>Marijuana</b>				
All	7.3%	9.5%	13.7%	86.3%
Grade 7	1.9%	3.0%	5.4%	94.6%
Grade 8	6.3%	7.5%	9.7%	90.3%
Grade 9	5.9%	7.7%	11.1%	88.9%
Grade 10	13.8%	15.8%	22.0%	78.0%
Grade 11	9.1%	12.4%	20.8%	79.2%
Grade 12	21.3%	30.5%	41.1%	58.9%
<b>Marijuana Only</b>				
All	4.7%	5.7%	7.8%	92.2%
Grade 7	1.9%	1.9%	1.9%	98.1%
Grade 8	4.5%	5.7%	6.2%	93.8%
Grade 9	5.9%	6.8%	7.9%	92.1%
Grade 10	7.7%	9.7%	15.9%	84.1%
Grade 11	2.7%	5.9%	10.5%	89.5%
Grade 12	10.9%	10.9%	19.7%	80.3%
<b>Cocaine or Crack</b>				
All	0.3%	0.3%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.7%	96.3%
Grade 12	0.0%	0.0%	6.1%	93.9%
<b>Cocaine</b>				
All	0.3%	0.3%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.7%	96.3%
Grade 12	0.0%	0.0%	6.1%	93.9%



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.1%	96.9%
<b>Hallucinogens</b>				
All	0.3%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.0%	3.1%	96.9%
Grade 11	0.0%	1.9%	1.9%	98.1%
Grade 12	0.0%	0.0%	3.1%	96.9%
<b>Synthetic Cathinones</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.9%	1.1%	2.1%	97.9%
Grade 7	0.0%	0.9%	0.9%	99.1%
Grade 8	1.7%	1.7%	3.4%	96.6%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	3.0%	97.0%
Grade 11	1.8%	1.8%	1.8%	98.2%
Grade 12	0.0%	0.0%	1.8%	98.2%
<b>Ecstasy</b>				
All	0.5%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.1%	1.1%	2.7%	97.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.8%	1.8%	4.2%	95.8%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.1%	96.9%
<b>Synthetic Marijuana</b>				
All	0.3%	0.6%	2.0%	98.0%
Grade 7	0.0%	0.0%	3.5%	96.5%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	2.1%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.8%	6.8%	93.2%
<b>Methamphetamine</b>				
All	0.5%	0.5%	1.4%	98.6%
Grade 7	0.0%	0.0%	1.6%	98.4%
Grade 8	1.7%	1.7%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.1%	96.9%
<b>Delta 8</b>				
All	1.4%	3.0%	5.2%	94.8%
Grade 7	0.0%	0.8%	3.2%	96.8%
Grade 8	1.6%	1.6%	2.2%	97.8%
Grade 9	0.0%	2.1%	4.3%	95.7%
Grade 10	4.1%	5.1%	5.1%	94.9%
Grade 11	0.0%	3.7%	10.0%	90.0%
Grade 12	6.6%	13.8%	18.7%	81.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.9%	18.8%	32.3%	67.7%
Grade 7	2.6%	3.4%	12.7%	87.3%
Grade 8	12.2%	16.2%	27.1%	72.9%
Grade 9	15.4%	22.4%	41.0%	59.0%
Grade 10	22.1%	29.3%	43.4%	56.6%
Grade 11	30.7%	36.2%	55.9%	44.1%
Grade 12	35.1%	35.1%	48.8%	51.2%
<b>Any Alcohol Product</b>				
All	31.9%	38.3%	55.3%	44.7%
Grade 7	14.5%	15.3%	36.3%	63.7%
Grade 8	32.1%	35.7%	52.0%	48.0%
Grade 9	27.9%	42.0%	58.8%	41.2%
Grade 10	38.8%	53.4%	72.0%	28.0%
Grade 11	56.6%	62.5%	74.1%	25.9%
Grade 12	63.5%	66.4%	76.0%	24.0%
<b>Any Illicit Drug</b>				
All	11.5%	16.9%	21.4%	78.6%
Grade 7	6.0%	8.6%	11.7%	88.3%
Grade 8	6.7%	12.7%	17.5%	82.5%
Grade 9	13.8%	17.4%	21.0%	79.0%
Grade 10	13.3%	21.1%	31.6%	68.4%
Grade 11	20.7%	32.6%	38.5%	61.5%
Grade 12	25.4%	33.3%	34.9%	65.1%
<b>Any Prescription Drug</b>				
All	4.4%	6.9%	15.1%	84.9%
Grade 7	3.4%	6.1%	13.9%	86.1%
Grade 8	6.6%	9.2%	18.2%	81.8%
Grade 9	4.4%	7.1%	16.0%	84.0%
Grade 10	3.8%	5.7%	10.8%	89.2%
Grade 11	2.0%	5.0%	10.5%	89.5%
Grade 12	4.5%	6.0%	17.7%	82.3%
<b>Any Inhalant</b>				
All	2.8%	5.5%	13.4%	86.6%
Grade 7	2.9%	3.9%	14.1%	85.9%
Grade 8	7.5%	9.4%	21.2%	78.8%
Grade 9	1.0%	4.4%	10.5%	89.5%
Grade 10	0.0%	3.6%	9.1%	90.9%
Grade 11	0.9%	0.9%	4.9%	95.1%
Grade 12	0.0%	9.0%	10.6%	89.4%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.2%	17.6%	30.4%	69.6%
Grade 7	1.6%	3.4%	12.2%	87.8%
Grade 8	9.5%	13.5%	24.5%	75.5%
Grade 9	13.7%	21.7%	40.2%	59.8%
Grade 10	18.4%	25.6%	37.9%	62.1%
Grade 11	30.7%	36.2%	53.8%	46.2%
Grade 12	35.1%	35.1%	46.7%	53.3%
<b>Marijuana</b>				
All	9.8%	13.2%	16.9%	83.1%
Grade 7	4.1%	5.2%	6.5%	93.5%
Grade 8	4.7%	7.8%	10.8%	89.2%
Grade 9	11.2%	14.1%	18.7%	81.3%
Grade 10	12.4%	17.5%	25.2%	74.8%
Grade 11	18.8%	28.7%	36.5%	63.5%
Grade 12	25.4%	30.4%	32.0%	68.0%
<b>Marijuana Only</b>				
All	4.3%	5.6%	8.5%	91.5%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	2.1%	3.2%	6.2%	93.8%
Grade 9	9.2%	10.2%	14.7%	85.3%
Grade 10	2.7%	4.1%	9.6%	90.4%
Grade 11	8.7%	16.5%	22.3%	77.7%
Grade 12	5.9%	5.9%	7.5%	92.5%
<b>Cocaine or Crack</b>				
All	1.3%	1.3%	1.8%	98.2%
Grade 7	2.9%	2.9%	2.9%	97.1%
Grade 8	1.3%	1.3%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.9%	2.9%	6.2%	93.8%
<b>Cocaine</b>				
All	0.8%	0.8%	1.1%	98.9%
Grade 7	2.9%	2.9%	2.9%	97.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.3%	96.7%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.9%	0.9%	1.0%	99.0%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	1.3%	1.3%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.9%	2.9%	2.9%	97.1%
<b>Hallucinogens</b>				
All	0.2%	0.6%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	2.8%	97.2%
Grade 11	0.0%	3.0%	3.0%	97.0%
Grade 12	0.0%	1.6%	1.6%	98.4%
<b>Synthetic Cathinones</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.6%	0.6%	0.7%	99.3%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	1.9%	1.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	3.7%	96.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.7%	99.3%
Grade 7	0.0%	0.0%	1.8%	98.2%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.4%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.5%	1.6%	98.4%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.9%	2.3%	97.7%
Grade 11	2.0%	2.0%	2.0%	98.0%
Grade 12	2.9%	2.9%	5.7%	94.3%
<b>Methamphetamine</b>				
All	0.5%	0.7%	1.8%	98.2%
Grade 7	1.3%	1.3%	5.0%	95.0%
Grade 8	0.7%	1.3%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	2.9%	5.7%	8.6%	91.4%
Grade 7	0.0%	1.9%	3.4%	96.6%
Grade 8	3.2%	3.2%	6.2%	93.8%
Grade 9	1.9%	3.8%	4.8%	95.2%
Grade 10	6.9%	12.5%	18.4%	81.6%
Grade 11	1.0%	6.9%	12.8%	87.2%
Grade 12	10.5%	19.5%	24.6%	75.4%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.5%	21.6%	34.1%	65.9%
Grade 7	4.6%	4.6%	17.1%	82.9%
Grade 8	15.7%	17.5%	29.7%	70.3%
Grade 9	30.2%	39.6%	49.1%	50.9%
Grade 10	25.9%	31.0%	44.8%	55.2%
Grade 11	26.4%	34.7%	52.8%	47.2%
Grade 12	43.3%	43.3%	50.0%	50.0%
<b>Any Alcohol Product</b>				
All	32.9%	37.0%	57.1%	42.9%
Grade 7	12.1%	13.1%	41.5%	58.5%
Grade 8	29.4%	32.0%	50.5%	49.5%
Grade 9	43.4%	49.1%	69.8%	30.2%
Grade 10	36.2%	48.3%	67.2%	32.8%
Grade 11	55.6%	62.5%	76.4%	23.6%
Grade 12	73.3%	76.7%	80.0%	20.0%
<b>Any Illicit Drug</b>				
All	9.3%	16.4%	20.3%	79.7%
Grade 7	3.3%	6.3%	8.9%	91.1%
Grade 8	7.8%	14.6%	16.4%	83.6%
Grade 9	13.2%	22.6%	30.2%	69.8%
Grade 10	15.5%	22.4%	29.3%	70.7%
Grade 11	13.9%	23.6%	31.9%	68.1%
Grade 12	16.7%	33.3%	33.3%	66.7%
<b>Any Prescription Drug</b>				
All	4.9%	7.5%	13.1%	86.9%
Grade 7	2.6%	3.6%	7.2%	92.8%
Grade 8	7.8%	9.4%	13.7%	86.3%
Grade 9	9.6%	15.4%	26.9%	73.1%
Grade 10	1.8%	5.4%	10.7%	89.3%
Grade 11	4.2%	8.3%	12.5%	87.5%
Grade 12	3.3%	6.7%	20.0%	80.0%
<b>Any Inhalant</b>				
All	1.9%	4.4%	12.2%	87.8%
Grade 7	1.0%	2.0%	9.2%	90.8%
Grade 8	3.5%	4.4%	14.6%	85.4%
Grade 9	1.9%	9.4%	17.0%	83.0%
Grade 10	1.7%	3.4%	13.8%	86.2%
Grade 11	0.0%	1.4%	5.5%	94.5%
Grade 12	3.3%	13.3%	16.7%	83.3%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.4%	16.2%	27.6%	72.4%
Grade 7	1.0%	2.7%	11.7%	88.3%
Grade 8	5.5%	9.3%	22.0%	78.0%
Grade 9	25.0%	36.5%	46.2%	53.8%
Grade 10	14.0%	19.3%	36.8%	63.2%
Grade 11	22.2%	33.3%	47.2%	52.8%
Grade 12	33.3%	33.3%	40.0%	60.0%
Marijuana				
All	8.1%	11.9%	15.7%	84.3%
Grade 7	3.3%	4.3%	6.0%	94.0%
Grade 8	6.1%	7.8%	10.4%	89.6%
Grade 9	7.5%	13.2%	20.8%	79.2%
Grade 10	15.5%	20.7%	25.9%	74.1%
Grade 11	12.5%	19.4%	29.2%	70.8%
Grade 12	16.7%	30.0%	30.0%	70.0%
Marijuana Only				
All	3.0%	4.1%	6.2%	93.8%
Grade 7	1.7%	1.7%	1.7%	98.3%
Grade 8	4.4%	4.4%	5.3%	94.7%
Grade 9	3.8%	5.7%	9.4%	90.6%
Grade 10	5.2%	6.9%	12.1%	87.9%
Grade 11	2.7%	8.2%	15.1%	84.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine or Crack				
All	0.3%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	3.3%	3.3%	10.0%	90.0%
Cocaine				
All	0.0%	0.0%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	0.0%	0.0%	6.7%	93.3%



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.3%	0.3%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	3.3%	3.3%	6.7%	93.3%
Hallucinogens	All	0.2%	0.5%	1.0%	99.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	1.9%	1.9%	1.9%	98.1%
	Grade 10	0.0%	0.0%	1.8%	98.2%
	Grade 11	0.0%	2.8%	2.8%	97.2%
	Grade 12	0.0%	0.0%	3.3%	96.7%
Synthetic Cathinones	All	0.4%	0.4%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	3.8%	3.8%	3.8%	96.2%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.6%	0.6%	1.4%	98.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.7%	1.7%	3.3%	96.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	1.7%	98.3%
	Grade 11	1.4%	1.4%	2.8%	97.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	0.0%	0.0%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	1.7%	98.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	3.3%	96.7%
Synthetic Marijuana					
	All	0.4%	0.8%	2.2%	97.8%
	Grade 7	0.0%	0.0%	2.6%	97.4%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	1.9%	1.9%	98.1%
	Grade 10	0.0%	1.7%	1.7%	98.3%
	Grade 11	1.4%	1.4%	1.4%	98.6%
	Grade 12	3.3%	3.3%	10.0%	90.0%
Methamphetamine					
	All	0.5%	0.5%	1.2%	98.8%
	Grade 7	0.0%	0.0%	1.0%	99.0%
	Grade 8	1.7%	1.7%	1.7%	98.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	1.7%	98.3%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	3.3%	96.7%
Delta 8					
	All	2.5%	5.8%	9.4%	90.6%
	Grade 7	0.0%	1.7%	3.3%	96.7%
	Grade 8	1.7%	1.7%	4.3%	95.7%
	Grade 9	3.8%	9.4%	15.1%	84.9%
	Grade 10	6.9%	12.1%	15.5%	84.5%
	Grade 11	0.0%	6.9%	13.9%	86.1%
	Grade 12	10.0%	20.0%	26.7%	73.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.0%	17.2%	36.0%	64.0%
Grades 7–8	0.0%	5.5%	5.5%	94.5%
Grade 9	11.1%	18.5%	40.7%	59.3%
Grade 10	11.1%	16.7%	38.9%	61.1%
Grade 11	28.0%	28.0%	44.0%	56.0%
Grade 12	11.8%	17.6%	41.2%	58.8%
<b>Any Alcohol Product</b>				
All	26.9%	39.7%	60.6%	39.4%
Grades 7–8	14.8%	14.8%	34.5%	65.5%
Grade 9	25.9%	44.4%	66.7%	33.3%
Grade 10	27.8%	27.8%	44.4%	55.6%
Grade 11	34.6%	50.0%	65.4%	34.6%
Grade 12	38.9%	44.4%	66.7%	33.3%
<b>Any Illicit Drug</b>				
All	16.3%	17.6%	23.3%	76.7%
Grades 7–8	5.5%	5.5%	5.5%	94.5%
Grade 9	14.8%	14.8%	18.5%	81.5%
Grade 10	22.2%	22.2%	33.3%	66.7%
Grade 11	32.0%	40.0%	48.0%	52.0%
Grade 12	22.2%	27.8%	44.4%	55.6%
<b>Any Prescription Drug</b>				
All	1.4%	1.7%	12.1%	87.9%
Grades 7–8	0.0%	0.0%	9.9%	90.1%
Grade 9	0.0%	0.0%	7.4%	92.6%
Grade 10	11.1%	11.1%	16.7%	83.3%
Grade 11	8.0%	12.0%	20.0%	80.0%
Grade 12	0.0%	0.0%	29.4%	70.6%
<b>Any Inhalant</b>				
All	2.2%	4.3%	10.2%	89.8%
Grades 7–8	0.0%	0.0%	14.8%	85.2%
Grade 9	3.7%	7.4%	11.1%	88.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	11.5%	88.5%
Grade 12	0.0%	0.0%	5.6%	94.4%
<b>Electronic Vapor Products</b>				
All	8.0%	14.3%	32.7%	67.3%
Grades 7–8	0.0%	5.5%	5.5%	94.5%
Grade 9	7.4%	14.8%	37.0%	63.0%
Grade 10	11.1%	16.7%	38.9%	61.1%
Grade 11	28.0%	28.0%	40.0%	60.0%
Grade 12	5.9%	11.8%	35.3%	64.7%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana</b>				
All	16.3%	17.7%	23.5%	76.5%
Grades 7–8	5.5%	5.5%	5.5%	94.5%
Grade 9	15.4%	15.4%	19.2%	80.8%
Grade 10	16.7%	16.7%	27.8%	72.2%
Grade 11	32.0%	40.0%	48.0%	52.0%
Grade 12	22.2%	27.8%	44.4%	55.6%
<b>Marijuana Only</b>				
All	13.9%	14.6%	19.6%	80.4%
Grades 7–8	5.0%	5.0%	5.0%	95.0%
Grade 9	15.4%	15.4%	19.2%	80.8%
Grade 10	5.6%	5.6%	11.1%	88.9%
Grade 11	23.1%	30.8%	34.6%	65.4%
Grade 12	16.7%	16.7%	33.3%	66.7%
<b>Cocaine or Crack</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Crack</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.0%	0.3%	0.3%	99.7%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	4.0%	4.0%	96.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.4%	0.4%	1.9%	98.1%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	5.6%	5.6%	5.6%	94.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	12.5%	87.5%
<b>Heroin</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.0%	0.4%	0.8%	99.2%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	5.6%	11.1%	88.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Methamphetamine</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
 African American Non-Hispanic Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Delta 8				
All	1.1%	1.8%	2.8%	97.2%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	11.1%	11.1%	11.1%	88.9%
Grade 11	4.0%	4.0%	8.0%	92.0%
Grade 12	0.0%	5.9%	11.8%	88.2%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.3%	14.2%	25.3%	74.7%
Grade 7	4.7%	4.7%	19.6%	80.4%
Grade 8	19.1%	20.1%	26.7%	73.3%
Grade 9	4.2%	9.9%	18.3%	81.7%
Grade 10	11.9%	16.9%	28.8%	71.2%
Grade 11	9.1%	9.1%	27.3%	72.7%
Grade 12	32.4%	32.4%	48.6%	51.4%
<b>Any Alcohol Product</b>				
All	24.4%	27.7%	45.3%	54.7%
Grade 7	14.9%	15.8%	35.1%	64.9%
Grade 8	32.2%	35.0%	50.6%	49.4%
Grade 9	14.1%	18.3%	33.8%	66.2%
Grade 10	27.1%	35.6%	52.5%	47.5%
Grade 11	27.3%	33.3%	51.5%	48.5%
Grade 12	45.9%	48.6%	73.0%	27.0%
<b>Any Illicit Drug</b>				
All	7.3%	10.6%	14.3%	85.7%
Grade 7	3.8%	6.7%	9.6%	90.4%
Grade 8	9.4%	14.0%	18.7%	81.3%
Grade 9	0.0%	4.2%	4.2%	95.8%
Grade 10	6.8%	10.2%	16.9%	83.1%
Grade 11	9.1%	9.1%	12.1%	87.9%
Grade 12	27.0%	27.0%	35.1%	64.9%
<b>Any Prescription Drug</b>				
All	4.0%	5.9%	13.6%	86.4%
Grade 7	2.9%	6.5%	15.0%	85.0%
Grade 8	6.7%	7.7%	14.4%	85.6%
Grade 9	4.2%	5.6%	9.9%	90.1%
Grade 10	0.0%	1.7%	8.6%	91.4%
Grade 11	3.1%	3.1%	6.3%	93.8%
Grade 12	2.7%	5.4%	24.3%	75.7%
<b>Any Inhalant</b>				
All	4.9%	7.9%	15.2%	84.8%
Grade 7	4.7%	6.6%	16.8%	83.2%
Grade 8	7.9%	11.6%	17.5%	82.5%
Grade 9	1.4%	4.2%	9.9%	90.1%
Grade 10	1.7%	8.5%	13.6%	86.4%
Grade 11	3.0%	6.1%	6.1%	93.9%
Grade 12	8.1%	8.1%	21.6%	78.4%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.2%	13.1%	23.8%	76.2%
Grade 7	2.8%	4.7%	16.1%	83.9%
Grade 8	17.6%	18.5%	26.2%	73.8%
Grade 9	2.9%	8.6%	17.1%	82.9%
Grade 10	10.2%	16.9%	28.8%	71.2%
Grade 11	6.3%	6.3%	21.9%	78.1%
Grade 12	27.0%	29.7%	48.6%	51.4%
Marijuana				
All	5.8%	7.9%	11.0%	89.0%
Grade 7	2.9%	4.8%	5.7%	94.3%
Grade 8	5.5%	9.2%	13.0%	87.0%
Grade 9	0.0%	2.8%	4.2%	95.8%
Grade 10	5.1%	5.1%	10.2%	89.8%
Grade 11	9.1%	9.1%	12.1%	87.9%
Grade 12	27.0%	27.0%	35.1%	64.9%
Marijuana Only				
All	2.4%	3.7%	5.9%	94.1%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	1.8%	5.3%	9.0%	91.0%
Grade 9	0.0%	1.4%	2.8%	97.2%
Grade 10	3.4%	3.4%	6.8%	93.2%
Grade 11	6.1%	6.1%	6.1%	93.9%
Grade 12	10.8%	10.8%	16.2%	83.8%
Cocaine or Crack				
All	1.8%	1.8%	2.3%	97.7%
Grade 7	2.9%	2.9%	3.8%	96.2%
Grade 8	3.6%	3.6%	4.6%	95.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	1.3%	1.3%	1.5%	98.5%
Grade 7	2.9%	2.9%	3.8%	96.2%
Grade 8	1.7%	1.7%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.1%	1.1%	1.3%	98.7%
	Grade 7	1.9%	1.9%	1.9%	98.1%
	Grade 8	1.9%	1.9%	2.9%	97.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.5%	0.9%	0.9%	99.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.7%	1.7%	1.7%	98.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	1.7%	1.7%	98.3%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	2.7%	2.7%	97.3%
Synthetic Cathinones	All	0.5%	0.5%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.7%	1.7%	2.7%	97.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.3%	0.7%	1.1%	98.9%
	Grade 7	1.0%	2.6%	2.6%	97.4%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	1.7%	98.3%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	2.7%	97.3%
Ecstasy	All	1.0%	1.0%	1.0%	99.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.7%	1.7%	1.7%	98.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	5.4%	5.4%	5.4%	94.6%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
 Hispanic or Latino Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.0%	0.0%	1.9%	98.1%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.7%	1.7%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.5%	1.0%	2.6%	97.4%
Grade 7	0.0%	1.0%	3.8%	96.2%
Grade 8	1.7%	1.7%	3.6%	96.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	2.7%	5.4%	94.6%
<b>Methamphetamine</b>				
All	0.3%	0.6%	1.5%	98.5%
Grade 7	0.0%	0.0%	2.9%	97.1%
Grade 8	1.0%	1.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	2.6%	3.3%	5.3%	94.7%
Grade 7	0.0%	0.0%	3.8%	96.2%
Grade 8	4.6%	4.6%	5.5%	94.5%
Grade 9	0.0%	1.4%	1.4%	98.6%
Grade 10	0.0%	1.7%	3.4%	96.6%
Grade 11	0.0%	0.0%	6.1%	93.9%
Grade 12	13.5%	16.2%	18.9%	81.1%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.3%	13.1%	25.1%	74.9%
Grade 7	1.5%	1.5%	10.7%	89.3%
Grade 8	7.1%	7.1%	18.8%	81.2%
Grade 9	12.9%	14.8%	32.7%	67.3%
Grade 10	15.3%	19.1%	31.8%	68.2%
Grade 11	20.4%	28.6%	42.5%	57.5%
Grade 12	30.9%	33.4%	43.1%	56.9%
<b>Any Alcohol Product</b>				
All	26.0%	31.3%	50.7%	49.3%
Grade 7	11.0%	12.4%	28.2%	71.8%
Grade 8	20.1%	21.1%	43.8%	56.2%
Grade 9	19.0%	36.1%	62.3%	37.7%
Grade 10	32.1%	40.9%	62.6%	37.4%
Grade 11	45.7%	52.2%	70.2%	29.8%
Grade 12	61.6%	67.6%	81.0%	19.0%
<b>Any Illicit Drug</b>				
All	5.5%	10.2%	15.2%	84.8%
Grade 7	2.4%	5.2%	9.1%	90.9%
Grade 8	0.0%	1.6%	5.2%	94.8%
Grade 9	9.5%	11.8%	18.3%	81.7%
Grade 10	8.3%	14.7%	21.1%	78.9%
Grade 11	6.4%	15.0%	23.6%	76.4%
Grade 12	16.5%	30.1%	34.5%	65.5%
<b>Any Prescription Drug</b>				
All	1.4%	3.5%	9.7%	90.3%
Grade 7	0.7%	4.0%	7.8%	92.2%
Grade 8	3.9%	5.0%	8.0%	92.0%
Grade 9	0.0%	0.0%	6.2%	93.8%
Grade 10	1.3%	4.0%	15.7%	84.3%
Grade 11	1.1%	6.5%	8.7%	91.3%
Grade 12	0.0%	0.0%	17.1%	82.9%
<b>Any Inhalant</b>				
All	3.0%	4.3%	8.7%	91.3%
Grade 7	3.8%	4.5%	8.0%	92.0%
Grade 8	2.6%	2.6%	8.8%	91.2%
Grade 9	6.5%	6.5%	8.8%	91.2%
Grade 10	3.8%	6.2%	14.0%	86.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	6.8%	13.9%	86.1%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.9%	9.9%	21.4%	78.6%
Grade 7	0.0%	0.0%	6.0%	94.0%
Grade 8	4.4%	4.4%	17.8%	82.2%
Grade 9	6.4%	8.3%	26.2%	73.8%
Grade 10	8.9%	13.9%	31.8%	68.2%
Grade 11	20.4%	28.6%	41.4%	58.6%
Grade 12	24.1%	26.7%	33.8%	66.2%
Marijuana				
All	4.6%	7.5%	12.2%	87.8%
Grade 7	0.0%	1.4%	5.5%	94.5%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	9.5%	11.8%	18.3%	81.7%
Grade 10	7.1%	12.2%	16.1%	83.9%
Grade 11	6.4%	10.7%	21.4%	78.6%
Grade 12	16.5%	26.7%	31.1%	68.9%
Marijuana Only				
All	2.5%	3.3%	6.1%	93.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	9.5%	11.8%	18.3%	81.7%
Grade 10	2.6%	5.1%	7.1%	92.9%
Grade 11	4.2%	6.3%	12.6%	87.4%
Grade 12	4.4%	4.4%	8.8%	91.2%
Cocaine or Crack				
All	0.7%	0.7%	1.4%	98.6%
Grade 7	2.4%	2.4%	2.4%	97.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.1%	97.9%
Grade 12	0.0%	0.0%	3.4%	96.6%
Cocaine				
All	0.7%	0.7%	1.4%	98.6%
Grade 7	2.4%	2.4%	2.4%	97.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.1%	97.9%
Grade 12	0.0%	0.0%	3.4%	96.6%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.7%	0.7%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.0%	0.0%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	6.5%	93.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	1.3%	1.3%	1.8%	98.2%
	Grade 7	0.7%	0.7%	0.7%	99.3%
	Grade 8	2.8%	2.8%	2.8%	97.2%
	Grade 9	3.0%	3.0%	3.0%	97.0%
	Grade 10	0.0%	0.0%	2.6%	97.4%
	Grade 11	0.0%	0.0%	2.1%	97.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	1.9%	98.1%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
 Students Reporting A Grades on Average**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.4%	0.7%	2.4%	97.6%
Grade 7	0.0%	0.0%	3.9%	96.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	2.6%	4.5%	95.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.4%	3.4%	6.8%	93.2%
<b>Methamphetamine</b>				
All	0.5%	0.5%	1.5%	98.5%
Grade 7	1.7%	1.7%	3.8%	96.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.6%	97.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	1.2%	3.0%	5.8%	94.2%
Grade 7	0.0%	0.0%	3.2%	96.8%
Grade 8	0.0%	0.0%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.9%	3.2%	10.3%	89.7%
Grade 11	0.0%	4.3%	10.7%	89.3%
Grade 12	8.7%	18.8%	18.8%	81.2%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.6%	20.7%	31.5%	68.5%
Grade 7	5.3%	6.0%	17.8%	82.2%
Grade 8	18.2%	21.0%	28.3%	71.7%
Grade 9	17.3%	28.5%	37.2%	62.8%
Grade 10	21.5%	23.8%	35.5%	64.5%
Grade 11	17.7%	22.8%	49.8%	50.2%
Grade 12	47.0%	47.0%	60.2%	39.8%
<b>Any Alcohol Product</b>				
All	29.0%	33.3%	52.8%	47.2%
Grade 7	9.8%	10.5%	40.5%	59.5%
Grade 8	33.0%	35.6%	52.8%	47.2%
Grade 9	30.1%	39.6%	55.2%	44.8%
Grade 10	32.9%	38.9%	51.8%	48.2%
Grade 11	51.2%	61.1%	74.8%	25.2%
Grade 12	59.9%	62.0%	74.9%	25.1%
<b>Any Illicit Drug</b>				
All	13.1%	17.4%	20.3%	79.7%
Grade 7	5.8%	7.6%	11.2%	88.8%
Grade 8	11.3%	16.3%	16.9%	83.1%
Grade 9	13.3%	18.1%	20.6%	79.4%
Grade 10	19.1%	21.5%	27.3%	72.7%
Grade 11	22.7%	32.8%	36.6%	63.4%
Grade 12	33.4%	39.8%	46.9%	53.1%
<b>Any Prescription Drug</b>				
All	6.5%	8.9%	17.4%	82.6%
Grade 7	4.1%	5.4%	13.0%	87.0%
Grade 8	11.1%	12.6%	19.8%	80.2%
Grade 9	6.4%	10.8%	20.0%	80.0%
Grade 10	1.2%	1.2%	7.1%	92.9%
Grade 11	3.9%	6.4%	13.5%	86.5%
Grade 12	5.9%	11.7%	32.3%	67.7%
<b>Any Inhalant</b>				
All	3.2%	6.5%	16.0%	84.0%
Grade 7	2.0%	2.5%	15.3%	84.7%
Grade 8	6.4%	9.8%	20.2%	79.8%
Grade 9	0.9%	7.4%	15.2%	84.8%
Grade 10	0.0%	1.1%	7.0%	93.0%
Grade 11	1.1%	2.3%	8.4%	91.6%
Grade 12	7.7%	15.6%	21.7%	78.3%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.1%	17.0%	26.9%	73.1%
Grade 7	1.5%	5.1%	13.5%	86.5%
Grade 8	10.1%	14.7%	21.2%	78.8%
Grade 9	14.3%	26.5%	35.4%	64.6%
Grade 10	14.6%	17.0%	33.9%	66.1%
Grade 11	12.7%	20.3%	40.2%	59.8%
Grade 12	38.3%	40.4%	56.1%	43.9%
<b>Marijuana</b>				
All	11.4%	13.4%	16.2%	83.8%
Grade 7	5.8%	5.8%	6.3%	93.7%
Grade 8	7.6%	9.1%	11.2%	88.8%
Grade 9	10.7%	13.1%	17.2%	82.8%
Grade 10	17.9%	17.9%	22.5%	77.5%
Grade 11	22.7%	32.8%	36.6%	63.4%
Grade 12	33.4%	39.8%	46.9%	53.1%
<b>Marijuana Only</b>				
All	5.8%	6.8%	8.3%	91.7%
Grade 7	3.0%	3.0%	3.0%	97.0%
Grade 8	4.9%	6.3%	6.8%	93.2%
Grade 9	9.0%	9.0%	11.4%	88.6%
Grade 10	2.4%	2.4%	5.9%	94.1%
Grade 11	8.5%	18.3%	22.0%	78.0%
Grade 12	11.0%	11.0%	16.1%	83.9%
<b>Cocaine or Crack</b>				
All	0.9%	0.9%	1.6%	98.4%
Grade 7	1.0%	1.0%	1.5%	98.5%
Grade 8	1.5%	1.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.7%	3.7%	11.5%	88.5%
<b>Cocaine</b>				
All	0.5%	0.5%	1.2%	98.8%
Grade 7	1.0%	1.0%	1.5%	98.5%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	7.9%	92.1%



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.8%	99.2%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.7%	3.7%	7.3%	92.7%
<b>Hallucinogens</b>				
All	0.5%	0.8%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	1.2%	1.2%	98.8%
Grade 11	0.0%	1.3%	1.3%	98.7%
Grade 12	0.0%	2.1%	5.9%	94.1%
<b>Synthetic Cathinones</b>				
All	0.7%	0.7%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	1.0%	1.5%	98.5%
Grade 9	1.8%	1.8%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.7%	1.2%	98.8%
Grade 7	0.0%	0.9%	0.9%	99.1%
Grade 8	1.5%	1.5%	3.1%	96.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.6%	0.6%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	1.0%	2.5%	97.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	4.2%	4.2%	9.8%	90.2%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	2.3%	97.7%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.8%	96.2%
<b>Synthetic Marijuana</b>				
All	0.3%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.5%	1.0%	99.0%
Grade 8	1.0%	1.0%	1.5%	98.5%
Grade 9	0.0%	0.9%	0.9%	99.1%
Grade 10	0.0%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.9%	94.1%
<b>Methamphetamine</b>				
All	0.6%	0.7%	2.0%	98.0%
Grade 7	0.0%	0.0%	3.5%	96.5%
Grade 8	2.1%	2.6%	2.6%	97.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.7%	96.3%
<b>Delta 8</b>				
All	3.3%	6.0%	8.0%	92.0%
Grade 7	0.0%	2.5%	3.5%	96.5%
Grade 8	4.1%	4.1%	4.1%	95.9%
Grade 9	1.8%	5.0%	6.7%	93.3%
Grade 10	12.0%	16.8%	17.9%	82.1%
Grade 11	1.3%	6.3%	12.5%	87.5%
Grade 12	10.0%	19.3%	31.7%	68.3%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.3%	13.5%	25.2%	74.8%
Grade 7	2.3%	2.3%	15.7%	84.3%
Grade 8	9.3%	10.8%	23.4%	76.6%
Grade 9	13.4%	18.6%	26.3%	73.7%
Grade 10	14.5%	18.8%	31.9%	68.1%
Grade 11	23.6%	29.2%	40.8%	59.2%
Grade 12	31.1%	31.1%	40.9%	59.1%
<b>Any Alcohol Product</b>				
All	24.1%	27.5%	46.8%	53.2%
Grade 7	13.4%	15.2%	32.6%	67.4%
Grade 8	22.9%	25.9%	49.8%	50.2%
Grade 9	20.7%	23.3%	44.1%	55.9%
Grade 10	26.7%	36.2%	54.8%	45.2%
Grade 11	45.3%	53.8%	69.0%	31.0%
Grade 12	52.2%	52.2%	67.4%	32.6%
<b>Any Illicit Drug</b>				
All	6.3%	9.8%	14.1%	85.9%
Grade 7	3.8%	6.7%	11.9%	88.1%
Grade 8	3.1%	5.6%	10.2%	89.8%
Grade 9	8.0%	10.8%	12.7%	87.3%
Grade 10	5.1%	11.1%	17.0%	83.0%
Grade 11	8.8%	17.0%	22.8%	77.2%
Grade 12	21.0%	24.0%	25.9%	74.1%
<b>Any Prescription Drug</b>				
All	2.7%	5.4%	10.5%	89.5%
Grade 7	0.8%	2.9%	9.7%	90.3%
Grade 8	6.3%	8.6%	11.7%	88.3%
Grade 9	3.4%	8.1%	10.6%	89.4%
Grade 10	1.8%	5.3%	12.3%	87.7%
Grade 11	2.2%	5.2%	10.8%	89.2%
Grade 12	0.0%	0.0%	7.8%	92.2%
<b>Any Inhalant</b>				
All	3.3%	5.5%	11.8%	88.2%
Grade 7	3.6%	4.4%	13.5%	86.5%
Grade 8	5.0%	6.4%	10.7%	89.3%
Grade 9	2.6%	6.9%	10.1%	89.9%
Grade 10	1.7%	5.1%	11.0%	89.0%
Grade 11	0.7%	1.4%	6.5%	93.5%
Grade 12	3.0%	9.4%	20.7%	79.3%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.3%	10.6%	21.4%	78.6%
Grade 7	0.8%	1.5%	11.4%	88.6%
Grade 8	5.6%	8.9%	21.5%	78.5%
Grade 9	8.2%	14.3%	22.9%	77.1%
Grade 10	6.0%	10.4%	25.4%	74.6%
Grade 11	18.6%	27.2%	35.3%	64.7%
Grade 12	25.8%	25.8%	37.7%	62.3%
<b>Marijuana</b>				
All	5.2%	6.7%	9.8%	90.2%
Grade 7	2.5%	2.9%	5.5%	94.5%
Grade 8	2.6%	2.6%	5.7%	94.3%
Grade 9	6.4%	8.3%	9.2%	90.8%
Grade 10	4.3%	7.7%	13.6%	86.4%
Grade 11	7.3%	12.5%	19.9%	80.1%
Grade 12	21.0%	24.0%	25.9%	74.1%
<b>Marijuana Only</b>				
All	2.6%	3.1%	4.8%	95.2%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.4%	1.4%	4.5%	95.5%
Grade 9	6.4%	7.3%	7.3%	92.7%
Grade 10	0.8%	0.8%	5.9%	94.1%
Grade 11	2.9%	6.6%	9.5%	90.5%
Grade 12	9.0%	9.0%	10.9%	89.1%
<b>Cocaine or Crack</b>				
All	0.8%	0.8%	1.6%	98.4%
Grade 7	2.1%	2.1%	2.5%	97.5%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.0%	97.0%
Grade 12	0.0%	0.0%	3.4%	96.6%
<b>Cocaine</b>				
All	0.7%	0.7%	1.3%	98.7%
Grade 7	2.1%	2.1%	2.5%	97.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.0%	97.0%
Grade 12	0.0%	0.0%	3.4%	96.6%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	1.8%	98.2%
Grade 11	0.0%	1.5%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.6%	1.6%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.5%	97.5%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.2%	97.8%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.1%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.4%	2.5%	97.5%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.7%	1.7%	98.3%
Grade 11	1.5%	1.5%	1.5%	98.5%
Grade 12	0.0%	1.7%	1.7%	98.3%
<b>Methamphetamine</b>				
All	0.4%	0.4%	1.8%	98.2%
Grade 7	1.0%	1.0%	4.8%	95.2%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	0.8%	2.9%	5.3%	94.7%
Grade 7	0.0%	1.9%	4.8%	95.2%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.9%	1.9%	3.7%	96.3%
Grade 10	1.7%	5.2%	7.7%	92.3%
Grade 11	0.0%	4.4%	10.3%	89.7%
Grade 12	6.3%	15.0%	15.0%	85.0%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	19.5%	24.0%	38.7%	61.3%
Grade 7	7.6%	8.9%	16.4%	83.6%
Grade 8	21.2%	24.3%	29.3%	70.7%
Grade 9	13.2%	21.8%	46.2%	53.8%
Grade 10	27.2%	32.7%	54.3%	45.7%
Grade 11	24.3%	32.6%	62.8%	37.2%
Grade 12	39.2%	41.4%	56.7%	43.3%
<b>Any Alcohol Product</b>				
All	36.3%	43.3%	63.0%	37.0%
Grade 7	11.2%	11.2%	46.3%	53.7%
Grade 8	39.9%	41.3%	54.3%	45.7%
Grade 9	30.9%	50.2%	70.0%	30.0%
Grade 10	42.3%	51.2%	72.8%	27.2%
Grade 11	58.6%	66.7%	79.3%	20.7%
Grade 12	63.4%	70.1%	81.5%	18.5%
<b>Any Illicit Drug</b>				
All	15.0%	21.4%	26.3%	73.7%
Grade 7	4.4%	7.1%	7.1%	92.9%
Grade 8	13.0%	21.8%	21.8%	78.2%
Grade 9	12.7%	15.7%	22.8%	77.2%
Grade 10	26.1%	31.1%	44.2%	55.8%
Grade 11	26.2%	35.4%	45.3%	54.7%
Grade 12	25.8%	39.8%	49.6%	50.4%
<b>Any Prescription Drug</b>				
All	7.0%	8.2%	18.7%	81.3%
Grade 7	8.0%	9.5%	12.7%	87.3%
Grade 8	10.5%	10.5%	19.5%	80.5%
Grade 9	4.5%	4.5%	18.5%	81.5%
Grade 10	2.3%	3.4%	10.3%	89.7%
Grade 11	8.3%	12.5%	18.9%	81.1%
Grade 12	4.7%	9.3%	36.3%	63.7%
<b>Any Inhalant</b>				
All	2.1%	6.0%	14.8%	85.2%
Grade 7	0.0%	1.8%	10.4%	89.6%
Grade 8	3.4%	7.5%	22.5%	77.5%
Grade 9	2.2%	8.1%	14.6%	85.4%
Grade 10	1.1%	3.2%	12.3%	87.7%
Grade 11	0.0%	2.7%	5.4%	94.6%
Grade 12	4.9%	10.7%	12.9%	87.1%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	14.2%	19.7%	33.7%	66.3%
Grade 7	2.7%	7.2%	13.0%	87.0%
Grade 8	12.1%	15.3%	21.6%	78.4%
Grade 9	12.3%	21.1%	44.9%	55.1%
Grade 10	21.5%	28.2%	48.6%	51.4%
Grade 11	24.3%	32.6%	56.0%	44.0%
Grade 12	29.9%	33.8%	48.4%	51.6%
<b>Marijuana</b>				
All	13.7%	18.1%	23.3%	76.7%
Grade 7	4.4%	7.1%	7.1%	92.9%
Grade 8	9.5%	14.3%	16.4%	83.6%
Grade 9	11.6%	12.5%	20.1%	79.9%
Grade 10	24.9%	28.9%	38.6%	61.4%
Grade 11	26.2%	35.4%	45.3%	54.7%
Grade 12	25.8%	36.8%	46.6%	53.4%
<b>Marijuana Only</b>				
All	7.4%	9.4%	13.2%	86.8%
Grade 7	4.4%	4.4%	4.4%	95.6%
Grade 8	5.9%	8.5%	8.5%	91.5%
Grade 9	9.2%	10.1%	16.6%	83.4%
Grade 10	10.8%	14.8%	21.6%	78.4%
Grade 11	10.6%	19.3%	28.7%	71.3%
Grade 12	7.6%	7.6%	15.8%	84.2%
<b>Cocaine or Crack</b>				
All	0.9%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	2.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.9%	2.9%	8.8%	91.2%
<b>Cocaine</b>				
All	0.4%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.9%	94.1%



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.5%	0.5%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.7%	0.7%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	2.9%	2.9%	5.9%	94.1%
	Hallucinogens	All	0.4%	1.0%	1.7%
Grade 7		0.0%	0.0%	0.0%	100.0%
Grade 8		1.3%	1.3%	1.3%	98.7%
Grade 9		0.0%	0.0%	0.0%	100.0%
Grade 10		0.0%	1.1%	4.6%	95.4%
Grade 11		0.0%	4.2%	4.2%	95.8%
Grade 12		0.0%	1.7%	4.7%	95.3%
Synthetic Cathinones		All	0.6%	0.6%	1.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.3%	1.3%	2.0%	98.0%
	Grade 9	1.2%	1.2%	2.8%	97.2%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
	Steroids	All	1.1%	1.4%	2.2%
Grade 7		0.0%	1.5%	1.5%	98.5%
Grade 8		2.1%	2.1%	4.1%	95.9%
Grade 9		1.5%	1.5%	1.5%	98.5%
Grade 10		0.0%	0.0%	0.0%	100.0%
Grade 11		2.7%	2.7%	2.7%	97.3%
Grade 12		0.0%	0.0%	1.7%	98.3%
Ecstasy		All	0.8%	0.8%	1.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.3%	1.3%	3.4%	96.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.1%	1.1%	2.9%	97.1%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	3.4%	3.4%	5.7%	94.3%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
 Students Not Living with 2 Parents**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.0%	97.0%
<b>Synthetic Marijuana</b>				
All	0.7%	1.1%	3.0%	97.0%
Grade 7	0.0%	0.0%	2.7%	97.3%
Grade 8	1.3%	1.3%	2.0%	98.0%
Grade 9	0.0%	1.1%	1.1%	98.9%
Grade 10	0.0%	1.1%	4.0%	96.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.1%	3.1%	10.9%	89.1%
<b>Methamphetamine</b>				
All	0.6%	0.8%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.1%	2.8%	2.8%	97.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.0%	97.0%
<b>Delta 8</b>				
All	4.1%	6.2%	8.8%	91.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.8%	4.8%	6.9%	93.1%
Grade 9	1.2%	3.5%	3.5%	96.5%
Grade 10	10.8%	14.2%	18.2%	81.8%
Grade 11	1.4%	6.9%	13.7%	86.3%
Grade 12	11.0%	18.6%	28.5%	71.5%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.2%	15.4%	29.0%	71.0%
Grade 7	1.7%	2.2%	14.7%	85.3%
Grade 8	10.5%	12.9%	20.0%	80.0%
Grade 9	10.4%	16.3%	34.2%	65.8%
Grade 10	17.6%	23.0%	39.4%	60.6%
Grade 11	21.9%	28.4%	46.3%	53.7%
Grade 12	36.8%	38.3%	54.6%	45.4%
<b>Any Alcohol Product</b>				
All	28.0%	32.1%	52.0%	48.0%
Grade 7	11.4%	12.9%	34.3%	65.7%
Grade 8	29.3%	29.8%	48.0%	52.0%
Grade 9	22.7%	32.2%	55.8%	44.2%
Grade 10	33.0%	37.9%	59.9%	40.1%
Grade 11	49.5%	58.7%	72.3%	27.7%
Grade 12	60.3%	62.8%	77.6%	22.4%
<b>Any Illicit Drug</b>				
All	8.7%	12.0%	17.0%	83.0%
Grade 7	3.2%	5.4%	9.3%	90.7%
Grade 8	5.3%	7.6%	10.3%	89.7%
Grade 9	7.4%	9.7%	14.9%	85.1%
Grade 10	15.2%	17.6%	26.1%	73.9%
Grade 11	13.3%	20.3%	28.6%	71.4%
Grade 12	25.4%	34.6%	40.7%	59.3%
<b>Any Prescription Drug</b>				
All	4.1%	6.0%	13.2%	86.8%
Grade 7	2.7%	4.8%	10.7%	89.3%
Grade 8	7.4%	7.9%	12.6%	87.4%
Grade 9	4.1%	6.7%	14.2%	85.8%
Grade 10	2.5%	5.5%	12.9%	87.1%
Grade 11	3.3%	5.0%	11.8%	88.2%
Grade 12	3.1%	4.1%	22.4%	77.6%
<b>Any Inhalant</b>				
All	2.2%	4.9%	12.3%	87.7%
Grade 7	2.5%	2.9%	11.3%	88.7%
Grade 8	3.6%	5.7%	14.7%	85.3%
Grade 9	1.2%	6.8%	12.5%	87.5%
Grade 10	1.2%	4.8%	12.1%	87.9%
Grade 11	0.5%	1.0%	5.5%	94.5%
Grade 12	3.2%	9.0%	16.7%	83.3%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.9%	12.7%	25.4%	74.6%
Grade 7	0.3%	0.8%	9.8%	90.2%
Grade 8	6.7%	9.8%	18.4%	81.6%
Grade 9	8.7%	15.2%	33.2%	66.8%
Grade 10	11.0%	17.1%	34.0%	66.0%
Grade 11	20.3%	27.8%	40.4%	59.6%
Grade 12	27.2%	29.8%	47.2%	52.8%
<b>Marijuana</b>				
All	7.3%	9.1%	13.1%	86.9%
Grade 7	2.0%	2.3%	4.4%	95.6%
Grade 8	2.7%	3.6%	5.2%	94.8%
Grade 9	6.3%	7.4%	11.7%	88.3%
Grade 10	14.0%	15.2%	22.5%	77.5%
Grade 11	12.2%	17.0%	26.4%	73.6%
Grade 12	25.4%	32.6%	38.8%	61.2%
<b>Marijuana Only</b>				
All	3.8%	4.7%	7.4%	92.6%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	2.3%	3.2%	4.7%	95.3%
Grade 9	4.9%	5.5%	9.1%	90.9%
Grade 10	5.2%	6.4%	11.6%	88.4%
Grade 11	6.1%	10.9%	17.0%	83.0%
Grade 12	10.8%	10.8%	15.9%	84.1%
<b>Cocaine or Crack</b>				
All	0.7%	0.7%	1.3%	98.7%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.9%	0.9%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.2%	97.8%
Grade 12	1.9%	1.9%	3.9%	96.1%
<b>Cocaine</b>				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.2%	97.8%
Grade 12	0.0%	0.0%	1.9%	98.1%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.9%	0.9%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.9%	1.9%	1.9%	98.1%
<b>Hallucinogens</b>				
All	0.0%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.6%	3.7%	96.3%
Grade 11	0.0%	1.7%	1.7%	98.3%
Grade 12	0.0%	1.1%	1.1%	98.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.6%	0.6%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.9%	0.9%	99.1%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.8%	98.2%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.2%	2.2%	5.2%	94.8%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.3%	0.6%	1.6%	98.4%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.0%	1.8%	3.4%	96.6%
Grade 11	1.1%	1.1%	1.1%	98.9%
Grade 12	2.0%	2.0%	5.1%	94.9%
<b>Methamphetamine</b>				
All	0.6%	0.7%	1.6%	98.4%
Grade 7	0.8%	0.8%	3.6%	96.4%
Grade 8	1.7%	2.2%	2.2%	97.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	1.9%	3.6%	5.8%	94.2%
Grade 7	0.0%	1.7%	3.2%	96.8%
Grade 8	0.9%	0.9%	1.6%	98.4%
Grade 9	1.3%	1.9%	3.8%	96.2%
Grade 10	5.8%	7.6%	10.3%	89.7%
Grade 11	0.6%	2.8%	8.8%	91.2%
Grade 12	8.3%	16.7%	21.2%	78.8%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	26.0%	30.3%	40.5%	59.5%
Grade 7	14.2%	14.2%	18.2%	81.8%
Grade 8	22.6%	24.8%	41.7%	58.3%
Grade 9	35.0%	47.1%	47.1%	52.9%
Grade 10	27.0%	29.9%	52.4%	47.6%
Grade 11	27.9%	39.0%	55.8%	44.2%
Grade 12	31.0%	31.0%	31.0%	69.0%
<b>Any Alcohol Product</b>				
All	36.4%	46.8%	63.8%	36.2%
Grade 7	4.0%	4.0%	55.2%	44.8%
Grade 8	33.9%	42.7%	64.1%	35.9%
Grade 9	47.1%	62.6%	62.6%	37.4%
Grade 10	35.8%	62.6%	73.3%	26.7%
Grade 11	50.1%	50.1%	66.9%	33.1%
Grade 12	51.5%	58.1%	63.0%	37.0%
<b>Any Illicit Drug</b>				
All	14.6%	27.2%	29.9%	70.1%
Grade 7	14.2%	18.2%	18.2%	81.8%
Grade 8	11.7%	27.9%	29.3%	70.7%
Grade 9	18.9%	31.6%	31.6%	68.4%
Grade 10	12.0%	24.1%	37.5%	62.5%
Grade 11	16.8%	39.0%	39.0%	61.0%
Grade 12	17.8%	24.4%	29.3%	70.7%
<b>Any Prescription Drug</b>				
All	4.3%	7.8%	18.2%	81.8%
Grade 7	0.0%	0.0%	4.0%	96.0%
Grade 8	8.9%	13.0%	25.0%	75.0%
Grade 9	3.3%	3.3%	16.1%	83.9%
Grade 10	0.0%	0.0%	6.1%	93.9%
Grade 11	5.7%	27.9%	27.9%	72.1%
Grade 12	0.0%	6.6%	21.8%	78.2%
<b>Any Inhalant</b>				
All	7.2%	10.1%	15.6%	84.4%
Grade 7	4.0%	4.0%	12.0%	88.0%
Grade 8	9.4%	14.5%	21.2%	78.8%
Grade 9	9.5%	9.5%	12.8%	87.2%
Grade 10	2.9%	2.9%	11.8%	88.2%
Grade 11	0.0%	0.0%	5.7%	94.3%
Grade 12	6.6%	14.2%	14.2%	85.8%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	17.8%	25.4%	34.9%	65.1%
Grade 7	0.0%	14.2%	18.2%	81.8%
Grade 8	15.2%	19.9%	34.7%	65.3%
Grade 9	22.9%	35.5%	35.5%	64.5%
Grade 10	20.9%	23.8%	47.8%	52.2%
Grade 11	16.8%	39.0%	55.8%	44.2%
Grade 12	31.0%	31.0%	31.0%	69.0%
<b>Marijuana</b>				
All	14.1%	21.2%	25.8%	74.2%
Grade 7	14.2%	14.2%	14.2%	85.8%
Grade 8	10.3%	16.9%	22.4%	77.6%
Grade 9	18.9%	28.3%	31.6%	68.4%
Grade 10	12.0%	18.0%	28.5%	71.5%
Grade 11	16.8%	39.0%	39.0%	61.0%
Grade 12	17.8%	24.4%	29.3%	70.7%
<b>Marijuana Only</b>				
All	8.9%	11.0%	13.4%	86.6%
Grade 7	14.2%	14.2%	14.2%	85.8%
Grade 8	6.1%	8.5%	9.9%	90.1%
Grade 9	18.9%	22.3%	22.3%	77.7%
Grade 10	5.9%	5.9%	16.4%	83.6%
Grade 11	5.7%	16.8%	16.8%	83.2%
Grade 12	0.0%	0.0%	4.9%	95.1%
<b>Cocaine or Crack</b>				
All	1.0%	1.0%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.6%	2.6%	2.6%	97.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	14.2%	85.8%
<b>Cocaine</b>				
All	1.0%	1.0%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.6%	2.6%	2.6%	97.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	14.2%	85.8%



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.0%	0.0%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.6%	93.4%
<b>Hallucinogens</b>				
All	1.0%	1.0%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.6%	2.6%	2.6%	97.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.6%	93.4%
<b>Synthetic Cathinones</b>				
All	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.6%	2.6%	2.6%	97.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	1.5%	1.5%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.1%	4.1%	8.1%	91.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	1.0%	1.0%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.6%	2.6%	6.6%	93.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.6%	93.4%
<b>Synthetic Marijuana</b>				
All	1.0%	1.4%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.6%	2.6%	2.6%	97.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	3.6%	10.2%	89.8%
<b>Methamphetamine</b>				
All	0.0%	0.0%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.9%	97.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.6%	93.4%
<b>Delta 8</b>				
All	3.5%	8.3%	12.4%	87.6%
Grade 7	0.0%	0.0%	4.0%	96.0%
Grade 8	4.0%	4.0%	9.5%	90.5%
Grade 9	0.0%	9.4%	9.4%	90.6%
Grade 10	6.1%	12.1%	18.2%	81.8%
Grade 11	0.0%	22.2%	22.2%	77.8%
Grade 12	10.2%	17.8%	24.4%	75.6%

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	32,336	49.5%
Female	32,932	50.5%
Frequency Missing	347	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	45,181	70.9%
Yes	18,557	29.1%
Frequency Missing	1,878	

**Grade**

Q2	Frequency	Percent
Grade 7	17,663	26.9%
Grade 8	16,880	25.7%
Grade 9	13,066	19.9%
Grade 10	6,714	10.2%
Grade 11	5,680	8.7%
Grade 12	5,566	8.5%
Frequency Missing	46	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	1,112	1.8%
Asian American	259	0.4%
African American	9,006	14.9%
Pacific Islander	77	0.1%
White	34,232	56.5%
Other	8,045	13.3%
More Than One Race	7,844	12.9%
Frequency Missing	5,041	

**Live with Both Parents**

Q3	Frequency	Percent
No	26,168	40.3%
Yes	38,732	59.7%
Frequency Missing	716	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	197	0.4%
Mostly D's	1,200	2.1%
Mostly C's	7,653	13.6%
Mostly B's	25,029	44.5%
Mostly A's	22,161	39.4%
Frequency Missing	9,375	

**Age**

Q4	Frequency	Percent
11 or younger	0	0.0%
12	6,036	9.2%
13	17,046	26.1%
14	11,938	18.3%
15	11,227	17.2%
16	8,601	13.2%
17	5,166	7.9%
18	4,808	7.4%
19 or older	491	0.8%
Frequency Missing	304	

**Do You Have a Job**

Q7	Frequency	Percent
No	46,042	81.0%
Yes	10,796	19.0%
Frequency Missing	8,778	

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	5,611	10.1%
Yes	30,344	54.5%
Don't Know	19,717	35.4%
Frequency Missing	9,943	

**Participate in School Athletics (UIL, Varsity,  
Jr Varsity)**

Q9a	Frequency	Percent
No	22,712	41.5%
Yes	32,043	58.5%
Frequency Missing	10,861	

**Participate in Academic  
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	38,696	74.8%
Yes	13,053	25.2%
Frequency Missing	13,867	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	41,929	81.1%
Yes	9,788	18.9%
Frequency Missing	13,899	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	42,149	82.9%
Yes	8,708	17.1%
Frequency Missing	14,758	

**Participate in School Choir**

Q9c	Frequency	Percent
No	46,929	92.3%
Yes	3,916	7.7%
Frequency Missing	14,770	

**Participate in Athletic Teams Outside of  
School**

Q9h	Frequency	Percent
No	36,303	69.4%
Yes	16,011	30.6%
Frequency Missing	13,301	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	46,565	91.4%
Yes	4,374	8.6%
Frequency Missing	14,677	

**Participate in Other Clubs or Groups  
Outside of School**

Q9i	Frequency	Percent
No	41,277	80.3%
Yes	10,122	19.7%
Frequency Missing	14,217	

**Participate in Student Government/School  
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	47,368	93.5%
Yes	3,271	6.5%
Frequency Missing	14,977	

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	55,330	84.6%
Somewhat Safe	8,620	13.2%
Not Very Safe	641	1.0%
Not Safe At All	325	0.5%
Don't Know	454	0.7%
Frequency Missing	247	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	27,111	41.8%
Somewhat Safe	28,361	43.8%
Not Very Safe	5,312	8.2%
Not Safe At All	1,183	1.8%
Don't Know	2,823	4.4%
Frequency Missing	826	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	37,371	64.4%
Yes	20,633	35.6%
Frequency Missing	7,611	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	20,654	31.8%
Somewhat Safe	32,571	50.2%
Not Very Safe	5,541	8.5%
Not Safe At All	3,003	4.6%
Don't Know	3,115	4.8%
Frequency Missing	732	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	4,539	7.0%
A Few	15,429	23.9%
Some	15,291	23.7%
Most	21,335	33.1%
All	7,949	12.3%
Frequency Missing	1,074	

**Highest Level of Schooling Completed by  
Father**

Q11a	Frequency	Percent
Grade School or Less	4,521	7.5%
Some High School	6,918	11.5%
Finished High School	14,840	24.6%
Some College	5,724	9.5%
Finished College	9,264	15.3%
Post-Secondary	4,830	8.0%
Don't Know or N/A	14,263	23.6%
Frequency Missing	5,256	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	2,519	3.9%
A Few	10,187	15.8%
Some	16,000	24.8%
Most	25,345	39.3%
All	10,399	16.1%
Frequency Missing	1,166	

**Highest Level of Schooling Completed by  
Mother**

Q11b	Frequency	Percent
Grade School or Less	4,793	7.9%
Some High School	5,462	9.0%
Finished High School	12,085	20.0%
Some College	8,024	13.3%
Finished College	14,160	23.4%
Post-Secondary	5,968	9.9%
Don't Know or N/A	9,948	16.5%
Frequency Missing	5,175	

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	26,072	41.3%
A Few	20,201	32.0%
Some	9,244	14.6%
Most	5,035	8.0%
All	2,629	4.2%
Frequency Missing	2,435	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	45,690	71.5%
A Few	10,461	16.4%
Some	3,837	6.0%
Most	2,315	3.6%
All	1,607	2.5%
Frequency Missing	1,705	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	64,172	99.3%
In Your Lifetime	177	0.3%
Since School Began	66	0.1%
In the Past Month	188	0.3%
Frequency Missing	1,012	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	57,714	90.0%
A Few	4,454	6.9%
Some	1,495	2.3%
Most	127	0.2%
All	337	0.5%
Frequency Missing	1,487	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	60,931	94.4%
In Your Lifetime	2,860	4.4%
Since School Began	459	0.7%
In the Past Month	274	0.4%
Frequency Missing	1,092	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	63,701	98.4%
In Your Lifetime	888	1.4%
Since School Began	53	0.1%
In the Past Month	100	0.2%
Frequency Missing	873	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	63,739	99.0%
In Your Lifetime	358	0.6%
Since School Began	134	0.2%
In the Past Month	154	0.2%
Frequency Missing	1,230	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	61,429	95.2%
In Your Lifetime	2,239	3.5%
Since School Began	445	0.7%
In the Past Month	431	0.7%
Frequency Missing	1,073	

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	63,728	99.0%
In Your Lifetime	415	0.6%
Since School Began	120	0.2%
In the Past Month	92	0.1%
Frequency Missing	1,260	

**Recent Inhalant Use - Gasoline, Octane  
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	62,114	96.7%
In Your Lifetime	1,504	2.3%
Since School Began	193	0.3%
In the Past Month	400	0.6%
Frequency Missing	1,405	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	39,488	62.4%
In Your Lifetime	12,413	19.6%
Since School Began	3,856	6.1%
In the Past Month	7,495	11.8%
Frequency Missing	2,362	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	63,072	98.2%
In Your Lifetime	800	1.2%
Since School Began	101	0.2%
In the Past Month	256	0.4%
Frequency Missing	1,386	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	44,339	69.7%
In Your Lifetime	8,091	12.7%
Since School Began	2,991	4.7%
In the Past Month	8,148	12.8%
Frequency Missing	2,046	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	58,513	91.1%
In Your Lifetime	4,587	7.1%
Since School Began	504	0.8%
In the Past Month	660	1.0%
Frequency Missing	1,352	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	45,603	72.7%
In Your Lifetime	10,919	17.4%
Since School Began	2,656	4.2%
In the Past Month	3,523	5.6%
Frequency Missing	2,913	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	59,833	94.2%
In Your Lifetime	1,766	2.8%
Since School Began	784	1.2%
In the Past Month	1,143	1.8%
Frequency Missing	2,090	

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	42,314	66.3%
In Your Lifetime	9,705	15.2%
Since School Began	4,273	6.7%
In the Past Month	7,519	11.8%
Frequency Missing	1,804	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	62,024	96.3%
In Your Lifetime	1,577	2.4%
Since School Began	404	0.6%
In the Past Month	369	0.6%
Frequency Missing	1,241	



**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	47,365	73.7%
In Your Lifetime	7,640	11.9%
Since School Began	2,751	4.3%
In the Past Month	6,513	10.1%
Frequency Missing	1,346	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	62,980	99.0%
In Your Lifetime	246	0.4%
Since School Began	209	0.3%
In the Past Month	158	0.2%
Frequency Missing	2,022	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	54,804	85.7%
In Your Lifetime	4,781	7.5%
Since School Began	1,910	3.0%
In the Past Month	2,477	3.9%
Frequency Missing	1,643	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	63,851	99.4%
In Your Lifetime	139	0.2%
Since School Began	0	0.0%
In the Past Month	225	0.3%
Frequency Missing	1,401	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	63,834	99.0%
In Your Lifetime	413	0.6%
Since School Began	0	0.0%
In the Past Month	208	0.3%
Frequency Missing	1,161	

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	62,773	98.7%
In Your Lifetime	287	0.5%
Since School Began	125	0.2%
In the Past Month	428	0.7%
Frequency Missing	2,002	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	63,387	99.4%
In Your Lifetime	314	0.5%
Since School Began	0	0.0%
In the Past Month	97	0.2%
Frequency Missing	1,818	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	63,268	99.2%
In Your Lifetime	319	0.5%
Since School Began	0	0.0%
In the Past Month	216	0.3%
Frequency Missing	1,813	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	63,735	99.5%
In Your Lifetime	314	0.5%
Since School Began	0	0.0%
In the Past Month	31	0.0%
Frequency Missing	1,536	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	57,273	89.7%
In Your Lifetime	4,181	6.5%
Since School Began	633	1.0%
In the Past Month	1,758	2.8%
Frequency Missing	1,771	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	63,725	98.8%
In Your Lifetime	433	0.7%
Since School Began	0	0.0%
In the Past Month	313	0.5%
Frequency Missing	1,145	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	62,483	98.5%
In Your Lifetime	714	1.1%
Since School Began	182	0.3%
In the Past Month	54	0.1%
Frequency Missing	2,183	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	62,977	98.5%
In Your Lifetime	560	0.9%
Since School Began	145	0.2%
In the Past Month	228	0.4%
Frequency Missing	1,706	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	61,958	97.8%
In Your Lifetime	864	1.4%
Since School Began	389	0.6%
In the Past Month	133	0.2%
Frequency Missing	2,272	

**Recent Delta 8 Use**

Q16l	Frequency	Percent
Never Heard/Used	60,019	93.9%
In Your Lifetime	2,081	3.3%
Since School Began	794	1.2%
In the Past Month	1,026	1.6%
Frequency Missing	1,696	

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	61,217	96.6%
In Your Lifetime	1,247	2.0%
Since School Began	410	0.6%
In the Past Month	520	0.8%
Frequency Missing	2,222	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	57,453	91.8%
In Your Lifetime	2,843	4.5%
Since School Began	738	1.2%
In the Past Month	1,558	2.5%
Frequency Missing	3,024	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	62,611	98.7%
1-2 times	524	0.8%
3-10 times	213	0.3%
11+ times	105	0.2%
Frequency Missing	2,163	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	61,447	97.2%
In Your Lifetime	643	1.0%
Since School Began	491	0.8%
In the Past Month	607	1.0%
Frequency Missing	2,427	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	58,520	92.2%
1-2 times	2,760	4.3%
3-10 times	762	1.2%
11+ times	1,416	2.2%
Frequency Missing	2,157	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	58,614	92.5%
1-2 times	2,116	3.3%
3-10 times	1,097	1.7%
11+ times	1,549	2.4%
Frequency Missing	2,239	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	63,486	99.6%
1-2 times	138	0.2%
3-10 times	92	0.1%
11+ times	0	0.0%
Frequency Missing	1,899	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	46,656	74.1%
1-2 times	9,856	15.7%
3-10 times	4,324	6.9%
11+ times	2,116	3.4%
Frequency Missing	2,664	

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	63,368	99.6%
1-2 times	231	0.4%
3-10 times	0	0.0%
11+ times	0	0.0%
Frequency Missing	2,017	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	49,380	77.8%
A few	9,046	14.2%
Some	2,851	4.5%
Most	1,780	2.8%
All	440	0.7%
Frequency Missing	2,118	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	32,818	51.6%
A few	15,829	24.9%
Some	7,039	11.1%
Most	5,353	8.4%
All	2,585	4.1%
Frequency Missing	1,990	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	34,525	56.1%
8 or younger	3,901	6.3%
9 years old	582	0.9%
10 years old	2,570	4.2%
11 years old	2,067	3.4%
12 years old	4,146	6.7%
13 years old	4,012	6.5%
14 years old	3,636	5.9%
15 years old	3,419	5.6%
16 years old	1,488	2.4%
17 years old	779	1.3%
18 or older	399	0.6%
Frequency Missing	4,091	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	59,335	93.6%
A few	3,066	4.8%
Some	639	1.0%
Most	239	0.4%
All	81	0.1%
Frequency Missing	2,256	

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	60,268	96.8%
8 or younger	462	0.7%
9 years old	146	0.2%
10 years old	303	0.5%
11 years old	0	0.0%
12 years old	662	1.1%
13 years old	176	0.3%
14 years old	50	0.1%
15 years old	133	0.2%
16 years old	73	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	3,342	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	47,237	74.6%
A few	9,314	14.7%
Some	3,608	5.7%
Most	2,222	3.5%
All	969	1.5%
Frequency Missing	2,266	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	53,599	86.2%
8 or younger	141	0.2%
9 years old	172	0.3%
10 years old	112	0.2%
11 years old	464	0.7%
12 years old	621	1.0%
13 years old	2,532	4.1%
14 years old	1,547	2.5%
15 years old	1,242	2.0%
16 years old	1,019	1.6%
17 years old	468	0.8%
18 or older	275	0.4%
Frequency Missing	3,423	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	54,418	87.9%
8 or younger	911	1.5%
9 years old	587	0.9%
10 years old	594	1.0%
11 years old	748	1.2%
12 years old	875	1.4%
13 years old	1,070	1.7%
14 years old	1,061	1.7%
15 years old	715	1.2%
16 years old	591	1.0%
17 years old	253	0.4%
18 or older	99	0.2%
Frequency Missing	3,695	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	61,902	99.1%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	46	0.1%
13 years old	46	0.1%
14 years old	92	0.1%
15 years old	172	0.3%
16 years old	136	0.2%
17 years old	53	0.1%
18 or older	0	0.0%
Frequency Missing	3,170	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	61,619	99.2%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	49	0.1%
11 years old	0	0.0%
12 years old	146	0.2%
13 years old	92	0.1%
14 years old	0	0.0%
15 years old	108	0.2%
16 years old	32	0.1%
17 years old	62	0.1%
18 or older	0	0.0%
Frequency Missing	3,507	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	62,047	99.7%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	51	0.1%
13 years old	46	0.1%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	83	0.1%
17 years old	0	0.0%
Frequency Missing	3,389	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	61,947	99.7%
8 or younger	116	0.2%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	0	0.0%
13 years old	46	0.1%
14 years old	51	0.1%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	3,456	

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	61,648	98.9%
8 or younger	198	0.3%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	31	0.0%
13 years old	266	0.4%
14 years old	0	0.0%
15 years old	111	0.2%
16 years old	53	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	3,308	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	61,970	99.0%
8 or younger	378	0.6%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	0	0.0%
13 years old	142	0.2%
14 years old	0	0.0%
15 years old	31	0.0%
16 years old	65	0.1%
17 years old	0	0.0%
Frequency Missing	3,030	

**Age When First Used Synthetic Marijuana**

Q21l	Frequency	Percent
Never used it	61,281	98.9%
8 or younger	49	0.1%
9 years old	0	0.0%
10 years old	46	0.1%
11 years old	0	0.0%
12 years old	0	0.0%
13 years old	276	0.4%
14 years old	51	0.1%
15 years old	85	0.1%
16 years old	111	0.2%
17 years old	83	0.1%
18 or older	0	0.0%
Frequency Missing	3,633	

**Age When First Used Delta 8**

Q21m	Frequency	Percent
Never used it	58,417	93.6%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	116	0.2%
12 years old	0	0.0%
13 years old	782	1.3%
14 years old	645	1.0%
15 years old	838	1.3%
16 years old	730	1.2%
17 years old	670	1.1%
18 or older	219	0.4%
Frequency Missing	3,198	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	17,674	28.1%
Impossible	15,617	24.9%
Very Difficult	6,709	10.7%
Somewhat diff	6,222	9.9%
Somewhat easy	8,218	13.1%
Very easy	8,386	13.3%
Frequency Missing	2,788	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	12,381	19.7%
Impossible	9,347	14.9%
Very Difficult	5,443	8.7%
Somewhat diff	8,756	13.9%
Somewhat easy	10,388	16.5%
Very easy	16,579	26.4%
Frequency Missing	2,723	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	26,570	42.5%
Impossible	12,722	20.3%
Very Difficult	3,400	5.4%
Somewhat diff	2,988	4.8%
Somewhat easy	4,864	7.8%
Very easy	11,993	19.2%
Frequency Missing	3,079	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	18,841	30.2%
Impossible	20,126	32.2%
Very Difficult	5,413	8.7%
Somewhat diff	5,596	9.0%
Somewhat easy	4,482	7.2%
Very easy	7,982	12.8%
Frequency Missing	3,174	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	24,483	39.3%
Impossible	25,507	41.0%
Very Difficult	5,967	9.6%
Somewhat diff	3,533	5.7%
Somewhat easy	817	1.3%
Very easy	1,917	3.1%
Frequency Missing	3,392	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	24,530	39.5%
Impossible	26,245	42.2%
Very Difficult	5,864	9.4%
Somewhat diff	3,104	5.0%
Somewhat easy	550	0.9%
Very easy	1,851	3.0%
Frequency Missing	3,472	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	30,390	48.6%
Impossible	22,667	36.3%
Very Difficult	4,789	7.7%
Somewhat diff	1,755	2.8%
Somewhat easy	892	1.4%
Very easy	2,026	3.2%
Frequency Missing	3,097	

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	27,228	43.7%
Impossible	22,546	36.2%
Very Difficult	6,377	10.2%
Somewhat diff	3,039	4.9%
Somewhat easy	646	1.0%
Very easy	2,503	4.0%
Frequency Missing	3,277	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	31,261	50.2%
Impossible	19,503	31.3%
Very Difficult	4,241	6.8%
Somewhat diff	2,867	4.6%
Somewhat easy	1,480	2.4%
Very easy	2,926	4.7%
Frequency Missing	3,338	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	32,945	52.8%
Impossible	20,273	32.5%
Very Difficult	4,975	8.0%
Somewhat diff	1,812	2.9%
Somewhat easy	680	1.1%
Very easy	1,714	2.7%
Frequency Missing	3,216	

**Difficult to Get Delta 8**

Q22m	Frequency	Percent
Never heard of	29,696	47.9%
Impossible	18,554	29.9%
Very Difficult	3,832	6.2%
Somewhat diff	2,944	4.7%
Somewhat easy	2,669	4.3%
Very easy	4,320	7.0%
Frequency Missing	3,601	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	29,536	47.4%
Impossible	23,284	37.3%
Very Difficult	5,229	8.4%
Somewhat diff	1,640	2.6%
Somewhat easy	1,078	1.7%
Very easy	1,599	2.6%
Frequency Missing	3,250	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	1,014	1.6%
Several times/wk	603	1.0%
Several times/mo	657	1.1%
About once/month	1,075	1.7%
About once/year	1,382	2.2%
Less than once/year	2,608	4.2%
Never used	54,794	88.2%
Frequency Missing	3,483	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	92	0.1%
Several times/wk	817	1.3%
Several times/mo	4,715	7.6%
About once/month	6,915	11.1%
About once/year	5,531	8.9%
Less than once/year	7,359	11.8%
Never used	36,678	59.1%
Frequency Missing	3,510	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	92	0.1%
Several times/mo	0	0.0%
About once/month	46	0.1%
About once/year	99	0.2%
Less than once/year	83	0.1%
Never used	61,345	99.5%
Frequency Missing	3,951	

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	0	0.0%
Several times/wk	142	0.2%
Several times/mo	304	0.5%
About once/month	244	0.4%
About once/year	258	0.4%
Less than once/year	455	0.7%
Never used	60,615	97.7%
Frequency Missing	3,598	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	46	0.1%
About once/year	51	0.1%
Less than once/year	83	0.1%
Never used	61,821	99.7%
Frequency Missing	3,615	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	1,063	1.7%
Several times/wk	430	0.7%
Several times/mo	779	1.3%
About once/month	1,460	2.4%
About once/year	1,843	3.0%
Less than once/year	2,207	3.6%
Never used	54,111	87.4%
Frequency Missing	3,724	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	99	0.2%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	333	0.5%
Less than once/year	174	0.3%
Never used	61,277	99.0%
Frequency Missing	3,733	



**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	92	0.1%
About once/month	46	0.1%
About once/year	32	0.1%
Less than once/year	174	0.3%
Never used	61,404	99.4%
Frequency Missing	3,868	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	194	0.3%
About once/year	214	0.3%
Less than once/year	276	0.4%
Never used	61,411	98.9%
Frequency Missing	3,521	

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	51	0.1%
Less than once/year	0	0.0%
Never used	61,861	99.9%
Frequency Missing	3,704	

**How Often Normally Use Delta 8**

Q23m	Frequency	Percent
Every day	146	0.2%
Several times/wk	294	0.5%
Several times/mo	462	0.7%
About once/month	1,261	2.0%
About once/year	549	0.9%
Less than once/year	1,234	2.0%
Never used	57,712	93.6%
Frequency Missing	3,958	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	146	0.2%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	51	0.1%
About once/year	65	0.1%
Less than once/year	46	0.1%
Never used	61,720	99.5%
Frequency Missing	3,588	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	39,629	64.0%
12+ drinks	1,462	2.4%
9-11 drinks	913	1.5%
5-8 drinks	1,931	3.1%
3-4 drinks	3,176	5.1%
2 drinks	1,944	3.1%
1 drink	4,060	6.6%
Less than 1 drink	8,781	14.2%
Frequency Missing	3,719	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	41,351	67.3%
12+ drinks	1,049	1.7%
9-11 drinks	442	0.7%
5-8 drinks	2,465	4.0%
3-4 drinks	4,474	7.3%
2 drinks	2,786	4.5%
1 drink	3,721	6.1%
Less than 1 drink	5,131	8.4%
Frequency Missing	4,194	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	35,460	57.9%
0 days	19,513	31.8%
1 day	2,197	3.6%
2 days	1,560	2.5%
3 to 5 days	1,314	2.1%
6 to 9 days	636	1.0%
10 or more days	615	1.0%
Frequency Missing	4,320	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	44,215	71.9%
12+ drinks	243	0.4%
9-11 drinks	103	0.2%
5-8 drinks	664	1.1%
3-4 drinks	1,212	2.0%
2 drinks	1,631	2.7%
1 drink	4,940	8.0%
Less than 1 drink	8,467	13.8%
Frequency Missing	4,140	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	35,369	56.8%
Never	10,277	16.5%
Seldom	10,263	16.5%
Most of the Time	4,356	7.0%
Always	2,042	3.3%
Frequency Missing	3,308	

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	40,071	64.8%
12+ drinks	589	1.0%
9-11 drinks	679	1.1%
5-8 drinks	2,028	3.3%
3-4 drinks	4,570	7.4%
2 drinks	2,685	4.3%
1 drink	4,121	6.7%
Less than 1 drink	7,109	11.5%
Frequency Missing	3,763	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	37,334	60.1%
Never	11,705	18.8%
Seldom	6,519	10.5%
Most of the Time	5,233	8.4%
Always	1,374	2.2%
Frequency Missing	3,451	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	38,240	61.9%
Never	19,239	31.2%
Seldom	2,423	3.9%
Most of the Time	1,286	2.1%
Always	552	0.9%
Frequency Missing	3,876	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	35,449	57.4%
Never	10,366	16.8%
Seldom	6,686	10.8%
Most of the Time	5,580	9.0%
Always	3,698	6.0%
Frequency Missing	3,837	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	42,370	69.2%
Somewhat	8,867	14.5%
Not very	3,563	5.8%
Not at all	906	1.5%
Don't know	5,486	9.0%
Frequency Missing	4,422	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	38,087	62.3%
Never	13,768	22.5%
Seldom	4,422	7.2%
Most of the Time	2,370	3.9%
Always	2,527	4.1%
Frequency Missing	4,441	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	40,334	66.5%
Somewhat	8,199	13.5%
Not very	4,382	7.2%
Not at all	3,866	6.4%
Don't know	3,845	6.3%
Frequency Missing	4,989	

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	37,610	61.0%
Somewhat	14,904	24.2%
Not very	4,076	6.6%
Not at all	1,025	1.7%
Don't know	4,081	6.6%
Frequency Missing	3,919	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	53,931	87.5%
Somewhat	3,364	5.5%
Not very	241	0.4%
Not at all	116	0.2%
Don't know	3,989	6.5%
Frequency Missing	3,975	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	24,323	39.6%
Somewhat	19,128	31.2%
Not very	12,225	19.9%
Not at all	2,334	3.8%
Don't know	3,395	5.5%
Frequency Missing	4,211	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	53,724	87.6%
Somewhat	3,104	5.1%
Not very	117	0.2%
Not at all	116	0.2%
Don't know	4,299	7.0%
Frequency Missing	4,257	

**Dangerous for Kids to Use Ecstasy**

Q27h	Frequency	Percent
Very	49,906	81.3%
Somewhat	3,456	5.6%
Not very	495	0.8%
Not at all	333	0.5%
Don't know	7,228	11.8%
Frequency Missing	4,196	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27l	Frequency	Percent
Very	48,217	78.8%
Somewhat	4,084	6.7%
Not very	1,340	2.2%
Not at all	562	0.9%
Don't know	6,951	11.4%
Frequency Missing	4,462	

**Dangerous for Kids to Use Steroids**

Q27i	Frequency	Percent
Very	47,574	77.6%
Somewhat	6,131	10.0%
Not very	1,917	3.1%
Not at all	228	0.4%
Don't know	5,484	8.9%
Frequency Missing	4,282	

**Dangerous for Kids to Use Delta 8**

Q27m	Frequency	Percent
Very	44,769	73.6%
Somewhat	4,828	7.9%
Not very	2,184	3.6%
Not at all	1,967	3.2%
Don't know	7,121	11.7%
Frequency Missing	4,747	

**Dangerous for Kids to Use Heroin**

Q27j	Frequency	Percent
Very	52,879	86.0%
Somewhat	2,470	4.0%
Not very	309	0.5%
Not at all	168	0.3%
Don't know	5,641	9.2%
Frequency Missing	4,148	

**Dangerous for Kids to Use Any Prescription**

Q27n	Frequency	Percent
Very	44,839	73.0%
Somewhat	9,002	14.7%
Not very	1,437	2.3%
Not at all	960	1.6%
Don't know	5,171	8.4%
Frequency Missing	4,207	

**Dangerous for Kids to Use Methamphetamine**

Q27k	Frequency	Percent
Very	53,208	86.7%
Somewhat	2,459	4.0%
Not very	408	0.7%
Not at all	116	0.2%
Don't know	5,159	8.4%
Frequency Missing	4,266	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27o	Frequency	Percent
Very	37,326	61.2%
Somewhat	11,792	19.3%
Not very	5,899	9.7%
Not at all	1,766	2.9%
Don't know	4,187	6.9%
Frequency Missing	4,646	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	45,900	75.5%
1-3 days	11,183	18.4%
4-9 days	2,072	3.4%
10+ days	1,638	2.7%
Frequency Missing	4,823	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	53,751	88.4%
1-3 days	6,188	10.2%
4-9 days	426	0.7%
10+ days	455	0.7%
Frequency Missing	4,795	

**Days Ill Since September**

Q28b	Frequency	Percent
None	16,141	26.6%
1-3 days	27,997	46.1%
4-9 days	10,311	17.0%
10+ days	6,326	10.4%
Frequency Missing	4,840	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	59,190	97.5%
1-3 times	1,277	2.1%
4-9 times	199	0.3%
10+ times	31	0.1%
Frequency Missing	4,919	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	17,732	29.3%
1-3 days	32,912	54.3%
4-9 days	6,596	10.9%
10+ days	3,372	5.6%
Frequency Missing	5,003	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	59,082	97.3%
1-3 times	1,329	2.2%
4-9 times	233	0.4%
10+ times	83	0.1%
Frequency Missing	4,888	

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	51,013	83.4%
1-3 days	7,615	12.5%
4-9 days	1,853	3.0%
10+ days	658	1.1%
Frequency Missing	4,477	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	59,319	97.8%
1-3 times	1,209	2.0%
4-9 times	65	0.1%
10+ times	51	0.1%
Frequency Missing	4,972	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	59,269	97.7%
1-3 times	957	1.6%
4-9 times	159	0.3%
10+ times	293	0.5%
Frequency Missing	4,937	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	57,854	95.5%
1-3 days	2,220	3.7%
4-9 days	230	0.4%
10+ days	274	0.5%
Frequency Missing	5,039	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	28,465	46.8%
Seldom	4,894	8.0%
Half the time	3,881	6.4%
Most of the Time	5,792	9.5%
Always	5,314	8.7%
Don't Know	1,141	1.9%
Didn't attend	11,313	18.6%
Frequency Missing	4,815	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	57,515	95.1%
1-3 days	1,498	2.5%
4-9 days	696	1.2%
10+ days	755	1.2%
Frequency Missing	5,153	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	37,832	62.5%
Seldom	3,498	5.8%
Half the time	2,913	4.8%
Most of the Time	1,846	3.0%
Always	2,070	3.4%
Don't Know	1,150	1.9%
Didn't attend	11,257	18.6%
Frequency Missing	5,050	

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	59,680	98.7%
1-3 days	534	0.9%
4-9 days	187	0.3%
10+ days	51	0.1%
Frequency Missing	5,163	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	52,459	96.5%
Yes	1,888	3.5%
Frequency Missing	11,268	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	59,582	98.4%
1-3 days	608	1.0%
4-9 days	285	0.5%
10+ days	103	0.2%
Frequency Missing	5,037	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	39,338	67.1%
Yes	19,297	32.9%
Frequency Missing	6,980	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	46,759	80.3%
Yes	11,462	19.7%
Frequency Missing	7,395	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	22,626	38.9%
Yes	35,557	61.1%
Frequency Missing	7,433	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	39,169	67.5%
Yes	18,878	32.5%
Frequency Missing	7,569	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	36,054	62.1%
Yes	21,982	37.9%
Frequency Missing	7,580	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	16,955	28.6%
Yes	42,237	71.4%
Frequency Missing	6,423	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	45,880	81.1%
Yes	10,678	18.9%
Frequency Missing	9,058	

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	25,136	43.1%
Yes	33,226	56.9%
Frequency Missing	7,253	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	31,923	55.6%
Yes	25,492	44.4%
Frequency Missing	8,201	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	21,562	37.0%
Yes	36,757	63.0%
Frequency Missing	7,297	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	37,987	67.4%
Yes	18,393	32.6%
Frequency Missing	9,236	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	41,838	74.0%
Yes	14,678	26.0%
Frequency Missing	9,099	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	41,187	73.9%
Yes	14,552	26.1%
Frequency Missing	9,876	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	50,967	90.7%
Yes	5,248	9.3%
Frequency Missing	9,400	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	43,877	73.5%
Mild disapprove	4,410	7.4%
Neither	5,600	9.4%
Mildly approve	992	1.7%
Strongly approve	180	0.3%
Don't know	4,634	7.8%
Frequency Missing	5,922	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	43,828	78.3%
Yes	12,136	21.7%
Frequency Missing	9,652	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	30,811	51.5%
Mild disapprove	9,985	16.7%
Neither	9,948	16.6%
Mildly approve	3,995	6.7%
Strongly approve	644	1.1%
Don't know	4,489	7.5%
Frequency Missing	5,744	

**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	51,422	92.5%
Yes	4,152	7.5%
Frequency Missing	10,042	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	44,713	74.9%
Mild disapprove	4,032	6.8%
Neither	4,718	7.9%
Mildly approve	912	1.5%
Strongly approve	681	1.1%
Don't know	4,637	7.8%
Frequency Missing	5,922	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	45,534	81.6%
Yes	10,269	18.4%
Frequency Missing	9,813	



## Appendix: Reporting Methods for Prevalence & Recency of Use

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Delta 8</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
<b>Question</b>	<b>Updating Rule</b>
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.



## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

