
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2022



HHSC REGION 9 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	110

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 9. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	12.6%	16.3%	28.2%	71.8%
Grade 7	6.2%	9.1%	19.0%	81.0%
Grade 8	12.7%	16.5%	30.1%	69.9%
Grade 9	10.0%	13.0%	25.0%	75.0%
Grade 10	12.9%	16.8%	28.2%	71.8%
Grade 11	17.2%	21.8%	34.5%	65.5%
Grade 12	19.7%	23.6%	36.2%	63.8%
Cigarettes?				
All	1.5%	2.5%	9.7%	90.3%
Grade 7	0.9%	1.6%	5.2%	94.8%
Grade 8	1.8%	2.4%	8.0%	92.0%
Grade 9	1.0%	1.2%	7.2%	92.8%
Grade 10	1.6%	2.7%	10.0%	90.0%
Grade 11	1.0%	2.7%	12.5%	87.5%
Grade 12	3.5%	4.9%	18.4%	81.6%
Smokeless Tobacco?				
All	1.4%	2.4%	5.4%	94.6%
Grade 7	1.0%	1.8%	3.0%	97.0%
Grade 8	1.7%	2.8%	4.8%	95.2%
Grade 9	0.8%	1.1%	3.6%	96.4%
Grade 10	1.3%	2.6%	6.3%	93.7%
Grade 11	1.3%	2.6%	6.7%	93.3%
Grade 12	2.6%	3.7%	9.3%	90.7%
Electronic Vapor Products?				
All	9.7%	13.8%	25.3%	74.7%
Grade 7	5.3%	7.6%	16.2%	83.8%
Grade 8	8.8%	14.0%	26.9%	73.1%
Grade 9	7.2%	10.4%	22.0%	78.0%
Grade 10	9.9%	14.0%	26.7%	73.3%
Grade 11	14.4%	19.1%	31.0%	69.0%
Grade 12	15.4%	20.8%	32.5%	67.5%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	91.0%	1.4%	0.8%	0.6%	1.6%	1.5%	3.1%
Grade 7	95.9%	0.3%	0.5%	0.0%	1.2%	0.5%	1.5%
Grade 8	92.5%	0.0%	1.0%	0.5%	1.7%	2.0%	2.2%
Grade 9	92.3%	0.3%	0.1%	1.4%	1.5%	1.1%	3.2%
Grade 10	91.2%	1.7%	1.1%	0.6%	1.7%	1.5%	2.1%
Grade 11	88.1%	2.7%	0.8%	0.5%	1.9%	1.9%	4.2%
Grade 12	83.6%	4.3%	1.3%	0.9%	1.9%	2.1%	5.9%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.7	10.0	11.3	11.8	12.9	13.7	13.8

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.3%	22.4%	8.0%	10.1%	11.6%	12.5%
Grade 7	40.6%	31.4%	7.3%	8.3%	7.9%	4.5%
Grade 8	33.5%	27.1%	9.3%	9.0%	12.0%	9.2%
Grade 9	32.4%	24.6%	10.0%	11.2%	11.0%	10.7%
Grade 10	35.4%	18.2%	7.2%	13.4%	10.5%	15.3%
Grade 11	33.5%	17.5%	7.4%	9.5%	12.8%	19.3%
Grade 12	37.0%	11.4%	5.7%	9.5%	17.2%	19.3%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	81.9%	11.3%	3.5%	2.5%	0.8%
Grade 7	91.5%	6.2%	1.1%	1.2%	0.0%
Grade 8	85.5%	9.0%	3.2%	1.7%	0.7%
Grade 9	81.8%	11.8%	3.7%	2.1%	0.7%
Grade 10	80.4%	13.1%	3.2%	2.7%	0.6%
Grade 11	75.9%	14.4%	3.8%	3.8%	2.2%
Grade 12	72.7%	14.8%	6.9%	4.6%	1.0%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.4%	7.7%	6.1%	1.0%	0.5%	7.4%
Grade 7	84.6%	4.0%	3.3%	0.6%	1.1%	6.4%
Grade 8	79.4%	8.2%	3.9%	0.5%	0.1%	7.9%
Grade 9	81.1%	6.0%	4.4%	1.7%	0.5%	6.3%
Grade 10	73.1%	9.7%	7.9%	0.7%	0.3%	8.3%
Grade 11	72.8%	8.2%	9.2%	0.9%	0.0%	8.9%
Grade 12	69.6%	11.3%	9.6%	1.7%	0.5%	7.2%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	61.0%	24.3%	6.8%	1.6%	6.4%
	Grade 7	68.1%	19.8%	5.3%	0.8%	6.0%
	Grade 8	62.1%	23.9%	5.9%	0.9%	7.2%
	Grade 9	63.6%	24.5%	4.8%	1.9%	5.3%
	Grade 10	58.0%	24.2%	9.4%	2.3%	6.2%
	Grade 11	55.1%	26.5%	8.1%	1.7%	8.6%
	Grade 12	56.3%	28.0%	8.2%	2.3%	5.2%
Electronic Vapor Products?						
	All	61.6%	19.7%	8.8%	3.7%	6.2%
	Grade 7	66.1%	16.9%	7.9%	3.6%	5.5%
	Grade 8	62.6%	19.4%	8.6%	3.0%	6.4%
	Grade 9	63.5%	19.5%	7.6%	3.8%	5.6%
	Grade 10	58.8%	21.1%	9.3%	3.7%	7.2%
	Grade 11	57.1%	20.9%	9.7%	4.8%	7.4%
	Grade 12	59.6%	21.2%	10.7%	3.0%	5.4%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	26.6%	31.2%	50.2%	49.8%
Grade 7	18.0%	21.2%	38.1%	61.9%
Grade 8	23.4%	29.0%	47.5%	52.5%
Grade 9	23.2%	26.6%	52.6%	47.4%
Grade 10	26.3%	32.5%	53.6%	46.4%
Grade 11	33.3%	38.5%	54.7%	45.3%
Grade 12	40.3%	44.6%	58.1%	41.9%
Beer?				
All	11.2%	16.6%	40.4%	59.6%
Grade 7	6.9%	8.9%	30.3%	69.7%
Grade 8	8.3%	14.5%	36.5%	63.5%
Grade 9	8.8%	12.9%	43.1%	56.9%
Grade 10	10.5%	18.1%	42.4%	57.6%
Grade 11	14.8%	21.3%	45.1%	54.9%
Grade 12	21.0%	28.0%	48.1%	51.9%
Wine Coolers?				
All	8.1%	12.8%	30.2%	69.8%
Grade 7	4.1%	4.5%	17.1%	82.9%
Grade 8	5.6%	9.9%	25.0%	75.0%
Grade 9	4.7%	6.9%	29.4%	70.6%
Grade 10	9.7%	16.6%	35.3%	64.7%
Grade 11	10.2%	18.5%	38.1%	61.9%
Grade 12	17.4%	25.5%	41.2%	58.8%
Wine?				
All	5.4%	9.7%	28.5%	71.5%
Grade 7	3.6%	4.7%	20.1%	79.9%
Grade 8	4.2%	7.2%	23.8%	76.2%
Grade 9	5.0%	8.4%	29.0%	71.0%
Grade 10	5.8%	11.1%	32.0%	68.0%
Grade 11	5.3%	13.0%	34.2%	65.8%
Grade 12	9.5%	16.1%	35.2%	64.8%
Liquor?				
All	10.6%	15.6%	34.2%	65.8%
Grade 7	4.4%	6.5%	20.1%	79.9%
Grade 8	7.9%	11.5%	27.8%	72.2%
Grade 9	7.5%	11.2%	33.5%	66.5%
Grade 10	10.7%	19.5%	37.8%	62.2%
Grade 11	14.7%	21.8%	44.1%	55.9%
Grade 12	22.1%	28.3%	48.1%	51.9%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	63.1%	0.2%	1.7%	4.1%	11.4%	10.2%	9.3%
Grade 7	74.5%	0.8%	0.6%	1.7%	4.0%	7.7%	10.7%
Grade 8	67.6%	0.0%	1.8%	2.2%	9.3%	10.2%	8.9%
Grade 9	63.8%	0.1%	2.1%	2.3%	10.8%	10.9%	9.9%
Grade 10	60.4%	0.3%	1.8%	3.9%	13.3%	11.6%	8.7%
Grade 11	55.3%	0.0%	1.5%	5.0%	17.9%	10.2%	10.2%
Grade 12	52.5%	0.2%	2.9%	11.6%	15.7%	10.6%	6.4%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	64.0%	36.0%	7.5%	16.1%	12.4%
	Grade 7	73.2%	26.8%	1.6%	9.8%	15.4%
	Grade 8	67.3%	32.7%	4.0%	16.2%	12.5%
	Grade 9	61.3%	38.7%	5.7%	17.1%	15.9%
	Grade 10	63.5%	36.5%	9.1%	18.5%	8.9%
	Grade 11	59.0%	41.0%	11.7%	17.0%	12.3%
	Grade 12	57.5%	42.5%	15.7%	19.8%	7.0%
Wine Coolers						
	All	73.3%	26.7%	5.8%	13.6%	7.4%
	Grade 7	86.1%	13.9%	0.5%	6.7%	6.7%
	Grade 8	79.2%	20.8%	2.7%	11.9%	6.2%
	Grade 9	73.3%	26.7%	3.2%	12.0%	11.5%
	Grade 10	68.9%	31.1%	9.2%	15.9%	6.0%
	Grade 11	65.1%	34.9%	9.2%	16.7%	9.0%
	Grade 12	62.0%	38.0%	13.1%	21.2%	3.8%
Wine						
	All	75.7%	24.3%	2.2%	11.6%	10.6%
	Grade 7	82.1%	17.9%	1.3%	5.3%	11.3%
	Grade 8	78.5%	21.5%	1.2%	9.5%	10.7%
	Grade 9	75.2%	24.8%	2.3%	10.2%	12.2%
	Grade 10	74.1%	25.9%	1.2%	14.1%	10.6%
	Grade 11	69.8%	30.2%	3.3%	16.2%	10.8%
	Grade 12	72.6%	27.4%	4.2%	16.8%	6.5%
Liquor						
	All	68.7%	31.3%	7.0%	15.7%	8.6%
	Grade 7	81.9%	18.1%	2.0%	7.6%	8.6%
	Grade 8	75.0%	25.0%	4.5%	11.3%	9.2%
	Grade 9	69.4%	30.6%	4.8%	15.0%	10.8%
	Grade 10	65.2%	34.8%	10.3%	16.9%	7.6%
	Grade 11	58.8%	41.2%	9.2%	22.7%	9.2%
	Grade 12	56.2%	43.8%	14.1%	24.7%	5.0%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	90.1%	3.6%	2.7%	1.4%	0.6%	1.5%
Grade 7	95.5%	0.6%	1.1%	0.6%	0.3%	1.9%
Grade 8	92.0%	3.4%	1.8%	1.2%	0.9%	0.8%
Grade 9	92.1%	3.0%	2.1%	0.9%	0.4%	1.6%
Grade 10	90.2%	3.9%	2.8%	1.1%	0.9%	1.2%
Grade 11	87.4%	4.4%	3.8%	2.2%	0.5%	1.8%
Grade 12	80.6%	7.7%	5.6%	3.0%	1.1%	2.0%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.7	10.3	11.0	12.2	13.1	14.1	14.6

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	26.8%	12.9%	6.6%	12.4%	17.0%	24.3%
Grade 7	32.8%	17.4%	9.1%	14.9%	12.1%	13.7%
Grade 8	23.8%	17.9%	8.4%	12.3%	16.4%	21.1%
Grade 9	25.2%	13.6%	6.8%	13.2%	18.9%	22.1%
Grade 10	26.2%	9.8%	6.9%	11.5%	17.1%	28.5%
Grade 11	25.2%	9.6%	4.3%	12.7%	17.2%	31.1%
Grade 12	27.3%	6.5%	2.6%	8.8%	21.6%	33.2%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.5%	2.2%	0.7%	0.6%
Grade 7	98.0%	1.3%	0.3%	0.3%
Grade 8	95.5%	3.1%	0.7%	0.7%
Grade 9	96.7%	2.2%	1.0%	0.1%
Grade 10	95.3%	2.6%	0.4%	1.7%
Grade 11	97.2%	1.9%	0.7%	0.2%
Grade 12	95.7%	2.4%	1.4%	0.5%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	6.0
Alcohol Non-Users	4.5
Average Days Conduct Problems Reported	
Alcohol Users	2.2
Alcohol Non-Users	0.7

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	95.4%	3.7%	0.5%	0.3%
Grade 9	98.3%	1.1%	0.4%	0.3%
Grade 10	96.4%	2.9%	0.1%	0.6%
Grade 11	94.8%	4.4%	0.6%	0.1%
Grade 12	90.9%	7.8%	1.1%	0.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.3%	3.0%	0.4%	0.2%
Grade 7	98.4%	1.1%	0.3%	0.1%
Grade 8	96.3%	2.9%	0.8%	0.0%
Grade 9	96.9%	2.1%	0.4%	0.6%
Grade 10	95.4%	3.8%	0.4%	0.5%
Grade 11	96.7%	2.9%	0.4%	0.0%
Grade 12	93.4%	6.3%	0.3%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	54.3%	21.5%	11.3%	9.4%	3.5%
Grade 7	75.6%	15.6%	5.8%	2.3%	0.6%
Grade 8	60.3%	22.0%	8.9%	7.3%	1.5%
Grade 9	51.4%	25.3%	11.9%	8.4%	3.0%
Grade 10	49.3%	21.9%	15.7%	8.9%	4.1%
Grade 11	43.6%	21.4%	13.5%	15.5%	6.0%
Grade 12	39.1%	22.7%	13.6%	17.3%	7.3%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	54.6%	5.8%	4.3%	8.0%	9.1%	1.7%	16.6%
Grade 7	71.9%	4.4%	4.8%	4.0%	3.6%	0.4%	10.9%
Grade 8	59.1%	6.8%	4.9%	7.4%	4.4%	2.3%	15.1%
Grade 9	52.8%	7.2%	5.5%	6.1%	7.2%	2.1%	18.9%
Grade 10	51.3%	7.1%	4.0%	9.8%	7.7%	1.0%	19.2%
Grade 11	47.2%	4.3%	2.6%	11.3%	14.6%	2.0%	18.0%
Grade 12	40.2%	4.6%	3.0%	10.9%	20.5%	2.5%	18.3%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	61.2%	15.3%	15.9%	5.5%	2.0%
	Grade 7	68.8%	15.7%	10.7%	3.7%	1.2%
	Grade 8	62.9%	16.5%	15.7%	4.1%	0.8%
	Grade 9	63.0%	13.8%	16.4%	6.2%	0.6%
	Grade 10	59.3%	11.8%	19.5%	6.7%	2.7%
	Grade 11	56.4%	17.8%	17.1%	5.3%	3.4%
	Grade 12	53.7%	16.7%	16.9%	8.0%	4.6%
Friends?						
	All	62.7%	17.9%	9.4%	7.6%	2.3%
	Grade 7	72.4%	19.0%	6.1%	2.5%	0.0%
	Grade 8	64.0%	21.8%	6.7%	6.1%	1.4%
	Grade 9	65.9%	18.8%	8.7%	5.3%	1.3%
	Grade 10	63.1%	16.1%	11.8%	6.9%	2.1%
	Grade 11	55.9%	15.9%	13.9%	10.3%	4.0%
	Grade 12	50.6%	14.5%	10.9%	17.5%	6.5%
A Store?						
	All	66.1%	26.8%	2.9%	2.9%	1.4%
	Grade 7	73.7%	23.2%	1.7%	1.2%	0.3%
	Grade 8	66.7%	27.7%	2.6%	2.5%	0.5%
	Grade 9	69.7%	25.3%	3.3%	1.2%	0.5%
	Grade 10	65.5%	27.8%	2.1%	3.5%	1.1%
	Grade 11	62.2%	29.0%	2.9%	3.2%	2.6%
	Grade 12	54.6%	29.2%	5.0%	6.9%	4.3%
Parties?						
	All	60.6%	14.9%	10.3%	8.2%	6.0%
	Grade 7	67.4%	16.6%	8.7%	5.4%	1.9%
	Grade 8	62.8%	17.8%	9.0%	6.0%	4.4%
	Grade 9	62.9%	14.4%	12.0%	6.5%	4.2%
	Grade 10	61.1%	14.0%	11.9%	8.1%	4.8%
	Grade 11	55.0%	12.3%	11.0%	11.7%	10.1%
	Grade 12	50.9%	13.1%	9.0%	13.9%	13.1%
Other Sources?						
	All	66.6%	19.0%	7.0%	4.7%	2.8%
	Grade 7	73.4%	16.8%	5.3%	3.2%	1.3%
	Grade 8	67.3%	19.6%	7.0%	4.5%	1.7%
	Grade 9	69.1%	19.4%	5.4%	4.3%	1.9%
	Grade 10	66.8%	19.7%	7.0%	4.4%	2.1%
	Grade 11	61.9%	18.6%	8.1%	5.6%	5.9%
	Grade 12	57.6%	20.3%	10.1%	6.8%	5.2%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	54.4%	16.2%	15.9%	5.6%	1.1%	6.8%
Grade 7	67.5%	13.3%	6.9%	3.6%	1.4%	7.3%
Grade 8	59.8%	16.7%	11.8%	4.4%	0.4%	6.8%
Grade 9	55.5%	17.3%	15.2%	5.2%	1.2%	5.6%
Grade 10	48.5%	17.4%	20.5%	6.6%	1.0%	6.0%
Grade 11	51.6%	14.0%	21.3%	4.7%	0.6%	7.8%
Grade 12	38.0%	19.0%	22.9%	10.6%	1.7%	7.8%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	46.5%	30.5%	15.5%	2.4%	5.1%
Grade 7	53.1%	28.5%	13.1%	1.7%	3.5%
Grade 8	46.3%	29.1%	17.2%	1.8%	5.6%
Grade 9	45.8%	33.0%	14.7%	2.1%	4.4%
Grade 10	45.1%	27.8%	18.4%	2.8%	5.8%
Grade 11	44.5%	30.0%	15.9%	2.6%	7.0%
Grade 12	43.1%	34.8%	14.0%	3.5%	4.6%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	10.4%	14.0%	18.9%	81.1%
Grade 7	3.7%	6.3%	7.9%	92.1%
Grade 8	10.6%	14.1%	16.9%	83.1%
Grade 9	8.8%	11.1%	17.2%	82.8%
Grade 10	9.8%	13.8%	18.6%	81.4%
Grade 11	14.2%	18.9%	26.6%	73.4%
Grade 12	18.1%	23.6%	31.1%	68.9%
Marijuana?				
All	9.9%	12.2%	17.3%	82.7%
Grade 7	3.5%	3.9%	5.6%	94.4%
Grade 8	10.0%	11.2%	14.4%	85.6%
Grade 9	8.5%	10.5%	16.2%	83.8%
Grade 10	9.4%	12.6%	17.8%	82.2%
Grade 11	13.3%	16.9%	25.1%	74.9%
Grade 12	17.0%	21.2%	29.3%	70.7%
Cocaine?				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.9%	0.9%	1.7%	98.3%
Grade 9	0.7%	0.9%	1.1%	98.9%
Grade 10	0.5%	0.8%	1.9%	98.1%
Grade 11	0.8%	1.5%	3.9%	96.1%
Grade 12	0.9%	0.9%	2.3%	97.7%
Crack?				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens?				
All	0.8%	1.2%	2.9%	97.1%
Grade 7	0.3%	0.6%	1.7%	98.3%
Grade 8	0.7%	0.9%	1.8%	98.2%
Grade 9	0.2%	0.3%	1.7%	98.3%
Grade 10	1.0%	1.6%	3.2%	96.8%
Grade 11	1.4%	2.0%	3.9%	96.1%
Grade 12	1.7%	2.6%	6.0%	94.0%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids?				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	0.8%	1.1%	2.5%	97.5%
Grade 12	0.0%	0.5%	1.4%	98.6%
Ecstasy?				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.4%	0.6%	1.3%	98.7%
Grade 11	0.1%	0.5%	1.6%	98.4%
Grade 12	0.6%	0.8%	2.1%	97.9%
Heroin?				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.1%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
Methamphetamine?				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.7%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.6%	0.8%	1.0%	99.0%
Grade 12	0.0%	0.5%	1.2%	98.8%

Table D-1: How Recently, If Ever, Have You Used...
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.1%	1.4%	3.2%	96.8%
Grade 7	0.8%	1.1%	1.7%	98.3%
Grade 8	1.2%	1.5%	3.1%	96.9%
Grade 9	0.9%	1.0%	2.7%	97.3%
Grade 10	1.1%	1.2%	2.9%	97.1%
Grade 11	1.2%	2.3%	5.1%	94.9%
Grade 12	1.1%	1.6%	3.9%	96.1%
Delta 8?				
All	2.6%	3.4%	5.6%	94.4%
Grade 7	1.3%	1.3%	1.7%	98.3%
Grade 8	1.9%	2.5%	3.7%	96.3%
Grade 9	1.5%	1.7%	4.8%	95.2%
Grade 10	3.0%	3.4%	5.1%	94.9%
Grade 11	3.6%	5.8%	9.8%	90.2%
Grade 12	5.6%	7.3%	10.8%	89.2%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	86.6%	1.4%	1.6%	1.7%	2.6%	2.5%	3.5%
Grade 7	96.3%	0.9%	0.7%	0.1%	0.8%	0.2%	1.0%
Grade 8	88.7%	0.9%	2.0%	1.2%	2.4%	3.0%	1.7%
Grade 9	88.0%	0.6%	1.0%	1.5%	2.8%	2.5%	3.6%
Grade 10	87.3%	1.6%	0.8%	2.7%	1.4%	2.0%	4.2%
Grade 11	79.4%	2.6%	2.3%	2.0%	3.9%	4.0%	5.9%
Grade 12	76.3%	2.3%	3.2%	3.4%	5.2%	4.0%	5.7%
Cocaine?							
All	98.8%	0.0%	0.1%	0.1%	0.1%	0.4%	0.6%
Grade 7	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%
Grade 8	98.8%	0.0%	0.0%	0.2%	0.0%	0.5%	0.5%
Grade 9	99.1%	0.0%	0.2%	0.0%	0.2%	0.0%	0.4%
Grade 10	98.8%	0.0%	0.0%	0.0%	0.0%	0.6%	0.7%
Grade 11	98.4%	0.1%	0.1%	0.1%	0.1%	0.1%	1.2%
Grade 12	98.0%	0.0%	0.0%	0.0%	0.0%	1.3%	0.7%
Crack?							
All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 7	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%
Grade 8	99.5%	0.0%	0.0%	0.2%	0.0%	0.2%	0.1%
Grade 9	99.6%	0.0%	0.2%	0.0%	0.0%	0.1%	0.1%
Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 11	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Steroids?							
All	99.4%	0.1%	0.0%	0.0%	0.0%	0.2%	0.2%
Grade 7	99.7%	0.1%	0.0%	0.0%	0.0%	0.2%	0.1%
Grade 8	99.2%	0.0%	0.0%	0.0%	0.0%	0.6%	0.2%
Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 10	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Grade 11	99.0%	0.3%	0.0%	0.1%	0.0%	0.3%	0.3%
Grade 12	98.9%	0.0%	0.0%	0.0%	0.2%	0.2%	0.7%
Ecstasy?							
All	99.3%	0.0%	0.0%	0.0%	0.1%	0.2%	0.3%
Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
Grade 9	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%
Grade 10	99.4%	0.0%	0.0%	0.0%	0.1%	0.5%	0.0%
Grade 11	99.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.8%
Grade 12	98.3%	0.0%	0.0%	0.0%	0.5%	0.5%	0.8%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.2%	0.0%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Methamphetamine?								
	All	99.7%	0.1%	0.0%	0.1%	0.1%	0.0%	0.1%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.8%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.0%	0.4%	0.0%	0.1%	0.0%	0.2%	0.3%
	Grade 12	99.4%	0.0%	0.0%	0.0%	0.5%	0.0%	0.1%
Synthetic Marijuana?								
	All	97.9%	0.1%	0.1%	0.4%	0.3%	0.4%	0.8%
	Grade 7	98.5%	0.0%	0.0%	0.6%	0.3%	0.3%	0.3%
	Grade 8	97.6%	0.2%	0.3%	0.4%	0.3%	0.5%	0.6%
	Grade 9	98.4%	0.0%	0.0%	0.3%	0.0%	0.5%	0.8%
	Grade 10	98.6%	0.0%	0.0%	0.4%	0.2%	0.4%	0.4%
	Grade 11	97.0%	0.1%	0.0%	0.4%	0.8%	0.4%	1.4%
	Grade 12	96.6%	0.0%	0.1%	0.5%	0.5%	0.3%	1.8%
Delta 8?								
	All	95.6%	0.4%	0.6%	0.7%	0.8%	0.8%	1.2%
	Grade 7	98.8%	0.5%	0.0%	0.3%	0.0%	0.1%	0.3%
	Grade 8	96.5%	0.2%	0.3%	1.0%	0.9%	0.5%	0.4%
	Grade 9	96.0%	0.1%	0.4%	0.3%	0.2%	1.1%	2.0%
	Grade 10	96.2%	0.0%	0.8%	0.9%	0.9%	0.4%	0.9%
	Grade 11	93.6%	0.8%	0.2%	0.9%	1.5%	1.1%	1.8%
	Grade 12	90.7%	0.9%	2.3%	0.9%	1.5%	1.9%	1.8%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.7	10.8	12.2	13.1	13.8	14.3	15.2
Cocaine	13.8	9.0	12.6	12.6	14.1	14.5	16.1
Crack	11.4	9.0	10.0	11.5	15.0	16.0	15.4
Steroids	12.0	11.2	13.2	14.1	11.6	9.6	16.3
Ecstasy	14.7	9.5	14.0	8.8	14.9	14.4	16.6
Heroin	12.7	11.0	10.5	11.0	14.4	16.0	15.0
Methamphetamine	13.0	11.0	11.0	12.5	14.6	14.2	13.4
Synthetic Marijuana	13.7	11.3	12.5	13.0	13.9	14.4	15.9
Delta 8?	14.8	11.0	12.4	13.6	14.8	15.8	16.5

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	35.1%	25.3%	7.7%	8.3%	10.0%	13.5%
	Grade 7	44.0%	34.1%	8.0%	5.8%	4.5%	3.7%
	Grade 8	31.8%	31.9%	7.9%	10.0%	8.7%	9.6%
	Grade 9	32.9%	30.9%	8.3%	7.6%	8.1%	12.2%
	Grade 10	36.0%	20.3%	7.5%	8.7%	12.1%	15.3%
	Grade 11	30.2%	17.7%	7.3%	9.8%	13.5%	21.5%
	Grade 12	35.1%	11.0%	7.1%	8.5%	15.7%	22.7%
Cocaine?							
	All	44.5%	33.4%	9.9%	5.9%	2.7%	3.5%
	Grade 7	47.8%	37.6%	8.6%	3.6%	1.9%	0.6%
	Grade 8	41.5%	40.7%	7.6%	5.6%	1.7%	3.0%
	Grade 9	41.4%	36.2%	10.8%	5.6%	2.8%	3.2%
	Grade 10	45.2%	30.1%	12.5%	5.7%	1.7%	4.8%
	Grade 11	44.0%	28.0%	10.4%	7.8%	3.4%	6.4%
	Grade 12	48.6%	23.8%	10.3%	8.1%	5.2%	4.0%
Crack?							
	All	46.3%	33.8%	10.3%	4.8%	2.1%	2.8%
	Grade 7	48.9%	36.5%	8.9%	3.0%	1.7%	0.9%
	Grade 8	42.6%	41.0%	8.0%	4.4%	1.7%	2.3%
	Grade 9	42.7%	37.9%	9.8%	4.2%	2.2%	3.2%
	Grade 10	47.7%	29.7%	13.5%	4.3%	1.7%	3.2%
	Grade 11	46.1%	29.1%	11.6%	6.8%	2.2%	4.2%
	Grade 12	51.5%	24.8%	10.4%	6.7%	3.5%	3.2%
Steroids?							
	All	48.4%	30.6%	9.9%	5.3%	3.0%	2.7%
	Grade 7	51.5%	33.8%	8.7%	2.5%	2.6%	0.9%
	Grade 8	45.6%	35.7%	5.7%	7.0%	3.2%	2.9%
	Grade 9	45.1%	33.7%	11.2%	5.1%	2.8%	2.1%
	Grade 10	47.8%	28.0%	13.0%	5.2%	2.6%	3.3%
	Grade 11	51.0%	25.1%	9.0%	6.8%	3.4%	4.7%
	Grade 12	50.7%	24.2%	12.4%	5.9%	3.8%	3.0%
Ecstasy?							
	All	56.2%	27.4%	8.4%	3.7%	1.9%	2.5%
	Grade 7	63.5%	27.0%	6.2%	1.4%	1.7%	0.3%
	Grade 8	54.6%	32.1%	5.2%	3.7%	1.8%	2.7%
	Grade 9	52.4%	30.7%	9.5%	3.1%	1.7%	2.6%
	Grade 10	54.6%	25.3%	11.0%	4.6%	1.2%	3.4%
	Grade 11	56.3%	23.5%	10.0%	4.5%	2.9%	2.8%
	Grade 12	56.1%	23.3%	9.3%	5.5%	2.2%	3.6%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	51.6%	33.2%	8.5%	3.2%	1.5%	2.1%
	Grade 7	57.4%	32.4%	6.7%	1.7%	1.1%	0.8%
	Grade 8	49.0%	37.9%	6.2%	3.6%	1.2%	2.2%
	Grade 9	46.5%	37.4%	8.5%	4.0%	1.9%	1.8%
	Grade 10	50.9%	30.8%	10.8%	3.4%	1.4%	2.7%
	Grade 11	51.8%	30.8%	9.4%	3.1%	2.1%	2.7%
	Grade 12	54.9%	27.9%	10.3%	3.5%	1.1%	2.4%
Methamphetamine?							
	All	53.3%	31.1%	8.6%	3.3%	1.5%	2.1%
	Grade 7	60.6%	29.6%	6.8%	1.0%	1.0%	0.8%
	Grade 8	51.5%	35.3%	5.2%	4.5%	0.7%	2.9%
	Grade 9	47.9%	35.8%	9.5%	3.3%	2.0%	1.6%
	Grade 10	51.7%	28.7%	11.8%	3.4%	1.8%	2.6%
	Grade 11	53.5%	28.5%	9.2%	3.9%	2.3%	2.7%
	Grade 12	55.4%	26.3%	9.9%	4.1%	1.6%	2.6%
Synthetic Marijuana?							
	All	55.5%	26.6%	6.9%	4.2%	2.7%	4.1%
	Grade 7	62.2%	28.5%	5.0%	1.3%	1.5%	1.5%
	Grade 8	52.6%	32.0%	5.1%	4.2%	1.9%	4.2%
	Grade 9	50.2%	30.8%	7.5%	3.8%	4.1%	3.5%
	Grade 10	54.9%	24.5%	7.7%	4.6%	2.5%	5.9%
	Grade 11	56.7%	20.4%	8.2%	6.5%	2.9%	5.2%
	Grade 12	57.5%	20.2%	8.3%	5.8%	3.1%	5.0%
Delta 8?							
	All	55.4%	24.1%	6.0%	4.2%	4.3%	6.0%
	Grade 7	62.4%	26.0%	5.6%	1.9%	2.0%	2.0%
	Grade 8	53.7%	28.1%	3.5%	6.3%	2.8%	5.5%
	Grade 9	49.7%	29.5%	6.3%	3.1%	6.0%	5.5%
	Grade 10	55.1%	22.5%	7.6%	4.9%	4.3%	5.6%
	Grade 11	55.6%	18.3%	7.7%	5.3%	4.3%	8.7%
	Grade 12	56.5%	17.1%	5.5%	3.9%	6.9%	10.1%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	93.8%	3.2%	0.9%	2.1%
Grade 7	98.1%	0.7%	0.3%	0.9%
Grade 8	93.7%	3.7%	1.0%	1.6%
Grade 9	94.9%	3.6%	0.6%	0.9%
Grade 10	93.5%	2.9%	1.0%	2.6%
Grade 11	91.5%	3.9%	1.5%	3.1%
Grade 12	89.5%	4.7%	1.4%	4.4%
Attended Class While High from Use of Some Other Drug?				
All	97.9%	1.2%	0.4%	0.5%
Grade 7	97.5%	1.9%	0.0%	0.7%
Grade 8	96.9%	2.6%	0.3%	0.2%
Grade 9	98.6%	0.4%	0.8%	0.2%
Grade 10	97.9%	1.0%	0.0%	1.1%
Grade 11	98.5%	0.5%	0.7%	0.3%
Grade 12	98.3%	0.4%	0.8%	0.4%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.0
Marijuana Non-Users	4.9
Average Days Conduct Problems Reported	
Marijuana Users	3.6
Marijuana Non-Users	1.0

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.9%	3.4%	0.6%	1.0%
Grade 9	97.8%	1.4%	0.7%	0.1%
Grade 10	95.6%	3.3%	0.1%	1.0%
Grade 11	94.4%	3.1%	0.8%	1.6%
Grade 12	90.5%	6.8%	0.9%	1.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.2%	2.3%	0.3%	0.3%
Grade 7	97.1%	2.4%	0.0%	0.5%
Grade 8	96.6%	2.9%	0.5%	0.0%
Grade 9	97.7%	1.9%	0.4%	0.0%
Grade 10	96.7%	2.3%	0.4%	0.6%
Grade 11	96.9%	2.5%	0.2%	0.4%
Grade 12	98.2%	1.6%	0.2%	0.0%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	69.4%	15.0%	7.5%	5.7%	2.3%
Grade 7	87.6%	8.2%	1.1%	2.3%	0.9%
Grade 8	73.7%	12.5%	7.1%	5.1%	1.5%
Grade 9	71.3%	14.5%	7.1%	5.1%	1.9%
Grade 10	68.5%	16.0%	6.7%	5.3%	3.4%
Grade 11	56.0%	18.6%	13.2%	7.9%	4.3%
Grade 12	52.3%	23.3%	11.9%	10.0%	2.5%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	64.4%	5.5%	3.8%	4.4%	3.3%	2.1%	16.4%
Grade 7	81.3%	2.7%	1.3%	1.7%	0.7%	1.3%	11.0%
Grade 8	65.7%	6.7%	4.3%	4.2%	2.0%	2.0%	15.1%
Grade 9	65.9%	4.7%	2.7%	2.8%	2.6%	2.7%	18.7%
Grade 10	63.0%	6.3%	2.5%	4.6%	3.0%	1.6%	19.0%
Grade 11	55.8%	7.2%	6.4%	5.4%	5.4%	2.3%	17.5%
Grade 12	49.5%	6.0%	7.0%	9.2%	7.3%	2.9%	18.1%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.0%	5.9%	6.9%	2.5%	0.7%	7.0%
Grade 7	85.2%	3.5%	2.6%	1.8%	1.0%	5.9%
Grade 8	79.6%	7.0%	4.1%	1.8%	0.4%	7.1%
Grade 9	80.0%	4.5%	5.6%	3.6%	0.3%	6.0%
Grade 10	72.8%	5.8%	10.1%	1.8%	1.8%	7.8%
Grade 11	71.7%	6.1%	11.1%	1.7%	0.5%	8.8%
Grade 12	69.1%	9.2%	10.1%	4.3%	0.4%	6.9%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	61.5%	14.8%	10.7%	7.3%	5.8%
	Grade 7	75.8%	10.9%	4.9%	2.5%	5.8%
	Grade 8	67.4%	15.6%	7.3%	4.3%	5.4%
	Grade 9	66.3%	13.3%	9.1%	6.5%	4.8%
	Grade 10	55.8%	15.0%	15.7%	8.1%	5.5%
	Grade 11	50.1%	16.9%	14.5%	11.4%	7.1%
	Grade 12	46.7%	18.6%	15.0%	13.4%	6.3%
Cocaine?	All	85.3%	7.2%	0.8%	0.6%	6.1%
	Grade 7	86.9%	6.5%	0.4%	0.5%	5.7%
	Grade 8	81.6%	8.5%	1.9%	0.4%	7.6%
	Grade 9	87.4%	7.1%	0.3%	0.6%	4.7%
	Grade 10	83.6%	7.9%	0.9%	1.2%	6.4%
	Grade 11	86.9%	5.6%	0.7%	0.3%	6.4%
	Grade 12	84.8%	7.6%	0.9%	0.8%	5.9%
Crack?	All	86.0%	6.2%	0.7%	0.6%	6.6%
	Grade 7	86.1%	6.3%	0.6%	0.5%	6.5%
	Grade 8	83.4%	7.4%	1.1%	0.4%	7.7%
	Grade 9	86.9%	6.2%	0.3%	0.4%	6.2%
	Grade 10	84.2%	7.0%	1.0%	1.2%	6.7%
	Grade 11	88.2%	4.4%	0.4%	0.3%	6.7%
	Grade 12	87.2%	5.2%	1.0%	0.8%	5.8%
Ecstasy?	All	79.9%	6.8%	1.3%	0.6%	11.4%
	Grade 7	80.6%	5.2%	1.0%	0.1%	13.0%
	Grade 8	76.9%	7.0%	1.2%	0.2%	14.7%
	Grade 9	82.1%	6.5%	0.5%	0.3%	10.6%
	Grade 10	78.2%	7.8%	2.1%	1.2%	10.6%
	Grade 11	81.8%	6.8%	1.1%	0.4%	9.9%
	Grade 12	79.4%	8.0%	2.4%	1.3%	8.9%
Steroids?	All	75.6%	11.5%	3.0%	1.1%	8.8%
	Grade 7	77.2%	11.8%	2.4%	0.8%	7.8%
	Grade 8	72.0%	13.1%	4.1%	0.7%	10.1%
	Grade 9	78.8%	10.8%	1.8%	0.8%	7.7%
	Grade 10	74.1%	12.4%	2.8%	1.2%	9.5%
	Grade 11	76.0%	9.9%	3.5%	1.3%	9.2%
	Grade 12	75.0%	11.0%	3.6%	1.7%	8.7%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	85.4%	5.3%	0.6%	0.5%	8.2%
	Grade 7	83.8%	6.6%	1.0%	0.2%	8.4%
	Grade 8	81.4%	6.3%	1.2%	0.1%	11.0%
	Grade 9	87.4%	5.0%	0.0%	0.4%	7.1%
	Grade 10	85.8%	5.3%	0.2%	1.2%	7.4%
	Grade 11	87.2%	3.8%	0.6%	0.3%	8.1%
	Grade 12	87.4%	4.6%	0.5%	0.8%	6.7%
Methamphetamine?						
	All	85.2%	5.3%	0.7%	0.4%	8.4%
	Grade 7	83.6%	5.3%	1.0%	0.5%	9.7%
	Grade 8	81.5%	5.9%	1.2%	0.1%	11.3%
	Grade 9	87.4%	5.1%	0.1%	0.3%	7.1%
	Grade 10	84.9%	6.4%	0.8%	0.8%	7.1%
	Grade 11	87.6%	4.0%	0.2%	0.3%	7.8%
	Grade 12	86.7%	4.7%	1.0%	0.7%	6.8%
Synthetic Marijuana?						
	All	77.4%	8.0%	2.3%	1.6%	10.8%
	Grade 7	79.3%	6.6%	1.7%	0.5%	11.9%
	Grade 8	75.9%	7.8%	2.7%	1.0%	12.5%
	Grade 9	80.7%	6.7%	1.5%	2.1%	9.0%
	Grade 10	74.6%	9.3%	3.2%	2.0%	10.9%
	Grade 11	75.1%	9.1%	2.7%	2.0%	11.1%
	Grade 12	77.7%	9.2%	2.2%	2.0%	8.9%
Delta 8?						
	All	71.7%	9.0%	4.8%	3.2%	11.3%
	Grade 7	77.1%	7.6%	3.1%	1.2%	10.9%
	Grade 8	72.4%	8.9%	4.4%	1.7%	12.5%
	Grade 9	75.9%	8.2%	3.4%	2.8%	9.6%
	Grade 10	68.2%	10.3%	7.0%	3.3%	11.2%
	Grade 11	66.6%	10.3%	4.5%	4.6%	13.9%
	Grade 12	67.4%	8.9%	7.2%	6.5%	10.0%
Fictional Drug?						
	All	79.5%	5.4%	0.6%	0.4%	14.1%
	Grade 7	79.9%	5.3%	1.1%	0.1%	13.5%
	Grade 8	76.4%	6.1%	0.9%	0.1%	16.4%
	Grade 9	81.9%	5.3%	0.1%	0.3%	12.5%
	Grade 10	76.7%	6.1%	0.7%	0.8%	15.8%
	Grade 11	81.7%	4.7%	0.0%	0.3%	13.4%
	Grade 12	80.8%	4.9%	0.8%	0.7%	12.8%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	5.0%	7.6%	14.4%	85.6%
Grade 7	6.2%	9.9%	16.4%	83.6%
Grade 8	5.2%	8.9%	16.4%	83.6%
Grade 9	4.5%	6.7%	14.0%	86.0%
Grade 10	5.4%	6.6%	9.9%	90.1%
Grade 11	4.7%	6.8%	15.4%	84.6%
Grade 12	3.7%	6.1%	14.2%	85.8%
Codeine Cough Syrup?				
All	2.8%	4.9%	10.1%	89.9%
Grade 7	4.6%	7.9%	12.1%	87.9%
Grade 8	2.6%	5.8%	10.6%	89.4%
Grade 9	2.7%	4.2%	10.9%	89.1%
Grade 10	2.6%	4.1%	6.3%	93.7%
Grade 11	2.1%	4.1%	10.5%	89.5%
Grade 12	1.6%	2.6%	9.6%	90.4%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.6%	1.0%	2.5%	97.5%
Grade 7	0.0%	0.3%	0.6%	99.4%
Grade 8	0.5%	0.8%	1.6%	98.4%
Grade 9	0.3%	0.7%	2.0%	98.0%
Grade 10	0.8%	1.2%	2.6%	97.4%
Grade 11	0.9%	1.7%	3.8%	96.2%
Grade 12	1.0%	1.4%	5.1%	94.9%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.8%	1.3%	3.1%	96.9%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	1.1%	1.8%	2.5%	97.5%
Grade 9	0.9%	1.6%	3.3%	96.7%
Grade 10	1.4%	1.6%	2.9%	97.1%
Grade 11	0.8%	1.3%	4.7%	95.3%
Grade 12	0.5%	1.0%	4.5%	95.5%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.8%	1.3%	3.0%	97.0%
Grade 7	0.8%	0.8%	1.8%	98.2%
Grade 8	0.6%	1.3%	2.4%	97.6%
Grade 9	0.7%	1.1%	2.8%	97.2%
Grade 10	0.9%	1.0%	2.3%	97.7%
Grade 11	0.9%	1.7%	3.6%	96.4%
Grade 12	1.0%	2.0%	6.2%	93.8%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.4%	3.4%	7.1%	92.9%
Grade 7	3.1%	5.0%	9.7%	90.3%
Grade 8	2.9%	4.3%	8.9%	91.1%
Grade 9	2.7%	3.8%	8.2%	91.8%
Grade 10	2.0%	2.4%	4.8%	95.2%
Grade 11	2.0%	2.5%	5.8%	94.2%
Grade 12	1.4%	1.9%	4.1%	95.9%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.5%	1.0%	2.3%	97.7%
Grade 7	1.0%	1.4%	2.8%	97.2%
Grade 8	0.5%	1.1%	2.4%	97.6%
Grade 9	0.4%	0.8%	2.5%	97.5%
Grade 10	0.2%	0.4%	2.5%	97.5%
Grade 11	1.0%	1.3%	1.8%	98.2%
Grade 12	0.1%	0.6%	1.6%	98.4%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.0%	11.7%	4.1%	0.9%	8.2%
Grade 7	76.7%	9.7%	5.9%	0.6%	7.1%
Grade 8	70.7%	12.9%	6.1%	1.4%	8.9%
Grade 9	77.0%	12.0%	3.1%	0.6%	7.2%
Grade 10	72.1%	13.8%	2.9%	0.9%	10.2%
Grade 11	77.6%	11.1%	1.8%	0.8%	8.6%
Grade 12	75.8%	10.5%	4.4%	1.6%	7.7%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.1%	5.9%	12.6%	87.4%
Grade 7	5.3%	7.3%	14.5%	85.5%
Grade 8	6.7%	8.4%	15.0%	85.0%
Grade 9	3.6%	4.7%	11.5%	88.5%
Grade 10	3.0%	5.8%	12.2%	87.8%
Grade 11	3.0%	4.6%	11.4%	88.6%
Grade 12	2.3%	3.7%	10.4%	89.6%
Spray Paint?				
All	0.4%	0.5%	2.3%	97.7%
Grade 7	0.3%	0.6%	3.1%	96.9%
Grade 8	1.0%	1.0%	2.5%	97.5%
Grade 9	0.2%	0.3%	2.3%	97.7%
Grade 10	0.3%	0.5%	1.9%	98.1%
Grade 11	0.3%	0.3%	2.5%	97.5%
Grade 12	0.0%	0.0%	1.2%	98.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	1.4%	4.9%	95.1%
Grade 7	1.4%	2.4%	7.0%	93.0%
Grade 8	3.1%	3.3%	6.7%	93.3%
Grade 9	0.6%	1.0%	3.8%	96.2%
Grade 10	0.3%	0.7%	5.0%	95.0%
Grade 11	0.2%	0.7%	4.0%	96.0%
Grade 12	0.0%	0.0%	1.9%	98.1%
Computer Dusting Sprays?				
All	0.4%	0.7%	1.4%	98.6%
Grade 7	1.1%	1.2%	1.6%	98.4%
Grade 8	0.6%	1.0%	1.6%	98.4%
Grade 9	0.1%	0.5%	0.6%	99.4%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	0.0%	0.6%	1.2%	98.8%
Grade 12	0.0%	0.3%	2.2%	97.8%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.9%	1.9%	5.5%	94.5%
Grade 7	1.1%	2.3%	5.0%	95.0%
Grade 8	1.7%	2.5%	8.3%	91.7%
Grade 9	0.8%	1.1%	3.4%	96.6%
Grade 10	0.7%	2.2%	5.1%	94.9%
Grade 11	0.7%	1.7%	5.5%	94.5%
Grade 12	0.3%	1.7%	6.3%	93.7%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.3%	0.7%	1.9%	98.1%
Grade 8	0.6%	1.3%	2.0%	98.0%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	1.0%	99.0%
Toluene, Paint Thinner, or Other Solvents?				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.6%	0.7%	1.2%	98.8%
Grade 8	0.4%	0.9%	1.0%	99.0%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.4%	0.4%	1.5%	98.5%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	1.0%	2.6%	97.4%
Grade 7	1.0%	1.3%	3.2%	96.8%
Grade 8	1.9%	2.6%	5.0%	95.0%
Grade 9	0.4%	0.7%	2.1%	97.9%
Grade 10	0.4%	0.5%	1.3%	98.7%
Grade 11	0.0%	0.0%	2.2%	97.8%
Grade 12	0.3%	0.3%	1.4%	98.6%
Other Aerosols/Sprays?				
All	0.4%	0.5%	1.7%	98.3%
Grade 7	0.7%	0.9%	3.1%	96.9%
Grade 8	0.8%	0.8%	2.7%	97.3%
Grade 9	0.4%	0.7%	1.3%	98.7%
Grade 10	0.3%	0.4%	1.3%	98.7%
Grade 11	0.0%	0.1%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.9%	99.1%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.1%	0.1%	0.1%	0.2%	0.6%	0.6%	1.3%
Grade 7	96.2%	0.0%	0.0%	0.3%	1.2%	0.9%	1.4%
Grade 8	95.7%	0.0%	0.1%	0.8%	1.2%	1.1%	1.1%
Grade 9	97.9%	0.1%	0.1%	0.0%	0.0%	0.5%	1.4%
Grade 10	98.3%	0.0%	0.0%	0.0%	0.0%	0.6%	1.0%
Grade 11	97.5%	0.4%	0.5%	0.0%	0.3%	0.1%	1.2%
Grade 12	97.3%	0.0%	0.0%	0.1%	0.6%	0.0%	1.9%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.4%	6.0%	3.2%	1.3%
Grade 7	87.0%	7.2%	3.7%	2.1%
Grade 8	86.7%	6.9%	4.2%	2.2%
Grade 9	91.5%	5.2%	2.2%	1.1%
Grade 10	90.5%	5.1%	3.6%	0.7%
Grade 11	91.0%	4.3%	4.1%	0.6%
Grade 12	90.4%	7.3%	1.4%	0.9%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	12.0	10.5	10.8	12.8	12.0	13.7	15.0

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.4%	1.0%	0.2%	0.3%
Grade 7	98.3%	1.2%	0.0%	0.4%
Grade 8	97.4%	1.6%	0.6%	0.4%
Grade 9	98.5%	0.9%	0.3%	0.3%
Grade 10	98.0%	1.1%	0.2%	0.7%
Grade 11	98.9%	1.0%	0.1%	0.1%
Grade 12	99.8%	0.2%	0.0%	0.0%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	6.0
Inhalant Non-Users	5.0
Average Days Conduct Problems Reported	
Inhalant Users	4.2
Inhalant Non-Users	1.1

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	92.3%	5.4%	1.3%	0.7%	0.2%
Grade 7	90.1%	7.2%	1.7%	1.0%	0.0%
Grade 8	89.4%	7.4%	1.6%	0.9%	0.7%
Grade 9	92.5%	4.4%	1.9%	1.1%	0.2%
Grade 10	94.0%	5.4%	0.6%	0.0%	0.0%
Grade 11	93.4%	3.9%	1.5%	1.1%	0.2%
Grade 12	96.0%	3.1%	0.5%	0.3%	0.2%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	70.4%	15.8%	4.3%	1.3%	8.1%
Grade 7	66.7%	19.3%	5.4%	1.5%	7.1%
Grade 8	66.8%	18.0%	5.7%	1.5%	8.0%
Grade 9	71.4%	15.4%	3.5%	1.4%	8.3%
Grade 10	69.4%	15.5%	5.5%	1.6%	8.0%
Grade 11	74.7%	12.6%	3.1%	0.7%	8.9%
Grade 12	75.1%	13.0%	2.4%	0.8%	8.7%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	45.2%	17.6%	4.2%	5.6%	7.4%	20.0%
Grade 7	45.0%	18.3%	6.3%	5.7%	6.5%	18.1%
Grade 8	40.3%	21.8%	5.0%	6.5%	9.1%	17.4%
Grade 9	44.0%	20.3%	4.7%	5.8%	7.2%	18.0%
Grade 10	45.1%	16.2%	4.2%	5.1%	8.9%	20.7%
Grade 11	46.0%	14.3%	1.7%	6.8%	6.4%	24.8%
Grade 12	52.9%	12.2%	2.6%	3.3%	5.9%	23.1%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	34.2%
	Grade 7	40.3%
	Grade 8	34.4%
	Grade 9	32.2%
	Grade 10	33.4%
	Grade 11	30.7%
	Grade 12	33.4%
An Assembly Program		
	All	46.3%
	Grade 7	44.6%
	Grade 8	49.8%
	Grade 9	46.7%
	Grade 10	45.3%
	Grade 11	43.0%
	Grade 12	48.1%
Guidance Counselor		
	All	29.5%
	Grade 7	36.0%
	Grade 8	39.0%
	Grade 9	24.9%
	Grade 10	29.0%
	Grade 11	22.4%
	Grade 12	23.6%
School Nurse		
	All	14.8%
	Grade 7	17.3%
	Grade 8	16.8%
	Grade 9	13.1%
	Grade 10	16.2%
	Grade 11	13.0%
	Grade 12	11.9%
Science or Social Studies Class		
	All	27.7%
	Grade 7	35.8%
	Grade 8	24.4%
	Grade 9	28.6%
	Grade 10	25.7%
	Grade 11	22.2%
	Grade 12	27.7%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
<hr/>		
Student Group or Club Meeting at School		
	All	16.1%
	Grade 7	10.8%
	Grade 8	12.3%
	Grade 9	18.2%
	Grade 10	19.9%
	Grade 11	16.5%
	Grade 12	20.5%
An Invited School Guest		
	All	29.3%
	Grade 7	31.2%
	Grade 8	34.5%
	Grade 9	26.8%
	Grade 10	28.8%
	Grade 11	25.2%
	Grade 12	28.9%
Another Source at School		
	All	27.7%
	Grade 7	28.6%
	Grade 8	28.6%
	Grade 9	28.1%
	Grade 10	29.7%
	Grade 11	24.7%
	Grade 12	25.9%
Any School Source		
	All	62.0%
	Grade 7	68.4%
	Grade 8	64.2%
	Grade 9	60.0%
	Grade 10	58.9%
	Grade 11	57.3%
	Grade 12	62.6%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
<hr/>		
Counselor/Program In-School		
	All	35.2%
	Grade 7	43.5%
	Grade 8	30.7%
	Grade 9	38.5%
	Grade 10	36.5%
	Grade 11	27.1%
	Grade 12	32.4%
School Nurse		
	All	21.3%
	Grade 7	27.6%
	Grade 8	19.8%
	Grade 9	22.4%
	Grade 10	23.1%
	Grade 11	15.9%
	Grade 12	16.9%
Another Adult In School		
	All	42.4%
	Grade 7	46.6%
	Grade 8	38.3%
	Grade 9	43.7%
	Grade 10	44.7%
	Grade 11	40.1%
	Grade 12	40.2%
Counselor/Program Outside-School		
	All	40.5%
	Grade 7	40.6%
	Grade 8	38.4%
	Grade 9	43.3%
	Grade 10	43.0%
	Grade 11	38.1%
	Grade 12	38.5%
Your Parents		
	All	67.0%
	Grade 7	69.2%
	Grade 8	64.4%
	Grade 9	67.7%
	Grade 10	68.5%
	Grade 11	64.0%
	Grade 12	68.1%
<hr/>		

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
 (Continued)

		Yes
A Medical Doctor		
	All	54.2%
	Grade 7	59.1%
	Grade 8	52.1%
	Grade 9	54.1%
	Grade 10	53.9%
	Grade 11	51.5%
	Grade 12	53.9%
Your Friends		
	All	63.4%
	Grade 7	53.8%
	Grade 8	60.6%
	Grade 9	65.5%
	Grade 10	68.1%
	Grade 11	67.9%
	Grade 12	66.4%
Another Adult		
	All	57.7%
	Grade 7	57.4%
	Grade 8	56.6%
	Grade 9	61.3%
	Grade 10	57.1%
	Grade 11	58.8%
	Grade 12	53.7%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	5.7%
	Grade 7	5.5%
	Grade 8	8.1%
	Grade 9	6.5%
	Grade 10	7.6%
	Grade 11	4.3%
	Grade 12	1.8%

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	6.5%	22.7%	23.4%	33.1%	14.3%
Grade 7	6.9%	20.2%	21.6%	30.5%	20.7%
Grade 8	8.0%	23.0%	20.1%	34.7%	14.1%
Grade 9	5.6%	22.5%	25.2%	35.1%	11.6%
Grade 10	5.6%	23.9%	24.5%	33.3%	12.8%
Grade 11	7.8%	23.6%	24.2%	32.1%	12.3%
Grade 12	4.6%	23.5%	25.8%	32.5%	13.6%
Sometimes Carry Weapons?					
All	73.6%	15.4%	6.0%	3.7%	1.4%
Grade 7	84.7%	9.1%	4.0%	2.2%	0.1%
Grade 8	75.9%	14.1%	6.1%	2.5%	1.4%
Grade 9	73.5%	16.7%	5.3%	3.7%	0.8%
Grade 10	70.2%	16.3%	6.7%	4.4%	2.4%
Grade 11	65.0%	19.4%	7.8%	5.5%	2.3%
Grade 12	69.4%	18.4%	6.6%	4.2%	1.4%
Care About Making Good Grades?					
All	2.8%	13.7%	22.7%	42.8%	17.9%
Grade 7	3.6%	11.0%	23.6%	40.8%	20.9%
Grade 8	5.0%	16.1%	22.5%	40.4%	15.9%
Grade 9	1.7%	13.4%	22.9%	44.4%	17.6%
Grade 10	2.3%	15.0%	22.9%	42.4%	17.4%
Grade 11	1.6%	15.8%	23.3%	43.2%	16.2%
Grade 12	2.2%	10.8%	20.9%	46.4%	19.8%
Belong/Want to Belong to a Gang?					
All	87.7%	8.5%	2.3%	0.7%	0.8%
Grade 7	89.0%	7.8%	2.6%	0.5%	0.1%
Grade 8	83.5%	10.6%	3.5%	1.1%	1.2%
Grade 9	87.4%	9.7%	1.9%	0.7%	0.3%
Grade 10	87.7%	8.3%	2.0%	0.7%	1.4%
Grade 11	88.2%	7.9%	2.4%	0.3%	1.2%
Grade 12	91.4%	5.4%	1.5%	0.6%	1.1%
Wish They Could Drop Out of School?					
All	42.5%	30.3%	15.1%	7.8%	4.2%
Grade 7	52.9%	26.9%	11.0%	5.6%	3.6%
Grade 8	40.6%	34.7%	12.4%	8.9%	3.4%
Grade 9	38.3%	33.3%	18.1%	7.1%	3.2%
Grade 10	41.1%	27.0%	16.2%	9.4%	6.4%
Grade 11	36.3%	33.0%	16.5%	8.8%	5.4%
Grade 12	46.3%	25.2%	17.4%	7.4%	3.7%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.7%	10.9%	1.3%	0.2%	0.9%
Grade 7	85.8%	11.1%	1.9%	0.0%	1.2%
Grade 8	84.0%	14.1%	0.7%	0.0%	1.2%
Grade 9	86.1%	11.0%	1.9%	0.2%	0.9%
Grade 10	88.8%	8.5%	1.0%	0.7%	1.0%
Grade 11	88.7%	9.5%	1.2%	0.0%	0.7%
Grade 12	87.7%	10.8%	0.8%	0.3%	0.4%
Out In Your Neighborhood?					
All	43.0%	46.4%	6.2%	1.6%	2.9%
Grade 7	37.3%	49.1%	8.7%	1.9%	3.0%
Grade 8	36.3%	50.3%	7.4%	2.5%	3.6%
Grade 9	42.2%	46.9%	6.1%	1.3%	3.5%
Grade 10	46.2%	45.4%	4.4%	1.3%	2.6%
Grade 11	51.8%	40.6%	3.9%	1.1%	2.7%
Grade 12	47.6%	44.0%	5.7%	1.2%	1.4%
At School?					
All	40.3%	43.8%	8.0%	4.4%	3.5%
Grade 7	37.5%	45.1%	10.3%	3.7%	3.4%
Grade 8	35.5%	45.8%	10.2%	5.3%	3.2%
Grade 9	40.9%	45.6%	6.2%	3.3%	4.0%
Grade 10	41.4%	40.2%	8.8%	5.2%	4.4%
Grade 11	43.4%	42.1%	5.6%	5.5%	3.4%
Grade 12	45.0%	42.9%	6.2%	3.8%	2.1%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.6%	16.3%	28.2%	71.8%
Grade 7	6.2%	9.1%	19.0%	81.0%
Grade 8	12.7%	16.5%	30.1%	69.9%
Grade 9	10.0%	13.0%	25.0%	75.0%
Grade 10	12.9%	16.8%	28.2%	71.8%
Grade 11	17.2%	21.8%	34.5%	65.5%
Grade 12	19.7%	23.6%	36.2%	63.8%
Any Alcohol Product				
All	26.6%	31.2%	50.2%	49.8%
Grade 7	18.0%	21.2%	38.1%	61.9%
Grade 8	23.4%	29.0%	47.5%	52.5%
Grade 9	23.2%	26.6%	52.6%	47.4%
Grade 10	26.3%	32.5%	53.6%	46.4%
Grade 11	33.3%	38.5%	54.7%	45.3%
Grade 12	40.3%	44.6%	58.1%	41.9%
Any Illicit Drug				
All	10.4%	14.0%	18.9%	81.1%
Grade 7	3.7%	6.3%	7.9%	92.1%
Grade 8	10.6%	14.1%	16.9%	83.1%
Grade 9	8.8%	11.1%	17.2%	82.8%
Grade 10	9.8%	13.8%	18.6%	81.4%
Grade 11	14.2%	18.9%	26.6%	73.4%
Grade 12	18.1%	23.6%	31.1%	68.9%
Any Prescription Drug				
All	5.0%	7.6%	14.4%	85.6%
Grade 7	6.2%	9.9%	16.4%	83.6%
Grade 8	5.2%	8.9%	16.4%	83.6%
Grade 9	4.5%	6.7%	14.0%	86.0%
Grade 10	5.4%	6.6%	9.9%	90.1%
Grade 11	4.7%	6.8%	15.4%	84.6%
Grade 12	3.7%	6.1%	14.2%	85.8%
Any Inhalant				
All	4.1%	5.9%	12.6%	87.4%
Grade 7	5.3%	7.3%	14.5%	85.5%
Grade 8	6.7%	8.4%	15.0%	85.0%
Grade 9	3.6%	4.7%	11.5%	88.5%
Grade 10	3.0%	5.8%	12.2%	87.8%
Grade 11	3.0%	4.6%	11.4%	88.6%
Grade 12	2.3%	3.7%	10.4%	89.6%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.7%	13.8%	25.3%	74.7%
Grade 7	5.3%	7.6%	16.2%	83.8%
Grade 8	8.8%	14.0%	26.9%	73.1%
Grade 9	7.2%	10.4%	22.0%	78.0%
Grade 10	9.9%	14.0%	26.7%	73.3%
Grade 11	14.4%	19.1%	31.0%	69.0%
Grade 12	15.4%	20.8%	32.5%	67.5%
Marijuana				
All	9.9%	12.2%	17.3%	82.7%
Grade 7	3.5%	3.9%	5.6%	94.4%
Grade 8	10.0%	11.2%	14.4%	85.6%
Grade 9	8.5%	10.5%	16.2%	83.8%
Grade 10	9.4%	12.6%	17.8%	82.2%
Grade 11	13.3%	16.9%	25.1%	74.9%
Grade 12	17.0%	21.2%	29.3%	70.7%
Marijuana Only				
All	4.2%	5.8%	9.5%	90.5%
Grade 7	1.0%	1.5%	2.8%	97.2%
Grade 8	4.1%	5.0%	8.1%	91.9%
Grade 9	4.7%	5.9%	9.7%	90.3%
Grade 10	4.1%	6.9%	11.3%	88.7%
Grade 11	4.8%	6.6%	11.3%	88.7%
Grade 12	7.9%	10.2%	16.4%	83.6%
Cocaine or Crack				
All	0.8%	1.0%	2.0%	98.0%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	1.0%	1.0%	1.9%	98.1%
Grade 9	0.9%	1.1%	1.3%	98.7%
Grade 10	0.8%	1.1%	2.2%	97.8%
Grade 11	0.8%	1.5%	3.9%	96.1%
Grade 12	1.0%	1.0%	2.3%	97.7%
Cocaine				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.9%	0.9%	1.7%	98.3%
Grade 9	0.7%	0.9%	1.1%	98.9%
Grade 10	0.5%	0.8%	1.9%	98.1%
Grade 11	0.8%	1.5%	3.9%	96.1%
Grade 12	0.9%	0.9%	2.3%	97.7%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	0.8%	1.2%	2.9%	97.1%
Grade 7	0.3%	0.6%	1.7%	98.3%
Grade 8	0.7%	0.9%	1.8%	98.2%
Grade 9	0.2%	0.3%	1.7%	98.3%
Grade 10	1.0%	1.6%	3.2%	96.8%
Grade 11	1.4%	2.0%	3.9%	96.1%
Grade 12	1.7%	2.6%	6.0%	94.0%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	0.8%	1.1%	2.5%	97.5%
Grade 12	0.0%	0.5%	1.4%	98.6%
Ecstasy				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.4%	0.6%	1.3%	98.7%
Grade 11	0.1%	0.5%	1.6%	98.4%
Grade 12	0.6%	0.8%	2.1%	97.9%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.1%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	1.1%	1.4%	3.2%	96.8%
Grade 7	0.8%	1.1%	1.7%	98.3%
Grade 8	1.2%	1.5%	3.1%	96.9%
Grade 9	0.9%	1.0%	2.7%	97.3%
Grade 10	1.1%	1.2%	2.9%	97.1%
Grade 11	1.2%	2.3%	5.1%	94.9%
Grade 12	1.1%	1.6%	3.9%	96.1%
Methamphetamine				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.7%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.6%	0.8%	1.0%	99.0%
Grade 12	0.0%	0.5%	1.2%	98.8%
Delta 8				
All	2.6%	3.4%	5.6%	94.4%
Grade 7	1.3%	1.3%	1.7%	98.3%
Grade 8	1.9%	2.5%	3.7%	96.3%
Grade 9	1.5%	1.7%	4.8%	95.2%
Grade 10	3.0%	3.4%	5.1%	94.9%
Grade 11	3.6%	5.8%	9.8%	90.2%
Grade 12	5.6%	7.3%	10.8%	89.2%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.1%	15.5%	28.3%	71.7%
Grade 7	5.9%	8.0%	18.1%	81.9%
Grade 8	10.3%	14.5%	28.6%	71.4%
Grade 9	10.7%	13.1%	26.9%	73.1%
Grade 10	11.5%	16.6%	28.4%	71.6%
Grade 11	14.8%	18.6%	32.1%	67.9%
Grade 12	23.7%	26.6%	40.8%	59.2%
Any Alcohol Product				
All	26.1%	30.0%	48.6%	51.4%
Grade 7	18.0%	20.5%	34.3%	65.7%
Grade 8	21.4%	25.9%	45.7%	54.3%
Grade 9	24.5%	28.0%	52.8%	47.2%
Grade 10	28.0%	33.5%	55.0%	45.0%
Grade 11	30.9%	35.6%	52.9%	47.1%
Grade 12	39.2%	42.2%	54.4%	45.6%
Any Illicit Drug				
All	9.6%	12.8%	17.6%	82.4%
Grade 7	4.3%	6.4%	8.3%	91.7%
Grade 8	7.7%	11.1%	12.8%	87.2%
Grade 9	8.5%	10.4%	16.6%	83.4%
Grade 10	7.7%	12.1%	18.2%	81.8%
Grade 11	13.0%	16.3%	24.4%	75.6%
Grade 12	20.1%	25.7%	31.6%	68.4%
Any Prescription Drug				
All	4.6%	6.7%	14.0%	86.0%
Grade 7	4.1%	7.8%	14.6%	85.4%
Grade 8	5.9%	8.4%	17.0%	83.0%
Grade 9	5.1%	7.2%	14.1%	85.9%
Grade 10	2.8%	4.0%	6.8%	93.2%
Grade 11	5.2%	5.9%	13.7%	86.3%
Grade 12	4.1%	6.4%	18.2%	81.8%
Any Inhalant				
All	4.0%	5.6%	11.9%	88.1%
Grade 7	3.7%	6.3%	11.0%	89.0%
Grade 8	6.7%	7.8%	11.5%	88.5%
Grade 9	4.1%	5.1%	11.8%	88.2%
Grade 10	2.5%	5.0%	12.0%	88.0%
Grade 11	2.6%	3.5%	11.7%	88.3%
Grade 12	3.7%	5.8%	13.9%	86.1%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.5%	12.3%	24.3%	75.7%
Grade 7	4.2%	5.6%	13.9%	86.1%
Grade 8	6.7%	12.2%	25.5%	74.5%
Grade 9	6.7%	9.7%	22.1%	77.9%
Grade 10	8.7%	13.5%	25.5%	74.5%
Grade 11	10.9%	14.8%	27.8%	72.2%
Grade 12	16.9%	21.7%	35.5%	64.5%
Marijuana				
All	8.9%	11.1%	16.4%	83.6%
Grade 7	3.8%	4.7%	6.6%	93.4%
Grade 8	7.7%	8.9%	10.9%	89.1%
Grade 9	8.1%	9.8%	16.2%	83.8%
Grade 10	7.5%	11.1%	18.2%	81.8%
Grade 11	11.4%	13.7%	22.4%	77.6%
Grade 12	18.5%	23.2%	30.3%	69.7%
Marijuana Only				
All	3.5%	5.0%	8.9%	91.1%
Grade 7	1.2%	2.0%	4.0%	96.0%
Grade 8	3.6%	3.9%	5.9%	94.1%
Grade 9	4.4%	5.4%	10.6%	89.4%
Grade 10	3.2%	6.2%	12.2%	87.8%
Grade 11	2.5%	4.2%	7.8%	92.2%
Grade 12	7.1%	9.8%	15.4%	84.6%
Cocaine or Crack				
All	0.8%	0.8%	1.9%	98.1%
Grade 7	0.5%	0.7%	1.2%	98.8%
Grade 8	0.5%	0.5%	1.6%	98.4%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	1.2%	1.2%	4.4%	95.6%
Grade 12	1.9%	1.9%	3.3%	96.7%
Cocaine				
All	0.7%	0.8%	1.9%	98.1%
Grade 7	0.5%	0.7%	1.2%	98.8%
Grade 8	0.4%	0.4%	1.5%	98.5%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	1.2%	1.2%	4.4%	95.6%
Grade 12	1.7%	1.7%	3.1%	96.9%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.5%	0.7%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.3%	0.3%	1.2%	98.8%
Grade 12	0.2%	0.2%	0.4%	99.6%
Hallucinogens				
All	0.8%	1.3%	2.9%	97.1%
Grade 7	0.5%	1.2%	1.9%	98.1%
Grade 8	0.0%	0.0%	1.5%	98.5%
Grade 9	0.0%	0.3%	1.8%	98.2%
Grade 10	0.9%	1.4%	2.0%	98.0%
Grade 11	2.1%	2.1%	4.1%	95.9%
Grade 12	2.2%	3.7%	7.7%	92.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.3%	1.4%	98.6%
Grade 7	0.6%	0.6%	1.6%	98.4%
Grade 8	0.0%	0.1%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.3%	0.3%	1.7%	98.3%
Grade 11	0.3%	0.3%	1.9%	98.1%
Grade 12	0.0%	0.4%	1.8%	98.2%
Ecstasy				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.5%	0.5%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	1.0%	1.0%	3.0%	97.0%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	1.0%	1.3%	2.5%	97.5%
Grade 7	1.2%	1.7%	1.7%	98.3%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.9%	0.9%	2.6%	97.4%
Grade 10	1.2%	1.3%	2.1%	97.9%
Grade 11	1.2%	1.6%	4.1%	95.9%
Grade 12	1.4%	1.8%	4.0%	96.0%
Methamphetamine				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.5%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.5%	0.5%	1.2%	98.8%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.2%	0.5%	99.5%
Delta 8				
All	3.1%	4.0%	6.1%	93.9%
Grade 7	1.1%	1.1%	1.7%	98.3%
Grade 8	1.3%	2.3%	3.7%	96.3%
Grade 9	2.0%	2.2%	5.0%	95.0%
Grade 10	3.1%	3.7%	5.0%	95.0%
Grade 11	4.9%	7.1%	10.5%	89.5%
Grade 12	8.7%	10.0%	14.5%	85.5%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.1%	17.0%	28.1%	71.9%
Grade 7	6.6%	10.3%	19.5%	80.5%
Grade 8	14.9%	18.1%	31.1%	68.9%
Grade 9	9.5%	13.1%	23.4%	76.6%
Grade 10	14.2%	17.1%	28.0%	72.0%
Grade 11	18.7%	24.1%	36.2%	63.8%
Grade 12	16.5%	21.2%	32.5%	67.5%
Any Alcohol Product				
All	27.0%	32.3%	51.9%	48.1%
Grade 7	17.7%	21.6%	42.1%	57.9%
Grade 8	25.6%	32.4%	49.3%	50.7%
Grade 9	22.2%	25.6%	52.5%	47.5%
Grade 10	24.0%	31.0%	51.8%	48.2%
Grade 11	35.0%	40.7%	56.2%	43.8%
Grade 12	41.7%	47.0%	61.8%	38.2%
Any Illicit Drug				
All	11.1%	15.1%	20.1%	79.9%
Grade 7	2.7%	5.8%	7.1%	92.9%
Grade 8	13.1%	16.7%	20.6%	79.4%
Grade 9	9.2%	12.1%	18.0%	82.0%
Grade 10	11.4%	14.8%	18.4%	81.6%
Grade 11	15.4%	21.4%	29.0%	71.0%
Grade 12	16.5%	21.9%	30.9%	69.1%
Any Prescription Drug				
All	5.5%	8.5%	14.9%	85.1%
Grade 7	8.5%	12.3%	18.5%	81.5%
Grade 8	4.7%	9.4%	15.7%	84.3%
Grade 9	3.9%	6.3%	13.7%	86.3%
Grade 10	7.8%	9.2%	12.8%	87.2%
Grade 11	4.3%	7.7%	17.0%	83.0%
Grade 12	3.4%	5.9%	10.9%	89.1%
Any Inhalant				
All	4.3%	6.1%	13.4%	86.6%
Grade 7	7.0%	8.3%	18.3%	81.7%
Grade 8	6.7%	8.9%	18.3%	81.7%
Grade 9	3.3%	4.4%	11.4%	88.6%
Grade 10	3.4%	6.5%	12.4%	87.6%
Grade 11	3.5%	5.8%	11.2%	88.8%
Grade 12	1.1%	1.9%	7.5%	92.5%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.9%	15.2%	26.2%	73.8%
Grade 7	6.4%	9.6%	18.2%	81.8%
Grade 8	10.5%	15.5%	27.8%	72.2%
Grade 9	7.8%	11.3%	22.3%	77.7%
Grade 10	11.2%	14.5%	27.8%	72.2%
Grade 11	17.0%	22.6%	33.5%	66.5%
Grade 12	14.2%	20.2%	30.2%	69.8%
Marijuana				
All	10.6%	13.1%	18.0%	82.0%
Grade 7	2.7%	2.9%	4.3%	95.7%
Grade 8	11.8%	13.3%	17.3%	82.7%
Grade 9	9.0%	11.4%	16.5%	83.5%
Grade 10	10.9%	13.6%	17.0%	83.0%
Grade 11	15.2%	20.1%	27.9%	72.1%
Grade 12	15.9%	19.6%	28.7%	71.3%
Marijuana Only				
All	4.8%	6.4%	10.0%	90.0%
Grade 7	0.5%	0.5%	1.2%	98.8%
Grade 8	4.3%	5.7%	9.7%	90.3%
Grade 9	5.0%	6.5%	9.0%	91.0%
Grade 10	4.4%	7.1%	9.9%	90.1%
Grade 11	7.0%	8.9%	14.8%	85.2%
Grade 12	8.7%	10.7%	17.3%	82.7%
Cocaine or Crack				
All	0.8%	1.2%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	1.4%	1.4%	2.2%	97.8%
Grade 9	1.1%	1.6%	1.9%	98.1%
Grade 10	1.5%	2.0%	3.0%	97.0%
Grade 11	0.5%	1.8%	3.5%	96.5%
Grade 12	0.2%	0.2%	1.5%	98.5%
Cocaine				
All	0.6%	1.0%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	1.4%	1.4%	2.0%	98.0%
Grade 9	0.7%	1.1%	1.4%	98.6%
Grade 10	0.9%	1.4%	2.4%	97.6%
Grade 11	0.5%	1.8%	3.5%	96.5%
Grade 12	0.2%	0.2%	1.5%	98.5%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.9%	0.9%	1.0%	99.0%
Grade 9	0.9%	0.9%	1.2%	98.8%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens				
All	0.8%	1.2%	2.9%	97.1%
Grade 7	0.0%	0.0%	1.6%	98.4%
Grade 8	1.3%	1.7%	2.2%	97.8%
Grade 9	0.4%	0.4%	1.6%	98.4%
Grade 10	1.2%	1.8%	4.4%	95.6%
Grade 11	0.8%	1.9%	3.8%	96.2%
Grade 12	1.3%	1.8%	4.6%	95.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	1.3%	1.9%	3.0%	97.0%
Grade 12	0.0%	0.6%	1.0%	99.0%
Ecstasy				
All	0.3%	0.6%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.6%	0.8%	1.1%	98.9%
Grade 10	0.4%	0.7%	1.4%	98.6%
Grade 11	0.2%	1.0%	2.3%	97.7%
Grade 12	0.2%	0.6%	1.3%	98.7%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.5%	0.5%	99.5%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.1%	1.6%	3.9%	96.1%
Grade 7	0.5%	0.5%	1.7%	98.3%
Grade 8	1.9%	2.4%	5.1%	94.9%
Grade 9	0.9%	1.1%	2.9%	97.1%
Grade 10	1.1%	1.1%	3.9%	96.1%
Grade 11	1.2%	3.0%	6.1%	93.9%
Grade 12	0.9%	1.4%	3.9%	96.1%
Methamphetamine				
All	0.5%	0.8%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	1.3%	1.3%	98.7%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	0.4%	0.7%	0.7%	99.3%
Grade 11	1.0%	1.3%	1.3%	98.7%
Grade 12	0.0%	0.8%	1.9%	98.1%
Delta 8				
All	2.2%	2.9%	5.2%	94.8%
Grade 7	1.5%	1.5%	1.7%	98.3%
Grade 8	2.6%	2.7%	3.7%	96.3%
Grade 9	1.0%	1.3%	4.7%	95.3%
Grade 10	3.0%	3.0%	5.2%	94.8%
Grade 11	2.4%	4.7%	9.2%	90.8%
Grade 12	2.9%	4.9%	7.7%	92.3%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.8%	16.1%	26.6%	73.4%
Grade 7	4.3%	7.4%	15.4%	84.6%
Grade 8	9.6%	10.9%	22.6%	77.4%
Grade 9	7.7%	11.4%	22.7%	77.3%
Grade 10	15.0%	18.5%	29.7%	70.3%
Grade 11	17.4%	22.2%	30.4%	69.6%
Grade 12	27.7%	31.6%	44.6%	55.4%
Any Alcohol Product				
All	26.3%	31.6%	50.1%	49.9%
Grade 7	19.3%	21.3%	33.8%	66.2%
Grade 8	18.6%	25.3%	40.4%	59.6%
Grade 9	20.7%	23.5%	54.1%	45.9%
Grade 10	23.1%	33.6%	54.9%	45.1%
Grade 11	32.2%	39.0%	55.1%	44.9%
Grade 12	50.3%	54.2%	67.9%	32.1%
Any Illicit Drug				
All	7.5%	10.4%	15.0%	85.0%
Grade 7	3.1%	5.0%	5.0%	95.0%
Grade 8	2.8%	3.9%	3.9%	96.1%
Grade 9	6.5%	8.7%	15.5%	84.5%
Grade 10	7.4%	11.2%	18.6%	81.4%
Grade 11	13.7%	17.0%	23.1%	76.9%
Grade 12	14.1%	20.3%	29.0%	71.0%
Any Prescription Drug				
All	3.7%	6.3%	13.7%	86.3%
Grade 7	4.5%	9.3%	17.8%	82.2%
Grade 8	2.9%	6.3%	14.9%	85.1%
Grade 9	3.4%	5.7%	12.4%	87.6%
Grade 10	2.6%	3.9%	6.0%	94.0%
Grade 11	6.3%	7.8%	18.1%	81.9%
Grade 12	2.3%	3.9%	12.3%	87.7%
Any Inhalant				
All	4.0%	5.4%	12.0%	88.0%
Grade 7	3.7%	6.3%	15.0%	85.0%
Grade 8	6.7%	7.8%	10.3%	89.7%
Grade 9	4.3%	5.2%	10.7%	89.3%
Grade 10	2.0%	5.0%	11.3%	88.7%
Grade 11	2.5%	2.5%	10.5%	89.5%
Grade 12	4.4%	4.6%	14.4%	85.6%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.0%	13.8%	22.1%	77.9%
Grade 7	3.2%	5.4%	11.2%	88.8%
Grade 8	5.8%	8.8%	17.4%	82.6%
Grade 9	6.1%	10.0%	18.5%	81.5%
Grade 10	12.8%	16.8%	26.9%	73.1%
Grade 11	14.6%	19.0%	26.8%	73.2%
Grade 12	22.0%	27.7%	37.1%	62.9%
Marijuana				
All	6.9%	9.1%	13.3%	86.7%
Grade 7	3.1%	4.1%	4.1%	95.9%
Grade 8	2.8%	2.8%	2.8%	97.2%
Grade 9	6.2%	8.2%	14.1%	85.9%
Grade 10	6.2%	8.8%	15.9%	84.1%
Grade 11	13.2%	15.6%	21.6%	78.4%
Grade 12	12.3%	18.2%	26.4%	73.6%
Marijuana Only				
All	2.0%	3.3%	5.8%	94.2%
Grade 7	0.0%	0.9%	0.9%	99.1%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	3.0%	4.0%	7.4%	92.6%
Grade 10	1.0%	3.0%	8.4%	91.6%
Grade 11	3.2%	4.7%	7.8%	92.2%
Grade 12	4.8%	7.8%	11.9%	88.1%
Cocaine or Crack				
All	0.7%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.6%	1.2%	1.2%	98.8%
Grade 10	1.5%	1.5%	3.1%	96.9%
Grade 11	0.3%	0.3%	4.3%	95.7%
Grade 12	0.8%	0.8%	1.1%	98.9%
Cocaine				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.6%	1.2%	1.2%	98.8%
Grade 10	0.3%	0.3%	1.9%	98.1%
Grade 11	0.3%	0.3%	4.3%	95.7%
Grade 12	0.5%	0.5%	0.8%	99.2%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.3%	0.3%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.2%	0.2%	0.6%	99.4%
	Grade 10	1.2%	1.2%	1.7%	98.3%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.3%	0.3%	0.6%	99.4%
	Hallucinogens	All	0.4%	0.9%	2.6%
Grade 7		0.0%	1.3%	2.2%	97.8%
Grade 8		0.0%	0.0%	0.0%	100.0%
Grade 9		0.0%	0.0%	1.3%	98.7%
Grade 10		0.7%	2.3%	3.9%	96.1%
Grade 11		1.6%	1.6%	2.7%	97.3%
Grade 12		0.5%	0.8%	6.6%	93.4%
Synthetic Cathinones		All	0.0%	0.0%	0.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
	Steroids	All	0.2%	0.2%	1.1%
Grade 7		0.0%	0.0%	0.9%	99.1%
Grade 8		0.0%	0.0%	1.2%	98.8%
Grade 9		0.0%	0.0%	1.3%	98.7%
Grade 10		0.5%	0.5%	0.5%	99.5%
Grade 11		0.5%	0.5%	2.4%	97.6%
Grade 12		0.0%	0.0%	0.3%	99.7%
Ecstasy		All	0.4%	0.4%	1.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	1.1%	1.4%	1.4%	98.6%
	Grade 10	0.5%	0.5%	2.3%	97.7%
	Grade 11	0.0%	0.0%	1.0%	99.0%
	Grade 12	0.5%	0.5%	2.5%	97.5%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
 White Non-Hispanic Students**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	1.4%	1.9%	3.0%	97.0%
Grade 7	2.2%	2.2%	3.1%	96.9%
Grade 8	0.3%	1.1%	1.1%	98.9%
Grade 9	2.5%	2.7%	3.3%	96.7%
Grade 10	0.7%	0.7%	2.1%	97.9%
Grade 11	2.4%	3.8%	5.7%	94.3%
Grade 12	0.3%	0.5%	3.0%	97.0%
Methamphetamine				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.9%	0.9%	99.1%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Delta 8				
All	3.0%	3.9%	6.2%	93.8%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	2.1%	3.1%	5.8%	94.2%
Grade 10	3.0%	3.0%	7.1%	92.9%
Grade 11	5.6%	9.8%	11.8%	88.2%
Grade 12	7.2%	7.7%	13.4%	86.6%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.7%	18.2%	30.6%	69.4%
Grades 7–8	4.0%	9.2%	19.1%	80.9%
Grade 9	5.6%	5.6%	20.4%	79.6%
Grade 10	6.5%	14.1%	26.0%	74.0%
Grade 11	42.1%	47.2%	52.3%	47.7%
Grade 12	25.0%	28.6%	52.6%	47.4%
Any Alcohol Product				
All	27.8%	33.6%	56.4%	43.6%
Grades 7–8	5.7%	15.0%	55.5%	44.5%
Grade 9	18.2%	18.2%	33.0%	67.0%
Grade 10	29.1%	33.6%	47.4%	52.6%
Grade 11	53.9%	59.3%	75.7%	24.3%
Grade 12	60.1%	68.3%	80.2%	19.8%
Any Illicit Drug				
All	13.9%	19.4%	27.6%	72.4%
Grades 7–8	4.0%	4.0%	9.9%	90.1%
Grade 9	5.8%	5.8%	5.8%	94.2%
Grade 10	13.0%	28.0%	35.7%	64.3%
Grade 11	42.4%	47.9%	73.2%	26.8%
Grade 12	16.0%	28.3%	33.2%	66.8%
Any Prescription Drug				
All	4.9%	7.4%	16.1%	83.9%
Grades 7–8	0.0%	3.2%	8.2%	91.8%
Grade 9	3.5%	11.8%	15.6%	84.4%
Grade 10	7.7%	7.7%	14.2%	85.8%
Grade 11	9.5%	9.5%	19.4%	80.6%
Grade 12	8.2%	8.2%	32.2%	67.8%
Any Inhalant				
All	1.4%	3.2%	7.5%	92.5%
Grades 7–8	0.0%	0.0%	1.4%	98.6%
Grade 9	3.2%	3.2%	3.2%	96.8%
Grade 10	0.0%	6.5%	12.8%	87.2%
Grade 11	5.1%	5.1%	14.6%	85.4%
Grade 12	0.0%	4.1%	11.8%	88.2%
Electronic Vapor Products				
All	12.4%	16.4%	29.1%	70.9%
Grades 7–8	4.1%	9.5%	19.7%	80.3%
Grade 9	5.8%	5.8%	17.5%	82.5%
Grade 10	6.5%	14.1%	26.0%	74.0%
Grade 11	36.6%	41.7%	47.2%	52.8%
Grade 12	20.1%	20.1%	48.5%	51.5%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana				
All	11.5%	16.3%	25.9%	74.1%
Grades 7–8	4.0%	4.0%	9.9%	90.1%
Grade 9	5.8%	5.8%	5.8%	94.2%
Grade 10	9.7%	23.8%	35.7%	64.3%
Grade 11	31.8%	37.2%	62.6%	37.4%
Grade 12	16.0%	24.2%	33.2%	66.8%
Marijuana Only				
All	6.2%	10.3%	19.0%	81.0%
Grades 7–8	4.0%	4.0%	9.9%	90.1%
Grade 9	3.2%	3.2%	3.2%	96.8%
Grade 10	6.3%	16.8%	28.3%	71.7%
Grade 11	16.1%	21.5%	42.5%	57.5%
Grade 12	4.1%	12.4%	21.4%	78.6%
Cocaine or Crack				
All	0.8%	0.8%	1.5%	98.5%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	5.1%	5.1%	9.5%	90.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.8%	0.8%	1.5%	98.5%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	5.1%	5.1%	9.5%	90.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	2.3%	2.3%	2.9%	97.1%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.2%	3.2%	3.2%	96.8%
Grade 11	10.2%	10.2%	10.2%	89.8%
Grade 12	0.0%	0.0%	4.1%	95.9%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	0.6%	2.8%	97.2%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.2%	3.2%	6.5%	93.5%
Grade 11	0.0%	0.0%	9.5%	90.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.0%	0.0%	0.8%	99.2%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	5.1%	94.9%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
 African American Non-Hispanic Students**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Delta 8				
All	3.6%	4.2%	6.8%	93.2%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	2.4%	2.4%	2.4%	97.6%
Grade 10	3.2%	3.2%	3.2%	96.8%
Grade 11	15.8%	15.8%	25.7%	74.3%
Grade 12	0.0%	4.1%	11.8%	88.2%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.5%	16.2%	28.7%	71.3%
Grade 7	7.4%	9.8%	20.4%	79.6%
Grade 8	14.8%	19.6%	33.8%	66.2%
Grade 9	10.7%	13.6%	25.8%	74.2%
Grade 10	11.9%	15.7%	27.0%	73.0%
Grade 11	15.2%	19.9%	34.7%	65.3%
Grade 12	16.7%	20.6%	32.8%	67.2%
Any Alcohol Product				
All	26.7%	30.9%	49.6%	50.4%
Grade 7	17.9%	21.2%	39.1%	60.9%
Grade 8	26.6%	31.9%	49.0%	51.0%
Grade 9	24.3%	28.0%	52.4%	47.6%
Grade 10	26.8%	31.3%	52.7%	47.3%
Grade 11	32.5%	37.3%	53.7%	46.3%
Grade 12	35.9%	39.8%	53.0%	47.0%
Any Illicit Drug				
All	11.3%	15.0%	19.8%	80.2%
Grade 7	4.2%	7.3%	9.5%	90.5%
Grade 8	13.7%	18.3%	22.0%	78.0%
Grade 9	9.4%	12.0%	17.7%	82.3%
Grade 10	10.4%	12.9%	16.8%	83.2%
Grade 11	12.6%	17.8%	24.8%	75.2%
Grade 12	20.3%	25.1%	32.6%	67.4%
Any Prescription Drug				
All	5.5%	8.0%	14.3%	85.7%
Grade 7	7.3%	10.5%	15.9%	84.1%
Grade 8	6.2%	10.1%	17.2%	82.8%
Grade 9	5.0%	6.9%	14.4%	85.6%
Grade 10	6.2%	7.6%	10.9%	89.1%
Grade 11	3.9%	5.9%	13.6%	86.4%
Grade 12	3.7%	6.7%	13.1%	86.9%
Any Inhalant				
All	4.3%	6.2%	13.2%	86.8%
Grade 7	6.2%	8.0%	15.2%	84.8%
Grade 8	7.3%	9.4%	18.1%	81.9%
Grade 9	3.1%	4.3%	12.0%	88.0%
Grade 10	3.7%	6.1%	12.6%	87.4%
Grade 11	3.1%	5.5%	11.1%	88.9%
Grade 12	1.5%	3.2%	8.8%	91.2%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.6%	13.8%	26.3%	73.7%
Grade 7	6.5%	8.3%	17.9%	82.1%
Grade 8	10.5%	16.9%	31.2%	68.8%
Grade 9	7.6%	10.8%	23.3%	76.7%
Grade 10	9.3%	13.1%	25.8%	74.2%
Grade 11	12.7%	17.6%	31.7%	68.3%
Grade 12	12.8%	18.6%	30.5%	69.5%
Marijuana				
All	10.9%	13.0%	18.2%	81.8%
Grade 7	3.8%	4.1%	6.4%	93.6%
Grade 8	12.8%	14.8%	18.9%	81.1%
Grade 9	9.1%	11.3%	16.9%	83.1%
Grade 10	10.4%	12.4%	16.7%	83.3%
Grade 11	12.5%	16.5%	24.0%	76.0%
Grade 12	19.4%	22.6%	31.0%	69.0%
Marijuana Only				
All	5.0%	6.4%	10.4%	89.6%
Grade 7	1.4%	1.7%	3.5%	96.5%
Grade 8	5.1%	6.5%	10.5%	89.5%
Grade 9	5.5%	6.9%	10.8%	89.2%
Grade 10	5.0%	7.0%	10.7%	89.3%
Grade 11	4.8%	6.5%	10.7%	89.3%
Grade 12	9.7%	11.4%	18.5%	81.5%
Cocaine or Crack				
All	0.8%	1.1%	2.2%	97.8%
Grade 7	0.4%	0.5%	1.3%	98.7%
Grade 8	1.2%	1.2%	2.5%	97.5%
Grade 9	1.0%	1.1%	1.3%	98.7%
Grade 10	0.6%	1.0%	2.0%	98.0%
Grade 11	0.6%	1.6%	3.4%	96.6%
Grade 12	1.2%	1.2%	3.1%	96.9%
Cocaine				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.4%	0.5%	1.3%	98.7%
Grade 8	1.1%	1.1%	2.3%	97.7%
Grade 9	0.7%	0.8%	1.0%	99.0%
Grade 10	0.6%	1.0%	2.0%	98.0%
Grade 11	0.6%	1.6%	3.4%	96.6%
Grade 12	1.2%	1.2%	3.1%	96.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.4%	0.4%	0.8%	99.2%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.8%	0.8%	1.2%	98.8%
	Grade 9	0.7%	0.7%	0.8%	99.2%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.2%	0.2%	1.1%	98.9%
	Grade 12	0.0%	0.0%	0.2%	99.8%
	Hallucinogens	All	0.9%	1.3%	3.0%
Grade 7		0.4%	0.4%	1.6%	98.4%
Grade 8		1.0%	1.3%	2.8%	97.2%
Grade 9		0.3%	0.5%	2.0%	98.0%
Grade 10		1.0%	1.3%	2.7%	97.3%
Grade 11		0.8%	1.6%	4.0%	96.0%
Grade 12		2.4%	3.7%	6.0%	94.0%
Synthetic Cathinones		All	0.1%	0.1%	0.3%
	Grade 7	0.0%	0.0%	0.9%	99.1%
	Grade 8	0.3%	0.3%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.2%	0.2%	0.2%	99.8%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%
	Steroids	All	0.3%	0.5%	1.2%
Grade 7		0.4%	0.4%	0.8%	99.2%
Grade 8		0.0%	0.1%	1.2%	98.8%
Grade 9		0.0%	0.0%	0.0%	100.0%
Grade 10		0.3%	0.3%	1.4%	98.6%
Grade 11		1.0%	1.5%	2.7%	97.3%
Grade 12		0.0%	0.8%	2.0%	98.0%
Ecstasy		All	0.2%	0.4%	1.0%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.3%	0.3%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.4%	0.7%	1.0%	99.0%
	Grade 11	0.0%	0.6%	1.8%	98.2%
	Grade 12	0.7%	1.0%	2.1%	97.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
 Hispanic or Latino Students**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.8%	99.2%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	0.9%	1.2%	3.1%	96.9%
Grade 7	0.4%	0.8%	1.3%	98.7%
Grade 8	1.7%	1.9%	4.3%	95.7%
Grade 9	0.3%	0.4%	2.1%	97.9%
Grade 10	0.9%	0.9%	2.8%	97.2%
Grade 11	0.6%	1.7%	4.4%	95.6%
Grade 12	1.6%	2.1%	4.5%	95.5%
Methamphetamine				
All	0.3%	0.6%	0.9%	99.1%
Grade 7	0.0%	0.4%	0.5%	99.5%
Grade 8	0.7%	0.7%	0.8%	99.2%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.3%	0.5%	1.0%	99.0%
Grade 11	0.8%	1.1%	1.1%	98.9%
Grade 12	0.0%	0.8%	1.8%	98.2%
Delta 8				
All	2.4%	3.1%	5.2%	94.8%
Grade 7	1.2%	1.2%	1.7%	98.3%
Grade 8	2.5%	3.3%	5.0%	95.0%
Grade 9	1.2%	1.2%	4.1%	95.9%
Grade 10	2.9%	3.3%	4.3%	95.7%
Grade 11	2.2%	3.9%	8.1%	91.9%
Grade 12	5.2%	7.3%	9.9%	90.1%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.4%	13.0%	23.4%	76.6%
Grade 7	1.7%	4.4%	9.4%	90.6%
Grade 8	7.3%	9.6%	20.3%	79.7%
Grade 9	6.0%	8.8%	18.8%	81.2%
Grade 10	12.3%	17.1%	27.7%	72.3%
Grade 11	11.7%	17.2%	29.8%	70.2%
Grade 12	18.2%	21.7%	35.7%	64.3%
Any Alcohol Product				
All	24.0%	28.7%	48.3%	51.7%
Grade 7	11.7%	15.1%	31.6%	68.4%
Grade 8	18.1%	23.8%	39.8%	60.2%
Grade 9	19.6%	23.7%	50.4%	49.6%
Grade 10	23.2%	30.7%	55.0%	45.0%
Grade 11	30.4%	35.2%	53.2%	46.8%
Grade 12	41.3%	44.5%	59.7%	40.3%
Any Illicit Drug				
All	6.5%	8.9%	13.3%	86.7%
Grade 7	0.1%	1.6%	1.7%	98.3%
Grade 8	2.2%	3.5%	3.7%	96.3%
Grade 9	4.9%	6.1%	11.4%	88.6%
Grade 10	6.5%	9.3%	14.2%	85.8%
Grade 11	8.5%	12.5%	20.3%	79.7%
Grade 12	16.4%	20.6%	27.5%	72.5%
Any Prescription Drug				
All	4.1%	6.1%	11.9%	88.1%
Grade 7	6.6%	9.5%	15.5%	84.5%
Grade 8	3.6%	6.4%	12.2%	87.8%
Grade 9	4.9%	6.7%	12.8%	87.2%
Grade 10	3.0%	3.6%	6.9%	93.1%
Grade 11	4.8%	5.9%	12.2%	87.8%
Grade 12	1.5%	4.1%	11.4%	88.6%
Any Inhalant				
All	2.4%	3.9%	11.1%	88.9%
Grade 7	4.2%	6.1%	12.8%	87.2%
Grade 8	1.8%	3.0%	11.7%	88.3%
Grade 9	2.4%	4.4%	11.7%	88.3%
Grade 10	2.7%	3.4%	10.0%	90.0%
Grade 11	1.9%	4.0%	9.7%	90.3%
Grade 12	1.3%	2.2%	10.5%	89.5%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.0%	11.6%	20.5%	79.5%
Grade 7	1.1%	3.3%	6.9%	93.1%
Grade 8	5.4%	8.4%	15.7%	84.3%
Grade 9	5.2%	7.7%	16.4%	83.6%
Grade 10	9.4%	13.3%	25.1%	74.9%
Grade 11	11.1%	16.5%	27.4%	72.6%
Grade 12	16.2%	20.7%	32.6%	67.4%
Marijuana				
All	6.1%	7.7%	12.1%	87.9%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	1.9%	2.5%	2.7%	97.3%
Grade 9	4.8%	5.7%	10.5%	89.5%
Grade 10	5.8%	8.1%	13.1%	86.9%
Grade 11	8.3%	11.4%	19.4%	80.6%
Grade 12	15.4%	18.1%	25.7%	74.3%
Marijuana Only				
All	2.9%	4.1%	7.3%	92.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	1.1%	1.8%	2.0%	98.0%
Grade 9	3.2%	4.1%	7.9%	92.1%
Grade 10	2.5%	4.8%	9.1%	90.9%
Grade 11	3.9%	5.7%	10.0%	90.0%
Grade 12	6.7%	8.4%	14.1%	85.9%
Cocaine or Crack				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	1.7%	1.7%	2.0%	98.0%
Grade 11	0.1%	0.5%	3.1%	96.9%
Grade 12	0.4%	0.4%	1.8%	98.2%
Cocaine				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.9%	0.9%	1.3%	98.7%
Grade 11	0.1%	0.5%	3.1%	96.9%
Grade 12	0.2%	0.2%	1.6%	98.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.4%	0.7%	1.7%	98.3%
Grade 11	1.2%	1.2%	2.3%	97.7%
Grade 12	1.5%	2.2%	6.2%	93.8%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.3%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.5%	1.1%	1.4%	98.6%
Grade 12	0.0%	0.0%	1.0%	99.0%
Ecstasy				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	1.0%	2.3%	97.7%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	0.6%	0.7%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.8%	0.8%	1.8%	98.2%
Grade 10	0.5%	0.5%	2.5%	97.5%
Grade 11	1.0%	1.4%	3.6%	96.4%
Grade 12	1.2%	1.3%	4.4%	95.6%
Methamphetamine				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.8%	1.2%	98.8%
Delta 8				
All	2.0%	2.5%	3.6%	96.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	1.0%	1.0%	1.7%	98.3%
Grade 10	1.8%	1.8%	4.4%	95.6%
Grade 11	1.9%	3.7%	5.1%	94.9%
Grade 12	6.6%	8.0%	9.7%	90.3%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.0%	18.6%	31.2%	68.8%
Grade 7	10.5%	12.9%	25.0%	75.0%
Grade 8	15.1%	19.8%	34.6%	65.4%
Grade 9	13.0%	16.1%	28.6%	71.4%
Grade 10	13.5%	17.0%	27.7%	72.3%
Grade 11	21.7%	25.4%	38.3%	61.7%
Grade 12	19.4%	23.9%	35.1%	64.9%
Any Alcohol Product				
All	28.0%	32.5%	51.2%	48.8%
Grade 7	22.3%	25.6%	43.4%	56.6%
Grade 8	25.7%	30.6%	49.7%	50.3%
Grade 9	25.4%	28.1%	54.0%	46.0%
Grade 10	27.7%	33.5%	52.5%	47.5%
Grade 11	36.5%	42.0%	55.6%	44.4%
Grade 12	36.7%	42.4%	54.7%	45.3%
Any Illicit Drug				
All	13.1%	17.4%	22.6%	77.4%
Grade 7	5.9%	8.3%	10.7%	89.3%
Grade 8	14.3%	18.7%	22.9%	77.1%
Grade 9	11.1%	14.4%	21.1%	78.9%
Grade 10	12.3%	17.3%	22.2%	77.8%
Grade 11	19.5%	24.5%	32.0%	68.0%
Grade 12	19.5%	26.4%	33.5%	66.5%
Any Prescription Drug				
All	5.2%	8.3%	15.7%	84.3%
Grade 7	6.2%	10.4%	17.2%	82.8%
Grade 8	5.4%	9.6%	18.0%	82.0%
Grade 9	4.2%	6.7%	13.7%	86.3%
Grade 10	7.5%	9.1%	12.2%	87.8%
Grade 11	4.1%	6.9%	17.8%	82.2%
Grade 12	3.6%	5.8%	15.1%	84.9%
Any Inhalant				
All	5.6%	7.6%	13.9%	86.1%
Grade 7	6.6%	8.9%	16.2%	83.8%
Grade 8	9.1%	10.8%	15.9%	84.1%
Grade 9	4.4%	4.9%	11.5%	88.5%
Grade 10	3.3%	8.0%	13.9%	86.1%
Grade 11	4.3%	5.5%	13.5%	86.5%
Grade 12	3.7%	5.6%	10.9%	89.1%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.9%	15.4%	28.1%	71.9%
Grade 7	9.2%	11.2%	21.8%	78.2%
Grade 8	10.3%	16.9%	32.1%	67.9%
Grade 9	8.7%	12.5%	25.3%	74.7%
Grade 10	10.1%	14.6%	26.8%	73.2%
Grade 11	17.0%	21.0%	33.6%	66.4%
Grade 12	12.0%	18.7%	30.7%	69.3%
Marijuana				
All	12.4%	15.2%	20.8%	79.2%
Grade 7	5.4%	5.9%	8.5%	91.5%
Grade 8	13.4%	15.1%	19.8%	80.2%
Grade 9	10.7%	13.5%	20.1%	79.9%
Grade 10	12.0%	16.2%	21.8%	78.2%
Grade 11	18.1%	21.7%	30.0%	70.0%
Grade 12	18.3%	24.1%	31.6%	68.4%
Marijuana Only				
All	5.0%	6.7%	10.9%	89.1%
Grade 7	1.4%	1.8%	3.7%	96.3%
Grade 8	5.8%	6.9%	11.4%	88.6%
Grade 9	5.4%	6.8%	10.7%	89.3%
Grade 10	4.8%	8.4%	13.1%	86.9%
Grade 11	5.4%	6.9%	11.9%	88.1%
Grade 12	8.5%	11.7%	18.1%	81.9%
Cocaine or Crack				
All	0.9%	1.3%	2.4%	97.6%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	0.8%	0.8%	2.2%	97.8%
Grade 9	1.0%	1.5%	1.7%	98.3%
Grade 10	0.2%	0.7%	2.5%	97.5%
Grade 11	1.6%	2.6%	4.9%	95.1%
Grade 12	1.8%	1.8%	3.0%	97.0%
Cocaine				
All	0.8%	1.2%	2.3%	97.7%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	0.7%	0.7%	2.0%	98.0%
Grade 9	0.7%	1.1%	1.4%	98.6%
Grade 10	0.2%	0.7%	2.5%	97.5%
Grade 11	1.6%	2.6%	4.9%	95.1%
Grade 12	1.8%	1.8%	3.0%	97.0%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.4%	99.6%
Hallucinogens				
All	0.9%	1.6%	3.6%	96.4%
Grade 7	0.5%	1.2%	2.6%	97.4%
Grade 8	0.3%	0.7%	2.2%	97.8%
Grade 9	0.3%	0.6%	2.4%	97.6%
Grade 10	1.6%	2.4%	4.6%	95.4%
Grade 11	1.7%	2.6%	5.4%	94.6%
Grade 12	2.1%	3.5%	6.0%	94.0%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.4%	1.4%	98.6%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.0%	0.1%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.6%	0.6%	2.0%	98.0%
Grade 11	0.9%	0.9%	3.2%	96.8%
Grade 12	0.0%	1.3%	1.4%	98.6%
Ecstasy				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	0.8%	1.1%	2.2%	97.8%
Grade 11	0.2%	1.0%	3.0%	97.0%
Grade 12	0.3%	0.3%	1.5%	98.5%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.2%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	1.3%	1.8%	3.9%	96.1%
Grade 7	1.6%	1.6%	2.7%	97.3%
Grade 8	1.2%	1.7%	4.1%	95.9%
Grade 9	0.8%	1.0%	3.2%	96.8%
Grade 10	1.7%	1.8%	3.6%	96.4%
Grade 11	1.4%	3.3%	6.8%	93.2%
Grade 12	1.2%	2.1%	3.8%	96.2%
Methamphetamine				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.5%	0.6%	99.4%
Grade 8	0.0%	0.3%	0.4%	99.6%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.8%	1.2%	1.8%	98.2%
Grade 11	1.3%	1.3%	1.7%	98.3%
Grade 12	0.0%	0.3%	1.4%	98.6%
Delta 8				
All	3.2%	4.1%	7.0%	93.0%
Grade 7	2.4%	2.4%	2.5%	97.5%
Grade 8	2.5%	3.4%	4.8%	95.2%
Grade 9	2.0%	2.2%	7.1%	92.9%
Grade 10	4.3%	4.6%	5.7%	94.3%
Grade 11	5.1%	7.7%	14.5%	85.5%
Grade 12	4.8%	6.6%	11.4%	88.6%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.9%	12.6%	22.9%	77.1%
Grade 7	4.8%	6.2%	11.9%	88.1%
Grade 8	10.5%	14.0%	27.8%	72.2%
Grade 9	9.1%	11.9%	21.9%	78.1%
Grade 10	10.5%	12.4%	22.3%	77.7%
Grade 11	12.1%	16.2%	28.0%	72.0%
Grade 12	15.1%	17.9%	28.9%	71.1%
Any Alcohol Product				
All	24.2%	28.0%	46.4%	53.6%
Grade 7	17.5%	19.3%	33.9%	66.1%
Grade 8	21.6%	25.9%	42.8%	57.2%
Grade 9	22.4%	26.2%	52.9%	47.1%
Grade 10	25.1%	30.3%	51.6%	48.4%
Grade 11	28.6%	33.3%	48.4%	51.6%
Grade 12	34.9%	38.3%	51.5%	48.5%
Any Illicit Drug				
All	7.3%	10.0%	14.0%	86.0%
Grade 7	3.3%	4.5%	5.7%	94.3%
Grade 8	7.3%	9.3%	11.4%	88.6%
Grade 9	6.3%	8.8%	14.7%	85.3%
Grade 10	7.2%	11.2%	15.1%	84.9%
Grade 11	9.2%	12.8%	19.0%	81.0%
Grade 12	12.8%	16.4%	22.2%	77.8%
Any Prescription Drug				
All	4.5%	6.8%	12.8%	87.2%
Grade 7	6.0%	8.7%	14.5%	85.5%
Grade 8	4.2%	8.1%	15.1%	84.9%
Grade 9	4.0%	5.9%	12.8%	87.2%
Grade 10	5.8%	7.2%	9.3%	90.7%
Grade 11	3.3%	4.7%	12.5%	87.5%
Grade 12	3.7%	5.6%	11.5%	88.5%
Any Inhalant				
All	3.4%	5.4%	11.7%	88.3%
Grade 7	4.2%	6.7%	12.6%	87.4%
Grade 8	5.5%	7.1%	15.0%	85.0%
Grade 9	4.0%	5.3%	11.6%	88.4%
Grade 10	2.8%	6.2%	12.0%	88.0%
Grade 11	1.3%	3.6%	10.0%	90.0%
Grade 12	1.5%	2.4%	7.8%	92.2%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.8%	11.0%	20.4%	79.6%
Grade 7	4.1%	5.5%	10.3%	89.7%
Grade 8	8.5%	13.0%	25.4%	74.6%
Grade 9	6.1%	9.4%	19.3%	80.7%
Grade 10	8.4%	10.3%	20.9%	79.1%
Grade 11	10.2%	14.2%	25.1%	74.9%
Grade 12	11.7%	15.9%	24.8%	75.2%
Marijuana				
All	6.8%	8.3%	12.5%	87.5%
Grade 7	2.9%	2.9%	3.8%	96.2%
Grade 8	6.9%	7.0%	9.5%	90.5%
Grade 9	6.0%	8.0%	13.5%	86.5%
Grade 10	6.7%	10.0%	14.2%	85.8%
Grade 11	8.9%	11.1%	18.0%	82.0%
Grade 12	11.6%	13.7%	20.5%	79.5%
Marijuana Only				
All	3.3%	4.4%	7.4%	92.6%
Grade 7	1.2%	1.2%	1.9%	98.1%
Grade 8	3.7%	3.8%	6.2%	93.8%
Grade 9	3.0%	4.3%	7.7%	92.3%
Grade 10	3.2%	6.1%	9.2%	90.8%
Grade 11	4.0%	5.5%	10.0%	90.0%
Grade 12	6.0%	6.9%	11.5%	88.5%
Cocaine or Crack				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	1.5%	98.5%
Grade 9	0.5%	0.8%	1.0%	99.0%
Grade 10	1.3%	1.7%	2.5%	97.5%
Grade 11	0.3%	0.6%	2.4%	97.6%
Grade 12	0.7%	0.7%	1.3%	98.7%
Cocaine				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.5%	0.8%	1.0%	99.0%
Grade 10	0.7%	1.1%	2.0%	98.0%
Grade 11	0.3%	0.6%	2.4%	97.6%
Grade 12	0.7%	0.7%	1.3%	98.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.4%	0.9%	1.2%	98.8%
Grade 8	0.3%	0.7%	1.1%	98.9%
Grade 9	0.0%	0.1%	1.3%	98.7%
Grade 10	0.4%	0.8%	2.1%	97.9%
Grade 11	0.4%	0.4%	1.2%	98.8%
Grade 12	2.5%	3.1%	5.4%	94.6%
Synthetic Cathinones				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.0%	0.1%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	1.2%	1.2%	2.2%	97.8%
Grade 12	0.0%	0.5%	1.5%	98.5%
Ecstasy				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.5%	0.5%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.8%	2.3%	97.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.9%	1.0%	2.5%	97.5%
Grade 7	1.2%	1.2%	1.6%	98.4%
Grade 8	0.8%	0.9%	2.0%	98.0%
Grade 9	1.1%	1.2%	2.5%	97.5%
Grade 10	0.6%	0.7%	2.7%	97.3%
Grade 11	0.6%	1.0%	3.0%	97.0%
Grade 12	0.8%	0.9%	3.4%	96.6%
Methamphetamine				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
Delta 8				
All	1.9%	2.4%	4.1%	95.9%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	1.3%	1.7%	2.7%	97.3%
Grade 9	1.5%	1.6%	4.5%	95.5%
Grade 10	1.8%	2.3%	4.8%	95.2%
Grade 11	1.6%	3.4%	5.0%	95.0%
Grade 12	4.2%	5.3%	7.8%	92.2%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.3%	22.6%	37.7%	62.3%
Grade 7	7.7%	14.0%	32.3%	67.7%
Grade 8	17.4%	21.7%	34.1%	65.9%
Grade 9	12.2%	15.4%	31.9%	68.1%
Grade 10	16.8%	24.1%	38.1%	61.9%
Grade 11	23.3%	28.9%	42.9%	57.1%
Grade 12	28.0%	33.7%	49.1%	50.9%
Any Alcohol Product				
All	30.9%	37.0%	57.6%	42.4%
Grade 7	19.6%	26.0%	48.4%	51.6%
Grade 8	27.1%	34.7%	56.0%	44.0%
Grade 9	24.9%	27.4%	51.9%	48.1%
Grade 10	28.7%	36.6%	58.0%	42.0%
Grade 11	38.9%	45.1%	63.6%	36.4%
Grade 12	50.0%	55.9%	69.8%	30.2%
Any Illicit Drug				
All	16.0%	21.5%	28.0%	72.0%
Grade 7	4.8%	10.5%	13.2%	86.8%
Grade 8	16.4%	22.8%	26.8%	73.2%
Grade 9	14.1%	16.3%	22.7%	77.3%
Grade 10	14.1%	18.1%	24.5%	75.5%
Grade 11	20.8%	27.3%	37.2%	62.8%
Grade 12	27.4%	36.4%	46.8%	53.2%
Any Prescription Drug				
All	6.0%	9.2%	17.8%	82.2%
Grade 7	7.0%	13.0%	20.8%	79.2%
Grade 8	7.4%	10.6%	19.5%	80.5%
Grade 9	5.6%	8.5%	17.0%	83.0%
Grade 10	4.8%	5.8%	10.9%	89.1%
Grade 11	7.0%	10.2%	20.2%	79.8%
Grade 12	3.8%	7.0%	18.9%	81.1%
Any Inhalant				
All	5.3%	6.7%	14.3%	85.7%
Grade 7	7.8%	8.8%	19.3%	80.7%
Grade 8	9.1%	11.1%	15.2%	84.8%
Grade 9	3.0%	3.5%	11.2%	88.8%
Grade 10	3.5%	5.4%	12.8%	87.2%
Grade 11	4.6%	5.2%	12.9%	87.1%
Grade 12	3.5%	5.8%	14.7%	85.3%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.9%	18.7%	33.9%	66.1%
Grade 7	6.2%	10.3%	27.2%	72.8%
Grade 8	9.8%	16.5%	29.9%	70.1%
Grade 9	9.9%	12.8%	28.0%	72.0%
Grade 10	12.3%	20.0%	36.2%	63.8%
Grade 11	19.0%	24.9%	38.3%	61.7%
Grade 12	22.1%	29.7%	46.3%	53.7%
Marijuana				
All	15.3%	19.2%	26.0%	74.0%
Grade 7	4.8%	6.4%	9.8%	90.2%
Grade 8	15.4%	18.9%	23.2%	76.8%
Grade 9	14.0%	16.1%	22.3%	77.7%
Grade 10	13.8%	17.0%	24.0%	76.0%
Grade 11	19.2%	24.9%	34.8%	65.2%
Grade 12	26.6%	34.4%	44.9%	55.1%
Marijuana Only				
All	6.0%	8.4%	13.6%	86.4%
Grade 7	0.8%	2.1%	4.7%	95.3%
Grade 8	5.1%	7.5%	11.6%	88.4%
Grade 9	8.1%	9.4%	14.2%	85.8%
Grade 10	5.6%	8.4%	15.0%	85.0%
Grade 11	5.9%	8.2%	13.0%	87.0%
Grade 12	11.4%	16.2%	25.1%	74.9%
Cocaine or Crack				
All	1.3%	1.6%	2.9%	97.1%
Grade 7	0.8%	1.1%	2.8%	97.2%
Grade 8	2.0%	2.0%	2.0%	98.0%
Grade 9	1.8%	1.8%	2.1%	97.9%
Grade 10	0.2%	0.2%	1.7%	98.3%
Grade 11	1.6%	2.8%	5.3%	94.7%
Grade 12	1.5%	1.5%	4.2%	95.8%
Cocaine				
All	1.2%	1.4%	2.8%	97.2%
Grade 7	0.8%	1.1%	2.8%	97.2%
Grade 8	2.0%	2.0%	2.0%	98.0%
Grade 9	1.1%	1.1%	1.4%	98.6%
Grade 10	0.2%	0.2%	1.7%	98.3%
Grade 11	1.6%	2.8%	5.3%	94.7%
Grade 12	1.3%	1.3%	3.9%	96.1%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.8%	1.1%	1.9%	98.1%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.6%	0.6%	1.6%	98.4%
Grade 12	0.2%	0.2%	0.6%	99.4%
Hallucinogens				
All	1.0%	1.6%	4.4%	95.6%
Grade 7	0.0%	0.0%	2.8%	97.2%
Grade 8	0.6%	0.6%	2.5%	97.5%
Grade 9	0.6%	0.8%	2.7%	97.3%
Grade 10	2.0%	2.8%	4.9%	95.1%
Grade 11	1.9%	3.3%	7.0%	93.0%
Grade 12	0.4%	1.8%	6.9%	93.1%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.4%	1.2%	3.1%	96.9%
Grade 12	0.0%	0.6%	1.2%	98.8%
Ecstasy				
All	0.3%	0.6%	1.7%	98.3%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.0%	0.3%	1.0%	99.0%
Grade 10	0.3%	0.7%	1.1%	98.9%
Grade 11	0.2%	1.3%	4.0%	96.0%
Grade 12	0.7%	0.7%	1.7%	98.3%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	1.0%	99.0%
Synthetic Marijuana				
All	1.1%	1.9%	4.2%	95.8%
Grade 7	0.0%	0.8%	1.9%	98.1%
Grade 8	1.4%	2.1%	4.6%	95.4%
Grade 9	0.4%	0.6%	3.2%	96.8%
Grade 10	2.0%	2.0%	3.4%	96.6%
Grade 11	1.0%	3.2%	7.3%	92.7%
Grade 12	1.7%	2.7%	4.9%	95.1%
Methamphetamine				
All	0.6%	1.1%	1.4%	98.6%
Grade 7	0.0%	0.8%	0.8%	99.2%
Grade 8	0.6%	1.2%	1.2%	98.8%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.8%	1.2%	1.5%	98.5%
Grade 11	1.6%	1.6%	2.1%	97.9%
Grade 12	0.0%	1.5%	2.7%	97.3%
Delta 8				
All	3.9%	5.1%	8.3%	91.7%
Grade 7	1.0%	1.0%	2.1%	97.9%
Grade 8	3.1%	4.2%	5.6%	94.4%
Grade 9	1.6%	2.1%	5.6%	94.4%
Grade 10	5.0%	5.0%	5.6%	94.4%
Grade 11	5.5%	8.6%	16.3%	83.7%
Grade 12	8.0%	10.7%	16.1%	83.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.7%	14.1%	25.5%	74.5%
Grade 7	3.7%	6.2%	14.2%	85.8%
Grade 8	8.7%	12.0%	24.3%	75.7%
Grade 9	9.0%	11.8%	22.7%	77.3%
Grade 10	11.3%	14.8%	26.5%	73.5%
Grade 11	17.0%	21.9%	34.8%	65.2%
Grade 12	17.6%	21.4%	35.5%	64.5%
Any Alcohol Product				
All	24.7%	29.0%	48.8%	51.2%
Grade 7	16.2%	19.0%	35.9%	64.1%
Grade 8	18.6%	23.7%	42.2%	57.8%
Grade 9	21.2%	23.8%	51.1%	48.9%
Grade 10	23.8%	29.5%	51.1%	48.9%
Grade 11	33.0%	38.8%	56.2%	43.8%
Grade 12	40.9%	45.4%	60.9%	39.1%
Any Illicit Drug				
All	8.7%	12.0%	16.8%	83.2%
Grade 7	1.8%	4.2%	5.2%	94.8%
Grade 8	6.3%	9.7%	12.4%	87.6%
Grade 9	7.8%	10.0%	15.7%	84.3%
Grade 10	9.2%	12.1%	16.4%	83.6%
Grade 11	12.4%	17.2%	25.6%	74.4%
Grade 12	17.7%	22.7%	30.8%	69.2%
Any Prescription Drug				
All	4.5%	6.9%	13.1%	86.9%
Grade 7	5.9%	9.1%	14.8%	85.2%
Grade 8	4.5%	7.2%	12.8%	87.2%
Grade 9	4.2%	6.5%	12.9%	87.1%
Grade 10	4.3%	5.6%	9.5%	90.5%
Grade 11	4.7%	6.6%	14.8%	85.2%
Grade 12	3.3%	6.0%	13.4%	86.6%
Any Inhalant				
All	3.4%	4.7%	11.0%	89.0%
Grade 7	5.1%	6.4%	12.2%	87.8%
Grade 8	4.4%	5.6%	11.8%	88.2%
Grade 9	3.3%	3.7%	10.5%	89.5%
Grade 10	3.0%	5.0%	11.0%	89.0%
Grade 11	2.3%	4.1%	9.8%	90.2%
Grade 12	1.6%	3.3%	10.2%	89.8%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.4%	12.1%	22.8%	77.2%
Grade 7	3.2%	5.2%	11.6%	88.4%
Grade 8	4.8%	9.6%	21.1%	78.9%
Grade 9	6.8%	9.5%	19.8%	80.2%
Grade 10	8.8%	12.5%	24.9%	75.1%
Grade 11	15.1%	19.9%	31.7%	68.3%
Grade 12	14.4%	19.6%	32.1%	67.9%
Marijuana				
All	8.3%	10.4%	15.6%	84.4%
Grade 7	1.8%	2.0%	3.4%	96.6%
Grade 8	6.2%	7.7%	10.8%	89.2%
Grade 9	7.4%	9.6%	14.9%	85.1%
Grade 10	8.8%	10.8%	15.7%	84.3%
Grade 11	11.9%	15.4%	24.2%	75.8%
Grade 12	16.6%	20.5%	29.7%	70.3%
Marijuana Only				
All	3.7%	5.1%	9.0%	91.0%
Grade 7	0.6%	0.9%	1.8%	98.2%
Grade 8	2.4%	3.4%	6.4%	93.6%
Grade 9	4.1%	5.6%	9.4%	90.6%
Grade 10	4.2%	6.3%	10.6%	89.4%
Grade 11	3.6%	5.7%	10.8%	89.2%
Grade 12	8.2%	10.5%	17.3%	82.7%
Cocaine or Crack				
All	0.6%	0.8%	1.6%	98.4%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.7%	0.7%	1.4%	98.6%
Grade 9	0.5%	0.8%	0.9%	99.1%
Grade 10	1.1%	1.4%	2.0%	98.0%
Grade 11	0.5%	1.2%	3.4%	96.6%
Grade 12	1.0%	1.0%	2.1%	97.9%
Cocaine				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.5%	0.8%	0.9%	99.1%
Grade 10	0.7%	1.0%	1.6%	98.4%
Grade 11	0.5%	1.2%	3.4%	96.6%
Grade 12	0.8%	0.8%	2.0%	98.0%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.2%	99.8%
Hallucinogens				
All	0.5%	0.8%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	0.0%	0.2%	1.2%	98.8%
Grade 10	0.8%	1.1%	2.6%	97.4%
Grade 11	0.7%	1.4%	2.9%	97.1%
Grade 12	1.6%	2.5%	5.6%	94.4%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.9%	1.3%	2.7%	97.3%
Grade 12	0.0%	0.7%	1.7%	98.3%
Ecstasy				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.4%	0.5%	0.9%	99.1%
Grade 10	0.4%	0.6%	0.9%	99.1%
Grade 11	0.0%	0.6%	1.2%	98.8%
Grade 12	0.6%	0.8%	2.2%	97.8%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	0.6%	0.9%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.2%	0.6%	1.3%	98.7%
Grade 9	1.0%	1.1%	2.6%	97.4%
Grade 10	0.8%	0.8%	2.3%	97.7%
Grade 11	0.6%	1.7%	4.9%	95.1%
Grade 12	1.1%	1.3%	3.8%	96.2%
Methamphetamine				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.6%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.5%	0.9%	99.1%
Delta 8				
All	2.3%	3.2%	5.1%	94.9%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.9%	1.8%	2.5%	97.5%
Grade 9	1.7%	2.0%	4.8%	95.2%
Grade 10	2.9%	3.2%	4.7%	95.3%
Grade 11	3.1%	5.6%	9.6%	90.4%
Grade 12	5.6%	7.4%	10.3%	89.7%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.8%	24.9%	37.8%	62.2%
Grade 7	15.8%	18.3%	32.2%	67.8%
Grade 8	28.4%	33.3%	50.0%	50.0%
Grade 9	11.2%	15.6%	31.7%	68.3%
Grade 10	21.7%	28.7%	37.7%	62.3%
Grade 11	20.6%	23.0%	36.3%	63.7%
Grade 12	27.5%	30.6%	37.0%	63.0%
Any Alcohol Product				
All	34.3%	40.3%	56.6%	43.4%
Grade 7	23.9%	29.9%	44.1%	55.9%
Grade 8	46.3%	52.2%	71.3%	28.7%
Grade 9	30.5%	38.0%	60.8%	39.2%
Grade 10	31.8%	41.7%	62.5%	37.5%
Grade 11	35.2%	37.6%	52.1%	47.9%
Grade 12	37.0%	41.2%	44.8%	55.2%
Any Illicit Drug				
All	15.4%	20.8%	25.6%	74.4%
Grade 7	9.0%	11.9%	15.0%	85.0%
Grade 8	24.4%	28.7%	32.8%	67.2%
Grade 9	11.6%	15.3%	22.5%	77.5%
Grade 10	9.6%	19.8%	23.6%	76.4%
Grade 11	20.0%	23.6%	29.3%	70.7%
Grade 12	17.2%	25.5%	31.1%	68.9%
Any Prescription Drug				
All	6.9%	9.8%	19.4%	80.6%
Grade 7	9.5%	13.1%	23.3%	76.7%
Grade 8	7.4%	14.4%	26.7%	73.3%
Grade 9	4.2%	5.0%	15.4%	84.6%
Grade 10	9.4%	10.9%	12.3%	87.7%
Grade 11	4.7%	7.2%	18.0%	82.0%
Grade 12	5.8%	7.5%	18.6%	81.4%
Any Inhalant				
All	7.8%	11.2%	20.0%	80.0%
Grade 7	6.6%	12.2%	24.4%	75.6%
Grade 8	15.5%	19.8%	28.9%	71.1%
Grade 9	6.8%	9.1%	17.1%	82.9%
Grade 10	3.8%	11.3%	16.7%	83.3%
Grade 11	6.3%	6.3%	17.2%	82.8%
Grade 12	5.6%	6.1%	12.0%	88.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.1%	20.5%	34.2%	65.8%
Grade 7	12.5%	15.0%	29.3%	70.7%
Grade 8	23.3%	30.6%	45.9%	54.1%
Grade 9	6.8%	13.1%	28.9%	71.1%
Grade 10	15.9%	22.9%	37.5%	62.5%
Grade 11	13.6%	17.0%	29.6%	70.4%
Grade 12	18.4%	24.1%	32.6%	67.4%
Marijuana				
All	14.5%	17.9%	22.4%	77.6%
Grade 7	9.0%	9.3%	11.4%	88.6%
Grade 8	22.8%	24.0%	28.5%	71.5%
Grade 9	11.6%	13.2%	20.4%	79.6%
Grade 10	8.7%	18.8%	22.0%	78.0%
Grade 11	17.7%	20.7%	26.7%	73.3%
Grade 12	16.1%	21.8%	26.1%	73.9%
Marijuana Only				
All	6.0%	8.1%	11.2%	88.8%
Grade 7	3.1%	3.1%	4.7%	95.3%
Grade 8	9.8%	11.0%	15.4%	84.6%
Grade 9	6.4%	7.0%	10.8%	89.2%
Grade 10	2.8%	11.1%	13.5%	86.5%
Grade 11	8.3%	9.0%	11.9%	88.1%
Grade 12	4.2%	7.1%	11.0%	89.0%
Cocaine or Crack				
All	1.1%	1.1%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.6%	1.6%	1.6%	98.4%
Grade 9	1.3%	1.3%	1.5%	98.5%
Grade 10	0.0%	0.0%	2.5%	97.5%
Grade 11	1.9%	2.3%	5.6%	94.4%
Grade 12	1.4%	1.4%	3.7%	96.3%
Cocaine				
All	0.8%	0.9%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.6%	1.6%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	2.5%	97.5%
Grade 11	1.9%	2.3%	5.6%	94.4%
Grade 12	1.4%	1.4%	3.7%	96.3%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.6%	99.4%
Hallucinogens				
All	2.0%	2.9%	5.4%	94.6%
Grade 7	1.6%	3.7%	5.6%	94.4%
Grade 8	1.2%	2.4%	3.5%	96.5%
Grade 9	1.1%	1.1%	3.6%	96.4%
Grade 10	1.6%	2.4%	5.1%	94.9%
Grade 11	4.3%	4.3%	7.7%	92.3%
Grade 12	2.6%	3.7%	7.7%	92.3%
Synthetic Cathinones				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	2.1%	97.9%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.4%	1.4%	98.6%
Grade 7	0.5%	0.5%	1.6%	98.4%
Grade 8	0.0%	0.0%	3.2%	96.8%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.8%	0.8%	1.5%	98.5%
Grade 11	0.9%	0.9%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.3%	0.3%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	2.6%	97.4%
Grade 11	0.5%	0.5%	3.5%	96.5%
Grade 12	0.8%	0.8%	1.9%	98.1%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.3%	0.7%	99.3%
Grade 7	0.0%	1.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.8%	99.2%
Synthetic Marijuana				
All	2.5%	2.6%	5.1%	94.9%
Grade 7	3.5%	3.5%	4.0%	96.0%
Grade 8	3.5%	3.5%	8.5%	91.5%
Grade 9	0.0%	0.0%	3.3%	96.7%
Grade 10	3.3%	3.3%	5.8%	94.2%
Grade 11	3.0%	3.4%	4.3%	95.7%
Grade 12	1.6%	2.0%	4.2%	95.8%
Methamphetamine				
All	0.1%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.2%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.5%	0.5%	1.6%	98.4%
Grade 12	0.0%	0.6%	3.0%	97.0%
Delta 8				
All	3.3%	3.5%	7.3%	92.7%
Grade 7	3.4%	3.4%	3.9%	96.1%
Grade 8	2.7%	2.7%	6.2%	93.8%
Grade 9	0.2%	0.2%	6.1%	93.9%
Grade 10	2.7%	2.7%	4.6%	95.4%
Grade 11	5.5%	6.2%	11.2%	88.8%
Grade 12	6.4%	6.9%	13.0%	87.0%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	25,008	49.9%
Female	25,098	50.1%
Frequency Missing	352	

Hispanic or Latino

Q5a	Frequency	Percent
No	16,237	32.6%
Yes	33,630	67.4%
Frequency Missing	590	

Grade

Q2	Frequency	Percent
Grade 7	9,174	18.3%
Grade 8	9,250	18.4%
Grade 9	9,682	19.3%
Grade 10	7,972	15.9%
Grade 11	7,491	14.9%
Grade 12	6,696	13.3%
Frequency Missing	193	

Ethnicity

Q5b	Frequency	Percent
American Indian	1,262	2.7%
Asian American	284	0.6%
African American	2,388	5.2%
Pacific Islander	33	0.1%
White	21,674	46.8%
Other	12,917	27.9%
More Than One Race	7,730	16.7%
Frequency Missing	4,169	

Live with Both Parents

Q3	Frequency	Percent
No	17,615	35.3%
Yes	32,305	64.7%
Frequency Missing	537	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	303	0.6%
Mostly D's	543	1.1%
Mostly C's	4,842	10.0%
Mostly B's	21,501	44.5%
Mostly A's	21,131	43.7%
Frequency Missing	2,137	

Age

Q4	Frequency	Percent
11 or younger	34	0.1%
12	3,349	6.7%
13	8,795	17.5%
14	9,741	19.4%
15	8,813	17.5%
16	7,868	15.7%
17	7,287	14.5%
18	4,066	8.1%
19 or older	298	0.6%
Frequency Missing	207	

Do You Have a Job

Q7	Frequency	Percent
No	37,701	77.9%
Yes	10,674	22.1%
Frequency Missing	2,083	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	6,173	12.7%
Yes	22,551	46.4%
Don't Know	19,904	40.9%
Frequency Missing	1,829	

**Participate in School Athletics (UIL, Varsity,
Jr Varsity)**

Q9a	Frequency	Percent
No	20,128	43.4%
Yes	26,197	56.6%
Frequency Missing	4,132	

**Participate in Academic
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	32,062	74.2%
Yes	11,158	25.8%
Frequency Missing	7,237	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	34,052	77.4%
Yes	9,937	22.6%
Frequency Missing	6,469	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	32,146	75.0%
Yes	10,732	25.0%
Frequency Missing	7,579	

Participate in School Choir

Q9c	Frequency	Percent
No	39,671	93.3%
Yes	2,849	6.7%
Frequency Missing	7,937	

**Participate in Athletic Teams Outside of
School**

Q9h	Frequency	Percent
No	30,476	69.7%
Yes	13,261	30.3%
Frequency Missing	6,720	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	39,807	93.5%
Yes	2,751	6.5%
Frequency Missing	7,899	

**Participate in Other Clubs or Groups
Outside of School**

Q9i	Frequency	Percent
No	34,234	79.6%
Yes	8,756	20.4%
Frequency Missing	7,468	

**Participate in Student Government/School
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	38,355	90.1%
Yes	4,207	9.9%
Frequency Missing	7,895	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	43,544	86.7%
Somewhat Safe	5,493	10.9%
Not Very Safe	640	1.3%
Not Safe At All	102	0.2%
Don't Know	457	0.9%
Frequency Missing	221	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	21,515	43.0%
Somewhat Safe	23,168	46.4%
Not Very Safe	3,078	6.2%
Not Safe At All	785	1.6%
Don't Know	1,438	2.9%
Frequency Missing	472	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	25,834	53.8%
Yes	22,175	46.2%
Frequency Missing	2,448	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	20,187	40.3%
Somewhat Safe	21,934	43.8%
Not Very Safe	3,998	8.0%
Not Safe At All	2,219	4.4%
Don't Know	1,732	3.5%
Frequency Missing	388	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	3,195	6.5%
A Few	11,239	22.7%
Some	11,600	23.4%
Most	16,391	33.1%
All	7,072	14.3%
Frequency Missing	960	

**Highest Level of Schooling Completed by
Father**

Q11a	Frequency	Percent
Grade School or Less	3,577	7.5%
Some High School	6,626	13.8%
Finished High School	13,194	27.5%
Some College	5,503	11.5%
Finished College	6,978	14.6%
Post-Secondary	3,945	8.2%
Don't Know or N/A	8,083	16.9%
Frequency Missing	2,551	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	1,390	2.8%
A Few	6,811	13.7%
Some	11,276	22.7%
Most	21,209	42.8%
All	8,887	17.9%
Frequency Missing	884	

**Highest Level of Schooling Completed by
Mother**

Q11b	Frequency	Percent
Grade School or Less	3,568	7.4%
Some High School	4,540	9.5%
Finished High School	11,366	23.7%
Some College	7,514	15.6%
Finished College	9,864	20.5%
Post-Secondary	6,104	12.7%
Don't Know or N/A	5,086	10.6%
Frequency Missing	2,416	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	20,796	42.5%
A Few	14,800	30.3%
Some	7,401	15.1%
Most	3,826	7.8%
All	2,060	4.2%
Frequency Missing	1,574	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	36,238	73.6%
A Few	7,592	15.4%
Some	2,945	6.0%
Most	1,798	3.7%
All	665	1.4%
Frequency Missing	1,219	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	48,708	98.6%
In Your Lifetime	360	0.7%
Since School Began	131	0.3%
In the Past Month	195	0.4%
Frequency Missing	1,063	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	43,324	87.7%
A Few	4,182	8.5%
Some	1,160	2.3%
Most	335	0.7%
All	415	0.8%
Frequency Missing	1,041	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	46,885	94.5%
In Your Lifetime	1,802	3.6%
Since School Began	491	1.0%
In the Past Month	461	0.9%
Frequency Missing	818	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	48,640	97.7%
In Your Lifetime	910	1.8%
Since School Began	49	0.1%
In the Past Month	185	0.4%
Frequency Missing	673	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	49,005	98.9%
In Your Lifetime	359	0.7%
Since School Began	111	0.2%
In the Past Month	96	0.2%
Frequency Missing	887	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	47,243	95.1%
In Your Lifetime	1,709	3.4%
Since School Began	209	0.4%
In the Past Month	498	1.0%
Frequency Missing	799	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	48,977	99.0%
In Your Lifetime	246	0.5%
Since School Began	80	0.2%
In the Past Month	168	0.3%
Frequency Missing	986	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	48,357	97.4%
In Your Lifetime	837	1.7%
Since School Began	113	0.2%
In the Past Month	363	0.7%
Frequency Missing	788	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	32,316	65.6%
In Your Lifetime	8,643	17.6%
Since School Began	2,699	5.5%
In the Past Month	5,568	11.3%
Frequency Missing	1,231	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	48,695	98.3%
In Your Lifetime	589	1.2%
Since School Began	68	0.1%
In the Past Month	193	0.4%
Frequency Missing	913	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	37,469	76.1%
In Your Lifetime	5,420	11.0%
Since School Began	2,337	4.7%
In the Past Month	4,018	8.2%
Frequency Missing	1,213	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	44,849	90.3%
In Your Lifetime	3,600	7.2%
Since School Began	458	0.9%
In the Past Month	764	1.5%
Frequency Missing	786	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	37,392	76.1%
In Your Lifetime	6,956	14.2%
Since School Began	2,131	4.3%
In the Past Month	2,677	5.4%
Frequency Missing	1,301	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	46,743	94.6%
In Your Lifetime	1,481	3.0%
Since School Began	477	1.0%
In the Past Month	686	1.4%
Frequency Missing	1,071	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	34,595	70.1%
In Your Lifetime	6,989	14.2%
Since School Began	2,504	5.1%
In the Past Month	5,262	10.7%
Frequency Missing	1,107	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	47,765	96.4%
In Your Lifetime	1,022	2.1%
Since School Began	222	0.4%
In the Past Month	534	1.1%
Frequency Missing	914	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	37,137	74.7%
In Your Lifetime	5,720	11.5%
Since School Began	2,026	4.1%
In the Past Month	4,841	9.7%
Frequency Missing	732	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	48,095	97.1%
In Your Lifetime	806	1.6%
Since School Began	212	0.4%
In the Past Month	400	0.8%
Frequency Missing	944	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	41,810	84.5%
In Your Lifetime	3,743	7.6%
Since School Began	1,124	2.3%
In the Past Month	2,794	5.6%
Frequency Missing	986	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	49,462	99.8%
In Your Lifetime	78	0.2%
Since School Began	0	0.0%
In the Past Month	43	0.1%
Frequency Missing	876	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	48,771	98.4%
In Your Lifetime	505	1.0%
Since School Began	136	0.3%
In the Past Month	156	0.3%
Frequency Missing	889	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	49,091	99.1%
In Your Lifetime	302	0.6%
Since School Began	74	0.1%
In the Past Month	93	0.2%
Frequency Missing	897	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	49,329	99.6%
In Your Lifetime	112	0.2%
Since School Began	0	0.0%
In the Past Month	72	0.1%
Frequency Missing	944	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	48,897	99.1%
In Your Lifetime	261	0.5%
Since School Began	68	0.1%
In the Past Month	125	0.3%
Frequency Missing	1,107	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	49,460	99.8%
In Your Lifetime	38	0.1%
Since School Began	42	0.1%
In the Past Month	39	0.1%
Frequency Missing	879	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	44,304	89.9%
In Your Lifetime	2,559	5.2%
Since School Began	1,065	2.2%
In the Past Month	1,361	2.8%
Frequency Missing	1,168	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	49,202	99.4%
In Your Lifetime	71	0.1%
Since School Began	127	0.3%
In the Past Month	97	0.2%
Frequency Missing	960	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	47,983	97.5%
In Your Lifetime	732	1.5%
Since School Began	198	0.4%
In the Past Month	277	0.6%
Frequency Missing	1,266	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	48,179	97.4%
In Your Lifetime	763	1.5%
Since School Began	166	0.3%
In the Past Month	354	0.7%
Frequency Missing	996	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	47,663	96.9%
In Your Lifetime	881	1.8%
Since School Began	205	0.4%
In the Past Month	414	0.8%
Frequency Missing	1,294	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	46,876	94.9%
In Your Lifetime	1,053	2.1%
Since School Began	363	0.7%
In the Past Month	1,100	2.2%
Frequency Missing	1,065	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	47,624	97.0%
In Your Lifetime	868	1.8%
Since School Began	243	0.5%
In the Past Month	387	0.8%
Frequency Missing	1,336	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	45,464	92.9%
In Your Lifetime	1,804	3.7%
Since School Began	501	1.0%
In the Past Month	1,186	2.4%
Frequency Missing	1,502	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	48,471	98.2%
1-2 times	554	1.1%
3-10 times	191	0.4%
11+ times	124	0.3%
Frequency Missing	1,117	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	47,899	97.7%
In Your Lifetime	661	1.3%
Since School Began	209	0.4%
In the Past Month	263	0.5%
Frequency Missing	1,426	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	44,730	90.6%
1-2 times	1,906	3.9%
3-10 times	1,322	2.7%
11+ times	1,406	2.8%
Frequency Missing	1,093	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	46,678	94.4%
1-2 times	1,352	2.7%
3-10 times	397	0.8%
11+ times	1,004	2.0%
Frequency Missing	1,027	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	49,101	99.5%
1-2 times	164	0.3%
3-10 times	70	0.1%
11+ times	22	0.0%
Frequency Missing	1,101	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	37,831	76.6%
1-2 times	7,338	14.8%
3-10 times	2,883	5.8%
11+ times	1,366	2.8%
Frequency Missing	1,040	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	49,174	99.7%
1-2 times	113	0.2%
3-10 times	0	0.0%
11+ times	30	0.1%
Frequency Missing	1,141	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	40,143	81.9%
A few	5,522	11.3%
Some	1,707	3.5%
Most	1,249	2.5%
All	400	0.8%
Frequency Missing	1,437	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	26,631	54.3%
A few	10,539	21.5%
Some	5,567	11.3%
Most	4,630	9.4%
All	1,718	3.5%
Frequency Missing	1,372	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	45,258	92.3%
A few	2,627	5.4%
Some	658	1.3%
Most	363	0.7%
All	105	0.2%
Frequency Missing	1,446	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	34,100	69.4%
A few	7,383	15.0%
Some	3,693	7.5%
Most	2,801	5.7%
All	1,144	2.3%
Frequency Missing	1,336	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	44,033	89.7%
8 or younger	494	1.0%
9 years old	202	0.4%
10 years old	378	0.8%
11 years old	555	1.1%
12 years old	499	1.0%
13 years old	791	1.6%
14 years old	688	1.4%
15 years old	665	1.4%
16 years old	546	1.1%
17 years old	166	0.3%
18 or older	50	0.1%
Frequency Missing	1,390	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	28,747	58.7%
8 or younger	2,652	5.4%
9 years old	885	1.8%
10 years old	1,270	2.6%
11 years old	1,334	2.7%
12 years old	2,146	4.4%
13 years old	3,321	6.8%
14 years old	2,817	5.8%
15 years old	2,997	6.1%
16 years old	1,555	3.2%
17 years old	1,042	2.1%
18 or older	179	0.4%
Frequency Missing	1,513	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	46,979	95.9%
8 or younger	274	0.6%
9 years old	148	0.3%
10 years old	244	0.5%
11 years old	113	0.2%
12 years old	349	0.7%
13 years old	250	0.5%
14 years old	202	0.4%
15 years old	214	0.4%
16 years old	178	0.4%
17 years old	28	0.1%
18 or older	4	0.0%
Frequency Missing	1,472	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	41,442	84.5%
8 or younger	143	0.3%
9 years old	300	0.6%
10 years old	256	0.5%
11 years old	376	0.8%
12 years old	825	1.7%
13 years old	1,343	2.7%
14 years old	1,330	2.7%
15 years old	1,440	2.9%
16 years old	961	2.0%
17 years old	484	1.0%
18 or older	149	0.3%
Frequency Missing	1,409	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	48,404	98.5%
8 or younger	30	0.1%
9 years old	4	0.0%
10 years old	81	0.2%
11 years old	27	0.1%
12 years old	26	0.1%
13 years old	113	0.2%
14 years old	147	0.3%
15 years old	142	0.3%
16 years old	118	0.2%
17 years old	49	0.1%
18 or older	14	0.0%
Frequency Missing	1,304	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	48,668	99.2%
8 or younger	9	0.0%
9 years old	36	0.1%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	5	0.0%
13 years old	41	0.1%
14 years old	34	0.1%
15 years old	72	0.1%
16 years old	127	0.3%
17 years old	41	0.1%
18 or older	28	0.1%
Frequency Missing	1,397	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	49,008	99.7%
8 or younger	32	0.1%
9 years old	0	0.0%
10 years old	63	0.1%
11 years old	6	0.0%
12 years old	0	0.0%
13 years old	20	0.0%
14 years old	0	0.0%
15 years old	26	0.1%
16 years old	15	0.0%
17 years old	0	0.0%
Frequency Missing	1,287	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	49,004	99.7%
8 or younger	0	0.0%
9 years old	6	0.0%
10 years old	19	0.0%
11 years old	45	0.1%
12 years old	0	0.0%
13 years old	6	0.0%
14 years old	19	0.0%
15 years old	33	0.1%
16 years old	16	0.0%
17 years old	0	0.0%
Frequency Missing	1,309	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	48,663	99.0%
8 or younger	148	0.3%
9 years old	10	0.0%
10 years old	10	0.0%
11 years old	0	0.0%
12 years old	34	0.1%
13 years old	95	0.2%
14 years old	71	0.1%
15 years old	52	0.1%
16 years old	0	0.0%
17 years old	27	0.1%
18 or older	23	0.0%
Frequency Missing	1,325	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	48,823	99.4%
8 or younger	2	0.0%
9 years old	21	0.0%
10 years old	25	0.1%
11 years old	44	0.1%
12 years old	20	0.0%
13 years old	38	0.1%
14 years old	34	0.1%
15 years old	68	0.1%
16 years old	28	0.1%
17 years old	7	0.0%
Frequency Missing	1,347	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	47,912	97.6%
8 or younger	2	0.0%
9 years old	22	0.0%
10 years old	26	0.1%
11 years old	120	0.2%
12 years old	79	0.2%
13 years old	372	0.8%
14 years old	175	0.4%
15 years old	171	0.3%
16 years old	153	0.3%
17 years old	42	0.1%
18 or older	29	0.1%
Frequency Missing	1,356	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	46,681	95.2%
8 or younger	7	0.0%
9 years old	77	0.2%
10 years old	44	0.1%
11 years old	43	0.1%
12 years old	120	0.2%
13 years old	329	0.7%
14 years old	312	0.6%
15 years old	350	0.7%
16 years old	530	1.1%
17 years old	391	0.8%
18 or older	172	0.4%
Frequency Missing	1,401	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	17,260	35.3%
Impossible	10,956	22.4%
Very Difficult	3,903	8.0%
Somewhat diff	4,945	10.1%
Somewhat easy	5,680	11.6%
Very easy	6,094	12.5%
Frequency Missing	1,619	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	13,047	26.8%
Impossible	6,296	12.9%
Very Difficult	3,212	6.6%
Somewhat diff	6,055	12.4%
Somewhat easy	8,301	17.0%
Very easy	11,817	24.3%
Frequency Missing	1,730	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	21,959	45.2%
Impossible	8,536	17.6%
Very Difficult	2,057	4.2%
Somewhat diff	2,725	5.6%
Somewhat easy	3,591	7.4%
Very easy	9,747	20.0%
Frequency Missing	1,843	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	17,085	35.1%
Impossible	12,320	25.3%
Very Difficult	3,766	7.7%
Somewhat diff	4,054	8.3%
Somewhat easy	4,875	10.0%
Very easy	6,550	13.5%
Frequency Missing	1,806	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	21,663	44.5%
Impossible	16,237	33.4%
Very Difficult	4,838	9.9%
Somewhat diff	2,881	5.9%
Somewhat easy	1,308	2.7%
Very easy	1,714	3.5%
Frequency Missing	1,817	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	22,490	46.3%
Impossible	16,419	33.8%
Very Difficult	4,987	10.3%
Somewhat diff	2,316	4.8%
Somewhat easy	1,032	2.1%
Very easy	1,337	2.8%
Frequency Missing	1,877	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	25,903	53.3%
Impossible	15,105	31.1%
Very Difficult	4,181	8.6%
Somewhat diff	1,608	3.3%
Somewhat easy	752	1.5%
Very easy	1,043	2.1%
Frequency Missing	1,866	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	23,622	48.4%
Impossible	14,927	30.6%
Very Difficult	4,821	9.9%
Somewhat diff	2,601	5.3%
Somewhat easy	1,471	3.0%
Very easy	1,321	2.7%
Frequency Missing	1,695	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	27,009	55.5%
Impossible	12,934	26.6%
Very Difficult	3,341	6.9%
Somewhat diff	2,061	4.2%
Somewhat easy	1,301	2.7%
Very easy	1,985	4.1%
Frequency Missing	1,826	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	27,251	56.2%
Impossible	13,256	27.4%
Very Difficult	4,075	8.4%
Somewhat diff	1,772	3.7%
Somewhat easy	916	1.9%
Very easy	1,196	2.5%
Frequency Missing	1,992	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	26,906	55.4%
Impossible	11,729	24.1%
Very Difficult	2,913	6.0%
Somewhat diff	2,021	4.2%
Somewhat easy	2,096	4.3%
Very easy	2,909	6.0%
Frequency Missing	1,883	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	25,079	51.6%
Impossible	16,166	33.2%
Very Difficult	4,121	8.5%
Somewhat diff	1,557	3.2%
Somewhat easy	716	1.5%
Very easy	1,000	2.1%
Frequency Missing	1,818	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	671	1.4%
Several times/wk	378	0.8%
Several times/mo	314	0.6%
About once/month	793	1.6%
About once/year	719	1.5%
Less than once/year	1,489	3.1%
Never used	44,213	91.0%
Frequency Missing	1,880	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	118	0.2%
Several times/wk	849	1.7%
Several times/mo	1,981	4.1%
About once/month	5,536	11.4%
About once/year	4,930	10.2%
Less than once/year	4,495	9.3%
Never used	30,605	63.1%
Frequency Missing	1,944	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	10	0.0%
Several times/wk	27	0.1%
Several times/mo	25	0.1%
About once/month	29	0.1%
About once/year	173	0.4%
Less than once/year	296	0.6%
Never used	47,988	98.8%
Frequency Missing	1,910	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	38	0.1%
Several times/wk	49	0.1%
Several times/mo	102	0.2%
About once/month	271	0.6%
About once/year	285	0.6%
Less than once/year	645	1.3%
Never used	46,972	97.1%
Frequency Missing	2,096	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	20	0.0%
Several times/mo	19	0.0%
About once/month	17	0.0%
About once/year	29	0.1%
Less than once/year	52	0.1%
Never used	48,550	99.7%
Frequency Missing	1,770	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	668	1.4%
Several times/wk	768	1.6%
Several times/mo	827	1.7%
About once/month	1,276	2.6%
About once/year	1,238	2.5%
Less than once/year	1,711	3.5%
Never used	42,081	86.6%
Frequency Missing	1,889	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	25	0.1%
Several times/wk	0	0.0%
Several times/mo	9	0.0%
About once/month	24	0.0%
About once/year	109	0.2%
Less than once/year	106	0.2%
Never used	48,363	99.4%
Frequency Missing	1,821	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	7	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	50	0.1%
About once/year	102	0.2%
Less than once/year	163	0.3%
Never used	48,339	99.3%
Frequency Missing	1,796	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	26	0.1%
Several times/wk	34	0.1%
Several times/mo	211	0.4%
About once/month	161	0.3%
About once/year	199	0.4%
Less than once/year	410	0.8%
Never used	47,565	97.9%
Frequency Missing	1,852	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	19	0.0%
About once/month	10	0.0%
About once/year	38	0.1%
Less than once/year	17	0.0%
Never used	48,529	99.8%
Frequency Missing	1,844	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	193	0.4%
Several times/wk	286	0.6%
Several times/mo	341	0.7%
About once/month	367	0.8%
About once/year	391	0.8%
Less than once/year	565	1.2%
Never used	46,279	95.6%
Frequency Missing	2,035	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	32	0.1%
Several times/wk	11	0.0%
Several times/mo	29	0.1%
About once/month	35	0.1%
About once/year	15	0.0%
Less than once/year	41	0.1%
Never used	48,550	99.7%
Frequency Missing	1,745	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	31,166	64.0%
12+ drinks	1,163	2.4%
9-11 drinks	776	1.6%
5-8 drinks	1,689	3.5%
3-4 drinks	2,338	4.8%
2 drinks	2,523	5.2%
1 drink	2,998	6.2%
Less than 1 drink	6,013	12.4%
Frequency Missing	1,792	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	35,513	73.3%
12+ drinks	700	1.4%
9-11 drinks	503	1.0%
5-8 drinks	1,615	3.3%
3-4 drinks	2,112	4.4%
2 drinks	1,989	4.1%
1 drink	2,469	5.1%
Less than 1 drink	3,581	7.4%
Frequency Missing	1,976	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	28,907	60.2%
0 days	14,366	29.9%
1 day	1,748	3.6%
2 days	1,304	2.7%
3 to 5 days	680	1.4%
6 to 9 days	302	0.6%
10 or more days	723	1.5%
Frequency Missing	2,427	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	36,489	75.7%
12+ drinks	339	0.7%
9-11 drinks	234	0.5%
5-8 drinks	469	1.0%
3-4 drinks	1,013	2.1%
2 drinks	1,748	3.6%
1 drink	2,824	5.9%
Less than 1 drink	5,091	10.6%
Frequency Missing	2,251	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	29,704	61.2%
Never	7,429	15.3%
Seldom	7,712	15.9%
Most of the Time	2,693	5.5%
Always	991	2.0%
Frequency Missing	1,930	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	33,353	68.7%
12+ drinks	966	2.0%
9-11 drinks	742	1.5%
5-8 drinks	1,694	3.5%
3-4 drinks	2,650	5.5%
2 drinks	2,333	4.8%
1 drink	2,656	5.5%
Less than 1 drink	4,172	8.6%
Frequency Missing	1,891	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	30,387	62.7%
Never	8,687	17.9%
Seldom	4,572	9.4%
Most of the Time	3,667	7.6%
Always	1,122	2.3%
Frequency Missing	2,023	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	31,905	66.1%
Never	12,942	26.8%
Seldom	1,378	2.9%
Most of the Time	1,384	2.9%
Always	676	1.4%
Frequency Missing	2,173	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	29,343	60.6%
Never	7,198	14.9%
Seldom	4,972	10.3%
Most of the Time	3,984	8.2%
Always	2,907	6.0%
Frequency Missing	2,054	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	33,954	70.4%
Somewhat	7,643	15.8%
Not very	2,097	4.3%
Not at all	625	1.3%
Don't know	3,918	8.1%
Frequency Missing	2,220	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	31,994	66.6%
Never	9,121	19.0%
Seldom	3,341	7.0%
Most of the Time	2,246	4.7%
Always	1,359	2.8%
Frequency Missing	2,397	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	29,720	61.5%
Somewhat	7,157	14.8%
Not very	5,151	10.7%
Not at all	3,527	7.3%
Don't know	2,786	5.8%
Frequency Missing	2,117	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	29,560	61.0%
Somewhat	11,766	24.3%
Not very	3,278	6.8%
Not at all	766	1.6%
Don't know	3,097	6.4%
Frequency Missing	1,990	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	41,196	85.3%
Somewhat	3,490	7.2%
Not very	399	0.8%
Not at all	303	0.6%
Don't know	2,935	6.1%
Frequency Missing	2,135	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	22,500	46.5%
Somewhat	14,730	30.5%
Not very	7,500	15.5%
Not at all	1,139	2.4%
Don't know	2,468	5.1%
Frequency Missing	2,120	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	41,585	86.0%
Somewhat	2,979	6.2%
Not very	345	0.7%
Not at all	272	0.6%
Don't know	3,199	6.6%
Frequency Missing	2,078	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	38,612	79.9%
Somewhat	3,293	6.8%
Not very	641	1.3%
Not at all	270	0.6%
Don't know	5,527	11.4%
Frequency Missing	2,113	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	37,369	77.4%
Somewhat	3,854	8.0%
Not very	1,104	2.3%
Not at all	760	1.6%
Don't know	5,194	10.8%
Frequency Missing	2,177	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	36,487	75.6%
Somewhat	5,572	11.5%
Not very	1,435	3.0%
Not at all	515	1.1%
Don't know	4,245	8.8%
Frequency Missing	2,204	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	34,495	71.7%
Somewhat	4,314	9.0%
Not very	2,297	4.8%
Not at all	1,528	3.2%
Don't know	5,447	11.3%
Frequency Missing	2,378	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	41,245	85.4%
Somewhat	2,580	5.3%
Not very	280	0.6%
Not at all	237	0.5%
Don't know	3,959	8.2%
Frequency Missing	2,157	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	36,134	75.0%
Somewhat	5,634	11.7%
Not very	1,975	4.1%
Not at all	457	0.9%
Don't know	3,974	8.2%
Frequency Missing	2,283	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	41,197	85.2%
Somewhat	2,543	5.3%
Not very	337	0.7%
Not at all	210	0.4%
Don't know	4,060	8.4%
Frequency Missing	2,110	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	29,723	61.6%
Somewhat	9,517	19.7%
Not very	4,264	8.8%
Not at all	1,763	3.7%
Don't know	3,007	6.2%
Frequency Missing	2,184	

Days Skipped Since September

Q28a	Frequency	Percent
None	39,772	83.1%
1-3 days	5,642	11.8%
4-9 days	1,537	3.2%
10+ days	908	1.9%
Frequency Missing	2,598	

Someone Called Home Since September

Q28e	Frequency	Percent
None	43,627	91.3%
1-3 days	3,381	7.1%
4-9 days	423	0.9%
10+ days	369	0.8%
Frequency Missing	2,658	

Days Ill Since September

Q28b	Frequency	Percent
None	12,716	26.6%
1-3 days	21,803	45.6%
4-9 days	8,694	18.2%
10+ days	4,559	9.5%
Frequency Missing	2,686	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	45,875	96.3%
1-3 times	1,438	3.0%
4-9 times	214	0.4%
10+ times	103	0.2%
Frequency Missing	2,828	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	16,495	35.1%
1-3 days	22,975	48.9%
4-9 days	5,105	10.9%
10+ days	2,443	5.2%
Frequency Missing	3,439	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	45,908	96.6%
1-3 times	1,288	2.7%
4-9 times	171	0.4%
10+ times	151	0.3%
Frequency Missing	2,940	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	42,892	89.8%
1-3 days	4,005	8.4%
4-9 days	568	1.2%
10+ days	309	0.6%
Frequency Missing	2,683	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	46,147	97.2%
1-3 times	1,086	2.3%
4-9 times	141	0.3%
10+ times	120	0.3%
Frequency Missing	2,964	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	45,619	96.1%
1-3 times	1,246	2.6%
4-9 times	236	0.5%
10+ times	345	0.7%
Frequency Missing	3,011	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	45,788	96.5%
1-3 days	1,065	2.2%
4-9 days	344	0.7%
10+ days	269	0.6%
Frequency Missing	2,993	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	25,857	54.6%
Seldom	2,753	5.8%
Half the time	2,017	4.3%
Most of the Time	3,770	8.0%
Always	4,303	9.1%
Don't Know	801	1.7%
Didn't attend	7,857	16.6%
Frequency Missing	3,099	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	44,588	93.8%
1-3 days	1,510	3.2%
4-9 days	447	0.9%
10+ days	1,003	2.1%
Frequency Missing	2,909	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	30,527	64.4%
Seldom	2,602	5.5%
Half the time	1,815	3.8%
Most of the Time	2,083	4.4%
Always	1,559	3.3%
Don't Know	999	2.1%
Didn't attend	7,787	16.4%
Frequency Missing	3,086	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	46,749	98.4%
1-3 days	491	1.0%
4-9 days	99	0.2%
10+ days	153	0.3%
Frequency Missing	2,965	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	42,203	94.3%
Yes	2,574	5.7%
Frequency Missing	5,680	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	46,391	97.9%
1-3 days	554	1.2%
4-9 days	203	0.4%
10+ days	223	0.5%
Frequency Missing	3,087	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	30,088	64.8%
Yes	16,309	35.2%
Frequency Missing	4,060	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	36,342	78.7%
Yes	9,812	21.3%
Frequency Missing	4,303	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	19,648	42.3%
Yes	26,763	57.7%
Frequency Missing	4,047	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	26,662	57.6%
Yes	19,646	42.4%
Frequency Missing	4,150	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	27,533	59.5%
Yes	18,707	40.5%
Frequency Missing	4,218	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	15,368	33.0%
Yes	31,213	67.0%
Frequency Missing	3,876	

Would Not Seek Help

Q33i	Frequency	Percent
No	34,423	76.3%
Yes	10,706	23.7%
Frequency Missing	5,328	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	21,147	45.8%
Yes	25,051	54.2%
Frequency Missing	4,260	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	30,256	65.8%
Yes	15,719	34.2%
Frequency Missing	4,482	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	16,967	36.6%
Yes	29,378	63.4%
Frequency Missing	4,112	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	24,754	53.7%
Yes	21,324	46.3%
Frequency Missing	4,380	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	32,250	70.5%
Yes	13,467	29.5%
Frequency Missing	4,741	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	32,974	72.3%
Yes	12,634	27.7%
Frequency Missing	4,850	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	38,794	85.2%
Yes	6,753	14.8%
Frequency Missing	4,910	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	36,572	77.4%
Mild disapprove	3,629	7.7%
Neither	2,876	6.1%
Mildly approve	472	1.0%
Strongly approve	216	0.5%
Don't know	3,504	7.4%
Frequency Missing	3,188	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	32,991	72.3%
Yes	12,611	27.7%
Frequency Missing	4,856	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	25,729	54.4%
Mild disapprove	7,664	16.2%
Neither	7,496	15.9%
Mildly approve	2,658	5.6%
Strongly approve	500	1.1%
Don't know	3,228	6.8%
Frequency Missing	3,181	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	38,111	83.9%
Yes	7,336	16.1%
Frequency Missing	5,011	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	36,393	77.0%
Mild disapprove	2,772	5.9%
Neither	3,272	6.9%
Mildly approve	1,171	2.5%
Strongly approve	338	0.7%
Don't know	3,318	7.0%
Frequency Missing	3,194	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	32,303	70.7%
Yes	13,384	29.3%
Frequency Missing	4,770	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

