

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2024



HHSC REGION 1 AND 9 REPORT

---

---

Prepared by

The Department of Public Service and Administration  
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	60
Table B-7: Students Reporting A Grades on Average . . . . .	64
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	68
Table B-9: Students Living with 2 Parents . . . . .	72
Table B-10: Students Not Living with 2 Parents . . . . .	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	84
<b>3 Margin Tables</b>	<b>88</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>110</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 1 and 9. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	11.6%	13.9%	24.5%	75.5%
Grade 7	5.4%	6.4%	13.9%	86.1%
Grade 8	5.9%	8.0%	18.1%	81.9%
Grade 9	9.0%	12.5%	25.2%	74.8%
Grade 10	14.7%	17.1%	26.1%	73.9%
Grade 11	18.1%	20.9%	34.2%	65.8%
Grade 12	18.2%	19.7%	30.6%	69.4%
<b>Cigarettes?</b>				
All	2.3%	3.4%	9.0%	91.0%
Grade 7	1.0%	1.2%	2.8%	97.2%
Grade 8	1.1%	1.5%	5.3%	94.7%
Grade 9	1.5%	2.1%	6.9%	93.1%
Grade 10	2.2%	3.6%	10.5%	89.5%
Grade 11	5.4%	8.0%	16.7%	83.3%
Grade 12	3.0%	4.7%	12.8%	87.2%
<b>Smokeless Tobacco?</b>				
All	1.7%	2.4%	5.4%	94.6%
Grade 7	0.4%	1.1%	2.4%	97.6%
Grade 8	0.8%	1.0%	3.7%	96.3%
Grade 9	1.0%	1.4%	3.9%	96.1%
Grade 10	2.2%	2.5%	6.5%	93.5%
Grade 11	3.9%	5.0%	9.0%	91.0%
Grade 12	1.9%	4.0%	7.8%	92.2%
<b>Electronic Vapor Products?</b>				
All	9.1%	11.8%	22.1%	77.9%
Grade 7	4.5%	5.9%	11.9%	88.1%
Grade 8	4.4%	6.8%	15.7%	84.3%
Grade 9	7.0%	11.5%	23.4%	76.6%
Grade 10	12.6%	15.0%	23.6%	76.4%
Grade 11	13.6%	16.2%	31.3%	68.7%
Grade 12	13.7%	16.0%	27.3%	72.7%

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	91.0%	1.8%	0.8%	0.7%	0.7%	1.6%	3.5%
Grade 7	95.5%	0.0%	0.4%	0.4%	0.4%	0.7%	2.6%
Grade 8	94.2%	0.4%	0.0%	0.6%	0.7%	1.1%	2.9%
Grade 9	93.2%	0.6%	0.3%	0.7%	0.8%	1.9%	2.5%
Grade 10	90.3%	2.2%	0.6%	0.5%	0.6%	1.8%	3.9%
Grade 11	85.0%	4.9%	1.5%	1.0%	0.9%	2.1%	4.6%
Grade 12	86.0%	3.0%	2.3%	1.1%	0.9%	2.0%	4.7%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.7	9.8	11.1	12.0	13.0	13.6	13.6

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	40.7%	19.0%	7.4%	10.0%	10.8%	12.1%
Grade 7	49.0%	25.8%	8.1%	6.7%	5.7%	4.6%
Grade 8	44.3%	25.8%	7.4%	9.2%	7.5%	5.8%
Grade 9	39.7%	18.0%	7.8%	12.4%	11.3%	10.8%
Grade 10	42.5%	14.1%	7.4%	9.1%	11.4%	15.5%
Grade 11	34.2%	13.9%	5.6%	11.6%	13.2%	21.5%
Grade 12	32.9%	16.0%	7.9%	10.7%	16.8%	15.6%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	81.5%	10.9%	3.9%	2.6%	1.1%
Grade 7	93.1%	3.8%	2.1%	0.7%	0.3%
Grade 8	88.0%	8.1%	2.8%	0.7%	0.4%
Grade 9	81.2%	12.1%	2.9%	2.2%	1.5%
Grade 10	79.5%	11.4%	4.7%	3.9%	0.6%
Grade 11	72.9%	15.5%	5.9%	3.6%	2.1%
Grade 12	72.6%	15.2%	5.6%	5.1%	1.5%

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.0%	7.2%	6.1%	1.3%	0.8%	8.5%
Grade 7	85.1%	2.7%	2.0%	0.1%	0.7%	9.4%
Grade 8	80.7%	5.1%	4.4%	0.8%	0.9%	8.2%
Grade 9	77.4%	7.1%	3.7%	1.9%	0.3%	9.5%
Grade 10	75.4%	7.7%	7.1%	0.7%	0.0%	9.1%
Grade 11	65.5%	12.9%	10.1%	2.3%	2.2%	7.0%
Grade 12	70.2%	8.3%	10.7%	2.1%	1.3%	7.4%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>					
All	65.5%	20.8%	6.4%	1.3%	6.0%
Grade 7	74.0%	16.4%	2.5%	0.2%	6.8%
Grade 8	74.6%	14.5%	4.3%	0.7%	6.0%
Grade 9	64.1%	21.0%	7.5%	1.1%	6.3%
Grade 10	62.1%	23.1%	6.3%	2.2%	6.3%
Grade 11	58.3%	24.5%	9.9%	2.1%	5.3%
Grade 12	58.9%	26.3%	8.4%	1.6%	4.7%
<b>Electronic Vapor Products?</b>					
All	70.2%	14.5%	7.3%	2.7%	5.2%
Grade 7	80.1%	10.0%	4.1%	0.9%	4.9%
Grade 8	75.1%	13.3%	3.9%	2.5%	5.2%
Grade 9	67.5%	14.7%	8.6%	3.4%	5.7%
Grade 10	67.6%	15.5%	7.3%	2.5%	7.0%
Grade 11	64.7%	15.4%	11.0%	4.3%	4.7%
Grade 12	66.3%	18.8%	8.9%	2.7%	3.3%



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	24.5%	28.3%	46.7%	53.3%
Grade 7	13.7%	14.8%	39.2%	60.8%
Grade 8	21.4%	24.1%	40.5%	59.5%
Grade 9	23.5%	28.4%	45.8%	54.2%
Grade 10	28.9%	34.4%	48.9%	51.1%
Grade 11	30.8%	35.2%	56.5%	43.5%
Grade 12	28.9%	33.4%	50.2%	49.8%
<b>Beer?</b>				
All	9.7%	13.9%	36.6%	63.4%
Grade 7	2.6%	3.4%	26.5%	73.5%
Grade 8	4.6%	8.2%	32.3%	67.7%
Grade 9	8.9%	13.8%	35.5%	64.5%
Grade 10	14.3%	18.3%	39.8%	60.2%
Grade 11	13.6%	20.0%	46.2%	53.8%
Grade 12	14.8%	20.5%	39.6%	60.4%
<b>Wine Coolers?</b>				
All	7.2%	11.1%	25.7%	74.3%
Grade 7	2.4%	3.2%	13.8%	86.2%
Grade 8	5.0%	7.8%	18.9%	81.1%
Grade 9	6.6%	9.9%	24.7%	75.3%
Grade 10	9.8%	13.9%	30.2%	69.8%
Grade 11	11.7%	18.0%	38.4%	61.6%
Grade 12	7.9%	14.0%	28.6%	71.4%
<b>Wine?</b>				
All	3.9%	7.3%	25.3%	74.7%
Grade 7	1.0%	1.9%	15.8%	84.2%
Grade 8	4.5%	7.9%	21.5%	78.5%
Grade 9	2.8%	6.6%	24.9%	75.1%
Grade 10	4.9%	7.7%	25.3%	74.7%
Grade 11	5.9%	11.6%	35.5%	64.5%
Grade 12	4.3%	8.1%	30.2%	69.8%
<b>Liquor?</b>				
All	8.9%	13.1%	31.0%	69.0%
Grade 7	1.9%	2.9%	16.4%	83.6%
Grade 8	6.1%	8.0%	23.9%	76.1%
Grade 9	8.1%	13.0%	31.6%	68.4%
Grade 10	12.8%	18.4%	35.1%	64.9%
Grade 11	12.0%	18.2%	40.8%	59.2%
Grade 12	12.6%	18.6%	38.8%	61.2%

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	66.6%	0.2%	1.2%	5.1%	9.3%	8.4%	9.2%
Grade 7	78.3%	0.0%	0.0%	1.7%	1.5%	5.0%	13.5%
Grade 8	74.0%	0.3%	0.9%	2.9%	6.0%	7.0%	9.0%
Grade 9	66.4%	0.3%	0.9%	4.2%	11.3%	9.2%	7.7%
Grade 10	63.3%	0.3%	1.4%	7.6%	9.6%	9.0%	8.8%
Grade 11	55.3%	0.3%	2.2%	7.6%	14.6%	10.9%	9.1%
Grade 12	61.1%	0.1%	2.0%	6.6%	13.2%	9.4%	7.5%

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	67.2%	32.8%	7.7%	15.5%	9.6%
	Grade 7	77.3%	22.7%	2.0%	6.1%	14.6%
	Grade 8	72.3%	27.7%	2.3%	11.9%	13.4%
	Grade 9	68.0%	32.0%	5.6%	16.8%	9.5%
	Grade 10	65.1%	34.9%	11.0%	16.4%	7.6%
	Grade 11	55.4%	44.6%	13.6%	23.4%	7.6%
	Grade 12	64.3%	35.7%	12.9%	18.8%	4.0%
<b>Wine Coolers</b>						
	All	77.3%	22.7%	5.8%	11.9%	5.0%
	Grade 7	89.6%	10.4%	1.5%	4.7%	4.2%
	Grade 8	84.1%	15.9%	2.4%	7.4%	6.1%
	Grade 9	78.0%	22.0%	5.2%	12.1%	4.7%
	Grade 10	73.5%	26.5%	7.8%	13.0%	5.8%
	Grade 11	64.0%	36.0%	10.7%	20.6%	4.7%
	Grade 12	73.9%	26.1%	7.6%	14.0%	4.4%
<b>Wine</b>						
	All	78.1%	21.9%	2.1%	11.0%	8.7%
	Grade 7	85.8%	14.2%	0.7%	4.1%	9.4%
	Grade 8	82.2%	17.8%	0.9%	8.4%	8.6%
	Grade 9	78.6%	21.4%	1.8%	12.1%	7.4%
	Grade 10	78.9%	21.1%	2.3%	10.7%	8.0%
	Grade 11	67.5%	32.5%	4.1%	18.2%	10.1%
	Grade 12	74.5%	25.5%	3.0%	13.0%	9.5%
<b>Liquor</b>						
	All	71.4%	28.6%	6.3%	15.4%	6.8%
	Grade 7	86.6%	13.4%	1.4%	5.0%	7.0%
	Grade 8	79.5%	20.5%	3.0%	10.1%	7.3%
	Grade 9	70.5%	29.5%	5.7%	16.8%	7.0%
	Grade 10	68.2%	31.8%	7.6%	17.2%	6.9%
	Grade 11	59.5%	40.5%	11.6%	22.6%	6.3%
	Grade 12	63.0%	37.0%	9.4%	21.6%	6.0%

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	90.1%	3.7%	2.2%	1.5%	0.7%	1.8%
Grade 7	97.1%	0.6%	1.5%	0.2%	0.3%	0.2%
Grade 8	95.6%	1.2%	1.3%	0.7%	0.3%	0.9%
Grade 9	90.2%	4.2%	1.1%	1.7%	0.8%	2.0%
Grade 10	86.5%	5.7%	2.9%	1.9%	1.1%	1.9%
Grade 11	85.6%	5.4%	3.2%	2.8%	1.0%	2.0%
Grade 12	84.7%	5.0%	3.5%	2.1%	0.7%	3.9%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.7	10.1	11.1	12.5	13.2	13.8	14.5

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	31.3%	13.0%	6.3%	12.6%	15.7%	21.2%
Grade 7	40.8%	20.8%	7.9%	9.3%	12.8%	8.4%
Grade 8	33.2%	16.3%	7.0%	18.0%	11.9%	13.6%
Grade 9	28.8%	12.2%	5.9%	13.4%	18.7%	21.1%
Grade 10	31.8%	8.4%	5.8%	11.2%	16.0%	26.7%
Grade 11	26.4%	9.8%	3.6%	11.9%	17.3%	31.1%
Grade 12	26.2%	10.5%	7.5%	10.9%	17.7%	27.1%

**Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.9%	2.2%	0.3%	0.6%
Grade 7	98.6%	1.3%	0.0%	0.1%
Grade 8	97.2%	1.9%	0.7%	0.2%
Grade 9	97.1%	1.7%	0.6%	0.6%
Grade 10	95.4%	3.4%	0.1%	1.1%
Grade 11	95.7%	3.4%	0.1%	0.8%
Grade 12	97.7%	1.7%	0.1%	0.4%

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.8
Alcohol Non-Users	4.4
Average Days Conduct Problems Reported	
Alcohol Users	3.2
Alcohol Non-Users	1.2

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a Car When You Have Had a Good Bit to Drink?</b>				
High School	95.6%	3.2%	0.6%	0.5%
Grade 9	98.1%	1.3%	0.4%	0.1%
Grade 10	94.8%	4.0%	0.5%	0.8%
Grade 11	94.8%	4.1%	0.5%	0.5%
Grade 12	94.1%	4.0%	1.1%	0.8%
 <b>Had Difficulties of Any Kind with Your Friends Because of Your Drinking?</b>				
All	96.4%	2.9%	0.5%	0.2%
Grade 7	98.3%	1.5%	0.1%	0.1%
Grade 8	97.3%	2.4%	0.2%	0.1%
Grade 9	96.2%	2.9%	0.4%	0.5%
Grade 10	94.0%	4.6%	1.2%	0.2%
Grade 11	96.0%	2.6%	1.1%	0.3%
Grade 12	96.8%	3.0%	0.2%	0.0%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	55.2%	22.3%	11.5%	8.5%	2.4%
Grade 7	77.0%	16.3%	5.4%	0.9%	0.3%
Grade 8	64.4%	21.8%	9.6%	3.5%	0.8%
Grade 9	47.8%	27.7%	14.8%	7.1%	2.5%
Grade 10	51.8%	20.1%	12.8%	12.3%	2.9%
Grade 11	45.7%	20.6%	13.7%	15.3%	4.7%
Grade 12	44.6%	27.2%	12.2%	12.3%	3.7%

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	56.6%	5.0%	4.6%	6.9%	8.2%	1.4%	17.4%
Grade 7	74.9%	5.2%	3.1%	3.2%	1.8%	1.1%	10.7%
Grade 8	64.1%	5.2%	4.5%	4.2%	2.9%	1.3%	17.7%
Grade 9	51.9%	4.2%	6.3%	9.0%	6.8%	1.9%	19.8%
Grade 10	54.0%	5.4%	3.4%	7.9%	11.8%	1.6%	16.1%
Grade 11	42.8%	5.8%	6.0%	8.4%	15.0%	1.4%	20.5%
Grade 12	51.8%	3.9%	3.8%	8.7%	11.5%	0.5%	19.9%

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	65.9%	12.3%	14.5%	4.3%	2.9%
	Grade 7	75.3%	9.7%	13.6%	0.9%	0.5%
	Grade 8	70.7%	10.2%	14.2%	4.3%	0.6%
	Grade 9	65.0%	12.5%	13.6%	4.8%	4.1%
	Grade 10	61.3%	13.3%	15.0%	4.8%	5.7%
	Grade 11	59.8%	16.1%	15.1%	5.7%	3.3%
	Grade 12	63.4%	12.3%	15.9%	5.6%	2.9%
<b>Friends?</b>						
	All	67.7%	13.4%	10.6%	5.7%	2.5%
	Grade 7	80.7%	13.3%	4.6%	1.1%	0.3%
	Grade 8	76.2%	15.1%	6.1%	2.0%	0.6%
	Grade 9	66.8%	14.0%	11.5%	5.5%	2.1%
	Grade 10	63.4%	14.0%	11.3%	7.6%	3.7%
	Grade 11	56.3%	12.6%	15.6%	10.6%	5.0%
	Grade 12	61.7%	11.0%	15.1%	8.3%	3.9%
<b>A Store?</b>						
	All	71.2%	22.1%	3.4%	1.8%	1.5%
	Grade 7	82.9%	15.5%	1.1%	0.5%	0.1%
	Grade 8	77.2%	19.3%	2.7%	0.5%	0.2%
	Grade 9	71.5%	22.3%	2.8%	1.6%	1.8%
	Grade 10	67.8%	24.6%	3.9%	2.0%	1.8%
	Grade 11	59.9%	29.7%	4.6%	3.0%	2.7%
	Grade 12	67.2%	20.9%	5.8%	3.6%	2.5%
<b>Parties?</b>						
	All	66.4%	13.0%	8.8%	6.7%	5.2%
	Grade 7	76.9%	11.7%	7.4%	3.0%	0.9%
	Grade 8	73.2%	14.9%	6.6%	3.7%	1.6%
	Grade 9	65.6%	12.4%	11.1%	5.7%	5.2%
	Grade 10	63.5%	13.7%	7.1%	8.4%	7.4%
	Grade 11	55.3%	13.7%	10.9%	9.5%	10.6%
	Grade 12	63.0%	11.1%	9.6%	10.7%	5.7%
<b>Other Sources?</b>						
	All	72.1%	16.5%	6.0%	2.7%	2.7%
	Grade 7	81.0%	13.2%	4.7%	0.4%	0.6%
	Grade 8	76.5%	14.1%	5.9%	2.3%	1.3%
	Grade 9	73.9%	16.8%	5.0%	1.5%	2.8%
	Grade 10	67.6%	18.5%	6.1%	3.4%	4.3%
	Grade 11	63.3%	19.9%	7.4%	5.8%	3.6%
	Grade 12	69.0%	16.2%	7.6%	3.4%	3.8%

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	54.8%	15.6%	15.2%	4.9%	1.3%	8.1%
Grade 7	69.4%	11.1%	6.9%	2.2%	0.7%	9.6%
Grade 8	60.4%	15.6%	13.6%	2.6%	0.7%	7.0%
Grade 9	53.5%	16.7%	14.0%	4.7%	1.3%	9.8%
Grade 10	50.4%	14.1%	19.9%	5.8%	1.5%	8.2%
Grade 11	45.3%	20.6%	16.9%	8.4%	2.0%	6.8%
Grade 12	49.9%	15.3%	20.3%	6.3%	1.8%	6.5%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	52.1%	27.0%	13.4%	2.7%	4.8%
Grade 7	58.4%	25.7%	9.5%	0.6%	5.8%
Grade 8	56.5%	24.0%	12.5%	1.8%	5.1%
Grade 9	49.8%	26.1%	17.6%	2.0%	4.6%
Grade 10	49.4%	27.6%	12.7%	4.2%	6.0%
Grade 11	46.3%	29.8%	15.7%	4.7%	3.4%
Grade 12	52.7%	29.9%	11.5%	2.6%	3.4%



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	9.5%	12.4%	18.6%	81.4%
Grade 7	4.0%	5.6%	7.9%	92.1%
Grade 8	9.1%	10.5%	12.8%	87.2%
Grade 9	9.3%	12.6%	18.6%	81.4%
Grade 10	10.6%	14.8%	21.4%	78.6%
Grade 11	13.4%	16.1%	25.6%	74.4%
Grade 12	10.8%	15.5%	26.6%	73.4%
<b>Marijuana?</b>				
All	8.8%	11.2%	17.1%	82.9%
Grade 7	3.1%	3.7%	5.5%	94.5%
Grade 8	8.0%	8.5%	10.5%	89.5%
Grade 9	9.0%	11.9%	17.5%	82.5%
Grade 10	9.6%	13.5%	20.0%	80.0%
Grade 11	13.2%	14.8%	24.7%	75.3%
Grade 12	10.3%	14.9%	26.0%	74.0%
<b>Cocaine?</b>				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.8%	0.8%	1.3%	98.7%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.6%	0.6%	1.6%	98.4%
Grade 11	0.9%	0.9%	1.1%	98.9%
Grade 12	0.7%	1.0%	1.9%	98.1%
<b>Crack?</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.4%	0.4%	99.6%
<b>Hallucinogens?</b>				
All	0.4%	0.9%	2.2%	97.8%
Grade 7	0.6%	0.7%	1.7%	98.3%
Grade 8	0.5%	0.8%	1.2%	98.8%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.3%	0.4%	2.2%	97.8%
Grade 11	0.2%	1.6%	3.8%	96.2%
Grade 12	0.5%	1.8%	4.1%	95.9%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Synthetic Cathinones?</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.5%	99.5%
<b>Steroids?</b>				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.5%	1.3%	2.7%	97.3%
Grade 9	0.1%	0.2%	1.1%	98.9%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Ecstasy?</b>				
All	0.1%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.6%	0.7%	99.3%
Grade 12	0.0%	0.3%	1.0%	99.0%
<b>Heroin?</b>				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	1.0%	1.0%	1.5%	98.5%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.4%	99.6%
<b>Methamphetamine?</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.2%	0.2%	0.4%	99.6%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.8%	1.4%	2.5%	97.5%
Grade 7	0.3%	0.7%	1.2%	98.8%
Grade 8	0.8%	1.2%	2.1%	97.9%
Grade 9	0.9%	1.6%	2.4%	97.6%
Grade 10	1.0%	1.8%	3.3%	96.7%
Grade 11	1.6%	2.6%	3.7%	96.3%
Grade 12	0.3%	0.7%	2.0%	98.0%
Delta 8?				
All	2.1%	3.1%	5.4%	94.6%
Grade 7	0.4%	0.4%	1.2%	98.8%
Grade 8	2.0%	2.5%	3.3%	96.7%
Grade 9	2.1%	2.8%	5.2%	94.8%
Grade 10	1.8%	4.0%	7.2%	92.8%
Grade 11	4.6%	6.0%	9.5%	90.5%
Grade 12	1.7%	3.1%	6.3%	93.7%

**Table D-2: How Often Do You Normally Use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	88.0%	1.3%	1.2%	1.3%	1.9%	2.8%	3.5%
	Grade 7	96.2%	0.1%	0.0%	1.0%	0.4%	0.4%	2.0%
	Grade 8	92.5%	0.3%	0.7%	1.6%	1.0%	1.9%	2.0%
	Grade 9	87.8%	1.4%	0.9%	1.5%	2.0%	2.9%	3.5%
	Grade 10	85.8%	1.6%	1.5%	1.4%	2.4%	2.8%	4.5%
	Grade 11	82.4%	2.9%	2.5%	0.8%	3.3%	4.3%	3.8%
	Grade 12	82.1%	1.8%	2.0%	1.5%	2.4%	5.0%	5.3%
Cocaine?								
	All	99.3%	0.1%	0.0%	0.0%	0.0%	0.1%	0.4%
	Grade 7	99.3%	0.0%	0.0%	0.0%	0.0%	0.2%	0.5%
	Grade 8	99.4%	0.1%	0.0%	0.1%	0.0%	0.1%	0.2%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.7%
	Grade 11	99.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.7%
	Grade 12	98.8%	0.3%	0.0%	0.0%	0.0%	0.5%	0.4%
Crack?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
Steroids?								
	All	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 8	99.0%	0.0%	0.0%	0.0%	0.5%	0.2%	0.3%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.2%	0.1%	0.1%
	Grade 10	99.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 11	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.7%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%
Ecstasy?								
	All	99.5%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 8	99.4%	0.2%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 12	99.0%	0.0%	0.0%	0.0%	0.0%	0.8%	0.2%

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.0%	0.3%	0.2%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 10	99.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Methamphetamine?								
	All	99.6%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.5%	0.0%	0.1%	0.1%	0.0%	0.0%	0.3%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	98.8%	0.3%	0.0%	0.5%	0.0%	0.0%	0.4%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Synthetic Marijuana?								
	All	98.2%	0.3%	0.0%	0.3%	0.3%	0.2%	0.7%
	Grade 7	99.4%	0.0%	0.0%	0.3%	0.0%	0.0%	0.2%
	Grade 8	98.0%	0.3%	0.0%	0.3%	0.3%	0.5%	0.6%
	Grade 9	97.9%	0.4%	0.1%	0.2%	0.6%	0.2%	0.7%
	Grade 10	98.0%	0.4%	0.0%	0.2%	0.5%	0.2%	0.7%
	Grade 11	97.3%	0.7%	0.0%	0.4%	0.0%	0.2%	1.4%
	Grade 12	98.6%	0.1%	0.0%	0.1%	0.4%	0.2%	0.7%
Delta 8?								
	All	95.8%	0.6%	0.4%	0.5%	0.7%	0.8%	1.3%
	Grade 7	99.0%	0.1%	0.0%	0.0%	0.3%	0.0%	0.5%
	Grade 8	97.2%	0.8%	0.1%	0.8%	0.4%	0.7%	0.0%
	Grade 9	95.9%	0.6%	0.3%	0.4%	1.1%	0.3%	1.4%
	Grade 10	95.0%	0.8%	0.4%	0.1%	0.7%	0.9%	2.1%
	Grade 11	92.2%	0.8%	1.2%	0.6%	1.1%	1.8%	2.3%
	Grade 12	95.8%	0.1%	0.1%	0.9%	0.9%	0.9%	1.3%

**Table D-3: Average Age of First Use of...**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.7	11.0	12.1	13.1	13.7	14.6	14.9
Cocaine	14.5	10.5	12.9	14.0	15.3	15.7	15.7
Crack	13.3	14.0	12.8	11.0	10.0	N/A	17.0
Steroids	12.2	12.6	10.0	14.6	14.7	13.1	12.3
Ecstasy	12.8	11.0	11.2	11.3	11.2	13.3	15.6
Heroin	11.7	9.7	10.4	14.0	13.0	N/A	18.0
Methamphetamine	13.6	12.0	11.4	14.0	13.7	10.0	18.0
Synthetic Marijuana	13.4	10.7	12.1	13.1	14.0	14.2	15.8
Delta 8?	14.1	12.2	12.7	13.1	14.2	14.7	15.2

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	All	40.1%	22.4%	8.7%	8.8%	8.0%	12.1%
	Grade 7	52.6%	32.1%	6.3%	2.4%	3.2%	3.6%
	Grade 8	42.7%	29.8%	7.5%	10.0%	2.7%	7.3%
	Grade 9	37.2%	20.4%	11.2%	11.6%	10.7%	8.9%
	Grade 10	40.0%	15.9%	9.2%	8.7%	10.7%	15.6%
	Grade 11	34.3%	17.4%	8.3%	10.5%	9.0%	20.5%
	Grade 12	33.1%	19.1%	8.9%	8.9%	11.6%	18.4%
<b>Cocaine?</b>							
	All	48.6%	31.0%	9.3%	5.5%	2.7%	2.9%
	Grade 7	53.5%	35.6%	7.1%	1.5%	1.8%	0.4%
	Grade 8	47.0%	38.8%	7.2%	3.8%	1.6%	1.6%
	Grade 9	47.8%	28.5%	12.4%	5.7%	3.0%	2.6%
	Grade 10	50.1%	26.2%	9.4%	6.2%	3.7%	4.5%
	Grade 11	47.8%	27.4%	10.6%	7.3%	3.1%	3.7%
	Grade 12	45.0%	30.1%	8.4%	9.2%	2.7%	4.6%
<b>Crack?</b>							
	All	50.2%	32.0%	9.4%	4.5%	1.5%	2.3%
	Grade 7	55.0%	36.4%	5.8%	0.9%	1.1%	0.9%
	Grade 8	47.8%	38.7%	7.4%	3.9%	0.8%	1.3%
	Grade 9	49.6%	29.1%	12.6%	4.3%	2.2%	2.2%
	Grade 10	52.0%	26.8%	8.9%	6.8%	2.0%	3.4%
	Grade 11	49.3%	30.2%	10.9%	4.9%	1.4%	3.3%
	Grade 12	47.1%	31.6%	10.5%	6.3%	1.5%	2.9%
<b>Steroids?</b>							
	All	51.3%	28.9%	9.2%	5.6%	2.4%	2.6%
	Grade 7	56.3%	32.3%	7.2%	2.0%	0.9%	1.3%
	Grade 8	49.1%	34.5%	8.5%	4.3%	2.1%	1.5%
	Grade 9	51.2%	25.9%	10.9%	7.0%	2.9%	2.2%
	Grade 10	52.2%	24.1%	10.2%	6.6%	3.5%	3.3%
	Grade 11	50.3%	28.4%	8.8%	6.7%	2.0%	3.8%
	Grade 12	48.5%	28.9%	9.3%	6.6%	2.7%	4.1%
<b>Ecstasy?</b>							
	All	59.9%	26.1%	7.5%	3.4%	1.3%	1.7%
	Grade 7	66.4%	26.4%	5.0%	0.5%	1.1%	0.5%
	Grade 8	56.8%	32.4%	5.8%	3.4%	0.8%	0.8%
	Grade 9	62.8%	21.9%	8.8%	3.3%	1.7%	1.6%
	Grade 10	60.1%	23.6%	7.7%	4.5%	1.3%	2.8%
	Grade 11	56.4%	26.3%	9.5%	4.4%	1.2%	2.1%
	Grade 12	56.1%	26.9%	8.4%	4.1%	2.0%	2.4%

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	54.9%	30.8%	8.0%	3.3%	1.2%	1.8%
	Grade 7	62.1%	28.6%	5.4%	1.8%	1.3%	0.9%
	Grade 8	51.5%	38.4%	5.3%	3.3%	0.5%	1.0%
	Grade 9	55.8%	28.7%	9.2%	3.3%	1.4%	1.6%
	Grade 10	54.9%	26.9%	10.6%	3.6%	2.0%	2.0%
	Grade 11	52.0%	31.6%	8.7%	3.7%	1.1%	3.0%
	Grade 12	52.7%	31.4%	8.9%	4.3%	0.7%	2.1%
<b>Methamphetamine?</b>							
	All	56.0%	29.2%	7.7%	3.5%	1.5%	2.1%
	Grade 7	63.1%	28.8%	5.3%	1.4%	0.9%	0.4%
	Grade 8	53.3%	35.7%	5.3%	3.4%	1.0%	1.3%
	Grade 9	56.7%	27.4%	9.9%	1.6%	2.0%	2.3%
	Grade 10	56.2%	25.6%	8.7%	4.9%	2.1%	2.5%
	Grade 11	53.6%	28.7%	8.4%	4.5%	1.2%	3.5%
	Grade 12	52.4%	29.3%	8.5%	6.0%	1.2%	2.6%
<b>Synthetic Marijuana?</b>							
	All	57.8%	24.4%	7.1%	3.8%	3.0%	3.9%
	Grade 7	66.0%	25.4%	5.4%	0.5%	1.3%	1.4%
	Grade 8	55.4%	31.3%	6.5%	3.1%	1.7%	1.9%
	Grade 9	58.1%	22.5%	8.0%	4.3%	3.3%	3.7%
	Grade 10	58.8%	21.4%	7.9%	3.4%	3.1%	5.4%
	Grade 11	53.7%	23.4%	7.1%	5.8%	4.3%	5.7%
	Grade 12	54.2%	22.1%	7.4%	6.2%	4.4%	5.8%
<b>Delta 8?</b>							
	All	57.2%	22.7%	6.6%	3.7%	3.7%	6.1%
	Grade 7	63.4%	27.4%	5.7%	0.7%	1.0%	1.9%
	Grade 8	56.0%	29.3%	5.7%	3.3%	2.7%	3.0%
	Grade 9	59.2%	19.8%	8.1%	4.8%	3.5%	4.5%
	Grade 10	57.7%	18.8%	6.3%	4.2%	4.8%	8.2%
	Grade 11	53.3%	19.9%	6.7%	5.0%	4.6%	10.6%
	Grade 12	52.8%	21.2%	7.1%	3.7%	5.9%	9.3%



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	94.0%	2.9%	0.9%	2.2%
Grade 7	97.7%	2.0%	0.2%	0.0%
Grade 8	96.7%	1.6%	0.7%	1.1%
Grade 9	93.0%	3.9%	1.3%	1.9%
Grade 10	92.4%	4.0%	0.6%	3.0%
Grade 11	91.0%	3.4%	1.3%	4.3%
Grade 12	92.9%	2.5%	1.4%	3.2%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	98.4%	0.9%	0.3%	0.4%
Grade 7	99.3%	0.5%	0.0%	0.1%
Grade 8	98.3%	1.2%	0.2%	0.2%
Grade 9	98.9%	0.4%	0.2%	0.5%
Grade 10	97.6%	1.1%	0.5%	0.8%
Grade 11	98.0%	0.7%	0.8%	0.5%
Grade 12	98.5%	1.2%	0.0%	0.3%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	7.0
Marijuana Non-Users	4.7
Average Days Conduct Problems Reported	
Marijuana Users	4.5
Marijuana Non-Users	1.5

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.7%	2.7%	0.6%	1.1%
Grade 9	97.6%	1.4%	0.7%	0.2%
Grade 10	95.2%	2.9%	0.6%	1.4%
Grade 11	94.4%	4.4%	0.3%	0.9%
Grade 12	95.1%	2.2%	0.6%	2.1%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.5%	1.9%	0.3%	0.3%
Grade 7	98.8%	1.1%	0.0%	0.1%
Grade 8	98.1%	1.7%	0.0%	0.2%
Grade 9	96.7%	2.3%	0.3%	0.7%
Grade 10	97.2%	1.5%	0.5%	0.7%
Grade 11	96.7%	3.2%	0.1%	0.0%
Grade 12	97.7%	1.4%	0.7%	0.2%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	72.4%	14.0%	7.0%	5.3%	1.3%
Grade 7	91.7%	3.8%	2.8%	1.4%	0.3%
Grade 8	80.2%	12.0%	4.4%	2.3%	1.0%
Grade 9	67.8%	16.8%	7.4%	6.3%	1.7%
Grade 10	67.7%	15.7%	8.5%	6.7%	1.4%
Grade 11	65.3%	15.0%	10.8%	7.5%	1.4%
Grade 12	61.5%	21.2%	7.7%	7.4%	2.3%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	65.6%	4.4%	3.8%	3.8%	3.0%	2.0%	17.4%
Grade 7	83.6%	1.7%	1.0%	1.1%	0.2%	1.3%	10.9%
Grade 8	72.1%	4.2%	1.9%	1.1%	1.1%	1.8%	17.9%
Grade 9	63.1%	4.7%	3.4%	4.3%	1.7%	3.5%	19.4%
Grade 10	63.2%	4.2%	5.8%	4.4%	4.5%	1.6%	16.3%
Grade 11	53.1%	6.0%	5.4%	7.6%	5.5%	2.5%	19.9%
Grade 12	57.7%	5.7%	5.4%	4.7%	5.5%	1.2%	19.9%

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.8%	6.7%	6.8%	1.7%	1.1%	8.0%
Grade 7	85.6%	3.3%	1.4%	0.4%	0.7%	8.6%
Grade 8	80.9%	4.7%	4.6%	1.2%	0.9%	7.7%
Grade 9	75.9%	6.4%	5.6%	1.8%	1.2%	9.1%
Grade 10	72.0%	8.2%	9.4%	1.9%	0.5%	8.1%
Grade 11	70.2%	9.4%	9.0%	2.2%	1.8%	7.3%
Grade 12	69.4%	8.3%	11.2%	2.6%	1.6%	7.0%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	65.8%	15.4%	9.0%	4.9%	5.0%
	Grade 7	81.0%	9.3%	3.8%	1.2%	4.7%
	Grade 8	73.9%	13.3%	5.1%	2.3%	5.4%
	Grade 9	64.6%	16.2%	9.6%	4.7%	4.9%
	Grade 10	60.8%	19.0%	9.6%	4.3%	6.3%
	Grade 11	56.4%	15.9%	13.0%	9.9%	4.8%
	Grade 12	56.6%	18.5%	13.6%	8.0%	3.3%
Cocaine?	All	88.2%	5.3%	0.6%	0.6%	5.3%
	Grade 7	90.4%	5.1%	0.0%	0.2%	4.2%
	Grade 8	88.0%	5.4%	0.8%	0.7%	5.2%
	Grade 9	85.6%	7.1%	0.9%	0.9%	5.5%
	Grade 10	85.9%	6.1%	0.7%	0.3%	6.9%
	Grade 11	88.7%	4.5%	0.4%	1.0%	5.4%
	Grade 12	92.1%	2.7%	0.5%	0.1%	4.5%
Crack?	All	89.0%	4.3%	0.5%	0.6%	5.6%
	Grade 7	89.0%	5.4%	0.0%	0.2%	5.4%
	Grade 8	88.5%	5.1%	0.5%	0.6%	5.3%
	Grade 9	87.8%	4.9%	0.9%	0.9%	5.5%
	Grade 10	87.6%	4.1%	0.9%	0.3%	7.1%
	Grade 11	89.6%	3.3%	0.3%	1.6%	5.2%
	Grade 12	92.3%	2.5%	0.3%	0.1%	4.7%
Ecstasy?	All	83.5%	4.3%	1.2%	0.7%	10.3%
	Grade 7	85.8%	3.3%	0.2%	0.5%	10.2%
	Grade 8	84.7%	4.3%	0.6%	0.6%	9.9%
	Grade 9	80.6%	4.2%	1.6%	0.9%	12.6%
	Grade 10	79.8%	6.7%	1.6%	0.7%	11.2%
	Grade 11	84.1%	3.2%	1.7%	1.5%	9.5%
	Grade 12	87.5%	3.9%	1.5%	0.2%	7.0%
Steroids?	All	78.4%	10.3%	3.5%	1.1%	6.8%
	Grade 7	79.5%	10.2%	3.1%	0.6%	6.5%
	Grade 8	79.3%	10.7%	2.9%	0.9%	6.2%
	Grade 9	75.4%	10.6%	5.4%	1.1%	7.4%
	Grade 10	76.8%	10.4%	3.7%	0.8%	8.3%
	Grade 11	79.4%	9.6%	1.6%	2.7%	6.6%
	Grade 12	80.9%	10.4%	3.4%	0.4%	4.9%

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	88.5%	3.4%	0.6%	0.6%	7.0%
	Grade 7	87.7%	3.3%	0.5%	1.0%	7.5%
	Grade 8	88.3%	4.3%	0.8%	0.0%	6.5%
	Grade 9	86.8%	4.0%	0.5%	0.9%	7.8%
	Grade 10	87.0%	3.6%	0.7%	0.3%	8.3%
	Grade 11	89.0%	3.1%	0.5%	1.0%	6.3%
	Grade 12	93.3%	1.5%	0.3%	0.1%	4.8%
Methamphetamine?						
	All	88.8%	3.1%	0.5%	0.7%	6.8%
	Grade 7	89.1%	3.2%	0.0%	0.2%	7.5%
	Grade 8	89.0%	3.5%	0.8%	0.6%	6.2%
	Grade 9	87.7%	2.9%	1.0%	1.0%	7.4%
	Grade 10	87.0%	3.3%	0.4%	1.0%	8.3%
	Grade 11	89.3%	3.0%	0.5%	0.9%	6.2%
	Grade 12	92.1%	2.7%	0.2%	0.2%	4.8%
Synthetic Marijuana?						
	All	81.4%	5.9%	2.5%	1.4%	8.8%
	Grade 7	84.6%	5.4%	0.8%	0.5%	8.7%
	Grade 8	83.9%	5.1%	1.5%	1.5%	8.0%
	Grade 9	78.8%	7.1%	2.9%	1.7%	9.4%
	Grade 10	78.7%	6.3%	2.4%	1.2%	11.4%
	Grade 11	80.2%	6.3%	3.4%	3.0%	7.2%
	Grade 12	83.1%	4.8%	4.6%	0.4%	7.1%
Delta 8?						
	All	77.2%	7.2%	3.9%	2.6%	9.1%
	Grade 7	85.0%	5.3%	0.6%	0.5%	8.6%
	Grade 8	81.0%	7.0%	2.4%	1.9%	7.8%
	Grade 9	73.9%	9.4%	4.0%	2.2%	10.5%
	Grade 10	74.0%	7.3%	3.7%	3.1%	11.9%
	Grade 11	74.5%	7.4%	5.4%	5.2%	7.5%
	Grade 12	75.3%	6.5%	7.7%	2.7%	7.7%
Fictional Drug?						
	All	83.4%	3.3%	0.6%	0.6%	12.2%
	Grade 7	85.2%	4.2%	0.0%	0.7%	9.9%
	Grade 8	83.9%	4.1%	0.5%	0.6%	10.9%
	Grade 9	81.9%	2.5%	0.8%	0.9%	13.9%
	Grade 10	80.6%	3.7%	1.2%	0.2%	14.2%
	Grade 11	84.1%	2.7%	0.3%	0.9%	12.0%
	Grade 12	85.4%	2.7%	0.3%	0.1%	11.6%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	5.0%	7.2%	13.0%	87.0%
Grade 7	6.8%	8.6%	14.0%	86.0%
Grade 8	6.4%	9.0%	16.9%	83.1%
Grade 9	3.6%	6.0%	10.4%	89.6%
Grade 10	5.4%	7.6%	14.3%	85.7%
Grade 11	4.4%	6.2%	11.4%	88.6%
Grade 12	3.6%	5.3%	10.5%	89.5%
<b>Codeine Cough Syrup?</b>				
All	3.0%	4.6%	9.2%	90.8%
Grade 7	5.0%	6.2%	10.4%	89.6%
Grade 8	3.8%	5.6%	12.1%	87.9%
Grade 9	1.5%	3.0%	6.4%	93.6%
Grade 10	3.4%	5.8%	10.9%	89.1%
Grade 11	2.1%	3.6%	8.4%	91.6%
Grade 12	2.0%	3.5%	6.7%	93.3%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.5%	0.9%	1.9%	98.1%
Grade 7	0.5%	0.8%	1.4%	98.6%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.3%	0.6%	1.3%	98.7%
Grade 10	0.5%	1.4%	2.4%	97.6%
Grade 11	1.1%	1.2%	2.4%	97.6%
Grade 12	0.4%	1.0%	3.4%	96.6%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	0.5%	0.8%	2.0%	98.0%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.6%	0.8%	1.1%	98.9%
Grade 9	0.3%	0.5%	1.7%	98.3%
Grade 10	1.1%	1.9%	3.1%	96.9%
Grade 11	0.7%	1.1%	2.9%	97.1%
Grade 12	0.0%	0.6%	2.2%	97.8%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	0.9%	1.4%	2.3%	97.7%
Grade 7	0.5%	1.3%	1.6%	98.4%
Grade 8	0.7%	1.0%	1.9%	98.1%
Grade 9	1.1%	1.4%	1.8%	98.2%
Grade 10	1.7%	2.6%	3.5%	96.5%
Grade 11	1.0%	1.0%	3.3%	96.7%
Grade 12	0.3%	1.0%	1.7%	98.3%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.4%	3.4%	6.4%	93.6%
Grade 7	2.2%	3.2%	6.8%	93.2%
Grade 8	3.7%	5.0%	9.2%	90.8%
Grade 9	1.4%	2.9%	5.1%	94.9%
Grade 10	2.9%	3.9%	7.2%	92.8%
Grade 11	2.3%	2.7%	5.7%	94.3%
Grade 12	2.3%	2.9%	4.2%	95.8%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.5%	0.9%	1.9%	98.1%
Grade 7	0.7%	1.6%	3.2%	96.8%
Grade 8	1.1%	1.7%	3.7%	96.3%
Grade 9	0.4%	0.6%	1.4%	98.6%
Grade 10	0.5%	0.6%	0.8%	99.2%
Grade 11	0.2%	0.7%	1.7%	98.3%
Grade 12	0.3%	0.4%	0.6%	99.4%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	79.4%	10.0%	2.8%	1.0%	6.7%
Grade 7	82.0%	10.2%	2.3%	0.0%	5.5%
Grade 8	79.9%	8.2%	3.9%	0.9%	7.2%
Grade 9	78.8%	9.1%	3.0%	1.8%	7.3%
Grade 10	77.9%	11.2%	1.8%	1.0%	8.0%
Grade 11	77.4%	11.2%	3.7%	1.4%	6.4%
Grade 12	80.7%	10.7%	2.2%	1.1%	5.3%

## Inhalants

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Inhalant?</b>				
All	4.0%	5.3%	10.8%	89.2%
Grade 7	6.2%	7.1%	11.8%	88.2%
Grade 8	4.4%	6.0%	12.5%	87.5%
Grade 9	3.5%	6.0%	12.5%	87.5%
Grade 10	4.0%	4.8%	11.7%	88.3%
Grade 11	4.1%	5.1%	9.9%	90.1%
Grade 12	1.4%	2.3%	4.8%	95.2%
<b>Spray Paint?</b>				
All	0.4%	0.5%	1.5%	98.5%
Grade 7	0.0%	0.2%	1.2%	98.8%
Grade 8	0.4%	0.4%	1.6%	98.4%
Grade 9	0.3%	0.3%	1.4%	98.6%
Grade 10	1.1%	1.3%	2.5%	97.5%
Grade 11	0.3%	0.5%	1.1%	98.9%
Grade 12	0.2%	0.3%	0.7%	99.3%
<b>Whiteout, Correction Fluid, or Magic Markers?</b>				
All	0.8%	1.3%	3.4%	96.6%
Grade 7	1.8%	2.8%	4.5%	95.5%
Grade 8	0.5%	1.3%	3.0%	97.0%
Grade 9	1.4%	1.8%	5.8%	94.2%
Grade 10	0.4%	0.9%	3.3%	96.7%
Grade 11	0.7%	0.9%	2.1%	97.9%
Grade 12	0.1%	0.1%	1.1%	98.9%
<b>Computer Dusting Sprays?</b>				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.9%	2.4%	97.6%
Grade 8	0.7%	1.1%	1.9%	98.1%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.5%	0.5%	1.2%	98.8%
Grade 11	0.0%	0.5%	1.0%	99.0%
Grade 12	0.3%	0.3%	0.5%	99.5%
<b>Helium, Butane, Propane, Whippets, or Freon?</b>				
All	0.9%	1.7%	4.8%	95.2%
Grade 7	1.2%	2.8%	5.2%	94.8%
Grade 8	1.1%	1.6%	4.5%	95.5%
Grade 9	1.0%	2.3%	6.6%	93.4%
Grade 10	1.3%	1.7%	5.8%	94.2%
Grade 11	0.1%	0.7%	3.6%	96.4%
Grade 12	0.5%	0.7%	1.9%	98.1%



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.4%	0.6%	0.9%	99.1%
Grade 7	1.1%	1.1%	1.9%	98.1%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.4%	0.8%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.5%	99.5%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.6%	0.8%	1.3%	98.7%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.9%	1.0%	1.6%	98.4%
Grade 11	0.8%	0.8%	1.1%	98.9%
Grade 12	0.2%	0.2%	0.2%	99.8%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	1.0%	1.3%	2.5%	97.5%
Grade 7	1.0%	1.1%	2.5%	97.5%
Grade 8	1.8%	1.9%	3.7%	96.3%
Grade 9	0.9%	1.3%	2.1%	97.9%
Grade 10	1.5%	1.7%	3.4%	96.6%
Grade 11	0.6%	1.1%	1.9%	98.1%
Grade 12	0.2%	0.4%	0.8%	99.2%
<b>Other Aerosols/Sprays?</b>				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	1.4%	1.5%	2.0%	98.0%
Grade 8	1.0%	1.0%	2.0%	98.0%
Grade 9	0.0%	0.1%	1.0%	99.0%
Grade 10	0.6%	1.2%	1.8%	98.2%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.5%	99.5%

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.1%	0.0%	0.2%	0.3%	0.0%	0.4%	1.0%
Grade 7	96.9%	0.0%	0.8%	0.3%	0.1%	0.6%	1.4%
Grade 8	98.2%	0.0%	0.2%	0.6%	0.0%	0.3%	0.7%
Grade 9	98.5%	0.0%	0.2%	0.0%	0.0%	0.5%	0.8%
Grade 10	98.1%	0.0%	0.2%	0.3%	0.0%	0.2%	1.2%
Grade 11	98.0%	0.1%	0.1%	0.1%	0.0%	0.6%	1.1%
Grade 12	99.0%	0.0%	0.0%	0.1%	0.0%	0.4%	0.5%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	91.6%	4.8%	2.6%	1.0%
Grade 7	89.9%	6.2%	2.5%	1.4%
Grade 8	90.0%	5.5%	3.3%	1.2%
Grade 9	90.1%	5.0%	4.4%	0.5%
Grade 10	90.7%	5.3%	2.0%	2.0%
Grade 11	93.4%	4.6%	1.4%	0.6%
Grade 12	97.2%	1.2%	1.2%	0.5%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.1	9.7	10.1	11.8	11.5	12.7	14.3

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.2%	0.4%	0.2%	0.2%
Grade 7	99.2%	0.4%	0.2%	0.1%
Grade 8	99.3%	0.4%	0.1%	0.1%
Grade 9	99.0%	0.2%	0.6%	0.2%
Grade 10	98.6%	0.9%	0.0%	0.5%
Grade 11	99.7%	0.2%	0.0%	0.1%
Grade 12	99.4%	0.4%	0.1%	0.1%

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	6.2
Inhalant Non-Users	4.8
Average Days Conduct Problems Reported	
Inhalant Users	4.0
Inhalant Non-Users	1.7

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	93.7%	4.0%	1.4%	0.6%	0.3%
Grade 7	92.6%	4.9%	1.8%	0.4%	0.3%
Grade 8	95.1%	3.2%	0.6%	0.8%	0.3%
Grade 9	92.7%	4.1%	2.5%	0.5%	0.2%
Grade 10	93.6%	3.9%	1.2%	0.5%	0.9%
Grade 11	95.0%	3.6%	0.6%	0.8%	0.0%
Grade 12	93.3%	4.5%	1.4%	0.5%	0.3%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.2%	11.5%	3.6%	1.4%	7.3%
Grade 7	78.6%	10.9%	2.8%	1.0%	6.8%
Grade 8	76.7%	11.0%	3.4%	1.5%	7.5%
Grade 9	74.4%	12.9%	3.8%	1.5%	7.4%
Grade 10	73.4%	11.8%	3.4%	1.6%	9.8%
Grade 11	75.2%	12.0%	4.2%	1.9%	6.8%
Grade 12	80.3%	9.9%	4.1%	0.7%	5.0%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	50.5%	16.5%	4.9%	5.4%	7.9%	14.8%
Grade 7	55.6%	20.1%	3.4%	3.8%	6.5%	10.5%
Grade 8	48.9%	22.3%	5.4%	6.2%	6.2%	11.0%
Grade 9	51.4%	14.2%	6.6%	4.7%	9.9%	13.2%
Grade 10	53.0%	12.7%	4.4%	5.7%	6.8%	17.5%
Grade 11	47.6%	14.0%	4.5%	5.1%	7.7%	21.0%
Grade 12	44.7%	16.5%	4.8%	7.1%	10.4%	16.4%

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
<hr/>		
A School Health Class		
	All	35.3%
	Grade 7	34.3%
	Grade 8	36.8%
	Grade 9	34.3%
	Grade 10	34.0%
	Grade 11	34.2%
	Grade 12	38.8%
An Assembly Program		
	All	60.5%
	Grade 7	54.6%
	Grade 8	59.3%
	Grade 9	60.3%
	Grade 10	63.7%
	Grade 11	60.1%
	Grade 12	65.3%
Guidance Counselor		
	All	32.8%
	Grade 7	30.4%
	Grade 8	32.2%
	Grade 9	31.2%
	Grade 10	32.7%
	Grade 11	33.8%
	Grade 12	37.6%
School Nurse		
	All	18.3%
	Grade 7	22.1%
	Grade 8	23.2%
	Grade 9	14.5%
	Grade 10	15.6%
	Grade 11	17.5%
	Grade 12	17.7%
Science or Social Studies Class		
	All	30.0%
	Grade 7	33.7%
	Grade 8	34.9%
	Grade 9	27.6%
	Grade 10	27.1%
	Grade 11	28.6%
	Grade 12	28.3%
<hr/>		

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	16.9%
	Grade 7	13.8%
	Grade 8	17.9%
	Grade 9	15.6%
	Grade 10	16.8%
	Grade 11	18.8%
	Grade 12	19.0%
<b>An Invited School Guest</b>		
	All	46.3%
	Grade 7	39.7%
	Grade 8	45.6%
	Grade 9	44.2%
	Grade 10	48.5%
	Grade 11	47.6%
	Grade 12	53.2%
<b>Another Source at School</b>		
	All	33.7%
	Grade 7	30.4%
	Grade 8	35.6%
	Grade 9	30.2%
	Grade 10	36.5%
	Grade 11	33.6%
	Grade 12	36.2%
<b>Any School Source</b>		
	All	72.8%
	Grade 7	71.5%
	Grade 8	72.6%
	Grade 9	73.3%
	Grade 10	73.0%
	Grade 11	71.4%
	Grade 12	75.1%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<hr/>		
Counselor/Program In-School		
	All	34.1%
	Grade 7	46.7%
	Grade 8	41.7%
	Grade 9	30.3%
	Grade 10	28.2%
	Grade 11	26.6%
	Grade 12	31.2%
School Nurse		
	All	21.0%
	Grade 7	28.5%
	Grade 8	27.4%
	Grade 9	17.1%
	Grade 10	18.3%
	Grade 11	18.3%
	Grade 12	16.0%
Another Adult In School		
	All	40.2%
	Grade 7	48.7%
	Grade 8	43.3%
	Grade 9	34.8%
	Grade 10	38.8%
	Grade 11	37.7%
	Grade 12	38.5%
Counselor/Program Outside-School		
	All	37.4%
	Grade 7	47.8%
	Grade 8	42.1%
	Grade 9	31.2%
	Grade 10	31.9%
	Grade 11	33.5%
	Grade 12	39.6%
Your Parents		
	All	69.5%
	Grade 7	73.7%
	Grade 8	71.5%
	Grade 9	64.7%
	Grade 10	68.4%
	Grade 11	69.7%
	Grade 12	70.5%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	52.4%
	Grade 7	62.0%
	Grade 8	59.2%
	Grade 9	45.1%
	Grade 10	46.9%
	Grade 11	47.9%
	Grade 12	55.5%
<b>Your Friends</b>		
	All	61.6%
	Grade 7	52.3%
	Grade 8	56.7%
	Grade 9	64.1%
	Grade 10	63.9%
	Grade 11	63.3%
	Grade 12	69.6%
<b>Another Adult</b>		
	All	56.5%
	Grade 7	61.2%
	Grade 8	58.1%
	Grade 9	56.5%
	Grade 10	53.0%
	Grade 11	53.5%
	Grade 12	57.3%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	7.9%
	Grade 7	6.0%
	Grade 8	10.9%
	Grade 9	8.0%
	Grade 10	8.3%
	Grade 11	7.9%
	Grade 12	5.4%

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	4.3%	22.4%	23.5%	35.9%	14.0%
Grade 7	4.6%	20.7%	18.1%	39.1%	17.6%
Grade 8	3.6%	23.3%	25.6%	35.3%	12.2%
Grade 9	4.5%	19.8%	22.8%	39.0%	13.8%
Grade 10	4.4%	23.1%	24.0%	32.8%	15.6%
Grade 11	4.7%	20.9%	26.8%	32.3%	15.3%
Grade 12	3.9%	27.4%	23.4%	36.5%	8.9%
<b>Sometimes Carry Weapons?</b>					
All	75.4%	14.4%	5.3%	3.5%	1.3%
Grade 7	85.4%	9.5%	4.0%	0.8%	0.3%
Grade 8	77.9%	13.9%	4.2%	2.8%	1.2%
Grade 9	76.2%	14.2%	4.2%	4.1%	1.3%
Grade 10	70.0%	15.4%	7.4%	4.6%	2.7%
Grade 11	73.0%	14.2%	6.2%	5.4%	1.2%
Grade 12	69.7%	19.9%	6.2%	3.4%	0.8%
<b>Care About Making Good Grades?</b>					
All	2.4%	13.9%	26.6%	39.6%	17.5%
Grade 7	4.0%	11.1%	28.5%	36.7%	19.7%
Grade 8	2.5%	13.9%	25.4%	40.2%	17.9%
Grade 9	2.1%	16.1%	24.9%	37.5%	19.4%
Grade 10	2.8%	13.8%	26.8%	40.4%	16.2%
Grade 11	1.7%	12.0%	28.9%	40.0%	17.4%
Grade 12	1.0%	16.6%	25.1%	43.6%	13.7%
<b>Belong/Want to Belong to a Gang?</b>					
All	88.4%	6.8%	2.7%	0.8%	1.2%
Grade 7	90.2%	5.8%	2.3%	0.6%	1.1%
Grade 8	81.8%	11.2%	5.1%	1.4%	0.5%
Grade 9	87.2%	7.6%	2.8%	0.6%	1.7%
Grade 10	88.8%	5.9%	2.6%	0.9%	1.8%
Grade 11	91.1%	5.8%	1.5%	0.6%	1.0%
Grade 12	92.9%	3.6%	1.6%	0.8%	1.1%
<b>Wish They Could Drop Out of School?</b>					
All	38.3%	32.3%	16.2%	8.5%	4.7%
Grade 7	45.0%	28.7%	15.5%	6.6%	4.2%
Grade 8	39.2%	31.7%	17.6%	7.6%	3.8%
Grade 9	40.2%	31.5%	14.9%	7.8%	5.6%
Grade 10	33.5%	33.1%	18.9%	9.3%	5.3%
Grade 11	34.8%	36.0%	14.7%	9.6%	4.9%
Grade 12	37.5%	32.9%	15.7%	10.3%	3.7%



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	87.7%	11.1%	0.4%	0.1%	0.7%
Grade 7	85.8%	12.3%	0.8%	0.0%	1.1%
Grade 8	83.9%	14.3%	0.4%	0.1%	1.3%
Grade 9	88.9%	10.5%	0.1%	0.0%	0.4%
Grade 10	87.6%	11.4%	0.0%	0.4%	0.6%
Grade 11	88.8%	9.8%	0.7%	0.0%	0.7%
Grade 12	91.7%	7.7%	0.5%	0.0%	0.1%
<b>Out In Your Neighborhood?</b>					
All	45.6%	45.4%	5.5%	1.1%	2.3%
Grade 7	37.3%	47.3%	9.0%	1.2%	5.1%
Grade 8	40.1%	49.1%	7.0%	1.9%	1.9%
Grade 9	45.0%	46.3%	5.1%	1.1%	2.6%
Grade 10	48.2%	43.6%	5.1%	0.7%	2.3%
Grade 11	52.7%	41.9%	3.4%	1.2%	0.8%
Grade 12	51.6%	43.3%	3.5%	0.6%	1.0%
<b>At School?</b>					
All	34.5%	47.9%	8.8%	4.9%	3.9%
Grade 7	41.5%	41.7%	8.7%	4.7%	3.2%
Grade 8	33.4%	51.4%	4.7%	5.3%	5.2%
Grade 9	28.6%	49.8%	11.4%	6.1%	4.2%
Grade 10	30.4%	47.0%	11.1%	6.3%	5.2%
Grade 11	34.3%	52.0%	8.8%	1.9%	3.0%
Grade 12	41.7%	44.7%	7.5%	4.3%	1.8%

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.6%	13.9%	24.5%	75.5%
Grade 7	5.4%	6.4%	13.9%	86.1%
Grade 8	5.9%	8.0%	18.1%	81.9%
Grade 9	9.0%	12.5%	25.2%	74.8%
Grade 10	14.7%	17.1%	26.1%	73.9%
Grade 11	18.1%	20.9%	34.2%	65.8%
Grade 12	18.2%	19.7%	30.6%	69.4%
<b>Any Alcohol Product</b>				
All	24.5%	28.3%	46.7%	53.3%
Grade 7	13.7%	14.8%	39.2%	60.8%
Grade 8	21.4%	24.1%	40.5%	59.5%
Grade 9	23.5%	28.4%	45.8%	54.2%
Grade 10	28.9%	34.4%	48.9%	51.1%
Grade 11	30.8%	35.2%	56.5%	43.5%
Grade 12	28.9%	33.4%	50.2%	49.8%
<b>Any Illicit Drug</b>				
All	9.5%	12.4%	18.6%	81.4%
Grade 7	4.0%	5.6%	7.9%	92.1%
Grade 8	9.1%	10.5%	12.8%	87.2%
Grade 9	9.3%	12.6%	18.6%	81.4%
Grade 10	10.6%	14.8%	21.4%	78.6%
Grade 11	13.4%	16.1%	25.6%	74.4%
Grade 12	10.8%	15.5%	26.6%	73.4%
<b>Any Prescription Drug</b>				
All	5.0%	7.2%	13.0%	87.0%
Grade 7	6.8%	8.6%	14.0%	86.0%
Grade 8	6.4%	9.0%	16.9%	83.1%
Grade 9	3.6%	6.0%	10.4%	89.6%
Grade 10	5.4%	7.6%	14.3%	85.7%
Grade 11	4.4%	6.2%	11.4%	88.6%
Grade 12	3.6%	5.3%	10.5%	89.5%
<b>Any Inhalant</b>				
All	4.0%	5.3%	10.8%	89.2%
Grade 7	6.2%	7.1%	11.8%	88.2%
Grade 8	4.4%	6.0%	12.5%	87.5%
Grade 9	3.5%	6.0%	12.5%	87.5%
Grade 10	4.0%	4.8%	11.7%	88.3%
Grade 11	4.1%	5.1%	9.9%	90.1%
Grade 12	1.4%	2.3%	4.8%	95.2%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.1%	11.8%	22.1%	77.9%
Grade 7	4.5%	5.9%	11.9%	88.1%
Grade 8	4.4%	6.8%	15.7%	84.3%
Grade 9	7.0%	11.5%	23.4%	76.6%
Grade 10	12.6%	15.0%	23.6%	76.4%
Grade 11	13.6%	16.2%	31.3%	68.7%
Grade 12	13.7%	16.0%	27.3%	72.7%
<b>Marijuana</b>				
All	8.8%	11.2%	17.1%	82.9%
Grade 7	3.1%	3.7%	5.5%	94.5%
Grade 8	8.0%	8.5%	10.5%	89.5%
Grade 9	9.0%	11.9%	17.5%	82.5%
Grade 10	9.6%	13.5%	20.0%	80.0%
Grade 11	13.2%	14.8%	24.7%	75.3%
Grade 12	10.3%	14.9%	26.0%	74.0%
<b>Marijuana Only</b>				
All	4.4%	5.8%	10.3%	89.7%
Grade 7	1.2%	1.8%	2.9%	97.1%
Grade 8	4.2%	4.4%	6.3%	93.7%
Grade 9	5.6%	7.4%	11.4%	88.6%
Grade 10	5.0%	6.7%	11.6%	88.4%
Grade 11	5.8%	6.7%	13.5%	86.5%
Grade 12	4.7%	8.0%	17.2%	82.8%
<b>Cocaine or Crack</b>				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.8%	0.8%	1.4%	98.6%
Grade 8	1.2%	1.2%	1.5%	98.5%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.6%	0.6%	1.6%	98.4%
Grade 11	0.9%	0.9%	1.1%	98.9%
Grade 12	0.9%	1.2%	2.0%	98.0%
<b>Cocaine</b>				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.8%	0.8%	1.3%	98.7%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.6%	0.6%	1.6%	98.4%
Grade 11	0.9%	0.9%	1.1%	98.9%
Grade 12	0.7%	1.0%	1.9%	98.1%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.4%	0.4%	99.6%
<b>Hallucinogens</b>				
All	0.4%	0.9%	2.2%	97.8%
Grade 7	0.6%	0.7%	1.7%	98.3%
Grade 8	0.5%	0.8%	1.2%	98.8%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.3%	0.4%	2.2%	97.8%
Grade 11	0.2%	1.6%	3.8%	96.2%
Grade 12	0.5%	1.8%	4.1%	95.9%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.5%	99.5%
<b>Steroids</b>				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.5%	1.3%	2.7%	97.3%
Grade 9	0.1%	0.2%	1.1%	98.9%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Ecstasy</b>				
All	0.1%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.6%	0.7%	99.3%
Grade 12	0.0%	0.3%	1.0%	99.0%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	1.0%	1.0%	1.5%	98.5%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	0.8%	1.4%	2.5%	97.5%
Grade 7	0.3%	0.7%	1.2%	98.8%
Grade 8	0.8%	1.2%	2.1%	97.9%
Grade 9	0.9%	1.6%	2.4%	97.6%
Grade 10	1.0%	1.8%	3.3%	96.7%
Grade 11	1.6%	2.6%	3.7%	96.3%
Grade 12	0.3%	0.7%	2.0%	98.0%
<b>Methamphetamine</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.2%	0.2%	0.4%	99.6%
<b>Delta 8</b>				
All	2.1%	3.1%	5.4%	94.6%
Grade 7	0.4%	0.4%	1.2%	98.8%
Grade 8	2.0%	2.5%	3.3%	96.7%
Grade 9	2.1%	2.8%	5.2%	94.8%
Grade 10	1.8%	4.0%	7.2%	92.8%
Grade 11	4.6%	6.0%	9.5%	90.5%
Grade 12	1.7%	3.1%	6.3%	93.7%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.6%	13.3%	23.1%	76.9%
Grade 7	2.3%	2.8%	7.4%	92.6%
Grade 8	6.2%	8.0%	19.9%	80.1%
Grade 9	7.5%	9.4%	20.2%	79.8%
Grade 10	13.0%	15.2%	24.8%	75.2%
Grade 11	20.0%	22.9%	36.0%	64.0%
Grade 12	24.4%	25.3%	34.0%	66.0%
<b>Any Alcohol Product</b>				
All	23.5%	27.4%	45.5%	54.5%
Grade 7	13.6%	14.2%	39.8%	60.2%
Grade 8	19.2%	21.2%	39.4%	60.6%
Grade 9	18.6%	25.2%	40.2%	59.8%
Grade 10	25.0%	30.5%	45.5%	54.5%
Grade 11	32.7%	37.0%	56.3%	43.7%
Grade 12	35.9%	40.2%	55.2%	44.8%
<b>Any Illicit Drug</b>				
All	9.2%	11.8%	17.4%	82.6%
Grade 7	2.7%	2.8%	3.7%	96.3%
Grade 8	9.2%	9.5%	11.6%	88.4%
Grade 9	7.9%	10.8%	15.9%	84.1%
Grade 10	8.1%	14.1%	19.8%	80.2%
Grade 11	14.4%	17.2%	27.3%	72.7%
Grade 12	14.3%	17.9%	29.2%	70.8%
<b>Any Prescription Drug</b>				
All	5.3%	7.8%	14.5%	85.5%
Grade 7	8.6%	10.1%	14.9%	85.1%
Grade 8	5.7%	8.7%	18.1%	81.9%
Grade 9	3.7%	6.9%	11.9%	88.1%
Grade 10	5.6%	8.0%	16.3%	83.7%
Grade 11	5.7%	8.0%	12.8%	87.2%
Grade 12	1.8%	4.8%	11.9%	88.1%
<b>Any Inhalant</b>				
All	3.7%	5.0%	10.4%	89.6%
Grade 7	4.6%	5.4%	9.8%	90.2%
Grade 8	5.1%	6.7%	12.7%	87.3%
Grade 9	2.0%	4.9%	9.7%	90.3%
Grade 10	4.1%	4.7%	12.1%	87.9%
Grade 11	4.4%	5.0%	11.6%	88.4%
Grade 12	2.0%	2.8%	5.4%	94.6%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.5%	10.4%	20.0%	80.0%
Grade 7	1.4%	1.8%	5.7%	94.3%
Grade 8	4.8%	6.7%	16.3%	83.7%
Grade 9	5.1%	7.6%	17.4%	82.6%
Grade 10	9.9%	12.1%	21.3%	78.7%
Grade 11	14.8%	16.8%	32.5%	67.5%
Grade 12	17.7%	20.2%	29.7%	70.3%
<b>Marijuana</b>				
All	8.5%	10.6%	16.2%	83.8%
Grade 7	2.1%	2.1%	2.2%	97.8%
Grade 8	8.0%	8.0%	10.2%	89.8%
Grade 9	7.9%	10.5%	14.7%	85.3%
Grade 10	6.6%	12.4%	18.7%	81.3%
Grade 11	14.4%	15.5%	26.3%	73.7%
Grade 12	13.7%	17.0%	28.6%	71.4%
<b>Marijuana Only</b>				
All	3.5%	4.4%	8.4%	91.6%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	2.9%	2.9%	4.7%	95.3%
Grade 9	4.3%	6.1%	9.2%	90.8%
Grade 10	3.2%	4.8%	9.7%	90.3%
Grade 11	5.0%	5.5%	12.1%	87.9%
Grade 12	5.1%	6.7%	15.8%	84.2%
<b>Cocaine or Crack</b>				
All	1.0%	1.2%	1.9%	98.1%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	2.0%	2.0%	2.0%	98.0%
Grade 9	0.0%	0.2%	0.5%	99.5%
Grade 10	1.0%	1.0%	3.0%	97.0%
Grade 11	1.8%	1.8%	2.0%	98.0%
Grade 12	1.1%	1.7%	3.0%	97.0%
<b>Cocaine</b>				
All	1.0%	1.1%	1.8%	98.2%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	1.7%	1.7%	1.7%	98.3%
Grade 9	0.0%	0.2%	0.5%	99.5%
Grade 10	1.0%	1.0%	2.9%	97.1%
Grade 11	1.8%	1.8%	2.0%	98.0%
Grade 12	1.1%	1.7%	3.0%	97.0%



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.7%	1.7%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.5%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.3%	1.1%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.6%	0.9%	1.8%	98.2%
Grade 10	0.3%	0.3%	2.2%	97.8%
Grade 11	0.2%	2.9%	4.5%	95.5%
Grade 12	0.4%	3.0%	7.1%	92.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	1.0%	99.0%
<b>Steroids</b>				
All	0.2%	0.3%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.7%	2.7%	97.3%
Grade 9	0.2%	0.2%	1.9%	98.1%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.6%	0.6%	1.7%	98.3%
<b>Ecstasy</b>				
All	0.0%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	1.0%	1.2%	98.8%
Grade 12	0.0%	0.5%	1.9%	98.1%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Synthetic Marijuana</b>				
All	0.5%	1.5%	2.8%	97.2%
Grade 7	0.0%	0.6%	0.6%	99.4%
Grade 8	0.5%	1.0%	2.5%	97.5%
Grade 9	0.2%	1.3%	2.5%	97.5%
Grade 10	1.0%	1.7%	3.8%	96.2%
Grade 11	1.4%	3.5%	5.1%	94.9%
Grade 12	0.1%	0.9%	2.5%	97.5%
<b>Methamphetamine</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	1.4%	1.4%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.5%	99.5%
<b>Delta 8</b>				
All	2.4%	3.9%	6.1%	93.9%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	3.0%	3.0%	4.1%	95.9%
Grade 9	1.9%	3.1%	4.3%	95.7%
Grade 10	1.2%	4.6%	7.1%	92.9%
Grade 11	5.4%	7.4%	11.9%	88.1%
Grade 12	3.0%	5.4%	9.4%	90.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.7%	14.5%	25.7%	74.3%
Grade 7	9.0%	10.7%	21.5%	78.5%
Grade 8	5.6%	8.1%	16.3%	83.7%
Grade 9	10.4%	14.6%	28.9%	71.1%
Grade 10	16.7%	19.2%	27.5%	72.5%
Grade 11	16.3%	19.2%	32.3%	67.7%
Grade 12	12.5%	14.7%	26.9%	73.1%
<b>Any Alcohol Product</b>				
All	25.2%	29.0%	47.7%	52.3%
Grade 7	14.0%	15.8%	39.1%	60.9%
Grade 8	23.4%	26.9%	41.3%	58.7%
Grade 9	27.1%	30.6%	49.8%	50.2%
Grade 10	32.6%	38.0%	52.2%	47.8%
Grade 11	28.9%	33.3%	56.8%	43.2%
Grade 12	22.3%	26.5%	45.2%	54.8%
<b>Any Illicit Drug</b>				
All	10.0%	13.1%	19.7%	80.3%
Grade 7	5.6%	8.8%	12.7%	87.3%
Grade 8	9.0%	11.3%	13.8%	86.2%
Grade 9	10.7%	14.2%	20.4%	79.6%
Grade 10	13.2%	15.6%	23.1%	76.9%
Grade 11	12.6%	15.1%	24.2%	75.8%
Grade 12	7.5%	12.9%	24.0%	76.0%
<b>Any Prescription Drug</b>				
All	4.8%	6.5%	11.6%	88.4%
Grade 7	4.8%	7.2%	13.3%	86.7%
Grade 8	7.1%	9.4%	15.3%	84.7%
Grade 9	3.6%	5.2%	9.3%	90.7%
Grade 10	5.0%	7.0%	12.2%	87.8%
Grade 11	3.1%	4.5%	10.2%	89.8%
Grade 12	5.2%	5.9%	9.2%	90.8%
<b>Any Inhalant</b>				
All	4.2%	5.5%	11.0%	89.0%
Grade 7	7.5%	8.4%	13.6%	86.4%
Grade 8	3.6%	5.1%	12.0%	88.0%
Grade 9	4.8%	7.1%	15.2%	84.8%
Grade 10	3.9%	4.8%	10.8%	89.2%
Grade 11	3.9%	5.2%	8.4%	91.6%
Grade 12	0.9%	1.8%	4.2%	95.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.8%	13.1%	24.1%	75.9%
Grade 7	8.0%	10.6%	18.9%	81.1%
Grade 8	3.9%	6.9%	15.2%	84.8%
Grade 9	8.7%	14.3%	28.1%	71.9%
Grade 10	15.4%	18.1%	26.0%	74.0%
Grade 11	12.6%	15.7%	30.4%	69.6%
Grade 12	10.1%	12.3%	24.8%	75.2%
<b>Marijuana</b>				
All	9.2%	11.7%	17.9%	82.1%
Grade 7	4.2%	5.6%	9.2%	90.8%
Grade 8	7.9%	8.8%	10.7%	89.3%
Grade 9	10.1%	13.1%	19.5%	80.5%
Grade 10	12.7%	14.8%	21.3%	78.7%
Grade 11	12.1%	14.3%	23.4%	76.6%
Grade 12	7.2%	12.6%	23.4%	76.6%
<b>Marijuana Only</b>				
All	5.5%	7.2%	12.0%	88.0%
Grade 7	1.5%	2.9%	5.2%	94.8%
Grade 8	5.5%	5.8%	7.6%	92.4%
Grade 9	6.8%	8.5%	12.7%	87.3%
Grade 10	6.9%	8.6%	13.5%	86.5%
Grade 11	6.7%	7.9%	15.0%	85.0%
Grade 12	4.3%	8.8%	18.2%	81.8%
<b>Cocaine or Crack</b>				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	1.1%	1.1%	1.9%	98.1%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.7%	0.7%	1.2%	98.8%
<b>Cocaine</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	1.1%	1.1%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.4%	0.4%	0.9%	99.1%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
<b>Hallucinogens</b>				
All	0.5%	0.7%	2.0%	98.0%
Grade 7	1.3%	1.4%	3.7%	96.3%
Grade 8	1.0%	1.6%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.2%	0.6%	2.2%	97.8%
Grade 11	0.2%	0.4%	3.1%	96.9%
Grade 12	0.5%	0.7%	1.4%	98.6%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	1.4%	1.4%	1.6%	98.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.9%	1.9%	2.7%	97.3%
Grade 9	0.0%	0.1%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	1.4%	1.4%	2.1%	97.9%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.1%	1.4%	2.1%	97.9%
Grade 7	0.7%	0.7%	1.9%	98.1%
Grade 8	1.0%	1.4%	1.6%	98.4%
Grade 9	1.6%	2.0%	2.4%	97.6%
Grade 10	1.1%	1.8%	2.7%	97.3%
Grade 11	1.7%	1.7%	2.4%	97.6%
Grade 12	0.5%	0.5%	1.5%	98.5%
<b>Methamphetamine</b>				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
<b>Delta 8</b>				
All	1.9%	2.4%	4.8%	95.2%
Grade 7	0.3%	0.5%	1.4%	98.6%
Grade 8	1.0%	1.9%	2.5%	97.5%
Grade 9	2.4%	2.6%	6.0%	94.0%
Grade 10	2.4%	3.5%	7.4%	92.6%
Grade 11	4.0%	4.6%	7.2%	92.8%
Grade 12	0.6%	1.0%	3.4%	96.6%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.9%	14.7%	24.8%	75.2%
Grade 7	1.8%	2.2%	12.4%	87.6%
Grade 8	2.7%	2.7%	15.7%	84.3%
Grade 9	10.4%	15.0%	27.2%	72.8%
Grade 10	14.0%	16.6%	21.3%	78.7%
Grade 11	24.8%	26.4%	38.8%	61.2%
Grade 12	25.8%	26.9%	35.3%	64.7%
<b>Any Alcohol Product</b>				
All	22.9%	26.6%	46.1%	53.9%
Grade 7	7.2%	8.6%	31.0%	69.0%
Grade 8	19.3%	22.2%	44.0%	56.0%
Grade 9	20.7%	25.5%	47.5%	52.5%
Grade 10	26.6%	32.8%	50.5%	49.5%
Grade 11	34.4%	36.9%	55.3%	44.7%
Grade 12	30.7%	34.5%	48.5%	51.5%
<b>Any Illicit Drug</b>				
All	6.4%	8.3%	15.0%	85.0%
Grade 7	1.5%	2.6%	5.2%	94.8%
Grade 8	2.4%	2.9%	3.9%	96.1%
Grade 9	5.0%	7.1%	18.8%	81.2%
Grade 10	8.0%	10.1%	14.6%	85.4%
Grade 11	11.8%	13.0%	25.0%	75.0%
Grade 12	10.8%	15.1%	23.7%	76.3%
<b>Any Prescription Drug</b>				
All	4.9%	6.2%	11.4%	88.6%
Grade 7	6.4%	6.4%	12.4%	87.6%
Grade 8	6.1%	7.0%	15.1%	84.9%
Grade 9	3.0%	5.2%	10.8%	89.2%
Grade 10	5.5%	7.9%	10.4%	89.6%
Grade 11	4.3%	5.2%	11.4%	88.6%
Grade 12	3.9%	5.6%	7.9%	92.1%
<b>Any Inhalant</b>				
All	3.9%	4.6%	8.6%	91.4%
Grade 7	4.2%	4.8%	7.7%	92.3%
Grade 8	5.7%	7.3%	15.5%	84.5%
Grade 9	3.0%	3.4%	5.2%	94.8%
Grade 10	3.4%	3.6%	9.3%	90.7%
Grade 11	6.0%	6.9%	10.2%	89.8%
Grade 12	0.5%	1.3%	3.5%	96.5%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.3%	12.0%	21.7%	78.3%
Grade 7	1.8%	2.3%	8.7%	91.3%
Grade 8	2.1%	2.7%	13.1%	86.9%
Grade 9	7.7%	14.2%	25.5%	74.5%
Grade 10	12.9%	15.8%	19.8%	80.2%
Grade 11	14.6%	17.0%	34.0%	66.0%
Grade 12	17.7%	21.0%	30.6%	69.4%
<b>Marijuana</b>				
All	5.9%	7.3%	13.4%	86.6%
Grade 7	1.5%	1.5%	3.6%	96.4%
Grade 8	1.2%	1.2%	2.1%	97.9%
Grade 9	5.0%	5.6%	15.9%	84.1%
Grade 10	6.4%	9.9%	13.0%	87.0%
Grade 11	11.8%	12.1%	23.9%	76.1%
Grade 12	10.6%	14.5%	23.5%	76.5%
<b>Marijuana Only</b>				
All	2.5%	3.2%	7.4%	92.6%
Grade 7	1.5%	1.5%	3.5%	96.5%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	3.1%	3.7%	11.4%	88.6%
Grade 10	1.9%	2.6%	3.8%	96.2%
Grade 11	3.0%	3.3%	11.6%	88.4%
Grade 12	5.6%	8.6%	14.3%	85.7%
<b>Cocaine or Crack</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.2%	99.8%
<b>Cocaine</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.2%	99.8%



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.2%	0.4%	2.0%	98.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.5%	0.7%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.3%	2.9%	97.1%
	Grade 11	0.0%	0.0%	4.9%	95.1%
	Grade 12	0.9%	1.7%	3.7%	96.3%
Synthetic Cathinones	All	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.9%	0.9%	0.9%	99.1%
Steroids	All	0.0%	0.2%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.0%	0.7%	1.2%	98.8%
	Grade 9	0.0%	0.0%	0.7%	99.3%
	Grade 10	0.0%	0.2%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.9%	99.1%
Ecstasy	All	0.1%	0.2%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.7%	0.7%	1.2%	98.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.3%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	0.9%	1.2%	1.9%	98.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.2%	0.2%	0.2%	99.8%
	Grade 9	0.3%	0.3%	1.6%	98.4%
	Grade 10	0.9%	2.4%	2.9%	97.1%
	Grade 11	4.0%	4.0%	4.9%	95.1%
	Grade 12	0.0%	0.0%	1.5%	98.5%
Methamphetamine					
	All	0.3%	0.3%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.2%	0.2%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.4%	1.4%	1.4%	98.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8					
	All	1.3%	2.3%	5.1%	94.9%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.7%	0.7%	0.7%	99.3%
	Grade 9	1.2%	1.2%	4.8%	95.2%
	Grade 10	1.0%	4.6%	8.8%	91.2%
	Grade 11	4.6%	5.8%	10.4%	89.6%
	Grade 12	0.2%	1.5%	5.3%	94.7%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.6%	16.6%	29.0%	71.0%
Grades 7–8	16.2%	16.2%	21.6%	78.4%
Grade 9	6.6%	6.6%	23.3%	76.7%
Grade 10	24.7%	24.7%	24.7%	75.3%
Grade 11	24.1%	24.1%	35.1%	64.9%
Grade 12	19.3%	19.3%	55.4%	44.6%
<b>Any Alcohol Product</b>				
All	32.9%	34.7%	54.4%	45.6%
Grades 7–8	27.4%	27.4%	39.5%	60.5%
Grade 9	34.3%	39.6%	48.5%	51.5%
Grade 10	41.8%	41.8%	55.2%	44.8%
Grade 11	36.1%	36.1%	88.4%	11.6%
Grade 12	28.4%	31.3%	60.6%	39.4%
<b>Any Illicit Drug</b>				
All	18.3%	23.2%	33.8%	66.2%
Grades 7–8	20.2%	26.2%	28.3%	71.7%
Grade 9	12.8%	19.4%	19.4%	80.6%
Grade 10	18.0%	26.8%	41.8%	58.2%
Grade 11	24.1%	24.1%	46.2%	53.8%
Grade 12	18.9%	18.9%	51.5%	48.5%
<b>Any Prescription Drug</b>				
All	11.8%	16.0%	23.6%	76.4%
Grades 7–8	23.2%	33.7%	33.7%	66.3%
Grade 9	5.3%	5.3%	5.3%	94.7%
Grade 10	11.3%	18.0%	36.0%	64.0%
Grade 11	11.6%	11.6%	23.6%	76.4%
Grade 12	0.0%	0.0%	22.2%	77.8%
<b>Any Inhalant</b>				
All	8.5%	10.2%	12.8%	87.2%
Grades 7–8	14.2%	14.2%	20.2%	79.8%
Grade 9	0.0%	6.6%	6.6%	93.4%
Grade 10	15.5%	15.5%	15.5%	84.5%
Grade 11	12.0%	12.0%	17.6%	82.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Electronic Vapor Products</b>				
All	13.0%	13.0%	25.9%	74.1%
Grades 7–8	17.1%	17.1%	17.1%	82.9%
Grade 9	6.6%	6.6%	23.3%	76.7%
Grade 10	11.3%	11.3%	11.3%	88.7%
Grade 11	12.8%	12.8%	37.2%	62.8%
Grade 12	19.3%	19.3%	55.4%	44.6%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana</b>				
All	15.1%	21.4%	31.4%	68.6%
Grades 7–8	14.2%	20.2%	20.2%	79.8%
Grade 9	7.4%	19.4%	19.4%	80.6%
Grade 10	18.0%	26.8%	41.8%	58.2%
Grade 11	24.1%	24.1%	46.2%	53.8%
Grade 12	18.9%	18.9%	51.5%	48.5%
<b>Marijuana Only</b>				
All	9.3%	14.1%	23.0%	77.0%
Grades 7–8	4.8%	10.5%	10.5%	89.5%
Grade 9	7.1%	13.5%	13.5%	86.5%
Grade 10	11.3%	20.1%	35.1%	64.9%
Grade 11	12.0%	12.0%	34.1%	65.9%
Grade 12	18.9%	18.9%	45.9%	54.1%
<b>Cocaine or Crack</b>				
All	2.9%	2.9%	2.9%	97.1%
Grades 7–8	6.0%	6.0%	6.0%	94.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	6.7%	6.7%	6.7%	93.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	2.9%	2.9%	2.9%	97.1%
Grades 7–8	6.0%	6.0%	6.0%	94.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	6.7%	6.7%	6.7%	93.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Crack</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	1.8%	1.8%	3.7%	96.3%
Grades 7–8	6.0%	6.0%	10.0%	90.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.6%	94.4%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Synthetic Cathinones</b>				
All	1.8%	1.8%	1.8%	98.2%
Grades 7-8	6.0%	6.0%	6.0%	94.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	1.2%	1.2%	1.8%	98.2%
Grades 7-8	4.0%	4.0%	6.1%	93.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.0%	0.0%	1.4%	98.6%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	5.3%	94.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Heroin</b>				
All	1.8%	1.8%	2.4%	97.6%
Grades 7-8	6.0%	6.0%	8.1%	91.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	3.7%	3.7%	3.7%	96.3%
Grades 7-8	4.0%	4.0%	4.0%	96.0%
Grade 9	5.3%	5.3%	5.3%	94.7%
Grade 10	6.7%	6.7%	6.7%	93.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Methamphetamine</b>				
All	2.9%	2.9%	2.9%	97.1%
Grades 7-8	6.0%	6.0%	6.0%	94.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	6.7%	6.7%	6.7%	93.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Delta 8				
All	4.4%	4.4%	5.1%	94.9%
Grades 7–8	5.1%	5.1%	5.1%	94.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	6.7%	6.7%	6.7%	93.3%
Grade 11	12.0%	12.0%	12.0%	88.0%
Grade 12	0.0%	0.0%	5.6%	94.4%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	10.5%	13.4%	23.9%	76.1%
Grade 7	6.3%	7.7%	14.4%	85.6%
Grade 8	6.8%	10.2%	18.9%	81.1%
Grade 9	9.0%	12.5%	24.4%	75.6%
Grade 10	13.9%	16.2%	27.5%	72.5%
Grade 11	14.7%	18.7%	32.3%	67.7%
Grade 12	13.2%	15.3%	26.0%	74.0%
<b>Any Alcohol Product</b>				
All	24.6%	28.9%	45.9%	54.1%
Grade 7	16.0%	17.2%	42.0%	58.0%
Grade 8	21.9%	24.3%	38.5%	61.5%
Grade 9	24.1%	29.1%	44.8%	55.2%
Grade 10	29.4%	34.9%	48.0%	52.0%
Grade 11	29.6%	35.6%	54.5%	45.5%
Grade 12	26.6%	31.7%	49.2%	50.8%
<b>Any Illicit Drug</b>				
All	10.7%	13.9%	19.3%	80.7%
Grade 7	4.2%	5.3%	7.3%	92.7%
Grade 8	12.3%	14.2%	17.3%	82.7%
Grade 9	11.1%	14.5%	18.2%	81.8%
Grade 10	11.7%	16.0%	23.0%	77.0%
Grade 11	14.2%	17.5%	25.3%	74.7%
Grade 12	9.8%	15.2%	25.3%	74.7%
<b>Any Prescription Drug</b>				
All	4.5%	7.0%	12.9%	87.1%
Grade 7	4.3%	7.5%	13.1%	86.9%
Grade 8	6.7%	8.7%	17.1%	82.9%
Grade 9	3.6%	6.5%	10.9%	89.1%
Grade 10	5.4%	7.2%	14.4%	85.6%
Grade 11	3.7%	6.4%	10.7%	89.3%
Grade 12	3.2%	5.2%	11.1%	88.9%
<b>Any Inhalant</b>				
All	3.6%	5.3%	11.7%	88.3%
Grade 7	5.8%	6.9%	12.2%	87.8%
Grade 8	3.9%	5.9%	12.1%	87.9%
Grade 9	4.0%	7.2%	16.9%	83.1%
Grade 10	3.2%	4.4%	11.1%	88.9%
Grade 11	2.8%	3.9%	10.0%	90.0%
Grade 12	1.5%	2.5%	5.3%	94.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.8%	11.7%	22.1%	77.9%
Grade 7	5.1%	7.2%	13.3%	86.7%
Grade 8	4.6%	8.1%	17.1%	82.9%
Grade 9	7.2%	11.5%	22.7%	77.3%
Grade 10	12.2%	14.6%	25.7%	74.3%
Grade 11	13.5%	16.6%	30.1%	69.9%
Grade 12	10.3%	12.4%	23.2%	76.8%
<b>Marijuana</b>				
All	10.0%	12.4%	17.9%	82.1%
Grade 7	3.4%	3.7%	5.3%	94.7%
Grade 8	11.0%	11.9%	14.8%	85.2%
Grade 9	11.1%	14.1%	17.8%	82.2%
Grade 10	10.9%	13.9%	21.5%	78.5%
Grade 11	13.8%	15.9%	24.4%	75.6%
Grade 12	9.1%	14.6%	24.3%	75.7%
<b>Marijuana Only</b>				
All	5.3%	6.7%	11.0%	89.0%
Grade 7	1.2%	1.4%	2.2%	97.8%
Grade 8	6.2%	6.7%	9.3%	90.7%
Grade 9	6.8%	8.7%	11.6%	88.4%
Grade 10	6.3%	7.9%	13.9%	86.1%
Grade 11	7.2%	8.2%	13.5%	86.5%
Grade 12	3.1%	6.9%	15.8%	84.2%
<b>Cocaine or Crack</b>				
All	0.8%	0.9%	1.4%	98.6%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	1.7%	1.7%	2.2%	97.8%
Grade 9	0.1%	0.3%	0.5%	99.5%
Grade 10	0.5%	0.5%	1.4%	98.6%
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	1.4%	1.9%	2.8%	97.2%
<b>Cocaine</b>				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	1.2%	1.2%	1.7%	98.3%
Grade 9	0.1%	0.3%	0.5%	99.5%
Grade 10	0.5%	0.5%	1.4%	98.6%
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	1.1%	1.6%	2.5%	97.5%



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	1.7%	1.7%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.7%	0.7%	99.3%
<b>Hallucinogens</b>				
All	0.3%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.3%	1.5%	98.5%
Grade 8	0.5%	0.9%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.5%	98.5%
Grade 10	0.4%	0.6%	2.1%	97.9%
Grade 11	0.3%	2.7%	3.5%	96.5%
Grade 12	0.1%	1.9%	3.8%	96.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Steroids</b>				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	1.8%	3.9%	96.1%
Grade 9	0.2%	0.3%	1.2%	98.8%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.5%	0.5%	0.9%	99.1%
<b>Ecstasy</b>				
All	0.1%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.2%	1.0%	1.2%	98.8%
Grade 12	0.0%	0.4%	1.1%	98.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.8%	0.8%	1.3%	98.7%
Grade 8	0.0%	0.0%	1.8%	98.2%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.7%	99.3%
<b>Synthetic Marijuana</b>				
All	0.6%	1.4%	2.6%	97.4%
Grade 7	0.0%	0.5%	1.5%	98.5%
Grade 8	1.2%	1.9%	3.4%	96.6%
Grade 9	0.9%	2.0%	2.5%	97.5%
Grade 10	0.8%	1.3%	2.6%	97.4%
Grade 11	0.3%	2.1%	3.5%	96.5%
Grade 12	0.5%	0.5%	1.9%	98.1%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.1%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.7%	99.3%
<b>Delta 8</b>				
All	2.3%	3.5%	5.6%	94.4%
Grade 7	0.2%	0.4%	1.4%	98.6%
Grade 8	2.3%	3.1%	4.2%	95.8%
Grade 9	2.9%	4.0%	5.3%	94.7%
Grade 10	2.0%	3.8%	6.8%	93.2%
Grade 11	4.2%	5.7%	9.1%	90.9%
Grade 12	2.3%	3.9%	6.7%	93.3%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.0%	10.0%	19.5%	80.5%
Grade 7	2.2%	3.5%	10.6%	89.4%
Grade 8	2.5%	3.1%	10.2%	89.8%
Grade 9	5.0%	7.6%	19.2%	80.8%
Grade 10	10.2%	12.4%	19.9%	80.1%
Grade 11	13.2%	17.8%	31.2%	68.8%
Grade 12	14.1%	14.7%	24.7%	75.3%
<b>Any Alcohol Product</b>				
All	19.0%	23.0%	42.3%	57.7%
Grade 7	8.3%	10.6%	34.2%	65.8%
Grade 8	14.7%	18.7%	38.6%	61.4%
Grade 9	16.7%	21.4%	37.2%	62.8%
Grade 10	23.6%	28.6%	43.0%	57.0%
Grade 11	24.1%	27.5%	55.9%	44.1%
Grade 12	24.7%	28.9%	44.7%	55.3%
<b>Any Illicit Drug</b>				
All	4.4%	6.5%	12.2%	87.8%
Grade 7	2.6%	2.8%	4.0%	96.0%
Grade 8	2.7%	3.8%	4.5%	95.5%
Grade 9	2.7%	4.7%	11.3%	88.7%
Grade 10	5.4%	8.6%	15.6%	84.4%
Grade 11	5.8%	7.9%	17.0%	83.0%
Grade 12	6.9%	10.5%	18.7%	81.3%
<b>Any Prescription Drug</b>				
All	5.0%	5.9%	10.1%	89.9%
Grade 7	7.9%	7.9%	11.7%	88.3%
Grade 8	7.2%	8.7%	16.0%	84.0%
Grade 9	2.5%	4.0%	7.1%	92.9%
Grade 10	4.6%	5.6%	10.6%	89.4%
Grade 11	3.0%	3.8%	8.0%	92.0%
Grade 12	5.2%	6.1%	7.8%	92.2%
<b>Any Inhalant</b>				
All	3.2%	4.2%	8.4%	91.6%
Grade 7	2.2%	3.2%	6.9%	93.1%
Grade 8	4.3%	6.1%	12.1%	87.9%
Grade 9	4.4%	6.1%	10.4%	89.6%
Grade 10	3.8%	4.1%	10.0%	90.0%
Grade 11	2.9%	3.7%	6.3%	93.7%
Grade 12	1.4%	1.6%	4.0%	96.0%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.6%	8.4%	17.7%	82.3%
Grade 7	2.0%	3.2%	9.2%	90.8%
Grade 8	2.1%	2.8%	9.8%	90.2%
Grade 9	4.0%	7.1%	17.3%	82.7%
Grade 10	9.6%	11.6%	18.4%	81.6%
Grade 11	10.1%	13.1%	28.5%	71.5%
Grade 12	10.3%	11.3%	21.9%	78.1%
<b>Marijuana</b>				
All	3.9%	5.7%	11.0%	89.0%
Grade 7	1.3%	1.3%	1.9%	98.1%
Grade 8	2.4%	2.9%	3.6%	96.4%
Grade 9	2.7%	4.2%	10.0%	90.0%
Grade 10	4.3%	7.5%	14.4%	85.6%
Grade 11	5.8%	7.1%	15.9%	84.1%
Grade 12	6.6%	10.2%	18.3%	81.7%
<b>Marijuana Only</b>				
All	2.0%	3.0%	7.0%	93.0%
Grade 7	1.1%	1.1%	1.7%	98.3%
Grade 8	1.4%	1.4%	2.2%	97.8%
Grade 9	1.9%	3.4%	6.4%	93.6%
Grade 10	1.8%	2.9%	7.9%	92.1%
Grade 11	3.0%	3.7%	10.6%	89.4%
Grade 12	2.9%	5.3%	12.2%	87.8%
<b>Cocaine or Crack</b>				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	1.3%	1.3%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.6%	1.4%	98.6%
<b>Cocaine</b>				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	1.3%	1.3%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.6%	1.4%	98.6%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.3%	0.6%	1.7%	98.3%
	Grade 7	1.3%	1.5%	1.5%	98.5%
	Grade 8	0.3%	0.8%	1.2%	98.8%
	Grade 9	0.3%	0.3%	0.7%	99.3%
	Grade 10	0.0%	0.2%	1.7%	98.3%
	Grade 11	0.0%	0.2%	2.0%	98.0%
	Grade 12	0.1%	0.9%	3.4%	96.6%
Synthetic Cathinones	All	0.2%	0.2%	0.3%	99.7%
	Grade 7	1.3%	1.3%	1.3%	98.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.1%	99.9%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids	All	0.1%	0.3%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.6%	1.2%	98.8%
	Grade 9	0.3%	0.3%	1.0%	99.0%
	Grade 10	0.2%	0.4%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.9%	99.1%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Ecstasy	All	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	1.4%	98.6%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.2%	0.5%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.6%	1.1%	98.9%
Grade 9	0.3%	0.3%	1.7%	98.3%
Grade 10	0.4%	1.1%	2.0%	98.0%
Grade 11	0.0%	0.0%	2.5%	97.5%
Grade 12	0.0%	0.7%	2.6%	97.4%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	1.1%	1.6%	3.4%	96.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	1.3%	1.8%	98.2%
Grade 9	0.5%	0.7%	3.4%	96.6%
Grade 10	1.2%	2.6%	6.2%	93.8%
Grade 11	2.3%	2.6%	3.7%	96.3%
Grade 12	1.9%	2.1%	4.2%	95.8%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.4%	16.9%	28.4%	71.6%
Grade 7	7.8%	8.7%	16.2%	83.8%
Grade 8	8.0%	11.1%	23.1%	76.9%
Grade 9	11.7%	15.8%	29.2%	70.8%
Grade 10	18.6%	21.1%	31.4%	68.6%
Grade 11	21.7%	23.3%	36.5%	63.5%
Grade 12	22.6%	25.2%	36.9%	63.1%
<b>Any Alcohol Product</b>				
All	28.7%	32.6%	50.2%	49.8%
Grade 7	17.8%	18.3%	43.0%	57.0%
Grade 8	25.7%	27.6%	41.9%	58.1%
Grade 9	28.0%	33.0%	51.4%	48.6%
Grade 10	33.6%	39.4%	54.0%	46.0%
Grade 11	35.9%	40.9%	56.9%	43.1%
Grade 12	33.5%	38.3%	56.2%	43.8%
<b>Any Illicit Drug</b>				
All	13.4%	17.0%	23.5%	76.5%
Grade 7	4.9%	7.4%	10.5%	89.5%
Grade 8	13.2%	14.8%	17.9%	82.1%
Grade 9	13.6%	17.7%	23.4%	76.6%
Grade 10	15.1%	20.2%	26.5%	73.5%
Grade 11	19.0%	22.1%	32.0%	68.0%
Grade 12	15.0%	20.9%	35.3%	64.7%
<b>Any Prescription Drug</b>				
All	5.1%	8.1%	15.2%	84.8%
Grade 7	6.4%	9.5%	16.1%	83.9%
Grade 8	5.8%	9.2%	17.4%	82.6%
Grade 9	4.3%	7.2%	12.6%	87.4%
Grade 10	6.1%	9.4%	17.5%	82.5%
Grade 11	5.4%	8.0%	13.9%	86.1%
Grade 12	1.7%	4.5%	13.3%	86.7%
<b>Any Inhalant</b>				
All	4.6%	6.2%	12.7%	87.3%
Grade 7	9.1%	9.9%	15.0%	85.0%
Grade 8	4.5%	6.1%	13.0%	87.0%
Grade 9	2.9%	6.0%	13.9%	86.1%
Grade 10	4.2%	5.3%	13.3%	86.7%
Grade 11	5.1%	6.1%	12.7%	87.3%
Grade 12	1.4%	3.0%	5.6%	94.4%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.1%	14.4%	25.5%	74.5%
Grade 7	6.3%	7.9%	13.6%	86.4%
Grade 8	5.9%	9.2%	19.5%	80.5%
Grade 9	9.0%	14.4%	27.4%	72.6%
Grade 10	15.2%	18.0%	28.2%	71.8%
Grade 11	16.2%	18.6%	33.6%	66.4%
Grade 12	17.4%	21.2%	33.1%	66.9%
<b>Marijuana</b>				
All	12.5%	15.3%	21.8%	78.2%
Grade 7	4.1%	5.2%	7.8%	92.2%
Grade 8	11.5%	12.1%	14.7%	85.3%
Grade 9	13.1%	16.9%	22.5%	77.5%
Grade 10	14.1%	18.7%	24.8%	75.2%
Grade 11	18.6%	20.6%	31.3%	68.7%
Grade 12	14.3%	20.0%	34.5%	65.5%
<b>Marijuana Only</b>				
All	6.3%	8.0%	12.9%	87.1%
Grade 7	1.0%	2.1%	3.6%	96.4%
Grade 8	6.0%	6.4%	8.8%	91.2%
Grade 9	8.0%	10.0%	14.7%	85.3%
Grade 10	7.8%	9.9%	14.8%	85.2%
Grade 11	7.9%	9.0%	15.7%	84.3%
Grade 12	6.5%	10.9%	22.6%	77.4%
<b>Cocaine or Crack</b>				
All	1.1%	1.1%	1.6%	98.4%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	2.0%	2.0%	2.5%	97.5%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	1.1%	1.1%	1.8%	98.2%
Grade 11	1.6%	1.6%	1.9%	98.1%
Grade 12	1.5%	1.9%	2.7%	97.3%
<b>Cocaine</b>				
All	1.0%	1.0%	1.4%	98.6%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	1.4%	1.4%	1.9%	98.1%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	1.1%	1.1%	1.7%	98.3%
Grade 11	1.6%	1.6%	1.9%	98.1%
Grade 12	1.2%	1.5%	2.4%	97.6%



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	1.7%	1.7%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.9%	0.9%	99.1%
<b>Hallucinogens</b>				
All	0.4%	1.1%	2.6%	97.4%
Grade 7	0.1%	0.1%	1.9%	98.1%
Grade 8	0.6%	0.8%	1.2%	98.8%
Grade 9	0.3%	0.5%	1.2%	98.8%
Grade 10	0.5%	0.7%	2.6%	97.4%
Grade 11	0.4%	2.6%	5.1%	94.9%
Grade 12	0.9%	2.7%	4.9%	95.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	0.6%	99.4%
<b>Steroids</b>				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.8%	1.5%	3.5%	96.5%
Grade 9	0.0%	0.1%	1.2%	98.8%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.3%	0.3%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.7%	0.7%	1.4%	98.6%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	0.2%	1.0%	1.2%	98.8%
Grade 12	0.0%	0.5%	0.5%	99.5%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	1.0%	99.0%
Grade 7	0.8%	0.8%	1.6%	98.4%
Grade 8	0.0%	0.0%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Synthetic Marijuana</b>				
All	1.3%	2.2%	3.0%	97.0%
Grade 7	0.6%	1.1%	2.0%	98.0%
Grade 8	0.9%	1.4%	2.5%	97.5%
Grade 9	1.4%	2.5%	2.9%	97.1%
Grade 10	1.5%	2.4%	4.4%	95.6%
Grade 11	2.7%	4.5%	4.6%	95.4%
Grade 12	0.6%	0.6%	1.3%	98.7%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.9%	99.1%
<b>Delta 8</b>				
All	2.9%	4.3%	7.0%	93.0%
Grade 7	0.6%	0.8%	2.1%	97.9%
Grade 8	2.8%	3.0%	4.1%	95.9%
Grade 9	3.2%	4.2%	6.3%	93.7%
Grade 10	2.2%	5.2%	8.0%	92.0%
Grade 11	6.3%	8.5%	13.8%	86.2%
Grade 12	1.5%	4.2%	8.5%	91.5%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.2%	11.5%	20.8%	79.2%
Grade 7	3.8%	4.8%	10.1%	89.9%
Grade 8	4.5%	5.9%	17.4%	82.6%
Grade 9	7.2%	10.0%	19.8%	80.2%
Grade 10	10.6%	12.4%	19.5%	80.5%
Grade 11	15.0%	19.0%	31.9%	68.1%
Grade 12	17.2%	19.5%	29.6%	70.4%
<b>Any Alcohol Product</b>				
All	21.7%	25.8%	43.7%	56.3%
Grade 7	12.5%	13.0%	36.6%	63.4%
Grade 8	18.9%	21.4%	38.9%	61.1%
Grade 9	20.4%	25.7%	41.9%	58.1%
Grade 10	24.3%	31.1%	44.4%	55.6%
Grade 11	28.5%	32.4%	53.4%	46.6%
Grade 12	28.0%	33.4%	49.4%	50.6%
<b>Any Illicit Drug</b>				
All	6.4%	8.7%	13.3%	86.7%
Grade 7	2.8%	3.4%	5.4%	94.6%
Grade 8	8.2%	8.9%	10.0%	90.0%
Grade 9	5.1%	8.5%	11.8%	88.2%
Grade 10	6.5%	8.8%	13.9%	86.1%
Grade 11	8.6%	10.9%	20.3%	79.7%
Grade 12	7.4%	12.7%	21.1%	78.9%
<b>Any Prescription Drug</b>				
All	4.9%	6.5%	10.9%	89.1%
Grade 7	6.6%	7.6%	11.8%	88.2%
Grade 8	5.9%	8.1%	15.0%	85.0%
Grade 9	4.3%	6.3%	10.0%	90.0%
Grade 10	5.9%	7.4%	11.6%	88.4%
Grade 11	3.4%	4.8%	7.9%	92.1%
Grade 12	2.5%	4.2%	7.9%	92.1%
<b>Any Inhalant</b>				
All	3.9%	4.9%	10.1%	89.9%
Grade 7	5.5%	6.5%	11.5%	88.5%
Grade 8	4.1%	5.0%	13.2%	86.8%
Grade 9	3.3%	6.0%	11.2%	88.8%
Grade 10	3.7%	3.9%	9.7%	90.3%
Grade 11	4.3%	5.1%	8.8%	91.2%
Grade 12	1.8%	1.9%	4.7%	95.3%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.2%	9.5%	18.5%	81.5%
Grade 7	3.6%	4.6%	8.4%	91.6%
Grade 8	3.6%	5.1%	14.4%	85.6%
Grade 9	5.3%	9.3%	18.3%	81.7%
Grade 10	9.5%	11.0%	18.5%	81.5%
Grade 11	10.7%	13.7%	28.1%	71.9%
Grade 12	12.3%	14.9%	26.0%	74.0%
<b>Marijuana</b>				
All	5.5%	7.5%	12.0%	88.0%
Grade 7	1.3%	1.5%	3.0%	97.0%
Grade 8	7.3%	7.5%	8.6%	91.4%
Grade 9	4.6%	7.6%	10.3%	89.7%
Grade 10	5.3%	7.7%	12.7%	87.3%
Grade 11	8.6%	10.3%	20.0%	80.0%
Grade 12	6.8%	11.8%	20.3%	79.7%
<b>Marijuana Only</b>				
All	2.5%	3.6%	7.0%	93.0%
Grade 7	0.7%	1.0%	1.7%	98.3%
Grade 8	3.1%	3.1%	4.3%	95.7%
Grade 9	1.7%	3.4%	5.3%	94.7%
Grade 10	2.7%	3.5%	7.4%	92.6%
Grade 11	4.2%	5.0%	12.3%	87.7%
Grade 12	3.1%	6.5%	13.8%	86.2%
<b>Cocaine or Crack</b>				
All	0.9%	0.9%	1.3%	98.7%
Grade 7	0.9%	0.9%	1.2%	98.8%
Grade 8	1.8%	1.8%	1.8%	98.2%
Grade 9	0.1%	0.3%	0.4%	99.6%
Grade 10	0.2%	0.2%	1.3%	98.7%
Grade 11	1.5%	1.5%	1.5%	98.5%
Grade 12	1.1%	1.4%	2.1%	97.9%
<b>Cocaine</b>				
All	0.8%	0.9%	1.2%	98.8%
Grade 7	0.9%	0.9%	1.2%	98.8%
Grade 8	1.4%	1.4%	1.4%	98.6%
Grade 9	0.1%	0.3%	0.4%	99.6%
Grade 10	0.2%	0.2%	1.3%	98.7%
Grade 11	1.5%	1.5%	1.5%	98.5%
Grade 12	0.8%	1.1%	1.8%	98.2%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.5%	1.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.8%	0.8%	99.2%
<b>Hallucinogens</b>				
All	0.3%	0.9%	1.8%	98.2%
Grade 7	0.8%	0.9%	1.7%	98.3%
Grade 8	0.0%	0.4%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.2%	1.5%	98.5%
Grade 11	0.2%	2.5%	3.2%	96.8%
Grade 12	0.0%	1.1%	3.5%	96.5%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.1%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.8%	1.2%	98.8%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.0%	0.1%	0.5%	99.5%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.1%	0.1%	0.5%	99.5%
<b>Ecstasy</b>				
All	0.1%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.8%	1.0%	99.0%
Grade 12	0.0%	0.5%	1.1%	98.9%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	1.5%	1.5%	1.8%	98.2%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.7%	99.3%
<b>Synthetic Marijuana</b>				
All	0.5%	1.2%	2.1%	97.9%
Grade 7	0.0%	0.5%	0.5%	99.5%
Grade 8	0.4%	0.4%	1.5%	98.5%
Grade 9	1.4%	2.1%	3.0%	97.0%
Grade 10	0.7%	1.2%	2.0%	98.0%
Grade 11	0.1%	1.8%	3.4%	96.6%
Grade 12	0.3%	1.0%	2.0%	98.0%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Delta 8</b>				
All	1.2%	2.0%	3.5%	96.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	1.3%	1.7%	2.2%	97.8%
Grade 9	1.8%	2.5%	4.2%	95.8%
Grade 10	0.9%	2.2%	4.6%	95.4%
Grade 11	1.9%	3.4%	5.5%	94.5%
Grade 12	1.0%	2.3%	4.4%	95.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.9%	17.4%	30.0%	70.0%
Grade 7	7.6%	8.7%	20.9%	79.1%
Grade 8	8.0%	11.3%	18.9%	81.1%
Grade 9	11.9%	16.6%	33.9%	66.1%
Grade 10	21.1%	24.3%	36.4%	63.6%
Grade 11	22.4%	23.3%	37.3%	62.7%
Grade 12	18.3%	19.0%	31.0%	69.0%
<b>Any Alcohol Product</b>				
All	28.5%	32.1%	51.2%	48.8%
Grade 7	15.5%	18.0%	44.4%	55.6%
Grade 8	25.1%	28.3%	42.7%	57.3%
Grade 9	28.3%	32.6%	52.1%	47.9%
Grade 10	36.2%	39.3%	55.8%	44.2%
Grade 11	33.9%	38.6%	60.9%	39.1%
Grade 12	29.1%	32.7%	50.5%	49.5%
<b>Any Illicit Drug</b>				
All	14.2%	18.0%	26.6%	73.4%
Grade 7	6.6%	8.8%	12.0%	88.0%
Grade 8	10.3%	12.8%	16.7%	83.3%
Grade 9	15.9%	18.9%	29.4%	70.6%
Grade 10	16.8%	23.8%	32.8%	67.2%
Grade 11	20.3%	23.5%	33.6%	66.4%
Grade 12	14.1%	18.3%	32.7%	67.3%
<b>Any Prescription Drug</b>				
All	5.3%	8.2%	16.2%	83.8%
Grade 7	7.4%	11.1%	17.8%	82.2%
Grade 8	7.3%	10.6%	19.9%	80.1%
Grade 9	2.4%	5.4%	11.1%	88.9%
Grade 10	4.8%	8.0%	18.6%	81.4%
Grade 11	6.0%	7.8%	16.5%	83.5%
Grade 12	4.9%	6.8%	13.7%	86.3%
<b>Any Inhalant</b>				
All	3.9%	5.7%	11.7%	88.3%
Grade 7	5.9%	6.5%	10.8%	89.2%
Grade 8	4.8%	7.7%	11.6%	88.4%
Grade 9	3.8%	6.0%	14.6%	85.4%
Grade 10	4.1%	5.6%	14.5%	85.5%
Grade 11	3.9%	5.1%	12.0%	88.0%
Grade 12	1.0%	2.7%	4.9%	95.1%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	12.0%	15.1%	27.4%	72.6%
Grade 7	6.4%	7.5%	17.9%	82.1%
Grade 8	5.6%	9.3%	17.3%	82.7%
Grade 9	9.6%	15.0%	31.7%	68.3%
Grade 10	17.4%	21.1%	31.7%	68.3%
Grade 11	17.8%	19.8%	36.5%	63.5%
Grade 12	15.2%	16.3%	27.9%	72.1%
<b>Marijuana</b>				
All	13.7%	16.6%	24.9%	75.1%
Grade 7	6.6%	8.1%	10.5%	89.5%
Grade 8	8.8%	9.9%	13.2%	86.8%
Grade 9	15.9%	18.6%	28.9%	71.1%
Grade 10	16.1%	22.2%	31.0%	69.0%
Grade 11	19.6%	21.3%	31.7%	68.3%
Grade 12	13.8%	18.0%	32.2%	67.8%
<b>Marijuana Only</b>				
All	7.2%	9.1%	15.3%	84.7%
Grade 7	2.0%	3.5%	5.5%	94.5%
Grade 8	5.4%	6.1%	9.0%	91.0%
Grade 9	11.8%	13.8%	21.3%	78.7%
Grade 10	8.4%	11.3%	17.9%	82.1%
Grade 11	8.1%	9.3%	15.4%	84.6%
Grade 12	5.7%	9.1%	20.4%	79.6%
<b>Cocaine or Crack</b>				
All	0.5%	0.5%	1.3%	98.7%
Grade 7	0.7%	0.7%	1.8%	98.2%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	1.3%	1.3%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.6%	1.0%	2.0%	98.0%
<b>Cocaine</b>				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.7%	0.7%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	1.3%	1.3%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.6%	1.0%	2.0%	98.0%



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.5%	1.0%	2.9%	97.1%
Grade 7	0.2%	0.2%	1.9%	98.1%
Grade 8	1.2%	1.3%	1.7%	98.3%
Grade 9	0.1%	0.5%	1.3%	98.7%
Grade 10	0.4%	0.9%	3.3%	96.7%
Grade 11	0.3%	0.3%	4.7%	95.3%
Grade 12	1.1%	2.7%	5.1%	94.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	0.7%	1.0%	99.0%
<b>Steroids</b>				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	1.0%	1.0%	1.1%	98.9%
Grade 8	1.2%	2.0%	5.0%	95.0%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.5%	0.5%	1.2%	98.8%
<b>Ecstasy</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.5%	0.5%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.9%	99.1%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.2%	1.8%	3.0%	97.0%
Grade 7	1.0%	1.0%	2.6%	97.4%
Grade 8	1.2%	2.3%	3.0%	97.0%
Grade 9	0.2%	0.9%	1.5%	98.5%
Grade 10	1.5%	2.7%	5.2%	94.8%
Grade 11	3.1%	3.1%	3.6%	96.4%
Grade 12	0.3%	0.3%	1.9%	98.1%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	3.4%	4.8%	8.4%	91.6%
Grade 7	0.7%	0.9%	3.0%	97.0%
Grade 8	3.1%	3.6%	4.9%	95.1%
Grade 9	2.7%	3.3%	6.8%	93.2%
Grade 10	3.1%	6.9%	11.3%	88.7%
Grade 11	8.4%	9.5%	15.4%	84.6%
Grade 12	2.7%	4.1%	8.6%	91.4%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	10.3%	12.3%	22.4%	77.6%
Grade 7	4.6%	5.7%	11.4%	88.6%
Grade 8	5.4%	7.0%	16.5%	83.5%
Grade 9	7.5%	10.6%	22.2%	77.8%
Grade 10	14.7%	17.3%	25.3%	74.7%
Grade 11	15.7%	17.5%	31.6%	68.4%
Grade 12	15.4%	16.7%	28.8%	71.2%
<b>Any Alcohol Product</b>				
All	22.7%	26.5%	45.2%	54.8%
Grade 7	11.5%	11.9%	36.8%	63.2%
Grade 8	17.6%	20.7%	37.7%	62.3%
Grade 9	21.8%	26.7%	43.5%	56.5%
Grade 10	29.1%	33.8%	49.3%	50.7%
Grade 11	29.6%	34.1%	55.8%	44.2%
Grade 12	27.6%	32.6%	49.6%	50.4%
<b>Any Illicit Drug</b>				
All	8.0%	10.5%	16.4%	83.6%
Grade 7	2.3%	3.3%	4.9%	95.1%
Grade 8	7.3%	7.8%	10.3%	89.7%
Grade 9	8.2%	10.6%	16.6%	83.4%
Grade 10	10.3%	14.0%	20.6%	79.4%
Grade 11	10.7%	13.1%	22.6%	77.4%
Grade 12	9.5%	14.6%	25.3%	74.7%
<b>Any Prescription Drug</b>				
All	4.7%	6.5%	12.2%	87.8%
Grade 7	7.1%	8.3%	13.4%	86.6%
Grade 8	5.6%	7.9%	15.7%	84.3%
Grade 9	3.0%	5.2%	9.5%	90.5%
Grade 10	5.3%	7.6%	14.3%	85.7%
Grade 11	3.3%	4.3%	10.5%	89.5%
Grade 12	3.8%	5.3%	9.0%	91.0%
<b>Any Inhalant</b>				
All	3.6%	4.6%	9.1%	90.9%
Grade 7	4.8%	5.4%	9.0%	91.0%
Grade 8	3.8%	5.4%	9.0%	91.0%
Grade 9	4.1%	5.7%	12.1%	87.9%
Grade 10	3.5%	4.1%	10.3%	89.7%
Grade 11	4.0%	4.4%	9.1%	90.9%
Grade 12	0.7%	1.8%	3.9%	96.1%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.2%	10.3%	20.0%	80.0%
Grade 7	4.0%	5.1%	9.1%	90.9%
Grade 8	4.3%	5.8%	14.1%	85.9%
Grade 9	6.3%	9.8%	20.5%	79.5%
Grade 10	12.9%	15.7%	23.9%	76.1%
Grade 11	11.7%	13.4%	28.2%	71.8%
Grade 12	11.0%	12.6%	25.3%	74.7%
<b>Marijuana</b>				
All	7.4%	9.4%	15.3%	84.7%
Grade 7	1.2%	1.9%	3.0%	97.0%
Grade 8	6.2%	6.3%	8.5%	91.5%
Grade 9	8.2%	10.5%	16.0%	84.0%
Grade 10	9.3%	12.7%	19.4%	80.6%
Grade 11	10.4%	11.6%	21.7%	78.3%
Grade 12	9.2%	13.9%	24.6%	75.4%
<b>Marijuana Only</b>				
All	4.0%	5.3%	9.9%	90.1%
Grade 7	0.5%	1.1%	2.2%	97.8%
Grade 8	4.0%	4.2%	6.2%	93.8%
Grade 9	5.5%	7.1%	10.7%	89.3%
Grade 10	5.1%	6.4%	11.6%	88.4%
Grade 11	4.7%	5.4%	12.7%	87.3%
Grade 12	4.3%	8.0%	17.3%	82.7%
<b>Cocaine or Crack</b>				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.6%	0.6%	1.4%	98.6%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.6%	0.7%	1.2%	98.8%
<b>Cocaine</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.4%	0.5%	1.0%	99.0%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.2%	99.8%
<b>Hallucinogens</b>				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.6%	0.7%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.3%	0.6%	2.2%	97.8%
Grade 11	0.3%	0.7%	2.5%	97.5%
Grade 12	0.5%	1.5%	3.6%	96.4%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Steroids</b>				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	1.0%	2.8%	97.2%
Grade 9	0.1%	0.2%	0.9%	99.1%
Grade 10	0.2%	0.3%	0.9%	99.1%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.5%	99.5%
<b>Ecstasy</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.2%	99.8%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.5%	0.8%	1.4%	98.6%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	0.6%	0.9%	1.0%	99.0%
Grade 9	0.7%	1.1%	1.9%	98.1%
Grade 10	1.1%	1.2%	2.5%	97.5%
Grade 11	0.4%	0.4%	1.3%	98.7%
Grade 12	0.3%	0.3%	1.4%	98.6%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	1.0%	1.0%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.2%	99.8%
<b>Delta 8</b>				
All	1.8%	2.5%	4.6%	95.4%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	2.2%	2.5%	2.9%	97.1%
Grade 9	2.0%	2.1%	4.7%	95.3%
Grade 10	1.6%	3.6%	6.4%	93.6%
Grade 11	3.9%	4.3%	8.0%	92.0%
Grade 12	1.3%	2.4%	4.9%	95.1%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.4%	21.4%	35.1%	64.9%
Grade 7	10.9%	11.9%	29.5%	70.5%
Grade 8	7.8%	12.8%	26.2%	73.8%
Grade 9	14.5%	20.5%	37.6%	62.4%
Grade 10	15.1%	16.4%	31.0%	69.0%
Grade 11	27.8%	35.9%	46.5%	53.5%
Grade 12	33.4%	34.3%	41.2%	58.8%
<b>Any Alcohol Product</b>				
All	34.8%	38.6%	56.2%	43.8%
Grade 7	29.1%	35.1%	56.8%	43.2%
Grade 8	38.2%	39.5%	53.3%	46.7%
Grade 9	32.0%	36.1%	55.8%	44.2%
Grade 10	30.4%	36.9%	49.5%	50.5%
Grade 11	42.2%	44.2%	66.4%	33.6%
Grade 12	37.8%	40.5%	57.2%	42.8%
<b>Any Illicit Drug</b>				
All	15.5%	21.0%	28.6%	71.4%
Grade 7	12.5%	17.4%	24.3%	75.7%
Grade 8	16.8%	22.2%	23.6%	76.4%
Grade 9	12.1%	19.3%	25.4%	74.6%
Grade 10	11.8%	18.9%	25.2%	74.8%
Grade 11	24.0%	27.6%	40.7%	59.3%
Grade 12	17.1%	20.7%	35.6%	64.4%
<b>Any Prescription Drug</b>				
All	6.9%	10.8%	17.5%	82.5%
Grade 7	7.5%	13.2%	21.3%	78.7%
Grade 8	9.9%	14.2%	22.1%	77.9%
Grade 9	6.4%	9.5%	12.3%	87.7%
Grade 10	4.9%	7.2%	14.7%	85.3%
Grade 11	9.8%	15.8%	18.9%	81.1%
Grade 12	2.3%	4.9%	18.8%	81.2%
<b>Any Inhalant</b>				
All	6.1%	9.1%	18.4%	81.6%
Grade 7	15.7%	18.5%	26.7%	73.3%
Grade 8	6.5%	8.5%	28.1%	71.9%
Grade 9	1.3%	8.3%	13.6%	86.4%
Grade 10	6.9%	7.9%	17.8%	82.2%
Grade 11	5.6%	9.0%	15.9%	84.1%
Grade 12	3.1%	3.1%	8.0%	92.0%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.4%	18.6%	32.5%	67.5%
Grade 7	8.1%	12.0%	28.1%	71.9%
Grade 8	4.9%	10.9%	23.8%	76.2%
Grade 9	9.8%	18.7%	35.6%	64.4%
Grade 10	11.8%	12.8%	24.9%	75.1%
Grade 11	21.3%	28.3%	46.3%	53.7%
Grade 12	29.8%	33.3%	38.7%	61.3%
<b>Marijuana</b>				
All	14.4%	18.4%	25.5%	74.5%
Grade 7	11.5%	12.5%	18.2%	81.8%
Grade 8	15.3%	17.7%	19.0%	81.0%
Grade 9	10.4%	16.2%	22.0%	78.0%
Grade 10	10.7%	17.3%	22.5%	77.5%
Grade 11	24.0%	26.9%	39.4%	60.6%
Grade 12	16.6%	20.3%	35.1%	64.9%
<b>Marijuana Only</b>				
All	5.8%	7.8%	12.5%	87.5%
Grade 7	3.4%	4.4%	6.5%	93.5%
Grade 8	5.4%	6.0%	7.4%	92.6%
Grade 9	5.3%	8.6%	13.5%	86.5%
Grade 10	4.3%	7.7%	11.0%	89.0%
Grade 11	8.7%	9.7%	17.2%	82.8%
Grade 12	8.3%	10.1%	21.0%	79.0%
<b>Cocaine or Crack</b>				
All	2.1%	2.1%	3.2%	96.8%
Grade 7	2.1%	2.1%	2.1%	97.9%
Grade 8	4.7%	4.7%	5.4%	94.6%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.5%	0.5%	3.5%	96.5%
Grade 11	3.2%	3.2%	3.2%	96.8%
Grade 12	2.8%	2.8%	5.5%	94.5%
<b>Cocaine</b>				
All	1.9%	1.9%	3.0%	97.0%
Grade 7	2.1%	2.1%	2.1%	97.9%
Grade 8	4.0%	4.0%	4.7%	95.3%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.5%	0.5%	3.2%	96.8%
Grade 11	3.2%	3.2%	3.2%	96.8%
Grade 12	2.8%	2.8%	5.5%	94.5%



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.9%	1.3%	98.7%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	3.9%	3.9%	3.9%	96.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.6%	1.6%	98.4%
<b>Hallucinogens</b>				
All	0.3%	1.9%	4.9%	95.1%
Grade 7	0.0%	0.0%	7.5%	92.5%
Grade 8	1.6%	2.9%	4.3%	95.7%
Grade 9	0.0%	0.4%	1.5%	98.5%
Grade 10	0.0%	0.0%	2.4%	97.6%
Grade 11	0.0%	6.1%	9.7%	90.3%
Grade 12	0.5%	2.6%	6.4%	93.6%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.1%	98.9%
<b>Steroids</b>				
All	0.4%	0.9%	1.6%	98.4%
Grade 7	2.3%	2.3%	3.6%	96.4%
Grade 8	0.0%	2.6%	2.6%	97.4%
Grade 9	0.0%	0.0%	2.3%	97.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.0%	1.0%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.0%	0.6%	1.8%	98.2%
Grade 7	0.0%	0.0%	2.2%	97.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	2.7%	2.7%	97.3%
Grade 12	0.0%	1.6%	5.0%	95.0%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin	All	0.2%	0.2%	2.2%	97.8%
	Grade 7	1.0%	1.0%	4.4%	95.6%
	Grade 8	0.0%	0.0%	3.2%	96.8%
	Grade 9	0.0%	0.0%	2.1%	97.9%
	Grade 10	0.5%	0.5%	1.9%	98.1%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	1.6%	98.4%
Synthetic Marijuana	All	2.0%	4.5%	7.1%	92.9%
	Grade 7	2.3%	2.3%	6.0%	94.0%
	Grade 8	0.7%	1.7%	6.4%	93.6%
	Grade 9	2.1%	4.2%	4.5%	95.5%
	Grade 10	0.5%	3.9%	6.5%	93.5%
	Grade 11	6.2%	11.7%	14.5%	85.5%
	Grade 12	0.5%	2.8%	4.3%	95.7%
Methamphetamine	All	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	1.6%	98.4%
Delta 8	All	3.3%	5.9%	9.5%	90.5%
	Grade 7	2.6%	2.6%	4.1%	95.9%
	Grade 8	0.7%	1.7%	4.0%	96.0%
	Grade 9	2.0%	4.8%	6.9%	93.1%
	Grade 10	2.1%	5.8%	11.5%	88.5%
	Grade 11	9.0%	14.3%	18.7%	81.3%
	Grade 12	4.3%	6.5%	12.1%	87.9%

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	59,233	50.0%
Female	59,182	50.0%
Frequency Missing	648	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	46,790	39.6%
Yes	71,394	60.4%
Frequency Missing	879	

**Grade**

Q2	Frequency	Percent
Grade 7	19,142	16.1%
Grade 8	20,206	17.0%
Grade 9	23,291	19.6%
Grade 10	21,536	18.1%
Grade 11	18,742	15.8%
Grade 12	15,742	13.3%
Frequency Missing	404	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	3,898	3.4%
Asian American	1,001	0.9%
African American	6,968	6.1%
Pacific Islander	354	0.3%
White	57,013	49.9%
Other	26,255	23.0%
More Than One Race	18,731	16.4%
Frequency Missing	4,844	

**Live with Both Parents**

Q3	Frequency	Percent
No	46,509	39.4%
Yes	71,508	60.6%
Frequency Missing	1,046	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	508	0.4%
Mostly D's	1,312	1.1%
Mostly C's	14,154	12.0%
Mostly B's	51,917	44.0%
Mostly A's	50,224	42.5%
Frequency Missing	948	

**Age**

Q4	Frequency	Percent
11 or younger	41	0.0%
12	6,291	5.3%
13	17,477	14.7%
14	21,741	18.3%
15	22,676	19.1%
16	22,065	18.6%
17	18,216	15.3%
18	9,698	8.2%
19 or older	568	0.5%
Frequency Missing	290	

**Do You Have a Job**

Q7	Frequency	Percent
No	88,498	75.1%
Yes	29,344	24.9%
Frequency Missing	1,221	

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	21,122	18.0%
Yes	41,651	35.4%
Don't Know	54,832	46.6%
Frequency Missing	1,458	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	42,664	37.3%
Yes	71,728	62.7%
Frequency Missing	4,672	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	76,440	71.0%
Yes	31,210	29.0%
Frequency Missing	11,413	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	78,795	72.6%
Yes	29,693	27.4%
Frequency Missing	10,575	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	82,655	77.0%
Yes	24,700	23.0%
Frequency Missing	11,708	

**Participate in School Choir**

Q9c	Frequency	Percent
No	100,659	95.4%
Yes	4,864	4.6%
Frequency Missing	13,540	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	76,723	70.6%
Yes	31,883	29.4%
Frequency Missing	10,457	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	95,583	89.9%
Yes	10,687	10.1%
Frequency Missing	12,794	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	88,842	83.3%
Yes	17,810	16.7%
Frequency Missing	12,412	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	93,338	88.1%
Yes	12,576	11.9%
Frequency Missing	13,148	

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	103,818	87.7%
Somewhat Safe	13,178	11.1%
Not Very Safe	468	0.4%
Not Safe At All	103	0.1%
Don't Know	845	0.7%
Frequency Missing	652	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	53,802	45.6%
Somewhat Safe	53,513	45.4%
Not Very Safe	6,537	5.5%
Not Safe At All	1,336	1.1%
Don't Know	2,737	2.3%
Frequency Missing	1,138	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	62,290	53.5%
Yes	54,242	46.5%
Frequency Missing	2,531	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	40,694	34.5%
Somewhat Safe	56,589	47.9%
Not Very Safe	10,406	8.8%
Not Safe At All	5,766	4.9%
Don't Know	4,596	3.9%
Frequency Missing	1,012	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	5,001	4.3%
A Few	26,139	22.4%
Some	27,446	23.5%
Most	41,929	35.9%
All	16,410	14.0%
Frequency Missing	2,139	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	8,760	7.6%
Some High School	13,230	11.5%
Finished High School	33,139	28.7%
Some College	12,601	10.9%
Finished College	16,344	14.2%
Post-Secondary	7,426	6.4%
Don't Know or N/A	23,824	20.7%
Frequency Missing	3,739	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	2,789	2.4%
A Few	16,234	13.9%
Some	30,970	26.6%
Most	46,121	39.6%
All	20,438	17.5%
Frequency Missing	2,511	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	7,614	6.6%
Some High School	10,514	9.1%
Finished High School	26,266	22.8%
Some College	17,404	15.1%
Finished College	24,583	21.3%
Post-Secondary	13,281	11.5%
Don't Know or N/A	15,745	13.6%
Frequency Missing	3,656	

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	44,358	38.3%
A Few	37,378	32.3%
Some	18,808	16.2%
Most	9,819	8.5%
All	5,396	4.7%
Frequency Missing	3,304	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	88,119	75.4%
A Few	16,838	14.4%
Some	6,212	5.3%
Most	4,123	3.5%
All	1,505	1.3%
Frequency Missing	2,266	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	115,041	98.8%
In Your Lifetime	779	0.7%
Since School Began	276	0.2%
In the Past Month	370	0.3%
Frequency Missing	2,596	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	103,302	88.4%
A Few	7,955	6.8%
Some	3,157	2.7%
Most	969	0.8%
All	1,439	1.2%
Frequency Missing	2,240	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	111,325	95.2%
In Your Lifetime	3,619	3.1%
Since School Began	917	0.8%
In the Past Month	1,061	0.9%
Frequency Missing	2,142	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	115,235	98.5%
In Your Lifetime	1,100	0.9%
Since School Began	137	0.1%
In the Past Month	474	0.4%
Frequency Missing	2,117	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	115,756	99.1%
In Your Lifetime	397	0.3%
Since School Began	160	0.1%
In the Past Month	504	0.4%
Frequency Missing	2,245	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	112,889	96.6%
In Your Lifetime	2,438	2.1%
Since School Began	610	0.5%
In the Past Month	966	0.8%
Frequency Missing	2,160	

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	115,123	99.1%
In Your Lifetime	445	0.4%
Since School Began	67	0.1%
In the Past Month	555	0.5%
Frequency Missing	2,873	

**Recent Inhalant Use - Gasoline, Octane  
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	113,767	97.5%
In Your Lifetime	1,336	1.1%
Since School Began	315	0.3%
In the Past Month	1,210	1.0%
Frequency Missing	2,436	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	81,323	69.8%
In Your Lifetime	18,896	16.2%
Since School Began	4,955	4.3%
In the Past Month	11,357	9.7%
Frequency Missing	2,532	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	114,991	98.7%
In Your Lifetime	715	0.6%
Since School Began	159	0.1%
In the Past Month	630	0.5%
Frequency Missing	2,568	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	92,348	79.3%
In Your Lifetime	11,099	9.5%
Since School Began	4,499	3.9%
In the Past Month	8,486	7.3%
Frequency Missing	2,631	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	106,496	91.0%
In Your Lifetime	6,495	5.6%
Since School Began	1,309	1.1%
In the Past Month	2,688	2.3%
Frequency Missing	2,074	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	92,321	79.7%
In Your Lifetime	14,958	12.9%
Since School Began	3,986	3.4%
In the Past Month	4,570	3.9%
Frequency Missing	3,228	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	110,249	94.6%
In Your Lifetime	3,550	3.0%
Since School Began	854	0.7%
In the Past Month	1,943	1.7%
Frequency Missing	2,467	

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	85,906	74.3%
In Your Lifetime	14,420	12.5%
Since School Began	4,958	4.3%
In the Past Month	10,400	9.0%
Frequency Missing	3,380	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	113,043	97.3%
In Your Lifetime	2,122	1.8%
Since School Began	421	0.4%
In the Past Month	619	0.5%
Frequency Missing	2,859	



**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	91,080	77.9%
In Your Lifetime	12,017	10.3%
Since School Began	3,146	2.7%
In the Past Month	10,645	9.1%
Frequency Missing	2,175	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	114,517	97.8%
In Your Lifetime	1,542	1.3%
Since School Began	619	0.5%
In the Past Month	432	0.4%
Frequency Missing	1,953	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	99,605	85.1%
In Your Lifetime	9,513	8.1%
Since School Began	2,861	2.4%
In the Past Month	5,101	4.4%
Frequency Missing	1,984	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	116,910	99.8%
In Your Lifetime	56	0.0%
Since School Began	0	0.0%
In the Past Month	187	0.2%
Frequency Missing	1,911	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	116,116	99.0%
In Your Lifetime	715	0.6%
Since School Began	204	0.2%
In the Past Month	208	0.2%
Frequency Missing	1,819	

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	116,204	99.2%
In Your Lifetime	493	0.4%
Since School Began	204	0.2%
In the Past Month	257	0.2%
Frequency Missing	1,906	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	116,731	99.7%
In Your Lifetime	269	0.2%
Since School Began	39	0.0%
In the Past Month	26	0.0%
Frequency Missing	1,998	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	116,506	99.5%
In Your Lifetime	329	0.3%
Since School Began	153	0.1%
In the Past Month	97	0.1%
Frequency Missing	1,978	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	116,635	99.4%
In Your Lifetime	442	0.4%
Since School Began	0	0.0%
In the Past Month	205	0.2%
Frequency Missing	1,782	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	105,755	90.8%
In Your Lifetime	5,306	4.6%
Since School Began	1,931	1.7%
In the Past Month	3,443	3.0%
Frequency Missing	2,628	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	116,747	99.7%
In Your Lifetime	116	0.1%
Since School Began	12	0.0%
In the Past Month	237	0.2%
Frequency Missing	1,952	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	114,367	98.1%
In Your Lifetime	1,200	1.0%
Since School Began	440	0.4%
In the Past Month	551	0.5%
Frequency Missing	2,505	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	114,790	97.9%
In Your Lifetime	1,246	1.1%
Since School Began	539	0.5%
In the Past Month	692	0.6%
Frequency Missing	1,797	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	113,998	98.0%
In Your Lifetime	1,361	1.2%
Since School Began	441	0.4%
In the Past Month	539	0.5%
Frequency Missing	2,724	

**Recent Delta 8 Use**

Q16l	Frequency	Percent
Never Heard/Used	111,082	95.2%
In Your Lifetime	2,670	2.3%
Since School Began	1,036	0.9%
In the Past Month	1,940	1.7%
Frequency Missing	2,336	

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	113,496	97.7%
In Your Lifetime	1,070	0.9%
Since School Began	583	0.5%
In the Past Month	1,068	0.9%
Frequency Missing	2,847	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	108,730	93.6%
In Your Lifetime	3,464	3.0%
Since School Began	1,158	1.0%
In the Past Month	2,842	2.4%
Frequency Missing	2,870	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	114,874	98.7%
1-2 times	791	0.7%
3-10 times	342	0.3%
11+ times	421	0.4%
Frequency Missing	2,635	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	113,647	98.1%
In Your Lifetime	1,152	1.0%
Since School Began	435	0.4%
In the Past Month	628	0.5%
Frequency Missing	3,200	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	106,984	91.6%
1-2 times	4,843	4.1%
3-10 times	1,599	1.4%
11+ times	3,360	2.9%
Frequency Missing	2,276	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	109,441	94.0%
1-2 times	3,128	2.7%
3-10 times	948	0.8%
11+ times	2,860	2.5%
Frequency Missing	2,686	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	115,812	99.5%
1-2 times	397	0.3%
3-10 times	94	0.1%
11+ times	85	0.1%
Frequency Missing	2,675	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	91,040	78.2%
1-2 times	15,775	13.5%
3-10 times	5,735	4.9%
11+ times	3,873	3.3%
Frequency Missing	2,640	

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	116,060	99.8%
1-2 times	185	0.2%
3-10 times	38	0.0%
11+ times	0	0.0%
Frequency Missing	2,780	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	94,974	81.5%
A few	12,746	10.9%
Some	4,545	3.9%
Most	3,051	2.6%
All	1,246	1.1%
Frequency Missing	2,502	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	64,319	55.2%
A few	25,994	22.3%
Some	13,439	11.5%
Most	9,854	8.5%
All	2,848	2.4%
Frequency Missing	2,609	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	72,277	62.2%
8 or younger	5,632	4.8%
9 years old	2,052	1.8%
10 years old	2,175	1.9%
11 years old	3,023	2.6%
12 years old	5,547	4.8%
13 years old	5,831	5.0%
14 years old	6,521	5.6%
15 years old	6,529	5.6%
16 years old	4,343	3.7%
17 years old	1,569	1.4%
18 or older	694	0.6%
Frequency Missing	2,869	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	108,552	93.7%
A few	4,640	4.0%
Some	1,588	1.4%
Most	670	0.6%
All	400	0.3%
Frequency Missing	3,212	

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	113,242	97.6%
8 or younger	754	0.6%
9 years old	373	0.3%
10 years old	187	0.2%
11 years old	256	0.2%
12 years old	253	0.2%
13 years old	382	0.3%
14 years old	210	0.2%
15 years old	203	0.2%
16 years old	193	0.2%
17 years old	26	0.0%
18 or older	0	0.0%
Frequency Missing	2,983	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	84,253	72.4%
A few	16,302	14.0%
Some	8,086	7.0%
Most	6,114	5.3%
All	1,559	1.3%
Frequency Missing	2,749	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	104,697	89.9%
8 or younger	1,179	1.0%
9 years old	872	0.7%
10 years old	870	0.7%
11 years old	718	0.6%
12 years old	1,384	1.2%
13 years old	1,698	1.5%
14 years old	1,637	1.4%
15 years old	1,717	1.5%
16 years old	1,162	1.0%
17 years old	515	0.4%
18 or older	39	0.0%
Frequency Missing	2,574	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	98,716	84.9%
8 or younger	488	0.4%
9 years old	211	0.2%
10 years old	585	0.5%
11 years old	1,122	1.0%
12 years old	1,836	1.6%
13 years old	3,068	2.6%
14 years old	3,242	2.8%
15 years old	3,760	3.2%
16 years old	2,137	1.8%
17 years old	809	0.7%
18 or older	299	0.3%
Frequency Missing	2,789	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	115,500	99.3%
8 or younger	43	0.0%
9 years old	0	0.0%
10 years old	18	0.0%
11 years old	0	0.0%
12 years old	48	0.0%
13 years old	187	0.2%
14 years old	55	0.0%
15 years old	150	0.1%
16 years old	132	0.1%
17 years old	178	0.2%
18 or older	11	0.0%
Frequency Missing	2,742	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	115,884	99.5%
8 or younger	22	0.0%
9 years old	38	0.0%
10 years old	18	0.0%
11 years old	133	0.1%
12 years old	69	0.1%
13 years old	31	0.0%
14 years old	177	0.2%
15 years old	34	0.0%
16 years old	26	0.0%
17 years old	0	0.0%
18 or older	39	0.0%
Frequency Missing	2,591	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	116,354	99.8%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	14	0.0%
11 years old	23	0.0%
12 years old	25	0.0%
13 years old	119	0.1%
14 years old	27	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	39	0.0%
Frequency Missing	2,462	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	116,165	99.7%
8 or younger	33	0.0%
9 years old	38	0.0%
10 years old	97	0.1%
11 years old	27	0.0%
12 years old	0	0.0%
13 years old	84	0.1%
14 years old	23	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	39	0.0%
Frequency Missing	2,557	

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	115,692	99.3%
8 or younger	139	0.1%
9 years old	60	0.1%
10 years old	67	0.1%
11 years old	46	0.0%
12 years old	94	0.1%
13 years old	171	0.1%
14 years old	0	0.0%
15 years old	106	0.1%
16 years old	62	0.1%
17 years old	68	0.1%
18 or older	0	0.0%
Frequency Missing	2,558	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	116,288	99.8%
8 or younger	17	0.0%
9 years old	0	0.0%
10 years old	18	0.0%
11 years old	0	0.0%
12 years old	6	0.0%
13 years old	132	0.1%
14 years old	23	0.0%
15 years old	49	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	39	0.0%
Frequency Missing	2,491	

**Age When First Used Synthetic Marijuana**

Q21l	Frequency	Percent
Never used it	114,439	98.2%
8 or younger	0	0.0%
9 years old	105	0.1%
10 years old	103	0.1%
11 years old	66	0.1%
12 years old	499	0.4%
13 years old	167	0.1%
14 years old	386	0.3%
15 years old	400	0.3%
16 years old	308	0.3%
17 years old	28	0.0%
18 or older	11	0.0%
Frequency Missing	2,551	

**Age When First Used Delta 8**

Q21m	Frequency	Percent
Never used it	110,925	95.3%
8 or younger	68	0.1%
9 years old	23	0.0%
10 years old	65	0.1%
11 years old	170	0.1%
12 years old	675	0.6%
13 years old	866	0.7%
14 years old	1,294	1.1%
15 years old	1,039	0.9%
16 years old	976	0.8%
17 years old	252	0.2%
18 or older	11	0.0%
Frequency Missing	2,699	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	47,057	40.7%
Impossible	21,932	19.0%
Very Difficult	8,522	7.4%
Somewhat diff	11,536	10.0%
Somewhat easy	12,527	10.8%
Very easy	14,043	12.1%
Frequency Missing	3,446	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	36,243	31.3%
Impossible	15,004	13.0%
Very Difficult	7,257	6.3%
Somewhat diff	14,545	12.6%
Somewhat easy	18,235	15.7%
Very easy	24,519	21.2%
Frequency Missing	3,261	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	57,997	50.5%
Impossible	19,013	16.5%
Very Difficult	5,659	4.9%
Somewhat diff	6,204	5.4%
Somewhat easy	9,045	7.9%
Very easy	17,026	14.8%
Frequency Missing	4,119	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	46,323	40.1%
Impossible	25,872	22.4%
Very Difficult	9,995	8.7%
Somewhat diff	10,177	8.8%
Somewhat easy	9,204	8.0%
Very easy	13,943	12.1%
Frequency Missing	3,549	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	56,252	48.6%
Impossible	35,896	31.0%
Very Difficult	10,766	9.3%
Somewhat diff	6,357	5.5%
Somewhat easy	3,096	2.7%
Very easy	3,333	2.9%
Frequency Missing	3,364	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	58,003	50.2%
Impossible	36,980	32.0%
Very Difficult	10,855	9.4%
Somewhat diff	5,206	4.5%
Somewhat easy	1,764	1.5%
Very easy	2,701	2.3%
Frequency Missing	3,553	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	64,755	56.0%
Impossible	33,771	29.2%
Very Difficult	8,962	7.7%
Somewhat diff	4,099	3.5%
Somewhat easy	1,678	1.5%
Very easy	2,418	2.1%
Frequency Missing	3,380	

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	59,472	51.3%
Impossible	33,445	28.9%
Very Difficult	10,680	9.2%
Somewhat diff	6,448	5.6%
Somewhat easy	2,765	2.4%
Very easy	3,046	2.6%
Frequency Missing	3,208	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	66,839	57.8%
Impossible	28,169	24.4%
Very Difficult	8,171	7.1%
Somewhat diff	4,408	3.8%
Somewhat easy	3,450	3.0%
Very easy	4,562	3.9%
Frequency Missing	3,464	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	69,076	59.9%
Impossible	30,083	26.1%
Very Difficult	8,678	7.5%
Somewhat diff	3,894	3.4%
Somewhat easy	1,548	1.3%
Very easy	1,949	1.7%
Frequency Missing	3,836	

**Difficult to Get Delta 8**

Q22m	Frequency	Percent
Never heard of	65,926	57.2%
Impossible	26,121	22.7%
Very Difficult	7,622	6.6%
Somewhat diff	4,219	3.7%
Somewhat easy	4,231	3.7%
Very easy	7,044	6.1%
Frequency Missing	3,899	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	63,551	54.9%
Impossible	35,719	30.8%
Very Difficult	9,309	8.0%
Somewhat diff	3,832	3.3%
Somewhat easy	1,371	1.2%
Very easy	2,029	1.8%
Frequency Missing	3,252	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	2,023	1.8%
Several times/wk	896	0.8%
Several times/mo	795	0.7%
About once/month	841	0.7%
About once/year	1,862	1.6%
Less than once/year	4,008	3.5%
Never used	105,101	91.0%
Frequency Missing	3,537	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	247	0.2%
Several times/wk	1,374	1.2%
Several times/mo	5,826	5.1%
About once/month	10,715	9.3%
About once/year	9,692	8.4%
Less than once/year	10,646	9.2%
Never used	76,728	66.6%
Frequency Missing	3,834	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	87	0.1%
Several times/wk	0	0.0%
Several times/mo	26	0.0%
About once/month	23	0.0%
About once/year	146	0.1%
Less than once/year	507	0.4%
Never used	114,898	99.3%
Frequency Missing	3,376	

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	20	0.0%
Several times/wk	273	0.2%
Several times/mo	298	0.3%
About once/month	14	0.0%
About once/year	490	0.4%
Less than once/year	1,107	1.0%
Never used	112,866	98.1%
Frequency Missing	3,996	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	26	0.0%
About once/month	0	0.0%
About once/year	64	0.1%
Less than once/year	23	0.0%
Never used	115,701	99.9%
Frequency Missing	3,249	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	1,539	1.3%
Several times/wk	1,400	1.2%
Several times/mo	1,511	1.3%
About once/month	2,200	1.9%
About once/year	3,266	2.8%
Less than once/year	3,997	3.5%
Never used	101,619	88.0%
Frequency Missing	3,531	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	55	0.0%
Several times/wk	23	0.0%
Several times/mo	11	0.0%
About once/month	133	0.1%
About once/year	92	0.1%
Less than once/year	178	0.2%
Never used	115,188	99.6%
Frequency Missing	3,383	



**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	46	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	247	0.2%
Less than once/year	236	0.2%
Never used	115,117	99.5%
Frequency Missing	3,417	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	341	0.3%
Several times/wk	19	0.0%
Several times/mo	299	0.3%
About once/month	357	0.3%
About once/year	233	0.2%
Less than once/year	853	0.7%
Never used	113,299	98.2%
Frequency Missing	3,662	

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	20	0.0%
Several times/wk	27	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	74	0.1%
Less than once/year	137	0.1%
Never used	115,548	99.8%
Frequency Missing	3,259	

**How Often Normally Use Delta 8**

Q23m	Frequency	Percent
Every day	646	0.6%
Several times/wk	435	0.4%
Several times/mo	520	0.5%
About once/month	841	0.7%
About once/year	866	0.8%
Less than once/year	1,474	1.3%
Never used	110,406	95.8%
Frequency Missing	3,875	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	56	0.0%
Several times/wk	12	0.0%
Several times/mo	140	0.1%
About once/month	0	0.0%
About once/year	0	0.0%
Less than once/year	210	0.2%
Never used	115,202	99.6%
Frequency Missing	3,443	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	77,402	67.2%
12+ drinks	3,073	2.7%
9-11 drinks	1,706	1.5%
5-8 drinks	4,074	3.5%
3-4 drinks	5,587	4.9%
2 drinks	5,078	4.4%
1 drink	7,155	6.2%
Less than 1 drink	11,064	9.6%
Frequency Missing	3,924	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	88,891	77.3%
12+ drinks	1,396	1.2%
9-11 drinks	1,547	1.3%
5-8 drinks	3,704	3.2%
3-4 drinks	4,268	3.7%
2 drinks	4,360	3.8%
1 drink	5,009	4.4%
Less than 1 drink	5,785	5.0%
Frequency Missing	4,102	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	63,970	56.3%
0 days	38,292	33.7%
1 day	4,176	3.7%
2 days	2,489	2.2%
3 to 5 days	1,759	1.5%
6 to 9 days	824	0.7%
10 or more days	2,023	1.8%
Frequency Missing	5,530	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	89,638	78.1%
12+ drinks	864	0.8%
9-11 drinks	467	0.4%
5-8 drinks	1,053	0.9%
3-4 drinks	2,715	2.4%
2 drinks	3,409	3.0%
1 drink	6,526	5.7%
Less than 1 drink	10,034	8.7%
Frequency Missing	4,357	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	75,866	65.9%
Never	14,202	12.3%
Seldom	16,654	14.5%
Most of the Time	5,005	4.3%
Always	3,357	2.9%
Frequency Missing	3,978	

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	82,084	71.4%
12+ drinks	2,137	1.9%
9-11 drinks	1,589	1.4%
5-8 drinks	3,552	3.1%
3-4 drinks	5,763	5.0%
2 drinks	5,450	4.7%
1 drink	6,503	5.7%
Less than 1 drink	7,821	6.8%
Frequency Missing	4,163	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	77,703	67.7%
Never	15,433	13.4%
Seldom	12,112	10.6%
Most of the Time	6,598	5.7%
Always	2,914	2.5%
Frequency Missing	4,303	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	81,484	71.2%
Never	25,248	22.1%
Seldom	3,900	3.4%
Most of the Time	2,061	1.8%
Always	1,679	1.5%
Frequency Missing	4,690	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	76,371	66.4%
Never	14,932	13.0%
Seldom	10,074	8.8%
Most of the Time	7,684	6.7%
Always	5,960	5.2%
Frequency Missing	4,041	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	87,703	76.2%
Somewhat	13,239	11.5%
Not very	4,130	3.6%
Not at all	1,586	1.4%
Don't know	8,455	7.3%
Frequency Missing	3,949	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	82,453	72.1%
Never	18,861	16.5%
Seldom	6,912	6.0%
Most of the Time	3,104	2.7%
Always	3,103	2.7%
Frequency Missing	4,631	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	75,802	65.8%
Somewhat	17,736	15.4%
Not very	10,321	9.0%
Not at all	5,668	4.9%
Don't know	5,743	5.0%
Frequency Missing	3,793	

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	75,673	65.5%
Somewhat	23,989	20.8%
Not very	7,414	6.4%
Not at all	1,529	1.3%
Don't know	6,889	6.0%
Frequency Missing	3,569	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	101,716	88.2%
Somewhat	6,134	5.3%
Not very	682	0.6%
Not at all	642	0.6%
Don't know	6,144	5.3%
Frequency Missing	3,745	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	60,016	52.1%
Somewhat	31,138	27.0%
Not very	15,463	13.4%
Not at all	3,054	2.7%
Don't know	5,517	4.8%
Frequency Missing	3,875	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	102,729	89.0%
Somewhat	4,981	4.3%
Not very	579	0.5%
Not at all	718	0.6%
Don't know	6,464	5.6%
Frequency Missing	3,592	

**Dangerous for Kids to Use Ecstasy**

Q27h	Frequency	Percent
Very	96,308	83.5%
Somewhat	5,009	4.3%
Not very	1,372	1.2%
Not at all	860	0.7%
Don't know	11,853	10.3%
Frequency Missing	3,661	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27l	Frequency	Percent
Very	93,717	81.4%
Somewhat	6,813	5.9%
Not very	2,904	2.5%
Not at all	1,616	1.4%
Don't know	10,127	8.8%
Frequency Missing	3,887	

**Dangerous for Kids to Use Steroids**

Q27i	Frequency	Percent
Very	90,148	78.4%
Somewhat	11,873	10.3%
Not very	3,975	3.5%
Not at all	1,262	1.1%
Don't know	7,792	6.8%
Frequency Missing	4,013	

**Dangerous for Kids to Use Delta 8**

Q27m	Frequency	Percent
Very	88,938	77.2%
Somewhat	8,334	7.2%
Not very	4,436	3.9%
Not at all	2,970	2.6%
Don't know	10,541	9.1%
Frequency Missing	3,844	

**Dangerous for Kids to Use Heroin**

Q27j	Frequency	Percent
Very	102,042	88.5%
Somewhat	3,944	3.4%
Not very	653	0.6%
Not at all	646	0.6%
Don't know	8,059	7.0%
Frequency Missing	3,718	

**Dangerous for Kids to Use Any Prescription**

Q27n	Frequency	Percent
Very	91,389	79.4%
Somewhat	11,556	10.0%
Not very	3,261	2.8%
Not at all	1,189	1.0%
Don't know	7,743	6.7%
Frequency Missing	3,925	

**Dangerous for Kids to Use Methamphetamine**

Q27k	Frequency	Percent
Very	102,536	88.8%
Somewhat	3,616	3.1%
Not very	581	0.5%
Not at all	789	0.7%
Don't know	7,886	6.8%
Frequency Missing	3,654	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27o	Frequency	Percent
Very	80,952	70.2%
Somewhat	16,732	14.5%
Not very	8,379	7.3%
Not at all	3,159	2.7%
Don't know	6,047	5.2%
Frequency Missing	3,793	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	84,817	74.6%
1-3 days	20,160	17.7%
4-9 days	4,675	4.1%
10+ days	4,019	3.5%
Frequency Missing	5,393	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	101,839	89.9%
1-3 days	8,580	7.6%
4-9 days	1,443	1.3%
10+ days	1,462	1.3%
Frequency Missing	5,739	

**Days Ill Since September**

Q28b	Frequency	Percent
None	30,868	27.3%
1-3 days	54,387	48.0%
4-9 days	20,756	18.3%
10+ days	7,196	6.4%
Frequency Missing	5,856	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	109,414	96.4%
1-3 times	3,292	2.9%
4-9 times	609	0.5%
10+ times	240	0.2%
Frequency Missing	5,508	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	36,455	32.7%
1-3 days	57,389	51.4%
4-9 days	11,511	10.3%
10+ days	6,282	5.6%
Frequency Missing	7,426	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	109,980	96.8%
1-3 times	2,638	2.3%
4-9 times	449	0.4%
10+ times	497	0.4%
Frequency Missing	5,498	

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	98,723	87.0%
1-3 days	10,893	9.6%
4-9 days	2,198	1.9%
10+ days	1,670	1.5%
Frequency Missing	5,579	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	110,754	97.5%
1-3 times	2,127	1.9%
4-9 times	307	0.3%
10+ times	391	0.3%
Frequency Missing	5,484	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	110,129	96.9%
1-3 times	2,218	2.0%
4-9 times	421	0.4%
10+ times	876	0.8%
Frequency Missing	5,418	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	110,122	96.9%
1-3 days	2,541	2.2%
4-9 days	326	0.3%
10+ days	640	0.6%
Frequency Missing	5,433	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	63,968	56.6%
Seldom	5,606	5.0%
Half the time	5,171	4.6%
Most of the Time	7,782	6.9%
Always	9,234	8.2%
Don't Know	1,536	1.4%
Didn't attend	19,695	17.4%
Frequency Missing	6,073	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	106,532	94.0%
1-3 days	3,328	2.9%
4-9 days	1,025	0.9%
10+ days	2,505	2.2%
Frequency Missing	5,673	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	74,311	65.6%
Seldom	4,987	4.4%
Half the time	4,279	3.8%
Most of the Time	4,323	3.8%
Always	3,361	3.0%
Don't Know	2,291	2.0%
Didn't attend	19,660	17.4%
Frequency Missing	5,851	

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	112,389	99.2%
1-3 days	498	0.4%
4-9 days	208	0.2%
10+ days	225	0.2%
Frequency Missing	5,742	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	101,506	92.1%
Yes	8,696	7.9%
Frequency Missing	8,861	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	111,377	98.4%
1-3 days	962	0.9%
4-9 days	327	0.3%
10+ days	476	0.4%
Frequency Missing	5,921	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	73,692	65.9%
Yes	38,061	34.1%
Frequency Missing	7,310	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	87,747	79.0%
Yes	23,275	21.0%
Frequency Missing	8,041	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	48,179	43.5%
Yes	62,663	56.5%
Frequency Missing	8,221	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	66,510	59.8%
Yes	44,632	40.2%
Frequency Missing	7,921	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	69,467	62.6%
Yes	41,447	37.4%
Frequency Missing	8,149	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	34,050	30.5%
Yes	77,676	69.5%
Frequency Missing	7,337	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	81,074	74.4%
Yes	27,929	25.6%
Frequency Missing	10,060	

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	52,840	47.6%
Yes	58,194	52.4%
Frequency Missing	8,030	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	71,966	64.7%
Yes	39,212	35.3%
Frequency Missing	7,885	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	42,799	38.4%
Yes	68,530	61.6%
Frequency Missing	7,734	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	44,020	39.5%
Yes	67,503	60.5%
Frequency Missing	7,540	

**Drug/Alcohol Info–School Guidance  
Counselor**

Q34c	Frequency	Percent
No	74,072	67.2%
Yes	36,178	32.8%
Frequency Missing	8,813	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	73,318	66.3%
Yes	37,205	33.7%
Frequency Missing	8,540	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	90,173	81.7%
Yes	20,184	18.3%
Frequency Missing	8,706	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	85,654	76.0%
Mild disapprove	8,163	7.2%
Neither	6,925	6.1%
Mildly approve	1,469	1.3%
Strongly approve	956	0.8%
Don't know	9,588	8.5%
Frequency Missing	6,308	

**Drug/Alcohol Info–Science or Social Studies  
Class**

Q34e	Frequency	Percent
No	77,329	70.0%
Yes	33,081	30.0%
Frequency Missing	8,653	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	61,778	54.8%
Mild disapprove	17,568	15.6%
Neither	17,173	15.2%
Mildly approve	5,571	4.9%
Strongly approve	1,485	1.3%
Don't know	9,117	8.1%
Frequency Missing	6,370	

**Drug/Alcohol Info–School Student Group or  
Club**

Q34f	Frequency	Percent
No	91,568	83.1%
Yes	18,609	16.9%
Frequency Missing	8,886	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	85,356	75.8%
Mild disapprove	7,541	6.7%
Neither	7,622	6.8%
Mildly approve	1,884	1.7%
Strongly approve	1,219	1.1%
Don't know	9,040	8.0%
Frequency Missing	6,401	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	59,652	53.7%
Yes	51,408	46.3%
Frequency Missing	8,002	



## Appendix: Reporting Methods for Prevalence & Recency of Use

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Delta 8</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
<b>Question</b>	<b>Updating Rule</b>
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.



## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

