
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2024



HHSC REGION 10 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	109

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 10. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	8.2%	10.6%	18.2%	81.8%
Grade 7	4.7%	5.9%	12.0%	88.0%
Grade 8	5.4%	6.8%	14.3%	85.7%
Grade 9	9.6%	11.7%	20.9%	79.1%
Grade 10	7.9%	9.8%	15.8%	84.2%
Grade 11	7.7%	11.8%	20.1%	79.9%
Grade 12	14.0%	18.2%	26.2%	73.8%
Cigarettes?				
All	1.5%	2.2%	6.1%	93.9%
Grade 7	0.7%	0.9%	2.3%	97.7%
Grade 8	0.5%	1.0%	3.7%	96.3%
Grade 9	0.9%	1.0%	6.7%	93.3%
Grade 10	1.9%	3.1%	6.8%	93.2%
Grade 11	1.1%	1.6%	5.9%	94.1%
Grade 12	4.5%	6.1%	11.9%	88.1%
Smokeless Tobacco?				
All	0.7%	1.5%	3.0%	97.0%
Grade 7	0.7%	1.2%	2.4%	97.6%
Grade 8	0.5%	0.9%	1.5%	98.5%
Grade 9	0.6%	1.0%	3.0%	97.0%
Grade 10	1.3%	2.1%	4.0%	96.0%
Grade 11	0.3%	1.4%	3.0%	97.0%
Grade 12	1.2%	2.4%	4.5%	95.5%
Electronic Vapor Products?				
All	6.4%	9.2%	16.3%	83.7%
Grade 7	3.5%	5.0%	11.3%	88.7%
Grade 8	4.0%	5.9%	12.8%	87.2%
Grade 9	7.1%	8.7%	18.1%	81.9%
Grade 10	5.0%	8.4%	14.2%	85.8%
Grade 11	6.6%	11.2%	17.5%	82.5%
Grade 12	12.8%	17.1%	23.8%	76.2%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.6%	0.6%	0.5%	0.4%	0.9%	0.9%	2.1%
Grade 7	98.1%	0.1%	0.3%	0.3%	0.5%	0.2%	0.5%
Grade 8	97.1%	0.0%	0.2%	0.3%	0.4%	0.3%	1.6%
Grade 9	93.3%	0.3%	0.3%	0.2%	1.6%	0.6%	3.8%
Grade 10	94.9%	1.2%	0.9%	0.4%	0.8%	0.9%	1.0%
Grade 11	94.3%	1.2%	0.5%	0.2%	0.8%	0.7%	2.2%
Grade 12	89.3%	0.6%	0.9%	1.5%	1.2%	2.8%	3.7%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.5	10.4	11.8	12.5	12.5	14.4	15.3

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	46.4%	19.6%	6.8%	9.0%	8.4%	9.9%
Grade 7	55.4%	26.2%	4.7%	6.3%	4.1%	3.3%
Grade 8	50.9%	24.2%	6.6%	8.2%	5.5%	4.6%
Grade 9	44.9%	19.3%	7.9%	10.8%	7.8%	9.3%
Grade 10	44.6%	19.4%	6.2%	8.7%	11.2%	9.9%
Grade 11	42.0%	14.7%	7.6%	11.1%	11.0%	13.5%
Grade 12	40.7%	13.6%	7.5%	8.1%	10.4%	19.7%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	85.3%	10.0%	3.0%	1.3%	0.4%
Grade 7	91.4%	5.9%	1.5%	0.9%	0.4%
Grade 8	89.7%	7.6%	1.6%	0.8%	0.3%
Grade 9	83.8%	11.6%	3.3%	1.0%	0.2%
Grade 10	86.2%	9.2%	3.5%	0.7%	0.3%
Grade 11	82.5%	11.4%	3.2%	2.3%	0.6%
Grade 12	77.7%	14.4%	5.2%	2.2%	0.5%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	82.8%	5.0%	4.3%	0.5%	0.5%	6.8%
Grade 7	87.5%	3.8%	2.5%	0.6%	0.3%	5.3%
Grade 8	81.4%	5.4%	3.9%	0.4%	0.6%	8.3%
Grade 9	82.1%	5.1%	4.7%	0.7%	0.5%	6.9%
Grade 10	82.1%	5.8%	6.2%	0.0%	0.8%	5.1%
Grade 11	81.0%	5.1%	3.8%	0.8%	0.6%	8.6%
Grade 12	83.3%	4.7%	4.6%	0.7%	0.0%	6.7%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	72.0%	18.7%	4.3%	0.7%	4.3%
Grade 7	79.3%	13.8%	2.7%	0.7%	3.5%
Grade 8	75.9%	15.3%	3.8%	0.3%	4.7%
Grade 9	69.1%	20.1%	5.0%	0.6%	5.2%
Grade 10	71.3%	21.0%	4.1%	0.8%	2.8%
Grade 11	69.2%	20.3%	4.4%	1.4%	4.7%
Grade 12	67.6%	21.6%	5.8%	0.3%	4.7%
Electronic Vapor Products?					
All	73.3%	14.7%	6.2%	1.4%	4.4%
Grade 7	79.3%	10.7%	5.3%	0.9%	3.8%
Grade 8	75.0%	13.8%	4.1%	2.1%	5.0%
Grade 9	70.7%	17.4%	6.0%	0.8%	5.1%
Grade 10	70.1%	18.2%	6.4%	1.9%	3.4%
Grade 11	70.6%	14.7%	8.8%	2.0%	3.9%
Grade 12	75.6%	11.9%	6.4%	0.9%	5.2%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	21.4%	24.6%	38.2%	61.8%
Grade 7	13.1%	15.0%	28.5%	71.5%
Grade 8	15.2%	17.8%	31.6%	68.4%
Grade 9	20.0%	23.3%	37.3%	62.7%
Grade 10	20.8%	22.8%	38.3%	61.7%
Grade 11	27.7%	32.5%	45.0%	55.0%
Grade 12	32.5%	37.3%	49.5%	50.5%
Beer?				
All	8.3%	11.6%	28.3%	71.7%
Grade 7	4.5%	6.0%	21.5%	78.5%
Grade 8	4.9%	7.0%	22.1%	77.9%
Grade 9	8.1%	10.6%	27.3%	72.7%
Grade 10	7.4%	10.4%	27.2%	72.8%
Grade 11	9.9%	14.2%	34.2%	65.8%
Grade 12	15.6%	22.6%	38.1%	61.9%
Wine Coolers?				
All	6.7%	9.5%	21.7%	78.3%
Grade 7	2.7%	3.9%	11.4%	88.6%
Grade 8	3.0%	4.7%	14.2%	85.8%
Grade 9	6.6%	8.4%	21.6%	78.4%
Grade 10	6.2%	9.2%	22.3%	77.7%
Grade 11	8.9%	13.6%	29.7%	70.3%
Grade 12	13.4%	17.8%	31.5%	68.5%
Wine?				
All	5.2%	7.6%	21.8%	78.2%
Grade 7	3.0%	4.1%	14.5%	85.5%
Grade 8	2.8%	4.0%	16.2%	83.8%
Grade 9	3.2%	4.9%	18.9%	81.1%
Grade 10	6.1%	8.4%	22.2%	77.8%
Grade 11	6.8%	10.9%	27.8%	72.2%
Grade 12	10.3%	14.4%	32.3%	67.7%
Liquor?				
All	7.5%	10.8%	23.3%	76.7%
Grade 7	3.3%	4.6%	11.9%	88.1%
Grade 8	3.4%	4.9%	15.9%	84.1%
Grade 9	5.2%	7.4%	20.0%	80.0%
Grade 10	7.1%	11.1%	25.0%	75.0%
Grade 11	10.3%	16.2%	32.7%	67.3%
Grade 12	17.2%	22.3%	35.7%	64.3%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	75.4%	0.1%	1.2%	3.8%	6.4%	6.8%	6.3%
Grade 7	87.8%	0.0%	0.4%	1.3%	2.4%	3.9%	4.1%
Grade 8	82.0%	0.1%	1.1%	1.8%	3.2%	4.8%	6.9%
Grade 9	77.0%	0.5%	0.7%	3.5%	6.8%	5.6%	6.0%
Grade 10	74.1%	0.0%	1.7%	3.1%	6.7%	8.4%	6.0%
Grade 11	67.5%	0.0%	0.7%	4.7%	10.5%	8.7%	7.8%
Grade 12	62.5%	0.2%	2.6%	9.3%	8.6%	10.2%	6.6%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	75.9%	24.1%	3.4%	12.0%	8.8%
	Grade 7	83.6%	16.4%	1.0%	6.5%	8.9%
	Grade 8	81.3%	18.7%	1.9%	6.7%	10.1%
	Grade 9	75.8%	24.2%	2.1%	12.3%	9.8%
	Grade 10	77.6%	22.4%	4.5%	11.6%	6.3%
	Grade 11	70.4%	29.6%	4.1%	15.8%	9.7%
	Grade 12	65.8%	34.2%	7.2%	19.1%	7.8%
Wine Coolers	All	81.5%	18.5%	2.6%	11.1%	4.8%
	Grade 7	91.7%	8.3%	0.9%	3.8%	3.7%
	Grade 8	88.6%	11.4%	0.8%	6.7%	3.9%
	Grade 9	81.2%	18.8%	1.6%	12.7%	4.4%
	Grade 10	81.2%	18.8%	3.5%	10.8%	4.6%
	Grade 11	74.3%	25.7%	4.0%	14.2%	7.5%
	Grade 12	71.7%	28.3%	5.2%	18.7%	4.4%
Wine	All	81.9%	18.1%	0.7%	9.1%	8.3%
	Grade 7	89.3%	10.7%	0.2%	4.2%	6.3%
	Grade 8	87.5%	12.5%	0.8%	5.4%	6.3%
	Grade 9	84.6%	15.4%	0.7%	7.8%	6.9%
	Grade 10	82.4%	17.6%	0.9%	7.7%	9.0%
	Grade 11	75.5%	24.5%	1.1%	12.9%	10.5%
	Grade 12	71.0%	29.0%	0.6%	17.4%	11.1%
Liquor	All	79.0%	21.0%	4.1%	10.5%	6.4%
	Grade 7	90.9%	9.1%	1.2%	3.3%	4.6%
	Grade 8	86.2%	13.8%	2.9%	5.5%	5.4%
	Grade 9	81.5%	18.5%	2.8%	9.6%	6.0%
	Grade 10	78.3%	21.7%	3.8%	10.5%	7.4%
	Grade 11	69.4%	30.6%	6.0%	17.3%	7.3%
	Grade 12	67.0%	33.0%	8.3%	16.9%	7.8%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	92.4%	3.4%	1.7%	1.3%	0.3%	1.1%
Grade 7	96.8%	1.7%	0.7%	0.3%	0.2%	0.3%
Grade 8	95.6%	1.1%	1.5%	0.8%	0.0%	1.1%
Grade 9	93.5%	2.7%	1.7%	0.9%	0.4%	0.9%
Grade 10	92.2%	4.1%	1.4%	0.5%	0.2%	1.7%
Grade 11	90.2%	4.4%	1.8%	1.8%	0.5%	1.3%
Grade 12	85.0%	6.5%	3.2%	3.5%	0.5%	1.3%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.2	10.4	11.2	12.5	13.4	14.4	14.9

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	39.0%	13.4%	6.1%	11.0%	13.1%	17.4%
Grade 7	47.8%	19.8%	6.5%	8.5%	8.9%	8.6%
Grade 8	44.6%	14.0%	7.1%	11.2%	11.2%	11.9%
Grade 9	37.3%	13.9%	7.1%	10.7%	14.2%	16.8%
Grade 10	36.5%	12.1%	5.8%	13.0%	16.7%	15.9%
Grade 11	36.3%	10.0%	5.4%	11.9%	14.0%	22.4%
Grade 12	31.6%	10.6%	4.4%	10.5%	13.3%	29.6%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.4%	2.0%	0.4%	0.2%
Grade 7	97.4%	2.3%	0.2%	0.1%
Grade 8	97.8%	1.4%	0.5%	0.2%
Grade 9	96.0%	3.7%	0.0%	0.3%
Grade 10	98.8%	0.9%	0.1%	0.3%
Grade 11	98.2%	0.9%	0.6%	0.3%
Grade 12	96.1%	2.9%	1.0%	0.0%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.3
Alcohol Non-Users	4.0
Average Days Conduct Problems Reported	
Alcohol Users	2.3
Alcohol Non-Users	0.7

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	97.5%	1.8%	0.4%	0.2%
Grade 9	98.8%	0.9%	0.2%	0.2%
Grade 10	98.5%	0.9%	0.3%	0.3%
Grade 11	95.7%	3.5%	0.5%	0.3%
Grade 12	97.0%	2.0%	0.8%	0.2%
 Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	97.7%	1.8%	0.3%	0.2%
Grade 7	97.9%	1.8%	0.2%	0.1%
Grade 8	98.8%	1.1%	0.2%	0.0%
Grade 9	97.0%	2.2%	0.3%	0.5%
Grade 10	97.4%	1.9%	0.5%	0.3%
Grade 11	97.4%	2.0%	0.3%	0.3%
Grade 12	98.1%	1.9%	0.0%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	64.8%	18.5%	9.4%	5.9%	1.5%
Grade 7	80.2%	12.8%	4.6%	1.3%	1.0%
Grade 8	75.5%	15.3%	5.7%	2.4%	1.1%
Grade 9	63.2%	21.4%	8.8%	5.6%	1.1%
Grade 10	60.7%	21.9%	10.9%	5.4%	1.0%
Grade 11	56.3%	19.5%	13.8%	7.9%	2.5%
Grade 12	52.7%	19.2%	12.5%	13.5%	2.1%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	61.1%	6.0%	4.2%	6.9%	7.2%	1.9%	12.6%
Grade 7	77.1%	5.3%	3.4%	2.8%	2.3%	1.4%	7.7%
Grade 8	73.4%	5.5%	4.5%	3.9%	2.9%	1.8%	8.1%
Grade 9	56.8%	7.2%	4.8%	7.3%	6.1%	1.6%	16.3%
Grade 10	56.4%	6.8%	3.8%	7.9%	8.0%	3.5%	13.6%
Grade 11	55.4%	6.0%	4.0%	10.0%	10.0%	2.1%	12.5%
Grade 12	48.3%	4.9%	5.1%	9.3%	14.4%	0.8%	17.1%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	71.0%	14.0%	10.0%	3.0%	2.0%
	Grade 7	79.4%	12.0%	6.9%	1.0%	0.7%
	Grade 8	76.9%	11.4%	8.4%	3.0%	0.4%
	Grade 9	71.4%	14.2%	9.2%	1.9%	3.3%
	Grade 10	69.7%	15.2%	11.4%	2.6%	1.2%
	Grade 11	67.0%	15.6%	11.7%	4.4%	1.3%
	Grade 12	61.0%	15.4%	12.4%	5.7%	5.6%
Friends?						
	All	71.7%	14.2%	7.3%	5.1%	1.7%
	Grade 7	82.0%	14.4%	2.1%	1.1%	0.5%
	Grade 8	79.7%	11.9%	4.2%	3.5%	0.7%
	Grade 9	73.4%	13.5%	8.0%	4.1%	1.0%
	Grade 10	69.8%	14.7%	8.7%	5.4%	1.4%
	Grade 11	63.5%	14.5%	10.0%	8.7%	3.3%
	Grade 12	60.8%	16.8%	10.4%	8.3%	3.7%
A Store?						
	All	73.7%	20.0%	3.4%	1.7%	1.2%
	Grade 7	83.0%	14.9%	1.4%	0.4%	0.3%
	Grade 8	80.5%	15.9%	1.8%	1.6%	0.3%
	Grade 9	75.9%	20.4%	1.7%	1.0%	1.0%
	Grade 10	73.6%	20.5%	2.9%	1.5%	1.5%
	Grade 11	65.4%	23.6%	6.7%	3.0%	1.3%
	Grade 12	62.7%	25.0%	6.4%	2.8%	3.1%
Parties?						
	All	69.0%	11.3%	8.2%	6.6%	4.9%
	Grade 7	79.8%	11.3%	5.7%	2.0%	1.2%
	Grade 8	75.9%	11.5%	6.9%	2.8%	2.9%
	Grade 9	70.3%	11.3%	7.9%	6.8%	3.6%
	Grade 10	67.4%	12.1%	9.0%	6.5%	5.1%
	Grade 11	60.7%	10.5%	10.6%	11.2%	6.9%
	Grade 12	59.2%	11.1%	9.2%	10.3%	10.2%
Other Sources?						
	All	74.7%	16.4%	4.7%	2.6%	1.6%
	Grade 7	82.7%	13.1%	2.3%	1.3%	0.6%
	Grade 8	79.3%	15.0%	2.5%	2.6%	0.6%
	Grade 9	75.8%	15.2%	5.6%	2.6%	0.8%
	Grade 10	73.7%	16.2%	5.6%	2.1%	2.4%
	Grade 11	70.1%	19.8%	5.5%	2.4%	2.2%
	Grade 12	65.9%	19.4%	6.6%	4.7%	3.3%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	65.2%	13.0%	11.5%	3.3%	0.6%	6.4%
Grade 7	77.8%	8.7%	5.6%	2.3%	0.3%	5.4%
Grade 8	69.6%	9.5%	9.7%	2.3%	0.7%	8.2%
Grade 9	65.4%	12.9%	11.7%	3.2%	0.7%	6.0%
Grade 10	62.2%	15.0%	14.5%	2.8%	0.5%	5.0%
Grade 11	57.8%	16.6%	13.3%	3.5%	0.8%	8.0%
Grade 12	58.6%	15.1%	13.9%	5.8%	0.7%	5.9%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	58.0%	25.5%	11.3%	1.7%	3.6%
Grade 7	61.7%	23.2%	9.9%	1.6%	3.6%
Grade 8	57.3%	25.2%	12.6%	1.4%	3.4%
Grade 9	56.1%	27.4%	11.1%	1.3%	4.1%
Grade 10	56.6%	28.0%	11.5%	1.6%	2.4%
Grade 11	59.2%	23.8%	10.2%	2.7%	4.1%
Grade 12	57.5%	24.5%	12.7%	1.5%	3.8%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	8.3%	11.3%	15.2%	84.8%
Grade 7	5.0%	6.9%	8.9%	91.1%
Grade 8	6.6%	9.0%	12.1%	87.9%
Grade 9	8.9%	12.5%	15.0%	85.0%
Grade 10	8.1%	11.6%	15.7%	84.3%
Grade 11	7.7%	11.2%	17.6%	82.4%
Grade 12	13.8%	17.0%	22.5%	77.5%
Marijuana?				
All	7.9%	9.7%	13.8%	86.2%
Grade 7	4.4%	4.9%	6.9%	93.1%
Grade 8	5.9%	7.2%	10.6%	89.4%
Grade 9	8.6%	11.1%	13.7%	86.3%
Grade 10	7.5%	9.3%	13.6%	86.4%
Grade 11	7.8%	10.4%	17.1%	82.9%
Grade 12	13.5%	15.6%	21.4%	78.6%
Cocaine?				
All	0.8%	0.9%	1.5%	98.5%
Grade 7	0.8%	1.0%	1.2%	98.8%
Grade 8	0.9%	1.4%	2.0%	98.0%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	1.0%	1.0%	1.8%	98.2%
Grade 11	0.3%	0.3%	1.4%	98.6%
Grade 12	1.1%	1.3%	1.7%	98.3%
Crack?				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.8%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
Hallucinogens?				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.3%	0.8%	1.0%	99.0%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	0.5%	0.6%	1.8%	98.2%
Grade 10	1.0%	1.2%	2.8%	97.2%
Grade 11	0.2%	0.8%	2.2%	97.8%
Grade 12	1.7%	2.6%	3.4%	96.6%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.3%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.2%	0.2%	1.2%	98.8%
Ecstasy?				
All	0.3%	0.3%	1.0%	99.0%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.2%	0.4%	0.9%	99.1%
Grade 10	0.6%	0.6%	1.4%	98.6%
Grade 11	0.2%	0.2%	1.7%	98.3%
Grade 12	0.2%	0.2%	1.1%	98.9%
Heroin?				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine?				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.6%	0.6%	1.1%	98.9%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.6%	1.2%	1.5%	98.5%
Grade 8	1.3%	1.5%	2.3%	97.7%
Grade 9	0.8%	1.0%	2.2%	97.8%
Grade 10	1.5%	1.6%	2.8%	97.2%
Grade 11	0.2%	0.5%	1.5%	98.5%
Grade 12	0.5%	0.8%	2.0%	98.0%
Delta 8?				
All	0.8%	1.3%	2.5%	97.5%
Grade 7	1.2%	1.4%	1.8%	98.2%
Grade 8	0.9%	1.0%	2.2%	97.8%
Grade 9	0.6%	1.5%	2.6%	97.4%
Grade 10	0.7%	1.4%	2.4%	97.6%
Grade 11	0.3%	1.1%	3.1%	96.9%
Grade 12	0.9%	1.3%	2.6%	97.4%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	90.5%	0.8%	1.1%	0.8%	1.9%	2.1%	2.7%
	Grade 7	95.4%	0.5%	0.5%	0.4%	1.4%	1.1%	0.6%
	Grade 8	92.9%	0.4%	1.0%	0.6%	1.5%	1.3%	2.2%
	Grade 9	89.9%	0.5%	1.3%	1.0%	2.1%	2.9%	2.3%
	Grade 10	89.9%	1.1%	1.5%	0.7%	2.3%	2.1%	2.4%
	Grade 11	88.4%	1.3%	0.3%	0.9%	0.8%	3.1%	5.1%
	Grade 12	86.5%	0.9%	2.4%	1.4%	3.4%	2.0%	3.4%
Cocaine?								
	All	99.4%	0.0%	0.0%	0.1%	0.1%	0.1%	0.3%
	Grade 7	99.4%	0.0%	0.1%	0.2%	0.2%	0.1%	0.1%
	Grade 8	99.3%	0.0%	0.0%	0.2%	0.1%	0.2%	0.2%
	Grade 9	99.7%	0.0%	0.0%	0.2%	0.0%	0.0%	0.2%
	Grade 10	99.3%	0.0%	0.1%	0.0%	0.0%	0.0%	0.6%
	Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 12	99.1%	0.0%	0.0%	0.0%	0.2%	0.4%	0.3%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.7%	0.0%	0.0%	0.1%	0.2%	0.0%	0.0%
	Grade 8	99.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.8%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
	Grade 10	99.5%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%
	Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 12	99.8%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%
Ecstasy?								
	All	99.4%	0.0%	0.0%	0.1%	0.0%	0.1%	0.4%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.6%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%
	Grade 9	99.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%
	Grade 10	99.5%	0.0%	0.0%	0.2%	0.0%	0.0%	0.2%
	Grade 11	99.1%	0.0%	0.0%	0.0%	0.2%	0.0%	0.7%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.8%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.6%	0.0%	0.0%	0.2%	0.1%	0.1%	0.0%
	Grade 8	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Synthetic Marijuana?								
	All	98.7%	0.0%	0.3%	0.0%	0.2%	0.3%	0.4%
	Grade 7	99.0%	0.1%	0.2%	0.1%	0.6%	0.0%	0.0%
	Grade 8	99.1%	0.0%	0.2%	0.1%	0.0%	0.2%	0.3%
	Grade 9	98.2%	0.0%	0.0%	0.0%	0.4%	0.5%	1.0%
	Grade 10	98.2%	0.0%	1.0%	0.0%	0.0%	0.6%	0.2%
	Grade 11	99.0%	0.0%	0.0%	0.0%	0.2%	0.2%	0.5%
	Grade 12	98.9%	0.0%	0.2%	0.0%	0.3%	0.4%	0.1%
Delta 8?								
	All	98.2%	0.2%	0.1%	0.1%	0.4%	0.5%	0.5%
	Grade 7	98.6%	0.5%	0.1%	0.3%	0.3%	0.1%	0.1%
	Grade 8	98.3%	0.2%	0.1%	0.0%	0.2%	0.5%	0.6%
	Grade 9	97.8%	0.2%	0.0%	0.0%	0.8%	0.6%	0.6%
	Grade 10	98.1%	0.0%	0.2%	0.0%	0.6%	0.3%	0.7%
	Grade 11	98.0%	0.0%	0.0%	0.3%	0.0%	0.9%	0.8%
	Grade 12	98.6%	0.0%	0.6%	0.0%	0.4%	0.2%	0.2%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.5	11.2	12.0	12.7	13.4	14.5	15.3
Cocaine	13.9	12.0	13.1	15.0	12.1	14.3	16.0
Crack	14.0	11.0	13.4	N/A	14.5	16.0	N/A
Steroids	12.6	8.6	12.0	14.0	13.4	13.5	15.0
Ecstasy	13.9	13.0	13.0	13.5	13.5	14.4	14.7
Heroin	10.4	10.2	10.5	N/A	N/A	N/A	N/A
Methamphetamine	13.5	11.7	11.8	N/A	14.8	14.0	15.7
Synthetic Marijuana	13.3	10.7	12.1	13.2	12.9	15.4	15.4
Delta 8?	13.6	11.2	11.8	13.3	13.1	15.6	15.6

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	44.2%	20.9%	7.2%	8.6%	9.0%	10.3%
	Grade 7	53.3%	27.7%	5.0%	5.4%	3.9%	4.7%
	Grade 8	49.0%	25.6%	6.8%	7.0%	5.1%	6.5%
	Grade 9	43.7%	21.2%	7.6%	10.1%	7.3%	10.2%
	Grade 10	41.5%	19.0%	7.0%	9.5%	11.0%	11.9%
	Grade 11	40.2%	16.0%	8.5%	9.0%	13.0%	13.2%
	Grade 12	37.2%	15.5%	8.2%	10.0%	14.0%	15.1%
Cocaine?							
	All	51.3%	28.3%	8.8%	5.9%	2.7%	3.0%
	Grade 7	57.3%	30.7%	5.5%	3.4%	1.2%	1.9%
	Grade 8	54.4%	30.1%	7.7%	3.8%	1.9%	2.0%
	Grade 9	50.0%	29.1%	9.1%	6.2%	2.6%	2.9%
	Grade 10	49.7%	28.7%	10.3%	5.8%	2.6%	2.8%
	Grade 11	48.3%	26.0%	9.4%	9.0%	3.6%	3.7%
	Grade 12	48.4%	24.9%	10.6%	6.9%	4.2%	4.9%
Crack?							
	All	54.2%	29.4%	8.2%	4.2%	1.7%	2.3%
	Grade 7	59.7%	30.1%	5.4%	2.7%	1.2%	0.8%
	Grade 8	55.2%	31.1%	7.7%	3.0%	1.4%	1.6%
	Grade 9	53.3%	29.6%	9.2%	4.4%	1.1%	2.4%
	Grade 10	52.6%	28.6%	8.5%	4.9%	2.3%	3.1%
	Grade 11	52.6%	29.2%	7.7%	5.4%	2.7%	2.4%
	Grade 12	52.0%	27.5%	11.0%	4.6%	1.4%	3.4%
Steroids?							
	All	56.0%	26.5%	7.9%	5.0%	2.2%	2.3%
	Grade 7	62.3%	27.4%	4.8%	3.0%	1.4%	1.1%
	Grade 8	58.0%	28.0%	7.6%	4.4%	0.8%	1.2%
	Grade 9	55.6%	26.8%	8.1%	5.3%	1.3%	2.8%
	Grade 10	53.1%	25.9%	9.4%	5.5%	3.1%	3.0%
	Grade 11	53.5%	26.1%	8.2%	6.3%	3.6%	2.4%
	Grade 12	53.6%	24.8%	9.6%	5.3%	3.2%	3.5%
Ecstasy?							
	All	61.9%	24.0%	6.9%	3.4%	1.6%	2.2%
	Grade 7	69.1%	23.7%	4.0%	1.7%	0.5%	0.9%
	Grade 8	65.6%	22.7%	6.7%	2.8%	1.1%	1.1%
	Grade 9	61.6%	23.8%	7.8%	2.7%	1.3%	2.8%
	Grade 10	58.8%	24.8%	7.4%	4.6%	1.7%	2.6%
	Grade 11	59.1%	25.0%	6.7%	4.4%	2.4%	2.4%
	Grade 12	57.4%	23.7%	8.5%	4.3%	2.6%	3.6%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	58.6%	28.0%	6.7%	3.5%	1.3%	1.8%
	Grade 7	66.5%	26.1%	3.8%	2.3%	0.8%	0.5%
	Grade 8	60.4%	27.7%	5.4%	3.6%	1.5%	1.5%
	Grade 9	57.5%	27.8%	8.1%	3.6%	0.8%	2.1%
	Grade 10	58.0%	27.2%	7.2%	3.8%	1.9%	2.0%
	Grade 11	54.8%	30.0%	8.1%	3.6%	1.3%	2.1%
	Grade 12	55.1%	29.4%	7.3%	4.2%	1.3%	2.6%
Methamphetamine?							
	All	59.2%	27.1%	7.1%	3.3%	1.5%	1.9%
	Grade 7	66.7%	25.6%	3.8%	2.1%	1.0%	0.8%
	Grade 8	61.1%	26.7%	7.4%	2.5%	1.1%	1.2%
	Grade 9	58.8%	26.3%	7.9%	3.7%	1.3%	2.1%
	Grade 10	58.1%	26.5%	7.5%	3.5%	1.9%	2.6%
	Grade 11	55.5%	28.6%	7.7%	4.5%	1.3%	2.3%
	Grade 12	54.9%	29.3%	7.8%	3.1%	2.3%	2.7%
Synthetic Marijuana?							
	All	61.3%	22.9%	5.6%	4.2%	2.9%	3.1%
	Grade 7	67.2%	24.7%	3.4%	1.8%	1.7%	1.1%
	Grade 8	63.9%	23.8%	4.8%	3.7%	1.5%	2.3%
	Grade 9	60.8%	22.2%	6.2%	4.8%	3.1%	3.0%
	Grade 10	61.1%	21.4%	5.4%	4.8%	3.5%	3.6%
	Grade 11	58.3%	22.7%	6.8%	5.0%	2.1%	5.1%
	Grade 12	56.2%	22.9%	7.0%	4.8%	5.9%	3.3%
Delta 8?							
	All	63.6%	21.0%	5.5%	3.8%	2.8%	3.3%
	Grade 7	68.1%	22.6%	3.9%	2.2%	1.3%	2.0%
	Grade 8	65.1%	21.8%	5.2%	3.2%	2.6%	2.2%
	Grade 9	63.5%	20.3%	6.5%	4.5%	2.1%	3.1%
	Grade 10	63.1%	20.2%	5.0%	4.2%	4.0%	3.5%
	Grade 11	61.6%	21.6%	5.5%	4.2%	2.8%	4.4%
	Grade 12	59.8%	19.8%	6.9%	4.4%	4.4%	4.7%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	94.8%	2.9%	0.9%	1.4%
Grade 7	97.6%	1.5%	0.3%	0.6%
Grade 8	96.5%	1.5%	1.0%	0.9%
Grade 9	91.9%	4.8%	1.4%	1.9%
Grade 10	95.5%	2.8%	0.4%	1.3%
Grade 11	94.6%	2.8%	1.1%	1.4%
Grade 12	93.1%	3.7%	1.1%	2.2%
Attended Class While High from Use of Some Other Drug?				
All	98.5%	0.9%	0.3%	0.2%
Grade 7	98.3%	1.3%	0.2%	0.1%
Grade 8	97.7%	1.1%	0.8%	0.4%
Grade 9	98.5%	0.8%	0.4%	0.3%
Grade 10	98.7%	1.0%	0.0%	0.3%
Grade 11	99.2%	0.5%	0.0%	0.3%
Grade 12	98.6%	0.7%	0.7%	0.0%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.6
Marijuana Non-Users	4.3
Average Days Conduct Problems Reported	
Marijuana Users	3.4
Marijuana Non-Users	1.0

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	97.6%	1.6%	0.4%	0.4%
Grade 9	98.1%	1.4%	0.2%	0.3%
Grade 10	99.0%	0.7%	0.0%	0.3%
Grade 11	97.9%	0.5%	1.1%	0.5%
Grade 12	94.8%	4.3%	0.5%	0.4%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.6%	2.0%	0.3%	0.1%
Grade 7	98.3%	1.4%	0.2%	0.1%
Grade 8	96.9%	2.6%	0.4%	0.0%
Grade 9	96.4%	3.1%	0.5%	0.0%
Grade 10	96.9%	2.6%	0.2%	0.3%
Grade 11	98.6%	0.9%	0.2%	0.3%
Grade 12	99.1%	0.9%	0.0%	0.0%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	74.5%	14.5%	6.2%	3.6%	1.2%
Grade 7	84.9%	9.0%	2.8%	2.1%	1.2%
Grade 8	79.4%	12.1%	4.3%	3.7%	0.6%
Grade 9	72.3%	16.0%	6.4%	3.9%	1.5%
Grade 10	74.9%	14.2%	6.3%	3.1%	1.6%
Grade 11	69.3%	18.3%	7.4%	4.1%	0.9%
Grade 12	66.1%	17.0%	10.6%	4.7%	1.5%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	69.7%	4.6%	3.3%	3.6%	3.5%	2.7%	12.7%
Grade 7	84.4%	3.1%	1.3%	1.0%	0.6%	1.9%	7.7%
Grade 8	83.5%	2.7%	1.2%	1.6%	1.6%	1.5%	7.9%
Grade 9	65.0%	5.9%	4.8%	4.0%	2.7%	1.2%	16.5%
Grade 10	65.9%	5.6%	2.3%	3.7%	3.7%	5.5%	13.3%
Grade 11	62.4%	5.0%	6.0%	5.6%	4.9%	3.1%	13.1%
Grade 12	58.1%	4.8%	3.3%	5.8%	8.0%	3.2%	16.9%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	81.8%	5.0%	5.5%	1.0%	0.7%	6.1%
Grade 7	87.7%	3.4%	2.3%	0.8%	0.4%	5.5%
Grade 8	80.3%	4.7%	5.4%	0.8%	0.8%	8.1%
Grade 9	80.5%	6.1%	6.1%	0.6%	0.9%	5.8%
Grade 10	82.1%	4.7%	6.8%	0.5%	1.3%	4.5%
Grade 11	78.7%	5.5%	6.6%	1.5%	0.3%	7.3%
Grade 12	81.9%	5.1%	5.6%	1.7%	0.1%	5.5%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	70.7%	13.9%	8.2%	3.1%	4.0%
	Grade 7	79.9%	10.8%	4.3%	1.4%	3.7%
	Grade 8	75.9%	12.7%	4.9%	2.2%	4.4%
	Grade 9	66.4%	15.7%	10.4%	2.4%	5.1%
	Grade 10	71.0%	13.9%	8.1%	4.7%	2.3%
	Grade 11	67.0%	13.7%	10.2%	4.5%	4.6%
	Grade 12	64.9%	16.6%	11.0%	3.9%	3.6%
Cocaine?						
	All	89.8%	5.0%	0.8%	0.3%	4.1%
	Grade 7	89.2%	5.9%	1.1%	0.2%	3.5%
	Grade 8	89.4%	5.5%	0.5%	0.3%	4.2%
	Grade 9	88.0%	6.5%	0.8%	0.3%	4.4%
	Grade 10	90.6%	5.0%	0.8%	0.5%	3.1%
	Grade 11	89.6%	4.0%	0.8%	0.6%	5.0%
	Grade 12	92.5%	2.8%	0.7%	0.0%	4.0%
Crack?						
	All	90.4%	4.1%	0.6%	0.3%	4.6%
	Grade 7	89.4%	4.7%	1.1%	0.1%	4.7%
	Grade 8	88.6%	5.0%	0.5%	0.3%	5.5%
	Grade 9	90.0%	4.5%	0.6%	0.3%	4.6%
	Grade 10	90.0%	5.7%	0.4%	0.5%	3.4%
	Grade 11	90.9%	2.7%	0.7%	0.6%	5.2%
	Grade 12	93.8%	1.5%	0.4%	0.0%	4.3%
Ecstasy?						
	All	85.7%	4.6%	1.1%	0.4%	8.3%
	Grade 7	84.6%	5.6%	1.2%	0.1%	8.5%
	Grade 8	84.8%	4.2%	0.6%	0.5%	10.0%
	Grade 9	83.5%	5.5%	1.1%	0.2%	9.8%
	Grade 10	86.1%	4.7%	1.2%	0.4%	7.7%
	Grade 11	86.8%	3.6%	1.6%	0.9%	7.2%
	Grade 12	89.1%	3.4%	1.2%	0.1%	6.1%
Steroids?						
	All	82.0%	8.6%	2.5%	0.7%	6.2%
	Grade 7	83.0%	8.4%	2.0%	0.5%	6.1%
	Grade 8	82.3%	8.2%	1.9%	0.9%	6.7%
	Grade 9	79.2%	10.9%	2.3%	0.5%	7.1%
	Grade 10	82.1%	9.4%	2.6%	0.7%	5.0%
	Grade 11	82.4%	8.0%	3.4%	0.8%	5.4%
	Grade 12	83.8%	6.0%	2.7%	0.8%	6.6%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.6%	3.8%	0.7%	0.3%	5.6%
	Grade 7	87.4%	5.0%	0.8%	0.1%	6.7%
	Grade 8	87.9%	4.3%	1.1%	0.4%	6.4%
	Grade 9	88.5%	4.8%	0.6%	0.2%	5.9%
	Grade 10	90.3%	4.0%	0.4%	0.8%	4.5%
	Grade 11	91.2%	2.4%	0.7%	0.6%	5.2%
	Grade 12	92.7%	2.1%	0.6%	0.0%	4.6%
Methamphetamine?						
	All	89.3%	3.7%	0.7%	0.4%	5.9%
	Grade 7	87.9%	4.0%	1.2%	0.2%	6.7%
	Grade 8	87.9%	4.6%	0.7%	0.3%	6.4%
	Grade 9	88.2%	4.9%	0.6%	0.4%	6.0%
	Grade 10	88.9%	4.2%	0.8%	0.7%	5.4%
	Grade 11	90.8%	2.2%	0.7%	0.6%	5.8%
	Grade 12	92.5%	1.7%	0.6%	0.0%	5.2%
Synthetic Marijuana?						
	All	83.0%	6.3%	2.2%	0.6%	7.9%
	Grade 7	86.0%	5.7%	1.3%	0.3%	6.7%
	Grade 8	83.7%	6.2%	1.4%	0.9%	7.8%
	Grade 9	80.5%	7.7%	3.1%	0.2%	8.5%
	Grade 10	81.6%	7.5%	2.1%	1.4%	7.4%
	Grade 11	83.1%	5.1%	2.6%	0.9%	8.4%
	Grade 12	83.6%	5.4%	2.6%	0.2%	8.1%
Delta 8?						
	All	80.9%	6.7%	2.6%	1.1%	8.7%
	Grade 7	84.1%	7.4%	1.7%	0.5%	6.4%
	Grade 8	81.3%	7.5%	1.3%	1.2%	8.7%
	Grade 9	78.5%	7.5%	3.9%	0.6%	9.5%
	Grade 10	78.0%	8.3%	2.0%	2.5%	9.1%
	Grade 11	81.7%	4.0%	2.9%	1.4%	9.9%
	Grade 12	82.6%	4.9%	3.7%	0.6%	8.3%
Fictional Drug?						
	All	84.6%	3.8%	0.6%	0.4%	10.6%
	Grade 7	84.8%	5.1%	1.0%	0.2%	8.8%
	Grade 8	83.4%	4.5%	0.5%	0.5%	11.2%
	Grade 9	81.5%	4.9%	0.4%	0.2%	13.0%
	Grade 10	84.5%	3.6%	0.4%	0.8%	10.7%
	Grade 11	86.9%	2.4%	0.7%	0.6%	9.5%
	Grade 12	87.4%	2.2%	0.4%	0.0%	10.1%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	3.6%	5.1%	9.3%	90.7%
Grade 7	3.7%	5.3%	9.5%	90.5%
Grade 8	3.8%	5.4%	11.0%	89.0%
Grade 9	4.0%	5.5%	9.6%	90.4%
Grade 10	4.3%	5.1%	9.3%	90.7%
Grade 11	2.4%	4.6%	8.8%	91.2%
Grade 12	3.3%	4.8%	7.7%	92.3%
Codeine Cough Syrup?				
All	1.9%	3.2%	6.3%	93.7%
Grade 7	2.5%	3.8%	7.7%	92.3%
Grade 8	2.7%	3.6%	7.9%	92.1%
Grade 9	2.5%	4.0%	6.9%	93.1%
Grade 10	1.4%	1.9%	4.6%	95.4%
Grade 11	1.0%	3.2%	6.2%	93.8%
Grade 12	1.3%	2.1%	4.5%	95.5%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.4%	0.6%	0.8%	99.2%
Grade 10	0.7%	0.7%	1.7%	98.3%
Grade 11	0.3%	0.8%	1.4%	98.6%
Grade 12	0.2%	0.2%	0.9%	99.1%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.5%	0.8%	1.1%	98.9%
Grade 8	0.2%	0.3%	1.1%	98.9%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	0.8%	1.1%	2.8%	97.2%
Grade 11	0.5%	1.1%	2.7%	97.3%
Grade 12	0.1%	0.3%	1.4%	98.6%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.0%	1.3%	2.1%	97.9%
Grade 7	0.6%	1.2%	1.8%	98.2%
Grade 8	0.5%	1.2%	1.8%	98.2%
Grade 9	0.9%	0.9%	1.7%	98.3%
Grade 10	1.3%	1.5%	2.4%	97.6%
Grade 11	1.1%	1.6%	2.4%	97.6%
Grade 12	1.3%	1.6%	2.9%	97.1%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	1.8%	2.4%	4.2%	95.8%
Grade 7	2.0%	3.0%	4.6%	95.4%
Grade 8	1.8%	2.6%	5.5%	94.5%
Grade 9	1.7%	1.8%	2.9%	97.1%
Grade 10	2.5%	3.4%	5.6%	94.4%
Grade 11	0.8%	1.3%	3.7%	96.3%
Grade 12	1.9%	2.3%	3.2%	96.8%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	2.0%	2.2%	2.8%	97.2%
Grade 8	0.7%	0.9%	2.2%	97.8%
Grade 9	0.4%	0.7%	1.5%	98.5%
Grade 10	0.7%	0.7%	2.0%	98.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.3%	0.4%	0.8%	99.2%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	81.0%	9.6%	2.8%	0.7%	5.9%
Grade 7	83.0%	8.7%	2.3%	0.9%	5.1%
Grade 8	79.6%	10.3%	2.1%	1.4%	6.6%
Grade 9	77.2%	12.6%	3.7%	0.4%	6.1%
Grade 10	80.5%	9.4%	3.6%	0.5%	5.9%
Grade 11	81.2%	10.5%	2.0%	1.2%	5.2%
Grade 12	85.9%	4.4%	3.3%	0.1%	6.3%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.0%	4.2%	7.5%	92.5%
Grade 7	4.7%	5.5%	9.9%	90.1%
Grade 8	2.6%	4.2%	8.2%	91.8%
Grade 9	4.2%	5.4%	9.1%	90.9%
Grade 10	2.7%	4.1%	6.4%	93.6%
Grade 11	1.8%	2.9%	4.9%	95.1%
Grade 12	1.8%	2.7%	6.4%	93.6%
Spray Paint?				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.3%	0.5%	1.4%	98.6%
Grade 8	0.2%	0.3%	1.1%	98.9%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.2%	0.6%	1.1%	98.9%
Grade 11	0.4%	0.4%	1.1%	98.9%
Grade 12	0.2%	0.2%	1.8%	98.2%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.9%	1.2%	2.9%	97.1%
Grade 7	1.5%	1.9%	4.3%	95.7%
Grade 8	0.2%	1.0%	3.1%	96.9%
Grade 9	1.8%	1.8%	3.5%	96.5%
Grade 10	0.9%	1.3%	2.6%	97.4%
Grade 11	0.2%	0.5%	1.4%	98.6%
Grade 12	0.6%	0.8%	2.3%	97.7%
Computer Dusting Sprays?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.4%	0.9%	99.1%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.3%	0.5%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.3%	0.6%	99.4%
Grade 12	0.4%	0.4%	0.7%	99.3%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.6%	0.8%	2.2%	97.8%
Grade 7	1.2%	1.5%	3.0%	97.0%
Grade 8	0.2%	0.8%	2.2%	97.8%
Grade 9	1.5%	1.6%	2.9%	97.1%
Grade 10	0.2%	0.6%	2.2%	97.8%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.2%	1.0%	99.0%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.4%	0.7%	1.3%	98.7%
Grade 8	0.2%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.1%	0.4%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.2%	0.2%	1.2%	98.8%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.3%	99.7%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.5%	0.7%	1.6%	98.4%
Grade 7	1.1%	1.4%	2.5%	97.5%
Grade 8	0.4%	0.4%	1.7%	98.3%
Grade 9	0.7%	0.8%	2.0%	98.0%
Grade 10	0.2%	0.8%	1.2%	98.8%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.3%	0.3%	1.2%	98.8%
Other Aerosols/Sprays?				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.8%	0.9%	2.1%	97.9%
Grade 8	0.2%	0.4%	1.1%	98.9%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	0.0%	0.4%	0.7%	99.3%
Grade 11	0.8%	0.8%	1.1%	98.9%
Grade 12	0.5%	0.5%	0.8%	99.2%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.9%	0.1%	0.1%	0.1%	0.4%	0.4%	1.0%
Grade 7	97.3%	0.1%	0.3%	0.4%	0.6%	0.7%	0.6%
Grade 8	97.4%	0.0%	0.0%	0.1%	0.5%	0.7%	1.3%
Grade 9	96.5%	0.4%	0.1%	0.0%	0.4%	0.6%	2.1%
Grade 10	98.0%	0.0%	0.2%	0.1%	0.5%	0.2%	0.8%
Grade 11	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
Grade 12	99.2%	0.0%	0.0%	0.0%	0.4%	0.0%	0.4%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	94.3%	3.3%	1.8%	0.6%
Grade 7	91.7%	4.8%	2.6%	0.9%
Grade 8	94.0%	3.3%	2.3%	0.4%
Grade 9	93.3%	3.9%	1.9%	0.9%
Grade 10	95.0%	2.9%	1.8%	0.3%
Grade 11	96.3%	2.6%	0.4%	0.7%
Grade 12	95.9%	1.8%	1.7%	0.6%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.6	10.7	10.5	12.3	11.9	14.0	12.5

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.2%	0.4%	0.3%	0.1%
Grade 7	98.8%	0.7%	0.4%	0.1%
Grade 8	98.7%	0.6%	0.7%	0.0%
Grade 9	99.3%	0.4%	0.1%	0.2%
Grade 10	99.2%	0.8%	0.0%	0.0%
Grade 11	99.7%	0.0%	0.3%	0.0%
Grade 12	99.3%	0.0%	0.4%	0.2%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.9
Inhalant Non-Users	4.3
Average Days Conduct Problems Reported	
Inhalant Users	5.9
Inhalant Non-Users	1.1

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	95.2%	3.2%	1.0%	0.4%	0.3%
Grade 7	93.7%	4.2%	1.7%	0.1%	0.3%
Grade 8	94.0%	5.2%	0.5%	0.2%	0.1%
Grade 9	94.7%	4.0%	0.5%	0.4%	0.4%
Grade 10	96.2%	1.7%	1.2%	0.7%	0.2%
Grade 11	98.4%	0.6%	0.5%	0.2%	0.3%
Grade 12	94.1%	3.5%	1.6%	0.5%	0.3%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.5%	11.5%	4.1%	1.0%	5.9%
Grade 7	75.6%	13.7%	4.9%	1.2%	4.6%
Grade 8	76.2%	11.9%	5.1%	1.2%	5.6%
Grade 9	76.5%	13.2%	3.3%	0.8%	6.2%
Grade 10	77.6%	12.4%	3.5%	1.3%	5.1%
Grade 11	76.7%	10.0%	4.6%	1.1%	7.7%
Grade 12	83.8%	6.9%	3.2%	0.2%	5.9%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	53.3%	15.3%	4.0%	5.1%	6.7%	15.6%
Grade 7	58.6%	19.4%	3.3%	5.0%	4.4%	9.3%
Grade 8	54.2%	17.4%	4.7%	4.8%	6.2%	12.8%
Grade 9	50.9%	14.2%	5.2%	6.2%	7.9%	15.6%
Grade 10	52.9%	14.2%	3.2%	3.0%	8.4%	18.3%
Grade 11	53.0%	13.9%	3.5%	6.0%	6.8%	16.7%
Grade 12	50.4%	13.2%	3.6%	5.4%	6.0%	21.4%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	58.9%
	Grade 7	50.3%
	Grade 8	59.2%
	Grade 9	62.0%
	Grade 10	68.2%
	Grade 11	57.6%
	Grade 12	54.4%
An Assembly Program		
	All	57.1%
	Grade 7	63.8%
	Grade 8	68.4%
	Grade 9	52.8%
	Grade 10	55.9%
	Grade 11	50.5%
	Grade 12	52.2%
Guidance Counselor		
	All	42.3%
	Grade 7	53.2%
	Grade 8	54.6%
	Grade 9	38.2%
	Grade 10	39.4%
	Grade 11	32.3%
	Grade 12	37.5%
School Nurse		
	All	25.4%
	Grade 7	30.7%
	Grade 8	26.5%
	Grade 9	19.9%
	Grade 10	29.0%
	Grade 11	22.2%
	Grade 12	25.6%
Science or Social Studies Class		
	All	33.6%
	Grade 7	32.3%
	Grade 8	32.7%
	Grade 9	31.7%
	Grade 10	35.4%
	Grade 11	34.2%
	Grade 12	35.8%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	22.8%
	Grade 7	18.4%
	Grade 8	23.2%
	Grade 9	23.3%
	Grade 10	23.5%
	Grade 11	24.7%
	Grade 12	23.6%
An Invited School Guest		
	All	40.7%
	Grade 7	43.3%
	Grade 8	48.6%
	Grade 9	40.1%
	Grade 10	40.8%
	Grade 11	36.0%
	Grade 12	35.4%
Another Source at School		
	All	38.0%
	Grade 7	34.2%
	Grade 8	39.6%
	Grade 9	39.9%
	Grade 10	37.3%
	Grade 11	37.4%
	Grade 12	39.4%
Any School Source		
	All	77.9%
	Grade 7	79.8%
	Grade 8	80.4%
	Grade 9	80.5%
	Grade 10	78.5%
	Grade 11	71.9%
	Grade 12	75.9%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	34.7%
	Grade 7	44.1%
	Grade 8	37.6%
	Grade 9	36.1%
	Grade 10	29.7%
	Grade 11	29.0%
	Grade 12	31.7%
School Nurse		
	All	26.7%
	Grade 7	33.0%
	Grade 8	27.8%
	Grade 9	26.9%
	Grade 10	25.5%
	Grade 11	23.1%
	Grade 12	24.5%
Another Adult In School		
	All	42.7%
	Grade 7	44.7%
	Grade 8	40.9%
	Grade 9	43.3%
	Grade 10	41.5%
	Grade 11	41.6%
	Grade 12	44.3%
Counselor/Program Outside-School		
	All	39.1%
	Grade 7	43.0%
	Grade 8	41.3%
	Grade 9	36.5%
	Grade 10	39.3%
	Grade 11	37.7%
	Grade 12	37.5%
Your Parents		
	All	72.8%
	Grade 7	77.9%
	Grade 8	71.1%
	Grade 9	71.1%
	Grade 10	75.6%
	Grade 11	69.3%
	Grade 12	72.8%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
<hr/>		
A Medical Doctor		
All		62.0%
Grade 7		64.7%
Grade 8		62.0%
Grade 9		57.9%
Grade 10		61.9%
Grade 11		61.7%
Grade 12		65.1%
Your Friends		
All		64.4%
Grade 7		57.0%
Grade 8		58.1%
Grade 9		62.0%
Grade 10		65.0%
Grade 11		70.1%
Grade 12		75.0%
Another Adult		
All		60.4%
Grade 7		62.8%
Grade 8		59.2%
Grade 9		59.4%
Grade 10		60.1%
Grade 11		61.2%
Grade 12		59.7%
<hr/>		

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
<hr/>		
All		7.3%
Grade 7		9.1%
Grade 8		8.4%
Grade 9		7.4%
Grade 10		7.5%
Grade 11		6.9%
Grade 12		4.3%
<hr/>		

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.2%	19.0%	23.7%	36.6%	15.6%
Grade 7	5.8%	15.9%	22.3%	37.6%	18.3%
Grade 8	5.8%	17.7%	23.2%	37.0%	16.3%
Grade 9	5.4%	20.9%	23.2%	36.9%	13.7%
Grade 10	2.9%	20.1%	22.9%	39.2%	14.9%
Grade 11	7.8%	19.2%	24.5%	34.2%	14.2%
Grade 12	3.0%	19.5%	26.3%	34.5%	16.8%
Sometimes Carry Weapons?					
All	88.4%	7.0%	2.7%	0.8%	1.1%
Grade 7	90.7%	6.7%	1.4%	0.8%	0.4%
Grade 8	89.7%	7.2%	1.7%	0.9%	0.5%
Grade 9	88.4%	6.8%	2.3%	1.4%	1.1%
Grade 10	90.3%	5.6%	2.8%	0.7%	0.6%
Grade 11	85.9%	8.2%	3.1%	0.0%	2.8%
Grade 12	85.1%	7.7%	5.0%	1.0%	1.2%
Care About Making Good Grades?					
All	2.4%	10.7%	23.8%	42.1%	21.0%
Grade 7	2.4%	14.3%	23.7%	38.7%	20.9%
Grade 8	3.3%	11.2%	26.9%	41.7%	16.9%
Grade 9	2.1%	10.8%	24.6%	42.3%	20.2%
Grade 10	1.6%	10.8%	22.9%	41.8%	22.8%
Grade 11	2.9%	8.0%	24.1%	43.6%	21.5%
Grade 12	1.8%	9.3%	20.4%	44.4%	24.1%
Belong/Want to Belong to a Gang?					
All	88.3%	7.7%	2.4%	0.8%	0.8%
Grade 7	87.0%	8.9%	2.4%	1.1%	0.7%
Grade 8	84.5%	10.2%	3.3%	1.5%	0.6%
Grade 9	88.1%	7.6%	2.5%	0.9%	1.0%
Grade 10	90.5%	7.3%	1.8%	0.2%	0.1%
Grade 11	87.9%	7.5%	2.4%	0.5%	1.7%
Grade 12	92.0%	4.3%	1.8%	0.9%	1.0%
Wish They Could Drop Out of School?					
All	47.0%	28.4%	15.6%	5.9%	3.1%
Grade 7	43.9%	29.4%	15.7%	6.5%	4.4%
Grade 8	42.8%	29.7%	17.4%	7.1%	3.1%
Grade 9	49.1%	29.2%	14.0%	4.8%	3.0%
Grade 10	47.5%	26.4%	16.9%	6.8%	2.5%
Grade 11	45.8%	28.0%	17.6%	6.1%	2.5%
Grade 12	53.4%	27.7%	12.1%	3.9%	2.9%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	89.9%	8.9%	0.4%	0.3%	0.6%
Grade 7	85.6%	12.4%	0.8%	0.2%	1.0%
Grade 8	88.4%	10.6%	0.3%	0.0%	0.7%
Grade 9	90.7%	8.5%	0.6%	0.0%	0.3%
Grade 10	91.8%	7.0%	0.6%	0.4%	0.1%
Grade 11	91.2%	7.8%	0.0%	0.2%	0.7%
Grade 12	91.4%	7.0%	0.2%	0.9%	0.5%
Out In Your Neighborhood?					
All	48.4%	44.1%	5.2%	0.9%	1.4%
Grade 7	37.9%	50.4%	7.8%	1.5%	2.4%
Grade 8	46.2%	46.4%	5.5%	0.3%	1.5%
Grade 9	48.4%	43.7%	5.8%	0.6%	1.5%
Grade 10	50.3%	43.5%	4.9%	0.3%	1.0%
Grade 11	53.9%	39.6%	4.3%	0.9%	1.3%
Grade 12	53.2%	41.7%	2.7%	1.7%	0.7%
At School?					
All	31.2%	52.1%	10.1%	3.7%	2.9%
Grade 7	30.9%	47.7%	13.6%	3.4%	4.4%
Grade 8	29.2%	49.0%	13.0%	4.8%	3.9%
Grade 9	33.5%	52.1%	9.5%	2.7%	2.2%
Grade 10	28.7%	57.7%	7.5%	3.5%	2.6%
Grade 11	30.3%	55.0%	7.9%	4.1%	2.6%
Grade 12	34.6%	50.1%	9.5%	3.8%	2.1%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.2%	10.6%	18.2%	81.8%
Grade 7	4.7%	5.9%	12.0%	88.0%
Grade 8	5.4%	6.8%	14.3%	85.7%
Grade 9	9.6%	11.7%	20.9%	79.1%
Grade 10	7.9%	9.8%	15.8%	84.2%
Grade 11	7.7%	11.8%	20.1%	79.9%
Grade 12	14.0%	18.2%	26.2%	73.8%
Any Alcohol Product				
All	21.4%	24.6%	38.2%	61.8%
Grade 7	13.1%	15.0%	28.5%	71.5%
Grade 8	15.2%	17.8%	31.6%	68.4%
Grade 9	20.0%	23.3%	37.3%	62.7%
Grade 10	20.8%	22.8%	38.3%	61.7%
Grade 11	27.7%	32.5%	45.0%	55.0%
Grade 12	32.5%	37.3%	49.5%	50.5%
Any Illicit Drug				
All	8.3%	11.3%	15.2%	84.8%
Grade 7	5.0%	6.9%	8.9%	91.1%
Grade 8	6.6%	9.0%	12.1%	87.9%
Grade 9	8.9%	12.5%	15.0%	85.0%
Grade 10	8.1%	11.6%	15.7%	84.3%
Grade 11	7.7%	11.2%	17.6%	82.4%
Grade 12	13.8%	17.0%	22.5%	77.5%
Any Prescription Drug				
All	3.6%	5.1%	9.3%	90.7%
Grade 7	3.7%	5.3%	9.5%	90.5%
Grade 8	3.8%	5.4%	11.0%	89.0%
Grade 9	4.0%	5.5%	9.6%	90.4%
Grade 10	4.3%	5.1%	9.3%	90.7%
Grade 11	2.4%	4.6%	8.8%	91.2%
Grade 12	3.3%	4.8%	7.7%	92.3%
Any Inhalant				
All	3.0%	4.2%	7.5%	92.5%
Grade 7	4.7%	5.5%	9.9%	90.1%
Grade 8	2.6%	4.2%	8.2%	91.8%
Grade 9	4.2%	5.4%	9.1%	90.9%
Grade 10	2.7%	4.1%	6.4%	93.6%
Grade 11	1.8%	2.9%	4.9%	95.1%
Grade 12	1.8%	2.7%	6.4%	93.6%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.4%	9.2%	16.3%	83.7%
Grade 7	3.5%	5.0%	11.3%	88.7%
Grade 8	4.0%	5.9%	12.8%	87.2%
Grade 9	7.1%	8.7%	18.1%	81.9%
Grade 10	5.0%	8.4%	14.2%	85.8%
Grade 11	6.6%	11.2%	17.5%	82.5%
Grade 12	12.8%	17.1%	23.8%	76.2%
Marijuana				
All	7.9%	9.7%	13.8%	86.2%
Grade 7	4.4%	4.9%	6.9%	93.1%
Grade 8	5.9%	7.2%	10.6%	89.4%
Grade 9	8.6%	11.1%	13.7%	86.3%
Grade 10	7.5%	9.3%	13.6%	86.4%
Grade 11	7.8%	10.4%	17.1%	82.9%
Grade 12	13.5%	15.6%	21.4%	78.6%
Marijuana Only				
All	4.2%	5.6%	9.1%	90.9%
Grade 7	2.4%	2.6%	4.3%	95.7%
Grade 8	2.6%	3.4%	6.1%	93.9%
Grade 9	5.4%	7.1%	9.5%	90.5%
Grade 10	3.4%	4.9%	8.6%	91.4%
Grade 11	3.8%	5.5%	11.5%	88.5%
Grade 12	8.0%	10.1%	15.0%	85.0%
Cocaine or Crack				
All	0.8%	0.9%	1.5%	98.5%
Grade 7	0.8%	1.0%	1.2%	98.8%
Grade 8	0.9%	1.4%	2.0%	98.0%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	1.0%	1.0%	1.8%	98.2%
Grade 11	0.3%	0.3%	1.4%	98.6%
Grade 12	1.1%	1.3%	1.7%	98.3%
Cocaine				
All	0.8%	0.9%	1.5%	98.5%
Grade 7	0.8%	1.0%	1.2%	98.8%
Grade 8	0.9%	1.4%	2.0%	98.0%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	1.0%	1.0%	1.8%	98.2%
Grade 11	0.3%	0.3%	1.4%	98.6%
Grade 12	1.1%	1.3%	1.7%	98.3%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.8%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
Hallucinogens				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.3%	0.8%	1.0%	99.0%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	0.5%	0.6%	1.8%	98.2%
Grade 10	1.0%	1.2%	2.8%	97.2%
Grade 11	0.2%	0.8%	2.2%	97.8%
Grade 12	1.7%	2.6%	3.4%	96.6%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.3%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.2%	0.2%	1.2%	98.8%
Ecstasy				
All	0.3%	0.3%	1.0%	99.0%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.2%	0.4%	0.9%	99.1%
Grade 10	0.6%	0.6%	1.4%	98.6%
Grade 11	0.2%	0.2%	1.7%	98.3%
Grade 12	0.2%	0.2%	1.1%	98.9%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin	All	0.1%	0.2%	0.2%	99.8%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.1%	0.5%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.5%	0.5%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	0.8%	1.1%	2.1%	97.9%
	Grade 7	0.6%	1.2%	1.5%	98.5%
	Grade 8	1.3%	1.5%	2.3%	97.7%
	Grade 9	0.8%	1.0%	2.2%	97.8%
	Grade 10	1.5%	1.6%	2.8%	97.2%
	Grade 11	0.2%	0.5%	1.5%	98.5%
	Grade 12	0.5%	0.8%	2.0%	98.0%
Methamphetamine	All	0.3%	0.3%	0.6%	99.4%
	Grade 7	0.3%	0.4%	0.5%	99.5%
	Grade 8	0.1%	0.2%	0.7%	99.3%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.4%	0.4%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.6%	0.6%	1.1%	98.9%
Delta 8	All	0.8%	1.3%	2.5%	97.5%
	Grade 7	1.2%	1.4%	1.8%	98.2%
	Grade 8	0.9%	1.0%	2.2%	97.8%
	Grade 9	0.6%	1.5%	2.6%	97.4%
	Grade 10	0.7%	1.4%	2.4%	97.6%
	Grade 11	0.3%	1.1%	3.1%	96.9%
	Grade 12	0.9%	1.3%	2.6%	97.4%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.8%	8.6%	16.3%	83.7%
Grade 7	3.0%	4.2%	10.6%	89.4%
Grade 8	3.7%	4.7%	10.8%	89.2%
Grade 9	7.3%	7.6%	17.5%	82.5%
Grade 10	7.9%	9.6%	13.8%	86.2%
Grade 11	6.2%	10.0%	19.3%	80.7%
Grade 12	13.6%	17.0%	27.7%	72.3%
Any Alcohol Product				
All	20.5%	24.0%	36.0%	64.0%
Grade 7	12.8%	15.5%	27.4%	72.6%
Grade 8	12.0%	13.8%	27.6%	72.4%
Grade 9	16.8%	20.7%	32.9%	67.1%
Grade 10	23.6%	24.7%	37.0%	63.0%
Grade 11	27.3%	34.2%	43.0%	57.0%
Grade 12	33.9%	38.5%	51.6%	48.4%
Any Illicit Drug				
All	7.1%	9.5%	13.0%	87.0%
Grade 7	3.9%	5.8%	7.4%	92.6%
Grade 8	5.8%	7.0%	10.0%	90.0%
Grade 9	6.1%	8.9%	12.0%	88.0%
Grade 10	8.2%	11.0%	14.1%	85.9%
Grade 11	6.3%	8.7%	14.3%	85.7%
Grade 12	13.3%	17.0%	21.7%	78.3%
Any Prescription Drug				
All	3.4%	5.5%	10.4%	89.6%
Grade 7	5.0%	6.3%	11.3%	88.7%
Grade 8	3.3%	5.5%	10.7%	89.3%
Grade 9	2.6%	4.7%	9.5%	90.5%
Grade 10	5.4%	6.3%	10.1%	89.9%
Grade 11	2.1%	6.2%	11.5%	88.5%
Grade 12	1.7%	4.1%	9.5%	90.5%
Any Inhalant				
All	2.8%	3.8%	6.9%	93.1%
Grade 7	4.1%	4.6%	8.0%	92.0%
Grade 8	2.5%	3.6%	8.1%	91.9%
Grade 9	3.3%	3.9%	7.0%	93.0%
Grade 10	2.7%	3.6%	6.5%	93.5%
Grade 11	1.5%	3.4%	6.4%	93.6%
Grade 12	2.8%	3.6%	5.3%	94.7%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.9%	7.1%	14.1%	85.9%
Grade 7	1.9%	3.5%	9.7%	90.3%
Grade 8	1.6%	3.6%	10.1%	89.9%
Grade 9	4.6%	5.0%	14.2%	85.8%
Grade 10	5.3%	8.1%	12.8%	87.2%
Grade 11	4.9%	8.9%	14.9%	85.1%
Grade 12	11.9%	15.6%	25.1%	74.9%
Marijuana				
All	6.6%	8.1%	11.6%	88.4%
Grade 7	3.6%	3.9%	5.2%	94.8%
Grade 8	5.3%	5.9%	9.2%	90.8%
Grade 9	6.1%	7.4%	10.5%	89.5%
Grade 10	7.0%	8.7%	11.9%	88.1%
Grade 11	6.4%	8.8%	14.5%	85.5%
Grade 12	12.4%	15.1%	20.3%	79.7%
Marijuana Only				
All	2.8%	4.0%	6.9%	93.1%
Grade 7	1.6%	1.6%	2.8%	97.2%
Grade 8	1.9%	2.4%	5.0%	95.0%
Grade 9	3.4%	4.3%	6.9%	93.1%
Grade 10	2.1%	3.7%	6.2%	93.8%
Grade 11	2.5%	4.3%	9.0%	91.0%
Grade 12	5.7%	8.3%	12.2%	87.8%
Cocaine or Crack				
All	0.7%	0.8%	1.6%	98.4%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.6%	0.6%	1.5%	98.5%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	1.1%	1.1%	1.7%	98.3%
Grade 11	0.8%	0.8%	2.1%	97.9%
Grade 12	1.6%	2.0%	3.0%	97.0%
Cocaine				
All	0.7%	0.8%	1.6%	98.4%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.6%	0.6%	1.5%	98.5%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	1.1%	1.1%	1.7%	98.3%
Grade 11	0.8%	0.8%	2.1%	97.9%
Grade 12	1.6%	2.0%	3.0%	97.0%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.7%	99.3%
Hallucinogens				
All	0.7%	1.2%	2.2%	97.8%
Grade 7	0.0%	0.5%	0.5%	99.5%
Grade 8	0.1%	0.2%	1.6%	98.4%
Grade 9	0.3%	0.6%	0.9%	99.1%
Grade 10	1.6%	2.0%	4.3%	95.7%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	2.9%	4.4%	5.4%	94.6%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.6%	0.6%	1.2%	98.8%
Grade 12	0.4%	0.4%	2.3%	97.7%
Ecstasy				
All	0.4%	0.4%	1.4%	98.6%
Grade 7	0.1%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.8%	0.8%	1.7%	98.3%
Grade 11	0.0%	0.0%	2.3%	97.7%
Grade 12	0.5%	0.5%	2.2%	97.8%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	0.9%	1.6%	98.4%
Grade 7	0.7%	1.0%	1.3%	98.7%
Grade 8	0.9%	0.9%	1.4%	98.6%
Grade 9	0.8%	0.8%	2.2%	97.8%
Grade 10	1.6%	1.6%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.4%	1.1%	1.9%	98.1%
Methamphetamine				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	1.0%	99.0%
Delta 8				
All	0.8%	1.3%	2.9%	97.1%
Grade 7	1.9%	1.9%	2.3%	97.7%
Grade 8	1.0%	1.1%	2.5%	97.5%
Grade 9	0.8%	1.4%	2.3%	97.7%
Grade 10	0.9%	2.3%	3.4%	96.6%
Grade 11	0.0%	0.8%	4.4%	95.6%
Grade 12	0.0%	0.0%	2.6%	97.4%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.4%	12.4%	19.9%	80.1%
Grade 7	6.1%	7.5%	13.4%	86.6%
Grade 8	7.1%	8.8%	17.4%	82.6%
Grade 9	11.6%	15.2%	23.7%	76.3%
Grade 10	7.9%	10.1%	17.6%	82.4%
Grade 11	8.9%	13.5%	21.2%	78.8%
Grade 12	14.4%	19.2%	25.2%	74.8%
Any Alcohol Product				
All	22.3%	25.3%	40.2%	59.8%
Grade 7	13.4%	14.7%	29.3%	70.7%
Grade 8	18.2%	21.3%	35.0%	65.0%
Grade 9	22.6%	25.5%	41.0%	59.0%
Grade 10	18.5%	21.3%	39.7%	60.3%
Grade 11	28.8%	32.2%	47.2%	52.8%
Grade 12	31.6%	36.7%	47.6%	52.4%
Any Illicit Drug				
All	9.4%	12.9%	17.0%	83.0%
Grade 7	6.0%	7.8%	10.2%	89.8%
Grade 8	7.5%	10.9%	13.8%	86.2%
Grade 9	11.2%	15.5%	17.6%	82.4%
Grade 10	8.2%	12.3%	17.1%	82.9%
Grade 11	9.0%	13.3%	20.5%	79.5%
Grade 12	14.3%	17.1%	22.5%	77.5%
Any Prescription Drug				
All	3.7%	4.7%	8.4%	91.6%
Grade 7	2.7%	4.3%	7.8%	92.2%
Grade 8	4.2%	5.4%	11.4%	88.6%
Grade 9	5.2%	6.2%	9.7%	90.3%
Grade 10	3.5%	4.0%	8.7%	91.3%
Grade 11	2.2%	3.0%	6.6%	93.4%
Grade 12	4.6%	5.3%	6.4%	93.6%
Any Inhalant				
All	3.2%	4.5%	8.1%	91.9%
Grade 7	5.3%	6.3%	11.6%	88.4%
Grade 8	2.8%	4.8%	8.3%	91.7%
Grade 9	5.0%	6.6%	11.0%	89.0%
Grade 10	2.7%	4.5%	6.4%	93.6%
Grade 11	2.0%	2.6%	3.9%	96.1%
Grade 12	0.9%	2.0%	7.3%	92.7%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.8%	11.1%	18.1%	81.9%
Grade 7	5.0%	6.3%	12.7%	87.3%
Grade 8	6.2%	8.1%	15.2%	84.8%
Grade 9	9.2%	11.9%	21.5%	78.5%
Grade 10	4.7%	8.6%	15.6%	84.4%
Grade 11	8.1%	13.2%	19.8%	80.2%
Grade 12	13.5%	18.3%	23.1%	76.9%
Marijuana				
All	9.0%	11.2%	15.6%	84.4%
Grade 7	5.1%	5.8%	8.5%	91.5%
Grade 8	6.5%	8.5%	11.9%	88.1%
Grade 9	10.8%	14.3%	16.5%	83.5%
Grade 10	7.9%	9.9%	15.1%	84.9%
Grade 11	9.0%	11.8%	19.6%	80.4%
Grade 12	14.4%	16.1%	21.8%	78.2%
Marijuana Only				
All	5.5%	7.0%	10.9%	89.1%
Grade 7	3.1%	3.6%	5.6%	94.4%
Grade 8	3.2%	4.2%	7.0%	93.0%
Grade 9	7.1%	9.5%	11.7%	88.3%
Grade 10	4.6%	6.0%	10.9%	89.1%
Grade 11	4.8%	6.5%	13.6%	86.4%
Grade 12	9.8%	11.5%	16.5%	83.5%
Cocaine or Crack				
All	0.8%	1.0%	1.5%	98.5%
Grade 7	1.2%	1.3%	1.8%	98.2%
Grade 8	1.2%	2.1%	2.5%	97.5%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	0.9%	0.9%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.7%	0.7%	0.7%	99.3%
Cocaine				
All	0.8%	1.0%	1.5%	98.5%
Grade 7	1.2%	1.3%	1.8%	98.2%
Grade 8	1.2%	2.1%	2.5%	97.5%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	0.9%	0.9%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.7%	0.7%	0.7%	99.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.6%	1.2%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.5%	1.0%	1.4%	98.6%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.6%	0.6%	2.4%	97.6%
Grade 10	0.6%	0.6%	1.5%	98.5%
Grade 11	0.4%	1.5%	2.8%	97.2%
Grade 12	0.8%	1.2%	1.9%	98.1%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.6%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.3%	99.7%
Ecstasy				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.4%	0.8%	99.2%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.4%	0.4%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.2%	99.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	1.3%	2.4%	97.6%
Grade 7	0.4%	1.5%	1.8%	98.2%
Grade 8	1.6%	2.1%	3.1%	96.9%
Grade 9	0.7%	1.2%	2.2%	97.8%
Grade 10	1.3%	1.6%	3.3%	96.7%
Grade 11	0.4%	0.8%	2.2%	97.8%
Grade 12	0.6%	0.6%	2.0%	98.0%
Methamphetamine				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.8%	0.8%	0.9%	99.1%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.7%	0.7%	1.1%	98.9%
Delta 8				
All	0.7%	1.3%	2.2%	97.8%
Grade 7	0.6%	1.0%	1.5%	98.5%
Grade 8	0.9%	0.9%	2.0%	98.0%
Grade 9	0.4%	1.5%	2.9%	97.1%
Grade 10	0.6%	0.6%	1.7%	98.3%
Grade 11	0.5%	1.4%	2.3%	97.7%
Grade 12	1.5%	2.3%	2.7%	97.3%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.0%	9.2%	14.9%	85.1%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	9.2%	9.2%	15.7%	84.3%
Grade 9	12.0%	12.0%	19.4%	80.6%
Grade 10	10.1%	10.1%	10.1%	89.9%
Grade 11	12.9%	19.4%	19.4%	80.6%
Grade 12	0.0%	0.0%	26.4%	73.6%
Any Alcohol Product				
All	21.3%	23.1%	36.3%	63.7%
Grade 7	9.9%	9.9%	19.2%	80.8%
Grade 8	10.4%	12.2%	27.8%	72.2%
Grade 9	12.0%	16.2%	34.5%	65.5%
Grade 10	28.5%	32.2%	49.7%	50.3%
Grade 11	30.9%	30.9%	36.7%	63.3%
Grade 12	43.7%	43.7%	56.3%	43.7%
Any Illicit Drug				
All	6.1%	7.8%	9.5%	90.5%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	3.9%	6.9%	11.1%	88.9%
Grade 9	3.7%	3.7%	7.3%	92.7%
Grade 10	10.1%	10.1%	10.1%	89.9%
Grade 11	12.9%	19.4%	19.4%	80.6%
Grade 12	5.6%	5.6%	5.6%	94.4%
Any Prescription Drug				
All	2.8%	4.2%	8.3%	91.7%
Grade 7	1.6%	4.3%	5.9%	94.1%
Grade 8	6.0%	6.0%	12.5%	87.5%
Grade 9	0.0%	0.0%	3.7%	96.3%
Grade 10	8.7%	13.7%	18.8%	81.2%
Grade 11	0.0%	0.0%	6.5%	93.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Any Inhalant				
All	2.8%	3.9%	8.1%	91.9%
Grade 7	4.0%	4.0%	9.0%	91.0%
Grade 8	3.0%	4.6%	9.9%	90.1%
Grade 9	3.7%	3.7%	3.7%	96.3%
Grade 10	5.0%	10.1%	13.4%	86.6%
Grade 11	0.0%	0.0%	6.5%	93.5%
Grade 12	0.0%	0.0%	5.6%	94.4%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.6%	8.1%	14.3%	85.7%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	5.0%	7.3%	16.1%	83.9%
Grade 9	8.4%	8.4%	19.4%	80.6%
Grade 10	10.1%	10.1%	10.1%	89.9%
Grade 11	12.9%	19.4%	19.4%	80.6%
Grade 12	0.0%	0.0%	20.8%	79.2%
Marijuana				
All	5.5%	7.2%	8.8%	91.2%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	3.9%	7.0%	11.2%	88.8%
Grade 9	3.7%	3.7%	7.3%	92.7%
Grade 10	10.1%	10.1%	10.1%	89.9%
Grade 11	12.9%	19.4%	19.4%	80.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Marijuana Only				
All	1.1%	2.7%	4.0%	96.0%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	1.6%	3.8%	5.9%	94.1%
Grade 9	0.0%	0.0%	3.7%	96.3%
Grade 10	4.8%	4.8%	4.8%	95.2%
Grade 11	0.0%	6.5%	6.5%	93.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine or Crack				
All	0.9%	0.9%	3.5%	96.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	4.4%	95.6%
Grade 9	0.0%	0.0%	3.7%	96.3%
Grade 10	5.0%	5.0%	5.0%	95.0%
Grade 11	0.0%	0.0%	6.5%	93.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.9%	0.9%	3.5%	96.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	4.4%	95.6%
Grade 9	0.0%	0.0%	3.7%	96.3%
Grade 10	5.0%	5.0%	5.0%	95.0%
Grade 11	0.0%	0.0%	6.5%	93.5%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.9%	0.9%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	4.4%	95.6%
Grade 9	0.0%	0.0%	3.7%	96.3%
Grade 10	5.0%	5.0%	5.0%	95.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	0.6%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	5.0%	95.0%
Grade 11	0.0%	0.0%	6.5%	93.5%
Grade 12	5.6%	5.6%	5.6%	94.4%
Synthetic Cathinones				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.6%	0.6%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	5.0%	95.0%
Grade 11	0.0%	0.0%	6.5%	93.5%
Grade 12	5.6%	5.6%	5.6%	94.4%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin	All	0.0%	0.0%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	2.1%	97.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	0.0%	0.0%	1.4%	98.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	3.0%	97.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	5.0%	95.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine	All	0.6%	0.6%	1.9%	98.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	2.1%	97.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	5.0%	95.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	5.6%	5.6%	5.6%	94.4%
Delta 8	All	0.4%	1.6%	4.2%	95.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	2.3%	2.3%	5.3%	94.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	5.0%	95.0%
	Grade 11	0.0%	6.5%	12.9%	87.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.9%	20.0%	24.6%	75.4%
Grade 7	21.5%	21.5%	31.0%	69.0%
Grade 8	5.2%	10.7%	21.8%	78.2%
Grades 9–12	23.0%	23.0%	23.0%	77.0%
Any Alcohol Product				
All	18.3%	23.9%	25.1%	74.9%
Grade 7	21.5%	31.0%	31.0%	69.0%
Grade 8	16.3%	18.5%	24.1%	75.9%
Grades 9–12	17.8%	23.0%	23.0%	77.0%
Any Illicit Drug				
All	10.9%	14.8%	14.8%	85.2%
Grade 7	11.7%	26.7%	26.7%	73.3%
Grade 8	5.6%	7.8%	7.8%	92.2%
Grades 9–12	12.5%	12.5%	12.5%	87.5%
Any Prescription Drug				
All	5.4%	7.6%	12.8%	87.2%
Grade 7	0.0%	9.5%	21.2%	78.8%
Grade 8	16.9%	16.9%	28.8%	71.2%
Grades 9–12	3.2%	3.2%	3.2%	96.8%
Any Inhalant				
All	5.8%	6.2%	7.6%	92.4%
Grade 7	21.5%	21.5%	27.8%	72.2%
Grade 8	5.2%	7.4%	7.4%	92.6%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Electronic Vapor Products				
All	14.8%	20.0%	24.6%	75.4%
Grade 7	21.5%	21.5%	31.0%	69.0%
Grade 8	5.2%	10.7%	21.8%	78.2%
Grades 9–12	15.7%	23.0%	23.0%	77.0%
Marijuana				
All	7.0%	7.0%	7.0%	93.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	12.5%	12.5%	12.5%	87.5%
Marijuana Only				
All	2.8%	2.8%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	4.7%	4.7%	4.7%	95.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Cocaine or Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.0%	2.7%	97.3%
Grade 7	0.0%	0.0%	11.7%	88.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	4.1%	4.1%	4.1%	95.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	7.3%	7.3%	7.3%	92.7%
Methamphetamine				
All	2.7%	2.7%	2.7%	97.3%
Grade 7	11.7%	11.7%	11.7%	88.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.2%	5.3%	5.3%	94.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	5.6%	5.6%	5.6%	94.4%
Grades 9–12	0.0%	7.3%	7.3%	92.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.1%	10.7%	18.5%	81.5%
Grade 7	4.6%	6.0%	12.3%	87.7%
Grade 8	5.2%	6.6%	14.1%	85.9%
Grade 9	9.2%	11.5%	21.1%	78.9%
Grade 10	7.5%	9.5%	15.8%	84.2%
Grade 11	7.6%	11.8%	20.7%	79.3%
Grade 12	14.9%	19.3%	26.8%	73.2%
Any Alcohol Product				
All	21.6%	24.9%	38.8%	61.2%
Grade 7	13.2%	15.1%	29.1%	70.9%
Grade 8	15.6%	18.2%	32.2%	67.8%
Grade 9	20.4%	23.6%	37.7%	62.3%
Grade 10	20.2%	22.2%	37.7%	62.3%
Grade 11	28.2%	33.3%	46.3%	53.7%
Grade 12	32.7%	37.9%	50.1%	49.9%
Any Illicit Drug				
All	8.4%	11.5%	15.7%	84.3%
Grade 7	5.3%	7.0%	9.0%	91.0%
Grade 8	6.8%	9.2%	12.3%	87.7%
Grade 9	8.9%	12.8%	15.4%	84.6%
Grade 10	7.8%	11.6%	15.9%	84.1%
Grade 11	7.7%	11.1%	18.1%	81.9%
Grade 12	14.4%	17.8%	23.7%	76.3%
Any Prescription Drug				
All	3.6%	5.1%	9.3%	90.7%
Grade 7	3.9%	5.2%	9.4%	90.6%
Grade 8	3.3%	4.9%	10.3%	89.7%
Grade 9	4.0%	5.7%	9.9%	90.1%
Grade 10	4.1%	4.6%	8.6%	91.4%
Grade 11	2.6%	5.0%	9.2%	90.8%
Grade 12	3.6%	5.1%	8.1%	91.9%
Any Inhalant				
All	3.0%	4.2%	7.5%	92.5%
Grade 7	4.5%	5.3%	9.6%	90.4%
Grade 8	2.5%	4.2%	8.0%	92.0%
Grade 9	4.3%	5.6%	9.7%	90.3%
Grade 10	2.6%	3.8%	6.0%	94.0%
Grade 11	1.9%	3.1%	4.7%	95.3%
Grade 12	1.9%	2.9%	6.7%	93.3%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.4%	9.3%	16.4%	83.6%
Grade 7	3.4%	5.0%	11.4%	88.6%
Grade 8	3.9%	5.7%	12.6%	87.4%
Grade 9	6.7%	8.4%	18.1%	81.9%
Grade 10	4.7%	8.0%	14.2%	85.8%
Grade 11	6.5%	11.1%	17.9%	82.1%
Grade 12	13.7%	18.2%	24.6%	75.4%
Marijuana				
All	8.0%	10.0%	14.3%	85.7%
Grade 7	4.8%	5.4%	7.5%	92.5%
Grade 8	6.1%	7.3%	10.9%	89.1%
Grade 9	8.7%	11.4%	14.0%	86.0%
Grade 10	7.1%	9.1%	13.7%	86.3%
Grade 11	7.7%	10.2%	17.5%	82.5%
Grade 12	14.3%	16.5%	22.8%	77.2%
Marijuana Only				
All	4.4%	5.8%	9.6%	90.4%
Grade 7	2.7%	2.9%	4.7%	95.3%
Grade 8	2.7%	3.4%	6.4%	93.6%
Grade 9	5.3%	7.2%	9.5%	90.5%
Grade 10	3.4%	5.1%	9.1%	90.9%
Grade 11	4.1%	5.6%	12.1%	87.9%
Grade 12	8.6%	10.8%	16.1%	83.9%
Cocaine or Crack				
All	0.8%	1.0%	1.4%	98.6%
Grade 7	0.8%	1.1%	1.3%	98.7%
Grade 8	0.9%	1.5%	2.0%	98.0%
Grade 9	0.8%	0.8%	1.0%	99.0%
Grade 10	0.8%	0.8%	1.6%	98.4%
Grade 11	0.3%	0.3%	1.2%	98.8%
Grade 12	1.2%	1.4%	1.8%	98.2%
Cocaine				
All	0.8%	1.0%	1.4%	98.6%
Grade 7	0.8%	1.1%	1.3%	98.7%
Grade 8	0.9%	1.5%	2.0%	98.0%
Grade 9	0.8%	0.8%	1.0%	99.0%
Grade 10	0.8%	0.8%	1.6%	98.4%
Grade 11	0.3%	0.3%	1.2%	98.8%
Grade 12	1.2%	1.4%	1.8%	98.2%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.8%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.3%	99.7%
Hallucinogens				
All	0.7%	1.1%	2.0%	98.0%
Grade 7	0.3%	0.8%	1.1%	98.9%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	0.5%	0.7%	1.9%	98.1%
Grade 10	1.1%	1.3%	2.6%	97.4%
Grade 11	0.2%	0.9%	2.0%	98.0%
Grade 12	1.6%	2.5%	3.4%	96.6%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.2%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.2%	0.2%	1.3%	98.7%
Ecstasy				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.2%	0.4%	0.9%	99.1%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.2%	0.2%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.9%	99.1%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.5%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.6%	1.4%	1.6%	98.4%
Grade 8	1.4%	1.6%	2.3%	97.7%
Grade 9	0.8%	1.1%	2.4%	97.6%
Grade 10	1.2%	1.4%	2.3%	97.7%
Grade 11	0.2%	0.5%	1.6%	98.4%
Grade 12	0.6%	0.9%	2.1%	97.9%
Methamphetamine				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.4%	0.4%	0.9%	99.1%
Delta 8				
All	0.8%	1.2%	2.4%	97.6%
Grade 7	1.4%	1.6%	1.9%	98.1%
Grade 8	0.7%	0.8%	2.0%	98.0%
Grade 9	0.7%	1.6%	2.8%	97.2%
Grade 10	0.8%	1.1%	1.9%	98.1%
Grade 11	0.3%	0.9%	2.7%	97.3%
Grade 12	0.9%	1.4%	2.6%	97.4%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	4.6%	6.5%	12.8%	87.2%
Grade 7	1.0%	1.6%	5.7%	94.3%
Grade 8	0.7%	2.6%	6.0%	94.0%
Grade 9	6.8%	8.7%	16.5%	83.5%
Grade 10	4.2%	4.2%	9.2%	90.8%
Grade 11	7.5%	11.2%	19.7%	80.3%
Grade 12	5.6%	8.8%	16.8%	83.2%
Any Alcohol Product				
All	16.7%	20.2%	32.7%	67.3%
Grade 7	6.3%	7.5%	19.0%	81.0%
Grade 8	7.8%	10.9%	21.7%	78.3%
Grade 9	11.3%	14.9%	27.4%	72.6%
Grade 10	18.6%	20.4%	36.6%	63.4%
Grade 11	27.8%	32.6%	45.3%	54.7%
Grade 12	25.2%	31.7%	42.1%	57.9%
Any Illicit Drug				
All	3.6%	5.8%	9.7%	90.3%
Grade 7	2.0%	2.7%	3.5%	96.5%
Grade 8	1.7%	5.4%	5.4%	94.6%
Grade 9	5.1%	8.4%	11.8%	88.2%
Grade 10	2.3%	5.3%	8.5%	91.5%
Grade 11	5.4%	7.7%	17.0%	83.0%
Grade 12	4.0%	4.5%	9.7%	90.3%
Any Prescription Drug				
All	1.6%	3.0%	6.6%	93.4%
Grade 7	1.1%	2.6%	5.7%	94.3%
Grade 8	2.2%	4.9%	10.0%	90.0%
Grade 9	2.1%	4.0%	8.0%	92.0%
Grade 10	1.6%	2.2%	5.2%	94.8%
Grade 11	0.6%	1.9%	5.8%	94.2%
Grade 12	2.3%	3.0%	5.4%	94.6%
Any Inhalant				
All	1.9%	2.7%	5.1%	94.9%
Grade 7	1.8%	1.9%	5.9%	94.1%
Grade 8	2.1%	4.5%	6.0%	94.0%
Grade 9	2.5%	2.9%	5.6%	94.4%
Grade 10	2.8%	4.1%	6.8%	93.2%
Grade 11	1.3%	2.0%	3.6%	96.4%
Grade 12	0.5%	1.1%	2.8%	97.2%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	3.9%	5.9%	11.2%	88.8%
Grade 7	1.0%	1.3%	5.4%	94.6%
Grade 8	0.5%	2.5%	5.2%	94.8%
Grade 9	6.0%	7.2%	14.6%	85.4%
Grade 10	3.6%	4.2%	8.8%	91.2%
Grade 11	6.0%	11.2%	16.8%	83.2%
Grade 12	5.1%	7.6%	13.8%	86.2%
Marijuana				
All	3.4%	4.9%	8.8%	91.2%
Grade 7	1.6%	1.7%	2.4%	97.6%
Grade 8	1.7%	4.2%	4.4%	95.6%
Grade 9	5.1%	7.7%	11.0%	89.0%
Grade 10	1.9%	2.4%	6.3%	93.7%
Grade 11	5.4%	7.7%	16.4%	83.6%
Grade 12	4.0%	4.5%	9.7%	90.3%
Marijuana Only				
All	1.8%	2.9%	6.3%	93.7%
Grade 7	1.3%	1.3%	1.9%	98.1%
Grade 8	1.0%	2.3%	2.5%	97.5%
Grade 9	3.8%	5.7%	8.2%	91.8%
Grade 10	1.6%	2.0%	5.9%	94.1%
Grade 11	1.5%	3.7%	11.3%	88.7%
Grade 12	1.5%	2.0%	6.0%	94.0%
Cocaine or Crack				
All	0.2%	0.4%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.0%	1.6%	1.6%	98.4%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	0.5%	99.5%
Cocaine				
All	0.2%	0.4%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.0%	1.6%	1.6%	98.4%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	0.5%	99.5%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.2%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.3%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.5%	0.5%	1.3%	98.7%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.8%	3.0%	97.0%
Grade 12	1.3%	1.3%	2.3%	97.7%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.5%	99.5%
Ecstasy				
All	0.0%	0.0%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.5%	99.5%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.2%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.8%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.1%	1.1%	2.2%	97.8%
Methamphetamine				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.4%	0.9%	99.1%
Grade 11	0.8%	0.8%	2.4%	97.6%
Grade 12	0.6%	0.6%	1.2%	98.8%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.3%	12.9%	21.1%	78.9%
Grade 7	6.7%	8.3%	14.9%	85.1%
Grade 8	7.4%	8.6%	17.8%	82.2%
Grade 9	11.9%	13.7%	23.8%	76.2%
Grade 10	10.0%	13.0%	19.0%	81.0%
Grade 11	7.2%	11.7%	20.3%	79.7%
Grade 12	20.1%	24.7%	32.5%	67.5%
Any Alcohol Product				
All	23.6%	26.8%	41.2%	58.8%
Grade 7	16.6%	19.0%	33.3%	66.7%
Grade 8	18.2%	20.5%	35.3%	64.7%
Grade 9	25.1%	28.3%	43.0%	57.0%
Grade 10	21.7%	24.0%	39.9%	60.1%
Grade 11	26.7%	31.5%	44.4%	55.6%
Grade 12	36.1%	40.1%	54.6%	45.4%
Any Illicit Drug				
All	10.9%	14.2%	18.0%	82.0%
Grade 7	6.6%	8.9%	11.4%	88.6%
Grade 8	8.4%	10.3%	14.6%	85.4%
Grade 9	11.0%	14.8%	17.0%	83.0%
Grade 10	11.7%	15.0%	19.3%	80.7%
Grade 11	9.3%	13.4%	17.7%	82.3%
Grade 12	20.4%	25.3%	31.0%	69.0%
Any Prescription Drug				
All	4.8%	6.2%	10.6%	89.4%
Grade 7	5.1%	6.5%	11.0%	89.0%
Grade 8	4.4%	5.7%	11.5%	88.5%
Grade 9	5.5%	6.6%	10.8%	89.2%
Grade 10	5.5%	6.3%	11.2%	88.8%
Grade 11	3.8%	6.0%	10.1%	89.9%
Grade 12	4.5%	6.1%	8.7%	91.3%
Any Inhalant				
All	3.6%	5.0%	8.9%	91.1%
Grade 7	6.3%	7.3%	11.5%	88.5%
Grade 8	2.9%	4.3%	9.0%	91.0%
Grade 9	4.6%	6.3%	10.8%	89.2%
Grade 10	2.5%	3.8%	6.2%	93.8%
Grade 11	2.3%	3.8%	5.9%	94.1%
Grade 12	2.4%	3.7%	9.2%	90.8%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.9%	11.1%	18.8%	81.2%
Grade 7	4.9%	7.0%	13.8%	86.2%
Grade 8	5.5%	7.3%	16.0%	84.0%
Grade 9	8.2%	9.6%	20.3%	79.7%
Grade 10	6.0%	10.8%	16.6%	83.4%
Grade 11	6.4%	11.0%	17.7%	82.3%
Grade 12	18.6%	23.9%	30.7%	69.3%
Marijuana				
All	10.3%	12.4%	16.4%	83.6%
Grade 7	5.8%	6.5%	9.0%	91.0%
Grade 8	7.4%	8.3%	13.1%	86.9%
Grade 9	10.6%	13.3%	15.5%	84.5%
Grade 10	10.8%	13.4%	17.7%	82.3%
Grade 11	9.3%	12.4%	17.2%	82.8%
Grade 12	19.7%	22.8%	29.1%	70.9%
Marijuana Only				
All	5.5%	7.0%	10.4%	89.6%
Grade 7	2.9%	3.2%	5.3%	94.7%
Grade 8	3.2%	3.8%	7.7%	92.3%
Grade 9	6.2%	8.2%	10.3%	89.7%
Grade 10	4.7%	6.7%	10.0%	90.0%
Grade 11	4.9%	6.4%	10.6%	89.4%
Grade 12	12.5%	15.6%	20.9%	79.1%
Cocaine or Crack				
All	1.1%	1.2%	2.1%	97.9%
Grade 7	1.0%	1.3%	1.5%	98.5%
Grade 8	1.3%	1.4%	2.2%	97.8%
Grade 9	1.0%	1.0%	1.5%	98.5%
Grade 10	1.4%	1.4%	2.6%	97.4%
Grade 11	0.6%	0.6%	2.5%	97.5%
Grade 12	1.6%	1.9%	2.7%	97.3%
Cocaine				
All	1.1%	1.2%	2.1%	97.9%
Grade 7	1.0%	1.3%	1.5%	98.5%
Grade 8	1.3%	1.4%	2.2%	97.8%
Grade 9	1.0%	1.0%	1.5%	98.5%
Grade 10	1.4%	1.4%	2.6%	97.4%
Grade 11	0.6%	0.6%	2.5%	97.5%
Grade 12	1.6%	1.9%	2.7%	97.3%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.6%	0.6%	99.4%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.7%	0.7%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.5%	99.5%
Hallucinogens				
All	0.8%	1.3%	2.5%	97.5%
Grade 7	0.5%	1.1%	1.3%	98.7%
Grade 8	0.6%	0.6%	1.9%	98.1%
Grade 9	0.5%	0.7%	2.2%	97.8%
Grade 10	1.2%	1.6%	4.0%	96.0%
Grade 11	0.4%	0.9%	1.9%	98.1%
Grade 12	2.2%	3.4%	4.1%	95.9%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.3%	1.8%	98.2%
Ecstasy				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.3%	0.7%	1.0%	99.0%
Grade 10	1.1%	1.1%	2.4%	97.6%
Grade 11	0.4%	0.4%	1.9%	98.1%
Grade 12	0.4%	0.4%	1.6%	98.4%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.1%	1.6%	2.9%	97.1%
Grade 7	0.9%	2.0%	2.1%	97.9%
Grade 8	1.7%	2.1%	3.2%	96.8%
Grade 9	0.9%	0.9%	2.5%	97.5%
Grade 10	2.5%	2.8%	4.8%	95.2%
Grade 11	0.4%	0.8%	2.6%	97.4%
Grade 12	0.2%	0.7%	2.0%	98.0%
Methamphetamine				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.5%	0.7%	0.7%	99.3%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	1.3%	98.7%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	1.1%	1.1%	1.9%	98.1%
Delta 8				
All	1.0%	1.8%	3.3%	96.7%
Grade 7	2.0%	2.3%	2.5%	97.5%
Grade 8	1.3%	1.4%	3.0%	97.0%
Grade 9	0.7%	2.0%	3.6%	96.4%
Grade 10	1.0%	1.8%	3.4%	96.6%
Grade 11	0.0%	1.5%	3.9%	96.1%
Grade 12	1.1%	1.5%	3.5%	96.5%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.7%	9.1%	15.6%	84.4%
Grade 7	4.3%	5.6%	10.2%	89.8%
Grade 8	4.7%	5.4%	12.9%	87.1%
Grade 9	7.9%	10.4%	18.7%	81.3%
Grade 10	5.9%	7.5%	9.8%	90.2%
Grade 11	5.9%	10.4%	18.4%	81.6%
Grade 12	12.0%	15.8%	23.8%	76.2%
Any Alcohol Product				
All	20.3%	23.1%	36.0%	64.0%
Grade 7	10.5%	12.4%	26.0%	74.0%
Grade 8	14.1%	16.9%	30.1%	69.9%
Grade 9	19.1%	22.3%	35.4%	64.6%
Grade 10	19.2%	20.4%	35.4%	64.6%
Grade 11	28.4%	32.3%	44.2%	55.8%
Grade 12	31.9%	35.1%	45.5%	54.5%
Any Illicit Drug				
All	6.2%	9.3%	12.7%	87.3%
Grade 7	3.3%	5.9%	7.2%	92.8%
Grade 8	5.6%	7.6%	9.6%	90.4%
Grade 9	6.1%	10.2%	12.5%	87.5%
Grade 10	5.7%	9.0%	11.9%	88.1%
Grade 11	5.8%	8.8%	15.4%	84.6%
Grade 12	12.0%	14.7%	20.7%	79.3%
Any Prescription Drug				
All	3.1%	4.9%	8.4%	91.6%
Grade 7	3.0%	4.6%	7.5%	92.5%
Grade 8	4.2%	6.0%	11.3%	88.7%
Grade 9	2.9%	4.4%	7.5%	92.5%
Grade 10	3.7%	4.7%	8.0%	92.0%
Grade 11	2.1%	5.4%	8.3%	91.7%
Grade 12	2.9%	4.7%	7.9%	92.1%
Any Inhalant				
All	2.8%	4.1%	6.9%	93.1%
Grade 7	4.7%	5.3%	8.4%	91.6%
Grade 8	2.3%	4.5%	8.3%	91.7%
Grade 9	4.4%	5.8%	9.0%	91.0%
Grade 10	2.3%	3.4%	5.2%	94.8%
Grade 11	0.8%	2.1%	3.2%	96.8%
Grade 12	1.9%	3.0%	6.7%	93.3%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.3%	7.8%	13.7%	86.3%
Grade 7	3.2%	4.6%	9.4%	90.6%
Grade 8	3.3%	4.7%	11.2%	88.8%
Grade 9	6.0%	8.0%	16.2%	83.8%
Grade 10	4.2%	6.1%	8.5%	91.5%
Grade 11	4.7%	9.3%	15.5%	84.5%
Grade 12	11.0%	15.1%	22.1%	77.9%
Marijuana				
All	5.8%	7.6%	11.3%	88.7%
Grade 7	2.3%	3.0%	4.6%	95.4%
Grade 8	4.8%	5.6%	7.9%	92.1%
Grade 9	6.1%	9.3%	11.6%	88.4%
Grade 10	4.8%	6.3%	9.5%	90.5%
Grade 11	5.8%	7.9%	15.5%	84.5%
Grade 12	11.6%	13.4%	19.2%	80.8%
Marijuana Only				
All	3.4%	4.7%	8.0%	92.0%
Grade 7	1.5%	1.9%	3.2%	96.8%
Grade 8	2.0%	2.3%	4.3%	95.7%
Grade 9	4.5%	6.8%	8.7%	91.3%
Grade 10	3.2%	4.2%	7.2%	92.8%
Grade 11	3.2%	4.8%	11.6%	88.4%
Grade 12	6.3%	8.0%	12.7%	87.3%
Cocaine or Crack				
All	0.7%	0.8%	1.1%	98.9%
Grade 7	0.7%	0.9%	1.1%	98.9%
Grade 8	0.9%	1.7%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	1.1%	98.9%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	1.4%	1.4%	1.6%	98.4%
Cocaine				
All	0.7%	0.8%	1.1%	98.9%
Grade 7	0.7%	0.9%	1.1%	98.9%
Grade 8	0.9%	1.7%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	1.1%	98.9%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	1.4%	1.4%	1.6%	98.4%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.4%	1.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.2%	0.6%	0.8%	99.2%
Grade 8	0.1%	0.1%	1.0%	99.0%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.8%	0.8%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	2.0%	2.8%	3.7%	96.3%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Ecstasy				
All	0.1%	0.2%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.4%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.4%	0.4%	1.1%	98.9%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.8%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.4%	0.7%	1.3%	98.7%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	1.0%	1.4%	1.7%	98.3%
Grade 9	0.4%	0.8%	1.7%	98.3%
Grade 10	0.5%	0.8%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.5%	2.5%	97.5%
Methamphetamine				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	1.1%	1.1%	1.7%	98.3%
Delta 8				
All	0.5%	0.8%	1.9%	98.1%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.7%	98.3%
Grade 9	0.0%	0.9%	2.1%	97.9%
Grade 10	0.3%	0.3%	1.5%	98.5%
Grade 11	0.5%	1.0%	2.6%	97.4%
Grade 12	0.7%	1.1%	2.2%	97.8%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.6%	13.2%	22.6%	77.4%
Grade 7	5.3%	6.6%	15.0%	85.0%
Grade 8	6.8%	9.0%	16.8%	83.2%
Grade 9	12.8%	14.1%	25.1%	74.9%
Grade 10	10.9%	13.6%	25.2%	74.8%
Grade 11	10.6%	14.4%	23.5%	76.5%
Grade 12	16.9%	21.4%	29.6%	70.4%
Any Alcohol Product				
All	23.2%	27.2%	41.9%	58.1%
Grade 7	16.9%	18.9%	32.5%	67.5%
Grade 8	16.9%	19.0%	33.6%	66.4%
Grade 9	21.8%	25.4%	41.3%	58.7%
Grade 10	23.4%	26.6%	42.7%	57.3%
Grade 11	27.0%	33.4%	46.7%	53.3%
Grade 12	33.6%	40.5%	55.3%	44.7%
Any Illicit Drug				
All	11.6%	14.6%	19.3%	80.7%
Grade 7	7.7%	8.5%	11.5%	88.5%
Grade 8	8.3%	11.4%	16.1%	83.9%
Grade 9	13.9%	16.7%	19.8%	80.2%
Grade 10	11.6%	15.4%	21.3%	78.7%
Grade 11	11.1%	15.3%	21.8%	78.2%
Grade 12	16.5%	20.1%	25.1%	74.9%
Any Prescription Drug				
All	4.4%	5.5%	11.0%	89.0%
Grade 7	4.9%	6.3%	12.7%	87.3%
Grade 8	3.3%	4.7%	10.9%	89.1%
Grade 9	5.9%	7.6%	13.4%	86.6%
Grade 10	5.3%	5.7%	11.4%	88.6%
Grade 11	2.9%	3.5%	9.9%	90.1%
Grade 12	4.0%	5.0%	7.5%	92.5%
Any Inhalant				
All	3.3%	4.3%	8.6%	91.4%
Grade 7	4.8%	5.8%	12.2%	87.8%
Grade 8	2.8%	3.8%	7.9%	92.1%
Grade 9	4.0%	4.7%	9.5%	90.5%
Grade 10	3.2%	5.1%	8.4%	91.6%
Grade 11	3.4%	4.2%	7.6%	92.4%
Grade 12	1.5%	2.3%	6.0%	94.0%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.3%	11.6%	20.4%	79.6%
Grade 7	4.1%	5.7%	14.3%	85.7%
Grade 8	5.2%	7.8%	15.6%	84.4%
Grade 9	9.1%	10.0%	21.7%	78.3%
Grade 10	6.2%	11.8%	23.2%	76.8%
Grade 11	9.9%	14.6%	21.2%	78.8%
Grade 12	15.3%	20.0%	26.4%	73.6%
Marijuana				
All	11.2%	13.2%	17.9%	82.1%
Grade 7	7.7%	7.9%	10.7%	89.3%
Grade 8	7.7%	9.7%	14.9%	85.1%
Grade 9	13.3%	14.5%	17.7%	82.3%
Grade 10	11.3%	13.6%	19.5%	80.5%
Grade 11	11.1%	14.5%	20.4%	79.6%
Grade 12	16.0%	18.7%	24.6%	75.4%
Marijuana Only				
All	5.4%	7.0%	11.0%	89.0%
Grade 7	3.8%	3.8%	6.2%	93.8%
Grade 8	3.6%	5.0%	9.0%	91.0%
Grade 9	7.0%	7.9%	11.0%	89.0%
Grade 10	3.4%	5.7%	10.6%	89.4%
Grade 11	4.8%	6.8%	11.6%	88.4%
Grade 12	10.3%	12.9%	18.0%	82.0%
Cocaine or Crack				
All	1.0%	1.1%	2.2%	97.8%
Grade 7	0.8%	1.1%	1.3%	98.7%
Grade 8	0.9%	1.1%	2.1%	97.9%
Grade 9	2.1%	2.1%	2.9%	97.1%
Grade 10	1.0%	1.0%	2.9%	97.1%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	0.7%	1.1%	1.9%	98.1%
Cocaine				
All	1.0%	1.1%	2.2%	97.8%
Grade 7	0.8%	1.1%	1.3%	98.7%
Grade 8	0.9%	1.1%	2.1%	97.9%
Grade 9	2.1%	2.1%	2.9%	97.1%
Grade 10	1.0%	1.0%	2.9%	97.1%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	0.7%	1.1%	1.9%	98.1%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.7%	99.3%
Hallucinogens				
All	1.0%	1.7%	3.0%	97.0%
Grade 7	0.4%	1.1%	1.4%	98.6%
Grade 8	0.9%	1.0%	1.9%	98.1%
Grade 9	1.3%	1.7%	2.5%	97.5%
Grade 10	1.5%	1.9%	4.4%	95.6%
Grade 11	0.6%	2.2%	4.9%	95.1%
Grade 12	1.3%	2.3%	3.0%	97.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.3%	1.1%	98.9%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.6%	0.6%	1.9%	98.1%
Grade 12	0.4%	0.4%	2.2%	97.8%
Ecstasy				
All	0.5%	0.5%	1.2%	98.8%
Grade 7	0.1%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	1.6%	1.6%	2.9%	97.1%
Grade 11	0.6%	0.6%	2.0%	98.0%
Grade 12	0.0%	0.0%	1.1%	98.9%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
 Students Not Living with 2 Parents**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.4%	1.8%	3.2%	96.8%
Grade 7	0.8%	2.2%	2.8%	97.2%
Grade 8	1.8%	1.8%	3.3%	96.7%
Grade 9	1.4%	1.4%	3.2%	96.8%
Grade 10	2.9%	2.9%	4.7%	95.3%
Grade 11	0.6%	1.2%	3.8%	96.2%
Grade 12	0.8%	1.3%	1.3%	98.7%
Methamphetamine				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.6%	0.6%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.3%	99.7%
Delta 8				
All	1.2%	2.1%	3.5%	96.5%
Grade 7	2.0%	2.5%	3.1%	96.9%
Grade 8	1.1%	1.3%	3.0%	97.0%
Grade 9	1.7%	2.5%	3.5%	96.5%
Grade 10	1.5%	3.1%	3.9%	96.1%
Grade 11	0.0%	1.3%	4.0%	96.0%
Grade 12	1.1%	1.6%	3.3%	96.7%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.2%	9.6%	16.9%	83.1%
Grade 7	3.7%	4.8%	9.5%	90.5%
Grade 8	3.9%	5.4%	12.2%	87.8%
Grade 9	7.2%	9.1%	18.5%	81.5%
Grade 10	6.5%	8.4%	14.1%	85.9%
Grade 11	8.7%	12.9%	21.2%	78.8%
Grade 12	13.3%	17.4%	25.9%	74.1%
Any Alcohol Product				
All	20.4%	23.3%	37.1%	62.9%
Grade 7	10.8%	12.7%	26.3%	73.7%
Grade 8	13.0%	15.7%	28.4%	71.6%
Grade 9	17.0%	19.9%	33.8%	66.2%
Grade 10	19.1%	20.7%	36.5%	63.5%
Grade 11	29.3%	33.7%	47.0%	53.0%
Grade 12	34.4%	38.3%	51.3%	48.7%
Any Illicit Drug				
All	7.1%	9.7%	13.2%	86.8%
Grade 7	4.2%	5.1%	6.3%	93.7%
Grade 8	4.7%	6.7%	9.4%	90.6%
Grade 9	6.8%	10.1%	12.1%	87.9%
Grade 10	7.1%	10.0%	13.6%	86.4%
Grade 11	7.8%	10.7%	17.5%	82.5%
Grade 12	12.8%	15.7%	21.0%	79.0%
Any Prescription Drug				
All	3.5%	5.0%	8.9%	91.1%
Grade 7	3.4%	5.2%	9.1%	90.9%
Grade 8	4.4%	6.0%	11.8%	88.2%
Grade 9	2.8%	4.2%	7.8%	92.2%
Grade 10	4.8%	5.7%	8.9%	91.1%
Grade 11	2.7%	4.4%	9.2%	90.8%
Grade 12	3.4%	4.8%	7.0%	93.0%
Any Inhalant				
All	2.5%	3.5%	6.8%	93.2%
Grade 7	3.7%	4.1%	8.3%	91.7%
Grade 8	2.8%	4.3%	8.6%	91.4%
Grade 9	3.2%	4.0%	8.1%	91.9%
Grade 10	1.4%	3.0%	4.4%	95.6%
Grade 11	1.8%	2.9%	4.2%	95.8%
Grade 12	2.0%	2.9%	6.9%	93.1%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.8%	8.5%	15.2%	84.8%
Grade 7	2.7%	4.1%	8.8%	91.2%
Grade 8	2.7%	4.6%	11.0%	89.0%
Grade 9	5.0%	6.6%	15.9%	84.1%
Grade 10	4.7%	7.8%	13.4%	86.6%
Grade 11	7.7%	12.4%	18.6%	81.4%
Grade 12	12.3%	16.2%	23.5%	76.5%
Marijuana				
All	6.7%	8.4%	11.9%	88.1%
Grade 7	3.6%	3.9%	4.9%	95.1%
Grade 8	4.0%	5.4%	8.4%	91.6%
Grade 9	6.5%	8.7%	10.7%	89.3%
Grade 10	6.5%	7.8%	11.4%	88.6%
Grade 11	7.8%	10.3%	16.9%	83.1%
Grade 12	12.3%	14.3%	19.8%	80.2%
Marijuana Only				
All	3.9%	5.2%	8.4%	91.6%
Grade 7	1.9%	2.2%	3.2%	96.8%
Grade 8	2.0%	2.7%	5.3%	94.7%
Grade 9	4.5%	6.2%	7.9%	92.1%
Grade 10	3.4%	4.3%	7.5%	92.5%
Grade 11	3.9%	5.9%	11.6%	88.4%
Grade 12	8.1%	10.1%	15.2%	84.8%
Cocaine or Crack				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.6%	1.2%	1.6%	98.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.7%	0.7%	1.5%	98.5%
Grade 11	0.0%	0.0%	1.4%	98.6%
Grade 12	0.9%	1.1%	1.1%	98.9%
Cocaine				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.6%	1.2%	1.6%	98.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.7%	0.7%	1.5%	98.5%
Grade 11	0.0%	0.0%	1.4%	98.6%
Grade 12	0.9%	1.1%	1.1%	98.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.7%	1.5%	98.5%
Grade 7	0.1%	0.6%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.9%	99.1%
Grade 10	1.1%	1.3%	2.2%	97.8%
Grade 11	0.0%	0.4%	1.7%	98.3%
Grade 12	1.3%	2.1%	2.8%	97.2%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.7%	99.3%
Ecstasy				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.0%	0.0%	1.4%	98.6%
Grade 12	0.3%	0.3%	0.7%	99.3%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.7%	1.0%	1.2%	98.8%
Grade 9	0.2%	0.5%	1.7%	98.3%
Grade 10	0.5%	0.7%	1.8%	98.2%
Grade 11	0.0%	0.3%	1.6%	98.4%
Grade 12	0.4%	0.6%	1.6%	98.4%
Methamphetamine				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.7%	0.7%	1.0%	99.0%
Delta 8				
All	0.6%	1.0%	2.0%	98.0%
Grade 7	1.0%	1.1%	1.4%	98.6%
Grade 8	0.3%	0.4%	1.6%	98.4%
Grade 9	0.3%	0.9%	2.2%	97.8%
Grade 10	0.7%	1.1%	2.1%	97.9%
Grade 11	0.4%	1.4%	3.1%	96.9%
Grade 12	1.0%	1.3%	1.8%	98.2%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.1%	15.0%	23.1%	76.9%
Grade 7	9.4%	11.2%	25.7%	74.3%
Grade 8	13.9%	15.3%	23.2%	76.8%
Grade 9	18.8%	22.5%	31.7%	68.3%
Grade 10	12.8%	14.2%	22.5%	77.5%
Grade 11	4.1%	7.4%	13.8%	86.2%
Grade 12	12.6%	19.0%	20.6%	79.4%
Any Alcohol Product				
All	25.6%	31.4%	44.1%	55.9%
Grade 7	22.9%	26.4%	41.4%	58.6%
Grade 8	26.4%	29.0%	44.3%	55.7%
Grade 9	34.1%	40.4%	55.9%	44.1%
Grade 10	27.6%	32.6%	47.5%	52.5%
Grade 11	16.8%	24.3%	32.2%	67.8%
Grade 12	22.9%	34.1%	40.0%	60.0%
Any Illicit Drug				
All	12.8%	18.1%	23.2%	76.8%
Grade 7	10.4%	16.8%	24.0%	76.0%
Grade 8	16.4%	20.9%	23.0%	77.0%
Grade 9	16.7%	22.3%	26.4%	73.6%
Grade 10	12.4%	17.6%	25.3%	74.7%
Grade 11	7.5%	12.3%	16.9%	83.1%
Grade 12	12.6%	18.0%	23.8%	76.2%
Any Prescription Drug				
All	3.4%	5.1%	10.8%	89.2%
Grade 7	4.1%	4.5%	9.9%	90.1%
Grade 8	1.7%	2.8%	7.5%	92.5%
Grade 9	6.8%	7.8%	15.8%	84.2%
Grade 10	2.1%	2.1%	9.4%	90.6%
Grade 11	1.4%	6.3%	7.8%	92.2%
Grade 12	4.2%	6.2%	14.3%	85.7%
Any Inhalant				
All	5.5%	7.9%	11.5%	88.5%
Grade 7	10.1%	12.8%	17.3%	82.7%
Grade 8	2.5%	5.6%	7.7%	92.3%
Grade 9	7.5%	11.1%	13.3%	86.7%
Grade 10	10.2%	11.4%	15.1%	84.9%
Grade 11	1.9%	3.3%	9.2%	90.8%
Grade 12	0.0%	1.9%	5.2%	94.8%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.3%	12.5%	19.5%	80.5%
Grade 7	8.1%	9.9%	24.1%	75.9%
Grade 8	11.6%	14.0%	19.7%	80.3%
Grade 9	16.2%	18.5%	26.9%	73.1%
Grade 10	6.0%	9.1%	16.3%	83.7%
Grade 11	2.8%	6.1%	10.6%	89.4%
Grade 12	10.7%	18.0%	19.6%	80.4%
Marijuana				
All	12.4%	14.7%	20.9%	79.1%
Grade 7	10.4%	11.1%	18.3%	81.7%
Grade 8	14.9%	16.3%	18.7%	81.3%
Grade 9	16.7%	20.8%	24.9%	75.1%
Grade 10	11.5%	13.4%	22.7%	77.3%
Grade 11	7.5%	8.9%	16.9%	83.1%
Grade 12	12.6%	16.5%	23.8%	76.2%
Marijuana Only				
All	5.6%	7.5%	13.1%	86.9%
Grade 7	6.8%	6.8%	13.1%	86.9%
Grade 8	5.7%	7.1%	8.8%	91.2%
Grade 9	8.2%	11.0%	15.1%	84.9%
Grade 10	3.7%	5.6%	13.7%	86.3%
Grade 11	4.3%	5.7%	13.8%	86.2%
Grade 12	4.2%	8.1%	13.9%	86.1%
Cocaine or Crack				
All	1.9%	2.1%	2.9%	97.1%
Grade 7	0.5%	1.2%	1.2%	98.8%
Grade 8	2.7%	3.0%	4.4%	95.6%
Grade 9	2.7%	2.7%	3.7%	96.3%
Grade 10	1.6%	1.6%	2.1%	97.9%
Grade 11	1.9%	1.9%	1.9%	98.1%
Grade 12	1.6%	1.6%	4.1%	95.9%
Cocaine				
All	1.9%	2.1%	2.9%	97.1%
Grade 7	0.5%	1.2%	1.2%	98.8%
Grade 8	2.7%	3.0%	4.4%	95.6%
Grade 9	2.7%	2.7%	3.7%	96.3%
Grade 10	1.6%	1.6%	2.1%	97.9%
Grade 11	1.9%	1.9%	1.9%	98.1%
Grade 12	1.6%	1.6%	4.1%	95.9%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.5%	1.2%	1.2%	98.8%
Grade 8	1.8%	1.8%	2.5%	97.5%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	1.6%	1.6%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.6%	98.4%
Hallucinogens				
All	1.3%	1.7%	4.0%	96.0%
Grade 7	0.5%	0.5%	1.4%	98.6%
Grade 8	2.2%	2.4%	4.4%	95.6%
Grade 9	1.0%	1.8%	4.8%	95.2%
Grade 10	0.0%	0.0%	4.3%	95.7%
Grade 11	1.3%	1.3%	3.2%	96.8%
Grade 12	3.5%	5.4%	6.4%	93.6%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	3.1%	96.9%
Ecstasy				
All	1.0%	1.3%	2.3%	97.7%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	1.6%	1.6%	1.8%	98.2%
Grade 9	1.0%	2.5%	2.5%	97.5%
Grade 10	0.9%	0.9%	3.1%	96.9%
Grade 11	1.3%	1.3%	3.2%	96.8%
Grade 12	0.0%	0.0%	2.5%	97.5%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	2.7%	3.1%	4.4%	95.6%
Grade 7	0.9%	3.8%	4.7%	95.3%
Grade 8	4.7%	5.0%	8.0%	92.0%
Grade 9	2.5%	2.5%	3.4%	96.6%
Grade 10	4.8%	4.8%	6.9%	93.1%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	1.6%	1.6%	2.6%	97.4%
Methamphetamine				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.7%	1.0%	2.3%	97.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Delta 8				
All	1.1%	2.1%	3.5%	96.5%
Grade 7	2.2%	3.1%	4.0%	96.0%
Grade 8	3.5%	3.5%	4.2%	95.8%
Grade 9	1.0%	2.5%	3.8%	96.2%
Grade 10	0.0%	2.2%	4.3%	95.7%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	0.0%	2.0%	2.9%	97.1%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	34,500	45.4%
Female	41,545	54.6%
Frequency Missing	450	

Hispanic or Latino

Q5a	Frequency	Percent
No	5,694	7.5%
Yes	70,356	92.5%
Frequency Missing	444	

Grade

Q2	Frequency	Percent
Grade 7	12,004	15.7%
Grade 8	12,041	15.8%
Grade 9	15,288	20.0%
Grade 10	12,857	16.8%
Grade 11	13,446	17.6%
Grade 12	10,709	14.0%
Frequency Missing	149	

Ethnicity

Q5b	Frequency	Percent
American Indian	1,569	2.2%
Asian American	741	1.0%
African American	2,480	3.5%
Pacific Islander	137	0.2%
White	37,342	52.0%
Other	19,713	27.5%
More Than One Race	9,809	13.7%
Frequency Missing	4,704	

Live with Both Parents

Q3	Frequency	Percent
No	30,010	39.6%
Yes	45,839	60.4%
Frequency Missing	644	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	344	0.5%
Mostly D's	1,007	1.4%
Mostly C's	9,990	13.8%
Mostly B's	34,935	48.3%
Mostly A's	26,089	36.1%
Frequency Missing	4,128	

Age

Q4	Frequency	Percent
11 or younger	466	0.6%
12	5,128	6.7%
13	11,087	14.5%
14	12,827	16.8%
15	14,003	18.4%
16	12,923	16.9%
17	12,908	16.9%
18	6,101	8.0%
19 or older	855	1.1%
Frequency Missing	197	

Do You Have a Job

Q7	Frequency	Percent
No	61,969	85.5%
Yes	10,487	14.5%
Frequency Missing	4,037	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	9,777	13.5%
Yes	33,408	46.2%
Don't Know	29,057	40.2%
Frequency Missing	4,252	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	38,654	55.8%
Yes	30,659	44.2%
Frequency Missing	7,181	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	51,925	78.5%
Yes	14,210	21.5%
Frequency Missing	10,359	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	52,638	79.1%
Yes	13,882	20.9%
Frequency Missing	9,974	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	47,660	72.1%
Yes	18,471	27.9%
Frequency Missing	10,363	

Participate in School Choir

Q9c	Frequency	Percent
No	61,993	95.1%
Yes	3,217	4.9%
Frequency Missing	11,284	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	45,442	67.9%
Yes	21,436	32.1%
Frequency Missing	9,616	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	61,986	94.9%
Yes	3,350	5.1%
Frequency Missing	11,158	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	52,824	80.0%
Yes	13,217	20.0%
Frequency Missing	10,452	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	58,269	89.4%
Yes	6,944	10.6%
Frequency Missing	11,280	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	68,446	89.9%
Somewhat Safe	6,748	8.9%
Not Very Safe	315	0.4%
Not Safe At All	206	0.3%
Don't Know	425	0.6%
Frequency Missing	354	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	36,735	48.4%
Somewhat Safe	33,506	44.1%
Not Very Safe	3,966	5.2%
Not Safe At All	656	0.9%
Don't Know	1,075	1.4%
Frequency Missing	556	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	44,954	62.6%
Yes	26,853	37.4%
Frequency Missing	4,687	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	23,662	31.2%
Somewhat Safe	39,527	52.1%
Not Very Safe	7,646	10.1%
Not Safe At All	2,790	3.7%
Don't Know	2,237	2.9%
Frequency Missing	631	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	3,893	5.2%
A Few	14,231	19.0%
Some	17,744	23.7%
Most	27,425	36.6%
All	11,662	15.6%
Frequency Missing	1,540	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	6,222	8.4%
Some High School	8,430	11.4%
Finished High School	13,737	18.6%
Some College	7,244	9.8%
Finished College	12,341	16.7%
Post-Secondary	11,830	16.0%
Don't Know or N/A	13,964	18.9%
Frequency Missing	2,726	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	1,773	2.4%
A Few	8,027	10.7%
Some	17,855	23.8%
Most	31,502	42.1%
All	15,714	21.0%
Frequency Missing	1,623	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	5,629	7.6%
Some High School	7,828	10.6%
Finished High School	12,736	17.2%
Some College	10,548	14.3%
Finished College	15,768	21.3%
Post-Secondary	12,677	17.1%
Don't Know or N/A	8,812	11.9%
Frequency Missing	2,495	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	34,728	47.0%
A Few	20,984	28.4%
Some	11,544	15.6%
Most	4,336	5.9%
All	2,255	3.1%
Frequency Missing	2,646	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	65,895	88.4%
A Few	5,231	7.0%
Some	2,009	2.7%
Most	598	0.8%
All	827	1.1%
Frequency Missing	1,935	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	74,509	99.4%
In Your Lifetime	246	0.3%
Since School Began	98	0.1%
In the Past Month	121	0.2%
Frequency Missing	1,520	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	65,981	88.3%
A Few	5,730	7.7%
Some	1,772	2.4%
Most	622	0.8%
All	635	0.8%
Frequency Missing	1,755	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	73,512	97.8%
In Your Lifetime	1,009	1.3%
Since School Began	197	0.3%
In the Past Month	419	0.6%
Frequency Missing	1,356	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	74,242	98.8%
In Your Lifetime	601	0.8%
Since School Began	89	0.1%
In the Past Month	235	0.3%
Frequency Missing	1,327	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	74,488	99.2%
In Your Lifetime	362	0.5%
Since School Began	104	0.1%
In the Past Month	152	0.2%
Frequency Missing	1,388	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	72,975	97.1%
In Your Lifetime	1,229	1.6%
Since School Began	235	0.3%
In the Past Month	686	0.9%
Frequency Missing	1,368	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	74,735	99.5%
In Your Lifetime	152	0.2%
Since School Began	26	0.0%
In the Past Month	164	0.2%
Frequency Missing	1,416	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	73,856	98.4%
In Your Lifetime	698	0.9%
Since School Began	130	0.2%
In the Past Month	368	0.5%
Frequency Missing	1,442	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	57,034	76.7%
In Your Lifetime	8,611	11.6%
Since School Began	2,487	3.3%
In the Past Month	6,231	8.4%
Frequency Missing	2,132	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	74,250	98.9%
In Your Lifetime	403	0.5%
Since School Began	79	0.1%
In the Past Month	370	0.5%
Frequency Missing	1,392	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	62,125	83.1%
In Your Lifetime	5,464	7.3%
Since School Began	2,080	2.8%
In the Past Month	5,057	6.8%
Frequency Missing	1,769	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	70,394	93.9%
In Your Lifetime	2,986	4.0%
Since School Began	490	0.7%
In the Past Month	1,127	1.5%
Frequency Missing	1,498	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	61,131	82.3%
In Your Lifetime	7,405	10.0%
Since School Began	1,808	2.4%
In the Past Month	3,921	5.3%
Frequency Missing	2,230	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	72,469	97.0%
In Your Lifetime	1,187	1.6%
Since School Began	538	0.7%
In the Past Month	547	0.7%
Frequency Missing	1,753	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	60,135	80.8%
In Your Lifetime	6,133	8.2%
Since School Began	2,491	3.3%
In the Past Month	5,660	7.6%
Frequency Missing	2,075	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	73,625	98.3%
In Your Lifetime	811	1.1%
Since School Began	149	0.2%
In the Past Month	302	0.4%
Frequency Missing	1,607	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	62,699	83.7%
In Your Lifetime	5,251	7.0%
Since School Began	2,110	2.8%
In the Past Month	4,812	6.4%
Frequency Missing	1,623	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	73,573	97.9%
In Your Lifetime	771	1.0%
Since School Began	276	0.4%
In the Past Month	494	0.7%
Frequency Missing	1,380	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	65,987	87.9%
In Your Lifetime	4,427	5.9%
Since School Began	1,343	1.8%
In the Past Month	3,296	4.4%
Frequency Missing	1,441	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	74,912	99.9%
In Your Lifetime	52	0.1%
Since School Began	20	0.0%
In the Past Month	0	0.0%
Frequency Missing	1,510	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	74,246	98.8%
In Your Lifetime	488	0.6%
Since School Began	109	0.1%
In the Past Month	275	0.4%
Frequency Missing	1,376	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	74,590	99.4%
In Your Lifetime	314	0.4%
Since School Began	0	0.0%
In the Past Month	99	0.1%
Frequency Missing	1,491	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	74,724	99.7%
In Your Lifetime	133	0.2%
Since School Began	49	0.1%
In the Past Month	34	0.0%
Frequency Missing	1,554	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	74,359	99.1%
In Your Lifetime	430	0.6%
Since School Began	50	0.1%
In the Past Month	176	0.2%
Frequency Missing	1,479	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	74,993	99.9%
In Your Lifetime	19	0.0%
Since School Began	42	0.1%
In the Past Month	38	0.1%
Frequency Missing	1,402	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	69,659	93.7%
In Your Lifetime	2,356	3.2%
Since School Began	921	1.2%
In the Past Month	1,427	1.9%
Frequency Missing	2,131	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	74,722	99.5%
In Your Lifetime	215	0.3%
Since School Began	6	0.0%
In the Past Month	177	0.2%
Frequency Missing	1,373	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	73,804	99.0%
In Your Lifetime	368	0.5%
Since School Began	134	0.2%
In the Past Month	270	0.4%
Frequency Missing	1,917	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	73,695	98.3%
In Your Lifetime	572	0.8%
Since School Began	195	0.3%
In the Past Month	489	0.7%
Frequency Missing	1,543	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	73,088	98.3%
In Your Lifetime	745	1.0%
Since School Began	173	0.2%
In the Past Month	367	0.5%
Frequency Missing	2,121	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	73,151	97.9%
In Your Lifetime	898	1.2%
Since School Began	277	0.4%
In the Past Month	423	0.6%
Frequency Missing	1,744	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	72,747	97.9%
In Your Lifetime	613	0.8%
Since School Began	271	0.4%
In the Past Month	708	1.0%
Frequency Missing	2,155	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	71,097	95.8%
In Your Lifetime	1,390	1.9%
Since School Began	449	0.6%
In the Past Month	1,306	1.8%
Frequency Missing	2,251	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	73,544	98.8%
1-2 times	734	1.0%
3-10 times	84	0.1%
11+ times	54	0.1%
Frequency Missing	2,078	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	73,057	98.4%
In Your Lifetime	551	0.7%
Since School Began	99	0.1%
In the Past Month	532	0.7%
Frequency Missing	2,254	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	69,108	92.7%
1-2 times	2,569	3.4%
3-10 times	1,262	1.7%
11+ times	1,580	2.1%
Frequency Missing	1,976	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	71,997	96.5%
1-2 times	1,203	1.6%
3-10 times	605	0.8%
11+ times	814	1.1%
Frequency Missing	1,875	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	74,178	99.5%
1-2 times	260	0.3%
3-10 times	32	0.0%
11+ times	77	0.1%
Frequency Missing	1,947	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	61,381	82.5%
1-2 times	8,330	11.2%
3-10 times	3,131	4.2%
11+ times	1,566	2.1%
Frequency Missing	2,085	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	74,252	99.8%
1-2 times	79	0.1%
3-10 times	0	0.0%
11+ times	34	0.0%
Frequency Missing	2,129	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	63,288	85.3%
A few	7,447	10.0%
Some	2,239	3.0%
Most	980	1.3%
All	281	0.4%
Frequency Missing	2,260	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	48,099	64.8%
A few	13,752	18.5%
Some	6,964	9.4%
Most	4,379	5.9%
All	1,085	1.5%
Frequency Missing	2,215	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	70,513	95.2%
A few	2,350	3.2%
Some	714	1.0%
Most	268	0.4%
All	197	0.3%
Frequency Missing	2,452	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	55,244	74.5%
A few	10,764	14.5%
Some	4,628	6.2%
Most	2,653	3.6%
All	909	1.2%
Frequency Missing	2,295	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	69,073	93.5%
8 or younger	310	0.4%
9 years old	165	0.2%
10 years old	124	0.2%
11 years old	265	0.4%
12 years old	594	0.8%
13 years old	789	1.1%
14 years old	873	1.2%
15 years old	632	0.9%
16 years old	447	0.6%
17 years old	286	0.4%
18 or older	278	0.4%
Frequency Missing	2,657	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	52,368	71.1%
8 or younger	1,935	2.6%
9 years old	626	0.9%
10 years old	1,379	1.9%
11 years old	1,225	1.7%
12 years old	2,512	3.4%
13 years old	2,752	3.7%
14 years old	3,001	4.1%
15 years old	3,457	4.7%
16 years old	2,441	3.3%
17 years old	1,118	1.5%
18 or older	793	1.1%
Frequency Missing	2,886	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	72,163	98.0%
8 or younger	225	0.3%
9 years old	118	0.2%
10 years old	196	0.3%
11 years old	115	0.2%
12 years old	271	0.4%
13 years old	173	0.2%
14 years old	242	0.3%
15 years old	42	0.1%
16 years old	12	0.0%
17 years old	29	0.0%
18 or older	29	0.0%
Frequency Missing	2,878	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	65,270	88.3%
8 or younger	237	0.3%
9 years old	31	0.0%
10 years old	299	0.4%
11 years old	800	1.1%
12 years old	1,198	1.6%
13 years old	1,640	2.2%
14 years old	1,453	2.0%
15 years old	1,399	1.9%
16 years old	1,050	1.4%
17 years old	362	0.5%
18 or older	165	0.2%
Frequency Missing	2,590	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	73,427	99.3%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	31	0.0%
11 years old	32	0.0%
12 years old	77	0.1%
13 years old	104	0.1%
14 years old	78	0.1%
15 years old	92	0.1%
16 years old	83	0.1%
17 years old	24	0.0%
18 or older	20	0.0%
Frequency Missing	2,526	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	73,485	99.3%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	31	0.0%
13 years old	230	0.3%
14 years old	73	0.1%
15 years old	135	0.2%
16 years old	0	0.0%
17 years old	29	0.0%
18 or older	0	0.0%
Frequency Missing	2,510	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	73,781	99.8%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	21	0.0%
12 years old	0	0.0%
13 years old	48	0.1%
14 years old	53	0.1%
15 years old	0	0.0%
16 years old	52	0.1%
17 years old	0	0.0%
Frequency Missing	2,538	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	74,003	100.0%
8 or younger	16	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	7	0.0%
12 years old	0	0.0%
13 years old	13	0.0%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	2,456	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	73,701	99.6%
8 or younger	49	0.1%
9 years old	0	0.0%
10 years old	21	0.0%
11 years old	0	0.0%
12 years old	65	0.1%
13 years old	0	0.0%
14 years old	37	0.0%
15 years old	111	0.2%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	2,511	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	73,802	99.7%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	22	0.0%
11 years old	14	0.0%
12 years old	40	0.1%
13 years old	6	0.0%
14 years old	103	0.1%
15 years old	43	0.1%
16 years old	24	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	2,439	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	72,796	98.5%
8 or younger	0	0.0%
9 years old	29	0.0%
10 years old	78	0.1%
11 years old	78	0.1%
12 years old	228	0.3%
13 years old	160	0.2%
14 years old	288	0.4%
15 years old	160	0.2%
16 years old	54	0.1%
17 years old	29	0.0%
18 or older	38	0.1%
Frequency Missing	2,556	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	72,590	98.1%
8 or younger	6	0.0%
9 years old	43	0.1%
10 years old	98	0.1%
11 years old	144	0.2%
12 years old	86	0.1%
13 years old	216	0.3%
14 years old	302	0.4%
15 years old	251	0.3%
16 years old	142	0.2%
17 years old	86	0.1%
18 or older	38	0.1%
Frequency Missing	2,492	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	34,259	46.4%
Impossible	14,472	19.6%
Very Difficult	5,005	6.8%
Somewhat diff	6,642	9.0%
Somewhat easy	6,185	8.4%
Very easy	7,329	9.9%
Frequency Missing	2,603	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	28,823	39.0%
Impossible	9,895	13.4%
Very Difficult	4,508	6.1%
Somewhat diff	8,134	11.0%
Somewhat easy	9,716	13.1%
Very easy	12,823	17.4%
Frequency Missing	2,595	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	39,197	53.3%
Impossible	11,282	15.3%
Very Difficult	2,911	4.0%
Somewhat diff	3,754	5.1%
Somewhat easy	4,939	6.7%
Very easy	11,486	15.6%
Frequency Missing	2,926	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	32,540	44.2%
Impossible	15,361	20.9%
Very Difficult	5,301	7.2%
Somewhat diff	6,309	8.6%
Somewhat easy	6,604	9.0%
Very easy	7,555	10.3%
Frequency Missing	2,824	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	37,770	51.3%
Impossible	20,861	28.3%
Very Difficult	6,473	8.8%
Somewhat diff	4,359	5.9%
Somewhat easy	1,954	2.7%
Very easy	2,231	3.0%
Frequency Missing	2,846	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	40,008	54.2%
Impossible	21,682	29.4%
Very Difficult	6,079	8.2%
Somewhat diff	3,092	4.2%
Somewhat easy	1,253	1.7%
Very easy	1,696	2.3%
Frequency Missing	2,683	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	43,674	59.2%
Impossible	20,013	27.1%
Very Difficult	5,205	7.1%
Somewhat diff	2,406	3.3%
Somewhat easy	1,080	1.5%
Very easy	1,431	1.9%
Frequency Missing	2,684	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	41,294	56.0%
Impossible	19,564	26.5%
Very Difficult	5,859	7.9%
Somewhat diff	3,680	5.0%
Somewhat easy	1,632	2.2%
Very easy	1,727	2.3%
Frequency Missing	2,736	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	45,218	61.3%
Impossible	16,890	22.9%
Very Difficult	4,156	5.6%
Somewhat diff	3,107	4.2%
Somewhat easy	2,158	2.9%
Very easy	2,269	3.1%
Frequency Missing	2,694	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	45,616	61.9%
Impossible	17,662	24.0%
Very Difficult	5,067	6.9%
Somewhat diff	2,510	3.4%
Somewhat easy	1,160	1.6%
Very easy	1,650	2.2%
Frequency Missing	2,829	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	46,736	63.6%
Impossible	15,458	21.0%
Very Difficult	4,039	5.5%
Somewhat diff	2,803	3.8%
Somewhat easy	2,065	2.8%
Very easy	2,411	3.3%
Frequency Missing	2,981	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	43,234	58.6%
Impossible	20,660	28.0%
Very Difficult	4,959	6.7%
Somewhat diff	2,591	3.5%
Somewhat easy	935	1.3%
Very easy	1,338	1.8%
Frequency Missing	2,778	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	425	0.6%
Several times/wk	376	0.5%
Several times/mo	331	0.4%
About once/month	658	0.9%
About once/year	639	0.9%
Less than once/year	1,586	2.1%
Never used	69,858	94.6%
Frequency Missing	2,620	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	108	0.1%
Several times/wk	848	1.2%
Several times/mo	2,824	3.8%
About once/month	4,717	6.4%
About once/year	5,042	6.8%
Less than once/year	4,615	6.3%
Never used	55,514	75.4%
Frequency Missing	2,826	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	25	0.0%
Several times/mo	66	0.1%
About once/month	58	0.1%
About once/year	79	0.1%
Less than once/year	218	0.3%
Never used	73,333	99.4%
Frequency Missing	2,715	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	76	0.1%
Several times/wk	90	0.1%
Several times/mo	83	0.1%
About once/month	278	0.4%
About once/year	277	0.4%
Less than once/year	727	1.0%
Never used	72,116	97.9%
Frequency Missing	2,848	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	13	0.0%
Several times/wk	0	0.0%
Several times/mo	7	0.0%
About once/month	25	0.0%
About once/year	14	0.0%
Less than once/year	105	0.1%
Never used	73,631	99.8%
Frequency Missing	2,699	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	574	0.8%
Several times/wk	848	1.1%
Several times/mo	622	0.8%
About once/month	1,399	1.9%
About once/year	1,567	2.1%
Less than once/year	1,972	2.7%
Never used	66,738	90.5%
Frequency Missing	2,775	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	11	0.0%
Several times/wk	33	0.0%
Several times/mo	37	0.0%
About once/month	29	0.0%
About once/year	0	0.0%
Less than once/year	117	0.2%
Never used	73,596	99.7%
Frequency Missing	2,672	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	17	0.0%
Several times/wk	0	0.0%
Several times/mo	44	0.1%
About once/month	29	0.0%
About once/year	43	0.1%
Less than once/year	280	0.4%
Never used	73,275	99.4%
Frequency Missing	2,806	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	14	0.0%
Several times/wk	200	0.3%
Several times/mo	30	0.0%
About once/month	183	0.2%
About once/year	244	0.3%
Less than once/year	292	0.4%
Never used	72,678	98.7%
Frequency Missing	2,853	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	31	0.0%
Several times/wk	13	0.0%
Several times/mo	0	0.0%
About once/month	7	0.0%
About once/year	13	0.0%
Less than once/year	3	0.0%
Never used	73,698	99.9%
Frequency Missing	2,729	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	111	0.2%
Several times/wk	107	0.1%
Several times/mo	71	0.1%
About once/month	297	0.4%
About once/year	334	0.5%
Less than once/year	399	0.5%
Never used	72,085	98.2%
Frequency Missing	3,090	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	0	0.0%
Several times/wk	13	0.0%
Several times/mo	27	0.0%
About once/month	14	0.0%
About once/year	7	0.0%
Less than once/year	56	0.1%
Never used	73,694	99.8%
Frequency Missing	2,682	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	55,949	75.9%
12+ drinks	646	0.9%
9-11 drinks	484	0.7%
5-8 drinks	1,343	1.8%
3-4 drinks	2,498	3.4%
2 drinks	2,972	4.0%
1 drink	3,346	4.5%
Less than 1 drink	6,515	8.8%
Frequency Missing	2,741	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	60,111	81.5%
12+ drinks	434	0.6%
9-11 drinks	298	0.4%
5-8 drinks	1,187	1.6%
3-4 drinks	2,399	3.3%
2 drinks	2,779	3.8%
1 drink	3,037	4.1%
Less than 1 drink	3,527	4.8%
Frequency Missing	2,723	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	46,958	64.3%
0 days	20,539	28.1%
1 day	2,460	3.4%
2 days	1,220	1.7%
3 to 5 days	916	1.3%
6 to 9 days	204	0.3%
10 or more days	789	1.1%
Frequency Missing	3,409	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	60,258	81.9%
12+ drinks	110	0.1%
9-11 drinks	24	0.0%
5-8 drinks	393	0.5%
3-4 drinks	1,060	1.4%
2 drinks	1,772	2.4%
1 drink	3,833	5.2%
Less than 1 drink	6,102	8.3%
Frequency Missing	2,942	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	52,271	71.0%
Never	10,277	14.0%
Seldom	7,335	10.0%
Most of the Time	2,215	3.0%
Always	1,504	2.0%
Frequency Missing	2,891	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	58,346	79.0%
12+ drinks	635	0.9%
9-11 drinks	645	0.9%
5-8 drinks	1,723	2.3%
3-4 drinks	2,498	3.4%
2 drinks	2,549	3.5%
1 drink	2,689	3.6%
Less than 1 drink	4,723	6.4%
Frequency Missing	2,685	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	52,654	71.7%
Never	10,448	14.2%
Seldom	5,344	7.3%
Most of the Time	3,766	5.1%
Always	1,259	1.7%
Frequency Missing	3,022	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	54,067	73.7%
Never	14,695	20.0%
Seldom	2,501	3.4%
Most of the Time	1,226	1.7%
Always	882	1.2%
Frequency Missing	3,123	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	50,678	69.0%
Never	8,311	11.3%
Seldom	6,047	8.2%
Most of the Time	4,856	6.6%
Always	3,574	4.9%
Frequency Missing	3,027	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	56,442	77.5%
Somewhat	8,378	11.5%
Not very	2,983	4.1%
Not at all	716	1.0%
Don't know	4,281	5.9%
Frequency Missing	3,695	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	54,648	74.7%
Never	11,983	16.4%
Seldom	3,460	4.7%
Most of the Time	1,875	2.6%
Always	1,155	1.6%
Frequency Missing	3,373	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	51,556	70.7%
Somewhat	10,145	13.9%
Not very	5,996	8.2%
Not at all	2,294	3.1%
Don't know	2,914	4.0%
Frequency Missing	3,588	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	52,635	72.0%
Somewhat	13,695	18.7%
Not very	3,143	4.3%
Not at all	509	0.7%
Don't know	3,122	4.3%
Frequency Missing	3,391	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	65,487	89.8%
Somewhat	3,678	5.0%
Not very	567	0.8%
Not at all	244	0.3%
Don't know	2,968	4.1%
Frequency Missing	3,550	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	42,166	58.0%
Somewhat	18,513	25.5%
Not very	8,209	11.3%
Not at all	1,217	1.7%
Don't know	2,609	3.6%
Frequency Missing	3,779	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	66,053	90.4%
Somewhat	2,967	4.1%
Not very	446	0.6%
Not at all	240	0.3%
Don't know	3,377	4.6%
Frequency Missing	3,411	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	62,561	85.7%
Somewhat	3,324	4.6%
Not very	834	1.1%
Not at all	259	0.4%
Don't know	6,057	8.3%
Frequency Missing	3,460	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	60,512	83.0%
Somewhat	4,607	6.3%
Not very	1,631	2.2%
Not at all	467	0.6%
Don't know	5,727	7.9%
Frequency Missing	3,550	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	59,795	82.0%
Somewhat	6,301	8.6%
Not very	1,816	2.5%
Not at all	518	0.7%
Don't know	4,498	6.2%
Frequency Missing	3,565	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	58,884	80.9%
Somewhat	4,843	6.7%
Not very	1,905	2.6%
Not at all	836	1.1%
Don't know	6,348	8.7%
Frequency Missing	3,679	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	65,454	89.6%
Somewhat	2,798	3.8%
Not very	505	0.7%
Not at all	252	0.3%
Don't know	4,061	5.6%
Frequency Missing	3,425	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	59,015	81.0%
Somewhat	6,996	9.6%
Not very	2,073	2.8%
Not at all	546	0.7%
Don't know	4,266	5.9%
Frequency Missing	3,599	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	65,213	89.3%
Somewhat	2,696	3.7%
Not very	544	0.7%
Not at all	276	0.4%
Don't know	4,324	5.9%
Frequency Missing	3,441	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	53,447	73.3%
Somewhat	10,700	14.7%
Not very	4,499	6.2%
Not at all	1,040	1.4%
Don't know	3,209	4.4%
Frequency Missing	3,600	

Days Skipped Since September

Q28a	Frequency	Percent
None	60,349	83.4%
1-3 days	8,553	11.8%
4-9 days	1,923	2.7%
10+ days	1,502	2.1%
Frequency Missing	4,166	

Someone Called Home Since September

Q28e	Frequency	Percent
None	65,762	91.0%
1-3 days	5,362	7.4%
4-9 days	623	0.9%
10+ days	531	0.7%
Frequency Missing	4,216	

Days Ill Since September

Q28b	Frequency	Percent
None	23,173	32.1%
1-3 days	33,258	46.0%
4-9 days	11,568	16.0%
10+ days	4,296	5.9%
Frequency Missing	4,199	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	70,594	97.7%
1-3 times	1,326	1.8%
4-9 times	195	0.3%
10+ times	142	0.2%
Frequency Missing	4,237	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	28,256	39.5%
1-3 days	33,082	46.3%
4-9 days	6,693	9.4%
10+ days	3,421	4.8%
Frequency Missing	5,042	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	70,782	98.1%
1-3 times	990	1.4%
4-9 times	221	0.3%
10+ times	124	0.2%
Frequency Missing	4,377	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	66,191	91.5%
1-3 days	5,016	6.9%
4-9 days	667	0.9%
10+ days	451	0.6%
Frequency Missing	4,169	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	70,414	97.6%
1-3 times	1,419	2.0%
4-9 times	192	0.3%
10+ times	89	0.1%
Frequency Missing	4,379	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	70,709	98.1%
1-3 times	889	1.2%
4-9 times	259	0.4%
10+ times	197	0.3%
Frequency Missing	4,440	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	70,331	97.4%
1-3 days	1,472	2.0%
4-9 days	267	0.4%
10+ days	153	0.2%
Frequency Missing	4,271	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	44,001	61.1%
Seldom	4,333	6.0%
Half the time	3,057	4.2%
Most of the Time	4,982	6.9%
Always	5,169	7.2%
Don't Know	1,371	1.9%
Didn't attend	9,083	12.6%
Frequency Missing	4,499	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	68,379	94.8%
1-3 days	2,101	2.9%
4-9 days	668	0.9%
10+ days	1,005	1.4%
Frequency Missing	4,341	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	50,143	69.7%
Seldom	3,308	4.6%
Half the time	2,346	3.3%
Most of the Time	2,602	3.6%
Always	2,500	3.5%
Don't Know	1,942	2.7%
Didn't attend	9,113	12.7%
Frequency Missing	4,541	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	71,459	99.2%
1-3 days	290	0.4%
4-9 days	234	0.3%
10+ days	63	0.1%
Frequency Missing	4,448	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	62,247	92.7%
Yes	4,932	7.3%
Frequency Missing	9,315	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	70,983	98.5%
1-3 days	639	0.9%
4-9 days	251	0.3%
10+ days	170	0.2%
Frequency Missing	4,452	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	46,420	65.3%
Yes	24,619	34.7%
Frequency Missing	5,454	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	51,806	73.3%
Yes	18,912	26.7%
Frequency Missing	5,775	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	28,058	39.6%
Yes	42,778	60.4%
Frequency Missing	5,658	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	40,576	57.3%
Yes	30,220	42.7%
Frequency Missing	5,698	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	43,053	60.9%
Yes	27,642	39.1%
Frequency Missing	5,799	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	19,303	27.2%
Yes	51,746	72.8%
Frequency Missing	5,445	

Would Not Seek Help

Q33i	Frequency	Percent
No	52,555	75.7%
Yes	16,903	24.3%
Frequency Missing	7,036	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	26,858	38.0%
Yes	43,806	62.0%
Frequency Missing	5,829	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	28,985	41.1%
Yes	41,490	58.9%
Frequency Missing	6,019	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	25,133	35.6%
Yes	45,417	64.4%
Frequency Missing	5,943	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	30,052	42.9%
Yes	39,974	57.1%
Frequency Missing	6,468	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	40,289	57.7%
Yes	29,500	42.3%
Frequency Missing	6,705	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	43,168	62.0%
Yes	26,471	38.0%
Frequency Missing	6,855	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	51,985	74.6%
Yes	17,718	25.4%
Frequency Missing	6,790	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	59,551	82.8%
Mild disapprove	3,601	5.0%
Neither	3,095	4.3%
Mildly approve	384	0.5%
Strongly approve	349	0.5%
Don't know	4,920	6.8%
Frequency Missing	4,593	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	46,180	66.4%
Yes	23,365	33.6%
Frequency Missing	6,949	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	46,868	65.2%
Mild disapprove	9,347	13.0%
Neither	8,238	11.5%
Mildly approve	2,353	3.3%
Strongly approve	445	0.6%
Don't know	4,597	6.4%
Frequency Missing	4,645	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	53,597	77.2%
Yes	15,851	22.8%
Frequency Missing	7,046	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	58,701	81.8%
Mild disapprove	3,584	5.0%
Neither	3,958	5.5%
Mildly approve	694	1.0%
Strongly approve	468	0.7%
Don't know	4,399	6.1%
Frequency Missing	4,691	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	41,345	59.3%
Yes	28,385	40.7%
Frequency Missing	6,763	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
<p>Tobacco Use in Past Month (Q19a : tobac_30)</p>	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.</p>
<p>Age When First Used Tobacco (Q21a : tobac_1)</p>	<p>If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.</p>
	<p>If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.</p>
<p>How Often Normally Use Tobacco (Q23a : tobac_u)</p>	<p>If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.</p>
	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.</p>
	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.</p>
	<p>If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.</p>

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

