# TEXAS SCHOOL SURVEY
OF
## Drug and Alcohol Use

★

## 2024



**HHSC REGION 11 REPORT**

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University


Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

# Table of Contents

# Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 11. It is divided into three major sections. The first section, titled "General Substance Use Tables", focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students' likelihood to use. The second section, titled "Prevalence Tables", provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, "Margin Tables", details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students' answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students' answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was "Since School Began in the Fall", but also reported on Q19d that they had used marijuana "1-2 Times" in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.**

# 1   General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product?** |  |  |  |  |
| All | 8.0% | 9.9% | 18.3% | 81.7% |
| Grade 7 | 4.8% | 6.0% | 13.7% | 86.3% |
| Grade 8 | 5.9% | 6.9% | 14.5% | 85.5% |
| Grade 9 | 7.9% | 9.8% | 18.6% | 81.4% |
| Grade 10 | 7.9% | 9.8% | 17.1% | 82.9% |
| Grade 11 | 10.2% | 12.7% | 22.3% | 77.7% |
| Grade 12 | 11.8% | 14.9% | 24.0% | 76.0% |
|  |  |  |  |  |
| **Cigarettes?** |  |  |  |  |
| All | 1.5% | 2.2% | 6.7% | 93.3% |
| Grade 7 | 1.0% | 1.4% | 4.7% | 95.3% |
| Grade 8 | 0.8% | 1.3% | 4.5% | 95.5% |
| Grade 9 | 1.9% | 2.1% | 6.8% | 93.2% |
| Grade 10 | 1.9% | 2.1% | 6.1% | 93.9% |
| Grade 11 | 1.7% | 2.4% | 8.2% | 91.8% |
| Grade 12 | 1.8% | 4.1% | 10.1% | 89.9% |
|  |  |  |  |  |
| **Smokeless Tobacco?** |  |  |  |  |
| All | 1.2% | 1.6% | 2.9% | 97.1% |
| Grade 7 | 0.7% | 0.9% | 1.8% | 98.2% |
| Grade 8 | 0.8% | 0.8% | 1.8% | 98.2% |
| Grade 9 | 0.8% | 1.2% | 2.3% | 97.7% |
| Grade 10 | 1.4% | 2.0% | 3.2% | 96.8% |
| Grade 11 | 2.2% | 2.5% | 4.2% | 95.8% |
| Grade 12 | 1.3% | 2.0% | 4.1% | 95.9% |
|  |  |  |  |  |
| **Electronic Vapor Products?** |  |  |  |  |
| All | 5.9% | 7.9% | 15.9% | 84.1% |
| Grade 7 | 3.2% | 4.8% | 11.3% | 88.7% |
| Grade 8 | 4.4% | 5.8% | 12.3% | 87.7% |
| Grade 9 | 4.9% | 6.8% | 15.7% | 84.3% |
| Grade 10 | 6.5% | 8.3% | 15.3% | 84.7% |
| Grade 11 | 7.7% | 10.4% | 20.1% | 79.9% |
| Grade 12 | 9.0% | 12.0% | 21.6% | 78.4% |

### Table T-2: How Often Do You Normally Use Tobacco?

|  | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once Month | About Once a Year | Less Than Once a Year |
|---|---|---|---|---|---|---|---|
| All | 94.4% | 0.4% | 0.4% | 0.4% | 1.2% | 1.0% | 2.1% |
| Grade 7 | 97.2% | 0.1% | 0.3% | 0.0% | 0.8% | 0.3% | 1.2% |
| Grade 8 | 96.4% | 0.0% | 0.6% | 0.5% | 0.6% | 0.9% | 1.1% |
| Grade 9 | 94.0% | 0.0% | 0.2% | 0.5% | 1.3% | 0.8% | 3.2% |
| Grade 10 | 94.4% | 1.1% | 0.5% | 0.2% | 1.2% | 1.0% | 1.7% |
| Grade 11 | 92.5% | 0.8% | 0.8% | 0.4% | 1.9% | 1.2% | 2.4% |
| Grade 12 | 91.3% | 0.5% | 0.3% | 1.1% | 1.5% | 2.1% | 3.1% |

### Table T-3: Average Age of First Use of Tobacco

|  | All | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|---|---|---|---|---|---|---|---|
| Any Tobacco | 13.1 | 10.8 | 11.2 | 12.2 | 13.0 | 13.9 | 14.9 |

### Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

|  | Never Heard of It | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|---|---|---|---|---|---|---|
| All | 49.0% | 19.5% | 6.2% | 8.1% | 8.7% | 8.6% |
| Grade 7 | 54.4% | 25.5% | 6.3% | 4.8% | 4.5% | 4.5% |
| Grade 8 | 54.8% | 23.7% | 4.5% | 6.3% | 5.4% | 5.4% |
| Grade 9 | 44.8% | 19.2% | 8.2% | 7.8% | 10.4% | 9.7% |
| Grade 10 | 48.6% | 17.3% | 6.1% | 10.6% | 8.1% | 9.3% |
| Grade 11 | 43.4% | 17.3% | 6.2% | 9.9% | 12.3% | 10.9% |
| Grade 12 | 47.9% | 13.3% | 5.8% | 8.9% | 12.1% | 12.0% |

### Table T-5: About How Many of Your Close Friends Use Tobacco?

|  | None | A Few | Some | Most | All |
|---|---|---|---|---|---|
| All | 86.0% | 9.3% | 2.9% | 1.3% | 0.5% |
| Grade 7 | 90.2% | 7.4% | 1.5% | 0.5% | 0.5% |
| Grade 8 | 89.2% | 8.3% | 1.6% | 0.7% | 0.2% |
| Grade 9 | 85.2% | 9.7% | 2.5% | 2.2% | 0.4% |
| Grade 10 | 85.6% | 9.2% | 3.6% | 0.9% | 0.7% |
| Grade 11 | 83.5% | 11.1% | 2.8% | 2.0% | 0.6% |
| Grade 12 | 81.8% | 10.5% | 5.3% | 1.6% | 0.9% |

*Percentages have been weighted to reflect proportions within the population.*

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

|          | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Do Not Know |
|----------|---------------------|-------------------|---------|----------------|------------------|-------------|
| All      | 80.2%               | 5.7%              | 4.2%    | 0.7%           | 0.4%             | 8.8%        |
| Grade 7  | 82.1%               | 2.2%              | 2.0%    | 0.5%           | 0.0%             | 13.1%       |
| Grade 8  | 81.8%               | 5.1%              | 3.2%    | 1.1%           | 0.6%             | 8.2%        |
| Grade 9  | 81.4%               | 5.8%              | 4.8%    | 0.7%           | 0.3%             | 7.0%        |
| Grade 10 | 77.5%               | 6.7%              | 4.6%    | 0.8%           | 0.5%             | 10.0%       |
| Grade 11 | 78.9%               | 8.1%              | 5.4%    | 0.5%           | 0.2%             | 7.0%        |
| Grade 12 | 79.5%               | 6.5%              | 5.8%    | 0.5%           | 0.5%             | 7.3%        |

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

|          | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|----------|----------------|--------------------|--------------------|----------------------|-------------|
| **Tobacco?** |            |                    |                    |                      |             |
| All      | 70.7%          | 18.1%              | 5.1%               | 1.2%                 | 5.0%        |
| Grade 7  | 77.2%          | 12.6%              | 3.1%               | 0.7%                 | 6.4%        |
| Grade 8  | 74.9%          | 15.4%              | 4.6%               | 1.1%                 | 4.0%        |
| Grade 9  | 71.0%          | 19.0%              | 4.9%               | 1.7%                 | 3.3%        |
| Grade 10 | 67.0%          | 20.1%              | 5.5%               | 1.4%                 | 5.9%        |
| Grade 11 | 65.6%          | 21.1%              | 7.2%               | 1.0%                 | 5.0%        |
| Grade 12 | 68.0%          | 20.9%              | 5.1%               | 1.0%                 | 5.0%        |
| **Electronic Vapor Products?** | | |                    |                      |             |
| All      | 71.5%          | 14.8%              | 6.5%               | 2.3%                 | 4.9%        |
| Grade 7  | 74.5%          | 13.6%              | 4.8%               | 2.0%                 | 5.2%        |
| Grade 8  | 74.0%          | 13.5%              | 5.9%               | 2.4%                 | 4.2%        |
| Grade 9  | 71.8%          | 15.2%              | 6.8%               | 1.9%                 | 4.3%        |
| Grade 10 | 69.2%          | 15.9%              | 7.0%               | 2.2%                 | 5.7%        |
| Grade 11 | 67.0%          | 16.5%              | 8.2%               | 3.3%                 | 4.9%        |
| Grade 12 | 72.4%          | 14.1%              | 6.3%               | 2.2%                 | 5.0%        |

# Alcohol

## Table A-1: How Recently, If Ever, Have You Used...

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Alcohol Product?** | | | | |
| All | 20.1% | 23.3% | 37.6% | 62.4% |
| Grade 7 | 12.7% | 14.9% | 29.7% | 70.3% |
| Grade 8 | 13.2% | 15.9% | 28.7% | 71.3% |
| Grade 9 | 21.1% | 23.3% | 38.0% | 62.0% |
| Grade 10 | 20.0% | 23.7% | 38.2% | 61.8% |
| Grade 11 | 26.2% | 31.2% | 45.6% | 54.4% |
| Grade 12 | 28.4% | 31.5% | 46.0% | 54.0% |
| **Beer?** | | | | |
| All | 7.6% | 11.4% | 28.3% | 71.7% |
| Grade 7 | 3.7% | 5.1% | 23.7% | 76.3% |
| Grade 8 | 3.7% | 5.8% | 22.5% | 77.5% |
| Grade 9 | 6.5% | 10.2% | 28.0% | 72.0% |
| Grade 10 | 8.3% | 13.3% | 28.3% | 71.7% |
| Grade 11 | 10.7% | 15.2% | 32.8% | 67.2% |
| Grade 12 | 13.4% | 19.8% | 35.5% | 64.5% |
| **Wine Coolers?** | | | | |
| All | 5.8% | 8.8% | 20.1% | 79.9% |
| Grade 7 | 1.8% | 2.4% | 10.9% | 89.1% |
| Grade 8 | 2.0% | 3.7% | 12.9% | 87.1% |
| Grade 9 | 5.6% | 8.8% | 20.0% | 80.0% |
| Grade 10 | 6.1% | 9.3% | 19.8% | 80.2% |
| Grade 11 | 9.1% | 13.4% | 28.3% | 71.7% |
| Grade 12 | 10.5% | 16.3% | 29.5% | 70.5% |
| **Wine?** | | | | |
| All | 3.3% | 5.8% | 18.7% | 81.3% |
| Grade 7 | 1.6% | 2.3% | 12.6% | 87.4% |
| Grade 8 | 1.4% | 3.4% | 12.9% | 87.1% |
| Grade 9 | 2.4% | 4.8% | 19.2% | 80.8% |
| Grade 10 | 3.7% | 6.1% | 19.7% | 80.3% |
| Grade 11 | 4.5% | 8.3% | 22.9% | 77.1% |
| Grade 12 | 6.2% | 10.5% | 25.8% | 74.2% |
| **Liquor?** | | | | |
| All | 6.9% | 10.7% | 23.0% | 77.0% |
| Grade 7 | 2.2% | 3.1% | 12.1% | 87.9% |
| Grade 8 | 3.1% | 5.0% | 15.2% | 84.8% |
| Grade 9 | 6.2% | 9.4% | 21.8% | 78.2% |
| Grade 10 | 8.2% | 12.3% | 24.3% | 75.7% |
| Grade 11 | 10.9% | 16.3% | 33.3% | 66.7% |
| Grade 12 | 11.2% | 18.7% | 32.5% | 67.5% |

*Percentages have been weighted to reflect proportions within the population.*

## Table A-2: How Often Do You Normally Use Alcohol?

|  | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|---|---|---|---|---|---|---|---|
| All | 74.8% | 0.1% | 0.7% | 3.5% | 7.6% | 7.1% | 6.2% |
| Grade 7 | 86.0% | 0.1% | 0.3% | 1.3% | 3.9% | 3.5% | 5.0% |
| Grade 8 | 83.2% | 0.1% | 0.5% | 2.0% | 4.5% | 6.0% | 3.8% |
| Grade 9 | 74.4% | 0.1% | 0.6% | 4.1% | 7.6% | 5.9% | 7.3% |
| Grade 10 | 73.9% | 0.2% | 1.2% | 2.7% | 8.1% | 8.0% | 5.9% |
| Grade 11 | 66.4% | 0.2% | 0.7% | 5.0% | 10.5% | 10.3% | 7.0% |
| Grade 12 | 63.3% | 0.1% | 1.4% | 6.3% | 11.4% | 9.1% | 8.4% |

*Percentages have been weighted to reflect proportions within the population.*

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

|  | Never Drink This Beverage | Ever Used | 5 or More | 1 to 4 | Less Than 1 |
|---|---|---|---|---|---|
| **Beer** | | | | | |
| All | 75.7% | 24.3% | 4.1% | 12.1% | 8.0% |
| Grade 7 | 80.4% | 19.6% | 1.4% | 8.9% | 9.2% |
| Grade 8 | 80.5% | 19.5% | 2.1% | 8.5% | 9.0% |
| Grade 9 | 76.7% | 23.3% | 4.0% | 10.5% | 8.8% |
| Grade 10 | 75.2% | 24.8% | 3.7% | 13.3% | 7.7% |
| Grade 11 | 72.3% | 27.7% | 6.3% | 14.6% | 6.8% |
| Grade 12 | 68.3% | 31.7% | 7.7% | 17.7% | 6.4% |
| **Wine Coolers** | | | | | |
| All | 82.8% | 17.2% | 3.5% | 9.7% | 3.9% |
| Grade 7 | 92.5% | 7.5% | 1.0% | 2.8% | 3.7% |
| Grade 8 | 88.7% | 11.3% | 1.2% | 6.4% | 3.8% |
| Grade 9 | 82.6% | 17.4% | 3.7% | 9.1% | 4.6% |
| Grade 10 | 82.5% | 17.5% | 3.4% | 10.7% | 3.4% |
| Grade 11 | 75.1% | 24.9% | 5.7% | 14.8% | 4.3% |
| Grade 12 | 74.2% | 25.8% | 6.6% | 15.4% | 3.8% |
| **Wine** | | | | | |
| All | 84.4% | 15.6% | 0.9% | 7.5% | 7.2% |
| Grade 7 | 90.1% | 9.9% | 0.5% | 3.9% | 5.4% |
| Grade 8 | 88.3% | 11.7% | 0.8% | 4.6% | 6.3% |
| Grade 9 | 83.1% | 16.9% | 0.7% | 6.5% | 9.7% |
| Grade 10 | 84.7% | 15.3% | 1.4% | 7.4% | 6.5% |
| Grade 11 | 81.0% | 19.0% | 0.8% | 10.2% | 7.9% |
| Grade 12 | 78.0% | 22.0% | 1.2% | 13.2% | 7.7% |
| **Liquor** | | | | | |
| All | 79.7% | 20.3% | 3.9% | 10.7% | 5.8% |
| Grade 7 | 90.4% | 9.6% | 1.0% | 3.6% | 5.1% |
| Grade 8 | 86.3% | 13.7% | 1.8% | 6.3% | 5.6% |
| Grade 9 | 80.6% | 19.4% | 3.5% | 8.7% | 7.2% |
| Grade 10 | 78.7% | 21.3% | 3.9% | 12.8% | 4.6% |
| Grade 11 | 70.3% | 29.7% | 6.0% | 17.2% | 6.5% |
| Grade 12 | 70.4% | 29.6% | 7.7% | 16.3% | 5.6% |

*Percentages have been weighted to reflect proportions within the population.*

### Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

|  | Never/None | 1 Day | 2 Days | 3 to 5 Days | 6 to 9 Days | 10+ Days |
|---|---|---|---|---|---|---|
| All | 92.6% | 3.1% | 1.8% | 1.0% | 0.5% | 1.1% |
| Grade 7 | 95.7% | 2.5% | 0.2% | 0.3% | 0.5% | 0.8% |
| Grade 8 | 96.0% | 1.3% | 0.7% | 0.4% | 0.2% | 1.5% |
| Grade 9 | 93.4% | 2.9% | 1.6% | 0.9% | 0.5% | 0.7% |
| Grade 10 | 91.8% | 3.3% | 2.5% | 0.9% | 0.6% | 0.9% |
| Grade 11 | 90.2% | 3.9% | 2.6% | 1.6% | 0.4% | 1.3% |
| Grade 12 | 88.0% | 5.0% | 3.2% | 1.9% | 0.6% | 1.3% |

### Table A-5: Average Age of First Use of Alcohol

|  | All | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|---|---|---|---|---|---|---|---|
| Any Alcohol | 13.2 | 10.4 | 11.3 | 12.5 | 13.4 | 14.4 | 14.9 |

### Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

|  | Never Heard of It | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|---|---|---|---|---|---|---|
| All | 40.3% | 13.2% | 5.6% | 10.4% | 13.9% | 16.5% |
| Grade 7 | 45.9% | 19.4% | 7.2% | 11.0% | 7.4% | 9.0% |
| Grade 8 | 46.3% | 17.8% | 4.6% | 9.6% | 9.8% | 11.9% |
| Grade 9 | 36.1% | 14.3% | 6.5% | 10.6% | 13.6% | 18.8% |
| Grade 10 | 41.2% | 8.9% | 4.7% | 11.1% | 17.3% | 16.8% |
| Grade 11 | 34.4% | 10.0% | 6.3% | 9.2% | 17.4% | 22.7% |
| Grade 12 | 37.8% | 8.7% | 3.9% | 10.8% | 18.3% | 20.5% |

### Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

|  | None | 1 to 3 Days | 4 to 9 Days | 10+ Days |
|---|---|---|---|---|
| All | 97.5% | 1.9% | 0.3% | 0.3% |
| Grade 7 | 98.4% | 1.4% | 0.2% | 0.0% |
| Grade 8 | 97.8% | 1.0% | 0.4% | 0.8% |
| Grade 9 | 97.1% | 2.3% | 0.4% | 0.1% |
| Grade 10 | 97.6% | 1.9% | 0.2% | 0.3% |
| Grade 11 | 98.0% | 1.5% | 0.4% | 0.0% |
| Grade 12 | 96.2% | 3.3% | 0.4% | 0.2% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 9 of 124

## Table A-8: School Year Absences and Conduct Problems by Alcohol Use

|  | Average Days Absent Due to Illness or Other Reasons |
|---|---|
| Alcohol Users | 5.7 |
| Alcohol Non-Users | 4.4 |
|  | Average Days Conduct Problems Reported |
| Alcohol Users | 2.7 |
| Alcohol Non-Users | 1.1 |

## Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

|  | None | 1–3 Times | 4–9 Times | 10+ Times |
|---|---|---|---|---|
| **Driven a Car When You Have Had a Good Bit to Drink?** |  |  |  |  |
| High School | 97.5% | 2.1% | 0.3% | 0.1% |
| Grade 9 | 98.8% | 1.1% | 0.1% | 0.0% |
| Grade 10 | 98.1% | 1.4% | 0.2% | 0.2% |
| Grade 11 | 96.1% | 3.3% | 0.6% | 0.0% |
| Grade 12 | 96.7% | 2.9% | 0.4% | 0.0% |
| **Had Difficulties of Any Kind with Your Friends Because of Your Drinking?** |  |  |  |  |
| All | 97.8% | 1.9% | 0.2% | 0.1% |
| Grade 7 | 98.2% | 1.6% | 0.1% | 0.2% |
| Grade 8 | 98.0% | 1.6% | 0.1% | 0.3% |
| Grade 9 | 97.3% | 2.1% | 0.6% | 0.0% |
| Grade 10 | 97.9% | 2.0% | 0.2% | 0.0% |
| Grade 11 | 97.5% | 2.3% | 0.1% | 0.1% |
| Grade 12 | 97.9% | 2.1% | 0.0% | 0.0% |

## Table A-10: About How Many of Your Close Friends Use Alcohol?

|  | None | A Few | Some | Most | All |
|---|---|---|---|---|---|
| All | 65.4% | 19.0% | 8.0% | 5.8% | 1.9% |
| Grade 7 | 79.6% | 14.1% | 3.7% | 2.0% | 0.6% |
| Grade 8 | 75.0% | 18.0% | 4.1% | 2.4% | 0.6% |
| Grade 9 | 62.0% | 22.1% | 7.8% | 5.7% | 2.4% |
| Grade 10 | 64.4% | 18.4% | 9.6% | 6.2% | 1.4% |
| Grade 11 | 55.8% | 22.1% | 10.3% | 8.4% | 3.4% |
| Grade 12 | 54.7% | 19.2% | 13.0% | 10.2% | 3.0% |

*Percentages have been weighted to reflect proportions within the population.*

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

|          | Never | Seldom | Half the Time | Most of the Time | Always | Do Not Know | Did Not Attend |
|----------|-------|--------|---------------|------------------|--------|-------------|----------------|
| All      | 62.9% | 4.9%   | 3.9%          | 5.4%             | 6.4%   | 1.5%        | 14.9%          |
| Grade 7  | 73.5% | 4.6%   | 3.0%          | 3.5%             | 1.7%   | 1.6%        | 12.1%          |
| Grade 8  | 71.9% | 5.2%   | 3.5%          | 3.5%             | 2.4%   | 1.9%        | 11.8%          |
| Grade 9  | 63.8% | 5.9%   | 3.5%          | 4.8%             | 6.4%   | 1.8%        | 13.8%          |
| Grade 10 | 60.9% | 5.0%   | 4.6%          | 5.9%             | 6.6%   | 1.3%        | 15.8%          |
| Grade 11 | 52.7% | 3.2%   | 4.0%          | 7.1%             | 10.7%  | 1.4%        | 20.9%          |
| Grade 12 | 53.2% | 5.7%   | 4.9%          | 8.1%             | 11.6%  | 1.2%        | 15.3%          |

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

| | Do Not Drink | Never | Seldom | Most of the Time | Always |
|---|---|---|---|---|---|
| **Home?** | | | | | |
| All | 70.6% | 12.6% | 11.1% | 4.3% | 1.4% |
| Grade 7 | 75.5% | 14.5% | 7.5% | 2.1% | 0.4% |
| Grade 8 | 75.1% | 12.0% | 8.4% | 3.1% | 1.3% |
| Grade 9 | 72.8% | 10.9% | 11.1% | 3.9% | 1.3% |
| Grade 10 | 71.3% | 11.1% | 11.2% | 4.4% | 2.0% |
| Grade 11 | 62.6% | 15.2% | 14.7% | 5.5% | 2.0% |
| Grade 12 | 65.7% | 11.8% | 14.1% | 6.8% | 1.6% |
| **Friends?** | | | | | |
| All | 72.0% | 14.3% | 6.8% | 5.4% | 1.5% |
| Grade 7 | 78.5% | 16.7% | 2.8% | 1.5% | 0.5% |
| Grade 8 | 78.1% | 15.8% | 3.3% | 2.4% | 0.4% |
| Grade 9 | 72.7% | 13.3% | 7.0% | 5.2% | 1.7% |
| Grade 10 | 73.9% | 12.5% | 6.6% | 5.6% | 1.3% |
| Grade 11 | 64.2% | 15.2% | 10.1% | 8.4% | 2.1% |
| Grade 12 | 63.5% | 12.1% | 11.4% | 10.1% | 3.0% |
| **A Store?** | | | | | |
| All | 74.7% | 19.8% | 2.6% | 2.1% | 0.8% |
| Grade 7 | 77.9% | 19.2% | 1.4% | 1.0% | 0.5% |
| Grade 8 | 79.6% | 18.8% | 0.6% | 0.8% | 0.1% |
| Grade 9 | 77.9% | 16.8% | 3.1% | 1.7% | 0.6% |
| Grade 10 | 75.6% | 19.5% | 2.4% | 1.9% | 0.6% |
| Grade 11 | 68.0% | 23.5% | 3.4% | 3.2% | 1.9% |
| Grade 12 | 68.1% | 21.4% | 5.0% | 4.4% | 1.1% |
| **Parties?** | | | | | |
| All | 69.6% | 12.7% | 7.7% | 6.2% | 3.8% |
| Grade 7 | 75.4% | 15.1% | 4.3% | 4.2% | 1.0% |
| Grade 8 | 75.9% | 13.0% | 5.4% | 4.7% | 1.0% |
| Grade 9 | 70.4% | 12.7% | 8.8% | 3.8% | 4.3% |
| Grade 10 | 70.5% | 10.8% | 8.2% | 6.6% | 3.8% |
| Grade 11 | 61.5% | 13.4% | 9.9% | 8.1% | 7.1% |
| Grade 12 | 62.7% | 10.8% | 9.8% | 10.4% | 6.2% |
| **Other Sources?** | | | | | |
| All | 75.6% | 16.3% | 3.6% | 2.8% | 1.6% |
| Grade 7 | 79.6% | 15.6% | 2.6% | 1.4% | 0.8% |
| Grade 8 | 79.0% | 14.8% | 2.9% | 2.2% | 1.1% |
| Grade 9 | 75.2% | 14.9% | 4.7% | 2.8% | 2.4% |
| Grade 10 | 77.9% | 15.0% | 2.9% | 2.6% | 1.6% |
| Grade 11 | 69.4% | 20.9% | 4.2% | 3.8% | 1.8% |
| Grade 12 | 71.9% | 17.2% | 4.6% | 4.3% | 2.0% |

*Percentages have been weighted to reflect proportions within the population.*

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

|  | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Do Not Know |
|---|---|---|---|---|---|---|
| All | 60.5% | 13.3% | 12.4% | 4.7% | 0.6% | 8.5% |
| Grade 7 | 69.0% | 9.4% | 4.7% | 2.9% | 0.3% | 13.7% |
| Grade 8 | 68.8% | 10.3% | 9.3% | 2.9% | 1.0% | 7.6% |
| Grade 9 | 62.1% | 13.6% | 12.6% | 4.6% | 0.3% | 6.8% |
| Grade 10 | 55.8% | 14.7% | 14.3% | 5.5% | 0.8% | 8.9% |
| Grade 11 | 52.7% | 17.4% | 17.1% | 5.4% | 0.4% | 7.0% |
| Grade 12 | 53.8% | 15.0% | 17.1% | 7.0% | 0.7% | 6.3% |

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

|  | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|---|---|---|---|---|---|
| All | 55.4% | 25.0% | 13.5% | 2.3% | 3.9% |
| Grade 7 | 58.1% | 22.3% | 12.2% | 2.2% | 5.2% |
| Grade 8 | 58.4% | 21.6% | 13.7% | 2.8% | 3.4% |
| Grade 9 | 53.3% | 25.0% | 17.1% | 2.7% | 2.0% |
| Grade 10 | 55.1% | 25.0% | 13.0% | 2.6% | 4.3% |
| Grade 11 | 52.4% | 29.7% | 12.1% | 1.3% | 4.4% |
| Grade 12 | 54.9% | 26.3% | 12.6% | 2.0% | 4.3% |

# Drugs

## Table D-1: How Recently, If Ever, Have You Used...

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Illicit Drug?** | | | | |
| All | 8.8% | 11.4% | 15.1% | 84.9% |
| Grade 7 | 4.1% | 5.6% | 7.9% | 92.1% |
| Grade 8 | 5.3% | 7.6% | 9.5% | 90.5% |
| Grade 9 | 9.3% | 11.9% | 14.3% | 85.7% |
| Grade 10 | 8.4% | 10.9% | 14.7% | 85.3% |
| Grade 11 | 11.9% | 15.3% | 21.0% | 79.0% |
| Grade 12 | 14.4% | 17.8% | 24.0% | 76.0% |
| **Marijuana?** | | | | |
| All | 8.0% | 9.5% | 13.0% | 87.0% |
| Grade 7 | 3.6% | 4.5% | 6.3% | 93.7% |
| Grade 8 | 4.5% | 5.4% | 7.2% | 92.8% |
| Grade 9 | 8.5% | 9.7% | 11.6% | 88.4% |
| Grade 10 | 7.7% | 8.8% | 12.6% | 87.4% |
| Grade 11 | 10.9% | 13.5% | 19.4% | 80.6% |
| Grade 12 | 13.5% | 15.7% | 22.1% | 77.9% |
| **Cocaine?** | | | | |
| All | 0.7% | 0.7% | 1.1% | 98.9% |
| Grade 7 | 0.7% | 0.7% | 0.9% | 99.1% |
| Grade 8 | 0.7% | 0.7% | 0.9% | 99.1% |
| Grade 9 | 0.8% | 0.9% | 0.9% | 99.1% |
| Grade 10 | 0.5% | 0.5% | 1.1% | 98.9% |
| Grade 11 | 0.6% | 0.6% | 0.9% | 99.1% |
| Grade 12 | 1.1% | 1.1% | 2.1% | 97.9% |
| **Crack?** | | | | |
| All | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.4% | 0.4% | 0.5% | 99.5% |
| Grade 8 | 0.1% | 0.1% | 0.2% | 99.8% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.1% | 99.9% |
| Grade 11 | 0.1% | 0.1% | 0.3% | 99.7% |
| Grade 12 | 0.3% | 0.3% | 0.6% | 99.4% |
| **Hallucinogens?** | | | | |
| All | 0.7% | 1.1% | 2.4% | 97.6% |
| Grade 7 | 0.5% | 0.5% | 0.9% | 99.1% |
| Grade 8 | 0.4% | 0.7% | 1.5% | 98.5% |
| Grade 9 | 0.2% | 0.8% | 1.6% | 98.4% |
| Grade 10 | 1.2% | 1.6% | 2.7% | 97.3% |
| Grade 11 | 1.4% | 2.0% | 3.5% | 96.5% |
| Grade 12 | 0.3% | 1.0% | 4.4% | 95.6% |

*Percentages have been weighted to reflect proportions within the population.*

## Table D-1: How Recently, If Ever, Have You Used...
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Synthetic Cathinones?** |  |  |  |  |
| All | 0.1% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.2% | 0.2% | 0.6% | 99.4% |
| Grade 8 | 0.1% | 0.2% | 0.3% | 99.7% |
| Grade 9 | 0.2% | 0.2% | 0.4% | 99.6% |
| Grade 10 | 0.1% | 0.2% | 0.3% | 99.7% |
| Grade 11 | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 12 | 0.2% | 0.2% | 0.3% | 99.7% |
| **Steroids?** |  |  |  |  |
| All | 0.4% | 0.5% | 1.0% | 99.0% |
| Grade 7 | 0.5% | 0.9% | 1.8% | 98.2% |
| Grade 8 | 0.3% | 0.3% | 1.0% | 99.0% |
| Grade 9 | 0.8% | 0.8% | 1.3% | 98.7% |
| Grade 10 | 0.3% | 0.4% | 0.7% | 99.3% |
| Grade 11 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 12 | 0.2% | 0.2% | 0.4% | 99.6% |
| **Ecstasy?** |  |  |  |  |
| All | 0.3% | 0.4% | 0.8% | 99.2% |
| Grade 7 | 0.5% | 0.5% | 0.6% | 99.4% |
| Grade 8 | 0.7% | 0.8% | 1.1% | 98.9% |
| Grade 9 | 0.1% | 0.4% | 0.9% | 99.1% |
| Grade 10 | 0.3% | 0.3% | 0.9% | 99.1% |
| Grade 11 | 0.1% | 0.2% | 0.2% | 99.8% |
| Grade 12 | 0.2% | 0.5% | 1.2% | 98.8% |
| **Heroin?** |  |  |  |  |
| All | 0.2% | 0.2% | 0.4% | 99.6% |
| Grade 7 | 0.1% | 0.1% | 0.4% | 99.6% |
| Grade 8 | 0.0% | 0.2% | 0.3% | 99.7% |
| Grade 9 | 0.4% | 0.4% | 0.6% | 99.4% |
| Grade 10 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 11 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 12 | 0.0% | 0.0% | 0.2% | 99.8% |
| **Methamphetamine?** |  |  |  |  |
| All | 0.2% | 0.2% | 0.5% | 99.5% |
| Grade 7 | 0.5% | 0.5% | 0.8% | 99.2% |
| Grade 8 | 0.2% | 0.2% | 0.6% | 99.4% |
| Grade 9 | 0.2% | 0.3% | 0.5% | 99.5% |
| Grade 10 | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 11 | 0.1% | 0.1% | 0.2% | 99.8% |
| Grade 12 | 0.2% | 0.2% | 0.9% | 99.1% |

*Percentages have been weighted to reflect proportions within the population.*

**Table D-1: How Recently, If Ever, Have You Used...**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| Synthetic Marijuana? |  |  |  |  |
| All | 1.0% | 1.5% | 2.5% | 97.5% |
| Grade 7 | 0.5% | 0.8% | 1.6% | 98.4% |
| Grade 8 | 0.8% | 1.2% | 1.5% | 98.5% |
| Grade 9 | 0.9% | 1.7% | 3.1% | 96.9% |
| Grade 10 | 1.1% | 1.4% | 2.4% | 97.6% |
| Grade 11 | 1.2% | 1.5% | 3.2% | 96.8% |
| Grade 12 | 1.2% | 2.3% | 3.6% | 96.4% |
| Delta 8? |  |  |  |  |
| All | 1.3% | 2.0% | 3.5% | 96.5% |
| Grade 7 | 0.9% | 1.4% | 2.5% | 97.5% |
| Grade 8 | 1.1% | 1.6% | 2.3% | 97.7% |
| Grade 9 | 1.0% | 1.6% | 3.4% | 96.6% |
| Grade 10 | 1.7% | 2.2% | 3.2% | 96.8% |
| Grade 11 | 1.3% | 2.6% | 5.0% | 95.0% |
| Grade 12 | 1.6% | 2.6% | 4.7% | 95.3% |

*Percentages have been weighted to reflect proportions within the population.*

### Table D-2: How Often Do You Normally Use...

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|---|---|---|---|---|---|---|---|
| **Marijuana?** | | | | | | | |
| All | 90.0% | 1.3% | 1.1% | 1.5% | 1.8% | 1.8% | 2.5% |
| Grade 7 | 95.5% | 0.2% | 0.6% | 0.7% | 0.8% | 0.7% | 1.6% |
| Grade 8 | 94.3% | 0.8% | 0.7% | 0.6% | 1.1% | 1.5% | 1.0% |
| Grade 9 | 90.9% | 1.7% | 1.1% | 1.0% | 1.5% | 1.3% | 2.5% |
| Grade 10 | 90.3% | 1.6% | 0.8% | 1.6% | 1.2% | 1.9% | 2.7% |
| Grade 11 | 85.5% | 2.1% | 1.7% | 2.5% | 2.9% | 2.4% | 2.7% |
| Grade 12 | 82.4% | 1.5% | 2.0% | 3.0% | 3.6% | 2.9% | 4.7% |
| **Cocaine?** | | | | | | | |
| All | 99.4% | 0.0% | 0.0% | 0.1% | 0.1% | 0.1% | 0.2% |
| Grade 7 | 99.6% | 0.0% | 0.0% | 0.1% | 0.1% | 0.2% | 0.2% |
| Grade 8 | 99.4% | 0.0% | 0.1% | 0.1% | 0.2% | 0.0% | 0.2% |
| Grade 9 | 99.5% | 0.0% | 0.0% | 0.0% | 0.5% | 0.0% | 0.0% |
| Grade 10 | 99.3% | 0.0% | 0.0% | 0.1% | 0.0% | 0.1% | 0.4% |
| Grade 11 | 99.2% | 0.0% | 0.0% | 0.2% | 0.0% | 0.2% | 0.4% |
| Grade 12 | 99.2% | 0.0% | 0.2% | 0.1% | 0.0% | 0.2% | 0.3% |
| **Crack?** | | | | | | | |
| All | 99.9% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Grade 7 | 99.7% | 0.0% | 0.0% | 0.1% | 0.0% | 0.0% | 0.2% |
| Grade 8 | 99.9% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Grade 9 | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Grade 10 | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Grade 11 | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Grade 12 | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| **Steroids?** | | | | | | | |
| All | 99.5% | 0.1% | 0.0% | 0.0% | 0.1% | 0.1% | 0.1% |
| Grade 7 | 99.2% | 0.1% | 0.0% | 0.0% | 0.0% | 0.2% | 0.5% |
| Grade 8 | 99.6% | 0.0% | 0.0% | 0.0% | 0.0% | 0.3% | 0.1% |
| Grade 9 | 98.9% | 0.4% | 0.2% | 0.0% | 0.2% | 0.2% | 0.1% |
| Grade 10 | 99.7% | 0.0% | 0.0% | 0.1% | 0.1% | 0.0% | 0.2% |
| Grade 11 | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Grade 12 | 99.9% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| **Ecstasy?** | | | | | | | |
| All | 99.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.1% | 0.2% |
| Grade 7 | 99.8% | 0.0% | 0.0% | 0.2% | 0.0% | 0.0% | 0.0% |
| Grade 8 | 99.5% | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | 0.2% |
| Grade 9 | 99.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.5% | 0.3% |
| Grade 10 | 99.4% | 0.0% | 0.1% | 0.0% | 0.0% | 0.3% | 0.2% |
| Grade 11 | 99.9% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Grade 12 | 99.2% | 0.0% | 0.0% | 0.1% | 0.0% | 0.0% | 0.6% |

## Table D-2: How Often Do You Normally Use...
(Continued)

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|---|---|---|---|---|---|---|---|
| **Heroin?** | | | | | | | |
| All | 99.8% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.1% |
| Grade 7 | 99.7% | 0.0% | 0.0% | 0.1% | 0.0% | 0.1% | 0.2% |
| Grade 8 | 99.7% | 0.0% | 0.0% | 0.0% | 0.2% | 0.0% | 0.1% |
| Grade 9 | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Grade 10 | 99.7% | 0.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Grade 11 | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Grade 12 | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| **Methamphetamine?** | | | | | | | |
| All | 99.8% | 0.1% | 0.0% | 0.0% | 0.0% | 0.0% | 0.1% |
| Grade 7 | 99.4% | 0.2% | 0.0% | 0.1% | 0.1% | 0.2% | 0.1% |
| Grade 8 | 99.6% | 0.0% | 0.0% | 0.0% | 0.1% | 0.0% | 0.3% |
| Grade 9 | 99.9% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.1% |
| Grade 10 | 99.9% | 0.0% | 0.0% | 0.1% | 0.0% | 0.0% | 0.0% |
| Grade 11 | 99.8% | 0.1% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Grade 12 | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| **Synthetic Marijuana?** | | | | | | | |
| All | 98.3% | 0.1% | 0.1% | 0.3% | 0.3% | 0.4% | 0.5% |
| Grade 7 | 99.1% | 0.0% | 0.2% | 0.1% | 0.4% | 0.1% | 0.2% |
| Grade 8 | 98.8% | 0.0% | 0.0% | 0.3% | 0.3% | 0.3% | 0.2% |
| Grade 9 | 97.9% | 0.5% | 0.0% | 0.1% | 0.5% | 0.3% | 0.8% |
| Grade 10 | 98.4% | 0.3% | 0.2% | 0.1% | 0.3% | 0.4% | 0.3% |
| Grade 11 | 97.8% | 0.0% | 0.1% | 0.4% | 0.3% | 0.9% | 0.5% |
| Grade 12 | 97.9% | 0.0% | 0.2% | 0.6% | 0.3% | 0.2% | 0.7% |
| **Delta 8?** | | | | | | | |
| All | 97.4% | 0.2% | 0.2% | 0.3% | 0.5% | 0.5% | 0.9% |
| Grade 7 | 97.9% | 0.0% | 0.2% | 0.3% | 0.7% | 0.3% | 0.7% |
| Grade 8 | 98.3% | 0.0% | 0.3% | 0.5% | 0.3% | 0.4% | 0.2% |
| Grade 9 | 97.2% | 0.5% | 0.0% | 0.2% | 0.4% | 0.4% | 1.3% |
| Grade 10 | 97.7% | 0.4% | 0.3% | 0.2% | 0.4% | 0.5% | 0.5% |
| Grade 11 | 96.5% | 0.1% | 0.1% | 0.3% | 0.6% | 0.6% | 1.7% |
| Grade 12 | 96.7% | 0.2% | 0.4% | 0.4% | 0.8% | 0.6% | 0.9% |

*Percentages have been weighted to reflect proportions within the population.*

## Table D-3: Average Age of First Use of...

|  | All | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|---|---|---|---|---|---|---|---|
| Marijuana | 13.9 | 11.3 | 12.3 | 13.1 | 13.9 | 14.5 | 15.2 |
| Cocaine | 14.4 | 12.6 | 12.4 | 14.5 | 15.6 | 16.9 | 14.4 |
| Crack | 13.4 | 12.7 | 12.0 | N/A | 8.0 | N/A | 15.4 |
| Steroids | 12.6 | 11.2 | 12.3 | 13.4 | 13.5 | 16.0 | 18.0 |
| Ecstasy | 14.0 | 12.1 | 12.4 | 13.9 | 14.3 | 15.8 | 15.5 |
| Heroin | 11.0 | 11.6 | 13.3 | 8.0 | 9.0 | N/A | 14.0 |
| Metham-phetamine | 11.9 | 10.1 | 12.9 | N/A | 14.0 | 17.0 | 12.4 |
| Synthetic Marijuana | 14.1 | 10.7 | 12.5 | 13.6 | 14.0 | 15.5 | 15.7 |
| Delta 8? | 14.1 | 11.0 | 12.8 | 13.9 | 13.9 | 15.1 | 15.6 |

## Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

| | Never Heard of It | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|---|---|---|---|---|---|---|
| **Marijuana?** | | | | | | |
| All | 47.3% | 20.9% | 6.1% | 6.8% | 8.7% | 10.3% |
| Grade 7 | 55.2% | 27.3% | 5.9% | 5.1% | 3.2% | 3.4% |
| Grade 8 | 54.8% | 24.8% | 5.1% | 5.1% | 4.8% | 5.3% |
| Grade 9 | 43.0% | 22.3% | 7.9% | 6.7% | 8.6% | 11.5% |
| Grade 10 | 46.7% | 16.9% | 6.9% | 7.3% | 10.0% | 12.1% |
| Grade 11 | 40.7% | 18.1% | 6.2% | 8.2% | 11.9% | 14.9% |
| Grade 12 | 42.9% | 15.4% | 4.2% | 8.7% | 14.0% | 14.7% |
| **Cocaine?** | | | | | | |
| All | 54.8% | 27.0% | 8.1% | 4.7% | 2.6% | 2.8% |
| Grade 7 | 57.9% | 32.3% | 4.3% | 2.8% | 1.7% | 1.0% |
| Grade 8 | 59.6% | 27.8% | 6.3% | 2.2% | 1.6% | 2.5% |
| Grade 9 | 50.3% | 27.4% | 10.6% | 5.4% | 2.6% | 3.6% |
| Grade 10 | 55.2% | 24.8% | 8.4% | 6.3% | 2.2% | 3.1% |
| Grade 11 | 50.8% | 27.1% | 9.2% | 6.0% | 3.3% | 3.6% |
| Grade 12 | 55.4% | 21.9% | 9.7% | 5.7% | 4.5% | 2.9% |
| **Crack?** | | | | | | |
| All | 56.8% | 27.3% | 7.8% | 4.3% | 1.9% | 1.9% |
| Grade 7 | 59.3% | 31.6% | 4.7% | 2.1% | 1.7% | 0.6% |
| Grade 8 | 60.5% | 28.3% | 6.2% | 1.9% | 1.2% | 1.9% |
| Grade 9 | 52.6% | 26.8% | 10.1% | 5.4% | 2.6% | 2.4% |
| Grade 10 | 57.0% | 25.2% | 8.3% | 5.4% | 1.9% | 2.2% |
| Grade 11 | 53.7% | 27.9% | 9.5% | 4.8% | 1.6% | 2.5% |
| Grade 12 | 57.6% | 23.8% | 8.2% | 5.8% | 2.5% | 2.1% |
| **Steroids?** | | | | | | |
| All | 57.8% | 24.4% | 7.3% | 5.0% | 3.0% | 2.4% |
| Grade 7 | 61.7% | 28.5% | 5.2% | 2.1% | 1.4% | 1.1% |
| Grade 8 | 62.7% | 24.7% | 4.6% | 3.3% | 2.7% | 2.0% |
| Grade 9 | 53.1% | 24.4% | 9.5% | 6.1% | 3.5% | 3.4% |
| Grade 10 | 56.6% | 23.4% | 7.5% | 6.1% | 3.6% | 2.8% |
| Grade 11 | 55.1% | 24.3% | 9.5% | 6.6% | 2.1% | 2.4% |
| Grade 12 | 58.0% | 21.0% | 7.2% | 5.9% | 4.9% | 3.0% |
| **Ecstasy?** | | | | | | |
| All | 65.4% | 21.8% | 5.9% | 3.4% | 1.6% | 1.9% |
| Grade 7 | 70.2% | 23.4% | 3.9% | 1.5% | 0.6% | 0.5% |
| Grade 8 | 70.6% | 20.9% | 3.4% | 2.2% | 1.3% | 1.6% |
| Grade 9 | 64.0% | 21.4% | 6.6% | 3.2% | 2.6% | 2.2% |
| Grade 10 | 63.6% | 21.4% | 6.0% | 4.6% | 1.8% | 2.7% |
| Grade 11 | 61.0% | 23.4% | 8.1% | 4.3% | 0.9% | 2.4% |
| Grade 12 | 62.9% | 20.0% | 7.5% | 4.8% | 2.6% | 2.1% |

## Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

| | Never Heard of It | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|---|---|---|---|---|---|---|
| **Heroin?** | | | | | | |
| All | 62.1% | 25.3% | 6.5% | 3.1% | 1.4% | 1.6% |
| Grade 7 | 67.0% | 25.8% | 3.2% | 2.0% | 0.6% | 1.4% |
| Grade 8 | 66.7% | 24.7% | 3.6% | 2.0% | 1.7% | 1.3% |
| Grade 9 | 59.6% | 24.2% | 9.2% | 3.5% | 2.1% | 1.5% |
| Grade 10 | 59.9% | 25.1% | 7.4% | 4.3% | 1.4% | 1.9% |
| Grade 11 | 57.7% | 27.9% | 7.8% | 3.6% | 1.0% | 2.0% |
| Grade 12 | 61.9% | 23.8% | 8.0% | 3.0% | 1.8% | 1.3% |
| **Methamphetamine?** | | | | | | |
| All | 62.8% | 25.1% | 6.0% | 2.8% | 1.7% | 1.6% |
| Grade 7 | 67.9% | 25.5% | 3.5% | 1.1% | 0.9% | 1.0% |
| Grade 8 | 66.4% | 25.3% | 3.2% | 2.2% | 1.4% | 1.6% |
| Grade 9 | 59.4% | 25.3% | 7.3% | 3.7% | 2.8% | 1.5% |
| Grade 10 | 61.9% | 23.2% | 7.1% | 3.6% | 1.9% | 2.1% |
| Grade 11 | 58.6% | 26.5% | 8.2% | 3.3% | 1.3% | 2.0% |
| Grade 12 | 62.3% | 24.7% | 6.8% | 2.8% | 1.8% | 1.6% |
| **Synthetic Marijuana?** | | | | | | |
| All | 64.3% | 21.2% | 5.2% | 3.1% | 3.1% | 3.1% |
| Grade 7 | 69.2% | 23.5% | 3.4% | 1.3% | 1.4% | 1.2% |
| Grade 8 | 68.2% | 21.4% | 3.1% | 2.3% | 3.2% | 1.9% |
| Grade 9 | 61.0% | 22.4% | 6.5% | 2.9% | 3.1% | 4.1% |
| Grade 10 | 62.5% | 20.2% | 6.0% | 4.2% | 3.6% | 3.4% |
| Grade 11 | 60.4% | 22.0% | 6.4% | 3.5% | 3.7% | 4.0% |
| Grade 12 | 64.6% | 17.7% | 5.6% | 4.3% | 3.7% | 4.2% |
| **Delta 8?** | | | | | | |
| All | 65.5% | 19.3% | 4.8% | 3.0% | 3.4% | 4.0% |
| Grade 7 | 69.0% | 22.2% | 3.5% | 2.1% | 1.5% | 1.8% |
| Grade 8 | 68.8% | 19.8% | 2.9% | 2.7% | 3.1% | 2.6% |
| Grade 9 | 64.1% | 19.6% | 6.5% | 2.2% | 4.0% | 3.6% |
| Grade 10 | 64.6% | 17.9% | 5.3% | 3.8% | 3.9% | 4.6% |
| Grade 11 | 61.1% | 19.9% | 5.8% | 3.5% | 4.1% | 5.5% |
| Grade 12 | 65.8% | 16.3% | 4.4% | 3.6% | 3.9% | 6.0% |

**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

|  | None | 1 to 3 Days | 4 to 9 Days | 10+ Days |
|---|---|---|---|---|
| Attended Class While High from Marijuana Use? |  |  |  |  |
| All | 95.1% | 2.5% | 0.7% | 1.7% |
| Grade 7 | 96.8% | 2.1% | 0.5% | 0.6% |
| Grade 8 | 96.9% | 1.5% | 0.6% | 1.0% |
| Grade 9 | 95.3% | 2.4% | 0.9% | 1.5% |
| Grade 10 | 95.2% | 1.8% | 0.7% | 2.4% |
| Grade 11 | 93.4% | 2.8% | 1.0% | 2.8% |
| Grade 12 | 93.1% | 4.6% | 0.5% | 1.8% |
| Attended Class While High from Use of Some Other Drug? |  |  |  |  |
| All | 98.2% | 1.2% | 0.3% | 0.3% |
| Grade 7 | 98.4% | 0.7% | 0.7% | 0.2% |
| Grade 8 | 98.2% | 1.1% | 0.0% | 0.6% |
| Grade 9 | 97.8% | 1.9% | 0.1% | 0.1% |
| Grade 10 | 98.1% | 1.2% | 0.3% | 0.4% |
| Grade 11 | 98.4% | 1.0% | 0.5% | 0.1% |
| Grade 12 | 98.5% | 1.2% | 0.0% | 0.2% |

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

|  | Average Days Absent Due to Illness or Other Reasons |
|---|---|
| Marijuana Users | 5.9 |
| Marijuana Non-Users | 4.7 |
|  | **Average Days Conduct Problems Reported** |
| Marijuana Users | 4.0 |
| Marijuana Non-Users | 1.3 |

*Percentages have been weighted to reflect proportions within the population.*

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

|  | None | 1–3 Times | 4–9 Times | 10+ Times |
|---|---|---|---|---|
| Driven a Car When You Have Felt High from Drugs? | | | | |
| High School | 97.5% | 1.7% | 0.3% | 0.5% |
| Grade 9 | 99.0% | 0.9% | 0.1% | 0.0% |
| Grade 10 | 98.4% | 1.0% | 0.4% | 0.2% |
| Grade 11 | 95.9% | 2.8% | 0.1% | 1.2% |
| Grade 12 | 96.6% | 2.3% | 0.5% | 0.6% |
| | | | | |
| Had Difficulties of Any Kind with Your Friends Because of Your Drug Use? | | | | |
| All | 97.6% | 1.9% | 0.2% | 0.3% |
| Grade 7 | 98.5% | 0.9% | 0.2% | 0.3% |
| Grade 8 | 98.1% | 1.7% | 0.0% | 0.2% |
| Grade 9 | 96.2% | 3.0% | 0.1% | 0.7% |
| Grade 10 | 96.9% | 2.4% | 0.3% | 0.4% |
| Grade 11 | 98.2% | 1.5% | 0.1% | 0.1% |
| Grade 12 | 98.2% | 1.7% | 0.1% | 0.0% |

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

|  | None | A Few | Some | Most | All |
|---|---|---|---|---|---|
| All | 76.5% | 12.3% | 5.7% | 4.1% | 1.4% |
| Grade 7 | 87.2% | 8.2% | 2.4% | 1.4% | 0.8% |
| Grade 8 | 83.4% | 11.3% | 2.6% | 2.0% | 0.7% |
| Grade 9 | 75.3% | 12.8% | 5.3% | 4.9% | 1.7% |
| Grade 10 | 75.8% | 11.3% | 7.4% | 3.7% | 1.8% |
| Grade 11 | 68.5% | 16.9% | 7.9% | 4.7% | 2.0% |
| Grade 12 | 67.9% | 13.8% | 8.4% | 8.3% | 1.6% |

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

|  | Never | Seldom | Half the Time | Most of the Time | Always | Do Not Know | Did Not Attend |
|---|---|---|---|---|---|---|---|
| All | 69.5% | 3.6% | 3.0% | 3.4% | 3.6% | 2.1% | 14.8% |
| Grade 7 | 80.0% | 3.4% | 1.0% | 1.0% | 0.5% | 1.9% | 12.3% |
| Grade 8 | 79.4% | 2.5% | 1.8% | 1.3% | 1.2% | 2.0% | 11.7% |
| Grade 9 | 70.3% | 4.7% | 3.3% | 3.1% | 2.8% | 1.7% | 14.1% |
| Grade 10 | 67.7% | 3.2% | 3.1% | 4.0% | 4.5% | 1.8% | 15.6% |
| Grade 11 | 58.0% | 3.2% | 4.1% | 5.3% | 6.4% | 2.7% | 20.3% |
| Grade 12 | 60.1% | 4.5% | 5.0% | 6.3% | 6.6% | 2.6% | 14.8% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 23 of 124

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

|  | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Do Not Know |
|---|---|---|---|---|---|---|
| All | 78.7% | 5.7% | 5.1% | 1.2% | 0.6% | 8.7% |
| Grade 7 | 81.0% | 2.4% | 2.5% | 0.7% | 0.0% | 13.4% |
| Grade 8 | 81.0% | 4.9% | 3.5% | 1.5% | 1.0% | 8.2% |
| Grade 9 | 81.0% | 5.5% | 5.1% | 0.8% | 0.7% | 6.9% |
| Grade 10 | 76.5% | 5.7% | 6.2% | 1.4% | 0.8% | 9.4% |
| Grade 11 | 77.1% | 7.9% | 6.2% | 1.3% | 0.3% | 7.3% |
| Grade 12 | 75.2% | 8.6% | 7.4% | 1.5% | 0.7% | 6.7% |

*Percentages have been weighted to reflect proportions within the population.*

### Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

| | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|---|---|---|---|---|---|
| **Marijuana?** | | | | | |
| All | 69.2% | 13.9% | 8.5% | 4.2% | 4.3% |
| Grade 7 | 79.9% | 9.0% | 3.6% | 1.8% | 5.7% |
| Grade 8 | 76.4% | 11.3% | 5.2% | 2.9% | 4.1% |
| Grade 9 | 69.7% | 15.6% | 8.1% | 3.5% | 3.1% |
| Grade 10 | 66.1% | 14.6% | 9.1% | 5.4% | 4.9% |
| Grade 11 | 60.2% | 17.7% | 13.7% | 4.5% | 3.9% |
| Grade 12 | 61.9% | 15.3% | 11.6% | 7.1% | 4.3% |
| | | | | | |
| **Cocaine?** | | | | | |
| All | 87.7% | 6.0% | 1.1% | 0.5% | 4.6% |
| Grade 7 | 85.5% | 6.6% | 1.6% | 0.6% | 5.7% |
| Grade 8 | 87.4% | 6.1% | 0.9% | 0.8% | 4.8% |
| Grade 9 | 86.6% | 7.9% | 1.7% | 0.8% | 3.1% |
| Grade 10 | 87.4% | 5.9% | 0.9% | 0.5% | 5.2% |
| Grade 11 | 89.3% | 5.0% | 1.1% | 0.1% | 4.5% |
| Grade 12 | 90.5% | 4.1% | 0.4% | 0.5% | 4.4% |
| | | | | | |
| **Crack?** | | | | | |
| All | 89.3% | 4.4% | 0.8% | 0.5% | 5.0% |
| Grade 7 | 87.7% | 4.7% | 1.0% | 0.5% | 6.2% |
| Grade 8 | 87.8% | 5.3% | 0.9% | 0.8% | 5.2% |
| Grade 9 | 88.7% | 5.8% | 1.5% | 0.6% | 3.5% |
| Grade 10 | 89.1% | 3.9% | 0.8% | 0.5% | 5.6% |
| Grade 11 | 90.9% | 4.1% | 0.3% | 0.1% | 4.6% |
| Grade 12 | 92.0% | 2.5% | 0.4% | 0.2% | 4.9% |
| | | | | | |
| **Ecstasy?** | | | | | |
| All | 83.6% | 5.4% | 1.2% | 0.6% | 9.2% |
| Grade 7 | 83.0% | 4.3% | 0.7% | 0.6% | 11.4% |
| Grade 8 | 82.0% | 5.7% | 1.5% | 0.9% | 9.9% |
| Grade 9 | 83.5% | 6.3% | 1.8% | 0.6% | 7.8% |
| Grade 10 | 83.8% | 5.4% | 0.9% | 0.6% | 9.3% |
| Grade 11 | 83.8% | 5.2% | 1.0% | 0.3% | 9.6% |
| Grade 12 | 85.8% | 5.5% | 1.3% | 0.3% | 7.1% |
| | | | | | |
| **Steroids?** | | | | | |
| All | 79.0% | 10.0% | 3.7% | 1.2% | 6.1% |
| Grade 7 | 81.5% | 7.1% | 2.7% | 1.5% | 7.2% |
| Grade 8 | 79.3% | 9.9% | 4.1% | 1.3% | 5.4% |
| Grade 9 | 77.2% | 11.6% | 5.0% | 1.5% | 4.7% |
| Grade 10 | 78.9% | 9.4% | 3.5% | 1.5% | 6.7% |
| Grade 11 | 77.2% | 11.1% | 3.9% | 0.8% | 7.0% |
| Grade 12 | 79.9% | 11.1% | 2.7% | 0.6% | 5.6% |

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**
(Continued)

| | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|---|---|---|---|---|---|
| **Heroin?** | | | | | |
| All | 87.8% | 4.3% | 0.8% | 0.5% | 6.6% |
| Grade 7 | 84.8% | 4.6% | 0.7% | 0.8% | 9.2% |
| Grade 8 | 85.2% | 6.0% | 0.9% | 0.7% | 7.2% |
| Grade 9 | 86.5% | 5.5% | 2.0% | 0.5% | 5.5% |
| Grade 10 | 88.5% | 3.7% | 0.4% | 0.8% | 6.7% |
| Grade 11 | 90.9% | 3.0% | 0.4% | 0.1% | 5.7% |
| Grade 12 | 91.6% | 2.9% | 0.1% | 0.3% | 5.1% |
| | | | | | |
| **Methamphetamine?** | | | | | |
| All | 88.5% | 4.0% | 0.6% | 0.5% | 6.4% |
| Grade 7 | 86.3% | 3.9% | 0.8% | 0.7% | 8.3% |
| Grade 8 | 86.3% | 5.8% | 0.6% | 0.6% | 6.6% |
| Grade 9 | 87.5% | 5.2% | 1.3% | 0.7% | 5.3% |
| Grade 10 | 88.5% | 3.4% | 0.5% | 0.6% | 7.1% |
| Grade 11 | 90.9% | 3.3% | 0.3% | 0.1% | 5.4% |
| Grade 12 | 92.2% | 2.0% | 0.2% | 0.3% | 5.3% |
| | | | | | |
| **Synthetic Marijuana?** | | | | | |
| All | 81.5% | 6.3% | 2.5% | 1.0% | 8.7% |
| Grade 7 | 83.5% | 4.4% | 1.8% | 0.6% | 9.7% |
| Grade 8 | 81.0% | 7.0% | 2.9% | 0.9% | 8.1% |
| Grade 9 | 80.0% | 7.6% | 3.1% | 1.2% | 8.1% |
| Grade 10 | 81.2% | 6.3% | 2.7% | 1.0% | 8.8% |
| Grade 11 | 80.7% | 6.2% | 2.4% | 1.0% | 9.6% |
| Grade 12 | 82.8% | 6.1% | 2.0% | 1.5% | 7.6% |
| | | | | | |
| **Delta 8?** | | | | | |
| All | 78.3% | 7.1% | 3.3% | 1.8% | 9.4% |
| Grade 7 | 80.9% | 6.1% | 2.3% | 0.9% | 9.8% |
| Grade 8 | 79.1% | 8.5% | 2.6% | 1.3% | 8.5% |
| Grade 9 | 77.4% | 9.0% | 4.0% | 1.1% | 8.5% |
| Grade 10 | 77.7% | 7.0% | 3.3% | 2.1% | 9.8% |
| Grade 11 | 75.6% | 7.1% | 3.8% | 2.7% | 10.8% |
| Grade 12 | 79.5% | 5.0% | 3.7% | 2.8% | 9.0% |
| | | | | | |
| **Fictional Drug?** | | | | | |
| All | 83.6% | 4.3% | 0.5% | 0.5% | 11.2% |
| Grade 7 | 82.8% | 4.0% | 0.6% | 0.5% | 12.1% |
| Grade 8 | 82.6% | 4.9% | 0.9% | 0.7% | 10.9% |
| Grade 9 | 83.2% | 5.2% | 1.1% | 0.6% | 9.9% |
| Grade 10 | 84.0% | 4.2% | 0.2% | 0.5% | 11.0% |
| Grade 11 | 82.5% | 4.2% | 0.2% | 0.1% | 13.0% |
| Grade 12 | 86.7% | 3.1% | 0.1% | 0.3% | 9.8% |

*Percentages have been weighted to reflect proportions within the population.*

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Prescription Drug?** | | | | |
| All | 3.3% | 4.8% | 9.3% | 90.7% |
| Grade 7 | 3.6% | 5.1% | 10.0% | 90.0% |
| Grade 8 | 4.0% | 6.1% | 11.5% | 88.5% |
| Grade 9 | 3.6% | 4.9% | 8.6% | 91.4% |
| Grade 10 | 3.5% | 5.3% | 9.7% | 90.3% |
| Grade 11 | 3.6% | 4.6% | 8.9% | 91.1% |
| Grade 12 | 1.7% | 2.4% | 6.7% | 93.3% |
| **Codeine Cough Syrup?** | | | | |
| All | 1.8% | 2.9% | 6.3% | 93.7% |
| Grade 7 | 2.4% | 3.8% | 7.7% | 92.3% |
| Grade 8 | 2.2% | 3.8% | 8.0% | 92.0% |
| Grade 9 | 2.0% | 3.4% | 5.7% | 94.3% |
| Grade 10 | 2.0% | 3.0% | 6.4% | 93.6% |
| Grade 11 | 1.4% | 2.2% | 5.4% | 94.6% |
| Grade 12 | 0.7% | 0.9% | 4.2% | 95.8% |
| **OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?** | | | | |
| All | 0.3% | 0.5% | 1.3% | 98.7% |
| Grade 7 | 0.4% | 0.5% | 0.9% | 99.1% |
| Grade 8 | 0.3% | 0.6% | 1.5% | 98.5% |
| Grade 9 | 0.4% | 0.7% | 1.6% | 98.4% |
| Grade 10 | 0.1% | 0.3% | 1.1% | 98.9% |
| Grade 11 | 0.6% | 0.8% | 1.8% | 98.2% |
| Grade 12 | 0.2% | 0.3% | 1.1% | 98.9% |
| **Valium, Diazepam, Xanax, or Other Benzodiazepines?** | | | | |
| All | 0.6% | 0.9% | 2.0% | 98.0% |
| Grade 7 | 0.3% | 0.3% | 0.5% | 99.5% |
| Grade 8 | 0.4% | 0.5% | 1.3% | 98.7% |
| Grade 9 | 0.5% | 1.0% | 1.9% | 98.1% |
| Grade 10 | 0.5% | 1.1% | 2.2% | 97.8% |
| Grade 11 | 0.7% | 1.3% | 2.8% | 97.2% |
| Grade 12 | 0.9% | 1.3% | 3.4% | 96.6% |
| **Adderall, Ritalin, Dexedrine, Concerta, or Focalin?** | | | | |
| All | 0.6% | 1.0% | 2.1% | 97.9% |
| Grade 7 | 0.4% | 0.7% | 1.7% | 98.3% |
| Grade 8 | 0.8% | 1.4% | 2.7% | 97.3% |
| Grade 9 | 1.2% | 1.5% | 2.6% | 97.4% |
| Grade 10 | 0.5% | 0.9% | 1.8% | 98.2% |
| Grade 11 | 0.8% | 1.2% | 2.2% | 97.8% |
| Grade 12 | 0.1% | 0.4% | 1.5% | 98.5% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 27 of 124

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| Any Other Prescription Drug Not Listed Above? |  |  |  |  |
| All | 1.4% | 2.2% | 4.4% | 95.6% |
| Grade 7 | 1.4% | 2.0% | 4.8% | 95.2% |
| Grade 8 | 1.5% | 2.8% | 5.6% | 94.4% |
| Grade 9 | 1.7% | 2.7% | 5.5% | 94.5% |
| Grade 10 | 1.7% | 2.3% | 4.5% | 95.5% |
| Grade 11 | 1.5% | 2.1% | 3.4% | 96.6% |
| Grade 12 | 0.6% | 1.0% | 2.3% | 97.7% |

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| DXM, Triple Cs, or Coricidin? |  |  |  |  |
| All | 0.7% | 0.9% | 1.8% | 98.2% |
| Grade 7 | 1.2% | 1.5% | 3.5% | 96.5% |
| Grade 8 | 1.2% | 1.7% | 2.3% | 97.7% |
| Grade 9 | 0.4% | 0.7% | 1.6% | 98.4% |
| Grade 10 | 0.9% | 0.9% | 1.9% | 98.1% |
| Grade 11 | 0.2% | 0.3% | 0.7% | 99.3% |
| Grade 12 | 0.2% | 0.2% | 0.7% | 99.3% |

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

|  | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|---|---|---|---|---|---|
| All | 79.8% | 9.6% | 2.7% | 1.2% | 6.7% |
| Grade 7 | 79.8% | 8.6% | 3.1% | 1.5% | 7.0% |
| Grade 8 | 78.1% | 10.7% | 2.6% | 1.9% | 6.7% |
| Grade 9 | 79.7% | 10.1% | 2.7% | 1.2% | 6.3% |
| Grade 10 | 79.5% | 9.6% | 2.6% | 1.2% | 7.2% |
| Grade 11 | 79.8% | 9.3% | 2.7% | 1.1% | 7.1% |
| Grade 12 | 81.8% | 9.3% | 2.7% | 0.4% | 5.9% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 28 of 124

# Inhalants

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Inhalant?** | | | | |
| All | 3.3% | 4.6% | 8.6% | 91.4% |
| Grade 7 | 4.3% | 5.5% | 10.4% | 89.6% |
| Grade 8 | 4.6% | 6.0% | 8.9% | 91.1% |
| Grade 9 | 4.1% | 5.1% | 10.4% | 89.6% |
| Grade 10 | 2.6% | 4.6% | 8.4% | 91.6% |
| Grade 11 | 1.9% | 3.0% | 6.2% | 93.8% |
| Grade 12 | 2.4% | 3.2% | 7.2% | 92.8% |
| **Spray Paint?** | | | | |
| All | 0.3% | 0.5% | 1.2% | 98.8% |
| Grade 7 | 0.4% | 0.5% | 1.5% | 98.5% |
| Grade 8 | 0.3% | 0.6% | 1.4% | 98.6% |
| Grade 9 | 0.1% | 0.2% | 1.3% | 98.7% |
| Grade 10 | 0.4% | 0.5% | 1.1% | 98.9% |
| Grade 11 | 0.4% | 0.7% | 0.9% | 99.1% |
| Grade 12 | 0.0% | 0.2% | 1.2% | 98.8% |
| **Whiteout, Correction Fluid, or Magic Markers?** | | | | |
| All | 0.5% | 0.9% | 3.0% | 97.0% |
| Grade 7 | 0.5% | 0.8% | 4.2% | 95.8% |
| Grade 8 | 1.1% | 1.9% | 3.6% | 96.4% |
| Grade 9 | 0.4% | 0.7% | 3.8% | 96.2% |
| Grade 10 | 0.5% | 1.3% | 3.1% | 96.9% |
| Grade 11 | 0.2% | 0.4% | 1.2% | 98.8% |
| Grade 12 | 0.1% | 0.1% | 1.9% | 98.1% |
| **Computer Dusting Sprays?** | | | | |
| All | 0.1% | 0.2% | 0.6% | 99.4% |
| Grade 7 | 0.1% | 0.2% | 0.8% | 99.2% |
| Grade 8 | 0.3% | 0.6% | 0.8% | 99.2% |
| Grade 9 | 0.1% | 0.1% | 0.8% | 99.2% |
| Grade 10 | 0.1% | 0.2% | 0.6% | 99.4% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.2% | 0.2% | 0.6% | 99.4% |
| **Helium, Butane, Propane, Whippets, or Freon?** | | | | |
| All | 0.6% | 1.0% | 2.9% | 97.1% |
| Grade 7 | 0.8% | 1.1% | 3.2% | 96.8% |
| Grade 8 | 1.0% | 1.5% | 3.1% | 96.9% |
| Grade 9 | 1.0% | 1.6% | 3.9% | 96.1% |
| Grade 10 | 0.5% | 0.8% | 3.0% | 97.0% |
| Grade 11 | 0.0% | 0.4% | 1.4% | 98.6% |
| Grade 12 | 0.3% | 0.3% | 3.2% | 96.8% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 29 of 124

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Glue?** |  |  |  |  |
| All | 0.3% | 0.5% | 1.4% | 98.6% |
| Grade 7 | 0.7% | 0.8% | 2.4% | 97.6% |
| Grade 8 | 0.6% | 1.0% | 2.0% | 98.0% |
| Grade 9 | 0.3% | 0.4% | 1.0% | 99.0% |
| Grade 10 | 0.2% | 0.2% | 0.8% | 99.2% |
| Grade 11 | 0.0% | 0.0% | 0.6% | 99.4% |
| Grade 12 | 0.1% | 0.4% | 1.4% | 98.6% |
| **Toluene, Paint Thinner, or Other Solvents?** |  |  |  |  |
| All | 0.2% | 0.4% | 0.8% | 99.2% |
| Grade 7 | 0.4% | 0.7% | 1.7% | 98.3% |
| Grade 8 | 0.6% | 1.0% | 1.2% | 98.8% |
| Grade 9 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 10 | 0.1% | 0.6% | 1.0% | 99.0% |
| Grade 11 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 12 | 0.0% | 0.0% | 0.6% | 99.4% |
| **Gasoline, Octane Booster, or Carburetor Cleaner?** |  |  |  |  |
| All | 0.3% | 0.5% | 1.9% | 98.1% |
| Grade 7 | 0.7% | 1.0% | 3.7% | 96.3% |
| Grade 8 | 0.3% | 0.9% | 2.1% | 97.9% |
| Grade 9 | 0.4% | 0.4% | 1.8% | 98.2% |
| Grade 10 | 0.5% | 0.5% | 1.7% | 98.3% |
| Grade 11 | 0.0% | 0.0% | 0.6% | 99.4% |
| Grade 12 | 0.0% | 0.2% | 1.2% | 98.8% |
| **Other Aerosols/Sprays?** |  |  |  |  |
| All | 0.4% | 0.5% | 1.2% | 98.8% |
| Grade 7 | 0.7% | 1.0% | 2.3% | 97.7% |
| Grade 8 | 0.6% | 0.9% | 1.7% | 98.3% |
| Grade 9 | 0.4% | 0.4% | 1.5% | 98.5% |
| Grade 10 | 0.4% | 0.5% | 0.6% | 99.4% |
| Grade 11 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 12 | 0.0% | 0.0% | 0.7% | 99.3% |

*Percentages have been weighted to reflect proportions within the population.*

## Table I-2: How Often Do You Normally Use Inhalants?

|  | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|---|---|---|---|---|---|---|---|
| All | 98.1% | 0.1% | 0.1% | 0.2% | 0.4% | 0.5% | 0.6% |
| Grade 7 | 96.9% | 0.1% | 0.1% | 0.4% | 0.3% | 1.2% | 0.9% |
| Grade 8 | 97.4% | 0.0% | 0.3% | 0.3% | 0.6% | 0.8% | 0.6% |
| Grade 9 | 97.6% | 0.0% | 0.0% | 0.5% | 0.7% | 0.4% | 0.9% |
| Grade 10 | 98.6% | 0.0% | 0.0% | 0.0% | 0.5% | 0.2% | 0.6% |
| Grade 11 | 99.4% | 0.2% | 0.0% | 0.2% | 0.0% | 0.1% | 0.1% |
| Grade 12 | 98.8% | 0.3% | 0.2% | 0.0% | 0.0% | 0.1% | 0.7% |

## Table I-3: Number of Different Kinds of Inhalants Used

|  | None | 1 Kind | 2 or 3 Kinds | 4+ Kinds |
|---|---|---|---|---|
| All | 93.6% | 3.6% | 1.7% | 1.0% |
| Grade 7 | 91.9% | 3.9% | 2.3% | 1.8% |
| Grade 8 | 93.0% | 3.1% | 2.8% | 1.1% |
| Grade 9 | 91.8% | 5.3% | 1.9% | 0.9% |
| Grade 10 | 93.6% | 3.9% | 1.6% | 0.9% |
| Grade 11 | 96.3% | 2.6% | 1.0% | 0.0% |
| Grade 12 | 95.4% | 2.8% | 0.7% | 1.0% |

## Table I-4: Average Age of First Use of Inhalants

|  | All | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|---|---|---|---|---|---|---|---|
| Inhalants | 11.7 | 10.2 | 11.0 | 12.3 | 12.2 | 12.6 | 13.3 |

## Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

|  | None | 1 to 3 Days | 4 to 9 Days | 10+ Days |
|---|---|---|---|---|
| All | 99.0% | 0.7% | 0.1% | 0.2% |
| Grade 7 | 98.8% | 1.0% | 0.2% | 0.1% |
| Grade 8 | 99.0% | 0.7% | 0.0% | 0.4% |
| Grade 9 | 98.3% | 1.2% | 0.3% | 0.3% |
| Grade 10 | 99.2% | 0.5% | 0.0% | 0.3% |
| Grade 11 | 99.3% | 0.5% | 0.2% | 0.0% |
| Grade 12 | 99.5% | 0.4% | 0.0% | 0.2% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 31 of 124

## Table I-6: School Year Absences and Conduct Problems by Inhalant Use

|  | Average Days Absent Due to Illness or Other Reasons |
|---|---|
| Inhalant Users | 7.4 |
| Inhalant Non-Users | 4.7 |

|  | Average Days Conduct Problems Reported |
|---|---|
| Inhalant Users | 6.2 |
| Inhalant Non-Users | 1.4 |

## Table I-7: About How Many of Your Close Friends Use Inhalants?

|  | None | A Few | Some | Most | All |
|---|---|---|---|---|---|
| All | 94.4% | 3.7% | 1.3% | 0.3% | 0.3% |
| Grade 7 | 91.5% | 5.9% | 1.5% | 0.7% | 0.4% |
| Grade 8 | 92.7% | 5.6% | 1.3% | 0.2% | 0.2% |
| Grade 9 | 92.5% | 4.7% | 2.2% | 0.3% | 0.3% |
| Grade 10 | 95.9% | 2.3% | 1.3% | 0.2% | 0.3% |
| Grade 11 | 97.8% | 1.5% | 0.3% | 0.1% | 0.3% |
| Grade 12 | 96.1% | 2.2% | 0.9% | 0.5% | 0.2% |

## Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

|  | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|---|---|---|---|---|---|
| All | 76.8% | 11.6% | 4.1% | 1.1% | 6.5% |
| Grade 7 | 73.7% | 12.4% | 4.4% | 1.5% | 8.1% |
| Grade 8 | 74.9% | 12.1% | 4.8% | 2.2% | 5.9% |
| Grade 9 | 76.7% | 11.9% | 5.8% | 0.7% | 5.0% |
| Grade 10 | 76.4% | 12.7% | 3.0% | 1.2% | 6.8% |
| Grade 11 | 77.5% | 11.2% | 3.9% | 0.5% | 6.8% |
| Grade 12 | 82.0% | 8.8% | 2.4% | 0.4% | 6.3% |

## Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

|  | Never Heard of It | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|---|---|---|---|---|---|---|
| All | 57.0% | 15.0% | 3.7% | 4.3% | 7.0% | 13.0% |
| Grade 7 | 59.5% | 19.3% | 2.6% | 4.3% | 4.8% | 9.6% |
| Grade 8 | 60.6% | 17.4% | 2.9% | 4.0% | 5.1% | 10.0% |
| Grade 9 | 54.1% | 14.6% | 4.7% | 4.8% | 8.5% | 13.4% |
| Grade 10 | 56.1% | 12.7% | 4.0% | 4.6% | 8.7% | 14.1% |
| Grade 11 | 53.5% | 14.5% | 4.7% | 4.4% | 7.0% | 15.9% |
| Grade 12 | 58.2% | 11.4% | 3.3% | 3.7% | 7.9% | 15.5% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 32 of 124

# Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

|  |  | Yes |
| --- | --- | --- |
| A School Health Class | | |
|  | All | 48.4% |
|  | Grade 7 | 36.0% |
|  | Grade 8 | 46.4% |
|  | Grade 9 | 48.5% |
|  | Grade 10 | 54.4% |
|  | Grade 11 | 53.7% |
|  | Grade 12 | 51.9% |
| An Assembly Program | | |
|  | All | 56.5% |
|  | Grade 7 | 52.3% |
|  | Grade 8 | 57.3% |
|  | Grade 9 | 52.8% |
|  | Grade 10 | 58.1% |
|  | Grade 11 | 58.8% |
|  | Grade 12 | 60.5% |
| Guidance Counselor | | |
|  | All | 41.7% |
|  | Grade 7 | 40.3% |
|  | Grade 8 | 45.0% |
|  | Grade 9 | 39.8% |
|  | Grade 10 | 41.8% |
|  | Grade 11 | 41.3% |
|  | Grade 12 | 42.3% |
| School Nurse | | |
|  | All | 26.5% |
|  | Grade 7 | 26.7% |
|  | Grade 8 | 31.0% |
|  | Grade 9 | 24.6% |
|  | Grade 10 | 25.9% |
|  | Grade 11 | 22.9% |
|  | Grade 12 | 28.4% |
| Science or Social Studies Class | | |
|  | All | 31.4% |
|  | Grade 7 | 25.3% |
|  | Grade 8 | 29.1% |
|  | Grade 9 | 31.4% |
|  | Grade 10 | 34.7% |
|  | Grade 11 | 32.4% |
|  | Grade 12 | 36.0% |

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**
(Continued)

|  | | Yes |
| --- | --- | --- |
| Student Group or Club Meeting at School | | |
| | All | 21.2% |
| | Grade 7 | 13.7% |
| | Grade 8 | 21.9% |
| | Grade 9 | 18.9% |
| | Grade 10 | 23.6% |
| | Grade 11 | 23.0% |
| | Grade 12 | 26.9% |
| | | |
| An Invited School Guest | | |
| | All | 41.6% |
| | Grade 7 | 36.6% |
| | Grade 8 | 43.8% |
| | Grade 9 | 33.7% |
| | Grade 10 | 44.8% |
| | Grade 11 | 44.5% |
| | Grade 12 | 47.2% |
| | | |
| Another Source at School | | |
| | All | 36.3% |
| | Grade 7 | 28.1% |
| | Grade 8 | 37.7% |
| | Grade 9 | 35.4% |
| | Grade 10 | 39.0% |
| | Grade 11 | 38.1% |
| | Grade 12 | 40.1% |
| | | |
| Any School Source | | |
| | All | 70.7% |
| | Grade 7 | 64.3% |
| | Grade 8 | 68.8% |
| | Grade 9 | 68.3% |
| | Grade 10 | 73.8% |
| | Grade 11 | 75.3% |
| | Grade 12 | 74.4% |

*Percentages have been weighted to reflect proportions within the population.*

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

|  | Yes |
|---|---|
| **Counselor/Program In-School** | |
| All | 40.7% |
| Grade 7 | 46.7% |
| Grade 8 | 46.1% |
| Grade 9 | 38.9% |
| Grade 10 | 35.9% |
| Grade 11 | 37.6% |
| Grade 12 | 38.6% |
| | |
| **School Nurse** | |
| All | 29.1% |
| Grade 7 | 36.5% |
| Grade 8 | 33.9% |
| Grade 9 | 27.6% |
| Grade 10 | 24.2% |
| Grade 11 | 25.9% |
| Grade 12 | 25.9% |
| | |
| **Another Adult In School** | |
| All | 44.7% |
| Grade 7 | 47.1% |
| Grade 8 | 46.3% |
| Grade 9 | 42.8% |
| Grade 10 | 40.7% |
| Grade 11 | 44.3% |
| Grade 12 | 47.3% |
| | |
| **Counselor/Program Outside-School** | |
| All | 43.4% |
| Grade 7 | 44.4% |
| Grade 8 | 45.5% |
| Grade 9 | 41.7% |
| Grade 10 | 41.1% |
| Grade 11 | 45.0% |
| Grade 12 | 43.0% |
| | |
| **Your Parents** | |
| All | 71.7% |
| Grade 7 | 76.2% |
| Grade 8 | 73.5% |
| Grade 9 | 70.4% |
| Grade 10 | 67.8% |
| Grade 11 | 73.0% |
| Grade 12 | 69.3% |

*Percentages have been weighted to reflect proportions within the population.*

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

(Continued)

|  |  | Yes |
|---|---|---|
| **A Medical Doctor** | | |
| | All | 61.0% |
| | Grade 7 | 65.8% |
| | Grade 8 | 63.3% |
| | Grade 9 | 60.7% |
| | Grade 10 | 54.7% |
| | Grade 11 | 61.6% |
| | Grade 12 | 59.8% |
| **Your Friends** | | |
| | All | 61.3% |
| | Grade 7 | 52.6% |
| | Grade 8 | 56.1% |
| | Grade 9 | 59.6% |
| | Grade 10 | 64.7% |
| | Grade 11 | 65.9% |
| | Grade 12 | 69.8% |
| **Another Adult** | | |
| | All | 58.8% |
| | Grade 7 | 59.2% |
| | Grade 8 | 63.4% |
| | Grade 9 | 58.9% |
| | Grade 10 | 58.3% |
| | Grade 11 | 57.3% |
| | Grade 12 | 55.4% |

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

|  | Yes |
|---|---|
| All | 6.3% |
| Grade 7 | 5.7% |
| Grade 8 | 5.3% |
| Grade 9 | 7.5% |
| Grade 10 | 8.3% |
| Grade 11 | 4.8% |
| Grade 12 | 6.2% |

*Percentages have been weighted to reflect proportions within the population.*

## Table X-4: About How Many of Your Close Friends...

|  | None | A Few | Some | Most | All |
|---|---|---|---|---|---|
| **Feel Close to Their Parents?** |  |  |  |  |  |
| All | 7.4% | 19.6% | 22.2% | 33.2% | 17.7% |
| Grade 7 | 8.9% | 22.6% | 18.6% | 31.6% | 18.4% |
| Grade 8 | 10.0% | 18.2% | 19.8% | 30.8% | 21.2% |
| Grade 9 | 7.2% | 18.9% | 21.1% | 34.4% | 18.3% |
| Grade 10 | 7.2% | 18.7% | 23.5% | 34.7% | 15.9% |
| Grade 11 | 5.5% | 21.0% | 23.3% | 33.6% | 16.6% |
| Grade 12 | 5.4% | 17.9% | 27.1% | 34.0% | 15.6% |
| **Sometimes Carry Weapons?** |  |  |  |  |  |
| All | 88.1% | 7.5% | 2.7% | 1.0% | 0.7% |
| Grade 7 | 91.0% | 6.2% | 1.5% | 0.6% | 0.7% |
| Grade 8 | 88.7% | 7.4% | 2.3% | 1.0% | 0.6% |
| Grade 9 | 88.2% | 8.0% | 2.5% | 1.0% | 0.3% |
| Grade 10 | 87.7% | 7.3% | 3.3% | 1.0% | 0.7% |
| Grade 11 | 88.3% | 6.9% | 3.1% | 0.8% | 0.9% |
| Grade 12 | 84.2% | 9.6% | 3.6% | 1.6% | 1.0% |
| **Care About Making Good Grades?** |  |  |  |  |  |
| All | 3.1% | 12.2% | 23.6% | 37.9% | 23.2% |
| Grade 7 | 3.8% | 14.5% | 23.2% | 32.8% | 25.7% |
| Grade 8 | 4.2% | 12.9% | 23.5% | 34.2% | 25.3% |
| Grade 9 | 3.5% | 10.9% | 25.1% | 38.9% | 21.7% |
| Grade 10 | 3.3% | 13.3% | 24.7% | 38.0% | 20.7% |
| Grade 11 | 1.3% | 9.9% | 22.3% | 43.3% | 23.2% |
| Grade 12 | 2.6% | 11.4% | 22.8% | 40.6% | 22.6% |
| **Belong/Want to Belong to a Gang?** |  |  |  |  |  |
| All | 90.7% | 6.5% | 1.4% | 0.4% | 1.0% |
| Grade 7 | 88.8% | 8.7% | 0.9% | 0.3% | 1.3% |
| Grade 8 | 86.7% | 9.6% | 1.8% | 0.5% | 1.4% |
| Grade 9 | 90.1% | 7.1% | 1.8% | 0.5% | 0.5% |
| Grade 10 | 90.8% | 5.8% | 1.5% | 0.7% | 1.2% |
| Grade 11 | 93.6% | 4.9% | 0.7% | 0.3% | 0.5% |
| Grade 12 | 94.5% | 2.5% | 2.0% | 0.3% | 0.8% |
| **Wish They Could Drop Out of School?** |  |  |  |  |  |
| All | 51.8% | 26.4% | 13.4% | 5.5% | 2.8% |
| Grade 7 | 51.6% | 24.3% | 13.7% | 7.5% | 2.9% |
| Grade 8 | 52.1% | 26.1% | 13.5% | 5.3% | 3.1% |
| Grade 9 | 48.5% | 29.5% | 14.5% | 5.1% | 2.5% |
| Grade 10 | 49.3% | 28.7% | 12.4% | 6.4% | 3.2% |
| Grade 11 | 54.7% | 25.5% | 13.5% | 4.2% | 2.2% |
| Grade 12 | 55.7% | 24.1% | 13.0% | 4.2% | 3.0% |

*Percentages have been weighted to reflect proportions within the population.*

## Table X-5: How Safe Do You Feel When You Are...

|  | Very Safe | Somewhat Safe | Not Very Safe | Not Safe at All | Do Not Know |
|---|---|---|---|---|---|
| In Your Home? | | | | | |
| All | 89.0% | 9.5% | 0.5% | 0.1% | 0.9% |
| Grade 7 | 87.2% | 11.4% | 0.6% | 0.0% | 0.8% |
| Grade 8 | 88.9% | 9.2% | 0.4% | 0.2% | 1.3% |
| Grade 9 | 88.0% | 9.9% | 1.0% | 0.1% | 1.0% |
| Grade 10 | 89.2% | 9.2% | 0.4% | 0.1% | 1.0% |
| Grade 11 | 91.2% | 7.8% | 0.5% | 0.0% | 0.5% |
| Grade 12 | 89.8% | 9.5% | 0.1% | 0.0% | 0.5% |
| | | | | | |
| Out In Your Neighborhood? | | | | | |
| All | 44.8% | 46.1% | 5.9% | 0.8% | 2.5% |
| Grade 7 | 36.7% | 48.8% | 9.2% | 1.1% | 4.2% |
| Grade 8 | 38.9% | 48.4% | 7.2% | 1.1% | 4.3% |
| Grade 9 | 44.4% | 47.8% | 6.0% | 0.5% | 1.2% |
| Grade 10 | 50.0% | 41.7% | 5.7% | 0.8% | 1.8% |
| Grade 11 | 46.9% | 46.9% | 3.8% | 0.7% | 1.7% |
| Grade 12 | 51.8% | 43.0% | 3.0% | 0.3% | 1.9% |
| | | | | | |
| At School? | | | | | |
| All | 34.7% | 49.4% | 8.5% | 3.3% | 4.0% |
| Grade 7 | 35.6% | 45.9% | 9.1% | 4.7% | 4.7% |
| Grade 8 | 34.6% | 47.2% | 9.8% | 3.3% | 5.1% |
| Grade 9 | 31.2% | 54.2% | 9.1% | 2.9% | 2.7% |
| Grade 10 | 33.6% | 47.2% | 10.2% | 4.1% | 5.0% |
| Grade 11 | 35.8% | 53.0% | 6.4% | 1.6% | 3.1% |
| Grade 12 | 37.9% | 49.2% | 6.3% | 3.3% | 3.3% |

# 2  Prevalence Tables

## Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
### All Students

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product** | | | | |
| All | 8.0% | 9.9% | 18.3% | 81.7% |
| Grade 7 | 4.8% | 6.0% | 13.7% | 86.3% |
| Grade 8 | 5.9% | 6.9% | 14.5% | 85.5% |
| Grade 9 | 7.9% | 9.8% | 18.6% | 81.4% |
| Grade 10 | 7.9% | 9.8% | 17.1% | 82.9% |
| Grade 11 | 10.2% | 12.7% | 22.3% | 77.7% |
| Grade 12 | 11.8% | 14.9% | 24.0% | 76.0% |
| **Any Alcohol Product** | | | | |
| All | 20.1% | 23.3% | 37.6% | 62.4% |
| Grade 7 | 12.7% | 14.9% | 29.7% | 70.3% |
| Grade 8 | 13.2% | 15.9% | 28.7% | 71.3% |
| Grade 9 | 21.1% | 23.3% | 38.0% | 62.0% |
| Grade 10 | 20.0% | 23.7% | 38.2% | 61.8% |
| Grade 11 | 26.2% | 31.2% | 45.6% | 54.4% |
| Grade 12 | 28.4% | 31.5% | 46.0% | 54.0% |
| **Any Illicit Drug** | | | | |
| All | 8.8% | 11.4% | 15.1% | 84.9% |
| Grade 7 | 4.1% | 5.6% | 7.9% | 92.1% |
| Grade 8 | 5.3% | 7.6% | 9.5% | 90.5% |
| Grade 9 | 9.3% | 11.9% | 14.3% | 85.7% |
| Grade 10 | 8.4% | 10.9% | 14.7% | 85.3% |
| Grade 11 | 11.9% | 15.3% | 21.0% | 79.0% |
| Grade 12 | 14.4% | 17.8% | 24.0% | 76.0% |
| **Any Prescription Drug** | | | | |
| All | 3.3% | 4.8% | 9.3% | 90.7% |
| Grade 7 | 3.6% | 5.1% | 10.0% | 90.0% |
| Grade 8 | 4.0% | 6.1% | 11.5% | 88.5% |
| Grade 9 | 3.6% | 4.9% | 8.6% | 91.4% |
| Grade 10 | 3.5% | 5.3% | 9.7% | 90.3% |
| Grade 11 | 3.6% | 4.6% | 8.9% | 91.1% |
| Grade 12 | 1.7% | 2.4% | 6.7% | 93.3% |
| **Any Inhalant** | | | | |
| All | 3.3% | 4.6% | 8.6% | 91.4% |
| Grade 7 | 4.3% | 5.5% | 10.4% | 89.6% |
| Grade 8 | 4.6% | 6.0% | 8.9% | 91.1% |
| Grade 9 | 4.1% | 5.1% | 10.4% | 89.6% |
| Grade 10 | 2.6% | 4.6% | 8.4% | 91.6% |
| Grade 11 | 1.9% | 3.0% | 6.2% | 93.8% |
| Grade 12 | 2.4% | 3.2% | 7.2% | 92.8% |

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**
**All Students**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Electronic Vapor Products** | | | | |
| All | 5.9% | 7.9% | 15.9% | 84.1% |
| Grade 7 | 3.2% | 4.8% | 11.3% | 88.7% |
| Grade 8 | 4.4% | 5.8% | 12.3% | 87.7% |
| Grade 9 | 4.9% | 6.8% | 15.7% | 84.3% |
| Grade 10 | 6.5% | 8.3% | 15.3% | 84.7% |
| Grade 11 | 7.7% | 10.4% | 20.1% | 79.9% |
| Grade 12 | 9.0% | 12.0% | 21.6% | 78.4% |
| **Marijuana** | | | | |
| All | 8.0% | 9.5% | 13.0% | 87.0% |
| Grade 7 | 3.6% | 4.5% | 6.3% | 93.7% |
| Grade 8 | 4.5% | 5.4% | 7.2% | 92.8% |
| Grade 9 | 8.5% | 9.7% | 11.6% | 88.4% |
| Grade 10 | 7.7% | 8.8% | 12.6% | 87.4% |
| Grade 11 | 10.9% | 13.5% | 19.4% | 80.6% |
| Grade 12 | 13.5% | 15.7% | 22.1% | 77.9% |
| **Marijuana Only** | | | | |
| All | 4.1% | 5.0% | 7.7% | 92.3% |
| Grade 7 | 2.0% | 2.8% | 4.2% | 95.8% |
| Grade 8 | 1.7% | 2.4% | 3.8% | 96.2% |
| Grade 9 | 5.1% | 5.4% | 6.9% | 93.1% |
| Grade 10 | 4.0% | 4.4% | 7.6% | 92.4% |
| Grade 11 | 4.8% | 6.7% | 10.9% | 89.1% |
| Grade 12 | 7.5% | 8.6% | 13.2% | 86.8% |
| **Cocaine or Crack** | | | | |
| All | 0.8% | 0.8% | 1.2% | 98.8% |
| Grade 7 | 0.7% | 0.7% | 0.9% | 99.1% |
| Grade 8 | 0.8% | 0.8% | 1.0% | 99.0% |
| Grade 9 | 0.8% | 0.9% | 0.9% | 99.1% |
| Grade 10 | 0.5% | 0.5% | 1.1% | 98.9% |
| Grade 11 | 0.7% | 0.7% | 1.0% | 99.0% |
| Grade 12 | 1.1% | 1.2% | 2.3% | 97.7% |
| **Cocaine** | | | | |
| All | 0.7% | 0.7% | 1.1% | 98.9% |
| Grade 7 | 0.7% | 0.7% | 0.9% | 99.1% |
| Grade 8 | 0.7% | 0.7% | 0.9% | 99.1% |
| Grade 9 | 0.8% | 0.9% | 0.9% | 99.1% |
| Grade 10 | 0.5% | 0.5% | 1.1% | 98.9% |
| Grade 11 | 0.6% | 0.6% | 0.9% | 99.1% |
| Grade 12 | 1.1% | 1.1% | 2.1% | 97.9% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 41 of 124

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**
**All Students**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Crack** | | | | |
| All | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.4% | 0.4% | 0.5% | 99.5% |
| Grade 8 | 0.1% | 0.1% | 0.2% | 99.8% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.1% | 99.9% |
| Grade 11 | 0.1% | 0.1% | 0.3% | 99.7% |
| Grade 12 | 0.3% | 0.3% | 0.6% | 99.4% |
| **Hallucinogens** | | | | |
| All | 0.7% | 1.1% | 2.4% | 97.6% |
| Grade 7 | 0.5% | 0.5% | 0.9% | 99.1% |
| Grade 8 | 0.4% | 0.7% | 1.5% | 98.5% |
| Grade 9 | 0.2% | 0.8% | 1.6% | 98.4% |
| Grade 10 | 1.2% | 1.6% | 2.7% | 97.3% |
| Grade 11 | 1.4% | 2.0% | 3.5% | 96.5% |
| Grade 12 | 0.3% | 1.0% | 4.4% | 95.6% |
| **Synthetic Cathinones** | | | | |
| All | 0.1% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.2% | 0.2% | 0.6% | 99.4% |
| Grade 8 | 0.1% | 0.2% | 0.3% | 99.7% |
| Grade 9 | 0.2% | 0.2% | 0.4% | 99.6% |
| Grade 10 | 0.1% | 0.2% | 0.3% | 99.7% |
| Grade 11 | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 12 | 0.2% | 0.2% | 0.3% | 99.7% |
| **Steroids** | | | | |
| All | 0.4% | 0.5% | 1.0% | 99.0% |
| Grade 7 | 0.5% | 0.9% | 1.8% | 98.2% |
| Grade 8 | 0.3% | 0.3% | 1.0% | 99.0% |
| Grade 9 | 0.8% | 0.8% | 1.3% | 98.7% |
| Grade 10 | 0.3% | 0.4% | 0.7% | 99.3% |
| Grade 11 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 12 | 0.2% | 0.2% | 0.4% | 99.6% |
| **Ecstasy** | | | | |
| All | 0.3% | 0.4% | 0.8% | 99.2% |
| Grade 7 | 0.5% | 0.5% | 0.6% | 99.4% |
| Grade 8 | 0.7% | 0.8% | 1.1% | 98.9% |
| Grade 9 | 0.1% | 0.4% | 0.9% | 99.1% |
| Grade 10 | 0.3% | 0.3% | 0.9% | 99.1% |
| Grade 11 | 0.1% | 0.2% | 0.2% | 99.8% |
| Grade 12 | 0.2% | 0.5% | 1.2% | 98.8% |

*Percentages have been weighted to reflect proportions within the population.*

## Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
### All Students
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Heroin** |  |  |  |  |
| All | 0.2% | 0.2% | 0.4% | 99.6% |
| Grade 7 | 0.1% | 0.1% | 0.4% | 99.6% |
| Grade 8 | 0.0% | 0.2% | 0.3% | 99.7% |
| Grade 9 | 0.4% | 0.4% | 0.6% | 99.4% |
| Grade 10 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 11 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 12 | 0.0% | 0.0% | 0.2% | 99.8% |
| **Synthetic Marijuana** |  |  |  |  |
| All | 1.0% | 1.5% | 2.5% | 97.5% |
| Grade 7 | 0.5% | 0.8% | 1.6% | 98.4% |
| Grade 8 | 0.8% | 1.2% | 1.5% | 98.5% |
| Grade 9 | 0.9% | 1.7% | 3.1% | 96.9% |
| Grade 10 | 1.1% | 1.4% | 2.4% | 97.6% |
| Grade 11 | 1.2% | 1.5% | 3.2% | 96.8% |
| Grade 12 | 1.2% | 2.3% | 3.6% | 96.4% |
| **Methamphetamine** |  |  |  |  |
| All | 0.2% | 0.2% | 0.5% | 99.5% |
| Grade 7 | 0.5% | 0.5% | 0.8% | 99.2% |
| Grade 8 | 0.2% | 0.2% | 0.6% | 99.4% |
| Grade 9 | 0.2% | 0.3% | 0.5% | 99.5% |
| Grade 10 | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 11 | 0.1% | 0.1% | 0.2% | 99.8% |
| Grade 12 | 0.2% | 0.2% | 0.9% | 99.1% |
| **Delta 8** |  |  |  |  |
| All | 1.3% | 2.0% | 3.5% | 96.5% |
| Grade 7 | 0.9% | 1.4% | 2.5% | 97.5% |
| Grade 8 | 1.1% | 1.6% | 2.3% | 97.7% |
| Grade 9 | 1.0% | 1.6% | 3.4% | 96.6% |
| Grade 10 | 1.7% | 2.2% | 3.2% | 96.8% |
| Grade 11 | 1.3% | 2.6% | 5.0% | 95.0% |
| Grade 12 | 1.6% | 2.6% | 4.7% | 95.3% |

*Percentages have been weighted to reflect proportions within the population.*

## Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
## Male Students

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product** | | | | |
| All | 7.8% | 9.3% | 16.9% | 83.1% |
| Grade 7 | 4.7% | 5.1% | 11.2% | 88.8% |
| Grade 8 | 6.0% | 6.6% | 13.5% | 86.5% |
| Grade 9 | 5.9% | 6.2% | 14.5% | 85.5% |
| Grade 10 | 8.5% | 10.1% | 16.6% | 83.4% |
| Grade 11 | 10.9% | 14.6% | 24.0% | 76.0% |
| Grade 12 | 11.6% | 14.2% | 22.8% | 77.2% |
| | | | | |
| **Any Alcohol Product** | | | | |
| All | 20.0% | 23.8% | 37.8% | 62.2% |
| Grade 7 | 10.7% | 14.1% | 30.1% | 69.9% |
| Grade 8 | 13.8% | 16.8% | 28.6% | 71.4% |
| Grade 9 | 20.6% | 23.1% | 36.6% | 63.4% |
| Grade 10 | 20.1% | 24.9% | 40.3% | 59.7% |
| Grade 11 | 26.0% | 31.7% | 46.6% | 53.4% |
| Grade 12 | 30.3% | 33.7% | 46.1% | 53.9% |
| | | | | |
| **Any Illicit Drug** | | | | |
| All | 8.7% | 11.7% | 15.0% | 85.0% |
| Grade 7 | 3.1% | 4.4% | 6.4% | 93.6% |
| Grade 8 | 4.8% | 7.8% | 9.8% | 90.2% |
| Grade 9 | 7.3% | 10.3% | 12.5% | 87.5% |
| Grade 10 | 10.7% | 13.5% | 17.0% | 83.0% |
| Grade 11 | 13.0% | 17.2% | 22.4% | 77.6% |
| Grade 12 | 14.6% | 18.1% | 23.7% | 76.3% |
| | | | | |
| **Any Prescription Drug** | | | | |
| All | 3.4% | 5.2% | 10.5% | 89.5% |
| Grade 7 | 2.9% | 4.4% | 9.2% | 90.8% |
| Grade 8 | 3.9% | 6.9% | 13.9% | 86.1% |
| Grade 9 | 3.3% | 4.9% | 8.9% | 91.1% |
| Grade 10 | 4.5% | 7.1% | 12.7% | 87.3% |
| Grade 11 | 3.2% | 4.3% | 9.5% | 90.5% |
| Grade 12 | 2.3% | 3.6% | 8.6% | 91.4% |
| | | | | |
| **Any Inhalant** | | | | |
| All | 3.4% | 4.9% | 8.8% | 91.2% |
| Grade 7 | 3.5% | 4.7% | 9.2% | 90.8% |
| Grade 8 | 5.4% | 8.0% | 10.9% | 89.1% |
| Grade 9 | 3.3% | 4.6% | 10.0% | 90.0% |
| Grade 10 | 2.9% | 4.9% | 8.1% | 91.9% |
| Grade 11 | 2.5% | 3.4% | 6.7% | 93.3% |
| Grade 12 | 2.9% | 3.2% | 7.9% | 92.1% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade**
**Male Students**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Electronic Vapor Products** | | | | |
| All | 5.2% | 6.9% | 14.0% | 86.0% |
| Grade 7 | 2.9% | 3.5% | 8.7% | 91.3% |
| Grade 8 | 4.1% | 5.6% | 10.4% | 89.6% |
| Grade 9 | 2.6% | 3.0% | 10.8% | 89.2% |
| Grade 10 | 6.5% | 8.5% | 14.1% | 85.9% |
| Grade 11 | 7.6% | 10.9% | 21.2% | 78.8% |
| Grade 12 | 8.1% | 10.9% | 20.1% | 79.9% |
| **Marijuana** | | | | |
| All | 8.2% | 9.6% | 12.9% | 87.1% |
| Grade 7 | 3.1% | 4.0% | 5.4% | 94.6% |
| Grade 8 | 3.7% | 4.7% | 6.7% | 93.3% |
| Grade 9 | 6.3% | 7.6% | 9.4% | 90.6% |
| Grade 10 | 9.9% | 11.1% | 15.0% | 85.0% |
| Grade 11 | 12.7% | 15.4% | 20.5% | 79.5% |
| Grade 12 | 14.4% | 16.5% | 22.8% | 77.2% |
| **Marijuana Only** | | | | |
| All | 3.6% | 4.4% | 6.7% | 93.3% |
| Grade 7 | 1.3% | 2.1% | 3.0% | 97.0% |
| Grade 8 | 1.1% | 1.8% | 3.4% | 96.6% |
| Grade 9 | 3.5% | 3.7% | 4.8% | 95.2% |
| Grade 10 | 3.8% | 4.3% | 7.4% | 92.6% |
| Grade 11 | 4.3% | 6.3% | 9.2% | 90.8% |
| Grade 12 | 8.2% | 9.0% | 13.6% | 86.4% |
| **Cocaine or Crack** | | | | |
| All | 0.9% | 0.9% | 1.3% | 98.7% |
| Grade 7 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 8 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 9 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 10 | 1.2% | 1.2% | 2.3% | 97.7% |
| Grade 11 | 1.1% | 1.2% | 1.6% | 98.4% |
| Grade 12 | 2.1% | 2.2% | 3.2% | 96.8% |
| **Cocaine** | | | | |
| All | 0.9% | 0.9% | 1.3% | 98.7% |
| Grade 7 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 8 | 0.4% | 0.4% | 0.4% | 99.6% |
| Grade 9 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 10 | 1.2% | 1.2% | 2.1% | 97.9% |
| Grade 11 | 1.1% | 1.2% | 1.6% | 98.4% |
| Grade 12 | 2.0% | 2.1% | 3.1% | 96.9% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade**
**Male Students**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Crack** |  |  |  |  |
| All | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 8 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 11 | 0.0% | 0.0% | 0.4% | 99.6% |
| Grade 12 | 0.7% | 0.7% | 1.1% | 98.9% |
| **Hallucinogens** |  |  |  |  |
| All | 0.9% | 1.4% | 3.2% | 96.8% |
| Grade 7 | 0.3% | 0.3% | 0.4% | 99.6% |
| Grade 8 | 0.7% | 1.2% | 1.9% | 98.1% |
| Grade 9 | 0.4% | 0.9% | 1.9% | 98.1% |
| Grade 10 | 1.7% | 2.5% | 3.9% | 96.1% |
| Grade 11 | 1.8% | 2.5% | 5.3% | 94.7% |
| Grade 12 | 0.5% | 1.1% | 6.3% | 93.7% |
| **Synthetic Cathinones** |  |  |  |  |
| All | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.4% | 0.4% | 0.7% | 99.3% |
| Grade 8 | 0.0% | 0.3% | 0.4% | 99.6% |
| Grade 9 | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 10 | 0.3% | 0.4% | 0.4% | 99.6% |
| Grade 11 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Steroids** |  |  |  |  |
| All | 0.5% | 0.5% | 1.2% | 98.8% |
| Grade 7 | 0.1% | 0.5% | 1.6% | 98.4% |
| Grade 8 | 0.6% | 0.6% | 1.6% | 98.4% |
| Grade 9 | 1.1% | 1.1% | 1.8% | 98.2% |
| Grade 10 | 0.4% | 0.5% | 1.0% | 99.0% |
| Grade 11 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 12 | 0.2% | 0.2% | 0.7% | 99.3% |
| **Ecstasy** |  |  |  |  |
| All | 0.5% | 0.6% | 1.0% | 99.0% |
| Grade 7 | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 8 | 1.4% | 1.4% | 1.9% | 98.1% |
| Grade 9 | 0.3% | 0.3% | 0.7% | 99.3% |
| Grade 10 | 0.6% | 0.8% | 1.8% | 98.2% |
| Grade 11 | 0.1% | 0.2% | 0.2% | 99.8% |
| Grade 12 | 0.4% | 1.0% | 1.6% | 98.4% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 46 of 124

## Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
## Male Students
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Heroin** | | | | |
| All | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 8 | 0.0% | 0.2% | 0.2% | 99.8% |
| Grade 9 | 0.4% | 0.4% | 0.4% | 99.6% |
| Grade 10 | 0.6% | 0.6% | 0.7% | 99.3% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.0% | 0.0% | 0.4% | 99.6% |
| | | | | |
| **Synthetic Marijuana** | | | | |
| All | 0.9% | 1.5% | 2.5% | 97.5% |
| Grade 7 | 0.4% | 0.9% | 1.7% | 98.3% |
| Grade 8 | 0.7% | 1.1% | 1.2% | 98.8% |
| Grade 9 | 0.9% | 1.5% | 2.6% | 97.4% |
| Grade 10 | 1.8% | 2.3% | 3.3% | 96.7% |
| Grade 11 | 1.0% | 1.5% | 3.7% | 96.3% |
| Grade 12 | 0.4% | 1.6% | 2.4% | 97.6% |
| | | | | |
| **Methamphetamine** | | | | |
| All | 0.2% | 0.3% | 0.6% | 99.4% |
| Grade 7 | 0.5% | 0.5% | 0.6% | 99.4% |
| Grade 8 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 9 | 0.4% | 0.6% | 0.9% | 99.1% |
| Grade 10 | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 11 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 12 | 0.0% | 0.0% | 1.2% | 98.8% |
| | | | | |
| **Delta 8** | | | | |
| All | 1.6% | 2.6% | 4.4% | 95.6% |
| Grade 7 | 1.4% | 1.7% | 3.2% | 96.8% |
| Grade 8 | 1.2% | 1.8% | 2.6% | 97.4% |
| Grade 9 | 0.9% | 2.1% | 4.4% | 95.6% |
| Grade 10 | 2.8% | 3.6% | 5.0% | 95.0% |
| Grade 11 | 1.8% | 3.7% | 7.0% | 93.0% |
| Grade 12 | 1.4% | 2.8% | 4.6% | 95.4% |

*Percentages have been weighted to reflect proportions within the population.*

## Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
### Female Students

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product** | | | | |
| All | 8.3% | 10.6% | 19.6% | 80.4% |
| Grade 7 | 4.9% | 6.9% | 15.7% | 84.3% |
| Grade 8 | 6.0% | 7.4% | 15.2% | 84.8% |
| Grade 9 | 10.1% | 13.6% | 23.0% | 77.0% |
| Grade 10 | 7.4% | 9.6% | 17.9% | 82.1% |
| Grade 11 | 9.8% | 11.2% | 21.1% | 78.9% |
| Grade 12 | 12.0% | 15.6% | 25.3% | 74.7% |
| | | | | |
| **Any Alcohol Product** | | | | |
| All | 20.3% | 22.8% | 37.4% | 62.6% |
| Grade 7 | 14.7% | 15.7% | 29.6% | 70.4% |
| Grade 8 | 12.8% | 15.2% | 28.7% | 71.3% |
| Grade 9 | 21.4% | 23.3% | 39.5% | 60.5% |
| Grade 10 | 19.7% | 22.3% | 36.4% | 63.6% |
| Grade 11 | 26.3% | 30.5% | 44.9% | 55.1% |
| Grade 12 | 27.0% | 30.0% | 45.9% | 54.1% |
| | | | | |
| **Any Illicit Drug** | | | | |
| All | 8.9% | 11.2% | 15.3% | 84.7% |
| Grade 7 | 5.0% | 6.4% | 8.9% | 91.1% |
| Grade 8 | 5.9% | 7.6% | 9.3% | 90.7% |
| Grade 9 | 11.3% | 13.6% | 16.3% | 83.7% |
| Grade 10 | 6.6% | 9.1% | 13.1% | 86.9% |
| Grade 11 | 11.0% | 13.7% | 20.1% | 79.9% |
| Grade 12 | 14.3% | 17.6% | 24.4% | 75.6% |
| | | | | |
| **Any Prescription Drug** | | | | |
| All | 3.4% | 4.4% | 8.2% | 91.8% |
| Grade 7 | 4.2% | 5.7% | 10.6% | 89.4% |
| Grade 8 | 4.2% | 5.4% | 9.4% | 90.6% |
| Grade 9 | 4.0% | 4.9% | 8.4% | 91.6% |
| Grade 10 | 2.7% | 4.0% | 7.3% | 92.7% |
| Grade 11 | 4.0% | 5.0% | 8.5% | 91.5% |
| Grade 12 | 1.2% | 1.4% | 5.1% | 94.9% |
| | | | | |
| **Any Inhalant** | | | | |
| All | 3.3% | 4.3% | 8.3% | 91.7% |
| Grade 7 | 5.1% | 6.3% | 11.2% | 88.8% |
| Grade 8 | 3.8% | 4.1% | 7.0% | 93.0% |
| Grade 9 | 4.9% | 5.6% | 10.8% | 89.2% |
| Grade 10 | 2.3% | 3.9% | 8.0% | 92.0% |
| Grade 11 | 1.5% | 2.8% | 5.8% | 94.2% |
| Grade 12 | 2.0% | 3.2% | 6.7% | 93.3% |

*Percentages have been weighted to reflect proportions within the population.*

## Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
### Female Students
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Electronic Vapor Products** |  |  |  |  |
| All | 6.6% | 9.1% | 17.9% | 82.1% |
| Grade 7 | 3.5% | 5.9% | 13.5% | 86.5% |
| Grade 8 | 4.8% | 6.2% | 13.9% | 86.1% |
| Grade 9 | 7.4% | 10.9% | 21.0% | 79.0% |
| Grade 10 | 6.6% | 8.4% | 16.6% | 83.4% |
| Grade 11 | 7.9% | 10.2% | 19.4% | 80.6% |
| Grade 12 | 9.8% | 13.0% | 23.0% | 77.0% |
| **Marijuana** |  |  |  |  |
| All | 8.0% | 9.4% | 13.2% | 86.8% |
| Grade 7 | 4.0% | 4.6% | 6.9% | 93.1% |
| Grade 8 | 5.4% | 6.3% | 7.9% | 92.1% |
| Grade 9 | 10.7% | 11.7% | 13.9% | 86.1% |
| Grade 10 | 6.2% | 7.1% | 10.8% | 89.2% |
| Grade 11 | 9.4% | 11.9% | 18.7% | 81.3% |
| Grade 12 | 12.8% | 15.1% | 21.7% | 78.3% |
| **Marijuana Only** |  |  |  |  |
| All | 4.7% | 5.6% | 8.7% | 91.3% |
| Grade 7 | 2.7% | 3.2% | 5.0% | 95.0% |
| Grade 8 | 2.4% | 3.1% | 4.3% | 95.7% |
| Grade 9 | 6.7% | 7.1% | 9.0% | 91.0% |
| Grade 10 | 4.2% | 4.5% | 7.9% | 92.1% |
| Grade 11 | 5.4% | 7.3% | 12.9% | 87.1% |
| Grade 12 | 7.0% | 8.3% | 13.0% | 87.0% |
| **Cocaine or Crack** |  |  |  |  |
| All | 0.6% | 0.6% | 1.1% | 98.9% |
| Grade 7 | 0.9% | 0.9% | 1.3% | 98.7% |
| Grade 8 | 1.1% | 1.1% | 1.5% | 98.5% |
| Grade 9 | 1.4% | 1.5% | 1.5% | 98.5% |
| Grade 10 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 11 | 0.2% | 0.2% | 0.5% | 99.5% |
| Grade 12 | 0.3% | 0.3% | 1.7% | 98.3% |
| **Cocaine** |  |  |  |  |
| All | 0.6% | 0.6% | 1.0% | 99.0% |
| Grade 7 | 0.9% | 0.9% | 1.3% | 98.7% |
| Grade 8 | 1.1% | 1.1% | 1.5% | 98.5% |
| Grade 9 | 1.4% | 1.5% | 1.5% | 98.5% |
| Grade 10 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 11 | 0.0% | 0.0% | 0.3% | 99.7% |
| Grade 12 | 0.3% | 0.3% | 1.4% | 98.6% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 49 of 124

## Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
### Female Students
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Crack** | | | | |
| All | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.7% | 0.7% | 0.8% | 99.2% |
| Grade 8 | 0.1% | 0.1% | 0.2% | 99.8% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 12 | 0.0% | 0.0% | 0.3% | 99.7% |
| **Hallucinogens** | | | | |
| All | 0.5% | 0.9% | 1.7% | 98.3% |
| Grade 7 | 0.7% | 0.7% | 1.3% | 98.7% |
| Grade 8 | 0.1% | 0.3% | 1.2% | 98.8% |
| Grade 9 | 0.1% | 0.8% | 1.3% | 98.7% |
| Grade 10 | 0.8% | 1.0% | 1.8% | 98.2% |
| Grade 11 | 1.0% | 1.6% | 1.8% | 98.2% |
| Grade 12 | 0.2% | 0.9% | 2.9% | 97.1% |
| **Synthetic Cathinones** | | | | |
| All | 0.1% | 0.1% | 0.4% | 99.6% |
| Grade 7 | 0.0% | 0.1% | 0.5% | 99.5% |
| Grade 8 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 9 | 0.2% | 0.2% | 0.7% | 99.3% |
| Grade 10 | 0.0% | 0.1% | 0.3% | 99.7% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.4% | 0.4% | 0.5% | 99.5% |
| **Steroids** | | | | |
| All | 0.3% | 0.5% | 0.7% | 99.3% |
| Grade 7 | 0.7% | 1.3% | 2.0% | 98.0% |
| Grade 8 | 0.0% | 0.0% | 0.3% | 99.7% |
| Grade 9 | 0.5% | 0.5% | 0.8% | 99.2% |
| Grade 10 | 0.1% | 0.2% | 0.3% | 99.7% |
| Grade 11 | 0.4% | 0.4% | 0.4% | 99.6% |
| Grade 12 | 0.3% | 0.3% | 0.3% | 99.7% |
| **Ecstasy** | | | | |
| All | 0.2% | 0.3% | 0.6% | 99.4% |
| Grade 7 | 0.8% | 0.8% | 1.0% | 99.0% |
| Grade 8 | 0.0% | 0.2% | 0.3% | 99.7% |
| Grade 9 | 0.0% | 0.5% | 1.0% | 99.0% |
| Grade 10 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 11 | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 12 | 0.0% | 0.0% | 0.8% | 99.2% |

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade**
**Female Students**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Heroin** | | | | |
| All | 0.2% | 0.2% | 0.4% | 99.6% |
| Grade 7 | 0.1% | 0.1% | 0.5% | 99.5% |
| Grade 8 | 0.0% | 0.2% | 0.4% | 99.6% |
| Grade 9 | 0.5% | 0.5% | 0.9% | 99.1% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.6% | 0.6% | 0.6% | 99.4% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Synthetic Marijuana** | | | | |
| All | 1.1% | 1.5% | 2.7% | 97.3% |
| Grade 7 | 0.6% | 0.6% | 1.5% | 98.5% |
| Grade 8 | 1.0% | 1.4% | 1.9% | 98.1% |
| Grade 9 | 1.0% | 2.0% | 3.6% | 96.4% |
| Grade 10 | 0.6% | 0.7% | 1.8% | 98.2% |
| Grade 11 | 1.4% | 1.6% | 2.8% | 97.2% |
| Grade 12 | 1.9% | 2.9% | 4.6% | 95.4% |
| **Methamphetamine** | | | | |
| All | 0.2% | 0.2% | 0.4% | 99.6% |
| Grade 7 | 0.4% | 0.5% | 1.0% | 99.0% |
| Grade 8 | 0.3% | 0.3% | 1.0% | 99.0% |
| Grade 9 | 0.0% | 0.0% | 0.1% | 99.9% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.3% | 0.3% | 0.7% | 99.3% |
| **Delta 8** | | | | |
| All | 1.0% | 1.4% | 2.7% | 97.3% |
| Grade 7 | 0.6% | 1.1% | 1.9% | 98.1% |
| Grade 8 | 0.9% | 1.3% | 2.0% | 98.0% |
| Grade 9 | 1.1% | 1.1% | 2.5% | 97.5% |
| Grade 10 | 0.8% | 1.1% | 1.7% | 98.3% |
| Grade 11 | 0.9% | 1.7% | 3.2% | 96.8% |
| Grade 12 | 1.8% | 2.5% | 4.9% | 95.1% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade**
**White Non-Hispanic Students**

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product** | | | | |
| All | 6.5% | 8.3% | 15.0% | 85.0% |
| Grade 7 | 1.2% | 1.2% | 5.6% | 94.4% |
| Grade 8 | 1.6% | 2.6% | 8.1% | 91.9% |
| Grade 9 | 5.6% | 6.3% | 13.6% | 86.4% |
| Grade 10 | 7.5% | 11.5% | 17.2% | 82.8% |
| Grade 11 | 11.3% | 13.2% | 18.4% | 81.6% |
| Grade 12 | 12.9% | 16.3% | 29.3% | 70.7% |
| **Any Alcohol Product** | | | | |
| All | 17.7% | 21.3% | 36.7% | 63.3% |
| Grade 7 | 8.2% | 8.6% | 26.7% | 73.3% |
| Grade 8 | 8.5% | 11.9% | 22.9% | 77.1% |
| Grade 9 | 14.6% | 16.1% | 33.3% | 66.7% |
| Grade 10 | 20.8% | 25.9% | 41.9% | 58.1% |
| Grade 11 | 29.0% | 34.8% | 50.1% | 49.9% |
| Grade 12 | 27.2% | 32.9% | 47.6% | 52.4% |
| **Any Illicit Drug** | | | | |
| All | 7.2% | 9.7% | 12.5% | 87.5% |
| Grade 7 | 0.8% | 1.2% | 1.6% | 98.4% |
| Grade 8 | 2.1% | 5.8% | 8.1% | 91.9% |
| Grade 9 | 5.6% | 5.6% | 8.5% | 91.5% |
| Grade 10 | 8.8% | 10.8% | 14.1% | 85.9% |
| Grade 11 | 13.8% | 17.1% | 19.3% | 80.7% |
| Grade 12 | 13.5% | 19.6% | 25.8% | 74.2% |
| **Any Prescription Drug** | | | | |
| All | 3.1% | 5.5% | 11.1% | 88.9% |
| Grade 7 | 5.2% | 8.7% | 25.1% | 74.9% |
| Grade 8 | 3.2% | 3.7% | 7.2% | 92.8% |
| Grade 9 | 2.5% | 5.4% | 11.1% | 88.9% |
| Grade 10 | 2.7% | 5.5% | 6.4% | 93.6% |
| Grade 11 | 4.7% | 6.6% | 11.6% | 88.4% |
| Grade 12 | 0.0% | 2.8% | 4.8% | 95.2% |
| **Any Inhalant** | | | | |
| All | 0.8% | 1.8% | 6.3% | 93.7% |
| Grade 7 | 1.2% | 1.2% | 6.6% | 93.4% |
| Grade 8 | 0.6% | 3.4% | 6.6% | 93.4% |
| Grade 9 | 0.0% | 0.7% | 8.5% | 91.5% |
| Grade 10 | 1.0% | 1.0% | 4.5% | 95.5% |
| Grade 11 | 1.0% | 1.0% | 4.5% | 95.5% |
| Grade 12 | 1.4% | 3.9% | 7.0% | 93.0% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 52 of 124

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade**
**White Non-Hispanic Students**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Electronic Vapor Products** | | | | |
| All | 5.7% | 7.5% | 13.7% | 86.3% |
| Grade 7 | 0.8% | 0.8% | 2.4% | 97.6% |
| Grade 8 | 1.6% | 2.1% | 8.1% | 91.9% |
| Grade 9 | 5.6% | 6.3% | 12.9% | 87.1% |
| Grade 10 | 6.1% | 9.9% | 16.2% | 83.8% |
| Grade 11 | 10.3% | 12.2% | 17.0% | 83.0% |
| Grade 12 | 10.4% | 14.9% | 27.6% | 72.4% |
| **Marijuana** | | | | |
| All | 6.9% | 8.2% | 10.8% | 89.2% |
| Grade 7 | 0.8% | 0.8% | 0.8% | 99.2% |
| Grade 8 | 2.1% | 4.9% | 7.2% | 92.8% |
| Grade 9 | 5.6% | 5.6% | 8.5% | 91.5% |
| Grade 10 | 8.3% | 9.8% | 11.2% | 88.8% |
| Grade 11 | 13.8% | 15.1% | 18.3% | 81.7% |
| Grade 12 | 11.8% | 14.3% | 20.5% | 79.5% |
| **Marijuana Only** | | | | |
| All | 2.6% | 3.4% | 4.9% | 95.1% |
| Grade 7 | 0.4% | 0.4% | 0.4% | 99.6% |
| Grade 8 | 1.6% | 4.3% | 4.9% | 95.1% |
| Grade 9 | 3.5% | 3.5% | 5.7% | 94.3% |
| Grade 10 | 1.9% | 2.4% | 3.8% | 96.2% |
| Grade 11 | 4.6% | 5.0% | 5.8% | 94.2% |
| Grade 12 | 3.8% | 4.8% | 8.7% | 91.3% |
| **Cocaine or Crack** | | | | |
| All | 0.2% | 0.3% | 0.9% | 99.1% |
| Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 9 | 0.0% | 0.7% | 0.7% | 99.3% |
| Grade 10 | 0.5% | 0.5% | 4.0% | 96.0% |
| Grade 11 | 0.4% | 0.4% | 0.4% | 99.6% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Cocaine** | | | | |
| All | 0.2% | 0.3% | 0.6% | 99.4% |
| Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 9 | 0.0% | 0.7% | 0.7% | 99.3% |
| Grade 10 | 0.5% | 0.5% | 2.2% | 97.8% |
| Grade 11 | 0.4% | 0.4% | 0.4% | 99.6% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |

*Percentages have been weighted to reflect proportions within the population.*

## Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
### White Non-Hispanic Students
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Crack** | | | | |
| All | 0.0% | 0.0% | 0.3% | 99.7% |
| Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 1.8% | 98.2% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Hallucinogens** | | | | |
| All | 1.1% | 1.5% | 3.1% | 96.9% |
| Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 9 | 0.7% | 1.4% | 2.1% | 97.9% |
| Grade 10 | 1.9% | 2.4% | 5.1% | 94.9% |
| Grade 11 | 0.9% | 1.3% | 3.0% | 97.0% |
| Grade 12 | 3.1% | 4.3% | 9.0% | 91.0% |
| **Synthetic Cathinones** | | | | |
| All | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Steroids** | | | | |
| All | 0.0% | 0.5% | 1.0% | 99.0% |
| Grade 7 | 0.0% | 3.2% | 4.4% | 95.6% |
| Grade 8 | 0.0% | 0.0% | 0.5% | 99.5% |
| Grade 9 | 0.0% | 0.0% | 1.2% | 98.8% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Ecstasy** | | | | |
| All | 0.0% | 0.1% | 0.3% | 99.7% |
| Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 9 | 0.0% | 0.0% | 0.7% | 99.3% |
| Grade 10 | 0.0% | 0.5% | 0.5% | 99.5% |
| Grade 11 | 0.0% | 0.0% | 0.4% | 99.6% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade**
**White Non-Hispanic Students**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Heroin** |  |  |  |  |
| All | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Synthetic Marijuana** |  |  |  |  |
| All | 1.1% | 2.0% | 3.6% | 96.4% |
| Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 8 | 0.0% | 0.5% | 0.5% | 99.5% |
| Grade 9 | 0.7% | 1.4% | 1.4% | 98.6% |
| Grade 10 | 1.9% | 2.9% | 6.4% | 93.6% |
| Grade 11 | 2.6% | 4.1% | 7.6% | 92.4% |
| Grade 12 | 1.4% | 3.7% | 6.5% | 93.5% |
| **Methamphetamine** |  |  |  |  |
| All | 0.0% | 0.0% | 0.7% | 99.3% |
| Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 8 | 0.0% | 0.0% | 1.7% | 98.3% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.5% | 99.5% |
| Grade 11 | 0.0% | 0.0% | 0.4% | 99.6% |
| Grade 12 | 0.0% | 0.0% | 1.4% | 98.6% |
| **Delta 8** |  |  |  |  |
| All | 1.1% | 1.6% | 3.2% | 96.8% |
| Grade 7 | 0.0% | 0.0% | 0.4% | 99.6% |
| Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 9 | 1.4% | 1.4% | 2.8% | 97.2% |
| Grade 10 | 2.9% | 2.9% | 5.3% | 94.7% |
| Grade 11 | 0.9% | 2.8% | 4.5% | 95.5% |
| Grade 12 | 1.4% | 2.5% | 6.5% | 93.5% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 55 of 124

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade**
**African American Non-Hispanic Students**

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product** |  |  |  |  |
| All | 1.3% | 1.3% | 12.8% | 87.2% |
| Grades 7–8 | 2.6% | 2.6% | 9.6% | 90.4% |
| Grades 9–12 | 0.0% | 0.0% | 15.8% | 84.2% |
|  |  |  |  |  |
| **Any Alcohol Product** |  |  |  |  |
| All | 6.6% | 11.2% | 18.6% | 81.4% |
| Grades 7–8 | 2.6% | 5.3% | 20.6% | 79.4% |
| Grades 9–12 | 10.4% | 16.7% | 16.7% | 83.3% |
|  |  |  |  |  |
| **Any Illicit Drug** |  |  |  |  |
| All | 8.9% | 14.3% | 17.5% | 82.5% |
| Grades 7–8 | 2.6% | 5.3% | 5.3% | 94.7% |
| Grades 9–12 | 14.9% | 22.8% | 29.1% | 70.9% |
|  |  |  |  |  |
| **Any Prescription Drug** |  |  |  |  |
| All | 3.1% | 3.1% | 3.1% | 96.9% |
| Grades 7–8 | 2.7% | 2.7% | 2.7% | 97.3% |
| Grades 9–12 | 3.6% | 3.6% | 3.6% | 96.4% |
|  |  |  |  |  |
| **Any Inhalant** |  |  |  |  |
| All | 0.0% | 6.7% | 8.0% | 92.0% |
| Grades 7–8 | 0.0% | 8.3% | 11.0% | 89.0% |
| Grades 9–12 | 0.0% | 5.2% | 5.2% | 94.8% |
|  |  |  |  |  |
| **Electronic Vapor Products** |  |  |  |  |
| All | 1.3% | 1.3% | 8.7% | 91.3% |
| Grades 7–8 | 2.6% | 2.6% | 9.6% | 90.4% |
| Grades 9–12 | 0.0% | 0.0% | 7.9% | 92.1% |
|  |  |  |  |  |
| **Marijuana** |  |  |  |  |
| All | 8.9% | 13.0% | 16.2% | 83.8% |
| Grades 7–8 | 2.6% | 2.6% | 2.6% | 97.4% |
| Grades 9–12 | 14.9% | 22.8% | 29.1% | 70.9% |
|  |  |  |  |  |
| **Marijuana Only** |  |  |  |  |
| All | 5.2% | 5.2% | 8.3% | 91.7% |
| Grades 7–8 | 2.6% | 2.6% | 2.6% | 97.4% |
| Grades 9–12 | 7.4% | 7.4% | 13.4% | 86.6% |
|  |  |  |  |  |
| **Cocaine or Crack** |  |  |  |  |
| All | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 7–8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9–12 | 0.0% | 0.0% | 0.0% | 100.0% |
|  |  |  |  |  |
| **Cocaine** |  |  |  |  |
| All | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 7–8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9–12 | 0.0% | 0.0% | 0.0% | 100.0% |

*Percentages have been weighted to reflect proportions within the population.*

## Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
## African American Non-Hispanic Students
(Continued)

| | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Crack** | | | | |
| All | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 7–8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9–12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Hallucinogens** | | | | |
| All | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 7–8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9–12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Synthetic Cathinones** | | | | |
| All | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 7–8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9–12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Steroids** | | | | |
| All | 0.0% | 0.0% | 2.0% | 98.0% |
| Grades 7–8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9–12 | 0.0% | 0.0% | 3.9% | 96.1% |
| **Ecstasy** | | | | |
| All | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 7–8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9–12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Heroin** | | | | |
| All | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 7–8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9–12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Synthetic Marijuana** | | | | |
| All | 3.6% | 3.6% | 3.6% | 96.4% |
| Grades 7–8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9–12 | 7.0% | 7.0% | 7.0% | 93.0% |
| **Methamphetamine** | | | | |
| All | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 7–8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9–12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Delta 8** | | | | |
| All | 3.6% | 3.6% | 7.6% | 92.4% |
| Grades 7–8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9–12 | 7.0% | 7.0% | 14.9% | 85.1% |

## Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
## Hispanic or Latino Students

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product** | | | | |
| All | 8.1% | 10.1% | 18.5% | 81.5% |
| Grade 7 | 5.0% | 6.3% | 14.3% | 85.7% |
| Grade 8 | 6.2% | 7.2% | 15.1% | 84.9% |
| Grade 9 | 8.1% | 10.0% | 18.6% | 81.4% |
| Grade 10 | 7.9% | 9.7% | 17.0% | 83.0% |
| Grade 11 | 10.2% | 12.7% | 22.7% | 77.3% |
| Grade 12 | 11.8% | 14.9% | 23.8% | 76.2% |
| | | | | |
| **Any Alcohol Product** | | | | |
| All | 20.5% | 23.6% | 37.9% | 62.1% |
| Grade 7 | 13.3% | 15.5% | 30.2% | 69.8% |
| Grade 8 | 13.7% | 16.4% | 29.2% | 70.8% |
| Grade 9 | 21.7% | 24.1% | 38.6% | 61.4% |
| Grade 10 | 20.2% | 23.7% | 38.3% | 61.7% |
| Grade 11 | 26.3% | 31.3% | 45.7% | 54.3% |
| Grade 12 | 28.4% | 31.3% | 46.0% | 54.0% |
| | | | | |
| **Any Illicit Drug** | | | | |
| All | 8.8% | 11.4% | 15.2% | 84.8% |
| Grade 7 | 4.3% | 5.8% | 8.2% | 91.8% |
| Grade 8 | 5.6% | 7.8% | 9.7% | 90.3% |
| Grade 9 | 9.3% | 11.9% | 14.3% | 85.7% |
| Grade 10 | 8.3% | 10.9% | 14.6% | 85.4% |
| Grade 11 | 11.8% | 15.2% | 21.3% | 78.7% |
| Grade 12 | 14.2% | 17.5% | 23.8% | 76.2% |
| | | | | |
| **Any Prescription Drug** | | | | |
| All | 3.4% | 4.7% | 9.2% | 90.8% |
| Grade 7 | 3.5% | 4.9% | 9.3% | 90.7% |
| Grade 8 | 4.1% | 6.3% | 12.0% | 88.0% |
| Grade 9 | 3.7% | 5.0% | 8.5% | 91.5% |
| Grade 10 | 3.6% | 5.4% | 9.9% | 90.1% |
| Grade 11 | 3.6% | 4.6% | 8.7% | 91.3% |
| Grade 12 | 1.6% | 2.2% | 6.5% | 93.5% |
| | | | | |
| **Any Inhalant** | | | | |
| All | 3.5% | 4.7% | 8.7% | 91.3% |
| Grade 7 | 4.6% | 5.8% | 10.7% | 89.3% |
| Grade 8 | 4.9% | 6.0% | 8.9% | 91.1% |
| Grade 9 | 4.4% | 5.5% | 10.6% | 89.4% |
| Grade 10 | 2.6% | 4.7% | 8.5% | 91.5% |
| Grade 11 | 2.0% | 3.1% | 6.2% | 93.8% |
| Grade 12 | 2.5% | 3.2% | 7.3% | 92.7% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade**
**Hispanic or Latino Students**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Electronic Vapor Products** | | | | |
| All | 5.9% | 8.0% | 16.1% | 83.9% |
| Grade 7 | 3.3% | 5.0% | 11.9% | 88.1% |
| Grade 8 | 4.6% | 6.2% | 12.8% | 87.2% |
| Grade 9 | 4.9% | 6.8% | 15.8% | 84.2% |
| Grade 10 | 6.5% | 8.3% | 15.3% | 84.7% |
| Grade 11 | 7.6% | 10.4% | 20.4% | 79.6% |
| Grade 12 | 8.9% | 11.9% | 21.2% | 78.8% |
| **Marijuana** | | | | |
| All | 8.0% | 9.5% | 13.1% | 86.9% |
| Grade 7 | 3.7% | 4.7% | 6.7% | 93.3% |
| Grade 8 | 4.7% | 5.5% | 7.4% | 92.6% |
| Grade 9 | 8.5% | 9.5% | 11.4% | 88.6% |
| Grade 10 | 7.8% | 8.8% | 12.6% | 87.4% |
| Grade 11 | 10.7% | 13.4% | 19.5% | 80.5% |
| Grade 12 | 13.4% | 15.6% | 22.1% | 77.9% |
| **Marijuana Only** | | | | |
| All | 4.2% | 5.1% | 7.9% | 92.1% |
| Grade 7 | 2.1% | 3.0% | 4.4% | 95.6% |
| Grade 8 | 1.8% | 2.3% | 3.8% | 96.2% |
| Grade 9 | 4.9% | 5.2% | 6.8% | 93.2% |
| Grade 10 | 4.2% | 4.6% | 7.8% | 92.2% |
| Grade 11 | 4.9% | 6.9% | 11.3% | 88.7% |
| Grade 12 | 7.7% | 8.8% | 13.5% | 86.5% |
| **Cocaine or Crack** | | | | |
| All | 0.8% | 0.8% | 1.2% | 98.8% |
| Grade 7 | 0.7% | 0.7% | 1.0% | 99.0% |
| Grade 8 | 0.8% | 0.8% | 1.0% | 99.0% |
| Grade 9 | 0.9% | 0.9% | 0.9% | 99.1% |
| Grade 10 | 0.6% | 0.6% | 0.9% | 99.1% |
| Grade 11 | 0.7% | 0.7% | 1.1% | 98.9% |
| Grade 12 | 1.2% | 1.2% | 2.5% | 97.5% |
| **Cocaine** | | | | |
| All | 0.8% | 0.8% | 1.1% | 98.9% |
| Grade 7 | 0.7% | 0.7% | 1.0% | 99.0% |
| Grade 8 | 0.7% | 0.7% | 1.0% | 99.0% |
| Grade 9 | 0.9% | 0.9% | 0.9% | 99.1% |
| Grade 10 | 0.6% | 0.6% | 0.9% | 99.1% |
| Grade 11 | 0.6% | 0.6% | 1.0% | 99.0% |
| Grade 12 | 1.1% | 1.1% | 2.2% | 97.8% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade**
**Hispanic or Latino Students**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Crack** | | | | |
| All | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.5% | 0.5% | 0.6% | 99.4% |
| Grade 8 | 0.1% | 0.1% | 0.2% | 99.8% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.1% | 0.1% | 0.3% | 99.7% |
| Grade 12 | 0.3% | 0.3% | 0.7% | 99.3% |
| **Hallucinogens** | | | | |
| All | 0.6% | 1.1% | 2.3% | 97.7% |
| Grade 7 | 0.6% | 0.6% | 0.9% | 99.1% |
| Grade 8 | 0.4% | 0.7% | 1.6% | 98.4% |
| Grade 9 | 0.2% | 0.8% | 1.5% | 98.5% |
| Grade 10 | 1.1% | 1.5% | 2.5% | 97.5% |
| Grade 11 | 1.3% | 2.0% | 3.4% | 96.6% |
| Grade 12 | 0.2% | 0.9% | 4.1% | 95.9% |
| **Synthetic Cathinones** | | | | |
| All | 0.2% | 0.2% | 0.4% | 99.6% |
| Grade 7 | 0.2% | 0.2% | 0.6% | 99.4% |
| Grade 8 | 0.1% | 0.2% | 0.3% | 99.7% |
| Grade 9 | 0.2% | 0.2% | 0.5% | 99.5% |
| Grade 10 | 0.1% | 0.2% | 0.4% | 99.6% |
| Grade 11 | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 12 | 0.2% | 0.2% | 0.3% | 99.7% |
| **Steroids** | | | | |
| All | 0.4% | 0.5% | 0.9% | 99.1% |
| Grade 7 | 0.5% | 0.8% | 1.7% | 98.3% |
| Grade 8 | 0.3% | 0.3% | 1.1% | 98.9% |
| Grade 9 | 0.9% | 0.9% | 1.3% | 98.7% |
| Grade 10 | 0.3% | 0.4% | 0.6% | 99.4% |
| Grade 11 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 12 | 0.3% | 0.3% | 0.5% | 99.5% |
| **Ecstasy** | | | | |
| All | 0.3% | 0.4% | 0.8% | 99.2% |
| Grade 7 | 0.5% | 0.5% | 0.6% | 99.4% |
| Grade 8 | 0.7% | 0.8% | 1.2% | 98.8% |
| Grade 9 | 0.1% | 0.4% | 0.9% | 99.1% |
| Grade 10 | 0.3% | 0.3% | 1.0% | 99.0% |
| Grade 11 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 12 | 0.2% | 0.4% | 1.1% | 98.9% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 60 of 124

## Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
### Hispanic or Latino Students
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Heroin** |  |  |  |  |
| All | 0.2% | 0.2% | 0.4% | 99.6% |
| Grade 7 | 0.1% | 0.1% | 0.4% | 99.6% |
| Grade 8 | 0.0% | 0.2% | 0.3% | 99.7% |
| Grade 9 | 0.5% | 0.5% | 0.7% | 99.3% |
| Grade 10 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 11 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 12 | 0.0% | 0.0% | 0.2% | 99.8% |
| **Synthetic Marijuana** |  |  |  |  |
| All | 0.9% | 1.4% | 2.5% | 97.5% |
| Grade 7 | 0.6% | 0.8% | 1.7% | 98.3% |
| Grade 8 | 0.9% | 1.3% | 1.6% | 98.4% |
| Grade 9 | 1.0% | 1.7% | 3.2% | 96.8% |
| Grade 10 | 1.1% | 1.4% | 2.3% | 97.7% |
| Grade 11 | 1.0% | 1.3% | 2.9% | 97.1% |
| Grade 12 | 0.9% | 2.0% | 3.2% | 96.8% |
| **Methamphetamine** |  |  |  |  |
| All | 0.2% | 0.3% | 0.5% | 99.5% |
| Grade 7 | 0.5% | 0.6% | 0.9% | 99.1% |
| Grade 8 | 0.2% | 0.2% | 0.5% | 99.5% |
| Grade 9 | 0.2% | 0.3% | 0.6% | 99.4% |
| Grade 10 | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 11 | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 12 | 0.2% | 0.2% | 0.9% | 99.1% |
| **Delta 8** |  |  |  |  |
| All | 1.2% | 2.0% | 3.5% | 96.5% |
| Grade 7 | 1.0% | 1.5% | 2.7% | 97.3% |
| Grade 8 | 1.2% | 1.7% | 2.5% | 97.5% |
| Grade 9 | 1.0% | 1.6% | 3.3% | 96.7% |
| Grade 10 | 1.6% | 2.2% | 3.1% | 96.9% |
| Grade 11 | 1.2% | 2.5% | 5.0% | 95.0% |
| Grade 12 | 1.3% | 2.3% | 4.3% | 95.7% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Reporting A Grades on Average**

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product** | | | | |
| All | 5.8% | 7.8% | 15.6% | 84.4% |
| Grade 7 | 2.0% | 3.2% | 8.3% | 91.7% |
| Grade 8 | 3.8% | 4.7% | 10.5% | 89.5% |
| Grade 9 | 5.5% | 7.6% | 16.0% | 84.0% |
| Grade 10 | 5.0% | 6.8% | 14.7% | 85.3% |
| Grade 11 | 8.0% | 9.8% | 17.5% | 82.5% |
| Grade 12 | 9.9% | 13.9% | 24.7% | 75.3% |
| **Any Alcohol Product** | | | | |
| All | 16.7% | 20.0% | 34.6% | 65.4% |
| Grade 7 | 6.8% | 8.8% | 22.2% | 77.8% |
| Grade 8 | 8.6% | 11.6% | 24.4% | 75.6% |
| Grade 9 | 17.1% | 18.5% | 33.1% | 66.9% |
| Grade 10 | 16.5% | 21.0% | 36.5% | 63.5% |
| Grade 11 | 23.6% | 28.7% | 42.6% | 57.4% |
| Grade 12 | 24.7% | 28.6% | 45.5% | 54.5% |
| **Any Illicit Drug** | | | | |
| All | 6.0% | 8.3% | 11.6% | 88.4% |
| Grade 7 | 2.0% | 2.0% | 3.9% | 96.1% |
| Grade 8 | 3.2% | 4.6% | 5.4% | 94.6% |
| Grade 9 | 5.3% | 7.1% | 9.0% | 91.0% |
| Grade 10 | 3.7% | 7.1% | 10.8% | 89.2% |
| Grade 11 | 7.7% | 10.7% | 15.1% | 84.9% |
| Grade 12 | 13.6% | 17.7% | 23.8% | 76.2% |
| **Any Prescription Drug** | | | | |
| All | 3.0% | 4.2% | 8.2% | 91.8% |
| Grade 7 | 2.9% | 4.3% | 9.2% | 90.8% |
| Grade 8 | 3.0% | 5.0% | 10.6% | 89.4% |
| Grade 9 | 3.5% | 4.8% | 7.6% | 92.4% |
| Grade 10 | 2.7% | 4.7% | 9.1% | 90.9% |
| Grade 11 | 4.4% | 4.9% | 8.7% | 91.3% |
| Grade 12 | 1.3% | 1.7% | 4.6% | 95.4% |
| **Any Inhalant** | | | | |
| All | 1.8% | 2.8% | 5.9% | 94.1% |
| Grade 7 | 2.6% | 3.4% | 7.2% | 92.8% |
| Grade 8 | 2.4% | 3.2% | 5.0% | 95.0% |
| Grade 9 | 1.9% | 2.8% | 6.3% | 93.7% |
| Grade 10 | 2.6% | 4.7% | 8.2% | 91.8% |
| Grade 11 | 0.6% | 0.6% | 3.4% | 96.6% |
| Grade 12 | 1.1% | 2.0% | 4.9% | 95.1% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Reporting A Grades on Average**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Electronic Vapor Products** |  |  |  |  |
| All | 4.4% | 6.5% | 13.7% | 86.3% |
| Grade 7 | 1.5% | 2.8% | 6.9% | 93.1% |
| Grade 8 | 2.6% | 3.3% | 7.6% | 92.4% |
| Grade 9 | 3.1% | 5.3% | 13.8% | 86.2% |
| Grade 10 | 4.5% | 6.5% | 13.3% | 86.7% |
| Grade 11 | 6.6% | 8.4% | 15.9% | 84.1% |
| Grade 12 | 7.9% | 11.7% | 23.0% | 77.0% |
| **Marijuana** |  |  |  |  |
| All | 5.5% | 7.0% | 10.1% | 89.9% |
| Grade 7 | 1.8% | 1.8% | 3.4% | 96.6% |
| Grade 8 | 3.1% | 3.1% | 3.8% | 96.2% |
| Grade 9 | 5.1% | 6.6% | 8.0% | 92.0% |
| Grade 10 | 3.1% | 5.1% | 8.8% | 91.2% |
| Grade 11 | 6.6% | 8.7% | 12.9% | 87.1% |
| Grade 12 | 12.7% | 15.4% | 22.7% | 77.3% |
| **Marijuana Only** |  |  |  |  |
| All | 3.0% | 3.6% | 5.9% | 94.1% |
| Grade 7 | 0.2% | 0.2% | 1.3% | 98.7% |
| Grade 8 | 0.8% | 0.9% | 1.6% | 98.4% |
| Grade 9 | 3.6% | 3.8% | 4.3% | 95.7% |
| Grade 10 | 1.3% | 1.9% | 5.4% | 94.6% |
| Grade 11 | 3.8% | 5.6% | 8.8% | 91.2% |
| Grade 12 | 7.5% | 8.2% | 12.7% | 87.3% |
| **Cocaine or Crack** |  |  |  |  |
| All | 0.3% | 0.3% | 0.5% | 99.5% |
| Grade 7 | 0.6% | 0.6% | 0.6% | 99.4% |
| Grade 8 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 9 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 10 | 0.0% | 0.0% | 0.5% | 99.5% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.4% | 0.5% | 1.1% | 98.9% |
| **Cocaine** |  |  |  |  |
| All | 0.3% | 0.3% | 0.5% | 99.5% |
| Grade 7 | 0.6% | 0.6% | 0.6% | 99.4% |
| Grade 8 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 9 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 10 | 0.0% | 0.0% | 0.6% | 99.4% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.4% | 0.5% | 1.1% | 98.9% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Reporting A Grades on Average**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Crack** |  |  |  |  |
| All | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 7 | 0.6% | 0.6% | 0.6% | 99.4% |
| Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Hallucinogens** |  |  |  |  |
| All | 0.3% | 0.6% | 1.6% | 98.4% |
| Grade 7 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 8 | 0.0% | 0.6% | 1.4% | 98.6% |
| Grade 9 | 0.0% | 0.5% | 1.1% | 98.9% |
| Grade 10 | 0.7% | 0.8% | 1.8% | 98.2% |
| Grade 11 | 0.7% | 0.7% | 1.1% | 98.9% |
| Grade 12 | 0.2% | 0.6% | 3.9% | 96.1% |
| **Synthetic Cathinones** |  |  |  |  |
| All | 0.1% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.0% | 0.0% | 0.9% | 99.1% |
| Grade 8 | 0.0% | 0.4% | 0.4% | 99.6% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.1% | 0.1% | 99.9% |
| Grade 11 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 12 | 0.5% | 0.5% | 0.5% | 99.5% |
| **Steroids** |  |  |  |  |
| All | 0.2% | 0.4% | 0.7% | 99.3% |
| Grade 7 | 0.1% | 1.0% | 1.0% | 99.0% |
| Grade 8 | 0.1% | 0.2% | 1.9% | 98.1% |
| Grade 9 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 10 | 0.2% | 0.5% | 0.8% | 99.2% |
| Grade 11 | 0.8% | 0.8% | 0.8% | 99.2% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Ecstasy** |  |  |  |  |
| All | 0.3% | 0.4% | 0.7% | 99.3% |
| Grade 7 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 8 | 0.0% | 0.0% | 0.4% | 99.6% |
| Grade 9 | 0.0% | 0.5% | 1.0% | 99.0% |
| Grade 10 | 0.7% | 0.7% | 0.8% | 99.2% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.4% | 0.5% | 1.3% | 98.7% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 64 of 124

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Reporting A Grades on Average**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| Heroin |  |  |  |  |
| All | 0.2% | 0.3% | 0.5% | 99.5% |
| Grade 7 | 0.4% | 0.4% | 0.9% | 99.1% |
| Grade 8 | 0.0% | 0.6% | 0.6% | 99.4% |
| Grade 9 | 0.3% | 0.3% | 0.8% | 99.2% |
| Grade 10 | 0.3% | 0.3% | 0.4% | 99.6% |
| Grade 11 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| Synthetic Marijuana |  |  |  |  |
| All | 0.7% | 1.1% | 1.9% | 98.1% |
| Grade 7 | 1.0% | 1.0% | 1.5% | 98.5% |
| Grade 8 | 0.7% | 0.8% | 0.8% | 99.2% |
| Grade 9 | 0.0% | 0.7% | 1.6% | 98.4% |
| Grade 10 | 0.7% | 1.2% | 1.7% | 98.3% |
| Grade 11 | 0.5% | 0.7% | 1.9% | 98.1% |
| Grade 12 | 1.6% | 2.3% | 4.0% | 96.0% |
| Methamphetamine |  |  |  |  |
| All | 0.1% | 0.1% | 0.3% | 99.7% |
| Grade 7 | 0.3% | 0.3% | 0.7% | 99.3% |
| Grade 8 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 9 | 0.0% | 0.0% | 0.4% | 99.6% |
| Grade 10 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| Delta 8 |  |  |  |  |
| All | 0.9% | 1.4% | 2.7% | 97.3% |
| Grade 7 | 1.2% | 1.6% | 2.4% | 97.6% |
| Grade 8 | 0.8% | 0.8% | 2.1% | 97.9% |
| Grade 9 | 0.2% | 0.3% | 1.7% | 98.3% |
| Grade 10 | 1.1% | 1.3% | 2.1% | 97.9% |
| Grade 11 | 1.0% | 2.1% | 2.9% | 97.1% |
| Grade 12 | 1.4% | 2.5% | 5.1% | 94.9% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Reporting Grades Lower Than an A on Average**

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product** |  |  |  |  |
| All | 9.5% | 11.3% | 20.0% | 80.0% |
| Grade 7 | 6.3% | 7.5% | 16.1% | 83.9% |
| Grade 8 | 7.0% | 8.1% | 16.8% | 83.2% |
| Grade 9 | 9.9% | 11.5% | 20.6% | 79.4% |
| Grade 10 | 9.8% | 11.7% | 18.6% | 81.4% |
| Grade 11 | 11.9% | 14.8% | 25.6% | 74.4% |
| Grade 12 | 13.1% | 15.7% | 23.6% | 76.4% |
| **Any Alcohol Product** |  |  |  |  |
| All | 22.3% | 25.3% | 39.3% | 60.7% |
| Grade 7 | 15.5% | 17.8% | 32.8% | 67.2% |
| Grade 8 | 15.3% | 17.6% | 30.6% | 69.4% |
| Grade 9 | 24.2% | 27.2% | 41.8% | 58.2% |
| Grade 10 | 22.2% | 25.4% | 39.3% | 60.7% |
| Grade 11 | 28.2% | 33.1% | 47.8% | 52.2% |
| Grade 12 | 31.0% | 33.6% | 46.4% | 53.6% |
| **Any Illicit Drug** |  |  |  |  |
| All | 10.6% | 13.4% | 17.4% | 82.6% |
| Grade 7 | 5.3% | 7.5% | 10.0% | 90.0% |
| Grade 8 | 6.4% | 9.2% | 11.6% | 88.4% |
| Grade 9 | 12.4% | 15.8% | 18.6% | 81.4% |
| Grade 10 | 11.4% | 13.4% | 17.3% | 82.7% |
| Grade 11 | 14.9% | 18.6% | 25.3% | 74.7% |
| Grade 12 | 14.9% | 17.9% | 24.2% | 75.8% |
| **Any Prescription Drug** |  |  |  |  |
| All | 3.5% | 5.0% | 9.8% | 90.2% |
| Grade 7 | 3.6% | 4.9% | 10.0% | 90.0% |
| Grade 8 | 4.3% | 6.4% | 11.9% | 88.1% |
| Grade 9 | 3.7% | 5.0% | 9.4% | 90.6% |
| Grade 10 | 4.0% | 5.7% | 10.0% | 90.0% |
| Grade 11 | 3.1% | 4.5% | 9.1% | 90.9% |
| Grade 12 | 2.0% | 2.8% | 8.2% | 91.8% |
| **Any Inhalant** |  |  |  |  |
| All | 4.3% | 5.7% | 10.4% | 89.6% |
| Grade 7 | 5.1% | 6.5% | 11.9% | 88.1% |
| Grade 8 | 5.8% | 7.5% | 10.9% | 89.1% |
| Grade 9 | 5.9% | 7.0% | 13.7% | 86.3% |
| Grade 10 | 2.5% | 4.5% | 8.5% | 91.5% |
| Grade 11 | 2.9% | 4.7% | 8.1% | 91.9% |
| Grade 12 | 3.3% | 4.0% | 8.9% | 91.1% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Reporting Grades Lower Than an A on Average**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Electronic Vapor Products** |  |  |  |  |
| All | 6.8% | 8.9% | 17.5% | 82.5% |
| Grade 7 | 4.1% | 5.9% | 13.8% | 86.2% |
| Grade 8 | 5.3% | 7.1% | 14.9% | 85.1% |
| Grade 9 | 6.3% | 8.0% | 17.2% | 82.8% |
| Grade 10 | 7.7% | 9.4% | 16.6% | 83.4% |
| Grade 11 | 8.5% | 11.9% | 22.9% | 77.1% |
| Grade 12 | 9.8% | 12.2% | 20.6% | 79.4% |
| **Marijuana** |  |  |  |  |
| All | 9.7% | 11.1% | 15.0% | 85.0% |
| Grade 7 | 4.5% | 6.0% | 7.9% | 92.1% |
| Grade 8 | 5.2% | 6.6% | 9.0% | 91.0% |
| Grade 9 | 11.2% | 12.1% | 14.5% | 85.5% |
| Grade 10 | 10.7% | 11.1% | 15.0% | 85.0% |
| Grade 11 | 14.0% | 16.9% | 24.0% | 76.0% |
| Grade 12 | 14.1% | 15.9% | 21.7% | 78.3% |
| **Marijuana Only** |  |  |  |  |
| All | 4.9% | 5.9% | 8.9% | 91.1% |
| Grade 7 | 2.9% | 4.2% | 5.7% | 94.3% |
| Grade 8 | 2.2% | 3.2% | 4.9% | 95.1% |
| Grade 9 | 6.3% | 6.7% | 9.0% | 91.0% |
| Grade 10 | 5.6% | 5.9% | 9.0% | 91.0% |
| Grade 11 | 5.5% | 7.6% | 12.5% | 87.5% |
| Grade 12 | 7.6% | 8.9% | 13.5% | 86.5% |
| **Cocaine or Crack** |  |  |  |  |
| All | 1.1% | 1.1% | 1.6% | 98.4% |
| Grade 7 | 0.7% | 0.7% | 1.1% | 98.9% |
| Grade 8 | 1.0% | 1.0% | 1.3% | 98.7% |
| Grade 9 | 1.0% | 1.1% | 1.1% | 98.9% |
| Grade 10 | 0.9% | 0.9% | 1.5% | 98.5% |
| Grade 11 | 1.1% | 1.2% | 1.8% | 98.2% |
| Grade 12 | 1.6% | 1.6% | 3.2% | 96.8% |
| **Cocaine** |  |  |  |  |
| All | 1.0% | 1.0% | 1.5% | 98.5% |
| Grade 7 | 0.7% | 0.7% | 1.1% | 98.9% |
| Grade 8 | 1.0% | 1.0% | 1.3% | 98.7% |
| Grade 9 | 1.0% | 1.1% | 1.1% | 98.9% |
| Grade 10 | 0.9% | 0.9% | 1.4% | 98.6% |
| Grade 11 | 0.9% | 1.0% | 1.6% | 98.4% |
| Grade 12 | 1.6% | 1.6% | 2.9% | 97.1% |

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Reporting Grades Lower Than an A on Average**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Crack** | | | | |
| All | 0.2% | 0.2% | 0.4% | 99.6% |
| Grade 7 | 0.4% | 0.4% | 0.5% | 99.5% |
| Grade 8 | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 11 | 0.2% | 0.2% | 0.5% | 99.5% |
| Grade 12 | 0.5% | 0.5% | 1.1% | 98.9% |
| **Hallucinogens** | | | | |
| All | 0.9% | 1.5% | 2.9% | 97.1% |
| Grade 7 | 0.6% | 0.6% | 1.1% | 98.9% |
| Grade 8 | 0.6% | 0.8% | 1.6% | 98.4% |
| Grade 9 | 0.4% | 1.1% | 1.9% | 98.1% |
| Grade 10 | 1.6% | 2.2% | 3.3% | 96.7% |
| Grade 11 | 1.9% | 3.0% | 5.2% | 94.8% |
| Grade 12 | 0.4% | 1.4% | 4.8% | 95.2% |
| **Synthetic Cathinones** | | | | |
| All | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.3% | 0.3% | 0.4% | 99.6% |
| Grade 8 | 0.1% | 0.1% | 0.3% | 99.7% |
| Grade 9 | 0.3% | 0.3% | 0.7% | 99.3% |
| Grade 10 | 0.2% | 0.3% | 0.5% | 99.5% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.0% | 0.0% | 0.1% | 99.9% |
| **Steroids** | | | | |
| All | 0.5% | 0.5% | 1.1% | 98.9% |
| Grade 7 | 0.6% | 0.6% | 2.0% | 98.0% |
| Grade 8 | 0.4% | 0.4% | 0.7% | 99.3% |
| Grade 9 | 1.4% | 1.4% | 2.2% | 97.8% |
| Grade 10 | 0.3% | 0.3% | 0.7% | 99.3% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.4% | 0.4% | 0.8% | 99.2% |
| **Ecstasy** | | | | |
| All | 0.3% | 0.5% | 0.9% | 99.1% |
| Grade 7 | 0.4% | 0.4% | 0.6% | 99.4% |
| Grade 8 | 1.0% | 1.2% | 1.5% | 98.5% |
| Grade 9 | 0.2% | 0.2% | 0.7% | 99.3% |
| Grade 10 | 0.0% | 0.1% | 1.0% | 99.0% |
| Grade 11 | 0.2% | 0.3% | 0.3% | 99.7% |
| Grade 12 | 0.1% | 0.4% | 1.0% | 99.0% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Reporting Grades Lower Than an A on Average**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Heroin** |  |  |  |  |
| All | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.0% | 0.0% | 0.1% | 99.9% |
| Grade 8 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 9 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 10 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 11 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 12 | 0.0% | 0.0% | 0.3% | 99.7% |
| **Synthetic Marijuana** |  |  |  |  |
| All | 1.1% | 1.7% | 3.0% | 97.0% |
| Grade 7 | 0.3% | 0.6% | 1.6% | 98.4% |
| Grade 8 | 0.9% | 1.4% | 1.8% | 98.2% |
| Grade 9 | 1.7% | 2.5% | 4.3% | 95.7% |
| Grade 10 | 1.4% | 1.5% | 2.9% | 97.1% |
| Grade 11 | 1.7% | 2.1% | 4.1% | 95.9% |
| Grade 12 | 0.9% | 2.3% | 3.3% | 96.7% |
| **Methamphetamine** |  |  |  |  |
| All | 0.3% | 0.3% | 0.7% | 99.3% |
| Grade 7 | 0.6% | 0.7% | 0.9% | 99.1% |
| Grade 8 | 0.1% | 0.1% | 0.7% | 99.3% |
| Grade 9 | 0.4% | 0.5% | 0.6% | 99.4% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 12 | 0.3% | 0.3% | 1.6% | 98.4% |
| **Delta 8** |  |  |  |  |
| All | 1.5% | 2.4% | 4.0% | 96.0% |
| Grade 7 | 0.8% | 1.3% | 2.6% | 97.4% |
| Grade 8 | 1.2% | 1.9% | 2.4% | 97.6% |
| Grade 9 | 1.7% | 2.6% | 4.8% | 95.2% |
| Grade 10 | 2.1% | 2.7% | 3.9% | 96.1% |
| Grade 11 | 1.5% | 3.0% | 6.6% | 93.4% |
| Grade 12 | 1.8% | 2.7% | 4.4% | 95.6% |

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Living with 2 Parents**

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product** |  |  |  |  |
| All | 6.8% | 8.5% | 14.6% | 85.4% |
| Grade 7 | 3.9% | 5.2% | 9.7% | 90.3% |
| Grade 8 | 4.3% | 5.3% | 10.2% | 89.8% |
| Grade 9 | 6.9% | 8.7% | 14.4% | 85.6% |
| Grade 10 | 6.8% | 7.8% | 14.6% | 85.4% |
| Grade 11 | 9.8% | 12.4% | 19.9% | 80.1% |
| Grade 12 | 9.3% | 12.0% | 18.8% | 81.2% |
| **Any Alcohol Product** |  |  |  |  |
| All | 18.0% | 20.6% | 34.2% | 65.8% |
| Grade 7 | 11.2% | 12.6% | 25.7% | 74.3% |
| Grade 8 | 10.2% | 11.7% | 23.5% | 76.5% |
| Grade 9 | 19.1% | 20.9% | 34.3% | 65.7% |
| Grade 10 | 17.8% | 21.5% | 36.2% | 63.8% |
| Grade 11 | 24.8% | 29.4% | 43.4% | 56.6% |
| Grade 12 | 25.2% | 27.4% | 42.8% | 57.2% |
| **Any Illicit Drug** |  |  |  |  |
| All | 6.7% | 8.9% | 11.7% | 88.3% |
| Grade 7 | 2.7% | 3.6% | 5.2% | 94.8% |
| Grade 8 | 3.3% | 5.0% | 6.0% | 94.0% |
| Grade 9 | 7.1% | 9.4% | 11.2% | 88.8% |
| Grade 10 | 7.4% | 9.4% | 12.7% | 87.3% |
| Grade 11 | 9.9% | 13.0% | 17.6% | 82.4% |
| Grade 12 | 10.1% | 13.3% | 17.8% | 82.2% |
| **Any Prescription Drug** |  |  |  |  |
| All | 3.3% | 4.5% | 8.5% | 91.5% |
| Grade 7 | 3.7% | 5.1% | 9.8% | 90.2% |
| Grade 8 | 3.9% | 5.6% | 10.7% | 89.3% |
| Grade 9 | 3.8% | 4.6% | 7.9% | 92.1% |
| Grade 10 | 2.8% | 5.0% | 9.2% | 90.8% |
| Grade 11 | 3.8% | 4.7% | 8.3% | 91.7% |
| Grade 12 | 1.3% | 1.7% | 4.6% | 95.4% |
| **Any Inhalant** |  |  |  |  |
| All | 3.2% | 4.1% | 7.7% | 92.3% |
| Grade 7 | 4.4% | 4.9% | 9.5% | 90.5% |
| Grade 8 | 5.5% | 6.5% | 8.9% | 91.1% |
| Grade 9 | 3.8% | 4.4% | 9.7% | 90.3% |
| Grade 10 | 2.0% | 3.5% | 7.1% | 92.9% |
| Grade 11 | 1.9% | 2.8% | 5.4% | 94.6% |
| Grade 12 | 1.9% | 2.5% | 5.2% | 94.8% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 70 of 124

## Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
### Students Living with 2 Parents
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Electronic Vapor Products** |  |  |  |  |
| All | 4.9% | 6.6% | 12.7% | 87.3% |
| Grade 7 | 2.5% | 4.0% | 7.9% | 92.1% |
| Grade 8 | 3.0% | 4.4% | 9.3% | 90.7% |
| Grade 9 | 4.4% | 5.8% | 12.0% | 88.0% |
| Grade 10 | 5.0% | 6.3% | 12.8% | 87.2% |
| Grade 11 | 7.9% | 10.1% | 18.0% | 82.0% |
| Grade 12 | 6.8% | 9.2% | 16.2% | 83.8% |
| **Marijuana** |  |  |  |  |
| All | 5.9% | 6.9% | 9.7% | 90.3% |
| Grade 7 | 2.2% | 2.6% | 4.0% | 96.0% |
| Grade 8 | 2.6% | 3.3% | 4.4% | 95.6% |
| Grade 9 | 6.0% | 6.5% | 7.9% | 92.1% |
| Grade 10 | 6.4% | 7.1% | 10.5% | 89.5% |
| Grade 11 | 9.1% | 11.0% | 15.6% | 84.4% |
| Grade 12 | 9.5% | 11.2% | 16.4% | 83.6% |
| **Marijuana Only** |  |  |  |  |
| All | 3.0% | 3.7% | 5.7% | 94.3% |
| Grade 7 | 0.4% | 0.7% | 1.5% | 98.5% |
| Grade 8 | 1.1% | 1.7% | 2.3% | 97.7% |
| Grade 9 | 3.4% | 3.8% | 5.2% | 94.8% |
| Grade 10 | 3.3% | 3.3% | 6.1% | 93.9% |
| Grade 11 | 4.1% | 5.8% | 9.1% | 90.9% |
| Grade 12 | 5.9% | 6.9% | 10.3% | 89.7% |
| **Cocaine or Crack** |  |  |  |  |
| All | 0.6% | 0.6% | 0.9% | 99.1% |
| Grade 7 | 0.7% | 0.7% | 0.7% | 99.3% |
| Grade 8 | 0.5% | 0.5% | 0.8% | 99.2% |
| Grade 9 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 10 | 0.8% | 0.8% | 1.2% | 98.8% |
| Grade 11 | 0.5% | 0.6% | 1.1% | 98.9% |
| Grade 12 | 0.5% | 0.5% | 1.3% | 98.7% |
| **Cocaine** |  |  |  |  |
| All | 0.6% | 0.6% | 0.9% | 99.1% |
| Grade 7 | 0.7% | 0.7% | 0.7% | 99.3% |
| Grade 8 | 0.5% | 0.5% | 0.8% | 99.2% |
| Grade 9 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 10 | 0.8% | 0.8% | 1.2% | 98.8% |
| Grade 11 | 0.5% | 0.6% | 1.1% | 98.9% |
| Grade 12 | 0.5% | 0.5% | 1.3% | 98.7% |

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Living with 2 Parents**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Crack** | | | | |
| All | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 7 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 8 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.2% | 0.2% | 0.2% | 99.8% |
| **Hallucinogens** | | | | |
| All | 0.7% | 0.9% | 1.7% | 98.3% |
| Grade 7 | 0.9% | 0.9% | 1.0% | 99.0% |
| Grade 8 | 0.5% | 0.8% | 1.3% | 98.7% |
| Grade 9 | 0.3% | 0.3% | 1.0% | 99.0% |
| Grade 10 | 1.1% | 1.6% | 2.4% | 97.6% |
| Grade 11 | 1.1% | 1.5% | 2.9% | 97.1% |
| Grade 12 | 0.2% | 0.5% | 1.7% | 98.3% |
| **Synthetic Cathinones** | | | | |
| All | 0.1% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.3% | 0.3% | 0.8% | 99.2% |
| Grade 8 | 0.1% | 0.4% | 0.4% | 99.6% |
| Grade 9 | 0.2% | 0.2% | 0.5% | 99.5% |
| Grade 10 | 0.0% | 0.1% | 0.1% | 99.9% |
| Grade 11 | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 12 | 0.0% | 0.0% | 0.1% | 99.9% |
| **Steroids** | | | | |
| All | 0.3% | 0.5% | 0.8% | 99.2% |
| Grade 7 | 0.7% | 1.2% | 1.4% | 98.6% |
| Grade 8 | 0.1% | 0.1% | 1.0% | 99.0% |
| Grade 9 | 0.5% | 0.5% | 1.0% | 99.0% |
| Grade 10 | 0.3% | 0.4% | 0.8% | 99.2% |
| Grade 11 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 12 | 0.2% | 0.2% | 0.6% | 99.4% |
| **Ecstasy** | | | | |
| All | 0.3% | 0.3% | 0.6% | 99.4% |
| Grade 7 | 0.7% | 0.7% | 0.7% | 99.3% |
| Grade 8 | 0.6% | 0.7% | 0.7% | 99.3% |
| Grade 9 | 0.0% | 0.0% | 0.4% | 99.6% |
| Grade 10 | 0.2% | 0.2% | 0.9% | 99.1% |
| Grade 11 | 0.2% | 0.3% | 0.3% | 99.7% |
| Grade 12 | 0.0% | 0.0% | 0.5% | 99.5% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Living with 2 Parents**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Heroin** | | | | |
| All | 0.3% | 0.3% | 0.4% | 99.6% |
| Grade 7 | 0.1% | 0.1% | 0.5% | 99.5% |
| Grade 8 | 0.0% | 0.1% | 0.2% | 99.8% |
| Grade 9 | 0.5% | 0.5% | 0.9% | 99.1% |
| Grade 10 | 0.4% | 0.4% | 0.5% | 99.5% |
| Grade 11 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Synthetic Marijuana** | | | | |
| All | 0.9% | 1.3% | 2.1% | 97.9% |
| Grade 7 | 0.6% | 1.0% | 2.1% | 97.9% |
| Grade 8 | 0.7% | 0.7% | 0.9% | 99.1% |
| Grade 9 | 1.2% | 1.6% | 2.0% | 98.0% |
| Grade 10 | 1.2% | 1.6% | 2.3% | 97.7% |
| Grade 11 | 0.7% | 1.2% | 2.1% | 97.9% |
| Grade 12 | 1.1% | 1.8% | 3.0% | 97.0% |
| **Methamphetamine** | | | | |
| All | 0.3% | 0.3% | 0.5% | 99.5% |
| Grade 7 | 0.6% | 0.7% | 1.0% | 99.0% |
| Grade 8 | 0.3% | 0.3% | 0.6% | 99.4% |
| Grade 9 | 0.3% | 0.3% | 0.6% | 99.4% |
| Grade 10 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 11 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 12 | 0.0% | 0.0% | 0.4% | 99.6% |
| **Delta 8** | | | | |
| All | 1.2% | 1.7% | 2.7% | 97.3% |
| Grade 7 | 1.0% | 1.5% | 2.6% | 97.4% |
| Grade 8 | 1.0% | 1.2% | 1.6% | 98.4% |
| Grade 9 | 1.3% | 1.7% | 2.4% | 97.6% |
| Grade 10 | 1.6% | 2.0% | 2.9% | 97.1% |
| Grade 11 | 1.1% | 2.1% | 3.6% | 96.4% |
| Grade 12 | 1.1% | 1.7% | 3.3% | 96.7% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Not Living with 2 Parents**

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product** | | | | |
| All | 10.3% | 12.6% | 25.0% | 75.0% |
| Grade 7 | 6.4% | 7.6% | 19.2% | 80.8% |
| Grade 8 | 9.0% | 9.9% | 23.2% | 76.8% |
| Grade 9 | 9.9% | 11.8% | 26.3% | 73.7% |
| Grade 10 | 10.2% | 13.7% | 21.9% | 78.1% |
| Grade 11 | 11.2% | 13.6% | 27.5% | 72.5% |
| Grade 12 | 15.7% | 19.7% | 33.0% | 67.0% |
| | | | | |
| **Any Alcohol Product** | | | | |
| All | 24.4% | 28.4% | 44.0% | 56.0% |
| Grade 7 | 15.6% | 18.8% | 36.1% | 63.9% |
| Grade 8 | 19.3% | 24.3% | 39.4% | 60.6% |
| Grade 9 | 25.5% | 28.3% | 46.0% | 54.0% |
| Grade 10 | 24.3% | 27.9% | 42.4% | 57.6% |
| Grade 11 | 29.0% | 34.3% | 50.1% | 49.9% |
| Grade 12 | 33.9% | 38.5% | 51.4% | 48.6% |
| | | | | |
| **Any Illicit Drug** | | | | |
| All | 12.5% | 16.0% | 21.3% | 78.7% |
| Grade 7 | 6.6% | 9.0% | 12.0% | 88.0% |
| Grade 8 | 9.3% | 12.7% | 16.4% | 83.6% |
| Grade 9 | 12.8% | 16.3% | 20.0% | 80.0% |
| Grade 10 | 10.3% | 13.8% | 18.7% | 81.3% |
| Grade 11 | 15.8% | 19.9% | 28.2% | 71.8% |
| Grade 12 | 21.5% | 25.3% | 34.7% | 65.3% |
| | | | | |
| **Any Prescription Drug** | | | | |
| All | 3.5% | 5.3% | 10.7% | 89.3% |
| Grade 7 | 2.9% | 4.7% | 10.1% | 89.9% |
| Grade 8 | 4.3% | 7.1% | 13.0% | 87.0% |
| Grade 9 | 3.3% | 5.5% | 10.3% | 89.7% |
| Grade 10 | 4.8% | 6.0% | 10.5% | 89.5% |
| Grade 11 | 3.2% | 4.6% | 10.4% | 89.6% |
| Grade 12 | 2.4% | 3.5% | 10.0% | 90.0% |
| | | | | |
| **Any Inhalant** | | | | |
| All | 3.5% | 5.6% | 10.5% | 89.5% |
| Grade 7 | 4.4% | 6.6% | 12.1% | 87.9% |
| Grade 8 | 3.0% | 5.4% | 9.1% | 90.9% |
| Grade 9 | 4.8% | 6.8% | 12.1% | 87.9% |
| Grade 10 | 3.5% | 6.6% | 10.9% | 89.1% |
| Grade 11 | 2.0% | 3.7% | 7.8% | 92.2% |
| Grade 12 | 3.3% | 4.4% | 10.8% | 89.2% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Not Living with 2 Parents**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Electronic Vapor Products** |  |  |  |  |
| All | 7.7% | 10.5% | 22.0% | 78.0% |
| Grade 7 | 4.4% | 6.2% | 16.4% | 83.6% |
| Grade 8 | 7.0% | 8.7% | 18.5% | 81.5% |
| Grade 9 | 6.1% | 8.7% | 22.5% | 77.5% |
| Grade 10 | 9.3% | 12.2% | 20.3% | 79.7% |
| Grade 11 | 7.3% | 11.3% | 24.5% | 75.5% |
| Grade 12 | 12.4% | 16.4% | 30.6% | 69.4% |
| **Marijuana** |  |  |  |  |
| All | 11.8% | 14.2% | 19.1% | 80.9% |
| Grade 7 | 5.9% | 7.9% | 9.7% | 90.3% |
| Grade 8 | 8.2% | 9.6% | 12.9% | 87.1% |
| Grade 9 | 12.6% | 15.2% | 18.2% | 81.8% |
| Grade 10 | 10.3% | 12.1% | 16.8% | 83.2% |
| Grade 11 | 14.6% | 18.7% | 27.2% | 72.8% |
| Grade 12 | 20.0% | 23.2% | 31.8% | 68.2% |
| **Marijuana Only** |  |  |  |  |
| All | 6.1% | 7.4% | 11.2% | 88.8% |
| Grade 7 | 4.7% | 6.5% | 8.1% | 91.9% |
| Grade 8 | 3.0% | 3.9% | 6.7% | 93.3% |
| Grade 9 | 7.5% | 7.7% | 9.6% | 90.4% |
| Grade 10 | 5.2% | 6.3% | 10.5% | 89.5% |
| Grade 11 | 6.3% | 8.6% | 14.9% | 85.1% |
| Grade 12 | 10.3% | 11.4% | 18.3% | 81.7% |
| **Cocaine or Crack** |  |  |  |  |
| All | 1.1% | 1.1% | 1.7% | 98.3% |
| Grade 7 | 0.7% | 0.7% | 1.3% | 98.7% |
| Grade 8 | 1.3% | 1.3% | 1.3% | 98.7% |
| Grade 9 | 1.5% | 1.5% | 1.5% | 98.5% |
| Grade 10 | 0.1% | 0.1% | 1.1% | 98.9% |
| Grade 11 | 0.9% | 0.9% | 0.9% | 99.1% |
| Grade 12 | 2.1% | 2.3% | 4.1% | 95.9% |
| **Cocaine** |  |  |  |  |
| All | 1.0% | 1.0% | 1.5% | 98.5% |
| Grade 7 | 0.7% | 0.7% | 1.3% | 98.7% |
| Grade 8 | 1.1% | 1.1% | 1.2% | 98.8% |
| Grade 9 | 1.5% | 1.5% | 1.5% | 98.5% |
| Grade 10 | 0.1% | 0.1% | 0.8% | 99.2% |
| Grade 11 | 0.6% | 0.6% | 0.6% | 99.4% |
| Grade 12 | 2.1% | 2.3% | 3.7% | 96.3% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Not Living with 2 Parents**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Crack** | | | | |
| All | 0.3% | 0.3% | 0.6% | 99.4% |
| Grade 7 | 0.4% | 0.4% | 0.6% | 99.4% |
| Grade 8 | 0.3% | 0.3% | 0.3% | 99.7% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.3% | 99.7% |
| Grade 11 | 0.3% | 0.3% | 0.9% | 99.1% |
| Grade 12 | 0.6% | 0.6% | 1.5% | 98.5% |
| **Hallucinogens** | | | | |
| All | 0.7% | 1.5% | 3.6% | 96.4% |
| Grade 7 | 0.0% | 0.0% | 0.6% | 99.4% |
| Grade 8 | 0.2% | 0.6% | 2.1% | 97.9% |
| Grade 9 | 0.2% | 1.9% | 2.6% | 97.4% |
| Grade 10 | 1.4% | 1.7% | 3.3% | 96.7% |
| Grade 11 | 2.0% | 3.2% | 4.7% | 95.3% |
| Grade 12 | 0.5% | 2.0% | 8.9% | 91.1% |
| **Synthetic Cathinones** | | | | |
| All | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.0% | 0.1% | 0.3% | 99.7% |
| Grade 8 | 0.0% | 0.0% | 0.2% | 99.8% |
| Grade 9 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 10 | 0.4% | 0.4% | 0.7% | 99.3% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.6% | 0.6% | 0.6% | 99.4% |
| **Steroids** | | | | |
| All | 0.5% | 0.6% | 1.2% | 98.8% |
| Grade 7 | 0.1% | 0.5% | 2.5% | 97.5% |
| Grade 8 | 0.9% | 0.9% | 1.1% | 98.9% |
| Grade 9 | 1.4% | 1.4% | 1.9% | 98.1% |
| Grade 10 | 0.2% | 0.3% | 0.6% | 99.4% |
| Grade 11 | 0.4% | 0.4% | 0.4% | 99.6% |
| Grade 12 | 0.2% | 0.2% | 0.2% | 99.8% |
| **Ecstasy** | | | | |
| All | 0.4% | 0.6% | 1.2% | 98.8% |
| Grade 7 | 0.1% | 0.1% | 0.4% | 99.6% |
| Grade 8 | 0.9% | 0.9% | 2.0% | 98.0% |
| Grade 9 | 0.4% | 1.1% | 1.7% | 98.3% |
| Grade 10 | 0.5% | 0.5% | 1.0% | 99.0% |
| Grade 11 | 0.0% | 0.0% | 0.1% | 99.9% |
| Grade 12 | 0.5% | 1.3% | 2.3% | 97.7% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 76 of 124

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Not Living with 2 Parents**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Heroin** | | | | |
| All | 0.1% | 0.1% | 0.2% | 99.8% |
| Grade 7 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 8 | 0.0% | 0.3% | 0.6% | 99.4% |
| Grade 9 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.0% | 0.0% | 0.4% | 99.6% |
| | | | | |
| **Synthetic Marijuana** | | | | |
| All | 1.1% | 1.8% | 3.5% | 96.5% |
| Grade 7 | 0.3% | 0.4% | 0.7% | 99.3% |
| Grade 8 | 1.2% | 2.2% | 2.5% | 97.5% |
| Grade 9 | 0.5% | 2.1% | 5.2% | 94.8% |
| Grade 10 | 1.0% | 1.1% | 2.9% | 97.1% |
| Grade 11 | 2.2% | 2.3% | 5.5% | 94.5% |
| Grade 12 | 1.4% | 3.2% | 4.8% | 95.2% |
| | | | | |
| **Methamphetamine** | | | | |
| All | 0.1% | 0.2% | 0.6% | 99.4% |
| Grade 7 | 0.3% | 0.3% | 0.5% | 99.5% |
| Grade 8 | 0.0% | 0.0% | 0.5% | 99.5% |
| Grade 9 | 0.0% | 0.2% | 0.4% | 99.6% |
| Grade 10 | 0.0% | 0.0% | 0.1% | 99.9% |
| Grade 11 | 0.0% | 0.0% | 0.1% | 99.9% |
| Grade 12 | 0.4% | 0.4% | 1.8% | 98.2% |
| | | | | |
| **Delta 8** | | | | |
| All | 1.4% | 2.5% | 5.0% | 95.0% |
| Grade 7 | 0.8% | 1.3% | 2.5% | 97.5% |
| Grade 8 | 1.3% | 2.3% | 3.7% | 96.3% |
| Grade 9 | 0.5% | 1.4% | 5.6% | 94.4% |
| Grade 10 | 1.9% | 2.5% | 3.8% | 96.2% |
| Grade 11 | 1.8% | 3.7% | 7.9% | 92.1% |
| Grade 12 | 2.4% | 3.9% | 6.8% | 93.2% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Who Would Seek Help from Adults for Substance Abuse Problems**

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product** | | | | |
| All | 6.6% | 8.5% | 16.3% | 83.7% |
| Grade 7 | 3.0% | 3.8% | 9.8% | 90.2% |
| Grade 8 | 4.7% | 5.9% | 13.0% | 87.0% |
| Grade 9 | 7.0% | 9.2% | 16.9% | 83.1% |
| Grade 10 | 7.5% | 9.6% | 16.8% | 83.2% |
| Grade 11 | 7.9% | 10.1% | 18.9% | 81.1% |
| Grade 12 | 10.2% | 13.3% | 23.1% | 76.9% |
| | | | | |
| **Any Alcohol Product** | | | | |
| All | 18.4% | 21.4% | 36.1% | 63.9% |
| Grade 7 | 10.2% | 12.3% | 27.5% | 72.5% |
| Grade 8 | 11.9% | 15.1% | 28.5% | 71.5% |
| Grade 9 | 18.7% | 20.4% | 35.4% | 64.6% |
| Grade 10 | 19.2% | 22.3% | 37.6% | 62.4% |
| Grade 11 | 24.1% | 29.4% | 43.4% | 56.6% |
| Grade 12 | 27.1% | 30.1% | 45.4% | 54.6% |
| | | | | |
| **Any Illicit Drug** | | | | |
| All | 7.3% | 9.5% | 12.7% | 87.3% |
| Grade 7 | 2.3% | 2.9% | 4.7% | 95.3% |
| Grade 8 | 4.6% | 6.7% | 8.3% | 91.7% |
| Grade 9 | 7.6% | 10.0% | 12.0% | 88.0% |
| Grade 10 | 7.6% | 9.9% | 12.9% | 87.1% |
| Grade 11 | 9.8% | 12.8% | 17.1% | 82.9% |
| Grade 12 | 12.7% | 16.0% | 22.7% | 77.3% |
| | | | | |
| **Any Prescription Drug** | | | | |
| All | 2.9% | 4.2% | 8.6% | 91.4% |
| Grade 7 | 2.9% | 4.7% | 9.5% | 90.5% |
| Grade 8 | 3.9% | 5.9% | 11.4% | 88.6% |
| Grade 9 | 2.8% | 4.2% | 7.5% | 92.5% |
| Grade 10 | 3.5% | 4.8% | 9.4% | 90.6% |
| Grade 11 | 2.7% | 3.7% | 7.9% | 92.1% |
| Grade 12 | 1.1% | 1.8% | 5.6% | 94.4% |
| | | | | |
| **Any Inhalant** | | | | |
| All | 2.6% | 3.8% | 7.4% | 92.6% |
| Grade 7 | 2.7% | 3.6% | 8.3% | 91.7% |
| Grade 8 | 3.4% | 4.8% | 7.4% | 92.6% |
| Grade 9 | 3.7% | 4.6% | 8.7% | 91.3% |
| Grade 10 | 2.7% | 4.6% | 8.2% | 91.8% |
| Grade 11 | 1.3% | 2.2% | 4.8% | 95.2% |
| Grade 12 | 2.0% | 2.8% | 6.8% | 93.2% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Who Would Seek Help from Adults for Substance Abuse Problems**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Electronic Vapor Products** |  |  |  |  |
| All | 5.0% | 6.9% | 14.3% | 85.7% |
| Grade 7 | 2.0% | 3.2% | 8.4% | 91.6% |
| Grade 8 | 3.8% | 5.0% | 10.8% | 89.2% |
| Grade 9 | 4.5% | 6.4% | 14.1% | 85.9% |
| Grade 10 | 6.0% | 8.0% | 15.1% | 84.9% |
| Grade 11 | 6.0% | 8.1% | 17.0% | 83.0% |
| Grade 12 | 8.1% | 11.0% | 21.1% | 78.9% |
| **Marijuana** |  |  |  |  |
| All | 6.5% | 7.9% | 10.9% | 89.1% |
| Grade 7 | 1.7% | 2.0% | 3.3% | 96.7% |
| Grade 8 | 3.7% | 4.5% | 6.0% | 94.0% |
| Grade 9 | 7.0% | 8.1% | 9.4% | 90.6% |
| Grade 10 | 7.0% | 8.3% | 11.5% | 88.5% |
| Grade 11 | 9.0% | 11.4% | 15.9% | 84.1% |
| Grade 12 | 11.6% | 13.6% | 20.5% | 79.5% |
| **Marijuana Only** |  |  |  |  |
| All | 3.4% | 4.1% | 6.5% | 93.5% |
| Grade 7 | 0.9% | 1.1% | 1.9% | 98.1% |
| Grade 8 | 1.3% | 1.9% | 3.2% | 96.8% |
| Grade 9 | 4.6% | 4.8% | 6.0% | 94.0% |
| Grade 10 | 3.4% | 3.9% | 7.1% | 92.9% |
| Grade 11 | 4.2% | 5.9% | 8.8% | 91.2% |
| Grade 12 | 6.6% | 7.4% | 12.5% | 87.5% |
| **Cocaine or Crack** |  |  |  |  |
| All | 0.6% | 0.6% | 0.9% | 99.1% |
| Grade 7 | 0.5% | 0.5% | 0.8% | 99.2% |
| Grade 8 | 0.7% | 0.7% | 0.9% | 99.1% |
| Grade 9 | 0.7% | 0.7% | 0.7% | 99.3% |
| Grade 10 | 0.5% | 0.5% | 1.0% | 99.0% |
| Grade 11 | 0.2% | 0.2% | 0.5% | 99.5% |
| Grade 12 | 1.0% | 1.1% | 1.8% | 98.2% |
| **Cocaine** |  |  |  |  |
| All | 0.6% | 0.6% | 0.9% | 99.1% |
| Grade 7 | 0.5% | 0.5% | 0.8% | 99.2% |
| Grade 8 | 0.7% | 0.7% | 0.8% | 99.2% |
| Grade 9 | 0.7% | 0.7% | 0.7% | 99.3% |
| Grade 10 | 0.5% | 0.5% | 1.0% | 99.0% |
| Grade 11 | 0.2% | 0.2% | 0.5% | 99.5% |
| Grade 12 | 1.0% | 1.1% | 1.6% | 98.4% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Who Would Seek Help from Adults for Substance Abuse Problems**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Crack** |  |  |  |  |
| All | 0.1% | 0.1% | 0.2% | 99.8% |
| Grade 7 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 8 | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.3% | 0.3% | 0.8% | 99.2% |
| **Hallucinogens** |  |  |  |  |
| All | 0.5% | 0.7% | 1.8% | 98.2% |
| Grade 7 | 0.5% | 0.5% | 0.8% | 99.2% |
| Grade 8 | 0.2% | 0.6% | 0.9% | 99.1% |
| Grade 9 | 0.2% | 0.5% | 1.0% | 99.0% |
| Grade 10 | 1.3% | 1.6% | 2.7% | 97.3% |
| Grade 11 | 0.5% | 0.8% | 2.3% | 97.7% |
| Grade 12 | 0.3% | 0.5% | 3.4% | 96.6% |
| **Synthetic Cathinones** |  |  |  |  |
| All | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.2% | 0.2% | 0.4% | 99.6% |
| Grade 8 | 0.1% | 0.3% | 0.3% | 99.7% |
| Grade 9 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 10 | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.3% | 0.3% | 0.3% | 99.7% |
| **Steroids** |  |  |  |  |
| All | 0.3% | 0.4% | 0.8% | 99.2% |
| Grade 7 | 0.3% | 0.7% | 1.5% | 98.5% |
| Grade 8 | 0.4% | 0.4% | 1.2% | 98.8% |
| Grade 9 | 0.3% | 0.3% | 0.8% | 99.2% |
| Grade 10 | 0.3% | 0.4% | 0.6% | 99.4% |
| Grade 11 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 12 | 0.3% | 0.3% | 0.3% | 99.7% |
| **Ecstasy** |  |  |  |  |
| All | 0.3% | 0.4% | 0.6% | 99.4% |
| Grade 7 | 0.3% | 0.3% | 0.4% | 99.6% |
| Grade 8 | 0.8% | 0.8% | 1.2% | 98.8% |
| Grade 9 | 0.2% | 0.5% | 0.5% | 99.5% |
| Grade 10 | 0.1% | 0.2% | 0.6% | 99.4% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.2% | 0.5% | 0.8% | 99.2% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Who Would Seek Help from Adults for Substance Abuse Problems**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Heroin** | | | | |
| All | 0.2% | 0.2% | 0.3% | 99.7% |
| Grade 7 | 0.1% | 0.1% | 0.2% | 99.8% |
| Grade 8 | 0.0% | 0.1% | 0.2% | 99.8% |
| Grade 9 | 0.5% | 0.5% | 0.8% | 99.2% |
| Grade 10 | 0.1% | 0.1% | 0.1% | 99.9% |
| Grade 11 | 0.4% | 0.4% | 0.4% | 99.6% |
| Grade 12 | 0.0% | 0.0% | 0.2% | 99.8% |
| **Synthetic Marijuana** | | | | |
| All | 0.8% | 1.3% | 2.3% | 97.7% |
| Grade 7 | 0.2% | 0.2% | 1.0% | 99.0% |
| Grade 8 | 0.6% | 1.0% | 1.2% | 98.8% |
| Grade 9 | 0.5% | 1.0% | 2.2% | 97.8% |
| Grade 10 | 1.3% | 1.6% | 2.6% | 97.4% |
| Grade 11 | 1.2% | 1.3% | 2.7% | 97.3% |
| Grade 12 | 1.3% | 2.6% | 4.1% | 95.9% |
| **Methamphetamine** | | | | |
| All | 0.2% | 0.2% | 0.4% | 99.6% |
| Grade 7 | 0.4% | 0.5% | 0.5% | 99.5% |
| Grade 8 | 0.1% | 0.1% | 0.4% | 99.6% |
| Grade 9 | 0.0% | 0.1% | 0.3% | 99.7% |
| Grade 10 | 0.1% | 0.1% | 0.2% | 99.8% |
| Grade 11 | 0.2% | 0.2% | 0.2% | 99.8% |
| Grade 12 | 0.2% | 0.2% | 1.0% | 99.0% |
| **Delta 8** | | | | |
| All | 0.9% | 1.5% | 2.9% | 97.1% |
| Grade 7 | 0.6% | 0.8% | 1.7% | 98.3% |
| Grade 8 | 0.6% | 1.2% | 1.9% | 98.1% |
| Grade 9 | 0.3% | 1.0% | 2.7% | 97.3% |
| Grade 10 | 1.5% | 2.1% | 2.6% | 97.4% |
| Grade 11 | 0.8% | 1.8% | 4.5% | 95.5% |
| Grade 12 | 1.4% | 2.1% | 4.1% | 95.9% |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 81 of 124

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Any Tobacco Product** | | | | |
| All | 14.1% | 16.2% | 27.2% | 72.8% |
| Grade 7 | 13.6% | 16.0% | 28.8% | 71.2% |
| Grade 8 | 12.0% | 12.3% | 23.9% | 76.1% |
| Grade 9 | 13.1% | 14.2% | 27.4% | 72.6% |
| Grade 10 | 10.9% | 11.8% | 20.8% | 79.2% |
| Grade 11 | 19.3% | 22.9% | 36.7% | 63.3% |
| Grade 12 | 17.9% | 22.9% | 28.3% | 71.7% |
| | | | | |
| **Any Alcohol Product** | | | | |
| All | 27.3% | 31.1% | 44.3% | 55.7% |
| Grade 7 | 21.5% | 24.3% | 37.7% | 62.3% |
| Grade 8 | 19.8% | 20.6% | 32.6% | 67.4% |
| Grade 9 | 30.5% | 34.3% | 47.4% | 52.6% |
| Grade 10 | 23.8% | 30.6% | 43.3% | 56.7% |
| Grade 11 | 31.7% | 36.4% | 54.5% | 45.5% |
| Grade 12 | 38.8% | 41.8% | 52.2% | 47.8% |
| | | | | |
| **Any Illicit Drug** | | | | |
| All | 15.1% | 19.8% | 26.2% | 73.8% |
| Grade 7 | 13.8% | 18.9% | 23.7% | 76.3% |
| Grade 8 | 8.3% | 12.8% | 15.4% | 84.6% |
| Grade 9 | 15.9% | 20.6% | 24.9% | 75.1% |
| Grade 10 | 12.1% | 16.5% | 24.0% | 76.0% |
| Grade 11 | 21.8% | 27.4% | 42.0% | 58.0% |
| Grade 12 | 20.2% | 24.7% | 29.5% | 70.5% |
| | | | | |
| **Any Prescription Drug** | | | | |
| All | 5.4% | 7.1% | 12.1% | 87.9% |
| Grade 7 | 6.8% | 6.9% | 13.3% | 86.7% |
| Grade 8 | 4.4% | 7.0% | 10.8% | 89.2% |
| Grade 9 | 7.0% | 8.0% | 14.6% | 85.4% |
| Grade 10 | 3.1% | 7.3% | 10.6% | 89.4% |
| Grade 11 | 7.3% | 7.6% | 13.0% | 87.0% |
| Grade 12 | 4.1% | 5.2% | 10.0% | 90.0% |
| | | | | |
| **Any Inhalant** | | | | |
| All | 7.0% | 9.3% | 15.1% | 84.9% |
| Grade 7 | 11.7% | 14.1% | 21.0% | 79.0% |
| Grade 8 | 11.4% | 13.6% | 18.4% | 81.6% |
| Grade 9 | 6.1% | 8.4% | 17.4% | 82.6% |
| Grade 10 | 2.3% | 5.5% | 11.5% | 88.5% |
| Grade 11 | 6.2% | 9.1% | 13.5% | 86.5% |
| Grade 12 | 5.3% | 5.3% | 7.6% | 92.4% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Who Would Not Seek Help from Adults for Substance Abuse Problems**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Electronic Vapor Products** | | | | |
| All | 10.3% | 13.6% | 23.7% | 76.3% |
| Grade 7 | 9.5% | 13.1% | 23.4% | 76.6% |
| Grade 8 | 8.0% | 9.7% | 20.9% | 79.1% |
| Grade 9 | 7.0% | 9.9% | 23.8% | 76.2% |
| Grade 10 | 8.6% | 10.3% | 17.8% | 82.2% |
| Grade 11 | 15.6% | 21.6% | 33.5% | 66.5% |
| Grade 12 | 15.5% | 20.3% | 25.1% | 74.9% |
| **Marijuana** | | | | |
| All | 14.4% | 16.4% | 22.8% | 77.2% |
| Grade 7 | 13.8% | 16.8% | 21.7% | 78.3% |
| Grade 8 | 8.2% | 10.0% | 13.0% | 87.0% |
| Grade 9 | 14.3% | 15.9% | 20.8% | 79.2% |
| Grade 10 | 12.1% | 12.2% | 19.0% | 81.0% |
| Grade 11 | 19.4% | 22.3% | 36.7% | 63.3% |
| Grade 12 | 20.2% | 23.6% | 28.8% | 71.2% |
| **Marijuana Only** | | | | |
| All | 7.4% | 9.1% | 13.9% | 86.1% |
| Grade 7 | 7.9% | 10.8% | 15.4% | 84.6% |
| Grade 8 | 2.4% | 4.0% | 6.5% | 93.5% |
| Grade 9 | 7.0% | 7.8% | 10.9% | 89.1% |
| Grade 10 | 8.2% | 8.4% | 12.6% | 87.4% |
| Grade 11 | 6.9% | 9.6% | 21.4% | 78.6% |
| Grade 12 | 12.7% | 15.5% | 18.5% | 81.5% |
| **Cocaine or Crack** | | | | |
| All | 1.4% | 1.5% | 2.1% | 97.9% |
| Grade 7 | 1.5% | 1.5% | 1.5% | 98.5% |
| Grade 8 | 1.1% | 1.1% | 1.2% | 98.8% |
| Grade 9 | 1.7% | 1.9% | 1.9% | 98.1% |
| Grade 10 | 0.0% | 0.0% | 1.3% | 98.7% |
| Grade 11 | 3.6% | 3.9% | 4.6% | 95.4% |
| Grade 12 | 0.6% | 0.6% | 2.6% | 97.4% |
| **Cocaine** | | | | |
| All | 1.3% | 1.3% | 1.9% | 98.1% |
| Grade 7 | 1.5% | 1.5% | 1.5% | 98.5% |
| Grade 8 | 1.1% | 1.1% | 1.2% | 98.8% |
| Grade 9 | 1.7% | 1.9% | 1.9% | 98.1% |
| Grade 10 | 0.0% | 0.0% | 0.7% | 99.3% |
| Grade 11 | 2.8% | 3.1% | 3.9% | 96.1% |
| Grade 12 | 0.6% | 0.6% | 2.6% | 97.4% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Who Would Not Seek Help from Adults for Substance Abuse Problems**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Crack** | | | | |
| All | 0.4% | 0.4% | 0.8% | 99.2% |
| Grade 7 | 1.5% | 1.5% | 1.5% | 98.5% |
| Grade 8 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.5% | 99.5% |
| Grade 11 | 0.7% | 0.7% | 2.1% | 97.9% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| | | | | |
| **Hallucinogens** | | | | |
| All | 1.2% | 2.6% | 4.5% | 95.5% |
| Grade 7 | 1.0% | 1.0% | 1.0% | 99.0% |
| Grade 8 | 1.4% | 1.5% | 5.3% | 94.7% |
| Grade 9 | 0.6% | 2.5% | 3.8% | 96.2% |
| Grade 10 | 0.3% | 1.1% | 2.2% | 97.8% |
| Grade 11 | 4.4% | 7.2% | 8.4% | 91.6% |
| Grade 12 | 0.3% | 3.2% | 7.8% | 92.2% |
| | | | | |
| **Synthetic Cathinones** | | | | |
| All | 0.1% | 0.1% | 0.6% | 99.4% |
| Grade 7 | 0.2% | 0.2% | 1.2% | 98.8% |
| Grade 8 | 0.0% | 0.0% | 0.6% | 99.4% |
| Grade 9 | 0.0% | 0.0% | 1.3% | 98.7% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.6% | 0.6% | 0.6% | 99.4% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| | | | | |
| **Steroids** | | | | |
| All | 0.7% | 1.0% | 1.5% | 98.5% |
| Grade 7 | 1.3% | 2.3% | 2.3% | 97.7% |
| Grade 8 | 0.0% | 0.1% | 0.6% | 99.4% |
| Grade 9 | 2.6% | 2.6% | 3.0% | 97.0% |
| Grade 10 | 0.0% | 0.4% | 1.1% | 98.9% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.0% | 0.0% | 1.5% | 98.5% |
| | | | | |
| **Ecstasy** | | | | |
| All | 0.5% | 0.6% | 1.7% | 98.3% |
| Grade 7 | 1.4% | 1.4% | 1.5% | 98.5% |
| Grade 8 | 0.4% | 0.9% | 0.9% | 99.1% |
| Grade 9 | 0.0% | 0.0% | 2.8% | 97.2% |
| Grade 10 | 0.0% | 0.0% | 1.5% | 98.5% |
| Grade 11 | 1.0% | 1.3% | 1.3% | 98.7% |
| Grade 12 | 0.3% | 0.3% | 1.7% | 98.3% |

*Percentages have been weighted to reflect proportions within the population.*

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade**
**Students Who Would Not Seek Help from Adults for Substance Abuse Problems**
(Continued)

|  | Past Month | School Year | Ever Used | Never Used |
|---|---|---|---|---|
| **Heroin** |  |  |  |  |
| All | 0.0% | 0.1% | 0.3% | 99.7% |
| Grade 7 | 0.0% | 0.0% | 1.1% | 98.9% |
| Grade 8 | 0.0% | 0.5% | 0.7% | 99.3% |
| Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| **Synthetic Marijuana** |  |  |  |  |
| All | 1.8% | 2.6% | 4.3% | 95.7% |
| Grade 7 | 2.6% | 3.8% | 4.3% | 95.7% |
| Grade 8 | 2.3% | 2.7% | 3.6% | 96.4% |
| Grade 9 | 3.1% | 5.4% | 7.7% | 92.3% |
| Grade 10 | 0.4% | 0.6% | 1.9% | 98.1% |
| Grade 11 | 1.4% | 1.4% | 5.3% | 94.7% |
| Grade 12 | 0.8% | 1.3% | 2.5% | 97.5% |
| **Methamphetamine** |  |  |  |  |
| All | 0.5% | 0.5% | 1.0% | 99.0% |
| Grade 7 | 1.2% | 1.2% | 2.3% | 97.7% |
| Grade 8 | 0.5% | 0.5% | 1.0% | 99.0% |
| Grade 9 | 1.2% | 1.2% | 1.6% | 98.4% |
| Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grade 12 | 0.0% | 0.0% | 0.8% | 99.2% |
| **Delta 8** |  |  |  |  |
| All | 3.1% | 4.3% | 6.2% | 93.8% |
| Grade 7 | 2.9% | 5.3% | 6.3% | 93.7% |
| Grade 8 | 3.6% | 3.8% | 4.9% | 95.1% |
| Grade 9 | 3.8% | 4.2% | 6.0% | 94.0% |
| Grade 10 | 2.0% | 2.2% | 5.4% | 94.6% |
| Grade 11 | 4.2% | 6.2% | 7.8% | 92.2% |
| Grade 12 | 2.2% | 5.2% | 7.2% | 92.8% |

# 3   Margin Tables

## Gender

| Q1 | Frequency | Percent |
|---|---|---|
| Male | 110,017 | 48.8% |
| Female | 115,559 | 51.2% |
| Frequency Missing | 2,212 | |

## Hispanic or Latino

| Q5a | Frequency | Percent |
|---|---|---|
| No | 16,267 | 7.2% |
| Yes | 210,086 | 92.8% |
| Frequency Missing | 1,436 | |

## Grade

| Q2 | Frequency | Percent |
|---|---|---|
| Grade 7 | 38,899 | 17.1% |
| Grade 8 | 36,508 | 16.0% |
| Grade 9 | 38,788 | 17.0% |
| Grade 10 | 41,598 | 18.3% |
| Grade 11 | 37,339 | 16.4% |
| Grade 12 | 34,529 | 15.2% |
| Frequency Missing | 126 | |

## Ethnicity

| Q5b | Frequency | Percent |
|---|---|---|
| American Indian | 3,971 | 1.8% |
| Asian American | 1,382 | 0.6% |
| African American | 6,349 | 2.9% |
| Pacific Islander | 585 | 0.3% |
| White | 123,937 | 57.0% |
| Other | 57,036 | 26.2% |
| More Than One Race | 24,156 | 11.1% |
| Frequency Missing | 10,373 | |

## Live with Both Parents

| Q3 | Frequency | Percent |
|---|---|---|
| No | 79,009 | 35.0% |
| Yes | 146,807 | 65.0% |
| Frequency Missing | 1,973 | |

## On Average What Grades Do You Get

| Q6 | Frequency | Percent |
|---|---|---|
| Mostly F's | 958 | 0.4% |
| Mostly D's | 2,352 | 1.0% |
| Mostly C's | 27,543 | 12.2% |
| Mostly B's | 108,157 | 47.8% |
| Mostly A's | 87,371 | 38.6% |
| Frequency Missing | 1,408 | |

## Age

| Q4 | Frequency | Percent |
|---|---|---|
| 11 or younger | 126 | 0.1% |
| 12 | 13,809 | 6.1% |
| 13 | 35,746 | 15.7% |
| 14 | 35,985 | 15.8% |
| 15 | 37,294 | 16.4% |
| 16 | 41,490 | 18.3% |
| 17 | 37,805 | 16.7% |
| 18 | 21,965 | 9.7% |
| 19 or older | 2,831 | 1.2% |
| Frequency Missing | 739 | |

## Do You Have a Job

| Q7 | Frequency | Percent |
|---|---|---|
| No | 194,462 | 86.1% |
| Yes | 31,432 | 13.9% |
| Frequency Missing | 1,896 | |

## Qualify for Free/Reduced Lunch

| Q8 | Frequency | Percent |
|---|---|---|
| No | 28,364 | 12.6% |
| Yes | 113,129 | 50.2% |
| Don't Know | 84,026 | 37.3% |
| Frequency Missing | 2,269 | |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 87 of 124

## Participate in School Athletics (UIL, Varsity, Jr Varsity)

| Q9a | Frequency | Percent |
|---|---|---|
| No | 116,401 | 53.7% |
| Yes | 100,309 | 46.3% |
| Frequency Missing | 11,079 | |

## Participate in Academic Clubs/Societies/Competition Groups

| Q9f | Frequency | Percent |
|---|---|---|
| No | 161,482 | 79.1% |
| Yes | 42,744 | 20.9% |
| Frequency Missing | 23,562 | |

## Participate in School Band/Orchestra

| Q9b | Frequency | Percent |
|---|---|---|
| No | 166,403 | 81.1% |
| Yes | 38,863 | 18.9% |
| Frequency Missing | 22,522 | |

## Participate in Other School Clubs or Groups

| Q9g | Frequency | Percent |
|---|---|---|
| No | 149,501 | 73.1% |
| Yes | 55,030 | 26.9% |
| Frequency Missing | 23,257 | |

## Participate in School Choir

| Q9c | Frequency | Percent |
|---|---|---|
| No | 190,441 | 94.9% |
| Yes | 10,250 | 5.1% |
| Frequency Missing | 27,098 | |

## Participate in Athletic Teams Outside of School

| Q9h | Frequency | Percent |
|---|---|---|
| No | 148,857 | 72.1% |
| Yes | 57,594 | 27.9% |
| Frequency Missing | 21,339 | |

## Participate in Drill Team/Cheerleading

| Q9d | Frequency | Percent |
|---|---|---|
| No | 186,483 | 92.1% |
| Yes | 15,956 | 7.9% |
| Frequency Missing | 25,350 | |

## Participate in Other Clubs or Groups Outside of School

| Q9i | Frequency | Percent |
|---|---|---|
| No | 167,890 | 82.8% |
| Yes | 34,897 | 17.2% |
| Frequency Missing | 25,002 | |

## Participate in Student Government/School Newspaper/Yearbook

| Q9e | Frequency | Percent |
|---|---|---|
| No | 186,794 | 93.1% |
| Yes | 13,836 | 6.9% |
| Frequency Missing | 27,159 | |

## Do You Feel Safe in Your Home

| Q10a | Frequency | Percent |
|---|---|---|
| Very Safe | 202,038 | 89.0% |
| Somewhat Safe | 21,600 | 9.5% |
| Not Very Safe | 1,197 | 0.5% |
| Not Safe At All | 141 | 0.1% |
| Don't Know | 1,933 | 0.9% |
| Frequency Missing | 879 | |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 88 of 124

## Do You Feel Safe in Your Neighborhood

| Q10b | Frequency | Percent |
|---|---|---|
| Very Safe | 101,121 | 44.8% |
| Somewhat Safe | 104,049 | 46.1% |
| Not Very Safe | 13,266 | 5.9% |
| Not Safe At All | 1,725 | 0.8% |
| Don't Know | 5,659 | 2.5% |
| Frequency Missing | 1,968 | |

## Do You Feel Safe at School

| Q10c | Frequency | Percent |
|---|---|---|
| Very Safe | 78,447 | 34.7% |
| Somewhat Safe | 111,686 | 49.4% |
| Not Very Safe | 19,307 | 8.5% |
| Not Safe At All | 7,531 | 3.3% |
| Don't Know | 9,033 | 4.0% |
| Frequency Missing | 1,785 | |

## Highest Level of Schooling Completed by Father

| Q11a | Frequency | Percent |
|---|---|---|
| Grade School or Less | 17,847 | 8.1% |
| Some High School | 28,162 | 12.8% |
| Finished High School | 54,305 | 24.7% |
| Some College | 25,650 | 11.7% |
| Finished College | 31,265 | 14.2% |
| Post-Secondary | 17,530 | 8.0% |
| Don't Know or N/A | 44,742 | 20.4% |
| Frequency Missing | 8,289 | |

## Highest Level of Schooling Completed by Mother

| Q11b | Frequency | Percent |
|---|---|---|
| Grade School or Less | 18,123 | 8.2% |
| Some High School | 27,710 | 12.6% |
| Finished High School | 46,450 | 21.1% |
| Some College | 30,174 | 13.7% |
| Finished College | 42,238 | 19.2% |
| Post-Secondary | 25,076 | 11.4% |
| Don't Know or N/A | 30,584 | 13.9% |
| Frequency Missing | 7,434 | |

## Parents Attend PTA/School Open Houses

| Q12 | Frequency | Percent |
|---|---|---|
| No | 132,444 | 59.2% |
| Yes | 91,167 | 40.8% |
| Frequency Missing | 4,178 | |

## Friends Feeling Close to Their Parents

| Q13a | Frequency | Percent |
|---|---|---|
| None | 16,524 | 7.4% |
| A Few | 43,716 | 19.6% |
| Some | 49,543 | 22.2% |
| Most | 74,217 | 33.2% |
| All | 39,496 | 17.7% |
| Frequency Missing | 4,292 | |

## How Many Friends Care About Good Grades

| Q13b | Frequency | Percent |
|---|---|---|
| None | 6,946 | 3.1% |
| A Few | 27,206 | 12.2% |
| Some | 52,803 | 23.6% |
| Most | 84,642 | 37.9% |
| All | 51,755 | 23.2% |
| Frequency Missing | 4,438 | |

## Friends Wishing to Drop Out of School

| Q13c | Frequency | Percent |
|---|---|---|
| None | 115,056 | 51.8% |
| A Few | 58,658 | 26.4% |
| Some | 29,776 | 13.4% |
| Most | 12,193 | 5.5% |
| All | 6,270 | 2.8% |
| Frequency Missing | 5,835 | |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 89 of 124

### How Many Friends Carry Weapons

| Q13d | Frequency | Percent |
|---|---|---|
| None | 196,378 | 88.1% |
| A Few | 16,782 | 7.5% |
| Some | 6,016 | 2.7% |
| Most | 2,221 | 1.0% |
| All | 1,600 | 0.7% |
| Frequency Missing | 4,793 | |

### Recent Inhalant Use - Computer Dusting Sprays

| Q14c | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 222,099 | 99.4% |
| In Your Lifetime | 822 | 0.4% |
| Since School Began | 202 | 0.1% |
| In the Past Month | 317 | 0.1% |
| Frequency Missing | 4,349 | |

### How Many Friends Belong to a Gang

| Q13e | Frequency | Percent |
|---|---|---|
| None | 202,267 | 90.7% |
| A Few | 14,434 | 6.5% |
| Some | 3,197 | 1.4% |
| Most | 941 | 0.4% |
| All | 2,146 | 1.0% |
| Frequency Missing | 4,804 | |

### Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

| Q14d | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 217,553 | 97.1% |
| In Your Lifetime | 4,416 | 2.0% |
| Since School Began | 788 | 0.4% |
| In the Past Month | 1,388 | 0.6% |
| Frequency Missing | 3,644 | |

### Recent Inhalant Use - Spray Paint

| Q14a | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 221,551 | 98.8% |
| In Your Lifetime | 1,751 | 0.8% |
| Since School Began | 376 | 0.2% |
| In the Past Month | 635 | 0.3% |
| Frequency Missing | 3,476 | |

### Recent Inhalant Use - Glue

| Q14e | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 220,908 | 98.6% |
| In Your Lifetime | 2,015 | 0.9% |
| Since School Began | 322 | 0.1% |
| In the Past Month | 737 | 0.3% |
| Frequency Missing | 3,807 | |

### Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

| Q14b | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 217,088 | 97.0% |
| In Your Lifetime | 4,697 | 2.1% |
| Since School Began | 868 | 0.4% |
| In the Past Month | 1,097 | 0.5% |
| Frequency Missing | 4,039 | |

### Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

| Q14f | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 222,188 | 99.2% |
| In Your Lifetime | 1,012 | 0.5% |
| Since School Began | 444 | 0.2% |
| In the Past Month | 404 | 0.2% |
| Frequency Missing | 3,741 | |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 90 of 124

### Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

| Q14g | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 219,992 | 98.1% |
| In Your Lifetime | 3,023 | 1.3% |
| Since School Began | 424 | 0.2% |
| In the Past Month | 715 | 0.3% |
| Frequency Missing | 3,636 | |

### Recent Inhalant Use - Other Aerosols/Sprays

| Q14h | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 221,734 | 98.8% |
| In Your Lifetime | 1,476 | 0.7% |
| Since School Began | 297 | 0.1% |
| In the Past Month | 820 | 0.4% |
| Frequency Missing | 3,462 | |

### Recent Cigarette Use

| Q15a | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 208,903 | 93.3% |
| In Your Lifetime | 10,065 | 4.5% |
| Since School Began | 1,520 | 0.7% |
| In the Past Month | 3,396 | 1.5% |
| Frequency Missing | 3,904 | |

### Recent Smokeless Tobacco Use

| Q15b | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 216,474 | 97.1% |
| In Your Lifetime | 2,979 | 1.3% |
| Since School Began | 837 | 0.4% |
| In the Past Month | 2,638 | 1.2% |
| Frequency Missing | 4,861 | |

### Recent Beer Use

| Q15c | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 169,313 | 76.1% |
| In Your Lifetime | 27,569 | 12.4% |
| Since School Began | 8,542 | 3.8% |
| In the Past Month | 17,153 | 7.7% |
| Frequency Missing | 5,212 | |

### Recent Wine Cooler Use

| Q15d | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 187,710 | 84.1% |
| In Your Lifetime | 15,555 | 7.0% |
| Since School Began | 6,910 | 3.1% |
| In the Past Month | 12,980 | 5.8% |
| Frequency Missing | 4,635 | |

### Recent Wine Use

| Q15e | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 188,223 | 84.4% |
| In Your Lifetime | 21,798 | 9.8% |
| Since School Began | 5,772 | 2.6% |
| In the Past Month | 7,320 | 3.3% |
| Frequency Missing | 4,676 | |

### Recent Liquor Use

| Q15f | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 179,466 | 80.8% |
| In Your Lifetime | 18,706 | 8.4% |
| Since School Began | 8,474 | 3.8% |
| In the Past Month | 15,532 | 7.0% |
| Frequency Missing | 5,611 | |

### Recent Inhalant Use

| Q15g | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 218,611 | 97.9% |
| In Your Lifetime | 3,101 | 1.4% |
| Since School Began | 546 | 0.2% |
| In the Past Month | 1,002 | 0.4% |
| Frequency Missing | 4,529 | |

*Percentages have been weighted to reflect proportions within the population.*

## Recent Electronic Vapor Product Use

| Q15h | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 188,324 | 84.1% |
| In Your Lifetime | 17,931 | 8.0% |
| Since School Began | 4,630 | 2.1% |
| In the Past Month | 13,159 | 5.9% |
| Frequency Missing | 3,745 | |

## Recent Hallucinogen Use

| Q16e | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 218,746 | 97.6% |
| In Your Lifetime | 2,805 | 1.3% |
| Since School Began | 981 | 0.4% |
| In the Past Month | 1,564 | 0.7% |
| Frequency Missing | 3,693 | |

## Recent Marijuana Use

| Q16a | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 198,718 | 88.6% |
| In Your Lifetime | 12,563 | 5.6% |
| Since School Began | 4,199 | 1.9% |
| In the Past Month | 8,748 | 3.9% |
| Frequency Missing | 3,561 | |

## Recent Synthetic Cathinone Use

| Q16f | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 223,510 | 99.7% |
| In Your Lifetime | 331 | 0.1% |
| Since School Began | 98 | 0.0% |
| In the Past Month | 326 | 0.1% |
| Frequency Missing | 3,524 | |

## Recent Cocaine Use

| Q16b | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 222,191 | 99.1% |
| In Your Lifetime | 1,107 | 0.5% |
| Since School Began | 218 | 0.1% |
| In the Past Month | 583 | 0.3% |
| Frequency Missing | 3,690 | |

## Recent Steroid Use

| Q16g | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 222,319 | 99.1% |
| In Your Lifetime | 1,005 | 0.4% |
| Since School Began | 213 | 0.1% |
| In the Past Month | 695 | 0.3% |
| Frequency Missing | 3,557 | |

## Recent Crack Use

| Q16c | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 223,828 | 99.9% |
| In Your Lifetime | 136 | 0.1% |
| Since School Began | 9 | 0.0% |
| In the Past Month | 74 | 0.0% |
| Frequency Missing | 3,742 | |

## Recent Ecstasy Use

| Q16h | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 222,656 | 99.3% |
| In Your Lifetime | 837 | 0.4% |
| Since School Began | 214 | 0.1% |
| In the Past Month | 560 | 0.2% |
| Frequency Missing | 3,522 | |

### Recent Heroin Use

| Q16i | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 223,942 | 99.8% |
| In Your Lifetime | 142 | 0.1% |
| Since School Began | 30 | 0.0% |
| In the Past Month | 311 | 0.1% |
| Frequency Missing | 3,364 | |

### Recent Prescription Drug Use - Codeine

| Q17a | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 208,875 | 93.7% |
| In Your Lifetime | 7,566 | 3.4% |
| Since School Began | 2,365 | 1.1% |
| In the Past Month | 4,050 | 1.8% |
| Frequency Missing | 4,933 | |

### Recent Methamphetamine Use

| Q16j | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 223,655 | 99.7% |
| In Your Lifetime | 384 | 0.2% |
| Since School Began | 26 | 0.0% |
| In the Past Month | 281 | 0.1% |
| Frequency Missing | 3,444 | |

### Recent Prescription Drug Use - Percocet Etc

| Q17b | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 219,485 | 98.7% |
| In Your Lifetime | 1,845 | 0.8% |
| Since School Began | 464 | 0.2% |
| In the Past Month | 693 | 0.3% |
| Frequency Missing | 5,302 | |

### Recent Synthetic Marijuana Use

| Q16k | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 219,936 | 98.0% |
| In Your Lifetime | 2,092 | 0.9% |
| Since School Began | 830 | 0.4% |
| In the Past Month | 1,507 | 0.7% |
| Frequency Missing | 3,425 | |

### Recent Prescription Drug Use - Benzodiazepines Etc

| Q17c | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 217,832 | 98.0% |
| In Your Lifetime | 2,412 | 1.1% |
| Since School Began | 778 | 0.3% |
| In the Past Month | 1,244 | 0.6% |
| Frequency Missing | 5,523 | |

### Recent Delta 8 Use

| Q16l | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 217,262 | 97.0% |
| In Your Lifetime | 3,188 | 1.4% |
| Since School Began | 1,434 | 0.6% |
| In the Past Month | 2,146 | 1.0% |
| Frequency Missing | 3,760 | |

### Recent Prescription Drug Use - Adderall Etc

| Q17d | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 217,688 | 97.9% |
| In Your Lifetime | 2,352 | 1.1% |
| Since School Began | 864 | 0.4% |
| In the Past Month | 1,428 | 0.6% |
| Frequency Missing | 5,457 | |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 93 of 124

## Recent Prescription Drug Use - Other Prescriptions

| Q17e | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 212,357 | 95.6% |
| In Your Lifetime | 4,947 | 2.2% |
| Since School Began | 1,688 | 0.8% |
| In the Past Month | 3,148 | 1.4% |
| Frequency Missing | 5,648 | |

## Take DXM, Triple Cs, Etc. to Get High

| Q18 | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 216,919 | 98.2% |
| In Your Lifetime | 2,022 | 0.9% |
| Since School Began | 403 | 0.2% |
| In the Past Month | 1,533 | 0.7% |
| Frequency Missing | 6,912 | |

## Tobacco Use in Past Month

| Q19a | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 215,330 | 96.6% |
| 1–2 times | 4,188 | 1.9% |
| 3–10 times | 1,711 | 0.8% |
| 11+ times | 1,682 | 0.8% |
| Frequency Missing | 4,877 | |

## Alcohol Use in Past Month

| Q19b | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 183,640 | 82.5% |
| 1–2 times | 26,395 | 11.9% |
| 3–10 times | 8,538 | 3.8% |
| 11+ times | 4,053 | 1.8% |
| Frequency Missing | 5,163 | |

## Inhalant Use in Past Month

| Q19c | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 219,632 | 98.7% |
| 1–2 times | 2,286 | 1.0% |
| 3–10 times | 294 | 0.1% |
| 11+ times | 220 | 0.1% |
| Frequency Missing | 5,356 | |

## Marijuana Use in Past Month

| Q19d | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 206,108 | 92.5% |
| 1–2 times | 8,115 | 3.6% |
| 3–10 times | 3,629 | 1.6% |
| 11+ times | 5,031 | 2.3% |
| Frequency Missing | 4,906 | |

## Cocaine Use in Past Month

| Q19e | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 221,352 | 99.4% |
| 1–2 times | 995 | 0.4% |
| 3–10 times | 134 | 0.1% |
| 11+ times | 267 | 0.1% |
| Frequency Missing | 5,041 | |

## Crack Use in Past Month

| Q19f | Frequency | Percent |
|---|---|---|
| Never Heard/Used | 222,123 | 99.9% |
| 1–2 times | 262 | 0.1% |
| 3–10 times | 9 | 0.0% |
| 11+ times | 21 | 0.0% |
| Frequency Missing | 5,374 | |

## Close Friends Use Tobacco

| Q20a | Frequency | Percent |
|---|---|---|
| Never heard/None | 191,220 | 86.0% |
| A few | 20,762 | 9.3% |
| Some | 6,349 | 2.9% |
| Most | 2,892 | 1.3% |
| All | 1,199 | 0.5% |
| Frequency Missing | 5,366 | |

*Percentages have been weighted to reflect proportions within the population.*

## Close Friends Use Alcohol

| Q20b | Frequency | Percent |
|---|---|---|
| Never heard/None | 145,376 | 65.4% |
| A few | 42,146 | 19.0% |
| Some | 17,809 | 8.0% |
| Most | 12,810 | 5.8% |
| All | 4,158 | 1.9% |
| Frequency Missing | 5,490 | |

## Close Friends Use Inhalants

| Q20c | Frequency | Percent |
|---|---|---|
| Never heard/None | 209,169 | 94.4% |
| A few | 8,270 | 3.7% |
| Some | 2,826 | 1.3% |
| Most | 704 | 0.3% |
| All | 625 | 0.3% |
| Frequency Missing | 6,195 | |

## Close Friends Use Marijuana

| Q20d | Frequency | Percent |
|---|---|---|
| Never heard/None | 170,042 | 76.5% |
| A few | 27,434 | 12.3% |
| Some | 12,577 | 5.7% |
| Most | 9,105 | 4.1% |
| All | 3,221 | 1.4% |
| Frequency Missing | 5,410 | |

## Age When First Used Tobacco

| Q21a | Frequency | Percent |
|---|---|---|
| Never used it | 208,484 | 93.5% |
| 8 or younger | 1,361 | 0.6% |
| 9 years old | 480 | 0.2% |
| 10 years old | 673 | 0.3% |
| 11 years old | 1,120 | 0.5% |
| 12 years old | 1,871 | 0.8% |
| 13 years old | 2,054 | 0.9% |
| 14 years old | 2,208 | 1.0% |
| 15 years old | 1,787 | 0.8% |
| 16 years old | 1,593 | 0.7% |
| 17 years old | 798 | 0.4% |
| 18 or older | 465 | 0.2% |
| Frequency Missing | 4,896 | |

## Age When First Used Alcohol

| Q21b | Frequency | Percent |
|---|---|---|
| Never used it | 158,114 | 71.0% |
| 8 or younger | 6,567 | 2.9% |
| 9 years old | 2,318 | 1.0% |
| 10 years old | 3,616 | 1.6% |
| 11 years old | 3,810 | 1.7% |
| 12 years old | 6,736 | 3.0% |
| 13 years old | 7,717 | 3.5% |
| 14 years old | 9,933 | 4.5% |
| 15 years old | 9,561 | 4.3% |
| 16 years old | 8,173 | 3.7% |
| 17 years old | 4,068 | 1.8% |
| 18 or older | 1,984 | 0.9% |
| Frequency Missing | 5,191 | |

## Age When First Used Inhalants

| Q21c | Frequency | Percent |
|---|---|---|
| Never used it | 216,597 | 97.7% |
| 8 or younger | 1,074 | 0.5% |
| 9 years old | 287 | 0.1% |
| 10 years old | 361 | 0.2% |
| 11 years old | 361 | 0.2% |
| 12 years old | 941 | 0.4% |
| 13 years old | 694 | 0.3% |
| 14 years old | 421 | 0.2% |
| 15 years old | 604 | 0.3% |
| 16 years old | 289 | 0.1% |
| 17 years old | 63 | 0.0% |
| 18 or older | 0 | 0.0% |
| Frequency Missing | 6,098 | |

## Age When First Used Marijuana

| Q21d | Frequency | Percent |
|---|---|---|
| Never used it | 196,917 | 88.5% |
| 8 or younger | 649 | 0.3% |
| 9 years old | 271 | 0.1% |
| 10 years old | 611 | 0.3% |
| 11 years old | 1,207 | 0.5% |
| 12 years old | 2,578 | 1.2% |
| 13 years old | 4,468 | 2.0% |
| 14 years old | 4,910 | 2.2% |
| 15 years old | 5,277 | 2.4% |
| 16 years old | 3,521 | 1.6% |
| 17 years old | 1,471 | 0.7% |
| 18 or older | 510 | 0.2% |
| Frequency Missing | 5,397 | |

*Percentages have been weighted to reflect proportions within the population.*

### Age When First Used Cocaine

| Q21e | Frequency | Percent |
|---|---|---|
| Never used it | 221,013 | 99.3% |
| 8 or younger | 15 | 0.0% |
| 9 years old | 0 | 0.0% |
| 10 years old | 0 | 0.0% |
| 11 years old | 201 | 0.1% |
| 12 years old | 58 | 0.0% |
| 13 years old | 167 | 0.1% |
| 14 years old | 316 | 0.1% |
| 15 years old | 321 | 0.1% |
| 16 years old | 239 | 0.1% |
| 17 years old | 262 | 0.1% |
| 18 or older | 0 | 0.0% |
| Frequency Missing | 5,196 | |

### Age When First Used Ecstasy

| Q21i | Frequency | Percent |
|---|---|---|
| Never used it | 221,155 | 99.6% |
| 8 or younger | 0 | 0.0% |
| 9 years old | 0 | 0.0% |
| 10 years old | 53 | 0.0% |
| 11 years old | 15 | 0.0% |
| 12 years old | 119 | 0.1% |
| 13 years old | 77 | 0.0% |
| 14 years old | 415 | 0.2% |
| 15 years old | 173 | 0.1% |
| 16 years old | 49 | 0.0% |
| 17 years old | 98 | 0.0% |
| 18 or older | 0 | 0.0% |
| Frequency Missing | 5,635 | |

### Age When First Used Crack

| Q21f | Frequency | Percent |
|---|---|---|
| Never used it | 222,114 | 99.8% |
| 8 or younger | 38 | 0.0% |
| 9 years old | 0 | 0.0% |
| 10 years old | 0 | 0.0% |
| 11 years old | 30 | 0.0% |
| 12 years old | 30 | 0.0% |
| 13 years old | 187 | 0.1% |
| 14 years old | 0 | 0.0% |
| 15 years old | 0 | 0.0% |
| 16 years old | 71 | 0.0% |
| 17 years old | 56 | 0.0% |
| Frequency Missing | 5,264 | |

### Age When First Used Heroin

| Q21j | Frequency | Percent |
|---|---|---|
| Never used it | 222,112 | 99.8% |
| 8 or younger | 89 | 0.0% |
| 9 years old | 63 | 0.0% |
| 10 years old | 11 | 0.0% |
| 11 years old | 32 | 0.0% |
| 12 years old | 88 | 0.0% |
| 13 years old | 30 | 0.0% |
| 14 years old | 86 | 0.0% |
| 15 years old | 0 | 0.0% |
| 16 years old | 0 | 0.0% |
| 17 years old | 0 | 0.0% |
| 18 or older | 0 | 0.0% |
| Frequency Missing | 5,277 | |

### Age When First Used Steroids

| Q21h | Frequency | Percent |
|---|---|---|
| Never used it | 221,137 | 99.5% |
| 8 or younger | 155 | 0.1% |
| 9 years old | 0 | 0.0% |
| 10 years old | 20 | 0.0% |
| 11 years old | 210 | 0.1% |
| 12 years old | 250 | 0.1% |
| 13 years old | 36 | 0.0% |
| 14 years old | 197 | 0.1% |
| 15 years old | 60 | 0.0% |
| 16 years old | 194 | 0.1% |
| 17 years old | 0 | 0.0% |
| 18 or older | 31 | 0.0% |
| Frequency Missing | 5,499 | |

### Age When First Used Methamphetamine

| Q21k | Frequency | Percent |
|---|---|---|
| Never used it | 221,716 | 99.7% |
| 8 or younger | 165 | 0.1% |
| 9 years old | 0 | 0.0% |
| 10 years old | 11 | 0.0% |
| 11 years old | 58 | 0.0% |
| 12 years old | 118 | 0.1% |
| 13 years old | 60 | 0.0% |
| 14 years old | 163 | 0.1% |
| 15 years old | 71 | 0.0% |
| 16 years old | 0 | 0.0% |
| 17 years old | 9 | 0.0% |
| 18 or older | 0 | 0.0% |
| Frequency Missing | 5,418 | |

*Percentages have been weighted to reflect proportions within the population.*

## Age When First Used Synthetic Marijuana

| Q21l | Frequency | Percent |
|---|---|---|
| Never used it | 218,279 | 98.2% |
| 8 or younger | 175 | 0.1% |
| 9 years old | 23 | 0.0% |
| 10 years old | 11 | 0.0% |
| 11 years old | 75 | 0.0% |
| 12 years old | 667 | 0.3% |
| 13 years old | 430 | 0.2% |
| 14 years old | 720 | 0.3% |
| 15 years old | 814 | 0.4% |
| 16 years old | 759 | 0.3% |
| 17 years old | 331 | 0.1% |
| 18 or older | 93 | 0.0% |
| Frequency Missing | 5,413 | |

## Age When First Used Delta 8

| Q21m | Frequency | Percent |
|---|---|---|
| Never used it | 215,564 | 97.1% |
| 8 or younger | 209 | 0.1% |
| 9 years old | 54 | 0.0% |
| 10 years old | 70 | 0.0% |
| 11 years old | 127 | 0.1% |
| 12 years old | 679 | 0.3% |
| 13 years old | 937 | 0.4% |
| 14 years old | 1,567 | 0.7% |
| 15 years old | 1,263 | 0.6% |
| 16 years old | 1,000 | 0.5% |
| 17 years old | 492 | 0.2% |
| 18 or older | 135 | 0.1% |
| Frequency Missing | 5,692 | |

## Difficult to Get Tobacco

| Q22a | Frequency | Percent |
|---|---|---|
| Never heard of | 107,664 | 49.0% |
| Impossible | 42,772 | 19.5% |
| Very Difficult | 13,625 | 6.2% |
| Somewhat diff | 17,726 | 8.1% |
| Somewhat easy | 19,142 | 8.7% |
| Very easy | 18,815 | 8.6% |
| Frequency Missing | 8,046 | |

## Difficult to Get Alcohol

| Q22b | Frequency | Percent |
|---|---|---|
| Never heard of | 88,474 | 40.3% |
| Impossible | 29,056 | 13.2% |
| Very Difficult | 12,234 | 5.6% |
| Somewhat diff | 22,802 | 10.4% |
| Somewhat easy | 30,517 | 13.9% |
| Very easy | 36,209 | 16.5% |
| Frequency Missing | 8,499 | |

## Difficult to Get Inhalants

| Q22c | Frequency | Percent |
|---|---|---|
| Never heard of | 124,695 | 57.0% |
| Impossible | 32,857 | 15.0% |
| Very Difficult | 8,086 | 3.7% |
| Somewhat diff | 9,406 | 4.3% |
| Somewhat easy | 15,305 | 7.0% |
| Very easy | 28,544 | 13.0% |
| Frequency Missing | 8,895 | |

## Difficult to Get Marijuana

| Q22d | Frequency | Percent |
|---|---|---|
| Never heard of | 103,633 | 47.3% |
| Impossible | 45,723 | 20.9% |
| Very Difficult | 13,368 | 6.1% |
| Somewhat diff | 14,937 | 6.8% |
| Somewhat easy | 18,988 | 8.7% |
| Very easy | 22,470 | 10.3% |
| Frequency Missing | 8,670 | |

## Difficult to Get Cocaine

| Q22e | Frequency | Percent |
|---|---|---|
| Never heard of | 120,201 | 54.8% |
| Impossible | 59,100 | 27.0% |
| Very Difficult | 17,669 | 8.1% |
| Somewhat diff | 10,391 | 4.7% |
| Somewhat easy | 5,759 | 2.6% |
| Very easy | 6,062 | 2.8% |
| Frequency Missing | 8,608 | |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 97 of 124

### Difficult to Get Crack

| Q22f | Frequency | Percent |
|---|---|---|
| Never heard of | 124,360 | 56.8% |
| Impossible | 59,829 | 27.3% |
| Very Difficult | 17,133 | 7.8% |
| Somewhat diff | 9,313 | 4.3% |
| Somewhat easy | 4,200 | 1.9% |
| Very easy | 4,262 | 1.9% |
| Frequency Missing | 8,693 | |

### Difficult to Get Methamphetamine

| Q22k | Frequency | Percent |
|---|---|---|
| Never heard of | 137,339 | 62.8% |
| Impossible | 54,883 | 25.1% |
| Very Difficult | 13,199 | 6.0% |
| Somewhat diff | 6,123 | 2.8% |
| Somewhat easy | 3,720 | 1.7% |
| Very easy | 3,588 | 1.6% |
| Frequency Missing | 8,938 | |

### Difficult to Get Steroids

| Q22h | Frequency | Percent |
|---|---|---|
| Never heard of | 126,696 | 57.8% |
| Impossible | 53,535 | 24.4% |
| Very Difficult | 15,887 | 7.3% |
| Somewhat diff | 10,960 | 5.0% |
| Somewhat easy | 6,605 | 3.0% |
| Very easy | 5,351 | 2.4% |
| Frequency Missing | 8,755 | |

### Difficult to Get Synthetic Marijuana

| Q22l | Frequency | Percent |
|---|---|---|
| Never heard of | 140,584 | 64.3% |
| Impossible | 46,449 | 21.2% |
| Very Difficult | 11,311 | 5.2% |
| Somewhat diff | 6,688 | 3.1% |
| Somewhat easy | 6,780 | 3.1% |
| Very easy | 6,843 | 3.1% |
| Frequency Missing | 9,134 | |

### Difficult to Get Ecstasy

| Q22i | Frequency | Percent |
|---|---|---|
| Never heard of | 142,975 | 65.4% |
| Impossible | 47,551 | 21.8% |
| Very Difficult | 12,846 | 5.9% |
| Somewhat diff | 7,468 | 3.4% |
| Somewhat easy | 3,530 | 1.6% |
| Very easy | 4,213 | 1.9% |
| Frequency Missing | 9,206 | |

### Difficult to Get Delta 8

| Q22m | Frequency | Percent |
|---|---|---|
| Never heard of | 143,051 | 65.5% |
| Impossible | 42,178 | 19.3% |
| Very Difficult | 10,405 | 4.8% |
| Somewhat diff | 6,535 | 3.0% |
| Somewhat easy | 7,426 | 3.4% |
| Very easy | 8,693 | 4.0% |
| Frequency Missing | 9,501 | |

### Difficult to Get Heroin

| Q22j | Frequency | Percent |
|---|---|---|
| Never heard of | 135,620 | 62.1% |
| Impossible | 55,154 | 25.3% |
| Very Difficult | 14,187 | 6.5% |
| Somewhat diff | 6,709 | 3.1% |
| Somewhat easy | 3,116 | 1.4% |
| Very easy | 3,461 | 1.6% |
| Frequency Missing | 9,544 | |

### How Often Normally Use Tobacco

| Q23a | Frequency | Percent |
|---|---|---|
| Every day | 931 | 0.4% |
| Several times/wk | 969 | 0.4% |
| Several times/mo | 960 | 0.4% |
| About once/month | 2,637 | 1.2% |
| About once/year | 2,236 | 1.0% |
| Less than once/year | 4,579 | 2.1% |
| Never used | 206,651 | 94.4% |
| Frequency Missing | 8,826 | |

*Percentages have been weighted to reflect proportions within the population.*

## How Often Normally Use Alcohol

| Q23b | Frequency | Percent |
|---|---|---|
| Every day | 271 | 0.1% |
| Several times/wk | 1,639 | 0.7% |
| Several times/mo | 7,682 | 3.5% |
| About once/month | 16,581 | 7.6% |
| About once/year | 15,461 | 7.1% |
| Less than once/year | 13,536 | 6.2% |
| Never used | 163,612 | 74.8% |
| Frequency Missing | 9,008 | |

## How Often Normally Use Cocaine

| Q23e | Frequency | Percent |
|---|---|---|
| Every day | 0 | 0.0% |
| Several times/wk | 101 | 0.0% |
| Several times/mo | 215 | 0.1% |
| About once/month | 280 | 0.1% |
| About once/year | 255 | 0.1% |
| Less than once/year | 547 | 0.2% |
| Never used | 217,313 | 99.4% |
| Frequency Missing | 9,078 | |

## How Often Normally Use Inhalants

| Q23c | Frequency | Percent |
|---|---|---|
| Every day | 244 | 0.1% |
| Several times/wk | 202 | 0.1% |
| Several times/mo | 541 | 0.2% |
| About once/month | 785 | 0.4% |
| About once/year | 1,006 | 0.5% |
| Less than once/year | 1,385 | 0.6% |
| Never used | 214,315 | 98.1% |
| Frequency Missing | 9,312 | |

## How Often Normally Use Crack

| Q23f | Frequency | Percent |
|---|---|---|
| Every day | 16 | 0.0% |
| Several times/wk | 0 | 0.0% |
| Several times/mo | 42 | 0.0% |
| About once/month | 0 | 0.0% |
| About once/year | 9 | 0.0% |
| Less than once/year | 58 | 0.0% |
| Never used | 218,964 | 99.9% |
| Frequency Missing | 8,701 | |

## How Often Normally Use Marijuana

| Q23d | Frequency | Percent |
|---|---|---|
| Every day | 2,842 | 1.3% |
| Several times/wk | 2,482 | 1.1% |
| Several times/mo | 3,350 | 1.5% |
| About once/month | 3,923 | 1.8% |
| About once/year | 3,868 | 1.8% |
| Less than once/year | 5,469 | 2.5% |
| Never used | 197,151 | 90.0% |
| Frequency Missing | 8,704 | |

## How Often Normally Use Steroids

| Q23h | Frequency | Percent |
|---|---|---|
| Every day | 188 | 0.1% |
| Several times/wk | 97 | 0.0% |
| Several times/mo | 20 | 0.0% |
| About once/month | 112 | 0.1% |
| About once/year | 273 | 0.1% |
| Less than once/year | 327 | 0.1% |
| Never used | 217,827 | 99.5% |
| Frequency Missing | 8,945 | |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 99 of 124

## How Often Normally Use Ecstasy

| Q23i | Frequency | Percent |
|---|---|---|
| Every day | 0 | 0.0% |
| Several times/wk | 97 | 0.0% |
| Several times/mo | 107 | 0.0% |
| About once/month | 40 | 0.0% |
| About once/year | 327 | 0.1% |
| Less than once/year | 457 | 0.2% |
| Never used | 218,014 | 99.5% |
| Frequency Missing | 8,746 | |

## How Often Normally Use Synthetic Marijuana

| Q23l | Frequency | Percent |
|---|---|---|
| Every day | 293 | 0.1% |
| Several times/wk | 264 | 0.1% |
| Several times/mo | 553 | 0.3% |
| About once/month | 757 | 0.3% |
| About once/year | 796 | 0.4% |
| Less than once/year | 1,018 | 0.5% |
| Never used | 215,142 | 98.3% |
| Frequency Missing | 8,966 | |

## How Often Normally Use Heroin

| Q23j | Frequency | Percent |
|---|---|---|
| Every day | 108 | 0.0% |
| Several times/wk | 0 | 0.0% |
| Several times/mo | 21 | 0.0% |
| About once/month | 71 | 0.0% |
| About once/year | 30 | 0.0% |
| Less than once/year | 111 | 0.1% |
| Never used | 218,661 | 99.8% |
| Frequency Missing | 8,787 | |

## How Often Normally Use Delta 8

| Q23m | Frequency | Percent |
|---|---|---|
| Every day | 457 | 0.2% |
| Several times/wk | 465 | 0.2% |
| Several times/mo | 670 | 0.3% |
| About once/month | 1,124 | 0.5% |
| About once/year | 997 | 0.5% |
| Less than once/year | 1,921 | 0.9% |
| Never used | 211,834 | 97.4% |
| Frequency Missing | 10,321 | |

## How Often Normally Use Methamphetamine

| Q23k | Frequency | Percent |
|---|---|---|
| Every day | 139 | 0.1% |
| Several times/wk | 0 | 0.0% |
| Several times/mo | 66 | 0.0% |
| About once/month | 51 | 0.0% |
| About once/year | 93 | 0.0% |
| Less than once/year | 149 | 0.1% |
| Never used | 218,551 | 99.8% |
| Frequency Missing | 8,740 | |

## Amount of Beer at One Time

| Q24a | Frequency | Percent |
|---|---|---|
| Never drink this | 165,958 | 75.7% |
| 12+ drinks | 2,744 | 1.3% |
| 9–11 drinks | 1,792 | 0.8% |
| 5–8 drinks | 4,486 | 2.0% |
| 3–4 drinks | 8,354 | 3.8% |
| 2 drinks | 7,544 | 3.4% |
| 1 drink | 10,715 | 4.9% |
| Less than 1 drink | 17,586 | 8.0% |
| Frequency Missing | 8,611 | |

*Percentages have been weighted to reflect proportions within the population.*

## Amount of Wine Coolers at One Time

| Q24b | Frequency | Percent |
|---|---|---|
| Never drink this | 181,369 | 82.8% |
| 12+ drinks | 1,457 | 0.7% |
| 9–11 drinks | 1,120 | 0.5% |
| 5–8 drinks | 5,154 | 2.4% |
| 3–4 drinks | 7,040 | 3.2% |
| 2 drinks | 6,477 | 3.0% |
| 1 drink | 7,783 | 3.6% |
| Less than 1 drink | 8,610 | 3.9% |
| Frequency Missing | 8,779 | |

## How Many 5+ Drinks in 2 Hours During Past 30 Days

| Q25a | Frequency | Percent |
|---|---|---|
| Never 5+ at time | 131,087 | 60.4% |
| 0 days | 69,823 | 32.2% |
| 1 day | 6,804 | 3.1% |
| 2 days | 3,824 | 1.8% |
| 3 to 5 days | 2,143 | 1.0% |
| 6 to 9 days | 1,006 | 0.5% |
| 10 or more days | 2,351 | 1.1% |
| Frequency Missing | 10,751 | |

## Amount of Wine at One Time

| Q24c | Frequency | Percent |
|---|---|---|
| Never drink this | 184,473 | 84.4% |
| 12+ drinks | 591 | 0.3% |
| 9–11 drinks | 350 | 0.2% |
| 5–8 drinks | 1,039 | 0.5% |
| 3–4 drinks | 2,042 | 0.9% |
| 2 drinks | 3,998 | 1.8% |
| 1 drink | 10,390 | 4.8% |
| Less than 1 drink | 15,815 | 7.2% |
| Frequency Missing | 9,091 | |

## Get Alcoholic Beverages from Home

| Q26a | Frequency | Percent |
|---|---|---|
| Do not Drink | 154,780 | 70.6% |
| Never | 27,563 | 12.6% |
| Seldom | 24,266 | 11.1% |
| Most of the Time | 9,341 | 4.3% |
| Always | 3,135 | 1.4% |
| Frequency Missing | 8,704 | |

## Amount of Liquor at One Time

| Q24d | Frequency | Percent |
|---|---|---|
| Never drink this | 174,332 | 79.7% |
| 12+ drinks | 2,391 | 1.1% |
| 9–11 drinks | 1,383 | 0.6% |
| 5–8 drinks | 4,741 | 2.2% |
| 3–4 drinks | 7,956 | 3.6% |
| 2 drinks | 7,202 | 3.3% |
| 1 drink | 8,238 | 3.8% |
| Less than 1 drink | 12,597 | 5.8% |
| Frequency Missing | 8,949 | |

## Get Alcoholic Beverages from Friends

| Q26b | Frequency | Percent |
|---|---|---|
| Do not Drink | 157,112 | 72.0% |
| Never | 31,144 | 14.3% |
| Seldom | 14,802 | 6.8% |
| Most of the Time | 11,840 | 5.4% |
| Always | 3,211 | 1.5% |
| Frequency Missing | 9,680 | |

## Get Alcoholic Beverages from a Store

| Q26c | Frequency | Percent |
|---|---|---|
| Do not Drink | 162,853 | 74.7% |
| Never | 43,171 | 19.8% |
| Seldom | 5,656 | 2.6% |
| Most of the Time | 4,599 | 2.1% |
| Always | 1,761 | 0.8% |
| Frequency Missing | 9,750 | |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 101 of 124

## Get Alcoholic Beverages at Parties

| Q26d | Frequency | Percent |
|---|---|---|
| Do not Drink | 152,111 | 69.6% |
| Never | 27,687 | 12.7% |
| Seldom | 16,844 | 7.7% |
| Most of the Time | 13,558 | 6.2% |
| Always | 8,401 | 3.8% |
| Frequency Missing | 9,188 | |

## Dangerous for Kids to Use Inhalants

| Q27c | Frequency | Percent |
|---|---|---|
| Very | 168,001 | 76.8% |
| Somewhat | 25,349 | 11.6% |
| Not very | 8,927 | 4.1% |
| Not at all | 2,370 | 1.1% |
| Don't know | 14,230 | 6.5% |
| Frequency Missing | 8,912 | |

## Get Alcoholic Beverages from Other Sources

| Q26e | Frequency | Percent |
|---|---|---|
| Do not Drink | 164,550 | 75.6% |
| Never | 35,570 | 16.3% |
| Seldom | 7,911 | 3.6% |
| Most of the Time | 6,102 | 2.8% |
| Always | 3,481 | 1.6% |
| Frequency Missing | 10,174 | |

## Dangerous for Kids to Use Marijuana

| Q27d | Frequency | Percent |
|---|---|---|
| Very | 151,635 | 69.2% |
| Somewhat | 30,414 | 13.9% |
| Not very | 18,525 | 8.5% |
| Not at all | 9,128 | 4.2% |
| Don't know | 9,486 | 4.3% |
| Frequency Missing | 8,601 | |

## Dangerous for Kids to Use Tobacco

| Q27a | Frequency | Percent |
|---|---|---|
| Very | 155,030 | 70.7% |
| Somewhat | 39,808 | 18.1% |
| Not very | 11,085 | 5.1% |
| Not at all | 2,567 | 1.2% |
| Don't know | 10,868 | 5.0% |
| Frequency Missing | 8,429 | |

## Dangerous for Kids to Use Cocaine

| Q27e | Frequency | Percent |
|---|---|---|
| Very | 192,089 | 87.7% |
| Somewhat | 13,109 | 6.0% |
| Not very | 2,439 | 1.1% |
| Not at all | 1,189 | 0.5% |
| Don't know | 10,146 | 4.6% |
| Frequency Missing | 8,816 | |

## Dangerous for Kids to Use Alcohol

| Q27b | Frequency | Percent |
|---|---|---|
| Very | 121,392 | 55.4% |
| Somewhat | 54,720 | 25.0% |
| Not very | 29,565 | 13.5% |
| Not at all | 4,953 | 2.3% |
| Don't know | 8,609 | 3.9% |
| Frequency Missing | 8,550 | |

## Dangerous for Kids to Use Crack

| Q27f | Frequency | Percent |
|---|---|---|
| Very | 195,865 | 89.3% |
| Somewhat | 9,674 | 4.4% |
| Not very | 1,826 | 0.8% |
| Not at all | 998 | 0.5% |
| Don't know | 10,997 | 5.0% |
| Frequency Missing | 8,429 | |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 102 of 124

## Dangerous for Kids to Use Ecstasy

| Q27h | Frequency | Percent |
|---|---|---|
| Very | 183,126 | 83.6% |
| Somewhat | 11,806 | 5.4% |
| Not very | 2,656 | 1.2% |
| Not at all | 1,238 | 0.6% |
| Don't know | 20,226 | 9.2% |
| Frequency Missing | 8,737 | |

## Dangerous for Kids to Use Synthetic Marijuana

| Q27l | Frequency | Percent |
|---|---|---|
| Very | 178,556 | 81.5% |
| Somewhat | 13,731 | 6.3% |
| Not very | 5,451 | 2.5% |
| Not at all | 2,256 | 1.0% |
| Don't know | 19,017 | 8.7% |
| Frequency Missing | 8,778 | |

## Dangerous for Kids to Use Steroids

| Q27i | Frequency | Percent |
|---|---|---|
| Very | 173,054 | 79.0% |
| Somewhat | 21,882 | 10.0% |
| Not very | 8,022 | 3.7% |
| Not at all | 2,697 | 1.2% |
| Don't know | 13,441 | 6.1% |
| Frequency Missing | 8,693 | |

## Dangerous for Kids to Use Delta 8

| Q27m | Frequency | Percent |
|---|---|---|
| Very | 171,401 | 78.3% |
| Somewhat | 15,619 | 7.1% |
| Not very | 7,200 | 3.3% |
| Not at all | 3,954 | 1.8% |
| Don't know | 20,605 | 9.4% |
| Frequency Missing | 9,011 | |

## Dangerous for Kids to Use Heroin

| Q27j | Frequency | Percent |
|---|---|---|
| Very | 192,182 | 87.8% |
| Somewhat | 9,412 | 4.3% |
| Not very | 1,646 | 0.8% |
| Not at all | 1,140 | 0.5% |
| Don't know | 14,425 | 6.6% |
| Frequency Missing | 8,984 | |

## Dangerous for Kids to Use Any Prescription

| Q27n | Frequency | Percent |
|---|---|---|
| Very | 174,601 | 79.8% |
| Somewhat | 20,961 | 9.6% |
| Not very | 5,975 | 2.7% |
| Not at all | 2,661 | 1.2% |
| Don't know | 14,711 | 6.7% |
| Frequency Missing | 8,880 | |

## Dangerous for Kids to Use Methamphetamine

| Q27k | Frequency | Percent |
|---|---|---|
| Very | 194,165 | 88.5% |
| Somewhat | 8,695 | 4.0% |
| Not very | 1,420 | 0.6% |
| Not at all | 1,084 | 0.5% |
| Don't know | 13,957 | 6.4% |
| Frequency Missing | 8,468 | |

## Dangerous for Kids to Use Electronic Vapor Products

| Q27o | Frequency | Percent |
|---|---|---|
| Very | 156,678 | 71.5% |
| Somewhat | 32,534 | 14.8% |
| Not very | 14,203 | 6.5% |
| Not at all | 5,130 | 2.3% |
| Don't know | 10,700 | 4.9% |
| Frequency Missing | 8,544 | |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 103 of 124

## Days Skipped Since September

| Q28a | Frequency | Percent |
|---|---|---|
| None | 169,677 | 78.8% |
| 1–3 days | 29,651 | 13.8% |
| 4–9 days | 8,786 | 4.1% |
| 10+ days | 7,252 | 3.4% |
| Frequency Missing | 12,422 | |

## Someone Called Home Since September

| Q28e | Frequency | Percent |
|---|---|---|
| None | 192,378 | 89.4% |
| 1–3 days | 18,975 | 8.8% |
| 4–9 days | 2,006 | 0.9% |
| 10+ days | 1,946 | 0.9% |
| Frequency Missing | 12,483 | |

## Days Ill Since September

| Q28b | Frequency | Percent |
|---|---|---|
| None | 56,173 | 26.1% |
| 1–3 days | 105,825 | 49.2% |
| 4–9 days | 38,426 | 17.9% |
| 10+ days | 14,558 | 6.8% |
| Frequency Missing | 12,807 | |

## Trouble with Friends Because of Drinking

| Q29a | Frequency | Percent |
|---|---|---|
| None | 210,439 | 97.8% |
| 1–3 times | 4,141 | 1.9% |
| 4–9 times | 390 | 0.2% |
| 10+ times | 227 | 0.1% |
| Frequency Missing | 12,592 | |

## Other Reason For Days Missed Since September

| Q28c | Frequency | Percent |
|---|---|---|
| None | 74,751 | 35.1% |
| 1–3 days | 104,960 | 49.3% |
| 4–9 days | 22,895 | 10.8% |
| 10+ days | 10,089 | 4.7% |
| Frequency Missing | 15,094 | |

## Driven a Car After a Good Bit to Drink

| Q29b | Frequency | Percent |
|---|---|---|
| None | 211,021 | 98.1% |
| 1–3 times | 3,410 | 1.6% |
| 4–9 times | 464 | 0.2% |
| 10+ times | 257 | 0.1% |
| Frequency Missing | 12,637 | |

## Sent to Principal/Dean Since September

| Q28d | Frequency | Percent |
|---|---|---|
| None | 191,899 | 89.1% |
| 1–3 days | 19,056 | 8.8% |
| 4–9 days | 2,769 | 1.3% |
| 10+ days | 1,637 | 0.8% |
| Frequency Missing | 12,428 | |

## Trouble with Friends Because of Drug Use

| Q29c | Frequency | Percent |
|---|---|---|
| None | 210,107 | 97.6% |
| 1–3 times | 4,063 | 1.9% |
| 4–9 times | 346 | 0.2% |
| 10+ times | 652 | 0.3% |
| Frequency Missing | 12,621 | |

## Driven a Car While High from Drugs

| Q29d | Frequency | Percent |
|---|---|---|
| None | 210,761 | 98.1% |
| 1–3 times | 2,731 | 1.3% |
| 4–9 times | 528 | 0.2% |
| 10+ times | 873 | 0.4% |
| Frequency Missing | 12,896 | |

*Percentages have been weighted to reflect proportions within the population.*

## Class Days Drunk on Alcohol Since Sept

| Q30a | Frequency | Percent |
|---|---|---|
| None | 209,801 | 97.5% |
| 1–3 days | 4,036 | 1.9% |
| 4–9 days | 694 | 0.3% |
| 10+ days | 551 | 0.3% |
| Frequency Missing | 12,707 | |

## Class Days High on Marijuana Since Sept

| Q30b | Frequency | Percent |
|---|---|---|
| None | 204,690 | 95.1% |
| 1–3 days | 5,315 | 2.5% |
| 4–9 days | 1,487 | 0.7% |
| 10+ days | 3,645 | 1.7% |
| Frequency Missing | 12,652 | |

## Class Days High on Inhalants Since Sept

| Q30c | Frequency | Percent |
|---|---|---|
| None | 212,638 | 99.0% |
| 1–3 days | 1,496 | 0.7% |
| 4–9 days | 235 | 0.1% |
| 10+ days | 415 | 0.2% |
| Frequency Missing | 13,005 | |

## Class Days High on Other Drug(s)

| Q30d | Frequency | Percent |
|---|---|---|
| None | 210,554 | 98.2% |
| 1–3 days | 2,588 | 1.2% |
| 4–9 days | 587 | 0.3% |
| 10+ days | 616 | 0.3% |
| Frequency Missing | 13,443 | |

## Alcohol Use at Parties This School Year

| Q31a | Frequency | Percent |
|---|---|---|
| Never | 135,171 | 62.9% |
| Seldom | 10,589 | 4.9% |
| Half the time | 8,362 | 3.9% |
| Most of the Time | 11,675 | 5.4% |
| Always | 13,848 | 6.4% |
| Don't Know | 3,260 | 1.5% |
| Didn't attend | 32,001 | 14.9% |
| Frequency Missing | 12,884 | |

## Drug Use at Parties This School Year

| Q31b | Frequency | Percent |
|---|---|---|
| Never | 149,122 | 69.5% |
| Seldom | 7,689 | 3.6% |
| Half the time | 6,415 | 3.0% |
| Most of the Time | 7,371 | 3.4% |
| Always | 7,732 | 3.6% |
| Don't Know | 4,503 | 2.1% |
| Didn't attend | 31,665 | 14.8% |
| Frequency Missing | 13,291 | |

## Sought Help for Drug/Alcohol Problem

| Q32 | Frequency | Percent |
|---|---|---|
| No | 195,698 | 93.7% |
| Yes | 13,251 | 6.3% |
| Frequency Missing | 18,840 | |

## Would Seek Help from School Counselor

| Q33a | Frequency | Percent |
|---|---|---|
| No | 125,385 | 59.3% |
| Yes | 85,942 | 40.7% |
| Frequency Missing | 16,462 | |

## Would Seek Help from School Nurse

| Q33b | Frequency | Percent |
|---|---|---|
| No | 148,674 | 70.9% |
| Yes | 60,904 | 29.1% |
| Frequency Missing | 18,211 | |

## Would Seek Help from Another Adult

| Q33g | Frequency | Percent |
|---|---|---|
| No | 86,639 | 41.2% |
| Yes | 123,692 | 58.8% |
| Frequency Missing | 17,458 | |

## Would Seek Help from Another Adult in School

| Q33c | Frequency | Percent |
|---|---|---|
| No | 116,220 | 55.3% |
| Yes | 93,818 | 44.7% |
| Frequency Missing | 17,751 | |

## Would Seek Help from Counselor or Program Outside School

| Q33h | Frequency | Percent |
|---|---|---|
| No | 119,036 | 56.6% |
| Yes | 91,337 | 43.4% |
| Frequency Missing | 17,416 | |

## Would Seek Help from Parents

| Q33d | Frequency | Percent |
|---|---|---|
| No | 59,922 | 28.3% |
| Yes | 151,857 | 71.7% |
| Frequency Missing | 16,010 | |

## Would Not Seek Help

| Q33i | Frequency | Percent |
|---|---|---|
| No | 155,849 | 75.1% |
| Yes | 51,593 | 24.9% |
| Frequency Missing | 20,346 | |

## Would Seek Help from a Medical Doctor

| Q33e | Frequency | Percent |
|---|---|---|
| No | 82,070 | 39.0% |
| Yes | 128,310 | 61.0% |
| Frequency Missing | 17,409 | |

## Drug/Alcohol Info–School Health Class

| Q34a | Frequency | Percent |
|---|---|---|
| No | 109,461 | 51.6% |
| Yes | 102,757 | 48.4% |
| Frequency Missing | 15,571 | |

## Would Seek Help from Friends

| Q33f | Frequency | Percent |
|---|---|---|
| No | 81,263 | 38.7% |
| Yes | 128,542 | 61.3% |
| Frequency Missing | 17,983 | |

## Drug/Alcohol Info–School Assembly Program

| Q34b | Frequency | Percent |
|---|---|---|
| No | 92,031 | 43.5% |
| Yes | 119,708 | 56.5% |
| Frequency Missing | 16,050 | |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 106 of 124

## Drug/Alcohol Info–School Guidance Counselor

| Q34c | Frequency | Percent |
|---|---|---|
| No | 123,103 | 58.3% |
| Yes | 88,074 | 41.7% |
| Frequency Missing | 16,611 | |

## Drug/Alcohol Info–School Nurse

| Q34d | Frequency | Percent |
|---|---|---|
| No | 154,752 | 73.5% |
| Yes | 55,872 | 26.5% |
| Frequency Missing | 17,165 | |

## Drug/Alcohol Info–Science or Social Studies Class

| Q34e | Frequency | Percent |
|---|---|---|
| No | 144,605 | 68.6% |
| Yes | 66,231 | 31.4% |
| Frequency Missing | 16,952 | |

## Drug/Alcohol Info–School Student Group or Club

| Q34f | Frequency | Percent |
|---|---|---|
| No | 165,673 | 78.8% |
| Yes | 44,563 | 21.2% |
| Frequency Missing | 17,553 | |

## Drug/Alcohol Info–Invited School Guest

| Q34g | Frequency | Percent |
|---|---|---|
| No | 123,325 | 58.4% |
| Yes | 87,876 | 41.6% |
| Frequency Missing | 16,588 | |

## Drug/Alcohol Info–Another School Source

| Q34h | Frequency | Percent |
|---|---|---|
| No | 133,965 | 63.7% |
| Yes | 76,368 | 36.3% |
| Frequency Missing | 17,456 | |

## Parents Feel About Kids Using Tobacco

| Q35a | Frequency | Percent |
|---|---|---|
| Strongly disapprove | 171,366 | 80.2% |
| Mild disapprove | 12,182 | 5.7% |
| Neither | 9,048 | 4.2% |
| Mildly approve | 1,432 | 0.7% |
| Strongly approve | 767 | 0.4% |
| Don't know | 18,879 | 8.8% |
| Frequency Missing | 14,115 | |

## Parents Feel About Kids Drinking Alcohol

| Q35b | Frequency | Percent |
|---|---|---|
| Strongly disapprove | 129,417 | 60.5% |
| Mild disapprove | 28,544 | 13.3% |
| Neither | 26,493 | 12.4% |
| Mildly approve | 10,025 | 4.7% |
| Strongly approve | 1,253 | 0.6% |
| Don't know | 18,103 | 8.5% |
| Frequency Missing | 13,953 | |

## Parents Feel About Kids Using Marijuana

| Q35c | Frequency | Percent |
|---|---|---|
| Strongly disapprove | 167,926 | 78.7% |
| Mild disapprove | 12,205 | 5.7% |
| Neither | 10,883 | 5.1% |
| Mildly approve | 2,526 | 1.2% |
| Strongly approve | 1,214 | 0.6% |
| Don't know | 18,606 | 8.7% |
| Frequency Missing | 14,428 | |

Jump to Table of Contents
*Percentages have been weighted to reflect proportions within the population.*
Page 107 of 124

# Appendix:
# Reporting Methods for Prevalence & Recency of Use

# Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and receny of use tables.

# Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall "Any Tobacco Product" category is updated as described below.

| Any Tobacco Product | |
|---|---|
| This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values. | |
| **Question** | **Updating Rule** |
| Tobacco Use in Past Month (Q19a : tobac_30) | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used". |
| Age When First Used Tobacco (Q21a : tobac_1) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It". |
| How Often Normally Use Tobacco (Q23a : tobac_u) | If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year". |
| | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month". |
| | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday". |
| | If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used". |

# Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall "Any Alcohol Product" category as described below.

| Beer | |
|---|---|
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values. | |
| **Question** | **Updating Rule** |
| Amount of Beer at One Time (Q24a : beer_num) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This". |

| Wine Coolers | |
|---|---|
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values. | |
| **Question** | **Updating Rule** |
| Amount of Wine Coolers at One Time (Q24b : cooler_num) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This". |

| Wine | |
|---|---|
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values. | |
| **Question** | **Updating Rule** |
| Amount of Wine at One Time (Q24c : wine_num) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This". |

| Liquor | |
|---|---|
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values. | |
| **Question** | **Updating Rule** |
| Amount of Liquor at One Time (Q24d : liquor_num) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This". |

| **Any Alcohol Product** ||
|---|---|
| This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values. ||
| **Question** | **Updating Rule** |
| Alcohol Use in Past Month (Q19b : alc_30) | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used". |
| Age When First Used Alcohol (Q21b : alc_1) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It". |
| How Often Normally Use Alcohol (Q23b : alc_u) | If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year". |
| | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month". |
| | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday". |
| | If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used". |
| How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30) | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for all responses to this question other than "Never 5+ at Time" or "0 Days". |
| Trouble with Friends Because of Drinking (Q29a : drk_dif_yr) | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None". |
| Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr) | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None". |
| Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk) | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None". |

# Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

| Marijuana | |
|---|---|
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values. | |
| **Question** | **Updating Rule** |
| Marijuana Use in Past Month (Q19d : mar_30) | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used". |
| Age When First Used Marijuana (Q21d : mar_1) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It". |
| How Often Normally Use Marijuana (Q23d : mar_u) | If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year". |
| | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month". |
| | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday". |
| | If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used". |
| Class Days High on Marijuana Since Sept (Q30b : class_mar) | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None". |

| Cocaine | |
|---|---|
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values. | |
| **Question** | **Updating Rule** |
| Cocaine Use in Past Month (Q19e : cocaine_30) | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used". |
| Age When First Used Cocaine (Q21e : cocaine_1) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It". |
| How Often Normally Use Cocaine (Q23e : cocaine_u) | If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year". |
| | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month". |
| | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday". |
| | If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used". |

| Crack | |
|---|---|
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values. | |
| **Question** | **Updating Rule** |
| Crack Use in Past Month (Q19f : crack_30) | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used". |
| Age When First Used Crack (Q21f : crack_1) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It". |
| How Often Normally Use Cocaine (Q23f : crack_u) | If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year". |
| | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month". |
| | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday". |
| | If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used". |

| Steroids | |
|---|---|
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values. | |
| **Question** | **Updating Rule** |
| Age When First Used Steroids (Q21h : steroid_1) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It". |
| How Often Normally Use Steroids (Q23h : steroid_u) | If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year". |
| | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month". |
| | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday". |
| | If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used". |

| Ecstasy | |
|---|---|
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values. | |
| **Question** | **Updating Rule** |
| Age When First Used Ecstasy (Q21i : ecstasy_1) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It". |
| How Often Normally Use Ecstasy (Q23i : ecstasy_u) | If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year". |
| | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month". |
| | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday". |
| | If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used". |

| Heroin | |
|---|---|
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values. | |
| **Question** | **Updating Rule** |
| Age When First Used Heroin (Q21j : heroin_1) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It". |
| How Often Normally Use Heroin (Q23j : heroin_u) | If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year". |
| | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month". |
| | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday". |
| | If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used". |

| Methamphetamine | |
| --- | --- |
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values. | |
| **Question** | **Updating Rule** |
| Age When First Used Methamphetamine (Q21k : meth_1) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It". |
| How Often Normally Use Methamphetamine (Q23k : meth_u) | If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year". |
| | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month". |
| | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday". |
| | If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used". |

| Synthetic Marijuana | |
|---|---|
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values. | |
| **Question** | **Updating Rule** |
| Age When First Used Synthetic Marijuana (Q21l : synmar_1) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It". |
| How Often Normally Use Synthetic Marijuana (Q23l : synmar_u) | If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year". |
| | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month". |
| | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday". |
| | If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used". |

| Delta 8 | |
|---|---|
| Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values. | |
| **Question** | **Updating Rule** |
| Age When First Used Delta 8 (Q21m : delta8_1) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It". |
| How Often Normally Use Delta 8 (Q23h : delta8_u) | If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year". |
| | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month". |
| | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday". |
| | If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used". |


| Any Illicit Drug | |
|---|---|
| This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values. | |
| **Question** | **Updating Rule** |
| Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr) | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None". |
| Driven a Car While High from Drugs (Q29d : drg_drv_yr) | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None". |
| Class Days High on Other Drug(s) Since Sept (Q30d : class_oth) | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None". |

| Marijuana Only |
| --- |
| This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. |

| Cocaine or Crack |
| --- |
| This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. |

| Any Prescription Drug |
| --- |
| This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values. |

# Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall "Any Inhalant" category is updated as described below.

| Any Inhalant | |
|---|---|
| This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values. | |
| **Question** | **Updating Rule** |
| Inhalant Use in Past Month<br>(Q19c : inhale_30) | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used". |
| Age When First Used Inhalants<br>(Q21c : inhale_1) | If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It". |
| | If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It". |
| How Often Normally Use Inhalants<br>(Q23c : inhale_u) | If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year". |
| | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month". |
| | If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday". |
| | If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used". |
| Class Days High on Inhalants<br>Since Sept<br>(Q30c : class_inh) | If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None". |