
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2024



HHSC REGION 2 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	109

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 2. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	11.3%	13.5%	24.4%	75.6%
Grade 7	3.7%	4.7%	11.6%	88.4%
Grade 8	7.8%	8.9%	16.7%	83.3%
Grade 9	11.5%	15.9%	26.8%	73.2%
Grade 10	13.9%	15.9%	26.0%	74.0%
Grade 11	13.3%	15.9%	33.5%	66.5%
Grade 12	19.6%	22.2%	35.8%	64.2%
Cigarettes?				
All	1.8%	2.9%	9.2%	90.8%
Grade 7	0.3%	0.5%	3.8%	96.2%
Grade 8	0.7%	0.9%	5.3%	94.7%
Grade 9	1.3%	2.5%	9.5%	90.5%
Grade 10	2.0%	3.7%	8.5%	91.5%
Grade 11	2.7%	3.6%	12.4%	87.6%
Grade 12	4.6%	7.0%	17.6%	82.4%
Smokeless Tobacco?				
All	1.5%	1.9%	4.9%	95.1%
Grade 7	0.5%	0.6%	2.2%	97.8%
Grade 8	1.0%	1.4%	3.5%	96.5%
Grade 9	1.0%	1.3%	4.7%	95.3%
Grade 10	1.4%	2.1%	3.8%	96.2%
Grade 11	1.5%	1.5%	5.0%	95.0%
Grade 12	3.8%	5.3%	11.6%	88.4%
Electronic Vapor Products?				
All	7.8%	10.4%	20.9%	79.1%
Grade 7	2.0%	2.8%	8.9%	91.1%
Grade 8	4.1%	5.6%	13.3%	86.7%
Grade 9	7.7%	12.3%	22.8%	77.2%
Grade 10	9.8%	13.2%	23.6%	76.4%
Grade 11	10.3%	12.5%	29.4%	70.6%
Grade 12	14.7%	18.0%	30.8%	69.2%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	89.1%	2.0%	0.8%	0.7%	1.5%	1.9%	4.0%
Grade 7	96.9%	0.1%	0.0%	0.3%	0.7%	0.5%	1.4%
Grade 8	94.4%	0.4%	0.1%	0.7%	1.1%	1.2%	2.1%
Grade 9	89.2%	0.8%	0.3%	0.9%	1.3%	2.0%	5.4%
Grade 10	86.5%	1.6%	2.3%	1.1%	2.6%	1.2%	4.8%
Grade 11	87.2%	2.0%	1.6%	0.2%	1.3%	3.2%	4.5%
Grade 12	77.9%	8.1%	0.9%	0.9%	2.4%	3.6%	6.1%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.8	10.6	11.1	12.3	12.7	13.9	13.5

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	30.8%	22.2%	9.2%	11.7%	11.4%	14.6%
Grade 7	46.8%	30.2%	6.3%	8.4%	4.6%	3.7%
Grade 8	34.2%	26.9%	10.2%	11.1%	8.4%	9.3%
Grade 9	25.9%	24.5%	10.4%	15.9%	10.5%	12.7%
Grade 10	26.2%	19.7%	8.8%	13.7%	13.4%	18.4%
Grade 11	23.9%	13.8%	10.0%	11.8%	19.1%	21.3%
Grade 12	25.0%	15.3%	10.2%	9.2%	14.3%	26.0%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	80.4%	11.5%	4.6%	2.5%	1.0%
Grade 7	93.0%	5.1%	1.6%	0.0%	0.3%
Grade 8	87.9%	8.9%	2.3%	0.7%	0.2%
Grade 9	80.3%	14.0%	2.4%	2.8%	0.6%
Grade 10	77.4%	12.8%	4.9%	4.3%	0.7%
Grade 11	74.4%	14.1%	6.9%	3.5%	1.1%
Grade 12	65.3%	15.4%	11.5%	4.4%	3.5%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.9%	7.3%	5.8%	0.9%	1.1%	8.0%
Grade 7	82.3%	3.1%	1.9%	0.2%	0.4%	12.1%
Grade 8	81.8%	5.4%	4.2%	0.8%	0.4%	7.3%
Grade 9	79.3%	5.0%	4.8%	1.1%	1.5%	8.4%
Grade 10	74.3%	11.1%	7.8%	0.6%	0.4%	5.7%
Grade 11	70.5%	11.9%	8.8%	1.3%	0.8%	6.7%
Grade 12	71.0%	8.6%	8.4%	1.9%	3.2%	6.9%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	63.6%	23.5%	6.5%	1.5%	4.8%
Grade 7	76.3%	17.1%	2.7%	0.2%	3.8%
Grade 8	69.5%	20.6%	4.4%	1.0%	4.5%
Grade 9	60.5%	26.4%	5.8%	1.5%	5.7%
Grade 10	57.1%	24.7%	10.3%	2.5%	5.4%
Grade 11	60.5%	26.1%	7.7%	1.3%	4.4%
Grade 12	55.3%	27.6%	8.8%	3.0%	5.4%
Electronic Vapor Products?					
All	66.7%	17.5%	7.7%	2.8%	5.3%
Grade 7	78.1%	11.3%	3.9%	1.5%	5.2%
Grade 8	73.6%	13.7%	6.5%	1.7%	4.5%
Grade 9	64.5%	16.6%	9.9%	3.4%	5.6%
Grade 10	54.1%	24.2%	10.8%	3.9%	6.9%
Grade 11	64.5%	22.3%	7.0%	1.9%	4.4%
Grade 12	63.5%	18.7%	8.4%	4.5%	4.9%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	23.8%	27.5%	46.7%	53.3%
Grade 7	13.9%	15.6%	34.2%	65.8%
Grade 8	18.4%	21.6%	37.3%	62.7%
Grade 9	24.8%	27.4%	48.7%	51.3%
Grade 10	29.5%	34.1%	53.8%	46.2%
Grade 11	28.9%	35.4%	55.8%	44.2%
Grade 12	29.8%	34.3%	53.8%	46.2%
Beer?				
All	8.2%	13.1%	37.5%	62.5%
Grade 7	2.2%	4.9%	28.1%	71.9%
Grade 8	4.5%	7.3%	27.7%	72.3%
Grade 9	9.4%	14.2%	38.0%	62.0%
Grade 10	9.6%	16.0%	42.1%	57.9%
Grade 11	12.3%	19.2%	47.9%	52.1%
Grade 12	13.4%	19.7%	44.7%	55.3%
Wine Coolers?				
All	6.7%	10.7%	27.6%	72.4%
Grade 7	1.2%	2.1%	11.9%	88.1%
Grade 8	3.6%	4.8%	17.1%	82.9%
Grade 9	7.9%	11.2%	29.6%	70.4%
Grade 10	8.6%	15.1%	35.4%	64.6%
Grade 11	10.5%	15.8%	38.0%	62.0%
Grade 12	9.8%	17.7%	38.2%	61.8%
Wine?				
All	3.6%	6.6%	25.1%	74.9%
Grade 7	1.1%	2.0%	13.9%	86.1%
Grade 8	3.4%	5.4%	19.4%	80.6%
Grade 9	3.7%	6.4%	27.3%	72.7%
Grade 10	4.6%	8.5%	30.5%	69.5%
Grade 11	5.9%	10.3%	33.6%	66.4%
Grade 12	3.7%	8.1%	28.6%	71.4%
Liquor?				
All	7.5%	12.2%	31.3%	68.7%
Grade 7	0.4%	1.2%	13.7%	86.3%
Grade 8	4.3%	6.6%	20.7%	79.3%
Grade 9	8.5%	11.6%	31.9%	68.1%
Grade 10	10.2%	17.8%	41.1%	58.9%
Grade 11	11.9%	18.4%	43.3%	56.7%
Grade 12	11.4%	20.5%	41.9%	58.1%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	66.7%	0.4%	1.1%	4.7%	8.1%	9.3%	9.8%
Grade 7	83.9%	0.0%	0.1%	0.3%	4.1%	3.6%	7.9%
Grade 8	76.7%	0.3%	0.6%	2.5%	4.2%	6.4%	9.3%
Grade 9	66.0%	0.1%	1.4%	5.8%	8.5%	9.0%	9.1%
Grade 10	58.3%	0.5%	2.1%	5.0%	10.9%	14.0%	9.3%
Grade 11	55.4%	1.2%	1.5%	7.2%	10.6%	13.8%	10.3%
Grade 12	55.0%	0.2%	0.8%	8.5%	11.6%	10.2%	13.7%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	67.4%	32.6%	6.5%	15.6%	10.6%
	Grade 7	76.8%	23.2%	1.4%	8.9%	12.8%
	Grade 8	75.6%	24.4%	1.6%	11.8%	11.1%
	Grade 9	65.9%	34.1%	5.8%	17.1%	11.2%
	Grade 10	63.3%	36.7%	8.1%	16.9%	11.7%
	Grade 11	58.8%	41.2%	9.3%	22.6%	9.2%
	Grade 12	60.9%	39.1%	14.7%	17.7%	6.7%
Wine Coolers	All	76.3%	23.7%	4.7%	12.8%	6.2%
	Grade 7	89.6%	10.4%	0.7%	5.1%	4.5%
	Grade 8	87.2%	12.8%	0.9%	7.3%	4.6%
	Grade 9	73.3%	26.7%	4.6%	14.7%	7.4%
	Grade 10	68.4%	31.6%	7.7%	17.4%	6.5%
	Grade 11	66.9%	33.1%	7.5%	18.6%	7.0%
	Grade 12	68.6%	31.4%	8.1%	15.8%	7.5%
Wine	All	79.3%	20.7%	1.9%	9.4%	9.4%
	Grade 7	88.2%	11.8%	0.1%	3.5%	8.1%
	Grade 8	83.2%	16.8%	0.8%	7.0%	9.0%
	Grade 9	76.5%	23.5%	2.5%	11.6%	9.4%
	Grade 10	76.7%	23.3%	2.5%	12.5%	8.4%
	Grade 11	70.6%	29.4%	3.8%	13.8%	11.9%
	Grade 12	78.9%	21.1%	2.4%	8.8%	9.9%
Liquor	All	71.7%	28.3%	5.7%	14.4%	8.2%
	Grade 7	88.9%	11.1%	0.5%	4.8%	5.8%
	Grade 8	80.9%	19.1%	1.9%	8.7%	8.5%
	Grade 9	72.3%	27.7%	7.1%	12.0%	8.6%
	Grade 10	63.2%	36.8%	9.0%	18.6%	9.2%
	Grade 11	58.8%	41.2%	8.6%	22.6%	9.9%
	Grade 12	61.0%	39.0%	8.3%	23.2%	7.4%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	90.9%	2.8%	2.3%	1.7%	0.7%	1.6%
Grade 7	97.7%	0.7%	0.6%	0.0%	0.4%	0.6%
Grade 8	95.4%	2.2%	0.7%	0.3%	0.3%	1.0%
Grade 9	91.1%	1.8%	1.9%	1.7%	1.2%	2.3%
Grade 10	86.5%	4.2%	2.9%	3.3%	0.3%	2.8%
Grade 11	87.0%	5.5%	3.1%	2.0%	0.2%	2.2%
Grade 12	86.3%	2.6%	5.1%	3.1%	2.2%	0.8%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.6	10.3	11.4	11.7	12.8	14.0	14.3

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	24.6%	14.7%	7.6%	11.0%	18.3%	23.8%
Grade 7	39.6%	25.8%	5.2%	8.3%	12.7%	8.5%
Grade 8	26.6%	20.8%	8.6%	12.9%	14.7%	16.5%
Grade 9	20.0%	14.4%	9.3%	10.9%	19.4%	25.9%
Grade 10	20.3%	10.0%	5.5%	13.8%	21.5%	28.8%
Grade 11	17.0%	7.3%	5.9%	13.1%	23.5%	33.1%
Grade 12	21.5%	7.1%	11.5%	7.1%	18.8%	34.1%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.5%	1.7%	0.5%	0.4%
Grade 7	98.3%	1.6%	0.0%	0.1%
Grade 8	97.8%	1.5%	0.1%	0.6%
Grade 9	96.9%	1.2%	1.4%	0.5%
Grade 10	96.3%	2.8%	0.6%	0.3%
Grade 11	97.0%	2.3%	0.6%	0.2%
Grade 12	98.8%	0.6%	0.0%	0.7%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.7
Alcohol Non-Users	4.5
Average Days Conduct Problems Reported	
Alcohol Users	3.0
Alcohol Non-Users	1.1

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	94.8%	2.9%	1.0%	1.2%
Grade 9	97.6%	1.8%	0.1%	0.5%
Grade 10	96.8%	1.5%	0.8%	1.0%
Grade 11	92.5%	5.7%	1.0%	0.8%
Grade 12	91.4%	3.3%	2.5%	2.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.3%	3.1%	0.6%	0.1%
Grade 7	98.8%	0.7%	0.4%	0.0%
Grade 8	97.3%	1.8%	0.6%	0.3%
Grade 9	95.6%	4.0%	0.4%	0.0%
Grade 10	94.5%	4.9%	0.5%	0.1%
Grade 11	94.2%	4.5%	1.3%	0.0%
Grade 12	96.7%	3.1%	0.2%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	57.8%	22.3%	10.7%	7.0%	2.2%
Grade 7	80.0%	14.4%	4.2%	1.0%	0.4%
Grade 8	69.2%	19.9%	7.2%	3.3%	0.5%
Grade 9	56.0%	26.2%	10.5%	5.6%	1.7%
Grade 10	52.4%	22.5%	13.6%	10.3%	1.3%
Grade 11	42.5%	28.4%	13.4%	13.1%	2.7%
Grade 12	40.4%	23.6%	17.4%	10.7%	7.8%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	57.1%	5.3%	3.0%	5.5%	7.4%	2.0%	19.5%
Grade 7	80.1%	4.0%	1.4%	2.0%	0.6%	1.4%	10.4%
Grade 8	70.7%	6.2%	3.0%	1.6%	3.4%	2.4%	12.6%
Grade 9	54.3%	5.8%	4.6%	7.1%	5.5%	2.3%	20.3%
Grade 10	43.5%	4.0%	2.9%	7.1%	9.3%	2.1%	31.1%
Grade 11	42.0%	6.2%	3.7%	8.3%	13.5%	2.7%	23.7%
Grade 12	47.6%	5.9%	2.5%	8.0%	14.5%	1.3%	20.3%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	64.9%	13.9%	14.7%	4.8%	1.7%
	Grade 7	73.4%	15.3%	8.5%	1.8%	0.9%
	Grade 8	68.9%	11.2%	13.8%	4.2%	1.8%
	Grade 9	63.1%	13.9%	14.6%	6.4%	2.0%
	Grade 10	62.9%	11.6%	19.8%	4.2%	1.5%
	Grade 11	57.2%	15.9%	17.1%	7.0%	2.8%
	Grade 12	62.0%	15.7%	15.2%	5.8%	1.3%
Friends?						
	All	67.3%	16.0%	9.4%	5.7%	1.7%
	Grade 7	78.6%	16.7%	3.7%	0.7%	0.3%
	Grade 8	76.5%	15.7%	6.0%	1.5%	0.3%
	Grade 9	65.7%	17.0%	11.6%	4.0%	1.8%
	Grade 10	63.3%	16.3%	9.4%	9.9%	1.2%
	Grade 11	57.9%	14.9%	15.0%	8.9%	3.4%
	Grade 12	58.2%	14.8%	12.4%	10.7%	3.9%
A Store?						
	All	70.2%	23.4%	2.9%	1.9%	1.6%
	Grade 7	80.3%	17.9%	1.4%	0.3%	0.2%
	Grade 8	79.1%	18.4%	1.3%	0.8%	0.3%
	Grade 9	68.5%	26.2%	3.8%	0.6%	0.9%
	Grade 10	66.7%	25.3%	3.3%	2.1%	2.6%
	Grade 11	61.0%	29.3%	4.7%	1.8%	3.3%
	Grade 12	62.8%	24.6%	3.2%	6.6%	2.8%
Parties?						
	All	66.6%	15.9%	7.7%	6.2%	3.5%
	Grade 7	76.6%	15.0%	4.4%	3.0%	1.0%
	Grade 8	73.7%	15.3%	6.4%	2.9%	1.8%
	Grade 9	65.5%	17.2%	6.9%	7.3%	3.1%
	Grade 10	62.7%	16.2%	9.7%	8.1%	3.3%
	Grade 11	60.5%	15.3%	9.8%	7.8%	6.5%
	Grade 12	58.0%	16.3%	10.1%	9.0%	6.5%
Other Sources?						
	All	70.2%	18.3%	6.0%	3.1%	2.3%
	Grade 7	79.8%	14.1%	3.9%	1.9%	0.4%
	Grade 8	77.6%	16.7%	3.2%	1.4%	1.2%
	Grade 9	67.2%	21.7%	5.8%	3.5%	1.8%
	Grade 10	67.4%	17.4%	8.6%	4.6%	1.8%
	Grade 11	63.6%	20.9%	7.4%	3.6%	4.5%
	Grade 12	63.0%	19.8%	7.7%	4.2%	5.3%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	58.1%	14.7%	13.3%	5.2%	1.3%	7.4%
Grade 7	70.3%	10.5%	5.9%	1.0%	1.3%	10.9%
Grade 8	64.4%	13.9%	11.4%	3.7%	0.2%	6.4%
Grade 9	57.6%	14.9%	12.5%	5.4%	2.3%	7.2%
Grade 10	53.1%	17.0%	15.9%	6.8%	0.6%	6.6%
Grade 11	49.5%	15.8%	18.2%	9.5%	1.2%	5.9%
Grade 12	50.6%	16.8%	17.8%	5.9%	1.9%	7.0%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	49.7%	30.0%	13.6%	2.6%	4.1%
Grade 7	60.8%	23.6%	11.1%	1.4%	3.1%
Grade 8	55.5%	27.5%	11.2%	1.6%	4.3%
Grade 9	44.0%	30.7%	17.4%	4.0%	4.0%
Grade 10	42.3%	34.7%	15.7%	2.8%	4.4%
Grade 11	47.1%	32.9%	13.7%	3.2%	3.1%
Grade 12	46.7%	31.7%	12.3%	3.1%	6.1%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	8.2%	11.6%	16.1%	83.9%
Grade 7	3.2%	4.4%	6.3%	93.7%
Grade 8	4.8%	7.9%	10.3%	89.7%
Grade 9	9.0%	11.7%	16.2%	83.8%
Grade 10	12.0%	15.9%	19.5%	80.5%
Grade 11	9.2%	14.6%	22.9%	77.1%
Grade 12	12.0%	16.8%	24.6%	75.4%
Marijuana?				
All	7.5%	9.5%	14.2%	85.8%
Grade 7	2.1%	2.9%	4.4%	95.6%
Grade 8	4.4%	6.0%	8.1%	91.9%
Grade 9	8.3%	10.5%	14.6%	85.4%
Grade 10	10.7%	14.5%	18.5%	81.5%
Grade 11	8.7%	11.6%	19.9%	80.1%
Grade 12	12.0%	13.0%	22.7%	77.3%
Cocaine?				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	1.1%	1.5%	98.5%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.9%	0.9%	2.0%	98.0%
Grade 12	0.8%	1.0%	1.9%	98.1%
Crack?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.6%	0.6%	1.4%	98.6%
Grade 12	0.0%	0.4%	0.8%	99.2%
Hallucinogens?				
All	0.4%	1.0%	2.7%	97.3%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.9%	0.9%	1.8%	98.2%
Grade 10	0.4%	1.8%	3.6%	96.4%
Grade 11	0.5%	1.0%	4.9%	95.1%
Grade 12	0.2%	1.6%	4.8%	95.2%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.5%	99.5%
Steroids?				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.2%	0.3%	1.3%	98.7%
Grade 9	0.9%	1.4%	1.9%	98.1%
Grade 10	0.8%	0.8%	1.6%	98.4%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	1.3%	98.7%
Ecstasy?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.9%	0.9%	1.1%	98.9%
Grade 10	0.3%	0.5%	1.4%	98.6%
Grade 11	0.2%	0.3%	1.2%	98.8%
Grade 12	0.2%	0.4%	1.6%	98.4%
Heroin?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.2%	99.8%
Methamphetamine?				
All	0.1%	0.2%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.4%	0.8%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.2%	1.4%	98.6%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.9%	1.3%	2.5%	97.5%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.5%	0.9%	1.2%	98.8%
Grade 9	1.0%	1.4%	3.1%	96.9%
Grade 10	1.0%	1.8%	2.9%	97.1%
Grade 11	1.7%	2.5%	4.1%	95.9%
Grade 12	0.5%	0.7%	3.7%	96.3%
Delta 8?				
All	2.3%	3.7%	6.3%	93.7%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.6%	1.2%	2.3%	97.7%
Grade 9	2.6%	3.6%	6.5%	93.5%
Grade 10	3.5%	5.7%	8.6%	91.4%
Grade 11	4.0%	6.4%	10.0%	90.0%
Grade 12	3.4%	6.0%	11.4%	88.6%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	89.2%	1.1%	0.8%	1.4%	1.6%	2.5%	3.5%
	Grade 7	98.3%	0.3%	0.0%	0.5%	0.2%	0.4%	0.3%
	Grade 8	94.4%	0.4%	0.1%	1.1%	1.2%	0.4%	2.3%
	Grade 9	89.7%	0.7%	1.0%	2.0%	1.3%	2.1%	3.2%
	Grade 10	86.4%	0.9%	2.1%	1.3%	2.7%	4.1%	2.7%
	Grade 11	82.2%	2.4%	0.8%	1.6%	1.2%	5.8%	5.9%
	Grade 12	80.9%	2.3%	0.9%	2.5%	3.4%	2.5%	7.5%
Cocaine?								
	All	99.3%	0.0%	0.0%	0.0%	0.1%	0.2%	0.3%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.3%	0.1%	0.0%	0.0%	0.1%	0.0%	0.4%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%
	Grade 10	99.1%	0.0%	0.0%	0.0%	0.5%	0.0%	0.4%
	Grade 11	98.9%	0.0%	0.0%	0.0%	0.0%	0.6%	0.5%
	Grade 12	99.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.8%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%
	Grade 10	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
Steroids?								
	All	99.2%	0.0%	0.0%	0.1%	0.1%	0.1%	0.5%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.4%	0.0%	0.0%	0.1%	0.0%	0.1%	0.4%
	Grade 9	98.0%	0.1%	0.0%	0.0%	0.3%	0.0%	1.6%
	Grade 10	99.2%	0.0%	0.2%	0.2%	0.1%	0.0%	0.3%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 12	99.3%	0.0%	0.0%	0.0%	0.0%	0.2%	0.5%
Ecstasy?								
	All	99.3%	0.0%	0.0%	0.1%	0.0%	0.3%	0.3%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	98.9%	0.0%	0.0%	0.4%	0.0%	0.2%	0.5%
	Grade 10	98.8%	0.0%	0.0%	0.0%	0.0%	1.1%	0.1%
	Grade 11	99.1%	0.0%	0.0%	0.2%	0.0%	0.8%	0.0%
	Grade 12	98.7%	0.0%	0.0%	0.2%	0.0%	0.0%	1.0%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.4%	0.5%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.6%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.4%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 10	98.9%	0.0%	0.0%	0.0%	0.0%	0.7%	0.4%
	Grade 11	99.4%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%
	Grade 12	99.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%
Synthetic Marijuana?								
	All	98.1%	0.2%	0.0%	0.3%	0.3%	0.6%	0.5%
	Grade 7	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 8	99.0%	0.1%	0.0%	0.0%	0.3%	0.2%	0.4%
	Grade 9	97.4%	0.6%	0.0%	0.4%	0.3%	0.4%	0.9%
	Grade 10	98.0%	0.0%	0.0%	0.7%	0.6%	0.5%	0.2%
	Grade 11	96.9%	0.1%	0.0%	0.5%	0.8%	1.0%	0.7%
	Grade 12	97.3%	0.0%	0.0%	0.2%	0.0%	1.6%	0.9%
Delta 8?								
	All	95.2%	0.5%	0.3%	0.5%	1.3%	0.8%	1.4%
	Grade 7	99.5%	0.1%	0.1%	0.1%	0.1%	0.0%	0.1%
	Grade 8	98.7%	0.3%	0.0%	0.2%	0.6%	0.0%	0.2%
	Grade 9	94.9%	0.3%	0.8%	0.0%	1.6%	0.4%	2.0%
	Grade 10	93.2%	0.3%	0.6%	1.0%	2.3%	1.4%	1.2%
	Grade 11	91.8%	1.4%	0.2%	1.1%	2.0%	1.6%	1.8%
	Grade 12	91.4%	0.8%	0.2%	1.1%	1.4%	1.6%	3.5%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.5	11.0	12.3	12.7	13.4	14.2	14.6
Cocaine	14.0	8.0	12.4	11.0	14.6	14.4	15.1
Crack	13.0	10.2	12.2	11.0	15.0	N/A	16.1
Steroids	13.4	11.4	12.6	13.1	14.5	13.6	14.2
Ecstasy	14.2	N/A	12.0	13.0	14.2	15.3	14.7
Heroin	11.9	12.0	11.7	11.0	N/A	N/A	14.0
Methamphetamine	14.5	N/A	9.7	11.0	15.2	15.4	16.3
Synthetic Marijuana	14.3	9.0	11.7	13.4	14.3	15.2	15.3
Delta 8?	14.0	10.8	11.9	13.3	13.3	14.6	14.9

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	32.4%	28.3%	9.3%	9.2%	8.7%	12.0%
	Grade 7	50.2%	34.8%	5.3%	4.1%	2.6%	3.1%
	Grade 8	36.8%	36.7%	6.8%	7.1%	7.0%	5.5%
	Grade 9	26.6%	33.5%	10.6%	8.7%	9.4%	11.2%
	Grade 10	25.6%	24.3%	8.4%	14.6%	11.3%	16.0%
	Grade 11	24.4%	19.7%	12.0%	10.4%	14.6%	18.9%
	Grade 12	27.9%	17.3%	13.9%	11.5%	8.8%	20.6%
Cocaine?							
	All	39.9%	38.3%	10.8%	5.8%	2.2%	3.0%
	Grade 7	51.5%	39.9%	4.8%	2.2%	0.9%	0.7%
	Grade 8	43.0%	42.8%	6.2%	2.4%	2.6%	3.0%
	Grade 9	33.5%	42.3%	11.9%	8.1%	1.3%	2.9%
	Grade 10	37.4%	34.6%	13.5%	7.5%	3.0%	4.1%
	Grade 11	34.8%	36.4%	14.7%	7.7%	3.1%	3.3%
	Grade 12	37.5%	32.5%	15.2%	7.8%	2.7%	4.3%
Crack?							
	All	41.2%	38.8%	11.0%	4.6%	1.7%	2.7%
	Grade 7	54.3%	37.4%	5.0%	2.6%	0.1%	0.6%
	Grade 8	43.7%	42.6%	6.5%	1.8%	2.4%	2.9%
	Grade 9	34.3%	42.5%	12.4%	5.8%	2.0%	3.0%
	Grade 10	37.0%	37.2%	14.4%	6.6%	1.1%	3.7%
	Grade 11	36.7%	38.5%	13.8%	5.1%	2.8%	3.1%
	Grade 12	39.9%	33.7%	15.1%	6.1%	2.1%	3.2%
Steroids?							
	All	41.9%	33.8%	10.3%	7.1%	3.5%	3.4%
	Grade 7	56.2%	33.6%	4.5%	3.1%	1.4%	1.3%
	Grade 8	44.0%	37.9%	7.4%	4.9%	2.5%	3.3%
	Grade 9	34.2%	37.3%	14.2%	8.5%	2.7%	3.1%
	Grade 10	38.2%	31.0%	11.1%	11.1%	4.5%	4.0%
	Grade 11	37.1%	33.1%	12.3%	7.0%	6.0%	4.6%
	Grade 12	39.9%	28.9%	13.0%	8.8%	5.0%	4.6%
Ecstasy?							
	All	54.2%	30.5%	8.5%	3.4%	1.5%	2.0%
	Grade 7	67.3%	26.1%	3.7%	1.4%	0.9%	0.7%
	Grade 8	60.4%	29.3%	5.0%	2.2%	1.4%	1.6%
	Grade 9	51.7%	31.0%	11.7%	2.6%	1.0%	2.0%
	Grade 10	47.4%	32.1%	9.5%	5.7%	2.0%	3.3%
	Grade 11	48.1%	33.4%	8.9%	5.1%	2.2%	2.3%
	Grade 12	47.2%	32.1%	13.2%	3.6%	1.7%	2.2%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	46.2%	38.2%	8.9%	3.4%	1.3%	1.9%
	Grade 7	60.8%	32.1%	4.2%	1.8%	0.6%	0.6%
	Grade 8	51.5%	37.8%	4.8%	2.1%	1.8%	2.0%
	Grade 9	39.5%	43.0%	10.4%	3.3%	2.2%	1.6%
	Grade 10	42.6%	37.1%	10.9%	5.7%	0.6%	3.1%
	Grade 11	38.3%	42.1%	12.1%	3.7%	1.5%	2.3%
	Grade 12	42.2%	37.9%	12.2%	4.3%	1.2%	2.2%
Methamphetamine?							
	All	47.9%	36.1%	8.6%	3.6%	1.5%	2.3%
	Grade 7	61.4%	30.9%	2.9%	3.8%	0.5%	0.4%
	Grade 8	53.9%	35.4%	4.7%	1.7%	2.3%	2.0%
	Grade 9	43.3%	39.2%	10.6%	4.5%	0.7%	1.6%
	Grade 10	42.8%	36.5%	10.2%	3.8%	2.0%	4.6%
	Grade 11	41.1%	40.3%	11.4%	3.4%	1.6%	2.3%
	Grade 12	42.4%	35.0%	12.9%	4.4%	2.0%	3.1%
Synthetic Marijuana?							
	All	51.9%	30.2%	7.5%	4.8%	2.2%	3.4%
	Grade 7	65.1%	28.2%	2.7%	2.8%	0.4%	0.8%
	Grade 8	57.4%	31.5%	4.1%	2.6%	2.5%	1.8%
	Grade 9	47.8%	32.2%	10.8%	3.6%	1.8%	3.8%
	Grade 10	48.2%	27.7%	9.0%	8.4%	2.1%	4.6%
	Grade 11	43.0%	33.1%	8.9%	6.7%	4.7%	3.6%
	Grade 12	47.0%	28.5%	10.2%	5.4%	2.3%	6.6%
Delta 8?							
	All	51.5%	26.7%	6.9%	4.8%	4.2%	6.0%
	Grade 7	65.7%	25.8%	2.7%	3.5%	0.9%	1.5%
	Grade 8	58.3%	29.0%	3.7%	2.2%	4.1%	2.7%
	Grade 9	48.3%	27.9%	9.0%	5.3%	4.1%	5.4%
	Grade 10	47.7%	23.8%	9.8%	5.5%	4.9%	8.4%
	Grade 11	41.9%	29.6%	6.7%	7.6%	5.7%	8.5%
	Grade 12	43.6%	24.3%	10.2%	4.9%	6.2%	11.0%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	95.8%	2.3%	0.7%	1.2%
Grade 7	98.5%	1.0%	0.0%	0.5%
Grade 8	97.6%	1.4%	0.6%	0.5%
Grade 9	95.4%	2.1%	1.4%	1.1%
Grade 10	94.1%	3.0%	1.3%	1.6%
Grade 11	93.4%	4.8%	0.2%	1.7%
Grade 12	95.7%	1.6%	0.5%	2.1%
Attended Class While High from Use of Some Other Drug?				
All	99.3%	0.4%	0.1%	0.2%
Grade 7	99.7%	0.2%	0.1%	0.0%
Grade 8	98.8%	0.7%	0.0%	0.5%
Grade 9	99.3%	0.5%	0.0%	0.2%
Grade 10	99.1%	0.4%	0.2%	0.3%
Grade 11	98.9%	0.3%	0.7%	0.2%
Grade 12	99.8%	0.0%	0.0%	0.2%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.5
Marijuana Non-Users	4.7
Average Days Conduct Problems Reported	
Marijuana Users	5.2
Marijuana Non-Users	1.4

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	96.1%	2.6%	0.6%	0.7%
Grade 9	98.6%	1.0%	0.4%	0.0%
Grade 10	97.4%	1.9%	0.3%	0.4%
Grade 11	95.3%	2.4%	1.3%	1.0%
Grade 12	92.2%	5.4%	0.7%	1.7%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.7%	1.9%	0.1%	0.4%
Grade 7	99.0%	1.0%	0.0%	0.0%
Grade 8	98.0%	1.8%	0.0%	0.3%
Grade 9	96.9%	2.3%	0.2%	0.7%
Grade 10	97.8%	1.8%	0.4%	0.0%
Grade 11	95.6%	3.7%	0.0%	0.6%
Grade 12	98.5%	0.7%	0.2%	0.7%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	73.5%	14.4%	7.4%	3.6%	1.1%
Grade 7	91.6%	4.8%	2.9%	0.1%	0.6%
Grade 8	85.6%	8.7%	3.7%	1.5%	0.6%
Grade 9	72.6%	16.3%	7.7%	2.5%	0.9%
Grade 10	63.4%	20.2%	8.7%	7.1%	0.7%
Grade 11	64.3%	19.6%	8.6%	5.6%	1.9%
Grade 12	58.7%	18.8%	14.5%	5.9%	2.1%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	66.0%	4.1%	2.6%	2.9%	2.5%	2.4%	19.5%
Grade 7	86.1%	1.0%	0.3%	1.1%	0.3%	0.8%	10.4%
Grade 8	79.4%	2.4%	1.6%	1.8%	0.6%	1.8%	12.4%
Grade 9	65.3%	5.1%	3.3%	2.5%	1.0%	2.5%	20.3%
Grade 10	51.4%	3.8%	1.7%	4.2%	3.6%	4.2%	31.1%
Grade 11	54.4%	7.2%	4.8%	3.5%	3.7%	3.4%	23.0%
Grade 12	55.5%	5.6%	4.8%	4.7%	6.4%	1.9%	21.0%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.5%	6.6%	4.8%	1.5%	1.0%	7.5%
Grade 7	83.7%	1.5%	1.9%	0.5%	0.4%	12.0%
Grade 8	83.7%	5.0%	3.2%	1.4%	0.4%	6.3%
Grade 9	78.1%	5.8%	5.0%	1.7%	1.4%	8.0%
Grade 10	75.6%	11.7%	3.6%	2.3%	1.1%	5.6%
Grade 11	71.8%	9.5%	9.0%	2.1%	1.1%	6.6%
Grade 12	76.3%	7.4%	7.5%	1.2%	2.0%	5.6%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	65.9%	15.6%	8.3%	5.4%	4.9%
	Grade 7	80.3%	10.6%	2.4%	1.9%	4.7%
	Grade 8	77.4%	10.9%	3.2%	3.5%	5.0%
	Grade 9	63.1%	17.8%	10.5%	4.1%	4.6%
	Grade 10	57.4%	20.2%	9.5%	6.6%	6.3%
	Grade 11	58.3%	19.2%	13.1%	5.6%	3.8%
	Grade 12	54.9%	15.4%	13.1%	12.1%	4.5%
Cocaine?	All	89.2%	4.2%	0.8%	0.7%	5.1%
	Grade 7	90.9%	3.1%	1.0%	0.4%	4.7%
	Grade 8	92.2%	2.9%	0.6%	0.4%	3.8%
	Grade 9	90.3%	3.7%	0.8%	0.6%	4.7%
	Grade 10	82.9%	6.8%	1.2%	1.0%	8.1%
	Grade 11	89.6%	4.6%	0.8%	0.4%	4.7%
	Grade 12	89.1%	4.6%	0.3%	1.3%	4.7%
Crack?	All	89.8%	3.7%	0.7%	0.7%	5.1%
	Grade 7	90.7%	3.4%	0.6%	0.4%	4.9%
	Grade 8	92.0%	2.5%	0.5%	0.6%	4.3%
	Grade 9	90.0%	3.8%	0.6%	0.6%	5.0%
	Grade 10	83.7%	6.6%	1.3%	1.0%	7.4%
	Grade 11	90.7%	3.7%	0.6%	0.4%	4.5%
	Grade 12	91.6%	2.3%	0.3%	1.3%	4.6%
Ecstasy?	All	82.2%	5.0%	1.2%	0.6%	10.9%
	Grade 7	84.7%	3.2%	0.6%	0.1%	11.4%
	Grade 8	84.9%	4.3%	1.1%	0.5%	9.2%
	Grade 9	82.2%	4.5%	1.1%	0.6%	11.5%
	Grade 10	74.3%	7.9%	2.1%	0.9%	14.8%
	Grade 11	82.8%	4.6%	0.6%	0.5%	11.5%
	Grade 12	84.6%	5.9%	1.5%	1.3%	6.7%
Steroids?	All	73.5%	12.0%	5.3%	1.9%	7.2%
	Grade 7	79.6%	8.6%	3.6%	1.0%	7.2%
	Grade 8	77.0%	9.5%	6.4%	1.4%	5.8%
	Grade 9	71.7%	12.7%	5.2%	2.4%	8.1%
	Grade 10	64.3%	15.1%	7.6%	3.1%	9.9%
	Grade 11	73.3%	14.7%	4.6%	1.3%	6.0%
	Grade 12	75.0%	12.4%	4.2%	2.5%	5.9%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	88.6%	3.0%	0.9%	0.7%	6.8%
	Grade 7	88.1%	2.4%	1.1%	0.7%	7.8%
	Grade 8	90.1%	2.7%	0.9%	0.4%	5.9%
	Grade 9	88.8%	3.1%	0.4%	0.6%	7.2%
	Grade 10	84.2%	4.5%	1.8%	1.0%	8.5%
	Grade 11	89.3%	3.1%	0.8%	0.4%	6.4%
	Grade 12	91.6%	2.3%	0.3%	1.3%	4.5%
Methamphetamine?						
	All	88.6%	3.3%	0.7%	0.6%	6.8%
	Grade 7	87.7%	3.2%	1.1%	0.1%	7.9%
	Grade 8	90.5%	2.8%	0.5%	0.4%	5.8%
	Grade 9	88.6%	2.9%	0.4%	0.8%	7.4%
	Grade 10	83.4%	5.0%	1.0%	1.0%	9.6%
	Grade 11	89.9%	3.9%	0.6%	0.4%	5.2%
	Grade 12	91.8%	2.2%	0.3%	1.3%	4.4%
Synthetic Marijuana?						
	All	80.2%	5.9%	2.5%	1.4%	10.1%
	Grade 7	86.3%	3.4%	1.2%	0.1%	9.1%
	Grade 8	86.7%	3.5%	1.4%	0.6%	7.8%
	Grade 9	80.2%	5.7%	2.3%	1.6%	10.1%
	Grade 10	70.3%	8.7%	3.6%	2.5%	14.9%
	Grade 11	78.1%	7.2%	2.5%	1.8%	10.3%
	Grade 12	78.4%	7.6%	4.1%	2.0%	8.0%
Delta 8?						
	All	74.5%	7.2%	4.6%	2.7%	11.1%
	Grade 7	82.9%	4.8%	2.3%	0.6%	9.3%
	Grade 8	80.9%	4.6%	2.4%	1.7%	10.3%
	Grade 9	74.3%	8.5%	3.6%	2.4%	11.2%
	Grade 10	64.5%	9.4%	4.9%	4.8%	16.5%
	Grade 11	70.9%	9.5%	5.7%	2.3%	11.5%
	Grade 12	71.6%	6.6%	9.6%	4.7%	7.5%
Fictional Drug?						
	All	82.0%	3.3%	0.5%	0.6%	13.6%
	Grade 7	83.7%	3.4%	0.7%	0.1%	12.1%
	Grade 8	85.2%	2.9%	0.4%	0.4%	11.0%
	Grade 9	83.3%	2.2%	0.2%	0.6%	13.7%
	Grade 10	72.3%	5.3%	1.0%	1.0%	20.4%
	Grade 11	82.1%	3.3%	0.6%	0.4%	13.6%
	Grade 12	85.3%	2.3%	0.3%	1.3%	10.8%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	6.2%	7.9%	15.0%	85.0%
Grade 7	6.6%	9.7%	16.1%	83.9%
Grade 8	7.1%	8.6%	15.2%	84.8%
Grade 9	6.9%	7.8%	14.5%	85.5%
Grade 10	7.9%	9.7%	16.0%	84.0%
Grade 11	4.9%	6.2%	15.8%	84.2%
Grade 12	3.0%	4.2%	12.1%	87.9%
Codeine Cough Syrup?				
All	2.7%	4.2%	9.9%	90.1%
Grade 7	3.1%	6.4%	12.2%	87.8%
Grade 8	3.6%	5.4%	9.9%	90.1%
Grade 9	3.1%	4.2%	10.1%	89.9%
Grade 10	3.7%	4.5%	10.2%	89.8%
Grade 11	0.3%	1.3%	7.3%	92.7%
Grade 12	2.0%	2.9%	9.0%	91.0%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.6%	1.1%	2.4%	97.6%
Grade 7	0.7%	1.3%	2.0%	98.0%
Grade 8	0.6%	0.8%	2.4%	97.6%
Grade 9	0.0%	0.2%	2.3%	97.7%
Grade 10	1.4%	2.5%	3.1%	96.9%
Grade 11	0.4%	0.7%	2.3%	97.7%
Grade 12	0.3%	0.9%	2.5%	97.5%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.5%	0.8%	1.6%	98.4%
Grade 8	0.3%	0.5%	2.1%	97.9%
Grade 9	1.6%	1.8%	3.2%	96.8%
Grade 10	0.8%	1.9%	2.5%	97.5%
Grade 11	0.7%	1.5%	3.4%	96.6%
Grade 12	0.3%	1.0%	3.7%	96.3%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.8%	2.4%	4.2%	95.8%
Grade 7	1.6%	3.0%	4.0%	96.0%
Grade 8	0.9%	0.9%	3.3%	96.7%
Grade 9	2.6%	2.6%	4.4%	95.6%
Grade 10	3.0%	4.7%	5.7%	94.3%
Grade 11	1.9%	2.0%	4.9%	95.1%
Grade 12	0.7%	0.9%	3.1%	96.9%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.8%	3.6%	6.9%	93.1%
Grade 7	2.4%	3.4%	6.0%	94.0%
Grade 8	3.6%	4.3%	7.5%	92.5%
Grade 9	4.8%	5.5%	9.3%	90.7%
Grade 10	1.8%	3.1%	6.5%	93.5%
Grade 11	2.2%	3.3%	7.2%	92.8%
Grade 12	1.5%	1.7%	4.7%	95.3%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.6%	0.6%	1.4%	98.6%
Grade 7	1.3%	1.5%	3.3%	96.7%
Grade 8	0.6%	0.6%	1.6%	98.4%
Grade 9	0.2%	0.2%	0.9%	99.1%
Grade 10	1.2%	1.2%	1.6%	98.4%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.2%	99.8%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.1%	10.6%	3.3%	2.0%	7.0%
Grade 7	79.6%	10.1%	1.8%	1.4%	7.1%
Grade 8	79.0%	11.2%	3.7%	1.8%	4.4%
Grade 9	75.5%	11.3%	3.8%	2.1%	7.3%
Grade 10	70.5%	12.2%	3.5%	2.7%	11.2%
Grade 11	78.3%	9.3%	3.7%	1.4%	7.3%
Grade 12	80.4%	9.0%	3.4%	2.7%	4.4%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.3%	5.1%	10.2%	89.8%
Grade 7	5.8%	6.5%	12.7%	87.3%
Grade 8	4.7%	5.4%	9.6%	90.4%
Grade 9	4.9%	5.9%	11.9%	88.1%
Grade 10	2.6%	3.5%	9.2%	90.8%
Grade 11	3.9%	5.5%	9.7%	90.3%
Grade 12	3.3%	3.6%	7.1%	92.9%
Spray Paint?				
All	0.5%	0.7%	2.4%	97.6%
Grade 7	0.9%	0.9%	2.5%	97.5%
Grade 8	0.2%	0.2%	1.4%	98.6%
Grade 9	0.8%	1.1%	4.5%	95.5%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	1.1%	1.4%	2.7%	97.3%
Grade 12	0.0%	0.6%	1.7%	98.3%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.9%	1.5%	4.1%	95.9%
Grade 7	1.0%	1.7%	5.9%	94.1%
Grade 8	1.2%	1.9%	3.5%	96.5%
Grade 9	1.2%	2.6%	5.2%	94.8%
Grade 10	0.5%	0.8%	3.1%	96.9%
Grade 11	0.8%	0.9%	3.6%	96.4%
Grade 12	0.4%	0.4%	2.8%	97.2%
Computer Dusting Sprays?				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	1.1%	1.1%	1.3%	98.7%
Grade 12	0.0%	0.0%	1.1%	98.9%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.0%	1.6%	4.4%	95.6%
Grade 7	1.0%	1.6%	5.3%	94.7%
Grade 8	1.2%	1.7%	5.0%	95.0%
Grade 9	1.6%	2.2%	4.8%	95.2%
Grade 10	0.5%	0.9%	4.1%	95.9%
Grade 11	1.5%	1.8%	3.4%	96.6%
Grade 12	0.2%	1.0%	3.6%	96.4%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.4%	0.7%	2.9%	97.1%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.6%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	1.1%	1.1%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.7%	99.3%
Toluene, Paint Thinner, or Other Solvents?				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.6%	0.6%	2.0%	98.0%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.5%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	1.1%	1.3%	2.0%	98.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.9%	1.0%	2.4%	97.6%
Grade 7	0.7%	0.9%	2.1%	97.9%
Grade 8	0.8%	1.1%	1.9%	98.1%
Grade 9	1.8%	1.8%	4.3%	95.7%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	1.1%	1.1%	2.5%	97.5%
Grade 12	1.2%	1.2%	3.1%	96.9%
Other Aerosols/Sprays?				
All	0.8%	0.9%	1.5%	98.5%
Grade 7	1.1%	1.2%	2.7%	97.3%
Grade 8	0.6%	0.7%	0.9%	99.1%
Grade 9	1.5%	1.5%	1.9%	98.1%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	1.1%	1.7%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.7%	99.3%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.7%	0.0%	0.1%	0.4%	0.2%	0.6%	1.1%
Grade 7	96.9%	0.1%	0.0%	0.7%	0.4%	0.8%	1.1%
Grade 8	98.3%	0.0%	0.1%	0.7%	0.1%	0.5%	0.3%
Grade 9	96.4%	0.0%	0.2%	0.3%	0.4%	1.2%	1.5%
Grade 10	97.8%	0.0%	0.2%	0.5%	0.3%	0.3%	1.0%
Grade 11	97.9%	0.0%	0.0%	0.0%	0.0%	0.5%	1.6%
Grade 12	99.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.7%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	92.1%	3.8%	2.9%	1.2%
Grade 7	89.3%	4.2%	5.3%	1.2%
Grade 8	92.1%	4.1%	3.1%	0.6%
Grade 9	90.2%	4.4%	2.5%	2.9%
Grade 10	93.9%	3.7%	2.4%	0.0%
Grade 11	93.6%	3.1%	1.8%	1.6%
Grade 12	94.5%	2.7%	2.2%	0.7%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.3	10.9	10.3	11.4	11.4	10.7	14.7

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.5%	0.3%	0.1%	0.1%
Grade 7	99.4%	0.6%	0.1%	0.0%
Grade 8	99.5%	0.3%	0.0%	0.1%
Grade 9	99.3%	0.7%	0.0%	0.0%
Grade 10	99.7%	0.0%	0.0%	0.3%
Grade 11	99.3%	0.0%	0.5%	0.2%
Grade 12	99.8%	0.0%	0.2%	0.0%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.5
Inhalant Non-Users	4.8
Average Days Conduct Problems Reported	
Inhalant Users	4.7
Inhalant Non-Users	1.6

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.3%	4.8%	1.0%	0.6%	0.2%
Grade 7	92.6%	5.7%	0.9%	0.5%	0.3%
Grade 8	93.5%	5.1%	1.0%	0.4%	0.0%
Grade 9	95.0%	3.4%	0.9%	0.5%	0.2%
Grade 10	93.0%	4.6%	1.2%	1.2%	0.0%
Grade 11	93.3%	4.2%	1.0%	0.5%	0.9%
Grade 12	92.4%	5.8%	1.2%	0.6%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.8%	13.9%	4.4%	1.5%	7.4%
Grade 7	75.7%	13.5%	4.1%	1.1%	5.5%
Grade 8	76.7%	11.7%	4.0%	0.8%	6.9%
Grade 9	73.3%	13.9%	4.0%	1.4%	7.4%
Grade 10	60.9%	18.7%	6.7%	3.0%	10.8%
Grade 11	74.8%	13.3%	4.3%	1.3%	6.4%
Grade 12	76.0%	12.1%	3.2%	1.3%	7.3%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	41.0%	20.2%	5.0%	5.9%	9.1%	18.9%
Grade 7	52.5%	24.7%	2.8%	5.4%	5.8%	8.9%
Grade 8	44.2%	25.1%	4.0%	6.4%	6.3%	14.0%
Grade 9	35.1%	20.1%	6.5%	5.6%	13.6%	19.2%
Grade 10	38.0%	16.3%	3.4%	6.4%	10.5%	25.4%
Grade 11	35.3%	17.9%	6.5%	6.5%	10.0%	23.7%
Grade 12	39.3%	15.4%	7.7%	4.8%	8.2%	24.5%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	45.8%
	Grade 7	49.5%
	Grade 8	49.6%
	Grade 9	46.9%
	Grade 10	45.6%
	Grade 11	43.5%
	Grade 12	37.6%
An Assembly Program		
	All	58.2%
	Grade 7	59.5%
	Grade 8	65.3%
	Grade 9	55.9%
	Grade 10	51.9%
	Grade 11	57.3%
	Grade 12	59.5%
Guidance Counselor		
	All	32.0%
	Grade 7	36.7%
	Grade 8	39.9%
	Grade 9	27.2%
	Grade 10	26.6%
	Grade 11	31.0%
	Grade 12	30.2%
School Nurse		
	All	18.8%
	Grade 7	21.7%
	Grade 8	23.1%
	Grade 9	16.5%
	Grade 10	15.3%
	Grade 11	22.5%
	Grade 12	13.5%
Science or Social Studies Class		
	All	24.4%
	Grade 7	21.6%
	Grade 8	26.8%
	Grade 9	26.7%
	Grade 10	21.1%
	Grade 11	31.1%
	Grade 12	19.6%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	14.9%
	Grade 7	14.0%
	Grade 8	16.1%
	Grade 9	13.6%
	Grade 10	14.8%
	Grade 11	16.0%
	Grade 12	15.0%
An Invited School Guest		
	All	45.9%
	Grade 7	40.4%
	Grade 8	51.5%
	Grade 9	52.1%
	Grade 10	40.1%
	Grade 11	44.7%
	Grade 12	46.0%
Another Source at School		
	All	34.5%
	Grade 7	30.5%
	Grade 8	40.2%
	Grade 9	34.3%
	Grade 10	36.2%
	Grade 11	34.1%
	Grade 12	31.6%
Any School Source		
	All	73.5%
	Grade 7	72.7%
	Grade 8	77.3%
	Grade 9	73.7%
	Grade 10	73.0%
	Grade 11	71.1%
	Grade 12	72.9%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
<hr/>		
Counselor/Program In-School		
	All	36.6%
	Grade 7	46.2%
	Grade 8	41.8%
	Grade 9	31.4%
	Grade 10	34.2%
	Grade 11	31.9%
	Grade 12	32.6%
School Nurse		
	All	23.4%
	Grade 7	33.9%
	Grade 8	28.1%
	Grade 9	20.0%
	Grade 10	19.5%
	Grade 11	20.4%
	Grade 12	16.2%
Another Adult In School		
	All	43.5%
	Grade 7	48.0%
	Grade 8	41.7%
	Grade 9	42.6%
	Grade 10	43.7%
	Grade 11	42.7%
	Grade 12	41.7%
Counselor/Program Outside-School		
	All	39.6%
	Grade 7	44.0%
	Grade 8	43.2%
	Grade 9	37.6%
	Grade 10	37.7%
	Grade 11	38.5%
	Grade 12	35.5%
Your Parents		
	All	72.2%
	Grade 7	78.4%
	Grade 8	76.9%
	Grade 9	70.9%
	Grade 10	68.0%
	Grade 11	70.3%
	Grade 12	67.3%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
<hr/>		
A Medical Doctor		
All		55.5%
Grade 7		66.2%
Grade 8		61.8%
Grade 9		50.1%
Grade 10		53.4%
Grade 11		52.9%
Grade 12		47.0%
Your Friends		
All		64.0%
Grade 7		53.0%
Grade 8		57.8%
Grade 9		66.7%
Grade 10		65.2%
Grade 11		74.1%
Grade 12		70.5%
Another Adult		
All		59.7%
Grade 7		62.6%
Grade 8		66.0%
Grade 9		58.7%
Grade 10		55.3%
Grade 11		60.0%
Grade 12		54.6%
<hr/>		

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
<hr/>		
All		5.0%
Grade 7		3.2%
Grade 8		4.0%
Grade 9		6.3%
Grade 10		5.8%
Grade 11		4.9%
Grade 12		5.7%
<hr/>		

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	4.2%	18.2%	23.3%	37.2%	17.0%
Grade 7	4.8%	17.3%	20.0%	36.9%	21.0%
Grade 8	4.6%	15.0%	24.0%	38.0%	18.5%
Grade 9	5.4%	16.5%	24.0%	38.5%	15.6%
Grade 10	4.2%	23.0%	23.4%	34.1%	15.3%
Grade 11	2.9%	20.6%	23.5%	37.7%	15.4%
Grade 12	3.0%	17.6%	25.8%	38.3%	15.3%
Sometimes Carry Weapons?					
All	71.7%	16.9%	6.7%	3.1%	1.6%
Grade 7	83.8%	9.6%	4.4%	0.6%	1.6%
Grade 8	82.6%	11.5%	4.0%	1.0%	0.9%
Grade 9	73.3%	17.5%	5.3%	2.7%	1.2%
Grade 10	66.0%	21.4%	7.2%	3.9%	1.4%
Grade 11	62.4%	20.7%	10.4%	4.7%	1.7%
Grade 12	57.6%	22.5%	10.1%	6.8%	3.0%
Care About Making Good Grades?					
All	2.8%	11.1%	26.4%	42.4%	17.3%
Grade 7	3.2%	11.6%	23.6%	38.5%	23.1%
Grade 8	2.9%	10.6%	31.8%	37.8%	16.9%
Grade 9	3.9%	12.0%	26.8%	39.1%	18.3%
Grade 10	2.6%	14.0%	25.5%	44.0%	13.8%
Grade 11	2.3%	10.2%	24.6%	48.2%	14.7%
Grade 12	1.7%	7.6%	25.6%	49.2%	15.8%
Belong/Want to Belong to a Gang?					
All	90.4%	6.4%	1.5%	0.6%	1.2%
Grade 7	92.3%	5.3%	0.8%	0.3%	1.3%
Grade 8	89.8%	6.4%	1.2%	0.7%	2.0%
Grade 9	90.6%	6.2%	1.3%	0.7%	1.3%
Grade 10	90.3%	6.4%	1.8%	0.1%	1.4%
Grade 11	90.3%	6.7%	1.7%	0.6%	0.8%
Grade 12	88.8%	7.9%	2.3%	1.0%	0.0%
Wish They Could Drop Out of School?					
All	43.2%	32.0%	13.9%	7.4%	3.5%
Grade 7	49.7%	26.8%	11.3%	7.5%	4.7%
Grade 8	43.3%	30.6%	14.2%	8.6%	3.3%
Grade 9	43.9%	34.1%	12.1%	6.1%	3.8%
Grade 10	39.0%	38.7%	13.0%	6.1%	3.2%
Grade 11	37.5%	28.8%	19.1%	10.2%	4.4%
Grade 12	45.0%	33.0%	14.6%	6.0%	1.3%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	88.7%	9.6%	1.0%	0.3%	0.4%
Grade 7	88.7%	9.4%	0.8%	0.5%	0.6%
Grade 8	88.1%	10.3%	1.2%	0.4%	0.1%
Grade 9	88.5%	9.9%	1.0%	0.2%	0.3%
Grade 10	88.2%	10.4%	1.3%	0.0%	0.1%
Grade 11	87.8%	10.3%	0.5%	0.4%	1.0%
Grade 12	91.0%	7.2%	1.3%	0.0%	0.5%
Out In Your Neighborhood?					
All	51.4%	39.5%	5.4%	0.8%	2.9%
Grade 7	39.8%	45.9%	8.2%	1.8%	4.4%
Grade 8	40.9%	47.2%	6.7%	0.5%	4.8%
Grade 9	51.7%	40.6%	5.4%	0.6%	1.7%
Grade 10	53.8%	37.3%	5.1%	1.2%	2.6%
Grade 11	60.8%	34.9%	3.5%	0.2%	0.6%
Grade 12	66.1%	27.7%	2.9%	0.4%	2.9%
At School?					
All	40.0%	46.4%	7.4%	3.4%	2.7%
Grade 7	41.5%	42.3%	8.4%	4.8%	3.0%
Grade 8	34.1%	48.0%	10.5%	4.1%	3.2%
Grade 9	39.6%	47.8%	5.1%	3.3%	4.2%
Grade 10	40.2%	49.1%	5.5%	3.4%	1.7%
Grade 11	40.5%	47.4%	7.5%	2.4%	2.2%
Grade 12	45.0%	44.1%	7.8%	1.7%	1.4%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.3%	13.5%	24.4%	75.6%
Grade 7	3.7%	4.7%	11.6%	88.4%
Grade 8	7.8%	8.9%	16.7%	83.3%
Grade 9	11.5%	15.9%	26.8%	73.2%
Grade 10	13.9%	15.9%	26.0%	74.0%
Grade 11	13.3%	15.9%	33.5%	66.5%
Grade 12	19.6%	22.2%	35.8%	64.2%
Any Alcohol Product				
All	23.8%	27.5%	46.7%	53.3%
Grade 7	13.9%	15.6%	34.2%	65.8%
Grade 8	18.4%	21.6%	37.3%	62.7%
Grade 9	24.8%	27.4%	48.7%	51.3%
Grade 10	29.5%	34.1%	53.8%	46.2%
Grade 11	28.9%	35.4%	55.8%	44.2%
Grade 12	29.8%	34.3%	53.8%	46.2%
Any Illicit Drug				
All	8.2%	11.6%	16.1%	83.9%
Grade 7	3.2%	4.4%	6.3%	93.7%
Grade 8	4.8%	7.9%	10.3%	89.7%
Grade 9	9.0%	11.7%	16.2%	83.8%
Grade 10	12.0%	15.9%	19.5%	80.5%
Grade 11	9.2%	14.6%	22.9%	77.1%
Grade 12	12.0%	16.8%	24.6%	75.4%
Any Prescription Drug				
All	6.2%	7.9%	15.0%	85.0%
Grade 7	6.6%	9.7%	16.1%	83.9%
Grade 8	7.1%	8.6%	15.2%	84.8%
Grade 9	6.9%	7.8%	14.5%	85.5%
Grade 10	7.9%	9.7%	16.0%	84.0%
Grade 11	4.9%	6.2%	15.8%	84.2%
Grade 12	3.0%	4.2%	12.1%	87.9%
Any Inhalant				
All	4.3%	5.1%	10.2%	89.8%
Grade 7	5.8%	6.5%	12.7%	87.3%
Grade 8	4.7%	5.4%	9.6%	90.4%
Grade 9	4.9%	5.9%	11.9%	88.1%
Grade 10	2.6%	3.5%	9.2%	90.8%
Grade 11	3.9%	5.5%	9.7%	90.3%
Grade 12	3.3%	3.6%	7.1%	92.9%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.8%	10.4%	20.9%	79.1%
Grade 7	2.0%	2.8%	8.9%	91.1%
Grade 8	4.1%	5.6%	13.3%	86.7%
Grade 9	7.7%	12.3%	22.8%	77.2%
Grade 10	9.8%	13.2%	23.6%	76.4%
Grade 11	10.3%	12.5%	29.4%	70.6%
Grade 12	14.7%	18.0%	30.8%	69.2%
Marijuana				
All	7.5%	9.5%	14.2%	85.8%
Grade 7	2.1%	2.9%	4.4%	95.6%
Grade 8	4.4%	6.0%	8.1%	91.9%
Grade 9	8.3%	10.5%	14.6%	85.4%
Grade 10	10.7%	14.5%	18.5%	81.5%
Grade 11	8.7%	11.6%	19.9%	80.1%
Grade 12	12.0%	13.0%	22.7%	77.3%
Marijuana Only				
All	2.7%	3.8%	6.9%	93.1%
Grade 7	1.1%	1.8%	3.1%	96.9%
Grade 8	1.9%	3.0%	4.8%	95.2%
Grade 9	3.2%	4.4%	7.2%	92.8%
Grade 10	4.7%	6.4%	9.0%	91.0%
Grade 11	1.7%	3.1%	9.2%	90.8%
Grade 12	3.8%	4.0%	8.9%	91.1%
Cocaine or Crack				
All	0.6%	0.8%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	1.1%	1.5%	98.5%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	1.5%	1.5%	2.6%	97.4%
Grade 12	0.8%	1.2%	2.3%	97.7%
Cocaine				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	1.1%	1.5%	98.5%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.9%	0.9%	2.0%	98.0%
Grade 12	0.8%	1.0%	1.9%	98.1%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.6%	0.6%	1.4%	98.6%
Grade 12	0.0%	0.4%	0.8%	99.2%
Hallucinogens				
All	0.4%	1.0%	2.7%	97.3%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.9%	0.9%	1.8%	98.2%
Grade 10	0.4%	1.8%	3.6%	96.4%
Grade 11	0.5%	1.0%	4.9%	95.1%
Grade 12	0.2%	1.6%	4.8%	95.2%
Synthetic Cathinones				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.5%	99.5%
Steroids				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.2%	0.3%	1.3%	98.7%
Grade 9	0.9%	1.4%	1.9%	98.1%
Grade 10	0.8%	0.8%	1.6%	98.4%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	1.3%	98.7%
Ecstasy				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.9%	0.9%	1.1%	98.9%
Grade 10	0.3%	0.5%	1.4%	98.6%
Grade 11	0.2%	0.3%	1.2%	98.8%
Grade 12	0.2%	0.4%	1.6%	98.4%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.2%	0.2%	0.5%	99.5%
	Grade 7	0.6%	0.6%	0.8%	99.2%
	Grade 8	0.3%	0.4%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.4%	0.4%	0.4%	99.6%
	Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana					
	All	0.9%	1.3%	2.5%	97.5%
	Grade 7	0.7%	0.7%	0.7%	99.3%
	Grade 8	0.5%	0.9%	1.2%	98.8%
	Grade 9	1.0%	1.4%	3.1%	96.9%
	Grade 10	1.0%	1.8%	2.9%	97.1%
	Grade 11	1.7%	2.5%	4.1%	95.9%
	Grade 12	0.5%	0.7%	3.7%	96.3%
Methamphetamine					
	All	0.1%	0.2%	0.8%	99.2%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.1%	0.2%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.4%	0.8%	1.6%	98.4%
	Grade 11	0.0%	0.0%	0.9%	99.1%
	Grade 12	0.0%	0.2%	1.4%	98.6%
Delta 8					
	All	2.3%	3.7%	6.3%	93.7%
	Grade 7	0.5%	0.5%	0.9%	99.1%
	Grade 8	0.6%	1.2%	2.3%	97.7%
	Grade 9	2.6%	3.6%	6.5%	93.5%
	Grade 10	3.5%	5.7%	8.6%	91.4%
	Grade 11	4.0%	6.4%	10.0%	90.0%
	Grade 12	3.4%	6.0%	11.4%	88.6%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.9%	14.9%	24.3%	75.7%
Grade 7	5.0%	5.8%	13.2%	86.8%
Grade 8	7.3%	8.3%	14.3%	85.7%
Grade 9	13.9%	18.3%	28.6%	71.4%
Grade 10	14.3%	16.6%	24.8%	75.2%
Grade 11	16.0%	16.5%	30.0%	70.0%
Grade 12	22.9%	25.8%	36.8%	63.2%
Any Alcohol Product				
All	24.1%	27.7%	46.5%	53.5%
Grade 7	16.4%	17.8%	37.3%	62.7%
Grade 8	16.4%	17.9%	32.9%	67.1%
Grade 9	25.6%	29.1%	50.0%	50.0%
Grade 10	31.1%	36.4%	54.1%	45.9%
Grade 11	27.6%	33.6%	53.3%	46.7%
Grade 12	29.2%	33.4%	53.7%	46.3%
Any Illicit Drug				
All	8.5%	12.1%	17.2%	82.8%
Grade 7	2.8%	3.2%	4.7%	95.3%
Grade 8	4.8%	5.9%	9.5%	90.5%
Grade 9	8.2%	12.0%	17.9%	82.1%
Grade 10	16.4%	20.1%	23.8%	76.2%
Grade 11	8.5%	14.6%	23.4%	76.6%
Grade 12	11.4%	18.5%	26.5%	73.5%
Any Prescription Drug				
All	6.5%	8.5%	15.0%	85.0%
Grade 7	6.6%	10.7%	15.3%	84.7%
Grade 8	5.3%	6.1%	12.0%	88.0%
Grade 9	6.0%	6.8%	13.6%	86.4%
Grade 10	10.6%	13.9%	19.9%	80.1%
Grade 11	6.8%	8.5%	15.5%	84.5%
Grade 12	3.4%	5.2%	14.1%	85.9%
Any Inhalant				
All	5.0%	5.9%	11.4%	88.6%
Grade 7	7.8%	8.6%	14.5%	85.5%
Grade 8	3.5%	4.1%	10.0%	90.0%
Grade 9	4.8%	5.1%	12.9%	87.1%
Grade 10	1.5%	2.9%	8.8%	91.2%
Grade 11	6.9%	8.6%	12.5%	87.5%
Grade 12	5.2%	5.8%	9.2%	90.8%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.0%	10.6%	19.9%	80.1%
Grade 7	2.6%	3.4%	9.0%	91.0%
Grade 8	2.4%	3.7%	11.0%	89.0%
Grade 9	6.8%	11.8%	23.6%	76.4%
Grade 10	10.0%	15.6%	22.6%	77.4%
Grade 11	13.2%	13.2%	24.6%	75.4%
Grade 12	14.9%	17.7%	31.1%	68.9%
Marijuana				
All	7.7%	9.8%	15.1%	84.9%
Grade 7	2.5%	2.5%	3.8%	96.2%
Grade 8	4.3%	5.1%	7.9%	92.1%
Grade 9	7.1%	9.9%	15.4%	84.6%
Grade 10	14.0%	17.5%	22.0%	78.0%
Grade 11	8.5%	12.5%	20.6%	79.4%
Grade 12	11.3%	13.0%	23.7%	76.3%
Marijuana Only				
All	2.5%	3.2%	6.3%	93.7%
Grade 7	0.8%	0.8%	2.1%	97.9%
Grade 8	1.7%	2.2%	4.5%	95.5%
Grade 9	3.6%	5.0%	8.7%	91.3%
Grade 10	6.5%	7.7%	10.7%	89.3%
Grade 11	1.7%	3.1%	8.0%	92.0%
Grade 12	0.3%	0.3%	4.3%	95.7%
Cocaine or Crack				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	1.4%	1.4%	2.2%	97.8%
Grade 11	1.2%	1.2%	2.2%	97.8%
Grade 12	1.2%	1.9%	3.0%	97.0%
Cocaine				
All	0.7%	0.7%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	1.4%	1.4%	2.2%	97.8%
Grade 11	1.2%	1.2%	2.2%	97.8%
Grade 12	1.2%	1.5%	3.0%	97.0%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.7%	0.7%	99.3%
Hallucinogens				
All	0.6%	1.5%	3.3%	96.7%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.5%	0.5%	1.8%	98.2%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.7%	3.5%	5.2%	94.8%
Grade 11	0.9%	1.3%	5.5%	94.5%
Grade 12	0.3%	2.7%	7.3%	92.7%
Synthetic Cathinones				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Steroids				
All	0.3%	0.5%	1.6%	98.4%
Grade 7	0.0%	0.3%	0.9%	99.1%
Grade 8	0.4%	0.4%	2.4%	97.6%
Grade 9	0.2%	0.8%	0.8%	99.2%
Grade 10	1.2%	1.2%	2.3%	97.7%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	2.0%	98.0%
Ecstasy				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.3%	0.7%	1.9%	98.1%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.4%	0.7%	2.0%	98.0%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.5%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.2%	1.4%	2.6%	97.4%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.7%	0.9%	1.4%	98.6%
Grade 9	0.8%	0.8%	1.6%	98.4%
Grade 10	2.1%	2.8%	4.7%	95.3%
Grade 11	2.7%	3.0%	3.3%	96.7%
Grade 12	0.3%	0.3%	4.1%	95.9%
Methamphetamine				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.5%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	1.7%	2.8%	97.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.4%	2.7%	97.3%
Delta 8				
All	3.0%	4.6%	8.3%	91.7%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.9%	1.4%	3.1%	96.9%
Grade 9	2.7%	4.0%	7.0%	93.0%
Grade 10	5.1%	6.3%	10.9%	89.1%
Grade 11	4.3%	7.2%	12.1%	87.9%
Grade 12	4.8%	9.4%	18.1%	81.9%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.6%	12.1%	24.6%	75.4%
Grade 7	2.4%	3.6%	10.1%	89.9%
Grade 8	8.4%	9.5%	19.2%	80.8%
Grade 9	9.3%	13.7%	25.4%	74.6%
Grade 10	13.6%	15.2%	26.9%	73.1%
Grade 11	10.6%	15.5%	38.0%	62.0%
Grade 12	15.0%	17.3%	34.0%	66.0%
Any Alcohol Product				
All	23.7%	27.5%	47.2%	52.8%
Grade 7	11.5%	13.4%	31.3%	68.7%
Grade 8	20.7%	25.7%	41.8%	58.2%
Grade 9	24.5%	26.0%	48.3%	51.7%
Grade 10	28.1%	32.1%	53.8%	46.2%
Grade 11	31.1%	37.9%	59.4%	40.6%
Grade 12	29.9%	34.8%	53.6%	46.4%
Any Illicit Drug				
All	7.8%	10.9%	14.9%	85.1%
Grade 7	3.7%	5.5%	7.9%	92.1%
Grade 8	4.7%	9.9%	11.1%	88.9%
Grade 9	10.0%	11.6%	14.6%	85.4%
Grade 10	8.0%	11.7%	15.2%	84.8%
Grade 11	9.9%	14.5%	22.5%	77.5%
Grade 12	11.8%	13.9%	21.6%	78.4%
Any Prescription Drug				
All	6.0%	7.2%	15.1%	84.9%
Grade 7	6.7%	8.8%	17.1%	82.9%
Grade 8	8.9%	11.1%	18.1%	81.9%
Grade 9	7.9%	9.0%	15.6%	84.4%
Grade 10	5.4%	5.7%	12.4%	87.6%
Grade 11	2.9%	3.7%	16.4%	83.6%
Grade 12	2.5%	3.2%	10.1%	89.9%
Any Inhalant				
All	3.5%	4.2%	8.7%	91.3%
Grade 7	3.7%	4.5%	10.9%	89.1%
Grade 8	5.0%	5.8%	8.2%	91.8%
Grade 9	5.3%	7.0%	11.0%	89.0%
Grade 10	3.7%	4.1%	9.3%	90.7%
Grade 11	0.7%	1.7%	6.4%	93.6%
Grade 12	1.2%	1.2%	4.7%	95.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.5%	10.1%	21.8%	78.2%
Grade 7	1.5%	2.3%	8.8%	91.2%
Grade 8	5.9%	7.5%	15.6%	84.4%
Grade 9	8.9%	13.0%	22.3%	77.7%
Grade 10	9.5%	11.1%	24.3%	75.7%
Grade 11	7.2%	12.0%	35.2%	64.8%
Grade 12	13.5%	17.3%	29.9%	70.1%
Marijuana				
All	7.1%	9.0%	13.1%	86.9%
Grade 7	1.7%	3.2%	5.0%	95.0%
Grade 8	4.5%	6.9%	8.3%	91.7%
Grade 9	9.8%	11.4%	13.9%	86.1%
Grade 10	7.6%	11.3%	14.8%	85.2%
Grade 11	8.8%	10.4%	19.2%	80.8%
Grade 12	11.8%	12.2%	20.7%	79.3%
Marijuana Only				
All	2.8%	4.2%	7.3%	92.7%
Grade 7	1.3%	2.8%	4.1%	95.9%
Grade 8	1.9%	3.8%	5.2%	94.8%
Grade 9	2.9%	3.7%	5.8%	94.2%
Grade 10	2.9%	5.2%	7.5%	92.5%
Grade 11	1.5%	2.8%	10.4%	89.6%
Grade 12	6.9%	7.2%	13.3%	86.7%
Cocaine or Crack				
All	0.6%	0.9%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.7%	1.9%	2.0%	98.0%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.0%	2.0%	3.1%	96.9%
Grade 12	0.4%	0.4%	1.6%	98.4%
Cocaine				
All	0.4%	0.6%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	1.9%	2.0%	98.0%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.6%	0.6%	1.8%	98.2%
Grade 12	0.4%	0.4%	0.7%	99.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.4%	1.4%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.9%	99.1%
Hallucinogens				
All	0.2%	0.4%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.2%	0.7%	0.8%	99.2%
Grade 9	0.8%	0.8%	2.8%	97.2%
Grade 10	0.2%	0.2%	2.2%	97.8%
Grade 11	0.0%	0.7%	4.3%	95.7%
Grade 12	0.0%	0.2%	2.0%	98.0%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	1.6%	2.1%	3.1%	96.9%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.4%	99.6%
Ecstasy				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.8%	0.8%	1.2%	98.8%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.3%	0.7%	1.3%	98.7%
Grade 12	0.0%	0.0%	1.2%	98.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	1.1%	1.1%	1.5%	98.5%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.5%	1.2%	2.5%	97.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.8%	1.1%	98.9%
Grade 9	1.2%	2.1%	4.8%	95.2%
Grade 10	0.0%	0.9%	1.2%	98.8%
Grade 11	0.7%	2.0%	5.2%	94.8%
Grade 12	0.7%	1.1%	3.3%	96.7%
Methamphetamine				
All	0.0%	0.0%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.7%	2.8%	4.3%	95.7%
Grade 7	0.4%	0.4%	0.9%	99.1%
Grade 8	0.2%	1.0%	1.5%	98.5%
Grade 9	2.5%	3.3%	6.2%	93.8%
Grade 10	2.0%	5.1%	6.2%	93.8%
Grade 11	3.8%	5.5%	7.9%	92.1%
Grade 12	1.9%	2.1%	3.9%	96.1%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.1%	15.3%	25.2%	74.8%
Grade 7	4.6%	4.8%	13.3%	86.7%
Grade 8	6.8%	7.9%	14.9%	85.1%
Grade 9	15.0%	19.3%	30.3%	69.7%
Grade 10	14.7%	16.2%	25.1%	74.9%
Grade 11	15.2%	18.0%	31.3%	68.7%
Grade 12	23.1%	26.5%	37.6%	62.4%
Any Alcohol Product				
All	24.1%	28.3%	47.5%	52.5%
Grade 7	16.6%	17.2%	36.5%	63.5%
Grade 8	14.9%	19.2%	33.2%	66.8%
Grade 9	28.1%	30.9%	55.3%	44.7%
Grade 10	23.9%	29.0%	48.7%	51.3%
Grade 11	26.4%	33.1%	53.3%	46.7%
Grade 12	35.6%	41.3%	58.0%	42.0%
Any Illicit Drug				
All	7.6%	11.5%	16.0%	84.0%
Grade 7	3.5%	4.9%	7.0%	93.0%
Grade 8	2.4%	6.0%	8.2%	91.8%
Grade 9	10.6%	12.8%	17.2%	82.8%
Grade 10	9.7%	13.5%	16.4%	83.6%
Grade 11	6.7%	13.5%	19.7%	80.3%
Grade 12	12.7%	18.8%	28.8%	71.2%
Any Prescription Drug				
All	6.5%	8.2%	16.1%	83.9%
Grade 7	8.8%	11.8%	19.6%	80.4%
Grade 8	8.5%	10.4%	18.4%	81.6%
Grade 9	6.3%	7.6%	15.8%	84.2%
Grade 10	7.4%	8.9%	16.4%	83.6%
Grade 11	4.8%	6.4%	14.6%	85.4%
Grade 12	2.9%	3.5%	11.4%	88.6%
Any Inhalant				
All	3.4%	4.3%	8.6%	91.4%
Grade 7	4.8%	5.3%	12.4%	87.6%
Grade 8	3.0%	4.1%	6.6%	93.4%
Grade 9	3.0%	4.2%	12.0%	88.0%
Grade 10	3.1%	3.9%	6.5%	93.5%
Grade 11	3.2%	4.9%	7.3%	92.7%
Grade 12	3.0%	3.5%	6.0%	94.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.0%	11.6%	21.8%	78.2%
Grade 7	2.5%	2.8%	9.2%	90.8%
Grade 8	2.3%	3.8%	12.6%	87.4%
Grade 9	10.2%	14.7%	25.5%	74.5%
Grade 10	11.1%	13.4%	22.8%	77.2%
Grade 11	11.0%	13.9%	27.7%	72.3%
Grade 12	17.3%	21.9%	33.7%	66.3%
Marijuana				
All	6.8%	9.2%	13.9%	86.1%
Grade 7	1.9%	3.4%	5.0%	95.0%
Grade 8	2.1%	3.7%	5.7%	94.3%
Grade 9	9.5%	11.2%	15.7%	84.3%
Grade 10	8.3%	12.3%	15.6%	84.4%
Grade 11	6.7%	10.4%	16.3%	83.7%
Grade 12	12.5%	14.5%	26.3%	73.7%
Marijuana Only				
All	2.5%	3.6%	6.5%	93.5%
Grade 7	1.7%	3.1%	4.3%	95.7%
Grade 8	1.3%	2.4%	4.4%	95.6%
Grade 9	2.5%	2.9%	5.7%	94.3%
Grade 10	3.6%	5.6%	6.9%	93.1%
Grade 11	1.4%	3.3%	7.8%	92.2%
Grade 12	4.2%	4.5%	10.1%	89.9%
Cocaine or Crack				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	1.2%	1.2%	1.5%	98.5%
Grade 11	0.5%	0.5%	1.4%	98.6%
Grade 12	0.3%	0.6%	1.9%	98.1%
Cocaine				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	1.2%	1.2%	1.5%	98.5%
Grade 11	0.5%	0.5%	1.4%	98.6%
Grade 12	0.3%	0.6%	1.9%	98.1%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.3%	0.3%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.3%	0.3%	99.7%
Hallucinogens				
All	0.4%	0.8%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.2%	1.1%	98.9%
Grade 9	1.3%	1.3%	2.4%	97.6%
Grade 10	0.6%	1.9%	4.1%	95.9%
Grade 11	0.0%	0.3%	3.8%	96.2%
Grade 12	0.3%	1.3%	5.6%	94.4%
Synthetic Cathinones				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	1.0%	99.0%
Steroids				
All	0.2%	0.2%	1.1%	98.9%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.2%	0.4%	1.5%	98.5%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.3%	0.3%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	1.9%	98.1%
Ecstasy				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.7%	1.7%	1.7%	98.3%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.0%	0.3%	2.5%	97.5%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin	All	0.2%	0.2%	0.5%	99.5%
	Grade 7	1.0%	1.0%	1.4%	98.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.7%	99.3%
	Grade 10	0.0%	0.0%	0.9%	99.1%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	0.8%	1.1%	2.5%	97.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.5%	0.5%	0.7%	99.3%
	Grade 9	1.5%	2.3%	4.6%	95.4%
	Grade 10	0.9%	1.5%	3.2%	96.8%
	Grade 11	0.8%	1.1%	2.1%	97.9%
	Grade 12	0.9%	1.2%	4.0%	96.0%
Methamphetamine	All	0.0%	0.0%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.7%	99.3%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 11	0.0%	0.0%	0.5%	99.5%
	Grade 12	0.0%	0.0%	2.2%	97.8%
Delta 8	All	2.6%	3.7%	7.1%	92.9%
	Grade 7	0.2%	0.2%	0.9%	99.1%
	Grade 8	0.5%	1.0%	1.9%	98.1%
	Grade 9	3.4%	5.0%	8.8%	91.2%
	Grade 10	3.4%	4.6%	8.4%	91.6%
	Grade 11	3.3%	4.2%	8.3%	91.7%
	Grade 12	4.7%	7.7%	14.6%	85.4%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.8%	10.0%	21.1%	78.9%
Grade 7	2.7%	8.8%	14.9%	85.1%
Grade 8	11.1%	11.1%	15.4%	84.6%
Grades 9–10	0.0%	6.7%	20.0%	80.0%
Grades 11–12	13.5%	13.5%	32.3%	67.7%
Any Alcohol Product				
All	26.2%	28.6%	43.5%	56.5%
Grade 7	22.2%	28.3%	38.5%	61.5%
Grade 8	28.8%	33.0%	50.0%	50.0%
Grades 9–10	33.3%	33.3%	40.0%	60.0%
Grades 11–12	20.3%	20.3%	45.9%	54.1%
Any Illicit Drug				
All	4.8%	7.6%	13.6%	86.4%
Grade 7	6.1%	6.1%	12.3%	87.7%
Grade 8	6.9%	11.1%	15.4%	84.6%
Grades 9–10	0.0%	6.7%	6.7%	93.3%
Grades 11–12	6.8%	6.8%	20.3%	79.7%
Any Prescription Drug				
All	5.6%	5.6%	12.7%	87.3%
Grade 7	3.8%	3.8%	10.2%	89.8%
Grade 8	4.2%	4.2%	4.2%	95.8%
Grades 9–10	6.7%	6.7%	13.3%	86.7%
Grades 11–12	7.3%	7.3%	21.8%	78.2%
Any Inhalant				
All	3.7%	6.4%	10.0%	90.0%
Grade 7	15.9%	19.7%	27.5%	72.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	6.7%	93.3%
Grades 11–12	0.0%	6.8%	6.8%	93.2%
Electronic Vapor Products				
All	5.8%	7.6%	15.9%	84.1%
Grade 7	2.7%	2.7%	14.9%	85.1%
Grade 8	6.9%	6.9%	6.9%	93.1%
Grades 9–10	0.0%	6.7%	20.0%	80.0%
Grades 11–12	13.5%	13.5%	20.3%	79.7%
Marijuana				
All	4.8%	7.6%	13.6%	86.4%
Grade 7	6.1%	6.1%	12.3%	87.7%
Grade 8	6.9%	11.1%	15.4%	84.6%
Grades 9–10	0.0%	6.7%	6.7%	93.3%
Grades 11–12	6.8%	6.8%	20.3%	79.7%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	0.0%	2.7%	8.7%	91.3%
Grade 7	0.0%	0.0%	5.7%	94.3%
Grade 8	0.0%	4.2%	8.5%	91.5%
Grades 9–10	0.0%	6.7%	6.7%	93.3%
Grades 11–12	0.0%	0.0%	13.5%	86.5%
Cocaine or Crack				
All	0.0%	1.6%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	6.9%	6.9%	93.1%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.0%	1.6%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	6.9%	6.9%	93.1%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.0%	0.0%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	6.8%	93.2%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Ecstasy				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.4%	1.4%	1.4%	98.6%
Grade 7	6.1%	6.1%	6.1%	93.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.1%	11.3%	23.3%	76.7%
Grade 7	2.7%	3.8%	9.2%	90.8%
Grade 8	8.8%	9.8%	18.9%	81.1%
Grade 9	7.7%	12.1%	20.2%	79.8%
Grade 10	15.3%	16.8%	30.8%	69.2%
Grade 11	10.6%	13.5%	36.4%	63.6%
Grade 12	11.9%	14.1%	31.4%	68.6%
Any Alcohol Product				
All	23.2%	26.6%	45.8%	54.2%
Grade 7	9.5%	12.0%	32.6%	67.4%
Grade 8	22.1%	23.9%	40.0%	60.0%
Grade 9	20.4%	22.7%	38.3%	61.7%
Grade 10	36.4%	41.3%	61.2%	38.8%
Grade 11	32.5%	39.0%	59.7%	40.3%
Grade 12	23.0%	26.4%	50.5%	49.5%
Any Illicit Drug				
All	8.9%	11.9%	16.4%	83.6%
Grade 7	2.9%	3.9%	5.0%	95.0%
Grade 8	7.5%	10.0%	12.6%	87.4%
Grade 9	7.4%	9.7%	14.8%	85.2%
Grade 10	15.7%	20.2%	25.3%	74.7%
Grade 11	14.0%	17.8%	28.9%	71.1%
Grade 12	8.4%	12.6%	16.3%	83.7%
Any Prescription Drug				
All	5.6%	7.6%	13.2%	86.8%
Grade 7	4.8%	8.6%	14.0%	86.0%
Grade 8	6.0%	7.6%	13.9%	86.1%
Grade 9	6.7%	6.7%	11.9%	88.1%
Grade 10	7.6%	10.1%	12.8%	87.2%
Grade 11	3.9%	5.2%	17.2%	82.8%
Grade 12	4.2%	6.9%	9.3%	90.7%
Any Inhalant				
All	5.3%	5.9%	11.4%	88.6%
Grade 7	5.0%	5.4%	10.2%	89.8%
Grade 8	6.9%	7.4%	14.2%	85.8%
Grade 9	8.0%	9.1%	12.0%	88.0%
Grade 10	2.2%	3.5%	11.3%	88.7%
Grade 11	4.6%	4.6%	10.1%	89.9%
Grade 12	4.3%	4.3%	10.0%	90.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.5%	8.9%	20.1%	79.9%
Grade 7	1.6%	2.8%	7.6%	92.4%
Grade 8	6.4%	7.6%	15.0%	85.0%
Grade 9	4.9%	9.3%	17.4%	82.6%
Grade 10	9.5%	13.5%	27.9%	72.1%
Grade 11	8.4%	10.3%	31.7%	68.3%
Grade 12	10.0%	11.5%	26.9%	73.1%
Marijuana				
All	8.3%	9.8%	14.4%	85.6%
Grade 7	1.9%	2.0%	2.7%	97.3%
Grade 8	7.1%	8.5%	10.8%	89.2%
Grade 9	7.4%	9.7%	13.4%	86.6%
Grade 10	14.5%	18.4%	23.4%	76.6%
Grade 11	12.4%	14.1%	25.6%	74.4%
Grade 12	8.5%	8.5%	14.6%	85.4%
Marijuana Only				
All	3.4%	4.1%	7.2%	92.8%
Grade 7	0.8%	0.9%	1.4%	98.6%
Grade 8	3.1%	4.2%	5.5%	94.5%
Grade 9	4.5%	5.7%	8.8%	91.2%
Grade 10	5.9%	7.1%	12.1%	87.9%
Grade 11	2.8%	3.3%	10.6%	89.4%
Grade 12	3.5%	3.5%	6.3%	93.7%
Cocaine or Crack				
All	1.0%	1.1%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.9%	1.3%	2.5%	97.5%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	3.7%	3.7%	4.9%	95.1%
Grade 12	1.9%	2.6%	3.9%	96.1%
Cocaine				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.9%	1.3%	2.5%	97.5%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	1.9%	1.9%	3.0%	97.0%
Grade 12	1.9%	1.9%	2.6%	97.4%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.9%	1.9%	3.7%	96.3%
Grade 12	0.0%	0.7%	1.9%	98.1%
Hallucinogens				
All	0.3%	0.9%	2.3%	97.7%
Grade 7	0.0%	0.3%	0.6%	99.4%
Grade 8	0.8%	1.4%	1.8%	98.2%
Grade 9	0.5%	0.5%	1.6%	98.4%
Grade 10	0.4%	1.7%	3.4%	96.6%
Grade 11	0.0%	1.0%	6.4%	93.6%
Grade 12	0.0%	0.7%	0.7%	99.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.0%	0.4%	0.6%	99.4%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	1.4%	2.2%	3.5%	96.5%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.0%	0.0%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.7%	99.3%
Ecstasy				
All	0.1%	0.1%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	1.7%	98.3%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	0.7%	0.7%	0.7%	99.3%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.1%	1.1%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.7%	99.3%
Synthetic Marijuana				
All	0.8%	1.3%	2.5%	97.5%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.7%	1.4%	2.1%	97.9%
Grade 9	0.5%	0.5%	1.9%	98.1%
Grade 10	1.3%	2.1%	2.5%	97.5%
Grade 11	1.8%	3.6%	6.6%	93.4%
Grade 12	0.0%	0.0%	2.6%	97.4%
Methamphetamine				
All	0.3%	0.6%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.2%	2.5%	2.5%	97.5%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	0.0%	0.7%	0.7%	99.3%
Delta 8				
All	2.2%	4.0%	5.9%	94.1%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.7%	1.6%	3.1%	96.9%
Grade 9	1.1%	1.6%	4.1%	95.9%
Grade 10	4.3%	9.0%	10.7%	89.3%
Grade 11	4.7%	9.6%	13.4%	86.6%
Grade 12	2.6%	3.3%	5.7%	94.3%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.8%	9.7%	20.8%	79.2%
Grade 7	1.6%	2.2%	9.4%	90.6%
Grade 8	3.2%	3.7%	7.8%	92.2%
Grade 9	8.6%	12.2%	22.0%	78.0%
Grade 10	8.9%	10.4%	19.6%	80.4%
Grade 11	10.9%	12.0%	31.6%	68.4%
Grade 12	12.2%	15.6%	31.2%	68.8%
Any Alcohol Product				
All	20.9%	24.4%	45.1%	54.9%
Grade 7	15.2%	16.0%	34.6%	65.4%
Grade 8	12.4%	13.3%	26.8%	73.2%
Grade 9	21.4%	24.0%	46.8%	53.2%
Grade 10	21.8%	26.1%	47.9%	52.1%
Grade 11	28.6%	34.5%	54.9%	45.1%
Grade 12	24.1%	29.7%	55.5%	44.5%
Any Illicit Drug				
All	4.8%	7.4%	12.0%	88.0%
Grade 7	2.0%	3.2%	5.5%	94.5%
Grade 8	1.2%	4.3%	5.4%	94.6%
Grade 9	9.0%	9.9%	11.9%	88.1%
Grade 10	5.0%	8.7%	10.7%	89.3%
Grade 11	5.5%	10.0%	18.6%	81.4%
Grade 12	4.9%	7.5%	18.1%	81.9%
Any Prescription Drug				
All	5.7%	7.0%	14.6%	85.4%
Grade 7	6.4%	9.4%	16.8%	83.2%
Grade 8	6.9%	8.6%	14.3%	85.7%
Grade 9	7.6%	8.0%	15.7%	84.3%
Grade 10	6.8%	8.3%	13.8%	86.2%
Grade 11	4.2%	4.2%	15.8%	84.2%
Grade 12	2.6%	3.6%	11.2%	88.8%
Any Inhalant				
All	3.0%	3.8%	8.0%	92.0%
Grade 7	3.3%	4.3%	9.2%	90.8%
Grade 8	2.3%	2.7%	6.5%	93.5%
Grade 9	5.3%	7.4%	10.1%	89.9%
Grade 10	2.3%	2.6%	8.2%	91.8%
Grade 11	1.6%	2.9%	7.3%	92.7%
Grade 12	2.8%	2.8%	6.2%	93.8%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.4%	7.5%	17.6%	82.4%
Grade 7	0.4%	0.9%	5.8%	94.2%
Grade 8	1.6%	2.1%	6.8%	93.2%
Grade 9	6.4%	10.1%	19.2%	80.8%
Grade 10	5.2%	7.4%	17.8%	82.2%
Grade 11	7.8%	9.5%	27.1%	72.9%
Grade 12	9.6%	13.3%	25.7%	74.3%
Marijuana				
All	3.7%	5.2%	9.9%	90.1%
Grade 7	0.4%	1.6%	3.1%	96.9%
Grade 8	0.8%	1.2%	2.3%	97.7%
Grade 9	7.9%	8.7%	10.4%	89.6%
Grade 10	2.6%	6.2%	9.5%	90.5%
Grade 11	4.9%	7.1%	14.9%	85.1%
Grade 12	4.9%	5.2%	17.3%	82.7%
Marijuana Only				
All	1.5%	2.1%	5.2%	94.8%
Grade 7	0.0%	1.2%	2.7%	97.3%
Grade 8	0.6%	0.9%	1.7%	98.3%
Grade 9	2.7%	3.0%	4.4%	95.6%
Grade 10	1.4%	2.6%	3.7%	96.3%
Grade 11	1.6%	2.1%	8.4%	91.6%
Grade 12	2.2%	2.2%	9.2%	90.8%
Cocaine or Crack				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.5%	98.5%
Grade 11	0.5%	0.5%	1.7%	98.3%
Grade 12	0.0%	0.4%	1.2%	98.8%
Cocaine				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.5%	98.5%
Grade 11	0.5%	0.5%	1.7%	98.3%
Grade 12	0.0%	0.0%	1.2%	98.8%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.4%	0.4%	99.6%
Hallucinogens				
All	0.3%	0.5%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	1.4%	1.4%	1.9%	98.1%
Grade 10	0.3%	0.6%	1.9%	98.1%
Grade 11	0.0%	0.3%	3.4%	96.6%
Grade 12	0.0%	0.4%	1.6%	98.4%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.3%	0.7%	99.3%
Grade 9	1.1%	1.7%	2.8%	97.2%
Grade 10	0.7%	0.7%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	1.6%	98.4%
Ecstasy				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.3%	0.8%	99.2%
Grade 12	0.4%	0.4%	1.3%	98.7%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	0.8%	0.8%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	1.7%	1.7%	3.6%	96.4%
Grade 10	0.3%	0.3%	1.6%	98.4%
Grade 11	1.6%	1.6%	1.9%	98.1%
Grade 12	0.6%	0.6%	3.5%	96.5%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.4%	0.7%	99.3%
Delta 8				
All	1.2%	1.8%	4.4%	95.6%
Grade 7	0.4%	0.4%	1.1%	98.9%
Grade 8	0.3%	0.6%	0.7%	99.3%
Grade 9	3.1%	4.0%	5.4%	94.6%
Grade 10	0.3%	1.5%	4.8%	95.2%
Grade 11	1.9%	2.5%	6.6%	93.4%
Grade 12	1.0%	1.7%	6.5%	93.5%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.6%	17.2%	27.9%	72.1%
Grade 7	5.1%	6.5%	13.3%	86.7%
Grade 8	11.0%	12.3%	22.7%	77.3%
Grade 9	14.2%	19.2%	31.1%	68.9%
Grade 10	19.6%	22.1%	32.8%	67.2%
Grade 11	16.5%	20.9%	36.1%	63.9%
Grade 12	29.9%	31.4%	42.2%	57.8%
Any Alcohol Product				
All	26.6%	30.6%	48.2%	51.8%
Grade 7	13.1%	15.4%	34.2%	65.8%
Grade 8	22.4%	27.2%	44.3%	55.7%
Grade 9	27.8%	30.4%	50.5%	49.5%
Grade 10	38.3%	43.3%	60.2%	39.8%
Grade 11	29.4%	36.6%	56.9%	43.1%
Grade 12	37.7%	40.8%	51.4%	48.6%
Any Illicit Drug				
All	11.5%	15.5%	20.0%	80.0%
Grade 7	4.2%	5.2%	6.9%	93.1%
Grade 8	7.2%	10.3%	13.4%	86.6%
Grade 9	9.0%	13.4%	20.0%	80.0%
Grade 10	20.0%	24.1%	29.4%	70.6%
Grade 11	14.1%	20.6%	28.6%	71.4%
Grade 12	22.0%	29.7%	33.6%	66.4%
Any Prescription Drug				
All	6.6%	8.7%	15.4%	84.6%
Grade 7	6.8%	9.9%	15.7%	84.3%
Grade 8	7.1%	8.5%	15.7%	84.3%
Grade 9	6.3%	7.6%	13.4%	86.6%
Grade 10	9.1%	11.2%	18.6%	81.4%
Grade 11	5.9%	8.8%	15.7%	84.3%
Grade 12	3.5%	5.1%	13.4%	86.6%
Any Inhalant				
All	5.5%	6.4%	12.3%	87.7%
Grade 7	7.6%	8.1%	15.3%	84.7%
Grade 8	6.1%	7.1%	11.6%	88.4%
Grade 9	4.7%	4.7%	13.4%	86.6%
Grade 10	3.0%	4.5%	10.4%	89.6%
Grade 11	7.0%	8.8%	12.7%	87.3%
Grade 12	4.0%	4.7%	8.2%	91.8%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.1%	13.2%	24.0%	76.0%
Grade 7	3.2%	4.3%	11.1%	88.9%
Grade 8	5.8%	7.8%	17.6%	82.4%
Grade 9	8.8%	14.2%	25.9%	74.1%
Grade 10	14.8%	19.8%	29.6%	70.4%
Grade 11	13.6%	16.5%	32.5%	67.5%
Grade 12	21.8%	24.4%	38.0%	62.0%
Marijuana				
All	11.0%	13.6%	18.3%	81.7%
Grade 7	3.3%	3.7%	5.4%	94.6%
Grade 8	6.8%	9.2%	12.0%	88.0%
Grade 9	8.6%	12.1%	18.2%	81.8%
Grade 10	19.7%	23.9%	28.5%	71.5%
Grade 11	13.7%	17.5%	26.4%	73.6%
Grade 12	21.7%	23.9%	30.3%	69.7%
Marijuana Only				
All	3.9%	5.4%	8.5%	91.5%
Grade 7	1.9%	2.3%	3.4%	96.6%
Grade 8	2.6%	4.3%	6.8%	93.2%
Grade 9	3.8%	5.5%	9.8%	90.2%
Grade 10	8.4%	10.8%	15.0%	85.0%
Grade 11	1.9%	4.2%	10.1%	89.9%
Grade 12	6.0%	6.4%	8.5%	91.5%
Cocaine or Crack				
All	1.0%	1.2%	1.8%	98.2%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.8%	1.8%	2.4%	97.6%
Grade 9	0.7%	0.7%	1.3%	98.7%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	2.9%	2.9%	3.8%	96.2%
Grade 12	1.9%	2.3%	3.8%	96.2%
Cocaine				
All	0.8%	1.0%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	1.8%	2.4%	97.6%
Grade 9	0.7%	0.7%	1.3%	98.7%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	1.5%	1.5%	2.4%	97.6%
Grade 12	1.9%	2.3%	2.8%	97.2%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	1.5%	1.5%	2.9%	97.1%
Grade 12	0.0%	0.4%	1.4%	98.6%
Hallucinogens				
All	0.5%	1.4%	3.7%	96.3%
Grade 7	0.0%	0.2%	0.7%	99.3%
Grade 8	0.7%	1.0%	2.1%	97.9%
Grade 9	0.4%	0.4%	1.8%	98.2%
Grade 10	0.6%	3.1%	5.6%	94.4%
Grade 11	1.1%	1.9%	6.9%	93.1%
Grade 12	0.4%	3.2%	9.3%	90.7%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.9%	99.1%
Steroids				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.3%	1.8%	98.2%
Grade 9	0.7%	1.1%	1.1%	98.9%
Grade 10	0.9%	0.9%	1.1%	98.9%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.0%	0.0%	0.8%	99.2%
Ecstasy				
All	0.2%	0.3%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.4%	0.7%	2.5%	97.5%
Grade 11	0.4%	0.4%	1.8%	98.2%
Grade 12	0.0%	0.4%	2.0%	98.0%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.0%	1.8%	3.1%	96.9%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.6%	1.2%	1.7%	98.3%
Grade 9	0.4%	1.2%	2.7%	97.3%
Grade 10	1.8%	3.5%	4.4%	95.6%
Grade 11	1.8%	3.7%	7.1%	92.9%
Grade 12	0.4%	0.8%	3.9%	96.1%
Methamphetamine				
All	0.1%	0.3%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.9%	1.5%	98.5%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	2.5%	97.5%
Delta 8				
All	3.4%	5.5%	8.2%	91.8%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.7%	1.6%	3.3%	96.7%
Grade 9	2.1%	3.3%	7.5%	92.5%
Grade 10	7.0%	10.4%	12.8%	87.2%
Grade 11	6.8%	11.4%	14.5%	85.5%
Grade 12	6.8%	11.8%	18.3%	81.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.8%	10.9%	19.4%	80.6%
Grade 7	3.3%	4.0%	9.7%	90.3%
Grade 8	5.2%	6.1%	10.9%	89.1%
Grade 9	6.9%	11.4%	19.8%	80.2%
Grade 10	12.1%	13.3%	19.2%	80.8%
Grade 11	11.5%	14.7%	27.3%	72.7%
Grade 12	16.6%	19.3%	35.4%	64.6%
Any Alcohol Product				
All	21.3%	24.5%	42.7%	57.3%
Grade 7	13.2%	14.4%	33.7%	66.3%
Grade 8	15.3%	18.6%	32.3%	67.7%
Grade 9	20.9%	23.6%	42.1%	57.9%
Grade 10	24.6%	28.8%	48.7%	51.3%
Grade 11	26.8%	32.9%	50.7%	49.3%
Grade 12	30.4%	32.9%	53.1%	46.9%
Any Illicit Drug				
All	6.0%	8.6%	11.8%	88.2%
Grade 7	2.5%	3.6%	5.1%	94.9%
Grade 8	4.1%	6.8%	8.4%	91.6%
Grade 9	6.4%	7.1%	9.3%	90.7%
Grade 10	8.8%	10.5%	13.5%	86.5%
Grade 11	5.9%	9.9%	16.5%	83.5%
Grade 12	9.3%	15.8%	21.9%	78.1%
Any Prescription Drug				
All	6.1%	7.8%	13.8%	86.2%
Grade 7	7.1%	11.5%	18.1%	81.9%
Grade 8	6.3%	7.9%	14.9%	85.1%
Grade 9	7.8%	8.9%	13.8%	86.2%
Grade 10	8.0%	8.8%	13.4%	86.6%
Grade 11	4.2%	5.2%	11.9%	88.1%
Grade 12	1.5%	2.6%	9.0%	91.0%
Any Inhalant				
All	3.9%	4.5%	9.3%	90.7%
Grade 7	5.3%	6.0%	12.5%	87.5%
Grade 8	5.7%	6.6%	11.2%	88.8%
Grade 9	4.7%	5.7%	11.8%	88.2%
Grade 10	2.2%	2.2%	5.8%	94.2%
Grade 11	2.3%	2.8%	6.3%	93.7%
Grade 12	2.6%	2.9%	6.1%	93.9%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.0%	8.4%	16.3%	83.7%
Grade 7	1.8%	2.4%	7.1%	92.9%
Grade 8	2.6%	3.9%	9.0%	91.0%
Grade 9	4.4%	8.2%	15.5%	84.5%
Grade 10	7.9%	10.8%	17.1%	82.9%
Grade 11	9.1%	11.7%	24.4%	75.6%
Grade 12	12.8%	16.0%	29.5%	70.5%
Marijuana				
All	5.1%	6.5%	10.0%	90.0%
Grade 7	1.2%	2.3%	3.7%	96.3%
Grade 8	3.7%	4.8%	6.1%	93.9%
Grade 9	5.3%	6.0%	7.9%	92.1%
Grade 10	6.8%	8.8%	12.9%	87.1%
Grade 11	5.9%	7.8%	14.0%	86.0%
Grade 12	9.3%	10.7%	18.5%	81.5%
Marijuana Only				
All	2.3%	3.2%	5.5%	94.5%
Grade 7	0.8%	1.9%	2.9%	97.1%
Grade 8	1.4%	2.3%	3.3%	96.7%
Grade 9	2.8%	3.1%	4.7%	95.3%
Grade 10	4.0%	5.2%	7.7%	92.3%
Grade 11	1.7%	2.9%	7.6%	92.4%
Grade 12	3.5%	3.8%	8.3%	91.7%
Cocaine or Crack				
All	0.5%	0.7%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	1.5%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	1.1%	98.9%
Grade 11	1.0%	1.0%	1.7%	98.3%
Grade 12	0.3%	0.6%	2.3%	97.7%
Cocaine				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	1.5%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.3%	0.6%	1.5%	98.5%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	1.0%	1.0%	1.0%	99.0%
Grade 12	0.0%	0.3%	1.0%	99.0%
Hallucinogens				
All	0.1%	0.3%	1.4%	98.6%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.3%	0.6%	2.2%	97.8%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	0.0%	0.3%	3.0%	97.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Steroids				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.2%	0.9%	99.1%
Grade 8	0.3%	0.6%	1.7%	98.3%
Grade 9	1.0%	1.9%	1.9%	98.1%
Grade 10	1.2%	1.2%	2.3%	97.7%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Ecstasy				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.3%	1.5%	98.5%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.2%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	1.0%	1.8%	98.2%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.4%	1.0%	1.0%	99.0%
Grade 9	0.7%	1.1%	1.7%	98.3%
Grade 10	0.1%	0.9%	2.2%	97.8%
Grade 11	1.8%	1.8%	2.8%	97.2%
Grade 12	0.9%	1.2%	3.2%	96.8%
Methamphetamine				
All	0.1%	0.1%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	1.5%	98.5%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	1.5%	98.5%
Delta 8				
All	1.5%	2.2%	3.5%	96.5%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	0.2%	0.7%	1.2%	98.8%
Grade 9	1.0%	1.7%	2.5%	97.5%
Grade 10	1.6%	2.3%	4.3%	95.7%
Grade 11	3.6%	4.3%	5.7%	94.3%
Grade 12	2.7%	5.1%	8.1%	91.9%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.2%	17.7%	32.5%	67.5%
Grade 7	4.4%	6.3%	15.8%	84.2%
Grade 8	11.6%	13.1%	25.7%	74.3%
Grade 9	18.9%	23.1%	38.1%	61.9%
Grade 10	16.5%	19.7%	36.5%	63.5%
Grade 11	16.2%	17.8%	43.2%	56.8%
Grade 12	23.9%	26.4%	36.6%	63.4%
Any Alcohol Product				
All	28.1%	32.6%	53.5%	46.5%
Grade 7	15.9%	18.7%	37.3%	62.7%
Grade 8	23.1%	26.2%	45.0%	55.0%
Grade 9	31.1%	33.5%	58.8%	41.2%
Grade 10	37.6%	42.4%	61.9%	38.1%
Grade 11	32.4%	39.4%	63.9%	36.1%
Grade 12	29.2%	36.6%	55.2%	44.8%
Any Illicit Drug				
All	11.8%	16.4%	23.0%	77.0%
Grade 7	4.3%	5.5%	8.3%	91.7%
Grade 8	6.0%	9.8%	13.3%	86.7%
Grade 9	13.1%	19.1%	27.2%	72.8%
Grade 10	17.8%	24.8%	29.4%	70.6%
Grade 11	14.3%	21.7%	32.9%	67.1%
Grade 12	15.9%	18.2%	28.5%	71.5%
Any Prescription Drug				
All	6.5%	8.1%	17.1%	82.9%
Grade 7	6.3%	7.3%	13.2%	86.8%
Grade 8	8.3%	9.7%	15.8%	84.2%
Grade 9	5.5%	6.2%	15.5%	84.5%
Grade 10	8.0%	11.3%	20.6%	79.4%
Grade 11	6.1%	7.8%	21.8%	78.2%
Grade 12	5.0%	6.5%	16.5%	83.5%
Any Inhalant				
All	4.9%	6.2%	11.5%	88.5%
Grade 7	7.0%	7.9%	13.4%	86.6%
Grade 8	3.1%	3.6%	7.1%	92.9%
Grade 9	5.4%	6.5%	12.0%	88.0%
Grade 10	3.4%	5.8%	14.2%	85.8%
Grade 11	6.5%	9.2%	14.4%	85.6%
Grade 12	4.3%	4.5%	8.4%	91.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.7%	13.7%	28.3%	71.7%
Grade 7	2.7%	3.8%	12.8%	87.2%
Grade 8	6.2%	7.9%	19.8%	80.2%
Grade 9	13.1%	18.7%	34.4%	65.6%
Grade 10	13.0%	17.6%	33.4%	66.6%
Grade 11	12.3%	13.8%	37.2%	62.8%
Grade 12	17.3%	20.7%	32.8%	67.2%
Marijuana				
All	11.3%	14.5%	21.2%	78.8%
Grade 7	3.8%	4.0%	6.1%	93.9%
Grade 8	5.7%	8.0%	11.3%	88.7%
Grade 9	13.1%	17.8%	25.3%	74.7%
Grade 10	17.3%	24.3%	28.3%	71.7%
Grade 11	12.9%	17.4%	29.0%	71.0%
Grade 12	15.6%	16.3%	28.5%	71.5%
Marijuana Only				
All	3.4%	4.8%	9.2%	90.8%
Grade 7	1.7%	1.9%	3.7%	96.3%
Grade 8	2.6%	4.3%	7.2%	92.8%
Grade 9	4.0%	6.4%	11.3%	88.7%
Grade 10	6.0%	8.6%	11.5%	88.5%
Grade 11	1.7%	3.3%	11.7%	88.3%
Grade 12	4.3%	4.3%	9.8%	90.2%
Cocaine or Crack				
All	1.0%	1.1%	1.7%	98.3%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	1.0%	1.0%	1.8%	98.2%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	2.3%	2.3%	4.0%	96.0%
Grade 12	1.5%	2.0%	2.4%	97.6%
Cocaine				
All	0.9%	0.9%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	1.0%	1.0%	1.8%	98.2%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	2.3%	2.3%	4.0%	96.0%
Grade 12	1.5%	1.5%	2.4%	97.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	0.0%	0.5%	0.5%	99.5%
Hallucinogens				
All	0.9%	2.1%	4.7%	95.3%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.9%	0.9%	2.1%	97.9%
Grade 9	2.3%	2.3%	3.8%	96.2%
Grade 10	0.8%	3.9%	6.2%	93.8%
Grade 11	1.2%	2.5%	9.4%	90.6%
Grade 12	0.4%	3.3%	7.2%	92.8%
Synthetic Cathinones				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids				
All	0.1%	0.1%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.7%	0.7%	2.0%	98.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	2.5%	97.5%
Ecstasy				
All	0.7%	0.8%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	2.3%	2.3%	2.9%	97.1%
Grade 10	0.9%	0.9%	2.8%	97.2%
Grade 11	0.4%	0.8%	3.1%	96.9%
Grade 12	0.5%	0.5%	1.8%	98.2%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	1.3%	1.8%	3.8%	96.2%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	0.5%	0.7%	1.6%	98.4%
Grade 9	1.5%	2.0%	5.4%	94.6%
Grade 10	2.5%	3.3%	4.1%	95.9%
Grade 11	1.6%	3.6%	6.2%	93.8%
Grade 12	0.0%	0.0%	4.4%	95.6%
Methamphetamine				
All	0.1%	0.4%	1.0%	99.0%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	1.2%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.5%	1.3%	98.7%
Delta 8				
All	3.7%	6.1%	11.0%	89.0%
Grade 7	0.2%	0.2%	1.3%	98.7%
Grade 8	1.1%	2.0%	3.9%	96.1%
Grade 9	5.0%	6.7%	12.9%	87.1%
Grade 10	6.7%	11.5%	15.9%	84.1%
Grade 11	4.7%	9.6%	16.7%	83.3%
Grade 12	4.5%	7.2%	16.0%	84.0%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.6%	11.5%	22.2%	77.8%
Grade 7	2.8%	3.7%	9.9%	90.1%
Grade 8	7.5%	8.1%	15.1%	84.9%
Grade 9	9.5%	12.8%	23.3%	76.7%
Grade 10	11.3%	12.8%	22.6%	77.4%
Grade 11	11.8%	14.9%	32.1%	67.9%
Grade 12	16.9%	19.4%	34.5%	65.5%
Any Alcohol Product				
All	21.6%	25.3%	45.2%	54.8%
Grade 7	12.8%	14.3%	33.1%	66.9%
Grade 8	17.7%	20.6%	36.7%	63.3%
Grade 9	21.5%	24.1%	46.4%	53.6%
Grade 10	25.6%	30.2%	50.0%	50.0%
Grade 11	27.5%	34.0%	55.4%	44.6%
Grade 12	27.6%	32.2%	54.1%	45.9%
Any Illicit Drug				
All	6.9%	9.9%	13.9%	86.1%
Grade 7	2.3%	3.3%	4.8%	95.2%
Grade 8	4.0%	6.9%	8.5%	91.5%
Grade 9	8.1%	10.5%	13.7%	86.3%
Grade 10	10.2%	13.5%	16.7%	83.3%
Grade 11	8.3%	13.4%	21.4%	78.6%
Grade 12	10.0%	13.9%	21.6%	78.4%
Any Prescription Drug				
All	5.9%	7.2%	14.3%	85.7%
Grade 7	5.8%	8.7%	14.9%	85.1%
Grade 8	6.9%	8.2%	15.7%	84.3%
Grade 9	7.6%	7.9%	14.1%	85.9%
Grade 10	7.0%	7.8%	13.4%	86.6%
Grade 11	4.7%	6.2%	15.6%	84.4%
Grade 12	2.5%	3.8%	11.9%	88.1%
Any Inhalant				
All	3.8%	4.4%	9.2%	90.8%
Grade 7	5.3%	5.8%	11.1%	88.9%
Grade 8	3.4%	4.0%	8.0%	92.0%
Grade 9	4.4%	5.1%	11.1%	88.9%
Grade 10	2.5%	2.9%	8.0%	92.0%
Grade 11	3.6%	4.7%	8.8%	91.2%
Grade 12	3.2%	3.3%	7.5%	92.5%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.5%	8.8%	18.8%	81.2%
Grade 7	1.6%	2.3%	7.8%	92.2%
Grade 8	3.7%	4.7%	11.5%	88.5%
Grade 9	6.3%	10.3%	20.5%	79.5%
Grade 10	7.3%	10.0%	20.1%	79.9%
Grade 11	9.0%	11.5%	27.5%	72.5%
Grade 12	13.3%	16.2%	29.9%	70.1%
Marijuana				
All	6.3%	8.2%	12.5%	87.5%
Grade 7	1.2%	1.8%	3.3%	96.7%
Grade 8	3.5%	5.1%	7.1%	92.9%
Grade 9	7.4%	9.5%	12.6%	87.4%
Grade 10	9.5%	12.8%	16.0%	84.0%
Grade 11	7.9%	10.4%	18.1%	81.9%
Grade 12	9.9%	11.0%	21.1%	78.9%
Marijuana Only				
All	2.4%	3.3%	6.3%	93.7%
Grade 7	0.5%	1.1%	2.5%	97.5%
Grade 8	1.4%	2.5%	4.0%	96.0%
Grade 9	3.5%	4.7%	6.6%	93.4%
Grade 10	3.7%	5.2%	7.7%	92.3%
Grade 11	1.7%	3.0%	9.1%	90.9%
Grade 12	3.9%	3.9%	9.6%	90.4%
Cocaine or Crack				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	1.0%	1.5%	98.5%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	1.5%	1.5%	2.2%	97.8%
Grade 12	1.0%	1.3%	2.1%	97.9%
Cocaine				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	1.0%	1.5%	98.5%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.8%	0.8%	1.4%	98.6%
Grade 12	1.0%	1.0%	2.1%	97.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.8%	0.8%	1.7%	98.3%
Grade 12	0.0%	0.3%	0.3%	99.7%
Hallucinogens				
All	0.3%	0.6%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.6%	0.6%	1.6%	98.4%
Grade 10	0.4%	1.6%	2.5%	97.5%
Grade 11	0.6%	0.8%	3.8%	96.2%
Grade 12	0.0%	0.5%	3.6%	96.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.1%	0.3%	1.1%	98.9%
Grade 9	1.0%	1.2%	1.9%	98.1%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	1.3%	98.7%
Ecstasy				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.2%	1.0%	99.0%
Grade 12	0.3%	0.3%	1.1%	98.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	0.8%	1.0%	2.0%	98.0%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	1.2%	1.5%	3.1%	96.9%
Grade 10	0.5%	1.1%	1.5%	98.5%
Grade 11	1.7%	2.5%	4.3%	95.7%
Grade 12	0.2%	0.4%	2.4%	97.6%
Methamphetamine				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.3%	1.3%	98.7%
Delta 8				
All	1.9%	3.0%	5.1%	94.9%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.5%	1.2%	1.9%	98.1%
Grade 9	1.8%	2.4%	5.4%	94.6%
Grade 10	2.9%	5.5%	7.7%	92.3%
Grade 11	3.7%	5.7%	8.0%	92.0%
Grade 12	2.9%	4.2%	8.6%	91.4%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.3%	24.2%	35.6%	64.4%
Grade 7	9.4%	11.5%	23.2%	76.8%
Grade 8	11.0%	15.0%	26.5%	73.5%
Grade 9	19.4%	27.6%	39.9%	60.1%
Grade 10	26.6%	30.9%	41.6%	58.4%
Grade 11	20.8%	20.8%	38.7%	61.3%
Grade 12	31.3%	34.7%	39.8%	60.2%
Any Alcohol Product				
All	34.6%	39.5%	54.9%	45.1%
Grade 7	18.9%	21.8%	36.4%	63.6%
Grade 8	23.6%	29.4%	42.9%	57.1%
Grade 9	37.4%	40.1%	61.2%	38.8%
Grade 10	49.1%	54.3%	72.5%	27.5%
Grade 11	35.5%	43.4%	57.7%	42.3%
Grade 12	36.6%	41.3%	50.1%	49.9%
Any Illicit Drug				
All	14.2%	19.7%	27.9%	72.1%
Grade 7	7.9%	10.1%	15.0%	85.0%
Grade 8	10.4%	16.5%	22.4%	77.6%
Grade 9	11.6%	14.5%	27.4%	72.6%
Grade 10	22.1%	28.3%	34.5%	65.5%
Grade 11	12.1%	20.1%	30.1%	69.9%
Grade 12	18.5%	26.0%	35.0%	65.0%
Any Prescription Drug				
All	7.9%	11.2%	18.0%	82.0%
Grade 7	11.0%	15.2%	23.3%	76.7%
Grade 8	8.4%	12.3%	14.8%	85.2%
Grade 9	2.9%	6.1%	15.7%	84.3%
Grade 10	12.8%	19.4%	28.0%	72.0%
Grade 11	7.5%	7.5%	15.7%	84.3%
Grade 12	4.8%	5.9%	8.5%	91.5%
Any Inhalant				
All	4.9%	7.5%	13.8%	86.2%
Grade 7	5.9%	8.9%	19.7%	80.3%
Grade 8	7.0%	8.7%	15.7%	84.3%
Grade 9	6.0%	8.8%	14.2%	85.8%
Grade 10	3.5%	7.0%	15.0%	85.0%
Grade 11	4.3%	7.4%	13.8%	86.2%
Grade 12	3.4%	4.5%	4.5%	95.5%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.3%	20.3%	32.1%	67.9%
Grade 7	6.2%	8.3%	17.4%	82.6%
Grade 8	6.1%	11.2%	22.7%	77.3%
Grade 9	14.5%	21.6%	34.9%	65.1%
Grade 10	20.7%	28.5%	40.4%	59.6%
Grade 11	18.7%	19.7%	36.0%	64.0%
Grade 12	22.7%	28.2%	36.6%	63.4%
Marijuana				
All	12.8%	15.7%	22.9%	77.1%
Grade 7	6.1%	8.3%	10.0%	90.0%
Grade 8	10.4%	12.3%	14.6%	85.4%
Grade 9	11.6%	12.8%	23.2%	76.8%
Grade 10	17.4%	23.3%	31.6%	68.4%
Grade 11	10.9%	16.6%	27.8%	72.2%
Grade 12	18.5%	18.5%	26.5%	73.5%
Marijuana Only				
All	4.7%	6.3%	10.2%	89.8%
Grade 7	4.4%	6.6%	6.6%	93.4%
Grade 8	5.8%	7.7%	9.9%	90.1%
Grade 9	1.3%	1.3%	10.6%	89.4%
Grade 10	10.5%	13.6%	17.2%	82.8%
Grade 11	2.1%	4.2%	9.7%	90.3%
Grade 12	3.4%	3.4%	4.7%	95.3%
Cocaine or Crack				
All	0.8%	0.9%	2.3%	97.7%
Grade 7	1.2%	1.2%	2.4%	97.6%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.9%	2.9%	3.9%	96.1%
Grade 11	0.0%	0.0%	3.4%	96.6%
Grade 12	0.0%	1.1%	3.8%	96.2%
Cocaine				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.9%	2.9%	3.9%	96.1%
Grade 11	0.0%	0.0%	3.4%	96.6%
Grade 12	0.0%	1.1%	1.1%	98.9%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.4%	1.4%	98.6%
Grade 7	1.2%	1.2%	1.7%	98.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.9%	97.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.1%	3.8%	96.2%
Hallucinogens				
All	1.1%	2.8%	6.8%	93.2%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	1.7%	1.7%	5.4%	94.6%
Grade 9	2.5%	2.5%	3.8%	96.2%
Grade 10	1.0%	3.0%	9.3%	90.7%
Grade 11	0.0%	2.3%	8.9%	91.1%
Grade 12	1.1%	7.1%	10.8%	89.2%
Synthetic Cathinones				
All	0.0%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	1.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.9%	1.1%	2.5%	97.5%
Grade 7	0.0%	1.3%	3.0%	97.0%
Grade 8	1.0%	1.0%	3.8%	96.2%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	2.8%	2.8%	5.7%	94.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.3%	98.7%
Ecstasy				
All	0.2%	0.5%	2.5%	97.5%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	1.1%	6.0%	94.0%
Grade 11	1.0%	1.0%	1.0%	99.0%
Grade 12	0.0%	1.1%	3.4%	96.6%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	1.1%	98.9%
Grade 7	0.5%	0.5%	2.2%	97.8%
Grade 8	0.0%	1.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.9%	97.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.5%	2.5%	5.3%	94.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	2.2%	2.2%	97.8%
Grade 9	0.0%	1.3%	4.1%	95.9%
Grade 10	3.5%	5.4%	9.1%	90.9%
Grade 11	2.0%	3.2%	4.4%	95.6%
Grade 12	2.1%	2.1%	10.2%	89.8%
Methamphetamine				
All	0.0%	0.7%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	2.6%	7.0%	93.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.1%	98.9%
Delta 8				
All	4.3%	7.4%	12.6%	87.4%
Grade 7	1.2%	1.2%	4.4%	95.6%
Grade 8	1.2%	2.0%	5.7%	94.3%
Grade 9	3.9%	7.7%	10.1%	89.9%
Grade 10	6.6%	7.5%	12.9%	87.1%
Grade 11	6.5%	10.3%	19.1%	80.9%
Grade 12	5.5%	14.8%	22.4%	77.6%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	21,772	51.3%
Female	20,645	48.7%
Frequency Missing	290	

Hispanic or Latino

Q5a	Frequency	Percent
No	26,802	64.0%
Yes	15,107	36.0%
Frequency Missing	797	

Grade

Q2	Frequency	Percent
Grade 7	7,821	18.4%
Grade 8	7,312	17.2%
Grade 9	7,841	18.4%
Grade 10	7,124	16.7%
Grade 11	6,318	14.8%
Grade 12	6,151	14.5%
Frequency Missing	139	

Ethnicity

Q5b	Frequency	Percent
American Indian	765	1.8%
Asian American	457	1.1%
African American	2,599	6.2%
Pacific Islander	124	0.3%
White	25,375	61.0%
Other	5,591	13.4%
More Than One Race	6,707	16.1%
Frequency Missing	1,089	

Live with Both Parents

Q3	Frequency	Percent
No	16,346	38.6%
Yes	26,023	61.4%
Frequency Missing	338	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	189	0.4%
Mostly D's	654	1.5%
Mostly C's	4,022	9.4%
Mostly B's	16,970	39.8%
Mostly A's	20,786	48.8%
Frequency Missing	85	

Age

Q4	Frequency	Percent
11 or younger	213	0.5%
12	2,973	7.0%
13	7,268	17.1%
14	7,260	17.0%
15	8,210	19.3%
16	6,690	15.7%
17	6,414	15.1%
18	3,373	7.9%
19 or older	215	0.5%
Frequency Missing	92	

Do You Have a Job

Q7	Frequency	Percent
No	31,547	74.2%
Yes	10,979	25.8%
Frequency Missing	180	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	10,383	24.5%
Yes	15,186	35.8%
Don't Know	16,882	39.8%
Frequency Missing	256	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	13,341	32.3%
Yes	27,985	67.7%
Frequency Missing	1,380	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	26,066	67.6%
Yes	12,474	32.4%
Frequency Missing	4,166	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	29,955	77.9%
Yes	8,508	22.1%
Frequency Missing	4,242	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	29,800	78.4%
Yes	8,210	21.6%
Frequency Missing	4,696	

Participate in School Choir

Q9c	Frequency	Percent
No	36,048	96.3%
Yes	1,394	3.7%
Frequency Missing	5,264	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	26,312	68.4%
Yes	12,175	31.6%
Frequency Missing	4,220	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	33,786	89.4%
Yes	3,991	10.6%
Frequency Missing	4,929	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	30,926	81.6%
Yes	6,981	18.4%
Frequency Missing	4,799	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	33,567	88.6%
Yes	4,299	11.4%
Frequency Missing	4,840	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	37,692	88.7%
Somewhat Safe	4,092	9.6%
Not Very Safe	431	1.0%
Not Safe At All	109	0.3%
Don't Know	177	0.4%
Frequency Missing	204	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	21,780	51.4%
Somewhat Safe	16,729	39.5%
Not Very Safe	2,296	5.4%
Not Safe At All	351	0.8%
Don't Know	1,230	2.9%
Frequency Missing	320	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	22,872	54.7%
Yes	18,915	45.3%
Frequency Missing	919	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	16,925	40.0%
Somewhat Safe	19,633	46.4%
Not Very Safe	3,149	7.4%
Not Safe At All	1,423	3.4%
Don't Know	1,149	2.7%
Frequency Missing	427	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	1,775	4.2%
A Few	7,663	18.2%
Some	9,807	23.3%
Most	15,652	37.2%
All	7,137	17.0%
Frequency Missing	672	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	2,940	7.0%
Some High School	3,593	8.6%
Finished High School	10,582	25.3%
Some College	5,313	12.7%
Finished College	7,732	18.5%
Post-Secondary	3,768	9.0%
Don't Know or N/A	7,836	18.8%
Frequency Missing	942	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	1,191	2.8%
A Few	4,671	11.1%
Some	11,068	26.4%
Most	17,793	42.4%
All	7,266	17.3%
Frequency Missing	717	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	2,812	6.7%
Some High School	3,300	7.9%
Finished High School	8,601	20.6%
Some College	5,919	14.2%
Finished College	10,340	24.7%
Post-Secondary	5,946	14.2%
Don't Know or N/A	4,885	11.7%
Frequency Missing	902	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	18,020	43.2%
A Few	13,329	32.0%
Some	5,783	13.9%
Most	3,082	7.4%
All	1,466	3.5%
Frequency Missing	1,026	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	30,070	71.7%
A Few	7,070	16.9%
Some	2,804	6.7%
Most	1,311	3.1%
All	671	1.6%
Frequency Missing	780	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	41,743	99.4%
In Your Lifetime	131	0.3%
Since School Began	4	0.0%
In the Past Month	125	0.3%
Frequency Missing	702	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	37,778	90.4%
A Few	2,678	6.4%
Some	613	1.5%
Most	235	0.6%
All	483	1.2%
Frequency Missing	919	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	40,230	95.6%
In Your Lifetime	1,204	2.9%
Since School Began	229	0.5%
In the Past Month	430	1.0%
Frequency Missing	614	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	41,095	97.6%
In Your Lifetime	705	1.7%
Since School Began	85	0.2%
In the Past Month	230	0.5%
Frequency Missing	591	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	41,460	98.7%
In Your Lifetime	365	0.9%
Since School Began	55	0.1%
In the Past Month	143	0.3%
Frequency Missing	684	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	40,263	95.9%
In Your Lifetime	1,105	2.6%
Since School Began	253	0.6%
In the Past Month	358	0.9%
Frequency Missing	727	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	41,404	98.8%
In Your Lifetime	313	0.7%
Since School Began	18	0.0%
In the Past Month	188	0.4%
Frequency Missing	783	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	40,949	97.6%
In Your Lifetime	598	1.4%
Since School Began	36	0.1%
In the Past Month	394	0.9%
Frequency Missing	729	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	28,912	68.8%
In Your Lifetime	7,548	18.0%
Since School Began	2,061	4.9%
In the Past Month	3,484	8.3%
Frequency Missing	702	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	41,370	98.5%
In Your Lifetime	245	0.6%
Since School Began	51	0.1%
In the Past Month	323	0.8%
Frequency Missing	717	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	32,244	76.7%
In Your Lifetime	5,254	12.5%
Since School Began	1,686	4.0%
In the Past Month	2,838	6.8%
Frequency Missing	684	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	38,370	90.8%
In Your Lifetime	2,672	6.3%
Since School Began	447	1.1%
In the Past Month	762	1.8%
Frequency Missing	455	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	33,412	79.7%
In Your Lifetime	5,713	13.6%
Since School Began	1,247	3.0%
In the Past Month	1,538	3.7%
Frequency Missing	795	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	39,955	95.1%
In Your Lifetime	1,249	3.0%
Since School Began	207	0.5%
In the Past Month	611	1.5%
Frequency Missing	684	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	30,725	73.3%
In Your Lifetime	6,042	14.4%
Since School Began	1,981	4.7%
In the Past Month	3,158	7.5%
Frequency Missing	800	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	40,657	96.9%
In Your Lifetime	881	2.1%
Since School Began	100	0.2%
In the Past Month	314	0.7%
Frequency Missing	754	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	33,297	79.1%
In Your Lifetime	4,408	10.5%
Since School Began	1,101	2.6%
In the Past Month	3,273	7.8%
Frequency Missing	627	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	40,987	97.3%
In Your Lifetime	716	1.7%
Since School Began	237	0.6%
In the Past Month	168	0.4%
Frequency Missing	599	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	36,760	87.2%
In Your Lifetime	2,818	6.7%
Since School Began	998	2.4%
In the Past Month	1,567	3.7%
Frequency Missing	563	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	42,009	99.8%
In Your Lifetime	67	0.2%
Since School Began	10	0.0%
In the Past Month	20	0.0%
Frequency Missing	600	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	41,744	99.1%
In Your Lifetime	227	0.5%
Since School Began	54	0.1%
In the Past Month	86	0.2%
Frequency Missing	595	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	41,642	98.9%
In Your Lifetime	266	0.6%
Since School Began	64	0.2%
In the Past Month	124	0.3%
Frequency Missing	610	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	41,816	99.5%
In Your Lifetime	165	0.4%
Since School Began	24	0.1%
In the Past Month	22	0.1%
Frequency Missing	679	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	41,732	99.2%
In Your Lifetime	233	0.6%
Since School Began	56	0.1%
In the Past Month	64	0.2%
Frequency Missing	622	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	41,969	99.7%
In Your Lifetime	102	0.2%
Since School Began	0	0.0%
In the Past Month	23	0.1%
Frequency Missing	612	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	37,643	90.1%
In Your Lifetime	2,356	5.6%
Since School Began	635	1.5%
In the Past Month	1,132	2.7%
Frequency Missing	940	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	41,804	99.3%
In Your Lifetime	199	0.5%
Since School Began	44	0.1%
In the Past Month	47	0.1%
Frequency Missing	612	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	40,602	97.6%
In Your Lifetime	565	1.4%
Since School Began	206	0.5%
In the Past Month	235	0.6%
Frequency Missing	1,099	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	41,164	98.0%
In Your Lifetime	528	1.3%
Since School Began	111	0.3%
In the Past Month	217	0.5%
Frequency Missing	686	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	40,535	97.3%
In Your Lifetime	614	1.5%
Since School Began	209	0.5%
In the Past Month	308	0.7%
Frequency Missing	1,041	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	39,511	94.1%
In Your Lifetime	1,329	3.2%
Since School Began	372	0.9%
In the Past Month	757	1.8%
Frequency Missing	737	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	39,741	95.8%
In Your Lifetime	771	1.9%
Since School Began	245	0.6%
In the Past Month	747	1.8%
Frequency Missing	1,202	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	38,741	93.1%
In Your Lifetime	1,368	3.3%
Since School Began	352	0.8%
In the Past Month	1,158	2.8%
Frequency Missing	1,087	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	41,117	98.1%
1-2 times	636	1.5%
3-10 times	41	0.1%
11+ times	114	0.3%
Frequency Missing	798	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	40,915	98.6%
In Your Lifetime	332	0.8%
Since School Began	15	0.0%
In the Past Month	246	0.6%
Frequency Missing	1,198	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	39,132	93.1%
1-2 times	1,330	3.2%
3-10 times	461	1.1%
11+ times	1,110	2.6%
Frequency Missing	673	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	38,984	92.8%
1-2 times	1,619	3.9%
3-10 times	368	0.9%
11+ times	1,045	2.5%
Frequency Missing	691	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	41,750	99.5%
1-2 times	156	0.4%
3-10 times	47	0.1%
11+ times	0	0.0%
Frequency Missing	752	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	33,175	79.2%
1-2 times	5,085	12.1%
3-10 times	2,319	5.5%
11+ times	1,334	3.2%
Frequency Missing	793	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	41,761	99.9%
1-2 times	56	0.1%
3-10 times	0	0.0%
11+ times	0	0.0%
Frequency Missing	889	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	33,678	80.4%
A few	4,811	11.5%
Some	1,942	4.6%
Most	1,045	2.5%
All	413	1.0%
Frequency Missing	818	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	24,174	57.8%
A few	9,321	22.3%
Some	4,480	10.7%
Most	2,927	7.0%
All	925	2.2%
Frequency Missing	879	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	25,931	62.2%
8 or younger	1,791	4.3%
9 years old	664	1.6%
10 years old	1,120	2.7%
11 years old	1,218	2.9%
12 years old	1,970	4.7%
13 years old	2,412	5.8%
14 years old	2,410	5.8%
15 years old	1,989	4.8%
16 years old	1,444	3.5%
17 years old	624	1.5%
18 or older	112	0.3%
Frequency Missing	1,021	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	38,891	93.3%
A few	1,996	4.8%
Some	428	1.0%
Most	261	0.6%
All	93	0.2%
Frequency Missing	1,037	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	40,644	97.2%
8 or younger	217	0.5%
9 years old	120	0.3%
10 years old	108	0.3%
11 years old	133	0.3%
12 years old	166	0.4%
13 years old	197	0.5%
14 years old	146	0.4%
15 years old	38	0.1%
16 years old	0	0.0%
17 years old	24	0.1%
18 or older	0	0.0%
Frequency Missing	912	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	30,679	73.5%
A few	6,006	14.4%
Some	3,099	7.4%
Most	1,497	3.6%
All	455	1.1%
Frequency Missing	970	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	36,488	87.1%
8 or younger	112	0.3%
9 years old	151	0.4%
10 years old	179	0.4%
11 years old	360	0.9%
12 years old	634	1.5%
13 years old	1,188	2.8%
14 years old	905	2.2%
15 years old	891	2.1%
16 years old	734	1.8%
17 years old	248	0.6%
18 or older	20	0.0%
Frequency Missing	797	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	36,881	87.9%
8 or younger	334	0.8%
9 years old	262	0.6%
10 years old	423	1.0%
11 years old	442	1.1%
12 years old	772	1.8%
13 years old	789	1.9%
14 years old	764	1.8%
15 years old	551	1.3%
16 years old	475	1.1%
17 years old	184	0.4%
18 or older	84	0.2%
Frequency Missing	746	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	41,579	99.2%
8 or younger	6	0.0%
9 years old	4	0.0%
10 years old	0	0.0%
11 years old	35	0.1%
12 years old	0	0.0%
13 years old	93	0.2%
14 years old	30	0.1%
15 years old	67	0.2%
16 years old	54	0.1%
17 years old	27	0.1%
18 or older	0	0.0%
Frequency Missing	811	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	41,516	99.2%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	4	0.0%
13 years old	125	0.3%
14 years old	63	0.2%
15 years old	61	0.1%
16 years old	53	0.1%
17 years old	10	0.0%
18 or older	0	0.0%
Frequency Missing	874	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	41,788	99.8%
8 or younger	4	0.0%
9 years old	4	0.0%
10 years old	0	0.0%
11 years old	29	0.1%
12 years old	4	0.0%
13 years old	16	0.0%
14 years old	0	0.0%
15 years old	22	0.1%
16 years old	0	0.0%
17 years old	13	0.0%
Frequency Missing	825	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	41,831	99.9%
8 or younger	0	0.0%
9 years old	4	0.0%
10 years old	0	0.0%
11 years old	29	0.1%
12 years old	4	0.0%
13 years old	9	0.0%
14 years old	13	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	815	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	41,475	99.1%
8 or younger	13	0.0%
9 years old	13	0.0%
10 years old	23	0.1%
11 years old	32	0.1%
12 years old	39	0.1%
13 years old	37	0.1%
14 years old	63	0.1%
15 years old	73	0.2%
16 years old	53	0.1%
17 years old	0	0.0%
18 or older	10	0.0%
Frequency Missing	875	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	41,608	99.3%
8 or younger	7	0.0%
9 years old	13	0.0%
10 years old	4	0.0%
11 years old	29	0.1%
12 years old	9	0.0%
13 years old	20	0.0%
14 years old	36	0.1%
15 years old	28	0.1%
16 years old	70	0.2%
17 years old	43	0.1%
18 or older	24	0.1%
Frequency Missing	813	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	41,229	98.4%
8 or younger	0	0.0%
9 years old	19	0.0%
10 years old	0	0.0%
11 years old	40	0.1%
12 years old	0	0.0%
13 years old	138	0.3%
14 years old	208	0.5%
15 years old	63	0.2%
16 years old	137	0.3%
17 years old	64	0.2%
18 or older	0	0.0%
Frequency Missing	808	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	39,571	94.5%
8 or younger	39	0.1%
9 years old	72	0.2%
10 years old	66	0.2%
11 years old	94	0.2%
12 years old	130	0.3%
13 years old	487	1.2%
14 years old	386	0.9%
15 years old	404	1.0%
16 years old	489	1.2%
17 years old	127	0.3%
18 or older	13	0.0%
Frequency Missing	827	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	12,823	30.8%
Impossible	9,255	22.2%
Very Difficult	3,846	9.2%
Somewhat diff	4,882	11.7%
Somewhat easy	4,733	11.4%
Very easy	6,089	14.6%
Frequency Missing	1,079	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	10,218	24.6%
Impossible	6,134	14.7%
Very Difficult	3,151	7.6%
Somewhat diff	4,586	11.0%
Somewhat easy	7,593	18.3%
Very easy	9,921	23.8%
Frequency Missing	1,103	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	17,000	41.0%
Impossible	8,366	20.2%
Very Difficult	2,092	5.0%
Somewhat diff	2,428	5.9%
Somewhat easy	3,754	9.1%
Very easy	7,816	18.9%
Frequency Missing	1,251	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	13,446	32.4%
Impossible	11,772	28.3%
Very Difficult	3,859	9.3%
Somewhat diff	3,833	9.2%
Somewhat easy	3,621	8.7%
Very easy	4,993	12.0%
Frequency Missing	1,182	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	16,507	39.9%
Impossible	15,872	38.3%
Very Difficult	4,467	10.8%
Somewhat diff	2,408	5.8%
Somewhat easy	902	2.2%
Very easy	1,231	3.0%
Frequency Missing	1,319	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	17,102	41.2%
Impossible	16,112	38.8%
Very Difficult	4,546	11.0%
Somewhat diff	1,913	4.6%
Somewhat easy	706	1.7%
Very easy	1,123	2.7%
Frequency Missing	1,204	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	19,873	47.9%
Impossible	14,984	36.1%
Very Difficult	3,547	8.6%
Somewhat diff	1,495	3.6%
Somewhat easy	621	1.5%
Very easy	946	2.3%
Frequency Missing	1,240	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	17,358	41.9%
Impossible	14,008	33.8%
Very Difficult	4,255	10.3%
Somewhat diff	2,957	7.1%
Somewhat easy	1,468	3.5%
Very easy	1,405	3.4%
Frequency Missing	1,255	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	21,503	51.9%
Impossible	12,517	30.2%
Very Difficult	3,102	7.5%
Somewhat diff	1,990	4.8%
Somewhat easy	922	2.2%
Very easy	1,416	3.4%
Frequency Missing	1,257	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	22,445	54.2%
Impossible	12,642	30.5%
Very Difficult	3,528	8.5%
Somewhat diff	1,389	3.4%
Somewhat easy	615	1.5%
Very easy	822	2.0%
Frequency Missing	1,266	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	21,276	51.5%
Impossible	11,060	26.7%
Very Difficult	2,850	6.9%
Somewhat diff	1,970	4.8%
Somewhat easy	1,726	4.2%
Very easy	2,470	6.0%
Frequency Missing	1,354	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	19,118	46.2%
Impossible	15,819	38.2%
Very Difficult	3,692	8.9%
Somewhat diff	1,412	3.4%
Somewhat easy	545	1.3%
Very easy	790	1.9%
Frequency Missing	1,329	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	833	2.0%
Several times/wk	343	0.8%
Several times/mo	285	0.7%
About once/month	639	1.5%
About once/year	782	1.9%
Less than once/year	1,646	4.0%
Never used	37,123	89.1%
Frequency Missing	1,055	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	148	0.4%
Several times/wk	441	1.1%
Several times/mo	1,945	4.7%
About once/month	3,375	8.1%
About once/year	3,857	9.3%
Less than once/year	4,080	9.8%
Never used	27,742	66.7%
Frequency Missing	1,118	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	9	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	51	0.1%
About once/year	79	0.2%
Less than once/year	133	0.3%
Never used	41,269	99.3%
Frequency Missing	1,165	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	4	0.0%
Several times/wk	37	0.1%
Several times/mo	154	0.4%
About once/month	85	0.2%
About once/year	251	0.6%
Less than once/year	436	1.1%
Never used	40,439	97.7%
Frequency Missing	1,300	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	4	0.0%
About once/month	0	0.0%
About once/year	40	0.1%
Less than once/year	51	0.1%
Never used	41,457	99.8%
Frequency Missing	1,155	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	454	1.1%
Several times/wk	333	0.8%
Several times/mo	596	1.4%
About once/month	658	1.6%
About once/year	1,018	2.5%
Less than once/year	1,441	3.5%
Never used	36,986	89.2%
Frequency Missing	1,219	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	8	0.0%
Several times/wk	13	0.0%
Several times/mo	22	0.1%
About once/month	43	0.1%
About once/year	32	0.1%
Less than once/year	207	0.5%
Never used	41,191	99.2%
Frequency Missing	1,191	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	52	0.1%
About once/month	0	0.0%
About once/year	139	0.3%
Less than once/year	117	0.3%
Never used	41,239	99.3%
Frequency Missing	1,159	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	65	0.2%
Several times/wk	0	0.0%
Several times/mo	126	0.3%
About once/month	131	0.3%
About once/year	240	0.6%
Less than once/year	205	0.5%
Never used	40,662	98.1%
Frequency Missing	1,277	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	62	0.2%
Several times/wk	0	0.0%
Several times/mo	4	0.0%
About once/month	9	0.0%
About once/year	0	0.0%
Less than once/year	43	0.1%
Never used	41,385	99.7%
Frequency Missing	1,203	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	208	0.5%
Several times/wk	129	0.3%
Several times/mo	224	0.5%
About once/month	535	1.3%
About once/year	322	0.8%
Less than once/year	583	1.4%
Never used	39,351	95.2%
Frequency Missing	1,356	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	9	0.0%
About once/year	95	0.2%
Less than once/year	126	0.3%
Never used	41,320	99.4%
Frequency Missing	1,157	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	27,980	67.4%
12+ drinks	1,003	2.4%
9-11 drinks	677	1.6%
5-8 drinks	1,007	2.4%
3-4 drinks	1,606	3.9%
2 drinks	1,915	4.6%
1 drink	2,939	7.1%
Less than 1 drink	4,409	10.6%
Frequency Missing	1,172	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	31,571	76.3%
12+ drinks	564	1.4%
9-11 drinks	449	1.1%
5-8 drinks	929	2.2%
3-4 drinks	1,686	4.1%
2 drinks	1,627	3.9%
1 drink	1,999	4.8%
Less than 1 drink	2,568	6.2%
Frequency Missing	1,314	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	22,319	54.3%
0 days	15,078	36.7%
1 day	1,134	2.8%
2 days	937	2.3%
3 to 5 days	690	1.7%
6 to 9 days	303	0.7%
10 or more days	658	1.6%
Frequency Missing	1,587	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	32,813	79.3%
12+ drinks	264	0.6%
9-11 drinks	111	0.3%
5-8 drinks	424	1.0%
3-4 drinks	611	1.5%
2 drinks	996	2.4%
1 drink	2,265	5.5%
Less than 1 drink	3,877	9.4%
Frequency Missing	1,345	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	26,957	64.9%
Never	5,759	13.9%
Seldom	6,099	14.7%
Most of the Time	1,998	4.8%
Always	715	1.7%
Frequency Missing	1,177	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	29,703	71.7%
12+ drinks	866	2.1%
9-11 drinks	354	0.9%
5-8 drinks	1,141	2.8%
3-4 drinks	2,089	5.0%
2 drinks	1,373	3.3%
1 drink	2,512	6.1%
Less than 1 drink	3,401	8.2%
Frequency Missing	1,267	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	27,836	67.3%
Never	6,610	16.0%
Seldom	3,892	9.4%
Most of the Time	2,340	5.7%
Always	713	1.7%
Frequency Missing	1,315	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	29,042	70.2%
Never	9,674	23.4%
Seldom	1,190	2.9%
Most of the Time	778	1.9%
Always	665	1.6%
Frequency Missing	1,356	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	27,598	66.6%
Never	6,583	15.9%
Seldom	3,196	7.7%
Most of the Time	2,571	6.2%
Always	1,464	3.5%
Frequency Missing	1,295	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	30,126	72.8%
Somewhat	5,750	13.9%
Not very	1,819	4.4%
Not at all	613	1.5%
Don't know	3,054	7.4%
Frequency Missing	1,345	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	28,953	70.2%
Never	7,551	18.3%
Seldom	2,471	6.0%
Most of the Time	1,293	3.1%
Always	967	2.3%
Frequency Missing	1,472	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	27,285	65.9%
Somewhat	6,440	15.6%
Not very	3,448	8.3%
Not at all	2,230	5.4%
Don't know	2,010	4.9%
Frequency Missing	1,292	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	26,441	63.6%
Somewhat	9,781	23.5%
Not very	2,697	6.5%
Not at all	634	1.5%
Don't know	2,004	4.8%
Frequency Missing	1,148	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	37,003	89.2%
Somewhat	1,754	4.2%
Not very	324	0.8%
Not at all	275	0.7%
Don't know	2,124	5.1%
Frequency Missing	1,225	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	20,602	49.7%
Somewhat	12,443	30.0%
Not very	5,640	13.6%
Not at all	1,099	2.6%
Don't know	1,706	4.1%
Frequency Missing	1,216	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	37,256	89.8%
Somewhat	1,555	3.7%
Not very	270	0.7%
Not at all	284	0.7%
Don't know	2,137	5.1%
Frequency Missing	1,204	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	34,097	82.2%
Somewhat	2,073	5.0%
Not very	485	1.2%
Not at all	265	0.6%
Don't know	4,539	10.9%
Frequency Missing	1,247	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	33,271	80.2%
Somewhat	2,447	5.9%
Not very	1,022	2.5%
Not at all	575	1.4%
Don't know	4,173	10.1%
Frequency Missing	1,219	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	30,482	73.5%
Somewhat	4,986	12.0%
Not very	2,181	5.3%
Not at all	806	1.9%
Don't know	2,990	7.2%
Frequency Missing	1,260	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	30,811	74.5%
Somewhat	2,970	7.2%
Not very	1,892	4.6%
Not at all	1,106	2.7%
Don't know	4,598	11.1%
Frequency Missing	1,329	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	36,716	88.6%
Somewhat	1,243	3.0%
Not very	368	0.9%
Not at all	296	0.7%
Don't know	2,814	6.8%
Frequency Missing	1,268	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	31,889	77.1%
Somewhat	4,367	10.6%
Not very	1,365	3.3%
Not at all	826	2.0%
Don't know	2,898	7.0%
Frequency Missing	1,361	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	36,770	88.6%
Somewhat	1,380	3.3%
Not very	277	0.7%
Not at all	267	0.6%
Don't know	2,829	6.8%
Frequency Missing	1,183	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	27,671	66.7%
Somewhat	7,279	17.5%
Not very	3,198	7.7%
Not at all	1,154	2.8%
Don't know	2,187	5.3%
Frequency Missing	1,218	

Days Skipped Since September

Q28a	Frequency	Percent
None	30,572	74.4%
1-3 days	7,504	18.3%
4-9 days	1,886	4.6%
10+ days	1,135	2.8%
Frequency Missing	1,609	

Someone Called Home Since September

Q28e	Frequency	Percent
None	37,488	91.3%
1-3 days	2,945	7.2%
4-9 days	214	0.5%
10+ days	423	1.0%
Frequency Missing	1,636	

Days Ill Since September

Q28b	Frequency	Percent
None	11,547	28.0%
1-3 days	19,181	46.5%
4-9 days	7,855	19.1%
10+ days	2,623	6.4%
Frequency Missing	1,500	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	39,612	96.3%
1-3 times	1,284	3.1%
4-9 times	230	0.6%
10+ times	27	0.1%
Frequency Missing	1,553	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	14,149	34.9%
1-3 days	20,059	49.5%
4-9 days	4,221	10.4%
10+ days	2,105	5.2%
Frequency Missing	2,172	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	39,616	96.3%
1-3 times	875	2.1%
4-9 times	284	0.7%
10+ times	355	0.9%
Frequency Missing	1,576	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	35,870	87.3%
1-3 days	3,975	9.7%
4-9 days	716	1.7%
10+ days	536	1.3%
Frequency Missing	1,610	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	40,131	97.7%
1-3 times	764	1.9%
4-9 times	51	0.1%
10+ times	150	0.4%
Frequency Missing	1,610	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	39,963	97.1%
1-3 times	733	1.8%
4-9 times	227	0.6%
10+ times	214	0.5%
Frequency Missing	1,570	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	40,026	97.5%
1-3 days	686	1.7%
4-9 days	188	0.5%
10+ days	153	0.4%
Frequency Missing	1,654	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	23,415	57.1%
Seldom	2,174	5.3%
Half the time	1,238	3.0%
Most of the Time	2,272	5.5%
Always	3,040	7.4%
Don't Know	836	2.0%
Didn't attend	8,001	19.5%
Frequency Missing	1,731	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	39,311	95.8%
1-3 days	927	2.3%
4-9 days	277	0.7%
10+ days	504	1.2%
Frequency Missing	1,687	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	27,078	66.0%
Seldom	1,669	4.1%
Half the time	1,082	2.6%
Most of the Time	1,182	2.9%
Always	1,009	2.5%
Don't Know	989	2.4%
Didn't attend	7,989	19.5%
Frequency Missing	1,708	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	40,857	99.5%
1-3 days	116	0.3%
4-9 days	45	0.1%
10+ days	43	0.1%
Frequency Missing	1,645	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	37,630	95.0%
Yes	1,970	5.0%
Frequency Missing	3,106	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	40,704	99.3%
1-3 days	154	0.4%
4-9 days	59	0.1%
10+ days	88	0.2%
Frequency Missing	1,701	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	25,540	63.4%
Yes	14,751	36.6%
Frequency Missing	2,415	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	30,546	76.6%
Yes	9,335	23.4%
Frequency Missing	2,825	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	16,176	40.3%
Yes	23,936	59.7%
Frequency Missing	2,594	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	22,573	56.5%
Yes	17,384	43.5%
Frequency Missing	2,749	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	24,083	60.4%
Yes	15,765	39.6%
Frequency Missing	2,858	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	11,252	27.8%
Yes	29,184	72.2%
Frequency Missing	2,269	

Would Not Seek Help

Q33i	Frequency	Percent
No	30,943	78.9%
Yes	8,263	21.1%
Frequency Missing	3,500	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	17,862	44.5%
Yes	22,315	55.5%
Frequency Missing	2,529	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	21,780	54.2%
Yes	18,384	45.8%
Frequency Missing	2,542	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	14,423	36.0%
Yes	25,696	64.0%
Frequency Missing	2,587	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	16,857	41.8%
Yes	23,486	58.2%
Frequency Missing	2,363	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	27,203	68.0%
Yes	12,804	32.0%
Frequency Missing	2,699	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	26,194	65.5%
Yes	13,805	34.5%
Frequency Missing	2,708	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	32,400	81.2%
Yes	7,513	18.8%
Frequency Missing	2,793	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	31,427	76.9%
Mild disapprove	2,993	7.3%
Neither	2,378	5.8%
Mildly approve	385	0.9%
Strongly approve	443	1.1%
Don't know	3,251	8.0%
Frequency Missing	1,829	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	30,202	75.6%
Yes	9,769	24.4%
Frequency Missing	2,735	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	23,734	58.1%
Mild disapprove	6,004	14.7%
Neither	5,438	13.3%
Mildly approve	2,144	5.2%
Strongly approve	512	1.3%
Don't know	3,030	7.4%
Frequency Missing	1,844	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	33,871	85.1%
Yes	5,912	14.9%
Frequency Missing	2,924	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	31,997	78.5%
Mild disapprove	2,710	6.6%
Neither	1,976	4.8%
Mildly approve	617	1.5%
Strongly approve	427	1.0%
Don't know	3,059	7.5%
Frequency Missing	1,921	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	21,726	54.1%
Yes	18,398	45.9%
Frequency Missing	2,582	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

