
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2024



HHSC REGION 3 AND 7 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	55
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	109

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 3 and 7. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	7.4%	9.2%	16.0%	84.0%
Grade 7	3.8%	5.1%	12.2%	87.8%
Grade 8	5.0%	7.0%	11.7%	88.3%
Grade 9	5.9%	7.9%	14.3%	85.7%
Grade 10	7.6%	10.7%	18.7%	81.3%
Grade 11	11.7%	13.3%	23.3%	76.7%
Grade 12	19.0%	19.0%	23.8%	76.2%
Cigarettes?				
All	1.4%	2.0%	6.1%	93.9%
Grade 7	0.6%	0.8%	3.8%	96.2%
Grade 8	0.8%	1.4%	3.8%	96.2%
Grade 9	0.4%	0.4%	4.2%	95.8%
Grade 10	0.0%	0.8%	3.9%	96.1%
Grade 11	5.0%	6.7%	16.7%	83.3%
Grade 12	4.8%	4.8%	9.5%	90.5%
Smokeless Tobacco?				
All	1.0%	1.4%	3.2%	96.8%
Grade 7	0.6%	1.0%	2.1%	97.9%
Grade 8	0.4%	0.6%	2.1%	97.9%
Grade 9	0.0%	0.4%	2.9%	97.1%
Grade 10	0.8%	0.8%	2.5%	97.5%
Grade 11	1.7%	3.3%	6.7%	93.3%
Grade 12	4.8%	4.8%	4.8%	95.2%
Electronic Vapor Products?				
All	4.7%	6.9%	12.4%	87.6%
Grade 7	1.5%	3.4%	10.0%	90.0%
Grade 8	3.0%	5.2%	9.8%	90.2%
Grade 9	2.9%	5.4%	11.6%	88.4%
Grade 10	6.8%	9.0%	15.6%	84.4%
Grade 11	5.0%	8.3%	15.0%	85.0%
Grade 12	16.7%	16.7%	16.7%	83.3%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	95.5%	0.3%	0.3%	0.3%	1.2%	0.3%	2.0%
Grade 7	96.8%	0.1%	0.1%	0.1%	0.9%	0.7%	1.3%
Grade 8	96.0%	0.3%	0.4%	0.4%	0.4%	0.7%	1.8%
Grade 9	96.6%	0.5%	0.5%	0.0%	0.0%	0.0%	2.5%
Grade 10	95.5%	0.9%	0.9%	0.0%	1.8%	0.0%	0.9%
Grade 11	93.0%	0.0%	0.0%	1.8%	3.5%	0.0%	1.8%
Grade 12	92.5%	0.0%	0.0%	0.0%	2.5%	0.0%	5.0%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.6	10.5	11.7	12.3	14.0	13.7	12.6

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	50.9%	20.7%	6.3%	6.4%	8.1%	7.6%
Grade 7	47.0%	28.5%	8.6%	6.2%	6.3%	3.4%
Grade 8	42.4%	30.5%	9.5%	7.5%	6.7%	3.5%
Grade 9	67.8%	14.0%	2.5%	3.0%	7.6%	5.1%
Grade 10	50.6%	14.3%	6.5%	8.2%	10.0%	10.4%
Grade 11	56.1%	12.3%	3.5%	5.3%	8.8%	14.0%
Grade 12	37.5%	15.0%	5.0%	10.0%	12.5%	20.0%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	89.9%	7.0%	2.0%	0.9%	0.2%
Grade 7	91.4%	6.1%	2.0%	0.4%	0.1%
Grade 8	90.6%	5.8%	2.3%	1.0%	0.2%
Grade 9	92.4%	5.8%	1.4%	0.0%	0.5%
Grade 10	87.8%	8.7%	0.9%	2.6%	0.0%
Grade 11	89.8%	6.8%	1.7%	1.7%	0.0%
Grade 12	82.9%	12.2%	4.9%	0.0%	0.0%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.4%	6.5%	4.1%	0.6%	0.5%	13.0%
Grade 7	81.2%	3.8%	2.9%	0.8%	0.7%	10.6%
Grade 8	82.1%	5.1%	2.8%	0.8%	0.3%	8.8%
Grade 9	69.6%	4.7%	6.3%	1.2%	0.5%	17.6%
Grade 10	73.3%	10.2%	4.4%	0.0%	0.0%	12.1%
Grade 11	66.1%	8.9%	5.4%	0.0%	1.8%	17.9%
Grade 12	73.0%	10.8%	2.7%	0.0%	0.0%	13.5%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	73.0%	16.0%	3.6%	0.7%	6.7%
Grade 7	73.9%	15.3%	3.1%	1.1%	6.5%
Grade 8	73.8%	17.4%	3.4%	0.7%	4.8%
Grade 9	72.1%	11.5%	5.2%	0.5%	10.6%
Grade 10	68.6%	22.6%	4.7%	0.0%	4.1%
Grade 11	77.2%	10.5%	3.5%	0.0%	8.8%
Grade 12	72.5%	20.0%	0.0%	2.5%	5.0%
Electronic Vapor Products?					
All	70.9%	13.1%	6.0%	1.9%	8.1%
Grade 7	73.4%	11.8%	5.7%	2.1%	7.1%
Grade 8	74.0%	14.2%	5.6%	1.3%	4.8%
Grade 9	68.6%	12.2%	4.5%	2.6%	12.2%
Grade 10	70.1%	15.2%	5.9%	1.4%	7.4%
Grade 11	68.4%	14.0%	5.3%	1.8%	10.5%
Grade 12	67.5%	10.0%	12.5%	2.5%	7.5%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	18.3%	20.8%	33.6%	66.4%
Grade 7	11.3%	13.2%	30.7%	69.3%
Grade 8	16.6%	19.3%	37.5%	62.5%
Grade 9	14.4%	18.6%	29.0%	71.0%
Grade 10	23.6%	25.3%	35.4%	64.6%
Grade 11	25.0%	28.3%	36.7%	63.3%
Grade 12	28.6%	28.6%	33.3%	66.7%
Beer?				
All	6.5%	8.2%	22.1%	77.9%
Grade 7	2.9%	4.5%	20.7%	79.3%
Grade 8	4.1%	5.7%	24.4%	75.6%
Grade 9	3.8%	5.1%	14.2%	85.8%
Grade 10	9.3%	11.5%	25.8%	74.2%
Grade 11	10.0%	13.3%	26.7%	73.3%
Grade 12	16.7%	16.7%	23.8%	76.2%
Wine Coolers?				
All	4.4%	6.0%	15.7%	84.3%
Grade 7	1.8%	3.0%	10.5%	89.5%
Grade 8	3.5%	5.1%	17.8%	82.2%
Grade 9	2.4%	3.3%	13.1%	86.9%
Grade 10	4.2%	8.1%	20.4%	79.6%
Grade 11	10.0%	11.7%	16.7%	83.3%
Grade 12	9.5%	9.5%	19.0%	81.0%
Wine?				
All	3.8%	5.5%	18.0%	82.0%
Grade 7	2.1%	3.3%	15.6%	84.4%
Grade 8	3.5%	4.9%	18.3%	81.7%
Grade 9	2.7%	3.1%	14.7%	85.3%
Grade 10	2.5%	4.8%	19.0%	81.0%
Grade 11	10.0%	11.7%	23.3%	76.7%
Grade 12	4.8%	9.5%	21.4%	78.6%
Liquor?				
All	5.6%	7.8%	18.3%	81.7%
Grade 7	1.7%	2.9%	11.9%	88.1%
Grade 8	3.5%	5.4%	18.5%	81.5%
Grade 9	1.3%	4.4%	14.0%	86.0%
Grade 10	9.0%	12.4%	24.6%	75.4%
Grade 11	8.3%	11.7%	25.0%	75.0%
Grade 12	19.0%	19.0%	21.4%	78.6%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	80.9%	0.2%	0.6%	2.4%	5.8%	4.6%	5.5%
Grade 7	84.4%	0.0%	0.3%	0.9%	3.6%	3.9%	6.8%
Grade 8	79.3%	0.3%	0.6%	1.1%	3.1%	7.4%	8.2%
Grade 9	88.8%	0.0%	1.0%	0.5%	3.2%	4.2%	2.3%
Grade 10	76.4%	0.9%	0.0%	0.9%	10.9%	5.4%	5.6%
Grade 11	73.2%	0.0%	1.8%	5.4%	14.3%	0.0%	5.4%
Grade 12	77.5%	0.0%	0.0%	12.5%	2.5%	5.0%	2.5%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	82.3%	17.7%	3.2%	7.1%	7.3%
	Grade 7	82.3%	17.7%	1.1%	6.1%	10.5%
	Grade 8	79.7%	20.3%	1.0%	8.2%	11.1%
	Grade 9	90.7%	9.3%	1.4%	5.4%	2.5%
	Grade 10	78.3%	21.7%	4.5%	12.2%	5.0%
	Grade 11	80.7%	19.3%	7.0%	5.3%	7.0%
	Grade 12	80.0%	20.0%	10.0%	5.0%	5.0%
Wine Coolers	All	88.5%	11.5%	1.6%	7.2%	2.7%
	Grade 7	91.7%	8.3%	0.5%	4.0%	3.8%
	Grade 8	85.9%	14.1%	1.1%	7.3%	5.7%
	Grade 9	93.8%	6.2%	0.5%	5.3%	0.5%
	Grade 10	84.9%	15.1%	1.8%	10.9%	2.3%
	Grade 11	87.7%	12.3%	5.3%	5.3%	1.8%
	Grade 12	82.5%	17.5%	2.5%	15.0%	0.0%
Wine	All	86.9%	13.1%	1.3%	5.9%	6.0%
	Grade 7	87.0%	13.0%	0.8%	5.1%	7.1%
	Grade 8	84.7%	15.3%	0.8%	6.0%	8.5%
	Grade 9	92.8%	7.2%	0.5%	3.5%	3.2%
	Grade 10	85.8%	14.2%	0.9%	6.5%	6.8%
	Grade 11	82.5%	17.5%	5.3%	7.0%	5.3%
	Grade 12	87.5%	12.5%	0.0%	10.0%	2.5%
Liquor	All	85.2%	14.8%	2.4%	8.3%	4.2%
	Grade 7	90.0%	10.0%	0.7%	3.7%	5.6%
	Grade 8	84.0%	16.0%	0.7%	7.4%	7.9%
	Grade 9	91.5%	8.5%	1.6%	3.9%	2.9%
	Grade 10	80.1%	19.9%	2.7%	14.5%	2.7%
	Grade 11	78.9%	21.1%	3.5%	15.8%	1.8%
	Grade 12	80.0%	20.0%	10.0%	10.0%	0.0%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	94.9%	1.8%	1.1%	1.0%	0.4%	0.8%
Grade 7	97.4%	1.2%	0.1%	0.1%	0.3%	0.8%
Grade 8	97.5%	1.2%	0.2%	0.5%	0.0%	0.6%
Grade 9	98.6%	0.5%	0.5%	0.0%	0.0%	0.5%
Grade 10	93.2%	1.8%	1.8%	0.0%	2.3%	0.9%
Grade 11	87.7%	3.5%	3.5%	3.5%	0.0%	1.8%
Grade 12	87.5%	5.0%	2.5%	5.0%	0.0%	0.0%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.4	10.1	11.1	12.3	14.3	13.3	14.6

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	43.3%	14.8%	7.5%	7.8%	12.8%	13.9%
Grade 7	38.6%	21.5%	8.2%	9.0%	11.9%	10.9%
Grade 8	35.7%	19.4%	8.2%	11.0%	13.0%	12.7%
Grade 9	60.1%	11.8%	3.7%	9.7%	8.5%	6.2%
Grade 10	38.0%	12.8%	9.6%	2.7%	17.0%	19.9%
Grade 11	50.9%	8.8%	5.3%	3.5%	10.5%	21.1%
Grade 12	35.0%	5.0%	12.5%	7.5%	20.0%	20.0%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.5%	2.0%	0.2%	0.3%
Grade 7	98.4%	1.3%	0.1%	0.2%
Grade 8	97.8%	1.7%	0.2%	0.3%
Grade 9	96.8%	2.7%	0.5%	0.0%
Grade 10	99.1%	0.9%	0.0%	0.0%
Grade 11	98.2%	0.0%	0.0%	1.8%
Grade 12	92.5%	7.5%	0.0%	0.0%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.6
Alcohol Non-Users	4.4
Average Days Conduct Problems Reported	
Alcohol Users	3.2
Alcohol Non-Users	1.4

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	97.8%	2.2%	0.0%	0.0%
Grade 9	99.0%	1.0%	0.0%	0.0%
Grade 10	99.1%	0.9%	0.0%	0.0%
Grade 11	94.7%	5.3%	0.0%	0.0%
Grade 12	97.5%	2.5%	0.0%	0.0%
 Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	97.9%	1.9%	0.1%	0.1%
Grade 7	98.0%	1.5%	0.6%	0.0%
Grade 8	97.7%	1.8%	0.0%	0.5%
Grade 9	99.0%	1.0%	0.0%	0.0%
Grade 10	98.1%	1.9%	0.0%	0.0%
Grade 11	98.2%	1.8%	0.0%	0.0%
Grade 12	94.9%	5.1%	0.0%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	76.6%	14.0%	6.5%	2.3%	0.7%
Grade 7	82.3%	12.1%	4.5%	0.6%	0.6%
Grade 8	74.4%	16.9%	6.1%	2.1%	0.5%
Grade 9	86.2%	7.2%	4.1%	2.0%	0.5%
Grade 10	66.1%	22.3%	9.1%	1.7%	0.9%
Grade 11	76.3%	8.5%	10.2%	5.1%	0.0%
Grade 12	65.9%	19.5%	7.3%	4.9%	2.4%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	72.9%	3.2%	1.2%	5.3%	3.0%	1.9%	12.4%
Grade 7	77.0%	3.3%	2.0%	1.9%	1.9%	2.0%	11.8%
Grade 8	70.8%	4.4%	2.2%	3.1%	2.5%	2.5%	14.4%
Grade 9	80.2%	2.8%	1.0%	3.4%	1.7%	0.5%	10.4%
Grade 10	75.3%	3.3%	0.9%	7.1%	0.9%	0.9%	11.5%
Grade 11	64.9%	1.8%	0.0%	7.0%	7.0%	3.5%	15.8%
Grade 12	60.0%	2.5%	0.0%	17.5%	7.5%	2.5%	10.0%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	77.3%	11.0%	7.6%	2.7%	1.4%
	Grade 7	77.3%	12.1%	8.1%	1.4%	1.1%
	Grade 8	72.9%	13.2%	10.2%	2.5%	1.1%
	Grade 9	83.3%	11.2%	3.5%	1.0%	1.0%
	Grade 10	70.8%	11.1%	11.3%	5.0%	1.8%
	Grade 11	82.5%	5.3%	3.5%	5.3%	3.5%
	Grade 12	79.5%	10.3%	7.7%	2.6%	0.0%
Friends?						
	All	78.4%	14.4%	3.2%	3.7%	0.4%
	Grade 7	81.0%	15.2%	2.6%	1.0%	0.2%
	Grade 8	78.9%	15.2%	4.0%	1.4%	0.4%
	Grade 9	83.6%	11.9%	1.9%	2.6%	0.0%
	Grade 10	70.2%	21.2%	5.9%	2.7%	0.0%
	Grade 11	75.4%	15.8%	1.8%	5.3%	1.8%
	Grade 12	77.5%	2.5%	2.5%	17.5%	0.0%
A Store?						
	All	78.9%	17.7%	1.5%	1.4%	0.5%
	Grade 7	80.9%	18.0%	0.7%	0.3%	0.2%
	Grade 8	79.4%	17.9%	1.3%	1.0%	0.4%
	Grade 9	83.3%	14.6%	1.1%	0.5%	0.5%
	Grade 10	71.1%	25.3%	0.9%	0.9%	1.8%
	Grade 11	80.7%	14.0%	1.8%	3.5%	0.0%
	Grade 12	74.4%	15.4%	5.1%	5.1%	0.0%
Parties?						
	All	75.8%	12.0%	4.4%	4.9%	2.9%
	Grade 7	77.3%	15.6%	4.5%	1.5%	1.0%
	Grade 8	76.3%	13.9%	6.5%	2.2%	1.1%
	Grade 9	82.8%	10.4%	1.0%	4.3%	1.6%
	Grade 10	66.7%	17.0%	7.4%	5.4%	3.6%
	Grade 11	77.2%	3.5%	1.8%	8.8%	8.8%
	Grade 12	70.0%	5.0%	5.0%	15.0%	5.0%
Other Sources?						
	All	79.4%	14.4%	3.2%	1.5%	1.5%
	Grade 7	80.4%	14.8%	3.3%	0.8%	0.7%
	Grade 8	79.7%	14.6%	3.0%	1.4%	1.4%
	Grade 9	84.6%	12.0%	2.4%	0.5%	0.5%
	Grade 10	70.2%	22.1%	4.1%	1.8%	1.8%
	Grade 11	80.7%	10.5%	1.8%	1.8%	5.3%
	Grade 12	79.5%	10.3%	5.1%	5.1%	0.0%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	62.8%	11.5%	9.8%	2.5%	0.7%	12.6%
Grade 7	70.9%	8.3%	6.7%	2.4%	1.0%	10.7%
Grade 8	67.0%	12.0%	9.4%	2.1%	0.8%	8.7%
Grade 9	63.9%	9.9%	7.7%	2.2%	0.5%	15.9%
Grade 10	57.6%	14.0%	13.4%	2.8%	0.0%	12.1%
Grade 11	51.8%	10.7%	14.3%	3.6%	1.8%	17.9%
Grade 12	54.1%	18.9%	10.8%	2.7%	0.0%	13.5%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	59.1%	24.6%	8.6%	1.3%	6.4%
Grade 7	58.3%	24.2%	10.1%	2.2%	5.2%
Grade 8	54.7%	28.4%	11.5%	1.5%	3.9%
Grade 9	60.9%	18.9%	7.6%	1.7%	10.9%
Grade 10	58.6%	27.8%	8.6%	0.0%	5.0%
Grade 11	64.9%	19.3%	5.3%	0.0%	10.5%
Grade 12	60.0%	30.0%	5.0%	2.5%	2.5%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	8.7%	10.7%	14.0%	86.0%
Grade 7	2.5%	3.9%	5.7%	94.3%
Grade 8	5.5%	8.5%	10.2%	89.8%
Grade 9	10.4%	10.9%	13.3%	86.7%
Grade 10	16.5%	17.3%	19.5%	80.5%
Grade 11	8.3%	11.7%	18.3%	81.7%
Grade 12	14.3%	19.0%	28.6%	71.4%
Marijuana?				
All	7.7%	8.8%	11.8%	88.2%
Grade 7	2.0%	2.3%	3.4%	96.6%
Grade 8	4.3%	5.9%	7.6%	92.4%
Grade 9	10.0%	10.0%	11.9%	88.1%
Grade 10	14.8%	14.8%	17.0%	83.0%
Grade 11	8.3%	10.0%	16.7%	83.3%
Grade 12	11.9%	16.7%	26.2%	73.8%
Cocaine?				
All	0.3%	0.3%	1.2%	98.8%
Grade 7	0.5%	0.7%	1.0%	99.0%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.8%	0.8%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.8%	95.2%
Crack?				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.4%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.4%	2.4%	2.4%	97.6%
Hallucinogens?				
All	0.3%	1.1%	1.8%	98.2%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.8%	1.7%	2.5%	97.5%
Grade 11	0.0%	3.3%	3.3%	96.7%
Grade 12	0.0%	2.4%	4.8%	95.2%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids?				
All	0.7%	0.9%	1.4%	98.6%
Grade 7	0.3%	0.9%	2.2%	97.8%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	1.7%	1.7%	1.7%	98.3%
Grade 12	2.4%	2.4%	2.4%	97.6%
Ecstasy?				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.6%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Heroin?				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.4%	0.9%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine?				
All	0.5%	0.7%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.8%	1.7%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.4%	2.4%	2.4%	97.6%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.0%	0.4%	0.9%	99.1%
Grade 10	2.5%	2.5%	2.5%	97.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.4%	97.6%
Delta 8?				
All	0.9%	1.5%	3.0%	97.0%
Grade 7	0.5%	0.9%	1.9%	98.1%
Grade 8	0.7%	1.2%	2.0%	98.0%
Grade 9	0.4%	0.9%	1.3%	98.7%
Grade 10	0.8%	2.5%	4.2%	95.8%
Grade 11	1.7%	1.7%	3.3%	96.7%
Grade 12	2.4%	2.4%	9.5%	90.5%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	91.9%	0.5%	1.3%	2.0%	1.4%	1.3%	1.7%
	Grade 7	97.5%	0.0%	0.0%	0.6%	0.5%	0.3%	1.1%
	Grade 8	94.6%	0.3%	0.7%	0.9%	0.7%	0.8%	2.1%
	Grade 9	91.7%	0.0%	1.6%	2.6%	2.5%	0.9%	0.6%
	Grade 10	87.6%	2.7%	0.9%	1.8%	4.1%	1.4%	1.4%
	Grade 11	87.5%	0.0%	0.0%	5.4%	0.0%	1.8%	5.4%
	Grade 12	85.0%	0.0%	7.5%	2.5%	0.0%	5.0%	0.0%
Cocaine?								
	All	99.4%	0.0%	0.0%	0.0%	0.1%	0.3%	0.1%
	Grade 7	99.4%	0.0%	0.0%	0.0%	0.4%	0.1%	0.1%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 10	98.2%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Crack?								
	All	99.7%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	97.5%	2.5%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.0%	0.3%	0.3%	0.0%	0.1%	0.1%	0.3%
	Grade 7	98.5%	0.0%	0.3%	0.0%	0.3%	0.4%	0.6%
	Grade 8	99.5%	0.2%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%
	Grade 11	98.2%	0.0%	1.8%	0.0%	0.0%	0.0%	0.0%
	Grade 12	97.5%	2.5%	0.0%	0.0%	0.0%	0.0%	0.0%
Ecstasy?								
	All	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.4%	0.0%	0.3%	0.0%	0.1%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.6%	0.0%	0.1%	0.1%	0.1%	0.0%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Synthetic Marijuana?								
	All	99.1%	0.0%	0.0%	0.2%	0.1%	0.4%	0.2%
	Grade 7	99.3%	0.0%	0.0%	0.1%	0.1%	0.0%	0.4%
	Grade 8	99.2%	0.1%	0.1%	0.0%	0.2%	0.2%	0.2%
	Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 10	98.2%	0.0%	0.0%	0.9%	0.0%	0.9%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	97.5%	0.0%	0.0%	0.0%	0.0%	2.5%	0.0%
Delta 8?								
	All	98.0%	0.0%	0.3%	0.2%	0.2%	0.9%	0.4%
	Grade 7	98.4%	0.0%	0.1%	0.1%	0.4%	0.1%	0.9%
	Grade 8	98.8%	0.1%	0.1%	0.0%	0.5%	0.0%	0.3%
	Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.5%	0.0%
	Grade 10	97.3%	0.0%	0.0%	0.9%	0.0%	0.9%	0.9%
	Grade 11	98.2%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%
	Grade 12	92.5%	0.0%	2.5%	0.0%	0.0%	5.0%	0.0%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.4	11.4	11.9	13.2	13.5	14.0	14.8
Cocaine	13.9	11.0	12.0	14.0	15.5	N/A	N/A
Crack	10.6	10.7	10.0	N/A	N/A	N/A	N/A
Steroids	11.4	9.4	10.0	N/A	12.0	15.0	N/A
Ecstasy	11.8	N/A	11.8	N/A	N/A	N/A	N/A
Heroin	9.8	11.0	12.5	8.0	N/A	N/A	N/A
Methamphetamine	13.7	12.1	12.1	N/A	15.0	N/A	N/A
Synthetic Marijuana	13.2	11.2	12.2	15.0	14.0	N/A	N/A
Delta 8?	13.7	11.2	12.3	14.5	14.8	14.0	16.0

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	49.0%	23.3%	6.7%	5.3%	7.6%	8.1%
	Grade 7	48.5%	32.0%	8.8%	4.9%	4.1%	1.8%
	Grade 8	42.9%	32.8%	8.9%	6.2%	5.6%	3.7%
	Grade 9	62.6%	15.2%	4.8%	3.2%	7.9%	6.4%
	Grade 10	41.9%	12.7%	9.7%	7.7%	12.9%	15.1%
	Grade 11	56.1%	21.1%	1.8%	1.8%	7.0%	12.3%
	Grade 12	37.5%	17.5%	2.5%	10.0%	12.5%	20.0%
Cocaine?							
	All	55.9%	29.0%	7.6%	3.8%	1.7%	2.1%
	Grade 7	48.5%	39.2%	7.1%	2.9%	1.2%	1.0%
	Grade 8	46.6%	40.6%	7.6%	2.7%	1.6%	0.9%
	Grade 9	73.5%	18.8%	3.9%	2.2%	1.6%	0.0%
	Grade 10	54.8%	19.7%	15.1%	5.0%	1.8%	3.6%
	Grade 11	61.4%	24.6%	1.8%	3.5%	1.8%	7.0%
	Grade 12	52.5%	20.0%	12.5%	10.0%	2.5%	2.5%
Crack?							
	All	57.0%	29.7%	7.2%	3.0%	1.9%	1.2%
	Grade 7	50.2%	38.2%	7.2%	2.5%	1.1%	0.8%
	Grade 8	47.6%	39.5%	8.4%	2.1%	1.8%	0.6%
	Grade 9	71.9%	20.9%	4.3%	0.9%	1.6%	0.5%
	Grade 10	57.5%	22.9%	12.4%	1.8%	1.8%	3.6%
	Grade 11	66.7%	21.1%	3.5%	5.3%	1.8%	1.8%
	Grade 12	50.0%	27.5%	7.5%	10.0%	5.0%	0.0%
Steroids?							
	All	60.7%	25.1%	5.8%	5.0%	1.5%	1.9%
	Grade 7	52.9%	32.4%	7.4%	3.1%	2.0%	2.1%
	Grade 8	50.0%	34.4%	7.7%	5.5%	1.2%	1.1%
	Grade 9	75.8%	17.4%	3.2%	2.6%	1.1%	0.0%
	Grade 10	66.1%	22.1%	5.0%	2.3%	0.9%	3.6%
	Grade 11	68.4%	17.5%	3.5%	5.3%	1.8%	3.5%
	Grade 12	52.5%	17.5%	7.5%	17.5%	2.5%	2.5%
Ecstasy?							
	All	69.8%	21.3%	4.5%	2.2%	1.0%	1.2%
	Grade 7	67.1%	24.6%	5.7%	1.3%	0.7%	0.6%
	Grade 8	60.8%	31.0%	5.8%	1.0%	0.9%	0.5%
	Grade 9	82.2%	13.5%	2.7%	1.6%	0.0%	0.0%
	Grade 10	72.4%	17.6%	5.0%	1.4%	0.0%	3.6%
	Grade 11	69.6%	19.6%	3.6%	3.6%	1.8%	1.8%
	Grade 12	67.5%	15.0%	2.5%	7.5%	5.0%	2.5%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	62.9%	25.9%	6.3%	2.2%	1.3%	1.4%
	Grade 7	59.9%	30.7%	5.9%	1.6%	0.9%	1.0%
	Grade 8	54.4%	35.6%	6.3%	2.0%	0.9%	0.8%
	Grade 9	76.2%	16.9%	4.1%	0.9%	1.8%	0.0%
	Grade 10	63.8%	21.2%	8.2%	2.3%	0.9%	3.6%
	Grade 11	64.9%	21.1%	7.0%	3.5%	1.8%	1.8%
	Grade 12	57.5%	25.0%	7.5%	5.0%	2.5%	2.5%
Methamphetamine?							
	All	64.8%	24.6%	5.8%	2.3%	1.1%	1.4%
	Grade 7	60.6%	30.3%	5.4%	1.7%	1.3%	0.7%
	Grade 8	56.2%	34.1%	5.6%	2.2%	0.9%	0.9%
	Grade 9	79.4%	12.8%	5.3%	1.4%	1.1%	0.0%
	Grade 10	67.4%	20.5%	5.0%	3.6%	0.0%	3.6%
	Grade 11	64.9%	22.8%	5.3%	3.5%	1.8%	1.8%
	Grade 12	60.0%	22.5%	10.0%	2.5%	2.5%	2.5%
Synthetic Marijuana?							
	All	68.3%	20.6%	5.4%	1.9%	1.9%	2.0%
	Grade 7	64.4%	26.5%	5.6%	2.1%	0.7%	0.8%
	Grade 8	57.9%	31.2%	5.9%	2.1%	2.0%	1.0%
	Grade 9	82.9%	10.5%	4.6%	0.0%	1.6%	0.5%
	Grade 10	67.4%	18.7%	5.9%	1.8%	0.9%	5.4%
	Grade 11	71.9%	14.0%	3.5%	3.5%	5.3%	1.8%
	Grade 12	67.5%	15.0%	7.5%	2.5%	2.5%	5.0%
Delta 8?							
	All	69.5%	18.3%	5.5%	2.1%	2.0%	2.6%
	Grade 7	64.9%	24.1%	6.1%	1.9%	1.9%	1.2%
	Grade 8	57.6%	30.1%	6.3%	2.2%	2.0%	1.8%
	Grade 9	83.2%	10.3%	3.7%	0.0%	1.6%	1.1%
	Grade 10	68.5%	14.0%	5.9%	0.9%	5.4%	5.4%
	Grade 11	78.6%	10.7%	3.6%	3.6%	0.0%	3.6%
	Grade 12	69.2%	10.3%	7.7%	7.7%	0.0%	5.1%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	95.2%	1.9%	0.2%	2.6%
Grade 7	99.1%	0.7%	0.1%	0.1%
Grade 8	97.4%	1.6%	0.4%	0.6%
Grade 9	95.0%	2.8%	0.5%	1.7%
Grade 10	92.0%	1.5%	0.0%	6.5%
Grade 11	94.7%	1.8%	0.0%	3.5%
Grade 12	87.5%	5.0%	0.0%	7.5%
Attended Class While High from Use of Some Other Drug?				
All	98.9%	0.9%	0.1%	0.1%
Grade 7	99.0%	0.7%	0.1%	0.1%
Grade 8	98.4%	1.1%	0.1%	0.4%
Grade 9	99.0%	1.0%	0.0%	0.0%
Grade 10	99.1%	0.9%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%
Grade 12	97.5%	2.5%	0.0%	0.0%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.3
Marijuana Non-Users	4.5
Average Days Conduct Problems Reported	
Marijuana Users	5.6
Marijuana Non-Users	1.6

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	96.8%	1.7%	0.4%	1.1%
Grade 9	99.5%	0.5%	0.0%	0.0%
Grade 10	96.3%	2.8%	0.0%	0.9%
Grade 11	94.7%	1.8%	0.0%	3.5%
Grade 12	95.0%	2.5%	2.5%	0.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	98.1%	1.7%	0.1%	0.1%
Grade 7	98.3%	1.6%	0.1%	0.0%
Grade 8	98.0%	1.2%	0.2%	0.6%
Grade 9	99.5%	0.5%	0.0%	0.0%
Grade 10	98.1%	1.9%	0.0%	0.0%
Grade 11	98.2%	1.8%	0.0%	0.0%
Grade 12	95.0%	5.0%	0.0%	0.0%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	82.9%	8.9%	3.8%	3.4%	1.1%
Grade 7	90.2%	6.9%	1.9%	0.7%	0.4%
Grade 8	85.1%	8.3%	3.6%	2.5%	0.5%
Grade 9	83.3%	8.1%	2.7%	5.4%	0.5%
Grade 10	70.6%	18.8%	4.9%	3.5%	2.3%
Grade 11	82.8%	6.9%	5.2%	1.7%	3.4%
Grade 12	80.5%	2.4%	7.3%	9.8%	0.0%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	80.0%	1.4%	0.9%	2.6%	1.3%	1.4%	12.4%
Grade 7	82.7%	2.2%	0.8%	0.6%	0.5%	1.4%	11.8%
Grade 8	78.2%	1.9%	1.4%	1.3%	1.0%	2.0%	14.3%
Grade 9	84.5%	1.5%	0.5%	1.0%	1.2%	2.2%	9.2%
Grade 10	81.4%	0.0%	0.9%	4.3%	1.9%	0.0%	11.5%
Grade 11	77.2%	0.0%	1.8%	1.8%	1.8%	1.8%	15.8%
Grade 12	70.0%	2.5%	0.0%	12.5%	2.5%	0.0%	12.5%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	74.2%	6.4%	4.7%	1.5%	1.0%	12.3%
Grade 7	81.9%	3.8%	2.3%	0.9%	0.7%	10.4%
Grade 8	82.0%	3.9%	3.0%	1.9%	0.6%	8.5%
Grade 9	67.7%	8.3%	7.6%	0.5%	1.2%	14.7%
Grade 10	69.9%	11.2%	4.4%	2.5%	0.0%	12.1%
Grade 11	62.5%	7.1%	8.9%	0.0%	1.8%	19.6%
Grade 12	73.0%	5.4%	2.7%	5.4%	2.7%	10.8%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	67.5%	13.4%	7.8%	3.6%	7.6%
	Grade 7	76.2%	11.5%	3.5%	1.7%	6.9%
	Grade 8	73.9%	13.3%	4.9%	3.0%	4.8%
	Grade 9	61.1%	12.5%	9.9%	6.4%	10.1%
	Grade 10	61.5%	14.4%	12.2%	3.2%	8.8%
	Grade 11	61.4%	14.0%	10.5%	1.8%	12.3%
	Grade 12	62.5%	17.5%	10.0%	7.5%	2.5%
Cocaine?						
	All	87.2%	5.0%	0.5%	0.2%	7.1%
	Grade 7	84.9%	6.6%	1.0%	0.6%	6.8%
	Grade 8	87.7%	6.3%	1.2%	0.2%	4.6%
	Grade 9	87.0%	2.9%	0.0%	0.0%	10.1%
	Grade 10	86.5%	5.0%	0.0%	0.0%	8.4%
	Grade 11	87.7%	3.5%	0.0%	0.0%	8.8%
	Grade 12	92.5%	5.0%	0.0%	0.0%	2.5%
Crack?						
	All	87.7%	4.1%	0.4%	0.2%	7.5%
	Grade 7	84.4%	5.7%	0.9%	0.7%	8.2%
	Grade 8	88.4%	5.1%	1.0%	0.2%	5.3%
	Grade 9	87.5%	1.9%	0.0%	0.0%	10.6%
	Grade 10	87.4%	4.7%	0.0%	0.0%	7.9%
	Grade 11	87.7%	3.5%	0.0%	0.0%	8.8%
	Grade 12	95.0%	2.5%	0.0%	0.0%	2.5%
Ecstasy?						
	All	79.1%	4.9%	0.7%	0.2%	15.1%
	Grade 7	77.4%	5.7%	1.0%	0.8%	15.2%
	Grade 8	80.6%	5.3%	1.0%	0.3%	12.8%
	Grade 9	79.4%	3.6%	0.0%	0.0%	17.0%
	Grade 10	78.6%	4.7%	0.0%	0.0%	16.7%
	Grade 11	82.5%	3.5%	0.0%	0.0%	14.0%
	Grade 12	75.0%	7.5%	2.5%	0.0%	15.0%
Steroids?						
	All	75.9%	9.6%	2.9%	0.7%	10.8%
	Grade 7	73.8%	10.5%	4.0%	1.5%	10.2%
	Grade 8	74.9%	12.5%	3.8%	0.8%	8.0%
	Grade 9	74.3%	8.4%	3.3%	0.0%	14.0%
	Grade 10	76.0%	9.3%	0.9%	0.0%	13.8%
	Grade 11	82.5%	3.5%	1.8%	1.8%	10.5%
	Grade 12	77.5%	12.5%	2.5%	0.0%	7.5%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	84.5%	4.1%	0.4%	0.2%	10.7%
	Grade 7	81.7%	5.1%	0.7%	0.7%	11.8%
	Grade 8	84.3%	5.1%	1.2%	0.4%	9.1%
	Grade 9	85.1%	1.4%	0.0%	0.0%	13.4%
	Grade 10	83.9%	3.2%	0.0%	0.0%	12.9%
	Grade 11	86.0%	5.3%	0.0%	0.0%	8.8%
	Grade 12	90.0%	5.0%	0.0%	0.0%	5.0%
Methamphetamine?						
	All	86.2%	3.4%	0.2%	0.2%	9.9%
	Grade 7	81.6%	5.5%	0.3%	0.6%	11.9%
	Grade 8	86.4%	4.0%	0.7%	0.4%	8.5%
	Grade 9	87.4%	1.9%	0.0%	0.0%	10.7%
	Grade 10	86.2%	4.7%	0.0%	0.0%	9.1%
	Grade 11	86.0%	1.8%	0.0%	0.0%	12.3%
	Grade 12	95.0%	0.0%	0.0%	0.0%	5.0%
Synthetic Marijuana?						
	All	78.4%	6.1%	1.5%	0.4%	13.6%
	Grade 7	78.5%	6.5%	0.7%	1.1%	13.1%
	Grade 8	80.9%	6.0%	1.9%	0.7%	10.4%
	Grade 9	76.8%	4.8%	1.2%	0.0%	17.3%
	Grade 10	73.6%	10.2%	1.8%	0.0%	14.4%
	Grade 11	78.9%	1.8%	3.5%	0.0%	15.8%
	Grade 12	82.5%	7.5%	0.0%	0.0%	10.0%
Delta 8?						
	All	73.6%	6.9%	3.6%	1.4%	14.4%
	Grade 7	75.3%	8.2%	2.1%	1.2%	13.1%
	Grade 8	78.1%	6.6%	3.5%	1.5%	10.3%
	Grade 9	70.4%	6.2%	2.8%	1.2%	19.5%
	Grade 10	69.5%	8.8%	5.0%	0.9%	15.8%
	Grade 11	77.2%	1.8%	7.0%	0.0%	14.0%
	Grade 12	67.5%	10.0%	2.5%	5.0%	15.0%
Fictional Drug?						
	All	79.9%	3.0%	0.3%	0.2%	16.7%
	Grade 7	78.5%	4.4%	0.6%	0.6%	15.9%
	Grade 8	80.9%	3.7%	0.7%	0.2%	14.6%
	Grade 9	80.6%	2.4%	0.0%	0.0%	17.0%
	Grade 10	78.6%	3.2%	0.0%	0.0%	18.1%
	Grade 11	82.5%	1.8%	0.0%	0.0%	15.8%
	Grade 12	77.5%	0.0%	0.0%	0.0%	22.5%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	4.3%	5.9%	9.4%	90.6%
Grade 7	5.5%	7.5%	13.8%	86.2%
Grade 8	5.0%	8.3%	13.4%	86.6%
Grade 9	3.4%	3.8%	5.2%	94.8%
Grade 10	4.8%	5.8%	6.7%	93.3%
Grade 11	5.1%	5.1%	6.8%	93.2%
Grade 12	0.0%	2.4%	7.3%	92.7%
Codeine Cough Syrup?				
All	2.0%	3.3%	6.1%	93.9%
Grade 7	3.2%	4.6%	9.6%	90.4%
Grade 8	2.5%	4.9%	9.1%	90.9%
Grade 9	1.4%	2.3%	3.2%	96.8%
Grade 10	1.7%	2.7%	4.9%	95.1%
Grade 11	1.7%	1.7%	1.7%	98.3%
Grade 12	0.0%	2.4%	4.9%	95.1%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.3%	0.5%	1.4%	98.6%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.9%	1.7%	2.6%	97.4%
Grade 11	0.0%	0.0%	1.7%	98.3%
Grade 12	0.0%	0.0%	4.9%	95.1%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.5%	0.7%	1.0%	99.0%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.7%	1.7%	1.7%	98.3%
Grade 12	0.0%	0.0%	2.4%	97.6%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.8%	1.5%	2.1%	97.9%
Grade 7	0.8%	1.2%	1.8%	98.2%
Grade 8	1.4%	1.9%	3.4%	96.6%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	2.2%	3.1%	3.1%	96.9%
Grade 11	0.0%	1.7%	1.7%	98.3%
Grade 12	0.0%	0.0%	2.4%	97.6%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	1.9%	2.8%	4.8%	95.2%
Grade 7	2.7%	4.0%	7.5%	92.5%
Grade 8	3.0%	4.6%	8.3%	91.7%
Grade 9	2.5%	2.5%	2.9%	97.1%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	1.7%	1.7%	1.7%	98.3%
Grade 12	0.0%	2.4%	4.9%	95.1%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.2%	1.4%	2.3%	97.7%
Grade 7	1.7%	2.3%	4.1%	95.9%
Grade 8	2.1%	2.5%	3.9%	96.1%
Grade 9	1.7%	1.7%	1.7%	98.3%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.9%	10.0%	2.0%	0.5%	11.7%
Grade 7	75.2%	10.6%	2.8%	1.1%	10.4%
Grade 8	75.9%	12.1%	3.0%	0.8%	8.2%
Grade 9	75.4%	6.6%	1.6%	0.5%	15.8%
Grade 10	73.8%	11.5%	2.3%	0.0%	12.4%
Grade 11	78.9%	7.0%	0.0%	0.0%	14.0%
Grade 12	77.5%	12.5%	0.0%	0.0%	10.0%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.4%	4.2%	8.6%	91.4%
Grade 7	4.1%	6.2%	11.9%	88.1%
Grade 8	4.2%	5.6%	10.6%	89.4%
Grade 9	2.6%	2.6%	4.4%	95.6%
Grade 10	3.1%	3.1%	4.8%	95.2%
Grade 11	5.0%	5.0%	11.7%	88.3%
Grade 12	0.0%	0.0%	7.1%	92.9%
Spray Paint?				
All	0.5%	0.5%	1.3%	98.7%
Grade 7	0.3%	0.3%	1.3%	98.7%
Grade 8	0.1%	0.1%	1.1%	98.9%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	1.7%	1.7%	3.3%	96.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.7%	0.8%	2.2%	97.8%
Grade 7	1.0%	1.5%	4.7%	95.3%
Grade 8	1.0%	1.0%	3.7%	96.3%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	1.4%	1.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Computer Dusting Sprays?				
All	0.0%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.5%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.5%	0.8%	3.2%	96.8%
Grade 7	0.6%	1.3%	4.3%	95.7%
Grade 8	0.8%	1.3%	4.1%	95.9%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	2.5%	97.5%
Grade 11	1.7%	1.7%	3.3%	96.7%
Grade 12	0.0%	0.0%	4.8%	95.2%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.1%	0.3%	1.1%	98.9%
Grade 7	0.3%	0.7%	1.8%	98.2%
Grade 8	0.3%	0.5%	1.4%	98.6%
Grade 9	0.0%	0.5%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.4%	97.6%
Toluene, Paint Thinner, or Other Solvents?				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.5%	0.6%	1.6%	98.4%
Grade 7	1.1%	1.4%	3.4%	96.6%
Grade 8	1.2%	1.6%	3.1%	96.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Other Aerosols/Sprays?				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.5%	0.9%	2.5%	97.5%
Grade 8	0.7%	0.8%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.7%	1.7%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.0%	100.0%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.5%	0.0%	0.1%	0.2%	0.5%	0.1%	0.5%
Grade 7	97.4%	0.2%	0.1%	0.3%	0.7%	0.3%	1.0%
Grade 8	96.8%	0.0%	0.2%	0.5%	0.8%	0.3%	1.5%
Grade 9	98.9%	0.0%	0.5%	0.0%	0.6%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	92.9%	5.0%	1.5%	0.6%
Grade 7	90.2%	4.8%	3.9%	1.1%
Grade 8	91.4%	4.7%	2.8%	1.1%
Grade 9	97.4%	1.7%	0.4%	0.4%
Grade 10	95.3%	4.7%	0.0%	0.0%
Grade 11	90.3%	9.7%	0.0%	0.0%
Grade 12	92.9%	7.1%	0.0%	0.0%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.0	10.0	10.5	13.0	8.0	8.0	N/A

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.8%	0.1%	0.0%	0.1%
Grade 7	99.3%	0.6%	0.1%	0.0%
Grade 8	99.7%	0.0%	0.0%	0.3%
Grade 9	100.0%	0.0%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.0
Inhalant Non-Users	4.6
Average Days Conduct Problems Reported	
Inhalant Users	5.0
Inhalant Non-Users	1.8

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	96.1%	3.1%	0.6%	0.2%	0.0%
Grade 7	92.9%	5.0%	1.5%	0.5%	0.1%
Grade 8	94.2%	4.1%	1.3%	0.3%	0.1%
Grade 9	98.5%	1.5%	0.0%	0.0%	0.0%
Grade 10	97.4%	2.6%	0.0%	0.0%	0.0%
Grade 11	96.6%	3.4%	0.0%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.7%	10.5%	2.9%	0.7%	9.3%
Grade 7	71.9%	13.1%	4.0%	1.2%	9.7%
Grade 8	74.0%	12.9%	5.4%	1.0%	6.7%
Grade 9	76.0%	9.0%	1.9%	0.0%	13.0%
Grade 10	81.2%	9.7%	0.0%	0.0%	9.1%
Grade 11	87.7%	1.8%	0.0%	0.0%	10.5%
Grade 12	72.5%	15.0%	5.0%	2.5%	5.0%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	61.6%	14.1%	4.1%	3.8%	5.0%	11.4%
Grade 7	53.3%	21.7%	5.6%	3.9%	6.8%	8.8%
Grade 8	50.6%	21.0%	5.2%	4.8%	7.6%	10.7%
Grade 9	80.3%	9.5%	2.7%	1.6%	1.6%	4.4%
Grade 10	61.1%	10.6%	5.0%	7.4%	2.7%	13.3%
Grade 11	73.7%	5.3%	1.8%	3.5%	1.8%	14.0%
Grade 12	51.3%	7.7%	2.6%	0.0%	10.3%	28.2%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	38.2%
	Grade 7	30.4%
	Grade 8	49.7%
	Grade 9	36.8%
	Grade 10	42.8%
	Grade 11	33.3%
	Grade 12	31.6%
An Assembly Program		
	All	52.2%
	Grade 7	41.4%
	Grade 8	50.0%
	Grade 9	55.3%
	Grade 10	58.3%
	Grade 11	54.4%
	Grade 12	64.1%
Guidance Counselor		
	All	36.2%
	Grade 7	34.8%
	Grade 8	39.8%
	Grade 9	34.1%
	Grade 10	37.1%
	Grade 11	35.1%
	Grade 12	35.1%
School Nurse		
	All	19.6%
	Grade 7	17.5%
	Grade 8	18.4%
	Grade 9	22.6%
	Grade 10	22.6%
	Grade 11	16.1%
	Grade 12	21.1%
Science or Social Studies Class		
	All	30.2%
	Grade 7	24.5%
	Grade 8	29.3%
	Grade 9	35.0%
	Grade 10	30.0%
	Grade 11	29.8%
	Grade 12	36.8%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	16.9%
	Grade 7	11.4%
	Grade 8	14.8%
	Grade 9	21.4%
	Grade 10	20.6%
	Grade 11	17.9%
	Grade 12	18.4%
An Invited School Guest		
	All	30.4%
	Grade 7	21.2%
	Grade 8	29.6%
	Grade 9	31.7%
	Grade 10	38.5%
	Grade 11	33.3%
	Grade 12	34.2%
Another Source at School		
	All	33.9%
	Grade 7	31.6%
	Grade 8	33.2%
	Grade 9	32.3%
	Grade 10	32.6%
	Grade 11	39.3%
	Grade 12	39.5%
Any School Source		
	All	68.9%
	Grade 7	63.0%
	Grade 8	69.9%
	Grade 9	69.5%
	Grade 10	69.0%
	Grade 11	73.7%
	Grade 12	71.8%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
<hr/>		
Counselor/Program In-School		
	All	39.8%
	Grade 7	45.1%
	Grade 8	38.6%
	Grade 9	37.8%
	Grade 10	34.3%
	Grade 11	39.3%
	Grade 12	43.6%
School Nurse		
	All	25.4%
	Grade 7	30.5%
	Grade 8	24.6%
	Grade 9	28.7%
	Grade 10	14.9%
	Grade 11	23.2%
	Grade 12	28.2%
Another Adult In School		
	All	42.7%
	Grade 7	43.7%
	Grade 8	38.8%
	Grade 9	43.2%
	Grade 10	40.4%
	Grade 11	41.1%
	Grade 12	55.3%
Counselor/Program Outside-School		
	All	38.4%
	Grade 7	43.2%
	Grade 8	39.6%
	Grade 9	41.3%
	Grade 10	27.9%
	Grade 11	36.4%
	Grade 12	38.5%
Your Parents		
	All	67.8%
	Grade 7	76.9%
	Grade 8	72.0%
	Grade 9	67.7%
	Grade 10	59.2%
	Grade 11	59.6%
	Grade 12	61.5%
<hr/>		

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
<hr/>		
A Medical Doctor		
All		59.2%
Grade 7		65.8%
Grade 8		65.2%
Grade 9		55.4%
Grade 10		51.3%
Grade 11		56.4%
Grade 12		53.8%
Your Friends		
All		51.2%
Grade 7		51.0%
Grade 8		54.2%
Grade 9		50.3%
Grade 10		43.7%
Grade 11		56.1%
Grade 12		51.3%
Another Adult		
All		55.1%
Grade 7		60.1%
Grade 8		59.3%
Grade 9		55.8%
Grade 10		43.2%
Grade 11		49.1%
Grade 12		59.0%
<hr/>		

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
<hr/>		
All		5.8%
Grade 7		6.0%
Grade 8		6.5%
Grade 9		7.1%
Grade 10		5.2%
Grade 11		3.6%
Grade 12		5.1%
<hr/>		

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	7.9%	20.7%	22.7%	31.1%	17.6%
Grade 7	5.4%	16.6%	21.8%	35.9%	20.2%
Grade 8	7.8%	19.1%	20.5%	34.9%	17.8%
Grade 9	9.0%	26.8%	21.1%	26.7%	16.4%
Grade 10	10.0%	18.0%	24.8%	22.9%	24.3%
Grade 11	8.5%	25.4%	27.1%	30.5%	8.5%
Grade 12	7.1%	19.0%	23.8%	35.7%	14.3%
Sometimes Carry Weapons?					
All	86.7%	7.6%	4.0%	1.1%	0.6%
Grade 7	90.1%	6.5%	2.5%	0.2%	0.7%
Grade 8	83.4%	9.8%	4.0%	1.8%	1.0%
Grade 9	88.4%	6.6%	2.0%	1.5%	1.5%
Grade 10	87.8%	9.7%	1.7%	0.8%	0.0%
Grade 11	88.3%	3.3%	8.3%	0.0%	0.0%
Grade 12	78.6%	9.5%	9.5%	2.4%	0.0%
Care About Making Good Grades?					
All	2.4%	13.1%	23.9%	37.0%	23.6%
Grade 7	2.5%	12.8%	25.2%	39.9%	19.7%
Grade 8	2.9%	13.4%	26.5%	38.5%	18.7%
Grade 9	1.5%	12.4%	21.2%	35.7%	29.1%
Grade 10	3.1%	12.0%	22.2%	30.9%	31.8%
Grade 11	1.7%	15.0%	20.0%	38.3%	25.0%
Grade 12	2.4%	14.3%	28.6%	38.1%	16.7%
Belong/Want to Belong to a Gang?					
All	91.7%	5.1%	1.8%	0.8%	0.6%
Grade 7	89.6%	6.8%	2.0%	1.1%	0.5%
Grade 8	88.8%	8.0%	1.7%	1.0%	0.5%
Grade 9	93.0%	2.0%	1.4%	1.7%	2.0%
Grade 10	96.1%	1.7%	2.2%	0.0%	0.0%
Grade 11	91.7%	5.0%	3.3%	0.0%	0.0%
Grade 12	92.9%	7.1%	0.0%	0.0%	0.0%
Wish They Could Drop Out of School?					
All	52.0%	25.5%	12.8%	6.0%	3.7%
Grade 7	46.9%	28.3%	13.0%	6.5%	5.3%
Grade 8	44.5%	30.6%	13.0%	8.4%	3.6%
Grade 9	55.9%	23.1%	13.8%	5.2%	2.0%
Grade 10	54.2%	21.1%	16.4%	3.4%	4.8%
Grade 11	66.1%	20.3%	10.2%	1.7%	1.7%
Grade 12	50.0%	26.2%	7.1%	11.9%	4.8%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	84.9%	12.9%	0.5%	0.3%	1.5%
Grade 7	87.4%	10.6%	1.3%	0.1%	0.6%
Grade 8	88.8%	10.2%	0.5%	0.1%	0.4%
Grade 9	84.8%	11.8%	0.6%	1.1%	1.7%
Grade 10	82.1%	16.2%	0.0%	0.0%	1.7%
Grade 11	78.7%	16.4%	0.0%	0.0%	4.9%
Grade 12	83.3%	16.7%	0.0%	0.0%	0.0%
Out In Your Neighborhood?					
All	40.2%	48.8%	6.9%	1.0%	3.2%
Grade 7	37.7%	49.4%	7.9%	1.9%	3.1%
Grade 8	43.4%	46.5%	6.8%	1.1%	2.2%
Grade 9	39.8%	48.2%	7.9%	0.0%	4.1%
Grade 10	42.9%	46.8%	7.0%	0.8%	2.5%
Grade 11	31.1%	57.4%	6.6%	0.0%	4.9%
Grade 12	47.6%	45.2%	2.4%	2.4%	2.4%
At School?					
All	25.8%	51.8%	14.2%	4.6%	3.7%
Grade 7	27.0%	52.0%	11.8%	5.7%	3.6%
Grade 8	28.2%	51.3%	11.4%	5.0%	4.0%
Grade 9	28.4%	49.2%	14.0%	5.0%	3.4%
Grade 10	24.7%	58.8%	14.0%	1.7%	0.8%
Grade 11	16.4%	54.1%	18.0%	3.3%	8.2%
Grade 12	26.2%	42.9%	21.4%	7.1%	2.4%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.4%	9.2%	16.0%	84.0%
Grade 7	3.8%	5.1%	12.2%	87.8%
Grade 8	5.0%	7.0%	11.7%	88.3%
Grade 9	5.9%	7.9%	14.3%	85.7%
Grade 10	7.6%	10.7%	18.7%	81.3%
Grade 11	11.7%	13.3%	23.3%	76.7%
Grade 12	19.0%	19.0%	23.8%	76.2%
Any Alcohol Product				
All	18.3%	20.8%	33.6%	66.4%
Grade 7	11.3%	13.2%	30.7%	69.3%
Grade 8	16.6%	19.3%	37.5%	62.5%
Grade 9	14.4%	18.6%	29.0%	71.0%
Grade 10	23.6%	25.3%	35.4%	64.6%
Grade 11	25.0%	28.3%	36.7%	63.3%
Grade 12	28.6%	28.6%	33.3%	66.7%
Any Illicit Drug				
All	8.7%	10.7%	14.0%	86.0%
Grade 7	2.5%	3.9%	5.7%	94.3%
Grade 8	5.5%	8.5%	10.2%	89.8%
Grade 9	10.4%	10.9%	13.3%	86.7%
Grade 10	16.5%	17.3%	19.5%	80.5%
Grade 11	8.3%	11.7%	18.3%	81.7%
Grade 12	14.3%	19.0%	28.6%	71.4%
Any Prescription Drug				
All	4.3%	5.9%	9.4%	90.6%
Grade 7	5.5%	7.5%	13.8%	86.2%
Grade 8	5.0%	8.3%	13.4%	86.6%
Grade 9	3.4%	3.8%	5.2%	94.8%
Grade 10	4.8%	5.8%	6.7%	93.3%
Grade 11	5.1%	5.1%	6.8%	93.2%
Grade 12	0.0%	2.4%	7.3%	92.7%
Any Inhalant				
All	3.4%	4.2%	8.6%	91.4%
Grade 7	4.1%	6.2%	11.9%	88.1%
Grade 8	4.2%	5.6%	10.6%	89.4%
Grade 9	2.6%	2.6%	4.4%	95.6%
Grade 10	3.1%	3.1%	4.8%	95.2%
Grade 11	5.0%	5.0%	11.7%	88.3%
Grade 12	0.0%	0.0%	7.1%	92.9%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.7%	6.9%	12.4%	87.6%
Grade 7	1.5%	3.4%	10.0%	90.0%
Grade 8	3.0%	5.2%	9.8%	90.2%
Grade 9	2.9%	5.4%	11.6%	88.4%
Grade 10	6.8%	9.0%	15.6%	84.4%
Grade 11	5.0%	8.3%	15.0%	85.0%
Grade 12	16.7%	16.7%	16.7%	83.3%
Marijuana				
All	7.7%	8.8%	11.8%	88.2%
Grade 7	2.0%	2.3%	3.4%	96.6%
Grade 8	4.3%	5.9%	7.6%	92.4%
Grade 9	10.0%	10.0%	11.9%	88.1%
Grade 10	14.8%	14.8%	17.0%	83.0%
Grade 11	8.3%	10.0%	16.7%	83.3%
Grade 12	11.9%	16.7%	26.2%	73.8%
Marijuana Only				
All	4.2%	4.9%	7.3%	92.7%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	2.6%	3.7%	5.2%	94.8%
Grade 9	7.0%	7.0%	8.9%	91.1%
Grade 10	9.5%	9.5%	11.7%	88.3%
Grade 11	3.2%	4.8%	9.7%	90.3%
Grade 12	2.4%	4.8%	11.9%	88.1%
Cocaine or Crack				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.7%	0.8%	1.2%	98.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.4%	1.3%	98.7%
Grade 10	0.8%	0.8%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.4%	2.4%	7.1%	92.9%
Cocaine				
All	0.3%	0.3%	1.2%	98.8%
Grade 7	0.5%	0.7%	1.0%	99.0%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.8%	0.8%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.8%	95.2%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.4%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.4%	2.4%	2.4%	97.6%
Hallucinogens				
All	0.3%	1.1%	1.8%	98.2%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.8%	1.7%	2.5%	97.5%
Grade 11	0.0%	3.3%	3.3%	96.7%
Grade 12	0.0%	2.4%	4.8%	95.2%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	0.9%	1.4%	98.6%
Grade 7	0.3%	0.9%	2.2%	97.8%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	1.7%	1.7%	1.7%	98.3%
Grade 12	2.4%	2.4%	2.4%	97.6%
Ecstasy				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.6%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.4%	0.9%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.0%	0.4%	0.9%	99.1%
Grade 10	2.5%	2.5%	2.5%	97.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.4%	97.6%
Methamphetamine				
All	0.5%	0.7%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.8%	1.7%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.4%	2.4%	2.4%	97.6%
Delta 8				
All	0.9%	1.5%	3.0%	97.0%
Grade 7	0.5%	0.9%	1.9%	98.1%
Grade 8	0.7%	1.2%	2.0%	98.0%
Grade 9	0.4%	0.9%	1.3%	98.7%
Grade 10	0.8%	2.5%	4.2%	95.8%
Grade 11	1.7%	1.7%	3.3%	96.7%
Grade 12	2.4%	2.4%	9.5%	90.5%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.0%	9.6%	15.8%	84.2%
Grade 7	3.1%	3.8%	11.7%	88.3%
Grade 8	5.7%	7.6%	12.4%	87.6%
Grade 9	7.4%	7.4%	15.7%	84.3%
Grade 10	8.2%	12.3%	12.3%	87.7%
Grade 11	18.5%	22.2%	33.3%	66.7%
Grade 12	12.5%	12.5%	16.7%	83.3%
Any Alcohol Product				
All	17.9%	20.4%	34.1%	65.9%
Grade 7	8.9%	10.7%	29.1%	70.9%
Grade 8	14.3%	17.3%	38.1%	61.9%
Grade 9	18.2%	20.2%	29.7%	70.3%
Grade 10	22.5%	26.6%	36.0%	64.0%
Grade 11	33.3%	37.0%	48.1%	51.9%
Grade 12	20.8%	20.8%	25.0%	75.0%
Any Illicit Drug				
All	7.1%	9.1%	12.0%	88.0%
Grade 7	1.5%	2.5%	3.9%	96.1%
Grade 8	5.7%	8.7%	10.5%	89.5%
Grade 9	8.9%	8.9%	11.9%	88.1%
Grade 10	8.2%	10.2%	12.3%	87.7%
Grade 11	18.5%	22.2%	29.6%	70.4%
Grade 12	4.2%	8.3%	12.5%	87.5%
Any Prescription Drug				
All	4.2%	6.5%	10.2%	89.8%
Grade 7	4.7%	6.9%	11.3%	88.7%
Grade 8	6.2%	10.1%	14.2%	85.8%
Grade 9	5.1%	6.1%	9.2%	90.8%
Grade 10	6.1%	8.2%	10.2%	89.8%
Grade 11	0.0%	0.0%	3.8%	96.2%
Grade 12	0.0%	4.2%	8.3%	91.7%
Any Inhalant				
All	2.8%	3.4%	7.7%	92.3%
Grade 7	2.9%	4.4%	9.9%	90.1%
Grade 8	3.8%	4.7%	9.3%	90.7%
Grade 9	3.4%	3.4%	5.3%	94.7%
Grade 10	2.0%	2.0%	4.1%	95.9%
Grade 11	3.7%	3.7%	11.1%	88.9%
Grade 12	0.0%	0.0%	4.2%	95.8%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.8%	6.5%	12.1%	87.9%
Grade 7	0.8%	2.1%	9.3%	90.7%
Grade 8	3.3%	5.5%	9.9%	90.1%
Grade 9	4.4%	5.5%	13.5%	86.5%
Grade 10	6.1%	8.2%	12.3%	87.7%
Grade 11	11.1%	14.8%	22.2%	77.8%
Grade 12	8.3%	8.3%	8.3%	91.7%
Marijuana				
All	6.7%	7.9%	10.7%	89.3%
Grade 7	1.1%	1.1%	2.6%	97.4%
Grade 8	4.7%	6.0%	7.9%	92.1%
Grade 9	8.9%	8.9%	10.9%	89.1%
Grade 10	8.2%	8.2%	10.2%	89.8%
Grade 11	18.5%	22.2%	29.6%	70.4%
Grade 12	4.2%	8.3%	12.5%	87.5%
Marijuana Only				
All	2.8%	3.8%	5.8%	94.2%
Grade 7	0.5%	0.6%	1.6%	98.4%
Grade 8	2.8%	3.5%	4.9%	95.1%
Grade 9	4.7%	4.7%	6.5%	93.5%
Grade 10	2.0%	2.0%	4.0%	96.0%
Grade 11	6.9%	10.3%	13.8%	86.2%
Grade 12	0.0%	4.2%	8.3%	91.7%
Cocaine or Crack				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.0%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	1.4%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.9%	1.1%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	0.0%	7.4%	7.4%	92.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.3%	0.5%	0.6%	99.4%
Grade 9	0.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	0.9%	1.3%	98.7%
Grade 7	0.2%	0.8%	2.4%	97.6%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.7%	3.7%	3.7%	96.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.5%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	1.0%	2.0%	3.0%	97.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.0%	1.0%	1.0%	99.0%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.6%	2.2%	3.1%	96.9%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	0.6%	1.1%	2.1%	97.9%
Grade 9	1.0%	2.0%	3.0%	97.0%
Grade 10	2.0%	4.1%	4.1%	95.9%
Grade 11	3.7%	3.7%	7.4%	92.6%
Grade 12	4.2%	4.2%	4.2%	95.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.6%	8.5%	15.8%	84.2%
Grade 7	4.5%	6.4%	12.8%	87.2%
Grade 8	4.5%	6.2%	10.9%	89.1%
Grade 9	4.7%	8.4%	13.1%	86.9%
Grade 10	7.2%	9.6%	23.2%	76.8%
Grade 11	6.1%	6.1%	15.2%	84.8%
Grade 12	25.0%	25.0%	31.2%	68.8%
Any Alcohol Product				
All	18.2%	20.8%	33.0%	67.0%
Grade 7	13.5%	15.6%	32.2%	67.8%
Grade 8	18.4%	20.8%	36.9%	63.1%
Grade 9	11.3%	17.3%	28.4%	71.6%
Grade 10	24.3%	24.3%	35.0%	65.0%
Grade 11	18.2%	21.2%	27.3%	72.7%
Grade 12	37.5%	37.5%	43.8%	56.2%
Any Illicit Drug				
All	9.9%	11.8%	15.1%	84.9%
Grade 7	3.6%	5.3%	7.5%	92.5%
Grade 8	5.5%	8.1%	9.8%	90.2%
Grade 9	11.6%	12.4%	14.4%	85.6%
Grade 10	22.3%	22.3%	24.7%	75.3%
Grade 11	0.0%	3.0%	9.1%	90.9%
Grade 12	25.0%	31.2%	43.8%	56.2%
Any Prescription Drug				
All	4.5%	5.5%	8.8%	91.2%
Grade 7	6.2%	8.2%	16.4%	83.6%
Grade 8	4.0%	6.6%	12.6%	87.4%
Grade 9	2.0%	2.0%	2.0%	98.0%
Grade 10	3.8%	4.1%	4.1%	95.9%
Grade 11	9.1%	9.1%	9.1%	90.9%
Grade 12	0.0%	0.0%	6.2%	93.8%
Any Inhalant				
All	4.0%	4.9%	9.0%	91.0%
Grade 7	5.3%	8.1%	13.9%	86.1%
Grade 8	4.7%	6.6%	11.7%	88.3%
Grade 9	1.9%	1.9%	3.6%	96.4%
Grade 10	3.8%	3.8%	5.2%	94.8%
Grade 11	6.1%	6.1%	12.1%	87.9%
Grade 12	0.0%	0.0%	6.2%	93.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.3%	6.8%	12.4%	87.6%
Grade 7	2.2%	4.6%	10.8%	89.2%
Grade 8	2.8%	4.6%	9.6%	90.4%
Grade 9	1.6%	5.3%	10.0%	90.0%
Grade 10	7.2%	9.6%	18.0%	82.0%
Grade 11	0.0%	3.0%	9.1%	90.9%
Grade 12	25.0%	25.0%	25.0%	75.0%
Marijuana				
All	8.4%	9.3%	12.2%	87.8%
Grade 7	2.9%	3.4%	4.2%	95.8%
Grade 8	4.1%	5.9%	7.6%	92.4%
Grade 9	10.8%	10.8%	12.8%	87.2%
Grade 10	19.4%	19.4%	21.8%	78.2%
Grade 11	0.0%	0.0%	6.1%	93.9%
Grade 12	18.8%	25.0%	37.5%	62.5%
Marijuana Only				
All	5.5%	5.9%	8.5%	91.5%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	2.4%	4.1%	5.7%	94.3%
Grade 9	9.0%	9.0%	10.9%	89.1%
Grade 10	14.9%	14.9%	17.2%	82.8%
Grade 11	0.0%	0.0%	6.1%	93.9%
Grade 12	6.2%	6.2%	12.5%	87.5%
Cocaine or Crack				
All	1.1%	1.2%	1.9%	98.1%
Grade 7	1.1%	1.4%	1.9%	98.1%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.8%	0.8%	1.6%	98.4%
Grade 10	1.4%	1.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	6.2%	6.2%	12.5%	87.5%
Cocaine				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	1.0%	1.3%	1.8%	98.2%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	1.4%	1.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.2%	93.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.6%	0.7%	0.9%	99.1%
	Grade 7	0.3%	0.6%	1.4%	98.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.8%	0.8%	0.8%	99.2%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	6.2%	6.2%	6.2%	93.8%
Hallucinogens	All	0.2%	0.4%	1.5%	98.5%
	Grade 7	0.3%	0.3%	0.8%	99.2%
	Grade 8	0.4%	0.4%	1.3%	98.7%
	Grade 9	0.0%	0.0%	0.8%	99.2%
	Grade 10	0.0%	1.4%	2.9%	97.1%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	6.2%	93.8%
Synthetic Cathinones	All	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.3%	0.3%	1.2%	98.8%
	Grade 8	0.2%	0.2%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.7%	0.8%	1.4%	98.6%
	Grade 7	0.3%	0.9%	2.0%	98.0%
	Grade 8	0.3%	0.3%	0.7%	99.3%
	Grade 9	0.8%	0.8%	0.8%	99.2%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	6.2%	6.2%	6.2%	93.8%
Ecstasy	All	0.1%	0.2%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.5%	0.8%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.7%	0.8%	1.6%	98.4%
Grade 7	0.5%	0.5%	1.3%	98.7%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	2.9%	2.9%	2.9%	97.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.2%	93.8%
Methamphetamine				
All	0.4%	0.6%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.4%	2.9%	2.9%	97.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	0.3%	0.8%	3.0%	97.0%
Grade 7	0.6%	1.4%	3.0%	97.0%
Grade 8	0.7%	1.3%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.4%	4.3%	95.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	18.8%	81.2%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	2.6%	5.0%	13.3%	86.7%
Grade 7	2.0%	3.3%	9.5%	90.5%
Grade 8	4.6%	6.2%	11.4%	88.6%
Grades 9–12	0.0%	5.9%	23.7%	76.3%
Any Alcohol Product				
All	13.1%	19.0%	33.5%	66.5%
Grade 7	9.7%	12.0%	28.8%	71.2%
Grade 8	20.3%	23.4%	40.3%	59.7%
Grades 9–12	5.9%	23.7%	29.6%	70.4%
Any Illicit Drug				
All	4.4%	5.9%	9.5%	90.5%
Grade 7	2.1%	3.3%	4.8%	95.2%
Grade 8	5.9%	8.5%	9.6%	90.4%
Grades 9–12	5.9%	5.9%	17.7%	82.3%
Any Prescription Drug				
All	5.8%	8.6%	13.8%	86.2%
Grade 7	4.0%	5.7%	13.3%	86.7%
Grade 8	7.5%	12.9%	18.7%	81.3%
Grades 9–12	5.9%	5.9%	5.9%	94.1%
Any Inhalant				
All	4.1%	5.7%	9.1%	90.9%
Grade 7	2.3%	4.2%	7.3%	92.7%
Grade 8	5.0%	6.9%	12.5%	87.5%
Grades 9–12	5.9%	5.9%	5.9%	94.1%
Electronic Vapor Products				
All	1.3%	4.4%	10.2%	89.8%
Grade 7	0.6%	2.7%	7.1%	92.9%
Grade 8	2.7%	5.2%	9.3%	90.7%
Grades 9–12	0.0%	5.9%	17.7%	82.3%
Marijuana				
All	3.6%	4.5%	7.8%	92.2%
Grade 7	1.6%	2.2%	3.2%	96.8%
Grade 8	4.2%	6.0%	7.0%	93.0%
Grades 9–12	5.9%	5.9%	17.7%	82.3%
Marijuana Only				
All	2.3%	3.0%	6.1%	93.9%
Grade 7	0.5%	0.6%	1.6%	98.4%
Grade 8	2.3%	4.0%	4.7%	95.3%
Grades 9–12	5.3%	5.3%	15.9%	84.1%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Cocaine or Crack				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.1%	0.3%	0.3%	99.7%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.5%	0.5%	1.3%	98.7%
Grade 8	0.5%	0.7%	0.8%	99.2%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.6%	2.4%	97.6%
Grade 8	0.2%	0.5%	0.9%	99.1%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	1.4%	1.6%	98.4%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Heroin				
All	0.0%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.4%	1.2%	98.8%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grades 9–12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grades 9–12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.4%	0.8%	0.8%	99.2%
Grade 8	1.0%	1.0%	2.5%	97.5%
Grades 9–12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	4.9%	5.6%	11.5%	88.5%
Grade 7	2.2%	2.2%	7.9%	92.1%
Grade 8	3.9%	7.4%	9.8%	90.2%
Grade 9	5.9%	5.9%	14.7%	85.3%
Grade 10	0.0%	0.0%	14.3%	85.7%
Grades 11–12	10.5%	10.5%	10.5%	89.5%
Any Alcohol Product				
All	9.3%	10.7%	27.3%	72.7%
Grade 7	5.1%	5.6%	21.1%	78.9%
Grade 8	11.7%	15.2%	34.5%	65.5%
Grade 9	5.9%	8.8%	26.5%	73.5%
Grade 10	7.1%	7.1%	21.4%	78.6%
Grades 11–12	15.8%	15.8%	31.6%	68.4%
Any Illicit Drug				
All	5.2%	8.1%	10.8%	89.2%
Grade 7	1.6%	2.1%	3.4%	96.6%
Grade 8	6.3%	8.2%	11.2%	88.8%
Grade 9	5.9%	5.9%	8.8%	91.2%
Grade 10	7.1%	7.1%	7.1%	92.9%
Grades 11–12	5.3%	15.8%	21.1%	78.9%
Any Prescription Drug				
All	2.4%	3.0%	4.4%	95.6%
Grade 7	10.0%	12.8%	15.6%	84.4%
Grade 8	3.2%	3.5%	8.4%	91.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Any Inhalant				
All	3.5%	3.8%	8.0%	92.0%
Grade 7	2.6%	3.7%	3.7%	96.3%
Grade 8	2.2%	3.2%	6.2%	93.8%
Grade 9	5.9%	5.9%	5.9%	94.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	5.3%	5.3%	21.1%	78.9%
Electronic Vapor Products				
All	1.8%	2.4%	6.1%	93.9%
Grade 7	0.9%	0.9%	4.8%	95.2%
Grade 8	2.1%	5.8%	7.9%	92.1%
Grade 9	0.0%	0.0%	5.9%	94.1%
Grade 10	0.0%	0.0%	7.1%	92.9%
Grades 11–12	5.3%	5.3%	5.3%	94.7%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana				
All	3.7%	5.3%	7.8%	92.2%
Grade 7	1.1%	1.1%	1.7%	98.3%
Grade 8	5.1%	7.1%	10.1%	89.9%
Grade 9	5.9%	5.9%	8.8%	91.2%
Grade 10	7.1%	7.1%	7.1%	92.9%
Grades 11–12	0.0%	5.3%	10.5%	89.5%
Marijuana Only				
All	3.5%	4.8%	6.1%	93.9%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	4.9%	5.7%	8.5%	91.5%
Grade 9	5.9%	5.9%	8.8%	91.2%
Grade 10	7.1%	7.1%	7.1%	92.9%
Grades 11–12	0.0%	5.0%	5.0%	95.0%
Cocaine or Crack				
All	1.2%	1.2%	1.2%	98.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	5.3%	5.3%	5.3%	94.7%
Cocaine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Crack				
All	1.2%	1.2%	1.2%	98.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	5.3%	5.3%	5.3%	94.7%
Hallucinogens				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	1.2%	1.2%	1.4%	98.6%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	5.3%	5.3%	5.3%	94.7%
Ecstasy				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Heroin				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Delta 8				
All	0.1%	0.1%	1.4%	98.6%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	5.3%	94.7%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.1%	11.9%	19.1%	80.9%
Grade 7	5.6%	7.6%	17.4%	82.6%
Grade 8	4.0%	5.6%	11.1%	88.9%
Grade 9	6.4%	8.0%	16.0%	84.0%
Grade 10	11.8%	14.4%	18.4%	81.6%
Grade 11	14.0%	16.3%	25.6%	74.4%
Grade 12	23.3%	23.3%	30.0%	70.0%
Any Alcohol Product				
All	24.2%	26.4%	36.9%	63.1%
Grade 7	15.6%	18.5%	37.5%	62.5%
Grade 8	14.7%	16.8%	33.9%	66.1%
Grade 9	21.6%	24.0%	32.0%	68.0%
Grade 10	30.2%	32.8%	42.2%	57.8%
Grade 11	32.6%	34.9%	41.9%	58.1%
Grade 12	33.3%	33.3%	33.3%	66.7%
Any Illicit Drug				
All	11.0%	13.1%	16.9%	83.1%
Grade 7	2.7%	4.8%	7.6%	92.4%
Grade 8	3.5%	7.1%	8.2%	91.8%
Grade 9	14.4%	15.2%	18.4%	81.6%
Grade 10	17.1%	18.4%	19.7%	80.3%
Grade 11	11.6%	14.0%	20.9%	79.1%
Grade 12	16.7%	20.0%	30.0%	70.0%
Any Prescription Drug				
All	4.5%	6.1%	9.6%	90.4%
Grade 7	5.3%	6.8%	13.0%	87.0%
Grade 8	4.0%	6.7%	10.5%	89.5%
Grade 9	4.0%	4.8%	7.2%	92.8%
Grade 10	5.3%	6.9%	8.2%	91.8%
Grade 11	7.1%	7.1%	9.5%	90.5%
Grade 12	0.0%	3.4%	10.3%	89.7%
Any Inhalant				
All	3.3%	3.9%	8.5%	91.5%
Grade 7	5.5%	8.5%	16.9%	83.1%
Grade 8	3.6%	4.8%	10.2%	89.8%
Grade 9	2.4%	2.4%	5.6%	94.4%
Grade 10	2.6%	2.6%	5.3%	94.7%
Grade 11	4.7%	4.7%	9.3%	90.7%
Grade 12	0.0%	0.0%	3.3%	96.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.0%	9.1%	15.4%	84.6%
Grade 7	2.3%	4.8%	15.3%	84.7%
Grade 8	2.9%	4.5%	9.5%	90.5%
Grade 9	3.2%	5.6%	14.5%	85.5%
Grade 10	10.5%	11.8%	15.8%	84.2%
Grade 11	7.0%	11.6%	18.6%	81.4%
Grade 12	20.0%	20.0%	20.0%	80.0%
Marijuana				
All	10.1%	11.2%	14.7%	85.3%
Grade 7	2.7%	3.0%	4.6%	95.4%
Grade 8	2.6%	4.0%	5.3%	94.7%
Grade 9	13.6%	13.6%	16.0%	84.0%
Grade 10	14.4%	14.4%	15.8%	84.2%
Grade 11	11.6%	14.0%	20.9%	79.1%
Grade 12	16.7%	20.0%	30.0%	70.0%
Marijuana Only				
All	4.3%	4.9%	7.9%	92.1%
Grade 7	0.5%	0.8%	1.9%	98.1%
Grade 8	1.1%	2.2%	3.2%	96.8%
Grade 9	8.6%	8.6%	10.9%	89.1%
Grade 10	6.4%	6.4%	7.7%	92.3%
Grade 11	4.5%	6.8%	11.4%	88.6%
Grade 12	3.3%	3.3%	13.3%	86.7%
Cocaine or Crack				
All	0.7%	0.7%	2.1%	97.9%
Grade 7	1.2%	1.5%	1.8%	98.2%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.8%	0.8%	2.4%	97.6%
Grade 10	1.3%	1.3%	2.6%	97.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.7%	93.3%
Cocaine				
All	0.5%	0.6%	2.0%	98.0%
Grade 7	1.2%	1.5%	1.8%	98.2%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	1.3%	1.3%	2.6%	97.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.7%	93.3%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.3%	0.4%	99.6%
	Grade 7	0.3%	0.6%	1.5%	98.5%
	Grade 8	0.1%	0.1%	0.1%	99.9%
	Grade 9	0.8%	0.8%	0.8%	99.2%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.3%	1.8%	2.7%	97.3%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	0.2%	0.4%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.8%	99.2%
	Grade 10	1.3%	2.6%	3.9%	96.1%
	Grade 11	0.0%	4.7%	4.7%	95.3%
	Grade 12	0.0%	3.3%	6.7%	93.3%
Synthetic Cathinones	All	0.0%	0.2%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.0%	0.8%	0.8%	99.2%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.9%	1.0%	1.4%	98.6%
	Grade 7	0.6%	1.4%	2.3%	97.7%
	Grade 8	0.4%	0.4%	0.4%	99.6%
	Grade 9	1.6%	1.6%	1.6%	98.4%
	Grade 10	0.0%	0.0%	1.3%	98.7%
	Grade 11	2.3%	2.3%	2.3%	97.7%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	0.1%	0.2%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.4%	0.4%	0.5%	99.5%
	Grade 9	0.0%	0.8%	0.8%	99.2%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.8%	1.6%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	1.0%	1.8%	98.2%
Grade 7	0.6%	0.6%	1.7%	98.3%
Grade 8	0.1%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.8%	1.6%	98.4%
Grade 10	3.9%	3.9%	3.9%	96.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.3%	96.7%
Methamphetamine				
All	0.9%	1.2%	1.2%	98.8%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	1.3%	2.6%	2.6%	97.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.3%	3.3%	3.3%	96.7%
Delta 8				
All	1.3%	2.2%	4.4%	95.6%
Grade 7	0.4%	1.2%	3.3%	96.7%
Grade 8	0.3%	1.1%	1.6%	98.4%
Grade 9	0.8%	1.6%	2.4%	97.6%
Grade 10	1.3%	3.9%	6.6%	93.4%
Grade 11	2.3%	2.3%	4.7%	95.3%
Grade 12	3.3%	3.3%	10.0%	90.0%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	5.5%	6.7%	12.9%	87.1%
Grade 7	1.7%	2.4%	7.7%	92.3%
Grade 8	1.8%	2.5%	4.5%	95.5%
Grade 9	5.4%	7.0%	10.8%	89.2%
Grade 10	5.4%	9.7%	15.0%	85.0%
Grade 11	10.0%	10.0%	30.0%	70.0%
Grade 12	16.7%	16.7%	22.2%	77.8%
Any Alcohol Product				
All	13.5%	16.3%	29.2%	70.8%
Grade 7	7.9%	8.8%	25.3%	74.7%
Grade 8	7.6%	11.2%	28.5%	71.5%
Grade 9	8.6%	12.5%	31.8%	68.2%
Grade 10	20.4%	20.4%	25.8%	74.2%
Grade 11	20.0%	30.0%	40.0%	60.0%
Grade 12	27.8%	27.8%	27.8%	72.2%
Any Illicit Drug				
All	5.8%	7.5%	9.2%	90.8%
Grade 7	1.7%	2.5%	3.5%	96.5%
Grade 8	2.0%	2.9%	3.9%	96.1%
Grade 9	4.8%	4.8%	4.8%	95.2%
Grade 10	16.7%	16.7%	16.7%	83.3%
Grade 11	0.0%	5.0%	15.0%	85.0%
Grade 12	16.7%	22.2%	22.2%	77.8%
Any Prescription Drug				
All	5.0%	6.3%	10.6%	89.4%
Grade 7	7.2%	9.3%	16.1%	83.9%
Grade 8	5.3%	8.7%	14.4%	85.6%
Grade 9	5.5%	5.5%	7.1%	92.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	10.0%	10.0%	10.0%	90.0%
Grade 12	0.0%	0.0%	11.1%	88.9%
Any Inhalant				
All	2.1%	2.6%	6.3%	93.7%
Grade 7	1.6%	2.8%	8.4%	91.6%
Grade 8	3.7%	4.5%	8.7%	91.3%
Grade 9	1.6%	1.6%	4.8%	95.2%
Grade 10	0.0%	0.0%	2.7%	97.3%
Grade 11	5.0%	5.0%	10.0%	90.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	3.4%	5.6%	7.9%	92.1%
Grade 7	0.9%	2.1%	4.9%	95.1%
Grade 8	1.6%	1.8%	2.8%	97.2%
Grade 9	1.6%	4.8%	6.4%	93.6%
Grade 10	5.4%	9.7%	9.7%	90.3%
Grade 11	0.0%	5.0%	15.0%	85.0%
Grade 12	16.7%	16.7%	16.7%	83.3%
Marijuana				
All	5.0%	5.7%	7.3%	92.7%
Grade 7	1.3%	1.3%	1.7%	98.3%
Grade 8	1.1%	1.9%	2.7%	97.3%
Grade 9	4.8%	4.8%	4.8%	95.2%
Grade 10	16.7%	16.7%	16.7%	83.3%
Grade 11	0.0%	0.0%	10.0%	90.0%
Grade 12	11.1%	16.7%	16.7%	83.3%
Marijuana Only				
All	3.2%	3.3%	4.8%	95.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	1.1%	1.8%	2.7%	97.3%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	13.3%	13.3%	13.3%	86.7%
Grade 11	0.0%	0.0%	9.5%	90.5%
Grade 12	5.6%	5.6%	5.6%	94.4%
Cocaine or Crack				
All	0.7%	0.8%	1.8%	98.2%
Grade 7	0.0%	0.4%	1.0%	99.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	5.6%	5.6%	11.1%	88.9%
Cocaine				
All	0.1%	0.2%	1.2%	98.8%
Grade 7	0.0%	0.4%	1.0%	99.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.6%	94.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	0.8%	99.2%
Grade 7	0.0%	0.4%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	5.6%	5.6%	5.6%	94.4%
Hallucinogens				
All	0.0%	0.0%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.6%	94.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.9%	1.1%	1.4%	98.6%
Grade 7	0.7%	1.4%	2.7%	97.3%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	5.6%	5.6%	5.6%	94.4%
Ecstasy				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	2.7%	2.7%	2.7%	97.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	0.0%	0.0%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	0.0%	0.0%	2.7%	97.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.6%	94.4%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.6%	10.7%	17.7%	82.3%
Grade 7	5.1%	6.8%	15.3%	84.7%
Grade 8	7.2%	9.9%	16.3%	83.7%
Grade 9	6.2%	8.3%	15.1%	84.9%
Grade 10	8.7%	11.2%	20.4%	79.6%
Grade 11	12.5%	15.0%	20.0%	80.0%
Grade 12	20.8%	20.8%	25.0%	75.0%
Any Alcohol Product				
All	21.0%	23.3%	36.0%	64.0%
Grade 7	13.6%	16.3%	34.4%	65.6%
Grade 8	22.1%	24.2%	43.3%	56.7%
Grade 9	16.8%	21.1%	27.4%	72.6%
Grade 10	25.1%	27.5%	39.9%	60.1%
Grade 11	27.5%	27.5%	35.0%	65.0%
Grade 12	29.2%	29.2%	37.5%	62.5%
Any Illicit Drug				
All	10.2%	12.4%	16.5%	83.5%
Grade 7	3.1%	4.6%	7.0%	93.0%
Grade 8	7.8%	12.1%	14.3%	85.7%
Grade 9	12.0%	12.7%	16.0%	84.0%
Grade 10	16.4%	17.6%	20.9%	79.1%
Grade 11	12.5%	15.0%	20.0%	80.0%
Grade 12	12.5%	16.7%	33.3%	66.7%
Any Prescription Drug				
All	4.0%	5.8%	8.8%	91.2%
Grade 7	4.5%	6.6%	12.5%	87.5%
Grade 8	5.0%	8.2%	12.9%	87.1%
Grade 9	2.5%	3.2%	4.5%	95.5%
Grade 10	7.0%	8.5%	9.8%	90.2%
Grade 11	2.6%	2.6%	5.1%	94.9%
Grade 12	0.0%	4.3%	4.3%	95.7%
Any Inhalant				
All	4.1%	5.0%	9.7%	90.3%
Grade 7	5.5%	8.3%	13.8%	86.2%
Grade 8	4.5%	6.2%	11.8%	88.2%
Grade 9	3.0%	3.0%	4.2%	95.8%
Grade 10	4.5%	4.5%	5.7%	94.3%
Grade 11	5.0%	5.0%	12.5%	87.5%
Grade 12	0.0%	0.0%	12.5%	87.5%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.5%	7.6%	14.8%	85.2%
Grade 7	2.0%	4.2%	13.3%	86.7%
Grade 8	4.0%	7.3%	14.2%	85.8%
Grade 9	3.4%	5.6%	13.0%	87.0%
Grade 10	7.4%	8.7%	18.4%	81.6%
Grade 11	7.5%	10.0%	15.0%	85.0%
Grade 12	16.7%	16.7%	16.7%	83.3%
Marijuana				
All	9.2%	10.4%	14.3%	85.7%
Grade 7	2.5%	2.9%	4.4%	95.6%
Grade 8	6.4%	8.6%	10.8%	89.2%
Grade 9	11.4%	11.4%	14.2%	85.8%
Grade 10	13.9%	13.9%	17.1%	82.9%
Grade 11	12.5%	15.0%	20.0%	80.0%
Grade 12	12.5%	16.7%	33.3%	66.7%
Marijuana Only				
All	4.8%	5.7%	8.8%	91.2%
Grade 7	0.6%	0.8%	2.2%	97.8%
Grade 8	3.6%	5.0%	6.9%	93.1%
Grade 9	9.1%	9.1%	11.7%	88.3%
Grade 10	7.7%	7.7%	10.9%	89.1%
Grade 11	4.9%	7.3%	9.8%	90.2%
Grade 12	0.0%	4.2%	16.7%	83.3%
Cocaine or Crack				
All	0.6%	0.6%	1.4%	98.6%
Grade 7	1.1%	1.1%	1.3%	98.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	1.2%	1.2%	2.5%	97.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.2%	95.8%
Cocaine				
All	0.4%	0.4%	1.2%	98.8%
Grade 7	0.9%	0.9%	1.1%	98.9%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	1.2%	1.2%	2.5%	97.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.2%	95.8%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	1.7%	2.2%	97.8%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	1.0%	1.2%	2.3%	97.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.2%	2.5%	3.7%	96.3%
Grade 11	0.0%	5.0%	5.0%	95.0%
Grade 12	0.0%	4.2%	4.2%	95.8%
Synthetic Cathinones				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	0.8%	1.4%	98.6%
Grade 7	0.0%	0.5%	1.9%	98.1%
Grade 8	0.1%	0.3%	0.8%	99.2%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	2.5%	2.5%	2.5%	97.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.2%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	1.0%	1.1%	1.5%	98.5%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.3%	0.8%	99.2%
Grade 9	0.6%	1.3%	1.9%	98.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	0.8%	1.4%	98.6%
Grade 7	0.5%	0.5%	1.2%	98.8%
Grade 8	0.3%	0.5%	1.6%	98.4%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	2.5%	2.5%	2.5%	97.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.2%	95.8%
Methamphetamine				
All	0.8%	1.1%	1.2%	98.8%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.0%	99.0%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	1.2%	2.5%	2.5%	97.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	4.2%	4.2%	4.2%	95.8%
Delta 8				
All	1.4%	2.3%	3.9%	96.1%
Grade 7	0.8%	1.6%	2.7%	97.3%
Grade 8	1.1%	2.0%	3.2%	96.8%
Grade 9	0.6%	1.3%	1.3%	98.7%
Grade 10	1.2%	3.7%	5.0%	95.0%
Grade 11	2.5%	2.5%	5.0%	95.0%
Grade 12	4.2%	4.2%	12.5%	87.5%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.9%	7.6%	12.2%	87.8%
Grade 7	3.3%	4.2%	10.0%	90.0%
Grade 8	3.0%	4.4%	8.2%	91.8%
Grade 9	5.6%	6.4%	12.5%	87.5%
Grade 10	6.0%	6.0%	7.5%	92.5%
Grade 11	12.5%	12.5%	18.8%	81.2%
Grade 12	23.1%	23.1%	26.9%	73.1%
Any Alcohol Product				
All	18.4%	20.5%	31.3%	68.7%
Grade 7	11.1%	12.5%	29.2%	70.8%
Grade 8	14.3%	17.0%	33.4%	66.6%
Grade 9	17.0%	21.1%	29.5%	70.5%
Grade 10	18.0%	21.0%	27.0%	73.0%
Grade 11	31.2%	31.2%	37.5%	62.5%
Grade 12	34.6%	34.6%	34.6%	65.4%
Any Illicit Drug				
All	7.7%	9.3%	12.3%	87.7%
Grade 7	2.4%	3.6%	5.1%	94.9%
Grade 8	3.5%	6.2%	7.2%	92.8%
Grade 9	9.9%	9.9%	12.1%	87.9%
Grade 10	11.4%	11.4%	12.9%	87.1%
Grade 11	12.5%	12.5%	18.8%	81.2%
Grade 12	15.4%	23.1%	34.6%	65.4%
Any Prescription Drug				
All	3.8%	5.4%	8.5%	91.5%
Grade 7	4.1%	6.1%	12.7%	87.3%
Grade 8	5.5%	8.8%	13.8%	86.2%
Grade 9	5.0%	5.0%	7.3%	92.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	6.2%	6.2%	6.2%	93.8%
Grade 12	0.0%	3.8%	3.8%	96.2%
Any Inhalant				
All	3.2%	3.9%	8.2%	91.8%
Grade 7	3.4%	5.0%	10.5%	89.5%
Grade 8	4.5%	5.8%	10.5%	89.5%
Grade 9	2.3%	2.3%	5.3%	94.7%
Grade 10	1.5%	1.5%	4.5%	95.5%
Grade 11	6.2%	6.2%	12.5%	87.5%
Grade 12	0.0%	0.0%	3.8%	96.2%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.8%	6.0%	9.6%	90.4%
Grade 7	1.3%	2.5%	8.2%	91.8%
Grade 8	1.8%	3.0%	6.2%	93.8%
Grade 9	4.2%	5.7%	11.8%	88.2%
Grade 10	6.0%	6.0%	6.0%	94.0%
Grade 11	6.2%	9.4%	12.5%	87.5%
Grade 12	19.2%	19.2%	19.2%	80.8%
Marijuana				
All	6.6%	7.6%	10.5%	89.5%
Grade 7	1.9%	2.2%	3.2%	96.8%
Grade 8	2.1%	3.4%	4.6%	95.4%
Grade 9	9.1%	9.1%	11.4%	88.6%
Grade 10	9.9%	9.9%	11.4%	88.6%
Grade 11	12.5%	12.5%	18.8%	81.2%
Grade 12	11.5%	19.2%	30.8%	69.2%
Marijuana Only				
All	3.6%	4.2%	6.9%	93.1%
Grade 7	0.4%	0.6%	1.3%	98.7%
Grade 8	1.5%	2.5%	3.3%	96.7%
Grade 9	7.1%	7.1%	9.3%	90.7%
Grade 10	5.3%	5.3%	6.8%	93.2%
Grade 11	6.1%	6.1%	12.1%	87.9%
Grade 12	3.8%	7.7%	19.2%	80.8%
Cocaine or Crack				
All	1.0%	1.0%	1.3%	98.7%
Grade 7	0.8%	1.0%	1.2%	98.8%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	1.5%	1.5%	3.0%	97.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.8%	3.8%	3.8%	96.2%
Cocaine				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.6%	0.8%	1.0%	99.0%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.5%	1.5%	3.0%	97.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	0.7%	99.3%
Grade 7	0.4%	0.6%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.8%	3.8%	3.8%	96.2%
Hallucinogens				
All	0.1%	0.7%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.5%	1.5%	98.5%
Grade 11	0.0%	3.1%	3.1%	96.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.4%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	0.9%	1.1%	98.9%
Grade 7	0.2%	1.0%	1.7%	98.3%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.8%	3.8%	3.8%	96.2%
Ecstasy				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.0%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.3%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.4%	1.1%	98.9%
Grade 8	0.0%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.8%	0.8%	99.2%
Grade 10	1.5%	1.5%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.8%	96.2%
Methamphetamine				
All	0.5%	0.7%	0.8%	99.2%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	1.5%	3.0%	3.0%	97.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.0%	1.3%	2.7%	97.3%
Grade 7	0.2%	0.5%	1.3%	98.7%
Grade 8	0.3%	0.7%	1.2%	98.8%
Grade 9	0.8%	0.8%	1.5%	98.5%
Grade 10	0.0%	1.5%	3.0%	97.0%
Grade 11	3.1%	3.1%	3.1%	96.9%
Grade 12	3.8%	3.8%	11.5%	88.5%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.9%	11.5%	21.6%	78.4%
Grade 7	4.5%	6.6%	16.5%	83.5%
Grade 8	8.5%	11.6%	18.2%	81.8%
Grade 9	6.3%	10.1%	16.9%	83.1%
Grade 10	8.0%	15.1%	31.9%	68.1%
Grade 11	10.7%	14.3%	28.6%	71.4%
Grade 12	12.5%	12.5%	18.8%	81.2%
Any Alcohol Product				
All	17.8%	20.9%	36.9%	63.1%
Grade 7	11.4%	14.5%	33.8%	66.2%
Grade 8	20.6%	23.2%	44.7%	55.3%
Grade 9	10.8%	15.0%	28.2%	71.8%
Grade 10	29.5%	29.5%	45.4%	54.6%
Grade 11	17.9%	25.0%	35.7%	64.3%
Grade 12	18.8%	18.8%	31.2%	68.8%
Any Illicit Drug				
All	9.9%	12.6%	16.4%	83.6%
Grade 7	2.8%	4.5%	6.8%	93.2%
Grade 8	9.0%	12.5%	15.7%	84.3%
Grade 9	11.2%	12.3%	14.9%	85.1%
Grade 10	21.5%	23.5%	26.7%	73.3%
Grade 11	3.6%	10.7%	17.9%	82.1%
Grade 12	12.5%	12.5%	18.8%	81.2%
Any Prescription Drug				
All	4.7%	6.3%	10.4%	89.6%
Grade 7	8.0%	10.0%	15.5%	84.5%
Grade 8	4.0%	7.2%	12.6%	87.4%
Grade 9	1.1%	2.2%	2.2%	97.8%
Grade 10	9.2%	11.5%	13.5%	86.5%
Grade 11	3.7%	3.7%	7.4%	92.6%
Grade 12	0.0%	0.0%	13.3%	86.7%
Any Inhalant				
All	3.8%	4.7%	9.0%	91.0%
Grade 7	5.3%	8.5%	14.6%	85.4%
Grade 8	3.7%	5.3%	10.3%	89.7%
Grade 9	3.0%	3.0%	3.0%	97.0%
Grade 10	5.2%	5.2%	5.2%	94.8%
Grade 11	3.6%	3.6%	10.7%	89.3%
Grade 12	0.0%	0.0%	12.5%	87.5%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.2%	7.8%	16.5%	83.5%
Grade 7	1.9%	5.0%	13.5%	86.5%
Grade 8	4.9%	8.9%	16.4%	83.6%
Grade 9	1.1%	4.9%	11.2%	88.8%
Grade 10	6.0%	11.1%	26.7%	73.3%
Grade 11	3.6%	7.1%	17.9%	82.1%
Grade 12	12.5%	12.5%	12.5%	87.5%
Marijuana				
All	9.3%	10.3%	13.6%	86.4%
Grade 7	2.2%	2.6%	3.6%	96.4%
Grade 8	8.0%	10.2%	13.1%	86.9%
Grade 9	11.2%	11.2%	12.7%	87.3%
Grade 10	19.5%	19.5%	22.7%	77.3%
Grade 11	3.6%	7.1%	14.3%	85.7%
Grade 12	12.5%	12.5%	18.8%	81.2%
Marijuana Only				
All	5.1%	5.9%	8.0%	92.0%
Grade 7	0.8%	0.8%	1.9%	98.1%
Grade 8	4.6%	6.0%	8.8%	91.2%
Grade 9	6.8%	6.8%	8.3%	91.7%
Grade 10	15.3%	15.3%	18.4%	81.6%
Grade 11	0.0%	3.4%	6.9%	93.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine or Crack				
All	0.2%	0.2%	1.9%	98.1%
Grade 7	0.4%	0.4%	1.1%	98.9%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.0%	0.0%	2.2%	97.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	12.5%	87.5%
Cocaine				
All	0.2%	0.2%	1.9%	98.1%
Grade 7	0.4%	0.4%	1.1%	98.9%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.0%	0.0%	2.2%	97.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	12.5%	87.5%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	1.7%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	1.1%	1.1%	2.6%	97.4%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	0.0%	3.6%	3.6%	96.4%
Grade 12	0.0%	6.2%	12.5%	87.5%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	0.4%	0.6%	3.1%	96.9%
Grade 8	0.4%	0.7%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.6%	3.6%	3.6%	96.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.7%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.3%	0.8%	99.2%
Grade 8	0.1%	0.2%	0.9%	99.1%
Grade 9	1.1%	1.1%	2.2%	97.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.4%	0.4%	1.3%	98.7%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	4.0%	4.0%	4.0%	96.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.6%	0.6%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	6.2%	6.2%	6.2%	93.8%
Delta 8				
All	0.7%	1.6%	3.2%	96.8%
Grade 7	1.0%	1.8%	3.1%	96.9%
Grade 8	1.0%	1.8%	3.1%	96.9%
Grade 9	0.0%	1.1%	1.1%	98.9%
Grade 10	2.0%	4.0%	4.0%	96.0%
Grade 11	0.0%	0.0%	3.6%	96.4%
Grade 12	0.0%	0.0%	6.2%	93.8%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	5.4%	6.0%	12.9%	87.1%
Grade 7	3.0%	3.7%	9.5%	90.5%
Grade 8	3.9%	5.3%	9.4%	90.6%
Grade 9	7.0%	7.0%	12.7%	87.3%
Grade 10	5.2%	6.5%	14.6%	85.4%
Grade 11	2.3%	2.3%	16.3%	83.7%
Grade 12	17.9%	17.9%	25.0%	75.0%
Any Alcohol Product				
All	16.8%	19.2%	32.4%	67.6%
Grade 7	8.9%	10.4%	28.0%	72.0%
Grade 8	15.1%	17.3%	35.6%	64.4%
Grade 9	14.8%	18.0%	27.7%	72.3%
Grade 10	25.4%	28.0%	38.9%	61.1%
Grade 11	18.6%	23.3%	32.6%	67.4%
Grade 12	32.1%	32.1%	35.7%	64.3%
Any Illicit Drug				
All	6.0%	7.7%	11.1%	88.9%
Grade 7	1.8%	2.9%	4.4%	95.6%
Grade 8	5.2%	7.5%	8.8%	91.2%
Grade 9	8.3%	8.9%	11.8%	88.2%
Grade 10	12.5%	13.8%	17.1%	82.9%
Grade 11	4.7%	7.0%	14.0%	86.0%
Grade 12	7.1%	10.7%	21.4%	78.6%
Any Prescription Drug				
All	4.9%	6.8%	10.1%	89.9%
Grade 7	4.7%	6.9%	12.8%	87.2%
Grade 8	4.3%	8.0%	12.6%	87.4%
Grade 9	4.8%	4.8%	6.1%	93.9%
Grade 10	7.3%	8.8%	8.8%	91.2%
Grade 11	7.0%	7.0%	7.0%	93.0%
Grade 12	0.0%	3.6%	10.7%	89.3%
Any Inhalant				
All	2.8%	3.4%	7.0%	93.0%
Grade 7	3.6%	5.5%	10.5%	89.5%
Grade 8	3.2%	3.9%	9.4%	90.6%
Grade 9	1.5%	1.5%	2.8%	97.2%
Grade 10	4.7%	4.7%	4.7%	95.3%
Grade 11	2.3%	2.3%	4.7%	95.3%
Grade 12	0.0%	0.0%	7.1%	92.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	3.6%	4.5%	9.7%	90.3%
Grade 7	1.2%	2.0%	7.7%	92.3%
Grade 8	2.0%	3.7%	7.8%	92.2%
Grade 9	3.6%	4.2%	9.7%	90.3%
Grade 10	5.2%	6.5%	12.0%	88.0%
Grade 11	2.3%	2.3%	11.6%	88.4%
Grade 12	14.3%	14.3%	14.3%	85.7%
Marijuana				
All	5.2%	5.8%	8.9%	91.1%
Grade 7	1.1%	1.4%	2.2%	97.8%
Grade 8	4.2%	5.3%	6.7%	93.3%
Grade 9	7.6%	7.6%	9.8%	90.2%
Grade 10	9.9%	9.9%	13.3%	86.7%
Grade 11	4.7%	4.7%	11.6%	88.4%
Grade 12	7.1%	10.7%	21.4%	78.6%
Marijuana Only				
All	2.8%	3.1%	5.9%	94.1%
Grade 7	0.4%	0.6%	1.3%	98.7%
Grade 8	2.6%	3.7%	5.1%	94.9%
Grade 9	7.0%	7.0%	9.2%	90.8%
Grade 10	6.0%	6.0%	9.4%	90.6%
Grade 11	0.0%	0.0%	4.7%	95.3%
Grade 12	0.0%	0.0%	10.7%	89.3%
Cocaine or Crack				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.6%	96.4%
Cocaine				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.6%	96.4%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.7%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.3%	1.3%	2.6%	97.4%
Grade 11	0.0%	2.3%	2.3%	97.7%
Grade 12	0.0%	0.0%	3.6%	96.4%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.3%	0.7%	1.8%	98.2%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	2.3%	2.3%	2.3%	97.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.1%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.7%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.7%	0.7%	99.3%
Grade 10	1.3%	1.3%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	1.3%	1.3%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	0.9%	1.3%	2.3%	97.7%
Grade 7	0.2%	0.7%	1.2%	98.8%
Grade 8	0.5%	1.0%	1.4%	98.6%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	1.3%	2.6%	97.4%
Grade 11	2.3%	2.3%	4.7%	95.3%
Grade 12	3.6%	3.6%	7.1%	92.9%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.4%	19.0%	25.3%	74.7%
Grade 7	8.3%	13.9%	28.2%	71.8%
Grade 8	10.8%	15.4%	21.1%	78.9%
Grade 9	2.9%	12.1%	16.3%	83.7%
Grade 10	10.3%	15.8%	26.9%	73.1%
Grade 11	35.7%	35.7%	35.7%	64.3%
Grade 12	27.3%	27.3%	27.3%	72.7%
Any Alcohol Product				
All	22.6%	25.7%	38.4%	61.6%
Grade 7	25.9%	31.3%	49.0%	51.0%
Grade 8	24.3%	26.0%	45.9%	54.1%
Grade 9	6.2%	15.5%	30.5%	69.5%
Grade 10	17.9%	17.9%	30.3%	69.7%
Grade 11	42.9%	42.9%	42.9%	57.1%
Grade 12	27.3%	27.3%	36.4%	63.6%
Any Illicit Drug				
All	16.6%	19.0%	22.4%	77.6%
Grade 7	7.7%	10.8%	14.1%	85.9%
Grade 8	8.6%	13.6%	17.8%	82.2%
Grade 9	15.5%	15.5%	15.5%	84.5%
Grade 10	21.4%	21.4%	21.4%	78.6%
Grade 11	21.4%	21.4%	28.6%	71.4%
Grade 12	27.3%	36.4%	45.5%	54.5%
Any Prescription Drug				
All	3.0%	3.4%	7.2%	92.8%
Grade 7	10.1%	10.9%	20.1%	79.9%
Grade 8	8.9%	10.8%	18.7%	81.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	7.1%	92.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Any Inhalant				
All	5.5%	6.9%	13.1%	86.9%
Grade 7	7.8%	12.0%	18.3%	81.7%
Grade 8	10.0%	14.7%	17.3%	82.7%
Grade 9	2.1%	2.1%	6.2%	93.8%
Grade 10	0.0%	0.0%	3.4%	96.6%
Grade 11	14.3%	14.3%	35.7%	64.3%
Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.5%	14.6%	20.4%	79.6%
Grade 7	2.8%	11.0%	24.9%	75.1%
Grade 8	8.1%	12.1%	18.0%	82.0%
Grade 9	0.0%	9.2%	13.4%	86.6%
Grade 10	6.9%	12.4%	21.4%	78.6%
Grade 11	14.3%	21.4%	21.4%	78.6%
Grade 12	27.3%	27.3%	27.3%	72.7%
Marijuana				
All	15.1%	16.8%	20.0%	80.0%
Grade 7	7.6%	7.7%	10.8%	89.2%
Grade 8	5.9%	9.8%	13.1%	86.9%
Grade 9	15.5%	15.5%	15.5%	84.5%
Grade 10	21.4%	21.4%	21.4%	78.6%
Grade 11	21.4%	21.4%	28.6%	71.4%
Grade 12	18.2%	27.3%	36.4%	63.6%
Marijuana Only				
All	8.8%	10.2%	12.1%	87.9%
Grade 7	1.2%	1.3%	3.5%	96.5%
Grade 8	3.5%	5.4%	8.1%	91.9%
Grade 9	9.2%	9.2%	9.2%	90.8%
Grade 10	14.5%	14.5%	14.5%	85.5%
Grade 11	14.3%	14.3%	21.4%	78.6%
Grade 12	9.1%	18.2%	18.2%	81.8%
Cocaine or Crack				
All	2.3%	2.4%	3.8%	96.2%
Grade 7	2.7%	3.6%	6.2%	93.8%
Grade 8	0.5%	0.5%	1.4%	98.6%
Grade 9	0.0%	0.0%	4.2%	95.8%
Grade 10	3.4%	3.4%	3.4%	96.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	9.1%	9.1%	9.1%	90.9%
Cocaine				
All	1.1%	1.3%	2.8%	97.2%
Grade 7	2.7%	3.6%	6.2%	93.8%
Grade 8	0.0%	0.5%	1.4%	98.6%
Grade 9	0.0%	0.0%	4.2%	95.8%
Grade 10	3.4%	3.4%	3.4%	96.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.2%	1.3%	1.9%	98.1%
	Grade 7	0.0%	0.9%	4.4%	95.6%
	Grade 8	0.5%	0.5%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	9.1%	9.1%	9.1%	90.9%
Hallucinogens	All	0.2%	2.0%	2.8%	97.2%
	Grade 7	0.0%	0.0%	1.8%	98.2%
	Grade 8	1.3%	1.3%	2.1%	97.9%
	Grade 9	0.0%	0.0%	2.1%	97.9%
	Grade 10	0.0%	3.4%	3.4%	96.6%
	Grade 11	0.0%	7.1%	7.1%	92.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones	All	0.1%	0.2%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.8%	1.4%	1.4%	98.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	1.1%	1.4%	2.0%	98.0%
	Grade 7	0.0%	1.8%	4.5%	95.5%
	Grade 8	0.0%	0.0%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	9.1%	9.1%	9.1%	90.9%
Ecstasy	All	0.1%	0.3%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.8%	1.6%	3.0%	97.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.8%	1.9%	98.1%
Grade 8	0.0%	0.5%	2.2%	97.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.0%	1.0%	3.3%	96.7%
Grade 7	0.9%	0.9%	3.5%	96.5%
Grade 8	1.3%	1.3%	3.3%	96.7%
Grade 9	0.0%	0.0%	2.1%	97.9%
Grade 10	3.4%	3.4%	3.4%	96.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.1%	90.9%
Methamphetamine				
All	0.2%	0.9%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	1.3%	1.3%	2.8%	97.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	3.4%	3.4%	96.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.3%	2.1%	5.3%	94.7%
Grade 7	1.9%	2.8%	6.1%	93.9%
Grade 8	2.1%	2.1%	5.2%	94.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.4%	6.9%	6.9%	93.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	18.2%	81.8%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	353,540	48.5%
Female	374,689	51.5%
Frequency Missing	5,574	

Hispanic or Latino

Q5a	Frequency	Percent
No	326,318	44.9%
Yes	400,256	55.1%
Frequency Missing	7,229	

Grade

Q2	Frequency	Percent
Grade 7	156,218	21.4%
Grade 8	158,035	21.7%
Grade 9	141,861	19.4%
Grade 10	114,203	15.7%
Grade 11	94,912	13.0%
Grade 12	64,295	8.8%
Frequency Missing	4,279	

Ethnicity

Q5b	Frequency	Percent
American Indian	14,707	2.1%
Asian American	22,106	3.2%
African American	136,134	19.8%
Pacific Islander	799	0.1%
White	180,207	26.2%
Other	235,209	34.2%
More Than One Race	98,961	14.4%
Frequency Missing	45,682	

Live with Both Parents

Q3	Frequency	Percent
No	284,289	38.9%
Yes	445,793	61.1%
Frequency Missing	3,722	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	7,713	1.1%
Mostly D's	14,630	2.0%
Mostly C's	113,473	15.6%
Mostly B's	338,247	46.6%
Mostly A's	251,718	34.7%
Frequency Missing	8,023	

Age

Q4	Frequency	Percent
11 or younger	1,316	0.2%
12	71,280	9.7%
13	149,278	20.4%
14	122,498	16.7%
15	123,102	16.8%
16	106,204	14.5%
17	110,808	15.1%
18	40,754	5.6%
19 or older	8,282	1.1%
Frequency Missing	282	

Do You Have a Job

Q7	Frequency	Percent
No	588,851	81.1%
Yes	137,322	18.9%
Frequency Missing	7,631	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	82,519	11.4%
Yes	360,042	49.5%
Don't Know	284,435	39.1%
Frequency Missing	6,807	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	408,755	57.3%
Yes	304,542	42.7%
Frequency Missing	20,506	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	600,287	86.3%
Yes	95,375	13.7%
Frequency Missing	38,140	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	543,049	77.1%
Yes	161,452	22.9%
Frequency Missing	29,301	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	576,736	83.0%
Yes	118,072	17.0%
Frequency Missing	38,995	

Participate in School Choir

Q9c	Frequency	Percent
No	597,567	86.2%
Yes	95,745	13.8%
Frequency Missing	40,490	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	537,940	76.6%
Yes	164,657	23.4%
Frequency Missing	31,206	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	654,930	94.0%
Yes	41,532	6.0%
Frequency Missing	37,341	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	593,302	85.6%
Yes	99,673	14.4%
Frequency Missing	40,828	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	667,246	96.3%
Yes	25,480	3.7%
Frequency Missing	41,076	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	619,408	84.9%
Somewhat Safe	94,243	12.9%
Not Very Safe	3,647	0.5%
Not Safe At All	1,910	0.3%
Don't Know	10,631	1.5%
Frequency Missing	3,963	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	292,960	40.2%
Somewhat Safe	355,340	48.8%
Not Very Safe	49,972	6.9%
Not Safe At All	7,097	1.0%
Don't Know	23,234	3.2%
Frequency Missing	5,200	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	510,032	70.5%
Yes	213,812	29.5%
Frequency Missing	9,960	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	187,766	25.8%
Somewhat Safe	377,676	51.8%
Not Very Safe	103,165	14.2%
Not Safe At All	33,506	4.6%
Don't Know	26,929	3.7%
Frequency Missing	4,762	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	56,619	7.9%
A Few	148,124	20.7%
Some	162,441	22.7%
Most	223,006	31.1%
All	125,806	17.6%
Frequency Missing	17,808	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	89,285	12.4%
Some High School	84,812	11.8%
Finished High School	140,940	19.6%
Some College	44,409	6.2%
Finished College	70,349	9.8%
Post-Secondary	44,819	6.2%
Don't Know or N/A	243,798	33.9%
Frequency Missing	15,392	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	17,034	2.4%
A Few	94,232	13.1%
Some	170,992	23.9%
Most	265,296	37.0%
All	169,338	23.6%
Frequency Missing	16,911	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	74,992	10.4%
Some High School	83,108	11.5%
Finished High School	142,402	19.8%
Some College	74,073	10.3%
Finished College	108,046	15.0%
Post-Secondary	66,032	9.2%
Don't Know or N/A	171,063	23.8%
Frequency Missing	14,088	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	369,388	52.0%
A Few	180,727	25.5%
Some	90,851	12.8%
Most	42,909	6.0%
All	26,186	3.7%
Frequency Missing	23,741	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	620,059	86.7%
A Few	54,300	7.6%
Some	28,387	4.0%
Most	7,789	1.1%
All	4,590	0.6%
Frequency Missing	18,679	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	709,477	99.6%
In Your Lifetime	1,339	0.2%
Since School Began	1,162	0.2%
In the Past Month	323	0.0%
Frequency Missing	21,502	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	655,227	91.7%
A Few	36,598	5.1%
Some	13,076	1.8%
Most	5,621	0.8%
All	4,228	0.6%
Frequency Missing	19,052	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	690,490	96.8%
In Your Lifetime	17,683	2.5%
Since School Began	1,846	0.3%
In the Past Month	3,648	0.5%
Frequency Missing	20,135	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	705,918	98.7%
In Your Lifetime	5,135	0.7%
Since School Began	112	0.0%
In the Past Month	3,700	0.5%
Frequency Missing	18,938	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	706,382	98.9%
In Your Lifetime	5,169	0.7%
Since School Began	1,496	0.2%
In the Past Month	965	0.1%
Frequency Missing	19,791	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	698,366	97.8%
In Your Lifetime	9,689	1.4%
Since School Began	799	0.1%
In the Past Month	5,186	0.7%
Frequency Missing	19,764	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	710,094	99.6%
In Your Lifetime	1,608	0.2%
Since School Began	740	0.1%
In the Past Month	158	0.0%
Frequency Missing	21,203	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	702,509	98.4%
In Your Lifetime	6,824	1.0%
Since School Began	1,095	0.2%
In the Past Month	3,515	0.5%
Frequency Missing	19,861	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	582,699	81.6%
In Your Lifetime	72,817	10.2%
Since School Began	12,420	1.7%
In the Past Month	46,463	6.5%
Frequency Missing	19,404	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	704,060	98.7%
In Your Lifetime	4,953	0.7%
Since School Began	720	0.1%
In the Past Month	3,335	0.5%
Frequency Missing	20,734	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	621,576	87.2%
In Your Lifetime	47,716	6.7%
Since School Began	11,317	1.6%
In the Past Month	31,840	4.5%
Frequency Missing	21,353	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	673,687	93.9%
In Your Lifetime	29,309	4.1%
Since School Began	3,788	0.5%
In the Past Month	10,355	1.4%
Frequency Missing	16,664	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	602,094	84.5%
In Your Lifetime	71,061	10.0%
Since School Began	11,752	1.6%
In the Past Month	27,547	3.9%
Frequency Missing	21,349	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	693,838	96.8%
In Your Lifetime	12,398	1.7%
Since School Began	3,195	0.4%
In the Past Month	7,029	1.0%
Frequency Missing	17,344	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	599,233	84.2%
In Your Lifetime	57,037	8.0%
Since School Began	15,784	2.2%
In the Past Month	39,996	5.6%
Frequency Missing	21,753	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	703,883	98.6%
In Your Lifetime	6,282	0.9%
Since School Began	1,191	0.2%
In the Past Month	2,458	0.3%
Frequency Missing	19,990	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	627,232	87.6%
In Your Lifetime	39,610	5.5%
Since School Began	15,140	2.1%
In the Past Month	33,950	4.7%
Frequency Missing	17,871	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	703,585	98.2%
In Your Lifetime	4,728	0.7%
Since School Began	5,689	0.8%
In the Past Month	2,170	0.3%
Frequency Missing	17,632	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	641,651	89.6%
In Your Lifetime	35,022	4.9%
Since School Began	9,299	1.3%
In the Past Month	30,164	4.2%
Frequency Missing	17,667	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	714,059	99.7%
In Your Lifetime	928	0.1%
Since School Began	745	0.1%
In the Past Month	679	0.1%
Frequency Missing	17,393	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	708,305	98.9%
In Your Lifetime	6,826	1.0%
Since School Began	362	0.1%
In the Past Month	396	0.1%
Frequency Missing	17,914	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	708,750	99.1%
In Your Lifetime	2,636	0.4%
Since School Began	574	0.1%
In the Past Month	3,198	0.4%
Frequency Missing	18,646	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	714,706	99.8%
In Your Lifetime	825	0.1%
Since School Began	203	0.0%
In the Past Month	397	0.1%
Frequency Missing	17,672	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	713,049	99.8%
In Your Lifetime	683	0.1%
Since School Began	627	0.1%
In the Past Month	469	0.1%
Frequency Missing	18,974	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	713,542	99.7%
In Your Lifetime	643	0.1%
Since School Began	849	0.1%
In the Past Month	713	0.1%
Frequency Missing	18,056	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	665,409	93.9%
In Your Lifetime	19,392	2.7%
Since School Began	9,693	1.4%
In the Past Month	13,988	2.0%
Frequency Missing	25,322	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	709,147	99.3%
In Your Lifetime	170	0.0%
Since School Began	1,132	0.2%
In the Past Month	3,786	0.5%
Frequency Missing	19,567	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	695,858	98.4%
In Your Lifetime	7,405	1.0%
Since School Began	1,264	0.2%
In the Past Month	2,984	0.4%
Frequency Missing	26,291	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	710,109	99.1%
In Your Lifetime	3,135	0.4%
Since School Began	627	0.1%
In the Past Month	2,363	0.3%
Frequency Missing	17,569	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	698,676	99.0%
In Your Lifetime	2,954	0.4%
Since School Began	324	0.0%
In the Past Month	3,807	0.5%
Frequency Missing	28,041	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	698,948	97.8%
In Your Lifetime	6,941	1.0%
Since School Began	3,592	0.5%
In the Past Month	5,054	0.7%
Frequency Missing	19,267	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	692,107	97.9%
In Your Lifetime	4,773	0.7%
Since School Began	4,513	0.6%
In the Past Month	5,856	0.8%
Frequency Missing	26,555	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	672,841	95.2%
In Your Lifetime	14,130	2.0%
Since School Began	5,857	0.8%
In the Past Month	13,692	1.9%
Frequency Missing	27,284	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	698,905	98.9%
1-2 times	6,399	0.9%
3-10 times	774	0.1%
11+ times	328	0.0%
Frequency Missing	27,398	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	688,322	97.7%
In Your Lifetime	6,546	0.9%
Since School Began	1,437	0.2%
In the Past Month	8,107	1.2%
Frequency Missing	29,391	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	658,463	92.8%
1-2 times	21,291	3.0%
3-10 times	15,253	2.2%
11+ times	14,301	2.0%
Frequency Missing	24,495	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	684,905	96.6%
1-2 times	17,710	2.5%
3-10 times	4,189	0.6%
11+ times	2,472	0.3%
Frequency Missing	24,527	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	705,520	99.7%
1-2 times	1,684	0.2%
3-10 times	396	0.1%
11+ times	0	0.0%
Frequency Missing	26,203	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	603,943	85.3%
1-2 times	64,414	9.1%
3-10 times	26,909	3.8%
11+ times	12,617	1.8%
Frequency Missing	25,920	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	707,788	99.9%
1-2 times	755	0.1%
3-10 times	193	0.0%
11+ times	0	0.0%
Frequency Missing	25,067	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	636,919	89.9%
A few	49,723	7.0%
Some	14,086	2.0%
Most	6,471	0.9%
All	1,228	0.2%
Frequency Missing	25,376	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	542,476	76.6%
A few	98,923	14.0%
Some	45,761	6.5%
Most	16,426	2.3%
All	4,723	0.7%
Frequency Missing	25,495	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	547,405	77.3%
8 or younger	20,816	2.9%
9 years old	9,133	1.3%
10 years old	14,171	2.0%
11 years old	14,055	2.0%
12 years old	18,230	2.6%
13 years old	28,276	4.0%
14 years old	12,354	1.7%
15 years old	20,475	2.9%
16 years old	15,729	2.2%
17 years old	4,013	0.6%
18 or older	3,062	0.4%
Frequency Missing	26,083	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	676,756	96.1%
A few	21,979	3.1%
Some	4,176	0.6%
Most	1,126	0.2%
All	317	0.0%
Frequency Missing	29,449	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	694,158	98.3%
8 or younger	5,071	0.7%
9 years old	764	0.1%
10 years old	1,441	0.2%
11 years old	1,412	0.2%
12 years old	1,492	0.2%
13 years old	1,945	0.3%
14 years old	194	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	27,326	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	584,503	82.9%
A few	62,630	8.9%
Some	26,643	3.8%
Most	23,889	3.4%
All	7,526	1.1%
Frequency Missing	28,613	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	635,725	90.0%
8 or younger	2,426	0.3%
9 years old	194	0.0%
10 years old	1,338	0.2%
11 years old	6,805	1.0%
12 years old	10,089	1.4%
13 years old	16,208	2.3%
14 years old	11,196	1.6%
15 years old	11,488	1.6%
16 years old	7,654	1.1%
17 years old	3,062	0.4%
18 or older	0	0.0%
Frequency Missing	27,618	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	670,797	94.6%
8 or younger	5,095	0.7%
9 years old	966	0.1%
10 years old	3,267	0.5%
11 years old	4,540	0.6%
12 years old	3,425	0.5%
13 years old	6,342	0.9%
14 years old	3,296	0.5%
15 years old	4,641	0.7%
16 years old	5,544	0.8%
17 years old	1,531	0.2%
18 or older	0	0.0%
Frequency Missing	24,359	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	702,735	99.5%
8 or younger	185	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	245	0.0%
12 years old	599	0.1%
13 years old	43	0.0%
14 years old	627	0.1%
15 years old	952	0.1%
16 years old	952	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	27,466	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	705,584	100.0%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	42	0.0%
12 years old	184	0.0%
13 years old	0	0.0%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	27,993	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	705,219	99.9%
8 or younger	272	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	42	0.0%
12 years old	396	0.1%
13 years old	43	0.0%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	27,832	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	706,905	99.8%
8 or younger	910	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	98	0.0%
13 years old	446	0.1%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	25,444	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	701,955	99.2%
8 or younger	1,871	0.3%
9 years old	0	0.0%
10 years old	122	0.0%
11 years old	440	0.1%
12 years old	1,475	0.2%
13 years old	185	0.0%
14 years old	0	0.0%
15 years old	1,531	0.2%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	26,225	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	706,744	99.8%
8 or younger	0	0.0%
9 years old	87	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	493	0.1%
13 years old	38	0.0%
14 years old	147	0.0%
15 years old	952	0.1%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	25,343	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	704,047	99.4%
8 or younger	305	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	42	0.0%
12 years old	1,018	0.1%
13 years old	1,220	0.2%
14 years old	190	0.0%
15 years old	1,579	0.2%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	25,401	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	693,779	98.1%
8 or younger	279	0.0%
9 years old	190	0.0%
10 years old	190	0.0%
11 years old	1,246	0.2%
12 years old	1,569	0.2%
13 years old	1,972	0.3%
14 years old	2,539	0.4%
15 years old	2,678	0.4%
16 years old	2,483	0.4%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	26,877	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	352,850	50.9%
Impossible	143,534	20.7%
Very Difficult	43,776	6.3%
Somewhat diff	44,289	6.4%
Somewhat easy	55,837	8.1%
Very easy	52,748	7.6%
Frequency Missing	40,771	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	299,356	43.3%
Impossible	101,946	14.8%
Very Difficult	51,970	7.5%
Somewhat diff	53,762	7.8%
Somewhat easy	88,307	12.8%
Very easy	95,745	13.9%
Frequency Missing	42,718	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	424,660	61.6%
Impossible	97,372	14.1%
Very Difficult	28,278	4.1%
Somewhat diff	26,080	3.8%
Somewhat easy	34,320	5.0%
Very easy	78,380	11.4%
Frequency Missing	44,714	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	338,765	49.0%
Impossible	160,905	23.3%
Very Difficult	46,438	6.7%
Somewhat diff	36,827	5.3%
Somewhat easy	52,701	7.6%
Very easy	55,859	8.1%
Frequency Missing	42,309	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	386,938	55.9%
Impossible	200,501	29.0%
Very Difficult	52,726	7.6%
Somewhat diff	26,003	3.8%
Somewhat easy	11,415	1.7%
Very easy	14,201	2.1%
Frequency Missing	42,018	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	394,722	57.0%
Impossible	205,245	29.7%
Very Difficult	50,147	7.2%
Somewhat diff	20,742	3.0%
Somewhat easy	13,045	1.9%
Very easy	8,156	1.2%
Frequency Missing	41,746	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	448,332	64.8%
Impossible	170,030	24.6%
Very Difficult	39,801	5.8%
Somewhat diff	16,162	2.3%
Somewhat easy	7,907	1.1%
Very easy	9,420	1.4%
Frequency Missing	42,151	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	418,623	60.7%
Impossible	173,471	25.1%
Very Difficult	40,052	5.8%
Somewhat diff	34,178	5.0%
Somewhat easy	10,392	1.5%
Very easy	13,271	1.9%
Frequency Missing	43,817	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	471,141	68.3%
Impossible	142,125	20.6%
Very Difficult	37,379	5.4%
Somewhat diff	12,788	1.9%
Somewhat easy	13,330	1.9%
Very easy	13,517	2.0%
Frequency Missing	43,524	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	481,128	69.8%
Impossible	146,599	21.3%
Very Difficult	30,828	4.5%
Somewhat diff	14,821	2.2%
Somewhat easy	6,972	1.0%
Very easy	8,513	1.2%
Frequency Missing	44,943	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	477,225	69.5%
Impossible	125,513	18.3%
Very Difficult	37,612	5.5%
Somewhat diff	14,698	2.1%
Somewhat easy	13,684	2.0%
Very easy	17,881	2.6%
Frequency Missing	47,189	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	433,840	62.9%
Impossible	178,659	25.9%
Very Difficult	43,521	6.3%
Somewhat diff	15,243	2.2%
Somewhat easy	9,115	1.3%
Very easy	9,629	1.4%
Frequency Missing	43,797	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	2,209	0.3%
Several times/wk	2,388	0.3%
Several times/mo	2,274	0.3%
About once/month	8,427	1.2%
About once/year	2,118	0.3%
Less than once/year	13,572	2.0%
Never used	661,475	95.5%
Frequency Missing	41,340	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	1,332	0.2%
Several times/wk	4,215	0.6%
Several times/mo	16,774	2.4%
About once/month	39,795	5.8%
About once/year	31,327	4.6%
Less than once/year	37,742	5.5%
Never used	555,149	80.9%
Frequency Missing	47,470	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	43	0.0%
Several times/mo	42	0.0%
About once/month	599	0.1%
About once/year	2,106	0.3%
Less than once/year	1,003	0.1%
Never used	684,670	99.4%
Frequency Missing	45,340	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	323	0.0%
Several times/wk	1,017	0.1%
Several times/mo	1,143	0.2%
About once/month	3,188	0.5%
About once/year	846	0.1%
Less than once/year	3,760	0.5%
Never used	681,202	98.5%
Frequency Missing	42,324	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	1,587	0.2%
Several times/wk	0	0.0%
Several times/mo	43	0.0%
About once/month	235	0.0%
About once/year	290	0.0%
Less than once/year	185	0.0%
Never used	688,282	99.7%
Frequency Missing	43,181	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	3,263	0.5%
Several times/wk	8,653	1.3%
Several times/mo	13,678	2.0%
About once/month	9,565	1.4%
About once/year	9,093	1.3%
Less than once/year	11,774	1.7%
Never used	633,384	91.9%
Frequency Missing	44,393	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	1,894	0.3%
Several times/wk	1,943	0.3%
Several times/mo	0	0.0%
About once/month	498	0.1%
About once/year	551	0.1%
Less than once/year	2,240	0.3%
Never used	683,505	99.0%
Frequency Missing	43,172	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	471	0.1%
Several times/mo	0	0.0%
About once/month	184	0.0%
About once/year	0	0.0%
Less than once/year	190	0.0%
Never used	689,498	99.9%
Frequency Missing	43,460	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	168	0.0%
Several times/wk	184	0.0%
Several times/mo	1,198	0.2%
About once/month	425	0.1%
About once/year	2,751	0.4%
Less than once/year	1,582	0.2%
Never used	683,891	99.1%
Frequency Missing	43,605	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	0	0.0%
Several times/wk	80	0.0%
Several times/mo	234	0.0%
About once/month	217	0.0%
About once/year	190	0.0%
Less than once/year	375	0.1%
Never used	688,908	99.8%
Frequency Missing	43,800	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	228	0.0%
Several times/wk	1,899	0.3%
Several times/mo	1,132	0.2%
About once/month	1,331	0.2%
About once/year	6,427	0.9%
Less than once/year	2,795	0.4%
Never used	668,759	98.0%
Frequency Missing	51,231	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	38	0.0%
About once/month	322	0.0%
About once/year	0	0.0%
Less than once/year	190	0.0%
Never used	690,019	99.9%
Frequency Missing	43,235	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	568,458	82.3%
12+ drinks	3,533	0.5%
9-11 drinks	7,416	1.1%
5-8 drinks	11,199	1.6%
3-4 drinks	13,445	1.9%
2 drinks	12,635	1.8%
1 drink	23,278	3.4%
Less than 1 drink	50,576	7.3%
Frequency Missing	43,264	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	610,891	88.5%
12+ drinks	5,464	0.8%
9-11 drinks	253	0.0%
5-8 drinks	5,297	0.8%
3-4 drinks	17,552	2.5%
2 drinks	11,801	1.7%
1 drink	20,188	2.9%
Less than 1 drink	18,947	2.7%
Frequency Missing	43,410	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	402,451	58.8%
0 days	247,255	36.1%
1 day	12,249	1.8%
2 days	7,606	1.1%
3 to 5 days	7,000	1.0%
6 to 9 days	3,003	0.4%
10 or more days	5,219	0.8%
Frequency Missing	49,020	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	598,085	86.9%
12+ drinks	1,796	0.3%
9-11 drinks	367	0.1%
5-8 drinks	6,530	0.9%
3-4 drinks	6,147	0.9%
2 drinks	12,058	1.8%
1 drink	22,211	3.2%
Less than 1 drink	40,980	6.0%
Frequency Missing	45,628	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	530,919	77.3%
Never	75,459	11.0%
Seldom	51,961	7.6%
Most of the Time	18,582	2.7%
Always	9,574	1.4%
Frequency Missing	47,309	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	588,351	85.2%
12+ drinks	6,278	0.9%
9-11 drinks	0	0.0%
5-8 drinks	9,990	1.4%
3-4 drinks	27,575	4.0%
2 drinks	11,608	1.7%
1 drink	18,207	2.6%
Less than 1 drink	28,767	4.2%
Frequency Missing	43,026	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	538,069	78.4%
Never	99,180	14.4%
Seldom	21,869	3.2%
Most of the Time	25,171	3.7%
Always	2,409	0.4%
Frequency Missing	47,105	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	541,478	78.9%
Never	121,495	17.7%
Seldom	9,988	1.5%
Most of the Time	9,615	1.4%
Always	3,515	0.5%
Frequency Missing	47,712	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	520,965	75.8%
Never	82,380	12.0%
Seldom	30,275	4.4%
Most of the Time	33,709	4.9%
Always	19,891	2.9%
Frequency Missing	46,584	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	526,442	76.7%
Somewhat	72,032	10.5%
Not very	19,767	2.9%
Not at all	4,805	0.7%
Don't know	63,733	9.3%
Frequency Missing	47,024	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	542,181	79.4%
Never	98,317	14.4%
Seldom	21,660	3.2%
Most of the Time	10,376	1.5%
Always	10,241	1.5%
Frequency Missing	51,027	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	464,259	67.5%
Somewhat	92,151	13.4%
Not very	53,933	7.8%
Not at all	25,049	3.6%
Don't know	52,598	7.6%
Frequency Missing	45,813	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	502,833	73.0%
Somewhat	110,106	16.0%
Not very	24,716	3.6%
Not at all	4,847	0.7%
Don't know	46,030	6.7%
Frequency Missing	45,271	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	599,707	87.2%
Somewhat	34,726	5.0%
Not very	3,318	0.5%
Not at all	1,337	0.2%
Don't know	48,631	7.1%
Frequency Missing	46,083	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	406,015	59.1%
Somewhat	168,945	24.6%
Not very	59,432	8.6%
Not at all	9,249	1.3%
Don't know	43,915	6.4%
Frequency Missing	46,247	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	603,182	87.7%
Somewhat	28,483	4.1%
Not very	2,858	0.4%
Not at all	1,375	0.2%
Don't know	51,928	7.5%
Frequency Missing	45,978	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	543,991	79.1%
Somewhat	33,791	4.9%
Not very	4,488	0.7%
Not at all	1,629	0.2%
Don't know	103,731	15.1%
Frequency Missing	46,173	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	539,136	78.4%
Somewhat	42,225	6.1%
Not very	10,436	1.5%
Not at all	2,808	0.4%
Don't know	93,455	13.6%
Frequency Missing	45,742	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	521,019	75.9%
Somewhat	66,147	9.6%
Not very	20,085	2.9%
Not at all	4,999	0.7%
Don't know	74,179	10.8%
Frequency Missing	47,374	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	506,084	73.6%
Somewhat	47,425	6.9%
Not very	25,082	3.6%
Not at all	9,731	1.4%
Don't know	99,132	14.4%
Frequency Missing	46,350	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	581,079	84.5%
Somewhat	28,304	4.1%
Not very	2,925	0.4%
Not at all	1,605	0.2%
Don't know	73,561	10.7%
Frequency Missing	46,329	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	521,703	75.9%
Somewhat	68,797	10.0%
Not very	13,442	2.0%
Not at all	3,464	0.5%
Don't know	80,278	11.7%
Frequency Missing	46,119	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	593,591	86.2%
Somewhat	23,436	3.4%
Not very	1,488	0.2%
Not at all	1,605	0.2%
Don't know	68,473	9.9%
Frequency Missing	45,210	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	488,326	70.9%
Somewhat	89,838	13.1%
Not very	41,520	6.0%
Not at all	13,063	1.9%
Don't know	55,620	8.1%
Frequency Missing	45,436	

Days Skipped Since September

Q28a	Frequency	Percent
None	507,103	75.1%
1-3 days	103,346	15.3%
4-9 days	27,528	4.1%
10+ days	37,705	5.6%
Frequency Missing	58,121	

Someone Called Home Since September

Q28e	Frequency	Percent
None	597,040	88.7%
1-3 days	59,121	8.8%
4-9 days	10,945	1.6%
10+ days	6,362	0.9%
Frequency Missing	60,335	

Days Ill Since September

Q28b	Frequency	Percent
None	217,144	32.1%
1-3 days	290,058	42.9%
4-9 days	120,154	17.8%
10+ days	48,559	7.2%
Frequency Missing	57,888	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	659,733	97.9%
1-3 times	12,587	1.9%
4-9 times	918	0.1%
10+ times	679	0.1%
Frequency Missing	59,887	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	269,317	40.2%
1-3 days	286,035	42.7%
4-9 days	65,904	9.8%
10+ days	48,672	7.3%
Frequency Missing	63,875	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	664,815	98.5%
1-3 times	9,598	1.4%
4-9 times	117	0.0%
10+ times	558	0.1%
Frequency Missing	58,715	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	591,424	87.7%
1-3 days	64,853	9.6%
4-9 days	12,081	1.8%
10+ days	6,308	0.9%
Frequency Missing	59,137	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	662,511	98.1%
1-3 times	11,307	1.7%
4-9 times	530	0.1%
10+ times	864	0.1%
Frequency Missing	58,593	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	660,816	97.9%
1-3 times	7,855	1.2%
4-9 times	1,776	0.3%
10+ times	4,424	0.7%
Frequency Missing	58,933	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	657,817	97.5%
1-3 days	13,299	2.0%
4-9 days	1,136	0.2%
10+ days	2,324	0.3%
Frequency Missing	59,228	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	491,864	72.9%
Seldom	21,619	3.2%
Half the time	8,428	1.2%
Most of the Time	35,894	5.3%
Always	20,291	3.0%
Don't Know	12,752	1.9%
Didn't attend	83,928	12.4%
Frequency Missing	59,028	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	641,938	95.2%
1-3 days	13,109	1.9%
4-9 days	1,372	0.2%
10+ days	17,577	2.6%
Frequency Missing	59,806	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	538,744	80.0%
Seldom	9,354	1.4%
Half the time	6,303	0.9%
Most of the Time	17,710	2.6%
Always	8,700	1.3%
Don't Know	9,278	1.4%
Didn't attend	83,481	12.4%
Frequency Missing	60,234	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	672,030	99.8%
1-3 days	915	0.1%
4-9 days	193	0.0%
10+ days	412	0.1%
Frequency Missing	60,253	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	616,961	94.2%
Yes	37,830	5.8%
Frequency Missing	79,012	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	663,461	98.9%
1-3 days	6,358	0.9%
4-9 days	386	0.1%
10+ days	733	0.1%
Frequency Missing	62,864	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	398,504	60.2%
Yes	263,232	39.8%
Frequency Missing	72,067	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	492,508	74.6%
Yes	167,512	25.4%
Frequency Missing	73,782	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	294,981	44.9%
Yes	361,652	55.1%
Frequency Missing	77,171	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	376,952	57.3%
Yes	281,324	42.7%
Frequency Missing	75,527	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	405,071	61.6%
Yes	252,880	38.4%
Frequency Missing	75,852	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	214,575	32.2%
Yes	451,176	67.8%
Frequency Missing	68,052	

Would Not Seek Help

Q33i	Frequency	Percent
No	507,335	77.6%
Yes	146,589	22.4%
Frequency Missing	79,879	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	269,012	40.8%
Yes	390,473	59.2%
Frequency Missing	74,318	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	408,080	61.8%
Yes	251,909	38.2%
Frequency Missing	73,814	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	322,884	48.8%
Yes	338,413	51.2%
Frequency Missing	72,506	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	313,746	47.8%
Yes	343,009	52.2%
Frequency Missing	77,048	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	418,015	63.8%
Yes	236,953	36.2%
Frequency Missing	78,835	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	432,467	66.1%
Yes	222,128	33.9%
Frequency Missing	79,208	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	524,811	80.4%
Yes	127,645	19.6%
Frequency Missing	81,347	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	499,147	75.4%
Mild disapprove	43,087	6.5%
Neither	26,874	4.1%
Mildly approve	3,962	0.6%
Strongly approve	3,548	0.5%
Don't know	85,808	13.0%
Frequency Missing	71,376	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	456,153	69.8%
Yes	197,023	30.2%
Frequency Missing	80,627	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	415,871	62.8%
Mild disapprove	76,201	11.5%
Neither	65,082	9.8%
Mildly approve	16,850	2.5%
Strongly approve	4,761	0.7%
Don't know	83,728	12.6%
Frequency Missing	71,309	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	541,429	83.1%
Yes	110,223	16.9%
Frequency Missing	82,151	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	490,929	74.2%
Mild disapprove	42,219	6.4%
Neither	30,805	4.7%
Mildly approve	10,228	1.5%
Strongly approve	6,479	1.0%
Don't know	81,413	12.3%
Frequency Missing	71,730	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	456,188	69.6%
Yes	199,538	30.4%
Frequency Missing	78,078	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

