

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2024



HHSC REGION 4 REPORT

---

---

Prepared by

The Department of Public Service and Administration  
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	59
Table B-7: Students Reporting A Grades on Average . . . . .	63
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	67
Table B-9: Students Living with 2 Parents . . . . .	71
Table B-10: Students Not Living with 2 Parents . . . . .	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	83
<b>3 Margin Tables</b>	<b>87</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>109</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 4. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	8.2%	9.8%	21.8%	78.2%
Grade 7	3.5%	4.7%	13.7%	86.3%
Grade 8	8.5%	10.5%	20.1%	79.9%
Grade 9	4.2%	7.4%	20.9%	79.1%
Grade 10	4.7%	6.2%	16.6%	83.4%
Grade 11	19.6%	19.6%	33.3%	66.7%
Grade 12	12.3%	13.9%	30.6%	69.4%
<b>Cigarettes?</b>				
All	1.7%	2.3%	9.1%	90.9%
Grade 7	0.5%	1.1%	5.1%	94.9%
Grade 8	0.9%	1.2%	6.7%	93.3%
Grade 9	0.7%	0.7%	7.0%	93.0%
Grade 10	0.0%	0.0%	3.0%	97.0%
Grade 11	7.8%	7.8%	21.6%	78.4%
Grade 12	1.8%	5.1%	15.7%	84.3%
<b>Smokeless Tobacco?</b>				
All	1.4%	1.8%	3.8%	96.2%
Grade 7	0.6%	0.9%	2.2%	97.8%
Grade 8	0.8%	1.3%	4.5%	95.5%
Grade 9	0.0%	0.0%	3.4%	96.6%
Grade 10	0.0%	1.6%	1.6%	98.4%
Grade 11	5.9%	5.9%	5.9%	94.1%
Grade 12	2.6%	2.6%	5.8%	94.2%
<b>Electronic Vapor Products?</b>				
All	6.7%	8.5%	18.0%	82.0%
Grade 7	2.3%	3.4%	10.5%	89.5%
Grade 8	5.1%	7.5%	17.7%	82.3%
Grade 9	3.6%	7.0%	15.8%	84.2%
Grade 10	4.7%	6.2%	15.1%	84.9%
Grade 11	17.6%	17.6%	27.4%	72.6%
Grade 12	10.7%	12.3%	25.4%	74.6%

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	91.8%	1.4%	0.3%	0.7%	0.7%	1.2%	3.9%
Grade 7	96.0%	0.4%	0.1%	0.1%	0.2%	0.5%	2.6%
Grade 8	92.9%	1.0%	0.1%	0.3%	0.9%	0.6%	4.1%
Grade 9	95.0%	0.5%	0.0%	0.0%	0.7%	0.5%	3.2%
Grade 10	96.9%	0.0%	0.0%	0.0%	0.0%	1.6%	1.5%
Grade 11	80.4%	5.9%	2.0%	2.0%	2.0%	2.0%	5.9%
Grade 12	85.7%	1.8%	0.0%	2.5%	0.9%	2.5%	6.5%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.3	10.1	11.3	11.5	12.5	12.8	13.4

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	32.4%	29.1%	8.6%	8.7%	10.2%	10.9%
Grade 7	36.3%	36.3%	10.0%	8.0%	5.5%	3.9%
Grade 8	33.0%	30.7%	9.1%	8.7%	9.1%	9.3%
Grade 9	39.8%	25.5%	6.9%	8.7%	6.4%	12.6%
Grade 10	15.4%	49.2%	7.7%	10.7%	12.4%	4.7%
Grade 11	25.5%	13.7%	11.7%	9.8%	21.6%	17.6%
Grade 12	42.0%	14.4%	6.6%	6.6%	10.0%	20.5%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	86.2%	7.1%	3.5%	1.4%	1.8%
Grade 7	92.9%	4.9%	1.5%	0.5%	0.2%
Grade 8	87.5%	9.3%	1.9%	1.0%	0.3%
Grade 9	87.3%	8.2%	2.1%	1.9%	0.5%
Grade 10	92.5%	7.5%	0.0%	0.0%	0.0%
Grade 11	70.6%	5.9%	13.8%	2.0%	7.8%
Grade 12	81.6%	5.9%	5.0%	3.4%	4.1%

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	80.9%	6.5%	3.9%	0.7%	0.5%	7.5%
Grade 7	86.0%	4.9%	2.3%	0.3%	0.5%	6.0%
Grade 8	83.3%	5.3%	2.4%	1.0%	0.4%	7.6%
Grade 9	85.1%	0.7%	2.1%	1.1%	0.6%	10.5%
Grade 10	84.8%	4.5%	4.6%	0.0%	0.0%	6.0%
Grade 11	74.6%	13.7%	3.9%	0.0%	2.0%	5.9%
Grade 12	67.1%	12.9%	9.1%	2.0%	0.0%	8.8%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>					
All	67.9%	19.1%	6.5%	1.6%	4.9%
Grade 7	73.3%	17.1%	3.7%	0.6%	5.3%
Grade 8	67.9%	22.5%	3.3%	0.5%	5.8%
Grade 9	65.6%	20.7%	6.0%	0.5%	7.1%
Grade 10	73.7%	17.0%	4.6%	1.6%	3.1%
Grade 11	58.8%	11.8%	19.6%	5.9%	3.9%
Grade 12	65.6%	23.6%	5.8%	1.8%	3.2%
<b>Electronic Vapor Products?</b>					
All	71.3%	14.6%	5.9%	3.0%	5.1%
Grade 7	74.9%	14.3%	4.8%	1.0%	5.0%
Grade 8	70.6%	17.1%	5.4%	1.3%	5.6%
Grade 9	71.8%	9.0%	8.4%	1.8%	9.0%
Grade 10	72.2%	18.5%	3.1%	4.7%	1.5%
Grade 11	62.7%	13.7%	9.8%	7.8%	5.9%
Grade 12	73.7%	14.7%	5.0%	3.3%	3.2%



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	19.3%	22.6%	40.8%	59.2%
Grade 7	13.0%	16.0%	38.4%	61.6%
Grade 8	19.0%	21.9%	42.7%	57.3%
Grade 9	18.8%	21.1%	33.7%	66.3%
Grade 10	13.8%	15.2%	35.0%	65.0%
Grade 11	35.3%	41.2%	49.0%	51.0%
Grade 12	20.3%	26.0%	48.3%	51.7%
<b>Beer?</b>				
All	7.9%	11.1%	31.9%	68.1%
Grade 7	3.5%	5.4%	28.3%	71.7%
Grade 8	5.9%	8.3%	34.4%	65.6%
Grade 9	5.8%	7.3%	25.4%	74.6%
Grade 10	9.1%	10.6%	26.0%	74.0%
Grade 11	17.6%	27.4%	45.1%	54.9%
Grade 12	9.2%	13.4%	36.0%	64.0%
<b>Wine Coolers?</b>				
All	6.8%	9.2%	23.3%	76.7%
Grade 7	1.9%	3.0%	15.6%	84.4%
Grade 8	4.7%	7.3%	23.8%	76.2%
Grade 9	4.4%	4.9%	17.2%	82.8%
Grade 10	9.1%	9.1%	19.9%	80.1%
Grade 11	13.7%	21.6%	35.3%	64.7%
Grade 12	9.9%	14.1%	32.6%	67.4%
<b>Wine?</b>				
All	4.8%	7.2%	22.8%	77.2%
Grade 7	2.5%	3.8%	17.4%	82.6%
Grade 8	3.4%	5.6%	25.7%	74.3%
Grade 9	3.5%	5.0%	18.1%	81.9%
Grade 10	6.0%	6.0%	15.2%	84.8%
Grade 11	9.8%	13.7%	33.4%	66.6%
Grade 12	5.8%	11.6%	30.2%	69.8%
<b>Liquor?</b>				
All	6.6%	9.0%	25.5%	74.5%
Grade 7	1.8%	3.1%	17.5%	82.5%
Grade 8	4.6%	7.9%	25.9%	74.1%
Grade 9	5.1%	6.1%	17.8%	82.2%
Grade 10	6.1%	7.6%	25.8%	74.2%
Grade 11	19.6%	21.5%	37.2%	62.8%
Grade 12	6.5%	12.3%	33.5%	66.5%

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	72.8%	0.1%	1.7%	2.3%	6.0%	9.2%	7.9%
Grade 7	78.6%	0.0%	0.2%	0.8%	3.0%	7.2%	10.2%
Grade 8	72.6%	0.3%	0.6%	2.5%	5.7%	9.0%	9.3%
Grade 9	80.5%	0.0%	1.2%	0.5%	5.5%	5.1%	7.2%
Grade 10	73.7%	0.0%	1.6%	1.5%	6.2%	10.8%	6.1%
Grade 11	60.8%	0.0%	7.8%	3.9%	9.8%	13.7%	3.9%
Grade 12	66.5%	0.0%	0.9%	5.1%	7.4%	11.0%	9.1%

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	73.3%	26.7%	5.6%	10.6%	10.5%
	Grade 7	75.5%	24.5%	0.4%	7.7%	16.4%
	Grade 8	70.8%	29.2%	3.3%	11.5%	14.3%
	Grade 9	80.2%	19.8%	4.3%	9.5%	6.0%
	Grade 10	75.2%	24.8%	7.7%	12.4%	4.7%
	Grade 11	60.8%	39.2%	13.7%	13.7%	11.8%
	Grade 12	74.6%	25.4%	7.5%	9.7%	8.2%
<b>Wine Coolers</b>						
	All	80.3%	19.7%	4.5%	8.6%	6.6%
	Grade 7	87.0%	13.0%	0.9%	5.6%	6.5%
	Grade 8	79.5%	20.5%	2.4%	9.9%	8.3%
	Grade 9	85.3%	14.7%	4.2%	3.8%	6.7%
	Grade 10	81.1%	18.9%	4.7%	12.6%	1.5%
	Grade 11	66.7%	33.3%	11.8%	11.8%	9.8%
	Grade 12	78.1%	21.9%	5.8%	9.5%	6.6%
<b>Wine</b>						
	All	81.2%	18.8%	1.8%	8.8%	8.2%
	Grade 7	84.8%	15.2%	0.7%	4.8%	9.6%
	Grade 8	80.1%	19.9%	1.1%	8.6%	10.2%
	Grade 9	86.6%	13.4%	2.0%	3.8%	7.6%
	Grade 10	84.3%	15.7%	1.6%	7.8%	6.2%
	Grade 11	70.6%	29.4%	2.0%	17.7%	9.8%
	Grade 12	78.1%	21.9%	4.2%	12.8%	4.9%
<b>Liquor</b>						
	All	77.6%	22.4%	4.6%	10.7%	7.2%
	Grade 7	84.6%	15.4%	0.6%	5.0%	9.8%
	Grade 8	77.3%	22.7%	4.5%	8.1%	10.1%
	Grade 9	84.1%	15.9%	3.8%	8.0%	4.1%
	Grade 10	78.4%	21.6%	4.7%	9.2%	7.6%
	Grade 11	62.8%	37.2%	11.8%	19.6%	5.9%
	Grade 12	73.7%	26.3%	4.2%	17.9%	4.2%

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	93.1%	1.6%	2.2%	1.1%	1.1%	0.9%
Grade 7	97.6%	1.4%	0.3%	0.1%	0.1%	0.6%
Grade 8	94.5%	1.4%	1.6%	0.6%	0.4%	1.6%
Grade 9	92.7%	1.4%	3.2%	1.2%	1.5%	0.0%
Grade 10	93.7%	1.5%	1.5%	0.0%	1.6%	1.6%
Grade 11	88.2%	0.0%	2.0%	3.9%	3.9%	2.0%
Grade 12	89.6%	3.5%	5.0%	1.8%	0.0%	0.0%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.3	10.4	11.1	11.8	13.5	13.0	14.2

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	27.8%	20.6%	7.5%	11.0%	13.3%	19.9%
Grade 7	28.9%	25.4%	9.0%	13.3%	12.5%	10.8%
Grade 8	27.5%	19.8%	8.1%	11.4%	13.5%	19.8%
Grade 9	35.5%	21.9%	4.1%	11.5%	10.7%	16.4%
Grade 10	12.3%	35.3%	10.7%	12.3%	13.9%	15.5%
Grade 11	21.6%	5.9%	11.7%	5.9%	15.7%	39.2%
Grade 12	39.5%	11.6%	1.8%	10.3%	13.9%	23.0%

**Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.4%	1.8%	0.7%	0.1%
Grade 7	98.0%	1.7%	0.1%	0.2%
Grade 8	97.0%	1.9%	0.8%	0.3%
Grade 9	100.0%	0.0%	0.0%	0.0%
Grade 10	98.5%	1.5%	0.0%	0.0%
Grade 11	92.2%	3.9%	3.9%	0.0%
Grade 12	98.0%	2.0%	0.0%	0.0%

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.5
Alcohol Non-Users	4.4
Average Days Conduct Problems Reported	
Alcohol Users	2.9
Alcohol Non-Users	1.3

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	97.7%	1.5%	0.0%	0.8%
Grade 9	100.0%	0.0%	0.0%	0.0%
Grade 10	98.4%	1.6%	0.0%	0.0%
Grade 11	94.1%	2.0%	0.0%	3.9%
Grade 12	97.2%	2.8%	0.0%	0.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	97.2%	1.6%	0.7%	0.4%
Grade 7	98.9%	0.5%	0.1%	0.5%
Grade 8	97.3%	1.9%	0.4%	0.4%
Grade 9	98.6%	0.7%	0.7%	0.0%
Grade 10	97.0%	3.0%	0.0%	0.0%
Grade 11	94.1%	2.0%	3.9%	0.0%
Grade 12	96.5%	1.8%	0.0%	1.8%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	66.5%	17.4%	8.7%	4.6%	2.8%
Grade 7	77.5%	16.9%	4.0%	1.5%	0.0%
Grade 8	69.6%	20.2%	5.8%	3.4%	1.0%
Grade 9	72.0%	10.6%	12.0%	4.3%	1.0%
Grade 10	59.9%	24.7%	12.3%	3.2%	0.0%
Grade 11	49.0%	21.6%	11.8%	5.9%	11.7%
Grade 12	64.0%	10.9%	8.4%	10.8%	5.9%

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	63.5%	6.8%	2.4%	3.5%	6.1%	1.2%	16.4%
Grade 7	72.2%	8.0%	2.9%	2.4%	1.0%	2.0%	11.4%
Grade 8	68.6%	5.1%	3.4%	4.6%	2.4%	1.1%	14.8%
Grade 9	73.4%	3.4%	1.3%	2.7%	7.6%	0.7%	10.8%
Grade 10	49.9%	4.5%	0.0%	4.6%	7.8%	1.6%	31.7%
Grade 11	47.0%	11.8%	0.0%	2.0%	13.7%	0.0%	25.5%
Grade 12	64.0%	9.8%	6.5%	4.5%	7.1%	1.8%	6.3%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	69.0%	13.5%	12.5%	2.3%	2.7%
	Grade 7	70.0%	15.9%	11.7%	1.5%	1.0%
	Grade 8	64.1%	17.1%	11.9%	3.8%	3.1%
	Grade 9	78.1%	8.4%	11.1%	0.7%	1.8%
	Grade 10	68.7%	17.2%	12.6%	1.5%	0.0%
	Grade 11	62.0%	10.0%	16.0%	2.0%	10.0%
	Grade 12	70.2%	11.0%	12.8%	4.2%	1.8%
Friends?						
	All	74.2%	13.4%	5.0%	6.2%	1.3%
	Grade 7	78.5%	16.7%	2.7%	1.7%	0.4%
	Grade 8	70.0%	18.8%	6.7%	3.8%	0.7%
	Grade 9	82.0%	8.3%	3.3%	5.2%	1.2%
	Grade 10	73.5%	12.4%	3.1%	9.5%	1.6%
	Grade 11	70.0%	12.0%	8.0%	8.0%	2.0%
	Grade 12	69.7%	9.7%	6.9%	11.2%	2.6%
A Store?						
	All	75.7%	19.8%	2.9%	0.9%	0.7%
	Grade 7	79.2%	18.8%	1.2%	0.4%	0.4%
	Grade 8	70.3%	26.1%	1.9%	1.1%	0.6%
	Grade 9	84.3%	13.8%	0.5%	1.4%	0.0%
	Grade 10	71.9%	25.0%	3.1%	0.0%	0.0%
	Grade 11	72.0%	20.0%	4.0%	2.0%	2.0%
	Grade 12	76.1%	13.7%	7.7%	0.9%	1.6%
Parties?						
	All	71.7%	13.7%	6.1%	5.3%	3.2%
	Grade 7	75.8%	16.7%	4.7%	1.6%	1.2%
	Grade 8	67.8%	19.3%	6.2%	4.6%	2.1%
	Grade 9	79.8%	6.6%	6.6%	4.6%	2.4%
	Grade 10	69.2%	18.3%	3.1%	6.3%	3.2%
	Grade 11	68.0%	10.0%	10.0%	8.0%	4.0%
	Grade 12	68.6%	8.6%	6.9%	8.2%	7.7%
Other Sources?						
	All	75.1%	16.4%	4.8%	1.8%	1.9%
	Grade 7	77.8%	16.5%	4.1%	0.8%	0.8%
	Grade 8	71.1%	21.7%	4.2%	1.7%	1.3%
	Grade 9	80.3%	11.0%	6.1%	2.2%	0.5%
	Grade 10	71.9%	21.9%	4.7%	1.6%	0.0%
	Grade 11	76.0%	10.0%	8.0%	2.0%	4.0%
	Grade 12	73.8%	15.0%	2.6%	2.6%	6.0%

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	65.0%	12.2%	11.7%	3.6%	0.8%	6.7%
Grade 7	70.9%	12.1%	8.1%	1.6%	0.4%	6.9%
Grade 8	66.1%	13.4%	9.1%	3.6%	0.6%	7.2%
Grade 9	74.5%	5.5%	8.4%	1.3%	0.6%	9.7%
Grade 10	65.1%	18.2%	9.1%	4.5%	0.0%	3.0%
Grade 11	53.0%	13.7%	21.6%	3.9%	3.9%	3.9%
Grade 12	55.4%	10.1%	18.3%	7.4%	0.0%	8.8%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	56.2%	27.4%	9.5%	2.9%	4.1%
Grade 7	55.0%	28.0%	10.8%	1.8%	4.5%
Grade 8	50.2%	29.3%	13.5%	2.4%	4.6%
Grade 9	62.5%	24.2%	5.7%	1.1%	6.5%
Grade 10	61.5%	29.2%	4.6%	4.7%	0.0%
Grade 11	47.0%	23.6%	19.6%	3.9%	5.9%
Grade 12	60.4%	28.9%	3.3%	4.2%	3.2%



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	6.9%	9.3%	14.8%	85.2%
Grade 7	2.7%	4.4%	6.6%	93.4%
Grade 8	4.4%	7.5%	11.2%	88.8%
Grade 9	8.3%	11.0%	16.0%	84.0%
Grade 10	4.6%	6.1%	13.6%	86.4%
Grade 11	9.8%	15.7%	21.6%	78.4%
Grade 12	13.7%	13.7%	24.0%	76.0%
<b>Marijuana?</b>				
All	6.3%	7.4%	12.8%	87.2%
Grade 7	1.9%	2.3%	4.1%	95.9%
Grade 8	4.2%	5.9%	9.2%	90.8%
Grade 9	8.3%	11.0%	16.0%	84.0%
Grade 10	3.1%	3.1%	10.6%	89.4%
Grade 11	9.8%	11.8%	17.6%	82.4%
Grade 12	12.1%	12.1%	22.4%	77.6%
<b>Cocaine?</b>				
All	1.1%	1.1%	2.2%	97.8%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	1.5%	1.5%	1.5%	98.5%
Grade 11	3.9%	3.9%	5.9%	94.1%
Grade 12	1.6%	1.6%	4.7%	95.3%
<b>Crack?</b>				
All	0.3%	0.3%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	1.6%	1.6%	4.7%	95.3%
<b>Hallucinogens?</b>				
All	0.8%	0.9%	1.9%	98.1%
Grade 7	0.1%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.5%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.0%	2.0%	7.8%	92.2%
Grade 12	2.5%	2.5%	2.5%	97.5%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Synthetic Cathinones?</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids?</b>				
All	0.5%	1.0%	2.5%	97.5%
Grade 7	0.5%	0.5%	2.2%	97.8%
Grade 8	0.6%	0.6%	2.3%	97.7%
Grade 9	0.0%	1.4%	2.8%	97.2%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.6%	5.6%	94.4%
<b>Ecstasy?</b>				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	4.7%	95.3%
<b>Heroin?</b>				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	4.7%	95.3%
<b>Methamphetamine?</b>				
All	0.4%	0.7%	1.5%	98.5%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.5%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	2.0%	2.0%	98.0%
Grade 12	1.6%	1.6%	4.7%	95.3%

**Table D-1: How Recently, If Ever, Have You Used...**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.7%	1.0%	2.4%	97.6%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.8%	1.7%	98.3%
Grade 9	1.0%	1.0%	3.8%	96.2%
Grade 10	0.0%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	2.4%	2.4%	5.6%	94.4%
Delta 8?				
All	1.8%	2.7%	5.6%	94.4%
Grade 7	0.2%	0.5%	0.8%	99.2%
Grade 8	0.9%	1.3%	2.3%	97.7%
Grade 9	1.0%	1.6%	4.3%	95.7%
Grade 10	0.0%	1.6%	1.6%	98.4%
Grade 11	3.9%	5.9%	11.8%	88.2%
Grade 12	5.8%	7.4%	16.2%	83.8%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	90.8%	1.2%	0.8%	0.7%	1.2%	1.4%	3.9%
Grade 7	97.1%	0.2%	0.3%	0.3%	0.5%	0.5%	1.1%
Grade 8	92.8%	0.7%	0.2%	0.8%	0.7%	1.6%	3.1%
Grade 9	91.2%	0.5%	1.1%	0.5%	3.4%	2.2%	1.1%
Grade 10	90.7%	0.0%	1.6%	1.6%	0.0%	0.0%	6.1%
Grade 11	84.3%	2.0%	2.0%	0.0%	2.0%	2.0%	7.8%
Grade 12	85.6%	4.2%	0.0%	0.9%	0.9%	2.6%	5.8%
Cocaine?							
All	99.4%	0.0%	0.0%	0.0%	0.0%	0.3%	0.3%
Grade 7	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
Grade 8	99.6%	0.0%	0.1%	0.1%	0.1%	0.0%	0.1%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	96.1%	0.0%	0.0%	0.0%	0.0%	2.0%	2.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Crack?							
All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 7	99.8%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%
Grade 8	99.8%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?							
All	98.7%	0.1%	0.3%	0.0%	0.3%	0.0%	0.6%
Grade 7	98.7%	0.2%	0.0%	0.0%	0.0%	0.1%	1.0%
Grade 8	98.7%	0.1%	0.0%	0.2%	0.0%	0.2%	0.8%
Grade 9	98.5%	0.0%	0.0%	0.0%	0.0%	0.0%	1.5%
Grade 10	98.4%	0.0%	1.6%	0.0%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	98.4%	0.0%	0.0%	0.0%	1.6%	0.0%	0.0%
Ecstasy?							
All	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	98.4%	0.0%	0.0%	0.0%	0.0%	1.6%	0.0%

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.4%	0.2%	0.1%	0.2%	0.0%	0.0%	0.1%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.5%	0.0%	0.2%	0.0%	0.0%	0.1%	0.2%
	Grade 8	99.5%	0.1%	0.0%	0.1%	0.1%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Synthetic Marijuana?								
	All	98.9%	0.1%	0.1%	0.1%	0.3%	0.2%	0.4%
	Grade 7	99.8%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 8	98.9%	0.0%	0.1%	0.2%	0.0%	0.3%	0.5%
	Grade 9	97.4%	0.5%	0.5%	0.0%	0.0%	0.0%	1.5%
	Grade 10	98.4%	0.0%	0.0%	0.0%	1.6%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.1%	0.0%	0.0%	0.0%	0.0%	0.9%	0.0%
Delta 8?								
	All	95.5%	0.5%	0.5%	0.5%	0.9%	0.5%	1.5%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.2%	0.0%	0.2%
	Grade 8	98.4%	0.2%	0.2%	0.3%	0.4%	0.2%	0.3%
	Grade 9	96.9%	0.0%	0.5%	0.5%	0.5%	0.0%	1.5%
	Grade 10	98.4%	0.0%	0.0%	0.0%	1.6%	0.0%	0.0%
	Grade 11	90.2%	2.0%	2.0%	0.0%	0.0%	2.0%	3.9%
	Grade 12	86.5%	1.6%	0.9%	2.6%	2.6%	1.6%	4.2%

**Table D-3: Average Age of First Use of...**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.1	11.3	12.0	11.8	12.7	14.3	14.4
Cocaine	13.7	11.2	13.5	N/A	N/A	15.3	11.5
Crack	12.5	11.2	10.5	N/A	N/A	15.0	11.5
Steroids	11.5	11.0	11.0	9.5	N/A	N/A	13.3
Ecstasy	13.0	10.0	14.0	N/A	N/A	N/A	13.0
Heroin	11.3	9.5	11.5	N/A	N/A	N/A	11.5
Methamphetamine	11.3	11.9	12.4	10.2	N/A	N/A	11.5
Synthetic Marijuana	12.5	11.3	12.0	14.3	9.0	N/A	13.1
Delta 8?	13.9	12.0	11.9	12.8	10.0	13.5	15.1

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	36.2%	32.4%	9.4%	7.7%	5.9%	8.4%
	Grade 7	40.8%	41.1%	9.0%	3.9%	2.6%	2.6%
	Grade 8	34.8%	37.7%	10.3%	7.8%	4.5%	4.9%
	Grade 9	41.5%	23.4%	9.0%	8.0%	5.1%	13.0%
	Grade 10	19.9%	49.2%	12.2%	7.8%	4.6%	6.2%
	Grade 11	29.4%	19.6%	15.6%	13.8%	11.8%	9.8%
	Grade 12	49.2%	18.4%	0.9%	6.8%	9.1%	15.7%
Cocaine?							
	All	41.5%	41.5%	8.8%	3.4%	1.5%	3.3%
	Grade 7	40.8%	49.4%	6.1%	1.9%	1.0%	0.7%
	Grade 8	39.7%	47.4%	7.3%	3.2%	1.1%	1.5%
	Grade 9	46.8%	32.9%	6.5%	7.3%	1.1%	5.4%
	Grade 10	23.1%	61.5%	10.8%	3.2%	1.5%	0.0%
	Grade 11	46.0%	24.0%	22.0%	2.0%	0.0%	6.0%
	Grade 12	54.4%	27.6%	4.1%	2.5%	4.1%	7.3%
Crack?							
	All	42.0%	43.0%	8.5%	3.0%	1.0%	2.6%
	Grade 7	41.4%	49.1%	5.8%	1.9%	1.1%	0.6%
	Grade 8	40.5%	47.2%	7.1%	2.7%	1.0%	1.5%
	Grade 9	47.8%	27.7%	9.3%	7.9%	1.1%	6.2%
	Grade 10	24.6%	63.0%	9.2%	3.2%	0.0%	0.0%
	Grade 11	47.1%	33.4%	13.7%	2.0%	0.0%	3.9%
	Grade 12	51.9%	34.2%	7.3%	0.0%	2.5%	4.1%
Steroids?							
	All	43.1%	37.7%	7.9%	4.7%	2.5%	4.1%
	Grade 7	44.0%	42.4%	7.9%	3.3%	1.4%	1.1%
	Grade 8	42.5%	42.1%	6.5%	3.4%	2.9%	2.7%
	Grade 9	46.4%	26.1%	11.7%	8.0%	2.8%	5.0%
	Grade 10	24.6%	58.4%	10.8%	1.5%	0.0%	4.7%
	Grade 11	47.1%	25.5%	9.8%	5.9%	3.9%	7.9%
	Grade 12	55.3%	27.4%	1.6%	6.6%	4.1%	5.0%
Ecstasy?							
	All	54.4%	33.8%	6.0%	2.9%	1.0%	1.9%
	Grade 7	59.6%	33.4%	5.0%	1.0%	0.4%	0.7%
	Grade 8	54.6%	36.1%	4.9%	2.4%	0.6%	1.3%
	Grade 9	61.8%	21.4%	6.8%	5.9%	0.7%	3.4%
	Grade 10	37.0%	52.1%	9.2%	1.6%	0.0%	0.0%
	Grade 11	52.9%	31.4%	7.8%	3.9%	0.0%	3.9%
	Grade 12	59.4%	27.6%	3.2%	3.2%	4.1%	2.5%

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	48.1%	39.1%	7.5%	2.1%	1.0%	2.1%
	Grade 7	53.0%	38.6%	5.1%	1.6%	1.2%	0.6%
	Grade 8	47.1%	42.6%	5.9%	1.6%	0.9%	2.0%
	Grade 9	52.0%	30.0%	7.4%	6.8%	0.6%	3.3%
	Grade 10	29.3%	59.9%	10.8%	0.0%	0.0%	0.0%
	Grade 11	51.0%	31.4%	9.8%	2.0%	0.0%	5.9%
	Grade 12	56.7%	29.9%	7.5%	0.9%	3.4%	1.6%
<b>Methamphetamine?</b>							
	All	49.7%	37.4%	7.1%	2.3%	1.0%	2.4%
	Grade 7	52.5%	39.4%	5.2%	1.3%	1.3%	0.3%
	Grade 8	48.0%	42.5%	5.4%	1.8%	0.8%	1.5%
	Grade 9	54.7%	23.5%	10.2%	6.3%	0.6%	4.8%
	Grade 10	32.4%	58.4%	9.2%	0.0%	0.0%	0.0%
	Grade 11	51.0%	31.4%	7.8%	3.9%	2.0%	3.9%
	Grade 12	60.1%	26.7%	5.7%	0.9%	1.8%	4.8%
<b>Synthetic Marijuana?</b>							
	All	53.5%	33.1%	5.8%	2.7%	2.3%	2.5%
	Grade 7	56.5%	35.4%	4.4%	2.1%	1.2%	0.4%
	Grade 8	53.1%	36.8%	5.3%	2.3%	0.6%	1.8%
	Grade 9	58.7%	19.4%	8.8%	7.3%	1.8%	3.9%
	Grade 10	37.1%	47.4%	9.2%	1.6%	4.7%	0.0%
	Grade 11	54.9%	31.4%	5.9%	2.0%	2.0%	3.9%
	Grade 12	60.6%	26.8%	1.6%	0.9%	4.3%	5.8%
<b>Delta 8?</b>							
	All	51.1%	30.9%	6.1%	4.0%	3.5%	4.3%
	Grade 7	56.9%	34.6%	4.5%	2.1%	1.2%	0.8%
	Grade 8	54.3%	33.7%	5.1%	3.1%	1.4%	2.4%
	Grade 9	57.4%	18.0%	11.1%	5.6%	2.5%	5.3%
	Grade 10	34.5%	46.6%	9.4%	3.2%	6.2%	0.0%
	Grade 11	45.1%	31.4%	3.9%	3.9%	5.9%	9.8%
	Grade 12	55.1%	20.9%	2.5%	6.6%	5.2%	9.8%



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	97.2%	1.2%	0.4%	1.2%
Grade 7	98.7%	0.8%	0.1%	0.3%
Grade 8	96.8%	1.8%	0.7%	0.8%
Grade 9	99.5%	0.0%	0.0%	0.5%
Grade 10	98.4%	0.0%	0.0%	1.6%
Grade 11	94.1%	2.0%	2.0%	2.0%
Grade 12	94.5%	2.7%	0.0%	2.8%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	98.9%	0.7%	0.1%	0.3%
Grade 7	99.3%	0.3%	0.1%	0.3%
Grade 8	98.0%	0.8%	0.3%	1.0%
Grade 9	100.0%	0.0%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%
Grade 11	98.0%	2.0%	0.0%	0.0%
Grade 12	98.2%	1.8%	0.0%	0.0%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.9
Marijuana Non-Users	4.5
Average Days Conduct Problems Reported	
Marijuana Users	6.0
Marijuana Non-Users	1.5

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	97.0%	2.6%	0.4%	0.0%
Grade 9	100.0%	0.0%	0.0%	0.0%
Grade 10	96.9%	3.1%	0.0%	0.0%
Grade 11	94.1%	5.9%	0.0%	0.0%
Grade 12	96.3%	2.0%	1.8%	0.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.4%	2.5%	0.1%	0.1%
Grade 7	97.8%	1.9%	0.1%	0.2%
Grade 8	98.0%	1.5%	0.3%	0.2%
Grade 9	98.5%	1.5%	0.0%	0.0%
Grade 10	95.4%	4.6%	0.0%	0.0%
Grade 11	94.1%	5.9%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	78.6%	12.9%	4.8%	2.3%	1.4%
Grade 7	90.8%	6.8%	1.2%	0.8%	0.4%
Grade 8	86.3%	8.9%	2.6%	1.1%	1.0%
Grade 9	76.7%	9.7%	8.9%	4.2%	0.5%
Grade 10	75.2%	18.6%	6.2%	0.0%	0.0%
Grade 11	62.0%	26.0%	8.0%	2.0%	2.0%
Grade 12	72.6%	13.1%	3.4%	5.9%	5.0%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	72.3%	3.0%	2.4%	2.0%	2.9%	1.0%	16.3%
Grade 7	84.0%	1.8%	0.9%	0.5%	0.4%	1.2%	11.3%
Grade 8	78.7%	2.4%	2.0%	0.6%	1.1%	0.9%	14.4%
Grade 9	78.1%	0.7%	4.0%	0.0%	5.7%	0.7%	10.8%
Grade 10	59.0%	1.6%	1.6%	4.7%	1.6%	0.0%	31.7%
Grade 11	54.9%	7.8%	3.9%	5.9%	2.0%	0.0%	25.5%
Grade 12	72.0%	5.5%	2.8%	1.8%	8.1%	3.5%	6.3%

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	81.3%	6.5%	4.0%	1.2%	0.8%	6.2%
Grade 7	87.8%	3.6%	2.0%	0.3%	0.6%	5.8%
Grade 8	84.7%	3.9%	2.7%	0.8%	0.5%	7.3%
Grade 9	81.3%	3.3%	2.1%	1.7%	1.9%	9.7%
Grade 10	78.7%	15.2%	3.0%	0.0%	0.0%	3.0%
Grade 11	76.5%	9.8%	7.8%	2.0%	0.0%	3.9%
Grade 12	75.0%	4.7%	8.3%	2.8%	2.0%	7.2%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	70.7%	12.0%	8.7%	4.2%	4.4%
	Grade 7	79.8%	10.8%	3.3%	1.3%	4.8%
	Grade 8	76.5%	12.1%	4.5%	2.1%	4.7%
	Grade 9	73.4%	10.1%	7.4%	2.8%	6.3%
	Grade 10	70.8%	12.3%	12.3%	3.1%	1.5%
	Grade 11	56.8%	9.8%	15.7%	11.8%	5.9%
	Grade 12	60.5%	16.8%	12.8%	6.8%	3.2%
Cocaine?	All	90.1%	4.0%	0.6%	0.4%	4.8%
	Grade 7	89.6%	4.8%	0.2%	0.3%	5.1%
	Grade 8	89.1%	4.4%	1.1%	0.3%	5.1%
	Grade 9	87.9%	5.1%	0.0%	0.0%	7.0%
	Grade 10	97.0%	1.5%	0.0%	0.0%	1.5%
	Grade 11	88.2%	3.9%	2.0%	0.0%	5.9%
	Grade 12	89.1%	4.2%	0.9%	1.6%	4.1%
Crack?	All	90.0%	3.9%	0.5%	0.3%	5.3%
	Grade 7	89.6%	4.1%	0.3%	0.3%	5.7%
	Grade 8	88.9%	4.4%	0.9%	0.5%	5.3%
	Grade 9	87.2%	5.1%	0.0%	0.0%	7.7%
	Grade 10	95.4%	1.5%	0.0%	0.0%	3.1%
	Grade 11	88.2%	3.9%	2.0%	0.0%	5.9%
	Grade 12	90.8%	4.2%	0.0%	0.9%	4.1%
Ecstasy?	All	83.9%	3.7%	0.8%	0.4%	11.2%
	Grade 7	82.0%	3.8%	0.8%	0.4%	12.9%
	Grade 8	82.2%	5.4%	0.9%	0.4%	11.1%
	Grade 9	80.5%	3.6%	0.5%	0.0%	15.3%
	Grade 10	89.0%	1.5%	0.0%	0.0%	9.4%
	Grade 11	82.4%	3.9%	2.0%	0.0%	11.8%
	Grade 12	88.2%	3.5%	0.9%	1.6%	5.8%
Steroids?	All	78.2%	10.4%	4.0%	1.7%	5.7%
	Grade 7	77.9%	10.4%	4.2%	0.7%	6.8%
	Grade 8	75.6%	12.5%	3.7%	1.1%	7.1%
	Grade 9	77.8%	9.6%	3.5%	0.0%	9.2%
	Grade 10	80.1%	10.7%	4.6%	4.6%	0.0%
	Grade 11	80.4%	7.9%	3.9%	2.0%	5.9%
	Grade 12	78.7%	10.4%	4.2%	2.6%	4.1%

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	88.4%	3.5%	0.5%	0.2%	7.4%
	Grade 7	85.6%	4.7%	0.8%	0.5%	8.4%
	Grade 8	87.3%	4.6%	0.6%	0.4%	7.1%
	Grade 9	85.0%	2.9%	0.0%	0.0%	12.1%
	Grade 10	95.4%	0.0%	0.0%	0.0%	4.6%
	Grade 11	86.3%	3.9%	2.0%	0.0%	7.8%
	Grade 12	91.7%	4.2%	0.0%	0.0%	4.1%
Methamphetamine?						
	All	88.8%	3.1%	0.5%	0.5%	7.0%
	Grade 7	87.4%	4.7%	0.4%	0.5%	7.0%
	Grade 8	87.6%	3.8%	0.9%	0.5%	7.2%
	Grade 9	83.7%	3.6%	0.0%	2.0%	10.6%
	Grade 10	95.4%	1.6%	0.0%	0.0%	3.0%
	Grade 11	88.2%	2.0%	2.0%	0.0%	7.8%
	Grade 12	91.7%	2.6%	0.0%	0.0%	5.8%
Synthetic Marijuana?						
	All	83.0%	5.8%	2.1%	0.4%	8.7%
	Grade 7	84.7%	5.1%	0.7%	0.3%	9.3%
	Grade 8	82.1%	6.6%	1.7%	0.6%	9.0%
	Grade 9	80.0%	4.9%	0.5%	1.1%	13.6%
	Grade 10	83.0%	6.3%	3.0%	0.0%	7.7%
	Grade 11	84.3%	3.9%	3.9%	0.0%	7.8%
	Grade 12	84.8%	7.7%	3.5%	0.0%	4.1%
Delta 8?						
	All	77.1%	8.2%	4.0%	1.8%	8.9%
	Grade 7	82.2%	7.0%	1.3%	0.6%	9.0%
	Grade 8	79.2%	7.5%	2.3%	0.9%	10.2%
	Grade 9	76.6%	6.3%	3.1%	0.5%	13.4%
	Grade 10	75.4%	12.3%	4.6%	0.0%	7.7%
	Grade 11	74.5%	3.9%	7.9%	5.9%	7.8%
	Grade 12	72.9%	12.0%	6.8%	4.2%	4.1%
Fictional Drug?						
	All	82.9%	3.5%	0.5%	0.5%	12.6%
	Grade 7	81.8%	3.6%	0.5%	0.3%	13.8%
	Grade 8	81.3%	4.6%	0.7%	0.3%	13.1%
	Grade 9	82.5%	3.6%	0.0%	0.0%	13.9%
	Grade 10	86.1%	1.5%	0.0%	0.0%	12.4%
	Grade 11	80.4%	3.9%	2.0%	0.0%	13.7%
	Grade 12	85.7%	3.5%	0.0%	2.6%	8.3%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	5.2%	7.9%	14.4%	85.6%
Grade 7	6.8%	10.1%	14.5%	85.5%
Grade 8	6.3%	8.9%	17.0%	83.0%
Grade 9	3.9%	5.0%	14.3%	85.7%
Grade 10	1.5%	4.5%	10.6%	89.4%
Grade 11	7.8%	13.7%	19.6%	80.4%
Grade 12	4.9%	5.8%	10.7%	89.3%
<b>Codeine Cough Syrup?</b>				
All	2.2%	3.8%	10.1%	89.9%
Grade 7	4.3%	6.8%	10.1%	89.9%
Grade 8	3.6%	5.7%	13.6%	86.4%
Grade 9	0.0%	1.2%	10.4%	89.6%
Grade 10	1.5%	3.0%	9.1%	90.9%
Grade 11	3.9%	5.9%	11.8%	88.2%
Grade 12	0.0%	0.0%	4.8%	95.2%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.7%	1.2%	3.1%	96.9%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.5%	0.5%	2.0%	98.0%
Grade 9	0.0%	1.2%	3.2%	96.8%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	2.0%	3.9%	9.8%	90.2%
Grade 12	1.6%	1.6%	3.3%	96.7%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	0.1%	0.2%	1.9%	98.1%
Grade 7	0.3%	0.6%	1.0%	99.0%
Grade 8	0.2%	0.2%	1.5%	98.5%
Grade 9	0.0%	0.5%	1.1%	98.9%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.0%	0.0%	6.0%	94.0%
Grade 12	0.0%	0.0%	1.6%	98.4%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	0.6%	1.5%	3.5%	96.5%
Grade 7	0.7%	1.0%	1.9%	98.1%
Grade 8	0.7%	1.7%	3.7%	96.3%
Grade 9	0.5%	1.1%	2.5%	97.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	3.9%	11.8%	88.2%
Grade 12	1.6%	1.6%	3.2%	96.8%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.0%	4.2%	8.0%	92.0%
Grade 7	3.8%	4.6%	7.9%	92.1%
Grade 8	3.2%	3.9%	9.3%	90.7%
Grade 9	3.4%	3.9%	6.8%	93.2%
Grade 10	0.0%	1.5%	4.6%	95.4%
Grade 11	4.0%	8.0%	16.0%	84.0%
Grade 12	3.4%	4.3%	5.2%	94.8%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.8%	2.2%	3.4%	96.6%
Grade 7	1.1%	1.5%	3.4%	96.6%
Grade 8	2.2%	2.6%	3.8%	96.2%
Grade 9	1.1%	1.1%	1.6%	98.4%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	3.9%	5.9%	7.8%	92.2%
Grade 12	3.2%	3.2%	3.2%	96.8%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	79.0%	9.8%	3.2%	1.4%	6.7%
Grade 7	76.3%	12.2%	2.4%	1.2%	7.9%
Grade 8	74.6%	12.5%	3.9%	2.1%	6.9%
Grade 9	79.4%	6.9%	2.5%	1.5%	9.8%
Grade 10	86.1%	7.7%	1.5%	1.6%	3.1%
Grade 11	74.5%	7.8%	7.8%	2.0%	7.8%
Grade 12	83.8%	10.3%	1.7%	0.0%	4.2%

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.1%	4.2%	10.9%	89.1%
Grade 7	5.5%	6.7%	13.7%	86.3%
Grade 8	4.9%	7.1%	12.1%	87.9%
Grade 9	0.7%	0.7%	8.1%	91.9%
Grade 10	1.6%	1.6%	6.1%	93.9%
Grade 11	3.9%	7.8%	19.6%	80.4%
Grade 12	1.6%	1.6%	7.1%	92.9%
Spray Paint?				
All	0.2%	0.3%	2.5%	97.5%
Grade 7	0.5%	0.6%	2.0%	98.0%
Grade 8	0.5%	0.8%	2.5%	97.5%
Grade 9	0.0%	0.0%	2.1%	97.9%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.0%	0.0%	7.8%	92.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.6%	0.8%	3.9%	96.1%
Grade 7	1.5%	1.9%	4.7%	95.3%
Grade 8	1.0%	1.9%	5.1%	94.9%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.0%	0.0%	11.8%	88.2%
Grade 12	0.0%	0.0%	0.9%	99.1%
Computer Dusting Sprays?				
All	0.0%	0.1%	0.7%	99.3%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.0%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	4.0%	96.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.0%	2.0%	5.6%	94.4%
Grade 7	0.7%	1.7%	4.5%	95.5%
Grade 8	0.5%	2.1%	5.2%	94.8%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	1.6%	1.6%	6.1%	93.9%
Grade 11	3.9%	7.8%	19.6%	80.4%
Grade 12	0.0%	0.0%	0.0%	100.0%



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.1%	0.3%	1.2%	98.8%
Grade 7	0.3%	0.8%	1.6%	98.4%
Grade 8	0.4%	0.8%	1.6%	98.4%
Grade 9	0.0%	0.0%	2.1%	97.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.0%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.2%	0.9%	99.1%
Grade 8	0.2%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	2.0%	3.9%	96.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.8%	0.9%	3.2%	96.8%
Grade 7	0.7%	1.2%	3.6%	96.4%
Grade 8	1.3%	1.7%	4.0%	96.0%
Grade 9	0.7%	0.7%	2.7%	97.3%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	2.0%	2.0%	7.8%	92.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Other Aerosols/Sprays?</b>				
All	0.4%	0.4%	1.5%	98.5%
Grade 7	1.5%	1.6%	2.6%	97.4%
Grade 8	0.4%	0.6%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.9%	96.1%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.5%	0.1%	0.1%	0.1%	0.2%	0.2%	0.8%
Grade 7	96.4%	0.2%	0.5%	0.0%	1.0%	0.4%	1.4%
Grade 8	97.3%	0.2%	0.2%	0.2%	0.1%	0.8%	1.2%
Grade 9	98.5%	0.0%	0.0%	0.0%	0.0%	0.0%	1.5%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	92.0%	3.4%	3.2%	1.4%
Grade 7	89.6%	5.0%	4.5%	0.9%
Grade 8	90.9%	4.2%	3.0%	2.0%
Grade 9	95.4%	2.0%	1.9%	0.7%
Grade 10	94.0%	3.0%	3.0%	0.0%
Grade 11	80.4%	5.9%	7.8%	5.9%
Grade 12	99.2%	0.8%	0.0%	0.0%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.1	10.3	11.3	12.3	N/A	N/A	11.5

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.5%	0.3%	0.1%	0.1%
Grade 7	99.2%	0.5%	0.1%	0.2%
Grade 8	98.4%	0.9%	0.3%	0.4%
Grade 9	100.0%	0.0%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.7
Inhalant Non-Users	4.6
Average Days Conduct Problems Reported	
Inhalant Users	3.4
Inhalant Non-Users	1.7

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	95.2%	2.7%	1.2%	0.8%	0.1%
Grade 7	93.4%	4.4%	1.6%	0.5%	0.2%
Grade 8	93.8%	4.9%	0.3%	0.4%	0.6%
Grade 9	94.0%	2.1%	1.9%	1.9%	0.0%
Grade 10	97.0%	1.5%	1.5%	0.0%	0.0%
Grade 11	96.0%	0.0%	2.0%	2.0%	0.0%
Grade 12	98.4%	1.6%	0.0%	0.0%	0.0%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.3%	12.3%	3.0%	1.0%	6.5%
Grade 7	72.2%	15.5%	4.8%	1.0%	6.5%
Grade 8	75.0%	13.2%	3.7%	1.3%	6.7%
Grade 9	80.6%	9.9%	2.0%	0.0%	7.4%
Grade 10	81.3%	12.4%	1.5%	0.0%	4.7%
Grade 11	74.5%	9.8%	3.9%	3.9%	7.8%
Grade 12	80.7%	11.9%	1.6%	0.0%	5.8%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	44.0%	22.3%	5.8%	5.0%	7.9%	15.0%
Grade 7	42.6%	26.1%	5.6%	5.8%	8.1%	11.7%
Grade 8	39.8%	24.9%	5.9%	5.0%	7.4%	17.1%
Grade 9	51.4%	18.5%	5.1%	4.7%	8.1%	12.2%
Grade 10	27.9%	38.4%	9.2%	3.1%	6.1%	15.3%
Grade 11	46.0%	10.0%	10.0%	6.0%	10.0%	18.0%
Grade 12	57.8%	11.7%	0.0%	5.7%	8.2%	16.6%

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	31.2%
	Grade 7	40.6%
	Grade 8	49.2%
	Grade 9	33.0%
	Grade 10	14.3%
	Grade 11	13.7%
	Grade 12	26.2%
An Assembly Program		
	All	43.4%
	Grade 7	46.0%
	Grade 8	48.9%
	Grade 9	37.8%
	Grade 10	50.8%
	Grade 11	31.4%
	Grade 12	41.6%
Guidance Counselor		
	All	22.3%
	Grade 7	28.7%
	Grade 8	30.1%
	Grade 9	19.3%
	Grade 10	12.5%
	Grade 11	13.8%
	Grade 12	25.2%
School Nurse		
	All	14.2%
	Grade 7	24.6%
	Grade 8	19.1%
	Grade 9	6.9%
	Grade 10	9.5%
	Grade 11	7.8%
	Grade 12	13.7%
Science or Social Studies Class		
	All	21.2%
	Grade 7	25.9%
	Grade 8	24.0%
	Grade 9	20.2%
	Grade 10	17.2%
	Grade 11	21.6%
	Grade 12	16.6%

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
 (Continued)

	Yes
<b>Student Group or Club Meeting at School</b>	
All	10.6%
Grade 7	10.3%
Grade 8	14.1%
Grade 9	8.1%
Grade 10	7.8%
Grade 11	5.9%
Grade 12	16.4%
<b>An Invited School Guest</b>	
All	27.8%
Grade 7	28.9%
Grade 8	33.7%
Grade 9	28.3%
Grade 10	17.4%
Grade 11	17.7%
Grade 12	37.9%
<b>Another Source at School</b>	
All	21.4%
Grade 7	23.2%
Grade 8	29.3%
Grade 9	25.8%
Grade 10	12.5%
Grade 11	17.7%
Grade 12	16.4%
<b>Any School Source</b>	
All	58.3%
Grade 7	66.6%
Grade 8	71.6%
Grade 9	51.0%
Grade 10	57.7%
Grade 11	41.2%
Grade 12	53.5%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	35.9%
	Grade 7	46.0%
	Grade 8	41.0%
	Grade 9	31.8%
	Grade 10	40.1%
	Grade 11	20.4%
	Grade 12	29.2%
<b>School Nurse</b>		
	All	21.6%
	Grade 7	26.9%
	Grade 8	22.9%
	Grade 9	24.7%
	Grade 10	28.1%
	Grade 11	4.1%
	Grade 12	18.0%
<b>Another Adult In School</b>		
	All	42.8%
	Grade 7	45.8%
	Grade 8	44.6%
	Grade 9	41.4%
	Grade 10	49.3%
	Grade 11	32.7%
	Grade 12	39.8%
<b>Counselor/Program Outside-School</b>		
	All	41.1%
	Grade 7	45.6%
	Grade 8	43.4%
	Grade 9	42.6%
	Grade 10	52.4%
	Grade 11	22.4%
	Grade 12	33.4%
<b>Your Parents</b>		
	All	72.0%
	Grade 7	78.2%
	Grade 8	76.8%
	Grade 9	74.5%
	Grade 10	79.9%
	Grade 11	52.0%
	Grade 12	63.7%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<hr/>		
A Medical Doctor		
All		58.4%
Grade 7		70.8%
Grade 8		64.1%
Grade 9		58.4%
Grade 10		62.7%
Grade 11		28.6%
Grade 12		56.4%
Your Friends		
All		61.8%
Grade 7		53.6%
Grade 8		61.0%
Grade 9		66.2%
Grade 10		67.7%
Grade 11		72.0%
Grade 12		52.6%
Another Adult		
All		61.8%
Grade 7		66.8%
Grade 8		64.2%
Grade 9		66.2%
Grade 10		66.3%
Grade 11		54.0%
Grade 12		49.2%
<hr/>		

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
<hr/>		
All		3.5%
Grade 7		3.4%
Grade 8		5.1%
Grade 9		3.6%
Grade 10		3.3%
Grade 11		2.0%
Grade 12		2.8%
<hr/>		

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	5.0%	21.3%	20.8%	34.9%	18.0%
Grade 7	5.9%	16.1%	17.0%	40.7%	20.3%
Grade 8	5.5%	17.9%	21.3%	36.7%	18.6%
Grade 9	6.8%	29.4%	22.3%	27.7%	13.8%
Grade 10	3.1%	28.9%	22.8%	22.6%	22.5%
Grade 11	0.0%	21.6%	19.6%	37.2%	21.6%
Grade 12	7.4%	14.9%	21.6%	44.0%	12.0%
<b>Sometimes Carry Weapons?</b>					
All	77.2%	12.9%	4.8%	2.7%	2.4%
Grade 7	81.5%	12.2%	3.8%	1.4%	1.1%
Grade 8	83.9%	9.0%	4.4%	1.4%	1.3%
Grade 9	78.8%	10.0%	3.2%	6.1%	2.0%
Grade 10	86.4%	7.5%	4.5%	1.6%	0.0%
Grade 11	56.9%	21.6%	3.9%	5.9%	11.7%
Grade 12	68.9%	20.4%	9.0%	0.9%	0.9%
<b>Care About Making Good Grades?</b>					
All	2.9%	12.6%	26.4%	38.8%	19.4%
Grade 7	2.6%	12.9%	24.3%	39.4%	20.8%
Grade 8	1.9%	15.5%	21.3%	40.9%	20.4%
Grade 9	3.2%	10.0%	35.5%	36.4%	14.9%
Grade 10	1.6%	13.9%	15.4%	39.8%	29.3%
Grade 11	0.0%	13.7%	31.4%	39.2%	15.7%
Grade 12	7.7%	9.2%	32.2%	36.7%	14.3%
<b>Belong/Want to Belong to a Gang?</b>					
All	89.5%	7.1%	0.9%	0.7%	1.7%
Grade 7	92.3%	5.8%	0.5%	0.4%	1.0%
Grade 8	93.4%	4.5%	1.2%	0.4%	0.6%
Grade 9	87.4%	6.1%	3.5%	2.0%	1.1%
Grade 10	94.0%	6.0%	0.0%	0.0%	0.0%
Grade 11	82.0%	8.0%	0.0%	2.0%	8.0%
Grade 12	84.7%	13.7%	0.0%	0.0%	1.6%
<b>Wish They Could Drop Out of School?</b>					
All	44.6%	29.9%	14.1%	6.8%	4.6%
Grade 7	51.2%	25.5%	12.4%	7.0%	3.8%
Grade 8	46.8%	30.9%	14.1%	5.6%	2.5%
Grade 9	34.4%	35.6%	19.0%	7.8%	3.2%
Grade 10	66.5%	21.3%	6.1%	6.2%	0.0%
Grade 11	23.5%	27.5%	17.6%	9.8%	21.6%
Grade 12	40.2%	38.3%	15.7%	4.9%	0.9%



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	86.4%	12.2%	0.5%	0.3%	0.6%
Grade 7	85.4%	12.5%	0.9%	0.4%	0.7%
Grade 8	89.3%	9.5%	0.7%	0.0%	0.5%
Grade 9	89.7%	9.7%	0.0%	0.0%	0.7%
Grade 10	83.0%	15.5%	1.5%	0.0%	0.0%
Grade 11	88.2%	9.8%	0.0%	2.0%	0.0%
Grade 12	81.9%	16.6%	0.0%	0.0%	1.5%
<b>Out In Your Neighborhood?</b>					
All	51.8%	37.2%	5.7%	1.2%	4.1%
Grade 7	38.3%	47.8%	6.8%	2.0%	5.2%
Grade 8	49.4%	41.3%	4.3%	0.5%	4.5%
Grade 9	53.6%	36.0%	7.2%	0.0%	3.2%
Grade 10	60.1%	32.2%	4.6%	0.0%	3.1%
Grade 11	56.9%	25.5%	5.9%	3.9%	7.8%
Grade 12	56.9%	34.7%	5.4%	1.5%	1.5%
<b>At School?</b>					
All	42.6%	42.3%	7.5%	4.8%	2.8%
Grade 7	37.1%	47.8%	9.1%	3.6%	2.5%
Grade 8	34.7%	49.5%	8.1%	3.5%	4.1%
Grade 9	38.1%	41.5%	10.2%	5.7%	4.6%
Grade 10	57.0%	35.3%	6.1%	0.0%	1.5%
Grade 11	45.1%	25.6%	7.8%	19.6%	2.0%
Grade 12	47.9%	47.3%	3.2%	0.0%	1.5%

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.2%	9.8%	21.8%	78.2%
Grade 7	3.5%	4.7%	13.7%	86.3%
Grade 8	8.5%	10.5%	20.1%	79.9%
Grade 9	4.2%	7.4%	20.9%	79.1%
Grade 10	4.7%	6.2%	16.6%	83.4%
Grade 11	19.6%	19.6%	33.3%	66.7%
Grade 12	12.3%	13.9%	30.6%	69.4%
<b>Any Alcohol Product</b>				
All	19.3%	22.6%	40.8%	59.2%
Grade 7	13.0%	16.0%	38.4%	61.6%
Grade 8	19.0%	21.9%	42.7%	57.3%
Grade 9	18.8%	21.1%	33.7%	66.3%
Grade 10	13.8%	15.2%	35.0%	65.0%
Grade 11	35.3%	41.2%	49.0%	51.0%
Grade 12	20.3%	26.0%	48.3%	51.7%
<b>Any Illicit Drug</b>				
All	6.9%	9.3%	14.8%	85.2%
Grade 7	2.7%	4.4%	6.6%	93.4%
Grade 8	4.4%	7.5%	11.2%	88.8%
Grade 9	8.3%	11.0%	16.0%	84.0%
Grade 10	4.6%	6.1%	13.6%	86.4%
Grade 11	9.8%	15.7%	21.6%	78.4%
Grade 12	13.7%	13.7%	24.0%	76.0%
<b>Any Prescription Drug</b>				
All	5.2%	7.9%	14.4%	85.6%
Grade 7	6.8%	10.1%	14.5%	85.5%
Grade 8	6.3%	8.9%	17.0%	83.0%
Grade 9	3.9%	5.0%	14.3%	85.7%
Grade 10	1.5%	4.5%	10.6%	89.4%
Grade 11	7.8%	13.7%	19.6%	80.4%
Grade 12	4.9%	5.8%	10.7%	89.3%
<b>Any Inhalant</b>				
All	3.1%	4.2%	10.9%	89.1%
Grade 7	5.5%	6.7%	13.7%	86.3%
Grade 8	4.9%	7.1%	12.1%	87.9%
Grade 9	0.7%	0.7%	8.1%	91.9%
Grade 10	1.6%	1.6%	6.1%	93.9%
Grade 11	3.9%	7.8%	19.6%	80.4%
Grade 12	1.6%	1.6%	7.1%	92.9%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.7%	8.5%	18.0%	82.0%
Grade 7	2.3%	3.4%	10.5%	89.5%
Grade 8	5.1%	7.5%	17.7%	82.3%
Grade 9	3.6%	7.0%	15.8%	84.2%
Grade 10	4.7%	6.2%	15.1%	84.9%
Grade 11	17.6%	17.6%	27.4%	72.6%
Grade 12	10.7%	12.3%	25.4%	74.6%
<b>Marijuana</b>				
All	6.3%	7.4%	12.8%	87.2%
Grade 7	1.9%	2.3%	4.1%	95.9%
Grade 8	4.2%	5.9%	9.2%	90.8%
Grade 9	8.3%	11.0%	16.0%	84.0%
Grade 10	3.1%	3.1%	10.6%	89.4%
Grade 11	9.8%	11.8%	17.6%	82.4%
Grade 12	12.1%	12.1%	22.4%	77.6%
<b>Marijuana Only</b>				
All	1.8%	2.3%	6.1%	93.9%
Grade 7	1.0%	1.3%	2.7%	97.3%
Grade 8	2.1%	3.1%	6.2%	93.8%
Grade 9	3.6%	4.9%	9.9%	90.1%
Grade 10	1.5%	1.5%	9.0%	91.0%
Grade 11	2.0%	2.0%	3.9%	96.1%
Grade 12	0.8%	0.8%	4.8%	95.2%
<b>Cocaine or Crack</b>				
All	1.1%	1.1%	2.2%	97.8%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	1.5%	1.5%	1.5%	98.5%
Grade 11	3.9%	3.9%	5.9%	94.1%
Grade 12	1.6%	1.6%	4.7%	95.3%
<b>Cocaine</b>				
All	1.1%	1.1%	2.2%	97.8%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	1.5%	1.5%	1.5%	98.5%
Grade 11	3.9%	3.9%	5.9%	94.1%
Grade 12	1.6%	1.6%	4.7%	95.3%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	1.6%	1.6%	4.7%	95.3%
<b>Hallucinogens</b>				
All	0.8%	0.9%	1.9%	98.1%
Grade 7	0.1%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.5%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.0%	2.0%	7.8%	92.2%
Grade 12	2.5%	2.5%	2.5%	97.5%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.5%	1.0%	2.5%	97.5%
Grade 7	0.5%	0.5%	2.2%	97.8%
Grade 8	0.6%	0.6%	2.3%	97.7%
Grade 9	0.0%	1.4%	2.8%	97.2%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.6%	5.6%	94.4%
<b>Ecstasy</b>				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	4.7%	95.3%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	4.7%	95.3%
<b>Synthetic Marijuana</b>				
All	0.7%	1.0%	2.4%	97.6%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.8%	1.7%	98.3%
Grade 9	1.0%	1.0%	3.8%	96.2%
Grade 10	0.0%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	2.4%	2.4%	5.6%	94.4%
<b>Methamphetamine</b>				
All	0.4%	0.7%	1.5%	98.5%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.5%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	2.0%	2.0%	98.0%
Grade 12	1.6%	1.6%	4.7%	95.3%
<b>Delta 8</b>				
All	1.8%	2.7%	5.6%	94.4%
Grade 7	0.2%	0.5%	0.8%	99.2%
Grade 8	0.9%	1.3%	2.3%	97.7%
Grade 9	1.0%	1.6%	4.3%	95.7%
Grade 10	0.0%	1.6%	1.6%	98.4%
Grade 11	3.9%	5.9%	11.8%	88.2%
Grade 12	5.8%	7.4%	16.2%	83.8%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.1%	9.9%	23.6%	76.4%
Grade 7	3.1%	3.5%	12.0%	88.0%
Grade 8	8.4%	9.2%	18.1%	81.9%
Grade 9	2.4%	6.2%	23.1%	76.9%
Grade 10	6.4%	6.4%	21.7%	78.3%
Grade 11	24.2%	24.2%	44.9%	55.1%
Grade 12	12.8%	12.8%	27.8%	72.2%
<b>Any Alcohol Product</b>				
All	21.4%	23.7%	45.6%	54.4%
Grade 7	12.1%	13.8%	39.1%	60.9%
Grade 8	18.9%	21.6%	45.7%	54.3%
Grade 9	20.9%	20.9%	42.5%	57.5%
Grade 10	22.1%	22.1%	47.1%	52.9%
Grade 11	41.3%	44.8%	55.2%	44.8%
Grade 12	18.2%	23.9%	46.9%	53.1%
<b>Any Illicit Drug</b>				
All	7.2%	10.7%	17.1%	82.9%
Grade 7	2.6%	4.3%	5.3%	94.7%
Grade 8	4.0%	7.3%	12.0%	88.0%
Grade 9	11.2%	15.4%	22.2%	77.8%
Grade 10	3.2%	6.3%	12.5%	87.5%
Grade 11	10.3%	20.7%	27.6%	72.4%
Grade 12	12.6%	12.6%	26.0%	74.0%
<b>Any Prescription Drug</b>				
All	6.1%	8.4%	17.2%	82.8%
Grade 7	7.4%	11.6%	16.1%	83.9%
Grade 8	5.6%	6.4%	14.0%	86.0%
Grade 9	7.8%	8.9%	23.5%	76.5%
Grade 10	3.1%	6.2%	15.6%	84.4%
Grade 11	6.9%	10.4%	20.7%	79.3%
Grade 12	5.5%	7.1%	14.1%	85.9%
<b>Any Inhalant</b>				
All	3.5%	4.8%	12.1%	87.9%
Grade 7	4.3%	5.0%	13.4%	86.6%
Grade 8	5.4%	6.7%	11.2%	88.8%
Grade 9	1.4%	1.4%	12.4%	87.6%
Grade 10	3.2%	3.2%	3.2%	96.8%
Grade 11	6.9%	13.8%	27.5%	72.5%
Grade 12	0.0%	0.0%	6.9%	93.1%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.0%	7.9%	18.4%	81.6%
Grade 7	1.7%	1.9%	7.3%	92.7%
Grade 8	3.8%	4.9%	14.9%	85.1%
Grade 9	2.4%	6.3%	17.0%	83.0%
Grade 10	6.4%	6.4%	18.6%	81.4%
Grade 11	20.7%	20.7%	34.5%	65.5%
Grade 12	10.1%	10.1%	23.0%	77.0%
<b>Marijuana</b>				
All	6.5%	8.2%	14.5%	85.5%
Grade 7	1.7%	2.0%	2.8%	97.2%
Grade 8	3.8%	6.5%	10.8%	89.2%
Grade 9	11.2%	15.4%	22.2%	77.8%
Grade 10	3.2%	3.2%	9.4%	90.6%
Grade 11	10.3%	13.8%	20.7%	79.3%
Grade 12	9.9%	9.9%	23.3%	76.7%
<b>Marijuana Only</b>				
All	1.8%	2.4%	6.2%	93.8%
Grade 7	0.6%	0.9%	1.7%	98.3%
Grade 8	2.1%	3.8%	7.8%	92.2%
Grade 9	5.0%	6.3%	12.9%	87.1%
Grade 10	0.0%	0.0%	6.0%	94.0%
Grade 11	3.4%	3.4%	3.4%	96.6%
Grade 12	0.0%	0.0%	5.2%	94.8%
<b>Cocaine or Crack</b>				
All	1.1%	1.1%	2.6%	97.4%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.0%	2.9%	97.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.4%	3.4%	3.4%	96.6%
Grade 12	2.7%	2.7%	8.1%	91.9%
<b>Cocaine</b>				
All	1.0%	1.1%	2.5%	97.5%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	2.9%	97.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.4%	3.4%	3.4%	96.6%
Grade 12	2.7%	2.7%	8.1%	91.9%



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.6%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	2.9%	97.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.7%	2.7%	8.1%	91.9%
<b>Hallucinogens</b>				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.0%	0.4%	0.5%	99.5%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.0%	1.1%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	6.9%	93.1%
Grade 12	4.3%	4.3%	4.3%	95.7%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.8%	1.7%	4.1%	95.9%
Grade 7	0.6%	0.7%	2.3%	97.7%
Grade 8	0.8%	0.8%	2.7%	97.3%
Grade 9	0.0%	2.9%	5.9%	94.1%
Grade 10	3.2%	3.2%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	2.7%	9.6%	90.4%
<b>Ecstasy</b>				
All	0.5%	0.5%	1.6%	98.4%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.7%	2.7%	8.1%	91.9%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
 Male Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.6%	0.6%	2.1%	97.9%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	2.9%	97.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.7%	2.7%	8.1%	91.9%
<b>Synthetic Marijuana</b>				
All	1.2%	1.7%	3.8%	96.2%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.6%	1.6%	98.4%
Grade 9	2.1%	2.1%	7.8%	92.2%
Grade 10	0.0%	3.2%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	4.2%	4.2%	9.6%	90.4%
<b>Methamphetamine</b>				
All	0.6%	0.6%	1.9%	98.1%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.7%	2.7%	8.1%	91.9%
<b>Delta 8</b>				
All	1.8%	3.1%	6.9%	93.1%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.4%	1.0%	1.9%	98.1%
Grade 9	1.1%	2.1%	7.8%	92.2%
Grade 10	0.0%	3.2%	3.2%	96.8%
Grade 11	0.0%	3.5%	13.8%	86.2%
Grade 12	8.6%	8.6%	15.7%	84.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	7.4%	9.9%	20.1%	79.9%
Grade 7	4.0%	6.0%	15.7%	84.3%
Grade 8	8.6%	11.7%	22.0%	78.0%
Grade 9	6.0%	8.8%	19.4%	80.6%
Grade 10	3.0%	5.9%	11.8%	88.2%
Grade 11	14.2%	14.2%	19.0%	81.0%
Grade 12	12.0%	15.9%	35.7%	64.3%
<b>Any Alcohol Product</b>				
All	16.5%	20.9%	35.1%	64.9%
Grade 7	14.1%	18.6%	37.5%	62.5%
Grade 8	19.1%	22.2%	40.0%	60.0%
Grade 9	15.9%	19.2%	23.3%	76.7%
Grade 10	5.9%	8.8%	23.6%	76.4%
Grade 11	28.5%	38.1%	42.8%	57.2%
Grade 12	20.2%	26.3%	48.2%	51.8%
<b>Any Illicit Drug</b>				
All	6.8%	8.0%	12.6%	87.4%
Grade 7	2.9%	4.5%	8.0%	92.0%
Grade 8	4.8%	7.7%	10.3%	89.7%
Grade 9	5.7%	7.0%	10.4%	89.6%
Grade 10	5.9%	5.9%	14.7%	85.3%
Grade 11	9.5%	9.5%	14.2%	85.8%
Grade 12	15.9%	15.9%	21.9%	78.1%
<b>Any Prescription Drug</b>				
All	4.3%	7.4%	11.6%	88.4%
Grade 7	6.1%	8.5%	12.7%	87.3%
Grade 8	7.1%	11.2%	19.8%	80.2%
Grade 9	0.0%	1.3%	5.5%	94.5%
Grade 10	0.0%	3.0%	6.0%	94.0%
Grade 11	9.5%	19.0%	19.0%	81.0%
Grade 12	4.3%	4.3%	6.4%	93.6%
<b>Any Inhalant</b>				
All	2.8%	3.7%	9.7%	90.3%
Grade 7	7.0%	8.7%	13.8%	86.2%
Grade 8	4.4%	7.4%	12.9%	87.1%
Grade 9	0.0%	0.0%	4.1%	95.9%
Grade 10	0.0%	0.0%	8.8%	91.2%
Grade 11	0.0%	0.0%	9.5%	90.5%
Grade 12	3.9%	3.9%	7.7%	92.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.5%	9.2%	17.9%	82.1%
Grade 7	3.1%	5.1%	14.1%	85.9%
Grade 8	6.3%	10.0%	20.4%	79.6%
Grade 9	4.9%	7.9%	15.0%	85.0%
Grade 10	3.0%	5.9%	11.8%	88.2%
Grade 11	14.2%	14.2%	19.0%	81.0%
Grade 12	12.0%	15.9%	29.6%	70.4%
<b>Marijuana</b>				
All	6.1%	6.6%	11.1%	88.9%
Grade 7	2.1%	2.6%	5.5%	94.5%
Grade 8	4.6%	5.3%	7.6%	92.4%
Grade 9	5.7%	7.0%	10.4%	89.6%
Grade 10	3.0%	3.0%	11.8%	88.2%
Grade 11	9.5%	9.5%	14.2%	85.8%
Grade 12	15.9%	15.9%	21.9%	78.1%
<b>Marijuana Only</b>				
All	1.9%	2.3%	6.1%	93.9%
Grade 7	1.3%	1.8%	3.8%	96.2%
Grade 8	2.0%	2.3%	4.7%	95.3%
Grade 9	2.4%	3.7%	7.1%	92.9%
Grade 10	3.0%	3.0%	11.8%	88.2%
Grade 11	0.0%	0.0%	4.7%	95.3%
Grade 12	2.2%	2.2%	4.3%	95.7%
<b>Cocaine or Crack</b>				
All	1.2%	1.2%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.9%	2.9%	2.9%	97.1%
Grade 11	4.7%	4.7%	9.5%	90.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	1.2%	1.2%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.9%	2.9%	2.9%	97.1%
Grade 11	4.7%	4.7%	9.5%	90.5%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	4.7%	95.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.7%	0.8%	1.6%	98.4%
Grade 7	0.1%	0.4%	0.9%	99.1%
Grade 8	0.1%	0.1%	1.1%	98.9%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	4.7%	4.7%	9.5%	90.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.4%	0.4%	2.1%	97.9%
Grade 8	0.4%	0.4%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.7%	0.9%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	4.7%	95.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Methamphetamine</b>				
All	0.1%	0.7%	1.1%	98.9%
Grade 7	0.0%	0.4%	1.1%	98.9%
Grade 8	0.4%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	4.7%	4.7%	95.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	1.8%	2.4%	4.2%	95.8%
Grade 7	0.0%	0.4%	0.6%	99.4%
Grade 8	1.4%	1.7%	2.6%	97.4%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	9.5%	9.5%	9.5%	90.5%
Grade 12	2.1%	6.0%	17.6%	82.4%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	7.6%	9.5%	20.1%	79.9%
Grade 7	2.3%	3.5%	12.6%	87.4%
Grade 8	8.5%	10.1%	18.8%	81.2%
Grade 9	2.1%	5.9%	18.1%	81.9%
Grade 10	0.0%	2.4%	14.1%	85.9%
Grade 11	20.5%	20.5%	33.3%	66.7%
Grade 12	12.3%	15.2%	24.0%	76.0%
<b>Any Alcohol Product</b>				
All	19.4%	22.9%	39.7%	60.3%
Grade 7	11.7%	14.4%	36.1%	63.9%
Grade 8	19.0%	21.5%	42.7%	57.3%
Grade 9	18.1%	19.1%	31.0%	69.0%
Grade 10	9.5%	11.9%	31.0%	69.0%
Grade 11	38.5%	43.6%	48.7%	51.3%
Grade 12	19.7%	27.2%	49.3%	50.7%
<b>Any Illicit Drug</b>				
All	6.5%	8.0%	13.7%	86.3%
Grade 7	2.3%	3.1%	5.0%	95.0%
Grade 8	2.4%	5.6%	8.4%	91.6%
Grade 9	6.2%	6.2%	12.2%	87.8%
Grade 10	2.4%	4.8%	14.3%	85.7%
Grade 11	12.8%	15.4%	20.5%	79.5%
Grade 12	13.6%	13.6%	22.4%	77.6%
<b>Any Prescription Drug</b>				
All	5.7%	8.8%	15.7%	84.3%
Grade 7	7.6%	11.3%	15.8%	84.2%
Grade 8	7.1%	9.1%	15.7%	84.3%
Grade 9	4.9%	5.9%	17.5%	82.5%
Grade 10	2.4%	4.8%	9.5%	90.5%
Grade 11	7.7%	15.4%	20.5%	79.5%
Grade 12	4.5%	6.1%	15.2%	84.8%
<b>Any Inhalant</b>				
All	2.8%	3.5%	10.2%	89.8%
Grade 7	2.6%	3.1%	9.3%	90.7%
Grade 8	5.9%	7.2%	11.9%	88.1%
Grade 9	0.0%	0.0%	3.9%	96.1%
Grade 10	0.0%	0.0%	4.8%	95.2%
Grade 11	5.1%	7.7%	23.1%	76.9%
Grade 12	2.9%	2.9%	7.5%	92.5%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.7%	8.7%	17.1%	82.9%
Grade 7	1.8%	2.7%	8.6%	91.4%
Grade 8	6.5%	8.9%	16.8%	83.2%
Grade 9	2.1%	6.0%	13.8%	86.2%
Grade 10	0.0%	2.4%	11.7%	88.3%
Grade 11	20.5%	20.5%	30.8%	69.2%
Grade 12	9.1%	12.0%	21.1%	78.9%
<b>Marijuana</b>				
All	5.9%	6.3%	11.8%	88.2%
Grade 7	1.5%	1.5%	2.8%	97.2%
Grade 8	2.4%	4.5%	6.9%	93.1%
Grade 9	6.2%	6.2%	12.2%	87.8%
Grade 10	0.0%	0.0%	9.5%	90.5%
Grade 11	12.8%	12.8%	17.9%	82.1%
Grade 12	13.6%	13.6%	22.4%	77.6%
<b>Marijuana Only</b>				
All	0.9%	1.1%	5.6%	94.4%
Grade 7	0.3%	0.3%	1.5%	98.5%
Grade 8	0.5%	1.8%	3.8%	96.2%
Grade 9	2.1%	2.1%	7.9%	92.1%
Grade 10	0.0%	0.0%	9.3%	90.7%
Grade 11	2.6%	2.6%	5.1%	94.9%
Grade 12	0.0%	0.0%	5.7%	94.3%
<b>Cocaine or Crack</b>				
All	1.4%	1.4%	1.8%	98.2%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.4%	2.4%	2.4%	97.6%
Grade 11	5.1%	5.1%	7.7%	92.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	1.3%	1.3%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.4%	2.4%	2.4%	97.6%
Grade 11	5.1%	5.1%	7.7%	92.3%
Grade 12	0.0%	0.0%	0.0%	100.0%



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.6%	97.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	1.0%	1.2%	2.2%	97.8%
Grade 7	0.1%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.6%	2.6%	7.7%	92.3%
Grade 12	2.9%	2.9%	2.9%	97.1%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.1%	0.1%	1.0%	99.0%
Grade 7	0.4%	0.4%	2.6%	97.4%
Grade 8	0.4%	0.4%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.6%	98.4%
<b>Ecstasy</b>				
All	0.5%	0.5%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.9%	2.9%	2.9%	97.1%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.7%	0.7%	1.4%	98.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	0.6%	1.9%	98.1%
Grade 9	2.1%	2.1%	2.1%	97.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.6%	97.4%
Grade 12	1.6%	1.6%	1.6%	98.4%
<b>Methamphetamine</b>				
All	0.1%	0.5%	0.8%	99.2%
Grade 7	0.4%	0.4%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	2.6%	2.6%	97.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	2.4%	3.1%	5.9%	94.1%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.8%	1.5%	2.7%	97.3%
Grade 9	2.1%	3.1%	3.1%	96.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	5.1%	5.1%	12.8%	87.2%
Grade 12	6.1%	9.1%	16.5%	83.5%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	6.4%	7.8%	20.9%	79.1%
Grade 7	4.5%	5.2%	13.1%	86.9%
Grade 8	5.6%	8.7%	21.5%	78.5%
Grades 9&12	9.7%	9.7%	29.2%	70.8%
<b>Any Alcohol Product</b>				
All	19.5%	21.0%	39.1%	60.9%
Grade 7	11.9%	14.6%	38.0%	62.0%
Grade 8	18.8%	20.4%	40.2%	59.8%
Grades 9&12	29.2%	29.2%	38.9%	61.1%
<b>Any Illicit Drug</b>				
All	9.3%	12.2%	17.2%	82.8%
Grade 7	2.9%	9.7%	12.0%	88.0%
Grade 8	7.2%	8.7%	12.5%	87.5%
Grades 9&12	19.4%	19.4%	29.2%	70.8%
<b>Any Prescription Drug</b>				
All	5.0%	6.5%	14.2%	85.8%
Grade 7	3.3%	3.3%	10.3%	89.7%
Grade 8	2.2%	6.2%	12.3%	87.7%
Grades 9&12	10.8%	10.8%	21.5%	78.5%
<b>Any Inhalant</b>				
All	2.8%	6.2%	15.7%	84.3%
Grade 7	6.5%	10.6%	16.0%	84.0%
Grade 8	1.6%	7.1%	12.4%	87.6%
Grades 9&12	0.0%	0.0%	19.4%	80.6%
<b>Electronic Vapor Products</b>				
All	4.5%	6.2%	13.4%	86.6%
Grade 7	2.2%	3.0%	9.6%	90.4%
Grade 8	2.4%	6.4%	20.1%	79.9%
Grades 9&12	9.7%	9.7%	9.7%	90.3%
<b>Marijuana</b>				
All	6.5%	7.5%	12.3%	87.7%
Grade 7	2.9%	5.1%	6.6%	93.4%
Grade 8	7.2%	8.0%	11.8%	88.2%
Grades 9&12	9.7%	9.7%	19.4%	80.6%
<b>Marijuana Only</b>				
All	3.1%	4.1%	8.8%	91.2%
Grade 7	2.2%	4.3%	5.8%	94.2%
Grade 8	6.4%	7.2%	10.9%	89.1%
Grades 9&12	0.0%	0.0%	9.7%	90.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>				
All	2.9%	3.1%	6.0%	94.0%
Grade 7	0.0%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9&12	9.7%	9.7%	19.4%	80.6%
<b>Cocaine</b>				
All	2.9%	3.1%	6.0%	94.0%
Grade 7	0.0%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9&12	9.7%	9.7%	19.4%	80.6%
<b>Crack</b>				
All	2.9%	2.9%	5.8%	94.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9&12	9.7%	9.7%	19.4%	80.6%
<b>Hallucinogens</b>				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9&12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9&12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.3%	3.3%	7.3%	92.7%
Grade 7	0.0%	0.0%	2.9%	97.1%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grades 9&12	0.0%	10.8%	21.5%	78.5%
<b>Ecstasy</b>				
All	0.0%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9&12	0.0%	0.0%	0.0%	100.0%
<b>Heroin</b>				
All	2.9%	2.9%	5.8%	94.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9&12	9.7%	9.7%	19.4%	80.6%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.9%	2.9%	6.1%	93.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grades 9&12	9.7%	9.7%	19.4%	80.6%
Methamphetamine				
All	3.0%	3.0%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9&12	10.8%	10.8%	10.8%	89.2%
Delta 8				
All	0.0%	0.0%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9&12	0.0%	0.0%	9.7%	90.3%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.6%	11.0%	24.7%	75.3%
Grade 7	4.7%	6.1%	15.6%	84.4%
Grade 8	10.3%	12.4%	22.2%	77.8%
Grade 9	7.3%	11.0%	24.0%	76.0%
Grade 10	13.6%	13.6%	22.7%	77.3%
Grade 11	18.2%	18.2%	27.3%	72.7%
Grade 12	7.8%	7.8%	38.9%	61.1%
<b>Any Alcohol Product</b>				
All	20.8%	24.3%	44.0%	56.0%
Grade 7	16.1%	19.2%	40.8%	59.2%
Grade 8	20.2%	23.1%	43.7%	56.3%
Grade 9	22.0%	25.6%	38.8%	61.2%
Grade 10	22.7%	22.7%	45.5%	54.5%
Grade 11	27.3%	36.4%	45.5%	54.5%
Grade 12	19.7%	24.9%	51.3%	48.7%
<b>Any Illicit Drug</b>				
All	6.7%	9.9%	16.0%	84.0%
Grade 7	2.5%	3.1%	5.1%	94.9%
Grade 8	6.0%	10.2%	15.4%	84.6%
Grade 9	9.1%	16.7%	18.5%	81.5%
Grade 10	9.1%	9.1%	13.6%	86.4%
Grade 11	0.0%	9.1%	18.2%	81.8%
Grade 12	9.9%	9.9%	26.4%	73.6%
<b>Any Prescription Drug</b>				
All	4.0%	6.3%	11.8%	88.2%
Grade 7	5.5%	9.5%	11.5%	88.5%
Grade 8	5.2%	7.6%	19.8%	80.2%
Grade 9	0.0%	1.9%	7.7%	92.3%
Grade 10	0.0%	4.5%	13.6%	86.4%
Grade 11	9.1%	9.1%	9.1%	90.9%
Grade 12	7.3%	7.3%	7.3%	92.7%
<b>Any Inhalant</b>				
All	3.6%	4.8%	11.1%	88.9%
Grade 7	8.8%	9.2%	17.0%	83.0%
Grade 8	4.7%	6.2%	11.9%	88.1%
Grade 9	1.8%	1.8%	9.3%	90.7%
Grade 10	4.5%	4.5%	9.1%	90.9%
Grade 11	0.0%	9.1%	9.1%	90.9%
Grade 12	0.0%	0.0%	9.3%	90.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.1%	8.6%	20.4%	79.6%
Grade 7	2.8%	4.3%	13.9%	86.1%
Grade 8	4.5%	6.7%	19.3%	80.7%
Grade 9	5.9%	9.9%	23.9%	76.1%
Grade 10	13.6%	13.6%	22.7%	77.3%
Grade 11	9.1%	9.1%	9.1%	90.9%
Grade 12	8.2%	8.2%	28.3%	71.7%
<b>Marijuana</b>				
All	6.4%	9.1%	15.2%	84.8%
Grade 7	1.5%	1.5%	3.8%	96.2%
Grade 8	5.6%	7.3%	12.1%	87.9%
Grade 9	9.1%	16.7%	18.5%	81.5%
Grade 10	9.1%	9.1%	13.6%	86.4%
Grade 11	0.0%	9.1%	18.2%	81.8%
Grade 12	9.9%	9.9%	26.4%	73.6%
<b>Marijuana Only</b>				
All	3.3%	4.2%	6.9%	93.1%
Grade 7	1.0%	1.0%	2.3%	97.7%
Grade 8	2.4%	3.2%	8.0%	92.0%
Grade 9	7.2%	10.8%	12.6%	87.4%
Grade 10	4.5%	4.5%	9.1%	90.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.5%	2.5%	5.1%	94.9%
<b>Cocaine or Crack</b>				
All	0.4%	0.4%	2.2%	97.8%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	1.5%	1.5%	2.3%	97.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.3%	90.7%
<b>Cocaine</b>				
All	0.3%	0.3%	2.1%	97.9%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	1.1%	1.1%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.3%	90.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	1.8%	98.2%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.8%	0.8%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	9.3%	90.7%
Hallucinogens	All	0.4%	0.5%	1.6%	98.4%
	Grade 7	0.0%	0.4%	0.8%	99.2%
	Grade 8	0.0%	0.0%	1.1%	98.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	9.1%	90.9%
	Grade 12	2.7%	2.7%	2.7%	97.3%
Synthetic Cathinones	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	1.1%	1.1%	3.0%	97.0%
	Grade 7	1.0%	1.0%	1.0%	99.0%
	Grade 8	0.8%	0.8%	2.5%	97.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	4.5%	4.5%	4.5%	95.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	9.3%	90.7%
Ecstasy	All	0.0%	0.0%	1.6%	98.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	9.3%	90.7%



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	1.9%	98.1%
Grade 7	0.6%	0.6%	1.3%	98.7%
Grade 8	0.0%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.3%	90.7%
<b>Synthetic Marijuana</b>				
All	0.3%	1.1%	3.6%	96.4%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.8%	1.1%	1.9%	98.1%
Grade 9	0.0%	0.0%	3.9%	96.1%
Grade 10	0.0%	4.5%	4.5%	95.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.3%	90.7%
<b>Methamphetamine</b>				
All	0.2%	0.3%	2.5%	97.5%
Grade 7	0.0%	0.6%	1.3%	98.7%
Grade 8	0.8%	1.1%	1.5%	98.5%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.3%	90.7%
<b>Delta 8</b>				
All	0.7%	2.5%	5.8%	94.2%
Grade 7	0.0%	0.6%	0.6%	99.4%
Grade 8	1.3%	1.7%	2.5%	97.5%
Grade 9	0.0%	0.0%	3.9%	96.1%
Grade 10	0.0%	4.5%	4.5%	95.5%
Grade 11	0.0%	9.1%	9.1%	90.9%
Grade 12	2.7%	2.7%	17.4%	82.6%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	4.1%	4.6%	13.2%	86.8%
Grade 7	0.9%	2.0%	9.4%	90.6%
Grade 8	5.3%	7.1%	14.2%	85.8%
Grade 9	1.3%	1.3%	13.3%	86.7%
Grade 10	5.4%	5.4%	13.2%	86.8%
Grade 11	4.2%	4.2%	12.5%	87.5%
Grade 12	6.7%	6.7%	16.3%	83.7%
<b>Any Alcohol Product</b>				
All	14.2%	17.4%	33.6%	66.4%
Grade 7	6.9%	9.9%	32.3%	67.7%
Grade 8	14.7%	18.0%	36.6%	63.4%
Grade 9	13.0%	15.9%	29.8%	70.2%
Grade 10	10.7%	13.3%	29.1%	70.9%
Grade 11	29.1%	33.3%	37.4%	62.6%
Grade 12	14.8%	18.0%	37.5%	62.5%
<b>Any Illicit Drug</b>				
All	2.1%	3.9%	9.8%	90.2%
Grade 7	1.4%	3.0%	4.2%	95.8%
Grade 8	1.7%	4.2%	7.8%	92.2%
Grade 9	3.1%	3.1%	11.6%	88.4%
Grade 10	0.0%	2.6%	10.5%	89.5%
Grade 11	0.0%	4.2%	4.2%	95.8%
Grade 12	6.7%	6.7%	19.4%	80.6%
<b>Any Prescription Drug</b>				
All	4.1%	6.8%	13.6%	86.4%
Grade 7	9.1%	11.9%	17.9%	82.1%
Grade 8	5.3%	7.8%	18.2%	81.8%
Grade 9	7.2%	8.6%	17.5%	82.5%
Grade 10	2.6%	7.9%	10.5%	89.5%
Grade 11	0.0%	4.2%	8.3%	91.7%
Grade 12	0.0%	0.0%	8.4%	91.6%
<b>Any Inhalant</b>				
All	2.0%	2.6%	7.2%	92.8%
Grade 7	2.4%	3.2%	9.7%	90.3%
Grade 8	2.7%	5.4%	11.5%	88.5%
Grade 9	0.0%	0.0%	5.3%	94.7%
Grade 10	2.7%	2.7%	5.3%	94.7%
Grade 11	4.2%	4.2%	8.3%	91.7%
Grade 12	0.0%	0.0%	3.2%	96.8%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	3.6%	4.2%	10.0%	90.0%
Grade 7	0.9%	2.1%	6.6%	93.4%
Grade 8	2.7%	4.8%	12.1%	87.9%
Grade 9	1.3%	1.3%	8.4%	91.6%
Grade 10	5.4%	5.4%	10.6%	89.4%
Grade 11	4.2%	4.2%	8.3%	91.7%
Grade 12	6.7%	6.7%	13.1%	86.9%
<b>Marijuana</b>				
All	1.5%	1.7%	7.6%	92.4%
Grade 7	0.8%	0.8%	1.8%	98.2%
Grade 8	1.7%	2.9%	6.6%	93.4%
Grade 9	3.1%	3.1%	11.6%	88.4%
Grade 10	0.0%	0.0%	7.9%	92.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.5%	3.5%	16.3%	83.7%
<b>Marijuana Only</b>				
All	0.8%	0.9%	5.6%	94.4%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	1.4%	2.0%	5.7%	94.3%
Grade 9	3.0%	3.0%	11.6%	88.4%
Grade 10	0.0%	0.0%	7.9%	92.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.2%	93.8%
<b>Cocaine or Crack</b>				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.2%	3.2%	3.2%	96.8%
<b>Cocaine</b>				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.2%	3.2%	3.2%	96.8%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.2%	3.2%	3.2%	96.8%
<b>Hallucinogens</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.6%	1.2%	2.2%	97.8%
Grade 7	0.5%	0.5%	3.0%	97.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	3.6%	7.2%	92.8%
Grade 10	2.7%	2.7%	2.7%	97.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.5%	0.5%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.2%	3.2%	3.2%	96.8%
<b>Synthetic Marijuana</b>				
All	0.8%	0.8%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	4.9%	4.9%	4.9%	95.1%
<b>Methamphetamine</b>				
All	0.5%	0.5%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.2%	3.2%	3.2%	96.8%
<b>Delta 8</b>				
All	0.6%	0.7%	1.8%	98.2%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.5%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.5%	3.5%	9.9%	90.1%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.7%	14.3%	29.0%	71.0%
Grade 7	5.5%	6.7%	17.1%	82.9%
Grade 8	11.1%	13.3%	24.3%	75.7%
Grade 9	5.9%	11.2%	25.7%	74.3%
Grade 10	3.7%	7.2%	21.2%	78.8%
Grade 11	33.3%	33.3%	51.8%	48.2%
Grade 12	17.7%	20.8%	44.3%	55.7%
<b>Any Alcohol Product</b>				
All	23.4%	27.0%	46.5%	53.5%
Grade 7	16.7%	19.8%	41.9%	58.1%
Grade 8	22.4%	24.7%	46.9%	53.1%
Grade 9	22.5%	24.4%	36.1%	63.9%
Grade 10	17.9%	17.9%	42.9%	57.1%
Grade 11	40.7%	48.2%	59.3%	40.7%
Grade 12	25.6%	33.8%	58.7%	41.3%
<b>Any Illicit Drug</b>				
All	11.0%	13.8%	19.1%	80.9%
Grade 7	3.8%	5.5%	8.4%	91.6%
Grade 8	6.6%	9.8%	13.4%	86.6%
Grade 9	11.6%	16.0%	18.8%	81.2%
Grade 10	10.8%	10.8%	17.9%	82.1%
Grade 11	18.5%	25.9%	37.0%	63.0%
Grade 12	20.5%	20.5%	28.3%	71.7%
<b>Any Prescription Drug</b>				
All	6.1%	8.7%	15.2%	84.8%
Grade 7	5.3%	9.1%	12.4%	87.6%
Grade 8	7.1%	9.5%	16.2%	83.8%
Grade 9	1.7%	2.8%	12.2%	87.8%
Grade 10	0.0%	0.0%	10.8%	89.2%
Grade 11	14.8%	22.2%	29.6%	70.4%
Grade 12	9.5%	11.2%	12.9%	87.1%
<b>Any Inhalant</b>				
All	4.0%	5.6%	14.0%	86.0%
Grade 7	7.7%	9.2%	16.7%	83.3%
Grade 8	6.4%	8.2%	12.7%	87.3%
Grade 9	1.1%	1.1%	9.8%	90.2%
Grade 10	0.0%	0.0%	7.2%	92.8%
Grade 11	3.7%	11.1%	29.6%	70.4%
Grade 12	3.1%	3.1%	10.9%	89.1%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.4%	12.2%	24.9%	75.1%
Grade 7	3.5%	4.5%	13.5%	86.5%
Grade 8	7.0%	9.7%	21.9%	78.1%
Grade 9	5.1%	10.7%	20.7%	79.3%
Grade 10	3.7%	7.2%	21.2%	78.8%
Grade 11	29.6%	29.6%	44.4%	55.6%
Grade 12	14.8%	17.9%	37.6%	62.4%
<b>Marijuana</b>				
All	10.3%	12.1%	17.1%	82.9%
Grade 7	2.8%	3.4%	5.8%	94.2%
Grade 8	6.2%	7.8%	10.9%	89.1%
Grade 9	11.6%	16.0%	18.8%	81.2%
Grade 10	7.3%	7.3%	14.4%	85.6%
Grade 11	18.5%	22.2%	33.3%	66.7%
Grade 12	20.5%	20.5%	28.3%	71.7%
<b>Marijuana Only</b>				
All	2.7%	3.5%	6.6%	93.4%
Grade 7	1.3%	1.9%	3.9%	96.1%
Grade 8	2.7%	3.9%	6.6%	93.4%
Grade 9	4.0%	6.1%	8.8%	91.2%
Grade 10	3.5%	3.5%	10.4%	89.6%
Grade 11	3.7%	3.7%	7.4%	92.6%
Grade 12	1.7%	1.7%	3.4%	96.6%
<b>Cocaine or Crack</b>				
All	1.6%	1.6%	3.6%	96.4%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.9%	0.9%	1.3%	98.7%
Grade 9	0.0%	0.0%	2.3%	97.7%
Grade 10	3.5%	3.5%	3.5%	96.5%
Grade 11	7.4%	7.4%	11.1%	88.9%
Grade 12	0.0%	0.0%	6.1%	93.9%
<b>Cocaine</b>				
All	1.5%	1.5%	3.5%	96.5%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.0%	0.0%	2.3%	97.7%
Grade 10	3.5%	3.5%	3.5%	96.5%
Grade 11	7.4%	7.4%	11.1%	88.9%
Grade 12	0.0%	0.0%	6.1%	93.9%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	2.3%	97.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.7%	96.3%
Grade 12	0.0%	0.0%	6.1%	93.9%
<b>Hallucinogens</b>				
All	1.4%	1.7%	3.4%	96.6%
Grade 7	0.1%	0.7%	0.8%	99.2%
Grade 8	0.3%	0.4%	1.6%	98.4%
Grade 9	0.8%	1.7%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.7%	3.7%	14.8%	85.2%
Grade 12	4.9%	4.9%	4.9%	95.1%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.3%	0.8%	2.6%	97.4%
Grade 7	0.5%	0.6%	1.6%	98.4%
Grade 8	0.9%	0.9%	3.4%	96.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	3.1%	10.9%	89.1%
<b>Ecstasy</b>				
All	0.5%	0.5%	1.6%	98.4%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.1%	3.1%	9.2%	90.8%



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	1.6%	98.4%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	2.3%	97.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.1%	93.9%
<b>Synthetic Marijuana</b>				
All	0.6%	1.2%	3.6%	96.4%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.9%	1.3%	2.2%	97.8%
Grade 9	1.7%	1.7%	6.2%	93.8%
Grade 10	0.0%	3.7%	3.7%	96.3%
Grade 11	0.0%	0.0%	3.7%	96.3%
Grade 12	0.0%	0.0%	6.1%	93.9%
<b>Methamphetamine</b>				
All	0.2%	0.8%	2.3%	97.7%
Grade 7	0.4%	0.7%	1.5%	98.5%
Grade 8	0.6%	0.8%	1.1%	98.9%
Grade 9	0.0%	0.0%	2.0%	98.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	3.7%	3.7%	96.3%
Grade 12	0.0%	0.0%	6.1%	93.9%
<b>Delta 8</b>				
All	2.8%	4.5%	8.8%	91.2%
Grade 7	0.3%	0.7%	1.2%	98.8%
Grade 8	1.6%	2.0%	3.5%	96.5%
Grade 9	1.7%	2.5%	7.1%	92.9%
Grade 10	0.0%	3.7%	3.7%	96.3%
Grade 11	7.4%	11.1%	22.2%	77.8%
Grade 12	8.1%	11.3%	22.5%	77.5%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	4.8%	5.8%	16.1%	83.9%
Grade 7	2.2%	2.6%	11.2%	88.8%
Grade 8	6.3%	7.3%	14.0%	86.0%
Grade 9	2.4%	4.2%	15.8%	84.2%
Grade 10	2.3%	4.5%	10.9%	89.1%
Grade 11	9.1%	9.1%	24.3%	75.7%
Grade 12	8.2%	8.2%	23.8%	76.2%
<b>Any Alcohol Product</b>				
All	15.3%	19.2%	35.4%	64.6%
Grade 7	11.4%	13.8%	34.0%	66.0%
Grade 8	15.4%	18.3%	37.1%	62.9%
Grade 9	12.0%	15.1%	29.8%	70.2%
Grade 10	11.2%	13.4%	26.9%	73.1%
Grade 11	30.3%	36.3%	45.5%	54.5%
Grade 12	16.1%	24.1%	43.6%	56.4%
<b>Any Illicit Drug</b>				
All	4.1%	6.1%	11.7%	88.3%
Grade 7	2.3%	4.0%	5.5%	94.5%
Grade 8	2.8%	5.0%	7.8%	92.2%
Grade 9	5.4%	8.2%	14.3%	85.7%
Grade 10	4.5%	6.7%	11.1%	88.9%
Grade 11	3.0%	6.1%	12.2%	87.8%
Grade 12	6.8%	6.8%	21.0%	79.0%
<b>Any Prescription Drug</b>				
All	5.1%	7.7%	14.4%	85.6%
Grade 7	5.7%	8.2%	13.4%	86.6%
Grade 8	5.8%	7.7%	14.9%	85.1%
Grade 9	3.8%	5.4%	15.4%	84.6%
Grade 10	2.2%	6.7%	11.2%	88.8%
Grade 11	9.1%	15.1%	21.2%	78.8%
Grade 12	5.4%	5.4%	11.9%	88.1%
<b>Any Inhalant</b>				
All	2.0%	2.7%	9.2%	90.8%
Grade 7	4.9%	5.9%	11.6%	88.4%
Grade 8	3.9%	5.0%	8.6%	91.4%
Grade 9	0.0%	0.0%	7.3%	92.7%
Grade 10	0.0%	0.0%	4.4%	95.6%
Grade 11	3.0%	6.1%	18.2%	81.8%
Grade 12	0.0%	0.0%	7.7%	92.3%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	3.6%	4.6%	12.8%	87.2%
Grade 7	1.7%	2.0%	8.4%	91.6%
Grade 8	3.3%	4.3%	11.3%	88.7%
Grade 9	1.6%	3.4%	13.6%	86.4%
Grade 10	2.3%	4.5%	10.9%	89.1%
Grade 11	6.0%	6.0%	15.1%	84.9%
Grade 12	8.4%	8.4%	19.2%	80.8%
<b>Marijuana</b>				
All	3.7%	4.6%	10.1%	89.9%
Grade 7	1.8%	2.0%	3.2%	96.8%
Grade 8	2.7%	4.6%	7.1%	92.9%
Grade 9	5.4%	8.2%	14.3%	85.7%
Grade 10	2.3%	2.3%	6.7%	93.3%
Grade 11	3.0%	3.0%	9.1%	90.9%
Grade 12	6.8%	6.8%	21.0%	79.0%
<b>Marijuana Only</b>				
All	0.9%	1.3%	4.8%	95.2%
Grade 7	0.8%	1.0%	2.0%	98.0%
Grade 8	0.9%	2.0%	4.5%	95.5%
Grade 9	1.8%	2.6%	8.6%	91.4%
Grade 10	0.0%	0.0%	4.3%	95.7%
Grade 11	0.0%	0.0%	3.0%	97.0%
Grade 12	1.4%	1.4%	5.3%	94.7%
<b>Cocaine or Crack</b>				
All	0.9%	0.9%	1.7%	98.3%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.2%	2.2%	2.2%	97.8%
Grade 11	3.0%	3.0%	3.0%	97.0%
Grade 12	0.0%	0.0%	5.1%	94.9%
<b>Cocaine</b>				
All	0.8%	0.9%	1.7%	98.3%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.2%	2.2%	2.2%	97.8%
Grade 11	3.0%	3.0%	3.0%	97.0%
Grade 12	0.0%	0.0%	5.1%	94.9%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.1%	94.9%
<b>Hallucinogens</b>				
All	0.1%	0.2%	1.1%	98.9%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	6.1%	93.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.6%	0.9%	2.8%	97.2%
Grade 7	0.3%	0.3%	1.5%	98.5%
Grade 8	0.6%	0.6%	2.2%	97.8%
Grade 9	0.0%	1.9%	3.8%	96.2%
Grade 10	2.3%	2.3%	2.3%	97.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.5%	93.5%
<b>Ecstasy</b>				
All	0.0%	0.0%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.1%	94.9%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.1%	94.9%
<b>Synthetic Marijuana</b>				
All	0.6%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	1.4%	1.4%	3.3%	96.7%
Grade 10	0.0%	2.3%	2.3%	97.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	6.5%	93.5%
<b>Methamphetamine</b>				
All	0.1%	0.1%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.1%	94.9%
<b>Delta 8</b>				
All	0.9%	1.3%	3.7%	96.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.8%	1.2%	1.8%	98.2%
Grade 9	1.4%	1.4%	3.3%	96.7%
Grade 10	0.0%	2.3%	2.3%	97.7%
Grade 11	0.0%	0.0%	3.0%	97.0%
Grade 12	2.9%	2.9%	13.4%	86.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.7%	16.8%	32.1%	67.9%
Grade 7	5.5%	7.8%	17.7%	82.3%
Grade 8	11.8%	15.5%	29.5%	70.5%
Grade 9	6.8%	14.6%	34.8%	65.2%
Grade 10	9.7%	9.7%	28.6%	71.4%
Grade 11	35.3%	35.3%	47.1%	52.9%
Grade 12	20.0%	24.4%	44.0%	56.0%
<b>Any Alcohol Product</b>				
All	25.8%	28.4%	50.6%	49.4%
Grade 7	15.7%	19.6%	45.4%	54.6%
Grade 8	24.4%	27.4%	52.2%	47.8%
Grade 9	37.4%	37.4%	44.3%	55.7%
Grade 10	19.1%	19.1%	52.3%	47.7%
Grade 11	41.2%	47.1%	52.9%	47.1%
Grade 12	26.4%	28.7%	57.0%	43.0%
<b>Any Illicit Drug</b>				
All	11.4%	14.2%	19.8%	80.2%
Grade 7	3.4%	4.9%	8.2%	91.8%
Grade 8	7.0%	10.2%	15.2%	84.8%
Grade 9	14.6%	17.2%	19.3%	80.7%
Grade 10	4.9%	4.9%	19.1%	80.9%
Grade 11	17.6%	29.4%	35.3%	64.7%
Grade 12	26.4%	26.4%	30.7%	69.3%
<b>Any Prescription Drug</b>				
All	5.2%	7.0%	13.2%	86.8%
Grade 7	8.4%	13.1%	16.3%	83.7%
Grade 8	6.3%	9.9%	18.6%	81.4%
Grade 9	4.2%	4.2%	11.9%	88.1%
Grade 10	0.0%	0.0%	9.5%	90.5%
Grade 11	5.9%	5.9%	11.7%	88.3%
Grade 12	4.5%	4.5%	7.0%	93.0%
<b>Any Inhalant</b>				
All	5.0%	6.8%	13.7%	86.3%
Grade 7	6.2%	7.6%	16.8%	83.2%
Grade 8	6.8%	10.6%	18.1%	81.9%
Grade 9	0.0%	0.0%	8.3%	91.7%
Grade 10	4.9%	4.9%	9.7%	90.3%
Grade 11	5.9%	11.7%	23.5%	76.5%
Grade 12	4.3%	4.3%	4.3%	95.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.6%	14.9%	27.3%	72.7%
Grade 7	3.2%	5.6%	13.8%	86.2%
Grade 8	7.6%	12.5%	27.9%	72.1%
Grade 9	7.2%	15.4%	20.4%	79.6%
Grade 10	9.7%	9.7%	24.0%	76.0%
Grade 11	35.3%	35.3%	47.1%	52.9%
Grade 12	15.3%	19.6%	37.3%	62.7%
<b>Marijuana</b>				
All	10.3%	11.8%	17.3%	82.7%
Grade 7	2.1%	2.6%	5.4%	94.6%
Grade 8	6.8%	8.0%	12.7%	87.3%
Grade 9	14.6%	17.2%	19.3%	80.7%
Grade 10	4.9%	4.9%	19.1%	80.9%
Grade 11	17.6%	23.6%	29.4%	70.6%
Grade 12	22.0%	22.0%	26.4%	73.6%
<b>Marijuana Only</b>				
All	3.4%	4.1%	8.5%	91.5%
Grade 7	1.2%	1.8%	3.9%	96.1%
Grade 8	4.0%	4.8%	9.0%	91.0%
Grade 9	6.8%	9.5%	11.6%	88.4%
Grade 10	4.9%	4.9%	19.1%	80.9%
Grade 11	5.9%	5.9%	5.9%	94.1%
Grade 12	0.0%	0.0%	4.2%	95.8%
<b>Cocaine or Crack</b>				
All	1.6%	1.6%	2.5%	97.5%
Grade 7	0.2%	0.2%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	5.6%	94.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	5.9%	5.9%	5.9%	94.1%
Grade 12	4.3%	4.3%	4.3%	95.7%
<b>Cocaine</b>				
All	1.6%	1.6%	2.5%	97.5%
Grade 7	0.2%	0.2%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	5.6%	94.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	5.9%	5.9%	5.9%	94.1%
Grade 12	4.3%	4.3%	4.3%	95.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.8%	1.7%	98.3%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	5.6%	94.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	4.3%	4.3%	4.3%	95.7%
<b>Hallucinogens</b>				
All	2.0%	2.4%	2.7%	97.3%
Grade 7	0.1%	0.7%	1.0%	99.0%
Grade 8	0.5%	0.6%	1.7%	98.3%
Grade 9	0.0%	2.3%	2.3%	97.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	5.9%	5.9%	5.9%	94.1%
Grade 12	6.7%	6.7%	6.7%	93.3%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.3%	1.0%	1.9%	98.1%
Grade 7	0.7%	0.8%	3.1%	96.9%
Grade 8	0.6%	0.6%	2.3%	97.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	4.3%	4.3%	95.7%
<b>Ecstasy</b>				
All	0.8%	0.9%	1.0%	99.0%
Grade 7	0.1%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	4.3%	4.3%	4.3%	95.7%



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.9%	1.0%	1.7%	98.3%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	5.6%	94.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	4.3%	4.3%	4.3%	95.7%
<b>Synthetic Marijuana</b>				
All	1.0%	1.0%	2.1%	97.9%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	0.5%	0.8%	2.2%	97.8%
Grade 9	0.0%	0.0%	5.6%	94.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	4.3%	4.3%	4.3%	95.7%
<b>Methamphetamine</b>				
All	0.9%	1.1%	1.2%	98.8%
Grade 7	0.6%	1.0%	1.4%	98.6%
Grade 8	0.3%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	4.3%	4.3%	4.3%	95.7%
<b>Delta 8</b>				
All	2.9%	4.9%	8.6%	91.4%
Grade 7	0.6%	1.2%	1.7%	98.3%
Grade 8	1.0%	1.7%	3.1%	96.9%
Grade 9	0.0%	2.1%	7.7%	92.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	5.9%	11.8%	23.6%	76.4%
Grade 12	11.0%	15.3%	22.0%	78.0%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	5.8%	6.9%	17.8%	82.2%
Grade 7	2.8%	3.8%	12.6%	87.4%
Grade 8	6.0%	7.5%	16.6%	83.4%
Grade 9	4.8%	8.3%	20.1%	79.9%
Grade 10	1.7%	1.7%	13.2%	86.8%
Grade 11	14.3%	14.3%	28.5%	71.5%
Grade 12	10.1%	10.1%	22.3%	77.7%
<b>Any Alcohol Product</b>				
All	15.8%	18.7%	36.9%	63.1%
Grade 7	11.0%	13.8%	37.5%	62.5%
Grade 8	16.4%	18.8%	38.9%	61.1%
Grade 9	14.6%	16.9%	30.6%	69.4%
Grade 10	10.1%	11.7%	30.1%	69.9%
Grade 11	37.1%	40.0%	45.7%	54.3%
Grade 12	14.1%	20.2%	43.3%	56.7%
<b>Any Illicit Drug</b>				
All	4.9%	7.1%	11.7%	88.3%
Grade 7	2.0%	3.4%	5.5%	94.5%
Grade 8	3.2%	6.0%	8.9%	91.1%
Grade 9	6.2%	9.9%	15.2%	84.8%
Grade 10	5.1%	6.7%	11.7%	88.3%
Grade 11	8.5%	11.4%	17.1%	82.9%
Grade 12	7.7%	7.7%	17.3%	82.7%
<b>Any Prescription Drug</b>				
All	4.4%	7.0%	12.6%	87.4%
Grade 7	6.6%	9.8%	14.3%	85.7%
Grade 8	6.2%	8.7%	15.6%	84.4%
Grade 9	4.6%	5.3%	13.4%	86.6%
Grade 10	1.6%	3.3%	10.0%	90.0%
Grade 11	2.8%	11.4%	11.4%	88.6%
Grade 12	2.6%	4.0%	9.0%	91.0%
<b>Any Inhalant</b>				
All	2.3%	3.3%	9.1%	90.9%
Grade 7	4.3%	5.4%	12.5%	87.5%
Grade 8	3.4%	5.3%	9.7%	90.3%
Grade 9	0.9%	0.9%	5.6%	94.4%
Grade 10	0.0%	0.0%	3.4%	96.6%
Grade 11	5.7%	8.5%	22.8%	77.2%
Grade 12	0.0%	0.0%	3.7%	96.3%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	4.7%	5.9%	14.9%	85.1%
Grade 7	1.6%	2.6%	9.0%	91.0%
Grade 8	3.3%	5.3%	14.9%	85.1%
Grade 9	4.0%	7.6%	16.1%	83.9%
Grade 10	1.7%	1.7%	11.5%	88.5%
Grade 11	14.3%	14.3%	25.7%	74.3%
Grade 12	8.7%	8.7%	18.6%	81.4%
<b>Marijuana</b>				
All	4.5%	5.8%	10.3%	89.7%
Grade 7	1.4%	1.7%	3.2%	96.8%
Grade 8	3.2%	4.6%	7.3%	92.7%
Grade 9	6.2%	9.9%	15.2%	84.8%
Grade 10	3.4%	3.4%	8.4%	91.6%
Grade 11	8.5%	11.4%	17.1%	82.9%
Grade 12	7.7%	7.7%	17.3%	82.7%
<b>Marijuana Only</b>				
All	1.9%	2.5%	6.0%	94.0%
Grade 7	0.8%	1.1%	2.6%	97.4%
Grade 8	1.8%	2.8%	5.5%	94.5%
Grade 9	3.2%	5.0%	10.3%	89.7%
Grade 10	1.7%	1.7%	6.7%	93.3%
Grade 11	2.8%	2.8%	5.7%	94.3%
Grade 12	1.3%	1.3%	6.1%	93.9%
<b>Cocaine or Crack</b>				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	1.3%	1.3%	1.3%	98.7%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.5%	0.8%	1.9%	98.1%
Grade 7	0.4%	0.4%	2.1%	97.9%
Grade 8	0.5%	0.5%	1.8%	98.2%
Grade 9	0.0%	1.9%	3.8%	96.2%
Grade 10	1.7%	1.7%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.3%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.7%	0.7%	2.6%	97.4%
Grade 10	0.0%	1.7%	1.7%	98.3%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	1.3%	1.3%	1.3%	98.7%
<b>Methamphetamine</b>				
All	0.1%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	2.8%	2.8%	97.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	1.0%	1.7%	3.9%	96.1%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	1.4%	1.4%	3.3%	96.7%
Grade 10	0.0%	1.7%	1.7%	98.3%
Grade 11	2.8%	5.7%	11.4%	88.6%
Grade 12	2.6%	2.6%	11.1%	88.9%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	20.8%	23.2%	39.4%	60.6%
Grade 7	12.7%	13.4%	28.6%	71.4%
Grade 8	23.8%	28.8%	42.5%	57.5%
Grades 9–10	13.0%	19.3%	29.6%	70.4%
Grade 11	33.3%	33.3%	46.8%	53.2%
Grade 12	17.5%	17.5%	44.8%	55.2%
<b>Any Alcohol Product</b>				
All	31.8%	37.4%	56.2%	43.8%
Grade 7	26.8%	31.5%	50.1%	49.9%
Grade 8	33.8%	40.0%	69.9%	30.1%
Grades 9–10	35.1%	35.1%	50.3%	49.7%
Grade 11	33.3%	46.7%	60.1%	39.9%
Grade 12	27.4%	31.2%	51.7%	48.3%
<b>Any Illicit Drug</b>				
All	13.4%	17.8%	26.6%	73.4%
Grade 7	10.9%	15.8%	18.9%	81.1%
Grade 8	13.1%	17.1%	25.6%	74.4%
Grades 9–10	7.9%	7.9%	23.1%	76.9%
Grade 11	13.3%	26.7%	33.4%	66.6%
Grade 12	20.5%	20.5%	27.4%	72.6%
<b>Any Prescription Drug</b>				
All	9.6%	10.7%	22.6%	77.4%
Grade 7	11.1%	17.0%	20.5%	79.5%
Grade 8	8.5%	11.6%	28.6%	71.4%
Grades 9–10	2.4%	2.4%	11.3%	88.7%
Grade 11	20.0%	20.0%	40.0%	60.0%
Grade 12	6.8%	6.8%	13.7%	86.3%
<b>Any Inhalant</b>				
All	5.0%	7.6%	17.3%	82.7%
Grade 7	8.1%	10.3%	19.3%	80.7%
Grade 8	15.5%	20.0%	30.6%	69.4%
Grades 9–10	6.5%	6.5%	21.7%	78.3%
Grade 11	0.0%	6.7%	13.4%	86.6%
Grade 12	0.0%	0.0%	6.8%	93.2%
<b>Electronic Vapor Products</b>				
All	16.7%	19.5%	31.9%	68.1%
Grade 7	11.6%	12.8%	26.5%	73.5%
Grade 8	15.4%	22.2%	35.4%	64.6%
Grades 9–10	13.0%	19.3%	24.8%	75.2%
Grade 11	26.6%	26.6%	33.3%	66.7%
Grade 12	13.7%	13.7%	38.0%	62.0%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana</b>				
All	12.7%	13.3%	22.2%	77.8%
Grade 7	7.5%	8.9%	12.9%	87.1%
Grade 8	11.3%	13.5%	22.0%	78.0%
Grades 9–10	7.9%	7.9%	23.1%	76.9%
Grade 11	13.3%	13.3%	20.0%	80.0%
Grade 12	20.5%	20.5%	27.4%	72.6%
<b>Marijuana Only</b>				
All	1.8%	1.9%	7.1%	92.9%
Grade 7	2.0%	3.3%	5.3%	94.7%
Grade 8	4.9%	4.9%	12.1%	87.9%
Grades 9–10	3.1%	3.1%	18.3%	81.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine or Crack</b>				
All	3.6%	3.6%	5.6%	94.4%
Grade 7	2.0%	2.0%	5.1%	94.9%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grade 11	13.3%	13.3%	13.3%	86.7%
Grade 12	0.0%	0.0%	6.8%	93.2%
<b>Cocaine</b>				
All	3.4%	3.4%	5.4%	94.6%
Grade 7	2.0%	2.0%	5.1%	94.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grade 11	13.3%	13.3%	13.3%	86.7%
Grade 12	0.0%	0.0%	6.8%	93.2%
<b>Crack</b>				
All	0.2%	0.2%	2.1%	97.9%
Grade 7	0.7%	0.7%	2.8%	97.2%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.8%	93.2%
<b>Hallucinogens</b>				
All	3.6%	4.3%	8.0%	92.0%
Grade 7	0.7%	2.1%	3.4%	96.6%
Grade 8	1.5%	1.5%	3.4%	96.6%
Grades 9–10	0.0%	2.4%	2.4%	97.6%
Grade 11	6.6%	6.6%	20.0%	80.0%
Grade 12	6.8%	6.8%	6.8%	93.2%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.5%	2.2%	4.6%	95.4%
Grade 7	2.1%	2.1%	2.7%	97.3%
Grade 8	1.9%	1.9%	6.1%	93.9%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	6.8%	13.7%	86.3%
<b>Ecstasy</b>				
All	1.7%	1.7%	3.7%	96.3%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.5%	0.5%	2.0%	98.0%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	6.8%	6.8%	13.7%	86.3%
<b>Heroin</b>				
All	0.2%	0.2%	2.1%	97.9%
Grade 7	2.1%	2.1%	3.4%	96.6%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.8%	93.2%
<b>Synthetic Marijuana</b>				
All	1.4%	1.6%	3.9%	96.1%
Grade 7	2.8%	3.3%	4.3%	95.7%
Grade 8	2.9%	3.8%	7.7%	92.3%
Grades 9–10	2.4%	2.4%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.8%	93.2%
<b>Methamphetamine</b>				
All	0.3%	0.5%	2.5%	97.5%
Grade 7	0.0%	2.1%	5.1%	94.9%
Grade 8	1.9%	1.9%	2.4%	97.6%
Grades 9–10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.8%	93.2%



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Delta 8				
All	5.4%	6.4%	12.0%	88.0%
Grade 7	0.0%	2.6%	5.0%	95.0%
Grade 8	2.9%	3.7%	6.6%	93.4%
Grades 9–10	0.0%	2.4%	2.4%	97.6%
Grade 11	6.6%	6.6%	13.3%	86.7%
Grade 12	13.7%	13.7%	27.4%	72.6%

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	44,037	52.6%
Female	39,723	47.4%
Frequency Missing	743	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	57,173	68.2%
Yes	26,653	31.8%
Frequency Missing	676	

**Grade**

Q2	Frequency	Percent
Grade 7	15,671	18.6%
Grade 8	17,026	20.2%
Grade 9	14,770	17.5%
Grade 10	13,310	15.8%
Grade 11	10,303	12.2%
Grade 12	13,358	15.8%
Frequency Missing	65	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	2,301	2.8%
Asian American	732	0.9%
African American	7,733	9.5%
Pacific Islander	489	0.6%
White	50,386	61.7%
Other	11,370	13.9%
More Than One Race	8,647	10.6%
Frequency Missing	2,845	

**Live with Both Parents**

Q3	Frequency	Percent
No	28,622	34.3%
Yes	54,808	65.7%
Frequency Missing	1,072	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	343	0.4%
Mostly D's	1,204	1.4%
Mostly C's	8,916	10.6%
Mostly B's	35,641	42.5%
Mostly A's	37,739	45.0%
Frequency Missing	660	

**Age**

Q4	Frequency	Percent
11 or younger	60	0.1%
12	4,977	5.9%
13	16,249	19.2%
14	16,119	19.1%
15	16,863	20.0%
16	13,011	15.4%
17	9,613	11.4%
18	7,306	8.6%
19 or older	293	0.3%
Frequency Missing	10	

**Do You Have a Job**

Q7	Frequency	Percent
No	64,415	77.1%
Yes	19,118	22.9%
Frequency Missing	969	

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	24,437	29.3%
Yes	31,723	38.0%
Don't Know	27,370	32.8%
Frequency Missing	973	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	31,425	39.3%
Yes	48,620	60.7%
Frequency Missing	4,458	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	51,715	69.6%
Yes	22,543	30.4%
Frequency Missing	10,244	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	54,573	73.4%
Yes	19,804	26.6%
Frequency Missing	10,126	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	51,111	69.7%
Yes	22,223	30.3%
Frequency Missing	11,169	

**Participate in School Choir**

Q9c	Frequency	Percent
No	69,442	95.6%
Yes	3,191	4.4%
Frequency Missing	11,869	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	51,816	68.9%
Yes	23,435	31.1%
Frequency Missing	9,251	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	66,602	90.7%
Yes	6,841	9.3%
Frequency Missing	11,060	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	59,370	82.0%
Yes	13,056	18.0%
Frequency Missing	12,076	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	67,417	92.9%
Yes	5,128	7.1%
Frequency Missing	11,957	

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	72,200	86.4%
Somewhat Safe	10,177	12.2%
Not Very Safe	446	0.5%
Not Safe At All	272	0.3%
Don't Know	502	0.6%
Frequency Missing	905	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	43,106	51.8%
Somewhat Safe	30,922	37.2%
Not Very Safe	4,732	5.7%
Not Safe At All	997	1.2%
Don't Know	3,430	4.1%
Frequency Missing	1,315	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	50,552	61.5%
Yes	31,589	38.5%
Frequency Missing	2,361	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	35,554	42.6%
Somewhat Safe	35,331	42.3%
Not Very Safe	6,302	7.5%
Not Safe At All	4,011	4.8%
Don't Know	2,337	2.8%
Frequency Missing	967	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	4,168	5.0%
A Few	17,597	21.3%
Some	17,164	20.8%
Most	28,814	34.9%
All	14,901	18.0%
Frequency Missing	1,858	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	5,677	7.0%
Some High School	8,540	10.6%
Finished High School	21,043	26.1%
Some College	10,069	12.5%
Finished College	13,175	16.3%
Post-Secondary	6,838	8.5%
Don't Know or N/A	15,386	19.1%
Frequency Missing	3,774	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	2,364	2.9%
A Few	10,377	12.6%
Some	21,723	26.4%
Most	31,969	38.8%
All	15,976	19.4%
Frequency Missing	2,093	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	5,486	6.8%
Some High School	6,364	7.9%
Finished High School	18,001	22.2%
Some College	10,695	13.2%
Finished College	20,328	25.1%
Post-Secondary	8,849	10.9%
Don't Know or N/A	11,346	14.0%
Frequency Missing	3,433	

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	36,567	44.6%
A Few	24,540	29.9%
Some	11,528	14.1%
Most	5,538	6.8%
All	3,780	4.6%
Frequency Missing	2,550	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	63,751	77.2%
A Few	10,615	12.9%
Some	3,936	4.8%
Most	2,247	2.7%
All	1,982	2.4%
Frequency Missing	1,972	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	81,222	99.3%
In Your Lifetime	539	0.7%
Since School Began	58	0.1%
In the Past Month	0	0.0%
Frequency Missing	2,684	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	73,742	89.5%
A Few	5,853	7.1%
Some	773	0.9%
Most	606	0.7%
All	1,414	1.7%
Frequency Missing	2,115	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	77,715	94.4%
In Your Lifetime	2,956	3.6%
Since School Began	828	1.0%
In the Past Month	794	1.0%
Frequency Missing	2,210	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	80,555	97.5%
In Your Lifetime	1,812	2.2%
Since School Began	59	0.1%
In the Past Month	157	0.2%
Frequency Missing	1,920	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	81,152	98.8%
In Your Lifetime	755	0.9%
Since School Began	142	0.2%
In the Past Month	119	0.1%
Frequency Missing	2,335	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	79,206	96.1%
In Your Lifetime	2,558	3.1%
Since School Began	200	0.2%
In the Past Month	498	0.6%
Frequency Missing	2,040	

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	81,454	99.1%
In Your Lifetime	448	0.5%
Since School Began	291	0.4%
In the Past Month	26	0.0%
Frequency Missing	2,284	

**Recent Inhalant Use - Gasoline, Octane  
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	79,701	96.8%
In Your Lifetime	1,843	2.2%
Since School Began	139	0.2%
In the Past Month	620	0.8%
Frequency Missing	2,200	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	60,083	72.9%
In Your Lifetime	13,123	15.9%
Since School Began	2,665	3.2%
In the Past Month	6,571	8.0%
Frequency Missing	2,061	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	81,110	98.5%
In Your Lifetime	838	1.0%
Since School Began	59	0.1%
In the Past Month	298	0.4%
Frequency Missing	2,199	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	66,803	81.3%
In Your Lifetime	7,763	9.4%
Since School Began	2,046	2.5%
In the Past Month	5,604	6.8%
Frequency Missing	2,287	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	75,101	90.9%
In Your Lifetime	5,606	6.8%
Since School Began	565	0.7%
In the Past Month	1,364	1.7%
Frequency Missing	1,867	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	66,519	81.3%
In Your Lifetime	9,369	11.4%
Since School Began	1,948	2.4%
In the Past Month	4,003	4.9%
Frequency Missing	2,664	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	79,423	96.2%
In Your Lifetime	1,619	2.0%
Since School Began	344	0.4%
In the Past Month	1,162	1.4%
Frequency Missing	1,955	

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	63,824	78.0%
In Your Lifetime	10,482	12.8%
Since School Began	2,039	2.5%
In the Past Month	5,454	6.7%
Frequency Missing	2,702	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	80,619	98.0%
In Your Lifetime	1,167	1.4%
Since School Began	97	0.1%
In the Past Month	345	0.4%
Frequency Missing	2,276	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	67,668	82.0%
In Your Lifetime	7,889	9.6%
Since School Began	1,448	1.8%
In the Past Month	5,531	6.7%
Frequency Missing	1,967	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	80,920	98.1%
In Your Lifetime	769	0.9%
Since School Began	134	0.2%
In the Past Month	628	0.8%
Frequency Missing	2,051	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	73,542	88.8%
In Your Lifetime	5,587	6.7%
Since School Began	1,144	1.4%
In the Past Month	2,577	3.1%
Frequency Missing	1,652	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	82,407	99.9%
In Your Lifetime	96	0.1%
Since School Began	0	0.0%
In the Past Month	11	0.0%
Frequency Missing	1,989	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	81,404	98.3%
In Your Lifetime	933	1.1%
Since School Began	37	0.0%
In the Past Month	411	0.5%
Frequency Missing	1,717	

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	80,966	98.3%
In Your Lifetime	880	1.1%
Since School Began	210	0.3%
In the Past Month	325	0.4%
Frequency Missing	2,122	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	82,029	99.2%
In Your Lifetime	460	0.6%
Since School Began	6	0.0%
In the Past Month	204	0.2%
Frequency Missing	1,805	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	81,852	99.6%
In Your Lifetime	58	0.1%
Since School Began	22	0.0%
In the Past Month	220	0.3%
Frequency Missing	2,352	



**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	82,169	99.4%
In Your Lifetime	286	0.3%
Since School Began	0	0.0%
In the Past Month	210	0.3%
Frequency Missing	1,838	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	74,482	89.9%
In Your Lifetime	5,178	6.3%
Since School Began	1,326	1.6%
In the Past Month	1,857	2.2%
Frequency Missing	1,660	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	81,852	99.3%
In Your Lifetime	161	0.2%
Since School Began	228	0.3%
In the Past Month	228	0.3%
Frequency Missing	2,034	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	79,735	96.9%
In Your Lifetime	1,619	2.0%
Since School Began	413	0.5%
In the Past Month	559	0.7%
Frequency Missing	2,177	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	81,118	98.4%
In Your Lifetime	762	0.9%
Since School Began	54	0.1%
In the Past Month	486	0.6%
Frequency Missing	2,082	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	80,434	98.1%
In Your Lifetime	1,364	1.7%
Since School Began	132	0.2%
In the Past Month	70	0.1%
Frequency Missing	2,503	

**Recent Delta 8 Use**

Q16l	Frequency	Percent
Never Heard/Used	78,731	95.5%
In Your Lifetime	1,968	2.4%
Since School Began	527	0.6%
In the Past Month	1,174	1.4%
Frequency Missing	2,103	

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	79,079	96.5%
In Your Lifetime	1,689	2.1%
Since School Began	681	0.8%
In the Past Month	510	0.6%
Frequency Missing	2,545	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	75,260	92.0%
In Your Lifetime	3,127	3.8%
Since School Began	1,026	1.3%
In the Past Month	2,435	3.0%
Frequency Missing	2,655	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	81,569	98.8%
1-2 times	673	0.8%
3-10 times	196	0.2%
11+ times	110	0.1%
Frequency Missing	1,955	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	79,252	96.6%
In Your Lifetime	978	1.2%
Since School Began	329	0.4%
In the Past Month	1,494	1.8%
Frequency Missing	2,448	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	77,872	94.1%
1-2 times	2,640	3.2%
3-10 times	817	1.0%
11+ times	1,452	1.8%
Frequency Missing	1,722	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	78,967	95.7%
1-2 times	1,574	1.9%
3-10 times	468	0.6%
11+ times	1,543	1.9%
Frequency Missing	1,950	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	81,982	99.4%
1-2 times	463	0.6%
3-10 times	25	0.0%
11+ times	0	0.0%
Frequency Missing	2,033	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	68,600	83.1%
1-2 times	8,038	9.7%
3-10 times	3,785	4.6%
11+ times	2,121	2.6%
Frequency Missing	1,959	

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	82,374	99.9%
1-2 times	14	0.0%
3-10 times	19	0.0%
11+ times	20	0.0%
Frequency Missing	2,075	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	71,135	86.2%
A few	5,822	7.1%
Some	2,903	3.5%
Most	1,146	1.4%
All	1,474	1.8%
Frequency Missing	2,023	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	54,679	66.5%
A few	14,291	17.4%
Some	7,184	8.7%
Most	3,800	4.6%
All	2,269	2.8%
Frequency Missing	2,281	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	78,096	95.2%
A few	2,191	2.7%
Some	979	1.2%
Most	621	0.8%
All	119	0.1%
Frequency Missing	2,496	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	64,243	78.6%
A few	10,580	12.9%
Some	3,920	4.8%
Most	1,862	2.3%
All	1,139	1.4%
Frequency Missing	2,757	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	74,141	89.8%
8 or younger	880	1.1%
9 years old	368	0.4%
10 years old	1,255	1.5%
11 years old	473	0.6%
12 years old	966	1.2%
13 years old	1,822	2.2%
14 years old	546	0.7%
15 years old	1,332	1.6%
16 years old	596	0.7%
17 years old	204	0.2%
18 or older	0	0.0%
Frequency Missing	1,920	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	56,956	69.3%
8 or younger	3,496	4.3%
9 years old	994	1.2%
10 years old	2,106	2.6%
11 years old	2,406	2.9%
12 years old	3,846	4.7%
13 years old	3,279	4.0%
14 years old	3,715	4.5%
15 years old	2,574	3.1%
16 years old	1,010	1.2%
17 years old	1,648	2.0%
18 or older	204	0.2%
Frequency Missing	2,269	

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	80,414	97.9%
8 or younger	391	0.5%
9 years old	218	0.3%
10 years old	105	0.1%
11 years old	242	0.3%
12 years old	310	0.4%
13 years old	181	0.2%
14 years old	114	0.1%
15 years old	204	0.2%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	2,323	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	74,277	89.7%
8 or younger	665	0.8%
9 years old	62	0.1%
10 years old	316	0.4%
11 years old	982	1.2%
12 years old	984	1.2%
13 years old	1,776	2.1%
14 years old	1,164	1.4%
15 years old	1,265	1.5%
16 years old	811	1.0%
17 years old	316	0.4%
18 or older	204	0.2%
Frequency Missing	1,683	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	81,445	98.6%
8 or younger	217	0.3%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	14	0.0%
13 years old	55	0.1%
14 years old	40	0.0%
15 years old	607	0.7%
16 years old	201	0.2%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	1,923	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	81,858	99.2%
8 or younger	204	0.2%
9 years old	0	0.0%
10 years old	6	0.0%
11 years old	0	0.0%
12 years old	0	0.0%
13 years old	0	0.0%
14 years old	30	0.0%
15 years old	204	0.2%
16 years old	204	0.2%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	1,998	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	81,937	99.2%
8 or younger	224	0.3%
9 years old	0	0.0%
10 years old	6	0.0%
11 years old	0	0.0%
12 years old	8	0.0%
13 years old	19	0.0%
14 years old	0	0.0%
15 years old	405	0.5%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	1,903	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	82,047	99.4%
8 or younger	239	0.3%
9 years old	19	0.0%
10 years old	0	0.0%
11 years old	6	0.0%
12 years old	16	0.0%
13 years old	0	0.0%
14 years old	19	0.0%
15 years old	204	0.2%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	1,952	

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	80,986	98.2%
8 or younger	530	0.6%
9 years old	8	0.0%
10 years old	60	0.1%
11 years old	236	0.3%
12 years old	115	0.1%
13 years old	136	0.2%
14 years old	0	0.0%
15 years old	220	0.3%
16 years old	0	0.0%
17 years old	204	0.2%
18 or older	0	0.0%
Frequency Missing	2,009	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	81,908	99.2%
8 or younger	279	0.3%
9 years old	28	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	128	0.2%
13 years old	22	0.0%
14 years old	39	0.0%
15 years old	204	0.2%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	1,894	

**Age When First Used Synthetic Marijuana**

Q21l	Frequency	Percent
Never used it	81,222	98.5%
8 or younger	204	0.2%
9 years old	223	0.3%
10 years old	26	0.0%
11 years old	40	0.0%
12 years old	76	0.1%
13 years old	28	0.0%
14 years old	263	0.3%
15 years old	76	0.1%
16 years old	204	0.2%
17 years old	112	0.1%
18 or older	0	0.0%
Frequency Missing	2,028	

**Age When First Used Delta 8**

Q21m	Frequency	Percent
Never used it	78,330	95.1%
8 or younger	204	0.2%
9 years old	36	0.0%
10 years old	443	0.5%
11 years old	101	0.1%
12 years old	292	0.4%
13 years old	331	0.4%
14 years old	987	1.2%
15 years old	481	0.6%
16 years old	316	0.4%
17 years old	634	0.8%
18 or older	204	0.2%
Frequency Missing	2,144	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	26,174	32.4%
Impossible	23,521	29.1%
Very Difficult	6,962	8.6%
Somewhat diff	7,045	8.7%
Somewhat easy	8,272	10.2%
Very easy	8,837	10.9%
Frequency Missing	3,692	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	22,558	27.8%
Impossible	16,703	20.6%
Very Difficult	6,071	7.5%
Somewhat diff	8,950	11.0%
Somewhat easy	10,765	13.3%
Very easy	16,110	19.9%
Frequency Missing	3,346	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	35,551	44.0%
Impossible	18,002	22.3%
Very Difficult	4,706	5.8%
Somewhat diff	4,067	5.0%
Somewhat easy	6,377	7.9%
Very easy	12,146	15.0%
Frequency Missing	3,653	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	29,336	36.2%
Impossible	26,233	32.4%
Very Difficult	7,571	9.4%
Somewhat diff	6,232	7.7%
Somewhat easy	4,787	5.9%
Very easy	6,770	8.4%
Frequency Missing	3,574	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	33,552	41.5%
Impossible	33,557	41.5%
Very Difficult	7,128	8.8%
Somewhat diff	2,726	3.4%
Somewhat easy	1,191	1.5%
Very easy	2,628	3.3%
Frequency Missing	3,721	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	34,061	42.0%
Impossible	34,890	43.0%
Very Difficult	6,857	8.5%
Somewhat diff	2,426	3.0%
Somewhat easy	790	1.0%
Very easy	2,114	2.6%
Frequency Missing	3,364	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	40,360	49.7%
Impossible	30,339	37.4%
Very Difficult	5,801	7.1%
Somewhat diff	1,869	2.3%
Somewhat easy	827	1.0%
Very easy	1,976	2.4%
Frequency Missing	3,330	

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	34,793	43.1%
Impossible	30,397	37.7%
Very Difficult	6,409	7.9%
Somewhat diff	3,750	4.7%
Somewhat easy	1,985	2.5%
Very easy	3,309	4.1%
Frequency Missing	3,859	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	43,201	53.5%
Impossible	26,721	33.1%
Very Difficult	4,719	5.8%
Somewhat diff	2,200	2.7%
Somewhat easy	1,877	2.3%
Very easy	2,018	2.5%
Frequency Missing	3,767	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	43,951	54.4%
Impossible	27,303	33.8%
Very Difficult	4,868	6.0%
Somewhat diff	2,354	2.9%
Somewhat easy	778	1.0%
Very easy	1,495	1.9%
Frequency Missing	3,753	

**Difficult to Get Delta 8**

Q22m	Frequency	Percent
Never heard of	41,239	51.1%
Impossible	24,960	30.9%
Very Difficult	4,936	6.1%
Somewhat diff	3,239	4.0%
Somewhat easy	2,807	3.5%
Very easy	3,484	4.3%
Frequency Missing	3,838	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	38,961	48.1%
Impossible	31,634	39.1%
Very Difficult	6,083	7.5%
Somewhat diff	1,720	2.1%
Somewhat easy	832	1.0%
Very easy	1,688	2.1%
Frequency Missing	3,585	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	1,135	1.4%
Several times/wk	239	0.3%
Several times/mo	577	0.7%
About once/month	604	0.7%
About once/year	985	1.2%
Less than once/year	3,148	3.9%
Never used	74,660	91.8%
Frequency Missing	3,155	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	62	0.1%
Several times/wk	1,422	1.7%
Several times/mo	1,835	2.3%
About once/month	4,910	6.0%
About once/year	7,475	9.2%
Less than once/year	6,401	7.9%
Never used	59,177	72.8%
Frequency Missing	3,219	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	16	0.0%
Several times/mo	20	0.0%
About once/month	28	0.0%
About once/year	218	0.3%
Less than once/year	221	0.3%
Never used	80,840	99.4%
Frequency Missing	3,160	

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	57	0.1%
Several times/wk	116	0.1%
Several times/mo	42	0.1%
About once/month	173	0.2%
About once/year	188	0.2%
Less than once/year	618	0.8%
Never used	79,832	98.5%
Frequency Missing	3,475	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	30	0.0%
Several times/wk	0	0.0%
Several times/mo	6	0.0%
About once/month	28	0.0%
About once/year	0	0.0%
Less than once/year	0	0.0%
Never used	81,280	99.9%
Frequency Missing	3,160	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	948	1.2%
Several times/wk	636	0.8%
Several times/mo	585	0.7%
About once/month	970	1.2%
About once/year	1,165	1.4%
Less than once/year	3,157	3.9%
Never used	73,720	90.8%
Frequency Missing	3,323	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	53	0.1%
Several times/wk	204	0.3%
Several times/mo	39	0.0%
About once/month	204	0.3%
About once/year	40	0.0%
Less than once/year	492	0.6%
Never used	80,238	98.7%
Frequency Missing	3,234	

**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	6	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	224	0.3%
Less than once/year	18	0.0%
Never used	81,075	99.7%
Frequency Missing	3,180	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	76	0.1%
Several times/wk	95	0.1%
Several times/mo	49	0.1%
About once/month	210	0.3%
About once/year	167	0.2%
Less than once/year	292	0.4%
Never used	80,126	98.9%
Frequency Missing	3,487	

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	27	0.0%
Several times/wk	8	0.0%
Several times/mo	34	0.0%
About once/month	19	0.0%
About once/year	0	0.0%
Less than once/year	16	0.0%
Never used	81,204	99.9%
Frequency Missing	3,193	

**How Often Normally Use Delta 8**

Q23m	Frequency	Percent
Every day	442	0.5%
Several times/wk	420	0.5%
Several times/mo	442	0.5%
About once/month	692	0.9%
About once/year	437	0.5%
Less than once/year	1,203	1.5%
Never used	77,059	95.5%
Frequency Missing	3,807	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	20	0.0%
Several times/wk	34	0.0%
Several times/mo	20	0.0%
About once/month	19	0.0%
About once/year	16	0.0%
Less than once/year	47	0.1%
Never used	81,045	99.8%
Frequency Missing	3,300	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	59,679	73.3%
12+ drinks	1,618	2.0%
9-11 drinks	1,446	1.8%
5-8 drinks	1,496	1.8%
3-4 drinks	2,215	2.7%
2 drinks	1,687	2.1%
1 drink	4,715	5.8%
Less than 1 drink	8,524	10.5%
Frequency Missing	3,123	



**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	65,101	80.3%
12+ drinks	1,466	1.8%
9-11 drinks	1,498	1.8%
5-8 drinks	703	0.9%
3-4 drinks	1,687	2.1%
2 drinks	1,976	2.4%
1 drink	3,345	4.1%
Less than 1 drink	5,315	6.6%
Frequency Missing	3,413	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	46,577	58.1%
0 days	28,049	35.0%
1 day	1,244	1.6%
2 days	1,754	2.2%
3 to 5 days	920	1.1%
6 to 9 days	881	1.1%
10 or more days	752	0.9%
Frequency Missing	4,326	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	65,659	81.2%
12+ drinks	635	0.8%
9-11 drinks	502	0.6%
5-8 drinks	354	0.4%
3-4 drinks	1,329	1.6%
2 drinks	1,950	2.4%
1 drink	3,801	4.7%
Less than 1 drink	6,597	8.2%
Frequency Missing	3,676	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	55,701	69.0%
Never	10,922	13.5%
Seldom	10,063	12.5%
Most of the Time	1,861	2.3%
Always	2,160	2.7%
Frequency Missing	3,796	

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	62,857	77.6%
12+ drinks	1,780	2.2%
9-11 drinks	322	0.4%
5-8 drinks	1,603	2.0%
3-4 drinks	2,639	3.3%
2 drinks	2,959	3.7%
1 drink	3,040	3.8%
Less than 1 drink	5,809	7.2%
Frequency Missing	3,492	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	59,719	74.2%
Never	10,752	13.4%
Seldom	4,010	5.0%
Most of the Time	4,979	6.2%
Always	1,069	1.3%
Frequency Missing	3,974	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	61,079	75.7%
Never	15,966	19.8%
Seldom	2,320	2.9%
Most of the Time	746	0.9%
Always	564	0.7%
Frequency Missing	3,826	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	58,021	71.7%
Never	11,046	13.7%
Seldom	4,922	6.1%
Most of the Time	4,288	5.3%
Always	2,629	3.2%
Frequency Missing	3,596	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	62,457	77.3%
Somewhat	9,943	12.3%
Not very	2,412	3.0%
Not at all	778	1.0%
Don't know	5,232	6.5%
Frequency Missing	3,680	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	60,176	75.1%
Never	13,150	16.4%
Seldom	3,879	4.8%
Most of the Time	1,429	1.8%
Always	1,529	1.9%
Frequency Missing	4,340	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	57,256	70.7%
Somewhat	9,707	12.0%
Not very	7,065	8.7%
Not at all	3,384	4.2%
Don't know	3,575	4.4%
Frequency Missing	3,516	

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	55,171	67.9%
Somewhat	15,534	19.1%
Not very	5,290	6.5%
Not at all	1,295	1.6%
Don't know	3,943	4.9%
Frequency Missing	3,268	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	73,103	90.1%
Somewhat	3,281	4.0%
Not very	525	0.6%
Not at all	306	0.4%
Don't know	3,894	4.8%
Frequency Missing	3,393	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	45,527	56.2%
Somewhat	22,193	27.4%
Not very	7,677	9.5%
Not at all	2,336	2.9%
Don't know	3,335	4.1%
Frequency Missing	3,434	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	72,928	90.0%
Somewhat	3,185	3.9%
Not very	399	0.5%
Not at all	245	0.3%
Don't know	4,314	5.3%
Frequency Missing	3,431	

**Dangerous for Kids to Use Ecstasy**

Q27h	Frequency	Percent
Very	67,839	83.9%
Somewhat	2,998	3.7%
Not very	666	0.8%
Not at all	340	0.4%
Don't know	9,032	11.2%
Frequency Missing	3,627	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27l	Frequency	Percent
Very	67,368	83.0%
Somewhat	4,688	5.8%
Not very	1,698	2.1%
Not at all	290	0.4%
Don't know	7,086	8.7%
Frequency Missing	3,373	

**Dangerous for Kids to Use Steroids**

Q27i	Frequency	Percent
Very	63,347	78.2%
Somewhat	8,439	10.4%
Not very	3,235	4.0%
Not at all	1,390	1.7%
Don't know	4,586	5.7%
Frequency Missing	3,506	

**Dangerous for Kids to Use Delta 8**

Q27m	Frequency	Percent
Very	62,491	77.1%
Somewhat	6,658	8.2%
Not very	3,235	4.0%
Not at all	1,432	1.8%
Don't know	7,208	8.9%
Frequency Missing	3,480	

**Dangerous for Kids to Use Heroin**

Q27j	Frequency	Percent
Very	71,679	88.4%
Somewhat	2,800	3.5%
Not very	420	0.5%
Not at all	138	0.2%
Don't know	6,031	7.4%
Frequency Missing	3,434	

**Dangerous for Kids to Use Any Prescription**

Q27n	Frequency	Percent
Very	63,662	79.0%
Somewhat	7,886	9.8%
Not very	2,563	3.2%
Not at all	1,137	1.4%
Don't know	5,388	6.7%
Frequency Missing	3,867	

**Dangerous for Kids to Use Methamphetamine**

Q27k	Frequency	Percent
Very	72,045	88.8%
Somewhat	2,547	3.1%
Not very	423	0.5%
Not at all	434	0.5%
Don't know	5,637	7.0%
Frequency Missing	3,417	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27o	Frequency	Percent
Very	57,773	71.3%
Somewhat	11,843	14.6%
Not very	4,818	5.9%
Not at all	2,433	3.0%
Don't know	4,146	5.1%
Frequency Missing	3,491	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	57,040	71.5%
1-3 days	16,718	21.0%
4-9 days	3,591	4.5%
10+ days	2,380	3.0%
Frequency Missing	4,773	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	72,704	91.6%
1-3 days	4,991	6.3%
4-9 days	923	1.2%
10+ days	788	1.0%
Frequency Missing	5,096	

**Days Ill Since September**

Q28b	Frequency	Percent
None	21,622	27.1%
1-3 days	38,949	48.8%
4-9 days	15,010	18.8%
10+ days	4,187	5.2%
Frequency Missing	4,734	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	77,537	97.2%
1-3 times	1,294	1.6%
4-9 times	584	0.7%
10+ times	337	0.4%
Frequency Missing	4,752	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	25,508	32.9%
1-3 days	40,263	51.9%
4-9 days	8,347	10.8%
10+ days	3,387	4.4%
Frequency Missing	6,997	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	77,717	98.2%
1-3 times	849	1.1%
4-9 times	76	0.1%
10+ times	478	0.6%
Frequency Missing	5,382	

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	69,652	87.5%
1-3 days	7,589	9.5%
4-9 days	1,134	1.4%
10+ days	1,256	1.6%
Frequency Missing	4,871	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	77,320	97.4%
1-3 times	1,947	2.5%
4-9 times	63	0.1%
10+ times	56	0.1%
Frequency Missing	5,117	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	77,650	97.9%
1-3 times	1,377	1.7%
4-9 times	236	0.3%
10+ times	70	0.1%
Frequency Missing	5,170	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	77,368	97.4%
1-3 days	1,396	1.8%
4-9 days	557	0.7%
10+ days	79	0.1%
Frequency Missing	5,103	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	50,469	63.5%
Seldom	5,408	6.8%
Half the time	1,909	2.4%
Most of the Time	2,810	3.5%
Always	4,820	6.1%
Don't Know	979	1.2%
Didn't attend	13,060	16.4%
Frequency Missing	5,047	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	77,083	97.2%
1-3 days	935	1.2%
4-9 days	334	0.4%
10+ days	970	1.2%
Frequency Missing	5,181	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	57,328	72.3%
Seldom	2,394	3.0%
Half the time	1,928	2.4%
Most of the Time	1,584	2.0%
Always	2,330	2.9%
Don't Know	814	1.0%
Didn't attend	12,966	16.3%
Frequency Missing	5,158	

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	78,664	99.5%
1-3 days	221	0.3%
4-9 days	72	0.1%
10+ days	93	0.1%
Frequency Missing	5,452	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	73,255	96.5%
Yes	2,618	3.5%
Frequency Missing	8,630	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	78,448	98.9%
1-3 days	581	0.7%
4-9 days	61	0.1%
10+ days	205	0.3%
Frequency Missing	5,208	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	49,562	64.1%
Yes	27,711	35.9%
Frequency Missing	7,229	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	60,041	78.4%
Yes	16,581	21.6%
Frequency Missing	7,880	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	29,468	38.2%
Yes	47,731	61.8%
Frequency Missing	7,304	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	43,845	57.2%
Yes	32,862	42.8%
Frequency Missing	7,795	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	45,235	58.9%
Yes	31,507	41.1%
Frequency Missing	7,760	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	21,718	28.0%
Yes	55,969	72.0%
Frequency Missing	6,816	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	60,053	79.8%
Yes	15,211	20.2%
Frequency Missing	9,238	

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	31,810	41.6%
Yes	44,703	58.4%
Frequency Missing	7,989	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	53,383	68.8%
Yes	24,155	31.2%
Frequency Missing	6,965	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	29,351	38.2%
Yes	47,509	61.8%
Frequency Missing	7,642	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	43,697	56.6%
Yes	33,500	43.4%
Frequency Missing	7,306	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	59,707	77.7%
Yes	17,102	22.3%
Frequency Missing	7,694	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	60,129	78.6%
Yes	16,344	21.4%
Frequency Missing	8,029	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	65,804	85.8%
Yes	10,910	14.2%
Frequency Missing	7,788	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	64,287	80.9%
Mild disapprove	5,175	6.5%
Neither	3,060	3.9%
Mildly approve	579	0.7%
Strongly approve	417	0.5%
Don't know	5,941	7.5%
Frequency Missing	5,044	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	60,739	78.8%
Yes	16,301	21.2%
Frequency Missing	7,463	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	51,584	65.0%
Mild disapprove	9,687	12.2%
Neither	9,318	11.7%
Mildly approve	2,837	3.6%
Strongly approve	635	0.8%
Don't know	5,308	6.7%
Frequency Missing	5,134	

**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	68,588	89.4%
Yes	8,131	10.6%
Frequency Missing	7,783	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	64,386	81.3%
Mild disapprove	5,152	6.5%
Neither	3,154	4.0%
Mildly approve	924	1.2%
Strongly approve	651	0.8%
Don't know	4,948	6.2%
Frequency Missing	5,288	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	55,423	72.2%
Yes	21,321	27.8%
Frequency Missing	7,758	

## Appendix: Reporting Methods for Prevalence & Recency of Use



## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Delta 8</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
<b>Question</b>	<b>Updating Rule</b>
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.



