

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2024



HHSC REGION 5 REPORT

---

---

Prepared by

The Department of Public Service and Administration  
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	60
Table B-7: Students Reporting A Grades on Average . . . . .	64
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	68
Table B-9: Students Living with 2 Parents . . . . .	72
Table B-10: Students Not Living with 2 Parents . . . . .	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	84
<b>3 Margin Tables</b>	<b>88</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>110</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 5. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	13.3%	15.6%	27.1%	72.9%
Grade 7	7.7%	8.9%	16.6%	83.4%
Grade 8	8.1%	9.4%	19.5%	80.5%
Grade 9	12.8%	15.6%	27.2%	72.8%
Grade 10	16.7%	19.1%	34.5%	65.5%
Grade 11	16.9%	21.1%	33.2%	66.8%
Grade 12	20.0%	22.1%	35.1%	64.9%
<b>Cigarettes?</b>				
All	2.4%	3.8%	11.4%	88.6%
Grade 7	1.3%	1.8%	5.5%	94.5%
Grade 8	1.3%	1.7%	5.6%	94.4%
Grade 9	2.2%	3.6%	11.3%	88.7%
Grade 10	2.5%	5.5%	18.2%	81.8%
Grade 11	2.7%	4.5%	14.7%	85.3%
Grade 12	4.8%	6.6%	15.6%	84.4%
<b>Smokeless Tobacco?</b>				
All	1.7%	2.5%	6.5%	93.5%
Grade 7	1.0%	1.6%	4.0%	96.0%
Grade 8	0.7%	1.1%	3.1%	96.9%
Grade 9	1.4%	2.0%	5.5%	94.5%
Grade 10	2.7%	3.9%	10.1%	89.9%
Grade 11	2.1%	3.4%	8.2%	91.8%
Grade 12	2.7%	3.5%	9.7%	90.3%
<b>Electronic Vapor Products?</b>				
All	9.0%	12.2%	24.1%	75.9%
Grade 7	5.1%	7.2%	14.6%	85.4%
Grade 8	3.7%	6.1%	16.9%	83.1%
Grade 9	9.4%	13.4%	24.9%	75.1%
Grade 10	11.4%	14.5%	29.7%	70.3%
Grade 11	12.7%	16.8%	29.9%	70.1%
Grade 12	13.3%	16.9%	31.9%	68.1%

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	88.1%	2.4%	0.7%	1.5%	1.6%	1.4%	4.3%
Grade 7	95.0%	0.3%	0.4%	0.5%	1.7%	0.1%	2.1%
Grade 8	94.0%	0.3%	0.3%	1.1%	0.9%	0.4%	3.1%
Grade 9	87.5%	1.8%	0.7%	1.1%	2.1%	1.9%	4.9%
Grade 10	83.3%	2.4%	1.2%	2.2%	1.2%	2.9%	6.8%
Grade 11	85.1%	4.6%	0.9%	1.9%	2.1%	1.5%	4.0%
Grade 12	81.5%	5.9%	0.5%	2.8%	1.9%	2.2%	5.3%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.5	10.8	11.7	12.2	12.1	13.1	13.2

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	38.5%	20.4%	7.5%	8.9%	12.9%	11.7%
Grade 7	42.5%	32.4%	6.9%	6.6%	6.7%	5.0%
Grade 8	37.6%	28.6%	8.4%	7.0%	11.0%	7.2%
Grade 9	40.9%	18.9%	9.1%	8.8%	12.4%	10.0%
Grade 10	39.4%	15.9%	6.3%	9.8%	15.0%	13.6%
Grade 11	33.4%	10.1%	7.0%	11.6%	19.3%	18.6%
Grade 12	36.2%	14.0%	6.9%	10.6%	14.3%	18.0%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	78.4%	12.1%	4.6%	3.6%	1.2%
Grade 7	89.6%	7.3%	2.2%	0.7%	0.3%
Grade 8	85.5%	9.2%	2.8%	2.3%	0.2%
Grade 9	78.4%	13.0%	4.6%	3.4%	0.6%
Grade 10	73.9%	15.9%	4.4%	4.4%	1.4%
Grade 11	69.4%	15.5%	5.8%	6.7%	2.7%
Grade 12	70.5%	13.0%	8.7%	5.2%	2.6%

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	74.7%	7.4%	6.2%	1.0%	0.9%	9.7%
Grade 7	85.6%	3.8%	2.9%	0.5%	0.5%	6.7%
Grade 8	81.5%	7.0%	4.1%	0.1%	0.6%	6.7%
Grade 9	72.0%	7.1%	6.5%	0.7%	0.7%	13.0%
Grade 10	71.9%	10.1%	6.0%	1.3%	0.8%	9.9%
Grade 11	70.9%	10.5%	7.5%	1.2%	1.2%	8.7%
Grade 12	63.5%	6.6%	11.6%	2.5%	2.0%	13.8%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>						
	All	66.0%	21.4%	6.2%	1.6%	4.8%
	Grade 7	73.4%	17.8%	3.9%	0.3%	4.6%
	Grade 8	68.7%	20.8%	6.0%	1.1%	3.4%
	Grade 9	64.3%	22.2%	6.3%	1.4%	5.8%
	Grade 10	65.7%	20.9%	6.7%	2.7%	4.0%
	Grade 11	61.5%	24.6%	6.9%	1.9%	5.2%
	Grade 12	61.2%	22.5%	8.2%	2.5%	5.7%
<b>Electronic Vapor Products?</b>						
	All	70.3%	14.9%	7.2%	2.7%	4.9%
	Grade 7	75.6%	12.2%	5.6%	1.8%	4.9%
	Grade 8	75.4%	14.3%	6.3%	1.6%	2.4%
	Grade 9	64.4%	17.2%	7.2%	3.9%	7.4%
	Grade 10	67.9%	15.5%	8.3%	4.1%	4.1%
	Grade 11	69.2%	15.8%	6.5%	3.4%	5.1%
	Grade 12	68.5%	14.2%	10.2%	1.7%	5.4%



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	24.9%	29.3%	46.9%	53.1%
Grade 7	15.3%	17.2%	37.0%	63.0%
Grade 8	17.3%	22.0%	44.0%	56.0%
Grade 9	23.6%	28.8%	46.9%	53.1%
Grade 10	31.0%	36.0%	48.9%	51.1%
Grade 11	31.4%	35.7%	54.1%	45.9%
Grade 12	34.1%	39.5%	52.9%	47.1%
<b>Beer?</b>				
All	8.3%	13.4%	35.0%	65.0%
Grade 7	3.5%	5.4%	27.4%	72.6%
Grade 8	5.4%	8.0%	31.3%	68.7%
Grade 9	7.9%	14.5%	34.9%	65.1%
Grade 10	11.5%	16.7%	39.0%	61.0%
Grade 11	11.3%	18.6%	40.5%	59.5%
Grade 12	11.7%	19.3%	39.1%	60.9%
<b>Wine Coolers?</b>				
All	7.5%	11.6%	29.2%	70.8%
Grade 7	2.4%	2.9%	17.1%	82.9%
Grade 8	3.6%	8.7%	24.0%	76.0%
Grade 9	5.7%	9.7%	27.4%	72.6%
Grade 10	10.6%	14.7%	32.0%	68.0%
Grade 11	13.4%	19.2%	39.3%	60.7%
Grade 12	11.2%	16.8%	38.7%	61.3%
<b>Wine?</b>				
All	4.6%	8.4%	27.3%	72.7%
Grade 7	2.8%	5.0%	18.9%	81.1%
Grade 8	2.5%	4.9%	25.9%	74.1%
Grade 9	3.1%	7.0%	26.4%	73.6%
Grade 10	5.6%	10.0%	29.1%	70.9%
Grade 11	6.7%	12.2%	33.4%	66.6%
Grade 12	8.3%	12.8%	32.1%	67.9%
<b>Liquor?</b>				
All	8.9%	14.2%	31.9%	68.1%
Grade 7	2.6%	5.0%	18.1%	81.9%
Grade 8	3.7%	7.3%	24.6%	75.4%
Grade 9	7.8%	12.5%	33.6%	66.4%
Grade 10	11.9%	17.5%	38.3%	61.7%
Grade 11	14.2%	21.3%	41.5%	58.5%
Grade 12	15.4%	25.1%	38.3%	61.7%

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	67.0%	0.4%	1.0%	5.1%	8.6%	9.6%	8.2%
Grade 7	78.5%	0.0%	0.1%	2.3%	3.9%	6.6%	8.6%
Grade 8	74.4%	0.7%	0.7%	2.5%	6.3%	8.3%	7.2%
Grade 9	67.3%	0.2%	1.2%	5.6%	6.6%	11.4%	7.6%
Grade 10	62.7%	0.4%	1.8%	7.2%	10.3%	11.0%	6.7%
Grade 11	56.5%	0.2%	1.4%	7.5%	11.9%	11.3%	11.2%
Grade 12	59.5%	1.0%	1.3%	6.3%	14.6%	9.2%	8.1%

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	69.6%	30.4%	7.1%	12.9%	10.4%
	Grade 7	76.5%	23.5%	1.4%	9.3%	12.8%
	Grade 8	70.8%	29.2%	3.7%	11.1%	14.4%
	Grade 9	71.1%	28.9%	7.3%	13.0%	8.6%
	Grade 10	66.5%	33.5%	7.6%	17.1%	8.9%
	Grade 11	63.7%	36.3%	11.1%	15.2%	10.1%
	Grade 12	67.4%	32.6%	13.0%	13.0%	6.6%
Wine Coolers	All	74.3%	25.7%	6.6%	13.0%	6.1%
	Grade 7	85.1%	14.9%	1.6%	7.2%	6.1%
	Grade 8	78.0%	22.0%	3.7%	9.0%	9.3%
	Grade 9	76.7%	23.3%	6.1%	11.5%	5.7%
	Grade 10	72.1%	27.9%	7.3%	16.9%	3.8%
	Grade 11	64.6%	35.4%	12.0%	17.3%	6.1%
	Grade 12	66.4%	33.6%	10.4%	18.1%	5.1%
Wine	All	76.9%	23.1%	2.3%	10.5%	10.3%
	Grade 7	84.1%	15.9%	1.3%	5.1%	9.5%
	Grade 8	76.9%	23.1%	1.2%	8.3%	13.6%
	Grade 9	78.9%	21.1%	1.2%	10.7%	9.3%
	Grade 10	74.2%	25.8%	3.3%	13.9%	8.6%
	Grade 11	71.3%	28.7%	3.5%	13.7%	11.5%
	Grade 12	74.6%	25.4%	4.1%	12.8%	8.5%
Liquor	All	71.1%	28.9%	6.4%	14.1%	8.5%
	Grade 7	83.0%	17.0%	1.8%	5.9%	9.3%
	Grade 8	76.8%	23.2%	3.0%	12.1%	8.2%
	Grade 9	70.4%	29.6%	6.1%	14.4%	9.1%
	Grade 10	65.6%	34.4%	9.5%	18.0%	7.0%
	Grade 11	61.8%	38.2%	8.9%	19.2%	10.1%
	Grade 12	66.0%	34.0%	10.6%	16.5%	6.9%

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	89.9%	3.6%	2.1%	1.9%	1.0%	1.6%
Grade 7	96.2%	1.1%	0.6%	0.8%	0.0%	1.3%
Grade 8	94.4%	1.6%	1.2%	0.9%	0.7%	1.2%
Grade 9	91.0%	3.5%	1.7%	1.5%	0.7%	1.7%
Grade 10	85.5%	4.0%	3.3%	3.2%	1.7%	2.2%
Grade 11	85.4%	4.7%	3.4%	3.3%	2.2%	1.1%
Grade 12	84.9%	7.2%	2.7%	2.0%	1.2%	2.0%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.4	10.5	11.0	11.8	12.5	13.5	14.1

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	32.1%	13.4%	5.6%	9.8%	17.7%	21.4%
Grade 7	35.9%	21.4%	8.8%	12.0%	10.0%	12.0%
Grade 8	32.8%	17.9%	6.0%	9.3%	17.8%	16.3%
Grade 9	34.3%	11.8%	6.2%	8.0%	17.5%	22.2%
Grade 10	30.8%	10.8%	3.8%	10.6%	20.9%	23.2%
Grade 11	25.6%	7.8%	4.4%	9.2%	22.4%	30.6%
Grade 12	32.1%	8.9%	4.0%	10.1%	18.8%	26.1%

**Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.6%	2.6%	0.5%	0.3%
Grade 7	98.2%	1.8%	0.0%	0.0%
Grade 8	95.6%	3.6%	0.6%	0.2%
Grade 9	96.1%	3.0%	0.7%	0.2%
Grade 10	96.1%	3.1%	0.2%	0.6%
Grade 11	97.3%	1.8%	0.6%	0.3%
Grade 12	96.6%	2.3%	0.7%	0.3%

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.4
Alcohol Non-Users	4.1
Average Days Conduct Problems Reported	
Alcohol Users	2.9
Alcohol Non-Users	1.3

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.4%	2.6%	0.3%	0.7%
Grade 9	98.4%	0.9%	0.5%	0.1%
Grade 10	96.4%	2.3%	0.3%	1.0%
Grade 11	94.9%	3.8%	0.1%	1.2%
Grade 12	95.5%	3.7%	0.4%	0.4%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.8%	3.2%	0.5%	0.5%
Grade 7	98.1%	1.9%	0.0%	0.0%
Grade 8	95.3%	3.6%	0.9%	0.1%
Grade 9	95.9%	3.1%	0.2%	0.9%
Grade 10	93.0%	5.0%	1.1%	0.9%
Grade 11	96.1%	3.0%	0.6%	0.3%
Grade 12	96.4%	2.8%	0.2%	0.6%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	58.3%	21.2%	9.0%	8.8%	2.7%
Grade 7	74.9%	16.8%	6.1%	2.1%	0.2%
Grade 8	66.0%	19.9%	8.7%	3.8%	1.6%
Grade 9	59.9%	22.0%	8.4%	8.5%	1.2%
Grade 10	53.2%	22.4%	10.8%	11.0%	2.7%
Grade 11	43.9%	22.8%	11.7%	16.5%	5.2%
Grade 12	47.2%	24.4%	9.1%	12.9%	6.4%

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	61.0%	5.1%	4.0%	5.4%	7.0%	1.4%	16.1%
Grade 7	76.1%	3.5%	3.7%	2.2%	1.5%	1.8%	11.1%
Grade 8	66.9%	5.4%	4.8%	5.3%	3.4%	1.6%	12.6%
Grade 9	62.7%	4.3%	3.5%	5.3%	4.7%	2.2%	17.2%
Grade 10	55.9%	5.8%	3.5%	5.6%	10.5%	1.9%	16.8%
Grade 11	48.1%	6.7%	3.2%	7.8%	11.4%	0.6%	22.2%
Grade 12	52.3%	5.4%	5.3%	6.3%	12.8%	0.1%	17.8%

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	64.9%	13.4%	14.4%	4.9%	2.4%
	Grade 7	71.9%	13.7%	10.6%	3.4%	0.3%
	Grade 8	65.5%	13.0%	13.9%	3.7%	3.8%
	Grade 9	65.5%	11.5%	15.1%	5.9%	2.1%
	Grade 10	64.3%	14.7%	14.0%	5.5%	1.6%
	Grade 11	59.0%	14.6%	17.0%	5.9%	3.4%
	Grade 12	62.0%	13.5%	16.2%	4.9%	3.4%
<b>Friends?</b>						
	All	67.2%	15.6%	9.3%	5.9%	2.0%
	Grade 7	77.4%	17.1%	3.5%	1.8%	0.3%
	Grade 8	69.9%	19.1%	6.7%	4.0%	0.3%
	Grade 9	67.6%	16.0%	9.0%	4.9%	2.5%
	Grade 10	64.6%	13.9%	12.5%	6.5%	2.6%
	Grade 11	59.9%	12.5%	13.1%	11.0%	3.4%
	Grade 12	61.3%	14.1%	12.5%	8.7%	3.4%
<b>A Store?</b>						
	All	69.5%	23.0%	3.5%	2.7%	1.3%
	Grade 7	78.0%	20.6%	0.2%	1.0%	0.3%
	Grade 8	71.0%	22.6%	4.3%	1.5%	0.7%
	Grade 9	69.7%	24.4%	1.8%	2.7%	1.4%
	Grade 10	67.4%	24.5%	4.0%	3.4%	0.7%
	Grade 11	65.4%	23.2%	4.7%	4.9%	1.8%
	Grade 12	63.6%	22.7%	6.9%	3.3%	3.5%
<b>Parties?</b>						
	All	66.5%	14.6%	8.4%	5.9%	4.6%
	Grade 7	75.5%	15.0%	6.1%	2.4%	1.0%
	Grade 8	70.5%	14.9%	6.5%	4.2%	3.8%
	Grade 9	65.4%	16.7%	7.9%	5.8%	4.2%
	Grade 10	64.3%	14.4%	7.9%	7.7%	5.7%
	Grade 11	60.0%	13.3%	12.3%	8.2%	6.2%
	Grade 12	61.1%	12.7%	10.8%	8.0%	7.5%
<b>Other Sources?</b>						
	All	70.9%	17.2%	6.4%	3.0%	2.6%
	Grade 7	77.7%	15.8%	5.2%	0.9%	0.5%
	Grade 8	73.3%	19.0%	3.1%	2.5%	2.2%
	Grade 9	70.3%	16.9%	6.4%	4.3%	2.1%
	Grade 10	67.8%	17.0%	8.5%	3.4%	3.3%
	Grade 11	65.7%	17.8%	7.8%	4.8%	3.9%
	Grade 12	69.0%	16.9%	8.1%	1.9%	4.0%

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	56.5%	13.6%	14.6%	4.7%	1.4%	9.1%
Grade 7	72.2%	10.4%	6.9%	2.4%	0.8%	7.4%
Grade 8	61.8%	13.7%	12.8%	3.5%	1.5%	6.7%
Grade 9	51.7%	16.8%	14.2%	5.0%	0.6%	11.7%
Grade 10	53.2%	15.4%	17.1%	4.4%	1.5%	8.5%
Grade 11	49.4%	15.3%	18.3%	7.1%	1.9%	8.0%
Grade 12	48.0%	9.5%	20.4%	6.4%	2.8%	12.9%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	52.9%	26.3%	14.2%	2.4%	4.2%
Grade 7	56.6%	26.0%	12.6%	0.7%	4.0%
Grade 8	53.6%	23.9%	16.6%	3.4%	2.5%
Grade 9	46.8%	28.6%	16.4%	1.8%	6.4%
Grade 10	55.7%	24.4%	13.5%	3.6%	2.8%
Grade 11	49.7%	30.1%	12.2%	3.8%	4.2%
Grade 12	56.2%	24.1%	13.4%	1.3%	5.0%



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	9.9%	13.2%	17.8%	82.2%
Grade 7	3.2%	5.3%	7.4%	92.6%
Grade 8	5.4%	8.6%	10.3%	89.7%
Grade 9	10.6%	12.8%	17.5%	82.5%
Grade 10	14.7%	19.3%	26.4%	73.6%
Grade 11	14.6%	17.9%	22.1%	77.9%
Grade 12	12.7%	17.5%	26.6%	73.4%
<b>Marijuana?</b>				
All	9.1%	11.4%	15.9%	84.1%
Grade 7	2.6%	3.5%	5.4%	94.6%
Grade 8	4.7%	6.7%	8.1%	91.9%
Grade 9	9.7%	11.4%	15.8%	84.2%
Grade 10	13.3%	16.7%	23.3%	76.7%
Grade 11	14.0%	16.6%	20.9%	79.1%
Grade 12	12.0%	15.7%	25.3%	74.7%
<b>Cocaine?</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.8%	1.0%	1.0%	99.0%
Grade 10	0.3%	0.6%	1.4%	98.6%
Grade 11	0.6%	0.6%	1.0%	99.0%
Grade 12	0.5%	0.5%	1.4%	98.6%
<b>Crack?</b>				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.5%	0.6%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.3%	99.7%
<b>Hallucinogens?</b>				
All	0.4%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.6%	1.8%	98.2%
Grade 9	0.4%	0.8%	2.3%	97.7%
Grade 10	0.6%	1.5%	2.8%	97.2%
Grade 11	0.9%	1.7%	2.9%	97.1%
Grade 12	0.6%	1.7%	2.3%	97.7%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Synthetic Cathinones?</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.1%	0.1%	0.1%	99.9%
<b>Steroids?</b>				
All	0.3%	0.7%	1.8%	98.2%
Grade 7	0.1%	0.5%	1.1%	98.9%
Grade 8	0.1%	0.5%	1.3%	98.7%
Grade 9	0.4%	0.5%	1.3%	98.7%
Grade 10	0.4%	1.3%	3.1%	96.9%
Grade 11	0.3%	0.9%	3.3%	96.7%
Grade 12	0.6%	0.8%	1.0%	99.0%
<b>Ecstasy?</b>				
All	0.1%	0.1%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.1%	0.1%	1.2%	98.8%
Grade 10	0.2%	0.2%	1.8%	98.2%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.1%	0.2%	0.6%	99.4%
<b>Heroin?</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.1%	0.1%	99.9%
<b>Methamphetamine?</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.1%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.2%	99.8%

**Table D-1: How Recently, If Ever, Have You Used...**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.0%	1.8%	3.4%	96.6%
Grade 7	0.4%	0.7%	0.8%	99.2%
Grade 8	0.2%	0.9%	1.6%	98.4%
Grade 9	1.1%	2.3%	4.2%	95.8%
Grade 10	2.2%	3.4%	5.8%	94.2%
Grade 11	1.5%	2.7%	4.6%	95.4%
Grade 12	0.9%	1.1%	3.9%	96.1%
Delta 8?				
All	2.5%	3.9%	7.2%	92.8%
Grade 7	1.0%	1.0%	1.5%	98.5%
Grade 8	0.8%	1.9%	2.7%	97.3%
Grade 9	2.6%	4.1%	7.4%	92.6%
Grade 10	4.3%	7.0%	11.2%	88.8%
Grade 11	4.1%	5.4%	9.6%	90.4%
Grade 12	2.4%	4.9%	12.7%	87.3%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	87.5%	1.2%	1.1%	1.8%	2.6%	2.8%	3.1%
Grade 7	95.6%	0.2%	0.1%	0.4%	1.2%	0.7%	1.8%
Grade 8	94.5%	0.6%	0.5%	1.3%	0.7%	1.3%	1.1%
Grade 9	87.2%	1.4%	1.3%	1.8%	3.1%	2.3%	3.0%
Grade 10	82.7%	1.2%	1.8%	3.2%	4.0%	3.5%	3.6%
Grade 11	81.3%	2.2%	2.5%	2.5%	3.1%	4.2%	4.2%
Grade 12	80.9%	2.0%	0.2%	1.7%	3.9%	5.6%	5.7%
Cocaine?							
All	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%
Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 8	99.5%	0.0%	0.1%	0.0%	0.0%	0.2%	0.2%
Grade 9	99.5%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%
Grade 10	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
Grade 11	99.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.7%
Grade 12	99.5%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%
Crack?							
All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 7	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	99.7%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%
Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Steroids?							
All	99.0%	0.0%	0.0%	0.1%	0.3%	0.2%	0.4%
Grade 7	99.2%	0.0%	0.0%	0.0%	0.3%	0.4%	0.1%
Grade 8	99.4%	0.1%	0.0%	0.0%	0.4%	0.0%	0.2%
Grade 9	99.0%	0.1%	0.0%	0.1%	0.1%	0.3%	0.5%
Grade 10	98.7%	0.0%	0.0%	0.0%	0.2%	0.1%	0.9%
Grade 11	98.3%	0.1%	0.1%	0.0%	0.5%	0.1%	0.9%
Grade 12	99.3%	0.1%	0.0%	0.4%	0.1%	0.1%	0.0%
Ecstasy?							
All	99.5%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%
Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 8	99.6%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%
Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 10	99.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.7%
Grade 11	99.4%	0.0%	0.0%	0.0%	0.2%	0.2%	0.2%
Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.4%	0.3%	0.1%	0.0%	0.0%	0.0%	0.1%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%
	Grade 8	99.5%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 10	99.6%	0.3%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Synthetic Marijuana?								
	All	97.5%	0.2%	0.0%	0.3%	0.6%	0.9%	0.4%
	Grade 7	99.3%	0.1%	0.0%	0.1%	0.3%	0.2%	0.0%
	Grade 8	98.9%	0.2%	0.0%	0.0%	0.1%	0.7%	0.1%
	Grade 9	96.4%	0.1%	0.0%	0.5%	1.0%	1.3%	0.7%
	Grade 10	95.7%	0.3%	0.1%	0.9%	1.2%	1.1%	0.8%
	Grade 11	97.1%	0.0%	0.1%	0.4%	1.0%	0.8%	0.6%
	Grade 12	97.3%	0.3%	0.0%	0.2%	0.2%	1.2%	0.7%
Delta 8?								
	All	94.7%	0.3%	0.5%	0.9%	1.1%	1.2%	1.3%
	Grade 7	98.9%	0.0%	0.3%	0.3%	0.1%	0.2%	0.2%
	Grade 8	97.9%	0.2%	0.3%	0.4%	0.3%	0.8%	0.2%
	Grade 9	93.6%	0.1%	0.3%	1.7%	1.5%	0.9%	1.9%
	Grade 10	91.9%	0.9%	0.1%	1.9%	2.0%	1.6%	1.6%
	Grade 11	93.3%	0.1%	1.4%	1.1%	0.8%	2.0%	1.3%
	Grade 12	91.0%	0.8%	0.7%	0.1%	2.0%	2.1%	3.2%

**Table D-3: Average Age of First Use of...**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.7	11.4	12.4	12.9	13.5	14.3	14.8
Cocaine	13.6	10.7	13.0	12.0	13.4	15.2	14.6
Crack	11.7	10.0	12.7	11.2	9.3	15.0	12.4
Steroids	13.3	11.3	12.1	11.6	12.6	14.6	16.2
Ecstasy	13.1	12.0	11.2	11.7	13.4	13.8	15.5
Heroin	11.3	N/A	12.0	10.0	10.0	15.0	15.0
Methamphetamine	13.1	11.8	11.8	14.0	10.5	15.9	16.6
Synthetic Marijuana	13.9	12.8	13.2	12.9	13.6	14.8	15.6
Delta 8?	14.1	12.2	11.9	13.0	13.9	14.6	15.5

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	39.8%	23.8%	8.3%	7.9%	9.2%	11.1%
	Grade 7	46.6%	35.8%	6.4%	4.2%	3.5%	3.5%
	Grade 8	40.5%	33.4%	8.6%	5.8%	6.6%	5.1%
	Grade 9	40.5%	21.8%	10.9%	9.7%	6.1%	11.0%
	Grade 10	39.7%	20.1%	6.4%	9.0%	9.9%	14.9%
	Grade 11	32.8%	12.5%	9.8%	10.3%	17.7%	16.9%
	Grade 12	37.6%	15.9%	7.2%	9.0%	13.0%	17.4%
Cocaine?							
	All	47.8%	33.5%	10.0%	4.9%	1.7%	2.1%
	Grade 7	49.4%	41.4%	5.3%	2.8%	0.6%	0.5%
	Grade 8	44.5%	41.2%	9.7%	3.7%	0.3%	0.6%
	Grade 9	48.9%	33.6%	10.9%	4.5%	0.8%	1.3%
	Grade 10	49.4%	29.4%	8.7%	5.2%	2.8%	4.5%
	Grade 11	46.7%	24.9%	13.5%	7.1%	4.4%	3.4%
	Grade 12	48.1%	28.1%	12.1%	6.8%	1.6%	3.3%
Crack?							
	All	48.8%	34.0%	9.8%	4.3%	1.2%	2.0%
	Grade 7	49.8%	41.2%	5.1%	2.9%	0.6%	0.5%
	Grade 8	44.5%	42.1%	8.0%	4.0%	0.3%	1.1%
	Grade 9	50.3%	34.3%	10.5%	2.8%	1.0%	1.1%
	Grade 10	50.9%	30.4%	8.5%	4.2%	1.3%	4.6%
	Grade 11	47.6%	25.5%	15.2%	6.0%	3.1%	2.6%
	Grade 12	50.1%	27.9%	12.3%	6.4%	0.9%	2.4%
Steroids?							
	All	49.6%	30.1%	8.9%	5.3%	2.8%	3.2%
	Grade 7	51.2%	37.2%	5.8%	3.4%	0.7%	1.8%
	Grade 8	47.9%	37.4%	6.8%	4.3%	1.4%	2.1%
	Grade 9	49.5%	30.9%	9.9%	6.2%	1.7%	1.7%
	Grade 10	52.2%	25.5%	9.3%	5.5%	2.5%	5.0%
	Grade 11	46.6%	23.1%	11.4%	7.3%	6.6%	4.9%
	Grade 12	50.4%	24.0%	10.8%	5.5%	4.7%	4.6%
Ecstasy?							
	All	56.7%	29.4%	8.0%	2.8%	1.4%	1.6%
	Grade 7	60.5%	32.5%	3.3%	2.5%	0.6%	0.7%
	Grade 8	56.5%	35.1%	5.5%	1.7%	0.5%	0.7%
	Grade 9	58.0%	30.7%	8.0%	1.7%	1.0%	0.7%
	Grade 10	56.8%	26.2%	8.6%	2.9%	2.1%	3.4%
	Grade 11	53.8%	24.3%	12.4%	4.6%	3.1%	1.9%
	Grade 12	53.9%	25.5%	11.5%	4.2%	1.8%	3.0%

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	53.7%	32.8%	8.1%	2.6%	1.2%	1.7%
	Grade 7	58.2%	35.2%	3.7%	2.0%	0.4%	0.6%
	Grade 8	50.7%	39.7%	5.5%	2.2%	0.7%	1.1%
	Grade 9	55.1%	33.0%	8.4%	1.7%	1.2%	0.6%
	Grade 10	53.1%	29.6%	9.0%	2.7%	1.4%	4.2%
	Grade 11	51.0%	28.5%	11.6%	3.8%	2.4%	2.7%
	Grade 12	53.5%	28.9%	11.3%	3.3%	1.1%	1.9%
<b>Methamphetamine?</b>							
	All	53.9%	32.0%	7.7%	3.5%	1.0%	1.9%
	Grade 7	57.8%	35.1%	3.6%	2.5%	0.3%	0.6%
	Grade 8	52.1%	37.5%	5.5%	3.6%	0.6%	0.7%
	Grade 9	55.3%	33.1%	7.7%	2.2%	0.6%	1.1%
	Grade 10	52.9%	28.9%	8.5%	3.9%	1.5%	4.3%
	Grade 11	49.6%	28.4%	11.3%	5.6%	2.0%	3.1%
	Grade 12	55.2%	27.0%	10.5%	3.7%	1.4%	2.2%
<b>Synthetic Marijuana?</b>							
	All	55.0%	27.9%	6.6%	4.0%	2.8%	3.7%
	Grade 7	59.0%	34.2%	3.4%	2.3%	0.4%	0.7%
	Grade 8	56.7%	33.1%	4.9%	2.0%	1.3%	2.0%
	Grade 9	55.8%	27.9%	7.9%	3.8%	2.1%	2.6%
	Grade 10	53.5%	23.6%	6.6%	6.0%	3.7%	6.5%
	Grade 11	50.6%	23.3%	9.3%	4.9%	6.2%	5.7%
	Grade 12	53.4%	23.5%	8.1%	5.6%	3.6%	5.8%
<b>Delta 8?</b>							
	All	53.8%	25.9%	6.3%	4.4%	3.4%	6.2%
	Grade 7	58.0%	33.0%	3.2%	3.4%	0.9%	1.4%
	Grade 8	56.4%	32.1%	4.2%	3.3%	2.1%	2.0%
	Grade 9	55.6%	25.0%	7.0%	4.5%	2.5%	5.4%
	Grade 10	51.5%	22.6%	6.6%	4.3%	4.6%	10.4%
	Grade 11	49.3%	19.3%	9.2%	5.9%	6.3%	10.0%
	Grade 12	50.2%	21.1%	8.6%	5.5%	4.7%	9.9%



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	94.5%	3.4%	1.0%	1.2%
Grade 7	98.4%	1.0%	0.2%	0.4%
Grade 8	95.7%	3.1%	0.7%	0.4%
Grade 9	94.1%	3.6%	1.4%	0.8%
Grade 10	92.2%	4.7%	0.9%	2.2%
Grade 11	91.9%	4.7%	1.3%	2.1%
Grade 12	93.9%	3.4%	1.2%	1.5%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	98.4%	1.1%	0.1%	0.4%
Grade 7	98.9%	0.8%	0.0%	0.3%
Grade 8	97.8%	1.7%	0.3%	0.2%
Grade 9	98.7%	0.8%	0.3%	0.2%
Grade 10	98.0%	1.2%	0.2%	0.6%
Grade 11	97.6%	1.7%	0.1%	0.6%
Grade 12	99.5%	0.4%	0.0%	0.1%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.7
Marijuana Non-Users	4.4
Average Days Conduct Problems Reported	
Marijuana Users	3.7
Marijuana Non-Users	1.7

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	96.2%	2.3%	0.6%	0.8%
Grade 9	98.2%	0.7%	0.5%	0.6%
Grade 10	95.5%	3.2%	0.6%	0.8%
Grade 11	96.1%	2.0%	0.9%	1.0%
Grade 12	94.6%	4.0%	0.5%	0.9%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	98.0%	1.6%	0.3%	0.1%
Grade 7	98.9%	1.0%	0.1%	0.0%
Grade 8	98.3%	1.7%	0.0%	0.0%
Grade 9	98.1%	1.5%	0.2%	0.2%
Grade 10	95.8%	3.3%	0.8%	0.1%
Grade 11	98.0%	1.6%	0.3%	0.2%
Grade 12	98.8%	0.9%	0.2%	0.2%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	73.6%	15.1%	5.4%	4.6%	1.3%
Grade 7	89.1%	7.2%	2.2%	1.2%	0.3%
Grade 8	79.5%	14.2%	3.4%	1.5%	1.5%
Grade 9	75.5%	14.8%	4.7%	4.4%	0.5%
Grade 10	68.6%	16.1%	7.6%	5.6%	2.1%
Grade 11	61.5%	20.1%	7.3%	9.2%	2.0%
Grade 12	63.4%	19.8%	8.2%	6.6%	2.1%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	69.2%	4.0%	2.8%	2.8%	3.3%	2.0%	15.9%
Grade 7	83.2%	2.2%	0.8%	0.6%	0.7%	1.5%	11.0%
Grade 8	78.1%	2.6%	1.9%	1.6%	1.9%	1.4%	12.4%
Grade 9	69.0%	4.1%	2.3%	2.8%	1.7%	3.1%	17.0%
Grade 10	63.4%	5.0%	3.2%	3.8%	6.1%	2.1%	16.5%
Grade 11	57.3%	5.1%	3.9%	4.0%	5.6%	1.8%	22.3%
Grade 12	60.6%	5.9%	5.2%	4.5%	5.0%	1.7%	17.0%

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	74.7%	6.5%	6.5%	1.9%	1.5%	9.0%
Grade 7	85.8%	3.2%	2.8%	0.6%	0.9%	6.6%
Grade 8	81.3%	4.9%	4.9%	1.5%	1.4%	6.0%
Grade 9	72.7%	7.4%	6.4%	0.6%	1.8%	11.1%
Grade 10	72.4%	7.1%	7.2%	2.7%	1.3%	9.3%
Grade 11	71.2%	7.5%	8.2%	3.0%	1.4%	8.7%
Grade 12	61.3%	9.7%	10.4%	3.5%	2.3%	12.8%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	66.2%	13.6%	10.1%	5.6%	4.5%
	Grade 7	78.1%	10.7%	5.3%	1.0%	4.9%
	Grade 8	74.1%	12.6%	6.5%	3.8%	3.0%
	Grade 9	63.3%	14.1%	11.0%	4.7%	7.0%
	Grade 10	63.8%	13.7%	11.2%	8.4%	2.9%
	Grade 11	58.9%	15.6%	13.2%	8.5%	3.8%
	Grade 12	55.7%	15.6%	14.6%	8.9%	5.2%
Cocaine?						
	All	89.1%	5.0%	0.7%	0.5%	4.7%
	Grade 7	88.4%	5.4%	1.4%	0.0%	4.7%
	Grade 8	90.4%	6.1%	0.8%	0.3%	2.4%
	Grade 9	84.0%	6.7%	1.0%	0.8%	7.5%
	Grade 10	91.4%	3.3%	0.1%	1.8%	3.4%
	Grade 11	90.9%	4.1%	0.1%	0.2%	4.7%
	Grade 12	90.6%	3.3%	0.7%	0.1%	5.4%
Crack?						
	All	89.6%	4.3%	0.6%	0.4%	5.1%
	Grade 7	88.2%	4.6%	1.2%	0.0%	6.0%
	Grade 8	90.7%	5.5%	0.6%	0.3%	2.9%
	Grade 9	85.4%	5.6%	0.9%	0.6%	7.5%
	Grade 10	91.4%	3.6%	0.1%	1.6%	3.4%
	Grade 11	91.9%	2.6%	0.3%	0.1%	5.2%
	Grade 12	91.0%	3.2%	0.1%	0.2%	5.5%
Ecstasy?						
	All	84.0%	4.9%	1.0%	0.6%	9.5%
	Grade 7	83.0%	4.4%	1.7%	0.4%	10.5%
	Grade 8	86.9%	5.2%	0.5%	0.3%	7.1%
	Grade 9	77.8%	6.7%	1.9%	0.5%	13.1%
	Grade 10	86.7%	4.6%	0.3%	1.5%	7.0%
	Grade 11	84.2%	5.3%	0.4%	0.7%	9.5%
	Grade 12	86.7%	2.9%	1.0%	0.2%	9.2%
Steroids?						
	All	76.0%	12.1%	3.7%	1.4%	6.8%
	Grade 7	77.2%	10.9%	3.9%	0.9%	7.1%
	Grade 8	76.8%	13.8%	3.8%	1.1%	4.5%
	Grade 9	71.8%	12.9%	3.6%	1.6%	10.0%
	Grade 10	76.9%	11.6%	4.5%	2.1%	4.8%
	Grade 11	76.0%	11.6%	4.1%	2.0%	6.3%
	Grade 12	78.1%	11.4%	2.4%	0.5%	7.6%

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	88.2%	3.8%	0.8%	0.5%	6.6%
	Grade 7	84.8%	5.4%	1.3%	0.3%	8.3%
	Grade 8	90.9%	4.1%	0.5%	0.4%	4.1%
	Grade 9	84.2%	4.5%	1.6%	0.5%	9.2%
	Grade 10	90.3%	3.3%	0.1%	1.5%	4.8%
	Grade 11	90.2%	2.9%	0.2%	0.1%	6.6%
	Grade 12	90.0%	2.4%	1.1%	0.1%	6.4%
<b>Methamphetamine?</b>						
	All	88.4%	4.1%	0.7%	0.4%	6.4%
	Grade 7	85.2%	5.9%	1.3%	0.0%	7.5%
	Grade 8	90.1%	4.6%	0.7%	0.3%	4.3%
	Grade 9	83.8%	5.6%	1.5%	0.5%	8.6%
	Grade 10	90.9%	3.1%	0.2%	1.5%	4.2%
	Grade 11	91.5%	2.4%	0.0%	0.1%	6.0%
	Grade 12	90.3%	1.9%	0.5%	0.1%	7.2%
<b>Synthetic Marijuana?</b>						
	All	81.2%	6.6%	3.1%	1.1%	8.1%
	Grade 7	84.3%	4.7%	2.6%	0.2%	8.3%
	Grade 8	84.9%	7.1%	2.5%	0.7%	4.8%
	Grade 9	75.7%	8.0%	3.5%	1.0%	11.8%
	Grade 10	81.5%	6.2%	2.9%	2.6%	6.8%
	Grade 11	80.8%	6.3%	3.8%	0.9%	8.1%
	Grade 12	80.1%	6.9%	3.1%	1.2%	8.7%
<b>Delta 8?</b>						
	All	75.9%	8.0%	5.2%	2.1%	8.8%
	Grade 7	81.3%	6.5%	3.3%	0.4%	8.5%
	Grade 8	79.8%	8.2%	4.7%	1.8%	5.5%
	Grade 9	70.3%	9.1%	5.3%	2.2%	13.1%
	Grade 10	77.3%	6.9%	5.1%	3.7%	7.1%
	Grade 11	74.5%	7.6%	6.7%	2.2%	9.0%
	Grade 12	72.0%	9.6%	6.4%	2.5%	9.5%
<b>Fictional Drug?</b>						
	All	83.7%	4.0%	0.7%	0.4%	11.2%
	Grade 7	83.7%	4.1%	1.2%	0.0%	11.0%
	Grade 8	86.1%	4.4%	1.0%	0.3%	8.2%
	Grade 9	77.1%	5.9%	1.3%	0.4%	15.3%
	Grade 10	85.6%	3.6%	0.3%	1.6%	8.9%
	Grade 11	85.7%	2.6%	0.1%	0.1%	11.5%
	Grade 12	85.1%	2.6%	0.1%	0.1%	12.1%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	4.2%	6.2%	12.4%	87.6%
Grade 7	4.9%	7.9%	13.1%	86.9%
Grade 8	4.4%	6.9%	14.5%	85.5%
Grade 9	5.2%	7.2%	11.4%	88.6%
Grade 10	3.7%	6.2%	10.6%	89.4%
Grade 11	3.7%	5.1%	14.0%	86.0%
Grade 12	2.8%	3.6%	10.4%	89.6%
<b>Codeine Cough Syrup?</b>				
All	2.4%	4.0%	8.0%	92.0%
Grade 7	2.4%	5.2%	8.8%	91.2%
Grade 8	3.1%	5.6%	10.3%	89.7%
Grade 9	3.3%	4.4%	7.7%	92.3%
Grade 10	2.1%	3.8%	7.0%	93.0%
Grade 11	1.7%	2.5%	8.2%	91.8%
Grade 12	1.2%	2.1%	5.5%	94.5%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.4%	0.6%	1.8%	98.2%
Grade 7	0.2%	0.2%	1.3%	98.7%
Grade 8	0.2%	0.4%	1.4%	98.6%
Grade 9	0.5%	0.9%	2.1%	97.9%
Grade 10	0.4%	0.8%	1.4%	98.6%
Grade 11	0.8%	0.9%	2.6%	97.4%
Grade 12	0.1%	0.1%	2.2%	97.8%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	0.4%	0.7%	2.2%	97.8%
Grade 7	0.3%	0.4%	1.2%	98.8%
Grade 8	0.5%	0.6%	2.2%	97.8%
Grade 9	0.7%	1.4%	2.8%	97.2%
Grade 10	0.3%	0.8%	1.6%	98.4%
Grade 11	0.4%	0.8%	3.9%	96.1%
Grade 12	0.3%	0.4%	1.5%	98.5%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.2%	1.7%	3.9%	96.1%
Grade 7	1.2%	1.7%	2.7%	97.3%
Grade 8	0.8%	1.1%	3.8%	96.2%
Grade 9	1.6%	1.8%	3.7%	96.3%
Grade 10	1.0%	1.8%	3.3%	96.7%
Grade 11	1.2%	2.2%	6.5%	93.5%
Grade 12	1.1%	1.4%	3.6%	96.4%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	1.9%	3.0%	6.1%	93.9%
Grade 7	2.5%	4.1%	7.4%	92.6%
Grade 8	2.0%	2.8%	7.7%	92.3%
Grade 9	2.8%	4.2%	6.8%	93.2%
Grade 10	1.4%	2.5%	4.8%	95.2%
Grade 11	1.0%	1.9%	5.1%	94.9%
Grade 12	1.3%	1.9%	4.3%	95.7%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.0%	1.2%	2.0%	98.0%
Grade 7	1.1%	1.3%	2.7%	97.3%
Grade 8	1.8%	2.4%	3.2%	96.8%
Grade 9	0.6%	0.8%	1.8%	98.2%
Grade 10	0.9%	1.1%	1.3%	98.7%
Grade 11	0.6%	0.6%	1.1%	98.9%
Grade 12	0.9%	1.0%	1.5%	98.5%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	79.1%	9.7%	3.2%	1.1%	6.9%
Grade 7	78.3%	9.9%	3.7%	1.0%	7.1%
Grade 8	79.6%	12.1%	3.7%	1.2%	3.4%
Grade 9	74.5%	9.9%	4.8%	1.0%	9.8%
Grade 10	79.7%	9.4%	3.1%	2.4%	5.4%
Grade 11	81.2%	9.9%	1.8%	0.5%	6.6%
Grade 12	82.7%	6.1%	1.9%	0.5%	8.9%

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.0%	5.5%	11.2%	88.8%
Grade 7	4.8%	6.0%	10.8%	89.2%
Grade 8	4.2%	6.0%	13.3%	86.7%
Grade 9	3.9%	5.0%	9.5%	90.5%
Grade 10	4.8%	6.4%	11.8%	88.2%
Grade 11	3.3%	5.0%	11.0%	89.0%
Grade 12	3.1%	4.2%	10.9%	89.1%
Spray Paint?				
All	0.3%	0.5%	1.7%	98.3%
Grade 7	0.2%	0.4%	1.7%	98.3%
Grade 8	0.1%	0.2%	1.2%	98.8%
Grade 9	0.0%	0.2%	1.6%	98.4%
Grade 10	0.4%	0.5%	1.8%	98.2%
Grade 11	0.8%	1.6%	3.0%	97.0%
Grade 12	0.1%	0.1%	0.8%	99.2%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.8%	1.4%	4.1%	95.9%
Grade 7	0.8%	1.9%	4.6%	95.4%
Grade 8	0.9%	2.2%	5.7%	94.3%
Grade 9	0.1%	0.5%	3.3%	96.7%
Grade 10	1.8%	2.3%	5.4%	94.6%
Grade 11	1.0%	1.4%	2.5%	97.5%
Grade 12	0.1%	0.1%	2.9%	97.1%
Computer Dusting Sprays?				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.2%	0.4%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.9%	99.1%
Grade 10	0.4%	0.4%	1.5%	98.5%
Grade 11	0.2%	0.7%	0.9%	99.1%
Grade 12	0.3%	0.3%	1.1%	98.9%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.1%	1.5%	4.8%	95.2%
Grade 7	1.8%	2.0%	4.9%	95.1%
Grade 8	0.9%	1.5%	5.2%	94.8%
Grade 9	0.8%	1.2%	4.6%	95.4%
Grade 10	1.2%	1.6%	4.7%	95.3%
Grade 11	1.2%	1.5%	5.0%	95.0%
Grade 12	0.8%	1.1%	4.5%	95.5%



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.2%	0.5%	1.4%	98.6%
Grade 7	0.2%	0.7%	1.6%	98.4%
Grade 8	0.1%	0.5%	2.5%	97.5%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.3%	0.6%	1.2%	98.8%
Grade 12	0.4%	0.4%	1.0%	99.0%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.3%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.4%	0.4%	1.4%	98.6%
Grade 11	0.7%	1.1%	1.8%	98.2%
Grade 12	0.2%	0.2%	0.7%	99.3%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.8%	1.0%	2.7%	97.3%
Grade 7	1.2%	1.4%	3.2%	96.8%
Grade 8	1.2%	1.7%	4.0%	96.0%
Grade 9	0.5%	0.6%	2.6%	97.4%
Grade 10	0.8%	1.0%	2.8%	97.2%
Grade 11	0.6%	0.8%	1.8%	98.2%
Grade 12	0.4%	0.4%	1.5%	98.5%
<b>Other Aerosols/Sprays?</b>				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.7%	0.9%	2.7%	97.3%
Grade 8	0.4%	0.8%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.8%	0.9%	1.6%	98.4%
Grade 11	0.5%	0.9%	1.4%	98.6%
Grade 12	0.2%	0.2%	0.7%	99.3%

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.8%	0.1%	0.2%	0.2%	0.4%	0.4%	0.9%
Grade 7	97.5%	0.0%	0.4%	0.1%	0.2%	0.7%	1.1%
Grade 8	97.4%	0.4%	0.0%	0.2%	0.3%	0.2%	1.5%
Grade 9	97.5%	0.3%	0.5%	0.4%	0.8%	0.4%	0.2%
Grade 10	97.7%	0.0%	0.2%	0.0%	0.8%	0.3%	1.0%
Grade 11	98.4%	0.1%	0.0%	0.1%	0.4%	0.1%	0.9%
Grade 12	98.5%	0.0%	0.1%	0.2%	0.1%	0.4%	0.7%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	91.7%	4.4%	2.7%	1.3%
Grade 7	91.0%	3.5%	4.4%	1.1%
Grade 8	89.1%	5.9%	3.5%	1.4%
Grade 9	93.0%	3.7%	2.2%	1.2%
Grade 10	90.6%	5.4%	2.2%	1.8%
Grade 11	92.1%	4.6%	1.8%	1.5%
Grade 12	94.3%	3.1%	1.7%	0.9%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.6	10.3	10.5	12.0	12.9	12.8	12.4

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.9%	0.8%	0.0%	0.2%
Grade 7	99.3%	0.5%	0.1%	0.1%
Grade 8	99.0%	0.9%	0.0%	0.0%
Grade 9	98.7%	1.3%	0.1%	0.0%
Grade 10	98.6%	0.8%	0.1%	0.4%
Grade 11	98.8%	0.8%	0.0%	0.4%
Grade 12	99.1%	0.5%	0.0%	0.4%

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	6.2
Inhalant Non-Users	4.5
Average Days Conduct Problems Reported	
Inhalant Users	3.3
Inhalant Non-Users	1.8

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	94.3%	4.3%	1.0%	0.4%	0.1%
Grade 7	92.6%	5.8%	1.2%	0.2%	0.1%
Grade 8	92.5%	5.8%	1.4%	0.0%	0.3%
Grade 9	94.3%	4.4%	0.6%	0.4%	0.1%
Grade 10	95.3%	3.3%	0.4%	0.9%	0.0%
Grade 11	94.6%	3.4%	1.3%	0.6%	0.1%
Grade 12	96.9%	2.1%	0.6%	0.3%	0.1%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.2%	12.1%	3.5%	1.1%	7.2%
Grade 7	75.9%	12.4%	4.6%	0.4%	6.7%
Grade 8	75.0%	14.9%	4.1%	1.6%	4.3%
Grade 9	71.0%	13.1%	4.1%	1.1%	10.7%
Grade 10	77.1%	11.9%	2.8%	1.6%	6.6%
Grade 11	77.9%	10.8%	3.1%	1.1%	7.2%
Grade 12	82.0%	8.4%	1.9%	0.6%	7.1%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	49.1%	18.4%	4.5%	4.3%	8.1%	15.6%
Grade 7	50.1%	27.7%	3.4%	5.8%	3.9%	9.2%
Grade 8	46.9%	23.8%	4.9%	4.6%	7.7%	12.0%
Grade 9	51.1%	17.0%	5.2%	4.1%	7.1%	15.6%
Grade 10	51.2%	14.7%	3.1%	3.9%	10.7%	16.4%
Grade 11	45.9%	10.0%	6.0%	4.1%	9.1%	25.0%
Grade 12	49.8%	15.2%	4.1%	3.0%	11.2%	16.6%

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	40.3%
	Grade 7	37.7%
	Grade 8	37.2%
	Grade 9	39.7%
	Grade 10	49.4%
	Grade 11	42.3%
	Grade 12	36.7%
An Assembly Program		
	All	48.4%
	Grade 7	54.1%
	Grade 8	51.7%
	Grade 9	43.6%
	Grade 10	47.8%
	Grade 11	48.8%
	Grade 12	43.6%
Guidance Counselor		
	All	31.4%
	Grade 7	35.8%
	Grade 8	33.8%
	Grade 9	25.2%
	Grade 10	29.8%
	Grade 11	36.6%
	Grade 12	26.8%
School Nurse		
	All	17.1%
	Grade 7	16.6%
	Grade 8	17.5%
	Grade 9	15.9%
	Grade 10	18.4%
	Grade 11	19.1%
	Grade 12	15.4%
Science or Social Studies Class		
	All	25.2%
	Grade 7	25.6%
	Grade 8	24.6%
	Grade 9	22.7%
	Grade 10	26.1%
	Grade 11	29.2%
	Grade 12	23.4%

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	17.4%
	Grade 7	12.3%
	Grade 8	16.7%
	Grade 9	16.1%
	Grade 10	19.2%
	Grade 11	22.3%
	Grade 12	18.7%
<b>An Invited School Guest</b>		
	All	37.9%
	Grade 7	40.5%
	Grade 8	43.3%
	Grade 9	32.2%
	Grade 10	37.6%
	Grade 11	38.4%
	Grade 12	35.6%
<b>Another Source at School</b>		
	All	30.7%
	Grade 7	26.1%
	Grade 8	30.5%
	Grade 9	29.5%
	Grade 10	33.4%
	Grade 11	30.0%
	Grade 12	36.4%
<b>Any School Source</b>		
	All	66.3%
	Grade 7	70.6%
	Grade 8	68.0%
	Grade 9	60.5%
	Grade 10	67.1%
	Grade 11	66.2%
	Grade 12	66.2%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	33.5%
	Grade 7	43.5%
	Grade 8	38.2%
	Grade 9	29.6%
	Grade 10	32.1%
	Grade 11	25.7%
	Grade 12	31.0%
<b>School Nurse</b>		
	All	23.5%
	Grade 7	29.4%
	Grade 8	25.8%
	Grade 9	22.5%
	Grade 10	22.2%
	Grade 11	17.8%
	Grade 12	22.9%
<b>Another Adult In School</b>		
	All	37.0%
	Grade 7	41.8%
	Grade 8	41.4%
	Grade 9	31.1%
	Grade 10	37.0%
	Grade 11	34.3%
	Grade 12	36.7%
<b>Counselor/Program Outside-School</b>		
	All	38.3%
	Grade 7	41.8%
	Grade 8	44.5%
	Grade 9	33.9%
	Grade 10	37.9%
	Grade 11	36.2%
	Grade 12	34.7%
<b>Your Parents</b>		
	All	66.8%
	Grade 7	74.3%
	Grade 8	71.6%
	Grade 9	63.6%
	Grade 10	64.4%
	Grade 11	61.7%
	Grade 12	63.8%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
 (Continued)

		Yes
<b>A Medical Doctor</b>		
	All	53.3%
	Grade 7	62.0%
	Grade 8	60.9%
	Grade 9	46.4%
	Grade 10	51.2%
	Grade 11	49.5%
	Grade 12	48.4%
<b>Your Friends</b>		
	All	57.6%
	Grade 7	50.5%
	Grade 8	52.2%
	Grade 9	56.7%
	Grade 10	61.8%
	Grade 11	67.0%
	Grade 12	59.2%
<b>Another Adult</b>		
	All	55.0%
	Grade 7	60.5%
	Grade 8	59.8%
	Grade 9	52.1%
	Grade 10	54.1%
	Grade 11	53.4%
	Grade 12	49.0%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	5.7%
	Grade 7	4.8%
	Grade 8	4.9%
	Grade 9	7.0%
	Grade 10	8.1%
	Grade 11	4.8%
	Grade 12	4.9%

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	6.1%	21.2%	21.8%	35.1%	15.8%
Grade 7	5.1%	16.8%	22.8%	31.4%	23.8%
Grade 8	6.1%	18.5%	19.0%	38.6%	17.9%
Grade 9	7.4%	23.2%	22.6%	35.0%	11.8%
Grade 10	7.2%	23.2%	17.8%	37.5%	14.3%
Grade 11	4.2%	21.5%	25.2%	36.2%	12.9%
Grade 12	6.2%	25.0%	23.7%	31.7%	13.4%
<b>Sometimes Carry Weapons?</b>					
All	74.4%	14.1%	6.5%	2.8%	2.3%
Grade 7	83.6%	10.1%	4.1%	0.8%	1.5%
Grade 8	79.8%	10.8%	5.8%	2.8%	0.9%
Grade 9	76.1%	14.4%	6.1%	1.7%	1.6%
Grade 10	70.4%	15.0%	8.7%	2.3%	3.5%
Grade 11	67.1%	17.2%	7.8%	5.4%	2.5%
Grade 12	66.4%	18.2%	7.2%	4.1%	4.2%
<b>Care About Making Good Grades?</b>					
All	3.5%	12.4%	25.6%	39.9%	18.6%
Grade 7	3.3%	11.6%	24.7%	36.8%	23.7%
Grade 8	1.7%	12.3%	27.3%	39.1%	19.7%
Grade 9	5.0%	13.0%	28.5%	38.0%	15.5%
Grade 10	4.3%	12.2%	23.0%	42.0%	18.6%
Grade 11	3.4%	12.7%	22.9%	44.2%	16.8%
Grade 12	3.5%	13.0%	26.5%	40.2%	16.8%
<b>Belong/Want to Belong to a Gang?</b>					
All	88.6%	7.1%	2.5%	0.8%	0.9%
Grade 7	89.0%	7.3%	2.7%	0.5%	0.5%
Grade 8	85.0%	8.9%	3.9%	1.2%	1.0%
Grade 9	90.6%	5.9%	2.1%	0.4%	1.0%
Grade 10	88.0%	8.4%	1.2%	1.6%	0.9%
Grade 11	87.8%	7.1%	3.2%	0.8%	1.2%
Grade 12	91.7%	5.1%	2.0%	0.3%	1.0%
<b>Wish They Could Drop Out of School?</b>					
All	42.6%	29.7%	15.3%	7.6%	4.8%
Grade 7	50.9%	26.5%	11.5%	6.4%	4.8%
Grade 8	45.2%	30.5%	13.7%	7.3%	3.2%
Grade 9	40.6%	28.3%	18.6%	7.2%	5.4%
Grade 10	39.3%	30.9%	15.0%	8.8%	6.1%
Grade 11	35.7%	34.0%	17.1%	8.1%	5.1%
Grade 12	43.0%	28.6%	16.1%	7.8%	4.6%



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	87.4%	11.1%	0.6%	0.2%	0.6%
Grade 7	87.8%	11.1%	0.2%	0.2%	0.7%
Grade 8	86.1%	12.5%	0.7%	0.2%	0.4%
Grade 9	88.3%	9.9%	0.8%	0.3%	0.7%
Grade 10	83.2%	15.3%	0.6%	0.2%	0.7%
Grade 11	89.4%	10.0%	0.5%	0.0%	0.2%
Grade 12	89.4%	8.2%	0.6%	0.6%	1.2%
<b>Out In Your Neighborhood?</b>					
All	48.6%	40.4%	5.5%	1.9%	3.6%
Grade 7	43.2%	45.1%	7.2%	1.2%	3.3%
Grade 8	44.1%	42.9%	6.3%	3.8%	2.9%
Grade 9	44.9%	40.6%	6.2%	1.4%	6.9%
Grade 10	51.1%	40.8%	5.0%	1.0%	2.0%
Grade 11	54.5%	37.4%	5.2%	1.4%	1.5%
Grade 12	56.7%	34.5%	2.2%	2.2%	4.5%
<b>At School?</b>					
All	33.0%	47.0%	9.4%	5.9%	4.7%
Grade 7	36.5%	43.6%	8.5%	6.0%	5.4%
Grade 8	32.6%	48.4%	8.5%	6.1%	4.4%
Grade 9	28.7%	48.6%	11.0%	6.3%	5.4%
Grade 10	33.0%	43.3%	9.6%	8.0%	6.1%
Grade 11	32.7%	50.3%	11.0%	3.1%	2.8%
Grade 12	35.3%	47.6%	7.5%	5.9%	3.7%

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.3%	15.6%	27.1%	72.9%
Grade 7	7.7%	8.9%	16.6%	83.4%
Grade 8	8.1%	9.4%	19.5%	80.5%
Grade 9	12.8%	15.6%	27.2%	72.8%
Grade 10	16.7%	19.1%	34.5%	65.5%
Grade 11	16.9%	21.1%	33.2%	66.8%
Grade 12	20.0%	22.1%	35.1%	64.9%
<b>Any Alcohol Product</b>				
All	24.9%	29.3%	46.9%	53.1%
Grade 7	15.3%	17.2%	37.0%	63.0%
Grade 8	17.3%	22.0%	44.0%	56.0%
Grade 9	23.6%	28.8%	46.9%	53.1%
Grade 10	31.0%	36.0%	48.9%	51.1%
Grade 11	31.4%	35.7%	54.1%	45.9%
Grade 12	34.1%	39.5%	52.9%	47.1%
<b>Any Illicit Drug</b>				
All	9.9%	13.2%	17.8%	82.2%
Grade 7	3.2%	5.3%	7.4%	92.6%
Grade 8	5.4%	8.6%	10.3%	89.7%
Grade 9	10.6%	12.8%	17.5%	82.5%
Grade 10	14.7%	19.3%	26.4%	73.6%
Grade 11	14.6%	17.9%	22.1%	77.9%
Grade 12	12.7%	17.5%	26.6%	73.4%
<b>Any Prescription Drug</b>				
All	4.2%	6.2%	12.4%	87.6%
Grade 7	4.9%	7.9%	13.1%	86.9%
Grade 8	4.4%	6.9%	14.5%	85.5%
Grade 9	5.2%	7.2%	11.4%	88.6%
Grade 10	3.7%	6.2%	10.6%	89.4%
Grade 11	3.7%	5.1%	14.0%	86.0%
Grade 12	2.8%	3.6%	10.4%	89.6%
<b>Any Inhalant</b>				
All	4.0%	5.5%	11.2%	88.8%
Grade 7	4.8%	6.0%	10.8%	89.2%
Grade 8	4.2%	6.0%	13.3%	86.7%
Grade 9	3.9%	5.0%	9.5%	90.5%
Grade 10	4.8%	6.4%	11.8%	88.2%
Grade 11	3.3%	5.0%	11.0%	89.0%
Grade 12	3.1%	4.2%	10.9%	89.1%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.0%	12.2%	24.1%	75.9%
Grade 7	5.1%	7.2%	14.6%	85.4%
Grade 8	3.7%	6.1%	16.9%	83.1%
Grade 9	9.4%	13.4%	24.9%	75.1%
Grade 10	11.4%	14.5%	29.7%	70.3%
Grade 11	12.7%	16.8%	29.9%	70.1%
Grade 12	13.3%	16.9%	31.9%	68.1%
<b>Marijuana</b>				
All	9.1%	11.4%	15.9%	84.1%
Grade 7	2.6%	3.5%	5.4%	94.6%
Grade 8	4.7%	6.7%	8.1%	91.9%
Grade 9	9.7%	11.4%	15.8%	84.2%
Grade 10	13.3%	16.7%	23.3%	76.7%
Grade 11	14.0%	16.6%	20.9%	79.1%
Grade 12	12.0%	15.7%	25.3%	74.7%
<b>Marijuana Only</b>				
All	3.7%	5.0%	7.8%	92.2%
Grade 7	1.8%	2.5%	3.9%	96.1%
Grade 8	2.1%	3.9%	5.2%	94.8%
Grade 9	4.0%	4.9%	7.1%	92.9%
Grade 10	4.9%	6.5%	11.0%	89.0%
Grade 11	5.2%	6.3%	9.0%	91.0%
Grade 12	4.7%	6.4%	11.8%	88.2%
<b>Cocaine or Crack</b>				
All	0.7%	0.7%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.7%	1.0%	99.0%
Grade 9	1.1%	1.2%	1.2%	98.8%
Grade 10	0.9%	1.0%	2.1%	97.9%
Grade 11	0.8%	0.8%	1.2%	98.8%
Grade 12	0.6%	0.6%	1.5%	98.5%
<b>Cocaine</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.8%	1.0%	1.0%	99.0%
Grade 10	0.3%	0.6%	1.4%	98.6%
Grade 11	0.6%	0.6%	1.0%	99.0%
Grade 12	0.5%	0.5%	1.4%	98.6%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.5%	0.6%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.3%	99.7%
<b>Hallucinogens</b>				
All	0.4%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.6%	1.8%	98.2%
Grade 9	0.4%	0.8%	2.3%	97.7%
Grade 10	0.6%	1.5%	2.8%	97.2%
Grade 11	0.9%	1.7%	2.9%	97.1%
Grade 12	0.6%	1.7%	2.3%	97.7%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.1%	0.1%	0.1%	99.9%
<b>Steroids</b>				
All	0.3%	0.7%	1.8%	98.2%
Grade 7	0.1%	0.5%	1.1%	98.9%
Grade 8	0.1%	0.5%	1.3%	98.7%
Grade 9	0.4%	0.5%	1.3%	98.7%
Grade 10	0.4%	1.3%	3.1%	96.9%
Grade 11	0.3%	0.9%	3.3%	96.7%
Grade 12	0.6%	0.8%	1.0%	99.0%
<b>Ecstasy</b>				
All	0.1%	0.1%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.1%	0.1%	1.2%	98.8%
Grade 10	0.2%	0.2%	1.8%	98.2%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.1%	0.2%	0.6%	99.4%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.1%	0.1%	0.4%	99.6%
	Grade 9	0.1%	0.1%	0.2%	99.8%
	Grade 10	0.4%	0.4%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.0%	0.1%	0.1%	99.9%
Synthetic Marijuana					
	All	1.0%	1.8%	3.4%	96.6%
	Grade 7	0.4%	0.7%	0.8%	99.2%
	Grade 8	0.2%	0.9%	1.6%	98.4%
	Grade 9	1.1%	2.3%	4.2%	95.8%
	Grade 10	2.2%	3.4%	5.8%	94.2%
	Grade 11	1.5%	2.7%	4.6%	95.4%
	Grade 12	0.9%	1.1%	3.9%	96.1%
Methamphetamine					
	All	0.1%	0.2%	0.5%	99.5%
	Grade 7	0.1%	0.1%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.7%	99.3%
	Grade 9	0.3%	0.3%	0.4%	99.6%
	Grade 10	0.3%	0.3%	0.4%	99.6%
	Grade 11	0.1%	0.6%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.2%	99.8%
Delta 8					
	All	2.5%	3.9%	7.2%	92.8%
	Grade 7	1.0%	1.0%	1.5%	98.5%
	Grade 8	0.8%	1.9%	2.7%	97.3%
	Grade 9	2.6%	4.1%	7.4%	92.6%
	Grade 10	4.3%	7.0%	11.2%	88.8%
	Grade 11	4.1%	5.4%	9.6%	90.4%
	Grade 12	2.4%	4.9%	12.7%	87.3%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.2%	14.3%	24.6%	75.4%
Grade 7	5.5%	6.7%	14.1%	85.9%
Grade 8	7.8%	8.6%	18.8%	81.2%
Grade 9	12.5%	14.7%	24.4%	75.6%
Grade 10	12.4%	15.3%	27.0%	73.0%
Grade 11	12.5%	16.1%	30.3%	69.7%
Grade 12	24.9%	27.0%	35.7%	64.3%
<b>Any Alcohol Product</b>				
All	23.8%	28.0%	45.9%	54.1%
Grade 7	13.3%	14.6%	35.4%	64.6%
Grade 8	18.3%	23.7%	44.6%	55.4%
Grade 9	23.1%	27.5%	46.0%	54.0%
Grade 10	25.9%	30.6%	43.0%	57.0%
Grade 11	28.2%	32.1%	53.2%	46.8%
Grade 12	36.5%	42.2%	54.2%	45.8%
<b>Any Illicit Drug</b>				
All	9.0%	12.0%	16.9%	83.1%
Grade 7	2.9%	3.3%	5.8%	94.2%
Grade 8	6.4%	9.4%	11.0%	89.0%
Grade 9	11.0%	12.6%	18.2%	81.8%
Grade 10	10.2%	15.0%	20.3%	79.7%
Grade 11	12.6%	15.8%	19.9%	80.1%
Grade 12	12.0%	17.1%	28.3%	71.7%
<b>Any Prescription Drug</b>				
All	4.0%	6.3%	11.9%	88.1%
Grade 7	5.3%	9.1%	13.1%	86.9%
Grade 8	3.7%	5.9%	14.1%	85.9%
Grade 9	5.2%	7.8%	12.2%	87.8%
Grade 10	4.4%	6.3%	9.7%	90.3%
Grade 11	2.3%	4.8%	11.7%	88.3%
Grade 12	3.0%	3.3%	9.6%	90.4%
<b>Any Inhalant</b>				
All	4.1%	5.3%	10.6%	89.4%
Grade 7	5.8%	7.0%	12.3%	87.7%
Grade 8	3.9%	4.9%	11.6%	88.4%
Grade 9	4.2%	4.5%	9.6%	90.4%
Grade 10	3.1%	5.1%	8.7%	91.3%
Grade 11	4.3%	5.5%	11.2%	88.8%
Grade 12	3.4%	5.0%	9.7%	90.3%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.2%	10.2%	20.5%	79.5%
Grade 7	3.2%	5.3%	11.8%	88.2%
Grade 8	2.9%	4.9%	14.9%	85.1%
Grade 9	7.5%	10.7%	21.0%	79.0%
Grade 10	6.9%	11.0%	19.9%	80.1%
Grade 11	9.2%	12.6%	27.0%	73.0%
Grade 12	15.0%	18.3%	30.8%	69.2%
<b>Marijuana</b>				
All	8.3%	10.3%	14.9%	85.1%
Grade 7	2.4%	2.7%	5.0%	95.0%
Grade 8	5.8%	7.7%	8.7%	91.3%
Grade 9	10.5%	11.5%	16.7%	83.3%
Grade 10	8.9%	11.8%	16.6%	83.4%
Grade 11	11.7%	13.9%	18.3%	81.7%
Grade 12	11.1%	15.2%	26.7%	73.3%
<b>Marijuana Only</b>				
All	3.3%	4.3%	7.0%	93.0%
Grade 7	2.1%	2.3%	4.1%	95.9%
Grade 8	2.2%	4.1%	5.0%	95.0%
Grade 9	3.0%	3.3%	5.7%	94.3%
Grade 10	3.7%	5.1%	8.2%	91.8%
Grade 11	4.5%	5.7%	8.2%	91.8%
Grade 12	4.7%	5.7%	11.6%	88.4%
<b>Cocaine or Crack</b>				
All	0.6%	0.8%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	1.3%	1.6%	1.6%	98.4%
Grade 10	1.3%	1.5%	2.5%	97.5%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.5%	0.5%	2.2%	97.8%
<b>Cocaine</b>				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	1.3%	1.6%	1.6%	98.4%
Grade 10	0.4%	1.0%	1.5%	98.5%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.4%	0.4%	2.0%	98.0%



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.5%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.9%	0.9%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.3%	0.7%	99.3%
<b>Hallucinogens</b>				
All	0.6%	1.2%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.7%	2.1%	97.9%
Grade 9	0.7%	1.5%	4.4%	95.6%
Grade 10	0.9%	1.0%	2.7%	97.3%
Grade 11	1.3%	1.9%	3.4%	96.6%
Grade 12	0.8%	2.4%	3.2%	96.8%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.1%	99.9%
<b>Steroids</b>				
All	0.5%	0.8%	2.1%	97.9%
Grade 7	0.0%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	1.2%	98.8%
Grade 9	0.7%	0.7%	2.2%	97.8%
Grade 10	0.3%	1.6%	2.9%	97.1%
Grade 11	0.5%	0.7%	4.0%	96.0%
Grade 12	1.3%	1.7%	1.9%	98.1%
<b>Ecstasy</b>				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.2%	0.2%	1.5%	98.5%
Grade 10	0.4%	0.4%	2.0%	98.0%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.3%	99.7%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.1%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	0.8%	1.6%	3.1%	96.9%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	1.4%	1.8%	98.2%
Grade 9	1.0%	2.6%	4.9%	95.1%
Grade 10	1.1%	1.7%	3.7%	96.3%
Grade 11	1.3%	2.2%	3.6%	96.4%
Grade 12	1.0%	1.3%	4.5%	95.5%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Delta 8</b>				
All	2.5%	3.8%	7.1%	92.9%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.7%	2.4%	3.0%	97.0%
Grade 9	4.0%	5.9%	9.5%	90.5%
Grade 10	3.5%	4.4%	7.6%	92.4%
Grade 11	3.6%	5.0%	8.7%	91.3%
Grade 12	3.2%	5.0%	14.7%	85.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.4%	16.9%	29.6%	70.4%
Grade 7	9.8%	11.1%	18.4%	81.6%
Grade 8	8.6%	10.4%	20.3%	79.7%
Grade 9	13.1%	16.7%	30.1%	69.9%
Grade 10	21.1%	23.0%	42.3%	57.7%
Grade 11	21.0%	25.9%	35.6%	64.4%
Grade 12	15.0%	16.9%	34.8%	65.2%
<b>Any Alcohol Product</b>				
All	25.8%	30.4%	47.7%	52.3%
Grade 7	16.9%	19.4%	37.7%	62.3%
Grade 8	15.9%	20.0%	43.2%	56.8%
Grade 9	24.1%	30.1%	47.9%	52.1%
Grade 10	36.2%	41.7%	54.9%	45.1%
Grade 11	34.9%	39.7%	55.4%	44.6%
Grade 12	31.0%	36.0%	50.5%	49.5%
<b>Any Illicit Drug</b>				
All	10.8%	14.4%	18.6%	81.4%
Grade 7	3.5%	7.3%	8.4%	91.6%
Grade 8	4.3%	7.7%	9.5%	90.5%
Grade 9	10.3%	13.2%	17.0%	83.0%
Grade 10	19.2%	23.6%	32.7%	67.3%
Grade 11	17.2%	20.3%	24.1%	75.9%
Grade 12	13.2%	17.6%	24.7%	75.3%
<b>Any Prescription Drug</b>				
All	4.3%	6.2%	13.0%	87.0%
Grade 7	4.5%	6.9%	13.4%	86.6%
Grade 8	5.3%	8.2%	15.0%	85.0%
Grade 9	5.2%	6.6%	10.7%	89.3%
Grade 10	3.0%	6.0%	11.4%	88.6%
Grade 11	4.7%	4.9%	16.2%	83.8%
Grade 12	2.6%	3.9%	11.2%	88.8%
<b>Any Inhalant</b>				
All	3.8%	5.5%	11.8%	88.2%
Grade 7	3.4%	4.5%	9.1%	90.9%
Grade 8	4.3%	7.0%	15.0%	85.0%
Grade 9	3.8%	5.4%	9.4%	90.6%
Grade 10	6.5%	7.8%	14.7%	85.3%
Grade 11	2.4%	4.6%	11.1%	88.9%
Grade 12	2.7%	3.5%	12.4%	87.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.9%	14.3%	27.7%	72.3%
Grade 7	7.1%	9.1%	16.7%	83.3%
Grade 8	4.6%	7.5%	19.1%	80.9%
Grade 9	11.3%	16.0%	28.8%	71.2%
Grade 10	16.0%	18.1%	39.8%	60.2%
Grade 11	16.5%	21.5%	32.6%	67.4%
Grade 12	11.4%	15.3%	33.2%	66.8%
<b>Marijuana</b>				
All	9.9%	12.5%	16.8%	83.2%
Grade 7	2.8%	4.3%	5.9%	94.1%
Grade 8	3.5%	5.6%	7.2%	92.8%
Grade 9	9.0%	11.4%	15.0%	85.0%
Grade 10	17.8%	21.8%	30.2%	69.8%
Grade 11	17.0%	19.6%	23.4%	76.6%
Grade 12	12.7%	15.8%	23.8%	76.2%
<b>Marijuana Only</b>				
All	4.1%	5.7%	8.5%	91.5%
Grade 7	1.6%	2.7%	3.8%	96.2%
Grade 8	2.1%	3.8%	5.4%	94.6%
Grade 9	5.1%	6.5%	8.5%	91.5%
Grade 10	6.1%	8.0%	13.9%	86.1%
Grade 11	6.2%	7.2%	9.5%	90.5%
Grade 12	4.4%	6.7%	11.7%	88.3%
<b>Cocaine or Crack</b>				
All	0.7%	0.7%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.7%	0.8%	0.8%	99.2%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.5%	0.5%	1.7%	98.3%
Grade 11	1.2%	1.2%	1.9%	98.1%
Grade 12	0.7%	0.7%	0.9%	99.1%
<b>Cocaine</b>				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	0.8%	0.8%	1.5%	98.5%
Grade 12	0.7%	0.7%	0.9%	99.1%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.2%	0.8%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.6%	1.5%	98.5%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.4%	2.0%	3.0%	97.0%
Grade 11	0.5%	1.6%	2.4%	97.6%
Grade 12	0.3%	0.9%	1.4%	98.6%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.1%	0.7%	1.5%	98.5%
Grade 7	0.2%	0.9%	1.7%	98.3%
Grade 8	0.1%	0.9%	1.3%	98.7%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.6%	1.1%	3.2%	96.8%
Grade 11	0.0%	1.1%	2.6%	97.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.0%	0.1%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.0%	0.1%	0.8%	99.2%
Grade 12	0.0%	0.2%	0.9%	99.1%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.2%	2.0%	3.6%	96.4%
Grade 7	0.3%	0.9%	1.1%	98.9%
Grade 8	0.5%	0.5%	1.4%	98.6%
Grade 9	1.2%	2.0%	3.5%	96.5%
Grade 10	3.3%	5.0%	7.9%	92.1%
Grade 11	1.7%	3.0%	5.4%	94.6%
Grade 12	0.9%	0.9%	3.4%	96.6%
<b>Methamphetamine</b>				
All	0.2%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.1%	1.3%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Delta 8</b>				
All	2.4%	4.0%	7.2%	92.8%
Grade 7	1.6%	1.6%	1.9%	98.1%
Grade 8	1.0%	1.3%	2.4%	97.6%
Grade 9	1.3%	2.5%	5.4%	94.6%
Grade 10	5.2%	9.5%	14.9%	85.1%
Grade 11	4.6%	6.1%	10.5%	89.5%
Grade 12	1.6%	4.7%	10.8%	89.2%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.8%	19.2%	30.8%	69.2%
Grade 7	7.3%	8.2%	14.9%	85.1%
Grade 8	9.4%	11.0%	20.9%	79.1%
Grade 9	14.1%	16.7%	27.6%	72.4%
Grade 10	18.8%	20.9%	37.5%	62.5%
Grade 11	23.4%	28.1%	41.1%	58.9%
Grade 12	30.1%	32.9%	45.9%	54.1%
<b>Any Alcohol Product</b>				
All	28.9%	33.6%	50.3%	49.7%
Grade 7	13.7%	15.9%	36.9%	63.1%
Grade 8	18.9%	20.9%	41.7%	58.3%
Grade 9	26.1%	33.3%	50.1%	49.9%
Grade 10	34.2%	40.4%	54.1%	45.9%
Grade 11	40.0%	45.3%	59.9%	40.1%
Grade 12	43.9%	48.8%	61.2%	38.8%
<b>Any Illicit Drug</b>				
All	10.4%	14.0%	18.5%	81.5%
Grade 7	2.2%	3.6%	4.9%	95.1%
Grade 8	4.9%	6.9%	8.3%	91.7%
Grade 9	11.9%	14.2%	17.8%	82.2%
Grade 10	11.8%	16.9%	24.8%	75.2%
Grade 11	17.0%	21.3%	24.5%	75.5%
Grade 12	15.7%	22.6%	33.7%	66.3%
<b>Any Prescription Drug</b>				
All	4.2%	6.5%	14.0%	86.0%
Grade 7	5.7%	8.6%	15.8%	84.2%
Grade 8	5.1%	7.9%	16.8%	83.2%
Grade 9	4.5%	7.1%	12.8%	87.2%
Grade 10	3.6%	5.6%	9.6%	90.4%
Grade 11	4.2%	6.1%	16.4%	83.6%
Grade 12	1.7%	3.1%	12.5%	87.5%
<b>Any Inhalant</b>				
All	4.3%	5.6%	11.7%	88.3%
Grade 7	4.9%	5.8%	11.4%	88.6%
Grade 8	5.1%	6.9%	13.4%	86.6%
Grade 9	2.7%	4.9%	9.6%	90.4%
Grade 10	4.6%	5.9%	11.2%	88.8%
Grade 11	4.6%	5.7%	12.4%	87.6%
Grade 12	3.6%	4.1%	12.2%	87.8%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.8%	14.3%	26.9%	73.1%
Grade 7	4.9%	7.1%	13.3%	86.7%
Grade 8	4.5%	7.6%	18.9%	81.1%
Grade 9	10.0%	13.6%	23.8%	76.2%
Grade 10	12.2%	15.3%	32.2%	67.8%
Grade 11	17.0%	21.2%	35.6%	64.4%
Grade 12	17.9%	22.9%	40.3%	59.7%
<b>Marijuana</b>				
All	9.6%	12.2%	16.7%	83.3%
Grade 7	1.0%	1.9%	3.0%	97.0%
Grade 8	4.0%	5.1%	6.0%	94.0%
Grade 9	10.9%	12.8%	16.5%	83.5%
Grade 10	11.2%	14.7%	22.0%	78.0%
Grade 11	16.8%	20.5%	23.9%	76.1%
Grade 12	14.9%	19.5%	31.4%	68.6%
<b>Marijuana Only</b>				
All	3.1%	4.1%	6.2%	93.8%
Grade 7	0.9%	1.8%	2.4%	97.6%
Grade 8	1.0%	2.0%	2.6%	97.4%
Grade 9	3.6%	4.4%	5.2%	94.8%
Grade 10	2.7%	3.8%	7.4%	92.6%
Grade 11	5.7%	6.7%	8.6%	91.4%
Grade 12	4.9%	6.6%	12.1%	87.9%
<b>Cocaine or Crack</b>				
All	0.7%	0.7%	1.2%	98.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.7%	0.7%	1.5%	98.5%
Grade 11	0.6%	0.6%	1.3%	98.7%
Grade 12	0.9%	0.9%	2.7%	97.3%
<b>Cocaine</b>				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.6%	0.6%	1.3%	98.7%
Grade 12	0.7%	0.7%	2.6%	97.4%



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.5%	1.2%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.5%	1.7%	98.3%
Grade 9	0.1%	0.9%	2.2%	97.8%
Grade 10	0.6%	0.7%	2.3%	97.7%
Grade 11	1.7%	2.6%	4.1%	95.9%
Grade 12	0.8%	2.7%	3.6%	96.4%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.3%	0.7%	2.3%	97.7%
Grade 7	0.2%	0.8%	1.8%	98.2%
Grade 8	0.1%	0.1%	1.5%	98.5%
Grade 9	0.6%	0.8%	1.5%	98.5%
Grade 10	0.3%	0.3%	2.8%	97.2%
Grade 11	0.5%	1.6%	5.4%	94.6%
Grade 12	0.2%	0.7%	0.7%	99.3%
<b>Ecstasy</b>				
All	0.1%	0.1%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.2%	1.3%	98.7%
Grade 10	0.2%	0.2%	1.5%	98.5%
Grade 11	0.3%	0.3%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.7%	99.3%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.7%	0.7%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.3%	2.2%	4.1%	95.9%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	1.1%	1.6%	98.4%
Grade 9	1.2%	2.1%	5.0%	95.0%
Grade 10	2.8%	4.7%	8.1%	91.9%
Grade 11	2.1%	3.7%	5.6%	94.4%
Grade 12	1.2%	1.6%	4.5%	95.5%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.6%	0.6%	0.8%	99.2%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Delta 8</b>				
All	3.2%	5.1%	9.8%	90.2%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	1.2%	2.6%	3.5%	96.5%
Grade 9	3.8%	6.0%	10.0%	90.0%
Grade 10	5.3%	8.2%	13.3%	86.7%
Grade 11	5.5%	6.8%	13.0%	87.0%
Grade 12	2.6%	6.3%	19.5%	80.5%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.9%	9.5%	20.1%	79.9%
Grade 7	3.1%	3.9%	9.7%	90.3%
Grade 8	6.9%	6.9%	15.2%	84.8%
Grade 9	13.6%	13.6%	27.3%	72.7%
Grade 10	13.9%	13.9%	30.2%	69.8%
Grade 11	9.6%	12.1%	20.9%	79.1%
Grade 12	9.9%	9.9%	24.3%	75.7%
<b>Any Alcohol Product</b>				
All	17.2%	20.3%	39.8%	60.2%
Grade 7	12.1%	13.6%	30.2%	69.8%
Grade 8	14.4%	20.8%	38.6%	61.4%
Grade 9	20.1%	22.4%	42.9%	57.1%
Grade 10	22.6%	23.8%	35.3%	64.7%
Grade 11	21.7%	24.3%	48.2%	51.8%
Grade 12	16.0%	19.5%	45.6%	54.4%
<b>Any Illicit Drug</b>				
All	8.3%	10.0%	13.3%	86.7%
Grade 7	2.6%	3.4%	5.0%	95.0%
Grade 8	6.0%	8.2%	11.1%	88.9%
Grade 9	6.6%	9.0%	11.3%	88.7%
Grade 10	18.2%	21.5%	26.7%	73.3%
Grade 11	12.6%	12.6%	18.1%	81.9%
Grade 12	9.1%	10.6%	14.0%	86.0%
<b>Any Prescription Drug</b>				
All	3.6%	4.5%	9.7%	90.3%
Grade 7	0.8%	3.2%	6.5%	93.5%
Grade 8	1.2%	3.0%	11.9%	88.1%
Grade 9	10.7%	10.7%	15.4%	84.6%
Grade 10	1.9%	2.7%	2.7%	97.3%
Grade 11	4.2%	4.2%	13.7%	86.3%
Grade 12	3.4%	3.4%	6.1%	93.9%
<b>Any Inhalant</b>				
All	1.7%	3.9%	9.1%	90.9%
Grade 7	1.8%	2.6%	6.8%	93.2%
Grade 8	0.0%	3.7%	11.1%	88.9%
Grade 9	4.7%	4.7%	9.0%	91.0%
Grade 10	0.0%	3.2%	3.2%	96.8%
Grade 11	1.3%	5.4%	11.3%	88.7%
Grade 12	2.8%	4.3%	12.0%	88.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.8%	8.0%	18.2%	81.8%
Grade 7	2.3%	3.1%	7.9%	92.1%
Grade 8	2.8%	4.6%	12.3%	87.7%
Grade 9	11.6%	12.5%	26.8%	73.2%
Grade 10	10.9%	10.9%	27.1%	72.9%
Grade 11	8.0%	10.5%	18.4%	81.6%
Grade 12	8.5%	9.3%	23.7%	76.3%
<b>Marijuana</b>				
All	7.9%	9.5%	12.8%	87.2%
Grade 7	2.6%	3.4%	5.0%	95.0%
Grade 8	6.0%	7.2%	10.1%	89.9%
Grade 9	6.6%	9.0%	11.3%	88.7%
Grade 10	16.2%	20.7%	26.0%	74.0%
Grade 11	11.4%	11.4%	16.8%	83.2%
Grade 12	9.3%	10.9%	14.3%	85.7%
<b>Marijuana Only</b>				
All	4.5%	5.9%	9.1%	90.9%
Grade 7	2.5%	3.3%	4.9%	95.1%
Grade 8	3.0%	4.1%	7.0%	93.0%
Grade 9	3.6%	5.8%	8.0%	92.0%
Grade 10	7.8%	11.0%	16.1%	83.9%
Grade 11	7.6%	7.6%	13.0%	87.0%
Grade 12	4.8%	6.3%	9.7%	90.3%
<b>Cocaine or Crack</b>				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	2.0%	2.0%	98.0%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.2%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.8%	3.0%	97.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.0%	0.1%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	2.5%	97.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.0%	0.6%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.8%	1.8%	98.2%
Grade 9	0.0%	0.0%	2.0%	98.0%
Grade 10	0.0%	0.0%	2.1%	97.9%
Grade 11	0.0%	1.3%	3.8%	96.2%
Grade 12	0.0%	0.0%	2.4%	97.6%
<b>Methamphetamine</b>				
All	0.0%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	2.5%	2.5%	97.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	0.5%	1.3%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.8%	1.8%	98.2%
Grade 9	1.1%	1.1%	2.0%	98.0%
Grade 10	3.0%	6.0%	6.0%	94.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.0%	98.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	10.0%	13.3%	25.2%	74.8%
Grade 7	12.0%	13.0%	23.7%	76.3%
Grade 8	6.1%	8.0%	19.6%	80.4%
Grade 9	9.9%	15.2%	26.0%	74.0%
Grade 10	13.0%	17.9%	29.2%	70.8%
Grade 11	10.2%	15.1%	29.2%	70.8%
Grade 12	9.5%	11.5%	24.7%	75.3%
<b>Any Alcohol Product</b>				
All	22.7%	27.7%	45.9%	54.1%
Grade 7	21.2%	21.9%	42.3%	57.7%
Grade 8	16.3%	23.6%	50.8%	49.2%
Grade 9	21.3%	25.7%	44.2%	55.8%
Grade 10	27.9%	33.8%	45.6%	54.4%
Grade 11	24.2%	28.5%	48.7%	51.3%
Grade 12	27.4%	35.5%	43.8%	56.2%
<b>Any Illicit Drug</b>				
All	9.6%	13.3%	19.2%	80.8%
Grade 7	5.3%	9.0%	12.8%	87.2%
Grade 8	5.8%	11.0%	12.3%	87.7%
Grade 9	10.1%	12.5%	20.5%	79.5%
Grade 10	17.6%	20.9%	27.3%	72.7%
Grade 11	10.9%	14.9%	20.7%	79.3%
Grade 12	9.5%	12.9%	23.5%	76.5%
<b>Any Prescription Drug</b>				
All	4.3%	6.3%	10.6%	89.4%
Grade 7	6.9%	9.9%	12.5%	87.5%
Grade 8	5.2%	7.8%	12.6%	87.4%
Grade 9	3.2%	5.4%	6.7%	93.3%
Grade 10	4.3%	6.6%	14.2%	85.8%
Grade 11	2.7%	4.0%	10.1%	89.9%
Grade 12	3.6%	4.0%	8.6%	91.4%
<b>Any Inhalant</b>				
All	4.6%	5.6%	11.2%	88.8%
Grade 7	6.1%	8.2%	12.0%	88.0%
Grade 8	5.3%	5.3%	14.2%	85.8%
Grade 9	5.8%	5.8%	9.6%	90.4%
Grade 10	5.6%	6.6%	14.7%	85.3%
Grade 11	2.8%	3.9%	9.0%	91.0%
Grade 12	1.1%	3.7%	8.0%	92.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.9%	10.8%	22.9%	77.1%
Grade 7	7.9%	9.6%	20.4%	79.6%
Grade 8	1.6%	3.5%	15.6%	84.4%
Grade 9	6.7%	13.4%	25.4%	74.6%
Grade 10	9.5%	14.2%	24.6%	75.4%
Grade 11	8.4%	13.4%	28.7%	71.3%
Grade 12	8.1%	11.5%	23.9%	76.1%
<b>Marijuana</b>				
All	8.6%	10.8%	16.4%	83.6%
Grade 7	5.3%	5.9%	9.5%	90.5%
Grade 8	4.9%	8.3%	9.3%	90.7%
Grade 9	8.9%	10.3%	17.3%	82.7%
Grade 10	14.9%	17.3%	23.4%	76.6%
Grade 11	10.6%	13.1%	18.6%	81.4%
Grade 12	8.2%	11.8%	22.8%	77.2%
<b>Marijuana Only</b>				
All	4.2%	5.7%	9.6%	90.4%
Grade 7	2.9%	2.9%	5.5%	94.5%
Grade 8	3.4%	6.7%	7.7%	92.3%
Grade 9	5.0%	5.3%	9.9%	90.1%
Grade 10	7.3%	8.7%	14.5%	85.5%
Grade 11	3.1%	5.4%	7.5%	92.5%
Grade 12	3.6%	5.8%	13.4%	86.6%
<b>Cocaine or Crack</b>				
All	0.7%	0.9%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.7%	1.2%	1.2%	98.8%
Grade 9	1.7%	1.7%	1.7%	98.3%
Grade 10	0.5%	0.8%	1.3%	98.7%
Grade 11	1.0%	1.0%	1.3%	98.7%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Cocaine</b>				
All	0.6%	0.6%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	1.7%	1.7%	1.7%	98.3%
Grade 10	0.0%	0.3%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.4%	99.6%



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	1.2%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	1.0%	1.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.4%	0.7%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.6%	0.6%	2.8%	97.2%
Grade 10	1.3%	2.0%	3.4%	96.6%
Grade 11	0.3%	0.5%	1.0%	99.0%
Grade 12	0.3%	1.0%	1.7%	98.3%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.3%	1.3%	1.3%	98.7%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	1.1%	1.8%	98.2%
Grade 7	0.0%	0.6%	0.6%	99.4%
Grade 8	0.0%	1.3%	2.0%	98.0%
Grade 9	0.2%	0.2%	1.4%	98.6%
Grade 10	0.5%	3.3%	4.6%	95.4%
Grade 11	0.0%	0.2%	0.5%	99.5%
Grade 12	1.6%	1.6%	2.0%	98.0%
<b>Ecstasy</b>				
All	0.1%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.5%	0.5%	3.0%	97.0%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.4%	0.7%	99.3%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.1%	1.7%	3.0%	97.0%
Grade 7	0.6%	1.8%	2.2%	97.8%
Grade 8	0.0%	0.0%	1.6%	98.4%
Grade 9	1.6%	3.2%	3.5%	96.5%
Grade 10	2.5%	3.3%	4.1%	95.9%
Grade 11	1.6%	1.6%	3.4%	96.6%
Grade 12	0.3%	0.3%	3.3%	96.7%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Delta 8</b>				
All	2.4%	3.2%	5.9%	94.1%
Grade 7	1.8%	1.8%	3.3%	96.7%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	1.8%	2.4%	5.9%	94.1%
Grade 10	3.6%	4.3%	9.0%	91.0%
Grade 11	4.0%	5.7%	8.9%	91.1%
Grade 12	3.3%	5.4%	8.3%	91.7%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.4%	11.4%	22.9%	77.1%
Grade 7	4.0%	4.8%	10.3%	89.7%
Grade 8	2.9%	3.3%	10.0%	90.0%
Grade 9	8.4%	11.0%	21.1%	78.9%
Grade 10	9.2%	10.5%	27.8%	72.2%
Grade 11	13.5%	17.3%	31.9%	68.1%
Grade 12	15.7%	17.8%	30.9%	69.1%
<b>Any Alcohol Product</b>				
All	20.8%	25.6%	45.2%	54.8%
Grade 7	9.5%	11.6%	32.5%	67.5%
Grade 8	12.4%	18.9%	42.9%	57.1%
Grade 9	16.4%	21.1%	45.8%	54.2%
Grade 10	25.1%	29.0%	45.9%	54.1%
Grade 11	30.4%	35.4%	52.2%	47.8%
Grade 12	26.6%	32.6%	47.8%	52.2%
<b>Any Illicit Drug</b>				
All	7.0%	10.1%	14.0%	86.0%
Grade 7	1.0%	3.5%	3.5%	96.5%
Grade 8	3.0%	7.3%	8.9%	91.1%
Grade 9	6.3%	7.9%	11.5%	88.5%
Grade 10	9.0%	11.5%	17.1%	82.9%
Grade 11	10.6%	13.5%	17.3%	82.7%
Grade 12	10.1%	14.6%	22.6%	77.4%
<b>Any Prescription Drug</b>				
All	4.3%	6.0%	11.6%	88.4%
Grade 7	5.5%	8.1%	13.9%	86.1%
Grade 8	3.4%	4.6%	11.6%	88.4%
Grade 9	6.9%	9.0%	11.6%	88.4%
Grade 10	4.8%	8.3%	11.8%	88.2%
Grade 11	2.5%	2.8%	10.0%	90.0%
Grade 12	2.9%	4.1%	11.2%	88.8%
<b>Any Inhalant</b>				
All	2.1%	3.2%	8.3%	91.7%
Grade 7	2.2%	3.6%	7.6%	92.4%
Grade 8	2.0%	2.2%	9.2%	90.8%
Grade 9	1.5%	2.5%	5.6%	94.4%
Grade 10	4.0%	4.2%	9.0%	91.0%
Grade 11	2.5%	3.9%	10.1%	89.9%
Grade 12	0.7%	2.8%	7.9%	92.1%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.3%	9.9%	20.3%	79.7%
Grade 7	2.8%	4.8%	9.0%	91.0%
Grade 8	2.7%	3.2%	9.2%	90.8%
Grade 9	7.3%	10.1%	19.0%	81.0%
Grade 10	7.0%	8.7%	24.5%	75.5%
Grade 11	11.2%	15.1%	28.5%	71.5%
Grade 12	10.7%	14.3%	26.9%	73.1%
<b>Marijuana</b>				
All	6.1%	8.5%	12.5%	87.5%
Grade 7	1.0%	2.7%	2.7%	97.3%
Grade 8	2.8%	5.6%	7.0%	93.0%
Grade 9	4.5%	6.2%	10.0%	90.0%
Grade 10	7.6%	9.1%	14.7%	85.3%
Grade 11	10.0%	12.7%	16.4%	83.6%
Grade 12	8.9%	12.9%	21.5%	78.5%
<b>Marijuana Only</b>				
All	2.7%	4.0%	6.3%	93.7%
Grade 7	0.2%	1.9%	1.9%	98.1%
Grade 8	2.1%	4.3%	5.5%	94.5%
Grade 9	2.3%	3.2%	5.0%	95.0%
Grade 10	2.2%	3.1%	6.1%	93.9%
Grade 11	4.1%	5.1%	8.3%	91.7%
Grade 12	4.3%	5.7%	9.7%	90.3%
<b>Cocaine or Crack</b>				
All	0.6%	0.6%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	0.6%	0.6%	2.3%	97.7%
Grade 11	1.1%	1.1%	1.8%	98.2%
Grade 12	0.2%	0.2%	0.9%	99.1%
<b>Cocaine</b>				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.7%	0.7%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.8%	99.2%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.4%	99.6%
<b>Hallucinogens</b>				
All	0.3%	0.8%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.3%	0.7%	1.4%	98.6%
Grade 10	0.5%	1.9%	2.5%	97.5%
Grade 11	0.6%	0.6%	1.0%	99.0%
Grade 12	0.5%	1.3%	2.1%	97.9%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.8%	0.8%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.9%	2.1%	97.9%
Grade 7	0.0%	1.2%	2.0%	98.0%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	0.7%	1.2%	3.8%	96.2%
Grade 11	0.2%	1.1%	3.8%	96.2%
Grade 12	1.0%	1.3%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.9%	99.1%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.6%	99.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.6%	1.0%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.2%	0.9%	2.2%	97.8%
Grade 10	1.1%	1.7%	3.1%	96.9%
Grade 11	1.3%	2.2%	2.6%	97.4%
Grade 12	0.7%	0.7%	5.3%	94.7%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Delta 8</b>				
All	1.8%	2.7%	5.5%	94.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	1.5%	2.3%	4.1%	95.9%
Grade 10	2.4%	4.5%	8.0%	92.0%
Grade 11	3.5%	4.2%	7.4%	92.6%
Grade 12	2.3%	4.2%	11.2%	88.8%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.1%	18.6%	30.0%	70.0%
Grade 7	9.5%	10.9%	19.8%	80.2%
Grade 8	10.8%	12.4%	24.4%	75.6%
Grade 9	15.5%	18.5%	31.0%	69.0%
Grade 10	21.9%	25.1%	39.1%	60.9%
Grade 11	20.6%	25.1%	34.5%	65.5%
Grade 12	24.4%	26.6%	38.5%	61.5%
<b>Any Alcohol Product</b>				
All	27.5%	31.7%	48.2%	51.8%
Grade 7	18.3%	20.1%	39.5%	60.5%
Grade 8	19.5%	23.5%	45.0%	55.0%
Grade 9	28.1%	33.6%	47.7%	52.3%
Grade 10	35.0%	40.9%	51.0%	49.0%
Grade 11	32.5%	36.1%	56.2%	43.8%
Grade 12	40.5%	45.4%	56.7%	43.3%
<b>Any Illicit Drug</b>				
All	11.9%	15.3%	20.5%	79.5%
Grade 7	4.3%	6.2%	9.3%	90.7%
Grade 8	6.6%	9.4%	11.2%	88.8%
Grade 9	13.2%	15.9%	21.2%	78.8%
Grade 10	18.6%	24.7%	32.9%	67.1%
Grade 11	18.8%	22.4%	27.1%	72.9%
Grade 12	15.4%	20.5%	30.9%	69.1%
<b>Any Prescription Drug</b>				
All	4.1%	6.3%	12.9%	87.1%
Grade 7	4.6%	7.8%	12.8%	87.2%
Grade 8	5.0%	7.4%	15.4%	84.6%
Grade 9	4.1%	6.1%	11.3%	88.7%
Grade 10	2.9%	4.7%	9.7%	90.3%
Grade 11	4.9%	7.5%	18.2%	81.8%
Grade 12	2.7%	3.3%	9.9%	90.1%
<b>Any Inhalant</b>				
All	5.3%	7.0%	13.3%	86.7%
Grade 7	6.1%	7.2%	12.5%	87.5%
Grade 8	5.4%	8.0%	15.5%	84.5%
Grade 9	5.4%	6.5%	11.9%	88.1%
Grade 10	5.3%	8.0%	13.7%	86.3%
Grade 11	4.2%	6.1%	11.9%	88.1%
Grade 12	5.3%	5.7%	13.9%	86.1%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.2%	13.8%	26.8%	73.2%
Grade 7	6.3%	8.4%	17.5%	82.5%
Grade 8	4.3%	7.6%	20.9%	79.1%
Grade 9	10.7%	15.4%	28.5%	71.5%
Grade 10	14.5%	18.6%	33.4%	66.6%
Grade 11	14.3%	18.6%	31.3%	68.7%
Grade 12	16.0%	19.9%	36.0%	64.0%
Marijuana				
All	11.2%	13.4%	18.3%	81.7%
Grade 7	3.4%	3.9%	6.8%	93.2%
Grade 8	5.7%	7.4%	8.8%	91.2%
Grade 9	12.9%	14.6%	19.4%	80.6%
Grade 10	17.3%	22.1%	29.4%	70.6%
Grade 11	18.3%	20.6%	25.6%	74.4%
Grade 12	15.2%	18.6%	29.6%	70.4%
Marijuana Only				
All	4.4%	5.7%	8.8%	91.2%
Grade 7	2.6%	2.8%	4.9%	95.1%
Grade 8	2.2%	3.9%	5.1%	94.9%
Grade 9	5.2%	6.0%	8.5%	91.5%
Grade 10	6.8%	9.0%	14.4%	85.6%
Grade 11	6.3%	7.6%	9.6%	90.4%
Grade 12	5.2%	7.2%	14.2%	85.8%
Cocaine or Crack				
All	0.7%	0.8%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.8%	0.9%	1.2%	98.8%
Grade 9	1.1%	1.3%	1.3%	98.7%
Grade 10	1.1%	1.3%	2.0%	98.0%
Grade 11	0.5%	0.5%	0.6%	99.4%
Grade 12	1.0%	1.0%	2.1%	97.9%
Cocaine				
All	0.6%	0.7%	1.0%	99.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	1.1%	1.3%	1.3%	98.7%
Grade 10	0.5%	1.0%	1.6%	98.4%
Grade 11	0.5%	0.5%	0.6%	99.4%
Grade 12	1.0%	1.0%	2.1%	97.9%



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.6%	0.6%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.1%	0.3%	99.7%
<b>Hallucinogens</b>				
All	0.5%	1.2%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	1.0%	2.6%	97.4%
Grade 9	0.5%	0.9%	2.8%	97.2%
Grade 10	0.7%	1.2%	3.0%	97.0%
Grade 11	1.2%	2.9%	4.8%	95.2%
Grade 12	0.7%	2.0%	2.6%	97.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.1%	99.9%
<b>Steroids</b>				
All	0.3%	0.6%	1.6%	98.4%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.1%	0.6%	1.6%	98.4%
Grade 9	0.5%	0.5%	1.6%	98.4%
Grade 10	0.2%	1.4%	2.7%	97.3%
Grade 11	0.3%	0.7%	2.9%	97.1%
Grade 12	0.3%	0.5%	0.7%	99.3%
<b>Ecstasy</b>				
All	0.0%	0.1%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.1%	0.1%	2.5%	97.5%
Grade 11	0.0%	0.1%	0.9%	99.1%
Grade 12	0.1%	0.3%	0.6%	99.4%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.1%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	1.3%	2.4%	4.0%	96.0%
Grade 7	0.5%	1.0%	1.1%	98.9%
Grade 8	0.3%	1.4%	2.0%	98.0%
Grade 9	1.7%	3.2%	5.3%	94.7%
Grade 10	3.0%	4.6%	7.7%	92.3%
Grade 11	1.7%	3.1%	6.6%	93.4%
Grade 12	1.2%	1.5%	2.8%	97.2%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.1%	1.2%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Delta 8</b>				
All	2.9%	4.7%	8.4%	91.6%
Grade 7	1.5%	1.5%	2.3%	97.7%
Grade 8	1.3%	2.8%	3.7%	96.3%
Grade 9	3.3%	5.2%	9.4%	90.6%
Grade 10	5.6%	8.7%	13.5%	86.5%
Grade 11	4.7%	6.8%	11.8%	88.2%
Grade 12	2.6%	5.6%	14.5%	85.5%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	10.9%	12.4%	21.6%	78.4%
Grade 7	5.0%	6.1%	11.4%	88.6%
Grade 8	8.0%	8.3%	18.0%	82.0%
Grade 9	9.1%	11.4%	19.5%	80.5%
Grade 10	14.5%	16.2%	27.9%	72.1%
Grade 11	13.3%	16.6%	29.7%	70.3%
Grade 12	17.8%	18.6%	27.2%	72.8%
<b>Any Alcohol Product</b>				
All	22.7%	26.7%	42.7%	57.3%
Grade 7	12.9%	15.1%	34.7%	65.3%
Grade 8	16.6%	19.3%	40.0%	60.0%
Grade 9	22.7%	27.8%	41.6%	58.4%
Grade 10	26.9%	31.3%	42.0%	58.0%
Grade 11	27.8%	32.5%	50.0%	50.0%
Grade 12	33.1%	38.6%	50.3%	49.7%
<b>Any Illicit Drug</b>				
All	6.9%	10.3%	13.6%	86.4%
Grade 7	1.8%	3.6%	5.1%	94.9%
Grade 8	3.3%	6.7%	7.5%	92.5%
Grade 9	6.5%	8.6%	11.6%	88.4%
Grade 10	10.3%	15.1%	21.6%	78.4%
Grade 11	10.2%	14.6%	18.0%	82.0%
Grade 12	11.1%	16.2%	21.7%	78.3%
<b>Any Prescription Drug</b>				
All	3.7%	5.7%	11.1%	88.9%
Grade 7	5.1%	8.4%	14.1%	85.9%
Grade 8	4.9%	6.8%	15.6%	84.4%
Grade 9	2.5%	4.4%	7.0%	93.0%
Grade 10	3.3%	6.3%	9.1%	90.9%
Grade 11	3.7%	4.4%	11.9%	88.1%
Grade 12	2.4%	3.3%	7.5%	92.5%
<b>Any Inhalant</b>				
All	4.2%	5.4%	10.4%	89.6%
Grade 7	5.9%	7.0%	9.8%	90.2%
Grade 8	4.9%	6.3%	12.9%	87.1%
Grade 9	3.6%	4.5%	9.5%	90.5%
Grade 10	4.8%	6.4%	10.8%	89.2%
Grade 11	3.7%	5.2%	9.8%	90.2%
Grade 12	1.8%	2.6%	9.1%	90.9%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.9%	8.9%	18.4%	81.6%
Grade 7	2.7%	4.2%	9.8%	90.2%
Grade 8	4.6%	5.6%	14.1%	85.9%
Grade 9	7.3%	9.9%	17.5%	82.5%
Grade 10	7.9%	9.7%	22.1%	77.9%
Grade 11	9.8%	13.1%	26.8%	73.2%
Grade 12	10.5%	12.6%	23.4%	76.6%
<b>Marijuana</b>				
All	6.2%	8.4%	11.4%	88.6%
Grade 7	1.2%	1.5%	2.8%	97.2%
Grade 8	2.7%	4.4%	4.7%	95.3%
Grade 9	5.8%	7.2%	10.2%	89.8%
Grade 10	8.9%	11.9%	17.4%	82.6%
Grade 11	9.8%	13.0%	16.5%	83.5%
Grade 12	10.8%	15.1%	20.8%	79.2%
<b>Marijuana Only</b>				
All	2.5%	3.7%	5.4%	94.6%
Grade 7	0.6%	1.0%	1.8%	98.2%
Grade 8	1.7%	3.2%	3.6%	96.4%
Grade 9	1.8%	2.2%	3.1%	96.9%
Grade 10	3.3%	4.7%	9.3%	90.7%
Grade 11	3.3%	4.8%	6.3%	93.7%
Grade 12	5.1%	7.3%	10.1%	89.9%
<b>Cocaine or Crack</b>				
All	0.7%	0.7%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.5%	0.8%	0.8%	99.2%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	1.1%	1.3%	2.8%	97.2%
Grade 11	1.0%	1.0%	1.7%	98.3%
Grade 12	0.4%	0.4%	0.6%	99.4%
<b>Cocaine</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	0.2%	0.8%	1.8%	98.2%
Grade 11	0.6%	0.6%	1.3%	98.7%
Grade 12	0.2%	0.2%	0.4%	99.6%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.8%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.9%	0.9%	1.4%	98.6%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.2%	99.8%
<b>Hallucinogens</b>				
All	0.3%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.7%	99.3%
Grade 9	0.3%	0.3%	1.9%	98.1%
Grade 10	0.3%	1.1%	2.1%	97.9%
Grade 11	0.9%	1.0%	2.4%	97.6%
Grade 12	0.4%	1.2%	1.6%	98.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.3%	0.7%	1.7%	98.3%
Grade 7	0.0%	0.8%	1.6%	98.4%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.7%	0.8%	1.8%	98.2%
Grade 10	0.5%	1.8%	3.0%	97.0%
Grade 11	0.3%	0.3%	2.4%	97.6%
Grade 12	0.4%	0.8%	1.0%	99.0%
<b>Ecstasy</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.3%	0.3%	1.7%	98.3%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.8%	1.5%	2.5%	97.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.6%	0.8%	99.2%
Grade 9	1.2%	2.4%	4.1%	95.9%
Grade 10	1.1%	2.4%	3.4%	96.6%
Grade 11	1.5%	2.7%	4.2%	95.8%
Grade 12	0.6%	0.8%	2.4%	97.6%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	1.6%	2.8%	5.3%	94.7%
Grade 7	0.7%	0.7%	1.3%	98.7%
Grade 8	0.0%	0.6%	1.4%	98.6%
Grade 9	2.0%	2.9%	5.1%	94.9%
Grade 10	1.6%	5.2%	7.3%	92.7%
Grade 11	3.9%	4.4%	8.0%	92.0%
Grade 12	1.8%	4.1%	10.9%	89.1%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.4%	19.6%	33.9%	66.1%
Grade 7	11.4%	12.9%	24.2%	75.8%
Grade 8	8.0%	10.6%	21.4%	78.6%
Grade 9	16.8%	20.4%	36.0%	64.0%
Grade 10	19.7%	21.9%	42.1%	57.9%
Grade 11	21.2%	26.6%	37.4%	62.6%
Grade 12	22.7%	26.3%	44.4%	55.6%
<b>Any Alcohol Product</b>				
All	27.5%	32.5%	52.2%	47.8%
Grade 7	19.0%	20.7%	40.9%	59.1%
Grade 8	18.0%	25.5%	48.4%	51.6%
Grade 9	24.6%	30.0%	53.1%	46.9%
Grade 10	35.2%	41.2%	56.9%	43.1%
Grade 11	35.4%	39.3%	58.7%	41.3%
Grade 12	35.5%	40.7%	56.1%	43.9%
<b>Any Illicit Drug</b>				
All	13.4%	16.5%	22.9%	77.1%
Grade 7	5.1%	7.8%	10.8%	89.2%
Grade 8	7.7%	10.7%	13.8%	86.2%
Grade 9	15.1%	17.6%	24.2%	75.8%
Grade 10	18.9%	23.3%	31.4%	68.6%
Grade 11	19.7%	21.8%	26.9%	73.1%
Grade 12	14.7%	19.0%	32.5%	67.5%
<b>Any Prescription Drug</b>				
All	4.7%	6.9%	14.0%	86.0%
Grade 7	4.6%	7.1%	11.9%	88.1%
Grade 8	3.9%	7.2%	13.0%	87.0%
Grade 9	8.0%	10.1%	15.8%	84.2%
Grade 10	4.3%	6.2%	12.5%	87.5%
Grade 11	3.7%	5.9%	16.6%	83.4%
Grade 12	3.3%	3.9%	13.8%	86.2%
<b>Any Inhalant</b>				
All	3.8%	5.4%	12.1%	87.9%
Grade 7	3.6%	4.8%	12.5%	87.5%
Grade 8	3.0%	5.4%	12.8%	87.2%
Grade 9	4.1%	5.4%	9.3%	90.7%
Grade 10	4.9%	6.2%	12.9%	87.1%
Grade 11	2.9%	4.8%	12.5%	87.5%
Grade 12	4.6%	6.1%	13.1%	86.9%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.7%	16.2%	31.2%	68.8%
Grade 7	8.6%	11.5%	21.7%	78.3%
Grade 8	2.6%	6.9%	20.4%	79.6%
Grade 9	11.9%	17.4%	33.3%	66.7%
Grade 10	15.9%	19.5%	38.3%	61.7%
Grade 11	16.0%	21.2%	33.6%	66.4%
Grade 12	16.5%	22.1%	42.0%	58.0%
<b>Marijuana</b>				
All	12.5%	14.9%	21.2%	78.8%
Grade 7	4.7%	6.2%	9.0%	91.0%
Grade 8	6.9%	9.5%	12.1%	87.9%
Grade 9	14.0%	16.0%	22.0%	78.0%
Grade 10	17.7%	21.5%	29.6%	70.4%
Grade 11	19.0%	20.8%	26.0%	74.0%
Grade 12	13.5%	16.4%	30.8%	69.2%
<b>Marijuana Only</b>				
All	5.1%	6.5%	10.6%	89.4%
Grade 7	3.5%	4.6%	6.9%	93.1%
Grade 8	2.7%	5.0%	7.3%	92.7%
Grade 9	6.7%	8.0%	11.7%	88.3%
Grade 10	5.8%	7.8%	12.3%	87.7%
Grade 11	7.5%	8.2%	12.2%	87.8%
Grade 12	4.3%	5.4%	14.0%	86.0%
<b>Cocaine or Crack</b>				
All	0.6%	0.6%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	1.1%	1.5%	1.5%	98.5%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.9%	0.9%	2.7%	97.3%
<b>Cocaine</b>				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	0.6%	0.9%	0.9%	99.1%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.9%	0.9%	2.7%	97.3%



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.1%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.6%	1.6%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.1%	1.4%	3.3%	96.7%
Grade 9	0.6%	1.4%	2.6%	97.4%
Grade 10	1.1%	1.9%	3.7%	96.3%
Grade 11	1.0%	2.5%	3.5%	96.5%
Grade 12	0.8%	2.3%	3.1%	96.9%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.5%	0.5%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.1%	99.9%
<b>Steroids</b>				
All	0.3%	0.7%	1.9%	98.1%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.9%	1.9%	98.1%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.3%	0.9%	3.3%	96.7%
Grade 11	0.2%	1.5%	4.4%	95.6%
Grade 12	0.9%	0.9%	0.9%	99.1%
<b>Ecstasy</b>				
All	0.0%	0.1%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	1.7%	98.3%
Grade 10	0.2%	0.2%	1.9%	98.1%
Grade 11	0.0%	0.1%	0.8%	99.2%
Grade 12	0.1%	0.4%	1.3%	98.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.1%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	1.3%	2.2%	4.4%	95.6%
Grade 7	0.4%	1.1%	1.4%	98.6%
Grade 8	0.5%	1.4%	2.2%	97.8%
Grade 9	1.0%	2.1%	4.3%	95.7%
Grade 10	3.6%	4.7%	8.8%	91.2%
Grade 11	1.4%	2.7%	5.0%	95.0%
Grade 12	1.3%	1.5%	5.7%	94.3%
<b>Methamphetamine</b>				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.1%	1.3%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.5%	99.5%
<b>Delta 8</b>				
All	3.6%	5.3%	9.5%	90.5%
Grade 7	1.6%	1.6%	1.8%	98.2%
Grade 8	1.9%	3.5%	4.0%	96.0%
Grade 9	3.4%	5.6%	9.8%	90.2%
Grade 10	7.7%	9.2%	16.1%	83.9%
Grade 11	4.3%	6.6%	11.4%	88.6%
Grade 12	3.1%	5.8%	15.0%	85.0%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.2%	13.3%	24.7%	75.3%
Grade 7	6.3%	7.3%	15.4%	84.6%
Grade 8	6.8%	8.2%	16.9%	83.1%
Grade 9	10.7%	13.2%	24.9%	75.1%
Grade 10	15.3%	17.7%	32.4%	67.6%
Grade 11	14.3%	17.8%	31.4%	68.6%
Grade 12	16.6%	18.8%	32.3%	67.7%
<b>Any Alcohol Product</b>				
All	22.7%	27.4%	45.9%	54.1%
Grade 7	13.5%	15.6%	34.7%	65.3%
Grade 8	15.4%	19.7%	42.6%	57.4%
Grade 9	21.6%	26.8%	46.2%	53.8%
Grade 10	29.3%	34.6%	47.7%	52.3%
Grade 11	30.6%	36.1%	55.1%	44.9%
Grade 12	30.8%	37.2%	53.1%	46.9%
<b>Any Illicit Drug</b>				
All	8.3%	11.5%	15.7%	84.3%
Grade 7	2.9%	5.0%	6.1%	93.9%
Grade 8	4.3%	6.6%	8.1%	91.9%
Grade 9	8.0%	10.7%	15.1%	84.9%
Grade 10	11.7%	16.6%	23.2%	76.8%
Grade 11	12.3%	16.0%	20.4%	79.6%
Grade 12	13.0%	17.5%	26.6%	73.4%
<b>Any Prescription Drug</b>				
All	3.7%	5.6%	11.6%	88.4%
Grade 7	4.3%	6.8%	12.2%	87.8%
Grade 8	4.3%	6.5%	13.8%	86.2%
Grade 9	4.4%	6.3%	10.4%	89.6%
Grade 10	3.6%	5.1%	9.0%	91.0%
Grade 11	2.7%	4.4%	12.4%	87.6%
Grade 12	2.5%	3.5%	11.4%	88.6%
<b>Any Inhalant</b>				
All	3.8%	5.1%	10.5%	89.5%
Grade 7	5.0%	6.1%	10.7%	89.3%
Grade 8	3.7%	5.1%	11.4%	88.6%
Grade 9	3.8%	4.6%	8.2%	91.8%
Grade 10	4.5%	6.2%	11.3%	88.7%
Grade 11	3.1%	4.5%	9.8%	90.2%
Grade 12	2.7%	4.3%	11.9%	88.1%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.9%	10.5%	21.7%	78.3%
Grade 7	5.1%	6.4%	13.6%	86.4%
Grade 8	3.4%	5.5%	14.2%	85.8%
Grade 9	8.2%	11.3%	22.7%	77.3%
Grade 10	10.4%	13.0%	27.0%	73.0%
Grade 11	11.0%	14.4%	28.1%	71.9%
Grade 12	11.0%	14.7%	28.9%	71.1%
<b>Marijuana</b>				
All	7.6%	9.8%	13.9%	86.1%
Grade 7	2.5%	3.3%	4.7%	95.3%
Grade 8	4.0%	5.4%	6.4%	93.6%
Grade 9	7.0%	8.9%	12.9%	87.1%
Grade 10	10.8%	14.0%	19.7%	80.3%
Grade 11	11.8%	14.3%	19.1%	80.9%
Grade 12	12.2%	16.0%	25.5%	74.5%
<b>Marijuana Only</b>				
All	3.5%	4.6%	7.3%	92.7%
Grade 7	2.1%	2.7%	3.4%	96.6%
Grade 8	2.5%	3.7%	4.7%	95.3%
Grade 9	2.3%	3.1%	5.0%	95.0%
Grade 10	5.3%	6.9%	11.6%	88.4%
Grade 11	4.8%	6.0%	9.0%	91.0%
Grade 12	5.0%	6.5%	12.4%	87.6%
<b>Cocaine or Crack</b>				
All	0.5%	0.5%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.5%	0.5%	99.5%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.9%	0.9%	1.1%	98.9%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Cocaine</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.2%	0.4%	0.7%	99.3%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.7%	99.3%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.3%	0.4%	99.6%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.3%	0.4%	0.4%	99.6%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	0.2%	0.2%	0.5%	99.5%
	Grade 11	0.4%	0.4%	0.4%	99.6%
	Grade 12	0.1%	0.1%	0.4%	99.6%
Hallucinogens	All	0.2%	0.5%	1.4%	98.6%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.0%	0.1%	1.0%	99.0%
	Grade 9	0.2%	0.4%	2.1%	97.9%
	Grade 10	0.3%	0.3%	1.6%	98.4%
	Grade 11	0.6%	1.3%	1.9%	98.1%
	Grade 12	0.4%	1.4%	2.0%	98.0%
Synthetic Cathinones	All	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.5%	0.5%	0.6%	99.4%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.3%	0.8%	1.9%	98.1%
	Grade 7	0.1%	0.4%	1.0%	99.0%
	Grade 8	0.1%	0.5%	1.5%	98.5%
	Grade 9	0.4%	0.4%	1.4%	98.6%
	Grade 10	0.2%	1.4%	2.8%	97.2%
	Grade 11	0.4%	1.1%	4.1%	95.9%
	Grade 12	0.8%	1.1%	1.3%	98.7%
Ecstasy	All	0.1%	0.1%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.1%	0.1%	0.9%	99.1%
	Grade 10	0.2%	0.2%	1.9%	98.1%
	Grade 11	0.2%	0.3%	0.4%	99.6%
	Grade 12	0.0%	0.2%	0.6%	99.4%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.7%	1.3%	2.8%	97.2%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.7%	1.4%	98.6%
Grade 9	1.0%	1.9%	4.0%	96.0%
Grade 10	1.3%	2.3%	3.8%	96.2%
Grade 11	0.9%	1.8%	3.5%	96.5%
Grade 12	0.7%	0.8%	4.6%	95.4%
<b>Methamphetamine</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Delta 8</b>				
All	2.1%	3.4%	6.0%	94.0%
Grade 7	0.6%	0.6%	1.3%	98.7%
Grade 8	0.7%	1.2%	1.7%	98.3%
Grade 9	2.4%	4.1%	6.8%	93.2%
Grade 10	3.5%	5.5%	8.7%	91.3%
Grade 11	3.2%	4.5%	7.7%	92.3%
Grade 12	2.6%	5.7%	12.5%	87.5%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	20.1%	23.5%	34.4%	65.6%
Grade 7	18.1%	20.8%	28.1%	71.9%
Grade 8	14.9%	15.8%	33.9%	66.1%
Grade 9	16.6%	20.2%	31.1%	68.9%
Grade 10	21.4%	23.8%	39.7%	60.3%
Grade 11	23.4%	30.7%	37.7%	62.3%
Grade 12	27.0%	29.8%	36.3%	63.7%
<b>Any Alcohol Product</b>				
All	30.4%	34.1%	49.5%	50.5%
Grade 7	24.0%	25.8%	49.2%	50.8%
Grade 8	28.3%	34.3%	51.6%	48.4%
Grade 9	24.7%	31.0%	46.7%	53.3%
Grade 10	37.5%	41.0%	52.9%	47.1%
Grade 11	34.2%	35.2%	52.1%	47.9%
Grade 12	35.2%	37.6%	44.9%	55.1%
<b>Any Illicit Drug</b>				
All	15.2%	19.4%	24.8%	75.2%
Grade 7	6.1%	9.4%	16.4%	83.6%
Grade 8	10.6%	18.7%	19.6%	80.4%
Grade 9	15.6%	17.0%	22.1%	77.9%
Grade 10	26.9%	30.7%	38.6%	61.4%
Grade 11	20.8%	23.3%	26.5%	73.5%
Grade 12	8.7%	16.3%	25.6%	74.4%
<b>Any Prescription Drug</b>				
All	6.0%	8.8%	15.0%	85.0%
Grade 7	9.6%	14.5%	19.7%	80.3%
Grade 8	5.6%	8.9%	17.9%	82.1%
Grade 9	6.7%	9.0%	11.2%	88.8%
Grade 10	3.0%	9.1%	15.3%	84.7%
Grade 11	6.8%	7.3%	17.2%	82.8%
Grade 12	4.3%	4.8%	10.1%	89.9%
<b>Any Inhalant</b>				
All	5.1%	7.2%	14.8%	85.2%
Grade 7	4.4%	6.8%	15.3%	84.7%
Grade 8	7.7%	12.3%	24.4%	75.6%
Grade 9	3.7%	5.6%	13.0%	87.0%
Grade 10	6.2%	7.7%	12.7%	87.3%
Grade 11	4.2%	6.0%	13.7%	86.3%
Grade 12	5.4%	5.8%	10.8%	89.2%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	12.8%	18.6%	32.0%	68.0%
Grade 7	7.6%	14.4%	26.5%	73.5%
Grade 8	4.3%	8.9%	30.6%	69.4%
Grade 9	11.3%	17.7%	28.7%	71.3%
Grade 10	16.5%	21.2%	37.8%	62.2%
Grade 11	16.4%	23.2%	34.8%	65.2%
Grade 12	20.2%	25.3%	33.8%	66.2%
<b>Marijuana</b>				
All	13.7%	16.9%	22.1%	77.9%
Grade 7	4.5%	5.8%	10.6%	89.4%
Grade 8	8.0%	13.1%	14.4%	85.6%
Grade 9	15.3%	16.4%	21.1%	78.9%
Grade 10	23.4%	28.0%	36.0%	64.0%
Grade 11	19.8%	22.9%	25.5%	74.5%
Grade 12	7.7%	12.5%	23.5%	76.5%
<b>Marijuana Only</b>				
All	4.8%	7.1%	10.1%	89.9%
Grade 7	1.6%	3.0%	7.8%	92.2%
Grade 8	1.2%	6.4%	6.9%	93.1%
Grade 9	8.3%	9.4%	12.7%	87.3%
Grade 10	4.5%	6.9%	11.5%	88.5%
Grade 11	6.7%	8.2%	10.0%	90.0%
Grade 12	3.6%	6.9%	10.3%	89.7%
<b>Cocaine or Crack</b>				
All	1.3%	1.6%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.1%	2.1%	3.6%	96.4%
Grade 9	1.0%	1.6%	1.6%	98.4%
Grade 10	2.8%	3.3%	5.9%	94.1%
Grade 11	0.7%	0.7%	1.7%	98.3%
Grade 12	1.7%	1.7%	4.5%	95.5%
<b>Cocaine</b>				
All	0.8%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	1.8%	98.2%
Grade 9	1.0%	1.6%	1.6%	98.4%
Grade 10	0.8%	1.4%	4.1%	95.9%
Grade 11	0.7%	0.7%	1.7%	98.3%
Grade 12	1.7%	1.7%	4.5%	95.5%



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.7%	0.7%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.7%	1.7%	1.7%	98.3%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	2.0%	2.0%	2.0%	98.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.7%	2.6%	4.1%	95.9%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.0%	3.2%	6.0%	94.0%
	Grade 9	0.3%	1.4%	2.0%	98.0%
	Grade 10	1.6%	5.6%	6.9%	93.1%
	Grade 11	1.4%	2.8%	5.6%	94.4%
	Grade 12	0.6%	2.6%	3.7%	96.3%
Synthetic Cathinones	All	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	0.0%	0.0%	0.4%	99.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.3%	0.6%	1.4%	98.6%
	Grade 7	0.0%	1.3%	2.2%	97.8%
	Grade 8	0.4%	0.4%	0.4%	99.6%
	Grade 9	0.4%	0.4%	1.1%	98.9%
	Grade 10	1.3%	1.3%	2.8%	97.2%
	Grade 11	0.0%	0.5%	1.7%	98.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	0.0%	0.0%	1.2%	98.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	1.8%	98.2%
	Grade 9	0.0%	0.0%	0.9%	99.1%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 11	0.0%	0.0%	2.0%	98.0%
	Grade 12	0.0%	0.0%	0.6%	99.4%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	2.2%	4.0%	5.8%	94.2%
Grade 7	0.5%	2.4%	2.4%	97.6%
Grade 8	0.0%	2.3%	3.2%	96.8%
Grade 9	1.4%	3.3%	4.8%	95.2%
Grade 10	5.6%	7.7%	13.6%	86.4%
Grade 11	3.5%	5.8%	7.4%	92.6%
Grade 12	1.8%	2.3%	2.8%	97.2%
<b>Methamphetamine</b>				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	2.1%	97.9%
Grade 8	0.0%	0.0%	1.5%	98.5%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	3.9%	6.1%	10.5%	89.5%
Grade 7	3.5%	3.5%	3.5%	96.5%
Grade 8	0.0%	4.2%	6.6%	93.4%
Grade 9	3.0%	3.9%	7.4%	92.6%
Grade 10	7.6%	13.1%	18.7%	81.3%
Grade 11	7.1%	9.1%	14.0%	86.0%
Grade 12	1.8%	2.8%	12.7%	87.3%

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	26,527	50.7%
Female	25,804	49.3%
Frequency Missing	376	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	37,461	72.0%
Yes	14,571	28.0%
Frequency Missing	676	

**Grade**

Q2	Frequency	Percent
Grade 7	9,323	17.7%
Grade 8	9,470	18.0%
Grade 9	9,783	18.6%
Grade 10	7,700	14.6%
Grade 11	8,447	16.1%
Grade 12	7,848	14.9%
Frequency Missing	137	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	1,101	2.1%
Asian American	597	1.2%
African American	9,789	19.0%
Pacific Islander	68	0.1%
White	28,416	55.2%
Other	5,857	11.4%
More Than One Race	5,639	11.0%
Frequency Missing	1,240	

**Live with Both Parents**

Q3	Frequency	Percent
No	23,595	45.1%
Yes	28,682	54.9%
Frequency Missing	431	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	258	0.5%
Mostly D's	791	1.5%
Mostly C's	5,784	11.1%
Mostly B's	24,722	47.3%
Mostly A's	20,740	39.7%
Frequency Missing	414	

**Age**

Q4	Frequency	Percent
11 or younger	102	0.2%
12	2,703	5.1%
13	8,720	16.6%
14	10,025	19.0%
15	9,209	17.5%
16	8,312	15.8%
17	8,689	16.5%
18	4,210	8.0%
19 or older	675	1.3%
Frequency Missing	64	

**Do You Have a Job**

Q7	Frequency	Percent
No	39,943	76.6%
Yes	12,206	23.4%
Frequency Missing	558	

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	11,007	21.3%
Yes	23,098	44.6%
Don't Know	17,643	34.1%
Frequency Missing	960	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	21,682	43.7%
Yes	27,909	56.3%
Frequency Missing	3,117	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	34,278	74.4%
Yes	11,790	25.6%
Frequency Missing	6,640	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	39,103	85.3%
Yes	6,744	14.7%
Frequency Missing	6,861	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	33,127	71.7%
Yes	13,068	28.3%
Frequency Missing	6,513	

**Participate in School Choir**

Q9c	Frequency	Percent
No	42,979	94.8%
Yes	2,379	5.2%
Frequency Missing	7,351	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	31,644	67.2%
Yes	15,458	32.8%
Frequency Missing	5,606	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	40,749	89.0%
Yes	5,026	11.0%
Frequency Missing	6,934	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	36,951	80.6%
Yes	8,874	19.4%
Frequency Missing	6,883	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	41,274	91.6%
Yes	3,784	8.4%
Frequency Missing	7,650	

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	45,775	87.4%
Somewhat Safe	5,826	11.1%
Not Very Safe	304	0.6%
Not Safe At All	127	0.2%
Don't Know	334	0.6%
Frequency Missing	343	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	25,307	48.6%
Somewhat Safe	21,033	40.4%
Not Very Safe	2,843	5.5%
Not Safe At All	972	1.9%
Don't Know	1,867	3.6%
Frequency Missing	686	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	31,670	61.9%
Yes	19,489	38.1%
Frequency Missing	1,549	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	17,208	33.0%
Somewhat Safe	24,505	47.0%
Not Very Safe	4,887	9.4%
Not Safe At All	3,074	5.9%
Don't Know	2,426	4.7%
Frequency Missing	608	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	3,130	6.1%
A Few	10,953	21.2%
Some	11,279	21.8%
Most	18,102	35.1%
All	8,159	15.8%
Frequency Missing	1,085	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	4,007	7.9%
Some High School	5,409	10.6%
Finished High School	14,756	28.9%
Some College	5,052	9.9%
Finished College	7,771	15.2%
Post-Secondary	4,055	7.9%
Don't Know or N/A	9,976	19.6%
Frequency Missing	1,682	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	1,814	3.5%
A Few	6,409	12.4%
Some	13,202	25.6%
Most	20,552	39.9%
All	9,562	18.6%
Frequency Missing	1,169	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	3,884	7.6%
Some High School	3,946	7.7%
Finished High School	10,447	20.4%
Some College	7,377	14.4%
Finished College	12,189	23.8%
Post-Secondary	6,848	13.4%
Don't Know or N/A	6,568	12.8%
Frequency Missing	1,449	

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	21,797	42.6%
A Few	15,170	29.7%
Some	7,831	15.3%
Most	3,859	7.6%
All	2,459	4.8%
Frequency Missing	1,591	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	38,218	74.4%
A Few	7,229	14.1%
Some	3,341	6.5%
Most	1,427	2.8%
All	1,175	2.3%
Frequency Missing	1,318	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	50,777	99.1%
In Your Lifetime	292	0.6%
Since School Began	77	0.2%
In the Past Month	115	0.2%
Frequency Missing	1,448	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	45,482	88.6%
A Few	3,651	7.1%
Some	1,306	2.5%
Most	392	0.8%
All	477	0.9%
Frequency Missing	1,400	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	48,856	95.2%
In Your Lifetime	1,700	3.3%
Since School Began	197	0.4%
In the Past Month	574	1.1%
Frequency Missing	1,381	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	50,595	98.3%
In Your Lifetime	610	1.2%
Since School Began	109	0.2%
In the Past Month	141	0.3%
Frequency Missing	1,254	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	50,621	98.6%
In Your Lifetime	485	0.9%
Since School Began	115	0.2%
In the Past Month	123	0.2%
Frequency Missing	1,365	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	49,323	95.9%
In Your Lifetime	1,371	2.7%
Since School Began	333	0.6%
In the Past Month	394	0.8%
Frequency Missing	1,288	

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	50,681	99.0%
In Your Lifetime	287	0.6%
Since School Began	89	0.2%
In the Past Month	149	0.3%
Frequency Missing	1,502	

**Recent Inhalant Use - Gasoline, Octane  
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	49,986	97.3%
In Your Lifetime	867	1.7%
Since School Began	108	0.2%
In the Past Month	408	0.8%
Frequency Missing	1,340	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	35,736	69.8%
In Your Lifetime	8,530	16.7%
Since School Began	2,633	5.1%
In the Past Month	4,277	8.4%
Frequency Missing	1,532	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	50,544	98.5%
In Your Lifetime	473	0.9%
Since School Began	89	0.2%
In the Past Month	219	0.4%
Frequency Missing	1,383	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	39,178	76.5%
In Your Lifetime	6,048	11.8%
Since School Began	2,132	4.2%
In the Past Month	3,865	7.5%
Frequency Missing	1,486	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	45,535	88.6%
In Your Lifetime	3,911	7.6%
Since School Began	726	1.4%
In the Past Month	1,231	2.4%
Frequency Missing	1,305	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	39,727	77.7%
In Your Lifetime	7,042	13.8%
Since School Began	1,945	3.8%
In the Past Month	2,401	4.7%
Frequency Missing	1,592	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	47,682	93.5%
In Your Lifetime	2,069	4.1%
Since School Began	399	0.8%
In the Past Month	858	1.7%
Frequency Missing	1,701	

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	37,045	72.6%
In Your Lifetime	6,649	13.0%
Since School Began	2,753	5.4%
In the Past Month	4,590	9.0%
Frequency Missing	1,672	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	49,583	96.9%
In Your Lifetime	995	1.9%
Since School Began	179	0.4%
In the Past Month	411	0.8%
Frequency Missing	1,540	



**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	38,949	75.9%
In Your Lifetime	6,140	12.0%
Since School Began	1,635	3.2%
In the Past Month	4,619	9.0%
Frequency Missing	1,366	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	50,382	98.0%
In Your Lifetime	518	1.0%
Since School Began	310	0.6%
In the Past Month	210	0.4%
Frequency Missing	1,288	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	44,048	85.5%
In Your Lifetime	3,885	7.5%
Since School Began	1,241	2.4%
In the Past Month	2,346	4.6%
Frequency Missing	1,187	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	51,315	99.8%
In Your Lifetime	62	0.1%
Since School Began	0	0.0%
In the Past Month	59	0.1%
Frequency Missing	1,273	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	51,118	99.2%
In Your Lifetime	283	0.5%
Since School Began	45	0.1%
In the Past Month	87	0.2%
Frequency Missing	1,175	

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	50,749	98.5%
In Your Lifetime	466	0.9%
Since School Began	162	0.3%
In the Past Month	135	0.3%
Frequency Missing	1,195	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	51,227	99.7%
In Your Lifetime	59	0.1%
Since School Began	18	0.0%
In the Past Month	57	0.1%
Frequency Missing	1,347	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	51,203	99.4%
In Your Lifetime	243	0.5%
Since School Began	14	0.0%
In the Past Month	42	0.1%
Frequency Missing	1,206	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	51,385	99.9%
In Your Lifetime	53	0.1%
Since School Began	5	0.0%
In the Past Month	9	0.0%
Frequency Missing	1,256	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	46,836	92.0%
In Your Lifetime	2,024	4.0%
Since School Began	855	1.7%
In the Past Month	1,199	2.4%
Frequency Missing	1,794	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	51,290	99.6%
In Your Lifetime	122	0.2%
Since School Began	44	0.1%
In the Past Month	44	0.1%
Frequency Missing	1,208	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	49,936	98.2%
In Your Lifetime	640	1.3%
Since School Began	98	0.2%
In the Past Month	188	0.4%
Frequency Missing	1,846	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	50,066	97.3%
In Your Lifetime	770	1.5%
Since School Began	189	0.4%
In the Past Month	413	0.8%
Frequency Missing	1,270	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	49,803	97.8%
In Your Lifetime	744	1.5%
Since School Began	162	0.3%
In the Past Month	213	0.4%
Frequency Missing	1,785	

**Recent Delta 8 Use**

Q16l	Frequency	Percent
Never Heard/Used	47,883	93.3%
In Your Lifetime	1,877	3.7%
Since School Began	547	1.1%
In the Past Month	1,009	2.0%
Frequency Missing	1,391	

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	48,740	96.1%
In Your Lifetime	1,123	2.2%
Since School Began	257	0.5%
In the Past Month	598	1.2%
Frequency Missing	1,990	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	47,778	93.9%
In Your Lifetime	1,603	3.1%
Since School Began	547	1.1%
In the Past Month	963	1.9%
Frequency Missing	1,817	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	50,395	98.4%
1-2 times	563	1.1%
3-10 times	175	0.3%
11+ times	82	0.2%
Frequency Missing	1,493	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	49,670	98.0%
In Your Lifetime	402	0.8%
Since School Began	103	0.2%
In the Past Month	504	1.0%
Frequency Missing	2,028	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	46,924	91.5%
1-2 times	1,819	3.5%
3-10 times	1,158	2.3%
11+ times	1,382	2.7%
Frequency Missing	1,425	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	47,280	91.9%
1-2 times	1,682	3.3%
3-10 times	823	1.6%
11+ times	1,651	3.2%
Frequency Missing	1,272	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	51,165	99.7%
1-2 times	132	0.3%
3-10 times	20	0.0%
11+ times	15	0.0%
Frequency Missing	1,376	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	39,969	77.9%
1-2 times	6,787	13.2%
3-10 times	2,547	5.0%
11+ times	2,005	3.9%
Frequency Missing	1,400	

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	51,133	99.8%
1-2 times	67	0.1%
3-10 times	0	0.0%
11+ times	29	0.1%
Frequency Missing	1,479	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	40,027	78.4%
A few	6,174	12.1%
Some	2,346	4.6%
Most	1,858	3.6%
All	626	1.2%
Frequency Missing	1,676	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	29,808	58.3%
A few	10,840	21.2%
Some	4,612	9.0%
Most	4,487	8.8%
All	1,376	2.7%
Frequency Missing	1,586	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	48,054	94.3%
A few	2,170	4.3%
Some	486	1.0%
Most	191	0.4%
All	66	0.1%
Frequency Missing	1,741	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	37,591	73.6%
A few	7,712	15.1%
Some	2,754	5.4%
Most	2,330	4.6%
All	682	1.3%
Frequency Missing	1,639	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	44,450	87.0%
8 or younger	651	1.3%
9 years old	364	0.7%
10 years old	529	1.0%
11 years old	531	1.0%
12 years old	750	1.5%
13 years old	1,434	2.8%
14 years old	1,126	2.2%
15 years old	649	1.3%
16 years old	259	0.5%
17 years old	299	0.6%
18 or older	24	0.0%
Frequency Missing	1,642	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	32,401	63.6%
8 or younger	2,689	5.3%
9 years old	994	2.0%
10 years old	1,399	2.7%
11 years old	1,232	2.4%
12 years old	2,318	4.6%
13 years old	2,833	5.6%
14 years old	2,412	4.7%
15 years old	2,248	4.4%
16 years old	1,266	2.5%
17 years old	856	1.7%
18 or older	287	0.6%
Frequency Missing	1,773	

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	49,237	96.8%
8 or younger	297	0.6%
9 years old	177	0.3%
10 years old	141	0.3%
11 years old	169	0.3%
12 years old	201	0.4%
13 years old	197	0.4%
14 years old	201	0.4%
15 years old	139	0.3%
16 years old	86	0.2%
17 years old	13	0.0%
18 or older	6	0.0%
Frequency Missing	1,845	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	44,094	86.4%
8 or younger	88	0.2%
9 years old	36	0.1%
10 years old	292	0.6%
11 years old	526	1.0%
12 years old	876	1.7%
13 years old	1,371	2.7%
14 years old	1,420	2.8%
15 years old	1,112	2.2%
16 years old	732	1.4%
17 years old	319	0.6%
18 or older	179	0.4%
Frequency Missing	1,663	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	50,642	99.4%
8 or younger	0	0.0%
9 years old	13	0.0%
10 years old	14	0.0%
11 years old	15	0.0%
12 years old	20	0.0%
13 years old	72	0.1%
14 years old	65	0.1%
15 years old	45	0.1%
16 years old	29	0.1%
17 years old	9	0.0%
18 or older	10	0.0%
Frequency Missing	1,775	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	50,633	99.4%
8 or younger	20	0.0%
9 years old	0	0.0%
10 years old	23	0.0%
11 years old	13	0.0%
12 years old	56	0.1%
13 years old	24	0.0%
14 years old	58	0.1%
15 years old	68	0.1%
16 years old	18	0.0%
17 years old	9	0.0%
18 or older	0	0.0%
Frequency Missing	1,786	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	50,939	99.7%
8 or younger	18	0.0%
9 years old	9	0.0%
10 years old	14	0.0%
11 years old	0	0.0%
12 years old	43	0.1%
13 years old	33	0.1%
14 years old	5	0.0%
15 years old	13	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	1,635	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	50,958	99.9%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	34	0.1%
11 years old	0	0.0%
12 years old	0	0.0%
13 years old	0	0.0%
14 years old	3	0.0%
15 years old	10	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	1,703	

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	50,234	98.7%
8 or younger	61	0.1%
9 years old	49	0.1%
10 years old	30	0.1%
11 years old	73	0.1%
12 years old	42	0.1%
13 years old	95	0.2%
14 years old	42	0.1%
15 years old	110	0.2%
16 years old	69	0.1%
17 years old	66	0.1%
18 or older	44	0.1%
Frequency Missing	1,793	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	50,772	99.7%
8 or younger	0	0.0%
9 years old	23	0.0%
10 years old	0	0.0%
11 years old	30	0.1%
12 years old	31	0.1%
13 years old	14	0.0%
14 years old	19	0.0%
15 years old	5	0.0%
16 years old	49	0.1%
17 years old	6	0.0%
18 or older	0	0.0%
Frequency Missing	1,759	

### Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	49,806	97.7%
8 or younger	7	0.0%
9 years old	31	0.1%
10 years old	0	0.0%
11 years old	33	0.1%
12 years old	76	0.1%
13 years old	362	0.7%
14 years old	264	0.5%
15 years old	230	0.5%
16 years old	98	0.2%
17 years old	62	0.1%
18 or older	12	0.0%
Frequency Missing	1,727	

### Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	47,682	93.7%
8 or younger	65	0.1%
9 years old	38	0.1%
10 years old	52	0.1%
11 years old	120	0.2%
12 years old	272	0.5%
13 years old	468	0.9%
14 years old	792	1.6%
15 years old	764	1.5%
16 years old	373	0.7%
17 years old	205	0.4%
18 or older	83	0.2%
Frequency Missing	1,796	

### Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	19,414	38.5%
Impossible	10,320	20.4%
Very Difficult	3,792	7.5%
Somewhat diff	4,509	8.9%
Somewhat easy	6,531	12.9%
Very easy	5,917	11.7%
Frequency Missing	2,226	

### Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	16,160	32.1%
Impossible	6,744	13.4%
Very Difficult	2,843	5.6%
Somewhat diff	4,939	9.8%
Somewhat easy	8,909	17.7%
Very easy	10,767	21.4%
Frequency Missing	2,346	

### Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	24,699	49.1%
Impossible	9,240	18.4%
Very Difficult	2,252	4.5%
Somewhat diff	2,164	4.3%
Somewhat easy	4,076	8.1%
Very easy	7,826	15.6%
Frequency Missing	2,452	

### Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	19,996	39.8%
Impossible	11,942	23.8%
Very Difficult	4,175	8.3%
Somewhat diff	3,975	7.9%
Somewhat easy	4,608	9.2%
Very easy	5,561	11.1%
Frequency Missing	2,451	

### Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	24,039	47.8%
Impossible	16,870	33.5%
Very Difficult	5,024	10.0%
Somewhat diff	2,474	4.9%
Somewhat easy	831	1.7%
Very easy	1,077	2.1%
Frequency Missing	2,393	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	24,547	48.8%
Impossible	17,126	34.0%
Very Difficult	4,946	9.8%
Somewhat diff	2,151	4.3%
Somewhat easy	581	1.2%
Very easy	982	2.0%
Frequency Missing	2,375	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	27,149	53.9%
Impossible	16,126	32.0%
Very Difficult	3,870	7.7%
Somewhat diff	1,773	3.5%
Somewhat easy	519	1.0%
Very easy	953	1.9%
Frequency Missing	2,316	

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	24,987	49.6%
Impossible	15,189	30.1%
Very Difficult	4,486	8.9%
Somewhat diff	2,688	5.3%
Somewhat easy	1,428	2.8%
Very easy	1,623	3.2%
Frequency Missing	2,307	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	27,698	55.0%
Impossible	14,071	27.9%
Very Difficult	3,335	6.6%
Somewhat diff	1,998	4.0%
Somewhat easy	1,388	2.8%
Very easy	1,864	3.7%
Frequency Missing	2,353	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	28,542	56.7%
Impossible	14,791	29.4%
Very Difficult	4,042	8.0%
Somewhat diff	1,428	2.8%
Somewhat easy	726	1.4%
Very easy	811	1.6%
Frequency Missing	2,368	

**Difficult to Get Delta 8**

Q22m	Frequency	Percent
Never heard of	26,956	53.8%
Impossible	12,967	25.9%
Very Difficult	3,179	6.3%
Somewhat diff	2,221	4.4%
Somewhat easy	1,700	3.4%
Very easy	3,109	6.2%
Frequency Missing	2,575	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	26,986	53.7%
Impossible	16,494	32.8%
Very Difficult	4,068	8.1%
Somewhat diff	1,292	2.6%
Somewhat easy	583	1.2%
Very easy	874	1.7%
Frequency Missing	2,411	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	1,208	2.4%
Several times/wk	330	0.7%
Several times/mo	768	1.5%
About once/month	824	1.6%
About once/year	717	1.4%
Less than once/year	2,148	4.3%
Never used	44,480	88.1%
Frequency Missing	2,235	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	205	0.4%
Several times/wk	527	1.0%
Several times/mo	2,549	5.1%
About once/month	4,344	8.6%
About once/year	4,823	9.6%
Less than once/year	4,148	8.2%
Never used	33,756	67.0%
Frequency Missing	2,356	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	5	0.0%
Several times/mo	9	0.0%
About once/month	29	0.1%
About once/year	51	0.1%
Less than once/year	156	0.3%
Never used	50,201	99.5%
Frequency Missing	2,256	

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	73	0.1%
Several times/wk	105	0.2%
Several times/mo	88	0.2%
About once/month	219	0.4%
About once/year	178	0.4%
Less than once/year	445	0.9%
Never used	49,121	97.8%
Frequency Missing	2,479	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	12	0.0%
Several times/wk	10	0.0%
Several times/mo	7	0.0%
About once/month	0	0.0%
About once/year	5	0.0%
Less than once/year	26	0.1%
Never used	50,399	99.9%
Frequency Missing	2,248	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	630	1.2%
Several times/wk	530	1.1%
Several times/mo	892	1.8%
About once/month	1,294	2.6%
About once/year	1,402	2.8%
Less than once/year	1,561	3.1%
Never used	44,085	87.5%
Frequency Missing	2,315	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	25	0.0%
Several times/wk	10	0.0%
Several times/mo	42	0.1%
About once/month	127	0.3%
About once/year	95	0.2%
Less than once/year	214	0.4%
Never used	49,951	99.0%
Frequency Missing	2,243	



**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	13	0.0%
About once/year	80	0.2%
Less than once/year	142	0.3%
Never used	50,138	99.5%
Frequency Missing	2,336	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	78	0.2%
Several times/wk	17	0.0%
Several times/mo	170	0.3%
About once/month	320	0.6%
About once/year	437	0.9%
Less than once/year	226	0.4%
Never used	49,053	97.5%
Frequency Missing	2,406	

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	31	0.1%
Several times/wk	6	0.0%
Several times/mo	0	0.0%
About once/month	3	0.0%
About once/year	0	0.0%
Less than once/year	15	0.0%
Never used	50,309	99.9%
Frequency Missing	2,345	

**How Often Normally Use Delta 8**

Q23m	Frequency	Percent
Every day	158	0.3%
Several times/wk	255	0.5%
Several times/mo	458	0.9%
About once/month	540	1.1%
About once/year	609	1.2%
Less than once/year	666	1.3%
Never used	47,515	94.7%
Frequency Missing	2,508	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	23	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	5	0.0%
About once/year	63	0.1%
Less than once/year	35	0.1%
Never used	50,291	99.7%
Frequency Missing	2,290	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	35,026	69.6%
12+ drinks	1,211	2.4%
9-11 drinks	760	1.5%
5-8 drinks	1,603	3.2%
3-4 drinks	2,127	4.2%
2 drinks	1,661	3.3%
1 drink	2,727	5.4%
Less than 1 drink	5,219	10.4%
Frequency Missing	2,373	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	37,306	74.3%
12+ drinks	1,113	2.2%
9-11 drinks	570	1.1%
5-8 drinks	1,643	3.3%
3-4 drinks	2,097	4.2%
2 drinks	1,898	3.8%
1 drink	2,512	5.0%
Less than 1 drink	3,082	6.1%
Frequency Missing	2,487	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	27,875	55.9%
0 days	16,930	34.0%
1 day	1,771	3.6%
2 days	1,028	2.1%
3 to 5 days	939	1.9%
6 to 9 days	516	1.0%
10 or more days	778	1.6%
Frequency Missing	2,871	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	38,650	76.9%
12+ drinks	397	0.8%
9-11 drinks	159	0.3%
5-8 drinks	602	1.2%
3-4 drinks	1,189	2.4%
2 drinks	1,498	3.0%
1 drink	2,595	5.2%
Less than 1 drink	5,160	10.3%
Frequency Missing	2,456	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	32,593	64.9%
Never	6,740	13.4%
Seldom	7,229	14.4%
Most of the Time	2,441	4.9%
Always	1,211	2.4%
Frequency Missing	2,493	

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	35,626	71.1%
12+ drinks	1,040	2.1%
9-11 drinks	678	1.4%
5-8 drinks	1,480	3.0%
3-4 drinks	2,598	5.2%
2 drinks	2,047	4.1%
1 drink	2,413	4.8%
Less than 1 drink	4,256	8.5%
Frequency Missing	2,570	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	33,728	67.2%
Never	7,846	15.6%
Seldom	4,657	9.3%
Most of the Time	2,979	5.9%
Always	1,000	2.0%
Frequency Missing	2,499	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	34,741	69.5%
Never	11,480	23.0%
Seldom	1,743	3.5%
Most of the Time	1,360	2.7%
Always	667	1.3%
Frequency Missing	2,717	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	33,311	66.5%
Never	7,318	14.6%
Seldom	4,225	8.4%
Most of the Time	2,959	5.9%
Always	2,299	4.6%
Frequency Missing	2,596	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	38,067	76.2%
Somewhat	6,032	12.1%
Not very	1,756	3.5%
Not at all	531	1.1%
Don't know	3,574	7.2%
Frequency Missing	2,746	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	35,316	70.9%
Never	8,594	17.2%
Seldom	3,165	6.4%
Most of the Time	1,478	3.0%
Always	1,283	2.6%
Frequency Missing	2,872	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	33,115	66.2%
Somewhat	6,813	13.6%
Not very	5,029	10.1%
Not at all	2,811	5.6%
Don't know	2,266	4.5%
Frequency Missing	2,674	

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	33,055	66.0%
Somewhat	10,716	21.4%
Not very	3,128	6.2%
Not at all	794	1.6%
Don't know	2,387	4.8%
Frequency Missing	2,628	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	44,529	89.1%
Somewhat	2,479	5.0%
Not very	355	0.7%
Not at all	267	0.5%
Don't know	2,355	4.7%
Frequency Missing	2,724	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	26,515	52.9%
Somewhat	13,171	26.3%
Not very	7,140	14.2%
Not at all	1,215	2.4%
Don't know	2,099	4.2%
Frequency Missing	2,568	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	44,905	89.6%
Somewhat	2,138	4.3%
Not very	288	0.6%
Not at all	224	0.4%
Don't know	2,566	5.1%
Frequency Missing	2,586	

**Dangerous for Kids to Use Ecstasy**

Q27h	Frequency	Percent
Very	42,015	84.0%
Somewhat	2,460	4.9%
Not very	499	1.0%
Not at all	286	0.6%
Don't know	4,756	9.5%
Frequency Missing	2,692	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27l	Frequency	Percent
Very	40,607	81.2%
Somewhat	3,279	6.6%
Not very	1,529	3.1%
Not at all	526	1.1%
Don't know	4,062	8.1%
Frequency Missing	2,705	

**Dangerous for Kids to Use Steroids**

Q27i	Frequency	Percent
Very	37,988	76.0%
Somewhat	6,043	12.1%
Not very	1,872	3.7%
Not at all	686	1.4%
Don't know	3,386	6.8%
Frequency Missing	2,732	

**Dangerous for Kids to Use Delta 8**

Q27m	Frequency	Percent
Very	37,843	75.9%
Somewhat	3,969	8.0%
Not very	2,597	5.2%
Not at all	1,032	2.1%
Don't know	4,401	8.8%
Frequency Missing	2,866	

**Dangerous for Kids to Use Heroin**

Q27j	Frequency	Percent
Very	44,063	88.2%
Somewhat	1,912	3.8%
Not very	413	0.8%
Not at all	236	0.5%
Don't know	3,309	6.6%
Frequency Missing	2,774	

**Dangerous for Kids to Use Any Prescription**

Q27n	Frequency	Percent
Very	39,473	79.1%
Somewhat	4,829	9.7%
Not very	1,613	3.2%
Not at all	543	1.1%
Don't know	3,421	6.9%
Frequency Missing	2,827	

**Dangerous for Kids to Use Methamphetamine**

Q27k	Frequency	Percent
Very	44,207	88.4%
Somewhat	2,026	4.1%
Not very	370	0.7%
Not at all	207	0.4%
Don't know	3,186	6.4%
Frequency Missing	2,712	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27o	Frequency	Percent
Very	35,113	70.3%
Somewhat	7,441	14.9%
Not very	3,614	7.2%
Not at all	1,370	2.7%
Don't know	2,444	4.9%
Frequency Missing	2,727	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	36,937	74.8%
1-3 days	8,803	17.8%
4-9 days	2,286	4.6%
10+ days	1,370	2.8%
Frequency Missing	3,312	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	43,683	88.8%
1-3 days	3,994	8.1%
4-9 days	837	1.7%
10+ days	688	1.4%
Frequency Missing	3,506	

**Days Ill Since September**

Q28b	Frequency	Percent
None	15,145	30.7%
1-3 days	22,583	45.8%
4-9 days	8,459	17.2%
10+ days	3,115	6.3%
Frequency Missing	3,406	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	47,216	95.8%
1-3 times	1,574	3.2%
4-9 times	244	0.5%
10+ times	227	0.5%
Frequency Missing	3,446	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	18,021	37.0%
1-3 days	23,433	48.1%
4-9 days	4,998	10.3%
10+ days	2,226	4.6%
Frequency Missing	4,031	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	47,953	97.4%
1-3 times	929	1.9%
4-9 times	158	0.3%
10+ times	212	0.4%
Frequency Missing	3,456	

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	42,066	85.4%
1-3 days	5,225	10.6%
4-9 days	1,071	2.2%
10+ days	889	1.8%
Frequency Missing	3,457	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	48,202	98.0%
1-3 times	797	1.6%
4-9 times	124	0.3%
10+ times	54	0.1%
Frequency Missing	3,531	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	47,846	97.3%
1-3 times	827	1.7%
4-9 times	231	0.5%
10+ times	263	0.5%
Frequency Missing	3,541	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	47,629	96.6%
1-3 days	1,296	2.6%
4-9 days	231	0.5%
10+ days	124	0.3%
Frequency Missing	3,427	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	29,947	61.0%
Seldom	2,508	5.1%
Half the time	1,965	4.0%
Most of the Time	2,632	5.4%
Always	3,438	7.0%
Don't Know	697	1.4%
Didn't attend	7,914	16.1%
Frequency Missing	3,606	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	46,585	94.5%
1-3 days	1,665	3.4%
4-9 days	470	1.0%
10+ days	585	1.2%
Frequency Missing	3,403	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	33,900	69.2%
Seldom	1,981	4.0%
Half the time	1,360	2.8%
Most of the Time	1,364	2.8%
Always	1,622	3.3%
Don't Know	957	2.0%
Didn't attend	7,775	15.9%
Frequency Missing	3,747	

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	48,704	98.9%
1-3 days	401	0.8%
4-9 days	24	0.0%
10+ days	109	0.2%
Frequency Missing	3,471	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	44,807	94.3%
Yes	2,723	5.7%
Frequency Missing	5,178	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	48,394	98.4%
1-3 days	550	1.1%
4-9 days	63	0.1%
10+ days	172	0.4%
Frequency Missing	3,529	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	32,189	66.5%
Yes	16,241	33.5%
Frequency Missing	4,278	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	36,860	76.5%
Yes	11,346	23.5%
Frequency Missing	4,502	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	21,698	45.0%
Yes	26,532	55.0%
Frequency Missing	4,478	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	30,241	63.0%
Yes	17,799	37.0%
Frequency Missing	4,668	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	29,716	61.7%
Yes	18,437	38.3%
Frequency Missing	4,555	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	16,145	33.2%
Yes	32,421	66.8%
Frequency Missing	4,142	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	36,230	76.3%
Yes	11,228	23.7%
Frequency Missing	5,250	

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	22,513	46.7%
Yes	25,676	53.3%
Frequency Missing	4,518	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	28,771	59.7%
Yes	19,440	40.3%
Frequency Missing	4,497	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	20,413	42.4%
Yes	27,699	57.6%
Frequency Missing	4,596	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	24,922	51.6%
Yes	23,347	48.4%
Frequency Missing	4,438	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	32,980	68.6%
Yes	15,082	31.4%
Frequency Missing	4,646	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	33,163	69.3%
Yes	14,724	30.7%
Frequency Missing	4,820	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	39,741	82.9%
Yes	8,218	17.1%
Frequency Missing	4,749	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	36,589	74.7%
Mild disapprove	3,638	7.4%
Neither	3,056	6.2%
Mildly approve	487	1.0%
Strongly approve	451	0.9%
Don't know	4,748	9.7%
Frequency Missing	3,739	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	35,881	74.8%
Yes	12,096	25.2%
Frequency Missing	4,731	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	27,665	56.5%
Mild disapprove	6,683	13.6%
Neither	7,156	14.6%
Mildly approve	2,312	4.7%
Strongly approve	699	1.4%
Don't know	4,472	9.1%
Frequency Missing	3,722	

**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	39,483	82.6%
Yes	8,314	17.4%
Frequency Missing	4,912	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	36,538	74.7%
Mild disapprove	3,183	6.5%
Neither	3,173	6.5%
Mildly approve	915	1.9%
Strongly approve	725	1.5%
Don't know	4,393	9.0%
Frequency Missing	3,780	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	29,835	62.1%
Yes	18,246	37.9%
Frequency Missing	4,626	



## Appendix: Reporting Methods for Prevalence & Recency of Use

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, &amp; electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
<p>Tobacco Use in Past Month (Q19a : tobac_30)</p>	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.</p>
<p>Age When First Used Tobacco (Q21a : tobac_1)</p>	<p>If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.</p>
	<p>If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.</p>
<p>How Often Normally Use Tobacco (Q23a : tobac_u)</p>	<p>If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.</p>
	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.</p>
	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.</p>
	<p>If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.</p>

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Delta 8</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
<b>Question</b>	<b>Updating Rule</b>
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.



## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

