

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2024



HHSC REGION 6 AND 7 REPORT

---

---

Prepared by

The Department of Public Service and Administration  
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	60
Table B-7: Students Reporting A Grades on Average . . . . .	64
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	68
Table B-9: Students Living with 2 Parents . . . . .	72
Table B-10: Students Not Living with 2 Parents . . . . .	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	84
<b>3 Margin Tables</b>	<b>88</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>110</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 6 and 7. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	6.5%	8.1%	16.5%	83.5%
Grade 7	4.0%	5.2%	11.6%	88.4%
Grade 8	5.3%	7.0%	14.1%	85.9%
Grade 9	6.0%	7.4%	15.1%	84.9%
Grade 10	6.6%	8.9%	17.9%	82.1%
Grade 11	6.4%	8.0%	17.7%	82.3%
Grade 12	11.8%	13.4%	25.2%	74.8%
<b>Cigarettes?</b>				
All	1.3%	1.7%	5.3%	94.7%
Grade 7	0.4%	0.6%	2.9%	97.1%
Grade 8	0.4%	0.9%	3.7%	96.3%
Grade 9	0.5%	1.3%	5.4%	94.6%
Grade 10	0.8%	1.6%	3.6%	96.4%
Grade 11	3.0%	3.0%	7.6%	92.4%
Grade 12	3.2%	3.2%	10.3%	89.7%
<b>Smokeless Tobacco?</b>				
All	0.7%	1.1%	2.5%	97.5%
Grade 7	0.4%	0.7%	1.8%	98.2%
Grade 8	0.9%	1.2%	2.5%	97.5%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	0.4%	0.7%	2.1%	97.9%
Grade 11	1.2%	1.8%	2.9%	97.1%
Grade 12	1.1%	1.8%	5.3%	94.7%
<b>Electronic Vapor Products?</b>				
All	4.8%	6.7%	15.0%	85.0%
Grade 7	2.5%	3.7%	9.9%	90.1%
Grade 8	3.6%	6.0%	12.7%	87.3%
Grade 9	4.6%	5.9%	14.0%	86.0%
Grade 10	5.3%	8.0%	16.7%	83.3%
Grade 11	4.7%	6.7%	17.0%	83.0%
Grade 12	9.5%	11.7%	22.4%	77.6%

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.9%	0.6%	0.5%	0.6%	0.7%	0.7%	2.1%
Grade 7	96.9%	0.1%	0.2%	0.2%	0.7%	0.7%	1.1%
Grade 8	96.2%	0.0%	0.8%	0.4%	0.5%	0.7%	1.4%
Grade 9	96.0%	0.9%	0.0%	0.3%	0.6%	1.2%	1.1%
Grade 10	94.7%	0.3%	0.7%	0.7%	1.6%	0.5%	1.6%
Grade 11	94.3%	0.7%	0.8%	0.9%	0.4%	0.2%	2.8%
Grade 12	89.3%	1.7%	0.8%	1.2%	0.5%	1.1%	5.4%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.5	10.7	11.4	11.5	13.0	13.2	13.3

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	41.8%	22.7%	8.3%	9.1%	8.8%	9.4%
Grade 7	47.8%	30.8%	6.9%	6.7%	4.8%	3.0%
Grade 8	45.8%	25.6%	9.4%	7.6%	6.6%	4.9%
Grade 9	42.0%	20.2%	9.1%	11.4%	7.9%	9.4%
Grade 10	37.6%	19.7%	12.2%	8.2%	11.1%	11.2%
Grade 11	41.0%	20.7%	5.3%	9.3%	11.0%	12.8%
Grade 12	32.8%	15.9%	5.9%	12.2%	14.0%	19.2%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	85.8%	9.7%	2.9%	1.3%	0.4%
Grade 7	91.2%	5.9%	2.4%	0.3%	0.2%
Grade 8	86.4%	9.9%	2.1%	1.4%	0.2%
Grade 9	84.1%	10.4%	3.1%	1.5%	0.9%
Grade 10	82.5%	11.9%	3.8%	1.4%	0.4%
Grade 11	89.0%	6.8%	2.7%	0.8%	0.6%
Grade 12	80.0%	14.0%	3.4%	2.5%	0.0%

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	82.5%	5.3%	4.0%	0.5%	0.6%	7.2%
Grade 7	84.7%	3.3%	2.3%	0.5%	0.5%	8.7%
Grade 8	82.2%	4.5%	3.7%	0.5%	0.1%	9.0%
Grade 9	81.3%	5.3%	6.1%	0.0%	0.6%	6.7%
Grade 10	84.9%	4.5%	3.6%	0.6%	0.3%	6.1%
Grade 11	82.2%	6.3%	3.1%	1.0%	0.5%	7.0%
Grade 12	78.8%	9.4%	5.4%	0.3%	1.8%	4.3%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>					
All	68.0%	20.9%	4.5%	0.9%	5.7%
Grade 7	76.4%	14.0%	3.0%	0.9%	5.7%
Grade 8	67.7%	20.8%	4.2%	0.9%	6.5%
Grade 9	68.7%	22.1%	3.6%	1.2%	4.4%
Grade 10	65.4%	23.9%	3.8%	0.0%	6.9%
Grade 11	65.5%	22.9%	5.6%	0.7%	5.3%
Grade 12	61.0%	24.1%	8.2%	1.5%	5.2%
<b>Electronic Vapor Products?</b>					
All	67.8%	17.6%	6.9%	2.0%	5.7%
Grade 7	75.8%	12.3%	4.5%	1.9%	5.5%
Grade 8	67.9%	15.8%	6.5%	2.7%	7.1%
Grade 9	67.1%	17.7%	7.9%	2.1%	5.2%
Grade 10	66.3%	19.3%	7.3%	1.6%	5.4%
Grade 11	65.3%	22.2%	6.5%	1.0%	5.0%
Grade 12	62.1%	20.5%	9.1%	2.3%	6.0%



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	17.8%	20.6%	38.7%	61.3%
Grade 7	12.5%	15.2%	30.5%	69.5%
Grade 8	17.7%	19.8%	36.3%	63.7%
Grade 9	15.6%	17.7%	35.7%	64.3%
Grade 10	18.6%	20.2%	39.0%	61.0%
Grade 11	17.1%	20.1%	42.0%	58.0%
Grade 12	28.0%	34.1%	53.4%	46.6%
<b>Beer?</b>				
All	4.6%	7.3%	26.5%	73.5%
Grade 7	1.8%	3.8%	19.6%	80.4%
Grade 8	4.4%	6.6%	24.5%	75.5%
Grade 9	3.9%	5.4%	26.3%	73.7%
Grade 10	4.6%	7.7%	26.3%	73.7%
Grade 11	4.4%	7.2%	28.0%	72.0%
Grade 12	9.7%	15.4%	37.2%	62.8%
<b>Wine Coolers?</b>				
All	5.4%	7.9%	20.9%	79.1%
Grade 7	2.0%	3.1%	12.5%	87.5%
Grade 8	5.2%	6.8%	18.8%	81.2%
Grade 9	5.4%	7.7%	19.8%	80.2%
Grade 10	5.1%	7.4%	19.3%	80.7%
Grade 11	6.1%	9.5%	26.9%	73.1%
Grade 12	10.2%	15.3%	32.0%	68.0%
<b>Wine?</b>				
All	3.7%	5.7%	23.3%	76.7%
Grade 7	2.5%	3.6%	16.3%	83.7%
Grade 8	3.4%	4.8%	20.0%	80.0%
Grade 9	2.8%	4.8%	21.8%	78.2%
Grade 10	4.1%	6.6%	25.1%	74.9%
Grade 11	4.1%	5.8%	26.3%	73.7%
Grade 12	6.1%	10.2%	34.2%	65.8%
<b>Liquor?</b>				
All	5.3%	8.6%	24.2%	75.8%
Grade 7	2.0%	3.4%	13.6%	86.4%
Grade 8	4.1%	5.6%	18.4%	81.6%
Grade 9	2.9%	5.9%	22.2%	77.8%
Grade 10	5.6%	10.1%	25.3%	74.7%
Grade 11	5.6%	8.6%	27.7%	72.3%
Grade 12	14.3%	22.1%	44.6%	55.4%

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	75.3%	0.1%	0.9%	2.5%	6.0%	7.1%	8.2%
Grade 7	84.7%	0.3%	0.3%	1.4%	2.7%	4.4%	6.2%
Grade 8	79.1%	0.0%	0.8%	2.2%	4.8%	5.8%	7.4%
Grade 9	77.5%	0.0%	0.7%	1.7%	4.7%	6.6%	8.8%
Grade 10	74.4%	0.3%	1.4%	2.6%	4.5%	8.7%	8.2%
Grade 11	72.0%	0.0%	1.0%	2.4%	7.3%	6.5%	10.8%
Grade 12	58.2%	0.0%	1.4%	5.2%	14.2%	12.5%	8.5%

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	77.2%	22.8%	1.9%	10.7%	10.1%
	Grade 7	83.5%	16.5%	1.0%	5.7%	9.8%
	Grade 8	78.1%	21.9%	1.1%	9.5%	11.3%
	Grade 9	78.8%	21.2%	1.5%	9.7%	10.0%
	Grade 10	77.8%	22.2%	2.1%	8.9%	11.1%
	Grade 11	76.2%	23.8%	2.7%	12.3%	8.7%
	Grade 12	65.3%	34.7%	3.9%	21.4%	9.3%
<b>Wine Coolers</b>						
	All	81.9%	18.1%	2.4%	9.8%	5.9%
	Grade 7	90.2%	9.8%	0.8%	4.5%	4.4%
	Grade 8	84.5%	15.5%	1.3%	7.3%	6.9%
	Grade 9	82.7%	17.3%	1.9%	9.9%	5.5%
	Grade 10	82.4%	17.6%	1.6%	9.5%	6.5%
	Grade 11	76.4%	23.6%	3.7%	14.3%	5.6%
	Grade 12	70.6%	29.4%	6.4%	16.4%	6.6%
<b>Wine</b>						
	All	80.4%	19.6%	1.0%	8.2%	10.4%
	Grade 7	86.7%	13.3%	0.8%	4.3%	8.2%
	Grade 8	83.0%	17.0%	0.6%	6.4%	10.0%
	Grade 9	80.4%	19.6%	1.4%	6.3%	11.9%
	Grade 10	79.6%	20.4%	0.9%	9.7%	9.7%
	Grade 11	78.8%	21.2%	0.9%	9.7%	10.6%
	Grade 12	70.6%	29.4%	1.5%	15.4%	12.5%
<b>Liquor</b>						
	All	78.8%	21.2%	3.0%	10.8%	7.4%
	Grade 7	88.7%	11.3%	0.8%	3.9%	6.6%
	Grade 8	83.8%	16.2%	1.8%	7.3%	7.1%
	Grade 9	80.7%	19.3%	2.4%	8.8%	8.1%
	Grade 10	76.9%	23.1%	3.0%	10.7%	9.3%
	Grade 11	75.8%	24.2%	3.8%	14.1%	6.3%
	Grade 12	60.7%	39.3%	7.6%	24.8%	6.8%

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	94.9%	2.1%	1.2%	1.0%	0.2%	0.6%
Grade 7	97.3%	1.2%	0.4%	0.1%	0.3%	0.7%
Grade 8	95.5%	1.9%	1.2%	0.8%	0.1%	0.5%
Grade 9	96.1%	2.4%	0.3%	1.0%	0.0%	0.2%
Grade 10	93.9%	2.0%	1.6%	1.0%	0.3%	1.3%
Grade 11	94.5%	2.3%	1.2%	1.6%	0.0%	0.4%
Grade 12	90.6%	3.3%	3.1%	2.1%	0.5%	0.5%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.2	10.1	11.0	11.8	12.6	13.0	13.8

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	34.9%	13.5%	6.1%	9.6%	15.4%	20.5%
Grade 7	40.5%	22.3%	7.4%	8.5%	10.3%	11.0%
Grade 8	38.7%	15.4%	8.5%	9.2%	14.1%	14.2%
Grade 9	36.5%	10.6%	5.9%	9.2%	15.0%	22.8%
Grade 10	29.0%	10.3%	6.9%	13.1%	17.9%	22.8%
Grade 11	34.5%	10.3%	4.6%	8.1%	17.6%	25.0%
Grade 12	27.0%	9.3%	1.6%	9.9%	19.9%	32.3%

**Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.4%	2.3%	0.2%	0.2%
Grade 7	98.0%	1.5%	0.3%	0.2%
Grade 8	97.1%	2.3%	0.1%	0.4%
Grade 9	95.9%	3.9%	0.2%	0.0%
Grade 10	98.2%	1.5%	0.0%	0.3%
Grade 11	97.2%	2.8%	0.0%	0.0%
Grade 12	97.9%	1.6%	0.5%	0.0%

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.2
Alcohol Non-Users	3.8
Average Days Conduct Problems Reported	
Alcohol Users	2.7
Alcohol Non-Users	0.8

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a Car When You Have Had a Good Bit to Drink?</b>				
High School	98.7%	1.0%	0.0%	0.3%
Grade 9	99.0%	0.7%	0.0%	0.3%
Grade 10	99.3%	0.0%	0.0%	0.7%
Grade 11	98.2%	1.8%	0.0%	0.0%
Grade 12	98.1%	1.9%	0.0%	0.0%
 <b>Had Difficulties of Any Kind with Your Friends Because of Your Drinking?</b>				
All	98.4%	1.1%	0.3%	0.2%
Grade 7	98.6%	1.0%	0.1%	0.3%
Grade 8	98.5%	1.4%	0.0%	0.1%
Grade 9	98.5%	0.6%	0.5%	0.3%
Grade 10	98.7%	1.3%	0.0%	0.0%
Grade 11	99.1%	0.8%	0.0%	0.2%
Grade 12	97.0%	1.4%	1.7%	0.0%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	67.2%	18.5%	8.4%	4.2%	1.7%
Grade 7	83.0%	10.7%	4.3%	1.4%	0.7%
Grade 8	72.9%	17.3%	6.2%	2.6%	1.0%
Grade 9	65.2%	18.8%	10.0%	4.6%	1.4%
Grade 10	60.8%	24.7%	10.5%	2.1%	1.9%
Grade 11	63.9%	21.0%	8.1%	5.0%	2.0%
Grade 12	51.2%	20.5%	12.6%	11.5%	4.3%

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	63.1%	5.6%	3.2%	4.3%	4.5%	1.5%	17.8%
Grade 7	76.8%	4.5%	2.2%	2.8%	1.7%	1.8%	10.1%
Grade 8	70.7%	5.0%	2.3%	3.7%	3.0%	2.6%	12.7%
Grade 9	56.3%	6.4%	5.1%	5.5%	4.0%	1.1%	21.6%
Grade 10	60.4%	5.2%	3.2%	3.5%	4.1%	1.5%	22.2%
Grade 11	57.7%	4.5%	3.5%	3.7%	6.8%	0.9%	22.9%
Grade 12	50.3%	8.5%	3.3%	7.3%	9.5%	0.8%	20.3%

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	70.0%	11.6%	12.0%	4.0%	2.5%
	Grade 7	74.3%	13.9%	8.7%	2.2%	0.8%
	Grade 8	72.8%	11.5%	10.9%	3.3%	1.6%
	Grade 9	72.6%	7.7%	12.1%	4.0%	3.5%
	Grade 10	67.0%	12.1%	14.1%	3.7%	3.1%
	Grade 11	69.8%	9.6%	12.2%	6.1%	2.3%
	Grade 12	59.8%	15.1%	15.5%	5.3%	4.3%
<b>Friends?</b>						
	All	74.4%	15.9%	5.5%	3.2%	0.9%
	Grade 7	80.3%	16.0%	2.7%	0.6%	0.3%
	Grade 8	78.7%	15.2%	4.2%	1.4%	0.5%
	Grade 9	77.9%	15.8%	3.4%	2.6%	0.3%
	Grade 10	73.4%	16.2%	6.5%	3.2%	0.6%
	Grade 11	70.1%	16.7%	6.5%	5.3%	1.3%
	Grade 12	61.2%	15.8%	11.6%	8.1%	3.3%
<b>A Store?</b>						
	All	76.0%	20.3%	2.0%	1.3%	0.4%
	Grade 7	80.3%	17.7%	1.1%	0.6%	0.3%
	Grade 8	79.8%	17.2%	1.6%	0.8%	0.6%
	Grade 9	78.8%	18.9%	1.7%	0.5%	0.2%
	Grade 10	75.4%	21.6%	1.5%	1.1%	0.3%
	Grade 11	72.3%	23.8%	2.2%	1.8%	0.0%
	Grade 12	65.4%	25.1%	4.6%	3.6%	1.3%
<b>Parties?</b>						
	All	72.0%	14.0%	7.4%	4.1%	2.5%
	Grade 7	76.7%	15.2%	4.7%	2.5%	0.9%
	Grade 8	74.9%	12.9%	7.2%	3.0%	2.0%
	Grade 9	75.2%	11.0%	7.8%	4.0%	1.9%
	Grade 10	71.9%	15.5%	7.1%	3.4%	2.1%
	Grade 11	68.6%	16.6%	6.2%	4.6%	4.1%
	Grade 12	60.9%	13.0%	12.6%	8.4%	5.0%
<b>Other Sources?</b>						
	All	76.0%	16.2%	3.9%	2.4%	1.4%
	Grade 7	79.8%	14.8%	3.3%	1.2%	0.9%
	Grade 8	78.3%	15.2%	2.7%	2.7%	1.1%
	Grade 9	80.0%	12.6%	3.4%	2.7%	1.3%
	Grade 10	74.5%	18.6%	2.9%	2.0%	2.0%
	Grade 11	75.4%	18.0%	3.8%	1.0%	1.8%
	Grade 12	64.6%	19.9%	8.6%	5.0%	1.9%

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	63.2%	13.4%	12.4%	3.3%	1.2%	6.6%
Grade 7	73.8%	8.8%	5.9%	2.3%	0.7%	8.5%
Grade 8	66.6%	11.5%	10.4%	2.2%	0.9%	8.4%
Grade 9	64.1%	12.0%	13.8%	3.9%	1.4%	4.7%
Grade 10	61.4%	15.0%	13.3%	3.4%	0.9%	6.0%
Grade 11	56.9%	16.3%	15.5%	3.2%	1.5%	6.7%
Grade 12	50.7%	19.4%	18.2%	5.8%	1.8%	4.2%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	52.2%	27.9%	12.8%	2.4%	4.7%
Grade 7	59.2%	23.6%	10.6%	1.9%	4.8%
Grade 8	50.3%	27.1%	14.2%	2.6%	5.7%
Grade 9	49.2%	29.1%	15.7%	2.1%	3.8%
Grade 10	47.6%	31.4%	14.5%	1.5%	5.0%
Grade 11	54.6%	28.6%	10.6%	2.9%	3.4%
Grade 12	51.4%	28.6%	10.6%	3.7%	5.7%



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	7.8%	10.5%	15.0%	85.0%
Grade 7	3.5%	5.5%	7.3%	92.7%
Grade 8	6.0%	8.4%	11.4%	88.6%
Grade 9	6.3%	7.5%	11.0%	89.0%
Grade 10	9.9%	13.0%	17.5%	82.5%
Grade 11	9.5%	11.9%	18.3%	81.7%
Grade 12	13.7%	19.3%	29.4%	70.6%
<b>Marijuana?</b>				
All	7.0%	8.4%	12.5%	87.5%
Grade 7	2.4%	3.2%	4.3%	95.7%
Grade 8	5.4%	6.9%	9.7%	90.3%
Grade 9	5.6%	5.9%	8.9%	91.1%
Grade 10	9.4%	11.0%	15.4%	84.6%
Grade 11	9.5%	10.8%	16.1%	83.9%
Grade 12	11.8%	15.3%	25.3%	74.7%
<b>Cocaine?</b>				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	1.0%	1.2%	1.2%	98.8%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.3%	1.1%	98.9%
Grade 12	1.7%	1.7%	3.9%	96.1%
<b>Crack?</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.5%	99.5%
<b>Hallucinogens?</b>				
All	0.9%	1.4%	3.0%	97.0%
Grade 7	0.2%	0.5%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.2%	98.8%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.0%	0.9%	3.0%	97.0%
Grade 11	1.3%	2.2%	5.1%	94.9%
Grade 12	3.8%	4.7%	9.0%	91.0%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Synthetic Cathinones?</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.3%	0.5%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.7%	99.3%
<b>Steroids?</b>				
All	0.6%	0.9%	1.6%	98.4%
Grade 7	0.7%	0.8%	1.5%	98.5%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.5%	0.8%	2.5%	97.5%
Grade 11	0.7%	2.1%	2.8%	97.2%
Grade 12	0.9%	0.9%	1.7%	98.3%
<b>Ecstasy?</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	2.5%	97.5%
<b>Heroin?</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.5%	0.5%	1.2%	98.8%
<b>Methamphetamine?</b>				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.3%	1.0%	99.0%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.6%	0.9%	2.3%	97.7%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.5%	1.1%	1.9%	98.1%
Grade 9	0.6%	0.8%	1.1%	98.9%
Grade 10	0.7%	0.9%	2.8%	97.2%
Grade 11	0.8%	1.2%	2.0%	98.0%
Grade 12	0.8%	1.3%	6.3%	93.7%
Delta 8?				
All	1.6%	2.5%	4.2%	95.8%
Grade 7	0.4%	0.6%	1.5%	98.5%
Grade 8	0.6%	1.2%	2.2%	97.8%
Grade 9	1.4%	2.0%	2.8%	97.2%
Grade 10	2.0%	3.0%	5.0%	95.0%
Grade 11	2.0%	3.3%	5.2%	94.8%
Grade 12	4.2%	6.4%	10.5%	89.5%

**Table D-2: How Often Do You Normally Use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	90.2%	1.4%	1.2%	1.4%	1.7%	1.4%	2.9%
	Grade 7	97.2%	0.1%	0.2%	0.3%	0.3%	0.7%	1.2%
	Grade 8	92.5%	0.8%	1.4%	1.1%	1.5%	0.8%	1.9%
	Grade 9	93.4%	1.3%	0.7%	1.5%	0.5%	1.1%	1.6%
	Grade 10	87.3%	1.2%	1.9%	1.1%	2.2%	1.6%	4.7%
	Grade 11	87.8%	1.5%	1.9%	1.3%	2.6%	1.8%	3.1%
	Grade 12	78.7%	4.0%	1.1%	3.3%	3.6%	2.9%	6.4%
Cocaine?								
	All	99.4%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.8%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 9	98.9%	0.3%	0.2%	0.2%	0.2%	0.3%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 12	97.6%	0.5%	0.0%	0.0%	0.0%	0.6%	1.3%
Crack?								
	All	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.6%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
Steroids?								
	All	99.2%	0.3%	0.0%	0.1%	0.0%	0.0%	0.3%
	Grade 7	98.9%	0.3%	0.2%	0.0%	0.2%	0.1%	0.4%
	Grade 8	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	99.5%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.5%	0.3%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 11	99.1%	0.4%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 12	98.5%	0.5%	0.0%	0.5%	0.0%	0.0%	0.5%
Ecstasy?								
	All	99.6%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%
	Grade 7	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	99.4%	0.2%	0.0%	0.3%	0.0%	0.2%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 12	98.1%	0.0%	0.0%	0.0%	0.0%	0.6%	1.3%

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 7	99.6%	0.0%	0.1%	0.0%	0.1%	0.1%	0.0%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 12	99.0%	0.0%	0.5%	0.0%	0.0%	0.0%	0.5%
Methamphetamine?								
	All	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.2%	0.0%	0.1%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.6%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	98.9%	0.0%	0.0%	0.0%	0.0%	0.3%	0.8%
Synthetic Marijuana?								
	All	98.6%	0.0%	0.0%	0.3%	0.2%	0.4%	0.4%
	Grade 7	99.6%	0.0%	0.1%	0.1%	0.0%	0.1%	0.0%
	Grade 8	98.9%	0.2%	0.0%	0.1%	0.6%	0.1%	0.1%
	Grade 9	99.5%	0.0%	0.2%	0.2%	0.2%	0.0%	0.0%
	Grade 10	98.5%	0.0%	0.0%	0.2%	0.0%	0.2%	1.2%
	Grade 11	98.3%	0.0%	0.0%	0.9%	0.0%	0.7%	0.2%
	Grade 12	96.3%	0.0%	0.0%	0.3%	0.0%	2.0%	1.4%
Delta 8?								
	All	96.8%	0.3%	0.3%	0.4%	0.6%	0.8%	0.8%
	Grade 7	99.2%	0.0%	0.1%	0.1%	0.0%	0.3%	0.3%
	Grade 8	98.6%	0.1%	0.3%	0.1%	0.5%	0.4%	0.0%
	Grade 9	97.2%	0.3%	0.7%	0.3%	0.3%	0.8%	0.4%
	Grade 10	96.0%	0.0%	0.7%	0.4%	0.5%	0.7%	1.7%
	Grade 11	96.3%	0.4%	0.0%	0.4%	1.6%	0.4%	0.9%
	Grade 12	91.9%	0.8%	0.0%	1.8%	1.0%	2.9%	1.7%

**Table D-3: Average Age of First Use of...**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.5	11.8	12.0	12.8	13.5	13.9	14.4
Cocaine	14.0	8.0	12.8	12.4	N/A	14.4	14.7
Crack	11.9	9.2	11.3	N/A	N/A	N/A	14.0
Steroids	12.1	9.7	11.5	13.0	11.3	17.0	12.5
Ecstasy	13.5	10.9	11.0	10.5	N/A	17.0	14.2
Heroin	12.3	11.5	9.9	12.0	N/A	16.0	N/A
Methamphetamine	11.9	10.0	11.8	13.6	9.6	N/A	13.8
Synthetic Marijuana	13.8	9.7	11.9	13.0	14.1	15.6	14.7
Delta 8?	14.0	10.5	12.1	13.3	13.9	14.6	15.2

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	All	41.0%	23.6%	8.2%	7.1%	8.5%	11.7%
	Grade 7	49.3%	33.1%	7.6%	5.0%	2.7%	2.4%
	Grade 8	46.2%	27.5%	7.5%	6.4%	6.3%	6.1%
	Grade 9	39.7%	25.3%	8.9%	7.5%	8.0%	10.7%
	Grade 10	35.5%	20.2%	11.3%	7.8%	10.4%	14.8%
	Grade 11	38.4%	17.1%	4.9%	8.3%	15.7%	15.6%
	Grade 12	32.7%	13.5%	9.0%	8.2%	10.5%	26.1%
<b>Cocaine?</b>							
	All	46.9%	33.5%	9.5%	5.2%	2.7%	2.1%
	Grade 7	51.4%	38.2%	6.7%	2.2%	0.9%	0.7%
	Grade 8	50.6%	34.7%	6.8%	4.6%	1.4%	1.7%
	Grade 9	44.1%	33.7%	11.8%	4.3%	3.0%	3.2%
	Grade 10	43.1%	33.7%	12.6%	5.9%	2.4%	2.2%
	Grade 11	47.9%	29.5%	9.7%	6.2%	4.7%	2.1%
	Grade 12	42.2%	29.2%	10.4%	10.0%	4.9%	3.3%
<b>Crack?</b>							
	All	48.3%	33.7%	9.7%	4.2%	2.2%	2.0%
	Grade 7	53.2%	37.0%	6.6%	1.9%	0.6%	0.7%
	Grade 8	51.6%	34.3%	8.0%	3.4%	1.0%	1.7%
	Grade 9	45.3%	34.1%	11.4%	3.6%	2.3%	3.2%
	Grade 10	43.0%	35.3%	12.6%	4.6%	2.6%	1.9%
	Grade 11	49.5%	30.6%	8.5%	5.5%	3.8%	2.1%
	Grade 12	45.5%	29.1%	11.7%	7.4%	3.6%	2.7%
<b>Steroids?</b>							
	All	49.3%	29.5%	9.4%	6.1%	3.1%	2.6%
	Grade 7	54.2%	33.6%	5.6%	3.5%	1.6%	1.5%
	Grade 8	54.2%	29.8%	8.7%	4.4%	1.6%	1.4%
	Grade 9	45.2%	30.5%	11.5%	5.4%	3.6%	3.7%
	Grade 10	45.9%	31.3%	11.2%	5.2%	3.1%	3.3%
	Grade 11	49.0%	25.1%	9.1%	7.8%	4.8%	4.1%
	Grade 12	45.0%	24.4%	11.7%	12.3%	4.7%	1.9%
<b>Ecstasy?</b>							
	All	59.4%	26.9%	7.0%	3.0%	1.6%	2.1%
	Grade 7	66.3%	27.5%	3.8%	1.2%	0.6%	0.6%
	Grade 8	64.9%	26.3%	5.4%	1.8%	0.5%	1.1%
	Grade 9	56.6%	27.6%	8.2%	2.8%	1.1%	3.7%
	Grade 10	54.7%	28.2%	9.1%	4.5%	1.2%	2.2%
	Grade 11	58.0%	26.1%	8.0%	2.7%	3.0%	2.1%
	Grade 12	52.4%	25.3%	8.7%	6.3%	4.0%	3.3%

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	53.6%	32.4%	7.5%	3.4%	1.2%	2.0%
	Grade 7	60.6%	31.4%	4.6%	1.7%	0.8%	0.8%
	Grade 8	59.5%	30.6%	6.0%	1.7%	0.8%	1.4%
	Grade 9	48.2%	35.5%	8.0%	3.8%	1.3%	3.2%
	Grade 10	47.4%	35.2%	9.0%	4.9%	1.4%	2.0%
	Grade 11	55.2%	31.3%	7.0%	3.1%	1.1%	2.3%
	Grade 12	47.5%	30.2%	11.5%	6.3%	2.2%	2.3%
<b>Methamphetamine?</b>							
	All	54.5%	31.4%	7.1%	3.2%	1.8%	2.0%
	Grade 7	61.2%	31.3%	4.4%	1.5%	0.8%	0.9%
	Grade 8	59.9%	29.8%	5.9%	2.0%	0.9%	1.5%
	Grade 9	50.5%	33.1%	7.9%	3.4%	1.5%	3.5%
	Grade 10	49.0%	34.2%	8.6%	3.6%	2.3%	2.3%
	Grade 11	54.1%	31.9%	6.8%	2.7%	2.5%	1.9%
	Grade 12	49.8%	27.8%	10.0%	7.2%	3.5%	1.8%
<b>Synthetic Marijuana?</b>							
	All	58.1%	25.4%	5.8%	3.9%	3.2%	3.5%
	Grade 7	64.4%	28.1%	3.8%	2.0%	0.9%	0.9%
	Grade 8	62.2%	25.2%	6.1%	2.1%	2.1%	2.2%
	Grade 9	56.0%	25.8%	8.4%	2.0%	3.4%	4.4%
	Grade 10	53.5%	28.3%	5.7%	4.1%	4.0%	4.4%
	Grade 11	56.3%	24.2%	5.0%	4.7%	4.9%	4.9%
	Grade 12	53.5%	19.5%	5.7%	10.7%	5.3%	5.4%
<b>Delta 8?</b>							
	All	58.6%	23.3%	4.9%	3.7%	3.4%	6.2%
	Grade 7	66.0%	26.2%	3.7%	1.9%	1.1%	1.1%
	Grade 8	63.2%	24.7%	5.2%	2.6%	1.3%	2.9%
	Grade 9	55.4%	24.9%	7.4%	3.4%	3.6%	5.3%
	Grade 10	53.8%	24.1%	5.2%	3.7%	5.5%	7.6%
	Grade 11	58.4%	21.3%	3.3%	3.2%	4.4%	9.3%
	Grade 12	51.7%	16.1%	4.0%	8.8%	5.4%	14.1%



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	95.9%	1.9%	0.8%	1.4%
Grade 7	98.8%	1.0%	0.1%	0.1%
Grade 8	96.9%	1.5%	0.7%	0.9%
Grade 9	97.0%	1.2%	0.2%	1.6%
Grade 10	94.1%	2.9%	1.8%	1.2%
Grade 11	93.9%	2.0%	1.3%	2.9%
Grade 12	93.2%	3.4%	1.0%	2.4%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	98.8%	1.0%	0.1%	0.1%
Grade 7	98.8%	0.9%	0.1%	0.2%
Grade 8	99.1%	0.5%	0.2%	0.2%
Grade 9	98.7%	1.1%	0.0%	0.2%
Grade 10	99.3%	0.7%	0.0%	0.0%
Grade 11	98.3%	1.2%	0.5%	0.0%
Grade 12	98.2%	1.8%	0.0%	0.0%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.5
Marijuana Non-Users	4.0
Average Days Conduct Problems Reported	
Marijuana Users	3.4
Marijuana Non-Users	1.1

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	97.6%	1.5%	0.3%	0.6%
Grade 9	99.3%	0.2%	0.0%	0.5%
Grade 10	99.0%	0.6%	0.4%	0.0%
Grade 11	97.7%	2.3%	0.0%	0.0%
Grade 12	93.5%	3.6%	0.7%	2.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.4%	2.2%	0.2%	0.2%
Grade 7	98.2%	1.5%	0.2%	0.1%
Grade 8	97.9%	1.9%	0.1%	0.1%
Grade 9	97.3%	2.1%	0.4%	0.3%
Grade 10	96.7%	3.3%	0.0%	0.0%
Grade 11	97.0%	2.3%	0.4%	0.4%
Grade 12	97.1%	2.6%	0.0%	0.3%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	76.9%	11.9%	5.8%	4.2%	1.1%
Grade 7	90.3%	5.8%	2.4%	1.1%	0.4%
Grade 8	79.5%	11.3%	4.5%	3.7%	1.1%
Grade 9	77.6%	11.0%	4.9%	5.0%	1.5%
Grade 10	72.2%	14.8%	8.2%	4.1%	0.7%
Grade 11	74.3%	15.3%	6.0%	3.5%	0.9%
Grade 12	62.2%	15.4%	10.6%	9.1%	2.6%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	70.3%	4.0%	1.8%	2.2%	2.1%	2.0%	17.6%
Grade 7	84.6%	2.4%	0.6%	0.7%	0.2%	1.6%	10.0%
Grade 8	79.1%	2.4%	1.7%	1.6%	0.5%	2.2%	12.5%
Grade 9	67.2%	4.2%	1.8%	1.7%	1.2%	2.5%	21.3%
Grade 10	65.4%	4.8%	2.9%	0.9%	1.9%	1.6%	22.5%
Grade 11	59.9%	5.9%	1.3%	3.7%	3.7%	2.9%	22.7%
Grade 12	57.8%	5.6%	2.6%	5.7%	7.1%	1.1%	20.0%

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.0%	6.4%	6.1%	1.1%	0.9%	6.6%
Grade 7	85.5%	2.7%	2.3%	0.6%	0.5%	8.4%
Grade 8	81.0%	4.1%	5.0%	0.9%	0.5%	8.4%
Grade 9	77.9%	7.7%	8.2%	0.0%	1.2%	5.0%
Grade 10	78.0%	8.3%	5.9%	1.3%	0.7%	5.7%
Grade 11	74.6%	8.2%	8.5%	1.1%	1.2%	6.3%
Grade 12	73.9%	9.2%	7.8%	3.0%	1.3%	4.8%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	65.9%	14.3%	10.2%	4.2%	5.4%
	Grade 7	80.7%	9.1%	3.0%	1.3%	6.0%
	Grade 8	70.0%	13.3%	6.5%	3.5%	6.8%
	Grade 9	67.3%	13.5%	11.1%	3.8%	4.3%
	Grade 10	62.8%	14.8%	13.7%	3.6%	5.1%
	Grade 11	57.7%	19.7%	12.1%	5.8%	4.7%
	Grade 12	49.7%	17.6%	18.8%	8.6%	5.2%
Cocaine?	All	87.2%	6.3%	0.6%	0.4%	5.5%
	Grade 7	87.2%	5.0%	0.9%	0.6%	6.3%
	Grade 8	85.4%	6.1%	1.1%	0.7%	6.7%
	Grade 9	86.3%	8.6%	0.6%	0.5%	4.0%
	Grade 10	89.3%	4.8%	0.4%	0.0%	5.5%
	Grade 11	88.8%	6.1%	0.0%	0.0%	5.1%
	Grade 12	87.0%	7.2%	0.5%	0.4%	4.9%
Crack?	All	87.8%	5.3%	0.7%	0.4%	5.9%
	Grade 7	87.7%	4.0%	0.9%	0.6%	6.8%
	Grade 8	85.0%	6.2%	1.1%	0.5%	7.2%
	Grade 9	87.2%	7.3%	0.8%	0.5%	4.3%
	Grade 10	90.0%	3.3%	0.5%	0.0%	6.2%
	Grade 11	89.9%	4.6%	0.6%	0.0%	4.9%
	Grade 12	87.8%	6.1%	0.3%	0.4%	5.4%
Ecstasy?	All	79.9%	6.1%	0.8%	0.4%	12.8%
	Grade 7	81.2%	4.3%	1.0%	0.8%	12.8%
	Grade 8	78.0%	5.7%	1.2%	0.7%	14.4%
	Grade 9	77.8%	7.1%	0.5%	0.5%	14.1%
	Grade 10	81.7%	3.9%	0.9%	0.0%	13.5%
	Grade 11	81.6%	7.2%	0.7%	0.0%	10.5%
	Grade 12	79.6%	8.8%	0.6%	0.7%	10.3%
Steroids?	All	74.3%	12.7%	3.9%	1.0%	8.1%
	Grade 7	79.1%	8.8%	3.1%	1.0%	8.0%
	Grade 8	73.4%	12.6%	3.3%	1.7%	9.0%
	Grade 9	73.3%	14.2%	3.3%	1.5%	7.7%
	Grade 10	72.3%	13.4%	5.4%	0.3%	8.6%
	Grade 11	73.0%	14.3%	4.8%	0.9%	7.0%
	Grade 12	74.1%	13.5%	3.8%	0.4%	8.2%

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	86.0%	4.6%	0.8%	0.6%	8.1%
	Grade 7	82.5%	5.0%	1.1%	0.8%	10.6%
	Grade 8	82.2%	5.7%	1.0%	0.8%	10.4%
	Grade 9	84.9%	5.7%	0.7%	0.9%	7.8%
	Grade 10	89.7%	2.7%	0.7%	0.0%	6.8%
	Grade 11	89.2%	4.1%	0.7%	0.0%	5.9%
	Grade 12	89.7%	3.8%	0.3%	0.7%	5.4%
Methamphetamine?						
	All	85.9%	4.9%	0.5%	0.4%	8.2%
	Grade 7	84.1%	4.5%	0.8%	0.7%	9.9%
	Grade 8	83.3%	5.0%	0.8%	0.8%	10.1%
	Grade 9	85.0%	6.5%	0.3%	0.5%	7.8%
	Grade 10	87.4%	4.0%	0.5%	0.0%	8.1%
	Grade 11	89.3%	4.4%	0.4%	0.0%	5.9%
	Grade 12	88.3%	5.1%	0.3%	0.4%	5.9%
Synthetic Marijuana?						
	All	77.1%	7.4%	2.6%	1.0%	11.9%
	Grade 7	81.4%	5.4%	1.0%	0.8%	11.3%
	Grade 8	77.7%	6.6%	1.7%	1.5%	12.5%
	Grade 9	77.6%	7.5%	2.7%	0.9%	11.3%
	Grade 10	78.2%	6.9%	2.0%	0.2%	12.8%
	Grade 11	75.1%	9.2%	3.6%	1.2%	10.9%
	Grade 12	70.4%	9.5%	6.1%	1.5%	12.4%
Delta 8?						
	All	72.3%	9.0%	4.1%	2.1%	12.5%
	Grade 7	78.7%	6.7%	2.0%	0.9%	11.6%
	Grade 8	74.3%	7.9%	2.7%	1.9%	13.1%
	Grade 9	73.9%	9.1%	3.6%	2.1%	11.3%
	Grade 10	71.7%	9.5%	4.4%	1.1%	13.3%
	Grade 11	69.3%	11.2%	3.9%	2.8%	12.9%
	Grade 12	62.2%	10.4%	9.8%	4.5%	13.1%
Fictional Drug?						
	All	79.2%	4.0%	0.6%	0.4%	15.7%
	Grade 7	81.4%	3.6%	0.7%	0.6%	13.8%
	Grade 8	77.4%	5.3%	0.7%	0.5%	16.1%
	Grade 9	78.8%	5.6%	0.6%	0.5%	14.6%
	Grade 10	79.3%	2.1%	0.9%	0.0%	17.7%
	Grade 11	82.0%	3.4%	0.0%	0.0%	14.5%
	Grade 12	76.3%	3.9%	0.8%	0.4%	18.7%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	4.5%	6.7%	12.9%	87.1%
Grade 7	5.1%	7.0%	12.2%	87.8%
Grade 8	4.2%	5.4%	10.0%	90.0%
Grade 9	4.1%	6.1%	12.4%	87.6%
Grade 10	4.6%	7.2%	15.0%	85.0%
Grade 11	4.6%	6.4%	13.2%	86.8%
Grade 12	4.5%	8.8%	15.8%	84.2%
<b>Codeine Cough Syrup?</b>				
All	1.8%	3.4%	7.0%	93.0%
Grade 7	2.6%	4.1%	8.2%	91.8%
Grade 8	2.1%	3.2%	6.2%	93.8%
Grade 9	2.2%	3.6%	7.1%	92.9%
Grade 10	0.9%	2.7%	7.1%	92.9%
Grade 11	1.1%	3.3%	6.0%	94.0%
Grade 12	1.8%	3.7%	7.6%	92.4%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.2%	0.4%	1.8%	98.2%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.9%	99.1%
Grade 10	0.0%	0.0%	2.1%	97.9%
Grade 11	0.0%	0.8%	2.2%	97.8%
Grade 12	0.7%	1.1%	4.7%	95.3%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	0.4%	0.8%	2.0%	98.0%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	0.3%	0.5%	0.7%	99.3%
Grade 10	0.6%	1.0%	1.9%	98.1%
Grade 11	0.0%	0.3%	2.4%	97.6%
Grade 12	0.5%	1.5%	4.9%	95.1%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.4%	1.9%	3.7%	96.3%
Grade 7	1.3%	1.7%	2.2%	97.8%
Grade 8	0.6%	0.8%	1.8%	98.2%
Grade 9	0.8%	1.7%	3.0%	97.0%
Grade 10	2.2%	2.6%	5.3%	94.7%
Grade 11	1.7%	2.1%	3.8%	96.2%
Grade 12	2.3%	3.1%	7.0%	93.0%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.3%	3.3%	6.8%	93.2%
Grade 7	2.2%	3.1%	5.8%	94.2%
Grade 8	2.3%	3.1%	5.9%	94.1%
Grade 9	2.5%	3.9%	8.1%	91.9%
Grade 10	2.3%	3.6%	6.8%	93.2%
Grade 11	3.5%	3.8%	7.6%	92.4%
Grade 12	0.9%	2.3%	6.6%	93.4%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.0%	1.6%	2.9%	97.1%
Grade 7	1.3%	2.0%	3.6%	96.4%
Grade 8	0.7%	1.3%	2.4%	97.6%
Grade 9	1.4%	1.7%	2.1%	97.9%
Grade 10	0.7%	1.5%	2.8%	97.2%
Grade 11	1.2%	2.0%	3.6%	96.4%
Grade 12	0.7%	1.0%	3.3%	96.7%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.0%	12.6%	3.7%	1.0%	7.6%
Grade 7	78.9%	9.0%	2.9%	1.2%	8.0%
Grade 8	72.8%	12.3%	3.6%	1.9%	9.6%
Grade 9	72.3%	15.1%	5.5%	1.3%	5.8%
Grade 10	76.1%	11.3%	4.4%	0.4%	7.8%
Grade 11	75.2%	13.7%	3.9%	0.4%	6.9%
Grade 12	75.0%	15.6%	1.6%	0.4%	7.3%

## Inhalants

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Inhalant?</b>				
All	3.0%	4.1%	9.2%	90.8%
Grade 7	5.0%	6.1%	10.6%	89.4%
Grade 8	3.8%	5.7%	10.2%	89.8%
Grade 9	2.2%	3.3%	9.1%	90.9%
Grade 10	1.8%	2.2%	8.1%	91.9%
Grade 11	0.9%	1.3%	6.4%	93.6%
Grade 12	4.1%	5.2%	10.5%	89.5%
<b>Spray Paint?</b>				
All	0.3%	0.4%	1.5%	98.5%
Grade 7	0.6%	0.6%	1.8%	98.2%
Grade 8	0.5%	0.9%	1.7%	98.3%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.4%	1.5%	98.5%
Grade 12	0.0%	0.3%	3.0%	97.0%
<b>Whiteout, Correction Fluid, or Magic Markers?</b>				
All	0.6%	1.0%	3.9%	96.1%
Grade 7	1.1%	1.9%	4.7%	95.3%
Grade 8	0.8%	1.6%	4.2%	95.8%
Grade 9	0.0%	0.5%	3.6%	96.4%
Grade 10	0.6%	0.6%	3.3%	96.7%
Grade 11	0.0%	0.0%	1.7%	98.3%
Grade 12	1.2%	1.5%	5.9%	94.1%
<b>Computer Dusting Sprays?</b>				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.3%	1.3%	1.6%	98.4%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.3%	0.3%	1.2%	98.8%
<b>Helium, Butane, Propane, Whippets, or Freon?</b>				
All	0.5%	1.1%	3.3%	96.7%
Grade 7	0.6%	1.0%	3.5%	96.5%
Grade 8	0.6%	1.2%	3.5%	96.5%
Grade 9	0.5%	0.9%	3.2%	96.8%
Grade 10	0.7%	0.9%	2.1%	97.9%
Grade 11	0.4%	0.8%	2.9%	97.1%
Grade 12	0.0%	1.8%	5.1%	94.9%



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.2%	0.4%	1.3%	98.7%
Grade 7	0.7%	1.0%	2.1%	97.9%
Grade 8	0.2%	0.4%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.3%	2.0%	98.0%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.1%	0.2%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.2%	0.5%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.3%	2.0%	98.0%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.6%	0.8%	2.2%	97.8%
Grade 7	0.6%	0.9%	2.7%	97.3%
Grade 8	0.9%	1.1%	2.7%	97.3%
Grade 9	0.9%	0.9%	2.4%	97.6%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.4%	1.3%	98.7%
Grade 12	0.3%	0.6%	3.3%	96.7%
<b>Other Aerosols/Sprays?</b>				
All	0.3%	0.5%	1.6%	98.4%
Grade 7	0.7%	1.1%	2.5%	97.5%
Grade 8	0.5%	0.8%	2.0%	98.0%
Grade 9	0.0%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.3%	1.1%	98.9%
Grade 11	0.0%	0.4%	1.1%	98.9%
Grade 12	0.3%	0.3%	2.3%	97.7%

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.7%	0.1%	0.1%	0.2%	0.3%	0.5%	1.1%
Grade 7	96.8%	0.1%	0.4%	0.4%	0.6%	0.5%	1.2%
Grade 8	97.7%	0.2%	0.1%	0.4%	0.4%	0.3%	1.0%
Grade 9	98.6%	0.0%	0.0%	0.2%	0.0%	0.2%	1.1%
Grade 10	98.5%	0.0%	0.0%	0.2%	0.0%	0.9%	0.5%
Grade 11	98.4%	0.4%	0.0%	0.0%	0.0%	0.0%	1.2%
Grade 12	96.3%	0.0%	0.0%	0.0%	0.4%	1.5%	1.9%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	92.9%	3.8%	2.1%	1.2%
Grade 7	91.3%	4.4%	2.8%	1.5%
Grade 8	92.2%	3.9%	2.7%	1.2%
Grade 9	93.4%	3.9%	2.1%	0.6%
Grade 10	93.7%	4.9%	0.6%	0.8%
Grade 11	94.8%	3.1%	1.3%	0.7%
Grade 12	92.2%	2.2%	3.2%	2.4%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.3	9.8	11.1	11.4	10.7	12.1	12.7

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.5%	0.4%	0.1%	0.1%
Grade 7	99.2%	0.7%	0.1%	0.0%
Grade 8	99.2%	0.5%	0.1%	0.2%
Grade 9	99.5%	0.2%	0.3%	0.0%
Grade 10	99.8%	0.0%	0.0%	0.2%
Grade 11	100.0%	0.0%	0.0%	0.0%
Grade 12	99.1%	0.9%	0.0%	0.0%

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.3
Inhalant Non-Users	4.1
Average Days Conduct Problems Reported	
Inhalant Users	4.2
Inhalant Non-Users	1.2

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	94.2%	3.7%	1.3%	0.6%	0.2%
Grade 7	93.4%	4.6%	1.3%	0.5%	0.2%
Grade 8	93.9%	4.0%	1.6%	0.4%	0.1%
Grade 9	94.0%	3.4%	1.6%	0.6%	0.4%
Grade 10	95.7%	3.3%	0.5%	0.4%	0.0%
Grade 11	94.4%	3.4%	1.4%	0.8%	0.0%
Grade 12	94.0%	3.5%	1.0%	1.3%	0.3%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.2%	13.7%	4.8%	1.3%	8.0%
Grade 7	73.0%	12.8%	5.1%	1.9%	7.2%
Grade 8	69.4%	14.5%	5.4%	1.7%	8.9%
Grade 9	70.3%	15.7%	6.5%	0.9%	6.6%
Grade 10	75.2%	13.9%	3.3%	0.2%	7.4%
Grade 11	75.8%	10.9%	1.9%	2.1%	9.3%
Grade 12	70.2%	14.4%	5.7%	0.9%	8.8%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	48.8%	16.6%	3.4%	5.0%	7.6%	18.6%
Grade 7	52.8%	23.2%	3.0%	3.9%	6.3%	10.8%
Grade 8	53.7%	16.6%	4.9%	6.0%	5.7%	13.1%
Grade 9	46.1%	15.2%	3.4%	5.2%	9.1%	21.0%
Grade 10	45.8%	14.2%	4.7%	6.9%	8.5%	19.9%
Grade 11	49.2%	16.0%	2.1%	4.9%	4.6%	23.1%
Grade 12	42.8%	12.2%	1.6%	3.0%	12.5%	28.0%

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	38.5%
	Grade 7	37.0%
	Grade 8	40.6%
	Grade 9	37.3%
	Grade 10	35.3%
	Grade 11	43.1%
	Grade 12	38.1%
An Assembly Program		
	All	46.9%
	Grade 7	43.2%
	Grade 8	44.3%
	Grade 9	46.6%
	Grade 10	48.4%
	Grade 11	53.0%
	Grade 12	47.6%
Guidance Counselor		
	All	28.0%
	Grade 7	28.2%
	Grade 8	30.5%
	Grade 9	27.3%
	Grade 10	28.5%
	Grade 11	24.2%
	Grade 12	28.2%
School Nurse		
	All	18.0%
	Grade 7	17.3%
	Grade 8	16.1%
	Grade 9	16.2%
	Grade 10	16.4%
	Grade 11	23.9%
	Grade 12	19.3%
Science or Social Studies Class		
	All	27.9%
	Grade 7	24.5%
	Grade 8	24.1%
	Grade 9	28.8%
	Grade 10	31.5%
	Grade 11	29.4%
	Grade 12	31.1%

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	16.0%
	Grade 7	11.0%
	Grade 8	11.6%
	Grade 9	16.4%
	Grade 10	18.8%
	Grade 11	21.6%
	Grade 12	19.3%
<b>An Invited School Guest</b>		
	All	23.4%
	Grade 7	25.7%
	Grade 8	24.9%
	Grade 9	19.4%
	Grade 10	23.0%
	Grade 11	22.2%
	Grade 12	24.6%
<b>Another Source at School</b>		
	All	31.3%
	Grade 7	27.0%
	Grade 8	26.8%
	Grade 9	36.6%
	Grade 10	37.7%
	Grade 11	31.4%
	Grade 12	29.5%
<b>Any School Source</b>		
	All	67.4%
	Grade 7	64.4%
	Grade 8	67.1%
	Grade 9	68.2%
	Grade 10	69.2%
	Grade 11	71.7%
	Grade 12	64.5%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	35.1%
	Grade 7	40.7%
	Grade 8	34.9%
	Grade 9	33.0%
	Grade 10	33.5%
	Grade 11	30.6%
	Grade 12	37.2%
<b>School Nurse</b>		
	All	24.9%
	Grade 7	31.3%
	Grade 8	24.3%
	Grade 9	21.8%
	Grade 10	25.3%
	Grade 11	20.0%
	Grade 12	25.6%
<b>Another Adult In School</b>		
	All	37.9%
	Grade 7	43.0%
	Grade 8	36.9%
	Grade 9	32.4%
	Grade 10	35.7%
	Grade 11	37.2%
	Grade 12	42.8%
<b>Counselor/Program Outside-School</b>		
	All	37.5%
	Grade 7	40.3%
	Grade 8	35.3%
	Grade 9	36.2%
	Grade 10	35.3%
	Grade 11	37.8%
	Grade 12	40.2%
<b>Your Parents</b>		
	All	67.1%
	Grade 7	74.5%
	Grade 8	69.7%
	Grade 9	70.5%
	Grade 10	64.1%
	Grade 11	57.0%
	Grade 12	62.3%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	58.7%
	Grade 7	66.6%
	Grade 8	60.4%
	Grade 9	52.3%
	Grade 10	57.0%
	Grade 11	58.4%
	Grade 12	55.3%
<b>Your Friends</b>		
	All	59.9%
	Grade 7	52.8%
	Grade 8	54.3%
	Grade 9	64.0%
	Grade 10	62.0%
	Grade 11	60.7%
	Grade 12	69.5%
<b>Another Adult</b>		
	All	55.7%
	Grade 7	59.9%
	Grade 8	54.9%
	Grade 9	56.2%
	Grade 10	55.7%
	Grade 11	51.5%
	Grade 12	54.5%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	5.2%
	Grade 7	4.7%
	Grade 8	5.7%
	Grade 9	5.8%
	Grade 10	4.4%
	Grade 11	6.4%
	Grade 12	4.1%

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	5.5%	20.3%	23.6%	35.0%	15.6%
Grade 7	6.7%	17.2%	17.4%	38.3%	20.4%
Grade 8	6.8%	19.1%	21.3%	35.0%	17.9%
Grade 9	4.4%	19.7%	25.4%	36.0%	14.4%
Grade 10	7.0%	19.6%	27.4%	33.6%	12.3%
Grade 11	3.8%	22.1%	25.5%	36.6%	12.0%
Grade 12	3.9%	26.2%	25.8%	29.0%	15.1%
<b>Sometimes Carry Weapons?</b>					
All	85.3%	9.4%	3.2%	1.3%	0.8%
Grade 7	90.0%	6.3%	2.4%	0.8%	0.6%
Grade 8	84.8%	10.5%	2.5%	1.4%	0.8%
Grade 9	85.0%	8.6%	4.2%	1.0%	1.2%
Grade 10	86.8%	8.9%	2.7%	1.6%	0.0%
Grade 11	87.5%	8.8%	1.7%	1.6%	0.4%
Grade 12	75.6%	14.6%	6.5%	1.8%	1.5%
<b>Care About Making Good Grades?</b>					
All	2.2%	12.2%	24.4%	43.2%	18.1%
Grade 7	3.1%	10.9%	23.0%	40.0%	22.9%
Grade 8	2.9%	12.7%	26.7%	38.7%	19.0%
Grade 9	1.5%	12.5%	27.5%	41.8%	16.7%
Grade 10	2.4%	10.8%	21.4%	46.4%	19.1%
Grade 11	1.5%	11.7%	23.9%	47.1%	15.7%
Grade 12	1.2%	15.0%	22.6%	47.2%	14.0%
<b>Belong/Want to Belong to a Gang?</b>					
All	91.1%	5.5%	1.9%	0.9%	0.6%
Grade 7	90.1%	6.4%	1.9%	0.9%	0.7%
Grade 8	89.5%	6.4%	2.7%	0.7%	0.8%
Grade 9	91.5%	4.5%	2.5%	1.0%	0.5%
Grade 10	91.1%	5.8%	1.8%	0.6%	0.7%
Grade 11	94.8%	4.0%	0.6%	0.4%	0.2%
Grade 12	90.3%	5.4%	1.3%	2.0%	1.0%
<b>Wish They Could Drop Out of School?</b>					
All	47.6%	29.1%	13.5%	6.3%	3.4%
Grade 7	50.2%	26.8%	12.6%	5.9%	4.5%
Grade 8	47.0%	28.4%	14.5%	7.0%	3.1%
Grade 9	43.2%	30.7%	15.8%	7.0%	3.2%
Grade 10	46.3%	36.5%	11.3%	4.0%	1.9%
Grade 11	50.9%	29.9%	11.4%	5.4%	2.3%
Grade 12	48.8%	21.3%	15.2%	8.9%	5.9%



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	86.6%	11.5%	1.0%	0.2%	0.8%
Grade 7	87.4%	10.7%	1.0%	0.1%	0.7%
Grade 8	85.5%	12.9%	0.5%	0.5%	0.7%
Grade 9	88.4%	8.8%	1.4%	0.3%	1.1%
Grade 10	84.8%	12.8%	2.0%	0.0%	0.5%
Grade 11	86.8%	12.2%	0.6%	0.0%	0.3%
Grade 12	86.1%	12.0%	0.3%	0.3%	1.3%
<b>Out In Your Neighborhood?</b>					
All	47.7%	43.1%	5.5%	0.9%	2.8%
Grade 7	41.5%	46.8%	6.8%	1.1%	3.8%
Grade 8	41.6%	45.6%	8.5%	0.9%	3.4%
Grade 9	49.8%	43.0%	4.0%	1.3%	1.9%
Grade 10	48.6%	43.7%	4.3%	1.0%	2.3%
Grade 11	50.0%	45.3%	2.8%	0.4%	1.5%
Grade 12	57.6%	32.2%	6.1%	0.5%	3.6%
<b>At School?</b>					
All	27.6%	53.8%	10.7%	3.2%	4.8%
Grade 7	29.0%	50.5%	11.4%	4.9%	4.2%
Grade 8	28.6%	50.4%	11.8%	3.9%	5.4%
Grade 9	27.9%	53.4%	9.2%	3.1%	6.4%
Grade 10	26.5%	52.3%	12.8%	2.1%	6.3%
Grade 11	22.4%	61.4%	10.5%	2.7%	3.0%
Grade 12	30.9%	56.9%	7.7%	1.6%	2.8%

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	6.5%	8.1%	16.5%	83.5%
Grade 7	4.0%	5.2%	11.6%	88.4%
Grade 8	5.3%	7.0%	14.1%	85.9%
Grade 9	6.0%	7.4%	15.1%	84.9%
Grade 10	6.6%	8.9%	17.9%	82.1%
Grade 11	6.4%	8.0%	17.7%	82.3%
Grade 12	11.8%	13.4%	25.2%	74.8%
<b>Any Alcohol Product</b>				
All	17.8%	20.6%	38.7%	61.3%
Grade 7	12.5%	15.2%	30.5%	69.5%
Grade 8	17.7%	19.8%	36.3%	63.7%
Grade 9	15.6%	17.7%	35.7%	64.3%
Grade 10	18.6%	20.2%	39.0%	61.0%
Grade 11	17.1%	20.1%	42.0%	58.0%
Grade 12	28.0%	34.1%	53.4%	46.6%
<b>Any Illicit Drug</b>				
All	7.8%	10.5%	15.0%	85.0%
Grade 7	3.5%	5.5%	7.3%	92.7%
Grade 8	6.0%	8.4%	11.4%	88.6%
Grade 9	6.3%	7.5%	11.0%	89.0%
Grade 10	9.9%	13.0%	17.5%	82.5%
Grade 11	9.5%	11.9%	18.3%	81.7%
Grade 12	13.7%	19.3%	29.4%	70.6%
<b>Any Prescription Drug</b>				
All	4.5%	6.7%	12.9%	87.1%
Grade 7	5.1%	7.0%	12.2%	87.8%
Grade 8	4.2%	5.4%	10.0%	90.0%
Grade 9	4.1%	6.1%	12.4%	87.6%
Grade 10	4.6%	7.2%	15.0%	85.0%
Grade 11	4.6%	6.4%	13.2%	86.8%
Grade 12	4.5%	8.8%	15.8%	84.2%
<b>Any Inhalant</b>				
All	3.0%	4.1%	9.2%	90.8%
Grade 7	5.0%	6.1%	10.6%	89.4%
Grade 8	3.8%	5.7%	10.2%	89.8%
Grade 9	2.2%	3.3%	9.1%	90.9%
Grade 10	1.8%	2.2%	8.1%	91.9%
Grade 11	0.9%	1.3%	6.4%	93.6%
Grade 12	4.1%	5.2%	10.5%	89.5%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	4.8%	6.7%	15.0%	85.0%
Grade 7	2.5%	3.7%	9.9%	90.1%
Grade 8	3.6%	6.0%	12.7%	87.3%
Grade 9	4.6%	5.9%	14.0%	86.0%
Grade 10	5.3%	8.0%	16.7%	83.3%
Grade 11	4.7%	6.7%	17.0%	83.0%
Grade 12	9.5%	11.7%	22.4%	77.6%
<b>Marijuana</b>				
All	7.0%	8.4%	12.5%	87.5%
Grade 7	2.4%	3.2%	4.3%	95.7%
Grade 8	5.4%	6.9%	9.7%	90.3%
Grade 9	5.6%	5.9%	8.9%	91.1%
Grade 10	9.4%	11.0%	15.4%	84.6%
Grade 11	9.5%	10.8%	16.1%	83.9%
Grade 12	11.8%	15.3%	25.3%	74.7%
<b>Marijuana Only</b>				
All	2.9%	3.5%	6.6%	93.4%
Grade 7	1.2%	1.7%	2.5%	97.5%
Grade 8	2.9%	3.5%	6.0%	94.0%
Grade 9	2.1%	2.3%	5.2%	94.8%
Grade 10	4.7%	5.5%	8.7%	91.3%
Grade 11	3.3%	4.1%	8.0%	92.0%
Grade 12	3.3%	4.6%	10.9%	89.1%
<b>Cocaine or Crack</b>				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.7%	1.0%	1.1%	98.9%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	1.0%	1.2%	1.6%	98.4%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.4%	0.7%	1.5%	98.5%
Grade 12	1.7%	1.7%	3.9%	96.1%
<b>Cocaine</b>				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	1.0%	1.2%	1.2%	98.8%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.3%	1.1%	98.9%
Grade 12	1.7%	1.7%	3.9%	96.1%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.4%	0.5%	0.6%	99.4%
	Grade 8	0.1%	0.1%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.4%	0.4%	0.4%	99.6%
	Grade 12	0.0%	0.0%	0.5%	99.5%
Hallucinogens	All	0.9%	1.4%	3.0%	97.0%
	Grade 7	0.2%	0.5%	0.8%	99.2%
	Grade 8	0.5%	0.7%	1.2%	98.8%
	Grade 9	0.3%	0.4%	1.0%	99.0%
	Grade 10	0.0%	0.9%	3.0%	97.0%
	Grade 11	1.3%	2.2%	5.1%	94.9%
	Grade 12	3.8%	4.7%	9.0%	91.0%
Synthetic Cathinones	All	0.1%	0.2%	0.4%	99.6%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.3%	0.5%	0.5%	99.5%
	Grade 10	0.2%	0.2%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.0%	0.0%	0.7%	99.3%
Steroids	All	0.6%	0.9%	1.6%	98.4%
	Grade 7	0.7%	0.8%	1.5%	98.5%
	Grade 8	0.3%	0.4%	0.9%	99.1%
	Grade 9	0.4%	0.4%	0.7%	99.3%
	Grade 10	0.5%	0.8%	2.5%	97.5%
	Grade 11	0.7%	2.1%	2.8%	97.2%
	Grade 12	0.9%	0.9%	1.7%	98.3%
Ecstasy	All	0.1%	0.1%	0.6%	99.4%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.1%	0.1%	0.2%	99.8%
	Grade 9	0.4%	0.4%	0.7%	99.3%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.0%	0.0%	2.5%	97.5%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.1%	0.2%	0.4%	99.6%
	Grade 7	0.2%	0.4%	0.6%	99.4%
	Grade 8	0.1%	0.2%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.3%	0.3%	99.7%
	Grade 12	0.5%	0.5%	1.2%	98.8%
Synthetic Marijuana					
	All	0.6%	0.9%	2.3%	97.7%
	Grade 7	0.3%	0.5%	0.9%	99.1%
	Grade 8	0.5%	1.1%	1.9%	98.1%
	Grade 9	0.6%	0.8%	1.1%	98.9%
	Grade 10	0.7%	0.9%	2.8%	97.2%
	Grade 11	0.8%	1.2%	2.0%	98.0%
	Grade 12	0.8%	1.3%	6.3%	93.7%
Methamphetamine					
	All	0.1%	0.2%	0.6%	99.4%
	Grade 7	0.1%	0.2%	0.7%	99.3%
	Grade 8	0.1%	0.3%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.6%	0.6%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.3%	1.0%	99.0%
Delta 8					
	All	1.6%	2.5%	4.2%	95.8%
	Grade 7	0.4%	0.6%	1.5%	98.5%
	Grade 8	0.6%	1.2%	2.2%	97.8%
	Grade 9	1.4%	2.0%	2.8%	97.2%
	Grade 10	2.0%	3.0%	5.0%	95.0%
	Grade 11	2.0%	3.3%	5.2%	94.8%
	Grade 12	4.2%	6.4%	10.5%	89.5%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	6.6%	7.9%	15.6%	84.4%
Grade 7	3.3%	4.2%	10.0%	90.0%
Grade 8	4.8%	5.9%	12.5%	87.5%
Grade 9	5.9%	7.6%	13.6%	86.4%
Grade 10	6.1%	6.9%	17.2%	82.8%
Grade 11	7.4%	8.4%	18.0%	82.0%
Grade 12	14.2%	16.7%	25.5%	74.5%
<b>Any Alcohol Product</b>				
All	16.5%	18.7%	37.3%	62.7%
Grade 7	10.7%	13.5%	29.1%	70.9%
Grade 8	15.8%	17.9%	34.6%	65.4%
Grade 9	13.5%	14.7%	34.5%	65.5%
Grade 10	17.4%	18.0%	35.6%	64.4%
Grade 11	15.1%	17.1%	39.7%	60.3%
Grade 12	30.0%	34.8%	55.2%	44.8%
<b>Any Illicit Drug</b>				
All	7.1%	9.2%	13.5%	86.5%
Grade 7	2.4%	4.0%	5.1%	94.9%
Grade 8	5.8%	8.2%	11.0%	89.0%
Grade 9	5.7%	6.3%	10.9%	89.1%
Grade 10	8.5%	10.7%	14.0%	86.0%
Grade 11	9.6%	10.0%	18.0%	82.0%
Grade 12	13.1%	18.5%	26.4%	73.6%
<b>Any Prescription Drug</b>				
All	5.2%	7.6%	13.9%	86.1%
Grade 7	5.1%	6.6%	11.1%	88.9%
Grade 8	5.0%	6.6%	10.2%	89.8%
Grade 9	4.2%	6.6%	14.0%	86.0%
Grade 10	5.5%	8.3%	18.8%	81.2%
Grade 11	4.3%	6.8%	13.2%	86.8%
Grade 12	7.2%	11.6%	17.6%	82.4%
<b>Any Inhalant</b>				
All	2.8%	3.6%	8.5%	91.5%
Grade 7	4.1%	5.2%	9.3%	90.7%
Grade 8	3.1%	4.8%	9.0%	91.0%
Grade 9	1.7%	2.6%	8.3%	91.7%
Grade 10	2.2%	2.5%	8.3%	91.7%
Grade 11	1.3%	1.3%	5.7%	94.3%
Grade 12	3.9%	4.8%	10.1%	89.9%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	4.7%	6.3%	13.8%	86.2%
Grade 7	1.9%	2.6%	7.9%	92.1%
Grade 8	2.5%	4.7%	11.2%	88.8%
Grade 9	3.7%	5.4%	11.5%	88.5%
Grade 10	5.8%	6.6%	16.3%	83.7%
Grade 11	4.6%	6.5%	16.4%	83.6%
Grade 12	11.8%	14.2%	22.5%	77.5%
<b>Marijuana</b>				
All	6.6%	7.9%	11.7%	88.3%
Grade 7	1.4%	1.9%	2.6%	97.4%
Grade 8	5.4%	7.1%	9.7%	90.3%
Grade 9	4.6%	5.0%	8.6%	91.4%
Grade 10	8.5%	10.4%	13.2%	86.8%
Grade 11	9.6%	10.0%	15.9%	84.1%
Grade 12	12.3%	16.0%	25.0%	75.0%
<b>Marijuana Only</b>				
All	2.1%	2.8%	5.7%	94.3%
Grade 7	0.7%	1.0%	1.4%	98.6%
Grade 8	2.7%	3.2%	5.5%	94.5%
Grade 9	1.0%	1.3%	4.7%	95.3%
Grade 10	3.7%	4.7%	7.0%	93.0%
Grade 11	2.7%	3.0%	7.7%	92.3%
Grade 12	2.6%	4.4%	9.2%	90.8%
<b>Cocaine or Crack</b>				
All	0.7%	0.8%	1.2%	98.8%
Grade 7	0.6%	0.9%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.9%	0.9%	1.5%	98.5%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.9%	0.9%	1.7%	98.3%
Grade 12	1.5%	1.5%	3.0%	97.0%
<b>Cocaine</b>				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	1.5%	1.5%	3.0%	97.0%



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.7%	0.8%	99.2%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.9%	99.1%
<b>Hallucinogens</b>				
All	1.0%	1.6%	3.4%	96.6%
Grade 7	0.2%	0.6%	0.9%	99.1%
Grade 8	0.7%	0.9%	1.4%	98.6%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.0%	0.5%	2.3%	97.7%
Grade 11	0.9%	1.7%	5.1%	94.9%
Grade 12	4.5%	6.4%	11.8%	88.2%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.9%	99.1%
<b>Steroids</b>				
All	0.9%	1.4%	2.5%	97.5%
Grade 7	0.8%	1.0%	2.1%	97.9%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.9%	0.9%	1.5%	98.5%
Grade 10	1.1%	1.7%	4.5%	95.5%
Grade 11	1.6%	3.6%	4.3%	95.7%
Grade 12	0.9%	0.9%	1.9%	98.1%
<b>Ecstasy</b>				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.0%	97.0%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.5%	98.5%
<b>Synthetic Marijuana</b>				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.3%	0.6%	0.9%	99.1%
Grade 8	0.6%	1.3%	2.1%	97.9%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.8%	0.8%	1.6%	98.4%
Grade 11	0.9%	1.7%	2.1%	97.9%
Grade 12	0.6%	0.6%	4.7%	95.3%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.6%	1.5%	98.5%
<b>Delta 8</b>				
All	2.2%	3.0%	4.9%	95.1%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.9%	1.8%	2.9%	97.1%
Grade 9	2.0%	2.6%	3.7%	96.3%
Grade 10	2.8%	3.3%	5.3%	94.7%
Grade 11	1.7%	3.0%	5.3%	94.7%
Grade 12	6.5%	8.4%	13.6%	86.4%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	6.2%	8.1%	17.2%	82.8%
Grade 7	4.8%	6.3%	13.2%	86.8%
Grade 8	5.9%	8.2%	15.7%	84.3%
Grade 9	6.1%	7.3%	16.6%	83.4%
Grade 10	6.4%	10.1%	17.8%	82.2%
Grade 11	5.7%	7.7%	17.6%	82.4%
Grade 12	8.8%	9.7%	24.6%	75.4%
<b>Any Alcohol Product</b>				
All	18.9%	22.3%	40.1%	59.9%
Grade 7	14.2%	16.9%	32.0%	68.0%
Grade 8	19.7%	21.9%	38.3%	61.7%
Grade 9	17.5%	20.4%	37.0%	63.0%
Grade 10	19.0%	21.6%	41.6%	58.4%
Grade 11	19.0%	22.9%	44.4%	55.6%
Grade 12	26.0%	33.5%	51.5%	48.5%
<b>Any Illicit Drug</b>				
All	8.2%	11.4%	16.1%	83.9%
Grade 7	4.6%	7.1%	9.6%	90.4%
Grade 8	6.3%	8.6%	11.9%	88.1%
Grade 9	6.8%	8.6%	11.1%	88.9%
Grade 10	10.6%	14.5%	20.2%	79.8%
Grade 11	9.5%	13.8%	18.8%	81.2%
Grade 12	13.2%	19.2%	30.7%	69.3%
<b>Any Prescription Drug</b>				
All	3.9%	5.8%	11.9%	88.1%
Grade 7	5.1%	7.5%	13.4%	86.6%
Grade 8	3.4%	4.3%	9.9%	90.1%
Grade 9	4.0%	5.7%	11.2%	88.8%
Grade 10	3.8%	5.5%	10.8%	89.2%
Grade 11	4.8%	6.1%	13.2%	86.8%
Grade 12	1.9%	5.2%	13.5%	86.5%
<b>Any Inhalant</b>				
All	3.3%	4.5%	9.8%	90.2%
Grade 7	5.8%	6.9%	11.8%	88.2%
Grade 8	4.6%	6.6%	11.4%	88.6%
Grade 9	2.6%	3.8%	9.8%	90.2%
Grade 10	1.4%	1.9%	7.9%	92.1%
Grade 11	0.6%	1.4%	7.1%	92.9%
Grade 12	4.3%	5.8%	10.6%	89.4%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	4.8%	7.0%	16.1%	83.9%
Grade 7	3.0%	4.8%	11.9%	88.1%
Grade 8	4.6%	7.2%	14.2%	85.8%
Grade 9	5.4%	6.3%	16.2%	83.8%
Grade 10	4.9%	8.7%	16.5%	83.5%
Grade 11	4.9%	6.9%	17.6%	82.4%
Grade 12	6.6%	8.5%	22.0%	78.0%
<b>Marijuana</b>				
All	7.3%	8.7%	13.2%	86.8%
Grade 7	3.4%	4.4%	6.0%	94.0%
Grade 8	5.6%	6.8%	9.9%	90.1%
Grade 9	6.4%	6.7%	9.2%	90.8%
Grade 10	9.6%	10.9%	16.7%	83.3%
Grade 11	9.5%	11.6%	16.4%	83.6%
Grade 12	11.0%	14.3%	25.5%	74.5%
<b>Marijuana Only</b>				
All	3.6%	4.2%	7.6%	92.4%
Grade 7	1.8%	2.4%	3.6%	96.4%
Grade 8	3.2%	3.9%	6.5%	93.5%
Grade 9	3.2%	3.2%	5.7%	94.3%
Grade 10	5.7%	6.2%	10.2%	89.8%
Grade 11	3.9%	5.2%	8.4%	91.6%
Grade 12	4.1%	5.0%	12.9%	87.1%
<b>Cocaine or Crack</b>				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.8%	1.1%	1.2%	98.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	1.1%	1.3%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.6%	1.3%	98.7%
Grade 12	0.9%	0.9%	3.3%	96.7%
<b>Cocaine</b>				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.4%	0.8%	1.2%	98.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	1.1%	1.3%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.6%	1.3%	98.7%
Grade 12	0.9%	0.9%	3.3%	96.7%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.7%	1.0%	2.5%	97.5%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.0%	0.3%	0.9%	99.1%
Grade 10	0.0%	0.5%	3.0%	97.0%
Grade 11	1.8%	2.6%	5.1%	94.9%
Grade 12	2.6%	2.6%	6.0%	94.0%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Steroids</b>				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	0.1%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.8%	1.4%	98.6%
Grade 12	0.9%	0.9%	0.9%	99.1%
<b>Ecstasy</b>				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.5%	98.5%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.4%	0.5%	99.5%
Grade 7	0.4%	0.6%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.6%	0.6%	99.4%
Grade 12	0.9%	0.9%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	0.7%	1.0%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.4%	0.9%	1.7%	98.3%
Grade 9	0.9%	1.1%	1.4%	98.6%
Grade 10	0.7%	1.0%	3.9%	96.1%
Grade 11	0.8%	0.8%	2.0%	98.0%
Grade 12	1.1%	2.1%	7.8%	92.2%
<b>Methamphetamine</b>				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.1%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	1.0%	2.0%	3.5%	96.5%
Grade 7	0.4%	0.7%	2.1%	97.9%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.9%	1.4%	2.0%	98.0%
Grade 10	1.3%	2.7%	4.9%	95.1%
Grade 11	2.2%	3.5%	5.3%	94.7%
Grade 12	1.5%	3.9%	6.5%	93.5%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.1%	11.2%	19.0%	81.0%
Grade 7	3.4%	5.0%	9.6%	90.4%
Grade 8	4.9%	6.0%	11.9%	88.1%
Grade 9	9.3%	12.8%	18.9%	81.1%
Grade 10	11.7%	14.0%	22.1%	77.9%
Grade 11	9.3%	12.7%	25.4%	74.6%
Grade 12	22.3%	23.6%	37.8%	62.2%
<b>Any Alcohol Product</b>				
All	21.3%	24.9%	44.7%	55.3%
Grade 7	8.5%	11.9%	29.7%	70.3%
Grade 8	17.7%	20.5%	39.4%	60.6%
Grade 9	20.7%	24.2%	43.6%	56.4%
Grade 10	26.9%	29.6%	46.3%	53.7%
Grade 11	26.1%	29.9%	51.9%	48.1%
Grade 12	39.0%	45.4%	71.9%	28.1%
<b>Any Illicit Drug</b>				
All	8.6%	12.7%	16.7%	83.3%
Grade 7	2.7%	4.9%	6.7%	93.3%
Grade 8	3.9%	6.6%	8.4%	91.6%
Grade 9	10.7%	12.7%	14.7%	85.3%
Grade 10	10.7%	17.4%	20.5%	79.5%
Grade 11	13.1%	17.5%	23.4%	76.6%
Grade 12	16.7%	26.1%	40.3%	59.7%
<b>Any Prescription Drug</b>				
All	5.8%	8.3%	15.7%	84.3%
Grade 7	4.1%	7.4%	13.9%	86.1%
Grade 8	5.1%	6.5%	12.1%	87.9%
Grade 9	6.2%	8.2%	16.3%	83.7%
Grade 10	8.1%	10.3%	19.0%	81.0%
Grade 11	7.4%	9.9%	13.5%	86.5%
Grade 12	5.2%	9.1%	22.1%	77.9%
<b>Any Inhalant</b>				
All	4.0%	5.4%	10.0%	90.0%
Grade 7	4.3%	5.1%	8.6%	91.4%
Grade 8	2.1%	4.0%	6.4%	93.6%
Grade 9	4.7%	5.4%	12.8%	87.2%
Grade 10	3.3%	3.3%	8.2%	91.8%
Grade 11	1.2%	1.2%	4.4%	95.6%
Grade 12	8.6%	14.1%	20.5%	79.5%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.4%	9.9%	17.1%	82.9%
Grade 7	1.6%	3.3%	7.4%	92.6%
Grade 8	2.4%	5.5%	11.0%	89.0%
Grade 9	8.1%	10.9%	15.8%	84.2%
Grade 10	10.9%	13.1%	22.1%	77.9%
Grade 11	8.3%	11.8%	25.4%	74.6%
Grade 12	19.7%	21.1%	32.6%	67.4%
<b>Marijuana</b>				
All	7.8%	10.3%	13.7%	86.3%
Grade 7	1.9%	2.8%	3.0%	97.0%
Grade 8	3.7%	5.7%	7.3%	92.7%
Grade 9	8.7%	10.1%	11.4%	88.6%
Grade 10	10.7%	14.3%	17.4%	82.6%
Grade 11	13.1%	16.5%	22.4%	77.6%
Grade 12	15.4%	21.0%	33.9%	66.1%
<b>Marijuana Only</b>				
All	2.5%	3.9%	6.2%	93.8%
Grade 7	0.9%	1.3%	1.5%	98.5%
Grade 8	2.2%	2.8%	3.9%	96.1%
Grade 9	2.6%	3.3%	4.6%	95.4%
Grade 10	4.8%	6.1%	8.3%	91.7%
Grade 11	1.2%	4.5%	8.2%	91.8%
Grade 12	3.8%	8.0%	15.7%	84.3%
<b>Cocaine or Crack</b>				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	1.3%	2.0%	2.0%	98.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.2%	97.8%
Grade 12	1.3%	1.3%	5.1%	94.9%
<b>Cocaine</b>				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	1.3%	2.0%	2.0%	98.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.2%	97.8%
Grade 12	1.3%	1.3%	5.1%	94.9%



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.9%	1.3%	3.2%	96.8%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.7%	2.7%	97.3%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	1.2%	3.7%	5.9%	94.1%
Grade 12	5.1%	5.1%	12.8%	87.2%
<b>Synthetic Cathinones</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.8%	0.8%	1.4%	98.6%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.3%	98.7%
<b>Steroids</b>				
All	0.6%	1.0%	1.5%	98.5%
Grade 7	1.1%	1.5%	2.2%	97.8%
Grade 8	0.1%	0.2%	1.3%	98.7%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	1.4%	2.7%	2.7%	97.3%
Grade 11	0.0%	1.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.1%	0.1%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.7%	0.7%	2.0%	98.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	5.1%	94.9%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.3%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.3%	98.7%
<b>Synthetic Marijuana</b>				
All	1.6%	2.2%	3.7%	96.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	1.6%	2.6%	97.4%
Grade 9	2.0%	2.6%	3.3%	96.7%
Grade 10	2.9%	3.7%	5.1%	94.9%
Grade 11	2.4%	2.4%	3.4%	96.6%
Grade 12	3.9%	3.9%	10.3%	89.7%
<b>Methamphetamine</b>				
All	0.1%	0.3%	0.9%	99.1%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	0.0%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.3%	2.6%	97.4%
<b>Delta 8</b>				
All	2.3%	3.7%	6.9%	93.1%
Grade 7	0.3%	0.8%	1.8%	98.2%
Grade 8	0.0%	1.3%	2.6%	97.4%
Grade 9	2.7%	3.3%	6.8%	93.2%
Grade 10	5.7%	7.9%	9.7%	90.3%
Grade 11	2.5%	5.9%	11.4%	88.6%
Grade 12	5.1%	6.4%	15.4%	84.6%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	4.5%	5.1%	12.8%	87.2%
Grade 7	5.8%	6.2%	14.5%	85.5%
Grade 8	3.8%	6.6%	13.6%	86.4%
Grade 9	7.7%	7.7%	15.5%	84.5%
Grade 10	5.4%	5.4%	13.7%	86.3%
Grade 11	3.4%	3.4%	13.0%	87.0%
Grade 12	0.0%	0.0%	5.7%	94.3%
<b>Any Alcohol Product</b>				
All	12.0%	13.8%	30.0%	70.0%
Grade 7	14.2%	16.7%	30.5%	69.5%
Grade 8	14.4%	16.5%	31.5%	68.5%
Grade 9	7.7%	7.7%	15.5%	84.5%
Grade 10	13.8%	13.8%	32.9%	67.1%
Grade 11	12.5%	12.5%	40.9%	59.1%
Grade 12	8.5%	14.1%	31.1%	68.9%
<b>Any Illicit Drug</b>				
All	6.0%	7.8%	14.6%	85.4%
Grade 7	5.1%	5.8%	8.0%	92.0%
Grade 8	8.0%	10.0%	13.9%	86.1%
Grade 9	5.1%	5.1%	10.3%	89.7%
Grade 10	13.5%	16.3%	24.6%	75.4%
Grade 11	3.4%	3.4%	16.3%	83.7%
Grade 12	0.0%	5.7%	17.0%	83.0%
<b>Any Prescription Drug</b>				
All	3.4%	4.9%	9.6%	90.4%
Grade 7	8.3%	10.4%	15.1%	84.9%
Grade 8	4.3%	5.6%	9.1%	90.9%
Grade 9	0.0%	2.6%	10.4%	89.6%
Grade 10	5.2%	7.8%	15.7%	84.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.0%	97.0%
<b>Any Inhalant</b>				
All	1.6%	1.7%	6.6%	93.4%
Grade 7	3.9%	4.1%	7.4%	92.6%
Grade 8	4.0%	4.5%	8.0%	92.0%
Grade 9	0.0%	0.0%	10.4%	89.6%
Grade 10	0.0%	0.0%	5.4%	94.6%
Grade 11	0.0%	0.0%	6.2%	93.8%
Grade 12	0.0%	0.0%	1.1%	98.9%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	2.8%	3.4%	11.4%	88.6%
Grade 7	3.5%	3.9%	11.8%	88.2%
Grade 8	2.1%	5.0%	11.1%	88.9%
Grade 9	5.1%	5.1%	15.5%	84.5%
Grade 10	5.4%	5.4%	13.7%	86.3%
Grade 11	0.0%	0.0%	9.6%	90.4%
Grade 12	0.0%	0.0%	5.7%	94.3%
<b>Marijuana</b>				
All	5.2%	6.0%	11.6%	88.4%
Grade 7	3.1%	3.1%	4.1%	95.9%
Grade 8	6.1%	7.9%	11.8%	88.2%
Grade 9	5.1%	5.1%	10.3%	89.7%
Grade 10	13.5%	13.5%	19.0%	81.0%
Grade 11	3.4%	3.4%	13.0%	87.0%
Grade 12	0.0%	2.8%	14.1%	85.9%
<b>Marijuana Only</b>				
All	3.2%	3.4%	8.1%	91.9%
Grade 7	1.5%	1.5%	2.0%	98.0%
Grade 8	4.6%	5.6%	8.6%	91.4%
Grade 9	2.5%	2.5%	7.5%	92.5%
Grade 10	7.5%	7.5%	12.6%	87.4%
Grade 11	3.2%	3.2%	12.5%	87.5%
Grade 12	0.0%	0.0%	7.6%	92.4%
<b>Cocaine or Crack</b>				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	1.9%	2.8%	2.8%	97.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.8%	97.2%
<b>Cocaine</b>				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	1.1%	1.1%	1.7%	98.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.8%	97.2%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.7%	1.6%	2.2%	97.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.4%	0.4%	1.3%	98.7%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.8%	97.2%
Grade 11	0.0%	0.0%	3.4%	96.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.7%	0.7%	1.6%	98.4%
Grade 7	0.5%	0.5%	2.4%	97.6%
Grade 8	1.0%	1.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.6%	97.4%
Grade 11	3.4%	3.4%	3.4%	96.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.6%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.2%	0.2%	1.7%	98.3%
Grade 7	0.7%	0.7%	2.2%	97.8%
Grade 8	0.3%	0.3%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.8%	97.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.8%	97.2%
<b>Methamphetamine</b>				
All	0.5%	0.5%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.6%	2.6%	2.6%	97.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	1.1%	1.2%	2.7%	97.3%
Grade 7	0.5%	0.5%	2.7%	97.3%
Grade 8	1.1%	1.5%	2.6%	97.4%
Grade 9	2.6%	2.6%	2.6%	97.4%
Grade 10	2.6%	2.6%	5.4%	94.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.8%	97.2%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	6.4%	8.1%	17.4%	82.6%
Grade 7	4.2%	5.7%	13.1%	86.9%
Grade 8	6.5%	8.4%	16.6%	83.4%
Grade 9	3.5%	3.9%	12.8%	87.2%
Grade 10	5.4%	7.9%	17.7%	82.3%
Grade 11	7.6%	9.3%	19.1%	80.9%
Grade 12	12.7%	15.4%	27.5%	72.5%
<b>Any Alcohol Product</b>				
All	18.6%	21.1%	39.5%	60.5%
Grade 7	15.0%	17.5%	32.8%	67.2%
Grade 8	19.5%	21.7%	36.5%	63.5%
Grade 9	14.9%	17.4%	38.2%	61.8%
Grade 10	17.8%	18.3%	38.3%	61.7%
Grade 11	17.3%	20.7%	41.3%	58.7%
Grade 12	30.0%	34.5%	53.2%	46.8%
<b>Any Illicit Drug</b>				
All	8.1%	10.7%	15.2%	84.8%
Grade 7	3.6%	6.2%	7.9%	92.1%
Grade 8	6.7%	9.3%	12.9%	87.1%
Grade 9	4.0%	5.5%	9.4%	90.6%
Grade 10	9.5%	12.0%	15.8%	84.2%
Grade 11	11.2%	13.4%	19.4%	80.6%
Grade 12	16.0%	20.4%	29.6%	70.4%
<b>Any Prescription Drug</b>				
All	3.9%	5.9%	12.3%	87.7%
Grade 7	5.1%	6.1%	10.0%	90.0%
Grade 8	3.1%	4.2%	8.8%	91.2%
Grade 9	4.6%	5.6%	11.7%	88.3%
Grade 10	3.3%	6.1%	14.4%	85.6%
Grade 11	4.3%	5.6%	14.8%	85.2%
Grade 12	2.7%	8.5%	14.9%	85.1%
<b>Any Inhalant</b>				
All	2.8%	3.9%	9.3%	90.7%
Grade 7	5.6%	7.0%	12.5%	87.5%
Grade 8	4.8%	7.0%	12.6%	87.4%
Grade 9	2.0%	3.5%	7.4%	92.6%
Grade 10	1.4%	1.4%	7.0%	93.0%
Grade 11	0.7%	1.4%	7.1%	92.9%
Grade 12	2.7%	2.7%	9.8%	90.2%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	4.6%	6.7%	16.2%	83.8%
Grade 7	2.9%	4.2%	12.0%	88.0%
Grade 8	4.7%	7.0%	15.3%	84.7%
Grade 9	2.0%	2.5%	12.0%	88.0%
Grade 10	3.4%	6.6%	16.5%	83.5%
Grade 11	5.7%	8.0%	18.5%	81.5%
Grade 12	10.1%	13.7%	25.1%	74.9%
<b>Marijuana</b>				
All	7.5%	8.8%	13.1%	86.9%
Grade 7	2.7%	3.8%	5.4%	94.6%
Grade 8	6.4%	7.8%	11.2%	88.8%
Grade 9	3.5%	3.5%	7.0%	93.0%
Grade 10	8.6%	10.2%	14.4%	85.6%
Grade 11	11.2%	12.3%	17.1%	82.9%
Grade 12	14.3%	17.8%	26.7%	73.3%
<b>Marijuana Only</b>				
All	3.1%	3.7%	6.9%	93.1%
Grade 7	1.4%	2.2%	3.5%	96.5%
Grade 8	2.7%	3.4%	6.5%	93.5%
Grade 9	1.4%	1.4%	4.6%	95.4%
Grade 10	4.5%	5.3%	8.5%	91.5%
Grade 11	4.5%	5.1%	8.7%	91.3%
Grade 12	4.2%	5.1%	10.2%	89.8%
<b>Cocaine or Crack</b>				
All	0.9%	0.9%	1.4%	98.6%
Grade 7	0.5%	0.7%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	1.0%	1.0%	1.5%	98.5%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.7%	0.7%	1.4%	98.6%
Grade 12	2.7%	2.7%	4.5%	95.5%
<b>Cocaine</b>				
All	0.7%	0.8%	1.2%	98.8%
Grade 7	0.4%	0.7%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	2.7%	2.7%	4.5%	95.5%



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.2%	0.2%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.7%	0.7%	0.7%	99.3%
	Grade 12	0.0%	0.0%	0.9%	99.1%
Hallucinogens	All	1.1%	1.8%	3.5%	96.5%
	Grade 7	0.1%	0.4%	0.9%	99.1%
	Grade 8	0.5%	0.8%	1.6%	98.4%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.0%	1.6%	3.8%	96.2%
	Grade 11	1.9%	2.6%	5.1%	94.9%
	Grade 12	4.5%	6.2%	10.7%	89.3%
Synthetic Cathinones	All	0.1%	0.2%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.5%	1.0%	1.0%	99.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.9%	99.1%
Steroids	All	0.6%	0.9%	1.6%	98.4%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.2%	0.4%	0.6%	99.4%
	Grade 9	0.5%	0.5%	1.0%	99.0%
	Grade 10	0.5%	0.5%	2.3%	97.7%
	Grade 11	0.6%	1.9%	2.5%	97.5%
	Grade 12	1.8%	1.8%	2.7%	97.3%
Ecstasy	All	0.1%	0.1%	0.6%	99.4%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	2.7%	97.3%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.9%	0.9%	1.8%	98.2%
<b>Synthetic Marijuana</b>				
All	0.3%	0.7%	1.9%	98.1%
Grade 7	0.3%	0.6%	1.0%	99.0%
Grade 8	0.7%	1.3%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.7%	1.4%	2.5%	97.5%
Grade 12	0.0%	0.9%	5.6%	94.4%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.9%	99.1%
<b>Delta 8</b>				
All	1.6%	2.6%	3.8%	96.2%
Grade 7	0.4%	0.4%	1.2%	98.8%
Grade 8	0.8%	1.1%	2.1%	97.9%
Grade 9	0.5%	1.0%	1.0%	99.0%
Grade 10	0.9%	1.8%	3.4%	96.6%
Grade 11	2.6%	3.9%	5.7%	94.3%
Grade 12	5.3%	8.9%	11.6%	88.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	3.3%	4.1%	10.4%	89.6%
Grade 7	1.1%	1.7%	5.6%	94.4%
Grade 8	1.3%	2.1%	6.1%	93.9%
Grade 9	3.2%	3.9%	7.9%	92.1%
Grade 10	3.4%	3.4%	11.7%	88.3%
Grade 11	1.8%	2.3%	10.1%	89.9%
Grade 12	11.3%	13.9%	25.9%	74.1%
<b>Any Alcohol Product</b>				
All	12.5%	15.2%	34.2%	65.8%
Grade 7	8.1%	10.3%	22.9%	77.1%
Grade 8	11.5%	13.2%	29.0%	71.0%
Grade 9	8.5%	10.2%	32.6%	67.4%
Grade 10	13.5%	16.6%	30.7%	69.3%
Grade 11	12.6%	14.7%	42.1%	57.9%
Grade 12	24.8%	30.7%	53.5%	46.5%
<b>Any Illicit Drug</b>				
All	3.7%	6.2%	10.2%	89.8%
Grade 7	1.6%	3.3%	4.3%	95.7%
Grade 8	1.9%	3.4%	4.6%	95.4%
Grade 9	2.0%	2.7%	4.2%	95.8%
Grade 10	6.2%	7.4%	10.8%	89.2%
Grade 11	2.5%	4.5%	13.2%	86.8%
Grade 12	10.7%	19.9%	30.2%	69.8%
<b>Any Prescription Drug</b>				
All	4.2%	6.3%	11.7%	88.3%
Grade 7	4.8%	7.2%	12.6%	87.4%
Grade 8	4.4%	5.8%	8.8%	91.2%
Grade 9	4.0%	4.9%	10.5%	89.5%
Grade 10	1.9%	4.6%	9.3%	90.7%
Grade 11	5.7%	7.9%	12.2%	87.8%
Grade 12	3.4%	7.4%	17.8%	82.2%
<b>Any Inhalant</b>				
All	2.3%	3.2%	8.0%	92.0%
Grade 7	3.0%	4.4%	8.6%	91.4%
Grade 8	2.7%	4.4%	6.8%	93.2%
Grade 9	1.9%	2.3%	9.5%	90.5%
Grade 10	0.6%	1.4%	4.8%	95.2%
Grade 11	0.5%	0.5%	7.1%	92.9%
Grade 12	5.1%	6.4%	11.2%	88.8%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	2.4%	3.2%	9.0%	91.0%
Grade 7	0.5%	0.9%	3.7%	96.3%
Grade 8	0.7%	1.6%	5.2%	94.8%
Grade 9	1.7%	2.4%	6.5%	93.5%
Grade 10	3.4%	3.4%	10.2%	89.8%
Grade 11	1.8%	2.3%	10.1%	89.9%
Grade 12	8.2%	10.8%	22.8%	77.2%
<b>Marijuana</b>				
All	3.1%	4.5%	8.3%	91.7%
Grade 7	0.9%	1.4%	1.8%	98.2%
Grade 8	1.6%	2.3%	3.4%	96.6%
Grade 9	2.0%	2.0%	3.5%	96.5%
Grade 10	6.2%	6.2%	10.2%	89.8%
Grade 11	2.5%	3.3%	11.2%	88.8%
Grade 12	7.6%	14.8%	25.1%	74.9%
<b>Marijuana Only</b>				
All	1.4%	1.9%	4.5%	95.5%
Grade 7	0.1%	0.3%	0.8%	99.2%
Grade 8	0.8%	1.4%	2.1%	97.9%
Grade 9	1.5%	1.5%	2.9%	97.1%
Grade 10	2.1%	2.1%	5.5%	94.5%
Grade 11	1.5%	1.5%	6.9%	93.1%
Grade 12	3.0%	5.4%	11.5%	88.5%
<b>Cocaine or Crack</b>				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.7%	1.0%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.8%	1.2%	98.8%
Grade 12	1.3%	1.3%	4.1%	95.9%
<b>Cocaine</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.8%	1.2%	98.8%
Grade 12	1.3%	1.3%	4.1%	95.9%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.4%	0.8%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.3%	98.7%
<b>Hallucinogens</b>				
All	0.6%	0.7%	2.0%	98.0%
Grade 7	0.2%	0.9%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	3.1%	3.1%	9.4%	90.6%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.0%	98.0%
<b>Steroids</b>				
All	0.4%	0.8%	1.6%	98.4%
Grade 7	1.1%	1.4%	1.8%	98.2%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	2.4%	97.6%
Grade 11	0.0%	1.4%	2.2%	97.8%
Grade 12	1.3%	1.3%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.0%	0.0%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.1%	95.9%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	1.3%	98.7%
<b>Synthetic Marijuana</b>				
All	0.5%	0.6%	1.8%	98.2%
Grade 7	0.2%	0.5%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.2%	1.2%	2.0%	98.0%
Grade 11	1.0%	1.0%	2.2%	97.8%
Grade 12	0.8%	0.8%	6.7%	93.3%
<b>Methamphetamine</b>				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.3%	98.7%
<b>Delta 8</b>				
All	0.8%	1.3%	2.8%	97.2%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	2.7%	2.7%	5.3%	94.7%
Grade 11	0.0%	0.8%	2.4%	97.6%
Grade 12	2.8%	4.9%	10.5%	89.5%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.3%	10.3%	19.8%	80.2%
Grade 7	5.8%	7.3%	15.3%	84.7%
Grade 8	7.9%	10.1%	18.6%	81.4%
Grade 9	7.3%	8.6%	18.7%	81.3%
Grade 10	8.3%	11.7%	20.8%	79.2%
Grade 11	9.2%	11.5%	22.2%	77.8%
Grade 12	12.2%	13.4%	25.1%	74.9%
<b>Any Alcohol Product</b>				
All	20.9%	23.8%	41.0%	59.0%
Grade 7	15.3%	18.3%	35.2%	64.8%
Grade 8	21.7%	24.2%	40.4%	59.6%
Grade 9	19.7%	22.1%	37.4%	62.6%
Grade 10	20.9%	21.3%	41.9%	58.1%
Grade 11	20.0%	23.7%	41.7%	58.3%
Grade 12	29.5%	35.8%	52.6%	47.4%
<b>Any Illicit Drug</b>				
All	10.1%	12.9%	17.9%	82.1%
Grade 7	4.6%	6.9%	9.2%	90.8%
Grade 8	8.5%	11.5%	15.7%	84.3%
Grade 9	8.4%	10.0%	14.7%	85.3%
Grade 10	11.9%	16.0%	21.1%	78.9%
Grade 11	14.0%	16.0%	21.0%	79.0%
Grade 12	15.6%	19.3%	29.3%	70.7%
<b>Any Prescription Drug</b>				
All	4.8%	7.0%	13.6%	86.4%
Grade 7	5.4%	7.0%	12.2%	87.8%
Grade 8	4.2%	5.4%	10.2%	89.8%
Grade 9	4.2%	6.4%	12.8%	87.2%
Grade 10	5.9%	8.6%	18.0%	82.0%
Grade 11	3.8%	5.5%	14.2%	85.8%
Grade 12	5.3%	9.7%	15.0%	85.0%
<b>Any Inhalant</b>				
All	3.5%	4.6%	9.9%	90.1%
Grade 7	6.2%	7.2%	11.9%	88.1%
Grade 8	4.5%	6.4%	12.2%	87.8%
Grade 9	2.4%	3.9%	8.6%	91.4%
Grade 10	2.4%	2.6%	9.8%	90.2%
Grade 11	1.3%	2.0%	6.1%	93.9%
Grade 12	3.5%	4.7%	10.2%	89.8%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.1%	8.7%	18.3%	81.7%
Grade 7	3.8%	5.4%	13.7%	86.3%
Grade 8	5.3%	8.7%	16.8%	83.2%
Grade 9	5.9%	7.0%	17.7%	82.3%
Grade 10	6.3%	10.4%	19.9%	80.1%
Grade 11	6.2%	9.2%	20.9%	79.1%
Grade 12	10.4%	12.3%	22.5%	77.5%
<b>Marijuana</b>				
All	9.3%	10.6%	15.0%	85.0%
Grade 7	3.4%	4.4%	5.8%	94.2%
Grade 8	7.9%	9.8%	13.7%	86.3%
Grade 9	7.3%	7.8%	11.8%	88.2%
Grade 10	11.1%	13.5%	18.2%	81.8%
Grade 11	14.0%	14.8%	18.6%	81.4%
Grade 12	14.4%	15.8%	25.8%	74.2%
<b>Marijuana Only</b>				
All	3.7%	4.4%	7.8%	92.2%
Grade 7	1.9%	2.6%	3.7%	96.3%
Grade 8	4.2%	4.8%	8.3%	91.7%
Grade 9	2.1%	2.3%	6.1%	93.9%
Grade 10	6.0%	7.1%	10.4%	89.6%
Grade 11	4.6%	5.4%	8.4%	91.6%
Grade 12	3.6%	4.3%	10.7%	89.3%
<b>Cocaine or Crack</b>				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	0.6%	0.8%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	1.6%	1.9%	2.6%	97.4%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.7%	0.7%	1.8%	98.2%
Grade 12	1.9%	1.9%	3.8%	96.2%
<b>Cocaine</b>				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.2%	0.5%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	1.6%	1.9%	1.9%	98.1%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	1.9%	1.9%	3.8%	96.2%



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.7%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	1.1%	1.8%	3.6%	96.4%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	0.5%	0.8%	1.5%	98.5%
Grade 9	0.4%	0.7%	1.4%	98.6%
Grade 10	0.0%	1.4%	4.1%	95.9%
Grade 11	2.3%	3.0%	6.9%	93.1%
Grade 12	4.2%	5.7%	8.9%	91.1%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.4%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.7%	1.0%	1.7%	98.3%
Grade 7	0.4%	0.6%	1.4%	98.6%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.8%	1.2%	2.7%	97.3%
Grade 11	1.3%	2.7%	3.3%	96.7%
Grade 12	0.7%	0.7%	1.9%	98.1%
<b>Ecstasy</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	1.6%	98.4%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	0.7%	1.2%	98.8%
<b>Synthetic Marijuana</b>				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	0.5%	1.6%	2.7%	97.3%
Grade 9	1.0%	1.3%	1.8%	98.2%
Grade 10	0.6%	0.8%	3.2%	96.8%
Grade 11	0.7%	1.4%	2.0%	98.0%
Grade 12	0.9%	1.6%	6.2%	93.8%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.2%	0.9%	99.1%
Grade 8	0.1%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.9%	0.9%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.4%	0.9%	99.1%
<b>Delta 8</b>				
All	2.1%	3.2%	5.1%	94.9%
Grade 7	0.5%	0.8%	2.2%	97.8%
Grade 8	0.9%	1.7%	3.3%	96.7%
Grade 9	2.2%	3.2%	4.2%	95.8%
Grade 10	1.8%	3.2%	5.1%	94.9%
Grade 11	2.7%	4.4%	6.7%	93.3%
Grade 12	5.1%	7.3%	10.7%	89.3%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	5.0%	6.3%	13.6%	86.4%
Grade 7	2.3%	3.1%	8.0%	92.0%
Grade 8	4.7%	5.9%	11.1%	88.9%
Grade 9	4.2%	4.9%	11.6%	88.4%
Grade 10	5.3%	6.8%	14.6%	85.4%
Grade 11	5.4%	7.3%	16.8%	83.2%
Grade 12	9.7%	11.6%	23.2%	76.8%
<b>Any Alcohol Product</b>				
All	16.1%	18.6%	36.4%	63.6%
Grade 7	10.1%	12.1%	26.8%	73.2%
Grade 8	16.2%	18.0%	33.7%	66.3%
Grade 9	15.5%	17.8%	36.1%	63.9%
Grade 10	15.7%	17.2%	34.6%	65.4%
Grade 11	14.9%	18.1%	39.0%	61.0%
Grade 12	27.6%	32.3%	53.5%	46.5%
<b>Any Illicit Drug</b>				
All	6.3%	8.5%	12.7%	87.3%
Grade 7	2.2%	3.6%	4.9%	95.1%
Grade 8	4.0%	6.3%	8.5%	91.5%
Grade 9	5.3%	6.6%	9.9%	90.1%
Grade 10	7.2%	9.3%	14.9%	85.1%
Grade 11	8.4%	11.1%	17.2%	82.8%
Grade 12	13.6%	17.3%	25.3%	74.7%
<b>Any Prescription Drug</b>				
All	4.4%	6.8%	12.4%	87.6%
Grade 7	5.0%	6.5%	11.2%	88.8%
Grade 8	4.3%	5.2%	9.2%	90.8%
Grade 9	3.8%	6.1%	12.8%	87.2%
Grade 10	4.9%	8.0%	15.2%	84.8%
Grade 11	4.8%	6.7%	13.5%	86.5%
Grade 12	3.6%	9.5%	13.4%	86.6%
<b>Any Inhalant</b>				
All	2.5%	3.4%	8.4%	91.6%
Grade 7	4.0%	5.0%	8.9%	91.1%
Grade 8	4.0%	5.0%	9.1%	90.9%
Grade 9	1.7%	2.9%	9.4%	90.6%
Grade 10	1.0%	1.6%	7.9%	92.1%
Grade 11	1.0%	1.0%	6.1%	93.9%
Grade 12	3.0%	4.1%	8.6%	91.4%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	3.8%	5.3%	12.3%	87.7%
Grade 7	1.6%	2.5%	7.2%	92.8%
Grade 8	3.0%	4.9%	9.7%	90.3%
Grade 9	3.3%	3.7%	10.8%	89.2%
Grade 10	4.7%	6.2%	13.6%	86.4%
Grade 11	3.5%	6.0%	16.3%	83.7%
Grade 12	8.1%	10.0%	19.3%	80.7%
<b>Marijuana</b>				
All	5.5%	6.5%	10.2%	89.8%
Grade 7	1.7%	2.2%	2.8%	97.2%
Grade 8	3.5%	5.1%	7.1%	92.9%
Grade 9	4.4%	4.7%	7.4%	92.6%
Grade 10	6.8%	7.5%	12.5%	87.5%
Grade 11	8.4%	9.5%	15.6%	84.4%
Grade 12	10.5%	12.7%	19.8%	80.2%
<b>Marijuana Only</b>				
All	2.2%	2.6%	5.4%	94.6%
Grade 7	0.9%	1.4%	1.9%	98.1%
Grade 8	1.7%	2.2%	4.0%	96.0%
Grade 9	1.1%	1.1%	3.7%	96.3%
Grade 10	3.3%	3.7%	7.9%	92.1%
Grade 11	3.3%	4.0%	8.4%	91.6%
Grade 12	3.2%	3.9%	8.3%	91.7%
<b>Cocaine or Crack</b>				
All	0.8%	1.0%	1.4%	98.6%
Grade 7	0.3%	0.6%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	1.3%	1.5%	2.2%	97.8%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.6%	1.0%	1.0%	99.0%
Grade 12	2.6%	2.6%	4.4%	95.6%
<b>Cocaine</b>				
All	0.7%	0.8%	1.1%	98.9%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	1.3%	1.5%	1.5%	98.5%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	2.6%	2.6%	4.4%	95.6%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.2%	0.4%	0.5%	99.5%
	Grade 8	0.1%	0.2%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.7%	99.3%
Hallucinogens	All	0.7%	1.0%	2.3%	97.7%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.2%	0.5%	0.8%	99.2%
	Grade 9	0.0%	0.0%	1.0%	99.0%
	Grade 10	0.0%	0.8%	2.7%	97.3%
	Grade 11	0.5%	1.0%	2.8%	97.2%
	Grade 12	4.0%	4.7%	7.9%	92.1%
Synthetic Cathinones	All	0.1%	0.1%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	0.3%	0.3%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.7%	99.3%
Steroids	All	0.4%	0.7%	1.6%	98.4%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.2%	0.3%	1.0%	99.0%
	Grade 9	0.6%	0.6%	1.1%	98.9%
	Grade 10	0.4%	0.4%	2.5%	97.5%
	Grade 11	0.0%	1.7%	2.2%	97.8%
	Grade 12	0.7%	0.7%	1.9%	98.1%
Ecstasy	All	0.1%	0.1%	0.6%	99.4%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.1%	0.1%	0.2%	99.8%
	Grade 9	0.4%	0.4%	0.6%	99.4%
	Grade 10	0.0%	0.0%	0.4%	99.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	3.0%	97.0%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.7%	0.7%	1.9%	98.1%
<b>Synthetic Marijuana</b>				
All	0.6%	0.9%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.9%	1.7%	98.3%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	1.1%	1.4%	3.2%	96.8%
Grade 11	0.3%	0.9%	2.0%	98.0%
Grade 12	1.3%	1.3%	5.6%	94.4%
<b>Methamphetamine</b>				
All	0.0%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.4%	1.6%	98.4%
<b>Delta 8</b>				
All	1.5%	2.1%	3.4%	96.6%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.4%	1.1%	2.0%	98.0%
Grade 9	1.5%	1.7%	2.4%	97.6%
Grade 10	1.9%	2.6%	3.5%	96.5%
Grade 11	1.0%	1.8%	4.3%	95.7%
Grade 12	5.0%	6.4%	9.1%	90.9%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.4%	11.8%	22.4%	77.6%
Grade 7	7.4%	9.6%	19.2%	80.8%
Grade 8	6.9%	9.5%	20.5%	79.5%
Grade 9	9.6%	12.4%	22.2%	77.8%
Grade 10	9.1%	13.1%	24.3%	75.7%
Grade 11	9.4%	10.2%	20.8%	79.2%
Grade 12	15.2%	16.5%	28.6%	71.4%
<b>Any Alcohol Product</b>				
All	21.1%	24.8%	43.3%	56.7%
Grade 7	17.0%	21.5%	38.1%	61.9%
Grade 8	20.9%	23.8%	40.9%	59.1%
Grade 9	16.0%	18.0%	35.6%	64.4%
Grade 10	24.1%	26.0%	46.9%	53.1%
Grade 11	22.0%	24.7%	49.9%	50.1%
Grade 12	28.8%	37.4%	53.1%	46.9%
<b>Any Illicit Drug</b>				
All	10.9%	14.6%	20.0%	80.0%
Grade 7	6.1%	9.8%	12.6%	87.4%
Grade 8	10.3%	12.9%	17.6%	82.4%
Grade 9	8.2%	9.5%	13.2%	86.8%
Grade 10	15.1%	20.0%	22.7%	77.3%
Grade 11	12.8%	14.3%	21.7%	78.3%
Grade 12	14.1%	23.2%	36.6%	63.4%
<b>Any Prescription Drug</b>				
All	4.7%	6.6%	14.1%	85.9%
Grade 7	5.3%	8.3%	14.5%	85.5%
Grade 8	4.0%	5.9%	11.8%	88.2%
Grade 9	4.7%	6.1%	11.9%	88.1%
Grade 10	4.0%	5.9%	14.7%	85.3%
Grade 11	4.1%	6.1%	12.9%	87.1%
Grade 12	6.2%	7.0%	19.9%	80.1%
<b>Any Inhalant</b>				
All	4.1%	5.5%	10.8%	89.2%
Grade 7	7.2%	8.6%	14.4%	85.6%
Grade 8	3.7%	7.1%	12.3%	87.7%
Grade 9	3.1%	4.0%	7.7%	92.3%
Grade 10	3.3%	3.3%	8.5%	91.5%
Grade 11	0.7%	2.2%	7.3%	92.7%
Grade 12	6.0%	7.3%	14.1%	85.9%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.9%	9.8%	20.7%	79.3%
Grade 7	4.3%	6.4%	15.5%	84.5%
Grade 8	4.9%	8.4%	19.3%	80.7%
Grade 9	7.3%	10.1%	20.3%	79.7%
Grade 10	6.6%	11.7%	22.9%	77.1%
Grade 11	7.9%	8.7%	19.3%	80.7%
Grade 12	11.8%	14.4%	27.8%	72.2%
<b>Marijuana</b>				
All	10.2%	12.4%	17.4%	82.6%
Grade 7	4.2%	5.4%	7.2%	92.8%
Grade 8	9.6%	10.7%	15.3%	84.7%
Grade 9	7.9%	8.3%	12.0%	88.0%
Grade 10	14.3%	17.7%	20.8%	79.2%
Grade 11	12.8%	14.3%	17.9%	82.1%
Grade 12	14.1%	20.1%	35.3%	64.7%
<b>Marijuana Only</b>				
All	4.3%	5.5%	9.1%	90.9%
Grade 7	2.0%	2.4%	3.8%	96.2%
Grade 8	5.5%	6.4%	10.3%	89.7%
Grade 9	4.1%	4.6%	8.0%	92.0%
Grade 10	7.2%	8.5%	10.2%	89.8%
Grade 11	3.2%	4.6%	7.3%	92.7%
Grade 12	3.6%	6.0%	15.4%	84.6%
<b>Cocaine or Crack</b>				
All	0.4%	0.4%	1.3%	98.7%
Grade 7	1.4%	1.5%	1.7%	98.3%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	0.0%	0.0%	2.9%	97.1%
<b>Cocaine</b>				
All	0.2%	0.3%	1.2%	98.8%
Grade 7	0.6%	1.0%	1.4%	98.6%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	0.0%	0.0%	2.9%	97.1%



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	1.4%	2.2%	4.6%	95.4%
Grade 7	0.3%	0.9%	1.7%	98.3%
Grade 8	1.0%	1.1%	2.1%	97.9%
Grade 9	0.8%	1.2%	1.2%	98.8%
Grade 10	0.0%	1.1%	3.7%	96.3%
Grade 11	3.7%	5.2%	11.1%	88.9%
Grade 12	3.4%	4.7%	11.2%	88.8%
<b>Synthetic Cathinones</b>				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.8%	99.2%
<b>Steroids</b>				
All	0.9%	1.2%	1.7%	98.3%
Grade 7	1.1%	1.3%	1.6%	98.4%
Grade 8	0.3%	0.6%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	1.5%	2.6%	97.4%
Grade 11	2.7%	3.3%	4.5%	95.5%
Grade 12	1.3%	1.3%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	1.6%	98.4%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.1%	0.2%	0.4%	99.6%
	Grade 7	0.4%	1.0%	1.4%	98.6%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	0.7%	1.1%	2.7%	97.3%
	Grade 7	0.7%	1.2%	2.0%	98.0%
	Grade 8	1.0%	1.5%	2.3%	97.7%
	Grade 9	0.5%	0.9%	0.9%	99.1%
	Grade 10	0.0%	0.0%	2.0%	98.0%
	Grade 11	2.2%	2.2%	2.2%	97.8%
	Grade 12	0.0%	1.3%	7.3%	92.7%
Methamphetamine					
	All	0.4%	0.5%	0.7%	99.3%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.2%	0.5%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.8%	1.8%	1.8%	98.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8					
	All	2.0%	3.5%	6.0%	94.0%
	Grade 7	1.0%	1.5%	3.1%	96.9%
	Grade 8	1.1%	1.4%	2.8%	97.2%
	Grade 9	1.2%	2.5%	3.5%	96.5%
	Grade 10	2.2%	3.7%	8.0%	92.0%
	Grade 11	4.4%	7.2%	7.8%	92.2%
	Grade 12	2.9%	6.3%	13.1%	86.9%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	4.6%	6.0%	13.5%	86.5%
Grade 7	3.3%	4.6%	9.4%	90.6%
Grade 8	3.7%	5.0%	10.3%	89.7%
Grade 9	4.0%	5.5%	12.2%	87.8%
Grade 10	3.7%	4.0%	13.5%	86.5%
Grade 11	5.0%	6.3%	16.7%	83.3%
Grade 12	9.8%	12.2%	23.1%	76.9%
<b>Any Alcohol Product</b>				
All	16.2%	18.6%	37.5%	62.5%
Grade 7	11.0%	12.7%	28.1%	71.9%
Grade 8	15.7%	17.4%	33.5%	66.5%
Grade 9	12.9%	15.2%	33.6%	66.4%
Grade 10	16.9%	17.9%	36.3%	63.7%
Grade 11	15.5%	18.4%	42.6%	57.4%
Grade 12	29.2%	35.0%	58.6%	41.4%
<b>Any Illicit Drug</b>				
All	6.4%	8.6%	12.9%	87.1%
Grade 7	2.2%	3.7%	5.3%	94.7%
Grade 8	4.5%	6.3%	8.4%	91.6%
Grade 9	4.8%	5.9%	9.6%	90.4%
Grade 10	8.8%	9.9%	15.0%	85.0%
Grade 11	7.9%	10.2%	16.7%	83.3%
Grade 12	13.1%	20.1%	28.7%	71.3%
<b>Any Prescription Drug</b>				
All	4.1%	6.4%	11.3%	88.7%
Grade 7	4.7%	6.5%	11.3%	88.7%
Grade 8	4.3%	5.4%	9.0%	91.0%
Grade 9	3.2%	4.9%	9.2%	90.8%
Grade 10	3.9%	7.2%	12.1%	87.9%
Grade 11	4.8%	7.1%	12.2%	87.8%
Grade 12	3.8%	8.2%	15.2%	84.8%
<b>Any Inhalant</b>				
All	2.7%	3.6%	8.5%	91.5%
Grade 7	4.7%	5.5%	9.6%	90.4%
Grade 8	3.2%	4.3%	8.3%	91.7%
Grade 9	1.5%	2.5%	7.2%	92.8%
Grade 10	1.0%	1.4%	7.5%	92.5%
Grade 11	1.3%	1.3%	7.1%	92.9%
Grade 12	4.3%	6.1%	11.5%	88.5%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	3.3%	4.9%	12.3%	87.7%
Grade 7	2.1%	3.4%	7.6%	92.4%
Grade 8	2.5%	4.0%	9.0%	91.0%
Grade 9	2.9%	4.2%	11.9%	88.1%
Grade 10	2.4%	3.3%	12.3%	87.7%
Grade 11	3.2%	5.0%	16.2%	83.8%
Grade 12	8.4%	11.4%	21.0%	79.0%
<b>Marijuana</b>				
All	5.5%	6.8%	10.7%	89.3%
Grade 7	1.4%	1.9%	2.6%	97.4%
Grade 8	4.1%	4.9%	7.1%	92.9%
Grade 9	3.8%	4.2%	7.6%	92.4%
Grade 10	8.4%	9.3%	14.2%	85.8%
Grade 11	7.9%	9.5%	14.9%	85.1%
Grade 12	10.3%	14.2%	23.6%	76.4%
<b>Marijuana Only</b>				
All	2.6%	3.3%	6.4%	93.6%
Grade 7	0.9%	1.1%	1.8%	98.2%
Grade 8	2.4%	3.0%	4.9%	95.1%
Grade 9	2.2%	2.4%	5.8%	94.2%
Grade 10	4.4%	4.7%	8.9%	91.1%
Grade 11	3.5%	4.5%	8.6%	91.4%
Grade 12	2.8%	4.7%	11.2%	88.8%
<b>Cocaine or Crack</b>				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.5%	0.7%	1.3%	98.7%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.6%	1.1%	1.3%	98.7%
Grade 12	1.3%	1.3%	2.8%	97.2%
<b>Cocaine</b>				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.5%	0.7%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.5%	0.7%	99.3%
Grade 12	1.3%	1.3%	2.8%	97.2%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.7%	99.3%
<b>Hallucinogens</b>				
All	0.6%	1.0%	2.3%	97.7%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.9%	2.5%	97.5%
Grade 11	0.5%	1.1%	3.1%	96.9%
Grade 12	3.7%	4.4%	9.1%	90.9%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.7%	99.3%
<b>Steroids</b>				
All	0.3%	0.7%	1.5%	98.5%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.4%	2.8%	97.2%
Grade 11	0.0%	2.0%	2.5%	97.5%
Grade 12	0.7%	0.7%	1.7%	98.3%
<b>Ecstasy</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.1%	97.9%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.7%	0.7%	1.3%	98.7%
<b>Synthetic Marijuana</b>				
All	0.4%	0.7%	1.6%	98.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.7%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	1.0%	1.0%	2.1%	97.9%
Grade 11	0.6%	1.2%	2.3%	97.7%
Grade 12	0.4%	1.1%	4.7%	95.3%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.1%	98.9%
<b>Delta 8</b>				
All	1.3%	1.8%	3.2%	96.8%
Grade 7	0.3%	0.5%	1.1%	98.9%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	1.1%	1.3%	1.3%	98.7%
Grade 10	1.3%	1.7%	4.3%	95.7%
Grade 11	1.1%	1.5%	3.8%	96.2%
Grade 12	5.0%	6.7%	10.4%	89.6%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.4%	15.1%	27.2%	72.8%
Grade 7	7.2%	8.3%	22.3%	77.7%
Grade 8	10.8%	13.9%	25.7%	74.3%
Grade 9	11.2%	13.3%	25.5%	74.5%
Grade 10	18.0%	25.8%	37.3%	62.7%
Grade 11	13.6%	15.5%	24.0%	76.0%
Grade 12	15.2%	15.2%	30.4%	69.6%
<b>Any Alcohol Product</b>				
All	24.0%	28.9%	45.5%	54.5%
Grade 7	21.5%	28.3%	44.4%	55.6%
Grade 8	25.9%	29.1%	46.3%	53.7%
Grade 9	26.5%	29.1%	46.8%	53.2%
Grade 10	19.3%	25.3%	45.3%	54.7%
Grade 11	24.9%	29.2%	42.8%	57.2%
Grade 12	24.9%	31.9%	46.9%	53.1%
<b>Any Illicit Drug</b>				
All	14.0%	19.8%	23.8%	76.2%
Grade 7	9.8%	15.4%	17.4%	82.6%
Grade 8	9.1%	14.4%	20.3%	79.7%
Grade 9	14.8%	18.2%	22.4%	77.6%
Grade 10	13.7%	26.1%	27.2%	72.8%
Grade 11	19.7%	24.5%	28.8%	71.2%
Grade 12	19.1%	23.2%	29.2%	70.8%
<b>Any Prescription Drug</b>				
All	6.7%	8.5%	20.5%	79.5%
Grade 7	8.4%	11.1%	18.5%	81.5%
Grade 8	4.4%	6.6%	14.4%	85.6%
Grade 9	9.5%	12.6%	25.5%	74.5%
Grade 10	8.4%	8.4%	29.0%	71.0%
Grade 11	3.9%	3.9%	18.2%	81.8%
Grade 12	5.5%	8.0%	18.6%	81.4%
<b>Any Inhalant</b>				
All	4.9%	7.3%	13.6%	86.4%
Grade 7	7.7%	10.2%	15.8%	84.2%
Grade 8	6.4%	11.5%	18.7%	81.3%
Grade 9	4.6%	7.2%	17.5%	82.5%
Grade 10	4.3%	5.4%	7.0%	93.0%
Grade 11	0.0%	2.4%	8.6%	91.4%
Grade 12	5.6%	5.6%	11.1%	88.9%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.8%	13.2%	24.3%	75.7%
Grade 7	4.3%	5.7%	21.5%	78.5%
Grade 8	6.6%	12.7%	23.8%	76.2%
Grade 9	8.6%	10.7%	19.3%	80.7%
Grade 10	15.2%	23.0%	35.6%	64.4%
Grade 11	11.2%	13.1%	21.6%	78.4%
Grade 12	15.2%	15.2%	25.4%	74.6%
<b>Marijuana</b>				
All	13.3%	16.2%	20.2%	79.8%
Grade 7	7.9%	10.4%	12.7%	87.3%
Grade 8	8.3%	12.1%	17.1%	82.9%
Grade 9	14.8%	14.8%	19.1%	80.9%
Grade 10	12.1%	18.3%	22.2%	77.8%
Grade 11	19.7%	20.7%	23.1%	76.9%
Grade 12	19.1%	23.2%	29.2%	70.8%
<b>Marijuana Only</b>				
All	4.6%	5.6%	9.0%	91.0%
Grade 7	3.4%	5.2%	7.0%	93.0%
Grade 8	4.1%	4.6%	8.7%	91.3%
Grade 9	2.6%	2.6%	6.9%	93.1%
Grade 10	5.3%	8.6%	9.7%	90.3%
Grade 11	5.7%	6.7%	9.1%	90.9%
Grade 12	7.0%	7.0%	13.0%	87.0%
<b>Cocaine or Crack</b>				
All	1.0%	1.2%	1.9%	98.1%
Grade 7	1.5%	2.7%	3.2%	96.8%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	2.6%	2.6%	2.6%	97.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.5%	1.5%	5.5%	94.5%
<b>Cocaine</b>				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	1.0%	1.3%	1.8%	98.2%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	2.6%	2.6%	2.6%	97.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.5%	1.5%	5.5%	94.5%



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.4%	0.5%	99.5%
Grade 7	1.0%	1.9%	2.5%	97.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	1.9%	3.0%	6.6%	93.4%
Grade 7	0.7%	1.8%	2.7%	97.3%
Grade 8	0.7%	0.9%	2.5%	97.5%
Grade 9	1.7%	2.6%	4.5%	95.5%
Grade 10	0.0%	0.0%	6.2%	93.8%
Grade 11	4.7%	7.1%	15.9%	84.1%
Grade 12	4.0%	6.5%	9.6%	90.4%
<b>Synthetic Cathinones</b>				
All	0.0%	0.3%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.0%	0.0%	1.5%	98.5%
Grade 9	0.0%	1.7%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.5%	98.5%
<b>Steroids</b>				
All	1.8%	1.8%	2.9%	97.1%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	0.5%	0.5%	2.4%	97.6%
Grade 9	0.0%	0.0%	1.7%	98.3%
Grade 10	3.4%	3.4%	3.4%	96.6%
Grade 11	4.3%	4.3%	6.2%	93.8%
Grade 12	2.5%	2.5%	2.5%	97.5%
<b>Ecstasy</b>				
All	0.4%	0.4%	1.1%	98.9%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.7%	1.7%	2.6%	97.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.0%	97.0%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.3%	0.8%	99.2%
Grade 7	0.6%	1.9%	2.2%	97.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.5%	98.5%
<b>Synthetic Marijuana</b>				
All	1.6%	2.6%	5.2%	94.8%
Grade 7	1.4%	2.4%	3.6%	96.4%
Grade 8	0.3%	2.6%	5.2%	94.8%
Grade 9	2.9%	3.9%	4.8%	95.2%
Grade 10	0.0%	1.1%	4.5%	95.5%
Grade 11	2.4%	2.4%	2.4%	97.6%
Grade 12	3.1%	3.1%	11.2%	88.8%
<b>Methamphetamine</b>				
All	0.5%	0.8%	1.6%	98.4%
Grade 7	0.7%	1.1%	2.0%	98.0%
Grade 8	0.1%	0.4%	1.2%	98.8%
Grade 9	0.0%	0.0%	2.6%	97.4%
Grade 10	2.4%	2.4%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.5%	1.5%	98.5%
<b>Delta 8</b>				
All	3.4%	5.9%	8.4%	91.6%
Grade 7	0.8%	1.1%	3.0%	97.0%
Grade 8	1.3%	3.6%	7.1%	92.9%
Grade 9	3.9%	6.5%	10.5%	89.5%
Grade 10	6.8%	9.7%	10.8%	89.2%
Grade 11	7.1%	9.2%	11.6%	88.4%
Grade 12	1.5%	6.5%	8.1%	91.9%

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	399,737	48.5%
Female	424,842	51.5%
Frequency Missing	4,426	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	380,718	46.4%
Yes	439,905	53.6%
Frequency Missing	8,382	

**Grade**

Q2	Frequency	Percent
Grade 7	150,254	18.2%
Grade 8	152,487	18.5%
Grade 9	151,860	18.4%
Grade 10	134,893	16.3%
Grade 11	124,590	15.1%
Grade 12	112,358	13.6%
Frequency Missing	2,563	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	19,496	2.5%
Asian American	41,929	5.3%
African American	127,733	16.2%
Pacific Islander	5,216	0.7%
White	267,909	33.9%
Other	199,289	25.2%
More Than One Race	128,383	16.3%
Frequency Missing	39,051	

**Live with Both Parents**

Q3	Frequency	Percent
No	275,410	33.5%
Yes	547,156	66.5%
Frequency Missing	6,440	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	2,991	0.4%
Mostly D's	10,281	1.3%
Mostly C's	104,954	12.9%
Mostly B's	397,464	49.0%
Mostly A's	294,874	36.4%
Frequency Missing	18,441	

**Age**

Q4	Frequency	Percent
11 or younger	1,405	0.2%
12	63,617	7.7%
13	145,064	17.5%
14	153,126	18.5%
15	155,554	18.8%
16	128,676	15.6%
17	121,172	14.7%
18	55,450	6.7%
19 or older	3,022	0.4%
Frequency Missing	1,919	

**Do You Have a Job**

Q7	Frequency	Percent
No	648,677	79.8%
Yes	164,547	20.2%
Frequency Missing	15,780	

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	233,446	28.7%
Yes	314,271	38.6%
Don't Know	267,051	32.8%
Frequency Missing	14,238	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	496,172	64.7%
Yes	270,894	35.3%
Frequency Missing	61,938	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	588,480	80.7%
Yes	140,630	19.3%
Frequency Missing	99,895	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	595,928	80.7%
Yes	142,961	19.3%
Frequency Missing	90,115	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	533,600	72.7%
Yes	200,495	27.3%
Frequency Missing	94,910	

**Participate in School Choir**

Q9c	Frequency	Percent
No	671,635	92.7%
Yes	52,624	7.3%
Frequency Missing	104,745	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	519,479	69.8%
Yes	224,341	30.2%
Frequency Missing	85,185	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	692,795	95.9%
Yes	29,731	4.1%
Frequency Missing	106,479	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	571,228	78.2%
Yes	158,880	21.8%
Frequency Missing	98,897	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	683,534	95.0%
Yes	35,913	5.0%
Frequency Missing	109,558	

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	712,487	86.6%
Somewhat Safe	94,618	11.5%
Not Very Safe	8,069	1.0%
Not Safe At All	1,645	0.2%
Don't Know	6,384	0.8%
Frequency Missing	5,802	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	390,474	47.7%
Somewhat Safe	353,212	43.1%
Not Very Safe	45,115	5.5%
Not Safe At All	7,278	0.9%
Don't Know	22,672	2.8%
Frequency Missing	10,254	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	522,499	65.2%
Yes	278,270	34.8%
Frequency Missing	28,236	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	225,912	27.6%
Somewhat Safe	440,732	53.8%
Not Very Safe	87,282	10.7%
Not Safe At All	25,824	3.2%
Don't Know	39,295	4.8%
Frequency Missing	9,961	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	43,914	5.5%
A Few	161,648	20.3%
Some	187,152	23.6%
Most	278,183	35.0%
All	123,547	15.6%
Frequency Missing	34,561	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	66,560	8.3%
Some High School	78,723	9.9%
Finished High School	156,695	19.7%
Some College	77,909	9.8%
Finished College	152,841	19.2%
Post-Secondary	104,263	13.1%
Don't Know or N/A	160,372	20.1%
Frequency Missing	31,641	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	17,250	2.2%
A Few	96,781	12.2%
Some	193,839	24.4%
Most	343,322	43.2%
All	144,209	18.1%
Frequency Missing	33,603	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	54,666	6.9%
Some High School	66,695	8.4%
Finished High School	124,046	15.6%
Some College	102,272	12.9%
Finished College	189,081	23.8%
Post-Secondary	145,829	18.3%
Don't Know or N/A	112,580	14.2%
Frequency Missing	33,836	

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	375,094	47.6%
A Few	229,361	29.1%
Some	106,307	13.5%
Most	49,913	6.3%
All	27,167	3.4%
Frequency Missing	41,163	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	672,606	85.3%
A Few	74,221	9.4%
Some	25,457	3.2%
Most	10,604	1.3%
All	5,925	0.8%
Frequency Missing	40,192	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	787,562	99.2%
In Your Lifetime	2,571	0.3%
Since School Began	280	0.0%
In the Past Month	3,213	0.4%
Frequency Missing	35,379	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	721,236	91.1%
A Few	43,172	5.5%
Some	14,824	1.9%
Most	7,111	0.9%
All	5,084	0.6%
Frequency Missing	37,578	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	768,258	96.7%
In Your Lifetime	17,823	2.2%
Since School Began	4,850	0.6%
In the Past Month	3,743	0.5%
Frequency Missing	34,331	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	783,813	98.5%
In Your Lifetime	8,485	1.1%
Since School Began	1,467	0.2%
In the Past Month	2,109	0.3%
Frequency Missing	33,131	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	781,932	98.7%
In Your Lifetime	7,485	0.9%
Since School Began	1,084	0.1%
In the Past Month	1,692	0.2%
Frequency Missing	36,812	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	762,681	96.1%
In Your Lifetime	22,644	2.9%
Since School Began	3,341	0.4%
In the Past Month	4,844	0.6%
Frequency Missing	35,494	

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	787,561	99.2%
In Your Lifetime	4,380	0.6%
Since School Began	736	0.1%
In the Past Month	1,003	0.1%
Frequency Missing	35,324	

**Recent Inhalant Use - Gasoline, Octane  
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	776,303	97.8%
In Your Lifetime	11,121	1.4%
Since School Began	1,618	0.2%
In the Past Month	4,812	0.6%
Frequency Missing	35,151	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	620,783	78.5%
In Your Lifetime	111,136	14.1%
Since School Began	21,701	2.7%
In the Past Month	36,693	4.6%
Frequency Missing	38,692	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	781,181	98.4%
In Your Lifetime	8,348	1.1%
Since School Began	1,798	0.2%
In the Past Month	2,532	0.3%
Frequency Missing	35,145	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	658,163	83.1%
In Your Lifetime	71,083	9.0%
Since School Began	19,814	2.5%
In the Past Month	43,346	5.5%
Frequency Missing	36,599	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	751,747	94.7%
In Your Lifetime	28,922	3.6%
Since School Began	3,252	0.4%
In the Past Month	9,949	1.3%
Frequency Missing	35,135	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	638,837	80.9%
In Your Lifetime	104,827	13.3%
Since School Began	16,278	2.1%
In the Past Month	29,462	3.7%
Frequency Missing	39,601	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	771,962	97.5%
In Your Lifetime	11,212	1.4%
Since School Began	2,911	0.4%
In the Past Month	5,647	0.7%
Frequency Missing	37,273	

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	624,747	79.4%
In Your Lifetime	93,628	11.9%
Since School Began	26,222	3.3%
In the Past Month	42,526	5.4%
Frequency Missing	41,881	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	775,208	97.8%
In Your Lifetime	12,752	1.6%
Since School Began	1,001	0.1%
In the Past Month	3,535	0.4%
Frequency Missing	36,508	



**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	674,293	85.0%
In Your Lifetime	65,731	8.3%
Since School Began	15,268	1.9%
In the Past Month	38,166	4.8%
Frequency Missing	35,547	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	769,806	97.0%
In Your Lifetime	12,967	1.6%
Since School Began	4,055	0.5%
In the Past Month	7,004	0.9%
Frequency Missing	35,173	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	705,450	88.9%
In Your Lifetime	44,961	5.7%
Since School Began	15,126	1.9%
In the Past Month	28,285	3.6%
Frequency Missing	35,183	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	789,455	99.6%
In Your Lifetime	2,151	0.3%
Since School Began	388	0.0%
In the Past Month	1,007	0.1%
Frequency Missing	36,003	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	788,115	99.3%
In Your Lifetime	3,757	0.5%
Since School Began	1,199	0.2%
In the Past Month	913	0.1%
Frequency Missing	35,022	

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	783,076	98.7%
In Your Lifetime	5,656	0.7%
Since School Began	2,868	0.4%
In the Past Month	1,889	0.2%
Frequency Missing	35,515	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	791,224	99.8%
In Your Lifetime	1,440	0.2%
Since School Began	283	0.0%
In the Past Month	226	0.0%
Frequency Missing	35,832	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	787,822	99.6%
In Your Lifetime	3,134	0.4%
Since School Began	0	0.0%
In the Past Month	427	0.1%
Frequency Missing	37,623	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	791,491	99.7%
In Your Lifetime	1,149	0.1%
Since School Began	616	0.1%
In the Past Month	291	0.0%
Frequency Missing	35,458	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	724,257	93.0%
In Your Lifetime	28,059	3.6%
Since School Began	12,382	1.6%
In the Past Month	14,412	1.8%
Frequency Missing	49,896	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	789,718	99.6%
In Your Lifetime	1,798	0.2%
Since School Began	501	0.1%
In the Past Month	942	0.1%
Frequency Missing	36,046	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	765,767	98.2%
In Your Lifetime	10,429	1.3%
Since School Began	1,653	0.2%
In the Past Month	1,634	0.2%
Frequency Missing	49,522	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	779,644	98.3%
In Your Lifetime	7,419	0.9%
Since School Began	1,744	0.2%
In the Past Month	4,322	0.5%
Frequency Missing	35,877	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	762,864	98.0%
In Your Lifetime	9,408	1.2%
Since School Began	2,752	0.4%
In the Past Month	3,106	0.4%
Frequency Missing	50,875	

**Recent Delta 8 Use**

Q16l	Frequency	Percent
Never Heard/Used	760,069	96.0%
In Your Lifetime	14,993	1.9%
Since School Began	6,289	0.8%
In the Past Month	10,128	1.3%
Frequency Missing	37,526	

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	749,068	96.3%
In Your Lifetime	13,481	1.7%
Since School Began	4,049	0.5%
In the Past Month	10,862	1.4%
Frequency Missing	51,545	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	725,302	93.2%
In Your Lifetime	26,935	3.5%
Since School Began	7,869	1.0%
In the Past Month	17,927	2.3%
Frequency Missing	50,972	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	771,645	98.8%
1-2 times	5,833	0.7%
3-10 times	2,697	0.3%
11+ times	1,070	0.1%
Frequency Missing	47,760	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	753,066	97.1%
In Your Lifetime	10,417	1.3%
Since School Began	4,666	0.6%
In the Past Month	7,790	1.0%
Frequency Missing	53,066	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	730,560	93.5%
1-2 times	24,179	3.1%
3-10 times	9,275	1.2%
11+ times	17,680	2.3%
Frequency Missing	47,312	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	759,019	97.0%
1-2 times	12,395	1.6%
3-10 times	3,602	0.5%
11+ times	7,289	0.9%
Frequency Missing	46,700	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	778,938	99.7%
1-2 times	2,096	0.3%
3-10 times	522	0.1%
11+ times	78	0.0%
Frequency Missing	47,371	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	657,793	84.4%
1-2 times	81,540	10.5%
3-10 times	28,571	3.7%
11+ times	11,722	1.5%
Frequency Missing	49,379	

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	779,094	99.9%
1-2 times	264	0.0%
3-10 times	488	0.1%
11+ times	214	0.0%
Frequency Missing	48,945	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	668,298	85.8%
A few	75,294	9.7%
Some	22,500	2.9%
Most	9,986	1.3%
All	2,921	0.4%
Frequency Missing	50,005	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	523,704	67.2%
A few	144,120	18.5%
Some	65,220	8.4%
Most	32,607	4.2%
All	13,484	1.7%
Frequency Missing	49,870	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	552,906	71.1%
8 or younger	37,712	4.8%
9 years old	11,260	1.4%
10 years old	15,368	2.0%
11 years old	18,286	2.4%
12 years old	26,450	3.4%
13 years old	38,147	4.9%
14 years old	27,977	3.6%
15 years old	23,567	3.0%
16 years old	15,760	2.0%
17 years old	8,248	1.1%
18 or older	2,281	0.3%
Frequency Missing	51,042	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	730,652	94.2%
A few	29,078	3.7%
Some	9,744	1.3%
Most	4,794	0.6%
All	1,367	0.2%
Frequency Missing	53,371	

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	751,319	96.9%
8 or younger	4,153	0.5%
9 years old	2,474	0.3%
10 years old	3,256	0.4%
11 years old	2,871	0.4%
12 years old	3,307	0.4%
13 years old	4,080	0.5%
14 years old	1,610	0.2%
15 years old	298	0.0%
16 years old	1,982	0.3%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	53,656	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	598,417	76.9%
A few	92,778	11.9%
Some	45,210	5.8%
Most	32,797	4.2%
All	8,903	1.1%
Frequency Missing	50,900	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	691,582	89.0%
8 or younger	2,264	0.3%
9 years old	2,066	0.3%
10 years old	3,112	0.4%
11 years old	4,197	0.5%
12 years old	14,095	1.8%
13 years old	13,831	1.8%
14 years old	18,600	2.4%
15 years old	14,663	1.9%
16 years old	9,198	1.2%
17 years old	3,660	0.5%
18 or older	0	0.0%
Frequency Missing	51,737	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	734,873	94.2%
8 or younger	3,251	0.4%
9 years old	2,535	0.3%
10 years old	2,482	0.3%
11 years old	3,725	0.5%
12 years old	10,813	1.4%
13 years old	7,315	0.9%
14 years old	6,020	0.8%
15 years old	5,557	0.7%
16 years old	2,674	0.3%
17 years old	0	0.0%
18 or older	496	0.1%
Frequency Missing	49,263	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	772,862	99.3%
8 or younger	356	0.0%
9 years old	0	0.0%
10 years old	298	0.0%
11 years old	319	0.0%
12 years old	0	0.0%
13 years old	679	0.1%
14 years old	989	0.1%
15 years old	1,675	0.2%
16 years old	690	0.1%
17 years old	0	0.0%
18 or older	496	0.1%
Frequency Missing	50,641	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	774,408	99.6%
8 or younger	61	0.0%
9 years old	224	0.0%
10 years old	29	0.0%
11 years old	633	0.1%
12 years old	254	0.0%
13 years old	83	0.0%
14 years old	298	0.0%
15 years old	298	0.0%
16 years old	794	0.1%
17 years old	240	0.0%
18 or older	0	0.0%
Frequency Missing	51,681	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	778,054	99.9%
8 or younger	303	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	79	0.0%
12 years old	60	0.0%
13 years old	58	0.0%
14 years old	569	0.1%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	49,882	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	776,431	99.8%
8 or younger	127	0.0%
9 years old	238	0.0%
10 years old	29	0.0%
11 years old	0	0.0%
12 years old	508	0.1%
13 years old	210	0.0%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	393	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	51,068	

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	771,096	99.1%
8 or younger	1,994	0.3%
9 years old	555	0.1%
10 years old	163	0.0%
11 years old	545	0.1%
12 years old	243	0.0%
13 years old	205	0.0%
14 years old	934	0.1%
15 years old	935	0.1%
16 years old	496	0.1%
17 years old	881	0.1%
18 or older	0	0.0%
Frequency Missing	50,957	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	775,287	99.5%
8 or younger	372	0.0%
9 years old	538	0.1%
10 years old	60	0.0%
11 years old	364	0.0%
12 years old	321	0.0%
13 years old	792	0.1%
14 years old	836	0.1%
15 years old	298	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	50,137	

**Age When First Used Synthetic Marijuana**

Q21l	Frequency	Percent
Never used it	766,074	98.4%
8 or younger	481	0.1%
9 years old	123	0.0%
10 years old	56	0.0%
11 years old	400	0.1%
12 years old	1,554	0.2%
13 years old	1,509	0.2%
14 years old	2,853	0.4%
15 years old	3,410	0.4%
16 years old	1,536	0.2%
17 years old	240	0.0%
18 or older	0	0.0%
Frequency Missing	50,769	

**Age When First Used Delta 8**

Q21m	Frequency	Percent
Never used it	750,832	96.4%
8 or younger	785	0.1%
9 years old	123	0.0%
10 years old	496	0.1%
11 years old	963	0.1%
12 years old	2,508	0.3%
13 years old	3,920	0.5%
14 years old	6,487	0.8%
15 years old	7,125	0.9%
16 years old	2,959	0.4%
17 years old	2,324	0.3%
18 or older	0	0.0%
Frequency Missing	50,482	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	316,726	41.8%
Impossible	171,831	22.7%
Very Difficult	62,639	8.3%
Somewhat diff	68,820	9.1%
Somewhat easy	67,045	8.8%
Very easy	71,513	9.4%
Frequency Missing	70,432	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	264,066	34.9%
Impossible	101,705	13.5%
Very Difficult	45,908	6.1%
Somewhat diff	72,487	9.6%
Somewhat easy	116,630	15.4%
Very easy	155,058	20.5%
Frequency Missing	73,152	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	366,985	48.8%
Impossible	124,562	16.6%
Very Difficult	25,475	3.4%
Somewhat diff	37,759	5.0%
Somewhat easy	57,298	7.6%
Very easy	140,179	18.6%
Frequency Missing	76,746	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	309,358	41.0%
Impossible	178,349	23.6%
Very Difficult	61,658	8.2%
Somewhat diff	53,258	7.1%
Somewhat easy	64,246	8.5%
Very easy	88,226	11.7%
Frequency Missing	73,910	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	353,976	46.9%
Impossible	253,105	33.5%
Very Difficult	71,806	9.5%
Somewhat diff	39,636	5.2%
Somewhat easy	20,309	2.7%
Very easy	16,166	2.1%
Frequency Missing	74,006	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	364,209	48.3%
Impossible	253,993	33.7%
Very Difficult	72,805	9.7%
Somewhat diff	31,657	4.2%
Somewhat easy	16,286	2.2%
Very easy	15,271	2.0%
Frequency Missing	74,784	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	411,726	54.5%
Impossible	237,243	31.4%
Very Difficult	53,697	7.1%
Somewhat diff	24,063	3.2%
Somewhat easy	13,618	1.8%
Very easy	14,846	2.0%
Frequency Missing	73,812	

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	371,297	49.3%
Impossible	222,131	29.5%
Very Difficult	71,143	9.4%
Somewhat diff	45,880	6.1%
Somewhat easy	23,085	3.1%
Very easy	19,596	2.6%
Frequency Missing	75,873	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	437,239	58.1%
Impossible	191,476	25.4%
Very Difficult	43,506	5.8%
Somewhat diff	29,445	3.9%
Somewhat easy	24,403	3.2%
Very easy	26,484	3.5%
Frequency Missing	76,452	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	446,820	59.4%
Impossible	202,540	26.9%
Very Difficult	52,743	7.0%
Somewhat diff	22,942	3.0%
Somewhat easy	11,724	1.6%
Very easy	15,746	2.1%
Frequency Missing	76,489	

**Difficult to Get Delta 8**

Q22m	Frequency	Percent
Never heard of	440,396	58.6%
Impossible	174,784	23.3%
Very Difficult	36,607	4.9%
Somewhat diff	27,951	3.7%
Somewhat easy	25,186	3.4%
Very easy	46,561	6.2%
Frequency Missing	77,521	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	403,918	53.6%
Impossible	244,478	32.4%
Very Difficult	56,232	7.5%
Somewhat diff	25,642	3.4%
Somewhat easy	9,120	1.2%
Very easy	14,805	2.0%
Frequency Missing	74,808	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	4,187	0.6%
Several times/wk	3,943	0.5%
Several times/mo	4,319	0.6%
About once/month	5,336	0.7%
About once/year	5,415	0.7%
Less than once/year	15,558	2.1%
Never used	717,411	94.9%
Frequency Missing	72,835	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	741	0.1%
Several times/wk	6,686	0.9%
Several times/mo	18,522	2.5%
About once/month	45,025	6.0%
About once/year	53,857	7.1%
Less than once/year	61,683	8.2%
Never used	568,525	75.3%
Frequency Missing	73,966	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	1,014	0.1%
Several times/wk	253	0.0%
Several times/mo	271	0.0%
About once/month	542	0.1%
About once/year	1,058	0.1%
Less than once/year	1,683	0.2%
Never used	750,771	99.4%
Frequency Missing	73,412	

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	773	0.1%
Several times/wk	617	0.1%
Several times/mo	1,576	0.2%
About once/month	1,901	0.3%
About once/year	3,859	0.5%
Less than once/year	8,534	1.1%
Never used	738,540	97.7%
Frequency Missing	73,206	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	489	0.1%
Several times/wk	0	0.0%
Several times/mo	28	0.0%
About once/month	42	0.0%
About once/year	203	0.0%
Less than once/year	496	0.1%
Never used	754,445	99.8%
Frequency Missing	73,303	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	10,221	1.4%
Several times/wk	8,807	1.2%
Several times/mo	10,240	1.4%
About once/month	12,532	1.7%
About once/year	10,397	1.4%
Less than once/year	22,118	2.9%
Never used	681,454	90.2%
Frequency Missing	73,236	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	2,468	0.3%
Several times/wk	357	0.0%
Several times/mo	496	0.1%
About once/month	310	0.0%
About once/year	123	0.0%
Less than once/year	1,927	0.3%
Never used	750,363	99.2%
Frequency Missing	72,962	



**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	374	0.0%
Several times/wk	42	0.0%
Several times/mo	388	0.1%
About once/month	0	0.0%
About once/year	1,091	0.1%
Less than once/year	1,414	0.2%
Never used	752,204	99.6%
Frequency Missing	73,492	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	275	0.0%
Several times/wk	321	0.0%
Several times/mo	2,031	0.3%
About once/month	1,139	0.2%
About once/year	3,330	0.4%
Less than once/year	3,213	0.4%
Never used	743,994	98.6%
Frequency Missing	74,701	

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	56	0.0%
Several times/wk	664	0.1%
Several times/mo	28	0.0%
About once/month	208	0.0%
About once/year	162	0.0%
Less than once/year	1,143	0.2%
Never used	753,435	99.7%
Frequency Missing	73,308	

**How Often Normally Use Delta 8**

Q23m	Frequency	Percent
Every day	1,922	0.3%
Several times/wk	2,303	0.3%
Several times/mo	3,362	0.4%
About once/month	4,571	0.6%
About once/year	6,174	0.8%
Less than once/year	5,672	0.8%
Never used	727,728	96.8%
Frequency Missing	77,274	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	636	0.1%
Several times/wk	0	0.0%
Several times/mo	46	0.0%
About once/month	256	0.0%
About once/year	401	0.1%
Less than once/year	1,232	0.2%
Never used	753,404	99.7%
Frequency Missing	73,031	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	583,164	77.2%
12+ drinks	4,003	0.5%
9-11 drinks	3,698	0.5%
5-8 drinks	6,755	0.9%
3-4 drinks	18,047	2.4%
2 drinks	27,328	3.6%
1 drink	35,713	4.7%
Less than 1 drink	76,413	10.1%
Frequency Missing	73,883	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	618,533	81.9%
12+ drinks	5,452	0.7%
9-11 drinks	3,027	0.4%
5-8 drinks	9,709	1.3%
3-4 drinks	18,898	2.5%
2 drinks	24,811	3.3%
1 drink	30,633	4.1%
Less than 1 drink	44,441	5.9%
Frequency Missing	73,501	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	454,262	60.8%
0 days	254,341	34.1%
1 day	15,744	2.1%
2 days	8,928	1.2%
3 to 5 days	7,654	1.0%
6 to 9 days	1,414	0.2%
10 or more days	4,324	0.6%
Frequency Missing	82,338	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	604,778	80.4%
12+ drinks	3,439	0.5%
9-11 drinks	1,470	0.2%
5-8 drinks	2,604	0.3%
3-4 drinks	7,027	0.9%
2 drinks	16,435	2.2%
1 drink	38,173	5.1%
Less than 1 drink	77,996	10.4%
Frequency Missing	77,082	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	526,986	70.0%
Never	87,320	11.6%
Seldom	90,359	12.0%
Most of the Time	29,881	4.0%
Always	18,653	2.5%
Frequency Missing	75,806	

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	592,390	78.8%
12+ drinks	5,023	0.7%
9-11 drinks	4,515	0.6%
5-8 drinks	12,788	1.7%
3-4 drinks	24,483	3.3%
2 drinks	23,919	3.2%
1 drink	32,810	4.4%
Less than 1 drink	55,404	7.4%
Frequency Missing	77,673	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	558,436	74.4%
Never	119,420	15.9%
Seldom	40,969	5.5%
Most of the Time	24,265	3.2%
Always	7,013	0.9%
Frequency Missing	78,902	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	570,648	76.0%
Never	152,634	20.3%
Seldom	14,960	2.0%
Most of the Time	9,453	1.3%
Always	3,029	0.4%
Frequency Missing	78,281	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	540,615	72.0%
Never	104,888	14.0%
Seldom	55,478	7.4%
Most of the Time	30,783	4.1%
Always	18,836	2.5%
Frequency Missing	78,404	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	539,377	72.2%
Somewhat	102,674	13.7%
Not very	35,519	4.8%
Not at all	9,900	1.3%
Don't know	59,591	8.0%
Frequency Missing	81,944	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	568,259	76.0%
Never	121,451	16.2%
Seldom	29,341	3.9%
Most of the Time	17,580	2.4%
Always	10,790	1.4%
Frequency Missing	81,585	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	492,747	65.9%
Somewhat	106,963	14.3%
Not very	76,495	10.2%
Not at all	31,136	4.2%
Don't know	40,391	5.4%
Frequency Missing	81,273	

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	508,713	68.0%
Somewhat	156,822	20.9%
Not very	34,008	4.5%
Not at all	6,430	0.9%
Don't know	42,600	5.7%
Frequency Missing	80,432	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	652,990	87.2%
Somewhat	47,160	6.3%
Not very	4,592	0.6%
Not at all	2,832	0.4%
Don't know	41,029	5.5%
Frequency Missing	80,402	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	391,308	52.2%
Somewhat	209,054	27.9%
Not very	96,272	12.8%
Not at all	17,837	2.4%
Don't know	35,486	4.7%
Frequency Missing	79,048	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	657,093	87.8%
Somewhat	39,579	5.3%
Not very	5,347	0.7%
Not at all	2,626	0.4%
Don't know	44,008	5.9%
Frequency Missing	80,351	

**Dangerous for Kids to Use Ecstasy**

Q27h	Frequency	Percent
Very	597,616	79.9%
Somewhat	45,255	6.1%
Not very	6,192	0.8%
Not at all	3,337	0.4%
Don't know	95,501	12.8%
Frequency Missing	81,104	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27l	Frequency	Percent
Very	576,861	77.1%
Somewhat	54,989	7.4%
Not very	19,805	2.6%
Not at all	7,604	1.0%
Don't know	88,626	11.9%
Frequency Missing	81,121	

**Dangerous for Kids to Use Steroids**

Q27i	Frequency	Percent
Very	555,976	74.3%
Somewhat	94,854	12.7%
Not very	28,841	3.9%
Not at all	7,620	1.0%
Don't know	60,694	8.1%
Frequency Missing	81,020	

**Dangerous for Kids to Use Delta 8**

Q27m	Frequency	Percent
Very	540,390	72.3%
Somewhat	66,959	9.0%
Not very	30,805	4.1%
Not at all	15,764	2.1%
Don't know	93,453	12.5%
Frequency Missing	81,633	

**Dangerous for Kids to Use Heroin**

Q27j	Frequency	Percent
Very	642,046	86.0%
Somewhat	34,455	4.6%
Not very	5,764	0.8%
Not at all	4,137	0.6%
Don't know	60,409	8.1%
Frequency Missing	82,194	

**Dangerous for Kids to Use Any Prescription**

Q27n	Frequency	Percent
Very	560,184	75.0%
Somewhat	94,315	12.6%
Not very	27,584	3.7%
Not at all	7,352	1.0%
Don't know	57,110	7.6%
Frequency Missing	82,459	

**Dangerous for Kids to Use Methamphetamine**

Q27k	Frequency	Percent
Very	643,161	85.9%
Somewhat	37,034	4.9%
Not very	3,939	0.5%
Not at all	3,229	0.4%
Don't know	61,135	8.2%
Frequency Missing	80,507	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27o	Frequency	Percent
Very	508,035	67.8%
Somewhat	131,893	17.6%
Not very	51,323	6.9%
Not at all	14,723	2.0%
Don't know	42,995	5.7%
Frequency Missing	80,036	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	578,568	80.0%
1-3 days	106,873	14.8%
4-9 days	24,953	3.4%
10+ days	13,206	1.8%
Frequency Missing	105,405	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	651,898	90.1%
1-3 days	58,589	8.1%
4-9 days	7,268	1.0%
10+ days	5,635	0.8%
Frequency Missing	105,615	

**Days Ill Since September**

Q28b	Frequency	Percent
None	220,786	30.4%
1-3 days	341,555	47.1%
4-9 days	125,237	17.3%
10+ days	38,047	5.2%
Frequency Missing	103,380	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	709,915	98.4%
1-3 times	7,730	1.1%
4-9 times	2,394	0.3%
10+ times	1,204	0.2%
Frequency Missing	107,762	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	275,651	38.6%
1-3 days	344,251	48.2%
4-9 days	69,578	9.7%
10+ days	24,221	3.4%
Frequency Missing	115,303	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	712,885	99.0%
1-3 times	5,477	0.8%
4-9 times	183	0.0%
10+ times	1,517	0.2%
Frequency Missing	108,944	

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	641,787	88.5%
1-3 days	68,711	9.5%
4-9 days	9,262	1.3%
10+ days	5,704	0.8%
Frequency Missing	103,541	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	701,102	97.4%
1-3 times	16,025	2.2%
4-9 times	1,222	0.2%
10+ times	1,355	0.2%
Frequency Missing	109,300	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	706,370	98.3%
1-3 times	8,346	1.2%
4-9 times	1,391	0.2%
10+ times	2,802	0.4%
Frequency Missing	110,097	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	701,433	97.4%
1-3 days	16,565	2.3%
4-9 days	1,212	0.2%
10+ days	1,277	0.2%
Frequency Missing	108,518	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	454,480	63.1%
Seldom	40,126	5.6%
Half the time	23,123	3.2%
Most of the Time	30,941	4.3%
Always	32,431	4.5%
Don't Know	11,078	1.5%
Didn't attend	127,820	17.8%
Frequency Missing	109,005	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	690,421	95.9%
1-3 days	13,643	1.9%
4-9 days	5,646	0.8%
10+ days	10,161	1.4%
Frequency Missing	109,134	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	504,555	70.3%
Seldom	28,820	4.0%
Half the time	12,621	1.8%
Most of the Time	15,747	2.2%
Always	15,331	2.1%
Don't Know	14,396	2.0%
Didn't attend	126,359	17.6%
Frequency Missing	111,176	

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	714,074	99.5%
1-3 days	2,833	0.4%
4-9 days	596	0.1%
10+ days	499	0.1%
Frequency Missing	111,003	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	651,485	94.8%
Yes	35,765	5.2%
Frequency Missing	141,755	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	709,164	98.8%
1-3 days	7,049	1.0%
4-9 days	893	0.1%
10+ days	804	0.1%
Frequency Missing	111,095	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	457,370	64.9%
Yes	247,702	35.1%
Frequency Missing	123,933	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	525,536	75.1%
Yes	174,538	24.9%
Frequency Missing	128,931	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	310,809	44.3%
Yes	390,458	55.7%
Frequency Missing	127,738	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	434,672	62.1%
Yes	265,787	37.9%
Frequency Missing	128,546	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	438,571	62.5%
Yes	262,695	37.5%
Frequency Missing	127,739	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	232,607	32.9%
Yes	473,415	67.1%
Frequency Missing	122,983	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	520,236	74.8%
Yes	175,365	25.2%
Frequency Missing	133,404	

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	290,081	41.3%
Yes	412,361	58.7%
Frequency Missing	126,563	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	431,374	61.5%
Yes	270,043	38.5%
Frequency Missing	127,588	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	282,178	40.1%
Yes	421,083	59.9%
Frequency Missing	125,744	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	371,822	53.1%
Yes	328,129	46.9%
Frequency Missing	129,054	

**Drug/Alcohol Info–School Guidance  
Counselor**

Q34c	Frequency	Percent
No	502,658	72.0%
Yes	195,127	28.0%
Frequency Missing	131,220	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	478,784	68.7%
Yes	218,443	31.3%
Frequency Missing	131,778	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	571,294	82.0%
Yes	125,050	18.0%
Frequency Missing	132,661	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	589,277	82.5%
Mild disapprove	37,943	5.3%
Neither	28,279	4.0%
Mildly approve	3,346	0.5%
Strongly approve	4,203	0.6%
Don't know	51,199	7.2%
Frequency Missing	114,759	

**Drug/Alcohol Info–Science or Social Studies  
Class**

Q34e	Frequency	Percent
No	502,551	72.1%
Yes	194,427	27.9%
Frequency Missing	132,027	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	451,154	63.2%
Mild disapprove	95,390	13.4%
Neither	88,148	12.4%
Mildly approve	23,695	3.3%
Strongly approve	8,230	1.2%
Don't know	47,047	6.6%
Frequency Missing	115,340	

**Drug/Alcohol Info–School Student Group or  
Club**

Q34f	Frequency	Percent
No	583,916	84.0%
Yes	111,037	16.0%
Frequency Missing	134,052	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	564,184	79.0%
Mild disapprove	45,602	6.4%
Neither	43,264	6.1%
Mildly approve	7,676	1.1%
Strongly approve	6,225	0.9%
Don't know	47,271	6.6%
Frequency Missing	114,784	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	534,450	76.6%
Yes	162,970	23.4%
Frequency Missing	131,584	



## Appendix: Reporting Methods for Prevalence & Recency of Use

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Delta 8</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
<b>Question</b>	<b>Updating Rule</b>
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.



## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

