
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2024



HHSC REGION 6 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	110

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 6. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	6.6%	8.2%	16.5%	83.5%
Grade 7	4.2%	5.5%	11.1%	88.9%
Grade 8	5.9%	7.5%	14.5%	85.5%
Grade 9	6.0%	7.4%	15.3%	84.7%
Grade 10	6.7%	8.9%	17.8%	82.2%
Grade 11	6.4%	7.9%	17.8%	82.2%
Grade 12	11.4%	13.1%	24.5%	75.5%
Cigarettes?				
All	1.3%	1.7%	5.3%	94.7%
Grade 7	0.5%	0.8%	3.0%	97.0%
Grade 8	0.4%	0.8%	3.8%	96.2%
Grade 9	0.5%	1.3%	5.5%	94.5%
Grade 10	0.9%	1.7%	3.7%	96.3%
Grade 11	3.0%	3.0%	7.6%	92.4%
Grade 12	3.0%	3.0%	9.4%	90.6%
Smokeless Tobacco?				
All	0.7%	1.1%	2.4%	97.6%
Grade 7	0.5%	0.7%	1.8%	98.2%
Grade 8	1.0%	1.3%	2.6%	97.4%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.4%	0.8%	2.2%	97.8%
Grade 11	1.2%	1.8%	2.8%	97.2%
Grade 12	0.9%	1.5%	4.7%	95.3%
Electronic Vapor Products?				
All	5.0%	6.9%	15.2%	84.8%
Grade 7	2.8%	4.0%	9.8%	90.2%
Grade 8	4.2%	6.5%	13.4%	86.6%
Grade 9	4.6%	5.9%	14.3%	85.7%
Grade 10	5.4%	8.0%	16.7%	83.3%
Grade 11	4.7%	6.5%	17.0%	83.0%
Grade 12	9.2%	11.4%	21.9%	78.1%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	95.0%	0.5%	0.5%	0.6%	0.7%	0.6%	2.0%
Grade 7	97.1%	0.0%	0.3%	0.3%	0.9%	0.4%	1.0%
Grade 8	96.4%	0.0%	0.6%	0.4%	0.5%	0.6%	1.4%
Grade 9	96.1%	0.9%	0.0%	0.3%	0.6%	1.2%	1.0%
Grade 10	94.7%	0.3%	0.7%	0.7%	1.6%	0.5%	1.6%
Grade 11	94.5%	0.7%	0.7%	0.9%	0.4%	0.1%	2.7%
Grade 12	90.1%	1.5%	0.8%	1.0%	0.5%	1.0%	5.2%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.5	11.0	11.0	11.5	13.0	13.2	13.3

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	42.4%	22.2%	8.0%	9.1%	8.8%	9.5%
Grade 7	48.5%	31.1%	6.6%	6.8%	4.6%	2.5%
Grade 8	47.8%	24.1%	8.7%	7.6%	6.4%	5.4%
Grade 9	42.6%	19.8%	9.2%	11.2%	7.8%	9.3%
Grade 10	37.9%	19.4%	12.3%	8.2%	11.0%	11.2%
Grade 11	41.3%	20.6%	5.1%	9.3%	11.0%	12.8%
Grade 12	33.5%	16.0%	6.0%	12.2%	13.8%	18.6%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	85.7%	9.8%	2.9%	1.3%	0.3%
Grade 7	91.2%	5.9%	2.5%	0.4%	0.1%
Grade 8	85.8%	10.4%	2.2%	1.5%	0.1%
Grade 9	84.2%	10.5%	3.0%	1.5%	0.8%
Grade 10	82.3%	11.9%	3.9%	1.4%	0.4%
Grade 11	89.1%	6.8%	2.7%	0.8%	0.6%
Grade 12	80.8%	13.6%	3.3%	2.2%	0.0%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	82.7%	5.2%	4.1%	0.4%	0.6%	7.1%
Grade 7	85.7%	3.0%	2.6%	0.4%	0.5%	7.8%
Grade 8	81.6%	4.4%	4.1%	0.4%	0.1%	9.4%
Grade 9	81.6%	5.1%	5.8%	0.0%	0.6%	6.8%
Grade 10	85.2%	4.3%	3.6%	0.5%	0.3%	6.1%
Grade 11	82.1%	6.3%	3.1%	1.0%	0.5%	7.0%
Grade 12	79.0%	9.1%	5.6%	0.3%	1.8%	4.3%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	68.1%	20.9%	4.5%	0.8%	5.7%
	Grade 7	76.9%	14.1%	2.8%	0.7%	5.4%
	Grade 8	67.1%	21.0%	4.2%	0.9%	6.8%
	Grade 9	69.2%	21.9%	3.5%	1.2%	4.3%
	Grade 10	65.5%	23.5%	3.8%	0.0%	7.2%
	Grade 11	65.6%	22.8%	5.6%	0.5%	5.4%
	Grade 12	61.8%	23.7%	7.8%	1.4%	5.2%
Electronic Vapor Products?						
	All	68.1%	17.4%	6.9%	1.9%	5.7%
	Grade 7	76.3%	12.4%	4.6%	1.7%	5.0%
	Grade 8	68.0%	15.3%	6.7%	2.8%	7.2%
	Grade 9	67.3%	17.5%	7.9%	2.2%	5.1%
	Grade 10	66.5%	18.7%	7.4%	1.7%	5.6%
	Grade 11	65.3%	22.2%	6.5%	0.9%	5.1%
	Grade 12	63.1%	20.0%	8.5%	2.2%	6.2%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	17.8%	20.6%	38.4%	61.6%
Grade 7	13.1%	15.7%	30.0%	70.0%
Grade 8	17.2%	19.3%	35.2%	64.8%
Grade 9	15.4%	17.3%	35.3%	64.7%
Grade 10	18.5%	20.1%	39.0%	61.0%
Grade 11	17.1%	20.1%	42.1%	57.9%
Grade 12	27.8%	33.7%	52.6%	47.4%
Beer?				
All	4.6%	7.3%	26.2%	73.8%
Grade 7	2.0%	4.1%	19.7%	80.3%
Grade 8	4.3%	6.3%	23.3%	76.7%
Grade 9	3.9%	5.3%	26.2%	73.8%
Grade 10	4.5%	7.6%	26.1%	73.9%
Grade 11	4.4%	7.2%	28.1%	71.9%
Grade 12	9.7%	15.2%	36.6%	63.4%
Wine Coolers?				
All	5.6%	8.1%	20.8%	79.2%
Grade 7	2.6%	3.8%	13.1%	86.9%
Grade 8	5.5%	7.1%	18.3%	81.7%
Grade 9	5.4%	7.6%	19.8%	80.2%
Grade 10	5.0%	7.3%	19.1%	80.9%
Grade 11	6.0%	9.4%	26.9%	73.1%
Grade 12	10.3%	15.1%	30.8%	69.2%
Wine?				
All	3.7%	5.7%	23.2%	76.8%
Grade 7	2.8%	4.1%	16.6%	83.4%
Grade 8	3.0%	4.6%	19.6%	80.4%
Grade 9	2.8%	4.7%	21.5%	78.5%
Grade 10	4.1%	6.5%	24.9%	75.1%
Grade 11	4.0%	5.7%	26.4%	73.6%
Grade 12	6.1%	9.8%	33.2%	66.8%
Liquor?				
All	5.5%	8.7%	24.2%	75.8%
Grade 7	2.3%	3.9%	13.9%	86.1%
Grade 8	4.0%	5.5%	17.7%	82.3%
Grade 9	2.9%	5.6%	21.9%	78.1%
Grade 10	5.6%	10.0%	25.1%	74.9%
Grade 11	5.6%	8.6%	27.7%	72.3%
Grade 12	14.4%	21.8%	44.1%	55.9%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	75.7%	0.1%	0.9%	2.6%	5.9%	6.9%	7.9%
Grade 7	84.9%	0.4%	0.3%	1.9%	2.2%	4.4%	5.8%
Grade 8	80.6%	0.0%	0.7%	2.4%	4.7%	4.7%	6.9%
Grade 9	78.0%	0.0%	0.8%	1.6%	4.5%	6.5%	8.4%
Grade 10	74.5%	0.2%	1.4%	2.5%	4.5%	8.7%	8.1%
Grade 11	72.0%	0.0%	1.0%	2.6%	7.3%	6.4%	10.8%
Grade 12	59.0%	0.0%	1.2%	5.0%	14.1%	12.4%	8.2%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	77.5%	22.5%	1.8%	10.6%	10.0%
	Grade 7	83.7%	16.3%	0.8%	5.4%	10.0%
	Grade 8	79.3%	20.7%	1.0%	8.7%	11.0%
	Grade 9	79.0%	21.0%	1.4%	9.6%	10.0%
	Grade 10	78.0%	22.0%	2.1%	8.8%	11.1%
	Grade 11	76.2%	23.8%	2.6%	12.6%	8.6%
	Grade 12	66.0%	34.0%	3.8%	20.9%	9.3%
Wine Coolers						
	All	81.9%	18.1%	2.5%	9.9%	5.7%
	Grade 7	89.8%	10.2%	1.0%	4.6%	4.5%
	Grade 8	84.8%	15.2%	1.4%	7.3%	6.6%
	Grade 9	82.8%	17.2%	2.0%	9.7%	5.5%
	Grade 10	82.5%	17.5%	1.6%	9.5%	6.4%
	Grade 11	76.4%	23.6%	3.6%	14.5%	5.5%
	Grade 12	71.5%	28.5%	6.5%	16.1%	5.9%
Wine						
	All	80.6%	19.4%	1.0%	8.1%	10.3%
	Grade 7	86.9%	13.1%	0.9%	3.9%	8.2%
	Grade 8	83.5%	16.5%	0.5%	6.3%	9.7%
	Grade 9	80.7%	19.3%	1.4%	6.2%	11.7%
	Grade 10	79.8%	20.2%	0.9%	9.6%	9.7%
	Grade 11	78.8%	21.2%	0.9%	9.7%	10.6%
	Grade 12	71.4%	28.6%	1.6%	14.9%	12.1%
Liquor						
	All	79.0%	21.0%	3.1%	10.8%	7.1%
	Grade 7	88.4%	11.6%	1.0%	4.2%	6.3%
	Grade 8	84.7%	15.3%	1.9%	6.9%	6.5%
	Grade 9	81.0%	19.0%	2.4%	8.7%	7.9%
	Grade 10	77.1%	22.9%	3.1%	10.5%	9.3%
	Grade 11	75.9%	24.1%	3.8%	14.1%	6.2%
	Grade 12	61.5%	38.5%	7.6%	24.5%	6.4%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	94.8%	2.2%	1.2%	1.0%	0.2%	0.6%
Grade 7	96.7%	1.6%	0.5%	0.1%	0.3%	0.8%
Grade 8	95.2%	2.0%	1.5%	0.7%	0.1%	0.6%
Grade 9	96.1%	2.4%	0.3%	1.0%	0.0%	0.2%
Grade 10	94.0%	2.0%	1.6%	1.0%	0.3%	1.2%
Grade 11	94.7%	2.3%	1.1%	1.5%	0.0%	0.4%
Grade 12	90.9%	3.2%	2.7%	2.1%	0.5%	0.5%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.2	10.1	10.9	11.8	12.6	13.0	13.9

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.7%	13.3%	5.8%	9.7%	15.2%	20.3%
Grade 7	41.5%	22.5%	7.1%	9.0%	9.8%	10.0%
Grade 8	40.7%	15.1%	7.6%	9.5%	13.3%	13.9%
Grade 9	37.1%	10.3%	5.9%	9.1%	15.0%	22.5%
Grade 10	29.2%	10.1%	6.9%	13.2%	17.7%	22.9%
Grade 11	34.7%	10.2%	4.5%	7.9%	17.8%	24.9%
Grade 12	27.7%	9.5%	1.5%	10.0%	19.5%	31.9%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.3%	2.4%	0.2%	0.2%
Grade 7	97.5%	1.8%	0.4%	0.3%
Grade 8	97.1%	2.3%	0.0%	0.5%
Grade 9	95.8%	4.0%	0.2%	0.0%
Grade 10	98.3%	1.5%	0.0%	0.3%
Grade 11	97.2%	2.8%	0.0%	0.0%
Grade 12	97.8%	1.6%	0.5%	0.0%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.2
Alcohol Non-Users	3.7
Average Days Conduct Problems Reported	
Alcohol Users	2.8
Alcohol Non-Users	0.8

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	98.7%	1.0%	0.0%	0.3%
Grade 9	99.1%	0.6%	0.0%	0.3%
Grade 10	99.3%	0.0%	0.0%	0.7%
Grade 11	98.2%	1.8%	0.0%	0.0%
Grade 12	98.3%	1.7%	0.0%	0.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	98.4%	1.1%	0.3%	0.2%
Grade 7	98.5%	1.0%	0.1%	0.4%
Grade 8	98.6%	1.3%	0.0%	0.1%
Grade 9	98.6%	0.6%	0.5%	0.3%
Grade 10	98.7%	1.3%	0.0%	0.0%
Grade 11	99.1%	0.8%	0.0%	0.2%
Grade 12	97.0%	1.4%	1.6%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	67.1%	18.4%	8.3%	4.3%	1.8%
Grade 7	83.3%	10.3%	4.1%	1.7%	0.7%
Grade 8	72.7%	17.4%	6.0%	3.0%	0.8%
Grade 9	65.4%	18.6%	10.2%	4.5%	1.3%
Grade 10	61.0%	24.5%	10.6%	2.0%	2.0%
Grade 11	63.8%	20.9%	8.3%	5.0%	2.1%
Grade 12	51.6%	20.6%	12.1%	11.3%	4.4%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	63.0%	5.6%	3.3%	4.4%	4.7%	1.5%	17.5%
Grade 7	76.5%	4.8%	2.4%	3.1%	2.0%	1.7%	9.6%
Grade 8	70.6%	4.9%	2.5%	3.7%	3.4%	2.4%	12.4%
Grade 9	56.7%	6.3%	5.2%	5.5%	3.9%	1.1%	21.2%
Grade 10	60.4%	5.1%	3.3%	3.4%	4.0%	1.5%	22.3%
Grade 11	57.7%	4.5%	3.6%	3.8%	6.8%	1.0%	22.6%
Grade 12	50.9%	8.5%	3.2%	7.4%	9.4%	0.8%	19.9%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	70.2%	11.5%	11.8%	4.0%	2.5%
	Grade 7	74.4%	13.8%	8.4%	2.3%	1.0%
	Grade 8	73.8%	11.1%	10.4%	3.1%	1.7%
	Grade 9	72.9%	7.6%	12.0%	3.9%	3.6%
	Grade 10	67.0%	12.2%	14.1%	3.7%	3.0%
	Grade 11	69.7%	9.5%	12.1%	6.3%	2.3%
	Grade 12	60.4%	15.3%	14.9%	5.2%	4.1%
Friends?						
	All	74.6%	15.6%	5.5%	3.3%	1.0%
	Grade 7	81.0%	15.0%	2.9%	0.7%	0.4%
	Grade 8	79.2%	14.7%	4.2%	1.2%	0.6%
	Grade 9	78.3%	15.7%	3.2%	2.5%	0.3%
	Grade 10	73.2%	16.2%	6.6%	3.4%	0.5%
	Grade 11	70.0%	16.8%	6.5%	5.4%	1.2%
	Grade 12	61.6%	15.8%	11.4%	7.9%	3.4%
A Store?						
	All	76.1%	20.1%	2.1%	1.3%	0.4%
	Grade 7	81.0%	16.7%	1.3%	0.7%	0.3%
	Grade 8	80.2%	16.7%	1.7%	0.7%	0.6%
	Grade 9	79.2%	18.5%	1.7%	0.4%	0.1%
	Grade 10	75.3%	21.8%	1.6%	1.1%	0.2%
	Grade 11	72.1%	23.9%	2.1%	1.8%	0.0%
	Grade 12	65.6%	25.2%	4.4%	3.6%	1.3%
Parties?						
	All	72.1%	13.6%	7.4%	4.3%	2.6%
	Grade 7	77.2%	13.8%	4.9%	2.9%	1.2%
	Grade 8	75.3%	12.6%	7.1%	3.0%	2.1%
	Grade 9	75.5%	10.8%	7.7%	4.0%	2.0%
	Grade 10	71.7%	15.5%	7.3%	3.5%	2.1%
	Grade 11	68.3%	16.9%	6.2%	4.6%	4.1%
	Grade 12	60.9%	13.1%	12.6%	8.5%	5.0%
Other Sources?						
	All	76.2%	15.9%	4.0%	2.4%	1.5%
	Grade 7	80.5%	13.8%	3.4%	1.3%	1.0%
	Grade 8	78.5%	14.6%	3.0%	2.8%	1.2%
	Grade 9	80.3%	12.3%	3.4%	2.7%	1.3%
	Grade 10	74.4%	18.7%	3.0%	1.9%	2.0%
	Grade 11	75.2%	18.2%	3.9%	0.9%	1.8%
	Grade 12	64.9%	19.6%	8.5%	5.2%	1.8%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	63.3%	13.1%	12.5%	3.3%	1.2%	6.5%
Grade 7	74.3%	8.8%	6.3%	2.2%	0.7%	7.7%
Grade 8	66.9%	10.3%	10.8%	2.2%	1.0%	8.8%
Grade 9	64.7%	11.7%	13.4%	3.9%	1.5%	4.8%
Grade 10	61.7%	14.9%	13.1%	3.5%	0.9%	5.9%
Grade 11	56.5%	16.5%	15.7%	3.2%	1.5%	6.7%
Grade 12	51.2%	19.0%	18.1%	5.5%	1.8%	4.3%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	52.5%	27.5%	12.9%	2.3%	4.8%
Grade 7	59.5%	23.1%	10.8%	1.9%	4.7%
Grade 8	50.7%	26.3%	14.7%	2.2%	6.1%
Grade 9	49.6%	29.0%	15.7%	2.1%	3.6%
Grade 10	47.5%	31.3%	14.6%	1.4%	5.2%
Grade 11	54.6%	28.4%	10.7%	3.0%	3.4%
Grade 12	52.5%	28.2%	10.1%	3.6%	5.7%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	8.0%	10.6%	15.1%	84.9%
Grade 7	4.0%	6.0%	7.5%	92.5%
Grade 8	6.3%	8.6%	11.6%	88.4%
Grade 9	6.2%	7.4%	10.9%	89.1%
Grade 10	10.0%	13.0%	17.5%	82.5%
Grade 11	9.5%	11.9%	18.4%	81.6%
Grade 12	13.4%	19.0%	28.8%	71.2%
Marijuana?				
All	7.2%	8.6%	12.7%	87.3%
Grade 7	3.0%	3.6%	4.6%	95.4%
Grade 8	5.9%	7.2%	10.0%	90.0%
Grade 9	5.5%	5.8%	8.9%	91.1%
Grade 10	9.5%	11.0%	15.4%	84.6%
Grade 11	9.5%	10.8%	16.1%	83.9%
Grade 12	11.5%	15.1%	24.9%	75.1%
Cocaine?				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.5%	0.8%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	1.0%	1.1%	1.1%	98.9%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.3%	1.0%	99.0%
Grade 12	1.7%	1.7%	3.8%	96.2%
Crack?				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.5%	0.7%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.5%	99.5%
Hallucinogens?				
All	0.9%	1.5%	3.1%	96.9%
Grade 7	0.2%	0.6%	1.0%	99.0%
Grade 8	0.5%	0.8%	1.3%	98.7%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.0%	0.9%	3.1%	96.9%
Grade 11	1.3%	2.2%	5.1%	94.9%
Grade 12	3.7%	4.7%	8.8%	91.2%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.3%	0.5%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.7%	99.3%
Steroids?				
All	0.6%	0.9%	1.7%	98.3%
Grade 7	0.7%	0.8%	1.6%	98.4%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.5%	0.7%	2.5%	97.5%
Grade 11	0.8%	2.2%	2.8%	97.2%
Grade 12	1.0%	1.0%	1.7%	98.3%
Ecstasy?				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	2.3%	97.7%
Heroin?				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.4%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.5%	0.5%	1.2%	98.8%
Methamphetamine?				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.9%	99.1%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.2%	0.9%	99.1%

Table D-1: How Recently, If Ever, Have You Used...
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.6%	0.9%	2.4%	97.6%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	0.5%	1.2%	2.0%	98.0%
Grade 9	0.6%	0.7%	1.0%	99.0%
Grade 10	0.8%	0.9%	2.8%	97.2%
Grade 11	0.8%	1.2%	2.0%	98.0%
Grade 12	0.7%	1.2%	6.0%	94.0%
Delta 8?				
All	1.7%	2.6%	4.3%	95.7%
Grade 7	0.4%	0.4%	1.5%	98.5%
Grade 8	0.8%	1.5%	2.7%	97.3%
Grade 9	1.3%	1.9%	2.7%	97.3%
Grade 10	2.1%	3.0%	5.0%	95.0%
Grade 11	2.0%	3.3%	5.2%	94.8%
Grade 12	4.2%	6.3%	10.2%	89.8%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	90.0%	1.4%	1.2%	1.4%	1.8%	1.4%	2.8%
	Grade 7	97.0%	0.1%	0.3%	0.4%	0.4%	0.6%	1.2%
	Grade 8	92.1%	1.0%	1.5%	1.1%	1.8%	1.0%	1.4%
	Grade 9	93.4%	1.3%	0.6%	1.6%	0.5%	1.0%	1.6%
	Grade 10	87.3%	1.3%	2.0%	1.1%	2.3%	1.4%	4.6%
	Grade 11	87.9%	1.5%	2.0%	1.2%	2.6%	1.7%	3.1%
	Grade 12	79.1%	3.9%	1.0%	3.3%	3.7%	2.8%	6.2%
Cocaine?								
	All	99.4%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 9	98.9%	0.3%	0.1%	0.2%	0.1%	0.3%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 12	97.7%	0.5%	0.0%	0.0%	0.0%	0.5%	1.3%
Crack?								
	All	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.5%	0.4%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
Steroids?								
	All	99.2%	0.4%	0.0%	0.1%	0.0%	0.0%	0.3%
	Grade 7	98.8%	0.3%	0.1%	0.0%	0.2%	0.1%	0.5%
	Grade 8	99.7%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	99.6%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.5%	0.3%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 11	99.1%	0.5%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 12	98.4%	0.5%	0.0%	0.5%	0.0%	0.0%	0.5%
Ecstasy?								
	All	99.6%	0.1%	0.0%	0.1%	0.0%	0.1%	0.2%
	Grade 7	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	99.4%	0.1%	0.0%	0.3%	0.0%	0.1%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 12	98.3%	0.0%	0.0%	0.0%	0.0%	0.5%	1.3%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 7	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 12	99.0%	0.0%	0.5%	0.0%	0.0%	0.0%	0.5%
Methamphetamine?								
	All	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 7	99.6%	0.2%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.6%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.8%
Synthetic Marijuana?								
	All	98.6%	0.0%	0.0%	0.3%	0.2%	0.5%	0.4%
	Grade 7	99.5%	0.0%	0.1%	0.1%	0.0%	0.2%	0.1%
	Grade 8	98.8%	0.1%	0.0%	0.2%	0.7%	0.1%	0.1%
	Grade 9	99.6%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%
	Grade 10	98.5%	0.0%	0.0%	0.2%	0.0%	0.2%	1.1%
	Grade 11	98.3%	0.0%	0.0%	0.8%	0.0%	0.7%	0.1%
	Grade 12	96.4%	0.0%	0.0%	0.2%	0.0%	2.1%	1.2%
Delta 8?								
	All	96.8%	0.3%	0.3%	0.5%	0.6%	0.8%	0.7%
	Grade 7	99.3%	0.0%	0.1%	0.1%	0.0%	0.3%	0.1%
	Grade 8	98.2%	0.1%	0.4%	0.1%	0.6%	0.5%	0.1%
	Grade 9	97.3%	0.3%	0.7%	0.3%	0.3%	0.7%	0.4%
	Grade 10	96.1%	0.0%	0.7%	0.3%	0.6%	0.7%	1.6%
	Grade 11	96.4%	0.5%	0.0%	0.5%	1.5%	0.4%	0.8%
	Grade 12	92.1%	0.8%	0.0%	1.8%	1.0%	2.8%	1.5%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.5	11.7	12.0	12.8	13.5	13.9	14.5
Cocaine	14.1	8.0	13.0	12.6	N/A	14.5	14.9
Crack	12.0	9.1	13.0	N/A	N/A	N/A	14.0
Steroids	12.1	9.9	11.7	13.0	11.2	17.0	12.4
Ecstasy	13.4	10.8	11.0	10.5	N/A	17.0	14.1
Heroin	12.2	11.1	9.3	12.0	N/A	16.0	N/A
Methamphetamine	11.7	9.9	10.9	13.7	9.5	N/A	13.7
Synthetic Marijuana	13.7	9.6	12.2	13.0	14.1	15.5	14.8
Delta 8?	14.0	10.7	11.7	13.2	13.9	14.6	15.1

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	41.6%	22.9%	7.8%	7.1%	8.6%	11.9%
	Grade 7	50.0%	32.8%	6.6%	5.4%	2.8%	2.4%
	Grade 8	48.2%	25.4%	6.7%	6.7%	6.4%	6.6%
	Grade 9	40.2%	25.0%	8.9%	7.4%	7.9%	10.6%
	Grade 10	35.7%	20.0%	11.2%	7.5%	10.5%	15.0%
	Grade 11	38.8%	16.9%	4.8%	8.3%	15.7%	15.5%
	Grade 12	33.3%	13.5%	8.9%	7.8%	10.4%	26.0%
Cocaine?							
	All	47.6%	32.8%	9.4%	5.3%	2.8%	2.2%
	Grade 7	52.3%	37.3%	6.7%	2.2%	0.9%	0.6%
	Grade 8	52.1%	32.7%	6.6%	5.0%	1.6%	2.0%
	Grade 9	44.6%	33.3%	11.8%	4.3%	2.9%	3.2%
	Grade 10	43.5%	33.4%	12.6%	5.9%	2.4%	2.2%
	Grade 11	48.4%	29.3%	9.4%	6.2%	4.7%	2.0%
	Grade 12	42.7%	29.4%	10.0%	9.8%	4.8%	3.2%
Crack?							
	All	49.0%	33.0%	9.5%	4.3%	2.2%	2.1%
	Grade 7	53.8%	36.3%	6.5%	2.1%	0.6%	0.7%
	Grade 8	53.4%	32.4%	7.8%	3.5%	1.0%	2.0%
	Grade 9	45.8%	33.7%	11.4%	3.6%	2.3%	3.2%
	Grade 10	43.4%	34.9%	12.6%	4.6%	2.5%	1.9%
	Grade 11	49.8%	30.3%	8.5%	5.5%	3.9%	2.0%
	Grade 12	46.3%	29.0%	11.2%	7.2%	3.5%	2.8%
Steroids?							
	All	50.0%	29.0%	9.3%	6.1%	3.1%	2.5%
	Grade 7	54.7%	33.5%	5.4%	3.7%	1.6%	1.1%
	Grade 8	56.3%	28.3%	8.2%	4.1%	1.7%	1.5%
	Grade 9	45.8%	30.1%	11.5%	5.5%	3.5%	3.7%
	Grade 10	46.3%	31.3%	11.2%	5.1%	3.0%	3.2%
	Grade 11	49.4%	25.0%	9.1%	7.7%	4.8%	4.0%
	Grade 12	45.6%	24.4%	11.5%	12.1%	4.5%	1.9%
Ecstasy?							
	All	59.7%	26.8%	6.9%	3.0%	1.5%	2.2%
	Grade 7	66.0%	28.1%	3.7%	1.1%	0.5%	0.6%
	Grade 8	65.9%	25.3%	5.1%	1.9%	0.4%	1.3%
	Grade 9	56.9%	27.5%	8.0%	2.7%	1.1%	3.8%
	Grade 10	55.0%	28.0%	9.2%	4.5%	1.1%	2.2%
	Grade 11	58.3%	26.0%	7.9%	2.6%	3.1%	2.0%
	Grade 12	53.0%	25.5%	8.2%	6.1%	3.9%	3.3%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	54.3%	31.9%	7.2%	3.3%	1.2%	2.0%
	Grade 7	61.3%	31.3%	4.5%	1.5%	0.8%	0.7%
	Grade 8	62.0%	28.8%	5.2%	1.6%	0.8%	1.6%
	Grade 9	48.7%	35.3%	7.9%	3.7%	1.3%	3.2%
	Grade 10	47.9%	34.9%	8.9%	4.8%	1.4%	2.0%
	Grade 11	55.7%	31.0%	6.9%	3.0%	1.1%	2.2%
	Grade 12	48.2%	30.3%	10.9%	6.2%	2.1%	2.2%
Methamphetamine?							
	All	55.1%	30.9%	7.1%	3.1%	1.8%	2.0%
	Grade 7	61.8%	30.7%	4.5%	1.5%	0.7%	0.9%
	Grade 8	61.5%	28.7%	5.8%	1.4%	0.8%	1.7%
	Grade 9	50.9%	32.8%	7.9%	3.4%	1.5%	3.5%
	Grade 10	49.3%	33.9%	8.6%	3.6%	2.3%	2.3%
	Grade 11	54.6%	31.6%	6.7%	2.6%	2.6%	1.9%
	Grade 12	50.5%	27.7%	9.7%	7.0%	3.3%	1.7%
Synthetic Marijuana?							
	All	58.6%	25.1%	5.7%	3.9%	3.1%	3.5%
	Grade 7	64.6%	28.0%	3.6%	2.2%	0.8%	0.9%
	Grade 8	63.7%	24.3%	5.8%	2.0%	1.6%	2.5%
	Grade 9	56.4%	25.7%	8.4%	1.9%	3.3%	4.4%
	Grade 10	53.7%	28.1%	5.8%	4.1%	4.1%	4.3%
	Grade 11	56.6%	24.1%	5.1%	4.6%	4.8%	4.8%
	Grade 12	54.4%	19.4%	5.5%	10.3%	5.2%	5.3%
Delta 8?							
	All	58.9%	23.1%	4.7%	3.7%	3.3%	6.2%
	Grade 7	66.0%	26.6%	3.1%	2.3%	0.9%	1.0%
	Grade 8	64.2%	24.4%	4.8%	2.4%	1.1%	3.1%
	Grade 9	55.6%	24.8%	7.4%	3.4%	3.6%	5.2%
	Grade 10	54.1%	23.8%	5.3%	3.7%	5.5%	7.7%
	Grade 11	58.7%	21.4%	3.4%	3.1%	4.4%	9.1%
	Grade 12	52.4%	16.0%	4.0%	8.5%	5.3%	13.8%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	95.8%	1.9%	0.8%	1.4%
Grade 7	98.7%	1.1%	0.1%	0.2%
Grade 8	96.7%	1.5%	0.8%	1.0%
Grade 9	97.0%	1.2%	0.2%	1.6%
Grade 10	94.1%	2.9%	1.9%	1.1%
Grade 11	93.9%	2.0%	1.2%	2.9%
Grade 12	93.1%	3.3%	1.1%	2.4%
Attended Class While High from Use of Some Other Drug?				
All	98.8%	1.0%	0.1%	0.1%
Grade 7	98.6%	0.9%	0.1%	0.3%
Grade 8	99.1%	0.5%	0.2%	0.1%
Grade 9	98.7%	1.1%	0.0%	0.2%
Grade 10	99.4%	0.6%	0.0%	0.0%
Grade 11	98.3%	1.2%	0.5%	0.0%
Grade 12	98.2%	1.8%	0.0%	0.0%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.6
Marijuana Non-Users	3.9
Average Days Conduct Problems Reported	
Marijuana Users	3.4
Marijuana Non-Users	1.1

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	97.5%	1.6%	0.3%	0.6%
Grade 9	99.4%	0.2%	0.0%	0.5%
Grade 10	98.9%	0.6%	0.5%	0.0%
Grade 11	97.5%	2.5%	0.0%	0.0%
Grade 12	93.6%	3.6%	0.6%	2.1%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.4%	2.3%	0.2%	0.2%
Grade 7	97.9%	1.8%	0.3%	0.1%
Grade 8	97.7%	2.1%	0.1%	0.1%
Grade 9	97.4%	2.0%	0.3%	0.3%
Grade 10	96.7%	3.3%	0.0%	0.0%
Grade 11	97.0%	2.3%	0.4%	0.4%
Grade 12	97.2%	2.5%	0.0%	0.2%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	76.5%	12.0%	5.9%	4.4%	1.1%
Grade 7	89.5%	6.3%	2.5%	1.4%	0.3%
Grade 8	78.3%	11.7%	4.9%	4.0%	1.1%
Grade 9	77.8%	10.8%	5.0%	4.9%	1.5%
Grade 10	72.2%	14.5%	8.2%	4.4%	0.7%
Grade 11	74.4%	15.2%	6.0%	3.5%	0.9%
Grade 12	63.0%	15.1%	10.3%	9.1%	2.4%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	70.3%	4.1%	1.8%	2.2%	2.2%	2.0%	17.4%
Grade 7	85.1%	2.5%	0.6%	0.7%	0.3%	1.6%	9.3%
Grade 8	78.9%	2.5%	1.9%	1.5%	0.5%	2.1%	12.5%
Grade 9	67.6%	4.2%	1.8%	1.7%	1.2%	2.5%	20.9%
Grade 10	65.4%	4.8%	2.8%	0.9%	1.9%	1.6%	22.6%
Grade 11	60.1%	5.9%	1.3%	3.6%	3.8%	3.0%	22.3%
Grade 12	58.6%	5.5%	2.5%	5.5%	7.1%	1.1%	19.7%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.9%	6.5%	6.1%	1.1%	0.9%	6.5%
Grade 7	86.2%	2.5%	2.4%	0.8%	0.5%	7.6%
Grade 8	80.0%	4.7%	5.0%	1.0%	0.5%	8.8%
Grade 9	78.1%	7.6%	8.0%	0.0%	1.2%	5.1%
Grade 10	78.1%	8.5%	5.6%	1.4%	0.7%	5.6%
Grade 11	74.4%	8.2%	8.8%	1.1%	1.3%	6.2%
Grade 12	74.2%	9.0%	7.8%	2.9%	1.2%	4.8%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	65.6%	14.3%	10.5%	4.2%	5.4%
	Grade 7	80.4%	9.4%	3.2%	1.2%	5.7%
	Grade 8	69.3%	13.4%	7.1%	3.3%	6.9%
	Grade 9	67.7%	13.2%	11.0%	3.9%	4.2%
	Grade 10	62.6%	14.7%	13.9%	3.6%	5.2%
	Grade 11	57.7%	19.6%	12.2%	5.8%	4.8%
	Grade 12	50.4%	17.5%	18.5%	8.4%	5.2%
Cocaine?	All	87.2%	6.3%	0.7%	0.3%	5.5%
	Grade 7	87.0%	5.5%	1.0%	0.5%	6.1%
	Grade 8	85.2%	5.9%	1.3%	0.6%	7.1%
	Grade 9	86.4%	8.6%	0.6%	0.4%	4.0%
	Grade 10	89.3%	4.7%	0.4%	0.0%	5.6%
	Grade 11	88.8%	6.0%	0.0%	0.0%	5.2%
	Grade 12	87.1%	7.0%	0.5%	0.4%	5.0%
Crack?	All	87.7%	5.3%	0.8%	0.3%	5.9%
	Grade 7	87.4%	4.5%	1.0%	0.5%	6.6%
	Grade 8	84.7%	6.0%	1.4%	0.4%	7.5%
	Grade 9	87.3%	7.3%	0.7%	0.4%	4.3%
	Grade 10	90.0%	3.2%	0.5%	0.0%	6.4%
	Grade 11	89.8%	4.6%	0.5%	0.0%	5.0%
	Grade 12	87.9%	6.0%	0.2%	0.4%	5.5%
Ecstasy?	All	80.0%	6.1%	0.8%	0.4%	12.7%
	Grade 7	81.7%	4.2%	0.9%	0.7%	12.5%
	Grade 8	77.8%	5.9%	1.4%	0.6%	14.3%
	Grade 9	77.9%	7.2%	0.4%	0.4%	14.0%
	Grade 10	81.8%	3.7%	0.9%	0.0%	13.6%
	Grade 11	81.5%	7.3%	0.7%	0.0%	10.5%
	Grade 12	80.1%	8.5%	0.5%	0.6%	10.3%
Steroids?	All	74.5%	12.5%	3.9%	1.0%	8.2%
	Grade 7	78.4%	9.4%	3.1%	1.0%	8.1%
	Grade 8	74.4%	11.4%	3.3%	1.6%	9.3%
	Grade 9	73.6%	13.9%	3.3%	1.5%	7.7%
	Grade 10	72.3%	13.1%	5.4%	0.3%	8.9%
	Grade 11	72.9%	14.5%	4.8%	0.9%	6.9%
	Grade 12	74.7%	13.2%	3.5%	0.4%	8.2%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	85.9%	4.7%	0.8%	0.5%	8.1%
	Grade 7	82.0%	5.3%	1.2%	0.7%	10.7%
	Grade 8	82.0%	5.8%	0.9%	0.7%	10.5%
	Grade 9	85.0%	5.7%	0.7%	0.9%	7.7%
	Grade 10	89.6%	2.7%	0.8%	0.0%	7.0%
	Grade 11	89.2%	4.1%	0.7%	0.0%	6.0%
	Grade 12	89.8%	3.8%	0.2%	0.6%	5.5%
Methamphetamine?						
	All	85.8%	5.0%	0.6%	0.4%	8.2%
	Grade 7	84.1%	4.7%	0.9%	0.6%	9.7%
	Grade 8	82.8%	5.0%	0.9%	0.8%	10.5%
	Grade 9	85.1%	6.5%	0.3%	0.4%	7.7%
	Grade 10	87.2%	4.0%	0.5%	0.0%	8.3%
	Grade 11	89.2%	4.4%	0.4%	0.0%	6.1%
	Grade 12	88.2%	5.1%	0.2%	0.4%	6.0%
Synthetic Marijuana?						
	All	77.3%	7.3%	2.7%	1.0%	11.8%
	Grade 7	82.3%	5.1%	1.1%	0.8%	10.8%
	Grade 8	77.2%	7.0%	1.6%	1.5%	12.8%
	Grade 9	78.0%	7.5%	2.6%	0.9%	11.0%
	Grade 10	78.3%	6.7%	1.9%	0.2%	13.0%
	Grade 11	75.1%	9.0%	3.6%	1.3%	11.0%
	Grade 12	71.3%	9.1%	6.0%	1.4%	12.2%
Delta 8?						
	All	72.5%	9.0%	4.1%	2.0%	12.4%
	Grade 7	79.3%	6.8%	2.0%	0.9%	11.1%
	Grade 8	74.0%	8.2%	2.9%	1.7%	13.2%
	Grade 9	74.2%	9.1%	3.6%	2.0%	11.0%
	Grade 10	71.9%	9.2%	4.3%	1.1%	13.4%
	Grade 11	69.3%	11.1%	3.8%	2.9%	12.9%
	Grade 12	63.1%	10.2%	9.6%	4.1%	13.0%
Fictional Drug?						
	All	79.3%	4.1%	0.7%	0.3%	15.6%
	Grade 7	81.4%	3.8%	0.8%	0.5%	13.5%
	Grade 8	77.0%	5.5%	0.8%	0.5%	16.2%
	Grade 9	79.0%	5.5%	0.6%	0.4%	14.4%
	Grade 10	79.3%	2.0%	0.9%	0.0%	17.8%
	Grade 11	81.9%	3.5%	0.0%	0.0%	14.7%
	Grade 12	77.1%	3.9%	0.8%	0.4%	17.9%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	4.3%	6.4%	12.5%	87.5%
Grade 7	5.0%	6.8%	11.7%	88.3%
Grade 8	3.8%	4.8%	9.2%	90.8%
Grade 9	3.7%	5.8%	12.1%	87.9%
Grade 10	4.4%	7.0%	14.8%	85.2%
Grade 11	4.4%	6.2%	12.9%	87.1%
Grade 12	4.4%	8.6%	15.2%	84.8%
Codeine Cough Syrup?				
All	1.8%	3.4%	6.8%	93.2%
Grade 7	2.8%	4.3%	8.2%	91.8%
Grade 8	2.0%	2.7%	5.5%	94.5%
Grade 9	2.1%	3.6%	6.9%	93.1%
Grade 10	0.9%	2.6%	6.9%	93.1%
Grade 11	1.1%	3.2%	5.9%	94.1%
Grade 12	1.7%	3.7%	7.5%	92.5%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.2%	0.4%	1.8%	98.2%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.9%	99.1%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	0.0%	0.8%	2.2%	97.8%
Grade 12	0.6%	1.0%	4.5%	95.5%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.3%	0.7%	1.9%	98.1%
Grade 7	0.3%	0.5%	1.1%	98.9%
Grade 8	0.3%	0.7%	1.3%	98.7%
Grade 9	0.3%	0.4%	0.7%	99.3%
Grade 10	0.5%	1.0%	1.9%	98.1%
Grade 11	0.0%	0.3%	2.4%	97.6%
Grade 12	0.5%	1.5%	4.9%	95.1%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.3%	1.8%	3.5%	96.5%
Grade 7	1.0%	1.5%	1.9%	98.1%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.7%	1.7%	2.9%	97.1%
Grade 10	2.1%	2.5%	5.3%	94.7%
Grade 11	1.7%	2.1%	3.8%	96.2%
Grade 12	2.2%	2.9%	6.6%	93.4%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.1%	3.1%	6.6%	93.4%
Grade 7	2.1%	2.8%	5.7%	94.3%
Grade 8	1.9%	2.7%	5.5%	94.5%
Grade 9	2.3%	3.6%	7.8%	92.2%
Grade 10	2.2%	3.5%	6.7%	93.3%
Grade 11	3.3%	3.6%	7.4%	92.6%
Grade 12	0.9%	2.2%	6.4%	93.6%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.9%	1.6%	3.0%	97.0%
Grade 7	1.2%	2.0%	3.8%	96.2%
Grade 8	0.6%	1.3%	2.5%	97.5%
Grade 9	1.4%	1.7%	2.1%	97.9%
Grade 10	0.6%	1.4%	2.8%	97.2%
Grade 11	1.2%	2.0%	3.6%	96.4%
Grade 12	0.6%	1.0%	3.2%	96.8%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.3%	12.4%	3.7%	1.0%	7.7%
Grade 7	78.9%	8.7%	3.0%	1.1%	8.2%
Grade 8	73.0%	11.9%	3.6%	1.9%	9.6%
Grade 9	72.5%	14.9%	5.5%	1.3%	5.8%
Grade 10	76.3%	11.1%	4.2%	0.3%	8.1%
Grade 11	75.2%	13.6%	3.9%	0.4%	7.0%
Grade 12	75.9%	14.9%	1.5%	0.4%	7.3%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	2.9%	4.0%	9.1%	90.9%
Grade 7	4.6%	5.7%	10.4%	89.6%
Grade 8	4.1%	6.1%	10.2%	89.8%
Grade 9	2.1%	3.2%	9.1%	90.9%
Grade 10	1.8%	2.2%	8.0%	92.0%
Grade 11	0.9%	1.3%	6.4%	93.6%
Grade 12	3.9%	5.1%	10.3%	89.7%
Spray Paint?				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.7%	0.7%	1.9%	98.1%
Grade 8	0.5%	1.0%	1.5%	98.5%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.4%	1.5%	98.5%
Grade 12	0.0%	0.2%	3.0%	97.0%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.6%	1.0%	3.9%	96.1%
Grade 7	1.0%	1.6%	4.6%	95.4%
Grade 8	1.0%	2.0%	4.3%	95.7%
Grade 9	0.0%	0.5%	3.6%	96.4%
Grade 10	0.6%	0.6%	3.3%	96.7%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	1.2%	1.4%	5.9%	94.1%
Computer Dusting Sprays?				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.4%	1.4%	1.6%	98.4%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.2%	0.2%	1.2%	98.8%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.5%	1.1%	3.2%	96.8%
Grade 7	0.6%	1.0%	3.2%	96.8%
Grade 8	0.6%	1.2%	3.2%	96.8%
Grade 9	0.4%	0.8%	3.1%	96.9%
Grade 10	0.7%	0.9%	2.1%	97.9%
Grade 11	0.4%	0.8%	3.0%	97.0%
Grade 12	0.0%	1.6%	4.8%	95.2%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.2%	0.3%	1.3%	98.7%
Grade 7	0.7%	0.9%	2.1%	97.9%
Grade 8	0.2%	0.5%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.2%	0.2%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.2%	2.0%	98.0%
Toluene, Paint Thinner, or Other Solvents?				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.2%	2.0%	98.0%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	0.8%	2.2%	97.8%
Grade 7	0.6%	1.0%	2.7%	97.3%
Grade 8	0.9%	1.2%	2.6%	97.4%
Grade 9	0.9%	0.9%	2.4%	97.6%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.4%	1.2%	98.8%
Grade 12	0.2%	0.4%	3.2%	96.8%
Other Aerosols/Sprays?				
All	0.3%	0.5%	1.6%	98.4%
Grade 7	0.8%	1.1%	2.5%	97.5%
Grade 8	0.5%	0.7%	1.9%	98.1%
Grade 9	0.0%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.2%	1.1%	98.9%
Grade 11	0.0%	0.4%	1.1%	98.9%
Grade 12	0.2%	0.2%	2.3%	97.7%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.7%	0.1%	0.1%	0.2%	0.2%	0.6%	1.1%
Grade 7	97.0%	0.0%	0.4%	0.1%	0.6%	0.6%	1.3%
Grade 8	97.6%	0.2%	0.1%	0.5%	0.4%	0.3%	0.9%
Grade 9	98.6%	0.0%	0.0%	0.1%	0.0%	0.1%	1.1%
Grade 10	98.5%	0.0%	0.0%	0.2%	0.0%	0.9%	0.4%
Grade 11	98.4%	0.3%	0.0%	0.0%	0.0%	0.0%	1.2%
Grade 12	96.3%	0.0%	0.0%	0.0%	0.4%	1.6%	1.7%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	93.0%	3.7%	2.1%	1.1%
Grade 7	91.6%	4.1%	2.9%	1.4%
Grade 8	92.3%	3.9%	2.7%	1.1%
Grade 9	93.4%	3.9%	2.1%	0.6%
Grade 10	93.7%	4.9%	0.6%	0.8%
Grade 11	94.8%	3.2%	1.4%	0.7%
Grade 12	92.5%	1.9%	3.2%	2.4%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.3	9.8	11.0	11.4	10.9	12.0	12.7

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.4%	0.4%	0.1%	0.1%
Grade 7	99.1%	0.8%	0.1%	0.0%
Grade 8	99.1%	0.7%	0.1%	0.2%
Grade 9	99.5%	0.2%	0.3%	0.0%
Grade 10	99.8%	0.0%	0.0%	0.2%
Grade 11	100.0%	0.0%	0.0%	0.0%
Grade 12	99.1%	0.9%	0.0%	0.0%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.1
Inhalant Non-Users	4.0
Average Days Conduct Problems Reported	
Inhalant Users	3.6
Inhalant Non-Users	1.2

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	94.1%	3.8%	1.3%	0.6%	0.2%
Grade 7	93.2%	4.7%	1.3%	0.6%	0.3%
Grade 8	93.4%	4.3%	1.8%	0.4%	0.1%
Grade 9	94.2%	3.3%	1.5%	0.6%	0.4%
Grade 10	95.8%	3.3%	0.5%	0.4%	0.0%
Grade 11	94.3%	3.4%	1.5%	0.8%	0.0%
Grade 12	94.1%	3.4%	1.0%	1.2%	0.2%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.0%	13.7%	4.9%	1.3%	8.0%
Grade 7	72.4%	12.9%	5.5%	1.9%	7.3%
Grade 8	68.3%	15.1%	6.0%	1.7%	9.0%
Grade 9	70.6%	15.4%	6.6%	0.9%	6.5%
Grade 10	75.2%	13.9%	3.2%	0.2%	7.6%
Grade 11	75.9%	10.8%	1.8%	2.1%	9.4%
Grade 12	70.9%	13.9%	5.6%	0.9%	8.6%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	49.3%	16.3%	3.2%	5.1%	7.6%	18.4%
Grade 7	53.4%	23.1%	2.5%	4.0%	6.5%	10.5%
Grade 8	55.0%	15.9%	4.7%	6.4%	5.6%	12.5%
Grade 9	46.6%	15.1%	3.4%	5.2%	9.0%	20.8%
Grade 10	46.3%	14.1%	4.7%	7.0%	8.2%	19.6%
Grade 11	49.6%	16.0%	2.1%	4.7%	4.5%	23.0%
Grade 12	43.1%	12.5%	1.5%	3.1%	12.3%	27.5%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	38.6%
	Grade 7	37.1%
	Grade 8	40.3%
	Grade 9	37.4%
	Grade 10	35.5%
	Grade 11	43.0%
	Grade 12	38.4%
An Assembly Program		
	All	47.9%
	Grade 7	45.6%
	Grade 8	46.9%
	Grade 9	46.7%
	Grade 10	48.6%
	Grade 11	53.1%
	Grade 12	47.5%
Guidance Counselor		
	All	27.6%
	Grade 7	26.2%
	Grade 8	29.3%
	Grade 9	27.7%
	Grade 10	28.9%
	Grade 11	24.6%
	Grade 12	28.6%
School Nurse		
	All	18.2%
	Grade 7	17.3%
	Grade 8	16.8%
	Grade 9	16.4%
	Grade 10	16.5%
	Grade 11	24.1%
	Grade 12	19.2%
Science or Social Studies Class		
	All	27.4%
	Grade 7	23.2%
	Grade 8	22.2%
	Grade 9	29.0%
	Grade 10	31.7%
	Grade 11	29.5%
	Grade 12	31.1%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	16.1%
	Grade 7	11.0%
	Grade 8	11.2%
	Grade 9	16.8%
	Grade 10	19.0%
	Grade 11	21.8%
	Grade 12	19.4%
An Invited School Guest		
	All	23.5%
	Grade 7	26.3%
	Grade 8	24.6%
	Grade 9	19.8%
	Grade 10	23.2%
	Grade 11	22.4%
	Grade 12	24.6%
Another Source at School		
	All	31.3%
	Grade 7	26.6%
	Grade 8	26.4%
	Grade 9	37.0%
	Grade 10	38.0%
	Grade 11	31.4%
	Grade 12	29.5%
Any School Source		
	All	67.8%
	Grade 7	65.5%
	Grade 8	68.3%
	Grade 9	68.2%
	Grade 10	69.3%
	Grade 11	71.6%
	Grade 12	64.2%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	34.9%
	Grade 7	40.6%
	Grade 8	33.3%
	Grade 9	33.2%
	Grade 10	33.6%
	Grade 11	30.5%
	Grade 12	37.5%
School Nurse		
	All	25.1%
	Grade 7	31.1%
	Grade 8	24.7%
	Grade 9	22.2%
	Grade 10	25.5%
	Grade 11	20.1%
	Grade 12	26.0%
Another Adult In School		
	All	37.9%
	Grade 7	42.3%
	Grade 8	36.7%
	Grade 9	32.6%
	Grade 10	35.6%
	Grade 11	37.4%
	Grade 12	43.2%
Counselor/Program Outside-School		
	All	37.0%
	Grade 7	39.5%
	Grade 8	33.2%
	Grade 9	36.5%
	Grade 10	35.3%
	Grade 11	37.7%
	Grade 12	40.3%
Your Parents		
	All	66.5%
	Grade 7	73.1%
	Grade 8	68.2%
	Grade 9	70.6%
	Grade 10	64.6%
	Grade 11	56.7%
	Grade 12	62.8%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
<hr/>		
A Medical Doctor		
All		58.3%
Grade 7		66.4%
Grade 8		58.9%
Grade 9		52.3%
Grade 10		57.2%
Grade 11		58.2%
Grade 12		55.3%
Your Friends		
All		60.3%
Grade 7		53.0%
Grade 8		55.5%
Grade 9		64.1%
Grade 10		62.0%
Grade 11		60.4%
Grade 12		69.7%
Another Adult		
All		55.5%
Grade 7		59.9%
Grade 8		53.4%
Grade 9		56.5%
Grade 10		56.1%
Grade 11		51.2%
Grade 12		55.1%
<hr/>		

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
<hr/>		
All		5.2%
Grade 7		4.9%
Grade 8		5.4%
Grade 9		5.8%
Grade 10		4.5%
Grade 11		6.3%
Grade 12		4.3%
<hr/>		

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.5%	20.5%	23.5%	34.9%	15.4%
Grade 7	6.9%	17.3%	16.8%	39.4%	19.5%
Grade 8	6.8%	19.7%	22.0%	34.1%	17.4%
Grade 9	4.3%	19.6%	25.3%	36.1%	14.6%
Grade 10	7.1%	19.7%	27.3%	33.5%	12.4%
Grade 11	3.7%	22.3%	25.2%	36.6%	12.2%
Grade 12	3.9%	26.0%	25.7%	28.7%	15.7%
Sometimes Carry Weapons?					
All	85.4%	9.4%	3.1%	1.3%	0.8%
Grade 7	89.8%	6.5%	2.1%	0.9%	0.6%
Grade 8	85.5%	10.3%	2.0%	1.4%	0.8%
Grade 9	84.9%	8.6%	4.3%	1.0%	1.3%
Grade 10	86.9%	8.9%	2.7%	1.4%	0.0%
Grade 11	87.6%	8.8%	1.6%	1.6%	0.5%
Grade 12	76.2%	14.2%	6.3%	1.8%	1.4%
Care About Making Good Grades?					
All	2.2%	12.0%	24.4%	43.4%	17.9%
Grade 7	3.2%	10.6%	23.4%	40.7%	22.2%
Grade 8	3.4%	12.2%	26.9%	39.4%	18.1%
Grade 9	1.5%	12.3%	27.5%	41.6%	17.1%
Grade 10	2.3%	10.9%	21.5%	46.1%	19.3%
Grade 11	1.5%	11.7%	24.0%	47.1%	15.7%
Grade 12	1.3%	14.9%	22.2%	47.3%	14.3%
Belong/Want to Belong to a Gang?					
All	91.0%	5.6%	1.9%	0.9%	0.6%
Grade 7	89.7%	7.0%	1.9%	0.8%	0.7%
Grade 8	89.3%	6.4%	2.9%	0.6%	0.8%
Grade 9	91.4%	4.5%	2.6%	1.0%	0.5%
Grade 10	91.1%	5.8%	1.9%	0.6%	0.7%
Grade 11	94.8%	4.0%	0.6%	0.4%	0.1%
Grade 12	90.4%	5.4%	1.2%	2.0%	0.9%
Wish They Could Drop Out of School?					
All	47.8%	28.8%	13.7%	6.3%	3.4%
Grade 7	49.3%	27.1%	13.3%	6.3%	4.0%
Grade 8	48.4%	26.9%	15.1%	6.6%	3.0%
Grade 9	43.3%	30.7%	15.9%	6.9%	3.2%
Grade 10	46.4%	36.6%	11.0%	4.1%	1.9%
Grade 11	50.9%	29.8%	11.4%	5.4%	2.5%
Grade 12	49.4%	20.9%	15.2%	8.6%	5.9%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.3%	11.7%	1.0%	0.2%	0.8%
Grade 7	86.6%	11.3%	1.1%	0.2%	0.8%
Grade 8	84.5%	13.9%	0.4%	0.6%	0.6%
Grade 9	88.5%	8.7%	1.3%	0.3%	1.1%
Grade 10	84.9%	12.6%	2.0%	0.0%	0.5%
Grade 11	86.8%	12.3%	0.6%	0.0%	0.3%
Grade 12	86.5%	11.8%	0.2%	0.2%	1.2%
Out In Your Neighborhood?					
All	47.0%	43.6%	5.5%	0.9%	3.0%
Grade 7	39.6%	47.7%	6.9%	1.2%	4.5%
Grade 8	39.0%	47.4%	8.9%	1.0%	3.7%
Grade 9	49.9%	43.0%	3.9%	1.3%	2.0%
Grade 10	48.7%	43.7%	4.2%	0.9%	2.4%
Grade 11	49.9%	45.3%	2.9%	0.4%	1.5%
Grade 12	57.6%	32.4%	6.0%	0.4%	3.6%
At School?					
All	26.8%	54.4%	10.8%	3.2%	4.8%
Grade 7	26.9%	51.4%	12.2%	5.3%	4.2%
Grade 8	26.2%	52.1%	12.0%	3.8%	5.8%
Grade 9	27.9%	53.3%	9.1%	3.1%	6.6%
Grade 10	26.6%	52.3%	12.8%	2.2%	6.2%
Grade 11	22.4%	61.3%	10.6%	2.8%	3.0%
Grade 12	30.7%	57.5%	7.7%	1.4%	2.6%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.6%	8.2%	16.5%	83.5%
Grade 7	4.2%	5.5%	11.1%	88.9%
Grade 8	5.9%	7.5%	14.5%	85.5%
Grade 9	6.0%	7.4%	15.3%	84.7%
Grade 10	6.7%	8.9%	17.8%	82.2%
Grade 11	6.4%	7.9%	17.8%	82.2%
Grade 12	11.4%	13.1%	24.5%	75.5%
Any Alcohol Product				
All	17.8%	20.6%	38.4%	61.6%
Grade 7	13.1%	15.7%	30.0%	70.0%
Grade 8	17.2%	19.3%	35.2%	64.8%
Grade 9	15.4%	17.3%	35.3%	64.7%
Grade 10	18.5%	20.1%	39.0%	61.0%
Grade 11	17.1%	20.1%	42.1%	57.9%
Grade 12	27.8%	33.7%	52.6%	47.4%
Any Illicit Drug				
All	8.0%	10.6%	15.1%	84.9%
Grade 7	4.0%	6.0%	7.5%	92.5%
Grade 8	6.3%	8.6%	11.6%	88.4%
Grade 9	6.2%	7.4%	10.9%	89.1%
Grade 10	10.0%	13.0%	17.5%	82.5%
Grade 11	9.5%	11.9%	18.4%	81.6%
Grade 12	13.4%	19.0%	28.8%	71.2%
Any Prescription Drug				
All	4.3%	6.4%	12.5%	87.5%
Grade 7	5.0%	6.8%	11.7%	88.3%
Grade 8	3.8%	4.8%	9.2%	90.8%
Grade 9	3.7%	5.8%	12.1%	87.9%
Grade 10	4.4%	7.0%	14.8%	85.2%
Grade 11	4.4%	6.2%	12.9%	87.1%
Grade 12	4.4%	8.6%	15.2%	84.8%
Any Inhalant				
All	2.9%	4.0%	9.1%	90.9%
Grade 7	4.6%	5.7%	10.4%	89.6%
Grade 8	4.1%	6.1%	10.2%	89.8%
Grade 9	2.1%	3.2%	9.1%	90.9%
Grade 10	1.8%	2.2%	8.0%	92.0%
Grade 11	0.9%	1.3%	6.4%	93.6%
Grade 12	3.9%	5.1%	10.3%	89.7%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.0%	6.9%	15.2%	84.8%
Grade 7	2.8%	4.0%	9.8%	90.2%
Grade 8	4.2%	6.5%	13.4%	86.6%
Grade 9	4.6%	5.9%	14.3%	85.7%
Grade 10	5.4%	8.0%	16.7%	83.3%
Grade 11	4.7%	6.5%	17.0%	83.0%
Grade 12	9.2%	11.4%	21.9%	78.1%
Marijuana				
All	7.2%	8.6%	12.7%	87.3%
Grade 7	3.0%	3.6%	4.6%	95.4%
Grade 8	5.9%	7.2%	10.0%	90.0%
Grade 9	5.5%	5.8%	8.9%	91.1%
Grade 10	9.5%	11.0%	15.4%	84.6%
Grade 11	9.5%	10.8%	16.1%	83.9%
Grade 12	11.5%	15.1%	24.9%	75.1%
Marijuana Only				
All	2.9%	3.6%	6.6%	93.4%
Grade 7	1.5%	2.0%	2.6%	97.4%
Grade 8	2.8%	3.3%	5.6%	94.4%
Grade 9	2.2%	2.3%	5.2%	94.8%
Grade 10	4.7%	5.4%	8.7%	91.3%
Grade 11	3.3%	4.2%	8.1%	91.9%
Grade 12	3.3%	4.7%	10.8%	89.2%
Cocaine or Crack				
All	0.7%	0.9%	1.4%	98.6%
Grade 7	0.9%	1.3%	1.4%	98.6%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	1.0%	1.1%	1.5%	98.5%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.4%	0.7%	1.5%	98.5%
Grade 12	1.7%	1.7%	3.8%	96.2%
Cocaine				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.5%	0.8%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	1.0%	1.1%	1.1%	98.9%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.3%	1.0%	99.0%
Grade 12	1.7%	1.7%	3.8%	96.2%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.5%	0.7%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.5%	99.5%
Hallucinogens				
All	0.9%	1.5%	3.1%	96.9%
Grade 7	0.2%	0.6%	1.0%	99.0%
Grade 8	0.5%	0.8%	1.3%	98.7%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.0%	0.9%	3.1%	96.9%
Grade 11	1.3%	2.2%	5.1%	94.9%
Grade 12	3.7%	4.7%	8.8%	91.2%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.3%	0.5%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.7%	99.3%
Steroids				
All	0.6%	0.9%	1.7%	98.3%
Grade 7	0.7%	0.8%	1.6%	98.4%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.5%	0.7%	2.5%	97.5%
Grade 11	0.8%	2.2%	2.8%	97.2%
Grade 12	1.0%	1.0%	1.7%	98.3%
Ecstasy				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	2.3%	97.7%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
 All Students
 (Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.4%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.5%	0.5%	1.2%	98.8%
Synthetic Marijuana				
All	0.6%	0.9%	2.4%	97.6%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	0.5%	1.2%	2.0%	98.0%
Grade 9	0.6%	0.7%	1.0%	99.0%
Grade 10	0.8%	0.9%	2.8%	97.2%
Grade 11	0.8%	1.2%	2.0%	98.0%
Grade 12	0.7%	1.2%	6.0%	94.0%
Methamphetamine				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.9%	99.1%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.2%	0.9%	99.1%
Delta 8				
All	1.7%	2.6%	4.3%	95.7%
Grade 7	0.4%	0.4%	1.5%	98.5%
Grade 8	0.8%	1.5%	2.7%	97.3%
Grade 9	1.3%	1.9%	2.7%	97.3%
Grade 10	2.1%	3.0%	5.0%	95.0%
Grade 11	2.0%	3.3%	5.2%	94.8%
Grade 12	4.2%	6.3%	10.2%	89.8%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.6%	7.9%	15.5%	84.5%
Grade 7	3.3%	4.3%	9.0%	91.0%
Grade 8	4.7%	5.7%	12.3%	87.7%
Grade 9	5.9%	7.6%	13.7%	86.3%
Grade 10	6.3%	7.1%	17.4%	82.6%
Grade 11	7.2%	8.2%	18.2%	81.8%
Grade 12	14.1%	16.5%	25.0%	75.0%
Any Alcohol Product				
All	16.3%	18.5%	36.7%	63.3%
Grade 7	11.0%	13.4%	28.0%	72.0%
Grade 8	14.5%	16.9%	32.7%	67.3%
Grade 9	13.2%	14.4%	34.1%	65.9%
Grade 10	17.5%	18.0%	35.7%	64.3%
Grade 11	14.9%	16.9%	39.6%	60.4%
Grade 12	29.7%	34.2%	54.3%	45.7%
Any Illicit Drug				
All	7.2%	9.2%	13.5%	86.5%
Grade 7	2.7%	4.5%	5.5%	94.5%
Grade 8	5.6%	7.7%	10.2%	89.8%
Grade 9	5.4%	5.9%	10.6%	89.4%
Grade 10	8.9%	11.0%	14.4%	85.6%
Grade 11	9.5%	9.8%	18.0%	82.0%
Grade 12	12.8%	18.4%	25.9%	74.1%
Any Prescription Drug				
All	4.8%	7.2%	13.3%	86.7%
Grade 7	4.5%	6.1%	10.4%	89.6%
Grade 8	4.2%	5.5%	8.4%	91.6%
Grade 9	4.0%	6.4%	13.9%	86.1%
Grade 10	5.4%	8.2%	18.7%	81.3%
Grade 11	4.0%	6.4%	12.7%	87.3%
Grade 12	6.8%	11.2%	17.1%	82.9%
Any Inhalant				
All	2.7%	3.7%	8.4%	91.6%
Grade 7	4.0%	5.2%	9.3%	90.7%
Grade 8	3.2%	5.1%	8.5%	91.5%
Grade 9	1.7%	2.6%	8.3%	91.7%
Grade 10	2.2%	2.5%	8.4%	91.6%
Grade 11	1.2%	1.2%	5.6%	94.4%
Grade 12	3.9%	4.9%	10.1%	89.9%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.9%	6.5%	13.9%	86.1%
Grade 7	2.1%	2.8%	7.2%	92.8%
Grade 8	2.9%	5.0%	11.6%	88.4%
Grade 9	3.6%	5.3%	11.8%	88.2%
Grade 10	6.0%	6.8%	16.5%	83.5%
Grade 11	4.4%	6.3%	16.5%	83.5%
Grade 12	11.6%	14.1%	22.1%	77.9%
Marijuana				
All	6.7%	8.0%	11.8%	88.2%
Grade 7	1.7%	2.3%	2.8%	97.2%
Grade 8	5.3%	6.8%	9.3%	90.7%
Grade 9	4.5%	4.8%	8.5%	91.5%
Grade 10	8.9%	10.7%	13.5%	86.5%
Grade 11	9.5%	9.8%	15.9%	84.1%
Grade 12	12.0%	16.0%	24.7%	75.3%
Marijuana Only				
All	2.0%	2.7%	5.5%	94.5%
Grade 7	0.8%	1.1%	1.4%	98.6%
Grade 8	2.1%	2.5%	4.6%	95.4%
Grade 9	0.9%	1.1%	4.6%	95.4%
Grade 10	3.8%	4.8%	7.1%	92.9%
Grade 11	2.7%	3.0%	7.8%	92.2%
Grade 12	2.4%	4.3%	8.8%	91.2%
Cocaine or Crack				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.7%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.9%	0.9%	1.5%	98.5%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.9%	0.9%	1.8%	98.2%
Grade 12	1.4%	1.4%	2.9%	97.1%
Cocaine				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	1.4%	1.4%	2.9%	97.1%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.5%	0.9%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	1.0%	99.0%
Hallucinogens				
All	1.0%	1.7%	3.5%	96.5%
Grade 7	0.2%	0.8%	1.1%	98.9%
Grade 8	0.7%	1.0%	1.5%	98.5%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.0%	0.5%	2.3%	97.7%
Grade 11	0.9%	1.8%	5.1%	94.9%
Grade 12	4.3%	6.3%	11.6%	88.4%
Synthetic Cathinones				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Steroids				
All	1.0%	1.4%	2.6%	97.4%
Grade 7	1.0%	1.2%	2.5%	97.5%
Grade 8	0.6%	0.7%	1.4%	98.6%
Grade 9	0.9%	0.9%	1.5%	98.5%
Grade 10	1.0%	1.5%	4.4%	95.6%
Grade 11	1.7%	3.7%	4.4%	95.6%
Grade 12	1.0%	1.0%	2.0%	98.0%
Ecstasy				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.9%	97.1%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.2%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	1.4%	98.6%
Synthetic Marijuana					
	All	0.5%	0.9%	1.9%	98.1%
	Grade 7	0.3%	0.7%	1.1%	98.9%
	Grade 8	0.5%	1.4%	2.1%	97.9%
	Grade 9	0.3%	0.3%	0.6%	99.4%
	Grade 10	0.9%	0.9%	1.8%	98.2%
	Grade 11	0.7%	1.6%	1.9%	98.1%
	Grade 12	0.4%	0.4%	4.6%	95.4%
Methamphetamine					
	All	0.2%	0.3%	0.5%	99.5%
	Grade 7	0.2%	0.3%	0.8%	99.2%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.8%	0.8%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.4%	1.4%	98.6%
Delta 8					
	All	2.3%	3.2%	5.1%	94.9%
	Grade 7	0.5%	0.5%	1.1%	98.9%
	Grade 8	1.2%	2.3%	3.4%	96.6%
	Grade 9	2.0%	2.6%	3.5%	96.5%
	Grade 10	2.9%	3.5%	5.5%	94.5%
	Grade 11	1.8%	3.0%	5.2%	94.8%
	Grade 12	6.6%	8.6%	13.6%	86.4%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.4%	8.3%	17.4%	82.6%
Grade 7	5.2%	6.8%	13.4%	86.6%
Grade 8	7.0%	9.1%	16.7%	83.3%
Grade 9	6.1%	7.3%	16.8%	83.2%
Grade 10	6.3%	9.9%	17.5%	82.5%
Grade 11	5.7%	7.6%	17.6%	82.4%
Grade 12	8.3%	9.3%	23.8%	76.2%
Any Alcohol Product				
All	19.2%	22.6%	40.1%	59.9%
Grade 7	15.4%	18.1%	32.1%	67.9%
Grade 8	20.0%	21.7%	37.9%	62.1%
Grade 9	17.5%	20.0%	36.6%	63.4%
Grade 10	18.9%	21.5%	41.5%	58.5%
Grade 11	19.2%	23.2%	44.7%	55.3%
Grade 12	25.9%	33.4%	51.1%	48.9%
Any Illicit Drug				
All	8.5%	11.7%	16.4%	83.6%
Grade 7	5.3%	7.6%	9.6%	90.4%
Grade 8	7.1%	9.5%	13.0%	87.0%
Grade 9	6.9%	8.7%	11.2%	88.8%
Grade 10	10.4%	14.2%	19.9%	80.1%
Grade 11	9.6%	13.9%	18.9%	81.1%
Grade 12	12.9%	18.6%	30.1%	69.9%
Any Prescription Drug				
All	3.8%	5.6%	11.6%	88.4%
Grade 7	5.5%	7.5%	13.2%	86.8%
Grade 8	3.4%	4.2%	10.0%	90.0%
Grade 9	3.6%	5.3%	10.7%	89.3%
Grade 10	3.5%	5.3%	10.5%	89.5%
Grade 11	4.8%	6.1%	13.2%	86.8%
Grade 12	2.0%	5.3%	13.0%	87.0%
Any Inhalant				
All	3.1%	4.3%	9.8%	90.2%
Grade 7	5.1%	6.0%	11.4%	88.6%
Grade 8	5.0%	7.1%	11.8%	88.2%
Grade 9	2.5%	3.8%	9.9%	90.1%
Grade 10	1.4%	1.9%	7.8%	92.2%
Grade 11	0.6%	1.4%	7.2%	92.8%
Grade 12	4.0%	5.4%	10.2%	89.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.0%	7.1%	16.4%	83.6%
Grade 7	3.4%	5.3%	12.6%	87.4%
Grade 8	5.5%	8.0%	15.2%	84.8%
Grade 9	5.4%	6.4%	16.5%	83.5%
Grade 10	4.8%	8.5%	16.1%	83.9%
Grade 11	4.9%	6.9%	17.6%	82.4%
Grade 12	6.2%	8.2%	21.5%	78.5%
Marijuana				
All	7.6%	9.0%	13.5%	86.5%
Grade 7	4.3%	4.9%	6.4%	93.6%
Grade 8	6.5%	7.7%	10.8%	89.2%
Grade 9	6.5%	6.7%	9.3%	90.7%
Grade 10	9.4%	10.6%	16.5%	83.5%
Grade 11	9.6%	11.7%	16.5%	83.5%
Grade 12	10.7%	14.1%	25.1%	74.9%
Marijuana Only				
All	3.8%	4.4%	7.8%	92.2%
Grade 7	2.2%	2.9%	3.9%	96.1%
Grade 8	3.6%	4.2%	6.7%	93.3%
Grade 9	3.3%	3.3%	5.8%	94.2%
Grade 10	5.6%	6.0%	10.1%	89.9%
Grade 11	3.9%	5.4%	8.5%	91.5%
Grade 12	4.2%	5.1%	13.0%	87.0%
Cocaine or Crack				
All	0.6%	0.8%	1.3%	98.7%
Grade 7	1.1%	1.4%	1.6%	98.4%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	1.0%	1.3%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.6%	1.2%	98.8%
Grade 12	1.0%	1.0%	3.4%	96.6%
Cocaine				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.6%	1.1%	1.5%	98.5%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	1.0%	1.3%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.6%	1.2%	98.8%
Grade 12	1.0%	1.0%	3.4%	96.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.7%	1.0%	2.6%	97.4%
Grade 7	0.1%	0.3%	0.8%	99.2%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.0%	0.2%	0.8%	99.2%
Grade 10	0.0%	0.5%	3.0%	97.0%
Grade 11	1.7%	2.6%	5.2%	94.8%
Grade 12	2.7%	2.7%	5.7%	94.3%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.8%	1.4%	98.6%
Grade 12	1.0%	1.0%	1.0%	99.0%
Ecstasy				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	1.4%	98.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.6%	0.6%	99.4%
Grade 12	1.0%	1.0%	1.0%	99.0%
Synthetic Marijuana				
All	0.6%	1.0%	2.8%	97.2%
Grade 7	0.4%	0.4%	1.2%	98.8%
Grade 8	0.4%	1.0%	2.1%	97.9%
Grade 9	0.8%	1.0%	1.3%	98.7%
Grade 10	0.6%	0.9%	3.7%	96.3%
Grade 11	0.8%	0.8%	2.1%	97.9%
Grade 12	0.9%	1.9%	7.3%	92.7%
Methamphetamine				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	0.1%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.0%	1.9%	3.5%	96.5%
Grade 7	0.3%	0.3%	1.8%	98.2%
Grade 8	0.5%	0.8%	2.0%	98.0%
Grade 9	0.8%	1.3%	2.0%	98.0%
Grade 10	1.3%	2.5%	4.7%	95.3%
Grade 11	2.3%	3.5%	5.2%	94.8%
Grade 12	1.4%	3.8%	6.1%	93.9%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.7%	11.9%	19.5%	80.5%
Grade 7	3.7%	5.0%	8.5%	91.5%
Grade 8	5.3%	6.9%	12.1%	87.9%
Grade 9	9.6%	13.4%	20.3%	79.7%
Grade 10	12.9%	15.0%	22.7%	77.3%
Grade 11	9.7%	12.9%	27.3%	72.7%
Grade 12	22.6%	23.8%	37.3%	62.7%
Any Alcohol Product				
All	21.5%	24.8%	45.0%	55.0%
Grade 7	8.2%	10.9%	29.5%	70.5%
Grade 8	14.7%	17.1%	37.7%	62.3%
Grade 9	21.2%	23.8%	43.7%	56.3%
Grade 10	28.4%	31.0%	47.4%	52.6%
Grade 11	28.0%	32.3%	54.1%	45.9%
Grade 12	40.5%	46.6%	72.6%	27.4%
Any Illicit Drug				
All	9.0%	13.3%	17.3%	82.7%
Grade 7	3.3%	5.2%	6.8%	93.2%
Grade 8	4.3%	7.3%	9.4%	90.6%
Grade 9	11.0%	12.9%	14.9%	85.1%
Grade 10	11.3%	17.6%	20.6%	79.4%
Grade 11	14.0%	19.0%	24.6%	75.4%
Grade 12	15.9%	26.2%	39.8%	60.2%
Any Prescription Drug				
All	5.1%	7.2%	14.5%	85.5%
Grade 7	3.2%	5.8%	12.0%	88.0%
Grade 8	4.2%	4.8%	10.1%	89.9%
Grade 9	5.2%	7.2%	15.1%	84.9%
Grade 10	7.6%	9.8%	18.6%	81.4%
Grade 11	7.1%	9.4%	12.9%	87.1%
Grade 12	4.9%	8.7%	21.1%	78.9%
Any Inhalant				
All	3.9%	5.3%	9.9%	90.1%
Grade 7	3.2%	3.9%	8.3%	91.7%
Grade 8	1.8%	3.4%	4.9%	95.1%
Grade 9	5.1%	5.7%	13.4%	86.6%
Grade 10	3.7%	3.7%	8.4%	91.6%
Grade 11	1.2%	1.2%	4.2%	95.8%
Grade 12	8.8%	15.4%	21.6%	78.4%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.0%	10.6%	18.1%	81.9%
Grade 7	1.9%	3.6%	7.2%	92.8%
Grade 8	2.8%	6.5%	12.2%	87.8%
Grade 9	8.4%	11.5%	17.2%	82.8%
Grade 10	12.1%	14.2%	22.7%	77.3%
Grade 11	8.7%	12.0%	27.3%	72.7%
Grade 12	20.1%	21.4%	32.4%	67.6%
Marijuana				
All	8.3%	10.9%	14.4%	85.6%
Grade 7	2.8%	3.2%	3.2%	96.8%
Grade 8	4.1%	6.0%	8.7%	91.3%
Grade 9	9.0%	10.3%	11.6%	88.4%
Grade 10	11.3%	14.7%	17.6%	82.4%
Grade 11	14.0%	18.0%	23.7%	76.3%
Grade 12	14.7%	21.3%	33.6%	66.4%
Marijuana Only				
All	2.5%	4.0%	6.3%	93.7%
Grade 7	1.3%	1.7%	1.7%	98.3%
Grade 8	2.2%	2.2%	3.9%	96.1%
Grade 9	2.6%	3.2%	4.5%	95.5%
Grade 10	4.6%	5.8%	7.9%	92.1%
Grade 11	1.1%	5.0%	8.6%	91.4%
Grade 12	3.6%	8.9%	16.3%	83.7%
Cocaine or Crack				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	1.3%	2.0%	2.0%	98.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.1%	97.9%
Grade 12	1.2%	1.2%	4.9%	95.1%
Cocaine				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	1.3%	2.0%	2.0%	98.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.1%	97.9%
Grade 12	1.2%	1.2%	4.9%	95.1%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.8%	1.4%	3.3%	96.7%
Grade 7	0.0%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.7%	2.6%	97.4%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	1.2%	4.3%	6.4%	93.6%
Grade 12	4.9%	4.9%	12.2%	87.8%
Synthetic Cathinones				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.2%	98.8%
Steroids				
All	0.7%	1.1%	1.8%	98.2%
Grade 7	1.8%	2.0%	3.2%	96.8%
Grade 8	0.2%	0.4%	1.7%	98.3%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	1.3%	2.6%	2.6%	97.4%
Grade 11	0.0%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	1.2%	98.8%
Ecstasy				
All	0.1%	0.1%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	2.0%	98.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	4.9%	95.1%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.2%	98.8%
Synthetic Marijuana				
All	1.7%	2.3%	3.9%	96.1%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	2.1%	3.7%	96.3%
Grade 9	2.0%	2.6%	3.3%	96.7%
Grade 10	3.3%	4.1%	5.4%	94.6%
Grade 11	2.3%	2.3%	3.3%	96.7%
Grade 12	3.7%	3.7%	9.8%	90.2%
Methamphetamine				
All	0.1%	0.3%	0.9%	99.1%
Grade 7	0.5%	0.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.2%	2.4%	97.6%
Delta 8				
All	2.6%	3.9%	7.3%	92.7%
Grade 7	0.4%	0.4%	2.0%	98.0%
Grade 8	0.0%	1.7%	3.1%	96.9%
Grade 9	2.6%	3.3%	7.1%	92.9%
Grade 10	6.6%	8.7%	10.4%	89.6%
Grade 11	3.1%	6.4%	12.4%	87.6%
Grade 12	4.9%	6.1%	14.7%	85.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	4.3%	4.6%	12.5%	87.5%
Grade 7	5.3%	5.7%	13.5%	86.5%
Grade 8	3.4%	4.7%	12.9%	87.1%
Grade 9	7.7%	7.7%	15.5%	84.5%
Grade 10	5.4%	5.4%	13.7%	86.3%
Grade 11	3.4%	3.4%	13.0%	87.0%
Grade 12	0.0%	0.0%	5.7%	94.3%
Any Alcohol Product				
All	12.3%	14.0%	29.6%	70.4%
Grade 7	16.2%	19.0%	31.1%	68.9%
Grade 8	13.9%	15.4%	28.6%	71.4%
Grade 9	7.7%	7.7%	15.5%	84.5%
Grade 10	13.8%	13.8%	32.9%	67.1%
Grade 11	12.5%	12.5%	40.9%	59.1%
Grade 12	8.5%	14.1%	31.1%	68.9%
Any Illicit Drug				
All	5.9%	7.5%	13.8%	86.2%
Grade 7	5.0%	5.4%	6.9%	93.1%
Grade 8	7.7%	8.6%	11.0%	89.0%
Grade 9	5.2%	5.2%	10.3%	89.7%
Grade 10	13.5%	16.3%	24.6%	75.4%
Grade 11	3.4%	3.4%	16.3%	83.7%
Grade 12	0.0%	5.7%	17.0%	83.0%
Any Prescription Drug				
All	2.8%	4.4%	9.2%	90.8%
Grade 7	7.1%	9.5%	14.8%	85.2%
Grade 8	2.8%	4.2%	7.2%	92.8%
Grade 9	0.0%	2.6%	10.4%	89.6%
Grade 10	5.2%	7.8%	15.7%	84.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.0%	97.0%
Any Inhalant				
All	1.6%	1.8%	6.9%	93.1%
Grade 7	4.0%	4.0%	8.2%	91.8%
Grade 8	4.3%	5.1%	8.7%	91.3%
Grade 9	0.0%	0.0%	10.4%	89.6%
Grade 10	0.0%	0.0%	5.4%	94.6%
Grade 11	0.0%	0.0%	6.2%	93.8%
Grade 12	0.0%	0.0%	1.1%	98.9%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	3.0%	3.3%	11.3%	88.7%
Grade 7	3.6%	4.0%	11.2%	88.8%
Grade 8	2.8%	4.2%	11.4%	88.6%
Grade 9	5.2%	5.2%	15.5%	84.5%
Grade 10	5.4%	5.4%	13.7%	86.3%
Grade 11	0.0%	0.0%	9.6%	90.4%
Grade 12	0.0%	0.0%	5.7%	94.3%
Marijuana				
All	5.2%	5.8%	11.1%	88.9%
Grade 7	2.9%	2.9%	3.6%	96.4%
Grade 8	6.3%	6.9%	9.3%	90.7%
Grade 9	5.2%	5.2%	10.3%	89.7%
Grade 10	13.5%	13.5%	19.1%	80.9%
Grade 11	3.4%	3.4%	13.0%	87.0%
Grade 12	0.0%	2.8%	14.1%	85.9%
Marijuana Only				
All	3.2%	3.3%	7.6%	92.4%
Grade 7	1.7%	1.7%	1.7%	98.3%
Grade 8	4.2%	4.8%	6.2%	93.8%
Grade 9	2.5%	2.5%	7.5%	92.5%
Grade 10	7.5%	7.5%	12.6%	87.4%
Grade 11	3.2%	3.2%	12.5%	87.5%
Grade 12	0.0%	0.0%	7.6%	92.4%
Cocaine or Crack				
All	0.4%	0.7%	1.1%	98.9%
Grade 7	2.1%	3.3%	3.3%	96.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.8%	97.2%
Cocaine				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	1.4%	1.4%	2.2%	97.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.8%	97.2%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.4%	0.5%	99.5%
Grade 7	0.7%	1.9%	2.6%	97.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.4%	1.4%	98.6%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	1.5%	1.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.8%	97.2%
Grade 11	0.0%	0.0%	3.4%	96.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.8%	0.8%	1.7%	98.3%
Grade 7	0.7%	0.7%	2.6%	97.4%
Grade 8	1.3%	1.3%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.6%	97.4%
Grade 11	3.4%	3.4%	3.4%	96.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.7%	0.7%	99.3%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.1%	0.1%	1.6%	98.4%
Grade 7	0.7%	0.7%	2.6%	97.4%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.8%	97.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.8%	97.2%
Methamphetamine				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.6%	2.6%	2.6%	97.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.1%	1.2%	2.9%	97.1%
Grade 7	0.0%	0.0%	2.5%	97.5%
Grade 8	1.5%	2.0%	3.5%	96.5%
Grade 9	2.6%	2.6%	2.6%	97.4%
Grade 10	2.6%	2.6%	5.4%	94.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.8%	97.2%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.7%	8.4%	17.5%	82.5%
Grade 7	4.5%	6.2%	12.5%	87.5%
Grade 8	7.5%	9.4%	17.5%	82.5%
Grade 9	3.5%	3.9%	12.8%	87.2%
Grade 10	5.4%	7.9%	17.7%	82.3%
Grade 11	7.6%	9.3%	19.1%	80.9%
Grade 12	12.7%	15.4%	27.5%	72.5%
Any Alcohol Product				
All	18.9%	21.4%	39.7%	60.3%
Grade 7	15.4%	17.7%	31.8%	68.2%
Grade 8	20.2%	22.5%	37.4%	62.6%
Grade 9	14.9%	17.4%	38.2%	61.8%
Grade 10	17.8%	18.3%	38.4%	61.6%
Grade 11	17.3%	20.7%	41.3%	58.7%
Grade 12	30.0%	34.4%	53.2%	46.8%
Any Illicit Drug				
All	8.4%	11.0%	15.6%	84.4%
Grade 7	4.3%	7.0%	8.5%	91.5%
Grade 8	7.3%	9.9%	13.9%	86.1%
Grade 9	4.0%	5.5%	9.4%	90.6%
Grade 10	9.5%	11.9%	15.8%	84.2%
Grade 11	11.2%	13.4%	19.4%	80.6%
Grade 12	16.0%	20.5%	29.6%	70.4%
Any Prescription Drug				
All	3.9%	5.9%	12.4%	87.6%
Grade 7	5.4%	6.4%	10.4%	89.6%
Grade 8	3.0%	4.0%	8.9%	91.1%
Grade 9	4.6%	5.6%	11.7%	88.3%
Grade 10	3.3%	6.1%	14.4%	85.6%
Grade 11	4.3%	5.6%	14.8%	85.2%
Grade 12	2.7%	8.5%	14.9%	85.1%
Any Inhalant				
All	2.8%	3.9%	9.3%	90.7%
Grade 7	5.3%	6.8%	12.1%	87.9%
Grade 8	5.0%	7.6%	12.8%	87.2%
Grade 9	2.0%	3.5%	7.4%	92.6%
Grade 10	1.4%	1.4%	7.0%	93.0%
Grade 11	0.7%	1.4%	7.1%	92.9%
Grade 12	2.7%	2.7%	9.8%	90.2%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.8%	7.0%	16.4%	83.6%
Grade 7	3.1%	4.6%	11.7%	88.3%
Grade 8	5.6%	7.9%	16.1%	83.9%
Grade 9	2.0%	2.5%	12.0%	88.0%
Grade 10	3.4%	6.6%	16.5%	83.5%
Grade 11	5.7%	8.0%	18.5%	81.5%
Grade 12	10.1%	13.7%	25.0%	75.0%
Marijuana				
All	7.8%	9.2%	13.5%	86.5%
Grade 7	3.3%	4.4%	5.8%	94.2%
Grade 8	7.1%	8.7%	12.3%	87.7%
Grade 9	3.5%	3.5%	7.0%	93.0%
Grade 10	8.6%	10.2%	14.4%	85.6%
Grade 11	11.2%	12.3%	17.1%	82.9%
Grade 12	14.3%	17.8%	26.8%	73.2%
Marijuana Only				
All	3.1%	3.8%	7.0%	93.0%
Grade 7	1.7%	2.4%	3.5%	96.5%
Grade 8	2.9%	3.7%	6.9%	93.1%
Grade 9	1.4%	1.4%	4.6%	95.4%
Grade 10	4.5%	5.3%	8.5%	91.5%
Grade 11	4.5%	5.1%	8.7%	91.3%
Grade 12	4.3%	5.1%	10.2%	89.8%
Cocaine or Crack				
All	0.9%	0.9%	1.5%	98.5%
Grade 7	0.6%	0.9%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	1.0%	1.0%	1.5%	98.5%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.7%	0.7%	1.4%	98.6%
Grade 12	2.7%	2.7%	4.5%	95.5%
Cocaine				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.5%	0.8%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	2.7%	2.7%	4.5%	95.5%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.1%	0.1%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.7%	0.7%	0.7%	99.3%
	Grade 12	0.0%	0.0%	0.9%	99.1%
Hallucinogens	All	1.2%	1.9%	3.6%	96.4%
	Grade 7	0.1%	0.5%	1.1%	98.9%
	Grade 8	0.5%	1.0%	1.8%	98.2%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.0%	1.6%	3.8%	96.2%
	Grade 11	1.9%	2.6%	5.1%	94.9%
	Grade 12	4.5%	6.2%	10.7%	89.3%
Synthetic Cathinones	All	0.1%	0.2%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.5%	1.0%	1.0%	99.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.9%	99.1%
Steroids	All	0.6%	0.9%	1.6%	98.4%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.2%	0.5%	0.7%	99.3%
	Grade 9	0.5%	0.5%	1.0%	99.0%
	Grade 10	0.5%	0.5%	2.3%	97.7%
	Grade 11	0.6%	1.9%	2.5%	97.5%
	Grade 12	1.8%	1.8%	2.7%	97.3%
Ecstasy	All	0.1%	0.1%	0.6%	99.4%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	2.7%	97.3%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.9%	0.9%	1.8%	98.2%
Synthetic Marijuana				
All	0.3%	0.7%	2.0%	98.0%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.7%	1.5%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.7%	1.4%	2.5%	97.5%
Grade 12	0.0%	0.9%	5.6%	94.4%
Methamphetamine				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.9%	99.1%
Delta 8				
All	1.7%	2.7%	3.9%	96.1%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.9%	1.2%	2.3%	97.7%
Grade 9	0.5%	1.0%	1.0%	99.0%
Grade 10	0.9%	1.8%	3.4%	96.6%
Grade 11	2.6%	3.9%	5.7%	94.3%
Grade 12	5.4%	8.9%	11.6%	88.4%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	3.3%	4.2%	10.5%	89.5%
Grade 7	1.2%	2.0%	5.6%	94.4%
Grade 8	1.3%	2.3%	6.8%	93.2%
Grade 9	3.0%	3.8%	7.9%	92.1%
Grade 10	3.6%	3.6%	11.9%	88.1%
Grade 11	1.7%	2.1%	9.8%	90.2%
Grade 12	11.0%	13.8%	25.4%	74.6%
Any Alcohol Product				
All	12.7%	15.2%	34.1%	65.9%
Grade 7	8.6%	11.1%	22.0%	78.0%
Grade 8	11.3%	13.1%	28.9%	71.1%
Grade 9	8.4%	9.5%	32.4%	67.6%
Grade 10	14.0%	17.0%	31.2%	68.8%
Grade 11	12.5%	14.6%	42.1%	57.9%
Grade 12	24.9%	30.5%	52.8%	47.2%
Any Illicit Drug				
All	3.9%	6.4%	10.5%	89.5%
Grade 7	2.1%	4.1%	5.0%	95.0%
Grade 8	2.6%	3.9%	5.3%	94.7%
Grade 9	1.9%	2.7%	4.2%	95.8%
Grade 10	6.2%	7.2%	10.9%	89.1%
Grade 11	2.4%	4.4%	13.1%	86.9%
Grade 12	10.2%	19.7%	29.7%	70.3%
Any Prescription Drug				
All	3.9%	5.8%	11.1%	88.9%
Grade 7	4.2%	6.2%	11.5%	88.5%
Grade 8	4.3%	5.5%	8.2%	91.8%
Grade 9	3.4%	4.2%	9.9%	90.1%
Grade 10	1.9%	4.6%	9.2%	90.8%
Grade 11	5.4%	7.5%	11.9%	88.1%
Grade 12	3.5%	7.2%	17.2%	82.8%
Any Inhalant				
All	2.4%	3.4%	8.3%	91.7%
Grade 7	3.4%	4.9%	9.1%	90.9%
Grade 8	3.0%	5.0%	7.8%	92.2%
Grade 9	1.9%	2.3%	9.7%	90.3%
Grade 10	0.6%	1.4%	4.7%	95.3%
Grade 11	0.4%	0.4%	7.0%	93.0%
Grade 12	5.0%	6.3%	11.0%	89.0%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	2.4%	3.3%	9.3%	90.7%
Grade 7	0.4%	1.0%	4.4%	95.6%
Grade 8	0.9%	1.9%	6.1%	93.9%
Grade 9	1.5%	2.3%	6.5%	93.5%
Grade 10	3.6%	3.6%	10.4%	89.6%
Grade 11	1.7%	2.1%	9.8%	90.2%
Grade 12	8.0%	10.8%	22.4%	77.6%
Marijuana				
All	3.2%	4.6%	8.5%	91.5%
Grade 7	1.2%	1.8%	2.3%	97.7%
Grade 8	2.1%	2.6%	3.9%	96.1%
Grade 9	1.9%	1.9%	3.5%	96.5%
Grade 10	6.2%	6.2%	10.5%	89.5%
Grade 11	2.4%	3.2%	11.1%	88.9%
Grade 12	7.2%	14.7%	24.7%	75.3%
Marijuana Only				
All	1.4%	1.9%	4.7%	95.3%
Grade 7	0.2%	0.4%	0.9%	99.1%
Grade 8	1.1%	1.4%	2.3%	97.7%
Grade 9	1.5%	1.5%	2.9%	97.1%
Grade 10	2.0%	2.0%	5.7%	94.3%
Grade 11	1.5%	1.5%	7.0%	93.0%
Grade 12	2.9%	5.6%	11.4%	88.6%
Cocaine or Crack				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.9%	1.4%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.8%	1.1%	98.9%
Grade 12	1.4%	1.4%	4.0%	96.0%
Cocaine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.8%	1.1%	98.9%
Grade 12	1.4%	1.4%	4.0%	96.0%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.5%	1.0%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.4%	98.6%
Hallucinogens				
All	0.6%	0.8%	2.1%	97.9%
Grade 7	0.3%	1.1%	1.1%	98.9%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	3.0%	3.0%	9.4%	90.6%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.0%	98.0%
Steroids				
All	0.5%	0.8%	1.6%	98.4%
Grade 7	1.1%	1.1%	1.7%	98.3%
Grade 8	0.4%	0.7%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	2.5%	97.5%
Grade 11	0.0%	1.4%	2.2%	97.8%
Grade 12	1.4%	1.4%	1.4%	98.6%
Ecstasy				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.0%	96.0%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	1.4%	98.6%
Synthetic Marijuana				
All	0.5%	0.6%	1.8%	98.2%
Grade 7	0.3%	0.6%	1.2%	98.8%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.9%	98.1%
Grade 11	0.8%	0.8%	2.0%	98.0%
Grade 12	0.6%	0.6%	6.2%	93.8%
Methamphetamine				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.4%	98.6%
Delta 8				
All	0.8%	1.3%	2.8%	97.2%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.6%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	2.8%	2.8%	5.2%	94.8%
Grade 11	0.0%	0.8%	2.3%	97.7%
Grade 12	2.6%	4.6%	9.9%	90.1%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.4%	10.3%	19.7%	80.3%
Grade 7	6.0%	7.5%	14.4%	85.6%
Grade 8	8.6%	10.7%	18.8%	81.2%
Grade 9	7.3%	8.5%	18.9%	81.1%
Grade 10	8.3%	11.6%	20.6%	79.4%
Grade 11	9.1%	11.3%	22.3%	77.7%
Grade 12	11.8%	12.9%	24.4%	75.6%
Any Alcohol Product				
All	20.8%	23.5%	40.4%	59.6%
Grade 7	15.8%	18.3%	34.6%	65.4%
Grade 8	21.1%	23.3%	38.4%	61.6%
Grade 9	19.4%	21.8%	36.8%	63.2%
Grade 10	20.6%	20.9%	41.5%	58.5%
Grade 11	20.0%	23.8%	41.8%	58.2%
Grade 12	29.1%	35.3%	51.8%	48.2%
Any Illicit Drug				
All	10.3%	12.9%	17.9%	82.1%
Grade 7	5.1%	7.2%	9.1%	90.9%
Grade 8	8.7%	11.5%	15.5%	84.5%
Grade 9	8.2%	9.8%	14.5%	85.5%
Grade 10	12.1%	16.1%	21.1%	78.9%
Grade 11	14.0%	15.9%	21.1%	78.9%
Grade 12	15.4%	18.9%	28.7%	71.3%
Any Prescription Drug				
All	4.6%	6.9%	13.3%	86.7%
Grade 7	5.5%	7.3%	12.1%	87.9%
Grade 8	3.6%	4.6%	9.4%	90.6%
Grade 9	4.1%	6.3%	12.5%	87.5%
Grade 10	5.7%	8.4%	17.8%	82.2%
Grade 11	3.8%	5.4%	14.0%	86.0%
Grade 12	4.9%	9.5%	14.4%	85.6%
Any Inhalant				
All	3.3%	4.4%	9.6%	90.4%
Grade 7	5.3%	6.2%	11.1%	88.9%
Grade 8	4.8%	6.8%	11.6%	88.4%
Grade 9	2.3%	3.9%	8.4%	91.6%
Grade 10	2.4%	2.6%	9.8%	90.2%
Grade 11	1.3%	2.0%	6.2%	93.8%
Grade 12	3.3%	4.5%	10.0%	90.0%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.4%	8.8%	18.3%	81.7%
Grade 7	4.3%	5.9%	13.0%	87.0%
Grade 8	6.3%	9.4%	17.4%	82.6%
Grade 9	5.9%	6.9%	18.0%	82.0%
Grade 10	6.4%	10.3%	19.7%	80.3%
Grade 11	6.1%	9.0%	20.9%	79.1%
Grade 12	10.0%	11.9%	22.0%	78.0%
Marijuana				
All	9.5%	10.7%	15.1%	84.9%
Grade 7	4.1%	4.7%	5.9%	94.1%
Grade 8	8.2%	10.0%	13.8%	86.2%
Grade 9	7.2%	7.6%	11.8%	88.2%
Grade 10	11.3%	13.6%	18.1%	81.9%
Grade 11	14.0%	14.8%	18.5%	81.5%
Grade 12	14.1%	15.6%	25.4%	74.6%
Marijuana Only				
All	3.7%	4.4%	7.7%	92.3%
Grade 7	2.4%	3.0%	3.7%	96.3%
Grade 8	3.8%	4.4%	7.6%	92.4%
Grade 9	2.0%	2.2%	6.2%	93.8%
Grade 10	6.1%	7.1%	10.3%	89.7%
Grade 11	4.6%	5.4%	8.5%	91.5%
Grade 12	3.5%	4.3%	10.6%	89.4%
Cocaine or Crack				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	0.7%	1.0%	1.1%	98.9%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	1.6%	1.8%	2.5%	97.5%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.7%	0.7%	1.7%	98.3%
Grade 12	1.9%	1.9%	3.8%	96.2%
Cocaine				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.2%	0.7%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	1.6%	1.8%	1.8%	98.2%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	1.9%	1.9%	3.8%	96.2%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.7%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.1%	1.8%	3.6%	96.4%
Grade 7	0.1%	0.2%	0.9%	99.1%
Grade 8	0.4%	0.8%	1.6%	98.4%
Grade 9	0.4%	0.7%	1.4%	98.6%
Grade 10	0.0%	1.4%	4.2%	95.8%
Grade 11	2.3%	3.0%	6.9%	93.1%
Grade 12	4.1%	5.6%	8.6%	91.4%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.4%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	1.0%	1.8%	98.2%
Grade 7	0.5%	0.6%	1.5%	98.5%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.7%	1.0%	2.6%	97.4%
Grade 11	1.4%	2.8%	3.3%	96.7%
Grade 12	0.8%	0.8%	1.9%	98.1%
Ecstasy				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	1.5%	98.5%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	1.1%	98.9%
Synthetic Marijuana				
All	0.6%	1.2%	2.7%	97.3%
Grade 7	0.4%	0.5%	1.2%	98.8%
Grade 8	0.6%	1.8%	2.9%	97.1%
Grade 9	0.9%	1.1%	1.6%	98.4%
Grade 10	0.6%	0.9%	3.2%	96.8%
Grade 11	0.7%	1.4%	2.0%	98.0%
Grade 12	0.7%	1.5%	6.0%	94.0%
Methamphetamine				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.2%	1.0%	99.0%
Grade 8	0.0%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	1.0%	1.0%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.3%	0.7%	99.3%
Delta 8				
All	2.1%	3.3%	5.1%	94.9%
Grade 7	0.4%	0.5%	1.9%	98.1%
Grade 8	1.1%	2.1%	3.9%	96.1%
Grade 9	2.2%	3.1%	4.1%	95.9%
Grade 10	1.8%	3.2%	5.1%	94.9%
Grade 11	2.7%	4.3%	6.6%	93.4%
Grade 12	5.1%	7.4%	10.5%	89.5%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	5.1%	6.4%	13.7%	86.3%
Grade 7	2.6%	3.6%	8.2%	91.8%
Grade 8	4.9%	6.0%	11.4%	88.6%
Grade 9	4.2%	4.8%	11.7%	88.3%
Grade 10	5.2%	6.6%	14.4%	85.6%
Grade 11	5.3%	7.2%	16.8%	83.2%
Grade 12	9.4%	11.3%	22.6%	77.4%
Any Alcohol Product				
All	16.1%	18.4%	36.2%	63.8%
Grade 7	10.2%	12.1%	26.5%	73.5%
Grade 8	15.7%	17.2%	32.9%	67.1%
Grade 9	15.5%	17.4%	35.8%	64.2%
Grade 10	15.5%	16.9%	34.6%	65.4%
Grade 11	14.8%	18.0%	38.9%	61.1%
Grade 12	27.3%	31.9%	52.8%	47.2%
Any Illicit Drug				
All	6.5%	8.6%	12.8%	87.2%
Grade 7	2.7%	4.1%	5.3%	94.7%
Grade 8	4.1%	6.0%	8.6%	91.4%
Grade 9	5.2%	6.5%	9.9%	90.1%
Grade 10	7.4%	9.4%	14.9%	85.1%
Grade 11	8.4%	11.1%	17.2%	82.8%
Grade 12	13.3%	17.1%	24.8%	75.2%
Any Prescription Drug				
All	4.3%	6.6%	12.2%	87.8%
Grade 7	5.3%	6.7%	11.8%	88.2%
Grade 8	3.9%	4.5%	8.1%	91.9%
Grade 9	3.5%	5.8%	12.6%	87.4%
Grade 10	4.8%	7.9%	15.2%	84.8%
Grade 11	4.8%	6.6%	13.4%	86.6%
Grade 12	3.3%	9.3%	13.3%	86.7%
Any Inhalant				
All	2.4%	3.3%	8.4%	91.6%
Grade 7	3.9%	4.8%	9.1%	90.9%
Grade 8	4.0%	5.2%	9.1%	90.9%
Grade 9	1.7%	2.9%	9.6%	90.4%
Grade 10	0.9%	1.5%	7.9%	92.1%
Grade 11	1.0%	1.0%	6.2%	93.8%
Grade 12	2.7%	3.8%	8.3%	91.7%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	3.9%	5.4%	12.5%	87.5%
Grade 7	1.9%	2.9%	7.3%	92.7%
Grade 8	3.4%	5.2%	10.4%	89.6%
Grade 9	3.2%	3.6%	11.0%	89.0%
Grade 10	4.6%	6.0%	13.4%	86.6%
Grade 11	3.5%	5.9%	16.3%	83.7%
Grade 12	7.8%	9.7%	18.8%	81.2%
Marijuana				
All	5.7%	6.7%	10.4%	89.6%
Grade 7	2.1%	2.6%	3.2%	96.8%
Grade 8	3.6%	5.0%	7.2%	92.8%
Grade 9	4.4%	4.6%	7.4%	92.6%
Grade 10	7.0%	7.6%	12.7%	87.3%
Grade 11	8.4%	9.5%	15.6%	84.4%
Grade 12	10.3%	12.6%	19.7%	80.3%
Marijuana Only				
All	2.2%	2.6%	5.5%	94.5%
Grade 7	1.1%	1.6%	2.1%	97.9%
Grade 8	1.4%	1.7%	3.6%	96.4%
Grade 9	1.2%	1.2%	3.8%	96.2%
Grade 10	3.5%	3.9%	8.0%	92.0%
Grade 11	3.4%	4.1%	8.5%	91.5%
Grade 12	3.0%	3.7%	8.0%	92.0%
Cocaine or Crack				
All	0.8%	1.0%	1.4%	98.6%
Grade 7	0.3%	0.7%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	1.3%	1.5%	2.2%	97.8%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.6%	1.0%	1.0%	99.0%
Grade 12	2.6%	2.6%	4.5%	95.5%
Cocaine				
All	0.7%	0.9%	1.1%	98.9%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	1.3%	1.5%	1.5%	98.5%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	2.6%	2.6%	4.5%	95.5%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.5%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.8%	99.2%
Hallucinogens				
All	0.7%	1.1%	2.3%	97.7%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.8%	2.7%	97.3%
Grade 11	0.5%	1.0%	2.8%	97.2%
Grade 12	3.9%	4.6%	7.8%	92.2%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.8%	99.2%
Steroids				
All	0.4%	0.7%	1.7%	98.3%
Grade 7	0.4%	0.5%	1.7%	98.3%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.3%	0.3%	2.5%	97.5%
Grade 11	0.0%	1.7%	2.2%	97.8%
Grade 12	0.8%	0.8%	1.9%	98.1%
Ecstasy				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.0%	97.0%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.8%	0.8%	1.9%	98.1%
Synthetic Marijuana				
All	0.6%	0.8%	2.2%	97.8%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	1.1%	1.8%	98.2%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	1.2%	1.4%	3.3%	96.7%
Grade 11	0.2%	0.8%	2.0%	98.0%
Grade 12	1.0%	1.0%	5.3%	94.7%
Methamphetamine				
All	0.0%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.3%	1.4%	98.6%
Delta 8				
All	1.5%	2.2%	3.5%	96.5%
Grade 7	0.1%	0.2%	0.9%	99.1%
Grade 8	0.5%	1.3%	2.4%	97.6%
Grade 9	1.4%	1.7%	2.3%	97.7%
Grade 10	1.9%	2.6%	3.4%	96.6%
Grade 11	1.1%	1.8%	4.3%	95.7%
Grade 12	5.0%	6.6%	9.1%	90.9%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.6%	12.0%	22.3%	77.7%
Grade 7	7.4%	9.4%	17.3%	82.7%
Grade 8	8.0%	10.7%	21.4%	78.6%
Grade 9	9.5%	12.4%	22.4%	77.6%
Grade 10	9.5%	13.3%	24.2%	75.8%
Grade 11	9.4%	10.0%	21.0%	79.0%
Grade 12	14.6%	16.0%	27.8%	72.2%
Any Alcohol Product				
All	21.5%	25.1%	42.8%	57.2%
Grade 7	19.1%	23.0%	37.3%	62.7%
Grade 8	20.7%	23.9%	39.4%	60.6%
Grade 9	15.7%	17.6%	34.9%	65.1%
Grade 10	24.3%	26.2%	46.7%	53.3%
Grade 11	22.3%	25.1%	50.3%	49.7%
Grade 12	28.6%	36.9%	52.2%	47.8%
Any Illicit Drug				
All	11.0%	14.8%	20.0%	80.0%
Grade 7	6.7%	10.2%	12.3%	87.7%
Grade 8	11.3%	14.2%	18.0%	82.0%
Grade 9	8.0%	9.2%	12.9%	87.1%
Grade 10	15.0%	19.8%	22.5%	77.5%
Grade 11	12.7%	14.3%	21.9%	78.1%
Grade 12	13.6%	22.6%	35.6%	64.4%
Any Prescription Drug				
All	4.3%	6.1%	13.2%	86.8%
Grade 7	4.1%	7.0%	12.0%	88.0%
Grade 8	3.6%	5.6%	11.6%	88.4%
Grade 9	4.3%	5.8%	11.4%	88.6%
Grade 10	3.8%	5.6%	14.3%	85.7%
Grade 11	3.7%	5.5%	12.3%	87.7%
Grade 12	6.3%	7.0%	18.5%	81.5%
Any Inhalant				
All	4.1%	5.6%	10.5%	89.5%
Grade 7	6.5%	7.8%	13.4%	86.6%
Grade 8	4.3%	8.2%	12.7%	87.3%
Grade 9	3.0%	3.8%	7.3%	92.7%
Grade 10	3.4%	3.4%	8.4%	91.6%
Grade 11	0.6%	2.1%	7.1%	92.9%
Grade 12	6.1%	7.4%	13.9%	86.1%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.3%	10.1%	20.9%	79.1%
Grade 7	4.8%	6.7%	15.1%	84.9%
Grade 8	6.3%	9.5%	20.3%	79.7%
Grade 9	7.2%	10.2%	20.7%	79.3%
Grade 10	6.9%	11.9%	22.9%	77.1%
Grade 11	7.8%	8.4%	19.4%	80.6%
Grade 12	11.3%	14.0%	27.2%	72.8%
Marijuana				
All	10.5%	12.6%	17.6%	82.4%
Grade 7	5.0%	5.9%	7.3%	92.7%
Grade 8	10.8%	12.0%	16.2%	83.8%
Grade 9	7.7%	8.1%	11.9%	88.1%
Grade 10	14.3%	17.4%	20.5%	79.5%
Grade 11	12.7%	14.3%	17.9%	82.1%
Grade 12	13.6%	19.7%	34.3%	65.7%
Marijuana Only				
All	4.4%	5.6%	9.1%	90.9%
Grade 7	2.4%	2.9%	3.9%	96.1%
Grade 8	5.9%	6.8%	10.1%	89.9%
Grade 9	4.0%	4.4%	7.9%	92.1%
Grade 10	6.8%	8.1%	9.8%	90.2%
Grade 11	3.2%	4.7%	7.6%	92.4%
Grade 12	3.8%	6.3%	15.5%	84.5%
Cocaine or Crack				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	1.9%	2.0%	2.2%	97.8%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.6%	97.4%
Grade 12	0.0%	0.0%	2.6%	97.4%
Cocaine				
All	0.3%	0.3%	1.3%	98.7%
Grade 7	0.8%	1.3%	1.9%	98.1%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.6%	97.4%
Grade 12	0.0%	0.0%	2.6%	97.4%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.4%	2.3%	4.8%	95.2%
Grade 7	0.4%	1.3%	2.1%	97.9%
Grade 8	1.2%	1.4%	2.5%	97.5%
Grade 9	0.8%	1.2%	1.2%	98.8%
Grade 10	0.0%	1.1%	3.8%	96.2%
Grade 11	3.6%	5.2%	11.2%	88.8%
Grade 12	3.3%	4.7%	10.5%	89.5%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Steroids				
All	1.0%	1.3%	1.7%	98.3%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	0.4%	0.8%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	1.4%	2.5%	97.5%
Grade 11	2.8%	3.3%	4.5%	95.5%
Grade 12	1.4%	1.4%	1.4%	98.6%
Ecstasy				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	1.2%	98.8%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.5%	0.9%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.8%	1.4%	2.5%	97.5%
Grade 8	1.0%	1.6%	2.5%	97.5%
Grade 9	0.4%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	1.9%	98.1%
Grade 11	2.1%	2.1%	2.1%	97.9%
Grade 12	0.0%	1.4%	6.9%	93.1%
Methamphetamine				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.5%	0.7%	1.7%	98.3%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.9%	1.9%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	2.1%	3.5%	5.9%	94.1%
Grade 7	0.9%	1.0%	2.3%	97.7%
Grade 8	1.6%	1.9%	3.3%	96.7%
Grade 9	1.2%	2.3%	3.4%	96.6%
Grade 10	2.4%	3.8%	8.1%	91.9%
Grade 11	4.6%	7.2%	7.6%	92.4%
Grade 12	2.6%	5.9%	12.1%	87.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	4.8%	6.1%	13.6%	86.4%
Grade 7	3.5%	5.0%	9.1%	90.9%
Grade 8	3.9%	5.2%	10.5%	89.5%
Grade 9	4.1%	5.6%	12.6%	87.4%
Grade 10	3.7%	4.0%	13.5%	86.5%
Grade 11	5.0%	6.1%	16.7%	83.3%
Grade 12	9.5%	12.0%	22.5%	77.5%
Any Alcohol Product				
All	16.2%	18.5%	37.0%	63.0%
Grade 7	11.5%	12.9%	26.9%	73.1%
Grade 8	15.0%	16.7%	32.2%	67.8%
Grade 9	12.9%	14.9%	33.2%	66.8%
Grade 10	16.9%	17.8%	36.2%	63.8%
Grade 11	15.5%	18.5%	42.8%	57.2%
Grade 12	29.0%	34.5%	57.8%	42.2%
Any Illicit Drug				
All	6.5%	8.8%	13.0%	87.0%
Grade 7	2.4%	4.0%	5.3%	94.7%
Grade 8	4.6%	6.3%	8.3%	91.7%
Grade 9	4.9%	5.8%	9.7%	90.3%
Grade 10	8.9%	10.0%	15.1%	84.9%
Grade 11	7.9%	10.2%	16.6%	83.4%
Grade 12	12.8%	19.9%	28.0%	72.0%
Any Prescription Drug				
All	3.9%	6.1%	10.9%	89.1%
Grade 7	4.2%	5.9%	10.7%	89.3%
Grade 8	4.1%	4.8%	8.4%	91.6%
Grade 9	2.8%	4.6%	8.9%	91.1%
Grade 10	3.7%	7.0%	11.9%	88.1%
Grade 11	4.6%	6.9%	12.0%	88.0%
Grade 12	3.8%	8.0%	14.6%	85.4%
Any Inhalant				
All	2.7%	3.5%	8.4%	91.6%
Grade 7	4.3%	5.0%	9.0%	91.0%
Grade 8	3.4%	4.8%	8.2%	91.8%
Grade 9	1.5%	2.5%	7.4%	92.6%
Grade 10	1.0%	1.4%	7.4%	92.6%
Grade 11	1.3%	1.3%	7.1%	92.9%
Grade 12	4.3%	6.0%	11.4%	88.6%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	3.5%	5.1%	12.6%	87.4%
Grade 7	2.5%	3.9%	7.8%	92.2%
Grade 8	3.0%	4.4%	9.4%	90.6%
Grade 9	3.0%	4.3%	12.3%	87.7%
Grade 10	2.4%	3.3%	12.3%	87.7%
Grade 11	3.1%	4.8%	16.2%	83.8%
Grade 12	8.3%	11.4%	20.7%	79.3%
Marijuana				
All	5.7%	6.9%	10.8%	89.2%
Grade 7	1.7%	1.9%	2.4%	97.6%
Grade 8	4.3%	5.1%	7.0%	93.0%
Grade 9	3.9%	4.3%	7.8%	92.2%
Grade 10	8.6%	9.4%	14.3%	85.7%
Grade 11	7.9%	9.5%	14.8%	85.2%
Grade 12	10.0%	14.2%	23.2%	76.8%
Marijuana Only				
All	2.7%	3.3%	6.4%	93.6%
Grade 7	1.1%	1.3%	1.7%	98.3%
Grade 8	2.4%	2.8%	4.5%	95.5%
Grade 9	2.3%	2.5%	6.0%	94.0%
Grade 10	4.3%	4.7%	8.9%	91.1%
Grade 11	3.5%	4.6%	8.6%	91.4%
Grade 12	2.7%	4.8%	11.2%	88.8%
Cocaine or Crack				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.6%	1.1%	1.3%	98.7%
Grade 12	1.4%	1.4%	2.7%	97.3%
Cocaine				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.2%	0.4%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.4%	0.6%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.5%	0.7%	99.3%
Grade 12	1.4%	1.4%	2.7%	97.3%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.7%	99.3%
Hallucinogens				
All	0.6%	1.0%	2.4%	97.6%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.9%	2.6%	97.4%
Grade 11	0.5%	1.1%	3.1%	96.9%
Grade 12	3.6%	4.3%	8.8%	91.2%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.7%	99.3%
Steroids				
All	0.3%	0.7%	1.6%	98.4%
Grade 7	0.5%	0.6%	1.5%	98.5%
Grade 8	0.3%	0.6%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.3%	2.8%	97.2%
Grade 11	0.0%	2.0%	2.4%	97.6%
Grade 12	0.7%	0.7%	1.7%	98.3%
Ecstasy				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.0%	98.0%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.7%	0.7%	1.4%	98.6%
Synthetic Marijuana				
All	0.4%	0.7%	1.7%	98.3%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.4%	0.8%	1.1%	98.9%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	1.0%	1.0%	2.1%	97.9%
Grade 11	0.5%	1.1%	2.2%	97.8%
Grade 12	0.3%	1.0%	4.6%	95.4%
Methamphetamine				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Delta 8				
All	1.4%	1.8%	3.3%	96.7%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	1.1%	1.4%	1.4%	98.6%
Grade 10	1.4%	1.8%	4.4%	95.6%
Grade 11	1.1%	1.5%	3.7%	96.3%
Grade 12	5.0%	6.7%	10.0%	90.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.3%	14.9%	26.6%	73.4%
Grade 7	7.3%	8.1%	19.4%	80.6%
Grade 8	11.1%	14.1%	25.9%	74.1%
Grade 9	10.8%	13.1%	25.2%	74.8%
Grade 10	18.4%	26.1%	37.2%	62.8%
Grade 11	13.8%	15.7%	24.4%	75.6%
Grade 12	14.0%	14.0%	29.3%	70.7%
Any Alcohol Product				
All	23.8%	28.8%	45.3%	54.7%
Grade 7	22.4%	29.4%	45.9%	54.1%
Grade 8	25.1%	28.8%	45.1%	54.9%
Grade 9	26.0%	28.6%	46.3%	53.7%
Grade 10	19.0%	24.8%	45.4%	54.6%
Grade 11	24.9%	29.5%	42.9%	57.1%
Grade 12	24.3%	31.5%	46.4%	53.6%
Any Illicit Drug				
All	14.3%	19.6%	23.4%	76.6%
Grade 7	11.4%	15.9%	17.5%	82.5%
Grade 8	9.5%	14.1%	19.6%	80.4%
Grade 9	14.3%	17.7%	22.0%	78.0%
Grade 10	14.1%	25.7%	26.7%	73.3%
Grade 11	19.8%	24.5%	29.0%	71.0%
Grade 12	18.8%	22.6%	28.4%	71.6%
Any Prescription Drug				
All	6.3%	8.4%	19.7%	80.3%
Grade 7	9.4%	12.6%	18.1%	81.9%
Grade 8	2.8%	5.6%	12.7%	87.3%
Grade 9	9.4%	12.5%	25.0%	75.0%
Grade 10	8.2%	8.2%	28.9%	71.1%
Grade 11	3.6%	3.6%	17.9%	82.1%
Grade 12	5.0%	7.7%	18.1%	81.9%
Any Inhalant				
All	4.6%	7.1%	13.5%	86.5%
Grade 7	6.9%	9.7%	16.3%	83.7%
Grade 8	6.0%	11.0%	18.7%	81.3%
Grade 9	4.2%	6.9%	16.8%	83.2%
Grade 10	4.3%	5.4%	7.1%	92.9%
Grade 11	0.0%	2.4%	8.7%	91.3%
Grade 12	5.1%	5.1%	10.1%	89.9%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.9%	13.1%	23.8%	76.2%
Grade 7	4.9%	6.1%	18.8%	81.2%
Grade 8	7.3%	12.9%	24.8%	75.2%
Grade 9	8.2%	10.6%	19.3%	80.7%
Grade 10	15.7%	23.5%	35.5%	64.5%
Grade 11	11.1%	13.1%	21.7%	78.3%
Grade 12	14.0%	14.0%	24.0%	76.0%
Marijuana				
All	13.5%	16.2%	20.2%	79.8%
Grade 7	9.1%	11.9%	14.2%	85.8%
Grade 8	8.8%	12.0%	17.0%	83.0%
Grade 9	14.3%	14.3%	18.5%	81.5%
Grade 10	12.4%	18.2%	21.8%	78.2%
Grade 11	19.8%	20.6%	23.2%	76.8%
Grade 12	18.8%	22.6%	28.4%	71.6%
Marijuana Only				
All	4.6%	5.7%	8.9%	91.1%
Grade 7	3.8%	5.9%	7.5%	92.5%
Grade 8	3.7%	4.1%	8.1%	91.9%
Grade 9	2.5%	2.5%	6.8%	93.2%
Grade 10	5.4%	8.8%	9.7%	90.3%
Grade 11	5.8%	6.6%	9.2%	90.8%
Grade 12	7.2%	7.2%	13.0%	87.0%
Cocaine or Crack				
All	1.0%	1.3%	2.0%	98.0%
Grade 7	2.0%	3.5%	4.0%	96.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	2.5%	2.5%	2.5%	97.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	5.0%	95.0%
Cocaine				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	1.3%	1.6%	2.2%	97.8%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	2.5%	2.5%	2.5%	97.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	5.0%	95.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.5%	0.6%	99.4%
Grade 7	1.2%	2.4%	3.2%	96.8%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	2.0%	3.2%	6.6%	93.4%
Grade 7	0.9%	2.2%	3.2%	96.8%
Grade 8	0.9%	1.2%	3.1%	96.9%
Grade 9	1.7%	2.5%	4.2%	95.8%
Grade 10	0.0%	0.0%	6.1%	93.9%
Grade 11	4.8%	7.4%	15.9%	84.1%
Grade 12	3.8%	6.5%	8.9%	91.1%
Synthetic Cathinones				
All	0.0%	0.3%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.0%	1.8%	98.2%
Grade 9	0.0%	1.7%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.2%	98.8%
Steroids				
All	1.9%	1.9%	3.0%	97.0%
Grade 7	1.4%	1.4%	1.6%	98.4%
Grade 8	0.6%	0.6%	2.9%	97.1%
Grade 9	0.0%	0.0%	1.7%	98.3%
Grade 10	3.2%	3.2%	3.2%	96.8%
Grade 11	4.6%	4.6%	6.5%	93.5%
Grade 12	2.6%	2.6%	2.6%	97.4%
Ecstasy				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.9%	0.9%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.7%	1.7%	2.5%	97.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.4%	97.6%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.3%	0.6%	99.4%
Grade 7	0.7%	1.5%	1.6%	98.4%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.2%	98.8%
Synthetic Marijuana				
All	1.5%	2.5%	5.0%	95.0%
Grade 7	1.7%	2.9%	4.5%	95.5%
Grade 8	0.0%	2.5%	4.8%	95.2%
Grade 9	2.6%	3.5%	4.3%	95.7%
Grade 10	0.0%	1.0%	4.1%	95.9%
Grade 11	2.4%	2.4%	2.4%	97.6%
Grade 12	2.4%	2.4%	10.2%	89.8%
Methamphetamine				
All	0.6%	0.9%	1.6%	98.4%
Grade 7	0.9%	1.4%	2.4%	97.6%
Grade 8	0.1%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.0%	2.5%	97.5%
Grade 10	2.7%	2.7%	2.7%	97.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.2%	1.2%	98.8%
Delta 8				
All	3.4%	5.8%	8.3%	91.7%
Grade 7	0.8%	1.1%	2.8%	97.2%
Grade 8	1.6%	4.0%	7.7%	92.3%
Grade 9	3.5%	6.0%	10.0%	90.0%
Grade 10	7.0%	9.4%	10.4%	89.6%
Grade 11	7.4%	9.2%	11.6%	88.4%
Grade 12	1.2%	6.5%	7.7%	92.3%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	280,778	48.6%
Female	297,396	51.4%
Frequency Missing	2,964	

Hispanic or Latino

Q5a	Frequency	Percent
No	258,115	44.8%
Yes	317,842	55.2%
Frequency Missing	5,180	

Grade

Q2	Frequency	Percent
Grade 7	103,130	17.8%
Grade 8	104,477	18.0%
Grade 9	106,804	18.4%
Grade 10	94,563	16.3%
Grade 11	87,901	15.2%
Grade 12	82,652	14.3%
Frequency Missing	1,609	

Ethnicity

Q5b	Frequency	Percent
American Indian	13,845	2.5%
Asian American	30,847	5.6%
African American	98,184	17.7%
Pacific Islander	3,679	0.7%
White	173,068	31.3%
Other	144,983	26.2%
More Than One Race	88,982	16.1%
Frequency Missing	27,548	

Live with Both Parents

Q3	Frequency	Percent
No	194,640	33.8%
Yes	381,696	66.2%
Frequency Missing	4,802	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	2,064	0.4%
Mostly D's	7,261	1.3%
Mostly C's	72,869	12.8%
Mostly B's	281,351	49.4%
Mostly A's	206,464	36.2%
Frequency Missing	11,128	

Age

Q4	Frequency	Percent
11 or younger	1,031	0.2%
12	44,757	7.7%
13	100,280	17.3%
14	103,657	17.9%
15	109,172	18.8%
16	90,827	15.7%
17	86,707	15.0%
18	40,937	7.1%
19 or older	2,315	0.4%
Frequency Missing	1,455	

Do You Have a Job

Q7	Frequency	Percent
No	455,990	79.7%
Yes	116,179	20.3%
Frequency Missing	8,968	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	161,389	28.2%
Yes	225,959	39.4%
Don't Know	185,887	32.4%
Frequency Missing	7,903	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	355,328	66.0%
Yes	182,922	34.0%
Frequency Missing	42,888	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	414,385	81.1%
Yes	96,333	18.9%
Frequency Missing	70,419	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	422,138	81.5%
Yes	95,697	18.5%
Frequency Missing	63,302	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	373,726	72.6%
Yes	141,261	27.4%
Frequency Missing	66,150	

Participate in School Choir

Q9c	Frequency	Percent
No	467,938	92.1%
Yes	40,251	7.9%
Frequency Missing	72,948	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	363,678	69.7%
Yes	157,936	30.3%
Frequency Missing	59,524	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	488,125	96.5%
Yes	17,599	3.5%
Frequency Missing	75,414	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	400,340	78.3%
Yes	110,910	21.7%
Frequency Missing	69,887	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	477,671	94.8%
Yes	26,307	5.2%
Frequency Missing	77,160	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	497,839	86.3%
Somewhat Safe	67,723	11.7%
Not Very Safe	5,507	1.0%
Not Safe At All	1,270	0.2%
Don't Know	4,404	0.8%
Frequency Missing	4,395	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	269,870	47.0%
Somewhat Safe	249,853	43.6%
Not Very Safe	31,641	5.5%
Not Safe At All	5,266	0.9%
Don't Know	16,953	3.0%
Frequency Missing	7,555	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	368,062	65.5%
Yes	193,845	34.5%
Frequency Missing	19,230	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	153,590	26.8%
Somewhat Safe	312,016	54.4%
Not Very Safe	62,044	10.8%
Not Safe At All	18,155	3.2%
Don't Know	27,760	4.8%
Frequency Missing	7,573	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	30,807	5.5%
A Few	114,234	20.5%
Some	130,873	23.5%
Most	194,252	34.9%
All	85,814	15.4%
Frequency Missing	25,159	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	47,753	8.5%
Some High School	57,187	10.2%
Finished High School	109,229	19.5%
Some College	54,043	9.7%
Finished College	104,601	18.7%
Post-Secondary	73,833	13.2%
Don't Know or N/A	113,198	20.2%
Frequency Missing	21,293	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	12,505	2.2%
A Few	66,925	12.0%
Some	135,703	24.4%
Most	241,525	43.4%
All	99,842	17.9%
Frequency Missing	24,638	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	39,439	7.1%
Some High School	47,689	8.6%
Finished High School	86,372	15.5%
Some College	69,917	12.5%
Finished College	131,439	23.6%
Post-Secondary	103,448	18.6%
Don't Know or N/A	79,271	14.2%
Frequency Missing	23,561	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	263,672	47.8%
A Few	158,766	28.8%
Some	75,450	13.7%
Most	34,733	6.3%
All	18,579	3.4%
Frequency Missing	29,938	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	471,295	85.4%
A Few	51,949	9.4%
Some	17,063	3.1%
Most	7,338	1.3%
All	4,260	0.8%
Frequency Missing	29,232	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	550,950	99.2%
In Your Lifetime	1,757	0.3%
Since School Began	261	0.0%
In the Past Month	2,270	0.4%
Frequency Missing	25,899	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	504,008	91.0%
A Few	30,845	5.6%
Some	10,548	1.9%
Most	4,844	0.9%
All	3,454	0.6%
Frequency Missing	27,439	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	538,228	96.8%
In Your Lifetime	11,817	2.1%
Since School Began	3,370	0.6%
In the Past Month	2,539	0.5%
Frequency Missing	25,184	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	548,227	98.5%
In Your Lifetime	5,906	1.1%
Since School Began	1,041	0.2%
In the Past Month	1,613	0.3%
Frequency Missing	24,351	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	547,191	98.7%
In Your Lifetime	5,268	1.0%
Since School Began	643	0.1%
In the Past Month	1,107	0.2%
Frequency Missing	26,928	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	533,175	96.1%
In Your Lifetime	15,906	2.9%
Since School Began	2,401	0.4%
In the Past Month	3,387	0.6%
Frequency Missing	26,268	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	550,931	99.3%
In Your Lifetime	2,819	0.5%
Since School Began	490	0.1%
In the Past Month	776	0.1%
Frequency Missing	26,123	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	543,393	97.8%
In Your Lifetime	7,468	1.3%
Since School Began	1,175	0.2%
In the Past Month	3,385	0.6%
Frequency Missing	25,716	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	435,357	78.7%
In Your Lifetime	76,733	13.9%
Since School Began	15,059	2.7%
In the Past Month	25,714	4.7%
Frequency Missing	28,274	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	546,688	98.4%
In Your Lifetime	5,830	1.0%
Since School Began	1,121	0.2%
In the Past Month	1,709	0.3%
Frequency Missing	25,790	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	460,674	83.1%
In Your Lifetime	48,585	8.8%
Since School Began	13,819	2.5%
In the Past Month	31,384	5.7%
Frequency Missing	26,676	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	525,511	94.7%
In Your Lifetime	20,173	3.6%
Since School Began	2,244	0.4%
In the Past Month	7,010	1.3%
Frequency Missing	26,200	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	447,421	81.0%
In Your Lifetime	73,153	13.2%
Since School Began	11,370	2.1%
In the Past Month	20,564	3.7%
Frequency Missing	28,630	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	540,118	97.6%
In Your Lifetime	7,678	1.4%
Since School Began	1,891	0.3%
In the Past Month	3,946	0.7%
Frequency Missing	27,505	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	436,541	79.3%
In Your Lifetime	65,678	11.9%
Since School Began	18,151	3.3%
In the Past Month	30,348	5.5%
Frequency Missing	30,419	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	542,417	97.9%
In Your Lifetime	8,754	1.6%
Since School Began	459	0.1%
In the Past Month	2,543	0.5%
Frequency Missing	26,964	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	470,486	84.8%
In Your Lifetime	46,143	8.3%
Since School Began	10,582	1.9%
In the Past Month	27,643	5.0%
Frequency Missing	26,282	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	537,969	96.9%
In Your Lifetime	9,155	1.6%
Since School Began	3,071	0.6%
In the Past Month	5,035	0.9%
Frequency Missing	25,907	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	491,803	88.6%
In Your Lifetime	32,115	5.8%
Since School Began	10,955	2.0%
In the Past Month	20,289	3.7%
Frequency Missing	25,975	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	552,492	99.6%
In Your Lifetime	1,369	0.2%
Since School Began	279	0.1%
In the Past Month	573	0.1%
Frequency Missing	26,425	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	551,232	99.3%
In Your Lifetime	2,655	0.5%
Since School Began	801	0.1%
In the Past Month	706	0.1%
Frequency Missing	25,743	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	547,578	98.7%
In Your Lifetime	4,160	0.7%
Since School Began	1,969	0.4%
In the Past Month	1,328	0.2%
Frequency Missing	26,103	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	553,281	99.7%
In Your Lifetime	1,088	0.2%
Since School Began	265	0.0%
In the Past Month	147	0.0%
Frequency Missing	26,356	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	551,113	99.6%
In Your Lifetime	2,093	0.4%
Since School Began	0	0.0%
In the Past Month	285	0.1%
Frequency Missing	27,646	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	553,618	99.7%
In Your Lifetime	805	0.1%
Since School Began	401	0.1%
In the Past Month	225	0.0%
Frequency Missing	26,089	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	507,524	93.2%
In Your Lifetime	18,895	3.5%
Since School Began	8,359	1.5%
In the Past Month	9,913	1.8%
Frequency Missing	36,447	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	552,568	99.6%
In Your Lifetime	1,294	0.2%
Since School Began	317	0.1%
In the Past Month	619	0.1%
Frequency Missing	26,340	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	535,408	98.2%
In Your Lifetime	7,386	1.4%
Since School Began	1,206	0.2%
In the Past Month	958	0.2%
Frequency Missing	36,178	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	545,463	98.3%
In Your Lifetime	5,052	0.9%
Since School Began	1,326	0.2%
In the Past Month	2,936	0.5%
Frequency Missing	26,361	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	533,549	98.1%
In Your Lifetime	6,732	1.2%
Since School Began	2,021	0.4%
In the Past Month	1,757	0.3%
Frequency Missing	37,078	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	531,268	96.0%
In Your Lifetime	10,563	1.9%
Since School Began	4,292	0.8%
In the Past Month	7,501	1.4%
Frequency Missing	27,515	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	524,442	96.5%
In Your Lifetime	9,349	1.7%
Since School Began	2,849	0.5%
In the Past Month	7,015	1.3%
Frequency Missing	37,482	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	508,285	93.4%
In Your Lifetime	19,043	3.5%
Since School Began	5,152	0.9%
In the Past Month	11,550	2.1%
Frequency Missing	37,107	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	539,626	98.8%
1-2 times	4,024	0.7%
3-10 times	1,886	0.3%
11+ times	768	0.1%
Frequency Missing	34,834	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	526,551	97.0%
In Your Lifetime	7,495	1.4%
Since School Began	3,459	0.6%
In the Past Month	5,070	0.9%
Frequency Missing	38,563	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	509,687	93.2%
1-2 times	17,068	3.1%
3-10 times	6,967	1.3%
11+ times	12,919	2.4%
Frequency Missing	34,496	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	530,987	97.1%
1-2 times	8,597	1.6%
3-10 times	2,455	0.4%
11+ times	5,054	0.9%
Frequency Missing	34,046	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	544,624	99.6%
1-2 times	1,439	0.3%
3-10 times	407	0.1%
11+ times	71	0.0%
Frequency Missing	34,596	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	460,060	84.3%
1-2 times	56,744	10.4%
3-10 times	20,177	3.7%
11+ times	8,497	1.6%
Frequency Missing	35,660	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	544,626	99.9%
1-2 times	240	0.0%
3-10 times	349	0.1%
11+ times	192	0.0%
Frequency Missing	35,730	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	467,000	85.7%
A few	53,167	9.8%
Some	15,836	2.9%
Most	6,871	1.3%
All	1,856	0.3%
Frequency Missing	36,407	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	365,840	67.1%
A few	100,426	18.4%
Some	45,369	8.3%
Most	23,666	4.3%
All	9,596	1.8%
Frequency Missing	36,241	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	510,607	94.1%
A few	20,407	3.8%
Some	6,976	1.3%
Most	3,404	0.6%
All	986	0.2%
Frequency Missing	38,758	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	416,303	76.5%
A few	65,338	12.0%
Some	32,325	5.9%
Most	23,892	4.4%
All	6,156	1.1%
Frequency Missing	37,123	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	514,627	94.3%
8 or younger	2,078	0.4%
9 years old	1,692	0.3%
10 years old	1,666	0.3%
11 years old	2,603	0.5%
12 years old	7,750	1.4%
13 years old	5,111	0.9%
14 years old	3,911	0.7%
15 years old	3,723	0.7%
16 years old	1,900	0.3%
17 years old	0	0.0%
18 or older	385	0.1%
Frequency Missing	35,691	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	387,941	71.2%
8 or younger	26,632	4.9%
9 years old	7,916	1.5%
10 years old	10,500	1.9%
11 years old	13,055	2.4%
12 years old	17,980	3.3%
13 years old	25,995	4.8%
14 years old	19,087	3.5%
15 years old	16,478	3.0%
16 years old	11,255	2.1%
17 years old	6,048	1.1%
18 or older	1,715	0.3%
Frequency Missing	36,536	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	525,746	96.9%
8 or younger	2,891	0.5%
9 years old	1,591	0.3%
10 years old	2,230	0.4%
11 years old	2,081	0.4%
12 years old	2,277	0.4%
13 years old	3,077	0.6%
14 years old	1,109	0.2%
15 years old	175	0.0%
16 years old	1,401	0.3%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	38,561	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	482,396	88.7%
8 or younger	1,507	0.3%
9 years old	1,459	0.3%
10 years old	2,262	0.4%
11 years old	3,210	0.6%
12 years old	10,125	1.9%
13 years old	10,170	1.9%
14 years old	12,957	2.4%
15 years old	10,344	1.9%
16 years old	6,658	1.2%
17 years old	2,760	0.5%
18 or older	0	0.0%
Frequency Missing	37,289	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	540,495	99.3%
8 or younger	261	0.0%
9 years old	0	0.0%
10 years old	175	0.0%
11 years old	174	0.0%
12 years old	0	0.0%
13 years old	523	0.1%
14 years old	677	0.1%
15 years old	1,184	0.2%
16 years old	500	0.1%
17 years old	0	0.0%
18 or older	385	0.1%
Frequency Missing	36,765	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	541,810	99.6%
8 or younger	57	0.0%
9 years old	135	0.0%
10 years old	24	0.0%
11 years old	467	0.1%
12 years old	160	0.0%
13 years old	71	0.0%
14 years old	175	0.0%
15 years old	175	0.0%
16 years old	560	0.1%
17 years old	142	0.0%
18 or older	0	0.0%
Frequency Missing	37,362	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	544,312	99.9%
8 or younger	214	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	32	0.0%
12 years old	51	0.0%
13 years old	25	0.0%
14 years old	448	0.1%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	36,056	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	543,221	99.8%
8 or younger	61	0.0%
9 years old	204	0.0%
10 years old	24	0.0%
11 years old	0	0.0%
12 years old	316	0.1%
13 years old	0	0.0%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	275	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	37,036	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	539,161	99.1%
8 or younger	1,402	0.3%
9 years old	403	0.1%
10 years old	144	0.0%
11 years old	385	0.1%
12 years old	180	0.0%
13 years old	195	0.0%
14 years old	643	0.1%
15 years old	663	0.1%
16 years old	385	0.1%
17 years old	623	0.1%
18 or older	0	0.0%
Frequency Missing	36,954	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	542,376	99.6%
8 or younger	324	0.1%
9 years old	362	0.1%
10 years old	51	0.0%
11 years old	260	0.0%
12 years old	216	0.0%
13 years old	568	0.1%
14 years old	455	0.1%
15 years old	175	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	36,350	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	535,674	98.4%
8 or younger	387	0.1%
9 years old	105	0.0%
10 years old	48	0.0%
11 years old	306	0.1%
12 years old	1,200	0.2%
13 years old	1,065	0.2%
14 years old	2,048	0.4%
15 years old	2,398	0.4%
16 years old	996	0.2%
17 years old	142	0.0%
18 or older	0	0.0%
Frequency Missing	36,768	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	525,024	96.4%
8 or younger	514	0.1%
9 years old	105	0.0%
10 years old	385	0.1%
11 years old	598	0.1%
12 years old	1,812	0.3%
13 years old	2,964	0.5%
14 years old	4,629	0.9%
15 years old	4,700	0.9%
16 years old	2,083	0.4%
17 years old	1,646	0.3%
18 or older	0	0.0%
Frequency Missing	36,677	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	224,806	42.4%
Impossible	117,763	22.2%
Very Difficult	42,645	8.0%
Somewhat diff	48,221	9.1%
Somewhat easy	46,416	8.8%
Very easy	50,095	9.5%
Frequency Missing	51,191	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	188,301	35.7%
Impossible	70,311	13.3%
Very Difficult	30,528	5.8%
Somewhat diff	51,464	9.7%
Somewhat easy	80,216	15.2%
Very easy	107,214	20.3%
Frequency Missing	53,104	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	259,271	49.3%
Impossible	85,774	16.3%
Very Difficult	16,915	3.2%
Somewhat diff	26,882	5.1%
Somewhat easy	39,815	7.6%
Very easy	96,980	18.4%
Frequency Missing	55,501	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	219,500	41.6%
Impossible	120,745	22.9%
Very Difficult	41,261	7.8%
Somewhat diff	37,440	7.1%
Somewhat easy	45,471	8.6%
Very easy	62,991	11.9%
Frequency Missing	53,730	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	250,840	47.6%
Impossible	173,020	32.8%
Very Difficult	49,615	9.4%
Somewhat diff	28,138	5.3%
Somewhat easy	14,527	2.8%
Very easy	11,346	2.2%
Frequency Missing	53,651	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	258,068	49.0%
Impossible	173,627	33.0%
Very Difficult	50,306	9.5%
Somewhat diff	22,423	4.3%
Somewhat easy	11,461	2.2%
Very easy	10,919	2.1%
Frequency Missing	54,333	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	291,075	55.1%
Impossible	163,258	30.9%
Very Difficult	37,312	7.1%
Somewhat diff	16,273	3.1%
Somewhat easy	9,371	1.8%
Very easy	10,595	2.0%
Frequency Missing	53,255	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	263,329	50.0%
Impossible	152,747	29.0%
Very Difficult	49,057	9.3%
Somewhat diff	32,000	6.1%
Somewhat easy	16,151	3.1%
Very easy	13,183	2.5%
Frequency Missing	54,670	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	308,280	58.6%
Impossible	132,117	25.1%
Very Difficult	29,987	5.7%
Somewhat diff	20,569	3.9%
Somewhat easy	16,475	3.1%
Very easy	18,646	3.5%
Frequency Missing	55,064	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	313,688	59.7%
Impossible	140,812	26.8%
Very Difficult	36,065	6.9%
Somewhat diff	15,831	3.0%
Somewhat easy	8,125	1.5%
Very easy	11,326	2.2%
Frequency Missing	55,290	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	309,382	58.9%
Impossible	121,475	23.1%
Very Difficult	24,661	4.7%
Somewhat diff	19,578	3.7%
Somewhat easy	17,290	3.3%
Very easy	32,608	6.2%
Frequency Missing	56,144	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	286,515	54.3%
Impossible	168,355	31.9%
Very Difficult	37,975	7.2%
Somewhat diff	17,562	3.3%
Somewhat easy	6,386	1.2%
Very easy	10,433	2.0%
Frequency Missing	53,912	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	2,667	0.5%
Several times/wk	2,608	0.5%
Several times/mo	3,029	0.6%
About once/month	3,957	0.7%
About once/year	3,330	0.6%
Less than once/year	10,614	2.0%
Never used	502,131	95.0%
Frequency Missing	52,801	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	564	0.1%
Several times/wk	4,709	0.9%
Several times/mo	13,560	2.6%
About once/month	31,080	5.9%
About once/year	36,550	6.9%
Less than once/year	41,899	7.9%
Never used	399,384	75.7%
Frequency Missing	53,392	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	789	0.1%
Several times/wk	136	0.0%
Several times/mo	160	0.0%
About once/month	419	0.1%
About once/year	691	0.1%
Less than once/year	1,220	0.2%
Never used	524,593	99.4%
Frequency Missing	53,129	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	476	0.1%
Several times/wk	467	0.1%
Several times/mo	881	0.2%
About once/month	1,266	0.2%
About once/year	2,953	0.6%
Less than once/year	5,843	1.1%
Never used	516,140	97.7%
Frequency Missing	53,112	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	415	0.1%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	114	0.0%
Less than once/year	385	0.1%
Never used	527,079	99.8%
Frequency Missing	53,144	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	7,476	1.4%
Several times/wk	6,294	1.2%
Several times/mo	7,373	1.4%
About once/month	9,302	1.8%
About once/year	7,263	1.4%
Less than once/year	14,925	2.8%
Never used	475,430	90.0%
Frequency Missing	53,076	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	1,904	0.4%
Several times/wk	156	0.0%
Several times/mo	385	0.1%
About once/month	206	0.0%
About once/year	118	0.0%
Less than once/year	1,395	0.3%
Never used	524,120	99.2%
Frequency Missing	52,853	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	266	0.1%
Several times/wk	0	0.0%
Several times/mo	279	0.1%
About once/month	0	0.0%
About once/year	651	0.1%
Less than once/year	1,050	0.2%
Never used	525,702	99.6%
Frequency Missing	53,188	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	136	0.0%
Several times/wk	218	0.0%
Several times/mo	1,329	0.3%
About once/month	842	0.2%
About once/year	2,547	0.5%
Less than once/year	2,178	0.4%
Never used	519,740	98.6%
Frequency Missing	54,148	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	48	0.0%
Several times/wk	510	0.1%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	139	0.0%
Less than once/year	820	0.2%
Never used	526,413	99.7%
Frequency Missing	53,207	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	1,319	0.3%
Several times/wk	1,753	0.3%
Several times/mo	2,419	0.5%
About once/month	3,318	0.6%
About once/year	4,438	0.8%
Less than once/year	3,631	0.7%
Never used	508,066	96.8%
Frequency Missing	56,193	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	514	0.1%
Several times/wk	0	0.0%
Several times/mo	27	0.0%
About once/month	131	0.0%
About once/year	263	0.0%
Less than once/year	884	0.2%
Never used	526,405	99.7%
Frequency Missing	52,913	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	408,521	77.5%
12+ drinks	2,791	0.5%
9-11 drinks	2,474	0.5%
5-8 drinks	4,477	0.8%
3-4 drinks	12,444	2.4%
2 drinks	19,238	3.7%
1 drink	24,054	4.6%
Less than 1 drink	52,947	10.0%
Frequency Missing	54,191	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	431,848	81.9%
12+ drinks	4,062	0.8%
9-11 drinks	2,176	0.4%
5-8 drinks	6,940	1.3%
3-4 drinks	13,633	2.6%
2 drinks	17,534	3.3%
1 drink	21,026	4.0%
Less than 1 drink	30,167	5.7%
Frequency Missing	53,751	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	314,056	60.2%
0 days	180,482	34.6%
1 day	11,375	2.2%
2 days	6,435	1.2%
3 to 5 days	5,333	1.0%
6 to 9 days	1,031	0.2%
10 or more days	3,135	0.6%
Frequency Missing	59,290	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	423,200	80.6%
12+ drinks	2,538	0.5%
9-11 drinks	1,084	0.2%
5-8 drinks	1,684	0.3%
3-4 drinks	5,079	1.0%
2 drinks	11,533	2.2%
1 drink	25,821	4.9%
Less than 1 drink	53,877	10.3%
Frequency Missing	56,322	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	369,474	70.2%
Never	60,565	11.5%
Seldom	62,012	11.8%
Most of the Time	20,864	4.0%
Always	13,292	2.5%
Frequency Missing	54,930	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	414,030	79.0%
12+ drinks	3,795	0.7%
9-11 drinks	3,322	0.6%
5-8 drinks	9,062	1.7%
3-4 drinks	17,564	3.3%
2 drinks	17,099	3.3%
1 drink	22,219	4.2%
Less than 1 drink	37,239	7.1%
Frequency Missing	56,807	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	390,665	74.6%
Never	81,942	15.6%
Seldom	28,921	5.5%
Most of the Time	17,075	3.3%
Always	5,166	1.0%
Frequency Missing	57,369	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	399,343	76.1%
Never	105,318	20.1%
Seldom	10,755	2.1%
Most of the Time	6,820	1.3%
Always	2,232	0.4%
Frequency Missing	56,669	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	377,735	72.1%
Never	71,524	13.6%
Seldom	39,028	7.4%
Most of the Time	22,325	4.3%
Always	13,610	2.6%
Frequency Missing	56,916	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	375,961	72.0%
Somewhat	71,702	13.7%
Not very	25,484	4.9%
Not at all	6,890	1.3%
Don't know	41,820	8.0%
Frequency Missing	59,280	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	397,445	76.2%
Never	83,105	15.9%
Seldom	21,088	4.0%
Most of the Time	12,517	2.4%
Always	7,749	1.5%
Frequency Missing	59,234	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	342,702	65.6%
Somewhat	74,778	14.3%
Not very	54,760	10.5%
Not at all	21,714	4.2%
Don't know	28,138	5.4%
Frequency Missing	59,046	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	355,930	68.1%
Somewhat	109,267	20.9%
Not very	23,416	4.5%
Not at all	4,191	0.8%
Don't know	29,874	5.7%
Frequency Missing	58,460	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	455,875	87.2%
Somewhat	32,853	6.3%
Not very	3,455	0.7%
Not at all	1,803	0.3%
Don't know	28,878	5.5%
Frequency Missing	58,273	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	274,754	52.5%
Somewhat	144,248	27.5%
Not very	67,351	12.9%
Not at all	12,178	2.3%
Don't know	25,179	4.8%
Frequency Missing	57,427	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	458,569	87.7%
Somewhat	27,728	5.3%
Not very	3,961	0.8%
Not at all	1,591	0.3%
Don't know	30,986	5.9%
Frequency Missing	58,303	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	417,927	80.0%
Somewhat	31,604	6.1%
Not very	4,343	0.8%
Not at all	2,169	0.4%
Don't know	66,123	12.7%
Frequency Missing	58,971	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	403,846	77.3%
Somewhat	37,959	7.3%
Not very	13,901	2.7%
Not at all	5,176	1.0%
Don't know	61,532	11.8%
Frequency Missing	58,723	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	389,224	74.5%
Somewhat	65,117	12.5%
Not very	20,119	3.9%
Not at all	5,082	1.0%
Don't know	42,883	8.2%
Frequency Missing	58,711	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	378,245	72.5%
Somewhat	46,905	9.0%
Not very	21,611	4.1%
Not at all	10,607	2.0%
Don't know	64,684	12.4%
Frequency Missing	59,086	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	447,829	85.9%
Somewhat	24,456	4.7%
Not very	4,075	0.8%
Not at all	2,729	0.5%
Don't know	42,272	8.1%
Frequency Missing	59,776	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	392,384	75.3%
Somewhat	64,549	12.4%
Not very	19,182	3.7%
Not at all	5,009	1.0%
Don't know	40,250	7.7%
Frequency Missing	59,763	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	448,694	85.8%
Somewhat	26,097	5.0%
Not very	2,903	0.6%
Not at all	2,138	0.4%
Don't know	42,837	8.2%
Frequency Missing	58,468	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	356,214	68.1%
Somewhat	90,985	17.4%
Not very	35,906	6.9%
Not at all	10,111	1.9%
Don't know	29,924	5.7%
Frequency Missing	57,997	

Days Skipped Since September

Q28a	Frequency	Percent
None	405,042	80.3%
1-3 days	73,169	14.5%
4-9 days	17,361	3.4%
10+ days	9,004	1.8%
Frequency Missing	76,562	

Someone Called Home Since September

Q28e	Frequency	Percent
None	453,704	89.9%
1-3 days	41,154	8.2%
4-9 days	5,379	1.1%
10+ days	4,385	0.9%
Frequency Missing	76,516	

Days Ill Since September

Q28b	Frequency	Percent
None	156,726	31.0%
1-3 days	238,223	47.1%
4-9 days	86,000	17.0%
10+ days	24,899	4.9%
Frequency Missing	75,289	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	494,916	98.4%
1-3 times	5,283	1.1%
4-9 times	1,601	0.3%
10+ times	938	0.2%
Frequency Missing	78,401	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	193,704	38.9%
1-3 days	238,969	48.0%
4-9 days	48,434	9.7%
10+ days	16,273	3.3%
Frequency Missing	83,758	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	496,508	99.0%
1-3 times	3,902	0.8%
4-9 times	157	0.0%
10+ times	1,128	0.2%
Frequency Missing	79,443	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	448,069	88.6%
1-3 days	47,934	9.5%
4-9 days	6,031	1.2%
10+ days	3,875	0.8%
Frequency Missing	75,228	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	488,334	97.4%
1-3 times	11,470	2.3%
4-9 times	914	0.2%
10+ times	889	0.2%
Frequency Missing	79,531	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	491,845	98.2%
1-3 times	6,091	1.2%
4-9 times	976	0.2%
10+ times	1,989	0.4%
Frequency Missing	80,235	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	488,558	97.3%
1-3 days	11,938	2.4%
4-9 days	898	0.2%
10+ days	947	0.2%
Frequency Missing	78,796	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	316,447	63.0%
Seldom	28,065	5.6%
Half the time	16,747	3.3%
Most of the Time	21,968	4.4%
Always	23,441	4.7%
Don't Know	7,414	1.5%
Didn't attend	87,981	17.5%
Frequency Missing	79,074	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	480,991	95.8%
1-3 days	9,627	1.9%
4-9 days	4,163	0.8%
10+ days	7,207	1.4%
Frequency Missing	79,150	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	352,114	70.3%
Seldom	20,481	4.1%
Half the time	8,889	1.8%
Most of the Time	10,768	2.2%
Always	11,156	2.2%
Don't Know	9,925	2.0%
Didn't attend	87,213	17.4%
Frequency Missing	80,592	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	497,446	99.4%
1-3 days	2,168	0.4%
4-9 days	457	0.1%
10+ days	318	0.1%
Frequency Missing	80,748	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	455,850	94.8%
Yes	25,092	5.2%
Frequency Missing	100,195	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	494,220	98.8%
1-3 days	4,962	1.0%
4-9 days	708	0.1%
10+ days	551	0.1%
Frequency Missing	80,697	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	320,022	65.1%
Yes	171,527	34.9%
Frequency Missing	89,589	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	365,341	74.9%
Yes	122,546	25.1%
Frequency Missing	93,251	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	217,426	44.5%
Yes	271,252	55.5%
Frequency Missing	92,459	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	303,460	62.1%
Yes	184,941	37.9%
Frequency Missing	92,737	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	308,141	63.0%
Yes	180,651	37.0%
Frequency Missing	92,345	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	164,834	33.5%
Yes	327,392	66.5%
Frequency Missing	88,911	

Would Not Seek Help

Q33i	Frequency	Percent
No	361,221	74.6%
Yes	123,255	25.4%
Frequency Missing	96,661	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	204,388	41.7%
Yes	285,777	58.3%
Frequency Missing	90,973	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	300,829	61.4%
Yes	188,953	38.6%
Frequency Missing	91,355	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	194,804	39.7%
Yes	295,568	60.3%
Frequency Missing	90,765	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	254,807	52.1%
Yes	234,210	47.9%
Frequency Missing	92,120	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	353,049	72.4%
Yes	134,323	27.6%
Frequency Missing	93,766	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	334,463	68.7%
Yes	152,452	31.3%
Frequency Missing	94,223	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	397,689	81.8%
Yes	88,612	18.2%
Frequency Missing	94,837	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	411,673	82.7%
Mild disapprove	25,849	5.2%
Neither	20,270	4.1%
Mildly approve	2,076	0.4%
Strongly approve	3,001	0.6%
Don't know	35,122	7.1%
Frequency Missing	83,147	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	353,290	72.6%
Yes	133,629	27.4%
Frequency Missing	94,219	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	315,141	63.3%
Mild disapprove	65,285	13.1%
Neither	62,322	12.5%
Mildly approve	16,383	3.3%
Strongly approve	5,933	1.2%
Don't know	32,438	6.5%
Frequency Missing	83,637	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	407,301	83.9%
Yes	78,269	16.1%
Frequency Missing	95,567	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	392,838	78.9%
Mild disapprove	32,339	6.5%
Neither	30,321	6.1%
Mildly approve	5,574	1.1%
Strongly approve	4,480	0.9%
Don't know	32,365	6.5%
Frequency Missing	83,221	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	372,544	76.5%
Yes	114,666	23.5%
Frequency Missing	93,927	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

