
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2024



HHSC REGION 7 AND 8 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	110

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 7 and 8. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	9.9%	12.7%	22.3%	77.7%
Grade 7	3.4%	4.6%	11.6%	88.4%
Grade 8	4.9%	6.5%	14.8%	85.2%
Grade 9	9.5%	13.1%	22.4%	77.6%
Grade 10	14.1%	16.6%	27.3%	72.7%
Grade 11	11.6%	15.9%	26.8%	73.2%
Grade 12	18.4%	21.8%	34.6%	65.4%
Cigarettes?				
All	1.6%	2.5%	8.2%	91.8%
Grade 7	0.5%	0.7%	2.5%	97.5%
Grade 8	0.8%	1.4%	4.3%	95.7%
Grade 9	0.4%	1.5%	8.1%	91.9%
Grade 10	1.7%	3.6%	11.1%	88.9%
Grade 11	2.3%	2.3%	9.6%	90.4%
Grade 12	4.4%	6.7%	15.8%	84.2%
Smokeless Tobacco?				
All	1.5%	2.0%	4.1%	95.9%
Grade 7	0.1%	0.4%	1.1%	98.9%
Grade 8	0.5%	0.8%	2.7%	97.3%
Grade 9	1.6%	1.6%	4.6%	95.4%
Grade 10	1.1%	2.0%	2.9%	97.1%
Grade 11	2.0%	2.4%	5.6%	94.4%
Grade 12	4.0%	5.6%	9.0%	91.0%
Electronic Vapor Products?				
All	7.3%	10.5%	20.0%	80.0%
Grade 7	1.7%	2.7%	9.1%	90.9%
Grade 8	2.6%	4.9%	12.7%	87.3%
Grade 9	7.7%	11.8%	20.1%	79.9%
Grade 10	10.0%	12.5%	24.0%	76.0%
Grade 11	10.1%	14.8%	24.3%	75.7%
Grade 12	13.7%	18.9%	33.5%	66.5%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	91.2%	0.7%	0.8%	1.0%	1.8%	1.6%	2.9%
Grade 7	97.1%	0.3%	0.1%	0.0%	0.3%	1.1%	1.1%
Grade 8	95.8%	0.1%	0.6%	0.4%	0.7%	1.2%	1.3%
Grade 9	92.9%	0.3%	0.4%	0.8%	1.1%	1.3%	3.3%
Grade 10	89.2%	1.3%	0.9%	0.9%	3.9%	1.2%	2.7%
Grade 11	87.9%	1.7%	0.7%	1.2%	1.8%	2.0%	4.5%
Grade 12	81.5%	0.9%	2.3%	3.5%	3.5%	3.1%	5.1%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.2	10.2	11.7	12.2	12.6	13.5	14.6

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	38.3%	21.1%	8.2%	9.7%	11.5%	11.2%
Grade 7	47.8%	29.3%	7.8%	6.3%	5.0%	3.7%
Grade 8	39.3%	28.7%	10.4%	8.7%	8.7%	4.2%
Grade 9	35.8%	21.8%	8.3%	8.0%	14.1%	12.0%
Grade 10	42.0%	14.0%	8.7%	11.7%	13.7%	9.9%
Grade 11	33.3%	16.8%	5.5%	14.5%	12.7%	17.2%
Grade 12	29.4%	13.3%	8.3%	9.8%	16.1%	23.1%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	81.8%	11.9%	3.9%	1.9%	0.6%
Grade 7	92.0%	5.6%	1.8%	0.1%	0.5%
Grade 8	88.7%	7.9%	1.9%	1.0%	0.5%
Grade 9	82.1%	14.1%	3.0%	0.8%	0.0%
Grade 10	75.9%	17.0%	3.0%	3.3%	0.9%
Grade 11	78.7%	13.0%	5.1%	3.3%	0.0%
Grade 12	69.8%	14.6%	10.0%	3.3%	2.4%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.1%	7.4%	6.7%	0.7%	0.3%	6.8%
Grade 7	83.4%	3.5%	2.3%	0.7%	0.4%	9.8%
Grade 8	84.6%	4.5%	2.1%	0.7%	0.2%	7.9%
Grade 9	77.5%	8.1%	8.2%	0.7%	0.0%	5.5%
Grade 10	72.7%	10.1%	8.3%	1.0%	0.5%	7.5%
Grade 11	78.1%	8.1%	7.1%	0.9%	0.5%	5.3%
Grade 12	69.9%	11.4%	13.8%	0.0%	0.6%	4.3%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	61.9%	22.9%	6.7%	1.6%	6.8%
Grade 7	74.6%	14.5%	3.5%	1.0%	6.4%
Grade 8	69.1%	19.8%	4.7%	0.7%	5.7%
Grade 9	56.5%	28.1%	6.0%	0.4%	9.0%
Grade 10	55.0%	25.2%	9.6%	3.1%	7.1%
Grade 11	60.8%	24.9%	5.9%	2.2%	6.2%
Grade 12	52.7%	26.0%	11.8%	2.9%	6.5%
Electronic Vapor Products?					
All	64.9%	18.4%	8.0%	2.3%	6.4%
Grade 7	74.6%	12.6%	3.9%	2.2%	6.6%
Grade 8	69.0%	16.1%	6.0%	2.0%	6.8%
Grade 9	62.4%	20.9%	8.5%	0.8%	7.3%
Grade 10	58.2%	21.4%	10.4%	2.9%	7.1%
Grade 11	64.7%	19.2%	9.1%	1.8%	5.2%
Grade 12	58.0%	21.0%	11.0%	4.9%	5.1%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	25.1%	30.2%	46.2%	53.8%
Grade 7	12.2%	14.6%	34.1%	65.9%
Grade 8	20.7%	23.0%	41.0%	59.0%
Grade 9	29.9%	35.0%	50.5%	49.5%
Grade 10	25.6%	32.7%	45.4%	54.6%
Grade 11	28.1%	34.0%	48.7%	51.3%
Grade 12	36.6%	45.1%	60.5%	39.5%
Beer?				
All	9.4%	14.8%	35.4%	64.6%
Grade 7	2.1%	3.4%	23.1%	76.9%
Grade 8	5.4%	8.0%	30.3%	69.7%
Grade 9	11.5%	17.9%	40.2%	59.8%
Grade 10	9.4%	15.0%	34.9%	65.1%
Grade 11	11.5%	21.2%	40.6%	59.4%
Grade 12	18.5%	26.3%	45.7%	54.3%
Wine Coolers?				
All	8.5%	13.6%	28.8%	71.2%
Grade 7	1.4%	2.4%	12.9%	87.1%
Grade 8	4.8%	6.6%	21.1%	78.9%
Grade 9	11.0%	16.5%	34.3%	65.7%
Grade 10	8.1%	15.2%	30.3%	69.7%
Grade 11	11.0%	17.2%	33.5%	66.5%
Grade 12	16.2%	26.8%	44.1%	55.9%
Wine?				
All	4.9%	8.6%	27.0%	73.0%
Grade 7	1.9%	2.9%	17.0%	83.0%
Grade 8	4.3%	5.9%	22.9%	77.1%
Grade 9	7.6%	10.8%	31.6%	68.4%
Grade 10	2.6%	6.5%	26.4%	73.6%
Grade 11	6.0%	12.6%	31.4%	68.6%
Grade 12	7.1%	14.3%	33.9%	66.1%
Liquor?				
All	8.1%	13.9%	33.1%	66.9%
Grade 7	1.8%	2.7%	14.5%	85.5%
Grade 8	4.8%	6.9%	23.3%	76.7%
Grade 9	8.5%	14.8%	36.5%	63.5%
Grade 10	8.5%	16.5%	37.8%	62.2%
Grade 11	12.4%	20.2%	41.8%	58.2%
Grade 12	14.5%	25.8%	48.8%	51.2%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	64.9%	0.3%	1.3%	5.1%	10.7%	9.1%	8.6%
Grade 7	82.6%	0.1%	0.1%	0.8%	3.6%	5.0%	7.8%
Grade 8	72.6%	0.2%	0.7%	2.3%	6.4%	9.3%	8.6%
Grade 9	60.7%	0.0%	2.5%	4.7%	11.1%	10.3%	10.7%
Grade 10	64.4%	0.4%	1.4%	5.1%	13.9%	7.1%	7.7%
Grade 11	55.7%	0.0%	0.7%	8.8%	14.8%	12.4%	7.5%
Grade 12	49.3%	1.2%	2.3%	10.1%	16.4%	11.3%	9.4%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	68.0%	32.0%	6.4%	14.7%	10.9%
	Grade 7	79.9%	20.1%	1.4%	7.0%	11.7%
	Grade 8	73.2%	26.8%	2.5%	11.6%	12.7%
	Grade 9	62.8%	37.2%	5.7%	15.7%	15.8%
	Grade 10	68.5%	31.5%	6.8%	16.4%	8.4%
	Grade 11	62.1%	37.9%	11.6%	17.8%	8.5%
	Grade 12	59.4%	40.6%	12.2%	21.8%	6.6%
Wine Coolers	All	74.1%	25.9%	5.6%	14.2%	6.0%
	Grade 7	90.2%	9.8%	0.5%	4.5%	4.8%
	Grade 8	82.5%	17.5%	2.2%	7.9%	7.4%
	Grade 9	69.2%	30.8%	5.1%	16.8%	8.9%
	Grade 10	71.6%	28.4%	8.0%	15.6%	4.7%
	Grade 11	66.8%	33.2%	10.0%	17.2%	6.0%
	Grade 12	60.8%	39.2%	9.3%	26.4%	3.5%
Wine	All	75.7%	24.3%	0.9%	12.5%	10.8%
	Grade 7	85.4%	14.6%	0.6%	4.8%	9.1%
	Grade 8	79.9%	20.1%	1.1%	7.8%	11.2%
	Grade 9	72.1%	27.9%	0.7%	12.7%	14.5%
	Grade 10	76.4%	23.6%	0.0%	12.8%	10.8%
	Grade 11	69.7%	30.3%	0.3%	21.1%	8.8%
	Grade 12	69.0%	31.0%	3.1%	17.7%	10.2%
Liquor	All	69.3%	30.7%	5.6%	16.7%	8.4%
	Grade 7	88.7%	11.3%	0.6%	3.8%	6.9%
	Grade 8	78.8%	21.2%	2.0%	9.3%	10.0%
	Grade 9	66.3%	33.7%	6.6%	15.2%	11.9%
	Grade 10	64.2%	35.8%	6.5%	21.6%	7.7%
	Grade 11	59.5%	40.5%	8.8%	24.6%	7.1%
	Grade 12	53.9%	46.1%	10.6%	29.8%	5.8%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	90.1%	4.2%	1.8%	1.9%	0.5%	1.5%
Grade 7	98.4%	0.5%	0.2%	0.2%	0.1%	0.6%
Grade 8	94.4%	2.1%	1.0%	1.1%	0.2%	1.1%
Grade 9	91.0%	4.0%	1.3%	0.8%	0.4%	2.6%
Grade 10	86.6%	6.9%	2.1%	2.3%	0.3%	1.7%
Grade 11	85.4%	6.0%	4.0%	2.9%	0.6%	1.1%
Grade 12	82.9%	6.8%	2.3%	4.8%	1.5%	1.7%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.8	10.3	11.3	12.1	13.2	13.6	14.6

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	28.3%	12.4%	6.3%	10.4%	17.7%	24.8%
Grade 7	39.6%	19.9%	8.5%	8.3%	11.2%	12.5%
Grade 8	31.3%	15.4%	9.6%	10.8%	15.8%	17.0%
Grade 9	22.4%	11.8%	5.7%	15.8%	20.5%	23.8%
Grade 10	29.0%	11.2%	4.2%	10.0%	21.8%	23.8%
Grade 11	24.9%	9.1%	3.3%	7.1%	19.8%	35.8%
Grade 12	21.1%	5.3%	5.9%	10.0%	17.8%	39.9%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.1%	2.3%	0.2%	0.5%
Grade 7	98.6%	1.0%	0.1%	0.2%
Grade 8	96.9%	2.6%	0.2%	0.3%
Grade 9	96.8%	2.4%	0.8%	0.0%
Grade 10	96.5%	3.0%	0.0%	0.4%
Grade 11	96.3%	3.7%	0.0%	0.0%
Grade 12	97.3%	0.6%	0.0%	2.1%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.9
Alcohol Non-Users	4.7
Average Days Conduct Problems Reported	
Alcohol Users	2.8
Alcohol Non-Users	1.2

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	95.5%	3.5%	0.4%	0.5%
Grade 9	97.3%	2.7%	0.0%	0.0%
Grade 10	96.4%	2.8%	0.8%	0.0%
Grade 11	95.0%	4.1%	0.5%	0.4%
Grade 12	92.6%	4.8%	0.5%	2.1%
 Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.9%	2.6%	0.3%	0.3%
Grade 7	98.6%	1.3%	0.0%	0.1%
Grade 8	97.7%	1.9%	0.3%	0.1%
Grade 9	97.1%	2.9%	0.0%	0.0%
Grade 10	97.3%	2.2%	0.4%	0.0%
Grade 11	94.4%	4.7%	0.4%	0.5%
Grade 12	95.5%	2.5%	0.6%	1.5%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	54.9%	22.5%	10.9%	9.1%	2.5%
Grade 7	81.4%	12.4%	4.8%	0.6%	0.7%
Grade 8	68.2%	20.1%	7.6%	2.8%	1.2%
Grade 9	51.1%	24.5%	14.3%	8.5%	1.6%
Grade 10	47.1%	25.1%	10.5%	13.5%	3.7%
Grade 11	45.5%	24.2%	12.3%	15.0%	2.9%
Grade 12	29.0%	30.8%	17.2%	16.9%	6.1%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	52.8%	6.1%	4.0%	7.1%	9.5%	1.6%	18.9%
Grade 7	75.5%	4.6%	2.7%	3.0%	1.4%	2.1%	10.7%
Grade 8	66.8%	7.2%	2.1%	4.4%	3.3%	2.5%	13.6%
Grade 9	49.2%	8.6%	5.3%	6.5%	5.8%	1.2%	23.2%
Grade 10	47.9%	3.7%	3.7%	6.9%	12.0%	1.5%	24.3%
Grade 11	42.2%	6.7%	4.9%	10.8%	16.2%	0.9%	18.4%
Grade 12	28.3%	5.1%	5.5%	12.7%	22.2%	1.2%	25.0%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	62.0%	13.4%	14.6%	6.6%	3.4%
	Grade 7	73.3%	14.6%	9.8%	2.0%	0.3%
	Grade 8	67.6%	13.0%	13.9%	4.3%	1.2%
	Grade 9	60.0%	14.0%	15.0%	8.1%	3.0%
	Grade 10	60.6%	12.4%	18.0%	5.0%	4.0%
	Grade 11	55.2%	13.3%	16.9%	6.6%	8.0%
	Grade 12	52.4%	12.9%	14.7%	15.0%	4.9%
Friends?						
	All	65.7%	15.6%	10.0%	6.7%	2.1%
	Grade 7	78.8%	18.0%	2.0%	1.1%	0.1%
	Grade 8	74.2%	17.3%	4.7%	3.2%	0.5%
	Grade 9	65.3%	15.9%	11.2%	5.2%	2.4%
	Grade 10	61.7%	14.8%	13.4%	8.0%	2.1%
	Grade 11	57.2%	14.4%	13.8%	11.7%	3.0%
	Grade 12	52.8%	11.9%	17.4%	12.7%	5.2%
A Store?						
	All	67.9%	25.5%	3.2%	2.2%	1.3%
	Grade 7	79.1%	19.6%	0.8%	0.2%	0.3%
	Grade 8	76.1%	20.8%	1.5%	1.2%	0.4%
	Grade 9	68.8%	26.9%	2.5%	1.8%	0.0%
	Grade 10	64.5%	26.3%	4.4%	2.7%	2.2%
	Grade 11	59.1%	30.2%	4.6%	3.7%	2.5%
	Grade 12	55.7%	30.9%	6.1%	4.0%	3.3%
Parties?						
	All	64.4%	14.4%	8.1%	8.4%	4.7%
	Grade 7	76.0%	17.3%	4.3%	1.8%	0.6%
	Grade 8	70.8%	14.6%	8.1%	4.3%	2.2%
	Grade 9	66.1%	14.7%	6.3%	9.4%	3.4%
	Grade 10	63.1%	12.1%	7.9%	9.3%	7.7%
	Grade 11	55.0%	14.7%	9.1%	14.2%	6.9%
	Grade 12	51.1%	12.2%	14.8%	13.0%	8.9%
Other Sources?						
	All	69.4%	20.1%	4.9%	3.3%	2.3%
	Grade 7	77.6%	17.2%	3.2%	1.3%	0.7%
	Grade 8	76.0%	17.2%	3.7%	2.2%	0.9%
	Grade 9	71.2%	18.5%	4.4%	3.6%	2.3%
	Grade 10	68.6%	17.9%	7.0%	4.2%	2.3%
	Grade 11	60.6%	25.4%	6.0%	4.5%	3.6%
	Grade 12	58.9%	26.3%	6.0%	4.4%	4.5%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	54.7%	15.1%	17.6%	5.9%	1.0%	5.7%
Grade 7	71.8%	9.9%	5.5%	2.6%	0.8%	9.4%
Grade 8	64.0%	14.5%	10.1%	3.2%	0.5%	7.6%
Grade 9	49.9%	15.7%	23.0%	5.5%	0.9%	5.1%
Grade 10	47.7%	14.5%	23.0%	7.3%	1.8%	5.8%
Grade 11	49.5%	17.4%	18.3%	9.7%	1.4%	3.8%
Grade 12	41.5%	19.9%	28.7%	7.8%	0.9%	1.2%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	44.5%	30.7%	16.7%	3.0%	5.1%
Grade 7	56.4%	24.6%	12.3%	1.8%	5.0%
Grade 8	47.9%	30.2%	14.4%	2.9%	4.6%
Grade 9	36.7%	30.9%	23.1%	3.7%	5.6%
Grade 10	41.5%	29.2%	19.9%	4.6%	4.8%
Grade 11	44.5%	34.7%	13.0%	2.6%	5.2%
Grade 12	38.8%	36.1%	17.3%	2.3%	5.4%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	8.8%	12.9%	18.1%	81.9%
Grade 7	2.5%	4.5%	6.6%	93.4%
Grade 8	6.4%	9.4%	12.1%	87.9%
Grade 9	8.8%	11.0%	14.8%	85.2%
Grade 10	9.9%	12.9%	21.0%	79.0%
Grade 11	11.0%	19.2%	25.6%	74.4%
Grade 12	15.8%	22.9%	33.1%	66.9%
Marijuana?				
All	8.0%	10.5%	15.6%	84.4%
Grade 7	1.4%	2.3%	3.7%	96.3%
Grade 8	5.3%	6.6%	9.2%	90.8%
Grade 9	8.8%	10.0%	13.8%	86.2%
Grade 10	8.5%	10.2%	17.4%	82.6%
Grade 11	10.2%	15.5%	21.8%	78.2%
Grade 12	15.8%	20.8%	32.1%	67.9%
Cocaine?				
All	0.7%	0.8%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.9%	0.9%	1.4%	98.6%
Grade 11	0.4%	0.8%	0.8%	99.2%
Grade 12	1.7%	2.3%	3.4%	96.6%
Crack?				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.6%	99.4%
Hallucinogens?				
All	0.6%	1.4%	3.1%	96.9%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.8%	1.5%	2.7%	97.3%
Grade 10	0.5%	1.0%	3.7%	96.3%
Grade 11	0.8%	1.6%	4.0%	96.0%
Grade 12	1.1%	3.4%	7.4%	92.6%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids?				
All	0.4%	0.6%	1.7%	98.3%
Grade 7	0.4%	0.7%	1.0%	99.0%
Grade 8	0.1%	0.3%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.8%	0.8%	2.5%	97.5%
Grade 11	0.3%	1.1%	3.7%	96.3%
Grade 12	0.0%	0.5%	1.7%	98.3%
Ecstasy?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.6%	0.6%	1.1%	98.9%
Heroin?				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
Methamphetamine?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.8%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.2%	98.8%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.4%	1.9%	2.8%	97.2%
Grade 7	0.2%	0.5%	0.6%	99.4%
Grade 8	0.6%	0.9%	2.0%	98.0%
Grade 9	1.9%	1.9%	2.7%	97.3%
Grade 10	1.9%	2.3%	3.5%	96.5%
Grade 11	2.3%	3.3%	4.0%	96.0%
Grade 12	1.7%	2.9%	4.5%	95.5%
Delta 8?				
All	2.5%	3.4%	5.4%	94.6%
Grade 7	0.3%	0.7%	1.4%	98.6%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	3.0%	3.7%	4.5%	95.5%
Grade 10	2.7%	3.8%	5.9%	94.1%
Grade 11	3.8%	5.6%	7.9%	92.1%
Grade 12	5.2%	6.9%	12.9%	87.1%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	87.3%	1.4%	1.4%	1.3%	2.1%	3.1%	3.5%
Grade 7	97.7%	0.0%	0.2%	0.1%	0.3%	0.6%	1.0%
Grade 8	93.4%	0.2%	0.9%	1.0%	0.9%	1.2%	2.5%
Grade 9	89.2%	1.6%	2.2%	0.4%	3.1%	1.2%	2.3%
Grade 10	84.8%	1.3%	2.4%	1.0%	0.5%	4.5%	5.5%
Grade 11	80.9%	2.2%	0.7%	1.4%	3.5%	7.1%	4.2%
Grade 12	73.9%	3.7%	1.8%	4.8%	4.9%	4.8%	6.1%
Cocaine?							
All	99.1%	0.2%	0.0%	0.2%	0.2%	0.1%	0.3%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	99.4%	0.0%	0.0%	0.1%	0.0%	0.2%	0.2%
Grade 9	99.2%	0.4%	0.0%	0.0%	0.4%	0.0%	0.0%
Grade 10	99.1%	0.4%	0.0%	0.0%	0.0%	0.5%	0.0%
Grade 11	99.1%	0.0%	0.0%	0.4%	0.0%	0.0%	0.5%
Grade 12	97.6%	0.0%	0.0%	0.6%	0.6%	0.0%	1.2%
Crack?							
All	99.8%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%
Grade 7	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	99.7%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	99.5%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%
Grade 11	99.6%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?							
All	99.1%	0.0%	0.2%	0.1%	0.1%	0.0%	0.5%
Grade 7	99.2%	0.0%	0.3%	0.0%	0.2%	0.0%	0.2%
Grade 8	99.4%	0.0%	0.0%	0.1%	0.1%	0.0%	0.4%
Grade 9	99.6%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%
Grade 10	98.7%	0.0%	0.9%	0.0%	0.0%	0.0%	0.5%
Grade 11	98.3%	0.0%	0.0%	0.0%	0.0%	0.0%	1.7%
Grade 12	99.5%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%
Ecstasy?							
All	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.2%
Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	99.9%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	99.1%	0.5%	0.0%	0.0%	0.0%	0.0%	0.4%
Grade 11	99.6%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%
Grade 12	99.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.1%	0.0%	0.1%	0.1%	0.0%	0.0%
	Grade 7	99.6%	0.0%	0.1%	0.1%	0.2%	0.0%	0.0%
	Grade 8	99.6%	0.1%	0.1%	0.0%	0.1%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.1%	0.5%	0.0%	0.4%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.6%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.4%	0.2%	0.0%	0.0%	0.4%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.6%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%
	Grade 11	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 12	98.8%	0.0%	0.0%	0.0%	0.0%	0.0%	1.2%
Synthetic Marijuana?								
	All	97.7%	0.1%	0.4%	0.2%	0.2%	0.4%	1.0%
	Grade 7	99.7%	0.2%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 8	98.9%	0.2%	0.0%	0.1%	0.3%	0.4%	0.1%
	Grade 9	97.9%	0.0%	0.8%	0.0%	0.0%	0.4%	0.8%
	Grade 10	97.4%	0.0%	0.4%	1.0%	0.0%	0.4%	0.8%
	Grade 11	96.0%	0.0%	0.0%	0.0%	0.9%	1.3%	1.7%
	Grade 12	95.8%	0.0%	1.2%	0.0%	0.0%	0.0%	3.0%
Delta 8?								
	All	95.5%	0.4%	0.5%	0.4%	0.7%	0.9%	1.6%
	Grade 7	99.2%	0.1%	0.0%	0.0%	0.1%	0.0%	0.6%
	Grade 8	98.9%	0.1%	0.0%	0.2%	0.2%	0.3%	0.3%
	Grade 9	96.1%	0.4%	0.4%	0.4%	0.7%	0.8%	1.2%
	Grade 10	94.9%	0.4%	1.0%	1.0%	1.1%	0.4%	1.3%
	Grade 11	93.0%	0.9%	0.4%	0.4%	1.4%	3.0%	1.0%
	Grade 12	89.5%	0.6%	1.2%	0.6%	1.2%	0.6%	6.3%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.6	12.1	12.9	13.8	14.5	15.2
Cocaine	15.0	11.0	12.0	15.0	14.5	16.6	15.3
Crack	13.9	10.8	9.9	N/A	15.9	16.0	N/A
Steroids	12.0	9.1	11.7	11.3	12.3	12.7	N/A
Ecstasy	11.4	14.0	11.6	N/A	11.3	N/A	N/A
Heroin	11.9	10.8	9.6	N/A	12.9	N/A	13.0
Methamphetamine	12.5	12.3	11.1	N/A	15.0	11.0	14.0
Synthetic Marijuana	14.4	9.8	12.1	13.4	14.7	14.3	16.5
Delta 8?	14.5	10.4	13.0	13.3	14.5	14.5	15.9

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	36.6%	23.9%	9.8%	9.2%	9.0%	11.4%
	Grade 7	50.0%	32.4%	9.3%	3.6%	2.4%	2.3%
	Grade 8	39.7%	32.3%	9.4%	7.7%	5.6%	5.3%
	Grade 9	32.6%	26.1%	11.0%	9.5%	11.9%	8.9%
	Grade 10	39.5%	18.3%	11.0%	11.3%	7.9%	12.1%
	Grade 11	30.7%	17.9%	8.0%	13.2%	12.8%	17.4%
	Grade 12	24.6%	13.0%	10.3%	11.0%	14.8%	26.2%
Cocaine?							
	All	45.1%	36.9%	9.8%	4.6%	1.7%	2.0%
	Grade 7	51.4%	38.3%	6.6%	2.0%	0.8%	0.8%
	Grade 8	46.4%	38.2%	8.3%	4.7%	1.3%	1.1%
	Grade 9	42.4%	41.2%	9.6%	3.3%	1.5%	2.1%
	Grade 10	46.5%	34.3%	9.8%	6.0%	1.5%	2.0%
	Grade 11	40.4%	35.7%	12.2%	6.5%	1.7%	3.5%
	Grade 12	43.0%	31.9%	13.3%	5.3%	3.6%	2.9%
Crack?							
	All	46.7%	37.1%	9.9%	3.3%	1.1%	1.7%
	Grade 7	52.8%	37.1%	7.0%	1.5%	0.8%	0.9%
	Grade 8	47.2%	38.4%	8.2%	4.2%	1.2%	0.8%
	Grade 9	43.7%	41.2%	9.3%	2.5%	1.2%	2.1%
	Grade 10	48.6%	35.1%	10.0%	3.7%	1.0%	1.5%
	Grade 11	42.2%	37.8%	10.6%	5.4%	1.0%	3.0%
	Grade 12	45.5%	31.5%	16.2%	3.0%	1.3%	2.4%
Steroids?							
	All	47.4%	32.4%	9.0%	5.0%	3.5%	2.8%
	Grade 7	54.5%	33.0%	5.9%	3.1%	1.5%	2.0%
	Grade 8	49.2%	32.5%	9.3%	5.0%	2.2%	1.9%
	Grade 9	44.8%	36.9%	8.0%	6.0%	1.7%	2.6%
	Grade 10	47.2%	29.9%	10.1%	5.2%	5.1%	2.5%
	Grade 11	43.0%	31.0%	8.8%	5.6%	7.3%	4.2%
	Grade 12	44.6%	29.8%	13.1%	5.0%	3.5%	4.1%
Ecstasy?							
	All	57.2%	29.2%	7.9%	2.9%	1.4%	1.5%
	Grade 7	67.0%	25.6%	4.7%	1.6%	0.5%	0.7%
	Grade 8	61.6%	28.4%	6.4%	2.3%	0.7%	0.6%
	Grade 9	52.8%	35.0%	7.8%	2.0%	1.2%	1.2%
	Grade 10	58.3%	26.5%	7.0%	4.3%	1.9%	1.9%
	Grade 11	51.4%	30.7%	9.4%	3.4%	2.2%	2.8%
	Grade 12	50.9%	28.2%	12.9%	4.2%	2.1%	1.8%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	50.8%	36.1%	8.3%	2.4%	1.0%	1.4%
	Grade 7	60.9%	30.4%	5.2%	1.9%	0.6%	1.1%
	Grade 8	54.2%	34.0%	7.3%	2.6%	0.9%	1.1%
	Grade 9	46.5%	40.9%	6.5%	3.7%	1.6%	0.8%
	Grade 10	48.3%	38.5%	8.5%	2.1%	1.1%	1.5%
	Grade 11	45.4%	38.9%	10.7%	2.1%	0.7%	2.3%
	Grade 12	49.1%	33.9%	12.6%	1.7%	0.9%	1.8%
Methamphetamine?							
	All	51.4%	34.9%	8.1%	2.7%	1.2%	1.7%
	Grade 7	61.6%	30.9%	4.5%	1.3%	0.8%	0.9%
	Grade 8	56.2%	32.0%	6.1%	3.5%	1.3%	1.0%
	Grade 9	46.4%	39.1%	7.8%	3.0%	1.6%	2.1%
	Grade 10	50.6%	34.6%	8.5%	3.3%	0.9%	2.0%
	Grade 11	44.4%	39.2%	10.9%	2.1%	1.0%	2.3%
	Grade 12	48.4%	33.2%	12.2%	2.9%	1.5%	1.8%
Synthetic Marijuana?							
	All	56.0%	27.0%	6.9%	3.3%	3.0%	3.7%
	Grade 7	64.5%	27.5%	4.7%	1.3%	1.1%	1.0%
	Grade 8	59.3%	27.0%	5.5%	3.6%	3.2%	1.4%
	Grade 9	50.8%	31.2%	5.4%	4.4%	4.9%	3.3%
	Grade 10	57.4%	22.9%	7.3%	5.9%	1.8%	4.7%
	Grade 11	52.1%	27.4%	8.5%	2.5%	3.3%	6.2%
	Grade 12	51.2%	25.2%	11.5%	2.1%	3.8%	6.2%
Delta 8?							
	All	55.5%	24.5%	6.9%	3.5%	3.3%	6.3%
	Grade 7	65.6%	25.4%	5.0%	1.2%	1.5%	1.3%
	Grade 8	60.5%	25.0%	5.8%	3.8%	2.4%	2.4%
	Grade 9	49.5%	30.9%	6.1%	2.9%	4.5%	6.1%
	Grade 10	56.8%	20.7%	7.4%	4.2%	4.4%	6.6%
	Grade 11	50.5%	23.3%	7.2%	3.7%	3.3%	12.0%
	Grade 12	48.3%	19.9%	11.2%	5.6%	4.0%	11.0%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	94.9%	2.5%	0.9%	1.7%
Grade 7	99.0%	0.8%	0.1%	0.2%
Grade 8	97.1%	2.0%	0.2%	0.7%
Grade 9	96.0%	1.6%	1.3%	1.2%
Grade 10	93.9%	3.2%	0.5%	2.4%
Grade 11	91.8%	5.0%	1.8%	1.4%
Grade 12	89.9%	3.1%	1.9%	5.2%
Attended Class While High from Use of Some Other Drug?				
All	98.2%	1.1%	0.3%	0.3%
Grade 7	99.3%	0.6%	0.0%	0.1%
Grade 8	98.7%	0.9%	0.1%	0.3%
Grade 9	98.4%	1.2%	0.4%	0.0%
Grade 10	97.0%	1.0%	1.6%	0.5%
Grade 11	97.7%	1.4%	0.0%	0.9%
Grade 12	97.9%	1.8%	0.0%	0.3%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.9
Marijuana Non-Users	4.9
Average Days Conduct Problems Reported	
Marijuana Users	4.4
Marijuana Non-Users	1.5

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.2%	3.6%	0.3%	0.9%
Grade 9	98.3%	1.7%	0.0%	0.0%
Grade 10	97.4%	1.7%	0.0%	0.9%
Grade 11	92.6%	6.5%	0.4%	0.5%
Grade 12	91.4%	4.9%	0.9%	2.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.4%	2.0%	0.3%	0.2%
Grade 7	99.0%	0.8%	0.1%	0.1%
Grade 8	97.5%	2.1%	0.3%	0.1%
Grade 9	97.8%	2.2%	0.0%	0.0%
Grade 10	97.4%	2.1%	0.5%	0.0%
Grade 11	94.9%	3.8%	0.8%	0.5%
Grade 12	97.9%	1.2%	0.0%	0.9%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	71.8%	14.9%	6.7%	5.1%	1.5%
Grade 7	91.9%	5.0%	2.1%	0.5%	0.6%
Grade 8	82.2%	11.2%	3.2%	2.7%	0.8%
Grade 9	74.3%	13.5%	8.6%	2.7%	1.1%
Grade 10	66.5%	19.5%	6.3%	5.8%	1.9%
Grade 11	62.8%	17.1%	8.7%	9.5%	2.0%
Grade 12	45.9%	26.6%	12.7%	11.8%	2.9%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	62.6%	4.4%	3.2%	4.7%	4.0%	2.4%	18.7%
Grade 7	83.6%	1.8%	1.2%	0.8%	0.1%	1.7%	10.8%
Grade 8	77.8%	3.0%	1.1%	1.8%	1.0%	2.4%	12.9%
Grade 9	62.1%	4.5%	2.1%	3.0%	3.3%	2.2%	22.8%
Grade 10	58.1%	3.7%	3.9%	3.8%	3.7%	2.3%	24.4%
Grade 11	50.0%	6.5%	6.1%	9.3%	5.5%	3.8%	18.9%
Grade 12	36.2%	7.6%	5.8%	11.6%	12.4%	2.3%	24.1%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.1%	7.3%	7.7%	2.1%	0.7%	6.1%
Grade 7	84.6%	2.9%	2.0%	0.5%	0.5%	9.5%
Grade 8	84.8%	2.2%	4.0%	0.9%	0.6%	7.4%
Grade 9	78.2%	6.5%	7.5%	2.8%	0.4%	4.6%
Grade 10	73.2%	7.9%	9.7%	1.6%	0.5%	7.0%
Grade 11	70.2%	11.1%	9.5%	2.7%	1.4%	5.2%
Grade 12	61.1%	15.6%	15.9%	4.7%	0.9%	1.8%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	63.1%	15.0%	10.7%	5.2%	6.1%
	Grade 7	81.0%	8.7%	2.4%	1.3%	6.6%
	Grade 8	71.9%	13.5%	5.5%	3.0%	6.1%
	Grade 9	58.8%	17.7%	10.5%	4.9%	8.0%
	Grade 10	61.0%	16.6%	10.5%	6.7%	5.2%
	Grade 11	57.6%	17.3%	14.8%	5.2%	5.2%
	Grade 12	43.1%	16.7%	23.7%	11.6%	4.9%
Cocaine?	All	86.9%	5.6%	0.7%	0.4%	6.4%
	Grade 7	87.5%	4.4%	0.9%	0.7%	6.5%
	Grade 8	86.4%	6.1%	1.0%	0.6%	5.9%
	Grade 9	84.2%	7.3%	0.4%	0.4%	7.7%
	Grade 10	85.9%	5.5%	1.4%	0.4%	6.7%
	Grade 11	90.6%	3.6%	0.4%	0.0%	5.4%
	Grade 12	86.9%	6.9%	0.0%	0.3%	5.9%
Crack?	All	87.6%	4.6%	0.6%	0.4%	6.8%
	Grade 7	88.1%	3.4%	0.7%	0.8%	7.0%
	Grade 8	86.3%	5.7%	0.5%	0.7%	6.8%
	Grade 9	85.4%	6.1%	0.4%	0.4%	7.7%
	Grade 10	87.7%	4.1%	1.4%	0.0%	6.7%
	Grade 11	91.9%	2.2%	0.4%	0.0%	5.4%
	Grade 12	86.3%	5.8%	0.0%	0.8%	7.1%
Ecstasy?	All	80.0%	5.5%	0.8%	0.5%	13.2%
	Grade 7	80.4%	4.6%	1.0%	0.7%	13.3%
	Grade 8	80.1%	4.5%	0.5%	0.5%	14.4%
	Grade 9	77.9%	5.7%	0.4%	0.4%	15.6%
	Grade 10	76.1%	6.4%	2.3%	0.5%	14.8%
	Grade 11	86.4%	3.5%	0.0%	0.0%	10.1%
	Grade 12	79.0%	9.1%	0.9%	0.8%	10.2%
Steroids?	All	74.0%	12.4%	3.6%	1.0%	9.0%
	Grade 7	79.1%	8.4%	2.9%	1.1%	8.5%
	Grade 8	73.9%	12.7%	3.2%	1.5%	8.7%
	Grade 9	68.7%	14.7%	3.2%	0.8%	12.7%
	Grade 10	70.2%	14.1%	6.8%	1.5%	7.4%
	Grade 11	76.5%	11.2%	3.6%	0.5%	8.1%
	Grade 12	76.0%	13.2%	2.0%	0.6%	8.2%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	85.7%	4.3%	0.4%	0.4%	9.2%
	Grade 7	83.3%	5.0%	0.5%	0.8%	10.5%
	Grade 8	83.6%	4.4%	1.1%	0.7%	10.1%
	Grade 9	82.1%	6.0%	0.0%	0.4%	11.5%
	Grade 10	87.6%	3.9%	0.5%	0.0%	7.9%
	Grade 11	90.8%	2.2%	0.0%	0.0%	7.0%
	Grade 12	88.3%	4.0%	0.0%	0.3%	7.4%
Methamphetamine?						
	All	86.1%	4.2%	0.5%	0.4%	8.9%
	Grade 7	83.9%	4.1%	0.6%	0.7%	10.7%
	Grade 8	85.2%	3.9%	0.6%	0.7%	9.6%
	Grade 9	83.6%	4.9%	1.2%	0.4%	9.9%
	Grade 10	85.4%	6.0%	0.5%	0.0%	8.0%
	Grade 11	91.6%	1.4%	0.0%	0.0%	7.0%
	Grade 12	87.7%	4.7%	0.0%	0.3%	7.3%
Synthetic Marijuana?						
	All	75.6%	8.7%	2.5%	1.4%	11.7%
	Grade 7	80.0%	6.1%	1.0%	0.9%	12.1%
	Grade 8	80.2%	5.4%	1.7%	1.3%	11.5%
	Grade 9	73.1%	8.6%	3.8%	1.2%	13.3%
	Grade 10	72.9%	10.8%	3.1%	2.0%	11.2%
	Grade 11	74.3%	10.6%	2.9%	0.5%	11.7%
	Grade 12	71.9%	12.2%	2.9%	3.0%	10.0%
Delta 8?						
	All	70.3%	10.3%	4.7%	2.5%	12.2%
	Grade 7	78.0%	6.3%	2.0%	1.1%	12.5%
	Grade 8	76.4%	7.0%	2.5%	1.6%	12.5%
	Grade 9	68.1%	10.8%	5.0%	3.2%	12.9%
	Grade 10	68.9%	11.7%	5.8%	2.4%	11.2%
	Grade 11	65.7%	12.9%	6.6%	2.6%	12.2%
	Grade 12	62.6%	14.1%	7.2%	4.7%	11.4%
Fictional Drug?						
	All	79.6%	4.0%	0.3%	0.5%	15.7%
	Grade 7	80.9%	3.6%	0.7%	0.7%	14.2%
	Grade 8	79.9%	4.0%	0.2%	0.4%	15.4%
	Grade 9	77.2%	5.2%	0.4%	0.8%	16.4%
	Grade 10	76.9%	3.7%	0.5%	0.0%	18.9%
	Grade 11	82.4%	1.7%	0.0%	0.0%	15.9%
	Grade 12	80.2%	5.8%	0.0%	0.8%	13.2%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	4.4%	7.1%	11.7%	88.3%
Grade 7	4.9%	7.0%	12.6%	87.4%
Grade 8	5.1%	6.7%	12.0%	88.0%
Grade 9	4.8%	8.4%	12.4%	87.6%
Grade 10	3.5%	7.8%	12.8%	87.2%
Grade 11	4.0%	6.8%	9.8%	90.2%
Grade 12	3.8%	5.8%	10.2%	89.8%
Codeine Cough Syrup?				
All	2.2%	4.0%	7.7%	92.3%
Grade 7	2.5%	3.6%	8.2%	91.8%
Grade 8	3.1%	4.8%	8.9%	91.1%
Grade 9	2.5%	4.4%	7.5%	92.5%
Grade 10	2.1%	5.6%	9.4%	90.6%
Grade 11	1.2%	2.7%	5.5%	94.5%
Grade 12	1.4%	2.6%	6.1%	93.9%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	0.4%	0.8%	2.0%	98.0%
Grade 10	0.9%	0.9%	1.3%	98.7%
Grade 11	1.0%	1.3%	2.7%	97.3%
Grade 12	0.0%	0.6%	1.8%	98.2%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.8%	1.4%	2.5%	97.5%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	1.0%	1.0%	1.7%	98.3%
Grade 9	0.3%	0.7%	3.1%	96.9%
Grade 10	1.4%	2.7%	4.0%	96.0%
Grade 11	1.4%	3.4%	4.1%	95.9%
Grade 12	0.0%	0.0%	1.2%	98.8%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.4%	1.9%	3.4%	96.6%
Grade 7	1.2%	1.5%	2.3%	97.7%
Grade 8	1.0%	1.2%	2.2%	97.8%
Grade 9	0.3%	0.7%	3.5%	96.5%
Grade 10	1.8%	2.3%	4.1%	95.9%
Grade 11	1.8%	2.6%	3.9%	96.1%
Grade 12	2.9%	3.8%	5.0%	95.0%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.3%	3.4%	5.7%	94.3%
Grade 7	2.1%	3.7%	5.9%	94.1%
Grade 8	3.0%	3.4%	6.2%	93.8%
Grade 9	3.0%	5.4%	8.2%	91.8%
Grade 10	2.6%	3.2%	5.1%	94.9%
Grade 11	2.8%	3.8%	6.2%	93.8%
Grade 12	0.0%	0.0%	1.5%	98.5%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.1%	1.5%	2.5%	97.5%
Grade 7	1.5%	1.9%	3.3%	96.7%
Grade 8	1.3%	1.6%	2.6%	97.4%
Grade 9	1.1%	1.6%	2.7%	97.3%
Grade 10	2.6%	2.6%	3.9%	96.1%
Grade 11	0.0%	0.7%	1.6%	98.4%
Grade 12	0.0%	0.6%	0.6%	99.4%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.9%	13.3%	3.4%	1.0%	8.4%
Grade 7	78.0%	10.5%	2.5%	1.1%	7.9%
Grade 8	74.0%	11.6%	3.4%	1.4%	9.6%
Grade 9	70.3%	14.9%	4.5%	0.8%	9.5%
Grade 10	72.1%	16.7%	3.3%	0.4%	7.4%
Grade 11	75.3%	13.0%	3.9%	0.5%	7.3%
Grade 12	73.8%	13.3%	3.0%	1.5%	8.3%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.2%	4.1%	9.1%	90.9%
Grade 7	5.9%	6.9%	11.5%	88.5%
Grade 8	3.7%	4.9%	10.7%	89.3%
Grade 9	4.2%	4.2%	8.3%	91.7%
Grade 10	1.7%	2.4%	7.3%	92.7%
Grade 11	1.2%	2.6%	7.9%	92.1%
Grade 12	2.0%	3.4%	8.8%	91.2%
Spray Paint?				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.5%	0.5%	1.8%	98.2%
Grade 8	0.2%	0.3%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.5%	0.8%	1.6%	98.4%
Grade 12	0.6%	0.6%	1.1%	98.9%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.8%	1.0%	3.8%	96.2%
Grade 7	1.4%	2.4%	4.9%	95.1%
Grade 8	0.8%	1.0%	4.3%	95.7%
Grade 9	1.2%	1.2%	5.0%	95.0%
Grade 10	0.0%	0.0%	2.5%	97.5%
Grade 11	0.8%	0.8%	2.2%	97.8%
Grade 12	0.6%	0.6%	3.5%	96.5%
Computer Dusting Sprays?				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.6%	0.6%	0.6%	99.4%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.7%	1.1%	4.4%	95.6%
Grade 7	1.2%	1.4%	4.7%	95.3%
Grade 8	1.0%	1.5%	4.3%	95.7%
Grade 9	0.3%	0.3%	3.4%	96.6%
Grade 10	1.3%	1.6%	4.6%	95.4%
Grade 11	0.0%	0.5%	4.8%	95.2%
Grade 12	0.6%	1.7%	4.6%	95.4%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.7%	1.1%	2.3%	97.7%
Grade 8	0.4%	0.5%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.6%	0.6%	0.6%	99.4%
Toluene, Paint Thinner, or Other Solvents?				
All	0.1%	0.3%	0.9%	99.1%
Grade 7	0.1%	0.1%	1.1%	98.9%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.3%	0.8%	99.2%
Grade 11	0.0%	0.5%	1.0%	99.0%
Grade 12	0.6%	0.6%	0.6%	99.4%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	1.1%	1.4%	3.1%	96.9%
Grade 8	0.7%	1.0%	3.4%	96.6%
Grade 9	1.1%	1.1%	1.5%	98.5%
Grade 10	0.0%	0.3%	1.3%	98.7%
Grade 11	0.0%	1.0%	2.1%	97.9%
Grade 12	0.6%	0.6%	0.6%	99.4%
Other Aerosols/Sprays?				
All	0.7%	0.8%	1.6%	98.4%
Grade 7	1.0%	1.4%	2.5%	97.5%
Grade 8	0.8%	1.1%	2.5%	97.5%
Grade 9	1.2%	1.2%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.5%	0.5%	1.7%	98.3%
Grade 12	0.6%	0.6%	0.6%	99.4%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.3%	0.1%	0.0%	0.3%	0.2%	0.3%	0.7%
Grade 7	96.8%	0.2%	0.2%	0.6%	0.6%	0.6%	0.9%
Grade 8	98.0%	0.2%	0.0%	0.1%	0.5%	0.2%	0.9%
Grade 9	98.8%	0.0%	0.0%	0.4%	0.0%	0.4%	0.4%
Grade 10	98.5%	0.0%	0.0%	0.4%	0.0%	0.0%	1.0%
Grade 11	98.7%	0.0%	0.0%	0.0%	0.0%	0.8%	0.5%
Grade 12	99.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	92.5%	4.2%	2.2%	1.1%
Grade 7	90.0%	5.4%	3.0%	1.5%
Grade 8	91.2%	4.8%	2.5%	1.5%
Grade 9	92.9%	3.6%	2.6%	0.8%
Grade 10	93.7%	3.7%	2.1%	0.4%
Grade 11	93.7%	3.8%	0.8%	1.6%
Grade 12	93.8%	4.0%	1.7%	0.6%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.3	9.8	11.0	10.0	11.4	14.3	12.9

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.5%	0.2%	0.0%	0.2%
Grade 7	99.6%	0.4%	0.0%	0.0%
Grade 8	99.4%	0.3%	0.0%	0.3%
Grade 9	100.0%	0.0%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%
Grade 11	99.0%	0.6%	0.0%	0.4%
Grade 12	99.1%	0.0%	0.0%	0.9%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.2
Inhalant Non-Users	5.1
Average Days Conduct Problems Reported	
Inhalant Users	5.2
Inhalant Non-Users	1.7

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	95.5%	3.5%	0.7%	0.3%	0.0%
Grade 7	93.0%	5.2%	1.4%	0.4%	0.1%
Grade 8	94.7%	3.9%	1.2%	0.3%	0.0%
Grade 9	95.9%	3.0%	0.3%	0.8%	0.0%
Grade 10	95.7%	4.3%	0.0%	0.0%	0.0%
Grade 11	95.9%	4.1%	0.0%	0.0%	0.0%
Grade 12	98.6%	0.3%	1.1%	0.0%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.0%	13.1%	4.6%	1.6%	8.7%
Grade 7	72.9%	13.6%	4.6%	1.6%	7.3%
Grade 8	72.9%	12.8%	4.3%	1.6%	8.4%
Grade 9	66.6%	15.6%	5.1%	1.6%	11.1%
Grade 10	72.1%	12.5%	4.9%	1.3%	9.2%
Grade 11	75.3%	11.4%	4.8%	0.4%	8.1%
Grade 12	73.2%	11.9%	3.8%	3.2%	7.9%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	47.8%	17.0%	4.3%	5.4%	8.6%	16.9%
Grade 7	52.5%	21.5%	5.1%	3.5%	6.2%	11.2%
Grade 8	48.3%	19.9%	5.5%	5.0%	7.3%	14.0%
Grade 9	43.4%	19.4%	4.1%	7.3%	9.6%	16.1%
Grade 10	50.4%	13.1%	2.4%	4.6%	8.9%	20.6%
Grade 11	46.2%	14.6%	3.6%	5.8%	7.0%	22.9%
Grade 12	45.8%	11.3%	5.3%	6.4%	13.6%	17.5%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	38.9%
	Grade 7	38.7%
	Grade 8	38.7%
	Grade 9	32.1%
	Grade 10	42.8%
	Grade 11	40.3%
	Grade 12	42.8%
An Assembly Program		
	All	43.0%
	Grade 7	40.5%
	Grade 8	43.6%
	Grade 9	38.5%
	Grade 10	45.6%
	Grade 11	41.1%
	Grade 12	50.6%
Guidance Counselor		
	All	28.3%
	Grade 7	33.7%
	Grade 8	32.3%
	Grade 9	23.5%
	Grade 10	26.5%
	Grade 11	23.9%
	Grade 12	30.1%
School Nurse		
	All	17.7%
	Grade 7	21.0%
	Grade 8	17.2%
	Grade 9	15.2%
	Grade 10	19.8%
	Grade 11	13.1%
	Grade 12	20.8%
Science or Social Studies Class		
	All	26.4%
	Grade 7	31.6%
	Grade 8	28.8%
	Grade 9	22.1%
	Grade 10	29.0%
	Grade 11	22.6%
	Grade 12	23.7%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	12.5%
	Grade 7	11.7%
	Grade 8	14.4%
	Grade 9	13.3%
	Grade 10	12.1%
	Grade 11	9.9%
	Grade 12	13.3%
An Invited School Guest		
	All	29.7%
	Grade 7	27.2%
	Grade 8	29.5%
	Grade 9	26.7%
	Grade 10	30.4%
	Grade 11	32.0%
	Grade 12	33.7%
Another Source at School		
	All	28.6%
	Grade 7	28.7%
	Grade 8	32.0%
	Grade 9	24.8%
	Grade 10	30.5%
	Grade 11	28.2%
	Grade 12	27.4%
Any School Source		
	All	63.4%
	Grade 7	63.7%
	Grade 8	65.3%
	Grade 9	59.7%
	Grade 10	64.3%
	Grade 11	60.4%
	Grade 12	67.8%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
<hr/>		
Counselor/Program In-School		
	All	32.3%
	Grade 7	43.1%
	Grade 8	38.4%
	Grade 9	26.8%
	Grade 10	26.4%
	Grade 11	29.0%
	Grade 12	29.0%
School Nurse		
	All	21.3%
	Grade 7	31.1%
	Grade 8	24.3%
	Grade 9	17.8%
	Grade 10	18.3%
	Grade 11	16.6%
	Grade 12	18.6%
Another Adult In School		
	All	35.5%
	Grade 7	44.1%
	Grade 8	39.6%
	Grade 9	35.0%
	Grade 10	29.7%
	Grade 11	30.7%
	Grade 12	32.2%
Counselor/Program Outside-School		
	All	38.0%
	Grade 7	42.7%
	Grade 8	41.9%
	Grade 9	35.1%
	Grade 10	32.9%
	Grade 11	39.5%
	Grade 12	34.9%
Your Parents		
	All	71.5%
	Grade 7	78.1%
	Grade 8	72.5%
	Grade 9	72.4%
	Grade 10	70.3%
	Grade 11	71.3%
	Grade 12	62.3%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
<hr/>		
A Medical Doctor		
	All	56.0%
	Grade 7	65.6%
	Grade 8	63.4%
	Grade 9	53.2%
	Grade 10	46.7%
	Grade 11	53.2%
	Grade 12	51.7%
Your Friends		
	All	61.5%
	Grade 7	50.1%
	Grade 8	53.6%
	Grade 9	72.5%
	Grade 10	60.2%
	Grade 11	66.9%
	Grade 12	66.1%
Another Adult		
	All	57.8%
	Grade 7	59.7%
	Grade 8	61.5%
	Grade 9	61.0%
	Grade 10	57.2%
	Grade 11	55.8%
	Grade 12	49.7%
<hr/>		

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
<hr/>		
	All	5.4%
	Grade 7	4.8%
	Grade 8	6.9%
	Grade 9	6.1%
	Grade 10	5.6%
	Grade 11	4.8%
	Grade 12	4.3%
<hr/>		

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	4.7%	18.1%	23.2%	38.2%	15.8%
Grade 7	6.0%	17.6%	18.7%	33.9%	23.8%
Grade 8	6.0%	17.6%	19.8%	38.8%	17.9%
Grade 9	5.7%	19.0%	25.5%	38.1%	11.6%
Grade 10	4.1%	16.3%	23.0%	42.0%	14.5%
Grade 11	3.0%	21.8%	24.8%	36.4%	14.0%
Grade 12	2.3%	16.1%	28.6%	40.9%	12.2%
Sometimes Carry Weapons?					
All	79.6%	13.1%	4.8%	1.9%	0.7%
Grade 7	89.5%	6.7%	2.7%	0.6%	0.5%
Grade 8	82.5%	11.2%	4.1%	1.3%	0.8%
Grade 9	79.0%	13.1%	4.4%	3.1%	0.4%
Grade 10	73.0%	17.5%	6.0%	2.6%	0.8%
Grade 11	79.3%	13.2%	4.2%	2.5%	0.8%
Grade 12	71.8%	18.3%	7.9%	0.8%	1.2%
Care About Making Good Grades?					
All	2.4%	13.2%	23.7%	39.3%	21.5%
Grade 7	3.1%	11.9%	23.4%	36.9%	24.6%
Grade 8	1.7%	13.3%	25.7%	38.5%	20.8%
Grade 9	3.1%	17.5%	23.4%	38.1%	17.9%
Grade 10	2.4%	11.6%	23.8%	40.3%	21.9%
Grade 11	2.9%	11.5%	21.0%	42.4%	22.2%
Grade 12	0.8%	12.6%	24.9%	39.7%	21.9%
Belong/Want to Belong to a Gang?					
All	91.4%	5.2%	2.3%	0.6%	0.5%
Grade 7	90.6%	6.3%	1.7%	0.8%	0.6%
Grade 8	88.3%	7.5%	2.5%	1.0%	0.7%
Grade 9	87.7%	8.2%	3.0%	1.1%	0.0%
Grade 10	91.6%	3.9%	2.4%	0.5%	1.6%
Grade 11	95.4%	2.2%	2.4%	0.0%	0.0%
Grade 12	96.3%	1.9%	1.7%	0.0%	0.0%
Wish They Could Drop Out of School?					
All	45.3%	30.5%	14.1%	7.1%	3.1%
Grade 7	51.7%	26.7%	10.7%	5.5%	5.4%
Grade 8	45.1%	30.6%	13.8%	7.6%	3.0%
Grade 9	37.8%	33.4%	16.9%	10.1%	1.9%
Grade 10	43.9%	33.7%	11.7%	6.8%	3.9%
Grade 11	45.1%	27.9%	16.9%	7.7%	2.4%
Grade 12	49.3%	30.5%	14.4%	4.0%	1.8%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	88.7%	9.5%	0.8%	0.1%	0.9%
Grade 7	89.2%	9.1%	0.5%	0.4%	0.7%
Grade 8	87.7%	10.4%	1.2%	0.1%	0.7%
Grade 9	87.6%	10.1%	0.8%	0.0%	1.6%
Grade 10	86.3%	12.0%	0.3%	0.0%	1.3%
Grade 11	91.9%	6.8%	0.8%	0.0%	0.5%
Grade 12	89.9%	8.4%	1.1%	0.0%	0.6%
Out In Your Neighborhood?					
All	48.1%	42.8%	5.2%	0.8%	3.2%
Grade 7	46.3%	43.7%	6.2%	1.2%	2.6%
Grade 8	48.4%	40.5%	7.0%	0.4%	3.7%
Grade 9	47.6%	41.9%	5.1%	1.9%	3.5%
Grade 10	41.3%	49.3%	4.3%	0.3%	4.8%
Grade 11	57.4%	36.6%	2.9%	0.0%	3.1%
Grade 12	47.0%	46.0%	5.3%	0.6%	1.1%
At School?					
All	31.4%	50.6%	9.5%	3.9%	4.6%
Grade 7	35.5%	47.2%	9.3%	3.7%	4.3%
Grade 8	33.5%	47.6%	10.1%	3.8%	4.9%
Grade 9	22.9%	50.4%	14.0%	5.8%	6.8%
Grade 10	26.3%	53.4%	11.7%	3.7%	4.9%
Grade 11	34.4%	55.0%	5.3%	2.4%	2.8%
Grade 12	37.3%	50.7%	5.6%	3.3%	3.1%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.9%	12.7%	22.3%	77.7%
Grade 7	3.4%	4.6%	11.6%	88.4%
Grade 8	4.9%	6.5%	14.8%	85.2%
Grade 9	9.5%	13.1%	22.4%	77.6%
Grade 10	14.1%	16.6%	27.3%	72.7%
Grade 11	11.6%	15.9%	26.8%	73.2%
Grade 12	18.4%	21.8%	34.6%	65.4%
Any Alcohol Product				
All	25.1%	30.2%	46.2%	53.8%
Grade 7	12.2%	14.6%	34.1%	65.9%
Grade 8	20.7%	23.0%	41.0%	59.0%
Grade 9	29.9%	35.0%	50.5%	49.5%
Grade 10	25.6%	32.7%	45.4%	54.6%
Grade 11	28.1%	34.0%	48.7%	51.3%
Grade 12	36.6%	45.1%	60.5%	39.5%
Any Illicit Drug				
All	8.8%	12.9%	18.1%	81.9%
Grade 7	2.5%	4.5%	6.6%	93.4%
Grade 8	6.4%	9.4%	12.1%	87.9%
Grade 9	8.8%	11.0%	14.8%	85.2%
Grade 10	9.9%	12.9%	21.0%	79.0%
Grade 11	11.0%	19.2%	25.6%	74.4%
Grade 12	15.8%	22.9%	33.1%	66.9%
Any Prescription Drug				
All	4.4%	7.1%	11.7%	88.3%
Grade 7	4.9%	7.0%	12.6%	87.4%
Grade 8	5.1%	6.7%	12.0%	88.0%
Grade 9	4.8%	8.4%	12.4%	87.6%
Grade 10	3.5%	7.8%	12.8%	87.2%
Grade 11	4.0%	6.8%	9.8%	90.2%
Grade 12	3.8%	5.8%	10.2%	89.8%
Any Inhalant				
All	3.2%	4.1%	9.1%	90.9%
Grade 7	5.9%	6.9%	11.5%	88.5%
Grade 8	3.7%	4.9%	10.7%	89.3%
Grade 9	4.2%	4.2%	8.3%	91.7%
Grade 10	1.7%	2.4%	7.3%	92.7%
Grade 11	1.2%	2.6%	7.9%	92.1%
Grade 12	2.0%	3.4%	8.8%	91.2%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.3%	10.5%	20.0%	80.0%
Grade 7	1.7%	2.7%	9.1%	90.9%
Grade 8	2.6%	4.9%	12.7%	87.3%
Grade 9	7.7%	11.8%	20.1%	79.9%
Grade 10	10.0%	12.5%	24.0%	76.0%
Grade 11	10.1%	14.8%	24.3%	75.7%
Grade 12	13.7%	18.9%	33.5%	66.5%
Marijuana				
All	8.0%	10.5%	15.6%	84.4%
Grade 7	1.4%	2.3%	3.7%	96.3%
Grade 8	5.3%	6.6%	9.2%	90.8%
Grade 9	8.8%	10.0%	13.8%	86.2%
Grade 10	8.5%	10.2%	17.4%	82.6%
Grade 11	10.2%	15.5%	21.8%	78.2%
Grade 12	15.8%	20.8%	32.1%	67.9%
Marijuana Only				
All	3.2%	4.8%	8.8%	91.2%
Grade 7	0.9%	1.5%	2.6%	97.4%
Grade 8	3.4%	4.2%	6.5%	93.5%
Grade 9	3.1%	4.3%	7.3%	92.7%
Grade 10	3.6%	4.9%	10.4%	89.6%
Grade 11	3.6%	6.5%	12.1%	87.9%
Grade 12	4.8%	8.1%	16.2%	83.8%
Cocaine or Crack				
All	0.7%	0.9%	1.2%	98.8%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.9%	0.9%	1.4%	98.6%
Grade 11	0.4%	0.8%	0.8%	99.2%
Grade 12	1.7%	2.3%	3.4%	96.6%
Cocaine				
All	0.7%	0.8%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.9%	0.9%	1.4%	98.6%
Grade 11	0.4%	0.8%	0.8%	99.2%
Grade 12	1.7%	2.3%	3.4%	96.6%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.4%	0.5%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.4%	0.4%	0.4%	99.6%
	Grade 11	0.4%	0.4%	0.4%	99.6%
	Grade 12	0.0%	0.0%	0.6%	99.4%
Hallucinogens	All	0.6%	1.4%	3.1%	96.9%
	Grade 7	0.4%	0.6%	0.6%	99.4%
	Grade 8	0.3%	0.4%	1.0%	99.0%
	Grade 9	0.8%	1.5%	2.7%	97.3%
	Grade 10	0.5%	1.0%	3.7%	96.3%
	Grade 11	0.8%	1.6%	4.0%	96.0%
	Grade 12	1.1%	3.4%	7.4%	92.6%
Synthetic Cathinones	All	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.1%	0.1%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.4%	0.6%	1.7%	98.3%
	Grade 7	0.4%	0.7%	1.0%	99.0%
	Grade 8	0.1%	0.3%	0.8%	99.2%
	Grade 9	0.4%	0.4%	0.8%	99.2%
	Grade 10	0.8%	0.8%	2.5%	97.5%
	Grade 11	0.3%	1.1%	3.7%	96.3%
	Grade 12	0.0%	0.5%	1.7%	98.3%
Ecstasy	All	0.2%	0.2%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.1%	0.2%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.4%	0.4%	1.8%	98.2%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	0.6%	0.6%	1.1%	98.9%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	1.4%	1.9%	2.8%	97.2%
Grade 7	0.2%	0.5%	0.6%	99.4%
Grade 8	0.6%	0.9%	2.0%	98.0%
Grade 9	1.9%	1.9%	2.7%	97.3%
Grade 10	1.9%	2.3%	3.5%	96.5%
Grade 11	2.3%	3.3%	4.0%	96.0%
Grade 12	1.7%	2.9%	4.5%	95.5%
Methamphetamine				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.8%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.2%	98.8%
Delta 8				
All	2.5%	3.4%	5.4%	94.6%
Grade 7	0.3%	0.7%	1.4%	98.6%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	3.0%	3.7%	4.5%	95.5%
Grade 10	2.7%	3.8%	5.9%	94.1%
Grade 11	3.8%	5.6%	7.9%	92.1%
Grade 12	5.2%	6.9%	12.9%	87.1%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.2%	12.6%	21.1%	78.9%
Grade 7	3.2%	4.2%	11.5%	88.5%
Grade 8	7.0%	7.8%	15.3%	84.7%
Grade 9	10.5%	14.3%	20.3%	79.7%
Grade 10	15.1%	16.9%	25.9%	74.1%
Grade 11	9.7%	11.4%	20.5%	79.5%
Grade 12	17.6%	23.2%	36.8%	63.2%
Any Alcohol Product				
All	25.7%	30.4%	45.8%	54.2%
Grade 7	12.7%	15.3%	34.6%	65.4%
Grade 8	20.9%	22.7%	41.6%	58.4%
Grade 9	29.8%	35.9%	50.1%	49.9%
Grade 10	31.1%	35.7%	44.9%	55.1%
Grade 11	25.2%	30.9%	44.8%	55.2%
Grade 12	36.2%	43.9%	60.4%	39.6%
Any Illicit Drug				
All	8.8%	12.9%	17.2%	82.8%
Grade 7	2.9%	4.6%	5.8%	94.2%
Grade 8	8.1%	11.3%	14.1%	85.9%
Grade 9	8.2%	12.0%	14.0%	86.0%
Grade 10	9.1%	12.9%	20.4%	79.6%
Grade 11	9.2%	13.8%	20.1%	79.9%
Grade 12	16.7%	25.3%	32.5%	67.5%
Any Prescription Drug				
All	4.3%	6.8%	12.1%	87.9%
Grade 7	5.9%	8.0%	12.8%	87.2%
Grade 8	6.0%	7.9%	14.1%	85.9%
Grade 9	3.8%	5.9%	10.8%	89.2%
Grade 10	3.6%	7.4%	13.7%	86.3%
Grade 11	2.9%	5.7%	8.9%	91.1%
Grade 12	3.5%	6.3%	12.5%	87.5%
Any Inhalant				
All	3.2%	4.0%	9.2%	90.8%
Grade 7	5.9%	6.5%	10.4%	89.6%
Grade 8	3.4%	5.2%	11.1%	88.9%
Grade 9	3.2%	3.2%	6.5%	93.5%
Grade 10	3.0%	3.7%	9.6%	90.4%
Grade 11	1.6%	3.1%	9.0%	91.0%
Grade 12	1.6%	2.1%	9.3%	90.7%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.3%	10.2%	18.4%	81.6%
Grade 7	1.4%	2.2%	9.1%	90.9%
Grade 8	3.4%	5.5%	12.8%	87.2%
Grade 9	8.8%	13.4%	17.5%	82.5%
Grade 10	10.9%	11.8%	22.3%	77.7%
Grade 11	8.1%	9.9%	17.5%	82.5%
Grade 12	12.5%	20.1%	34.8%	65.2%
Marijuana				
All	7.8%	10.3%	14.6%	85.4%
Grade 7	1.6%	2.2%	3.3%	96.7%
Grade 8	6.7%	8.3%	11.3%	88.7%
Grade 9	8.2%	10.2%	12.2%	87.8%
Grade 10	7.1%	9.8%	16.4%	83.6%
Grade 11	7.6%	11.5%	16.9%	83.1%
Grade 12	16.7%	22.1%	31.6%	68.4%
Marijuana Only				
All	3.5%	5.3%	8.7%	91.3%
Grade 7	1.3%	1.8%	2.6%	97.4%
Grade 8	4.5%	5.2%	7.9%	92.1%
Grade 9	2.9%	4.9%	6.2%	93.8%
Grade 10	4.3%	6.3%	10.9%	89.1%
Grade 11	3.3%	6.0%	11.3%	88.7%
Grade 12	4.9%	8.0%	15.1%	84.9%
Cocaine or Crack				
All	0.6%	0.8%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.2%	3.3%	3.3%	96.7%
Cocaine				
All	0.6%	0.7%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.2%	3.3%	3.3%	96.7%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.1%	98.9%
Hallucinogens				
All	0.8%	1.7%	3.2%	96.8%
Grade 7	0.6%	1.0%	1.0%	99.0%
Grade 8	0.5%	0.6%	1.3%	98.7%
Grade 9	0.6%	2.0%	3.3%	96.7%
Grade 10	1.1%	1.1%	3.0%	97.0%
Grade 11	0.9%	0.9%	2.5%	97.5%
Grade 12	1.1%	5.0%	9.4%	90.6%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.6%	2.0%	98.0%
Grade 7	0.1%	0.4%	0.9%	99.1%
Grade 8	0.1%	0.5%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	4.5%	95.5%
Grade 11	0.0%	0.7%	4.3%	95.7%
Grade 12	0.0%	1.0%	2.1%	97.9%
Ecstasy				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.7%	1.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.8%	1.8%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.2%	1.5%	2.4%	97.6%
Grade 7	0.3%	0.7%	0.9%	99.1%
Grade 8	0.7%	1.1%	2.6%	97.4%
Grade 9	1.4%	1.4%	2.7%	97.3%
Grade 10	1.8%	1.8%	3.7%	96.3%
Grade 11	2.9%	2.9%	3.6%	96.4%
Grade 12	0.0%	1.1%	1.1%	98.9%
Methamphetamine				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.6%	1.3%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	2.5%	3.1%	4.6%	95.4%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.5%	0.7%	1.9%	98.1%
Grade 9	3.3%	4.0%	4.0%	96.0%
Grade 10	2.9%	3.6%	5.4%	94.6%
Grade 11	3.1%	3.1%	4.2%	95.8%
Grade 12	5.6%	7.8%	13.4%	86.6%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.6%	12.8%	23.6%	76.4%
Grade 7	3.6%	5.0%	11.7%	88.3%
Grade 8	2.7%	5.2%	14.1%	85.9%
Grade 9	8.1%	11.5%	25.3%	74.7%
Grade 10	13.5%	16.6%	29.0%	71.0%
Grade 11	13.3%	20.7%	32.8%	67.2%
Grade 12	19.2%	20.4%	32.2%	67.8%
Any Alcohol Product				
All	24.6%	30.0%	46.7%	53.3%
Grade 7	11.8%	14.1%	33.7%	66.3%
Grade 8	20.8%	23.7%	40.8%	59.2%
Grade 9	30.0%	33.8%	51.1%	48.9%
Grade 10	21.2%	29.6%	45.7%	54.3%
Grade 11	31.3%	37.7%	52.7%	47.3%
Grade 12	36.9%	46.4%	60.7%	39.3%
Any Illicit Drug				
All	8.9%	12.6%	19.1%	80.9%
Grade 7	2.1%	4.5%	7.3%	92.7%
Grade 8	4.6%	7.2%	9.8%	90.2%
Grade 9	9.7%	9.7%	16.0%	84.0%
Grade 10	10.8%	13.1%	21.9%	78.1%
Grade 11	13.4%	24.0%	30.7%	69.3%
Grade 12	14.8%	20.4%	33.7%	66.3%
Any Prescription Drug				
All	4.5%	7.4%	11.3%	88.7%
Grade 7	4.0%	6.0%	12.5%	87.5%
Grade 8	4.3%	5.7%	10.0%	90.0%
Grade 9	6.1%	11.7%	14.6%	85.4%
Grade 10	3.5%	7.3%	11.1%	88.9%
Grade 11	5.2%	8.1%	11.0%	89.0%
Grade 12	4.1%	5.3%	7.7%	92.3%
Any Inhalant				
All	3.3%	4.3%	9.2%	90.8%
Grade 7	6.0%	7.3%	12.8%	87.2%
Grade 8	4.1%	4.7%	10.4%	89.6%
Grade 9	5.4%	5.4%	10.8%	89.2%
Grade 10	0.6%	1.2%	5.4%	94.6%
Grade 11	0.8%	2.0%	6.9%	93.1%
Grade 12	2.4%	4.7%	8.3%	91.7%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.3%	10.9%	21.8%	78.2%
Grade 7	2.0%	3.1%	9.1%	90.9%
Grade 8	1.7%	4.3%	12.2%	87.8%
Grade 9	6.2%	9.6%	23.5%	76.5%
Grade 10	9.3%	13.5%	26.0%	74.0%
Grade 11	11.8%	19.9%	31.8%	68.2%
Grade 12	15.1%	17.5%	32.2%	67.8%
Marijuana				
All	8.4%	10.8%	16.8%	83.2%
Grade 7	1.2%	2.5%	4.0%	96.0%
Grade 8	3.9%	4.9%	7.1%	92.9%
Grade 9	9.7%	9.7%	16.0%	84.0%
Grade 10	9.9%	10.7%	18.8%	81.2%
Grade 11	13.4%	20.5%	27.2%	72.8%
Grade 12	14.8%	19.4%	32.7%	67.3%
Marijuana Only				
All	2.9%	4.3%	9.0%	91.0%
Grade 7	0.5%	1.2%	2.6%	97.4%
Grade 8	2.3%	3.2%	5.0%	95.0%
Grade 9	3.4%	3.4%	8.8%	91.2%
Grade 10	3.0%	3.8%	10.1%	89.9%
Grade 11	4.0%	7.2%	12.7%	87.3%
Grade 12	4.7%	8.1%	17.4%	82.6%
Cocaine or Crack				
All	0.9%	1.0%	1.4%	98.6%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.8%	1.8%	1.8%	98.2%
Grade 12	1.2%	1.2%	3.4%	96.6%
Cocaine				
All	0.8%	1.0%	1.4%	98.6%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.8%	1.8%	1.8%	98.2%
Grade 12	1.2%	1.2%	3.4%	96.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	1.0%	2.9%	97.1%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.9%	0.9%	1.8%	98.2%
Grade 10	0.0%	1.0%	4.4%	95.6%
Grade 11	0.8%	2.5%	5.8%	94.2%
Grade 12	1.2%	1.8%	5.3%	94.7%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.7%	0.7%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.7%	0.9%	1.2%	98.8%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	1.0%	1.0%	1.9%	98.1%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.8%	1.5%	3.2%	96.8%
Grade 12	0.0%	0.0%	1.2%	98.8%
Ecstasy				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	1.2%	1.2%	2.4%	97.6%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Synthetic Marijuana				
All	1.6%	2.4%	3.2%	96.8%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	2.7%	2.7%	2.7%	97.3%
Grade 10	2.0%	2.8%	3.4%	96.6%
Grade 11	1.7%	3.8%	4.5%	95.5%
Grade 12	3.5%	4.7%	8.1%	91.9%
Methamphetamine				
All	0.0%	0.1%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	2.4%	97.6%
Delta 8				
All	2.5%	3.6%	6.1%	93.9%
Grade 7	0.5%	1.3%	2.1%	97.9%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	2.7%	3.4%	5.2%	94.8%
Grade 10	2.6%	4.1%	6.4%	93.6%
Grade 11	4.8%	7.5%	11.4%	88.6%
Grade 12	4.7%	5.9%	12.3%	87.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.3%	14.0%	23.4%	76.6%
Grade 7	2.5%	4.2%	9.3%	90.7%
Grade 8	3.7%	4.2%	9.8%	90.2%
Grade 9	10.0%	10.0%	21.9%	78.1%
Grade 10	20.8%	23.7%	30.2%	69.8%
Grade 11	19.6%	25.1%	40.2%	59.8%
Grade 12	18.0%	18.0%	30.5%	69.5%
Any Alcohol Product				
All	28.9%	35.0%	50.2%	49.8%
Grade 7	9.0%	12.4%	31.3%	68.7%
Grade 8	21.6%	24.7%	42.6%	57.4%
Grade 9	33.9%	41.3%	59.9%	40.1%
Grade 10	31.8%	34.8%	45.5%	54.5%
Grade 11	41.4%	50.2%	59.9%	40.1%
Grade 12	36.1%	47.3%	62.2%	37.8%
Any Illicit Drug				
All	5.4%	9.9%	14.4%	85.6%
Grade 7	1.1%	2.8%	4.1%	95.9%
Grade 8	3.3%	5.2%	6.0%	94.0%
Grade 9	3.0%	4.4%	4.4%	95.6%
Grade 10	6.3%	10.0%	21.5%	78.5%
Grade 11	13.9%	25.1%	30.8%	69.2%
Grade 12	5.2%	12.5%	21.4%	78.6%
Any Prescription Drug				
All	4.1%	6.6%	11.8%	88.2%
Grade 7	4.8%	8.2%	14.4%	85.6%
Grade 8	5.2%	7.3%	13.1%	86.9%
Grade 9	3.9%	6.9%	12.9%	87.1%
Grade 10	6.3%	10.7%	17.3%	82.7%
Grade 11	1.9%	3.1%	6.7%	93.3%
Grade 12	2.4%	3.3%	5.9%	94.1%
Any Inhalant				
All	2.0%	3.2%	6.2%	93.8%
Grade 7	4.1%	5.0%	8.0%	92.0%
Grade 8	3.7%	5.3%	9.7%	90.3%
Grade 9	1.5%	1.5%	3.0%	97.0%
Grade 10	0.0%	1.1%	6.7%	93.3%
Grade 11	2.3%	5.5%	7.8%	92.2%
Grade 12	0.0%	0.8%	1.7%	98.3%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.0%	10.3%	19.9%	80.1%
Grade 7	0.9%	2.1%	6.0%	94.0%
Grade 8	2.0%	3.6%	7.7%	92.3%
Grade 9	5.7%	5.7%	16.2%	83.8%
Grade 10	11.9%	15.1%	26.6%	73.4%
Grade 11	14.3%	20.8%	35.5%	64.5%
Grade 12	14.1%	15.6%	29.0%	71.0%
Marijuana				
All	4.7%	7.7%	12.0%	88.0%
Grade 7	0.1%	1.2%	1.6%	98.4%
Grade 8	2.8%	3.9%	4.3%	95.7%
Grade 9	3.0%	4.4%	4.4%	95.6%
Grade 10	4.9%	6.0%	16.3%	83.7%
Grade 11	12.7%	20.4%	27.3%	72.7%
Grade 12	5.2%	10.9%	19.8%	80.2%
Marijuana Only				
All	1.1%	3.4%	6.7%	93.3%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	1.9%	2.9%	3.0%	97.0%
Grade 9	1.5%	3.0%	3.0%	97.0%
Grade 10	0.0%	0.0%	6.1%	93.9%
Grade 11	1.5%	7.1%	13.8%	86.2%
Grade 12	1.6%	7.3%	14.4%	85.6%
Cocaine or Crack				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	1.2%	1.2%	1.2%	98.8%
Grade 12	0.0%	0.0%	1.6%	98.4%
Cocaine				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	1.2%	1.2%	1.2%	98.8%
Grade 12	0.0%	0.0%	1.6%	98.4%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.1%	0.3%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	1.2%	1.2%	1.2%	98.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.3%	0.8%	1.9%	98.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.4%	0.4%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	1.7%	3.2%	96.8%
	Grade 11	1.1%	1.1%	5.8%	94.2%
	Grade 12	0.0%	1.8%	1.8%	98.2%
Synthetic Cathinones	All	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.9%	0.9%	1.8%	98.2%
	Grade 8	0.1%	0.1%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.4%	1.1%	1.9%	98.1%
	Grade 7	0.1%	0.5%	0.6%	99.4%
	Grade 8	0.2%	0.2%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.1%	1.1%	3.7%	96.3%
	Grade 11	1.1%	3.5%	3.5%	96.5%
	Grade 12	0.0%	1.6%	3.3%	96.7%
Ecstasy	All	0.3%	0.3%	1.0%	99.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.2%	0.3%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.5%	1.5%	4.7%	95.3%
	Grade 11	0.0%	0.0%	1.2%	98.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.5%	1.5%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.6%	98.4%
Synthetic Marijuana				
All	1.4%	1.5%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.5%	1.0%	99.0%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	3.4%	3.4%	7.5%	92.5%
Grade 11	1.9%	1.9%	4.3%	95.7%
Grade 12	1.8%	1.8%	3.3%	96.7%
Methamphetamine				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.3%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	2.0%	2.3%	4.4%	95.6%
Grade 7	0.0%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.2%	1.3%	98.7%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	1.7%	2.8%	8.4%	91.6%
Grade 11	7.0%	7.0%	10.1%	89.9%
Grade 12	1.8%	1.8%	5.1%	94.9%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	3.4%	5.2%	12.6%	87.4%
Grade 7	8.3%	8.3%	17.2%	82.8%
Grade 8	4.7%	11.4%	15.4%	84.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	11.1%	88.9%
Grades 11–12	0.0%	0.0%	12.5%	87.5%
Any Alcohol Product				
All	9.5%	12.2%	26.2%	73.8%
Grade 7	8.2%	9.7%	28.9%	71.1%
Grade 8	18.0%	21.5%	40.6%	59.4%
Grade 9	0.0%	0.0%	9.1%	90.9%
Grade 10	0.0%	0.0%	11.1%	88.9%
Grades 11–12	12.5%	18.8%	25.0%	75.0%
Any Illicit Drug				
All	6.1%	9.7%	14.1%	85.9%
Grade 7	7.0%	9.5%	13.7%	86.3%
Grade 8	11.2%	17.4%	25.1%	74.9%
Grade 9	9.1%	9.1%	9.1%	90.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	6.2%	12.5%	87.5%
Any Prescription Drug				
All	8.4%	10.2%	15.7%	84.3%
Grade 7	12.2%	13.0%	16.5%	83.5%
Grade 8	9.7%	10.9%	18.3%	81.7%
Grade 9	18.2%	18.2%	18.2%	81.8%
Grade 10	0.0%	11.1%	22.2%	77.8%
Grades 11–12	0.0%	0.0%	6.2%	93.8%
Any Inhalant				
All	3.9%	4.5%	5.5%	94.5%
Grade 7	4.7%	5.5%	6.0%	94.0%
Grade 8	5.1%	6.7%	9.8%	90.2%
Grade 9	9.1%	9.1%	9.1%	90.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Electronic Vapor Products				
All	0.9%	2.9%	9.2%	90.8%
Grade 7	2.8%	3.6%	13.4%	86.6%
Grade 8	0.4%	7.3%	10.7%	89.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	12.5%	87.5%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana				
All	3.8%	6.5%	10.4%	89.6%
Grade 7	3.8%	4.7%	6.6%	93.4%
Grade 8	5.5%	10.2%	17.8%	82.2%
Grade 9	9.1%	9.1%	9.1%	90.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	6.2%	12.5%	87.5%
Marijuana Only				
All	1.6%	3.6%	7.1%	92.9%
Grade 7	1.1%	1.9%	3.8%	96.2%
Grade 8	5.1%	7.0%	14.0%	86.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	5.9%	11.8%	88.2%
Cocaine or Crack				
All	1.7%	1.7%	1.7%	98.3%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	9.1%	9.1%	9.1%	90.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	1.3%	1.3%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	9.1%	9.1%	9.1%	90.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Crack				
All	0.4%	0.4%	1.7%	98.3%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	9.1%	90.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.5%	0.5%	99.5%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	1.3%	1.3%	3.0%	97.0%
Grade 7	0.0%	0.0%	1.6%	98.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	9.1%	9.1%	9.1%	90.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	6.2%	93.8%
Ecstasy				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Heroin				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.9%	0.9%	2.3%	97.7%
Grade 8	2.2%	2.2%	2.2%	97.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	0.6%	1.5%	98.5%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	1.5%	1.5%	4.9%	95.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.6%	1.0%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	2.4%	4.0%	4.0%	96.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Delta 8				
All	0.6%	0.6%	0.8%	99.2%
Grade 7	2.0%	2.0%	2.8%	97.2%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11–12	0.0%	0.0%	0.0%	100.0%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.6%	12.8%	23.1%	76.9%
Grade 7	3.4%	4.6%	13.1%	86.9%
Grade 8	5.4%	6.8%	17.3%	82.7%
Grade 9	9.8%	15.1%	22.9%	77.1%
Grade 10	12.5%	15.2%	28.4%	71.6%
Grade 11	9.4%	14.1%	22.3%	77.7%
Grade 12	18.7%	22.7%	37.5%	62.5%
Any Alcohol Product				
All	26.0%	31.3%	47.1%	52.9%
Grade 7	15.2%	17.3%	37.5%	62.5%
Grade 8	21.5%	23.5%	39.0%	61.0%
Grade 9	32.6%	37.6%	50.4%	49.6%
Grade 10	24.8%	35.3%	49.6%	50.4%
Grade 11	24.5%	30.3%	47.7%	52.3%
Grade 12	38.4%	45.1%	60.3%	39.7%
Any Illicit Drug				
All	10.8%	14.9%	20.8%	79.2%
Grade 7	2.4%	4.8%	7.1%	92.9%
Grade 8	6.9%	10.3%	12.6%	87.4%
Grade 9	12.1%	14.3%	20.0%	80.0%
Grade 10	12.8%	16.0%	22.9%	77.1%
Grade 11	11.4%	18.9%	25.7%	74.3%
Grade 12	21.2%	27.8%	40.6%	59.4%
Any Prescription Drug				
All	4.3%	7.4%	11.0%	89.0%
Grade 7	3.8%	5.4%	9.7%	90.3%
Grade 8	4.6%	6.3%	10.5%	89.5%
Grade 9	4.8%	8.6%	11.7%	88.3%
Grade 10	2.2%	6.3%	9.8%	90.2%
Grade 11	5.1%	9.3%	11.9%	88.1%
Grade 12	5.3%	8.4%	12.5%	87.5%
Any Inhalant				
All	3.7%	4.5%	10.2%	89.8%
Grade 7	6.4%	7.4%	13.2%	86.8%
Grade 8	3.6%	4.6%	11.0%	89.0%
Grade 9	5.5%	5.5%	11.1%	88.9%
Grade 10	2.9%	3.5%	7.3%	92.7%
Grade 11	0.0%	0.8%	7.4%	92.6%
Grade 12	3.0%	5.0%	11.1%	88.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.8%	11.6%	21.5%	78.5%
Grade 7	2.1%	3.1%	10.8%	89.2%
Grade 8	3.0%	5.2%	15.4%	84.6%
Grade 9	8.7%	14.9%	22.3%	77.7%
Grade 10	10.0%	12.7%	25.4%	74.6%
Grade 11	9.5%	14.4%	20.9%	79.1%
Grade 12	14.6%	20.7%	37.0%	63.0%
Marijuana				
All	10.3%	12.5%	18.4%	81.6%
Grade 7	1.8%	2.8%	4.7%	95.3%
Grade 8	6.2%	7.2%	9.7%	90.3%
Grade 9	12.1%	12.6%	18.3%	81.7%
Grade 10	11.9%	14.2%	20.5%	79.5%
Grade 11	10.5%	15.0%	20.9%	79.1%
Grade 12	21.2%	25.7%	40.6%	59.4%
Marijuana Only				
All	4.6%	5.8%	10.6%	89.4%
Grade 7	1.3%	2.2%	3.7%	96.3%
Grade 8	3.6%	4.1%	6.3%	93.7%
Grade 9	4.5%	5.0%	10.0%	90.0%
Grade 10	6.1%	8.4%	13.8%	86.2%
Grade 11	4.9%	6.3%	11.2%	88.8%
Grade 12	7.5%	10.0%	20.2%	79.8%
Cocaine or Crack				
All	0.8%	1.1%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.8%	0.8%	99.2%
Grade 12	2.0%	3.0%	4.0%	96.0%
Cocaine				
All	0.7%	1.0%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.8%	0.8%	99.2%
Grade 12	2.0%	3.0%	4.0%	96.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Hallucinogens				
All	0.8%	1.5%	3.5%	96.5%
Grade 7	0.5%	0.8%	0.8%	99.2%
Grade 8	0.1%	0.3%	0.9%	99.1%
Grade 9	1.3%	2.5%	3.8%	96.2%
Grade 10	0.0%	0.0%	3.8%	96.2%
Grade 11	0.8%	2.2%	3.9%	96.1%
Grade 12	2.0%	3.5%	8.6%	91.4%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.3%	1.6%	98.4%
Grade 7	0.7%	1.0%	1.2%	98.8%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.9%	0.9%	2.3%	97.7%
Grade 11	0.0%	0.0%	3.9%	96.1%
Grade 12	0.0%	0.0%	1.0%	99.0%
Ecstasy				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.0%	1.0%	1.0%	99.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.5%	2.3%	3.0%	97.0%
Grade 7	0.2%	0.8%	0.9%	99.1%
Grade 8	0.6%	1.0%	2.2%	97.8%
Grade 9	2.5%	2.5%	3.2%	96.8%
Grade 10	1.4%	2.2%	2.2%	97.8%
Grade 11	3.0%	4.8%	4.8%	95.2%
Grade 12	1.0%	3.0%	5.0%	95.0%
Methamphetamine				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.6%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Delta 8				
All	2.7%	4.0%	6.1%	93.9%
Grade 7	0.2%	0.5%	1.5%	98.5%
Grade 8	0.7%	0.8%	1.8%	98.2%
Grade 9	4.4%	4.9%	6.2%	93.8%
Grade 10	2.9%	4.1%	4.9%	95.1%
Grade 11	3.0%	6.1%	8.6%	91.4%
Grade 12	5.0%	8.1%	15.6%	84.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.0%	10.3%	18.8%	81.2%
Grade 7	1.0%	1.8%	5.9%	94.1%
Grade 8	2.2%	2.6%	5.8%	94.2%
Grade 9	7.5%	9.5%	19.9%	80.1%
Grade 10	8.3%	8.3%	16.9%	83.1%
Grade 11	11.5%	17.3%	27.9%	72.1%
Grade 12	15.7%	19.3%	32.3%	67.7%
Any Alcohol Product				
All	23.0%	29.4%	45.1%	54.9%
Grade 7	8.0%	9.2%	29.8%	70.2%
Grade 8	12.2%	14.5%	31.4%	68.6%
Grade 9	32.7%	39.1%	57.8%	42.2%
Grade 10	16.9%	27.5%	33.8%	66.2%
Grade 11	28.8%	35.8%	49.4%	50.6%
Grade 12	35.3%	46.6%	63.5%	36.5%
Any Illicit Drug				
All	5.5%	9.7%	14.2%	85.8%
Grade 7	0.6%	1.0%	2.0%	98.0%
Grade 8	1.7%	3.7%	4.5%	95.5%
Grade 9	7.3%	9.1%	12.2%	87.8%
Grade 10	1.4%	4.8%	8.1%	91.9%
Grade 11	10.2%	20.0%	24.4%	75.6%
Grade 12	9.5%	15.9%	29.9%	70.1%
Any Prescription Drug				
All	3.6%	5.5%	8.7%	91.3%
Grade 7	5.6%	8.0%	12.5%	87.5%
Grade 8	4.5%	5.7%	10.1%	89.9%
Grade 9	5.9%	7.1%	10.2%	89.8%
Grade 10	1.1%	3.7%	10.3%	89.7%
Grade 11	3.1%	4.1%	4.7%	95.3%
Grade 12	1.2%	4.3%	5.5%	94.5%
Any Inhalant				
All	2.0%	2.8%	6.6%	93.4%
Grade 7	2.0%	2.7%	7.0%	93.0%
Grade 8	2.1%	2.7%	4.9%	95.1%
Grade 9	5.3%	5.3%	9.5%	90.5%
Grade 10	0.0%	0.0%	2.4%	97.6%
Grade 11	1.0%	1.4%	6.8%	93.2%
Grade 12	1.7%	4.7%	8.2%	91.8%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.7%	9.2%	16.6%	83.4%
Grade 7	0.6%	1.0%	2.8%	97.2%
Grade 8	1.0%	1.7%	4.4%	95.6%
Grade 9	6.4%	8.5%	17.8%	82.2%
Grade 10	6.5%	6.5%	14.7%	85.3%
Grade 11	10.9%	16.6%	24.9%	75.1%
Grade 12	12.9%	17.7%	31.3%	68.7%
Marijuana				
All	5.4%	7.7%	12.4%	87.6%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	1.2%	2.2%	2.8%	97.2%
Grade 9	7.3%	8.1%	11.2%	88.8%
Grade 10	1.4%	2.6%	6.0%	94.0%
Grade 11	10.2%	16.0%	20.2%	79.8%
Grade 12	9.5%	13.5%	29.9%	70.1%
Marijuana Only				
All	2.4%	4.3%	8.1%	91.9%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.6%	1.6%	2.1%	97.9%
Grade 9	2.0%	2.8%	5.8%	94.2%
Grade 10	1.4%	2.6%	4.6%	95.4%
Grade 11	5.4%	10.0%	14.0%	86.0%
Grade 12	3.5%	6.3%	18.5%	81.5%
Cocaine or Crack				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	1.2%	1.2%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	3.4%	96.6%
Cocaine				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.2%	1.2%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	3.4%	96.6%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.2%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	1.2%	2.3%	4.7%	95.3%
Synthetic Cathinones				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.7%	1.7%	98.3%
Grade 7	1.0%	1.3%	1.5%	98.5%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.0%	1.4%	4.3%	95.7%
Grade 12	0.0%	1.1%	1.1%	98.9%
Ecstasy				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	1.2%	98.8%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.1%	98.9%
Synthetic Marijuana				
All	0.7%	1.1%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.5%	99.5%
Grade 9	2.1%	2.1%	3.2%	96.8%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.4%	1.4%	1.4%	98.6%
Grade 12	1.2%	2.4%	3.6%	96.4%
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.2%	1.6%	2.7%	97.3%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	3.2%	3.2%	4.2%	95.8%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	2.3%	2.9%	4.3%	95.7%
Grade 12	1.2%	2.4%	5.4%	94.6%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.7%	13.7%	23.5%	76.5%
Grade 7	5.0%	6.4%	15.5%	84.5%
Grade 8	6.5%	8.8%	19.9%	80.1%
Grade 9	10.1%	14.6%	23.9%	76.1%
Grade 10	15.6%	18.6%	32.4%	67.6%
Grade 11	14.0%	16.7%	23.7%	76.3%
Grade 12	20.4%	25.0%	31.9%	68.1%
Any Alcohol Product				
All	25.2%	29.4%	45.3%	54.7%
Grade 7	15.3%	18.6%	37.4%	62.6%
Grade 8	26.0%	28.3%	47.0%	53.0%
Grade 9	28.1%	31.0%	43.7%	56.3%
Grade 10	26.0%	31.5%	47.2%	52.8%
Grade 11	27.0%	33.3%	47.4%	52.6%
Grade 12	33.7%	42.0%	55.2%	44.8%
Any Illicit Drug				
All	11.3%	15.0%	20.6%	79.4%
Grade 7	3.7%	6.5%	9.3%	90.7%
Grade 8	9.0%	12.9%	16.5%	83.5%
Grade 9	10.4%	13.2%	17.4%	82.6%
Grade 10	15.5%	18.1%	27.9%	72.1%
Grade 11	12.0%	19.1%	27.3%	72.7%
Grade 12	25.2%	30.4%	38.1%	61.9%
Any Prescription Drug				
All	4.9%	8.0%	13.5%	86.5%
Grade 7	4.5%	6.4%	12.7%	87.3%
Grade 8	5.5%	7.3%	12.9%	87.1%
Grade 9	4.7%	8.4%	12.7%	87.3%
Grade 10	3.5%	9.0%	12.4%	87.6%
Grade 11	5.0%	10.9%	15.6%	84.4%
Grade 12	6.9%	6.9%	16.9%	83.1%
Any Inhalant				
All	4.4%	5.4%	11.8%	88.2%
Grade 7	8.4%	9.4%	14.4%	85.6%
Grade 8	4.5%	5.9%	14.0%	86.0%
Grade 9	3.9%	3.9%	8.7%	91.3%
Grade 10	2.5%	3.7%	10.7%	89.3%
Grade 11	1.8%	3.9%	10.7%	89.3%
Grade 12	3.1%	3.1%	11.4%	88.6%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.2%	10.8%	20.9%	79.1%
Grade 7	2.5%	3.7%	13.2%	86.8%
Grade 8	3.5%	6.7%	17.3%	82.7%
Grade 9	8.1%	13.5%	21.7%	78.3%
Grade 10	9.7%	12.9%	28.4%	71.6%
Grade 11	10.9%	14.7%	21.2%	78.8%
Grade 12	14.3%	20.4%	30.4%	69.6%
Marijuana				
All	10.1%	12.3%	17.6%	82.4%
Grade 7	2.1%	3.5%	5.6%	94.4%
Grade 8	7.8%	9.4%	12.9%	87.1%
Grade 9	10.4%	12.0%	16.2%	83.8%
Grade 10	12.7%	14.4%	23.4%	76.6%
Grade 11	11.1%	16.2%	24.4%	75.6%
Grade 12	25.2%	29.1%	36.8%	63.2%
Marijuana Only				
All	4.0%	5.2%	9.3%	90.7%
Grade 7	1.2%	2.1%	3.7%	96.3%
Grade 8	5.2%	5.9%	9.1%	90.9%
Grade 9	4.4%	6.0%	8.7%	91.3%
Grade 10	5.0%	6.0%	12.6%	87.4%
Grade 11	2.1%	3.7%	11.8%	88.2%
Grade 12	6.7%	9.0%	13.5%	86.5%
Cocaine or Crack				
All	1.0%	1.3%	1.4%	98.6%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.9%	0.9%	1.3%	98.7%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.9%	2.1%	2.1%	97.9%
Grade 12	3.1%	4.6%	4.6%	95.4%
Cocaine				
All	0.9%	1.2%	1.2%	98.8%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.9%	2.1%	2.1%	97.9%
Grade 12	3.1%	4.6%	4.6%	95.4%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.6%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	1.5%	98.5%
Hallucinogens				
All	0.9%	2.2%	4.5%	95.5%
Grade 7	0.6%	1.0%	1.0%	99.0%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	0.7%	2.1%	3.5%	96.5%
Grade 10	1.0%	1.9%	6.2%	93.8%
Grade 11	2.2%	4.2%	7.3%	92.7%
Grade 12	1.5%	6.1%	13.8%	86.2%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	0.6%	1.7%	98.3%
Grade 7	0.0%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.3%	0.9%	99.1%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	1.6%	1.6%	2.2%	97.8%
Grade 11	0.9%	0.9%	4.1%	95.9%
Grade 12	0.0%	0.0%	3.1%	96.9%
Ecstasy				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	2.6%	97.4%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	1.5%	98.5%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.1%	0.5%	0.8%	99.2%
Grade 8	0.5%	0.9%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.9%	2.3%	3.5%	96.5%
Grade 7	0.3%	0.8%	1.0%	99.0%
Grade 8	0.7%	1.1%	2.6%	97.4%
Grade 9	2.0%	2.0%	2.8%	97.2%
Grade 10	2.7%	3.5%	4.2%	95.8%
Grade 11	4.1%	5.4%	7.2%	92.8%
Grade 12	3.1%	3.1%	6.0%	94.0%
Methamphetamine				
All	0.1%	0.3%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	1.2%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	3.1%	96.9%
Delta 8				
All	3.4%	4.7%	7.0%	93.0%
Grade 7	0.5%	1.1%	2.3%	97.7%
Grade 8	0.8%	0.9%	2.3%	97.7%
Grade 9	2.7%	4.0%	4.6%	95.4%
Grade 10	4.3%	6.4%	8.7%	91.3%
Grade 11	5.0%	7.5%	10.4%	89.6%
Grade 12	12.2%	15.3%	24.3%	75.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.7%	9.9%	17.8%	82.2%
Grade 7	2.0%	2.8%	8.2%	91.8%
Grade 8	4.3%	5.7%	10.5%	89.5%
Grade 9	8.1%	10.4%	21.0%	79.0%
Grade 10	11.4%	13.9%	21.2%	78.8%
Grade 11	8.3%	11.7%	21.5%	78.5%
Grade 12	16.0%	19.2%	29.4%	70.6%
Any Alcohol Product				
All	22.9%	27.3%	43.3%	56.7%
Grade 7	11.6%	13.3%	31.8%	68.2%
Grade 8	19.0%	21.6%	38.3%	61.7%
Grade 9	28.5%	34.5%	49.5%	50.5%
Grade 10	19.4%	26.0%	39.2%	60.8%
Grade 11	28.6%	34.0%	47.8%	52.2%
Grade 12	34.2%	38.4%	58.3%	41.7%
Any Illicit Drug				
All	5.8%	9.7%	13.7%	86.3%
Grade 7	1.6%	3.2%	4.3%	95.7%
Grade 8	4.5%	7.7%	8.6%	91.4%
Grade 9	5.7%	8.1%	12.1%	87.9%
Grade 10	5.6%	8.8%	16.2%	83.8%
Grade 11	6.8%	14.7%	19.7%	80.3%
Grade 12	13.7%	20.2%	28.0%	72.0%
Any Prescription Drug				
All	4.0%	6.6%	10.5%	89.5%
Grade 7	4.3%	6.2%	10.4%	89.6%
Grade 8	5.3%	6.6%	11.7%	88.3%
Grade 9	5.0%	8.6%	12.9%	87.1%
Grade 10	1.4%	5.8%	10.2%	89.8%
Grade 11	3.2%	5.3%	7.5%	92.5%
Grade 12	4.1%	6.3%	9.5%	90.5%
Any Inhalant				
All	2.8%	3.4%	7.5%	92.5%
Grade 7	5.9%	6.6%	10.2%	89.8%
Grade 8	3.7%	4.5%	8.6%	91.4%
Grade 9	2.7%	2.7%	6.8%	93.2%
Grade 10	2.1%	2.6%	5.2%	94.8%
Grade 11	1.3%	2.4%	6.6%	93.4%
Grade 12	0.0%	0.0%	7.4%	92.6%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.6%	8.2%	15.8%	84.2%
Grade 7	1.5%	1.8%	6.9%	93.1%
Grade 8	2.2%	4.1%	8.2%	91.8%
Grade 9	7.0%	9.9%	18.3%	81.7%
Grade 10	6.8%	8.7%	18.1%	81.9%
Grade 11	6.3%	10.4%	20.0%	80.0%
Grade 12	12.7%	17.8%	28.4%	71.6%
Marijuana				
All	5.3%	7.5%	11.6%	88.4%
Grade 7	0.9%	1.6%	2.4%	97.6%
Grade 8	3.3%	4.8%	5.9%	94.1%
Grade 9	5.7%	7.0%	11.0%	89.0%
Grade 10	4.9%	6.1%	12.8%	87.2%
Grade 11	6.2%	12.2%	17.8%	82.2%
Grade 12	13.7%	17.3%	26.1%	73.9%
Marijuana Only				
All	2.1%	3.5%	6.8%	93.2%
Grade 7	0.7%	1.4%	1.9%	98.1%
Grade 8	2.4%	3.3%	4.4%	95.6%
Grade 9	1.7%	3.0%	6.3%	93.7%
Grade 10	2.3%	3.0%	7.6%	92.4%
Grade 11	1.8%	4.7%	10.2%	89.8%
Grade 12	4.6%	7.1%	12.7%	87.3%
Cocaine or Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.9%	99.1%
Cocaine				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.9%	99.1%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.1%	0.2%	0.2%	99.8%
	Grade 8	0.4%	0.5%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.2%	0.8%	1.7%	98.3%
	Grade 7	0.3%	0.6%	0.6%	99.4%
	Grade 8	0.3%	0.3%	0.6%	99.4%
	Grade 9	0.0%	0.6%	1.2%	98.8%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 11	0.5%	1.0%	2.7%	97.3%
	Grade 12	0.0%	2.7%	5.8%	94.2%
Synthetic Cathinones	All	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.1%	0.1%	0.6%	99.4%
	Grade 8	0.1%	0.1%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.4%	0.6%	1.5%	98.5%
	Grade 7	0.5%	0.7%	0.9%	99.1%
	Grade 8	0.1%	0.2%	0.6%	99.4%
	Grade 9	0.6%	0.6%	1.2%	98.8%
	Grade 10	0.5%	0.5%	1.9%	98.1%
	Grade 11	0.5%	1.1%	3.4%	96.6%
	Grade 12	0.0%	0.0%	1.1%	98.9%
Ecstasy	All	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.1%	0.1%	0.1%	99.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.7%	0.7%	1.4%	98.6%
	Grade 11	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.9%	99.1%
Synthetic Marijuana				
All	0.7%	1.2%	2.3%	97.7%
Grade 7	0.1%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.2%	98.8%
Grade 9	1.1%	1.1%	2.3%	97.7%
Grade 10	0.7%	1.3%	3.3%	96.7%
Grade 11	1.4%	2.2%	3.3%	96.7%
Grade 12	1.1%	2.1%	4.1%	95.9%
Methamphetamine				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.9%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.4%	2.1%	3.5%	96.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.5%	0.6%	99.4%
Grade 9	1.7%	2.3%	2.8%	97.2%
Grade 10	0.7%	2.4%	5.0%	95.0%
Grade 11	2.4%	3.6%	5.1%	94.9%
Grade 12	4.2%	5.3%	10.4%	89.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.0%	17.6%	30.3%	69.7%
Grade 7	5.9%	8.0%	18.5%	81.5%
Grade 8	6.2%	8.3%	23.0%	77.0%
Grade 9	12.8%	18.2%	25.1%	74.9%
Grade 10	19.4%	21.7%	38.8%	61.2%
Grade 11	17.4%	23.2%	36.1%	63.9%
Grade 12	21.6%	25.4%	39.7%	60.3%
Any Alcohol Product				
All	29.1%	35.1%	51.2%	48.8%
Grade 7	12.4%	16.6%	38.4%	61.6%
Grade 8	23.8%	25.5%	45.7%	54.3%
Grade 9	33.1%	36.6%	52.8%	47.2%
Grade 10	37.1%	43.8%	56.0%	44.0%
Grade 11	27.6%	34.4%	50.8%	49.2%
Grade 12	39.5%	52.4%	62.5%	37.5%
Any Illicit Drug				
All	14.3%	18.9%	26.5%	73.5%
Grade 7	4.5%	7.4%	11.1%	88.9%
Grade 8	10.1%	13.0%	19.3%	80.7%
Grade 9	15.9%	17.7%	21.3%	78.7%
Grade 10	17.8%	20.4%	30.0%	70.0%
Grade 11	18.3%	27.0%	35.8%	64.2%
Grade 12	18.6%	26.7%	40.0%	60.0%
Any Prescription Drug				
All	5.2%	8.3%	13.9%	86.1%
Grade 7	6.3%	8.7%	16.9%	83.1%
Grade 8	4.9%	7.0%	12.4%	87.6%
Grade 9	4.5%	8.2%	11.7%	88.3%
Grade 10	7.2%	11.5%	17.5%	82.5%
Grade 11	5.3%	9.2%	13.8%	86.2%
Grade 12	3.4%	5.3%	11.3%	88.7%
Any Inhalant				
All	3.9%	5.5%	11.9%	88.1%
Grade 7	5.9%	7.4%	13.7%	86.3%
Grade 8	3.9%	5.8%	14.0%	86.0%
Grade 9	7.4%	7.4%	11.9%	88.1%
Grade 10	1.2%	2.0%	11.2%	88.8%
Grade 11	0.9%	2.8%	10.2%	89.8%
Grade 12	4.4%	7.6%	10.7%	89.3%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.5%	14.9%	27.6%	72.4%
Grade 7	2.1%	4.5%	13.3%	86.7%
Grade 8	3.3%	6.7%	21.5%	78.5%
Grade 9	9.4%	15.1%	23.7%	76.3%
Grade 10	15.9%	19.6%	35.0%	65.0%
Grade 11	16.7%	22.5%	32.0%	68.0%
Grade 12	15.3%	20.4%	39.2%	60.8%
Marijuana				
All	13.2%	16.1%	23.1%	76.9%
Grade 7	2.5%	3.9%	6.1%	93.9%
Grade 8	9.2%	10.3%	15.8%	84.2%
Grade 9	15.9%	16.8%	20.4%	79.6%
Grade 10	15.0%	17.6%	26.0%	74.0%
Grade 11	17.0%	21.4%	28.8%	71.2%
Grade 12	18.6%	25.4%	40.0%	60.0%
Marijuana Only				
All	5.1%	7.1%	12.8%	87.2%
Grade 7	1.2%	1.7%	3.7%	96.3%
Grade 8	5.5%	6.0%	10.7%	89.3%
Grade 9	6.3%	7.2%	9.6%	90.4%
Grade 10	5.9%	8.5%	15.6%	84.4%
Grade 11	6.6%	9.5%	15.4%	84.6%
Grade 12	5.2%	9.5%	20.8%	79.2%
Cocaine or Crack				
All	1.6%	2.1%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	2.5%	2.5%	2.5%	97.5%
Grade 10	2.6%	2.6%	2.6%	97.4%
Grade 11	0.0%	1.3%	1.3%	98.7%
Grade 12	3.9%	5.1%	6.4%	93.6%
Cocaine				
All	1.6%	2.0%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	2.5%	2.5%	2.5%	97.5%
Grade 10	2.6%	2.6%	2.6%	97.4%
Grade 11	0.0%	1.3%	1.3%	98.7%
Grade 12	3.9%	5.1%	6.4%	93.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.3%	98.7%
Hallucinogens				
All	1.4%	2.5%	5.6%	94.4%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.4%	0.6%	1.8%	98.2%
Grade 9	2.4%	3.6%	6.0%	94.0%
Grade 10	1.4%	2.8%	8.9%	91.1%
Grade 11	1.3%	2.6%	6.2%	93.8%
Grade 12	2.6%	4.4%	9.6%	90.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.9%	0.9%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.7%	2.2%	97.8%
Grade 7	0.1%	0.6%	1.3%	98.7%
Grade 8	0.1%	0.3%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.4%	1.4%	3.5%	96.5%
Grade 11	0.0%	1.0%	4.4%	95.6%
Grade 12	0.0%	1.1%	2.4%	97.6%
Ecstasy				
All	0.3%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.6%	97.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.3%	1.3%	2.6%	97.4%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.9%	1.2%	98.8%
Grade 8	0.3%	0.7%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	2.6%	3.2%	3.8%	96.2%
Grade 7	0.5%	0.7%	0.8%	99.2%
Grade 8	1.1%	1.6%	3.7%	96.3%
Grade 9	3.7%	3.7%	3.7%	96.3%
Grade 10	4.0%	4.0%	4.0%	96.0%
Grade 11	3.9%	5.2%	5.2%	94.8%
Grade 12	2.6%	3.9%	5.1%	94.9%
Methamphetamine				
All	0.3%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.5%	0.5%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.6%	97.4%
Delta 8				
All	4.5%	5.8%	8.8%	91.2%
Grade 7	0.9%	2.0%	3.9%	96.1%
Grade 8	0.7%	1.0%	3.3%	96.7%
Grade 9	6.1%	7.0%	8.2%	91.8%
Grade 10	6.3%	6.3%	7.5%	92.5%
Grade 11	6.4%	9.0%	12.9%	87.1%
Grade 12	6.4%	9.0%	16.1%	83.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.3%	11.8%	21.5%	78.5%
Grade 7	2.7%	3.6%	9.1%	90.9%
Grade 8	3.7%	4.8%	11.8%	88.2%
Grade 9	6.9%	10.5%	20.5%	79.5%
Grade 10	15.4%	17.5%	29.0%	71.0%
Grade 11	13.1%	17.4%	30.0%	70.0%
Grade 12	17.3%	20.5%	33.7%	66.3%
Any Alcohol Product				
All	25.1%	30.1%	47.0%	53.0%
Grade 7	10.6%	12.9%	33.1%	66.9%
Grade 8	19.1%	20.8%	38.8%	61.2%
Grade 9	29.5%	36.0%	52.8%	47.2%
Grade 10	26.2%	34.8%	49.4%	50.6%
Grade 11	30.6%	35.7%	50.7%	49.3%
Grade 12	38.6%	45.3%	62.1%	37.9%
Any Illicit Drug				
All	7.7%	11.8%	17.1%	82.9%
Grade 7	2.1%	3.0%	5.0%	95.0%
Grade 8	5.1%	7.4%	9.3%	90.7%
Grade 9	6.0%	8.8%	12.2%	87.8%
Grade 10	10.0%	13.8%	22.0%	78.0%
Grade 11	11.2%	19.6%	26.7%	73.3%
Grade 12	14.0%	22.3%	33.8%	66.2%
Any Prescription Drug				
All	4.5%	7.1%	11.3%	88.7%
Grade 7	5.3%	7.3%	12.1%	87.9%
Grade 8	4.6%	6.4%	11.0%	89.0%
Grade 9	5.1%	7.6%	11.6%	88.4%
Grade 10	4.0%	8.9%	14.3%	85.7%
Grade 11	4.6%	6.4%	9.5%	90.5%
Grade 12	3.1%	5.8%	9.0%	91.0%
Any Inhalant				
All	2.6%	3.6%	8.2%	91.8%
Grade 7	5.3%	6.0%	10.7%	89.3%
Grade 8	2.9%	3.7%	8.5%	91.5%
Grade 9	2.9%	2.9%	5.4%	94.6%
Grade 10	1.2%	2.0%	6.6%	93.4%
Grade 11	1.0%	2.8%	8.9%	91.1%
Grade 12	1.9%	3.8%	9.3%	90.7%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.8%	9.7%	18.8%	81.2%
Grade 7	1.2%	1.9%	6.3%	93.7%
Grade 8	2.0%	3.5%	9.9%	90.1%
Grade 9	5.3%	9.0%	17.6%	82.4%
Grade 10	10.5%	12.7%	24.9%	75.1%
Grade 11	11.2%	15.9%	26.8%	73.2%
Grade 12	13.3%	18.7%	32.6%	67.4%
Marijuana				
All	7.0%	9.5%	14.7%	85.3%
Grade 7	0.8%	1.6%	2.7%	97.3%
Grade 8	4.1%	4.9%	6.8%	93.2%
Grade 9	6.0%	7.4%	10.8%	89.2%
Grade 10	8.9%	11.0%	18.2%	81.8%
Grade 11	10.7%	16.2%	23.2%	76.8%
Grade 12	14.0%	19.4%	32.4%	67.6%
Marijuana Only				
All	2.6%	4.4%	8.4%	91.6%
Grade 7	0.4%	0.9%	1.9%	98.1%
Grade 8	2.6%	3.3%	5.0%	95.0%
Grade 9	1.7%	3.1%	6.0%	94.0%
Grade 10	4.2%	5.9%	10.9%	89.1%
Grade 11	3.7%	6.7%	13.0%	87.0%
Grade 12	3.9%	7.7%	16.6%	83.4%
Cocaine or Crack				
All	0.6%	0.8%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	1.2%	1.2%	1.8%	98.2%
Grade 11	0.0%	0.6%	0.6%	99.4%
Grade 12	1.6%	2.3%	3.8%	96.2%
Cocaine				
All	0.6%	0.8%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	1.2%	1.2%	1.8%	98.2%
Grade 11	0.0%	0.6%	0.6%	99.4%
Grade 12	1.6%	2.3%	3.8%	96.2%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.8%	99.2%
Hallucinogens				
All	0.5%	1.2%	2.9%	97.1%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.5%	1.0%	2.0%	98.0%
Grade 10	0.0%	0.7%	3.0%	97.0%
Grade 11	1.0%	2.0%	4.5%	95.5%
Grade 12	0.8%	3.9%	8.6%	91.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.5%	0.7%	1.0%	99.0%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	1.1%	1.1%	2.2%	97.8%
Grade 11	0.4%	0.9%	3.6%	96.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	2.3%	97.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	0.8%	99.2%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.3%	0.3%	0.4%	99.6%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.4%	0.5%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.1%	1.1%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.7%	99.3%
Synthetic Marijuana					
	All	1.3%	1.6%	2.3%	97.7%
	Grade 7	0.2%	0.4%	0.5%	99.5%
	Grade 8	0.4%	0.7%	1.3%	98.7%
	Grade 9	1.5%	1.5%	2.0%	98.0%
	Grade 10	2.4%	2.4%	4.0%	96.0%
	Grade 11	2.0%	3.2%	3.7%	96.3%
	Grade 12	1.6%	1.6%	3.0%	97.0%
Methamphetamine					
	All	0.1%	0.2%	0.2%	99.8%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.3%	0.6%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.5%	0.5%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8					
	All	2.1%	3.0%	5.1%	94.9%
	Grade 7	0.3%	0.6%	1.1%	98.9%
	Grade 8	0.4%	0.5%	1.0%	99.0%
	Grade 9	2.0%	2.3%	2.8%	97.2%
	Grade 10	2.3%	3.1%	5.8%	94.2%
	Grade 11	4.8%	6.6%	9.1%	90.9%
	Grade 12	3.9%	6.2%	13.6%	86.4%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.6%	16.2%	26.0%	74.0%
Grade 7	6.1%	8.7%	26.8%	73.2%
Grade 8	8.8%	12.3%	26.5%	73.5%
Grade 9	21.9%	21.9%	29.7%	70.3%
Grade 10	10.4%	10.4%	16.1%	83.9%
Grade 11	8.7%	15.5%	18.2%	81.8%
Grade 12	24.4%	27.5%	37.4%	62.6%
Any Alcohol Product				
All	26.0%	31.3%	42.6%	57.4%
Grade 7	19.3%	23.8%	41.0%	59.0%
Grade 8	31.0%	32.8%	53.0%	47.0%
Grade 9	32.2%	32.2%	41.7%	58.3%
Grade 10	20.8%	22.8%	25.9%	74.1%
Grade 11	15.1%	30.1%	37.5%	62.5%
Grade 12	35.2%	45.2%	56.0%	44.0%
Any Illicit Drug				
All	12.4%	17.0%	22.4%	77.6%
Grade 7	5.1%	12.6%	14.7%	85.3%
Grade 8	9.5%	16.8%	24.8%	75.2%
Grade 9	19.2%	19.2%	24.7%	75.3%
Grade 10	10.4%	10.4%	15.5%	84.5%
Grade 11	9.0%	20.1%	25.5%	74.5%
Grade 12	20.0%	23.1%	29.1%	70.9%
Any Prescription Drug				
All	5.0%	8.4%	13.8%	86.2%
Grade 7	4.7%	6.1%	17.5%	82.5%
Grade 8	10.3%	11.3%	18.6%	81.4%
Grade 9	5.0%	17.1%	19.9%	80.1%
Grade 10	0.0%	0.0%	2.6%	97.4%
Grade 11	1.7%	8.3%	12.2%	87.8%
Grade 12	7.8%	7.8%	12.4%	87.6%
Any Inhalant				
All	5.7%	6.4%	14.1%	85.9%
Grade 7	9.0%	10.5%	15.5%	84.5%
Grade 8	8.2%	11.2%	20.8%	79.2%
Grade 9	5.5%	5.5%	16.6%	83.4%
Grade 10	5.1%	5.1%	13.6%	86.4%
Grade 11	2.8%	2.8%	6.5%	93.5%
Grade 12	3.1%	3.1%	10.7%	89.3%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.6%	13.4%	25.2%	74.8%
Grade 7	2.8%	5.6%	25.5%	74.5%
Grade 8	4.5%	9.4%	22.7%	77.3%
Grade 9	22.6%	22.6%	30.7%	69.3%
Grade 10	8.4%	8.4%	16.1%	83.9%
Grade 11	9.0%	16.1%	18.9%	81.1%
Grade 12	15.4%	18.5%	36.1%	63.9%
Marijuana				
All	11.6%	14.3%	19.4%	80.6%
Grade 7	4.5%	6.5%	8.3%	91.7%
Grade 8	8.4%	13.0%	19.9%	80.1%
Grade 9	19.2%	19.2%	24.7%	75.3%
Grade 10	7.2%	7.2%	12.4%	87.6%
Grade 11	9.0%	16.4%	21.8%	78.2%
Grade 12	20.0%	23.1%	29.1%	70.9%
Marijuana Only				
All	4.8%	6.0%	11.1%	88.9%
Grade 7	3.1%	4.7%	6.5%	93.5%
Grade 8	5.5%	6.9%	13.4%	86.6%
Grade 9	8.1%	8.1%	13.6%	86.4%
Grade 10	2.0%	2.0%	7.1%	92.9%
Grade 11	1.7%	6.8%	12.2%	87.8%
Grade 12	7.6%	7.6%	13.6%	86.4%
Cocaine or Crack				
All	1.5%	1.6%	1.8%	98.2%
Grade 7	0.2%	0.5%	0.5%	99.5%
Grade 8	0.3%	0.3%	1.7%	98.3%
Grade 9	2.8%	2.8%	2.8%	97.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.8%	2.8%	2.8%	97.2%
Grade 12	3.1%	3.1%	3.1%	96.9%
Cocaine				
All	1.5%	1.5%	1.8%	98.2%
Grade 7	0.2%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	1.7%	98.3%
Grade 9	2.8%	2.8%	2.8%	97.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.8%	2.8%	2.8%	97.2%
Grade 12	3.1%	3.1%	3.1%	96.9%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.5%	0.5%	0.5%	99.5%
	Grade 7	0.2%	0.5%	0.5%	99.5%
	Grade 8	0.3%	0.3%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	2.8%	2.8%	2.8%	97.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	1.8%	1.8%	3.4%	96.6%
	Grade 7	0.5%	0.5%	0.5%	99.5%
	Grade 8	0.7%	1.0%	2.1%	97.9%
	Grade 9	2.8%	2.8%	2.8%	97.2%
	Grade 10	3.1%	3.1%	5.7%	94.3%
	Grade 11	0.0%	0.0%	2.9%	97.1%
	Grade 12	3.1%	3.1%	6.2%	93.8%
Synthetic Cathinones	All	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.2%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.0%	0.9%	3.1%	96.9%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.0%	0.3%	1.3%	98.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	4.7%	95.3%
	Grade 11	0.0%	2.7%	2.7%	97.3%
	Grade 12	0.0%	2.7%	9.0%	91.0%
Ecstasy	All	0.1%	0.1%	1.0%	99.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.5%	0.5%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	2.8%	97.2%
	Grade 12	0.0%	0.0%	3.1%	96.9%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.4%	0.5%	99.5%
Grade 7	0.0%	1.7%	2.2%	97.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	2.1%	3.8%	5.7%	94.3%
Grade 7	0.4%	1.1%	1.2%	98.8%
Grade 8	1.8%	2.1%	4.9%	95.1%
Grade 9	5.5%	5.5%	8.3%	91.7%
Grade 10	0.0%	2.6%	2.6%	97.4%
Grade 11	1.7%	1.7%	4.4%	95.6%
Grade 12	3.1%	9.3%	12.4%	87.6%
Methamphetamine				
All	0.0%	0.0%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.3%	0.3%	2.8%	97.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	0.0%	0.0%	6.2%	93.8%
Delta 8				
All	3.5%	5.0%	6.8%	93.2%
Grade 7	0.9%	1.9%	4.0%	96.0%
Grade 8	1.4%	1.7%	4.8%	95.2%
Grade 9	8.3%	11.1%	11.1%	88.9%
Grade 10	3.1%	5.7%	5.7%	94.3%
Grade 11	0.0%	2.4%	5.1%	94.9%
Grade 12	6.2%	6.2%	9.3%	90.7%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	260,086	52.2%
Female	237,773	47.8%
Frequency Missing	2,974	

Hispanic or Latino

Q5a	Frequency	Percent
No	209,427	42.4%
Yes	284,742	57.6%
Frequency Missing	6,664	

Grade

Q2	Frequency	Percent
Grade 7	87,157	17.5%
Grade 8	88,266	17.7%
Grade 9	92,969	18.7%
Grade 10	78,917	15.8%
Grade 11	81,906	16.4%
Grade 12	68,957	13.8%
Frequency Missing	2,662	

Ethnicity

Q5b	Frequency	Percent
American Indian	10,027	2.2%
Asian American	7,886	1.7%
African American	38,207	8.2%
Pacific Islander	2,438	0.5%
White	220,079	47.4%
Other	84,604	18.2%
More Than One Race	100,895	21.7%
Frequency Missing	36,696	

Live with Both Parents

Q3	Frequency	Percent
No	176,988	35.7%
Yes	319,258	64.3%
Frequency Missing	4,587	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	1,618	0.4%
Mostly D's	5,704	1.2%
Mostly C's	54,457	11.9%
Mostly B's	195,575	42.7%
Mostly A's	200,505	43.8%
Frequency Missing	42,974	

Age

Q4	Frequency	Percent
11 or younger	313	0.1%
12	35,223	7.0%
13	81,952	16.4%
14	79,283	15.9%
15	84,990	17.0%
16	86,352	17.3%
17	77,739	15.6%
18	52,709	10.5%
19 or older	1,154	0.2%
Frequency Missing	1,118	

Do You Have a Job

Q7	Frequency	Percent
No	357,814	77.8%
Yes	102,057	22.2%
Frequency Missing	40,961	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	139,325	30.4%
Yes	163,360	35.6%
Don't Know	156,205	34.0%
Frequency Missing	41,943	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	201,927	46.3%
Yes	234,424	53.7%
Frequency Missing	64,482	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	311,868	76.5%
Yes	95,758	23.5%
Frequency Missing	93,207	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	324,020	78.4%
Yes	89,463	21.6%
Frequency Missing	87,349	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	307,639	74.8%
Yes	103,872	25.2%
Frequency Missing	89,322	

Participate in School Choir

Q9c	Frequency	Percent
No	386,973	96.1%
Yes	15,807	3.9%
Frequency Missing	98,054	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	281,783	67.6%
Yes	134,879	32.4%
Frequency Missing	84,171	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	369,697	91.1%
Yes	36,289	8.9%
Frequency Missing	94,847	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	323,069	78.9%
Yes	86,267	21.1%
Frequency Missing	91,497	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	375,027	92.6%
Yes	29,796	7.4%
Frequency Missing	96,010	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	441,619	88.7%
Somewhat Safe	47,320	9.5%
Not Very Safe	3,897	0.8%
Not Safe At All	435	0.1%
Don't Know	4,521	0.9%
Frequency Missing	3,041	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	237,878	48.1%
Somewhat Safe	211,925	42.8%
Not Very Safe	25,507	5.2%
Not Safe At All	3,816	0.8%
Don't Know	15,828	3.2%
Frequency Missing	5,879	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	276,571	57.9%
Yes	201,095	42.1%
Frequency Missing	23,167	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	155,707	31.4%
Somewhat Safe	250,815	50.6%
Not Very Safe	47,298	9.5%
Not Safe At All	19,091	3.9%
Don't Know	22,644	4.6%
Frequency Missing	5,278	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	22,888	4.7%
A Few	89,273	18.1%
Some	114,235	23.2%
Most	187,878	38.2%
All	77,624	15.8%
Frequency Missing	8,934	

**Highest Level of Schooling Completed by
Father**

Q11a	Frequency	Percent
Grade School or Less	27,513	5.8%
Some High School	43,512	9.2%
Finished High School	117,470	24.8%
Some College	58,235	12.3%
Finished College	93,417	19.7%
Post-Secondary	49,936	10.6%
Don't Know or N/A	82,950	17.5%
Frequency Missing	27,799	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	11,829	2.4%
A Few	64,916	13.2%
Some	116,471	23.7%
Most	193,216	39.3%
All	105,694	21.5%
Frequency Missing	8,707	

**Highest Level of Schooling Completed by
Mother**

Q11b	Frequency	Percent
Grade School or Less	23,975	5.0%
Some High School	32,704	6.9%
Finished High School	88,854	18.7%
Some College	70,376	14.8%
Finished College	125,619	26.4%
Post-Secondary	77,210	16.2%
Don't Know or N/A	56,861	12.0%
Frequency Missing	25,234	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	219,516	45.3%
A Few	147,753	30.5%
Some	68,151	14.1%
Most	34,377	7.1%
All	15,045	3.1%
Frequency Missing	15,992	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	387,883	79.6%
A Few	63,634	13.1%
Some	23,170	4.8%
Most	9,072	1.9%
All	3,598	0.7%
Frequency Missing	13,476	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	485,586	99.4%
In Your Lifetime	1,373	0.3%
Since School Began	65	0.0%
In the Past Month	1,294	0.3%
Frequency Missing	12,515	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	447,973	91.4%
A Few	25,509	5.2%
Some	11,381	2.3%
Most	2,979	0.6%
All	2,421	0.5%
Frequency Missing	10,570	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	469,960	95.6%
In Your Lifetime	15,825	3.2%
Since School Began	2,024	0.4%
In the Past Month	3,587	0.7%
Frequency Missing	9,436	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	485,849	98.7%
In Your Lifetime	4,874	1.0%
Since School Began	376	0.1%
In the Past Month	1,391	0.3%
Frequency Missing	8,343	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	484,765	99.0%
In Your Lifetime	3,081	0.6%
Since School Began	451	0.1%
In the Past Month	1,351	0.3%
Frequency Missing	11,186	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	472,677	96.2%
In Your Lifetime	13,542	2.8%
Since School Began	1,087	0.2%
In the Past Month	3,986	0.8%
Frequency Missing	9,542	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	485,612	99.1%
In Your Lifetime	2,917	0.6%
Since School Began	790	0.2%
In the Past Month	716	0.1%
Frequency Missing	10,799	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	480,842	98.0%
In Your Lifetime	5,556	1.1%
Since School Began	1,528	0.3%
In the Past Month	2,971	0.6%
Frequency Missing	9,936	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	337,657	69.7%
In Your Lifetime	73,340	15.1%
Since School Began	26,750	5.5%
In the Past Month	46,537	9.6%
Frequency Missing	16,549	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	483,526	98.4%
In Your Lifetime	3,758	0.8%
Since School Began	651	0.1%
In the Past Month	3,471	0.7%
Frequency Missing	9,428	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	367,556	75.5%
In Your Lifetime	52,011	10.7%
Since School Began	25,279	5.2%
In the Past Month	41,810	8.6%
Frequency Missing	14,177	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	452,417	91.8%
In Your Lifetime	28,215	5.7%
Since School Began	4,745	1.0%
In the Past Month	7,668	1.6%
Frequency Missing	7,787	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	376,275	78.2%
In Your Lifetime	62,321	13.0%
Since School Began	18,514	3.8%
In the Past Month	24,102	5.0%
Frequency Missing	19,621	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	468,407	95.9%
In Your Lifetime	10,486	2.1%
Since School Began	2,559	0.5%
In the Past Month	7,166	1.5%
Frequency Missing	12,214	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	346,669	71.4%
In Your Lifetime	69,820	14.4%
Since School Began	28,732	5.9%
In the Past Month	40,080	8.3%
Frequency Missing	15,531	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	479,782	97.8%
In Your Lifetime	6,233	1.3%
Since School Began	1,319	0.3%
In the Past Month	3,102	0.6%
Frequency Missing	10,397	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	392,091	80.0%
In Your Lifetime	46,361	9.5%
Since School Began	15,810	3.2%
In the Past Month	35,899	7.3%
Frequency Missing	10,673	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	475,511	96.9%
In Your Lifetime	8,338	1.7%
Since School Began	3,509	0.7%
In the Past Month	3,120	0.6%
Frequency Missing	10,355	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	421,358	85.8%
In Your Lifetime	33,534	6.8%
Since School Began	13,115	2.7%
In the Past Month	22,924	4.7%
Frequency Missing	9,901	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	490,089	99.8%
In Your Lifetime	637	0.1%
Since School Began	27	0.0%
In the Past Month	354	0.1%
Frequency Missing	9,726	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	487,142	99.2%
In Your Lifetime	1,771	0.4%
Since School Began	812	0.2%
In the Past Month	1,381	0.3%
Frequency Missing	9,727	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	482,984	98.6%
In Your Lifetime	4,863	1.0%
Since School Began	795	0.2%
In the Past Month	1,274	0.3%
Frequency Missing	10,917	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	488,208	99.7%
In Your Lifetime	873	0.2%
Since School Began	27	0.0%
In the Past Month	521	0.1%
Frequency Missing	11,204	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	487,666	99.6%
In Your Lifetime	1,566	0.3%
Since School Began	23	0.0%
In the Past Month	434	0.1%
Frequency Missing	11,144	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	490,057	99.7%
In Your Lifetime	946	0.2%
Since School Began	140	0.0%
In the Past Month	548	0.1%
Frequency Missing	9,142	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	447,526	92.3%
In Your Lifetime	17,749	3.7%
Since School Began	8,857	1.8%
In the Past Month	10,517	2.2%
Frequency Missing	16,184	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	489,555	99.8%
In Your Lifetime	536	0.1%
Since School Began	79	0.0%
In the Past Month	555	0.1%
Frequency Missing	10,107	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	477,417	98.5%
In Your Lifetime	4,012	0.8%
Since School Began	1,073	0.2%
In the Past Month	2,311	0.5%
Frequency Missing	16,020	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	477,885	97.4%
In Your Lifetime	4,620	0.9%
Since School Began	2,653	0.5%
In the Past Month	5,410	1.1%
Frequency Missing	10,265	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	471,436	97.5%
In Your Lifetime	5,589	1.2%
Since School Began	2,968	0.6%
In the Past Month	3,715	0.8%
Frequency Missing	17,124	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	464,905	95.0%
In Your Lifetime	9,112	1.9%
Since School Began	4,544	0.9%
In the Past Month	10,873	2.2%
Frequency Missing	11,400	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	467,436	96.6%
In Your Lifetime	7,185	1.5%
Since School Began	2,390	0.5%
In the Past Month	6,963	1.4%
Frequency Missing	16,860	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	453,428	94.3%
In Your Lifetime	11,046	2.3%
Since School Began	5,021	1.0%
In the Past Month	11,244	2.3%
Frequency Missing	20,094	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	479,615	98.9%
1-2 times	3,289	0.7%
3-10 times	852	0.2%
11+ times	1,009	0.2%
Frequency Missing	16,068	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	469,698	97.5%
In Your Lifetime	4,755	1.0%
Since School Began	1,966	0.4%
In the Past Month	5,341	1.1%
Frequency Missing	19,074	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	448,275	92.4%
1-2 times	16,684	3.4%
3-10 times	6,073	1.3%
11+ times	14,045	2.9%
Frequency Missing	15,756	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	458,755	94.7%
1-2 times	13,065	2.7%
3-10 times	5,854	1.2%
11+ times	6,723	1.4%
Frequency Missing	16,435	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	481,864	99.5%
1-2 times	2,133	0.4%
3-10 times	0	0.0%
11+ times	314	0.1%
Frequency Missing	16,523	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	372,758	77.4%
1-2 times	70,846	14.7%
3-10 times	26,024	5.4%
11+ times	11,901	2.5%
Frequency Missing	19,305	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	483,056	99.8%
1-2 times	428	0.1%
3-10 times	330	0.1%
11+ times	27	0.0%
Frequency Missing	16,993	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	394,717	81.8%
A few	57,198	11.9%
Some	18,669	3.9%
Most	8,969	1.9%
All	3,098	0.6%
Frequency Missing	18,182	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	265,007	54.9%
A few	108,745	22.5%
Some	52,823	10.9%
Most	44,161	9.1%
All	12,229	2.5%
Frequency Missing	17,868	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	460,288	95.5%
A few	17,098	3.5%
Some	3,225	0.7%
Most	1,301	0.3%
All	82	0.0%
Frequency Missing	18,839	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	346,793	71.8%
A few	72,122	14.9%
Some	32,311	6.7%
Most	24,863	5.1%
All	7,075	1.5%
Frequency Missing	17,669	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	438,237	91.2%
8 or younger	4,256	0.9%
9 years old	579	0.1%
10 years old	1,912	0.4%
11 years old	1,041	0.2%
12 years old	5,914	1.2%
13 years old	8,060	1.7%
14 years old	7,305	1.5%
15 years old	6,481	1.3%
16 years old	3,347	0.7%
17 years old	2,449	0.5%
18 or older	788	0.2%
Frequency Missing	20,464	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	300,257	62.7%
8 or younger	24,936	5.2%
9 years old	5,981	1.2%
10 years old	12,457	2.6%
11 years old	10,025	2.1%
12 years old	18,635	3.9%
13 years old	22,072	4.6%
14 years old	28,944	6.0%
15 years old	27,387	5.7%
16 years old	18,225	3.8%
17 years old	7,506	1.6%
18 or older	2,701	0.6%
Frequency Missing	21,708	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	469,828	97.9%
8 or younger	1,741	0.4%
9 years old	1,584	0.3%
10 years old	1,018	0.2%
11 years old	1,676	0.3%
12 years old	1,039	0.2%
13 years old	719	0.1%
14 years old	702	0.1%
15 years old	669	0.1%
16 years old	772	0.2%
17 years old	183	0.0%
18 or older	0	0.0%
Frequency Missing	20,902	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	415,411	86.5%
8 or younger	1,887	0.4%
9 years old	622	0.1%
10 years old	952	0.2%
11 years old	4,092	0.9%
12 years old	3,795	0.8%
13 years old	11,508	2.4%
14 years old	13,227	2.8%
15 years old	14,228	3.0%
16 years old	9,135	1.9%
17 years old	4,644	1.0%
18 or older	788	0.2%
Frequency Missing	20,543	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	478,049	99.3%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	27	0.0%
11 years old	176	0.0%
12 years old	27	0.0%
13 years old	450	0.1%
14 years old	771	0.2%
15 years old	692	0.1%
16 years old	287	0.1%
17 years old	1,159	0.2%
18 or older	0	0.0%
Frequency Missing	19,196	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	479,504	99.7%
8 or younger	345	0.1%
9 years old	0	0.0%
10 years old	345	0.1%
11 years old	44	0.0%
12 years old	66	0.0%
13 years old	330	0.1%
14 years old	410	0.1%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	19,789	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	481,275	99.8%
8 or younger	134	0.0%
9 years old	0	0.0%
10 years old	27	0.0%
11 years old	126	0.0%
12 years old	0	0.0%
13 years old	69	0.0%
14 years old	12	0.0%
15 years old	0	0.0%
16 years old	616	0.1%
17 years old	0	0.0%
Frequency Missing	18,573	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	479,611	99.6%
8 or younger	356	0.1%
9 years old	0	0.0%
10 years old	345	0.1%
11 years old	27	0.0%
12 years old	125	0.0%
13 years old	590	0.1%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	330	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	19,450	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	475,728	98.8%
8 or younger	2,228	0.5%
9 years old	0	0.0%
10 years old	35	0.0%
11 years old	80	0.0%
12 years old	631	0.1%
13 years old	150	0.0%
14 years old	801	0.2%
15 years old	609	0.1%
16 years old	330	0.1%
17 years old	798	0.2%
18 or older	0	0.0%
Frequency Missing	19,444	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	479,460	99.6%
8 or younger	191	0.0%
9 years old	134	0.0%
10 years old	0	0.0%
11 years old	287	0.1%
12 years old	169	0.0%
13 years old	154	0.0%
14 years old	593	0.1%
15 years old	330	0.1%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	19,516	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	469,796	97.8%
8 or younger	421	0.1%
9 years old	394	0.1%
10 years old	27	0.0%
11 years old	626	0.1%
12 years old	245	0.1%
13 years old	723	0.2%
14 years old	2,304	0.5%
15 years old	2,134	0.4%
16 years old	2,279	0.5%
17 years old	1,175	0.2%
18 or older	390	0.1%
Frequency Missing	20,318	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	456,813	95.1%
8 or younger	633	0.1%
9 years old	0	0.0%
10 years old	27	0.0%
11 years old	1,448	0.3%
12 years old	1,173	0.2%
13 years old	1,498	0.3%
14 years old	5,136	1.1%
15 years old	6,668	1.4%
16 years old	4,230	0.9%
17 years old	2,196	0.5%
18 or older	781	0.2%
Frequency Missing	20,230	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	182,834	38.3%
Impossible	101,041	21.1%
Very Difficult	39,156	8.2%
Somewhat diff	46,402	9.7%
Somewhat easy	54,982	11.5%
Very easy	53,487	11.2%
Frequency Missing	22,931	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	135,261	28.3%
Impossible	59,483	12.4%
Very Difficult	30,039	6.3%
Somewhat diff	49,904	10.4%
Somewhat easy	84,792	17.7%
Very easy	118,393	24.8%
Frequency Missing	22,962	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	226,779	47.8%
Impossible	80,490	17.0%
Very Difficult	20,632	4.3%
Somewhat diff	25,731	5.4%
Somewhat easy	40,834	8.6%
Very easy	80,136	16.9%
Frequency Missing	26,232	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	174,619	36.6%
Impossible	114,255	23.9%
Very Difficult	46,840	9.8%
Somewhat diff	44,160	9.2%
Somewhat easy	43,167	9.0%
Very easy	54,488	11.4%
Frequency Missing	23,303	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	214,997	45.1%
Impossible	175,687	36.9%
Very Difficult	46,760	9.8%
Somewhat diff	21,695	4.6%
Somewhat easy	7,968	1.7%
Very easy	9,517	2.0%
Frequency Missing	24,210	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	222,365	46.7%
Impossible	176,753	37.1%
Very Difficult	47,343	9.9%
Somewhat diff	15,932	3.3%
Somewhat easy	5,234	1.1%
Very easy	8,291	1.7%
Frequency Missing	24,915	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	245,134	51.4%
Impossible	166,372	34.9%
Very Difficult	38,752	8.1%
Somewhat diff	12,759	2.7%
Somewhat easy	5,627	1.2%
Very easy	7,995	1.7%
Frequency Missing	24,194	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	225,276	47.4%
Impossible	153,921	32.4%
Very Difficult	42,935	9.0%
Somewhat diff	23,663	5.0%
Somewhat easy	16,416	3.5%
Very easy	13,337	2.8%
Frequency Missing	25,285	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	266,858	56.0%
Impossible	128,683	27.0%
Very Difficult	33,011	6.9%
Somewhat diff	15,738	3.3%
Somewhat easy	14,433	3.0%
Very easy	17,469	3.7%
Frequency Missing	24,642	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	272,250	57.2%
Impossible	138,756	29.2%
Very Difficult	37,347	7.9%
Somewhat diff	13,561	2.9%
Somewhat easy	6,636	1.4%
Very easy	7,013	1.5%
Frequency Missing	25,270	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	264,008	55.5%
Impossible	116,588	24.5%
Very Difficult	33,062	6.9%
Somewhat diff	16,522	3.5%
Somewhat easy	15,807	3.3%
Very easy	30,070	6.3%
Frequency Missing	24,777	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	241,704	50.8%
Impossible	171,798	36.1%
Very Difficult	39,229	8.3%
Somewhat diff	11,384	2.4%
Somewhat easy	4,599	1.0%
Very easy	6,676	1.4%
Frequency Missing	25,444	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	3,483	0.7%
Several times/wk	3,672	0.8%
Several times/mo	4,950	1.0%
About once/month	8,473	1.8%
About once/year	7,597	1.6%
Less than once/year	13,800	2.9%
Never used	435,158	91.2%
Frequency Missing	23,701	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	1,373	0.3%
Several times/wk	6,028	1.3%
Several times/mo	24,119	5.1%
About once/month	51,036	10.7%
About once/year	43,588	9.1%
Less than once/year	41,133	8.6%
Never used	309,153	64.9%
Frequency Missing	24,403	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	724	0.2%
Several times/wk	64	0.0%
Several times/mo	725	0.2%
About once/month	764	0.2%
About once/year	543	0.1%
Less than once/year	1,367	0.3%
Never used	470,815	99.1%
Frequency Missing	25,832	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	387	0.1%
Several times/wk	160	0.0%
Several times/mo	1,373	0.3%
About once/month	962	0.2%
About once/year	1,584	0.3%
Less than once/year	3,505	0.7%
Never used	466,333	98.3%
Frequency Missing	26,531	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	59	0.0%
Several times/wk	357	0.1%
Several times/mo	37	0.0%
About once/month	331	0.1%
About once/year	166	0.0%
Less than once/year	12	0.0%
Never used	474,931	99.8%
Frequency Missing	24,941	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	6,663	1.4%
Several times/wk	6,462	1.4%
Several times/mo	6,155	1.3%
About once/month	9,955	2.1%
About once/year	14,557	3.1%
Less than once/year	16,438	3.5%
Never used	415,353	87.3%
Frequency Missing	25,251	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	36	0.0%
Several times/wk	941	0.2%
Several times/mo	474	0.1%
About once/month	529	0.1%
About once/year	0	0.0%
Less than once/year	2,188	0.5%
Never used	471,315	99.1%
Frequency Missing	25,350	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	411	0.1%
Several times/wk	44	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	303	0.1%
Less than once/year	724	0.2%
Never used	474,606	99.7%
Frequency Missing	24,745	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	297	0.1%
Several times/wk	1,882	0.4%
Several times/mo	793	0.2%
About once/month	998	0.2%
About once/year	2,072	0.4%
Less than once/year	4,719	1.0%
Never used	464,341	97.7%
Frequency Missing	25,730	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	470	0.1%
Several times/wk	108	0.0%
Several times/mo	460	0.1%
About once/month	298	0.1%
About once/year	0	0.0%
Less than once/year	0	0.0%
Never used	474,792	99.7%
Frequency Missing	24,705	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	1,908	0.4%
Several times/wk	2,206	0.5%
Several times/mo	1,891	0.4%
About once/month	3,510	0.7%
About once/year	4,036	0.9%
Less than once/year	7,574	1.6%
Never used	453,172	95.5%
Frequency Missing	26,537	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	158	0.0%
Several times/wk	0	0.0%
Several times/mo	358	0.1%
About once/month	303	0.1%
About once/year	32	0.0%
Less than once/year	1,150	0.2%
Never used	474,369	99.6%
Frequency Missing	24,463	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	325,542	68.0%
12+ drinks	7,630	1.6%
9-11 drinks	6,783	1.4%
5-8 drinks	16,182	3.4%
3-4 drinks	20,504	4.3%
2 drinks	20,662	4.3%
1 drink	29,232	6.1%
Less than 1 drink	52,200	10.9%
Frequency Missing	22,097	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	353,838	74.1%
12+ drinks	4,921	1.0%
9-11 drinks	5,422	1.1%
5-8 drinks	16,477	3.5%
3-4 drinks	28,831	6.0%
2 drinks	19,029	4.0%
1 drink	20,040	4.2%
Less than 1 drink	28,800	6.0%
Frequency Missing	23,475	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	292,986	62.2%
0 days	131,706	28.0%
1 day	19,949	4.2%
2 days	8,346	1.8%
3 to 5 days	8,888	1.9%
6 to 9 days	2,307	0.5%
10 or more days	6,942	1.5%
Frequency Missing	29,709	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	359,453	75.7%
12+ drinks	1,465	0.3%
9-11 drinks	678	0.1%
5-8 drinks	2,223	0.5%
3-4 drinks	8,089	1.7%
2 drinks	16,151	3.4%
1 drink	35,076	7.4%
Less than 1 drink	51,454	10.8%
Frequency Missing	26,245	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	294,861	62.0%
Never	63,750	13.4%
Seldom	69,664	14.6%
Most of the Time	31,170	6.6%
Always	16,313	3.4%
Frequency Missing	25,075	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	331,418	69.3%
12+ drinks	5,399	1.1%
9-11 drinks	3,963	0.8%
5-8 drinks	17,373	3.6%
3-4 drinks	30,135	6.3%
2 drinks	22,239	4.7%
1 drink	27,269	5.7%
Less than 1 drink	40,163	8.4%
Frequency Missing	22,874	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	312,800	65.7%
Never	74,097	15.6%
Seldom	47,774	10.0%
Most of the Time	31,679	6.7%
Always	9,907	2.1%
Frequency Missing	24,577	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	321,810	67.9%
Never	120,928	25.5%
Seldom	14,942	3.2%
Most of the Time	10,215	2.2%
Always	6,219	1.3%
Frequency Missing	26,718	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	306,954	64.4%
Never	68,597	14.4%
Seldom	38,831	8.1%
Most of the Time	40,095	8.4%
Always	22,366	4.7%
Frequency Missing	23,990	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	338,977	72.0%
Somewhat	61,563	13.1%
Not very	21,673	4.6%
Not at all	7,391	1.6%
Don't know	41,001	8.7%
Frequency Missing	30,227	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	328,496	69.4%
Never	95,249	20.1%
Seldom	23,398	4.9%
Most of the Time	15,510	3.3%
Always	10,785	2.3%
Frequency Missing	27,395	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	297,931	63.1%
Somewhat	70,604	15.0%
Not very	50,496	10.7%
Not at all	24,470	5.2%
Don't know	28,753	6.1%
Frequency Missing	28,579	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	293,536	61.9%
Somewhat	108,657	22.9%
Not very	31,606	6.7%
Not at all	7,740	1.6%
Don't know	32,467	6.8%
Frequency Missing	26,827	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	410,313	86.9%
Somewhat	26,670	5.6%
Not very	3,252	0.7%
Not at all	1,947	0.4%
Don't know	30,257	6.4%
Frequency Missing	28,394	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	211,030	44.5%
Somewhat	145,679	30.7%
Not very	79,126	16.7%
Not at all	14,159	3.0%
Don't know	24,125	5.1%
Frequency Missing	26,714	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	413,831	87.6%
Somewhat	21,563	4.6%
Not very	2,781	0.6%
Not at all	2,098	0.4%
Don't know	32,257	6.8%
Frequency Missing	28,303	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	377,286	80.0%
Somewhat	25,994	5.5%
Not very	3,822	0.8%
Not at all	2,266	0.5%
Don't know	62,366	13.2%
Frequency Missing	29,099	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	356,192	75.6%
Somewhat	41,071	8.7%
Not very	11,900	2.5%
Not at all	6,662	1.4%
Don't know	55,193	11.7%
Frequency Missing	29,814	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	348,312	74.0%
Somewhat	58,151	12.4%
Not very	17,033	3.6%
Not at all	4,705	1.0%
Don't know	42,520	9.0%
Frequency Missing	30,112	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	330,686	70.3%
Somewhat	48,278	10.3%
Not very	22,109	4.7%
Not at all	11,983	2.5%
Don't know	57,254	12.2%
Frequency Missing	30,523	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	404,085	85.7%
Somewhat	20,378	4.3%
Not very	1,720	0.4%
Not at all	1,795	0.4%
Don't know	43,376	9.2%
Frequency Missing	29,481	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	348,101	73.9%
Somewhat	62,460	13.3%
Not very	16,230	3.4%
Not at all	4,573	1.0%
Don't know	39,522	8.4%
Frequency Missing	29,947	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	406,379	86.1%
Somewhat	19,656	4.2%
Not very	2,445	0.5%
Not at all	1,715	0.4%
Don't know	41,820	8.9%
Frequency Missing	28,819	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	306,446	64.9%
Somewhat	86,773	18.4%
Not very	37,717	8.0%
Not at all	11,018	2.3%
Don't know	30,339	6.4%
Frequency Missing	28,540	

Days Skipped Since September

Q28a	Frequency	Percent
None	344,151	73.6%
1-3 days	86,658	18.5%
4-9 days	22,955	4.9%
10+ days	13,615	2.9%
Frequency Missing	33,454	

Someone Called Home Since September

Q28e	Frequency	Percent
None	420,357	89.8%
1-3 days	36,257	7.7%
4-9 days	7,051	1.5%
10+ days	4,418	0.9%
Frequency Missing	32,751	

Days Ill Since September

Q28b	Frequency	Percent
None	119,388	25.5%
1-3 days	228,101	48.6%
4-9 days	91,932	19.6%
10+ days	29,650	6.3%
Frequency Missing	31,762	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	452,087	96.9%
1-3 times	11,920	2.6%
4-9 times	1,228	0.3%
10+ times	1,427	0.3%
Frequency Missing	34,172	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	136,147	29.4%
1-3 days	237,534	51.3%
4-9 days	60,845	13.1%
10+ days	28,632	6.2%
Frequency Missing	37,675	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	450,994	96.8%
1-3 times	11,457	2.5%
4-9 times	1,535	0.3%
10+ times	1,724	0.4%
Frequency Missing	35,122	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	402,273	85.6%
1-3 days	52,226	11.1%
4-9 days	8,542	1.8%
10+ days	6,706	1.4%
Frequency Missing	31,085	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	453,122	97.4%
1-3 times	9,492	2.0%
4-9 times	1,333	0.3%
10+ times	1,139	0.2%
Frequency Missing	35,747	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	448,164	96.6%
1-3 times	11,753	2.5%
4-9 times	1,102	0.2%
10+ times	2,983	0.6%
Frequency Missing	36,832	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	452,060	97.1%
1-3 days	10,492	2.3%
4-9 days	964	0.2%
10+ days	2,104	0.5%
Frequency Missing	35,214	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	245,561	52.8%
Seldom	28,327	6.1%
Half the time	18,493	4.0%
Most of the Time	33,038	7.1%
Always	44,120	9.5%
Don't Know	7,395	1.6%
Didn't attend	87,945	18.9%
Frequency Missing	35,954	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	441,010	94.9%
1-3 days	11,823	2.5%
4-9 days	4,240	0.9%
10+ days	7,869	1.7%
Frequency Missing	35,890	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	290,481	62.6%
Seldom	20,311	4.4%
Half the time	14,887	3.2%
Most of the Time	22,020	4.7%
Always	18,522	4.0%
Don't Know	11,314	2.4%
Didn't attend	86,814	18.7%
Frequency Missing	36,486	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	462,955	99.5%
1-3 days	1,048	0.2%
4-9 days	0	0.0%
10+ days	1,132	0.2%
Frequency Missing	35,698	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	409,145	94.6%
Yes	23,575	5.4%
Frequency Missing	68,113	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	456,292	98.2%
1-3 days	5,172	1.1%
4-9 days	1,618	0.3%
10+ days	1,515	0.3%
Frequency Missing	36,236	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	308,432	67.7%
Yes	147,362	32.3%
Frequency Missing	45,039	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	356,891	78.7%
Yes	96,599	21.3%
Frequency Missing	47,343	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	191,254	42.2%
Yes	262,483	57.8%
Frequency Missing	47,096	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	291,854	64.5%
Yes	160,787	35.5%
Frequency Missing	48,191	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	281,204	62.0%
Yes	172,196	38.0%
Frequency Missing	47,433	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	130,342	28.5%
Yes	327,652	71.5%
Frequency Missing	42,839	

Would Not Seek Help

Q33i	Frequency	Percent
No	345,479	77.2%
Yes	101,753	22.8%
Frequency Missing	53,601	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	199,045	44.0%
Yes	253,209	56.0%
Frequency Missing	48,579	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	274,092	61.1%
Yes	174,733	38.9%
Frequency Missing	52,007	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	175,385	38.5%
Yes	279,852	61.5%
Frequency Missing	45,595	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	255,652	57.0%
Yes	192,500	43.0%
Frequency Missing	52,681	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	319,787	71.7%
Yes	126,082	28.3%
Frequency Missing	54,964	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	316,578	71.4%
Yes	126,778	28.6%
Frequency Missing	57,477	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	366,849	82.3%
Yes	79,072	17.7%
Frequency Missing	54,912	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	362,839	78.1%
Mild disapprove	34,463	7.4%
Neither	31,037	6.7%
Mildly approve	3,168	0.7%
Strongly approve	1,593	0.3%
Don't know	31,654	6.8%
Frequency Missing	36,078	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	328,606	73.6%
Yes	117,831	26.4%
Frequency Missing	54,396	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	253,981	54.7%
Mild disapprove	70,207	15.1%
Neither	81,951	17.6%
Mildly approve	27,294	5.9%
Strongly approve	4,758	1.0%
Don't know	26,400	5.7%
Frequency Missing	36,241	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	388,316	87.5%
Yes	55,238	12.5%
Frequency Missing	57,280	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	353,321	76.1%
Mild disapprove	34,013	7.3%
Neither	35,854	7.7%
Mildly approve	9,819	2.1%
Strongly approve	3,257	0.7%
Don't know	28,269	6.1%
Frequency Missing	36,300	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	312,479	70.3%
Yes	131,981	29.7%
Frequency Missing	56,373	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

