
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2024



HHSC REGION 9 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	109

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 9. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	10.2%	12.3%	22.7%	77.3%
Grade 7	4.6%	5.6%	13.3%	86.7%
Grade 8	10.7%	12.3%	21.2%	78.8%
Grade 9	8.2%	11.2%	24.2%	75.8%
Grade 10	12.2%	14.2%	22.6%	77.4%
Grade 11	13.5%	16.5%	29.6%	70.4%
Grade 12	13.4%	15.0%	26.4%	73.6%
Cigarettes?				
All	1.7%	2.8%	7.6%	92.4%
Grade 7	1.2%	1.2%	1.3%	98.7%
Grade 8	1.7%	2.6%	7.9%	92.1%
Grade 9	1.3%	1.9%	7.5%	92.5%
Grade 10	1.1%	2.0%	7.3%	92.7%
Grade 11	3.9%	6.5%	12.0%	88.0%
Grade 12	1.8%	3.4%	10.7%	89.3%
Smokeless Tobacco?				
All	1.1%	1.7%	4.4%	95.6%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.9%	0.9%	3.8%	96.2%
Grade 9	0.6%	1.0%	4.1%	95.9%
Grade 10	1.1%	1.3%	4.2%	95.8%
Grade 11	2.6%	3.9%	7.5%	92.5%
Grade 12	1.7%	3.7%	6.5%	93.5%
Electronic Vapor Products?				
All	7.9%	10.2%	20.5%	79.5%
Grade 7	4.4%	5.4%	12.6%	87.4%
Grade 8	7.1%	9.5%	18.5%	81.5%
Grade 9	6.2%	9.8%	21.6%	78.4%
Grade 10	9.7%	11.9%	20.7%	79.3%
Grade 11	11.2%	13.1%	28.1%	71.9%
Grade 12	9.8%	12.2%	22.2%	77.8%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	92.9%	1.2%	0.5%	0.5%	1.1%	1.1%	2.8%
Grade 7	96.7%	0.0%	0.0%	0.4%	1.0%	0.5%	1.5%
Grade 8	93.9%	0.6%	0.0%	1.2%	1.9%	0.6%	1.8%
Grade 9	93.5%	0.6%	0.0%	0.3%	1.2%	1.1%	3.3%
Grade 10	94.3%	1.1%	0.5%	0.5%	0.8%	0.8%	2.0%
Grade 11	87.6%	3.4%	1.7%	0.4%	0.9%	1.9%	4.3%
Grade 12	89.9%	2.1%	1.0%	0.1%	1.0%	1.6%	4.2%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.5	10.4	11.5	11.4	12.4	14.2	13.2

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	44.9%	18.5%	8.3%	8.6%	9.6%	10.1%
Grade 7	44.4%	31.9%	11.3%	3.4%	5.1%	3.9%
Grade 8	46.7%	19.0%	7.9%	11.4%	8.6%	6.3%
Grade 9	45.6%	16.0%	7.3%	9.0%	11.7%	10.3%
Grade 10	51.3%	14.5%	7.8%	7.9%	7.1%	11.4%
Grade 11	41.2%	15.0%	5.3%	10.8%	10.0%	17.7%
Grade 12	37.4%	15.1%	10.4%	9.3%	16.0%	11.9%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	83.9%	9.5%	3.6%	2.1%	0.9%
Grade 7	94.1%	3.1%	1.3%	0.7%	0.8%
Grade 8	82.3%	11.2%	5.4%	0.5%	0.7%
Grade 9	85.4%	8.1%	1.7%	2.9%	1.9%
Grade 10	85.7%	8.2%	3.0%	3.1%	0.1%
Grade 11	78.0%	12.1%	5.7%	3.3%	0.8%
Grade 12	75.6%	16.1%	5.2%	2.2%	0.9%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.4%	7.7%	6.3%	0.6%	0.5%	8.6%
Grade 7	86.4%	4.0%	3.0%	0.0%	0.0%	6.5%
Grade 8	75.4%	6.2%	6.5%	0.4%	0.5%	11.0%
Grade 9	77.0%	7.0%	3.2%	1.3%	0.5%	11.0%
Grade 10	75.6%	7.1%	8.3%	0.2%	0.0%	8.9%
Grade 11	71.3%	13.2%	7.7%	0.0%	1.2%	6.6%
Grade 12	71.7%	9.7%	10.3%	1.8%	0.8%	5.6%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	66.4%	20.8%	6.0%	1.1%	5.7%
Grade 7	73.0%	19.0%	2.2%	0.9%	4.8%
Grade 8	65.7%	20.5%	5.9%	0.5%	7.4%
Grade 9	68.5%	18.0%	5.9%	1.5%	6.0%
Grade 10	66.8%	19.1%	5.8%	1.2%	7.1%
Grade 11	59.5%	25.0%	9.5%	1.0%	5.0%
Grade 12	63.1%	25.3%	7.3%	1.1%	3.2%
Electronic Vapor Products?					
All	69.8%	14.1%	7.1%	3.3%	5.6%
Grade 7	74.9%	10.1%	7.6%	2.6%	4.9%
Grade 8	67.4%	17.2%	3.5%	4.2%	7.7%
Grade 9	70.4%	11.6%	7.9%	4.0%	6.1%
Grade 10	71.2%	12.7%	7.2%	1.7%	7.2%
Grade 11	66.1%	15.9%	9.5%	4.2%	4.2%
Grade 12	68.5%	18.6%	7.5%	3.0%	2.3%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	22.5%	26.6%	44.3%	55.7%
Grade 7	12.4%	13.7%	40.1%	59.9%
Grade 8	25.2%	28.3%	42.8%	57.2%
Grade 9	22.3%	26.9%	43.7%	56.3%
Grade 10	24.9%	29.4%	45.0%	55.0%
Grade 11	25.2%	30.0%	48.8%	51.2%
Grade 12	25.0%	31.9%	46.3%	53.7%
Beer?				
All	8.4%	12.6%	35.2%	64.8%
Grade 7	2.3%	2.8%	29.0%	71.0%
Grade 8	5.6%	10.5%	35.9%	64.1%
Grade 9	7.8%	13.2%	35.9%	64.1%
Grade 10	11.0%	14.7%	35.3%	64.7%
Grade 11	11.9%	16.4%	39.5%	60.5%
Grade 12	12.7%	18.8%	35.7%	64.3%
Wine Coolers?				
All	6.1%	9.9%	25.0%	75.0%
Grade 7	1.9%	3.2%	18.3%	81.7%
Grade 8	6.0%	10.0%	23.0%	77.0%
Grade 9	6.6%	10.1%	25.8%	74.2%
Grade 10	6.5%	10.7%	25.2%	74.8%
Grade 11	8.8%	12.8%	31.6%	68.4%
Grade 12	7.1%	13.0%	27.2%	72.8%
Wine?				
All	3.4%	6.3%	24.0%	76.0%
Grade 7	0.0%	1.8%	17.9%	82.1%
Grade 8	5.4%	7.8%	23.5%	76.5%
Grade 9	2.8%	6.6%	25.1%	74.9%
Grade 10	2.8%	5.1%	22.6%	77.4%
Grade 11	5.0%	8.0%	28.9%	71.1%
Grade 12	4.9%	9.1%	26.7%	73.3%
Liquor?				
All	7.8%	11.6%	29.7%	70.3%
Grade 7	2.3%	3.2%	17.8%	82.2%
Grade 8	7.5%	11.0%	28.2%	71.8%
Grade 9	7.0%	11.3%	29.9%	70.1%
Grade 10	9.9%	14.1%	32.2%	67.8%
Grade 11	9.4%	12.8%	33.4%	66.6%
Grade 12	11.2%	17.7%	38.2%	61.8%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	69.0%	0.1%	1.2%	4.6%	8.7%	7.9%	8.5%
Grade 7	75.0%	0.0%	0.0%	1.6%	1.9%	5.7%	15.9%
Grade 8	70.8%	0.0%	1.9%	5.4%	7.2%	9.9%	4.9%
Grade 9	69.3%	0.5%	0.6%	3.8%	8.8%	9.6%	7.5%
Grade 10	70.4%	0.1%	1.2%	5.0%	8.9%	6.2%	8.2%
Grade 11	63.3%	0.0%	2.0%	5.9%	12.8%	9.3%	6.6%
Grade 12	63.3%	0.1%	1.4%	6.4%	13.9%	6.5%	8.3%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	68.6%	31.4%	7.0%	14.5%	9.9%
	Grade 7	75.7%	24.3%	2.4%	6.9%	15.1%
	Grade 8	69.1%	30.9%	2.6%	14.2%	14.1%
	Grade 9	68.2%	31.8%	4.7%	16.8%	10.3%
	Grade 10	68.9%	31.1%	9.1%	14.0%	8.0%
	Grade 11	62.0%	38.0%	12.7%	18.7%	6.6%
	Grade 12	67.1%	32.9%	12.7%	16.5%	3.7%
Wine Coolers	All	79.4%	20.6%	5.4%	10.6%	4.7%
	Grade 7	87.3%	12.7%	3.3%	4.8%	4.6%
	Grade 8	81.6%	18.4%	2.9%	8.8%	6.6%
	Grade 9	78.7%	21.3%	5.1%	12.1%	4.2%
	Grade 10	79.4%	20.6%	6.3%	10.3%	3.9%
	Grade 11	71.8%	28.2%	8.0%	16.0%	4.2%
	Grade 12	75.9%	24.1%	7.8%	12.0%	4.3%
Wine	All	79.6%	20.4%	1.7%	10.4%	8.3%
	Grade 7	83.2%	16.8%	1.6%	3.9%	11.3%
	Grade 8	79.2%	20.8%	1.8%	10.3%	8.6%
	Grade 9	80.8%	19.2%	1.7%	10.7%	6.9%
	Grade 10	80.7%	19.3%	1.9%	9.0%	8.5%
	Grade 11	74.9%	25.1%	0.9%	17.6%	6.6%
	Grade 12	77.7%	22.3%	2.3%	12.1%	8.0%
Liquor	All	72.9%	27.1%	6.2%	14.4%	6.5%
	Grade 7	85.3%	14.7%	2.1%	5.0%	7.6%
	Grade 8	74.0%	26.0%	4.7%	14.5%	6.8%
	Grade 9	73.1%	26.9%	4.9%	15.5%	6.5%
	Grade 10	71.5%	28.5%	6.8%	15.5%	6.2%
	Grade 11	67.0%	33.0%	11.0%	16.3%	5.7%
	Grade 12	64.8%	35.2%	9.0%	20.1%	6.1%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	90.5%	3.4%	2.0%	1.5%	0.7%	1.9%
Grade 7	96.5%	1.0%	1.2%	0.5%	0.8%	0.0%
Grade 8	92.0%	1.3%	2.6%	1.9%	0.3%	1.9%
Grade 9	90.0%	3.9%	0.8%	1.5%	1.2%	2.6%
Grade 10	87.7%	5.3%	2.4%	1.2%	1.0%	2.4%
Grade 11	88.5%	4.9%	2.2%	3.4%	0.2%	0.8%
Grade 12	87.8%	4.2%	2.9%	1.0%	0.7%	3.5%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.6	10.1	11.1	12.4	13.3	14.1	14.4

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.2%	13.2%	6.2%	11.9%	15.2%	18.4%
Grade 7	35.7%	23.5%	10.1%	8.2%	15.3%	7.2%
Grade 8	35.0%	16.1%	5.5%	14.7%	14.8%	14.0%
Grade 9	35.2%	11.7%	4.3%	11.4%	16.1%	21.3%
Grade 10	40.0%	7.6%	6.6%	13.6%	13.0%	19.1%
Grade 11	34.4%	10.0%	4.4%	12.2%	15.1%	23.8%
Grade 12	29.3%	10.1%	6.8%	10.5%	17.1%	26.3%

Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.7%	2.4%	0.4%	0.5%
Grade 7	98.6%	1.0%	0.0%	0.4%
Grade 8	95.4%	2.5%	1.4%	0.6%
Grade 9	98.1%	1.4%	0.2%	0.3%
Grade 10	95.0%	3.8%	0.2%	1.0%
Grade 11	96.5%	3.1%	0.0%	0.4%
Grade 12	97.0%	2.7%	0.3%	0.1%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	6.1
Alcohol Non-Users	4.5
Average Days Conduct Problems Reported	
Alcohol Users	3.5
Alcohol Non-Users	1.2

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.2%	3.0%	0.5%	0.3%
Grade 9	98.9%	1.0%	0.0%	0.1%
Grade 10	95.3%	4.0%	0.4%	0.3%
Grade 11	97.3%	2.3%	0.4%	0.0%
Grade 12	92.4%	5.4%	1.3%	0.9%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.9%	3.3%	0.6%	0.2%
Grade 7	96.3%	3.0%	0.3%	0.4%
Grade 8	95.4%	3.7%	0.5%	0.3%
Grade 9	97.4%	1.9%	0.7%	0.1%
Grade 10	93.6%	5.4%	0.9%	0.2%
Grade 11	96.8%	1.5%	1.2%	0.5%
Grade 12	96.0%	4.0%	0.0%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	57.9%	20.6%	11.1%	7.9%	2.5%
Grade 7	77.6%	15.9%	5.0%	0.7%	0.8%
Grade 8	57.8%	22.2%	12.9%	5.7%	1.5%
Grade 9	53.9%	22.7%	13.5%	6.9%	2.9%
Grade 10	58.5%	18.7%	10.4%	9.5%	2.9%
Grade 11	51.7%	18.9%	11.6%	14.2%	3.7%
Grade 12	47.0%	25.2%	12.5%	11.6%	3.7%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.1%	5.7%	5.0%	7.6%	7.5%	1.1%	15.1%
Grade 7	72.7%	6.2%	3.6%	3.3%	0.7%	1.9%	11.5%
Grade 8	56.1%	7.6%	5.8%	6.9%	4.9%	0.7%	18.1%
Grade 9	59.7%	4.5%	5.8%	9.3%	7.0%	0.9%	12.8%
Grade 10	59.4%	6.0%	2.8%	7.1%	9.3%	1.5%	13.9%
Grade 11	44.8%	4.8%	7.7%	9.0%	12.7%	1.3%	19.7%
Grade 12	52.9%	5.0%	4.2%	9.9%	11.4%	0.5%	16.0%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	68.6%	12.5%	12.6%	4.0%	2.4%
	Grade 7	78.2%	8.6%	11.1%	1.4%	0.7%
	Grade 8	69.1%	11.7%	11.7%	6.0%	1.5%
	Grade 9	67.6%	9.4%	14.2%	5.0%	3.8%
	Grade 10	66.3%	15.6%	11.4%	3.7%	3.0%
	Grade 11	64.6%	17.6%	11.7%	2.7%	3.4%
	Grade 12	65.7%	13.0%	15.4%	4.5%	1.3%
Friends?						
	All	69.3%	12.8%	9.7%	5.9%	2.2%
	Grade 7	80.4%	14.1%	3.4%	1.3%	0.8%
	Grade 8	72.7%	14.6%	7.5%	3.5%	1.7%
	Grade 9	71.7%	11.6%	9.2%	5.9%	1.6%
	Grade 10	65.8%	12.8%	10.8%	8.0%	2.7%
	Grade 11	61.4%	11.0%	13.4%	9.8%	4.4%
	Grade 12	61.4%	12.9%	15.2%	7.9%	2.7%
A Store?						
	All	72.7%	20.4%	3.3%	2.1%	1.5%
	Grade 7	82.8%	14.9%	0.9%	1.2%	0.2%
	Grade 8	73.8%	21.4%	3.2%	0.9%	0.6%
	Grade 9	74.2%	17.8%	3.6%	1.8%	2.5%
	Grade 10	72.1%	20.9%	3.1%	2.7%	1.2%
	Grade 11	64.5%	26.7%	3.8%	2.6%	2.4%
	Grade 12	66.3%	22.3%	5.4%	3.5%	2.5%
Parties?						
	All	66.9%	12.3%	8.0%	7.7%	5.0%
	Grade 7	77.7%	10.6%	6.8%	3.2%	1.8%
	Grade 8	67.2%	15.3%	8.1%	7.1%	2.3%
	Grade 9	68.1%	10.7%	9.2%	6.9%	5.2%
	Grade 10	66.6%	12.2%	6.7%	7.6%	6.8%
	Grade 11	56.9%	14.0%	9.5%	10.8%	8.9%
	Grade 12	63.1%	11.1%	7.9%	12.3%	5.6%
Other Sources?						
	All	72.6%	16.3%	5.5%	2.9%	2.7%
	Grade 7	79.0%	13.6%	5.1%	1.0%	1.3%
	Grade 8	71.4%	16.9%	6.2%	4.0%	1.5%
	Grade 9	76.6%	14.3%	4.7%	1.4%	3.0%
	Grade 10	70.8%	16.3%	4.9%	3.7%	4.3%
	Grade 11	67.7%	20.1%	4.6%	4.3%	3.2%
	Grade 12	68.1%	17.7%	8.2%	3.1%	3.0%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	56.6%	15.7%	14.6%	4.4%	0.8%	7.9%
Grade 7	70.7%	12.2%	8.4%	2.3%	0.1%	6.5%
Grade 8	57.1%	14.9%	15.9%	2.6%	0.2%	9.3%
Grade 9	56.5%	14.8%	12.7%	4.7%	1.3%	10.0%
Grade 10	55.3%	13.9%	17.2%	3.9%	0.8%	8.9%
Grade 11	48.3%	23.4%	13.6%	6.7%	0.7%	7.3%
Grade 12	51.1%	16.3%	20.2%	6.7%	1.6%	4.0%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	52.9%	26.1%	13.9%	2.3%	4.7%
Grade 7	53.5%	27.2%	13.5%	1.3%	4.5%
Grade 8	50.0%	27.3%	14.9%	1.8%	5.9%
Grade 9	55.3%	20.4%	17.1%	2.3%	4.9%
Grade 10	54.4%	25.9%	11.0%	2.5%	6.2%
Grade 11	45.4%	31.4%	15.1%	4.4%	3.8%
Grade 12	58.3%	26.8%	11.1%	2.0%	1.8%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	10.3%	13.4%	19.2%	80.8%
Grade 7	6.0%	7.1%	10.1%	89.9%
Grade 8	13.2%	15.5%	19.4%	80.6%
Grade 9	9.5%	12.7%	17.8%	82.2%
Grade 10	10.5%	13.8%	18.4%	81.6%
Grade 11	11.7%	16.2%	24.5%	75.5%
Grade 12	11.1%	15.5%	27.7%	72.3%
Marijuana?				
All	9.7%	11.9%	17.3%	82.7%
Grade 7	4.9%	5.2%	6.4%	93.6%
Grade 8	11.9%	12.8%	16.5%	83.5%
Grade 9	9.5%	12.2%	16.6%	83.4%
Grade 10	9.8%	12.5%	16.6%	83.4%
Grade 11	11.5%	14.4%	23.5%	76.5%
Grade 12	10.5%	14.4%	26.6%	73.4%
Cocaine?				
All	0.8%	0.8%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	1.1%	1.1%	1.4%	98.6%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	1.4%	1.4%	1.8%	98.2%
Grade 12	1.4%	1.6%	2.0%	98.0%
Crack?				
All	0.3%	0.4%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	1.5%	1.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.5%	0.5%	99.5%
Hallucinogens?				
All	0.4%	1.1%	2.1%	97.9%
Grade 7	0.2%	0.4%	1.2%	98.8%
Grade 8	0.9%	1.7%	2.3%	97.7%
Grade 9	0.1%	0.4%	1.0%	99.0%
Grade 10	0.5%	0.5%	1.9%	98.1%
Grade 11	0.2%	1.9%	3.1%	96.9%
Grade 12	0.4%	2.2%	4.1%	95.9%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	0.6%	99.4%
Steroids?				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.8%	0.8%	1.7%	98.3%
Grade 8	0.0%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.1%	1.5%	98.5%
Grade 10	0.0%	0.1%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.3%	0.3%	1.2%	98.8%
Ecstasy?				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.2%	1.0%	1.2%	98.8%
Grade 12	0.0%	0.5%	0.6%	99.4%
Heroin?				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	1.1%	1.1%	2.7%	97.3%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.8%	99.2%
Methamphetamine?				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.5%	99.5%

Table D-1: How Recently, If Ever, Have You Used...
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.9%	1.5%	2.6%	97.4%
Grade 7	0.8%	1.6%	2.3%	97.7%
Grade 8	1.5%	2.1%	3.2%	96.8%
Grade 9	0.9%	1.2%	2.5%	97.5%
Grade 10	1.4%	1.6%	2.2%	97.8%
Grade 11	0.5%	2.3%	4.1%	95.9%
Grade 12	0.3%	0.3%	1.4%	98.6%
Delta 8?				
All	2.4%	3.3%	5.7%	94.3%
Grade 7	0.4%	0.5%	2.0%	98.0%
Grade 8	3.3%	4.0%	5.7%	94.3%
Grade 9	2.8%	3.3%	5.7%	94.3%
Grade 10	2.0%	3.3%	5.5%	94.5%
Grade 11	3.8%	5.2%	9.0%	91.0%
Grade 12	1.7%	3.3%	6.8%	93.2%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	87.7%	1.4%	1.6%	1.4%	2.0%	2.7%	3.2%
Grade 7	95.5%	0.2%	0.0%	2.5%	0.4%	0.4%	1.2%
Grade 8	89.1%	0.9%	1.2%	2.2%	2.4%	2.0%	2.3%
Grade 9	88.3%	1.4%	1.3%	1.4%	2.3%	2.8%	2.5%
Grade 10	89.2%	2.3%	1.7%	0.8%	1.7%	1.4%	2.9%
Grade 11	82.4%	2.1%	3.4%	0.6%	2.8%	4.8%	4.0%
Grade 12	79.3%	1.4%	2.1%	1.0%	2.8%	6.1%	7.3%
Cocaine?							
All	99.4%	0.2%	0.0%	0.1%	0.0%	0.2%	0.2%
Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	98.8%	0.5%	0.0%	0.3%	0.0%	0.3%	0.0%
Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 10	99.7%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%
Grade 11	98.7%	0.2%	0.0%	0.0%	0.0%	0.0%	1.1%
Grade 12	98.8%	0.5%	0.0%	0.0%	0.0%	0.6%	0.1%
Crack?							
All	99.8%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	99.4%	0.0%	0.0%	0.3%	0.0%	0.3%	0.0%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.5%	0.0%
Steroids?							
All	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 7	99.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.8%
Grade 8	99.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%
Grade 9	99.7%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%
Grade 10	99.4%	0.0%	0.0%	0.0%	0.0%	0.2%	0.4%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	99.7%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
Ecstasy?							
All	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
Grade 7	99.2%	0.0%	0.0%	0.0%	0.0%	0.8%	0.0%
Grade 8	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	99.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%
Grade 12	99.4%	0.0%	0.0%	0.0%	0.0%	0.5%	0.1%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.6%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
Methamphetamine?								
	All	99.7%	0.1%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.1%	0.0%	0.2%	0.3%	0.0%	0.0%	0.3%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.4%	0.4%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
Synthetic Marijuana?								
	All	98.1%	0.4%	0.0%	0.4%	0.2%	0.2%	0.7%
	Grade 7	99.2%	0.0%	0.0%	0.8%	0.0%	0.0%	0.0%
	Grade 8	97.1%	0.6%	0.0%	0.9%	0.6%	0.3%	0.5%
	Grade 9	97.9%	0.6%	0.1%	0.2%	0.2%	0.2%	0.8%
	Grade 10	98.7%	0.6%	0.0%	0.0%	0.5%	0.0%	0.2%
	Grade 11	97.0%	0.2%	0.0%	0.2%	0.0%	0.3%	2.3%
	Grade 12	99.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.7%
Delta 8?								
	All	95.6%	0.6%	0.5%	0.5%	0.8%	0.9%	1.1%
	Grade 7	98.6%	0.4%	0.0%	0.0%	0.2%	0.0%	0.8%
	Grade 8	95.5%	0.9%	0.3%	1.9%	1.0%	0.3%	0.1%
	Grade 9	95.8%	0.8%	0.4%	0.5%	0.8%	0.6%	1.1%
	Grade 10	96.2%	0.9%	0.7%	0.1%	0.6%	0.5%	1.1%
	Grade 11	92.2%	0.2%	1.7%	0.2%	0.9%	2.9%	1.9%
	Grade 12	94.3%	0.1%	0.3%	0.4%	1.3%	1.4%	2.1%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.5	11.2	12.0	12.9	13.1	14.7	15.2
Cocaine	15.0	N/A	12.7	14.0	15.4	15.6	16.4
Crack	13.8	14.0	12.5	N/A	10.0	N/A	17.0
Steroids	12.8	12.5	11.2	14.8	14.3	16.0	11.3
Ecstasy	13.0	11.0	13.0	12.0	11.2	13.3	17.3
Heroin	11.1	9.4	13.0	N/A	N/A	N/A	18.0
Methamphetamine	13.7	12.0	11.7	N/A	15.0	10.0	18.0
Synthetic Marijuana	13.0	10.5	12.6	13.1	13.4	14.0	15.2
Delta 8?	13.7	12.2	12.5	12.5	13.9	14.7	15.9

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	43.1%	20.8%	7.9%	8.4%	8.2%	11.7%
	Grade 7	46.9%	34.0%	9.3%	2.7%	3.7%	3.4%
	Grade 8	44.6%	24.7%	6.3%	10.6%	4.9%	9.0%
	Grade 9	42.6%	17.2%	8.3%	10.4%	10.9%	10.6%
	Grade 10	48.6%	15.9%	8.2%	6.5%	7.1%	13.7%
	Grade 11	38.6%	17.1%	6.4%	9.0%	9.8%	19.1%
	Grade 12	34.7%	15.9%	8.9%	11.2%	13.3%	16.0%
Cocaine?							
	All	52.0%	27.8%	9.2%	4.6%	3.0%	3.4%
	Grade 7	47.7%	36.5%	10.2%	2.5%	1.8%	1.4%
	Grade 8	51.1%	29.9%	9.1%	4.8%	2.5%	2.6%
	Grade 9	53.0%	24.9%	10.4%	4.8%	3.6%	3.3%
	Grade 10	57.8%	24.2%	6.6%	3.3%	3.1%	5.0%
	Grade 11	53.5%	24.2%	8.5%	5.8%	4.7%	3.3%
	Grade 12	47.2%	27.5%	10.6%	7.0%	2.5%	5.2%
Crack?							
	All	53.5%	29.1%	8.9%	3.7%	1.8%	3.0%
	Grade 7	48.2%	38.5%	9.7%	0.4%	1.0%	2.2%
	Grade 8	52.7%	31.2%	7.8%	4.9%	1.6%	1.8%
	Grade 9	54.7%	26.5%	9.8%	4.3%	2.3%	2.6%
	Grade 10	58.9%	24.1%	6.5%	4.1%	2.1%	4.2%
	Grade 11	56.5%	26.8%	8.6%	2.9%	2.0%	3.3%
	Grade 12	48.4%	28.7%	11.4%	5.5%	1.8%	4.2%
Steroids?							
	All	54.6%	26.6%	8.7%	4.7%	2.4%	3.0%
	Grade 7	48.9%	36.2%	10.1%	1.8%	1.0%	2.0%
	Grade 8	54.7%	27.2%	8.6%	6.2%	1.6%	1.7%
	Grade 9	55.9%	21.6%	11.0%	5.6%	3.2%	2.7%
	Grade 10	58.3%	23.2%	6.2%	4.4%	3.6%	4.3%
	Grade 11	57.8%	26.8%	5.5%	4.7%	2.1%	3.1%
	Grade 12	51.0%	26.4%	10.1%	5.0%	2.8%	4.7%
Ecstasy?							
	All	62.9%	22.9%	6.7%	3.6%	1.6%	2.3%
	Grade 7	62.0%	27.4%	6.4%	1.3%	1.8%	1.3%
	Grade 8	61.3%	23.8%	5.7%	6.2%	1.2%	1.7%
	Grade 9	64.9%	19.4%	7.8%	3.5%	2.3%	2.2%
	Grade 10	66.1%	20.6%	4.6%	3.7%	1.1%	3.9%
	Grade 11	64.1%	23.1%	6.3%	3.8%	1.3%	1.3%
	Grade 12	57.4%	24.6%	10.3%	3.0%	1.5%	3.2%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	57.9%	27.7%	6.8%	3.6%	1.5%	2.4%
	Grade 7	55.7%	31.0%	7.8%	2.1%	2.1%	1.3%
	Grade 8	56.6%	30.1%	4.8%	5.5%	0.7%	2.4%
	Grade 9	59.6%	25.5%	7.4%	3.3%	1.9%	2.3%
	Grade 10	61.5%	23.0%	7.6%	3.4%	1.6%	3.0%
	Grade 11	58.6%	29.2%	4.6%	3.2%	1.6%	2.9%
	Grade 12	53.8%	29.1%	9.0%	4.2%	0.9%	2.9%
Methamphetamine?							
	All	59.0%	26.7%	6.6%	3.4%	1.5%	2.7%
	Grade 7	57.8%	31.0%	7.4%	1.6%	1.0%	1.3%
	Grade 8	57.5%	30.6%	4.4%	4.9%	0.7%	1.8%
	Grade 9	59.7%	24.5%	8.6%	1.9%	2.1%	3.2%
	Grade 10	63.2%	22.3%	5.6%	3.9%	2.1%	3.0%
	Grade 11	60.6%	25.4%	3.9%	4.8%	2.0%	3.3%
	Grade 12	54.2%	27.6%	9.7%	3.9%	1.0%	3.6%
Synthetic Marijuana?							
	All	61.0%	22.0%	5.4%	4.0%	3.2%	4.4%
	Grade 7	61.6%	26.7%	6.6%	1.3%	2.6%	1.3%
	Grade 8	57.7%	25.4%	4.7%	5.2%	3.7%	3.2%
	Grade 9	61.4%	20.2%	6.4%	3.7%	3.8%	4.5%
	Grade 10	66.4%	18.0%	4.0%	3.8%	1.6%	6.1%
	Grade 11	62.1%	20.3%	3.0%	5.3%	3.8%	5.5%
	Grade 12	55.7%	21.6%	7.9%	5.0%	3.9%	5.8%
Delta 8?							
	All	60.0%	20.0%	5.7%	4.1%	3.9%	6.3%
	Grade 7	61.4%	25.3%	8.5%	1.1%	1.9%	1.8%
	Grade 8	57.9%	24.2%	3.7%	5.5%	4.4%	4.2%
	Grade 9	60.6%	17.4%	7.1%	5.2%	4.0%	5.7%
	Grade 10	64.8%	17.0%	3.5%	3.7%	3.6%	7.4%
	Grade 11	60.9%	15.7%	3.8%	4.2%	5.1%	10.3%
	Grade 12	52.8%	20.9%	7.9%	4.3%	4.5%	9.6%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	93.8%	3.0%	0.8%	2.4%
Grade 7	97.3%	2.1%	0.6%	0.0%
Grade 8	94.6%	2.5%	0.8%	2.0%
Grade 9	93.4%	3.5%	0.8%	2.3%
Grade 10	92.4%	3.4%	0.7%	3.5%
Grade 11	91.9%	3.3%	1.5%	3.2%
Grade 12	93.2%	2.7%	0.7%	3.4%
Attended Class While High from Use of Some Other Drug?				
All	98.4%	0.8%	0.2%	0.5%
Grade 7	98.7%	0.9%	0.0%	0.4%
Grade 8	97.6%	1.7%	0.0%	0.6%
Grade 9	99.4%	0.2%	0.4%	0.1%
Grade 10	97.6%	0.7%	0.2%	1.5%
Grade 11	98.9%	0.2%	0.9%	0.0%
Grade 12	98.4%	1.1%	0.0%	0.5%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.7
Marijuana Non-Users	4.8
Average Days Conduct Problems Reported	
Marijuana Users	4.2
Marijuana Non-Users	1.6

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	96.3%	2.2%	0.6%	1.0%
Grade 9	99.1%	0.5%	0.4%	0.1%
Grade 10	96.0%	2.0%	0.4%	1.6%
Grade 11	95.2%	4.0%	0.6%	0.2%
Grade 12	93.7%	3.1%	0.9%	2.3%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.2%	2.0%	0.3%	0.4%
Grade 7	98.5%	1.1%	0.0%	0.4%
Grade 8	96.2%	3.2%	0.0%	0.5%
Grade 9	97.3%	1.7%	0.5%	0.4%
Grade 10	97.8%	1.4%	0.1%	0.7%
Grade 11	97.6%	2.2%	0.2%	0.0%
Grade 12	95.7%	2.6%	1.2%	0.4%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	71.3%	13.6%	7.7%	5.6%	1.7%
Grade 7	89.3%	4.6%	3.8%	1.5%	0.8%
Grade 8	72.3%	14.8%	8.1%	3.2%	1.6%
Grade 9	67.8%	15.7%	7.6%	6.4%	2.5%
Grade 10	72.1%	11.7%	7.2%	7.3%	1.7%
Grade 11	64.9%	13.7%	12.3%	7.5%	1.6%
Grade 12	60.2%	21.5%	8.0%	8.3%	2.1%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	67.8%	5.0%	3.6%	3.9%	2.7%	1.8%	15.2%
Grade 7	81.0%	1.6%	0.6%	2.4%	0.6%	2.5%	11.4%
Grade 8	67.6%	7.3%	1.7%	2.3%	1.9%	1.5%	17.8%
Grade 9	70.5%	4.9%	4.3%	4.0%	1.7%	2.0%	12.6%
Grade 10	67.8%	4.9%	3.7%	4.0%	3.9%	1.1%	14.6%
Grade 11	54.4%	6.3%	7.0%	5.4%	5.0%	2.2%	19.6%
Grade 12	62.4%	4.9%	5.2%	5.9%	4.2%	1.5%	16.0%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.5%	7.0%	6.9%	1.5%	0.9%	8.2%
Grade 7	87.8%	4.7%	2.0%	0.4%	0.0%	5.1%
Grade 8	76.1%	5.0%	7.2%	0.9%	0.2%	10.7%
Grade 9	74.2%	6.8%	5.1%	2.1%	2.0%	9.9%
Grade 10	72.9%	7.0%	9.1%	1.6%	0.5%	8.8%
Grade 11	70.9%	11.4%	6.8%	1.7%	1.5%	7.7%
Grade 12	71.6%	8.2%	11.5%	2.3%	0.9%	5.5%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	64.9%	15.2%	9.4%	5.2%	5.2%
	Grade 7	79.0%	9.6%	6.2%	1.4%	3.8%
	Grade 8	66.2%	17.6%	5.6%	3.4%	7.1%
	Grade 9	64.5%	14.5%	9.6%	5.9%	5.5%
	Grade 10	64.9%	15.6%	9.5%	3.8%	6.2%
	Grade 11	50.9%	18.6%	14.4%	11.3%	4.8%
	Grade 12	62.2%	15.7%	12.8%	6.8%	2.5%
Cocaine?	All	86.6%	6.4%	0.8%	0.8%	5.4%
	Grade 7	84.7%	10.3%	0.1%	0.9%	4.0%
	Grade 8	81.5%	9.1%	1.3%	0.5%	7.5%
	Grade 9	86.3%	5.8%	0.8%	1.4%	5.7%
	Grade 10	87.7%	4.2%	1.3%	0.6%	6.3%
	Grade 11	88.1%	5.8%	0.6%	0.8%	4.8%
	Grade 12	92.8%	3.1%	0.6%	0.3%	3.2%
Crack?	All	88.1%	5.0%	0.5%	0.8%	5.5%
	Grade 7	85.0%	9.8%	0.1%	0.9%	4.3%
	Grade 8	84.7%	6.5%	0.6%	0.3%	7.9%
	Grade 9	88.8%	3.7%	0.7%	1.3%	5.4%
	Grade 10	89.3%	2.8%	0.9%	0.5%	6.6%
	Grade 11	88.2%	4.5%	0.6%	1.8%	5.0%
	Grade 12	93.1%	3.2%	0.1%	0.3%	3.3%
Ecstasy?	All	82.5%	4.7%	1.4%	1.0%	10.4%
	Grade 7	81.8%	5.7%	0.6%	1.7%	10.3%
	Grade 8	76.6%	7.9%	0.8%	0.3%	14.3%
	Grade 9	83.3%	2.5%	1.4%	1.4%	11.4%
	Grade 10	83.9%	4.1%	1.4%	0.7%	9.9%
	Grade 11	81.9%	4.3%	3.0%	1.6%	9.2%
	Grade 12	88.7%	4.1%	1.2%	0.4%	5.6%
Steroids?	All	78.2%	10.0%	3.6%	1.1%	7.0%
	Grade 7	79.4%	10.5%	2.6%	1.9%	5.5%
	Grade 8	73.2%	12.9%	3.9%	0.0%	10.1%
	Grade 9	76.4%	8.7%	5.8%	1.8%	7.3%
	Grade 10	79.2%	7.4%	4.6%	1.0%	7.8%
	Grade 11	79.4%	11.4%	1.7%	1.2%	6.3%
	Grade 12	83.8%	9.5%	1.9%	0.8%	4.0%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	87.0%	3.8%	0.8%	0.9%	7.4%
	Grade 7	83.0%	5.7%	0.9%	2.5%	7.9%
	Grade 8	81.3%	7.5%	1.0%	0.0%	10.2%
	Grade 9	87.7%	2.1%	0.7%	1.3%	8.1%
	Grade 10	88.5%	1.9%	1.3%	0.5%	7.8%
	Grade 11	88.9%	4.1%	0.7%	0.8%	5.4%
	Grade 12	94.3%	1.8%	0.1%	0.3%	3.5%
Methamphetamine?						
	All	87.6%	3.9%	0.7%	0.8%	7.0%
	Grade 7	84.7%	6.3%	0.1%	0.9%	8.0%
	Grade 8	82.4%	6.7%	1.3%	0.3%	9.3%
	Grade 9	87.8%	1.5%	0.8%	1.5%	8.3%
	Grade 10	89.4%	2.4%	0.8%	0.9%	6.5%
	Grade 11	89.3%	4.2%	0.8%	0.7%	5.2%
	Grade 12	93.4%	2.8%	0.0%	0.4%	3.5%
Synthetic Marijuana?						
	All	80.4%	6.2%	2.6%	1.9%	8.9%
	Grade 7	81.1%	7.5%	1.5%	1.7%	8.2%
	Grade 8	76.5%	8.5%	2.2%	1.5%	11.3%
	Grade 9	78.8%	5.0%	3.7%	2.5%	10.0%
	Grade 10	82.8%	3.7%	2.1%	1.8%	9.6%
	Grade 11	78.5%	7.8%	3.5%	2.9%	7.4%
	Grade 12	86.0%	5.2%	2.6%	0.7%	5.4%
Delta 8?						
	All	76.6%	7.1%	4.3%	2.8%	9.1%
	Grade 7	81.5%	9.2%	1.0%	1.7%	6.7%
	Grade 8	72.0%	9.9%	3.9%	2.5%	11.7%
	Grade 9	74.6%	6.0%	5.4%	3.0%	11.0%
	Grade 10	79.0%	4.6%	3.9%	2.4%	10.1%
	Grade 11	74.5%	6.6%	7.4%	4.5%	6.9%
	Grade 12	79.2%	6.6%	4.6%	3.0%	6.6%
Fictional Drug?						
	All	82.3%	3.9%	0.7%	0.9%	12.3%
	Grade 7	80.1%	7.8%	0.1%	2.2%	9.8%
	Grade 8	76.6%	5.2%	0.6%	0.3%	17.2%
	Grade 9	83.0%	1.9%	1.2%	1.4%	12.4%
	Grade 10	84.9%	2.4%	1.1%	0.3%	11.3%
	Grade 11	82.3%	3.3%	0.6%	0.7%	13.2%
	Grade 12	88.0%	3.0%	0.1%	0.3%	8.6%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	4.4%	6.8%	12.8%	87.2%
Grade 7	5.0%	7.2%	13.3%	86.7%
Grade 8	5.3%	9.8%	17.6%	82.4%
Grade 9	3.3%	5.2%	10.0%	90.0%
Grade 10	5.9%	7.5%	13.6%	86.4%
Grade 11	4.3%	6.1%	11.1%	88.9%
Grade 12	2.3%	4.7%	10.6%	89.4%
Codeine Cough Syrup?				
All	2.6%	4.5%	9.1%	90.9%
Grade 7	2.6%	3.2%	8.3%	91.7%
Grade 8	3.9%	6.8%	13.7%	86.3%
Grade 9	1.5%	3.0%	6.5%	93.5%
Grade 10	3.9%	6.0%	9.6%	90.4%
Grade 11	2.0%	3.6%	8.0%	92.0%
Grade 12	1.7%	4.1%	8.4%	91.6%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.7%	0.9%	2.0%	98.0%
Grade 7	1.7%	1.7%	2.9%	97.1%
Grade 8	0.2%	0.5%	1.4%	98.6%
Grade 9	0.2%	0.8%	1.5%	98.5%
Grade 10	1.0%	1.0%	2.0%	98.0%
Grade 11	1.2%	1.2%	1.7%	98.3%
Grade 12	0.1%	0.6%	2.6%	97.4%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.4%	0.8%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	1.0%	1.6%	98.4%
Grade 9	0.2%	0.3%	2.0%	98.0%
Grade 10	1.0%	2.0%	3.7%	96.3%
Grade 11	0.5%	0.8%	2.0%	98.0%
Grade 12	0.0%	0.9%	2.3%	97.7%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.7%	1.2%	2.6%	97.4%
Grade 7	0.0%	0.8%	1.6%	98.4%
Grade 8	0.9%	1.3%	3.0%	97.0%
Grade 9	0.5%	1.0%	1.5%	98.5%
Grade 10	1.4%	1.8%	3.3%	96.7%
Grade 11	1.0%	1.0%	3.7%	96.3%
Grade 12	0.3%	1.3%	2.4%	97.6%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.5%	3.3%	6.6%	93.4%
Grade 7	2.9%	4.3%	7.3%	92.7%
Grade 8	1.9%	3.5%	9.3%	90.7%
Grade 9	1.3%	1.7%	3.9%	96.1%
Grade 10	3.5%	4.2%	8.2%	91.8%
Grade 11	3.6%	4.0%	6.8%	93.2%
Grade 12	1.7%	2.5%	3.7%	96.3%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.4%	0.9%	2.3%	97.7%
Grade 7	0.8%	2.5%	4.4%	95.6%
Grade 8	0.4%	0.9%	3.6%	96.4%
Grade 9	0.4%	0.4%	1.7%	98.3%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.3%	1.2%	2.6%	97.4%
Grade 12	0.5%	0.7%	1.1%	98.9%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	78.6%	11.1%	2.6%	1.2%	6.5%
Grade 7	80.8%	10.9%	3.3%	0.0%	5.0%
Grade 8	73.1%	14.2%	3.3%	1.0%	8.4%
Grade 9	79.2%	8.6%	2.2%	2.4%	7.7%
Grade 10	78.8%	9.7%	2.0%	1.5%	7.9%
Grade 11	77.1%	12.9%	3.4%	1.0%	5.5%
Grade 12	83.4%	10.8%	1.7%	0.9%	3.3%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.1%	5.5%	10.3%	89.7%
Grade 7	5.4%	7.4%	12.7%	87.3%
Grade 8	6.6%	7.8%	12.0%	88.0%
Grade 9	3.2%	5.4%	11.4%	88.6%
Grade 10	4.9%	5.7%	10.6%	89.4%
Grade 11	2.3%	3.3%	8.5%	91.5%
Grade 12	1.3%	2.3%	4.9%	95.1%
Spray Paint?				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.1%	1.1%	98.9%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	0.4%	0.4%	1.9%	98.1%
Grade 10	1.1%	1.4%	1.6%	98.4%
Grade 11	0.5%	1.0%	1.2%	98.8%
Grade 12	0.1%	0.2%	0.9%	99.1%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.7%	1.1%	3.6%	96.4%
Grade 7	1.0%	1.9%	4.9%	95.1%
Grade 8	0.8%	0.8%	4.4%	95.6%
Grade 9	1.1%	1.6%	5.0%	95.0%
Grade 10	0.7%	0.9%	3.1%	96.9%
Grade 11	0.2%	0.7%	1.7%	98.3%
Grade 12	0.2%	0.2%	1.4%	98.6%
Computer Dusting Sprays?				
All	0.4%	0.7%	0.9%	99.1%
Grade 7	0.8%	1.7%	1.7%	98.3%
Grade 8	0.6%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	1.0%	1.8%	98.2%
Grade 12	0.2%	0.2%	0.4%	99.6%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.2%	2.0%	4.5%	95.5%
Grade 7	0.6%	2.7%	5.3%	94.7%
Grade 8	1.8%	2.5%	4.9%	95.1%
Grade 9	1.5%	2.6%	6.8%	93.2%
Grade 10	1.6%	2.1%	3.7%	96.3%
Grade 11	0.2%	1.3%	3.5%	96.5%
Grade 12	0.6%	0.6%	1.9%	98.1%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.9%	0.9%	1.6%	98.4%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.4%	99.6%
Toluene, Paint Thinner, or Other Solvents?				
All	0.5%	0.6%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.8%	0.9%	0.9%	99.1%
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	0.1%	0.1%	0.1%	99.9%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	1.0%	1.4%	2.6%	97.4%
Grade 7	0.5%	1.0%	3.0%	97.0%
Grade 8	2.0%	2.3%	4.5%	95.5%
Grade 9	0.9%	1.6%	2.8%	97.2%
Grade 10	1.5%	1.8%	2.6%	97.4%
Grade 11	0.0%	1.0%	1.2%	98.8%
Grade 12	0.4%	0.4%	0.7%	99.3%
Other Aerosols/Sprays?				
All	0.4%	0.7%	1.4%	98.6%
Grade 7	0.7%	0.9%	2.1%	97.9%
Grade 8	1.5%	1.5%	2.5%	97.5%
Grade 9	0.1%	0.1%	1.5%	98.5%
Grade 10	0.0%	1.1%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.3%	99.7%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.0%	0.0%	0.2%	0.5%	0.0%	0.5%	0.7%
Grade 7	96.1%	0.0%	0.8%	1.2%	0.2%	0.8%	0.9%
Grade 8	97.3%	0.0%	0.0%	1.0%	0.0%	0.3%	1.3%
Grade 9	98.9%	0.0%	0.1%	0.1%	0.0%	0.7%	0.2%
Grade 10	97.8%	0.0%	0.3%	0.5%	0.0%	0.1%	1.3%
Grade 11	98.9%	0.0%	0.2%	0.0%	0.0%	0.6%	0.3%
Grade 12	99.3%	0.0%	0.0%	0.2%	0.0%	0.5%	0.0%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	92.1%	4.3%	2.6%	1.0%
Grade 7	88.8%	7.4%	3.2%	0.7%
Grade 8	90.9%	3.7%	3.3%	2.1%
Grade 9	89.8%	5.1%	4.6%	0.5%
Grade 10	93.0%	3.7%	2.0%	1.3%
Grade 11	94.4%	4.0%	0.5%	1.1%
Grade 12	97.1%	1.3%	1.3%	0.3%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.0	8.9	10.7	11.2	12.1	14.6	11.9

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.2%	0.3%	0.1%	0.3%
Grade 7	99.6%	0.0%	0.0%	0.4%
Grade 8	98.7%	0.7%	0.3%	0.3%
Grade 9	99.7%	0.0%	0.1%	0.1%
Grade 10	98.6%	0.7%	0.0%	0.7%
Grade 11	99.6%	0.2%	0.0%	0.2%
Grade 12	99.2%	0.5%	0.1%	0.3%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	9.4
Inhalant Non-Users	4.9
Average Days Conduct Problems Reported	
Inhalant Users	6.1
Inhalant Non-Users	1.8

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.2%	4.3%	1.3%	0.8%	0.3%
Grade 7	91.9%	5.6%	1.3%	0.4%	0.8%
Grade 8	93.3%	4.8%	0.8%	0.9%	0.3%
Grade 9	92.0%	4.2%	2.8%	0.8%	0.2%
Grade 10	93.2%	4.1%	1.5%	0.8%	0.3%
Grade 11	95.1%	3.5%	0.2%	1.2%	0.0%
Grade 12	94.6%	3.7%	0.6%	1.0%	0.2%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.7%	11.6%	3.8%	1.7%	7.2%
Grade 7	74.6%	14.7%	2.9%	2.2%	5.6%
Grade 8	72.8%	12.0%	3.8%	1.5%	9.9%
Grade 9	76.9%	10.2%	3.8%	2.0%	7.0%
Grade 10	77.0%	8.2%	3.7%	1.5%	9.6%
Grade 11	73.1%	13.9%	5.4%	1.8%	5.7%
Grade 12	79.8%	11.6%	3.5%	0.9%	4.2%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	53.8%	14.7%	4.6%	5.0%	7.8%	14.1%
Grade 7	46.7%	22.3%	5.6%	4.9%	8.3%	12.1%
Grade 8	54.1%	16.6%	2.7%	7.4%	7.8%	11.3%
Grade 9	55.8%	12.1%	6.4%	4.7%	8.4%	12.6%
Grade 10	60.8%	11.6%	3.8%	4.3%	4.6%	14.8%
Grade 11	55.3%	11.2%	3.4%	3.2%	8.4%	18.6%
Grade 12	47.3%	14.9%	5.6%	5.2%	9.8%	17.2%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	35.3%
	Grade 7	41.1%
	Grade 8	43.4%
	Grade 9	32.8%
	Grade 10	29.1%
	Grade 11	30.3%
	Grade 12	35.3%
An Assembly Program		
	All	58.9%
	Grade 7	52.3%
	Grade 8	58.0%
	Grade 9	60.1%
	Grade 10	61.8%
	Grade 11	56.8%
	Grade 12	63.8%
Guidance Counselor		
	All	30.8%
	Grade 7	31.0%
	Grade 8	32.4%
	Grade 9	28.3%
	Grade 10	28.9%
	Grade 11	29.6%
	Grade 12	35.5%
School Nurse		
	All	20.6%
	Grade 7	22.3%
	Grade 8	28.5%
	Grade 9	17.1%
	Grade 10	18.2%
	Grade 11	18.0%
	Grade 12	19.2%
Science or Social Studies Class		
	All	32.5%
	Grade 7	42.1%
	Grade 8	40.4%
	Grade 9	29.7%
	Grade 10	26.4%
	Grade 11	25.5%
	Grade 12	30.9%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	18.7%
	Grade 7	17.5%
	Grade 8	19.5%
	Grade 9	16.4%
	Grade 10	18.2%
	Grade 11	20.3%
	Grade 12	21.1%
An Invited School Guest		
	All	47.3%
	Grade 7	35.9%
	Grade 8	48.7%
	Grade 9	45.5%
	Grade 10	48.5%
	Grade 11	52.5%
	Grade 12	54.0%
Another Source at School		
	All	35.4%
	Grade 7	36.7%
	Grade 8	35.8%
	Grade 9	31.2%
	Grade 10	35.9%
	Grade 11	37.5%
	Grade 12	37.0%
Any School Source		
	All	72.7%
	Grade 7	72.8%
	Grade 8	77.2%
	Grade 9	72.5%
	Grade 10	69.2%
	Grade 11	71.6%
	Grade 12	72.9%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	35.5%
	Grade 7	44.8%
	Grade 8	38.4%
	Grade 9	31.0%
	Grade 10	33.3%
	Grade 11	29.0%
	Grade 12	37.0%
School Nurse		
	All	23.1%
	Grade 7	28.8%
	Grade 8	25.2%
	Grade 9	20.7%
	Grade 10	24.4%
	Grade 11	21.7%
	Grade 12	17.2%
Another Adult In School		
	All	41.8%
	Grade 7	50.6%
	Grade 8	37.5%
	Grade 9	35.1%
	Grade 10	43.8%
	Grade 11	42.6%
	Grade 12	44.1%
Counselor/Program Outside-School		
	All	40.2%
	Grade 7	51.1%
	Grade 8	38.3%
	Grade 9	34.2%
	Grade 10	38.3%
	Grade 11	36.6%
	Grade 12	45.6%
Your Parents		
	All	69.5%
	Grade 7	74.6%
	Grade 8	66.4%
	Grade 9	64.1%
	Grade 10	70.8%
	Grade 11	70.6%
	Grade 12	72.6%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
 (Continued)

		Yes
A Medical Doctor		
	All	53.9%
	Grade 7	65.5%
	Grade 8	53.0%
	Grade 9	46.2%
	Grade 10	53.7%
	Grade 11	51.0%
	Grade 12	56.3%
Your Friends		
	All	63.2%
	Grade 7	60.1%
	Grade 8	61.1%
	Grade 9	62.3%
	Grade 10	65.4%
	Grade 11	61.7%
	Grade 12	69.6%
Another Adult		
	All	59.3%
	Grade 7	67.4%
	Grade 8	57.9%
	Grade 9	57.0%
	Grade 10	56.9%
	Grade 11	57.5%
	Grade 12	60.5%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	8.0%
	Grade 7	8.0%
	Grade 8	8.5%
	Grade 9	9.4%
	Grade 10	7.4%
	Grade 11	8.0%
	Grade 12	6.1%

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	4.4%	21.8%	23.1%	36.7%	14.0%
Grade 7	2.7%	22.2%	18.3%	43.0%	13.8%
Grade 8	4.2%	22.6%	24.5%	37.9%	10.8%
Grade 9	5.0%	18.9%	21.5%	40.9%	13.7%
Grade 10	5.7%	21.5%	21.4%	32.2%	19.2%
Grade 11	4.0%	21.1%	28.2%	30.5%	16.2%
Grade 12	4.1%	26.0%	26.1%	34.3%	9.4%
Sometimes Carry Weapons?					
All	79.6%	12.5%	5.1%	1.6%	1.2%
Grade 7	90.6%	5.5%	3.3%	0.1%	0.5%
Grade 8	78.6%	13.4%	5.6%	1.2%	1.2%
Grade 9	79.8%	13.0%	4.5%	1.3%	1.4%
Grade 10	76.7%	12.6%	6.5%	1.9%	2.2%
Grade 11	77.7%	13.3%	4.8%	3.5%	0.7%
Grade 12	73.6%	17.9%	5.7%	1.7%	1.1%
Care About Making Good Grades?					
All	2.6%	13.8%	27.3%	38.9%	17.5%
Grade 7	4.8%	13.9%	24.9%	40.3%	16.2%
Grade 8	2.2%	15.0%	26.2%	41.3%	15.4%
Grade 9	2.8%	16.4%	27.5%	34.6%	18.7%
Grade 10	2.2%	12.9%	27.9%	37.3%	19.7%
Grade 11	2.1%	12.0%	29.6%	38.9%	17.5%
Grade 12	1.1%	11.5%	27.9%	42.7%	16.8%
Belong/Want to Belong to a Gang?					
All	86.8%	7.4%	3.1%	1.0%	1.7%
Grade 7	87.1%	7.0%	2.9%	0.9%	2.2%
Grade 8	81.2%	11.6%	5.6%	0.9%	0.8%
Grade 9	84.9%	9.2%	2.9%	0.8%	2.2%
Grade 10	87.7%	5.0%	3.0%	1.6%	2.6%
Grade 11	91.0%	5.1%	2.5%	0.7%	0.7%
Grade 12	91.4%	5.0%	1.3%	1.2%	1.1%
Wish They Could Drop Out of School?					
All	38.7%	32.2%	16.1%	8.0%	4.9%
Grade 7	40.0%	31.9%	15.4%	7.5%	5.1%
Grade 8	37.6%	33.5%	17.1%	8.2%	3.6%
Grade 9	41.5%	28.9%	15.6%	8.5%	5.6%
Grade 10	38.2%	30.8%	17.9%	7.6%	5.4%
Grade 11	34.4%	36.0%	14.8%	8.8%	6.0%
Grade 12	39.8%	33.9%	15.2%	7.4%	3.7%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.6%	12.3%	0.2%	0.1%	0.7%
Grade 7	83.7%	14.4%	0.0%	0.0%	1.9%
Grade 8	78.7%	19.8%	0.6%	0.3%	0.5%
Grade 9	89.2%	9.9%	0.1%	0.0%	0.8%
Grade 10	88.7%	10.2%	0.0%	0.5%	0.6%
Grade 11	88.0%	11.4%	0.2%	0.0%	0.4%
Grade 12	92.6%	6.9%	0.4%	0.0%	0.1%
Out In Your Neighborhood?					
All	42.8%	47.2%	6.5%	1.3%	2.1%
Grade 7	37.1%	50.0%	8.2%	1.8%	2.9%
Grade 8	34.2%	52.2%	9.9%	2.0%	1.7%
Grade 9	47.7%	43.3%	5.7%	1.0%	2.2%
Grade 10	45.8%	44.3%	6.0%	1.0%	2.9%
Grade 11	47.6%	45.7%	4.4%	1.3%	1.1%
Grade 12	44.4%	48.9%	4.4%	0.8%	1.5%
At School?					
All	33.3%	48.2%	9.3%	5.0%	4.2%
Grade 7	36.3%	40.6%	10.5%	7.5%	5.2%
Grade 8	25.2%	58.4%	7.6%	5.4%	3.4%
Grade 9	33.4%	45.3%	11.4%	5.4%	4.5%
Grade 10	34.7%	44.0%	9.8%	5.0%	6.5%
Grade 11	35.3%	50.6%	8.0%	2.4%	3.7%
Grade 12	36.4%	50.8%	8.0%	3.5%	1.3%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.2%	12.3%	22.7%	77.3%
Grade 7	4.6%	5.6%	13.3%	86.7%
Grade 8	10.7%	12.3%	21.2%	78.8%
Grade 9	8.2%	11.2%	24.2%	75.8%
Grade 10	12.2%	14.2%	22.6%	77.4%
Grade 11	13.5%	16.5%	29.6%	70.4%
Grade 12	13.4%	15.0%	26.4%	73.6%
Any Alcohol Product				
All	22.5%	26.6%	44.3%	55.7%
Grade 7	12.4%	13.7%	40.1%	59.9%
Grade 8	25.2%	28.3%	42.8%	57.2%
Grade 9	22.3%	26.9%	43.7%	56.3%
Grade 10	24.9%	29.4%	45.0%	55.0%
Grade 11	25.2%	30.0%	48.8%	51.2%
Grade 12	25.0%	31.9%	46.3%	53.7%
Any Illicit Drug				
All	10.3%	13.4%	19.2%	80.8%
Grade 7	6.0%	7.1%	10.1%	89.9%
Grade 8	13.2%	15.5%	19.4%	80.6%
Grade 9	9.5%	12.7%	17.8%	82.2%
Grade 10	10.5%	13.8%	18.4%	81.6%
Grade 11	11.7%	16.2%	24.5%	75.5%
Grade 12	11.1%	15.5%	27.7%	72.3%
Any Prescription Drug				
All	4.4%	6.8%	12.8%	87.2%
Grade 7	5.0%	7.2%	13.3%	86.7%
Grade 8	5.3%	9.8%	17.6%	82.4%
Grade 9	3.3%	5.2%	10.0%	90.0%
Grade 10	5.9%	7.5%	13.6%	86.4%
Grade 11	4.3%	6.1%	11.1%	88.9%
Grade 12	2.3%	4.7%	10.6%	89.4%
Any Inhalant				
All	4.1%	5.5%	10.3%	89.7%
Grade 7	5.4%	7.4%	12.7%	87.3%
Grade 8	6.6%	7.8%	12.0%	88.0%
Grade 9	3.2%	5.4%	11.4%	88.6%
Grade 10	4.9%	5.7%	10.6%	89.4%
Grade 11	2.3%	3.3%	8.5%	91.5%
Grade 12	1.3%	2.3%	4.9%	95.1%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.9%	10.2%	20.5%	79.5%
Grade 7	4.4%	5.4%	12.6%	87.4%
Grade 8	7.1%	9.5%	18.5%	81.5%
Grade 9	6.2%	9.8%	21.6%	78.4%
Grade 10	9.7%	11.9%	20.7%	79.3%
Grade 11	11.2%	13.1%	28.1%	71.9%
Grade 12	9.8%	12.2%	22.2%	77.8%
Marijuana				
All	9.7%	11.9%	17.3%	82.7%
Grade 7	4.9%	5.2%	6.4%	93.6%
Grade 8	11.9%	12.8%	16.5%	83.5%
Grade 9	9.5%	12.2%	16.6%	83.4%
Grade 10	9.8%	12.5%	16.6%	83.4%
Grade 11	11.5%	14.4%	23.5%	76.5%
Grade 12	10.5%	14.4%	26.6%	73.4%
Marijuana Only				
All	4.7%	6.2%	10.4%	89.6%
Grade 7	2.0%	2.3%	3.5%	96.5%
Grade 8	5.5%	6.1%	9.4%	90.6%
Grade 9	5.8%	7.3%	10.5%	89.5%
Grade 10	5.1%	7.6%	10.7%	89.3%
Grade 11	5.1%	6.6%	12.5%	87.5%
Grade 12	4.1%	6.6%	17.1%	82.9%
Cocaine or Crack				
All	0.9%	0.9%	1.2%	98.8%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	2.0%	2.0%	2.3%	97.7%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.7%	0.7%	0.8%	99.2%
Grade 11	1.4%	1.4%	1.8%	98.2%
Grade 12	1.4%	1.6%	2.0%	98.0%
Cocaine				
All	0.8%	0.8%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	1.1%	1.1%	1.4%	98.6%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	1.4%	1.4%	1.8%	98.2%
Grade 12	1.4%	1.6%	2.0%	98.0%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	1.5%	1.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.5%	0.5%	99.5%
Hallucinogens				
All	0.4%	1.1%	2.1%	97.9%
Grade 7	0.2%	0.4%	1.2%	98.8%
Grade 8	0.9%	1.7%	2.3%	97.7%
Grade 9	0.1%	0.4%	1.0%	99.0%
Grade 10	0.5%	0.5%	1.9%	98.1%
Grade 11	0.2%	1.9%	3.1%	96.9%
Grade 12	0.4%	2.2%	4.1%	95.9%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	0.6%	99.4%
Steroids				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.8%	0.8%	1.7%	98.3%
Grade 8	0.0%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.1%	1.5%	98.5%
Grade 10	0.0%	0.1%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.3%	0.3%	1.2%	98.8%
Ecstasy				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.2%	1.0%	1.2%	98.8%
Grade 12	0.0%	0.5%	0.6%	99.4%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	1.1%	1.1%	2.7%	97.3%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.8%	99.2%
Synthetic Marijuana				
All	0.9%	1.5%	2.6%	97.4%
Grade 7	0.8%	1.6%	2.3%	97.7%
Grade 8	1.5%	2.1%	3.2%	96.8%
Grade 9	0.9%	1.2%	2.5%	97.5%
Grade 10	1.4%	1.6%	2.2%	97.8%
Grade 11	0.5%	2.3%	4.1%	95.9%
Grade 12	0.3%	0.3%	1.4%	98.6%
Methamphetamine				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.5%	99.5%
Delta 8				
All	2.4%	3.3%	5.7%	94.3%
Grade 7	0.4%	0.5%	2.0%	98.0%
Grade 8	3.3%	4.0%	5.7%	94.3%
Grade 9	2.8%	3.3%	5.7%	94.3%
Grade 10	2.0%	3.3%	5.5%	94.5%
Grade 11	3.8%	5.2%	9.0%	91.0%
Grade 12	1.7%	3.3%	6.8%	93.2%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.0%	11.6%	21.5%	78.5%
Grade 7	2.0%	2.0%	7.5%	92.5%
Grade 8	10.5%	11.6%	21.5%	78.5%
Grade 9	7.0%	8.4%	19.8%	80.2%
Grade 10	9.0%	10.1%	18.9%	81.1%
Grade 11	14.9%	19.2%	32.0%	68.0%
Grade 12	19.6%	21.3%	32.5%	67.5%
Any Alcohol Product				
All	21.7%	25.9%	43.1%	56.9%
Grade 7	11.0%	11.4%	40.6%	59.4%
Grade 8	24.0%	25.1%	41.3%	58.7%
Grade 9	17.7%	26.2%	39.4%	60.6%
Grade 10	19.6%	24.0%	37.5%	62.5%
Grade 11	28.0%	32.7%	49.4%	50.6%
Grade 12	33.1%	39.0%	54.9%	45.1%
Any Illicit Drug				
All	10.0%	12.6%	18.6%	81.4%
Grade 7	4.0%	4.1%	6.3%	93.7%
Grade 8	12.8%	12.8%	17.2%	82.8%
Grade 9	7.0%	10.6%	16.1%	83.9%
Grade 10	7.8%	10.8%	14.2%	85.8%
Grade 11	12.8%	17.3%	28.8%	71.2%
Grade 12	17.1%	22.4%	34.2%	65.8%
Any Prescription Drug				
All	5.2%	8.3%	14.2%	85.8%
Grade 7	8.3%	11.0%	14.5%	85.5%
Grade 8	4.8%	9.7%	17.2%	82.8%
Grade 9	3.6%	5.4%	11.7%	88.3%
Grade 10	7.2%	9.4%	14.7%	85.3%
Grade 11	4.7%	7.0%	12.7%	87.3%
Grade 12	2.1%	6.8%	14.2%	85.8%
Any Inhalant				
All	3.6%	4.8%	9.2%	90.8%
Grade 7	5.7%	7.3%	10.1%	89.9%
Grade 8	5.7%	6.3%	10.4%	89.6%
Grade 9	2.4%	4.9%	10.2%	89.8%
Grade 10	4.8%	5.5%	9.1%	90.9%
Grade 11	0.8%	0.8%	8.3%	91.7%
Grade 12	1.7%	2.6%	5.9%	94.1%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.3%	8.8%	18.6%	81.4%
Grade 7	2.0%	2.0%	7.6%	92.4%
Grade 8	8.3%	9.4%	18.1%	81.9%
Grade 9	4.5%	6.1%	15.7%	84.3%
Grade 10	5.3%	6.9%	15.7%	84.3%
Grade 11	12.4%	14.5%	30.3%	69.7%
Grade 12	13.1%	16.5%	27.8%	72.2%
Marijuana				
All	9.2%	11.2%	16.8%	83.2%
Grade 7	2.4%	2.4%	2.8%	97.2%
Grade 8	11.9%	11.9%	16.3%	83.7%
Grade 9	7.0%	10.2%	13.9%	86.1%
Grade 10	7.0%	9.3%	12.6%	87.4%
Grade 11	12.8%	15.0%	27.5%	72.5%
Grade 12	15.9%	20.7%	33.0%	67.0%
Marijuana Only				
All	3.5%	4.7%	8.9%	91.1%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	4.4%	4.4%	8.2%	91.8%
Grade 9	4.1%	6.0%	8.7%	91.3%
Grade 10	2.8%	5.1%	8.1%	91.9%
Grade 11	4.0%	5.0%	12.7%	87.3%
Grade 12	5.2%	7.3%	17.4%	82.6%
Cocaine or Crack				
All	1.5%	1.6%	1.7%	98.3%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	2.7%	2.7%	2.7%	97.3%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	1.2%	1.2%	1.4%	98.6%
Grade 11	2.7%	2.7%	3.1%	96.9%
Grade 12	2.1%	2.7%	3.2%	96.8%
Cocaine				
All	1.4%	1.4%	1.6%	98.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	2.1%	2.1%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	2.7%	2.7%	3.1%	96.9%
Grade 12	2.1%	2.7%	3.2%	96.8%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.8%	1.8%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.0%	1.0%	99.0%
Hallucinogens				
All	0.3%	1.3%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.2%	0.8%	1.9%	98.1%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.0%	3.4%	4.1%	95.9%
Grade 12	0.8%	4.5%	7.2%	92.8%
Synthetic Cathinones				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	1.2%	98.8%
Steroids				
All	0.1%	0.2%	1.6%	98.4%
Grade 7	0.0%	0.0%	1.9%	98.1%
Grade 8	0.0%	0.6%	1.5%	98.5%
Grade 9	0.0%	0.0%	2.7%	97.3%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	2.7%	97.3%
Ecstasy				
All	0.0%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	1.7%	2.0%	98.0%
Grade 12	0.0%	1.0%	1.0%	99.0%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	1.6%	1.6%	3.3%	96.7%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	1.7%	98.3%
Synthetic Marijuana				
All	0.5%	1.5%	2.9%	97.1%
Grade 7	0.0%	1.6%	1.6%	98.4%
Grade 8	1.2%	2.4%	3.8%	96.2%
Grade 9	0.0%	0.3%	2.4%	97.6%
Grade 10	1.2%	1.2%	1.6%	98.4%
Grade 11	0.0%	3.4%	5.7%	94.3%
Grade 12	0.3%	0.3%	2.2%	97.8%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.0%	99.0%
Delta 8				
All	3.0%	4.2%	6.3%	93.7%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	4.6%	4.6%	7.2%	92.8%
Grade 9	2.2%	2.7%	4.3%	95.7%
Grade 10	2.0%	4.0%	4.4%	95.6%
Grade 11	6.0%	8.5%	11.9%	88.1%
Grade 12	3.2%	5.8%	10.0%	90.0%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.5%	13.1%	23.9%	76.1%
Grade 7	7.0%	9.0%	19.0%	81.0%
Grade 8	11.0%	13.1%	21.0%	79.0%
Grade 9	9.0%	13.5%	28.0%	72.0%
Grade 10	15.3%	18.2%	26.4%	73.6%
Grade 11	12.1%	13.8%	26.7%	73.3%
Grade 12	8.3%	9.9%	20.7%	79.3%
Any Alcohol Product				
All	23.1%	27.1%	45.4%	54.6%
Grade 7	13.9%	16.2%	40.3%	59.7%
Grade 8	26.2%	31.7%	44.2%	55.8%
Grade 9	25.9%	27.2%	46.8%	53.2%
Grade 10	29.5%	34.1%	51.8%	48.2%
Grade 11	21.8%	26.8%	48.1%	51.9%
Grade 12	18.5%	25.4%	38.9%	61.1%
Any Illicit Drug				
All	10.8%	14.1%	19.8%	80.2%
Grade 7	8.0%	9.9%	13.8%	86.2%
Grade 8	13.8%	18.2%	21.4%	78.6%
Grade 9	11.7%	14.3%	19.2%	80.8%
Grade 10	13.2%	16.8%	22.6%	77.4%
Grade 11	10.6%	15.1%	20.2%	79.8%
Grade 12	6.1%	9.0%	21.8%	78.2%
Any Prescription Drug				
All	3.7%	5.5%	11.4%	88.6%
Grade 7	2.0%	3.7%	12.3%	87.7%
Grade 8	6.1%	10.1%	17.6%	82.4%
Grade 9	3.0%	5.1%	8.6%	91.4%
Grade 10	4.4%	5.5%	12.5%	87.5%
Grade 11	4.0%	5.1%	9.5%	90.5%
Grade 12	2.5%	3.0%	7.8%	92.2%
Any Inhalant				
All	4.3%	5.9%	11.0%	89.0%
Grade 7	3.6%	6.0%	13.9%	86.1%
Grade 8	7.7%	9.0%	13.4%	86.6%
Grade 9	4.0%	5.9%	12.6%	87.4%
Grade 10	5.1%	6.0%	11.4%	88.6%
Grade 11	4.0%	6.1%	8.8%	91.2%
Grade 12	1.0%	2.0%	4.1%	95.9%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.6%	11.7%	22.3%	77.7%
Grade 7	6.7%	8.7%	17.5%	82.5%
Grade 8	5.8%	9.7%	19.1%	80.9%
Grade 9	7.6%	13.0%	26.7%	73.3%
Grade 10	13.8%	16.7%	25.6%	74.4%
Grade 11	10.0%	11.7%	26.1%	73.9%
Grade 12	7.2%	8.8%	16.9%	83.1%
Marijuana				
All	10.2%	12.4%	17.6%	82.4%
Grade 7	7.3%	8.0%	9.8%	90.2%
Grade 8	12.0%	13.4%	16.2%	83.8%
Grade 9	11.7%	13.8%	18.9%	81.1%
Grade 10	12.6%	15.6%	20.5%	79.5%
Grade 11	10.1%	14.0%	19.5%	80.5%
Grade 12	6.1%	8.5%	20.6%	79.4%
Marijuana Only				
All	5.9%	7.4%	11.7%	88.3%
Grade 7	3.5%	4.2%	6.0%	94.0%
Grade 8	6.8%	7.5%	10.2%	89.8%
Grade 9	7.4%	8.3%	12.0%	88.0%
Grade 10	7.3%	10.0%	13.3%	86.7%
Grade 11	6.4%	8.4%	12.4%	87.6%
Grade 12	3.2%	5.3%	16.3%	83.7%
Cocaine or Crack				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	1.1%	1.1%	1.8%	98.2%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.8%	0.8%	1.0%	99.0%
Cocaine				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.8%	0.8%	1.0%	99.0%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.9%	2.1%	97.9%
Grade 7	0.4%	0.7%	2.2%	97.8%
Grade 8	1.9%	3.8%	4.5%	95.5%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.3%	0.3%	2.6%	97.4%
Grade 11	0.4%	0.4%	2.1%	97.9%
Grade 12	0.0%	0.3%	1.5%	98.5%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.3%	0.9%	99.1%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.2%	99.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.7%	0.7%	2.2%	97.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.4%	1.5%	2.4%	97.6%
Grade 7	1.5%	1.5%	3.1%	96.9%
Grade 8	1.8%	1.8%	2.6%	97.4%
Grade 9	1.6%	1.9%	2.6%	97.4%
Grade 10	1.5%	1.9%	2.8%	97.2%
Grade 11	1.1%	1.1%	2.4%	97.6%
Grade 12	0.2%	0.2%	0.8%	99.2%
Methamphetamine				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.8%	2.4%	5.1%	94.9%
Grade 7	0.7%	1.0%	2.3%	97.7%
Grade 8	1.9%	3.3%	4.0%	96.0%
Grade 9	3.5%	3.8%	6.9%	93.1%
Grade 10	2.0%	2.7%	6.6%	93.4%
Grade 11	1.5%	1.8%	6.0%	94.0%
Grade 12	0.5%	1.3%	4.2%	95.8%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.2%	9.6%	20.8%	79.2%
Grade 7	2.1%	4.2%	18.7%	81.3%
Grade 8	8.5%	8.5%	18.2%	81.8%
Grade 9	6.3%	9.3%	24.9%	75.1%
Grade 10	8.1%	9.7%	15.8%	84.2%
Grade 11	13.5%	14.8%	23.4%	76.6%
Grade 12	11.5%	11.5%	24.6%	75.4%
Any Alcohol Product				
All	15.0%	19.6%	37.7%	62.3%
Grade 7	3.4%	6.3%	36.2%	63.8%
Grade 8	23.0%	25.1%	41.7%	58.3%
Grade 9	18.6%	24.0%	42.4%	57.6%
Grade 10	13.0%	17.8%	38.4%	61.6%
Grade 11	12.9%	16.6%	27.4%	72.6%
Grade 12	17.0%	25.7%	37.4%	62.6%
Any Illicit Drug				
All	5.9%	7.6%	13.8%	86.2%
Grade 7	5.6%	7.7%	9.8%	90.2%
Grade 8	7.5%	9.7%	14.0%	86.0%
Grade 9	5.1%	5.1%	15.4%	84.6%
Grade 10	5.3%	7.0%	11.5%	88.5%
Grade 11	4.5%	6.6%	13.7%	86.3%
Grade 12	7.6%	9.8%	18.2%	81.8%
Any Prescription Drug				
All	4.2%	5.0%	10.2%	89.8%
Grade 7	6.1%	6.1%	12.9%	87.1%
Grade 8	2.3%	3.1%	13.3%	86.7%
Grade 9	5.0%	5.4%	11.3%	88.7%
Grade 10	4.6%	5.5%	7.1%	92.9%
Grade 11	3.3%	3.3%	7.4%	92.6%
Grade 12	3.6%	6.5%	9.2%	90.8%
Any Inhalant				
All	2.6%	3.4%	6.2%	93.8%
Grade 7	0.0%	2.8%	2.8%	97.2%
Grade 8	8.3%	8.3%	16.6%	83.4%
Grade 9	1.9%	3.1%	3.1%	96.9%
Grade 10	3.2%	3.7%	5.8%	94.2%
Grade 11	0.9%	0.9%	4.4%	95.6%
Grade 12	0.0%	0.6%	3.3%	96.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.5%	8.1%	17.1%	82.9%
Grade 7	2.1%	4.2%	15.2%	84.8%
Grade 8	5.4%	8.5%	14.1%	85.9%
Grade 9	3.6%	7.7%	20.7%	79.3%
Grade 10	7.3%	9.7%	15.5%	84.5%
Grade 11	9.3%	9.3%	20.5%	79.5%
Grade 12	5.8%	8.5%	16.4%	83.6%
Marijuana				
All	5.4%	6.0%	11.1%	88.9%
Grade 7	5.6%	5.6%	5.6%	94.4%
Grade 8	5.4%	5.4%	9.6%	90.4%
Grade 9	5.1%	5.1%	11.9%	88.1%
Grade 10	4.8%	6.5%	9.2%	90.8%
Grade 11	4.5%	5.2%	13.0%	87.0%
Grade 12	7.2%	8.3%	17.8%	82.2%
Marijuana Only				
All	2.3%	2.8%	6.3%	93.7%
Grade 7	5.6%	5.6%	5.6%	94.4%
Grade 8	0.0%	0.0%	4.2%	95.8%
Grade 9	2.3%	2.3%	5.7%	94.3%
Grade 10	2.0%	3.7%	4.5%	95.5%
Grade 11	1.4%	2.2%	6.6%	93.4%
Grade 12	3.1%	3.6%	12.0%	88.0%
Cocaine or Crack				
All	0.5%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.1%	2.1%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.6%	0.6%	0.6%	99.4%
Cocaine				
All	0.5%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.1%	2.1%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.6%	0.6%	0.6%	99.4%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.5%	0.8%	1.4%	98.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	2.3%	3.1%	3.1%	96.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.9%	99.1%
	Grade 11	0.0%	0.0%	2.2%	97.8%
	Grade 12	0.9%	1.4%	2.5%	97.5%
Synthetic Cathinones	All	0.3%	0.3%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	2.0%	2.0%	2.0%	98.0%
Steroids	All	0.0%	0.1%	1.3%	98.7%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.0%	0.0%	2.1%	97.9%
	Grade 9	0.0%	0.0%	1.9%	98.1%
	Grade 10	0.0%	0.5%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	2.0%	98.0%
Ecstasy	All	0.0%	0.0%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	2.3%	97.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	0.4%	0.5%	1.4%	98.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.8%	0.8%	0.8%	99.2%
	Grade 9	0.8%	0.8%	3.8%	96.2%
	Grade 10	0.3%	1.1%	2.0%	98.0%
	Grade 11	0.0%	0.0%	1.3%	98.7%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine	All	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.8%	0.8%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8	All	1.5%	1.9%	4.6%	95.4%
	Grade 7	0.0%	0.0%	2.1%	97.9%
	Grade 8	3.1%	3.1%	3.1%	96.9%
	Grade 9	2.5%	2.5%	7.0%	93.0%
	Grade 10	0.9%	2.5%	7.0%	93.0%
	Grade 11	1.5%	1.5%	5.6%	94.4%
	Grade 12	0.4%	1.0%	2.0%	98.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.7%	15.7%	30.3%	69.7%
Grades 7–8	20.8%	20.8%	31.2%	68.8%
Grade 9	10.3%	10.3%	27.9%	72.1%
Grades 10–11	17.7%	17.7%	27.3%	72.7%
Grade 12	10.6%	10.6%	41.5%	58.5%
Any Alcohol Product				
All	36.4%	37.1%	55.9%	44.1%
Grades 7–8	52.0%	52.0%	52.0%	48.0%
Grade 9	35.3%	35.3%	49.2%	50.8%
Grades 10–11	32.2%	32.2%	66.1%	33.9%
Grade 12	16.1%	21.7%	51.3%	48.7%
Any Illicit Drug				
All	17.2%	22.0%	37.4%	62.6%
Grades 7–8	31.2%	31.2%	41.6%	58.4%
Grade 9	11.6%	21.9%	21.9%	78.1%
Grades 10–11	13.0%	19.2%	43.1%	56.9%
Grade 12	9.8%	9.8%	45.7%	54.3%
Any Prescription Drug				
All	8.0%	15.2%	21.6%	78.4%
Grades 7–8	16.8%	37.6%	37.6%	62.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	10.1%	14.8%	27.8%	72.2%
Grade 12	0.0%	0.0%	16.1%	83.9%
Any Inhalant				
All	6.4%	9.2%	10.8%	89.2%
Grades 7–8	10.4%	10.4%	10.4%	89.6%
Grade 9	0.0%	10.3%	10.3%	89.7%
Grades 10–11	10.8%	10.8%	15.6%	84.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Electronic Vapor Products				
All	10.2%	10.2%	25.5%	74.5%
Grades 7–8	23.2%	23.2%	23.2%	76.8%
Grade 9	10.3%	10.3%	27.9%	72.1%
Grades 10–11	0.0%	0.0%	19.0%	81.0%
Grade 12	10.6%	10.6%	41.5%	58.5%
Marijuana				
All	17.2%	22.0%	34.5%	65.5%
Grades 7–8	31.2%	31.2%	31.2%	68.8%
Grade 9	11.6%	21.9%	21.9%	78.1%
Grades 10–11	13.0%	19.2%	43.1%	56.9%
Grade 12	9.8%	9.8%	45.7%	54.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	9.8%	14.5%	25.5%	74.5%
Grades 7–8	10.4%	10.4%	10.4%	89.6%
Grade 9	10.9%	20.5%	20.5%	79.5%
Grades 10–11	8.4%	14.5%	38.5%	61.5%
Grade 12	9.8%	9.8%	35.2%	64.8%
Cocaine or Crack				
All	1.6%	1.6%	1.6%	98.4%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	4.6%	4.6%	4.6%	95.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	1.6%	1.6%	1.6%	98.4%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	4.6%	4.6%	4.6%	95.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.0%	0.0%	4.2%	95.8%
Grades 7–8	0.0%	0.0%	10.4%	89.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	10.6%	89.4%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	2.8%	2.8%	5.6%	94.4%
Grades 7–8	10.4%	10.4%	20.8%	79.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Ecstasy				
All	0.0%	0.0%	0.0%	100.0%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Heroin				
All	0.0%	0.0%	2.8%	97.2%
Grades 7–8	0.0%	0.0%	10.4%	89.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	4.4%	4.4%	4.4%	95.6%
Grades 7–8	10.4%	10.4%	10.4%	89.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	4.6%	4.6%	4.6%	95.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	1.6%	1.6%	1.6%	98.4%
Grades 7–8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	4.6%	4.6%	4.6%	95.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	4.4%	4.4%	5.7%	94.3%
Grades 7–8	10.4%	10.4%	10.4%	89.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	4.6%	4.6%	4.6%	95.4%
Grade 12	0.0%	0.0%	10.6%	89.4%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.8%	13.3%	22.8%	77.2%
Grade 7	5.7%	6.5%	11.8%	88.2%
Grade 8	10.9%	13.0%	21.4%	78.6%
Grade 9	8.6%	12.0%	23.7%	76.3%
Grade 10	13.1%	15.4%	24.2%	75.8%
Grade 11	13.1%	17.1%	30.3%	69.7%
Grade 12	15.0%	17.6%	27.5%	72.5%
Any Alcohol Product				
All	24.6%	28.9%	46.0%	54.0%
Grade 7	13.9%	14.9%	40.4%	59.6%
Grade 8	25.3%	29.0%	43.5%	56.5%
Grade 9	22.3%	27.2%	44.4%	55.6%
Grade 10	29.5%	34.1%	47.2%	52.8%
Grade 11	29.0%	34.8%	52.7%	47.3%
Grade 12	29.7%	35.9%	50.0%	50.0%
Any Illicit Drug				
All	11.7%	15.0%	20.2%	79.8%
Grade 7	5.5%	6.3%	8.7%	91.3%
Grade 8	15.0%	17.7%	21.6%	78.4%
Grade 9	10.6%	13.9%	17.9%	82.1%
Grade 10	12.7%	15.9%	19.8%	80.2%
Grade 11	14.1%	19.1%	25.8%	74.2%
Grade 12	13.2%	18.7%	31.6%	68.4%
Any Prescription Drug				
All	4.3%	7.0%	13.2%	86.8%
Grade 7	3.6%	6.7%	12.8%	87.2%
Grade 8	6.1%	10.0%	17.6%	82.4%
Grade 9	2.7%	5.5%	10.5%	89.5%
Grade 10	7.0%	8.5%	14.5%	85.5%
Grade 11	3.7%	6.3%	12.1%	87.9%
Grade 12	2.0%	4.5%	11.4%	88.6%
Any Inhalant				
All	4.5%	6.0%	11.8%	88.2%
Grade 7	6.3%	8.1%	15.6%	84.4%
Grade 8	6.6%	8.4%	11.7%	88.3%
Grade 9	3.9%	5.6%	14.4%	85.6%
Grade 10	4.3%	5.4%	10.5%	89.5%
Grade 11	3.1%	4.6%	10.3%	89.7%
Grade 12	2.1%	3.3%	6.1%	93.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.9%	11.3%	21.4%	78.6%
Grade 7	5.5%	6.2%	11.9%	88.1%
Grade 8	6.6%	8.7%	19.7%	80.3%
Grade 9	7.1%	11.1%	21.7%	78.3%
Grade 10	11.2%	13.7%	23.2%	76.8%
Grade 11	12.4%	15.2%	29.1%	70.9%
Grade 12	12.0%	14.5%	24.6%	75.4%
Marijuana				
All	11.0%	13.4%	18.5%	81.5%
Grade 7	4.0%	4.5%	6.1%	93.9%
Grade 8	13.8%	15.2%	19.1%	80.9%
Grade 9	10.6%	13.3%	17.3%	82.7%
Grade 10	11.8%	14.1%	17.9%	82.1%
Grade 11	13.7%	17.0%	24.6%	75.4%
Grade 12	12.5%	17.7%	30.0%	70.0%
Marijuana Only				
All	5.4%	6.8%	10.9%	89.1%
Grade 7	1.0%	1.5%	3.1%	96.9%
Grade 8	7.1%	8.0%	11.5%	88.5%
Grade 9	6.6%	7.7%	11.1%	88.9%
Grade 10	6.7%	8.8%	11.9%	88.1%
Grade 11	5.8%	7.1%	11.2%	88.8%
Grade 12	4.3%	7.6%	18.6%	81.4%
Cocaine or Crack				
All	1.0%	1.1%	1.3%	98.7%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	2.2%	2.2%	2.6%	97.4%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	1.8%	1.8%	1.8%	98.2%
Grade 12	1.8%	2.3%	2.9%	97.1%
Cocaine				
All	0.8%	0.9%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.9%	0.9%	1.4%	98.6%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	1.8%	1.8%	1.8%	98.2%
Grade 12	1.8%	2.3%	2.9%	97.1%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	2.2%	2.2%	2.2%	97.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.7%	0.7%	99.3%
Hallucinogens				
All	0.3%	1.3%	2.3%	97.7%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.5%	1.4%	2.4%	97.6%
Grade 9	0.1%	0.5%	1.2%	98.8%
Grade 10	0.7%	0.7%	2.4%	97.6%
Grade 11	0.3%	2.9%	3.6%	96.4%
Grade 12	0.2%	2.8%	4.5%	95.5%
Synthetic Cathinones				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.2%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.4%	0.4%	1.1%	98.9%
Ecstasy				
All	0.1%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.3%	1.5%	1.8%	98.2%
Grade 12	0.0%	0.7%	0.9%	99.1%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	1.6%	1.6%	2.7%	97.3%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	1.2%	98.8%
Synthetic Marijuana				
All	0.9%	1.7%	3.0%	97.0%
Grade 7	0.0%	1.1%	2.2%	97.8%
Grade 8	1.9%	2.9%	4.5%	95.5%
Grade 9	1.0%	1.4%	2.2%	97.8%
Grade 10	1.3%	1.3%	1.8%	98.2%
Grade 11	0.6%	3.1%	5.4%	94.6%
Grade 12	0.4%	0.4%	2.2%	97.8%
Methamphetamine				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.7%	99.3%
Delta 8				
All	2.6%	3.8%	6.2%	93.8%
Grade 7	0.5%	0.8%	2.1%	97.9%
Grade 8	2.9%	3.8%	6.4%	93.6%
Grade 9	3.3%	3.9%	5.6%	94.4%
Grade 10	2.1%	3.4%	5.0%	95.0%
Grade 11	4.7%	6.8%	10.7%	89.3%
Grade 12	2.5%	4.7%	8.9%	91.1%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	5.5%	6.9%	17.1%	82.9%
Grade 7	1.0%	1.5%	11.5%	88.5%
Grade 8	6.6%	7.2%	12.6%	87.4%
Grade 9	5.0%	5.6%	17.2%	82.8%
Grade 10	4.5%	6.1%	12.9%	87.1%
Grade 11	7.6%	12.4%	25.8%	74.2%
Grade 12	9.0%	9.5%	22.4%	77.6%
Any Alcohol Product				
All	15.0%	18.9%	38.6%	61.4%
Grade 7	6.7%	9.9%	35.8%	64.2%
Grade 8	18.2%	23.3%	39.6%	60.4%
Grade 9	14.6%	17.6%	34.7%	65.3%
Grade 10	14.8%	18.2%	35.0%	65.0%
Grade 11	16.6%	19.6%	47.0%	53.0%
Grade 12	19.6%	26.0%	42.1%	57.9%
Any Illicit Drug				
All	4.1%	6.0%	10.6%	89.4%
Grade 7	3.1%	3.6%	3.6%	96.4%
Grade 8	9.9%	9.9%	10.4%	89.6%
Grade 9	2.9%	4.1%	8.0%	92.0%
Grade 10	2.3%	4.5%	8.4%	91.6%
Grade 11	3.7%	7.7%	16.1%	83.9%
Grade 12	5.1%	7.9%	18.0%	82.0%
Any Prescription Drug				
All	4.2%	4.9%	9.2%	90.8%
Grade 7	2.9%	2.9%	7.7%	92.3%
Grade 8	9.1%	11.9%	17.4%	82.6%
Grade 9	2.4%	3.4%	7.9%	92.1%
Grade 10	5.3%	5.6%	11.2%	88.8%
Grade 11	4.5%	4.5%	8.0%	92.0%
Grade 12	2.8%	3.3%	5.5%	94.5%
Any Inhalant				
All	2.9%	4.2%	7.1%	92.9%
Grade 7	2.1%	5.1%	6.9%	93.1%
Grade 8	5.9%	8.6%	14.9%	85.1%
Grade 9	2.9%	3.8%	6.4%	93.6%
Grade 10	4.0%	4.3%	7.4%	92.6%
Grade 11	1.3%	3.0%	6.0%	94.0%
Grade 12	1.5%	1.9%	3.5%	96.5%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.7%	5.7%	15.0%	85.0%
Grade 7	1.0%	1.5%	11.5%	88.5%
Grade 8	5.2%	5.7%	10.0%	90.0%
Grade 9	3.9%	5.0%	13.9%	86.1%
Grade 10	3.7%	5.1%	12.1%	87.9%
Grade 11	6.8%	8.5%	24.5%	75.5%
Grade 12	8.2%	8.7%	17.7%	82.3%
Marijuana				
All	3.8%	5.1%	9.1%	90.9%
Grade 7	3.1%	3.1%	3.1%	96.9%
Grade 8	8.5%	8.5%	9.0%	91.0%
Grade 9	2.9%	3.3%	5.5%	94.5%
Grade 10	2.0%	3.9%	6.7%	93.3%
Grade 11	3.7%	5.9%	14.4%	85.6%
Grade 12	4.5%	7.4%	17.3%	82.7%
Marijuana Only				
All	1.9%	2.7%	5.9%	94.1%
Grade 7	2.6%	2.6%	2.6%	97.4%
Grade 8	4.1%	4.1%	4.6%	95.4%
Grade 9	2.0%	2.5%	3.8%	96.2%
Grade 10	1.1%	3.0%	5.4%	94.6%
Grade 11	0.5%	1.4%	6.7%	93.3%
Grade 12	1.8%	3.1%	12.0%	88.0%
Cocaine or Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	0.9%	99.1%
Cocaine				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	0.9%	99.1%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.2%	0.8%	1.7%	98.3%
	Grade 7	0.0%	0.5%	0.5%	99.5%
	Grade 8	1.5%	3.8%	5.3%	94.7%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 11	0.0%	0.0%	2.2%	97.8%
	Grade 12	0.2%	1.9%	3.0%	97.0%
Synthetic Cathinones	All	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.1%	0.2%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	1.7%	98.3%
	Grade 10	0.0%	0.3%	1.5%	98.5%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	0.5%	0.5%	0.5%	99.5%
Ecstasy	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.2%	0.2%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	2.9%	97.1%
Grade 9	0.0%	0.0%	2.7%	97.3%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	4.4%	95.6%
Grade 12	0.0%	0.0%	1.1%	98.9%
Methamphetamine				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.1%	1.5%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.3%	3.8%	5.8%	94.2%
Grade 9	0.5%	1.0%	1.8%	98.2%
Grade 10	0.5%	0.9%	2.4%	97.6%
Grade 11	2.7%	2.7%	4.4%	95.6%
Grade 12	1.3%	1.6%	3.8%	96.2%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.2%	15.8%	26.3%	73.7%
Grade 7	7.4%	8.9%	14.6%	85.4%
Grade 8	12.0%	14.0%	24.0%	76.0%
Grade 9	10.0%	14.3%	28.1%	71.9%
Grade 10	17.7%	20.0%	29.6%	70.4%
Grade 11	17.1%	19.0%	32.0%	68.0%
Grade 12	17.5%	20.2%	30.1%	69.9%
Any Alcohol Product				
All	27.4%	31.7%	48.2%	51.8%
Grade 7	17.5%	17.8%	44.6%	55.4%
Grade 8	27.5%	30.1%	44.4%	55.6%
Grade 9	26.5%	32.0%	48.7%	51.3%
Grade 10	32.2%	37.5%	52.2%	47.8%
Grade 11	30.5%	36.5%	50.1%	49.9%
Grade 12	30.0%	37.4%	50.4%	49.6%
Any Illicit Drug				
All	14.1%	18.0%	24.6%	75.4%
Grade 7	7.8%	9.3%	14.7%	85.3%
Grade 8	14.4%	17.6%	22.2%	77.8%
Grade 9	13.2%	17.5%	23.2%	76.8%
Grade 10	16.4%	20.5%	25.6%	74.4%
Grade 11	16.7%	21.4%	29.8%	70.2%
Grade 12	16.7%	22.6%	36.8%	63.2%
Any Prescription Drug				
All	4.6%	8.1%	15.1%	84.9%
Grade 7	7.0%	10.9%	18.4%	81.6%
Grade 8	4.0%	9.2%	17.7%	82.3%
Grade 9	3.7%	6.2%	11.2%	88.8%
Grade 10	6.3%	8.9%	15.4%	84.6%
Grade 11	4.2%	7.0%	13.0%	87.0%
Grade 12	1.9%	6.1%	15.5%	84.5%
Any Inhalant				
All	4.9%	6.4%	12.3%	87.7%
Grade 7	8.1%	9.7%	16.8%	83.2%
Grade 8	7.1%	7.9%	11.7%	88.3%
Grade 9	3.4%	6.3%	14.2%	85.8%
Grade 10	5.5%	6.7%	12.8%	87.2%
Grade 11	3.0%	3.6%	10.0%	90.0%
Grade 12	1.2%	2.7%	6.2%	93.8%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.0%	13.1%	23.9%	76.1%
Grade 7	7.1%	8.6%	13.3%	86.7%
Grade 8	8.1%	10.7%	21.2%	78.8%
Grade 9	7.5%	12.5%	25.8%	74.2%
Grade 10	14.0%	16.9%	26.9%	73.1%
Grade 11	14.0%	16.0%	30.4%	69.6%
Grade 12	11.4%	15.6%	26.5%	73.5%
Marijuana				
All	13.3%	16.0%	22.3%	77.7%
Grade 7	5.8%	6.4%	8.4%	91.6%
Grade 8	13.1%	14.4%	18.7%	81.3%
Grade 9	13.2%	17.1%	22.8%	77.2%
Grade 10	15.4%	18.7%	23.6%	76.4%
Grade 11	16.3%	19.7%	29.2%	70.8%
Grade 12	16.2%	21.0%	35.3%	64.7%
Marijuana Only				
All	6.4%	8.3%	13.1%	86.9%
Grade 7	0.9%	1.6%	3.6%	96.4%
Grade 8	6.1%	7.0%	10.9%	89.1%
Grade 9	7.9%	10.0%	14.1%	85.9%
Grade 10	8.0%	10.9%	14.6%	85.4%
Grade 11	7.9%	9.8%	16.0%	84.0%
Grade 12	6.2%	9.9%	21.9%	78.1%
Cocaine or Crack				
All	1.4%	1.5%	1.9%	98.1%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	2.7%	2.7%	3.1%	96.9%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	1.1%	1.1%	1.3%	98.7%
Grade 11	2.3%	2.3%	2.8%	97.2%
Grade 12	2.1%	2.6%	3.1%	96.9%
Cocaine				
All	1.2%	1.2%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.5%	1.5%	2.0%	98.0%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	2.3%	2.3%	2.8%	97.2%
Grade 12	2.1%	2.6%	3.1%	96.9%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.7%	99.3%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	2.0%	2.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.9%	0.9%	99.1%
Hallucinogens				
All	0.5%	1.3%	2.4%	97.6%
Grade 7	0.3%	0.3%	1.8%	98.2%
Grade 8	0.7%	1.1%	1.6%	98.4%
Grade 9	0.2%	0.6%	1.3%	98.7%
Grade 10	0.8%	0.8%	2.7%	97.3%
Grade 11	0.3%	3.1%	3.7%	96.3%
Grade 12	0.5%	2.6%	5.1%	94.9%
Synthetic Cathinones				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.1%	1.1%	1.1%	98.9%
Steroids				
All	0.2%	0.3%	1.2%	98.8%
Grade 7	1.4%	1.4%	3.0%	97.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.2%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	1.9%	98.1%
Ecstasy				
All	0.1%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	1.4%	98.6%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.3%	1.7%	2.0%	98.0%
Grade 12	0.0%	0.9%	0.9%	99.1%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	1.1%	98.9%
Grade 7	2.0%	2.0%	4.8%	95.2%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	1.5%	98.5%
Synthetic Marijuana				
All	1.3%	2.2%	3.1%	96.9%
Grade 7	1.4%	2.8%	4.2%	95.8%
Grade 8	1.3%	2.2%	3.0%	97.0%
Grade 9	1.4%	1.8%	2.4%	97.6%
Grade 10	2.0%	2.4%	3.2%	96.8%
Grade 11	0.9%	3.7%	4.0%	96.0%
Grade 12	0.5%	0.5%	1.6%	98.4%
Methamphetamine				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.9%	99.1%
Delta 8				
All	3.1%	4.3%	7.5%	92.5%
Grade 7	0.6%	1.0%	3.6%	96.4%
Grade 8	3.4%	3.8%	5.5%	94.5%
Grade 9	4.1%	4.5%	7.9%	92.1%
Grade 10	3.1%	5.0%	7.7%	92.3%
Grade 11	4.5%	6.8%	11.9%	88.1%
Grade 12	2.1%	4.9%	9.6%	90.4%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.3%	9.5%	18.3%	81.7%
Grade 7	4.4%	5.2%	8.4%	91.6%
Grade 8	7.9%	9.4%	18.2%	81.8%
Grade 9	5.6%	7.8%	17.6%	82.4%
Grade 10	6.9%	8.1%	15.8%	84.2%
Grade 11	9.8%	14.8%	27.2%	72.8%
Grade 12	11.7%	14.5%	27.6%	72.4%
Any Alcohol Product				
All	19.5%	23.9%	40.9%	59.1%
Grade 7	13.4%	13.7%	38.5%	61.5%
Grade 8	20.7%	24.5%	39.4%	60.6%
Grade 9	17.6%	22.7%	40.7%	59.3%
Grade 10	19.4%	25.9%	39.0%	61.0%
Grade 11	22.2%	25.4%	44.2%	55.8%
Grade 12	27.2%	35.4%	46.2%	53.8%
Any Illicit Drug				
All	6.7%	9.5%	14.4%	85.6%
Grade 7	2.6%	4.2%	7.6%	92.4%
Grade 8	12.6%	14.3%	16.4%	83.6%
Grade 9	4.6%	7.4%	11.1%	88.9%
Grade 10	5.4%	7.0%	10.3%	89.7%
Grade 11	7.4%	11.8%	19.9%	80.1%
Grade 12	8.7%	14.5%	27.2%	72.8%
Any Prescription Drug				
All	4.6%	6.5%	11.3%	88.7%
Grade 7	4.9%	5.3%	10.2%	89.8%
Grade 8	6.4%	9.4%	16.8%	83.2%
Grade 9	3.7%	6.2%	9.6%	90.4%
Grade 10	6.2%	6.9%	10.8%	89.2%
Grade 11	3.8%	5.5%	10.0%	90.0%
Grade 12	1.3%	4.7%	9.7%	90.3%
Any Inhalant				
All	4.0%	5.3%	9.4%	90.6%
Grade 7	5.9%	8.0%	12.8%	87.2%
Grade 8	5.6%	6.6%	12.2%	87.8%
Grade 9	3.3%	5.1%	8.9%	91.1%
Grade 10	4.1%	4.6%	7.8%	92.2%
Grade 11	2.4%	3.8%	7.7%	92.3%
Grade 12	1.7%	2.0%	5.7%	94.3%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.2%	8.2%	16.4%	83.6%
Grade 7	4.2%	5.0%	8.5%	91.5%
Grade 8	5.5%	7.4%	15.2%	84.8%
Grade 9	4.8%	7.4%	15.7%	84.3%
Grade 10	6.3%	7.5%	15.0%	85.0%
Grade 11	8.1%	11.2%	24.4%	75.6%
Grade 12	10.0%	12.8%	24.0%	76.0%
Marijuana				
All	5.9%	7.8%	12.4%	87.6%
Grade 7	0.8%	1.4%	3.1%	96.9%
Grade 8	10.9%	11.5%	13.6%	86.4%
Grade 9	4.6%	6.8%	9.7%	90.3%
Grade 10	4.6%	6.0%	8.9%	91.1%
Grade 11	7.4%	10.7%	19.3%	80.7%
Grade 12	8.1%	12.9%	25.7%	74.3%
Marijuana Only				
All	2.6%	3.5%	7.4%	92.6%
Grade 7	0.3%	0.8%	2.6%	97.4%
Grade 8	4.9%	4.9%	7.0%	93.0%
Grade 9	1.5%	2.5%	5.1%	94.9%
Grade 10	2.5%	3.9%	6.8%	93.2%
Grade 11	2.7%	4.3%	9.8%	90.2%
Grade 12	3.9%	6.1%	17.4%	82.6%
Cocaine or Crack				
All	1.2%	1.2%	1.3%	98.7%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	2.8%	2.8%	2.8%	97.2%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	2.3%	2.3%	2.3%	97.7%
Grade 12	1.6%	2.2%	2.4%	97.6%
Cocaine				
All	1.0%	1.1%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.9%	1.9%	1.9%	98.1%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	2.3%	2.3%	2.3%	97.7%
Grade 12	1.6%	2.2%	2.4%	97.6%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.9%	1.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.9%	0.9%	99.1%
Hallucinogens				
All	0.1%	1.0%	1.7%	98.3%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.0%	1.1%	2.1%	97.9%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.0%	2.9%	3.9%	96.1%
Grade 12	0.0%	2.2%	3.7%	96.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.1%	0.8%	99.2%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.2%	1.3%	98.7%
Grade 10	0.0%	0.2%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.3%	0.3%	1.1%	98.9%
Ecstasy				
All	0.0%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	1.4%	1.8%	98.2%
Grade 12	0.0%	0.9%	0.9%	99.1%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	1.7%	1.7%	2.9%	97.1%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	1.5%	98.5%
Synthetic Marijuana				
All	0.7%	1.3%	2.3%	97.7%
Grade 7	0.0%	1.2%	1.2%	98.8%
Grade 8	1.1%	1.1%	1.8%	98.2%
Grade 9	1.3%	1.3%	2.9%	97.1%
Grade 10	1.0%	1.0%	1.5%	98.5%
Grade 11	0.2%	3.1%	5.7%	94.3%
Grade 12	0.0%	0.0%	0.8%	99.2%
Methamphetamine				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.9%	99.1%
Delta 8				
All	1.7%	2.6%	3.9%	96.1%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	2.8%	3.9%	5.2%	94.8%
Grade 9	2.4%	2.4%	4.1%	95.9%
Grade 10	1.4%	1.7%	1.7%	98.3%
Grade 11	2.2%	4.6%	6.4%	93.6%
Grade 12	0.7%	2.7%	6.3%	93.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.4%	16.4%	29.1%	70.9%
Grade 7	5.0%	6.4%	23.5%	76.5%
Grade 8	15.3%	17.1%	25.0%	75.0%
Grade 9	12.0%	16.2%	34.0%	66.0%
Grade 10	19.4%	22.4%	32.0%	68.0%
Grade 11	19.2%	19.2%	33.6%	66.4%
Grade 12	13.9%	14.4%	24.1%	75.9%
Any Alcohol Product				
All	26.8%	30.6%	49.2%	50.8%
Grade 7	10.8%	14.3%	44.4%	55.6%
Grade 8	32.3%	34.5%	47.9%	52.1%
Grade 9	28.8%	32.8%	48.0%	52.0%
Grade 10	32.5%	34.2%	53.1%	46.9%
Grade 11	30.0%	36.9%	55.9%	44.1%
Grade 12	21.7%	27.3%	45.7%	54.3%
Any Illicit Drug				
All	15.4%	18.9%	26.2%	73.8%
Grade 7	13.0%	13.0%	15.4%	84.6%
Grade 8	13.9%	17.3%	23.9%	76.1%
Grade 9	16.7%	20.6%	27.6%	72.4%
Grade 10	17.6%	22.8%	29.2%	70.8%
Grade 11	18.4%	22.9%	31.9%	68.1%
Grade 12	12.3%	15.3%	27.2%	72.8%
Any Prescription Drug				
All	4.2%	7.4%	15.1%	84.9%
Grade 7	5.1%	11.0%	19.5%	80.5%
Grade 8	4.0%	10.9%	19.6%	80.4%
Grade 9	2.3%	3.6%	10.4%	89.6%
Grade 10	5.6%	8.5%	17.5%	82.5%
Grade 11	5.2%	6.9%	12.9%	87.1%
Grade 12	3.4%	4.9%	11.8%	88.2%
Any Inhalant				
All	4.0%	5.6%	11.4%	88.6%
Grade 7	2.1%	4.0%	10.7%	89.3%
Grade 8	8.4%	9.9%	12.3%	87.7%
Grade 9	3.3%	5.8%	15.3%	84.7%
Grade 10	5.8%	7.0%	14.1%	85.9%
Grade 11	2.2%	2.6%	9.7%	90.3%
Grade 12	1.0%	2.7%	4.1%	95.9%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.6%	13.2%	26.2%	73.8%
Grade 7	5.0%	6.4%	21.1%	78.9%
Grade 8	9.8%	13.0%	22.6%	77.4%
Grade 9	8.3%	13.5%	30.4%	69.6%
Grade 10	14.3%	17.9%	28.4%	71.6%
Grade 11	16.1%	16.1%	34.2%	65.8%
Grade 12	9.8%	10.3%	19.3%	80.7%
Marijuana				
All	15.0%	17.6%	24.3%	75.7%
Grade 7	13.0%	13.0%	13.0%	87.0%
Grade 8	13.1%	14.7%	20.8%	79.2%
Grade 9	16.7%	20.2%	26.7%	73.3%
Grade 10	16.9%	21.1%	26.7%	73.3%
Grade 11	17.8%	20.3%	30.2%	69.8%
Grade 12	11.8%	14.8%	26.5%	73.5%
Marijuana Only				
All	7.5%	9.7%	14.6%	85.4%
Grade 7	5.4%	5.4%	5.4%	94.6%
Grade 8	5.7%	7.3%	12.6%	87.4%
Grade 9	12.1%	14.5%	18.4%	81.6%
Grade 10	8.6%	12.4%	15.8%	84.2%
Grade 11	8.9%	10.4%	16.8%	83.2%
Grade 12	2.8%	5.9%	15.7%	84.3%
Cocaine or Crack				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	1.1%	1.1%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	1.1%	1.1%	1.7%	98.3%
Cocaine				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	1.1%	1.1%	1.7%	98.3%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.8%	1.3%	2.8%	97.2%
Grade 7	0.6%	0.6%	2.9%	97.1%
Grade 8	2.2%	2.7%	2.7%	97.3%
Grade 9	0.1%	0.7%	1.7%	98.3%
Grade 10	0.7%	0.7%	3.3%	96.7%
Grade 11	0.5%	0.5%	1.9%	98.1%
Grade 12	0.8%	2.3%	4.6%	95.4%
Synthetic Cathinones				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	1.2%	98.8%
Steroids				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	2.4%	2.4%	2.7%	97.3%
Grade 8	0.0%	0.8%	2.1%	97.9%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.3%	0.3%	1.4%	98.6%
Ecstasy				
All	0.1%	0.1%	0.8%	99.2%
Grade 7	0.0%	0.0%	2.4%	97.6%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.0%	2.4%	97.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	1.3%	1.8%	3.1%	96.9%
	Grade 7	2.4%	2.4%	4.7%	95.3%
	Grade 8	2.1%	3.7%	5.4%	94.6%
	Grade 9	0.3%	1.1%	1.9%	98.1%
	Grade 10	1.9%	2.4%	3.2%	96.8%
	Grade 11	1.0%	1.0%	1.8%	98.2%
	Grade 12	0.5%	0.5%	2.0%	98.0%
Methamphetamine					
	All	0.3%	0.3%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.5%	0.5%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	0.9%	1.4%	98.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8					
	All	3.3%	4.3%	8.5%	91.5%
	Grade 7	0.0%	0.6%	4.4%	95.6%
	Grade 8	4.3%	4.3%	6.8%	93.2%
	Grade 9	3.5%	4.5%	8.1%	91.9%
	Grade 10	2.9%	5.5%	10.7%	89.3%
	Grade 11	6.3%	6.3%	13.1%	86.9%
	Grade 12	2.8%	4.0%	7.4%	92.6%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.0%	10.5%	20.7%	79.3%
Grade 7	3.4%	4.3%	10.4%	89.6%
Grade 8	9.6%	10.8%	19.8%	80.2%
Grade 9	6.6%	9.0%	21.9%	78.1%
Grade 10	11.8%	13.7%	21.4%	78.6%
Grade 11	12.2%	13.3%	27.3%	72.7%
Grade 12	11.4%	12.7%	24.7%	75.3%
Any Alcohol Product				
All	20.9%	24.5%	42.5%	57.5%
Grade 7	9.1%	9.3%	38.0%	62.0%
Grade 8	20.7%	23.9%	39.3%	60.7%
Grade 9	20.3%	24.3%	39.7%	60.3%
Grade 10	25.0%	28.4%	44.1%	55.9%
Grade 11	26.6%	31.1%	49.8%	50.2%
Grade 12	24.7%	31.8%	46.1%	53.9%
Any Illicit Drug				
All	8.9%	11.2%	16.7%	83.3%
Grade 7	3.4%	3.7%	6.1%	93.9%
Grade 8	11.6%	12.3%	16.4%	83.6%
Grade 9	8.9%	11.2%	14.9%	85.1%
Grade 10	9.4%	12.0%	16.0%	84.0%
Grade 11	10.5%	14.6%	22.9%	77.1%
Grade 12	9.6%	13.9%	26.7%	73.3%
Any Prescription Drug				
All	3.9%	5.8%	11.5%	88.5%
Grade 7	4.3%	6.1%	11.5%	88.5%
Grade 8	3.9%	7.6%	14.6%	85.4%
Grade 9	3.3%	4.9%	8.9%	91.1%
Grade 10	4.8%	6.5%	12.9%	87.1%
Grade 11	4.2%	5.1%	11.2%	88.8%
Grade 12	2.6%	4.5%	9.6%	90.4%
Any Inhalant				
All	3.5%	4.4%	8.6%	91.4%
Grade 7	4.5%	5.6%	10.4%	89.6%
Grade 8	5.1%	5.5%	9.4%	90.6%
Grade 9	4.0%	5.0%	10.8%	89.2%
Grade 10	3.5%	4.1%	7.6%	92.4%
Grade 11	2.6%	3.4%	8.6%	91.4%
Grade 12	1.0%	2.1%	4.1%	95.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.0%	8.6%	18.5%	81.5%
Grade 7	3.2%	4.0%	9.4%	90.6%
Grade 8	7.3%	8.3%	17.0%	83.0%
Grade 9	5.1%	8.0%	19.7%	80.3%
Grade 10	9.3%	11.8%	19.9%	80.1%
Grade 11	9.2%	9.9%	25.7%	74.3%
Grade 12	8.5%	9.8%	20.3%	79.7%
Marijuana				
All	8.5%	10.1%	15.4%	84.6%
Grade 7	2.5%	2.5%	3.7%	96.3%
Grade 8	11.0%	11.4%	15.3%	84.7%
Grade 9	8.9%	11.0%	13.9%	86.1%
Grade 10	9.0%	11.1%	14.8%	85.2%
Grade 11	10.2%	12.2%	21.5%	78.5%
Grade 12	9.4%	12.8%	25.5%	74.5%
Marijuana Only				
All	4.5%	5.5%	9.8%	90.2%
Grade 7	1.3%	1.3%	2.5%	97.5%
Grade 8	6.1%	6.5%	10.0%	90.0%
Grade 9	5.8%	6.7%	8.5%	91.5%
Grade 10	4.5%	6.4%	9.6%	90.4%
Grade 11	4.9%	6.0%	12.5%	87.5%
Grade 12	3.7%	6.0%	17.0%	83.0%
Cocaine or Crack				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.6%	0.6%	0.8%	99.2%
Cocaine				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.6%	0.6%	0.8%	99.2%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.2%	0.5%	1.4%	98.6%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.3%	0.7%	99.3%
Grade 9	0.1%	0.3%	0.7%	99.3%
Grade 10	0.6%	0.6%	2.2%	97.8%
Grade 11	0.3%	0.3%	1.0%	99.0%
Grade 12	0.3%	1.7%	3.6%	96.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	0.7%	0.7%	99.3%
Steroids				
All	0.1%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.4%	1.1%	98.9%
Grade 9	0.0%	0.1%	0.9%	99.1%
Grade 10	0.0%	0.2%	1.1%	98.9%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.3%	0.3%	1.0%	99.0%
Ecstasy				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.7%	1.1%	1.8%	98.2%
Grade 7	0.0%	1.0%	1.0%	99.0%
Grade 8	1.1%	1.9%	2.1%	97.9%
Grade 9	0.9%	1.3%	2.8%	97.2%
Grade 10	1.3%	1.6%	2.0%	98.0%
Grade 11	0.5%	0.5%	1.8%	98.2%
Grade 12	0.2%	0.2%	1.0%	99.0%
Methamphetamine				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	2.1%	2.8%	5.1%	94.9%
Grade 7	0.0%	0.0%	1.8%	98.2%
Grade 8	3.5%	4.3%	5.3%	94.7%
Grade 9	2.4%	2.7%	5.0%	95.0%
Grade 10	1.6%	3.1%	4.5%	95.5%
Grade 11	3.3%	3.9%	8.6%	91.4%
Grade 12	1.7%	2.9%	6.3%	93.7%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.6%	20.5%	32.6%	67.4%
Grade 7	12.7%	15.5%	30.1%	69.9%
Grade 8	15.3%	18.7%	28.7%	71.3%
Grade 9	13.9%	20.4%	34.5%	65.5%
Grade 10	13.9%	15.5%	29.3%	70.7%
Grade 11	16.4%	29.4%	39.4%	60.6%
Grade 12	25.3%	27.1%	36.2%	63.8%
Any Alcohol Product				
All	32.3%	37.9%	55.4%	44.6%
Grade 7	34.1%	43.4%	58.6%	41.4%
Grade 8	42.6%	45.8%	57.2%	42.8%
Grade 9	33.9%	39.6%	61.6%	38.4%
Grade 10	26.1%	33.3%	51.1%	48.9%
Grade 11	27.0%	29.8%	50.8%	49.2%
Grade 12	25.8%	32.2%	48.8%	51.2%
Any Illicit Drug				
All	15.8%	22.9%	31.0%	69.0%
Grade 7	18.0%	24.6%	32.2%	67.8%
Grade 8	18.6%	27.8%	31.1%	68.9%
Grade 9	11.5%	18.9%	28.6%	71.4%
Grade 10	15.2%	22.0%	29.1%	70.9%
Grade 11	15.1%	21.0%	33.9%	66.1%
Grade 12	18.8%	24.5%	34.7%	65.3%
Any Prescription Drug				
All	6.9%	11.9%	19.1%	80.9%
Grade 7	11.3%	17.4%	27.2%	72.8%
Grade 8	10.2%	18.5%	29.4%	70.6%
Grade 9	3.4%	7.9%	11.9%	88.1%
Grade 10	8.8%	10.3%	16.6%	83.4%
Grade 11	6.3%	12.4%	15.5%	84.5%
Grade 12	0.0%	3.5%	15.2%	84.8%
Any Inhalant				
All	6.7%	11.2%	17.7%	82.3%
Grade 7	10.4%	19.2%	28.2%	71.8%
Grade 8	11.9%	16.7%	22.6%	77.4%
Grade 9	1.0%	8.5%	12.4%	87.6%
Grade 10	12.1%	14.0%	22.4%	77.6%
Grade 11	1.1%	3.9%	11.1%	88.9%
Grade 12	1.7%	1.7%	8.1%	91.9%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.0%	17.4%	30.2%	69.8%
Grade 7	13.2%	16.1%	31.2%	68.8%
Grade 8	7.9%	14.3%	26.3%	73.7%
Grade 9	10.3%	17.5%	29.9%	70.1%
Grade 10	11.9%	12.9%	26.3%	73.7%
Grade 11	15.8%	24.0%	38.8%	61.2%
Grade 12	17.6%	24.9%	33.0%	67.0%
Marijuana				
All	14.0%	18.9%	25.7%	74.3%
Grade 7	15.2%	18.0%	19.4%	80.6%
Grade 8	14.3%	17.5%	20.7%	79.3%
Grade 9	11.5%	17.4%	26.1%	73.9%
Grade 10	13.1%	18.8%	24.1%	75.9%
Grade 11	15.1%	21.0%	33.9%	66.1%
Grade 12	17.8%	23.5%	33.7%	66.3%
Marijuana Only				
All	5.2%	8.7%	13.6%	86.4%
Grade 7	1.4%	4.2%	5.7%	94.3%
Grade 8	4.2%	5.7%	9.0%	91.0%
Grade 9	6.5%	10.9%	17.7%	82.3%
Grade 10	7.4%	13.1%	15.2%	84.8%
Grade 11	3.0%	5.1%	11.7%	88.3%
Grade 12	7.2%	11.7%	21.9%	78.1%
Cocaine or Crack				
All	2.9%	2.9%	3.6%	96.4%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	5.8%	5.8%	7.4%	92.6%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	6.0%	6.0%	6.0%	94.0%
Grade 12	6.1%	6.1%	6.8%	93.2%
Cocaine				
All	2.5%	2.5%	3.1%	96.9%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	4.2%	4.2%	5.7%	94.3%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	6.0%	6.0%	6.0%	94.0%
Grade 12	6.1%	6.1%	6.8%	93.2%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	1.2%	1.3%	98.7%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	3.2%	3.2%	3.2%	96.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	3.5%	3.5%	96.5%
Hallucinogens				
All	1.0%	3.8%	6.0%	94.0%
Grade 7	0.0%	0.0%	6.4%	93.6%
Grade 8	4.5%	7.7%	9.3%	90.7%
Grade 9	0.0%	0.6%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	10.3%	13.1%	86.9%
Grade 12	1.0%	5.6%	6.3%	93.7%
Synthetic Cathinones				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	2.9%	2.9%	2.9%	97.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	0.7%	2.6%	97.4%
Grade 7	6.2%	6.2%	12.3%	87.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	4.5%	95.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Ecstasy				
All	0.0%	1.1%	2.1%	97.9%
Grade 7	0.0%	0.0%	6.2%	93.8%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	5.1%	5.1%	94.9%
Grade 12	0.0%	3.5%	3.5%	96.5%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.5%	2.7%	97.3%
Grade 7	2.8%	2.8%	15.1%	84.9%
Grade 8	0.0%	0.0%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.5%	96.5%
Synthetic Marijuana				
All	1.6%	3.0%	6.1%	93.9%
Grade 7	6.2%	6.2%	12.3%	87.7%
Grade 8	1.6%	1.6%	6.5%	93.5%
Grade 9	1.0%	1.0%	1.7%	98.3%
Grade 10	0.9%	0.9%	2.5%	97.5%
Grade 11	0.0%	10.2%	15.2%	84.8%
Grade 12	1.0%	1.0%	1.9%	98.1%
Methamphetamine				
All	0.0%	0.0%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.5%	96.5%
Delta 8				
All	3.4%	5.1%	8.2%	91.8%
Grade 7	2.8%	2.8%	2.8%	97.2%
Grade 8	1.7%	1.7%	5.1%	94.9%
Grade 9	3.9%	5.1%	8.9%	91.1%
Grade 10	3.1%	3.7%	9.8%	90.2%
Grade 11	7.0%	13.0%	14.3%	85.7%
Grade 12	1.9%	6.5%	7.5%	92.5%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	26,462	49.0%
Female	27,511	51.0%
Frequency Missing	341	

Hispanic or Latino

Q5a	Frequency	Percent
No	16,814	31.3%
Yes	36,859	68.7%
Frequency Missing	641	

Grade

Q2	Frequency	Percent
Grade 7	8,524	15.7%
Grade 8	9,731	17.9%
Grade 9	11,199	20.6%
Grade 10	9,847	18.1%
Grade 11	7,797	14.4%
Grade 12	7,170	13.2%
Frequency Missing	46	

Ethnicity

Q5b	Frequency	Percent
American Indian	1,543	3.0%
Asian American	573	1.1%
African American	3,352	6.5%
Pacific Islander	193	0.4%
White	22,179	43.1%
Other	14,501	28.2%
More Than One Race	9,077	17.7%
Frequency Missing	2,895	

Live with Both Parents

Q3	Frequency	Percent
No	21,869	40.6%
Yes	31,981	59.4%
Frequency Missing	463	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	420	0.8%
Mostly D's	810	1.5%
Mostly C's	7,774	14.6%
Mostly B's	24,571	46.1%
Mostly A's	19,779	37.1%
Frequency Missing	959	

Age

Q4	Frequency	Percent
11 or younger	45	0.1%
12	2,774	5.1%
13	7,802	14.4%
14	11,454	21.1%
15	10,448	19.3%
16	9,352	17.2%
17	8,072	14.9%
18	3,991	7.4%
19 or older	309	0.6%
Frequency Missing	66	

Do You Have a Job

Q7	Frequency	Percent
No	42,494	79.9%
Yes	10,707	20.1%
Frequency Missing	1,112	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	6,106	11.6%
Yes	23,665	44.8%
Don't Know	23,081	43.7%
Frequency Missing	1,461	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	21,359	41.4%
Yes	30,254	58.6%
Frequency Missing	2,700	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	35,653	74.3%
Yes	12,326	25.7%
Frequency Missing	6,335	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	38,690	79.6%
Yes	9,942	20.4%
Frequency Missing	5,681	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	37,697	78.3%
Yes	10,443	21.7%
Frequency Missing	6,173	

Participate in School Choir

Q9c	Frequency	Percent
No	44,848	94.5%
Yes	2,627	5.5%
Frequency Missing	6,838	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	35,073	71.4%
Yes	14,022	28.6%
Frequency Missing	5,219	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	43,645	91.4%
Yes	4,101	8.6%
Frequency Missing	6,567	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	40,351	84.5%
Yes	7,421	15.5%
Frequency Missing	6,541	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	43,056	91.1%
Yes	4,207	8.9%
Frequency Missing	7,050	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	46,829	86.6%
Somewhat Safe	6,633	12.3%
Not Very Safe	113	0.2%
Not Safe At All	74	0.1%
Don't Know	403	0.7%
Frequency Missing	261	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	23,000	42.8%
Somewhat Safe	25,363	47.2%
Not Very Safe	3,517	6.5%
Not Safe At All	710	1.3%
Don't Know	1,126	2.1%
Frequency Missing	598	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	28,639	53.8%
Yes	24,603	46.2%
Frequency Missing	1,071	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	17,910	33.3%
Somewhat Safe	25,913	48.2%
Not Very Safe	5,026	9.3%
Not Safe At All	2,666	5.0%
Don't Know	2,275	4.2%
Frequency Missing	523	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	2,327	4.4%
A Few	11,652	21.8%
Some	12,321	23.1%
Most	19,612	36.7%
All	7,465	14.0%
Frequency Missing	937	

**Highest Level of Schooling Completed by
Father**

Q11a	Frequency	Percent
Grade School or Less	4,045	7.7%
Some High School	6,792	12.9%
Finished High School	15,403	29.4%
Some College	5,517	10.5%
Finished College	6,427	12.3%
Post-Secondary	3,574	6.8%
Don't Know or N/A	10,696	20.4%
Frequency Missing	1,858	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	1,361	2.6%
A Few	7,339	13.8%
Some	14,485	27.3%
Most	20,626	38.9%
All	9,268	17.5%
Frequency Missing	1,235	

**Highest Level of Schooling Completed by
Mother**

Q11b	Frequency	Percent
Grade School or Less	3,623	6.9%
Some High School	5,465	10.4%
Finished High School	13,773	26.2%
Some College	7,112	13.5%
Finished College	9,630	18.3%
Post-Secondary	5,891	11.2%
Don't Know or N/A	7,007	13.3%
Frequency Missing	1,813	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	20,380	38.7%
A Few	16,968	32.2%
Some	8,465	16.1%
Most	4,219	8.0%
All	2,590	4.9%
Frequency Missing	1,692	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	42,256	79.6%
A Few	6,655	12.5%
Some	2,713	5.1%
Most	831	1.6%
All	643	1.2%
Frequency Missing	1,215	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	52,659	99.1%
In Your Lifetime	94	0.2%
Since School Began	177	0.3%
In the Past Month	216	0.4%
Frequency Missing	1,167	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	46,140	86.8%
A Few	3,915	7.4%
Some	1,661	3.1%
Most	540	1.0%
All	883	1.7%
Frequency Missing	1,175	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	50,924	95.5%
In Your Lifetime	1,316	2.5%
Since School Began	477	0.9%
In the Past Month	614	1.2%
Frequency Missing	983	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	52,680	98.6%
In Your Lifetime	369	0.7%
Since School Began	81	0.2%
In the Past Month	276	0.5%
Frequency Missing	907	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	52,952	99.4%
In Your Lifetime	85	0.2%
Since School Began	64	0.1%
In the Past Month	191	0.4%
Frequency Missing	1,021	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	51,379	96.4%
In Your Lifetime	1,347	2.5%
Since School Began	185	0.3%
In the Past Month	385	0.7%
Frequency Missing	1,017	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	52,623	99.3%
In Your Lifetime	48	0.1%
Since School Began	28	0.1%
In the Past Month	291	0.5%
Frequency Missing	1,323	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	51,867	97.4%
In Your Lifetime	619	1.2%
Since School Began	242	0.5%
In the Past Month	517	1.0%
Frequency Missing	1,068	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	37,867	71.3%
In Your Lifetime	8,472	16.0%
Since School Began	2,244	4.2%
In the Past Month	4,489	8.5%
Frequency Missing	1,241	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	52,372	98.6%
In Your Lifetime	414	0.8%
Since School Began	129	0.2%
In the Past Month	218	0.4%
Frequency Missing	1,180	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	42,230	79.5%
In Your Lifetime	5,608	10.6%
Since School Began	2,006	3.8%
In the Past Month	3,285	6.2%
Frequency Missing	1,185	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	49,231	92.4%
In Your Lifetime	2,600	4.9%
Since School Began	546	1.0%
In the Past Month	929	1.7%
Frequency Missing	1,008	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	42,443	80.4%
In Your Lifetime	6,926	13.1%
Since School Began	1,552	2.9%
In the Past Month	1,839	3.5%
Frequency Missing	1,554	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	50,733	95.6%
In Your Lifetime	1,420	2.7%
Since School Began	317	0.6%
In the Past Month	579	1.1%
Frequency Missing	1,265	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	40,046	75.6%
In Your Lifetime	6,751	12.7%
Since School Began	2,035	3.8%
In the Past Month	4,168	7.9%
Frequency Missing	1,314	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	52,054	98.2%
In Your Lifetime	633	1.2%
Since School Began	98	0.2%
In the Past Month	226	0.4%
Frequency Missing	1,302	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	42,424	79.5%
In Your Lifetime	5,447	10.2%
Since School Began	1,238	2.3%
In the Past Month	4,221	7.9%
Frequency Missing	983	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	52,295	97.9%
In Your Lifetime	552	1.0%
Since School Began	387	0.7%
In the Past Month	197	0.4%
Frequency Missing	881	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	45,446	85.2%
In Your Lifetime	4,218	7.9%
Since School Began	1,247	2.3%
In the Past Month	2,427	4.6%
Frequency Missing	975	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	53,312	99.8%
In Your Lifetime	13	0.0%
Since School Began	0	0.0%
In the Past Month	69	0.1%
Frequency Missing	920	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	53,086	99.3%
In Your Lifetime	171	0.3%
Since School Began	120	0.2%
In the Past Month	78	0.1%
Frequency Missing	858	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	53,026	99.2%
In Your Lifetime	260	0.5%
Since School Began	45	0.1%
In the Past Month	98	0.2%
Frequency Missing	885	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	53,186	99.8%
In Your Lifetime	93	0.2%
Since School Began	33	0.1%
In the Past Month	0	0.0%
Frequency Missing	1,001	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	53,106	99.4%
In Your Lifetime	173	0.3%
Since School Began	100	0.2%
In the Past Month	28	0.1%
Frequency Missing	908	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	53,233	99.5%
In Your Lifetime	161	0.3%
Since School Began	0	0.0%
In the Past Month	117	0.2%
Frequency Missing	803	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	48,294	90.9%
In Your Lifetime	2,448	4.6%
Since School Began	994	1.9%
In the Past Month	1,394	2.6%
Frequency Missing	1,184	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	53,264	99.7%
In Your Lifetime	116	0.2%
Since School Began	19	0.0%
In the Past Month	0	0.0%
Frequency Missing	914	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	52,147	98.0%
In Your Lifetime	544	1.0%
Since School Began	127	0.2%
In the Past Month	375	0.7%
Frequency Missing	1,121	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	52,319	97.8%
In Your Lifetime	590	1.1%
Since School Began	264	0.5%
In the Past Month	303	0.6%
Frequency Missing	837	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	51,921	98.0%
In Your Lifetime	634	1.2%
Since School Began	257	0.5%
In the Past Month	186	0.4%
Frequency Missing	1,316	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	50,723	95.1%
In Your Lifetime	1,210	2.3%
Since School Began	378	0.7%
In the Past Month	1,052	2.0%
Frequency Missing	949	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	51,778	97.4%
In Your Lifetime	729	1.4%
Since School Began	255	0.5%
In the Past Month	378	0.7%
Frequency Missing	1,174	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	49,492	93.4%
In Your Lifetime	1,720	3.2%
Since School Began	461	0.9%
In the Past Month	1,302	2.5%
Frequency Missing	1,339	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	52,312	98.7%
1-2 times	405	0.8%
3-10 times	136	0.3%
11+ times	162	0.3%
Frequency Missing	1,298	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	51,498	97.7%
In Your Lifetime	723	1.4%
Since School Began	279	0.5%
In the Past Month	201	0.4%
Frequency Missing	1,613	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	48,314	90.8%
1-2 times	2,276	4.3%
3-10 times	958	1.8%
11+ times	1,686	3.2%
Frequency Missing	1,079	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	50,712	95.4%
1-2 times	1,225	2.3%
3-10 times	394	0.7%
11+ times	839	1.6%
Frequency Missing	1,143	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	52,793	99.4%
1-2 times	200	0.4%
3-10 times	82	0.2%
11+ times	50	0.1%
Frequency Missing	1,188	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	42,413	79.8%
1-2 times	6,525	12.3%
3-10 times	2,556	4.8%
11+ times	1,657	3.1%
Frequency Missing	1,163	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	52,868	99.7%
1-2 times	111	0.2%
3-10 times	45	0.1%
11+ times	0	0.0%
Frequency Missing	1,289	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	44,586	83.9%
A few	5,066	9.5%
Some	1,905	3.6%
Most	1,121	2.1%
All	471	0.9%
Frequency Missing	1,165	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	30,722	57.9%
A few	10,938	20.6%
Some	5,888	11.1%
Most	4,178	7.9%
All	1,344	2.5%
Frequency Missing	1,243	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	34,129	64.5%
8 or younger	2,788	5.3%
9 years old	861	1.6%
10 years old	723	1.4%
11 years old	1,341	2.5%
12 years old	2,332	4.4%
13 years old	2,869	5.4%
14 years old	2,770	5.2%
15 years old	2,385	4.5%
16 years old	1,801	3.4%
17 years old	589	1.1%
18 or older	326	0.6%
Frequency Missing	1,401	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	49,190	93.2%
A few	2,293	4.3%
Some	680	1.3%
Most	433	0.8%
All	164	0.3%
Frequency Missing	1,553	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	51,830	98.0%
8 or younger	400	0.8%
9 years old	26	0.1%
10 years old	51	0.1%
11 years old	83	0.2%
12 years old	98	0.2%
13 years old	146	0.3%
14 years old	129	0.2%
15 years old	46	0.1%
16 years old	64	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	1,439	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	37,793	71.3%
A few	7,189	13.6%
Some	4,107	7.7%
Most	2,983	5.6%
All	924	1.7%
Frequency Missing	1,318	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	48,733	91.7%
8 or younger	317	0.6%
9 years old	341	0.6%
10 years old	413	0.8%
11 years old	292	0.5%
12 years old	789	1.5%
13 years old	768	1.4%
14 years old	440	0.8%
15 years old	420	0.8%
16 years old	375	0.7%
17 years old	263	0.5%
18 or older	7	0.0%
Frequency Missing	1,156	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	44,805	84.7%
8 or younger	245	0.5%
9 years old	59	0.1%
10 years old	416	0.8%
11 years old	602	1.1%
12 years old	1,203	2.3%
13 years old	1,455	2.8%
14 years old	1,105	2.1%
15 years old	1,436	2.7%
16 years old	1,103	2.1%
17 years old	331	0.6%
18 or older	123	0.2%
Frequency Missing	1,431	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	52,663	99.3%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	14	0.0%
11 years old	0	0.0%
12 years old	30	0.1%
13 years old	61	0.1%
14 years old	26	0.0%
15 years old	29	0.1%
16 years old	58	0.1%
17 years old	117	0.2%
18 or older	9	0.0%
Frequency Missing	1,306	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	52,751	99.5%
8 or younger	18	0.0%
9 years old	0	0.0%
10 years old	14	0.0%
11 years old	66	0.1%
12 years old	6	0.0%
13 years old	52	0.1%
14 years old	88	0.2%
15 years old	9	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	33	0.1%
Frequency Missing	1,275	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	53,052	99.7%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	10	0.0%
11 years old	0	0.0%
12 years old	30	0.1%
13 years old	32	0.1%
14 years old	30	0.1%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	33	0.1%
Frequency Missing	1,127	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	52,837	99.6%
8 or younger	66	0.1%
9 years old	0	0.0%
10 years old	66	0.1%
11 years old	30	0.1%
12 years old	0	0.0%
13 years old	30	0.1%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	33	0.1%
Frequency Missing	1,251	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	52,738	99.4%
8 or younger	9	0.0%
9 years old	10	0.0%
10 years old	49	0.1%
11 years old	39	0.1%
12 years old	0	0.0%
13 years old	135	0.3%
14 years old	0	0.0%
15 years old	49	0.1%
16 years old	49	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	1,237	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	52,995	99.7%
8 or younger	17	0.0%
9 years old	0	0.0%
10 years old	14	0.0%
11 years old	0	0.0%
12 years old	8	0.0%
13 years old	51	0.1%
14 years old	0	0.0%
15 years old	41	0.1%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	33	0.1%
Frequency Missing	1,154	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	52,109	98.2%
8 or younger	0	0.0%
9 years old	66	0.1%
10 years old	6	0.0%
11 years old	32	0.1%
12 years old	319	0.6%
13 years old	140	0.3%
14 years old	200	0.4%
15 years old	118	0.2%
16 years old	48	0.1%
17 years old	0	0.0%
18 or older	9	0.0%
Frequency Missing	1,266	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	50,519	95.2%
8 or younger	37	0.1%
9 years old	0	0.0%
10 years old	44	0.1%
11 years old	138	0.3%
12 years old	500	0.9%
13 years old	516	1.0%
14 years old	390	0.7%
15 years old	311	0.6%
16 years old	464	0.9%
17 years old	134	0.3%
18 or older	9	0.0%
Frequency Missing	1,251	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	23,557	44.9%
Impossible	9,704	18.5%
Very Difficult	4,338	8.3%
Somewhat diff	4,534	8.6%
Somewhat easy	5,031	9.6%
Very easy	5,273	10.1%
Frequency Missing	1,877	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	18,496	35.2%
Impossible	6,914	13.2%
Very Difficult	3,257	6.2%
Somewhat diff	6,247	11.9%
Somewhat easy	7,963	15.2%
Very easy	9,652	18.4%
Frequency Missing	1,784	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	28,078	53.8%
Impossible	7,679	14.7%
Very Difficult	2,417	4.6%
Somewhat diff	2,615	5.0%
Somewhat easy	4,063	7.8%
Very easy	7,385	14.1%
Frequency Missing	2,075	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	22,629	43.1%
Impossible	10,901	20.8%
Very Difficult	4,140	7.9%
Somewhat diff	4,426	8.4%
Somewhat easy	4,285	8.2%
Very easy	6,119	11.7%
Frequency Missing	1,812	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	27,308	52.0%
Impossible	14,605	27.8%
Very Difficult	4,832	9.2%
Somewhat diff	2,422	4.6%
Somewhat easy	1,586	3.0%
Very easy	1,807	3.4%
Frequency Missing	1,754	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	28,064	53.5%
Impossible	15,293	29.1%
Very Difficult	4,654	8.9%
Somewhat diff	1,944	3.7%
Somewhat easy	957	1.8%
Very easy	1,573	3.0%
Frequency Missing	1,829	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	30,963	59.0%
Impossible	14,026	26.7%
Very Difficult	3,464	6.6%
Somewhat diff	1,799	3.4%
Somewhat easy	796	1.5%
Very easy	1,406	2.7%
Frequency Missing	1,859	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	28,706	54.6%
Impossible	13,969	26.6%
Very Difficult	4,556	8.7%
Somewhat diff	2,459	4.7%
Somewhat easy	1,268	2.4%
Very easy	1,598	3.0%
Frequency Missing	1,756	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	32,008	61.0%
Impossible	11,522	22.0%
Very Difficult	2,843	5.4%
Somewhat diff	2,108	4.0%
Somewhat easy	1,687	3.2%
Very easy	2,288	4.4%
Frequency Missing	1,857	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	32,869	62.9%
Impossible	11,962	22.9%
Very Difficult	3,522	6.7%
Somewhat diff	1,908	3.6%
Somewhat easy	811	1.6%
Very easy	1,201	2.3%
Frequency Missing	2,041	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	31,321	60.0%
Impossible	10,447	20.0%
Very Difficult	2,975	5.7%
Somewhat diff	2,129	4.1%
Somewhat easy	2,036	3.9%
Very easy	3,290	6.3%
Frequency Missing	2,116	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	30,387	57.9%
Impossible	14,565	27.7%
Very Difficult	3,585	6.8%
Somewhat diff	1,899	3.6%
Somewhat easy	785	1.5%
Very easy	1,282	2.4%
Frequency Missing	1,810	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	614	1.2%
Several times/wk	239	0.5%
Several times/mo	260	0.5%
About once/month	599	1.1%
About once/year	553	1.1%
Less than once/year	1,449	2.8%
Never used	48,635	92.9%
Frequency Missing	1,964	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	69	0.1%
Several times/wk	608	1.2%
Several times/mo	2,405	4.6%
About once/month	4,554	8.7%
About once/year	4,145	7.9%
Less than once/year	4,424	8.5%
Never used	36,069	69.0%
Frequency Missing	2,039	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	96	0.2%
Several times/wk	0	0.0%
Several times/mo	32	0.1%
About once/month	19	0.0%
About once/year	81	0.2%
Less than once/year	95	0.2%
Never used	52,184	99.4%
Frequency Missing	1,807	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	0	0.0%
Several times/wk	124	0.2%
Several times/mo	263	0.5%
About once/month	16	0.0%
About once/year	251	0.5%
Less than once/year	377	0.7%
Never used	51,176	98.0%
Frequency Missing	2,106	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	32	0.1%
About once/month	0	0.0%
About once/year	63	0.1%
Less than once/year	0	0.0%
Never used	52,468	99.8%
Frequency Missing	1,751	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	717	1.4%
Several times/wk	815	1.6%
Several times/mo	750	1.4%
About once/month	1,065	2.0%
About once/year	1,444	2.7%
Less than once/year	1,676	3.2%
Never used	46,052	87.7%
Frequency Missing	1,794	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	9	0.0%
Several times/wk	0	0.0%
Several times/mo	9	0.0%
About once/month	12	0.0%
About once/year	37	0.1%
Less than once/year	183	0.3%
Never used	52,266	99.5%
Frequency Missing	1,797	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	106	0.2%
Less than once/year	128	0.2%
Never used	52,228	99.6%
Frequency Missing	1,852	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	204	0.4%
Several times/wk	14	0.0%
Several times/mo	191	0.4%
About once/month	124	0.2%
About once/year	80	0.2%
Less than once/year	365	0.7%
Never used	51,460	98.1%
Frequency Missing	1,873	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	16	0.0%
Several times/wk	30	0.1%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	61	0.1%
Less than once/year	33	0.1%
Never used	52,416	99.7%
Frequency Missing	1,757	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	310	0.6%
Several times/wk	285	0.5%
Several times/mo	288	0.5%
About once/month	409	0.8%
About once/year	449	0.9%
Less than once/year	590	1.1%
Never used	50,098	95.6%
Frequency Missing	1,884	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	37	0.1%
Several times/wk	19	0.0%
Several times/mo	32	0.1%
About once/month	0	0.0%
About once/year	0	0.0%
Less than once/year	85	0.2%
Never used	52,298	99.7%
Frequency Missing	1,844	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	35,954	68.6%
12+ drinks	1,135	2.2%
9-11 drinks	822	1.6%
5-8 drinks	1,684	3.2%
3-4 drinks	1,936	3.7%
2 drinks	2,637	5.0%
1 drink	3,025	5.8%
Less than 1 drink	5,188	9.9%
Frequency Missing	1,934	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	41,593	79.4%
12+ drinks	513	1.0%
9-11 drinks	682	1.3%
5-8 drinks	1,633	3.1%
3-4 drinks	1,353	2.6%
2 drinks	1,841	3.5%
1 drink	2,342	4.5%
Less than 1 drink	2,442	4.7%
Frequency Missing	1,915	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	29,587	57.2%
0 days	17,182	33.2%
1 day	1,758	3.4%
2 days	1,023	2.0%
3 to 5 days	791	1.5%
6 to 9 days	387	0.7%
10 or more days	976	1.9%
Frequency Missing	2,609	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	41,543	79.6%
12+ drinks	261	0.5%
9-11 drinks	210	0.4%
5-8 drinks	410	0.8%
3-4 drinks	802	1.5%
2 drinks	1,451	2.8%
1 drink	3,181	6.1%
Less than 1 drink	4,325	8.3%
Frequency Missing	2,130	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	35,825	68.6%
Never	6,506	12.5%
Seldom	6,555	12.6%
Most of the Time	2,082	4.0%
Always	1,238	2.4%
Frequency Missing	2,108	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	38,064	72.9%
12+ drinks	928	1.8%
9-11 drinks	647	1.2%
5-8 drinks	1,653	3.2%
3-4 drinks	2,291	4.4%
2 drinks	2,379	4.6%
1 drink	2,859	5.5%
Less than 1 drink	3,390	6.5%
Frequency Missing	2,104	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	36,102	69.3%
Never	6,691	12.8%
Seldom	5,038	9.7%
Most of the Time	3,096	5.9%
Always	1,158	2.2%
Frequency Missing	2,230	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	37,633	72.7%
Never	10,579	20.4%
Seldom	1,703	3.3%
Most of the Time	1,066	2.1%
Always	801	1.5%
Frequency Missing	2,532	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	34,923	66.9%
Never	6,411	12.3%
Seldom	4,186	8.0%
Most of the Time	4,038	7.7%
Always	2,613	5.0%
Frequency Missing	2,142	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	39,532	75.7%
Somewhat	6,047	11.6%
Not very	2,009	3.8%
Not at all	875	1.7%
Don't know	3,772	7.2%
Frequency Missing	2,078	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	37,697	72.6%
Never	8,461	16.3%
Seldom	2,880	5.5%
Most of the Time	1,483	2.9%
Always	1,416	2.7%
Frequency Missing	2,375	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	33,904	64.9%
Somewhat	7,961	15.2%
Not very	4,934	9.4%
Not at all	2,729	5.2%
Don't know	2,691	5.2%
Frequency Missing	2,095	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	34,776	66.4%
Somewhat	10,881	20.8%
Not very	3,140	6.0%
Not at all	559	1.1%
Don't know	3,009	5.7%
Frequency Missing	1,947	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	45,199	86.6%
Somewhat	3,364	6.4%
Not very	425	0.8%
Not at all	399	0.8%
Don't know	2,814	5.4%
Frequency Missing	2,112	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	27,616	52.9%
Somewhat	13,624	26.1%
Not very	7,274	13.9%
Not at all	1,221	2.3%
Don't know	2,438	4.7%
Frequency Missing	2,140	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	46,014	88.1%
Somewhat	2,628	5.0%
Not very	282	0.5%
Not at all	439	0.8%
Don't know	2,896	5.5%
Frequency Missing	2,055	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	43,126	82.5%
Somewhat	2,475	4.7%
Not very	714	1.4%
Not at all	528	1.0%
Don't know	5,423	10.4%
Frequency Missing	2,047	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	41,997	80.4%
Somewhat	3,242	6.2%
Not very	1,373	2.6%
Not at all	976	1.9%
Don't know	4,638	8.9%
Frequency Missing	2,087	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	40,767	78.2%
Somewhat	5,195	10.0%
Not very	1,901	3.6%
Not at all	579	1.1%
Don't know	3,665	7.0%
Frequency Missing	2,206	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	39,939	76.6%
Somewhat	3,715	7.1%
Not very	2,265	4.3%
Not at all	1,469	2.8%
Don't know	4,747	9.1%
Frequency Missing	2,179	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	45,478	87.0%
Somewhat	2,006	3.8%
Not very	427	0.8%
Not at all	475	0.9%
Don't know	3,870	7.4%
Frequency Missing	2,058	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	40,949	78.6%
Somewhat	5,770	11.1%
Not very	1,373	2.6%
Not at all	631	1.2%
Don't know	3,404	6.5%
Frequency Missing	2,186	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	45,751	87.6%
Somewhat	2,037	3.9%
Not very	347	0.7%
Not at all	425	0.8%
Don't know	3,663	7.0%
Frequency Missing	2,091	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	36,445	69.8%
Somewhat	7,381	14.1%
Not very	3,703	7.1%
Not at all	1,718	3.3%
Don't know	2,937	5.6%
Frequency Missing	2,129	

Days Skipped Since September

Q28a	Frequency	Percent
None	39,389	76.9%
1-3 days	8,204	16.0%
4-9 days	1,886	3.7%
10+ days	1,761	3.4%
Frequency Missing	3,074	

Someone Called Home Since September

Q28e	Frequency	Percent
None	45,012	87.9%
1-3 days	4,387	8.6%
4-9 days	821	1.6%
10+ days	978	1.9%
Frequency Missing	3,115	

Days Ill Since September

Q28b	Frequency	Percent
None	13,897	27.3%
1-3 days	23,615	46.4%
4-9 days	9,690	19.0%
10+ days	3,733	7.3%
Frequency Missing	3,378	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	49,110	95.9%
1-3 times	1,685	3.3%
4-9 times	311	0.6%
10+ times	119	0.2%
Frequency Missing	3,088	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	16,692	33.3%
1-3 days	24,965	49.8%
4-9 days	5,234	10.4%
10+ days	3,273	6.5%
Frequency Missing	4,149	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	49,714	97.1%
1-3 times	1,099	2.1%
4-9 times	165	0.3%
10+ times	219	0.4%
Frequency Missing	3,117	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	44,092	86.1%
1-3 days	5,089	9.9%
4-9 days	1,023	2.0%
10+ days	992	1.9%
Frequency Missing	3,117	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	49,782	97.2%
1-3 times	1,046	2.0%
4-9 times	169	0.3%
10+ times	213	0.4%
Frequency Missing	3,102	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	49,906	97.4%
1-3 times	751	1.5%
4-9 times	192	0.4%
10+ times	407	0.8%
Frequency Missing	3,056	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	49,531	96.7%
1-3 days	1,219	2.4%
4-9 days	195	0.4%
10+ days	254	0.5%
Frequency Missing	3,114	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	29,673	58.1%
Seldom	2,910	5.7%
Half the time	2,536	5.0%
Most of the Time	3,863	7.6%
Always	3,815	7.5%
Don't Know	577	1.1%
Didn't attend	7,742	15.1%
Frequency Missing	3,198	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	47,925	93.8%
1-3 days	1,510	3.0%
4-9 days	418	0.8%
10+ days	1,220	2.4%
Frequency Missing	3,240	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	34,598	67.8%
Seldom	2,559	5.0%
Half the time	1,843	3.6%
Most of the Time	1,996	3.9%
Always	1,399	2.7%
Don't Know	918	1.8%
Didn't attend	7,742	15.2%
Frequency Missing	3,258	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	50,661	99.2%
1-3 days	169	0.3%
4-9 days	51	0.1%
10+ days	171	0.3%
Frequency Missing	3,261	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	44,946	92.0%
Yes	3,905	8.0%
Frequency Missing	5,463	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	50,171	98.4%
1-3 days	405	0.8%
4-9 days	122	0.2%
10+ days	267	0.5%
Frequency Missing	3,349	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	32,546	64.5%
Yes	17,892	35.5%
Frequency Missing	3,875	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	38,501	76.9%
Yes	11,573	23.1%
Frequency Missing	4,239	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	20,366	40.7%
Yes	29,652	59.3%
Frequency Missing	4,295	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	29,193	58.2%
Yes	20,964	41.8%
Frequency Missing	4,156	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	29,993	59.8%
Yes	20,193	40.2%
Frequency Missing	4,128	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	15,432	30.5%
Yes	35,099	69.5%
Frequency Missing	3,782	

Would Not Seek Help

Q33i	Frequency	Percent
No	36,571	73.8%
Yes	12,993	26.2%
Frequency Missing	4,749	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	23,172	46.1%
Yes	27,078	53.9%
Frequency Missing	4,063	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	32,529	64.7%
Yes	17,743	35.3%
Frequency Missing	4,042	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	18,490	36.8%
Yes	31,757	63.2%
Frequency Missing	4,067	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	20,694	41.1%
Yes	29,657	58.9%
Frequency Missing	3,962	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	34,587	69.2%
Yes	15,371	30.8%
Frequency Missing	4,356	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	32,317	64.6%
Yes	17,733	35.4%
Frequency Missing	4,264	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	39,680	79.4%
Yes	10,294	20.6%
Frequency Missing	4,340	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	38,800	76.4%
Mild disapprove	3,897	7.7%
Neither	3,197	6.3%
Mildly approve	319	0.6%
Strongly approve	239	0.5%
Don't know	4,346	8.6%
Frequency Missing	3,516	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	33,721	67.5%
Yes	16,231	32.5%
Frequency Missing	4,362	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	28,733	56.6%
Mild disapprove	7,946	15.7%
Neither	7,412	14.6%
Mildly approve	2,214	4.4%
Strongly approve	391	0.8%
Don't know	4,025	7.9%
Frequency Missing	3,593	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	40,563	81.3%
Yes	9,303	18.7%
Frequency Missing	4,447	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	38,287	75.5%
Mild disapprove	3,562	7.0%
Neither	3,479	6.9%
Mildly approve	760	1.5%
Strongly approve	438	0.9%
Don't know	4,164	8.2%
Frequency Missing	3,624	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	26,403	52.7%
Yes	23,741	47.3%
Frequency Missing	4,170	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

